

Contract HK 12/02
Central Reclamation Phase III–Engineering Works
Environmental Permit No.: EP-01/122/2003/A

Certification and Verification
for EP Condition 3.3 –
Baseline Report for Water Quality Monitoring

ET Leader Certification

This certification references the Contractor's submissions dated 28 January 2008 (Ref. H2189/C1/28385/MP/EY/GL/ST/W1) providing the Water Quality Baseline Monitoring Report for marine filling works using "Type A Fill" at FRAW as per Condition 3.3 of the EP (No. EP-01/122/2003/A).

The last paragraph of Condition 3.3 in the project Environmental Permit (EP-01/122/2003/A) states:

"To ensure that the use of 'Type A Fill' will not result in unacceptable water quality impact, an additional water quality monitoring programme shall be implemented to monitor the effectiveness of the control and mitigation measures. The additional water quality monitoring programme plan shall be certified by the ET Leader and verified by the IEC as adequate to monitor the effectiveness of the measures and allow triggering of follow up actions to avoid unacceptable impacts. The monitoring programme plan shall be deposited with the Director at least 1 week before the commencement of the filling works using 'Type A Fill'. The supplementary water quality programme shall form part of the EM&A programme stated in Condition 4.1 of this Permit. "

This report is certified and verified under Clause 3.3 of the EP.

Susana Bezy, Environmental Team Leader:



Date: 28 January 2008

IC(E) Verification

I hereby verify the above information.

Bill Douglas, Independent Checker (Environment):



Date: 28 January 2008

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab



REPORT ON BASELINE WATER QUALITY MONITORING

Client : Leighton-China State-Van Oord Joint Venture

Project : Contract No. HK 12/02
Central Reclamation
Phase III

Report No. : 062914EN80025

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 062914EN80025

CONTENT

- I. Introduction
- II. Testing Requirements & Method Statement
- III. Work Undertaken
- IV. Field Measurement and Laboratory Analysis Result

APPENDICES

- Appendix I : Field Measurement and Laboratory Analysis Results
- Appendix II : Locations of Baseline Water Quality Monitoring Station
- Appendix III : Calibration Certificates of Monitoring Equipment
- Appendix IV : Raw Data of Water Quality Monitoring

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MateriaLab

Report No. : 062914EN80025

I. Introduction

Fugro Technical Services Limited – MateriaLab Division was commissioned by the Client, Leighton – China State – Van Oord Joint Venture for provision of field measurement, sampling and subsequent laboratory analysis of water quality at Central Area.

MateriaLab was responsible for provision of all manpower, sampling vessel, equipment & other supplies for the satisfactory execution of the above mentioned activities.

This report presents the field measurement and laboratory analysis results of baseline water quality monitoring carried out from 12 January 2008 to 20 January 2008.

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MateriaLab

Report No. : 062914EN80025

II Test requirement & method statement

A Field measurement

1. Sampling positioning

By using handheld Global Position System (Model : Garmin GPS II Plus).

2. Water depth

Measured by using echo sounder (Model : Eagle Magna 3 or Eagle Strata 128 or Garmin Fishfinder 10).

3. Water temperature

Measured at designated depth by using thermal couple (Model : YSI 58).

4. Dissolved oxygen

Measured at designated depth by using Dissolved Oxygen Meter (Model YSI 58).

5. Salinity

Measured at designated depth by using Salinity Meter (Model : YSI 30)

6. Turbidity

Samples are collected by water sampler at designated depth, then turbidity is determined by using turbidity meter (Model : HACH 2100P).

B. Laboratory analysis

I. Total Suspended Solids at 103°C to 105°C

APHA, 18th edition, 2540D

A well-mixed sample is filtered through a weighed standard glass-fibre filter. The non-filterable residue on the filter is dried at 103 – 105°C. The increase in weight of the filter represents the suspended solids content.

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 062914EN80025

III Work undertaken

1. The baseline water quality monitoring was performed at 5 locations and the coordinates are summarised in the table below.

Table 3.1

Location	Coordinates	
	Northing	Easting
AM1	816194	834921
AM2	816198	834970
AM3	816242	834906
AM4	816139	834894
AM5	816104	834828

2. The monitoring schedule is shown on follow:

Table 3.2

Date of monitoring	Sampling time
12/01/2008	09:41, 15:09
13/01/2008	10:16, 15:57
14/01/2008	10:52, 16:49
15/01/2008	11:30, 17:47
16/01/2008	12:00, 17:00
17/01/2008	12:49, 18:00
18/01/2008	08:30, 13:30
19/01/2008	09:32, 14:22
20/01/2008	10:37, 15:24

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

Materialab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

Materialab

Report No. : 062914EN80025

3. The sampling vessel was positioned at each location by means of GPS according to the coordinates in Table 3.1.
4. Water depth was measured and recorded on the field data sheet.
5. DO probe was calibrated to 0% and 100% before deployed. All in-situ measuring probes are rinsed with distilled water.
6. DO, salinity and water temperature were then measured at designated depth, namely 1m below surface, mid depth and 1m above seabed, except where the water depth is less than 6m, the mid-depth shall be omitted. Should the water depth less than 3m, only the mid-depth shall be monitored.
7. After first reading, all probes are retrieved and deployed to the designated depth for second measurement.
8. All reading were recorded on the field data sheet with all relevant information.
9. Water samples at each depth were collected. Turbidity was then measured on board. Sample for suspended solids analysis was kept in plastic bottle with clear label at 4°C during storage on board.
10. Vessel moved to next location and the same monitoring was performed according to step 3 to 9.
11. The same exercise was re-run for the next tide.
12. All samples were transported back to the laboratory in chilled condition. Analysis of suspended solids content was carried out subsequently.

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 062914EN80025

IV Field measurement and laboratory analysis result.

Data of field measurement and laboratory analysis are enclosed in Appendix I.

1. Criteria for Action and Limit Level

The criteria for the formulation of Action and Limit levels of suspended solids are stated in Table 4.1.

Table 4.1

Location	Action Level	Limit Level
AM1, AM2, AM3	95%-ile of baseline data (depth average) or 120% of upstream control station's SS at the same tide of the same day	99%-ile of baseline data (depth average) or 130% of upstream control station's SS at the same tide of the same day

2. Calculation of Action and Limit Levels

Summary of SS (mg/L)

Data for mid-flood (12 – 20 January 2008)

Table 4.2

Station	Depth	Min	Max	Average	SD	Depth Average
AM1	S	5	10	7	1.57	7
	M	5	9	7	1.49	
	B	5	11	8	1.73	
AM2	S	4	9	6	1.16	7
	M	5	7	6	0.70	
	B	4	10	8	1.75	
AM3	S	5	8	6	0.90	7
	M	4	11	7	2.12	
	B	5	11	7	2.11	

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
 Fugro Development Centre,
 5 Lok Yi Street, 17 M.S. Castle Peak Road,
 Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
 Fax : +852-2450 6138
 E-mail : matlab@fugro.com.hk
 Website : www.fugro.com



Report No. : 062914EN80025

Summary of SS (mg/L)
 Data for mid-ebb (12-20 January 2008)

Table 4.3

Station	Depth	Min	Max	Average	SD	Depth Average
AM1	S	5	14	8	2.60	7
	M	4	9	7	1.41	
	B	4	10	7	2.17	
AM2	S	5	13	7	2.26	6
	M	5	7	6	0.98	
	B	5	8	6	0.89	
AM3	S	5	10	7	1.27	6
	M	5	8	6	1.06	
	B	5	7	6	0.81	

Since there is no significant difference in the depth average values for the mid-ebb and the mid-flood data, and the monitoring station stations (AM1, AM2 and AM3) are close together, it is suggested to combine the data collected in the baseline monitoring for AM1, AM2 and AM3 and to enhance the number of data point to determine the Action and Limit Levels for the marine monitoring station. The statistics of the combined data are summarized below:

Table 4.4

Station	Depth	Min	Max	Average	SD	Depth Average	Depth Average 95%-ile	Depth Average 99%-ile
Combine AM1, AM2 & AM3	S	4	14	7	1.81	7	8.8	9.4
	M	4	11	6	1.40			
	B	4	11	7	1.77			

Apart from the above, the Action and Limit Levels for the two nearest cooling water intakes (namely M4B and M2A) shall also be used for the Impact Water Quality Monitoring for the filling works at FRAW using Type A Fill. Their Action and Limit Levels are tabulated below:

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 062914EN80025

Table 4.5

Monitoring Station	Action Level	Limit Level
M4B	30	40
M2A	23	27

3. Calculated Action and Limit Levels

Following the criteria as aforementioned, the Action and Limit Levels for the suspended solids (mg/L) are tabulated below:

Table 4.6

Monitoring Station	Action Level	Limit Level
M4B	30	40
M2A	23	27
Marine Station (Combine AM1, AM2 & AM3)	8.8 or > 120% of upstream control station's SS at the same tide of the same day	9.4 or > 130% of upstream control station's SS at the same tide of the same day

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 062914EN80025

Appendix I

Field Measurement and Laboratory Analysis Results

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 12/01/2008 (PM)
Tide State : Mid-Ebb
Sea Condition : NORMAL

Test No. : AM1A
Weather : SUNNY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	15:31	24.0	10.7	S 1.0	20.2	30.5	5.27	69.3	5.35	---	7
					20.0	30.6	5.40	71.1	5.09	---	8
				M 5.4	19.7	30.6	5.26	69.6	3.21	---	6
					19.7	30.6	5.16	68.1	3.65	---	5
				B 9.7	19.5	30.7	5.18	68.0	3.78	---	5
					19.5	30.7	5.17	67.5	4.06	---	5
AM2	15:12	25.0	11.2	S 1.0	19.9	30.6	5.44	71.9	3.99	---	5
					20.0	30.6	5.37	70.9	3.94	---	5
				M 5.6	19.6	30.6	5.08	66.6	3.86	---	5
					19.6	30.6	5.12	67.4	4.00	---	5
				B 10.2	19.4	30.7	5.14	67.6	3.39	---	5
					19.4	30.7	5.11	67.0	3.62	---	5
AM3	14:54	25.0	10.8	S 1.0	19.8	30.6	5.11	67.1	4.06	---	6
					19.8	30.6	5.20	68.4	3.84	---	6
				M 5.4	19.5	30.6	5.01	65.4	3.74	---	5
					19.5	30.6	5.03	65.9	3.96	---	6
				B 9.8	19.4	30.7	4.92	64.3	4.51	---	5
					19.4	30.7	4.95	64.4	4.80	---	5
AM4	14:38	25.0	7.0	S 1.0	20.6	30.5	4.91	65.3	6.68	---	8
					20.7	30.4	5.02	66.6	6.24	---	8
				M 3.5	19.8	30.5	4.65	61.3	7.56	---	8
					19.8	30.5	4.62	60.8	7.20	---	8
				B 6.0	19.7	30.6	4.64	61.1	7.37	---	10
					19.7	30.6	4.67	61.3	7.55	---	10
AM5	14:19	27.0	12.3	S 1.0	20.7	30.4	4.94	66.2	6.31	---	8
					20.8	30.4	4.85	64.8	6.49	---	8
				M 6.2	19.9	30.5	4.62	60.9	7.70	---	8
					19.9	30.5	4.57	60.2	7.79	---	8
				B 11.3	19.5	30.7	4.75	62.3	7.08	---	9
					19.5	30.7	4.78	62.4	7.25	---	9

Certified by :  Date : 18/1/2008
Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 12/01/2008 (AM)
Tide State : Mid-Flood
Sea Condition : NORMAL

Test No. : AM1B
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	10:42	23.0	10.6	S 1.0	19.5	30.6	5.24	68.5	5.89	---	10
					19.5	30.6	5.35	70.0	5.42	---	9
				M 5.3	19.4	30.6	5.10	66.8	5.25	---	9
					19.4	30.6	5.12	67.2	5.49	---	9
				B 9.6	19.3	30.7	5.09	66.4	5.26	---	9
					19.4	30.7	5.10	66.7	5.12	---	9
AM2	10:25	23.0	10.5	S 1.0	19.4	30.6	5.35	69.7	4.36	---	7
					19.4	30.6	5.45	71.2	4.07	---	6
				M 5.3	19.4	30.6	5.18	67.6	3.26	---	7
					19.4	30.6	5.19	67.9	3.59	---	7
				B 9.5	19.4	30.6	5.09	66.4	5.51	---	9
					19.5	30.7	5.02	65.8	5.02	---	9
AM3	10:07	22.0	10.9	S 1.0	19.4	30.6	5.33	69.6	3.95	---	5
					19.4	30.6	5.41	70.7	4.32	---	5
				M 5.5	19.4	30.6	5.19	67.9	6.29	---	11
					19.4	30.6	5.15	67.2	6.15	---	11
				B 9.9	19.4	30.6	5.07	66.2	6.84	---	10
					19.4	30.6	5.05	65.9	6.42	---	10
AM4	09:50	22.0	6.4	S 1.0	19.9	30.4	4.96	65.4	4.91	---	8
					20.0	30.4	4.88	64.2	5.22	---	8
				M 3.2	19.6	30.5	4.85	63.5	6.29	---	7
					19.7	30.5	4.80	62.8	6.01	---	7
				B 5.4	19.7	30.5	4.75	62.3	5.24	---	7
					19.7	30.5	4.69	61.2	5.66	---	7
AM5	09:24	23.0	12.1	S 1.0	20.2	30.4	4.84	64.1	5.33	---	6
					20.1	30.3	4.68	62.0	4.71	---	6
				M 6.1	19.7	30.6	4.70	61.8	6.04	---	7
					19.6	30.5	4.81	62.9	6.08	---	7
				B 11.1	19.4	30.7	4.47	58.5	5.28	---	8
					19.5	30.7	4.64	60.7	5.37	---	8

Certified by : 
Approved Signatory : K.M. Ho

Date : 18/1/2008

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV


Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 13/01/2008 (PM)
Tide State : Mid-Ebb
Sea Condition : NORMAL

Test No. : AM2A
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	16:12	20.0	11.2	S 1.0	19.6	30.8	5.04	65.7	4.46	---	8
					19.6	30.8	5.17	67.3	4.97	---	7
				M 5.6	19.3	31.2	5.60	72.1	4.31	---	7
					19.3	31.2	5.58	71.9	4.17	---	7
				B 10.2	19.2	31.2	5.62	72.5	3.87	---	7
					19.2	31.2	5.70	73.9	3.96	---	6
AM2	15:54	19.0	10.9	S 1.0	19.4	31.1	5.60	72.7	5.84	---	7
					19.5	31.0	5.63	72.9	5.43	---	7
				M 5.5	19.3	31.2	5.73	73.9	4.30	---	5
					19.3	31.2	5.75	74.5	4.19	---	5
				B 9.9	19.2	31.3	5.80	75.2	4.50	---	6
					19.2	31.2	5.76	74.5	4.35	---	6
AM3	15:34	19.0	11.3	S 1.0	19.5	31.0	5.57	72.2	5.29	---	7
					19.4	31.0	5.74	74.0	5.56	---	7
				M 5.7	19.3	31.2	5.52	71.6	3.87	---	5
					19.3	31.2	5.50	71.4	3.99	---	5
				B 10.3	19.3	31.2	5.70	73.9	4.10	---	6
					19.3	31.2	5.72	74.2	3.95	---	6
AM4	15:17	20.0	6.8	S 1.0	20.1	30.5	4.69	61.5	5.92	---	6
					20.0	30.5	4.64	60.8	6.25	---	6
				M 3.4	19.9	30.6	4.48	58.6	6.47	---	6
					19.8	30.6	4.46	58.1	6.08	---	6
				B 5.8	19.6	30.8	5.47	71.0	8.63	---	9
					19.4	30.9	5.58	72.4	8.85	---	9
AM5	15:01	20.0	12.6	S 1.0	19.9	30.5	4.77	62.4	5.14	---	7
					20.0	30.5	4.68	61.3	5.66	---	7
				M 6.3	19.8	30.6	4.52	58.9	6.87	---	7
					19.8	30.6	4.48	58.5	6.19	---	6
				B 11.6	19.3	31.0	4.87	62.8	7.29	---	7
					19.4	31.1	4.83	62.5	7.79	---	7

Certified by :  Date : 18/1/2008
Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5


Data Record

Date of Sampling : 13/01/2008 (AM)
Tide State : Mid-Flood
Sea Condition : NORMAL

Test No. : AM2B
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	11:09	20.0	10.9	S 1.0	19.6	30.6	4.96	64.7	4.22	---	5
					19.6	30.7	5.03	65.3	4.59	---	6
				M 5.5	19.5	30.8	4.87	63.1	4.30	---	7
					19.5	30.8	4.99	65.0	4.55	---	7
				B 9.9	19.4	30.9	4.80	62.2	4.66	---	9
					19.5	30.9	4.81	62.3	4.95	---	8
AM2	10:52	20.0	11.3	S 1.0	20.0	30.4	4.77	62.5	4.03	---	6
					20.0	30.5	4.75	61.9	4.38	---	6
				M 5.7	19.5	30.7	4.93	63.9	4.79	---	7
					19.5	30.7	4.88	63.6	5.06	---	7
				B 10.3	19.4	30.9	4.96	64.3	5.66	---	9
					19.4	30.9	4.94	64.1	5.70	---	9
AM3	10:33	20.0	11.1	S 1.0	19.6	30.6	4.94	64.4	3.58	---	5
					19.6	30.6	5.04	65.3	3.37	---	5
				M 5.6	19.5	30.7	4.92	63.9	3.66	---	6
					19.6	30.7	4.93	64.1	3.90	---	6
				B 10.1	19.5	30.8	4.85	63.5	3.69	---	6
					19.5	30.8	4.96	64.6	3.84	---	6
AM4	10:15	20.0	6.2	S 1.0	20.3	30.2	4.66	61.2	4.58	---	5
					20.3	30.2	4.73	62.3	4.86	---	5
				M 3.1	20.3	30.2	4.52	59.2	5.72	---	6
					20.2	30.3	4.53	59.5	5.64	---	6
				B 5.2	19.8	30.5	4.59	60.2	5.25	---	6
					19.8	30.5	4.61	60.3	5.66	---	6
AM5	09:58	20.0	13.0	S 1.0	20.2	30.3	4.80	63.2	3.82	---	5
					20.2	30.2	4.86	63.9	4.17	---	5
				M 6.5	19.8	30.5	4.58	59.8	4.93	---	6
					19.8	30.5	4.55	59.4	4.75	---	6
				B 12.0	19.5	30.7	4.39	57.0	4.06	---	6
					19.6	30.7	4.29	55.9	4.59	---	6

Certified by



Approved Signatory : K.M. Ho

Date

13/1/2008

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5


Data Record

Date of Sampling : 14/01/2008 (PM)
Tide State : Mid-Ebb
Sea Condition : NORMAL

Test No. : AM3A
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	16:12	18.0	11.3	S 1.0	19.9	30.7	4.86	63.3	5.52	---	6
					19.8	30.8	4.89	63.7	5.06	---	6
				M 5.7	19.1	31.3	5.57	71.5	3.88	---	6
					19.1	31.3	5.59	72.1	3.93	---	6
				B 10.3	19.0	31.4	5.89	76.2	2.58	---	5
					19.0	31.4	5.86	75.4	2.66	---	5
AM2	15:54	19.0	11.5	S 1.0	19.3	31.1	5.26	68.3	5.39	---	9
					19.3	31.1	5.34	69.0	5.04	---	8
				M 5.8	19.1	31.3	5.62	72.2	3.84	---	7
					19.1	31.3	5.58	71.7	3.75	---	7
				B 10.5	19.0	31.4	5.95	77.0	2.77	---	5
					19.0	31.4	5.98	77.3	2.46	---	5
AM3	15:34	19.0	11.6	S 1.0	19.2	31.2	5.57	71.8	3.23	---	7
					19.2	31.2	5.67	73.1	3.56	---	7
				M 5.8	19.1	31.3	5.63	72.6	5.81	---	8
					19.1	31.3	5.69	73.2	6.25	---	8
				B 10.6	19.0	31.3	6.05	78.1	3.00	---	5
					19.0	31.4	6.08	78.3	3.08	---	6
AM4	15:15	19.0	7.0	S 1.0	20.2	30.6	4.95	65.0	4.31	---	7
					20.3	30.6	5.04	66.3	4.33	---	6
				M 3.5	19.7	30.8	4.75	61.7	4.89	---	7
					19.7	30.8	4.77	62.2	5.24	---	7
				B 6.0	19.3	31.0	4.98	64.6	5.99	---	9
					19.3	31.1	4.96	64.2	6.01	---	9
AM5	14:57	18.0	13.0	S 1.0	20.3	30.6	4.94	65.0	4.34	---	5
					20.2	30.6	4.96	65.1	4.08	---	5
				M 6.5	19.5	30.9	4.63	59.8	7.96	---	9
					19.4	31.0	4.47	58.1	7.86	---	9
				B 12.0	19.2	31.1	4.92	63.8	7.35	---	9
					19.2	31.1	4.91	63.7	7.17	---	9

Certified by



Date

18/1/2008

Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5


Data Record

Date of Sampling : 14/01/2008 (AM)
Tide State : Mid-Flood
Sea Condition : NORMAL

Test No. : AM3B
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L	
AM1	10:47	16.0	10.9	S	1.0	19.2	30.9	5.62	72.3	2.56	---	6
					19.1	30.9	5.75	74.2	2.82	---	6	
				M	5.5	19.1	31.0	5.40	69.7	3.24	---	6
					19.2	31.0	5.43	70.1	3.17	---	6	
				B	9.9	19.2	31.0	5.31	68.3	3.32	---	6
					19.1	31.0	5.29	68.2	3.69	---	6	
AM2	10:28	17.0	10.7	S	1.0	19.3	30.8	5.63	72.8	3.14	---	5
					19.3	30.8	5.43	70.2	3.42	---	6	
				M	5.4	19.2	30.8	5.35	68.8	3.81	---	7
					19.3	30.9	5.29	68.4	4.01	---	6	
				B	9.7	19.1	30.9	5.22	67.8	2.76	---	7
					19.2	30.9	5.31	68.5	2.81	---	7	
AM3	10:11	16.0	11.0	S	1.0	19.1	30.9	5.58	72.0	3.42	---	6
					19.1	30.9	5.69	73.1	3.46	---	6	
				M	5.5	19.1	30.9	5.36	69.3	3.66	---	5
					19.2	30.9	5.34	69.0	3.78	---	5	
				B	10.0	19.2	30.9	5.29	68.3	3.53	---	7
					19.2	30.9	5.31	68.6	3.74	---	7	
AM4	09:54	16.0	6.6	S	1.0	19.7	30.5	4.82	62.9	4.39	---	6
					19.7	30.5	4.90	63.7	3.96	---	6	
				M	3.3	19.6	30.6	4.77	62.0	3.84	---	6
					19.6	30.7	4.79	62.1	3.81	---	6	
				B	5.6	19.4	30.8	4.82	62.6	3.01	---	6
					19.4	30.8	4.72	61.5	2.86	---	6	
AM5	09:35	15.0	12.8	S	1.0	19.8	30.4	4.78	62.1	4.84	---	5
					19.8	30.4	4.86	63.3	5.26	---	5	
				M	6.4	19.4	30.9	4.87	63.2	4.58	---	5
					19.5	30.9	4.80	62.2	4.09	---	5	
				B	11.8	19.2	31.0	5.08	65.5	5.15	---	6
					19.2	30.9	5.10	65.8	4.83	---	6	

Certified by



Approved Signatory : K.M. Ho

Date

: 14/1/2008

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5


Data Record

Date of Sampling : 15/01/2008 (PM)
Tide State : Mid-Ebb
Sea Condition : NORMAL

Test No. : AM4A
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	17:52	16.0	11.1	S 1.0	19.5	31.0	5.21	68.2	5.46	---	10
					19.6	31.0	5.00	65.6	5.53	---	9
				M 5.6	18.9	31.4	5.64	73.5	3.91	---	8
					18.9	31.4	5.56	72.5	4.10	---	8
				B 10.1	18.9	31.5	5.91	77.0	3.15	---	8
					18.9	31.5	5.92	77.2	3.22	---	7
AM2	18:04	16.0	11.4	S 1.0	18.9	31.4	6.02	78.0	3.54	---	7
					19.0	31.4	5.88	76.3	3.63	---	7
				M 5.7	18.9	31.4	5.99	77.9	3.02	---	6
					18.9	31.4	5.97	77.7	3.19	---	6
				B 10.4	18.9	31.5	6.01	78.0	4.49	---	7
					18.9	31.4	6.06	78.7	4.63	---	6
AM3	17:41	16.0	11.5	S 1.0	19.3	31.2	5.41	70.5	5.03	---	8
					19.4	31.1	5.22	68.2	5.34	---	8
				M 5.8	18.9	31.4	5.48	71.2	3.59	---	6
					18.9	31.4	5.41	70.5	3.84	---	6
				B 10.5	18.9	31.4	5.78	75.3	4.10	---	7
					18.9	31.4	5.73	74.7	4.39	---	7
AM4	17:30	17.0	7.2	S 1.0	19.7	30.9	5.07	66.6	5.29	---	10
					19.7	30.9	4.82	63.4	5.60	---	10
				M 3.6	19.6	31.0	4.88	64.3	7.15	---	11
					19.6	31.0	4.73	62.2	7.34	---	11
				B 6.2	19.2	31.2	5.10	66.8	3.92	---	7
					19.2	31.2	5.18	67.8	4.16	---	6
AM5	17:18	17.0	13.4	S 1.0	19.7	31.0	4.97	65.4	5.62	---	9
					19.7	31.0	4.82	63.3	5.79	---	9
				M 6.7	19.4	31.1	4.81	63.0	6.32	---	10
					19.4	31.1	4.78	62.7	6.60	---	10
				B 12.4	19.1	31.3	4.98	65.2	6.80	---	10
					19.1	31.2	5.01	65.7	7.12	---	10

Certified by



Approved Signatory : K.M. Ho

Date

: 18/1/2008

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MateriaLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 15/01/2008 (AM) Test No. : AM4B
Tide State : Mid-Flood Weather : CLOUDY
Sea Condition : NORMAL

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	11:28	18.0	11.4	S 1.0	19.1	31.1	5.26	68.9	3.10	---	7
					19.3	30.9	4.95	65.4	3.39	---	7
				M 5.7	19.0	31.2	5.30	69.4	4.12	---	8
					19.0	31.2	5.22	68.6	4.43	---	8
				B 10.4	19.0	31.2	5.26	68.9	4.94	---	11
					19.0	31.2	5.31	69.6	5.10	---	11
AM2	11:42	19.0	11.6	S 1.0	19.2	31.1	5.18	68.2	3.12	---	6
					19.2	31.1	5.09	66.9	3.20	---	6
				M 5.8	19.0	31.2	5.24	68.7	3.06	---	6
					19.0	31.2	5.19	68.0	3.29	---	7
				B 10.6	19.0	31.2	5.23	68.5	4.02	---	10
					19.0	31.2	5.20	68.2	4.19	---	10
AM3	11:15	17.0	11.6	S 1.0	19.0	31.2	5.35	70.1	4.19	---	8
					19.0	31.2	5.23	68.5	4.34	---	8
				M 5.8	19.0	31.2	5.31	69.5	4.63	---	10
					19.0	31.2	5.21	68.2	4.90	---	10
				B 10.6	19.0	31.2	5.27	69.1	8.24	---	11
					19.0	31.2	5.23	68.7	8.50	---	11
AM4	11:01	17.0	7.0	S 1.0	19.5	30.9	4.86	64.0	3.29	---	6
					19.6	30.8	4.59	60.8	3.47	---	5
				M 3.5	19.4	31.0	4.96	65.4	5.96	---	12
					19.4	31.0	4.83	63.7	6.10	---	12
				B 6.0	19.1	31.1	5.03	66.1	4.92	---	7
					19.2	31.1	4.96	65.2	5.13	---	7
AM5	10:48	16.0	12.6	S 1.0	19.7	30.8	4.87	64.5	4.00	---	8
					19.7	30.8	4.81	63.8	4.32	---	7
				M 6.3	19.4	31.0	4.83	63.7	15.50	---	26
					19.4	31.0	4.82	63.6	15.70	---	26
				B 11.6	19.2	31.2	4.90	64.5	18.10	---	39
					19.2	31.2	4.85	63.9	18.50	---	39

Certified by



Approved Signatory : K.M. Ho

Date : 18/1/2008

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV


Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 16/01/2008 (PM) Test No. : AM5A
Tide State : Mid-Ebb Weather : CLOUDY
Sea Condition : NORMAL

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	15:35	18.0	12.4	S 1.0	18.7	31.5	6.14	79.7	4.60	---	8
					18.9	31.3	5.71	74.6	4.76	---	8
				M 6.2	18.6	31.5	6.18	80.4	3.64	---	9
					18.6	31.6	5.86	76.6	3.82	---	9
				B 11.4	18.6	31.6	6.27	81.6	5.00	---	10
					18.6	31.6	6.10	79.6	5.13	---	10
AM2	15:46	18.0	11.7	S 1.0	18.7	31.5	6.11	79.2	4.40	---	9
					18.9	31.4	5.88	76.8	4.63	---	9
				M 5.9	18.6	31.6	6.15	80.3	3.74	---	7
					18.6	31.6	5.99	78.3	3.95	---	7
				B 10.7	18.6	31.6	6.29	82.1	2.93	---	7
					18.7	31.7	6.36	83.0	3.13	---	7
AM3	15:24	19.0	12.4	S 1.0	19.2	31.3	5.53	72.5	5.18	---	9
					19.2	31.4	5.63	73.5	5.43	---	10
				M 6.2	18.6	31.5	5.89	76.8	3.21	---	7
					18.6	31.6	5.94	77.5	3.39	---	7
				B 11.4	18.6	31.6	6.15	80.1	3.17	---	7
					18.6	31.6	6.10	79.7	3.04	---	7
AM4	15:58	18.0	7.2	S 1.0	19.4	31.1	5.04	66.3	7.37	---	11
					19.4	31.1	4.93	65.2	7.69	---	11
				M 3.6	19.3	31.2	5.00	65.9	7.96	---	12
					19.3	31.2	4.93	65.0	7.90	---	12
				B 6.2	18.6	31.6	5.97	78.0	4.93	---	7
					18.7	31.6	5.64	74.0	4.64	---	8
AM5	15:09	19.0	13.4	S 1.0	19.8	31.0	4.90	65.1	6.02	---	8
					19.8	31.0	4.72	62.4	6.37	---	8
				M 6.7	19.1	31.3	4.60	60.4	13.70	---	19
					19.1	31.3	4.67	61.4	13.40	---	19
				B 12.4	18.9	31.4	5.21	68.4	8.01	---	12
					18.9	31.4	5.17	67.9	8.46	---	12

Certified by



Approved Signatory : K.M. Ho

Date

16/1/2008

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5


Data Record

Date of Sampling : 16/01/2008 (AM)
Tide State : Mid-Flood
Sea Condition : NORMAL

Test No. : AM5B
Weather : SUNNY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L	
AM1	10:33	17.0	10.7	S	1.0	19.4	30.9	4.87	64.2	4.05	---	7
					1.0	19.2	31.1	4.98	65.2	4.39	---	8
				M	5.4	18.8	31.2	5.31	69.5	3.24	---	6
					5.4	18.8	31.2	5.21	68.3	3.39	---	6
				B	9.7	18.8	31.3	5.32	69.6	5.02	---	7
					9.7	18.8	31.3	5.25	68.6	5.34	---	7
AM2	10:08	15.0	11.3	S	1.0	18.7	31.1	5.60	73.0	2.77	---	6
					1.0	18.8	31.2	5.46	71.3	2.93	---	6
				M	5.7	18.7	31.2	5.58	72.8	2.63	---	6
					5.7	18.7	31.2	5.53	72.1	2.95	---	6
				B	10.3	18.7	31.2	5.50	71.7	3.70	---	7
					10.3	18.7	31.2	5.47	71.5	3.63	---	8
AM3	10:20	16.0	11.4	S	1.0	18.9	31.1	5.37	70.0	3.16	---	6
					1.0	18.8	31.2	5.42	70.8	3.34	---	6
				M	5.7	18.8	31.2	5.55	72.3	3.02	---	5
					5.7	18.8	31.1	5.38	70.1	3.23	---	5
				B	10.4	18.8	31.3	5.56	72.5	3.69	---	7
					10.4	18.8	31.2	5.40	70.4	3.92	---	6
AM4	10:43	17.0	6.4	S	1.0	19.4	30.9	4.87	64.1	5.16	---	13
					1.0	19.4	30.9	4.79	63.2	5.47	---	12
				M	3.2	18.9	31.2	5.15	67.5	5.03	---	8
					3.2	19.0	31.0	5.03	65.9	5.29	---	8
				B	5.4	18.8	31.3	5.21	68.2	3.92	---	8
					5.4	18.8	31.3	5.15	67.5	4.24	---	7
AM5	10:54	18.0	12.4	S	1.0	19.6	30.9	5.01	66.3	5.52	---	9
					1.0	19.4	31.1	4.78	62.9	5.84	---	9
				M	6.2	19.2	31.1	4.80	63.0	17.40	---	25
					6.2	19.2	31.1	4.73	62.2	17.20	---	25
				B	11.4	18.9	31.3	5.00	65.6	5.93	---	10
					11.4	18.9	31.3	5.01	65.7	6.10	---	10

Certified by



Approved Signatory : K.M. Ho

Date

: 28/1/2008

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com



Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 17/01/2008 (PM)
Tide State : Mid-Ebb
Sea Condition : NORMAL

Test No. : AM6A
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	17:24	14.0	12.6	S 1.0	18.9	31.4	5.78	75.3	6.46	---	14
					18.9	31.5	5.87	76.4	6.53	---	13
				M 6.3	18.5	31.8	6.28	81.6	3.43	---	7
					18.5	31.8	6.19	80.5	3.54	---	7
				B 11.6	18.5	31.8	6.37	82.7	2.32	---	5
					18.4	31.8	6.33	82.1	2.54	---	5
AM2	17:36	14.0	11.9	S 1.0	18.7	31.6	5.90	76.9	7.97	---	12
					18.8	31.6	5.78	75.4	7.63	---	13
				M 6.0	18.5	31.8	6.19	80.7	3.96	---	7
					18.5	31.8	6.11	79.7	4.10	---	7
				B 10.9	18.4	31.8	6.28	81.5	3.48	---	6
					18.4	31.8	6.25	81.1	3.24	---	6
AM3	17:13	14.0	13.1	S 1.0	18.6	31.6	6.18	80.1	3.95	---	7
					18.6	31.7	5.89	76.8	4.10	---	7
				M 6.6	18.5	31.8	6.29	81.7	3.14	---	6
					18.5	31.8	6.10	79.3	3.29	---	6
				B 12.1	18.4	31.8	6.42	83.2	3.51	---	6
					18.5	31.8	6.24	81.0	3.34	---	6
AM4	17:48	14.0	7.4	S 1.0	19.1	31.4	5.46	71.5	9.85	---	13
					19.1	31.4	5.31	69.8	9.73	---	14
				M 3.7	19.1	31.4	5.27	69.1	10.70	---	14
					19.1	31.4	5.25	68.7	10.90	---	15
				B 6.4	18.9	31.5	5.31	69.6	4.29	---	7
					18.9	31.5	5.30	69.5	4.46	---	7
AM5	17:00	15.0	13.5	S 1.0	19.0	31.4	5.45	71.4	8.76	---	12
					19.1	31.4	5.36	70.3	8.93	---	12
				M 6.8	18.9	31.4	5.44	71.3	8.33	---	13
					18.9	31.5	5.35	70.1	8.56	---	14
				B 12.5	18.8	31.6	5.47	71.5	10.60	---	13
					18.8	31.5	5.34	69.9	10.80	---	13

Certified by

Approved Signatory : K.M. Ho

Date

23/1/2008

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com



Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV


Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 17/01/2008 (AM)
Tide State : Mid-Flood
Sea Condition : NORMAL

Test No. : AM6B
Weather : SUNNY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	12:35	15.0	11.5	S 1.0	18.8	31.5	5.92	76.6	4.96	---	10
					18.7	31.5	6.00	77.7	5.03	---	10
				M 5.8	18.6	31.6	6.09	78.7	4.54	---	8
					18.6	31.6	6.06	78.3	4.40	---	9
				B 10.5	18.6	31.6	6.07	78.3	3.28	---	7
					18.6	31.6	6.08	78.5	3.13	---	7
AM2	12:24	15.0	11.3	S 1.0	18.8	31.4	5.84	75.7	4.43	---	9
					18.8	31.4	5.71	74.2	4.68	---	9
				M 5.7	18.6	31.6	6.07	78.5	3.31	---	6
					18.6	31.5	5.99	77.6	3.52	---	6
				B 10.3	18.6	31.6	6.12	79.0	3.20	---	8
					18.6	31.6	6.06	78.3	3.12	---	7
AM3	12:48	15.0	12.2	S 1.0	18.5	31.6	6.28	81.0	3.20	---	6
					18.5	31.6	6.20	80.0	3.43	---	6
				M 6.1	18.5	31.6	6.22	80.2	2.97	---	7
					18.5	31.6	6.15	79.3	3.10	---	7
				B 11.2	18.5	31.6	6.17	79.5	5.23	---	7
					18.5	31.6	6.16	79.5	5.42	---	7
AM4	12:13	15.0	6.9	S 1.0	18.9	31.4	5.71	73.9	6.76	---	11
					18.9	31.4	5.52	71.9	6.93	---	11
				M 3.5	18.6	31.5	5.91	76.7	5.12	---	9
					18.8	31.5	5.67	73.6	5.69	---	9
				B 5.9	18.6	31.5	6.03	78.1	4.93	---	9
					18.6	31.5	5.98	77.5	4.82	---	9
AM5	12:00	16.0	12.6	S 1.0	19.1	31.2	5.58	72.8	7.78	---	12
					19.2	31.1	5.55	72.6	7.92	---	12
				M 6.3	18.8	31.4	5.68	73.8	9.12	---	14
					18.9	31.4	5.61	72.9	9.42	---	14
				B 11.6	18.8	31.5	5.76	74.6	8.53	---	15
					18.8	31.4	5.64	73.2	8.74	---	15

Certified by  Date : 23/1/2008
Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com



Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV


Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 18/01/2008 (AM)
Tide State : Mid-Ebb
Sea Condition : NORMAL

Test No. : AM7A
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	09:47	15.0	11.2	S 1.0	18.5	31.6	6.21	79.8	2.49	---	5
					18.4	31.6	6.18	79.2	2.56	---	5
				M 5.6	18.3	31.7	6.29	80.9	2.63	---	4
					18.3	31.7	6.22	80.0	2.75	---	4
				B 10.2	18.3	31.8	6.22	80.0	2.23	---	4
					18.3	31.8	6.24	80.2	2.36	---	4
AM2	10:00	15.0	11.3	S 1.0	18.4	31.6	6.24	80.1	2.70	---	6
					18.4	31.5	6.15	79.2	2.76	---	6
				M 5.7	18.3	31.7	6.25	80.3	2.51	---	5
					18.3	31.7	6.21	79.9	2.63	---	5
				B 10.3	18.3	31.8	6.27	80.6	2.83	---	5
					18.3	31.8	6.26	80.5	2.95	---	5
AM3	09:36	15.0	11.3	S 1.0	18.4	31.6	6.17	79.2	4.00	---	7
					18.5	31.6	5.94	76.3	4.22	---	6
				M 5.7	18.3	31.7	6.12	78.8	2.56	---	5
					18.3	31.7	6.06	78.2	2.63	---	5
				B 10.3	18.3	31.8	6.20	80.0	2.70	---	5
					18.3	31.8	6.13	78.8	2.84	---	5
AM4	10:11	15.0	6.4	S 1.0	18.7	31.4	5.77	74.5	5.94	---	10
					18.8	31.4	5.54	71.8	6.22	---	11
				M 3.2	18.8	31.4	5.45	70.6	4.96	---	9
					18.8	31.4	5.36	69.6	5.21	---	9
				B 5.4	18.4	31.7	5.88	76.2	3.42	---	6
					18.4	31.7	5.98	77.2	3.63	---	6
AM5	09:24	14.0	12.5	S 1.0	18.9	31.3	5.23	67.7	6.04	---	7
					18.9	31.2	5.05	65.4	6.36	---	7
				M 6.3	18.8	31.6	5.37	69.9	5.93	---	5
					18.8	31.5	5.27	68.5	5.84	---	6
				B 11.5	18.6	31.6	5.45	70.3	5.02	---	7
					18.6	31.7	5.39	69.9	5.32	---	7

Certified by:  Date : 23/1/2008
Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5


Data Record

Date of Sampling : 18/01/2008 (PM)
Tide State : Mid-Flood
Sea Condition : WAVELET

Test No. : AM7B
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m		Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	14:25	16.0	11.6	S	1.0	18.5	31.6	6.05	77.6	4.14	---	7
						18.5	31.6	5.95	76.7	4.40	---	6
				M	5.8	18.3	31.7	5.97	77.0	3.73	---	6
						18.3	31.7	6.01	77.5	3.64	---	6
				B	10.6	18.3	31.7	6.09	78.3	3.98	---	7
						18.3	31.7	6.12	78.8	4.12	---	7
AM2	14:37	16.0	11.7	S	1.0	18.4	31.6	6.18	79.4	3.32	---	7
						18.4	31.6	6.12	78.5	3.49	---	7
				M	5.9	18.3	31.7	6.16	79.1	3.14	---	6
						18.3	31.7	6.13	78.8	3.29	---	6
				B	10.7	18.3	31.7	6.14	79.0	4.01	---	5
						18.3	31.7	6.21	80.2	3.95	---	5
AM3	14:50	16.0	12.4	S	1.0	18.3	31.7	6.50	83.3	4.22	---	6
						18.3	31.7	6.41	82.1	4.56	---	6
				M	6.2	18.3	31.7	6.42	82.5	3.73	---	7
						18.3	31.7	6.36	81.3	3.95	---	7
				B	11.4	18.3	31.8	6.47	83.2	4.78	---	5
						18.3	31.7	6.42	82.5	4.92	---	6
AM4	14:14	16.0	7.3	S	1.0	18.6	31.5	5.82	75.0	7.93	---	9
						18.6	31.5	5.75	74.0	7.84	---	9
				M	3.7	18.5	31.5	5.91	76.4	5.44	---	8
						18.6	31.6	5.87	75.6	5.69	---	8
				B	6.3	18.3	31.7	5.95	76.7	3.53	---	6
						18.3	31.7	6.01	77.4	3.64	---	6
AM5	14:01	16.0	12.7	S	1.0	18.9	31.3	5.53	71.6	8.08	---	11
						18.9	31.3	5.41	70.3	8.24	---	13
				M	6.4	18.7	31.5	5.49	71.0	7.96	---	10
						18.7	31.5	5.38	69.8	8.13	---	11
				B	11.7	18.6	31.6	5.52	71.2	6.34	---	8
						18.5	31.6	5.45	70.7	6.49	---	9

Certified by



Date

: 23/1/2008

Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 19/01/2008 (AM)
Tide State : Mid-Ebb
Sea Condition : NORMAL

Test No. : AM8A
Weather : CLOUDY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	09:16	17.0	11.4	S 1.0	18.3	31.2	6.16	79.0	4.15	---	6
					18.4	31.2	6.12	78.6	4.51	---	6
				M 5.7	18.0	31.6	6.42	82.4	5.45	---	8
					18.0	31.6	6.48	83.2	5.27	---	8
				B 10.4	18.0	31.7	6.56	84.2	6.50	---	10
					18.0	31.7	6.58	84.4	6.63	---	10
AM2	09:03	17.0	11.3	S 1.0	18.1	31.0	6.44	82.5	4.13	---	7
					18.3	31.1	6.22	79.6	4.29	---	7
				M 5.7	18.0	31.3	6.46	83.1	3.50	---	5
					18.0	31.3	6.50	83.6	3.42	---	6
				B 10.3	18.0	31.5	6.58	84.7	3.69	---	8
					18.0	31.6	6.60	84.9	3.75	---	7
AM3	09:28	18.0	11.7	S 1.0	18.2	31.3	6.40	81.9	3.72	---	5
					18.2	31.2	6.33	81.2	3.62	---	5
				M 5.9	18.0	31.7	6.50	83.2	3.86	---	5
					18.0	31.6	6.45	82.6	3.95	---	5
				B 10.7	18.0	31.6	6.55	83.9	3.48	---	7
					18.0	31.7	6.62	85.1	3.29	---	6
AM4	09:41	18.0	6.9	S 1.0	18.8	30.8	5.73	74.2	4.28	---	5
					18.7	30.9	5.65	73.0	4.39	---	5
				M 3.5	18.7	31.2	5.49	71.3	8.03	---	13
					18.5	31.4	5.60	72.3	8.34	---	13
				B 5.9	18.4	31.3	5.62	72.7	4.59	---	6
					18.3	31.3	5.73	74.3	4.72	---	6
AM5	09:51	18.0	13.3	S 1.0	18.8	30.7	5.67	73.3	4.55	---	6
					18.8	30.6	5.50	71.2	4.63	---	6
				M 6.7	18.4	31.2	5.54	71.5	4.42	---	4
					18.4	31.2	5.52	71.3	4.39	---	5
				B 12.3	18.2	31.4	5.63	72.6	5.19	---	7
					18.2	31.6	5.73	73.8	5.46	---	7

Certified by :  Date : 23/1/2008
Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 19/01/2008 (PM) Test No. : AM8B
Tide State : Mid-Flood Weather : CLOUDY
Sea Condition : NORMAL

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m		Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	13:57	18.0	12.0	S	1.0	18.1	31.3	6.74	86.8	4.80	---	7
						18.2	31.4	6.64	85.7	4.93	---	7
				M	6.0	18.2	31.6	6.58	85.2	3.81	---	6
						18.1	31.6	6.56	85.1	3.70	---	6
				B	11.0	18.1	31.8	6.44	83.3	4.14	---	6
18.0	31.8	6.48	83.8			4.29	---	6				
AM2	13:45	18.0	11.6	S	1.0	18.3	31.2	6.38	82.9	3.69	---	6
						18.3	31.3	6.36	82.6	3.78	---	6
				M	5.8	18.1	31.6	6.47	84.0	4.05	---	6
						18.1	31.6	6.53	84.8	4.34	---	6
				B	10.6	18.0	31.7	6.65	86.2	5.50	---	7
18.0	31.7	6.70	86.8			5.71	---	8				
AM3	14:09	18.0	12.4	S	1.0	18.2	31.5	6.36	82.3	3.54	---	5
						18.2	31.5	6.35	82.2	3.69	---	5
				M	6.2	18.1	31.8	6.42	82.9	4.34	---	7
						18.2	31.8	6.38	82.7	4.62	---	7
				B	11.4	18.0	31.8	6.59	85.2	3.68	---	6
18.0	31.8	6.63	85.7			3.76	---	6				
AM4	14:35	18.0	7.5	S	1.0	18.6	31.0	5.92	77.0	8.57	---	12
						18.5	31.1	5.87	76.5	8.90	---	11
				M	3.8	18.5	31.3	6.16	80.2	7.90	---	11
						18.4	31.3	6.26	81.2	8.24	---	10
				B	6.5	18.0	31.6	6.39	82.8	11.90	---	16
18.0	31.6	6.50	84.2			12.20	---	17				
AM5	14:23	18.0	13.6	S	1.0	18.7	30.9	5.83	76.0	5.84	---	6
						18.7	31.1	5.78	75.4	5.76	---	6
				M	6.8	18.5	31.3	5.81	75.6	4.43	---	6
						18.5	31.3	5.74	74.9	4.74	---	6
				B	12.6	18.3	31.6	5.82	75.6	6.95	---	10
18.3	31.5	5.79	75.3			7.20	---	10				

Certified by :  Date : 23/1/2008

Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MateriaLab

Our Ref No. : 062914EN80026


Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5

Data Record

Date of Sampling : 20/01/2008 (AM) Test No. : AM9A
Tide State : Mid-Ebb Weather : SUNNY
Sea Condition : NORMAL

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L	
AM1	11:03	18.0	11.5	S	1.0	18.4	31.2	6.24	80.3	3.43	---	5
					1.0	18.4	31.3	6.07	78.5	3.61	---	5
				M	5.8	18.2	31.4	6.45	82.9	3.86	---	5
					5.8	18.2	31.4	6.49	83.4	3.76	---	5
				B	10.5	18.0	31.6	6.75	86.6	4.13	---	6
					10.5	18.1	31.6	6.77	86.8	4.03	---	6
AM2	11:17	18.0	11.2	S	1.0	18.3	31.3	6.30	80.8	3.54	---	5
					1.0	18.3	31.4	6.44	82.9	3.43	---	5
				M	5.6	18.1	31.6	6.62	85.0	3.47	---	5
					5.6	18.3	31.5	6.70	85.9	3.60	---	5
				B	10.2	18.0	31.7	6.75	86.5	3.54	---	5
					10.2	18.0	31.7	6.65	85.4	3.64	---	5
AM3	11:32	18.0	11.3	S	1.0	18.4	31.4	5.99	77.1	3.74	---	5
					1.0	18.5	31.5	6.27	80.5	3.64	---	6
				M	5.7	18.2	31.6	6.59	84.8	3.54	---	5
					5.7	18.2	31.6	6.46	83.2	3.43	---	5
				B	10.3	18.0	31.6	6.80	87.2	3.60	---	5
					10.3	18.0	31.6	6.83	87.6	3.54	---	5
AM4	10:49	18.0	7.0	S	1.0	18.7	31.3	5.51	71.8	3.47	---	5
					1.0	18.7	31.3	5.49	71.5	3.61	---	5
				M	3.5	18.5	31.3	5.60	72.7	3.43	---	5
					3.5	18.5	31.3	5.84	75.5	3.54	---	5
				B	6.0	18.4	31.4	5.74	74.5	3.77	---	5
					6.0	18.3	31.5	5.63	73.1	3.76	---	5
AM5	10:35	18.0	12.6	S	1.0	18.7	31.2	5.49	71.5	3.93	---	5
					1.0	18.7	31.2	5.41	72.5	3.94	---	5
				M	6.3	18.5	31.4	5.59	72.6	3.86	---	5
					6.3	18.5	31.4	5.42	70.6	3.57	---	5
				B	11.6	18.4	31.4	5.70	74.0	4.16	---	5
					11.6	18.4	31.5	5.64	73.3	4.17	---	5

Certified by :  Date : 23/1/2008
Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Our Ref No. : 062914EN80026

Client : Leighton - China State - Van Oord JV

Project : Central Reclamation Phase III
AM1 - AM5


Data Record

Date of Sampling : 20/01/2008 (PM)
Tide State : Mid-Flood
Sea Condition : NORMAL

Test No. : AM9B
Weather : SUNNY

Location	Time	Ambient Temp. °C	Depth of seawater m	Depth sampled m	Temp. °C	Salinity ppt	D.O. mg/L	D.O.S. %	Turbidity NTU	pH Unit	Suspended solids mg/L
AM1	15:40	21.0	11.4	S 1.0	19.1	32.2	6.17	80.3	3.43	---	5
					19.0	32.1	6.26	81.4	3.61	---	5
				M 5.7	18.8	32.3	6.01	78.0	3.86	---	5
					18.7	32.2	6.10	79.0	3.76	---	5
				B 10.4	18.5	32.2	5.98	77.7	2.86	---	5
					18.5	32.2	5.96	77.5	2.76	---	6
AM2	15:55	21.0	11.8	S 1.0	18.8	32.0	6.51	84.4	3.54	---	4
					18.9	32.1	6.30	81.9	3.70	---	4
				M 5.9	18.6	32.2	6.34	82.3	3.64	---	5
					18.5	32.3	6.27	81.5	3.74	---	5
				B 10.8	18.4	32.3	6.33	82.2	3.07	---	4
					18.4	32.3	6.24	81.1	3.14	---	5
AM3	16:09	21.0	11.8	S 1.0	18.8	32.2	6.47	83.7	3.15	---	5
					18.7	32.2	6.56	84.7	3.21	---	5
				M 5.9	18.6	32.2	6.38	82.4	3.30	---	4
					18.6	32.2	6.26	81.2	3.42	---	5
				B 10.8	18.6	32.3	6.41	82.7	3.14	---	5
					18.6	32.3	6.37	82.4	3.20	---	5
AM4	15:26	21.0	7.3	S 1.0	19.7	32.0	5.75	74.6	3.76	---	5
					19.6	32.0	5.78	75.0	3.77	---	4
				M 3.7	18.9	32.1	5.93	77.0	3.86	---	5
					18.8	32.1	5.94	77.0	3.76	---	5
				B 6.3	18.5	32.1	6.00	77.6	3.54	---	5
					18.6	32.1	6.10	78.7	3.64	---	5
AM5	15:12	21.0	13.2	S 1.0	19.3	31.3	5.36	70.4	4.75	---	5
					19.3	31.4	5.41	71.0	4.61	---	5
				M 6.6	18.8	31.6	5.62	73.3	4.58	---	5
					18.7	31.6	5.66	73.8	4.46	---	5
				B 12.2	18.5	31.6	5.74	74.6	3.86	---	5
					18.5	31.6	5.76	74.9	3.76	---	5

Certified by :



Date :

23/1/2008

Approved Signatory : K.M. Ho

FUGRO TECHNICAL SERVICES LIMITED

Materialab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

Materialab

Report No. : 062914EN80025

Appendix II

Location of Baseline Water Quality Monitoring Station

Note : This report refers only to the sample(s) tested.




Figure 1. Locations of Baseline Water Quality Monitoring Stations.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 062914EN80025

Appendix III

Calibration Certificates of Monitoring Equipment

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong,

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MateriaLab

Report No. : 921438WA71446



Page 1 of 2

REPORT ON CALIBRATION OF D.O. METER

Information Supplied by Client

Client : Fugro Technical Services Limited – MateriaLab Division –
Environmental

Client's address : Fugro Development Centre, 5 Lok Yi St.,
17 M.S. Castle Peak Road, Tuen Mun, New Territories

Project : Routine Calibration

Sample description : One Dissolved Oxygen Meter YSI model 58

Client sample ID : Serial No. 99B0287 (E-004-20)

Test required : Calibration of the submitted D.O. meter

Laboratory Information

Lab. sample ID : WA71446/1

Date sample received : 07/12/2007

Date of calibration : 07/12/2007

Next calibration date : 07/03/2008

Test method used : Ref. Operation Manual of D.O. meter YSI model 58

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
 Fugro Development Centre,
 5 Lok Yi Street, 17 M.S. Castle Peak Road,
 Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
 Fax : +852-2450 6138
 E-mail : matlab@fugro.com.hk
 Website : www.fugro.com

MateriaLab

Report No. : 921438WA71446

Page 2 of 2

Results:1. Dissolved Oxygen Meter Calibration Data


Trial No.	Dissolved oxygen content, mg/L	
	By Titration	By D.O. meter
1	8.93	9.18
2	8.93	9.15
3	8.80	9.01
Average	8.89	9.11

2. Temperature

Thermometer reading, °C	Meter reading, °C
19.0	19.1

Remark : Dissolved oxygen content measured by the D.O. meter was found to comply with that determined by Winkler Titration. Therefore, the meter is found to be acceptable for use.

Supervised by : Y. M. Chung

Certified by : 
 Approved Signatory : HO Kin Man, John
 Manager – Chemical & Environmental

Date : 15/1/2008*Note : This report refers only to the sample(s) tested.*

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 921438WA71455(1)



Page 1 of 2

REPORT ON CALIBRATION OF D.O. METER

Information Supplied by Client

Client : Fugro Technical Services Limited – MaterialLab Division –
Environmental

Client's address : Fugro Development Centre, 5 Lok Yi St.,
17 M.S. Castle Peak Road, Tuen Mun, New Territories

Project : Routine Calibration

Sample description : One Dissolved Oxygen Meter YSI model 58

Client sample ID : Serial No. 99B0937 (E-004-21)

Test required : Calibration of the submitted D.O. meter

Laboratory Information

Lab. sample ID : WA71455/2

Date sample received : 08/12/2007

Date of calibration : 11/12/2007

Next calibration date : 11/03/2008

Test method used : Ref. Operation Manual of D.O. meter YSI model 58

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
 Fugro Development Centre,
 5 Lok Yi Street, 17 M.S. Castle Peak Road,
 Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
 Fax : +852-2450 6138
 E-mail : matlab@fugro.com.hk
 Website : www.fugro.com

MaterialLab

Report No. : 921438WA71455(1)

Page 2 of 2


Results:1. Dissolved Oxygen Meter Calibration Data

Trial No.	Dissolved oxygen content, mg/L	
	By Titration	By D.O. meter
1	8.60	8.65
2	8.60	8.70
3	8.60	8.63
Average	8.60	8.66

2. Temperature

Thermometer reading, °C	Meter reading, °C
20.5	20.1

Remark : Dissolved oxygen content measured by the D.O. meter was found to comply with that determined by Winkler Titration. Therefore, the meter is found to be acceptable for use.

Supervised by : Y. M. Chung
 Certified by : 
 Approved Signatory : HO Kin Man, John
 Manager – Chemical & Environmental
Date : 15/11/2008*Note : This report refers only to the sample(s) tested.*

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 921438WA71236(1)



Page 1 of 2

REPORT ON CALIBRATION OF TURBIDIMETER

Information Supplied by Client

Client : Fugro Technical Services Limited – MaterialLab Division – Environmental

Client's address : Fugro Development Centre, 5 Lok Yi St.,
17 M.S. Castle Peak Road, Tuen Mun, N.T.

Project : Routine Calibration

Sample description : One Turbidimeter, HACH Model 2100P

Client sample ID : Serial No. 010800023055 (E-047-13)

Test required : Calibration of the submitted Turbidimeter

Laboratory Information

Lab. sample ID : WA71236/2

Date sample received : 20/10/2007

Date of calibration : 23/10/2007

Next calibration date : 23/01/2008

Test method used : 1. Three standard turbidity solutions with 20 NTU, 100 NTU and 800 NTU were prepared.
2. After the blank zero was set, the meter was calibrated against the standard solutions.
3. The gelex secondary standard with 0.00 – 9.99 NTU was inserted and the reading of this gelex standard was recorded. Same steps were repeated for 10 – 99.9 NTU and 100 – 1000 NTU gelex standards.

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
 Fugro Development Centre,
 5 Lok Yi Street, 17 M.S. Castle Peak Road,
 Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
 Fax : +852-2450 6138
 E-mail : matlab@fugro.com.hk
 Website : www.fugro.com

MaterialLab

Report No. : 921438WA71236(1)

Page 2 of 2

Results:

Calibrated Values of Secondary Gelex Standards


Auto-programmed Turbidity Standard Range	0.00-9.99 NTU, Gelex Vial	10-99.9 NTU, Gelex Vial	100-1000 NTU, Gelex Vial
Calibrated Value of the Secondary Standard, N.T.U.	5.38	49.4	505

Checking of sample cell condition using filtered ultra-pure water

Turbidity of procedural blank, NTU	
Our sample cell	Client's sample cells
0.10	0.72

- Remarks:
1. The procedural blank of client's sample cell > 0.2 NTU, the cell is no longer suitable for low turbidity (< 1 NTU) measurement.
 2. If the reading of secondary standard was not within $\pm 5\%$ of the calibrated value, the instrument should be recalibrated with formazin primary standards.

Supervised by : Y. M. Chung

Certified by : 
 Approved Signatory : HO Kin Man, John
 Manager – Chemical & Environmental

Date : 7/11/2007*Note : This report refers only to the sample(s) tested.*

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 921438WA71455(2)



Page 1 of 2

REPORT ON CALIBRATION OF TURBIDIMETER

Information Supplied by Client

Client : Fugro Technical Services Limited – MaterialLab Division – Environmental

Client's address : Fugro Development Centre, 5 Lok Yi St.,
17 M.S. Castle Peak Road, Tuen Mun, N.T.

Project : Routine Calibration

Sample description : One Turbidimeter, HACH Model 2100P

Client sample ID : Serial No. 010100027624 (E-047-11)

Test required : Calibration of the submitted Turbidimeter

Laboratory Information

Lab. sample ID : WA71455/3

Date sample received : 08/12/2007

Date of calibration : 14/12/2007

Next calibration date : 14/03/2008

Test method used : 1. Three standard turbidity solutions with 20 NTU, 100 NTU and 800 NTU were prepared.
2. After the blank zero was set, the meter was calibrated against the standard solutions.
3. The gelex secondary standard with 0.00 – 9.99 NTU was inserted and the reading of this gelex standard was recorded. Same steps were repeated for 10 – 99.9 NTU and 100 – 1000 NTU gelex standards.

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
 Fugro Development Centre,
 5 Lok Yi Street, 17 M.S. Castle Peak Road,
 Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
 Fax : +852-2450 6138
 E-mail : matlab@fugro.com.hk
 Website : www.fugro.com

MateriaLab

Report No. : 921438WA71455(2)

Page 2 of 2

Results:

Calibrated Values of Secondary Gelex Standards


Auto-programmed Turbidity Standard Range	0.00-9.99 NTU, Gelex Vial	10-99.9 NTU, Gelex Vial	100-1000 NTU, Gelex Vial
Calibrated Value of the Secondary Standard, N.T.U.	4.85	54.2	487

Checking of sample cell condition using filtered ultra-pure water

Turbidity of procedural blank, NTU	
Our sample cell	Client's sample cells
0.07	0.22

- Remarks:
1. The procedural blank of client's sample cell > 0.2 NTU, the cell is no longer suitable for low turbidity (< 1 NTU) measurement.
 2. If the reading of secondary standard was not within $\pm 5\%$ of the calibrated value, the instrument should be recalibrated with formazin primary standards.

Supervised by : Y. M. Chung

Certified by : 
 Approved Signatory : HO Kin Man, John
 Manager - Chemical & Environmental

Date : 15/1/2008

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MateriaLab

Report No. : 921438WA71455



Page 1 of 2

REPORT ON CALIBRATION OF SALINITY/CONDUCTIVITY METER

Information Supplied by Client

Client : Fugro Technical Services Limited – MateriaLab Division – Environmental

Client's address : Fugro Development Centre, 5 Lok Yi St.,
17 M.S. Castle Peak Road, Tuen Mun, N.T.

Project : Routine Calibration

Sample description : One salinity/conductivity meter YSI model 30

Client sample ID : Serial No. 00H1322 (E-001-12)

Test required : Calibration of the submitted salinity/conductivity meter

Laboratory Information

Lab. sample ID : WA71455/1

Date sample received : 08/12/2007

Date of calibration : 10/12/2007

Next calibration date : 10/03/2008

Test method used : Ref. Operation Manual of YSI model 30

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

Report No. : 921438WA71455

Page 2 of 2

Results:**A. Calibration of Conductivity Meter**

Temperature, °C	Conductivity, $\mu\text{mhos/cm}$			
	Theoretical	Measured	Deviation	Maximum acceptable deviation
25	1408	1399	- 9	± 70
25	6668	6550	- 118	± 400
25	12860	12610	- 250	± 700
25	24820	24310	- 510	± 1200

B. Calibration of Salinity Meter

Salinity, ‰			
Theoretical	Measured	Deviation	Maximum acceptable deviation
10	10.2	+ 0.2	± 0.5
20	20.1	+ 0.1	± 1.0
30	29.7	- 0.3	± 1.5
40	39.8	- 0.2	± 2.0


C. Calibration of Temperature Sensor

Thermometer Reading, °C	Meter Reading, °C	Maximum acceptable deviation, °C
20.5	20.2	± 0.5

D. Conclusion

The instrument is found to be acceptable for use.

Supervised by : Y. M. Chung

Certified by : 
Approved Signatory : HO Kin Man, John
Manager – Chemical & Environmental

Date : 15/1/2008

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MateriaLab

Report No. : 921438WA71318(1)



Page 1 of 2

REPORT ON CALIBRATION OF SALINITY/CONDUCTIVITY METER

Information Supplied by Client

Client : Fugro Technical Services Limited – MateriaLab Division –
Environmental

Client's address : Fugro Development Centre, 5 Lok Yi St.,
17 M.S. Castle Peak Road, Tuen Mun, N.T.

Project : Routine Calibration

Sample description : One salinity/conductivity meter YSI model 30

Client sample ID : Serial No. 03A0686 (E-001-17)

Test required : Calibration of the submitted salinity/conductivity meter

Laboratory Information

Lab. sample ID : WA71318/2

Date sample received : 10/11/2007

Date of calibration : 12/11/2007

Next calibration date : 12/02/2008

Test method used : Ref. Operation Manual of YSI model 30

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

Material Lab Division,
 Fugro Development Centre,
 5 Lok Yi Street, 17 M.S. Castle Peak Road,
 Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
 Fax : +852-2450 6138
 E-mail : matlab@fugro.com.hk
 Website : www.fugro.com



Report No. : 921438WA71318(1)

Page 2 of 2

Results:**A. Calibration of Conductivity Meter**

Temperature, °C	Conductivity, µmhos/cm			
	Theoretical	Measured	Deviation	Maximum acceptable deviation
25	1408	1342	- 66	± 70
25	6668	6290	- 378	±400
25	12860	12180	- 680	±700
25	24820	23670	- 1150	±1200

B. Calibration of Salinity Meter

Salinity, ‰			
Theoretical	Measured	Deviation	Maximum acceptable deviation
10	9.7	- 0.3	± 0.5
20	19.7	- 0.3	± 1.0
30	29.3	- 0.7	± 1.5
40	40.5	+ 0.5	± 2.0


C. Calibration of Temperature Sensor

Thermometer Reading, °C	Meter Reading, °C	Maximum acceptable deviation, °C
19.5	19.0	± 0.5

D. Conclusion

The instrument is found to be acceptable for use.

Supervised by : Y. M. Chung

Certified by : 
 Approved Signatory : HO Kin Man, John
 Manager – Chemical & Environmental

Date : 5/12/2007

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong

Tel: +852-2450 8233
Fax: +852-2450 6138
E-mail: matlab@fugro.com.hk
Website: www.fugro.com

MateriaLab

Report No. : 921438CA71706

Page 1 of 1

CALIBRATION RECORD OF WHIRLING PSYCHROMETER

Client Supplied Information

Client : Fugro Technical Services Ltd.

Project : Calibration Services

Calibration Item - Description : Whirling psychrometer
Serial no. : 01702 (Dry Bulb)
01986 (Wet Bulb)
Equipment ID. : E-092-2

Specification limit : According to full checking report no.: 921438CA61416A , Correction at 25.0°C.
Shall be Within -0.6 °C and +0.6 °C for dry bulb, -0.6 °C and +0.6 °C for wet bulb.

Laboratory Information

Calibrating Equipment - Description : Reference thermometer
Equipment ID. : R-053-3

Date of Calibration : 15-Aug-2007 Ambient Temperature : 20 °C

Calibration location : **Calibration Laboratory of MateriaLab**

Method used : **In-house Method R-C-076**

In-house testing procedure no. : **R-C-076**

Calibration Results : (All values are in the unit of °C.)

Test temperature	25.0	--	--	--	--
Ref. Thermometer ID.	R-053-3	--	--	--	--
Correction of Ref. Thermometer at test temperature, C	-0.021	--	--	--	--
Variation of Ref. Thermometer reading in 20sec.	Maximum	25.021	--	--	--
	Minimum	25.021	--	--	--
Average between Max. & Min., A	25.021	--	--	--	--
Corrected temperature, (A + C), Ra	25.000	--	--	--	--
Dry Bulb	Indicated temperature, Rd	25.0	--	--	--
	Correction, Ra - Rd	0.0	--	--	--
Wet Bulb	Indicated temperature, Rw	24.9	--	--	--
	Correction, Ra - Rw	0.1	--	--	--

Remark :

1. The equipment used in this calibration is traceable to recognized National Standards.
2. The discrimination of the equipment under test is 0.1 °C (1/5 division).
3. The equipment being calibrated does comply with the specification limit.
4. Recommended next calibration date (6 months, In-house specification) : 15-Feb-2008

Tested by : W.M.NG Date : 15/08/2007 Checked by : C.M.Kan Date : 15-8-2007

CA-W-182 (30/07/98)

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.

GEN01/0203

FUGRO TECHNICAL SERVICES LIMITED

Materialab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

Materialab

Report No. : 062914EN80025

Appendix IV

Raw Data of Water Quality Monitoring

Note : This report refers only to the sample(s) tested.

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MateriaLab

STN	SDATE	TIME	WEATHER	SEACONDI	TIDESTAT	AMB	WDE T	S	DEPT	TEMP	SAL	DO	DOS	TURB	SS
AM1	12/01/2008	1531	SUNNY	NORMAL	MID-EBB	24.0	10.7	S 1	1.00	20.20	30.50	5.27	69.30	5.35	7.44
AM1	12/01/2008	1531	SUNNY	NORMAL	MID-EBB	24.0	10.7	S 2	1.00	20.00	30.60	5.40	71.10	5.09	7.67
AM1	12/01/2008	1531	SUNNY	NORMAL	MID-EBB	24.0	10.7	M 1	5.35	19.70	30.60	5.26	69.60	3.21	5.56
AM1	12/01/2008	1531	SUNNY	NORMAL	MID-EBB	24.0	10.7	M 2	5.35	19.70	30.60	5.16	68.10	3.65	5.44
AM1	12/01/2008	1531	SUNNY	NORMAL	MID-EBB	24.0	10.7	B 1	9.70	19.50	30.70	5.18	68.00	3.78	5.22
AM1	12/01/2008	1531	SUNNY	NORMAL	MID-EBB	24.0	10.7	B 2	9.70	19.50	30.70	5.17	67.50	4.06	5.44
AM1	12/01/2008	1531	SUNNY	NORMAL	MID-EBB	24.0	10.7	A 0	0.00	19.77	30.62	5.24	68.93	4.19	6.13
AM2	12/01/2008	1512	SUNNY	NORMAL	MID-EBB	25.0	11.2	S 1	1.00	19.90	30.60	5.44	71.90	3.99	5.22
AM2	12/01/2008	1512	SUNNY	NORMAL	MID-EBB	25.0	11.2	S 2	1.00	20.00	30.60	5.37	70.90	3.94	5.00
AM2	12/01/2008	1512	SUNNY	NORMAL	MID-EBB	25.0	11.2	M 1	5.60	19.60	30.60	5.08	66.60	3.86	5.00
AM2	12/01/2008	1512	SUNNY	NORMAL	MID-EBB	25.0	11.2	M 2	5.60	19.60	30.60	5.12	67.40	4.00	5.33
AM2	12/01/2008	1512	SUNNY	NORMAL	MID-EBB	25.0	11.2	B 1	10.20	19.40	30.70	5.14	67.60	3.39	5.00
AM2	12/01/2008	1512	SUNNY	NORMAL	MID-EBB	25.0	11.2	B 2	10.20	19.40	30.70	5.11	67.00	3.62	4.78
AM2	12/01/2008	1512	SUNNY	NORMAL	MID-EBB	25.0	11.2	A 0	0.00	19.65	30.63	5.21	68.57	3.80	5.06
AM3	12/01/2008	1454	SUNNY	NORMAL	MID-EBB	25.0	10.8	S 1	1.00	19.80	30.60	5.11	67.10	4.06	6.00
AM3	12/01/2008	1454	SUNNY	NORMAL	MID-EBB	25.0	10.8	S 2	1.00	19.80	30.60	5.20	68.40	3.84	5.78
AM3	12/01/2008	1454	SUNNY	NORMAL	MID-EBB	25.0	10.8	M 1	5.40	19.50	30.60	5.01	65.40	3.74	5.33
AM3	12/01/2008	1454	SUNNY	NORMAL	MID-EBB	25.0	10.8	M 2	5.40	19.50	30.60	5.03	65.90	3.96	5.56
AM3	12/01/2008	1454	SUNNY	NORMAL	MID-EBB	25.0	10.8	B 1	9.80	19.40	30.70	4.92	64.30	4.51	5.11
AM3	12/01/2008	1454	SUNNY	NORMAL	MID-EBB	25.0	10.8	B 2	9.80	19.40	30.70	4.95	64.40	4.80	5.22
AM3	12/01/2008	1454	SUNNY	NORMAL	MID-EBB	25.0	10.8	A 0	0.00	19.57	30.63	5.04	65.92	4.15	5.50
AM4	12/01/2008	1438	SUNNY	NORMAL	MID-EBB	25.0	7.0	S 1	1.00	20.60	30.50	4.91	65.30	6.68	8.00
AM4	12/01/2008	1438	SUNNY	NORMAL	MID-EBB	25.0	7.0	S 2	1.00	20.70	30.40	5.02	66.60	6.24	8.22
AM4	12/01/2008	1438	SUNNY	NORMAL	MID-EBB	25.0	7.0	M 1	3.50	19.80	30.50	4.65	61.30	7.56	8.11
AM4	12/01/2008	1438	SUNNY	NORMAL	MID-EBB	25.0	7.0	M 2	3.50	19.80	30.50	4.62	60.80	7.20	8.44
AM4	12/01/2008	1438	SUNNY	NORMAL	MID-EBB	25.0	7.0	B 1	6.00	19.70	30.60	4.64	61.10	7.37	10.33
AM4	12/01/2008	1438	SUNNY	NORMAL	MID-EBB	25.0	7.0	B 2	6.00	19.70	30.60	4.67	61.30	7.55	10.11
AM4	12/01/2008	1438	SUNNY	NORMAL	MID-EBB	25.0	7.0	A 0	0.00	20.05	30.52	4.75	62.73	7.10	8.87
AM5	12/01/2008	1419	SUNNY	NORMAL	MID-EBB	27.0	12.3	S 1	1.00	20.70	30.40	4.94	66.20	6.31	7.89
AM5	12/01/2008	1419	SUNNY	NORMAL	MID-EBB	27.0	12.3	S 2	1.00	20.80	30.40	4.85	64.80	6.49	7.78
AM5	12/01/2008	1419	SUNNY	NORMAL	MID-EBB	27.0	12.3	M 1	6.15	19.90	30.50	4.62	60.90	7.70	8.00
AM5	12/01/2008	1419	SUNNY	NORMAL	MID-EBB	27.0	12.3	M 2	6.15	19.90	30.50	4.57	60.20	7.79	8.44
AM5	12/01/2008	1419	SUNNY	NORMAL	MID-EBB	27.0	12.3	B 1	11.30	19.50	30.70	4.75	62.30	7.08	9.11
AM5	12/01/2008	1419	SUNNY	NORMAL	MID-EBB	27.0	12.3	B 2	11.30	19.50	30.70	4.78	62.40	7.25	9.11
AM5	12/01/2008	1419	SUNNY	NORMAL	MID-EBB	27.0	12.3	A 0	0.00	20.05	30.53	4.75	62.80	7.10	8.39
AM1	12/01/2008	1042	CLOUDY	NORMAL	MID-FLOOI	23.0	10.6	S 1	1.00	19.50	30.60	5.24	68.50	5.89	9.67
AM1	12/01/2008	1042	CLOUDY	NORMAL	MID-FLOOI	23.0	10.6	S 2	1.00	19.50	30.60	5.35	70.00	5.42	9.44
AM1	12/01/2008	1042	CLOUDY	NORMAL	MID-FLOOI	23.0	10.6	M 1	5.30	19.40	30.60	5.10	66.80	5.25	9.00
AM1	12/01/2008	1042	CLOUDY	NORMAL	MID-FLOOI	23.0	10.6	M 2	5.30	19.40	30.60	5.12	67.20	5.49	9.33
AM1	12/01/2008	1042	CLOUDY	NORMAL	MID-FLOOI	23.0	10.6	B 1	9.60	19.30	30.70	5.09	66.40	5.26	9.00
AM1	12/01/2008	1042	CLOUDY	NORMAL	MID-FLOOI	23.0	10.6	B 2	9.60	19.40	30.70	5.10	66.70	5.12	8.78
AM1	12/01/2008	1042	CLOUDY	NORMAL	MID-FLOOI	23.0	10.6	A 0	0.00	19.42	30.63	5.17	67.60	5.41	9.20
AM2	12/01/2008	1025	CLOUDY	NORMAL	MID-FLOOI	23.0	10.5	S 1	1.00	19.40	30.60	5.35	69.70	4.36	6.67
AM2	12/01/2008	1025	CLOUDY	NORMAL	MID-FLOOI	23.0	10.5	S 2	1.00	19.40	30.60	5.45	71.20	4.07	6.33
AM2	12/01/2008	1025	CLOUDY	NORMAL	MID-FLOOI	23.0	10.5	M 1	5.25	19.40	30.60	5.18	67.60	3.26	7.00
AM2	12/01/2008	1025	CLOUDY	NORMAL	MID-FLOOI	23.0	10.5	M 2	5.25	19.40	30.60	5.19	67.90	3.59	7.22
AM2	12/01/2008	1025	CLOUDY	NORMAL	MID-FLOOI	23.0	10.5	B 1	9.50	19.40	30.60	5.09	66.40	5.51	8.89
AM2	12/01/2008	1025	CLOUDY	NORMAL	MID-FLOOI	23.0	10.5	B 2	9.50	19.50	30.70	5.02	65.80	5.02	9.22
AM2	12/01/2008	1025	CLOUDY	NORMAL	MID-FLOOI	23.0	10.5	A 0	0.00	19.42	30.62	5.21	68.10	4.30	7.56
AM3	12/01/2008	1007	CLOUDY	NORMAL	MID-FLOOI	22.0	10.9	S 1	1.00	19.40	30.60	5.33	69.60	3.95	5.00
AM3	12/01/2008	1007	CLOUDY	NORMAL	MID-FLOOI	22.0	10.9	S 2	1.00	19.40	30.60	5.41	70.70	4.32	5.22
AM3	12/01/2008	1007	CLOUDY	NORMAL	MID-FLOOI	22.0	10.9	M 1	5.45	19.40	30.60	5.19	67.90	6.29	10.78
AM3	12/01/2008	1007	CLOUDY	NORMAL	MID-FLOOI	22.0	10.9	M 2	5.45	19.40	30.60	5.15	67.20	6.15	11.00
AM3	12/01/2008	1007	CLOUDY	NORMAL	MID-FLOOI	22.0	10.9	B 1	9.90	19.40	30.60	5.07	66.20	6.84	10.33
AM3	12/01/2008	1007	CLOUDY	NORMAL	MID-FLOOI	22.0	10.9	B 2	9.90	19.40	30.60	5.05	65.90	6.42	10.11
AM3	12/01/2008	1007	CLOUDY	NORMAL	MID-FLOOI	22.0	10.9	A 0	0.00	19.40	30.60	5.20	67.92	5.66	8.74
AM4	12/01/2008	0950	CLOUDY	NORMAL	MID-FLOOI	22.0	6.4	S 1	1.00	19.90	30.40	4.96	65.40	4.91	8.00
AM4	12/01/2008	0950	CLOUDY	NORMAL	MID-FLOOI	22.0	6.4	S 2	1.00	20.00	30.40	4.88	64.20	5.22	7.67
AM4	12/01/2008	0950	CLOUDY	NORMAL	MID-FLOOI	22.0	6.4	M 1	3.20	19.60	30.50	4.85	63.50	6.29	7.33
AM4	12/01/2008	0950	CLOUDY	NORMAL	MID-FLOOI	22.0	6.4	M 2	3.20	19.70	30.50	4.80	62.80	6.01	7.11
AM4	12/01/2008	0950	CLOUDY	NORMAL	MID-FLOOI	22.0	6.4	B 1	5.40	19.70	30.50	4.75	62.30	5.24	6.78
AM4	12/01/2008	0950	CLOUDY	NORMAL	MID-FLOOI	22.0	6.4	B 2	5.40	19.70	30.50	4.69	61.20	5.66	7.00
AM4	12/01/2008	0950	CLOUDY	NORMAL	MID-FLOOI	22.0	6.4	A 0	0.00	19.77	30.47	4.82	63.23	5.56	7.32
AM5	12/01/2008	0924	CLOUDY	NORMAL	MID-FLOOI	23.0	12.1	S 1	1.00	20.20	30.40	4.84	64.10	5.33	6.33
AM5	12/01/2008	0924	CLOUDY	NORMAL	MID-FLOOI	23.0	12.1	S 2	1.00	20.10	30.30	4.68	62.00	4.71	6.11
AM5	12/01/2008	0924	CLOUDY	NORMAL	MID-FLOOI	23.0	12.1	M 1	6.05	19.70	30.60	4.70	61.80	6.04	7.22
AM5	12/01/2008	0924	CLOUDY	NORMAL	MID-FLOOI	23.0	12.1	M 2	6.05	19.60	30.50	4.81	62.90	6.08	6.89
AM5	12/01/2008	0924	CLOUDY	NORMAL	MID-FLOOI	23.0	12.1	B 1	11.10	19.40	30.70	4.47	58.50	5.28	7.78
AM5	12/01/2008	0924	CLOUDY	NORMAL	MID-FLOOI	23.0	12.1	B 2	11.10	19.50	30.70	4.64	60.70	5.37	8.00
AM5	12/01/2008	0924	CLOUDY	NORMAL	MID-FLOOI	23.0	12.1	A 0	0.00	19.75	30.53	4.69	61.67	5.47	7.06
AM1	13/01/2008	1612	CLOUDY	NORMAL	MID-EBB	20.0	11.2	S 1	1.00	19.60	30.80	5.04	65.70	4.46	7.56
AM1	13/01/2008	1612	CLOUDY	NORMAL	MID-EBB	20.0	11.2	S 2	1.00	19.60	30.80	5.17	67.30	4.97	7.11
AM1	13/01/2008	1612	CLOUDY	NORMAL	MID-EBB	20.0	11.2	M 1	5.60	19.30	31.20	5.60	72.10	4.31	6.78
AM1	13/01/2008	1612	CLOUDY	NORMAL	MID-EBB	20.0	11.2	M 2	5.60	19.30	31.20	5.58	71.90	4.17	6.67

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

AM1	13/01/2008	1612	CLOUDY	NORMAL	MID-EBB	20.0	11.2	B 1	10.20	19.20	31.20	5.62	72.50	3.87	6.67
AM1	13/01/2008	1612	CLOUDY	NORMAL	MID-EBB	20.0	11.2	B 2	10.20	19.20	31.20	5.70	73.90	3.96	6.44
AM1	13/01/2008	1612	CLOUDY	NORMAL	MID-EBB	20.0	11.2	A 0	0.00	19.37	31.07	5.45	70.57	4.29	6.87
AM2	13/01/2008	1554	CLOUDY	NORMAL	MID-EBB	19.0	10.9	S 1	1.00	19.40	31.10	5.60	72.70	5.84	6.89
AM2	13/01/2008	1554	CLOUDY	NORMAL	MID-EBB	19.0	10.9	S 2	1.00	19.50	31.00	5.63	72.90	5.43	6.67
AM2	13/01/2008	1554	CLOUDY	NORMAL	MID-EBB	19.0	10.9	M 1	5.45	19.30	31.20	5.73	73.90	4.30	4.78
AM2	13/01/2008	1554	CLOUDY	NORMAL	MID-EBB	19.0	10.9	M 2	5.45	19.30	31.20	5.75	74.50	4.19	5.00
AM2	13/01/2008	1554	CLOUDY	NORMAL	MID-EBB	19.0	10.9	B 1	9.90	19.20	31.30	5.80	75.20	4.50	6.11
AM2	13/01/2008	1554	CLOUDY	NORMAL	MID-EBB	19.0	10.9	B 2	9.90	19.20	31.20	5.76	74.50	4.35	5.78
AM2	13/01/2008	1554	CLOUDY	NORMAL	MID-EBB	19.0	10.9	A 0	0.00	19.32	31.17	5.71	73.95	4.77	5.87
AM3	13/01/2008	1534	CLOUDY	NORMAL	MID-EBB	19.0	11.3	S 1	1.00	19.50	31.00	5.57	72.20	5.29	6.67
AM3	13/01/2008	1534	CLOUDY	NORMAL	MID-EBB	19.0	11.3	S 2	1.00	19.40	31.00	5.74	74.00	5.56	6.89
AM3	13/01/2008	1534	CLOUDY	NORMAL	MID-EBB	19.0	11.3	M 1	5.65	19.30	31.20	5.52	71.60	3.87	5.33
AM3	13/01/2008	1534	CLOUDY	NORMAL	MID-EBB	19.0	11.3	M 2	5.65	19.30	31.20	5.50	71.40	3.99	5.11
AM3	13/01/2008	1534	CLOUDY	NORMAL	MID-EBB	19.0	11.3	B 1	10.30	19.30	31.20	5.70	73.90	4.10	5.56
AM3	13/01/2008	1534	CLOUDY	NORMAL	MID-EBB	19.0	11.3	B 2	10.30	19.30	31.20	5.72	74.20	3.95	5.56
AM3	13/01/2008	1534	CLOUDY	NORMAL	MID-EBB	19.0	11.3	A 0	0.00	19.35	31.13	5.63	72.88	4.46	5.85
AM4	13/01/2008	1517	CLOUDY	NORMAL	MID-EBB	20.0	6.8	S 1	1.00	20.10	30.50	4.69	61.50	5.92	6.11
AM4	13/01/2008	1517	CLOUDY	NORMAL	MID-EBB	20.0	6.8	S 2	1.00	20.00	30.50	4.64	60.80	6.25	6.22
AM4	13/01/2008	1517	CLOUDY	NORMAL	MID-EBB	20.0	6.8	M 1	3.40	19.90	30.60	4.48	58.60	6.47	6.22
AM4	13/01/2008	1517	CLOUDY	NORMAL	MID-EBB	20.0	6.8	M 2	3.40	19.80	30.60	4.46	58.10	6.08	6.44
AM4	13/01/2008	1517	CLOUDY	NORMAL	MID-EBB	20.0	6.8	B 1	5.80	19.60	30.80	5.47	71.00	8.63	9.00
AM4	13/01/2008	1517	CLOUDY	NORMAL	MID-EBB	20.0	6.8	B 2	5.80	19.40	30.90	5.58	72.40	8.85	8.89
AM4	13/01/2008	1517	CLOUDY	NORMAL	MID-EBB	20.0	6.8	A 0	0.00	19.80	30.65	4.89	63.73	7.03	7.15
AM5	13/01/2008	1501	CLOUDY	NORMAL	MID-EBB	20.0	12.6	S 1	1.00	19.90	30.50	4.77	62.40	5.14	6.89
AM5	13/01/2008	1501	CLOUDY	NORMAL	MID-EBB	20.0	12.6	S 2	1.00	20.00	30.50	4.68	61.30	5.66	6.56
AM5	13/01/2008	1501	CLOUDY	NORMAL	MID-EBB	20.0	12.6	M 1	6.30	19.80	30.60	4.52	58.90	6.87	6.67
AM5	13/01/2008	1501	CLOUDY	NORMAL	MID-EBB	20.0	12.6	M 2	6.30	19.80	30.60	4.48	58.50	6.19	6.33
AM5	13/01/2008	1501	CLOUDY	NORMAL	MID-EBB	20.0	12.6	B 1	11.60	19.30	31.00	4.87	62.80	7.29	6.89
AM5	13/01/2008	1501	CLOUDY	NORMAL	MID-EBB	20.0	12.6	B 2	11.60	19.40	31.10	4.83	62.50	7.79	6.89
AM5	13/01/2008	1501	CLOUDY	NORMAL	MID-EBB	20.0	12.6	A 0	0.00	19.70	30.72	4.69	61.07	6.49	6.71
AM1	13/01/2008	1109	CLOUDY	NORMAL	MID-FLOOI	20.0	10.9	S 1	1.00	19.60	30.60	4.96	64.70	4.22	5.33
AM1	13/01/2008	1109	CLOUDY	NORMAL	MID-FLOOI	20.0	10.9	S 2	1.00	19.60	30.70	5.03	65.30	4.59	5.56
AM1	13/01/2008	1109	CLOUDY	NORMAL	MID-FLOOI	20.0	10.9	M 1	5.45	19.50	30.80	4.87	63.10	4.30	7.44
AM1	13/01/2008	1109	CLOUDY	NORMAL	MID-FLOOI	20.0	10.9	M 2	5.45	19.50	30.80	4.99	65.00	4.55	7.22
AM1	13/01/2008	1109	CLOUDY	NORMAL	MID-FLOOI	20.0	10.9	B 1	9.90	19.40	30.90	4.80	62.20	4.66	8.78
AM1	13/01/2008	1109	CLOUDY	NORMAL	MID-FLOOI	20.0	10.9	B 2	9.90	19.50	30.90	4.81	62.30	4.95	8.44
AM1	13/01/2008	1109	CLOUDY	NORMAL	MID-FLOOI	20.0	10.9	A 0	0.00	19.52	30.78	4.91	63.77	4.55	7.13
AM2	13/01/2008	1052	CLOUDY	NORMAL	MID-FLOOI	20.0	11.3	S 1	1.00	20.00	30.40	4.77	62.50	4.03	6.22
AM2	13/01/2008	1052	CLOUDY	NORMAL	MID-FLOOI	20.0	11.3	S 2	1.00	20.00	30.50	4.75	61.90	4.38	6.33
AM2	13/01/2008	1052	CLOUDY	NORMAL	MID-FLOOI	20.0	11.3	M 1	5.65	19.50	30.70	4.93	63.90	4.79	7.00
AM2	13/01/2008	1052	CLOUDY	NORMAL	MID-FLOOI	20.0	11.3	M 2	5.65	19.50	30.70	4.88	63.60	5.06	7.00
AM2	13/01/2008	1052	CLOUDY	NORMAL	MID-FLOOI	20.0	11.3	B 1	10.30	19.40	30.90	4.96	64.30	5.66	9.22
AM2	13/01/2008	1052	CLOUDY	NORMAL	MID-FLOOI	20.0	11.3	B 2	10.30	19.40	30.90	4.94	64.10	5.70	9.00
AM2	13/01/2008	1052	CLOUDY	NORMAL	MID-FLOOI	20.0	11.3	A 0	0.00	19.63	30.68	4.87	63.38	4.94	7.46
AM3	13/01/2008	1033	CLOUDY	NORMAL	MID-FLOOI	20.0	11.1	S 1	1.00	19.60	30.60	4.94	64.40	3.58	5.11
AM3	13/01/2008	1033	CLOUDY	NORMAL	MID-FLOOI	20.0	11.1	S 2	1.00	19.60	30.60	5.04	65.30	3.37	5.33
AM3	13/01/2008	1033	CLOUDY	NORMAL	MID-FLOOI	20.0	11.1	M 1	5.55	19.50	30.70	4.92	63.90	3.66	6.22
AM3	13/01/2008	1033	CLOUDY	NORMAL	MID-FLOOI	20.0	11.1	M 2	5.55	19.60	30.70	4.93	64.10	3.90	5.78
AM3	13/01/2008	1033	CLOUDY	NORMAL	MID-FLOOI	20.0	11.1	B 1	10.10	19.50	30.80	4.85	63.50	3.69	6.22
AM3	13/01/2008	1033	CLOUDY	NORMAL	MID-FLOOI	20.0	11.1	B 2	10.10	19.50	30.80	4.96	64.60	3.84	6.00
AM3	13/01/2008	1033	CLOUDY	NORMAL	MID-FLOOI	20.0	11.1	A 0	0.00	19.55	30.70	4.94	64.30	3.67	5.78
AM4	13/01/2008	1015	CLOUDY	NORMAL	MID-FLOOI	20.0	6.2	S 1	1.00	20.30	30.20	4.66	61.20	4.58	4.78
AM4	13/01/2008	1015	CLOUDY	NORMAL	MID-FLOOI	20.0	6.2	S 2	1.00	20.30	30.20	4.73	62.30	4.86	5.11
AM4	13/01/2008	1015	CLOUDY	NORMAL	MID-FLOOI	20.0	6.2	M 1	3.10	20.30	30.20	4.52	59.20	5.72	6.33
AM4	13/01/2008	1015	CLOUDY	NORMAL	MID-FLOOI	20.0	6.2	M 2	3.10	20.20	30.30	4.53	59.50	5.64	5.89
AM4	13/01/2008	1015	CLOUDY	NORMAL	MID-FLOOI	20.0	6.2	B 1	5.20	19.80	30.50	4.59	60.20	5.25	5.78
AM4	13/01/2008	1015	CLOUDY	NORMAL	MID-FLOOI	20.0	6.2	B 2	5.20	19.80	30.50	4.61	60.30	5.66	5.78
AM4	13/01/2008	1015	CLOUDY	NORMAL	MID-FLOOI	20.0	6.2	A 0	0.00	20.12	30.32	4.61	60.45	5.29	5.61
AM5	13/01/2008	0958	CLOUDY	NORMAL	MID-FLOOI	20.0	13.0	S 1	1.00	20.20	30.30	4.80	63.20	3.82	5.44
AM5	13/01/2008	0958	CLOUDY	NORMAL	MID-FLOOI	20.0	13.0	S 2	1.00	20.20	30.20	4.86	63.90	4.17	5.44
AM5	13/01/2008	0958	CLOUDY	NORMAL	MID-FLOOI	20.0	13.0	M 1	6.50	19.80	30.50	4.58	59.80	4.93	6.11
AM5	13/01/2008	0958	CLOUDY	NORMAL	MID-FLOOI	20.0	13.0	M 2	6.50	19.80	30.50	4.55	59.40	4.75	5.89
AM5	13/01/2008	0958	CLOUDY	NORMAL	MID-FLOOI	20.0	13.0	B 1	12.00	19.50	30.70	4.39	57.00	4.06	5.78
AM5	13/01/2008	0958	CLOUDY	NORMAL	MID-FLOOI	20.0	13.0	B 2	12.00	19.60	30.70	4.29	55.90	4.59	6.00
AM5	13/01/2008	0958	CLOUDY	NORMAL	MID-FLOOI	20.0	13.0	A 0	0.00	19.85	30.48	4.58	59.87	4.39	5.78
AM1	14/01/2008	1612	CLOUDY	NORMAL	MID-EBB	18.0	11.3	S 1	1.00	19.90	30.70	4.86	63.30	5.52	6.44
AM1	14/01/2008	1612	CLOUDY	NORMAL	MID-EBB	18.0	11.3	S 2	1.00	19.80	30.80	4.89	63.70	5.06	6.44
AM1	14/01/2008	1612	CLOUDY	NORMAL	MID-EBB	18.0	11.3	M 1	5.65	19.10	31.30	5.57	71.50	3.88	5.56
AM1	14/01/2008	1612	CLOUDY	NORMAL	MID-EBB	18.0	11.3	M 2	5.65	19.10	31.30	5.59	72.10	3.93	5.89
AM1	14/01/2008	1612	CLOUDY	NORMAL	MID-EBB	18.0	11.3	B 1	10.30	19.00	31.40	5.89	76.20	2.58	5.00
AM1	14/01/2008	1612	CLOUDY	NORMAL	MID-EBB	18.0	11.3	B 2	10.30	19.00	31.40	5.86	75.40	2.66	4.78
AM1	14/01/2008	1612	CLOUDY	NORMAL	MID-EBB	18.0	11.3	A 0	0.00	19.32	31.15	5.44	70.37	3.94	5.69
AM2	14/01/2008	1554	CLOUDY	NORMAL	MID-EBB	19.0	11.5	S 1	1.00	19.30	31.10	5.26	68.30	5.39	8.56
AM2	14/01/2008	1554	CLOUDY	NORMAL	MID-EBB	19.0	11.5	S 2	1.00	19.30	31.10	5.34	69.00	5.04	8.11

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

AM2	14/01/2008	1554 CLOUDY	NORMAL	MID-EBB	19.0	11.5	M 1	5.75	19.10	31.30	5.62	72.20	3.84	7.11
AM2	14/01/2008	1554 CLOUDY	NORMAL	MID-EBB	19.0	11.5	M 2	5.75	19.10	31.30	5.58	71.70	3.75	6.89
AM2	14/01/2008	1554 CLOUDY	NORMAL	MID-EBB	19.0	11.5	B 1	10.50	19.00	31.40	5.95	77.00	2.77	5.00
AM2	14/01/2008	1554 CLOUDY	NORMAL	MID-EBB	19.0	11.5	B 2	10.50	19.00	31.40	5.98	77.30	2.46	5.22
AM2	14/01/2008	1554 CLOUDY	NORMAL	MID-EBB	19.0	11.5	A 0	0.00	19.13	31.27	5.62	72.58	3.88	6.82
AM3	14/01/2008	1534 CLOUDY	NORMAL	MID-EBB	19.0	11.6	S 1	1.00	19.20	31.20	5.57	71.80	3.23	7.00
AM3	14/01/2008	1534 CLOUDY	NORMAL	MID-EBB	19.0	11.6	S 2	1.00	19.20	31.20	5.67	73.10	3.56	6.78
AM3	14/01/2008	1534 CLOUDY	NORMAL	MID-EBB	19.0	11.6	M 1	5.80	19.10	31.30	5.63	72.60	5.81	8.11
AM3	14/01/2008	1534 CLOUDY	NORMAL	MID-EBB	19.0	11.6	M 2	5.80	19.10	31.30	5.69	73.20	6.25	8.33
AM3	14/01/2008	1534 CLOUDY	NORMAL	MID-EBB	19.0	11.6	B 1	10.60	19.00	31.30	6.05	78.10	3.00	5.33
AM3	14/01/2008	1534 CLOUDY	NORMAL	MID-EBB	19.0	11.6	B 2	10.60	19.00	31.40	6.08	78.30	3.08	5.56
AM3	14/01/2008	1534 CLOUDY	NORMAL	MID-EBB	19.0	11.6	A 0	0.00	19.10	31.28	5.78	74.52	4.16	6.85
AM4	14/01/2008	1515 CLOUDY	NORMAL	MID-EBB	19.0	7.0	S 1	1.00	20.20	30.60	4.95	65.00	4.31	6.56
AM4	14/01/2008	1515 CLOUDY	NORMAL	MID-EBB	19.0	7.0	S 2	1.00	20.30	30.60	5.04	66.30	4.33	6.33
AM4	14/01/2008	1515 CLOUDY	NORMAL	MID-EBB	19.0	7.0	M 1	3.50	19.70	30.80	4.75	61.70	4.89	7.22
AM4	14/01/2008	1515 CLOUDY	NORMAL	MID-EBB	19.0	7.0	M 2	3.50	19.70	30.80	4.77	62.20	5.24	7.22
AM4	14/01/2008	1515 CLOUDY	NORMAL	MID-EBB	19.0	7.0	B 1	6.00	19.30	31.00	4.98	64.60	5.99	9.22
AM4	14/01/2008	1515 CLOUDY	NORMAL	MID-EBB	19.0	7.0	B 2	6.00	19.30	31.10	4.96	64.20	6.01	9.00
AM4	14/01/2008	1515 CLOUDY	NORMAL	MID-EBB	19.0	7.0	A 0	0.00	19.75	30.82	4.91	64.00	5.13	7.59
AM5	14/01/2008	1457 CLOUDY	NORMAL	MID-EBB	18.0	13.0	S 1	1.00	20.30	30.60	4.94	65.00	4.34	4.89
AM5	14/01/2008	1457 CLOUDY	NORMAL	MID-EBB	18.0	13.0	S 2	1.00	20.20	30.60	4.96	65.10	4.08	4.89
AM5	14/01/2008	1457 CLOUDY	NORMAL	MID-EBB	18.0	13.0	M 1	6.50	19.50	30.90	4.63	59.80	7.96	8.56
AM5	14/01/2008	1457 CLOUDY	NORMAL	MID-EBB	18.0	13.0	M 2	6.50	19.40	31.00	4.47	58.10	7.86	8.89
AM5	14/01/2008	1457 CLOUDY	NORMAL	MID-EBB	18.0	13.0	B 1	12.00	19.20	31.10	4.92	63.80	7.35	8.89
AM5	14/01/2008	1457 CLOUDY	NORMAL	MID-EBB	18.0	13.0	B 2	12.00	19.20	31.10	4.91	63.70	7.17	8.67
AM5	14/01/2008	1457 CLOUDY	NORMAL	MID-EBB	18.0	13.0	A 0	0.00	19.63	30.88	4.81	62.58	6.46	7.47
AM1	14/01/2008	1047 CLOUDY	NORMAL	MID-FLOOI	16.0	10.9	S 1	1.00	19.20	30.90	5.62	72.30	2.56	5.67
AM1	14/01/2008	1047 CLOUDY	NORMAL	MID-FLOOI	16.0	10.9	S 2	1.00	19.10	30.90	5.75	74.20	2.82	5.89
AM1	14/01/2008	1047 CLOUDY	NORMAL	MID-FLOOI	16.0	10.9	M 1	5.45	19.10	31.00	5.40	69.70	3.24	5.78
AM1	14/01/2008	1047 CLOUDY	NORMAL	MID-FLOOI	16.0	10.9	M 2	5.45	19.20	31.00	5.43	70.10	3.17	6.11
AM1	14/01/2008	1047 CLOUDY	NORMAL	MID-FLOOI	16.0	10.9	B 1	9.90	19.20	31.00	5.31	68.30	3.32	5.78
AM1	14/01/2008	1047 CLOUDY	NORMAL	MID-FLOOI	16.0	10.9	B 2	9.90	19.10	31.00	5.29	68.20	3.69	6.00
AM1	14/01/2008	1047 CLOUDY	NORMAL	MID-FLOOI	16.0	10.9	A 0	0.00	19.15	30.97	5.47	70.47	3.13	5.87
AM2	14/01/2008	1028 CLOUDY	NORMAL	MID-FLOOI	17.0	10.7	S 1	1.00	19.30	30.80	5.63	72.80	3.14	5.44
AM2	14/01/2008	1028 CLOUDY	NORMAL	MID-FLOOI	17.0	10.7	S 2	1.00	19.30	30.80	5.43	70.20	3.42	5.67
AM2	14/01/2008	1028 CLOUDY	NORMAL	MID-FLOOI	17.0	10.7	M 1	5.35	19.20	30.80	5.35	68.80	3.81	6.67
AM2	14/01/2008	1028 CLOUDY	NORMAL	MID-FLOOI	17.0	10.7	M 2	5.35	19.30	30.90	5.29	68.40	4.01	6.33
AM2	14/01/2008	1028 CLOUDY	NORMAL	MID-FLOOI	17.0	10.7	B 1	9.70	19.10	30.90	5.22	67.80	2.76	7.11
AM2	14/01/2008	1028 CLOUDY	NORMAL	MID-FLOOI	17.0	10.7	B 2	9.70	19.20	30.90	5.31	68.50	2.81	6.89
AM2	14/01/2008	1028 CLOUDY	NORMAL	MID-FLOOI	17.0	10.7	A 0	0.00	19.23	30.85	5.37	69.42	3.33	6.35
AM3	14/01/2008	1011 CLOUDY	NORMAL	MID-FLOOI	16.0	11.0	S 1	1.00	19.10	30.90	5.58	72.00	3.42	5.56
AM3	14/01/2008	1011 CLOUDY	NORMAL	MID-FLOOI	16.0	11.0	S 2	1.00	19.10	30.90	5.69	73.10	3.46	5.78
AM3	14/01/2008	1011 CLOUDY	NORMAL	MID-FLOOI	16.0	11.0	M 1	5.50	19.10	30.90	5.36	69.30	3.66	4.89
AM3	14/01/2008	1011 CLOUDY	NORMAL	MID-FLOOI	16.0	11.0	M 2	5.50	19.20	30.90	5.34	69.00	3.78	5.22
AM3	14/01/2008	1011 CLOUDY	NORMAL	MID-FLOOI	16.0	11.0	B 1	10.00	19.20	30.90	5.29	68.30	3.53	6.78
AM3	14/01/2008	1011 CLOUDY	NORMAL	MID-FLOOI	16.0	11.0	B 2	10.00	19.20	30.90	5.31	68.60	3.74	7.11
AM3	14/01/2008	1011 CLOUDY	NORMAL	MID-FLOOI	16.0	11.0	A 0	0.00	19.15	30.90	5.43	70.05	3.60	5.89
AM4	14/01/2008	0954 CLOUDY	NORMAL	MID-FLOOI	16.0	6.6	S 1	1.00	19.70	30.50	4.82	62.90	4.39	6.00
AM4	14/01/2008	0954 CLOUDY	NORMAL	MID-FLOOI	16.0	6.6	S 2	1.00	19.70	30.50	4.90	63.70	3.96	5.89
AM4	14/01/2008	0954 CLOUDY	NORMAL	MID-FLOOI	16.0	6.6	M 1	3.30	19.60	30.60	4.77	62.00	3.84	6.22
AM4	14/01/2008	0954 CLOUDY	NORMAL	MID-FLOOI	16.0	6.6	M 2	3.30	19.60	30.70	4.79	62.10	3.81	6.11
AM4	14/01/2008	0954 CLOUDY	NORMAL	MID-FLOOI	16.0	6.6	B 1	5.60	19.40	30.80	4.82	62.60	3.01	5.89
AM4	14/01/2008	0954 CLOUDY	NORMAL	MID-FLOOI	16.0	6.6	B 2	5.60	19.40	30.80	4.72	61.50	2.86	5.78
AM4	14/01/2008	0954 CLOUDY	NORMAL	MID-FLOOI	16.0	6.6	A 0	0.00	19.57	30.65	4.80	62.47	3.65	5.98
AM5	14/01/2008	0935 CLOUDY	NORMAL	MID-FLOOI	15.0	12.8	S 1	1.00	19.80	30.40	4.78	62.10	4.84	5.22
AM5	14/01/2008	0935 CLOUDY	NORMAL	MID-FLOOI	15.0	12.8	S 2	1.00	19.80	30.40	4.86	63.30	5.26	5.00
AM5	14/01/2008	0935 CLOUDY	NORMAL	MID-FLOOI	15.0	12.8	M 1	6.40	19.40	30.90	4.87	63.20	4.58	4.67
AM5	14/01/2008	0935 CLOUDY	NORMAL	MID-FLOOI	15.0	12.8	M 2	6.40	19.50	30.90	4.80	62.20	4.09	4.78
AM5	14/01/2008	0935 CLOUDY	NORMAL	MID-FLOOI	15.0	12.8	B 1	11.80	19.20	31.00	5.08	65.50	5.15	5.56
AM5	14/01/2008	0935 CLOUDY	NORMAL	MID-FLOOI	15.0	12.8	B 2	11.80	19.20	30.90	5.10	65.80	4.83	5.78
AM5	14/01/2008	0935 CLOUDY	NORMAL	MID-FLOOI	15.0	12.8	A 0	0.00	19.48	30.75	4.92	63.68	4.79	5.17
AM1	15/01/2008	1752 CLOUDY	NORMAL	MID-EBB	16.0	11.1	S 1	1.00	19.50	31.00	5.21	68.20	5.46	9.67
AM1	15/01/2008	1752 CLOUDY	NORMAL	MID-EBB	16.0	11.1	S 2	1.00	19.60	31.00	5.00	65.60	5.53	9.44
AM1	15/01/2008	1752 CLOUDY	NORMAL	MID-EBB	16.0	11.1	M 1	5.55	18.90	31.40	5.64	73.50	3.91	7.67
AM1	15/01/2008	1752 CLOUDY	NORMAL	MID-EBB	16.0	11.1	M 2	5.55	18.90	31.40	5.56	72.50	4.10	7.89
AM1	15/01/2008	1752 CLOUDY	NORMAL	MID-EBB	16.0	11.1	B 1	10.10	18.90	31.50	5.91	77.00	3.15	7.67
AM1	15/01/2008	1752 CLOUDY	NORMAL	MID-EBB	16.0	11.1	B 2	10.10	18.90	31.50	5.92	77.20	3.22	7.44
AM1	15/01/2008	1752 CLOUDY	NORMAL	MID-EBB	16.0	11.1	A 0	0.00	19.12	31.30	5.54	72.33	4.23	8.30
AM2	15/01/2008	1804 CLOUDY	NORMAL	MID-EBB	16.0	11.4	S 1	1.00	18.90	31.40	6.02	78.00	3.54	6.89
AM2	15/01/2008	1804 CLOUDY	NORMAL	MID-EBB	16.0	11.4	S 2	1.00	19.00	31.40	5.88	76.30	3.63	7.11
AM2	15/01/2008	1804 CLOUDY	NORMAL	MID-EBB	16.0	11.4	M 1	5.70	18.90	31.40	5.99	77.90	3.02	6.44
AM2	15/01/2008	1804 CLOUDY	NORMAL	MID-EBB	16.0	11.4	M 2	5.70	18.90	31.40	5.97	77.70	3.19	6.33
AM2	15/01/2008	1804 CLOUDY	NORMAL	MID-EBB	16.0	11.4	B 1	10.40	18.90	31.50	6.01	78.00	4.49	6.67
AM2	15/01/2008	1804 CLOUDY	NORMAL	MID-EBB	16.0	11.4	B 2	10.40	18.90	31.40	6.06	78.70	4.63	5.78
AM2	15/01/2008	1804 CLOUDY	NORMAL	MID-EBB	16.0	11.4	A 0	0.00	18.92	31.42	5.99	77.77	3.75	6.54

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

AM3	15/01/2008	1741	CLOUDY	NORMAL	MID-EBB	16.0	11.5	S 1	1.00	19.30	31.20	5.41	70.50	5.03	7.89
AM3	15/01/2008	1741	CLOUDY	NORMAL	MID-EBB	16.0	11.5	S 2	1.00	19.40	31.10	5.22	68.20	5.34	8.33
AM3	15/01/2008	1741	CLOUDY	NORMAL	MID-EBB	16.0	11.5	M 1	5.75	18.90	31.40	5.48	71.20	3.59	6.22
AM3	15/01/2008	1741	CLOUDY	NORMAL	MID-EBB	16.0	11.5	M 2	5.75	18.90	31.40	5.41	70.50	3.84	6.33
AM3	15/01/2008	1741	CLOUDY	NORMAL	MID-EBB	16.0	11.5	B 1	10.50	18.90	31.40	5.78	75.30	4.10	6.56
AM3	15/01/2008	1741	CLOUDY	NORMAL	MID-EBB	16.0	11.5	B 2	10.50	18.90	31.40	5.73	74.70	4.39	6.89
AM3	15/01/2008	1741	CLOUDY	NORMAL	MID-EBB	16.0	11.5	A 0	0.00	19.05	31.32	5.51	71.73	4.38	7.04
AM4	15/01/2008	1730	CLOUDY	NORMAL	MID-EBB	17.0	7.2	S 1	1.00	19.70	30.90	5.07	66.60	5.29	10.33
AM4	15/01/2008	1730	CLOUDY	NORMAL	MID-EBB	17.0	7.2	S 2	1.00	19.70	30.90	4.82	63.40	5.60	10.22
AM4	15/01/2008	1730	CLOUDY	NORMAL	MID-EBB	17.0	7.2	M 1	3.60	19.60	31.00	4.88	64.30	7.15	10.78
AM4	15/01/2008	1730	CLOUDY	NORMAL	MID-EBB	17.0	7.2	M 2	3.60	19.60	31.00	4.73	62.20	7.34	10.56
AM4	15/01/2008	1730	CLOUDY	NORMAL	MID-EBB	17.0	7.2	B 1	6.20	19.20	31.20	5.10	66.80	3.92	6.56
AM4	15/01/2008	1730	CLOUDY	NORMAL	MID-EBB	17.0	7.2	B 2	6.20	19.20	31.20	5.18	67.80	4.16	6.33
AM4	15/01/2008	1730	CLOUDY	NORMAL	MID-EBB	17.0	7.2	A 0	0.00	19.50	31.03	4.96	65.18	5.58	9.13
AM5	15/01/2008	1718	CLOUDY	NORMAL	MID-EBB	17.0	13.4	S 1	1.00	19.70	31.00	4.97	65.40	5.62	9.11
AM5	15/01/2008	1718	CLOUDY	NORMAL	MID-EBB	17.0	13.4	S 2	1.00	19.70	31.00	4.82	63.30	5.79	9.11
AM5	15/01/2008	1718	CLOUDY	NORMAL	MID-EBB	17.0	13.4	M 1	6.70	19.40	31.10	4.81	63.00	6.32	10.00
AM5	15/01/2008	1718	CLOUDY	NORMAL	MID-EBB	17.0	13.4	M 2	6.70	19.40	31.10	4.78	62.70	6.60	10.11
AM5	15/01/2008	1718	CLOUDY	NORMAL	MID-EBB	17.0	13.4	B 1	12.40	19.10	31.30	4.98	65.20	6.80	10.00
AM5	15/01/2008	1718	CLOUDY	NORMAL	MID-EBB	17.0	13.4	B 2	12.40	19.10	31.20	5.01	65.70	7.12	9.78
AM5	15/01/2008	1718	CLOUDY	NORMAL	MID-EBB	17.0	13.4	A 0	0.00	19.40	31.12	4.90	64.22	6.38	9.69
AM1	15/01/2008	1128	CLOUDY	NORMAL	MID-FLOOI	18.0	11.4	S 1	1.00	19.10	31.10	5.26	68.90	3.10	6.67
AM1	15/01/2008	1128	CLOUDY	NORMAL	MID-FLOOI	18.0	11.4	S 2	1.00	19.30	30.90	4.95	65.40	3.39	6.89
AM1	15/01/2008	1128	CLOUDY	NORMAL	MID-FLOOI	18.0	11.4	M 1	5.70	19.00	31.20	5.30	69.40	4.12	8.00
AM1	15/01/2008	1128	CLOUDY	NORMAL	MID-FLOOI	18.0	11.4	M 2	5.70	19.00	31.20	5.22	68.60	4.43	8.33
AM1	15/01/2008	1128	CLOUDY	NORMAL	MID-FLOOI	18.0	11.4	B 1	10.40	19.00	31.20	5.26	68.90	4.94	10.89
AM1	15/01/2008	1128	CLOUDY	NORMAL	MID-FLOOI	18.0	11.4	B 2	10.40	19.00	31.20	5.31	69.60	5.10	11.22
AM1	15/01/2008	1128	CLOUDY	NORMAL	MID-FLOOI	18.0	11.4	A 0	0.00	19.07	31.13	5.22	68.47	4.18	8.67
AM2	15/01/2008	1142	CLOUDY	NORMAL	MID-FLOOI	19.0	11.6	S 1	1.00	19.20	31.10	5.18	68.20	3.12	6.44
AM2	15/01/2008	1142	CLOUDY	NORMAL	MID-FLOOI	19.0	11.6	S 2	1.00	19.20	31.10	5.09	66.90	3.20	6.11
AM2	15/01/2008	1142	CLOUDY	NORMAL	MID-FLOOI	19.0	11.6	M 1	5.80	19.00	31.20	5.24	68.70	3.06	6.44
AM2	15/01/2008	1142	CLOUDY	NORMAL	MID-FLOOI	19.0	11.6	M 2	5.80	19.00	31.20	5.19	68.00	3.29	6.78
AM2	15/01/2008	1142	CLOUDY	NORMAL	MID-FLOOI	19.0	11.6	B 1	10.60	19.00	31.20	5.23	68.50	4.02	10.22
AM2	15/01/2008	1142	CLOUDY	NORMAL	MID-FLOOI	19.0	11.6	B 2	10.60	19.00	31.20	5.20	68.20	4.19	10.11
AM2	15/01/2008	1142	CLOUDY	NORMAL	MID-FLOOI	19.0	11.6	A 0	0.00	19.07	31.17	5.19	68.08	3.48	7.68
AM3	15/01/2008	1115	CLOUDY	NORMAL	MID-FLOOI	17.0	11.6	S 1	1.00	19.00	31.20	5.35	70.10	4.19	7.67
AM3	15/01/2008	1115	CLOUDY	NORMAL	MID-FLOOI	17.0	11.6	S 2	1.00	19.00	31.20	5.23	68.50	4.34	7.78
AM3	15/01/2008	1115	CLOUDY	NORMAL	MID-FLOOI	17.0	11.6	M 1	5.80	19.00	31.20	5.31	69.50	4.63	9.67
AM3	15/01/2008	1115	CLOUDY	NORMAL	MID-FLOOI	17.0	11.6	M 2	5.80	19.00	31.20	5.21	68.20	4.90	10.11
AM3	15/01/2008	1115	CLOUDY	NORMAL	MID-FLOOI	17.0	11.6	B 1	10.60	19.00	31.20	5.27	69.10	8.24	11.00
AM3	15/01/2008	1115	CLOUDY	NORMAL	MID-FLOOI	17.0	11.6	B 2	10.60	19.00	31.20	5.23	68.70	8.50	11.33
AM3	15/01/2008	1115	CLOUDY	NORMAL	MID-FLOOI	17.0	11.6	A 0	0.00	19.00	31.20	5.27	69.02	5.80	9.59
AM4	15/01/2008	1101	CLOUDY	NORMAL	MID-FLOOI	17.0	7.0	S 1	1.00	19.50	30.90	4.86	64.00	3.29	5.78
AM4	15/01/2008	1101	CLOUDY	NORMAL	MID-FLOOI	17.0	7.0	S 2	1.00	19.60	30.80	4.59	60.80	3.47	5.44
AM4	15/01/2008	1101	CLOUDY	NORMAL	MID-FLOOI	17.0	7.0	M 1	3.50	19.40	31.00	4.96	65.40	5.96	12.00
AM4	15/01/2008	1101	CLOUDY	NORMAL	MID-FLOOI	17.0	7.0	M 2	3.50	19.40	31.00	4.83	63.70	6.10	12.33
AM4	15/01/2008	1101	CLOUDY	NORMAL	MID-FLOOI	17.0	7.0	B 1	6.00	19.10	31.10	5.03	66.10	4.92	7.33
AM4	15/01/2008	1101	CLOUDY	NORMAL	MID-FLOOI	17.0	7.0	B 2	6.00	19.20	31.10	4.96	65.20	5.13	7.11
AM4	15/01/2008	1101	CLOUDY	NORMAL	MID-FLOOI	17.0	7.0	A 0	0.00	19.37	30.98	4.87	64.20	4.81	8.33
AM5	15/01/2008	1048	CLOUDY	NORMAL	MID-FLOOI	16.0	12.6	S 1	1.00	19.70	30.80	4.87	64.50	4.00	7.67
AM5	15/01/2008	1048	CLOUDY	NORMAL	MID-FLOOI	16.0	12.6	S 2	1.00	19.70	30.80	4.81	63.80	4.32	7.33
AM5	15/01/2008	1048	CLOUDY	NORMAL	MID-FLOOI	16.0	12.6	M 1	6.30	19.40	31.00	4.83	63.70	15.50	25.56
AM5	15/01/2008	1048	CLOUDY	NORMAL	MID-FLOOI	16.0	12.6	M 2	6.30	19.40	31.00	4.82	63.60	15.70	26.22
AM5	15/01/2008	1048	CLOUDY	NORMAL	MID-FLOOI	16.0	12.6	B 1	11.60	19.20	31.20	4.90	64.50	18.10	39.11
AM5	15/01/2008	1048	CLOUDY	NORMAL	MID-FLOOI	16.0	12.6	B 2	11.60	19.20	31.20	4.85	63.90	18.50	38.78
AM5	15/01/2008	1048	CLOUDY	NORMAL	MID-FLOOI	16.0	12.6	A 0	0.00	19.43	31.00	4.85	64.00	12.69	24.11
AM1	16/01/2008	1535	CLOUDY	NORMAL	MID-EBB	18.0	12.4	S 1	1.00	18.70	31.50	6.14	79.70	4.60	7.56
AM1	16/01/2008	1535	CLOUDY	NORMAL	MID-EBB	18.0	12.4	S 2	1.00	18.90	31.30	5.71	74.60	4.76	7.78
AM1	16/01/2008	1535	CLOUDY	NORMAL	MID-EBB	18.0	12.4	M 1	6.20	18.60	31.50	6.18	80.40	3.64	8.78
AM1	16/01/2008	1535	CLOUDY	NORMAL	MID-EBB	18.0	12.4	M 2	6.20	18.60	31.60	5.86	76.60	3.82	8.89
AM1	16/01/2008	1535	CLOUDY	NORMAL	MID-EBB	18.0	12.4	B 1	11.40	18.60	31.60	6.27	81.60	5.00	10.00
AM1	16/01/2008	1535	CLOUDY	NORMAL	MID-EBB	18.0	12.4	B 2	11.40	18.60	31.60	6.10	79.60	5.13	10.33
AM1	16/01/2008	1535	CLOUDY	NORMAL	MID-EBB	18.0	12.4	A 0	0.00	18.67	31.52	6.04	78.75	4.49	8.89
AM2	16/01/2008	1546	CLOUDY	NORMAL	MID-EBB	18.0	11.7	S 1	1.00	18.70	31.50	6.11	79.20	4.40	9.11
AM2	16/01/2008	1546	CLOUDY	NORMAL	MID-EBB	18.0	11.7	S 2	1.00	18.90	31.40	5.88	76.80	4.63	8.89
AM2	16/01/2008	1546	CLOUDY	NORMAL	MID-EBB	18.0	11.7	M 1	5.85	18.60	31.60	6.15	80.30	3.74	7.22
AM2	16/01/2008	1546	CLOUDY	NORMAL	MID-EBB	18.0	11.7	M 2	5.85	18.60	31.60	5.99	78.30	3.95	6.89
AM2	16/01/2008	1546	CLOUDY	NORMAL	MID-EBB	18.0	11.7	B 1	10.70	18.60	31.60	6.29	82.10	2.93	6.78
AM2	16/01/2008	1546	CLOUDY	NORMAL	MID-EBB	18.0	11.7	B 2	10.70	18.70	31.70	6.36	83.00	3.13	6.67
AM2	16/01/2008	1546	CLOUDY	NORMAL	MID-EBB	18.0	11.7	A 0	0.00	18.68	31.57	6.13	79.95	3.80	7.59
AM3	16/01/2008	1524	CLOUDY	NORMAL	MID-EBB	19.0	12.4	S 1	1.00	19.20	31.30	5.53	72.50	5.18	9.22
AM3	16/01/2008	1524	CLOUDY	NORMAL	MID-EBB	19.0	12.4	S 2	1.00	19.20	31.40	5.63	73.50	5.43	9.67
AM3	16/01/2008	1524	CLOUDY	NORMAL	MID-EBB	19.0	12.4	M 1	6.20	18.60	31.50	5.89	76.80	3.21	6.89
AM3	16/01/2008	1524	CLOUDY	NORMAL	MID-EBB	19.0	12.4	M 2	6.20	18.60	31.60	5.94	77.50	3.39	7.11
AM3	16/01/2008	1524	CLOUDY	NORMAL	MID-EBB	19.0	12.4	B 1	11.40	18.60	31.60	6.15	80.10	3.17	7.00

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

AM3	16/01/2008	1524	CLOUDY	NORMAL	MID-EBB	19.0	12.4	B 2	11.40	18.60	31.60	6.10	79.70	3.04	7.33
AM3	16/01/2008	1524	CLOUDY	NORMAL	MID-EBB	19.0	12.4	A 0	0.00	18.80	31.50	5.87	76.68	3.90	7.87
AM4	16/01/2008	1558	CLOUDY	NORMAL	MID-EBB	18.0	7.2	S 1	1.00	19.40	31.10	5.04	66.30	7.37	10.56
AM4	16/01/2008	1558	CLOUDY	NORMAL	MID-EBB	18.0	7.2	S 2	1.00	19.40	31.10	4.93	65.20	7.69	11.00
AM4	16/01/2008	1558	CLOUDY	NORMAL	MID-EBB	18.0	7.2	M 1	3.60	19.30	31.20	5.00	65.90	7.96	12.00
AM4	16/01/2008	1558	CLOUDY	NORMAL	MID-EBB	18.0	7.2	M 2	3.60	19.30	31.20	4.93	65.00	7.90	11.67
AM4	16/01/2008	1558	CLOUDY	NORMAL	MID-EBB	18.0	7.2	B 1	6.20	18.60	31.60	5.97	78.00	4.93	7.33
AM4	16/01/2008	1558	CLOUDY	NORMAL	MID-EBB	18.0	7.2	B 2	6.20	18.70	31.60	5.64	74.00	4.64	7.67
AM4	16/01/2008	1558	CLOUDY	NORMAL	MID-EBB	18.0	7.2	A 0	0.00	19.12	31.30	5.25	69.07	6.75	10.04
AM5	16/01/2008	1509	CLOUDY	NORMAL	MID-EBB	19.0	13.4	S 1	1.00	19.80	31.00	4.90	65.10	6.02	7.56
AM5	16/01/2008	1509	CLOUDY	NORMAL	MID-EBB	19.0	13.4	S 2	1.00	19.80	31.00	4.72	62.40	6.37	7.78
AM5	16/01/2008	1509	CLOUDY	NORMAL	MID-EBB	19.0	13.4	M 1	6.70	19.10	31.30	4.60	60.40	13.70	18.89
AM5	16/01/2008	1509	CLOUDY	NORMAL	MID-EBB	19.0	13.4	M 2	6.70	19.10	31.30	4.67	61.40	13.40	19.22
AM5	16/01/2008	1509	CLOUDY	NORMAL	MID-EBB	19.0	13.4	B 1	12.40	18.90	31.40	5.21	68.40	8.01	12.00
AM5	16/01/2008	1509	CLOUDY	NORMAL	MID-EBB	19.0	13.4	B 2	12.40	18.90	31.40	5.17	67.90	8.46	12.22
AM5	16/01/2008	1509	CLOUDY	NORMAL	MID-EBB	19.0	13.4	A 0	0.00	19.27	31.23	4.88	64.27	9.33	12.95
AM1	16/01/2008	1033	SUNNY	NORMAL	MID-FLOO	17.0	10.7	S 1	1.00	19.40	30.90	4.87	64.20	4.05	7.22
AM1	16/01/2008	1033	SUNNY	NORMAL	MID-FLOO	17.0	10.7	S 2	1.00	19.20	31.10	4.98	65.20	4.39	7.56
AM1	16/01/2008	1033	SUNNY	NORMAL	MID-FLOO	17.0	10.7	M 1	5.35	18.80	31.20	5.31	69.50	3.24	6.11
AM1	16/01/2008	1033	SUNNY	NORMAL	MID-FLOO	17.0	10.7	M 2	5.35	18.80	31.20	5.21	68.30	3.39	6.44
AM1	16/01/2008	1033	SUNNY	NORMAL	MID-FLOO	17.0	10.7	B 1	9.70	18.80	31.30	5.32	69.60	5.02	7.47
AM1	16/01/2008	1033	SUNNY	NORMAL	MID-FLOO	17.0	10.7	B 2	9.70	18.80	31.30	5.25	68.60	5.34	7.11
AM1	16/01/2008	1033	SUNNY	NORMAL	MID-FLOO	17.0	10.7	A 0	0.00	18.97	31.17	5.16	67.57	4.24	6.98
AM2	16/01/2008	1008	SUNNY	NORMAL	MID-FLOO	15.0	11.3	S 1	1.00	18.70	31.10	5.60	73.00	2.77	5.56
AM2	16/01/2008	1008	SUNNY	NORMAL	MID-FLOO	15.0	11.3	S 2	1.00	18.80	31.20	5.46	71.30	2.93	5.56
AM2	16/01/2008	1008	SUNNY	NORMAL	MID-FLOO	15.0	11.3	M 1	5.65	18.70	31.20	5.58	72.80	2.63	5.67
AM2	16/01/2008	1008	SUNNY	NORMAL	MID-FLOO	15.0	11.3	M 2	5.65	18.70	31.20	5.53	72.10	2.95	5.78
AM2	16/01/2008	1008	SUNNY	NORMAL	MID-FLOO	15.0	11.3	B 1	10.30	18.70	31.20	5.50	71.70	3.70	7.44
AM2	16/01/2008	1008	SUNNY	NORMAL	MID-FLOO	15.0	11.3	B 2	10.30	18.70	31.20	5.47	71.50	3.63	7.78
AM2	16/01/2008	1008	SUNNY	NORMAL	MID-FLOO	15.0	11.3	A 0	0.00	18.72	31.18	5.52	72.07	3.10	6.30
AM3	16/01/2008	1020	SUNNY	NORMAL	MID-FLOO	16.0	11.4	S 1	1.00	18.90	31.10	5.37	70.00	3.16	5.89
AM3	16/01/2008	1020	SUNNY	NORMAL	MID-FLOO	16.0	11.4	S 2	1.00	18.80	31.20	5.42	70.80	3.34	6.22
AM3	16/01/2008	1020	SUNNY	NORMAL	MID-FLOO	16.0	11.4	M 1	5.70	18.80	31.20	5.55	72.30	3.02	5.00
AM3	16/01/2008	1020	SUNNY	NORMAL	MID-FLOO	16.0	11.4	M 2	5.70	18.80	31.10	5.38	70.10	3.23	5.33
AM3	16/01/2008	1020	SUNNY	NORMAL	MID-FLOO	16.0	11.4	B 1	10.40	18.80	31.30	5.56	72.50	3.69	6.56
AM3	16/01/2008	1020	SUNNY	NORMAL	MID-FLOO	16.0	11.4	B 2	10.40	18.80	31.20	5.40	70.40	3.92	6.22
AM3	16/01/2008	1020	SUNNY	NORMAL	MID-FLOO	16.0	11.4	A 0	0.00	18.82	31.18	5.45	71.02	3.39	5.87
AM4	16/01/2008	1043	SUNNY	NORMAL	MID-FLOO	17.0	6.4	S 1	1.00	19.40	30.90	4.87	64.10	5.16	12.56
AM4	16/01/2008	1043	SUNNY	NORMAL	MID-FLOO	17.0	6.4	S 2	1.00	19.40	30.90	4.79	63.20	5.47	12.22
AM4	16/01/2008	1043	SUNNY	NORMAL	MID-FLOO	17.0	6.4	M 1	3.20	18.90	31.20	5.15	67.50	5.03	8.00
AM4	16/01/2008	1043	SUNNY	NORMAL	MID-FLOO	17.0	6.4	M 2	3.20	19.00	31.00	5.03	65.90	5.29	8.44
AM4	16/01/2008	1043	SUNNY	NORMAL	MID-FLOO	17.0	6.4	B 1	5.40	18.80	31.30	5.21	68.20	3.92	7.67
AM4	16/01/2008	1043	SUNNY	NORMAL	MID-FLOO	17.0	6.4	B 2	5.40	18.80	31.30	5.15	67.50	4.24	7.44
AM4	16/01/2008	1043	SUNNY	NORMAL	MID-FLOO	17.0	6.4	A 0	0.00	19.05	31.10	5.03	66.07	4.85	9.39
AM5	16/01/2008	1054	SUNNY	NORMAL	MID-FLOO	18.0	12.4	S 1	1.00	19.60	30.90	5.01	66.30	5.52	8.78
AM5	16/01/2008	1054	SUNNY	NORMAL	MID-FLOO	18.0	12.4	S 2	1.00	19.40	31.10	4.78	62.90	5.84	8.67
AM5	16/01/2008	1054	SUNNY	NORMAL	MID-FLOO	18.0	12.4	M 1	6.20	19.20	31.10	4.80	63.00	17.40	24.78
AM5	16/01/2008	1054	SUNNY	NORMAL	MID-FLOO	18.0	12.4	M 2	6.20	19.20	31.10	4.73	62.20	17.20	25.00
AM5	16/01/2008	1054	SUNNY	NORMAL	MID-FLOO	18.0	12.4	B 1	11.40	18.90	31.30	5.00	65.60	5.93	9.56
AM5	16/01/2008	1054	SUNNY	NORMAL	MID-FLOO	18.0	12.4	B 2	11.40	18.90	31.30	5.01	65.70	6.10	9.78
AM5	16/01/2008	1054	SUNNY	NORMAL	MID-FLOO	18.0	12.4	A 0	0.00	19.20	31.13	4.89	64.28	9.67	14.43
AM1	17/01/2008	1724	CLOUDY	NORMAL	MID-EBB	14.0	12.6	S 1	1.00	18.90	31.40	5.78	75.30	6.46	13.67
AM1	17/01/2008	1724	CLOUDY	NORMAL	MID-EBB	14.0	12.6	S 2	1.00	18.90	31.50	5.87	76.40	6.53	13.33
AM1	17/01/2008	1724	CLOUDY	NORMAL	MID-EBB	14.0	12.6	M 1	6.30	18.50	31.80	6.28	81.60	3.43	6.67
AM1	17/01/2008	1724	CLOUDY	NORMAL	MID-EBB	14.0	12.6	M 2	6.30	18.50	31.80	6.19	80.50	3.54	6.78
AM1	17/01/2008	1724	CLOUDY	NORMAL	MID-EBB	14.0	12.6	B 1	11.60	18.50	31.80	6.37	82.70	2.32	4.78
AM1	17/01/2008	1724	CLOUDY	NORMAL	MID-EBB	14.0	12.6	B 2	11.60	18.40	31.80	6.33	82.10	2.54	5.22
AM1	17/01/2008	1724	CLOUDY	NORMAL	MID-EBB	14.0	12.6	A 0	0.00	18.62	31.68	6.14	79.77	4.14	8.41
AM2	17/01/2008	1736	CLOUDY	NORMAL	MID-EBB	14.0	11.9	S 1	1.00	18.70	31.60	5.90	76.90	7.97	12.22
AM2	17/01/2008	1736	CLOUDY	NORMAL	MID-EBB	14.0	11.9	S 2	1.00	18.80	31.60	5.78	75.40	7.63	12.56
AM2	17/01/2008	1736	CLOUDY	NORMAL	MID-EBB	14.0	11.9	M 1	5.95	18.50	31.80	6.19	80.70	3.96	7.33
AM2	17/01/2008	1736	CLOUDY	NORMAL	MID-EBB	14.0	11.9	M 2	5.95	18.50	31.80	6.11	79.70	4.10	7.11
AM2	17/01/2008	1736	CLOUDY	NORMAL	MID-EBB	14.0	11.9	B 1	10.90	18.40	31.80	6.28	81.50	3.48	6.00
AM2	17/01/2008	1736	CLOUDY	NORMAL	MID-EBB	14.0	11.9	B 2	10.90	18.40	31.80	6.25	81.10	3.24	6.44
AM2	17/01/2008	1736	CLOUDY	NORMAL	MID-EBB	14.0	11.9	A 0	0.00	18.55	31.73	6.09	79.22	5.06	8.61
AM3	17/01/2008	1713	CLOUDY	NORMAL	MID-EBB	14.0	13.1	S 1	1.00	18.60	31.60	6.18	80.10	3.95	7.11
AM3	17/01/2008	1713	CLOUDY	NORMAL	MID-EBB	14.0	13.1	S 2	1.00	18.60	31.70	5.89	76.80	4.10	6.89
AM3	17/01/2008	1713	CLOUDY	NORMAL	MID-EBB	14.0	13.1	M 1	6.55	18.50	31.80	6.29	81.70	3.14	5.67
AM3	17/01/2008	1713	CLOUDY	NORMAL	MID-EBB	14.0	13.1	M 2	6.55	18.50	31.80	6.10	79.30	3.29	5.56
AM3	17/01/2008	1713	CLOUDY	NORMAL	MID-EBB	14.0	13.1	B 1	12.10	18.40	31.80	6.42	83.20	3.51	6.22
AM3	17/01/2008	1713	CLOUDY	NORMAL	MID-EBB	14.0	13.1	B 2	12.10	18.50	31.80	6.24	81.00	3.34	5.89
AM3	17/01/2008	1713	CLOUDY	NORMAL	MID-EBB	14.0	13.1	A 0	0.00	18.52	31.75	6.19	80.35	3.56	6.22
AM4	17/01/2008	1748	CLOUDY	NORMAL	MID-EBB	14.0	7.4	S 1	1.00	19.10	31.40	5.46	71.50	9.85	13.44
AM4	17/01/2008	1748	CLOUDY	NORMAL	MID-EBB	14.0	7.4	S 2	1.00	19.10	31.40	5.31	69.80	9.73	13.89
AM4	17/01/2008	1748	CLOUDY	NORMAL	MID-EBB	14.0	7.4	M 1	3.70	19.10	31.40	5.27	69.10	10.70	14.44

FUGRO TECHNICAL SERVICES LIMITED

MateriaLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MateriaLab

AM4	17/01/2008	1748 CLOUDY	NORMAL	MID-EBB	14.0	7.4 M 2	3.70	19.10	31.40	5.25	68.70	10.90	14.89
AM4	17/01/2008	1748 CLOUDY	NORMAL	MID-EBB	14.0	7.4 B 1	6.40	18.90	31.50	5.31	69.60	4.29	6.67
AM4	17/01/2008	1748 CLOUDY	NORMAL	MID-EBB	14.0	7.4 B 2	6.40	18.90	31.50	5.30	69.50	4.46	7.00
AM4	17/01/2008	1748 CLOUDY	NORMAL	MID-EBB	14.0	7.4 A 0	0.00	19.03	31.43	5.32	69.70	8.32	11.72
AM5	17/01/2008	1700 CLOUDY	NORMAL	MID-EBB	15.0	13.5 S 1	1.00	19.00	31.40	5.45	71.40	8.76	11.89
AM5	17/01/2008	1700 CLOUDY	NORMAL	MID-EBB	15.0	13.5 S 2	1.00	19.10	31.40	5.36	70.30	8.93	11.56
AM5	17/01/2008	1700 CLOUDY	NORMAL	MID-EBB	15.0	13.5 M 1	6.75	18.90	31.40	5.44	71.30	8.33	13.44
AM5	17/01/2008	1700 CLOUDY	NORMAL	MID-EBB	15.0	13.5 M 2	6.75	18.90	31.50	5.35	70.10	8.56	13.67
AM5	17/01/2008	1700 CLOUDY	NORMAL	MID-EBB	15.0	13.5 B 1	12.50	18.80	31.60	5.47	71.50	10.60	13.33
AM5	17/01/2008	1700 CLOUDY	NORMAL	MID-EBB	15.0	13.5 B 2	12.50	18.80	31.50	5.34	69.90	10.80	13.11
AM5	17/01/2008	1700 CLOUDY	NORMAL	MID-EBB	15.0	13.5 A 0	0.00	18.92	31.47	5.40	70.75	9.33	12.83
AM1	17/01/2008	1235 SUNNY	NORMAL	MID-FLOOI	15.0	11.5 S 1	1.00	18.80	31.50	5.92	76.60	4.96	9.67
AM1	17/01/2008	1235 SUNNY	NORMAL	MID-FLOOI	15.0	11.5 S 2	1.00	18.70	31.50	6.00	77.70	5.03	9.67
AM1	17/01/2008	1235 SUNNY	NORMAL	MID-FLOOI	15.0	11.5 M 1	5.75	18.60	31.60	6.09	78.70	4.54	8.22
AM1	17/01/2008	1235 SUNNY	NORMAL	MID-FLOOI	15.0	11.5 M 2	5.75	18.60	31.60	6.06	78.30	4.40	8.56
AM1	17/01/2008	1235 SUNNY	NORMAL	MID-FLOOI	15.0	11.5 B 1	10.50	18.60	31.60	6.07	78.30	3.28	7.11
AM1	17/01/2008	1235 SUNNY	NORMAL	MID-FLOOI	15.0	11.5 B 2	10.50	18.60	31.60	6.08	78.50	3.13	7.33
AM1	17/01/2008	1235 SUNNY	NORMAL	MID-FLOOI	15.0	11.5 A 0	0.00	18.65	31.57	6.04	78.02	4.22	8.43
AM2	17/01/2008	1224 SUNNY	NORMAL	MID-FLOOI	15.0	11.3 S 1	1.00	18.80	31.40	5.84	75.70	4.43	8.78
AM2	17/01/2008	1224 SUNNY	NORMAL	MID-FLOOI	15.0	11.3 S 2	1.00	18.80	31.40	5.71	74.20	4.68	8.56
AM2	17/01/2008	1224 SUNNY	NORMAL	MID-FLOOI	15.0	11.3 M 1	5.65	18.60	31.60	6.07	78.50	3.31	6.00
AM2	17/01/2008	1224 SUNNY	NORMAL	MID-FLOOI	15.0	11.3 M 2	5.65	18.60	31.50	5.99	77.60	3.52	5.89
AM2	17/01/2008	1224 SUNNY	NORMAL	MID-FLOOI	15.0	11.3 B 1	10.30	18.60	31.60	6.12	79.00	3.20	7.67
AM2	17/01/2008	1224 SUNNY	NORMAL	MID-FLOOI	15.0	11.3 B 2	10.30	18.60	31.60	6.06	78.30	3.12	7.33
AM2	17/01/2008	1224 SUNNY	NORMAL	MID-FLOOI	15.0	11.3 A 0	0.00	18.67	31.52	5.97	77.22	3.71	7.37
AM3	17/01/2008	1248 SUNNY	NORMAL	MID-FLOOI	15.0	12.2 S 1	1.00	18.50	31.60	6.28	81.00	3.20	6.22
AM3	17/01/2008	1248 SUNNY	NORMAL	MID-FLOOI	15.0	12.2 S 2	1.00	18.50	31.60	6.20	80.00	3.43	6.00
AM3	17/01/2008	1248 SUNNY	NORMAL	MID-FLOOI	15.0	12.2 M 1	6.10	18.50	31.60	6.22	80.20	2.97	7.11
AM3	17/01/2008	1248 SUNNY	NORMAL	MID-FLOOI	15.0	12.2 M 2	6.10	18.50	31.60	6.15	79.30	3.10	6.78
AM3	17/01/2008	1248 SUNNY	NORMAL	MID-FLOOI	15.0	12.2 B 1	11.20	18.50	31.60	6.17	79.50	5.23	7.11
AM3	17/01/2008	1248 SUNNY	NORMAL	MID-FLOOI	15.0	12.2 B 2	11.20	18.50	31.60	6.16	79.50	5.42	6.78
AM3	17/01/2008	1248 SUNNY	NORMAL	MID-FLOOI	15.0	12.2 A 0	0.00	18.50	31.60	6.20	79.92	3.89	6.67
AM4	17/01/2008	1213 SUNNY	NORMAL	MID-FLOOI	15.0	6.9 S 1	1.00	18.90	31.40	5.71	73.90	6.76	11.11
AM4	17/01/2008	1213 SUNNY	NORMAL	MID-FLOOI	15.0	6.9 S 2	1.00	18.90	31.40	5.52	71.90	6.93	11.00
AM4	17/01/2008	1213 SUNNY	NORMAL	MID-FLOOI	15.0	6.9 M 1	3.45	18.60	31.50	5.91	76.70	5.12	9.11
AM4	17/01/2008	1213 SUNNY	NORMAL	MID-FLOOI	15.0	6.9 M 2	3.45	18.80	31.50	5.67	73.60	5.69	8.78
AM4	17/01/2008	1213 SUNNY	NORMAL	MID-FLOOI	15.0	6.9 B 1	5.90	18.60	31.50	6.03	78.10	4.93	9.44
AM4	17/01/2008	1213 SUNNY	NORMAL	MID-FLOOI	15.0	6.9 B 2	5.90	18.60	31.50	5.98	77.50	4.82	9.22
AM4	17/01/2008	1213 SUNNY	NORMAL	MID-FLOOI	15.0	6.9 A 0	0.00	18.73	31.47	5.80	75.28	5.71	9.78
AM5	17/01/2008	1200 SUNNY	NORMAL	MID-FLOOI	16.0	12.6 S 1	1.00	19.10	31.20	5.58	72.80	7.78	12.22
AM5	17/01/2008	1200 SUNNY	NORMAL	MID-FLOOI	16.0	12.6 S 2	1.00	19.20	31.10	5.55	72.60	7.92	12.00
AM5	17/01/2008	1200 SUNNY	NORMAL	MID-FLOOI	16.0	12.6 M 1	6.30	18.80	31.40	5.68	73.80	9.12	13.56
AM5	17/01/2008	1200 SUNNY	NORMAL	MID-FLOOI	16.0	12.6 M 2	6.30	18.90	31.40	5.61	72.90	9.42	13.78
AM5	17/01/2008	1200 SUNNY	NORMAL	MID-FLOOI	16.0	12.6 B 1	11.60	18.80	31.50	5.76	74.60	8.53	14.89
AM5	17/01/2008	1200 SUNNY	NORMAL	MID-FLOOI	16.0	12.6 B 2	11.60	18.80	31.40	5.64	73.20	8.74	14.67
AM5	17/01/2008	1200 SUNNY	NORMAL	MID-FLOOI	16.0	12.6 A 0	0.00	18.93	31.33	5.64	73.32	8.59	13.52
AM1	18/01/2008	0947 CLOUDY	NORMAL	MID-EBB	15.0	11.2 S 1	1.00	18.50	31.60	6.21	79.80	2.49	4.67
AM1	18/01/2008	0947 CLOUDY	NORMAL	MID-EBB	15.0	11.2 S 2	1.00	18.40	31.60	6.18	79.20	2.56	4.56
AM1	18/01/2008	0947 CLOUDY	NORMAL	MID-EBB	15.0	11.2 M 1	5.60	18.30	31.70	6.29	80.90	2.63	4.44
AM1	18/01/2008	0947 CLOUDY	NORMAL	MID-EBB	15.0	11.2 M 2	5.60	18.30	31.70	6.22	80.00	2.75	4.33
AM1	18/01/2008	0947 CLOUDY	NORMAL	MID-EBB	15.0	11.2 B 1	10.20	18.30	31.80	6.22	80.00	2.23	4.22
AM1	18/01/2008	0947 CLOUDY	NORMAL	MID-EBB	15.0	11.2 B 2	10.20	18.30	31.80	6.24	80.20	2.36	4.22
AM1	18/01/2008	0947 CLOUDY	NORMAL	MID-EBB	15.0	11.2 A 0	0.00	18.35	31.70	6.23	80.02	2.50	4.41
AM2	18/01/2008	1000 CLOUDY	NORMAL	MID-EBB	15.0	11.3 S 1	1.00	18.40	31.60	6.24	80.10	2.70	5.89
AM2	18/01/2008	1000 CLOUDY	NORMAL	MID-EBB	15.0	11.3 S 2	1.00	18.40	31.50	6.15	79.20	2.76	5.67
AM2	18/01/2008	1000 CLOUDY	NORMAL	MID-EBB	15.0	11.3 M 1	5.65	18.30	31.70	6.25	80.30	2.51	4.78
AM2	18/01/2008	1000 CLOUDY	NORMAL	MID-EBB	15.0	11.3 M 2	5.65	18.30	31.70	6.21	79.90	2.63	4.89
AM2	18/01/2008	1000 CLOUDY	NORMAL	MID-EBB	15.0	11.3 B 1	10.30	18.30	31.80	6.27	80.60	2.83	5.44
AM2	18/01/2008	1000 CLOUDY	NORMAL	MID-EBB	15.0	11.3 B 2	10.30	18.30	31.80	6.26	80.50	2.95	5.11
AM2	18/01/2008	1000 CLOUDY	NORMAL	MID-EBB	15.0	11.3 A 0	0.00	18.33	31.68	6.23	80.10	2.73	5.30
AM3	18/01/2008	0936 CLOUDY	NORMAL	MID-EBB	15.0	11.3 S 1	1.00	18.40	31.60	6.17	79.20	4.00	6.78
AM3	18/01/2008	0936 CLOUDY	NORMAL	MID-EBB	15.0	11.3 S 2	1.00	18.50	31.60	5.94	76.30	4.22	6.44
AM3	18/01/2008	0936 CLOUDY	NORMAL	MID-EBB	15.0	11.3 M 1	5.65	18.30	31.70	6.12	78.80	2.56	4.89
AM3	18/01/2008	0936 CLOUDY	NORMAL	MID-EBB	15.0	11.3 M 2	5.65	18.30	31.70	6.06	78.20	2.63	4.78
AM3	18/01/2008	0936 CLOUDY	NORMAL	MID-EBB	15.0	11.3 B 1	10.30	18.30	31.80	6.20	80.00	2.70	4.56
AM3	18/01/2008	0936 CLOUDY	NORMAL	MID-EBB	15.0	11.3 B 2	10.30	18.30	31.80	6.13	78.80	2.84	4.89
AM3	18/01/2008	0936 CLOUDY	NORMAL	MID-EBB	15.0	11.3 A 0	0.00	18.35	31.70	6.10	78.55	3.16	5.39
AM4	18/01/2008	1011 CLOUDY	NORMAL	MID-EBB	15.0	6.4 S 1	1.00	18.70	31.40	5.77	74.50	5.94	10.33
AM4	18/01/2008	1011 CLOUDY	NORMAL	MID-EBB	15.0	6.4 S 2	1.00	18.80	31.40	5.54	71.80	6.22	10.56
AM4	18/01/2008	1011 CLOUDY	NORMAL	MID-EBB	15.0	6.4 M 1	3.20	18.80	31.40	5.45	70.60	4.96	9.11
AM4	18/01/2008	1011 CLOUDY	NORMAL	MID-EBB	15.0	6.4 M 2	3.20	18.80	31.40	5.36	69.60	5.21	9.44
AM4	18/01/2008	1011 CLOUDY	NORMAL	MID-EBB	15.0	6.4 B 1	5.40	18.40	31.70	5.88	76.20	3.42	5.89
AM4	18/01/2008	1011 CLOUDY	NORMAL	MID-EBB	15.0	6.4 B 2	5.40	18.40	31.70	5.98	77.20	3.63	6.29
AM4	18/01/2008	1011 CLOUDY	NORMAL	MID-EBB	15.0	6.4 A 0	0.00	18.65	31.50	5.66	73.32	4.90	8.59
AM5	18/01/2008	0924 CLOUDY	NORMAL	MID-EBB	14.0	12.5 S 1	1.00	18.90	31.30	5.23	67.70	6.04	6.67

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

AM5	18/01/2008	0924	CLOUDY	NORMAL	MID-EBB	14.0	12.5	S 2	1.00	18.90	31.20	5.05	65.40	6.36	6.89
AM5	18/01/2008	0924	CLOUDY	NORMAL	MID-EBB	14.0	12.5	M 1	6.25	18.80	31.60	5.37	69.90	5.93	5.33
AM5	18/01/2008	0924	CLOUDY	NORMAL	MID-EBB	14.0	12.5	M 2	6.25	18.80	31.50	5.27	68.50	5.84	5.67
AM5	18/01/2008	0924	CLOUDY	NORMAL	MID-EBB	14.0	12.5	B 1	11.50	18.60	31.60	5.45	70.30	5.02	6.89
AM5	18/01/2008	0924	CLOUDY	NORMAL	MID-EBB	14.0	12.5	B 2	11.50	18.60	31.70	5.39	69.90	5.32	6.67
AM5	18/01/2008	0924	CLOUDY	NORMAL	MID-EBB	14.0	12.5	A 0	0.00	18.77	31.48	5.29	68.62	5.75	6.35
AM1	18/01/2008	1425	CLOUDY	WAVELET	MID-FLOO	16.0	11.6	S 1	1.00	18.50	31.60	6.05	77.60	4.14	6.67
AM1	18/01/2008	1425	CLOUDY	WAVELET	MID-FLOO	16.0	11.6	S 2	1.00	18.50	31.60	5.95	76.70	4.40	6.33
AM1	18/01/2008	1425	CLOUDY	WAVELET	MID-FLOO	16.0	11.6	M 1	5.80	18.30	31.70	5.97	77.00	3.73	5.56
AM1	18/01/2008	1425	CLOUDY	WAVELET	MID-FLOO	16.0	11.6	M 2	5.80	18.30	31.70	6.01	77.50	3.64	5.67
AM1	18/01/2008	1425	CLOUDY	WAVELET	MID-FLOO	16.0	11.6	B 1	10.60	18.30	31.70	6.09	78.30	3.98	7.44
AM1	18/01/2008	1425	CLOUDY	WAVELET	MID-FLOO	16.0	11.6	B 2	10.60	18.30	31.70	6.12	78.80	4.12	7.22
AM1	18/01/2008	1425	CLOUDY	WAVELET	MID-FLOO	16.0	11.6	A 0	0.00	18.37	31.67	6.03	77.65	4.00	6.48
AM2	18/01/2008	1437	CLOUDY	WAVELET	MID-FLOO	16.0	11.7	S 1	1.00	18.40	31.60	6.18	79.40	3.32	6.67
AM2	18/01/2008	1437	CLOUDY	WAVELET	MID-FLOO	16.0	11.7	S 2	1.00	18.40	31.60	6.12	78.50	3.49	7.00
AM2	18/01/2008	1437	CLOUDY	WAVELET	MID-FLOO	16.0	11.7	M 1	5.85	18.30	31.70	6.16	79.10	3.14	5.78
AM2	18/01/2008	1437	CLOUDY	WAVELET	MID-FLOO	16.0	11.7	M 2	5.85	18.30	31.70	6.13	78.80	3.29	5.56
AM2	18/01/2008	1437	CLOUDY	WAVELET	MID-FLOO	16.0	11.7	B 1	10.70	18.30	31.70	6.14	79.00	4.01	5.33
AM2	18/01/2008	1437	CLOUDY	WAVELET	MID-FLOO	16.0	11.7	B 2	10.70	18.30	31.70	6.21	80.20	3.95	5.44
AM2	18/01/2008	1437	CLOUDY	WAVELET	MID-FLOO	16.0	11.7	A 0	0.00	18.33	31.67	6.16	79.17	3.53	5.96
AM3	18/01/2008	1450	CLOUDY	WAVELET	MID-FLOO	16.0	12.4	S 1	1.00	18.30	31.70	6.50	83.30	4.22	6.44
AM3	18/01/2008	1450	CLOUDY	WAVELET	MID-FLOO	16.0	12.4	S 2	1.00	18.30	31.70	6.41	82.10	4.56	6.22
AM3	18/01/2008	1450	CLOUDY	WAVELET	MID-FLOO	16.0	12.4	M 1	6.20	18.30	31.70	6.42	82.50	3.73	7.00
AM3	18/01/2008	1450	CLOUDY	WAVELET	MID-FLOO	16.0	12.4	M 2	6.20	18.30	31.70	6.36	81.30	3.95	6.67
AM3	18/01/2008	1450	CLOUDY	WAVELET	MID-FLOO	16.0	12.4	B 1	11.40	18.30	31.80	6.47	83.20	4.78	5.33
AM3	18/01/2008	1450	CLOUDY	WAVELET	MID-FLOO	16.0	12.4	B 2	11.40	18.30	31.70	6.42	82.50	4.92	5.67
AM3	18/01/2008	1450	CLOUDY	WAVELET	MID-FLOO	16.0	12.4	A 0	0.00	18.30	31.72	6.43	82.48	4.36	6.22
AM4	18/01/2008	1414	CLOUDY	WAVELET	MID-FLOO	16.0	7.3	S 1	1.00	18.60	31.50	5.82	75.00	7.93	9.00
AM4	18/01/2008	1414	CLOUDY	WAVELET	MID-FLOO	16.0	7.3	S 2	1.00	18.60	31.50	5.75	74.00	7.84	9.11
AM4	18/01/2008	1414	CLOUDY	WAVELET	MID-FLOO	16.0	7.3	M 1	3.65	18.50	31.50	5.91	76.40	5.44	8.33
AM4	18/01/2008	1414	CLOUDY	WAVELET	MID-FLOO	16.0	7.3	M 2	3.65	18.60	31.60	5.87	75.60	5.69	8.11
AM4	18/01/2008	1414	CLOUDY	WAVELET	MID-FLOO	16.0	7.3	B 1	6.30	18.30	31.70	5.95	76.70	3.53	6.22
AM4	18/01/2008	1414	CLOUDY	WAVELET	MID-FLOO	16.0	7.3	B 2	6.30	18.30	31.70	6.01	77.40	3.64	5.89
AM4	18/01/2008	1414	CLOUDY	WAVELET	MID-FLOO	16.0	7.3	A 0	0.00	18.48	31.58	5.89	75.85	5.68	7.78
AM5	18/01/2008	1401	CLOUDY	WAVELET	MID-FLOO	16.0	12.7	S 1	1.00	18.90	31.30	5.53	71.60	8.08	11.33
AM5	18/01/2008	1401	CLOUDY	WAVELET	MID-FLOO	16.0	12.7	S 2	1.00	18.90	31.30	5.41	70.30	8.24	12.89
AM5	18/01/2008	1401	CLOUDY	WAVELET	MID-FLOO	16.0	12.7	M 1	6.35	18.70	31.50	5.49	71.00	7.96	10.22
AM5	18/01/2008	1401	CLOUDY	WAVELET	MID-FLOO	16.0	12.7	M 2	6.35	18.70	31.50	5.38	69.80	8.13	10.56
AM5	18/01/2008	1401	CLOUDY	WAVELET	MID-FLOO	16.0	12.7	B 1	11.70	18.60	31.60	5.52	71.20	6.34	8.44
AM5	18/01/2008	1401	CLOUDY	WAVELET	MID-FLOO	16.0	12.7	B 2	11.70	18.50	31.60	5.45	70.70	6.49	8.67
AM5	18/01/2008	1401	CLOUDY	WAVELET	MID-FLOO	16.0	12.7	A 0	0.00	18.72	31.47	5.46	70.77	7.54	10.35
AM1	19/01/2008	0916	CLOUDY	NORMAL	MID-EBB	17.0	11.4	S 1	1.00	18.30	31.20	6.16	79.00	4.15	6.00
AM1	19/01/2008	0916	CLOUDY	NORMAL	MID-EBB	17.0	11.4	S 2	1.00	18.40	31.20	6.12	78.60	4.51	6.22
AM1	19/01/2008	0916	CLOUDY	NORMAL	MID-EBB	17.0	11.4	M 1	5.70	18.00	31.60	6.42	82.40	5.45	8.22
AM1	19/01/2008	0916	CLOUDY	NORMAL	MID-EBB	17.0	11.4	M 2	5.70	18.00	31.60	6.48	83.20	5.27	7.89
AM1	19/01/2008	0916	CLOUDY	NORMAL	MID-EBB	17.0	11.4	B 1	10.40	18.00	31.70	6.56	84.20	6.50	10.00
AM1	19/01/2008	0916	CLOUDY	NORMAL	MID-EBB	17.0	11.4	B 2	10.40	18.00	31.70	6.58	84.40	6.63	10.44
AM1	19/01/2008	0916	CLOUDY	NORMAL	MID-EBB	17.0	11.4	A 0	0.00	18.12	31.50	6.39	81.97	5.42	8.13
AM2	19/01/2008	0903	CLOUDY	NORMAL	MID-EBB	17.0	11.3	S 1	1.00	18.10	31.00	6.44	82.50	4.13	6.56
AM2	19/01/2008	0903	CLOUDY	NORMAL	MID-EBB	17.0	11.3	S 2	1.00	18.30	31.10	6.22	79.60	4.29	6.67
AM2	19/01/2008	0903	CLOUDY	NORMAL	MID-EBB	17.0	11.3	M 1	5.65	18.00	31.30	6.46	83.10	3.50	5.44
AM2	19/01/2008	0903	CLOUDY	NORMAL	MID-EBB	17.0	11.3	M 2	5.65	18.00	31.30	6.50	83.60	3.42	5.56
AM2	19/01/2008	0903	CLOUDY	NORMAL	MID-EBB	17.0	11.3	B 1	10.30	18.00	31.50	6.58	84.70	3.69	7.56
AM2	19/01/2008	0903	CLOUDY	NORMAL	MID-EBB	17.0	11.3	B 2	10.30	18.00	31.60	6.60	84.90	3.75	7.22
AM2	19/01/2008	0903	CLOUDY	NORMAL	MID-EBB	17.0	11.3	A 0	0.00	18.07	31.30	6.47	83.07	3.80	6.50
AM3	19/01/2008	0928	CLOUDY	NORMAL	MID-EBB	18.0	11.7	S 1	1.00	18.20	31.30	6.40	81.90	3.72	5.33
AM3	19/01/2008	0928	CLOUDY	NORMAL	MID-EBB	18.0	11.7	S 2	1.00	18.20	31.20	6.33	81.20	3.62	5.44
AM3	19/01/2008	0928	CLOUDY	NORMAL	MID-EBB	18.0	11.7	M 1	5.85	18.00	31.70	6.50	83.20	3.86	5.22
AM3	19/01/2008	0928	CLOUDY	NORMAL	MID-EBB	18.0	11.7	M 2	5.85	18.00	31.60	6.45	82.60	3.95	5.22
AM3	19/01/2008	0928	CLOUDY	NORMAL	MID-EBB	18.0	11.7	B 1	10.70	18.00	31.60	6.55	83.90	3.48	6.67
AM3	19/01/2008	0928	CLOUDY	NORMAL	MID-EBB	18.0	11.7	B 2	10.70	18.00	31.70	6.62	85.10	3.29	6.33
AM3	19/01/2008	0928	CLOUDY	NORMAL	MID-EBB	18.0	11.7	A 0	0.00	18.07	31.52	6.48	82.98	3.65	5.70
AM4	19/01/2008	0941	CLOUDY	NORMAL	MID-EBB	18.0	6.9	S 1	1.00	18.80	30.80	5.73	74.20	4.28	5.11
AM4	19/01/2008	0941	CLOUDY	NORMAL	MID-EBB	18.0	6.9	S 2	1.00	18.70	30.90	5.65	73.00	4.39	5.33
AM4	19/01/2008	0941	CLOUDY	NORMAL	MID-EBB	18.0	6.9	M 1	3.45	18.70	31.20	5.49	71.30	8.03	13.00
AM4	19/01/2008	0941	CLOUDY	NORMAL	MID-EBB	18.0	6.9	M 2	3.45	18.50	31.40	5.60	72.30	8.34	12.78
AM4	19/01/2008	0941	CLOUDY	NORMAL	MID-EBB	18.0	6.9	B 1	5.90	18.40	31.30	5.62	72.70	4.59	5.56
AM4	19/01/2008	0941	CLOUDY	NORMAL	MID-EBB	18.0	6.9	B 2	5.90	18.30	31.30	5.73	74.30	4.72	5.67
AM4	19/01/2008	0941	CLOUDY	NORMAL	MID-EBB	18.0	6.9	A 0	0.00	18.57	31.15	5.64	72.97	5.73	7.91
AM5	19/01/2008	0951	CLOUDY	NORMAL	MID-EBB	18.0	13.3	S 1	1.00	18.80	30.70	5.67	73.30	4.55	5.89
AM5	19/01/2008	0951	CLOUDY	NORMAL	MID-EBB	18.0	13.3	S 2	1.00	18.80	30.60	5.50	71.20	4.63	5.67
AM5	19/01/2008	0951	CLOUDY	NORMAL	MID-EBB	18.0	13.3	M 1	6.65	18.40	31.20	5.54	71.50	4.42	4.44
AM5	19/01/2008	0951	CLOUDY	NORMAL	MID-EBB	18.0	13.3	M 2	6.65	18.40	31.20	5.52	71.30	4.39	4.67
AM5	19/01/2008	0951	CLOUDY	NORMAL	MID-EBB	18.0	13.3	B 1	12.30	18.20	31.40	5.63	72.60	5.19	6.89
AM5	19/01/2008	0951	CLOUDY	NORMAL	MID-EBB	18.0	13.3	B 2	12.30	18.20	31.60	5.73	73.80	5.46	6.89

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

AM5	19/01/2008	0951	CLOUDY	NORMAL	MID-EBB	18.0	13.3	A 0	0.00	18.47	31.12	5.60	72.28	4.77	5.74
AM1	19/01/2008	1357	CLOUDY	NORMAL	MID-FLOOI	18.0	12.0	S 1	1.00	18.10	31.30	6.74	86.80	4.80	7.00
AM1	19/01/2008	1357	CLOUDY	NORMAL	MID-FLOOI	18.0	12.0	S 2	1.00	18.20	31.40	6.64	85.70	4.93	6.56
AM1	19/01/2008	1357	CLOUDY	NORMAL	MID-FLOOI	18.0	12.0	N 1	6.00	18.20	31.60	6.58	85.20	3.81	5.56
AM1	19/01/2008	1357	CLOUDY	NORMAL	MID-FLOOI	18.0	12.0	N 2	6.00	18.10	31.60	6.56	85.10	3.70	5.56
AM1	19/01/2008	1357	CLOUDY	NORMAL	MID-FLOOI	18.0	12.0	B 1	11.00	18.10	31.80	6.44	83.30	4.14	5.78
AM1	19/01/2008	1357	CLOUDY	NORMAL	MID-FLOOI	18.0	12.0	B 2	11.00	18.00	31.80	6.48	83.80	4.29	6.00
AM1	19/01/2008	1357	CLOUDY	NORMAL	MID-FLOOI	18.0	12.0	A 0	0.00	18.12	31.58	6.57	84.98	4.28	6.08
AM2	19/01/2008	1345	CLOUDY	NORMAL	MID-FLOOI	18.0	11.6	S 1	1.00	18.30	31.20	6.38	82.90	3.69	5.56
AM2	19/01/2008	1345	CLOUDY	NORMAL	MID-FLOOI	18.0	11.6	S 2	1.00	18.30	31.30	6.36	82.60	3.78	5.89
AM2	19/01/2008	1345	CLOUDY	NORMAL	MID-FLOOI	18.0	11.6	N 1	5.80	18.10	31.60	6.47	84.00	4.05	6.11
AM2	19/01/2008	1345	CLOUDY	NORMAL	MID-FLOOI	18.0	11.6	N 2	5.80	18.10	31.60	6.53	84.80	4.34	6.00
AM2	19/01/2008	1345	CLOUDY	NORMAL	MID-FLOOI	18.0	11.6	B 1	10.60	18.00	31.70	6.65	86.20	5.50	7.33
AM2	19/01/2008	1345	CLOUDY	NORMAL	MID-FLOOI	18.0	11.6	B 2	10.60	18.00	31.70	6.70	86.80	5.71	7.67
AM2	19/01/2008	1345	CLOUDY	NORMAL	MID-FLOOI	18.0	11.6	A 0	0.00	18.13	31.52	6.52	84.55	4.51	6.43
AM3	19/01/2008	1409	CLOUDY	NORMAL	MID-FLOOI	18.0	12.4	S 1	1.00	18.20	31.50	6.36	82.30	3.54	4.89
AM3	19/01/2008	1409	CLOUDY	NORMAL	MID-FLOOI	18.0	12.4	S 2	1.00	18.20	31.50	6.35	82.20	3.69	4.78
AM3	19/01/2008	1409	CLOUDY	NORMAL	MID-FLOOI	18.0	12.4	N 1	6.20	18.10	31.80	6.42	82.90	4.34	6.78
AM3	19/01/2008	1409	CLOUDY	NORMAL	MID-FLOOI	18.0	12.4	N 2	6.20	18.20	31.80	6.38	82.70	4.62	7.00
AM3	19/01/2008	1409	CLOUDY	NORMAL	MID-FLOOI	18.0	12.4	B 1	11.40	18.00	31.80	6.59	85.20	3.68	6.00
AM3	19/01/2008	1409	CLOUDY	NORMAL	MID-FLOOI	18.0	12.4	B 2	11.40	18.00	31.80	6.63	85.70	3.76	6.00
AM3	19/01/2008	1409	CLOUDY	NORMAL	MID-FLOOI	18.0	12.4	A 0	0.00	18.12	31.70	6.46	83.50	3.94	5.91
AM4	19/01/2008	1435	CLOUDY	NORMAL	MID-FLOOI	18.0	7.5	S 1	1.00	18.60	31.00	5.92	77.00	8.57	11.78
AM4	19/01/2008	1435	CLOUDY	NORMAL	MID-FLOOI	18.0	7.5	S 2	1.00	18.50	31.10	5.87	76.50	8.90	11.44
AM4	19/01/2008	1435	CLOUDY	NORMAL	MID-FLOOI	18.0	7.5	N 1	3.75	18.50	31.30	6.16	80.20	7.90	10.56
AM4	19/01/2008	1435	CLOUDY	NORMAL	MID-FLOOI	18.0	7.5	N 2	3.75	18.40	31.30	6.26	81.20	8.24	10.11
AM4	19/01/2008	1435	CLOUDY	NORMAL	MID-FLOOI	18.0	7.5	B 1	6.50	18.00	31.60	6.39	82.80	11.90	16.33
AM4	19/01/2008	1435	CLOUDY	NORMAL	MID-FLOOI	18.0	7.5	B 2	6.50	18.00	31.60	6.50	84.20	12.20	16.56
AM4	19/01/2008	1435	CLOUDY	NORMAL	MID-FLOOI	18.0	7.5	A 0	0.00	18.33	31.32	6.18	80.32	9.62	12.80
AM5	19/01/2008	1423	CLOUDY	NORMAL	MID-FLOOI	18.0	13.6	S 1	1.00	18.70	30.90	5.83	76.00	5.84	6.22
AM5	19/01/2008	1423	CLOUDY	NORMAL	MID-FLOOI	18.0	13.6	S 2	1.00	18.70	31.10	5.78	75.40	5.76	6.11
AM5	19/01/2008	1423	CLOUDY	NORMAL	MID-FLOOI	18.0	13.6	N 1	6.80	18.50	31.30	5.81	75.60	4.43	6.33
AM5	19/01/2008	1423	CLOUDY	NORMAL	MID-FLOOI	18.0	13.6	N 2	6.80	18.50	31.30	5.74	74.90	4.74	6.00
AM5	19/01/2008	1423	CLOUDY	NORMAL	MID-FLOOI	18.0	13.6	B 1	12.60	18.30	31.60	5.82	75.60	6.95	10.00
AM5	19/01/2008	1423	CLOUDY	NORMAL	MID-FLOOI	18.0	13.6	B 2	12.60	18.30	31.50	5.79	75.30	7.20	9.78
AM5	19/01/2008	1423	CLOUDY	NORMAL	MID-FLOOI	18.0	13.6	A 0	0.00	18.50	31.28	5.80	75.47	5.82	7.41
AM1	20/01/2008	1103	SUNNY	NORMAL	MID-EBB	18.0	11.5	S 1	1.00	18.40	31.20	6.24	80.30	3.43	5.22
AM1	20/01/2008	1103	SUNNY	NORMAL	MID-EBB	18.0	11.5	S 2	1.00	18.40	31.30	6.07	78.50	3.61	5.00
AM1	20/01/2008	1103	SUNNY	NORMAL	MID-EBB	18.0	11.5	N 1	5.75	18.20	31.40	6.45	82.90	3.86	5.33
AM1	20/01/2008	1103	SUNNY	NORMAL	MID-EBB	18.0	11.5	N 2	5.75	18.20	31.40	6.49	83.40	3.76	5.44
AM1	20/01/2008	1103	SUNNY	NORMAL	MID-EBB	18.0	11.5	B 1	10.50	18.00	31.60	6.75	86.60	4.13	6.33
AM1	20/01/2008	1103	SUNNY	NORMAL	MID-EBB	18.0	11.5	B 2	10.50	18.10	31.60	6.77	86.80	4.03	5.89
AM1	20/01/2008	1103	SUNNY	NORMAL	MID-EBB	18.0	11.5	A 0	0.00	18.22	31.42	6.46	83.08	3.80	5.54
AM2	20/01/2008	1117	SUNNY	NORMAL	MID-EBB	18.0	11.2	S 1	1.00	18.30	31.30	6.30	80.80	3.54	4.78
AM2	20/01/2008	1117	SUNNY	NORMAL	MID-EBB	18.0	11.2	S 2	1.00	18.30	31.40	6.44	82.90	3.43	5.11
AM2	20/01/2008	1117	SUNNY	NORMAL	MID-EBB	18.0	11.2	N 1	5.60	18.10	31.60	6.62	85.00	3.47	4.89
AM2	20/01/2008	1117	SUNNY	NORMAL	MID-EBB	18.0	11.2	N 2	5.60	18.30	31.50	6.70	85.90	3.60	5.33
AM2	20/01/2008	1117	SUNNY	NORMAL	MID-EBB	18.0	11.2	B 1	10.20	18.00	31.70	6.75	86.50	3.54	4.78
AM2	20/01/2008	1117	SUNNY	NORMAL	MID-EBB	18.0	11.2	B 2	10.20	18.00	31.70	6.65	85.40	3.64	4.78
AM2	20/01/2008	1117	SUNNY	NORMAL	MID-EBB	18.0	11.2	A 0	0.00	18.17	31.53	6.58	84.42	3.54	4.95
AM3	20/01/2008	1132	SUNNY	NORMAL	MID-EBB	18.0	11.3	S 1	1.00	18.40	31.40	5.99	77.10	3.74	5.33
AM3	20/01/2008	1132	SUNNY	NORMAL	MID-EBB	18.0	11.3	S 2	1.00	18.50	31.50	6.27	80.50	3.64	5.56
AM3	20/01/2008	1132	SUNNY	NORMAL	MID-EBB	18.0	11.3	N 1	5.65	18.20	31.60	6.59	84.80	3.54	5.22
AM3	20/01/2008	1132	SUNNY	NORMAL	MID-EBB	18.0	11.3	N 2	5.65	18.20	31.60	6.46	83.20	3.43	5.22
AM3	20/01/2008	1132	SUNNY	NORMAL	MID-EBB	18.0	11.3	B 1	10.30	18.00	31.60	6.80	87.20	3.60	5.22
AM3	20/01/2008	1132	SUNNY	NORMAL	MID-EBB	18.0	11.3	B 2	10.30	18.00	31.60	6.83	87.60	3.54	5.11
AM3	20/01/2008	1132	SUNNY	NORMAL	MID-EBB	18.0	11.3	A 0	0.00	18.22	31.55	6.49	83.40	3.58	5.28
AM4	20/01/2008	1049	SUNNY	NORMAL	MID-EBB	18.0	7.0	S 1	1.00	18.70	31.30	5.51	71.80	3.47	4.56
AM4	20/01/2008	1049	SUNNY	NORMAL	MID-EBB	18.0	7.0	S 2	1.00	18.70	31.30	5.49	71.50	3.61	4.67
AM4	20/01/2008	1049	SUNNY	NORMAL	MID-EBB	18.0	7.0	N 1	3.50	18.50	31.30	5.60	72.70	3.43	5.33
AM4	20/01/2008	1049	SUNNY	NORMAL	MID-EBB	18.0	7.0	N 2	3.50	18.50	31.30	5.84	75.50	3.54	5.11
AM4	20/01/2008	1049	SUNNY	NORMAL	MID-EBB	18.0	7.0	B 1	6.00	18.40	31.40	5.74	74.50	3.77	4.78
AM4	20/01/2008	1049	SUNNY	NORMAL	MID-EBB	18.0	7.0	B 2	6.00	18.30	31.50	5.63	73.10	3.76	4.67
AM4	20/01/2008	1049	SUNNY	NORMAL	MID-EBB	18.0	7.0	A 0	0.00	18.52	31.35	5.64	73.18	3.60	4.85
AM5	20/01/2008	1035	SUNNY	NORMAL	MID-EBB	18.0	12.6	S 1	1.00	18.70	31.20	5.49	71.50	3.93	5.33
AM5	20/01/2008	1035	SUNNY	NORMAL	MID-EBB	18.0	12.6	S 2	1.00	18.70	31.20	5.41	72.50	3.94	5.11
AM5	20/01/2008	1035	SUNNY	NORMAL	MID-EBB	18.0	12.6	N 1	6.30	18.50	31.40	5.59	72.60	3.86	5.00
AM5	20/01/2008	1035	SUNNY	NORMAL	MID-EBB	18.0	12.6	N 2	6.30	18.50	31.40	5.42	70.60	3.57	4.89
AM5	20/01/2008	1035	SUNNY	NORMAL	MID-EBB	18.0	12.6	B 1	11.60	18.40	31.40	5.70	74.00	4.16	4.67
AM5	20/01/2008	1035	SUNNY	NORMAL	MID-EBB	18.0	12.6	B 2	11.60	18.40	31.50	5.64	73.30	4.17	4.89
AM5	20/01/2008	1035	SUNNY	NORMAL	MID-EBB	18.0	12.6	A 0	0.00	18.53	31.35	5.54	72.42	3.94	4.98
AM1	20/01/2008	1540	SUNNY	NORMAL	MID-FLOOI	21.0	11.4	S 1	1.00	19.10	32.20	6.17	80.30	3.43	5.33
AM1	20/01/2008	1540	SUNNY	NORMAL	MID-FLOOI	21.0	11.4	S 2	1.00	19.00	32.10	6.26	81.40	3.61	5.44
AM1	20/01/2008	1540	SUNNY	NORMAL	MID-FLOOI	21.0	11.4	N 1	5.70	18.80	32.30	6.01	78.00	3.86	4.56
AM1	20/01/2008	1540	SUNNY	NORMAL	MID-FLOOI	21.0	11.4	N 2	5.70	18.70	32.20	6.10	79.00	3.76	4.78

FUGRO TECHNICAL SERVICES LIMITED

MaterialLab Division,
Fugro Development Centre,
5 Lok Yi Street, 17 M.S. Castle Peak Road,
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233
Fax : +852-2450 6138
E-mail : matlab@fugro.com.hk
Website : www.fugro.com

MaterialLab

AM1	20/01/2008	1540	SUNNY	NORMAL	MID-FLOOI	21.0	11.4	B 1	10.40	18.50	32.20	5.98	77.70	2.86	5.33
AM1	20/01/2008	1540	SUNNY	NORMAL	MID-FLOOI	21.0	11.4	B 2	10.40	18.50	32.20	5.96	77.50	2.76	5.56
AM1	20/01/2008	1540	SUNNY	NORMAL	MID-FLOOI	21.0	11.4	A 0	0.00	18.77	32.20	6.08	78.98	3.38	5.17
AM2	20/01/2008	1555	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	S 1	1.00	18.80	32.00	6.51	84.40	3.54	4.22
AM2	20/01/2008	1555	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	S 2	1.00	18.90	32.10	6.30	81.90	3.70	4.33
AM2	20/01/2008	1555	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	M 1	5.90	18.60	32.20	6.34	82.30	3.64	4.78
AM2	20/01/2008	1555	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	M 2	5.90	18.50	32.30	6.27	81.50	3.74	5.00
AM2	20/01/2008	1555	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	B 1	10.80	18.40	32.30	6.33	82.20	3.07	4.44
AM2	20/01/2008	1555	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	B 2	10.80	18.40	32.30	6.24	81.10	3.14	4.56
AM2	20/01/2008	1555	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	A 0	0.00	18.60	32.20	6.33	82.23	3.47	4.56
AM3	20/01/2008	1609	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	S 1	1.00	18.80	32.20	6.47	83.70	3.15	4.89
AM3	20/01/2008	1609	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	S 2	1.00	18.70	32.20	6.56	84.70	3.21	4.78
AM3	20/01/2008	1609	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	M 1	5.90	18.60	32.20	6.38	82.40	3.30	4.44
AM3	20/01/2008	1609	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	M 2	5.90	18.60	32.20	6.26	81.20	3.42	4.56
AM3	20/01/2008	1609	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	B 1	10.80	18.60	32.30	6.41	82.70	3.14	4.56
AM3	20/01/2008	1609	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	B 2	10.80	18.60	32.30	6.37	82.40	3.20	4.67
AM3	20/01/2008	1609	SUNNY	NORMAL	MID-FLOOI	21.0	11.8	A 0	0.00	18.65	32.23	6.41	82.85	3.24	4.65
AM4	20/01/2008	1526	SUNNY	NORMAL	MID-FLOOI	21.0	7.3	S 1	1.00	19.70	32.00	5.75	74.60	3.76	4.78
AM4	20/01/2008	1526	SUNNY	NORMAL	MID-FLOOI	21.0	7.3	S 2	1.00	19.60	32.00	5.78	75.00	3.77	4.44
AM4	20/01/2008	1526	SUNNY	NORMAL	MID-FLOOI	21.0	7.3	M 1	3.65	18.90	32.10	5.93	77.00	3.86	4.89
AM4	20/01/2008	1526	SUNNY	NORMAL	MID-FLOOI	21.0	7.3	M 2	3.65	18.80	32.10	5.94	77.00	3.76	5.11
AM4	20/01/2008	1526	SUNNY	NORMAL	MID-FLOOI	21.0	7.3	B 1	6.30	18.50	32.10	6.00	77.60	3.54	5.11
AM4	20/01/2008	1526	SUNNY	NORMAL	MID-FLOOI	21.0	7.3	B 2	6.30	18.60	32.10	6.10	78.70	3.64	5.11
AM4	20/01/2008	1526	SUNNY	NORMAL	MID-FLOOI	21.0	7.3	A 0	0.00	19.02	32.07	5.92	76.65	3.72	4.91
AM5	20/01/2008	1512	SUNNY	NORMAL	MID-FLOOI	21.0	13.2	S 1	1.00	19.30	31.30	5.36	70.40	4.75	5.00
AM5	20/01/2008	1512	SUNNY	NORMAL	MID-FLOOI	21.0	13.2	S 2	1.00	19.30	31.40	5.41	71.00	4.61	5.11
AM5	20/01/2008	1512	SUNNY	NORMAL	MID-FLOOI	21.0	13.2	M 1	6.60	18.80	31.60	5.62	73.30	4.58	5.00
AM5	20/01/2008	1512	SUNNY	NORMAL	MID-FLOOI	21.0	13.2	M 2	6.60	18.70	31.60	5.66	73.80	4.46	4.67
AM5	20/01/2008	1512	SUNNY	NORMAL	MID-FLOOI	21.0	13.2	B 1	12.20	18.50	31.60	5.74	74.60	3.86	4.89
AM5	20/01/2008	1512	SUNNY	NORMAL	MID-FLOOI	21.0	13.2	B 2	12.20	18.50	31.60	5.76	74.90	3.76	5.11
AM5	20/01/2008	1512	SUNNY	NORMAL	MID-FLOOI	21.0	13.2	A 0	0.00	18.85	31.52	5.59	73.00	4.34	4.96