


Improvements to San Tin Interchange Environmental Monitoring and Audit - Noise Monitoring Results

**Normal Daytime Hours**  
**(0700 to 1900 hours on any day not being a Sunday or general holiday)**

Monitoring Location	Date of Monitoring	Monitoring Period		Weather	Wind Speed, m/s	L <sub>eq(30min)</sub> dB(A)	L <sub>10</sub> dB(A)	L <sub>90</sub> dB(A)	Major Noise Source(s)
		From	To						
CM1	11-Dec-07	14:25	14:55	Sunny	0	64	66	61	Traffic noise from San Tin Highway.
	28-Dec-07	14:20	14:50	Fine	0	64	67	61	Traffic noise from San Tin Highway.
CM2	11-Dec-07	15:05	15:35	Sunny	0	73	76	68	Traffic noise from San Tin Highway.
	28-Dec-07	15:10	15:40	Fine	0	74	76	68	Traffic noise from San Tin Highway.
CM3	11-Dec-07	15:50	16:20	Sunny	0	58	59	53	Vehicle pass-by noise from the access road to Ki Lun Tsuen; vehicle idling noise during giving-way in front of the monitoring location.
	28-Dec-07	16:05	16:35	Fine	0	56	57	52	Vehicle pass-by noise from the access road to Ki Lun Tsuen; vehicle idling noise during giving-way in front of the monitoring location.

Remarks: (i) CM2 is a non-façade measurement location. A positive correction of 3dB(A) has been applied to the measured noise level according to EPD's guideline.

**Noise Monitoring Results of Monitoring Stations CM1, CM2 & CM3  
Normal Daytime Hours (0700 to 1900 Hours)**



Note: (1) CM2 is a non-façade measurement location. A positive correction of 3dB(A) has been applied to the measured noise level according to EPD's guideline.