

Site: Contract No. HY/2004/09 - Improvements to San Tin Interchange

Inspection Date: 9th January 2008 Inspected By: Keith Chau
 Time: 14:30 Weather Condition: Fine
 Participants: Contractor – Ricky ; ER – Mr Leung;

A	General	N/A or not observed	Yes	No	Remarks / Photo
A1	Is the Environmental Permit displayed at the entrances / exits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B	Air Quality	N/A or not observed	Yes	No	Remarks / Photo
B1	Is open burning avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B2	Are completed earthworks sealed as soon as practicable?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B3	Are vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B4	Are plant and equipment well maintained? (i.e. without black smoke from powered plant)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B5	Any remedial action undertaken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
B6	Observable dust source(s):	<input type="checkbox"/> Wind erosion	<input type="checkbox"/> Loading/ unloading of materials		
		<input checked="" type="checkbox"/> Vehicle/ Equipment Movements	<input type="checkbox"/> Others:		
B7	Are unpaved areas watered regularly to avoid dust generation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B8	Are dusty material covered or regularly watered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B9	Are dusty materials sprayed prior to loading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B10	Odorous materials immediately covered and promptly removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
B11	Is generation of dust avoided during loading / unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B12	Are loaded dump trucks covered appropriately?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B13	Are wheel washing facilities provided at all site exits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B14	Are there enclosures around the main dust-generating activities?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
C	Noise	N/A or not observed	Yes	No	Remarks / Photo
C1	Are all plant and equipment well maintained and in good operating condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C2	Is idle equipment turned off or throttled down?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C3	Are powered mechanical equipment covered or shielded by acoustic materials?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
C4	Are silenced equipment used where practicable?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C5	Are noise barriers provided to protect Kwu Tung Road NSRs?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
C6	Do air compressors have valid noise labels?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
C7	Do compressors operate with doors closed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
C8	Major noise source(s):	<input checked="" type="checkbox"/> Traffic			
		<input checked="" type="checkbox"/> Construction activities inside of site			
		<input type="checkbox"/> Construction activities outside of site			
		<input type="checkbox"/> Others:			

D Water Quality		N/A or not observed	Yes	No	Remarks / Photo
D1	Is drainage system adequate?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D2	Are there temporary ditches for runoff discharge into appropriate: Watercourse?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D3	With silt retention pond?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D4	Do permanent drainage channels have: Sediment basin?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D5	Traps and baffles?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D6	Is groundwater pumped out discharged via sediment traps / tanks?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D7	Are there sediment tanks for settling runoff prior to disposal?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D8	Constructed from pre-formed individual cells?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D9	Adequate capacity?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D10	Free from silt and sediment?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D11	Are there oil interceptors in drainage system?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D12	Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D13	Bypass to prevent flushing during periods of heavy rain?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D14	Is drainage system well maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Note 1.
D15	Is exposed earth stabilized after earthworks have been completed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D16	Are exposed slope surfaces covered (by tarpaulin or other means)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D17	Are open stockpiles of more than 50 m ³ covered during rainstorm?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D18	Are manholes covered and sealed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D19	Toilet that connects to foul sewer or chemical toilets provided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D20	Is debris and rubbish on site collected and disposed of properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D21	Is wastewater discharge license available for inspection?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D22	Measures to prevent the washing away of sand/silt to drains?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>Rainy Season</u>					
D23	Sediment control measures inspected and maintained after rainstorms?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D24	Is there any sediment plume observed in nearby watercourses?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E Waste / Chemical Management		N/A or not observed	Yes	No	Remarks / Photo
<u>General Refuse</u>					
E1	Accumulation avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E2	Receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E3	Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>Chemical Waste / Waste Oil</u>					
E4	Stored properly in designated area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E5	Labelled properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E6	Disposed of properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E7	Trip tickets available for inspection?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

E Waste / Chemical Management

N/A or not observed Yes No Remarks / Photo

Chemical / Fuel Storage Area

- E8 Is storage area bunded?
- E9 Adequate bund capacity? (>110% of the largest tank)
- E10 Are storage areas provided with locks and located on sealed areas?

Construction Waste

- E11 Reused where practicable?
- E12 Disposed of properly?
- E13 Are surplus inert materials being reused where practical as an alternative to ordering imported fill material?
- E14 Trip tickets available for inspection?

Excavated Materials

- E15 Appears uncontaminated? (colour, odour)
- E16 If suspected contaminated, appropriate procedures followed?
- E17 Relevant license/permit/trip tickets for disposal of construction waste or excavated materials available for inspection?

F Environmental Complaint

Remarks

- F1 Number of environmental complaint received from 20/12/2007 to 9/1/2008 0

G General Housekeeping

N/A or not observed Yes No Remarks / Photo

- G1 Are potential stagnant pools cleared and mosquito breeding prevented?
- G2 Are defined boundaries of working areas identified to prevent loss of vegetation?

H Landscape and Visual

N/A or not observed Yes No Remarks / Photo

- H1 Are retained trees protected by fencing?
- H2 Is the work site confined within site boundaries?
- H3 Is damage to surrounding areas avoided?

I Land Contamination

N/A or not observed Yes No Remarks / Photo

- I1 Is protective equipment (gloves, mask) provided for site staff during exposure to potential contaminated soil/ groundwater?
- I2 Is the contaminated soil segregated from the uncontaminated soil?
- I3 Are the stockpiles of contaminated soil covered appropriately?


Notes / Issues Recorded On Site:

1. Rubbish and silts were accumulated in the U-channel in B12 works area near San Tin Highway.

Corrective Actions – Mitigation Measures Implemented or Proposed (if any):

1. The contractor was reminded to collect the rubbish regularly and keep drainage system clean.

Inspected by: Chau Tsz Wing Title: ET - Environmental Technician

Signature:  Date: 10th January 2008

Reviewed and approved by: Susana Bezy Title: Environmental Team Leader

Signature:  Date: 10th January 2008

Site: Contract No. HY/2004/09 - Improvements to San Tin Interchange

Inspection Date: 23rd January 2008 Inspected By: Keith Chau
 Time: 14:30 Weather Condition: Fine
 Participants: Contractor – Ricky ; ER – Mr Leung; IEC – Zoe Chan

A	General	N/A or not observed	Yes	No	Remarks / Photo
A1	Is the Environmental Permit displayed at the entrances / exits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B	Air Quality	N/A or not observed	Yes	No	Remarks / Photo
B1	Is open burning avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B2	Are completed earthworks sealed as soon as practicable?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B3	Are vehicles and equipment switched off while not in use?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B4	Are plant and equipment well maintained? (i.e. without black smoke from powered plant)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B5	Any remedial action undertaken?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
B6	Observable dust source(s):	<input type="checkbox"/> Wind erosion <input checked="" type="checkbox"/> Vehicle/ Equipment Movements <input type="checkbox"/> Loading/ unloading of materials <input type="checkbox"/> Others:			
B7	Are unpaved areas watered regularly to avoid dust generation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B8	Are dusty material covered or regularly watered?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Note 1
B9	Are dusty materials sprayed prior to loading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B10	Odorous materials immediately covered and promptly removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
B11	Is generation of dust avoided during loading / unloading?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B12	Are loaded dump trucks covered appropriately?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B13	Are wheel washing facilities provided at all site exits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
B14	Are there enclosures around the main dust-generating activities?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Note 2
C	Noise	N/A or not observed	Yes	No	Remarks / Photo
C1	Are all plant and equipment well maintained and in good operating condition?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C2	Is idle equipment turned off or throttled down?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C3	Are powered mechanical equipment covered or shielded by acoustic materials?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
C4	Are silenced equipment used where practicable?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
C5	Are noise barriers provided to protect Kwu Tung Road NSRs?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
C6	Do air compressors have valid noise labels?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
C7	Do compressors operate with doors closed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
C8	Major noise source(s):	<input checked="" type="checkbox"/> Traffic <input checked="" type="checkbox"/> Construction activities inside of site <input type="checkbox"/> Construction activities outside of site <input type="checkbox"/> Others:			

D Water Quality		N/A or not observed	Yes	No	Remarks / Photo
D1	Is drainage system adequate?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D2	Are there temporary ditches for runoff discharge into appropriate: Watercourse?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D3	With silt retention pond?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D4	Do permanent drainage channels have: Sediment basin?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D5	Traps and baffles?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D6	Is groundwater pumped out discharged via sediment traps / tanks?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D7	Are there sediment tanks for settling runoff prior to disposal?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D8	Constructed from pre-formed individual cells?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D9	Adequate capacity?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D10	Free from silt and sediment?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D11	Are there oil interceptors in drainage system?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D12	Oil and grease removed regularly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D13	Bypass to prevent flushing during periods of heavy rain?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
D14	Is drainage system well maintained?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Note 3
D15	Is exposed earth stabilized after earthworks have been completed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D16	Are exposed slope surfaces covered (by tarpaulin or other means)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D17	Are open stockpiles of more than 50 m ³ covered during rainstorm?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D18	Are manholes covered and sealed?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D19	Toilet that connects to foul sewer or chemical toilets provided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D20	Is debris and rubbish on site collected and disposed of properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D21	Is wastewater discharge license available for inspection?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D22	Measures to prevent the washing away of sand/silt to drains?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>Rainy Season</u>					
D23	Sediment control measures inspected and maintained after rainstorms?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
D24	Is there any sediment plume observed in nearby watercourses?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E Waste / Chemical Management		N/A or not observed	Yes	No	Remarks / Photo
<u>General Refuse</u>					
E1	Accumulation avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E2	Receptacles (e.g. rubbish bins) available?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E3	Disposed of regularly and properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>Chemical Waste / Waste Oil</u>					
E4	Stored properly in designated area?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E5	Labelled properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E6	Disposed of properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E7	Trip tickets available for inspection?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

E Waste / Chemical Management		N/A or not observed	Yes	No	Remarks / Photo
<u>Chemical / Fuel Storage Area</u>					
E8	Is storage area bunded?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E9	Adequate bund capacity? (>110% of the largest tank)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E10	Are storage areas provided with locks and located on sealed areas?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>Construction Waste</u>					
E11	Reused where practicable?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E12	Disposed of properly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E13	Are surplus inert materials being reused where practical as an alternative to ordering imported fill material?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E14	Trip tickets available for inspection?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>Excavated Materials</u>					
E15	Appears uncontaminated? (colour, odour)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
E16	If suspected contaminated, appropriate procedures followed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
E17	Relevant license/permit/trip tickets for disposal of construction waste or excavated materials available for inspection?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
F Environmental Complaint					Remarks
F1	Number of environmental complaint received from	<u>10/1/2008</u>	to	<u>23/1/2008</u>	0
<hr/>					
G General Housekeeping		N/A or not observed	Yes	No	Remarks / Photo
G1	Are potential stagnant pools cleared and mosquito breeding prevented?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
G2	Are defined boundaries of working areas identified to prevent loss of vegetation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<hr/>					
H Landscape and Visual		N/A or not observed	Yes	No	Remarks / Photo
H1	Are retained trees protected by fencing?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
H2	Is the work site confined within site boundaries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
H3	Is damage to surrounding areas avoided?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<hr/>					
I Land Contamination		N/A or not observed	Yes	No	Remarks / Photo
I1	Is protective equipment (gloves, mask) provided for site staff during exposure to potential contaminated soil/ groundwater?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
I2	Is the contaminated soil segregated from the uncontaminated soil?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
I3	Are the stockpiles of contaminated soil covered appropriately?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Notes / Issues Recorded On Site:

1. Open stockpiles in N1 open lay-down area were without cover.
2. Dust emissions from the excavating operation at the disused police observation platform in South Division.
3. Deposited soil sediments have accumulated in the U-channel near the pedestrian subway in South Division.

Corrective Actions – Mitigation Measures Implemented or Proposed (if any):

1. The contractor was reminded to provide tarpaulins to cover the stockpile properly after the daily-work.
2. The contractor was reminded to provide water supply for watering in the site to prevent the dust emissions from the works.
3. The contractor was reminded to collect the rubbish regularly and keep drainage system free of debris.

Inspected by:

Chau Tsz WingTitle: ET - Environmental Technician


Signature:

Date: 25th January 2008

Reviewed and approved by:

Susana BezyTitle: Environmental Team Leader

Signature:

Date: 5th February 2008