

Improvements to San Tin Interchange Environmental Monitoring and Audit - Noise Monitoring Results


**Normal Daytime Hours**  
**(0700 to 1900 hours on any day not being a Sunday or general holiday)**

Monitoring Location	Date of Monitoring	Monitoring Period		Weather	Wind Speed, m/s	L <sub>eq(30min)</sub> dB(A)	L <sub>10</sub> dB(A)	L <sub>90</sub> dB(A)	Major Noise Source(s)
		From	To						
CM1	15-Apr-08	10:00	10:30	Sunny	0	65	67	61	Traffic noise from San Tin Highway.
	28-Apr-08	13:05	13:35	Fine	0	64	67	61	Traffic noise from San Tin Highway.
CM2	15-Apr-08	10:55	11:25	Sunny	0	73	76	67	Traffic noise from San Tin Highway.
	28-Apr-08	13:55	14:25	Fine	0	73	76	67	Traffic noise from San Tin Highway.
CM3	15-Apr-08	11:35	12:05	Sunny	0	55	57	51	Traffic noise from San Tin Highway.
	28-Apr-08	15:00	15:30	Fine	0	55	56	51	Traffic noise from San Tin Highway.

Remarks: (1) CM2 is a non-façade measurement location. A positive correction of 3 dB(A) has been applied to the measured noise level according to EPD's guideline.

# Improvements to San Tin Interchange Environmental Monitoring and Audit

## Noise Monitoring Results of Monitoring Stations CM1, CM2 & CM3 Normal Daytime Hours (0700 to 1900 Hours)



Note: (1) CM2 is a non-façade measurement location. A positive correction of 3dB(A) has been applied to the measured noise level according to EPD's guideline.