
REPORT



Installation of Submarine Gas Pipelines and Associated Facilities from To Kwa Wan to North Point for Former Kai Tak Airport Development

Tenth Coral Impact Report

19 November 2012

Environmental Resources Management 16/F, DCH Commercial Centre 25 Westlands Road Quarry Bay, Hong Kong Telephone 2271 3000 Facsimile 2723 5660

www.erm.com





Installation of Submarine Gas Pipelines and Associated Facilities from To Kwa Wan to North Point for Former Kai Tak Airport Development

Tenth Coral Impact Report

Environmental Resources Management

16/F, DCH Commercial Centre 25 Westlands Road Quarry Bay, Hong Kong Telephone: (852) 2271 3000 Facsimile: (852) 2723 5660 E-mail: post.hk@erm.com http://www.erm.com

Document Code: 0158059_Tenth Coral Impact Monitoring Report_v2.doc

Client:		Proje	ct No	o:		
MKJV		0158	3059	9		
Summary		Date:				
,		19 N	love	ember 20	12	
		Appro	oved	by:		
Installatio	ument presents the Tenth Coral Impact Monitoring for the on of Submarine Gas Pipelines and Associated Facilities Kwa Wan to North Point for Former Kai Tak Airport	2	<u></u>	2.1		
Developi	nent.		_	g Reid		
		Partr	ner			
v2	Tenth Coral Impact Report	RC)	JT	CAR	19/11/12
v1	Tenth Coral Impact Report	RC)	JT	CAR	13/11/12
Revision	Description	Ву	,	Checked	Approved	Date
name of 'EF terms of the	has been prepared by Environmental Resources Management the trading the Hong-Kong, Limited', with all reasonable skill, care and diligence within the Contract with the client, incorporating our General Terms and Conditions of the taking account of the resources devoted to it by agreement with the client.	Distri		ernal		OHSAS 18001:1999 Certificate No. OHS 515956
We disclaim	any responsibility to the client and others in respect of any matters outside the above.		Pub	olic		ISO 9001 : 2000 Certificate No. PS 32512
nature to thi	s confidential to the client and we accept no responsibility of whatsoever rd parties to whom this report, or any part thereof, is made known. Any such on the report at their own risk.		Cor	nfidential		SSEEDIN HKGAA ISO 9001-2000 Certificate No. CC 479











Installation of Submarine Gas Pipelines and Associated Facilities from To Kwa Wan to North Point for Former Kai Tak Airport Development Environmental Certification Sheet Environmental Permit No. EP-401/2010

Reference Document/Plan

Document/Plan-to be Certified/ Verified:

Tenth Coral Impact Report

Date of Report: 13/11/2012

Date prepared by ET: 13/11/2012

Date received by IEC: 14/11/2012

Reference EM&A Manual/ EP Requirement

EM&A Manual Requirement:

Sections 4.5

Content:

4.5

Coral Impact Report

"A Coral Impact Report shall be submitted to the EPD and the AFCD within 5 days of carrying out the actual survey. This survey should be concise and clearly state whether limits have been exceeded."

ET Certification

I hereby certify that the above referenced document/plan complies with the above referenced condition of the EM&A Manual.

Ms Winnie Ko,

Environmental Team Leader:

Date:

13/11/2012

IEC Verification

I hereby verify that the above referenced document/plan complies with the above referenced condition of EM&A Manual.

Dr Anne Kerr,

Independent Environmental Checker:

Stow Date: 2011/2

CONTENTS

1	INTRODUCTION	1
1.1	BACKGROUND	1
1.2	OBJECTIVES OF THE CORAL MONITORING PROGRAMME	1
1.3	PURPOSE OF THIS REPORT	2
1.4	STRUCTURE OF THE REPORT	2
2	CORAL MONITORING	3
2.1	MONITORING LOCATIONS	3
2.2	MONITORING METHODOLOGY	3
2.3	IMPACT MONITORING RESULTS	4
3	CONCLUSION	13

INTRODUCTION

1.1 BACKGROUND

1

The Project proposed by the Hong Kong and China Gas Company Limited comprises the construction of a new gas pipeline network from To Kwa Wan to North Point so as to replace the existing one affected by the proposed Cruise Terminal dredging works adjacent to the former Kai Tak runway and the proposed Central Kowloon Route crossing the Kowloon Bay at To Kwa Wan. The location of the Project is shown in *Figure 1.1*.

The Project involves the following key elements associated with the construction of the submarine gas pipeline, landing and pigging stations:


- Dredging of approximately 8.99 ha of seabed to form a trench for laying the twin submarine gas pipelines;
- Construction of two land gas pipelines at To Kwa Wan and North Point, respectively; and
- Construction of two pigging stations for pigging operation at To Kwa Wan and North Point, respectively.

The Environmental Impact Assessment (EIA) report (*Register No.: AEIAR-153/2010*) for the Project was approved by the Director of Environmental Protection (DEP) on 2 August 2010 under the *Environmental Impact Assessment Ordinance* (*EIAO*). Subsequent to the approval of the EIA, an Environmental Permit (*EP-401/2010*) for the Project was granted by the DEP on 6 October 2010.

Pursuant to *Condition 3.1* of the EP, an environmental monitoring and audit (EM&A) programme as set out in the *EM&A Manual* is required to be implemented. In accordance with the *EM&A Manual*, a Coral Monitoring Programme should be undertaken when dredging works is being carried out within 250 m from the To Kwa Wan breakwaters.

1.2 OBJECTIVES OF THE CORAL MONITORING PROGRAMME

The overall purpose of the Coral Monitoring Programme is to verify the EIA prediction that only minor impact to corals at the To Kwa Wan breakwaters will occur as a result of the dredging operations of the Project, provided that suitable mitigation measures including the placement of a second silt curtain for protecting the coral communities are implemented when dredging works is being carried out within 250 m from the breakwaters. In the event that significant adverse impacts are identified as a consequence of the works, monitoring would also allow for implementation of appropriate remedial actions to reduce such impacts.



yout Environmenta
Resources
Management



1.3 PURPOSE OF THIS REPORT

The purpose of this 10th Coral Impact Report is to report findings of the 10th Impact Coral Monitoring Survey and determine the conditions of corals at the designated monitoring locations when dredging works take place within 250 m from the To Kwa Wan breakwaters. Baseline Coral Monitoring Survey was conducted on 23 May 2012 which provides baseline data prior to the commencement of the concerned dredging operations. Since then, Tropical Cyclones Doksuri and Vincente hit Hong Kong resulting in the hoisting of No. 8 Gale Signal on 30 June and Tropical Cyclone Warning Signal No. 10 on 24 July 2012, respectively. As such, an Updated Baseline Coral Monitoring Survey was undertaken on 6 August 2012 to ensure that the tagged corals were still intact before commencement of the concerned dredging operations and to provide updated baseline data for the Coral Monitoring Programme. The 10th Impact Coral Monitoring Survey was conducted on 7 November 2012. Impact coral conditions will be used to compare with the baseline conditions in order to identify any impacts on the health and condition of corals during the concerned dredging works near To Kwa Wan breakwaters.

1.4 STRUCTURE OF THE REPORT

The remainder of the report is structured as follows:

- Section 2: Coral Monitoring Details the coral monitoring locations and frequency, monitoring methodology and impact coral monitoring results, and the compliance with the Action and Limit Levels in accordance with the EM&A Manual.
- **Section 3: Conclusion -** Concludes the representativeness of the impact coral monitoring results for the Project.

2.1 MONITORING LOCATIONS

Twelve Coral Monitoring Surveys (see *Table 2.1*) have been conducted at three Impact Sites near the pipeline (Areas 1, 2 and 3) and one Control Site (Area 4) at the far end of the seawall which is perpendicular to the pipeline run as shown in *Figure 2.1*. The start and end coordinates of each monitoring site was recorded using a portable GPS unit. Shoreline features for the start and end points of each monitoring sites were also noted to aid the re-location of the points for subsequent coral monitoring surveys. The coordinates of the start and end points for each monitoring site are presented in *Table 2.2*.

Table 2.1 Dates of Coral Monitoring Surveys


Survey	Date	Description
1	23 May 2012	Baseline Coral Survey
2	6 August 2012	Updated Baseline Coral Survey
3	13 August 2012	1st Impact Coral Monitoring Survey
4	20 August 2012	2 nd Impact Coral Monitoring Survey
5	30 August 2012	3rd Impact Coral Monitoring Survey
6	6 September 2012	4th Impact Coral Monitoring Survey
7	13 September 2012	5th Impact Coral Monitoring Survey
8	21 September 2012	6th Impact Coral Monitoring Survey
9	28 September 2012	7th Impact Coral Monitoring Survey
10	9 October 2012	8th Impact Coral Monitoring Survey
11	18 October 2012	9th Impact Coral Monitoring Survey
12	7 November 2012	10th Impact Coral Monitoring Survey

Table 2.2 GPS Coordinates of Coral Monitoring Sites

			GPS									
		Starti	ng Point	Finish	ing Point	(-mCD)						
	Area 1	22°18'50.87"	114°11'40.48"	22°18'49.86"	114°11'41.06"	2.5						
Impact Sites	Area 2	22°18'40.90"	114°11'47.35"	22°18'41.73"	114°11'46.73"	1.8						
	Area 3	22°18'35.18"	114°11'47.18"	22°18'35.71"	114°11'48.02"	3.0						
Control Site	Area 4	22°18'43.57"	114°12'03.87"	22°18'43.05"	114°12'02.84"	3.5						

2.2 MONITORING METHODOLOGY

Both Baseline (ie including the Baseline and Updated Baseline Surveys) and Impact Coral Monitoring Surveys which included a coral tagging exercise was carried out at Areas 1 to 4. A total of 10 colonies were tagged at each site, allowing 30 impact coral colonies and 10 control colonies. Beside the tagged coral colony, a white cable tie was tied around a rock. The tag which was laminated underwater paper of approximately 3 x 6 cm in size was attached to the cable tie. Tags and the target coral colonies were numbered 1-10 at each site (ie Area 1-4). Each of the tagged coral colonies was identified to species levels and photographed (*Annex A*).



FILE: 0158059e DATE: 30/05/2012

Locations of Coral Monitoring Sites at To Kwa Wan Breakwaters

Resources Management



The following data were recorded for each tagged coral colonies during the Baseline and Impact Coral Monitoring Surveys:

- Species
- Size (cm²)
- Growth form
- Partial mortality (%)
- Sediment (thickness, type and colour)
- The general health of the coral colony using the Asian Coral Watch Chart (1)

Photographic records of each coral colony tagged in the Baseline Survey were collected from an angle that best represents the entire colony, and photographs maintaining the same aspect and orientation were taken in subsequent Impact Monitoring Surveys (*Annex A*). The adoption of the same monitoring method would allow for direct comparison of baseline data with the impact monitoring data in order to determine any changes in conditions of corals after commencement of the concerned dredging works. Should impacts caused by the dredging operations to corals are identified, appropriate remedial action can be implemented to reduce such impacts.

2.3 IMPACT MONITORING RESULTS

The species, size, growth form, partial mortality, sediment cover (thickness, type and colour) and general health of the tagged corals recorded during the Baseline (ie including the Baseline and Update Baseline Surveys) and the 10th Impact Coral Monitoring Surveys were summarized in *Tables 2.2 to 2.5*. Photographic records of the tagged coral colonies are shown in *Annex A*.

The Action and Limit Levels for Partial Mortality of tagged coral colonies were determined in accordance with the criteria stated in the *EM&A Manual* ⁽²⁾ which are summarized in *Table 2.6*. If the defined Action or Limit Levels for coral monitoring are exceeded which would indicate potential adverse impacts to corals, a set of stepwise procedures shown in *Table 2.7* will be implemented in order to rectify such impacts.

Findings of the 10th Impact Coral Monitoring Surveys indicated that the Action Levels or Limit Levels for coral monitoring were not exceeded (*Tables* 2.2-2.5). There did not appear to be any deterioration in the general health

⁽¹⁾ Coral Watch is a rapid assessment on the health of coral colonies by using coral health color charts to monitor bleaching stages of corals. Coral color, or more specifically brightness and saturation, correlate with chlorophyll content and density of symbiotic algae (zooxanthellae) in coral tissue, providing a measure of coral health. Coral bleaching results from a loss of symbiosis or pigmentation from stressed, unhealthy coral.

⁽²⁾ Mott MacDonald 2010. Installation of Submarine Gas Pipelines and Associated Facilities from To Kwa Wan to North Point for Former Kai Tak Airport Development: Environmental Monitoring and Audit Manual.

and condition of the tagged coral colonies as a result of the dredging activities within 250 m from the To Kwa Wan breakwaters.

Table 2.2 Species, Size, Growth Form, Partial Mortality, Sediment Cover and General Health of Tagged Coral Colonies at Area 1 (Impact Site)

Coral No.	Species	Size (cm²)	Growth Form	Partial Mortality (%)	Percentage Increase in Partial Mortality (%) ⁽²⁾	Sediment Thickness (mm)		Sediment Color	General Health of Tagged Coral (1)
Baselin	ne Survey	on 23 N	May 2012						
1	Oulastrea	12	Encrusting	0	N/A	0	N/A	N/A	4.5
2	crispata Oulastrea crispata	9.2	Encrusting	0	N/A	0	N/A	N/A	4.5
3	Oulastrea crispata	12.2	Encrusting	0	N/A	0	N/A	N/A	4.5
4	Oulastrea crispata	4.8	Encrusting	0	N/A	0	N/A	N/A	5
5	Oulastrea crispata	6.2	Encrusting	0	N/A	0	N/A	N/A	4.5
6	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	5
7	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	4.5
8	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	5.5
9	Oulastrea crispate		Encrusting	<1	N/A	0	N/A	N/A	5
10	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	4.5
Updat	ted Baselin	e Surve	ey on 6 Augı	ıst 2012					
1	Oulastrea crispata	12	Encrusting	0	N/A	0	N/A	N/A	4
2	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	4
3	Oulastrea crispata	12.2	Encrusting	0	N/A	0	N/A	N/A	4.5
4	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	5
5	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	5
6	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	5
7	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	4.5
8	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	5
9	Oulastrea crispate		Encrusting	<1	N/A	0	N/A	N/A	4.5
10	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	4.5
				•	ovember 2012				
1	Oulastrea crispata	12	Encrusting	0	0	0	N/A	N/A	5
2	Oulastrea crispata		Encrusting	0	0	0	N/A	N/A	5
3	Oulastrea crispata	12.2	Encrusting	0	0	0	N/A	N/A	5

Coral No.	Species		Growth Form	Partial Mortality (%)	Percentage Increase in Partial	Sediment Thickness (mm)		Sediment Color	General Health of
					Mortality (%) ⁽²⁾				Tagged Coral (1)
4	Oulastrea crispata	4.8	Encrusting	0	0	0	N/A	N/A	4.5
5	Oulastrea crispata	6.2	Encrusting	0	0	0	N/A	N/A	5
6	Oulastrea crispata	4.4	Encrusting	0	0	0	N/A	N/A	5
7	Oulastrea crispata	12.1	Encrusting	0	0	0	N/A	N/A	5
8	Oulastrea crispata	3.6	Encrusting	0	0	0	N/A	N/A	5
9	Oulastrea crispate	34.6	Encrusting	<1	0	0	N/A	N/A	5
10	Oulastrea crispata	3.2	Encrusting	0	0	0	N/A	N/A	4.5

- (1) The general health of the coral is assessed by using the Asian Coral Watch Chart. The brightness of colour range from 1 (pale or bleached corals) to 6 (dark corals with high quantities of algae and chlorophyll in their tissues), representing different stages of bleaching and recovery which correspond to varying concentrations of symbiotic algae and chlorophyll within coral tissues. Generally, the coral health is considered to be better with higher value on the Coral Watch Chart.
- (2) Represents percentage increase in partial mortality from the Updated Baseline Survey to the Impact Coral Monitoring Survey.

Table 2.3 Species, Size, Growth Form, Partial Mortality, Sediment Cover and General Health of Tagged Coral Colonies at Area 2 (Impact Site)

No.	Species	Size (cm²)	Growth Form	Partial Mortality (%)	Percentage Increase in Partial Mortality (%)(2)	Sediment Thickness (mm)		Sediment Color	General Health of Tagged Coral (1)
Baseli	ne Survey	on 23 N	May 2012						
1	Oulastrea crispata	6.8	Encrusting	0	N/A	0	N/A	N/A	4.5
2	Oulastrea	1.7	Encrusting	0	N/A	0	N/A	N/A	4
3	crispata Oulastrea crispata	1.3	Encrusting	0	N/A	0	N/A	N/A	5
4	Oulastrea crispata	2.6	Encrusting	0	N/A	0	N/A	N/A	5
5	Oulastrea crispata	14.6	Encrusting	0	N/A	0	N/A	N/A	4.5
6	Oulastrea crispata	4.6	Encrusting	0	N/A	0	N/A	N/A	4.5
7	Oulastrea crispata	8.1	Encrusting	0	N/A	0	N/A	N/A	5
8	Oulastrea crispata	13.1	Encrusting	0	N/A	0	N/A	N/A	4.5
9	Oulastrea crispate	5.7	Encrusting	0	N/A	0	N/A	N/A	5
10	Oulastrea crispata	6.9	Encrusting	0	N/A	0	N/A	N/A	5
Undat		e Surve	ey on 6 Augu	1st 2012					
1	Oulastrea		Encrusting	0	N/A	0	N/A	N/A	4
2	crispata Oulastrea	1.7	Encrusting	0	N/A	0	N/A	N/A	5
3	crispata Oulastrea	1.3	Encrusting	0	N/A	0	N/A	N/A	5
4	crispata Oulastrea	2.6	Encrusting	0	N/A	0	N/A	N/A	5
5	crispata Oulastrea	14.6	Encrusting	0	N/A	0	N/A	N/A	4
6	crispata Oulastrea	4.6	Encrusting	0	N/A	0	N/A	N/A	4
7	crispata Oulastrea	8.1	Encrusting	0	N/A	0	N/A	N/A	5
8	crispata Oulastrea	13.1	Encrusting	0	N/A	0	N/A	N/A	4.5
9	crispata Oulastrea	5.7	Encrusting	0	N/A	0	N/A	N/A	5
10	crispate Oulastrea crispata	6.9	Encrusting	0	N/A	0	N/A	N/A	4.5
Tenth		ral Mo	nitoring Sur	vev on 7 No	ovember 2012	2			
1	Oulastrea crispata		Encrusting	0	0	0	N/A	N/A	4
2	Oulastrea crispata	1.7	Encrusting	0	0	0	N/A	N/A	5
3	Oulastrea crispata	1.3	Encrusting	0	0	0	N/A	N/A	5
	Oulastrea	2 (Encrusting	0	0	0	N/A	N/A	5

Coral No.	Species		Growth Form	Partial Mortality (%)	Percentage Increase in Partial Mortality (%)(2)	Sediment Thickness (mm)		Sediment Color	General Health of Tagged Coral (1)
5	Oulastrea crispata	14.6	Encrusting	0	0	0	N/A	N/A	4
6	Oulastrea crispata	4.6	Encrusting	0	0	0	N/A	N/A	5
7	Oulastrea crispata	8.1	Encrusting	0	0	0	N/A	N/A	5
8	Oulastrea crispata	13.1	Encrusting	0	0	0	N/A	N/A	4.5
9	Oulastrea crispate	5.7	Encrusting	0	0	0	N/A	N/A	5
10	Oulastrea crispata	6.9	Encrusting	0	0	0	N/A	N/A	5

- (1) The general health of the coral is assessed by using the Asian Coral Watch Chart. The brightness of colour range from 1 (pale or bleached corals) to 6 (dark corals with high quantities of algae and chlorophyll in their tissues), representing different stages of bleaching and recovery which correspond to varying concentrations of symbiotic algae and chlorophyll within coral tissues. Generally, the coral health is considered to be better with higher value on the Coral Watch Chart.
- (2) Represents percentage increase in partial mortality from the Updated Baseline Survey to the Impact Coral Monitoring Survey.

Table 2.4 Species, Size, Growth Form, Partial Mortality, Sediment Cover and General Health of Tagged Coral Colonies at Area 3 (Impact Site)

Coral No.	Species		Growth Form	Partial Mortality (%)	Percentage Increase in Partial Mortality (%)(2)	Sediment Thickness (mm)		Sediment Color	General Health of Tagged Coral (1)
Baseli	ne Survey	on 23 N	May 2012						
1	Oulastrea crispata	7.2	Encrusting	0	N/A	0	N/A	N/A	4.5
2	Oulastrea crispata	0.9	Encrusting	0	N/A	0	N/A	N/A	4
3	Oulastrea crispata	3.4	Encrusting	0	N/A	0	N/A	N/A	4
4	Oulastrea crispata	106.8	Encrusting	0	N/A	1	Mud	Light brown	4.5
5	Oulastrea crispata	7.3	Encrusting	0	N/A	1	Mud	Light brown	4.5
6	Oulastrea crispata	32.4	Encrusting	0	N/A	0	N/A	N/A	5
7	Oulastrea crispata	3.6	Encrusting	0	N/A	0	N/A	N/A	5
8	Oulastrea crispata	5.3	Encrusting	0	N/A	1	Mud	Light brown	4.5
9	Oulastrea crispata	20.5	Encrusting	0	N/A	0	N/A	N/A	4
10	Oulastrea crispata	11.6	Encrusting	0	N/A	0	N/A	N/A	5
Updat	ted Baselin	e Surv	ey on 6 Augi	ıst 2012					
1	Oulastrea crispata	7.2	Encrusting	0	N/A	0	N/A	N/A	5
2	Oulastrea crispata	0.9	Encrusting	0	N/A	0	N/A	N/A	5
3	Oulastrea crispata	3.4	Encrusting	0	N/A	0	N/A	N/A	4
4	•	106.8	Encrusting	0	N/A	1	Mud	Light brown	4
5	Oulastrea crispata	7.3	Encrusting	0	N/A	1	Mud	Light brown	5
6	Oulastrea crispata	32.4	Encrusting	0	N/A	0	N/A	N/A	4.5
7	Oulastrea crispata	3.6	Encrusting	0	N/A	0	N/A	N/A	5
8	Oulastrea crispata	5.3	Encrusting	0	N/A	0	N/A	N/A	4.5
9	Oulastrea crispata	20.5	Encrusting	0	N/A	0	N/A	N/A	5
10	Oulastrea crispata	11.6	Encrusting	0	N/A	0	N/A	N/A	5
Tenth	Impact Co	ral Mo	nitoring Sur	vey on 7 No	ovember 201	2			
1	Oulastrea crispata		Encrusting	0	0	0	N/A	N/A	5
2	Oulastrea crispata	0.9	Encrusting	0	0	0	N/A	N/A	5
3	Oulastrea crispata	3.4	Encrusting	0	0	0	N/A	N/A	5
4	•	106.8	Encrusting	0	0	1	Mud	Light brown	4.5

Coral No.	Species		Growth Form	Partial Mortality (%)	_	Sediment Thickness (mm)	Sediment Type (Mud/Sand)	Sediment Color	General Health of Tagged Coral (1)
5	Oulastrea crispata	7.3	Encrusting	0	0	1	Mud	Light brown	5
6	Oulastrea crispata	32.4	Encrusting	0	0	0	N/A	N/A	5
7	Oulastrea crispata	3.6	Encrusting	0	0	0	N/A	N/A	5
8	Oulastrea crispata	5.3	Encrusting	0	0	0	N/A	N/A	4.5
9	Oulastrea crispata	20.5	Encrusting	0	0	0	N/A	N/A	5
10	Oulastrea crispata	11.6	Encrusting	0	0	0	N/A	N/A	5

- (1) The general health of the coral is assessed by using the Asian Coral Watch Chart. The brightness of colour range from 1 (pale or bleached corals) to 6 (dark corals with high quantities of algae and chlorophyll in their tissues), representing different stages of bleaching and recovery which correspond to varying concentrations of symbiotic algae and chlorophyll within coral tissues. Generally, the coral health is considered to be better with higher value on the Coral Watch Chart.
- (2) Represents percentage increase in partial mortality from the Updated Baseline Survey to the Impact Coral Monitoring Survey.

Table 2.5 Species, Size, Growth Form, Partial Mortality, Sediment Cover and General Health of Tagged Coral Colonies at Area 4 (Control Site)

Coral No.	Species	Size (cm ²)	Growth Form	Partial Mortality	Percentage Increase in Partial Mortality (%)(2)	Sediment Thickness		Sediment Color	General Health of Tagged Coral (1)
Baselir	ne Survey	on 23 N	May 2012						
1	Oulastrea crispata		Encrusting	0	N/A	0	N/A	N/A	5
2	Oulastrea crispata	3.9	Encrusting	0	N/A	0	N/A	N/A	5
3	Oulastrea crispata	15.2	Encrusting	0	N/A	0	N/A	N/A	5
4	Oulastrea crispata	6.2	Encrusting	0	N/A	0	N/A	N/A	5
5	Oulastrea crispata	8.2	Encrusting	0	N/A	0	N/A	N/A	4.5
6	Oulastrea crispata	7.3	Encrusting	0	N/A	0	N/A	N/A	4.5
7	Oulastrea crispata	12.2	Encrusting	0	N/A	0	N/A	N/A	5
8	Oulastrea crispata	14.4	Encrusting	0	N/A	0	N/A	N/A	5
9	Oulastrea crispata	5.2	Encrusting	0	N/A	0	N/A	N/A	4
10	Oulastrea crispata	13.5	Encrusting	0	N/A	0	N/A	N/A	5
Updat	ed Baselin	e Surve	ey on 6 Augi	ıst 2012					
1	Oulastrea crispata	7.8	Encrusting	0	N/A	0	N/A	N/A	4.5
2	Oulastrea crispata	3.9	Encrusting	0	N/A	0	N/A	N/A	5
3	Oulastrea crispata	15.2	Encrusting	0	N/A	0	N/A	N/A	4.5
4	Oulastrea crispata	6.2	Encrusting	0	N/A	0	N/A	N/A	5
5	Oulastrea crispata	8.2	Encrusting	0	N/A	0	N/A	N/A	5
6	Oulastrea crispata	7.3	Encrusting	0	N/A	0	N/A	N/A	4.5
7	Oulastrea crispata	12.2	Encrusting	0	N/A	0	N/A	N/A	5
8	Oulastrea crispata	14.4	Encrusting	0	N/A	0	N/A	N/A	4.5
9	Oulastrea crispata	5.2	Encrusting	0	N/A	0	N/A	N/A	4
10	Oulastrea crispata	13.5	Encrusting	0	N/A	0	N/A	N/A	4
Tenth	Impact Co	ral Mo	nitoring Sur	vey on 7 No	ovember 2012	2			
1	Oulastrea crispata		Encrusting		0	0	N/A	N/A	5.5
2	Oulastrea crispata	3.9	Encrusting	0	0	0	N/A	N/A	5
3	Oulastrea crispata	15.2	Encrusting	0	0	0	N/A	N/A	4.5
4	Oulastrea crispata	6.2	Encrusting	0	0	0	N/A	N/A	5

Coral No.	Species		Growth Form	Partial Mortality	Percentage Increase in Partial Mortality (%)(2)	Sediment Thickness		Sediment Color	General Health of Tagged Coral (1)
5	Oulastrea crispata	8.2	Encrusting	0	0	0	N/A	N/A	4.5
6	Oulastrea crispata	7.3	Encrusting	0	0	0	N/A	N/A	5
7	Oulastrea crispata	12.2	Encrusting	0	0	0	N/A	N/A	4.5
8	Oulastrea crispata	14.4	Encrusting	0	0	0	N/A	N/A	5
9	Oulastrea crispata	5.2	Encrusting	0	0	0	N/A	N/A	5
10	Oulastrea crispata	13.5	Encrusting	0	0	0	N/A	N/A	5

- (1) The general health of the coral is assessed by using the Asian Coral Watch Chart. The brightness of colour range from 1 (pale or bleached corals) to 6 (dark corals with high quantities of algae and chlorophyll in their tissues), representing different stages of bleaching and recovery which correspond to varying concentrations of symbiotic algae and chlorophyll within coral tissues. Generally, the coral health is considered to be better with higher value on the Coral Watch Chart.
- (2) Represents percentage increase in partial mortality from the Updated Baseline Survey to the Impact Coral Monitoring Survey.

Table 2.6 Determination of Action and Limit Level for Partial Mortality of the Tagged Coral Colonies

Parameter	Action Level
Partial Mortality	If during Impact Monitoring, a 15% increase in the percentage of partial mortality of corals occurs at more than 20% of the tagged coral colonies at either of the Impact Monitoring Stations (ie Areas 1, 2 and 3) that is not recorded at the Control Station (ie Area 4).
	Limit Level
	If during Impact Monitoring, a 25% increase in the percentage of partial mortality at more than 20% of any tagged coral colonies occurs that is not recorded at the Control Station (ie Area 4).

Table 2.7 Stepwise Procedures for Action and Limit Levels Exceedances

Event	The Marine Biologist
Action Level	Step 1 – Inform the Contractor, the Project Designer and AFCD and discuss the
Exceedance	most appropriate method of reducing sediment in the discharge.
	Step 2 – Implement mitigation measures on site.
	Step 3 – If non-compliance continues, check and confirm the effectiveness of
	mitigation measures and repeat monitoring survey measurements.
Limit Level	Undertake Steps 1 – 3. If further exceedance of Limit Level, suspend
Exceedance	construction works until an effective solution is identified. Once the solutions
	have been identified and agreed with all parties, construction works may
	commence

The 10th Impact Coral Monitoring Survey has been carried out on 7 November 2012 at four designated monitoring sites (including 3 Impact Sites and 1 Control Site) in accordance with the *EM&A Manual*. During the monitoring, 10 tagged coral colonies were re-visited and monitored at each site. The conditions of the tagged coral colonies during the Impact Coral Monitoring Survey are compared with the baseline conditions which were recorded prior to the commencement of the concerned dredging operations within 250 m from the To Kwa Wan breakwaters.

Action and Limit Levels for the partial mortality of tagged corals were established based on the baseline coral data (*Table 3.1*). No exceedances of the Action and Limit Levels were identified during the 10th Impact Coral Monitoring Survey on 7 November 2012. There thus did not appear to be any deterioration in the general health and condition of the tagged coral colonies as a result of the dredging activities within 250 m from the To Kwa Wan breakwaters.

Table 3.1 Determination of Action and Limit Level for Partial Mortality of the Tagged Coral Colonies


Parameter	Action Level
	If during Impact Monitoring, a 15% increase in the percentage of partial
	mortality of corals occurs at more than 20% of the tagged coral colonies at
	either of the Impact Monitoring Stations (ie Areas 1, 2 and 3) that is not
Partial Mortality	recorded at the Control Station (ie Area 4).
	Limit Level
	If during Impact Monitoring, a 25% increase in the percentage of partial
	mortality at more than 20% of any tagged coral colonies occurs that is not
	recorded at the Control Station (ie Area 4).


Dredging works within 250 m from the breakwaters were substantially completed on 16 October 2012. However, minor dredging works were conducted since 27 October 2012. Hence, further Impact Coral Monitoring Surveys will be conducted at November 2012 under the Coral Monitoring Programme when dredging operations are being undertaken within 250 m from the To Kwa Wan breakwaters. Findings of further Impact Coral Monitoring Surveys will be presented in subsequent Coral Impact Reports in order to determine any observable impacts to the tagged corals as a result of the concerned dredging operations. In the event that significant adverse impacts are identified as a consequence of the works, monitoring would also allow for implementation of appropriate remedial actions to reduce such impacts.


Annex A


Photographic Records of Tagged Coral Colonies


Annex A1 Photographic Records of Tagged Coral Colonies at Impact Monitoring Site (Area 1) during the Baseline and Impact Monitoring Surveys
















Annex A2 Photographic Records of Tagged Coral Colonies at Impact Monitoring Site (Area 2) during Baseline and Impact Monitoring Surveys
















Annex A3 Photographic Records of Tagged Coral Colonies at Impact Monitoring Site (Area 3) during Baseline and Impact Monitoring Surveys











Annex A4 Photographic Records of Tagged Coral Colonies at Control Site (Area 4) during Baseline and Impact Monitoring Surveys

