



PROJECT NO.: TCS/00394/12

**CONTRACT NO. DC/2007/06 –
RIVER IMPROVEMENT WORKS IN UPPER LAM
TSUEN RIVER, SHE SHAN RIVER AND UPPER TAI PO
RIVER**

**60TH MONTHLY ENVIRONMENTAL MONITORING AND
AUDIT REPORT FOR UPPER TAI PO RIVER –
AUGUST 2013**

PREPARED FOR
**CHIU HING CONSTRUCTION AND TRANSPORTATION
COMPANY LIMITED**

Quality Index

| Date | Reference No. | Prepared By | Certified by |
|-------------------|-------------------------|---|--|
| 24 September 2013 | TCS00396/12/600/R0101v3 |  Nicola Hon (Environmental Consultant) |  T.W. Tam (Environmental Team Leader) |

| Ver. | Date | Description |
|------|-------------------|---|
| 1 | 12 September 2013 | First submission |
| 2 | 17 September 2013 | Amended against IEC's comments on 16 September 2013 |
| 3 | 24 September 2013 | Amended against IEC's comments on 23 September 2013 |

This report has been prepared by Action-United Environmental Services & Consulting with all reasonable skill, care and diligence within the terms of the Agreement with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client. We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above. This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.

The Content of this report has been

Certified by



Mr. T.W. Tam
(Environmental Team Leader)


24 September 2013
Date



Dr. Mark Shea
(Ecologist)

24 September 2013
Date

And Verified by



Ms. Winnie Ko
(Independent Environmental Checker)

24 September 2013
Date

EXECUTIVE SUMMARY

ES.01. This is the **sixtieth (60th)** monthly Environmental Monitoring and Audit (EM&A) Report for the river improvement works at Upper Tai Po River under Drainage Services Department (DSD) Contract No. DC/2007/06 entitled “River Improvement Works in Upper Lam Tsuen River, She Shan River and Upper Tai Po River” (hereinafter “the Project”). This report concludes the impact monitoring results and findings for the activities undertaken during the period from **1st to 31st August 2013** (hereinafter “the Reporting Period”).

ES.02. The Environmental Team (ET) is responsible for the EM&A works required in the EM&A manual. Site inspections were carried out on weekly basis to investigate and audit the equipment and work methodologies with respect to pollution control and environmental mitigation. The weekly inspection records and photos taken were kept.

ENVIRONMENTAL MONITORING AND AUDIT ACTIVITIES

ES.03. Environmental Team had carried out construction noise monitoring on weekly basis and no exceedance was found in the Reporting Period. The noise monitoring results collected in the Reporting Period are presented in **Section 4**.

ES.04. In the Reporting Period, weekly ecological inspections were carried out on **5th, 12th, 19th and 26th August 2013**. According to inspection findings, no advice and action was recommended by the ecologist. The bi-annual ecological monitoring report conducted in March 2013 has been agreed by RE and verified by the IEC whereas the report conducted in July 2013 is being prepared by the ecologist.

ES.05. In the Reporting Period, joint weekly environmental site inspections with the Contractor, ET, IEC and ER were carried out on **7th, 16th, 21st and 27th August 2013**. In the Reporting Period, **1** observation was recorded were identified by the ET.

ES.06. As no piling work conducted, no vibration monitoring was performed in this Reporting Period.

ES.07. Environmental monitoring activities under the EM&A programme in the Reporting Period are summarized in the following table.

| Issues | Environmental Monitoring Parameters / Inspection | Occurrences |
|--------------------|--|-------------|
| Construction Noise | L _{Aeq(30min)} Daytime | 44 |
| Inspection / Audit | Weekly Environmental inspection by the ET | 4 |
| Ecological | Ecological Impact Monitoring | 0 |
| | Weekly inspection by the Ecologist | 4 |

BREACH OF ACTION AND LIMIT (A/L) LEVELS

ES.08. No noise complaint (which is an Action Level exceedance) was received in the Reporting Period. Also, no Limit Level exceedance of noise monitoring was recorded.

ENVIRONMENTAL COMPLAINT

ES.09. In the Reporting Period, no environmental complaint was received.

NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTION

ES.10. No summons and prosecution was received in the Reporting Period.

REPORTING CHANGE

ES.11. No reporting change was made in the Reporting Period.

FUTURE KEY ISSUES

- ES.12. During wet season, muddy water and other water quality pollutants via site surface water runoff into the local stream of Tai Po River will be the key issue in the upcoming month. Mitigation measures for water quality should be fully implemented.
- ES.13. On the other hand, construction noise will be another key environmental issue. Noise mitigation measures should be implemented in accordance with the EM&A Manual.
- ES.14. The Contractor is reminded to provide environmental pollution control measures wherever necessary and keep a good environmental management for site practice.

TABLE OF CONTENTS

| | |
|--|-----------|
| 1.0 INTRODUCTION | 1 |
| PROJECT BACKGROUND | 1 |
| REPORT STRUCTURE | 1 |
| 2.0 CONSTRUCTION PROGRESS AND SUBMISSION | 2 |
| CONSTRUCTION PROGRESS | 2 |
| SUMMARY OF ENVIRONMENTAL SUBMISSIONS | 2 |
| 3.0 EM&A PROGRAM REQUIREMENT FOR UPPER TAI PO RIVER | 3 |
| MONITORING PARAMETERS | 3 |
| MONITORING LOCATIONS | 3 |
| MONITORING FREQUENCY | 3 |
| MONITORING EQUIPMENT | 4 |
| MONITORING METHODOLOGY | 4 |
| DATA MANAGEMENT AND DATA QA/QC CONTROL | 4 |
| OTHERS MONITORING IMPLEMENTATION FOR THE CONTRACT | 4 |
| DETERMINATION OF ACTION/LIMIT (A/L) LEVELS | 5 |
| EQUIPMENT CALIBRATION | 6 |
| METEOROLOGICAL INFORMATION | 6 |
| 4.0 NOISE MONITORING RESULTS | 7 |
| RESULT SUMMARY | 7 |
| 5.0 VIBRATION MONITORING RESULTS | 10 |
| 6.0 ECOLOGY MONITORING RESULTS | 11 |
| 7.0 SITE INSPECTION | 12 |
| REGULAR SITE INSPECTION AND AUDITING | 12 |
| 8.0 WASTE MANAGEMENT | 13 |
| RECORDS OF WASTE QUANTITIES | 13 |
| 9.0 ENVIRONMENTAL COMPLAINT AND NON-COMPLIANCE | 14 |
| ENVIRONMENTAL COMPLAINT, SUMMONS AND PROSECUTION | 14 |
| 10.0 IMPLEMENTATION STATUS OF MITIGATION MEASURES | 15 |
| 11.0 IMPACT FORECAST | 18 |
| CONSTRUCTION ACTIVITIES FOR THE FORTH-COMING MONTH | 18 |
| KEY ISSUES FOR THE COMING MONTH | 18 |
| 12.0 CONCLUSIONS AND RECOMMENTATIONS | 19 |
| CONCLUSIONS | 19 |
| RECOMMENDATIONS | 19 |

LIST OF TABLES

| | |
|------------|---|
| TABLE 2-1 | STATUS OF ENVIRONMENTAL LICENSES AND PERMITS |
| TABLE 3-1 | SUMMARY OF MONITORING PARAMETERS |
| TABLE 3-2 | DESIGNATED MONITORING LOCATIONS OF THE EM&A PROGRAMME |
| TABLE 3-3 | MONITORING EQUIPMENT USED IN EM&A PROGRAM |
| TABLE 3-4 | ACTION AND LIMIT LEVELS FOR CONSTRUCTION NOISE |
| TABLE 3-5 | TRANSIENT VIBRATION GUIDE VALUES FOR COSMETIC BUILDING DAMAGE (BS7385:PART 2 1993) |
| TABLE 4-1 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP1 |
| TABLE 4-2 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP2 |
| TABLE 4-3 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP3 |
| TABLE 4-4 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP4 |
| TABLE 4-5 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP5 |
| TABLE 4-6 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP6 |
| TABLE 4-7 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP7 |
| TABLE 4-8 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP8 |
| TABLE 4-9 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP9 |
| TABLE 4-10 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP10 |
| TABLE 4-11 | SUMMARIZED OF CONSTRUCTION NOISE MONITORING RESULTS AT UTP11 |
| TABLE 4-12 | OBSERVED NOISE SOURCE DURING NOISE MONITORING |
| TABLE 6-1 | SUMMARY RESULTS OF ECOLOGICAL SITE INSPECTION FINDINGS |
| TABLE 7-1 | SITE INSPECTION OF OBSERVATIONS – FINDINGS AND DEFICIENCIES |
| TABLE 8-1 | SUMMARY OF QUANTITIES OF INERT C&D MATERIALS |
| TABLE 8-2 | SUMMARY OF QUANTITIES OF C&D WASTES |
| TABLE 9-1 | STATISTICAL SUMMARY OF ENVIRONMENTAL COMPLAINTS |
| TABLE 9-2 | STATISTICAL SUMMARY OF ENVIRONMENTAL SUMMONS |
| TABLE 9-3 | STATISTICAL SUMMARY OF ENVIRONMENTAL PROSECUTION |
| TABLE 10-1 | ENVIRONMENTAL MITIGATION MEASURES |

LIST OF APPENDICES

| | |
|------------|--|
| APPENDIX A | SITE LAYOUT PLAN OF THE UPPER TAI PO RIVER |
| APPENDIX B | CONSTRUCTION PROGRAMME |
| APPENDIX C | ENVIRONMENTAL MONITORING LOCATIONS |
| APPENDIX D | CALIBRATION CERTIFICATES OF THE MONITORING EQUIPMENT |
| APPENDIX E | EVENT AND ACTION PLAN |
| APPENDIX F | MONITORING SCHEDULE IN REPORTING PERIOD AND THE COMING MONTH |
| APPENDIX G | METEOROLOGICAL DATA OF REPORTING PERIOD |
| APPENDIX H | GRAPHICAL PLOTS OF NOISE MONITORING |
| APPENDIX I | MONTHLY SUMMARY WASTE FLOW TABLE |
| APPENDIX J | OBSERVED NOISE SOURCE DURING NOISE MONITORING |

1.0 INTRODUCTION

PROJECT BACKGROUND

- 1.01 This is the **sixtieth (60th)** monthly Environmental Monitoring and Audit (EM&A) Report for the river improvement works at Upper Tai Po River under Drainage Services Department Contract No. DC/2007/06 entitled “River Improvement Works in Upper Lam Tsuen River, She Shan River and Upper Tai Po River”.
- 1.02 Site layout plan of Upper Tai Po River is shown in **Appendix A**. Approximately 0.6km of Upper Tai Po River will be improved to enhance the hydraulic performance of the river. The location of the project site at Upper Tai Po River starts from Ta Tit Yan of Tai Mo Shan, flows from southeast to northeast alongside Wilson Trail, turning northward before joining the Lam Tsuen River and then runs towards Tai Po Market. To the east of the river, there are active and abandoned cultivated lands. Village settlements are mainly located on the west and northeast side of the river bank, where the San Uk Ka and Lai Chi Shan establishment also lie. The construction of the proposed improvement works for Upper Tai Po River has commenced on 15th September 2008 and substantially completed on 31 December 2012. The improvement works comprise of the following:
- Re-profiling and realignment of the channel;
 - Inclusion of gabions and retaining wall for bank protection whilst providing a natural channel bed; and
 - Re-provisioning of footbridges and footpaths along the channel.
- 1.03 Since 12th July 2012, Action United Environmental Services & Consulting (AUES) has been appointed by Chiu Hing Construction and Transportation Company Limited (hereinafter “the Contractor”) as the Environmental Team replacing Environmental Pioneers & Solutions Limited to implement the EM&A programme and prepare report.
- 1.04 This report presents the results of the environmental monitoring conducted at Upper Tai Po River in **August 2013**. It includes weekly site inspections to verify the implementation of the mitigation measures as recommended in Environmental Permit EP-223/2005/A, EM&A Manual, the Particular Specifications of the Contract and the Contractor’s Environmental Management Plan (EMP).

REPORT STRUCTURE

- 1.05 The Monthly Environmental Monitoring and Audit (EM&A) Report is structured into the following sections:-
- | | |
|-------------------|--|
| Section 1 | Introduction |
| Section 2 | Construction Progress and Submission |
| Section 3 | EM&A Program Requirement for Upper Tai Po River |
| Section 4 | Noise Monitoring Results |
| Section 5 | Vibration Monitoring Results |
| Section 6 | Ecology Monitoring Results |
| Section 7 | Site Inspections |
| Section 8 | Waste Management |
| Section 9 | Environmental Complaint and Non-Compliance |
| Section 10 | Implementation Status of Mitigation Measures |
| Section 11 | Impact Forecast |
| Section 12 | Conclusions and Recommendations |

2.0 CONSTRUCTION PROGRESS AND SUBMISSION

CONSTRUCTION PROGRESS

- 2.01 The proposed construction sequences are shown in the following:
- Site clearance and preparation works
 - Construction of maintenance access which involves construction of retaining walls
 - River channel construction and excavation, involving excavation works, construction of retaining walls and gabion walls
 - Construction of additional boulder trap and additional stilling basins with baffle blocks
 - Provision of riverbed treatment
 - Re-provisioning of footbridges
 - Construction of footpaths
 - Landscaping works
- 2.02 The major of construction activities undertaken at Upper Tai Po River have been completed. The remaining works carried out in the Reporting Period are listed below:-
- Construction of access road
- 2.03 The master and outstanding works construction programmes are enclosed in *Appendix B*.

SUMMARY OF ENVIRONMENTAL SUBMISSIONS

- 2.04 Summary of the relevant permits, licences, and/or notifications on environmental protection for this Contract in the Reporting Period is presented in *Table 2-1*.

Table 2-1 Status of Environmental Licenses and Permits

| Description | License / Permit No. | Date of Issue | Date of Expiry | Remarks |
|--|----------------------|---------------|----------------|-----------------------------|
| Environmental Permit | EP-223/2005 | 31 Aug 2005 | N/A | Superseded by EP-223/2005/A |
| Amended Environmental Permit | EP-223/2005/A | 18 Nov 2008 | N/A | Issued |
| Construction Noise Permit | NA | N/A | N/A | N/A |
| Effluent Discharge License | WT00015956-2013 | 4 June 2013 | 31 Mar 2018 | Issued |
| Registration as a Chemical Waste Producer | 5213-724-C3251-03 | 19 Dec 2007 | N/A | Issued |
| Billing Account for Disposal of Construction Waste | 7006101 | N/A | N/A | N/A |

3.0 EM&A PROGRAM REQUIREMENT FOR UPPER TAI PO RIVER

3.01 The EM&A requirements set out in the Environmental Permit EP-223/2005/A (hereinafter ‘the EP’), and the associated EM&A Manual, are presented in the following sub-sections.

MONITORING PARAMETERS

3.02 According to the EM&A Manual, the monitoring requirements under this Contract are listed in **Table 3-1**.

Table 3-1 Summary of Monitoring Parameters

| Environmental Aspect | Parameters |
|----------------------|--|
| Construction Noise | <ul style="list-style-type: none"> A-weighted equivalent continuous sound pressure level (30min) (hereinafter ‘L_{Aeq(30min)}’ during the normal working hours; and A-weighted equivalent continuous sound pressure level (15min) (hereinafter ‘L_{Aeq(15min)}’ for construction work during the restricted hours. |
| *Ecology | Inspection and auditing the proper implementation of mitigation measures stipulated in EIA report and EM&A Manual |

Remarks: *Monitoring as carried out by the Ecologist appointed by the Contractor

MONITORING LOCATIONS

3.03 Monitoring locations have been proposed in EM&A Manual. Graphic plot is shown in **Appendix C** and summarized in **Table 3-2**.

Table 3-2 Designated Monitoring Locations of the EM&A Programme

| Aspect | Location ID | Address |
|--------------------|--|---|
| Construction Noise | UTP1 | 54B, Sheung Wun Yiu |
| | UTP2 | Village House in Lai Chi Shan |
| | UTP3 | Village House near Upper Tai Po River |
| | UTP4 | Village House near Upper Tai Po River |
| | UTP5 | Village House near Upper Tai Po River |
| | UTP6 | Village House near Upper Tai Po River |
| | UTP7 | Village House near Upper Tai Po River |
| | UTP8 | Village House near Upper Tai Po River |
| | UTP9 | 49A, Pun Shan Chau |
| | UTP10 | Village House near the proposed access road |
| | UTP11 | 49G, San Uk Ka |
| Ecology | As within and adjacent to Upper Tai Po River of construction works areas | |

MONITORING FREQUENCY

3.04 The monitoring frequency and duration as specified in EM&A Manual are summarized below.

Construction Noise

Frequency: Once a week during 0700-1900 on normal weekdays for L_{eq(30min)}

If construction work is undertaken at restricted hour, the frequency of construction noise monitoring will comply with the requirements stipulated in the related Construction Noise Permit issued by EPD.

Duration: Throughout the construction period when major construction activities are undertaken

Ecology

Frequency: Weekly site inspection and bi-annual monitoring

Duration: Throughout the construction period when the major construction activities are undertaken

MONITORING EQUIPMENT

Noise Monitoring

- 3.05 Sound level meter in compliance with *International Electrotechnical Commission Publications 651: 1979 (Type 1) and 804: 1985 (Type 1)* specifications shall be used for noise monitoring. The sound level meter shall be checked with an acoustic calibrator. The wind speed shall be checked with a portable wind speed meter, which is capable to measure wind speed in m/s.

Table 3-3 Monitoring Equipment Used in EM&A Program

| Equipment | Model |
|-------------------------------|---------------------------------------|
| <i>Construction Noise</i> | |
| Integrating Sound Level Meter | Bruel & Kjaer Type 2238 or Rion NL-31 |
| Calibrator | Bruel & Kjaer Type 4231 |
| Portable Wind Speed Indicator | Testo Anemometer |

MONITORING METHODOLOGY

Noise Monitoring

- 3.06 Noise measurements are taken in terms of the A-weighted equivalent sound pressure level (L_{eq}) measured in decibels (dB). Supplementary statistical results (L_{10} and L_{90}) are also obtained for reference.
- 3.07 Sound level meters as listed in **Table 3-3** comply with *International Electrotechnical Commission Publications 651: 1979 (Type 1) and 804: 1985 (Type 1)* specifications, as recommended in Technical Memorandum (TM) issued under the *Noise Control Ordinance (NCO)*.
- 3.08 During the monitoring, all noise measurements are performed with the meter set to FAST response and on the A-weighted equivalent continuous sound pressure level (L_{eq}). $L_{eq(30min)}$ in six consecutive $L_{eq(5min)}$ measurements is used as the monitoring parameter for the time period between 0700-1900 hours on weekdays. $L_{eq(15min)}$ in three consecutive $L_{eq(5min)}$ measurements is used as monitoring parameter for other time periods (e.g. during restricted hours), if necessary.
- 3.09 During the course of measurement, the sound level meter is mounted on a tripod with a height of 1.2m above ground and placed at the assessment point and oriented such that the microphone is pointed to the site with the microphone facing perpendicular to the line of sight. The windshield is fitted for all measurements. The assessment point is normally set as free-field situation for the measurement.
- 3.10 Prior to noise measurement, the accuracy of the sound level meter is checked by an acoustic calibrator which generates a known sound pressure level at a known frequency. The checking is performed before and after noise measurement.

DATA MANAGEMENT AND DATA QA/QC CONTROL

- 3.11 The impact monitoring data are handled by the ET's systematic data recording and management, which complies with in-house Quality Management System. Standard Field Data Sheets (FDS) are used in the impact monitoring program.
- 3.12 The monitoring data recorded in the noise meter are downloaded directly from the equipment at the end of each monitoring day. The downloaded monitoring data are input into a computerized database properly maintained by the ET.

OTHERS MONITORING IMPLEMENTATION FOR THE CONTRACT

Vibration

- 3.13 Vibration monitoring will be carried out when piling works take place in Upper Tai Po River. The targeted monitoring buildings are Fan Sin Temple (VM2) and Wun Yiu Kiln Site of Sheung Wun Yiu (VM1), they are located within 300m of the proposed work areas. The vibration

monitoring measures would record the vibration levels in the vicinity at entrance ground level and external wall of Temple buildings.

- 3.14 Vibration samples will be taken using a SVAN 949 analyzer. This analyser is equipped with a connecting cable MIL-C-17/28 RG 058 and a DYTRAN 3185D accelerometer. The frequency range will be set to 200 Hz and the number of sampling points will be set to 1024, resulting in a frequency resolution of around 0.2 Hz. Hanning window functions will be selected and maximum hold functions shall be applied over the event to pick up the peak-to-peak amplitude.
- 3.15 Measurements will be recorded by attaching the accelerometer to the structural foundation, such as structural steel beam(s) of the building. The accelerometer will be orientated, either x-, y- or z-directional in order to pick to the maximum amplitude. If measurements have to be taken on a floor or a hard surface next to a structure, the accelerometer shall be attached firmly on the surface (or to a triangular metal bracket glued to a spiked plate).
- 3.16 The monitoring would be taken at the closest accessible point to the historic building to enable assessment of the potential risk arising from the vibration associated with the prospective work activities.
- 3.17 Vibration monitoring works will be conducted upon commencement of piling/ drilling process. Monitoring will be carried out weekly in the first month and bi-weekly in the subsequent months of piling/ drilling process during the construction period if no exceedance of limit were recorded. No disturbance will be made to the fabrics of Fan Sin Temple during the vibration monitoring process.

DETERMINATION OF ACTION/LIMIT (A/L) LEVELS

- 3.18 The established performance criteria for construction noise, namely Action and Limit levels are used for the Project is listed in **Table 3-4**.

Table 3-4 Action and Limit Levels for Construction Noise

| Location | Time Period | Action Level | Limit Level |
|---|---|---|------------------|
| UTP1, UTP2, UTP3, UTP4, UTP5, UTP6, UTP7, UTP8, UTP9, UTP10, UTP11 | Daytime 0700 – 1900 hrs on normal weekdays | When one documented complaint is received | 75* dB(A) |
| | 1900 – 2300 on all days and 0700 – 2300 on general holidays (including Sundays) | | 60/65/70 dB(A)** |
| | 2300 – 0700 on all days | | 45/50/55 dB(A)** |

Note: * Reduces to 70dB(A) for schools and 65dB(A) during the school examination periods.

** To be selected based on the Area Sensitivity Rating of A/B/C, and the conditions of the applicable CNP(s) must be followed

- 3.19 Guidance regarding vibration limits is provided by the following British Standards “BS 7385 - Measurement and evaluation of vibration in buildings. Part 2: Guide to damage levels from ground borne vibration” (or their equivalent ISO standards). **Table 3-5** is shown the transient vibration guide values for cosmetic building damage

Table 3-5 Transient Vibration Guide Values for Cosmetic Building Damage (BS7385:Part 2 1993)

| Type of Building | | Peak component particle velocity (mm/s) in frequency range of predominant pulse |
|------------------|--|---|
| 1 | Reinforced or framed structures | 50 at 4 Hz and above |
| 2 | Un-reinforced or light framed structures | 15 at 4 Hz, increasing to 20 at 15 Hz, increasing to 50 at 40 Hz and above. |

BS 7385 suggests vibration levels, above which damage is unlikely to occur in 95% of buildings. For cosmetic damage, the level is 15 mm/s at 4 Hz, increasing to 20 mm/s at 15 Hz, increasing to 50 mm/s at 40

Hz and above. Minor structural damage is possible at vibration levels twice those given above, major damage at four times the levels given.

EQUIPMENT CALIBRATION

- 3.20 The sound level meter and calibrator are calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme in yearly basis. Valid calibration certificates of the noise monitoring equipment used for the impact monitoring program in the Reporting Period are attached in *Appendix D*.

METEOROLOGICAL INFORMATION

- 3.21 The meteorological information during the construction phase is obtained from Tai Po and Shatin Stations of the Hong Kong Observatory (HKO). The meteorological data during the impact monitoring days are summarized in *Appendix G*.

4.0 NOISE MONITORING RESULTS

4.01 The monitoring schedule had been issued to relevant parties before each Reporting Period and presented in *Appendix F*. The works undertaken during the Reporting Period are illustrated in *Appendix B*. The monitoring results are presented in the following sub-sections.

RESULT SUMMARY

4.02 In the Reporting Period, the noise monitoring results at the designated locations are presented in *Tables 4-1 to 4-11* and the graphical plot is shown in *Appendix H*.

Table 4-1 Construction Noise Monitoring Results at UTP1

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 11:38 | 64.3 | 63.8 | 63.4 | 65.8 | 69.8 | 67.0 | 66 | EQ013 |
| 12-Aug-13 | 11:21 | 67.5 | 69.2 | 69.7 | 69.8 | 72.2 | 78.6 | 73 | EQ008 |
| 23-Aug-13 | 11:21 | 66.4 | 65.6 | 66.4 | 67.9 | 66.5 | 64.1 | 66 | EQ008 |
| 29-Aug-13 | 11:29 | 67.0 | 67.8 | 70.9 | 66.9 | 67.2 | 64.9 | 68 | EQ008 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: *The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.*

Table 4-2 Construction Noise Monitoring Results at UTP2

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 11:42 | 57.2 | 59.0 | 57.9 | 58.6 | 57.2 | 56.6 | 58 | EQ065 |
| 12-Aug-13 | 11:48 | 67.5 | 68.3 | 69.0 | 69.1 | 61.1 | 67.2 | 68 | EQ013 |
| 23-Aug-13 | 13:02 | 57.7 | 57.5 | 57.4 | 60.4 | 57.0 | 56.3 | 58 | EQ008 |
| 29-Aug-13 | 11:50 | 66.0 | 67.3 | 60.1 | 66.4 | 65.4 | 66.3 | 66 | EQ013 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: *The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.*

Table 4-3 Construction Noise Monitoring Results at UTP3

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 13:01 | 65.1 | 63.5 | 63.6 | 63.7 | 64.1 | 64.5 | 64 | EQ006 |
| 12-Aug-13 | 11:13 | 55.5 | 55.4 | 55.1 | 58.1 | 55.1 | 54.2 | 56 | EQ013 |
| 23-Aug-13 | 11:20 | 66.1 | 64.9 | 66.5 | 68.5 | 67.2 | 64.1 | 66 | EQ013 |
| 29-Aug-13 | 11:15 | 54.2 | 57.0 | 56.2 | 54.2 | 54.8 | 56.1 | 56 | EQ013 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: *The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.*

Table 4-4 Construction Noise Monitoring Results at UTP4

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 11:36 | 56.4 | 54.7 | 54.1 | 54.2 | 56.5 | 57.7 | 56 | EQ006 |
| 12-Aug-13 | 10:42 | 55.3 | 56.6 | 56.5 | 57.8 | 56.4 | 56.8 | 57 | EQ013 |
| 23-Aug-13 | 10:45 | 52.6 | 52.4 | 52.6 | 54.0 | 52.5 | 53.8 | 53 | EQ013 |
| 29-Aug-13 | 10:43 | 57.6 | 55.1 | 53.6 | 53.4 | 55.6 | 55.3 | 55 | EQ013 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: *The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.*

Table 4-5 Construction Noise Monitoring Results at UTP5

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 11:03 | 60.6 | 60.5 | 60.3 | 60.1 | 57 | 55.1 | 59 | EQ006 |
| 12-Aug-13 | 10:46 | 59.2 | 59.2 | 59.4 | 60.8 | 59.2 | 59.1 | 60 | EQ008 |
| 23-Aug-13 | 10:14 | 54.3 | 56.9 | 54.2 | 54.3 | 53.9 | 54.9 | 55 | EQ008 |
| 29-Aug-13 | 10:48 | 60.2 | 56.7 | 56.7 | 56.5 | 56.8 | 56.8 | 58 | EQ008 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.

Table 4-6 Construction Noise Monitoring Results at UTP6

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 10:30 | 58.8 | 56.3 | 56.6 | 55.9 | 56.6 | 58.3 | 57 | EQ006 |
| 12-Aug-13 | 10:14 | 56.8 | 56.2 | 55.7 | 55.9 | 55.6 | 55.7 | 56 | EQ008 |
| 23-Aug-13 | 10:47 | 52.9 | 52.6 | 52.9 | 54.3 | 52.6 | 54.1 | 53 | EQ008 |
| 29-Aug-13 | 10:14 | 56.0 | 56.3 | 56.0 | 56.0 | 55.9 | 56.5 | 56 | EQ008 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.

Table 4-7 Construction Noise Monitoring Results at UTP7

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 10:26 | 55.7 | 52.8 | 52.7 | 52.7 | 54.5 | 60.9 | 56 | EQ065 |
| 12-Aug-13 | 10:10 | 56.3 | 54.4 | 53.4 | 53.2 | 53.2 | 54.4 | 54 | EQ013 |
| 23-Aug-13 | 10:10 | 53.9 | 56.7 | 53.8 | 53.8 | 53.5 | 54.7 | 55 | EQ013 |
| 29-Aug-13 | 10:10 | 55.7 | 55.1 | 55.0 | 53.7 | 53.8 | 52.1 | 54 | EQ013 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.

Table 4-8 Construction Noise Monitoring Results at UTP8

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 9:50 | 58.2 | 59.3 | 59.1 | 58.9 | 58.2 | 58.2 | 59 | EQ006 |
| 12-Aug-13 | 9:08 | 60.8 | 60.7 | 57.8 | 57.8 | 60.0 | 58.9 | 60 | EQ008 |
| 23-Aug-13 | 9:41 | 53.0 | 53.0 | 53.5 | 55.3 | 53.5 | 55.1 | 54 | EQ008 |
| 29-Aug-13 | 9:08 | 58.0 | 57.8 | 57.3 | 58.5 | 58.3 | 57.7 | 58 | EQ008 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.

Table 4-9 Construction Noise Monitoring Results at UTP9

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 9:43 | 55.7 | 55.4 | 56.1 | 56.2 | 55.7 | 55.6 | 56 | EQ065 |
| 12-Aug-13 | 9:41 | 58.6 | 59.7 | 58.3 | 58.5 | 58.3 | 58.2 | 59 | EQ008 |
| 23-Aug-13 | 9:08 | 56.1 | 55.6 | 54.7 | 53.8 | 53.7 | 54.0 | 55 | EQ008 |
| 29-Aug-13 | 9:40 | 58.3 | 57.3 | 58.6 | 57.4 | 57.6 | 58.1 | 58 | EQ008 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.

Table 4-10 Construction Noise Monitoring Results at UTP10

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|---------------------------|-------------------------|
| 6-Aug-13 | 9:01 | 47.0 | 48.2 | 45.7 | 45.2 | 46.2 | 53.2 | 49 | EQ006 |
| 12-Aug-13 | 9:31 | 55.5 | 61.1 | 59.9 | 59.3 | 59.9 | 57.8 | 59 | EQ013 |
| 23-Aug-13 | 9:32 | 52.9 | 52.8 | 53.1 | 54.5 | 53.3 | 54.6 | 54 | EQ013 |
| 29-Aug-13 | 9:31 | 57.6 | 56.2 | 56.1 | 55.0 | 55.9 | 55.9 | 56 | EQ013 |
| Limit Level in dB(A) | | | | | | | | 75 | |

Remarks: *The monitoring is undertaken under façade situation. No façade correction is made according to acoustical principles and EPD guidelines.*

Table 4-11 Construction Noise Monitoring Results at UTP11

| Date | Start Time | 1 st L _{eq5min} | 2 nd L _{eq5min} | 3 rd L _{eq5min} | 4 th L _{eq5min} | 5 th L _{eq5min} | 6 th L _{eq5min} | L _{eq30min} | Corrected L _{Aeq} 30min | Sound Level Meter ID |
|-----------------------------|------------|--|--|--|--|--|--|----------------------|-------------------------------------|-------------------------|
| 6-Aug-13 | 9:08 | 48.2 | 45.2 | 44.5 | 46.9 | 51.3 | 49.0 | 48 | 51 | EQ065 |
| 12-Aug-13 | 9:00 | 65.5 | 66.2 | 56.7 | 57.8 | 57.7 | 57.4 | 62 | 65 | EQ013 |
| 23-Aug-13 | 9:00 | 56.2 | 55.4 | 54.9 | 54.3 | 53.2 | 53.3 | 55 | 58 | EQ013 |
| 29-Aug-13 | 9:00 | 60.3 | 59.6 | 57.3 | 58.2 | 60.4 | 58.2 | 59 | 62 | EQ013 |
| Limit Level in dB(A) | | | | | | | | 75 | | |

Remarks: *The monitoring is undertaken under free field situation. A façade correction of +3 dB(A) has been added according to acoustical principles and EPD guidelines*

- 4.03 A free field noise monitoring is performed only at UTP11, therefore, a façade correction +3 dB(A) is added in accordance with the acoustical principles and EPD guidelines.
- 4.04 No noise complaint (which is an Action Level exceedance) was received in the Reporting Period. Furthermore, no noise monitoring exceedance was recorded. No Notice of Exceedance (NOE) was issued to notify EPD, IEC, the Contractor and the ER. The major construction activities under the Project which generate notable construction noise were largely completed and noise sources during the course of noise monitoring are mostly external noise such as road traffic and animals barking. The observed noise sources during the course of noise monitoring are summarized in in *Appendix J*.
- 4.05 Although all noise measurement results are below 75dB(A), the Contractor is reminded to strictly implement noise mitigation measures as recommended in the EM&A Manual to avoid noise Limit Level exceedance.

5.0 VIBRATION MONITORING RESULTS

- 5.01 There was no vibration monitoring carried out in the Reporting Period. Vibration monitoring will be carried out when piling works take place in Upper Tai Po River.

6.0 ECOLOGY MONITORING RESULTS

6.01 In the Reporting Period, weekly ecological inspections were carried out on 5th, 12th, 19th and 26th August 2013. Details of findings are summarized in *Table 6-1*.

Table 6-1 Summary Results of Ecological Site Inspection Findings

| Date | Observations | Advice from Ecologist | Action Taken | Closing Date |
|------------------------------|---------------------------------------|-----------------------|-----------------------------------|--------------|
| 5 th August 2013 | No Major findings for this inspection | No Advice is required | No Action is required to be taken | N/A |
| 12 th August 2013 | No Major findings for this inspection | No Advice is required | No Action is required to be taken | N/A |
| 19 th August 2013 | No Major findings for this inspection | No Advice is required | No Action is required to be taken | N/A |
| 26 th August 2013 | No Major findings for this inspection | No Advice is required | No Action is required to be taken | N/A |

6.02 Furthermore, a bi-annual ecological impact monitoring has been carried out on 25th March 2013 for dry season. ER and IEC had provided comments to the report on 25th July 2013 and 22nd May 2013 respectively and the finalized report has been accepted by ER and verified by IEC. Also, a bi-annual ecological impact monitoring for wet season has been carried out on 25th July 2013 and the report is being prepared by the ecologist.

7.0 SITE INSPECTION

REGULAR SITE INSPECTION AND AUDITING

- 7.01 In the Reporting Period, joint weekly environmental site inspections with the Contractor, ET, IEC and ER were carried out on **7th, 16th, 21st and 27th August 2013**. In the Reporting Period, **1** observation was recorded were identified.
- 7.02 Observations for the site inspection and monthly audit within the Reporting Period are summarized in **Table 7-1**.

Table 7-1 Site Inspection of Observations – Findings and Deficiencies

| Date | Findings / Deficiencies | Follow-Up Status |
|------------------------------|--|---|
| 7 th August 2013 | • No environmental issue was observed during the site inspection. | N.A. |
| 16 th August 2013 | • No environmental issue was observed during the site inspection. | N.A. |
| 21 st August 2013 | • No environmental issue was observed during the site inspection. | N.A. |
| 27 th August 2013 | • Stagnant water cumulated was observed at Upper Tai Po River, the Contractor was reminded to clear the stagnant water to prevent mosquito breeding. | Stagnant water was removed on 4 September 2013. |

- 7.03 Implementation status of environmental protection and mitigation measures are shown in **Table 10-1** of this report.

8.0 WASTE MANAGEMENT

8.01 Waste management is carried out by an on-site Environmental Officer (EO) or an Environmental Supervisor (ES) from time to time.

RECORDS OF WASTE QUANTITIES

8.02 All types of waste arising from the construction works are classified into the following:

- Construction & Demolition (C&D) Material;
- Chemical Waste; and
- General Refuse.

8.03 The quantities of waste for disposal in the Reporting Period are summarized in *Table 8-1* and *8-2* and the Monthly Summary Waste Flow Table is shown in *Appendix I*. Whenever possible, materials are reused on-site as far as practicable.

Table 8-1 Summary of Quantities of Inert C&D Materials

| Type of Waste | Quantity |
|---|----------|
| C&D Materials (Inert) (in '000m ³) | 0 |
| Reused in the Contract (Inert) (in '000m ³) | 0 |
| Reused in other Projects (Inert) (in '000m ³) | 0 |
| Disposal as Public Fill (Inert) (in '000m ³) | 0 |

Table 8-2 Summary of Quantities of C&D Wastes

| Type of Waste | Quantity | Disposal Method |
|--|----------|-----------------|
| Metal (in '000kg) | 0 | -- |
| Paper / Cardboard Packing (in '000kg) | 0 | -- |
| Plastic (in '000kg) | 0 | -- |
| Chemical Wastes (in '000kg) | 0 | -- |
| General Refuses (in '000m ³) | 0 | -- |

8.04 To control over the site performance on waste management, the Contractor shall ensure that all solid and liquid waste management works are in full compliance with the relevant license/permit requirements, such as the effluent discharge license and the chemical waste producer registration. The Contractor is also reminded to implement the recommended environmental mitigation measures according to the EM&A Manual based on actual site conditions.

9.0 ENVIRONMENTAL COMPLAINT AND NON-COMPLIANCE

ENVIRONMENTAL COMPLAINT, SUMMONS AND PROSECUTION

9.01 No environmental complaint, summons and prosecution was received in the Reporting Period.

9.02 The statistical summary of environmental complaint, summons and prosecution, is presented in *Tables 9-1, 9-2 and 9-3*.

Table 9-1 Statistical Summary of Environmental Complaint

| Complaint Nature | Environmental Complaint Statistics | | |
|----------------------|-------------------------------------|-------------------------|-----------|
| | Cumulative (Sep 2008 – Jul 2013) | Frequency (Aug 2013) | Total |
| Air/Dust | 7 | 0 | 7 |
| Noise | 5 | 0 | 5 |
| Water | 12 | 0 | 12 |
| Housekeeping Hygiene | 1 | 0 | 1 |
| Chemical Waste | 0 | 0 | 0 |
| Overall | 25 | 0 | 25 |

Table 9-2 Statistical Summary of Environmental Summons

| Complaint Nature | Environmental Summons Statistics | | |
|----------------------|-------------------------------------|-------------------------|----------|
| | Cumulative (Sep 2008 – Jul 2013) | Frequency (Aug 2013) | Total |
| Air/Dust | 0 | 0 | 0 |
| Noise | 0 | 0 | 0 |
| Water | 0 | 0 | 0 |
| Housekeeping Hygiene | 0 | 0 | 0 |
| Chemical Waste | 0 | 0 | 0 |
| Overall | 0 | 0 | 0 |

Table 9-3 Statistical Summary of Environmental Prosecution

| Complaint Nature | Environmental Prosecution Statistics | | |
|----------------------|--------------------------------------|-------------------------|----------|
| | Cumulative (Sep 2008 – Jul 2013) | Frequency (Aug 2013) | Total |
| Air/Dust | 0 | 0 | 0 |
| Noise | 0 | 0 | 0 |
| Water | 0 | 0 | 0 |
| Housekeeping Hygiene | 0 | 0 | 0 |
| Chemical Waste | 0 | 0 | 0 |
| Overall | 0 | 0 | 0 |

10.0 IMPLEMENTATION STATUS OF MITIGATION MEASURES

10.01 The environmental mitigation measures recommended in EM&A Manual covering the issues of dust, noise and waste and they are summarized as follows:

Noise Mitigation Measures

- (a) No percussive piling shall be carried out;
- (b) Only well-maintained plant should be operated on-site; and plant shall be serviced regularly during the construction program;
- (c) Silencers or mufflers on construction equipment should be utilized and shall be properly maintained during the construction program;
- (d) Mobile plant, if any, should be sited as far from Noise Sensitive Receivers (NSRs) as possible;
- (e) Machines and plant (such as trucks) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum;
- (f) Plant known to emit noise strongly in one direction should, wherever possible, be orientated so that the noise is directed away from the nearby NSRs;
- (g) Materials stockpiled on site and other structures should be effectively utilized, wherever practicable, in screening noise from on-site construction activities;
- (h) Use of quieter plants to carry out the construction tasks proposed for the Project;
- (i) Use 2.0m high temporary noise barriers as screened the noisy Powered Mechanical Equipments (PMEs) to carry out the river implementation work;
- (j) Low Impact Method, such as using PMEs smaller in size.

Dust Mitigation Measures

10.02 Implementation of mitigation measures stipulated in the Air Pollution Control (Construction Dust) Regulation and good site practices include but not limited to the following:

- (a) Use of regular watering to reduce dust emissions from exposed site surfaces and unpaved road, with complete coverage, particularly during dry weather;
- (b) Use of frequent watering for particularly dusty static construction areas and areas close to Air Sensitive Receivers (ASRs);
- (c) Tarpaulin covering of all dusty vehicle loads transported to, from and between site location;
- (d) Establishment and use of vehicle wheel and body washing facilities at the exit points of the site;
- (e) Routing of vehicles and positioning of construction plant should be at the maximum possible distance from ASRs;
- (f) Stockpiled excavated materials should be covered with tarpaulin.

Local Stream Water Quality Mitigation Measures

- (a) Excavation works within the site area of Tai Po River shall be carried out in stages and excavation area for each stage shall be limited to section of half width of the channel and less than 100m long at any one time in order to maintain water flow within the river during construction stage;
- (b) Land-based plant shall be employed and site run-off shall be directed towards regularly cleaned and maintained silt traps and oil / grease separators to minimize leakage and loss of sediments during excavation;
- (c) Large boulders removed from Tai Po River within the Project during excavation shall be re-instated upon completion of works A section of 150m long natural riverbank on the western side of the river channel (Ch0 –Ch150) shall be retained;
- (d) The excavation area shall be enclosed with bunds or barriers and dewatered prior to excavation to minimize the impacts upon the downstream of the Tai Po River;
- (e) Provide silt trap and oil interceptor to remove oil, lubricants, grease, silt, grit and debris from the wastewater before discharging to the public storm water drainage system;
- (f) Provide site toilet facilities;

- (g) During rainstorms, exposed slope/soil surfaces shall be covered by a tarpaulin or other means. Other measures that need to be implemented before, during, and after rainstorms as summarized in Professional Persons Environmental Consultative Committee (ProPECC) [PN 1/94] shall be followed.

Waste Mitigation Measures

- (a) The Contractor shall observe and comply with the Waste Disposal Ordinance (WDO) and its subsidiary regulations;
- (b) The Contractor shall submit to the Engineer for approval a Waste Management Plan with appropriate mitigation measures including allocation of an area for waste segregation and shall ensure that the day-to-day site operations comply with the approved waste management plan;
- (c) The Contractor shall minimize the generation of waste from his work. Avoidance and minimization of waste generation can be achieved through changing or improving design and practices, careful planning and good site management;
- (d) The reuse and recycling of waste shall be practised as far as possible. The recycling materials shall include paper/cardboard, timber and metal etc;
- (e) The Contractor shall ensure that Construction and Demolition (C&D) materials are sorted into public fill (inert portion) and C&D waste (non-inert portion). The public fill which comprises soil, rock, concrete, brick, cement plaster/mortar, inert building debris, aggregates and asphalt shall be reused in earth filling, reclamation or site formation works. The C&D waste which comprises metal, timber, paper, glass, junk and general garbage shall be reused or recycled where possible and, as the last resort, disposal of at landfills;
- (f) The Contractor shall record the amount of wastes generated, recycled and disposed of (including the disposal sites). The Contractor shall use a trip ticket system for the disposal of C&D materials to any designated public filling facility and/or landfill;
- (g) In order to avoid dust or odour impacts, any vehicles leaving a works area carrying construction waste or public fill shall have their load covered;
- (h) To avoid the excessive use of wood, reusable steel shutters shall be used as a preferred alternative to formwork and falsework where possible;
- (i) The Contractor shall observe and comply with the Waste Disposal (Chemical Waste) (General) Regulation. The Contractor shall apply for registration as chemical waste producer under the Waste Disposal (Chemical Waste) (General) Regulation when chemical waste is produced. All chemical waste shall be properly stored, labeled, packaged and collected in accordance with the Regulation.

Vibration

- (a) Percussive piling is to be replaced by bore-hole piling to minimize vibration impacts to the two identified declared monuments;
- (b) Carrying out of vibration monitoring to ensure that vibration associated with the construction works do not exceed the threshold limit otherwise contractor have to review the work method and construction activities have to be slowed down or rescheduled to reduce the impacts;
- (c) Close monitoring and measurement on the cracks of the external wall of Fan Sin Temple during construction works will be carried out. Any changes on the cracks will be recorded for the contractor to slow down the construction activities accordingly; and to review the work methods and equipment immediately.

Ecology

- (a) Large boulders will be returned to the riverbed following the excavation works;
- (b) Construction works from Ch. 0.0m – Ch. 150m would be along one side of the river only;
- (c) Approximately 150m of the existing natural riverbank on the western side of the river would be retained;
- (d) Excavation works within the river channel should be restricted to an enclosed dewater

- section of the river, and would be limited to sections 50-100m long at any one time;
- (e) Flows to the area downstream shall be maintained at all times during the construction phase;
 - (f) Capture survey shall be conducted within the works area at Tai Po River before commencement of works. The captured target species shall be relocated to areas of the watercourse upstream of the watercourse upstream of the Tai Po River;
 - (g) Temporary noise barriers should be constructed to control noise impacts to habitats and associated wildlife within and adjacent to the proposed works area;
 - (h) Excavation works shall be carried out by land based plant within enclosed dry section of river channel;
 - (i) Compensatory planting of trees and other vegetation along the banks of the newly improved drainage channel should be provided to compensate for the loss of riparian vegetation;
 - (j) Operation phase activities in the improved drainage channel would be limited to periodic channel maintenance such as de-silting.

10.03 Based on the site environmental situation, the Contractor has implemented the required environmental mitigation measures according to the Updated Environmental Monitoring and Audit Manual. In the Reporting Period, environmental mitigation measures implemented by the Contractor are summarized in **Table 10-1**.

Table 10-1 Environmental Mitigation Measures

| Issues | Environmental Mitigation Measures |
|-------------------------------|--|
| Water Quality | <ul style="list-style-type: none"> • Earth bund was constructed in the existing river to isolate the active work areas and stream water. |
| Air Quality | <ul style="list-style-type: none"> • Increase watering frequency to reduce dust emissions from all exposed site surface, particularly during dry weather; • Frequent watering for particularly dusty construction areas and areas close to air sensitive receivers; • Cover all excavated or stockpiled dusty materials by impervious sheeting or sprayed with water to maintain the entire surface wet; • Public roads around the site entrance/exit regularly kept clean and free from dust; and • Tarpaulin covering of any dusty materials on a vehicle leaving the site. |
| Noise | <ul style="list-style-type: none"> • Reduce construction machines as used within the site; • Use of quiet plant and working methods; • Scheduling of construction works nearly the NSR; and • Alternative use of plant items within one worksite, where practicable. |
| Waste and Chemical Management | <ul style="list-style-type: none"> • Excavated materials such as soils and cobbles were reused as far as possible to minimize off-site disposal. Scrap metals or abandoned equipment should be recycled if possible; • Waste arising kept to a minimum and be handled, transported and disposed of in a suitable manner, if any; and • Chemical waste handling was in accordance with the Code of Practice on the Packaging, Handling and Storage of Chemical Wastes. |
| General | <ul style="list-style-type: none"> • Tidy and clean general kept the site. |

11.0 IMPACT FORECAST

CONSTRUCTION ACTIVITIES FOR THE FORTH-COMING MONTH

11.01 The major of construction activities undertaken at Upper Tai Po River have been completed. The remaining construction activities planned to be carried out next month at Upper Tai Po River is listed as below:-

- Construction of access road

KEY ISSUES FOR THE COMING MONTH

11.02 According to construction activities to be carried out in coming month, key issues to be considered include:

- Implementation of dust suppression measures should be conducted at all times;
- Ensure dust suppression measures should be implemented properly;
- Empty engine oil containers present within the site area should be disposed of appropriately;
- Management of chemical wastes should be followed;
- Discharge of site effluent to the nearby local stream or storm drainage, stockpiling or disposal of materials, and any dredging or construction area at this area should be prohibited;
- Follow-up of improvement on general waste management issues should be conducted; and
- Implementation of construction noise preventative control measures should be undertaken.

12.0 CONCLUSIONS AND RECOMMENTATIONS

CONCLUSIONS


- 12.01 This is the **sixtieth (60th)** monthly EM&A report for the Project presenting the monitoring results and inspection findings for the reporting month from **1st to 31st August 2013**.
- 12.02 No noise complaint (which is an Action Level exceedance) was received in the Reporting Period. In the Reporting Period, a total **44** occurrences of construction noise monitoring was undertaken and all measurement results were below 75dB(A). No Notice of Exceedance (NOE) was therefore issued to notify EPD, IEC, the Contractor and ER.
- 12.03 As no piling work was conducted, no vibration monitoring was performed in the Reporting Period.
- 12.04 Weekly ecological site inspections were performed on **5th, 12th, 19th and 26th August 2013**. According to inspection findings, no advice and action was recommended by the ecologist. The bi-annual ecological monitoring report conducted in March 2013 has been agreed by RE and verified by the IEC whereas the report conducted in July 2013 is being prepared by the ecologist.
- 12.05 In the Reporting Period, joint weekly environmental site inspections with the Contractor, ET, IEC and ER were carried out on **7th, 16th, 21st and 27th August 2013**. In the Reporting Period, **1** observation was recorded were identified by the ET.
- 12.06 No environmental complaint, summons and prosecution was received in the Reporting Period.

RECOMMENDATIONS

- 12.07 During wet season, muddy water and other water quality pollutants via site surface water runoff into the local stream of Tai Po River will be the key issue in the upcoming month. Mitigation measures for water quality should be fully implemented.
- 12.08 On the other hand, construction noise is another key environmental issue during construction works. Noise mitigation measures are reminded to be implemented in accordance with EM&A Manual stipulation. Dust mitigation measures to avoid fugitive dust emissions from loose soil surface or haul road are also reminded to be implemented.
- 12.09 To control the site performance on waste management, the Contractor shall ensure that all solid and liquid waste management works are fully in compliance with the relevant licence/permit requirements, such as the effluent discharge licence and the chemical waste producer registration. The Contractor is also reminded to implement the recommended environmental mitigation measures according to EM&A Manual.

Appendix A

Site Layout Plan of the Upper Tai Po River



Upper Tai Po River

Appendix B

Construction Programme

Contract No. DC/2007/06

River Improvement Works in Upper Lam Tsuen River, She Shan River And Tai Po River

Major Outstanding Works at Upper Tai Po River

| Item | Description | Major Outstanding Works within River Channel of UTP | Target Completion | % Completion | Actual Completion |
|------|-------------------------|---|---------------------------------------|------------------------------------|-------------------------------|
| 1 | Maintenance Access | construction of Access Road D. | 31/7/2013 | 30 | - |
| 2 | Boulder trap | construction of dry weather flow channel & stop log. | DWF: 30/4/2013 Stoplog : 31/5/2013 | DWF: 90 Stoplog : 0 | (Granular infill outstanding) |
| 3 | Additional Boulder trap | construction of dry weather flow channel | DWF : 30/4/2013 | 100 | 27/5/2013 |
| | | and parition walls. | Wall : 15/6/2013 | Wall : 100 | 30.4.2013 |
| 4 | Ø525 Inlet catch pit | construction of catchpit with stop log. | 30/4/2013 | 100 | 16.4.2013 |
| 5 | TB02 to TB03 | construction of dwarf wall & footpath. | 15/6/2013 | Dwarf wall - 100 Footpath - 100 | 7/6/2013 6/7/2013 |
| 6 | Ø525 outlet | construction of outlet pipes and outlet structure | 15/5/2013 | 100 | 4.5.2013 |
| 7 | Ch.216~242 | construction of footpath. | 30/4/2013 | 100 | 18.4.2013 |
| 8 | Ch.534~588 | construction of footpath. | 30/4/2013 | 100 | 4.5.2013 |
| 9 | Retaining wall TR5 | Greening works. | 31/5/2013 | 100 | 20.6.2013 |
| 10 | Previous weir | trimming down to match the I.L. of upstream base slab | 20/4/2013 | 100 | 12.4.2013 |
| 11 | Catch pit CT24 | construction of 300mm U-channel | 30/5/2013 | 100 | 27.6.2013 |
| | | Catchpit & Ø450 outpipe | | 100 | 25.4.2013 |
| 12 | All | Planting of shrubs | | 100 | 28/3/2013 |



Delay items

Updated on 2-8-2013

Contract No. DC/2007/06

River Improvement Works in Upper Lam Tsuen River, She Shan River and Upper Tai Po River

Major Outstanding works list (Upper Tai Po River)

| Item | Chainage | LHS/RHS | Description | Major outstanding works outside river channel | Target Completion | % completed | Actual Completion |
|------|---------------|-----------|------------------|---|-------------------|-------------|-------------------|
| 1 | Ch.100-327 | | Access D | Construction of Access Road D | 31/7/2013 | 30 | |
| 2 | Ch.155-197 | LHS | footpath | Construction of footpath. | 15/6/2013 | 100 | 6/7/2013 |
| 3 | Ch.534-Ch.588 | LHS | footpath | | 4/5/2013 | 100 | 4/5/2013 |
| 4 | Ch.587 | LHS | Catchpit CT31 | Construction of catch pit | 30/5/2013 | 0 | Road Gully |
| 5 | Ch.592 | LHS | Catchpit CT32 | | 30/5/2013 | 0 | Road Gully |
| 6 | Ch.605 | RHS | Catchpit CT24 | | 30/5/2013 | 100 | 25/4/2013 |
| 7 | Ch.580-587 | LHS | 225mm U-channel | Construction of U-channel | 30/5/2013 | 0 | Delete |
| 8 | Ch.592-603 | LHS | 225mm U-channel | | 30/5/2013 | 0 | Delete |
| 9 | Ch.597-605 | RHS | 300mm U-channel | | 30/5/2013 | 100 | 27/6/2013 |
| 10 | Ch.157-249 | LHS | Type II railing | Construction of Type II railing | 30/6/2013 | 0 | |
| 11 | Ch.314-345 | LHS | Type II railing | | 30/6/2013 | 100 | 2/5/2013 |
| 12 | Ch.393-446 | LHS | Type II railing | | 30/6/2013 | 0 | |
| 13 | Ch.448-603 | LHS | Type II railing | | 30/6/2013 | 50 | |
| 14 | Ch.37-145 | RHS | Type II railing | | 30/6/2013 | 0 | |
| 15 | Ch.151-215 | RHS | Type II railing | | 30/6/2013 | 0 | |
| 16 | Ch.509-543 | RHS | Type II railing | 30/6/2013 | 80 | | |
| 17 | Ch.-8-145 | RHS | Chain link fence | Construction of Chain link fence | 30/6/2013 | 60 | |
| 18 | Ch.152 | LHS & RHS | Footbrdge TB02 | 1. Construction of Public Lighting 2. Construction of PCCW cable ducts 3. Construction of Watermain | 30/6/2013 | 85 | |
| 19 | Ch.207 | LHS & RHS | Footbrdge TB03 | | 15/6/2013 | 85 | |
| 20 | Ch.327 | LHS & RHS | Footbrdge TB04 | | 15/6/2013 | 85 | |
| 21 | Ch.343 | LHS & RHS | Footbrdge TB05 | | 15/6/2013 | 85 | |
| 22 | Ch.395 | LHS & RHS | Footbrdge TB06 | | 15/6/2013 | 85 | |
| 23 | Ch.530 | LHS & RHS | Footbrdge TB07 | | 30/5/2013 | 85 | |
| 24 | All | | Landscaping | Planting of trees | 30/6/2013 | 50 | |
| 25 | All | | Landscaping | Planting of shrubs | 30/6/2013 | 100 | 20/3/2013 |


 Delay items

Updated on 2/8/2013


Appendix C

Environmental Monitoring Locations

Construction Noise and Vibration



Construction Noise Monitoring Location



Vibration Monitoring Location

Appendix D

Calibration certificates of the monitoring equipment

Equipment Calibration List

| Items | Aspect | Description of Equipment | Date of Calibration | Date of Next Calibration |
|--------------|---------------|---|----------------------------|---------------------------------|
| 1 | Noise | Bruel & Kjaer Integrating Sound Level Meter (Serial No. 2285762) AUES Equipment ID: EQ006 | 27 April 2013 | 27 April 2014 |
| 2 | | Bruel & Kjaer Integrating Sound Level Meter (Serial No. 2285690) AUES Equipment ID: EQ008 | 7 Jan 2013 | 7 Jan 2014 |
| 3 | | Rion NL-14 Sound Level Meter (Serial No. 00921191) AUES Equipment ID: EQ013 | 23 Mar 2013 | 23 Mar 2014 |
| 4 | | Bruel & Kjaer Integrating Sound Level Meter (Serial No. 2337676) AUES Equipment ID: EQ065 | 18 May 2013 | 18 May 2014 |
| 5 | | Bruel & Kjaer Acoustical Calibrator (Serial No. 2326408) AUES Equipment ID: EQ081 | 15 April 2013 | 15 April 2014 |
| 6 | | Bruel & Kjaer Acoustical Calibrator (Serial No. 2713428) AUES Equipment ID: EQ082 | 27 April 2013 | 27 April 2014 |



Certificate of Calibration 校正證書

Certificate No. : C132568
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC13-0878)

Description / 儀器名稱 : Integrating Sound Level Meter (EQ006)
Manufacturer / 製造商 : Brüel & Kjær
Model No. / 型號 : 2238
Serial No. / 編號 : 2285762
Supplied By / 委託者 : Action-United Environmental Services and Consulting
Unit A, 20/F., Gold King Industrial Building,
35-41 Tai Lin Pai Road, Kwai Chung, N.T.

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^\circ\text{C}$ Relative Humidity / 相對濕度 : $(55 \pm 20)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check


DATE OF TEST / 測試日期 : 27 April 2013

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
All results are within manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies, USA
- Fluke Everett Service Center, USA
- Rohde & Schwarz Laboratory, Germany

Tested By : 
測試 H C Chan

Certified By : 
核證 K C Lee

Date of Issue : 30 April 2013
簽發日期

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C132568
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- Self-calibration using laboratory acoustic calibrator was performed before the test from 6.1.1.2 to 6.4.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

| Equipment ID | Description | Certificate No. |
|--------------|-------------------------------------|-----------------|
| CL280 | 40 MHz Arbitrary Waveform Generator | C130019 |
| CL281 | Multifunction Acoustic Calibrator | DC110233 |

- Test procedure : MA101N.

- Results :

6.1 Sound Pressure Level

6.1.1 Reference Sound Pressure Level

6.1.1.1 Before Self-calibration

| UUT Setting | | | | Applied Value | | UUT Reading (dB) |
|-------------|------------------|---------------------|----------------|---------------|-------------|------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | |
| 50 - 130 | L _{AFF} | A | F | 94.00 | 1 | 93.6 |

6.1.1.2 After Self-calibration

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|----------------|---------------|-------------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 50 - 130 | L _{AFF} | A | F | 94.00 | 1 | 94.0 | ± 0.7 |

6.1.2 Linearity

| UUT Setting | | | | Applied Value | | UUT Reading (dB) |
|-------------|------------------|---------------------|----------------|---------------|-------------|------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | |
| 50 - 130 | L _{AFF} | A | F | 94.00 | 1 | 94.0 (Ref.) |
| | | | | 104.00 | | 104.0 |
| | | | | 114.00 | | 114.0 |

IEC 60651 Type 1 Spec. : ± 0.4 dB per 10 dB step and ± 0.7 dB for overall different.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載按正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C132568
證書編號

6.2 Time Weighting

6.2.1 Continuous Signal

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|----------------|---------------|-------------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 50 - 130 | L _{AFP} | A | F | 94.00 | 1 | 94.0 | Ref. |
| | L _{ASP} | | S | | | 94.0 | ± 0.1 |
| | L _{AIP} | | I | | | 94.1 | ± 0.1 |

6.2.2 Tone Burst Signal (2 kHz)

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|--------------------|---------------------|----------------|---------------|----------------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Burst Duration | | |
| 30 - 110 | L _{AFP} | A | F | 106.0 | Continuous | 106.0 | Ref. |
| | L _{AFMax} | | | | 200 ms | 104.9 | -1.0 ± 1.0 |
| | L _{ASP} | S | Continuous | | 106.0 | Ref. | |
| | L _{ASMax} | | 500 ms | | 101.9 | -4.1 ± 1.0 | |

6.3 Frequency Weighting

6.3.1 A-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|----------------|---------------|----------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 50 - 130 | L _{AFP} | A | F | 94.00 | 31.5 Hz | 55.1 | -39.4 ± 1.5 |
| | | | | | 63 Hz | 67.9 | -26.2 ± 1.5 |
| | | | | | 125 Hz | 77.8 | -16.1 ± 1.0 |
| | | | | | 250 Hz | 85.3 | -8.6 ± 1.0 |
| | | | | | 500 Hz | 90.7 | -3.2 ± 1.0 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 95.2 | +1.2 ± 1.0 |
| | | | | | 4 kHz | 95.0 | +1.0 ± 1.0 |
| | | | | | 8 kHz | 92.9 | -1.1 (+1.5 ; -3.0) |
| | | | | | 12.5 kHz | 89.8 | -4.3 (+3.0 ; -6.0) |

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C132568
證書編號

6.3.2 C-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|----------------|---------------|----------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 50 - 130 | L _{CFP} | C | F | 94.00 | 31.5 Hz | 91.4 | -3.0 ± 1.5 |
| | | | | | 63 Hz | 93.3 | -0.8 ± 1.5 |
| | | | | | 125 Hz | 93.8 | -0.2 ± 1.0 |
| | | | | | 250 Hz | 94.0 | 0.0 ± 1.0 |
| | | | | | 500 Hz | 94.0 | 0.0 ± 1.0 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 93.8 | -0.2 ± 1.0 |
| | | | | | 4 kHz | 93.2 | -0.8 ± 1.0 |
| | | | | | 8 kHz | 90.9 | -3.0 (+1.5 ; -3.0) |
| | | | | | 12.5 kHz | 87.8 | -6.2 (+3.0 ; -6.0) |

6.4 Time Averaging

| UUT Setting | | | | Applied Value | | | | | UUT Reading (dB) | IEC 60804 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|------------------|-----------------|---------------------|-------------------|------------------|-----------------------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Integrating Time | Frequency (kHz) | Burst Duration (ms) | Burst Duty Factor | Burst Level (dB) | Equivalent Level (dB) | | |
| 30 - 110 | L _{Aeq} | A | 10 sec. | 4 | 1 | 1/10 | 110.0 | 100 | 100.0 | ± 0.5 |
| | | | | | | | | 90 | 89.8 | ± 0.5 |
| | | | | | | | | 80 | 79.4 | ± 1.0 |
| | | | | | | | | 70 | 69.2 | ± 1.0 |

Remarks : - Mfr's Spec. : IEC 60651 Type 1 & IEC 60804 Type 1

- Uncertainties of Applied Value :

| | |
|--------------------------|---|
| 94 dB : 31.5 Hz - 125 Hz | : ± 0.35 dB |
| 250 Hz - 500 Hz | : ± 0.30 dB |
| 1 kHz | : ± 0.20 dB |
| 2 kHz - 4 kHz | : ± 0.35 dB |
| 8 kHz | : ± 0.45 dB |
| 12.5 kHz | : ± 0.70 dB |
| 104 dB : 1 kHz | : ± 0.10 dB (Ref. 94 dB) |
| 114 dB : 1 kHz | : ± 0.10 dB (Ref. 94 dB) |
| Burst equivalent level | : ± 0.2 dB (Ref. 110 dB continuous sound level) |

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書請先獲本實驗室書面批准。

Brüel & Kjær Sound & Vibration Measurement A/S

Skodsborgvej 307 • DK-2850 Nærum • Denmark • Tel.: +45 7741 2000 • Fax: +45 4580 1405
info@bksv.com • www.bksv.com

Certificate of Conformance

Ford Business Limited
Room A, 20/F, Golden King Bldg
No. 35-41 Tai Lin Pai Road, Kwai Chung
Hong Kong,
China

Customer Reference:

Service Request:
1-321863196

Date:
07-Jan-13

We hereby declare that
-2238— Integrating Sound Level Meter Serial Number: 2285690
has been tested and passed all test.

The instrument has been tested according to published specifications at the date of the test.
All tests have been performed using calibrated equipment, traceable to National or International Standards
or by ratio measurements.

Certificate issued
07-Jan-13



Torben Bjørn

Vice President - Operations
For and on behalf of Brüel & Kjær HQ

Recommended date for next check: **Jan-2014**

Brüel & Kjær is certified under ISO 9001:2008, assuring that all calibration data is retained on file and is available for inspection upon request.

Note:

Although this certificate states that your instrument complied with all specifications at the time of the test, this is not a calibration certificate.

CVR nr. 23 95 84 14 • VAT. nr. DK 11948456
Danske Bank: Account no. 3100-3015081260, SWIFT DABADKKK
IBANS: (DKK) DK 75 3000 3015081260 • (EUR) DK 25 3000 3001963589
(USD) DK 26 3000 4451045504

Brüel & Kjær 



輝創工程有限公司

Sun Creation Engineering Limited

Calibration and Testing Laboratory

Certificate of Calibration

校正證書

Certificate No. : C131788
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC13-0723)

Description / 儀器名稱 : Sound Level Meter
Manufacturer / 製造商 : Rion
Model No. / 型號 : NL-52
Serial No. / 編號 : 00921191
Supplied By / 委託者 : Action-United Environmental Services and Consultants
Unit 1707, 17/F., Clifford Centre,
778-784 Cheung Sha Wan Road, Kowloon

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$ Relative Humidity / 相對濕度 : $(55 \pm 20)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 23 March 2013


TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
All results are within manufacturer's specification.
The results are detailed in the subsequent page(s).


The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Rohde & Schwarz Laboratory, Germany
- Fluke Everett Service Center, USA
- Agilent Technologies, USA

Tested By
測試


K C Lee

Certified By
核證


K M Wu

Date of Issue : 25 March 2013
簽發日期

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。


Sun Creation Engineering Limited - Calibration & Testing Laboratory

c/o 4/F, Tsing Shan Wan Exchange Building, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號青山灣機樓四樓

Tel 電話: 2927 2606 Fax 傳真: 2744 8986 E-mail 電郵: callab@suncreation.com Website 網址: www.suncreation.com



Certificate of Calibration

校正證書

Certificate No. : C131788
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- Self-calibration was performed before the test.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

| Equipment ID | Description | Certificate No. |
|--------------|-------------------------------------|-----------------|
| CL280 | 40 MHz Arbitrary Waveform Generator | C130019 |
| CL281 | Multifunction Acoustic Calibrator | DC110233 |

- Test procedure : MA101N.

- Results :

6.1 Sound Pressure Level

6.1.1 Reference Sound Pressure Level

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 94.0 | ± 1.1 |

6.1.2 Linearity

| UUT Setting | | | | Applied Value | | UUT Reading (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 94.0 (Ref.) |
| | | | | 104.00 | | 104.0 |
| | | | | 114.00 | | 114.0 |

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

6.2 Time Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|-------------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 1 | 94.0 | Ref. |
| | | | Slow | | | | |

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C131788

證書編號

6.3 Frequency Weighting

6.3.1 A-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|----------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 30 - 130 | L _A | A | Fast | 94.00 | 63 Hz | 67.7 | -26.2 ± 1.5 |
| | | | | | 125 Hz | 77.8 | -16.1 ± 1.5 |
| | | | | | 250 Hz | 85.3 | -8.6 ± 1.4 |
| | | | | | 500 Hz | 90.7 | -3.2 ± 1.4 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 95.2 | +1.2 ± 1.6 |
| | | | | | 4 kHz | 95.0 | +1.0 ± 1.6 |
| | | | | | 8 kHz | 93.0 | -1.1 (+2.1 ; -3.1) |
| | | | | | 12.5 kHz | 89.6 | -4.3 (+3.0 ; -6.0) |

6.3.2 C-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 61672 Class 1 Spec. (dB) |
|-------------|----------------|---------------------|----------------|---------------|----------|------------------|------------------------------|
| Range (dB) | Function | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 30 - 130 | L _A | C | Fast | 94.00 | 63 Hz | 93.2 | -0.8 ± 1.5 |
| | | | | | 125 Hz | 93.8 | -0.2 ± 1.5 |
| | | | | | 250 Hz | 94.0 | 0.0 ± 1.4 |
| | | | | | 500 Hz | 94.0 | 0.0 ± 1.4 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 93.8 | -0.2 ± 1.6 |
| | | | | | 4 kHz | 93.2 | -0.8 ± 1.6 |
| | | | | | 8 kHz | 91.1 | -3.0 (+2.1 ; -3.1) |
| | | | | | 12.5 kHz | 87.6 | -6.2 (+3.0 ; -6.0) |

Remarks : - UUT Microphone Model No. : UC-59 & S/N : 04223

- Mfr's Spec. : IEC 61672 Class 1

- Uncertainties of Applied Value :

| | | |
|--------|-----------------|--------------------------|
| 94 dB | 63 Hz - 125 Hz | : ± 0.35 dB |
| | 250 Hz - 500 Hz | : ± 0.30 dB |
| | 1 kHz | : ± 0.20 dB |
| | 2 kHz - 4 kHz | : ± 0.35 dB |
| | 8 kHz | : ± 0.45 dB |
| | 12.5 kHz | : ± 0.70 dB |
| 104 dB | 1 kHz | : ± 0.10 dB (Ref. 94 dB) |
| 114 dB | 1 kHz | : ± 0.10 dB (Ref. 94 dB) |

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C132980

證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC13-0878)

Description / 儀器名稱 : Integrating Sound Level Meter (EQ065)
Manufacturer / 製造商 : Brüel & Kjær
Model No. / 型號 : 2238
Serial No. / 編號 : 2337676
Supplied By / 委託者 : Action-United Environmental Services and Consulting
Unit A, 20/F., Gold King Industrial Building,
35-41 Tai Lin Pai Road, Kwai Chung, N.T.

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$
Line Voltage / 電壓 : ---

Relative Humidity / 相對濕度 : $(55 \pm 20)\%$

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 18 May 2013


TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
All results are within manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Rohde & Schwarz Laboratory, Germany
- Fluke Everett Service Center, USA
- Agilent Technologies, USA

Tested By
測試

: 
K C Lee

Certified By
核證

: 
K M Wu

Date of Issue
簽發日期

: 20 May 2013

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C132980

證書編號

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
2. Self-calibration using laboratory acoustic calibrator was performed before the test from 6.1.1.2 to 6.4.
3. The results presented are the mean of 3 measurements at each calibration point.
4. Test equipment :

| Equipment ID | Description | Certificate No. |
|--------------|-------------------------------------|-----------------|
| CL280 | 40 MHz Arbitrary Waveform Generator | C130019 |
| CL281 | Multifunction Acoustic Calibrator | DC110233 |

5. Test procedure : MA101N.

6. Results :

- 6.1 Sound Pressure Level

- 6.1.1 Reference Sound Pressure Level

- 6.1.1.1 Before Self-calibration

| UUT Setting | | | | Applied Value | | UUT Reading (dB) |
|-------------|------------------|---------------------|----------------|---------------|-------------|------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | |
| 50 - 130 | L _{AFP} | A | F | 94.00 | 1 | 93.6 |

- 6.1.1.2 After Self-calibration

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|----------------|---------------|-------------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 50 - 130 | L _{AFP} | A | F | 94.00 | 1 | 94.0 | ± 0.7 |

- 6.1.2 Linearity

| UUT Setting | | | | Applied Value | | UUT Reading (dB) |
|-------------|------------------|---------------------|----------------|---------------|-------------|------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | |
| 50 - 130 | L _{AFP} | A | F | 94.00 | 1 | 94.0 (Ref.) |
| | | | | 104.00 | | 104.0 |
| | | | | 114.00 | | 114.0 |

IEC 60651 Type 1 Spec. : ± 0.4 dB per 10 dB step and ± 0.7 dB for overall different.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C132980

證書編號

6.2 Time Weighting

6.2.1 Continuous Signal

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|----------------|---------------|-------------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. (kHz) | | |
| 50 - 130 | L _{AFP} | A | F | 94.00 | 1 | 94.0 | Ref. |
| | L _{ASP} | | S | | | 94.0 | ± 0.1 |
| | L _{AIP} | | I | | | 94.0 | ± 0.1 |

6.2.2 Tone Burst Signal (2 kHz)

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|--------------------|---------------------|----------------|---------------|----------------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Burst Duration | | |
| 30 - 110 | L _{AFP} | A | F | 106.0 | Continuous | 106.0 | Ref. |
| | L _{AFMax} | | | | 200 ms | 105.0 | -1.0 ± 1.0 |
| | L _{ASP} | | S | | Continuous | 106.0 | Ref. |
| | L _{ASMax} | | | | 500 ms | 102.0 | -4.1 ± 1.0 |

6.3 Frequency Weighting

6.3.1 A-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|----------------|---------------|----------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 50 - 130 | L _{AFP} | A | F | 94.00 | 31.5 Hz | 54.9 | -39.4 ± 1.5 |
| | | | | | 63 Hz | 67.9 | -26.2 ± 1.5 |
| | | | | | 125 Hz | 77.9 | -16.1 ± 1.0 |
| | | | | | 250 Hz | 85.3 | -8.6 ± 1.0 |
| | | | | | 500 Hz | 90.7 | -3.2 ± 1.0 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 95.2 | +1.2 ± 1.0 |
| | | | | | 4 kHz | 95.0 | +1.0 ± 1.0 |
| | | | | | 8 kHz | 92.9 | -1.1 (+1.5 ; -3.0) |
| | | | | | 12.5 kHz | 89.8 | -4.3 (+3.0 ; -6.0) |

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C132980
證書編號

6.3.2 C-Weighting

| UUT Setting | | | | Applied Value | | UUT Reading (dB) | IEC 60651 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|----------------|---------------|----------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Time Weighting | Level (dB) | Freq. | | |
| 50 - 130 | L _{CFP} | C | F | 94.00 | 31.5 Hz | 91.2 | -3.0 ± 1.5 |
| | | | | | 63 Hz | 93.2 | -0.8 ± 1.5 |
| | | | | | 125 Hz | 93.8 | -0.2 ± 1.0 |
| | | | | | 250 Hz | 93.9 | 0.0 ± 1.0 |
| | | | | | 500 Hz | 94.0 | 0.0 ± 1.0 |
| | | | | | 1 kHz | 94.0 | Ref. |
| | | | | | 2 kHz | 93.8 | -0.2 ± 1.0 |
| | | | | | 4 kHz | 93.2 | -0.8 ± 1.0 |
| | | | | | 8 kHz | 91.0 | -3.0 (+1.5 ; -3.0) |
| | | | | | 12.5 kHz | 87.9 | -6.2 (+3.0 ; -6.0) |

6.4 Time Averaging

| UUT Setting | | | | Applied Value | | | | | UUT Reading (dB) | IEC 60804 Type 1 Spec. (dB) |
|-------------|------------------|---------------------|------------------|-----------------|---------------------|-------------------|------------------|-----------------------|------------------|-----------------------------|
| Range (dB) | Parameter | Frequency Weighting | Integrating Time | Frequency (kHz) | Burst Duration (ms) | Burst Duty Factor | Burst Level (dB) | Equivalent Level (dB) | | |
| 30 - 110 | L _{Aeq} | A | 10 sec. | 4 | 1 | 1/10 | 110.0 | 100 | 99.9 | ± 0.5 |
| | | | | | | | | 90 | 89.9 | ± 0.5 |
| | | | | | | | | 80 | 79.8 | ± 1.0 |
| | | | | | | | | 70 | 69.5 | ± 1.0 |

- Remarks :
- UUT Microphone Model No. : 4188 & S/N : 2793313
 - Mfr's Spec. : IEC 60651 Type 1 & IEC 60804 Type 1
 - Uncertainties of Applied Value :

| | |
|--------------------------|---|
| 94 dB : 31.5 Hz - 125 Hz | : ± 0.35 dB |
| 250 Hz - 500 Hz | : ± 0.30 dB |
| 1 kHz | : ± 0.20 dB |
| 2 kHz - 4 kHz | : ± 0.35 dB |
| 8 kHz | : ± 0.45 dB |
| 12.5 kHz | : ± 0.70 dB |
| 104 dB : 1 kHz | : ± 0.10 dB (Ref. 94 dB) |
| 114 dB : 1 kHz | : ± 0.10 dB (Ref. 94 dB) |
| Burst equivalent level | : ± 0.2 dB (Ref. 110 dB continuous sound level) |
 - The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。



Certificate of Calibration 校正證書

Certificate No. : C132228
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC13-0878)

Description / 儀器名稱 : Acoustical Calibrator (EQ081)
Manufacturer / 製造商 : Brüel & Kjær
Model No. / 型號 : 4231
Serial No. / 編號 : 2326408
Supplied By / 委託者 : Action-United Environmental Services and Consulting
Unit A, 20/F., Gold King Industrial Building,
35-41 Tai Lin Pai Road, Kwai Chung, N.T.

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$ Relative Humidity / 相對濕度 : $(55 \pm 20)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 15 April 2013


TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
All results are within manufacturer's specification.
The results are detailed in the subsequent page(s).


The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Rohde & Schwarz Laboratory, Germany
- Fluke Everett Service Center, USA
- Agilent Technologies, USA

Tested By
測試


K C Lee

Certified By
核證


K M Wu

Date of Issue : 16 April 2013
簽發日期

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準，局部複印本證書需先獲本實驗室書面批准。



Certificate of Calibration

校正證書

Certificate No. : C132228
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

| <u>Equipment ID</u> | <u>Description</u> | <u>Certificate No.</u> |
|---------------------|-----------------------------------|------------------------|
| CL130 | Universal Counter | C123541 |
| CL281 | Multifunction Acoustic Calibrator | DC110233 |
| TST150A | Measuring Amplifier | C120886 |

- Test procedure : MA100N.

- Results :

5.1 Sound Level Accuracy

| UUT Nominal Value | Measured Value (dB) | Mfr's Spec. (dB) | Uncertainty of Measured Value (dB) |
|----------------------|------------------------|---------------------|---------------------------------------|
| 94 dB, 1 kHz | 94.0 | ± 0.2 | ± 0.2 |
| 114 dB, 1 kHz | 114.0 | | |

5.2 Frequency Accuracy

| UUT Nominal Value (kHz) | Measured Value (kHz) | Mfr's Spec. | Uncertainty of Measured Value (Hz) |
|----------------------------|-------------------------|----------------|---------------------------------------|
| 1 | 1.000 0 | 1 kHz ± 0.1 % | ± 0.1 |

Remark : The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Sun Creation Engineering Limited – Calibration & Testing Laboratory

c/o 4/F, Tsing Shan Wan Exchange Building, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 - 校正及檢測實驗室

c/o 香港新界屯門興安里一號青山灣機樓四樓

Tel/電話: 2927 2606 Fax/傳真: 2744 8986 E-mail/電郵: callab@suncreation.com Website/網址: www.suncreation.com



Certificate of Calibration 校正證書

Certificate No. : C132565
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC13-0878)

Description / 儀器名稱 : Acoustical Calibrator (EQ082)
Manufacturer / 製造商 : Brüel & Kjær
Model No. / 型號 : 4231
Serial No. / 編號 : 2713428
Supplied By / 委託者 : Action-United Environmental Services and Consulting
Unit A, 20/F., Gold King Industrial Building,
35-41 Tai Lin Pai Road, Kwai Chung, N.T.

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$
Line Voltage / 電壓 : ---

Relative Humidity / 相對濕度 : $(55 \pm 20)\%$

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 27 April 2013


TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
All results are within manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Agilent Technologies, USA
- Fluke Everett Service Center, USA
- Rohde & Schwarz Laboratory, Germany

Tested By
測試

: 
H C Chan

Certified By
核證

: 
K C Lee

Date of Issue
簽發日期

: 30 April 2013

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration

校正證書

Certificate No. : C132565
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

| <u>Equipment ID</u> | <u>Description</u> | <u>Certificate No.</u> |
|---------------------|-----------------------------------|------------------------|
| CL130 | Universal Counter | C123541 |
| CL281 | Multifunction Acoustic Calibrator | DC110233 |
| TST150A | Measuring Amplifier | C120886 |

- Test procedure : MA100N.

- Results :

5.1 Sound Level Accuracy

| UUT Nominal Value | Measured Value (dB) | Mfr's Spec. (dB) | Uncertainty of Measured Value (dB) |
|----------------------|------------------------|---------------------|---------------------------------------|
| 94 dB, 1 kHz | 94.0 | ± 0.2 | ± 0.2 |
| 114 dB, 1 kHz | 114.0 | | |

5.2 Frequency Accuracy

| UUT Nominal Value (kHz) | Measured Value (kHz) | Mfr's Spec. | Uncertainty of Measured Value (Hz) |
|----------------------------|-------------------------|----------------|---------------------------------------|
| 1 | 1.000 0 | 1 kHz ± 0.1 % | ± 0.1 |

Remark : The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

Appendix E

Event and Action Plan

Event Action Plan for Construction Noise

| EVENT | ACTION | | | |
|--------------|---|---|---|--|
| | ET Leader | IEC | ER | Contractor |
| Action Level | <ol style="list-style-type: none"> 1. Notify IEC and Contractor 2. Carry out investigation. 3. Report the results of investigation to the IEC, ER and Contractor. 4. Discuss with the Contractor and formulate remedial measures 5. Increase monitoring frequency to check mitigation effectiveness. | <ol style="list-style-type: none"> 1. Review the analyzed results submitted by the ET. 2. Review the proposed remedial measures by the Contractor and advise the ER accordingly 3. Supervise the implementation of remedial measures | <ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing 2. Notify Contractor 3. Require Contractor to propose remedial measures for the analyzed noise problem 4. Check remedial measures are properly implemented. | <ol style="list-style-type: none"> 1. Submit noise mitigation proposals to IEC 2. Implement noise mitigation proposals |
| Limit Level | <ol style="list-style-type: none"> 1. Notify IEC, ER, EPD and Contractor 2. Identify source. 3. Repeat measurements to confirm findings 4. Increase monitoring frequency. 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented 6. Inform IEC, ER and EPD the causes and actions taken for the exceedances 7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results 8. If exceedance stops, cease additional monitoring. | <ol style="list-style-type: none"> 1. Discuss amongst ER, ET, and Contractor on the potential remedial actions 2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly 3. Supervise the implementation of remedial measures | <ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing 2. Notify Contractor 3. Require Contractor to propose remedial measures for the analyzed noise problem 4. Check remedial measures properly implemented. 5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated | <ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance 2. Submit proposals for remedial actions to IEC within 3 working days of notification 3. Implement the agreed proposals 4. Resubmit proposals if problem still not under control 5. Stop the relevant portion of works as determined by the ER until the exceedance is abated |

Event Action Plan for Ecology

| Event | Action | | | |
|---------------------------------------|---|--|--|---|
| | ET | ER | IEC | Contractor |
| Non-conformity on one occasion | <ol style="list-style-type: none"> 1. Identify Source 2. Inform the IEC and the ER; 3. Discuss remedial actions with the IEC, the ER and the Contractor 4. Monitor remedial actions until rectification has been completed | <ol style="list-style-type: none"> 1. Check report 2. Check the Contractor's working method 3. Discuss with the ET and the Contractor on possible remedial measures, 4. Advise the Contractor on effectiveness of proposed remedial measures 5. Check implementation of remedial measures | <ol style="list-style-type: none"> 1. Ensure Remedial measures are properly implemented | <ol style="list-style-type: none"> 1. Amend working methods 2. Rectify damage and undertake any necessary replacement |
| Repeated Non conformity | <ol style="list-style-type: none"> 1. Identify Source 2. Inform the IEC and the ER 3. Increase monitoring frequency 4. Discuss remedial actions with the IEC, the ER and the Contractor 5. Monitor remedial actions until rectification has been completed. 6. If exceedance stops, cease additional monitoring | <ol style="list-style-type: none"> 1. Check the Contractor's working method 2. Discuss with the ET and the Contractor on possible remedial measures 3. Advise the Contractor on effectiveness of proposed remedial measures 4. Check implementation of remedial measures | <ol style="list-style-type: none"> 1. Ensure Remedial measures are properly implemented | <ol style="list-style-type: none"> 1. Amend working methods 2. Rectify damage and undertake any necessary replacement |

Contingency Plan of Vibration of exceedance

If there be any exceed of limit level;

1. ET will notify IEC, ER and contractor at once.
2. A joint investigation will be carried out in order to identify the possible source and remedial actions required and agreed between ER, IEC, ET and the Contractor.
3. During such investigation, piling and drilling works will be suspended.

Appendix F

**Monitoring Schedule in Reporting Period
and the Coming Month**

Monitoring / Inspection Schedule during the Reporting Period – August 2013

| Date | | Monitoring | | | Site Inspection | | SSEMC |
|------|-----------|------------|---------|-----------|-----------------|---------|-------|
| | | Noise | Ecology | Vibration | General | Ecology | |
| Thu | 1-Aug-13 | | | | | | |
| Fri | 2-Aug-13 | | | | | | |
| Sat | 3-Aug-13 | | | | | | |
| Sun | 4-Aug-13 | | | | | | |
| Mon | 5-Aug-13 | | | | | | |
| Tue | 6-Aug-13 | | | | | | |
| Wed | 7-Aug-13 | | | | | | |
| Thu | 8-Aug-13 | | | | | | |
| Fri | 9-Aug-13 | | | | | | |
| Sat | 10-Aug-13 | | | | | | |
| Sun | 11-Aug-13 | | | | | | |
| Mon | 12-Aug-13 | | | | | | |
| Tue | 13-Aug-13 | | | | | | |
| Wed | 14-Aug-13 | | | | | | |
| Thu | 15-Aug-13 | | | | | | |
| Fri | 16-Aug-13 | | | | | | |
| Sat | 17-Aug-13 | | | | | | |
| Sun | 18-Aug-13 | | | | | | |
| Mon | 19-Aug-13 | | | | | | |
| Tue | 20-Aug-13 | | | | | | |
| Wed | 21-Aug-13 | | | | | | |
| Thu | 22-Aug-13 | | | | | | |
| Fri | 23-Aug-13 | | | | | | |
| Sat | 24-Aug-13 | | | | | | |
| Sun | 25-Aug-13 | | | | | | |
| Mon | 26-Aug-13 | | | | | | |
| Tue | 27-Aug-13 | | | | | | |
| Wed | 28-Aug-13 | | | | | | |
| Thu | 29-Aug-13 | | | | | | |
| Fri | 30-Aug-13 | | | | | | |
| Sat | 31-Aug-13 | | | | | | |

| | |
|--|-----------------------------|
| | Monitoring / Inspection Day |
| | Sunday or Public Holiday |

Predict Monitoring / Site Inspection for the coming month – September 2013

| Date | | Monitoring | | | Site Inspection | | SSEMC |
|------|-----------|------------|---------|-----------|-----------------|---------|-------|
| | | Noise | Ecology | Vibration | General | Ecology | |
| Sun | 1-Sep-13 | | | | | | |
| Mon | 2-Sep-13 | | | | | | |
| Tue | 3-Sep-13 | | | | | | |
| Wed | 4-Sep-13 | | | | | | |
| Thu | 5-Sep-13 | | | | | | |
| Fri | 6-Sep-13 | | | | | | |
| Sat | 7-Sep-13 | | | | | | |
| Sun | 8-Sep-13 | | | | | | |
| Mon | 9-Sep-13 | | | | | | |
| Tue | 10-Sep-13 | | | | | | |
| Wed | 11-Sep-13 | | | | | | |
| Thu | 12-Sep-13 | | | | | | |
| Fri | 13-Sep-13 | | | | | | |
| Sat | 14-Sep-13 | | | | | | |
| Sun | 15-Sep-13 | | | | | | |
| Mon | 16-Sep-13 | | | | | | |
| Tue | 17-Sep-13 | | | | | | |
| Wed | 18-Sep-13 | | | | | | |
| Thu | 19-Sep-13 | | | | | | |
| Fri | 20-Sep-13 | | | | | | |
| Sat | 21-Sep-13 | | | | | | |
| Sun | 22-Sep-13 | | | | | | |
| Mon | 23-Sep-13 | | | | | | |
| Tue | 24-Sep-13 | | | | | | |
| Wed | 25-Sep-13 | | | | | | |
| Thu | 26-Sep-13 | | | | | | |
| Fri | 27-Sep-13 | | | | | | |
| Sat | 28-Sep-13 | | | | | | |
| Sun | 29-Sep-13 | | | | | | |
| Mon | 30-Sep-13 | | | | | | |

| | |
|--|-----------------------------|
| | Monitoring / Inspection Day |
| | Sunday or Public Holiday |

Appendix G

Meteorological Data of Reporting Period




Meteorological Data in Reporting Period




| Date | Weather | Total Rainfall (mm) | Tai Po Station | | Shatin Station | | |
|-----------|---------|---|---------------------|----------------------------|-------------------|----------------|------|
| | | | Mean Air Temp. (°C) | Mean Relative Humidity (%) | Wind Speed (km/h) | Wind Direction | |
| 1-Aug-13 | Thu | Cloudy, a few showers ,squally thunderstorms, Fresh easterly winds, occasionally strong offshore and on high ground | 4.5 | 27.9 | 83.7 | 12.2 | E/NE |
| 2-Aug-13 | Fri | Cloudy, gale, squally showers, strong east to southeasterly winds. | 72.4 | 26.6 | 88.2 | 10 | E/NE |
| 3-Aug-13 | Sat | Cloudy, rain, squally showers, strong east to southeasterly winds. | 13.3 | 27.5 | 87.5 | 10.5 | S/SE |
| 4-Aug-13 | Sun | Fine and very hot. Light winds. | Trace | 28.3 | 79 | 4.8 | S/SE |
| 5-Aug-13 | Mon | Fine and very hot. Light winds. | 0 | 28.5 | 80.5 | 6.4 | E/NE |
| 6-Aug-13 | Tue | Very hot, squally thunderstorms, moderate southeasterly winds. | 0 | 28.4 | 78.5 | 8.2 | E/SE |
| 7-Aug-13 | Wed | Sunny intervals, moderate southeasterly winds. | 0.5 | 28.9 | 78.7 | 9.2 | E/SE |
| 8-Aug-13 | Thu | Fine, very hot, light to moderate southerly winds. | 1.3 | 29.4 | 76 | 7 | S/SW |
| 9-Aug-13 | Fri | Fine and very hot. Light to moderate westerly winds. | 0 | 30.2 | 66.5 | 7.5 | SW |
| 10-Aug-13 | Sat | Very hot, fine, isolated showers, Light to moderate westerly winds. | 0 | 29.7 | 77.2 | 6.8 | S/SW |
| 11-Aug-13 | Sun | Fine, very hot, isolated showers. Light to moderate westerly winds. | 0 | 29.2 | 74 | 8.7 | E/SE |
| 12-Aug-13 | Mon | Fine, very hot, isolated showers. Moderate easterly winds. | Trace | 30 | 70 | 6.8 | N |
| 13-Aug-13 | Tue | Cloudy to overcast with heavy squally showers and a few thunderstorms. | 48.4 | 27.8 | 82.5 | 11.9 | N/NE |
| 14-Aug-13 | Wed | Cloudy, moderate, squally showers, Strong south to southeasterly winds. | 59.4 | 26.4 | 89 | 18.9 | SE |
| 15-Aug-13 | Thu | Cloudy to overcast, rain, Fresh gusty southerly winds. | 0.7 | 27.3 | 85.5 | 17.7 | S/SW |
| 16-Aug-13 | Fri | Cloudy to overcast, rain, Fresh gusty southerly winds. | 5.3 | 27.1 | 97 | 13.3 | S/SW |
| 17-Aug-13 | Sat | Cloudy, a few showers, thunderstorms, Moderate southerly winds. | 35.6 | 27.1 | 87.5 | 12.7 | SW |
| 18-Aug-13 | Sun | Sunny periods, isolated showers, hot, Light winds. | 3.7 | 28.2 | 86.7 | 9.5 | S/SW |
| 19-Aug-13 | Mon | Cloudy, a few showers, thunderstorms, Moderate southerly winds. | 30.6 | 27.1 | 92.2 | 5.4 | N/NE |
| 20-Aug-13 | Tue | Sunny periods, isolated showers, hot, Light winds. | Trace | 29 | 80 | 6.9 | E/NE |
| 21-Aug-13 | Wed | Hot, sunny periods, thunderstorms, Light to moderate westerly winds. | 0.2 | 28.9 | 82.2 | 4.8 | N |
| 22-Aug-13 | Thu | Cloudy, squally thunderstorms, Moderate to fresh westerly winds. | 20.1 | 29.4 | 76.5 | 8.2 | SW |
| 23-Aug-13 | Fri | Cloudy, showers, squally thunderstorms, Moderate to fresh south to southwesterly winds. | 26 | 26.8 | 88.2 | 13.9 | SW |
| 24-Aug-13 | Sat | Cloudy, thunderstorms. Moderate to fresh south to southwesterly winds. | 51.6 | 27.4 | 88.7 | 14.5 | SW |
| 25-Aug-13 | Sun | Very hot, isolated showers, Moderate to fresh south to southwesterly winds. | 7.3 | 27.7 | 84.5 | 6.5 | E/SE |
| 26-Aug-13 | Mon | Very hot, isolated showers, Light to moderate east to southeasterly winds. | 0 | 28.8 | 80.5 | 7.5 | N/NE |
| 27-Aug-13 | Tue | Fine, very hot, isolated showers. Light to moderate southerly winds. | 0 | 29 | 77.5 | 9.1 | N/NE |
| 28-Aug-13 | Wed | Fine, very hot, isolated showers. Light to moderate southerly winds. | 0 | 29.3 | 75.5 | 7.7 | S/SW |
| 29-Aug-13 | Thu | Fine, very hot, isolated showers. Light to moderate southerly winds. | 0 | 29.6 | 77 | 8.2 | E/NE |
| 30-Aug-13 | Fri | Cloudy, showers, thunderstorms. Moderate west to southwesterly winds. | 29.5 | 26.4 | 88.2 | 9.2 | E/NE |
| 31-Aug-13 | Sat | Cloudy, showers, thunderstorms. Moderate west to southwesterly winds. | 35 | 25.5 | 89.5 | 11 | E/NE |




* The record was downloaded from The Hong Kong Observatory Weather Station.



Appendix H

Graphical Plots of Noise Monitoring









Appendix I

Monthly Summary Waste Flow Table

Monthly Summary Waste Flow Table

Name of Department: DSD

Contract No.: DC/2007/06

Monthly Summary Waste Flow Table of Upper Tai Po River for 2013

| Month | Actual Quantities of Inert C&D Materials Generated Monthly | | | | | | Actual Quantities of C&D Wastes Generated Monthly | | | | |
|-------|--|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---|----------------------------|-----------------------|-----------------|-----------------------------|
| | Total Quantity of Inert C&D Materials Generated | Hard Rock and Large Broken Concrete | Reused in the Contract | Reused in other Projects | Disposed as Public Fill | Imported Fill | Metals | Paper/ cardboard packaging | Plastics (see Note 3) | Chemical Waste* | Others, e.g. general refuse |
| | (in '000m ³) | (in '000m ³) | (in '000m ³) | (in '000m ³) | (in '000m ³) | (in '000m ³) | (in '000 kg) | (in '000kg) | (in '000kg) | (in '000kg) | (in '000m ³) |
| Jan | 0.537 | 0.537 | 0.537 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Feb | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Mar | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Apr | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| May | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| June | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| July | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Aug | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Sept | | | | | | | | | | | |
| Oct | | | | | | | | | | | |
| Nov | | | | | | | | | | | |
| Dec | | | | | | | | | | | |
| Total | 0.537 | 0.537 | 0.537 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

*For all the three rivers in the Contract

Appendix J

Observed Noise Source During Noise Monitoring

J1 Observed Noise Source During Noise Monitoring for UTP1

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|--|
| 6-Aug-13 | - | Human voice, high road traffic noise and animals sound |
| 12-Aug-13 | - | Human voice and medium road traffic noise |
| 23-Aug-13 | - | Human voice, medium road traffic noise and animals sound |
| 29-Aug-13 | - | Human voice, medium road traffic noise and animals sound |

J2 Observed Noise Source During Noise Monitoring for UTP2

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|--|
| 6-Aug-13 | - | Human voice, medium road traffic noise and animals sound |
| 12-Aug-13 | - | Human voice and medium road traffic noise |
| 23-Aug-13 | - | Human voice, medium road traffic noise and animals sound |
| 29-Aug-13 | - | Human voice and medium road traffic noise |

J3 Observed Noise Source During Noise Monitoring for UTP3

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|---|
| 6-Aug-13 | - | Human voice, low road traffic noise and animals sound |
| 12-Aug-13 | - | Human voice, low road traffic noise and animals sound |
| 23-Aug-13 | - | Human voice, low road traffic noise and animals sound |
| 29-Aug-13 | - | Human voice and animals sound |

J4 Observed Noise Source During Noise Monitoring for UTP4

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|-------------------------------|
| 6-Aug-13 | - | Human voice and animals sound |
| 12-Aug-13 | - | Human voice and animals sound |
| 23-Aug-13 | - | Human voice and animals sound |
| 29-Aug-13 | - | Human voice and animals sound |

J5 Observed Noise Source During Noise Monitoring for UTP5

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|-------------------------------|
| 6-Aug-13 | - | Human voice and animals sound |
| 12-Aug-13 | - | Human voice and animals sound |
| 23-Aug-13 | - | Human voice and animals sound |
| 29-Aug-13 | - | Human voice and animals sound |

J6 Observed Noise Source During Noise Monitoring for UTP6

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|-------------------------------|
| 6-Aug-13 | - | Human voice and animals sound |
| 12-Aug-13 | - | Human voice and animals sound |
| 23-Aug-13 | - | Human voice and animals sound |
| 29-Aug-13 | - | Human voice and animals sound |

J7 Observed Noise Source During Noise Monitoring for UTP7

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|-------------------------------|
| 6-Aug-13 | - | Human voice and animals sound |
| 12-Aug-13 | - | Human voice and animals sound |
| 23-Aug-13 | - | Human voice and animals sound |
| 29-Aug-13 | - | Human voice and animals sound |

J8 Observed Noise Source During Noise Monitoring for UTP8

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|-------------------------------|
| 6-Aug-13 | - | Human voice and animals sound |
| 12-Aug-13 | - | Human voice and animals sound |
| 23-Aug-13 | - | Human voice and animals sound |
| 29-Aug-13 | - | Human voice and animals sound |

J9 Observed Noise Source During Noise Monitoring for UTP9

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|-------------------------------|
| 6-Aug-13 | - | Human voice and animals sound |
| 12-Aug-13 | - | Human voice and animals sound |
| 23-Aug-13 | - | Human voice and animals sound |
| 29-Aug-13 | - | Human voice and animals sound |

J10 Observed Noise Source During Noise Monitoring for UTP10

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|---|
| 6-Aug-13 | - | Human voice, low road traffic noise and animals sound |
| 12-Aug-13 | - | Human voice and animals sound |
| 23-Aug-13 | - | Human voice and animals sound |
| 29-Aug-13 | - | Human voice and animals sound |

J11 Observed Noise Source During Noise Monitoring for UTP11

| Date | Construction Activities under the Project | Other Noise Source |
|-----------|---|-------------------------------|
| 6-Aug-13 | - | Human voice and animals sound |
| 12-Aug-13 | - | Human voice and animals sound |
| 23-Aug-13 | - | Human voice and animals sound |
| 29-Aug-13 | - | Human voice and animals sound |