


# Dragages-Nishimatsu Joint Venture

**Contract No. DC/2007/10**  
**Design and Construction of**  
**Hong Kong West Drainage Tunnel**

Monthly EM&A Report  
(version 1.0)

September 2010

Certified By   
(Environmental Team Leader)

REMARKS:

The information supplied and contained within this report is, to the best of our knowledge, correct at the time of printing.

CINOTECH accepts no responsibility for changes made to this report by third parties

**CINOTECH CONSULTANTS LTD**

Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong  
Tel: (852) 2151 2083 Fax: (852) 3107 1388  
Email: [info@cinotech.com.hk](mailto:info@cinotech.com.hk)

# TABLE OF CONTENTS

<b>EXECUTIVE SUMMARY .....</b>	<b>1</b>
Introduction.....	1
Environmental Monitoring Works.....	1
Environmental Licenses and Permits.....	5
Key Information in the Reporting Month .....	7
<b>1. INTRODUCTION.....</b>	<b>8</b>
Background.....	8
Project Organizations.....	8
Construction Programme .....	9
Summary of EM&A Requirements .....	12
<b>2. AIR QUALITY .....</b>	<b>13</b>
Monitoring Requirements .....	13
Monitoring Locations .....	13
Monitoring Equipment.....	13
Monitoring Parameters, Frequency and Duration.....	13
Monitoring Methodology and QA/QC Procedure .....	14
Results and Observations.....	16
<b>3. NOISE .....</b>	<b>18</b>
Airborne Construction Noise Monitoring.....	18
Monitoring Requirements .....	18
Monitoring Locations .....	18
Monitoring Equipment.....	18
Monitoring Parameters, Frequency and Duration.....	19
Monitoring Methodology and QA/QC Procedures.....	19
Maintenance and Calibration .....	20
Results and Observations.....	20
Ground Borne Construction Noise Monitoring .....	30
Monitoring Requirements .....	30
Monitoring Locations .....	30
Results and Observations.....	30
<b>4. WATER QUALITY .....</b>	<b>31</b>
Monitoring Requirements .....	31
Monitoring Locations .....	31
Results and Observations.....	31
Underground water level.....	31
<b>5. ENVIRONMENTAL AUDIT.....</b>	<b>33</b>
Site Audits .....	33
Review of Environmental Monitoring Procedures .....	33
Status of Environmental Licensing and Permitting .....	33
Status of Waste Management .....	33
Implementation Status of Environmental Mitigation Measures .....	36
Non-compliance Recorded during Site Inspections.....	41
Summary of Mitigation Measures Implemented .....	41



Implementation Status of Event Action Plans .....	42
Summary of Complaint, Warning, Notification of any Summons and Successful Prosecution .....	44
<b>6. FUTURE KEY ISSUES .....</b>	<b>44</b>
Key Future Site Activities.....	44
Key Issues for the Coming Month .....	44
Monitoring Schedule for the Next Month.....	45
Construction Program for the Next Month .....	46
<b>7. CONCLUSIONS AND RECOMMENDATIONS .....</b>	<b>47</b>
Conclusions.....	47
Recommendations.....	47

## LIST OF TABLES

Table I	Summary Table for Non-compliance Recorded in the Reporting Month
Table II	Summary Table for Key Information in the Reporting Month
Table 1.1	Key Project Contacts
Table 1.2	Construction programme showing the inter-relationship with environmental protection/mitigation measures
Table 2.1	Locations for Air Quality Monitoring
Table 2.2	Air Quality Monitoring Equipment
Table 2.3	Impact Dust Monitoring Parameters, Frequency and Duration
Table 2.4	Summary Table of Air Quality Monitoring Results during the reporting month
Table 3.1	Noise Monitoring Stations
Table 3.2	Noise Monitoring Equipment
Table 3.3	Noise Monitoring Parameters, Frequency and Duration
Table 3.4	Baseline Noise Level and Noise Limit Level for Monitoring Stations
Table 3.5	Summary Table of Noise Monitoring Results during the reporting month
Table 4.1	Locations for Water Quality Monitoring
Table 4.2	Ground Water Level Monitoring Data
Table 5.1	Summary of Environmental Licensing and Permit Status
Table 5.2	Observations and Recommendations of Site Inspections

## **LIST OF FIGURES**

Figure 1.1	Layout Plan of the Project Site
Figure 2.1	ET's Organization Chart
Figure 3.1a	Locations of Air Quality and Construction Noise Monitoring Stations at Eastern Portal
Figure 3.1b	Locations of Air Quality and Construction Noise Monitoring Stations at Western Portal
Figure 3.1c	Locations of Construction Noise Monitoring Stations at Intake E7
Figure 3.1d	Locations of Construction Noise Monitoring Stations at Intake PFLR1
Figure 3.1e	Locations of Construction Noise Monitoring Stations at Intake W0
Figure 3.1f	Locations of Construction Noise Monitoring Stations at Intake RR1
Figure 3.1g	Locations of Construction Noise Monitoring Stations at Intake W5
Figure 3.1h	Locations of Construction Noise Monitoring Stations at Intake E5A
Figure 3.1i	Locations of Construction Noise Monitoring Stations at Intake THR2
Figure 3.1j	Locations of Construction Noise Monitoring Stations at Intake P5
Figure 3.1k	Locations of Construction Noise Monitoring Stations at Intake W8
Figure 3.1l	Locations of Construction Noise Monitoring Stations at Intake DG1
Figure 3.1m	Locations of Construction Noise Monitoring Stations at Intake MA14
Figure 3.1n	Locations of Construction Noise Monitoring Stations at Intake BR6
Figure 4.1a-b	Locations of Water Quality Monitoring Stations
Figure 4.2a-e	Location of Ground Water Level Monitoring Stations

## **LIST OF APPENDICES**

A	Action and Limit Levels for Air Quality, Noise and Water Quality
B	Copies of Calibration Certificates
C	Wind Data
D	Environmental Monitoring Schedules
E	1-hour TSP Monitoring Results, Graphical Presentations
F	24-hour TSP Monitoring Results, Graphical Presentations
G	Noise Monitoring Results and Graphical Presentations
H	Summary of Exceedance
I	Site Audit Summary
J	Environmental Mitigation Implementation Schedule (EMIS)
K	Event Action Plans
L	Complaint Logs
M	Construction Programme
N	Waste Generated Quantity

## **LIST OF ANNEX**

I	Review Report on Handling & Delivery Of Excavation Materials at The Western Portal
II	Proposal of Two Blasts Per Day in Western Adits

## EXECUTIVE SUMMARY

### Introduction

1. This is the 30<sup>th</sup> Environmental Monitoring and Audit (EM&A) Report prepared by Cinotech Consultants Limited for the “Drainage Improvement in Northern Hong Kong Island – Hong Kong West Drainage Tunnel” (the Project). This report documents the findings of EM&A Works conducted in September 2010.
2. The site activities undertaken in the reporting month included:
  - TBM excavation and adit excavation at Eastern and Western Portals;
  - Excavation of Adit W0 by Drill-and-Blast method;
  - Dropshaft stabilization works at Intake MB16;
  - Dropshaft pilot hole drilling & back reaming at Intake MBD2;
  - Excavation of dropshaft at Intake P5 by RCD method;
  - Site preparation works at Intakes W8, MA17, W1, BR5, MA14, BR4 and ,B2;
  - Utility Diversion Works at Intakes CR1;
  - Cofferdam construction at Intakes RR1, E5A, W5, DG1, HR1, BR6 and GL1;
  - Excavation of intake structure at Intakes PFLR1, E7, W10, TP4, TP789, E5B, TP5, MA15 and W3;
  - Permanent Intake structure works at THR2, SM1, HKU1;
  - Slopeworks at Intake M3 on-going delayed commencement due to delayed GEO approval;
  - DDA submissions for Adit/Main Tunnel Intersection, Adits, Stilling Chambers and Turning Bays;
  - DDA submissions for temporary works, slope works and permanent works for Intake Structures;
  - DDA submissions for temporary and permanent works for Dropshafts;
  - Environmental impact monitoring; and
  - Casting of tunnel segments and dropshaft precast rings.

### Environmental Monitoring Works

3. Environmental monitoring for the Project was performed in accordance with the updated EM&A Manual and the monitoring results were checked and reviewed. Site Inspections/Audits were conducted once per week. The implementation of the environmental mitigation measures, Event Action Plans and environmental complaint handling procedures were also checked.
4. Proposal for Temporary Suspension of Water Quality Monitoring Western Portal was submitted on 15<sup>th</sup> September 2009 and approved by EPD on 30<sup>th</sup> October 2009. Marine water quality monitoring was temporary suspended starting from 31<sup>st</sup> October 2009 until there is marine-based construction activities resumed at the Western Portal (i.e. March of 2011 tentatively.)
5. In order to assess the effectiveness of the implementation of water quality mitigation measures at Western Portal, site inspections/audits were conducted at least twice per week at Western Portal starting from November 2009.

6. Summary of the non-compliance of the reporting month is tabulated in Table I.

**Table I Summary Table for Non-compliance Recorded in the Reporting Month**

Parameter	No. of Exceedance		No. of Exceedance Due to the Project		Action Taken
	Action Level	Limit Level	Action Level	Limit Level	
Eastern Portal					
1-hr TSP	0	0	0	0	N/A
24-hr TSP	0	0	0	0	N/A
Noise	0	0	0	0	N/A
Western Portal					
1-hr TSP	0	0	0	0	N/A
24-hr TSP	0	0	0	0	N/A
Noise	0	0	0	0	N/A
Intake DG1					
Noise	0	0	0	0	N/A
Intake E5A					
Noise	0	0	0	0	N/A
Intake E7					
Noise	0	0	0	0	N/A
Intake MA14					
Noise	0	0	0	0	N/A
Intake PFLR1					
Noise	0	0	0	0	N/A
Intake W0					
Noise	0	0	0	0	N/A
Intake RR1					
Noise	0	0	0	0	N/A

Intake W5					
Noise	0	0	0	0	N/A
Intake P5					
Noise	0	0	0	0	N/A
Intake W8					
Noise	0	0	0	0	N/A
Intake BR6					
Noise	0	0	0	0	N/A

Eastern Portal

*1-hour TSP Monitoring*

7. All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

*24-hour TSP Monitoring*

8. All 24-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

*Construction Noise*

9. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Western Portal

*1-hour TSP Monitoring*

10. All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

*24-hour TSP Monitoring*

11. All 24-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

*Construction Noise*

12. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

*Water Quality*

13. Marine water quality monitoring was temporary suspended starting from 31<sup>st</sup> October 2009.

*Construction Ground Borne Noise*

14. No ground borne noise monitoring was conducted in the reporting month.

Intake DG1*Construction Noise*

15. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake E5A*Construction Noise*

16. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake E7*Construction Noise*

17. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake MA14*Construction Noise*

18. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake PFLR1*Construction Noise*

19. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake RR1*Construction Noise*

20. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake W0*Construction Noise*

21. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake W5*Construction Noise*

22. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake P5*Construction Noise*

23. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake W8*Construction Noise*

24. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Intake BR6*Construction Noise*

25. All construction noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

**Environmental Licenses and Permits**

26. Licenses/Permits granted to the Project include the Environmental Permit (EP) for the Project, An Environmental Permit No. EP-272/2007 was issued on 26 April 2007 and Environmental Permit No. EP-272/2007/A was issue on 26 October 2007. Later, the further Environmental Permit (FEP-01/272/2007/A) and (FEP-01/272/2007/B) was issued on 28 January 2008 and 25 June 2009 to Dragages-Nishimatsu Joint Venture.
27. Registration of Chemical Waste Producer (License: 5213-148-D2393-02 for Eastern Portal and No. 5213-172-D2393-01 for Western Portal).
28. Water Discharge License (License No.: EP860/W10/XY0175 for Area of Mount Butler Office, EP860/W10/XY0177 for Eastern Portal, EP820/W9/XT086 and WT00005864-2010 for

Western Portal, EP860/W10/XY0183 for Intake W0, WT00003372-2009 for Intake SM1, WT00003737-2009 for Intake MB16, WT00004126-2009 for Intake HKU1, WT00003738-2009 for THR2, WT00004270-2009 for PFLR1, WT00004806-2009 for Intake E7, WT00004808-2009 for MBD2, WT00004885-2009 for Intake RR1, WT00005135-2009 for Intake W10, WT00005357-2009 for Intake W5, WT00005374-2009 for Intake P5, WT00005376-2009 for Intake TP4, WT00005588-2009 for Intake TP5, WT00005643-2009 for Intake E5A, WT00005754-2010 for Intake W8, WT00005954 for Intake TP789, WT00005915 for Intake E5B, WT00006102-2010 for Intake M3, WT00006415-2010 for Intake MA15, WT00006420-2010 for Intake MA17, WT00006428-2010 for Intake BR6, WT00006609-2010 for Intake HR1, WT00006559-2010 for Intake CR1, WT00006929-2010 for Intake W1, WT00006418-2010 for Intake MA14, WT00006865-2010 for Intake BR5, WT00007039-2010 for Intake DG1, WT00007042-2010 for Intake W3, WT00007043-2010 for Intake GL1, WT00007130-2010 for Intake BR4, WT00007139-2010 for Intake BR6 – SNH17 and WT00007319-2010 for Intake B2 ).

29. Construction Noise Permit (License No.: GW-RS0512-10 and GW-RS0734-10 for Eastern Portal, GW-RS0674-10 and GW-RS0774-10 for Western Portal, GW-RS0522-10 and GW-RS0733-10 for Intake W0, GW-RS0699-10 for Intake SM1, GW-RS0710-10 for Intake PFLR1, GW-RS0441-10 for Intake W3 and GW-RS0468-10 for Intake MA17).



**Key Information in the Reporting Month**

30. Summary of key information in the reporting month is tabulated in Table II.

**Table II Summary Table for Key Information in the Reporting Month**

Event	Event Details		Action Taken	Status	Remark
	Number	Nature			
Complaint received	0	---	N/A	N/A	---
Changes to the assumptions and key construction / operation activities recorded	0	---	N/A	N/A	---
Status of submissions under EP	1	Monthly EM&A Report (August 2010)	Submitted to EPD on 30 September 2010 (EP condition 3.3)	Verified by IEC	---
Notifications of any summons & prosecutions received	0	---	N/A	N/A	---

**Future Key Issues:**

Major site activities for the coming month include:

- TBM excavation and adit excavation at Eastern and Western Portals;
- Excavation of Adit W0 by Drill-and-Blast method;
- Stage 1&2 Structure Construction at Intake SM1;
- Stage 1 Structure Construction at Intake TP4, HKU1, SM1 and THR2;
- Excavation of dropshaft at Intake MBD2 by Raise Boring method;
- Excavation of dropshaft at Intake P5 by RCD method;
- Excavation of intake structure at Intakes E7, E5B, DG1, BR6, PFLR1, W10, TP789, TP5, MA15, and W3;
- Cofferdam construction at Intakes E5A, HR1, GL1, RR1, M3, W8 and MA14;
- Site preparation works for Intakes BR5, W1, BR4, CR1, MA17 and B2;
- Slopeworks at Intake M3;
- Review of Additional and revised Works and redesign necessary to Intake BR4 due to underground structure;
- Casting of tunnel segments and dropshaft precast rings; and
- Demobilization of East TBM.

**Key Future Site Activities in Western Portal:**

- The spoils generated during adit excavation (drill-and-blast) will be delivered by trains to the Adit Spoil Basin at the tunnel portal. Details of the arrangement are presented in Section 6.0.

**Key Future Site Activities in Western Adits:**

- Blasting works will be increased to two times per day. Details of the proposal are presented in Section 6.0.

## 1. INTRODUCTION

### Background

- 1.1 Drainage Improvement in Northern Hong Kong Island – Hong Kong West Drainage Tunnel is a Designated Project (hereafter referred to as “the Project”) under the Environmental Impact Assessment Ordinance (Cap. 449). A study of environmental impact assessment (EIA) was undertaken to consider the key issues of air quality, noise, water quality, ecological, construction waste, landscape and visual, land use, cultural impacts, and identify possible mitigation measures associated with the works. An EIA Report was approved by the Environmental Protection Department (EPD) on 7 April 2006.
- 1.2 The project comprises the construction of a drainage tunnel deep into the ground in Mid-levels of the Northern Hong Kong Island from Tai Hang to Pokfulam to intercept and convey the stormwater from the upper catchment directly to the sea near Cyberport. The Drainage tunnel alignment starts from the Eastern Portal near Haw Par Mansion in Tai Hang and ends at the Western Portal located to the north of Cyberport running underneath the Pok Fu Lam, Tai Tam, Aberdeen and Lung Fu Shan Country Parks. The underground main drainage tunnel is 6.25m-7.25m in diameter and about 11km long. Two portals and a series of connecting adits and drop shafts are also been constructed. The general layout of the Project is shown in **Figure 1.1**.
- 1.3 An Environmental Permit (EP) No. EP-272/2007 was issued on 26 April 2007 for Drainage Improvement in Northern Hong Kong Island – Hong Kong West Drainage Tunnel to Drainage Services Department as the Permit Holder. Later, the further Environmental Permit (FEP-01/272/2007/A) and (FEP-01/272/2007/B) was issued on 28 January 2008 and 25 June 2009 to Dragages-Nishimatsu Joint Venture.
- 1.4 Cinotech Consultants Limited was commissioned by the Dragages-Nishimatsu Joint Venture (the Contractor) to undertake the Environmental Monitoring and Audit (EM&A) works for the Project. The Updated EM&A Manual was prepared by Cinotech to fulfil the requirements of the EP. The construction commencement of this Contract at Eastern Portal was on 17<sup>th</sup> April 2008 and 2<sup>nd</sup> May 2008 at Western Portal (land-based). The marine construction works was commenced on 30 May 2008. This is the 30<sup>th</sup> monthly EM&A report summarizing the EM&A works for the Project in September 2010.

### Project Organizations

- 1.5 Different parties with different levels of involvement in the project organization include:
- Project Proponent – Drainage Services Department (DSD).
  - The Supervising Officer or Supervising Officer’s Representative (SO or SOR) – Ove Arup & Partners (ARUP).
  - Environmental Team (ET) – Cinotech Consultants Limited (CCL).
  - Independent Environmental Checker (IEC) – Allied Environmental Consultants Limited (AEC).
  - Contractor – Dragages-Nishimatsu Joint Venture (DNJV).

1.6 The responsibilities of respective parties are detailed in Sections 1.14 to 1.28 of the updated EM&A Manual of the Project.

1.7 The key contacts of the Project are shown in Table 1.1 and the organization chart of ET is shown in **Figure 2.1**.

**Table 1.1 Key Project Contacts**

Party	Role	Name	Position	Phone No.	Fax No.
DNJV	Permit Holder	Mr. Daniel ALTIER	Project Manager	2671 7333	2671 9300
		Mr. UETAKE H.	Deputy Project Manager		
ARUP	Supervising Officer	Mr. Ted Tang	CRE	6117 6639	2436 1012
		Mr. Jackson Wong	SRE	6117 6636	
		Ms. Angela Yan	RE	3961 5206	
		Mr. Bernard Cheng	RE	98614939	
Cinotech	Environmental Team	Dr. Priscilla Choy	ET Leader	2151 2089	3107 1388
		Ms. Ivy Tam	Project Coordinator and Audit Team Leader	2151 2090	
		Mr. Henry Leung	Monitoring Team Leader	2151 2087	
AEC	Independent Environmental Checker	Ms. Grace Kwok	Independent Environmental Checker	2815 7028	2815 5399
DNJV	Contractor	Mr. Sing Chu	Environmental Officer	3476 0753	2671 9300

### Construction Programme

1.8 The site activities undertaken in the reporting month included:

- TBM excavation and adit excavation at Eastern and Western Portals;
- Excavation of Adit W0 by Drill-and-Blast method;
- Dropshaft stabilization works at Intake MB16;
- Dropshaft pilot hole drilling & back reaming at Intake MBD2;
- Excavation of dropshaft at Intake P5 by RCD method;
- Site preparation works at Intakes W8, MA17, W1, BR5, MA14, BR4 and ,B2;
- Utility Diversion Works at Intakes CR1;
- Cofferdam construction at Intakes RR1, E5A, W5, DG1, HR1, BR6 and GL1;

- Excavation of intake structure at Intakes PFLR1, E7, W10, TP4, TP789, E5B, TP5, MA15 and W3;
- Permanent Intake structure works at THR2, SM1, HKU1;
- Slopeworks at Intake M3 on-going delayed commencement due to delayed GEO approval;
- DDA submissions for Adit/Main Tunnel Intersection, Adits, Stilling Chambers and Turning Bays;
- DDA submissions for temporary works, slope works and permanent works for Intake Structures;
- DDA submissions for temporary and permanent works for Dropshafts;
- Environmental impact monitoring; and
- Casting of tunnel segments and dropshaft precast rings.

**Table 1.2 Construction Programme Showing the Inter-Relationship with Environmental Protection/Mitigation Measures**

Construction Works	Major Environmental Impact	Control Measures
TBM excavation and adit excavation at Eastern and Western Portals	Noise, dust impact, water quality and waste generation	Provided water spraying during dust generation works On-site waste sorting and implementation of trip ticket system Appropriate desilting/sedimentation devices provided on site for treatment before discharge Use of quiet plant and well-maintained construction plant Provide movable noise barrier Provide sufficient mitigation measures as recommended in Approved EIA Report
Excavation of Adit W0 by Drill-and-Blast method		
Dropshaft stabilization works at Intake MB16		
Dropshaft pilot hole drilling & back reaming at Intake MBD2		
Excavation of dropshaft at Intake P5 by RCD method		
Site preparation works at Intakes W8, MA17,W1, BR5, MA14, BR4 and ,B2		
Utility Diversion Works at Intakes CR1		
Cofferdam construction at Intakes RR1, E5A, W5, DG1, HR1, BR6 and GL1		
Excavation of intake structure at Intakes PFLR1, E7, W10, TP4, TP789, E5B, TP5, MA15 and W3		
Permanent Intake structure works at THR2, SM1, HKU1		
Slopeworks at Intake M3 on-going delayed commencement due to delayed GEO approval		
DDA submissions for Adit/Main Tunnel Intersection, Adits, Stilling Chambers and Turning Bays	Nil	Nil
DDA submissions for temporary works, slope works and permanent works for Intake Structures		
DDA submissions for temporary and permanent works for Dropshafts		
Environmental impact monitoring		
Casting of tunnel segments and dropshaft precast rings		

### **Summary of EM&A Requirements**

- 1.9 The EM&A programme requires construction phase monitoring construction noise, air quality and water quality and environmental site audit. The EM&A requirements for each parameter are described in the following sections, including:
- All monitoring parameters;
  - Action and Limit levels for all environmental parameters;
  - Event Action Plans;
  - Environmental mitigation measures, as recommended in the project EIA study final report; and
  - Environmental requirements in contract documents.
- 1.10 The advice on the implementation status of environmental protection and pollution control/mitigation measures is summarized in Section 5 of this report.
- 1.11 This report presents the monitoring results, observations, locations, equipment, period, methodology and QA/QC procedures of the required monitoring parameters, namely air quality, water quality and noise levels and audit works for the Project in September 2010.

## 2. AIR QUALITY

### Monitoring Requirements

- 2.1 1-hour and 24-hour TSP monitoring were conducted to monitor the air quality at Eastern and Western Portals. **Appendix A** shows the established Action/Limit Levels for the environmental monitoring works.

### Monitoring Locations

- 2.2 Three designated monitoring stations, AQ1, AQ2 and AQ3 were selected for impact dust monitoring. Table 2.1 describes the air quality monitoring locations, which are also depicted in **Figure 3.1a-b**.

**Table 2.1 Locations for Air Quality Monitoring**

Monitoring Stations	Locations
AQ1	True Light Middle School of Hong Kong
AQ2	Outside Aegean Terrace
AQ3	Outside The Site Office at Western Portal

### Monitoring Equipment

- 2.3 Table 2.2 summarizes the equipment used in the impact air monitoring programme. Copies of calibration certificates are attached in **Appendix B**.

**Table 2.2 Air Quality Monitoring Equipment**

Equipment	Model and Make	Quantity
Calibrator	TE-5028A	1
1-hour TSP Dust Meter	Laser Dust Monitor – Model LD3	2
HVS Sampler	GMWS 2310 c/w of TSP sampling inlet	2

### Monitoring Parameters, Frequency and Duration

- 2.4 Table 2.3 summarizes the monitoring parameters and frequencies of impact dust monitoring for the whole construction period. The air quality monitoring schedule for the reporting month is shown in **Appendix D**.

**Table 2.3 Impact Dust Monitoring Parameters, Frequency and Duration**

Parameters	Frequency
1-hr TSP	Three times / 6 days
24-hr TSP	Once / 6 days

## **Monitoring Methodology and QA/QC Procedure**

### *1-hour TSP Monitoring*

#### Measuring Procedures

2.5 The measuring procedures of the 1-hour dust meters were in accordance with the Manufacturer's Instruction Manual as follows:

- Pull up the air sampling inlet cover
- Change the Mode 0 to BG with once
- Push Start/Stop switch once
- Turn the knob to SENSI.ADJ and press it
- Push Start/Stop switch once
- Return the knob to the position MEASURE slowly
- Push the timer set switch to set measuring time
- Remove the cap and make a measurement

#### Maintenance/Calibration

2.6 The following maintenance/calibration was required for the direct dust meters:

- Check the meter regularly and calibrate the meter at bi-monthly interval throughout all stages of the air quality monitoring.

### *24-hour TSP Monitoring*

#### Instrumentation

2.7 High volume (HVS) samplers (Model GMWS-2310 Accu-Vol) completed with appropriate sampling inlets were employed for 24-hour TSP monitoring. The sampler was composed of a motor, a filter holder, a flow controller and a sampling inlet and its performance specification complied with that required by USEPA Standard Title 40, Code of Federation Regulations Chapter 1 (Part 50). Moreover, the HVS also met all the requirements in section 2.5 of the updated EM&A Manual.

#### Operating/Analytical Procedures

2.8 Operating/analytical procedures for the operation of HVS were as follows:

- A horizontal platform was provided with appropriate support to secure the samplers against gusty wind.
- No two samplers were placed less than 2 meters apart.
- The distance between the sampler and an obstacle, such as buildings, was at least twice the height that the obstacle protrudes above the sampler.
- A minimum of 2 meters of separation from walls, parapets and penthouses was required for rooftop samples.
- A minimum of 2 meters separation from any supporting structure, measured horizontally was required.
- No furnaces or incineration flues were nearby.
- Airflow around the sampler was unrestricted.



- The sampler was more than 20 meters from the drip line.
  - Any wire fence and gate, to protect the sampler, should not cause any obstruction during monitoring.
- 2.9 Prior to the commencement of the dust sampling, the flow rate of the high volume sampler was properly set (between 1.1 m<sup>3</sup>/min. and 1.4 m<sup>3</sup>/min.) in accordance with the manufacturer's instruction to within the range recommended in USEPA Standard Title 40, CFR Part 50.
- 2.10 For TSP sampling, fiberglass filters (G810) were used [Note: these filters have a collection efficiency of > 99% for particles of 0.3 mm diameter].
- 2.11 The power supply was checked to ensure the sampler worked properly. On sampling, the sampler was operated for 5 minutes to establish thermal equilibrium before placing any filter media at the designated air monitoring station.
- 2.12 The filter holding frame was then removed by loosening the four nuts and a weighted and conditioned filter was carefully centered with the stamped number upwards, on a supporting screen.
- 2.13 The filter was aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter. Then the filter holding frame was tightened to the filter holder with swing bolts. The applied pressure should be sufficient to avoid air leakage at the edges.
- 2.14 The shelter lid was closed and secured with the aluminum strip.
- 2.15 The timer was then programmed. Information was recorded on the record sheet, which included the starting time, the weather condition and the filter number (the initial weight of the filter paper can be found out by using the filter number).
- 2.16 After sampling, the filter was removed and sent to the HOKLAS laboratory (Wellab Ltd.) for weighing. The elapsed time was also recorded.
- 2.17 Before weighing, all filters were equilibrated in a conditioning environment for 24 hours. The conditioning environment temperature should be between 25°C and 30°C and not vary by more than ±3°C; the relative humidity (RH) should be < 50% and not vary by more than ±5%. A convenient working RH is 40%.

#### Maintenance/Calibration

- 2.18 The following maintenance/calibration was required for the HVS:
- The high volume motors and their accessories were properly maintained. Appropriate maintenance such as routine motor brushes replacement and electrical wiring checking were made to ensure that the equipment and necessary power supply are in good working condition.
  - High volume samplers were calibrated at bi-monthly intervals using TE-5028A Calibration Kit throughout all stages of the air quality monitoring.

**Results and Observations**

Eastern Portal (AQ1)

- 2.19 All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.
- 2.20 All 24-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Western Portal (AQ2)

- 2.21 All 1-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

Western Portal (AQ3)

- 2.22 All 24-hour TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.
- 2.23 Wind data was obtained from the Meteorological Observations for King’s Park Automatic Weather Station for Eastern Portal and Wong Chuk Hang Automatic Weather Station for Western Portal. These wind data for the reporting period is summarized in **Appendix C**.
- 2.24 The monitoring data and graphical presentations of 1-hour and 24-hour TSP monitoring results are shown in **Appendices E and F** respectively.
- 2.25 The summary of exceedance record in reporting month is shown in **Appendix H**.
- 2.26 In accordance with Condition 4.2 of the EP, all environmental monitoring data was made available to the public via internet access at the website <http://www.cinotech.com.hk/projects/WestDrainageTunnel/>.
- 2.27 According to our field observations, the major dust source identified at the designated air quality monitoring stations are as follows:

Area	Station	Major Noise Source
Eastern Portal	AQ1 – True Light Middle School of Hong Kong	Road Traffic Dust Loading/unloading activities
Western Portal	AQ2 – Outside Aegean Terrace	Road Traffic Dust Loading/unloading activities
	AQ3 – Outside The Site Office at Western Portal	

**Table 2.4 Summary Table of Air Quality Monitoring Results during the reporting month**

Parameter	Date	Concentration (µg/m <sup>3</sup> )	Action Level, µg/m <sup>3</sup>	Limit Level, µg/m <sup>3</sup>
<b>Eastern Portal</b>				
1-hr TSP (AQ1)	3-Sep-10	58.6	345	500
	3-Sep-10	81.8		
	3-Sep-10	113.1		
	9-Sep-10	65.4		
	9-Sep-10	47.7		
	9-Sep-10	83.2		
	15-Sep-10	57.1		
	15-Sep-10	53.0		
	15-Sep-10	51.7		
	21-Sep-10	122.0		
	21-Sep-10	100.3		
	21-Sep-10	137.0		
	27-Sep-10	89.6		
	27-Sep-10	114.1		
27-Sep-10	122.3			
24-hr TSP (AQ1)	4-Sep-10	17.4	201	260
	10-Sep-10	50.6		
	16-Sep-10	42.5		
	22-Sep-10	29.4		
	28-Sep-10	24.4		
<b>Western Portal</b>				
1-hr TSP (AQ2)	3-Sep-10	91.8	321	500
	3-Sep-10	77.4		
	3-Sep-10	75.0		
	9-Sep-10	58.6		
	9-Sep-10	58.1		
	9-Sep-10	57.5		
	15-Sep-10	53.4		
	15-Sep-10	49.3		
	15-Sep-10	49.6		
	21-Sep-10	52.5		
	21-Sep-10	52.7		
	21-Sep-10	53.2		
	27-Sep-10	43.0		
	27-Sep-10	45.8		
27-Sep-10	43.9			
24-hr TSP (AQ3)	4-Sep-10	22.9	156	260
	10-Sep-10	85.8		
	16-Sep-10	42.0		
	22-Sep-10	52.9		
	28-Sep-10	51.7		

### 3. NOISE

#### Airborne Construction Noise Monitoring

##### Monitoring Requirements

3.1 Eighteen noise monitoring stations, namely NC1, NC2, NC3, NC4, NC5, NC6, NC7, NC8, NC9, NC10, NC11, NC12, NC13, NC14, NC15, NC16, NC17, NC18 and NC19 were selected for impact monitoring in the reporting month. **Appendix A** shows the established Action and Limit Levels for the environmental monitoring works.

##### Monitoring Locations

3.2 Noise monitoring was conducted at ten designated monitoring stations as listed in Table 3.1. **Figure 3.1a-n** shows the locations of these stations.

**Table 3.1 Noise Monitoring Stations**

Monitoring Stations	Locations
NC1/NC1a	True Light Middle School of Hong Kong/Outside True Light Middle School of Hong Kong
NC2	The Legend
NC3	Outside Aegean Terrace
NC4	Man Yuen Garden
NC5	Blk D Villa Monte Rosa
NC6	Rosaryhill School
NC7	Buddist Li Ka Shing Care & Attention Home for the Elderly
NC8	Marymount Secondary School
NC9	117 Blue Pool Road
NC10	The Harbour View
NC11	Honey Court
NC12	Ying Wa Girl's School
NC13	Peaksville Court
NC14	Hong Kong Japanese School
NC15	Hong Kong Academy
NC16	Raimondi College
NC17	Hong Kong Institute of Technology
NC18	Blk A, 80 Robinson Road
NC19	Villa Veneto

##### Monitoring Equipment

3.3 Table 3.2 summarizes the noise monitoring equipment. Copies of calibration certificates are provided in **Appendix B**.

**Table 3.2 Noise Monitoring Equipment**

Equipment	Model and Make	Qty.
Integrating Sound Level Meter	B&K Model 2238 and SVAN 955	5
Calibrator	B&K 4231 and SVAN 30A	4

**Monitoring Parameters, Frequency and Duration**

3.4 Table 3.3 summarizes the monitoring parameters, frequency and total duration of monitoring. The noise monitoring schedule is shown in **Appendix D**.

**Table 3.3 Noise Monitoring Parameters, Frequency and Duration**

Monitoring Stations	Parameter	Period	Frequency	Measurement
NC1 NC2 NC3 NC4 *NC5 NC6 NC7 NC8 NC9 NC10 *NC11 NC12 NC13 NC14 *NC15 NC16 NC17 NC18 NC19	L <sub>10</sub> (30 min.) dB(A) L <sub>90</sub> (30 min.) dB(A) L <sub>eq</sub> (30 min.) dB(A)	0700-1900 hrs on normal weekdays	Once per week	Façade
NC1a NC2 NC3	L <sub>10</sub> (5 min.) dB(A) L <sub>90</sub> (5 min.) dB(A) L <sub>eq</sub> (5 min.) dB(A)	1900 – 2300 hrs on all other days 0700 – 2300 hrs holidays & 2300 – 0700 hrs of next day		

\*Free Field Measurement

**Monitoring Methodology and QA/QC Procedures**

- The Sound Level Meter was set on a tripod at a height of 1.2 m above the ground.
- For free field measurement, the meter was positioned away from any nearby reflective surfaces. All records for free field noise levels were adjusted with a correction of +3 dB(A).

- The battery condition was checked to ensure the correct functioning of the meter.
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
  - frequency weighting : A
  - time weighting : Fast
  - time measurement : 30 minutes / 5 minutes
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94.0 dB at 1000 Hz. If the difference in the calibration level before and after measurement was more than 1.0 dB, the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.
- The wind speed was frequently checked with the portable wind meter.
- At the end of the monitoring period, the  $L_{eq}$ ,  $L_{90}$  and  $L_{10}$  were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.
- Noise measurement was paused temporarily during periods of high intrusive noise if possible and observation was recorded when intrusive noise was not avoided.
- Noise monitoring was cancelled in the presence of fog, rain, and wind with a steady speed exceeding 5 m/s, or wind with gusts exceeding 10 m/s.

### **Maintenance and Calibration**

- 3.5 The microphone head of the sound level meter and calibrator were cleaned with a soft cloth at quarterly intervals.
- 3.6 The sound level meter and calibrator were checked and calibrated at yearly intervals.
- 3.7 Immediately prior to and following each noise measurement the accuracy of the sound level meter shall be checked using an acoustic calibrator generating a known sound pressure level at a known frequency. Measurements may be accepted as valid only if the calibration levels from before and after the noise measurement agree to within 1.0 dB.

### **Results and Observations**

- 3.8 Noise monitoring (0700-1900 hrs on normal weekdays, 1900-2300 hrs on all other days, 2300-0700 hrs of next day and 0700-1900 hrs on holidays) at the three designated locations (NC1/NC1a (for restricted hours), NC2 and NC3) was conducted as scheduled in the reporting month for Eastern and Western Portal.
- 3.9 As the noise monitoring for restricted hours inside the True Light Middle School of Hong Kong (NC1) throughout the construction period will cause disturbance to them. Thus, the noise monitoring for evening time will be conducted at outside the school (NC1a) at the nearest of the staff accommodation. As no baseline noise monitoring has been conducted at NC1a and the major noise source was the traffic noise along Tai Hang Road. The noise monitoring results will be adjusted with the reference baseline noise level at NC1 (1900-2300 on all other days and 0700 – 2300 hrs holidays & 2300 – 0700 hrs of next day) and will be used as reference only.
- 3.10 Noise monitoring (0700-1900 hrs on normal weekdays) at NC5, NC6, NC7, NC8, NC9, NC10, NC11, NC12, NC13, NC14, NC15, NC16, NC17, NC18 and NC19 were conducted

as scheduled in the reporting month for Intake DG1, E5A, E7, MA14, PFLR1, RR1, THR2, W0, W5 and P5 respectively.

- 3.11 Noise monitoring (0700-1900 hrs on normal weekdays) at NC4 – Man Yuen Garden for Intake BR6 was starting in September 2010.

Eastern Portal (NC1 & NC2) – 0700-1900 hrs on normal weekdays

- 3.12 No Action/Limit Level exceedance was recorded.

Eastern Portal (NC1a & NC2) – 1900-2300 hrs on all other days and 0700-2300 hrs on holidays

- 3.13 No Action/Limit Level exceedance was recorded.

Eastern Portal (NC1a & NC2) – 2300-0700 hrs of next day

- 3.14 No Action/Limit Level exceedance was recorded.

Western Portal (NC3) – 0700-1900 hrs on normal weekdays

- 3.15 No Action/Limit Level exceedance was recorded.

Western Portal (NC3) – 1900-2300 hrs on all other days and 0700-2300 hrs on holidays

- 3.16 No Action/Limit Level exceedance was recorded.

Western Portal (NC3) – 2300-0700 hrs of next day

- 3.17 No Action/Limit Level exceedance was recorded.

Intake BR6 (NC4) – 0700-1900 hrs on normal weekdays

- 3.18 No Action/Limit Level exceedance was recorded.

Intake DG1 (NC5) – 0700-1900 hrs on normal weekdays

- 3.19 No Action/Limit Level exceedance was recorded.

Intake DG1 (NC6) – 0700-1900 hrs on normal weekdays

- 3.20 No Action/Limit Level exceedance was recorded.

Intake E5A (NC7) – 0700-1900 hrs on normal weekdays

- 3.21 No Action/Limit Level exceedance was recorded.

Intake E7 (NC8) – 0700-1900 hrs on normal weekdays

3.22 No Action/Limit Level exceedance was recorded.

Intake E7 (NC9) – 0700-1900 hrs on normal weekdays

3.23 No Action/Limit Level exceedance was recorded.

Intake MA14 (NC10) – 0700-1900 hrs on normal weekdays

3.24 No Action/Limit Level exceedance was recorded.

Intake PFLR1 (NC11) – 0700-1900 hrs on normal weekdays

3.25 No Action/Limit Level exceedance was recorded.

Intake RR1 (NC12) – 0700-1900 hrs on normal weekdays

3.26 No Action/Limit Level exceedance was recorded.

Intake RR1 (NC13) – 0700-1900 hrs on normal weekdays

3.27 No Action/Limit Level exceedance was recorded.

Intake THR2 (NC14) – 0700-1900 hrs on normal weekdays

3.28 No Action/Limit Level exceedance was recorded.

Intake W0 (NC15) – 0700-1900 hrs on normal weekdays

3.29 No Action/Limit Level exceedance was recorded.

Intake W5 (NC16) – 0700-1900 hrs on normal weekdays

3.30 No Action/Limit Level exceedance was recorded.

Intake W8 (NC17) – 0700-1900 hrs on normal weekdays

3.31 No Action/Limit Level exceedance was recorded.

Intake W8 (NC18) – 0700-1900 hrs on normal weekdays

3.32 No Action/Limit Level exceedance was recorded.

Intake P5 (NC19) – 0700-1900 hrs on normal weekdays

3.33 No Action/Limit Level exceedance was recorded.

3.34 The summary of exceedance record in reporting month is shown in **Appendix H**.



- 3.35 All the Construction Noise Levels (CNLs) reported in this report were adjusted with the corresponding baseline level (i.e. Measured Leq – Baseline Leq = Measured CNL), in order to facilitate the interpretation of the noise exceedance. The baseline noise level and the Noise Limit Level at each designated noise monitoring station are presented at Table 3.4.
- 3.36 Noise monitoring results and graphical presentations are shown in **Appendix G**. In accordance with Condition 4.2 of the EP, all environmental monitoring data was made available to the public via internet access at the website <http://www.cinotech.com.hk/projects/WestDrainageTunnel/>.
- 3.37 The major noise source identified at the designated noise monitoring stations are as follows:

<b>Area</b>	<b>Station</b>	<b>Major Noise Source</b>
Eastern Portal	NC1 – True Light Middle School of Hong Kong	Traffic Noise Loading/unloading activities
	NC2 – The Legend	
Western Portal	NC3 – Outside Aegean Terrace	Traffic Noise Loading/unloading activities
Intake BR6	NC4 - Man Yuen Garden	Traffic Noise Piling works
Intake DG1	NC5 - Blk D Villa Monte Rosa	Traffic Noise Excavation works
	NC6 - Rosaryhill School	
Intake E5A	NC7 - Buddhist Li Ka Shing Care & Attention Home for the Elderly	Traffic Noise Excavation works
Intake E7	NC8 – Marymount Secondary School	Traffic Noise Excavation works
	NC9 – 117 Blue Pool Road	
Intake MA14	NC10 - The Harbour View	Traffic Noise Site preparation works
Intake PFLR1	NC11 – Honey Court	Traffic Noise Excavation works
Intake RR1	NC12 – Ying Wa Girl’s School	Traffic Noise Excavation works
	NC13 – Peaksville Court	
Intake THR2	NC14 – Hong Kong Japanese School	Traffic Noise Excavation works
Intake W0	NC15 – Hong Kong Academy	Traffic Noise Excavation works (Drill-and-Blast)
Intake W5	NC16 - Raimondi College	Traffic Noise Excavation works
Intake W8	NC17 - Hong Kong Institute of Technology	Traffic Noise Site preparation works
	NC18 - Blk A, 80 Robinson Road	
Intake P5	NC19 – Villa Veneto	Traffic Noise Excavation works (RCD method)

**Table 3.4 Baseline Noise Level and Noise Limit Level for Monitoring Stations**

<b>Station</b>	<b>Baseline Noise Level, dB (A)</b>	<b>Noise Limit Level, dB (A)</b>
NC1 – True Light Middle School of Hong Kong	70.2 (at 0700 – 1900 hrs on normal weekdays)	70* (at 0700 – 1900 hrs on normal weekdays)
NC1a – Outside True Light Middle School of Hong Kong (the nearest of staff accommodation)	65.8 (at 0700 – 2300 hrs holidays & 1900 – 2300 hrs on all other days ) 60.7 (at 2300 – 0700 hrs of next day) <b>(reference)</b>	65 (at 0700 – 2300 hrs holidays & 1900 – 2300 hrs on all other days )  50 (at 2300 – 0700 hrs of next day)
NC2 – The Legend	64.8 (at 0700 – 1900 hrs on normal weekdays) 59.1 (at 0700 – 2300 hrs holidays & 1900 – 2300 hrs on all other days ) 53.9 (at 2300 – 0700 hrs of next day)	75 (at 0700 – 1900 hrs on normal weekdays)
NC3 – Outside Aegean Terrace	57.7 (at 0700 – 1900 hrs on normal weekdays) 53.8 (at 0700 – 2300 hrs holidays & 1900 – 2300 hrs on all other days ) 52.0 (at 2300 – 0700 hrs of next day)	65 (at 0700 – 2300 hrs holidays & 1900 – 2300 hrs on all other days )  50 (at 2300 – 0700 hrs of next day)
NC4 – Man Yuen Garden	64.5 (at 0700 – 1900 hrs on normal weekdays) 61.6 (at 0700 – 2300 hrs holidays & 1900 – 2300 hrs on all other days ) 54.8 (at 2300 – 0700 hrs of next day)	75 (at 0700 – 1900 hrs on normal weekdays)
NC5 - Blk D Villa Monte Rosa	66.1(at 0700 – 1900 hrs on normal weekdays)	75 (at 0700 – 1900 hrs on normal weekdays)
NC6 - Rosaryhill School	64.1 (at 0700 – 1900 hrs on normal weekdays)	70* (at 0700 – 1900 hrs on normal weekdays)
NC7 - Buddhist Li Ka Shing Care & Attention Home for the Elderly	65.1 (at 0700 – 1900 hrs on normal weekdays)	75 (at 0700 – 1900 hrs on normal weekdays)
NC8 – Marymount Secondary School	63.5 (at 0700 – 1900 hrs on normal weekdays)	70* (at 0700 – 1900 hrs on normal weekdays)
NC9 – 117 Blue Pool Road	63.3 (at 0700 – 1900 hrs on normal weekdays)	75 (at 0700 – 1900 hrs on normal weekdays)
NC10 – The Harbour View	71.7 (at 0700 – 1900 hrs on normal weekdays)	75 (at 0700 – 1900 hrs on normal weekdays)
NC11 – Honey Court	63.2 (at 0700 – 1900 hrs on normal weekdays)	75 (at 0700 – 1900 hrs on normal weekdays)

NC12 – Ying Wa Girl’s School	67.1 (at 0700 – 1900 hrs on normal weekdays)	70* (at 0700 – 1900 hrs on normal weekdays)
NC13 - Peakville Court	65.2 (at 0700 – 1900 hrs on normal weekdays)	75 (at 0700 – 1900 hrs on normal weekdays)
NC14 – Hong Kong Japanese School	60.8 (at 0700 – 1900 hrs on normal weekdays)	70* (at 0700 – 1900 hrs on normal weekdays)
NC15 – Hong Kong Academy	63.5 (at 0700 – 1900 hrs on normal weekdays)	70* (at 0700 – 1900 hrs on normal weekdays)
NC16 - Raimondi College	70.4 (at 0700 – 1900 hrs on normal weekdays)	70* (at 0700 – 1900 hrs on normal weekdays)
NC17 - Hong Kong Institute of Technology	66.0 (at 0700 – 1900 hrs on normal weekdays)	70* (at 0700 – 1900 hrs on normal weekdays)
NC18 - Blk A, 80 Robinson Road	64.8 (at 0700 – 1900 hrs on normal weekdays)	75 (at 0700 – 1900 hrs on normal weekdays)
NC19 – Villa Veneto	68.6 (at 0700 – 1900 hrs on normal weekdays)	75 (at 0700 – 1900 hrs on normal weekdays)

(\*) reduce to 65 dB(A) during school examination periods.

**Table 3.5 Summary Table of Noise Monitoring Results during the Reporting Month**

Parameter	Date	Construction Noise Level : Leq(30min) dB (A)	Action Level	Limit Level,
<b>07:00 – 19:00 hrs on normal weekdays</b>				
Eastern Portal				
NC1	6-Sep-10	67.4 Measured $\leq$ Baseline	When one documented complaint is received	70*dB(A)
	13-Sep-10	67.4 Measured $\leq$ Baseline		
	24-Sep-10	67.9 Measured $\leq$ Baseline		
	29-Sep-10	69.3 Measured $\leq$ Baseline		
NC2	6-Sep-10	66.9		75dB(A)
	13-Sep-10	69.3		
	24-Sep-10	67.6		
	29-Sep-10	68.7		
Western Portal				
NC3	6-Sep-10	56.8 Measured $\leq$ Baseline	When one documented complaint is received	75dB(A)
	13-Sep-10	55.7 Measured $\leq$ Baseline		
	24-Sep-10	53.4 Measured $\leq$ Baseline		
	29-Sep-10	53.7 Measured $\leq$ Baseline		
Intake BR6				
NC4	6-Sep-10	71.1	When one documented complaint is received	75dB(A)
	13-Sep-10	68.6		
	24-Sep-10	70.8		
	29-Sep-10	71.5		
Intake DG1				
NC5	6-Sep-10	69.7	When one documented complaint is received	75dB(A)
	13-Sep-10	67.4		
	24-Sep-10	69.6		
	29-Sep-10	67.4		
NC6	6-Sep-10	63.9 Measured $\leq$ Baseline		70*dB(A)
	13-Sep-10	50.8		
	24-Sep-10	55.0		
	29-Sep-10	55.8		
Intake E5A				
NC7	6-Sep-10	71.9	When one documented complaint is received	75dB(A)
	13-Sep-10	71.7		
	24-Sep-10	71.3		
	29-Sep-10	68.4		
Intake E7				
NC8	6-Sep-10	60.9	When one documented complaint is received	70*dB(A)
	13-Sep-10	58.5		
	24-Sep-10	53.3		
	29-Sep-10	63.7		
NC9	6-Sep-10	64.6		75dB(A)
	13-Sep-10	66.5		
	24-Sep-10	67.1		
	29-Sep-10	67.8		
Intake MA14				

NC10	6-Sep-10	69.9 Measured $\leq$ Baseline	When one documented complaint is received	75dB(A)
	13-Sep-10	71.2 Measured $\leq$ Baseline		
	24-Sep-10	69.9 Measured $\leq$ Baseline		
	29-Sep-10	70.8 Measured $\leq$ Baseline		
Intake PFLR1				
NC11	6-Sep-10	63.2	When one documented complaint is received	75dB(A)
	13-Sep-10	65.6		
	24-Sep-10	62.6		
	29-Sep-10	64.3		
Intake RR1				
NC12	6-Sep-10	63.9 Measured $\leq$ Baseline	When one documented complaint is received	70*dB(A)
	13-Sep-10	63.9 Measured $\leq$ Baseline		
	24-Sep-10	63.7 Measured $\leq$ Baseline		
	29-Sep-10	63.7 Measured $\leq$ Baseline		
NC13	6-Sep-10	70.6		75dB(A)
	13-Sep-10	71.4		
	24-Sep-10	72.0		
	29-Sep-10	69.9		
Intake THR2				
NC14	6-Sep-10	64.4	When one documented complaint is received	70*dB(A)
	13-Sep-10	64.6		
	24-Sep-10	63.6		
	29-Sep-10	62.4		
Intake W0				
NC15	6-Sep-10	64.1	When one documented complaint is received	70*dB(A)
	13-Sep-10	63.9		
	24-Sep-10	64.1		
	29-Sep-10	61.7		
Intake W5				
NC16	6-Sep-10	64.2 Measured $\leq$ Baseline	When one documented complaint is received	70*dB(A)
	13-Sep-10	64.1 Measured $\leq$ Baseline		
	24-Sep-10	63.2 Measured $\leq$ Baseline		
	29-Sep-10	63.0 Measured $\leq$ Baseline		
Intake W8				
NC 17	6-Sep-10	65.9 Measured $\leq$ Baseline	When one documented complaint is received	70*dB(A)
	13-Sep-10	60.1		
	24-Sep-10	61.0		
	29-Sep-10	60.1		
NC 18	6-Sep-10	69.5		75dB(A)
	13-Sep-10	70.6		
	24-Sep-10	70.2		
	29-Sep-10	70.6		
Intake P5				
NC19	6-Sep-10	66.8 Measured $\leq$ Baseline	When one documented complaint is	75dB(A)
	13-Sep-10	67.0 Measured $\leq$ Baseline		
	24-Sep-10	67.7 Measured $\leq$ Baseline		

	29-Sep-10	65.7 Measured $\leq$ Baseline	received	
<b>(Restricted Hours – 07:00 – 23:00 hrs holidays &amp; 19:00 – 23:00 hrs on all other days )</b>				
Parameter	Date	Construction Noise Level : Leq(5min) dB (A)	Action Level	Limit Level,
Eastern Portal				
NC1a (Reference)	5-Sep-10	64.7 Measured $\leq$ Baseline	When one documented complaint is received	65dB(A)
	6-Sep-10	62.3		
	12-Sep-10	62.9		
	13-Sep-10	63.7		
	19-Sep-10	59.9		
	24-Sep-10	64.0		
	26-Sep-10	64.5 Measured $\leq$ Baseline		
	29-Sep-10	62.6		
NC2	5-Sep-10	59.8		
	6-Sep-10	64.8		
	12-Sep-10	63.7		
	13-Sep-10	64.6		
	19-Sep-10	64.5		
	24-Sep-10	64.6		
	26-Sep-10	61.5		
29-Sep-10	62.9			
Western Portal				
NC3	5-Sep-10	52.5 Measured $\leq$ Baseline	When one documented complaint is received	65dB(A)
	6-Sep-10	52.0 Measured $\leq$ Baseline		
	12-Sep-10	37.5		
	13-Sep-10	50.1 Measured $\leq$ Baseline		
	19-Sep-10	53.6 Measured $\leq$ Baseline		
	24-Sep-10	49.9 Measured $\leq$ Baseline		
	26-Sep-10	52.4 Measured $\leq$ Baseline		
	29-Sep-10	49.0 Measured $\leq$ Baseline		
<b>(Restricted Hours – 23:00 – 07:00 hrs of next day )</b>				
Eastern Portal				
NC1a (Reference)	6-Sep-10	58.5 Measured $\leq$ Baseline	When one documented complaint is received	50dB(A)
	13-Sep-10	57.3 Measured $\leq$ Baseline		
	24-Sep-10	56.7 Measured $\leq$ Baseline		
	29-Sep-10	55.5 Measured $\leq$ Baseline		
NC2	6-Sep-10	52.4 Measured $\leq$ Baseline		
	13-Sep-10	52.0 Measured $\leq$ Baseline		
	24-Sep-10	51.4 Measured $\leq$ Baseline		
	29-Sep-10	51.7 Measured $\leq$ Baseline		
Western Portal				
NC3	7-Sep-10	49.8 Measured $\leq$ Baseline	When one documented complaint is received	50dB(A)
	14-Sep-10	49.5 Measured $\leq$ Baseline		
	25-Sep-10	50.2 Measured $\leq$ Baseline		
	30-Sep-10	49.4 Measured $\leq$ Baseline		

(\*) reduce to 65 dB(A) during school examination periods.

## **Ground Borne Construction Noise Monitoring**

### **Monitoring Requirements**

- 3.38 In accordance with the recommendations of the EIA study, ground borne noise monitoring is required to carry out during the TBM operation. Eight designated monitoring stations (GNC1 to GNC8) are designated for construction groundborne noise monitoring to check for compliance.

### **Monitoring Locations**

- 3.39 Construction Ground Borne Noise Monitoring at GNC3 was temporary suspended since 7 May 2009 as the ISS EastPoint Property Management Ltd. received an instruction from the Incorporated Owners of Aegean Terrace that we are not permitted to conduct any noise monitoring inside Aegean Terrace for the Project.
- 3.40 According to the approved EIA report, noise monitoring should be performed at NSR1a (i.e. Crane Court) when TBM is operating through the tunnel section between points A and B). Therefore, Ground borne noise monitoring has been conducted at Crane Court (GNC4) since 3 June 2009 during the TBM operated.
- 3.41 Ground borne noise monitoring at GNC1 – True Light Middle School, GNC2 – The Legend and GNC4 – Crane Court were completed by end of August 2009 accordingly.
- 3.42 Ground borne noise monitoring at GNC5 was completed by end of November 2009.
- 3.43 Ground borne noise monitoring was conducted at GNC6 – French International School in the reporting month during the TBM operation and completed by end of June 2010.

### **Results and Observations**

- 3.44 No ground borne noise monitoring was conducted in the reporting month.



#### 4. WATER QUALITY

##### Monitoring Requirements

- 4.1 Dissolved oxygen (DO concentration in mg/L and DO saturation in percentage), Turbidity (Tby in NTU), Suspended Solid (SS in mg/L), pH, salinity and both water and ambient temperature monitoring were conducted to monitor the water quality. **Appendix A** shows the established Action/Limit Levels for the environmental monitoring works.
- 4.2 Proposal for Temporary Suspension of Water Quality Monitoring Western Portal was submitted on 15<sup>th</sup> September 2009 and approved by EPD on 30<sup>th</sup> October 2009. Marine water quality monitoring was temporary suspended starting from 31<sup>st</sup> October 2009 until there is marine-based construction activities resumed at the Western Portal (i.e. March of 2011 tentatively.)

##### Monitoring Locations

- 4.3 Locations of designated Water Quality Monitoring Stations are shown in **Figure 4.1a-b** and described in Table 4.1. Samples shall be taken at all designated Monitoring and Control Stations.

**Table 4.1 Locations for Water Quality Monitoring**

Monitoring Stations	Coordinates	
	Northing	Easting
<i>Control Stations</i>		
CE (Ebb)	814956	830026
CF (Flood)	812420	831778
<i>Impact Stations</i>		
I1	813654	831088
I2	813582	831105
Intake A	813044	831603
Intake B	814583	830606

##### Results and Observations

- 4.4 No marine water quality monitoring was conducted during the reporting month.

##### Underground water level

- 4.5 Ground water levels were measured once per month during the construction phase in order to ensure the water levels at those intakes near to the natural stream courses and thus on the surrounding habitats will not be significantly affected.
- 4.6 Locations of designated ground water level (borehole with piezometer) monitoring station UC1 at Eastern Portal has been changed to ADH48 which was verified by IEC on 5<sup>th</sup> June 2008. The updated ground water level monitoring stations, TP789\_DH2, TP5\_DH2, THR2\_DH7 and PFLR1\_DH2 were also verified by IEC on 19<sup>th</sup> June 2010.

4.7 Ground water level monitoring location is shown in **Figure 4.2a-e** and the Monitoring data are shown in Table 4.2.

**Table 4.2 Ground Water Level Monitoring Data**

Date	Water Level (from ground)/m
<b>Location: ADH48 (Eastern Portal)</b>	
9 September 2010	7.85
<b>Location: TP789_DH2</b>	
25 September 2010	14.30
<b>Location: TP5_DH2</b>	
25 September 2010	Obstructed
<b>Location: THR2_DH7</b>	
25 September 2010	1.60
<b>Location:PFLR1_DH2</b>	
24 September 2010	11.42

## 5. ENVIRONMENTAL AUDIT

### Site Audits

- 5.1 Site audits were carried out on a weekly basis to monitor the timely implementation of proper environmental management practices and mitigation measures in the Project site. The summaries of site audits are attached in **Appendix I**.
- 5.2 Site audits were conducted on 1<sup>st</sup>, 9<sup>th</sup>, 16<sup>th</sup>, 24<sup>th</sup> and 30<sup>th</sup> September 2010. IEC site inspections were conducted on 30<sup>th</sup> September 2010. No non-compliance was observed during the site audits.
- 5.3 In order to assess the effectiveness of the implementation of water quality mitigation measures at Western Portal, additional site inspection was conducted on 6<sup>th</sup>, 13<sup>th</sup>, 21<sup>st</sup> and 29<sup>th</sup> September 2010. No non-compliance was observed during the site audits.

### Review of Environmental Monitoring Procedures

- 5.4 The monitoring works conducted by the monitoring team were inspected regularly. The following observations have been recorded for the monitoring works:

#### *Air Quality Monitoring*

- The monitoring team recorded all observations around the monitoring stations within and outside the construction site.
- The monitoring team recorded the temperature and weather conditions on the monitoring days.

#### *Noise Monitoring*

- The monitoring team recorded all observations around the monitoring stations, which might affect the monitoring result.
- Major noise sources were identified and recorded. Other intrusive noise attributing to the result was trimmed off by pausing the monitoring temporarily.

### Status of Environmental Licensing and Permitting

- 5.5 All permits/licenses obtained for the Project are summarized in Table 5.1.

### Status of Waste Management

- 5.6 Spoil generated from TBM excavation in the Western tunnel was delivered by the tunnel conveyor system to the barge berthed at the jetty. If there was no barge at the jetty or after

21:00 hours, the spoil would be directed to the TBM Spoil Basin for temporary storage. The spoils would be transferred to a side conveyor using a backhoe for discharge onto the next barge or in the following day. In the Eastern tunnel and adits, the spoil materials were collected by means of dump trucks which transported the materials to the Western Portal. The spoil materials from the Eastern tunnel and adits were then disposed of either directly into the barges at the ramp jetty, or temporarily stored in the Adit Spoil Basin for later handling. The barges took the spoil materials to other projects (in Mainland China and in Hong Kong) for re-use.

- 5.9 During this reporting period, a total 16 nos. of dump trucks of waste were delivered to SENT landfill, and 688 and 41 nos. of dump trucks of C&D waste were delivered to CWBP and TKO 137 respectively. Both the trip ticket system and chit accounting system for disposal of waste were operating smoothly to date. 28 trucks overloading case was recorded during this reporting period (all within the 105% allowable buffer weight). No disposal of inert C&D material to public sorting facilities and no dump truck without cover were reported from CEDD. In respect of the dump truck cover, DNJV keeps on take record photos and inspection to ensure that all dump trucks have fully covered the skip before leaving the site.
- 5.10 The rock materials from the Eastern Portal and Western Portal were received by the alternative disposal sites at ZhongShan. Some of the tunnel spoils from Eastern Tunnel and adits were also received by Leighton site at Ocean Park and in a residential development site at No. 1 Gough Hill Road, the Peak which was started from 24<sup>th</sup> September 2010.
- 5.11 The amount of wastes generated by the activities of the Project during the reporting month is shown in **Appendix N**.

**Table 5.1 Summary of Environmental Licensing and Permit Status**

Permit No.	Valid Period		Details	Status
	From	To		
<b>Environmental Permit (EP)</b>				
FEP-01/272/2007/B	25/6/09	N/A	Construction of a 6.25m-7.25m in diameter and about 11 km long underground main drainage tunnel, 2 portals and a series of connecting adits and drop shafts.	Valid
<b>Effluent Discharge License</b>				
EP860/W10/XY0175	23/06/08	30/06/13	Industrial discharge (Area of Mount Butler Office)	Valid
EP860/W10/XY0177	23/06/08	30/06/13	Industrial discharge (Eastern Portal Site)	Valid
EP820/W9/XT086	22/07/08	31/07/13	Industrial discharge (Western Portal Site)	Valid
WT00005864-2010	20/01/10	31/01/15	Industrial discharge (Western Portal Site)	Valid
EP860/W10/XY0183	19/11/08	30/11/13	Industrial discharge (Intake W0, Stubbs Road, Wan Chai, HK)	Valid
WT00003372-2009	-	30/4/14	Industrial discharge (Intake SM1)	Valid
WT00003737-2009	-	31/5/14	Industrial discharge (Intake MB16)	Valid
WT00004126-2009	-	31/5/14	Industrial discharge (Intake HKU1)	Valid
WT00003738-2009	-	31/5/14	Industrial discharge (Intake THR2)	Valid
WT00004270-2009	-	31/7/14	Industrial discharge (Intake PFLR1)	Valid
WT00004806-2009	-	30/09/14	Industrial discharge (Intake E7)	Valid
WT00004808-2009	-	30/09/14	Industrial discharge (Intake MBD2)	Valid
WT00004885-2009	-	30/09/14	Industrial discharge (Intake RR1)	Valid
WT00005135-2009	-	31/10/14	Industrial discharge (Intake W10)	Valid
WT00005374-2009	-	30/11/14	Industrial discharge (Intake P5)	Valid
WT00005376-2009	-	30/11/14	Industrial discharge (Intake TP4)	Valid
WT00005357-2009	-	30/11/14	Industrial discharge (Intake W5)	Valid
WT00005588-2009	-	31/12/14	Industrial discharge (Intake TP5)	Valid
WT00005643-2009	-	31/12/14	Industrial discharge (Intake E5A)	Valid
WT00005754-2010	-	31/01/15	Industrial discharge (Intake W8)	Valid
WT00005954-2010	-	28/02/15	Industrial discharge (Intake TP789)	Valid
WT00005915-2010	-	31/01/15	Industrial discharge (Intake E5B)	Valid
WT00006102-2010	-	28/02/15	Industrial discharge (Intake M3)	Valid
WT00006415-2010	-	30/04/15	Industrial discharge (Intake MA15)	Valid
WT00006420-2010	-	30/04/15	Industrial discharge (Intake MA17)	Valid
WT00006428-2010	-	30/04/15	Industrial discharge (Intake BR6)	Valid
WT00006609-2010	-	31/05/15	Industrial discharge (Intake HR1)	Valid
WT00006559-2010	-	30/04/15	Industrial discharge (Intake CR1)	Valid
WT00007039-2010	-	31/07/15	Industrial discharge (Intake DG1)	Valid
WT00007042-2010	-	31/07/15	Industrial discharge (Intake W3)	Valid
WT00007043-2010	-	31/07/15	Industrial discharge (Intake GL1)	Valid
WT00007130-2010	-	31/07/15	Industrial discharge (Intake BR4)	Valid
WT00007139-2010	-	31/07/15	Industrial discharge (Intake BR6) – SNH17	Valid
WT00007319-2010	-	31/08/15	Industrial discharge (Intake B2)	Valid
<b>Registration of Chemical Waste Producer</b>				
5213-148-D2393-02	---	N/A	Chemical waste types: Spent oil	Valid
5213-172-D2393-01	---	N/A	Chemical waste types: Spent oil	Valid
<b>Construction Noise Permit (CNP)</b>				
GW-RS0512-10	22/06/10	21/12/10	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work at Hong Kong West	Valid

Permit No.	Valid Period		Details	Status
	From	To		
GW-RS0734-10	25/08/10	24/02/11	Drainage Tunnel (Eastern Portal) (DSD Contract No. DC/2007/10), Tai Hang Road, Causeway Bay, Hong Kong.	
GW-RS0674-10	14/08/10	13/09/10	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work and performing prescribed construction work at Hong Kong West Drainage Tunnel (Western Portal), Cyberport Road, Cyberport, Hong Kong (DSD Contract No. DC/2007/10).	Valid
GW-RS0774-10	14/09/10	13/10/10		
GW-RS0522-10	24/06/10	23/12/10	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work at a construction site of "Hong Kong West Drainage Tunnel" near Stubbs Road Garden, Wan Chai, Hong Kong	Valid
GW-RS0733-10	19/08/10	18/02/11		
GW-RS0699-10	22/08/10	21/02/11	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work at Smithfield Road outside Mei Wah Mansion, Kennedy Town, Hong Kong.	Valid
GW-RS0710-10	19/08/10	18/02/11	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work at Section of Pokfulam Road (near Football Field, Pokfulam Road Playground), Hong Kong	Valid
GW-RS0441-10	01/06/10	30/11/10	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work at outside Hongkong Electric Centre, Kennedy Road, Hong Kong	Valid
GW-RS0468-10	10/06/10	09/12/10	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work and performing prescribed construction work at Junction of Magazine Gap Road and May Road, Mid-levels, Hong Kong.	Valid

### Implementation Status of Environmental Mitigation Measures

5.12 During site inspections in the reporting month, no non-conformance was identified. ET weekly site inspections were carried out during the reporting month and the observations and recommendations are summarized in Table 5.2.

**Table 5.2 Observations and Recommendations of Site Inspections**

<b>Parameters</b>	<b>Date</b>	<b>Observations and Recommendations</b>	<b>Follow-up</b>
<i><b>Water Quality</b></i>	01/09/2010	Settling runoff from excavations was observed directly pumping out to public drain at Intake SM1. The Contractor was reminded all site runoff should be treated with desilting facilities prior to disposal.	Rectification/improvement was observed during the follow-up audit session.
	01/09/2010	Water from water recycling tank was observed overflow and discharging to the public road at Intake BR6. The Contractor was reminded to rectify this situation as soon as possible.	Follow-up action was needed for the item.
	09/09/2010	Much of muddy water accumulated at near the existing drain at Intake GL1 after heavy rainstorm. The Contractor was reminded to reinforce the bund area to avoid any silty water from discharging out.	Follow-up action was needed for the item.
	24/09/2010	Discharge from site at Intake THR2 and BR6 were observed not discharge at designated discharging point. The Contractor was reminded to rectify the deficiencies immediately.	Follow-up action was needed for the item.
	24/09/2010	Muddy water and stockpile of sediment were observed accumulate at near the existing stream at Intake GL1. The Contractor was reminded to reinforce the bund area to prevent any silt/wastewater from getting to the stream.	Follow-up action was needed for the item.
<i><b>Ecology</b></i>	01/09/2010	Silty water was observed discharging to the stream at Intake TP789. The Contractor was reminded to ensure the capacity of sedimentation tank to treat the muddy water is adequate.	Rectification/improvement was observed during the follow-up audit session.
<i><b>Reminders</b></i>	01/09/2010	The Contractor was reminded of the followings: - Clear the deposited mud at the internal drain at Intake PFLR1, P5, BR6 and GL1.	Follow-up action was needed for the item.
	01/09/2010	The Contractor was reminded of the followings: - To remove the accumulated sediment at near the existing drain at Intake HKU1 and GL1.	Follow-up action was needed for the item.
	01/09/2010	The Contractor was reminded of the followings: - To clear the deposited silt/grit in the sedimentation tanks at Intake HKU1, W10, P5 and TP4.	Follow-up action was needed for the item.
	01/09/2010	The Contractor was reminded of the followings: - Clear the worn sand bags at the site entrance of Intake W10.	Follow-up action was needed for the item.
	01/09/2010	The Contractor was reminded of the followings: - Clear the stagnant water with floating paint oil as chemical waste at Intake W8.	Follow-up action was needed for the item.

Parameters	Date	Observations and Recommendations	Follow-up
	01/09/2010	The Contractor was reminded of the followings: - To remove the chemical containers on the drain at Intake TP4.	Rectification/improvement was observed during the follow-up audit session.
	01/09/2010	The Contractor was reminded of the followings: - Clear the silt and debris at the drip tray at Intake BR6.	Rectification/improvement was observed during the follow-up audit session.
	01/09/2010	The Contractor was reminded of the followings: - Properly pumping the silty water for treatment prior to disposal at Intake BR6.	Rectification/improvement was observed during the follow-up audit session.
	01/09/2010	The Contractor was reminded of the followings: - To effective use the sound absorption sheet at Intake E7 to minimize the noise impact.	Rectification/improvement was observed during the follow-up audit session.
	09/09/2010	The Contractor was reminded of the followings: - Clear the deposited silt/debris which blocks the drainage at Intake MBD2, GL1 and W0.	Follow-up action was needed for the item.
	09/09/2010	The Contractor was reminded of the followings: - Clear the deposited silt/debris at the settling tank for wheel washing facilities at Intake E5B and E5A.	Follow-up action was needed for the item.
	09/09/2010	The Contractor was reminded of the followings: - Provide drip tray for the air compressor at Intake E5B.	Follow-up action was needed for the item.
	09/09/2010	The Contractor was reminded of the followings: - To effective use of sedimentation facilities (e.g. wetsep) at Intake DG1.	Follow-up action was needed for the item.
	09/09/2010	The Contractor was reminded of the followings: - Clear the silt and debris at the drip tray at Intake BR6.	Rectification/improvement was observed during the follow-up audit session.
	09/09/2010	The Contractor was reminded of the followings: - To reinforce the bunds to surround area of earthworks at Intake BR6 to prevent muddy water from discharging to public road.	Rectification/improvement was observed during the follow-up audit session.
	09/09/2010	The Contractor was reminded of the followings: - Clear the general refuse and the slope area at Intake W1.	Follow-up action was needed for the item.
	09/09/2010	The Contractor was reminded of the followings: - Provide drip tray for the chemical containers at Intake MA14.	Follow-up action was needed for the item.
	09/09/2010	The Contractor was reminded of the followings: - Clear the standing water at underneath of mobile crane at Intake PFLR1.	Rectification/improvement was observed during the follow-up audit session.
	16/09/2010	The Contractor was reminded of the followings:	Follow-up action was needed for the item.



Parameters	Date	Observations and Recommendations	Follow-up
		- Clear the wastes at the drain at Intake HKU1, W10, P5 and GL1.	
	16/09/2010	The Contractor was reminded of the followings: - To replace the worn sand bags at the entrance of W10.	Follow-up action was needed for the item.
	16/09/2010	The Contractor was reminded of the followings: - Clear the oil spillage as chemical waste at Intake P5.	Follow-up action was needed for the item.
	16/09/2010	The Contractor was reminded of the followings: - Ensure the water discharge comply with WPCO license at Intake P5 and TP5.	Follow-up action was needed for the item.
	16/09/2010	The Contractor was reminded of the followings: - Clear the standing water at the corner area at Intake W8.	Follow-up action was needed for the item.
	16/09/2010	The Contractor was reminded of the followings: - Clear the general refuse at the slope area at Intake W1.	Follow-up action was needed for the item.
	16/09/2010	The Contractor was reminded of the followings: - Clear the stagnant water at the drip tray at Intake W1 and MB16.	Follow-up action was needed for the item.
	16/09/2010	The Contractor was reminded of the followings: - Provide well maintenance for the plant equipments to avoid smoke emission at Intake HR1.	Rectification/improvement was observed during the follow-up audit session.
	16/09/2010	The Contractor was reminded of the followings: - Provide drip tray for the chemical containers at Intake HR1.	Rectification/improvement was observed during the follow-up audit session.
	16/09/2010	The Contractor was reminded of the followings: - Provide mitigation measures to prevent any mud and sediment from getting to the stream water at Intake GL1.	Follow-up action was needed for the item.
	24/09/2010	The Contractor was reminded of the followings: - Provide drip tray for the air compressor at Intake E5B.	Follow-up action was needed for the item.
	24/09/2010	The Contractor was reminded of the followings: - Properly store the chemical containers at Intake E5A and GL1.	Follow-up action was needed for the item.
	24/09/2010	The Contractor was reminded of the followings: - Clear the stagnant water at the H-pile and top of tarpaulin at Intake E7.	Follow-up action was needed for the item.
	24/09/2010	The Contractor was reminded of the followings: - Clear the stagnant water at the drip tray at Intake BR6.	Follow-up action was needed for the item.

Parameters	Date	Observations and Recommendations	Follow-up
	24/09/2010	The Contractor was reminded of the followings: - Properly deploy the sound absorption sheet at Intake E7 to minimize the noise.	Follow-up action was needed for the item.
	24/09/2010	The Contractor was reminded of the followings: - Clear the deposited silt and sediment at the drain at Intake GL1.	Follow-up action was needed for the item.
	24/09/2010	The Contractor was reminded of the followings: - Clear the stagnant water regularly at Intake M3 especially after the rain.	Follow-up action was needed for the item.
	24/09/2010	The Contractor was reminded of the followings: - Properly provide enclosure during the grouting work to prevent dust generation at Intake TP789.	Follow-up action was needed for the item.
	30/09/2010	The Contractor was reminded of the followings: - To ensure the site discharges at Intake P5 comply with WPCO license.	Rectification/improvement was not observed during the follow-up audit session.
	30/09/2010	The Contractor was reminded of the followings: - Properly cover the stockpile of sediment at Intake W5.	Rectification/improvement was observed during the follow-up audit session.
	30/09/2010	The Contractor was reminded of the followings: - Clear the silt and debris at the internal drain at Intake P5.	Follow-up action was needed for the item.
	30/09/2010	The Contractor was reminded of the followings: - Clear the standing water at the H-pile at Intake W10.	Rectification/improvement was observed during the follow-up audit session.

5.13 The monthly IEC audit was carried out on 30<sup>th</sup> September 2010, the observations were recorded and they are presented as follows:

5.14 The last observations were recorded by IEC on 27<sup>th</sup> August 2010.

30<sup>th</sup> September 2010

Reminders:

- The Contractor was reminded to provide drip trays for chemical containers at P5 as practical as possible.

**Non-compliance Recorded during Site Inspections**

5.15 No non-compliance was recorded in the reporting month.

**Summary of Mitigation Measures Implemented**

- 5.16 The Contractor has implemented the mitigation measures as recommended in the EIA and the updated EM&A Manual in the reporting period except those mitigation measures not applicable at this stage. Status of the implementation of mitigation measures is presented in Table 1.2 and **Appendix J**.
- 5.17 According to the updated EM&A Manual and EP condition, mitigation measures such as noise enclosure and use of quiet PME are required to be implemented.
- 5.18 The actual implementation status of major mitigation measures required under the EP is as follows:
- Installation of silt curtain during the course of marine works.
  - Provide noise enclosure at Eastern Portal.
  - Submitted the Alternative Plant Inventory (EP condition 2.8(c)).
- 5.19 Alternative plant inventory for the noise performance of plants used in Eastern and Western Portal will be updated from time to time and submitted for ETL's certification and IEC's verification in accordance with EP condition 2.8c.
- 5.20 An updated summary of the EMIS is provided in **Appendix J**.
- 5.21 For the spoil handling works in the Western Portal, the mitigation measures including:
- Acoustic cover for the main conveyor;
  - Tarpaulin curtains underneath the conveyor enclosure;
  - Sprinkle system underneath the jetty to suppress fugitive dust from unloading spoil; and
  - Side curtains at the jetty to shield the unloading dump truck.

**Implementation Status of Event Action Plans**

5.22 The Event Action Plans for air quality and noise are presented in Appendix K.

*Eastern Portal*1-hr TSP Monitoring

5.23 No Action/Limit Level exceedance was recorded in the reporting month.

24-hr TSP Monitoring

5.24 No Action/Limit Level exceedance was recorded in the reporting month.

Construction Noise

5.25 No Action/Limit Level exceedance was recorded in the reporting month.

*Western Portal*1-hr TSP Monitoring

5.26 No Action/Limit Level exceedance was recorded in the reporting month.

24-hr TSP Monitoring

5.27 No Action/Limit Level exceedance was recorded in the reporting month.

Construction Noise

5.28 No Action/Limit Level exceedance was recorded for construction noise.

Water Quality

5.29 No Action/Limit Level exceedance was recorded in the reporting month.

Construction Ground Borne Noise

5.30 No ground borne monitoring was conducted in the reporting month.

*Intake DG1*Construction Noise

5.31 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake E5A*Construction Noise

5.32 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake E7*

Construction Noise

5.33 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake MA14*

Construction Noise

5.34 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake PFLR1*

Construction Noise

5.35 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake RR1*

Construction Noise

5.36 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake THR2*

Construction Noise

5.37 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake W0*

Construction Noise

5.38 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake W5*

Construction Noise

5.39 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake P5*

Construction Noise

5.40 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake W8*

Construction Noise

5.41 No Action/Limit Level exceedance was recorded in the reporting month.

*Intake BR6*

Construction Noise

5.42 No Action/Limit Level exceedance was recorded in the reporting month.

**Summary of Complaint, Warning, Notification of any Summons and Successful Prosecution**

5.43 No environmental complaint was received in the reporting month.

5.44 No warning, summon and notification of successful prosecution was received in the reporting month.

5.45 There were a total of 62 project related environmental complaints, no warning, summons and successful prosecution received since the commencement of the Project. The Complaint Log is attached in **Appendix L**.

## 6. FUTURE KEY ISSUES

### Key Future Site Activities

#### Adit spoil handling arrangements in the Western Portal

- 6.1 The spoils generated during adit excavation (drill-and-blast) will be delivered by trains to the Adit Spoil Basin at the tunnel portal. The adit spoils will be transferred to a dump truck by means of a backhoe. The dump truck will then discharge the adit spoils onto the barge at the ramp jetty. The mitigation measures for the spoil handling works at Western Portal are presented in Section 5.21.
- 6.2 The details of site arrangements on the delivery and handling of excavated materials, particularly the Western Portal is provided in the Annex I to this report.

#### Two Blasts Per Day in Western Adits

- 6.3 Blasting works will be increased to two times per day to ensure timely completion of the Project, especially when unexpected ground conditions are encountered during adit excavation. Two blasts per days are planned initially for the Adits leading to Intake HKU1, W10 and P5. The proposal of two blasts per day in Western Adits is provided in Annex II to this report.

### Key Issues for the Coming Month

- 6.4 Key environmental issues at Eastern and Western Portals, Intake MA16, MBD2, E5A, E5B, E7, PFLR1, RR1, THR2, SM1, W0, W5, P5, M3, TP4, TP5, TP789, HKU1, W10, W3, W8, MA15, MA17, GL1, HR1, W1, DG1, CR1, BR4, BR5, GL1, MA14 and BR6 in the coming month include:
- Noise from operation of the equipment, especially for rock-breaking activities, piling works and machinery on-site;
  - Dust generation from stockpiles of dusty materials, excavation works and rock breaking activities;
  - Runoff from exposed slope;
  - Wastewater and runoff discharge from site;
  - Regular removal of silt, mud and sand along u-channels and sedimentation tanks;
  - Review and implementation of temporary drainage system for the surface runoff;
  - Proper storage of construction materials on site;
  - Storage of chemicals/fuel and chemical waste/waste oil on site;
  - Watering for rock breaking activity, soil nailing and on haul road;
  - Accumulation of general and construction waste on site.
- 6.5 The tentative program of major site activities and the impact prediction and control measures for the coming two months, i.e. October 2010 to November 2010 are summarized as follows:

Construction Works	Major Impact Prediction	Control Measures
- TBM excavation and adit excavation at Eastern and Western Portals; - Excavation of Adit W0 by Drill-and-Blast method; - Stage 1&2 Structure Construction at Intake SM1; - Stage 1 Structure Construction at Intake TP4, HKU1, SM1 and THR2; - Excavation of dropshaft at Intake MBD2 by Raise Boring method; - Excavation of dropshaft at Intake P5 by RCD method; - Excavation of intake structure at Intakes E7, E5B, DG1, BR6, PFLR1, W10, TP789, TP5, MA15, and W3; - Cofferdam construction at Intakes E5A, HR1, GL1, RR1, M3, W8 and MA14; - Site preparation works for Intakes BR5, W1, BR4, CR1, MA17 and B2; - Slopeworks at Intake M3; - Review of Additional and revised Works and redesign necessary to Intake BR4 due to underground structure; - Casting of tunnel segments and dropshaft precast rings; and - Demobilization of East TBM	Air impact (dust)	a) Frequent watering of haul road and unpaved/exposed areas; b) Frequent watering or covering stockpiles with tarpaulin or similar means; and c) Watering of any earth moving activities.
	Water quality impact (surface run-off)	d) Diversion of the collected effluent to de-silting facilities for treatment prior to discharge to public storm water drains; e) Provision of adequate de-silting facilities for treating surface run-off and other collected effluents prior to discharge; f) Provision of perimeter protection such as sealing of hoarding footings to avoid run-off from entering the existing storm water drainage system via public road; and g) Provision of measures to prevent discharge into the stream.
	Noise Impact	h) Scheduling of noisy construction activities if necessary to avoid persistent noisy operation; i) Controlling the number of plants use on site; j) Regular maintenance of machines; and k) Use of acoustic barriers if necessary.

**Monitoring Schedule for the Next Month**

6.6 The tentative environmental monitoring schedules for the next month are shown in **Appendix D**.



### **Construction Program for the Next Month**

6.7 The tentative construction program for the Project is provided in **Appendix M**.

## 7. CONCLUSIONS AND RECOMMENDATIONS

### Conclusions

- 7.1 Environmental monitoring works were performed in the reporting month and all monitoring results were checked and reviewed.

#### 1-hr TSP Monitoring

- 7.2 All 1-hr TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

#### 24-hr TSP Monitoring

- 7.3 All 24-hr TSP monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

#### Construction Noise Monitoring

- 7.4 All noise monitoring was conducted as scheduled in the reporting month. No Action/Limit Level exceedance was recorded.

#### Construction Ground Borne Noise Monitoring

- 7.5 No construction ground borne noise monitoring was conducted in the reporting month.

#### Water Quality

- 7.6 Marine water quality monitoring was temporary suspended starting from 31<sup>st</sup> October 2009.

#### Complaint and Prosecution

- 7.7 No environmental complaints and no environmental prosecution were received in the reporting month.

### Recommendations

- 7.8 According to the environmental audit performed in the reporting period, the following recommendations were made:

#### *Air Quality Impact*

- To prohibit any open burning on site.
- To regularly maintain the quality of machinery and vehicles on site.
- To implement dust suppression measures on all haul roads, stockpiles, dry surfaces and excavation works.
- To provide hoarding along the entire length of that portion of the site boundary.

*Noise Impact*

- To inspect the noise sources inside the site.
- To space out noisy equipment and position the equipment as far away as possible from sensitive receivers.
- To provide temporary noise barriers for operations of noisy equipment near the noise sensitive receivers in an appropriate location.

*Water Impact*

- To prevent any surface runoff discharge into any stream course.
- To review and implement temporary drainage system.
- To identify any wastewater discharges from site.
- To ensure properly maintenance for de-silting facilities.
- To clear the silt and sediment in the sedimentation tanks.
- To review the capacity of de-silting facilities for discharge.
- To divert all the water generated from construction site to de-silting facilities with enough handling capacity before discharge.
- To avoid accumulation of stagnant and ponding water on site.

*Waste/Chemical Management*

- To check for any accumulation of waste materials or rubbish on site.
- To ensure the performance of sorting of C&D materials at source (during generation);
- To carry out inspection of dump truck at site exit to ensure inert and non-inert C&D materials are properly segregated before removing off site.
- To avoid any discharge or accidental spillage of chemical waste or oil directly from the site.
- To avoid improper handling or storage of oil drum on site.

---

---

## FIGURES


---

---



Title	Contract No. DC/2007/10		Scale	Project
	Design and Construction of Hong Kong West Drainage Tunnel		N.T.S	No. MA8001
	Site Layout Plan		Date	Figure
			Apr-08	1.1





Title	Contract No. DC/2007/10	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Design and Construction of Hong Kong West Drainage Tunnel	Date	Nov-09	Figure	2.1	
Organization Chart						



Title  
 Contract No. DC/2007/10  
 Design and Construction of Hong Kong West Drainage Tunnel  
 (Eastern Portal)  
 Locations of Air Quality and Noise Monitoring Station

Scale  
 N.T.S  
 Date  
 Sep-09

Project  
 No. MA 8001  
 Figure  
 3.1a








Title	Contract No. DC/2007/10		Scale	Project		CINOTECH
	Design and Construction of Hong Kong West Drainage Tunnel (Western Portal)		N.T.S	No.	MA 8001	
	Locations of Air Quality and Noise Monitoring Station		Date	Sep-09	Figure	3.1b






Title	Contract No. DC/2007/10		Scale	Project
	Design and Construction of Hong Kong West Drainage Tunnel (Intake E7)		N.T.S	No. MA 8001
	Locations of Noise Monitoring Stations		Date	Figure
			Sep-09	3.1c

**CINOTECH**



Title	Contract No. DC/2007/10		Scale	Project
	Design and Construction of Hong Kong West Drainage Tunnel (Intake PFLR1)			
	Locations of Noise Monitoring Stations		Date	Figure
			Sep-09	3.1d







Title	Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel (Intake W0) Locations of Noise Monitoring Stations	Scale	N.T.S	Project	No. MA 8001
		Date	Sep-09	Figure	3.1e

CINOTECH





Title	Contract No. DC/2007/10		Scale	Project	
	Design and Construction of Hong Kong West Drainage Tunnel		N.T.S	No.	MA 8001
	(Intakes RR1)		Date	Figure	
Locations of Noise Monitoring Stations		Jan 10	3.1f		CINOTECH



Title	Contract No. DC/2007/10		Scale	Project	
	Design and Construction of Hong Kong West Drainage Tunnel (Intakes W5)		N.T.S	No.	MA8001
	Locations of Noise Monitoring Stations		Date	Figure	3.1g
			Jan-10	CINOTECH	



Title  
**Contract No. DC/2007/10**  
**Design and Construction of Hong Kong West Drainage Tunnel**  
**(Intakes E5A)**  
**Locations of Noise Monitoring Stations**

Scale  
**N.T.S**  
 Date  
**Feb-10**

Project  
 No. **MA 8001**  
 Figure  
**3.1h**

**CINOTECH**





Title	Contract No. DC/2007/10		Scale	Project
	Design and Construction of Hong Kong West Drainage Tunnel (Intake THR2)		N.T.S	No. MA 8001
	Locations of Noise Monitoring Stations		Date	Figure
			Feb-10	3.1i





Title	Contract No. DC/2007/10		Scale	Project
	Design and Construction of Hong Kong West Drainage Tunnel (Intakes P5)		N.T.S	No. MA8001
	Locations of Noise Monitoring Stations		Date	Figure
			Feb-10	3.1j







Title

Contract No. DC/2007/10  
 Design and Construction of Hong Kong West Drainage Tunnel  
 (Intake W8)  
 Locations of Noise Monitoring Stations

Scale

N.T.S

Project

No. MA8001

Date

Jun-10

Figure

3.1k

CINOTECH



Title	Contract No. DC/2007/10		Scale	Project
	Design and Construction of Hong Kong West Drainage Tunnel		N.T.S	No. MA8001
	(Intake DG1)		Date	Figure
	Locations of Noise Monitoring Stations		Aug-10	3.11








Title	Contract No. DC/2007/10		Scale	Project
	Design and Construction of Hong Kong West Drainage Tunnel (Intake MA14)		N.T.S	No. MA8001
Locations of Noise Monitoring Stations			Date	Figure
			Aug-10	3.1m






Title  
 Contract No. DC/2007/10  
 Design and Construction of Hong Kong West Drainage Tunnel  
 (Intakes BR6)  
 Locations of Noise Monitoring Stations

Scale	N.T.S	Project No.	MA8001
Date	Sep-10	Figure	3.1n





Point No.	Co-ordinates	
	Easting	Westing
CE	830026	814956
I1	831088	813654
I2	831105	813582
CF	831778	812420
Intake A	831603	813044
Intake B	830606	814583

Title


Contract No. DC/2007/10  
 Design and Construction of Hong Kong West Drainage Tunnel

Locations of Water Quality Monitoring Stations

Scale	N.T.S	Project No.	MA8001
Date	Jun-08	Figure	4.1








Title Contract No. DC/2007/10  
 Design and Construction of Hong Kong West Drainage Tunnel  
 Locations of Water Quality Monitoring Stations


Scale	N.T.S	Project No.	MA8001
Date	Jun-08	Figure	4.1a





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Locations of Water Quality Monitoring Stations	Scale	Project No.	
	Date	Figure	
	N.T.S	MA8001	
	Jun-08	4.1b	






**Legend:**

- Ground Water Monitoring Station
- Notional Area for Storage of Equipment and Works Area

<p>Title</p> <p style="text-align: center;">Contract No. DC/2007/10</p> <p style="text-align: center;">Design and Construction of Hong Kong West Drainage Tunnel (Eastern Portal)</p> <p style="text-align: center;">Location of ground water level Monitoring Station</p>	<p>Scale</p> <p style="text-align: center;">N.T.S</p>	<p>Project</p> <p style="text-align: center;">No. MA8001</p>	
	<p>Date</p> <p style="text-align: center;">Mar-10</p>	<p>Figure</p> <p style="text-align: center;">4.2a</p>	






Title

Contract No. DC/2007/10  
 Design and Construction of Hong Kong West Drainage Tunnel  
 (Intake TP789)  
 Location of ground water level Monitoring Station

Scale	N.T.S	Project No.	MA8001
Date	Mar-10	Figure	4.2b






Title

Contract No. DC/2007/10  
 Design and Construction of Hong Kong West Drainage Tunnel  
 (Intake TP5)  
 Location of ground water level Monitoring Station


Scale	N.T.S	Project No.	MA8001
Date	Mar-10	Figure	4.2c

**CINOTECH**



Title	Contract No. DC/2007/10		Scale	Project	CINOTECH
	Design and Construction of Hong Kong West Drainage Tunnel (Intake THR2)		N.T.S	No. MA8001	
	Location of ground water level Monitoring Station		Date	Figure	
			Mar-10	4.2d	





Title

Contract No. DC/2007/10  
 Design and Construction of Hong Kong West Drainage Tunnel  
 (Intake PFLR1)  
 Location of ground water level Monitoring Station

Scale	N.T.S	Project No.	MA8001
Date	Mar-10	Figure	4.2e

**CINOTECH**

---

---

**APPENDIX A  
ACTION AND LIMIT LEVELS**

---

---

## Appendix A - Action and Limit Levels

**Table A-1 Action and Limit Levels for 1-Hour TSP**

Location	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AQ1	345	500
AQ2	321	

**Table A-2 Action and Limit Levels for 24-Hour TSP**

Location	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
AQ1	201	260
AQ3	156	

**Table A-3 Action and Limit Levels for Construction Noise**

Time Period	Action Level	Limit Level
0700-1900 hrs on normal weekdays	When one documented complaint is received	75* dB(A)
0700-2300 hrs on holidays; and 1900-2300 hrs on all other days		60/65/70** dB(A)
2300-0700 hrs of next day		45/50/55** dB(A)

(\*) reduce to 70 dB(A) for schools and 65 dB(A) during school examination periods.

(\*\*) to be selected based on Area Sensitivity Rating.

**Table A-4 Action and Limit Levels for Water Quality**

Parameter		Action	Limit
DO, mg/L	Surface and Middle	6.3	6.2
	Bottom	6.0	5.8
SS, mg/L		15.7 or 120% of upstream control station's SS at the same tide of the same day	16.4 or 130% of SS readings at the upstream control station at the same tide of same day and specific sensitive receiver water quality requirements
Turbidity, NTU		10.2 or 120% of upstream control station's turbidity at the same tide of the same day	11.1 or 130% of turbidity at the upstream control station at the same tide of same day

---

---

**APPENDIX B  
COPIES OF CALIBRATION  
CERTIFICATES**

---

---

# High-Volume TSP Sampler 5-POINT CALIBRATION DATA SHEET

CINOTECH

File No. MA8001/44/0016

Station AQ1 - True Light Middle School of Hong Kong Operator: WK  
 Date: 15-Jul-10 Next Due Date: 14-Sep-10  
 Equipment No.: A-01-44 Serial No. 1316

Ambient Condition			
Temperature, Ta (K)	303.2	Pressure, Pa (mmHg)	758.3

Orifice Transfer Standard Information					
Equipment No.:	A-04-06	Slope, mc	0.0448	Intercept, bc	0.0086
Last Calibration Date:	4-Nov-09	$mc \times Qstd + bc = [\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	3-Nov-10	$Qstd = \{[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Calibration Point	Orifice			HVS	
	ΔH (orifice), in. of water	[ΔH x (Pa/760) x (298/Ta)] <sup>1/2</sup>	Qstd (CFM) X - axis	ΔW (HVS), in. of oil	[ΔW x (Pa/760) x (298/Ta)] <sup>1/2</sup> Y-axis
1	11.6	3.37	75.09	7.7	2.75
2	9.7	3.08	68.65	6.3	2.49
3	7.4	2.69	59.94	4.7	2.15
4	5.2	2.26	50.21	3.3	1.80
5	3.0	1.72	38.09	1.9	1.37

**By Linear Regression of Y on X**  
 Slope, mw = 0.0372 Intercept, bw : -0.0659  
 Correlation coefficient\* = 0.9996

\*If Correlation Coefficient < 0.990, check and recalibrate.

**Set Point Calculation**

From the TSP Field Calibration Curve, take Qstd = 43 CFM  
 From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = [\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; W =  $(mw \times Qstd + bw)^2 \times (760 / Pa) \times (Ta / 298) =$  2.40

Remarks: \_\_\_\_\_

Conducted by: Wk Tang Signature: \_\_\_\_\_ Date: 15/7/10  
 Checked by: W Signature: \_\_\_\_\_ Date: 15 July 2010



# High-Volume TSP Sampler 5-POINT CALIBRATION DATA SHEET

CINOTECH

File No. MA8001/44/0017

Station AQI - True Light Middle School of Hong Kong Operator: WK  
 Date: 13-Sep-10 Next Due Date: 12-Nov-10  
 Equipment No.: A-01-44 Serial No. 1316

Ambient Condition			
Temperature, Ta (K)	300	Pressure, Pa (mmHg)	761.4

Orifice Transfer Standard Information					
Equipment No.:	A-04-06	Slope, mc	0.0448	Intercept, bc	0.0086
Last Calibration Date:	4-Nov-09	$mc \times Qstd + bc = [\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	3-Nov-10	$Qstd = \{[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Calibration Point	Orifice			HVS	
	ΔH (orifice), in. of water	[ΔH x (Pa/760) x (298/Ta)] <sup>1/2</sup>	Qstd (CFM) X - axis	ΔW (HVS), in. of oil	[ΔW x (Pa/760) x (298/Ta)] <sup>1/2</sup> Y-axis
1	11.7	3.41	75.97	7.9	2.80
2	9.8	3.12	69.52	6.5	2.54
3	7.6	2.75	61.19	4.8	2.19
4	5.2	2.27	50.59	3.2	1.78
5	3.1	1.76	39.01	2.0	1.41

By Linear Regression of Y on X

Slope, mw = 0.0380 Intercept, bw = -0.1046

Correlation coefficient\* = 0.9985

\*If Correlation Coefficient < 0.990, check and recalibrate.

### Set Point Calculation

From the TSP Field Calibration Curve, take Qstd = 43 CFM

From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = [\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; W =  $(mw \times Qstd + bw)^2 \times (760 / Pa) \times (Ta / 298) =$  2.35

Remarks: \_\_\_\_\_

Conducted by: Wk Tang Signature: [Signature]  
 Checked by: [Signature] Signature: [Signature]

Date: 13/9/10  
 Date: 13 September 2010

# High-Volume TSP Sampler 5-POINT CALIBRATION DATA SHEET

CINOTECH

File No. MA8001/18/0015

Station AQ3 - Outside Site Office (Western Portal) Operator: WK  
 Date: 15-Jul-10 Next Due Date: 14-Sep-10  
 Equipment No.: A-01-18 Serial No. 0723

Ambient Condition			
Temperature, Ta (K)	303.2	Pressure, Pa (mmHg)	758.3

Orifice Transfer Standard Information					
Equipment No.:	A-04-06	Slope, mc	0.0448	Intercept, bc	0.0086
Last Calibration Date:	4-Nov-09	$mc \times Qstd + bc = [\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	3-Nov-10	$Qstd = \{[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Calibration Point	Orifice			HVS	
	ΔH (orifice), in. of water	[ΔH x (Pa/760) x (298/Ta)] <sup>1/2</sup>	Qstd (CFM) X - axis	ΔW (HVS), in. of oil	[ΔW x (Pa/760) x (298/Ta)] <sup>1/2</sup> Y-axis
1	11.4	3.34	74.44	8.0	2.80
2	9.7	3.08	68.65	6.8	2.58
3	7.7	2.75	61.15	5.1	2.24
4	5.1	2.24	49.73	3.2	1.77
5	3.2	1.77	39.35	2.1	1.44

By Linear Regression of Y on X

Slope, mw = 0.0396 Intercept, bw = -0.1583  
 Correlation coefficient\* = 0.9984

\*If Correlation Coefficient < 0.990, check and recalibrate.

### Set Point Calculation

From the TSP Field Calibration Curve, take Qstd = 43 CFM  
 From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = [\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; W =  $(mw \times Qstd + bw)^2 \times (760 / Pa) \times (Ta / 298) =$  2.43

Remarks: \_\_\_\_\_

Conducted by: Wk Tang Signature: [Signature] Date: 15/7/10  
 Checked by: [Signature] Signature: [Signature] Date: 15 July 2010

# High-Volume TSP Sampler 5-POINT CALIBRATION DATA SHEET

CINOTECH

File No. MA8001/18/0016

Station AQ3 - Outside Site Office (Western Portal) Operator: WK  
 Date: 13-Sep-10 Next Due Date: 12-Nov-10  
 Equipment No.: A-01-18 Serial No. 0723

Ambient Condition			
Temperature, Ta (K)	300	Pressure, Pa (mmHg)	761.4

Orifice Transfer Standard Information					
Equipment No.:	A-04-06	Slope, mc	0.0448	Intercept, bc	0.0086
Last Calibration Date:	4-Nov-09	$mc \times Qstd + bc = [\Delta H \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	3-Nov-10	$Qstd = \{[\Delta H \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Calibration Point	Orifice			HVS	
	ΔH (orifice), in. of water	[ΔH x (Pa/760) x (298/Ta)] <sup>1/2</sup>	Qstd (CFM) X - axis	ΔW (HVS), in. of oil	[ΔW x (Pa/760) x (298/Ta)] <sup>1/2</sup> Y-axis
1	11.7	3.41	75.97	7.8	2.79
2	9.4	3.06	68.08	6.4	2.52
3	7.2	2.68	59.56	5.0	2.23
4	5.0	2.23	49.60	3.1	1.76
5	3.1	1.76	39.01	1.9	1.38

**By Linear Regression of Y on X**  
 Slope, mw = 0.0389 Intercept, bw : -0.1416  
 Correlation coefficient\* = 0.9980  
 \*If Correlation Coefficient < 0.990, check and recalibrate.

**Set Point Calculation**

From the TSP Field Calibration Curve, take Qstd = 43 CFM  
 From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = [\Delta W \times (Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; W =  $(mw \times Qstd + bw)^2 \times (760 / Pa) \times (Ta / 298) =$  2.36

Remarks: \_\_\_\_\_  
 \_\_\_\_\_

Conducted by: Wk. Tang Signature: [Signature] Date: 13/9/10  
 Checked by: [Signature] Signature: [Signature] Date: 13 September 2010

## TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/A/100504
Date of Issue:	2010-05-04
Date Received:	2010-04-30
Date Tested:	2010-04-30
Date Completed:	2010-04-30
Next Due Date:	2011-05-03

**ATTN:** Mr. Henry Leung

Page: 1 of 1

### Certificate of Calibration

**Item for calibration:**

Description : RS232 Integral Vane Digital Anemometer  
Manufacturer : AZ Instrument  
Model No. : 451104  
Serial No. : 9020746  
Equipment No. : A-03-01

**Test conditions:**

Room Temperature : 22 degree Celsius  
Relative Humidity : 68%  
Pressure : 101.3 kPa

**Methodology:**

The anemometer has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

**Results:**

	Reference Set Point	Instrument Readings
Measuring Air Velocity, m/s	2.00	2.00
Temperature, °C	21.0	21.0

*PREPARED AND CHECKED BY:*

For and On Behalf of **WELLAB Ltd.**



**PATRICK TSE**  
*Laboratory Manager*



TISCH ENVIRONMENTAL, INC  
 145 SOUTH MIAMI AVE.  
 VILLAGE OF CLEVELAND, OH 45002  
 513.467.9000  
 877.263.7610 TOLL FREE  
 513.467.9009 FAX  
 WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT

ORIFICE TRANSFER STANDARD CERTIFICATION WORKSHEET TE-5028A

Date - Nov 04, 2009 Rootsmeter S/N 9833620 Ta (K) - 295  
 Operator Tisch Orifice I.D. - 1272 Pa (mm) - 758.19

PLATE OR VDC #	VOLUME START (m3)	VOLUME STOP (m3)	DIFF VOLUME (m3)	DIFF TIME (min)	METER DIFF Hg (mm)	ORFICE DIFF H2O (in.)
1	NA	NA	1.00	1.2800	4.2	1.50
2	NA	NA	1.00	0.9910	7.1	2.50
3	NA	NA	1.00	0.9050	8.5	3.00
4	NA	NA	1.00	0.8350	9.9	3.50
5	NA	NA	1.00	0.6320	17.1	6.00

DATA TABULATION

Vstd	(x axis) Qstd	(y axis)	Va	(x axis) Qa	(y axis)
1.0021	0.7829	1.2295	0.9944	0.7769	0.7640
0.9983	1.0073	1.5873	0.9906	0.9996	0.9863
0.9964	1.1010	1.7388	0.9887	1.0925	1.0804
0.9946	1.1911	1.8781	0.9869	1.1819	1.1670
0.9850	1.5586	2.4590	0.9774	1.5466	1.5279
Qstd slope (m) = 1.58420			Qa slope (m) = 0.99200		
intercept (b) = -0.00884			intercept (b) = -0.00549		
coefficient (r) = 0.99998			coefficient (r) = 0.99998		

y axis =  $\sqrt{H_2O(Pa/760)(298/Ta)}$

y axis =  $\sqrt{H_2O(Ta/Pa)}$

CALCULATIONS

$V_{std} = \text{Diff. Vol} [(Pa - \text{Diff. Hg}) / 760] (298 / Ta)$   
 $Q_{std} = V_{std} / \text{Time}$

$V_a = \text{Diff Vol} [(Pa - \text{Diff Hg}) / Pa]$   
 $Q_a = V_a / \text{Time}$


For subsequent flow rate calculations:

$Q_{std} = 1/m \{ [\sqrt{H_2O(Pa/760)(298/Ta)}] - b \}$   
 $Q_a = 1/m \{ [\sqrt{H_2O(Ta/Pa)}] - b \}$



TISCH ENVIRONMENTAL, INC.  
 145 SOUTH MIAMI AVE.  
 VILLAGE OF CLEVELAND, OH 45002  
 513.467.9000  
 877.263.7610 TOLL FREE  
 513.467.9009 FAX  
 WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT



\* y-axis equations:

Qstd series:  $\sqrt{\Delta H \left( \frac{P_a}{P_{std}} \right) \left( \frac{T_{std}}{T_a} \right)}$

Qa series:  $\sqrt{\Delta H (T_a / P_a)}$

**TEST REPORT**

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/100817/1C
Date of Issue:	2010-08-17
Date Received:	2010-08-16
Date Tested:	2010-08-16
Date Completed:	2010-08-17
Next Due Date:	2010-10-16

**ATTN:** Mr. Henry Leung

Page: 1 of 1

**Certificate of Calibration**

**Item for Calibration:**

Description	: Laser Dust Monitor
Manufacturer	: Sibata
Model No.	: LD-3B
Serial No.	: 470582
Sensitivity (K) 1 CPM	: 0.001 mg/m <sup>3</sup>
Sen. Adjustment Scale Setting	: 855 CPM
Equipment No.	: A-02-03

**Test Conditions:**

Room Temperature	: 23 degree Celsius
Relative Humidity	: 66%

**Test Specifications & Methodology:**

1. Instruction and Operation Manual High Volume Sampler, Andersen Samplers, Inc.
2. In-house method in according to the instruction manual: The Laser Dust Monitor was compared with a calibrated High Volume Sampler and the result was used to generate the Correlation Factor (CF) between the Laser Dust Monitor and High Volume Sampler.

**Results:**

Correlation Factor (CF)	0.0033
-------------------------	--------

\*\*\*\*\*

*PREPARED AND CHECKED BY:*

For and On Behalf of **WELLAB Ltd.**

  
\_\_\_\_\_  
**PATRICK TSE**  
Laboratory Manager

**TEST REPORT**

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/100902/1
Date of Issue:	2010-09-02
Date Received:	2010-09-01
Date Tested:	2010-09-01
Date Completed:	2010-09-02
Next Due Date:	2010-11-01

**ATTN:** Mr. Henry Leung

Page: 1 of 1

**Certificate of Calibration**

**Item for Calibration:**

Description	: Laser Dust Monitor
Manufacturer	: Sibata
Model No.	: LD-3B
Serial No.	: 853944
Sensitivity (K) 1 CPM	: 0.001 mg/m <sup>3</sup>
Sen. Adjustment Scale Setting	: 685 CPM
Equipment No.	: A-02-04

**Test Conditions:**

Room Temperature	: 22 degree Celsius
Relative Humidity	: 68%

**Test Specifications & Methodology:**

1. Instruction and Operation Manual High Volume Sampler, Andersen Samplers, Inc.
2. In-house method in according to the instruction manual: The Laser Dust Monitor was compared with a calibrated High Volume Sampler and the result was used to generate the Correlation Factor (CF) between the Laser Dust Monitor and High Volume Sampler.

**Results:**

Correlation Factor (CF)	0.0032
-------------------------	--------

\*\*\*\*\*

*PREPARED AND CHECKED BY:*

For and On Behalf of **WELLAB Ltd.**



**PATRICK TSE**  
*Laboratory Manager*



### TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/N/91211/1
Date of Issue:	2009-12-11
Date Received:	2009-12-10
Date Tested:	2009-12-10
Date Completed:	2009-12-11
Next Due Date:	2010-12-10

**ATTN:** Mr. Henry Leung

Page: 1 of 1

### Certificate of Calibration

**Item for calibration:**

Description	: Integrating Sound Level Meter
Manufacturer	: Brüel & Kjær
Model No.	: B&K 2238
Serial No.	: 2337665
Microphone No.	: 2289749
Equipment No.	: N-01-01

**Test conditions:**

Room Temperature	: 21 degree Celsius
Relative Humidity	: 63%

**Test Specifications:**

Performance checking at 94 and 114 dB

**Methodology:**

In-house method, according to manufacturer instruction manual

**Results:**

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

*PREPARED AND CHECKED BY:*  
For and On Behalf of **WELLAB Ltd.**

  
**PATRICK TSE**  
Laboratory Manager

### TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/N/100823-1
Date of Issue:	2010-08-23
Date Received:	2010-08-20
Date Tested:	2010-08-20
Date Completed:	2010-08-21
Next Due Date:	2011-08-22

**ATTN:** Mr. Henry Leung

Page: 1 of 1

### Certificate of Calibration

**Item for calibration:**

Description	: Integrating Sound Level Meter
Manufacturer	: Brüel & Kjær
Model No.	: B&K 2238
Serial No.	: 2359311
Microphone No.	: 2346382
Equipment No.	: N-01-03

**Test conditions:**

Room Temperature	: 23 degree Celsius
Relative Humidity	: 65%

**Test Specifications:**

Performance checking at 94 and 114 dB

**Methodology:**

In-house method, according to manufacturer instruction manual

**Results:**

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

*PREPARED AND CHECKED BY:*

For and On Behalf of **WELLAB Ltd.**

  
**PATRICK TSE**  
Laboratory Manager

## TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/N/100902-2
Date of Issue:	2010-09-02
Date Received:	2010-09-01
Date Tested:	2010-09-01
Date Completed:	2010-09-02
Next Due Date:	2011-09-01

**ATTN:** Mr. Henry Leung

Page: 1 of 1

### Certificate of Calibration

**Item for calibration:**

Description	: Integrating Sound Level Meter
Manufacturer	: Brüel & Kjær
Model No.	: B&K 2238
Serial No.	: 2359303
Equipment No.	: N-01-04

**Test conditions:**

Room Temperature	: 23 degree Celsius
Relative Humidity	: 65%

**Test Specifications:**

Performance checking at 94 and 114 dB

**Methodology:**


In-house method, according to manufacturer instruction manual

**Results:**

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

*PREPARED AND CHECKED BY:*

For and On Behalf of **WELLAB Ltd.**



**PATRICK TSE**

Laboratory Manager

## TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/N/100907/3
Date of Issue:	2010-09-07
Date Received:	2010-09-06
Date Tested:	2010-09-06
Date Completed:	2010-09-07
Next Due Date:	2011-09-06

**ATTN:** Mr. Henry Leung

Page: 1 of 1

### Certificate of Calibration

**Item for calibration:**

Description	: 'SVANTEK' Integrating Sound Level Meter
Manufacturer	: SVANTEK
Model No.	: SVAN 957
Serial No.	: 21460
Microphone No.	: 43679
Equipment No.	: N-08-09

**Test conditions:**

Room Temperature	: 23 degree Celsius
Relative Humidity	: 65%

**Test Specifications:**

Performance checking at 94 and 114 dB

**Methodology:**

In-house method, according to manufacturer instruction manual

**Results:**

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

*PREPARED AND CHECKED BY:*

For and On Behalf of **WELLAB Ltd.**

  
\_\_\_\_\_  
**PATRICK TSE**  
Laboratory Manager

## TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/N/100527-2
Date of Issue:	2010-05-27
Date Received:	2010-05-26
Date Tested:	2010-05-26
Date Completed:	2010-05-27
Next Due Date:	2011-05-26

**ATTN:** Mr. Henry Leung

Page: 1 of 1

### Certificate of Calibration

**Item for calibration:**

Description	: Integrating Sound Level Meter
Manufacturer	: Brüel & Kjær
Model No.	: 2250 Light
Serial No.	: 2681378
Microphone No.	: 2674175
Equipment No.	: N-11-02

**Test conditions:**

Room Temperature	: 21 degree Celsius
Relative Humidity	: 60%

**Test Specifications:**

Performance checking at 94 and 114 dB

**Methodology:**

In-house method, according to manufacturer instruction manual

**Results:**

Reference Set Point, dB	Instrument Readings, dB
94	94.0
114	114.0

*PREPARED AND CHECKED BY:*

For and On Behalf of **WELLAB Ltd.**

  
**PATRICK TSE**  
Laboratory Manager

## TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/N/91114/1
Date of Issue:	2009-11-14
Date Received:	2009-11-13
Date Tested:	2009-11-13
Date Completed:	2009-11-14
Next Due Date:	2010-11-13

**ATTN:** Mr. Henry Leung

Page: 1 of 1

### Item for calibration:

Description	: Acoustical Calibrator
Manufacturer	: Brüel & Kjær
Model No.	: 4231
Serial No.	: 2326353
Project No.	: C13
Equipment No.	: N-02-01

### Test conditions:

Room Temperature	: 21 degree Celsius
Relative Humidity	: 60%
Pressure	: 1015.2 hPa

### Methodology:

The sound calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

### Results:

Sound Pressure Level	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB

*PREPARED AND CHECKED BY:*

For and On Behalf of **WELLAB Ltd.**



**PATRICK TSE**  
Laboratory Manager

## TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/N/100902-3
Date of Issue:	2010-09-02
Date Received:	2010-09-01
Date Tested:	2010-09-01
Date Completed:	2010-09-02
Next Due Date:	2011-09-01

**ATTN:** Mr. Henry Leung

### Item for calibration:

Description	: Acoustical Calibrator
Manufacturer	: Brüel & Kjær
Model No.	: 4231
Serial No.	: 2412367
Equipment No.	: N-02-03

### Test conditions:

Room Temperature	: 23 degree Celsius
Relative Humidity	: 65%

### Methodology:

The Sound Level Calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

### Results:

Sound Pressure Level (1kHz)	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB
At 114 dB SPL	114.0	114.0 ± 0.1 dB

*PREPARED AND CHECKED BY:*  
For and On Behalf of **WELLAB Ltd.**

  
\_\_\_\_\_  
**PATRICK TSE**  
Laboratory Manager



## TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/N/100924/2
Date of Issue:	2009-09-24
Date Received:	2010-09-22
Date Tested:	2010-09-22
Date Completed:	2010-09-24
Next Due Date:	2011-09-23

**ATTN:** Mr. Henry Leung

Page: 1 of 1

### Item for calibration:

Description	: Acoustical Calibrator
Manufacturer	: SVANTEK
Model No.	: SV30A
Serial No.	: 10929
Equipment No.	: N-09-01

### Test conditions:

Room Temperature	: 22 degree Celsius
Relative Humidity	: 59%

### Methodology:

The Sound Level Calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

### Results:

Sound Pressure Level (1kHz)	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB
At 114 dB SPL	114.0	114.0 ± 0.1 dB

*PREPARED AND CHECKED BY:*  
For and On Behalf of **WELLAB Ltd.**

  
\_\_\_\_\_  
**PATRICK TSE**  
*Laboratory Manager*

## TEST REPORT

**APPLICANT:** Cinotech Consultants Limited  
Room 1710, Technology Park,  
18 On Lai Street,  
Shatin, NT, Hong Kong

Test Report No.:	C/N/91109/1
Date of Issue:	2009-11-09
Date Received:	2009-11-07
Date Tested:	2009-11-07
Date Completed:	2009-11-09
Next Due Date:	2010-11-08

**ATTN:** Mr. Henry Leung

Page: 1 of 1

### Item for calibration:

Description	: Acoustical Calibrator
Manufacturer	: SVANTEK
Model No.	: SV30A
Serial No.	: 10965
Equipment No.	: N-09-02

### Test conditions:

Room Temperature	: 21 degree Celsius
Relative Humidity	: 55%

### Methodology:

The Sound Level Calibrator has been calibrated in accordance with the documented procedures and using standard(s) and instrument(s) which are recommended by the manufacturer, or equivalent.

### Results:

Sound Pressure Level (1kHz)	Measured SPL	Tolerance
At 94 dB SPL	94.0	94.0 ± 0.1 dB
At 114 dB SPL	114.0	114.0 ± 0.1 dB

*PREPARED AND CHECKED BY:*  
For and On Behalf of **WELLAB Ltd.**

  
\_\_\_\_\_  
**PATRICK TSE**  
*Laboratory Manager*

---

---

**APPENDIX C**  
**WIND DATA**

---

---

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
1-Sep-2010	00:00	2.3	WSW
1-Sep-2010	01:00	2.1	W
1-Sep-2010	02:00	1.7	WNW
1-Sep-2010	03:00	1.8	WSW
1-Sep-2010	04:00	1.6	SW
1-Sep-2010	05:00	1.9	W
1-Sep-2010	06:00	1.8	SW
1-Sep-2010	07:00	2.4	SW
1-Sep-2010	08:00	2	SSW
1-Sep-2010	09:00	2.5	SW
1-Sep-2010	10:00	2.5	W
1-Sep-2010	11:00	3	WNW
1-Sep-2010	12:00	3	SW
1-Sep-2010	13:00	2.2	WNW
1-Sep-2010	14:00	2.2	W
1-Sep-2010	15:00	2.1	NW
1-Sep-2010	16:00	2.5	W
1-Sep-2010	17:00	2.7	NW
1-Sep-2010	18:00	2.3	SSW
1-Sep-2010	19:00	1.7	SW
1-Sep-2010	20:00	1.7	WSW
1-Sep-2010	21:00	1.9	SW
1-Sep-2010	22:00	1.9	SW
1-Sep-2010	23:00	1.9	WSW
2-Sep-2010	00:00	2.4	SW
2-Sep-2010	01:00	2.7	WSW
2-Sep-2010	02:00	3.1	SW
2-Sep-2010	03:00	2.4	SW
2-Sep-2010	04:00	3	SW
2-Sep-2010	05:00	2.4	SW
2-Sep-2010	06:00	2.7	SW
2-Sep-2010	07:00	2.7	SW
2-Sep-2010	08:00	1.9	WSW
2-Sep-2010	09:00	2.3	SW
2-Sep-2010	10:00	2.4	SW
2-Sep-2010	11:00	3.5	SSW
2-Sep-2010	12:00	3.5	W
2-Sep-2010	13:00	3.2	WNW
2-Sep-2010	14:00	3.3	W
2-Sep-2010	15:00	3.5	WSW
2-Sep-2010	16:00	3.2	SSW
2-Sep-2010	17:00	3	SW
2-Sep-2010	18:00	3	SW
2-Sep-2010	19:00	2.7	SSW
2-Sep-2010	20:00	2.5	W
2-Sep-2010	21:00	2.7	WNW
2-Sep-2010	22:00	3	WSW
2-Sep-2010	23:00	2.8	WSW
3-Sep-2010	00:00	3	W
3-Sep-2010	01:00	3.2	W
3-Sep-2010	02:00	2.9	W
3-Sep-2010	03:00	3.5	W
3-Sep-2010	04:00	4.1	W
3-Sep-2010	05:00	3.7	WSW

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
3-Sep-2010	06:00	2.9	WSW
3-Sep-2010	07:00	3.3	WNW
3-Sep-2010	08:00	2.3	WNW
3-Sep-2010	09:00	2	WNW
3-Sep-2010	10:00	2.6	W
3-Sep-2010	11:00	2.4	WNW
3-Sep-2010	12:00	2.6	SSW
3-Sep-2010	13:00	3.2	WNW
3-Sep-2010	14:00	3.5	WNW
3-Sep-2010	15:00	3.6	WNW
3-Sep-2010	16:00	3.8	WNW
3-Sep-2010	17:00	3.3	SSW
3-Sep-2010	18:00	4	SSW
3-Sep-2010	19:00	4.2	SW
3-Sep-2010	20:00	2.9	WSW
3-Sep-2010	21:00	2.6	SW
3-Sep-2010	22:00	2.7	SW
3-Sep-2010	23:00	2.4	SW
4-Sep-2010	00:00	3.5	W
4-Sep-2010	01:00	3.3	W
4-Sep-2010	02:00	2.5	N
4-Sep-2010	03:00	2.7	WSW
4-Sep-2010	04:00	2.4	W
4-Sep-2010	05:00	2.5	SSW
4-Sep-2010	06:00	2.4	WSW
4-Sep-2010	07:00	2.3	WSW
4-Sep-2010	08:00	3.3	WSW
4-Sep-2010	09:00	3.5	WSW
4-Sep-2010	10:00	4.2	SW
4-Sep-2010	11:00	4.7	SW
4-Sep-2010	12:00	4.7	WSW
4-Sep-2010	13:00	4.1	W
4-Sep-2010	14:00	4.1	SW
4-Sep-2010	15:00	4	SW
4-Sep-2010	16:00	3.7	WSW
4-Sep-2010	17:00	2.7	SW
4-Sep-2010	18:00	2.3	WSW
4-Sep-2010	19:00	1.3	WSW
4-Sep-2010	20:00	1.1	WSW
4-Sep-2010	21:00	0.9	SW
4-Sep-2010	22:00	1.7	SW
4-Sep-2010	23:00	1.4	WSW
5-Sep-2010	00:00	1.9	W
5-Sep-2010	01:00	2.4	WSW
5-Sep-2010	02:00	2.4	SW
5-Sep-2010	03:00	2.5	SW
5-Sep-2010	04:00	2.7	SW
5-Sep-2010	05:00	2.6	SW
5-Sep-2010	06:00	2.4	SW
5-Sep-2010	07:00	3.5	W
5-Sep-2010	08:00	3.3	WSW
5-Sep-2010	09:00	4.1	SW
5-Sep-2010	10:00	3.9	SW
5-Sep-2010	11:00	4.5	SW

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
5-Sep-2010	12:00	4.3	NE
5-Sep-2010	13:00	3.2	W
5-Sep-2010	14:00	3.2	S
5-Sep-2010	15:00	3.1	SSW
5-Sep-2010	16:00	4.6	WSW
5-Sep-2010	17:00	4	SW
5-Sep-2010	18:00	3.5	SW
5-Sep-2010	19:00	3.3	SW
5-Sep-2010	20:00	3.6	SW
5-Sep-2010	21:00	3.7	SSW
5-Sep-2010	22:00	3.6	SSW
5-Sep-2010	23:00	3.5	S
6-Sep-2010	00:00	3.2	S
6-Sep-2010	01:00	3.9	SSW
6-Sep-2010	02:00	4.1	SSW
6-Sep-2010	03:00	3.9	S
6-Sep-2010	04:00	4	S
6-Sep-2010	05:00	4.1	SSE
6-Sep-2010	06:00	3.8	S
6-Sep-2010	07:00	3.8	SE
6-Sep-2010	08:00	3.7	SE
6-Sep-2010	09:00	3.7	SSE
6-Sep-2010	10:00	3.3	SSE
6-Sep-2010	11:00	3.7	SSE
6-Sep-2010	12:00	3.7	SSE
6-Sep-2010	13:00	4.4	SSE
6-Sep-2010	14:00	3.8	S
6-Sep-2010	15:00	3.6	SSW
6-Sep-2010	16:00	3.7	SSE
6-Sep-2010	17:00	4	SSW
6-Sep-2010	18:00	3.1	SSW
6-Sep-2010	19:00	3.4	SSE
6-Sep-2010	20:00	3.5	SE
6-Sep-2010	21:00	2.6	SE
6-Sep-2010	22:00	3.4	SE
6-Sep-2010	23:00	3.3	SE
7-Sep-2010	00:00	3.5	SE
7-Sep-2010	01:00	3.5	SE
7-Sep-2010	02:00	3.1	SE
7-Sep-2010	03:00	3.3	SSW
7-Sep-2010	04:00	3.1	SSW
7-Sep-2010	05:00	3.1	SSW
7-Sep-2010	06:00	3.1	SSW
7-Sep-2010	07:00	3.4	SSE
7-Sep-2010	08:00	3.1	SSE
7-Sep-2010	09:00	3.4	SSE
7-Sep-2010	10:00	4.1	ESE
7-Sep-2010	11:00	3.5	NE
7-Sep-2010	12:00	3.2	NE
7-Sep-2010	13:00	3.4	ESE
7-Sep-2010	14:00	3.6	E
7-Sep-2010	15:00	3.9	E
7-Sep-2010	16:00	3.6	E
7-Sep-2010	17:00	4.2	ESE

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
7-Sep-2010	18:00	3.8	NE
7-Sep-2010	19:00	3.6	ESE
7-Sep-2010	20:00	2.5	ESE
7-Sep-2010	21:00	2.7	E
7-Sep-2010	22:00	2.5	E
7-Sep-2010	23:00	2.6	ESE
8-Sep-2010	00:00	2.3	SE
8-Sep-2010	01:00	2.4	W
8-Sep-2010	02:00	2.6	SW
8-Sep-2010	03:00	2.9	W
8-Sep-2010	04:00	3.2	NNW
8-Sep-2010	05:00	3.9	NW
8-Sep-2010	06:00	3.6	NW
8-Sep-2010	07:00	3.6	NW
8-Sep-2010	08:00	3.7	NW
8-Sep-2010	09:00	3.7	NW
8-Sep-2010	10:00	3.9	NW
8-Sep-2010	11:00	4.3	NE
8-Sep-2010	12:00	4.4	NE
8-Sep-2010	13:00	3.6	N
8-Sep-2010	14:00	3.7	NE
8-Sep-2010	15:00	4.2	SE
8-Sep-2010	16:00	4	SE
8-Sep-2010	17:00	3.7	SE
8-Sep-2010	18:00	3.3	SE
8-Sep-2010	19:00	3.4	ENE
8-Sep-2010	20:00	3.5	ENE
8-Sep-2010	21:00	3.5	E
8-Sep-2010	22:00	3.3	ESE
8-Sep-2010	23:00	3	E
9-Sep-2010	00:00	3	E
9-Sep-2010	01:00	3	E
9-Sep-2010	02:00	3	E
9-Sep-2010	03:00	3	NE
9-Sep-2010	04:00	3.1	NNE
9-Sep-2010	05:00	2.8	N
9-Sep-2010	06:00	2.5	SSE
9-Sep-2010	07:00	2.8	SE
9-Sep-2010	08:00	2.8	SE
9-Sep-2010	09:00	3	SE
9-Sep-2010	10:00	4.1	SE
9-Sep-2010	11:00	4	SSE
9-Sep-2010	12:00	3.8	SE
9-Sep-2010	13:00	3.7	SE
9-Sep-2010	14:00	3.2	SE
9-Sep-2010	15:00	2.7	SE
9-Sep-2010	16:00	2.9	SE
9-Sep-2010	17:00	2.8	SE
9-Sep-2010	18:00	2.2	SE
9-Sep-2010	19:00	1.9	ESE
9-Sep-2010	20:00	1.9	ESE
9-Sep-2010	21:00	2.3	SSE
9-Sep-2010	22:00	1.9	SSE
9-Sep-2010	23:00	1.3	SSE



## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
10-Sep-2010	00:00	1.3	SSE
10-Sep-2010	01:00	1.8	SE
10-Sep-2010	02:00	1.3	S
10-Sep-2010	03:00	1.6	S
10-Sep-2010	04:00	1.5	S
10-Sep-2010	05:00	1.8	SSW
10-Sep-2010	06:00	2	SSW
10-Sep-2010	07:00	1.7	SSW
10-Sep-2010	08:00	1.4	SE
10-Sep-2010	09:00	2.2	SSE
10-Sep-2010	10:00	2.5	SE
10-Sep-2010	11:00	3.4	SSE
10-Sep-2010	12:00	3.6	SE
10-Sep-2010	13:00	3.5	SE
10-Sep-2010	14:00	3	SE
10-Sep-2010	15:00	3.3	SE
10-Sep-2010	16:00	3.2	E
10-Sep-2010	17:00	3.8	ENE
10-Sep-2010	18:00	2.1	N
10-Sep-2010	19:00	1.6	NE
10-Sep-2010	20:00	2.3	SSW
10-Sep-2010	21:00	1.5	WSW
10-Sep-2010	22:00	3.7	WSW
10-Sep-2010	23:00	2.4	W
11-Sep-2010	00:00	2.2	N
11-Sep-2010	01:00	2.6	SW
11-Sep-2010	02:00	3.4	SW
11-Sep-2010	03:00	2.9	SW
11-Sep-2010	04:00	2.8	SW
11-Sep-2010	05:00	2.4	SW
11-Sep-2010	06:00	2.9	WNW
11-Sep-2010	07:00	2.7	WNW
11-Sep-2010	08:00	2.9	SW
11-Sep-2010	09:00	3.8	SW
11-Sep-2010	10:00	3.7	SW
11-Sep-2010	11:00	3.4	SW
11-Sep-2010	12:00	4.2	SSW
11-Sep-2010	13:00	3.9	S
11-Sep-2010	14:00	3.9	SSE
11-Sep-2010	15:00	4.1	SSE
11-Sep-2010	16:00	4.1	SSE
11-Sep-2010	17:00	2.4	SSE
11-Sep-2010	18:00	2.6	SSE
11-Sep-2010	19:00	2.8	SSW
11-Sep-2010	20:00	2.6	SSW
11-Sep-2010	21:00	2.7	SSW
11-Sep-2010	22:00	3	SW
11-Sep-2010	23:00	2.8	SSW
12-Sep-2010	00:00	2.9	SW
12-Sep-2010	01:00	2.7	SW
12-Sep-2010	02:00	2.7	W
12-Sep-2010	03:00	3.7	WSW
12-Sep-2010	04:00	3.3	WSW
12-Sep-2010	05:00	3.2	SSW

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
12-Sep-2010	06:00	3.3	SSW
12-Sep-2010	07:00	3.7	NNW
12-Sep-2010	08:00	3.9	WNW
12-Sep-2010	09:00	4.2	WNW
12-Sep-2010	10:00	4.4	WNW
12-Sep-2010	11:00	4.7	W
12-Sep-2010	12:00	2.6	SW
12-Sep-2010	13:00	4.6	SW
12-Sep-2010	14:00	3.9	SW
12-Sep-2010	15:00	4.8	W
12-Sep-2010	16:00	4.4	WSW
12-Sep-2010	17:00	3.7	NNE
12-Sep-2010	18:00	3.6	NE
12-Sep-2010	19:00	2.8	NE
12-Sep-2010	20:00	2.4	NNE
12-Sep-2010	21:00	1.9	W
12-Sep-2010	22:00	1.8	W
12-Sep-2010	23:00	2.4	WNW
13-Sep-2010	00:00	2	W
13-Sep-2010	01:00	1.9	W
13-Sep-2010	02:00	1.7	WNW
13-Sep-2010	03:00	1.5	WNW
13-Sep-2010	04:00	2.3	W
13-Sep-2010	05:00	1.4	WSW
13-Sep-2010	06:00	1.9	WSW
13-Sep-2010	07:00	1.7	W
13-Sep-2010	08:00	2	W
13-Sep-2010	09:00	2.3	NE
13-Sep-2010	10:00	3.6	NNE
13-Sep-2010	11:00	4	NNE
13-Sep-2010	12:00	4.3	W
13-Sep-2010	13:00	4.5	W
13-Sep-2010	14:00	3.8	WSW
13-Sep-2010	15:00	3.8	S
13-Sep-2010	16:00	3.4	SSW
13-Sep-2010	17:00	3	W
13-Sep-2010	18:00	2.6	W
13-Sep-2010	19:00	2	WNW
13-Sep-2010	20:00	1.8	WNW
13-Sep-2010	21:00	1.5	W
13-Sep-2010	22:00	1.7	W
13-Sep-2010	23:00	2.6	WNW
14-Sep-2010	00:00	2.1	WNW
14-Sep-2010	01:00	1.7	WNW
14-Sep-2010	02:00	2	SSW
14-Sep-2010	03:00	2.2	SSE
14-Sep-2010	04:00	2.5	SSE
14-Sep-2010	05:00	2.1	SE
14-Sep-2010	06:00	2.1	E
14-Sep-2010	07:00	2	ENE
14-Sep-2010	08:00	2.4	ESE
14-Sep-2010	09:00	2.8	E
14-Sep-2010	10:00	3	SSE
14-Sep-2010	11:00	3.8	ENE

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
14-Sep-2010	12:00	4.3	ESE
14-Sep-2010	13:00	4.2	SE
14-Sep-2010	14:00	3.9	SSE
14-Sep-2010	15:00	3.9	SSE
14-Sep-2010	16:00	3.6	ESE
14-Sep-2010	17:00	3.5	ENE
14-Sep-2010	18:00	3.1	ESE
14-Sep-2010	19:00	2.5	SE
14-Sep-2010	20:00	2.2	SE
14-Sep-2010	21:00	1.8	SSE
14-Sep-2010	22:00	2.2	SSE
14-Sep-2010	23:00	1.5	SSE
15-Sep-2010	00:00	2	SSE
15-Sep-2010	01:00	1.9	ESE
15-Sep-2010	02:00	2	ESE
15-Sep-2010	03:00	2.1	ESE
15-Sep-2010	04:00	2	ESE
15-Sep-2010	05:00	1.8	SSE
15-Sep-2010	06:00	1.6	SSE
15-Sep-2010	07:00	1.8	SSE
15-Sep-2010	08:00	1.8	SSE
15-Sep-2010	09:00	2.4	SSE
15-Sep-2010	10:00	2.7	ESE
15-Sep-2010	11:00	2.5	ESE
15-Sep-2010	12:00	3.1	ESE
15-Sep-2010	13:00	3.7	ESE
15-Sep-2010	14:00	3.5	ESE
15-Sep-2010	15:00	4.5	S
15-Sep-2010	16:00	3.8	SSE
15-Sep-2010	17:00	3.1	SSE
15-Sep-2010	18:00	3.7	ENE
15-Sep-2010	19:00	2.2	ENE
15-Sep-2010	20:00	2.2	ENE
15-Sep-2010	21:00	2.5	ENE
15-Sep-2010	22:00	2.4	NE
15-Sep-2010	23:00	2.4	ENE
16-Sep-2010	00:00	2.9	NE
16-Sep-2010	01:00	2.2	NE
16-Sep-2010	02:00	2.2	NE
16-Sep-2010	03:00	1.5	NNE
16-Sep-2010	04:00	2.2	NNE
16-Sep-2010	05:00	2.5	N
16-Sep-2010	06:00	1.8	N
16-Sep-2010	07:00	2.5	SE
16-Sep-2010	08:00	1.8	SE
16-Sep-2010	09:00	2.4	SW
16-Sep-2010	10:00	3	SSW
16-Sep-2010	11:00	3.8	ESE
16-Sep-2010	12:00	3.9	SSW
16-Sep-2010	13:00	4.1	N
16-Sep-2010	14:00	4.6	NE
16-Sep-2010	15:00	3.6	ENE
16-Sep-2010	16:00	4.5	ENE
16-Sep-2010	17:00	4.2	NE

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
16-Sep-2010	18:00	4.2	NE
16-Sep-2010	19:00	4.1	ENE
16-Sep-2010	20:00	2.4	ENE
16-Sep-2010	21:00	2.5	NE
16-Sep-2010	22:00	1.4	NE
16-Sep-2010	23:00	1.6	NE
17-Sep-2010	00:00	2	NE
17-Sep-2010	01:00	1.6	NE
17-Sep-2010	02:00	1.6	NE
17-Sep-2010	03:00	2.3	SSW
17-Sep-2010	04:00	1.1	SSW
17-Sep-2010	05:00	1.7	SW
17-Sep-2010	06:00	3.6	SSW
17-Sep-2010	07:00	1.5	SSW
17-Sep-2010	08:00	1.5	SSW
17-Sep-2010	09:00	1.9	SSW
17-Sep-2010	10:00	2.7	WSW
17-Sep-2010	11:00	4.1	SSW
17-Sep-2010	12:00	3.1	SW
17-Sep-2010	13:00	2.8	WSW
17-Sep-2010	14:00	2.6	SW
17-Sep-2010	15:00	3.1	SSW
17-Sep-2010	16:00	4.3	SW
17-Sep-2010	17:00	2.5	SW
17-Sep-2010	18:00	2.6	WSW
17-Sep-2010	19:00	2	WNW
17-Sep-2010	20:00	1.5	SSW
17-Sep-2010	21:00	1.6	WNW
17-Sep-2010	22:00	1.5	W
17-Sep-2010	23:00	1.5	W
18-Sep-2010	00:00	1.5	NNW
18-Sep-2010	01:00	2	W
18-Sep-2010	02:00	1.7	W
18-Sep-2010	03:00	1.2	WNW
18-Sep-2010	04:00	1.2	N
18-Sep-2010	05:00	1.3	WNW
18-Sep-2010	06:00	1	W
18-Sep-2010	07:00	1.3	W
18-Sep-2010	08:00	1.7	W
18-Sep-2010	09:00	3.1	W
18-Sep-2010	10:00	3.5	SSW
18-Sep-2010	11:00	3.5	WSW
18-Sep-2010	12:00	3.7	SW
18-Sep-2010	13:00	3.7	SW
18-Sep-2010	14:00	3.4	SW
18-Sep-2010	15:00	3.9	SW
18-Sep-2010	16:00	3.2	WNW
18-Sep-2010	17:00	2.6	W
18-Sep-2010	18:00	2.5	W
18-Sep-2010	19:00	2.8	W
18-Sep-2010	20:00	2.3	W
18-Sep-2010	21:00	1.8	WNW
18-Sep-2010	22:00	2.3	WNW
18-Sep-2010	23:00	1.9	W

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
19-Sep-2010	00:00	2.3	NW
19-Sep-2010	01:00	1.8	WNW
19-Sep-2010	02:00	2.4	NW
19-Sep-2010	03:00	1.9	WNW
19-Sep-2010	04:00	1.8	NW
19-Sep-2010	05:00	2	WNW
19-Sep-2010	06:00	2.2	WNW
19-Sep-2010	07:00	1.6	W
19-Sep-2010	08:00	2	W
19-Sep-2010	09:00	2.4	WNW
19-Sep-2010	10:00	2.2	WNW
19-Sep-2010	11:00	2.8	WNW
19-Sep-2010	12:00	3.4	WNW
19-Sep-2010	13:00	2.5	WNW
19-Sep-2010	14:00	2	WNW
19-Sep-2010	15:00	2.8	NW
19-Sep-2010	16:00	2.9	WNW
19-Sep-2010	17:00	2.5	W
19-Sep-2010	18:00	2.6	WNW
19-Sep-2010	19:00	3.1	W
19-Sep-2010	20:00	2.7	WNW
19-Sep-2010	21:00	1.6	W
19-Sep-2010	22:00	3.1	NW
19-Sep-2010	23:00	3.2	W
20-Sep-2010	00:00	2.9	WSW
20-Sep-2010	01:00	2.9	NW
20-Sep-2010	02:00	2.8	NW
20-Sep-2010	03:00	3.3	NW
20-Sep-2010	04:00	3.6	WNW
20-Sep-2010	05:00	4.2	W
20-Sep-2010	06:00	4.4	W
20-Sep-2010	07:00	3.2	WSW
20-Sep-2010	08:00	2	SW
20-Sep-2010	09:00	3.1	SW
20-Sep-2010	10:00	2.9	W
20-Sep-2010	11:00	3.1	W
20-Sep-2010	12:00	2.5	WNW
20-Sep-2010	13:00	3	SSW
20-Sep-2010	14:00	3.3	WSW
20-Sep-2010	15:00	3.7	WNW
20-Sep-2010	16:00	3.5	SW
20-Sep-2010	17:00	3.2	WNW
20-Sep-2010	18:00	1.7	W
20-Sep-2010	19:00	1.7	WSW
20-Sep-2010	20:00	1.8	WSW
20-Sep-2010	21:00	2	WNW
20-Sep-2010	22:00	2.3	W
20-Sep-2010	23:00	3.5	W
21-Sep-2010	00:00	1.9	WNW
21-Sep-2010	01:00	1.8	W
21-Sep-2010	02:00	1.9	W
21-Sep-2010	03:00	2.5	W
21-Sep-2010	04:00	1.9	W
21-Sep-2010	05:00	3.1	W

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
21-Sep-2010	06:00	2.5	WSW
21-Sep-2010	07:00	2.1	WSW
21-Sep-2010	08:00	2	WNW
21-Sep-2010	09:00	2.9	NW
21-Sep-2010	10:00	4.8	WNW
21-Sep-2010	11:00	4.1	WNW
21-Sep-2010	12:00	4.8	W
21-Sep-2010	13:00	4.7	W
21-Sep-2010	14:00	4.1	NNW
21-Sep-2010	15:00	3.5	SW
21-Sep-2010	16:00	3.7	SW
21-Sep-2010	17:00	3.6	SW
21-Sep-2010	18:00	4.2	SSW
21-Sep-2010	19:00	4.6	WSW
21-Sep-2010	20:00	3.4	SSW
21-Sep-2010	21:00	4.1	SSW
21-Sep-2010	22:00	3.8	WNW
21-Sep-2010	23:00	4.4	WSW
22-Sep-2010	00:00	3.8	SSW
22-Sep-2010	01:00	2.3	W
22-Sep-2010	02:00	2.5	WNW
22-Sep-2010	03:00	2.6	WSW
22-Sep-2010	04:00	3.4	SW
22-Sep-2010	05:00	2.6	NW
22-Sep-2010	06:00	3.3	WSW
22-Sep-2010	07:00	3.6	W
22-Sep-2010	08:00	4.3	SW
22-Sep-2010	09:00	3.4	SW
22-Sep-2010	10:00	3.9	ESE
22-Sep-2010	11:00	4.4	SSE
22-Sep-2010	12:00	4.8	SSE
22-Sep-2010	13:00	3.6	SSE
22-Sep-2010	14:00	3.7	SSE
22-Sep-2010	15:00	4.7	SSE
22-Sep-2010	16:00	4.7	SSE
22-Sep-2010	17:00	4.3	SE
22-Sep-2010	18:00	4.2	SE
22-Sep-2010	19:00	3.7	ESE
22-Sep-2010	20:00	3.1	SE
22-Sep-2010	21:00	3.2	SE
22-Sep-2010	22:00	2.4	SSE
22-Sep-2010	23:00	2.7	SE
23-Sep-2010	00:00	2.9	SE
23-Sep-2010	01:00	2.2	SSE
23-Sep-2010	02:00	2.9	ESE
23-Sep-2010	03:00	2.9	SSE
23-Sep-2010	04:00	2.3	SSE
23-Sep-2010	05:00	1.6	SSE
23-Sep-2010	06:00	1.9	ENE
23-Sep-2010	07:00	1.8	ENE
23-Sep-2010	08:00	2.2	ESE
23-Sep-2010	09:00	2.8	ESE
23-Sep-2010	10:00	3.6	E
23-Sep-2010	11:00	3.5	E

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
23-Sep-2010	12:00	4.2	SE
23-Sep-2010	13:00	4.2	ESE
23-Sep-2010	14:00	4.1	SSE
23-Sep-2010	15:00	3.8	SSE
23-Sep-2010	16:00	3.8	ESE
23-Sep-2010	17:00	3	SSE
23-Sep-2010	18:00	2.3	SSE
23-Sep-2010	19:00	2.4	SE
23-Sep-2010	20:00	1.9	ESE
23-Sep-2010	21:00	1.8	SE
23-Sep-2010	22:00	1.8	ESE
23-Sep-2010	23:00	1.9	ESE
24-Sep-2010	00:00	1.4	SE
24-Sep-2010	01:00	1.5	SE
24-Sep-2010	02:00	1.4	SE
24-Sep-2010	03:00	1.4	ESE
24-Sep-2010	04:00	1.4	ESE
24-Sep-2010	05:00	1.5	ESE
24-Sep-2010	06:00	1.4	SE
24-Sep-2010	07:00	1.1	SE
24-Sep-2010	08:00	2	ESE
24-Sep-2010	09:00	2	ESE
24-Sep-2010	10:00	2.5	ESE
24-Sep-2010	11:00	2.8	ESE
24-Sep-2010	12:00	2.7	SSE
24-Sep-2010	13:00	2.8	SSE
24-Sep-2010	14:00	3	SSE
24-Sep-2010	15:00	3.1	SE
24-Sep-2010	16:00	3.4	SE
24-Sep-2010	17:00	3.2	SE
24-Sep-2010	18:00	2.1	SE
24-Sep-2010	19:00	1.8	SE
24-Sep-2010	20:00	1.6	SE
24-Sep-2010	21:00	1.8	ESE
24-Sep-2010	22:00	2.1	SSE
24-Sep-2010	23:00	1.8	SE
25-Sep-2010	00:00	1.7	ESE
25-Sep-2010	01:00	2.3	ESE
25-Sep-2010	02:00	2.5	ESE
25-Sep-2010	03:00	1.9	ESE
25-Sep-2010	04:00	2	ENE
25-Sep-2010	05:00	2.2	SSE
25-Sep-2010	06:00	2.1	SSE
25-Sep-2010	07:00	2	SSE
25-Sep-2010	08:00	2.7	ESE
25-Sep-2010	09:00	2.8	SE
25-Sep-2010	10:00	2.9	ESE
25-Sep-2010	11:00	3.4	SE
25-Sep-2010	12:00	3.7	ESE
25-Sep-2010	13:00	4.3	SE
25-Sep-2010	14:00	4.7	SE
25-Sep-2010	15:00	4.8	ESE
25-Sep-2010	16:00	4.8	SE
25-Sep-2010	17:00	3.9	ESE

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
25-Sep-2010	18:00	3.6	ESE
25-Sep-2010	19:00	3.5	SE
25-Sep-2010	20:00	3.8	SE
25-Sep-2010	21:00	3.6	ESE
25-Sep-2010	22:00	3.6	E
25-Sep-2010	23:00	3.7	ESE
26-Sep-2010	00:00	3	ESE
26-Sep-2010	01:00	3	E
26-Sep-2010	02:00	3.5	E
26-Sep-2010	03:00	3	E
26-Sep-2010	04:00	1.8	ESE
26-Sep-2010	05:00	2.5	E
26-Sep-2010	06:00	2.5	E
26-Sep-2010	07:00	3	E
26-Sep-2010	08:00	3.2	E
26-Sep-2010	09:00	3.2	E
26-Sep-2010	10:00	3.7	ESE
26-Sep-2010	11:00	2.9	ESE
26-Sep-2010	12:00	2.3	ESE
26-Sep-2010	13:00	4.1	ESE
26-Sep-2010	14:00	4.7	E
26-Sep-2010	15:00	4	ESE
26-Sep-2010	16:00	4.5	ESE
26-Sep-2010	17:00	3.9	E
26-Sep-2010	18:00	3.9	E
26-Sep-2010	19:00	3.7	E
26-Sep-2010	20:00	3.2	ESE
26-Sep-2010	21:00	4	ESE
26-Sep-2010	22:00	3.8	ESE
26-Sep-2010	23:00	3.8	ESE
27-Sep-2010	00:00	3.8	E
27-Sep-2010	01:00	3	ESE
27-Sep-2010	02:00	3.1	ESE
27-Sep-2010	03:00	2.4	E
27-Sep-2010	04:00	2	ESE
27-Sep-2010	05:00	1.9	ESE
27-Sep-2010	06:00	1.4	SE
27-Sep-2010	07:00	1.9	ESE
27-Sep-2010	08:00	2	E
27-Sep-2010	09:00	2.5	E
27-Sep-2010	10:00	2.7	E
27-Sep-2010	11:00	2.7	ESE
27-Sep-2010	12:00	3.5	ESE
27-Sep-2010	13:00	3.1	ESE
27-Sep-2010	14:00	3.3	E
27-Sep-2010	15:00	3	E
27-Sep-2010	16:00	2.7	ESE
27-Sep-2010	17:00	3.4	S
27-Sep-2010	18:00	2.5	ESE
27-Sep-2010	19:00	1.6	ESE
27-Sep-2010	20:00	1.8	NE
27-Sep-2010	21:00	1.9	ESE
27-Sep-2010	22:00	1.9	ESE
27-Sep-2010	23:00	3.2	ESE



## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
28-Sep-2010	00:00	3	ENE
28-Sep-2010	01:00	2.8	ESE
28-Sep-2010	02:00	2.8	ESE
28-Sep-2010	03:00	2.2	ESE
28-Sep-2010	04:00	2.6	E
28-Sep-2010	05:00	2.1	ESE
28-Sep-2010	06:00	2	ENE
28-Sep-2010	07:00	2.1	ENE
28-Sep-2010	08:00	2	E
28-Sep-2010	09:00	2.2	ENE
28-Sep-2010	10:00	3	ENE
28-Sep-2010	11:00	2.7	ENE
28-Sep-2010	12:00	2	ENE
28-Sep-2010	13:00	3.6	ENE
28-Sep-2010	14:00	1.8	ENE
28-Sep-2010	15:00	1.9	E
28-Sep-2010	16:00	1.6	ENE
28-Sep-2010	17:00	2.6	ENE
28-Sep-2010	18:00	2.2	ENE
28-Sep-2010	19:00	1.4	ENE
28-Sep-2010	20:00	1.8	SE
28-Sep-2010	21:00	2.6	E
28-Sep-2010	22:00	1.9	ESE
28-Sep-2010	23:00	2	ENE
29-Sep-2010	00:00	2.2	ENE
29-Sep-2010	01:00	2.8	ENE
29-Sep-2010	02:00	3.3	ENE
29-Sep-2010	03:00	4.8	ENE
29-Sep-2010	04:00	2.3	ENE
29-Sep-2010	05:00	2	ENE
29-Sep-2010	06:00	2.1	ENE
29-Sep-2010	07:00	1.2	ENE
29-Sep-2010	08:00	1.2	ENE
29-Sep-2010	09:00	1.3	ENE
29-Sep-2010	10:00	4.1	NE
29-Sep-2010	11:00	2.4	NE
29-Sep-2010	12:00	1.5	NE
29-Sep-2010	13:00	1.8	ESE
29-Sep-2010	14:00	1.7	ESE
29-Sep-2010	15:00	2.7	ESE
29-Sep-2010	16:00	2.3	E
29-Sep-2010	17:00	1.9	E
29-Sep-2010	18:00	1.6	E
29-Sep-2010	19:00	1.2	E
29-Sep-2010	20:00	1	E
29-Sep-2010	21:00	1.5	E
29-Sep-2010	22:00	2.6	ENE
29-Sep-2010	23:00	1.6	ENE
30-Sep-2010	00:00	1.4	ENE
30-Sep-2010	01:00	1.8	ENE
30-Sep-2010	02:00	1.4	ESE
30-Sep-2010	03:00	1.2	ESE
30-Sep-2010	04:00	1.3	SE
30-Sep-2010	05:00	1.7	E

## Appendix C - Wind Data (Eastern Portal)

Date	Time	Wind Speed m/s	Direction
30-Sep-2010	06:00	1.3	E
30-Sep-2010	07:00	1.6	ESE
30-Sep-2010	08:00	2	E
30-Sep-2010	09:00	2.4	E
30-Sep-2010	10:00	2.5	E
30-Sep-2010	11:00	2.5	E
30-Sep-2010	12:00	3.1	SE
30-Sep-2010	13:00	2.8	E
30-Sep-2010	14:00	2.8	E
30-Sep-2010	15:00	2.9	E
30-Sep-2010	16:00	2.5	ENE
30-Sep-2010	17:00	2.1	SE
30-Sep-2010	18:00	1.9	E
30-Sep-2010	19:00	1.6	E
30-Sep-2010	20:00	1.5	E
30-Sep-2010	21:00	1.5	E
30-Sep-2010	22:00	1.9	NE
30-Sep-2010	23:00	1.5	ENE

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
1-Sep-2010	00:00	1.9	SSW
1-Sep-2010	01:00	1.9	WNW
1-Sep-2010	02:00	1.8	WNW
1-Sep-2010	03:00	1.8	N
1-Sep-2010	04:00	1.8	N
1-Sep-2010	05:00	1.8	WSW
1-Sep-2010	06:00	1.8	WSW
1-Sep-2010	07:00	1.7	WNW
1-Sep-2010	08:00	2.0	WNW
1-Sep-2010	09:00	2.1	WNW
1-Sep-2010	10:00	1.8	WNW
1-Sep-2010	11:00	2.4	WNW
1-Sep-2010	12:00	2.4	WNW
1-Sep-2010	13:00	2.1	SSW
1-Sep-2010	14:00	2.2	S
1-Sep-2010	15:00	2.2	W
1-Sep-2010	16:00	2.1	W
1-Sep-2010	17:00	1.9	WSW
1-Sep-2010	18:00	2.0	W
1-Sep-2010	19:00	1.6	WNW
1-Sep-2010	20:00	1.6	W
1-Sep-2010	21:00	1.8	W
1-Sep-2010	22:00	1.7	W
1-Sep-2010	23:00	1.7	S
2-Sep-2010	00:00	1.8	SSW
2-Sep-2010	01:00	1.7	SSW
2-Sep-2010	02:00	2.2	SSW
2-Sep-2010	03:00	2.2	SSW
2-Sep-2010	04:00	2.2	W
2-Sep-2010	05:00	2.0	W
2-Sep-2010	06:00	2.1	W
2-Sep-2010	07:00	1.9	WSW
2-Sep-2010	08:00	2.0	SW
2-Sep-2010	09:00	2.3	SW
2-Sep-2010	10:00	2.3	SW
2-Sep-2010	11:00	2.4	SW
2-Sep-2010	12:00	3.2	SW
2-Sep-2010	13:00	3.2	SW
2-Sep-2010	14:00	3.6	NNE
2-Sep-2010	15:00	3.1	NNE
2-Sep-2010	16:00	2.9	NNE
2-Sep-2010	17:00	2.7	WNW
2-Sep-2010	18:00	2.8	WNW
2-Sep-2010	19:00	2.6	WNW
2-Sep-2010	20:00	2.6	WNW
2-Sep-2010	21:00	2.8	W
2-Sep-2010	22:00	2.8	W
2-Sep-2010	23:00	2.0	W
3-Sep-2010	00:00	1.6	W
3-Sep-2010	01:00	2.1	SE
3-Sep-2010	02:00	1.7	SE
3-Sep-2010	03:00	1.4	SE
3-Sep-2010	04:00	2.0	ENE
3-Sep-2010	05:00	1.9	NE

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
3-Sep-2010	06:00	2.1	NNE
3-Sep-2010	07:00	2.1	WNW
3-Sep-2010	08:00	2.5	NW
3-Sep-2010	09:00	2.4	N
3-Sep-2010	10:00	2.6	S
3-Sep-2010	11:00	3.1	NNE
3-Sep-2010	12:00	3.0	NNW
3-Sep-2010	13:00	3.2	NNE
3-Sep-2010	14:00	3.2	E
3-Sep-2010	15:00	3.2	E
3-Sep-2010	16:00	3.1	ENE
3-Sep-2010	17:00	2.6	ENE
3-Sep-2010	18:00	2.1	NE
3-Sep-2010	19:00	2.0	NE
3-Sep-2010	20:00	1.9	NE
3-Sep-2010	21:00	1.4	ENE
3-Sep-2010	22:00	1.6	ENE
3-Sep-2010	23:00	1.5	WSW
4-Sep-2010	00:00	2.2	WSW
4-Sep-2010	01:00	2.3	W
4-Sep-2010	02:00	2.2	W
4-Sep-2010	03:00	2.3	WSW
4-Sep-2010	04:00	2.2	W
4-Sep-2010	05:00	2.3	SE
4-Sep-2010	06:00	2.5	SE
4-Sep-2010	07:00	2.1	SE
4-Sep-2010	08:00	2.3	SE
4-Sep-2010	09:00	2.9	ESE
4-Sep-2010	10:00	3.3	SW
4-Sep-2010	11:00	3.3	SW
4-Sep-2010	12:00	3.5	SSW
4-Sep-2010	13:00	3.8	SSW
4-Sep-2010	14:00	3.3	SE
4-Sep-2010	15:00	3.5	ESE
4-Sep-2010	16:00	3.1	ESE
4-Sep-2010	17:00	3.3	ESE
4-Sep-2010	18:00	2.8	ESE
4-Sep-2010	19:00	2.8	E
4-Sep-2010	20:00	2.7	E
4-Sep-2010	21:00	2.5	E
4-Sep-2010	22:00	2.2	E
4-Sep-2010	23:00	2.2	ESE
5-Sep-2010	00:00	1.5	ESE
5-Sep-2010	01:00	1.6	ESE
5-Sep-2010	02:00	1.9	ENE
5-Sep-2010	03:00	1.5	ENE
5-Sep-2010	04:00	1.5	S
5-Sep-2010	05:00	1.5	N
5-Sep-2010	06:00	1.4	N
5-Sep-2010	07:00	1.4	N
5-Sep-2010	08:00	1.6	NNE
5-Sep-2010	09:00	2.0	SW
5-Sep-2010	10:00	2.7	SSW
5-Sep-2010	11:00	2.8	SSW

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
5-Sep-2010	12:00	2.6	SW
5-Sep-2010	13:00	2.7	SW
5-Sep-2010	14:00	2.7	WSW
5-Sep-2010	15:00	3.1	ESE
5-Sep-2010	16:00	2.6	ESE
5-Sep-2010	17:00	2.7	SW
5-Sep-2010	18:00	2.5	SW
5-Sep-2010	19:00	2.2	SW
5-Sep-2010	20:00	2.1	SW
5-Sep-2010	21:00	1.8	WNW
5-Sep-2010	22:00	2.1	WSW
5-Sep-2010	23:00	1.8	W
6-Sep-2010	00:00	1.5	SSW
6-Sep-2010	01:00	1.6	SW
6-Sep-2010	02:00	1.7	SSW
6-Sep-2010	03:00	2.0	S
6-Sep-2010	04:00	2.0	SSW
6-Sep-2010	05:00	2.3	SSW
6-Sep-2010	06:00	2.6	NW
6-Sep-2010	07:00	2.6	W
6-Sep-2010	08:00	2.3	W
6-Sep-2010	09:00	2.6	WNW
6-Sep-2010	10:00	2.8	WNW
6-Sep-2010	11:00	3.0	W
6-Sep-2010	12:00	2.6	W
6-Sep-2010	13:00	2.8	W
6-Sep-2010	14:00	2.9	W
6-Sep-2010	15:00	3.0	W
6-Sep-2010	16:00	2.6	WNW
6-Sep-2010	17:00	2.5	W
6-Sep-2010	18:00	2.2	W
6-Sep-2010	19:00	1.8	WNW
6-Sep-2010	20:00	2.0	W
6-Sep-2010	21:00	2.1	WNW
6-Sep-2010	22:00	1.6	ENE
6-Sep-2010	23:00	1.7	E
7-Sep-2010	00:00	1.7	ENE
7-Sep-2010	01:00	1.6	SE
7-Sep-2010	02:00	1.5	NNE
7-Sep-2010	03:00	1.4	N
7-Sep-2010	04:00	1.4	NW
7-Sep-2010	05:00	1.8	SW
7-Sep-2010	06:00	1.8	WSW
7-Sep-2010	07:00	1.9	WSW
7-Sep-2010	08:00	2.2	W
7-Sep-2010	09:00	2.4	WSW
7-Sep-2010	10:00	2.8	W
7-Sep-2010	11:00	3.0	SSW
7-Sep-2010	12:00	3.1	S
7-Sep-2010	13:00	2.8	SSW
7-Sep-2010	14:00	2.8	S
7-Sep-2010	15:00	3.3	W
7-Sep-2010	16:00	3.3	WSW
7-Sep-2010	17:00	3.6	WSW

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
7-Sep-2010	18:00	3.3	WSW
7-Sep-2010	19:00	3.1	W
7-Sep-2010	20:00	2.7	W
7-Sep-2010	21:00	2.4	W
7-Sep-2010	22:00	2.4	W
7-Sep-2010	23:00	2.6	SSW
8-Sep-2010	00:00	2.6	SSW
8-Sep-2010	01:00	2.8	SW
8-Sep-2010	02:00	2.5	SW
8-Sep-2010	03:00	2.2	W
8-Sep-2010	04:00	3.0	W
8-Sep-2010	05:00	2.9	WSW
8-Sep-2010	06:00	2.5	W
8-Sep-2010	07:00	2.3	W
8-Sep-2010	08:00	2.9	W
8-Sep-2010	09:00	3.0	SW
8-Sep-2010	10:00	3.1	SE
8-Sep-2010	11:00	2.5	SE
8-Sep-2010	12:00	3.1	SE
8-Sep-2010	13:00	2.8	SE
8-Sep-2010	14:00	3.0	SE
8-Sep-2010	15:00	3.0	SSE
8-Sep-2010	16:00	3.0	SE
8-Sep-2010	17:00	2.7	SE
8-Sep-2010	18:00	2.4	ESE
8-Sep-2010	19:00	1.7	SE
8-Sep-2010	20:00	2.0	SE
8-Sep-2010	21:00	2.0	SE
8-Sep-2010	22:00	2.2	SE
8-Sep-2010	23:00	1.9	SE
9-Sep-2010	00:00	1.9	ESE
9-Sep-2010	01:00	2.0	SE
9-Sep-2010	02:00	1.7	SE
9-Sep-2010	03:00	1.9	SE
9-Sep-2010	04:00	2.3	SE
9-Sep-2010	05:00	2.3	SE
9-Sep-2010	06:00	2.0	ESE
9-Sep-2010	07:00	2.1	SE
9-Sep-2010	08:00	2.3	N
9-Sep-2010	09:00	2.4	WNW
9-Sep-2010	10:00	2.3	NNW
9-Sep-2010	11:00	2.4	ESE
9-Sep-2010	12:00	2.2	E
9-Sep-2010	13:00	2.2	SE
9-Sep-2010	14:00	2.1	SE
9-Sep-2010	15:00	2.3	ESE
9-Sep-2010	16:00	2.2	ESE
9-Sep-2010	17:00	2.0	ESE
9-Sep-2010	18:00	1.6	ESE
9-Sep-2010	19:00	1.3	ESE
9-Sep-2010	20:00	1.1	ESE
9-Sep-2010	21:00	1.7	SE
9-Sep-2010	22:00	1.5	SE
9-Sep-2010	23:00	1.2	SE

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
10-Sep-2010	00:00	1.1	ESE
10-Sep-2010	01:00	1.8	SE
10-Sep-2010	02:00	1.6	SE
10-Sep-2010	03:00	1.2	SE
10-Sep-2010	04:00	1.6	SE
10-Sep-2010	05:00	1.6	SE
10-Sep-2010	06:00	1.2	SE
10-Sep-2010	07:00	1.1	SE
10-Sep-2010	08:00	1.4	SE
10-Sep-2010	09:00	1.4	SE
10-Sep-2010	10:00	2.2	SE
10-Sep-2010	11:00	2.1	SE
10-Sep-2010	12:00	2.1	SE
10-Sep-2010	13:00	2.5	SE
10-Sep-2010	14:00	2.8	SE
10-Sep-2010	15:00	2.4	SE
10-Sep-2010	16:00	1.9	SSE
10-Sep-2010	17:00	1.7	S
10-Sep-2010	18:00	1.8	S
10-Sep-2010	19:00	1.2	S
10-Sep-2010	20:00	1.6	SSW
10-Sep-2010	21:00	1.6	SSW
10-Sep-2010	22:00	1.7	SE
10-Sep-2010	23:00	1.2	NE
11-Sep-2010	00:00	1.7	ENE
11-Sep-2010	01:00	2.3	E
11-Sep-2010	02:00	2.8	NNE
11-Sep-2010	03:00	1.8	N
11-Sep-2010	04:00	1.7	SE
11-Sep-2010	05:00	2.2	E
11-Sep-2010	06:00	1.9	ESE
11-Sep-2010	07:00	2.1	NE
11-Sep-2010	08:00	2.3	SE
11-Sep-2010	09:00	2.1	N
11-Sep-2010	10:00	2.1	E
11-Sep-2010	11:00	2.7	E
11-Sep-2010	12:00	3.1	E
11-Sep-2010	13:00	2.7	E
11-Sep-2010	14:00	2.6	E
11-Sep-2010	15:00	2.7	ESE
11-Sep-2010	16:00	2.6	E
11-Sep-2010	17:00	2.9	E
11-Sep-2010	18:00	3.6	ENE
11-Sep-2010	19:00	3.4	ENE
11-Sep-2010	20:00	3.1	E
11-Sep-2010	21:00	2.4	SE
11-Sep-2010	22:00	3.2	SE
11-Sep-2010	23:00	3.8	ESE
12-Sep-2010	00:00	3.5	ESE
12-Sep-2010	01:00	3.9	E
12-Sep-2010	02:00	3.1	N
12-Sep-2010	03:00	3.0	N
12-Sep-2010	04:00	2.6	N
12-Sep-2010	05:00	3.2	NW

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
12-Sep-2010	06:00	2.5	NW
12-Sep-2010	07:00	3.0	SW
12-Sep-2010	08:00	2.9	E
12-Sep-2010	09:00	2.8	E
12-Sep-2010	10:00	2.7	E
12-Sep-2010	11:00	3.1	ENE
12-Sep-2010	12:00	2.8	SE
12-Sep-2010	13:00	2.9	ESE
12-Sep-2010	14:00	3.2	E
12-Sep-2010	15:00	3.4	SE
12-Sep-2010	16:00	3.5	SE
12-Sep-2010	17:00	3.5	ESE
12-Sep-2010	18:00	3.4	ESE
12-Sep-2010	19:00	3.2	ESE
12-Sep-2010	20:00	2.9	SE
12-Sep-2010	21:00	2.7	SE
12-Sep-2010	22:00	2.3	SE
12-Sep-2010	23:00	2.8	SE
13-Sep-2010	00:00	2.8	WSW
13-Sep-2010	01:00	2.9	SW
13-Sep-2010	02:00	2.6	SW
13-Sep-2010	03:00	2.7	SE
13-Sep-2010	04:00	2.5	SE
13-Sep-2010	05:00	2.8	SE
13-Sep-2010	06:00	2.7	SE
13-Sep-2010	07:00	3.0	SE
13-Sep-2010	08:00	3.2	SE
13-Sep-2010	09:00	3.5	SE
13-Sep-2010	10:00	3.7	ESE
13-Sep-2010	11:00	3.6	ESE
13-Sep-2010	12:00	3.8	SSW
13-Sep-2010	13:00	4.0	SSW
13-Sep-2010	14:00	3.7	ESE
13-Sep-2010	15:00	3.8	SE
13-Sep-2010	16:00	3.3	ESE
13-Sep-2010	17:00	3.1	ESE
13-Sep-2010	18:00	3.3	SE
13-Sep-2010	19:00	3.0	ESE
13-Sep-2010	20:00	2.5	SSE
13-Sep-2010	21:00	2.4	SE
13-Sep-2010	22:00	2.6	SE
13-Sep-2010	23:00	2.0	NE
14-Sep-2010	00:00	2.9	SE
14-Sep-2010	01:00	2.9	SE
14-Sep-2010	02:00	2.5	SE
14-Sep-2010	03:00	2.6	SE
14-Sep-2010	04:00	2.5	SE
14-Sep-2010	05:00	2.7	SE
14-Sep-2010	06:00	2.9	SE
14-Sep-2010	07:00	2.8	SE
14-Sep-2010	08:00	2.7	SE
14-Sep-2010	09:00	3.2	ESE
14-Sep-2010	10:00	3.8	SE
14-Sep-2010	11:00	4.2	S



## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
14-Sep-2010	12:00	4.8	SE
14-Sep-2010	13:00	4.8	SE
14-Sep-2010	14:00	4.4	SE
14-Sep-2010	15:00	5.4	SE
14-Sep-2010	16:00	5.1	SE
14-Sep-2010	17:00	4.4	SE
14-Sep-2010	18:00	4.0	ESE
14-Sep-2010	19:00	4.0	ESE
14-Sep-2010	20:00	4.1	ESE
14-Sep-2010	21:00	4.9	E
14-Sep-2010	22:00	4.8	E
14-Sep-2010	23:00	5.0	SE
15-Sep-2010	00:00	4.9	SE
15-Sep-2010	01:00	6.2	NE
15-Sep-2010	02:00	5.3	NE
15-Sep-2010	03:00	4.8	NE
15-Sep-2010	04:00	5.0	E
15-Sep-2010	05:00	5.1	E
15-Sep-2010	06:00	5.4	NE
15-Sep-2010	07:00	4.5	SE
15-Sep-2010	08:00	4.5	SE
15-Sep-2010	09:00	4.7	E
15-Sep-2010	10:00	3.9	ENE
15-Sep-2010	11:00	4.2	ESE
15-Sep-2010	12:00	3.8	ESE
15-Sep-2010	13:00	3.4	ESE
15-Sep-2010	14:00	3.9	ESE
15-Sep-2010	15:00	3.9	ESE
15-Sep-2010	16:00	3.6	ESE
15-Sep-2010	17:00	3.8	ESE
15-Sep-2010	18:00	4.1	SE
15-Sep-2010	19:00	4.1	SE
15-Sep-2010	20:00	3.9	SE
15-Sep-2010	21:00	3.9	SE
15-Sep-2010	22:00	3.6	SE
15-Sep-2010	23:00	3.4	SE
16-Sep-2010	00:00	2.8	SE
16-Sep-2010	01:00	3.1	SE
16-Sep-2010	02:00	3.0	SE
16-Sep-2010	03:00	3.1	SE
16-Sep-2010	04:00	3.8	SE
16-Sep-2010	05:00	3.8	SSW
16-Sep-2010	06:00	3.6	SSW
16-Sep-2010	07:00	3.5	SE
16-Sep-2010	08:00	3.3	SE
16-Sep-2010	09:00	3.5	SE
16-Sep-2010	10:00	3.6	S
16-Sep-2010	11:00	3.6	N
16-Sep-2010	12:00	3.6	N
16-Sep-2010	13:00	3.9	E
16-Sep-2010	14:00	4.0	ESE
16-Sep-2010	15:00	4.1	ENE
16-Sep-2010	16:00	4.4	SE
16-Sep-2010	17:00	3.8	ESE

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
16-Sep-2010	18:00	2.9	ESE
16-Sep-2010	19:00	2.2	ESE
16-Sep-2010	20:00	1.6	SE
16-Sep-2010	21:00	1.7	SW
16-Sep-2010	22:00	1.6	WSW
16-Sep-2010	23:00	1.2	NW
17-Sep-2010	00:00	1.3	WNW
17-Sep-2010	01:00	1.3	E
17-Sep-2010	02:00	1.3	SE
17-Sep-2010	03:00	1.5	SE
17-Sep-2010	04:00	1.9	ESE
17-Sep-2010	05:00	1.2	ESE
17-Sep-2010	06:00	1.4	ESE
17-Sep-2010	07:00	1.7	SE
17-Sep-2010	08:00	2.1	ESE
17-Sep-2010	09:00	2.6	NE
17-Sep-2010	10:00	3.3	NE
17-Sep-2010	11:00	3.1	NE
17-Sep-2010	12:00	3.0	E
17-Sep-2010	13:00	3.3	SE
17-Sep-2010	14:00	3.3	SE
17-Sep-2010	15:00	3.0	S
17-Sep-2010	16:00	2.8	S
17-Sep-2010	17:00	2.9	SSW
17-Sep-2010	18:00	3.0	SSE
17-Sep-2010	19:00	2.9	SE
17-Sep-2010	20:00	2.6	SE
17-Sep-2010	21:00	3.1	SE
17-Sep-2010	22:00	2.8	SE
17-Sep-2010	23:00	2.9	E
18-Sep-2010	00:00	2.6	SE
18-Sep-2010	01:00	2.3	SSE
18-Sep-2010	02:00	2.4	SE
18-Sep-2010	03:00	2.4	NE
18-Sep-2010	04:00	2.1	SE
18-Sep-2010	05:00	2.1	SE
18-Sep-2010	06:00	2.5	ESE
18-Sep-2010	07:00	2.2	SE
18-Sep-2010	08:00	2.1	SE
18-Sep-2010	09:00	2.8	SE
18-Sep-2010	10:00	3.4	S
18-Sep-2010	11:00	3.4	SSE
18-Sep-2010	12:00	3.3	NE
18-Sep-2010	13:00	3.6	NE
18-Sep-2010	14:00	3.5	NE
18-Sep-2010	15:00	3.3	NE
18-Sep-2010	16:00	2.8	NE
18-Sep-2010	17:00	2.4	NE
18-Sep-2010	18:00	2.3	NNE
18-Sep-2010	19:00	2.1	N
18-Sep-2010	20:00	2.3	ESE
18-Sep-2010	21:00	2.1	ESE
18-Sep-2010	22:00	2.2	ENE
18-Sep-2010	23:00	2.4	SE

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
19-Sep-2010	00:00	2.3	SE
19-Sep-2010	01:00	2.2	ESE
19-Sep-2010	02:00	2.5	ESE
19-Sep-2010	03:00	2.4	E
19-Sep-2010	04:00	2.4	E
19-Sep-2010	05:00	2.0	E
19-Sep-2010	06:00	2.3	ESE
19-Sep-2010	07:00	2.0	SE
19-Sep-2010	08:00	2.1	SE
19-Sep-2010	09:00	2.4	E
19-Sep-2010	10:00	2.8	SE
19-Sep-2010	11:00	3.1	SE
19-Sep-2010	12:00	3.1	SE
19-Sep-2010	13:00	3.0	SE
19-Sep-2010	14:00	3.1	SE
19-Sep-2010	15:00	3.3	SE
19-Sep-2010	16:00	3.2	ESE
19-Sep-2010	17:00	3.3	ESE
19-Sep-2010	18:00	2.4	SE
19-Sep-2010	19:00	1.9	SE
19-Sep-2010	20:00	1.8	ESE
19-Sep-2010	21:00	1.8	ESE
19-Sep-2010	22:00	1.8	ESE
19-Sep-2010	23:00	2.0	SE
20-Sep-2010	00:00	1.9	SSW
20-Sep-2010	01:00	1.9	SE
20-Sep-2010	02:00	2.2	SE
20-Sep-2010	03:00	2.2	SE
20-Sep-2010	04:00	1.9	SE
20-Sep-2010	05:00	2.5	SE
20-Sep-2010	06:00	2.3	E
20-Sep-2010	07:00	2.0	ESE
20-Sep-2010	08:00	2.3	SE
20-Sep-2010	09:00	2.6	NNE
20-Sep-2010	10:00	3.5	ENE
20-Sep-2010	11:00	3.1	NNE
20-Sep-2010	12:00	3.4	NE
20-Sep-2010	13:00	3.1	NE
20-Sep-2010	14:00	3.2	NE
20-Sep-2010	15:00	3.5	ESE
20-Sep-2010	16:00	3.0	SE
20-Sep-2010	17:00	3.6	ESE
20-Sep-2010	18:00	3.4	ESE
20-Sep-2010	19:00	2.8	SE
20-Sep-2010	20:00	2.4	ESE
20-Sep-2010	21:00	2.3	SE
20-Sep-2010	22:00	1.7	SE
20-Sep-2010	23:00	2.1	ESE
21-Sep-2010	00:00	2.1	ESE
21-Sep-2010	01:00	2.2	ESE
21-Sep-2010	02:00	2.2	SE
21-Sep-2010	03:00	2.3	SE
21-Sep-2010	04:00	2.8	SE
21-Sep-2010	05:00	1.8	SE

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
21-Sep-2010	06:00	1.7	SE
21-Sep-2010	07:00	2.1	SE
21-Sep-2010	08:00	2.5	ESE
21-Sep-2010	09:00	2.5	SE
21-Sep-2010	10:00	3.1	SE
21-Sep-2010	11:00	3.3	SE
21-Sep-2010	12:00	3.1	SE
21-Sep-2010	13:00	3.3	E
21-Sep-2010	14:00	2.8	ESE
21-Sep-2010	15:00	3.0	ESE
21-Sep-2010	16:00	2.8	ESE
21-Sep-2010	17:00	2.6	ESE
21-Sep-2010	18:00	2.6	SE
21-Sep-2010	19:00	3.0	SE
21-Sep-2010	20:00	2.9	SE
21-Sep-2010	21:00	2.4	ESE
21-Sep-2010	22:00	2.3	ESE
21-Sep-2010	23:00	2.3	SE
22-Sep-2010	00:00	2.6	SSE
22-Sep-2010	01:00	1.6	E
22-Sep-2010	02:00	1.2	SE
22-Sep-2010	03:00	1.4	SE
22-Sep-2010	04:00	1.4	ESE
22-Sep-2010	05:00	2.1	SSE
22-Sep-2010	06:00	1.8	SE
22-Sep-2010	07:00	1.8	SSE
22-Sep-2010	08:00	2.2	SSE
22-Sep-2010	09:00	2.6	SE
22-Sep-2010	10:00	2.4	SE
22-Sep-2010	11:00	2.6	ESE
22-Sep-2010	12:00	2.4	ESE
22-Sep-2010	13:00	1.7	ESE
22-Sep-2010	14:00	1.9	SSE
22-Sep-2010	15:00	2.1	SSE
22-Sep-2010	16:00	1.6	SSE
22-Sep-2010	17:00	1.9	SSE
22-Sep-2010	18:00	2.5	SSE
22-Sep-2010	19:00	1.7	ESE
22-Sep-2010	20:00	2.2	ESE
22-Sep-2010	21:00	2.0	ESE
22-Sep-2010	22:00	1.7	SE
22-Sep-2010	23:00	1.7	SE
23-Sep-2010	00:00	1.6	SE
23-Sep-2010	01:00	1.5	SE
23-Sep-2010	02:00	1.4	SE
23-Sep-2010	03:00	1.2	SSE
23-Sep-2010	04:00	1.4	ESE
23-Sep-2010	05:00	1.4	SE
23-Sep-2010	06:00	1.5	SSE
23-Sep-2010	07:00	1.2	SE
23-Sep-2010	08:00	1.8	SE
23-Sep-2010	09:00	2.0	ESE
23-Sep-2010	10:00	2.2	ESE
23-Sep-2010	11:00	2.6	SSE

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
23-Sep-2010	12:00	2.3	SE
23-Sep-2010	13:00	2.2	SE
23-Sep-2010	14:00	2.5	SE
23-Sep-2010	15:00	3.1	SSE
23-Sep-2010	16:00	3.7	SSE
23-Sep-2010	17:00	3.7	SE
23-Sep-2010	18:00	3.3	SE
23-Sep-2010	19:00	2.8	ESE
23-Sep-2010	20:00	2.5	ESE
23-Sep-2010	21:00	2.9	ENE
23-Sep-2010	22:00	3.1	ENE
23-Sep-2010	23:00	2.5	ENE
24-Sep-2010	00:00	2.8	SSE
24-Sep-2010	01:00	2.3	SSE
24-Sep-2010	02:00	2.8	SSE
24-Sep-2010	03:00	2.4	NE
24-Sep-2010	04:00	2.3	ENE
24-Sep-2010	05:00	3.1	E
24-Sep-2010	06:00	3.4	ESE
24-Sep-2010	07:00	3.3	ENE
24-Sep-2010	08:00	3.6	ENE
24-Sep-2010	09:00	3.4	SSE
24-Sep-2010	10:00	3.4	NE
24-Sep-2010	11:00	3.4	E
24-Sep-2010	12:00	3.1	NE
24-Sep-2010	13:00	3.0	NNE
24-Sep-2010	14:00	2.6	NE
24-Sep-2010	15:00	2.2	ENE
24-Sep-2010	16:00	2.3	NNE
24-Sep-2010	17:00	2.0	NNE
24-Sep-2010	18:00	1.6	ENE
24-Sep-2010	19:00	1.4	ENE
24-Sep-2010	20:00	1.5	ENE
24-Sep-2010	21:00	1.3	NE
24-Sep-2010	22:00	1.8	NE
24-Sep-2010	23:00	2.0	NE
25-Sep-2010	00:00	0.9	N
25-Sep-2010	01:00	0.8	NE
25-Sep-2010	02:00	1.0	NE
25-Sep-2010	03:00	1.0	NE
25-Sep-2010	04:00	1.1	NE
25-Sep-2010	05:00	0.9	NE
25-Sep-2010	06:00	0.8	NE
25-Sep-2010	07:00	1.2	NE
25-Sep-2010	08:00	1.4	ENE
25-Sep-2010	09:00	1.6	ENE
25-Sep-2010	10:00	1.8	ENE
25-Sep-2010	11:00	1.9	E
25-Sep-2010	12:00	1.9	ENE
25-Sep-2010	13:00	2.1	SSE
25-Sep-2010	14:00	2.4	SE
25-Sep-2010	15:00	2.6	SE
25-Sep-2010	16:00	2.4	ESE
25-Sep-2010	17:00	1.9	SE

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
25-Sep-2010	18:00	1.6	E
25-Sep-2010	19:00	1.1	SSE
25-Sep-2010	20:00	1.0	SSE
25-Sep-2010	21:00	0.9	SSE
25-Sep-2010	22:00	0.9	ENE
25-Sep-2010	23:00	0.8	ENE
26-Sep-2010	00:00	0.8	ENE
26-Sep-2010	01:00	0.7	SE
26-Sep-2010	02:00	0.6	ESE
26-Sep-2010	03:00	0.7	ESE
26-Sep-2010	04:00	1.1	ESE
26-Sep-2010	05:00	1.4	ESE
26-Sep-2010	06:00	1.8	SSE
26-Sep-2010	07:00	2.2	SE
26-Sep-2010	08:00	1.8	SE
26-Sep-2010	09:00	2.0	ESE
26-Sep-2010	10:00	2.0	SE
26-Sep-2010	11:00	2.4	S
26-Sep-2010	12:00	1.9	SE
26-Sep-2010	13:00	2.2	SE
26-Sep-2010	14:00	2.0	SE
26-Sep-2010	15:00	2.1	SE
26-Sep-2010	16:00	2.2	ESE
26-Sep-2010	17:00	2.2	ESE
26-Sep-2010	18:00	1.7	ESE
26-Sep-2010	19:00	1.5	ESE
26-Sep-2010	20:00	1.5	ESE
26-Sep-2010	21:00	2.3	SSE
26-Sep-2010	22:00	2.2	SSE
26-Sep-2010	23:00	2.4	SSE
27-Sep-2010	00:00	2.7	SSE
27-Sep-2010	01:00	2.4	SE
27-Sep-2010	02:00	2.3	SSE
27-Sep-2010	03:00	2.4	SSE
27-Sep-2010	04:00	2.3	SE
27-Sep-2010	05:00	2.3	SSE
27-Sep-2010	06:00	2.4	SSE
27-Sep-2010	07:00	2.9	SE
27-Sep-2010	08:00	2.9	SE
27-Sep-2010	09:00	3.3	ESE
27-Sep-2010	10:00	3.3	ESE
27-Sep-2010	11:00	3.4	ESE
27-Sep-2010	12:00	3.6	ESE
27-Sep-2010	13:00	3.7	SE
27-Sep-2010	14:00	3.5	SSE
27-Sep-2010	15:00	3.7	SSE
27-Sep-2010	16:00	3.6	SSE
27-Sep-2010	17:00	3.6	ESE
27-Sep-2010	18:00	2.9	ESE
27-Sep-2010	19:00	2.5	SSE
27-Sep-2010	20:00	2.6	WSW
27-Sep-2010	21:00	2.6	WSW
27-Sep-2010	22:00	2.4	NW
27-Sep-2010	23:00	2.8	WSW

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
28-Sep-2010	00:00	3.1	N
28-Sep-2010	01:00	3.1	S
28-Sep-2010	02:00	2.7	S
28-Sep-2010	03:00	2.3	WSW
28-Sep-2010	04:00	2.0	WSW
28-Sep-2010	05:00	1.9	SW
28-Sep-2010	06:00	1.9	WSW
28-Sep-2010	07:00	2.2	W
28-Sep-2010	08:00	3.0	SSW
28-Sep-2010	09:00	3.3	W
28-Sep-2010	10:00	3.6	S
28-Sep-2010	11:00	3.6	S
28-Sep-2010	12:00	3.0	NNE
28-Sep-2010	13:00	2.9	NNE
28-Sep-2010	14:00	3.0	N
28-Sep-2010	15:00	2.5	N
28-Sep-2010	16:00	2.7	NW
28-Sep-2010	17:00	2.7	N
28-Sep-2010	18:00	2.3	N
28-Sep-2010	19:00	1.4	N
28-Sep-2010	20:00	1.6	NNE
28-Sep-2010	21:00	2.0	W
28-Sep-2010	22:00	1.7	N
28-Sep-2010	23:00	1.9	N
29-Sep-2010	00:00	1.6	NW
29-Sep-2010	01:00	1.9	ENE
29-Sep-2010	02:00	2.1	S
29-Sep-2010	03:00	2.3	E
29-Sep-2010	04:00	1.9	E
29-Sep-2010	05:00	1.9	SE
29-Sep-2010	06:00	2.1	SSE
29-Sep-2010	07:00	1.6	SSE
29-Sep-2010	08:00	2.0	SSE
29-Sep-2010	09:00	2.4	SE
29-Sep-2010	10:00	3.3	S
29-Sep-2010	11:00	3.2	ESE
29-Sep-2010	12:00	3.6	ESE
29-Sep-2010	13:00	3.6	SE
29-Sep-2010	14:00	3.4	SSE
29-Sep-2010	15:00	3.0	S
29-Sep-2010	16:00	3.2	ESE
29-Sep-2010	17:00	3.0	ESE
29-Sep-2010	18:00	2.6	ESE
29-Sep-2010	19:00	2.8	SE
29-Sep-2010	20:00	2.6	SSE
29-Sep-2010	21:00	2.8	SSE
29-Sep-2010	22:00	2.5	ENE
29-Sep-2010	23:00	2.4	SE
30-Sep-2010	00:00	2.2	SSE
30-Sep-2010	01:00	2.2	SSE
30-Sep-2010	02:00	1.9	SSE
30-Sep-2010	03:00	2.5	ESE
30-Sep-2010	04:00	2.3	ESE
30-Sep-2010	05:00	1.7	ESE

## Appendix C - Wind Data (Western Portal)

Date	Time	Wind Speed m/s	Direction
30-Sep-2010	06:00	1.5	ESE
30-Sep-2010	07:00	1.2	ESE
30-Sep-2010	08:00	1.6	ESE
30-Sep-2010	09:00	2.0	SSE
30-Sep-2010	10:00	2.0	SSE
30-Sep-2010	11:00	2.5	SE
30-Sep-2010	12:00	2.9	SE
30-Sep-2010	13:00	2.9	SE
30-Sep-2010	14:00	2.8	SSE
30-Sep-2010	15:00	2.6	SSE
30-Sep-2010	16:00	2.4	SSE
30-Sep-2010	17:00	2.4	SSE
30-Sep-2010	18:00	2.4	SSE
30-Sep-2010	19:00	2.3	NE
30-Sep-2010	20:00	2.7	ENE
30-Sep-2010	21:00	2.7	NE
30-Sep-2010	22:00	2.5	ESE
30-Sep-2010	23:00	2.2	ENE



---

---

**APPENDIX D  
ENVIRONMENTAL MONITORING  
SCHEDULES**

---

---

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel  
Impact Air and Noise Monitoring Schedule for September 2010 (Eastern Portal)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1-Sep	2-Sep	3-Sep	4-Sep
					1 hr TSP X 3	
						24 hrs TSP
<b>5-Sep</b>	6-Sep	7-Sep	8-Sep	9-Sep	10-Sep	11-Sep
<u>Noise</u> Daytime (07:00-19:00)	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			1 hr TSP X 3		
					24 hrs TSP	
<b>12-Sep</b>	13-Sep	14-Sep	15-Sep	16-Sep	17-Sep	18-Sep
<u>Noise</u> Daytime (07:00-19:00)	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)		1 hr TSP X 3			
				24 hrs TSP		
<b>19-Sep</b>	20-Sep	21-Sep	22-Sep	<b>23-Sep</b>	24-Sep	25-Sep
<u>Noise</u> Daytime (07:00-19:00)		1 hr TSP X 3			<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)	
			24 hrs TSP			
<b>26-Sep</b>	27-Sep	28-Sep	29-Sep	30-Sep		
<u>Noise</u> Daytime (07:00-19:00)	1 hr TSP X 3		<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			
		24 hrs TSP				

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

**Air Quality Monitoring Station**

AQ1 - True Light Middle School of HK

**Noise Monitoring Station**

NC1 - True Light Middle School of HK  
NC2 - The Legend  
NC1a - Outside True Light Middle School of HK  
(for restricted hours)

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel  
Impact Air and Noise Monitoring Schedule for September 2010 (Western Portal)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1-Sep	2-Sep	3-Sep	4-Sep
					1 hr TSP X 3	24 hrs TSP
<b>5-Sep</b>	6-Sep	7-Sep	8-Sep	9-Sep	10-Sep	11-Sep
Noise Daytime (07:00-19:00)	Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			1 hr TSP X 3	24 hrs TSP	
<b>12-Sep</b>	13-Sep	14-Sep	15-Sep	16-Sep	17-Sep	18-Sep
Noise Daytime (07:00-19:00)	Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)		1 hr TSP X 3	24 hrs TSP		
<b>19-Sep</b>	20-Sep	21-Sep	22-Sep	<b>23-Sep</b>	24-Sep	25-Sep
Noise Daytime (07:00-19:00)		1 hr TSP X 3	24 hrs TSP		Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)	
<b>26-Sep</b>	27-Sep	28-Sep	29-Sep	30-Sep		
Noise Daytime (07:00-19:00)	1 hr TSP X 3	24 hrs TSP	Noise Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

**Air Quality Monitoring Station**

AQ2 - Outside Aegean Terrace (1 hour TSP)  
AQ3 - Outside Site Office at Western Portal (24 hours TSP)

**Noise Monitoring Station**

NC3 - Outside Aegean Terrace

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel  
Impact Noise Monitoring Schedule for September 2010 (Intake BR6, DG1, E5A, E7, MA14, PFLR1, PR1, THR2, W0, W5, W8 and P5)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1-Sep	2-Sep	3-Sep	4-Sep
<b>5-Sep</b>	6-Sep	7-Sep	8-Sep	9-Sep	10-Sep	11-Sep
	<u>Noise</u> Daytime (07:00-19:00)					
<b>12-Sep</b>	13-Sep	14-Sep	15-Sep	16-Sep	17-Sep	18-Sep
	<u>Noise</u> Daytime (07:00-19:00)					
<b>19-Sep</b>	20-Sep	21-Sep	22-Sep	<b>23-Sep</b>	24-Sep	25-Sep
					<u>Noise</u> Daytime (07:00-19:00)	
<b>26-Sep</b>	27-Sep	28-Sep	29-Sep	30-Sep		
			<u>Noise</u> Daytime (07:00-19:00)			

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

**Noise Monitoring Station**

- Intake BR6 - Man Yuen Garden (NC4)
- Intake DG 1 - Blk D Villa Monte Rosa (NC5) and Rosaryhill School (NC6)
- Intake E5A - Buddhist Li Ka Shing Care & Attention Home for the Elderly (NC7)
- Intake E7 - Marymount Secondary School (NC8) and 117 Blue Pool Road (NC9)
- Intake MA14 - The Harbour View (NC10)
- Intake PFLR1 - Honey Court (NC11)
- Intake RR1 - Ying Wa Girl's School (NC12) and Peaksville Court (NC13)
- Intake THR2 - Hong Kong Japanese School (NC14)
- Intake W0 - Hong Kong Academy (NC15)
- Intake W5 - Raimondi College (NC16)
- Intake W8 - Hong Kong Institute of Technology (NC17) and Blk A, 80 Robinson Road (NC18)
- Intake P5 - Villa Veneto (NC19)

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel  
Tentative Impact Air and Noise Monitoring Schedule for October 2010 (Eastern Portal)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
					<b>1-Oct</b>	2-Oct
<b>3-Oct</b>	4-Oct	5-Oct	6-Oct	7-Oct	8-Oct	9-Oct
<u>Noise</u> Daytime (07:00-19:00)	1 hr TSP X 3  24 hrs TSP	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			1 hr TSP X 3  24 hrs TSP	
<b>10-Oct</b>	11-Oct	12-Oct	13-Oct	14-Oct	15-Oct	<b>16-Oct</b>
<u>Noise</u> Daytime (07:00-19:00)	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			1 hr TSP X 3  24 hrs TSP		
<b>17-Oct</b>	18-Oct	19-Oct	20-Oct	21-Oct	22-Oct	23-Oct
<u>Noise</u> Daytime (07:00-19:00)			1 hr TSP X 3  24 hrs TSP	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)		
<b>24-Oct</b>	25-Oct	26-Oct	27-Oct	28-Oct	29-Oct	30-Oct
<u>Noise</u> Daytime (07:00-19:00)		1 hr TSP X 3  24 hrs TSP	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

**Air Quality Monitoring Station**

AQ1 - True Light Middle School of HK

**Noise Monitoring Station**

NC1 - True Light Middle School of HK  
 NC2 - The Legend  
 NC1a - Outside True Light Middle School of HK  
 (for restricted hours)

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel  
Tentative Impact Air and Noise Monitoring Schedule for October 2010 (Western Portal)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
					<b>1-Oct</b>	2-Oct
<b>3-Oct</b>	4-Oct	5-Oct	6-Oct	7-Oct	8-Oct	9-Oct
<u>Noise</u> Daytime (07:00-19:00)	1 hr TSP X 3  24 hrs TSP	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			1 hr TSP X 3  24 hrs TSP	
<b>10-Oct</b>	11-Oct	12-Oct	13-Oct	14-Oct	15-Oct	<b>16-Oct</b>
<u>Noise</u> Daytime (07:00-19:00)	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			1 hr TSP X 3  24 hrs TSP		
<b>17-Oct</b>	18-Oct	19-Oct	20-Oct	21-Oct	22-Oct	23-Oct
<u>Noise</u> Daytime (07:00-19:00)			1 hr TSP X 3  24 hrs TSP	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)		
<b>24-Oct</b>	25-Oct	26-Oct	27-Oct	28-Oct	29-Oct	30-Oct
<u>Noise</u> Daytime (07:00-19:00)		1 hr TSP X 3  24 hrs TSP	<u>Noise</u> Daytime (07:00-19:00) , Evening time (19:00-23:00) & Night-time (23:00-07:00)			

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

**Air Quality Monitoring Station**

AQ2 - Outside Aegean Terrace (1 hour TSP)  
AQ3 - Outside Site Office at Western Portal (24 hours TSP)

**Noise Monitoring Station**

NC3 - Outside Aegean Terrace

**Drainage Improvement in Northern Hong Kong Island - Hong Kong West Drainage Tunnel  
Tentative Impact Noise Monitoring Schedule for October 2010 (Intake BR6, DG1, E5A, E7, MA14, PFLR1, PR1, THR2, W0, W5, W8 and P5)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
					<b>1-Oct</b>	2-Oct
<b>3-Oct</b>	4-Oct	5-Oct	6-Oct	7-Oct	8-Oct	9-Oct
		<u>Noise</u> Daytime (07:00-19:00)				
<b>10-Oct</b>	11-Oct	12-Oct	13-Oct	14-Oct	15-Oct	<b>16-Oct</b>
	<u>Noise</u> Daytime (07:00-19:00)					
<b>17-Oct</b>	18-Oct	19-Oct	20-Oct	21-Oct	22-Oct	23-Oct
				<u>Noise</u> Daytime (07:00-19:00)		
<b>24-Oct</b>	25-Oct	26-Oct	27-Oct	28-Oct	29-Oct	30-Oct
			<u>Noise</u> Daytime (07:00-19:00)			

The schedule may be changed due to unforeseen circumstances (adverse weather, etc)

**Noise Monitoring Station**

- Intake BR6 - Man Yuen Garden (NC4)
- Intake DG 1 - Blk D Villa Monte Rosa (NC5) and Rosaryhill School (NC6)
- Intake E5A - Buddhist Li Ka Shing Care & Attention Home for the Elderly (NC7)
- Intake E7 - Marymount Secondary School (NC8) and 117 Blue Pool Road (NC9)
- Intake MA14 - The Harbour View (NC10)
- Intake PFLR1 - Honey Court (NC11)
- Intake RR1 - Ying Wa Girl's School (NC12) and Peaksville Court (NC13)
- Intake THR2 - Hong Kong Japanese School (NC14)
- Intake W0 - Hong Kong Academy (NC15)
- Intake W5 - Raimondi College (NC16)
- Intake W8 - Hong Kong Institute of Technology (NC17) and Blk A, 80 Robinson Road (NC18)
- Intake P5 - Villa Veneto (NC19)

---

---

**APPENDIX E  
1-HOUR TSP MONITORING RESULTS  
AND GRAPHICAL PRESENTATION**

---

---



## Appendix E - 1-hour TSP Monitoring Results



### Station AQ1 (True Light Middle School of Hong Kong)

Date	Sampling Time	Weather Condition	Air Temp. (K)	Atmospheric Pressure (Pa)	Filter Weight (g)		Particulate weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Conc. (µg/m <sup>3</sup> )
					Initial	Final		Initial	Final		Initial	Final			
3-Sep-10	09:00	Cloudy	299.1	754.8	3.1974	3.2017	0.0043	5183.3	5184.3	1.0	1.22	1.22	1.22	73.3	58.6
3-Sep-10	10:15	Cloudy	299.3	754.6	3.2021	3.2081	0.0060	5184.3	5185.3	1.0	1.22	1.22	1.22	73.3	81.8
3-Sep-10	13:00	Cloudy	298.6	754.8	3.1992	3.2075	0.0083	5185.3	5186.3	1.0	1.22	1.22	1.22	73.4	113.1
9-Sep-10	09:00	Sunny	300.2	757.5	3.1647	3.1695	0.0048	5210.3	5211.3	1.0	1.22	1.22	1.22	73.3	65.4
9-Sep-10	10:00	Sunny	300.4	757.3	3.1395	3.1430	0.0035	5211.3	5212.3	1.0	1.22	1.22	1.22	73.3	47.7
9-Sep-10	11:00	Sunny	300.7	757.2	3.1803	3.1864	0.0061	5212.3	5213.3	1.0	1.22	1.22	1.22	73.3	83.2
15-Sep-10	09:00	Sunny	301.4	761.8	3.1857	3.1899	0.0042	5237.3	5238.3	1.0	1.23	1.23	1.23	73.6	57.1
15-Sep-10	10:05	Sunny	301.6	761.6	3.1611	3.1650	0.0039	5238.3	5239.3	1.0	1.23	1.23	1.23	73.6	53.0
15-Sep-10	11:08	Sunny	301.7	761.4	3.1234	3.1272	0.0038	5239.3	5240.3	1.0	1.23	1.23	1.23	73.5	51.7
21-Sep-10	09:00	Cloudy	298.3	758.1	3.1860	3.1950	0.0090	5264.3	5265.3	1.0	1.23	1.23	1.23	73.8	122.0
21-Sep-10	10:00	Cloudy	298.5	757.9	3.1514	3.1588	0.0074	5265.3	5266.3	1.0	1.23	1.23	1.23	73.7	100.3
21-Sep-10	11:00	Cloudy	298.8	757.7	3.1971	3.2072	0.0101	5266.3	5267.3	1.0	1.23	1.23	1.23	73.7	137.0
27-Sep-10	09:00	Sunny	301.1	763.1	3.1825	3.1891	0.0066	5291.3	5292.3	1.0	1.23	1.23	1.23	73.7	89.6
27-Sep-10	10:05	Sunny	301.3	762.9	3.2130	3.2214	0.0084	5292.3	5293.3	1.0	1.23	1.23	1.23	73.6	114.1
27-Sep-10	11:10	Sunny	301.5	762.7	3.2132	3.2222	0.0090	5293.3	5294.3	1.0	1.23	1.23	1.23	73.6	122.3
														Min	47.7
														Max	137.0
														Average	86.5

## Appendix E - 1-hour TSP Monitoring Results

Station AQ2 (Outside Aegean Terrace)			
Date	Time	Weather	Particulate Concentration ( $\mu\text{g}/\text{m}^3$ )
3-Sep-10	14:00	Cloudy	91.8
3-Sep-10	15:00	Cloudy	77.4
3-Sep-10	16:00	Cloudy	75.0
9-Sep-10	13:10	Sunny	58.6
9-Sep-10	14:10	Sunny	58.1
9-Sep-10	15:10	Sunny	57.5
15-Sep-10	13:00	Sunny	53.4
15-Sep-10	14:00	Sunny	49.3
15-Sep-10	15:00	Sunny	49.6
21-Sep-10	13:05	Rainy	52.5
21-Sep-10	14:05	Rainy	52.7
21-Sep-10	15:05	Rainy	53.2
27-Sep-10	13:00	Sunny	43.0
27-Sep-10	14:00	Sunny	45.8
27-Sep-10	15:00	Sunny	43.9
Average			57.5
Maximum			91.8
Minimum			43.0

### 1-hr TSP Concentration Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of 1-hour TSP Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Sep 10	Appendix E	

---

---

**APPENDIX F  
24-HOUR TSP MONITORING RESULTS  
AND GRAPHICAL PRESENTATION**

---

---

## Appendix F - 24-hour TSP Monitoring Results



### Station AQ1 - True Light Middle School of Hong Kong

Start Date	Weather Condition	Air Temp. (K)	Atmospheric Pressure (Pa)	Filter Weight (g)		Particulate weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Conc. (µg/m <sup>3</sup> )
				Initial	Final		Initial	Final		Initial	Final			
4-Sep-10	Sunny	298.3	757.0	3.2052	3.2360	0.0308	5186.3	5210.3	24.0	1.23	1.23	1.23	1765.0	17.4
10-Sep-10	Sunny	301.1	756.9	3.1866	3.2755	0.0889	5213.3	5237.3	24.0	1.22	1.22	1.22	1757.0	50.6
16-Sep-10	Sunny	304.6	759.2	3.2129	3.2874	0.0745	5240.3	5264.3	24.0	1.22	1.22	1.22	1754.5	42.5
22-Sep-10	Sunny	298.6	761.9	3.1649	3.2170	0.0521	5267.3	5291.3	24.0	1.23	1.23	1.23	1773.9	29.4
28-Sep-10	Sunny	303.3	763.3	3.1808	3.2238	0.0430	5294.3	5318.3	24.0	1.22	1.22	1.22	1762.5	24.4
													Min	17.4
													Max	50.6
													Average	32.9

### Station AQ3 - Outside Site Office (Western Portal)

Start Date	Weather Condition	Air Temp. (K)	Atmospheric Pressure (Pa)	Filter Weight (g)		Particulate weight (g)	Elapse Time		Sampling Time(hrs.)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Conc. (µg/m <sup>3</sup> )
				Initial	Final		Initial	Final		Initial	Final			
4-Sep-10	Sunny	296.8	757.0	3.1567	3.1969	0.0402	9107.1	9131.1	24.0	1.22	1.22	1.22	1757.2	22.9
10-Sep-10	Sunny	301.1	756.9	3.1749	3.3246	0.1497	9131.1	9155.1	24.0	1.21	1.21	1.21	1745.6	85.8
16-Sep-10	Sunny	301.9	760.9	3.2145	3.2885	0.0740	9155.1	9179.1	24.0	1.22	1.22	1.22	1761.7	42.0
22-Sep-10	Sunny	298.6	761.9	3.2064	3.3001	0.0937	9179.1	9203.1	24.0	1.23	1.23	1.23	1771.6	52.9
28-Sep-10	Sunny	303.3	763.3	3.2983	3.3893	0.0910	9203.1	9227.1	24.0	1.22	1.22	1.22	1760.5	51.7
													Min	22.9
													Max	85.8
													Average	51.0

### 24-hr TSP Concentration Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel  Graphical Presentation of 24-hour TSP Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Sep 10	Appendix F	

---

---

**APPENDIX G  
NOISE MONITORING RESULTS AND  
GRAPHICAL PRESENTATION**

---

---

**Appendix G - Noise Monitoring Results**

<b>Location NC1 - True Light Middle School of Hong Kong</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	17:10	Sunny	67.4	72.3	64.8	70.2	67.4 Measured ≤ Baseline
13-Sep-10	16:20	Sunny	67.4	70.7	64.3		67.4 Measured ≤ Baseline
24-Sep-10	9:10	Sunny	67.9	70.6	64.1		67.9 Measured ≤ Baseline
29-Sep-10	13:45	Sunny	69.3	71.8	65.9		69.3 Measured ≤ Baseline

<b>Location NC2 - The Legend</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	16:15	Sunny	69.0	74.2	65.8	64.8	66.9
13-Sep-10	15:30	Sunny	70.6	74.0	65.8		69.3
24-Sep-10	10:00	Sunny	69.4	73.2	65.0		67.6
29-Sep-10	13:00	Sunny	70.2	73.6	65.9		68.7

<b>Location NC3 - Outside Aegean Terrace</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	8:10	Cloudy	56.8	59.0	52.3	57.7	56.8 Measured ≤ Baseline
13-Sep-10	8:15	Sunny	55.7	57.9	52.1		55.7 Measured ≤ Baseline
24-Sep-10	8:20	Cloudy	53.4	56.0	50.1		53.4 Measured ≤ Baseline
29-Sep-10	8:10	Cloudy	53.7	56.0	50.0		53.7 Measured ≤ Baseline

<b>Location NC4 - Man Yuen Garden</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	16:30	Sunny	72.3	75.5	67.0	64.5	71.1
13-Sep-10	17:00	Sunny	70.0	71.9	67.6		68.6
24-Sep-10	13:00	Sunny	71.7	74.4	66.6		70.8
29-Sep-10	13:50	Sunny	72.3	75.0	67.4		71.5

<b>Location NC5 - Bik D Villa Monte Rosa</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	10:30	Sunny	71.3	74.0	65.3	66.1	69.7
13-Sep-10	10:35	Sunny	69.8	72.4	64.0		67.4
24-Sep-10	10:00	Sunny	71.2	74.0	64.7		69.6
29-Sep-10	9:55	Sunny	69.8	72.4	64.6		67.4

<b>Location NC6 - Rosaryhill School</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	9:45	Sunny	63.9	66.5	59.8	64.1	63.9 Measured ≤ Baseline
13-Sep-10	9:55	Sunny	64.3	66.8	60.2		50.8
24-Sep-10	10:40	Sunny	64.6	67.3	61.2		55.0
29-Sep-10	10:35	Sunny	64.7	66.9	60.3		55.8

<b>Location NC7 - Buddhist Li Ka Shing Care &amp; Attention Home for the Elderly</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	15:10	Sunny	72.7	76.2	66.8	65.1	71.9
13-Sep-10	14:20	Sunny	72.6	75.3	66.2		71.7
24-Sep-10	11:30	Sunny	72.2	74.6	66.0		71.3
29-Sep-10	11:15	Sunny	70.1	74.2	64.3		68.4



**Appendix G - Noise Monitoring Results**

<b>Location NC8 - Marymount Secondary School</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	14:00	Sunny	65.4	68.3	60.6	63.5	60.9
13-Sep-10	13:30	Sunny	64.7	69.7	61.5		58.5
24-Sep-10	13:00	Sunny	63.9	67.0	58.4		53.3
29-Sep-10	15:20	Sunny	66.6	70.4	62.9		63.7

<b>Location NC9 - 117 Blue Pool Road</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	9:30	Sunny	67.0	69.8	62.5	63.3	64.6
13-Sep-10	10:35	Sunny	68.2	73.3	63.8		66.5
24-Sep-10	15:30	Sunny	68.6	73.2	64.1		67.1
29-Sep-10	15:55	Sunny	69.1	71.5	64.7		67.8

<b>Location NC10 - The Harbour View</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	11:20	Sunny	69.9	72.6	65.0	71.7	69.9 Measured ≤ Baseline
13-Sep-10	11:25	Sunny	71.2	73.8	66.3		71.2 Measured ≤ Baseline
24-Sep-10	11:25	Sunny	69.9	72.8	64.6		69.9 Measured ≤ Baseline
29-Sep-10	11:20	Sunny	70.8	73.6	66.4		70.8 Measured ≤ Baseline

<b>Location NC11 - Honey Court</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	9:00	Sunny	66.2	68.7	63.4	63.2	63.2
13-Sep-10	9:05	Sunny	67.6	69.8	63.2		65.6
24-Sep-10	9:10	Sunny	65.9	68.6	62.1		62.6
29-Sep-10	9:00	Sunny	66.8	69.5	62.5		64.3

<b>Location NC12 - Ying Wa Girl's School</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	15:40	Sunny	63.9	66.3	59.8	67.1	63.9 Measured ≤ Baseline
13-Sep-10	13:00	Sunny	63.9	66.4	58.9		63.9 Measured ≤ Baseline
24-Sep-10	13:50	Sunny	63.7	65.9	59.7		63.7 Measured ≤ Baseline
29-Sep-10	14:40	Sunny	63.7	65.9	59.8		63.7 Measured ≤ Baseline

<b>Location NC13 - Peaksville Court</b>							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	16:20	Sunny	71.7	74.5	65.1	65.2	70.6
13-Sep-10	13:40	Sunny	72.3	74.8	67.0		71.4
24-Sep-10	14:30	Sunny	72.8	75.4	65.4		72.0
29-Sep-10	15:20	Sunny	71.2	74.0	65.9		69.9

## Appendix G - Noise Monitoring Results

Location NC14 - Hong Kong Japanese School							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	11:30	Sunny	66.0	68.3	61.0	60.8	64.4
13-Sep-10	11:30	Sunny	66.1	69.2	60.7		64.6
24-Sep-10	14:00	Sunny	65.4	68.2	59.3		63.6
29-Sep-10	14:30	Sunny	64.7	69.2	63.1		62.4

Location NC15 - Hong Kong Academy							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	13:10	Sunny	66.8	69.4	62.9	63.5	64.1
13-Sep-10	18:00	Sunny	66.7	69.3	62.3		63.9
24-Sep-10	17:45	Cloudy	66.8	69.3	63.2		64.1
29-Sep-10	13:00	Sunny	65.7	69.9	64.2		61.7

Location NC16 - Raimondi College							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	17:05	Sunny	64.2	66.4	58.3	70.4	64.2 Measured $\leq$ Baseline
13-Sep-10	14:25	Sunny	64.1	66.4	60.2		64.1 Measured $\leq$ Baseline
24-Sep-10	15:15	Sunny	63.2	65.6	58.6		63.2 Measured $\leq$ Baseline
29-Sep-10	16:05	Sunny	63.0	65.3	58.9		63.0 Measured $\leq$ Baseline

Location NC17 - Hong Kong Institute of Technology							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	14:10	Sunny	65.9	68.6	62.0	66.0	65.9 Measured $\leq$ Baseline
13-Sep-10	16:10	Sunny	67.0	69.6	63.5		60.1
24-Sep-10	16:10	Sunny	67.2	69.8	63.9		61.0
29-Sep-10	17:00	Sunny	67.0	69.6	62.9		60.1

Location NC18 - Blk A, 80 Robinson Road							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	14:50	Sunny	70.8	73.6	66.0	64.8	69.5
13-Sep-10	15:25	Sunny	71.6	74.0	65.8		70.6
24-Sep-10	16:55	Sunny	71.3	73.9	67.0		70.2
29-Sep-10	17:45	Sunny	71.6	74.9	66.0		70.6

Location NC19 - Villa Veneto							
Date	Time	Weather	Unit: dB (A) (30-min)				
			Measured Noise Level			Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>	L <sub>eq</sub>
6-Sep-10	10:25	Sunny	66.8	69.4	63.4	68.6	66.8 Measured $\leq$ Baseline
13-Sep-10	9:40	Sunny	67.0	70.2	63.1		67.0 Measured $\leq$ Baseline
24-Sep-10	16:10	Sunny	67.7	70.2	64.5		67.7 Measured $\leq$ Baseline
29-Sep-10	16:40	Sunny	65.7	69.8	61.7		65.7 Measured $\leq$ Baseline

**Appendix G - Noise Monitoring Results**

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days )

Location NC1a - Outside True Light Middle School of Hong Kong								
Date	Time	Weather	dB (A) (5-min)				(Reference) Baseline Level	(Reference) Construction Noise Level, L <sub>eq</sub>
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	Average L <sub>eq</sub>	L <sub>eq</sub>	
5-Sep-10	9:00	Sunny	64.6	66.5	62.0	64.7	65.8	64.7 Measured ≤ Baseline
	9:05		64.8	66.5	62.0			
	9:10		64.8	66.5	62.0			
6-Sep-10	19:00	Cloudy	67.2	69.8	63.2	67.4		62.3
	19:05		67.4	69.9	63.3			
	19:10		67.6	70.1	63.5			
12-Sep-10	9:15	Sunny	68.1	69.5	63.5	67.6		62.9
	9:20		67.3	69.0	63.0			
	9:25		67.2	69.0	63.0			
13-Sep-10	19:00	Cloudy	67.9	70.6	63.4	67.9		63.7
	19:05		67.8	70.5	63.3			
	19:10		68.0	70.7	63.5			
19-Sep-10	9:00	Cloudy	66.4	68.0	63.0	66.8		59.9
	9:05		67.1	68.5	63.5			
	9:10		67.0	68.5	63.0			
24-Sep-10	19:05	Cloudy	68.2	70.9	64.6	68.0	64.0	
	19:10		68.0	70.7	64.5			
	19:15		67.9	70.6	64.4			
26-Sep-10	10:00	Sunny	64.7	67.0	62.0	64.5	64.5 Measured ≤ Baseline	
	10:05		64.5	67.0	62.0			
	10:10		64.4	67.0	62.0			
29-Sep-10	19:00	Cloudy	67.3	69.8	63.7	67.5	62.6	
	19:05		67.5	70.0	63.9			
	19:10		67.6	70.1	64.0			

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days )

Location NC2 - The Legend								
Date	Time	Weather	dB (A) (5-min)				Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	Average L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
5-Sep-10	9:45	Sunny	62.4	64.0	61.0	62.5	59.1	59.8
	9:50		62.7	64.5	61.0			
	9:55		62.5	64.5	61.0			
6-Sep-10	19:35	Cloudy	65.7	68.2	62.6	65.8		64.8
	19:40		65.8	68.3	62.7			
	19:45		65.9	68.4	62.8			
12-Sep-10	9:45	Sunny	64.3	67.5	62.0	65.0		63.7
	9:50		65.4	66.5	61.5			
	9:55		65.2	67.0	61.5			
13-Sep-10	19:35	Cloudy	65.4	68.6	61.8	65.7		64.6
	19:40		65.4	68.8	62.0			
	19:45		66.2	68.9	62.0			
19-Sep-10	9:25	Cloudy	65.8	67.5	63.0	65.6		64.5
	9:30		65.6	67.0	62.0			
	9:35		65.3	67.0	62.0			
24-Sep-10	19:40	Cloudy	66.0	68.6	62.0	65.7	64.6	
	19:45		65.7	68.1	61.8			
	19:50		65.4	67.7	61.6			
26-Sep-10	10:30	Sunny	63.3	66.0	61.0	63.5	61.5	
	10:35		63.4	66.0	61.0			
	10:40		63.9	66.5	61.5			
29-Sep-10	19:35	Cloudy	64.3	68.6	62.0	64.4	62.9	
	19:40		64.5	68.9	62.2			
	19:45		64.3	68.7	62.0			

(Restricted Hours - 07:00 to 23:00 holidays & 19:00 to 23:00 on all other days )

Location NC3 - Outside Aegean Terrace								
Date	Time	Weather	dB (A) (5-min)				Baseline Level	Construction Noise Level
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	Average L <sub>eq</sub>	L <sub>eq</sub>	L <sub>eq</sub>
5-Sep-10	11:00	Sunny	52.6	54.5	51.0	52.5	53.8	52.5 Measured ≤ Baseline
	11:05		52.7	54.5	51.0			
	11:10		52.3	54.0	50.5			
6-Sep-10	20:30	Cloudy	52.1	54.0	48.3	52.0		52.0 Measured ≤ Baseline
	20:35		52.0	54.0	48.2			
	20:40		51.8	53.8	48.0			
12-Sep-10	10:45	Sunny	53.7	56.5	50.5	53.9		37.5
	10:50		53.6	56.5	50.5			
	10:55		54.3	56.5	50.0			
13-Sep-10	20:20	Cloudy	50.1	52.3	46.8	50.1		50.1 Measured ≤ Baseline
	20:25		50.2	52.3	46.9			
	20:30		50.1	52.3	46.9			
19-Sep-10	10:55	Cloudy	53.7	56.0	50.5	53.6		53.6 Measured ≤ Baseline
	11:00		53.5	55.5	50.0			
	11:05		53.5	55.5	50.0			
24-Sep-10	20:30	Cloudy	49.8	51.9	46.9	49.9	49.9 Measured ≤ Baseline	
	20:35		49.9	52.0	47.0			
	20:40		50.0	52.2	47.1			
26-Sep-10	11:30	Sunny	52.0	55.0	50.0	52.4	52.4 Measured ≤ Baseline	
	11:35		52.7	55.5	49.5			
	11:40		52.4	55.5	49.5			
29-Sep-10	20:20	Cloudy	48.9	51.0	46.7	49.0	49.0 Measured ≤ Baseline	
	20:25		49.1	51.2	46.9			
	20:30		49.0	51.1	46.8			

## Appendix G - Noise Monitoring Results

(Restricted Hours - 23:00 to 07:00 on all days )

Location NC1a - Outside True Light Middle School of Hong Kong														
Date	Time	Weather	dB (A) (5-min)				Average L <sub>eq</sub>	(Reference) Baseline Level	(Reference) Construction Noise Level, L <sub>eq</sub>					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>		L <sub>eq</sub>						
6-Sep-10	23:25	Cloudy	58.6	59.5	56.0	58.5	60.7	58.5 Measured ≤ Baseline						
	23:30		58.2	59.0	55.5									
	23:35		58.7	59.5	56.0									
13-Sep-10	23:25	Cloudy	57.3	62.0	55.5	57.3			60.7	57.3 Measured ≤ Baseline				
	23:30		57.4	62.5	56.0									
	23:35		57.1	62.5	55.5									
24-Sep-10	23:30	Cloudy	56.4	66.0	54.0	56.7					60.7	56.7 Measured ≤ Baseline		
	23:35		56.6	66.0	54.0									
	23:40		57.0	66.5	54.5									
29-Sep-10	23:25	Cloudy	54.9	58.0	52.0	55.5							60.7	55.5 Measured ≤ Baseline
	23:30		55.6	59.0	53.0									
	23:35		55.8	59.0	53.0									




(Restricted Hours - 23:00 to 07:00 on all days )

Location NC2 - The Legend														
Date	Time	Weather	dB (A) (5-min)				Average L <sub>eq</sub>	Baseline Level	Construction Noise Level					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>		L <sub>eq</sub>						
6-Sep-10	23:00	Cloudy	52.6	54.0	50.5	52.4	53.9	52.4 Measured ≤ Baseline						
	23:05		52.2	53.5	50.0									
	23:10		52.3	53.5	50.0									
13-Sep-10	23:00	Cloudy	51.7	54.5	49.5	52.0			53.9	52.0 Measured ≤ Baseline				
	23:05		51.9	55.0	50.0									
	23:10		52.3	55.0	50.0									
24-Sep-10	23:00	Cloudy	51.7	55.0	50.0	51.4					53.9	51.4 Measured ≤ Baseline		
	23:05		51.6	55.0	50.5									
	23:10		51.0	54.5	49.5									
29-Sep-10	23:00	Cloudy	52.0	54.0	49.5	51.7							53.9	51.7 Measured ≤ Baseline
	23:05		51.6	54.0	49.0									
	23:10		51.6	54.0	49.0									

(Restricted Hours - 23:00 to 07:00 on all days )




Location NC3 - Outside Aegean Terrace														
Date	Time	Weather	dB (A) (5-min)				Average L <sub>eq</sub>	Baseline Level	Construction Noise Level					
			L <sub>eq</sub>	L <sub>10</sub>	L <sub>90</sub>	L <sub>eq</sub>		L <sub>eq</sub>						
7-Sep-10	00:25	Cloudy	49.7	51.0	47.0	49.8	52.0	49.8 Measured ≤ Baseline						
	00:30		49.9	51.0	47.0									
	00:35		49.8	51.0	47.0									
14-Sep-10	00:45	Cloudy	49.7	50.5	48.5	49.5			52.0	49.5 Measured ≤ Baseline				
	00:50		49.4	51.0	48.0									
	00:55		49.4	51.0	48.0									
25-Sep-10	00:25	Cloudy	50.0	51.0	48.5	50.2					52.0	50.2 Measured ≤ Baseline		
	00:30		50.4	51.5	48.5									
	00:35		50.1	51.0	48.5									
30-Sep-10	00:25	Cloudy	49.0	53.0	46.5	49.4							52.0	49.4 Measured ≤ Baseline
	00:30		49.5	53.5	47.0									
	00:35		49.7	53.5	47.0									

## Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	CINOTECH
	Date Sep 10	Appendix G	

## Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Sep 10	Appendix	G	

## Noise Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Sep 10	Appendix	G	




## Noise Levels



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Sep 10	Appendix	G	






## Noise Levels





Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Sep 10	Appendix	G	

## Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale N.T.S	Project No. MA8001	
	Date Sep 10	Appendix G	

## Noise Levels






Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Sep 10	Appendix	G	

**Noise Levels**  
**(Restricted Hours - 07:00 - 23:00 holidays & 19:00 - 23:00 on all other days )**



Title	Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel	Scale	N.T.S	Project No.	MA8001	<b>CINOTECH</b>
	Graphical Presentation of Construction Noise Monitoring Results	Date	Sep 10	Appendix	G	

## Noise Levels (Restricted Hours - 23:00 to 07:00 on all days )



Title Contract No. DC/2007/10 Design and Construction of Hong Kong West Drainage Tunnel Graphical Presentation of Construction Noise Monitoring Results	Scale	N.T.S	Project No.	MA8001	CINOTECH
	Date	Sep 10	Appendix	G	

---

---

**APPENDIX H**  
**SUMMARY OF EXCEEDANCE**

---

---

**Contract No. DC/2007/10 – Design and Construction of Hong Kong West Drainage Tunnel  
Exceedance Report**

**Eastern Portal**

- (A) Exceedance Report for Air Quality (1 hour TSP)  
(NIL in the reporting month)**
- (B) Exceedance Report for Air Quality (24 hours TSP)  
(NIL in the reporting month)**
- (C) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Western Portal**

- (D) Exceedance Report for Air Quality (1 hour TSP)  
(NIL in the reporting month)**
- (E) Exceedance Report for Air Quality (24 hours TSP)  
(NIL in the reporting month)**
- (F) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake DG1**

- (G) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake E5A**

- (H) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake E7**

- (I) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake MA14**

- (J) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake PFLR1**

- (K) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake RR1**

- (L) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake THR2**

- (M) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake W0**

- (N) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake W5**

- (O) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake P5**

**(P) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake W8**

**(Q) Exceedance Report for Construction Noise  
(NIL in the reporting month)**

**Intake BR6**

**(R) Exceedance Report for Construction Noise  
(NIL in the reporting month)**



---

---

**APPENDIX I  
SITE AUDIT SUMMARY**

---



---

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	100901
Date	1 September 2010 (Wednesday)
Time	9:00 – 17:00

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<b>A. Water Quality</b>	
100901-O01	• Settling runoff from excavations was observed directly pumping out to public drain at Intake SM1. The Contractor was reminded all site runoff should be treated with desilting facilities prior to disposal.	B7i.
100901-O03	• Water from water recycling tank was observed overflow and discharging to the public road at Intake BR6. The Contractor was reminded to rectify this situation as soon as possible.	B9
	<b>B. Air Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>C. Noise</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>D. Waste / Chemical Management</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>E. Ecology</b>	
100901-O02	• Silty water was observed discharging to the stream at Intake TP789. The Contractor was reminded to ensure the capacity of sedimentation tank to treat the muddy water is adequate.	G1
	<b>F. Marine Ecology</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>G. Reminders</b>	
100901-R04	• Clear the deposited mud at the internal drain at Intake PFLR1, P5, BR6 and GL1.	F9
100901-R05	• To remove the accumulated sediment at near the existing drain at Intake HKU1 and GL1.	F9
100901-R06	• To clear the deposited silt/grit in the sedimentation tanks at Intake HKU1, W10, P5 and TP4.	B9
100901-R07	• Clear the worn sand bags at the site entrance of Intake W10.	D2
100901-R08	• Clear the stagnant water with floating paint oil as chemical waste at Intake W8.	F2i.
100901-R09	• To remove the chemical containers on the drain at Intake TP4.	F3i.
100901-R10	• Clear the silt and debris at the drip tray at Intake BR6.	F5ii.
100901-R11	• Properly pumping the silty water for treatment prior to disposal at Intake BR6.	B7i.
100901-R12	• To effectively use the sound absorption sheet at Intake E7 to minimize the noise impact.	E7
	<b>H. Others</b>	
	• Follow-up on previous audit section (Ref. No.:100827), follow-up action is needed for the outstanding items: 100715-R11, R12, 100827-R01 and R02.	



	Name	Signature	Date
Recorded by	Ivy Tam		1 September 2010
Checked by	Dr. Priscilla Choy		1 September 2010

Weekly Site Inspection Record Summary (For Western Portal Only)

Inspection Information

Checklist Reference Number	100831
Date	31 August 2010 (Tuesday)
Time	9:30-10:00

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<i>A. Water Quality</i>	
	• No environmental deficiency was identified during site inspection.	
	<i>G. Reminders</i>	
	• No environmental deficiency was identified during site inspection.	
	<i>H. Others</i>	
	• NIL	



	Name	Signature	Date
Recorded by	Yeung Wing Kun		31 August 2010
Checked by	Dr. Priscilla Choy		31 August 2010

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	100909
Date	9 September 2010 (Thursday)
Time	9:00 – 17:30

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<b>A. Water Quality</b>	
100909-O01	• Much of muddy water accumulated at near the existing drain at Intake GL1 after heavy rainstorm. The Contractor was reminded to reinforce the bund area to avoid any silty water from discharging out.	B5
	<b>B. Air Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>C. Noise</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>D. Waste / Chemical Management</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>E. Ecology</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>F. Marine Ecology</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>G. Reminders</b>	
100909-R02	• Clear the deposited silt/debris which blocks the drainage at Intake MBD2, GL1 and W0.	F9
100909-R03	• Clear the deposited silt/debris at the settling tank for wheel washing facilities at Intake E5B and E5A.	B9
100909-R04	• Provide drip tray for the air compressor at Intake E5B.	F3i.
100909-R05	• To effective use of sedimentation facilities (e.g. wetsep) at Intake DG1.	B7i.
100909-R06	• Clear the silt and debris at the drip tray at Intake BR6.	F5ii.
100909-R07	• To reinforce the bunds to surround area of earthworks at Intake BR6 to prevent muddy water from discharging to public road.	B5
100909-R08	• Clear the general refuse and the slope area at Intake W1.	F1iii.
100909-R09	• Provide drip tray for the chemical containers at Intake MA14.	F3i.
100909-R10	• Clear the standing water at underneath of mobile crane at Intake PFLR1.	B15
	<b>H. Others</b>	
100909-F11	• Follow-up on previous audit section (Ref. No.:100901), follow-up action is needed for the outstanding items: 100901-O03, R4 – R8.	



	Name	Signature	Date
Recorded by	Ivy Tam		9 September 2010
Checked by	Dr. Priscilla Choy		9 September 2010

Weekly Site Inspection Record Summary (For Western Portal Only)

Inspection Information

Checklist Reference Number	100906
Date	6 September 2010 (Monday)
Time	13:20-13:50

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<b>A. Water Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>G. Reminders</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>H. Others</b>	
	• NIL	



	Name	Signature	Date
Recorded by	Yeung Wing Kun		6 September 2010
Checked by	Dr. Priscilla Choy		6 September 2010

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	100916
Date	16 September 2010 (Thursday)
Time	9:00 – 17:30

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<b>A. Water Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>B. Air Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>C. Noise</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>D. Waste / Chemical Management</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>E. Ecology</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>F. Marine Ecology</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>G. Reminders</b>	
100916-R01	• Clear the wastes at the drain at Intake HKU1, W10, P5 and GL1.	F9
100916-R02	• To replace the worn sand bags at the entrance of W10.	B5
100916-R03	• Clear the oil spillage as chemical waste at Intake P5.	F8
100916-R04	• Ensure the water discharge comply with WPCO license at Intake P5 and TP5.	B9
100916-R05	• Clear the standing water at the corner area at Intake W8.	B15
100916-R06	• Clear the general refuse at the slope area at Intake W1.	F1iii.
100916-R07	• Clear the stagnant water at the drip tray at Intake W1 and MB16.	B15
100916-R08	• Provide well maintenance for the plant equipments to avoid smoke emission at Intake HR1.	D13
100916-R09	• Provide drip tray for the chemical containers at Intake HR1.	F3i.
100916-R10	• Provide mitigation measures to prevent any mud and sediment from getting to the stream water at Intake GL1.	G1
	<b>H. Others</b>	
100916-F11	• Follow-up on previous audit section (Ref. No.:100909), follow-up action is needed for the outstanding items: 100909-O01, R02 – R05, R08 and R09.	



	Name	Signature	Date
Recorded by	Ivy Tam		16 September 2010
Checked by	Dr. Priscilla Choy		16 September 2010

Weekly Site Inspection Record Summary (For Western Portal Only)

Inspection Information

Checklist Reference Number	100913
Date	13 September 2010 (Monday)
Time	12:35-13:00

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<b>A. Water Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>G. Reminders</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>H. Others</b>	
	• NIL	



	Name	Signature	Date
Recorded by	Yeung Wing Kun		13 September 2010
Checked by	Dr. Priscilla Choy		13 September 2010

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	100924
Date	24 September 2010 (Friday)
Time	9:00 – 17:30

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<b>A. Water Quality</b>	
100924-O01	• Discharge from site at Intake THR2 and BR6 were observed not discharge at designated discharging point. The Contractor was reminded to rectify the deficiencies immediately.	B7i.
100924-O02	• Muddy water and stockpile of sediment were observed accumulate at near the existing stream at Intake GL1. The Contractor was reminded to reinforce the bund area to prevent any silt/wastewater from getting to the stream.	B2
	<b>B. Air Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>C. Noise</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>D. Waste / Chemical Management</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>E. Ecology</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>F. Marine Ecology</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>G. Reminders</b>	
100924-R03	• Provide drip tray for the air compressor at Intake E5B.	F3i.
100924-R04	• Properly store the chemical containers at Intake E5A and GL1.	F3i.
100924-R05	• Clear the stagnant water at the H-pile and top of tarpaulin at Intake E7.	B15
100924-R06	• Clear the stagnant water at the drip tray at Intake BR6.	B15
100924-R07	• Properly deploy the sound absorption sheet at Intake E7 to minimize the noise.	E7
100924-R08	• Clear the deposited silt and sediment at the drain at Intake GL1.	F9
100924-R09	• Clear the stagnant water regularly at Intake M3 especially after the rain.	B15
100924-R10	• Properly provide enclosure during the grouting work to prevent dust generation at Intake TP789.	D10
	<b>H. Others</b>	
100924-F11	• Follow-up on previous audit section (Ref. No.:100916), follow-up action is needed for the outstanding items: 100916-R01 – R07, R10 and F11.	

	Name	Signature	Date
Recorded by	Ivy Tam		24 September 2010
Checked by	Dr. Priscilla Choy		24 September 2010



*Contract No. DC/2007/10  
Design and Construction of Hong Kong West Drainage Tunnel*



---

Weekly Site Inspection Record Summary (For Western Portal Only)

**Inspection Information**

Checklist Reference Number	100921
Date	21 September 2010 (Tuesday)
Time	12:10-12:30

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<i>A. Water Quality</i>	
	• No environmental deficiency was identified during site inspection.	
	<i>G. Reminders</i>	
	• No environmental deficiency was identified during site inspection.	
	<i>H. Others</i>	
	• NIL	



	Name	Signature	Date
Recorded by	Yeung Wing Kun		21 September 2010
Checked by	Dr. Priscilla Choy		21 September 2010

Weekly Site Inspection Record Summary

Inspection Information

Checklist Reference Number	100930
Date	30 September 2010 (Thursday)
Time	14:00 – 16:30

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<b>A. Water Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>B. Air Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>C. Noise</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>D. Waste / Chemical Management</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>E. Ecology</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>F. Marine Ecology</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>G. Reminders</b>	
100930-R01	• To ensure the site discharges at Intake P5 comply with WPCO license.	B7ii. & B9
100930-R02	• Properly cover the stockpile of sediment at Intake W5.	D6
100930-R03	• Clear the silt and debris at the internal drain at Intake P5.	F9
100930-R04	• Clear the standing water at the H-pile at Intake W10.	B15
	<b>H. Others</b>	
100930-F05	• Follow-up on previous audit section (Ref. No.:100924), follow-up action is needed for all items identified on 24 September 2010 and 100916-R03, R04, R06, R07, R10 and F11.	



	Name	Signature	Date
Recorded by	Ivy Tam		30 September 2010
Checked by	Dr. Priscilla Choy		30 September 2010

Weekly Site Inspection Record Summary (For Western Portal Only)

Inspection Information

Checklist Reference Number	100929
Date	29 September 2010 (Wednesday)
Time	12:15-12:35

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	<b>A. Water Quality</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>G. Reminders</b>	
	• No environmental deficiency was identified during site inspection.	
	<b>H. Others</b>	
	• NIL	

	Name	Signature	Date
Recorded by	Yeung Wing Kun		29 September 2010
Checked by	Dr. Priscilla Choy		29 September 2010

---

---

**APPENDIX J  
ENVIRONMENTAL MITIGATION  
IMPLEMENTATION SCHEDULE (EMIS)**

---

---

## Appendix J - Summary of Environmental Mitigation Implementation Schedule

Types of Impacts	Mitigation Measures	Status
<b>Construction Dust</b>	<i>Dust Mitigation Measures</i>	
	<ul style="list-style-type: none"> <li>The Contractor shall undertake at all times to prevent dust nuisance as a result of his activities. Effective dust suppression measures should be installed to minimize air quality impacts, at the boundary of the site and at any sensitive receivers.</li> </ul>	^
	<ul style="list-style-type: none"> <li>No blasting shall be carried out when the strong wind signal or tropical cyclone warning signal No. 3 or higher is hoisted (unless prior permission of the Commissioner of Mines is obtained).</li> </ul>	^
	<ul style="list-style-type: none"> <li>Effective water sprays shall be used during the delivery and handling of all raw sand, aggregate and other similar materials, when dust is likely to be created, to dampen all stored materials during dry and windy weather. Watering of exposed surfaces shall be conducted as often as possible depending on the circumstances.</li> </ul>	^
	<ul style="list-style-type: none"> <li>A watering programme of once every 2 hours in normal weather conditions, and hourly in dry/windy conditions.</li> </ul>	^
	<ul style="list-style-type: none"> <li>Any stockpile of dusty material cannot be immediately transported out of the Site shall be either: a) covered entirely by impervious sheeting; b) placed in an area sheltered on the top and the three sides; or c) sprayed with water or a dust suppression chemical so as to maintain the entire surface wet.</li> </ul>	*
	<ul style="list-style-type: none"> <li>Should a conveyor system be used, the Contractor shall implement the following precautionary measures. Conveyor belts shall be fitted within windboards. Conveyor transfer points and hopper discharge areas shall be enclosed to minimize dust emission. All conveyors under control of the Contractor, and carrying materials which have the potential to create dust, shall be totally enclosed and fitted with belt cleaners.</li> </ul>	^
	<ul style="list-style-type: none"> <li>Any dusty materials being discharged to vehicle from a conveying system at fixed transfer point, three-sided roofed enclosed with a flexible curtain across the entry shall be provided. Exhaust fans shall be provided for this enclosure and vented via a suitable fabric filter system.</li> </ul>	^
	<ul style="list-style-type: none"> <li>The heights from excavated spoils are dropped should be minimise to reduce the fugitive dust arising from unloading/loading.</li> </ul>	^
	<ul style="list-style-type: none"> <li>The Contractor shall confine haulage and delivery vehicles to designated roadways inside the site. If in the opinion of the Engineer, any motorising vehicle is causing dust nuisance, the Engineer may require that the vehicle be restricted to a maximum speed of 15km per hour while within the site area.</li> </ul>	^
<ul style="list-style-type: none"> <li>Areas within the site where there is a regular movement of vehicles shall have an approved hard surface, be kept clear of loose surface materials and / or be regularly watered.</li> </ul>	^	
<ul style="list-style-type: none"> <li>Wheel cleaning facilities shall be installed for both portals and used by all vehicles leaving the site. No earth, mud, debris, dust and the like shall be deposited on public roads. Water in the wheel cleaning facility shall be changed at frequent intervals and sediments shall be removed regularly. The Contractor shall submit details of proposals for the wheel cleaning facilities to the Engineer prior to construction of the facility. Such wheel cleaning facilities shall be usable prior to any earthwork excavation activity on site. The Contractor shall provide a hard-surfaced road between any cleaning facility and the public road.</li> </ul>	^	
<ul style="list-style-type: none"> <li>Chemical wetting agents shall only be used on completed cuts and fills to reduce wind erosion.</li> </ul>	N/A	

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
 N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
 \* Recommendation was made during site audit but improved/rectified by the contractor;  
 # Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<ul style="list-style-type: none"> <li>• No vehicle exhausts shall be directed towards the ground or downwards to minimize dust nuisance.</li> <li>• Ventilation system, equipped with proprietary filters, should be provided to ensure the safe working environment inside the tunnel. Particular attention should be paid to the location and direction of the ventilation exhausts. The exhausts should not be allowed to face any sensitive receivers directly. Consideration should also be given to the location of windows, doors and direction of prevailing winds in relation to the nearby sensitive receivers.</li> <li>• In the event of any spoil or debris from construction works being deposited on adjacent land, or stream, or any silt being washed down to any area, then all such spoil, debris or material and silt shall be immediately removed and the affected land and areas restored to their natural state by the Contractor to the satisfaction of the Engineers.</li> </ul> <p>In addition, based on the <i>Air Pollution Control (Construction Dust) Regulation</i>, any works involved regulatory and notifiable works, such as stockpiling, loading and unloading of dusty materials, shall take precautions to suppress dust nuisance.</p> <ul style="list-style-type: none"> <li>• The working area of any excavation or earthmoving operation shall spray with water or a dust suppression chemical immediately before, during and immediately after the operation so as to maintain the entire surface wet;</li> <li>• Exposed earth shall be properly treated by compaction, turfing, hydroseeding, vegetation planting or sealing with latex, vinyl, bitumen or other suitable surface stabiliser within six months after the last construction activity on the construction site or part of the construction site where the exposed earth lies; and</li> <li>• Any stockpile of dusty materials (greater than 20m<sup>3</sup>) shall be either covered entirely by impervious sheeting or placed in an area sheltered on the top and three sides; and sprayed with water or a dust suppression chemical so as to maintain the entire surface wet.</li> <li>• Other suitable dust control measures as stipulated in <i>Air Pollution Control (Construction Dust) Regulation</i>, where appropriate, should be adopted.</li> </ul>	<p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
<p><b>Construction Noise</b></p>	<p><u>Air borne noise</u></p> <p>In general, potential construction noise impact can be minimized or avoided by imposing a combination of the following mitigation measures:</p> <ul style="list-style-type: none"> <li>• Noisy equipment and activities should be sited by the Contractor as far from close-proximity sensitive receivers as practical. Prolonged operation of noisy equipment close to dwellings should be avoided.</li> <li>• The Contractor should minimise construction noise exposure to the schools (especially during examination periods). The Contractor should liaise with the school and the Examination Authority to ascertain the exact dates and times of all examination periods during the course of the works contract and to avoid noisy activities during these periods.</li> <li>• Noisy plant or processes should be replaced by quieter alternatives. Silenced diesel and gasoline generators and power units, as well as silenced and super-silenced air compressor, can be readily obtained.</li> <li>• Noisy activities should be scheduled to minimise exposure of nearby sensitive receivers to high levels of construction noise. For example, noisy activities can be scheduled for midday, or at times coinciding with periods of high background noise (such as during peak traffic hours).</li> <li>• Idle equipment should be turned off or throttled down. Noisy equipment should be properly maintained and used no more often than is necessary.</li> <li>• The power units of non-electric stationary plant and earth-moving plant should be quietened by vibration isolation and partial or full acoustic enclosures for individual noise-generating components.</li> <li>• Construction activities should be planned so that parallel operation of several sets of equipment close to a given receiver is avoided, thus reducing the cumulative impacts between operations. The numbers of operating items of powered mechanical equipment should be minimised. Noise can be reduced by increasing the distance between the operating equipment and the NSRs or by reducing the number of items of equipment and/or construction activity in the area at any one time.</li> <li>• The use of quiet plant working methods can further reduce noise level. Quiet plant is defined as Powered Mechanical Equipment (PME) whose actual sound power level is less than the value specified in the TMs for the same piece of equipment. To allow the Contractor some flexibility to select equipment to suit his needs, it is considered too restrictive to specify which specific items of silenced equipment to be used for the construction operations. It should be noted that various types of silenced equipment can be found in Hong Kong and are readily available on the market. BS 5228 also provides examples of quiet construction plant and their SWL.</li> <li>• Construction plant should be properly maintained (well-greased, damage and worn parts promptly replaced) and operated. Construction equipment often has silencing measures built in or added on, e.g. bulldozer silencers, compressor panels, and mufflers. Silencing measures should be properly maintained and utilised. Rubber or damping materials should be introduced between metal panels to avoid rattle and reverberation of noise.</li> <li>• Equipment known to emit sound strongly in one direction should be oriented so that the noise is directed away from nearby NSRs.</li> <li>• Materials stockpile and other structures (such as site offices) should be effectively utilised to shield construction noise. Noise</li> </ul>	<p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>can also be reduced by construction of temporary noise barriers which screen the lower floors from viewing the sites. Temporary noise barriers should be installed at active parts of construction areas where construction equipment is being operated in close proximity to NSRs.</p> <ul style="list-style-type: none"> <li>• It is noted that under the WBTC No. 19/2001, all construction sites are required to use metallic site hoarding can be slightly modified (with the addition of steel backings) into temporary noise barriers. These barriers should be gap free and have a surface mass density of at least 7kg/m<sup>2</sup>.</li> <li>• All hand-held percussive breakers and air compressors should comply the Noise Control (Hand-held Percussive Breakers) Regulations respectively under the NCO (Ordinance No. 75/88, NCO Amendment 1992 No.6).</li> </ul> <p>The Contractor shall devise, arrange methods of working and carry out the works in such manner as to minimise noise impacts on the surrounding environment, and shall provide experienced personnel with suitable training to ensure that these measures are implemented properly.</p> <p><u>Level 2 Use of Barriers</u></p> <p>Level 2 mitigation measures include providing movable barriers for sites which have sufficient space for installation, full enclosures during the drilling activities at Eastern Portal and at muck pit areas for Eastern portals and cantilever-typed high rise noise barrier for intake W5 (P) and W8.</p> <p>Before construction of the full enclosure at muck pit area, the use of full enclosure noise barrier (Stage A) for the drilling activities at the Eastern Portal area is required. A full enclosure for the muck pit area will then be constructed at this later stage (Stage B). The full enclosure shall be gap free apart from necessary entrance/exits, which shall face towards the entrance of eastern portal to minimize the amount of noise generated from affecting the nearest RNSRs especially school (True Light Middle School of Hong Kong).</p> <p>5m high cantilever-typed hoarding barrier to be built at W5 (P) and W8. These enclosures/barriers should have no gaps and have a superficial surface density of at least 10kg/m<sup>2</sup>. Good site practice shall also be adopted by the Contractor to ensure the conditions of the hoardings are properly maintained throughout the construction period. To schedule the noise barrier erection and dismantling to the non sensitive periods of school to avoid adverse impact to W8/3.</p> <p>Movable barriers of 3 to 5m height with a small cantilevered upper portion and skid footing to be located within about 5 m or more for mobile equipment such that the line of sight is blocked. To provide purposes-built noise barriers or screens constructed of appropriate materials (minimum superficial density of 10kg/m<sup>2</sup>) located close to the operating PME.</p> <p>Pre-drilling following by chemical splitting instead of using large excavator mounted breaker should be used as mitigation measure for rock breaking and rock drilling.</p>	<p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.



Types of Impacts	Mitigation Measures	Status
	<p>No construction activity is recommended during the examination period.</p> <p><u>Ground borne noise</u></p> <p>The noise level should be measured on the ground floor inside the nearest building during the TBM construction work in the daytime. If the daytime monitored ground borne noise exceeds the relevant evening/night ground borne noise criteria, evening/night construction work would not be carried out for the concerned tunnel section. Evening/night time construction work is subject to CNP application under the control of NCO.</p> <p>Public relationship strategy with 24-hour hotline system.</p>	<p>^</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
Water Quality	<u>Precautionary measures for construction work near natural streams</u>	
	<p>The government provides guidelines (ETWB TCW NO. 5/2005 and DSD TC 2/2004) are providing guidelines to minimize impacts when there is construction work carried out at near natural streams course. Relevant mitigation measures for the intakes are summarised as follows:</p>	
	<ul style="list-style-type: none"> <li>• Temporary site access to the work sites should be carefully planned and located to minimize disturbance caused to the substrates of streams/rivers and riparian vegetation by construction plant.</li> </ul>	^
	<ul style="list-style-type: none"> <li>• Locations well away from the rivers/streams for temporary storage of materials (e.g equipment, filling materials, chemicals and fuel) and temporary stockpile of construction debris and spoil should be identified before commencement of works.</li> </ul>	^
	<ul style="list-style-type: none"> <li>• Proposed works site areas inside, or in the proximity of, natural rivers and streams should be temporarily isolated to prevent adverse impacts on the stream water qualities.</li> </ul>	^
	<ul style="list-style-type: none"> <li>• Stockpiling of construction materials, if necessary, should be completely properly covered and located away from any natural stream/river.</li> <li>• Construction debris and spoil should be covered up and/or properly disposed of as soon as possible to avoid being washed into nearby rivers/streams by rain and local runoff.</li> </ul>	^ *
<u>Construction of temporary berthing point at the Western Portal</u>		
<p>A refuse collection vessel shall be provided to collect refuse or materials lost into the sea.</p>	^	
<p>The respective areas of the marine works will be completely enclosed by the silt curtain. The curtain shall be extended from water surface down to the seabed where it is anchored using sinker blocks. The Contractor shall inspect the silt curtain on regular basis to ensure its integrity and it is serviceable for all times.</p>	N/A	

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>Transfer of armour rock onto the seabed from barge at the temporary pier location should be conducted by careful grabbing and unloading to the seabed (to minimize sediment migration).</p>	^
	<p>The conveyor belt should be completely covered and muddy effluent from the temporary barge should be contained, treated and disposed. Where there is transfer of excavated wastes, the Contractor should provide appropriate measures to ensure that the waste is free from floatables, putrescibles, organic wastes and toxic materials and when required a refuse collection vessel be provided to collect float refuse.</p>	^
	<p><u>Construction of stilling basin at Western Portal outfall</u></p>	
	<p>All construction for the basin should be carried out inside the temporary cofferdam which is a temporary watertight enclosure built in the water and pumped dry to expose the bottom so that construction of stilling basin can be undertaken.</p>	^
	<p>During the dewatering process, appropriate desilting/sedimentation devices should be provided on site for treatment before discharge. The Contractor should ensure discharge water from the sedimentation tank meet the WPCO/TM requirements before discharge.</p>	^
	<p>The cofferdam will remain on site until after the construction of stilling basin has been completed. The coffer dam shall be regularly inspected and maintained to ensure no spillage of waste or wastewater into the sea. Conveyance of dredged materials from the coffer dam shall be carried out cautiously to avoid spillage into the sea.</p>	^
	<p>The filled material for the stilling basin should be contained inside the temporary cofferdam. The top level of the cofferdam shall be constructed higher than the final backfilled level.</p>	^
	<p>The Contractor shall be responsible for the design, installation and maintenance of the silt curtains to minimize the impacts on the water quality and the protection of water quality. The design and specification of the silt curtains shall be submitted by the Contractor to the Engineer for approval.</p>	N/A
	<p>Silt curtains shall be formed from tough, abrasion resistant, permeable membranes, suitable for the purpose, supported on floating booms in such a way as to ensure that the sediment plume shall be restricted to within the limit of the works area. The silt curtain shall be formed and installed in such a way that tidal rise and fall are accommodated, with the silt curtains always extending from the surface to the bottom of the water column and held with anchor blocks. The removal and reinstallation of such curtains during typhoon conditions shall be as agreed with the Director of Marine Department. The contractor shall regularly inspect the silt curtains and check that they are moored and marked to avoid danger to marine traffic. Any damage to the silt curtain shall be repaired by the Contractor promptly and the works shall be stopped until the repair is fixed to the satisfaction of the Engineer.</p>	N/A

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>Transfer of rock fill material (armour rock) from the barge onto the site location should be conducted by grabbing and placement on the seabed to minimize sediment migration. No free dropping of the material will be allowed.</p> <p>Prior to the construction of armor rock based panel, a silt curtain shall also be installed prior to carry out any marine works as a preventive mitigation measure.</p> <p><u>Construction of TBM tunnel at both portals and intakes</u></p> <p>Recycled water will be used at the cutter face for cooling purposes. Used water will be collected and discharged to a settling tank for settlement. Excess water from the settling tank will be transferred to the water treatment plant on site where the addition of flocculants will assist in settlement of solids. The Contractor should ensure discharge water from the sedimentation tank meet the WPCO/TM requirements before discharge.</p> <p>During the drilling process, all flushing water will be recycled for use. Discharge of the treated water to nearby drainage system shall be allowed provided that it has been treated to a level meeting with statutory requirements.</p> <p>Water flow at streams should be maintained by a temporary diversion system during the construction phase of intakes and manhole drop shafts.</p> <p><u>General Construction Activities and Workforce</u></p> <p>A. Surface runoff</p> <p>Effluent produced from construction activities are subjected to WPCO control. Effluent produced from sites should be diverted away from stream courses. Construction works near stream course should be scheduled in the dry season as far as practical to avoid excessive site runoff discharge.</p> <p>Under the <i>Water Pollution Control Ordinance</i> (WPCO), turbid water from construction sites must be treated to minimize the solids content before being discharged into storm drains. The suspended solids load can be reduced by directing the runoff into temporary sand traps or other silt-removal facilities, and other good and appropriate site management practices. Advice on the handling and disposal of construction site discharge is provided in the ProPECC Paper (PN 1/94) on Construction Site Drainage.</p> <p>A drainage system layout should be prepared by the Contractor for each of the works areas (portals and intakes), detailing the facilities and measures to manage pollution arising from surface runoff from those works areas. The drainage layout and an associated drainage management plan to reduce surface runoff sediments and pollutants entering watercourses, should be submitted to the Engineer for approval and to EPD for agreement.</p>	<p>^</p> <p>N/A</p> <p>^</p> <p>^</p> <p>^</p> <p>*</p> <p>*</p> <p>*</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>The system should be capable of handling stormwater from the site and directing it to sediment removal facilities before discharge. If oil and grease is used on the site or brought to the site, the stormwater should pass through oil interceptors before discharge. The interceptors should have a bypass to prevent washout in heavy storms.</p> <p>A temporary channel system or earth bunds or sand barriers should be provided in works areas on site to direct stormwater to silt-removal facilities. Stockpiled materials, if susceptible to erosion of rain or wind, should be covered with tarpaulins (or/similar fabric) or hydroseedings as far as practicable especially during the wet season.</p> <p>Silt removal facilities should be checked and the deposited silt and grit should be removed regularly to ensure these facilities are in good working condition and to prevent blockages.</p> <p>Vehicle washing areas should be drained into a settlement basin to settle out the suspended solid before discharge to storm water drains. The water should be recycled on site whenever possible. It is suggested that the wash water from the wheel wash basin is either reused for road watering or pumped to the on-site settling tanks for treatment. Water used for dust depression purposes should be minimized and an alternative soil holding agent should be considered.</p> <p><b>B. Spillage, Oil and Solvents</b>  Any contractor generating waste oil or other chemicals as a result of his activities should register as a chemical waste producer and provide a safe storage area for chemicals on site. Oil interceptors need to be regularly inspected and cleaned to avoid wash-out of oil during storm conditions. A bypass should be provided to avoid overload of the interceptor's capacity.</p> <p>Any spillage should be cleaned up immediately and the resulting contaminated absorbent material should be properly managed according to Waste Disposal Regulations. Spills should be contained to avoid spreading and contaminating the water resources.</p> <p>Oil and fuels should be used and stored properly in designated area. All fuel tanks and storage areas should be provided with locks and be sited on within sealed areas within surrounded by bunds of with a capacity equal to 110% of the storage capacity of the largest tank.</p> <p>Good housekeeping practices are required to minimize careless spillage and keep the work space in a tidy and clean condition. Appropriate training, including safety codes and relevant manuals, should be given to the personnel who regularly handle the chemicals on site.</p>	<p>^</p> <p>*</p> <p>*</p> <p>^</p> <p>^</p> <p>*</p> <p>*</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>C. On-Site Effluent Generation</p> <p>Sewage arising from the additional population of workers on site should be collected in a suitable storage facility (chemical mobile toilets). Most of the work site locations are close to the public sewerage system, and therefore the use of septic tanks isare, therefore, not encouraged. Portable toilets should be used coupled with tickering away services provided by a licensed collector. They should be positioned at appropriate locations across the site to ensure no direct discharge of foul water off-site.</p> <p>D. Protection of Existing Flora and Fauna</p> <p>The Contractor should provide details of the plant and operation plans at each site for approval by the Engineer before commencing construction. The plans should include how the existing flora and fauna will be protected. Locations required for groundwater levels monitoring are Eastern Portal, PFLR1(P), THR2(P), TP5, TP789 and W12.</p> <p>The construction and demolition of the temporary pier may create short term impacts on the local marine water quality. The situation will be restored once the work is finished by proper phasing of the works programme and implementation of the adequate mitigation measures (e.g. silt curtain) the impacts will be minimized.</p> <p><u>Maintaining Baseflow in Downstream Watercourses</u></p> <p>The final design will be developed during the detailed design stage. The exact base flow rates to be maintained at each of the intakes will be subject to detailed site investigation at design stage.</p> <ul style="list-style-type: none"> <li>• Purpose of the by-pass device is to maintain the base-flow of the affected stream course.</li> <li>• The by-pass system comprises an approach link and a trapezoidal channel.</li> <li>• The approach link is section with inclined profiled surface at a gradient of 1 in 100. It is used to direct the base flow to the bypass trapezoidal channel at its down stream end during the normal days.</li> <li>• The trapezoidal channel is sized such that it could handle the base flow in the affected stream course which is estimated to be no more than 20 l/s.</li> <li>• Whenever the flow in the stream course exceeding the base flow rate, the excessive flow will overflow into the intake structure via the bottom rack structure. The bottom rack structure has bar screen on the top and inclined channel at the bottom. The top level of the bar screen is level with the by-pass channel with an aim to receive the overflow from the by-pass channel.</li> <li>• The by-pass channel is designed requiring minimum maintenance. However, it is recommended that the maintenance authority carry out regular maintenance inspection prior to onset of seasons and after significant rainstorm event to prevent blockage of the by-pass and bottom rack structure.</li> </ul>	<p>^</p> <p>^</p> <p>^</p> <p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
<b>Waste/Chemical</b>	<p><u>General</u></p> <p>A proper waste management plan should be implemented to promote waste minimisation at source. Where waste generation is unavoidable then the potential for recycling or reuse should be explored and opportunities taken. If wastes cannot be recycled then the recommended disposal routes should be followed.</p>	*
	<p>All waste materials shall be segregated into categories covering:</p> <ul style="list-style-type: none"> <li>• Excavated material or construction waste suitable for reuse on-site</li> <li>• Excavated material or construction waste suitable for public filling areas</li> <li>• Remaining C&amp;D waste for landfill</li> <li>• Chemical waste, and</li> <li>• General refuse</li> </ul>	<p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p>
	<p>Proper segregation and disposal of construction waste should be implemented. Separate containers for inert and non-inert wastes should be provided. The inert waste should be taken to public filling area and the non-inert waste should be transported to strategic landfills.</p>	^
	<p>A trip-ticket system on the solid waste transfer/disposal operations should be included as one of the contractual requirements (ETWB TCW No. 31/2004). The Independent Environmental Checker (IEC) should be responsible for auditing this system.</p>	^
	<p>IEC should also be responsible for auditing the well-documented record system which includes: (i) quantity of waste generation, (ii) quantity of recycled material, (iii) quantity of disposed material, (iv) disposal methods and (v) sites should be implemented during construction phase.</p>	^
	<p>Regular cleaning and maintenance of the waste storage area should be conducted throughout the construction stage.</p>	^
	<p><u>Excavated spoil</u></p> <p>Control measures for soil temporarily stockpiled on-site should be taken in order to minimize the noise, generation of dust, pollution of water and visual impact. Key impacts include:</p>	^

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<ul style="list-style-type: none"> <li>• Surface of stockpiled soil should be wetted with water when necessary especially during dry season</li> <li>• Disturbance of stockpiled soil should be minimized</li> <li>• Stockpiled soil should be properly covered with tarpaulins especially heavy rain storms</li> <li>• Stockpiling areas should be enclosed if possible</li> <li>• Stockpiling location should be away from the shoreline</li> <li>• An independent surface water drainage system equipped with silt traps should be installed at the stockpiling area</li> </ul> <p><u>Chemical wastes</u></p> <p>For those processes that generate chemical waste, it may be possible to find alternatives which generate reduced quantities or even no chemical waste, or less dangerous types of chemical waste.</p> <p>Construction processes produce chemical waste, the contractor must register with EPD as a Chemical Waste Producer. Wastes classified as chemical wastes are listed in the Waste Disposal (Chemical Waste) (General) Regulation (CWR). It should be handled in accordance with the Code of Practice on the Packaging, Handling and Storage of Chemical Waste published by the EPD. A producer of chemical wastes should be registered as chemical waste producer and registered with EPD.</p> <p>The chemical waste generated shall be properly labelled, stored and disposed of according to the CWR. Proper storage area shall be allocated on site for storage of chemical waste. The chemical waste should only be collected by a licensed collector. An updated list of licensed chemical waste collector can be obtained from EPD.</p> <p>In case of spillage, spill absorbent material and emulsifiers should be available on site. This material should be replaced on a regular basis and the contaminated material stored in a designated, secure place.</p> <p><u>General refuse</u></p> <p>A reputable waste collector should be employed by the contractor to remove general refuse from the site, separate from C&amp;DM and chemical wastes, and on regular basis in order to minimize odour, pest and litter impacts. The burning of refuse at site is not permitted under the Air Pollution Control Ordinance (Cap 311).</p> <p>Office waste can be reduced through recycling of paper if volumes are large enough to warrant collection.</p> <p>Good management practices should be implemented to ensure that refuse is properly stored and is transported for disposal of at licensed landfills.</p>	<p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
 N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
 \* Recommendation was made during site audit but improved/rectified by the contractor;  
 # Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.



Types of Impacts	Mitigation Measures	Status
<b>Terrestrial Ecology</b>	<p>During the detailed design stage, the following issues should also be considered as possible to further minimise the impacts:</p> <ul style="list-style-type: none"> <li>• Adjustment of site boundary to minimise temporary loss of natural stream habitat during construction.</li> <li>• Adjustment of site boundary to minimise use of mixed woodland as temporary works area. In particular, the woodland habitat in temporary works area of the Eastern Portal will be avoided, thereby greatly reducing the area of temporary loss of woodland habitat.</li> <li>• Minimizing felling of large trees.</li> <li>• About 20% of trees within the works area will be transplanted. The individual of <i>Artocarpus hypargyreus</i> recorded within the temporary works area of HKU1, if to be encroached, would also be transplanted.</li> </ul>	<p>^</p> <p>^</p> <p>^</p> <p>^</p>
	<p>Standard site practices including the following, should be enforced to minimise the disturbance to the surroundings:</p> <ul style="list-style-type: none"> <li>• Treat any damage that may occur to large individual trees in the adjacent area using materials and methods appropriate for tree surgery.</li> <li>• Reinstate work sites/disturbed areas immediately after completion of the construction works, in particular, through on-site tree/shrub planting along the woodland and shrubland section within the temporary works area. Tree/shrub species used should make reference from those in the surrounding area.</li> <li>• Regularly check the work site boundaries to ensure that they are not exceeded and that no damage occurs to surrounding areas.</li> </ul>	<p>^</p> <p>^</p> <p>^</p>
	<p>A total of 1.02 ha would be replanted with woodland species, reaching almost a 1.5:1 ratio for compensatory planting. Tree/shrub species used should be based on those in the surrounding areas, including those which are commonly recorded during the baseline surveys.</p>	<p>^</p>
	<p>A low-flow channel would be provided within the channelised section to maintain a deeper water depth in the expanded channel, in particular during dry season as well as a basin at the end of the channelised section to provide living space for aquatic life. Step chute in the form of a series of descending water pools would be constructed between the low flow channel and the undisturbed stream course. There would also be openings for aquatic fauna between each chute step (pool). These could work like a “ladder” to help avoid isolating the aquatic fauna in the channelised section from natural habitats.</p>	<p>^</p>
	<p>Measures are also needed to maintain the flow of all affected streams/nullahs during the construction stages. Temporary bypass should be provided if the stream/nullah flows will be cut off by the construction works. After the construction works are finished, sections of temporary loss should be reinstated. Construction materials, wastes, and equipment should be cleared from the sites.</p>	<p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
	<p>Surveys of amphibians at E4(P), PFLR1(P), W12(P), MB16, E5(B)(P), TP789(P) and P5(P) prior to commencement of construction is recommended. Frogs, including Hong Kong Cascade Frog and Lesser Spiny Frog, and tadpoles found at work areas of these proposed intake points will be collected and translocated to nearby streams that will not be affected by the project. These procedures should be performed by experienced herpetologists. A detailed translocation proposal will be submitted during the detailed design stage.</p> <p>Measures should also be taken to avoid runoff to streams and marine habitats. Stream/channel which could potentially be affected during construction should be prevented from sedimentation by erection of sediment barriers. Site runoff should be desilted by siltation traps in streams/channels or diverted, to reduce the potential for suspended sediments, organics and other contaminants to enter the local stream environment.</p>	<p>^</p> <p>^</p>
<b>Marine Ecology</b>	<p>Silt curtains will be deployed during the construction and demolition of the temporary berthing point. Deployment of silt curtains around the berthing point area would effectively avoid adverse water quality impacts due to barge filling. No significant ecological impact is anticipated.</p> <p>The invert of the stilling basin would be at -5.4 mPD. A cofferdam in the form of pipe-pile wall is to be constructed outside the stilling basin prior to the construction of basin. The cofferdam will be dewatered to provide a working area for construction of the stilling basin. The boulders from the seawall will then be removed by landbased grabs.</p> <p>Although the speed of the working vessels to be used in the Project (mainly barges) would not be high, a speed limit for marine traffic is proposed as a precautionary measure. A speed limit of 10 knots should be strictly enforced in the works area, in particular in the waters between the outfall location and the navigation channel in East Lamma Channel.</p>	<p>N/A</p> <p>^</p> <p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
Landscape and Visual	The proposed landscape and visual mitigation measures during the construction phase include:	
	CM1 - Topsoil, where identified, should be stripped and stored for re-use in the construction of the soft landscape works, where practical.	^
	CM2 - Existing trees to be retained on site should be carefully protected during construction. The detailed proposal for any trees felling and transplantation is subject to Lands Department's approval on tree felling application at the detailed design stage.	^
	CM3 - Trees unavoidably affected by the works should be transplanted where practical.	^
	CM4 - Compensatory tree planting should be provided to compensate for felled trees.	^
	CM5 - The extent of disturbance on the existing stream course should be minimized. Any temporary works areas within the stream course shall be reinstated after construction.	^
	CM7 – Control of night-time lighting	^
	CM8 – Erection of decorative screen hoarding	^

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
Cultural Heritage	<p>The Cultural Heritage Impact Assessment has identified the following resources which will require mitigation measures during the construction stage;</p>	
	<p><u>Haw Par Mansion (including boundary wall and gate)</u>  A condition survey must be undertaken by a qualified professional prior to the commencement of construction works for the tunnel portal in order to assess the structural integrity of the mansion, wall and gate (with special attention paid to any fragile architectural features). A report containing description of the types of construction, identification of fragile elements, an appraisal of the condition and a photographic record must be prepared. The report must also provide an assessment indicating whether further precautionary measures will be necessary during the construction phase, and if so provide details for sufficient protective measures, including monitoring for vibration control to ensure that no damage to the structure and fabric of the house, wall and gate results from the construction works. The report must be submitted to AMO for approval before construction activities commence. Upon approval the appropriate monitoring and precautionary measures shall be put into place.</p>	^
	<p>A buffer zone with a minimum width of 3 metres and an obstruction free access point must be maintained between the boundary wall/gate and the temporary works area (during construction works associated for both the tunnel portal and the permanent vehicle access ramp). This is to enable access for routine maintenance works on the wall and to ensure that the wall is not damaged by machinery operation or related construction activities. The temporary works area will be enclosed by standard DSD site hoarding.</p>	^
	<p><u>Former Explosive Magazine of Victoria Barracks</u>  A condition survey must be undertaken by a qualified professional prior to the commencement of construction works in order to assess the structural integrity of the retaining wall and the extent of damage from cracks and vegetation growth. A report containing a description of the wall's construction materials, identification of fragile and/or endangered elements, an appraisal of the condition and a photographic record of the retaining wall must be prepared. The report must also provide an assessment indicating whether further precautionary measures will be necessary during the construction phase, and if so provide details for sufficient protective measures, such as monitoring for vibration control, to ensure that no damage to the retaining wall results from the construction works. The report must be submitted to AMO for approval before construction activities commence. Upon approval the appropriate monitoring and precautionary measures shall be put into place.</p> <p>A buffer zone with a minimum width of 3 metres and an obstruction free access point must be maintained between the retaining wall and the temporary works area (for the duration of the construction phase). The works area will be enclosed by standard DSD site hoarding.</p>	^

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

Types of Impacts	Mitigation Measures	Status
<b>Fisheries</b>	<p>Silt curtain will be deployed during the construction and demolition of the temporary berthing point. With the deployment of silt curtains around the berthing point area, adverse water quality impact associated with the filling would not be anticipated. No significant fisheries impact is anticipated.</p> <p>The invert of stilling basin will be found at -5.4 mPD. A cofferdam in the form of pipe-pipe wall is to be constructed outside the stilling basin prior to the construction of basin. The cofferdam will be dewatered to provide a working space for the construction of stilling basin. The boulders from the seawall will then be removed by landbased grabs.</p>	<p>N/A</p> <p>^</p>
<b>Hazard to Life</b>	<p>There will be no overnight storage of explosives for this project. Transportation of explosives to site for the construction of adit will be undertaken on a daily basis. The contractor is required to destroy any unused explosives before nightfall. If contractor wishes to set up magazines for overnight storage of explosives, it is necessary to carry out risk assessment and seek the relevant approval following the EIAO process.</p>	<p>^</p>

Remarks: ^ Compliance of mitigation measure; X Non-compliance of mitigation measure;  
N/A Not Applicable at this stage; • Non-compliance but rectified by the contractor;  
\* Recommendation was made during site audit but improved/rectified by the contractor;  
# Non-compliance but rectified/improved by the contractor and awaiting IEC's further comment.

---

---

**APPENDIX K  
EVENT ACTION PLANS**

---

---

## Appendix K - Event Action Plans

### Event/Action Plan for Air Quality

EVENT	ACTION			
	ET	IEC	SUPERVISING OFFICER'S REPRESENTATIVE	CONTRACTOR
<b>ACTION LEVEL</b>				
1.Exceedance for one sample	<ol style="list-style-type: none"> <li>1. Identify the source and investigate the causes and propose remedial measures</li> <li>2. Inform Supervising Officer's Representative &amp; IEC</li> <li>3. Repeat measurement to confirm finding</li> <li>4. Increase monitoring frequency to daily</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET</li> <li>2.Check Contractor's working methods</li> </ol>	<ol style="list-style-type: none"> <li>1.Notify Contractor</li> </ol>	<ol style="list-style-type: none"> <li>1.Rectify any unacceptable practice</li> <li>2.Amend working methods if appropriate</li> </ol>
2.Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> <li>1. Identify the source</li> <li>2. Inform Supervising Officer's Representative &amp; IEC</li> <li>3. Repeat measurements to confirm findings</li> <li>4. Increase monitoring frequency to daily</li> <li>5. Discuss with Supervising Officer's Representative &amp; IEC for remedial actions required</li> <li>6. If exceedance continues, arrange meeting with Supervising Officer's Representative &amp; IEC</li> <li>7. If exceedance stops, cease additional monitoring</li> </ol>	<ol style="list-style-type: none"> <li>1.Checking monitoring data submitted by ET</li> <li>2. Check Contractor's working methods</li> <li>3. Discuss with ET, IEC and Contractor on proposed remedial actions</li> <li>4. Advise the Supervising Officer's Representative &amp; ET on the effectiveness of the proposed remedial measures</li> <li>5.Supervise the implementation of the remedial measures</li> </ol>	<ol style="list-style-type: none"> <li>1.Confirm receipt of notification of failure in writing</li> <li>2.Notify Contractor</li> <li>3.Ensure remedial actions properly implemented</li> </ol>	<ol style="list-style-type: none"> <li>1.Submit proposals for remedial actions to Supervising Officer's Representative within 3 working days of notification</li> <li>2.Implement the agreed proposals</li> <li>3.Amend proposal if appropriate</li> </ol>
<b>LIMIT LEVEL</b>				
1.Exceedance for one sample	<ol style="list-style-type: none"> <li>1. Identify source,,investigate the causes and propose remedial measures</li> <li>2. Inform Supervising Officer's Representative &amp; IEC and EPD</li> <li>3. Repeat measurement to confirm finding</li> <li>4. Increase monitoring frequency to daily</li> <li>5. Assess effectiveness of Contractor's remedial actions and keep EPD and Supervising Officer's Representative &amp; IEC informed of the results</li> </ol>	<ol style="list-style-type: none"> <li>1.Check monitoring data submitted by ET</li> <li>2. Check Contractor's working methods</li> <li>3. Discuss with ET and Contractor on proposed remedial actions</li> <li>4. Advise the Supervising Officer's Representative on the effectiveness of the proposed remedial measures</li> <li>5.Supervise the implementation of the remedial measures</li> </ol>	<ol style="list-style-type: none"> <li>1.Confirm receipt of notification of failure in writing</li> <li>2.Notify Contractor</li> <li>3.Ensure remedial actions properly implemented</li> </ol>	<ol style="list-style-type: none"> <li>1.Take immediate action to avoid further exceedance</li> <li>2.Submit proposals for remedial actions to Supervising Officer's Representative within 3 working days of notification</li> <li>3.Implement the agreed proposals</li> <li>4.Amend proposal if appropriate</li> </ol>
2.Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> <li>1. Identify source</li> <li>2. Inform Supervising Officer's Representative, IEC and EPD the causes &amp; actions taken for the exceedances</li> <li>3. Repeat measurement to confirm findings</li> </ol>	<ol style="list-style-type: none"> <li>1.Discuss amongst Supervising Officer's Representative, ET and Contractor on the potential remedial actions</li> <li>2.Review Contractor's remedial actions to assure their effectiveness and advise the</li> </ol>	<ol style="list-style-type: none"> <li>1.Confirm receipt of notification of failure in writing</li> <li>2.Notify Contractor</li> <li>3.In consultation with the IEC, agree with the Contractor on the remedial measures to be</li> </ol>	<ol style="list-style-type: none"> <li>1. Take immediate action to avoid further exceedance</li> <li>2. Submit proposals for remedial actions to Supervising Officer's Representative within 3 working</li> </ol>

		<b>ACTION</b>		
<b>EVENT</b>	<b>ET</b>	<b>IEC</b>	<b>SUPERVISING OFFICER'S REPRESENTATIVE</b>	<b>CONTRACTOR</b>
<b>ACTION LEVEL</b>				
	4. Increase monitoring frequency to daily 5. Investigate the causes of exceedance 6. Arrange meeting with & IEC and Supervising Officer's Representative to discuss the remedial actions to be taken 7. Assess effectiveness of Contractor's remedial actions and keep ER, IEC and EPD informed of the results 8. If exceedance stops, cease additional monitoring	Supervising Officer's Representative accordingly 3. Supervise the implementation of the remedial measures	implemented 4. Ensure remedial measure are properly implemented 5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated	days of notification 3. Implement the agreed proposals 4. Resubmit proposals if problem still not under control 5. Stop the relevant portion of works as determined by the ER until the exceedance is abated



Event/Action Plan for Construction Noise

EVENT	ACTION			
	ET	IEC	SUPERVISING OFFICER'S REPRESENTATIVE	Contractor
Action Level	<ol style="list-style-type: none"> <li>1. Notify IEC, Supervising Officer's Representative and Contractor</li> <li>2. carry our investigation by reviewing all the relevant monitoring data and the corresponding construction activities. Exceedances should also be confirmed by immediate verification in the field as far as practical.</li> <li>3. Report the results of investigation to the IEC, Supervising Officer's Representative and Contractor</li> <li>4. Discuss with the Contractor and formulate remedial measures</li> <li>5. increase monitoring frequency to check mitigation effectiveness</li> </ol>	<ol style="list-style-type: none"> <li>1. Review the analysed results submitted by the ET</li> <li>2. Review the proposed remedial measures by the Contractor and advise the Supervising Officer's Representative &amp; ET accordingly</li> <li>3. Supervise the implementation of remedial measures</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of complaint in writing</li> <li>2. Notify Contractor</li> <li>3. require Contractor to proposed remedial measures for analyzed noise problem</li> <li>4. Ensure remedial measures are properly implemented</li> </ol>	<ol style="list-style-type: none"> <li>1. Identify practicable measures to minimize the noise impact. Submit noise mitigation proposals to ET, IEC and ET.</li> <li>2. Implement noise mitigation proposals</li> </ol>
Limit Level	<ol style="list-style-type: none"> <li>1. Notify IEC, Supervising Officer's Representative, EPD and Contractor</li> <li>2. Identify the source(s) of impact by reviewing all the relevant monitoring data and the corresponding construction activities. Exceedances should also be confirmed by immediate verification in the field as far as practical.</li> <li>3. Repeat measurement to confirm findings</li> <li>4. Increase monitoring frequency</li> <li>5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented.</li> <li>6. inform IEC, Supervising Officer's Representative and EPD the cause &amp; actions taken for the exceedances</li> <li>7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and Supervising Officer's Representative informed of the results</li> <li>8. If exceedance stops, cease additional monitoring.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss amongst Supervising Officer's Representative, ET, and Contractor on the potential remedial actions</li> <li>2. Review Contractor's remedial actions to assure their effectiveness and advise the Supervising Officer's Representative &amp; ET accordingly</li> <li>3. Supervise the implementation of the remedial measures</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of exceedance in writing</li> <li>2. Notify Contractor</li> <li>3. Require Contractor to propose remedial measures for the analyzed noise problem</li> <li>4. Ensure remedial measures are properly implemented</li> <li>5. If exceedance continuous, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is aborted</li> </ol>	<ol style="list-style-type: none"> <li>1. Take immediate action to avoid further exceedance</li> <li>2. Identify practicable measures to minimize the noise impact. Submit proposals for remedial actions to Supervising Officer's Representative within three working days of notification</li> <li>3. Implement the agreed proposals</li> <li>4. Resubmit proposal if problem still not under control</li> <li>5. Stop the relevant portion of works as determined by the Supervising Officer's Representative until the exceedance is abated</li> </ol>

Event/Action Plan for Water Quality

EVENT	ACTION			
	ET	IEC	SUPERVISING OFFICER'S REPRESENTATIVE	CONTRACTOR
<b>ACTION LEVEL</b>				
Action level being exceeded by one sampling day	<ol style="list-style-type: none"> <li>1. Repeat in situ measurement to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform IEC, contractor and Supervising Officer's Representative;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods.</li> <li>5. Discuss mitigation measures with IEC and Contractor</li> <li>6. Repeat measurement on next day of exceedance.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with ET and Contractor on the mitigation measures. Review proposals on mitigation measures submitted by Contractor and advise the Supervising Officer's Representative accordingly; and</li> <li>2. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with IEC on the proposed mitigation measures; and</li> <li>2. Make agreement on the mitigation measures to be implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the Supervising Officer's Representative and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment;</li> <li>4. Consider changes of working methods;</li> <li>5. Discuss with ET and IEC and propose mitigation measures to IEC and Supervising Officer's Representative;</li> <li>6. Implement the agreed mitigation measures.</li> </ol>
Action level being exceeded by more than one consecutive sampling days	<ol style="list-style-type: none"> <li>1. Repeat in-situ measurement to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform IEC, contractor;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with IEC, Supervising Officer's Representative and Contractor;</li> <li>6. Ensure mitigation measures are implemented;</li> <li>7. Prepare to increase the monitoring frequency to daily;</li> <li>8. Repeat measurement on next day of exceedance.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with ET and Contractor on the mitigation measures. Review proposals on mitigation measures submitted by Contractor and advise the Supervising Officer's Representative accordingly; and</li> <li>2. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with IEC on the proposed mitigation measures; and</li> <li>2. Make agreement on the mitigation measures to be implemented.</li> <li>3. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the Supervising Officer and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment and</li> <li>4. Consider changes of working methods;</li> <li>5. Discuss with ET and IEC and propose mitigation measures to IEC and Supervising Officer's Representative within 3 working days;</li> <li>6. Implement the agreed mitigation measures.</li> </ol>
<b>LIMIT LEVEL</b>				
Limit level being exceeded by one sampling day	<ol style="list-style-type: none"> <li>1. Repeat measurement on next of exceedance to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform IEC, contractor, Supervising Officer's Representative and EPD;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with IEC, Supervising Officer's Representative and Contractor.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET and Contractor's working methods.</li> <li>2. Discuss with ET and Contractor on possible mitigation measures;</li> <li>3. Review the proposed mitigation measures submitted by Contractor and advise the Supervising Officer's Representative accordingly;</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing</li> <li>2. Discuss with IEC, ET and Contractor on the proposed mitigation.</li> <li>3. Request Contractor to view the working methods.</li> <li>4. Ensure mitigation measures are properly implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the Supervising Officer's Representative and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment and consider changes of working methods;</li> <li>4. Discuss with ET, IEC and Supervising Officer's Representative and propose mitigation measures to Supervising Officer's Representative and IEC within 3 working days;</li> </ol>

EVENT	ACTION			
	ET	IEC	SUPERVISING OFFICER'S REPRESENTATIVE	CONTRACTOR
				5. Implement the agreed mitigation measures.
Limit level being exceeded by more than one consecutive sampling days	<ol style="list-style-type: none"> <li>1. Repeat measurement on next of exceedance to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform IEC, contractor, Supervising Officer's Representative and EPD;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with IEC, Supervising Officer's Representative and Contractor;</li> <li>6. Ensure mitigation measures are implemented;</li> <li>7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET and Contractor's working methods.</li> <li>2. Discuss with ET and Contractor on possible mitigation measures;</li> <li>3. Review the proposed mitigation measures submitted by Contractor and advise the Supervising Officer's Representative accordingly;</li> <li>4. Supervise the implementation of mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with IEC, ET and Contractor on the proposed mitigation measures;</li> <li>2. Request Contractor to critically review the working methods;</li> <li>3. Make agreement on the mitigation measures to be implemented;</li> <li>4. Ensure mitigation measures are properly implemented;</li> <li>5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the construction activities until no exceedance of Limit level</li> </ol>	<ol style="list-style-type: none"> <li>1. Take immediate action to avoid further exceedance</li> <li>2. Discuss with ET, IEC and Supervising Officer's Representative and propose mitigation measures to Supervising Officer's Representative and IEC within 3 working days;</li> <li>3. Implement the agreed mitigation measures;</li> <li>4. Resubmit proposals of mitigation measures if problem still not under control;</li> <li>5. As directed by the Supervising Officer, to slow down or to stop all or part of the construction activities until no exceedance of Limit level.</li> </ol>

---

---

**APPENDIX L  
COMPLAINT LOG**

---

---

**APPENDIX L – COMPLAINT LOG**

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
Com-2008-05-003	Construction site at Eastern Portal	22 May 2008	The complaint was lodged by Ms. Ng on 22 May 2008 regarding noise nuisance generated from the construction activities at the construction site of Eastern Portal	<p>According to the Contractor, only one excavator and one generator were operated for the excavation works around 8 am on 22 May 2008 at the Eastern portal. No other construction activities were conducted.</p> <p>In response to the complaint, The Contractor agreed to reschedule their current works activities, with immediate effect from 23 May 2008, that only site preparation works without noise nuisance to the nearby residents will be carried out from 7:00 am to 8:00 am at the Eastern Portal area.</p> <p>Base on the information collected and the monitoring results, the complaint was considered not justifiable since (1) no exceedance of the noise monitoring results was recorded in May and (2) no non-compliance or observation on noise was recorded.</p>	Closed
Com-2008-05-004	Construction site at Western Portal (Marine Works)	31 May 2008	The complaint was lodged by one of the local resident on 31 May 2008 regarding the noise nuisance generated from the marine works at Western Portal.	According to the Contractor, only two derrick barges and one tug boat were operated for the seabed formation works around 18:00 hrs on 31 May 2008 at the Western Portal. No other construction activities were conducted.	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>Base on the information collected and the monitoring results, the complaint was considered not justifiable since (1) no exceedance of the noise monitoring results was recorded in May and (2) no non-compliance or observation on noise was recorded.</p>	
Com-2008-07-007	Construction site at Eastern Portal	2 July 2008	<p>The complaint was lodged by a resident of The Legend on 2 July 2008 regarding noise nuisance generated from the construction activities at the construction site of Eastern Portal</p>	<p>According to the Contractor, only one generator and one drilling rig (Jumbo) were operated for the preparation works around 7:30a.m on 2 July 2008 at the Eastern portal. Construction noise was found from other construction site (Gammon Construction Limited) adjacent to Eastern Portal area.</p> <p>In response to the complaint, The Contractor review his forthcoming operations within the Eastern Portal site as previous they agreed, reschedule their current works activities, with immediate effect from 23 May 2008, that only site preparation works without noise nuisance to the nearby residents will be carried out from 7:00 am to 8:00 am at the Eastern Portal area.</p> <p>Additional noise monitoring was conducted on 16 and 17 July 2008 during the drilling rig (Jumbo), excavator and wheel loader were operated for drilling works.</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>Base on the information collected and the monitoring results, the complaint was considered not justifiable since (1) no exceedance of the noise monitoring results was recorded in June and July 2008 and additional noise monitoring (2) no non-compliance or observation on noise was recorded.</p>	
COM-2008-10-011	Construction site at Western Portal	11 October 2008	<p>The complaint was lodged by one of the resident of Victoria Road, Ms Cheung on 11 October regarding about the noise nuisance generated from the construction works at Western Portal</p>	<p>According to the Contractor, excavation works and marine works including sheet piling works were also conducted at the time of complaint at Western Portal</p> <p>Additional noise monitoring was conducted on 15 October 2008, drilling works, excavation works and marine works including sheet piling works were also conducted. The construction noise levels measured during the construction works were well below the construction noise limit of 75 dB(A)</p> <p>The Contractor agreed to reschedule the starting time of the construction works to 8:15am on every Saturday that without noise nuisance from the construction works to the nearby residents will be carried out from 7:00 am to 8:15 am at the Western Portal area.</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>Base on the information collected, the noise level measured at outside Aegean Terrace during the construction works at Western Portal site were well below the construction noise limit of 75 dB(A). Also, the Contractor has implemented the remedial measure that reschedule the starting time of the construction works to 8:15am on every Saturday immediately after receiving the complaint to minimize the noise nuisance to the nearby residents.</p>	
COM-2008-10-012	Construction site at Intake TP5	15 October 2008	<p>The complaint was lodged by Mr Choi on 15 October 2008 regarding about the noise generated from the GI works, which starts from 8:30 hrs to 17:30 hrs next to Aigburth at May Road.</p>	<p>According to the information provided by the Contractor, only rotary type drill rigs and water pumps were operated for the GI works at the time of complaint at Intake TP5.</p>	Closed
COM-2008-10-013	Construction site at Intake TP5	31 October 2008	<p>The complaint was lodged by Mr Lai on 31 October 2008 regarding the black smoke is emitted and noise is generated from the machine at the site (Intake TP5), he needed to close the windows to prevent the black smoke from entering his flat and to attenuate the noise.</p>	<p>Additional site inspection and noise monitoring at the podium of the Valverde at May Road were conducted on 3 Nov 2008 and 24 Oct, 5 Nov, 7 Nov 2008 respectively.</p> <p>The Contractor agreed to reschedule the starting time of the construction works to 9:30am on every Saturday and 8:00 on normal weekdays that without noise nuisance to the nearby residents will be carried out from 7:00 am to 8:00 am at Intake TP5. Acoustic insulating materials</p>	



Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
COM-2008-11-015	Construction site at Intake TP5	4 November 2008	The complaint was lodged by Ms Lee on 4 November regarding the noise nuisance generated from the construction works at Intake TP5.	<p>have been applied for enclosing water pump and rotary type drill rigs to minimize the noise nuisance to the nearest residents.</p> <p>Base on the information collected, the noise level measured at the podium of the Valverde at May Road were well below the construction noise limit of 75 dB(A) after the Contractor has implemented the remedial measure.</p>	
COM-2008-11-016	Construction site at Western Portal	17 November 2008	The complaint was lodged by Mr Cheng on 17 November 2008 regarding dust nuisance arising from the soil nailing works at the roadside slope of Cyberport Road.	<p>According to the information provided by the Contractor, soil nailing works were conducted and some plant equipments i.e air compressor and generator were operated at the time of complaint at Western Portal.</p> <p>Base on the regular air quality monitoring in November 2008 at Outside Aegean Terrace (AQ2) and Outside The Site Office at Western Portal (AQ3), the dust levels measured at AQ2 for 1 hour TSP and at AQ3 for 24 hour TSP were well below the Action Level (321µg/m<sup>3</sup> for 1 hour TSP and 156µg/m<sup>3</sup> for 24 hour TSP). Also, the Contractor has implemented the dust suppression measures to prevent dust nuisance from the construction activities including soil nailing works.</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
COM-2008-11-019	Construction site at Western Portal	29 November 2008	The complaint was lodged by Ms Cheung on 1 December 2008 regarding noise nuisance at Western Portal at 08:30 hrs approx on 29 November 2008 and 00:30 on 1 December 2008.	<p>According to the information provided by The Contractor, no construction works was carried out at the temporary jetty at the time of complaint (00:30 on 1 December 2008) at Western Portal.</p> <p>However, base on the regular noise monitoring at Outside Aegean Terrace (NC3), the noise level measured during the construction works at Western Portal site were well below the construction noise limit of 75 dB(A).</p>	Closed
COM-2008-12-020	Construction site at Western Portal	28 December 2008	The complaint was lodged by Ms Cheung on 28 December 2008 regarding the excavator was found working within Western Portal works area on Sunday.	<p>The complaint was considered not justifiable as Construction Noise Permit (CNP) – CNP No. GW-RS0827-08 has been granted from EPD for carrying out the construction works at Hong Kong West Drainage Tunnel (Western Portal), Cyberport Road, Cyberport, Hong Kong (DSD Contract No. DC/2007/10) between 1 December 2008 at 1900 hours and 28 February 2009 at 2400 hours. The powered mechanical equipment can be operated during the hours as below:</p> <ul style="list-style-type: none"> <li>a) Any day not being a general holiday between 1900 – 2300 hours</li> <li>b) General holiday (<b>including Sundays</b>) between 0700 – 1900 hours</li> </ul>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
COM-2009-01-021	Muddy Water Discharged into Sea at Western Portal	21 January 2009	Muddy water was observed from discharging into the sea at Western Portal Site	<p>Base on the information collected, the muddy water discharged into the sea is considered due to the operations of excavation of stilling basin and poor condition of the silt curtain.</p> <p>The Contractor agreed to review their current provisions to prevent any muddy water from discharging into the sea again and close check the condition of the silt curtain.</p>	Closed
COM-2009-01-022(A)	Construction site at Western Portal	12 January 2009	The complaint was lodged by Mr Chan, the assistant of Mr CHAN Ngok pang (Southern District Councillor) about the resident in Baguio Villa near Victoria Road, Mr Ronald Chan concerns on the noisy activities carried out at Western Portal site.	<p>Base on the information collected, the noise level measured at outside Aegean Terrace during the construction works at Western Portal site were well below the construction noise limit of 75 dB(A). Aegean Terrace is at location close to the major site activities compared with Baguio Vila. Also, The Contractor agreed to reschedule their current works activities, no noisy work will be carried out at Western Portal Site before 8:00a.m.</p>	Closed
COM-2009-01-022(B)		21 January 2009	The complaint was lodged by resident of Aegean Terrace at Sassoon Road about the noise nuisance generated from Western Portal Site.		
COM-2009-01-022(C)		21 January 2009	The complaint was lodged by the resident in Baguio Villa near Victoria Road about noisy works at Western Portal Site.		

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
COM-2009-02-023	Construction site at Eastern Portal	7 February 2009	Complaint of Construction Noise at Early Morning (07:45hrs) at Eastern Portal Site	<p>Based on the information collected, the construction noise at about 07:45hrs on 7 February 2009 was due to the checking of the backhole by the sub-contractor.</p> <p>The Contractor was reminded to strengthen their site supervision and provide sufficient site-specific environmental training for sub-contractor to ensure that such situation would not be recurred.</p>	Closed
COM-2009-03-025	Construction site at Western Portal	2 March 2009 4 March 2009	Complaint of noise generated by midnight works and night-time lighting at Western Portal Site	<p>Base on the information collected, the regular noise monitoring was conducted during the construction works at the restricted hours. The noise measurement results were well below the construction noise limit of 65dB(A) for the period of 0700-2300 hrs on holiday; and 1900-2300 hrs on all other days and baseline level during the night time.</p> <p>The Contractor was reminded to strengthen their site supervision and implement necessary noise mitigation measures to minimize and avoid the construction noise impact to the residents nearby especially during the restricted hours.</p> <p>Regarding the complaint of spotlight hanging on the plant at the site portion WP, The Contractor was reminded to implement the mitigation measures for Visual during the construction by controlling the night-</p>	Closed
COM-2009-03-026		7 March 2009	Complaint of pipe hitting noise at midnight at Western Portal Site.		

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				time lighting so that the residual visual impacts can be accepted.	
COM-2009-04-028	Construction site at Western Portal	7 April 2009	Complaint of noise generated from the construction works conducted till 11:00pm at Western Portal of the Hong Kong West Drainage Tunnel.	<p>According to the information provided by The Contractor, TBM, conveyor belt, ventilation fan, tower crane and cherry picker were operated for the construction works on 7 April 2009 before 11:00pm and only TBM works with conveyor belt and ventilation fan were operated on 10 April 09 (Sunday). No operation of derrick barge on 10 April 09.</p> <p>According to the photos taken on 8 April 2009, misplacement of plant was observed at Western Portal Site. Upon advice, The Contractor immediately moved the fan properly.</p> <p>Based on the information collected, the construction noise levels measured were well below the construction noise limit of 75 dB(A) for the period of 0700-1900 hrs on normal weekdays, 65 dB(A) for the period of 0700-2300 hrs on holiday; and 1900-2300 hrs on all other days and baseline level for the period of 2300-0700 hrs of next day. The ground borne noise levels measured were also well below the construction ground borne noise standards (i.e. 65</p>	Closed
COM-2009-04-029		10 April 2009	Complaint of noise generated by TBM works at Western Portal.		

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>dB(A) – Daytime (except General Holiday and Sundays) and 55 dB(A) – Daytime during general holidays and Sunday and all days during Evening (1900 to 2300 hrs). No exceedances of noise level have been recorded in March and April 2009.</p> <p>The Contractor was advised to strictly follow the conditions of the permit to avoid any misplacement of plants in the future. Also, The Contractor should take sufficient noise mitigation measures to minimize the environmental impact on the nearby community as recommended in the approved EIA report.</p> <p>In addition, DNJV already arranged tailors made training for the Production Team including the senior management and foreman to explain the conditions and requirements listed on the CNP and delegated one Engineer to ensure all construction activities and PMEs to be used are fully complying with CNP and legislation requirements before the commencement of the construction activities during the restricted hour.</p>	

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>Base on the information collected, regular noise Monitoring was conducted during the night time to check the noise levels are complying with the construction noise criteria. The noise levels measured at NC3 during the construction works at night time were well below the construction noise limit.</p> <p>The Contractor was reminded to strengthen their site supervision by delegated Engineer to ensure all construction activities and PMEs to be used are fully complying with CNP and legislation requirements and implement necessary noise mitigation measures as recommended in the Approved EIA report to minimize and avoid the construction noise impact to the residents nearby especially during the restricted hours.</p>	
COM-2009-04-030	Construction site at Western Portal	30 April 2009	Complaint of Construction Noise Generated at Night at Western Portal.	According to the site activities diaries, TBM chainage, TBM excavation, installation of segment ring, pea gravel & mortar injection and installation cables & pipes at gantries were the activities conducted in the night of 30 April 2009.	Closed
COM-2009-05-031		4 May 2009	Complaint of low frequency noise emitted from the construction site at Western Portal.		

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
		11 May 2009	Complaint of Construction Noise nuisance generated from the Western Portal Site from day to night.	<p>sound of locomotive and tower crane operations.</p> <p>No exceedance of noise level was recorded since the commencement of the project works at Western Portal Site. The noise levels measured at NC3 during the construction works were well below the construction noise limit.</p> <p>The Contractor will continue implementing their mitigation measures (e.g. Instruct workers not to shout during work in the evening; no horn signal of locomotive after 6:55 pm).</p>	
COM-2009-05-032	Construction site at Eastern Portal	13 May 2009	The complaint was lodged by a resident regarding the Construction Noise Nuisance from the construction works that were carried out from early morning till night time at Eastern Portal Site Area.	<p>Based on the information collected, the noise levels measured at NC1/NC1a and NC2 during the construction works were well below the construction noise limit or baseline level.</p> <p>The Contractor is also committed to implement sufficient noise mitigation measures as recommended in the approved EIA report to minimize the nuisance caused to the nearby residents especially during the restricted hours.</p>	Closed
COM-2009-06-035	Hong Kong West Drainage Tunnel Construction Site at Cyberport	3 June 2009	EPD received a public complaint raised by Mr. Lee regarding the transportation and disposal of construction wastes from Hong Kong West	Base on the information collected, alternative disposal ground is proposed by The Contractor and they have been submitted the relevant information and sought the approval from Supervising	Closed



Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
			Drainage Tunnel Construction Site at Cyberport on 3 June 2009.	Officer. The Contractor also maintains the daily record with details of each disposal trip from the Site and the disposal ground.	
COM-2009-06-037	Construction site at Eastern Portal	23 June 2009	The few noise complaints were lodged by a resident of The Legend and Ronsdale Garden regarding the Construction Noise Nuisance from the construction works at Eastern Portal Site Area since 7:00a.m and in the afternoon.	Based on the information collected, the noise levels measured at NC1 and NC2 during the construction works were well below the construction noise limit or baseline level.  In response to the complaints, the head of hydraulic breaker has been wrapped with sound proof materials and movable noise barriers were provided for rock excavation to reduce noise.  The Contractor is also committed to implement sufficient noise mitigation measures as recommended in the approved EIA report to minimize the nuisance caused to the nearby residents.	Closed
COM-2009-06-038			The complaint was raised by Ms Wong of Goodwell Property Management, she wrote on behalf of the Estate Owner Committee of Legend at Tai Hang about noise nuisance arising from the excavation works at Eastern Portal site portion. The Committee requested the Contractor to provide mitigation measures to minimise the impact.		
COM-2009-08-040	Construction site at Intake PFLR1	26 August 2009	The complaint was relating to the noise generated from the construction activities of breaking of the existing boundary wall of Pokfulam Road Playground by use of the	Noise monitoring results conducted on 1 September 2009 at NC11 - Honey Court for the Intake PFLR1 was submitted and no exceedance was recorded. In addition, based on the regular site inspection conducted at Intake PFLR1, no observation/non-	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
			hand-held electric breaker.	<p>compliance on air quality was identified. The environmental conditions of the site will be continuously reviewed and monitored.</p> <p>DNJV had installed tarpaulin shielding and cover to mitigate not only the potential emission of exhausted smoke, but also the visual impact to the residents nearby.</p>	
COM-2009-09-042	Construction site at Eastern Portal	21 September 2009	The complaint was raised by a resident of The Legend regarding poor housekeeping and construction noise nuisance from the Eastern Portal Site Area.	<p>Based on the information gathered in the Investigation, the Contractor had taken action immediately to rectify the complaint of poor housekeeping. The white site office was painted green in harmony with the surrounding environment and the site was maintained in a clean and tidy condition. All materials required for temporary works were stored in an orderly manner.</p> <p>Regarding the complaint of construction noise impact, the noise levels measured at The Legend (NC2) during the construction works in the normal working hours were well below the construction noise limit level.</p> <p>Nevertheless, the Contractor is also committed to implementing sufficient noise mitigation measures as recommended in the approved EIA report to minimize the nuisance caused to the nearby residents and</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				provide training for the workers to increase awareness of their environmental responsibilities.	
COM-2009-10-044	Construction site at Eastern Portal	6 and 7 October 2009	The complaint was raised by a resident of The Legend and Ronsdale Garden regarding the construction noise nuisance from the Eastern Portal Site Area.	Based on the information gathered in the Investigation, the noise levels measured (additional noise monitoring) at The Legend (NC2) and Ronsdale Garden during the construction works including rock breaking works and soil nailing works were ranged from 68.4dB(A) to 75.3 dB(A) in the normal working hours.  The Contractor is committed to implementing sufficient noise mitigation measures as recommended in the approved EIA report to minimize the nuisance caused to the nearby residents and provide training for the workers to increase awareness of their environmental responsibilities.  It is recommended to increase the construction noise monitoring frequency for Eastern Portal Site to check the mitigation effectiveness.	Closed
COM-2009-10-045					
COM-2009-11-054	Construction site at Western Portal	23 and 29 November 2009	The complaint was raised by a resident of Aegean Terrace regarding the construction noise nuisance from the Western Portal Site Area.	Base on the information collected, the noise levels measured at NC3 during the construction works were well below the construction noise limit.	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>Nevertheless, the Contractor is also committed to implement sufficient noise mitigation measures as recommended in the approved EIA report, Clause 5.4.15 to minimize/avoid the nuisance caused to the nearby residents.</p>	
COM-2009-12-059	Construction site at Intake MB16	27 November 2009	<p>The complaint was received on 2 November 2009 regarding the dust nuisance caused by the works at the Construction Site at Mount Butler Road near Clementi Road (Intake MB16). EPD subsequently issued a notice of complaint.</p>	<p>Based on the information collected, the Contractor has implemented the dust suppression measures to prevent dust nuisance from the construction activities.</p> <p>During the site inspection in November 2009, slope improvement works including soil nailing works were observed from other construction site adjacent to DNJV's construction works at Mount Butler Road.</p>	Closed
COM-2009-12-061	Construction site at Intake PFLR1	23 and 28 December 2009	<p>Two public complaints were received from the resident of Pok Fu Lam Road on 23rd and 28th December 2009 respectively about the construction noise nuisance from the construction site at Intake PFLR 1.</p>	<p>Based on the information gathered in the Investigation, the noise levels measured at Honey Court (NC11) during the construction works were well below the construction noise limit.</p> <p>The location of the designated noise monitoring station (NC11 – Honey Court) is at location close to the construction site compared with Pok Fu Lam Height.</p> <p>In addition, a large scale innovation works being undertaken at a resident building adjacent to the Pok Fu Lam Height was observed during the routine site inspection.</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>The innovation works included hammering and drilling on the outer walls of the building and contributed significantly to the noisy environment.</p>	
COM-2010-01-062	Construction site at Western Portal	3 January 2010	<p>The public complaint was received from the resident of Bel-Air through the project hotline on 3rd January 2010 about “wooning” sound heard after midnight, and he suspected that the sound was coming the construction sites at Cyberport.</p>	<p>Base on the information collected, the noise levels measured at NC3 during the construction works were well below the baseline level. The location of the designated noise monitoring station (NC3 – Outside Aegean Terrace) is at location close to the construction site compared with Bel-Air.</p> <p>The Contractor will continue implementing the existing noise mitigation measures at the Western Portal to minimize the environmental impact to the nearby residents.</p>	Closed
COM-2010-01-063 COM-2010-01-066(1), (2) and (3)	Intake MB16	20 January 2010 23, 25, 27 January and 2 February 2010	<p>The first complaint was raised by the resident at No. 58 Mount Butler Road about the noise and vibration generated from the works on 20 January 2010.</p> <p>Three complaints were raised by the resident of Amber Lodge through the Project Hotline regarding the low frequent vibration from underground on 23, 25, 27 January and 2 February 2010.</p>	<p>Based on the EIA assessment results, No. 58 Mount Butler Road and Amber Lodge are not the potential ground borne noise sensitive receivers as they are not within the influence zone near the Main Tunnel alignments from Cyberport to Tai Hang and the alignments of the adits.</p> <p>The additional ground borne noise levels measured at inside Amber Lodge during the TBM works were well within the construction ground borne noise standards.</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				<p>The Contractor volunteered to stop the operation of the East TBM between midnight and 07:00 hours in Week 6 and 7 after which the machine has moved far away from these premises</p>	
COM-2010-02-073	Western Portal	3 February 2010	<p>Complaint of noise generated by the operation of plants, rock falling and flash lighting within Western Portal site area.</p>	<p>Base on the regular noise monitoring, the noise levels measured at NC3 during the construction works were well below the baseline level.</p> <p>The Contractor will continue implementing the existing noise mitigation measures at the Western Portal to minimize the environmental impact to the nearby residents.</p>	Closed
COM-2010-03-080	Intake PFLR1	1 March 2010	<p>The public complaint was received from the resident of Honey Court referred by a DC member (Mr. Stephen Chan) on 1st March 2010 about the construction noise nuisance from the construction site at Intake PFLR 1</p>	<p>Based on the information gathered in the Investigation, the noise levels measured at Honey Court (NC11) in February and March 2010 were ranged from 62.3 dB(A) to 74.7 dB(A). The noise levels were marginally below the 75dB (A) limit level.</p> <p>The contractor was reminded to implement necessary mitigation measures to curb inducing contribution to the surrounding noise environment.</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
COM-2010-03-081	Intake TP789	5 March 2010	The complaint was received from Kerry Management Ltd. on 5th March 2010 about the construction noise complaints raised by some tenants of Tavistock. They complained about the noisy activities being carried out at Intake TP789 on Saturday.	Based on the information gathered in the investigation, the noise levels measured at Tregunter Path near Tavistock were below the construction noise limit and the Contractor has already implemented the noise mitigation measures to reduce noise impact to the residents arising from the construction works.  Nevertheless, we reminded the Contractor to closely monitor the effective implementation of the existing noise mitigation measures at Intake TP789. Review the effectiveness of the implemented noise mitigation measures from time to time during different construction phases.	Closed
COM-2010-03-082 and COM-2010-03-087	Western Portal	6 March 2010 15 March 2010	Two public complaints were received from the residents of Bel-Air at Western Portal on 6th and 15th March 2010 about the Construction Noise and Dust Nuisance from Hong Kong West Drainage Tunnel Construction Site at Cyberport (i.e. Western Portal Site) respectively.	Based on the information collected, the noise and air quality levels measured at NC3 and AQ2/AQ3 during the construction works were below the noise and air quality criteria respectively. Also, the Contractor has implemented appropriate environmental mitigation measures on site to reduce noise and dust impact to the residents arising from the construction works.  Nevertheless, the Contractor was reminded to review the effectiveness of the implemented noise and air quality mitigation measures from time to time	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				during different construction phases.	
COM-2010-04-094	Western Portal	9 April 2010	The public complaint was received by EPD hotline on 9 <sup>th</sup> April 2010 regarding construction dust nuisance from the Hong Kong West Drainage Tunnel construction site at Cyberport (i.e. Western Portal Site)	Based on the information collected, the air quality levels measured at AQ2 and AQ3 during the construction works were below the air quality criteria. Also, the Contractor has implemented appropriate dust mitigation measures on site to reduce dust impact to the residents arising from the construction works. Although the air quality levels measured at AQ2 and AQ3 were below the air quality criteria, we advised the Contractor to maintain the existing air quality mitigation measures, to reduce the environmental impact on the nearby residents.  Nevertheless, the Contractor was reminded to review the existing measures if such measures are enough and appropriate to suit the site condition from time to time during different construction phases to minimize the dust nuisance.	Closed
COM-2010-04-097	Intake TP789/TP4	22 April 2010	The complaint was received from resident of Tregunter Tower on 22 <sup>nd</sup> April 2010 about the noisy activities being carried out at Intake	Based on the information gathered in the investigation, the noise levels measured at Tregunter Path near Tavistock were below the construction noise limit and the Contractor has further improved the noise	Closed



Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
			TP789/TP4 in the morning.	<p>mitigation measures to reduce noise impact to the residents arising from the noise generation works.</p> <p>The Contractor agreed to reschedule the starting time of the noisy works to 9:00am on in the morning that no noisy works such as rock breaking will be conducted before 9:00am. In addition, enclosures consist of noise absorption blankets have been applied for enclosing Intakes construction areas to minimize the noise nuisance to the nearest residents.</p>	
COM-2010-04-100	Western Portal	30 April 2010	<p>The public complaint was received from the resident of Bel-Air on 30<sup>th</sup> April 2010 regarding the dust nuisance generated during loading / unloading operation from two barges at pier of Cyberport. Dark smoke was also emitted from the two barges.</p>	<p>Based on the information collected, the air quality levels measured at AQ2 and AQ3 during the construction works were below the air quality criteria.</p> <p>The Contractor has taken initiative to minimize dust nuisance to the nearby residents by implementation of additional mitigation measures as below:</p> <ul style="list-style-type: none"> <li>- To plan the installation of 3-sided curtain-like enclosure at the conveyor discharge point to the barge.</li> <li>- Mechanical cover closed even for empty trucks leaving the Site.</li> <li>- Written advice to subcontractor on the subject of dust suppression and speeding of vehicles.</li> <li>- Toolbox training to drivers on the new measures.</li> </ul>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
COM-2010-05-105	Western Portal	7 May 2010	The second complaint was received via EPD Hotline on 7 May 2010. The anonymous complainant concerned about the dark smoke emitted from the barges on 4 May 2010 and many dump trucks parking outside the Western Portal Site on 5, 6 and 7 May 2010.	Based on the information collected, the air quality levels measured at AQ2 and AQ3 during the construction works were below the air quality criteria.	Closed
COM-2010-05-105 (2)		17 May 2010	The complaint was received via EPD Hotline on 17 May 2010. The anonymous complainant complaint about the open stockpile of dusty materials without covered entirely.	Although the air quality levels measured at AQ2 and AQ3 were below the air quality criteria, we advised the Contractor to maintain the existing air quality mitigation measures and review the existing measures if such measures are enough and appropriate to suit the site condition from time to time during different construction phases to minimize the dust nuisance.  Other suitable dust control measures as stipulated in the Air Pollution Control (Construction Dust) Regulation, where appropriate, should be adopted.  Nevertheless, the Contractor is also committed to take sufficient dust mitigation measures as recommended in the approved EIA report including installation of 3-sided curtain-like enclosure at the conveyor discharge point to the barge to minimize the dust nuisance on the nearby residents.	
COM-2010-06-113	Intake PFLR1	2 June 2010	The complaint was received by DSD on 2 June 2010 regarding siren sound was generated from the site throughout the day which caused nuisance.	The noise source was generated from the alert system of the backhoe during operation. The backhoe was removed off site on 3 June 2010.	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
	Western Portal	15 June 2010	A public complaint was received by EPD hotline on 15th June 2010 complained about the construction works from Hong Kong West Drainage Tunnel construction site at Cyberport (i.e. Western Portal Site) affect their health of respiratory system	Based on the information collected, the air quality levels measured at AQ2 and AQ3 during the construction works were below the Action Level (321µg/m <sup>3</sup> for 1 hour TSP and 156µg/m <sup>3</sup> for 24 hour TSP). Also, the Contractor has implemented appropriate dust mitigation measures, such as providing water sprays on exposed surface, covering dusty materials and placing dust generation works in an area sheltered on the top and three sides etc on site to reduce dust impact to the residents arising from the construction works.	Closed
COM-2010-07-121	Western Portal	15 July 2010	Cyberport Management Office lodged a complaint in writing regarding the sands and mud left by the dump trucks on Cyberport road	<p>DNJV has delivered the reply letter to Cyberport Management Office on 26 July 2010 stating the following:-                      The stain is not mud or debris. It is liquid of granite powder. Stain on the road was caused by heavy rainstorm which brings moisture to granite powder in trucks.</p> <p>The trucks have been equipped with tailor-made tanks to receive the liquid of granite powder. To prevent reoccurrence, DNJV will reinforce checking of these tanks and other truck conditions at work site to ensure no dripping before departure.</p> <p>In this regard, the Contractor was reminded that all vehicles and plant should be cleaned before leaving the construction site to ensure no earth, mud and debris or other wastes is</p>	Closed

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
				deposited on roads. Proper maintenance of the tailor-made tanks equipped at the trucks is also needed to avoid any leakage.	
COM-2010-07-123 (1)	Eastern Portal	2 August 2010	The complaint was received through the Project Hotline regarding the noise generated from construction vehicles.	Based on the information collected, the noise levels measured at NC1/NC1a and NC2 during the construction works were well below the construction noise limit or baseline level.  The Contractor is also committed to implement sufficient noise mitigation measures as recommended in the approved EIA report to minimize the nuisance caused to the nearby residents especially during the restricted hours.	Closed
COM-2010-07-123 (2)		2 August 2010	The complaint was received by DSD concerning the noise generated from construction site at 19:00.		
COM-2010-08-125		3 August 2010	The complaint was received by DSD concerning the noise generated from construction site until 8:00 pm every night.		
COM-2010-08-124	Intake TP789/TP4	2 August 2010	The complaint was received by DSD regarding the construction works at Tregunter Path is extremely noisy and diminishes the ability of residents of the neighborhood to enjoy outdoor facilities	Based on the information gathered in the investigation, the noise levels at Tregunter Tower was within the construction noise limit of 75dB(A). The Contractor has taken initiative to minimize noise nuisance to the nearby residents by implementation of mitigation measures continuously as below:  - Properly maintained and operated the construction plant (well-greased, damage and worn parts promptly replaced)  - To install noise absorption blankets at the appropriate area to mitigate noise generated by the works.  - To arrange the construction working	Closed
COM-2010-08-124 (con'd)		5 August 2010	The complaint was received by DSD regarding the construction works at Tregunter Path is extremely noisy and diminishes the ability of residents of the neighborhood to enjoy outdoor facilities		
COM-2010-08-129		12 August 2010	The complaint was raised by the resident of Tregunter Path for the noisy works which was		

Log Ref.	Location	Received Date	Details of Complaint	Investigation/Mitigation Action	Status
			carried out after 18:00hrs at Intake TP4	period at Tregunter Path starting from 13th August 2010 as below: Monday – Friday: 08:00hrs to 18:00hrs Saturday: 08:30hrs to 18:00hrs Sunday and Public Holiday: No Works	
COM-2010-08-129		12 August 2010	The complaint was received from Protech Property Management Limited (the building manager of Tregunter Tower, 14 Tregunter Path, Mid-Levels, Hong Kong) regarding the noisy construction works at Tregunter Path		
COM-2010-08-129 (2)		13 August 2010	The complaint was received by RSS concerning the noisy work from the construction site on Saturday		

---

---

**APPENDIX M**  
**CONSTRUCTION PROGRAMME**

---

---

Act ID	Activity Description	Orig Dur	Rem Dur	Anticipated Start	Anticipated Finish	% Comp	Rem Dur	Approved Works Prog 003A EF Variance	2010							
									JUL	AUG	SEP	OCT	NOV	DEC		
<b>HK West Drainage Project</b>																
<b>CC01 - PRELIMINARIES &amp; GENERAL REQUIREMENTS</b>																
<b>Milestone</b>																
<b>General</b>																
M1-1200	1.20-Complete to All Obligat's From 901to960d	0	0		02SEP10A	100	0	-33								
M1-1600	1.60-Acceptance of Monthly Report on TDMS(31M)	0	0		02SEP10A	100	0	-64								
M1-1610	1.61-Acceptance of Monthly Report on TDMS(32M)	0	0		20SEP10*	0	0	-51								
M1-1620	1.62-Acceptance of Monthly Report on TDMS(33M)	0	0		20SEP10*	0	0	-20								
M1-1210	1.21-Complete to All Obligat's From 961to1020d	0	0		30SEP10*	0	0	0								
M1-1630	1.63-Acceptance of Monthly Report on TDMS(34M)	0	0		30SEP10*	0	0	0								
M1-1640	1.64-Acceptance of Monthly Report on TDMS(35M)	0	0		31OCT10*	0	0	0								
M1-1220	1.22-Complete to All Obligat's From 1021to1080d	0	0		30NOV10*	0	0	0								
M1-1650	1.65-Acceptance of Monthly Report on TDMS(36M)	0	0		30NOV10*	0	0	0								
<b>CC02 - DESIGN &amp; DESIGN CHECKING OF THE WORKS</b>																
<b>Design Stage</b>																
<b>Section 1 (Eastern Portal)</b>																
D00275	APP Cofferdam for Intake Shaft DDA	42	7	21MAY08A	27SEP10	90	7	-243								
D00279	APP Reinst Perm Slope at Coff Intake Shaft DDA	92	7	31OCT09A	27SEP10	90	7	-240								
<b>Section 1 Dropshaft</b>																
D00651	APP Dropshaft Permanent Lining(Excl W0) DDA	92	7	13MAR10A	27SEP10	90	7	-151								
D00636	P&S Dropshaft Temp Rock Supt (Excl. W0) DDA	60	60	21SEP10*	19NOV10	0	60	-243								
D00639	APP Dropshaft Temp Rock Supt (Excl. W0) DDA	92	92	20NOV10	19FEB11	0	92	-243								
<b>Section 1 (Portion W0)</b>																
D01166	APP W0-Permanent Works Intake DDA VO10	7	5	01DEC09A	25SEP10	90	5	-243								
<b>Section 29 (Portion W10)</b>																
D02165	APP W10-Permanent Works Intake DDA	92	7	13NOV09A	27SEP10	90	7	-227								
<b>Section 26 (Portion RR1)</b>																
D02019	APP RR1-Temp Works & Drainage Diversion DDA	122	5	10SEP09A	25SEP10	95	5	-243								
D02015	APP RR1-Permanent Works Intake DDA	92	7	28NOV09A	27SEP10	90	7	-212								
<b>Section 5 (Portion MBD2)</b>																
D00845	APP MBD2-Permanent Works Intake DDA	92	7	18NOV09A	27SEP10	90	7	-222								
<b>Section 23 (Portion TP4)</b>																
D01855	APP TP4-Permanent Works Intake DDA	92	7	18NOV09A	27SEP10	90	7	-222								
<b>Section 28 (Portion P5)</b>																
D02119	APP P5-Temp Works & Drainage Diversion DDA	122	7	28OCT09A	27SEP10	90	7	-121								
D02115	APP P5-Permanent Works Intake DDA	92	7	29NOV09A	27SEP10	90	7	-211								
<b>Section 22 (Portion TP5)</b>																
D01805	APP TP5-Permanent Works Intake DDA	92	7	25NOV09A	27SEP10	90	7	-151								
<b>Section 21 (Portion TP789)</b>																
D01745	APP TP789-Permanent Works Intake DDA	92	7	12DEC09A	27SEP10	90	7	-198								
<b>Section 24 (Portion W5)</b>																
D01913	APP W5-Temp Works & Drainage Diversion DDA	122	7	31OCT09A	27SEP10	90	7	-210								
<b>Section 2 (Portion E5A)</b>																
D00686	APP E5A-Permanent Works Intake DDA	92	7	29NOV09A	27SEP10	90	7	-211								
<b>Section 27 (Portion W8)</b>																
D02069	APP W8-Temp Works & Drainage Diversion DDA	122	5	23SEP09A	25SEP10	95	5	-243								
D02065	APP W8-Permanent Works Intake DDA	122	7	29NOV09A	27SEP10	90	7	-181								
<b>Section 3 (Portion E5B)</b>																
D00745	APP E5B-Permanent Works Intake DDA	92	7	29NOV09A	27SEP10	90	7	-211								
<b>Section 20 (Portion M3)</b>																
D01725	APP M3-Permanent Slopeworks DDA	122	7	28NOV09A	27SEP10	90	7	-192								
D01689	APP M3-Temp Works & Drainage Diversion DDA	92	7	12FEB10A	27SEP10	90	7	-151								
D01685	APP M3-Permanent Works Intake DDA	92	10	01APR10A	30SEP10	89	10	-128								
<b>Section 19 (Portion MA17)</b>																
D01629	APP MA17-Temp Works & Drainage Diversion DDA	92	7	29NOV09A	27SEP10	90	7	-211								
D01625	APP MA17-Permanent Works Intake DDA	92	7	29DEC09A	27SEP10	90	7	-180								
<b>Section 15 (Portion W3)</b>																
D01415	APP W3-Permanent Works Intake DDA	92	10	29JAN10A	30SEP10	90	10	-140								
D01419	APP W3-Temp Works & Drainage Diversion DDA	92	7	15APR10A	27SEP10	90	7	-151								
<b>Section 17 (Portion MA14)</b>																
D01515	APP MA14-Permanent Works Intake DDA	92	7	31DEC09A	27SEP10	90	7	-179								
<b>Section 18 (Portion MA15)</b>																
D01575	APP MA15-Permanent Works Intake DDA	92	7	24DEC09A	27SEP10	90	7	-185								
<b>Section 10 (Portion DG1)</b>																
D01105	APP DG1-Permanent Works Intake DDA	92	7	31DEC09A	27SEP10	90	7	-179								
<b>Section 9 (Portion HR1)</b>																
D01057	APP HR1-Temp Works & Drainage Diversion AIP	92	7	01OCT09A	27SEP10	90	7	-240								
D01055	APP HR1-Permanent Works Intake DDA	92	7	31JAN10A	27SEP10	90	7	-119								
D01059	APP HR1-Temp Works & Drainage Diversion DDA	92	7	17APR10A	04OCT10	90	7	-114								
<b>Section 14 (Portion BR6)</b>																
D01385	APP BR6-Temp Works & Drainage Diversion DDA	92	7	16JAN10A	27SEP10	90	7	-156								
D01365	APP BR6-Permanent Works Intake DDA	92	7	31JAN10A	27SEP10	90	7	-104								
<b>Section 12 (Portion W1)</b>																
D01265	APP W1-Permanent Works Intake DDA	92	7	31JAN10A	27SEP10	90	7	-129								
<b>Section 8 (Portion GL1)</b>																
D01005	APP GL1-Permanent Works Intake DDA	92	7	30JAN10A	27SEP10	90	7	-110								
D01009	APP GL1--Temp Works & Drainage Diversion DDA	92	7	19MAR10A	27SEP10	90	7	-111								
<b>Section 25 (Portion CR1)</b>																
D01965	APP CR1-Permanent Works Intake DDA	92	7	28FEB10A	27SEP10	90	7	-57								
D01969	APP CR1-Temp Works & Drainage Diversion DDA	122	7	13APR10A	27SEP10	90	7	-123								


JUL	AUG	SEP	OCT	NOV	DEC
2010					

Start Date	30NOV07
Finish Date	28DEC12
Data Date	21SEP10
Run Date	25SEP10 09:41

	Early Bar
	Previous Month (008A)
	Progress Bar
	Critical Activity

009A Sheet 1 of 10  
**Design & Construction of HK, West Drainage Tunnel**  
**Contract No. DC/2007/10**  
**3 MONTH ROLLING PROGRAMME**  
**SEPTEMBER/2010 MONTHLY REPORT**

WORKS PROGRAMME APPROVAL HISTORY				
Date	Revision	Checked	Approved	
13JAN09	Approved Works Programme # 1	SOR	804B	
27MAR09	Approved Works Programme # 2	SOR	9032	
10DEC10	Approved Works Programme # 3	SOR	9116	
01MAR10	Approved Works Programme # 4	SOR	003A	



Start Date 30NOV07  
 Finish Date 28DEC12  
 Data Date 21SEP10  
 Run Date 25SEP10 09:41

- Early Bar
- Previous Month (008A)
- Progress Bar
- Critical Activity

009A Sheet 2 of 10  
**Design & Construction of HK, West Drainage Tunnel**  
 Contract No. DC/2007/10  
 3 MONTH ROLLING PROGRAMME  
 SEPTEMBER/2010 MONTHLY REPORT

WORKS PROGRAMME APPROVAL HISTORY			
Date	Revision	Checked	Approved
13JAN09	Approved Works Programme # 1	SOR	804B
27MAR09	Approved Works Programme # 2	SOR	9032
10DEC10	Approved Works Programme # 3	SOR	9116
01MAR10	Approved Works Programme # 4	SOR	003A



Act ID	Activity Description	Orig Dur	Rem Dur	Anticipated Start	Anticipated Finish	% Comp	Rem Dur	Approved Works Prog 003A EF Variance	2010					
									JUL	AUG	SEP	OCT	NOV	DEC
<b>Adit Tunnel Excavation &amp; Tunnel Lining - THR2</b>														
S070130	Adit Excavation by Drill & Blast (THR2)	49	31	27AUG10A	28OCT10	42	31	-65						
S070220	Stilling Chamber Enlargement (THR2)	10	10	29OCT10	09NOV10	0	10	-65						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - GL1</b>														
S080060	Probe Drilling & Mechanical Excavation - (GL1)	19	5	02AUG10A	25SEP10	85	5	-40						
S080065	Temp Facilities & Blast Door Installation-(GL1)	29	29	27SEP10	01NOV10	0	29	-65						
S080070	Adit Excavation by Drill & Blast Ch07 - 105(GL1)	35	35	02NOV10	11DEC10	0	35	-65						
S080075	Adit Excavation by Drill & Blast Ch105-215(GL1)	42	42	13DEC10	02FEB11	0	42	-65						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - HR1</b>														
S090132	Adit Excavation by Drill & Blast Ch0-122(HR1)	47	47	21DEC10	19FEB11	0	47	-65						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - DG1</b>														
S100194	Adit Grouting & Rock Dowel Installation - (DG1)	8	0	06SEP10A	18SEP10A	100	0	-15						
S100196	Removal of Segments - (DG1)	5	5	21SEP10	25SEP10	0	5	-16						
S100198	Probe Drilling & Mechanical Excavation - (DG1)	19	19	27SEP10	20OCT10	0	19	-16						
S100201	Temp Facilities & Blast Door Installation-(DG1)	29	29	13OCT10	16NOV10	0	29	-35						
S100210	Adit Excavation by Drill & Blast Ch07 - 127(DG1)	42	42	17NOV10	07JAN11	0	42	-35						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - BR6</b>														
S140282	Adit Grouting & Rock Dowel Installation - (BR6)	8	8	03DEC10	11DEC10	0	8	25						
S140288	Temp Facilities & Blast Door Installation-(BR6)	29	29	11DEC10	17JAN11	0	29	25						
S140284	Removal of Segments - (BR6)	5	5	13DEC10	17DEC10	0	5	25						
S140286	Probe Drilling & Mechanical Excavation - (BR6)	19	19	18DEC10	12JAN11	0	19	25						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - B2</b>														
S160121	Adit Grouting & Rock Dowel Installation - (B2)	8	8	11OCT10	20OCT10	0	8	28						
S160127	Temp Facilities & Blast Door Installation-(B2)	29	29	20OCT10	22NOV10	0	29	28						
S160123	Removal of Segments - (B2)	5	5	21OCT10	26OCT10	0	5	28						
S160125	Probe Drilling & Mechanical Excavation - (B2)	19	19	27OCT10	17NOV10	0	19	28						
S160150	Adit Excavation by Drill & Blast Ch07 - 180 (B2)	73	73	23NOV10	22FEB11	0	73	28						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - MA14</b>														
S170471	Adit Grouting & Rock Dowel Installation - (MA14)	8	4	16SEP10A	27SEP10	50	4	30						
S170477	Temp Facilities & Blast Door Installation-(MA14)	29	29	27SEP10	01NOV10	0	29	30						
S170473	Removal of Segments - (MA14)	5	5	28SEP10	04OCT10	0	5	30						
S170475	Probe Drilling & Mechanical Excavation - (MA14)	19	19	05OCT10	27OCT10	0	19	30						
S170490	Adit Excavation by Drill & Blast (MA14)	26	26	02NOV10	01DEC10	0	26	30						
S170540	Stilling Chamber Enlargement (MA14)	10	10	02DEC10	13DEC10	0	10	30						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - MA15</b>														
S180461	Adit Grouting & Rock Dowel Installation - (MA15)	8	4	13SEP10A	24SEP10	50	4	25						
S180467	Temp Facilities & Blast Door Installation-(MA15)	29	29	24SEP10	29OCT10	0	29	25						
S180463	Removal of Segments - (MA15)	5	5	25SEP10	30SEP10	0	5	25						
S180465	Probe Drilling & Mechanical Excavation - (MA15)	19	19	02OCT10	25OCT10	0	19	25						
S180490	Adit Excavation by Drill & Blast CH07-87 (MA15)	28	28	30OCT10	01DEC10	0	28	25						
S180500	Stilling Chamber Enlargement (MA15)	10	10	02DEC10	13DEC10	0	10	25						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - MA17</b>														
S190495	Adit Grouting & Rock Dowel Installation - (MA17)	8	0	26AUG10A	11SEP10A	100	0	22						
S190497	Removal of Segments - (MA17)	5	0	13SEP10A	18SEP10A	100	0	22						
S190510	Probe Drilling & Mechanical Excavation - (MA17)	19	19	21SEP10	13OCT10	0	19	21						
S190520	Temp Facilities & Blast Door Installation-(MA17)	24	24	24SEP10	23OCT10	0	24	17						
S190560	Adit Excavation (Drill & Blast) -CH07-90 (MA17)	29	29	25OCT10	26NOV10	0	29	17						
S190570	Stilling Chamber Enlargement (MA17)	10	10	27NOV10	08DEC10	0	10	17						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - M3</b>														
S200391	Adit Grouting & Rock Dowel Installation - (M3)	8	0	25AUG10A	04SEP10A	100	0	17						
S200393	Removal of Segments - (M3)	5	0	06SEP10A	11SEP10A	100	0	16						
S200395	Probe Drilling & Mechanical Excavation - (M3)	19	15	13SEP10A	08OCT10	20	15	14						
S200397	Temp Facilities & Blast Door Installation-(M3)	24	24	21SEP10	20OCT10	0	24	9						
S200420	Adit Excavation by Drill & Blast CH07 - 90 (M3)	29	29	21OCT10	23NOV10	0	29	9						
S200510	Stilling Chamber Enlargement (M3)	10	10	24NOV10	04DEC10	0	10	9						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - TP789</b>														
S210405	Probe Drilling & Mechanical Excavation - (TP789)	19	15	02AUG10A	08OCT10	20	15	-9						
S210407	Temp Facilities & Blast Door Installation-(TP789)	29	29	02OCT10	05NOV10	0	29	-28						
S210440	Adit Excavation by Drill & Blast CH07-28 (TP789)	6	6	06NOV10	12NOV10	0	6	-28						
S210450	Stilling Chamber Enlargement (TP789)	10	10	13NOV10	24NOV10	0	10	-28						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - TP5</b>														
S220325	Probe Drilling & Mechanical Excavation - (TP5)	19	0	26JUL10A	18SEP10A	100	0	-6						
S220327	Temp Facilities & Blast Door Installation-(TP5)	29	12	07SEP10A	05OCT10	30	12	-15						
S220390	Adit Excavation Drill & Blast CH07 - 124 (TP5)	41	41	06OCT10	23NOV10	0	41	-15						
S220410	Stilling Chamber Enlargement (TP5)	10	10	24NOV10	04DEC10	0	10	-15						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - TP4</b>														
S230405	Probe Drilling & Mechanical Excavation - (TP4)	19	0	24JUL10A	18SEP10A	100	0	-14						
S230407	Temp Facilities & Blast Door Installation-(TP4)	29	12	07SEP10A	05OCT10	30	12	-23						
S230420	Adit Excavation by Drill & Blast CH07 - 53 (TP4)	15	15	06OCT10	23OCT10	0	15	-23						
S230450	Stilling Chamber Enlargement (TP4)	10	10	25OCT10	04NOV10	0	10	-23						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - W5</b>														
S240345	Probe Drilling & Mechanical Excavation - (W5)	19	0	13JUL10A	11SEP10A	100	0	-30						
S240347	Temp Facilities & Blast Door Installation-(W5)	29	8	13SEP10A	29SEP10	86	8	-40						
S240352	Adit Excavation by Drill & Blast Ch07 - 210(W5)	72	72	30SEP10	24DEC10	0	72	-40						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - RR1</b>														
S260380	Adit Excavation by Drill & Blast Ch07 - 115(RR1)	38	13	16AUG10A	06OCT10	67	13	-38						
S260384	Adit Excavation by Drill & Blast Ch115- 331(RR1)	78	78	07OCT10	10JAN11	0	78	-38						
<b>Adit Tunnel Excavation &amp; Tunnel Lining - P5</b>														
S280122	Adit Excavation by Drill & Blast Ch07 - 210(P5)	72	10	09JUN10A	02OCT10	81	10	-66						
S280124	Adit Excavation by Drill & Blast Ch210 - 400(P5)	80	80	04OCT10	08JAN11	0	80	-66						

JUL	AUG	SEP	OCT	NOV	DEC
2010					

Start Date 30NOV07  
Finish Date 28DEC12  
Data Date 21SEP10  
Run Date 25SEP10 09:41

- █ Early Bar
- █ Previous Month (008A)
- █ Progress Bar
- █ Critical Activity

009A Sheet 3 of 10  
**Design & Construction of HK, West Drainage Tunnel**  
**Contract No. DC/2007/10**  
**3 MONTH ROLLING PROGRAMME**  
**SEPTEMBER/2010 MONTHLY REPORT**

WORKS PROGRAMME APPROVAL HISTORY			
Date	Revision	Checked	Approved
13JAN09	Approved Works Programme # 1	SOR	804B
27MAR09	Approved Works Programme # 2	SOR	9032
10DEC10	Approved Works Programme # 3	SOR	9116
01MAR10	Approved Works Programme # 4	SOR	003A


Act ID	Activity Description	Orig Dur	Rem Dur	Anticipated Start	Anticipated Finish	% Comp	Rem Dur	Approved Works Prog 003A EF Variance	2010						
									JUL	AUG	SEP	OCT	NOV	DEC	
<b>Adit Tunnel Excavation &amp; Tunnel Lining - W10</b>															
S290400	Adit Excavation by Drill & Blast Ch0 - 14(W10)	5	5	21DEC10	28DEC10	0	5	-50							
<b>Adit Tunnel Excavation &amp; Tunnel Lining - HKU1</b>															
S300810	Adit Excavation by Drill & Blast Ch0 - 120(HKU1)	43	42	20SEP10A	10NOV10	2	42	-83							
S300814	Adit Excavation by Drill & Blast Ch120-269(HKU1)	59	59	11NOV10	21JAN11	0	59	-83							
<b>Adit Tunnel Excavation &amp; Tunnel Lining - PFLR1</b>															
S311010	Adit Excavation by Drill & Blast Ch0 - 19(PFLR1)	7	7	14OCT10	22OCT10	0	7	-25							
S311760	Stilling Chamber Enlargement (PFLR1)	10	10	23OCT10	03NOV10	0	10	-25							
<b>Adit Tunnel Excavation &amp; Tunnel Lining - SM1</b>															
S321644	Adit Excavation by Drill & Blast Ch185-350(SM1)	70	39	02AUG10A	06NOV10	45	39	-30							
S321646	Adit Excavation by Drill & Blast Ch350-460(SM1)	48	48	08NOV10	05JAN11	0	48	-30							
<b>Milestone</b>															
<b>Section 1 (Adits)</b>															
M41020	4.002-50% Completion of Excav'n (Adit E5A)	0	0		02SEP10A	100	0	-66	(MC 115) ◆						
M41100	4.010-100% Completion of Excavation(Adit MB16)	0	0		20SEP10	0	0	-131							
M41130	4.013-50% Completion of Excavation (Adit MBD2)	0	0		20SEP10	0	0	-105							
M41140	4.014-100% Completion of Excavation (Adit MBD2)	0	0		20SEP10	0	0	-48							
M41360	4.036-35% Completion of Excavation(Adit W0)	0	0		20SEP10	0	0	-45							
M42200	4.120-20% Completion of Excavation(Adit P5)	0	0		20SEP10	0	0	-98							
M42420	4.142-25% Completion of Excavation(Adit SM1)	0	0		20SEP10	0	0	-104							
M41180	4.018-50% Completion of Excavation (Adit E7)	0	0		22SEP10	0	0	-90							
M41370	4.037-70% Completion of Excavation(Adit W0)	0	0		05OCT10	0	0	26							
M42430	4.143-50% Completion of Excavation(Adit SM1)	0	0		06OCT10	0	0	-38							
M42390	4.139-100% Completion of Excavation(Adit PFLR1)	0	0		22OCT10	0	0	-31							
M41950	4.095-100% Completion of Excavation(Adit TP4)	0	0		23OCT10	0	0	-29							
M41230	4.023-100% Completion of Excavation (Adit THR2)	0	0		28OCT10	0	0	-83							
M42100	4.110-50% Completion of Excavation(Adit RR1)	0	0		28OCT10	0	0	-48							
M41890	4.089-100% Completion of Excavation(Adit TP789)	0	0		12NOV10	0	0	-34							
M42340	4.134-50% Completion of Excavation(Adit HKU1)	0	0		18NOV10	0	0	-104							
M41860	4.086-100% Completion of Excavation (Adit M3)	0	0		23NOV10	0	0	10							
M41920	4.092-100% Completion of Excavation (Adit TP5)	0	0		23NOV10	0	0	-18							
M41830	4.083-100% Completion of Excavation(Adit MA17)	0	0		26NOV10	0	0	20							
M41030	4.003-75% Completion of Excav'n (Adit E5A)	0	0		28NOV10	0	0	-81							
M41770	4.077-100% Completion of Excavation(Adit MA14)	0	0		01DEC10	0	0	38							
M41800	4.080-100% Completion of Excavation(Adit MA15)	0	0		01DEC10	0	0	33							
M42210	4.121-40% Completion of Excavation(Adit P5)	0	0		01DEC10	0	0	-80							
M41110	4.011-100% Lining & Stilling Chamber(Adit MB16)	0	0		02DEC10	0	0	-29							
M41980	4.098-35% Completion of Excavation(Adit W5)	0	0		05DEC10	0	0	-47							
M41380	4.038-100% Completion of Excavation(Adit W0)	0	0		14DEC10	0	0	28							
M42440	4.144-75% Completion of Excavation(Adit SM1)	0	0		14DEC10	0	0	-35							
M41190	4.019-100% Completion of Excavation (Adit E7)	0	0		20DEC10	0	0	-83							
M41260	4.026-50% Completion of Excavation (Adit GL1)	0	0		20DEC10	0	0	-77							
<b>CC5-PART OF SECTION 1 OF THE WORKS (EAST PORTAL)</b>															
<b>Construction</b>															
<b>East Portal River Channel Works</b>															
EPC0350	Upper River Channel Structure Constr	84	0	05MAY10A	24AUG10A	100	0	4							
<b>East Portal River Channel Finishing Works</b>															
E-1725	Dismantle Spoil pit	15	15	19NOV10	06DEC10	0	15	2							
E-1870	N&S Pipe Piling including decking	40	40	07DEC10	25JAN11	0	40	2							
E-2010	Re-Diversion of stream	5	5	07DEC10	11DEC10	0	5	2							
<b>CC8 - SECTION 2 OF THE WORKS (PORTION E5A)</b>															
<b>Construction</b>															
<b>Intakes - External Structures (Stage1)</b>															
S020210	Cofferdam Wall Driving-(E5A)	68	43	06AUG10A	11NOV10	66	43	-85							
S020212	VO # 25 Additional Cofferdam Works	120	120	12NOV10	08APR11	0	120	-154							
<b>Milestone</b>															
<b>Section 2 (Portion E5A)</b>															
M81010	8.01-Pre-drilling&Grouting Works(Dropshaft)	0	0		20SEP10	0	0	-150							
<b>CC9 - SECTION 3 OF THE WORKS (PORTION E5B)</b>															
<b>Construction</b>															
<b>Intakes - External Structures (Stage1)</b>															
S030220	Cofferdam Excavation-(E5B)	54	11	05JUL10A	04OCT10	81	11	-9							
S030230	Main Structure Constructon-(E5B)	50	50	05OCT10	02DEC10	0	50	-9							
S030280	Backfilling & Compaction-(E5B)	7	7	03DEC10	10DEC10	0	7	-9							
<b>Milestone</b>															
<b>Section 3 (Portion E5B)</b>															
M91040	9.04- Pre-dilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-207							
M91070	9.07-Excavation (Intake)	0	0		04OCT10	0	0	-12							
<b>CC10-SECTION 4 OF THE WORKS (PORTION MB16)</b>															
<b>Construction</b>															
<b>Preliminary Works</b>															
S041142	VO # 21 - Add'l Slopeworks-(MB16)	38	6	24NOV09A	27SEP10	90	6	-184							
<b>Dropshaft - Excavation/ Shaft Lining</b>															
S040380	Stabilization of Drilled Shaft-(MB16)	15	0	11AUG10A	21AUG10A	100	0	3							
S040440	Drop Shaft - Lining-(MB16)	40	40	21OCT10	06DEC10	0	40	-25							
<b>Intakes - Internal Structures (Stage 2)</b>															
S040490	Vortex Drop-(MB16)	18	18	07DEC10	29DEC10	0	18	-25							
S040532	VO # 21 - Add'l Manhole works-(MB16)	38	38	11DEC10	27JAN11	0	38	-25							
<b>Pipe Laying</b>															
S040390	Manhole SMH9 to Intake MB16	30	0	23FEB10A	31AUG10A	100	0	-114							
S040330	Manhole SMH7 to SMH8	30	10	01SEP10A	02OCT10	50	10	-139							

Start Date 30NOV07  
 Finish Date 28DEC12  
 Data Date 21SEP10  
 Run Date 25SEP10 09:41

Early Bar  
 Previous Month (008A)  
 Progress Bar  
 Critical Activity

009A Sheet 4 of 10  
**Design & Construction of HK. West Drainage Tunnel**  
 Contract No. DC/2007/10  
**3 MONTH ROLLING PROGRAMME**  
**SEPTEMBER/2010 MONTHLY REPORT**

WORKS PROGRAMME APPROVAL HISTORY			
Date	Revision	Checked	Approved
13JAN09	Approved Works Programme # 1	SOR	804B
27MAR09	Approved Works Programme # 2	SOR	9032
10DEC10	Approved Works Programme # 3	SOR	9116
01MAR10	Approved Works Programme # 4	SOR	003A



Start Date 30NOV07  
 Finish Date 28DEC12  
 Data Date 21SEP10  
 Run Date 25SEP10 09:41

■ Early Bar  
■ Previous Month (008A)  
■ Progress Bar  
■ Critical Activity

009A Sheet 5 of 10  
**Design & Construction of HK. West Drainage Tunnel**  
 Contract No. DC/2007/10  
**3 MONTH ROLLING PROGRAMME**  
**SEPTEMBER/2010 MONTHLY REPORT**

WORKS PROGRAMME APPROVAL HISTORY			
Date	Revision	Checked	Approved
13JAN09	Approved Works Programme # 1	SOR	804B
27MAR09	Approved Works Programme # 2	SOR	9032
10DEC10	Approved Works Programme # 3	SOR	9116
01MAR10	Approved Works Programme # 4	SOR	003A




Act ID	Activity Description	Orig Dur	Rem Dur	Anticipated Start	Anticipated Finish	% Comp	Rem Dur	Approved Works Prog 003A EF Variance	2010						
									JUL	AUG	SEP	OCT	NOV	DEC	
<b>Milestone</b>															
<b>Section 9 (Portion HR1)</b>															
M151060	15.06-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-102							
<b>CC16-SECTION 10 OF THE WORKS (PORTION DG1)</b>															
<b>Construction</b>															
<b>Intakes - External Structures (Stage1)</b>															
S100180	Cofferdam Wall Driving / Grouting/Platform(DG1)	45	0	05JUL10A	13SEP10A	100	0	45							
S100220	Cofferdam Excavation-(DG1)	98	93	14SEP10A	14JAN11	5	93	43							
S100192	VO/Claim # 22-Intake Stucture Increase 40mm -SM1	2	2	21SEP10	22SEP10	0	2	-5							
S100170	Temp Diversion Natural Stream(Drain)-(DG1)	24	24	21SEP10	20OCT10	0	24	-30							
<b>Milestone</b>															
<b>Section 10 (Portion DG1)</b>															
M16-1010	16.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-7							
<b>CC17-SECTION 11 OF THE WORKS (PORTION BR4)</b>															
<b>Construction</b>															
<b>Preliminary Works</b>															
S110180	Site Setting up/Mobilization-(BR4)	24	19	30JUN10A	13OCT10	10	19	-52							
S110190	Install Loading/Unloading Platform + Gantry	60	60	21SEP10	01DEC10	0	60	-57							
S110240	Relocate the existing Staircase-(BR4)	12	12	21SEP10	05OCT10	0	12	-45							
S110220	Install Geotech Instruments-(BR4)	6	6	21SEP10	27SEP10	0	6	-57							
S110230	Erect Hoarding,Site Office,Toilet,Desilting Tank	12	12	06OCT10	20OCT10	0	12	-69							
S110280	Skin Wall to the Existing Retaining Wall	30	30	06OCT10	10NOV10	0	30	-45							
S110250	Mobilization-(BR4)	3	3	21OCT10	23OCT10	0	3	-69							
S110260	Pre-drilling-(BR4)	7	7	25OCT10	01NOV10	0	7	-69							
S110270	Analysis of the SI-(BR4)	6	6	02NOV10	08NOV10	0	6	-69							
S110290	Grouting Works-(BR4)	12	12	09NOV10	22NOV10	0	12	-69							
<b>Preparation Works</b>															
S110330	Mobilization for Cofferdam Construction	3	3	11NOV10	13NOV10	0	3	-45							
S110340	Preboring by Drilling Machine&Backfill with Sand	26	26	15NOV10	14DEC10	0	26	-45							
S110320	Erection of Loading Platform	48	48	23NOV10	20JAN11	0	48	-55							
S110310	Permanent Slop Protective Works (Skin Wall+Soil)	62	62	02DEC10	18FEB11	0	62	-57							
S110300	Pre-drilling & Grouting Works-(BR4)	25	25	02DEC10	03JAN11	0	25	-57							
<b>CC18-SECTION 12 OF THE WORKS (PORTION W1)</b>															
<b>Construction</b>															
<b>Preliminary Works</b>															
S120160	Load/Unload Platf/Overhead Gantry & Access	74	24	28JUN10A	20OCT10	64	24	-52							
<b>Intakes - External Structures (Stage1)</b>															
S120220	Stream Diversion	26	26	21OCT10	19NOV10	0	26	-52							
S120210	Open Excavation	84	84	20NOV10	04MAR11	0	84	-52							
<b>Milestone</b>															
<b>Section 12 (Portion W1)</b>															
M181010	18.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-114							
<b>CC19-SECTION 13 OF WORKS (PORTION BR5)</b>															
<b>Construction</b>															
<b>Preliminary Works</b>															
S130140	Cut Slope to Form Working Platform	24	0	28JUL10A	18SEP10A	100	0	-57							
S130170	Overhead Gantry	12	11	20SEP10A	09OCT10	5	11	-56							
<b>Preparation Works</b>															
S130150	Install Geotech Monitoring Instruments-(BR5)	6	0	09SEP10A	15SEP10A	100	0	-49							
S130180	Pre-drilling & Grouting Works-(BR5)	30	30	11OCT10	15NOV10	0	30	-56							
<b>Intakes - External Structures (Stage1)</b>															
S130200	Open Excavation-(BR5)	62	62	16NOV10	29JAN11	0	62	-56							
<b>Milestone</b>															
<b>Section 13 (Portion BR5)</b>															
M19-1010	19.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		15NOV10	0	0	-69							
<b>CC20-SECTION 14 OF THE WORKS (PORTION BR6)</b>															
<b>Construction</b>															
<b>Preliminary Works</b>															
S140140	Site Setting up/Mobilization-(BR6)	24	0	24MAY10A	08SEP10A	100	0	-62							
<b>Intakes - External Structures (Stage1)</b>															
S140180	Cofferdam Construction-(BR6)	48	0	19JUL10A	13SEP10A	100	0	6							
S140190	Main Structure Excavation-(BR6)	116	116	28SEP10	18FEB11	0	116	-5							
<b>Pipe Laying</b>															
S140170	Jacking Pit Construction at SMH17	59	45	29JUL10A	13NOV10	25	45	-57							
S140200	Pipejacking from SMH17 to Intake (BR6)	34	30	15NOV10	18DEC10	0	30	-53							
S140210	Pipelaying from SMH17 to BR7 (by Open Trench)	54	54	20DEC10	26FEB11	0	54	-53							
<b>Milestone</b>															
<b>Section 14 (Portion BR6)</b>															
M201060	20.06-50% P.Length of TrenchlessDrainageWorks	0	0		29NOV10	0	0	-64							
<b>CC21-SECTION 15 OF THE WORKS (PORTION W3)</b>															
<b>Construction</b>															
<b>Intakes - External Structures (Stage1)</b>															
S150190	West - Excavation up to West Bottom Rack	59	38	25AUG10A	05NOV10	10	38	-19							
S150220	West - Excavation of the Intake Stilling Chamber	48	48	06NOV10	04JAN11	0	48	-19							
<b>Milestone</b>															
<b>Section 15 (Portion W3)</b>															
M211010	21.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-126							

JUL	AUG	SEP	OCT	NOV	DEC
2010					

Start Date	30NOV07	Early Bar
Finish Date	28DEC12	Previous Month (008A)
Data Date	21SEP10	Progress Bar
Run Date	25SEP10 09:41	Critical Activity

009A Sheet 6 of 10  
**Design & Construction of HK. West Drainage Tunnel**  
**Contract No. DC/2007/10**  
**3 MONTH ROLLING PROGRAMME**  
**SEPTEMBER/2010 MONTHLY REPORT**

WORKS PROGRAMME APPROVAL HISTORY			
Date	Revision	Checked	Approved
13JAN09	Approved Works Programme # 1	SOR	804B
27MAR09	Approved Works Programme # 2	SOR	9032
10DEC10	Approved Works Programme # 3	SOR	9116
01MAR10	Approved Works Programme # 4	SOR	003A



Start Date 30NOV07  
 Finish Date 28DEC12  
 Data Date 21SEP10  
 Run Date 25SEP10 09:41

■ Early Bar  
■ Previous Month (008A)  
■ Progress Bar  
■ Critical Activity

009A Sheet 7 of 10  
**Design & Construction of HK, West Drainage Tunnel**  
**Contract No. DC/2007/10**  
**3 MONTH ROLLING PROGRAMME**  
**SEPTEMBER/2010 MONTHLY REPORT**

WORKS PROGRAMME APPROVAL HISTORY			
Date	Revision	Checked	Approved
13JAN09	Approved Works Programme # 1	SOR	804B
27MAR09	Approved Works Programme # 2	SOR	9032
10DEC10	Approved Works Programme # 3	SOR	9116
01MAR10	Approved Works Programme # 4	SOR	003A

Act ID	Activity Description	Orig Dur	Rem Dur	Anticipated Start	Anticipated Finish	% Comp	Rem Dur	Approved Works Prog 003A EF Variance	2010						
									JUL	AUG	SEP	OCT	NOV	DEC	
<b>Intakes - External Structures (Stage1)</b>															
S200320	Excavatio Laying of Steel Pipes & Strutting	12	12	21OCT10	03NOV10	0	12	-71							
S200330	Shotcreting & Diversion and etc. - (M3)	6	6	04NOV10	10NOV10	0	6	-71							
S200350	Driving of Sheet-piling-(M3)	10	10	11NOV10	22NOV10	0	10	-71							
S200360	Grouting for Rock Socket-(M3)	5	5	23NOV10	27NOV10	0	5	-71							
S200390	Excavation (Soft) Soil-(M3)	4	4	29NOV10	02DEC10	0	4	-71							
S200400	Excavation (Hard) Rock-(M3)	45	45	03DEC10	27JAN11	0	45	-71							
<b>Milestone</b>															
<b>Section 20 (Portion M3)</b>															
M261010	26.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-149							
<b>CC27-SECTION 21 OF THE WORKS (PORTION TP789)</b>															
<b>Construction</b>															
<b>Intakes - External Structures (Stage1)</b>															
S210270	Open Cut Excavation	58	14	19APR10A	07OCT10	90	14	-102							
S210300	Excavation (Hard) Rock-(TP789)	44	16	05MAY10A	09OCT10	90	16	-104							
S210350	Blinding-(TP789)	3	3	11OCT10	13OCT10	0	3	-104							
S210360	Base Slabs-(TP789)	17	17	14OCT10	03NOV10	0	17	-104							
S210370	External Walls-(TP789)	36	36	04NOV10	15DEC10	0	36	-104							
S210420	Top Slab with Opening-(TP789)	17	17	16DEC10	07JAN11	0	17	-104							
<b>Milestone</b>															
<b>Section 21 (Portion TP789)</b>															
M27-1010	27.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		09OCT10	0	0	-136							
M27-1040	27.04-Excavation (Intake)	0	0		09OCT10	0	0	-136							
<b>CC28-SECTION 22 OF THE WORKS (PORTION TP5)</b>															
<b>Construction</b>															
<b>Intakes - External Structures (Stage1)</b>															
S220470	Excavation (Soft) Soil-(TP5)	22	8	13SEP10A	29SEP10	50	8	-47							
S220490	Strutting-(TP5)	9	9	30SEP10	11OCT10	0	9	-47							
S220510	Blinding-(TP5)	3	3	12OCT10	14OCT10	0	3	-47							
S220520	Base Slabs-(TP5)	20	20	15OCT10	08NOV10	0	20	-47							
S220530	External Walls-(TP5)	30	30	09NOV10	13DEC10	0	30	-47							
S220540	Top Slab with Opening-(TP5)	20	20	14DEC10	08JAN11	0	20	-47							
<b>Milestone</b>															
<b>Section 22 (Portion TP5)</b>															
M28-1010	28.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-178							
M28-1040	28.04-Excavation (Intake)	0	0		11OCT10	0	0	-60							
<b>CC29-SECTION 23 OF THE WORKS (PORTION TP4)</b>															
<b>Construction</b>															
<b>Intakes - External Structures (Stage1)</b>															
S230350	Excavation (Hard) Rock-(TP4)	72	4	22MAR10A	24SEP10	95	4	-56							
S230360	Strutting-(TP4)	6	6	25SEP10	02OCT10	0	6	-56							
S230380	Blinding-(TP4)	6	6	25SEP10	02OCT10	0	6	-56							
S230400	Base Slabs-(TP4)	12	12	04OCT10	18OCT10	0	12	-56							
S230410	External Walls-(TP4)	30	30	19OCT10	22NOV10	0	30	-56							
S230440	Top Slab with Opening-(TP4)	12	12	23NOV10	06DEC10	0	12	-56							
S230470	Backfilling & Compaction-(TP4)	8	8	27NOV10	06DEC10	0	8	-56							
<b>Dropshaft - Excavation/ Shaft Lining</b>															
S230480	Raise Boring Setup/Reaming/Demobilization(TP4)	90	90	07DEC10	28MAR11	0	90	-53							
S230500	Mobilization & Setting Up (Rise Boring)-(TP4)	20	20	07DEC10	31DEC10	0	20	-53							
<b>Milestone</b>															
<b>Section 23 (Portion TP4)</b>															
M291010	29.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-180							
M291040	29.04-Excavation (Intake)	0	0		02OCT10	0	0	-73							
<b>CC30-SECTION 24 OF THE WORKS (PORTION W5)</b>															
<b>Construction</b>															
<b>Intakes - External Structures (Stage1)</b>															
S240260	Cofferdam Wall Driving-(W5)	46	4	15MAR10A	24SEP10	97	4	-83							
S240290	Expose Existing Box Culvert by Excav-(W5)	6	6	25SEP10	02OCT10	0	6	-83							
S240300	Dropshaft Temporary Lining	30	30	25SEP10	01NOV10	0	30	-83							
S240310	Saw-cut Box-culvert&place Steel Pipes-(W5)	3	3	04OCT10	06OCT10	0	3	-83							
S240320	Secure Pipes Hang&SealantConnect-(W5)	6	6	07OCT10	13OCT10	0	6	-83							
S240330	Removal Lower Sector Box-culvert-(W5)	6	6	14OCT10	21OCT10	0	6	-83							
S240360	Excavation & Lodging-(W5)	6	6	22OCT10	28OCT10	0	6	-83							
S240380	Excavation (Soft) Soil-(W5)	52	52	02NOV10	04JAN11	0	52	-83							
<b>Milestone</b>															
<b>Section 24 (Portion W5)</b>															
M301010	30.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-152							
<b>CC31-SECTION 25 OF THE WORKS (PORTION CR1)</b>															
<b>Construction</b>															
<b>Preliminary Works</b>															
S250180	Power & Water Points-(CR1)	24	6	07AUG10A	27SEP10	50	6	-89							
S250170	Hoarding/Fencing-(CR1)	12	0	07AUG10A	21AUG10A	100	0	-73							
S250210	Implement Traffic Divn Scheme Stage 2-(CR1)	9	0	06SEP10A	20SEP10A	100	0	-86							
S250260	Site Office-(CR1)	3	3	28SEP10	30SEP10	0	3	-89							
<b>Preparation Works</b>															
S250209	Mobilization&Setup(Pre-drill & Grouting)-(CR1)	6	6	02OCT10	08OCT10	0	6	-89							
S250225	VO#11 - Utility Diversion works (CR1)	12	12	09OCT10	23OCT10	0	12	-89							
S250230	Pre-drilling-(CR1)	12	12	25OCT10	06NOV10	0	12	-89							
S250270	Analysis of the SI-(CR1)	6	6	08NOV10	13NOV10	0	6	-89							
S250290	Grouting Works-(CR1)	12	12	15NOV10	27NOV10	0	12	-89							

JUL	AUG	SEP	OCT	NOV	DEC
2010					


Start Date	30NOV07	Early Bar
Finish Date	28DEC12	Previous Month (008A)
Data Date	21SEP10	Progress Bar
Run Date	25SEP10 09:41	Critical Activity

009A Sheet 8 of 10  
**Design & Construction of HK. West Drainage Tunnel**  
**Contract No. DC/2007/10**  
**3 MONTH ROLLING PROGRAMME**  
**SEPTEMBER/2010 MONTHLY REPORT**

WORKS PROGRAMME APPROVAL HISTORY			
Date	Revision	Checked	Approved
13JAN09	Approved Works Programme # 1	SOR	804B
27MAR09	Approved Works Programme # 2	SOR	9032
10DEC10	Approved Works Programme # 3	SOR	9116
01MAR10	Approved Works Programme # 4	SOR	003A



Act ID	Activity Description	Orig Dur	Rem Dur	Anticipated Start	Anticipated Finish	% Comp	Rem Dur	Approved Works Prog 003A EF Variance	2010					
									JUL	AUG	SEP	OCT	NOV	DEC
<b>Intakes - External Structures (Stage1)</b>														
S250310	Cofferdam Wall Driving-(CR1)	70	70	29NOV10	24FEB11	0	70	-89						
<b>Milestone</b>														
<b>Section 25 (Portion CR1)</b>														
M31-1010	31.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		27NOV10	0	0	-110						
<b>CC32-SECTION 26 OF THE WORKS (PORTION RR1)</b>														
<b>Construction</b>														
<b>Intakes - External Structures (Stage1)</b>														
S260310	Pre-bored Pile,SandFile Drive SheetPile-(RR1)	24	16	02AUG10A	14OCT10	30	16	-33						
S260240	Upgrading RetainingStructure ofBoxCulvert Outlet	24	24	21SEP10	20OCT10	0	24	-61						
S260350	Excavn,Strutt'g&Decking/UpgradeBoxCulvertOutlet	24	24	15OCT10	12NOV10	0	24	-33						
S260320	Driving Pile for Drainage Diversion	30	30	21OCT10	24NOV10	0	30	-61						
S260370	ProtectiveMeasures toDrainOutlet Wall/PipeLaying	36	36	13NOV10	24DEC10	0	36	-33						
S260360	Driving Pile for Cofferdam	48	48	25NOV10	22JAN11	0	48	-61						
<b>CC33-SECTION 27 OF THE WORKS (PORTION W8)</b>														
<b>Construction</b>														
<b>Preliminary Works</b>														
S270150	Hoarding/Fencing-(W8)	9	0	12MAR10A	13SEP10A	100	0	-130						
S270160	Cut/Fill/Place Concrete Block&Platform-(W8)	15	0	20APR10A	06SEP10A	100	0	-118						
S270170	Power & Water Points-(W8)	24	0	22JUN10A	08SEP10A	100	0	-111						
S270270	Site Office-(W8)	3	0	01SEP10A	04SEP10A	100	0	-105						
S270290	DSD - Foul Sewer	12	0	01SEP10A	06SEP10A	100	0	-94						
<b>Intakes - External Structures (Stage1)</b>														
S270310	Cofferdam Wall Driving-(W8)	24	24	21SEP10	20OCT10	0	24	-100						
S270320	Excavation, strutting & Decking	18	18	21OCT10	10NOV10	0	18	-100						
S270330	Temp Diversion - W8	6	6	11NOV10	17NOV10	0	6	-100						
S270340	Temporary Steel Casing of Dropshaft	42	42	18NOV10	08JAN11	0	42	-100						
<b>Milestone</b>														
<b>Section 27 (Portion W8)</b>														
M33-1010	33.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-135						
<b>CC34-SECTION 28 OF THE WORKS (PORTION P5)</b>														
<b>Construction</b>														
<b>Intakes - External Structures (Stage1)</b>														
S280500	Mobilization&Setup(Cofferdam Constrn)-(P5)	6	6	06NOV10	12NOV10	0	6	-1						
S280510	Pre-boring,Backfilling with Sand-(P5)	35	35	13NOV10	23DEC10	0	35	-1						
<b>Dropshaft - Excavation/ Shaft Lining</b>														
S280430	RCD Drilling in Soft & Driving Casing-(P5)	11	0	12JUL10A	21AUG10A	100	0	0						
S280440	RCD Drilling in Rock (40m)-(P5)	42	21	25AUG10A	15OCT10	50	21	-1						
S280450	Demobilization of RCD-(P5)	9	9	18OCT10	27OCT10	0	9	-1						
S280460	Driving Casing to Rockhead	5	5	28OCT10	02NOV10	0	5	-1						
S280470	Airlifting & Cleaning-(P5)	3	3	03NOV10	05NOV10	0	3	-1						
S280480	Demob of RCD, Oscillator, Crane & etc.-(P5)	6	6	06NOV10	12NOV10	0	6	-1						
<b>Milestone</b>														
<b>Section 28 (Portion P5)</b>														
M341010	34.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-205						
M341020	34.02-Excavation (Dropshaft)	0	0		12NOV10	0	0	-1						
<b>CC35-SECTION 29 OF THE WORKS (PORTION W10)</b>														
<b>Construction</b>														
<b>Intakes - External Structures (Stage1)</b>														
S290470	Excav(Soft) Soil up to Culvert level +132 -(W10)	12	0	16AUG10A	31AUG10A	100	0	-57						
S290372	VO#13 Stg 2 Diversion works (W10)	23	12	01SEP10A	05OCT10	30	12	-61						
S290370	Removal Lower Sector Box-culvert-(W10)	6	6	06OCT10	12OCT10	0	6	-61						
S290380	Soft Excavation & ELS-(W10)	37	37	13OCT10	25NOV10	0	37	-61						
S290480	Excavation (Hard) Rock-(W10)	18	18	26NOV10	16DEC10	0	18	-61						
S290510	Blinding-(W10)	3	3	17DEC10	20DEC10	0	3	-61						
S290520	Base Slabs-(W10)	12	12	21DEC10	06JAN11	0	12	-61						
<b>Milestone</b>														
<b>Section 29 (Portion W10)</b>														
M351010	35.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-200						
M351040	35.04-Excavation (Intake)	0	0		16DEC10	0	0	-72						
<b>CC36-SECTION 30 OF THE WORKS (PORTION HKU1)</b>														
<b>Construction</b>														
<b>Intakes - External Structures (Stage1)</b>														
S300460	Base Slabs-(HKU1)	12	0	25AUG10A	08SEP10A	100	0	-65						
S300470	External Walls-(HKU1)	60	51	09SEP10A	20NOV10	15	51	-65						
S300480	Top Slab with Opening-(HKU1)	12	12	22NOV10	04DEC10	0	12	-65						
S300500	Backfilling & Compaction-(HKU1)	10	10	26NOV10	07DEC10	0	10	-67						
S300510	Extracting of Sheet Piling-(HKU1)	6	6	08DEC10	14DEC10	0	6	-67						
<b>Milestone</b>														
<b>Section30 (Portion HKU1)</b>														
M361040	36.04-Excavation (Intake)	0	0		02SEP10A	100	0	-100						
M361010	36.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-198						
<b>CC37-SECTION 31 OF THE WORKS (PORTION PFLR1)</b>														
<b>Construction</b>														
<b>Intakes - External Structures (Stage1)</b>														
S311250	Excavation & ELS Works-(PFLR1)	66	30	17JUN10A	29OCT10	6	30	-79						
S311235	Excavation (Soft) Soil-(PFLR1)	24	7	23JUL10A	28SEP10	60	7	-84						
S311270	Expose Existing Box Culvert by Excav-(PFLR1)	20	0	28JUL10A	23AUG10A	100	0	-47						
S311233	VO # 23 Const Manhole at +95.5 & +98 -(PFLR1)	24	0	20AUG10A	20SEP10A	100	0	-68						
S311280	Saw-cut Box-culvert&place Steel Pipes-(PFLR1)	3	6	25AUG10A	27SEP10	50	6	-71						
S311290	Secure Pipes Hang&SealantConnect-(PFLR1)	8	8	28SEP10	07OCT10	0	8	-76						



Start Date 30NOV07  
 Finish Date 28DEC12  
 Data Date 21SEP10  
 Run Date 25SEP10 09:41

█ Early Bar  
█ Previous Month (008A)  
█ Progress Bar  
█ Critical Activity

009A Sheet 9 of 10  
**Design & Construction of HK. West Drainage Tunnel**  
 Contract No. DC/2007/10  
**3 MONTH ROLLING PROGRAMME**  
**SEPTEMBER/2010 MONTHLY REPORT**

WORKS PROGRAMME APPROVAL HISTORY			
Date	Revision	Checked	Approved
13JAN09	Approved Works Programme # 1	SOR	804B
27MAR09	Approved Works Programme # 2	SOR	9032
10DEC10	Approved Works Programme # 3	SOR	9116
01MAR10	Approved Works Programme # 4	SOR	003A

Act ID	Activity Description	Orig Dur	Rem Dur	Anticipated Start	Anticipated Finish	% Comp	Rem Dur	Approved Works Prog 003A EF Variance	2010					
									JUL	AUG	SEP	OCT	NOV	DEC
									<b>Intakes - External Structures (Stage1)</b>					
S311240	Excavation (Hard) Rock-(PFLR1)	24	24	29SEP10	28OCT10	0	24	-78						
S311300	Removal Lower Sector Box-culvert-(PFLR1)	8	8	08OCT10	18OCT10	0	8	-81						
S311310	Excavation & Lodging-(PFLR1)	10	10	19OCT10	29OCT10	0	10	-85						
S311330	Blinding-(PFLR1)	3	3	30OCT10	02NOV10	0	3	-79						
S311340	Base Slabs-(PFLR1)	12	12	03NOV10	16NOV10	0	12	-79						
S311350	External Walls-(PFLR1)	62	62	17NOV10	31JAN11	0	62	-79						
<b>Milestone</b>														
<b>Section 31 (Portion PFLR1)</b>														
M371010	37.01-Pre-drilling & Grouting Works (Dropshaft)	0	0		20SEP10	0	0	-198						
M371040	37.04-Excavation (Intake)	0	0		29OCT10	0	0	-101						
<b>CC38-SECTION 32 OF THE WORKS (PORTION SM1)</b>														
<b>Construction</b>														
<b>Intakes - External Structures (Stage1)</b>														
S321270	External Walls-(SM1)	26	6	09AUG10A	27SEP10	75	6	-55						
S321290	Top Slab with Opening-(SM1)	12	12	28SEP10	12OCT10	0	12	-55						
S321310	Backfilling & Compaction-(SM1)	5	5	07OCT10	12OCT10	0	5	-55						
S321320	Extracting of Sheet Piling-(SM1)	5	5	13OCT10	19OCT10	0	5	-55						
<b>Intakes - Internal Structures (Stage 2)</b>														
S321430	Low Flow Slab & Bottom Rack Bar-(SM1)	12	12	13OCT10	27OCT10	0	12	-55						
S321440	Re-instatemetn of Drains-(SM1)	18	18	04NOV10	24NOV10	0	18	-55						
S321460	Access Ladder & Hand Rails-(SM1)	12	12	25NOV10	08DEC10	0	12	-55						
S321470	Safety Grille-(SM1)	12	12	09DEC10	22DEC10	0	12	-55						

JUL	AUG	SEP	OCT	NOV	DEC
2010					

Start Date 30NOV07  
 Finish Date 28DEC12  
 Data Date 21SEP10  
 Run Date 25SEP10 09:41

█ Early Bar  
█ Previous Month (008A)  
█ Progress Bar  
█ Critical Activity

009A Sheet 10 of 10  
**Design & Construction of HK. West Drainage Tunnel**  
 Contract No. DC/2007/10  
**3 MONTH ROLLING PROGRAMME**  
**SEPTEMBER/2010 MONTHLY REPORT**

WORKS PROGRAMME APPROVAL HISTORY			
Date	Revision	Checked	Approved
13JAN09	Approved Works Programme # 1	SOR	804B
27MAR09	Approved Works Programme # 2	SOR	9032
10DEC10	Approved Works Programme # 3	SOR	9116
01MAR10	Approved Works Programme # 4	SOR	003A



---

---

**APPENDIX N**  
**WASTE GENERATED QUANTITY**

---

---

### Monthly Waste Flow Table

Quarter ending	Actual Quantities of Inert C&D Materials Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly				
	Total Quantity Generated	Broken Concrete	Reused in the Contract	Reused in other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper/ cardboard packaging	Plastics (see notes 2)	Chemical Waste	Others, e.g. general refuse
	( in m <sup>3</sup> )	( in m <sup>3</sup> )	( in m <sup>3</sup> )	( in m <sup>3</sup> )	( in m <sup>3</sup> )	( in m <sup>3</sup> )	( in Kg )	( in Kg )	( in Kg )	( in Kg )	( in m <sup>3</sup> )
Jan 2010	39537		15	38356	1166		6550	220		650	118
Feb 2010	30693		62	29570	1061		10730	180		3222	78
Mar 2010	40031		53	39263	715		13940	300		3726	112
Apr 2010	43025		86	42133	806		12810	350		1685	84
May 2010	42039		38	40859	1142		12290	315		2287	78
Jun 2010	44943		10	42437	2496		14700	350		2531	95
Sub-Total	240268		263	232619	7386		71020	1715		14101	565
July 2010	50156		19	46715	3422		19330	350		8574	78
Aug 2010	38877		0	35282	3595		15190	315		1901	84
Sep 2010	41531		0	38228	3302		36870	560		0	90
Oct 2010											
Nov 2010											
Dec 2010											
Total	370832		282	352844	17705		142410	2940		24576	817

- Notes:
- (1) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
  - (2) Plastics refer to plastic bottles/containers, plastic/foam from packaging material.
  - (3) Quantities in September 2010 are upto 30 September 2010.
  - (4) Assuming the conversion factor from m<sup>3</sup> to ton for rock is 2.5.
  - (5) The materials reused in other Project shall not be treated as waste under the Waste Disposal Ordinance (Cap 354).
  - (6) The figures are included for the sake of completeness of record.

---

---

**ANNEX I  
REVIEW REPORT FOR “HANDLING &  
DELIVERY OF EXCAVATED  
MATERIALS AT THE WESTERN  
PORTAL”**

---

---

# HANDLING & DELIVERY OF EXCAVATED MATERIALS AT THE WESTERN PORTAL

## Background

### 1. Project

“Dragages - Nishimatsu Joint Venture (DNJV)” is the principal contractor undertaking the contract work (DSD Contract No.: DC/2007/10) for the construction of:

- A drainage tunnel (Main Tunnel) from Tai Hang to Cyberport, having an internal diameter from 6.25m to 7.25m;
- A network of adits connecting to the Main Tunnel; and
- 32 intakes to collect surface runoffs into the Main Tunnel via the adit network. The water collected will be discharged into the sea at Cyberport.

The entire drainage tunnel network is built in rock strata, composed of granite and volcanic rocks. Two tunnel boring machines (TBM) are employed for the excavation of the Main Tunnel – one TBM is driving from the East to West whereas the other TBM is operating from West to East. The two tunnels will be broken through at a point near Stubb Road. The conventional drill and blast method is adopted for the excavation of the adits. The excavation of the Main Tunnels and the adits are concurrently carried out.

In addition, mechanical excavation, raise boring method, reverse circulation drilling and hand-dug caisson are used for the excavation of intakes cofferdam and dropshafts.

To facilitate the operation of the TBM and tunnel excavation, a temporary barging point was formed at the Western Portal in Cyberport to provide support for the supplies to both TBM; for handling of excavated materials; and for the berthing of vessels.

In the West Tunnel, the excavated materials generated from the TBM operations are delivered by a conveyor belt to the tunnel portal and are discharged either onto the barge or the TBM Spoil Basin. On the other hand, materials generated by drill-and-blast method in the adits are delivered to the Adit Spoil Basin at the portal for subsequent discharge onto the barge.

All excavated materials generated from tunneling operations at the West Portal are delivered by barges to the approved disposal ground for recycling use.

### 2. Environmental Impact Assessment (EIA)

The Work is a “designated project” under Schedule 2 of Environmental Impact Assessment Ordinance, Cap. 499. An EIA Study has been undertaken by Black & Veatch Hong Kong Ltd. for the Project to provide information on the nature and extent of potential environmental impacts arising from the construction and operation of the Project and related activities taking place concurrently, and to contribute to decisions on the overall environmental acceptability of the Project.

The EIA Report was issued in January 2006, and was approved by EPD under the EIAO (Register No.: AEIAR-099/2006 dated 7-Apr-06). In March 2006, Drainage Services Department (DSD) commissioned Ove Arup and Partners Hong Kong Limited (Arup) to undertake the consultancy assignment of Agreement No. CE 17/2005 (DS), based upon more detailed design information. The Technical Note on Supplementary Environmental Assessment was issued on 29-Mar-07 to highlight the changes since the approval of the EIA Report; evaluate the associated environmental implications; and review the mitigation measures required.

## **HANDLING & DELIVERY OF EXCAVATED MATERIALS AT THE WESTERN PORTAL**

The following is mentioned in Chapter 6: Air Quality Assessment of the EIA Report (Register No.: AEIAR-099/2006) prepared by Black & Veatch:

“6.5.7 For Western portal, spoil generated will be delivery to barges by means of a covered conveyor belt. As a result, the number of vehicles entering the site will be reduced hugely and no vehicle-generated air pollution problems will arise. However, dust may be emitted from the transfer points of the conveyor. Proper design and maintenance of the conveyor will reduce dust emissions from the transfer points to ensure low dust impact.”

*The intent of this Clause is to reduce the impact on air quality arising from handling and delivery of spoil to a minimum.*

There are comments from concerned groups over the site arrangements for the handling and delivery of excavated materials from the tunnel and adits.

### 3. Environmental Permit

The Environmental Permit (EP-272/2007) was first issued to DSD on 26-Apr-07. An application for construction and operation of the designated project was subsequently made and the revised Permit (EP-272/2007/A) was issued on 26-Oct-07. After the award of the Contract, DNJV applied for the issue of Further Environmental Permit (FEP-01/272/2007/A) which was subsequently issued on 28-Jan-08. A variation to the Further Environmental Permit was made in June 2009 and the revised Permit (FEP-01/272/2007/B) was issued on 25-Jun-09.

## **Purpose and Scope**

A review was performed on the current site arrangements on the delivery and handling of excavated materials, particularly the Western Portal, within the context of the EIA Report and over their impact on the environment.

## **Delivery and Handling of Excavated Materials**

### 1. Excavated Materials from TBM

Excavated materials generated from the operation of the tunnel boring machine are small (often less than 100mm) and the sizes are quite uniform. These materials are carried by a covered conveyor belt system installed near the crown of the Main Tunnel; and are discharged directly onto the barge berthed at the seawall. *Owing to the mode of TBM operation, there are times that TBM excavated materials must be re-handled.*


Typical examples include:

- A barge is already full and has to leave the Site. When there is no barge at the seawall, the materials will be discharged into the TBM Spoil Basin.

## HANDLING & DELIVERY OF EXCAVATED MATERIALS AT THE WESTERN PORTAL

- When the TBM operates during night time, we have to discharge the TBM excavated materials into the TBM Spoil Basin in accordance with the conditions of the Construction Noise Permit in force.

When the next barge comes during daytime, the materials stored in the TBM Spoil Basin will be picked up by a backhoe and are transferred into a side conveyor. The side conveyor carried the materials to the main conveyor for discharge onto the barge (*Photo 1*).



**Photo 1: View of the Western Portal**

The Main Conveyor and the Side Conveyor are fully enclosed by sound absorptive panels.

### 2. Excavated Materials from Drill-and-Blast Adits

Excavated materials generated by drill-and-blast are bigger (over 200mm) and they are of irregular sizes and shapes.

The materials are picked up by either the Häggloader (*Photo 2*) or the John Deere skid loader (*Photo 3*) at the adit face; and they are then transferred onto train cars (Shuttle Cars as in *Photo 4*). These Shuttle Cars will be brought to the Adit Spoil Basin at the tunnel portal (*Photo 5*). A backhoe is deployed at the surface adjacent to the Adit Spoil Basin transferring the excavated materials from the Adit Spoil Basin onto a 24-T dump truck that travels less than 100m within the Site from the Adit Spoil to the ramp jetty and vice versa.

The Adit Spoil Basin is provided with noise covers such that the entire basin is fully enclosed for nighttime operation.

The ramp jetty is enclosed at 3 sides – the top and the lateral sides. It is equipped with curtains and water sprinkler system for dust suppression. (*Photo 6 & 7*)



**HANDLING & DELIVERY OF EXCAVATED  
MATERIALS AT THE WESTERN PORTAL**



**Photo 2: Hägglöader**



**Photo 5: Shuttle car discharging excavated materials at the Adit Spoil Basin**



**Photo 3: John Deere Skid Loader**



**Photo 6: The Ramp Jetty**



**Photo 4: Shuttle Car**



**Photo 7: Dump truck discharging excavated materials onto the barge at the ramp jetty**

## **HANDLING & DELIVERY OF EXCAVATED MATERIALS AT THE WESTERN PORTAL**

### **Environmental Considerations**

DNJV chooses the current mode of handling and delivery of excavated materials after careful consideration to its impact on the environment. (i.e. TBM excavated materials by conveyor belt onto barge or the TBM Spoil Basin; and Adit excavated materials by trains to the Adit Spoil Basin and onto the barge by dump trucks)

It is because excavated materials from Drill-and-Blast Adits cannot be handled by a conveyor system due to their big sizes and heavy weight. If a conveyor system was used, we need to mechanically break the materials into small chunks at the portal surface, using hydraulic breakers or by other means. That will certainly have an impact to the environment (e.g. more noise produced, more dust generated, more diesel fuel consumed).

All wastewater collected from surface runoffs and from the spoil basins are pumped into Wetsep and the water treatment plant at the Western Portal for treatment before discharge into the sea in accordance with the conditions of the Effluent Discharge Licences in force.

The current mode of operation has the least impact to the environment in terms of noise, air and water. Mitigating measures in place at the Western Portal are described in details in the next section. Moreover, excavated materials from TBM operation (uniform size) and those from drill-and-blast operations in the adits (irregular sizes) are delivered to the approved disposal locations for reuse (e.g. site formation).

### **Environmental Mitigation Measures at Western Portal**

#### 1. Covered Conveyors

Both the main and side conveyors (*Photo 8*) are entirely covered to mitigate noise propagation and avoid fugitive dust during the transportation of excavated materials.

#### 2. Dust Suppression

- A sprinkler system (*Photo 9*) was installed underneath the ramp jetty for dust suppression when excavated materials are being loaded onto the barge.
- Dust curtains (*Photo 10*) were also installed at the outer rims of the conveyor enclosure in order to shield fugitive dust, if any, arising from the discharge of excavated materials from the conveyor.
- The 24T dump truck transporting materials from the Adit Spoil Basin to the ramp jetty is fitted with mechanical covers.

#### 3. Noise Enclosure at Western Portal and the Adit Spoil Basin

All logistics movements take place inside a sophisticated and purposely-built acoustic enclosure. Mobile plant such as locomotives and train cars are travelling inside the noise enclosure and into the tunnel under construction. In addition, movable noise covers (*Photo 11*) were provided in the Adit Spoil basin to block noise propagation during the unloading of excavated materials from the shuttle cars.



## HANDLING & DELIVERY OF EXCAVATED MATERIALS AT THE WESTERN PORTAL

### 4. Noise Barriers at Western Portal

In addition to the noise enclosure erected at the Western Portal, a row of noise barrier was built in the Western Portal adjacent the pea gravel storage yard (*Photo 12*). The barrier does not only screen the mobile plant at the pea gravel storage yard from the views of the Aegean Terrace residents, but it shields part of the noise generated from the operation of such plant. There is another row of barriers erected at the side abutting the Cyberport Road (*Photo 13*).



**Photo 8:** Covered Conveyors



**Photo 11:** Noise covers at the Adit Spoil Basin



**Photo 9:** Sprinkler system installed at the ramp jetty



**Photo 12:** Noise barrier at the pea gravel storage yard at the side facing Aegean Terrace

**HANDLING & DELIVERY OF EXCAVATED  
MATERIALS AT THE WESTERN PORTAL**



**Photo 10: Dust curtains at the discharge point**



**Photo 13: Noise barrier along Cyberport Road**

## HANDLING & DELIVERY OF EXCAVATED MATERIALS AT THE WESTERN PORTAL


### Air Quality Monitoring

DNJV has been undertaking the 24-hour Total Suspended Particulates (TSP) monitoring since commencement of the Work. The TSP station is installed within our site boundaries rather than the designated location at Aegean Terrace as stipulated in the E&MA Manual. The reason is that residents at Aegean Terrace refused to allow the environmental team to set up the instrument on their premises. Sampling and analysis are conducted by an HOKLAS laboratory to collect TSP filtering sample in a frequency of once every 6 days.

The 24-hour TSP monitoring results indicate that the TSP levels are all below Action ( $156 \mu\text{g}/\text{m}^3$ ). No exceedance on monitoring limits was recorded. The agreed and pre-set Action and Limit levels and the actual TSP monitoring levels in the past 4 months are shown below.

The impact on air quality arising from the handling and delivery of excavated material is insignificant.

Date	TSP level ( $\mu\text{g}/\text{m}^3$ )
7-Apr	108
13-Apr	47.6
19-Apr	123.9
24-Apr	135.5
30-Apr	62.2
6-May	60.7
12-May	86.5
18-May	103.6
24-May	133.5
29-May	68.5
4-Jun	94.9
10-Jun	38.0
15-Jun	74.5
21-Jun	53.4
26-Jun	39.0
2-Jul	63.9
8-Jul	95.9
14-Jul	84.6
20-Jul	116.6
26-Jul	117.8
31-Jul	89.7
6-Aug	102.8
12-Aug	42.0
18-Aug	103.8




## HANDLING & DELIVERY OF EXCAVATED MATERIALS AT THE WESTERN PORTAL

### Environmental Noise Monitoring

The E&MA Programme requires the carrying out of baseline noise monitoring prior to the commencement of construction work and impact noise monitoring when actual construction work started on the Site. DNJV employs an environmental team to conduct periodic noise monitoring during daytime, evening and nighttime. The designated noise monitoring station is adjacent to the Aegean Terrace, the nearest noise sensitive receiver. The daytime noise levels in the months from April to August as well as corresponding readings during daytime, evening and nighttime in the previous quarter are tabulated and graphically illustrated below.


There is no exceedance of noise levels recorded in the past 4 months. The noise impact arising from the handling and delivery of excavated material is insignificant.

Date	Noise level (dB(A))
1-Apr	62.2
8-Apr	61.0
14-Apr	57.9
20-Apr	54.8
26-Apr	63.6
3-May	61.3
13-May	59.8
19-May	56.9
25-May	54.9
31-May	56.7
8-Jun	52.7
18-Jun	59.3
22-Jun	63.9
29-Jun	55.9
8-Jul	51.8
13-Jul	55.3
20-Jul	54.7
26-Jul	56.7
3-Aug	52.7
9-Aug	54.8
19-Aug	57.8




# HANDLING & DELIVERY OF EXCAVATED MATERIALS AT THE WESTERN PORTAL


## Noise Levels



## Noise Levels (Restricted Hours - 07:00 - 23:00 holidays & 19:00 - 23:00 on all other days )



## Noise Levels (Restricted Hours - 23:00 to 07:00 on all days )



## **HANDLING & DELIVERY OF EXCAVATED MATERIALS AT THE WESTERN PORTAL**

### **Conclusion**

The current mode of handling and delivery of excavated materials from TBM operation and adit excavation (drill-and-blast) has insignificant impact to the environment. It does not deviate from the intent of the EIA Report on the control of air quality – Clause 6.5.7 of the Report, and does not constitute material change of the EIA of Hong Kong West Drainage Tunnel Project.

It also concludes that the current spoil transportation arrangement does not constitute a breach of Condition 1.7 of the Further Environmental Permit that the HKWDT Project is designed and constructed in accordance with the information and all recommendations described in the EIA Report.

Appropriate mitigation measures are designed and implemented with due consideration of actual work method and site constraints to ensure compliance with the respective air quality and noise emission limits at the nearby sensitive receivers. These are in line with the recommendations of the EIA Report and comply with the conditions of the Further Environmental Permit.

---

---

**ANNEX II  
PROPOSAL OF TWO BLASTS PER DAY  
IN WESTERN ADITS**

---

---

## **Proposal of Two Blasts Per Day in Western Adits**

### **1. Objectives**

The objectives of this document are to:

- Explain the proposed arrangement of 2 blasts per day and the construction sequence,
- Review environmental implications and mitigation of the proposed arrangement,
- Review the related documents under EIA Ordinance to check whether there are any conditions/restrictions applicable to the proposed blasting arrangement.

### **2. The Project**

The Hong Kong West Drainage Tunnel (DSD Contract No.: DC/2007/10) is a stormwater drainage tunnel running between Tai Hang (Eastern Portal) and Cyberport (Western Portal) with a network of adit tunnels. It is designed to collect stormwater from the upper catchments by a system of intake points, dropshafts and adits to relieve the flooding problem at the lower catchments of northern Hong Kong Island during heavy rainstorms. The Main Tunnel comprises 2 tunnel sections, namely:

- A main tunnel with internal diameter of 6.25m from Ch+43 (Eastern Portal) to Ch3+955.
- A main tunnel with internal diameter of 7.25m from Ch3+955 to Ch10+534 (Western Portal)

The 2 Main Tunnel Sections are excavated by the operation of 2 tunnel boring machines (TBM). On the other hand, the adits are excavated by drill and blast method.

### **3. Blasting in the West Adits**

DNJV is currently adopting drill and blast method for the construction of the Western Adits. The blasting direction is from the Main Tunnel towards the intake dropshafts. For safety reason and full evacuation of personnel from the TBM, blasting can only be commenced when the TBM excavation has progressed some 200m beyond the adit and tunnel junction. This criterion is a restriction to the progress of adit excavation (especially when hard ground conditions or fault zones are encountered) though a number of adits can be excavated concurrently by drill and blast (*concurrent blasting*).

At present, drill and blast operation is now being conducted at 8 adits (including SM1, P5, HKU1, RR1, W5, TP4, TP5 and TP789) concurrently during daytime. It is worthwhile noting that the blasting faces are located from 2,100m to 4,200m from the tunnel portal.

Figure 1 illustrates the alignment of the West Tunnel and West Adits and the progress of TBM excavation in the West Tunnel.






Figure 1: West Tunnel/Adit Alignment and TBM Progress

Lockable blast doors are installed at each main tunnel and adit junction where blasting is to be carried out. Besides, ventilation fans are installed to induce forced ventilation during mucking out and extraction ventilation immediately after blasting.

All daily blasting are carried out at the same time and therefore all adit working faces will be cleared prior to blasting the charged adits along the entire section of the tunnel. The daytime blasting window is somewhere between 13:00 hours and 19:00 hours. A typical work cycle includes the following activities:


- (1) Drilling
- (2) Charging
- (3) Blasting
- (4) Ventilation (extraction of blast fumes)
- (5) Inspection (check for misfire and loose rocks)
- (6) Mucking
- (7) Installation of temporary tunnel support
- (8) Survey/mapping

Owing to the working cycle for a single concurrent blast and the progress of the tunneling works (the adits to be blasted are getting deeper and deeper in the Main Tunnel), the daytime blasting schedule is pushed to the latter part of the blasting window.

#### 4. Two Blasts Per Day

The Hong Kong West Drainage Tunnel Project is a flood relief programme for the northern shore of Hong Kong Island. The timely completion of the Project is important to the safety of the people living in the low-lying areas along the northern shore of Hong Kong Island. DNJV proposes to increase the blasting work to two times per day to ensure timely completion of the Project, especially when unexpected ground conditions are encountered during adit excavation. Two blasts per days are planned initially for the Adits leading to Intakes HKU1, W10 and P5.

Because of the time taken for a typical work cycle, it is anticipated that the second blast will take place in the early hours of the day (around 01:00 to 03:00 hours).



For the planned arrangement for two blasts per day, it is important to note the following points: -

- (1) The blasting faces are currently located from 2,100m to 4,200m from the tunnel portal and 120m – 150m below the surface. The distances will increase as tunnel and adit excavation progress. Besides, the blast faces
- (2) For nighttime blasting, DNJV will attempt to limit the number of blast faces (1 to 2).
- (3) There is no change in construction methodology for adit excavation. As mentioned in the EIA Report, blasting is seen as the most suitable method of excavation for adits.
- (4) There is no change in the number and type of prescribed powered mechanical equipment used in the nighttime blasting.
- (5) There is no overnight storage of explosives on Site. There will be two deliveries of explosives to Site by the Mines Division – one in the morning and the other in late afternoon. The explosives will be delivered to the blasting locations inside tunnel by means of a special train and under the strict supervision by the Mines Department.

## 5. Environmental Implications and Mitigations

### Air Quality

- Water sprinklers and water spraying are used to suppress dust and fumes generated by blasting.
- A fume scrubber is installed at the tunnel portal for further dust and fume suppression.
- The TSP monitoring station is now installed within the site boundaries at the Western Portal. Air monitoring has been carried out since the commencement of construction work. No exceedance has been registered even after adit blasting was conducted inside the tunnel.

### Noise

- No new plant and equipment will be introduced as a result of 2 blasts per day or nighttime blasting. The existing powered mechanical plant pertaining to works under restricted hours both at the surface and inside tunnel still apply. A Construction Noise Permit (GW-RS0774-10) was granted to cover all PME essential for the drill & blast works and nighttime operation.
- Blast doors will be installed at the tunnel and adit junctions to confine the blast areas.
- As the blasting faces are all deep inside the tunnel (the rock cover 120m -150m), the number of blast faces is limited and the noise generated during blasting is transient in nature, the noise impact on the nearby communities will be insignificant.
- The noise enclosure at the tunnel portal area will remain, allowing for operation of PME within the enclosure during restricted hours.
- Noise monitoring at designated locations as described in the EM&A Manual will continue.

### Photos of Mitigation Measures for Blasting Works



Blast door at tunnel and adit junction



Blast door at tunnel and adit junction for micro-blasting



Water sprinkler system for dust & fumes suppression



Fume scrubber in the Western Portal

#### Water Treatment and Handling of Excavated Materials

- Water collected from the main tunnel will either be treated before discharge or temporarily stored for reuse.
- Valid effluent discharge licences are in force at the Western Portal and periodic water samplings are performed in accordance with the licence conditions.
- Excavated materials from adit blasting will be transported to the tunnel portal (inside the noise enclosure) for overnight storage in the Adit Spoil Basin which is fully covered by noise panels. Removal of excavated materials from the Adit Spoil Basin to the barge will only be done in the following morning.

## **6. Environmental Document Review**

The following environmental documents under EIA Ordinance and related to the Project have been reviewed:

- (1) The EIA Report (Register No.: AEIAR-099/2006) prepared by Black & Veatch Co.
- (2) The Technical Notes on Supplementary Environmental Assessment prepared by Ove Arup in March 2007.
- (3) The Technical Notes to Support VEP Application, prepared by Ove Arup in October 2007.
- (4) The Environmental Permit (EP-272/2007/B) previously held by DSD and the Further Environmental Permit (FEP-01/272/2007/B) currently held by DNJV.

#### EIA Report

The following clauses are relevant the subject matter:

- “2.4.5 Blasting is seen as the most suitable method of excavation for the adits due to the relative cost of alternative methods of construction. Blasting is not seen as a suitable method of excavation or the shafts due to the noise generated. Given the proximity of the intake shaft locations to sensitive receivers, blasting would need to be severely restricted to remain within the noise restrictions. Construction of shafts by drill and blast would also necessitate the shafts to be constructed larger than the 2.3 diameter required enabling spoil to be removed. This would consequently lead to slower progress

and would also cause difficulties at many intake locations, where the working area is very restricted.

6.5.9(ii) No blasting shall be carried out when the strong wind signal or tropical cyclone warning signal No. 3 or higher is hoisted (unless prior permission of the Commissioner of Mines is obtained).

13.3.2 For the adit construction, drill and blast method will be adopted for the majority of the works. As the storage of explosives relates to the extent of the drill and blast component of works, it is important to review the rate of work, storage/delivery arrangements and the duration of the works. The blasting works will require about 30 months to complete. Based on the proposed construction programme and the blasting frequencies, there will be no requirement for overnight storage of explosive on site. The delivery of the explosive will be once per day. The delivery of explosives from Government Explosives Depots to the blasting site is controlled by the Explosives Delivery Unit of the Mines Division. Explosives are classified as Category I Dangerous Goods and use of explosives is controlled under the Dangerous Good Ordinance (Chapter 295). Since there will be no overnight storage of explosive on site, no Quantitative Risk Assessment is required for this study.”

Technical Notes on Supplementary Environmental Assessment

Table 1-1: ‘Summary of General Design Changes Since Approval of EIA’ in page 2 of the Technical Notes states the following:


EIA Assumptions	Proposed Improvements	Justifications	Environmental Concerns
Delivery of explosives once per day	Delivery of explosive once or twice per day	Additional delivery and blasting will expedite the progress of construction	No impact on the EIA is anticipated since there are still no overnight storage of explosive (see Section 12)

The proposed improvement in the Technical Notes does allow for 2 blasts per day and confirms no environmental concerns with such an improvement.

Technical Notes to Support VEP Application

The Technical Notes were prepared to address the impact of the proposed slight southward shift of the HKU1-W10-P5 Adit Junction due to the corresponding shift of the main tunnel alignment. However, there is no change in the HKU1-W10-P5 intake locations. The Notes do not mention anything about the blasting along the adits and in particular the HKU1-W10-P5 Adits.





Environmental Permit & Further Environmental Permit

There are no General Conditions or Special Conditions in the EP and FEP for blasting works on Site.

**7. Environmental Team Leader’s Comments**

The Environmental Team Leader (Dr. Priscilla Choy) expressed her professional opinion in her letter of 8 September 2010 that there is no specific restriction on 2 blasts per day including nighttime blasting work.

**8. Conclusion**

DNJV proposes 2 blasts per day in the West Adits – one in the daytime and the other one during nighttime. The review concludes that there is no restriction in all relevant environmental documents under the EIA Ordinance on 2 blasts per day (even nighttime blasting).

In addition, there is no adverse impact on the environment as a result of 2 blasts per day and nighttime blasting.

End of Text

Our Ref: CCL/MA8001/Corres/Out/pc100908

Dragages-Nishimatsu Joint Venture  
27/F., 625 King's Road  
North Point, Hong Kong

Attn: Mr. Daniel Altier

By Fax (2671 9300) & E-mail  
8<sup>th</sup> September 2010

Dear Sir,

**Contract No. DC/2007/10**  
**Design and Construction of Hong Kong West Drainage Tunnel**  
**Proposal for 2 blasts in the West Adits**

We refer to your message regarding the environmental aspects for proposing 2 blasts per day in the West Adits via e-mail on 3<sup>rd</sup> September 2010 for the captioned project.

After reviewing the relevant Environmental Permit, EIA Reports (including Technical Notes on Supplementary Environmental Assessment) for the captioned Contract, we would like to confirm that there is no specific restriction for 2 blasts per day including nighttime blasting for the Project. However, the EIA Report specifies that there will be no overnight storage of explosives for this project.

Although there is no restriction for 2 blasts per day, the following mitigation measures are recommended in the EIA Report for blasting operation:

Air Quality

- No blasting shall be carried out when the strong wind signal or tropical cyclone warning signal No. 3 or higher is hoisted (unless prior permission of the Commissioner of Mines is obtained).

Hazard to Life

- No overnight storage of explosives for this project.

If you have queries, please contact the undersigned at 2151 2089.

Yours faithfully,  
Cinotech Consultants Limited



Dr. Priscilla Choy  
Environmental Team Leader

Directors: Dr H F Chan (Managing Director), Dr Priscilla Choy  
A MEMBER OF CINOTECH GROUP

