



**China Harbour Engineering Company Limited**

Contract No. HY/2010/02

**Hong Kong – Zhuhai – Macao Bridge  
Hong Kong Boundary Crossing  
Facilities –  
Reclamation Works**

**Monthly EM&A Report for September 2013**

[10/2013]

	Name	Signature
Prepared & Checked:	Y T Tang	
Reviewed, Approved and Certified:	Echo Leong (ETL)	

Version:	Rev. 0	Date:	16 October 2013
----------	--------	-------	-----------------

**Disclaimer**

This report is prepared for China Harbour Engineering Company Limited and is given for its sole benefit in relation to and pursuant to Contract No. HY/2010/02 Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities-Reclamation Works and may not be disclosed to, quoted to or relied upon by any person other than China Harbour Engineering Company Limited without our prior written consent. No person (other than China Harbour Engineering Company Limited) into whose possession a copy of this report comes may rely on this report without our express written consent and China Harbour Engineering Company Limited may not rely on it for any purpose other than as described above.

AECOM Asia Co. Ltd.  
15/F, Grand Central Plaza, Tower 1, 138 Shatin Rural Committee Road, Shatin, NT, Hong Kong  
Tel: (852) 3922 9000 Fax: (852) 2317 7609 www.aecom.com

Ref.: HYDHZMBEEM00\_0\_1306L.13

16 October 2013

Engineer's Representative  
Ove Arup & Partners  
Chief Resident Engineer's Office  
5 Ying Hei Road, Tung Chung, Lantau  
Hong Kong

By Fax (3698 5999) and By Post

Attention: Mr. Michael Lo

Dear Mr. Lo,

**Re: Agreement No. CE 48/2011 (EP)  
Environmental Project Office for the  
HZMB Hong Kong Link Road, HZMB Hong Kong Boundary Crossing Facilities,  
and Tuen Mun-Chek Lap Kok Link – Investigation**

**Contract No. HY/2010/02  
Hong Kong – Zhuhai – Macao Bridge  
Hong Kong Boundary Crossing Facilities – Reclamation Work  
Monthly Environmental Monitoring & Audit Report for September 2013**

Reference is made to the Environmental Team's submission of the Monthly Environmental Monitoring & Audit Report for September 2013 (letter ref. 60249820/C/RMKY13101601 dated 16 October 2013) copied to us by E-mail on 16 October 2013.

We are pleased to inform you that we have no adverse comment on the captioned Monthly EM&A Report. We write to verify the captioned report in accordance with Condition 5.4 of EP-353/2009/G and Condition 4.4 of EP-354/2009/A (for TM-CLKL Southern Landfall Reclamation only).

Thank you very much for your kind attention and please do not hesitate to contact the undersigned should you have any queries.

Yours sincerely,



Raymond Dai  
Independent Environmental Checker

c.c.	HyD	Mr. Matthew Fung	(By Fax: 3188 6614)
	HyD	Mr. Wai-ping Lee	(By Fax: 3188 6614)
	AECOM	Ms. Echo Leong	(By Fax: 2317 7609)
	CHEC	Mr. Richard Ng	(By Fax: 2578 0413)

Q:\Projects\HYDHZMBEEM00\02\_Proj\_Mgt\02\_Corr\HYDHZMBEEM00\_0\_1306L.13.docx

**TABLE OF CONTENTS**

	Page
EXECUTIVE SUMMARY	1
1 INTRODUCTION	4
1.1 Background	4
1.2 Scope of Report	4
1.3 Project Organization	5
1.4 Summary of Construction Works	5
1.5 Summary of EM&A Programme Requirements	6
2 AIR QUALITY MONITORING	7
2.1 Monitoring Requirements	7
2.2 Monitoring Equipment	7
2.3 Monitoring Locations	7
2.4 Monitoring Parameters, Frequency and Duration	8
2.5 Monitoring Methodology	8
2.6 Monitoring Schedule for the Reporting Month	10
2.7 Results and Observations	10
3 NOISE MONITORING	13
3.1 Monitoring Requirements	13
3.2 Monitoring Equipment	13
3.3 Monitoring Locations	13
3.4 Monitoring Parameters, Frequency and Duration	13
3.5 Monitoring Methodology	14
3.6 Monitoring Schedule for the Reporting Month	14
3.7 Monitoring Results	14
4 WATER QUALITY MONITORING	16
4.1 Monitoring Requirements	16
4.2 Monitoring Equipment	16
4.3 Monitoring Parameters, Frequency and Duration	16
4.4 Monitoring Locations	17
4.5 Monitoring Methodology	18
4.6 Monitoring Schedule for the Reporting Month	19
4.7 Results and Observations	19
5 DOLPHIN MONITORING	25
5.1 Monitoring Requirements	25
5.2 Monitoring Equipment	25
5.3 Monitoring Frequency and Conditions	25
5.4 Monitoring Methodology and Location	25
5.5 Monitoring Procedures	27
5.6 Monitoring Schedule for the Reporting Month	27
5.7 Results and Observations	27
6 ENVIRONMENTAL SITE INSPECTION AND AUDIT	30
6.1 Site Inspection	30
6.2 Advice on the Solid and Liquid Waste Management Status	31
6.3 Environmental Licenses and Permits	32
6.4 Implementation Status of Environmental Mitigation Measures	32
6.5 Summary of Exceedances of the Environmental Quality Performance Limit	33
6.6 Summary of Complaints, Notification of Summons and Successful Prosecutions	33
7 FUTURE KEY ISSUES	34
7.1 Construction Programme for the Coming Months	34
7.2 Key Issues for the Coming Month	34
7.3 Monitoring Schedule for the Coming Month	35

8	CONCLUSIONS AND RECOMMENDATIONS	35
8.1	Conclusions	35
8.2	Recommendations	35

### List of Tables

Table 1.1	Contact Information of Key Personnel
Table 2.1	Air Quality Monitoring Equipment
Table 2.2	Locations of Impact Air Quality Monitoring Stations
Table 2.3	Air Quality Monitoring Parameters, Frequency and Duration
Table 2.4	Summary of 1-hour TSP Monitoring Results in the Reporting Period
Table 2.5	Summary of 24-hour TSP Monitoring Results in the Reporting Period
Table 3.1	Noise Monitoring Equipment
Table 3.2	Locations of Impact Noise Monitoring Stations
Table 3.3	Noise Monitoring Parameters, Frequency and Duration
Table 3.4	Summary of Construction Noise Monitoring Results in the Reporting Period
Table 4.1	Water Quality Monitoring Equipment
Table 4.2	Impact Water Quality Monitoring Parameters and Frequency
Table 4.3	Impact Water Quality Monitoring Stations
Table 4.4	Laboratory Analysis for Suspended Solids
Table 4.5	Summary of Water Quality Exceedances
Table 5.1	Dolphin Monitoring Equipment
Table 5.2	Impact Dolphin Monitoring Line Transect Co-ordinates (Provided by AFCD)
Table 5.3	Impact Dolphin Monitoring Survey Effort Summary, Effort by Area and Beaufort Sea State
Table 5.4	Impact Dolphin Monitoring Survey Details in September 2013
Table 5.5	The Encounter Rate of Number of Dolphin Sightings & Total Number of Dolphins per Area
Table 6.1	Summary of Environmental Licensing and Permit Status

### Figures

Figure 1	General Project Layout Plan
Figure 2	Impact Air Quality and Noise Monitoring Stations and Wind Station
Figure 3	Impact Water Quality Monitoring Stations
Figure 4	Impact Dolphin Monitoring Line Transect Layout Map
Figure 5	Impact Dolphin Monitoring Survey Efforts and Sightings in September 2013
Figure 6	Environmental Complaint Handling Procedure

### List of Appendices

Appendix A	Project Organization for Environmental Works
Appendix B	Three Month Rolling Construction Programmes
Appendix C	Implementation Schedule of Environmental Mitigation Measures (EMIS)
Appendix D	Summary of Action and Limit Levels
Appendix E	Calibration Certificates of Monitoring Equipments
Appendix F	EM&A Monitoring Schedules
Appendix G	Impact Air Quality Monitoring Results and their Graphical Presentation
Appendix H	Meteorological Data for Monitoring Periods on Monitoring Dates in September 2013
Appendix I	Impact Construction Noise Monitoring Results and their Graphical Presentation
Appendix J	Impact Water Quality Monitoring Results and their Graphical Presentation
Appendix K	Impact Dolphin Monitoring Survey Sighting Summary
Appendix L	Event Action Plan
Appendix M	Monthly Summary of Waste Flow Table
Appendix N	Cumulative Statistics on Exceedances, Complaints, Notifications of Summons and Successful Prosecutions

## EXECUTIVE SUMMARY

Contract No. HY/2010/02 – Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities – Reclamation Work (here below, known as “the Project”) mainly comprises reclamation at the northeast of the Hong Kong International Airport of an area of about 130-hectare for the construction of an artificial island for the development of the Hong Kong Boundary Crossing Facilities (HKBCF), and about 19-hectare for the southern landfall of the Tuen Mun - Chek Lap Kok Link (TMCLKL). It is a designated project and is governed by the current permits for the Project, i.e. the amended Environmental Permits (EPs) issued on 06 August 2013 (EP-353/2009/G) and 8 December 2011 (EP-354/2009/A) (for TMCLKL Southern Landfall Reclamation only).

Ove Arup & Partners Hong Kong Limited (Arup) was appointed by Highways Department (HyD) as the consultants for the design and construction assignment for the Project’s reclamation works (i.e. the Engineer for the Project).

China Harbour Engineering Company Limited (CHEC) was awarded by HyD as the Contractor to undertake the construction work of the Project.

ENVIRON Hong Kong Ltd. was employed by HyD as the Independent Environmental Checker (IEC) and Environmental Project Office (ENPO) for the Project.

AECOM Asia Co. Ltd. (AECOM) was appointed by CHEC to undertake the role of Environmental Team for the Project for carrying out the environmental monitoring and audit (EM&A) works.

The construction phase of the Project under the EPs was commenced on 12 March 2012 and will be tentatively completed by early Year 2016. The EM&A programme, including air quality, noise, water quality and dolphin monitoring and environmental site inspections, was commenced on 12 March 2012.

This report documents the findings of EM&A works conducted in the period between 1 and 30 September 2013. As informed by the Contractor, major activities in the reporting period were:-

### **Marine-based Works**

- Cellular structure installation
- Connecting arc cell installation
- Laying geo-textile
- Sand blanket laying
- Sand filling
- Maintenance of silt curtain & silt screen at sea water intake of HKIA
- Stone column installation
- Laying stone blanket
- Band drain installation
- Backfill cellular structure
- Instrumentation works
- Rubble mound seawall construction
- Construction of temporary seawall
- Ground investigation

### **Land-based Works**

- Maintenance works of Site Office at Works Area WA2
- Maintenance works of Public Works Regional Laboratory at Works Area WA3
- Geo-textile fabrication at Works Area WA2
- Silt curtain fabrication at Works Area WA4
- Maintenance of Temporary Marine Access at Works Area WA2

A summary of monitoring and audit activities conducted in the reporting period is listed below:

24-hour Total Suspended Particulates (TSP) monitoring	5 sessions
1-hour TSP monitoring	5 sessions
Noise monitoring	4 sessions
Impact water quality monitoring	12 sessions
Impact dolphin monitoring	2 surveys
Joint Environmental site inspection	4 sessions

### **Breaches of Action and Limit Levels for Air Quality**

All 1-Hour TSP results were below the Action and Limit Level in the reporting month. One (1) 24-hour TSP result recorded at AMS3A exceeded the Action Level in the reporting month. Investigation results show that the exceedance was not related to Project.

### **Breaches of Action and Limit Levels for Noise**

For construction noise, no exceedance was recorded at all monitoring stations in the reporting period.

### **Breaches of Action and Limit Levels for Water Quality**

Five (5) Action Level exceedances were recorded at measured suspended solids (SS) values (in mg/L) in the reporting month. Investigation results show that the exceedances were not related to Project.

### **Impact Dolphin Monitoring**

A total of ten dolphin sightings were recorded during the two surveys, four on 19 September 2013, six on 24 September 2013, no sightings were made on 17 and 25 September 2013. Of the ten sightings, seven were “on effort” (which are all under favourable condition) and three were “opportunistic”. A total of twenty seven individuals were sighted from the two impact dolphin surveys in the reporting period. Sighting details are summarised and plotted in Appendix K and Figure 5c, respectively.

Behaviour: Of the ten sightings made, three sightings were recorded as ‘multiple’ behavior (all three were of feeding and travelling); six sightings were recorded as feeding and one sighting was recorded as “unknown” in Figure 5d.

### **Complaint, Notification of Summons and Successful Prosecution**

One (1) complaint was logged by the Contractor regarding the leakage from work barges causing water pollution near Tuen Mun Richland Garden received on 26 Sept 13. No summons or prosecution was received in the reporting period.

### **Reporting Change**

There was no reporting change required in the reporting period.

### **Future Key Issues**

Key issues to be considered in the coming month included:-

- Site runoff should be properly collected and treated prior to discharge;
- Minimize loss of sediment from filling works;
- Regular review and maintenance of silt curtain systems, drainage systems and desilting facilities;
- Exposed surfaces/soil stockpiles should be properly treated to avoid generation of silty surface run-off during rainstorm;
- Regular review and maintenance of wheel washing facilities provided at all site entrances/exits;
- Conduct regular inspection of various working machineries and vessels within works areas to avoid any dark smoke emission;
- Suppress dust generated from work processes with use of bagged cements, earth movements, excavation activities, exposed surfaces/soil stockpiles and haul road traffic;
- Quieter powered mechanical equipment should be used;
- Provision of proper and effective noise control measures for operating equipment and machinery on-site, such as erection of movable noise barriers or enclosure for noisy plants;
- Closely check and replace the sound insulation materials regularly;
- Better scheduling of construction works to minimize noise nuisance;
- Properly store and label oil drums and chemical containers placed on site;
- Proper chemicals, chemical wastes and wastes management;
- Maintenance works should be carried out within roofed, paved and confined areas;
- Collection and segregation of construction waste and general refuse on land and in the sea should be carried out properly and regularly; and
- Proper protection and regular inspection of existing trees, transplanted/retained trees.

## **1 INTRODUCTION**

### **1.1 Background**

- 1.1.1 Contract No. HY/2010/02 – Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities – Reclamation Work (here below, known as “the Project”) mainly comprises reclamation at the northeast of the Hong Kong International Airport of an area of about 130-hectare for the construction of an artificial island for the development of the Hong Kong Boundary Crossing Facilities (HKBCF), and about 19-hectare for the southern landfall of the Tuen Mun - Chek Lap Kok Link (TMCLKL).
- 1.1.2 The environmental impact assessment (EIA) reports (Hong Kong – Zhuhai – Macao Bridge Hong Kong Boundary Crossing Facilities – EIA Report (Register No. AEIAR-145/2009) (HKBCFEIA) and Tuen Mun – Chek Lap Kok Link – EIA Report (Register No. AEIAR-146/2009) (TMCLKLEIA), and their environmental monitoring and audit (EM&A) Manuals (original EM&A Manuals), for the Project were approved by Environmental Protection Department (EPD) in October 2009.
- 1.1.3 EPD subsequently issued the Environmental Permit (EP) for HKBCF in November 2009 (EP-353/2009) and the Variation of Environmental Permit (VEP) in June 2010 (EP-353/2009/A), November 2010 (EP-353/2009/B), November 2011 (EP-353/2009/C), March 2012 (EP-353/2009/D), October 2012 (EP-353/2009/E), April 2013 (EP-353/2009/F) and August 2013 (EP-353/2009/G). Similarly, EPD issued the Environmental Permit (EP) for TMCLKL in November 2009 (EP-354/2009) and the Variation of Environmental Permit (VEP) in December 2010 (EP-354/2009/A).
- 1.1.4 The Project is a designated project and is governed by the current permits for the Project, i.e. the amended EPs issued on 6 August 2013 (EP-353/2009/G) and 8 December 2011 (EP-354/2009/A) (for TMCLKL Southern Landfall Reclamation only).
- 1.1.5 A Project Specific EM&A Manual, which included all project-relation contents from the original EM&A Manuals for the Project, was issued in May 2012.
- 1.1.6 Ove Arup & Partners Hong Kong Limited (Arup) was appointed by Highways Department (HyD) as the consultants for the design and construction assignment for the Project’s reclamation works (i.e. the Engineer for the Project).
- 1.1.7 China Harbour Engineering Company Limited (CHEC) was awarded by HyD as the Contractor to undertake the construction work of the Project.
- 1.1.8 ENVIRON Hong Kong Ltd. was employed by HyD as the Independent Environmental Checker (IEC) and Environmental Project Office (ENPO) for the Project.
- 1.1.9 AECOM Asia Co. Ltd. (AECOM) was appointed by CHEC to undertake the role of Environmental Team for the Project for carrying out the EM&A works.
- 1.1.10 The construction phase of the Project under the EPs was commenced on 12 March 2012 and will be tentatively completed by early Year 2016.
- 1.1.11 According to the Project Specific EM&A Manual, there is a need of an EM&A programme including air quality, noise, water quality and dolphin monitoring and environmental site inspections. The EM&A programme of the Project commenced on 12 March 2012.

### **1.2 Scope of Report**

- 1.2.1 This is the nineteenth monthly EM&A Report under the Contract No. HY/2010/02 Hong Kong-Zhuhai-Macao Bridge Hong Kong Boundary Crossing Facilities – Reclamation Works. This report presents a summary of the environmental monitoring and audit works, list of activities and mitigation measures proposed by the ET for the Project in September 2013.



**1.3 Project Organization**

1.3.1 The project organization structure is shown in Appendix A. The key personnel contact names and numbers are summarized in Table 1.1.

**Table 1.1 Contact Information of Key Personnel**

Party	Position	Name	Telephone	Fax
<b>Engineer's Representative (ER)</b>  (Ove Arup & Partners Hong Kong Limited)	Chief Resident Engineer	Roger Marechal	3698 5700	2698 5999
	<b>IEC / ENPO</b>  (ENVIRON Hong Kong Limited)	Independent Environmental Checker	Raymond Dai	3465 2868
<b>Contractor</b>  (China Harbour Engineering Company Limited)	Environmental Project Office Leader	Y. H. Hui	3465 2868	3465 2899
	General Manager (S&E)	Daniel Leung	3157 1086	2578 0413
	Environmental Officer	Richard Ng	36932253	2578 0413
<b>ET</b>  (AECOM Asia Company Limited)	24-hour Hotline	Alan C.C. Yeung	9448 0325	--
	ET Leader	Echo Leong	3922 9280	2317 7609

**1.4 Summary of Construction Works**

1.4.1 The construction phase of the Project under the EP commenced on 12 March 2012.

1.4.2 As informed by the Contractor, details of the major works carried out in this reporting period are listed below:-

**Marine-based Works**

- Cellular structure installation
- Connecting arc cell installation
- Laying geo-textile
- Sand blanket laying
- Sand filling
- Maintenance of silt curtain & silt screen at sea water intake of HKIA
- Stone column installation
- Band drain installation
- Backfill cellular structure
- Instrumentation works
- Rubble mound seawall construction
- Construction of temporary seawall
- Ground investigation

**Land-based Works**

- Maintenance works of Site Office at Works Area WA2
- Maintenance works of Public Works Regional Laboratory at Works Area WA3
- Geo-textile fabrication at Works Area WA2
- Silt curtain fabrication at Works Area WA4
- Maintenance of Temporary Marine Access at Works Area WA2

- 1.4.3 The 3-month rolling construction programme of the Project is shown in Appendix B.
- 1.4.4 The general layout plan of the Project site showing the detailed works areas is shown in Figure 1.
- 1.4.5 The environmental mitigation measures implementation schedule are presented in Appendix C.

**1.5 Summary of EM&A Programme Requirements**

- 1.5.1 The EM&A programme required environmental monitoring for air quality, noise, water quality, marine ecology and environmental site inspections for air quality, noise, water quality, waste management, marine ecology, and landscape and visual impact. The EM&A requirements for each parameter described in the following sections include:-
- All monitoring parameters;
  - Monitoring schedules for the reporting month and forthcoming month;
  - Action and Limit levels for all environmental parameters;
  - Event / Action Plan;
  - Environmental mitigation measures, as recommended in the Project EIA reports; and
  - Environmental requirement in contract documents.

## 2 AIR QUALITY MONITORING

### 2.1 Monitoring Requirements

2.1.1 In accordance with the Project Specific EM&A Manual, baseline 1-hour and 24-hour Total Suspended Particulates (TSP) levels at 4 air quality monitoring stations were established. Impact 1-hour TSP monitoring was conducted for at least three times every 6 days, while impact 24-hour TSP monitoring was carried out for at least once every 6 days. The Action and Limit level of the air quality monitoring is provided in Appendix D.

### 2.2 Monitoring Equipment

2.2.1 24-hour TSP air quality monitoring was performed using High Volume Sampler (HVS) located at each designated monitoring station. The HVS meets all the requirements of the Project Specific EM&A Manual. Portable direct reading dust meters were used to carry out the 1-hour TSP monitoring. Brand and model of the equipment is given in Table 2.1.

**Table 2.1 Air Quality Monitoring Equipment**

Equipment	Brand and Model
Portable direct reading dust meter (1-hour TSP)	Sibata Digital Dust Monitor (Model No. LD-3 and LD-3B)
High Volume Sampler (24-hour TSP)	Tisch Environmental Mass Flow Controlled Total Suspended Particulate (TSP) High Volume Air Sampler (Model No. TE-5170)

### 2.3 Monitoring Locations

- 2.3.1 Monitoring locations AMS2 and AMS7 were set up at the proposed locations in accordance with Project Specific EM&A Manual. For AMS6 (Dragonair/CNAC (Group) Building), permission on setting up and carrying out impact monitoring works was sought, however, access to the premise has not been granted yet on this report issuing date. For monitoring location AMS3 (Ho Yu College), as proposed in the Project Specific EM&A Manual, approval for carrying out impact monitoring could not be obtained from the principal of the school. Permission on setting up and carrying out impact monitoring works at nearby sensitive receivers, like Caribbean Coast and Coastal Skyline, was also sought. However, approvals for carrying out impact monitoring works within their premises were not obtained. Impact air quality monitoring was conducted at site boundary of the site office area in Works Area WA2 (AMS3A) respectively. Same baseline and Action Level for air quality, as derived from the baseline monitoring data recorded at Ho Yu College, was adopted for this alternative air quality location.
- 2.3.2 Reference is made to ET’s proposal of the omission of air monitoring station (AMS 6) dated on 1 November 2012 and EPD’s letter dated on 19 November 2012 regarding the conditional approval of the proposed omission of air monitoring station (AMS 6) for Contract No. HY/2010/02. The aforesaid omission of Monitoring Station AMS6 is effective since 19 November 2012.
- 2.3.3 Figure 2 shows the locations of monitoring stations. Table 2.2 describes the details of the monitoring stations.

**Table 2.2 Locations of Impact Air Quality Monitoring Stations**

Monitoring Station	Location	Description
AMS2	Tung Chung Development Pier	Rooftop of the premise
AMS3A	Site Boundary of Site Office Area at Works Area WA2	On ground at the area boundary
AMS6*	Dragonair/CNAC (Group) Building	On ground at boundary of the premise
AMS7	Hong Kong SkyCity Marriott Hotel	On ground at boundary of the premise

\*Remarks: Reference is made to EPD conditional approval of the omission of air monitoring station (AMS 6) for the project. The omission will be effective on 19 November 2012.

## 2.4 Monitoring Parameters, Frequency and Duration

2.4.1 Table 2.3 summarizes the monitoring parameters, frequency and duration of impact TSP monitoring.

**Table 2.3 Air Quality Monitoring Parameters, Frequency and Duration**

Parameter	Frequency and Duration
1-hour TSP	Three times every 6 days while the highest dust impact was expected
24-hour TSP	Once every 6 days

## 2.5 Monitoring Methodology

### 2.5.1 24-hour TSP Monitoring

- (a) The HVS was installed in the vicinity of the air sensitive receivers. The following criteria were considered in the installation of the HVS.
- (i) A horizontal platform with appropriate support to secure the sampler against gusty wind was provided.
  - (ii) No two samplers should be placed less than 2 meters apart.
  - (iii) The distance between the HVS and any obstacles, such as buildings, was at least twice the height that the obstacle protrudes above the HVS.
  - (iv) A minimum of 2 meters separation from walls, parapets and penthouse for rooftop sampler.
  - (v) A minimum of 2 meters separation from any supporting structure, measured horizontally is required.
  - (vi) No furnace or incinerator flues nearby.
  - (vii) Airflow around the sampler was unrestricted.
  - (viii) Permission was obtained to set up the samplers and access to the monitoring stations.
  - (ix) A secured supply of electricity was obtained to operate the samplers.
  - (x) The sampler was located more than 20 meters from any dripline.
  - (xi) Any wire fence and gate, required to protect the sampler, did not obstruct the monitoring process.
  - (xii) Flow control accuracy was kept within  $\pm 2.5\%$  deviation over 24-hour sampling period.
- (b) Preparation of Filter Papers
- (i) Glass fibre filters, G810 were labelled and sufficient filters that were clean and without pinholes were selected.
  - (ii) All filters were equilibrated in the conditioning environment for 24 hours before weighing. The conditioning environment temperature was around 25 °C and not variable by more than  $\pm 3$  °C; the relative humidity (RH) was < 50% and not variable by more than  $\pm 5\%$ . A convenient working RH was 40%.

- (iii) All filter papers were prepared and analysed by ALS Technichem (HK) Pty Ltd., which is a HOKLAS accredited laboratory and has comprehensive quality assurance and quality control programmes.
- (c) Field Monitoring
- (i) The power supply was checked to ensure the HVS works properly.
  - (ii) The filter holder and the area surrounding the filter were cleaned.
  - (iii) The filter holder was removed by loosening the four bolts and a new filter, with stamped number upward, on a supporting screen was aligned carefully.
  - (iv) The filter was properly aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter.
  - (v) The swing bolts were fastened to hold the filter holder down to the frame. The pressure applied was sufficient to avoid air leakage at the edges.
  - (vi) Then the shelter lid was closed and was secured with the aluminum strip.
  - (vii) The HVS was warmed-up for about 5 minutes to establish run-temperature conditions.
  - (viii) A new flow rate record sheet was set into the flow recorder.
  - (ix) On site temperature and atmospheric pressure readings were taken and the flow rate of the HVS was checked and adjusted at around 1.1 m<sup>3</sup>/min, and complied with the range specified in the updated EM&A Manual (i.e. 0.6-1.7 m<sup>3</sup>/min).
  - (x) The programmable digital timer was set for a sampling period of 24 hrs, and the starting time, weather condition and the filter number were recorded.
  - (xi) The initial elapsed time was recorded.
  - (xii) At the end of sampling, on site temperature and atmospheric pressure readings were taken and the final flow rate of the HVS was checked and recorded.
  - (xiii) The final elapsed time was recorded.
  - (xiv) The sampled filter was removed carefully and folded in half length so that only surfaces with collected particulate matter were in contact.
  - (xv) It was then placed in a clean plastic envelope and sealed.
  - (xvi) All monitoring information was recorded on a standard data sheet.
  - (xvii) Filters were then sent to ALS Technichem (HK) Pty Ltd. for analysis.
- (d) Maintenance and Calibration
- (i) The HVS and its accessories were maintained in good working condition, such as replacing motor brushes routinely and checking electrical wiring to ensure a continuous power supply.
  - (ii) 5-point calibration of the HVS was conducted using TE-5025A Calibration Kit prior to the commencement of baseline monitoring. Bi-monthly 5-point calibration of the HVS will be carried out during impact monitoring.
  - (iii) Calibration certificate of the HVSs are provided in Appendix E.

## 2.5.2 1-hour TSP Monitoring

### (a) Measuring Procedures

The measuring procedures of the 1-hour dust meter were in accordance with the Manufacturer's Instruction Manual as follows:-

- (i) Turn the power on.
- (ii) Close the air collecting opening cover.
- (iii) Push the "TIME SETTING" switch to [BG].
- (iv) Push "START/STOP" switch to perform background measurement for 6 seconds.
- (v) Turn the knob at SENS ADJ position to insert the light scattering plate.
- (vi) Leave the equipment for 1 minute upon "SPAN CHECK" is indicated in the display.
- (vii) Push "START/STOP" switch to perform automatic sensitivity adjustment. This measurement takes 1 minute.
- (viii) Pull out the knob and return it to MEASURE position.
- (ix) Push the "TIME SETTING" switch the time set in the display to 3 hours.
- (x) Lower down the air collection opening cover.
- (xi) Push "START/STOP" switch to start measurement.

(b) Maintenance and Calibration

- (i) The 1-hour TSP meter was calibrated at 1-year intervals against a continuous particulate TEOM Monitor, Series 1400ab. Calibration certificates of the Laser Dust Monitors are provided in Appendix E.
- (ii) 1-hour validation checking of the TSP meter against HVS is carried out on half-year basis at the air quality monitoring locations.

**2.6 Monitoring Schedule for the Reporting Month**

2.6.1 The schedule for air quality monitoring in September 2013 is provided in Appendix F.

**2.7 Results and Observations**

2.7.1 The monitoring results for 1-hour TSP and 24-hour TSP are summarized in Table 2.4 and 2.5 respectively. Detailed impact air quality monitoring results are presented in Appendix G.

**Table 2.4 Summary of 1-hour TSP Monitoring Results in the Reporting Period**

	Average ( $\mu\text{g}/\text{m}^3$ )	Range ( $\mu\text{g}/\text{m}^3$ )	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}^3$ )
<b>AMS2</b>	81	78 – 87	374	500
<b>AMS3A</b>	82	76 – 89	368	500
<b>AMS7</b>	79	74 – 84	370	500

**Table 2.5 Summary of 24-hour TSP Monitoring Results in the Reporting Period**

	Average ( $\mu\text{g}/\text{m}^3$ )	Range ( $\mu\text{g}/\text{m}^3$ )	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}^3$ )
<b>AMS2</b>	50	25 – 79	176	260
<b>AMS3A</b>	93	28 – 173	167	260
<b>AMS7</b>	46	15 – 70	183	260

2.7.2 The major dust source in the reporting period included construction activities from the Project, construction activities by other contacts, as well as nearby traffic emissions.


2.7.3 All 1-hour TSP results were below the Action and Limit Level at all monitoring locations in the reporting month. One (1) 24-hour TSP result exceeded the Action Level at monitoring location AMS3A in the reporting month. Investigation results show that the exceedance was not related to Project.

2.7.3.1 For the 24Hr TSP Action Level exceedance recorded at AMS3A, a result of 173mg/L was recorded on 19 Sept13 (24-hr TSP).

2.7.3.2 According to information provided by the Contractor, land-based construction activity such as installing and transloading of sand bags, deliver & transloading band drain material to site container and stitching geotextile were being undertaken at Works Area WA2 during the monitoring period.

2.7.3.3 Functional checking on HVS at AMS3A was done. Air flow of the HVS was checked and the flow was steady during the 24-hr TSP sampling at AMS3A. The filter paper was re-weighted by the assigned HOKLAS laboratory and the result was reconfirmed.

- 2.7.3.4 As refer to the wind data collected at wind station at Works Area WA2 during the monitoring period on 18 and 19 September 13, East South East winds was prevailing during the monitoring period.
- 2.7.3.5 Photo record shows that fugitive dust was emitted from the construction sites of nearby private development project located close to the monitoring station AMS3A but beyond the site boundary of Works Area WA2. With reference to the prevailing East South East wind direction, construction works carried out at construction sites of nearby private development project may contribute to the measured dust levels at the monitoring station AMS3A. (Please also see photo and layout map below for reference of site conditions.)



**Conditions of the construction sites near Works Area WA2:**

**View of Works Area WA2 : the hard paved ground next to monitoring station AMS3A (View A on layout map)**



- 2.7.3.6 Construction works carried out at construction sites of nearby private development project may contribute to the measured dust levels at the monitoring station AMS3A. The 1-hr TSP values recorded at AMS3A on 19 Sept 13, which are within the monitoring period of the 24-hr TSP, were 78 g/m<sup>3</sup>, 77 g/m<sup>3</sup> and 77g/m<sup>3</sup> respectively. All measured values are well below the Action and Limit Levels.
- 2.7.3.7 The measured 24-hr TSP values recorded at AMS2 and AMS7 (which are closer to the marine-based works areas) on the same monitoring date were 79 g/m<sup>3</sup> and 70 g/m<sup>3</sup> respectively, which are below the Action and Limit Levels.
- 2.7.3.8 The following dust mitigation measures have been implemented at Works Area WA2:
1. Works Area WA2's surface was hard-paved, compacted or hydro-seeded
  2. Vehicle washing facility was provided at vehicle exit points,
  3. Measures for preventing fugitive dust emission are provided, e.g. tarpaulin covers.
- 2.7.3.9 The dust exceedance was therefore considered not to be due to the Project works.
- 2.7.3.10 The Contractor was recommended to continue implementing existing dust mitigation measures.
- 2.7.4 The event action plan is annexed in Appendix L.
- 2.7.5 Meteorological information collected from the wind station during the monitoring periods on the monitoring dates, as shown in Figure 2, including wind speed and wind direction, is annexed in Appendix H.



### 3 NOISE MONITORING

#### 3.1 Monitoring Requirements

3.1.1 In accordance with the Project Specific EM&A Manual, impact noise monitoring was conducted for at least once per week during the construction phase of the Project. The Action and Limit level of the noise monitoring is provided in Appendix D.

#### 3.2 Monitoring Equipment

3.2.1 Noise monitoring was performed using sound level meter at each designated monitoring station. The sound level meters deployed comply with the International Electrotechnical Commission Publications (IEC) 651:1979 (Type 1) and 804:1985 (Type 1) specifications. Acoustic calibrator was deployed to check the sound level meters at a known sound pressure level. Brand and model of the equipment is given in Table 3.1.

**Table 3.1 Noise Monitoring Equipment**

Equipment	Brand and Model
Integrated Sound Level Meter	Rion NL-31 & B&K2238
Acoustic Calibrator	Rion NC-73

#### 3.3 Monitoring Locations

3.3.1 Monitoring locations NMS2 was set up at the proposed locations in accordance with Project Specific EM&A Manual. However, for monitoring location NMS3 (Ho Yu College), as proposed in the Project Specific EM&A Manual, approval for carrying out impact monitoring could not be obtained from the principal of the school. Permission on setting up and carrying out impact monitoring works at nearby sensitive receivers, like Caribbean Coast and Coastal Skyline, was also sought. However, approvals for carrying out impact monitoring works within their premises were not obtained. Impact noise monitoring was conducted at site boundary of the site office area in Works Area WA2 (NMS3A) respectively. Same baseline noise level (as derived from the baseline monitoring data recorded at Ho Yu College) and Limit Level were adopted for this alternative noise monitoring location.

3.3.2 Figure 2 shows the locations of the monitoring stations. Table 3.2 describes the details of the monitoring stations.

**Table 3.2 Locations of Impact Noise Monitoring Stations**

Monitoring Station	Location	Description
NMS2	Seaview Crescent Tower 1	Free-field on the rooftop of the premise
NMS3A	Site Boundary of Site Office Area at Works Area WA2	Free-field on ground at the area boundary.

#### 3.4 Monitoring Parameters, Frequency and Duration

3.4.1 Table 3.3 summarizes the monitoring parameters, frequency and duration of impact noise monitoring.

**Table 3.3      Noise Monitoring Parameters, Frequency and Duration**

Parameter	Frequency and Duration
30-mins measurement at each monitoring station between 0700 and 1900 on normal weekdays (Monday to Saturday). $L_{eq}$ , $L_{10}$ and $L_{90}$ would be recorded.	At least once per week

### 3.5      Monitoring Methodology

#### 3.5.1      Monitoring Procedure

- (a)      The sound level meter was set on a tripod at a height of 1.2 m above the ground for free-field measurements at NMS2. A correction of +3 dB(A) shall be made to the free field measurements.
- (b)      All measurement at NMS3A were free field measurements in the reporting month at NMS3A. A correction of +3 dB(A) shall be made to the free field measurements.
- (c)      The battery condition was checked to ensure the correct functioning of the meter.
- (d)      Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:-
  - (i)      frequency weighting: A
  - (ii)      time weighting: Fast
  - (iii)      time measurement:  $L_{eq(30-minutes)}$  during non-restricted hours i.e. 07:00 – 1900 on normal weekdays.
- (e)      Prior to and after each noise measurement, the meter was calibrated using the acoustic calibrator for 94dB(A) at 1000 Hz. If the difference in the calibration level before and after measurement was more than 1 dB(A), the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.
- (f)      During the monitoring period, the  $L_{eq}$ ,  $L_{10}$  and  $L_{90}$  were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.
- (g)      Noise measurement was paused during periods of high intrusive noise (e.g. dog barking, helicopter noise) if possible. Observations were recorded when intrusive noise was unavoidable.
- (h)      Noise monitoring was cancelled in the presence of fog, rain, wind with a steady speed exceeding 5m/s, or wind with gusts exceeding 10m/s. The wind speed shall be checked with a portable wind speed meter capable of measuring the wind speed in m/s.

#### 3.5.2      Maintenance and Calibration

- (a)      The microphone head of the sound level meter was cleaned with soft cloth at regular intervals.
- (b)      The meter and calibrator were sent to the supplier or HOKLAS laboratory to check and calibrate at yearly intervals.
- (c)      Calibration certificates of the sound level meters and acoustic calibrators are provided in Appendix E.

### 3.6      Monitoring Schedule for the Reporting Month

3.6.1      The schedule for construction noise monitoring in September 2013 is provided in Appendix F.

### 3.7      Monitoring Results

3.7.1      The monitoring results for construction noise are summarized in Table 3.4 and the monitoring data is provided in Appendix I.

**Table 3.4      Summary of Construction Noise Monitoring Results in the Reporting Period**

	<b>Average, dB(A),</b> <b>L<sub>eq</sub> (30 mins)</b>	<b>Range, dB(A),</b> <b>L<sub>eq</sub> (30 mins)</b>	<b>Limit Level, dB(A),</b> <b>L<sub>eq</sub> (30 mins)</b>
NMS2	66	64 – 68*	75
NMS3A	66	66 – 68*	70^

\*+3dB(A) Façade correction included

^ Daytime noise Limit Level of 70 dB(A) applies to education institutions, while 65dB(A) applies during school examination period.

- 3.7.2 No Action or Limit Level Exceedance of construction noise was recorded in the reporting month.
- 3.7.3 Major noise sources during the noise monitoring included construction activities of the Project, construction activities by other contracts and nearby traffic noise.
- 3.7.4 The event action plan is annexed in Appendix L.

## 4 WATER QUALITY MONITORING

### 4.1 Monitoring Requirements

4.1.1 Impact water quality monitoring was carried out to ensure that any deterioration of water quality was detected, and that timely action was taken to rectify the situation. For impact water quality monitoring, measurements were taken in accordance with the Project Specific EM&A Manual. Appendix D shows the established Action/Limit Levels for the environmental monitoring works.

### 4.2 Monitoring Equipment

4.2.1 Table 4.1 summarises the equipment used in the impact water quality monitoring programme.

**Table 4.1 Water Quality Monitoring Equipment**

Equipment	Brand and Model
Dissolved Oxygen (DO) and Temperature Meter, Salinity Meter and Turbidimeter	YSI Model 6820
pH Meter	YSI Model 6820 or Thermo Orion 230A+
Positioning Equipment	JRC DGPS 224 Model JLR-4341 with J-NAV 500 Model NWZ4551
Water Depth Detector	Eagle Cuda-168
Water Sampler	Kahlsio Water Sampler (Vertical) 2.2 L with messenger

### 4.3 Monitoring Parameters, Frequency and Duration

4.3.1 Table 4.2 summarises the monitoring parameters, frequency and monitoring depths of impact water quality monitoring as required in the Project Specific EM&A Manual.

**Table 4.2 Impact Water Quality Monitoring Parameters and Frequency**

Monitoring Stations	Parameter, unit	Frequency	No. of depth
<p><i>Impact Stations:</i> IS5, IS(Mf)6, IS7, IS8, IS(Mf)9, IS10, IS(Mf)11, IS(Mf)16, IS17</p> <p><i>Control/Far Field Stations:</i> CS(Mf)3, CS(Mf)5, CS4, CS6, CSA</p> <p><i>Sensitive Receiver Stations:</i> SR3-SR7, SR10A&amp;SR10B</p>	<ul style="list-style-type: none"> <li>• Depth, m</li> <li>• Temperature, °C</li> <li>• Salinity, ppt</li> <li>• Dissolved Oxygen (DO), mg/L</li> <li>• DO Saturation, %</li> <li>• Turbidity, NTU</li> <li>• pH</li> <li>• Suspended Solids (SS), mg/L</li> </ul>	<p>Three times per week during mid-ebb and mid-flood tides (within ± 1.75 hour of the predicted time)</p>	<p>3 (1 m below water surface, mid-depth and 1 m above sea bed, except where the water depth is less than 6 m, in which case the mid-depth station may be omitted. Should the water depth be less than 3 m, only the mid-depth station will be monitored).</p>

#### 4.4 Monitoring Locations

- 4.4.1 In accordance with the Project Specific EM&A Manual, twenty-one stations (9 Impact Stations, 7 Sensitive Receiver Stations and 5 Control/Far Field Stations) were designated for impact water quality monitoring. The nine Impact Stations (IS) were chosen on the basis of their proximity to the reclamation and thus the greatest potential for water quality impacts, the seven Sensitive Receiver Stations (SR) were chosen as they are close to the key sensitive receives and the five Control/ Far Field Stations (CS) were chosen to facilitate comparison of the water quality of the IS stations with less influence by the Project/ ambient water quality conditions.
- 4.4.2 Due to safety concern and topographical condition of the original locations of SR4 and SR10B, alternative impact water quality monitoring stations, naming as SR4 (N) and SR10B (N), were adopted, which are situated in vicinity of the original impact water quality monitoring stations (SR4 and SR10B) and could be reachable.
- 4.4.3 Same baseline and Action Level for water quality, as derived from the baseline monitoring data recorded, were adopted for these alternative impact water quality monitoring stations.
- 4.4.4 The locations of these monitoring stations are summarized in Table 4.3 and depicted in Figure 3.

**Table 4.3 Impact Water Quality Monitoring Stations**

Station	Description	East	North
IS5	Impact Station (Close to HKBCF construction site)	811579	817106
IS(Mf)6	Impact Station (Close to HKBCF construction site)	812101	817873
IS7	Impact Station (Close to HKBCF construction site)	812244	818777
IS8	Impact Station (Close to HKBCF construction site)	814251	818412
IS(Mf)9	Impact Station (Close to HKBCF construction site)	813273	818850
IS10	Impact Station (Close to HKBCF construction site)	812577	820670
IS(Mf)11	Impact Station (Close to HKBCF construction site)	813562	820716
IS(Mf)16	Impact Station (Close to HKBCF construction site)	814328	819497
IS17	Impact Station (Close to HKBCF construction site)	814539	820391
SR3	Sensitive receivers (San Tau SSSI)	810525	816456
SR4(N)	Sensitive receivers (Tai Ho)	814705	817859
SR5	Sensitive receivers (Artificial Reef in NE Airport)	811489	820455
SR6	Sensitive receivers (Sha Chau and Lung Kwu Chau Marine Park)	805837	821818
SR7	Sensitive receivers (Tai Mo Do)	814293	821431
SR10A	Sensitive receivers (Ma Wan FCZ)1	823741	823495
SR10B(N)	Sensitive receivers (Ma Wan FCZ)2	823683	823187
CS(Mf)3	Control Station	809989	821117
CS(Mf)5	Control Station	817990	821129
CS4	Control Station	810025	824004
CS6	Control Station	817028	823992
CSA	Control Station	818103	823064

## 4.5 Monitoring Methodology

### 4.5.1 Instrumentation

- (a) The in-situ water quality parameters, viz. dissolved oxygen, temperature, salinity, turbidity and pH, were measured by multi-parameter meters (i.e. Model YSI 6820 CE-C-M-Y) and pH meter (i.e. Thermo Orion 230A+) respectively.

### 4.5.2 Operating/Analytical Procedures

- (a) Digital Differential Global Positioning Systems (DGPS) were used to ensure that the correct location was selected prior to sample collection.
- (b) Portable, battery-operated echo sounders were used for the determination of water depth at each designated monitoring station.
- (c) All in-situ measurements were taken at 3 water depths, 1 m below water surface, mid-depth and 1 m above sea bed, except where the water depth was less than 6 m, in which case the mid-depth station was omitted. Should the water depth be less than 3 m, only the mid-depth station was monitored.
- (d) At each measurement/sampling depth, two consecutive in-situ monitoring (DO concentration and saturation, temperature, turbidity, pH, salinity) and water sample for SS. The probes were retrieved out of the water after the first measurement and then re-deployed for the second measurement. Where the difference in the value between the first and second readings of DO or turbidity parameters was more than 25% of the value of the first reading, the reading was discarded and further readings were taken.
- (e) Duplicate samples from each independent sampling event were collected for SS measurement. Water samples were collected using the water samplers and the samples were stored in high-density polythene bottles. Water samples collected were well-mixed in the water sampler prior to pre-rinsing and transferring to sample bottles. Sample bottles were pre-rinsed with the same water samples. The sample bottles were then be packed in cool-boxes (cooled at 4°C without being frozen), and delivered to ALS Technichem (HK) Pty Ltd. for the analysis of suspended solids concentrations. The laboratory determination work would be started within 24 hours after collection of the water samples. ALS Technichem (HK) Pty Ltd. is a HOKLAS accredited laboratory and has comprehensive quality assurance and quality control programmes. For QA/QC procedures, one duplicate samples of every batch of 20 samples was analyzed.
- (f) The analysis method and reporting and detection limit for SS is shown in Table 4.4.

**Table 4.4 Laboratory Analysis for Suspended Solids**

Parameters	Instrumentation	Analytical Method	Reporting Limit	Detection Limit
Suspended Solid (SS)	Weighting	APHA 2540-D	0.5mg/L	0.5mg/L

- (g) Other relevant data were recorded, including monitoring location / position, time, water depth, tidal stages, weather conditions and any special phenomena or work underway at the construction site in the field log sheet for information.

### 4.5.3 Maintenance and Calibration

- (a) All in situ monitoring instruments would be calibrated and calibrated by ALS Technichem (HK) Pty Ltd. before use and at 3-monthly intervals throughout all stages of the water quality monitoring programme. Calibration details are provided in Appendix E.
- (b) The dissolved oxygen probe of YSI 6820 was calibrated by wet bulb method. Before the calibration routine, the sensor for dissolved oxygen was thermally equilibrated in water-saturated air. Calibration cup is served as a calibration chamber and it was loosened from airtight condition before it is used for the calibration. Calibration at ALS Technichem (HK) Pty Ltd. was carried out once every three months in a water sample with a known concentration of

dissolved oxygen. The sensor was immersed in the water and after thermal equilibration, the known mg/L value was keyed in and the calibration was carried out automatically.

- (c) The turbidity probe of YSI 6820 is calibrated two times a month. A zero check in distilled water was performed with the turbidity probe of YSI 6820 once per monitoring day. The probe will be calibrated with a solution of known NTU at ALS Technichem (HK) Pty Ltd. once every three months.

#### 4.6 Monitoring Schedule for the Reporting Month

- 4.6.1 The schedule for impact water quality monitoring in September 2013 is provided in Appendix F.
- 4.6.2 Impact Water Quality Monitoring on 23 Sept 13 was cancelled due to typhoon No.3 or above was hoisted 23 Sept. 2013.

#### 4.7 Results and Observations

- 4.7.1 Impact water quality monitoring was conducted at all designated monitoring stations in the reporting month. Except Impact water quality monitoring at sampling location IS(Mf)9. Sampling location IS(Mf)9 was found enclosed by silt curtain during the reporting month. Samples were taken about 140 meters away from IS(Mf)9. The sampling location’s coordination (East 813226, North 818708) was recorded. The Contractor was advised to take corrective actions to the temporary arrangement of the perimeter silt curtain as soon as possible.
- 4.7.2 Impact water quality monitoring results and graphical presentations are provided in Appendix J.
- 4.7.3 No water quality exceedance was recorded in the reporting month.
- 4.7.4 Five (5) Action Level exceedances were recorded at measured suspended solids (SS) values (in mg/L) in the reporting month. The number of exceedances recorded in the reporting month at each impact station is summarized in Table 4.5.


**Table 4.5 Summary of Water Quality Exceedances**

Station	Exceedance Level	DO (S&M)		DO (Bottom)		Turbidity		SS		Total	
		Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood
IS5	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
IS(Mf)6	Action	0	0	0	0	0	0	(1) 16 Sept 13	0	1	0
	Limit	0	0	0	0	0	0	0	0	0	0
IS7	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
IS8	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
IS(Mf)9	Action	0	0	0	0	0	0	0	(1) 6 Sept 13	0	1
	Limit	0	0	0	0	0	0	0	0	0	0
IS10	Action	0	0	0	0	0	0	0	(1) 30Sept 13	0	1
	Limit	0	0	0	0	0	0	0	0	0	0
IS(Mf)11	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
IS(Mf)16	Action	0	0	0	0	0	0	0	0	0	0

Station	Exceedance Level	DO (S&M)		DO (Bottom)		Turbidity		SS		Total	
		Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood
	Limit	0	0	0	0	0	0	0	0	0	0
IS17	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
SR3	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
SR4(N)	Action	0	0	0	0	0	0	0	(1) 18 Sept 13	0	1
	Limit	0	0	0	0	0	0	0	0	0	0
SR5	Action	0	0	0	0	0	0	0	(1) 30Sept 13	0	1
	Limit	0	0	0	0	0	0	0	0	0	0
SR6	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
SR7	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
SR10A	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
SR10B (N)	Action	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>Action</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>5</b>	
	<b>Limit</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	


Note: S: Surface; and  
M: Mid-depth.

4.7.5 One (1) Action Level exceedance at measured Suspended Solids (mg/L) where recorded on 06 September 2013 during mid-flood tide at monitoring station IS(Mf)9. For Action Level exceedances at measured Suspended Solids (mg/L), 30.3 mg/L was recorded at Monitoring Station IS(Mf)9.






- 4.7.5.1 For locations and type of active works carried out on 6 Sept 13, please refer to the above layout map.
- 4.7.5.2 For action level exceedance of depth averaged SS (in mg/L) recorded at IS(Mf)9 during mid flood tide, active works were carried out at almost the same locations on 4, 6 and 9 Sept 13, but all depth averaged SS (in mg/L) results recorded at all monitoring location on 4 and 9 Sept 13 were all below the Action and Limit Level, which indicates that active works are unlikely to contribute to the action level exceedance recorded at IS(Mf)9.
- 4.7.5.3 Monitoring results of depth averaged suspended solid (mg/L) at IS10 and IS(Mf)11 which are located downstream to active works during flood tide were 6.2 mg/L and 7.6 mg/L which are below active and limit level and shows that depth averaged suspended solid (mg/L) at downstream to active works were not adversely affected.
- 4.7.5.4 Turbidity level (NTU) results recorded at IS(Mf)9 is 11.8 NTU during flood tide on 6 Sept 13 which was well below the Action and Limit Level which indicates turbidity level was not adversely affected.
- 4.7.5.5 When impact water quality monitoring was carried out during mid flood tide at monitoring location IS(Mf)9, no discoloration of sea water was observed and no silty plume were observed to flow from the inside to the outside of the site boundary.
- 4.7.5.6 The exceedance was likely due to local effects in the vicinity of IS(Mf)9.
- 4.7.5.7 The exceedance was considered as non-Project related.
- 4.7.5.8 Nevertheless, the Contractor was reminded to ensure provision of ongoing maintenance to the silt curtains and to carry out maintenance work once defects were found.
- 4.7.5.9 Maintenance work of the silt curtain was carried out by the Contractor on a daily basis except Sunday and public holiday.
- 4.7.6 One (1) Action Level exceedance at measured Suspended Solids (mg/L) where recorded on 16 September 2013 during mid-ebb tide at monitoring station IS(Mf)6. For Action Level exceedances at measured Suspended Solids (mg/L), 25 mg/L was recorded at Monitoring Station IS(Mf)6.



- 4.7.6.1 For locations and type of active works carried out on 16 Sept 13, please refer to the above layout map.
- 4.7.6.2 For action level exceedance of depth averaged SS (in mg/L) recorded at IS(Mf)6 during mid ebb tide, Suspended solids values recorded at Impact Station IS7, IS(Mf)9 and IS8 located downstream to and closer to active works than IS(Mf)6 during Mid-Ebb tide were below the Action and Limit Level during the same tide on the same day. This indicates project works is unlikely to contribute to the action level exceedance recorded at IS(Mf)6.
- 4.7.6.3 Same type of works was carried out at the same locations on 13 and 18 Sept 13 but Suspended Solids values recorded at IS(Mf)6 on 13 and 18 Sept 13 are all below the Action and Limit Level during the same tide on the these days. Turbidity level (NTU) results recorded at IS(Mf)9 is 11.8 NTU during flood tide on 6 Sept 13 which was well below the Action and Limit Level which indicates turbidity level was not adversely affected.
- 4.7.6.4 Turbidity measurements result at IS(Mf)6 during Ebb tide is 12.2 NTU which is well below the Action and Limit Level. It is considered that the turbidity recorded at IS(Mf)6 were not adversely affected by active works.
- 4.7.6.5 The exceedances were likely due to local effects in the vicinity of IS(Mf)6.
- 4.7.6.6 The exceedances were considered as non-Project related.
- 4.7.6.7 Nevertheless, the Contractor was reminded to ensure provision of ongoing maintenance to the silt curtains and to carry out maintenance work once defects were found.
- 4.7.6.8 Maintenance work of the silt curtain was carried out by the Contractor on a daily basis except Sunday and public holiday.
- 4.7.7 One (1) Action Level exceedance at measured Suspended Solids (mg/L) where recorded on 18 September 2013 during mid-flood tide at monitoring station SR4(N). For Action Level exceedance at measured Suspended Solids (mg/L), 24 mg/L was recorded at Monitoring Station SR4(N)



- 4.7.7.1 Please refer the above layout map for activity carried out on 18 Sept 13.
- 4.7.7.2 IS(Mf)9 and IS(Mf)16 are located closer to the active works than monitoring station SR4(N). Depth Averaged Suspended Solids (SS) values (in mg/L) recorded during the flood tide on the same day at

IS(Mf)9 and IS(Mf)16 were below the Action and Limit Level which indicates project works is unlikely to contribute to the action level exceedance recorded at SR4(N).

4.7.7.3 The monitoring location of monitoring station SR4(N) are considered upstream to the active works of this project. Therefore it was unlikely that the exceedances recorded at SR4(N) were due to active construction activities of this project.


4.7.7.4 Cellular structure installation works were conducted at Portion E2 and at Portion B by construction vessels during mid flood tide on 18 Sept 13 but cellular structure installation was considered unlikely to contribute to elevation of Suspended Solids.

4.7.7.5 The exceedance was likely due to local effects in the vicinity of SR4(N).

4.7.7.6 Nevertheless, the Contractor was reminded to ensure provision of ongoing maintenance to the silt curtains and to carry out maintenance work once defects were found.


4.7.7.7 Maintenance work of the silt curtain was carried out by the Contractor on a daily basis except Sunday and public holiday.

4.7.8 Two (2) Action Level exceedance at measured Suspended Solids (mg/L) were recorded on 30 Sept 13 during mid-flood tide at monitoring station SR5 and IS (10). For Action Level exceedance at measured Suspended Solids (mg/L), 24.5 mg/L were recorded at Monitoring Station SR5 and IS(10).



4.7.8.1 Please refer the above layout map for activity carried out on 30 Sept 13.

4.7.8.2 No active works were carried out portion C2a, Portion A and Portion C1a. Installation of band drain was carried out at Portion C1b and Cellular Structure installation was carried out at Portion C2c and E1 on 30 Sept 13. These works were unlikely to generate silt plumes or suspended solid. Stone column installation was conducted at Portion B and E2 which is far away from IS10 and SR5. (For location of each portion please refer to below Layout - Portion of Marine Work)



4.7.8.3 Suspended solids values recorded at Impact Stations IS(Mf)11 and IS7 which is closer to the active works at Portion E2 and Portion B respectively than monitoring station IS10 and SR5 were below the action and limit level which indicates that active works from portion E2 and B is unlikely to cause SS exceedance at monitoring station IS10 and SR5.

4.7.8.4 Turbidity level (NTU) results recorded at IS10 and SR5 were 14.2 NTU and 20.4 NTU respectively during flood tide on 30 Sept 13 which was below the Action and Limit Level which indicates turbidity level was not adversely affected.

4.7.8.5 When impact water quality monitoring was carried out during mid flood tide at monitoring location IS10 and SR5, no discoloration of sea water was observed and no silty plume were observed to flow from the inside to the outside of the site boundary.

4.7.8.6 The exceedance was likely due to local effects in the vicinity of IS10 and SR5.

4.7.8.7 Nevertheless, the Contractor was reminded to ensure provision of ongoing maintenance to the silt curtains and to carry out maintenance work once defects were found.

4.7.8.8 Maintenance work of the silt curtain was carried out by the Contractor on a daily basis except Sunday and public holiday.

4.7.9 The event action plan is annexed in Appendix L.

## 5 DOLPHIN MONITORING

### 5.1 Monitoring Requirements

- 5.1.1 Vessel based surveys for the Chinese White Dolphin (CWD), *Sousa chinensis*, are to be conducted by a dedicated team comprising a qualified marine mammal ecologist and experienced marine mammal observers (MMOs). The purpose of the surveys are to evaluate the impact of the HKCBF reclamation and, if deemed detrimental, to take appropriate action as per the EM&A manual.
- 5.1.2 This 'Impact Monitoring' follows several months of 'Baseline Monitoring' so similar survey methodologies have been adopted to facilitate comparisons between datasets. Further, the data collected are compatible with, and are available for, incorporation into the data set managed by the Agriculture, Fisheries and Conservation Department (AFCD) as part of Hong Kong's long term Marine Mammal Monitoring Programme.

### 5.2 Monitoring Equipment

- 5.2.1 Table 5.1 summarises the equipment used for the impact dolphin monitoring.

**Table 5.1      Dolphin Monitoring Equipment**

Equipment	Model
Commercially licensed motor vessel	15m in length with a 4.5m viewing platform
Global Positioning System (GPS) x2	Integrated into T7000 Garmin GPS Map 78C
Computers (T7000 Tablet, Intel Atom)	Windows 7/MSO 13 Logger
Camera	Nikon D90 300m 2.8D fixed focus Nikon D90 20-400m zoom lens
Laser Rangefinder	Infinitor LRF1000/ Kings 950
Marine Binocular x3	Nexus 7 x 50 marine binocular with compass and reticules Fujinon 7 x 50 marine binocular with compass and reticules

### 5.3 Monitoring Frequency and Conditions

- 5.3.1 Dolphin monitoring is conducted twice per month in each survey area.
- 5.3.2 Dolphin monitoring is conducted only when visibility is good (e.g., over 1km) and the sea condition is at a Beaufort Sea State of 4 or better.
- 5.3.3 When thunder storm, black rain or typhoon warnings are in force, all survey effort is stopped.

### 5.4 Monitoring Methodology and Location

- 5.4.1 The impact dolphin monitoring is vessel-based and combines line-transect and photo-ID methodology. The survey follows pre-set and fixed transect lines in the two areas defined by AFCD as:  
  
 Northeast Lantau survey area; and  
  
 Northwest Lantau survey area.
- 5.4.2 The co-ordinates for the transect lines and layout map have been provided by AFCD and are shown in Table 5.2 and Figure 4.

**Table 5.2 Impact Dolphin Monitoring Line Transect Co-ordinates (Provided by AFCD)**

ID	HK Grid System		Long Lat in WGS84	
	X	Y	Long	Lat
1	804671	814577	113.870308	22.269741
1	804671	831404	113.869975	22.421696
2	805475	815457	113.878087	22.277704
2	805477	826654	113.877896	22.378814
3	806464	819435	113.887615	22.313643
3	806464	822911	113.887550	22.345030
4	807518	819771	113.897833	22.316697
4	807518	829230	113.897663	22.402113
5	808504	820220	113.907397	22.320761
5	808504	828602	113.907252	22.396462
6	809490	820466	113.916965	22.323003
6	809490	825352	113.916884	22.367128
7	810499	820690	113.926752	22.325043
7	810499	824613	113.926688	22.360464
8	811508	820847	113.936539	22.326475
8	811508	824254	113.936486	22.357241
9	812516	820892	113.946329	22.326894
9	812516	824254	113.946279	22.357255
10*	813525	818270	113.956156	22.303225
10*	813525	824657	113.956065	22.360912
11	814556	818449	113.966160	22.304858
11	814556	820992	113.966125	22.327820
12	815542	818807	113.975726	22.308109
12	815542	824882	113.975647	22.362962
13	816506	819480	113.985072	22.314192
13	816506	824859	113.985005	22.362771
14	817537	820220	113.995070	22.320883
14	817537	824613	113.995018	22.360556
15	818568	820735	114.005071	22.325550
15	818568	824433	114.005030	22.358947
16	819532	821420	114.014420	22.331747
16	819532	824209	114.014390	22.356933
17	820451	822125	114.023333	22.338117
17	820451	823671	114.023317	22.352084
18	821504	822371	114.033556	22.340353
18	821504	823761	114.033544	22.352903
19	822513	823268	114.043340	22.348458
19	822513	824321	114.043331	22.357971
20	823477	823402	114.052695	22.349680
20	823477	824613	114.052686	22.360610
21	805476	827081	113.877878	22.382668
21	805476	830562	113.877811	22.414103
22	806464	824033	113.887520	22.355164
22	806464	829598	113.887416	22.405423
23	814559	821739	113.966142	22.334574
23	814559	824768	113.966101	22.361920

\*Remark: Due to the presence of deployed silt curtain systems at the site boundaries of the Project, some of the transect lines shown in Figure 5 could not be fully surveyed during the regular survey. Transect 10 is reduced from 6.4km to approximately 3.6km in length due to the HKBCF construction site. Therefore the total transect length for both NEL and NWL combined is reduced to approximately 111km.

## **5.5 Monitoring Procedures**

- 5.5.1 The study area incorporates 23 transects which are to be surveyed twice per month. Each survey day lasts approximately 9 hours.
- 5.5.2 The survey vessel departs from Tung Chung Development Pier, Tsing Yi Public Pier or the nearest safe and convenient pier.
- 5.5.3 When the vessel reaches the start of a transect line, “on effort” survey begins. Areas between transect lines and traveling to and from the study area are defined as “off effort”.
- 5.5.4 The transect line is surveyed at a speed of 6-8 knots (11-14 km/hr). For the sake of safety, the speed was sometimes a bit slower to avoid collision with other vessels. During some periods, tide and current flow in the survey areas exceeds 7 knots which can affect survey speed. There are a minimum of four marine mammal observers (MMOs) present on each survey, rotating through four positions, observers (2), data recorder (1) and ‘rest’ (1). Rotations occur every 30 minutes or at the end of dolphin encounters. The data recorder records effort, weather and sightings data directly onto the programme Logger and is not part of the observer team. The observers search with naked eye and binoculars between 90° and 270° abeam (bow being 0°).
- 5.5.5 When a group of dolphins is sighted, position, bearing and distance data are recorded immediately onto the computer and, after a short observation, an estimate made of group size. These parameters are linked to the time-GPS-ships data which are automatically stored in the programme Logger throughout the survey period. In this manner, information on heading, position, speed, weather, effort and sightings are stored in a format suitable for use with DISTANCE software for subsequent line transect analyses.
- 5.5.6 Once the vessel leaves the transect line, it is deemed to be “off effort”. The dolphins are approached with the purpose of taking high resolution pictures for proper photo-identification of individual CWD. Attempts to photograph all dolphins in the group are made. Both the left and right hand sides of the dorsal fin area of each dolphin in the group are photographed, if possible. On finishing photographing, the vessel will return to the transect line at the point of departure and “on effort” survey is resumed.
- 5.5.7 Sightings which are made while on the transect line are referred to as “on effort sightings”, while not on the actual transect line are referred to as an “opportunistic sightings” (e.g. another group of dolphins is sighted while travelling back to the transect line). Only “on effort sightings” can be used in analyses which require effort or rate quantification, e.g., encounter rate per 100km searched. This is also how “on effort sightings” are treated in the baseline report. “Opportunistic sightings” provide additional information on individual habitat use and population distribution and they are noted accordingly.
- 5.5.8 As time and GPS data are automatically logged throughout the survey and are linked to sightings data input, start and end times of encounters and deviation from the transect lines are recorded and can be subsequently reviewed.

## **5.6 Monitoring Schedule for the Reporting Month**

- 5.6.1 The schedule for dolphin monitoring in September 2013 is provided in Appendix F.
- 5.6.2 Due to adverse weather and sea condition, the Dolphin Survey was rescheduled from 18 September 2013 to 19 September 2013.

## **5.7 Results and Observations**

- 5.7.1 Dolphin surveys were conducted on 17, 19, 24 and 25 September 2013. In summary, A total of 221.0km of “on effort” survey was conducted under favorable condition. 1km effort was conducted on 17 September 13 under sea condition Beaufort 4, nearly 100% of “on effort” survey was conducted under favourable conditions (Beaufort Sea State 3 or better). The details are shown below:-

5.7.2 The effort summary and sightings data are shown in Tables 5.3 and 5.4, respectively. The survey efforts conducted in September 2013 are plotted in Figure 5a-c. For Table 5.3, only on-effort information is included. Transects conducted in all Beaufort Sea State are included. Compared to previous monthly reports, the whole number Beaufort Sea State scale is used so as to ease comparison with other dolphin monitoring reports.

**Table 5.3 Impact Dolphin Monitoring Survey Effort Summary, Effort by Area and Beaufort Sea State**

Survey	Date	Area	Beaufort	Effort (km)	Total Distance Travelled (km)
1	17-09-13	NEL	1	9.2	33.5
	17-09-13	NEL	2	15.6	
	17-09-13	NEL	3	7.7	
	17-09-13	NEL	4	1.0	77.5
	19-09-13	NEL	2	3.5	
	19-09-13	NWL	1	10.6	
	19-09-13	NWL	2	44.7	
19-09-13	NWL	3	18.7		
2	24-09-13	NWL	1	23.6	63.4
	24-09-13	NWL	2	19.4	
	24-09-13	NWL	3	20.4	
	25-09-13	NWL	1	7.6	47.6
	25-09-13	NWL	2	2.7	
	25-09-13	NEL	1	20.3	
	25-09-13	NEL	2	17.0	
<b>TOTAL in September 2013</b>					<b>222.0</b>

\*Remark: Surveys conduct under Beaufort Sea State 3 or below are considered as under favourable condition.

**Table 5.4 Impact Dolphin Monitoring Survey Details in September 2013**

Date	Location	No. Sightings “on effort”	No. Sightings “opportunistic”
17-09-13	NWL	0	0
	NEL	0	0
19-09-13	NWL	1	2
	NEL	0	1
24-09-13	NWL	6	0
	NEL	0	0
25-09-13	NWL	0	0
	NEL	0	0
<b>TOTAL in September 2013</b>		<b>7</b>	<b>3</b>



**Table 5.5 The Encounter Rate of Number of Dolphin Sightings & Total Number of Dolphins per Area<sup>^</sup>**

<b>Encounter Rate of Number of Dolphin Sightings (STG)<sup>*</sup></b>						
<b>Date</b>	<b>NEL Track</b>	<b>NWL Track</b>	<b>NEL Sightings</b>	<b>NWL Sightings</b>	<b>NEL Encounter Rate</b>	<b>NWL Encounter Rate</b>
17 & 19/09/2013	36.0 km	74 km	0	1	0.0	1.4
24 & 25/09/2013	37.3 km	73.7 km	0	6	0.0	8.1
<b>Encounter Rate of Total Number of Dolphins (ANI)<sup>**</sup></b>						
<b>Date</b>	<b>NEL Track</b>	<b>NWL Track</b>	<b>NEL Dolphins</b>	<b>NWL Dolphins</b>	<b>NEL Encounter Rate</b>	<b>NWL Encounter Rate</b>
17 & 19/09/2013	36.0 km	74 km	0	4	0.0	5.4
24 & 25/09/2013	37.3 km	73.7 km	0	15	0.0	20.4

\* Encounter Rate of Number of Dolphin Sightings (STG) presents encounter rates in terms of groups per 100km.

\*\* Encounter Rate of Total Number of Dolphins (ANI) presents encounter rates in terms of individuals per 100km. And the encounter rate is not corrected for individuals, calculation may represent double counting.

<sup>^</sup>The table is made only for reference to the quarterly STG & ANI, which were adopted for the Event & Action Plan.

- 5.7.3 A total of ten dolphin sightings were recorded during the two surveys, four on 19 September 2013, six on 24 September 2013, no sightings were made on 17 and 25 September 2013. Of the ten sightings, seven were “on effort” (which are all under favourable condition) and three were “opportunistic”. A total of twenty seven individuals were sighted from the two impact dolphin surveys in the reporting period. Sighting details are summarised and plotted in Appendix K and Figure 5c, respectively.
- 5.7.4 Behaviour: Of the ten sightings made, three sightings were recorded as ‘multiple’ behavior (all three were of feeding and travelling); six sightings were recorded as feeding and one sighting was recorded as “unknown” in Figure 5d.
- 5.7.5 Photo ID analyses is underway (as of 11/10/13) and will be presented in the monthly EM&A Report for October 2013.
- 5.7.6 One mother and calf pair was observed although no clear image of the mother was taken as a close approach to her and the calf was not made.
- 5.7.7 Photo ID analyses in August 2013 identified sixteen dolphins, four of which were re-sightings (HZMB 001; 054; 069; 095) and three of which were new to the catalogue. Twenty individuals were photographed clearly that could not be added to the catalogue as they lacked unique and identifiable features. There were several sightings where good images of the dorsal fin area could not be taken as the dolphins were surface feeding, this behaviour involves repeated body slamming and the dolphins fins are not visible on the surface. Images are presented in Appendix K.
- 5.7.8 Noteworthy Observation:  
Marine construction activities which are not part of the HKBCF Contract continue in NWL in particular in the vicinity of transect line 1 and 2. Previously reported dredging activities continued at the Brothers Islands, in the vicinity of transect lines 11 and 12.
- 5.7.9 The event action plan is annexed in Appendix L.

## **6 ENVIRONMENTAL SITE INSPECTION AND AUDIT**

### ***Site Inspection***

- 6.1.1 Site Inspections were carried out on a weekly basis to monitor the implementation of proper environmental pollution control and mitigation measures for the Project. In the reporting month, 4 site inspections were carried out on 5, 12, 19 and 26 September 2013.
- 6.1.2 Particular observations during the site inspections are described below:

### ***Air Quality***

- 6.1.3 Stockpile of sand was observed entire surface wet at WA2. The Contractor was reminded that stockpile of aggregate or dusty materials shall be sprayed with water so as to maintain the entire surface wet; or covered entirely by impervious sheeting or placed in sheltered areas to mitigate potential fugitive dust emission. (Reminder)
- 6.1.4 Side curtain attached to the tipping point of a conveyor belt on a filling barge was provided to filling barge but was observed not fully enclosed. The Contractor was reminded to provide a fully enclosed side curtain for filling activities. (Reminder)

### ***Noise***

- 6.1.5 Some plants mounted on construction vessels were observed acoustically-decoupled, but a generator was still observed not totally acoustically-decoupled on barge Shang Ho Bo 601. The Contractor was advised to continue to provision of enhancement works i.e. to provide sufficient acoustic decoupling measure(s) such as acoustic mat to noisy equipments. The Contractor was reminded that insufficient/inadequate mitigation measures must be swiftly rectified. (Reminder)

### ***Water Quality***

- 6.1.6 Oil drum was observed improperly stored on barge SHB401 and on rock bund, the Contractor was reminded to provide mitigation measures such as bunding or drip tray to all oil drums. The Contractor removed the oil drums from area without bunding or drip tray. (Closed)
- 6.1.7 Open holes were observed within the drum of the bunding on barge SHB401. The Contractor was reminded to provide effective mitigation measures such as to seal the holes properly to prevent potential leakage and runoff. The Contractor provided effective mitigation measures such as to seal the holes properly to prevent potential leakage and runoff. (Closed)
- 6.1.8 It was observed that the frame of a drip tray on barge Shang Ho Bo 601 was insufficient. The Contractor was reminded to provide effective mitigation measures such as drip tray/bunding with sufficient height to contain waste drums. The Contractor provided drip tray/bunding with sufficient space to contain waste drums. (Closed)
- 6.1.9 It was observed that the frame of a drip tray on barge Fai Yu 3228 was damaged. The Contractor was reminded to provide effective mitigation measures such as drip tray with sufficient height to contain equipments. (Follow up)
- 6.1.10 Machine was observed without drip tray/tarpaulin sheet underneath at rock bund. The Contractor was reminded to provide mitigation measures to prevent potential surface runoff. The Contractor rectified the situation by placing tarpaulin sheet underneath the machine and sand bag was used to surround the machine. (Closed)
- 6.1.11 Temporary mitigation measure was provided to idle generation on barge Fai Yu 3228 but the Contractor was reminded to provide mitigation measures such as drip tray or bunding to prevent potential oil leakage and surface runoff. The generator was provided with built-in drip tray. (Closed)

- 6.1.12 Silt plum was observed flowed from the inside of the localized silt curtain on barge Sun Moon Kee. The Contractor rectified the defects of the localized silt curtain. (Closed)

***Chemical and Waste Management***

***Waste***

- 6.1.13 No adverse observation was identified in the reporting month.

***Landscape and Visual Impact***

- 6.1.14 No relevant works was carried out in the reporting month.

***Others***

- 6.1.15 No other adverse observation was identified in the reporting month.
- 6.1.16 The Contractor had rectified most of the observations as identified during environmental site inspection in the reporting month. Rectifications of remaining identified items are undergoing by the Contractor. Follow-up inspections on the status on provision of mitigation measures will be conducted to ensure all identified items are mitigated properly.

**6.2 Advice on the Solid and Liquid Waste Management Status**

- 6.2.1 The Contractor had registered as a chemical waste producer for this Project. Receptacles were available for general refuse collection and sorting.
- 6.2.2 As advised by the Contractor, 565,024.3 m<sup>3</sup> of fill were imported for the Project use in the reporting period. 1.4 tonnes of paper/ cardboard packaging and 1.4 tones of metal were generated, 1.2 tonnes of chemical waste and 26 m<sup>3</sup> of general refuse were generated and disposed of in the reporting period. Monthly summary of waste flow table is detailed in Appendix M.
- 6.2.3 The Contractor is advised to properly maintain on site C&D materials and wastes storage, collection, sorting and recording system, dispose of C&D materials and wastes at designated ground and maximize reuse / recycle of C&D materials and wastes. The Contractor is reminded to properly maintain the site tidiness and dispose of the wastes accumulated on site regularly and properly.
- 6.2.4 The Contractor is reminded that chemical waste should be properly treated and stored temporarily in designated chemical waste storage area on site in accordance with the Code of Practice on the Packaging, Labeling and Storage of Chemical Wastes.

### 6.3 Environmental Licenses and Permits

6.3.1 The environmental licenses and permits for the Project and valid in the reporting month is summarized in Table 6.1.

**Table 6.1 Summary of Environmental Licensing and Permit Status**

Statutory Reference	License/ Permit	License or Permit No.	Valid Period		License/ Permit Holder	Remarks
			From	To		
EIAO	Environmental Permit	EP-353/2009/G	06/08/2012	N/A	HyD	Hong Kong – Zhuhai – Macao Bridge Hong Kong Boundary Crossing Facilities
		EP-354/2009/A	08/12/2010	N/A		Tuen Mun – Chek Lap Kok Link (TMCLKL Southern Landfall Reclamation only)
APCO	NA notification	--	30/12/2011	--	CHEC	Works Area WA2 and WA3
APCO	NA notification	--	17/01/2012	--	CHEC	Works Area WA4
WDO	Chemical Waste Producer Registration	5213-951-C1186-21	30/3/2012	N/A	CHEC	Chemical waste produced in Contract HY/2010/02
WDO	Chemical Waste Producer Registration	5213-974-C3750-01	31/10/2012	--	CHEC	Registration as Chemical Waste Producer at To Kau Wan(WA4)
WDO	Chemical Waste Producer Registration	5213-839-C3750-02	13/09/2012	--	CHEC	Registration as Chemical Waste Producer at TKO 137(FB)
WDO	Billing Account for Disposal of Construction Waste	7014181	05/12/2011	N/A	CHEC	Waste disposal in Contract HY/2010/02
NCO	Construction Noise Permit	GW-RS0847-13	01/08/2013	19/01/2014	CHEC	Marine-based areas in Contract HY/2010/02
NCO	Construction Noise Permit	GW-RE0634-13	24/06/2013	31/12/2013	CHEC	Works Area WA4 in Contract HY/2010/02
NCO	Construction Noise Permit	GW-RW0424-13	28/06/2013	27/12/2013	CHEC	Section of TKO Fill Bank under Contract HY/2010/02

### 6.4 Implementation Status of Environmental Mitigation Measures

6.4.1 In response to the site audit findings, the Contractors carried out corrective actions.

6.4.2 A summary of the Implementation Schedule of Environmental Mitigation Measures (EMIS) is presented in Appendix C. Most of the necessary mitigation measures were implemented properly.

- 6.4.3 Training of marine travel route for marine vessels operator was given to relevant staff and relevant records were kept properly.
- 6.4.4 Regarding the implementation of dolphin monitoring and protection measures (i.e. implementation of Dolphin Watching Plan, Dolphin Exclusion Zone and Silt Curtain integrity Check), regular checking were conducted by the experienced MMOs within the works area to ensure no dolphin was trapped by the enclosed silt curtain systems. Any dolphin spotted within the enclosed silt curtain systems was reported and recorded. Relevant procedures were followed and measures were well implemented. Silt curtain systems were also inspected timely in accordance to the submitted plan. All inspection records were kept properly.
- 6.4.5 Acoustic decoupling measures on noisy plants on construction vessels were checked regularly and these measures were well implemented.

### **6.5 Summary of Exceedances of the Environmental Quality Performance Limit**

- 6.5.1 All 1-Hour TSP results were below the Action and Limit Level in the reporting month. One (1) 24-hour TSP result recorded at AMS3A exceeded the Action Level in the reporting month. Investigation results show that the exceedance was not related to Project.
- 6.5.2 For construction noise, no exceedance was recorded at all monitoring stations in the reporting period.
- 6.5.3 Five (5) Action Level exceedances were recorded at measured suspended solids (SS) values (in mg/L) in the reporting month. Investigation results show that the exceedances were not related to project.
- 6.5.4 Cumulative statistics on exceedance is provided in Appendix N.

### **6.6 Summary of Complaints, Notification of Summons and Successful Prosecutions**

- 6.6.1 The Environmental Complaint Handling Procedure is annexed in Figure 6.
- 6.6.2 One (1) complaint was logged by the Contractor regarding the leakage from work barges causing water pollution near Tuen Mun Richland Garden received on 26 Sept 13. No summons or prosecution was received in the reporting period.
- 6.6.3 Statistics on complaints, notifications of summons and successful prosecutions are summarized in Appendix N.

## 7 FUTURE KEY ISSUES

### 7.1 Construction Programme for the Coming Months

7.1.1 As informed by the Contractor, the major works for the Project in October and November 2013 will be:-

#### ***Marine-based Works***

- Marine-base
- Cellular structure installation
- Connecting arc cell installation
- Laying geo-textile
- Sand blanket laying
- Sand filling
- Maintenance of silt curtain & silt screen at sea water intake of HKIA
- Stone column installation
- Band drain installation
- Backfill cellular structure
- Instrumentation works
- Rubble mound seawall construction
- Construction of temporary seawall
- Ground investigation
- Construction of temporary piers
- Construction of conveyors for public fill
- Surcharge laying

#### ***Land-based Works***

- Maintenance works of Site Office at Works Area WA2
- Maintenance works of Public Works Regional Laboratory at Works Area WA3
- Geo-textile fabrication at Works Area WA2
- Silt curtain fabrication at Works Area WA4
- Maintenance of Temporary Marine Access at Works Area WA2

### 7.2 Key Issues for the Coming Month

7.2.1 Key issues to be considered in the coming months:-

- Site runoff should be properly collected and treated prior to discharge;
- Minimize loss of sediment from filling works;
- Regular review and maintenance of silt curtain systems, drainage systems and desilting facilities;
- Exposed surfaces/soil stockpiles should be properly treated to avoid generation of silty surface runoff during rainstorm;
- Regular review and maintenance of wheel washing facilities provided at all site entrances/exits;
- Conduct regular inspection of various working machineries and vessels within works areas to avoid any dark smoke emission;
- Suppress dust generated from work processes with use of bagged cements, earth movements, excavation activities, exposed surfaces/soil stockpiles and haul road traffic;
- Quieter powered mechanical equipment should be used;
- Provision of proper and effective noise control measures for operating equipment and machinery on-site, such as erection of movable noise barriers or enclosure for noisy plants;
- Closely check and replace the sound insulation materials regularly;
- Better scheduling of construction works to minimize noise nuisance;
- Properly store and label oil drums and chemical containers placed on site;
- Proper chemicals, chemical wastes and wastes management;
- Maintenance works should be carried out within roofed, paved and confined areas;
- Collection and segregation of construction waste and general refuse on land and in the sea should be carried out properly and regularly; and
- Proper protection and regular inspection of existing trees, transplanted/retained trees.

### **7.3      Monitoring Schedule for the Coming Month**

7.3.1      The tentative schedule for environmental monitoring in September 2013 is provided in Appendix F.

## **8          CONCLUSIONS AND RECOMMENDATIONS**

### **8.1      Conclusions**

- 8.1.1      The construction phase and EM&A programme of the Project commenced on 12 March 2012.
- 8.1.2      All 1-Hour TSP results were below the Action and Limit Level in the reporting month. One (1) 24-hour TSP result recorded at AMS3A exceeded the Action Level in the reporting month. Investigation results show that the exceedance was not related to Project.
- 8.1.3      For construction noise, no exceedance was recorded at all monitoring stations in the reporting period.
- 8.1.4      Five (5) Action Level exceedances were recorded at measured suspended solids (SS) values (in mg/L) in the reporting month. Investigation results show that the exceedances were not related to project.
- 8.1.5      A total of ten dolphin sightings were recorded during the two surveys, four on 19 September 2013, six on 24 September 2013, no sightings were made on 17 and 25 September 2013. Of the ten sightings, seven were “on effort” (which are all under favourable condition) and three were “opportunistic”. A total of twenty seven individuals were sighted from the two impact dolphin surveys in the reporting period. Sighting details are summarised and plotted in Appendix K and Figure 5c, respectively.
- 8.1.6      Behaviour: Of the ten sightings made, three sightings were recorded as ‘multiple’ behavior (all three were of feeding and travelling); six sightings were recorded as feeding and one sighting was recorded as “unknown” in Figure 5d.
- 8.1.7      Environmental site inspection was carried out 4 times in August 2013. Recommendations on remedial actions were given to the Contractors for the deficiencies identified during the site audits.
- 8.1.8      One (1) complaint was logged by the Contractor regarding the leakage from work barges causing water pollution near Tuen Mun Richland Garden received on 26 Sept 13. No summons or prosecution was received in the reporting period.

## **8.2 Recommendations**

8.2.1 According to the environmental site inspections performed in the reporting month, the following recommendations were provided:

### ***Air Quality Impact***

- All working plants and vessels on site should be regularly inspected and properly maintained to avoid dark smoke emission.
- All vehicles should be washed to remove any dusty materials before leaving the site.
- Haul roads should be sufficiently dampened to minimize fugitive dust generation.
- Wheel washing facilities should be properly maintained and reviewed to ensure properly functioning.
- Temporary exposed slopes and open stockpiles should be properly covered.
- Enclosure should be erected for cement debagging, batching and mixing operations.
- Water spraying should be provided to suppress fugitive dust for any dusty construction activity.

### ***Construction Noise Impact***

- Quieter powered mechanical equipment should be used as far as possible.
- Noisy operations should be oriented to a direction away from sensitive receivers as far as possible.
- Proper and effective noise control measures for operating equipment and machinery on-site should be provided, such as erection of movable noise barriers, enclosure for noisy plants or enhancement works to provide sufficient acoustic decoupling measure(s). Closely check and replace the sound insulation materials regularly
- Vessels and equipment operating should be checked regularly and properly maintained.
- Noise Emission Label (NEL) shall be affixed to the air compressor and hand-held breaker operating within works area.

### ***Water Quality Impact***

- Regular review and maintenance of silt curtain systems, drainage systems and desilting facilities in order to make sure they are functioning effectively.
- Construction of seawall should be completed as early as possible.
- Regular inspect and review the loading process from barges to avoid splashing of material.
- Silt, debris and leaves accumulated at public drains, wheel washing bays and perimeter u-channels and desilting facilities should be cleaned up regularly.
- Silty effluent should be treated/ desilted before discharged. Untreated effluent should be prevented from entering public drain channel.
- Proper drainage channels/bunds should be provided at the site boundaries to collect/intercept the surface run-off from works areas.
- Exposed slopes and stockpiles should be covered up properly during rainstorm.




***Chemical and Waste Management***

- All types of wastes, both on land and floating in the sea, should be collected and sorted properly and disposed of timely and properly. They should be properly stored in designated areas within works areas temporarily.
- All chemical containers, batteries and oil drums should be properly stored and labelled.
- All plants and vehicles on site should be properly maintained to prevent oil leakage. Proper measures, like drip trays and/or bundings, should be provided for retaining leaked oil/chemical from plants.
- All kinds of maintenance works should be carried out within roofed, paved and confined areas.
- All drain holes of the drip trays utilized within works areas should be properly plugged to avoid any oil and chemical waste leakage.
- Oil stains on soil surface, accumulated oil mixture and empty chemical containers should be cleared and disposed of as chemical waste.
- Regular review should be conducted for working barges and patrol boats to ensure sufficient measures and spill control kits were provided on working barges and patrol boats to avoid any spreading of leaked oil/chemicals.

***Landscape and Visual Impact***

- All existing, retained/transplanted trees at the works areas should be properly fenced off and regularly inspected.

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON-SITE.  
ALL RIGHTS RESERVED.  
© OVE ARUP & PARTNERS HONG KONG LIMITED.



**KEY PLAN**

- NOTES**
1. ALL COORDINATES ARE RELATED TO HONG KONG 1980 GRID.
  2. ALL LEVELS ARE IN METRES ABOVE HONG KONG PRINCIPAL DATUM (mPD).
  3. REFER TO DRG NO. 211036/SL/1002 FOR THE DEFINITION OF SETTING OUT LINE (SOL) FOR THE HONG KONG BOUNDARY CROSSING FACILITIES (HKBCF) RECLAMATION SITE.
  4. REFER TO DRG NO. 211036/SL/1004 FOR DETAILS OF SITE BOUNDARY.
  5. FOR EXTENT OF SORTING FACILITIES AT FILL BANK AT TSEUNG KWAN O AREA 137 REFER TO DRG NO. 211036/SL/1015.

- LEGEND**
- - - - - SITE BOUNDARY
  - - - - - SETTING OUT LINE (SOL)
  - - - - - WORKS AREA BOUNDARY

Rev	Description	By	Date
-	FOR CONSTRUCTION	HYJL	11/11

Consultant

**ARUP** 奧雅納工程顧問  
Ove Arup & Partners Hong Kong Limited

Supported By :

- Ecosystems Ltd.
- EDA Marine Ltd.
- Geotechnical Consulting Group (Asia) Ltd.
- Hong Kong Cetacean Research Project
- IntelBuild Technyx Asia Limited
- Tony Gee and Partners LLP

Contract No. and Title:  
**Contract No. HY/2010/02**  
**Hong Kong-Zhuhai-Macao Bridge**  
**Hong Kong Boundary Crossing Facilities**  
**- Reclamation Works**

Drawing title  
**KEY PLAN**


Drawing no. **211036/SL/1001** Rev. -

Drawn RL	Date 11/09	Checked KKY	Approved DML
Scale 1:20000 @A1 1:40000 @A3		Status <b>WORKING</b>	

COPYRIGHT RESERVED




Printed by : 12/17/2011  
Filename : J:\211036\RECORD\WORKING\20111130\_Contract Drawing\_211036\_SL\_1001.dgn



Copyright Reserved

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.  
ALL RIGHTS RESERVED.  
© OVE ARUP & PARTNERS HONG KONG LIMITED.



KEY PLAN

- NOTES**
- FOR LEGENDS AND NOTES FOR CHAIN LINK FENCE AND GATE REFER TO DRG NO. 211036/SL/1013.
  - THE ERECTION OF CHAIN LINK FENCE AND GATES SHALL BE COMPLETED BY THE HANDOVER DATE OF EACH PORTION OF SITE, OR AS INSTRUCTED BY THE ENGINEER.
  - FOR SETTING OUT COORDINATES OF DIFFERENT PORTIONS OF SITE REFER TO DRG NO. 211036/SL/1003.
  - ACCESS POINTS BETWEEN PORTIONS SHALL BE PROVIDED BY THE CONTRACTOR, AND THE LOCATIONS SHALL BE AGREED WITH THE ENGINEER ON SITE.
  - FOR HOARDING AND FENCE AT FILL BANK AT TSEUNG KWAN O AREA 137 REFER TO DRG NO. 211036/SL/1015.

**LEGEND**

	SETTING OUT LINE (SOL)
	WORKS AREA BOUNDARY
	PORTIONS BOUNDARY LINE

Rev	Description	By	Date
-	FOR CONSTRUCTION	HYJL	11/11

Consultant

<b>ARUP</b>	奧雅納工程顧問	•
Ove Arup & Partners Hong Kong Limited		
Supported By :	Ecosystems Ltd.	○
	EDA Marine Ltd.	○
	Geotechnical Consulting Group (Asia) Ltd.	○
	Hong Kong Cetacean Research Project	○
	Intel:Build Technyx Asia Limited	○
	Tony Gee and Partners LLP	○

Contract No. and Title:  
**Contract No. HY/2010/02**  
**Hong Kong-Zhuhai-Macao Bridge**  
**Hong Kong Boundary Crossing Facilities**  
**- Reclamation Works**


Drawing title  
**WORKS AREA LAYOUT**  
**AND HOARDING PLAN**  
**(SHEET 2 OF 3)**


Drawing no. <b>211036/SL/1014</b>		Rev. -	
Drawn RL	Date 06/10	Checked KKY	Approved DML
Scale 1:5000 @A1 1:10000 @A3		Status <b>WORKING</b>	

COPYRIGHT RESERVED

**路政署**  
**HIGHWAYS DEPARTMENT**  
 港珠澳大橋香港工程管理局  
 Hong Kong - Zhuhai - Macao Bridge  
 Hong Kong Project Management Office

Printed by : 12/17/2011  
 Filename : J:\211036\RECORD\WORKING\20111130\_Contract Drawing\_211036\_SL\_1014.dgn






- LEGEND**
- IS IMPACT STATIONS
  - CS CONTROL / FAR FIELD STATIONS
  - SR SENSITIVE RECEIVERS STATIONS
  - SR SENSITIVE RECEIVERS STATIONS (RELOCATED)

**SETTING OUT SCHEDULE**

MONITORING STATIONS	CO-ORDINATES	
	EASTING	NORTHING
IS5	811579	817106
IS(MF)6	812101	817873
IS7	812244	818777
IS8	814251	818412
IS(MF)9	813273	818850
IS10	812577	820670
IS(MF)11	813562	820716
IS(MF)16	814328	819497
IS17	814539	820391
SR3	810525	816456
SR4(N)	814705	817859
SR5	811489	820455
SR5(N)	811555	821258
SR6	805837	821818
SR7	814293	821431
SR10A	823741	823495
SR10B(N)	823683	823187
CS(MF)3	809989	821117
CS(MF)5	817990	821129
CS4	810025	824004
CS6	817028	823992
CSA	818103	823064

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.



**\*Remark: Transect 10 is now 3.6km in length due to the HKBCF construction site. The total transect length for both NEL and NWL combined is 111km.**


This Drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from

**HONG KONG - ZHUHAI - MACAO BRIDGE  
 HONG KONG BOUNDARY CROSSING FACILITIES  
 - RECLAMATION WORKS  
 Project No.: 60249820 Date: January 13**

**Impact Dolphin Monitoring  
 Line Transect Layout Map**




**Figure 4**



Remark:  
 \*PRO/site is the Project Relation Officer in ER office  
 \*\*depends on who received the complainant

This Drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.



This Drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.



Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug 22	Sep 23	Oct 24	Nov 25
<b>22nd Monthly Progress Report Status as on 21 Sep 2013</b>		1918	1257	30-Nov-11 A	28-Feb-17	0				
<b>Contract Key Dates</b>		0	0	20-Dec-13	20-Dec-13	0				
<b>Vacation of Site</b>		0	0	20-Dec-13	20-Dec-13	0				
G1290	Works Area WA2 (Zone B)	0	0		20-Dec-13*	0				
G1320	Works Area WA4 (Zone A)	0	0		20-Dec-13*	0				
<b>Work Zone, as defined in PS Clause 1.03(6)</b>		600	316	11-Dec-12 A	02-Aug-14	941				
<b>Portion A</b>		299	227	11-Jul-13 A	05-May-14	-27				
<b>Ground Treatment</b>		19	0	11-Jul-13 A	17-Sep-13 A					
<b>Stone Columns for Rubble Mound Seawall by Marine Plant</b>		19	0	11-Jul-13 A	17-Sep-13 A					
<b>Portion AC118 - C121 4Cells 2,316Nos.</b>		19	0	11-Jul-13 A	17-Sep-13 A					
SC0A-1050	PA Stone Columns outermost C121 - C119 3cells 905nrs FTB19 (19nrs/day)	19	0	11-Jul-13 A	17-Sep-13 A					
<b>Optimizing Rubble Mound Seawalls</b>		98	67	18-Aug-13 A	01-Dec-13	72				
<b>Seawall Portion Aat C118 - C121, 170m</b>		72	67	14-Sep-13 A	01-Dec-13	40				
RFA1-0010	PA at C121 - C118 Geotextile Type 1 above stone blanket 14,400m2	2	0	14-Sep-13 A	20-Sep-13 A					
RFA1-0020	PA at C121 - C118 sound survey	2	1	19-Sep-13 A	21-Sep-13	61				
RFA1-0030	PA at C121 - C118 settlement markers install	2	2	22-Sep-13	23-Sep-13	61				
RFA1-0040	PA at C121 - C118 Filter Layer (Cat0 Fill 1m) under the Rubble Mound 10,200m3	5	5	24-Sep-13	28-Sep-13	61				
RFA1-0050	PA at C121 - C118 Rockfill (Cat1) upto -3.0mPD 22,610m3	11	11	03-Oct-13	14-Oct-13	58				
RFA1-0060	PA at C121 - C118 Sand Blanket behind upto -4.0mPD	2	2	15-Oct-13	16-Oct-13	58				
RFA1-0070	PA at C121 - C118 Rockfill (Cat1) , filter layer & geotextile +2.5mPD 18,870m3	9	9	05-Nov-13	14-Nov-13	40				
RFA1-0080	PA at C121 - C118 Rockfill (Cat1) for platform upto +2.5mPD 15,810m3	8	8	15-Nov-13	22-Nov-13	40				
RFA1-0090	PA at C121 - C118 Rockfill (Cat1) upto +6.0mPD & geotextile laying 6,460m3	3	3	23-Nov-13	26-Nov-13	40				
RFA1-0100	PA at C121 - C118 UnderLayer (Cat0) 0mPD 10,200m3	5	5	27-Nov-13	01-Dec-13	40				
<b>Seawall Portion Aat C122 - C124, 130m</b>		43	15	20-Aug-13 A	06-Oct-13	-62				
RFA2-0050	PA at C122 - C124 Rockfill (Cat1) upto -3.0mPD 17,290m3	7	0	20-Aug-13 A	28-Aug-13 A					
RFA2-0060	PA at C122 - C124 Sand Blanket behind upto -4.0mPD	2	0	29-Aug-13 A	30-Aug-13 A					
RFA2-0070	PA at C122 - C124 Rockfill (Cat1) , filter layer & geotextile +2.5mPD 14,430m3	7	2	05-Sep-13 A	22-Sep-13	-62				
RFA2-0080	PA at C122 - C124 Rockfill (Cat1) for platform upto +2.5mPD 12,090m3	6	6	23-Sep-13	28-Sep-13	-62				
RFA2-0090	PA at C122 - C124 Rockfill (Cat1) upto +6.0mPD & geotextile laying 4,940m3	3	3	30-Sep-13	02-Oct-13	-62				
RFA2-0100	PA at C122 - C124 UnderLayer 0mPD 7,800m3	4	4	03-Oct-13	06-Oct-13	-62				
<b>Seawall Portion Aat C125 - C128, 170m</b>		40	8	20-Aug-13 A	02-Oct-13	128				
RFA3-0060	PA at C125 - C128 Sand Blanket behind upto -4.0mPD	2	0	20-Aug-13 A	21-Aug-13 A					

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013				
							Aug	Sep	Oct	Nov	
							22	23	24	25	
RFA3-0070	PA at C125 - C128 Rockfill (Cat1) , filter layer & geotextile +2.5mPD 18,870m3	9	0	22-Aug-13 A	02-Sep-13 A						
RFA3-0080	PA at C125 - C128 Rockfill (Cat1) for platform upto +2.5mPD 15,810m3	8	0	02-Sep-13 A	10-Sep-13 A						
RFA3-0090	PA at C125 - C128 Rockfill (Cat1) upto +6.0mPD & geotextile laying 6,460m3	3	3	24-Sep-13	26-Sep-13	-60					
RFA3-0100	PA at C125 - C128 UnderLayer 0mPD 10,200m3	5	5	27-Sep-13	02-Oct-13	128					
<b>Seawall Portion Aat C129 - C131, 130m</b>		<b>38</b>	<b>7</b>	<b>18-Aug-13 A</b>	<b>27-Sep-13</b>	<b>132</b>					
RFA4-0070	PA at C129 - C131 Rockfill (Cat1) , filter layer & geotextile +2.5mPD 14,430m3	7	0	18-Aug-13 A	26-Aug-13 A						
RFA4-0080	PA at C129 - C131 Rockfill (Cat1) for platform upto +2.5mPD 12,090m3	6	0	27-Aug-13 A	02-Sep-13 A						
RFA4-0090	PA at C129 - C131 Rockfill (Cat1) upto +6.0mPD & geotextile laying 4,940m3	3	3	21-Sep-13	23-Sep-13	-60					
RFA4-0100	PA at C129 - C131 UnderLayer 0mPD 7,800m3	4	4	24-Sep-13	27-Sep-13	132					
<b>Seawall Portion Aat C132 - C134, 115m</b>		<b>40</b>	<b>40</b>	<b>07-Oct-13</b>	<b>18-Nov-13</b>	<b>84</b>					
RFA5-0010	PA at C132 - C134 Geotextile Type 1 above stone blanket 9,730m2	2	2	07-Oct-13	08-Oct-13	-61					
RFA5-0020	PA at C132 - C134 sound survey	2	2	09-Oct-13	10-Oct-13	-61					
RFA5-0030	PA at C132 - C134 settlement markers install	2	2	11-Oct-13	12-Oct-13	-61					
RFA5-0040	PA at C132 - C134 Filter Layer (Cat0 Fill 1m) under the Rubble Mound 6,900m3	4	4	14-Oct-13	17-Oct-13	-61					
RFA5-0050	PA at C132 - C134 Rockfill (Cat1) upto -3.0mPD 15,295m3	8	8	18-Oct-13	25-Oct-13	-61					
RFA5-0060	PA at C132 - C134 Sand Blanket behind upto -4.0mPD	2	2	26-Oct-13	28-Oct-13	-61					
RFA5-0070	PA at C132 - C134 Rockfill (Cat1) , filter layer & geotextile +2.5mPD 12,765m3	7	7	29-Oct-13	04-Nov-13	-61					
RFA5-0080	PA at C132 - C134 Rockfill (Cat1) for platform upto +2.5mPD 10,695m3	6	6	05-Nov-13	11-Nov-13	-54					
RFA5-0090	PA at C132 - C134 Rockfill (Cat1) upto +6.0mPD & geotextile laying 4370m3	3	3	12-Nov-13	14-Nov-13	-40					
RFA5-0100	PA at C132 - C134 UnderLayer 0mPD 7,800m3	4	4	15-Nov-13	18-Nov-13	84					
<b>Reclamation</b>		<b>125</b>	<b>58</b>	<b>16-Jul-13 A</b>	<b>17-Nov-13</b>	<b>-79</b>					
<b>Portion A Geotextile</b>		<b>31</b>	<b>7</b>	<b>26-Aug-13 A</b>	<b>27-Sep-13</b>	<b>-61</b>					
<b>Land Portion A</b>		<b>31</b>	<b>7</b>	<b>26-Aug-13 A</b>	<b>27-Sep-13</b>	<b>-61</b>					
GERA0-020	Geotextile 31,350m2 for sand blanket PA Edge Area C118 to C121 10,000m2/day	7	0	26-Aug-13 A	03-Sep-13 A						
GERA0-050	Geotextile 31,350m2 for sand blanket PA Edge Area C130 to C134 5,000m2/day	7	7	21-Sep-13	27-Sep-13	-61					
<b>Portion A Sand Blanket</b>		<b>116</b>	<b>54</b>	<b>16-Jul-13 A</b>	<b>17-Nov-13</b>	<b>-73</b>					
<b>Land Portion A</b>		<b>116</b>	<b>54</b>	<b>16-Jul-13 A</b>	<b>17-Nov-13</b>	<b>-73</b>					
SABRA0-020	Sand Blankets 114,779m3 PA Edge Area C118 to C121 4,000m3/day	25	3	02-Sep-13 A	23-Sep-13	-62					
SABRA0-030	Sand Blankets 163,971m3 PA Edge Area C122 to C126 2,000m3/day	34	0	16-Jul-13 A	02-Sep-13 A						
SABRA0-050	Sand Blankets 163,971m3 PA Edge Area C130 to C134 4,000m3/day	40	40	06-Oct-13	17-Nov-13	-73					
<b>Portion A</b>		<b>279</b>	<b>227</b>	<b>30-Jul-13 A</b>	<b>05-May-14</b>	<b>-27</b>					
<b>Temporary Bund</b>		<b>74</b>	<b>54</b>	<b>30-Aug-13 A</b>	<b>17-Nov-13</b>	<b>-73</b>					

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 ◆ Milestone   
 ◆ Milestone  
█ Actual Level of Effort   
 █ Actual Work   
 █ Critical Remaining Work   
 ⇨ Summary

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug 22	Sep 23	Oct 24	Nov 25
TB0030	Construction of Northern side Temp Seawall to C118 13,200m3 (2,000m3/day)	7	5	18-Sep-13 A	25-Sep-13	-57				
TB0040	Construction of Northern side Temp Seawall to C122 13,200m3 (2,000m3/day)	7	0	30-Aug-13 A	07-Sep-13 A					
TB0050	Construction of Southern side Temp Seawall to C134 ((3+19)*4/2)=44m2x300m 13,200m3 (2,000m3/day)	7	7	11-Nov-13	17-Nov-13	-73				
<b>Temporary Pier</b>		<b>90</b>	<b>90</b>	<b>30-Sep-13</b>	<b>28-Dec-13</b>	<b>-67</b>				
TP0010	Construction of Temporary Piers	30	30	30-Sep-13	29-Oct-13	-67				
TP0020	Construction of Conveyors for public fill	60	60	30-Oct-13	28-Dec-13	-67				
<b>Reclamation</b>		<b>147</b>	<b>95</b>	<b>30-Jul-13 A</b>	<b>24-Dec-13</b>	<b>1</b>				
<b>Portion A Marine Fill upto +2.5mPD</b>		<b>123</b>	<b>75</b>	<b>30-Jul-13 A</b>	<b>10-Dec-13</b>	<b>-77</b>				
<b>Land Portion A</b>		<b>123</b>	<b>75</b>	<b>30-Jul-13 A</b>	<b>10-Dec-13</b>	<b>-77</b>				
MFA0-010	Marine Fill Type A Sand 100% at PA Edge Area at C118 - C121 281,136m3 30,000m3/day	10	10	30-Oct-13	08-Nov-13	-88				
MFA0-030	Marine Fill Type A Sand 100% at PA Main Area (Enclosed Area PCB) 367,000m3 15,000m3/day	25	7	30-Jul-13 A	27-Sep-13	-88				
MFA0-040	Marine Fill Type A Sand 100% at PA Main Area 90,000m3 15,000m3/day PCB West	6	6	28-Sep-13	04-Oct-13	-88				
MFA0-050	Marine Fill Type A Sand 100% at PA Main Area 330,000m3 30,000m3/day PCB West	11	11	05-Oct-13	16-Oct-13	-88				
MFA0-070	Marine Fill Type A Sand 100% at PA Edge Area at C127 - C134 265,005m3 16,000m3/day CLP Substation	17	17	22-Nov-13	10-Dec-13	-77				
<b>Portion A Land Band Drain</b>		<b>108</b>	<b>88</b>	<b>29-Aug-13 A</b>	<b>24-Dec-13</b>	<b>1</b>				
<b>Land Portion A</b>		<b>108</b>	<b>88</b>	<b>29-Aug-13 A</b>	<b>24-Dec-13</b>	<b>1</b>				
VBDA0-010	Vertical Band Drains 20,000nrs by land plant at PA C118 - C121 Other areas 900nrs/day	22	22	09-Nov-13	02-Dec-13	21				
VBDA0-020	Vertical Band Drains 8,400nrs by land plant at PA PCB East 600nrs/day (Trial)	14	0	29-Aug-13 A	16-Sep-13 A					
VBDA0-030	Vertical Band Drains 26,600nrs by land plant at PA PCB East 1,800nrs/day	15	10	17-Sep-13 A	01-Oct-13	-72				
VBDA0-050	Vertical Band Drains 35,000nrs by land plant at PA PCB West 1,500nrs/day	24	24	12-Oct-13	06-Nov-13	-83				
VBDA0-070	Vertical Band Drains 18,333nrs by land plant at PA 1500nrs/day CLP substation	13	13	11-Dec-13	24-Dec-13	-77				
<b>Portion A Earthwork Fill upto +5.5mPD</b>		<b>38</b>	<b>38</b>	<b>17-Oct-13</b>	<b>23-Nov-13</b>	<b>-30</b>				
<b>Land Portion A</b>		<b>38</b>	<b>38</b>	<b>17-Oct-13</b>	<b>23-Nov-13</b>	<b>-30</b>				
EFA0-010	Earthwork Fill Type D Sand 100% at PA (PCB East) 283,185m3 30,000m3/day	12	12	17-Oct-13	29-Oct-13	-88				
EFA0-020	Compaction at PA (PCB East)	12	12	20-Oct-13	31-Oct-13	-19				
EFA0-030	Earthwork Fill Type D Sand 100% at PA (PCB West) 283,185m3 30,000m3/day	12	12	09-Nov-13	21-Nov-13	-88				
EFA0-040	Compaction at PA (PCB West)	12	12	12-Nov-13	23-Nov-13	-30				
<b>Portion A Instrumentation</b>		<b>30</b>	<b>30</b>	<b>28-Sep-13</b>	<b>04-Nov-13</b>	<b>98</b>				
<b>Portion A Instrumentation - SD</b>		<b>30</b>	<b>30</b>	<b>28-Sep-13</b>	<b>04-Nov-13</b>	<b>98</b>				
<b>SD-24 C123</b>		<b>30</b>	<b>30</b>	<b>28-Sep-13</b>	<b>04-Nov-13</b>	<b>98</b>				
CTSD-240	Installation of SD-24 (C123) PA	30	30	28-Sep-13	04-Nov-13	98				
<b>Portion A Surcharge</b>		<b>165</b>	<b>165</b>	<b>22-Nov-13</b>	<b>05-May-14</b>	<b>-27</b>				

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 ◆ Milestone   
 █ Actual Level of Effort   
 █ Actual Work   
 █ Critical Remaining Work   
 ◆ Summary

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug 22	Sep 23	Oct 24	Nov 25
<b>Main Reclamation Areas</b>		165	165	22-Nov-13	05-May-14	-27				
<b>PCB East</b>		165	165	22-Nov-13	05-May-14	-27				
SURA0-110	Sand Surcharge Laying upto +11.5mPD & compaction upto +8.5mPD at PA PCB East 228,011m3 30,000m3/day	14	14	22-Nov-13	06-Dec-13	-88				
SURA0-120	Surcharge Period at PA PCB East 6mth (8-2-1=5mths)	150	150	07-Dec-13	05-May-14	-27				
<b>PCB West</b>		14	14	07-Dec-13	21-Dec-13	-88				
SURA0-210	Sand Surcharge Laying upto +11.5mPD & compaction upto +8.5mPD at PA PCB West 228,011m3 30,000m3/day	14	14	07-Dec-13	21-Dec-13	-88				
<b>Portion B, C &amp; E</b>		564	316	16-Jan-13 A	02-Aug-14	941				
<b>Portion B, C &amp; E</b>		564	316	16-Jan-13 A	02-Aug-14	941				
<b>Seawall</b>		274	126	14-Apr-13 A	07-Feb-14	1				
<b>Ground Treatment</b>		274	126	14-Apr-13 A	07-Feb-14	-9				
<b>Stone Columns for Rubble Mound Seawall by Marine Plant</b>		232	84	14-Apr-13 A	19-Dec-13	-40				
<b>Portion C2a C113 - C117 5Cells 3,258Nos FTB16</b>		100	15	14-Jun-13 A	06-Oct-13	8				
SC0A-1070	PC2A Stone Columns outermost C113 - C117 5cells 1,684nrs (19nrs/day) FTB17 from 14Jun2013	100	15	14-Jun-13 A	06-Oct-13	8				
<b>Portion B K13 - K15 3Cells 1,104Nos. AP4</b>		193	60	14-Apr-13 A	23-Nov-13	-16				
SC0B-1030	PB Stone Columns K013 - K015 3cells 392nrs/1,104nrs from 14Jun to 15Aug2013 FTB-AP4	115	3	14-Apr-13 A	23-Sep-13	41				
SC0B-1040	PB Stone Columns K013 - K015 3cells 712nrs/1,104nrs (10nrs/day) FTB-AP4 from 21Jul2013	72	60	22-Aug-13 A	23-Nov-13	-16				
<b>Portion B K16 - K20 5cells 1,950Nos FTB20</b>		148	84	13-Jul-13 A	19-Dec-13	-40				
SC0B-2022	PB Stone Columns K016 - K020 4cells 501nrs/1,950nrs upto 15Aug2013 FTB-AP3	31	11	13-Jul-13 A	02-Oct-13	-64				
SC0B-2030	PB Stone Columns FTB20 Modification	40	18	13-Jul-13 A	09-Oct-13	-40				
SC0B-4030	PB Stone Columns K016 - K020 4cells 1,246nrs/1,950nrs (19nrs/day) FTB20	66	66	10-Oct-13	19-Dec-13	-40				
<b>Portion B K21 - K23 3Cells 1,144Nos. AP1</b>		117	26	14-Jun-13 A	18-Oct-13	-4				
SC0B-3020	PB Stone Columns K021 - K023 3cells 505nrs/1144nrs from 14Jun to 15Aug2013	59	12	14-Jun-13 A	03-Oct-13	10				
SC0B-3030	PB Stone Columns outermost K021 - K023 3cells 496nrs/1144nrs (19nrs/day) from 16Aug2013 FTB16	26	26	21-Sep-13	18-Oct-13	-20				
<b>Portion B K24 - K27 4Cells 1,568Nos. AP2 &amp; FTB19</b>		155	64	14-Jun-13 A	28-Nov-13	-20				
SC0B-4010	PB Stone Columns K024 - K027 5Cells 850nrs/1568nrs FTB-AP2 from 14Jun to 15Aug2013	58	12	14-Jun-13 A	03-Oct-13	-6				
SC0B-4020	PB Stone Columns outermost K024 - K027 5Cells 718nrs/1568nrs (19nrs/day) from 16Aug2013 FTB16	38	38	19-Oct-13	28-Nov-13	-20				
<b>Stone Columns Inside cellular structures by Marine Plant</b>		25	0	12-Jul-13 A	13-Sep-13 A					
<b>Seawall Portion E1 at C068 - C091 24cells @80nrs/cell 1,550nrs</b>		25	0	12-Jul-13 A	13-Sep-13 A					
SCIE1-1075	PE1 Stone Columns inside cells & 2rows 551rs (19nrs/day) C068 - C091 FTB16	25	0	12-Jul-13 A	13-Sep-13 A					
<b>Stone Columns Outside cellular Structures by Marine Plant</b>		199	126	04-Jul-13 A	07-Feb-14	-48				
<b>Seawall Portion B at K028 - K044 17cells 3478nrs</b>		116	116	02-Oct-13	07-Feb-14	-64				
<b>Beside of front cellular walls K028-K044 1,739nrs</b>		116	116	02-Oct-13	07-Feb-14	-64				

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 ◆ Milestone  
█ Actual Level of Effort   
 █ Actual Work   
 █ Critical Remaining Work   
 ◀ Summary

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug	Sep	Oct	Nov
							22	23	24	25
SCOB-B010	PB Stone Columns beside K028 - K044 17cells 259nrs (10nrs/day) FTB-AP1	26	26	02-Oct-13*	29-Oct-13	-1				
SCOB-B020	PB Stone Columns beside K028 - K044 17cells 740nrs (10nrs/day) FTB-AP2	74	74	08-Oct-13*	26-Dec-13	-28				
SCOB-B030	PB Stone Columns beside K028 - K044 17cells 740nrs (10nrs/day) FTB-AP3	74	74	15-Nov-13*	07-Feb-14	-64				
<b>Outermost of front cellular wall K028-K044 1,739nrs</b>		56	56	07-Oct-13	05-Dec-13	-9				
SCOB-A010	PB Stone Columns outermost K028 - K044 17cells 1064nrs (19nrs/day) FTB19	56	56	07-Oct-13	05-Dec-13	-9				
SCOB-A020	PB Stone Columns outermost K028 - K044 17cells 675nrs (19nrs/day) FTB18	36	36	15-Oct-13	21-Nov-13	4				
<b>Seawall Portion B at K045 - K051 7cells 1432nrs</b>		120	47	04-Jul-13 A	09-Nov-13	-30				
<b>Beside of front cellular walls K045-K051 716nrs</b>		120	36	04-Jul-13 A	09-Nov-13	-64				
SCOB-B050	PB Stone Columns beside K045 - K051 7cells 358nrs (10nrs/day) FTB-AP2	39	0	04-Jul-13 A	11-Sep-13 A					
SCOB-B060	PB Stone Columns beside K045 - K051 7cells 358nrs (10nrs/day) FTB-AP3	36	36	02-Oct-13	09-Nov-13	-64				
<b>Outermost of front cellular walls K045-K051 716nrs</b>		27	15	05-Sep-13 A	06-Oct-13	2				
SCOB-A040	PB Stone Columns outermost K045 - K051 7cells 475nrs (19nrs/day) FTB19	25	15	05-Sep-13 A	06-Oct-13	-9				
SCOB-A050	PB Stone Columns outermost K045 - K051 7cells 241nrs (19nrs/day) FTB18	13	13	21-Sep-13	04-Oct-13	4				
<b>Seawall Portion E2 at K052 - C062 11cells 2,252nrs</b>		87	79	12-Sep-13 A	14-Dec-13	-1				
<b>Beside of front cellular walls K052-C062 1,126nrs</b>		87	79	12-Sep-13 A	14-Dec-13	-1				
SCOE2-B010	PE2 Stone Columns beside K052 - K062 11cells 220nrs (10nrs/day) FTB-AP2	22	16	12-Sep-13 A	07-Oct-13	-28				
SCOE2-B020	PE2 Stone Columns beside K052 - K062 11cells 50nrs (10nrs/day) FTB-AP3	5	5	09-Nov-13	15-Nov-13	-64				
SCOE2-B030	PE2 Stone Columns beside K052 - K062 11cells 428nrs (10nrs/day) FTB-AP1	43	43	30-Oct-13	14-Dec-13	-1				
<b>Outermost of front cellular wall K052-C062 1,126nrs</b>		53	53	05-Oct-13	30-Nov-13	8				
SCOE2-A010	PE2 Stone Columns outermost K052 - K062 11cells 955nrs (19nrs/day) FTB17	51	51	07-Oct-13	30-Nov-13	8				
SCOE2-A020	PE2 Stone Columns outermost K052 - K062 11cells 171nrs (19nrs/day) FTB18	9	9	05-Oct-13	14-Oct-13	4				
<b>Stone Columns Inside cells by Land Plant 2,640nrs</b>		141	120	02-Sep-13 A	04-Feb-14	-6				
<b>Seawall Portion B at K028 - K051 24cells 1,920nrs</b>		141	120	02-Sep-13 A	04-Feb-14	-6				
SCIB0-005	PB Trial Stone Columns inside cells at K044 57nrs (6nrs/day/plant)	10	0	02-Sep-13 A	21-Sep-13 A					
SCIB0-010	PB Stone Columns inside cells & 2rows K028 - K040 13cells 1,040nrs (8nrs/day/plant x 2plants)	65	65	24-Sep-13	02-Dec-13	-6				
SCIB0-020	PB Stone Columns inside cells & 2rows K041 - K051 11cells 880nrs (8nrs/day/plant x 2plants)	55	55	03-Dec-13	04-Feb-14	-6				
<b>Cellular Structures</b>		172	106	11-Jul-13 A	12-Jan-14	13				
<b>Cellular Main Cells 89cells</b>		140	106	15-Aug-13 A	12-Jan-14	-32				
<b>Full Guide Frames Method 89cells</b>		140	106	15-Aug-13 A	12-Jan-14	-32				
<b>Portion C &amp; E C112 to C063 50cells</b>		140	106	15-Aug-13 A	12-Jan-14	-32				
CSC2a-030	PC Cellular Structure C099, C096, C092, C098, C095, C088, C084 & C081 8cells Type_C 28,985m3	33	9	15-Aug-13 A	30-Sep-13	6				
CSC2c-000	PC Cellular Structure C100, C097, C094, C091, C087, C083, C093 & C090 8cells Type_C 30,700m3	33	17	09-Sep-13 A	08-Oct-13	-22				

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 ◆ Milestone  
█ Actual Level of Effort   
 █ Actual Work   
 █ Critical Remaining Work   
 ◀ Summary

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug	Sep	Oct	Nov
							22	23	24	25
CSE1-010	PE1 Cellular Structure C080, C082, C086, C089, C085, C063, C77 & C064 8cells Type_C 28,110m3	33	33	12-Oct-13	16-Nov-13	-32				
CSE1-020	PE1 Cellular Structure C076, C073, C070, C067, C075 & C072 6cells Type_C 26050m3	33	33	11-Nov-13	15-Dec-13	-33				
CSE1-030	PE1 Cellular Structure C074, C069, C071 & C068 4cells Type_C 16,717m3	33	33	09-Dec-13	12-Jan-14	-32				
<b>Connecting Arcs</b>		168	102	11-Jul-13 A	08-Jan-14	17				
<b>Portion B between K028 to K051 24arcs</b>		114	48	11-Jul-13 A	11-Nov-13	-6				
CA00B-010	PB Connecting Arc structure K028 - K040 11pair arcs Type_C 22,117m3 3day/pair	32	10	11-Jul-13 A	01-Oct-13	-61				
CA00B-012	PB Final Backfill Cellular Cells K028 - K040 Type C	20	16	14-Sep-13 A	07-Oct-13	-34				
CA00B-020	PB Connecting Arc structure K041 - K051 11pair arcs Type_C 23,144m3 3day/pair	33	33	02-Oct-13	05-Nov-13	-61				
CA00B-022	PB Final Backfill cellular cells K041 - K051 Type C	30	30	10-Oct-13	11-Nov-13	-6				
<b>Portion C2a between C112 to C103 9arcs</b>		26	26	12-Dec-13	08-Jan-14	-33				
CAC2a-020	PC2a Connecting Arc structure C112-C107 5pair arcs Type_C 16,956m3 3days/pair	20	20	12-Dec-13	01-Jan-14	-61				
CAC2a-022	PC2a Final backfill cellular cells C112-C107 5arcs Type_C 19,500m3	20	20	18-Dec-13	08-Jan-14	-33				
<b>Portion E2 between K051 to C067 16arcs</b>		38	38	06-Nov-13	16-Dec-13	38				
CAE2-010	PE2 Connecting Arc structure K052 to C062 11pair arcs Type_C 25,709m3 3days/pair	33	33	06-Nov-13	11-Dec-13	-61				
CAE2-012	PE2 Final backfill cellular cells K052 to C062 Type C	33	33	12-Nov-13	16-Dec-13	38				
<b>Capping Beams</b>		96	96	28-Sep-13	09-Jan-14	-34				
<b>Portion B between K028 to K040 Capping Beams</b>		96	96	28-Sep-13	09-Jan-14	-34				
CB025-00010	PB Capping Beams structure K028 - K040 13cells	52	52	28-Sep-13*	22-Nov-13	-34				
CB025-00020	PB Capping Beams structure K041 - K051 11cells	44	44	23-Nov-13	09-Jan-14	-34				
<b>Optimizing Rubble Mound Seawalls</b>		72	72	07-Oct-13	23-Dec-13	40				
<b>Seawall Portion C2a at C117 - C113</b>		72	72	07-Oct-13	23-Dec-13	40				
RFC2a-0010	PC2a at C117 - C113 Geotextile Type 1 above stone blanket 17,800m2	2	2	07-Oct-13	08-Oct-13	86				
RFC2a-0020	PC2a at C117 - C113 sound survey	2	2	09-Oct-13	10-Oct-13	86				
RFC2a-0030	PC2a at C117 - C113 settlement markers install	2	2	11-Oct-13	12-Oct-13	86				
RFC2a-0040	PC2a at C117 - C113 Filter Layer (Cat0 Fill 1m) under the Rubble Mound 23,430m3	6	6	02-Dec-13	07-Dec-13	40				
RFC2a-0050	PC2a at C117 - C113 Rockfill (Cat1) upto -3.0mPD 27,930m3	14	14	09-Dec-13	23-Dec-13	40				
<b>Seawall Portion B at K013 - K017</b>		2	2	20-Dec-13	21-Dec-13	-17				
RFB1-0010	PB at K013 - K017 Geotextile Type 1 above stone blanket 17,800m2	2	2	20-Dec-13	21-Dec-13	-17				
<b>Reclamation</b>		368	120	16-Jan-13 A	18-Jan-14	47				
<b>Ground Treatment</b>		368	120	16-Jan-13 A	18-Jan-14	47				
<b>Geotextile</b>		324	97	16-Jan-13 A	02-Jan-14	25				
<b>Existing Seabed Below -5mPD</b>		240	13	16-Jan-13 A	04-Oct-13	109				

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 ◆ Milestone  
█ Actual Level of Effort   
 █ Actual Work   
 █ Critical Remaining Work   
 ⇨ Summary

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug 22	Sep 23	Oct 24	Nov 25
							Gantt Chart Area			
<b>Land Portion C2a</b>		236	5	16-Jan-13 A	25-Sep-13	43				
GERC2a-010	PC2a Geotextile for sand blanket	236	5	16-Jan-13 A	25-Sep-13	43	[Gantt bar with blue and green segments]			
<b>Land Portion C2b</b>		100	5	10-Apr-13 A	25-Sep-13	79				
GERC2b-010	PC2b Geotextile for sand blanket	100	5	10-Apr-13 A	25-Sep-13	79	[Gantt bar with blue and green segments]			
<b>Land Portion E2 Northern Part</b>		8	8	26-Sep-13	04-Oct-13	109				
GERE2-010	PE2 Geotextile for sand blanket Northern (seabed below -5mPD)	8	8	26-Sep-13	04-Oct-13	109	[Gantt bar with green segment]			
<b>Existing Seabed above -5mPD</b>		110	97	07-Sep-13 A	02-Jan-14	-40	[Summary bar]			
<b>Land Portion B</b>		87	87	02-Oct-13	02-Jan-14	-40				
GERB0-010	PB Geotextile for sand blanket at K013 - K027	13	13	20-Dec-13	02-Jan-14	-40	[Gantt bar with green segment]			
GERB0-015	PB Geotextile for sand blanket at K028 - K040	12	12	02-Oct-13*	14-Oct-13	1	[Gantt bar with green segment]			
GERB0-020	PB Geotextile for sand blanket at K041 - K051	12	12	06-Nov-13	18-Nov-13	-11	[Gantt bar with red segment]			
<b>Land Portion C1a</b>		21	7	07-Sep-13 A	27-Sep-13	-43				
GERC1a-010	PC1a Geotextile for sand blanket	21	7	07-Sep-13 A	27-Sep-13*	-43	[Gantt bar with blue and red segments]			
<b>Land Portion C1b</b>		15	15	02-Oct-13	17-Oct-13	-46				
GERC1b-010	PC1b Geotextile for sand blanket East	15	15	02-Oct-13*	17-Oct-13	-46	[Gantt bar with red segment]			
<b>Sand Blankets</b>		181	112	08-Jul-13 A	18-Jan-14	39				
<b>Existing Seabed below -5mPD</b>		181	112	08-Jul-13 A	18-Jan-14	39	[Summary bar]			
<b>Land Portion C2a</b>		36	36	01-Oct-13	07-Nov-13	39				
SABRC2a-020	Sand Blankets at PC2a 36,000m3 1,000m3/day West	36	36	01-Oct-13*	07-Nov-13	39	[Gantt bar with green segment]			
<b>Land Portion C2b</b>		38	38	08-Nov-13	18-Dec-13	39				
SABRC2b-010	Sand Blankets at PC2b 75,500m3 2,000m3/day	38	38	08-Nov-13	18-Dec-13	39	[Gantt bar with green segment]			
<b>Land Portion E2 Northern Part</b>		29	29	19-Dec-13	18-Jan-14	39				
SABRE2-010	Sand Blankets at PE2 142,000m3 5,000m3/day North	29	29	19-Dec-13	18-Jan-14	39	[Gantt bar with green segment]			
<b>Land Portion E1</b>		15	3	08-Jul-13 A	23-Sep-13	-43				
SABRE1-010	Sand Blankets at PE1 15,000m3 5,000m3/day	15	3	08-Jul-13 A	23-Sep-13	-43	[Gantt bar with blue and red segments]			
<b>Existing Seabed Above -5mPD</b>		76	76	18-Oct-13	07-Jan-14	-44	[Summary bar]			
<b>Land Portion B</b>		40	40	26-Nov-13	07-Jan-14	-44				
SABRB0-030	Sand Blankets at PB Main K028 - K051 200,550m3 5,000m3/day	40	40	26-Nov-13	07-Jan-14	-44	[Gantt bar with red segment]			
<b>Land Portion C1a</b>		29	29	26-Nov-13	26-Dec-13	-38				
SABRC1a-010	Sand Blankets at PC1a 145,000m3 5,000m3/day	29	29	26-Nov-13*	26-Dec-13	-38	[Gantt bar with red segment]			
<b>Land Portion C1b</b>		36	36	18-Oct-13	25-Nov-13	-46				
SABRC1b-020	Sand Blankets at PC1b 75,500m3 2,000m3/day East	36	36	18-Oct-13	25-Nov-13	-46	[Gantt bar with red segment]			

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 ◆ Milestone  
█ Actual Level of Effort   
 █ Actual Work   
 █ Critical Remaining Work   
 ⇨ Summary

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug	Sep	Oct	Nov
							22	23	24	25
<b>Vertical Band Drains by Marine Plant</b>		107	107	24-Sep-13	16-Jan-14	-43				
<b>Land Portion C2a</b>		77	77	26-Oct-13	16-Jan-14	-43				
VBDC2a-010	Vertical Band Drains 115,258nrs by marine plant at PC2a (1,500nrs/day)	77	77	26-Oct-13*	16-Jan-14	-43				
<b>Land Portion E1</b>		30	30	24-Sep-13	25-Oct-13	-43				
VBDE1-010	Vertical Band Drains 35,987nrs by marine plant at PE1 (1,500nrs/day)	30	30	24-Sep-13	25-Oct-13	-43				
<b>Marine Fill</b>		48	48	26-Nov-13	15-Jan-14	-46				
<b>Land Portion C1b</b>		48	48	26-Nov-13	15-Jan-14	-46				
MFC1b-010	Marine Fill Type A Sand 100% at PC1b west 477,472m3 10,000m3/day	48	48	26-Nov-13	15-Jan-14	-46				
<b>Geotechnical Instrumentation Works</b>		355	316	13-Aug-13 A	02-Aug-14	941				
<b>Geotechnical Instrumentation Works for Seawalls</b>		351	316	16-Aug-13 A	02-Aug-14	941				
<b>Cluster Type SA 2nrs Piezometer, Extensometer and Settlement Marker Cluster inside Cells</b>		351	316	16-Aug-13 A	02-Aug-14	178				
<b>SA-1 K048 Portion B</b>		303	270	16-Aug-13 A	17-Jun-14	136				
CTSA1-020	Monitoring of SA-1 C048 PB by weekly for subsequent 10mths	303	270	16-Aug-13 A	17-Jun-14	136				
<b>SA-2 C113 Portion C2a</b>		316	316	21-Sep-13	02-Aug-14	178				
CTSA2-010	Installation of SA-2 C113 (within 10days after filling C113) PC2a	10	10	21-Sep-13	03-Oct-13	146				
CTSA2-020	Monitoring of SA-2 C113 PC2a by weekly for subsequent 10mths	303	303	04-Oct-13	02-Aug-14	178				
<b>Cluster Type SB 2nrs Inclinator Cluster inside cells</b>		7	7	21-Sep-13	28-Sep-13	149				
<b>SB-2 C112 Portion C2a</b>		7	7	21-Sep-13	28-Sep-13	149				
CTSB2-010	Installation of SB-2 C112 PC2a	6	6	21-Sep-13	27-Sep-13	120				
CTSB2-020	Commencement of Monitoring of SB-2 C112 PC2a	0	0	28-Sep-13		149				
<b>Cluster Type SC 3nrs Strain Guage and Inclinator Cluster inside cells</b>		59	59	21-Sep-13	19-Nov-13	1198				
<b>SC-1 K044 Portion B</b>		1	1	21-Sep-13	22-Sep-13	1256				
CTSC1-010	Installation of SC-1 K044 PB	1	1	21-Sep-13	21-Sep-13	50				
CTSC1-020	Commencement of Monitoring of SC-1 K044 PB	0	0	22-Sep-13		1256				
<b>SC-2 C074 Portion E1</b>		1	1	18-Nov-13	19-Nov-13	1198				
CTSC2-010	Installation of SC-2 C074 PE1	1	1	18-Nov-13	18-Nov-13	983				
CTSC2-020	Commencement of Monitoring of SC-2 C074 PE1	0	0	19-Nov-13		1198				
<b>SC-3 C108 Portion C2a</b>		1	1	02-Oct-13	03-Oct-13	41				
CTSC3-010	Installation of SC-3 C108 PC2a	1	1	02-Oct-13	02-Oct-13	34				
CTSC3-020	Commencement of Monitoring of SC-3 C108 PC2a	0	0	03-Oct-13		41				
<b>Cluster Type SE 26nrs Surface movement marker cluster at top of cell and sloping seawall</b>		7	0	28-Aug-13 A	05-Sep-13 A					
CTSE-240	Installation of SE-24 (C121) PA	7	0	28-Aug-13 A	05-Sep-13 A					



Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug	Sep	Oct	Nov
							22	23	24	25
CTSE-250	Installation of SE-25 (C126) PA	7	0	28-Aug-13 A	05-Sep-13 A					
CTSE-260	Installation of SE-26 (C131) PA	7	0	28-Aug-13 A	05-Sep-13 A					
<b>Geotechnical Instrumentation Works for Reclamation RA &amp; RB</b>		<b>69</b>	<b>29</b>	<b>13-Aug-13 A</b>	<b>02-Nov-13</b>	<b>236</b>				
<b>RA</b>		<b>47</b>	<b>7</b>	<b>13-Aug-13 A</b>	<b>07-Oct-13</b>	<b>-73</b>				
CTRA-010	Installation of RA 5sets at PA	7	7	28-Sep-13*	07-Oct-13*	-73				
CTRA-020	Installation of RA 2sets at PD (CH0 - 225)	7	0	13-Aug-13 A	21-Aug-13 A					
CTRA-030	Installation of RA 2sets at PD (CH225 - 450)	7	0	13-Aug-13 A	21-Aug-13 A					
<b>RB</b>		<b>60</b>	<b>7</b>	<b>23-Aug-13 A</b>	<b>02-Nov-13</b>	<b>236</b>				
SMT1-020	Installation of RB at PD (CH0 - 225)	7	0	23-Aug-13 A	31-Aug-13 A					
SMT1-030	Installation of RB at PD (CH225 - 450)	7	0	23-Aug-13 A	31-Aug-13 A					
SMT1-100	Installation of RB at PE1	7	7	26-Oct-13	02-Nov-13	236				
<b>Settlement Marker Type 2</b>		<b>7</b>	<b>0</b>	<b>27-Aug-13 A</b>	<b>04-Sep-13 A</b>					
SMT2-020	M2 - Installation of Settlement Marker Type2 at PD (CH0 - 225)	7	0	27-Aug-13 A	04-Sep-13 A					
SMT2-030	M2 - Installation of Settlement Marker Type2 at PD (CH225 - 450)	7	0	27-Aug-13 A	04-Sep-13 A					
<b>Portion D</b>		<b>415</b>	<b>131</b>	<b>11-Dec-12 A</b>	<b>29-Jan-14</b>	<b>1126</b>				
<b>Submission</b>		<b>324</b>	<b>40</b>	<b>11-Dec-12 A</b>	<b>31-Oct-13</b>	<b>1217</b>				
<b>Design Submission</b>		<b>40</b>	<b>40</b>	<b>21-Sep-13</b>	<b>31-Oct-13</b>	<b>1217</b>				
<b>Settlement Assessment for Reclamation with land-based Drain</b>		<b>0</b>	<b>0</b>	<b>21-Sep-13</b>	<b>21-Sep-13</b>	<b>5</b>				
PD-DGN-01010	Settlement Assessment for Reclamation with Land based band drain	0	0		21-Sep-13*	5				
<b>Stability Analysis and Settlement Assessment for Vertical Seawall w No Dredging</b>		<b>0</b>	<b>0</b>	<b>21-Sep-13</b>	<b>21-Sep-13</b>	<b>1257</b>				
PD-DGN-02010	Stability Analysis and settlement assessment for vertical seawall with no dredging	0	0		21-Sep-13*	1257				
<b>Stability Analysis and Settlement Assessment for Sloping Seawall w No Dredging</b>		<b>0</b>	<b>0</b>	<b>21-Sep-13</b>	<b>21-Sep-13</b>	<b>1257</b>				
PD-DGN-03010	Stability Analysis and Settlement Assessment for Sloping seawall with no dredging	0	0		21-Sep-13*	1257				
<b>Settlement Assessment for Culverts C1 - C4 w No Dredging</b>		<b>0</b>	<b>0</b>	<b>21-Sep-13</b>	<b>21-Sep-13</b>	<b>262</b>				
PD-DGN-04010	Settlement assessment for box culverts C1 - C4 with no dredging	0	0		21-Sep-13*	262				
<b>Structural Analysis for Culverts C1 - C4 w Precast Method</b>		<b>0</b>	<b>0</b>	<b>30-Sep-13</b>	<b>30-Sep-13</b>	<b>252</b>				
PD-DGN-05010	Structural analysis for Box Culverts C1 - C4 with Precast Method	0	0		30-Sep-13*	252				
<b>Drainage Impact Assessment &amp; Temporary Diversion (stg2 - for construction of box culvert EC1)</b>		<b>0</b>	<b>0</b>	<b>31-Oct-13</b>	<b>31-Oct-13</b>	<b>222</b>				
PD-DGN-07010	Drainage Impact Assessment and Temporary Diversion (stage 2 - for construction of box culvert EC1)	0	0		31-Oct-13*	222				
<b>Settlement Assessment for Box Culvert EC1</b>		<b>0</b>	<b>0</b>	<b>21-Sep-13</b>	<b>21-Sep-13</b>	<b>262</b>				
PD-DGN-08010	Settlement Assessment for Box culvert EC1 Submission 1st	0	0		21-Sep-13*	262				
<b>Structural Analysis for Box Culvert EC1 w Precast &amp; Cast in-situ Method</b>		<b>0</b>	<b>0</b>	<b>31-Oct-13</b>	<b>31-Oct-13</b>	<b>222</b>				

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 ◆ Milestone  
█ Actual Level of Effort   
 █ Actual Work   
 █ Critical Remaining Work   
 ⇨ Summary

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013						
							Aug	Sep	Oct	Nov			
							22	23	24	25			
PD-DGN-09010	Structural Analysis for Box culvert EC1 with Precast and Cast in-situ Method	0	0		31-Oct-13*	222							
<b>Detailed General Arrangement &amp; RC drawings for C1 to C4 w Precast Method</b>		0	0	21-Sep-13	21-Sep-13	262							
PD-DGN-10010	Detailed General Arrangement and RC drawings for Box culverts C1 to C4 with Precast Method	0	0		21-Sep-13*	262							
<b>Detailed General Arrangement &amp; RC drawings for EC1 w Precast &amp; Cast insitu Methods</b>		0	0	21-Sep-13	21-Sep-13	262							
PD-DGN-11010	Detailed General Arrangement and RC drawings for Box Culverts EC1 with Precast and Cast in-situ Method	0	0		21-Sep-13*	262							
<b>Method Statement Submission</b>		298	14	11-Dec-12 A	04-Oct-13	1243							
<b>Seawall</b>		226	4	11-Dec-12 A	24-Sep-13	1253							
PD-MTD-01040	MTD for Temporary Seawall Construction - Approval	226	4	11-Dec-12 A	24-Sep-13	1253							
<b>Extension Culvert EC1</b>		14	14	21-Sep-13	04-Oct-13	322							
PD-MTD-06010	MTD for culvert EC1 - Preparation & Submission	0	0	21-Sep-13		322							
PD-MTD-06020	MTD for culvert EC1- Approval	14	14	21-Sep-13	04-Oct-13	322							
<b>Float &amp; Sink installation of Culvert C1 - C4</b>		226	4	11-Dec-12 A	24-Sep-13	283							
PD-MTD-07020	MTD for Float & Sink of culvert C1 - C4 - Approval	226	4	11-Dec-12 A	24-Sep-13	283							
<b>Precast Yard for Seawall Blocks &amp; Culverts</b>		286	131	19-Apr-13 A	29-Jan-14	87							
<b>Concrete Blocks</b>		165	35	19-Apr-13 A	25-Oct-13	20							
PD-PY1-0100	Seawall Blocks for Temporary construction 1,190nrs	165	35	19-Apr-13 A	25-Oct-13	20							
<b>Culverts</b>		60	60	01-Dec-13	29-Jan-14	87							
PD-PY-0100	Precast Yard Setup	60	60	01-Dec-13*	29-Jan-14	87							
<b>Site Construction</b>		157	106	01-Aug-13 A	04-Jan-14	-2							
<b>Seawall Construction</b>		125	74	01-Aug-13 A	03-Dec-13	0							
<b>20130628</b>		125	74	01-Aug-13 A	03-Dec-13	0							
<b>S4 Temporary Seawall (160m)</b>		27	0	01-Aug-13 A	30-Aug-13 A								
PDS4-00060	Other 80m Stone Aggregate upto +2.5mPD (16,000m3)	4	0	01-Aug-13 A	30-Aug-13 A								
PDS4-00070	Completion of S4 Slopping Seawall	0	0		30-Aug-13 A								
<b>70m Zone of Airport Existing Seawall</b>		103	30	14-Aug-13 A	24-Nov-13	-30							
PDAS-00020	Airport Existing Seawall 70m Stone Aggregate upto +2.5mPD (30,000m3)	9	0	14-Aug-13 A	23-Aug-13 A								
PDAS-00030	Airport Existing Seawall 70m Seawall blocks installation 200nrs	10	0	23-Aug-13 A	04-Sep-13 A								
PDAS-00040	Airport Existing Seawall 70m Temporary Bridge above channel	30	30	26-Oct-13	24-Nov-13	-30							
<b>Temporary Seawall CH5+915 - CH6+005 (90m)</b>		61	33	20-Aug-13 A	25-Oct-13	-26							
PDTS-10025	S1 Temporary Seawall Rockfill type2 2,400m3	1	0	20-Aug-13 A	27-Aug-13 A								
PDTS-10030	S1 Temporary Seawall Rockfill type1 9,500m3	4	0	03-Sep-13 A	06-Sep-13 A								
PDTS-10040	S1 Temporary Seawall Stone Aggregate 42,400m3	14	1	06-Sep-13 A	21-Sep-13	4							

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 ◆ Milestone   
 █ Critical Remaining Work   
 ◆ Milestone   
 → Summary

█ Actual Level of Effort   
 █ Actual Work

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug	Sep	Oct	Nov
							22	23	24	25
PDTS-10050	V2 Temporary Seawall Stone Aggregate 18,450m3 Core Section	6	0	27-Aug-13 A	02-Sep-13 A					
PDTS-10055	V2 Temporary Seawall Stone Aggregate 18,450m3 Front Section	6	6	07-Oct-13	12-Oct-13	-26				
PDTS-10060	V2 Temporary Seawall Seawall blocks installation 350nrs	12	12	14-Oct-13	25-Oct-13	-26				
<b>Temporary Seawall CH5+825 - CH5+915 (90m)</b>		<b>74</b>	<b>45</b>	<b>20-Aug-13 A</b>	<b>07-Nov-13</b>	<b>-26</b>				
PDTS-20010	Stone Blanket (6,100m3)	2	0	20-Aug-13 A	24-Aug-13 A					
PDTS-20020	Geotextile Laying 12shts	1	0	24-Aug-13 A	28-Aug-13 A					
PDTS-20025	S1 Temporary Seawall Rockfill type2 2,400m3	1	0	28-Aug-13 A	31-Aug-13 A					
PDTS-20030	S1 Temporary Seawall Rockfill type1 9,500m3	4	0	31-Aug-13 A	07-Sep-13 A					
PDTS-20040	S1 Temporary Seawall Stone Aggregate 42,400m3	14	14	22-Sep-13	06-Oct-13	4				
PDTS-20050	V2 Temporary Seawall Stone Aggregate 18,450m3 Core Section	6	2	07-Sep-13 A	22-Sep-13	-61				
PDTS-20055	V2 Temporary Seawall Stone Aggregate 18,450m3 Front Section	6	6	14-Oct-13	19-Oct-13	-20				
PDTS-20060	V2 Temporary Seawall Seawall blocks installation 350nrs	12	12	26-Oct-13	07-Nov-13	-26				
<b>Temporary Seawall CH5+735 - CH5+825 (90m)</b>		<b>77</b>	<b>57</b>	<b>30-Aug-13 A</b>	<b>20-Nov-13</b>	<b>0</b>				
PDTS-30010	Stone Blanket (7,900m3)	2	0	30-Aug-13 A	04-Sep-13 A					
PDTS-30020	Geotextile Laying 12shts	1	0	04-Sep-13 A	12-Sep-13 A					
PDTS-30025	S1 Temporary Seawall Rockfill type2 2,400m3	1	1	21-Sep-13	21-Sep-13	-73				
PDTS-30030	S1 Temporary Seawall Rockfill type1 9,500m3	4	4	22-Sep-13	25-Sep-13	-73				
PDTS-30040	S1 Temporary Seawall Stone Aggregate 42,400m3	14	14	07-Oct-13	21-Oct-13	8				
PDTS-30050	V2 Temporary Seawall Stone Aggregate 18,450m3 Core Section	6	6	23-Sep-13	28-Sep-13	-61				
PDTS-30055	V2 Temporary Seawall Stone Aggregate 18,450m3 Front Section	6	6	20-Oct-13	25-Oct-13	12				
PDTS-30060	V2 Temporary Seawall Seawall blocks installation 350nrs	12	12	08-Nov-13	20-Nov-13	0				
<b>Temporary Seawall CH5+650 - CH5+735 (85m)</b>		<b>64</b>	<b>64</b>	<b>26-Sep-13</b>	<b>03-Dec-13</b>	<b>0</b>				
PDTS-40010	Stone Blanket (7,900m3)	2	2	26-Sep-13	27-Sep-13	-73				
PDTS-40020	Geotextile Laying 11shts	1	1	28-Sep-13	28-Sep-13	-73				
PDTS-40025	S1 Temporary Seawall Rockfill type2 2,400m3	1	1	30-Sep-13	30-Sep-13	-73				
PDTS-40030	S1 Temporary Seawall Rockfill type1 14,600m3	5	5	01-Oct-13	05-Oct-13	-73				
PDTS-40040	S1 Temporary Seawall Stone Aggregate 83,400m3	25	25	22-Oct-13	17-Nov-13	8				
PDTS-40050	V2 Temporary Seawall Stone Aggregate 22,550m3 Core Section	7	7	30-Sep-13	06-Oct-13	-61				
PDTS-40055	V2 Temporary Seawall Stone Aggregate 22,550m3 Front Section	7	7	26-Oct-13	02-Nov-13	17				
PDTS-40060	V2 Temporary Seawall Seawall blocks installation 350nrs	12	12	21-Nov-13	03-Dec-13	0				
<b>Reclamation below +2.5mPD</b>		<b>49</b>	<b>49</b>	<b>23-Sep-13</b>	<b>14-Nov-13</b>	<b>-32</b>				
<b>West Portion (South CH 0 - 225 &amp; North CH 5900 - 6136)</b>		<b>31</b>	<b>31</b>	<b>23-Sep-13</b>	<b>25-Oct-13</b>	<b>-32</b>				

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 █ Critical Remaining Work   
 ◆ Milestone   
 ◆ Milestone   
 ▬ Summary

█ Actual Level of Effort   
 █ Actual Work

Page 11 of 14    TASK filter: Three Month Rolling Programme.    Primavera Systems, Inc.

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug	Sep	Oct	Nov
							22	23	24	25
A1630a	PD - Aggregate bedding at C1 & C2	4	4	23-Sep-13	26-Sep-13	-23				
A1630b	PD - Marine Fill Type A Sand 100% upto + 2.5 mPD at West Portion 175,016m3 10,000m3/day	18	18	07-Oct-13	25-Oct-13	-32				
<b>East Portion (South CH 225 - 450 &amp; North CH 5700 - 5900)</b>		22	22	22-Oct-13	14-Nov-13	-32				
A1635	PD - Aggregate bedding at C3 & C4	4	4	22-Oct-13	25-Oct-13	-32				
A1635a	PD - Marine Fill Type A sand 100% upto + 2.5 mPD at East Portion 175,016m3 10,000m3/day	18	18	26-Oct-13	14-Nov-13	-32				
<b>Vertical Band Drain by Land Base</b>		31	31	26-Oct-13	28-Nov-13	-2				
<b>West Portion (South CH 0 -225 &amp; North CH5900 - 6136)</b>		17	17	26-Oct-13	13-Nov-13	-31				
A1631	PD - Install vertical band drain at existing seawall 70m by land Plant	4	4	26-Oct-13	30-Oct-13	-31				
A1632	PD - Install vertical band drain 12,339nrs at West by Land Plant	13	13	31-Oct-13	13-Nov-13	-31				
<b>East Portion (North CH 225 - 450 &amp; CH 5700 - 5900)</b>		13	13	15-Nov-13	28-Nov-13	-2				
A1636	PD - Install vertical band drain 12,339nrs drain at East by Land Plant	13	13	15-Nov-13	28-Nov-13	-2				
<b>Reclamation Above +2.5mPD</b>		29	29	15-Nov-13	15-Dec-13	0				
<b>West Portion</b>		16	16	15-Nov-13	01-Dec-13	-33				
A1633	PD - Earthwork Fill upto + 5.5 mPD at West Portion 122,966m3 10,000m3/day	13	13	15-Nov-13	28-Nov-13	-32				
A1643	PD - Compaction at West Portion	13	13	18-Nov-13	01-Dec-13	-33				
<b>East Portion</b>		16	16	29-Nov-13	15-Dec-13	0				
A1665	PD - Earthwork Fill upto + 5.5 mPD at East Portion 122,965m3 10,000m3/day	13	13	29-Nov-13	12-Dec-13	-2				
A1695	PD - Compaction at East Portion	13	13	02-Dec-13	15-Dec-13	0				
<b>Instrumentation &amp; Monitoring Requirements</b>		126	93	19-Aug-13 A	22-Dec-13	11				
<b>West Portion</b>		112	44	19-Aug-13 A	08-Dec-13	-20				
<b>Vertical Seawalls - Cluster Type DV-1 &amp; DV-2</b>		14	14	25-Nov-13	08-Dec-13	-20				
DV-1020	PD - Combine Inclinator and Extensometer 2nrs west	14	14	25-Nov-13	08-Dec-13	-20				
DV-1030	PD - Sub-surface Settlement Marker 2nrs west	2	2	25-Nov-13	26-Nov-13	-32				
DV-1040	PD - Settlement Marker (Type 2) 2nrs west	2	2	25-Nov-13	26-Nov-13	-32				
<b>Sloping Seawalls - Cluster Type DS-1 &amp; DS-2</b>		14	14	25-Nov-13	08-Dec-13	-20				
DS-1020	PD - Combine Inclinator and Extensometer 2nrs east	14	14	25-Nov-13	08-Dec-13	-20				
DS-1030	PD - Sub-surface Settlement Marker 2nrs east	2	2	25-Nov-13	26-Nov-13	-32				
DS-1040	PD - Settlement Marker (Type 2) 2nrs east	2	2	25-Nov-13	26-Nov-13	-32				
<b>Reclamation - Cluster Type RA 3sets</b>		82	14	19-Aug-13 A	08-Nov-13	-29				
RA-1010	PD - Extensometer 3nrs	14	14	26-Oct-13	08-Nov-13	-29				
RA-1020	PD - Standpipe / Casagrande Piezometer 3nrs	14	14	26-Oct-13	08-Nov-13	-29				
RA-1030	PD - Double Tip Vibrating Wire Piezometer 9nrs	14	14	26-Oct-13	08-Nov-13	-29				

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug	Sep	Oct	Nov
							22	23	24	25
RA-1040	PD - Sub-surface Settlement Marker 3nrs	3	0	19-Aug-13 A	21-Aug-13 A					
RA-1050	PD - Settlement Marker (Type 2) 6nrs	3	3	26-Oct-13	28-Oct-13	-18				
<b>Reclamation - Cluster Type RB 4sets</b>		68	4	23-Aug-13 A	29-Oct-13	-19				
RB-1010	PD - Sub-Surface Settlement Marker 4nrs west	4	0	23-Aug-13 A	27-Aug-13 A					
RB-1020	PD - Settlement Marker (Type 2) 4nrs west	4	4	26-Oct-13	29-Oct-13	-19				
<b>East Portion</b>		116	93	29-Aug-13 A	22-Dec-13	11				
<b>Vertical Seawalls - Cluster Type DV-3 &amp; DV-4</b>		116	14	29-Aug-13 A	22-Dec-13	11				
DV-1050	PD - Surface Movements Marker (Type 3B) 4nrs east	4	0	29-Aug-13 A	02-Sep-13 A					
DV-1060	PD - Combine Inclinator and Extensometer 2nrs east	14	14	09-Dec-13	22-Dec-13	11				
DV-1070	PD - Sub-surface Settlement Marker 2nrs east	2	2	09-Dec-13	10-Dec-13	0				
DV-1080	PD - Settlement Marker (Type 2) 2nrs east	2	2	09-Dec-13	10-Dec-13	0				
<b>Sloping Seawalls - Cluster Type DS-3 &amp; DS-4</b>		93	93	21-Sep-13	22-Dec-13	11				
DS-1050	PD - Surface Movement Marker (Type 3B) 4nrs east	4	4	21-Sep-13	24-Sep-13	-3				
DS-1060	PD - Combine Inclinator and Extensometer 2nrs east	14	14	09-Dec-13	22-Dec-13	11				
DS-1070	PD - Sub-surface Settlement Marker 2nrs east	2	2	09-Dec-13	10-Dec-13	0				
DS-1080	PD - Settlement Marker (Type 2) 2nrs east	2	2	09-Dec-13	10-Dec-13	0				
<b>Reclamation - Cluster Type RA 1set</b>		62	62	21-Sep-13	21-Nov-13	5				
RA-1060	PD - Extensometer 1nr	7	7	15-Nov-13	21-Nov-13	5				
RA-1070	PD - Standpipe / Casagrande Piezometer 1nr	7	7	15-Nov-13	21-Nov-13	5				
RA-1080	PD - Double Tip Vibrating Wire Piezometer 3nrs	7	7	15-Nov-13	21-Nov-13	5				
RA-1090	PD - Sub-surface Settlement Marker 1nr	1	1	21-Sep-13	21-Sep-13	0				
RA-1100	PD - Settlement Marker (Type 2) 2nrs	2	2	15-Nov-13	16-Nov-13	10				
<b>Reclamation - Cluster Type RB 4sets</b>		59	59	21-Sep-13	18-Nov-13	8				
RB-1030	PD - Sub-Surface Settlement Marker 4nrs east	4	4	21-Sep-13	24-Sep-13	-3				
RB-1040	PD - Settlement Marker (Type 2) 4nrs east	4	4	15-Nov-13	18-Nov-13	8				
<b>Surcharge</b>		73	73	10-Oct-13	21-Dec-13	-33				
<b>West Portion</b>		73	73	10-Oct-13	21-Dec-13	-33				
A1638	PD - Access Road for delivery of public fill material	0	0	10-Oct-13*		16				
A1640	PD - Surcharge Laying at West Portion 177,508m3 8,000m3/day	22	22	29-Nov-13	21-Dec-13	-31				
A1650	PD - Surcharge compaction upto 8.5mPD at West Portion	11	11	02-Dec-13	12-Dec-13	-24				
<b>Access at Portion D</b>		34	34	02-Dec-13	04-Jan-14	-35				
<b>Temporary Access to Portion A</b>		34	34	02-Dec-13	04-Jan-14	-35				

█ Remaining Level of Effort   
 █ Primary Baseline   
 █ Remaining Work   
 ◆ Milestone  
█ Actual Level of Effort   
 █ Actual Work   
 █ Critical Remaining Work   
 ⇨ Summary

Activity ID	Activity Name	Original Duration	Remaining Duration	Start	Finish	Total Float	2013			
							Aug 22	Sep 23	Oct 24	Nov 25
A1080	PD Construction of Access to PA	34	34	02-Dec-13*	04-Jan-14	-35				
<b>Works Area WA2 (Tung Chung)</b>		1570	1031	30-Nov-11 A	28-Feb-17	0				
<b>Zone B</b>		615	76	30-Nov-11 A	20-Dec-13	0				
A3090	Maintenance of Site	615	76	30-Nov-11 A	20-Dec-13	0				
<b>Zone A</b>		1434	1031	21-May-12 A	28-Feb-17	0				
A1880	Maintenance of Engineer's Accommodation	1434	1031	21-May-12 A	28-Feb-17	0				
<b>Works Area WA3 (Siu Ho Wan STW)</b>		1467	1031	08-Apr-12 A	28-Feb-17	0				
<b>Zone A</b>		1467	1031	08-Apr-12 A	28-Feb-17	0				
WA3-1020	Maintenance of Accommodation for Public Works REgion Laboratory	1467	1031	08-Apr-12 A	28-Feb-17	0				
<b>Works Area WA4 (To Kau Wan)</b>		548	76	23-Feb-12 A	20-Dec-13	0				
A1910	Maintenance of Site Zone A	548	76	23-Feb-12 A	20-Dec-13	0				
<b>Works Area TKO Fill Bank</b>		1254	958	25-Sep-12 A	30-Nov-16	0				
WA-TKO-1040	Operate and Maintain Public Fill Sorting Facilities in Zone A, B1 & B2	1254	958	25-Sep-12 A	30-Nov-16	0				
WA-TKO-1050	Maintainance of Site in Zone C	570	274	25-Sep-12 A	22-Aug-14	0				

█ Remaining Level of Effort   
  Primary Baseline   
  Remaining Work   
 ◆ Milestone  
 Actual Level of Effort   
  Actual Work   
 Critical Remaining Work   
 Summary

**Appendix C - Implementation Schedule of Environmental Mitigation Measures**

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
<b>Air Quality</b>				
S5.5.6.1 of HKBCFEIA	A1	The contractor shall follow the procedures and requirements given in the Air Pollution Control (Construction Dust) Regulation	All construction sites	V
S5.5.6.2 of HKBCFEIA and S4.8.1 of TKCLKLEIA	A2	Proper watering of exposed spoil should be undertaken throughout the construction phase: <ul style="list-style-type: none"> <li>• Any excavated or stockpile of dusty material should be covered entirely by impervious sheeting or sprayed with water to maintain the entire surface wet and then removed or backfilled or reinstated where practicable within 24 hours of the excavation or unloading;</li> <li>• Any dusty materials remaining after a stockpile is removed should be wetted with water and cleared from the surface of roads;</li> <li>• A stockpile of dusty material should not be extend beyond the pedestrian barriers, fencing or traffic cones.</li> <li>• Where practicable, vehicle washing facilities with high pressure water jet should be provided at every discernible or designated vehicle exit point. The area where vehicle washing takes place and the road section between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores;</li> <li>• When there are open excavation and reinstatement works, hoarding of not less</li> </ul>	All construction sites	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<p>than 2.4m high should be provided as far as practicable along the site boundary with provision for public crossing. Good site practice shall also be adopted by the Contractor to ensure the conditions of the hoardings are properly maintained throughout the construction period;</p> <ul style="list-style-type: none"> <li>• The portion of any road leading only to construction site that is within 30m of a vehicle entrance or exit should be kept clear of dusty materials;</li> <li>• Surfaces where any pneumatic or power-driven drilling, cutting, polishing or other mechanical breaking operation takes place should be sprayed with water or a dust suppression chemical continuously;</li> <li>• Any area that involves demolition activities should be sprayed with water or a dust suppression chemical immediately prior to, during and immediately after the activities so as to maintain the entire surface wet;</li> <li>• Where a scaffolding is erected around the perimeter of a building under construction, effective dust screens, sheeting or netting should be provided to enclose the scaffolding from the ground floor level of the building, or a canopy should be provided from the first floor level up to the highest level of the scaffolding;</li> <li>• Any skip hoist for material transport should be totally enclosed by impervious sheeting;</li> <li>• Every stock of more than 20 bags of cement or dry pulverised fuel ash (PFA) should be covered entirely by impervious sheeting or placed in an area sheltered</li> </ul>		



EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<p>on the top and the 3 sides;</p> <ul style="list-style-type: none"> <li>• Cement or dry PFA delivered in bulk should be stored in a closed silo fitted with an audible high level alarm which is interlocked with the material filling line and no overfilling is allowed;</li> <li>• All unpaved roads/exposed area shall be watered which results in dust suppression by forming moist cohesive films among the discrete grains of road surface material.</li> <li>• No burning of debris or other materials on the works areas is allowed;</li> <li>• Water spray shall be used during the handling of fill material at the site and at active cuts, excavation and fill sites where dust is likely to be created;</li> <li>• Open dropping heights for excavated materials shall be controlled to a maximum height of 2m to minimise the fugitive dust arising from unloading;</li> <li>• During transportation by truck, materials shall not be loaded to a level higher than the side and tail boards, and shall be dampened or covered before transport. Materials having the potential to create dust shall not be loaded to a level higher than the side and tail boards, and shall be covered by a clean tarpaulin. The tarpaulin shall be properly secured and shall extend at least 300mm over the edges of the side and tail boards;</li> <li>• Loading, unloading, transfer, handling or storage of bulk cement or dry PFA should be carried out in a totally enclosed system or facility, and any vent or exhaust should be fitted with an effective fabric filter or equivalent air pollution control</li> </ul>		

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		system; and <ul style="list-style-type: none"> <li>• Exposed earth should be properly treated by compaction, turfing, hydroseeding, vegetation planting or sealing with latex, vinyl, bitumen, shotcrete or other suitable surface stabiliser within six months after the last construction activity on the construction site or part of the construction site where the exposed earth lies.</li> </ul>		
S5.5.6.3 of HKBCFEIA and S4.8.1 of TKCLKLEIA	A3	The Contractor should undertake proper watering on all exposed spoil and associated work areas (with at least 8 times per day) throughout the construction phase.	All construction sites	V
S5.5.6.4 of HKBCFEIA and S4.11 of TKCLKLEIA	A4	Implement regular dust monitoring under EM&A programme during the construction stage.	Selected representative dust monitoring station	V
S5.5.7.1 of HKBCFEIA	A5	The following mitigation measures should be adopted to prevent fugitive dust emissions for concrete batching plant: <ul style="list-style-type: none"> <li>• Loading, unloading, handling, transfer or storage of any dusty materials should be carried out in totally enclosed system;</li> <li>• All dust-laden air or waste gas generated by the process operations should be properly extracted and vented to fabric filtering system to meet the emission limits for TSP;</li> </ul>	All construction sites	N/A

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<ul style="list-style-type: none"> <li>• Vents for all silos and cement/ pulverised fuel ash (PFA) weighing scale should be fitted with fabric filtering system;</li> <li>• The materials which may generate airborne dusty emissions should be wetted by water spray system;</li> <li>• All receiving hoppers should be enclosed on three sides up to 3m above unloading point;</li> <li>• All conveyor transfer points should be totally enclosed;</li> <li>• All access and route roads within the premises should be paved and wetted; and</li> <li>• Vehicle cleaning facilities should be provided and used by all concrete trucks before leaving the premises to wash off any dust on the wheels and/or body.</li> </ul>		
S5.5.2.7 of HKBCFEIA	A6	The following mitigation measures should be adopted to prevent fugitive dust emissions at barging point: <ul style="list-style-type: none"> <li>• All road surface within the barging facilities will be paved;</li> <li>• Dust enclosures will be provided for the loading ramp;</li> <li>• Vehicles will be required to pass through designated wheels wash facilities; and</li> <li>• Continuous water spray at the loading points.</li> </ul>	All construction sites	N/A (Construction in process)
<b>Construction Noise (Air borne)</b>				
S6.4.10 of HKBCFEIA	N1	Use of good site practices to limit noise emissions by considering the following: <ul style="list-style-type: none"> <li>• only well-maintained plant should be operated on-site and plant should be</li> </ul>	All construction sites	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		serviced regularly during the construction programme; <ul style="list-style-type: none"> <li>• machines and plant (such as trucks, cranes) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum;</li> <li>• plant known to emit noise strongly in one direction, where possible, be orientated so that the noise is directed away from nearby NSRs;</li> <li>• silencers or mufflers on construction equipment should be properly fitted and maintained during the construction works;</li> <li>• mobile plant should be sited as far away from NSRs as possible and practicable;</li> <li>• material stockpiles, mobile container site officer and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.</li> </ul>		
S6.4.11 of HKBCFEIA	N2	Install temporary hoarding located on the site boundaries between noisy construction activities and NSRs. The conditions of the hoardings shall be properly maintained throughout the construction period.	All construction sites	V
S6.4.12 of HKBCFEIA	N3	Install movable noise barriers (typically density @14kg/m <sup>2</sup> ), acoustic mat or full enclosure close to noisy plants including air compressor, generators, saw.	For plant items listed in Appendix 6D of the EIA report at all construction sites	N/A
S6.4.13 of HKBCFEIA	N4	Select “Quiet plants” which comply with the BS 5228 Part 1 or TM standards.	For plant items listed in Appendix 6D of the	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
			EIA report at all construction sites	
S6.4.14 of HKBCFEIA	N5	Sequencing operation of construction plants where practicable.	All construction sites where practicable	V
S5.1 of TMCLKLEIA	N6	Implement a noise monitoring under EM&A programme.	Selected representative noise monitoring station	V
<b>Waste Management (Construction Waste)</b>				
S12.6 of TMCLKLEIA	WM1	The Contractor shall identify a coordinator for the management of waste.	All construction sites	V
S12.6 of TMCLKLEIA	WM2	The Contractor shall apply for and obtain the appropriate licenses for the disposal of public fill, chemical waste and effluent discharges.	All construction sites	V
S12.6 of TMCLKLEIA	WM3	EM&A of waste handling, storage, transportation, disposal procedures and documentation through the site audit programme shall be undertaken.	All construction sites	V
S8.3.8 of HKBCFEIA and S12.6 of TMCLKLEIA	WM4	<p><u>Construction and Demolition Material</u></p> <p>The following mitigation measures should be implemented in handling the waste:</p> <ul style="list-style-type: none"> <li>• Maintain temporary stockpiles and reuse excavated fill material for backfilling and reinstatement;</li> <li>• Carry out on-site sorting;</li> </ul>	All construction sites	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<ul style="list-style-type: none"> <li>• Make provisions in the Contract documents to allow and promote the use of recycled aggregates where appropriate;</li> <li>• Adopt ‘Selective Demolition’ technique to demolish the existing structures and facilities with a view to recovering broken concrete effectively for recycling purpose, where possible;</li> <li>• Implement a trip-ticket system for each works contract to ensure that the disposal of C&amp;D materials are properly documented and verified;</li> <li>• Implement an enhanced Waste Management Plan similar to ETWBTC (Works) No. 19/2005 – “Environmental Management on Construction Sites” to encourage on-site sorting of C&amp;D materials and to minimize their generation during the course of construction;</li> <li>• In addition, disposal of the C&amp;D materials onto any sensitive locations such as agricultural lands, etc. should be avoided. The Contractor shall propose the final disposal sites to the Project Proponent and get its approval before implementation; and</li> <li>• The surplus surcharge should be transferred to a fill bank.</li> </ul>		
S8.3.9- S8.3.11 of HKBCFEIA and S12.6 of	WM5	<u>C&amp;D Waste</u> <ul style="list-style-type: none"> <li>• Standard formwork or pre-fabrication should be used as far as practicable in order to minimise the arising of C&amp;D materials. The use of more durable formwork or plastic facing for the construction works should be considered. Use of wooden</li> </ul>	All construction sites	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
TMCLKLEIA		<p>hoardings should not be used, as in other projects. Metal hoarding and falsework should be used to enhance the possibility of recycling. The purchasing of construction materials will be carefully planned in order to avoid over ordering and wastage.</p> <ul style="list-style-type: none"> <li>The Contractor should recycle as much of the C&amp;D materials as possible on-site. Public fill and C&amp;D waste should be segregated and stored in different containers or skips to enhance reuse or recycling of materials and their proper disposal. Where practicable, concrete and masonry can be crushed and used as fill. Steel reinforcement bar can be used by scrap steel mills. Different areas of the sites should be considered for such segregation and storage.</li> </ul>		
S8.2.12- S8.3.15 of HKBCFEIA and S12.6 of TMCLKLEIA	WM6	<p><u>Chemical Waste</u></p> <ul style="list-style-type: none"> <li>Chemical waste that is produced, as defined by Schedule 1 of the Waste Disposal (Chemical Waste) (General) Regulation, should be handled in accordance with the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes.</li> <li>Containers used for the storage of chemical wastes should be suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed; have a capacity of less than 450 liters unless the specification has been approved by the EPD; and display a label in English and Chinese in accordance with instructions prescribed in Schedule 2 of the regulation.</li> <li>The storage area for chemical wastes should be clearly labelled and used solely for</li> </ul>	All construction sites	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<p>the storage of chemical waste; enclosed on at least 3 sides; have an impermeable floor and bunding of sufficient capacity to accommodate 110% of the volume of the largest container or 20 % of the total volume of waste stored in that area, whichever is the greatest; have adequate ventilation; covered to prevent rainfall entering; and arranged so that incompatible materials are adequately separated.</p> <ul style="list-style-type: none"> <li>Disposal of chemical waste should be via a licensed waste collector; be to a facility licensed to receive chemical waste, such as the Chemical Waste Treatment Centre which also offers a chemical waste collection service and can supply the necessary storage containers; or be to a reuser of the waste, under approval from the EPD.</li> </ul>		
S8.3.16 of HKBCFEIA and S12.6 of TMCLKLEIA	WM7	<p><u>Sewage</u></p> <ul style="list-style-type: none"> <li>Adequate numbers of portable toilets should be provided for the workers. The portable toilets should be maintained in a state, which will not deter the workers from utilizing these portable toilets. Night soil should be collected by licensed collectors regularly.</li> </ul>	All construction sites	V
S8.3.17 of HKBCFEIA and S12.6 of TMCLKLEIA	WM8	<p><u>General Refuse</u></p> <ul style="list-style-type: none"> <li>The site and surroundings shall be kept tidy and litter free. General refuse generated on-site should be stored in enclosed bins or compaction units separately from construction and chemical wastes.</li> <li>A reputable waste collector should be employed by the Contractor to remove general refuse from the site, separately from construction and chemical wastes, on</li> </ul>	All construction sites	V



EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<p>a daily basis to minimize odour, pest and litter impacts. Burning of refuse on construction sites is prohibited by law.</p> <ul style="list-style-type: none"> <li>• Aluminium cans are often recovered from the waste stream by individual collectors if they are segregated and made easily accessible. Separate labelled bins for their deposit should be provided if feasible.</li> <li>• Office wastes can be reduced through the recycling of paper if volumes are large enough to warrant collection. Participation in a local collection scheme should be considered by the Contractor. In addition, waste separation facilities for paper, aluminum cans, plastic bottles etc., should be provided.</li> <li>• Training should be provided to workers about the concepts of site cleanliness and appropriate waste management procedure, including reduction, reuse and recycling of wastes.</li> <li>• Sufficient dustbins shall be provided for storage of waste as required under the Public Cleansing and Prevention of Nuisances By-laws. In addition, general refuse shall be cleared daily and shall be disposed of to the nearest licensed landfill or refuse transfer station.</li> <li>• All waste containers shall be in a secure area on hardstanding.</li> </ul>		

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
<b>Water Quality (Construction Phase)</b>				
	W1	<p>Mitigation during the marine works to reduce impacts to within acceptable levels have been recommended and will comprise a series of measures that restrict the method and sequencing of backfilling, as well as protection measures. Details of the measures are provided below:</p> <ul style="list-style-type: none"> <li>• Reclamation filling for the Project shall not proceed until at least 200m of leading seawall at the reclamation area formed above +2.2mPD, unless otherwise agreement was obtained from EPD, except for the 300m gaps for marine access. All underwater filling works shall be carried out behind seawalls to avoid dispersion of suspended solids outside the Project limit;</li> <li>• Except for the filling of the cellular structures, not more than 15% public fill shall be used for reclamation filling below +2.5mPD during construction of the seawall;</li> <li>• After the seawall is completed except for the 300m marine access as indicated in the EPs, not more than 30% public fill shall be used for reclamation filling below +2.5mPD, unless otherwise agreement from EPD was obtained;</li> <li>• Upon completion of 200m leading seawall, no more than a total of 60 filling barge trips per day shall be made with a cumulative maximum daily filling rate of 60,000</li> </ul>	During filling	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<p>m3 for HKBCF and TMCLKL southern landfall reclamation during the filling operation; and</p> <ul style="list-style-type: none"> <li>• Upon completion of the whole section of seawall except for the 300m marine access as indicated in the EPs, no more than a total of 190 filling barge trips per day shall be made with a cumulative maximum daily filling rate of 190,000 m3 for the remaining filling operations for HKBCF and TMCLKL southern landfall reclamation.</li> <li>• Floating type perimeter silt curtains shall be around the HKBCF site before the commencement of marine works. Staggered layers of silt curtain shall be provided to prevent sediment loss at navigation accesses. The length of each staggered layers shall be at least 200m;</li> <li>• Single layer silt curtain to be applied around the North-east airport water intake;</li> <li>• The silt-curtains should be maintained in good condition to ensure the sediment plume generated from filling be confined effectively within the site boundary;</li> <li>• The filling works shall be scheduled to spread the works evenly over a working day;</li> <li>• Cellular structure shall be used for seawall construction;</li> <li>• A layer of geotextile shall be placed on top of the seabed before any filling activities take place inside the cellular structures to form the seawall;</li> <li>• The conveyor belts shall be fitted with windboards and conveyor release points shall be covered with curtain to prevent any spillage of filling materials onto the</li> </ul>		

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		surrounding waters; and <ul style="list-style-type: none"> <li>• An additional layer of silt curtain shall be installed near the active stone column installation points. A layer of geotextile with stone blanket on top shall be placed on the seabed prior to stone column installation works.</li> </ul>		
S9.11.1.3 of HKBCFEIA and S6.10 of TMCLKLEIA	W2	<p><u>Land Works</u></p> <p>General construction activities on land should also be governed by standard good working practice. Specific measures to be written into the works contracts should include:</p> <ul style="list-style-type: none"> <li>• wastewater from temporary site facilities should be controlled to prevent direct discharge to surface or marine waters;</li> <li>• sewage effluent and discharges from on-site kitchen facilities shall be directed to Government sewer in accordance with the requirements of the WPCO or collected for disposal offsite. The use of soakaways shall be avoided;</li> <li>• storm drainage shall be directed to storm drains via adequately designed sand/silt removal facilities such as sand traps, silt traps and sediment basins. Channels, earth bunds or sand bag barriers should be provided on site to properly direct stormwater to such silt removal facilities. Catchpits and perimeter channels should be constructed in advance of site formation works and earthworks;</li> <li>• silt removal facilities, channels and manholes shall be maintained and any</li> </ul>	All land-based construction sites	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<p>deposited silt and grit shall be removed regularly, including specifically at the onset of and after each rainstorm;</p> <ul style="list-style-type: none"> <li>• temporary access roads should be surfaced with crushed stone or gravel;</li> <li>• rainwater pumped out from trenches or foundation excavations should be discharged into storm drains via silt removal facilities;</li> <li>• measures should be taken to prevent the washout of construction materials, soil, silt or debris into any drainage system;</li> <li>• open stockpiles of construction materials (e.g. aggregates and sand) on site should be covered with tarpaulin or similar fabric during rainstorms;</li> <li>• manholes (including any newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris from getting into the drainage system, and to prevent storm run-off from getting into foul sewers;</li> <li>• discharges of surface run-off into foul sewers must always be prevented in order not to unduly overload the foul sewerage system;</li> <li>• all vehicles and plant should be cleaned before they leave the construction site to ensure that no earth, mud or debris is deposited by them on roads. A wheel washing bay should be provided at every site exit;</li> <li>• wheel wash overflow shall be directed to silt removal facilities before being</li> </ul>		

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<p>discharged to the storm drain;</p> <ul style="list-style-type: none"> <li>• the section of construction road between the wheel washing bay and the public road should be surfaced with crushed stone or coarse gravel;</li> <li>• wastewater generated from concreting, plastering, internal decoration, cleaning work and other similar activities, shall be screened to remove large objects;</li> <li>• vehicle and plant servicing areas, vehicle wash bays and lubrication facilities shall be located under roofed areas. The drainage in these covered areas shall be connected to foul sewers via a petrol interceptor in accordance with the requirements of the WPCO or collected for offsite disposal;</li> <li>• the contractors shall prepare an oil / chemical cleanup plan and ensure that leakages or spillages are contained and cleaned up immediately;</li> <li>• waste oil should be collected and stored for recycling or disposal, in accordance with the Waste Disposal Ordinance;</li> <li>• all fuel tanks and chemical storage areas should be provided with locks and be sited on sealed areas. The storage areas should be surrounded by bunds with a capacity equal to 110% of the storage capacity of the largest tank; and</li> <li>• surface run-off from bunded areas should pass through oil/grease traps prior to discharge to the storm water system..</li> </ul>		
S9.14 of HKBCFEIA	W3	Implement a water quality monitoring programme	At identified monitoring location	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
and S6.10 of TMCLKLEIA				
S6.10 of TMCLKLEIA	W4	All construction works shall be subject to routine audit to ensure implementation of all EIA recommendations and good working practice.	All construction site areas	V
<b>Ecology (Construction Phase)</b>				
S10.7 of HKBCFEIA and S8.14 of TMCLKLEIA	E1	<ul style="list-style-type: none"> <li>• Install silt curtain during the construction</li> <li>• Limit works fronts</li> <li>• Construct seawall prior to reclamation filling where practicable</li> <li>• Good site practices</li> <li>• Strict enforcement of no marine dumping</li> <li>• Site runoff control</li> <li>• Spill response plan</li> </ul>	Seawall, reclamation area	V
S10.7 of HKBCFEIA	E2	<ul style="list-style-type: none"> <li>• Watering to reduce dust generation; prevention of siltation of freshwater habitats; Site runoff should be desilted, to reduce the potential for suspended sediments, organics and other contaminants to enter streams and standing freshwater.</li> </ul>	Land-based works areas	V
S10.7 of HKBCFEIA and S8.14 of TMCLKLEIA	E3	<ul style="list-style-type: none"> <li>• Good site practices, including strictly following the permitted works hours, using quieter machines where practicable, and avoiding excessive lightings during night time.</li> </ul>	Land-based works areas	V

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
S10.7 of HKBCFEIA and S8.14 of TMCLKLEIA	E4	<ul style="list-style-type: none"> <li>• Dolphin Exclusion Zone</li> <li>• Dolphin watching plan</li> </ul>	Marine works	V
S10.7 of HKBCFEIA and S8.14 of TMCLKLEIA	E5	<ul style="list-style-type: none"> <li>• Decouple compressors and other equipment on working vessels</li> <li>• Proposal on design and implementation of acoustic decoupling measures applied during reclamation works</li> <li>• Avoidance of percussive piling</li> </ul>	Marine works	V
S10.7 of HKBCFEIA and S8.14 of TMCLKLEIA	E6	<ul style="list-style-type: none"> <li>• Control vessel speed</li> <li>• Skipper training</li> <li>• Predefined and regular routes for working vessels; avoid Brothers Islands</li> </ul>	Marine traffic	V
S10.10 of HKBCFEIA and S8.14 of TMCLKLEIA	E7	<ul style="list-style-type: none"> <li>• Vessel based dolphin monitoring</li> </ul>	Northeast and Northwest Lantau	V
<b>Fisheries</b>				
S11.7 of HKBCFEIA	F1	<ul style="list-style-type: none"> <li>• Reduce re-suspension of sediments</li> <li>• Limit works fronts</li> <li>• Good site practices</li> </ul>	Seawall, reclamation area	V



EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
		<ul style="list-style-type: none"> <li>• Strict enforcement of no marine dumping</li> <li>• Spill response plan</li> </ul>		
S11.7 of HKBCFEIA	F2	<ul style="list-style-type: none"> <li>• Install silt-grease trap in the drainage system collecting surface runoff</li> </ul>	Reclamation area	V
<b>Landscape &amp; Visual (Construction Phase)</b>				
S14.3.3. 3 of HKBCFEIA and S10.9 of TMCLKLEIA	LV1	<p><u>Mitigate Landscape Impacts</u></p> <p>G1/CM4 Grass-hydroseed or sheeting bare soil surface and stock pile areas.</p> <p>G9 Reserve of loose natural granite rocks for re-use. Provide new coastline to adopt “natural-look” by means of using armour rocks in the form of natural rock materials and planting strip area accommodating screen buffer to enhance “natural-look” of new coastline.</p>	All construction site areas	N/A
S10.9 of TMCLKLEIA	LV2	<p><u>Mitigate Landscape Impacts</u></p> <p>CM7 Ensure no run-off into water body adjacent to the Project Area.</p>	All construction site areas	V
S14.3.3. 3 of HKBCFEIA	LV4	<p><u>Mitigate Visual Impacts</u></p> <p>V1 Minimize time for construction activities during construction period.</p>	All construction site areas	V
S10.9 of TMCLKLEIA	LV5	<p><u>Mitigate Visual Impacts</u></p> <p>CM6 Control night-time lighting and glare by hooding all lights.</p>	All construction site areas	V
<b>EM&amp;A</b>				

EIA Ref.	EM&A Log Ref	Environmental Mitigation Measures	Location	Implementation Status
S15.2.2 of HKBCFEIA	EM1	An Independent Environmental Checker needs to be employed as per the EM&A Manual.	All construction site areas	V
S15.5 - S15.6 of HKBCFEIA	EM2	<ul style="list-style-type: none"> <li>• An Environmental Team needs to be employed as per the EM&amp;A Manual.</li> <li>• Prepare a systematic Environmental Management Plan to ensure effective implementation of the mitigation measures.</li> <li>• An environmental impact monitoring needs to be implementing by the Environmental Team to ensure all the requirements given in the EM&amp;A Manual are fully complied with.</li> </ul>	All construction site areas	V

Legend: V = implemented; x = not implemented; N/A = not applicable

## Appendix D - Summary of Action and Limit Levels

Table 1 – Action and Limit Levels for 1-hour TSP

Location	Action Level	Limit Level
AMS2	374 $\mu\text{g}/\text{m}^3$	500 $\mu\text{g}/\text{m}^3$
AMS3A*	368 $\mu\text{g}/\text{m}^3$	500 $\mu\text{g}/\text{m}^3$
AMS6	360 $\mu\text{g}/\text{m}^3$	500 $\mu\text{g}/\text{m}^3$
AMS7	370 $\mu\text{g}/\text{m}^3$	500 $\mu\text{g}/\text{m}^3$

Remarks: \* Action Level set out at AMS3 Ho Yu College is adopted.

Table 2 – Action and Limit Levels for 24-hour TSP

Location	Action Level	Limit Level
AMS2	176 $\mu\text{g}/\text{m}^3$	260 $\mu\text{g}/\text{m}^3$
AMS3A*	167 $\mu\text{g}/\text{m}^3$	260 $\mu\text{g}/\text{m}^3$
AMS6	173 $\mu\text{g}/\text{m}^3$	260 $\mu\text{g}/\text{m}^3$
AMS7	183 $\mu\text{g}/\text{m}^3$	260 $\mu\text{g}/\text{m}^3$

Remarks: \* Action Level set out at AMS3 Ho Yu College is adopted.

Table 3 – Action and Limit Levels for Construction Noise (0700-1900 hrs of normal weekdays)

Location	Action Level	Limit Level
NMS2	When one documented complaint, related to 0700 – 1900 hours on normal weekdays, is received from any one of the sensitive receivers	75 dB(A)
NMS3A		*65 / 70 dB(A)

\*Daytime noise Limit Level of 70 dB(A) applies to education institutions, while 65dB(A) applies during school examination period.

Table 4 – Action and Limit Levels for Water Quality

Parameters	Action	Limit
DO in mg L <sup>-1</sup> (Surface, Middle & Bottom)	<u>Surface and Middle</u> 5.0 <u>Bottom</u> 4.7	<u>Surface and Middle</u> 4.2 (except 5 mg/L for FCZ) <u>Bottom</u> 3.6
SS in mg L <sup>-1</sup> (depth-averaged)	23.5 and 120% of upstream control station's SS at the same tide of the same day	34.4 and 130% of upstream control station's SS at the same tide of the same day and 10mg/L for WSD Seawater intakes
Turbidity in NTU (depth-averaged)	27.5 and 120% of upstream control station's turbidity at the same tide of the same day	47.0 and 130% of upstream control station's turbidity at the same tide of the same day

Notes:

1. "depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
2. For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
3. For turbidity, SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.

Table 5(a) Action and Limit Levels for Chinese White Dolphin Monitoring - Approach to Define Action Level (AL) and Limit Level (LL):

	<b>North Lantau Social Cluster</b>	
	<b>NEL</b>	<b>NWL</b>
Action Level	(STG < 70% of baseline) & (ANI < 70% of baseline)	(STG < 70% of baseline) & (ANI < 70% of baseline)
Limit Level	[(STG < 40% of baseline) & (ANI < 40% of baseline)] AND [ (STG < 40% of baseline) & (ANI < 40% of baseline)]	

For North Lantau Social Cluster, action level will be trigger if either NEL **or** NWL fall below the criteria; limit level will be triggered if both NEL **and** NWL fall below the criteria.

Table 5(b) Derived Value of Action Level (AL) and Limit Level (LL) for Chinese White Dolphin Monitoring

	<b>North Lantau Social Cluster</b>	
	<b>NEL</b>	<b>NWL</b>
Action Level	(STG < 4.2) & (ANI < 15.5 )	(STG < 6.9) & (ANI < 31.3)
Limit Level	[(STG < 2.4) & (ANI <8.9)] AND [ (STG < 3.9)& (ANI < 17.9)]	

**AECOM Asia Company Limited**  
**TSP High Volume Sampler**  
**Field Calibration Report**

Station: Tung Chung Development Pier (AMS2) Operator: Choi Wing Ho  
 Cal. Date: 23-Aug-13 Next Due Date: 23-Oct-13  
 Equipment No.: A-001-78T Serial No.: 3383

Ambient Condition			
Temperature, Ta (K)	302	Pressure, Pa (mmHg)	748.3

Orifice Transfer Standard Information					
Serial No:	988	Slope, mc	1.94727	Intercept, bc	0.02332
Last Calibration Date:	20-May-13	$mc \times Qstd + bc = [DH \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	20-May-14	$Qstd = \{[DH \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Resistance Plate No.	Orifice			HVS Flow Recorder	
	DH (orifice), in. of water	[DH x (Pa/760) x (298/Ta)] <sup>1/2</sup>	Qstd (m <sup>3</sup> /min) X-axis	Flow Recorder Reading (CFM)	Continuous Flow Recorder Reading IC (CFM) Y-axis
18	8.8	2.92	1.49	46.0	45.34
13	7.5	2.70	1.37	41.0	40.41
10	6.0	2.41	1.23	37.0	36.47
7	4.2	2.02	1.03	31.0	30.56
5	2.6	1.59	0.80	24.0	23.66

By Linear Regression of Y on X  
 Slope, mw = 30.7972 Intercept, bw = -1.1854  
 Correlation Coefficient\* = 0.9965

\*If Correlation Coefficient < 0.990, check and recalibrate.

Set Point Calculation	
From the TSP Field Calibration Curve, take Qstd = 1.30m <sup>3</sup> /min	
From the Regression Equation, the "Y" value according to	
$mw \times Qstd + bw = IC \times [(Pa/760) \times (298/Ta)]^{1/2}$	
Therefore, Set Point; IC = (mw x Qstd + bw) x [(760 / Pa) x (Ta / 298)] <sup>1/2</sup> =	<u>39.42</u>

Remarks: \_\_\_\_\_

QC Reviewer: WIS CHAN Signature: [Signature] Date: 26/8/13

# AECOM Asia Company Limited

## TSP High Volume Sampler

### Field Calibration Report

Station: Site Boundary of Site Office (WA2) (AMS3A) Operator: Choi Wing Ho  
 Cal. Date: 23-Aug-13 Next Due Date: 23-Oct-13  
 Equipment No.: A-001-79T Serial No.: 3384

Ambient Condition			
Temperature, Ta (K)	302	Pressure, Pa (mmHg)	748.3

Orifice Transfer Standard Information					
Serial No:	988	Slope, mc	1.94727	Intercept, bc	0.02332
Last Calibration Date:	20-May-13	$mc \times Qstd + bc = [DH \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	20-May-14	$Qstd = \{ [DH \times (Pa/760) \times (298/Ta)]^{1/2} - bc \} / mc$			

Calibration of TSP Sampler					
Resistance Plate No.	Orifice			HVS Flow Recorder	
	DH (orifice), in. of water	[DH x (Pa/760) x (298/Ta)] <sup>1/2</sup>	Qstd (m <sup>3</sup> /min) X-axis	Flow Recorder Reading (CFM)	Continuous Flow Recorder Reading IC (CFM) Y-axis
18	8.0	2.79	1.42	45.0	44.36
13	6.6	2.53	1.29	39.0	38.44
10	5.1	2.23	1.13	33.0	32.53
7	3.8	1.92	0.97	27.0	26.61
5	2.5	1.56	0.79	17.0	16.76

By Linear Regression of Y on X

Slope, mw = 42.6310 Intercept, bw = -16.0288

Correlation Coefficient\* = 0.9952

\*If Correlation Coefficient < 0.990, check and recalibrate.

#### Set Point Calculation

From the TSP Field Calibration Curve, take Qstd = 1.30m<sup>3</sup>/min

From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = IC \times [(Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; IC = (mw x Qstd + bw) x [(760 / Pa) x (Ta / 298)]<sup>1/2</sup> = 39.96

Remarks: \_\_\_\_\_

QC Reviewer: WS CHAN Signature: RA Date: 26/8/13

# AECOM Asia Company Limited

## TSP High Volume Sampler

### Field Calibration Report

Station: Hong Kong SkyCity Marriott Hotel (AMS7) Operator: Choi Wing Ho  
 Cal. Date: 23-Aug-13 Next Due Date: 23-Oct-13  
 Equipment No.: A-001-80T Serial No.: 3385

Ambient Condition			
Temperature, Ta (K)	302	Pressure, Pa (mmHg)	748.3

Orifice Transfer Standard Information					
Serial No:	988	Slope, mc	1.94727	Intercept, bc	0.02332
Last Calibration Date:	20-May-13	$mc \times Qstd + bc = [DH \times (Pa/760) \times (298/Ta)]^{1/2}$			
Next Calibration Date:	20-May-14	$Qstd = \{[DH \times (Pa/760) \times (298/Ta)]^{1/2} - bc\} / mc$			

Calibration of TSP Sampler					
Resistance Plate No.	Orifice			HVS Flow Recorder	
	DH (orifice), in. of water	[DH x (Pa/760) x (298/Ta)] <sup>1/2</sup>	Qstd (m <sup>3</sup> /min) X-axis	Flow Recorder Reading (CFM)	Continuous Flow Recorder Reading IC (CFM) Y-axis
18	7.8	2.75	1.40	46.0	45.34
13	6.5	2.51	1.28	40.0	39.43
10	5.2	2.25	1.14	33.0	32.53
7	4.0	1.97	1.00	25.0	24.64
5	3.1	1.74	0.88	20.0	19.71

By Linear Regression of Y on X

Slope, mw = 49.9614 Intercept, bw = -24.6480

Correlation Coefficient\* = 0.9984

\*If Correlation Coefficient < 0.990, check and recalibrate.

#### Set Point Calculation

From the TSP Field Calibration Curve, take Qstd = 1.30m<sup>3</sup>/min

From the Regression Equation, the "Y" value according to

$$mw \times Qstd + bw = IC \times [(Pa/760) \times (298/Ta)]^{1/2}$$

Therefore, Set Point; IC = (mw x Qstd + bw) x [(760 / Pa) x (Ta / 298)]<sup>1/2</sup> = 40.89

Remarks: \_\_\_\_\_

QC Reviewer: HS CHAN

Signature: PH

Date: 26/8/13





TISCH ENVIRONMENTAL, INC.  
 145 SOUTH MIAMI AVE.  
 VILLAGE OF CLEVELAND, OH 45002  
 513.467.9000  
 877.263.7610 TOLL FREE  
 513.467.9009 FAX  
 WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT

ORIFICE TRANSFER STANDARD CERTIFICATION WORKSHEET TE-5025A

Date - May 20, 2013 Rootsmeter S/N 0438320 Ta (K) - 297  
 Operator Tisch Orifice I.D. - 0988 Pa (mm) - 751.84

PLATE OR Run #	VOLUME START (m3)	VOLUME STOP (m3)	DIFF VOLUME (m3)	DIFF TIME (min)	METER DIFF Hg (mm)	ORFICE DIFF H2O (in.)
1	NA	NA	1.00	1.3900	3.2	2.00
2	NA	NA	1.00	0.9720	6.4	4.00
3	NA	NA	1.00	0.8670	7.9	5.00
4	NA	NA	1.00	0.8270	8.7	5.50
5	NA	NA	1.00	0.6800	12.6	8.00

DATA TABULATION

Vstd	(x axis) Qstd	(y axis)	Va	(x axis) Qa	(y axis)
0.9884	0.7110	1.4090	0.9957	0.7163	0.8889
0.9842	1.0125	1.9926	0.9915	1.0201	1.2570
0.9821	1.1327	2.2278	0.9894	1.1412	1.4054
0.9811	1.1863	2.3365	0.9884	1.1952	1.4740
0.9759	1.4352	2.8179	0.9832	1.4459	1.7777
Qstd slope (m) = 1.94727			Qa slope (m) = 1.21935		
intercept (b) = 0.02332			intercept (b) = 0.01471		
coefficient (r) = 0.99998			coefficient (r) = 0.99998		
y axis = SQRT[H2O(Pa/760)(298/Ta)]			y axis = SQRT[H2O(Ta/Pa)]		

CALCULATIONS

Vstd = Diff. Vol [(Pa-Diff. Hg)/760] (298/Ta)  
 Qstd = Vstd/Time

Va = Diff Vol [(Pa-Diff Hg)/Pa]  
 Qa = Va/Time

For subsequent flow rate calculations:

Qstd = 1/m{ [SQRT(H2O(Pa/760)(298/Ta))] - b}  
 Qa = 1/m{ [SQRT H2O(Ta/Pa)] - b}

## EQUIPMENT CALIBRATION RECORD

Type: Laser Dust Monitor  
 Manufacturer/Brand: SIBATA  
 Model No.: LD-3  
 Equipment No.: A.005.07a  
 Sensitivity Adjustment Scale Setting: 557 CPM

Operator: Mike Shek (MSKM)

### Standard Equipment

Equipment: Rupprecht & Patashnick TEOM®  
 Venue: Cyberport (Pui Ying Secondary School)  
 Model No.: Series 1400AB  
 Serial No: Control: 140AB219899803  
 Sensor: 1200C143659803 K<sub>0</sub>: 12500  
 Last Calibration Date\*: 18 May 2013

\*Remarks: Recommended interval for hardware calibration is 1 year

### Calibration Result

Sensitivity Adjustment Scale Setting (Before Calibration): 557 CPM  
 Sensitivity Adjustment Scale Setting (After Calibration): 557 CPM

Hour	Date (dd-mm-yy)	Time	Ambient Condition		Concentration <sup>1</sup> (mg/m <sup>3</sup> ) Y-axis	Total Count <sup>2</sup>	Count/ Minute <sup>3</sup> X-axis
			Temp (°C)	R.H. (%)			
1	18-05-13	12:30 - 13:30	28.1	78	0.04714	1887	31.45
2	18-05-13	13:30 - 14:30	28.1	78	0.04932	1970	32.83
3	18-05-13	14:30 - 15:30	28.2	77	0.05156	2056	34.27
4	18-05-13	15:30 - 16:30	28.1	78	0.05083	2026	33.77

Note: 1. Monitoring data was measured by Rupprecht & Patashnick TEOM®  
 2. Total Count was logged by Laser Dust Monitor  
 3. Count/minute was calculated by (Total Count/60)

By Linear Regression of Y or X

Slope (K-factor): 0.0015  
 Correlation coefficient: 0.9978

Validity of Calibration Record: 17 May 2014

Remarks:

QC Reviewer: YW Fung Signature:  Date: 20 May 2013

## EQUIPMENT CALIBRATION RECORD

Type: Laser Dust Monitor  
 Manufacturer/Brand: SIBATA  
 Model No.: LD-3  
 Equipment No.: A.005.08a  
 Sensitivity Adjustment Scale Setting: 702 CPM  
 Operator: Mike Shek (MSKM)

### Standard Equipment

Equipment: Rupprecht & Patashnick TEOM®  
 Venue: Cyberport (Pui Ying Secondary School)  
 Model No.: Series 1400AB  
 Serial No: Control: 140AB219899803  
 Sensor: 1200C143659803 K<sub>0</sub>: 12500  
 Last Calibration Date\*: 18 May 2013

\*Remarks: Recommended interval for hardware calibration is 1 year

### Calibration Result

Sensitivity Adjustment Scale Setting (Before Calibration): 702 CPM  
 Sensitivity Adjustment Scale Setting (After Calibration): 702 CPM

Hour	Date (dd-mm-yy)	Time	Ambient Condition		Concentration <sup>1</sup> (mg/m <sup>3</sup> ) <b>Y-axis</b>	Total Count <sup>2</sup>	Count/ Minute <sup>3</sup> <b>X-axis</b>
			Temp (°C)	R.H. (%)			
1	18-05-13	12:30 - 13:30	28.1	78	0.04714	1764	29.40
2	18-05-13	13:30 - 14:30	28.1	78	0.04932	1846	30.77
3	18-05-13	14:30 - 15:30	28.2	77	0.05156	1935	32.25
4	18-05-13	15:30 - 16:30	28.1	78	0.05083	1899	31.65

- Note: 1. Monitoring data was measured by Rupprecht & Patashnick TEOM®  
 2. Total Count was logged by Laser Dust Monitor  
 3. Count/minute was calculated by (Total Count/60)

By Linear Regression of Y or X

Slope (K-factor): 0.0016  
 Correlation coefficient: 0.9976

Validity of Calibration Record: 17 May 2014

Remarks:

QC Reviewer: YW Fung Signature:  Date: 20 May 2013

## EQUIPMENT CALIBRATION RECORD

Type: Laser Dust Monitor  
 Manufacturer/Brand: SIBATA  
 Model No.: LD-3  
 Equipment No.: A.005.09a  
 Sensitivity Adjustment Scale Setting: 797 CPM

Operator: Mike Shek (MSKM)

### Standard Equipment

Equipment: Rupprecht & Patashnick TEOM®  
 Venue: Cyberport (Pui Ying Secondary School)  
 Model No.: Series 1400AB  
 Serial No: Control: 140AB219899803  
 Sensor: 1200C143659803 K<sub>0</sub>: 12500  
 Last Calibration Date\*: 18 May 2013

\*Remarks: Recommended interval for hardware calibration is 1 year

### Calibration Result

Sensitivity Adjustment Scale Setting (Before Calibration): 797 CPM  
 Sensitivity Adjustment Scale Setting (After Calibration): 797 CPM

Hour	Date (dd-mm-yy)	Time	Ambient Condition		Concentration <sup>1</sup> (mg/m <sup>3</sup> ) Y-axis	Total Count <sup>2</sup>	Count/ Minute <sup>3</sup> X-axis
			Temp (°C)	R.H. (%)			
1	18-05-13	12:30 - 13:30	28.1	78	0.04714	1885	31.42
2	18-05-13	13:30 - 14:30	28.1	78	0.04932	1965	32.75
3	18-05-13	14:30 - 15:30	28.2	77	0.05156	2059	34.32
4	18-05-13	15:30 - 16:30	28.1	78	0.05083	2024	33.73

Note: 1. Monitoring data was measured by Rupprecht & Patashnick TEOM®  
 2. Total Count was logged by Laser Dust Monitor  
 3. Count/minute was calculated by (Total Count/60)

By Linear Regression of Y or X

Slope (K-factor): 0.0015  
 Correlation coefficient: 0.9973

Validity of Calibration Record: 17 May 2014

Remarks:

QC Reviewer: YW Fung Signature:  Date: 20 May 2013

## EQUIPMENT CALIBRATION RECORD

Type: Laser Dust Monitor  
 Manufacturer/Brand: SIBATA  
 Model No.: LD-3  
 Equipment No.: A.005.10a  
 Sensitivity Adjustment Scale Setting: 753 CPM

Operator: Mike Shek (MSKM)

### Standard Equipment

Equipment: Rupprecht & Patashnick TEOM®  
 Venue: Cyberport (Pui Ying Secondary School)  
 Model No.: Series 1400AB  
 Serial No: Control: 140AB219899803  
 Sensor: 1200C143659803 K<sub>0</sub>: 12500  
 Last Calibration Date\*: 18 May 2013

\*Remarks: Recommended interval for hardware calibration is 1 year

### Calibration Result

Sensitivity Adjustment Scale Setting (Before Calibration): 753 CPM  
 Sensitivity Adjustment Scale Setting (After Calibration): 753 CPM

Hour	Date (dd-mm-yy)	Time	Ambient Condition		Concentration <sup>1</sup> (mg/m <sup>3</sup> ) Y-axis	Total Count <sup>2</sup>	Count/ Minute <sup>3</sup> X-axis
			Temp (°C)	R.H. (%)			
1	18-05-13	12:30 - 13:30	28.1	78	0.04714	1886	31.43
2	18-05-13	13:30 - 14:30	28.1	78	0.04932	1968	32.80
3	18-05-13	14:30 - 15:30	28.2	77	0.05156	2061	34.35
4	18-05-13	15:30 - 16:30	28.1	78	0.05083	2026	33.77

- Note: 1. Monitoring data was measured by Rupprecht & Patashnick TEOM®  
 2. Total Count was logged by Laser Dust Monitor  
 3. Count/minute was calculated by (Total Count/60)

By Linear Regression of Y or X

Slope (K-factor): 0.0015  
 Correlation coefficient: 0.9983

Validity of Calibration Record: 17 May 2014

Remarks:

QC Reviewer: YW Fung

Signature: 

Date: 20 May 2013

## EQUIPMENT CALIBRATION RECORD

Type: Laser Dust Monitor  
 Manufacturer/Brand: SIBATA  
 Model No.: LD-3  
 Equipment No.: A.005.11a  
 Sensitivity Adjustment Scale Setting: 799 CPM

Operator: Mike Shek (MSKM)

### Standard Equipment

Equipment: Rupprecht & Patashnick TEOM®  
 Venue: Cyberport (Pui Ying Secondary School)  
 Model No.: Series 1400AB  
 Serial No: Control: 140AB219899803  
 Sensor: 1200C143659803 K<sub>0</sub>: 12500  
 Last Calibration Date\*: 18 May 2013

\*Remarks: Recommended interval for hardware calibration is 1 year

### Calibration Result

Sensitivity Adjustment Scale Setting (Before Calibration): 799 CPM  
 Sensitivity Adjustment Scale Setting (After Calibration): 799 CPM

Hour	Date (dd-mm-yy)	Time	Ambient Condition		Concentration <sup>1</sup> (mg/m <sup>3</sup> ) Y-axis	Total Count <sup>2</sup>	Count/ Minute <sup>3</sup> X-axis
			Temp (°C)	R.H. (%)			
1	18-05-13	12:15 - 13:15	28.1	78	0.04685	1871	31.18
2	18-05-13	13:15 - 14:15	28.1	78	0.04941	1979	32.98
3	18-05-13	14:15 - 15:15	28.2	77	0.05127	2055	34.25
4	18-05-13	15:15 - 16:15	28.1	78	0.05060	2021	33.68

- Note: 1. Monitoring data was measured by Rupprecht & Patashnick TEOM®  
 2. Total Count was logged by Laser Dust Monitor  
 3. Count/minute was calculated by (Total Count/60)

By Linear Regression of Y or X

Slope (K-factor): 0.0015  
 Correlation coefficient: 0.9976

Validity of Calibration Record: 17 May 2014

Remarks:

QC Reviewer: YW Fung Signature:  Date: 20 May 2013

## EQUIPMENT CALIBRATION RECORD

Type: Laser Dust Monitor  
 Manufacturer/Brand: SIBATA  
 Model No.: LD-3B  
 Equipment No.: A.005.13a  
 Sensitivity Adjustment Scale Setting: 643 CPM

Operator: Mike Shek (MSKM)

### Standard Equipment

Equipment: Rupprecht & Patashnick TEOM®  
 Venue: Cyberport (Pui Ying Secondary School)  
 Model No.: Series 1400AB  
 Serial No: Control: 140AB219899803  
 Sensor: 1200C143659803 K<sub>0</sub>: 12500  
 Last Calibration Date\*: 18 May 2013

\*Remarks: Recommended interval for hardware calibration is 1 year

### Calibration Result

Sensitivity Adjustment Scale Setting (Before Calibration): 643 CPM  
 Sensitivity Adjustment Scale Setting (After Calibration): 643 CPM

Hour	Date (dd-mm-yy)	Time	Ambient Condition		Concentration <sup>1</sup> (mg/m <sup>3</sup> ) Y-axis	Total Count <sup>2</sup>	Count/ Minute <sup>3</sup> X-axis
			Temp (°C)	R.H. (%)			
1	18-05-13	12:15 - 13:15	28.1	78	0.04685	1867	31.12
2	18-05-13	13:15 - 14:15	28.1	78	0.04941	1975	32.92
3	18-05-13	14:15 - 15:15	28.2	77	0.05127	2048	34.13
4	18-05-13	15:15 - 16:15	28.1	78	0.05060	2017	33.62

Note: 1. Monitoring data was measured by Rupprecht & Patashnick TEOM®  
 2. Total Count was logged by Laser Dust Monitor  
 3. Count/minute was calculated by (Total Count/60)

By Linear Regression of Y or X

Slope (K-factor): 0.0015  
 Correlation coefficient: 0.9986

Validity of Calibration Record: 17 May 2014

Remarks:

QC Reviewer: YW Fung Signature:  Date: 20 May 2013

## EQUIPMENT CALIBRATION RECORD

Type: Laser Dust Monitor  
 Manufacturer/Brand: SIBATA  
 Model No.: LD-3B  
 Equipment No.: A.005.14a  
 Sensitivity Adjustment Scale Setting: 786 CPM

Operator: Mike Shek (MSKM)

### Standard Equipment

Equipment: Rupprecht & Patashnick TEOM®  
 Venue: Cyberport (Pui Ying Secondary School)  
 Model No.: Series 1400AB  
 Serial No: Control: 140AB219899803  
 Sensor: 1200C143659803 K<sub>0</sub>: 12500  
 Last Calibration Date\*: 18 May 2013

\*Remarks: Recommended interval for hardware calibration is 1 year

### Calibration Result

Sensitivity Adjustment Scale Setting (Before Calibration): 786 CPM  
 Sensitivity Adjustment Scale Setting (After Calibration): 786 CPM

Hour	Date (dd-mm-yy)	Time	Ambient Condition		Concentration <sup>1</sup> (mg/m <sup>3</sup> ) Y-axis	Total Count <sup>2</sup>	Count/ Minute <sup>3</sup> X-axis
			Temp (°C)	R.H. (%)			
1	18-05-13	12:15 - 13:15	28.1	78	0.04685	2005	33.42
2	18-05-13	13:15 - 14:15	28.1	78	0.04941	2121	35.35
3	18-05-13	14:15 - 15:15	28.2	77	0.05127	2194	36.57
4	18-05-13	15:15 - 16:15	28.1	78	0.05060	2167	36.12

- Note: 1. Monitoring data was measured by Rupprecht & Patashnick TEOM®  
 2. Total Count was logged by Laser Dust Monitor  
 3. Count/minute was calculated by (Total Count/60)

By Linear Regression of Y or X

Slope (K-factor): 0.0014  
 Correlation coefficient: 0.9987

Validity of Calibration Record: 17 May 2014

Remarks:

QC Reviewer: YW Fung Signature:  Date: 20 May 2013





## CERTIFICATE OF CALIBRATION

Certificate No.: 12CA1008 02 Page 1 of 2

### Item tested

Description:	Sound Level Meter (Type 1)	Microphone	Preamp
Manufacturer:	Rion Co., Ltd.	Rion Co., Ltd.	Rion Co., Ltd.
Type/Model No.:	NL-31	UC-53A	NH-19
Serial/Equipment No.:	00320528 / N 007.03A	90565	75883
Adaptors used:	-	-	-

### Item submitted by

Customer Name: AECOM ASIA CO., LTD.  
Address of Customer: -  
Request No.: -  
Date of receipt: 08-Oct-2012

Date of test: 08-Oct-2012

### Reference equipment used in the calibration

Description:	Model:	Serial No.	Expiry Date:	Traceable to:
Multi function sound calibrator	B&K 4226	2288444	22-Jun-2013	CIGISMEC
Signal generator	DS 360	33873	29-May-2013	CEPREI
Signal generator	DS 360	61227	29-May-2013	CEPREI

### Ambient conditions

Temperature: (22 ± 1) °C  
Relative humidity: (60 ± 10) %  
Air pressure: (1000 ± 5) hPa

### Test specifications

- 1, The Sound Level Meter has been calibrated in accordance with the requirements as specified in BS 7580: Part 1: 1997 and the lab calibration procedure SMTP004-CA-152.
- 2, The electrical tests were performed using an electrical signal substituted for the microphone which was removed and replaced by an equivalent capacitance within a tolerance of ±20%.
- 3, The acoustic calibration was performed using an B&K 4226 sound calibrator and corrections was applied for the difference between the free-field and pressure responses of the Sound Level Meter.

### Test results

This is to certify that the Sound Level Meter conforms to BS 7580: Part 1: 1997 for the conditions under which the test was performed.

Details of the performed measurements are presented on page 2 of this certificate.

Actual Measurement data are documented on worksheets.

Approved Signatory:

Huang Jian Min/Feng Jun Qi

Date: 08-Oct-2012

Company Chop:



Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument.



## CERTIFICATE OF CALIBRATION

Certificate No.: 13CA0325 01-01 Page 1 of 2

### Item tested

Description:	Sound Level Meter (Type 1)	Microphone
Manufacturer:	B & K	B & K
Type/Model No.:	2238	4188
Serial/Equipment No.:	2285692 11009.04	2250420
Adaptors used:	-	-

### Item submitted by

Customer Name: AECOM ASIA CO., LTD.  
Address of Customer: -  
Request No.: -  
Date of receipt: 25-Mar-2013

Date of test: 26-Mar-2013

### Reference equipment used in the calibration

Description:	Model:	Serial No.	Expiry Date:	Traceable to:
Multi function sound calibrator	B&K 4226	2288444	22-Jun-2013	CIGISMEC
Signal generator	DS 360	33873	29-May-2013	CEPREI
Signal generator	DS 360	61227	29-May-2013	CEPREI

### Ambient conditions

Temperature:  $22 \pm 1$  °C  
Relative humidity:  $60 \pm 10$  %  
Air pressure:  $1000 \pm 10$  hPa

### Test specifications

- 1, The Sound Level Meter has been calibrated in accordance with the requirements as specified in BS 7580: Part 1: 1997 and the lab calibration procedure SMTP004-CA-152.
- 2, The electrical tests were performed using an electrical signal substituted for the microphone which was removed and replaced by an equivalent capacitance within a tolerance of  $\pm 20\%$ .
- 3, The acoustic calibration was performed using an B&K 4226 sound calibrator and corrections was applied for the difference between the free-field and pressure responsess of the Sound Level Meter.

### Test results

This is to certify that the Sound Level Meter conforms to BS 7580: Part 1: 1997 for the conditions under which the test was performed.

Details of the performed measurements are presented on page 2 of this certificate.

Actual Measurement data are documented on worksheets.

Approved Signatory:

Huang Jian Min/Feng Jun Qi

Date: 26-Mar-2013

Company Chop:



Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument.



## CERTIFICATE OF CALIBRATION

Certificate No.: 13CA0325 01-03

Page: 1 of 2

### Item tested

Description: Acoustical Calibrator (Class 1)  
Manufacturer: Rion Co., Ltd.  
Type/Model No.: NC-73  
Serial/Equipment No.: 10186482 / N.004.09  
Adaptors used: -

### Item submitted by

Customer: AECOM ASIA CO., LTD.  
Address of Customer: -  
Request No.: -  
Date of receipt: 25-Mar-2013

Date of test: 26-Mar-2013

### Reference equipment used in the calibration

Description:	Model:	Serial No.	Expiry Date:	Traceable to:
Lab standard microphone	B&K 4180	2412857	29-May-2013	SCL
Preamplifier	B&K 2673	2239857	17-Dec-2013	CEPREI
Measuring amplifier	B&K 2610	2346941	17-Dec-2013	CEPREI
Signal generator	DS 360	61227	29-May-2013	CEPREI
Digital multi-meter	34401A	US36087050	10-Dec-2013	CEPREI
Audio analyzer	8903B	GB41300350	29-May-2013	CEPREI
Universal counter	53132A	MY40003662	29-May-2013	CEPREI

### Ambient conditions

Temperature: 22 ± 1 °C  
Relative humidity: 60 ± 10 %  
Air pressure: 1000 ± 10 hPa

### Test specifications

- The Sound Calibrator has been calibrated in accordance with the requirements as specified in IEC 60942 1997 Annex B and the lab calibration procedure SMTP004-CA-156.
- The calibrator was tested with its axis vertical facing downwards at the specific frequency using insert voltage technique.
- The results are rounded to the nearest 0.01 dB and 0.1 Hz and have not been corrected for variations from a reference pressure of 1013.25 hectoPascals as the maker's information indicates that the instrument is insensitive to pressure changes.

### Test results

This is to certify that the sound calibrator conforms to the requirements of annex B of IEC 60942: 1997 for the conditions under which the test was performed. This does not imply that the sound calibrator meets IEC 60942 under any other conditions.

Details of the performed measurements are presented on page 2 of this certificate.

Approved Signatory:

Huang Jian Min/Feng Jun Qi

Date: 26-Mar-2013

Company Chop:



Comments: The results reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long-term stability of the instrument.

# REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



**Work Order:** HK1318311  
**Date of Issue:** 12/07/2013  
**Client:** AECOM ASIA COMPANY LIMITED

**Description:** Sonde Environmental Monitoring System  
**Brand Name:** YSI  
**Model No.:** 6820 V2  
**Serial No.:** 12D100972  
**Equipment No.:** --  
**Date of Calibration:** 09 July, 2013                      **Date of next Calibration:** 09 October, 2013

**Parameters:**

**Conductivity**

**Method Ref: APHA (21st edition), 2510B**

Expected Reading (uS/cm)	Displayed Reading (uS/cm )	Tolerance (%)
146.9	145.5	-1.0
6667	6351	-4.7
12890	12650	-1.9
58670	58450	-0.4
Tolerance Limit (±%)		10.0

**Dissolved Oxygen**

**Method Ref: APHA (21st edition), 4500: G**

Expected Reading (mg/L)	Displayed Reading (mg/L)	Tolerance (mg/L)
3.80	3.85	0.05
5.00	5.06	0.06
7.51	7.46	-0.05
Tolerance Limit (±mg/L)		0.20

**pH Value**

**Method Ref: APHA 21st Ed. 4500H:B**

Expected Reading (pH Unit)	Displayed Reading (pH Unit)	Tolerance (pH unit)
4.0	3.99	-0.01
7.0	7.10	0.10
10.0	9.97	-0.03
Tolerance Limit (±pH unit)		0.20

**Salinity**

**Method Ref: APHA (21st edition), 2520B**

Expected Reading (ppt)	Displayed Reading (ppt)	Tolerance (%)
0	0.01	--
10	9.62	-3.8
20	19.73	-1.4
30	29.96	-0.1
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.

Mr. Fung Lim Chee, Richard  
 General Manager -  
 Greater China & Hong Kong

# REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



**Work Order:** HK1318311  
**Date of Issue:** 12/07/2013  
**Client:** AECOM ASIA COMPANY LIMITED

**Description:** Sonde Environmental Monitoring System  
**Brand Name:** YSI  
**Model No.:** 6820 V2  
**Serial No.:** 12D100972  
**Equipment No.:** --  
**Date of Calibration:** 09 July, 2013                      **Date of next Calibration:** 09 October, 2013

**Parameters:**

**Temperature**

**Method Ref: Section 6 of International Accreditation New Zealand Technical Guide No. 3 Second edition March 2008: Working Thermometer Calibration Procedure.**

Expected Reading (°C)	Displayed Reading (°C)	Tolerance (°C)
15.0	14.63	-0.4
24.5	24.57	0.1
35.5	35.22	-0.3
Tolerance Limit (±°C)		2.0

**Turbidity**

**Method Ref: APHA (21st edition), 2130B**

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)
0	0.0	--
4	4.1	2.5
10	9.7	-3.0
20	20.3	1.5
50	49.2	-1.6
100	99.8	-0.2
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.

# REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



**Work Order:** HK1322077  
**Date of Issue:** 21/08/2013  
**Client:** AECOM ASIA COMPANY LIMITED

**Description:** YSI Sonde  
**Brand Name:** YSI  
**Model No.:** 6820 V2  
**Serial No.:** 12A101545  
**Equipment No.:** --  
**Date of Calibration:** 15 August, 2013

**Date of next Calibration:** 15 November, 2013

**Parameters:**

**Conductivity**

**Method Ref: APHA (21st edition), 2510B**

Expected Reading (uS/cm)	Displayed Reading (uS/cm )	Tolerance (%)
146.9	152.0	3.5
6667	6582	-1.3
12890	11950	-7.3
58670	56820	-3.2
Tolerance Limit (±%)		10.0

**Dissolved Oxygen**

**Method Ref: APHA (21st edition), 4500O: G**

Expected Reading (mg/L)	Displayed Reading (mg/L)	Tolerance (mg/L)
3.45	3.49	0.04
5.80	5.85	0.05
7.25	7.29	0.04
Tolerance Limit (±mg/L)		0.20

**pH Value**

**Method Ref: APHA 21st Ed. 4500H:B**

Expected Reading (pH Unit)	Displayed Reading (pH Unit)	Tolerance (pH unit)
4.0	3.99	-0.01
7.0	7.07	0.07
10.0	10.00	0.00
Tolerance Limit (±pH unit)		0.20

**Salinity**

**Method Ref: APHA (21st edition), 2520B**

Expected Reading (ppt)	Displayed Reading (ppt)	Tolerance (%)
0	0.02	--
10	9.83	-1.7
20	19.41	-3.0
30	29.13	-2.9
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.

Mr. Fung Lim Chee, Richard  
 General Manager  
 Greater China & Hong Kong

# REPORT OF EQUIPMENT PERFORMANCE CHECK/CALIBRATION



Work Order: HK1322077  
 Date of Issue: 21/08/2013  
 Client: AECOM ASIA COMPANY LIMITED

Description: YSI Sonde  
 Brand Name: YSI  
 Model No.: 6820 V2  
 Serial No.: 12A101545  
 Equipment No.: --  
 Date of Calibration: 15 August, 2013

Date of next Calibration: 15 November, 2013

**Parameters:**

**Temperature**

Method Ref: Section 6 of International Accreditation New Zealand Technical Guide No. 3 Second edition March 2008: Working Thermometer Calibration Procedure.

Expected Reading (°C)	Displayed Reading (°C)	Tolerance (°C)
15.0	14.86	-0.1
25.5	25.39	-0.1
36.0	36.10	0.1
Tolerance Limit (±°C)		2.0

**Turbidity**

Method Ref: APHA (21st edition), 2130B

Expected Reading (NTU)	Displayed Reading (NTU)	Tolerance (%)
0	0	--
4	4.1	2.5
10	10.2	2.0
20	20.5	2.5
50	51.1	2.2
100	100.8	0.8
Tolerance Limit (±%)		10.0

Remark: "Displayed Reading" presents the figures shown on item under calibration / checking regardless of equipment precision or significant figures.

**Hong Kong Boundary Crossing Facilities – Reclamation Works  
Impact Monitoring Schedule for September 2013**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
01-Sep	02-Sep	03-Sep	04-Sep	05-Sep	06-Sep	07-Sep
	Impact Water Quality Monitoring Mid-Ebb 11:16 Mid-Flood 18:11  24-hour TSP 1-hour TSP Noise		Impact Water Quality Monitoring Mid-Ebb 12:27 Mid-Flood 18:59		Impact Water Quality Monitoring Mid-Ebb 13:33 Mid-Flood 19:48	24-hour TSP 1-hour TSP Noise
08-Sep	09-Sep	10-Sep	11-Sep	12-Sep	13-Sep	14-Sep
	Impact Water Quality Monitoring Mid-Flood 9:14 Mid-Ebb 15:18		Impact Water Quality Monitoring Mid-Flood 11:13 Mid-Ebb 16:54		Impact Water Quality Monitoring Mid-Ebb 6:26 Mid-Flood 14:32  24-hour TSP 1-hour TSP Noise	
15-Sep	16-Sep	17-Sep	18-Sep	19-Sep	20-Sep	21-Sep
	Impact Water Quality Monitoring Mid-Ebb 10:20 Mid-Flood 17:34	Dolphin Survey	Impact Water Quality Monitoring Mid-Ebb 12:00 Mid-Flood 18:44	Dolphin* Survey  24-hour TSP 1-hour TSP Noise	Impact Water Quality Monitoring Mid-Ebb 13:23 Mid-Flood 19:38	
22-Sep	23-Sep	24-Sep	25-Sep	26-Sep	27-Sep	28-Sep
	Impact Water Quality Monitoring Mid-Flood^ 9:26 Mid-Ebb^ 15:10  Dolphin Survey	Dolphin Survey	Impact Water Quality Monitoring Mid-Flood 11:08 Mid-Ebb 16:24  24-hour TSP 1-hour TSP Noise		Impact Water Quality Monitoring Mid-Ebb 6:01 Mid-Flood 18:36  Dolphin Survey	24-hour TSP 1-hour TSP
29-Sep	30-Sep					
	Impact Water Quality Monitoring Mid-Ebb 9:47 Mid-Flood 16:58					

The schedule is subject to change due to unforeseeable circumstances (e.g. adverse weather, etc)

#Due to adverse weather and sea condition, the Dolphin Survey was rescheduled from 18 Sept. 13 to 19 Sept. 13.

^Impact Water Quality Monitoring on 23 Sept 2013 was cancelled due to typhoon No.3 or above was hoisted 23 Sept. 2013.



**Hong Kong Boundary Crossing Facilities – Reclamation Works  
Tentative Impact Water Quality Monitoring Schedule for Oct 2013**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		01-Oct	02-Oct	03-Oct	04-Oct	05-Oct
			Mid-Ebb 11:16 Mid-Flood 17:46	24-hour TSP 1-hour TSP Noise	Mid-Ebb 12:28 Mid-Flood 18:35	
06-Oct	07-Oct	08-Oct	09-Oct	10-Oct	11-Oct	12-Oct
	Mid-Flood 8:28 Mid-Ebb 14:24		Mid-Flood 10:16 Mid-Ebb 15:57  24-hour TSP 1-hour TSP Noise		Mid-Flood 12:41 Mid-Ebb 18:03	
13-Oct	14-Oct	15-Oct	16-Oct	17-Oct	18-Oct	19-Oct
	Mid-Ebb 8:52 Mid-Flood 16:17	24-hour TSP 1-hour TSP Noise  Dolphin Survey	Mid-Ebb 10:51 Mid-Flood 17:31  Dolphin Survey	Dolphin Survey	Mid-Ebb 12:20 Mid-Flood 18:25	24-hour TSP 1-hour TSP
20-Oct	21-Oct	22-Oct	23-Oct	24-Oct	25-Oct	26-Oct
	Mid-Flood 8:36 Mid-Ebb 14:13		Mid-Flood 10:05 Mid-Ebb 15:24	Dolphin Survey	Mid-Flood 11:54 Mid-Ebb 16:32  24-hour TSP 1-hour TSP Noise  Dolphin Survey	
27-Oct	28-Oct	29-Oct	30-Oct	31-Oct		
	Mid-Ebb 7:06 Mid-Flood 15:23		Mid-Ebb 9:41 Mid-Flood 16:25	24-hour TSP 1-hour TSP Noise		

The schedule is subject to change due to unforeseeable circumstances (e.g. adverse weather, etc)

## Appendix G Impact Air Quality Monitoring Results

### 1-hour TSP Monitoring Results at Station AMS2 - Tung Chung Development Pier

Date	Session	Weather Condition	averaged Wind Speed (m/s)*	Time (hh:mm)	Conc. ( $\mu\text{g}/\text{m}^3$ )	Actino Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}^3$ )
02-Sep-13	1st Hour	Sunny	7.8	12:00	82	374	500
02-Sep-13	2nd Hour	Sunny	7.8	13:00	82	374	500
02-Sep-13	3rd Hour	Sunny	7.8	14:00	82	374	500
07-Sep-13	1st Hour	Sunny	6.5	13:45	77	374	500
07-Sep-13	2nd Hour	Sunny	6.5	14:45	76	374	500
07-Sep-13	3rd Hour	Sunny	6.5	15:45	76	374	500
13-Sep-13	1st Hour	Fine	3.7	13:03	81	374	500
13-Sep-13	2nd Hour	Fine	3.7	14:03	82	374	500
13-Sep-13	3rd Hour	Fine	3.7	15:03	81	374	500
19-Sep-13	1st Hour	Sunny	2.0	13:15	75	374	500
19-Sep-13	2nd Hour	Sunny	2.0	14:15	75	374	500
19-Sep-13	3rd Hour	Sunny	2.0	15:15	76	374	500
25-Sep-13	1st Hour	Sunny	2.7	10:45	81	374	500
25-Sep-13	2nd Hour	Sunny	2.7	11:45	84	374	500
25-Sep-13	3rd Hour	Sunny	2.7	12:45	85	374	500
28-Sep-13	1st Hour	Sunny	1.6	13:30	86	374	500
28-Sep-13	2nd Hour	Sunny	1.6	14:30	87	374	500
28-Sep-13	3rd Hour	Sunny	1.6	15:30	84	374	500
					Average	81	
					Min	75	
					Max	87	

### 1-hour TSP Monitoring Results at Station AMS3A - Site Boundary of Site Office (WA2)

Date	Session	Weather Condition	averaged Wind Speed (m/s)*	Time (hh:mm)	Conc. ( $\mu\text{g}/\text{m}^3$ )	Actino Level ( $\mu\text{g}/\text{m}^3$ ^)	Limit Level ( $\mu\text{g}/\text{m}^3$ )
02-Sep-13	1st Hour	Sunny	7.8	12:15	83	368	500
02-Sep-13	2nd Hour	Sunny	7.8	13:15	83	368	500
02-Sep-13	3rd Hour	Sunny	7.8	14:15	82	368	500
07-Sep-13	1st Hour	Sunny	6.5	13:55	76	368	500
07-Sep-13	2nd Hour	Sunny	6.5	14:55	77	368	500
07-Sep-13	3rd Hour	Sunny	6.5	15:55	78	368	500
13-Sep-13	1st Hour	Fine	3.7	13:16	82	368	500
13-Sep-13	2nd Hour	Fine	3.7	14:16	81	368	500
13-Sep-13	3rd Hour	Fine	3.7	15:16	82	368	500
19-Sep-13	1st Hour	Sunny	2.0	13:23	78	368	500
19-Sep-13	2nd Hour	Sunny	2.0	14:23	77	368	500
19-Sep-13	3rd Hour	Sunny	2.0	15:23	77	368	500
25-Sep-13	1st Hour	Sunny	2.7	11:00	85	368	500
25-Sep-13	2nd Hour	Sunny	2.7	12:00	86	368	500
25-Sep-13	3rd Hour	Sunny	2.7	13:00	87	368	500
28-Sep-13	1st Hour	Sunny	1.6	13:40	87	368	500
28-Sep-13	2nd Hour	Sunny	1.6	14:40	89	368	500
28-Sep-13	3rd Hour	Sunny	1.6	15:40	85	368	500
					Average	82	
					Min	76	
					Max	89	

Remarks:

^ Action Level set out at AMS3 Ho Yu College is adopted.

### 1-hour TSP Monitoring Results at Station AMS7 - Hong Kong SkyCity Marriott Hotel

Date	Session	Weather Condition	averaged Wind Speed (m/s)*	Time (hh:mm)	Conc. ( $\mu\text{g}/\text{m}^3$ )	Actino Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}^3$ )
02-Sep-13	1st Hour	Sunny	7.8	14:07	81	370	500
02-Sep-13	2nd Hour	Sunny	7.8	15:07	82	370	500
02-Sep-13	3rd Hour	Sunny	7.8	16:07	83	370	500
07-Sep-13	1st Hour	Sunny	6.5	13:30	74	370	500
07-Sep-13	2nd Hour	Sunny	6.5	14:30	74	370	500
07-Sep-13	3rd Hour	Sunny	6.5	15:30	75	370	500
13-Sep-13	1st Hour	Fine	3.7	13:25	80	370	500
13-Sep-13	2nd Hour	Fine	3.7	14:25	81	370	500
13-Sep-13	3rd Hour	Fine	3.7	15:25	81	370	500
19-Sep-13	1st Hour	Sunny	2.0	13:03	75	370	500
19-Sep-13	2nd Hour	Sunny	2.0	14:03	76	370	500
19-Sep-13	3rd Hour	Sunny	2.0	15:03	76	370	500
25-Sep-13	1st Hour	Sunny	2.7	10:30	77	370	500
25-Sep-13	2nd Hour	Sunny	2.7	11:30	79	370	500
25-Sep-13	3rd Hour	Sunny	2.7	12:30	82	370	500
28-Sep-13	1st Hour	Sunny	1.6	13:20	84	370	500
28-Sep-13	2nd Hour	Sunny	1.6	14:20	82	370	500
28-Sep-13	3rd Hour	Sunny	1.6	15:20	84	370	500
					Average	79	
					Min	74	
					Max	84	

## Appendix G Impact Air Quality Monitoring Results

### 24-hour TSP Monitoring Results at Station AMS2 - Tung Chung Development Pier

Start Date	Start Time	End Date	End Time	Weather Condition	Air Temp. (°C)	Atmospheric Pressure(hPa)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Filter Weight (g)		Particulate weight(g)	Elapse Time		Sampling Time(hrs.)	Conc. (µg/m <sup>3</sup> )	Actino Level (µg/m <sup>3</sup> )	Limit Level (µg/m <sup>3</sup> )
							Initial	Final			Initial	Final		Initial	Final				
02-Sep-13	9:00	03-Sep-13	9:00	Cloudy	27.5	1010.4	1.33	1.33	1.33	1912.3	3.6210	3.6688	0.0478	2261.84	2285.84	24.00	25	176	260
06-Sep-13	16:00	07-Sep-13	16:00	Sunny	27.5	1013.6	1.33	1.33	1.33	1912.3	2.9230	3.0100	0.0870	2285.84	2309.84	24.00	45	176	260
12-Sep-13	16:00	13-Sep-13	16:00	Fine	27.8	1009.7	1.33	1.33	1.33	1912.3	2.9452	3.0158	0.0706	2309.84	2333.84	24.00	37	176	260
18-Sep-13	16:00	19-Sep-13	16:00	Sunny	28.5	1007.9	1.33	1.33	1.33	1912.3	2.9920	3.1434	0.1514	2333.84	2357.84	24.00	79	176	260
24-Sep-13	16:00	25-Sep-13	16:00	Sunny	28.2	1010.0	1.33	1.33	1.33	1912.3	3.7351	3.8026	0.0675	2357.84	2381.84	24.00	35	176	260
27-Sep-13	16:00	28-Sep-13	16:00	Sunny	26.5	1008.8	1.33	1.33	1.33	1912.3	2.9381	3.0857	0.1476	2381.84	2405.84	24.00	77	176	260
																Average	50		
																Min	25		
																Max	79		

### 24-hour TSP Monitoring Results at Station AMS3A - Site Boundary of Site Office (WA2)

Start Date	Start Time	End Date	End Time	Weather Condition	Air Temp. (°C)	Atmospheric Pressure(hPa)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Filter Weight (g)		Particulate weight(g)	Elapse Time		Sampling Time(hrs.)	Conc. (µg/m <sup>3</sup> )	Actino Level (µg/m <sup>3</sup> )	Limit Level (µg/m <sup>3</sup> )
							Initial	Final			Initial	Final		Initial	Final				
02-Sep-13	9:00	03-Sep-13	9:00	Cloudy	27.5	1010.4	1.32	1.32	1.32	1903.7	3.6147	3.6672	0.0525	2222.20	2246.20	24.00	28	167	260
06-Sep-13	16:00	07-Sep-13	16:00	Sunny	27.5	1013.6	1.32	1.32	1.32	1903.7	2.9658	3.0603	0.0945	2246.30	2270.30	24.00	50	167	260
12-Sep-13	16:00	13-Sep-13	16:00	Fine	27.8	1009.7	1.32	1.32	1.32	1903.7	2.9721	3.2665	0.2944	2270.30	2294.30	24.00	155	167	260
18-Sep-13	16:00	19-Sep-13	16:00	Sunny	28.5	1007.9	1.32	1.32	1.32	1903.7	3.7263	4.0560	0.3297	2294.30	2318.30	24.00	173	167	260
24-Sep-13	16:00	25-Sep-13	16:00	Sunny	28.2	1010.0	1.32	1.32	1.32	1903.7	3.7281	3.8473	0.1192	2318.30	2342.30	24.00	63	167	260
27-Sep-13	16:00	28-Sep-13	16:00	Sunny	26.5	1008.8	1.32	1.32	1.32	1903.7	2.9660	3.1387	0.1727	2342.30	2366.30	24.00	91	167	260
																Average	93		
																Min	28		
																Max	173		




Remarks:

^ Action Level set out at AMS3 Ho Yu College is adopted.




### 24-hour TSP Monitoring Results at Station AMS7 - Hong Kong SkyCity Marriott Hotel

Start Date	Start Time	End Date	End Time	Weather Condition	Air Temp. (°C)	Atmospheric Pressure(hPa)	Flow Rate (m <sup>3</sup> /min.)		Av. flow (m <sup>3</sup> /min)	Total vol. (m <sup>3</sup> )	Filter Weight (g)		Particulate weight(g)	Elapse Time		Sampling Time(hrs.)	Conc. (µg/m <sup>3</sup> )	Actino Level (µg/m <sup>3</sup> )	Limit Level (µg/m <sup>3</sup> )
							Initial	Final			Initial	Final		Initial	Final				
02-Sep-13	14:07	03-Sep-13	14:07	Cloudy	27.5	1010.4	1.33	1.33	1.33	1916.6	3.6156	3.6452	0.0296	2243.98	2267.98	24.00	15	183	260
06-Sep-13	16:00	07-Sep-13	16:00	Sunny	27.5	1013.6	1.33	1.33	1.33	1916.6	2.9906	3.0744	0.0838	2267.98	2291.98	24.00	44	183	260
12-Sep-13	16:00	13-Sep-13	16:00	Fine	27.8	1009.7	1.33	1.33	1.33	1916.6	2.9954	3.0652	0.0698	2291.98	2315.98	24.00	36	183	260
18-Sep-13	16:00	19-Sep-13	16:00	Sunny	28.5	1007.9	1.33	1.33	1.33	1916.6	3.6209	3.7555	0.1346	2315.98	2339.98	24.00	70	183	260
24-Sep-13	16:00	25-Sep-13	16:00	Sunny	28.2	1010.0	1.33	1.33	1.33	1916.6	3.7253	3.8058	0.0805	2339.98	2363.98	24.00	42	183	260
27-Sep-13	16:00	28-Sep-13	16:00	Sunny	26.5	1008.8	1.33	1.33	1.33	1916.6	2.9133	3.0463	0.1330	2363.98	2387.98	24.00	69	183	260
																Average	46		
																Min	15		
																Max	70		

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.



This Drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.



This Drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

HONG KONG - ZHUHAI - MACAO BRIDGE  
 HONG KONG BOUNDARY CROSSING FACILITIES  
 - RECLAMATION WORKS

## Graphical Presentation of Impact 24-hour TSP Monitoring Results



APPENDIX H Meteorological Data for Monitoring Periods on Monitoring Dates in September 2013

WIND DATA

Date	Time	Averaged Wind Speed (m/s)	Averaged Wind Direction (degrees)
02/09/13	08:35:52	11.43	39.48
02/09/13	09:35:52	11.72	38.14
02/09/13	10:35:52	10.04	20.24
02/09/13	11:35:52	11.4	354.88
02/09/13	12:35:52	7.92	22.93
02/09/13	13:35:52	8.52	23.04
02/09/13	14:35:52	7.4	93.84
02/09/13	14:36:12	7.13	88.58
02/09/13	15:36:12	8.66	152
02/09/13	16:36:12	9.78	70.01
02/09/13	17:36:12	10.36	282.52
02/09/13	18:36:12	7.83	60.84
02/09/13	19:36:12	7.18	261.05
02/09/13	20:36:12	5.16	243.04
02/09/13	21:36:12	6.08	205.12
02/09/13	22:36:12	6.49	160.16
02/09/13	23:36:12	6.83	181.97
03/09/13	00:36:12	6.7	125.27
03/09/13	01:36:12	6.2	157.14
03/09/13	02:36:12	6.18	141.82
03/09/13	03:36:12	6.38	159.49
03/09/13	04:36:12	6.43	138.46
03/09/13	05:36:12	6.35	143.27
03/09/13	06:36:12	6.53	152.78
03/09/13	07:36:12	6.41	153.9
03/09/13	08:36:12	7.55	220.67
03/09/13	09:36:12	7.87	135.11
06/09/13	15:36:12	8.1	102.67
06/09/13	16:36:12	8.06	100.77
06/09/13	17:36:12	7.2	115.87
06/09/13	18:36:12	6.2	106.03
06/09/13	19:36:12	6.14	96.3
06/09/13	20:36:12	6.41	122.02
06/09/13	21:36:12	6.35	75.61
06/09/13	22:36:12	5.73	132.98
06/09/13	23:36:12	5.25	35.12
07/09/13	00:36:12	4.99	128.4
07/09/13	01:36:12	5.13	87.91
07/09/13	02:36:12	5.36	72.81
07/09/13	03:36:12	5.25	76.84
07/09/13	04:36:12	5.29	59.61
07/09/13	05:36:12	5.37	111.4
07/09/13	06:36:12	5.23	85.9
07/09/13	07:36:12	6.43	55.7
07/09/13	08:36:12	6.25	25.95
07/09/13	09:36:12	7.76	72.7
07/09/13	10:36:12	6.27	26.84
07/09/13	11:36:12	7.94	71.25
07/09/13	12:36:12	8.45	30.98
07/09/13	13:36:12	7.81	350.63
07/09/13	14:36:12	7.27	18.57
07/09/13	15:36:12	7.76	124.26
07/09/13	16:36:12	7.76	148.53
12/09/13	15:36:12	3.66	95.96
12/09/13	16:36:12	4.67	101.11
12/09/13	17:36:12	4.28	102.34
12/09/13	18:36:12	5.37	92.16
12/09/13	19:36:12	4.08	122.02
12/09/13	20:36:12	4.91	118.78
12/09/13	21:36:12	4.48	71.47
12/09/13	22:36:12	4.24	114.31
12/09/13	23:36:12	4.2	95.29
13/09/13	00:36:12	4.11	68.67
13/09/13	01:36:12	4.2	135.78
13/09/13	02:36:12	4	144.84
13/09/13	03:36:12	3.9	107.15
13/09/13	04:36:12	3.83	150.65
13/09/13	05:36:12	4.14	147.86
13/09/13	06:36:12	4.1	139.25
13/09/13	07:36:12	3.8	75.5
13/09/13	08:36:12	2.78	29.08
13/09/13	09:36:12	2.25	17.56
13/09/13	10:36:12	2.24	60.73
13/09/13	11:36:12	4.29	64.76
13/09/13	12:36:12	3.75	110.39
13/09/13	13:36:12	3.92	109.94
13/09/13	14:36:12	2.6	98.98
13/09/13	15:36:12	1.3	128.06
13/09/13	16:36:12	1.78	90.82
18/09/13	15:36:12	2.83	97.64
18/09/13	16:36:12	4.18	125.04
18/09/13	17:36:12	5.29	102.79
18/09/13	18:36:12	2.45	84.44
18/09/13	19:36:12	2.81	126.27
18/09/13	20:36:12	1.52	122.47
18/09/13	21:36:12	2.29	100.88
18/09/13	22:36:12	1.36	106.36
18/09/13	23:36:12	2.03	94.62
19/09/13	00:36:12	1.37	109.5
19/09/13	01:36:12	1.29	121.13
19/09/13	02:36:12	0.39	111.84
19/09/13	03:36:12	0.41	116.99
19/09/13	04:36:12	0.39	89.36

**APPENDIX H Meteorological Data for Monitoring Periods on Monitoring Dates in September 2013**

**WIND DATA**

Date	Time	Averaged Wind Speed (m/s)	Averaged Wind Direction (degrees)
19/09/13	05:36:12	0.43	151.77
19/09/13	06:36:12	0.78	156.47
19/09/13	07:36:12	0.38	117.77
19/09/13	08:36:12	0.28	59.95
19/09/13	09:36:12	0.42	21.25
19/09/13	10:36:12	4.13	106.7
19/09/13	11:36:12	5.09	76.84
19/09/13	12:36:12	4.49	116.21
25/09/13	11:49:00	1.89	120.57
25/09/13	12:49:00	3.59	111.51
25/09/13	13:49:00	3.76	123.7
25/09/13	14:49:00	3.54	126.05
25/09/13	15:49:00	2.81	163.96
25/09/13	16:49:00	0.83	165.75
27/09/13	15:49:00	0.2	68.78
27/09/13	16:49:00	2.06	168.33
27/09/13	17:49:00	1.13	114.98
27/09/13	18:49:00	3.36	152.22
27/09/13	19:49:00	2.29	140.59
27/09/13	20:49:00	1.82	131.53
27/09/13	21:49:00	1.99	131.08
27/09/13	22:49:00	2.15	125.6
27/09/13	23:49:00	1.51	114.42
28/09/13	00:49:00	1.65	119.9
28/09/13	01:49:00	1.41	97.53
28/09/13	02:49:00	1.27	68.78
28/09/13	03:49:00	1.8	112.4
28/09/13	04:49:00	1.61	110.06
28/09/13	05:49:00	1.44	105.13
28/09/13	06:49:00	1.31	97.19
28/09/13	07:49:00	2.62	52.34
28/09/13	08:49:00	1.78	47.65
28/09/13	09:49:00	1.2	17.78
28/09/13	10:49:00	1.62	46.19
28/09/13	11:49:00	0.95	46.75
28/09/13	12:49:00	1.52	83.66
28/09/13	13:49:00	1.79	83.55

## Appendix I Impact Daytime Construction Noise Monitoring Results

### Daytime Noise Monitoring Results at Station NMS2 - Seaview Crescent Tower 1

Date	Weather Condition	Noise Level for 30-min, dB(A) <sup>#</sup>				Averaged Wind Speed (m/s)	Baseline Noise Level, dB(A)	Limit Level, dB(A)	Exceedance (Y/N)
		Time	L90	L10	Leq				
02-Sep-13	Sunny	14:00	62	68	65	<5m/s	62.9	75	N
13-Sep-13	Fine	14:30	60	68	65	<5m/s	62.9	75	N
19-Sep-13	Sunny	14:36	64	71	68	<5m/s	62.9	75	N
25-Sep-13	Sunny	14:15	60	67	64	<5m/s	62.9	75	N
		Min	60	67	64				
		Max	64	71	68				
		Average	--	--	66				

# Access to the monitoring location NMS2 on 15 Aug 13 was not permitted by the property management of Seaview Crsecent due to hoisting of typhoon signal 1. The noise monitoring event at NMS2 is rescheduled to 17 Aug 13.

### Daytime Noise Monitoring Results at Station NMS3A - Site Boundary of Site Office (WA2)

Date	Weather Condition	Noise Level for 30-min, dB(A) <sup>#</sup>				Averaged Wind Speed (m/s)	Baseline Noise Level, dB(A) ^	Limit Level, dB(A)**	Exceedance (Y/N)
		Time	L90	L10	Leq				
02-Sep-13	Sunny	15:12	64	68	67	<5m/s	66.3	70	N
13-Sep-13	Fine	15:15	60	69	67	<5m/s	66.3	70	N
19-Sep-13	Sunny	13:20	66	70	68	<5m/s	66.3	70	N
25-Sep-13	Sunny	15:00	59	70	66	<5m/s	66.3	70	N
		Min	59	68	66				
		Max	66	70	68				
		Average	--	--	67				

Remark:



<sup>#</sup> A correction of +3dB(A) was made to the free field measurement.

\* Façade measurement.

^ Averaged baseline noise level recorded at NMS3 Ho Yu College is adopted.

\*\* Limit Level of 70dB(A) applies to education institutes while 65dB(A) applies during school examination period.





Remarks: Effective from July 2012, the Limit Level at NMS3A was revised to 70dB(A). Daytime noise Limit Level of 70 dB(A) applies to education institutions, while 65dB(A) applies during school examination period.

This Drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written con

**Appendix J - Marine Water Quality Monitoring Results**

**Water Quality Monitoring Results at CS(Mf)3 - Mid-EbbTide**

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	11:40	6.6	Surface	1.0	28.6 28.8	28.7	7.9 8.0	7.9	13.8 13.5	13.6	79.8 79.4	79.6	5.7 5.6	5.7	5.7	3.0 3.1	3.1	3.9	2.6 2.1	2.4	2.5
					Middle	3.3	28.2 28.3	28.3	7.8 8.0	7.9	15.5 14.9	15.2	79.8 79.2	79.5	5.7 5.6	5.6		3.3 3.7	3.5		2.2 2.3	2.3	
					Bottom	5.6	27.2 27.6	27.4	7.8 7.6	7.7	27.3 27.3	27.3	78.7 80.1	79.4	5.6 5.7	5.6		5.2 4.9	5.1		2.5 2.9	2.7	
4-Sep-13	Rainy	Moderate	12:51	6.4	Surface	1.0	27.2 27.2	27.2	7.7 7.6	7.7	19.9 20.5	20.2	77.7 77.8	77.8	5.4 5.4	5.4	5.4	5.4 5.3	5.4	6.2	2.8 2.4	2.6	3.0
					Middle	3.2	26.9 26.9	26.9	7.6 7.6	7.6	24.5 24.7	24.6	77.5 77.4	77.5	5.4 5.4	5.4		6.4 6.5	6.5		3.5 2.1	2.8	
					Bottom	5.4	26.9 27.0	27.0	7.6 7.6	7.6	25.5 25.5	25.5	73.8 73.9	73.9	5.2 5.2	5.2		6.7 6.9	6.8		3.0 4.3	3.7	
6-Sep-13	Sunny	Moderate	13:41	6.4	Surface	1.0	27.6 27.4	27.5	7.8 7.9	7.9	17.7 17.7	17.7	72.7 74.5	73.6	5.2 5.2	5.2	5.2	8.5 8.4	8.5	8.4	2.1 2.4	2.3	2.9
					Middle	3.2	26.9 26.9	26.9	7.8 7.8	7.8	20.9 21.0	21.0	72.8 70.8	71.8	5.2 5.0	5.1		8.3 8.3	8.3		2.5 2.8	2.7	
					Bottom	5.4	27.0 26.7	26.9	7.8 7.8	7.8	22.4 22.9	22.7	71.9 72.8	72.4	5.1 5.2	5.1		8.4 8.4	8.4		3.4 3.7	3.6	
9-Sep-13	Sunny	Moderate	14:56	6.6	Surface	1.0	28.3 28.2	28.3	7.9 7.9	7.9	17.1 17.1	17.1	72.4 71.9	72.2	5.1 5.1	5.1	5.1	4.2 4.3	4.3	6.8	4.6 4.4	4.5	4.3
					Middle	3.3	27.8 27.9	27.9	7.9 7.9	7.9	17.6 17.6	17.6	70.4 70.4	70.4	5.0 5.0	5.0		7.7 7.8	7.8		3.1 4.2	3.7	
					Bottom	5.6	27.6 27.7	27.7	7.8 7.8	7.8	21.5 21.6	21.6	71.0 71.5	71.3	5.0 5.0	5.0		8.4 8.1	8.3		4.1 5.1	4.6	
11-Sep-13	Sunny	Moderate	16:29	6.3	Surface	1.0	28.5 28.5	28.5	8.0 8.0	8.0	16.6 16.6	16.6	77.5 77.5	77.5	5.5 5.5	5.5	5.5	5.4 5.2	5.3	5.5	2.9 3.5	3.2	3.4
					Middle	3.2	27.9 27.9	27.9	8.0 8.0	8.0	19.9 20.2	20.0	77.0 76.8	76.9	5.4 5.4	5.4		5.6 5.5	5.6		4.2 3.0	3.6	
					Bottom	5.3	27.9 27.9	27.9	8.0 8.0	8.0	21.0 21.0	21.0	75.0 74.9	75.0	5.3 5.3	5.3		5.5 5.5	5.5		3.5 3.5	3.5	
13-Sep-13	Fine	Moderate	06:51	7.0	Surface	1.0	28.3 28.3	28.3	8.0 8.0	8.0	17.5 17.3	17.4	80.2 76.2	78.2	5.6 5.4	5.5	5.5	2.0 1.9	2.0	2.0	2.8 2.9	2.9	2.6
					Middle	3.5	28.2 28.3	28.2	8.0 8.0	8.0	18.2 17.6	17.9	78.6 76.2	77.4	5.5 5.4	5.5		2.1 1.9	2.0		2.2 2.4	2.3	
					Bottom	6.0	28.1 28.2	28.2	8.0 8.0	8.0	18.9 18.9	18.9	77.0 75.9	76.5	5.4 5.4	5.4		2.1 2.0	2.1		2.6 2.5	2.6	
16-Sep-13	Sunny	Moderate	11:00	7.1	Surface	1.0	28.6 28.6	28.6	8.1 8.1	8.1	20.6 20.7	20.7	88.2 80.4	84.3	6.0 5.6	5.8	5.7	4.0 4.2	4.1	4.3	3.3 3.0	3.2	3.3
					Middle	3.6	28.2 28.2	28.2	8.1 8.1	8.1	23.2 22.9	23.0	84.3 78.6	81.5	5.8 5.4	5.6		4.2 4.5	4.4		4.0 3.1	3.6	
					Bottom	6.1	28.1 28.1	28.1	8.1 8.1	8.1	25.0 24.6	24.8	82.0 77.8	79.9	5.6 5.3	5.5		4.4 4.5	4.5		3.1 3.2	3.2	
18-Sep-13	Sunny	Moderate	12:11	6.5	Surface	1.0	28.7 28.7	28.7	8.2 8.2	8.2	23.8 23.8	23.8	92.5 92.7	92.6	6.3 6.3	6.3	6.3	7.5 7.2	7.4	9.3	4.9 5.4	5.2	5.4
					Middle	3.3	28.4 28.4	28.4	8.2 8.2	8.2	24.4 24.5	24.4	92.1 91.6	91.9	6.3 6.2	6.2		9.6 9.8	9.7		5.6 5.9	5.8	
					Bottom	5.5	28.3 28.4	28.3	8.2 8.1	8.2	25.6 25.9	25.8	92.4 91.8	92.1	6.2 6.2	6.2		10.6 10.8	10.7		5.4 5.2	5.3	
20-Sep-13	Sunny	Moderate	13:51	6.4	Surface	1.0	28.9 28.9	28.9	8.1 8.1	8.1	22.0 22.1	22.0	85.6 84.3	85.0	5.8 5.8	5.8	5.8	7.8 7.7	7.8	8.4	6.1 7.9	7.0	8.2
					Middle	3.2	28.6 28.6	28.6	8.1 8.1	8.1	23.6 24.0	23.8	86.9 84.0	85.5	5.9 5.7	5.8		8.6 8.7	8.7		8.3 9.2	8.8	
					Bottom	5.4	28.6 28.4	28.5	8.0 8.1	8.1	24.3 25.2	24.7	84.0 89.9	87.0	5.7 6.1	5.9		8.7 8.9	8.8		8.8 9.0	8.9	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS(Mf)3 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	8.0	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	15:56	6.4	Surface	1.0	28.7 28.6	28.7	8.1 8.1	8.1	19.2 19.2	19.2	86.5 85.5	86.0	6.0 6.0	6.0	5.9	6.1 6.5	6.3	7.5	4.3 5.3	4.8	
					Middle	3.2	28.2 28.3	28.2	8.0 8.0	8.0	21.9 21.9	21.9	84.6 84.2	84.4	5.8 5.8	5.8	5.9	8.4 8.4	8.4	7.5	5.5 5.5	5.5	
					Bottom	5.4	28.2 28.3	28.3	8.0 8.0	8.0	22.2 22.1	22.1	83.6 83.1	83.4	5.8 5.7	5.8	5.8	7.9 7.9	7.9	7.5	4.6 5.5	5.1	
27-Sep-13	Fine	Moderate	06:32	7.0	Surface	1.0	28.0 28.0	28.0	8.1 8.1	8.1	23.6 23.6	23.6	86.6 86.8	86.7	6.0 6.0	6.0	5.9	3.9 4.1	4.0	5.8	6.6 5.8	6.2	
					Middle	3.5	28.0 28.0	28.0	8.1 8.1	8.1	23.7 24.0	23.9	83.9 85.3	84.6	5.8 5.9	5.8	5.9	6.0 6.1	6.1	5.8	5.4 4.5	5.0	
					Bottom	6.0	28.0 28.0	28.0	8.1 8.1	8.1	27.4 27.3	27.3	84.7 87.2	86.0	5.7 5.9	5.8	5.8	7.0 7.3	7.2	5.8	4.3 4.4	4.4	
30-Sep-13	Cloudy	Moderate	10:21	6.8	Surface	1.0	27.4 27.4	27.4	8.2 8.2	8.2	28.2 28.2	28.2	92.3 93.4	92.9	6.2 6.3	6.3	6.3	2.3 2.4	2.4	4.9	5.2 4.7	5.0	
					Middle	3.4	27.5 27.5	27.5	8.2 8.2	8.2	28.3 28.2	28.3	91.0 93.3	92.2	6.1 6.3	6.2	6.3	4.0 4.3	4.2	4.9	4.4 4.4	4.7	
					Bottom	5.8	27.8 27.8	27.8	8.2 8.2	8.2	29.8 29.9	29.9	91.3 95.2	93.3	6.1 6.3	6.2	6.2	8.3 7.9	8.1	4.9	4.8 4.4	4.6	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS(Mf)3 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	17:36	6.7	Surface	1.0	28.9 29.0	29.0	8.1 8.1	8.1	15.1 14.2	14.6	82.3 81.2	81.8	5.9 5.8	5.8	5.7	4.5 4.6	4.6	6.4	5.3 5.5	5.4	6.1
					Middle	3.4	27.5 27.5	27.5	8.0 7.9	8.0	20.8 21.3	21.0	76.9 77.8	77.4	5.5 5.6	5.5		5.6 5.7	5.7		5.5 6.2	6.2	
					Bottom	5.7	27.1 27.2	27.2	7.9 7.9	7.9	24.8 24.9	24.8	76.7 75.5	76.1	5.5 5.4	5.4		8.5 9.4	9.0		6.8 6.3	6.6	
4-Sep-13	Cloudy	Moderate	18:45	6.6	Surface	1.0	27.5 27.4	27.4	7.8 7.8	7.8	17.0 17.1	17.1	77.3 76.9	77.1	5.6 5.5	5.5	5.4	3.4 3.4	3.4	3.5	4.4 4.5	4.5	5.3
					Middle	3.3	27.3 27.3	27.3	7.8 7.8	7.8	18.0 18.0	18.0	73.7 73.5	73.6	5.3 5.3	5.3		3.4 3.5	3.5		5.6 5.1	5.4	
					Bottom	5.6	27.1 27.2	27.2	7.8 7.8	7.8	20.7 20.6	20.6	73.9 75.1	74.5	5.2 5.3	5.3		3.6 3.7	3.7		6.7 5.2	6.0	
6-Sep-13	Sunny	Moderate	19:32	6.5	Surface	1.0	27.5 27.5	27.5	7.8 7.8	7.8	17.6 17.7	17.7	75.5 74.8	75.2	5.4 5.4	5.4	5.3	4.9 5.0	5.0	5.9	5.8 6.5	6.2	6.1
					Middle	3.3	27.2 27.3	27.2	7.8 7.8	7.8	18.5 18.4	18.5	72.8 73.8	73.3	5.2 5.3	5.2		6.3 6.3	6.3		6.3 6.1	6.2	
					Bottom	5.5	27.1 27.1	27.1	7.8 7.8	7.8	19.6 19.7	19.6	71.5 74.0	72.8	5.1 5.3	5.2		6.4 6.2	6.3		6.4 5.4	5.9	
9-Sep-13	Sunny	Moderate	09:38	6.7	Surface	1.0	27.6 27.6	27.6	7.8 7.8	7.8	17.7 17.6	17.7	76.0 75.6	75.8	5.5 5.4	5.5	5.5	8.3 8.6	8.5	9.1	3.8 3.7	3.8	3.8
					Middle	3.4	27.3 27.5	27.4	7.8 7.8	7.8	19.4 18.6	19.0	74.8 75.0	74.9	5.4 5.4	5.4		8.8 8.9	8.9		3.8 4.0	3.9	
					Bottom	5.7	27.3 27.3	27.3	7.8 7.8	7.8	21.4 21.3	21.3	74.8 74.6	74.7	5.3 5.3	5.3		9.8 9.8	9.8		3.7 3.5	3.6	
11-Sep-13	Sunny	Moderate	11:21	6.8	Surface	1.0	27.8 27.9	27.9	7.9 7.9	7.9	19.5 18.8	19.2	73.4 71.7	72.6	5.1 5.1	5.1	5.1	10.9 10.6	10.8	11.7	3.5 3.4	3.5	3.6
					Middle	3.4	27.6 27.6	27.6	7.9 7.9	7.9	21.4 21.3	21.4	71.1 71.1	71.1	5.0 5.0	5.0		12.1 12.1	12.1		3.4 3.2	3.3	
					Bottom	5.8	27.6 27.7	27.7	7.9 7.9	7.9	21.6 21.4	21.5	71.2 71.3	71.3	5.0 5.0	5.0		12.4 12.2	12.3		4.6 3.5	4.1	
13-Sep-13	Sunny	Moderate	14:26	7.0	Surface	1.0	28.8 28.8	28.8	8.0 8.0	8.0	16.2 16.2	16.2	84.7 84.4	84.6	6.0 6.0	6.0	5.9	1.8 1.9	1.9	2.0	2.8 3.0	2.9	2.9
					Middle	3.5	28.4 28.6	28.5	8.0 8.0	8.0	16.5 16.3	16.4	83.2 83.2	83.2	5.8 5.8	5.8		2.0 1.9	2.0		3.1 2.7	2.9	
					Bottom	6.0	28.4 28.3	28.4	8.0 8.0	8.0	20.2 19.9	20.1	82.0 82.2	82.1	5.8 5.8	5.8		2.2 2.1	2.2		2.9 2.6	2.8	
16-Sep-13	Sunny	Moderate	17:06	7.1	Surface	1.0	29.3 29.2	29.3	8.2 8.2	8.2	21.4 21.4	21.4	106.7 101.4	104.1	7.3 6.9	7.1	6.9	6.4 6.3	6.4	6.5	8.6 8.4	8.5	9.2
					Middle	3.6	29.0 29.0	29.0	8.2 8.2	8.2	21.5 21.6	21.6	98.8 94.4	96.6	6.8 6.4	6.6		6.4 6.4	6.4		9.2 10.6	9.9	
					Bottom	6.1	28.7 28.5	28.6	8.2 8.2	8.2	22.5 22.6	22.6	95.4 87.6	91.5	6.5 6.0	6.3		6.6 6.8	6.7		9.1 9.4	9.3	
18-Sep-13	Sunny	Moderate	18:31	6.5	Surface	1.0	28.3 28.3	28.3	8.1 8.1	8.1	22.4 22.4	22.4	86.6 86.8	86.7	6.0 6.0	6.0	6.0	8.6 8.5	8.6	10.4	4.1 5.3	4.7	4.6
					Middle	3.3	28.4 28.3	28.3	8.1 8.1	8.1	23.1 22.9	23.0	86.6 86.4	86.5	5.9 5.9	5.9		11.4 11.4	11.4		4.3 5.2	4.8	
					Bottom	5.5	28.4 28.4	28.4	8.1 8.1	8.1	23.1 23.2	23.2	86.6 86.7	86.7	5.9 5.9	5.9		11.0 11.2	11.1		4.5 4.3	4.4	
20-Sep-13	Fine	Moderate	19:16	6.6	Surface	1.0	29.1 29.1	29.1	8.0 8.0	8.0	21.5 21.6	21.5	80.6 80.6	80.6	5.5 5.5	5.5	5.5	10.3 10.2	10.3	13.8	3.9 4.1	4.0	5.2
					Middle	3.3	29.1 29.1	29.1	8.0 8.0	8.0	21.9 22.2	22.1	80.4 80.4	80.4	5.5 5.5	5.5		15.4 15.5	15.5		5.1 5.4	5.3	
					Bottom	5.6	29.1 29.1	29.1	8.0 8.0	8.0	22.3 22.3	22.3	80.5 80.5	80.5	5.5 5.5	5.5		15.6 15.7	15.7		6.6 6.2	6.4	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS(Mf)3 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:16	6.5	Surface	1.0	<u>28.4</u> 28.4	28.4	8.0	8.0	19.1	19.1	88.7	88.3	6.2	6.2	6.2	9.3	9.4	13.1	4.3	5.0	
					Middle	3.3	28.2 28.3	28.2	8.0	8.0	20.5	20.1	86.5	87.0	6.0	6.1	6.1	14.5	14.7	4.8	5.5		
					Bottom	5.5	28.2 28.2	28.2	8.0	8.0	21.5	21.8	88.1	87.5	6.1	6.1	6.1	15.3	15.2	5.6	5.2		
27-Sep-13	Sunny	Moderate	18:01	7.3	Surface	1.0	28.5 28.5	28.5	8.1	8.1	23.2	23.3	86.9	86.8	5.9	5.9	5.7	5.5	5.6	7.3	4.7	4.5	
					Middle	3.7	28.1 28.2	28.2	8.1	8.1	26.0	25.6	78.5	80.3	5.3	5.4	5.4	7.0	7.0	5.5	5.3		
					Bottom	6.3	28.1 28.1	28.1	8.1	8.1	27.1	27.1	79.8	81.0	5.4	5.4	5.4	9.4	9.2	4.9	4.5		
30-Sep-13	Cloudy	Moderate	18:19	6.6	Surface	1.0	27.4 27.4	27.4	8.2	8.2	28.2	28.2	93.0	92.7	6.3	6.3	6.2	3.1	3.0	5.3	4.8	4.7	
					Middle	3.3	27.4 27.4	27.4	8.2	8.2	28.2	28.2	89.9	91.5	6.1	6.1	6.1	5.6	5.4	5.1	5.2		
					Bottom	5.6	27.7 27.7	27.7	8.2	8.2	29.2	29.2	89.2	88.2	6.0	5.9	5.9	7.3	7.4	6.2	6.0		

#### Remarks:

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

#### Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS4 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	11:59	18.0	Surface	1.0	28.7 28.6	28.6	8.0 8.0	8.0	13.9 14.1	14.0	76.3 76.5	76.4	5.4 5.5	5.4	5.3	3.5 3.5	3.5	6.3	3.0 3.1	3.1	3.4
					Middle	9.0	27.7 27.0	27.3	8.0 7.9	8.0	19.2 19.5	19.3	74.6 73.9	74.3	5.3 5.2	5.2		8.2 8.0	8.1		3.0 3.0	3.0	
					Bottom	17.0	27.0 27.0	27.0	7.9 7.9	7.9	27.5 27.3	27.4	70.6 70.7	70.7	5.0 5.0	5.0		7.0 7.3	7.2		3.3 4.7	4.0	
4-Sep-13	Rainy	Moderate	13:22	17.0	Surface	1.0	27.2 27.2	27.2	7.9 7.9	7.9	19.8 19.8	19.8	75.5 74.9	75.2	5.4 5.3	5.4	5.3	7.3 7.4	7.4	8.6	2.8 2.8	2.8	3.7
					Middle	8.5	26.9 26.9	26.9	7.8 7.8	7.8	25.5 25.5	25.5	74.0 73.2	73.6	5.2 5.1	5.1		8.9 8.8	8.9		3.5 4.7	4.1	
					Bottom	16.0	26.9 26.9	26.9	7.8 7.7	7.8	25.5 25.5	25.5	70.7 70.2	70.5	4.9 4.9	4.9		9.8 9.4	9.6		3.4 4.9	4.2	
6-Sep-13	Sunny	Moderate	14:06	16.9	Surface	1.0	27.6 27.6	27.6	7.9 7.9	7.9	17.6 17.6	17.6	71.6 72.0	71.8	5.1 5.2	5.1	5.1	8.7 8.6	8.7	8.8	3.4 3.1	3.3	3.7
					Middle	8.5	26.7 26.7	26.7	7.9 7.8	7.9	23.3 23.4	23.4	70.1 71.1	70.6	5.0 5.1	5.1		8.6 8.9	8.8		4.4 3.0	3.7	
					Bottom	15.9	26.9 26.7	26.8	7.8 7.8	7.8	23.2 23.4	23.3	70.9 70.8	70.9	5.0 5.0	5.0		8.6 8.9	8.8		4.4 3.6	4.0	
9-Sep-13	Sunny	Moderate	14:30	17.1	Surface	1.0	28.4 28.3	28.3	7.9 7.9	7.9	17.0 17.1	17.1	73.9 72.2	73.1	5.2 5.1	5.2	5.2	4.4 4.4	4.4	4.9	4.6 5.0	4.8	5.6
					Middle	8.6	27.5 27.6	27.6	7.9 7.9	7.9	21.5 21.0	21.3	71.8 72.9	72.4	5.1 5.2	5.1		4.6 4.5	4.6		6.4 6.0	6.2	
					Bottom	16.1	27.5 27.4	27.5	7.8 7.9	7.9	21.6 21.7	21.6	70.0 68.7	69.4	4.9 4.8	4.9		5.4 5.8	5.6		5.4 6.1	5.8	
11-Sep-13	Sunny	Moderate	16:01	16.9	Surface	1.0	28.4 28.4	28.4	8.0 8.0	8.0	16.7 16.7	16.7	75.4 77.5	76.5	5.3 5.4	5.4	5.4	7.7 7.9	7.8	8.0	2.8 3.8	3.3	3.5
					Middle	8.5	27.8 27.8	27.8	8.0 8.0	8.0	21.0 21.1	21.1	76.8 75.8	76.3	5.3 5.4	5.4		7.6 7.6	7.6		3.2 3.8	3.5	
					Bottom	15.9	27.8 28.1	27.9	8.0 8.0	8.0	21.1 21.0	21.0	73.2 73.6	73.4	5.1 5.2	5.1		8.8 8.6	8.7		3.3 3.9	3.6	
13-Sep-13	Fine	Moderate	07:09	18.2	Surface	1.0	28.3 28.3	28.3	8.0 8.0	8.0	17.2 17.3	17.2	75.9 76.0	76.0	5.4 5.4	5.4	5.4	1.9 1.8	1.9	2.0	2.2 2.7	2.5	3.1
					Middle	9.1	28.2 28.3	28.2	8.0 8.0	8.0	17.4 17.6	17.5	75.8 76.0	75.9	5.4 5.4	5.4		2.0 1.9	2.0		3.5 3.5	3.5	
					Bottom	17.2	28.2 28.2	28.2	8.0 8.0	8.0	18.4 18.5	18.4	75.6 75.7	75.7	5.3 5.3	5.3		2.0 2.0	2.0		2.9 3.6	3.3	
16-Sep-13	Sunny	Moderate	11:08	18.0	Surface	1.0	28.6 28.5	28.6	8.1 8.1	8.1	20.9 21.0	20.9	82.7 82.9	82.8	5.7 5.6	5.7	5.6	3.4 3.0	3.2	3.5	2.6 2.8	2.7	3.2
					Middle	9.0	28.3 28.2	28.3	8.1 8.1	8.1	22.5 22.9	22.7	80.0 79.5	79.8	5.5 5.4	5.5		3.6 3.5	3.6		3.7 2.9	3.3	
					Bottom	17.0	28.5 28.1	28.3	8.1 8.1	8.1	23.9 24.6	24.3	79.4 77.6	78.5	5.5 5.3	5.4		3.6 3.5	3.6		3.6 3.4	3.5	
18-Sep-13	Sunny	Moderate	12:39	17.2	Surface	1.0	28.7 28.8	28.8	8.2 8.2	8.2	23.7 23.7	23.7	92.0 92.3	92.2	6.2 6.3	6.2	6.2	9.4 9.4	9.4	9.6	4.4 5.1	4.8	5.7
					Middle	8.6	28.3 28.3	28.3	8.2 8.2	8.2	25.5 25.9	25.7	90.7 91.1	90.9	6.1 6.2	6.1		9.8 9.5	9.7		5.8 6.7	6.3	
					Bottom	16.2	28.5 28.3	28.4	8.1 8.2	8.2	25.8 26.4	26.1	91.4 91.4	91.4	6.2 6.2	6.2		9.6 9.6	9.6		6.3 5.8	6.1	
20-Sep-13	Sunny	Moderate	14:21	16.8	Surface	1.0	28.8 29.0	28.9	8.1 8.0	8.1	22.5 22.5	22.5	83.2 83.1	83.2	5.7 5.7	5.7	5.7	7.2 7.0	7.1	7.5	6.4 5.9	6.2	6.3
					Middle	8.4	28.5 28.5	28.5	8.1 8.1	8.1	24.3 24.4	24.4	83.6 83.3	83.5	5.7 5.6	5.7		7.8 7.6	7.7		5.8 6.3	6.1	
					Bottom	15.8	28.2 28.5	28.4	8.1 8.0	8.0	25.8 25.0	25.4	82.7 82.4	82.6	5.6 5.6	5.6		7.8 7.8	7.8		6.5 6.9	6.7	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS4 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	8.1	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	15:31	16.0	Surface	1.0	28.6	28.6	8.1	8.1	19.2	19.2	84.3	84.3	5.9	5.9	5.8	7.4	7.4	8.3	3.9	4.9	
					Middle	8.0	28.2	28.2	8.0	8.0	22.3	22.2	84.0	81.8	5.8	5.6	5.7	7.8	7.8	8.3	3.7	4.5	
					Bottom	15.0	28.2	28.3	8.0	8.0	22.5	22.5	81.2	81.8	5.6	5.6	5.6	9.8	9.6	8.3	7.1	6.1	
27-Sep-13	Fine	Moderate	06:55	18.0	Surface	1.0	28.0	28.0	8.1	8.1	23.6	23.6	86.2	86.3	5.9	5.9	5.8	3.5	3.5	5.2	3.9	4.4	
					Middle	9.0	28.1	28.0	8.1	8.1	25.3	25.3	83.6	83.6	5.7	5.7	5.7	5.3	5.5	5.2	5.5	5.6	
					Bottom	17.0	28.0	28.0	8.1	8.1	27.8	27.6	83.4	83.8	5.6	5.6	5.6	6.8	6.7	5.2	6.3	5.8	
30-Sep-13	Cloudy	Moderate	10:39	18.1	Surface	1.0	27.4	27.4	8.2	8.2	28.1	28.1	91.0	91.6	6.2	6.2	6.1	4.8	5.0	10.5	3.9	4.1	
					Middle	9.1	27.9	27.9	8.2	8.2	30.0	30.1	89.0	88.4	5.9	5.9	5.9	12.0	12.0	10.5	4.6	4.6	
					Bottom	17.1	27.9	27.9	8.2	8.2	30.4	30.3	89.2	89.4	5.9	5.9	5.9	15.1	14.5	10.5	5.0	4.9	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS4 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	17:19	17.7	Surface	1.0	29.1 29.2	29.2	8.1 8.1	8.1	14.0 13.8	13.9	81.0 81.0	81.0	5.8 5.8	5.8	5.5	4.8 5.4	5.1	10.6	4.3 3.9	4.1	5.4
					Middle	8.9	27.2 27.2	27.2	7.9 7.9	7.9	24.7 24.2	24.5	72.1 71.9	72.0	5.2 5.1	5.2		11.3 11.2	11.3		4.3 5.5	4.9	
					Bottom	16.7	26.8 27.0	26.9	7.9 7.9	7.9	26.7 25.9	26.3	74.1 74.5	74.3	5.3 5.3	5.3		15.7 15.0	15.4		7.3 7.2	7.3	
4-Sep-13	Cloudy	Moderate	18:16	16.8	Surface	1.0	27.5 27.5	27.5	7.8 7.8	7.8	16.0 16.3	16.1	76.8 74.3	75.6	5.6 5.4	5.5	5.3	4.1 4.3	4.2	4.6	4.8 5.7	5.3	5.3
					Middle	8.4	27.3 27.2	27.3	7.8 7.8	7.8	19.7 19.8	19.7	73.1 70.7	71.9	5.2 5.0	5.1		4.7 4.9	4.8		5.0 4.5	4.8	
					Bottom	15.8	27.1 27.1	27.1	7.8 7.7	7.7	22.6 21.6	22.1	72.1 70.4	71.3	5.1 5.0	5.0		4.9 4.8	4.9		6.0 5.8	5.9	
6-Sep-13	Sunny	Moderate	18:58	16.7	Surface	1.0	27.5 27.4	27.5	7.8 7.8	7.8	17.8 17.7	17.8	73.3 74.1	73.7	5.2 5.3	5.3	5.2	7.3 7.5	7.4	8.2	5.8 6.0	5.9	6.0
					Middle	8.4	27.2 27.1	27.2	7.8 7.8	7.8	19.4 19.6	19.5	72.4 70.4	71.4	5.2 5.0	5.1		8.4 8.5	8.5		4.5 4.9	4.7	
					Bottom	15.7	27.0 27.1	27.1	7.8 7.8	7.8	19.9 19.9	19.9	70.0 72.8	71.4	5.0 5.2	5.1		8.5 8.7	8.6		6.8 7.8	7.3	
9-Sep-13	Sunny	Moderate	09:59	17.5	Surface	1.0	27.6 27.5	27.6	7.8 7.8	7.8	17.7 17.7	17.7	74.0 73.9	74.0	5.3 5.3	5.3	5.3	8.6 8.4	8.5	8.7	3.8 4.3	4.1	4.9
					Middle	8.8	27.3 27.3	27.3	7.8 7.8	7.8	21.3 21.3	21.3	73.4 73.6	73.5	5.2 5.2	5.2		8.8 8.8	8.8		4.7 5.2	5.0	
					Bottom	16.5	27.3 27.3	27.3	7.8 7.8	7.8	21.3 21.3	21.3	72.6 72.7	72.7	5.2 5.2	5.2		8.8 8.9	8.9		5.3 5.6	5.5	
11-Sep-13	Sunny	Moderate	11:53	16.7	Surface	1.0	28.1 28.1	28.1	7.9 7.9	7.9	17.9 18.1	18.0	72.0 71.9	72.0	5.1 5.1	5.1	5.1	10.3 10.2	10.3	10.5	3.5 4.5	4.0	3.8
					Middle	8.4	27.6 27.6	27.6	7.9 7.9	7.9	21.2 21.1	21.2	71.1 70.8	71.0	5.0 5.0	5.0		10.4 10.3	10.4		3.9 4.7	4.3	
					Bottom	15.7	27.7 27.6	27.7	7.8 7.9	7.9	21.4 21.5	21.4	71.2 70.6	70.9	5.0 4.9	5.0		10.8 10.8	10.8		3.1 3.2	3.2	
13-Sep-13	Sunny	Moderate	14:12	18.2	Surface	1.0	28.7 28.7	28.7	8.0 8.0	8.0	16.2 16.3	16.3	80.2 82.0	81.1	5.7 5.8	5.7	5.7	3.0 2.8	2.9	3.0	3.1 3.4	3.3	3.8
					Middle	9.1	28.5 28.2	28.3	8.0 8.0	8.0	16.4 17.8	17.1	81.2 77.8	79.5	5.7 5.4	5.6		3.0 3.0	3.0		3.3 4.4	3.9	
					Bottom	17.2	28.4 28.0	28.2	8.0 8.0	8.0	20.7 21.4	21.1	80.8 76.8	78.8	5.6 5.4	5.5		3.2 3.1	3.2		4.0 4.4	4.2	
16-Sep-13	Sunny	Moderate	16:51	18.1	Surface	1.0	29.3 29.3	29.3	8.2 8.2	8.2	21.4 21.4	21.4	106.0 106.7	106.4	7.2 7.3	7.2	7.1	6.1 6.2	6.2	6.4	7.9 7.7	7.8	9.5
					Middle	9.1	29.1 29.1	29.1	8.2 8.2	8.2	21.5 21.6	21.6	106.2 99.8	103.0	7.2 6.8	7.0		6.6 6.3	6.5		9.5 9.1	9.3	
					Bottom	17.1	28.8 29.1	29.0	8.2 8.2	8.2	22.3 22.3	22.3	99.7 103.6	101.7	6.8 7.1	6.9		6.6 6.5	6.6		11.1 11.9	11.5	
18-Sep-13	Sunny	Moderate	17:56	16.9	Surface	1.0	28.3 28.3	28.3	8.1 8.1	8.1	22.4 22.4	22.4	86.8 86.9	86.9	6.0 6.0	6.0	6.0	8.7 8.3	8.5	10.4	6.6 5.6	6.1	5.8
					Middle	8.5	28.4 28.4	28.4	8.1 8.1	8.1	23.2 23.1	23.2	86.8 86.8	86.8	5.9 5.9	5.9		11.3 11.4	11.4		5.5 6.1	5.8	
					Bottom	15.9	28.3 28.4	28.4	8.1 8.1	8.1	23.3 23.3	23.3	86.9 87.0	87.0	5.9 5.9	5.9		11.3 11.1	11.2		5.4 5.7	5.6	
20-Sep-13	Fine	Moderate	18:47	16.9	Surface	1.0	29.1 29.1	29.1	8.0 8.0	8.0	21.5 21.5	21.5	80.7 80.5	80.6	5.5 5.5	5.5	5.5	7.7 8.0	7.9	10.6	3.8 4.7	4.3	5.0
					Middle	8.5	29.0 29.0	29.0	8.0 8.0	8.0	22.1 22.2	22.2	80.3 80.2	80.3	5.5 5.5	5.5		11.1 11.4	11.3		4.6 6.2	5.4	
					Bottom	15.9	29.1 29.1	29.1	8.0 8.0	8.0	22.2 22.2	22.2	80.4 80.4	80.4	5.5 5.5	5.5		12.5 12.4	12.5		4.5 6.3	5.4	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS4 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:37	16.4	Surface	1.0	<u>28.4</u>	28.4	8.0	8.0	19.0	19.0	87.1	87.0	6.1	6.1	6.1	12.9	12.6	12.8	5.5	5.4	5.5
					Middle	8.2	<u>28.1</u>	28.1	8.0	8.0	21.6	21.8	86.6	86.3	6.0	6.0	6.1	13.5	13.3	13.4	5.5	5.9	5.7
					Bottom	15.4	<u>28.2</u>	28.2	8.0	8.0	22.2	22.3	85.0	84.8	5.9	5.9	5.9	14.5	14.3	14.4	5.7	4.5	5.1
27-Sep-13	Sunny	Moderate	17:43	17.7	Surface	1.0	<u>28.6</u>	28.5	8.1	8.1	23.1	23.2	89.3	88.5	6.1	6.0	6.0	5.3	5.0	5.2	5.8	4.7	5.3
					Middle	8.9	<u>28.1</u>	28.1	8.1	8.1	27.0	27.0	77.1	77.2	5.2	5.2	5.2	8.5	8.5	8.5	4.6	5.5	5.1
					Bottom	16.7	<u>28.1</u>	28.1	8.1	8.1	27.3	27.3	78.7	79.6	5.3	5.3	5.3	8.5	9.1	8.8	6.4	5.7	6.1
30-Sep-13	Cloudy	Moderate	17:58	18.1	Surface	1.0	<u>27.4</u>	27.4	8.2	8.2	28.3	28.3	90.4	90.5	6.1	6.1	6.1	7.7	8.0	7.9	4.6	4.3	4.5
					Middle	9.1	<u>27.7</u>	27.7	8.2	8.2	29.2	29.2	87.3	87.1	5.8	5.8	5.8	11.0	10.6	10.8	4.2	3.6	3.9
					Bottom	17.1	<u>27.8</u>	27.7	8.2	8.2	29.3	29.2	88.0	88.7	5.9	5.9	5.9	13.4	14.1	13.8	7.0	8.2	7.6

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS(Mf)5 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	11:01	12.8	Surface	1.0	28.4 28.0	28.2	7.9 7.9	7.9	14.4 15.7	15.0	79.0 79.0	79.0	5.7 5.7	5.7	5.4	4.0 3.8	3.9	5.4	4.0 5.3	4.7	4.1
					Middle	6.4	26.1 26.2	26.1	7.8 7.8	7.8	26.1 26.3	26.2	70.9 71.0	71.0	5.1 5.1	5.1		5.7 5.4	5.6		4.2 3.2	3.7	
					Bottom	11.8	24.5 24.5	24.5	7.7 7.7	7.7	32.1 32.1	32.1	67.9 66.7	67.3	4.7 4.8	4.8		6.7 6.8	6.8		4.0 3.8	3.9	
4-Sep-13	Rainy	Moderate	11:49	13.7	Surface	1.0	26.8 26.8	26.8	7.8 7.8	7.8	21.7 21.7	21.7	69.2 69.4	69.3	5.3 5.3	5.3	5.2	4.4 4.2	4.3	4.7	3.5 3.8	3.7	4.4
					Middle	6.9	25.8 25.8	25.8	7.7 7.7	7.7	26.9 27.0	27.0	67.0 67.5	67.3	5.1 5.1	5.1		4.3 4.0	4.2		4.9 4.2	4.6	
					Bottom	12.7	26.1 25.5	25.8	7.7 7.7	7.7	27.3 27.9	27.6	67.6 67.9	67.8	5.1 5.1	5.1		5.8 5.5	5.7		5.2 4.4	4.8	
6-Sep-13	Sunny	Moderate	12:56	13.1	Surface	1.0	26.9 26.9	26.9	7.8 7.8	7.8	20.5 20.5	20.5	80.9 83.8	82.4	5.8 6.0	5.9	5.5	5.1 4.9	5.0	5.4	3.6 4.7	4.2	4.9
					Middle	6.6	25.7 25.7	25.7	7.7 7.8	7.8	26.2 26.2	26.2	71.9 72.0	72.0	5.1 5.1	5.1		5.8 5.6	5.7		4.0 5.3	4.7	
					Bottom	12.1	25.6 25.7	25.6	7.7 7.8	7.8	26.5 26.5	26.5	74.4 77.5	76.0	5.2 5.5	5.3		5.6 5.5	5.6		6.5 5.0	5.8	
9-Sep-13	Sunny	Moderate	15:50	13.0	Surface	1.0	27.8 27.7	27.7	7.8 7.7	7.7	18.6 18.5	18.5	80.1 81.1	80.6	5.7 5.7	5.7	5.5	4.6 4.3	4.5	5.1	2.3 3.1	2.7	3.4
					Middle	6.5	26.9 26.9	26.9	7.7 7.7	7.7	23.5 23.5	23.5	73.8 74.1	74.0	5.2 5.2	5.2		5.1 5.1	5.1		3.4 4.1	3.8	
					Bottom	12.0	26.3 26.3	26.3	7.7 7.7	7.7	26.0 26.0	26.0	73.1 73.3	73.2	5.1 5.1	5.1		5.7 5.5	5.6		3.7 3.7	3.7	
11-Sep-13	Sunny	Moderate	17:13	13.4	Surface	1.0	28.0 28.2	28.1	7.8 7.8	7.8	21.1 20.9	21.0	78.1 80.7	79.4	5.4 5.6	5.5	5.4	3.2 3.1	3.2	3.3	4.2 4.0	4.1	4.7
					Middle	6.7	27.1 27.0	27.1	7.8 7.8	7.8	25.5 25.9	25.7	78.6 74.6	76.6	5.4 5.1	5.3		3.3 3.3	3.3		4.7 5.7	5.2	
					Bottom	12.4	27.3 27.0	27.1	7.8 7.8	7.8	26.1 26.3	26.2	75.4 74.1	74.8	5.2 5.1	5.2		3.5 3.3	3.4		4.6 4.8	4.7	
13-Sep-13	Fine	Moderate	06:26	12.3	Surface	1.0	27.9 27.9	27.9	8.1 8.1	8.1	20.4 20.3	20.3	73.4 76.3	74.9	5.1 5.3	5.2	5.1	4.6 4.4	4.5	5.4	4.6 5.0	4.8	5.0
					Middle	6.2	27.7 27.6	27.6	8.1 8.1	8.1	21.8 23.0	22.4	71.7 73.6	72.7	5.0 5.0	5.0		5.8 6.1	6.0		6.0 5.5	5.8	
					Bottom	11.3	27.4 27.6	27.5	8.1 8.1	8.1	26.3 26.2	26.3	75.2 70.0	72.6	5.1 4.9	5.0		5.9 5.7	5.8		4.3 4.5	4.4	
16-Sep-13	Sunny	Moderate	09:48	12.7	Surface	1.0	28.3 28.2	28.2	8.0 8.0	8.0	20.9 21.0	20.9	80.2 77.9	79.1	5.6 5.4	5.5	5.4	3.9 3.8	3.9	4.5	5.2 4.0	4.6	4.6
					Middle	6.4	27.8 27.8	27.8	7.9 7.9	7.9	26.8 26.8	26.8	78.4 77.9	78.2	5.3 5.2	5.3		4.3 4.3	4.3		5.1 4.7	4.9	
					Bottom	11.7	27.8 27.7	27.7	7.9 7.9	7.9	27.9 28.0	27.9	74.9 75.1	75.0	5.1 5.1	5.1		5.1 5.4	5.3		4.6 4.1	4.4	
18-Sep-13	Sunny	Moderate	11:39	13.6	Surface	1.0	28.3 28.4	28.4	8.0 8.0	8.0	24.1 24.1	24.1	93.3 95.4	94.4	6.3 6.5	6.4	6.0	7.4 8.0	7.7	8.2	7.4 7.1	7.3	6.9
					Middle	6.8	27.8 27.8	27.8	8.0 7.9	8.0	26.0 25.8	25.9	81.1 82.2	81.7	5.5 5.6	5.6		8.0 7.8	7.9		6.6 7.1	6.9	
					Bottom	12.6	27.8 27.8	27.8	8.0 7.9	8.0	26.2 26.2	26.2	86.1 83.8	85.0	5.9 5.7	5.8		9.0 8.7	8.9		6.7 6.0	6.4	
20-Sep-13	Sunny	Moderate	13:05	13.2	Surface	1.0	28.4 28.2	28.3	7.9 7.8	7.8	24.9 25.3	25.1	82.5 82.0	82.3	5.6 5.6	5.6	5.6	10.6 11.4	11.0	14.1	9.8 9.8	9.8	9.8
					Middle	6.6	28.1 28.1	28.1	7.8 7.8	7.8	25.6 25.5	25.6	81.5 80.8	81.2	5.5 5.5	5.5		15.4 14.1	14.8		9.4 9.4	9.4	
					Bottom	12.2	28.1 28.1	28.1	7.7 7.8	7.8	25.6 25.6	25.6	82.5 81.1	81.8	5.6 5.5	5.5		16.8 15.9	16.4		10.5 9.6	10.1	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS(Mf)5 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	-	7.9	7.8	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	7.8	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	-	7.7	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	16:16	13.2	Surface	1.0	28.6	28.6	7.9	7.9	23.2	23.2	88.4	89.5	89.0	6.0	6.1	6.1	5.8	4.4	4.3	8.0	2.0	2.4	3.6
					Middle	6.6	28.2	28.2	7.9	7.9	26.3	26.3	81.5	81.8	81.7	5.5	5.5	5.5	5.8	7.7	7.9	5.5	5.4	4.2	
					Bottom	12.2	28.0	28.1	7.9	7.9	27.1	27.1	80.3	81.0	80.7	5.4	5.5	5.4	5.4	11.7	11.9	5.5	3.8	4.2	
27-Sep-13	Fine	Moderate	05:29	12.9	Surface	1.0	27.8	27.8	7.8	7.8	21.7	21.8	82.0	85.1	83.6	5.7	5.8	5.8	5.6	5.5	5.6	5.5	5.9	5.6	5.8
					Middle	6.5	28.1	28.1	7.8	7.8	27.2	27.0	79.8	80.5	80.2	5.4	5.4	5.4	5.6	5.5	5.5	5.5	5.3	5.6	
					Bottom	11.9	28.1	28.1	7.7	7.7	27.7	27.9	83.6	81.7	82.7	5.6	5.5	5.5	5.5	5.4	5.5	5.5	5.9	6.2	
30-Sep-13	Cloudy	Moderate	09:24	12.5	Surface	1.0	27.3	27.3	7.9	7.9	27.4	27.4	84.9	85.8	85.4	5.8	5.8	5.8	5.7	2.6	2.7	2.8	5.9	6.2	6.2
					Middle	6.3	27.9	27.9	7.8	7.8	29.7	29.7	82.9	81.7	82.3	5.5	5.5	5.5	5.7	2.5	2.5	2.5	6.1	5.8	
					Bottom	11.5	28.0	28.0	7.8	7.8	30.5	30.6	86.0	84.4	85.2	5.7	5.6	5.6	5.6	3.2	3.3	3.4	6.1	6.6	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS(Mf)5 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	18:17	12.8	Surface	1.0	27.6 27.6	27.6	7.9 7.9	7.9	20.0 20.5	20.2	81.2 77.3	79.3	5.7 5.5	5.6	5.4	4.8 4.7	4.8	7.3	5.2 4.0	4.6	4.9
					Middle	6.4	25.9 25.5	25.7	7.8 7.8	7.8	28.2 29.5	28.9	72.2 71.7	72.0	5.1 5.1	5.1		8.4 8.4	8.4		4.1 5.1	4.6	
					Bottom	11.8	24.7 24.7	24.7	7.7 7.8	7.8	31.3 31.3	31.3	67.7 68.3	68.0	4.8 4.8	4.8		8.6 8.6	8.6		5.6 5.5	5.6	
4-Sep-13	Cloudy	Moderate	18:45	13.6	Surface	1.0	26.7 26.7	26.7	7.8 7.8	7.8	22.4 22.0	22.2	70.5 70.0	70.3	5.4 5.3	5.4	5.3	5.0 4.9	5.0	6.9	4.6 4.7	4.7	4.8
					Middle	6.8	26.1 26.0	26.1	7.7 7.7	7.7	27.0 27.2	27.1	68.6 67.9	68.3	5.2 5.2	5.2		7.2 7.2	7.2		4.6 5.3	5.0	
					Bottom	12.6	26.0 26.0	26.0	7.7 7.7	7.7	27.3 27.2	27.3	67.6 69.0	68.3	5.1 5.2	5.2		8.5 8.2	8.4		4.6 4.8	4.7	
6-Sep-13	Sunny	Moderate	19:41	13.3	Surface	1.0	27.1 27.1	27.1	7.7 7.7	7.7	20.6 20.6	20.6	79.5 75.5	77.5	5.6 5.4	5.5	5.3	5.7 5.6	5.7	7.5	7.4 6.4	6.9	6.5
					Middle	6.7	26.4 26.4	26.4	7.7 7.7	7.7	23.3 23.4	23.3	72.3 71.9	72.1	5.1 5.1	5.1		8.3 8.0	8.2		6.8 6.7	6.8	
					Bottom	12.3	26.5 26.2	26.3	7.7 7.7	7.7	23.4 24.3	23.9	75.7 76.1	75.9	5.3 5.4	5.4		8.7 8.5	8.6		6.1 5.7	5.9	
9-Sep-13	Sunny	Moderate	08:36	13.4	Surface	1.0	27.2 27.2	27.2	7.6 7.7	7.7	20.1 20.2	20.1	74.8 75.0	74.9	5.3 5.3	5.3	5.2	5.3 5.2	5.3	5.9	4.4 3.1	3.8	3.9
					Middle	6.7	26.7 26.7	26.7	7.6 7.7	7.6	23.4 23.4	23.4	72.5 72.4	72.5	5.1 5.1	5.1		5.8 5.7	5.8		3.7 3.6	3.7	
					Bottom	12.4	26.5 26.5	26.5	7.6 7.6	7.6	24.8 24.7	24.7	71.5 71.9	71.7	5.0 5.0	5.0		6.6 6.4	6.5		4.1 4.0	4.1	
11-Sep-13	Sunny	Moderate	10:30	13.1	Surface	1.0	27.9 27.8	27.9	7.7 7.7	7.7	19.9 20.1	20.0	77.8 80.2	79.0	5.5 5.6	5.5	5.4	3.3 3.2	3.3	3.5	2.0 2.1	2.1	2.8
					Middle	6.6	27.0 27.0	27.0	7.7 7.7	7.7	23.6 23.9	23.7	75.7 78.5	77.1	5.2 5.4	5.3		3.3 3.4	3.4		2.9 2.5	2.7	
					Bottom	12.1	26.9 27.2	27.1	7.7 7.7	7.7	25.4 25.3	25.4	73.3 72.3	72.8	5.1 5.0	5.1		3.6 3.7	3.7		3.9 3.3	3.6	
13-Sep-13	Sunny	Moderate	14:57	12.6	Surface	1.0	27.9 27.9	27.9	8.1 8.1	8.1	22.8 22.7	22.8	76.5 76.1	76.3	5.3 5.3	5.3	5.2	2.7 2.6	2.7	3.3	2.4 2.2	2.3	2.7
					Middle	6.3	27.5 27.5	27.5	8.1 8.1	8.1	25.8 25.9	25.8	73.4 73.6	73.5	5.0 5.0	5.0		3.5 3.5	3.5		2.6 2.9	2.8	
					Bottom	11.6	27.4 27.5	27.4	8.1 8.1	8.1	27.2 27.3	27.2	74.2 75.4	74.8	5.0 5.1	5.1		3.8 3.7	3.8		3.0 2.7	2.9	
16-Sep-13	Sunny	Moderate	17:44	12.7	Surface	1.0	28.4 28.4	28.4	8.0 8.0	8.0	23.5 23.5	23.5	81.5 80.8	81.2	5.6 5.5	5.5	5.3	5.8 5.8	5.8	9.0	5.6 5.0	5.3	5.1
					Middle	6.4	27.8 27.7	27.8	7.9 7.9	7.9	27.2 27.3	27.2	73.9 74.5	74.2	5.1 5.0	5.1		10.4 10.1	10.3		5.0 5.4	5.2	
					Bottom	11.7	27.7 27.7	27.7	7.9 7.9	7.9	27.4 27.5	27.4	71.5 73.0	72.3	4.8 4.9	4.9		10.8 10.8	10.8		4.7 4.9	4.8	
18-Sep-13	Sunny	Moderate	18:39	13.4	Surface	1.0	28.1 28.1	28.1	7.9 7.9	7.9	25.4 25.4	25.4	83.9 85.7	84.8	5.7 5.8	5.8	5.7	6.2 6.4	6.3	8.6	4.5 3.7	4.1	5.2
					Middle	6.7	27.9 27.9	27.9	7.9 7.9	7.9	26.3 26.3	26.3	78.8 82.4	80.6	5.3 5.6	5.5		9.5 9.8	9.7		5.9 5.3	5.6	
					Bottom	12.4	27.9 27.9	27.9	7.9 7.9	7.9	26.4 26.4	26.4	79.8 79.7	79.8	5.4 5.4	5.4		9.7 9.7	9.7		5.6 6.1	5.9	
20-Sep-13	Fine	Moderate	19:30	13.4	Surface	1.0	28.4 28.4	28.4	7.9 7.9	7.9	25.7 25.6	25.7	80.8 81.4	81.1	5.4 5.5	5.5	5.4	9.8 9.3	9.6	12.7	6.5 7.4	7.0	8.1
					Middle	6.7	28.0 28.0	28.0	7.9 7.9	7.9	27.0 26.9	27.0	78.3 77.8	78.1	5.3 5.2	5.3		13.1 12.8	13.0		8.9 8.9	9.2	
					Bottom	12.4	28.0 28.0	28.0	7.9 7.8	7.9	27.0 27.1	27.1	78.3 79.8	79.1	5.3 5.4	5.3		15.5 15.2	15.4		8.1 8.2	8.2	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS(Mf)5 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	10:25	13.0	Surface	1.0	28.2	28.2	7.8	7.8	21.9	21.9	86.1	86.9	86.5	6.0	6.0	5.9	6.5	6.5	7.6	5.0	5.0
					Middle	6.5	28.2	28.2	7.8	7.8	23.7	23.6	82.9	82.9	5.7	5.7	5.9	7.7	7.7	7.6	5.8	5.1	
					Bottom	12.0	28.1	28.1	7.8	7.8	26.1	26.2	83.2	83.2	5.6	5.6	5.6	8.4	8.7	5.6	4.8	5.3	
27-Sep-13	Sunny	Moderate	18:41	12.8	Surface	1.0	28.2	28.2	7.9	7.9	24.5	24.6	84.9	86.0	85.5	5.8	5.8	5.6	3.6	3.6	4.9	1.7	1.8
					Middle	6.4	28.1	28.1	7.9	7.9	29.2	29.2	80.1	80.2	5.3	5.3	5.6	5.6	5.6	4.9	1.7	1.6	
					Bottom	11.8	28.1	28.1	7.9	7.9	29.6	29.5	82.3	84.1	5.5	5.5	5.5	5.4	5.6	5.5	3.3	3.0	
30-Sep-13	Cloudy	Moderate	17:00	12.7	Surface	1.0	27.8	27.8	7.8	7.8	29.2	29.0	82.2	81.1	81.7	5.5	5.4	5.4	4.5	4.5	7.0	3.5	4.3
					Middle	6.4	28.0	28.0	7.8	7.8	30.0	30.3	81.9	80.7	5.5	5.4	5.4	7.1	7.2	7.0	4.4	4.4	
					Bottom	11.7	28.1	28.1	7.8	7.8	30.6	30.6	79.3	81.2	5.2	5.3	5.3	9.4	9.2	5.3	5.4	6.0	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS6 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	10:16	9.5	Surface	1.0	28.2 28.3	28.3	8.0 8.0	8.0	14.4 12.5	13.4	82.7 82.7	82.7	5.9 5.9	5.9	5.7	2.7 2.8	2.8	2.2	2.2 2.9	2.6	2.9
					Middle	4.8	27.5 27.5	27.5	7.9 7.9	7.9	19.7 19.6	19.7	76.1 76.4	76.3	5.4 5.4	5.4		1.8 1.8	1.8		2.8 2.4	2.6	
					Bottom	8.5	26.9 26.9	26.9	7.9 7.9	7.9	23.4 23.4	23.4	73.9 74.3	74.1	5.2 5.2	5.2		2.0 1.9	2.0		3.8 3.0	3.4	
4-Sep-13	Rainy	Moderate	11:30	9.7	Surface	1.0	26.9 26.9	26.9	7.9 7.9	7.9	21.5 21.7	21.6	73.2 72.8	73.0	5.2 5.1	5.2	5.1	2.8 2.8	2.8	3.7	3.7 2.9	3.3	3.7
					Middle	4.9	26.3 26.3	26.3	7.9 7.9	7.9	25.6 24.9	25.3	71.4 71.0	71.2	5.1 5.0	5.0		3.8 3.9	3.9		3.5 4.4	4.0	
					Bottom	8.7	25.7 26.2	26.0	7.9 7.9	7.9	28.2 28.2	28.2	67.2 68.4	67.8	4.8 4.7	4.7		4.5 4.5	4.5		3.3 4.2	3.8	
6-Sep-13	Sunny	Moderate	12:28	9.8	Surface	1.0	26.5 26.6	26.6	7.9 7.9	7.9	22.6 22.5	22.5	74.0 73.6	73.8	5.3 5.3	5.3	5.3	2.9 3.0	3.0	2.9	6.1 5.5	5.8	5.3
					Middle	4.9	25.9 25.6	25.7	7.8 7.9	7.9	26.4 26.3	26.3	72.9 73.6	73.3	5.2 5.2	5.2		2.7 2.7	2.7		5.9 5.2	5.6	
					Bottom	8.8	25.1 25.1	25.1	7.8 7.8	7.8	29.0 29.0	29.0	71.5 72.2	71.9	5.1 5.1	5.1		3.2 3.0	3.1		5.0 3.9	4.5	
9-Sep-13	Sunny	Moderate	16:08	10.1	Surface	1.0	27.9 27.9	27.9	7.9 7.9	7.9	20.7 20.7	20.7	76.2 73.9	75.1	5.3 5.2	5.3	5.2	2.5 2.5	2.5	2.6	4.2 5.2	4.7	7.2
					Middle	5.1	27.8 27.8	27.8	8.0 7.9	7.9	20.8 20.8	20.8	73.2 74.3	73.8	5.1 5.2	5.1		2.4 2.6	2.5		7.3 8.9	8.1	
					Bottom	9.1	27.4 27.2	27.3	7.9 8.0	7.9	23.9 23.6	23.7	74.3 72.8	73.6	5.1 5.1	5.1		2.7 2.8	2.8		8.7 8.8	8.8	
11-Sep-13	Sunny	Moderate	17:42	10.1	Surface	1.0	28.3 28.3	28.3	8.0 8.0	8.0	21.0 20.8	20.9	83.4 81.6	82.5	5.8 5.7	5.7	5.6	2.3 2.3	2.3	2.5	3.0 2.6	2.8	3.7
					Middle	5.1	27.9 27.8	27.8	8.0 8.0	8.0	22.5 23.2	22.8	78.7 78.3	78.5	5.4 5.4	5.4		2.5 2.5	2.5		4.0 3.9	4.0	
					Bottom	9.1	27.3 27.5	27.4	8.0 8.0	8.0	26.0 25.5	25.7	76.6 77.0	76.8	5.3 5.3	5.3		2.6 2.5	2.6		4.6 4.0	4.3	
13-Sep-13	Fine	Moderate	05:52	10.0	Surface	1.0	28.0 27.9	28.0	8.0 8.0	8.0	20.9 21.0	20.9	72.7 74.4	73.6	5.1 5.2	5.1	5.1	3.3 3.2	3.3	3.4	2.2 2.1	2.2	2.5
					Middle	5.0	27.6 27.8	27.7	8.0 8.0	8.0	22.9 22.0	22.5	74.2 72.6	73.4	5.1 5.1	5.1		3.3 3.3	3.3		2.5 2.2	2.4	
					Bottom	9.0	27.6 27.7	27.6	8.0 8.0	8.0	23.8 23.7	23.8	72.9 73.1	73.0	5.1 5.0	5.0		3.6 3.4	3.5		2.6 3.3	3.0	
16-Sep-13	Sunny	Moderate	09:58	10.1	Surface	1.0	28.4 28.4	28.4	8.1 8.1	8.1	22.1 22.2	22.2	89.8 88.3	89.1	6.2 6.0	6.1	6.0	1.3 1.3	1.3	1.4	3.7 3.2	3.5	3.5
					Middle	5.1	28.2 28.3	28.3	8.1 8.1	8.1	23.6 23.2	23.4	87.5 83.3	85.4	6.0 5.7	5.9		1.4 1.4	1.4		3.7 2.7	3.2	
					Bottom	9.1	28.1 28.3	28.2	8.1 8.1	8.1	24.5 23.8	24.1	82.7 84.6	83.7	5.6 5.8	5.7		1.7 1.5	1.6		3.1 4.2	3.7	
18-Sep-13	Sunny	Moderate	10:59	9.7	Surface	1.0	28.2 28.2	28.2	8.1 8.1	8.1	24.9 24.8	24.9	88.5 87.0	87.8	6.0 5.9	6.0	5.8	3.6 3.5	3.6	3.9	4.4 4.4	4.4	5.3
					Middle	4.9	28.0 27.9	28.0	8.1 8.1	8.1	25.4 25.5	25.5	85.0 80.4	82.7	5.8 5.5	5.6		3.9 3.8	3.9		3.8 4.1	4.0	
					Bottom	8.7	27.6 27.7	27.7	8.1 8.1	8.1	28.3 27.9	28.1	79.4 85.6	82.5	5.4 5.8	5.6		4.0 4.1	4.1		7.4 7.4	7.4	
20-Sep-13	Sunny	Moderate	12:29	10.0	Surface	1.0	28.5 28.6	28.5	8.1 8.1	8.1	24.6 24.5	24.6	83.5 83.5	83.5	5.7 5.7	5.7	5.6	3.8 3.9	3.9	4.3	3.7 2.8	3.3	3.8
					Middle	5.0	28.3 28.2	28.3	8.1 8.1	8.1	26.0 26.1	26.1	82.0 82.1	82.1	5.5 5.5	5.5		4.3 4.4	4.4		3.7 4.8	4.3	
					Bottom	9.0	28.2 28.2	28.2	8.1 8.1	8.1	26.6 26.7	26.6	82.4 83.1	82.8	5.6 5.6	5.6		4.6 4.7	4.7		4.2 3.2	3.7	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS6 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	17:12	9.6	Surface	1.0	28.5	28.5	8.1	8.1	23.5	23.5	87.3	87.7	5.9	6.0	6.0	5.9	2.9	2.9	3.0	4.7	5.4
					Middle	4.8	28.5	28.4	8.1	8.1	25.3	25.5	86.3	85.8	5.8	5.8	5.9	2.8	2.9	3.0	5.4	4.9	
					Bottom	8.6	28.2	28.2	8.1	8.1	26.5	26.7	84.7	86.0	5.7	5.8	5.7	3.1	3.1	3.1	5.5	5.3	
27-Sep-13	Fine	Moderate	05:08	9.8	Surface	1.0	27.6	27.6	8.1	8.1	24.2	24.3	86.5	86.5	6.0	5.9	5.9	5.8	2.1	2.1	3.0	3.5	3.9
					Middle	4.9	27.8	27.8	8.1	8.1	24.8	24.8	83.8	83.0	5.7	5.7	5.7	2.5	2.6	2.7	4.6	4.7	
					Bottom	8.8	28.1	28.1	8.1	8.1	27.2	27.2	79.8	79.1	5.4	5.3	5.3	4.3	4.3	4.2	3.1	3.4	
30-Sep-13	Cloudy	Moderate	08:54	9.8	Surface	1.0	27.5	27.5	8.1	8.1	28.9	28.9	85.4	85.3	5.7	5.7	5.7	5.7	2.1	2.1	1.9	4.3	4.7
					Middle	4.9	27.6	27.6	8.2	8.2	28.9	29.0	83.8	84.3	5.6	5.6	5.6	1.6	1.6	1.6	5.1	4.9	
					Bottom	8.8	27.9	27.9	8.2	8.2	30.1	30.1	82.6	83.4	5.5	5.5	5.5	2.0	2.0	2.0	4.6	4.3	

#### Remarks:

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

#### Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS6 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	18:59	9.8	Surface	1.0	28.1 27.7	27.9	8.0 8.0	8.0	18.1 20.8	19.4	79.3 81.7	80.5	5.6 5.8	5.7	5.6	2.5 2.3	2.4	2.7	3.0 4.2	3.6	4.5
					Middle	4.9	27.2 27.7	27.4	8.0 7.9	8.0	22.7 20.7	21.7	75.4 76.1	75.8	5.3 5.4	5.4		2.5 2.3	2.4		4.1 5.6	4.9	
					Bottom	8.8	25.5 25.5	25.5	7.9 7.6	7.8	29.1 29.2	29.2	77.3 77.0	77.2	5.4 5.4	5.4		3.1 3.3	3.2		4.9 5.3	5.1	
4-Sep-13	Cloudy	Moderate	20:12	9.4	Surface	1.0	26.9 27.0	26.9	7.6 7.8	7.7	22.9 22.2	22.5	78.4 75.0	76.7	5.6 5.3	5.4	5.3	3.8 3.7	3.8	4.8	6.0 5.7	5.9	5.4
					Middle	4.7	26.7 26.6	26.7	7.8 7.5	7.6	24.1 24.7	24.4	72.9 72.7	72.8	5.2 5.2	5.2		5.3 5.2	5.3		4.8 4.4	4.6	
					Bottom	8.4	26.3 26.1	26.2	7.7 7.5	7.6	26.7 27.2	27.0	67.5 69.6	68.6	4.8 4.9	4.8		5.0 5.4	5.2		5.1 6.2	5.7	
6-Sep-13	Sunny	Moderate	20:47	9.6	Surface	1.0	26.8 26.9	26.9	7.9 7.8	7.9	21.1 21.0	21.1	77.3 76.9	77.1	5.4 5.4	5.4	5.4	5.0 4.9	5.0	5.0	6.7 7.7	7.2	7.1
					Middle	4.8	26.5 26.5	26.5	7.8 7.8	7.8	22.2 22.5	22.4	73.3 76.3	74.8	5.2 5.4	5.3		5.1 5.0	5.1		7.3 7.6	7.5	
					Bottom	8.6	26.3 26.2	26.3	7.8 7.8	7.8	24.3 24.4	24.4	70.9 72.9	71.9	5.0 5.1	5.1		5.0 5.0	5.0		6.7 6.5	6.6	
9-Sep-13	Sunny	Moderate	08:30	10.3	Surface	1.0	27.4 27.4	27.4	7.9 7.9	7.9	19.9 20.0	20.0	74.8 76.3	75.6	5.3 5.5	5.4	5.3	3.2 3.1	3.2	3.2	3.1 4.6	3.9	4.0
					Middle	5.2	27.3 27.2	27.2	7.9 7.8	7.9	20.5 21.4	21.0	73.1 72.5	72.8	5.2 5.2	5.2		3.1 3.2	3.2		3.5 4.2	3.9	
					Bottom	9.3	27.0 27.0	27.0	7.8 7.8	7.8	23.0 23.5	23.3	72.4 73.5	73.0	5.1 5.2	5.2		3.2 3.1	3.2		3.9 4.3	4.1	
11-Sep-13	Sunny	Moderate	10:16	10.2	Surface	1.0	27.8 27.8	27.8	7.9 7.9	7.9	21.1 21.2	21.1	71.8 71.6	71.7	5.0 5.0	5.0	5.0	2.1 2.2	2.2	2.5	3.0 2.7	2.9	2.5
					Middle	5.1	27.2 27.2	27.2	7.9 7.9	7.9	24.1 24.2	24.1	71.6 71.6	71.6	5.0 5.0	5.0		2.1 2.2	2.2		2.2 2.1	2.2	
					Bottom	9.2	27.2 27.1	27.2	7.9 7.9	7.9	24.4 24.6	24.5	68.3 67.5	67.9	4.7 4.8	4.7		3.2 3.1	3.2		2.4 2.5	2.5	
13-Sep-13	Sunny	Moderate	15:25	10.1	Surface	1.0	28.0 27.9	27.9	8.0 8.0	8.0	22.3 22.7	22.5	77.8 78.1	78.0	5.4 5.4	5.4	5.4	1.1 1.1	1.1	1.1	4.4 3.6	4.0	4.0
					Middle	5.1	27.8 27.8	27.8	8.0 8.0	8.0	23.7 24.1	23.9	77.6 77.9	77.8	5.3 5.4	5.3		1.0 1.1	1.1		3.0 3.7	3.4	
					Bottom	9.1	27.8 27.8	27.8	8.0 8.0	8.0	24.6 24.4	24.5	77.9 77.2	77.6	5.4 5.3	5.3		1.1 1.1	1.1		4.8 4.2	4.5	
16-Sep-13	Sunny	Moderate	18:19	10.2	Surface	1.0	28.2 28.2	28.2	8.2 8.2	8.2	25.1 24.9	25.0	88.2 87.7	88.0	6.0 5.9	6.0	6.0	2.3 2.3	2.3	2.4	3.8 3.8	3.8	3.9
					Middle	5.1	28.1 28.2	28.2	8.2 8.2	8.2	26.0 25.8	25.9	87.2 87.7	87.5	5.9 5.9	5.9		2.4 2.4	2.4		3.8 3.3	3.6	
					Bottom	9.2	28.2 28.1	28.1	8.2 8.2	8.2	26.0 26.2	26.1	87.5 86.5	87.0	5.9 5.9	5.9		2.4 2.4	2.4		4.1 4.3	4.2	
18-Sep-13	Sunny	Moderate	19:50	10.1	Surface	1.0	27.8 27.8	27.8	8.1 8.1	8.1	27.0 27.0	27.0	80.5 78.4	79.5	5.4 5.3	5.4	5.4	9.1 9.0	9.1	10.5	6.4 6.1	6.3	5.7
					Middle	5.1	27.8 27.8	27.8	8.1 8.1	8.1	27.2 27.1	27.2	78.1 81.4	79.8	5.3 5.5	5.4		11.4 11.8	11.6		4.9 4.8	4.9	
					Bottom	9.1	27.8 27.8	27.8	8.1 8.1	8.1	27.2 27.2	27.2	78.9 86.3	82.6	5.3 5.8	5.6		10.7 11.1	10.9		5.5 6.1	5.8	
20-Sep-13	Fine	Moderate	20:42	10.0	Surface	1.0	28.2 28.2	28.2	8.1 8.1	8.1	26.8 26.7	26.8	79.6 80.6	80.1	5.4 5.4	5.4	5.4	9.1 9.2	9.2	12.1	11.5 10.1	10.8	10.8
					Middle	5.0	28.1 28.1	28.1	8.1 8.1	8.1	27.2 27.2	27.2	78.5 80.4	79.5	5.3 5.4	5.3		13.6 13.4	13.5		9.9 11.5	10.7	
					Bottom	9.0	28.1 28.1	28.1	8.1 8.1	8.1	27.3 27.2	27.3	81.8 78.9	80.4	5.5 5.3	5.4		13.5 13.9	13.7		10.6 10.9	10.8	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CS6 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	10:11	10.0	Surface	1.0	28.3	28.3	8.0	8.0	22.3	22.2	84.6	84.8	84.7	5.8	5.8	5.8	5.3	5.4	5.3	5.7	
					Middle	5.0	28.2	28.2	8.0	8.0	23.8	23.7	83.9	84.2	84.1	5.7	5.7	5.8	5.2	5.3	5.3	5.0	
					Bottom	9.0	28.2	28.2	8.0	8.0	24.4	24.2	83.1	83.3	83.2	5.7	5.7	5.7	5.3	5.2	5.3	4.8	
27-Sep-13	Sunny	Moderate	-	10.2	Surface	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	3.6	3.2	
					Middle	5.1	28.1	28.1	8.1	8.1	29.1	29.1	81.6	80.7	81.2	5.4	5.4	5.4	2.3	2.3	2.6	4.7	
					Bottom	9.2	28.1	28.1	8.1	8.1	29.6	29.6	84.6	82.6	83.6	5.6	5.5	5.5	2.7	2.9	5.5	5.2	
30-Sep-13	Cloudy	Moderate	19:50	10.2	Surface	1.0	27.7	27.7	8.1	8.1	29.1	28.9	84.8	85.0	84.9	5.7	5.7	5.6	1.6	1.6	2.3	4.0	
					Middle	5.1	27.9	27.9	8.1	8.1	29.9	30.0	83.1	83.6	83.4	5.5	5.5	5.6	2.2	2.3	5.6	3.2	
					Bottom	9.2	27.9	27.9	8.1	8.0	30.0	30.1	83.2	83.9	83.6	5.5	5.5	5.6	3.0	3.0	5.6	3.6	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CSA - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	10:00	36.3	Surface	1.0	28.3 28.3	28.3	7.9 8.0	7.9	12.6 12.7	12.7	82.0 81.2	81.6	5.8 5.8	5.8	5.7	3.0 3.0	3.0	2.5	2.8 3.6	3.2	3.4
					Middle	18.2	26.8 26.8	26.8	7.8 7.9	7.8	23.8 23.8	23.8	78.4 78.2	78.3	5.5 5.5	5.5		2.3 2.1	2.2		2.9 4.2	3.6	
					Bottom	35.3	26.8 26.8	26.8	7.8 7.7	7.8	23.9 23.9	23.9	74.6 73.9	74.3	5.3 5.2	5.2		2.3 2.2	2.3		3.1 3.6	3.4	
4-Sep-13	Rainy	Moderate	11:22	36.3	Surface	1.0	26.9 26.9	26.9	7.9 7.9	7.9	21.5 21.4	21.5	74.6 73.7	74.2	5.3 5.2	5.2	5.2	2.7 2.7	2.7	3.9	3.4 3.2	3.3	3.1
					Middle	18.2	26.0 25.8	25.9	7.9 7.9	7.9	27.0 28.0	27.5	72.2 71.2	71.7	5.1 5.0	5.1		4.5 4.5	4.5		2.6 3.4	3.0	
					Bottom	35.3	25.3 25.4	25.3	7.9 7.8	7.9	29.9 29.3	29.6	67.6 67.4	67.5	4.8 4.8	4.8		4.5 4.4	4.5		3.6 2.6	3.1	
6-Sep-13	Sunny	Moderate	12:22	34.7	Surface	1.0	26.5 26.6	26.5	7.8 7.9	7.8	23.1 22.5	22.8	73.2 72.7	73.0	5.2 5.2	5.2	5.2	3.2 3.4	3.3	4.1	5.3 5.8	5.6	6.0
					Middle	17.4	25.0 25.0	25.0	7.8 7.7	7.8	29.2 29.3	29.3	72.2 71.3	71.8	5.2 5.1	5.1		4.2 4.3	4.3		5.8 6.8	6.3	
					Bottom	33.7	24.9 24.9	24.9	7.8 7.7	7.7	29.5 29.5	29.5	70.3 70.5	70.4	5.0 5.1	5.0		4.7 4.9	4.8		6.7 5.4	6.1	
9-Sep-13	Sunny	Moderate	16:17	36.2	Surface	1.0	28.0 28.1	28.0	8.0 8.0	8.0	20.6 20.0	20.3	73.7 73.7	73.7	5.2 5.2	5.2	5.1	2.8 2.7	2.8	3.1	4.3 3.9	4.1	5.2
					Middle	18.1	26.4 28.1	27.2	7.9 8.0	7.9	26.8 26.8	26.8	71.9 71.9	71.9	5.0 5.0	5.0		3.1 3.2	3.2		4.9 5.5	5.2	
					Bottom	35.2	26.3 26.5	26.4	7.9 7.9	7.9	27.0 26.7	26.8	68.2 69.2	68.7	4.7 4.8	4.8		3.1 3.2	3.2		6.2 6.5	6.4	
11-Sep-13	Sunny	Moderate	17:52	36.1	Surface	1.0	28.4 28.3	28.4	8.1 8.1	8.1	20.6 20.8	20.7	80.5 78.9	79.7	5.6 5.5	5.5	5.5	2.1 2.1	2.1	2.3	2.3 3.1	2.7	3.1
					Middle	18.1	27.0 27.1	27.0	8.0 8.0	8.0	26.8 26.6	26.7	77.5 77.0	77.3	5.4 5.4	5.4		2.0 2.1	2.1		2.2 2.3	2.3	
					Bottom	35.1	26.9 27.0	27.0	8.0 8.0	8.0	27.1 27.0	27.1	70.2 72.7	71.5	4.8 5.0	4.9		2.6 2.6	2.6		4.8 3.6	4.2	
13-Sep-13	Fine	Moderate	05:34	36.1	Surface	1.0	27.9 27.9	27.9	8.0 8.0	8.0	20.9 20.9	20.9	73.4 73.8	73.6	5.1 5.2	5.1	5.1	3.6 3.6	3.6	3.9	2.4 2.2	2.3	2.5
					Middle	18.1	27.7 27.6	27.7	8.0 8.0	8.0	22.1 22.7	22.4	73.3 72.2	72.8	5.1 5.0	5.0		4.1 4.0	4.1		2.4 2.3	2.4	
					Bottom	35.1	27.7 27.6	27.6	8.0 8.0	8.0	23.6 23.8	23.7	72.7 72.0	72.4	5.1 5.0	5.0		4.0 4.0	4.0		2.6 2.8	2.7	
16-Sep-13	Sunny	Moderate	09:44	36.1	Surface	1.0	28.4 28.4	28.4	8.1 8.1	8.1	22.1 22.0	22.0	88.4 87.9	88.2	6.1 6.1	6.1	5.9	1.4 1.5	1.5	1.5	3.4 2.6	3.0	3.4
					Middle	18.1	28.2 28.3	28.3	8.1 8.1	8.1	23.3 23.2	23.3	82.8 82.3	82.6	5.6 5.6	5.6		1.4 1.5	1.5		3.2 3.8	3.5	
					Bottom	35.1	28.1 27.8	27.9	8.1 8.1	8.1	25.0 27.4	26.2	82.0 77.1	79.6	5.6 5.2	5.4		1.5 1.6	1.6		3.5 3.8	3.7	
18-Sep-13	Sunny	Moderate	10:51	37.5	Surface	1.0	28.3 28.2	28.2	8.1 8.1	8.1	24.8 24.9	24.8	87.3 82.3	84.8	5.9 5.6	5.8	5.5	4.5 4.7	4.6	5.0	6.0 6.8	6.4	6.4
					Middle	18.8	27.5 27.5	27.5	8.0 8.0	8.0	28.7 28.8	28.7	78.2 77.0	77.6	5.3 5.2	5.2		5.1 4.8	5.0		6.5 6.1	6.3	
					Bottom	36.5	27.5 27.5	27.5	7.9 8.0	8.0	29.0 28.8	28.9	73.1 74.5	73.8	4.9 5.0	5.0		5.5 5.4	5.5		6.3 6.5	6.4	
20-Sep-13	Sunny	Moderate	12:22	36.0	Surface	1.0	28.6 28.6	28.6	8.1 8.1	8.1	24.4 24.4	24.4	82.6 83.6	83.1	5.6 5.7	5.6	5.5	3.9 3.9	3.9	4.2	3.6 5.3	4.5	4.6
					Middle	18.0	27.9 27.9	27.9	8.1 8.1	8.1	28.4 28.3	28.3	78.1 79.9	79.0	5.2 5.3	5.3		4.2 4.2	4.2		3.9 5.2	4.6	
					Bottom	35.0	27.9 27.9	27.9	8.1 8.1	8.1	28.9 28.7	28.8	78.5 77.9	78.2	5.3 5.2	5.2		4.5 4.6	4.6		4.9 4.7	4.8	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CSA - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	17:22	36.2	Surface	1.0	28.5 28.4	28.5	8.1 8.1	8.1	23.6 23.3	23.4	84.0 86.3	85.2	5.7 5.9	5.8	5.7	3.5 3.5	3.5	4.1	7.3 7.4	7.4	
					Middle	18.1	28.2 28.1	28.2	8.1 8.1	8.1	26.3 27.7	27.0	84.1 82.0	83.1	5.7 5.5	5.6	4.1 4.2	4.2	4.1	4.8 6.2	5.5	6.8	
					Bottom	35.2	28.2 28.1	28.1	8.1 8.1	8.1	26.8 27.9	27.3	83.3 80.8	82.1	5.6 5.4	5.5	4.4 4.6	4.5	4.1	7.0 8.2	7.6	6.8	
27-Sep-13	Fine	Moderate	04:53	37.1	Surface	1.0	27.6 27.7	27.7	8.1 8.1	8.1	24.4 24.7	24.6	85.8 86.1	86.0	5.9 5.9	5.9	5.6	2.3 2.3	2.3	3.0	5.3 4.6	5.0	
					Middle	18.6	28.1 28.2	28.2	8.1 8.1	8.1	28.2 27.9	28.0	79.9 79.1	79.5	5.3 5.3	5.3	3.5 3.6	3.6	3.0	4.0 5.7	4.9	4.8	
					Bottom	36.1	28.1 28.1	28.1	8.1 8.0	8.1	28.7 28.7	28.7	80.1 81.2	80.7	5.3 5.4	5.4	2.9 3.1	3.0	3.0	4.1 4.6	4.4	4.8	
30-Sep-13	Cloudy	Moderate	08:40	37.0	Surface	1.0	27.5 27.5	27.5	8.1 8.1	8.1	28.9 28.9	28.9	85.3 85.3	85.3	5.7 5.7	5.7	5.6	1.6 1.5	1.6	2.0	5.4 4.8	5.1	
					Middle	18.5	28.0 28.0	28.0	8.1 8.1	8.1	30.3 30.3	30.3	81.5 82.5	82.0	5.4 5.5	5.4	2.4 2.3	2.4	2.0	4.3 5.5	4.9	5.2	
					Bottom	36.0	28.1 28.1	28.1	8.1 8.1	8.1	30.7 30.7	30.7	82.0 83.5	82.8	5.4 5.5	5.5	2.0 2.1	2.1	2.0	5.3 5.7	5.5	5.2	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CSA - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	19:15	37.2	Surface	1.0	27.2	27.2	8.0	8.0	22.8	22.6	81.9	81.7	5.8	5.8	5.6	2.4	2.4	2.9	4.3	4.0	4.0
					Middle	18.6	25.5	25.5	7.9	8.0	29.4	29.4	74.4	75.3	5.2	5.3		3.1	3.1		3.6	4.1	
					Bottom	36.2	25.3	25.4	7.9	7.9	29.7	29.6	75.0	75.0	5.2	5.2		3.2	3.4		4.6	4.0	
4-Sep-13	Cloudy	Moderate	20:19	35.9	Surface	1.0	27.0	26.9	7.9	7.9	21.9	22.0	72.3	72.5	5.1	5.2	5.2	3.4	3.4	4.3	5.9	5.5	5.1
					Middle	18.0	25.5	26.1	7.8	7.8	23.5	23.5	71.8	71.7	5.1	5.1		4.3	4.4		5.2	5.0	
					Bottom	34.9	25.8	26.1	7.8	7.8	28.9	27.9	70.7	69.9	5.0	5.0		5.2	5.1		5.2	4.7	
6-Sep-13	Sunny	Moderate	20:55	36.1	Surface	1.0	26.9	27.0	7.9	7.9	20.5	20.5	77.9	77.8	5.5	5.5	5.4	4.9	4.8	5.4	4.7	4.1	6.0
					Middle	18.1	25.8	26.0	7.8	7.8	26.3	25.3	70.5	73.2	5.0	5.2		5.8	5.7		6.6	6.5	
					Bottom	35.1	26.2	26.0	7.8	7.8	26.0	26.2	70.7	70.0	5.0	5.0		5.6	5.8		6.8	7.4	
9-Sep-13	Sunny	Moderate	08:23	36.4	Surface	1.0	27.4	27.4	7.9	7.9	19.9	20.0	74.5	75.3	5.3	5.4	5.3	3.3	3.3	4.1	2.5	2.5	3.1
					Middle	18.2	26.5	26.6	7.9	7.9	25.0	24.5	75.9	74.2	5.4	5.2		4.3	4.4		3.2	3.0	
					Bottom	35.4	26.7	26.6	7.9	7.9	24.1	24.7	72.4	71.1	5.1	5.0		4.5	4.6		3.7	3.7	
11-Sep-13	Sunny	Moderate	10:07	35.6	Surface	1.0	27.9	27.7	7.9	8.0	20.7	20.9	72.6	72.5	5.1	5.1	5.1	2.6	2.6	3.2	2.2	2.8	2.6
					Middle	17.8	26.9	26.9	8.0	8.0	21.0	26.1	72.3	71.7	5.1	5.0		3.5	3.5		3.4	2.6	
					Bottom	34.6	26.9	26.9	8.0	7.9	26.4	26.3	71.7	67.7	4.9	4.9		3.5	3.4		2.2	2.3	
13-Sep-13	Sunny	Moderate	15:38	36.1	Surface	1.0	28.0	28.0	8.0	8.0	22.3	22.3	78.3	78.4	5.4	5.4	5.4	1.3	1.3	1.3	3.0	3.1	3.7
					Middle	18.1	27.8	27.8	8.0	8.0	22.3	24.3	78.3	77.8	5.4	5.3		1.2	1.3		4.0	4.0	
					Bottom	35.1	27.8	27.8	8.0	8.0	24.3	24.4	77.2	77.8	5.3	5.3		1.3	1.3		4.1	3.9	
16-Sep-13	Sunny	Moderate	18:38	36.0	Surface	1.0	28.2	28.3	8.2	8.2	25.3	25.1	88.9	89.0	6.0	6.0	6.0	2.3	2.3	2.4	3.7	3.3	3.8
					Middle	18.0	28.3	28.2	8.2	8.2	24.8	25.8	85.6	86.8	6.0	5.9		2.2	2.4		2.8	4.2	
					Bottom	35.0	28.1	28.1	8.2	8.2	26.0	26.3	88.0	86.2	6.0	5.8		2.4	2.4		3.9	3.8	
18-Sep-13	Sunny	Moderate	20:02	36.0	Surface	1.0	27.8	27.8	8.1	8.1	27.0	27.0	77.1	77.1	5.2	5.2	5.1	8.6	8.7	10.8	7.1	7.2	6.6
					Middle	18.0	27.8	27.8	8.1	8.1	27.3	27.3	74.6	74.9	5.2	5.0		12.4	12.3		7.0	6.5	
					Bottom	35.0	27.7	27.8	8.1	8.1	27.3	27.5	75.1	75.5	5.1	5.1		11.2	11.4		6.0	6.1	
20-Sep-13	Fine	Moderate	20:51	35.6	Surface	1.0	28.2	28.1	8.1	8.1	26.8	26.9	78.2	77.9	5.3	5.2	5.2	11.8	11.9	12.7	10.5	10.2	10.3
					Middle	17.8	28.1	28.1	8.1	8.1	27.0	27.4	77.6	76.8	5.2	5.2		12.5	12.6		9.5	9.6	
					Bottom	34.6	28.0	28.1	8.1	8.1	27.3	27.4	76.9	77.4	5.2	5.2		12.7	13.6		11.5	11.2	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at CSA - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	10:03	36.8	Surface	1.0	<u>28.3</u>	28.3	8.0	8.0	22.2	22.2	87.2	86.4	6.0	6.0	6.0	5.1	5.0	5.1	5.7	6.4	
					Middle	18.4	<u>28.2</u>	28.2	8.0	8.0	23.1	23.4	86.8	86.0	6.0	5.9	5.3	5.3	5.3	5.3	6.5	6.2	
					Bottom	35.8	<u>28.2</u>	28.2	8.0	8.0	22.7	23.2	84.7	84.1	5.8	5.8	5.2	5.1	5.0	5.1	5.9	6.0	
27-Sep-13	Sunny	Moderate	19:39	37.9	Surface	1.0	<u>28.1</u>	28.1	8.1	8.1	27.1	27.2	85.8	85.5	5.8	5.7	5.5	1.6	1.7	2.3	2.9	2.7	
					Middle	19.0	<u>28.1</u>	28.1	8.1	8.1	29.9	29.9	80.3	80.4	5.3	5.3	2.4	2.5	2.6	2.5	3.7	4.2	
					Bottom	36.9	<u>28.1</u>	28.1	8.1	8.1	29.9	29.9	80.7	80.8	5.3	5.3	2.5	2.6	2.7	2.6	4.4	4.9	
30-Sep-13	Cloudy	Moderate	20:09	37.6	Surface	1.0	<u>27.6</u>	27.6	8.2	8.2	28.7	28.7	87.0	86.9	5.8	5.8	5.7	2.0	2.0	2.1	4.7	4.4	
					Middle	18.8	<u>27.7</u>	27.7	8.2	8.2	29.1	29.1	85.1	84.3	5.7	5.6	2.0	2.0	2.0	2.0	4.9	5.2	
					Bottom	36.6	<u>27.7</u>	27.8	8.2	8.2	29.3	29.6	84.9	83.8	5.7	5.6	2.4	2.4	2.3	2.4	4.8	4.9	

#### Remarks:

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

#### Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)6 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	12:09	3.3	Surface	1.0	29.0 29.1	29.1	7.9 8.0	8.0	16.2 16.0	16.1	87.3 87.0	87.2	6.1 6.1	6.1	6.1	13.9 13.7	13.8	14.2	4.0 5.0	4.5	4.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.3	28.4 28.0	28.2	7.9 7.8	7.8	18.1 20.4	19.3	84.2 87.5	85.9	5.9 6.1	6.0		6.0	14.5 14.7		14.6	4.6 5.7		5.2		
4-Sep-13	Rainy	Moderate	12:54	3.4	Surface	1.0	27.4 27.4	27.4	7.8 7.8	7.8	20.2 20.2	20.2	71.6 71.7	71.7	5.4 5.4	5.4	5.4	18.1 17.5	17.8	18.9	9.6 9.6	9.6	9.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	27.0 27.1	27.0	7.7 7.7	7.7	23.4 23.3	23.4	71.3 71.2	71.3	5.4 5.4	5.4		5.4	19.6 20.2		19.9	8.7 9.7		9.2		
6-Sep-13	Sunny	Moderate	14:00	3.2	Surface	1.0	27.0 27.1	27.1	7.8 7.8	7.8	20.8 20.7	20.8	100.4 103.1	101.8	7.1 7.3	7.2	7.2	10.5 9.9	10.2	12.9	5.0 4.6	4.8	4.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.2	26.9 26.9	26.9	7.8 7.8	7.8	21.0 21.0	21.0	100.6 106.6	103.6	7.1 7.6	7.4		7.4	15.2 15.8		15.5	4.9 4.2		4.6		
9-Sep-13	Sunny	Moderate	14:37	3.2	Surface	1.0	28.4 28.3	28.3	7.7 7.7	7.7	19.1 19.1	19.1	83.6 84.6	84.1	5.9 5.9	5.9	5.9	4.5 4.6	4.6	4.8	2.4 3.1	2.8	2.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.2	28.2 28.2	28.2	7.7 7.6	7.7	19.5 19.4	19.4	83.5 84.2	83.9	5.8 5.9	5.9		5.9	4.9 5.1		5.0	2.4 3.2		2.8		
11-Sep-13	Sunny	Moderate	16:26	3.6	Surface	1.0	28.8 28.9	28.9	7.8 7.8	7.8	18.6 18.5	18.5	99.9 101.3	100.6	6.9 7.1	7.0	7.0	4.5 4.3	4.4	4.5	2.9 3.6	3.3	3.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.6	28.4 28.9	28.7	7.9 7.8	7.8	19.3 18.6	18.9	100.0 98.5	99.3	7.0 6.9	6.9		6.9	4.5 4.7		4.6	3.0 3.6		3.3		
13-Sep-13	Fine	Moderate	07:29	3.2	Surface	1.0	28.5 28.5	28.5	8.1 8.1	8.1	20.2 20.1	20.1	80.7 83.9	82.3	5.6 5.8	5.7	5.7	12.5 12.7	12.6	13.6	6.5 6.0	6.3	6.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.2	28.5 28.4	28.4	8.1 8.1	8.1	20.5 21.0	20.8	82.0 82.1	82.1	5.7 5.7	5.7		5.7	14.4 14.5		14.5	6.5 6.5		6.5		
16-Sep-13	Sunny	Moderate	11:00	3.1	Surface	1.0	28.8 28.8	28.8	7.9 8.0	8.0	19.9 19.8	19.9	97.6 98.4	98.0	6.8 6.8	6.8	6.8	12.4 12.2	12.3	12.2	24.4 25.9	25.2	25.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.1	28.8 28.7	28.8	7.9 7.9	7.9	19.8 20.6	20.2	97.9 98.5	98.2	6.8 6.8	6.8		6.8	11.8 12.2		12.0	24.5 25.0		24.8		
18-Sep-13	Sunny	Moderate	12:49	3.3	Surface	1.0	28.4 28.4	28.4	8.0 8.0	8.0	23.9 24.0	23.9	101.0 100.5	100.8	6.9 6.9	6.9	6.9	12.9 13.1	13.0	14.4	10.6 11.6	11.1	12.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.3	28.2 28.3	28.3	8.0 8.0	8.0	24.1 24.1	24.1	100.5 100.4	100.5	6.9 6.8	6.8		6.8	15.3 16.2		15.8	12.7 14.1		13.4		
20-Sep-13	Sunny	Moderate	14:23	3.2	Surface	1.0	28.4 28.3	28.4	7.8 7.8	7.8	24.9 24.9	24.9	88.3 86.8	87.6	6.0 5.9	5.9	5.9	14.5 14.2	14.4	14.8	7.4 7.8	7.6	10.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.2	28.4 28.3	28.4	7.8 7.6	7.7	24.9 24.9	24.9	87.5 89.4	88.5	5.9 6.1	6.0		6.0	15.5 14.7		15.1	12.4 12.8		12.6		

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)6 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	7.8	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.8	7.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	15:05	3.2	Surface	1.0	28.9	28.9	7.8	7.8	20.1	20.1	96.7	96.4	6.7	6.7	6.7	5.3	5.3	6.7	5.6	5.6	5.0		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.5	-	-	-
					Bottom	2.2	28.9	28.9	7.8	7.8	20.1	20.1	96.4	96.3	6.7	6.6	6.6	5.5	5.6	6.6	5.5	5.6	4.9	4.4	-
27-Sep-13	Fine	Moderate	06:31	3.1	Surface	1.0	27.6	27.6	7.8	7.8	21.5	21.5	93.4	92.9	6.5	6.5	6.5	7.4	7.6	6.5	5.8	5.5	4.8		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.1	27.6	27.6	7.8	7.8	21.5	21.6	92.2	92.8	6.4	6.5	6.5	8.0	7.9	6.5	7.8	7.9	4.6	4.1	-
30-Sep-13	Cloudy	Moderate	10:26	3.1	Surface	1.0	27.1	27.2	7.9	7.9	25.4	25.4	98.0	97.3	6.7	6.7	6.7	4.0	4.0	6.7	4.1	4.7	5.3		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.1	27.4	27.3	7.9	7.9	25.9	26.1	95.3	98.8	6.5	6.7	6.7	4.2	4.2	6.7	4.1	4.2	5.7	5.9	6.1

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)6 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	17:05	3.1	Surface	1.0	29.9 30.3	30.1	8.2 8.2	8.2	16.0 17.2	16.6	120.8 121.2	121.0	8.4 8.4	8.4	8.4	8.2 8.2	8.2	8.3	4.6 4.4	4.5	5.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.1	29.2 28.9	29.1	8.1 8.0	8.0	17.3 17.9	17.6	117.9 117.5	117.7	8.2 8.2	8.2		8.2	8.4 8.1		8.3	6.4 7.4		6.9		
4-Sep-13	Cloudy	Moderate	17:41	3.2	Surface	1.0	27.3 27.3	27.3	7.8 7.8	7.8	21.1 21.1	21.1	73.3 72.9	73.1	5.5 5.5	5.5	5.5	15.5 14.2	14.9	16.5	8.2 8.8	8.5	9.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.2	27.3 27.3	27.3	7.8 7.8	7.8	21.1 21.1	21.1	73.5 72.9	73.2	5.5 5.5	5.5		5.5	18.2 17.8		18.0	10.8 11.1		11.0		
6-Sep-13	Sunny	Moderate	18:34	3.2	Surface	1.0	27.3 27.2	27.3	7.7 7.7	7.7	20.6 20.7	20.7	85.3 88.2	86.8	6.0 6.2	6.1	6.1	14.8 14.5	14.7	15.3	13.9 13.4	13.7	13.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.2	27.3 27.2	27.3	7.7 7.7	7.7	20.7 20.8	20.7	85.2 86.6	85.9	6.0 6.1	6.1		6.1	16.0 15.7		15.9	14.5 13.5		14.0		
9-Sep-13	Sunny	Moderate	09:45	3.3	Surface	1.0	27.6 27.6	27.6	7.7 7.7	7.7	19.2 19.2	19.2	77.4 77.1	77.3	5.5 5.5	5.5	5.5	6.1 6.1	6.1	6.2	3.0 4.0	3.5	3.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.3	27.6 27.6	27.6	7.7 7.7	7.7	19.4 19.5	19.5	77.2 77.4	77.3	5.5 5.5	5.5		5.5	6.4 6.2		6.3	3.1 3.8		3.5		
11-Sep-13	Sunny	Moderate	11:26	3.4	Surface	1.0	28.2 28.3	28.3	7.7 7.7	7.7	18.7 18.7	18.7	89.8 99.9	94.9	6.3 7.0	6.7	6.7	5.0 4.7	4.9	5.0	6.3 5.0	5.7	5.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	28.0 28.3	28.2	7.7 7.7	7.7	18.9 19.5	19.2	90.7 89.3	90.0	6.4 6.3	6.3		6.3	5.0 5.1		5.1	5.6 4.9		5.3		
13-Sep-13	Sunny	Moderate	13:30	3.2	Surface	1.0	28.8 28.8	28.8	8.1 8.1	8.1	20.1 20.1	20.1	96.6 96.7	96.7	6.7 6.7	6.7	6.7	8.7 8.4	8.6	10.0	4.6 5.7	5.2	5.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.2	28.8 28.8	28.8	8.1 8.1	8.1	20.9 21.0	21.0	99.9 96.4	98.2	6.9 6.6	6.7		6.7	11.5 11.3		11.4	4.4 5.3		4.9		
16-Sep-13	Sunny	Moderate	16:39	3.2	Surface	1.0	29.5 29.5	29.5	8.1 8.1	8.1	21.1 21.1	21.1	124.2 122.8	123.5	8.4 8.3	8.4	8.4	12.0 11.3	11.7	11.8	11.8 11.9	11.9	11.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.2	29.5 29.5	29.5	8.1 8.1	8.1	21.1 21.1	21.1	123.3 120.6	122.0	8.4 8.2	8.3		8.3	11.9 11.9		11.9	11.8 11.8		11.8		
18-Sep-13	Sunny	Moderate	17:26	3.3	Surface	1.0	28.2 28.2	28.2	8.0 8.0	8.0	24.6 24.6	24.6	98.3 97.0	97.7	6.7 6.6	6.6	6.6	14.6 14.1	14.4	15.9	13.8 14.0	13.9	14.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.3	28.2 28.2	28.2	8.0 8.0	8.0	24.6 24.6	24.6	100.0 97.3	98.7	6.8 6.6	6.7		6.7	17.7 17.1		17.4	15.5 16.3		15.9		
20-Sep-13	Fine	Moderate	18:21	3.2	Surface	1.0	28.8 28.8	28.8	7.9 7.9	7.9	24.5 24.5	24.5	86.8 85.5	86.2	5.9 5.8	5.8	5.8	14.9 15.2	15.1	16.0	15.7 16.5	16.1	18.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.2	28.5 28.7	28.6	7.9 7.9	7.9	25.5 25.3	25.4	90.7 85.9	88.3	6.1 5.8	5.9		5.9	16.6 17.1		16.9	19.6 20.1		19.9		

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)6 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:45	3.4	Surface	1.0	28.5	28.5	7.7	7.8	20.4	20.4	93.1	93.2	6.5	6.5	6.5	10.4	10.3	12.1	10.1	10.4	10.6		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.4	28.4	28.4	7.7	7.8	20.5	20.5	93.6	93.2	93.4	6.5	6.5	6.5	13.4	14.1	13.8	10.3	11.2	10.8	-
27-Sep-13	Sunny	Moderate	17:30	3.2	Surface	1.0	28.3	28.3	7.9	7.9	21.5	21.6	100.9	101.9	7.0	7.0	7.0	6.8	6.7	6.7	2.1	2.4	2.7		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.2	28.2	28.2	7.8	7.8	22.7	22.7	98.6	102.0	100.3	6.8	6.9	6.9	6.5	6.6	6.6	2.6	3.1	2.9	-
30-Sep-13	Cloudy	Moderate	15:50	3.1	Surface	1.0	27.2	27.2	7.9	7.9	25.9	25.9	97.6	97.3	6.7	6.7	6.7	5.1	5.2	5.4	5.5	5.5	5.3		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.1	27.2	27.2	7.9	7.9	25.9	25.9	97.1	98.6	97.9	6.7	6.7	6.7	5.6	5.5	5.6	4.7	5.5	5.1	-

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)9 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	11:55	3.5	Surface	1.0	28.3 28.3	28.3	7.9 7.9	7.9	17.5 17.7	17.6	81.3 81.3	81.3	5.7 5.7	5.7	5.7	5.5 5.4	5.5	5.6	4.4 5.7	5.1	6.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.5	27.9 27.6	27.8	7.8 7.8	7.8	19.5 20.7	20.1	76.8 78.9	77.9	5.4 5.5	5.5		5.5	5.7 5.7		5.7	5.7		5.7	7.8 6.7	7.3
4-Sep-13	Rainy	Moderate	12:42	3.5	Surface	1.0	27.1 27.2	27.2	7.8 7.8	7.8	20.5 20.1	20.3	70.5 69.6	70.1	5.4 5.3	5.3	5.3	9.8 10.6	10.2	12.1	4.6 3.9	4.3	5.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.5	26.3 26.9	26.6	7.7 7.8	7.7	23.5 22.4	23.0	71.6 69.4	70.5	5.4 5.3	5.3		5.3	13.7 14.3		14.0	6.8 5.6		6.2		
6-Sep-13	Sunny	Moderate	13:48	3.5	Surface	1.0	27.2 27.2	27.2	7.7 7.7	7.7	20.7 20.7	20.7	95.4 100.4	97.9	6.7 7.1	6.9	6.9	10.7 10.8	10.8	12.6	7.1 7.4	7.3	7.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.5	27.1 27.1	27.1	7.7 7.7	7.7	21.1 20.8	21.0	96.5 97.0	96.8	6.8 6.9	6.9		6.9	13.7 14.9		14.3	8.9 7.1		8.0		
9-Sep-13	Sunny	Moderate	14:54	3.4	Surface	1.0	28.2 28.2	28.2	7.7 7.6	7.7	19.3 19.3	19.3	83.7 83.4	83.6	5.9 5.9	5.9	5.9	5.9 6.0	6.0	6.1	3.8 4.7	4.3	4.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.4	28.1 28.0	28.1	7.7 7.6	7.6	19.4 19.4	19.4	83.5 83.9	83.7	5.9 5.9	5.9		5.9	6.1 6.0		6.1	4.5 4.6		4.6		
11-Sep-13	Sunny	Moderate	16:41	3.4	Surface	1.0	28.8 28.8	28.8	7.8 7.8	7.8	18.9 18.9	18.9	100.1 98.5	99.3	7.0 6.8	6.9	6.9	4.4 4.6	4.5	4.6	4.5 3.6	4.1	4.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	28.8 28.8	28.8	7.8 7.8	7.8	18.9 18.9	18.9	98.1 98.6	98.4	6.8 6.9	6.8		6.8	4.5 4.6		4.6	4.8 4.3		4.6		
13-Sep-13	Fine	Moderate	07:16	3.6	Surface	1.0	28.4 28.4	28.4	8.1 8.1	8.1	20.3 20.4	20.3	83.0 83.5	83.3	5.8 5.8	5.8	5.8	10.4 10.3	10.4	10.5	2.7 2.7	2.7	3.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.6	28.2 28.0	28.1	8.1 8.1	8.1	21.5 21.9	21.7	83.1 79.1	81.1	5.8 5.5	5.6		5.6	10.6 10.5		10.6	4.2 4.0		4.1		
16-Sep-13	Sunny	Moderate	10:47	3.5	Surface	1.0	28.8 28.8	28.8	8.0 8.0	8.0	19.9 19.9	19.9	98.3 100.7	99.5	6.8 7.0	6.9	6.9	4.8 4.6	4.7	4.8	3.5 4.9	4.2	4.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.5	28.7 28.7	28.7	8.0 8.0	8.0	20.4 21.4	20.9	99.6 94.7	97.2	6.9 6.5	6.7		6.7	4.9 4.9		4.9	6.0 5.1		5.6		
18-Sep-13	Sunny	Moderate	12:36	3.4	Surface	1.0	28.1 28.1	28.1	8.0 8.0	8.0	24.1 24.2	24.2	92.7 94.5	93.6	6.3 6.5	6.4	6.4	15.0 15.7	15.4	15.5	16.1 15.7	15.9	16.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	28.1 28.1	28.1	8.0 8.0	8.0	24.2 24.2	24.2	93.1 96.6	94.9	6.4 6.6	6.5		6.5	15.2 16.0		15.6	16.4 17.4		16.9		
20-Sep-13	Sunny	Moderate	14:09	3.4	Surface	1.0	28.4 28.7	28.6	7.8 7.8	7.8	24.8 24.7	24.8	85.6 90.8	88.2	5.8 6.1	6.0	6.0	13.3 13.7	13.5	14.4	7.5 8.6	8.1	9.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	28.6 28.5	28.6	7.8 7.8	7.8	24.7 24.8	24.8	88.2 87.8	88.0	6.0 5.9	6.0		6.0	15.7 14.8		15.3	10.0 10.0		10.0		

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)9 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	-	7.8	7.8	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	-	7.8	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	15:24	3.4	Surface	1.0	28.7	28.7	7.8	7.8	20.7	20.7	93.1	93.1	6.4	6.4	6.4	9.1	9.2	9.2	9.8	8.7	9.8		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.4	28.7	28.7	7.8	7.8	20.7	20.7	92.8	92.8	6.4	6.4	6.4	9.4	9.5	9.5	10.8	10.9	10.9	10.9	10.9
27-Sep-13	Fine	Moderate	06:18	3.7	Surface	1.0	27.8	27.7	7.7	7.7	21.4	21.4	85.0	86.5	5.9	6.0	6.0	12.4	12.4	12.4	6.3	6.2	6.1		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.7	27.8	27.9	7.7	7.7	24.0	24.0	87.5	86.6	6.0	5.9	5.9	12.4	12.4	12.4	6.2	6.0	6.0	6.0	6.0
30-Sep-13	Cloudy	Moderate	10:12	3.7	Surface	1.0	27.3	27.2	7.9	7.9	25.4	25.5	86.9	88.3	6.0	6.1	6.1	5.7	5.6	5.6	5.9	6.6	6.5		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.7	27.9	27.7	7.8	7.8	27.6	27.5	86.5	88.2	5.8	6.0	6.0	5.8	5.7	5.7	6.4	6.4	6.4	6.4	6.4

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)9 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	17:20	3.7	Surface	1.0	29.1 29.2	29.2	8.1 8.1	8.1	14.8 14.9	14.9	112.5 112.2	112.4	8.0 7.9	7.9	7.9	8.2 8.4	8.3	8.5	4.6 5.0	4.8	5.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.7	29.0 29.0	29.0	8.1 8.1	8.1	16.4 16.7	16.6	111.1 111.6	111.4	7.8 7.8	7.8		8.5 8.7	8.6		7.8	8.5 8.7		8.6	6.0 5.5	5.8
4-Sep-13	Cloudy	Moderate	17:53	3.2	Surface	1.0	27.2 27.2	27.2	7.8 7.8	7.8	20.2 20.2	20.2	73.5 73.9	73.7	5.5 5.6	5.6	5.6	8.8 9.0	8.9	10.9	6.6 6.3	6.5	7.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.2	27.0 27.1	27.0	7.8 7.8	7.8	22.6 23.1	22.8	72.5 73.3	72.9	5.5 5.5	5.5		5.5	5.5		5.5	12.3 13.3		12.8	8.8 7.6	8.2
6-Sep-13	Sunny	Moderate	18:48	3.4	Surface	1.0	27.3 27.3	27.3	7.7 7.7	7.7	20.5 20.4	20.5	85.6 87.0	86.3	6.1 6.2	6.1	6.1	9.8 10.2	10.0	11.8	30.1 29.8	30.0	30.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.4	27.1 27.2	27.2	7.7 7.7	7.7	21.0 21.4	21.2	88.6 86.0	87.3	6.3 6.1	6.2		6.2	6.2		14.2 13.0	13.6		30.5 30.6	30.6	
9-Sep-13	Sunny	Moderate	09:27	3.5	Surface	1.0	27.5 27.5	27.5	7.6 7.6	7.6	19.1 19.1	19.1	71.1 71.0	71.1	5.0 5.0	5.0	5.0	6.2 6.3	6.3	6.7	12.3 12.4	12.4	8.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.5	27.5 27.5	27.5	7.5 7.6	7.6	19.7 19.8	19.7	71.2 71.1	71.2	5.0 5.0	5.0		5.0	5.0		6.8 7.1	7.0		4.0 3.5	3.8	
11-Sep-13	Sunny	Moderate	11:13	3.4	Surface	1.0	28.0 28.0	28.0	7.7 7.7	7.7	19.1 19.1	19.1	88.2 83.4	85.8	6.2 5.9	6.0	6.0	5.5 5.7	5.6	5.7	3.3 3.7	3.5	3.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	28.0 28.0	28.0	7.7 7.7	7.7	19.1 19.6	19.4	82.9 84.6	83.8	5.8 5.9	5.9		5.9	5.9		5.7 5.7	5.7		3.1 3.6	3.4	
13-Sep-13	Sunny	Moderate	13:43	3.5	Surface	1.0	28.5 28.5	28.5	8.1 8.1	8.1	19.5 19.5	19.5	89.2 88.6	88.9	6.2 6.2	6.2	6.2	5.6 5.4	5.5	6.1	3.7 4.5	4.1	4.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.5	28.5 28.5	28.5	8.1 8.1	8.1	19.9 19.9	19.9	90.1 88.4	89.3	6.3 6.2	6.2		6.2	6.2		6.6 6.5	6.6		3.6 4.1	3.9	
16-Sep-13	Sunny	Moderate	16:56	3.7	Surface	1.0	28.9 28.9	28.9	8.0 8.0	8.0	22.1 22.1	22.1	103.7 103.1	103.4	7.1 7.0	7.1	7.1	11.7 11.2	11.5	11.6	8.2 7.7	8.0	8.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.7	28.8 28.8	28.8	8.0 8.0	8.0	22.4 22.5	22.4	102.8 99.9	101.4	7.0 6.8	6.9		6.9	6.9		11.5 11.7	11.6		8.0 8.3	8.2	
18-Sep-13	Sunny	Moderate	17:40	3.3	Surface	1.0	28.1 28.1	28.1	8.0 8.0	8.0	24.5 24.5	24.5	96.7 97.2	97.0	6.6 6.6	6.6	6.6	16.6 15.7	16.2	16.4	16.6 17.1	16.9	17.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.3	28.1 28.1	28.1	8.0 8.0	8.0	24.5 24.5	24.5	97.7 96.8	97.3	6.7 6.6	6.6		6.6	6.6		16.3 16.8	16.6		17.7 18.2	18.0	
20-Sep-13	Fine	Moderate	18:36	3.6	Surface	1.0	28.7 28.7	28.7	7.9 7.9	7.9	25.0 25.0	25.0	88.6 90.0	89.3	6.0 6.1	6.0	6.0	18.7 17.3	18.0	18.3	16.2 15.2	15.7	20.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.6	28.6 28.6	28.6	7.9 7.9	7.9	25.1 25.1	25.1	88.5 91.6	90.1	6.0 6.2	6.1		6.1	6.1		19.9 17.3	18.6		24.5 24.5	24.5	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)9 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:28	3.4	Surface	1.0	28.3	28.3	7.8	7.8	20.7	20.6	90.4	90.1	6.3	6.3	6.3	9.0	9.2	9.8	6.5	5.6	7.6		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.4	28.1	28.1	7.8	7.7	21.5	21.5	89.3	89.6	89.5	89.5	6.2	6.2	6.2	10.5	10.4	10.3	9.4	9.8	9.6
27-Sep-13	Sunny	Moderate	17:47	3.8	Surface	1.0	28.4	28.4	7.8	7.8	21.9	21.8	95.8	97.0	6.6	6.7	6.7	7.5	7.6	7.7	3.5	3.5	3.4		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.8	28.3	28.1	28.2	7.8	7.8	23.1	23.4	23.3	98.0	89.9	94.0	6.7	6.4	6.4	7.8	7.7	7.8	3.0	3.6
30-Sep-13	Cloudy	Moderate	16:05	3.7	Surface	1.0	27.6	27.5	7.8	7.8	27.2	27.0	87.5	88.0	5.9	6.0	6.0	16.7	16.8	16.8	11.0	11.7	12.5		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.7	27.7	27.7	7.8	7.8	28.2	28.2	28.2	88.0	89.9	89.0	5.9	6.0	6.0	18.5	18.0	17.5	12.6	14.0	13.3

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS10 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	11:12	10.5	Surface	1.0	28.9 28.4	28.7	8.0 7.9	8.0	12.2 13.5	12.9	81.2 81.8	81.5	5.8 5.9	5.8	5.7	4.5 4.7	4.6	6.6	3.3 3.3	3.3	3.3
					Middle	5.3	27.6 27.1	27.4	8.0 7.8	7.9	21.6 22.0	21.8	77.6 78.0	77.8	5.5 5.6	5.5		5.6 6.0	5.8		3.9 2.8	3.4	
					Bottom	9.5	27.0 27.0	27.0	7.8 7.5	7.7	27.4 27.6	27.5	76.7 78.2	77.5	5.4 5.5	5.5		9.2 9.6	9.4		3.5 2.9	3.2	
4-Sep-13	Rainy	Moderate	12:28	10.5	Surface	1.0	27.1 27.1	27.1	7.6 7.7	7.6	19.3 19.1	19.2	77.4 76.2	76.8	5.5 5.4	5.5	5.3	6.4 6.4	6.4	8.5	4.2 4.1	4.2	4.2
					Middle	5.3	27.2 27.2	27.2	7.6 7.6	7.6	20.9 21.8	21.4	71.3 71.7	71.5	5.1 5.1	5.1		8.4 8.3	8.4		4.0 4.1	4.1	
					Bottom	9.5	27.1 27.0	27.1	7.6 7.5	7.5	24.3 24.9	24.6	68.6 72.1	70.4	4.8 5.0	4.9		10.6 10.5	10.6		4.6 3.8	4.2	
6-Sep-13	Sunny	Moderate	13:19	10.6	Surface	1.0	27.5 27.4	27.4	7.8 7.8	7.8	17.8 18.1	17.9	74.5 70.4	72.5	5.3 5.0	5.2	5.2	3.6 3.8	3.7	6.2	3.9 4.4	4.2	3.9
					Middle	5.3	26.9 27.0	27.0	7.8 7.8	7.8	20.6 20.3	20.4	72.8 70.5	71.7	5.2 5.0	5.1		6.7 6.3	6.5		3.1 4.4	3.8	
					Bottom	9.6	27.0 26.9	26.9	7.8 7.8	7.8	21.4 21.6	21.5	67.7 71.6	69.7	4.8 5.1	5.0		8.2 8.3	8.3		3.3 3.9	3.6	
9-Sep-13	Sunny	Moderate	15:18	10.5	Surface	1.0	27.8 27.9	27.8	7.9 7.9	7.9	17.9 17.9	17.9	72.9 73.3	73.1	5.2 5.3	5.2	5.2	10.4 10.5	10.5	10.7	5.3 5.3	5.3	6.1
					Middle	5.3	27.2 27.2	27.2	7.8 7.8	7.8	21.5 21.5	21.5	72.2 72.6	72.4	5.1 5.1	5.1		10.8 10.8	10.8		6.1 4.6	5.4	
					Bottom	9.5	27.1 27.2	27.1	7.8 7.8	7.8	22.3 22.2	22.2	70.6 70.8	70.7	5.0 5.0	5.0		10.8 10.7	10.8		8.3 7.1	7.7	
11-Sep-13	Sunny	Moderate	16:51	10.4	Surface	1.0	28.3 28.2	28.2	7.9 7.9	7.9	18.5 18.5	18.5	72.1 72.2	72.2	5.1 5.1	5.1	5.1	5.2 5.3	5.3	5.5	3.8 4.1	4.0	4.9
					Middle	5.2	27.6 27.6	27.6	7.9 7.9	7.9	20.7 20.8	20.8	71.2 71.6	71.4	5.0 5.0	5.0		5.6 5.6	5.6		4.0 4.9	4.5	
					Bottom	9.4	27.4 27.8	27.6	7.9 7.9	7.9	22.4 22.2	22.3	67.3 70.9	69.1	4.7 4.9	4.8		5.8 5.6	5.7		6.0 6.6	6.3	
13-Sep-13	Fine	Moderate	06:32	11.1	Surface	1.0	28.3 28.3	28.3	8.0 8.0	8.0	17.2 17.2	17.2	79.5 82.3	80.9	5.6 5.8	5.7	5.7	1.5 1.4	1.5	1.5	2.5 2.1	2.3	2.8
					Middle	5.6	28.2 28.2	28.2	8.0 8.0	8.0	17.5 17.4	17.5	79.3 81.4	80.4	5.6 5.8	5.7		1.4 1.4	1.4		2.3 2.4	2.4	
					Bottom	10.1	28.2 28.2	28.2	8.0 8.0	8.0	17.7 17.8	17.8	80.0 79.2	79.6	5.7 5.6	5.6		1.5 1.5	1.5		4.2 3.4	3.8	
16-Sep-13	Sunny	Moderate	10:38	11.1	Surface	1.0	28.4 28.4	28.4	8.1 8.1	8.1	21.6 21.7	21.7	87.8 87.2	87.5	6.1 6.0	6.0	6.0	2.9 2.9	2.9	3.0	4.8 4.4	4.6	4.4
					Middle	5.6	28.4 28.4	28.4	8.1 8.1	8.1	21.7 21.7	21.7	87.0 87.6	87.3	6.0 6.0	6.0		2.9 3.0	3.0		4.0 3.9	4.0	
					Bottom	10.1	28.4 28.4	28.4	8.1 8.1	8.1	21.7 21.8	21.8	87.0 87.5	87.3	6.0 6.0	6.0		2.9 3.0	3.0		4.7 4.2	4.5	
18-Sep-13	Sunny	Moderate	11:52	10.5	Surface	1.0	28.4 28.4	28.4	8.1 8.2	8.1	23.9 23.9	23.9	93.8 93.1	93.5	6.4 6.3	6.4	6.3	6.5 6.7	6.6	6.6	4.2 4.5	4.4	4.2
					Middle	5.3	28.3 28.3	28.3	8.2 8.1	8.2	25.0 24.8	24.9	91.6 92.4	92.0	6.2 6.3	6.2		6.6 6.5	6.6		3.7 4.2	4.0	
					Bottom	9.5	28.3 28.3	28.3	8.1 8.1	8.1	25.8 26.2	26.0	91.7 92.4	92.1	6.2 6.2	6.2		6.4 6.7	6.6		4.2 4.4	4.3	
20-Sep-13	Sunny	Moderate	13:30	10.4	Surface	1.0	29.0 29.1	29.1	8.0 8.0	8.0	22.2 22.0	22.1	84.1 83.5	83.8	5.7 5.7	5.7	5.7	7.6 7.5	7.6	7.7	6.0 5.6	5.8	6.2
					Middle	5.2	29.0 29.0	29.0	8.0 8.1	8.0	22.5 22.6	22.5	83.1 84.2	83.7	5.6 5.7	5.7		7.7 7.9	7.8		7.0 5.2	6.1	
					Bottom	9.4	28.9 28.8	28.8	8.0 8.1	8.1	23.2 23.4	23.3	82.9 85.4	84.2	5.6 5.8	5.7		7.7 7.7	7.7		7.4 6.0	6.7	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS10 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)								
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*					
23-Sep-13***	-	-	-	-	Surface	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-					
					Middle	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
					Bottom	-	-	8.0	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
25-Sep-13	Sunny	Moderate	16:19	10.5	Surface	1.0	28.4	28.4	8.0	8.0	19.9	19.9	83.9	84.3	84.1	5.8	5.9	5.9	5.8	8.5	8.8	8.7	7.0	6.2	6.6		
					Middle	5.3	28.1	28.1	8.0	8.0	23.2	23.1	83.3	83.4	83.4	5.7	5.7	5.7	8.6	8.6	8.6	8.7	7.3	5.4	6.4		
					Bottom	9.5	28.1	28.1	8.0	8.0	23.3	23.4	82.1	81.8	82.0	5.6	5.6	5.6	8.6	8.9	8.8	8.7	6.8	6.1	6.5		
27-Sep-13	Fine	Moderate	06:02	11.0	Surface	1.0	27.7	27.7	8.1	8.1	22.4	22.3	22.4	85.4	84.7	5.9	5.9	5.9	5.7	3.7	3.5	3.6	3.6	4.4	4.0		
					Middle	5.5	27.9	27.9	8.1	8.1	23.9	24.7	80.3	80.5	80.4	5.5	5.5	5.5	6.9	7.2	7.1	6.3	4.1	3.1	3.6		
					Bottom	10.0	28.1	28.1	8.1	8.1	26.5	27.1	80.5	80.1	80.3	5.4	5.4	5.4	8.0	8.6	8.3	6.3	3.8	3.6	3.7		
30-Sep-13	Cloudy	Moderate	09:52	11.0	Surface	1.0	27.6	27.6	8.2	8.2	27.4	27.4	27.4	88.9	88.1	88.5	6.0	6.0	6.0	6.0	4.0	3.8	3.9	6.2	7.0	6.6	
					Middle	5.5	27.5	27.5	8.2	8.2	28.4	28.4	88.5	88.5	87.9	5.9	5.9	5.9	2.4	2.5	2.5	6.0	2.4	2.5	7.9	6.5	7.2
					Bottom	10.0	27.5	27.5	8.2	8.2	28.4	28.4	90.0	87.3	88.7	6.1	6.0	6.0	2.7	2.5	2.6	6.0	2.7	2.5	9.6	6.5	9.8

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS10 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	18:01	11.0	Surface	1.0	29.1 29.2	29.1	8.1 8.1	8.1	16.1 16.1	16.1	81.4 79.9	80.7	5.8 5.7	5.7	5.6	14.9 14.5	14.7	15.9	17.4 16.8	17.1	17.0
					Middle	5.5	26.9 26.3	26.6	7.9 7.9	7.9	22.2 21.8	22.0	79.1 76.9	78.0	5.6 5.5	5.5		14.3 16.2	15.3		17.6 16.4	17.0	
					Bottom	10.0	26.2 26.2	26.2	7.9 7.9	7.9	28.1 28.2	28.2	71.2 71.3	71.3	5.0 5.1	5.1		16.8 18.5	17.7		16.8 16.9	16.9	
4-Sep-13	Cloudy	Moderate	19:07	10.5	Surface	1.0	27.1 27.2	27.2	7.9 7.9	7.9	19.2 19.2	19.2	74.7 73.3	74.0	5.3 5.2	5.3	5.2	11.6 11.4	11.5	11.4	5.6 4.8	5.2	5.6
					Middle	5.3	27.0 27.0	27.0	7.8 7.8	7.8	22.6 22.6	22.6	71.2 71.3	71.3	5.1 5.1	5.1		11.4 11.4	11.4		5.1 6.2	5.7	
					Bottom	9.5	26.8 26.8	26.8	7.8 7.8	7.8	24.8 24.7	24.7	66.9 66.2	66.6	4.8 4.7	4.8		11.2 11.3	11.3		6.0 5.9	6.0	
6-Sep-13	Sunny	Moderate	19:52	10.6	Surface	1.0	27.2 27.3	27.3	7.8 7.8	7.8	19.2 18.9	19.1	72.8 73.2	73.0	5.2 5.2	5.2	5.2	8.5 9.0	8.8	8.8	7.1 6.8	7.0	7.6
					Middle	5.3	26.9 27.0	26.9	7.8 7.8	7.8	20.9 20.6	20.8	72.0 72.3	72.2	5.1 5.1	5.1		8.8 8.7	8.8		8.4 9.2	8.8	
					Bottom	9.6	27.0 26.9	27.0	7.8 7.8	7.8	20.9 21.4	21.1	71.6 72.4	72.0	5.1 5.1	5.1		8.8 8.8	8.8		7.1 7.1	7.1	
9-Sep-13	Sunny	Moderate	09:17	10.6	Surface	1.0	27.5 27.5	27.5	7.8 7.8	7.8	18.8 18.1	18.4	71.2 71.0	71.1	5.1 5.1	5.1	5.1	10.7 10.4	10.6	10.5	17.3 16.6	17.0	17.7
					Middle	5.3	27.3 27.3	27.3	7.8 7.8	7.8	20.0 20.1	20.1	70.5 70.7	70.6	5.0 5.0	5.0		10.5 10.5	10.5		18.3 17.8	18.1	
					Bottom	9.6	27.3 27.2	27.2	7.8 7.8	7.8	21.8 21.9	21.8	69.1 67.3	68.2	4.9 4.7	4.8		10.4 10.3	10.4		18.4 17.8	18.1	
11-Sep-13	Sunny	Moderate	11:03	10.8	Surface	1.0	28.0 28.0	28.0	7.9 7.9	7.9	18.8 18.7	18.7	72.5 72.4	72.5	5.1 5.1	5.1	5.1	10.7 10.6	10.7	11.6	9.1 8.9	9.0	9.3
					Middle	5.4	27.8 27.8	27.8	7.9 7.9	7.9	19.8 19.6	19.7	72.0 71.3	71.7	5.0 5.0	5.0		11.5 11.9	11.7		8.4 9.5	9.0	
					Bottom	9.8	27.5 27.8	27.6	7.9 7.9	7.9	22.0 21.7	21.8	71.7 70.4	71.1	5.0 5.0	5.0		12.3 12.4	12.4		9.9 9.7	9.8	
13-Sep-13	Sunny	Moderate	14:47	11.2	Surface	1.0	28.4 28.6	28.5	8.0 8.0	8.0	18.9 17.8	18.4	79.3 84.7	82.0	5.6 5.9	5.7	5.7	7.7 7.8	7.8	8.0	5.5 4.9	5.2	7.7
					Middle	5.6	28.2 28.1	28.1	8.0 8.0	8.0	20.2 21.4	20.8	81.7 79.1	80.4	5.7 5.5	5.6		8.0 8.0	8.0		7.0 7.0	7.0	
					Bottom	10.2	28.1 27.9	28.0	8.0 8.0	8.0	21.7 22.4	22.0	80.0 77.1	78.6	5.6 5.4	5.5		8.0 8.2	8.1		11.8 10.1	11.0	
16-Sep-13	Sunny	Moderate	17:36	11.1	Surface	1.0	28.7 28.5	28.6	8.2 8.2	8.2	22.0 22.1	22.1	91.8 90.9	91.4	6.3 6.2	6.2	6.1	3.9 3.8	3.9	4.2	4.9 5.2	5.1	4.7
					Middle	5.6	28.5 28.5	28.5	8.2 8.2	8.2	23.6 22.7	23.1	89.2 86.4	87.8	6.1 5.9	6.0		4.2 4.2	4.2		4.4 5.4	4.9	
					Bottom	10.1	28.5 28.6	28.5	8.1 8.2	8.2	23.6 23.7	23.6	86.3 88.1	87.2	5.9 6.0	6.0		4.3 4.6	4.5		4.2 4.0	4.1	
18-Sep-13	Sunny	Moderate	18:53	10.5	Surface	1.0	28.3 28.3	28.3	8.1 8.1	8.1	23.4 23.5	23.4	90.0 90.0	90.0	6.2 6.2	6.2	6.2	10.4 10.1	10.3	10.5	6.2 5.4	5.8	6.2
					Middle	5.3	28.3 28.3	28.3	8.2 8.2	8.2	24.1 24.0	24.1	89.3 89.3	89.3	6.1 6.1	6.1		10.5 10.6	10.6		6.9 6.1	6.5	
					Bottom	9.5	28.3 28.3	28.3	8.1 8.1	8.1	24.8 25.1	25.0	89.7 89.5	89.6	6.1 6.1	6.1		10.5 10.5	10.5		5.6 6.7	6.2	
20-Sep-13	Fine	Moderate	19:37	10.5	Surface	1.0	29.0 28.9	29.0	8.1 8.1	8.1	22.2 22.3	22.2	82.1 82.0	82.1	5.6 5.6	5.6	5.6	11.1 10.7	10.9	11.6	7.9 6.4	7.2	7.4
					Middle	5.3	28.8 28.9	28.8	8.1 8.1	8.1	23.7 23.7	23.7	81.4 81.6	81.5	5.5 5.5	5.5		11.2 11.2	11.2		8.1 6.9	7.5	
					Bottom	9.5	28.7 28.8	28.7	8.1 8.1	8.1	24.1 24.0	24.1	81.0 81.4	81.2	5.5 5.5	5.5		12.6 12.7	12.7		7.8 7.3	7.6	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS10 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	10:53	10.6	Surface	1.0	28.2 28.3	28.3	8.0 8.0	8.0	19.9 19.8	19.8	86.0 86.9	86.5	6.0 6.1	6.0	6.0	9.1 9.4	9.3	10.4	8.7 6.8	7.8	6.3
					Middle	5.3	28.1 28.1	28.1	8.0 8.0	8.0	21.7 22.4	22.1	85.2 85.8	85.5	5.9 5.9	5.9	5.9	10.6 10.7	10.7	9.7	6.9 6.2	6.6	
					Bottom	9.6	28.1 28.1	28.1	8.0 8.0	8.0	22.8 22.8	22.8	85.6 85.2	85.4	5.9 5.9	5.9	5.9	11.3 11.1	11.2	9.7	4.1 5.0	4.6	
27-Sep-13	Sunny	Moderate	18:26	11.2	Surface	1.0	28.5 28.4	28.5	8.1 8.1	8.1	23.4 23.5	23.5	86.7 84.6	85.7	5.9 5.8	5.8	5.5	5.7 5.8	5.8	9.7	5.1 5.4	5.3	4.9
					Middle	5.6	28.1 28.1	28.1	8.1 8.1	8.1	26.9 26.9	26.9	76.4 76.2	76.3	5.1 5.1	5.1	5.1	9.2 8.9	9.1	9.7	4.4 4.3	4.4	
					Bottom	10.2	28.1 28.1	28.1	8.1 8.1	8.1	27.5 27.2	27.4	78.2 76.9	77.6	5.2 5.2	5.2	5.2	14.7 13.9	14.3	9.7	5.0 4.9	5.0	
30-Sep-13	Cloudy	Moderate	18:46	10.5	Surface	1.0	27.5 27.5	27.5	8.2 8.1	8.2	27.7 27.7	27.7	87.2 87.2	87.2	5.9 5.9	5.9	5.9	16.3 16.8	16.6	14.2	23.5 23.1	23.3	24.5
					Middle	5.3	27.6 27.5	27.6	8.2 8.1	8.2	28.1 28.0	28.0	86.5 86.8	86.7	5.8 5.9	5.8	5.8	12.3 12.7	12.5	14.2	25.0 26.2	25.6	
					Bottom	9.5	27.6 27.6	27.6	8.1 8.1	8.1	28.3 28.3	28.3	86.2 86.5	86.4	5.8 5.8	5.8	5.8	13.0 13.9	13.5	14.2	24.8 24.3	24.6	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)11 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	11:01	10.7	Surface	1.0	28.2 28.2	28.2	8.0 8.0	8.0	15.6 15.4	15.5	78.8 78.0	78.4	5.6 5.6	5.6	5.5	3.0 2.7	2.9	4.7	3.3 2.9	3.1	3.1
					Middle	5.4	26.4 26.4	26.4	7.9 7.9	7.9	26.6 26.6	26.6	75.7 74.7	75.2	5.4 5.3	5.3		4.2 4.6	4.4		3.2 3.2	3.2	
					Bottom	9.7	26.2 26.2	26.2	7.9 7.9	7.9	27.5 27.2	27.3	72.4 72.1	72.3	5.1 5.1	5.1		6.6 6.8	6.7		2.8 3.2	3.0	
4-Sep-13	Rainy	Moderate	12:19	10.4	Surface	1.0	27.1 27.1	27.1	7.7 7.5	7.6	20.6 20.7	20.7	72.3 72.3	72.3	5.1 5.1	5.1	5.1	9.9 9.8	9.9	9.3	2.5 2.8	2.7	3.5
					Middle	5.2	27.0 27.0	27.0	7.6 7.4	7.5	24.3 24.2	24.3	71.0 71.0	71.0	5.0 5.0	5.0		9.3 8.9	9.1		3.0 3.6	3.3	
					Bottom	9.4	27.0 27.1	27.0	7.2 7.6	7.4	24.4 24.3	24.3	70.2 70.6	70.4	4.9 4.9	4.9		8.7 8.9	8.8		4.1 5.0	4.6	
6-Sep-13	Sunny	Moderate	13:08	10.4	Surface	1.0	27.3 27.3	27.3	7.9 7.9	7.9	19.3 19.2	19.3	73.2 72.5	72.9	5.2 5.2	5.2	5.2	7.7 7.7	7.7	9.5	3.6 4.0	3.8	3.7
					Middle	5.2	26.6 26.6	26.6	7.9 7.9	7.9	22.9 22.9	22.9	72.3 72.1	72.2	5.1 5.1	5.1		10.6 10.4	10.5		3.2 3.5	3.4	
					Bottom	9.4	26.5 26.7	26.6	7.8 7.8	7.8	23.9 23.5	23.5	67.8 68.6	68.2	4.8 4.8	4.8		10.5 10.2	10.4		4.4 3.2	3.8	
9-Sep-13	Sunny	Moderate	15:29	10.4	Surface	1.0	28.3 27.9	28.1	7.8 7.8	7.8	17.5 18.7	18.1	78.7 73.5	76.1	5.6 5.3	5.4	5.4	6.9 7.2	7.1	8.6	4.5 4.8	4.7	5.1
					Middle	5.2	27.1 27.1	27.1	7.8 7.9	7.8	21.9 22.1	22.0	74.4 76.8	75.6	5.3 5.4	5.4		8.2 8.0	8.1		4.8 6.1	5.5	
					Bottom	9.4	27.1 26.9	27.0	7.8 7.9	7.8	22.8 23.0	22.9	71.5 73.1	72.3	5.1 5.2	5.1		10.4 10.9	10.7		4.9 5.5	5.2	
11-Sep-13	Sunny	Moderate	17:00	10.1	Surface	1.0	28.4 28.4	28.4	8.0 8.0	8.0	18.0 18.2	18.1	74.5 74.5	74.5	5.2 5.2	5.2	5.2	4.5 4.3	4.4	6.1	2.7 3.6	3.2	3.2
					Middle	5.1	27.4 27.4	27.4	7.9 7.9	7.9	22.5 22.6	22.5	72.6 73.1	72.9	5.0 5.1	5.1		6.7 6.9	6.8		2.4 2.5	2.5	
					Bottom	9.1	27.5 27.4	27.5	7.9 7.9	7.9	22.9 22.8	22.9	68.3 69.6	69.0	4.8 4.9	4.8		7.2 7.0	7.1		4.0 3.8	3.9	
13-Sep-13	Fine	Moderate	06:20	11.1	Surface	1.0	28.2 28.1	28.2	8.0 8.0	8.0	18.5 18.7	18.6	76.8 76.3	76.6	5.4 5.4	5.4	5.4	3.7 3.9	3.8	4.0	2.7 2.6	2.7	2.4
					Middle	5.6	28.0 28.0	28.0	8.0 8.0	8.0	19.3 19.5	19.4	76.2 75.6	75.9	5.4 5.3	5.3		4.0 4.1	4.1		2.1 2.0	2.1	
					Bottom	10.1	28.1 28.0	28.0	8.0 8.0	8.0	20.6 20.5	20.5	76.4 75.5	76.0	5.3 5.3	5.3		4.0 4.0	4.0		2.1 2.5	2.3	
16-Sep-13	Sunny	Moderate	10:26	11.1	Surface	1.0	28.4 28.4	28.4	8.1 8.1	8.1	21.6 21.7	21.7	83.7 83.6	83.7	5.8 5.8	5.8	5.8	2.6 2.6	2.6	2.7	4.5 3.9	4.2	4.4
					Middle	5.6	28.3 28.2	28.3	8.1 8.1	8.1	22.0 22.1	22.0	83.4 82.2	82.8	5.8 5.6	5.7		2.6 2.7	2.7		4.9 4.0	4.5	
					Bottom	10.1	28.2 28.3	28.3	8.1 8.1	8.1	23.1 22.7	22.9	81.0 82.3	81.7	5.6 5.7	5.6		2.9 2.9	2.9		4.8 4.2	4.5	
18-Sep-13	Sunny	Moderate	11:39	10.1	Surface	1.0	28.3 28.3	28.3	8.2 8.2	8.2	24.6 24.4	24.5	90.5 91.5	91.0	6.2 6.2	6.2	6.2	10.2 10.1	10.2	10.7	5.6 5.0	5.3	5.5
					Middle	5.1	28.2 28.2	28.2	8.2 8.2	8.2	26.0 26.0	26.0	90.5 91.2	90.9	6.1 6.2	6.1		10.3 10.9	10.6		5.6 5.0	5.3	
					Bottom	9.1	28.2 28.2	28.2	8.2 8.2	8.2	26.0 26.0	26.0	91.6 90.2	90.9	6.2 6.1	6.1		11.1 11.4	11.3		5.5 6.5	6.0	
20-Sep-13	Sunny	Moderate	13:19	9.9	Surface	1.0	28.6 28.5	28.6	8.1 8.1	8.1	23.4 23.9	23.6	84.2 84.3	84.3	5.7 5.7	5.7	5.7	6.7 6.7	6.7	7.4	8.3 7.0	7.7	9.4
					Middle	5.0	28.2 28.1	28.2	8.1 8.1	8.1	25.9 26.0	26.0	83.8 83.9	83.9	5.7 5.7	5.7		6.7 6.6	6.7		7.1 6.8	7.0	
					Bottom	8.9	28.2 28.1	28.2	8.1 8.1	8.1	25.9 26.0	26.0	83.7 83.8	83.8	5.7 5.7	5.7		8.9 8.8	8.9		13.3 13.6	13.5	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)11 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	16:30	10.4	Surface	1.0	28.4	28.4	8.1	8.1	20.2	19.8	84.7	84.9	5.9	5.9	5.8	8.4	8.6	11.0	6.5	5.8	5.7
					Middle	5.2	28.1	28.1	8.0	8.0	23.5	23.7	82.6	84.2	5.6	5.7	5.8	11.6	11.6	5.4	5.6	5.5	
					Bottom	9.4	28.1	28.1	8.0	8.0	24.5	24.5	81.3	82.2	5.6	5.6	5.6	12.5	12.7	6.6	4.7	5.7	
27-Sep-13	Fine	Moderate	05:53	10.8	Surface	1.0	27.7	27.7	8.1	8.1	22.9	22.9	85.4	84.9	5.9	5.9	5.8	4.3	4.5	6.7	3.8	4.4	5.5
					Middle	5.4	27.9	28.0	8.1	8.1	24.4	25.4	82.1	81.6	5.6	5.6	5.6	7.0	7.1	6.0	5.8	5.9	
					Bottom	9.8	28.0	28.0	8.1	8.1	26.7	26.8	81.2	81.5	5.5	5.5	5.5	8.8	8.6	6.1	6.4	6.3	
30-Sep-13	Cloudy	Moderate	09:41	10.6	Surface	1.0	27.6	27.6	8.2	8.2	28.0	28.0	84.0	83.7	5.7	5.7	5.7	2.9	3.0	3.9	6.2	6.8	7.4
					Middle	5.3	28.0	28.0	8.2	8.2	29.4	29.4	83.5	83.6	5.6	5.6	5.6	4.3	4.5	7.1	6.3	6.7	
					Bottom	9.6	28.0	28.0	8.2	8.2	29.5	29.5	84.0	84.1	5.6	5.6	5.6	4.5	4.3	9.3	8.1	8.7	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)11 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	18:14	11.3	Surface	1.0	29.1 29.0	29.1	8.1 8.1	8.1	15.7 16.2	16.0	80.2 81.7	81.0	5.7 5.8	5.8	5.5	3.8 3.8	3.8	7.5	4.1 4.3	4.2	4.1
					Middle	5.7	26.8 27.2	27.0	7.8 8.0	7.9	26.3 22.4	24.4	72.8 72.9	72.9	5.2 5.2	5.2		9.1 9.9	9.5		4.2 4.2	4.2	
					Bottom	10.3	26.3 25.6	26.0	7.8 7.9	7.8	28.3 28.9	28.6	75.1 76.3	75.7	5.3 5.4	5.4		9.1 9.5	9.3		4.4 3.4	3.9	
4-Sep-13	Cloudy	Moderate	19:17	10.5	Surface	1.0	27.1 27.1	27.1	7.8 7.7	7.8	20.6 20.9	20.7	71.8 71.2	71.5	5.1 5.0	5.1	5.1	6.3 6.0	6.2	9.0	3.3 3.9	3.6	3.9
					Middle	5.3	26.8 26.8	26.8	7.5 7.8	7.7	23.1 23.1	23.1	70.6 70.6	70.6	5.0 5.0	5.0		10.1 10.5	10.3		4.2 4.0	4.1	
					Bottom	9.5	26.7 26.7	26.7	7.3 7.7	7.5	25.4 25.5	25.5	71.5 66.6	69.1	5.0 4.7	4.8		10.7 10.2	10.5		4.6 3.4	4.0	
6-Sep-13	Sunny	Moderate	20:04	10.9	Surface	1.0	27.1 27.1	27.1	7.8 7.9	7.9	19.7 19.5	19.6	73.9 74.8	74.4	5.3 5.3	5.3	5.3	6.9 6.9	6.9	7.7	6.4 5.9	6.2	6.2
					Middle	5.5	26.8 26.8	26.8	7.8 7.8	7.8	21.8 21.9	21.9	76.0 74.4	75.2	5.4 5.2	5.3		7.3 7.6	7.5		6.8 7.1	7.0	
					Bottom	9.9	26.7 27.0	26.8	7.8 7.8	7.8	22.4 22.3	22.3	74.3 73.3	73.8	5.3 5.2	5.2		8.6 8.7	8.7		5.8 5.1	5.5	
9-Sep-13	Sunny	Moderate	09:07	10.6	Surface	1.0	27.4 27.4	27.4	7.8 7.8	7.8	20.2 20.1	20.2	74.3 73.7	74.0	5.3 5.2	5.3	5.3	10.8 10.6	10.7	10.9	3.1 4.3	3.7	3.4
					Middle	5.3	27.3 27.3	27.3	7.8 7.8	7.8	21.0 21.0	21.0	73.8 73.4	73.6	5.3 5.2	5.2		10.9 10.5	10.7		3.8 2.6	3.2	
					Bottom	9.6	27.3 27.3	27.3	7.8 7.8	7.8	21.1 21.2	21.1	73.0 73.6	73.3	5.2 5.2	5.2		11.1 11.3	11.2		2.6 3.7	3.2	
11-Sep-13	Sunny	Moderate	10:52	10.2	Surface	1.0	28.0 28.0	28.0	7.9 7.9	7.9	19.1 18.9	19.0	71.2 71.1	71.2	5.0 5.0	5.0	5.0	5.4 5.2	5.3	8.1	5.7 5.2	5.5	5.6
					Middle	5.1	27.6 28.0	27.8	7.9 7.9	7.9	21.4 21.4	21.4	71.0 70.9	71.0	5.0 5.0	5.0		8.7 8.4	8.6		4.6 4.7	4.7	
					Bottom	9.2	27.6 27.7	27.6	7.9 7.9	7.9	21.5 21.4	21.4	70.7 69.7	70.2	4.9 4.9	4.9		10.0 10.7	10.4		6.7 6.2	6.5	
13-Sep-13	Sunny	Moderate	14:58	11.0	Surface	1.0	28.2 28.2	28.2	8.0 8.0	8.0	20.0 20.1	20.0	82.3 80.4	81.4	5.8 5.6	5.7	5.6	1.9 2.0	2.0	2.1	2.5 2.6	2.6	3.2
					Middle	5.5	28.1 28.1	28.1	8.0 8.0	8.0	20.6 20.6	20.6	78.9 77.8	78.4	5.5 5.4	5.5		2.2 2.0	2.1		2.9 4.1	3.5	
					Bottom	10.0	28.0 28.0	28.0	8.0 8.0	8.0	20.7 20.9	20.8	78.5 77.2	77.9	5.5 5.4	5.4		2.2 2.4	2.3		3.8 3.1	3.5	
16-Sep-13	Sunny	Moderate	17:44	11.1	Surface	1.0	28.7 28.7	28.7	8.2 8.2	8.2	22.4 22.6	22.5	93.8 87.8	90.8	6.4 6.0	6.2	6.0	3.1 3.3	3.2	3.4	4.0 5.0	4.5	5.1
					Middle	5.6	28.4 28.4	28.4	8.2 8.1	8.1	23.3 23.2	23.2	87.3 81.8	84.6	5.9 5.6	5.8		3.4 3.3	3.4		4.9 4.3	4.6	
					Bottom	10.1	28.2 28.1	28.2	8.1 8.1	8.1	24.6 24.8	24.7	83.2 80.5	81.9	5.7 5.5	5.6		3.7 3.6	3.7		6.9 5.3	6.1	
18-Sep-13	Sunny	Moderate	19:04	10.1	Surface	1.0	28.3 28.2	28.2	8.1 8.1	8.1	24.6 24.7	24.7	88.0 92.9	90.5	6.0 6.3	6.1	6.1	10.4 10.1	10.3	11.1	7.0 7.2	7.1	8.7
					Middle	5.1	28.2 28.2	28.2	8.1 8.1	8.1	24.9 24.9	24.9	87.8 88.7	88.3	6.0 6.0	6.0		11.5 11.4	11.5		8.2 9.8	9.0	
					Bottom	9.1	28.2 28.2	28.2	8.1 8.1	8.1	24.9 24.9	24.9	87.8 88.8	88.3	6.0 6.0	6.0		11.5 11.7	11.6		9.9 10.0	10.0	
20-Sep-13	Fine	Moderate	19:48	10.3	Surface	1.0	28.6 28.6	28.6	8.1 8.1	8.1	24.0 24.1	24.1	83.4 82.7	83.1	5.7 5.6	5.6	5.6	9.1 9.3	9.2	11.8	8.0 7.7	7.9	8.6
					Middle	5.2	28.6 28.6	28.6	8.1 8.1	8.1	24.1 24.5	24.3	84.0 82.6	83.3	5.7 5.6	5.6		13.5 13.2	13.4		7.7 8.5	8.1	
					Bottom	9.3	28.6 28.5	28.6	8.1 8.1	8.1	24.5 24.8	24.6	82.8 89.9	86.4	5.6 6.1	5.8		12.9 12.7	12.8		9.3 10.3	9.8	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)11 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
23-Sep-13***	-	-	-	-	Surface	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	10:43	10.3	Surface	1.0	28.3	28.3	8.0	8.0	19.5	19.5	91.3	87.2	89.3	6.3	6.2	6.2	9.7	9.8	9.8	6.9	7.3	7.1
					Middle	5.2	28.1	28.1	8.0	8.0	22.1	21.9	86.1	88.2	87.2	6.0	6.1	6.2	10.5	10.4	10.2	6.7	6.6	6.7
					Bottom	9.3	28.1	28.1	8.0	8.0	22.8	22.8	88.2	86.9	87.6	6.1	6.0	6.0	10.1	10.4	10.3	7.2	7.4	7.3
27-Sep-13	Sunny	Moderate	18:37	11.5	Surface	1.0	28.6	28.5	8.1	8.1	23.1	23.2	91.6	91.1	6.3	6.2	6.2	5.9	6.0	6.0	7.8	7.9	7.9	
					Middle	5.8	28.2	28.2	8.1	8.1	26.4	26.6	81.0	80.4	80.7	5.5	5.4	5.4	6.3	6.9	6.6	8.3	8.1	8.2
					Bottom	10.5	28.1	28.1	8.1	8.1	27.2	27.1	82.7	82.9	82.8	5.6	5.6	5.6	9.1	8.8	9.0	8.5	7.2	7.9
30-Sep-13	Cloudy	Moderate	18:58	10.5	Surface	1.0	27.5	27.5	8.0	8.1	28.2	28.2	88.8	87.2	88.0	6.0	5.9	5.9	7.2	7.6	7.4	4.9	4.5	4.7
					Middle	5.3	27.9	27.9	8.1	8.0	29.4	29.5	82.4	84.0	83.2	5.5	5.5	5.6	9.5	9.4	9.3	6.0	5.9	6.0
					Bottom	9.5	27.9	27.9	7.7	7.9	29.5	29.5	88.9	85.0	87.0	5.9	5.8	5.7	8.2	8.8	8.5	7.6	6.2	6.9

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)16 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	11:30	6.3	Surface	1.0	28.0 28.0	28.0	7.8 7.8	7.8	17.2 17.2	17.2	77.2 77.0	77.1	5.5 5.5	5.5	5.3	12.1 12.3	12.2	11.7	5.6 5.1	5.4	8.6
					Middle	3.2	27.7 27.7	27.7	7.8 7.8	7.8	19.0 19.1	19.1	71.1 71.5	71.3	5.0 5.1	5.0		11.4 11.4	11.4		9.1 9.6	9.4	
					Bottom	5.3	27.2 27.2	27.2	7.7 7.7	7.7	26.9 26.8	26.9	69.1 69.6	69.4	4.9 4.8	4.8		11.6 11.6	11.6		10.8 10.9	10.9	
4-Sep-13	Rainy	Moderate	12:19	6.9	Surface	1.0	27.0 27.0	27.0	7.8 7.8	7.8	21.3 21.3	21.3	68.1 68.7	68.4	5.2 5.2	5.2	5.2	12.2 11.9	12.1	13.7	7.2 7.0	7.1	7.7
					Middle	3.5	26.8 26.7	26.8	7.7 7.8	7.8	23.5 23.3	23.4	67.5 68.1	67.8	5.1 5.2	5.2		13.7 14.1	13.9		7.0 8.2	7.6	
					Bottom	5.9	26.1 26.1	26.1	7.7 7.7	7.7	26.6 26.6	26.6	66.5 69.0	67.8	5.0 5.2	5.1		15.2 14.8	15.0		9.0 7.8	8.4	
6-Sep-13	Sunny	Moderate	13:26	7.2	Surface	1.0	26.9 27.0	26.9	7.7 7.7	7.7	21.7 21.6	21.7	84.4 88.4	86.4	6.0 6.2	6.1	5.9	14.2 14.5	14.4	15.0	12.8 11.6	12.2	12.7
					Middle	3.6	26.6 26.4	26.5	7.7 7.7	7.7	22.1 22.3	22.2	82.1 78.1	80.1	5.8 5.6	5.7		14.8 15.0	14.9		12.2 12.2	12.2	
					Bottom	6.2	25.9 25.8	25.9	7.7 7.7	7.7	25.4 25.8	25.6	77.6 82.8	80.2	5.5 5.8	5.7		16.2 15.3	15.8		14.1 13.2	13.7	
9-Sep-13	Sunny	Moderate	15:27	6.6	Surface	1.0	28.1 28.0	28.0	7.7 7.7	7.7	19.9 19.9	19.9	75.6 76.6	76.1	5.3 5.4	5.3	5.3	9.2 9.4	9.3	10.4	6.6 7.6	7.1	7.1
					Middle	3.3	27.6 27.5	27.5	7.7 7.6	7.7	20.4 20.4	20.4	73.5 74.0	73.8	5.2 5.2	5.2		10.3 10.1	10.2		7.5 7.0	7.3	
					Bottom	5.6	27.1 27.2	27.1	7.6 7.6	7.6	23.1 23.1	23.1	73.3 73.7	73.5	5.1 5.2	5.1		11.8 11.4	11.6		7.1 6.5	6.8	
11-Sep-13	Sunny	Moderate	16:51	7.4	Surface	1.0	28.2 27.9	28.1	7.7 7.8	7.8	19.9 19.9	19.9	92.6 80.8	86.7	6.4 5.6	6.0	5.9	9.2 9.4	9.3	9.7	10.3 11.5	10.9	11.6
					Middle	3.7	27.3 27.5	27.4	7.8 7.7	7.8	21.0 21.8	21.4	84.2 77.8	81.0	5.9 5.4	5.7		9.6 9.8	9.7		12.4 12.7	12.6	
					Bottom	6.4	27.8 27.6	27.7	7.7 7.8	7.8	23.3 23.7	23.5	77.7 80.3	79.0	5.4 5.7	5.5		10.0 10.1	10.1		11.1 11.3	11.2	
13-Sep-13	Fine	Moderate	06:53	6.3	Surface	1.0	27.9 27.9	27.9	8.1 8.1	8.1	20.7 20.6	20.7	79.0 78.3	78.7	5.5 5.5	5.5	5.5	13.5 12.8	13.2	15.5	11.8 10.4	11.1	11.6
					Middle	3.2	28.0 27.9	27.9	8.1 8.1	8.1	21.2 21.1	21.1	77.0 76.9	77.0	5.4 5.2	5.4		15.7 15.9	15.8		12.0 11.3	11.7	
					Bottom	5.3	27.9 27.9	27.9	8.1 8.1	8.1	22.1 22.7	22.4	75.0 77.9	76.5	5.3 5.4	5.3		17.5 17.2	17.4		12.7 11.2	12.0	
16-Sep-13	Sunny	Moderate	10:21	6.1	Surface	1.0	28.7 28.5	28.6	7.9 7.9	7.9	20.9 21.2	21.0	84.7 81.4	83.1	5.8 5.6	5.7	5.5	10.8 10.3	10.6	10.5	9.4 9.7	9.6	9.1
					Middle	3.1	28.0 28.3	28.1	7.9 7.9	7.9	24.7 22.6	23.7	76.9 76.9	76.9	5.3 5.3	5.3		10.3 10.6	10.5		9.8 8.2	9.0	
					Bottom	5.1	28.5 28.1	28.3	7.9 7.9	7.9	23.8 23.9	23.9	75.8 76.0	75.9	5.2 5.2	5.2		10.2 10.6	10.4		9.1 8.3	8.7	
18-Sep-13	Sunny	Moderate	12:11	6.8	Surface	1.0	28.2 28.1	28.2	8.0 8.0	8.0	24.2 24.3	24.2	90.9 88.7	89.8	6.2 6.1	6.1	6.1	14.5 15.5	15.0	16.0	13.4 14.2	13.8	14.4
					Middle	3.4	28.1 28.1	28.1	7.9 7.9	7.9	24.5 24.4	24.5	89.4 87.3	88.4	6.1 6.0	6.0		14.6 15.0	14.8		14.0 12.9	13.5	
					Bottom	5.8	28.1 28.1	28.1	7.9 7.9	7.9	24.7 24.6	24.7	91.8 87.5	89.7	6.3 6.0	6.1		18.4 17.8	18.1		16.7 15.3	16.0	
20-Sep-13	Sunny	Moderate	13:42	7.1	Surface	1.0	28.7 28.7	28.7	7.9 7.8	7.9	24.6 24.6	24.6	86.1 85.6	85.9	5.8 5.8	5.8	5.6	16.9 16.7	16.8	18.2	18.9 17.8	18.4	18.8
					Middle	3.6	28.3 28.2	28.3	7.9 7.8	7.8	24.9 25.0	24.9	82.6 77.1	79.9	5.6 5.2	5.4		18.0 17.8	17.9		18.7 17.6	18.2	
					Bottom	6.1	28.1 28.0	28.1	7.8 7.7	7.8	25.8 23.4	24.6	82.3 82.0	82.2	5.6 5.6	5.6		19.3 20.2	19.8		19.1 20.5	19.8	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)16 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
23-Sep-13***	-	-	-	-	Surface	-	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	-	-	-	7.9	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	7.8	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	15:51	6.6	Surface	1.0	28.5	28.5	7.8	7.8	21.1	21.1	88.4	88.7	88.6	6.1	6.1	6.0	20.0	19.6	19.8	20.3	17.2	18.4
					Middle	3.3	28.3	28.3	7.8	7.8	21.7	21.7	84.3	83.2	83.8	5.8	5.8	5.9	23.8	24.2	24.0	20.3	19.1	18.6
					Bottom	5.6	28.1	28.1	7.8	7.8	24.1	24.2	81.6	80.7	81.2	5.6	5.5	5.5	16.7	17.3	17.0	20.3	17.8	18.5
27-Sep-13	Fine	Moderate	05:55	6.6	Surface	1.0	27.7	27.7	7.8	7.8	21.7	21.7	85.6	86.3	86.0	6.0	6.0	5.9	12.8	12.5	12.7	12.3	11.6	11.4
					Middle	3.3	27.9	27.9	7.8	7.8	22.7	22.9	83.5	83.1	83.3	5.8	5.8	5.8	12.1	12.0	12.1	12.3	13.3	13.8
					Bottom	5.6	28.0	28.0	7.8	7.7	26.9	26.8	86.8	86.3	86.6	5.9	5.8	5.8	11.9	12.5	12.2	12.3	13.2	12.9
30-Sep-13	Cloudy	Moderate	09:50	6.3	Surface	1.0	27.6	27.6	7.8	7.8	27.2	27.2	81.1	81.8	81.5	5.5	5.5	5.5	12.2	12.1	12.2	15.0	13.2	13.1
					Middle	3.2	27.7	27.7	7.8	7.8	27.4	27.7	80.1	79.6	79.9	5.4	5.4	5.4	14.4	14.6	14.5	15.0	14.3	13.6
					Bottom	5.3	27.9	28.0	7.8	7.8	29.0	29.0	80.7	80.9	80.8	5.4	5.4	5.4	18.2	18.1	18.2	15.0	14.1	14.0

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)16 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	17:44	6.3	Surface	1.0	28.9 29.0	28.9	8.0 8.0	8.0	16.5 15.0	15.8	98.5 99.8	99.2	7.0 7.1	7.0	6.4	8.8 8.7	8.8	9.1	5.8 4.5	5.2	4.6
					Middle	3.2	27.5 27.9	27.7	7.8 7.9	7.8	20.5 18.9	19.7	82.8 82.7	82.8	5.8 5.6	5.7		8.8 8.7	8.8		4.4 4.3	4.4	
					Bottom	5.3	27.3 27.9	27.6	7.8 7.8	7.8	25.0 25.0	25.0	75.7 76.5	76.1	5.4 5.4	5.4		9.6 9.6	9.6		4.2 4.1	4.2	
4-Sep-13	Cloudy	Moderate	18:20	6.7	Surface	1.0	27.1 27.1	27.1	7.8 7.8	7.8	20.3 20.7	20.5	70.3 69.6	70.0	5.4 5.3	5.4	5.3	6.2 5.9	6.1	9.2	5.0 5.2	5.1	4.9
					Middle	3.4	27.0 27.0	27.0	7.7 7.7	7.7	22.0 22.0	22.0	68.3 68.1	68.2	5.2 5.2	5.2		9.4 10.1	9.8		4.2 4.3	4.3	
					Bottom	5.7	26.8 26.6	26.7	7.7 7.6	7.7	25.1 24.7	24.9	68.2 68.9	68.6	5.2 5.2	5.2		12.0 11.5	11.8		6.0 4.7	5.4	
6-Sep-13	Sunny	Moderate	19:16	7.1	Surface	1.0	27.2 27.2	27.2	7.7 7.7	7.7	19.9 20.3	20.1	80.0 79.2	79.6	5.7 5.6	5.6	5.6	11.8 11.6	11.7	12.7	4.1 4.8	4.5	4.8
					Middle	3.6	27.1 27.2	27.1	7.7 7.7	7.7	20.8 20.8	20.8	79.0 78.2	78.6	5.6 5.5	5.6		12.5 12.9	12.7		4.1 4.6	4.4	
					Bottom	6.1	27.0 26.8	26.9	7.7 7.7	7.7	21.6 22.5	22.0	77.5 76.3	76.9	5.5 5.4	5.4		13.2 14.3	13.8		5.6 5.6	5.6	
9-Sep-13	Sunny	Moderate	09:00	6.8	Surface	1.0	27.5 27.5	27.5	7.6 7.6	7.6	19.2 19.2	19.2	74.0 73.4	73.7	5.2 5.2	5.2	5.2	12.8 12.8	12.8	14.3	3.3 3.8	3.6	3.7
					Middle	3.4	27.3 27.3	27.3	7.6 7.6	7.6	20.6 20.6	20.6	71.9 72.0	72.0	5.1 5.1	5.1		14.1 14.3	14.2		3.2 4.0	3.6	
					Bottom	5.8	27.3 27.3	27.3	7.5 7.6	7.6	20.9 20.9	20.9	71.3 71.3	71.3	5.0 5.0	5.0		16.0 15.7	15.9		4.2 3.7	4.0	
11-Sep-13	Sunny	Moderate	10:52	7.1	Surface	1.0	27.9 28.0	27.9	7.7 7.6	7.7	18.6 18.9	18.7	79.7 93.7	86.7	5.5 6.5	6.0	5.8	7.7 7.3	7.5	7.6	3.7 3.6	3.7	3.2
					Middle	3.6	27.6 27.6	27.6	7.6 7.6	7.6	19.7 20.3	20.0	74.8 83.8	79.3	5.3 5.9	5.6		7.7 7.4	7.6		3.1 3.0	3.1	
					Bottom	6.1	27.8 27.7	27.8	7.6 7.6	7.6	21.9 21.8	21.9	74.4 80.9	77.7	5.2 5.7	5.5		7.9 7.7	7.8		2.7 2.9	2.8	
13-Sep-13	Sunny	Moderate	14:10	6.4	Surface	1.0	28.3 28.3	28.3	8.1 8.1	8.1	19.8 19.9	19.8	81.8 81.6	81.7	5.7 5.7	5.7	5.6	10.4 10.8	10.6	10.6	8.0 9.3	8.7	8.9
					Middle	3.2	28.1 28.1	28.1	8.1 8.1	8.1	20.6 22.4	20.5	77.9 79.1	78.5	5.4 5.5	5.5		10.5 10.6	10.6		8.4 9.3	8.9	
					Bottom	5.4	27.9 27.9	27.9	8.1 8.1	8.1	20.4 22.3	22.4	82.8 79.8	81.3	5.7 5.5	5.6		10.8 10.4	10.6		9.3 8.6	9.0	
16-Sep-13	Sunny	Moderate	17:22	6.3	Surface	1.0	28.6 28.5	28.6	7.9 7.9	7.9	22.4 22.7	22.5	86.6 84.7	85.7	5.9 5.8	5.9	5.9	11.8 11.5	11.7	11.6	6.1 6.0	6.1	8.3
					Middle	3.2	28.3 28.3	28.3	7.9 7.9	7.9	23.3 23.4	23.4	85.5 82.9	84.2	5.9 5.7	5.8		11.4 11.5	11.5		8.3 8.8	8.6	
					Bottom	5.3	28.2 28.3	28.3	7.9 7.9	7.9	23.7 23.6	23.6	81.6 79.7	80.7	5.6 5.5	5.5		11.5 11.6	11.6		10.9 9.2	10.1	
18-Sep-13	Sunny	Moderate	18:09	6.6	Surface	1.0	28.2 28.2	28.2	8.0 8.0	8.0	24.3 24.3	24.3	94.7 91.6	93.2	6.5 6.2	6.3	6.3	16.2 15.4	15.8	18.3	8.7 7.2	8.0	7.5
					Middle	3.3	28.2 28.2	28.2	8.0 8.0	8.0	24.4 24.4	24.4	87.5 94.4	91.0	6.0 6.4	6.2		17.9 18.3	18.1		7.5 7.1	7.3	
					Bottom	5.6	28.2 28.1	28.2	8.0 8.0	8.0	24.5 24.5	24.5	90.5 93.8	92.2	6.6 6.4	6.5		21.1 20.6	20.9		7.6 6.9	7.3	
20-Sep-13	Fine	Moderate	19:02	7.3	Surface	1.0	28.7 28.7	28.7	7.9 7.9	7.9	24.0 24.0	24.0	85.1 84.2	84.7	5.8 5.7	5.7	5.7	10.3 10.2	10.3	13.7	9.0 9.2	9.1	8.5
					Middle	3.7	28.5 28.5	28.5	7.9 7.9	7.9	24.6 24.5	24.5	83.4 85.0	84.2	5.7 5.8	5.7		14.0 14.4	14.2		8.1 8.2	8.2	
					Bottom	6.3	28.5 28.5	28.5	7.9 7.9	7.9	24.8 24.8	24.8	83.3 85.6	84.5	5.6 5.8	5.7		16.1 17.2	16.7		7.4 8.9	8.2	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS(Mf)16 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:00	6.8	Surface	1.0	<u>28.4</u>	<u>28.4</u>	<u>7.7</u>	7.8	20.5	20.6	90.5	90.4	6.3	6.3	6.2	8.1	8.3	10.5	6.7	5.9	6.1
					Middle	3.4	<u>28.1</u>	28.1	7.8	7.7	21.6	21.6	87.4	87.6	6.1	6.1		11.1	10.9		6.1	5.6	
					Bottom	5.8	<u>28.1</u>	28.1	7.7	7.7	21.9	21.9	88.3	88.7	6.1	6.1		12.6	12.4		7.0	6.7	
27-Sep-13	Sunny	Moderate	18:13	6.4	Surface	1.0	<u>28.4</u>	<u>28.4</u>	7.8	7.8	22.8	22.9	87.8	86.9	6.0	6.0	5.9	14.9	15.2	15.2	6.7	6.7	6.6
					Middle	3.2	<u>28.2</u>	28.1	7.8	7.8	24.3	24.4	84.0	83.6	5.7	5.7		15.4	15.3		7.2	6.7	
					Bottom	5.4	<u>28.1</u>	28.2	7.8	7.8	25.9	25.9	86.6	86.8	5.9	5.9		15.2	15.1		6.3	6.3	
30-Sep-13	Cloudy	Moderate	16:31	6.4	Surface	1.0	<u>27.7</u>	<u>27.6</u>	7.8	7.8	27.7	27.5	85.6	87.7	5.8	5.9	5.9	10.4	10.5	10.5	10.7	10.2	11.9
					Middle	3.2	<u>27.7</u>	27.7	7.8	7.8	27.8	27.8	86.3	85.5	5.8	5.8		10.5	10.6		13.6	13.2	
					Bottom	5.4	<u>27.7</u>	27.7	7.8	7.8	28.4	28.3	85.8	85.2	5.8	5.8		10.4	10.4		12.7	12.4	

#### Remarks:

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

#### Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS5 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	12:16	8.3	Surface	1.0	28.9 28.9	28.9	8.0 8.0	8.0	15.0 15.2	15.1	86.4 82.2	84.3	6.1 5.8	6.0	5.7	6.9 6.7	6.8	10.3	5.7 5.5	5.6	5.2
					Middle	4.2	27.1 27.0	27.0	7.8 7.8	7.8	28.2 28.4	28.3	74.7 77.7	76.2	5.3 5.5	5.4		12.2 12.1	12.2		5.4 4.8	5.1	
					Bottom	7.3	26.9 26.8	26.9	7.8 7.8	7.8	29.0 29.2	29.1	74.9 72.4	73.7	5.1 5.1	5.1		11.7 11.8	11.8		4.6 5.2	4.9	
4-Sep-13	Rainy	Moderate	13:02	9.4	Surface	1.0	27.2 27.2	27.2	7.9 7.8	7.8	19.1 20.4	19.8	68.9 69.0	69.0	5.2 5.2	5.2	5.2	11.4 10.4	10.9	12.9	10.2 11.1	10.7	11.5
					Middle	4.7	26.7 26.8	26.8	7.8 7.8	7.8	27.2 26.5	26.8	67.5 67.2	67.4	5.1 5.1	5.1		13.8 13.9	13.9		11.2 10.9	11.1	
					Bottom	8.4	26.7 26.8	26.7	7.8 7.8	7.8	27.5 27.4	27.4	68.1 67.8	68.0	5.2 5.1	5.1		14.2 13.7	14.0		12.5 12.9	12.7	
6-Sep-13	Sunny	Moderate	14:08	9.9	Surface	1.0	27.0 27.0	27.0	7.8 7.8	7.8	21.4 21.4	21.4	92.4 92.1	92.3	6.5 6.5	6.5	6.5	11.6 11.1	11.4	14.2	10.0 9.1	9.6	9.7
					Middle	5.0	26.7 26.7	26.7	7.8 7.8	7.8	22.0 22.1	22.0	90.6 89.0	89.8	6.4 6.3	6.4		17.1 16.1	16.6		9.2 9.4	9.3	
					Bottom	8.9	26.7 26.7	26.7	7.8 7.8	7.8	22.0 22.1	22.1	91.9 96.1	94.0	6.5 6.8	6.7		14.3 15.1	14.7		10.3 10.1	10.2	
9-Sep-13	Sunny	Moderate	14:28	9.0	Surface	1.0	28.0 28.0	28.0	7.7 7.7	7.7	20.4 20.4	20.4	79.7 79.2	79.5	5.6 5.5	5.6	5.6	8.5 8.4	8.5	9.4	6.9 7.5	7.2	6.9
					Middle	4.5	28.0 28.0	28.0	7.7 7.7	7.7	20.5 20.5	20.5	78.3 78.6	78.5	5.5 5.5	5.5		9.6 9.4	9.5		6.7 6.4	6.6	
					Bottom	8.0	27.8 27.9	27.9	7.7 7.7	7.7	20.6 20.6	20.6	78.7 78.7	78.7	5.5 5.5	5.5		9.9 10.5	10.2		7.2 6.7	7.0	
11-Sep-13	Sunny	Moderate	16:18	9.2	Surface	1.0	28.6 28.4	28.5	7.8 7.8	7.8	20.3 20.4	20.4	92.6 91.3	92.0	6.4 6.3	6.4	6.3	6.0 6.2	6.1	6.4	4.0 3.8	3.9	4.1
					Middle	4.6	28.3 28.2	28.3	7.8 7.8	7.8	20.6 20.7	20.6	86.6 89.7	88.2	6.0 6.2	6.1		6.4 6.4	6.4		3.9 4.5	4.2	
					Bottom	8.2	28.2 28.3	28.2	7.8 7.8	7.8	20.8 20.7	20.8	86.5 88.9	87.7	6.0 6.2	6.1		6.7 6.5	6.6		4.0 4.4	4.2	
13-Sep-13	Fine	Moderate	07:36	8.2	Surface	1.0	28.0 28.0	28.0	8.1 8.1	8.1	21.1 21.2	21.2	76.6 78.1	77.4	5.3 5.4	5.3	5.3	6.2 6.2	6.2	7.3	4.4 4.3	4.4	4.1
					Middle	4.1	27.8 27.8	27.8	8.1 8.1	8.1	22.1 22.6	22.4	75.2 76.4	75.8	5.2 5.3	5.3		7.6 7.7	7.7		4.7 3.9	4.3	
					Bottom	7.2	27.8 27.6	27.7	8.1 8.1	8.1	24.6 24.5	24.6	76.3 75.4	75.9	5.2 5.2	5.2		8.0 7.9	8.0		3.4 4.0	3.7	
16-Sep-13	Sunny	Moderate	11:07	8.2	Surface	1.0	28.7 28.7	28.7	8.0 8.0	8.0	21.8 21.9	21.8	88.3 88.0	88.2	6.1 6.0	6.0	5.9	7.7 7.8	7.8	8.7	5.4 6.3	5.9	5.7
					Middle	4.1	28.2 28.2	28.2	8.0 8.0	8.0	24.0 23.8	23.9	81.4 88.7	85.1	5.6 6.0	5.8		8.2 8.5	8.4		5.8 5.4	5.6	
					Bottom	7.2	28.3 28.0	28.2	8.0 8.0	8.0	24.3 24.4	24.3	84.1 81.3	82.7	5.7 5.6	5.6		9.5 10.3	9.9		5.6 5.8	5.7	
18-Sep-13	Sunny	Moderate	12:59	9.7	Surface	1.0	28.3 28.3	28.3	8.0 8.0	8.0	25.0 24.9	25.0	94.4 96.1	95.3	6.4 6.5	6.5	6.4	9.7 9.6	9.7	11.4	7.3 6.7	7.0	7.2
					Middle	4.9	28.1 28.1	28.1	8.0 8.0	8.0	25.9 26.1	26.0	92.1 92.4	92.3	6.2 6.3	6.2		12.1 11.8	12.0		6.1 6.1	6.7	
					Bottom	8.7	28.1 28.1	28.1	8.0 8.0	8.0	26.4 26.4	26.4	93.6 93.4	93.5	6.3 6.3	6.3		12.7 12.3	12.5		8.4 7.5	8.0	
20-Sep-13	Sunny	Moderate	14:32	9.3	Surface	1.0	28.7 28.7	28.7	7.9 7.9	7.9	25.2 25.2	25.2	89.3 88.7	89.0	6.0 6.0	6.0	5.9	9.4 9.4	9.4	11.0	11.0 10.3	10.7	10.3
					Middle	4.7	28.3 28.3	28.3	7.9 7.9	7.9	25.5 25.4	25.5	86.1 86.1	86.1	5.8 5.8	5.8		11.7 11.4	11.6		10.3 10.3	10.3	
					Bottom	8.3	28.2 28.2	28.2	7.8 7.9	7.9	25.8 25.8	25.8	86.0 86.3	86.2	5.8 5.8	5.8		11.6 12.1	11.9		9.7 10.1	9.9	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS5 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
23-Sep-13***	-	-	-	-	Surface	-	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	-	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	-	7.8	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	14:53	9.2	Surface	1.0	28.4	28.4	7.7	7.8	22.1	22.1	90.6	90.2	90.4	6.2	6.2	6.2	9.8	9.9	9.9	9.3	8.5	8.9
					Middle	4.6	28.3	28.3	7.8	7.7	22.2	22.2	88.6	89.3	89.0	6.1	6.1	6.1	12.0	11.4	11.7	8.1	8.6	8.4
					Bottom	8.2	28.2	28.2	7.7	7.7	22.4	22.3	88.3	87.8	88.1	6.1	6.1	6.1	13.5	13.6	13.6	9.9	10.1	10.0
27-Sep-13	Fine	Moderate	06:38	8.4	Surface	1.0	27.8	27.8	7.8	7.8	22.9	22.8	85.1	85.5	85.3	5.9	5.9	5.8	6.8	6.6	6.7	4.4	4.3	4.4
					Middle	4.2	27.9	27.9	7.8	7.8	25.0	25.3	84.3	83.8	84.1	5.8	5.7	5.7	6.6	6.8	6.7	5.5	5.2	5.4
					Bottom	7.4	27.9	27.9	7.8	7.8	28.0	27.9	85.7	86.8	86.3	5.8	5.8	5.8	7.1	7.1	7.1	4.1	4.5	4.3
30-Sep-13	Cloudy	Moderate	10:32	8.3	Surface	1.0	27.4	27.5	7.9	7.9	25.5	25.6	92.5	92.1	92.3	6.3	6.3	6.3	5.7	5.6	5.7	3.5	4.1	3.8
					Middle	4.2	27.8	27.8	7.9	7.9	28.3	28.7	91.8	91.8	91.8	6.1	6.1	6.1	7.7	7.7	7.7	5.9	5.2	5.6
					Bottom	7.3	27.9	27.9	7.9	7.9	30.0	30.1	90.9	90.5	90.7	6.1	6.1	6.1	8.6	8.3	8.5	7.0	6.0	6.5

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS5 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)			Turbidity(NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	16:55	8.5	Surface	1.0	29.5 29.5	29.5	8.1 8.1	8.1	16.6 16.5	16.6	102.0 102.1	102.1	7.1 7.1	7.1	6.2	12.9 12.9	12.9	13.1	11.2 10.8	11.0	12.6
					Middle	4.3	28.1 27.9	28.0	7.9 7.9	7.9	20.4 20.4	20.4	76.6 75.3	76.0	5.2 5.2	5.2		12.7 12.7	12.7		13.1 12.4	12.8	
					Bottom	7.5	27.1 27.2	27.2	7.8 7.8	7.8	27.0 26.6	26.8	68.3 70.1	69.2	4.8 4.9	4.8		13.5 13.6	13.6		14.2 13.5	13.9	
4-Sep-13	Cloudy	Moderate	17:33	9.8	Surface	1.0	27.3 27.4	27.3	7.8 7.8	7.8	20.8 20.5	20.7	71.1 71.6	71.4	5.4 5.4	5.4	5.3	10.4 10.2	10.3	10.9	10.0 10.8	10.4	10.3
					Middle	4.9	27.1 27.2	27.2	7.8 7.8	7.8	22.6 22.0	22.3	69.2 69.2	69.2	5.2 5.2	5.2		11.6 10.6	11.1		9.6 10.5	10.1	
					Bottom	8.8	27.2 27.1	27.2	7.8 7.8	7.8	22.9 22.6	22.7	69.8 70.0	69.9	5.3 5.3	5.3		11.4 11.2	11.3		10.0 10.6	10.3	
6-Sep-13	Sunny	Moderate	18:26	9.4	Surface	1.0	27.3 27.3	27.3	7.7 7.7	7.7	20.7 20.7	20.7	84.4 84.0	84.2	6.0 5.9	5.9	5.9	11.9 12.7	12.3	13.2	14.8 16.0	15.4	15.1
					Middle	4.7	27.0 27.2	27.1	7.7 7.7	7.7	21.4 21.0	21.2	81.8 82.5	82.2	5.8 5.8	5.8		13.5 12.6	13.1		14.6 15.6	15.1	
					Bottom	8.4	27.0 27.1	27.0	7.7 7.7	7.7	21.4 21.2	21.3	82.4 84.0	83.2	5.8 5.9	5.9		14.8 13.8	14.3		15.1 14.5	14.8	
9-Sep-13	Sunny	Moderate	09:54	9.4	Surface	1.0	27.5 27.5	27.5	7.7 7.7	7.7	20.1 20.1	20.1	74.9 74.7	74.8	5.3 5.3	5.3	5.3	7.2 7.3	7.3	7.9	5.3 5.9	5.6	6.8
					Middle	4.7	27.5 27.6	27.5	7.7 7.7	7.7	20.4 20.4	20.4	73.9 73.8	73.9	5.2 5.2	5.2		7.5 7.7	7.6		7.9 7.3	7.6	
					Bottom	8.4	27.4 27.4	27.4	7.7 7.7	7.7	20.7 20.7	20.7	73.2 72.8	73.0	5.2 5.1	5.2		8.5 8.8	8.7		7.3 7.2	7.3	
11-Sep-13	Sunny	Moderate	11:32	9.1	Surface	1.0	28.1 28.1	28.1	7.7 7.7	7.7	19.7 19.6	19.7	87.5 87.8	87.7	6.1 6.1	6.1	6.0	4.3 4.5	4.4	4.6	3.0 2.7	2.9	3.3
					Middle	4.6	27.8 27.8	27.8	7.7 7.7	7.7	20.0 20.1	20.1	84.3 85.8	85.1	5.9 6.0	5.9		4.6 4.6	4.6		3.6 3.7	3.7	
					Bottom	8.1	27.7 28.0	27.9	7.7 7.7	7.7	21.1 21.1	21.1	80.7 83.9	82.3	5.7 5.9	5.8		4.6 4.7	4.7		3.4 3.2	3.3	
13-Sep-13	Sunny	Moderate	13:21	8.4	Surface	1.0	28.6 28.7	28.7	8.1 8.1	8.1	21.2 21.0	21.1	82.6 84.1	83.4	5.7 5.8	5.7	5.6	8.1 8.2	8.2	8.7	6.0 5.9	6.0	5.6
					Middle	4.2	28.2 28.3	28.3	8.1 8.1	8.1	21.6 21.4	21.5	79.0 80.0	79.5	5.5 5.5	5.5		8.7 8.9	8.8		4.8 5.1	5.0	
					Bottom	7.4	28.0 28.1	28.0	8.1 8.1	8.1	22.7 22.8	22.8	78.4 81.2	79.8	5.4 5.6	5.5		9.1 8.9	9.0		5.9 5.8	5.9	
16-Sep-13	Sunny	Moderate	16:29	8.5	Surface	1.0	29.4 29.4	29.4	8.1 8.1	8.1	20.7 20.8	20.8	120.0 119.0	119.5	8.2 8.1	8.1	7.8	10.2 9.8	10.0	10.3	11.8 10.8	11.3	12.8
					Middle	4.3	29.1 29.2	29.2	8.1 8.1	8.1	21.5 21.1	21.3	110.2 109.8	110.0	7.5 7.5	7.5		9.4 10.0	9.7		11.5 12.7	12.1	
					Bottom	7.5	28.9 28.8	28.9	8.0 8.0	8.0	22.2 22.3	22.3	110.5 106.0	108.3	7.5 7.2	7.4		11.2 11.3	11.3		14.6 15.5	15.1	
18-Sep-13	Sunny	Moderate	17:19	9.9	Surface	1.0	28.2 28.2	28.2	8.0 8.0	8.0	24.7 24.7	24.7	96.9 98.1	97.5	6.6 6.7	6.6	6.6	11.8 10.8	11.3	12.3	9.1 8.9	9.0	9.8
					Middle	5.0	28.2 28.2	28.2	8.0 8.0	8.0	24.8 24.9	24.9	96.7 96.4	96.6	6.6 6.6	6.6		12.3 13.4	12.9		10.5 9.1	9.8	
					Bottom	8.9	28.2 28.2	28.2	8.0 8.0	8.0	24.9 24.8	24.9	96.7 96.9	96.8	6.6 6.6	6.6		13.1 12.1	12.6		11.4 10.0	10.7	
20-Sep-13	Fine	Moderate	18:14	9.0	Surface	1.0	28.8 28.9	28.8	7.9 7.9	7.9	24.8 24.8	24.8	87.5 87.4	87.5	5.9 5.9	5.9	5.9	12.9 13.2	13.1	13.2	15.0 15.1	15.1	15.7
					Middle	4.5	28.8 28.8	28.8	7.9 7.9	7.9	24.8 25.1	25.0	87.2 87.2	87.2	5.9 5.9	5.9		12.9 13.1	13.0		16.5 15.0	15.8	
					Bottom	8.0	28.8 28.8	28.8	7.9 7.9	7.9	25.1 24.9	25.0	87.1 87.1	87.1	5.9 5.9	5.9		13.6 13.2	13.4		15.8 16.4	16.1	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS5 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:55	9.4	Surface	1.0	<u>28.2</u>	28.2	7.8	7.8	22.2	22.2	92.2	92.0	6.4	6.3	6.3	6.3	10.3	10.3	10.4	11.9	12.2	12.0
					Middle	4.7	<u>28.1</u>	28.1	7.8	7.8	22.2	22.2	91.4	91.3	6.3	6.3	6.3	6.3	10.2	10.2	10.4	13.1	12.2	
					Bottom	8.4	<u>28.1</u>	28.1	7.8	7.8	22.2	22.2	91.1	91.4	6.3	6.3	6.3	6.3	10.5	10.7	10.4	11.8	11.5	
27-Sep-13	Sunny	Moderate	17:23	8.6	Surface	1.0	<u>28.8</u>	28.8	7.9	7.9	22.0	22.0	90.6	91.0	6.2	6.2	6.0	6.0	7.7	7.6	10.4	4.3	4.7	6.3
					Middle	4.3	<u>28.0</u>	28.1	7.8	7.8	25.2	25.1	83.4	83.2	5.7	5.7	5.7	5.7	10.9	11.3	10.4	5.7	5.7	
					Bottom	7.6	<u>28.1</u>	28.0	7.8	7.8	27.3	27.4	87.7	86.6	5.9	5.8	5.8	5.8	12.3	12.4	10.4	8.8	8.5	
30-Sep-13	Cloudy	Moderate	15:43	8.4	Surface	1.0	<u>27.4</u>	27.4	7.9	7.9	25.8	25.9	90.4	90.8	6.1	6.2	6.2	6.2	9.8	9.7	11.7	4.0	4.8	5.6
					Middle	4.2	<u>27.7</u>	27.7	7.9	7.9	28.0	27.6	89.3	90.1	6.0	6.1	6.1	6.1	12.9	12.8	11.7	6.4	5.7	
					Bottom	7.4	<u>27.8</u>	27.8	7.9	7.9	29.4	29.4	88.5	88.5	6.0	6.0	6.0	6.0	12.8	12.7	11.7	6.3	6.3	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS7 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	12:02	3.2	Surface	1.0	28.5 28.4	28.5	7.9 7.9	7.9	16.1 16.4	16.3	79.8 79.9	79.9	5.7 5.7	5.7	5.7	7.9 7.5	7.7	8.5	5.0 3.9	4.5	5.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.2	27.9 28.1	28.0	7.7 7.8	7.8	18.7 19.4	19.1	75.9 75.9	75.9	5.3 5.3	5.3		9.3 9.1	9.2		5.3 6.5	5.9				
4-Sep-13	Rainy	Moderate	12:48	3.6	Surface	1.0	27.0 27.0	27.0	7.8 7.8	7.8	21.7 21.8	21.7	71.6 71.3	71.5	5.4 5.4	5.4	5.4	11.7 11.9	11.8	12.9	6.6 6.0	6.3	6.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.6	26.7 26.3	26.5	7.7 7.7	7.7	25.8 26.2	26.0	70.9 71.0	71.0	5.4 5.4	5.4		14.2 13.8	14.0		7.0 5.9	6.5				
6-Sep-13	Sunny	Moderate	13:54	3.6	Surface	1.0	26.6 26.7	26.7	7.7 7.8	7.8	21.5 20.9	21.2	87.6 92.6	90.1	6.2 6.6	6.4	6.4	8.0 7.8	7.9	8.6	5.4 6.2	5.8	5.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.6	26.6 26.4	26.5	7.7 7.7	7.7	23.2 23.5	23.4	90.6 96.3	93.5	6.4 6.8	6.6		9.1 9.3	9.2		6.0 5.3	5.7				
9-Sep-13	Sunny	Moderate	14:44	3.3	Surface	1.0	28.2 28.1	28.1	7.6 7.7	7.7	19.3 19.2	19.2	84.4 85.4	84.9	5.9 6.0	5.9	5.9	5.3 5.3	5.3	5.9	2.9 3.5	3.2	3.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.3	27.9 27.9	27.9	7.7 7.6	7.6	19.4 19.4	19.4	83.0 83.2	83.1	5.8 5.9	5.8		6.4 6.5	6.5		4.1 3.7	3.1				
11-Sep-13	Sunny	Moderate	16:33	3.4	Surface	1.0	28.6 28.9	28.8	7.8 7.8	7.8	19.0 18.7	18.9	99.1 98.1	98.6	6.9 6.8	6.9	6.9	4.6 4.4	4.5	4.7	4.1 4.0	4.1	4.6			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	2.4	28.7 28.8	28.8	7.8 7.8	7.8	19.0 18.9	18.9	98.0 97.8	97.9	6.8 6.8	6.8		4.7 4.9	4.8		4.8 5.4	5.1				
13-Sep-13	Fine	Moderate	07:23	3.3	Surface	1.0	28.3 28.3	28.3	8.1 8.1	8.1	20.8 20.7	20.8	77.3 77.4	77.4	5.4 5.4	5.4	5.4	6.2 5.9	6.1	7.2	2.6 3.6	3.1	3.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	2.3	27.9 28.0	28.0	8.1 8.1	8.1	22.4 22.6	22.5	74.2 77.0	75.6	5.1 5.3	5.2		8.3 8.2	8.3		4.1 3.5	3.8				
16-Sep-13	Sunny	Moderate	10:53	3.2	Surface	1.0	28.8 28.9	28.9	8.0 8.0	8.0	19.9 19.9	19.9	96.6 99.8	98.2	6.7 6.9	6.8	6.8	8.6 8.8	8.7	8.8	7.6 8.6	8.1	7.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-					
					Bottom	2.2	28.9 28.3	28.6	8.0 7.9	7.9	19.9 20.7	20.3	98.1 95.8	97.0	6.8 6.6	6.7		8.9 8.8	8.9		7.6 6.8	7.2				
18-Sep-13	Sunny	Moderate	12:43	3.2	Surface	1.0	28.3 28.4	28.3	7.9 7.9	7.9	24.2 24.2	24.2	92.6 94.6	93.6	6.3 6.4	6.4	6.4	15.8 15.1	15.5	16.3	10.8 10.2	10.5	11.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-							
					Bottom	2.2	28.3 28.3	28.3	7.9 7.9	7.9	24.5 24.4	24.4	92.0 95.8	93.9	6.3 6.5	6.4		17.2 16.9	17.1		11.3 12.3	11.8				
20-Sep-13	Sunny	Moderate	14:15	3.2	Surface	1.0	28.6 28.6	28.6	7.7 7.8	7.8	25.1 25.1	25.1	87.2 86.8	87.0	5.9 5.9	5.9	5.9	9.0 8.8	8.9	9.6	6.6 7.5	7.1	7.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-								
					Bottom	2.2	28.4 28.3	28.3	7.8 7.6	7.7	25.4 25.6	25.5	86.3 88.0	87.2	5.8 6.0	5.9		9.7 10.6	10.2		8.2 8.4	8.3				

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS7 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
23-Sep-13***	-	-	-	-	Surface	-	-	-	7.7 7.8	7.8	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	-	7.8 7.6	7.7	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-Sep-13	Sunny	Moderate	15:16	3.3	Surface	1.0	28.9 28.9	28.9	7.8 7.8	7.8	20.3 20.3	20.3	96.0 96.3	96.2	6.6 6.6	6.6	6.6	6.7 6.5	6.6	6.9	7.4 5.1	6.3	5.8	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
					Bottom	2.3	28.9 28.9	28.9	7.8 7.8	7.8	20.3 20.3	20.3	96.2 95.9	96.1	6.6 6.6	6.6	6.6	7.1 7.2	7.2	6.8	5.7 4.7	5.2		
27-Sep-13	Fine	Moderate	06:25	3.3	Surface	1.0	27.7 27.7	27.7	7.7 7.7	7.7	21.7 21.7	21.7	87.9 89.0	88.5	6.1 6.2	6.2	6.2	6.7 6.8	6.8	6.8	7.0 7.6	7.3	7.2	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
					Bottom	2.3	27.8 27.7	27.8	7.7 7.7	7.7	22.1 22.0	22.1	87.7 90.0	88.9	6.1 6.3	6.2	6.2	6.7 6.9	6.8	6.8	7.2 6.8	7.0		
30-Sep-13	Cloudy	Moderate	10:18	3.1	Surface	1.0	27.4 27.4	27.4	7.8 7.8	7.8	26.2 26.3	26.3	86.8 84.7	85.8	5.9 5.8	5.8	5.8	6.8 6.8	6.8	6.8	9.8 8.4	9.1	11.6	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
					Bottom	2.1	27.8 27.7	27.8	7.8 7.8	7.8	27.3 27.3	27.3	84.3 82.6	83.5	5.8 5.6	5.7	5.7	6.8 6.6	6.7	6.8	13.5 14.5	14.0		

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS7 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	17:12	3.2	Surface	1.0	29.8 29.8	29.8	8.2 8.3	8.3	15.3 15.6	15.5	134.4 137.1	135.8	9.4 9.6	9.5	9.5	5.7 5.7	5.7	5.8	6.2 6.0	6.1	5.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.2	29.8 29.8	29.8	8.2 8.2	8.2	15.8 15.9	15.8	136.2 130.5	133.4	9.5 9.1	9.3		9.3	5.8 5.9		5.9	5.8 5.9		5.9	5.1 5.2	5.2
4-Sep-13	Cloudy	Moderate	17:49	3.4	Surface	1.0	27.2 27.2	27.2	7.8 7.8	7.8	20.9 20.9	20.9	73.8 73.9	73.9	5.6 5.6	5.6	5.6	9.9 9.0	9.5	10.6	10.5 10.1	10.3	10.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.4	27.2 27.2	27.2	7.8 7.8	7.8	21.1 21.1	21.1	73.9 73.0	73.5	5.6 5.5	5.5		5.5	12.0 11.3		11.7	9.9 10.1		10.0		
6-Sep-13	Sunny	Moderate	18:41	3.4	Surface	1.0	27.2 27.2	27.2	7.7 7.7	7.7	20.6 20.5	20.6	80.3 83.1	81.7	5.7 5.9	5.8	5.8	8.8 9.2	9.0	11.2	17.4 16.8	17.1	17.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	27.2 27.2	27.2	7.7 7.7	7.7	21.5 21.2	21.4	85.4 81.4	83.4	6.0 5.7	5.9		5.9	13.9 12.8		13.4	17.0 18.8		17.9		
9-Sep-13	Sunny	Moderate	09:34	3.4	Surface	1.0	27.5 27.6	27.5	7.6 7.6	7.6	19.3 19.3	19.3	76.2 75.9	76.1	5.4 5.4	5.4	5.4	6.2 6.5	6.4	7.0	6.9 6.3	6.6	5.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	27.5 27.5	27.5	7.6 7.6	7.6	19.8 19.8	19.8	75.6 76.0	75.8	5.4 5.4	5.4		5.4	7.4 7.6		7.5	5.1 5.3		5.2		
11-Sep-13	Sunny	Moderate	11:19	3.4	Surface	1.0	28.2 28.2	28.2	7.7 7.7	7.7	19.1 19.1	19.1	89.5 100.8	95.2	6.3 7.1	6.7	6.7	6.0 5.9	6.0	6.1	3.4 3.4	3.4	3.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	28.1 28.0	28.1	7.7 7.7	7.7	19.2 19.6	19.4	89.1 90.9	90.0	6.2 6.4	6.3		6.3	6.1 6.3		6.2	4.1 3.6		3.9		
13-Sep-13	Sunny	Moderate	13:36	3.2	Surface	1.0	28.8 28.8	28.8	8.1 8.1	8.1	20.0 20.0	20.0	94.7 93.7	94.2	6.5 6.5	6.5	6.5	8.5 8.6	8.6	8.7	6.5 6.5	6.5	6.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.2	28.8 28.8	28.8	8.1 8.1	8.1	20.2 20.2	20.2	94.0 96.1	95.1	6.5 6.6	6.6		6.6	8.8 8.5		8.7	5.9 5.8		5.9		
16-Sep-13	Sunny	Moderate	16:46	3.3	Surface	1.0	29.4 29.4	29.4	8.1 8.1	8.1	21.1 21.1	21.1	124.3 123.0	123.7	8.5 8.4	8.4	8.4	11.5 11.5	11.5	11.7	9.2 10.5	9.9	10.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.3	29.4 29.4	29.4	8.1 8.1	8.1	21.1 21.1	21.1	123.5 120.0	121.8	8.4 8.2	8.3		8.3	11.9 11.7		11.8	10.1 10.6		10.4		
18-Sep-13	Sunny	Moderate	17:33	3.4	Surface	1.0	28.2 28.2	28.2	7.9 7.9	7.9	24.8 24.8	24.8	93.3 95.6	94.5	6.4 6.5	6.4	6.4	18.0 17.9	18.0	19.5	21.5 21.5	21.5	22.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	28.1 28.2	28.1	7.9 7.9	7.9	24.8 24.8	24.8	98.2 94.2	96.2	6.7 6.4	6.5		6.5	20.2 21.5		20.9	21.8 23.0		22.4		
20-Sep-13	Fine	Moderate	18:28	3.4	Surface	1.0	28.8 28.9	28.8	7.9 7.9	7.9	24.2 24.2	24.2	85.1 86.5	85.8	5.7 5.8	5.8	5.8	16.2 16.5	16.4	17.6	15.7 14.8	15.3	15.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	28.4 28.6	28.5	7.9 7.9	7.9	25.4 25.3	25.3	88.9 85.4	87.2	6.0 5.8	5.9		5.9	18.4 19.0		18.7	15.0 15.3		15.2		

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS7 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:37	3.5	Surface	1.0	28.4	28.4	7.8	7.8	20.5	20.5	92.6	92.7	6.4	6.4	6.4	8.7	8.8	9.5	10.4	9.4	9.2		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.5	28.3	28.3	7.8	7.8	21.1	21.1	92.7	92.4	6.4	6.4	6.4	9.9	10.2	10.1	9.1	8.8	9.0	-	-
27-Sep-13	Sunny	Moderate	17:37	3.4	Surface	1.0	28.5	28.5	7.9	7.9	21.4	21.4	108.9	107.6	7.5	7.4	7.4	5.3	5.3	5.5	3.2	3.0	2.5		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.4	28.3	28.2	7.9	7.8	22.2	22.2	106.1	101.7	7.3	7.2	7.2	5.7	5.4	5.6	1.8	1.9	1.9	-	-
30-Sep-13	Cloudy	Moderate	15:58	3.1	Surface	1.0	27.2	27.2	7.9	7.9	25.9	25.9	95.6	96.7	6.6	6.6	6.6	4.2	4.2	4.1	4.8	5.1	5.2		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.1	27.3	27.3	7.9	7.9	26.0	26.0	97.3	97.0	6.7	6.7	6.7	4.0	4.0	4.0	4.8	5.6	5.2	-	-

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS8 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	11:38	3.8	Surface	1.0	28.5 28.5	28.5	7.9 7.9	7.9	16.9 16.7	16.8	81.6 82.3	82.0	5.8 5.8	5.8	5.8	5.9 6.2	6.1	6.2	6.1 6.2	6.2	6.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		6.2	-		-	-	-
					Bottom	2.8	27.9 27.9	27.9	7.8 7.8	7.8	19.4 19.6	19.5	77.7 76.7	77.2	5.5 5.4	5.4		5.4	6.1 6.2		6.2	5.2 6.6		5.9		
4-Sep-13	Rainy	Moderate	12:26	3.6	Surface	1.0	27.4 27.3	27.3	7.8 7.8	7.8	20.9 20.9	20.9	69.8 70.0	69.9	5.3 5.3	5.3	5.3	8.5 9.0	8.8	9.5	7.6 6.5	7.1	6.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	2.6	27.3 27.1	27.2	7.8 7.7	7.8	22.7 23.0	22.8	69.7 70.1	69.9	5.3 5.4	5.3		5.3	9.7 10.6		10.2	6.9 5.8		6.4		
6-Sep-13	Sunny	Moderate	13:32	3.6	Surface	1.0	27.1 26.9	27.0	7.8 7.7	7.8	20.9 21.0	21.0	98.8 96.0	97.4	7.0 6.8	6.9	6.9	6.6 6.5	6.6	7.9	6.4 5.5	6.0	5.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	2.6	26.6 26.7	26.7	7.8 7.7	7.8	21.4 21.4	21.4	101.4 95.1	98.3	7.2 6.8	7.0		7.0	9.5 8.7		9.1	5.3 6.3		5.8		
9-Sep-13	Sunny	Moderate	15:18	3.5	Surface	1.0	28.1 28.1	28.1	7.6 7.5	7.6	19.3 19.3	19.3	80.2 79.4	79.8	5.6 5.6	5.6	5.6	5.2 5.3	5.3	5.5	4.6 4.5	4.6	4.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	2.5	27.9 27.9	27.9	7.6 7.5	7.5	19.7 19.7	19.7	80.0 79.8	79.9	5.6 5.6	5.6		5.6	5.6 5.8		5.7	3.9 4.5		4.2		
11-Sep-13	Sunny	Moderate	15:53	3.4	Surface	1.0	28.6 28.4	28.5	7.8 7.8	7.8	18.8 19.0	18.9	90.8 90.1	90.5	6.3 6.3	6.3	6.3	4.6 4.6	4.6	4.7	4.5 4.4	4.5	4.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	2.4	28.5 28.4	28.5	7.8 7.8	7.8	18.9 19.2	19.1	89.9 89.3	89.6	6.3 6.2	6.3		6.3	4.6 4.7		4.7	4.2 4.7		4.5		
13-Sep-13	Fine	Moderate	07:00	3.8	Surface	1.0	28.2 28.3	28.3	8.1 8.1	8.1	20.2 20.2	20.2	82.4 81.5	82.0	5.7 5.7	5.7	5.7	7.2 7.3	7.3	7.5	2.6 2.0	2.3	2.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	2.8	28.2 28.2	28.2	8.1 8.1	8.1	21.2 21.3	21.3	82.0 79.9	81.0	5.7 5.5	5.6		5.6	8.0 7.4		7.7	2.9 3.5		3.2		
16-Sep-13	Sunny	Moderate	10:30	4.0	Surface	1.0	28.6 28.7	28.6	8.0 8.0	8.0	20.7 20.6	20.7	86.5 90.7	88.6	6.0 6.3	6.1	6.1	8.5 8.4	8.5	8.7	6.4 4.6	5.5	5.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	3.0	28.5 28.4	28.5	7.9 7.9	7.9	22.8 23.2	23.0	89.0 84.5	86.8	6.1 5.8	5.9		5.9	8.9 8.7		8.8	6.4 6.0		6.2		
18-Sep-13	Sunny	Moderate	12:19	3.5	Surface	1.0	28.2 28.2	28.2	8.0 8.0	8.0	24.2 24.1	24.2	97.2 98.8	98.0	6.6 6.7	6.7	6.7	9.5 9.5	9.5	9.7	8.9 8.2	8.6	8.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	2.5	28.2 28.2	28.2	8.0 8.0	8.0	24.2 24.2	24.2	97.9 100.0	99.0	6.7 6.8	6.7		6.7	10.0 9.8		9.9	7.4 8.3		7.9		
20-Sep-13	Sunny	Moderate	13:48	3.7	Surface	1.0	28.5 28.6	28.6	7.8 7.8	7.8	24.7 24.6	24.7	93.0 94.7	93.9	6.3 6.4	6.3	6.3	9.1 8.9	9.0	9.5	6.5 6.5	6.5	6.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	2.7	28.5 28.5	28.5	7.7 7.8	7.8	24.7 24.7	24.7	96.1 93.4	94.8	6.5 6.3	6.4		6.4	10.1 9.7		9.9	5.8 5.6		5.7		

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS8 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	7.8	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.7	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	15:42	3.6	Surface	1.0	28.6	28.6	7.8	7.8	20.7	20.7	91.8	91.6	6.3	6.3	6.3	8.9	8.9	9.2	10.2	10.2	10.2		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.6	28.4	28.5	28.5	7.8	7.8	20.8	20.8	91.5	91.0	91.3	91.3	6.3	6.3	6.3	9.3	9.4	9.4	10.6	9.5
27-Sep-13	Fine	Moderate	06:02	4.1	Surface	1.0	27.6	27.7	7.8	7.8	21.2	21.2	89.6	89.5	6.3	6.3	6.3	5.2	5.2	5.3	5.1	4.4	4.8		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	3.1	27.8	28.0	27.9	7.7	7.7	24.1	23.1	90.7	89.6	90.2	90.2	6.2	6.2	6.2	5.5	5.3	5.4	5.6	5.9
30-Sep-13	Cloudy	Moderate	09:56	4.2	Surface	1.0	27.4	27.4	7.9	7.9	25.8	25.8	91.6	90.6	6.3	6.2	6.2	4.7	4.5	4.6	9.1	8.3	8.7		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	3.2	27.5	27.8	27.7	7.9	7.8	27.6	27.8	91.5	91.3	91.4	91.4	6.2	6.2	6.2	4.4	4.5	4.5	8.8	10.0

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS8 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	17:36	4.0	Surface	1.0	29.0 29.0	29.0	8.1 8.1	8.1	15.7 15.4	15.5	108.0 102.4	105.2	7.6 7.2	7.4	7.4	6.4 6.2	6.3	6.4	5.6 5.2	5.4	5.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	3.0	28.3 28.3	28.3	7.9 7.9	7.9	19.0 19.0	19.0	98.1 99.2	98.7	6.9 7.0	6.9		6.5 6.5	6.5		6.5	6.5		4.6 4.6	4.6	
4-Sep-13	Cloudy	Moderate	18:10	3.8	Surface	1.0	27.2 26.9	27.1	7.8 7.8	7.8	21.1 21.9	21.5	72.5 72.2	72.4	5.5 5.5	5.5	5.5	17.1 16.6	16.9	16.1	6.8 5.7	6.3	6.6			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.8	26.9 26.7	26.8	7.7 7.7	7.7	24.5 24.7	24.6	72.1 72.3	72.2	5.5 5.5	5.5		14.9 15.5	15.2		15.2	7.3 6.4		6.9		
6-Sep-13	Sunny	Moderate	19:05	3.7	Surface	1.0	26.8 26.8	26.8	7.7 7.7	7.7	21.6 21.6	21.6	80.4 77.7	79.1	5.7 5.5	5.6	5.6	9.7 9.6	9.7	11.4	5.1 6.2	5.7	5.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.7	26.5 26.8	26.6	7.7 7.7	7.7	22.4 22.0	22.2	78.8 79.3	79.1	5.6 5.6	5.6		12.7 13.4	13.1		13.1	5.4 5.0		5.2		
9-Sep-13	Sunny	Moderate	09:08	3.7	Surface	1.0	27.4 27.4	27.4	7.6 7.6	7.6	19.2 19.3	19.3	71.2 71.5	71.4	5.1 5.1	5.1	5.1	6.3 6.1	6.2	6.5	2.5 3.6	3.1	2.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.7	27.4 27.4	27.4	7.5 7.6	7.6	19.4 19.5	19.5	71.2 70.7	71.0	5.1 5.0	5.0		6.8 6.8	6.8		6.8	2.5 2.9		2.7		
11-Sep-13	Sunny	Moderate	10:58	3.4	Surface	1.0	28.0 28.0	28.0	7.6 7.7	7.7	18.9 18.7	18.8	82.2 91.1	86.7	5.8 6.4	6.1	6.1	6.3 6.0	6.2	6.3	2.8 2.4	2.6	3.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.4	28.0 28.0	28.0	7.7 7.6	7.7	19.0 19.0	19.0	84.5 81.4	83.0	6.0 5.7	5.8		6.3 6.4	6.4		6.4	3.3 4.7		4.0		
13-Sep-13	Sunny	Moderate	14:02	3.9	Surface	1.0	28.4 28.4	28.4	8.1 8.1	8.1	19.5 19.5	19.5	88.1 87.2	87.7	6.2 6.1	6.1	6.1	5.2 5.1	5.2	5.2	6.5 5.2	5.9	6.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.9	28.4 28.3	28.4	8.1 8.1	8.1	19.7 19.7	19.7	87.5 88.8	88.2	6.1 6.2	6.1		5.1 5.3	5.2		5.2	5.9 6.1		6.0		
16-Sep-13	Sunny	Moderate	17:12	3.7	Surface	1.0	28.9 28.9	28.9	8.0 8.0	8.0	22.0 22.0	22.0	97.4 98.1	97.8	6.7 6.7	6.7	6.7	7.0 6.8	6.9	7.1	5.1 5.1	5.1	5.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.7	28.8 28.9	28.9	8.0 8.0	8.0	22.4 22.1	22.2	98.2 97.2	97.7	6.7 6.6	6.7		7.2 7.2	7.2		7.2	5.9 6.8		6.4		
18-Sep-13	Sunny	Moderate	17:57	3.5	Surface	1.0	28.2 28.2	28.2	8.0 8.0	8.0	24.5 24.5	24.5	97.3 96.1	96.7	6.6 6.6	6.6	6.6	12.3 13.0	12.7	12.8	12.9 12.3	12.6	12.6			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.5	28.2 28.2	28.2	8.0 8.0	8.0	24.5 24.6	24.5	98.3 96.5	97.4	6.7 6.6	6.6		12.8 13.0	12.9		12.9	13.4 11.7		12.6		
20-Sep-13	Fine	Moderate	18:52	3.7	Surface	1.0	28.8 28.8	28.8	7.9 7.9	7.9	25.3 25.3	25.3	95.6 94.8	95.2	6.4 6.4	6.4	6.4	11.9 13.2	12.6	13.3	7.7 7.9	7.8	9.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	2.7	28.8 28.7	28.8	7.9 7.9	7.9	25.3 25.4	25.3	95.0 97.1	96.1	6.4 6.5	6.5		13.8 14.0	13.9		13.9	10.5 11.3		10.9		

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS8 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:11	3.6	Surface	1.0	28.3	28.3	7.7	7.8	20.3	20.3	89.0	88.7	6.2	6.2	6.2	20.5	20.4	20.1	7.6	7.4	17.7		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.6	28.1	28.1	7.7	7.7	21.2	21.2	87.6	88.0	87.8	6.1	6.1	6.1	19.8	19.6	19.7	28.6	27.2	27.9	
27-Sep-13	Sunny	Moderate	18:04	4.0	Surface	1.0	28.7	28.7	7.8	7.8	22.3	22.3	92.4	92.8	6.3	6.3	6.3	6.6	6.6	7.1	2.7	2.7	2.6		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	3.0	28.5	28.3	28.4	7.8	7.8	23.2	24.0	23.6	93.6	92.2	92.9	6.4	6.3	6.3	6.3	7.7	7.5	7.6	2.6
30-Sep-13	Cloudy	Moderate	16:22	3.7	Surface	1.0	27.7	27.7	7.8	7.9	27.9	27.5	85.0	85.5	5.7	5.8	5.8	10.5	10.6	5.8	6.6	6.6	6.7		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.7	27.8	27.8	27.8	7.8	7.8	28.1	28.1	28.1	85.1	85.5	85.3	5.7	5.7	5.7	5.7	11.4	11.3	11.4	7.5

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS17 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
2-Sep-13	Sunny	Moderate	11:22	11.1	Surface	1.0	28.2 28.2	28.2	7.8 7.8	7.8	15.3 15.4	15.3	79.1 76.5	77.8	5.7 5.5	5.6	5.4	4.6 4.4	4.5	5.8	3.0 2.1	2.6	3.2		
					Middle	5.6	26.7 26.3	26.5	7.8 7.8	7.8	26.2 26.4	26.3	71.8 70.7	71.3	5.1 5.1	5.1		6.4 6.4			6.4			3.4 3.1	3.3
					Bottom	10.1	25.1 25.1	25.1	7.7 7.7	7.7	30.6 30.3	30.5	66.3 69.2	67.8	4.8 5.0	4.9		6.3 6.6			6.5			4.0 3.1	3.6
4-Sep-13	Rainy	Moderate	12:12	10.7	Surface	1.0	27.3 27.3	27.3	7.8 7.8	7.8	20.5 20.4	20.5	67.5 68.1	67.8	5.1 5.2	5.2	5.2	4.8 5.2	5.0	7.6	3.8 3.5	3.7	4.3		
					Middle	5.4	26.4 26.7	26.6	7.7 7.7	7.7	25.9 24.8	25.3	66.1 67.0	66.6	5.0 5.1	5.1		9.1 8.5			8.8			4.4 5.1	4.8
					Bottom	9.7	26.4 26.4	26.4	7.7 7.7	7.7	26.3 26.1	26.2	66.2 67.7	67.0	5.0 5.1	5.1		8.8 8.9			8.9			4.0 4.7	4.4
6-Sep-13	Sunny	Moderate	13:19	11.5	Surface	1.0	27.2 27.2	27.2	7.7 7.7	7.7	19.5 19.5	19.5	88.4 91.5	90.0	6.3 6.5	6.4	6.2	5.5 5.2	5.4	7.6	4.3 4.2	4.3	5.2		
					Middle	5.8	26.7 26.4	26.5	7.8 7.7	7.7	23.1 23.8	23.4	85.3 84.7	85.0	6.0 6.0	6.0		9.1 9.4			9.3			6.0 6.1	6.1
					Bottom	10.5	26.4 26.4	26.4	7.8 7.7	7.7	23.6 23.8	23.7	81.7 82.1	81.9	5.8 5.8	5.8		8.0 8.4			8.2			5.2 5.1	5.2
9-Sep-13	Sunny	Moderate	15:36	10.8	Surface	1.0	27.8 27.8	27.8	7.7 7.7	7.7	18.7 18.7	18.7	81.1 81.9	81.5	5.8 5.8	5.8	5.5	5.6 5.8	5.7	6.7	4.1 3.7	3.9	4.6		
					Middle	5.4	27.0 26.9	27.0	7.7 7.6	7.7	22.6 22.6	22.6	73.5 74.0	73.8	5.1 5.2	5.2		6.8 6.7			6.8			5.4 3.8	4.6
					Bottom	9.8	26.5 26.5	26.5	7.6 7.7	7.6	24.8 24.9	24.9	77.4 76.9	77.2	5.4 5.4	5.4		7.6 7.4			7.5			5.8 5.0	5.4
11-Sep-13	Sunny	Moderate	16:59	11.1	Surface	1.0	27.7 27.8	27.8	7.8 7.7	7.8	19.9 21.0	20.5	72.3 75.9	74.1	5.1 5.3	5.2	5.1	5.0 4.6	4.8	5.1	4.7 3.3	4.0	5.0		
					Middle	5.6	27.2 27.2	27.2	7.8 7.8	7.8	23.1 23.2	23.2	72.2 72.7	72.5	5.0 5.0	5.0		5.1 5.1			5.1			4.6 4.7	4.7
					Bottom	10.1	27.0 27.0	27.0	7.8 7.8	7.8	25.4 25.7	25.5	71.3 70.4	70.9	5.0 4.9	4.9		5.3 5.6			5.5			5.5 7.2	6.4
13-Sep-13	Fine	Moderate	06:46	10.1	Surface	1.0	28.2 28.2	28.2	8.1 8.1	8.1	18.5 18.5	18.5	78.2 77.1	77.7	5.5 5.4	5.5	5.3	3.5 3.3	3.4	4.6	2.7 2.3	2.5	2.7		
					Middle	5.1	27.8 27.8	27.8	8.1 8.1	8.1	21.4 21.2	21.3	75.0 73.4	74.2	5.2 5.1	5.1		5.2 4.9			5.1			1.9 2.8	2.4
					Bottom	9.1	27.6 27.7	27.6	8.1 8.1	8.1	23.9 23.5	23.7	71.9 71.7	71.8	5.0 5.0	5.0		5.3 5.4			5.4			3.0 3.4	3.2
16-Sep-13	Sunny	Moderate	10:11	11.8	Surface	1.0	28.2 28.2	28.2	7.9 7.9	7.9	23.0 23.1	23.0	80.6 80.7	80.7	5.5 5.5	5.5	5.4	6.8 6.9	6.9	12.2	3.1 4.4	3.8	5.1		
					Middle	5.9	27.9 28.1	28.0	7.9 7.9	7.9	24.7 23.7	24.2	74.8 76.3	75.6	5.1 5.2	5.2		14.0 13.9			14.0			5.3 5.7	5.5
					Bottom	10.8	27.8 27.9	27.9	7.9 7.9	7.9	26.2 25.9	26.1	70.4 72.6	71.5	4.8 5.0	4.9		15.8 15.7			15.8			5.6 6.3	6.0
18-Sep-13	Sunny	Moderate	12:05	11.0	Surface	1.0	28.3 28.3	28.3	8.0 8.0	8.0	24.4 24.3	24.3	91.9 90.5	91.2	6.3 6.2	6.2	6.1	13.7 13.6	13.7	15.4	11.1 10.4	10.8	10.5		
					Middle	5.5	28.1 28.1	28.1	8.0 8.0	8.0	25.6 25.5	25.6	89.0 88.0	88.5	6.0 6.0	6.0		14.3 14.5			14.4			10.4 10.5	10.5
					Bottom	10.0	28.1 28.1	28.1	8.0 8.0	8.0	25.9 25.8	25.9	90.7 89.7	90.2	6.1 6.1	6.1		17.9 18.0			18.0			9.3 10.8	10.1
20-Sep-13	Sunny	Moderate	13:31	10.8	Surface	1.0	28.8 29.0	28.9	7.9 7.9	7.9	23.4 23.2	23.3	85.1 86.1	85.6	5.8 5.8	5.8	5.8	11.6 11.1	11.4	12.7	6.3 6.5	6.4	5.5		
					Middle	5.4	28.1 28.1	28.1	7.9 7.9	7.9	25.9 25.8	25.9	83.6 83.4	83.5	5.7 5.6	5.7		12.7 13.0			12.9			5.9 4.4	5.2
					Bottom	9.8	28.1 28.2	28.1	7.8 7.9	7.9	26.2 25.9	26.1	84.9 84.0	84.5	5.7 5.7	5.7		13.8 13.9			13.9			4.6 5.4	5.0

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS17 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.8	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	16:00	10.8	Surface	1.0	28.4	28.4	7.8	7.8	22.0	22.0	86.1	85.6	85.9	5.9	5.9	5.8	7.8	7.7	9.2	6.2	6.3	6.3
					Middle	5.4	28.2	28.2	7.8	7.8	23.3	23.3	82.2	81.9	82.1	5.6	5.6	5.8	8.7	8.7	9.2	5.9	6.6	6.3
					Bottom	9.8	28.1	28.1	7.8	7.8	26.0	26.0	82.0	81.8	81.9	5.5	5.5	5.5	10.9	11.1	9.2	8.1	7.7	7.9
27-Sep-13	Fine	Moderate	05:48	9.9	Surface	1.0	27.7	27.7	7.8	7.8	22.8	22.8	84.0	81.8	82.9	5.8	5.8	5.7	4.7	4.9	5.7	5.8	5.1	5.5
					Middle	5.0	27.8	27.9	7.8	7.8	24.1	24.5	82.4	79.6	81.0	5.7	5.5	5.7	5.3	5.3	5.7	5.1	5.1	5.1
					Bottom	8.9	28.1	28.1	7.8	7.8	27.2	27.1	79.8	83.0	81.4	5.4	5.5	5.5	6.8	6.8	5.7	11.8	12.2	12.0
30-Sep-13	Cloudy	Moderate	09:42	10.1	Surface	1.0	27.7	27.7	7.8	7.8	27.9	28.0	86.3	80.7	83.5	5.7	5.6	5.5	6.4	6.5	7.5	5.3	4.8	5.1
					Middle	5.1	28.0	28.0	7.8	7.8	29.1	29.1	80.5	81.9	81.2	5.3	5.4	5.5	8.2	8.2	7.5	6.9	7.9	7.4
					Bottom	9.1	28.0	28.0	7.8	7.8	30.0	29.9	81.8	78.9	80.4	5.5	5.4	5.4	7.7	7.8	7.5	11.5	11.0	10.5

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS17 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	17:51	10.0	Surface	1.0	28.6	28.6	7.9	7.9	15.8	16.0	79.7	81.3	5.7	5.8	5.5	4.5	4.6	5.2	4.4	4.0	4.4
					Middle	5.0	27.3	27.1	7.8	7.8	22.2	22.4	74.9	74.5	5.2	5.2		5.4	5.4		5.3	4.7	
					Bottom	9.0	26.4	26.4	7.8	7.8	27.2	27.9	72.0	71.5	5.0	5.0		5.5	5.6		4.6	4.5	
4-Sep-13	Cloudy	Moderate	18:26	10.9	Surface	1.0	27.1	27.1	7.8	7.8	20.4	20.3	70.3	70.8	5.4	5.4	5.3	5.9	5.5	9.3	6.1	5.7	5.1
					Middle	5.5	26.7	26.7	7.7	7.7	24.3	24.6	66.8	66.6	5.1	5.1		10.5	10.4		5.0	4.8	
					Bottom	9.9	26.4	26.5	7.7	7.7	25.8	25.4	66.6	67.2	5.1	5.1		11.8	11.7		4.8	4.9	
6-Sep-13	Sunny	Moderate	19:24	11.7	Surface	1.0	26.9	27.0	7.7	7.7	20.2	20.0	72.2	73.4	5.2	5.2	5.3	8.0	7.7	10.3	7.2	7.0	6.7
					Middle	5.9	26.6	26.7	7.7	7.7	22.2	21.9	72.2	75.6	5.1	5.3		11.5	11.4		7.6	6.8	
					Bottom	10.7	26.7	26.7	7.7	7.7	22.3	22.1	72.5	73.1	5.1	5.2		11.9	11.6		6.2	6.2	
9-Sep-13	Sunny	Moderate	08:51	11.0	Surface	1.0	27.5	27.4	7.6	7.6	19.6	19.6	73.5	73.2	5.2	5.2	5.2	5.1	5.0	5.7	2.9	3.6	4.5
					Middle	5.5	27.2	27.1	7.6	7.6	21.5	21.5	72.3	72.1	5.1	5.1		5.5	5.6		4.2	3.8	
					Bottom	10.0	26.8	26.9	7.6	7.6	23.0	23.0	71.3	71.3	5.0	5.0		6.3	6.2		5.6	6.1	
11-Sep-13	Sunny	Moderate	10:44	11.2	Surface	1.0	27.9	28.0	7.7	7.7	18.3	18.3	79.7	78.5	5.6	5.5	5.4	3.1	3.0	3.1	3.1	2.9	3.0
					Middle	5.6	27.3	27.3	7.7	7.7	21.4	21.9	76.3	75.8	5.4	5.3		3.1	3.0		2.7	2.6	
					Bottom	10.2	27.3	27.4	7.7	7.7	22.9	22.9	74.8	73.9	5.3	5.2		3.3	3.2		3.6	3.4	
13-Sep-13	Sunny	Moderate	14:37	11.4	Surface	1.0	28.3	28.3	8.1	8.1	19.9	20.0	81.4	81.6	5.7	5.7	5.5	3.4	3.4	5.1	2.6	2.4	3.0
					Middle	5.7	28.0	27.9	8.1	8.1	22.6	22.9	77.4	75.9	5.3	5.2		5.3	5.4		3.4	3.1	
					Bottom	10.4	27.6	27.6	8.1	8.1	24.3	24.3	71.0	71.0	4.9	4.9		6.2	6.4		3.1	3.4	
16-Sep-13	Sunny	Moderate	17:29	10.0	Surface	1.0	28.7	28.7	8.0	8.0	21.9	21.9	83.1	83.9	5.7	5.7	5.6	10.0	9.9	11.1	5.6	4.9	5.4
					Middle	5.0	28.1	28.1	7.9	7.9	24.2	24.2	77.5	78.9	5.3	5.4		11.8	11.7		6.2	5.9	
					Bottom	9.0	27.9	27.9	7.9	7.9	25.8	25.8	73.7	74.5	5.0	5.1		11.7	11.7		5.2	5.5	
18-Sep-13	Sunny	Moderate	18:18	10.7	Surface	1.0	28.3	28.3	7.9	8.0	24.3	24.3	89.2	88.5	6.1	6.0	6.0	8.4	8.6	12.9	7.1	7.5	6.7
					Middle	5.4	28.2	28.2	7.9	8.0	25.7	25.5	86.9	86.9	5.9	5.9		14.2	13.6		6.6	6.3	
					Bottom	9.7	28.2	28.2	7.9	7.9	25.7	25.6	89.6	88.6	6.1	6.0		17.1	15.9		6.1	6.2	
20-Sep-13	Fine	Moderate	19:11	11.5	Surface	1.0	28.6	28.6	7.9	7.9	24.0	23.9	82.7	82.8	5.6	5.6	5.6	12.1	11.7	14.8	7.4	7.8	9.1
					Middle	5.8	28.3	28.3	7.9	7.9	25.1	25.2	81.0	80.8	5.5	5.5		15.8	15.7		9.1	9.3	
					Bottom	10.5	28.3	28.3	7.9	7.9	25.2	25.2	82.0	81.5	5.6	5.5		16.7	17.0		10.5	10.3	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at IS17 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-				
					Middle	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Bottom	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-Sep-13	Sunny	Moderate	10:52	10.8	Surface	1.0	28.4	28.4	7.8	7.8	20.6	20.6	90.4	90.6	90.5	6.3	6.3	6.2	5.8	5.6	5.7	9.8	4.7	4.8	4.8	
					Middle	5.4	28.1	28.1	7.8	7.8	21.6	21.6	88.2	88.6	88.4	6.1	6.1	6.2	7.3	7.1	7.2	9.8	7.4	4.7	6.1	5.5
					Bottom	9.8	28.1	28.1	7.8	7.8	23.5	23.5	87.8	88.4	88.1	6.0	6.0	6.0	16.3	16.7	16.5	9.8	5.9	5.5	5.7	5.5
27-Sep-13	Sunny	Moderate	18:22	10.1	Surface	1.0	28.2	28.2	7.8	7.8	24.5	24.9	82.7	86.7	84.7	5.6	5.7	5.6	3.4	3.3	3.4	3.5	1.8	1.4	1.6	
					Middle	5.1	28.1	28.1	7.8	7.8	26.8	26.8	81.5	79.8	80.7	5.5	5.4	5.6	3.6	3.6	3.6	3.5	3.6	3.2	3.4	2.4
					Bottom	9.1	28.1	28.1	7.8	7.8	28.6	28.3	81.9	80.9	81.4	5.5	5.5	5.5	3.6	3.5	3.6	3.5	3.6	2.3	2.2	2.3
30-Sep-13	Cloudy	Moderate	16:37	10.4	Surface	1.0	27.6	27.6	7.8	7.8	27.6	27.7	81.5	80.6	81.1	5.5	5.5	5.5	6.5	6.8	6.7	5.5	6.1	5.3	5.7	
					Middle	5.2	28.0	28.0	7.8	7.8	29.4	29.5	82.0	80.4	81.2	5.4	5.4	5.4	10.4	10.3	10.3	9.2	6.8	5.1	6.0	6.2
					Bottom	9.4	28.0	28.0	7.8	7.8	29.7	29.7	79.3	78.4	78.9	5.3	5.2	5.2	10.6	10.5	10.6	9.2	6.9	6.9	6.9	6.2

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR3 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
2-Sep-13	Sunny	Moderate	12:24	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.7	29.0 29.0	29.0	8.0 8.0	8.0	14.6 14.7	14.7	100.2 99.5	99.9	7.1 7.1	7.1	7.1	7.1	4.4 4.6	4.5	4.5	6.0 5.5	5.8	5.8
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-Sep-13	Rainy	Moderate	13:13	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.8	27.1 27.2	27.2	7.8 7.8	7.8	18.3 18.6	18.4	69.5 69.7	69.6	5.3 5.3	5.3	5.3	10.4 9.7	10.1	10.1	12.8 11.9	12.4	12.4	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6-Sep-13	Sunny	Moderate	14:17	1.8	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.9	26.9 26.9	26.9	7.8 7.8	7.8	21.5 21.5	21.5	92.0 91.8	91.9	6.5 6.5	6.5	6.5	8.4 8.7	8.6	8.6	9.6 9.2	9.4	9.4	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-Sep-13	Sunny	Moderate	14:11	1.2	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.6	28.1 28.1	28.1	7.7 7.7	7.7	20.4 20.4	20.4	80.9 81.0	81.0	5.7 5.7	5.7	5.7	7.8 7.7	7.8	7.8	11.0 9.9	10.5	10.5	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11-Sep-13	Sunny	Moderate	16:14	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.7	28.7 28.7	28.7	7.9 7.9	7.9	20.3 20.3	20.3	98.9 99.9	99.4	6.8 6.9	6.9	6.9	4.0 4.2	4.1	4.1	4.3 4.2	4.3	4.3	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-Sep-13	Fine	Moderate	07:46	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.7	28.2 28.2	28.2	8.1 8.1	8.1	20.8 20.9	20.8	81.9 81.4	81.7	5.7 5.7	5.7	5.7	4.2 4.4	4.3	4.3	2.5 2.4	2.5	2.5	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16-Sep-13	Sunny	Moderate	11:16	1.2	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.6	28.9 28.9	28.9	8.0 8.0	8.0	21.8 21.8	21.8	98.4 97.7	98.1	6.7 6.7	6.7	6.7	4.3 4.3	4.3	4.3	8.4 9.5	9.0	9.0	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-Sep-13	Sunny	Moderate	13:07	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.7	28.2 28.3	28.3	8.0 8.0	8.0	25.1 25.0	25.0	97.7 97.6	97.7	6.6 6.6	6.6	6.6	8.4 8.1	8.3	8.3	5.7 7.1	6.4	6.4	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-Sep-13	Sunny	Moderate	14:40	1.6	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.8	28.8 28.9	28.9	7.9 7.9	7.9	25.1 25.1	25.1	91.4 91.5	91.5	6.1 6.1	6.1	6.1	8.5 8.7	8.6	8.6	9.4 8.4	8.9	8.9	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR3 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
23-Sep-13***	-	-	-	-	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	-	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	14:35	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.7	28.6	28.6	7.8	7.8	22.2	22.2	94.7	94.8	6.5	6.5	6.5	9.4	9.5	9.5	9.5	8.6	9.1	9.1
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27-Sep-13	Fine	Moderate	06:46	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.7	27.7	27.7	7.8	7.8	22.7	22.7	89.6	89.2	6.2	6.2	6.2	5.9	5.6	5.8	5.8	4.2	4.2	4.2
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-Sep-13	Cloudy	Moderate	10:40	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	0.7	27.4	27.5	7.9	7.9	26.4	26.4	95.0	94.9	6.5	6.5	6.5	3.8	3.8	3.8	3.8	4.4	5.3	5.3
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

#### Remarks:

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

#### Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR3 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
2-Sep-13	Sunny	Moderate	16:45	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.7	29.9	29.9	8.2	8.2	16.1	16.1	130.1	129.8	9.0	9.0	9.0	9.7	9.3	9.5	9.5	10.1	10.3	10.2	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-Sep-13	Cloudy	Moderate	17:23	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.8	27.3	27.3	7.8	7.8	20.7	20.8	73.0	73.3	73.2	5.5	5.5	5.5	10.0	9.1	9.6	9.6	12.5	11.8	12.2
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6-Sep-13	Sunny	Moderate	18:13	1.8	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.9	27.3	27.3	7.7	7.7	20.7	20.7	94.2	98.0	96.1	6.6	6.8	6.8	11.4	11.3	11.4	11.4	16.5	15.1	15.8
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-Sep-13	Sunny	Moderate	10:08	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.7	27.5	27.5	7.6	7.6	20.1	20.1	79.8	79.9	79.9	5.6	5.6	5.6	8.2	8.1	8.2	8.2	7.8	8.7	8.3
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11-Sep-13	Sunny	Moderate	11:39	1.6	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.8	28.2	28.2	7.7	7.7	19.6	19.6	91.6	91.7	91.7	6.4	6.4	6.4	4.0	4.5	4.3	4.3	4.4	4.8	4.6
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-Sep-13	Sunny	Moderate	13:14	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.7	28.8	28.7	8.2	8.2	21.0	21.1	95.4	94.4	94.9	6.6	6.5	6.5	10.1	10.2	10.2	10.2	4.6	4.1	4.4
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16-Sep-13	Sunny	Moderate	16:19	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.7	29.5	29.5	8.1	8.1	20.6	20.6	120.1	123.6	121.9	8.2	8.3	8.3	12.5	12.4	12.5	12.5	15.8	17.4	16.6
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-Sep-13	Sunny	Moderate	17:06	1.8	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.9	28.2	28.2	8.0	8.0	24.7	24.7	100.9	99.8	100.4	6.9	6.8	6.8	8.9	9.5	9.2	9.2	10.8	9.7	10.3
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-Sep-13	Fine	Moderate	18:01	1.6	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.8	28.8	28.8	7.7	7.7	24.9	24.9	89.3	90.4	89.9	6.0	6.0	6.0	12.6	12.4	12.5	12.5	15.5	14.7	15.1
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR3 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
23-Sep-13***	-	-	-	-	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	-	-	-	<u>7.7</u>	7.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	12:09	1.2	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.6	<u>28.2</u> <u>28.2</u>	28.2	<u>7.8</u> <u>7.8</u>	7.8	22.2 22.2	22.2	94.9 95.5	95.2	6.5 6.6	6.6	6.6	9.7 9.8	9.8	9.8	11.2 11.3	11.3	11.3	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27-Sep-13	Sunny	Moderate	17:15	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.7	<u>28.8</u> <u>28.8</u>	28.8	<u>7.8</u> <u>7.9</u>	7.9	22.0 22.0	22.0	104.6 104.0	104.3	7.2 7.1	7.1	7.1	5.3 5.1	5.2	5.2	12.7 12.1	12.4	12.4	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-Sep-13	Cloudy	Moderate	15:34	1.4	Surface	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	0.7	<u>27.2</u> <u>27.2</u>	27.2	<u>7.9</u> <u>7.9</u>	7.9	25.4 25.4	25.4	99.4 98.7	99.1	6.8 6.8	6.8	6.8	4.7 4.7	4.7	4.7	8.6 7.5	8.1	8.1	
					Bottom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR4(N) - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)								
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*					
2-Sep-13	Sunny	Moderate	11:45	3.8	Surface	1.0	28.5 28.6	28.6	7.8 7.9	7.9	17.0 16.1	16.5	79.1 80.3	79.7	5.6 5.7	5.6	5.6	6.1 6.0	6.1	6.7	3.2 3.9	3.6	4.0				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	2.8	28.1 28.1	28.1	7.8 7.8	7.8	18.5 18.5	18.5	77.1 75.8	76.5	5.4 5.4	5.4		5.4	7.2 7.3		7.3	4.3 4.3		4.3			
4-Sep-13	Rainy	Moderate	12:31	3.5	Surface	1.0	26.8 27.0	26.9	7.8 7.7	7.7	20.0 20.0	20.0	70.3 69.7	70.0	5.4 5.3	5.3	5.3	11.9 11.9	11.9	12.6	13.6 12.7	13.2	13.2				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	
					Bottom	2.5	26.9 26.8	26.9	7.7 7.7	7.7	23.8 24.0	23.9	69.8 71.4	70.6	5.3 5.4	5.4		5.4	12.9 13.4		13.2	13.5 12.8		13.2			
6-Sep-13	Sunny	Moderate	13:38	3.4	Surface	1.0	26.8 26.8	26.8	7.7 7.7	7.7	19.1 17.3	18.2	91.3 98.3	94.8	6.6 7.1	6.8	6.8	5.4 5.2	5.3	5.4	5.0 6.1	5.6	5.9				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	
					Bottom	2.4	26.7 26.8	26.8	7.7 7.7	7.7	21.0 20.8	20.9	93.3 95.0	94.2	6.6 6.8	6.7		6.7	5.1 5.6		5.4	6.1 6.1		6.1			
9-Sep-13	Sunny	Moderate	15:09	3.4	Surface	1.0	28.6 28.6	28.6	7.6 7.6	7.6	17.5 17.4	17.4	79.6 79.5	79.6	5.6 5.6	5.6	5.6	5.7 5.5	5.6	6.4	3.9 3.5	3.7	3.5				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	
					Bottom	2.4	28.3 28.3	28.3	7.6 7.6	7.6	18.9 18.8	18.9	80.5 80.2	80.4	5.6 5.6	5.6		5.6	7.0 7.1		7.1	2.8 3.7		3.3			
11-Sep-13	Sunny	Moderate	15:46	3.5	Surface	1.0	29.2 29.2	29.2	7.9 7.9	7.9	17.9 18.0	18.0	93.5 95.5	94.5	6.5 6.6	6.6	6.6	4.3 4.0	4.2	4.3	4.4 3.1	3.8	4.6				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-		
					Bottom	2.5	29.2 28.8	29.0	7.9 8.0	7.9	18.1 18.7	18.4	95.5 93.0	94.3	6.6 6.5	6.5		6.5	4.2 4.4		4.3	5.5 5.1		5.3			
13-Sep-13	Fine	Moderate	07:05	3.8	Surface	1.0	28.3 28.2	28.3	8.1 8.1	8.1	20.3 20.5	20.4	75.6 77.2	76.4	5.3 5.4	5.3	5.3	9.0 9.2	9.1	10.0	4.6 4.8	4.7	5.2				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-		
					Bottom	2.8	28.3 28.2	28.2	8.1 8.1	8.1	20.8 21.3	21.1	75.3 74.3	74.8	5.2 5.2	5.2		5.2	10.6 10.9		10.8	5.2 6.2		5.7			
16-Sep-13	Sunny	Moderate	10:37	3.7	Surface	1.0	28.9 28.9	28.9	7.9 7.9	7.9	18.9 18.9	18.9	94.6 94.2	94.4	6.6 6.5	6.6	6.6	6.1 6.4	6.3	6.2	3.2 4.5	3.9	3.6				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-		
					Bottom	2.7	28.9 28.9	28.9	7.9 7.9	7.9	19.8 20.2	20.0	94.0 94.7	94.4	6.5 6.5	6.5		6.5	6.1 6.1		6.1	2.8 3.6		3.2			
18-Sep-13	Sunny	Moderate	12:26	3.4	Surface	1.0	28.1 28.1	28.1	7.9 8.0	8.0	23.7 23.7	23.7	93.7 95.8	94.8	6.4 6.6	6.5	6.5	7.9 8.6	8.3	8.3	8.8 7.5	8.2	8.0				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-		
					Bottom	2.4	28.1 28.1	28.1	7.9 8.0	8.0	23.7 23.7	23.7	94.2 98.8	96.5	6.5 6.8	6.6		6.6	8.0 8.4		8.2	7.8 7.5		7.7			
20-Sep-13	Sunny	Moderate	13:58	3.4	Surface	1.0	28.6 28.7	28.6	7.9 7.9	7.9	24.7 24.6	24.7	92.2 92.5	92.4	6.2 6.2	6.2	6.2	8.7 8.2	8.5	9.5	6.0 6.3	6.2	6.4				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-		
					Bottom	2.4	28.4 28.4	28.4	7.9 7.9	7.9	24.8 24.8	24.8	91.0 91.7	91.4	6.2 6.2	6.2		6.2	10.2 10.6		10.4	6.4 6.6		6.5			

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR4(N) - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	15:35	3.5	Surface	1.0	29.1	29.1	7.8	7.8	19.9	19.9	90.9	91.1	6.3	6.3	6.3	8.7	8.6	9.4	8.4	8.0	7.9		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.5	28.4	28.5	7.8	7.8	20.7	20.7	89.1	89.0	6.2	6.2	6.2	10.2	9.9	10.1	8.0	7.4	7.7	-	
27-Sep-13	Fine	Moderate	06:08	3.7	Surface	1.0	27.9	27.9	7.7	7.7	20.9	20.8	83.3	85.4	5.8	6.0	6.0	5.3	5.3	5.4	4.7	4.6	5.2		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.7	28.0	28.1	7.7	7.7	21.9	22.2	84.3	91.4	5.8	6.1	6.1	5.4	5.5	5.5	5.7	5.6	5.7	-	
30-Sep-13	Cloudy	Moderate	10:02	3.8	Surface	1.0	27.5	27.4	7.8	7.8	25.7	25.7	81.5	81.6	5.6	5.6	5.6	4.3	4.3	4.9	7.6	7.7	7.9		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.8	28.0	27.9	7.8	7.8	27.3	27.7	80.0	81.2	5.4	5.4	5.4	5.4	5.4	5.4	8.6	7.3	8.0	-	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR4(N) - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	17:30	3.8	Surface	1.0	29.4 29.5	29.4	8.0 8.1	8.0	14.0 14.0	14.0	105.9 106.8	106.4	7.4 7.5	7.5	7.5	4.9 4.9	4.9	5.2	3.7 5.0	4.4	5.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	2.8	28.4 28.3	28.4	8.1 8.0	8.0	17.3 19.3	18.3	102.7 102.7	102.7	7.3 7.3	7.3		5.4 5.3	5.4		5.4	5.3		5.4	6.1 5.3	5.7
4-Sep-13	Cloudy	Moderate	18:03	3.7	Surface	1.0	27.3 27.3	27.3	7.8 7.8	7.8	20.9 21.0	20.9	69.9 69.4	69.7	5.3 5.3	5.3	5.3	6.2 6.0	6.1	7.6	4.7 4.7	4.7	4.6			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.7	27.0 27.1	27.1	7.7 7.8	7.8	23.1 23.4	23.2	70.0 69.3	69.7	5.3 5.2	5.3		8.9 9.0	9.0		8.9	9.0		4.3 4.7	4.5	
6-Sep-13	Sunny	Moderate	18:58	3.5	Surface	1.0	26.9 27.2	27.0	7.8 7.9	7.8	21.2 20.1	20.6	79.2 79.0	79.1	5.6 5.6	5.6	5.6	13.9 13.8	13.9	13.6	12.4 12.4	12.4	12.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.5	26.8 26.8	26.8	7.9 7.8	7.9	21.6 21.5	21.6	77.9 81.6	79.8	5.6 5.8	5.7		13.4 13.1	13.3		13.4	13.3		13.2 11.5	12.4	
9-Sep-13	Sunny	Moderate	09:17	3.5	Surface	1.0	27.4 27.4	27.4	7.5 7.4	7.5	18.3 18.3	18.3	72.6 73.0	72.8	5.2 5.2	5.2	5.2	7.0 7.4	7.2	7.5	5.1 5.7	5.4	7.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.5	27.4 27.4	27.4	7.5 7.4	7.5	18.3 18.3	18.3	71.4 72.0	71.7	5.1 5.1	5.1		7.8 7.7	7.8		7.8	7.8		8.3 9.2	8.8	
11-Sep-13	Sunny	Moderate	11:04	3.5	Surface	1.0	28.0 28.1	28.0	7.6 7.6	7.6	18.1 18.1	18.1	96.9 86.1	91.5	6.9 6.1	6.5	6.5	5.3 5.6	5.5	5.6	4.2 5.5	4.9	5.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.5	28.0 28.1	28.0	7.7 7.6	7.7	18.2 18.1	18.1	87.4 85.1	86.3	6.2 6.0	6.1		5.5 5.7	5.6		5.5	5.6		6.1 5.0	5.6	
13-Sep-13	Sunny	Moderate	13:56	3.7	Surface	1.0	28.4 28.4	28.4	8.1 8.1	8.1	19.4 19.4	19.4	85.9 86.6	86.3	6.0 6.0	6.0	6.0	10.9 10.4	10.7	10.7	8.0 8.5	8.3	9.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.7	28.4 28.4	28.4	8.1 8.1	8.1	19.4 19.4	19.4	86.3 87.4	86.9	6.0 6.1	6.1		10.7 10.5	10.6		10.7	10.6		10.4 9.7	10.1	
16-Sep-13	Sunny	Moderate	17:06	3.6	Surface	1.0	29.0 29.0	29.0	8.0 8.1	8.0	22.3 22.3	22.3	95.9 94.8	95.4	6.5 6.5	6.5	6.5	7.7 7.8	7.8	7.7	9.1 9.0	9.1	10.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.6	29.0 29.0	29.0	8.0 8.1	8.1	22.3 22.4	22.4	95.3 94.1	94.7	6.5 6.4	6.4		7.7 7.5	7.6		7.7	7.6		10.4 11.9	11.2	
18-Sep-13	Sunny	Moderate	17:51	3.4	Surface	1.0	28.1 28.1	28.1	8.0 8.0	8.0	24.6 24.5	24.6	90.3 89.8	90.1	6.2 6.1	6.1	6.1	17.7 18.3	18.0	18.6	22.4 21.2	21.8	24.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.4	28.1 28.1	28.1	8.0 8.0	8.0	24.6 24.6	24.6	89.9 90.9	90.4	6.1 6.2	6.2		18.9 19.2	19.1		18.9	19.1		25.9 26.4	26.2	
20-Sep-13	Fine	Moderate	18:45	3.5	Surface	1.0	28.9 28.9	28.9	8.0 8.0	8.0	25.1 25.1	25.1	96.3 95.5	95.9	6.5 6.4	6.4	6.4	9.5 8.9	9.2	10.4	6.8 7.3	7.1	8.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	2.5	28.9 28.9	28.9	7.9 8.0	8.0	25.1 25.2	25.1	96.3 95.8	96.1	6.5 6.4	6.4		11.6 11.6	11.6		11.6	11.6		9.0 10.1	9.6	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR4(N) - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	-	7.9	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:19	3.4	Surface	1.0	28.3	28.3	7.7	7.7	20.1	20.0	88.7	88.8	6.2	6.2	6.2	8.1	8.2	8.6	5.3	5.4	5.7		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.4	28.2	28.2	7.5	7.6	20.3	20.2	88.4	88.6	88.5	6.2	6.2	6.2	8.7	9.0	8.9	6.4	5.3	5.9	
27-Sep-13	Sunny	Moderate	17:58	3.7	Surface	1.0	28.9	28.9	7.9	7.9	22.6	22.6	98.0	98.2	6.7	6.7	6.7	3.4	3.4	3.4	2.4	2.5	2.4		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.7	28.9	28.8	28.9	7.9	8.0	22.7	22.9	98.4	96.2	97.3	6.7	6.6	6.6	3.4	3.4	3.4	2.3	2.3	2.3
30-Sep-13	Cloudy	Moderate	16:17	3.7	Surface	1.0	27.9	27.9	7.8	7.8	27.6	27.6	78.2	78.1	5.3	5.3	5.3	9.4	9.2	9.8	7.7	7.7	7.2		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	2.7	27.9	28.0	27.9	7.8	7.8	27.9	28.1	78.5	77.6	78.1	5.3	5.2	5.2	10.2	10.3	10.3	6.2	6.7	7.1

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR5 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	11:24	5.5	Surface	1.0	28.0 28.7	28.3	8.0 8.0	8.0	12.6 11.8	12.2	81.5 80.2	80.9	5.8 5.7	5.8	5.8	3.6 4.0	3.8	4.2	3.2 2.1	2.7	2.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	4.5	27.3 27.2	27.3	7.9 7.9	7.9	25.8 26.4	26.1	79.3 79.4	79.4	5.7 5.7	5.7		4.5 4.6	4.6		5.7	4.5 4.6		4.6	2.8 3.1	3.0
4-Sep-13	Rainy	Moderate	12:38	4.7	Surface	1.0	27.2 27.2	27.2	7.9 7.9	7.9	19.4 19.5	19.4	76.2 76.6	76.4	5.4 5.4	5.4	5.4	2.6 2.7	2.7	2.7	4.1 3.5	3.8	3.6			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	3.7	27.3 27.2	27.3	7.8 7.9	7.9	20.5 20.7	20.6	75.4 75.8	75.6	5.4 5.4	5.4		2.5 2.7	2.6		5.4	2.5 2.7		2.6	3.1 3.4	3.3
6-Sep-13	Sunny	Moderate	13:29	4.5	Surface	1.0	27.5 27.4	27.4	7.8 7.8	7.8	17.7 17.7	17.7	70.5 70.1	70.3	5.1 5.0	5.0	5.0	3.8 4.0	3.9	4.1	2.9 3.8	3.4	3.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	3.5	27.1 27.2	27.2	7.8 7.8	7.8	19.7 20.0	19.9	69.7 70.7	70.2	5.0 5.0	5.0		4.1 4.2	4.2		5.0	4.1 4.2		4.2	2.8 2.8	2.8
9-Sep-13	Sunny	Moderate	15:05	4.6	Surface	1.0	27.9 28.0	27.9	7.9 7.9	7.9	17.8 17.8	17.8	73.1 71.8	72.5	5.2 5.1	5.1	5.1	6.3 6.3	6.3	6.4	6.0 7.4	6.7	6.6			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	3.6	27.8 27.5	27.7	7.9 7.9	7.9	19.4 20.0	19.7	69.6 69.9	69.8	4.9 4.9	4.9		6.5 6.4	6.5		4.9	6.5 6.4		6.5	6.6 6.2	6.4
11-Sep-13	Sunny	Moderate	16:40	4.6	Surface	1.0	28.2 28.0	28.1	8.0 8.0	8.0	18.4 18.6	18.5	73.7 75.4	74.6	5.2 5.3	5.2	5.2	4.5 4.5	4.5	4.7	4.4 4.2	4.3	5.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	3.6	27.8 28.0	27.9	8.0 8.0	8.0	20.0 19.7	19.8	73.8 73.4	73.6	5.2 5.2	5.2		4.8 4.8	4.8		5.2	4.8 4.8		4.8	6.0 5.1	5.6
13-Sep-13	Fine	Moderate	06:38	5.1	Surface	1.0	28.3 28.2	28.3	8.0 8.0	8.0	16.9 17.4	17.2	78.5 78.5	78.5	5.6 5.6	5.6	5.6	1.4 1.4	1.4	1.4	2.6 2.0	2.3	2.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	4.1	28.2 28.3	28.2	8.0 8.0	8.0	17.6 17.7	17.7	78.4 78.4	78.4	5.5 5.5	5.5		1.4 1.3	1.4		5.5	1.4 1.3		1.4	3.0 3.1	3.1
16-Sep-13	Sunny	Moderate	10:46	5.0	Surface	1.0	28.4 28.4	28.4	8.1 8.1	8.1	21.7 21.7	21.7	86.4 86.7	86.6	6.0 6.0	6.0	6.0	3.1 3.0	3.1	3.1	3.2 2.5	2.9	2.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	4.0	28.4 28.4	28.4	8.1 8.1	8.1	21.7 21.7	21.7	86.4 86.7	86.6	6.0 6.0	6.0		3.1 3.0	3.1		6.0	3.1 3.0		3.1	2.7 3.0	2.9
18-Sep-13	Sunny	Moderate	11:59	4.5	Surface	1.0	28.4 28.4	28.4	8.1 8.1	8.1	24.1 24.0	24.0	94.0 94.0	94.0	6.4 6.4	6.4	6.4	4.2 4.1	4.2	4.3	3.7 3.3	3.5	3.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	3.5	28.4 28.4	28.4	8.1 8.1	8.1	24.5 24.2	24.3	93.8 93.9	93.9	6.4 6.4	6.4		4.4 4.1	4.3		6.4	4.4 4.1		4.3	4.8 3.4	4.1
20-Sep-13	Sunny	Moderate	13:40	4.5	Surface	1.0	29.2 29.2	29.2	8.0 8.0	8.0	21.9 22.0	22.0	83.4 83.5	83.5	5.7 5.7	5.7	5.7	4.5 4.4	4.5	4.7	3.4 4.6	4.0	5.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	3.5	29.1 29.0	29.1	8.0 8.0	8.0	22.2 22.5	22.4	83.3 83.0	83.2	5.7 5.6	5.7		4.8 4.7	4.8		5.7	4.8 4.7		4.8	6.0 6.2	6.1

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR5 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	16:07	4.5	Surface	1.0	28.4 28.3	28.3	8.0 8.1	8.1	20.4 21.1	20.8	86.9 88.0	87.5	6.0 6.1	6.1	6.1	6.7 6.7	6.7	6.7	5.5 7.2	6.4	6.7		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	3.5	28.1 28.2	28.2	8.1 8.0	8.0	22.2 22.4	22.3	87.1 89.9	88.5	6.0 6.2	6.1	6.1	6.8 6.5	6.7	6.7	6.7	8.0 5.7	6.9	6.9	6.9
27-Sep-13	Fine	Moderate	06:13	5.4	Surface	1.0	27.6 27.5	27.6	8.1 8.1	8.1	22.2 22.2	22.2	87.7 87.6	87.7	6.1 6.1	6.1	6.1	2.6 2.8	2.7	2.7	4.2 4.1	4.2	4.2		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.4	27.7 27.7	27.7	8.1 8.0	8.1	22.5 23.5	23.0	86.3 87.5	86.9	6.0 6.0	6.0	6.0	3.0 3.1	3.1	3.1	3.1	4.4 3.9	4.2	4.2	
30-Sep-13	Cloudy	Moderate	10:04	5.6	Surface	1.0	27.6 27.6	27.6	8.2 8.2	8.2	27.4 27.5	27.5	88.0 87.8	87.9	6.0 5.9	5.9	5.9	3.9 3.9	3.9	3.9	4.1 5.6	4.9	5.5		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	4.6	27.5 27.5	27.5	8.2 8.2	8.2	28.2 28.2	28.2	87.3 87.3	87.3	5.9 5.9	5.9	5.9	3.2 3.0	3.1	3.1	3.1	5.8 6.3	6.1	6.1	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR5 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	17:49	5.7	Surface	1.0	28.9 29.1	29.0	8.0 8.0	8.0	16.3 16.2	16.2	82.8 83.4	83.1	5.9 5.9	5.9	5.9	8.8 9.3	9.1	10.9	14.9 15.1	15.0	16.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-	-
					Bottom	4.7	27.3 27.2	27.3	7.7 7.9	7.8	25.5 22.7	24.1	80.3 80.6	80.5	5.7 5.7	5.7	12.6 12.7	12.7	5.7		12.6 12.7	12.7		16.2 17.6	16.9	
4-Sep-13	Cloudy	Moderate	18:58	4.3	Surface	1.0	27.2 27.2	27.2	7.7 7.6	7.6	19.7 19.3	19.5	77.3 77.8	77.6	5.5 5.6	5.5	5.5	6.4 6.2	6.3	6.3	4.8 5.4	5.1	6.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-	
					Bottom	3.3	27.2 27.2	27.2	7.4 7.6	7.5	20.1 20.8	20.5	76.4 77.5	77.0	5.4 5.5	5.5	6.3 6.3	6.3	5.5		6.3 6.3	6.3		7.0 8.0	7.5	
6-Sep-13	Sunny	Moderate	19:42	4.6	Surface	1.0	27.2 27.2	27.2	7.8 7.8	7.8	18.9 19.1	19.0	76.2 76.6	76.4	5.4 5.5	5.5	5.5	8.9 9.3	9.1	9.1	9.8 8.3	9.1	8.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-	
					Bottom	3.6	27.0 27.2	27.1	7.8 7.8	7.8	20.4 19.9	20.2	77.6 76.5	77.1	5.5 5.4	5.5	8.9 9.1	9.0	5.5		8.9 9.1	9.0		8.7 7.7	8.2	
9-Sep-13	Sunny	Moderate	09:25	4.5	Surface	1.0	27.5 27.5	27.5	7.8 7.8	7.8	17.6 17.5	17.5	70.8 70.5	70.7	5.1 5.1	5.1	5.1	9.5 9.7	9.6	10.8	10.6 10.6	10.6	10.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-	
					Bottom	3.5	27.4 27.4	27.4	7.8 7.8	7.8	19.4 19.6	19.5	70.2 70.5	70.4	5.0 5.0	5.0	12.0 11.7	11.9	5.0		12.0 11.7	11.9		9.1 9.4	9.3	
11-Sep-13	Sunny	Moderate	11:11	4.6	Surface	1.0	27.9 28.0	27.9	7.9 7.9	7.9	18.7 19.1	18.9	73.0 73.7	73.4	5.2 5.2	5.2	5.2	7.3 7.4	7.4	7.6	5.7 4.5	5.1	6.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-		
					Bottom	3.6	27.8 27.9	27.9	7.9 7.9	7.9	19.6 19.3	19.5	72.3 73.3	72.8	5.1 5.2	5.1	7.9 7.7	7.8	5.1		7.9 7.7	7.8		9.1 8.1	8.6	
13-Sep-13	Sunny	Moderate	14:39	5.1	Surface	1.0	28.3 28.5	28.4	8.0 8.0	8.0	19.5 19.2	19.3	82.3 84.3	83.3	5.7 5.9	5.8	5.8	7.7 8.0	7.9	8.0	5.1 5.0	5.1	5.6			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-		
					Bottom	4.1	28.1 28.5	28.3	8.0 8.0	8.0	21.6 21.4	21.5	81.7 83.4	82.6	5.7 5.8	5.7	7.9 8.0	8.0	5.7		7.9 8.0	8.0		5.8 6.1	6.0	
16-Sep-13	Sunny	Moderate	17:27	5.0	Surface	1.0	28.5 28.7	28.6	8.2 8.2	8.2	22.3 22.2	22.2	91.2 89.4	90.3	6.2 6.1	6.2	6.2	4.3 4.3	4.3	4.4	2.7 3.7	3.2	4.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-		
					Bottom	4.0	28.4 28.6	28.5	8.2 8.2	8.2	24.1 23.7	23.9	85.5 89.9	87.7	5.8 6.2	6.0	4.5 4.5	4.5	6.0		4.5 4.5	4.5		5.0 4.7	4.9	
18-Sep-13	Sunny	Moderate	18:42	4.5	Surface	1.0	28.3 28.3	28.3	8.1 8.1	8.1	23.4 23.5	23.4	93.3 91.7	92.5	6.4 6.3	6.3	6.3	6.3 6.5	6.4	6.5	5.6 4.2	4.9	5.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-		
					Bottom	3.5	28.3 28.4	28.3	8.1 8.2	8.1	23.9 23.7	23.8	92.1 95.4	93.8	6.3 6.5	6.4	6.5 6.4	6.5	6.4		6.5 6.4	6.5		5.6 5.4	5.5	
20-Sep-13	Fine	Moderate	19:28	4.5	Surface	1.0	29.0 29.0	29.0	8.1 8.1	8.1	22.5 22.3	22.4	82.8 82.3	82.6	5.6 5.6	5.6	5.6	11.1 11.2	11.2	11.5	5.7 5.5	5.6	6.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-		
					Bottom	3.5	28.9 28.9	28.9	8.0 8.0	8.0	23.0 23.0	23.0	83.1 82.5	82.8	5.6 5.6	5.6	11.9 11.7	11.8	5.6		11.9 11.7	11.8		6.2 6.6	6.4	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR5 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:03	4.6	Surface	1.0	28.3	28.3	8.0	8.0	19.6	19.7	88.3	88.3	6.2	6.2	6.2	11.4	11.4	12.1	5.9	5.8	6.1		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	3.6	28.2	28.2	8.0	8.0	20.8	20.9	87.9	87.8	6.1	6.1	6.1	12.8	12.7	6.3	7.2	6.4	6.1	5.6	
27-Sep-13	Sunny	Moderate	18:16	5.3	Surface	1.0	28.4	28.4	8.1	8.1	23.5	23.4	85.9	86.0	5.9	5.9	5.9	5.2	5.2	6.3	4.1	4.5	4.1		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.3	28.1	28.1	8.1	8.1	26.8	26.7	84.1	81.4	5.7	5.6	5.6	7.2	7.4	5.9	3.1	3.7	4.1	4.2	
30-Sep-13	Cloudy	Moderate	18:34	5.5	Surface	1.0	27.5	27.5	8.0	8.0	27.7	27.7	88.1	87.8	6.0	5.9	5.9	20.9	20.4	20.4	25.1	24.9	24.5		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.5	27.5	27.5	7.9	8.0	27.8	27.8	88.9	87.5	6.0	6.0	6.0	19.9	20.3	6.0	24.2	24.1	24.5	24.0	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR6 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	12:21	5.3	Surface	1.0	28.7 28.7	28.7	8.0 8.0	8.0	13.7 13.8	13.7	77.2 76.4	76.8	5.5 5.5	5.5	5.5	3.0 3.0	3.0	3.1	2.2 2.3	2.3	3.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	4.3	28.3 28.3	28.3	8.0 8.0	8.0	15.2 15.3	15.2	73.0 72.3	72.7	5.2 5.1	5.2		3.1 3.2	3.2		3.1 3.2	3.2		3.7 4.3	4.0	
4-Sep-13	Rainy	Moderate	13:43	4.3	Surface	1.0	27.2 27.1	27.1	7.9 7.9	7.9	19.7 19.6	19.6	78.4 76.8	77.6	5.6 5.5	5.5	5.5	4.9 4.7	4.8	5.5	3.7 2.8	3.3	3.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.3	27.0 26.9	27.0	7.8 7.8	7.8	24.9 25.0	25.0	78.2 77.7	78.0	5.5 5.4	5.4		6.0 6.3	6.2		2.5 3.8	3.2				
6-Sep-13	Sunny	Moderate	14:28	4.3	Surface	1.0	27.5 27.5	27.5	7.9 7.8	7.9	17.7 17.7	17.7	71.7 71.7	71.7	5.1 5.1	5.1	5.1	3.8 3.7	3.8	3.8	4.0 3.1	3.6	4.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.3	26.9 27.0	27.0	7.8 7.8	7.8	21.8 21.0	21.4	70.3 70.9	70.6	5.0 5.0	5.0		3.8 3.8	3.8		5.6 5.7	5.7				
9-Sep-13	Sunny	Moderate	14:06	4.6	Surface	1.0	28.3 28.3	28.3	7.9 7.9	7.9	17.1 17.1	17.1	72.0 74.2	73.1	5.1 5.3	5.2	5.2	5.5 5.8	5.7	5.7	3.1 2.6	2.9	4.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	3.6	27.4 28.1	27.8	7.9 7.9	7.9	17.1 17.4	17.3	70.5 72.7	71.6	4.9 5.2	5.1		5.7 5.5	5.6		5.5 5.5	5.5				
11-Sep-13	Sunny	Moderate	15:40	4.4	Surface	1.0	28.6 28.4	28.5	8.1 8.0	8.1	16.7 16.7	16.7	78.6 78.9	78.8	5.6 5.6	5.6	5.6	3.5 3.5	3.5	3.7	2.3 3.0	2.7	3.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	3.4	27.8 28.3	28.1	8.0 8.0	8.0	20.9 20.3	20.6	76.2 79.1	77.7	5.3 5.5	5.4		3.8 3.8	3.8		3.2 4.0	3.6				
13-Sep-13	Fine	Moderate	07:22	4.7	Surface	1.0	28.3 28.3	28.3	8.0 8.0	8.0	16.9 16.6	16.7	75.5 75.6	75.6	5.4 5.4	5.4	5.4	1.8 1.7	1.8	1.8	2.7 3.0	2.9	3.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-				
					Bottom	3.7	28.3 28.3	28.3	8.0 8.0	8.0	17.8 17.9	17.8	75.5 75.3	75.4	5.3 5.3	5.3		1.7 1.8	1.8		3.4 2.5	3.0				
16-Sep-13	Sunny	Moderate	11:23	4.9	Surface	1.0	28.6 28.6	28.6	8.1 8.1	8.1	20.9 20.9	20.9	82.2 82.3	82.3	5.7 5.7	5.7	5.7	2.9 3.0	3.0	3.1	3.6 2.8	3.2	3.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-					
					Bottom	3.9	28.3 28.3	28.3	8.1 8.1	8.1	23.1 23.5	23.3	81.8 80.1	81.0	5.6 5.5	5.5		3.0 3.2	3.1		4.0 3.0	3.5				
18-Sep-13	Sunny	Moderate	12:59	4.3	Surface	1.0	28.7 28.7	28.7	8.1 8.1	8.1	23.8 23.7	23.7	92.0 92.3	92.2	6.2 6.3	6.2	6.2	5.0 5.2	5.1	5.3	5.3 5.4	5.4	5.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-							
					Bottom	3.3	28.6 28.4	28.5	8.1 8.1	8.1	24.2 24.6	24.4	91.8 91.2	91.5	6.2 6.2	6.2		5.3 5.5	5.4		5.6 5.4	5.5				
20-Sep-13	Sunny	Moderate	14:39	4.2	Surface	1.0	28.9 28.8	28.9	8.0 8.0	8.0	22.3 22.5	22.4	83.0 83.0	83.0	5.7 5.7	5.7	5.7	5.5 5.4	5.5	5.6	5.2 6.7	6.0	5.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-								
					Bottom	3.2	28.6 28.7	28.7	8.0 8.0	8.0	23.8 23.5	23.7	82.5 82.5	82.5	5.6 5.6	5.6		5.7 5.7	5.7		5.7 5.1	5.4				

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR6 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*		
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	-	8.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	15:09	4.2	Surface	1.0	28.8 28.7	28.8	8.1 8.1	8.1	19.1 19.1	19.1	89.5 89.3	89.4	6.2 6.2	6.2	6.2	4.1 3.9	4.0	4.9	5.0 4.2	4.6	5.6	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	3.2	28.4 28.4	28.4	8.0 8.1	8.1	20.4 21.2	20.8	87.8 88.7	88.3	6.1 6.1	6.1	5.7 5.6	5.7	5.7	5.7	5.7	5.7	7.4 5.7	6.6
27-Sep-13	Fine	Moderate	07:13	5.6	Surface	1.0	28.0 28.0	28.0	8.1 8.1	8.1	23.6 23.6	23.6	86.3 86.4	86.4	5.9 5.9	5.9	5.9	3.1 3.0	3.1	3.3	5.1 5.8	5.5	5.4	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.6	28.0 28.0	28.0	8.1 8.0	8.1	24.0 24.0	24.0	85.3 85.8	85.6	5.9 5.9	5.9	3.5 3.5	3.5	3.5	3.5	3.5	3.5	5.6 5.0	5.3
30-Sep-13	Cloudy	Moderate	11:01	5.4	Surface	1.0	27.4 27.4	27.4	8.2 8.2	8.2	28.2 28.2	28.2	92.6 92.2	92.4	6.3 6.2	6.2	6.2	2.0 2.1	2.1	2.2	4.8 4.4	4.6	5.5	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.4	27.5 27.5	27.5	8.2 8.2	8.2	28.3 28.3	28.3	92.1 91.9	92.0	6.2 6.2	6.2	2.1 2.3	2.2	2.2	2.2	2.2	2.2	5.7 7.0	6.4

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR6 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
2-Sep-13	Sunny	Moderate	16:56	5.5	Surface	1.0	29.3 29.2	29.2	8.1 8.1	8.1	13.6 13.9	13.7	82.9 82.7	82.8	5.9 5.9	5.9	5.9	4.4 4.2	4.3	4.6	6.3 5.5	5.9	5.8		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-
					Bottom	4.5	27.5 27.5	27.5	7.9 7.9	7.9	22.0 21.9	22.0	79.5 79.5	79.5	5.7 5.7	5.7	5.7	4.6 4.9	4.8		5.7 5.6	5.6			
4-Sep-13	Cloudy	Moderate	17:51	4.3	Surface	1.0	27.5 27.5	27.5	7.7 7.8	7.8	16.3 16.8	16.6	80.5 80.3	80.4	5.8 5.8	5.8	5.8	3.5 3.5	3.5	3.5	4.9 4.6	4.8	5.2		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	
					Bottom	3.3	27.3 27.3	27.3	7.7 7.7	7.7	18.1 18.1	18.1	80.4 80.2	80.3	5.8 5.7	5.8	5.8	3.5 3.3	3.4		5.7 5.2	5.5			
6-Sep-13	Sunny	Moderate	18:37	4.6	Surface	1.0	27.5 27.5	27.5	7.8 7.8	7.8	17.9 18.0	18.0	75.0 74.6	74.8	5.4 5.3	5.3	5.3	5.2 5.0	5.1	5.2	5.7 6.9	6.3	6.3		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	
					Bottom	3.6	27.2 27.3	27.3	7.8 7.8	7.8	19.4 19.2	19.3	74.9 75.0	75.0	5.3 5.3	5.3	5.3	5.3 5.2	5.3		6.5 6.0	6.3			
9-Sep-13	Sunny	Moderate	10:23	4.6	Surface	1.0	27.5 27.5	27.5	7.8 7.8	7.8	18.0 18.2	18.1	74.7 74.9	74.8	5.4 5.4	5.4	5.4	11.5 11.4	11.5	11.5	4.5 5.4	5.0	4.9		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	
					Bottom	3.6	27.4 27.3	27.4	7.8 7.8	7.8	20.9 21.1	21.0	75.2 74.5	74.9	5.3 5.3	5.3	5.3	11.2 11.5	11.4		5.5 4.1	4.8			
11-Sep-13	Sunny	Moderate	12:19	4.5	Surface	1.0	28.0 28.1	28.0	7.9 7.9	7.9	18.0 17.9	17.9	71.9 73.3	72.6	5.1 5.2	5.1	5.1	3.7 3.9	3.8	4.8	3.6 4.4	4.0	4.5		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	
					Bottom	3.5	27.8 28.0	27.9	7.8 7.8	7.8	20.9 20.5	20.7	72.2 73.7	73.0	5.1 5.2	5.1	5.1	5.7 5.8	5.8		5.7 4.3	5.0			
13-Sep-13	Sunny	Moderate	14:04	5.0	Surface	1.0	28.8 28.7	28.7	8.0 8.0	8.0	16.2 16.2	16.2	84.4 83.1	83.8	6.0 5.9	5.9	5.9	2.2 2.4	2.3	2.5	2.5 3.3	2.9	2.8		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	
					Bottom	4.0	28.5 28.4	28.5	8.0 8.0	8.0	18.0 17.8	17.9	83.1 83.0	83.1	5.8 5.8	5.8	5.8	2.5 2.6	2.6		2.7 2.7	2.7			
16-Sep-13	Sunny	Moderate	16:36	5.0	Surface	1.0	29.2 29.2	29.2	8.3 8.3	8.3	21.3 21.3	21.3	107.5 106.2	106.9	7.3 7.2	7.3	7.3	6.2 6.2	6.2	6.3	7.2 8.5	7.9	8.1		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	
					Bottom	4.0	29.2 29.1	29.2	8.3 8.3	8.3	21.4 21.6	21.5	106.6 104.7	105.7	7.3 7.1	7.2	7.2	6.3 6.4	6.4		8.6 7.8	8.2			
18-Sep-13	Sunny	Moderate	17:33	4.4	Surface	1.0	28.3 28.2	28.3	8.1 8.1	8.1	22.6 22.5	22.5	87.0 87.2	87.1	6.0 6.0	6.0	6.0	4.4 4.5	4.5	5.0	6.2 5.5	5.9	6.0		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	
					Bottom	3.4	28.2 28.3	28.3	8.1 8.1	8.1	22.5 22.6	22.6	87.0 86.9	87.0	6.0 6.0	6.0	6.0	5.3 5.4	5.4		5.9 6.3	6.1			
20-Sep-13	Fine	Moderate	18:25	4.6	Surface	1.0	29.1 29.1	29.1	8.1 8.0	8.1	21.5 21.5	21.5	81.1 80.9	81.0	5.5 5.5	5.5	5.5	5.5 5.7	5.6	5.6	4.1 5.0	4.6	4.9		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-		-	
					Bottom	3.6	29.1 29.1	29.1	8.1 8.0	8.1	21.6 21.6	21.6	81.1 80.9	81.0	5.5 5.5	5.5	5.5	5.5 5.7	5.6		4.7 5.4	5.1			

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR6 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	11:56	4.4	Surface	1.0	28.4 28.3	28.4	8.0 8.0	8.0	19.0 19.1	19.1	87.8 87.4	87.6	6.1 6.1	6.1	6.1	5.7 5.4	5.6	6.2	5.6 4.5	5.1	5.1		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-
					Bottom	3.4	28.2 28.2	28.2	8.0 8.0	8.0	20.6 20.7	20.7	87.0 87.2	87.1	6.1 6.1	6.1	6.1	6.7 6.9	6.8	6.1	6.7 6.9	6.8		5.2 4.9	5.1
27-Sep-13	Sunny	Moderate	17:20	5.4	Surface	1.0	28.3 28.3	28.3	8.1 8.1	8.1	23.8 24.0	23.9	82.6 84.3	83.5	5.6 5.8	5.7	5.7 5.5	5.6	6.7	4.2 3.4	3.8	3.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	
					Bottom	4.4	28.1 28.1	28.1	8.1 8.1	8.1	27.0 27.0	27.0	82.5 80.5	81.5	5.6 5.4	5.5	5.5	7.8 7.7	7.8	5.5	7.8 7.7		7.8	3.2 4.6	3.9
30-Sep-13	Cloudy	Moderate	17:37	5.5	Surface	1.0	27.4 27.4	27.4	8.2 8.2	8.2	28.3 28.3	28.3	91.9 90.9	91.4	6.2 6.1	6.2	6.2	4.6 5.0	4.8	7.3	5.4 5.6	5.5	5.3		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	
					Bottom	4.5	27.5 27.6	27.6	8.2 8.1	8.1	28.6 28.8	28.7	91.5 91.3	91.4	6.2 6.1	6.1	6.1	9.5 9.8	9.7	6.1	9.5 9.8	9.7		5.0 5.2	5.1

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR7 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	10:51	5.4	Surface	1.0	28.2 28.3	28.2	7.8 7.9	7.9	15.4 15.3	15.4	75.0 75.0	75.0	5.4 5.4	5.4	5.4	2.5 2.5	2.5	2.6	3.4 2.5	3.0	2.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	4.4	27.1 27.1	27.1	7.6 7.8	7.7	21.6 24.7	23.2	72.8 71.7	72.3	5.2 5.1	5.1		5.1	2.6 2.7		2.7	2.8 2.1		2.5		
4-Sep-13	Rainy	Moderate	12:11	4.2	Surface	1.0	27.1 27.1	27.1	7.1 7.2	7.1	20.2 20.6	20.4	76.2 75.5	75.9	5.4 5.4	5.4	5.4	3.4 3.4	3.4	3.6	3.2 2.8	3.0	3.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.2	27.1 27.1	27.1	7.1 7.1	7.1	21.2 21.2	21.2	77.4 76.4	76.9	5.5 5.4	5.4		5.4	3.7 3.6		3.7	3.8 3.1		3.5		
6-Sep-13	Sunny	Moderate	13:01	4.5	Surface	1.0	27.3 27.3	27.3	7.8 7.8	7.8	19.2 19.3	19.2	79.0 77.4	78.2	5.6 5.5	5.6	5.6	3.3 3.4	3.4	3.5	2.6 3.5	3.1	3.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.5	27.0 27.1	27.1	7.8 7.8	7.8	21.3 19.7	20.5	76.8 78.7	77.8	5.4 5.6	5.5		5.5	3.5 3.7		3.6	3.6 2.9		3.3		
9-Sep-13	Sunny	Moderate	15:37	4.6	Surface	1.0	27.6 27.6	27.6	7.8 7.8	7.8	20.4 19.8	20.1	72.8 73.0	72.9	5.2 5.2	5.2	5.2	5.4 5.5	5.5	5.6	3.7 3.6	3.7	4.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.6	27.1 27.3	27.2	7.8 7.8	7.8	21.9 21.8	21.9	71.4 72.4	71.9	5.1 5.1	5.1		5.1	5.7 5.7		5.7	4.5 4.5		4.5		
11-Sep-13	Sunny	Moderate	17:10	4.4	Surface	1.0	28.1 28.2	28.2	8.0 8.0	8.0	18.3 18.1	18.2	73.1 72.2	72.7	5.2 5.1	5.1	5.1	3.7 3.6	3.7	4.1	4.4 3.7	4.1	3.6			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.4	27.7 27.6	27.6	7.9 7.9	7.9	21.8 21.7	21.8	73.1 69.8	71.5	5.1 4.9	5.0		5.0	4.5 4.4		4.5	3.1 2.9		3.0		
13-Sep-13	Fine	Moderate	06:11	4.9	Surface	1.0	28.3 28.3	28.3	8.0 8.0	8.0	18.4 18.5	18.4	78.1 77.5	77.8	5.5 5.5	5.5	5.5	1.5 1.7	1.6	1.8	1.8 2.1	2.0	2.0			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.9	28.2 28.1	28.2	8.0 8.0	8.0	19.2 19.6	19.4	78.2 77.4	77.8	5.5 5.4	5.5		5.5	1.9 2.0		2.0	2.0 1.8		1.9		
16-Sep-13	Sunny	Moderate	10:20	5.0	Surface	1.0	28.4 28.4	28.4	8.2 8.1	8.2	21.6 21.6	21.6	85.5 85.4	85.5	5.9 5.9	5.9	5.9	2.6 2.5	2.6	2.6	4.4 5.0	4.7	5.4			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	4.0	28.4 28.3	28.4	8.2 8.2	8.2	21.7 22.2	22.0	85.4 85.2	85.3	5.9 5.9	5.9		5.9	2.5 2.7		2.6	5.6 6.5		6.1		
18-Sep-13	Sunny	Moderate	11:29	4.0	Surface	1.0	28.4 28.4	28.4	8.2 8.2	8.2	24.4 24.4	24.4	93.5 93.5	93.5	6.4 6.4	6.4	6.4	9.6 9.6	9.6	9.7	6.1 5.2	5.7	6.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.0	28.3 28.2	28.2	8.2 8.3	8.2	25.0 25.8	25.4	93.3 93.5	93.4	6.3 6.3	6.3		6.3	9.6 9.8		9.7	6.3 6.7		6.5		
20-Sep-13	Sunny	Moderate	13:11	4.3	Surface	1.0	28.6 28.5	28.5	8.1 8.2	8.2	23.6 23.8	23.7	85.5 86.9	86.2	5.8 5.9	5.9	5.9	7.8 7.4	7.6	7.6	6.7 7.1	6.9	7.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.3	28.2 28.3	28.2	8.2 8.1	8.2	25.9 25.8	25.9	88.3 85.5	86.9	6.0 5.8	5.9		5.9	7.6 7.5		7.6	6.5 7.8		7.2		

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR7 - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	8.1	8.2	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	8.2	8.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	16:37	4.2	Surface	1.0	28.4 28.5	28.4	8.1 8.1	8.1	20.6 20.1	20.4	86.3 87.1	86.7	6.0 6.1	6.0	6.0	6.3 6.4	6.4	6.8	5.2 5.1	5.2	5.7		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	3.2	28.2 28.1	28.2	8.0 8.0	8.0	22.7 23.1	22.9	86.4 84.9	85.7	5.9 5.8	5.9	5.9	7.1 7.3	7.2	5.9	7.1 7.3	7.2	6.1 6.2	6.2	6.2
27-Sep-13	Fine	Moderate	05:44	5.6	Surface	1.0	27.7 27.7	27.7	8.1 8.1	8.1	23.0 23.0	23.0	89.0 86.8	87.9	6.2 6.0	6.1	6.1	3.3 3.4	3.4	3.9	3.4 3.3	3.4	3.7		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.6	27.9 27.9	27.9	8.1 8.2	8.1	24.7 24.7	24.7	86.3 85.5	85.9	5.9 5.9	5.9	5.9	4.5 4.3	4.4	5.9	4.5 4.3	4.4	4.2 3.6	3.9	3.9
30-Sep-13	Cloudy	Moderate	09:32	5.9	Surface	1.0	27.6 27.6	27.6	8.1 8.2	8.2	28.0 28.1	28.1	83.4 83.1	83.3	5.6 5.6	5.6	5.6	2.7 2.7	2.7	2.9	4.6 3.9	4.3	6.4		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.9	27.9 28.0	28.0	8.1 8.1	8.1	28.9 29.0	28.9	81.7 81.3	81.5	5.5 5.4	5.4	5.4	3.2 2.9	3.1	5.4	3.2 2.9	3.1	8.9 8.1	8.5	8.5

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR7 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
2-Sep-13	Sunny	Moderate	18:21	5.6	Surface	1.0	28.9 29.0	28.9	8.1 8.1	8.1	15.8 15.7	15.8	80.1 80.0	80.1	5.7 5.7	5.7	5.7	4.0 4.0	4.0	5.2	3.9 4.6	4.3	4.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-
					Bottom	4.6	28.3 27.8	28.1	8.1 8.0	8.0	19.6 20.0	19.8	76.8 78.6	77.7	5.5 5.6	5.5		5.5	6.7 6.1		6.4	5.3 5.3		5.3		
4-Sep-13	Cloudy	Moderate	19:25	4.4	Surface	1.0	27.2 27.2	27.2	7.9 7.8	7.8	19.5 19.5	19.5	70.8 71.8	71.3	5.0 5.1	5.1	5.1	3.2 3.1	3.2	3.5	4.3 4.2	4.3	4.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.4	27.1 26.9	27.0	7.8 7.8	7.8	22.1 22.6	22.3	72.0 69.7	70.9	5.1 4.9	5.0		5.0	3.8 3.7		3.8	4.2 5.7		5.0		
6-Sep-13	Sunny	Moderate	20:11	4.5	Surface	1.0	27.1 27.1	27.1	7.8 7.8	7.8	19.8 19.8	19.8	73.4 73.8	73.6	5.2 5.3	5.2	5.2	6.2 6.4	6.3	6.4	7.1 5.7	6.4	7.7			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	
					Bottom	3.5	26.9 27.0	27.0	7.8 7.8	7.8	21.6 21.4	21.5	73.9 73.6	73.8	5.2 5.2	5.2		5.2	6.5 6.3		6.4	9.8 8.2		9.0		
9-Sep-13	Sunny	Moderate	08:59	4.4	Surface	1.0	27.5 27.5	27.5	7.9 7.9	7.9	19.7 19.7	19.7	76.2 77.8	77.0	5.4 5.6	5.5	5.5	4.7 4.8	4.8	5.3	3.6 3.9	3.8	3.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	3.4	27.4 27.4	27.4	7.9 7.9	7.9	20.4 20.2	20.3	79.7 76.7	78.2	5.7 5.5	5.6		5.6	5.7 5.7		5.7	4.1 3.9		4.0		
11-Sep-13	Sunny	Moderate	10:44	4.3	Surface	1.0	27.9 27.8	27.9	7.9 8.0	7.9	19.2 19.8	19.5	72.4 72.4	72.4	5.1 5.1	5.1	5.1	4.7 4.5	4.6	5.7	2.2 2.6	2.4	2.9			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	3.3	27.8 27.6	27.7	7.9 8.0	8.0	19.9 21.3	20.6	72.3 72.8	72.6	5.1 5.1	5.1		5.1	6.7 6.8		6.8	3.8 2.8		3.3		
13-Sep-13	Sunny	Moderate	15:03	4.9	Surface	1.0	28.2 28.2	28.2	8.0 8.0	8.0	20.0 20.2	20.1	81.8 81.1	81.5	5.7 5.7	5.7	5.7	2.0 2.1	2.1	2.1	3.5 3.4	3.5	3.3			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	3.9	28.1 28.1	28.1	8.0 8.0	8.0	20.7 20.6	20.6	80.7 81.1	80.9	5.6 5.7	5.6		5.6	2.1 2.0		2.1	3.3 2.7		3.0		
16-Sep-13	Sunny	Moderate	17:51	4.9	Surface	1.0	28.7 28.7	28.7	8.2 8.2	8.2	22.3 22.4	22.4	89.1 92.5	90.8	6.1 6.3	6.2	6.2	3.0 2.9	3.0	3.1	3.5 4.3	3.9	4.8			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	3.9	28.3 28.5	28.4	8.1 8.1	8.1	24.0 24.2	24.1	88.9 89.6	89.3	6.1 6.1	6.1		6.1	3.1 3.2		3.2	5.9 5.5		5.7		
18-Sep-13	Sunny	Moderate	19:11	4.2	Surface	1.0	28.3 28.3	28.3	8.1 8.1	8.1	24.5 24.5	24.5	88.2 88.3	88.3	6.0 6.0	6.0	6.0	9.4 9.2	9.3	10.0	7.8 8.5	8.2	9.2			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	3.2	28.2 28.2	28.2	8.1 8.1	8.1	24.8 24.8	24.8	88.2 88.1	88.2	6.0 6.0	6.0		6.0	10.5 10.6		10.6	10.5 9.8		10.2		
20-Sep-13	Fine	Moderate	19:55	4.4	Surface	1.0	28.6 28.6	28.6	8.1 8.1	8.1	24.2 24.2	24.2	82.4 82.3	82.4	5.6 5.6	5.6	5.6	8.0 7.8	7.9	8.0	7.1 8.4	7.8	8.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-		
					Bottom	3.4	28.6 28.6	28.6	8.1 8.1	8.1	24.3 24.3	24.3	82.3 82.4	82.4	5.6 5.6	5.6		5.6	8.0 8.1		8.1	9.3 9.1		9.2		

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR7 - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	8.1	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	10:34	4.1	Surface	1.0	28.4	28.4	8.0	8.1	19.7	19.7	89.3	89.9	6.2	6.3	6.3	9.4	9.4	9.5	6.5	6.4	6.3		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	3.1	28.3	28.3	8.0	8.1	20.7	21.1	89.4	90.9	6.2	6.3	6.3	9.6	9.5	9.5	5.5	6.1	6.1	6.1	
27-Sep-13	Sunny	Moderate	18:45	5.9	Surface	1.0	28.4	28.4	8.1	8.1	23.6	23.6	87.4	88.5	6.0	6.0	6.0	5.8	5.7	5.7	7.7	8.2	8.3		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.9	28.2	28.2	8.1	8.1	25.9	25.9	84.8	84.9	5.7	5.7	5.7	4.0	4.2	4.2	9.2	8.4	8.4	8.4	
30-Sep-13	Cloudy	Moderate	19:11	5.8	Surface	1.0	27.6	27.7	8.2	8.2	28.8	28.9	85.6	84.9	5.7	5.7	5.7	7.6	7.8	7.8	5.8	5.9	6.4		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.8	27.9	27.8	8.1	8.1	29.4	29.3	84.5	84.5	5.6	5.6	5.6	13.1	12.6	12.6	7.6	6.9	6.9	6.9	

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR10A - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	10:22	6.3	Surface	1.0	28.1 27.8	28.0	7.8 7.8	7.8	15.6 15.7	15.7	86.1 84.5	85.3	6.2 6.1	6.1	6.1	2.5 2.5	2.5	2.5	3.1 3.7	3.4	3.3
					Middle	3.2	27.7 27.6	27.7	7.8 7.8	7.8	17.2 17.9	17.5	84.1 84.1	84.1	6.0 6.0	6.0		2.6 2.5	2.6		3.0 3.6	3.3	
					Bottom	5.3	27.7 27.6	27.6	7.8 7.8	7.8	18.3 18.1	18.2	85.1 85.1	85.1	6.1 6.1	6.1		2.5 2.5	2.5		3.2 3.0	3.1	
4-Sep-13	Rainy	Moderate	11:08	6.9	Surface	1.0	26.3 26.5	26.4	7.8 7.8	7.8	23.7 23.0	23.4	67.9 67.9	67.9	5.2 5.2	5.2	5.2	5.1 5.2	5.2	4.6	2.1 3.1	2.6	2.6
					Middle	3.5	26.1 26.1	26.1	7.8 7.8	7.8	24.8 24.8	24.8	67.5 67.4	67.5	5.1 5.1	5.1		3.7 4.1	3.9		2.8 2.7	2.8	
					Bottom	5.9	25.8 26.1	25.9	7.7 7.8	7.8	26.1 25.1	25.6	68.0 67.4	67.7	5.2 5.1	5.1		4.5 5.0	4.8		2.2 2.8	2.5	
6-Sep-13	Sunny	Moderate	12:16	6.6	Surface	1.0	25.4 25.5	25.5	7.7 7.7	7.7	26.5 27.6	27.0	76.6 75.5	76.1	5.4 5.3	5.3	5.2	4.9 4.8	4.9	5.4	7.1 5.9	6.5	7.3
					Middle	3.3	25.3 25.4	25.3	7.7 7.7	7.7	27.8 27.5	27.7	74.3 72.2	73.3	5.2 5.0	5.1		5.4 5.3	5.4		7.6 8.0	7.8	
					Bottom	5.6	25.3 25.4	25.3	7.7 7.7	7.7	27.8 27.4	27.6	70.0 69.0	69.5	4.9 4.9	4.9		5.5 6.0	5.8		7.6 7.4	7.5	
9-Sep-13	Sunny	Moderate	16:14	6.4	Surface	1.0	26.8 26.9	26.9	7.8 7.7	7.7	23.4 23.4	23.4	74.6 74.3	74.5	5.2 5.2	5.2	5.2	3.9 4.1	4.0	3.9	4.0 4.6	4.3	4.2
					Middle	3.2	26.6 26.6	26.6	7.7 7.7	7.7	25.4 25.4	25.4	73.9 73.3	73.6	5.1 5.1	5.1		3.9 3.9	3.9		3.3 3.3	3.3	
					Bottom	5.4	26.5 26.5	26.5	7.7 7.7	7.7	25.6 25.6	25.6	74.5 74.7	74.6	5.2 5.2	5.2		3.8 3.7	3.8		4.5 5.5	5.0	
11-Sep-13	Sunny	Moderate	17:39	6.1	Surface	1.0	27.7 27.7	27.7	7.8 7.9	7.8	24.1 24.1	24.1	83.2 93.9	88.6	5.7 6.5	6.1	6.0	1.8 1.8	1.8	1.9	2.1 2.6	2.4	2.6
					Middle	3.1	27.6 27.6	27.6	7.9 7.8	7.9	24.4 24.3	24.3	87.5 82.6	85.1	6.0 5.7	5.9		1.9 1.8	1.9		2.3 2.4	2.4	
					Bottom	5.1	27.7 27.5	27.6	7.8 7.9	7.9	24.3 24.5	24.4	82.3 85.4	83.9	5.7 5.9	5.8		1.9 2.0	2.0		2.1 3.7	2.9	
13-Sep-13	Fine	Moderate	05:47	6.4	Surface	1.0	28.0 28.0	28.0	8.1 8.1	8.1	21.2 20.7	20.9	82.5 84.5	83.5	5.7 5.9	5.8	5.8	1.9 1.8	1.9	1.8	3.6 2.6	3.1	2.8
					Middle	3.2	28.0 28.0	28.0	8.1 8.1	8.1	21.6 21.6	21.6	83.2 82.2	82.7	5.8 5.7	5.8		1.8 1.8	1.8		2.7 2.5	2.6	
					Bottom	5.4	28.0 27.9	27.9	8.1 8.1	8.1	21.9 22.0	21.9	82.4 83.2	82.8	5.7 5.8	5.7		1.8 1.8	1.8		2.3 2.8	2.6	
16-Sep-13	Sunny	Moderate	09:12	6.6	Surface	1.0	27.9 27.9	27.9	7.9 7.9	7.9	24.8 26.1	25.4	77.2 78.2	77.7	5.3 5.3	5.3	5.3	2.8 2.9	2.9	2.9	4.3 3.1	3.7	3.6
					Middle	3.3	27.7 27.7	27.7	7.9 7.9	7.9	27.3 27.0	27.2	76.0 77.1	76.6	5.1 5.2	5.2		2.9 2.8	2.9		3.6 3.1	3.4	
					Bottom	5.6	27.7 27.7	27.7	7.9 7.9	7.9	27.5 27.8	27.7	74.9 76.1	75.5	5.1 5.2	5.1		2.8 2.8	2.8		4.0 3.4	3.7	
18-Sep-13	Sunny	Moderate	11:01	6.9	Surface	1.0	27.8 27.8	27.8	7.9 7.9	7.9	27.2 27.3	27.2	81.4 78.6	80.0	5.5 5.3	5.4	5.4	4.2 4.5	4.4	4.5	5.2 5.9	5.6	6.1
					Middle	3.5	27.7 27.7	27.7	7.9 7.9	7.9	27.5 27.5	27.5	80.7 77.3	79.0	5.5 5.2	5.3		4.4 4.8	4.6		5.4 5.0	5.2	
					Bottom	5.9	27.7 27.7	27.7	7.9 7.9	7.9	27.5 27.6	27.6	79.2 78.2	78.7	5.4 5.3	5.3		4.6 4.4	4.5		7.0 8.0	7.5	
20-Sep-13	Sunny	Moderate	12:19	6.7	Surface	1.0	28.3 28.3	28.3	7.9 7.9	7.9	26.6 26.7	26.7	84.2 83.3	83.8	5.7 5.6	5.6	5.6	4.7 4.7	4.7	5.3	6.6 4.9	5.8	5.5
					Middle	3.4	28.1 28.2	28.2	7.9 7.9	7.9	27.2 27.0	27.1	81.6 83.3	82.5	5.5 5.6	5.5		5.3 5.6	5.5		4.8 5.5	5.2	
					Bottom	5.7	28.1 28.2	28.1	7.9 7.8	7.8	27.2 27.1	27.1	82.7 84.7	83.7	5.6 5.7	5.6		5.6 6.0	5.8		5.2 5.5	5.4	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR10A - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Middle	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	-	-	7.9	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	16:47	6.8	Surface	1.0	28.4	28.4	7.8	7.8	25.4	25.4	85.4	85.4	5.8	5.8	5.8	4.7	4.7	5.1	4.4	4.5	
					Middle	3.4	28.4	28.3	7.9	7.8	25.7	25.7	84.4	84.6	84.5	5.7	5.7	5.8	5.3	5.4	5.1	5.0	4.8
					Bottom	5.8	28.3	28.3	7.8	7.8	25.9	25.9	84.0	84.2	84.1	5.7	5.7	5.7	5.3	5.2	5.1	6.2	5.0
27-Sep-13	Fine	Moderate	04:52	6.6	Surface	1.0	27.6	27.6	7.8	7.8	23.5	23.6	90.5	90.0	6.3	6.2	6.2	2.7	2.7	2.8	3.2	3.0	
					Middle	3.3	27.7	27.6	7.8	7.8	24.0	23.7	89.0	90.2	89.6	6.1	6.2	6.2	2.7	2.8	2.8	2.6	2.6
					Bottom	5.6	27.7	27.7	7.8	7.8	24.2	24.1	89.6	90.8	90.2	6.2	6.2	6.2	2.8	2.8	6.2	3.9	3.4
30-Sep-13	Cloudy	Moderate	08:50	6.6	Surface	1.0	27.8	27.8	7.9	7.9	29.7	29.8	83.8	85.3	5.6	5.7	5.7	2.6	2.7	2.7	6.8	6.1	
					Middle	3.3	27.9	27.9	7.9	7.9	30.2	30.2	83.7	84.5	84.1	5.6	5.6	5.6	2.6	2.7	2.7	7.2	7.6
					Bottom	5.6	27.9	27.9	7.9	7.9	30.3	30.3	85.1	83.9	84.5	5.6	5.6	5.6	2.7	2.7	5.6	8.9	8.4

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR10A - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*	
2-Sep-13	Sunny	Moderate	18:50	6.4	Surface	1.0	26.4 27.2	26.8	7.8 7.9	7.8	25.7 23.8	24.7	73.9 76.5	75.2	5.3 5.4	5.3	5.3	3.3 3.3	3.3	3.3	2.7 3.5	3.1	3.5
					Middle	3.2	26.3 26.3	26.3	7.8 7.8	7.8	26.1 26.4	26.2	74.8 73.9	74.4	5.3 5.2	5.3		3.4 3.3	3.4		2.7 2.4	2.6	
					Bottom	5.4	26.6 26.2	26.4	7.8 7.8	7.8	26.3 26.6	26.5	72.8 74.8	73.8	5.2 5.3	5.2		3.3 3.3	3.3		4.5 4.8	4.7	
4-Sep-13	Cloudy	Moderate	19:21	7.0	Surface	1.0	26.2 26.1	26.2	7.8 7.8	7.8	26.0 26.3	26.2	71.4 72.2	71.8	5.4 5.5	5.5	5.5	5.7 5.7	5.7	6.3	3.5 3.1	3.3	5.2
					Middle	3.5	25.8 25.8	25.8	7.8 7.8	7.8	27.3 27.3	27.3	71.3 71.1	71.2	5.4 5.4	5.4		6.7 6.2	6.5		4.2 5.6	4.9	
					Bottom	6.0	25.7 25.7	25.7	7.8 7.8	7.8	27.7 27.5	27.6	71.1 71.8	71.5	5.4 5.4	5.4		6.5 6.6	6.6		7.5 7.3	7.4	
6-Sep-13	Sunny	Moderate	20:16	6.7	Surface	1.0	26.2 26.3	26.2	7.7 7.7	7.7	24.4 24.0	24.2	74.1 73.6	73.9	5.2 5.2	5.2	5.2	6.4 6.3	6.4	7.7	5.0 5.2	5.1	5.0
					Middle	3.4	25.9 25.9	25.9	7.7 7.7	7.7	25.3 25.3	25.3	74.4 73.3	73.9	5.2 5.2	5.2		8.2 7.7	8.0		4.1 5.5	4.8	
					Bottom	5.7	25.8 25.8	25.8	7.7 7.7	7.7	25.7 25.8	25.8	73.6 74.0	73.8	5.2 5.2	5.2		8.9 8.5	8.7		5.5 4.5	5.0	
9-Sep-13	Sunny	Moderate	08:11	6.6	Surface	1.0	27.2 27.2	27.2	7.7 7.6	7.7	22.1 22.1	22.1	73.1 72.9	73.0	5.2 5.2	5.2	5.1	5.1 5.0	5.1	4.8	3.3 4.7	4.0	5.2
					Middle	3.3	26.9 26.9	26.9	7.6 7.7	7.6	22.7 22.7	22.7	71.8 71.6	71.7	5.1 5.0	5.0		4.4 4.6	4.5		5.4 6.4	5.9	
					Bottom	5.6	26.8 26.8	26.8	7.6 7.7	7.6	23.2 23.1	23.1	71.1 70.4	70.8	5.0 4.9	5.0		4.8 4.6	4.7		5.4 5.9	5.7	
11-Sep-13	Sunny	Moderate	10:04	6.1	Surface	1.0	27.6 27.4	27.5	7.7 7.7	7.7	21.1 21.9	21.5	75.4 74.3	74.9	5.3 5.2	5.2	5.2	2.6 2.8	2.7	2.9	2.3 2.3	2.3	2.5
					Middle	3.1	27.4 27.3	27.4	7.7 7.7	7.7	21.8 22.4	22.1	74.3 74.0	73.9	5.2 5.2	5.2		2.9 3.0	3.0		2.2 2.4	2.3	
					Bottom	5.1	27.4 27.3	27.3	7.7 7.7	7.7	22.6 22.7	22.7	73.6 74.0	73.8	5.1 5.2	5.1		2.9 3.1	3.0		3.1 2.4	2.8	
13-Sep-13	Sunny	Moderate	15:26	6.4	Surface	1.0	27.7 27.8	27.8	8.1 8.1	8.1	25.0 24.9	25.0	77.3 76.8	77.1	5.3 5.3	5.3	5.3	3.1 3.1	3.1	3.4	3.4 2.2	2.8	3.6
					Middle	3.2	27.7 27.6	27.7	8.1 8.1	8.1	25.2 25.3	25.2	76.4 77.4	76.9	5.2 5.3	5.3		3.2 3.3	3.3		3.1 3.9	3.5	
					Bottom	5.4	27.7 27.5	27.6	8.2 8.1	8.2	25.5 26.6	26.0	77.0 79.7	78.4	5.3 5.4	5.3		3.8 3.8	3.8		4.6 4.5	4.6	
16-Sep-13	Sunny	Moderate	18:16	6.6	Surface	1.0	28.0 28.0	28.0	8.0 7.9	8.0	26.1 26.1	26.1	78.1 77.2	77.7	5.3 5.2	5.3	5.3	4.3 4.4	4.4	4.4	5.3 5.0	5.2	5.5
					Middle	3.3	27.9 28.0	28.0	8.0 8.0	8.0	26.3 26.2	26.3	78.8 77.2	78.0	5.3 5.2	5.3		4.4 4.4	4.4		5.1 6.1	5.6	
					Bottom	5.6	27.9 28.0	27.9	8.0 8.0	8.0	26.7 26.4	26.6	80.2 77.5	78.9	5.4 5.2	5.3		4.4 4.3	4.4		6.3 5.2	5.8	
18-Sep-13	Sunny	Moderate	19:13	6.6	Surface	1.0	27.8 27.8	27.8	7.9 7.9	7.9	27.0 26.9	27.0	78.8 80.6	79.7	5.3 5.5	5.4	5.4	7.7 7.5	7.6	8.1	4.7 3.7	4.2	5.2
					Middle	3.3	27.8 27.8	27.8	7.9 7.9	7.9	27.2 27.3	27.2	81.7 78.4	80.1	5.5 5.3	5.4		8.0 8.0	8.0		4.7 4.2	4.5	
					Bottom	5.6	27.8 27.7	27.8	7.9 8.0	7.9	27.3 27.5	27.4	78.9 78.5	78.7	5.3 5.3	5.3		8.3 8.9	8.6		7.4 6.3	6.9	
20-Sep-13	Fine	Moderate	20:07	6.9	Surface	1.0	28.1 28.1	28.1	7.9 7.9	7.9	27.3 27.3	27.3	80.2 79.4	79.8	5.4 5.3	5.4	5.4	10.8 11.1	11.0	12.7	13.5 12.2	12.9	13.3
					Middle	3.5	28.1 28.1	28.1	7.9 7.9	7.9	27.3 27.6	27.4	81.0 79.2	80.1	5.4 5.5	5.4		12.4 13.6	13.0		13.6 12.9	13.3	
					Bottom	5.9	28.1 28.1	28.1	7.9 7.9	7.9	27.6 27.8	27.8	82.5 79.3	80.9	5.5 5.3	5.4		14.2 13.8	14.0		13.7 13.8	13.8	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.



## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR10A - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*				
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-				
					Middle	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Bottom	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-Sep-13	Sunny	Moderate	09:52	6.2	Surface	1.0	28.2	28.2	7.8	7.8	22.6	22.6	88.2	87.3	87.8	6.1	6.0	6.0	6.0	5.5	5.7	5.6	6.9	5.5	6.2	
					Middle	3.1	28.1	28.2	28.1	7.8	7.8	22.8	22.8	86.6	86.8	86.7	5.9	6.0	6.0	6.0	5.4	5.6	5.5	6.9	7.2	7.1
					Bottom	5.2	28.1	28.1	28.1	7.8	7.8	24.2	24.1	85.7	86.2	86.0	5.9	5.9	5.9	5.9	5.6	5.7	5.7	6.5	5.4	6.0
27-Sep-13	Sunny	Moderate	19:15	6.6	Surface	1.0	28.2	28.2	7.9	7.9	27.3	27.3	84.4	83.5	84.0	5.7	5.6	5.6	5.6	3.3	3.3	3.3	3.8	3.3	3.6	
					Middle	3.3	28.2	28.2	28.2	7.9	7.9	27.5	27.5	84.5	82.4	83.5	5.7	5.5	5.6	5.6	3.5	3.4	3.5	3.6	3.8	3.7
					Bottom	5.6	28.2	28.1	28.1	7.9	7.9	28.3	28.7	83.0	86.5	84.8	5.5	5.8	5.7	5.7	3.5	3.5	3.5	3.3	4.6	4.0
30-Sep-13	Cloudy	Moderate	17:41	6.5	Surface	1.0	27.8	27.8	7.8	7.8	30.1	30.1	82.9	82.0	82.5	5.5	5.5	5.5	5.5	4.2	4.3	4.3	6.3	5.2	5.8	
					Middle	3.3	27.9	27.9	27.9	7.8	7.8	30.4	30.5	82.6	83.4	83.0	5.5	5.5	5.5	5.5	4.4	4.3	4.4	9.1	8.5	8.8
					Bottom	5.5	27.9	27.9	27.9	7.8	7.8	30.5	30.5	82.7	84.5	83.6	5.5	5.5	5.5	5.5	4.4	4.2	4.3	8.2	7.9	8.1

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR10B(N) - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)								
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*					
2-Sep-13	Sunny	Moderate	10:14	4.9	Surface	1.0	27.1 27.6	27.4	7.8 7.8	7.8	17.8 17.8	17.8	72.5 72.9	72.7	5.1 5.2	5.2	5.2	3.8 3.9	3.9	3.9	4.7 5.3	5.0	4.4				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	3.9	25.9 26.2	26.1	7.8 7.8	7.8	24.7 24.1	24.4	72.5 70.6	71.6	5.1 5.0	5.0		5.0	3.8 3.8		3.8	5.0		3.8 3.8	3.8	3.4 4.0	3.7
4-Sep-13	Rainy	Moderate	11:02	5.7	Surface	1.0	25.9 25.9	25.9	7.8 7.7	7.8	25.2 25.1	25.1	67.9 68.7	68.3	5.1 5.2	5.2	5.2	4.3 4.3	4.3	4.3	4.0 3.7	3.9	5.4				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.7	25.8 25.9	25.9	7.7 7.7	7.7	25.4 25.2	25.3	67.5 70.0	68.8	5.1 5.3	5.2		5.2	4.2 4.3		4.3	5.2		4.2 4.3	4.3	6.7 7.0	6.9
6-Sep-13	Sunny	Moderate	12:10	5.0	Surface	1.0	25.5 25.5	25.5	7.7 7.7	7.7	27.3 27.3	27.3	72.4 71.5	72.0	5.1 5.0	5.0	5.0	6.6 6.9	6.8	7.0	9.4 9.1	9.3	9.9				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.0	25.4 25.5	25.4	7.7 7.6	7.6	27.4 27.3	27.4	71.6 71.3	71.5	5.0 5.0	5.0		5.0	7.1 7.0		7.1	5.0		7.1 7.0	7.1	10.8 10.0	10.4
9-Sep-13	Sunny	Moderate	16:26	5.2	Surface	1.0	27.2 27.2	27.2	7.8 7.8	7.8	24.0 24.0	24.0	73.4 73.7	73.6	5.1 5.1	5.1	5.1	3.2 3.2	3.2	3.3	6.0 4.7	5.4	5.5				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.2	26.6 26.6	26.6	7.7 7.7	7.7	26.2 26.2	26.2	73.3 73.1	73.2	5.1 5.1	5.1		5.1	3.3 3.4		3.4	5.1		3.3 3.4	3.4	6.2 4.9	5.6
11-Sep-13	Sunny	Moderate	17:49	4.7	Surface	1.0	27.6 27.6	27.6	7.8 7.8	7.8	24.1 24.1	24.1	80.4 80.6	80.5	5.5 5.6	5.5	5.5	1.8 1.9	1.9	1.9	3.7 3.0	3.4	3.2				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	3.7	27.7 27.6	27.7	7.8 7.8	7.8	24.2 24.2	24.2	80.5 80.3	80.4	5.5 5.5	5.5		5.5	2.0 1.8		1.9	5.5		2.0 1.8	1.9	2.5 3.5	3.0
13-Sep-13	Fine	Moderate	05:41	4.8	Surface	1.0	27.8 27.8	27.8	8.1 8.1	8.1	23.0 23.2	23.1	81.7 84.5	83.1	5.6 5.8	5.7	5.7	2.6 2.6	2.6	2.6	3.7 4.3	4.0	3.9				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	3.8	27.8 27.8	27.8	8.1 8.1	8.1	23.2 23.2	23.2	83.1 82.3	82.7	5.7 5.7	5.7		5.7	2.5 2.6		2.6	5.7		2.5 2.6	2.6	3.9 3.7	3.8
16-Sep-13	Sunny	Moderate	09:06	5.1	Surface	1.0	27.8 27.8	27.8	8.0 7.9	8.0	26.8 26.8	26.8	79.1 77.1	78.1	5.4 5.2	5.3	5.3	5.0 5.0	5.0	5.0	6.2 6.7	6.5	6.3				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.1	27.8 27.8	27.8	8.0 7.9	8.0	26.7 26.8	26.8	80.9 77.5	79.2	5.5 5.3	5.4		5.4	4.9 5.0		5.0	5.4		4.9 5.0	5.0	5.4 6.5	6.0
18-Sep-13	Sunny	Moderate	10:53	5.7	Surface	1.0	27.7 27.7	27.7	7.9 7.9	7.9	27.5 27.6	27.6	79.0 77.1	78.1	5.3 5.2	5.3	5.3	6.3 6.5	6.4	6.5	6.4 7.3	6.9	7.0				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.7	27.7 27.7	27.7	7.9 7.9	7.9	27.4 27.5	27.5	77.5 77.8	77.7	5.2 5.3	5.2		5.2	6.4 6.6		6.5	5.2		6.4 6.6	6.5	7.7 6.2	7.0
20-Sep-13	Sunny	Moderate	12:10	5.3	Surface	1.0	28.1 28.1	28.1	7.9 7.9	7.9	27.2 27.3	27.3	81.7 81.1	81.4	5.5 5.5	5.5	5.5	7.6 7.2	7.4	8.0	8.7 8.9	8.8	9.4				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.3	28.1 28.1	28.1	7.8 7.9	7.8	27.2 27.2	27.2	82.1 81.2	81.7	5.5 5.5	5.5		5.5	8.4 8.5		8.5	5.5		8.4 8.5	8.5	9.5 10.3	9.9

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR10B(N) - Mid-EbbTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.8	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	16:57	5.5	Surface	1.0	28.3	28.3	7.9	7.9	26.1	26.2	84.0	84.0	5.7	5.7	5.7	6.2	6.2	6.5	9.7	9.8	10.4		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.5	-	-	-
					Bottom	4.5	28.3	28.3	7.9	7.9	26.2	26.2	84.4	84.4	84.4	84.4	5.7	5.7	5.7	6.8	6.6	6.5	10.0	12.0	11.0
27-Sep-13	Fine	Moderate	04:46	4.8	Surface	1.0	27.7	27.7	7.8	7.8	24.8	24.9	88.7	88.3	6.1	6.0	6.0	3.5	3.5	3.5	3.2	4.3	4.0		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-
					Bottom	3.8	27.7	27.7	7.8	7.8	24.9	24.9	88.2	89.1	90.0	89.1	6.0	6.1	6.1	3.4	3.6	3.5	4.1	4.1	4.1
30-Sep-13	Cloudy	Moderate	08:44	5.0	Surface	1.0	27.9	27.9	7.8	7.8	30.0	30.1	83.7	83.3	5.6	5.5	5.5	3.4	3.4	3.4	7.5	7.9	8.0		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.4	-	-	-
					Bottom	4.0	27.9	27.9	7.8	7.8	30.0	30.1	85.1	84.1	83.0	83.0	5.7	5.6	5.6	3.4	3.4	3.4	7.7	8.2	8.2

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR10B(N) - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)								
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*					
2-Sep-13	Sunny	Moderate	19:00	5.2	Surface	1.0	26.2 26.3	26.3	7.8 7.8	7.8	26.3 26.1	26.2	74.6 74.6	74.6	5.3 5.3	5.3	5.3	3.6 3.6	3.6	3.6	3.3 3.0	3.2	3.2				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.2	26.1 26.2	26.1	7.8 7.8	7.8	26.7 26.7	26.7	73.3 73.9	73.6	5.2 5.3	5.2		5.2	3.5 3.6		3.6	5.2		3.4 2.7	3.1	5.2	
4-Sep-13	Cloudy	Moderate	19:34	5.8	Surface	1.0	26.4 26.4	26.4	7.8 7.8	7.8	24.9 24.5	24.7	71.5 71.3	71.4	5.4 5.4	5.4	5.4	5.6 5.2	5.4	5.4	6.6 5.3	6.0	6.1				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.8	26.0 25.9	26.0	7.7 7.7	7.7	26.7 26.8	26.7	71.3 71.3	71.3	5.4 5.4	5.4		5.4	5.6 5.0		5.3	5.4		5.9 6.4	6.2	5.4	
6-Sep-13	Sunny	Moderate	20:26	5.3	Surface	1.0	26.0 25.9	25.9	7.7 7.7	7.7	24.3 25.2	24.8	71.2 71.5	71.4	5.0 5.0	5.0	5.0	7.3 6.8	7.1	7.3	7.6 7.1	7.4	7.5				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.3	25.9 25.9	25.9	7.7 7.7	7.7	25.7 25.7	25.7	71.1 71.2	71.2	5.0 5.0	5.0		5.0	7.6 7.4		7.5	5.0		7.1 7.9	7.5	5.0	
9-Sep-13	Sunny	Moderate	07:55	5.4	Surface	1.0	26.3 26.3	26.3	7.7 7.7	7.7	26.0 25.9	25.9	72.7 73.3	73.0	5.1 5.1	5.1	5.1	14.2 14.0	14.1	14.6	11.9 12.7	12.3	12.7				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.4	26.3 26.3	26.3	7.7 7.6	7.7	26.1 26.0	26.1	72.5 72.5	72.5	5.1 5.1	5.1		5.1	15.2 14.7		15.0	5.1		13.6 12.4	13.0	5.1	
11-Sep-13	Sunny	Moderate	09:58	5.1	Surface	1.0	27.5 27.5	27.5	7.8 7.7	7.8	20.9 20.9	20.9	92.1 77.5	84.8	6.4 5.4	5.9	5.9	2.8 2.8	2.8	2.8	2.6 2.9	2.8	3.7				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.1	27.4 27.6	27.5	7.7 7.8	7.8	22.0 21.8	21.9	76.6 82.0	79.3	5.4 5.8	5.6		5.6	2.7 2.8		2.8	5.6		4.1 5.1	4.6	5.6	
13-Sep-13	Sunny	Moderate	15:33	4.8	Surface	1.0	27.6 27.7	27.7	8.1 8.1	8.1	25.2 25.2	25.2	74.0 74.7	74.4	5.1 5.1	5.1	5.1	2.6 2.6	2.6	2.7	3.2 3.8	3.5	4.5				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	3.8	27.6 27.5	27.6	8.1 8.1	8.1	25.6 26.5	26.1	74.3 74.1	74.2	5.1 5.0	5.1		5.1	2.7 2.6		2.7	5.1		4.9 5.8	5.4	5.1	
16-Sep-13	Sunny	Moderate	18:27	5.3	Surface	1.0	28.0 28.0	28.0	7.9 7.9	7.9	26.1 26.2	26.1	76.1 76.3	76.2	5.2 5.2	5.2	5.2	4.6 4.7	4.7	4.8	6.6 5.3	6.0	7.2				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.3	28.0 27.9	27.9	7.9 7.9	7.9	26.4 26.6	26.5	76.2 76.2	76.2	5.2 5.2	5.2		5.2	4.8 4.7		4.8	5.2		7.7 8.8	8.3	5.2	
18-Sep-13	Sunny	Moderate	19:24	5.7	Surface	1.0	27.8 27.8	27.8	7.9 7.9	7.9	27.3 27.3	27.3	77.0 77.2	77.1	5.2 5.2	5.2	5.2	8.9 9.0	9.0	10.7	5.5 5.6	5.6	5.2				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.7	27.7 27.7	27.7	7.9 7.9	7.9	27.5 27.6	27.6	77.1 76.9	77.0	5.2 5.2	5.2		5.2	12.4 12.1		12.3	5.2		5.0 4.6	4.8	5.2	
20-Sep-13	Fine	Moderate	20:17	5.5	Surface	1.0	28.1 28.1	28.1	7.9 7.9	7.9	27.5 27.1	27.3	78.9 79.1	79.0	5.3 5.3	5.3	5.3	10.0 9.6	9.8	10.9	14.4 14.5	14.5	17.2				
					Middle	-	-	-	-	-	-	-	-	-	-	-		-	-		-	-		-	-	-	-
					Bottom	4.5	28.1 28.1	28.1	7.9 7.9	7.9	27.7 27.6	27.7	78.9 78.8	78.9	5.3 5.3	5.3		5.3	12.1 11.7		11.9	5.3		20.3 19.2	19.8	5.3	

Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher

\*\*\* Cancelled due to adverse weather condition and safety concern.

## Appendix J - Marine Water Quality Monitoring Results

### Water Quality Monitoring Results at SR10B(N) - Mid-FloodTide

Date	Weather Condition	Sea Condition**	Sampling Time	Water Depth (m)	Sampling Depth (m)	Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen (mg/L)		Turbidity(NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Value	Average	DA*	Value	Average	DA*	Value	Average	DA*			
23-Sep-13***	-	-	-	-	Surface	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	-	-	7.9	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-Sep-13	Sunny	Moderate	09:38	5.3	Surface	1.0	28.0	28.0	7.9	7.9	26.9	26.9	83.4	83.4	5.6	5.6	5.6	11.6	11.6	11.7	13.7	12.9	14.3		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.3	28.0	28.0	7.9	7.9	27.0	27.0	83.8	83.3	83.6	83.3	5.6	5.6	5.6	11.7	11.8	11.8	15.2	16.0	15.6
27-Sep-13	Sunny	Moderate	19:25	5.1	Surface	1.0	28.2	28.2	7.9	7.9	27.0	26.7	83.6	83.5	5.6	5.6	5.6	2.6	2.6	2.6	4.6	5.2	4.7		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.1	28.2	28.2	7.9	7.9	27.5	27.5	83.3	84.0	83.3	83.7	5.6	5.6	5.6	2.6	2.6	2.6	4.6	3.6	4.1
30-Sep-13	Cloudy	Moderate	17:51	5.0	Surface	1.0	27.9	27.9	7.8	7.8	30.0	30.0	82.0	82.1	5.4	5.5	5.5	3.6	3.7	3.7	8.7	7.2	8.0		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
					Bottom	4.0	27.9	27.9	7.8	7.8	30.3	30.4	82.2	82.0	82.1	82.1	5.5	5.4	5.4	4.3	4.4	4.4	9.1	10.3	9.7

**Remarks:**

Bolded values means the measured values exceed the Action Level; Underlined bolded values means the measured values exceed the Limit Level.




Remarks:

\* DA: Depth-Averaged

\*\* Calm: Small or no wave; Moderate: Between calm and rough; Rough: White capped or rougher




\*\*\* Cancelled due to adverse weather condition and safety concern.

## Dissolved Oxygen (Surface & Middle) at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Surface & Middle) at Mid-Ebb Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.


## Dissolved Oxygen (Surface & Middle) at Mid-Ebb Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.






## Dissolved Oxygen (Surface & Middle) at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Surface & Middle) at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Surface & Middle) at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Surface & Middle) at Mid-Ebb Tide




This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Surface & Middle) at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Surface & Middle) at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Surface & Middle) at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.




## Dissolved Oxygen (Surface & Middle) at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.






## Dissolved Oxygen (Surface & Middle) at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Surface & Middle) at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Surface & Middle) at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Bottom) at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Bottom) at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Bottom) at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Bottom) at Mid-Ebb Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.




## Dissolved Oxygen (Bottom) at Mid-Ebb Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.




## Dissolved Oxygen (Bottom) at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Bottom) at Mid-Ebb Tide




This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Bottom) at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Bottom) at Mid-Flood Tide




This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Bottom) at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Dissolved Oxygen (Bottom) at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.




## Dissolved Oxygen (Bottom) at Mid-Flood Tide



As the measured water depths were less than 3 m during all monitoring days, water samples are collected at mid-depth only.

This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.




## Dissolved Oxygen (Bottom) at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.






## Dissolved Oxygen (Bottom) at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Ebb Tide



This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

**HONG KONG - ZHUHAI - MACAO BRIDGE**  
**HONG KONG BOUNDARY CROSSING FACILITIES**  
**- RECLAMATION WORKS**

**Graphical Presentation of Impact Water Quality**  
**Monitoring Results**






## Turbidity at Mid-Ebb Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.






## Turbidity at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It Sep not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Flood Tide






This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Turbidity at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.




## Suspended Solids at Mid-Ebb Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.






## Suspended Solids at Mid-Ebb Tide




This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Suspended Solids at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Suspended Solids at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It is not to be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Suspended Solids at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Suspended Solids at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Suspended Solids at Mid-Ebb Tide






This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

## Suspended Solids at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.


## Suspended Solids at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.



## Suspended Solids at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this Drawing without AECOM's express written consent.

HONG KONG - ZHUHAI - MACAO BRIDGE




HONG KONG BOUNDARY CROSSING FACILITIES

- RECLAMATION WORKS

**Graphical Presentation of Impact Water Quality  
Monitoring Results**



## Suspended Solids at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

HONG KONG - ZHUHAI - MACAO BRIDGE




HONG KONG BOUNDARY CROSSING FACILITIES

- RECLAMATION WORKS

**Graphical Presentation of Impact Water Quality  
Monitoring Results**



## Suspended Solids at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

HONG KONG - ZHUHAI - MACAO BRIDGE




HONG KONG BOUNDARY CROSSING FACILITIES

- RECLAMATION WORKS

**Graphical Presentation of Impact Water Quality  
Monitoring Results**






## Suspended Solids at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.



## Suspended Solids at Mid-Flood Tide



This Drawing has been prepared for the use of AECOM's client. It Oct not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent.

HONG KONG - ZHUHAI - MACAO BRIDGE

HONG KONG BOUNDARY CROSSING FACILITIES

- RECLAMATION WORKS

**Graphical Presentation of Impact Water Quality  
Monitoring Results**



**Appendix K Impact Dolphin Monitoring Survey Sighting Summary**

**Table 1 Impact Dolphin Monitoring Survey Sighting Table**

Project	Contract	Date	Sighting No.	Time	Group Size	Area	Beaufort	PSD	Effort	Type	Northing	Easting	Season	Boat Association
HKBCF	HY/2010/02	19/09/2013	791	9:42	1	NEL	1	NA	Opp	Impact	821864	817552	Autumn	No
HKBCF	HY/2010/02	19/09/2013	792	11:31	1	NWL	2	NA	Opp	Impact	824552	810665	Autumn	No
HKBCF	HY/2010/02	19/09/2013	794	14:13	4	NWL	2	94	On	Impact	828761	806460	Autumn	No
HKBCF	HY/2010/02	19/09/2013	795	14:31	6	NWL	2	NA	Opp	Impact	828157	806140	Autumn	No
HKBCF	HY/2010/02	24/09/2013	798	9:19	5	NWL	1	243	On	Impact	816259	804653	Autumn	No
HKBCF	HY/2010/02	24/09/2013	799	10:02	1	NWL	1	279	On	Impact	817589	804677	Autumn	No
HKBCF	HY/2010/02	24/09/2013	800	10:15	2	NWL	1	30	On	Impact	818653	804669	Autumn	No
HKBCF	HY/2010/02	24/09/2013	802	10:42	2	NWL	2	78	On	Impact	822536	804656	Autumn	No
HKBCF	HY/2010/02	24/09/2013	803	13:33	1	NWL	1	221	On	Impact	824375	806483	Autumn	No
HKBCF	HY/2010/02	24/09/2013	804	14:41	4	NWL	3	85	On	Impact	826050	807495	Autumn	No

KEY:

Sighting                      Opp Opportunistic  
                                       On On effort

PSD                              Perpendicular Sighting Distance

Group Size                      Represents best estimate for group encountered

NEL                                North East Lantau

NWL                                North West Lantau

HT                                 Hang Trawler

Sh                                 Shrimp Trawler

# **August 2013 Photo Identification Information**

\*Photo ID analyses for survey conducted in September 2013 is underway (as of 10/10/13) and will be presented in the monthly EM&A Report for October 2013.

**Table 2 Sightings of Individually Identified Chinese White Dolphin (*Sousa chinensis*) in August 2013**

<b>Identification Number</b>	<b>Baseline Identification Number</b>	<b>Date (YYYY-MM-DD)</b>	<b>Sighting Number</b>	<b>Area Sighted</b>
HZMB 108		2013-08-30	780	NEL
HZMB 107		2013-08-21	770	NWL
HZMB 106		2013-08-21	769	NWL
HZMB 095		2013-08-30	780	NEL
		2013-06-25	697	NWL
		2013-06-13	682	NWL
		2013-04-01	621	NWL
HZMB 069		2013-08-21	774	NWL
		2013-07-08	711	NWL
		2012-10-24	476	NWL
HZMB 054	CH34	2013-08-30	780	NEL
		2013-07-08	711	NWL
		2012-09-05	432	NEL
		2011-11-07	Baseline	NWL
		2011-11-05	Baseline	NWL
		2011-11-02	Baseline	NWL
		2011-11-01	Baseline	NEL
		2011-11-01	Baseline	NEL
		2011-10-28	Baseline	NWL
2011-10-06	Baseline	NWL		
HZMB 001	WL46	2013-08-21	771	NWL
		2013-06-13	681	NWL
		2013-04-01	617	NWL
		2013-02-14	573	NWL
		2012-03-29	250	NWL



HZMB 001 2013-08-21\_13-58-34\_02



HZMB 054 2013-08-30\_15-50-10



HZMB 069 WL\_2013-08-21\_14-35-22\_01



HZMB 095 2013-08-30\_16-04-12\_01



HZMB 106 WL 2013-08-21\_09-37-43



HZMB 107 2013-08-21\_11-54-23\_02



HZMB 107 2013-08-21\_12-01-31\_01



HZMB 108 2013-08-30\_16-04-04\_02



## Appendix L – Event Action Plan

### Event / Action Plan for Air Quality

Event	Action			
	ET Leader	IEC	ER	Contractor
<b>Action Level</b>				
Exceedance for one sample	<ol style="list-style-type: none"> <li>1. Identify source, investigate the causes of exceedance and propose remedial measures;</li> <li>2. Inform IEC and ER;</li> <li>3. Repeat measurement to confirm finding;</li> <li>4. Increase monitoring frequency to daily.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET;</li> <li>2. Check Contractor's working method.</li> </ol>	<ol style="list-style-type: none"> <li>1. Notify Contractor.</li> </ol>	<ol style="list-style-type: none"> <li>1. Rectify any unacceptable practice;</li> <li>2. Amend working methods if appropriate.</li> </ol>
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> <li>1. Identify source;</li> <li>2. Inform IEC and ER;</li> <li>3. Advise the ER on the effectiveness of the proposed remedial measures;</li> <li>4. Repeat measurements to confirm findings;</li> <li>5. Increase monitoring frequency to daily;</li> <li>6. Discuss with IEC and Contractor on remedial actions required;</li> <li>7. If exceedance continues, arrange meeting with IEC and ER;</li> <li>8. If exceedance stops, cease additional monitoring.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET;</li> <li>2. Check Contractor's working method;</li> <li>3. Discuss with ET and Contractor on possible remedial measures;</li> <li>4. Advise the ER on the effectiveness of the proposed remedial measures;</li> <li>5. Supervise Implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing;</li> <li>2. Notify Contractor;</li> <li>3. Ensure remedial measures properly implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Submit proposals for remedial to ER within 3 working days of notification;</li> <li>2. Implement the agreed proposals;</li> <li>3. Amend proposal if appropriate.</li> </ol>

Event	Action			
	ET Leader	IEC	ER	Contractor
<b>Limit Level</b>				
Exceedance for one sample	<ol style="list-style-type: none"> <li>1. Identify source, investigate the causes of exceedance and propose remedial measures;</li> <li>2. Inform ER, Contractor and EPD;</li> <li>3. Repeat measurement to confirm finding;</li> <li>4. Increase monitoring frequency to daily;</li> <li>5. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET;</li> <li>2. Check Contractor's working method;</li> <li>3. Discuss with ET and Contractor on possible remedial measures;</li> <li>4. Advise the ER on the effectiveness of the proposed remedial measures;</li> <li>5. Supervise implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing;</li> <li>2. Notify Contractor;</li> <li>3. Ensure remedial measures properly implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Take immediate action to avoid further exceedance;</li> <li>2. Submit proposals for remedial actions to IEC within 3 working days of notification;</li> <li>3. Implement the agreed proposals;</li> <li>4. Amend proposal if appropriate.</li> </ol>

Event	Action			
	ET Leader	IEC	ER	Contractor
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> <li>1. Notify IEC, ER, Contractor and EPD;</li> <li>2. Identify source;</li> <li>3. Repeat measurement to confirm findings;</li> <li>4. Increase monitoring frequency to daily;</li> <li>5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented;</li> <li>6. Arrange meeting with IEC and ER to discuss the remedial actions to be taken;</li> <li>7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results;</li> <li>8. If exceedance stops, cease additional monitoring.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss amongst ER, ET, and Contractor on the potential remedial actions;</li> <li>2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly;</li> <li>3. Supervise the implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing;</li> <li>2. Notify Contractor;</li> <li>3. In consultation with the IEC, agree with the Contractor on the remedial measures to be implemented;</li> <li>4. Ensure remedial measures properly implemented;</li> <li>5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated.</li> </ol>	<ol style="list-style-type: none"> <li>1. Take immediate action to avoid further exceedance;</li> <li>2. Submit proposals for remedial actions to IEC within 3 working days of notification;</li> <li>3. Implement the agreed proposals;</li> <li>4. Resubmit proposals if problem still not under control;</li> <li>5. Stop the relevant portion of works as determined by the ER until the exceedance is abated.</li> </ol>

Event / Action Plan for Construction Noise

Event	Action			
	ET Leader	IEC	ER	Contractor
Action Level	<ol style="list-style-type: none"> <li>1. Notify IEC and Contractor;</li> <li>2. Identify source, investigate the causes of exceedance and propose remedial measures;</li> <li>3. Report the results of investigation to the IEC, ER and Contractor;</li> <li>4. Discuss with the Contractor and formulate remedial measures;</li> <li>5. Increase monitoring frequency to check mitigation effectiveness.</li> </ol>	<ol style="list-style-type: none"> <li>1. Review the analysed results submitted by the ET;</li> <li>2. Review the proposed remedial measures by the Contractor and advise the ER accordingly;</li> <li>3. Supervise the implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing;</li> <li>2. Notify Contractor;</li> <li>3. Require Contractor to propose remedial measures for the analysed noise problem;</li> <li>4. Ensure remedial measures are properly implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Submit noise mitigation proposals to IEC;</li> <li>2. Implement noise mitigation proposals.</li> </ol>
Limit Level	<ol style="list-style-type: none"> <li>1. Inform IEC, ER, EPD and Contractor;</li> <li>2. Identify source;</li> <li>3. Repeat measurements to confirm findings;</li> <li>4. Increase monitoring frequency;</li> <li>5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented;</li> <li>6. Inform IEC, ER and EPD the causes and actions taken for the exceedances;</li> <li>7. Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results;</li> <li>8. If exceedance stops, cease additional monitoring.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss amongst ER, ET, and Contractor on the potential remedial actions;</li> <li>2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly;</li> <li>3. Supervise the implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing;</li> <li>2. Notify Contractor;</li> <li>3. Require Contractor to propose remedial measures for the analysed noise problem;</li> <li>4. Ensure remedial measures properly implemented;</li> <li>5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated.</li> </ol>	<ol style="list-style-type: none"> <li>1. Take immediate action to avoid further exceedance;</li> <li>2. Submit proposals for remedial actions to IEC within 3 working days of notification;</li> <li>3. Implement the agreed proposals;</li> <li>4. Resubmit proposals if problem still not under control;</li> <li>5. Stop the relevant portion of works as determined by the ER until the exceedance is abated.</li> </ol>

Event / Action Plan for Water Quality

Event	Action			
	ET Leader	IEC	ER	Contractor
Action level being exceeded by one sampling day	<ol style="list-style-type: none"> <li>1. Repeat <i>in situ</i> measurement to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform IEC, contractor and ER;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with IEC, ER and Contractor;</li> <li>6. Ensure mitigation measures are implemented;</li> <li>7. Repeat measurement on next day of exceedance to confirm findings.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET and Contractor's working methods;</li> <li>2. Discuss with ET and Contractor on possible remedial actions;</li> <li>3. Review the proposed mitigation measures submitted by Contractor and advise the ER accordingly;</li> <li>4. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of non-compliance in writing;</li> <li>2. Discuss with IEC on the proposed mitigation measures;</li> <li>3. Make agreement on mitigation measures to be implemented;</li> <li>4. Ensure mitigation measures are properly implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the ER and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment and consider changes of working methods;</li> <li>4. Discuss with ET and IEC on possible remedial actions and propose mitigation measures to IEC and ER;</li> <li>5. Implement the agreed mitigation measures.</li> <li>6. Amend working methods if appropriate.</li> </ol>

Event	Action			
	ET Leader	IEC	ER	Contractor
Action level being exceeded by two or more consecutive sampling days	<ol style="list-style-type: none"> <li>1. Repeat <i>in situ</i> measurement to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform IEC, Contractor and ER;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with IEC, ER and Contractor;</li> <li>6. Ensure mitigation measures are implemented;</li> <li>7. Increase the monitoring frequency to daily until no exceedance of Action level;</li> <li>8. Repeat measurement on next day of exceedance to confirm findings.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET and Contractor's working method;</li> <li>2. Discuss with ET and Contractor on possible remedial actions;</li> <li>3. Review the proposed mitigation measures submitted by Contractor and advise the ER accordingly;</li> <li>4. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of non-compliance in writing;</li> <li>2. Discuss with IEC on the proposed mitigation measures;</li> <li>3. Make agreement on mitigation measures to be implemented;</li> <li>4. Ensure mitigation measures are properly implemented;</li> <li>5. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the Engineer and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment and consider changes of working methods;</li> <li>4. Discuss with ET and IEC on possible remedial actions and propose mitigation measures to IEC and ER within 3 working days of notification;</li> <li>5. Implement the agreed mitigation measures;</li> <li>6. Amend working methods if appropriate.</li> </ol>

Event	Action			
	ET Leader	IEC	ER	Contractor
Limit level being exceeded by one sampling day	<ol style="list-style-type: none"> <li>1. Repeat <i>in-situ</i> measurement to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform IEC, Contractor, ER and EPD;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with IEC, ER and Contractor;</li> <li>6. Ensure mitigation measures are implemented;</li> <li>7. Increase the monitoring frequency to daily until no exceedance of Limit level.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET and Contractor's working method;</li> <li>2. Discuss with ET and Contractor on possible remedial actions;</li> <li>3. Review the proposed mitigation measures submitted by Contractor and advise the ER accordingly;</li> <li>4. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing;</li> <li>2. Discuss with IEC, ET and Contractor on the proposed mitigation measures;</li> <li>3. Request Contractor to critically review the working methods;</li> <li>4. Ensure mitigation measures are properly implemented;</li> <li>5. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the ER and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment and consider changes of working methods;</li> <li>4. Submit proposal of mitigation measures to ER within 3 working days of notification and discuss with ET, IEC and ER;</li> <li>5. Implement the agreed mitigation measures;</li> <li>6. Amend working methods if appropriate.</li> </ol>



Event	Action			
	ET Leader	IEC	ER	Contractor
Limit level being exceeded by two or more consecutive sampling days	<ol style="list-style-type: none"> <li>1. Repeat <i>in-situ</i> measurement to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform IEC, contractor, ER and EPD;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with IEC, ER and Contractor;</li> <li>6. Ensure mitigation measures are implemented;</li> <li>7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET and Contractor's working method;</li> <li>2. Discuss with ET and Contractor on possible remedial actions;</li> <li>3. Review the Contractor's mitigation measures whenever necessary to assure their effectiveness and advise the ER accordingly.</li> </ol>	<ol style="list-style-type: none"> <li>1. Confirm receipt of notification of failure in writing;</li> <li>2. Discuss with IEC, ET and Contractor on the proposed mitigation measures;</li> <li>3. Request Contractor to critically review the working methods;</li> <li>4. Make agreement on the mitigation measures to be implemented;</li> <li>5. Ensure mitigation measures are properly implemented;</li> <li>6. Assess the effectiveness of the implemented mitigation measures;</li> <li>7. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the construction activities until no exceedance of Limit level.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the ER and confirm notification of the non-compliance in writing;</li> <li>2. Take immediate action to avoid further exceedance;</li> <li>3. Rectify unacceptable practice;</li> <li>4. Check all plant and equipment and consider changes of working methods;</li> <li>5. Submit proposal of mitigation measures to ER within 3 working days of notification and discuss with ET, IEC and ER;</li> <li>6. Implement the agreed mitigation measures;</li> <li>7. Resubmit proposals of mitigation measures if problem still not under control;</li> <li>8. As directed by the Engineer, to slow down or to stop all or part of the construction activities until no exceedance of Limit level.</li> </ol>

Event / Action Plan for Dolphin Monitoring

<b>Event</b>	<b>ET Leader</b>	<b>IEC</b>	<b>ER / SOR</b>	<b>Contractor</b>
Action Level	<ol style="list-style-type: none"> <li>1. Repeat statistical data analysis to confirm findings;</li> <li>2. Review all available and relevant data, including raw data and statistical analysis results of other parameters covered in the EM&amp;A, to ascertain if differences are as a result of natural variation or previously observed seasonal differences;</li> <li>3. Identify source(s) of impact;</li> <li>4. Inform the IEC, ER/SOR and Contractor;</li> <li>5. Check monitoring data.</li> <li>6. Review to ensure all the dolphin protective measures are fully and properly implemented and advise on additional measures if necessary.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET and Contractor;</li> <li>2. Discuss monitoring results and finding with the ET and the Contractor.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss monitoring with the IEC and any other measures proposed by the ET;</li> <li>2. If ER/SOR is satisfied with the proposal of any other measures, ER/SOR to signify the agreement in writing on the measures to be implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the ER/SOR and confirm notification of the non-compliance in writing;</li> <li>2. Discuss with the ET and the IEC and propose measures to the IEC and the ER/SOR;</li> <li>3. Implement the agreed measures.</li> </ol>
Limit Level	<ol style="list-style-type: none"> <li>1. Repeat statistical data analysis to confirm findings;</li> <li>2. Review all available and relevant data, including raw data and statistical analysis results of other parameters covered in the EM&amp;A, to ascertain if differences are as a result of natural variation or previously observed seasonal differences;</li> <li>3. Identify source(s) of impact;</li> <li>4. Inform the IEC, ER/SOR and Contractor of findings;</li> <li>5. Check monitoring data;</li> </ol>	<ol style="list-style-type: none"> <li>1. Check monitoring data submitted by ET and Contractor;</li> <li>2. Discuss monitoring results and findings with the ET and the Contractor;</li> <li>3. Attend the meeting to discuss with ET, ER/SOR and Contractor the necessity of additional dolphin monitoring and any other potential mitigation measures.</li> <li>4. Review proposals for additional monitoring and any other mitigation measures submitted</li> </ol>	<ol style="list-style-type: none"> <li>1. Attend the meeting to discuss with ET, IEC and Contractor the necessity of additional dolphin monitoring and any other potential mitigation measures.</li> <li>2. If ER/SOR is satisfied with the proposals for additional dolphin monitoring and/or any other mitigation measures submitted by ET and Contractor and verified by IEC, ER/SOR to signify the agreement in writing on such proposals and any other mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the ER/SOR and confirm notification of the non-compliance in writing;</li> <li>2. Attend the meeting to discuss with ET, IEC and ER/SOR the necessity of additional dolphin monitoring and any other potential mitigation measures.</li> <li>3. Jointly submit with ET to IEC a proposal of additional dolphin monitoring and/or any other mitigation measures when necessary.</li> <li>4. Implement the agreed additional dolphin monitoring</li> </ol>

	<p>6. Repeat review to ensure all the dolphin protective measures are fully and properly implemented and advise on additional measures if necessary.</p> <p>7. If ET proves that the source of impact is caused by any of the construction activity by the works contract, ET to arrange a meeting to discuss with IEC, ER/SOR and Contractor the necessity of additional dolphin monitoring and/or any other potential mitigation measures (e.g., consider to modify the perimeter silt curtain or consider to control/temporarily stop relevant construction activity etc.) and submit to IEC a proposal of additional dolphin monitoring and/or mitigation measures where necessary.</p>	<p>by ET and Contractor and advise ER/SOR of the results and findings accordingly.</p> <p>5. Supervise / Audit the implementation of additional monitoring and/or any other mitigation measures and advise ER/SOR the results and findings accordingly.</p>	<p>3. Supervise the implementation of additional monitoring and/or any other mitigation measures.</p>	<p>and/or any other mitigation measures.</p>
--	---	---	---	--



# China Harbour Engineering Company Limited

## Monthly Summary Waste Flow Table for September / 2013 (year)

Project : Hong Kong – Zhuhai – Macao Bridge, Hong Kong Boundary Crossing Facilities – Reclamation Works

Contract No.: HY/2010/02

Month	Actual Quantities of Inert C&D Materials Generated Monthly						Actual Quantities of C&D Wastes Generated Monthly				
	Total Quantity Generated	Hard Rock and Large Broken Concrete (see Note 1)	Reused in the Contract	Reused in other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper/ cardboard packaging	Plastics (see Note 2)	Chemical Waste (see Note 4)	Others, e.g. general refuse (see Note 3)
	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000m <sup>3</sup> )	(in '000 kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in '000 m <sup>3</sup> )
Jan-13	0.0000	0.0000	0.0000	0.0000	0.0000	100.2272	0.0000	0.0000	0.0000	1.4000	0.0325
Feb-13	0.0000	0.0000	0.0000	0.0000	0.0000	49.3183	0.0000	0.0000	0.0000	0.2000	0.0195
Mar-13	0.0000	0.0000	0.0000	0.0000	0.0000	121.1545	0.0000	0.0000	0.0000	2.0000	0.0130
Apr-13	0.0000	0.0000	0.0000	0.0000	0.0000	197.7428	0.0000	0.0000	0.0000	0.0000	0.0260
May-13	0.0000	0.0000	0.0000	0.0000	0.0000	360.3733	0.0000	0.0000	0.0000	1.2000	0.0130
Jun-13	0.0000	0.0000	0.0000	0.0000	0.0000	415.9366	0.0000	0.0000	0.0000	0.0000	0.0130
Sub-total	0.0000	0.0000	0.0000	0.0000	0.0000	1244.7528	0.0000	0.0000	0.0000	4.8000	0.1170
Jul-13	0.0000	0.0000	0.0000	0.0000	0.0000	397.7040	0.0000	0.0000	0.5501	4.0000	0.0260
Aug-13	0.0000	0.0000	0.0000	0.0000	0.0000	447.7517	0.0000	0.0040	0.0000	1.6000	0.0325
Sep-13	0.0000	0.0000	0.0000	0.0000	0.0000	565.0243	0.0140	0.1400	0.0000	1.2000	0.0260
Oct-13											
Nov-13											
Dec-13											
Total	0.0000	0.0000	0.0000	0.0000	0.0000	2655.2328	0.0140	0.1440	0.5501	11.6000	0.2015

Notes: (1) Broken concrete for recycling into aggregates.

(2) Plastics refer to plastic bottles/ containers, plastic sheets/ foam from packaging materials.

(3) Use the conversion factor : 1 full load of dumping truck being equivalent to 6.5m<sup>3</sup> by volume.

(4) Chemical waste refer to spent “battery” and “oil with water”.

## Appendix N

### Cumulative Statistics on Exceedances, Complaints, Notifications of Summons and Successful Prosecutions

#### Cumulative statistics on Exceedances

		Total no. recorded in this month	Total no. recorded since project commencement
<b>1-Hour TSP</b>	Action	-	-
	Limit	-	-
<b>24-Hour TSP</b>	Action	-	-
	Limit	-	-
<b>Noise</b>	Action	-	-
	Limit	-	-
<b>Water Quality</b>	Action	-	-
	Limit	-	-
<b>Dolphin Monitoring</b>	Action	-	-
	Limit	-	-

Remarks: Exceedances which are not project-related are not presented in this table.

#### Cumulative statistics on Exceedances, Complaints, Notifications of Summons and Successful Prosecutions

	Date Received	Subject	Status	Total no. received in this month	Total no. received since project commencement
<b>Environmental complaints</b>	26 Sept 13	One complaint was logged regarding the leakage from work barges causing water pollution near Tuen Mun Richland Garden received on 26 Sept 13.	Under investigation	1	9
<b>Notification of summons</b>	-	-	-	-	1
<b>Successful Prosecutions</b>	-	-	-	-	1