

**Contract No. HY/2012/07
Tuen Mun – Chek Lap Kok Link –
Southern Connection Viaduct Section**

First Monthly EM&A Report

14 February 2014

Environmental Resources Management
16/F, DCH Commercial Centre
25 Westlands Road
Quarry Bay, Hong Kong
Telephone 2271 3000
Facsimile 2723 5660

www.erm.com







Contract No. HY/2012/07 Tuen Mun – Chek Lap Kok Link – Southern Connection Viaduct Section


Environmental Resources Management

16/F, DCH Commercial Centre
25 Westlands Road
Quarry Bay, Hong Kong
Telephone: (852) 2271 3000
Facsimile: (852) 2723 5660
E-mail: post.hk@erm.com
http://www.erm.com

First Monthly EM&A Report

Document Code: 0215660_1st Monthly EM&A_ Rev a_2014_02_14.pdf

Client: Gammon		Project No: 0215660			
Summary: This document presents the First Monthly EM&A Report for Tuen Mun – Chek Lap Kok Link – Southern Connection Viaduct Section.		Date: 14 February 2014			
		Approved by: 			
		<i>Mr Craig Reid</i> Partner			
		Certified by: 			
		<i>Mr Jovy Tam</i> ET Leader			
Rev a	First Monthly EM&A Report	CL	JT	CAR	14/02/14
Revision	Description	By	Checked	Approved	Date
This report has been prepared by Environmental Resources Management the trading name of 'ERM Hong-Kong, Limited', with all reasonable skill, care and diligence within the terms of the Contract with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client. We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.		Distribution		 <input type="checkbox"/> Internal <input checked="" type="checkbox"/> Public <input type="checkbox"/> Confidential 	



Ref.: HYDHZMBEEM00_0_1690L.14

20 February 2014

AECOM
Supervising Officer Representative's Office
6 Hoi Kok Street,
Tsuen Wan, N.T.

By Fax (2492 2057) and By Post

Attention: Mr. Daniel Ip

Dear Sir,

**Re: Agreement No. CE 48/2011 (EP)
Environmental Project Office for the
HZMB Hong Kong Link Road, HZMB Hong Kong Boundary Crossing Facilities,
and Tuen Mun-Chek Lap Kok Link – Investigation**

**Contract No. HY/2012/07 TM-CLKL Southern Connection Viaduct Section
Monthly EM&A Report for November 2013 (EP-354/2009/B)**

Reference is made to the First Monthly Environmental Monitoring and Audit (EM&A) Report (for November 2013) Revision a certified by the ET Leader (ET's ref.: "0215660_1st Monthly EM&A_Rev a_2014_02_14.pdf" dated 14 February 2014) and provided to us via email on 14 February 2014.

We are pleased to inform you that we have no adverse comments on the captioned monthly EM&A Report. We write to verify the captioned submission in accordance with Condition 4.4 of EP-354/2009/B.

Thank you for your kind attention. Please do not hesitate to contact the undersigned or the ENPO Leader Mr. Y H Hui should you have any queries.

Yours sincerely,



Tony Cheng
Independent Environmental Checker
Tuen Mun – Chek Lap Kok Link

c.c. HyD – Mr. Stephen Chan (By Fax: 3188 6614)
HyD – Mr. Matthew Fung (By Fax: 3188 6614)
AECOM – Mr. Conrad Ng (By Fax: 3922 9797)
ERM – Mr. Jovy Tam (By Fax: 2723 5660)
Gammon – Mr. Roy Leung (By Fax: 2750 0922)

Internal: DY, YH, PL, ENPO Site

T:\Projects\HYDHZMBEEM00\02_Proj_Mgt\02_Corr\HYDHZMBEEM00_0_1690L.14.doc

TABLE OF CONTENTS

	<i>EXECUTIVE SUMMARY</i>	<i>I</i>
<i>1</i>	<i>INTRODUCTION</i>	<i>2</i>
<i>1.1</i>	<i>BACKGROUND</i>	<i>2</i>
<i>1.2</i>	<i>SCOPE OF REPORT</i>	<i>3</i>
<i>1.3</i>	<i>ORGANIZATION STRUCTURE</i>	<i>3</i>
<i>1.4</i>	<i>SUMMARY OF CONSTRUCTION WORKS</i>	<i>3</i>
<i>1.5</i>	<i>SUMMARY OF EM&A PROGRAMME REQUIREMENTS</i>	<i>4</i>
<i>2</i>	<i>AIR QUALITY</i>	<i>5</i>
<i>2.1</i>	<i>MONITORING REQUIREMENTS</i>	<i>5</i>
<i>2.2</i>	<i>MONITORING EQUIPMENT</i>	<i>5</i>
<i>2.3</i>	<i>MONITORING LOCATIONS</i>	<i>6</i>
<i>2.4</i>	<i>MONITORING PARAMETERS, FREQUENCY AND DURATION</i>	<i>6</i>
<i>2.5</i>	<i>MONITORING METHODOLOGY</i>	<i>6</i>
<i>2.6</i>	<i>MONITORING SCHEDULE FOR THE REPORTING MONTH</i>	<i>9</i>
<i>2.7</i>	<i>RESULTS AND OBSERVATIONS</i>	<i>9</i>
<i>3</i>	<i>NOISE MONITORING</i>	<i>10</i>
<i>3.1</i>	<i>MONITORING REQUIREMENTS</i>	<i>10</i>
<i>3.2</i>	<i>MONITORING EQUIPMENT</i>	<i>10</i>
<i>3.3</i>	<i>MONITORING LOCATIONS</i>	<i>10</i>
<i>3.4</i>	<i>MONITORING PARAMETERS, FREQUENCY AND DURATION</i>	<i>10</i>
<i>3.5</i>	<i>MONITORING METHODOLOGY</i>	<i>11</i>
<i>3.6</i>	<i>MONITORING SCHEDULE FOR THE REPORTING MONTH</i>	<i>12</i>
<i>3.7</i>	<i>MONITORING RESULTS</i>	<i>12</i>
<i>4</i>	<i>WATER QUALITY MONITORING</i>	<i>13</i>
<i>4.1</i>	<i>MONITORING REQUIREMENTS</i>	<i>13</i>
<i>4.2</i>	<i>MONITORING EQUIPMENT</i>	<i>13</i>
<i>4.3</i>	<i>MONITORING PARAMETERS, FREQUENCY AND DURATION</i>	<i>13</i>
<i>4.4</i>	<i>MONITORING LOCATIONS</i>	<i>14</i>
<i>4.5</i>	<i>MONITORING METHODOLOGY</i>	<i>14</i>
<i>4.6</i>	<i>MONITORING SCHEDULE FOR THE REPORTING MONTH</i>	<i>16</i>
<i>4.7</i>	<i>RESULTS AND OBSERVATIONS</i>	<i>16</i>
<i>5</i>	<i>DOLPHIN MONITORING</i>	<i>17</i>
<i>5.1</i>	<i>MONITORING REQUIREMENTS</i>	<i>17</i>
<i>5.2</i>	<i>MONITORING EQUIPMENT</i>	<i>17</i>
<i>5.3</i>	<i>MONITORING PARAMETER, FREQUENCIES AND DURATION</i>	<i>18</i>
<i>5.4</i>	<i>MONITORING LOCATION</i>	<i>18</i>

5.5	<i>MONITORING SCHEDULE FOR THE REPORTING MONTH</i>	19
5.6	<i>RESULTS AND OBSERVATIONS</i>	19
6	<i>BORE PILING MONITORING</i>	21
6.1	<i>MONITORING REQUIREMENTS</i>	21
6.2	<i>MONITORING FREQUENCIES</i>	21
6.3	<i>MONITORING LOCATION</i>	21
6.4	<i>MONITORING METHODOLOGY</i>	22
7	<i>ENVIRONMENTAL SITE INSPECTION AND AUDIT</i>	27
7.1	<i>SITE INSPECTION</i>	27
7.2	<i>WASTE MANAGEMENT STATUS</i>	28
7.3	<i>ENVIRONMENTAL LICENSES AND PERMITS</i>	28
7.4	<i>IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES</i>	31
7.5	<i>SUMMARY OF EXCEEDANCES OF THE ENVIRONMENTAL QUALITY PERFORMANCE LIMIT</i>	31
7.6	<i>SUMMARY OF COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTIONS</i>	31
8	<i>FUTURE KEY ISSUES</i>	32
8.1	<i>CONSTRUCTION PROGRAMME FOR THE COMING MONTHS</i>	32
8.2	<i>KEY ISSUES FOR THE COMING MONTH</i>	32
8.3	<i>MONITORING SCHEDULE FOR THE COMING MONTH</i>	32
9	<i>CONCLUSIONS AND RECOMMENDATIONS</i>	33
9.1	<i>CONCLUSIONS</i>	33
9.2	<i>RECOMMENDATIONS</i>	33

List of Tables

Table 1.1	Contact Information of Key Personnel
Table 2.1	Air Quality Monitoring Equipment
Table 2.2	Locations of Impact Air Quality Monitoring Stations
Table 2.3	Air Quality Monitoring Parameters, Frequency and Duration
Table 2.4	Summary of 1-hour TSP Monitoring Results in the Reporting Period
Table 3.1	Noise Monitoring Equipment
Table 3.2	Location of Impact Noise Monitoring Station

Table 3.3	Noise Monitoring Parameters, Frequency and Duration
Table 3.4	Summary of Construction Noise Monitoring Results in the Reporting Period
Table 4.1	Water Quality Monitoring Equipment
Table 4.2	Monitoring Parameters, Frequency and Duration
Table 4.3	Locations of Impact Water Quality Monitoring Stations
Table 4.4	Laboratory Analysis for Suspended Solids
Table 5.1	Dolphin Monitoring Equipment
Table 5.2	Impact Dolphin Monitoring Line Transect Co-ordinates
Table 5.3	Individual Survey Event Encounter Rates
Table 5.4	Monthly Average Encounter Rates
Table 6.1	Bore Piling Monitoring Frequency
Table 6.2	Bore Piling Monitoring Locations
Table 7.1	Summary of Environmental Licensing and Permit Status

Figures

Figure 1.1	General Project Layout Plan
Figure 1.2	Location Plan and Key Plan
Figure 1.3	General Layout
Figure 1.4	Proposed Ground Investigation Plan (Sheet 1 of 8)
Figure 1.5	Proposed Ground Investigation Plan (Sheet 2 of 8)
Figure 1.6	Proposed Ground Investigation Plan (Sheet 3 of 8)
Figure 1.7	Proposed Ground Investigation Plan (Sheet 4 of 8)
Figure 1.8	Proposed Ground Investigation Plan (Sheet 5 of 8)
Figure 1.9	Proposed Ground Investigation Plan (Sheet 6 of 8)
Figure 1.10	Works Area and Hoarding Plan (Sheet 1 of 2)
Figure 1.11	Works Area and Hoarding Plan (Sheet 2 of 2)
Figure 1.12	Location of Area 4
Figure 2.1	Locations of Impact Air Quality Monitoring Stations
Figure 3.1	Locations of Impact Noise Monitoring Station
Figure 4.1	Locations of Impact Water Quality Stations
Figure 5.1	Line Transects for Impact Dolphin Monitoring Survey
Figure 5.2	Locations of Dolphin Sightings during Impact Dolphin Monitoring Survey
Figure 7.1	Environmental Complaint Handling Procedure

List of Appendices

Appendix A	Project Organization for Environmental Works
------------	--

- Appendix B Three Month Rolling Construction Programmes
- Appendix C Implementation Schedule of Environmental Mitigation Measures (EMIS)
- Appendix D Summary of Action and Limit Levels
- Appendix E Calibration Certificates of Monitoring Equipments
- Appendix F EM&A Monitoring Schedules
- Appendix G Impact Air Quality Monitoring Results and Graphical Presentation
- Appendix H Meteorological Data for the Reporting Month
- Appendix I Impact Noise Monitoring Results and Graphical Presentation
- Appendix J Impact Water Quality Monitoring Results and Graphical Presentation
- Appendix K Impact Dolphin Monitoring Survey Results
- Appendix L Event Action Plan
- Appendix M Monthly Summary of Waste Flow Table
- Appendix N Cumulative Statistics on Exceedances, Complaints, Notifications of Summons and Successful Prosecutions

EXECUTIVE SUMMARY

Under *Contract No. HY/2012/07*, Gammon Construction Limited (GCL) is commissioned by the Highways Department (HyD) to undertake the design and construction of the Southern Connection Viaduct Section of the Tuen Mun – Chek Lap Kok Link Project (TM-CLK Link Project) while AECOM Asia Company Limited was appointed by HyD as the Supervising Officer. For implementation of the environmental monitoring and audit (EM&A) programme under the Contract, ERM-Hong Kong, Limited (ERM) has been appointed as the Environmental Team (ET). ENVIRON Hong Kong Ltd. was employed by the HyD as the Independent Environmental Checker (IEC) and Environmental Project Office (ENPO) in accordance with *Environmental Permit No. EP-354/2009/A*.

The construction phase of the Contract commenced on 31 October 2013 and will be tentatively be completed by 2018. The impact monitoring of the EM&A programme, including air quality, noise, water quality and marine ecological monitoring as well as environmental site inspections, commenced on 31 October 2013.

This is the first monthly EM&A report presenting the EM&A works carried out during the period from 31 October to 30 November 2013 for the Southern Connection Viaduct Section in accordance with the Updated EM&A Manual of the TM-CLK Link Project. As informed by the Contractor, major activities in the reporting period included:

Marine-based Works

- Ground investigation (GI) work at marine piers;
- Survey towers erection; and
- Filling platform at seawall.

Land-based Works

- Additional GI fieldwork, laboratory testing and permitting;
- Application for tree felling and transplanting;
- Site office relocation;
- Fence relocation at Viaduct A, C and D;
- Site offices erection; and
- Temporary access bridge (TAB).

A summary of monitoring and audit activities conducted in the reporting period is listed below:

24-hour TSP monitoring	5 sessions
1-hour TSP monitoring	5 sessions
Noise monitoring	5 sessions
Impact Water Quality Monitoring	14 sessions

Impact dolphin monitoring 2 sessions

Joint Environmental site inspection 4 sessions

Daily marine mammal exclusion zone monitoring was undertaken. No sighting of the Indo-Pacific humpback dolphin *Sousa chinensis* was recorded in November 2013 during the exclusion zone monitoring.

Breaches of Action and Limit Levels for Air Quality

No exceedance of Action and Limit Levels was recorded for 1-hour and 24-hour TSP monitoring in the reporting month.

Breaches of Action and Limit Levels for Noise

No exceedance of Action and Limit Levels was recorded for construction noise monitoring in the reporting month.

Breaches of Action and Limit Levels for Water Quality

One (1) exceedance of Action Level in depth-averaged SS was recorded for impact water quality monitoring in the reporting month. The exceedance was considered not related to the construction works of this Contract upon further investigation.

Impact Dolphin Monitoring

During this month of dolphin monitoring, no adverse impact from the construction activities of the TM-CLKL Southern Connection Viaduct Section on Chinese White Dolphins was noticeable from general observations. Due to monthly variation in dolphin occurrence within the study area, it would be more appropriate to draw conclusion on whether any impacts on dolphins have been detected related to the construction activities of the TM-CLKL Southern Connection Viaduct Section in the quarterly EM&A reports, where comparison on distribution, group size and encounter rates of dolphins between the quarterly impact monitoring period and baseline monitoring period will be made.

Environmental Complaints, Non-compliance & Summons

One (1) complaint was referred by EPD on 12 November 2013 and was follow-up timely. The complaint was considered to be not related to this Contract.

No notification of summons and successful prosecution was received in the reporting month.

Reporting Change

There was no reporting change required in the reporting period.

Upcoming Works for the Next Reporting Period

Works to be undertaken in the next monitoring period of December 2013 include the following:

Marine Works

- GI works at marine piers;
- Filling Platform at seawall; and
- Marine foundation at Viaduct E2, E5-8 and E13.

Land-based Works

- Additional GI fieldwork, laboratory testing and permitting;
- Fence relocation at Viaduct A, C and D; and
- Site offices erection at Area 2, Area 3, Area 5 and seawall.

Future Key Issues

Potential environmental impacts arising from the above upcoming construction activities in the next reporting month of December 2013 are mainly associated with dust, noise, marine water quality, marine ecology and waste management issues.

1.1

BACKGROUND

According to the findings of the Northwest New Territories (NWNT) Traffic and Infrastructure Review conducted by the Transport Department, Tuen Mun Road, Ting Kau Bridge, Lantau Link and North Lantau Highway would be operating beyond capacity after 2016. This forecast has been based on the estimated increase in cross boundary traffic, developments in the Northwest New Territories (NWNT), and possible developments in North Lantau, including the Airport developments, the Lantau Logistics Park (LLP) and the Hong Kong – Zhuhai – Macao Bridge (HZMB). In order to cope with the anticipated traffic demand, two new road sections between NWNT and North Lantau – Tuen Mun – Chek Lap Kok Link (TM-CLKL) and Tuen Mun Western Bypass (TMWB) are proposed.

An Environmental Impact Assessment (EIA) of TM-CLKL (the Project) was prepared in accordance with the EIA Study Brief (No. ESB-175/2007) and the *Technical Memorandum of the Environmental Impact Assessment Process (EIAO-TM)*. The EIA Report was submitted under the Environmental Impact Assessment Ordinance (EIAO) in August 2009. Subsequent to the approval of the EIA Report (EIAO Register Number AEIAR-145/2009), an Environmental Permit (EP-354/2009) for TM-CLKL was granted by the Director of Environmental Protection (DEP) on 4 November 2009, and EP variation (EP-354/2009A) was issued on 8 December 2010.

Under *Contract No. HY/2012/07*, Gammon Construction Limited (GCL) is commissioned by the Highways Department (HyD) to undertake the design and construction of the Southern Connection Viaduct Section of TM-CLKL (“the Contract”) while AECOM Asia Company Limited was appointed by HyD as the Supervising Officer. For implementation of the environmental monitoring and audit (EM&A) programme under the Contract, ERM-Hong Kong, Limited (ERM) has been appointed as the Environmental Team (ET). ENVIRON Hong Kong Ltd. was employed by HyD as the Independent Environmental Checker (IEC) and Environmental Project Office (ENPO) in accordance with *Environmental Permit No. EP-354/2009/A*.

The construction phase of the Contract commenced on 31 October 2013 and will be tentatively be completed by 2018. The impact monitoring phase of the EM&A programme, including air quality, noise, water quality and marine ecological monitoring as well environmental site inspections, commenced on 31 October 2013.

1.2 SCOPE OF REPORT

This is the first monthly EM&A Report under the *Contract No. HY/2012/07 Tuen Mun – Chek Lap Kok Link – Southern Connection Viaduct Section*. This report presents a summary of the environmental monitoring and audit works in October and November 2013.

1.3 ORGANIZATION STRUCTURE

The organization structure of the Contract is shown in *Appendix A*. The key personnel contact names and contact details are summarized in *Table 1.1* below.

Table 1.1 *Contact Information of Key Personnel*

Party	Position	Name	Telephone	Fax
SOR (AECOM Asia Company Limited)	Chief Resident Engineer	Daniel Ip	3553 3800	2492 2057
ENPO / IEC (ENVIRON Hong Kong Ltd.)	ENPO Leader	Y.H. Hui	3465 2888	3465 2899
	IEC	Tony Cheng	3465 2888	3465 2899
Contractor (Gammon Construction Limited)	Environmental Manager	Brian Kam	2750 0118	2750 0922
	Environmental Officer	Roy Leung	2750 0118	2750 0922
	24-hour Complaint Hotline		9738 4332	
ET (ERM-HK)	ET Leader	Jovy Tam	2271 3113	2723 5660

1.4 SUMMARY OF CONSTRUCTION WORKS

The construction phase of the Contract commenced on 31 October 2013. The three-month rolling construction programme is shown in *Appendix B*.

As informed by the Contractor, details of the major works carried out in this reporting period are listed below:

Marine-based Works

- Ground investigation (GI) work at marine piers;
- Survey towers erection; and
- Filling platform at seawall.

Land-based Works

- Additional GI fieldwork, laboratory testing and permitting;
- Application for tree felling and transplanting;

- Site office relocation;
- Fence relocation at Viaduct A, C and D;
- Site offices erection; and
- Temporary access bridge (TAB).

The general layout plan of the site showing the detailed works areas is shown in *Figures 1.1 to 1.12*.

The environmental mitigation measures implementation schedule are presented in *Appendix C*.

1.5

SUMMARY OF EM&A PROGRAMME REQUIREMENTS

The EM&A programme required environmental monitoring for air quality, noise, water quality and marine ecology as well as environmental site inspections for air quality, noise, water quality, waste management, marine ecology and landscape and visual impacts. The EM&A requirements and related findings for each component are described in the following sections, which include:

- Monitoring parameters;
- Monitoring schedules for the reporting month and forthcoming month;
- Action and Limit levels for all environmental parameters;
- Event/ Action Plan;
- Results and observations;
- Environmental mitigation measures, as recommended in the Project EIA reports; and
- Environmental requirement in contract documents.

Key

Site Boundary





Figure 1.1

General Layout Plan of the Project

Plot File by: LIUJ3 2012/11/15
 PATH: P:\Projects\6024049\DRAWING\CONTRACT\11000\C1_1000.dgn
 Project Management Initials: Designer: SLYY Checked: PLCK Approved: CWN ISO A1 594mm x 841mm



LEGEND:

--- SITE BOUNDARY

NOTES:

1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH SHEET NOS. 60240249/64/1001 TO C1/1008, C1/1051 (TO C1/1053).
2. THE HATCHED WORKS AREAS SHOWN ON THIS DRAWING ARE TO BE SHARE-USED AMONG THE CONTRACTS OF TUEN MUN-CHEK LAP KOK LINK PROJECT.
3. THE ALLOWABLE USAGE(S) OF EACH WORKS AREA ARE AS FOLLOWS:

WORKS AREA	ALLOWABLE USAGE(S)
AREA 5	SUPERVISING OFFICER AND CONTRACTOR SITE OFFICES AND STORAGE AREA TO BE SHARE-USED WITH OTHER CONTRACTS.
AREA 23	STORAGE AREA WHICH SHALL BE ACCESSED BY MARINE MEANS ONLY; TO BE SHARE-USED WITH OTHER CONTRACTS.
AREA 4	STORAGE AREA OF CORE BOXES FOR OTHER CONTRACTORS OF THE EMPLOYER



PROJECT
 項目
TUEN MUN - CHEK LAP KOK LINK

CONTRACT TITLE
 TUEN MUN - CHEK LAP KOK LINK - SOUTHERN CONNECTION VIADUCT SECTION

CLIENT
 業主
HIGHWAYS DEPARTMENT
 港珠澳大橋香港工程管理局
 Hong Kong - Zhuhai - Macao Bridge
 Hong Kong Project Management Office

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程顧問公司

Figure 1.2

ISSUE/REVISION
 修訂

I/R	DATE	DESCRIPTION	CHK
A	NOV. 12	TENDER ADDENDUM NO.1	CWY
-	OCT. 12	TENDER DRAWING	CWN

STATUS
 階段

SCALE
 比例
 A1 1:25000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN
 索引圖


PROJECT NO.
 項目編號
 60240249

CONTRACT NO.
 合約編號
 HY/2012/07

SHEET TITLE
 圖紙名稱
 LOCATION PLAN AND KEY PLAN


SHEET NUMBER
 圖紙編號
 60240249/C1/1000A

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party for uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.



NOTES:

- FOR NOTES AND LEGEND SEE SHEET NO. 60240249/C1/1001.
- FOR SECTIONS A - A AND B - B, REFER TO SHEET NO. 60240249/C1/1023.



AECOM

PROJECT
項目
TUEN MUN - CHEK LAP KOK LINK

CONTRACT TITLE
TUEN MUN - CHEK LAP KOK LINK - SOUTHERN CONNECTION VIADUCT SECTION

CLIENT
業主
路政署
HIGHWAYS DEPARTMENT
港務大樓香港工程管理局
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

CONSULTANT
工程師有限公司
AECOM Asia Company Ltd.
www.aecom.com

SUB-CONSULTANTS
分列工程師有限公司

Figure 1.3

ISSUE/REVISION
修訂


I/R	DATE	DESCRIPTION	CHK.
A	DEC. 12	TENDER ADDENDUM NO.4	CW/CW
-	OCT. 12	TENDER DRAWING	CW/CW

STATUS
階段

SCALE
比例
A1 1:1000

DIMENSION UNIT
尺寸單位
METRES

KEY PLAN 1:100000
索引圖



PROJECT NO.
項目編號
60240249

CONTRACT NO.
合約編號
HY/2012/07

SHEET TITLE
圖紙名稱
GENERAL LAYOUT


SHEET NUMBER
圖紙編號
60240249/C1/1004A

SHEET 4 OF 8

Project Management Initials: Designer: PLCK Checked: SLYY Approved: CWN ISO A1 594mm x 841mm
 Pld File by: LILJ3 2012/12/21
 PATH: P:\Projects\60240249\DRAWING\CONTRACT\C1\1004.dgn

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM in writing. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.




KEY PLAN

NOTES
 1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NO. J3518/P/OAP/04/1000 AND OTHER RELEVANT DRAWINGS.

- LEGEND**
- SITE BOUNDARY
 - GF1 FAULT
 - EXISTING G.I. STATIONS :
 - ⊕ BOREHOLE BY GIU DATA EXCLUDING VC
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2012/04
 - ⊕ BOREHOLE BY GCL CONTRACT NL8/97
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2009/23
 - ⊕ TRIAL PIT BY GCL CONTRACT HY/2012/04
 - SLOPE STRIPPING BY GCL CONTRACT HY/2012/04
 - PROPOSED G.I. STATIONS :
 - ⊕ PBH01 PROPOSED BOREHOLE
 - ⊕ TP01 PROPOSED TRIAL PIT
 - ⊕ CH01 PROPOSED COREHOLE
 - SS01 SS02 PROPOSED SLOPE STRIPPING

MATCH LINE
 FOR CONTINUATION
 SEE DRG J3518/P/OAP/04/01101



Printed by : 12/9/2013
 File name : J:\231499\RECORD\20130912\Ground Investigation Plan\CAO\231499_P_OAP_04_01100.dgn

Rev	Description	By	Date	Rev	Description	By	Date	Drawn	Date
A	SUBMISSION	RC	07/13					RL	07/13
B	SUBMISSION	RC	07/13					Checked	Approved
C	SUBMISSION	RC	09/13					DS	DOP
								Scale	
								1:1000 @ A1 / 1:2000 @ A3	

Client
路政署
HIGHWAYS DEPARTMENT
 港珠澳大橋香港工程管理局
 Hong Kong - Zhuhai - Macao Bridge
 Hong Kong Project Management Office

Supervising Officer
AECOM

Project Title
Contract No. HY/2012/07
Tuen Mun - Chek Lap Kok Link
Southern Connection Viaduct Section



Originator
Gammon

Drawing title
PROPOSED GROUND INVESTIGATION PLAN
(SHEET 1 OF 8)

Fig 1.4

Drawing no. **J3518/P/OAP/04/01100** Rev. **C**

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.




KEY PLAN

NOTES
 1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NO. J3518/P/OAP/04/1000 AND OTHER RELEVANT DRAWINGS.

LEGEND

	SITE BOUNDARY
	FAULT
EXISTING G.I. STATIONS :	
	BOREHOLE BY GIU DATA EXCLUDING VC
	BOREHOLE BY GCL CONTRACT HY/2012/04
	BOREHOLE BY GCL CONTRACT NLB/97
	BOREHOLE BY GCL CONTRACT HY/2009/23
	TRIAL PIT BY GCL CONTRACT HY/2012/04
	SLOPE STRIPPING BY GCL CONTRACT HY/2012/04
PROPOSED G.I. STATIONS :	
	PROPOSED BOREHOLE
	PROPOSED TRIAL PIT
	PROPOSED COREHOLE
	PROPOSED SLOPE STRIPPING

NOTES FOR ADDITIONAL BOREHOLES
 1. PROPOSED LOCATIONS OF BOREHOLES PBH17B AND PBH17C ARE PROVISIONAL ONLY. EXACT LOCATION WILL BE DETERMINED UPON COMPLETION OF BOREHOLES PBH17A, PBH18A, PBH18B, AND PBH18C.





Printed by : 05.11.13
 J:\231499\ARUP\GEO\231499_P_OAP_04_01101.dgn


Rev	Description	By	Date	Rev	Description	By	Date	Drawn	Date
A	SUBMISSION	RC	07/13					RL	07/13
B	SUBMISSION	RC	07/13					Checked	Approved
C	SUBMISSION	RC	09/13					DS	DOP
D	SUBMISSION	RC	10/13					Scale	1:1000 @ A1 / 1:2000 @ A3
E1	FOR INTERNAL REVIEW	RC	11/13						

 路政署 HIGHWAYS DEPARTMENT 港珠澳大橋香港工程管理處 Hong Kong - Zhuhai - Macao Bridge Hong Kong Project Management Office	Project Title Contract No. HY/2012/07 Tuen Mun - Chek Lap Kok Link Southern Connection Viaduct Section	Drawing title PROPOSED GROUND INVESTIGATION PLAN (SHEET 2 OF 8) Fig 1.5 Drawing no. J3518/P/OAP/04/01101 Rev. E1
	Supervising Officer 	Contractor

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.



- NOTES**
- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NO. J3518/P/OAP/04/1000 AND OTHER RELEVANT DRAWINGS.
- LEGEND**
- SITE BOUNDARY
 - GF1 FAULT
- EXISTING G.I. STATIONS :**
- ⊕ BOREHOLE BY GIU DATA EXCLUDING VC
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2012/04
 - ⊕ BOREHOLE BY GCL CONTRACT NL8/97
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2009/23
 - ⊕ TRIAL PIT BY GCL CONTRACT HY/2012/04
 - SLOPE STRIPPING BY GCL CONTRACT HY/2012/04
- PROPOSED G.I. STATIONS :**
- ⊕ PBH01 PROPOSED BOREHOLE
 - ⊕ TP01 PROPOSED TRIAL PIT
 - ⊕ CH01 PROPOSED COREHOLE
 - SS01 SS02 PROPOSED SLOPE STRIPPING





Printed by : 12/9/2013
 Filename : J:\231499\RECORD\20130912_Ground_Investigation_Plan\CAOV\231499_P_OAP_04_01102.dgn


Rev	Description	By	Date	Rev	Description	By	Date	Drawn	Date
A	SUBMISSION	RC	07/13					RL	07/13
B	SUBMISSION	RC	07/13					Checked	Approved
C	SUBMISSION	RC	09/13					DS	DOP
								Scale	
								1:1000 @ A1 / 1:2000 @ A3	

Client 路政署 HIGHWAYS DEPARTMENT 港珠澳大橋香港工程管理處 Hong Kong - Zhuhai - Macao Bridge Hong Kong Project Management Office	Project Title Contract No. HY/2012/07 Tuen Mun - Chek Lap Kok Link Southern Connection Viaduct Section	Drawing title PROPOSED GROUND INVESTIGATION PLAN (SHEET 3 OF 8) Fig 1.6	
		Drawing no. J3518/P/OAP/04/01102 Rev. C	
Supervising Officer AECOM	Contractor Gammon	Originator ARUP	

DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.



- NOTES**
- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NO. J3518/P/OAP/04/1000 AND OTHER RELEVANT DRAWINGS.
- LEGEND**
- SITE BOUNDARY
 - GF1 FAULT
- EXISTING G.I. STATIONS :**
- ⊕ BOREHOLE BY GIU DATA EXCLUDING VC
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2012/04
 - ⊕ BOREHOLE BY GCL CONTRACT NL8/97
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2009/23
 - ⊕ TRIAL PIT BY GCL CONTRACT HY/2012/04
 - SLOPE STRIPPING BY GCL CONTRACT HY/2012/04
- PROPOSED G.I. STATIONS :**
- ⊕ PBH01 PROPOSED BOREHOLE
 - ⊕ TP01 PROPOSED TRIAL PIT
 - ⊕ CH01 PROPOSED COREHOLE
 - SS01 SS02 PROPOSED SLOPE STRIPPING




Printed by : 13/9/2013
 Filename : J:\231499\RECORD\20130912\Ground Investigation Plan\CAO\231499_P_OAP_04_01103.dgn

Rev	Description	By	Date	Rev	Description	By	Date	Drawn	Date
A	SUBMISSION	RC	07/13					RL	07/13
B	SUBMISSION	RC	07/13					Checked	Approved
C	SUBMISSION	RC	09/13					DS	DOP
								Scale	1:1000 @ A1 / 1:2000 @ A3

Client HIGHWAYS DEPARTMENT 路政署 港珠澳大橋香港工程管理處 Hong Kong - Zhuhai - Macao Bridge Hong Kong Project Management Office	Project Title Contract No. HY/2012/07 Tuen Mun - Chek Lap Kok Link Southern Connection Viaduct Section	Drawing title PROPOSED GROUND INVESTIGATION PLAN (SHEET 4 OF 8)
		Supervising Officer
		Fig 1.7 Drawing no. J3518/P/OAP/04/01103 Rev. C


DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.



KEY PLAN

NOTES
 1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NO. J3518/P/OAP/04/1000 AND OTHER RELEVANT DRAWINGS.

- LEGEND**
- SITE BOUNDARY
 - GF1 FAULT
 - EXISTING G.I. STATIONS:
 - ⊕ BOREHOLE BY GIU DATA EXCLUDING VC
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2012/04
 - ⊕ BOREHOLE BY GCL CONTRACT NL8/97
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2009/23
 - ⊕ TRIAL PIT BY GCL CONTRACT HY/2012/04
 - SLOPE STRIPPING BY GCL CONTRACT HY/2012/04
 - PROPOSED G.I. STATIONS:
 - ⊕ PBH01 PROPOSED BOREHOLE
 - ⊕ TP01 PROPOSED TRIAL PIT
 - ⊕ CH01 PROPOSED COREHOLE
 - SS01 SS02 PROPOSED SLOPE STRIPPING



Printed by : 12/9/2013
 Filename : J:\231499\RECORD\20130912 Ground Investigation Plan\CAOV\231499_P_OAP_04_01104.dgn

Rev	Description	By	Date	Rev	Description	By	Date	Drawn	Date
A	SUBMISSION	RC	07/13					RL	07/13
B	SUBMISSION	RC	07/13					Checked	Approved
C	SUBMISSION	RC	09/13					DS	DOP
								Scale	1:1000 @ A1 / 1:2000 @ A3

Client
路政署
HIGHWAYS DEPARTMENT
 港珠澳大橋香港工程管理局
 Hong Kong - Zhuhai - Macao Bridge
 Hong Kong Project Management Office

Project Title
Contract No. HY/2012/07
Tuen Mun - Chek Lap Kok Link
Southern Connection Viaduct Section



Drawing title
PROPOSED GROUND INVESTIGATION PLAN
(SHEET 5 OF 8)
Fig 1.8
 Drawing no. **J3518/P/OAP/04/01104** Rev. **C**

Supervising Officer
AECOM

Contractor
Gammon

Originator
ARUP


DO NOT SCALE DRAWING. CHECK ALL DIMENSIONS ON SITE.



KEY PLAN

NOTES
 1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NO. J3518/P/OAP/04/1000 AND OTHER RELEVANT DRAWINGS.

- LEGEND**
- SITE BOUNDARY
 - GF1 FAULT
 - EXISTING G.I. STATIONS :
 - ⊕ BOREHOLE BY GIU DATA EXCLUDING VC
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2012/04
 - ⊕ BOREHOLE BY GCL CONTRACT NL8/97
 - ⊕ BOREHOLE BY GCL CONTRACT HY/2009/23
 - ⊕ TRIAL PIT BY GCL CONTRACT HY/2012/04
 - SLOPE STRIPPING BY GCL CONTRACT HY/2012/04
 - PROPOSED G.I. STATIONS :
 - ⊕ PBH01 PROPOSED BOREHOLE
 - ⊕ TP01 PROPOSED TRIAL PIT
 - ⊕ CH01 PROPOSED COREHOLE
 - SS01 SS02 PROPOSED SLOPE STRIPPING



Printed by : 07/11/2013
 Filename : J:\231499\ARUP_GEO\231499_P_OAP_04_01107.dgn

Rev	Description	By	Date	Rev	Description	By	Date	Drawn	Date
A	SUBMISSION	RC	07/13					RL	07/13
B	SUBMISSION	RC	07/13					Checked	Approved
C	SUBMISSION	RC	09/13					DS	DOP
D1	FOR INTERNAL REVIEW	RC	11/13					Scale	
								1:1000 @ A1 / 1:2000 @ A3	

Client
路政署
HIGHWAYS DEPARTMENT
 港珠澳大橋香港工程管理處
 Hong Kong - Zhuhai - Macao Bridge
 Hong Kong Project Management Office

Project Title
Contract No. HY/2012/07
Tuen Mun - Chek Lap Kok Link
Southern Connection Viaduct Section


Drawing title
PROPOSED GROUND INVESTIGATION PLAN
(SHEET 8 OF 8)
Fig 1.9
 Drawing no. **J3518/P/OAP/04/01107** Rev. **D1**

Supervising Officer
AECOM

Contractor
Gammon

Originator
ARUP

Plot File by: L1UJ3 2012-10-24
 PATH: P:\Projects\60240249\DRAWING\CONTRACT\C1\1000\C1_1051.dgn
 Project Management Initials: Designer: PLCK Checked: SLYY Approved: CWN
 ISO A1 594mm x 841mm



NOTES:

- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH THE WORKS AREA KEY PLAN IN SHEET NO. 60240249/C1/1000.
- THE SETTING OUT INFORMATION AND WORKS AREA CONDITIONS SHOWN IN THIS DRAWING ARE FOR REFERENCE ONLY. THE WORKS AREA BOUNDARY SHALL BE IN ACCORDANCE WITH THE ENGINEERING CONDITIONS FOR TEMPORARY GOVERNMENT LAND ALLOCATION NO. T15 619. IN CASE OF DISCREPANCY BETWEEN THE BOUNDARY SHOWN ON THIS DRAWING AND THE BOUNDARY INDICATED ON THE ENGINEERING CONDITIONS, THE LATTER SHALL PREVAIL.
- DEMARICATION OF THE WORKS AREA SHALL BE DETERMINED ON SITE.
- REFER TO HIGHWAYS DEPARTMENT STANDARD DRAWING NOS. H6110 AND H6111 FOR DETAILS OF HOARDING.
- REFER TO HIGHWAYS DEPARTMENT STANDARD DRAWING NOS. H6121 AND H6122 FOR DETAILS OF CHAIN LINK FENCE.
- REFER TO HIGHWAYS DEPARTMENT STANDARD DRAWING NO. H6121 FOR DETAILS OF GATE.
- CHAIN LINK FENCE SHALL BE ERRECTED ALONG THE WORKS AREA BOUNDARY. THE ALIGNMENT AND EXTENT OF CHAIN LINK FENCE SHOWN ARE INDICATIVE ONLY AND SHALL BE CONFIRMED BY THE SUPERVISING OFFICER.
- THE LOCATION AND WIDTH OF GATE SHOWN ARE INDICATIVE ONLY AND SHALL BE CONFIRMED BY THE SUPERVISING OFFICER.
- NO STRUCTURES SHALL BE ERRECTED OTHER THAN SUCH STRUCTURES NOT EXCEEDING TWO STOREYS IN HEIGHT, WHICH ARE APPROVED BY THE DISTRICT LANDS OFFICER AS BEING APPROPRIATE FOR THE USE OF THE SITE AS A WORKS AREA.
- THE TENTATIVE OCCUPATION PERIOD SHALL BE REFERRED TO EMPLOYER'S REQUIREMENTS PART 2 AND PART 14 SECTION 1 CLAUSE 1.45A.
- THE WORKS AREAS SHOWN ON THIS DRAWING ARE TO BE SHARED AMONG THE CONTRACTS OF TM-CLKL RELATED CONTRACTS. THE AREAS HATCHED WITH [diagonal lines] ARE TENTATIVELY ALLOCATED FOR THE USE BY THIS CONTRACT.
- THE COMMON AREA SHALL BE CONCRETE PAVED BY THE CONTRACTOR.

LEGEND:

- [diagonal lines] WORKS AREA UNDER THIS CONTRACT
- [cross-hatch] COMMON AREA (MAINTAINED UNDER THIS CONTRACT) TO BE SHARE-USED WITH OTHER CONTRACTS
- [dots] WORKS AREA FOR THIS CONTRACT TO BE EARLY HANDED OVER BY THE CONTRACTOR.
- [H symbol] HOARDING AND GATE (TO BE ERRECTED AND MAINTAINED UNDER THIS CONTRACT)
- [chain link symbol] CHAIN LINK FENCE AND GATE (TO BE ERRECTED AND MAINTAINED BY OTHERS)
- [chain link symbol with X] CHAIN LINK FENCE AND GATE (TO BE ERRECTED AND MAINTAINED UNDER THIS CONTRACT)

SETTING OUT COORDINATES OF AREA 5

POINT	COORDINATES	
	EASTING	NORTHING
W5-1	820162.308	820638.492
W5-2	820216.839	820590.455
W5-3	820286.496	820603.985
W5-4	820421.757	820667.742
W5-5	820490.425	820764.554
W5-6	820483.839	820776.180
W5-7	820393.451	820728.958
W5-8	820399.746	820715.343
W5-9	820268.674	820665.173
W5-10	820325.075	820698.276
W5-11	820306.587	820685.458
W5-12	820305.269	820691.287
W5-13	820279.580	820684.863
W5-14	820268.027	820680.572
X	820169.407	820655.859
Y	820166.601	820655.172
Z	820163.794	820654.484
W5-17	820144.957	820650.334
W5-18	820155.899	820641.093
W5-19	820157.432	820642.788
W5-20	820332.642	820686.314
W5-21	820333.350	820684.738
W5-22	820326.723	820694.608



PROJECT
 項目
TUEN MUN - CHEK LAP KOK LINK

CONTRACT TITLE
 TUEN MUN - CHEK LAP KOK LINK - SOUTHERN CONNECTION VIADUCT SECTION

CLIENT
 業主
 路政署
 HONG KONG - ZHUIHAI - MEAO BRIDGE
 港珠澳大橋香港工程管理有限公司
 Hong Kong Project Management Office

CONSULTANT
 顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師有限公司

Fig 1.10

ISSUE/REVISION

NO.	DATE	DESCRIPTION	CHK.
1	OCT. 12	TENDER DRAWING	CWN

STATUS

SCALE 1:1000
DIMENSION UNIT METRES

KEY PLAN


PROJECT NO. 60240249
CONTRACT NO. HY/2012/07

SHEET TITLE
 圖紙名稱
WORKS AREA AND HOARDING PLAN

SHEET NUMBER
 圖紙編號
 60240249/C1/1051

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

Plot File by: LULIS 2012-10-24
 PATH: P:\Projects\60240249\DRAWING\CONTRACT\C11\000\C1_1052.dgn
 Project Management Initials: Designer: PLCK Checked: SLYY Approved: CWN ISO A1 594mm x 841mm



NOTES:

1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH THE WORKS AREA KEY PLAN IN SHEET NO. 60240249/C1/1000.
2. THE SETTING OUT INFORMATION AND WORKS AREA CONDITIONS SHOWN IN THIS DRAWING ARE FOR REFERENCE ONLY. THE WORKS AREA BOUNDARY SHALL BE IN ACCORDANCE WITH THE ENGINEERING CONDITIONS FOR TEMPORARY GOVERNMENT LAND ALLOCATION NO. TKT 1878. IN CASE OF DISCREPANCY BETWEEN THE BOUNDARY SHOWN ON THIS DRAWING AND THE BOUNDARY INDICATED ON THE ENGINEERING CONDITIONS, THE LATTER SHALL PREVAIL.
3. DEMARCATION OF THE WORKS AREA SHALL BE DETERMINED ON SITE.
4. REFER TO HIGHWAYS DEPARTMENT STANDARD DRAWING NOS. H6121 AND H6122 FOR DETAILS OF CHAIN LINK FENCE.
5. REFER TO HIGHWAYS DEPARTMENT STANDARD DRAWING NO. H6121 FOR DETAILS OF GATE.
6. CHAIN LINK FENCE SHALL BE ERECTED ALONG THE WORKS AREA BOUNDARY. THE ALIGNMENT AND EXTENT OF CHAIN LINK FENCE SHOWN ARE INDICATIVE ONLY AND SHALL BE CONFIRMED BY THE SUPERVISING OFFICER.
7. THE LOCATION AND WIDTH OF GATE SHOWN ARE INDICATIVE ONLY AND SHALL BE CONFIRMED BY THE SUPERVISING OFFICER.
8. NO RIGHT OF ACCESS TO THE SEA FROM THE SITE AND FROM THE SEA TO THE SITE SHALL BE ALLOWED EXCEPT BETWEEN THE POINTS A AND B.
9. NO MANNED FACILITIES SHALL BE LOCATED WITHIN AREA X.
10. NO STRUCTURES SHALL BE ERECTED OTHER THAN SUCH STRUCTURES NOT EXCEEDING TWO STOREYS IN HEIGHT, WHICH ARE APPROVED BY THE DISTRICT LANDS OFFICER AS BEING APPROPRIATE FOR THE USE OF THE SITE AS A WORKS AREA.
11. THE TENTATIVE OCCUPATION PERIOD SHALL BE REFERRED TO EMPLOYER'S REQUIREMENTS PART 2 AND PART 14 SECTION 1 CLAUSE 1.45A.
12. THE WORKS AREAS SHOWN ON THIS DRAWING ARE TO BE SHARE-USED AMONG THE CONTRACTS OF TM-CLKL-RELATED CONTRACTS. THE AREAS HATCHED WITH ARE TENTATIVELY ALLOCATED FOR THE USE BY THIS CONTRACT.

LEGEND:

- AREA X
- WORKS AREA FOR THIS CONTRACT
- COMMON AREA (MAINTAINED UNDER CONTRACT NO. HY/2012/08) TO BE SHARE-USED WITH CONTRACT NO. HY/2012/08
- CHAIN LINK FENCE AND GATE (TO BE ERECTED AND MAINTAINED UNDER THIS CONTRACT)
- CHAIN LINK FENCE AND GATE (TO BE ERECTED AND MAINTAINED BY OTHERS)
- MTR PROTECTION BOUNDARY

SETTING OUT COORDINATES OF AREA 23

POINT	COORDINATES	
	EASTING	NORTHING
W23-C1	826385.78	824036.80
W23-C2	826405.87	823806.07
W23-C3	826344.18	823790.10
W23-C4	826340.88	823801.06
W23-C5	826321.68	823843.84
W23-C6	826334.92	823992.47
W23-C7	826332.72	824033.89

PROJECT
項目

TUEN MUN - CHEK LAP KOK LINK

CONTRACT TITLE
TUEN MUN - CHEK LAP KOK LINK - SOUTHERN CONNECTION VIADUCT SECTION

CLIENT
業主

路政署
HIGHWAYS DEPARTMENT
港務處大橋及港工務管理處
Hong Kong - Zhuhai - Macao Bridge
Hong Kong Project Management Office

CONSULTANT
工程顧問公司

AECOM Asia Company Ltd.
www.aecom.com

SUB-CONSULTANTS
分判工程顧問公司

Fig 1.11

ISSUE/REVISION

NO.	DATE	DESCRIPTION	CHK.
1	OCT. 12	TENDER DRAWING	CWN

STATUS
階段

SCALE
比例

A1 : 1000

DIMENSION UNIT
尺寸單位

METRES

KEY PLAN
索引圖

PROJECT NO.
項目編號

60240249

CONTRACT NO.
合約編號

HY/2012/07

SHEET TITLE
圖紙名稱

WORKS AREA AND HOARDING PLAN


SHEET NUMBER
圖紙編號

60240249/C1/1052

SHEET 2 OF 2

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

Plot File: L1UJ3_20121116 PATH_P:\p\p\020249\DRAWING\CONTRACT\11000\1_1053.dgn
 Project Management Initials: Designer: PLCK Checked: SLYY Approved: CWN
 ISO A1 594mm x 841mm
 C:\AECOM



SETTING OUT COORDINATES OF AREA 4

POINT	COORDINATES	
	EASTING	NORTHING
W4-1,U	815717.822	818074.398
V	815718.373	818071.803
W4-2,W	815718.923	818069.208
W4-3	815868.411	818103.687
X	815865.759	818117.028
Y	815866.539	818113.104
Z	815867.319	818109.181
W4-4	815860.972	818141.118

NOTES:

- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH THE WORKS AREA KEY PLAN IN SHEET NO. 60240249/C1/1000.
- THE SETTING OUT INFORMATION AND WORKS AREA CONDITIONS SHOWN IN THIS DRAWING ARE FOR REFERENCE ONLY. THE WORKS AREA BOUNDARY SHALL BE IN ACCORDANCE WITH THE ENGINEERING CONDITIONS FOR TEMPORARY GOVERNMENT LAND ALLOCATION NO. T1S 631.
- THE CONTRACTOR SHALL NOTE THAT WORKS AREA W4 IS THE AREA FOR STORAGE OF CORE BOXES FOR OTHER CONTRACTORS OF THE EMPLOYER.
- THE CONTRACTOR SHALL TAKE UP AND MAINTAIN THE EXISTING CHAIN LINK FENCE AND GATE, PROVIDE THE SECURITY, SITE CLEANLINESS AND TIDINESS FOR THE WORKS AREA.
- THE CONTRACTOR SHALL NOTE THAT THE SETTING OUT COORDINATES OF WORKS AREA W4 ARE TENTATIVE ONLY AND THE CONTRACTOR SHALL VERIFY THE SETTING OUT COORDINATES ON SITE.

LEGEND:

- AREA 4
- EXISTING CHAIN LINK FENCE AND GATE



PROJECT
 TUEN MUN - CHEK LAP KOK LINK

CONTRACT TITLE
 TUEN MUN - CHEK LAP KOK LINK - SOUTHERN CONNECTION VIADUCT SECTION

CLIENT
 路政署
 HIGHWAYS DEPARTMENT
 港珠澳大橋香港工程管理處
 Hong Kong - Zhuhai - Macao Bridge
 Hong Kong Project Management Office

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程顧問公司

Fig 1.12


ISSUE/REVISION

I/R	DATE	DESCRIPTION	CHK.
-	NOV. 12	TENDER ADDENDUM NO. 1	CWY, CWN

STATUS
 階段

SCALE **DIMENSION UNIT**
 比例 尺寸單位
 A1 1 : 1000 METRES

KEY PLAN
 索引圖



PROJECT NO. **CONTRACT NO.**
 項目編號 合約編號
 60240249 HY/2012/07

SHEET TITLE
 圖紙名稱
 LOCATION OF AREA 4

SHEET NUMBER
 圖紙編號
 60240249/C1/1053

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by any party without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

2.1 MONITORING REQUIREMENTS

In accordance with the Updated EM&A Manual, baseline 1-hour and 24-hour TSP levels at two (2) air quality monitoring stations were established. Impact 1-hour TSP monitoring was conducted three (3) times every six (6) days while the highest dust impact was expected. Impact 24-hour TSP monitoring was carried out once every six (6) days. The Action and Limit Level of the air quality monitoring is provided in *Appendix D*.

2.2 MONITORING EQUIPMENT

Portable direct reading dust meters were used to carry out the 1-hour TSP monitoring on 5, 11 and 15 November 2013. High Volume Samplers (HVSs) were used for carrying out 1-hour TSP monitoring on 21 and 27 November 2013 due to the change of monitoring locations from Siu Ho Wan MTR Depot to Pak Mong Village Watch Tower and Area 4 where more reliable power supply is available to power the HVS. 24-hour TSP air quality monitoring was performed using HVS located at each designated monitoring station. The HVS meets all requirements of the Updated EM&A Manual. Brand and model of the equipment is given in *Table 2.1*. Copies of the calibration certificates for the equipment are presented in *Appendix E*.

Wind data monitoring equipment was installed at fencing close to ASR9A (Siu Ho Wan MTRC Depot) since 5 November 2013. It was then installed at the rooftop of Pak Mong Village Watch Tower since 15 November 2013 for logging wind speed and wind direction. The wind sensor was setup such as it was clear of obstructions or turbulence caused by building. The wind data monitoring equipment is recalibrated at least once every six months.

Table 2.1 *Air Quality Monitoring Equipment*

Equipment	Brand and Model
Portable direct reading dust meter (1-hour TSP)	Sibata Digital Dust Monitor (Model No. LD-3B)
High Volume Sampler (1-hour TSP and 24-hour TSP)	Tisch Environmental Mass Flow Controlled Total Suspended Particulate (TSP) High Volume Sampler (Model No. TE-5170)
Wind Sensor	Global Water WE550

2.3 MONITORING LOCATIONS

Monitoring locations ASR 9A and ASR 9C were set up at the proposed locations in Siu Ho Wan MTRC Depot in accordance with the Updated EM&A Manual. However, approval for carrying out impact monitoring within MTRC Depot could not be obtained. Air quality monitoring on 5 and 11 November 2013 was carried out just outside MTRC Depot at close proximity to the proposed locations, which was then temporarily relocated to the rooftop of Pak Mong Village Watch Tower (ASR 8) and Area 4 (ASR 8A). Same baseline and Action Level for air quality, as derived from the baseline monitoring data recorded at Siu Ho Wan MTRC Depot, were adopted for these temporary air quality locations.

Figure 2.1 shows the locations of monitoring stations. Table 2.2 describes the details of the monitoring stations.

Table 2.2 *Locations of Impact Air Quality Monitoring Stations*

Monitoring Dates	Monitoring Station	Location	Description
5, 11 November 2013	ASR 9A	Siu Ho Wan MTRC Depot	On ground near security office
	ASR 9C	Siu Ho Wan MTRC Depot	On ground near staff canteen
15, 21, 27 November 2013	ASR 8	Pak Mong Village Watch Tower	Rooftop of the premise
	ASR 8A	Area 4	On ground at the Area 4

2.4 MONITORING PARAMETERS, FREQUENCY AND DURATION

Table 2.3 summarized the monitoring parameters, frequency and duration of impact TSP monitoring.

Table 2.3 *Air Quality Monitoring Parameters, Frequency and Duration*

Parameter	Frequency and Duration
1-hour TSP	Three times every 6 days while the highest dust impact was expected
24-hour TSP	Once every 6 days

2.5 MONITORING METHODOLOGY

High Volume Sampler

- (a) The HVS was installed in the vicinity of the air sensitive receivers. The following criteria were considered in the installation of the HVS:
 - A horizontal platform with appropriate support to secure the sampler against gusty wind was provided.

Key

- Original Monitoring Station
- Alternative Monitoring Station
- Site Boundary

AQMS	X	Y
ASR9A	815847.40	818508.64
ASR9C	816399.52	818946.65
ASR8	815059.45	817488.99
ASR8A	815856.14	818118.14




Figure 2.1

Locations of Air Quality Monitoring Stations

- The distance between the HVS and an obstacle, such as buildings, was at least twice the height that the obstacle protrudes above the sampler.
- A minimum of 2m of separation from walls, parapets and penthouses was required for rooftop samples.
- A minimum of 2m separation from any supporting structure, measured horizontally was required.
- No furnaces or incineration flues were nearby.
- Airflow around the sampler was unrestricted.
- The samplers were more than 20m from the drip line.
- Any wire fence and gate, to protect the sampler, should not cause any obstruction during monitoring.
- Permission must be obtained to set up the samples and to obtain access to the monitoring stations.
- A secured supply of electricity is needed to operate the samplers.
- No two samplers should be placed less than 2 m apart.

(b) Preparation of Filter Papers

- Filter papers of size 8"x 10" that were clean and without pinholes were selected.
- All filter papers were conditioned in a humidity controlled chamber for over 24-hour and be pre-weighed before use for sampling.
- All filter papers were prepared and analysed by ALS Technichem (HK) Pty Ltd., which is a HOKLAS accredited laboratory and has comprehensive quality assurance and quality control programmes.

(c) Field Monitoring

- The power supply was checked to ensure the HVS works properly.
- The filter holder and the area surrounding the filter were cleaned.
- The filter holder was removed by loosening the four bolts and a new filter, with stamped number upward, on a supporting screen was aligned carefully.
- The filter was properly aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter.
- The swing bolts were fastened to hold the filter holder down to the frame. The pressure applied was sufficient to avoid air leakage at the edges.
- Then the shelter lid was closed and was secured with the aluminum strip.
- The HVS was warmed up for about 5 minutes to establish run-temperature conditions.
- A new flow rate record sheet was set into the flow recorder.
- On site temperature and atmospheric pressure readings were taken and the flow rate of the HVS was checked and adjusted at around 1.1 m³/min, and complied with the range specified in the Updated EM&A Manual (i.e. 0.6 – 1.7 m³/min).
- The programmable digital timer was set for a sampling period of 1 hour or 24 hours, and the starting time, weather condition and the filter number were recorded.
- The initial elapsed time was recorded.
- At the end of sampling, on site temperature and atmospheric pressure readings were taken and the final flow rate of the HVS was checked and recorded.
- The final elapsed time was recorded.
- The sampled filter was removed carefully and folded in half-length so

- that only surfaces with collected particulate matter were in contact.
- It was then placed in a clean plastic envelop and sealed.
 - All monitoring information was recorded on a standard data sheet.
 - Filters were then sent to ALS Technichem (HK) Pty Ltd. for analysis.
- (d) Maintenance and Calibration
- The HVS and its accessories were maintained. Appropriate maintenance such as routine motor brushes replacement and electrical wiring checking were made to ensure that the equipment and necessary power supply are in good working condition.
 - All HVS were calibrated (five point calibration) using Calibration Kit prior to the commencement of the baseline monitoring and thereafter at bi-monthly intervals.

Dust Meter

- (a) The measuring procedures of the 1-hour dust meter followed the Manufacturer's Instruction Manual as presented below:
- Turn the power on
 - Close the air collecting opening cover.
 - Push the "TIME SETTING" switch to [BG].
 - Push the "START/STOP" switch to perform background measurement for 6 seconds.
 - Turn the knob at SENSI ADJ position to insert the light scattering plate.
 - Leave the equipment for 1 minute upon "SPAN CHECK" is indicated in the display.
 - Push "START/STOP" switch to perform automatic sensitivity adjustment. This measurement takes 1 minute.
 - Pull out the knob and return it to MEASURE position.
 - Push the "TIME SETTING" switch the time set in the display to 3 hours.
 - Lower down the air collection opening cover.
 - Push "START/STOP" switch to start measurement.
- (b) Maintenance and Calibration
- The 1-hour TSP meter was calibrated at 1-year interval against a continuous particulate TEOM Monitor. Calibration certificates of the Laser Dust Monitors are provided in *Appendix E*.
 - 1-hour validation checking of the TSP meter against HVS is carried out on half-year basis at the air quality monitoring locations.

2.6 MONITORING SCHEDULE FOR THE REPORTING MONTH

The schedule for air quality monitoring in the reporting period is provided in *Appendix F*.

2.7 RESULTS AND OBSERVATIONS

The monitoring results for 1-hour TSP and 24-hour TSP are summarized in *Tables 2.4* and *2.5* respectively. Detailed impact air quality monitoring results are presented in *Appendix G*.

Table 2.4 *Summary of 1-hour TSP Monitoring Results in the Reporting Period*

	Average ($\mu\text{g}/\text{m}^3$)	Range ($\mu\text{g}/\text{m}^3$)	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
ASR 9A (ASR 8A)	101.5	60 - 182	394	500
ASR 9C (ASR 8)	102	63 - 156	393	500

Table 2.5 *Summary of 24-hour TSP Monitoring Results in the Reporting Period*

	Average ($\mu\text{g}/\text{m}^3$)	Range ($\mu\text{g}/\text{m}^3$)	Action Level ($\mu\text{g}/\text{m}^3$)	Limit Level ($\mu\text{g}/\text{m}^3$)
ASR 9A (ASR 8A)	69.2	52 - 91	178	260
ASR 9C (ASR 8)	82.6	65 - 121	178	260

The major dust source in the reporting period included construction activities under the Contract as well as nearby traffic emissions.

All 1-hour and 24-hour TSP results were below the Action and Limit level at all monitoring locations in the reporting period. No action is thus required to be undertaken in accordance with the Event Action Plan presented in *Appendix L*.

Meteorological information collected from the wind station, including wind speed and wind direction, is provided in *Appendix H*.

3 NOISE MONITORING

3.1 MONITORING REQUIREMENTS

In accordance with the Updated EM&A Manual, impact noise monitoring was conducted once per week during the construction phase of the Contract. The Action and Limit level of the noise monitoring is provided in *Appendix D*.

3.2 MONITORING EQUIPMENT

Noise monitoring was performed using sound level meter at each designated monitoring station. The sound level meters deployed comply with the International Electrotechnical Commission Publications (IEC) 651:1979 (Type 1) and 804:1985 (Type 1) specifications. Acoustic calibrator was deployed to check the sound level meters at a known sound pressure level. Brand and model of the equipment is provided in *Table 3.1*.

Table 3.1 Noise Monitoring Equipment

Equipment	Brand and Model
Integrated Sound Level Meter	Rion NL-31
Acoustic Calibrator	Rion NC-73

3.3 MONITORING LOCATIONS

Monitoring location was set up at NSR 1 in accordance with the Updated EM&A Manual. *Figure 3.1* shows the location of the monitoring station. *Table 3.2* describes the details of the monitoring station.

Table 3.2 Location of Impact Noise Monitoring Station

Monitoring Station	Location	Description
NSR 1	Pak Mong Village Watch Tower	Rooftop of the premise

3.4 MONITORING PARAMETERS, FREQUENCY AND DURATION

Table 3.3 summarizes the monitoring parameters, frequency and duration of impact noise monitoring.

Table 3.3 Noise Monitoring Parameters, Frequency and Duration

Parameter	Frequency and Duration
30-mins measurement at each monitoring station between 0700 and 1900 on normal weekdays (Monday to Saturday). L_{eq} , L_{10} and L_{90} would be recorded.	At least once per week

Key

- Noise Monitoring Station
- Site Boundary

NMS	X	Y
NSR1	815059.45	817488.99




Figure 3.1

Locations of Noise Monitoring Stations

Monitoring Procedures

- The microphone head of the sound level meter was positioned 1m exterior of the noise sensitive facade and lowered sufficiently so that the building's external wall acts as a reflecting surface.
- The battery condition was checked to ensure the correct functioning of the meter.
- Parameters were set as follows:
 - frequency weighting: A
 - time weighting: Fast
 - time measurement: $L_{eq}(30 \text{ min.}) \text{ dB(A)}$ (as six consecutive $L_{eq, 5\text{min}}$ readings) during non-restricted hours (i.e. 0700-1900 hrs on normal weekdays)
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94.0 dB at 1000 Hz. If the difference in the calibration level before and after measurement was more than 1.0 dB, the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.
- During the monitoring period, the L_{eq} , L_{90} and L_{10} were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.
- Noise measurement was paused temporarily during periods of high intrusive noise (eg dog barking, helicopter noise) if possible and observation was recorded when intrusive noise was not avoided.
- Noise monitoring was cancelled in the presence of fog, rain and wind with a steady speed exceeding 5m/s, or wind with gusts exceeding 10 m/s. The wind speed shall be checked with a portable wind speed meter capable of measuring the wind speed in m/s.

Maintenance and Calibration

- The microphone head of the sound level meter was cleaned with soft cloth at regular intervals.
- The meter and calibrator were sent to the supplier or HOKLAS laboratory to check and calibrate at yearly intervals.
- Calibration certificates of the sound level meters and acoustic calibrators are provided in Appendix E.

3.6 **MONITORING SCHEDULE FOR THE REPORTING MONTH**

The schedule for construction noise monitoring in the reporting period is provide in *Appendix F*.

3.7 **MONITORING RESULTS**

Results for noise monitoring are summarized in *Table 3.4* and the monitoring data is provided in *Appendix I*.

Table 3.4 *Summary of Construction Noise Monitoring Results in the Reporting Period*

	Average , dB(A), L _{eq} (30mins)	Range, dB(A), L _{eq} (30mins)	Limit Level, dB(A), L _{eq} (30mins)
NSR 1	57	56 - 59	75

No noise Action Level and Limit level exceedance was recorded at all monitoring stations in the reporting month. No action is thus required to be undertaken in accordance with the Event Action Plan presented in *Appendix L*.

Major noise sources during the noise monitoring included construction activities, nearby traffic noise and aircraft noise.

4.1 MONITORING REQUIREMENTS

Impact water quality monitoring was carried out to ensure that any deterioration of water quality was detected, and that timely action was taken to rectify the situation. Impact water quality monitoring was undertaken three days per week during the construction period in accordance with the Updated EM&A Manual. The Action and Limit Level of the water quality monitoring is provided in *Appendix D*.

4.2 MONITORING EQUIPMENT

Table 4.1 summarises the equipment used in the impact water quality monitoring programme.

Table 4.1 Water Quality Monitoring Equipment

Equipment	Brand and Model
DO, Temperature meter and Salinity	YSI Pro2030
Turbidimeter	HACH Model 2100Q
pH meter	HANNA HI8314
Positioning Equipment	Koden913MK2 with KBG-3 DGPS antenna
Water Depth Detector	Speedtech Instrument SM-5
Water Sampler	Kemmerer 1520 (1520-C25) 2.2L with messenger

4.3 MONITORING PARAMETERS, FREQUENCY AND DURATION

Table 4.2 summarizes the monitoring parameters, frequency and monitoring depths of impact water quality monitoring as required in the Updated EM&A Manual.

Table 4.2 Water Quality Monitoring Parameters and Frequency

Monitoring Stations	Parameters, unit	Frequency	Depth
Impact Stations: IS(Mf)9 IS(Mf)16 IS8	<ul style="list-style-type: none"> Temperature(°C) pH(pH unit) Turbidity (NTU) Water depth (m) Salinity (ppt) DO (mg/L and % of saturation) SS (mg/L) 	Impact monitoring: 3 days per week, at mid-flood and mid-ebb tides (within ±1.75 hour of the predicted time) during the construction period of the Contract	3 water depths: 1m below sea surface, mid-depth and 1m above sea bed.

Monitoring Stations	Parameters, unit	Frequency	Depth
SR4a			If the water depth is less than 3m, mid-depth
Control Stations:			sampling only.
CS(Mf)3			
CS(Mf)5			If water depth less than 6m, mid-depth may be omitted.

4.4 MONITORING LOCATIONS

The locations of the monitoring stations under the *Contract* are shown in *Figure 4.1* and detailed in *Table 4.3*.

Table 4.3 *Locations of Impact Water Quality Monitoring Stations*

Station ID	Type	Coordinates	
		Easting	Northing
IS(Mf)9	Impact Station (Close to HKBCF construction site)	813273	818850
IS(Mf)16	Impact Station (Close to HKBCF construction site)	814328	819497
IS8	Impact Station(Close to HKBCF construction site)	814251	818412
SR4	Sensitive receiver (Tai Ho Inlet)	814760	817867
SR4a	Sensitive receiver	815247	818067
CS(Mf)3	Control Station	809989	821117
CS(Mf)5	Control Station	817990	821129

Notes:
DO = Dissolved Oxygen
SS = Suspended Solid

4.5 MONITORING METHODOLOGY

4.5.1 Instrumentation

The *in-situ* water quality parameters, i.e. dissolved oxygen, temperature and salinity were measured by multi-parameter Water Quality System (Model YSI Pro2030).

Turbidity and pH were measured by HACH Model 2100Q and HANNAH HI8314, respectively.

4.5.2 Operating/ Analytical Procedures


Digital Differential Global Positioning Systems (DGPS) were used to ensure that the correct location was selected prior to sample collection.

Portable, battery-operated echo sounders were used for the determination of water depth at each designated monitoring station.

All *in-situ* measurements were taken at 3 water depths, 1 m below water surface, mid-depth and 1 m above sea bed, except where the water depth was

Key

- Control / Far Field Station
- Impact Station
- Sensitive Receiver Station
- Site Boundary



WQMS	X	Y
Impact Station		
IS8	814251	818412
IS(Mf)9	813273	818850
IS(Mf)16	814328	819497
Control / Far Field Station		
CS(Mf)3	809989	821117
CS(Mf)5	817990	821129
Sensitive Receiver Station		
SR4	814760	817867
SR4a	815247	818067

Figure 4.1

Locations of Water Quality Monitoring Stations

less than 6 m, for which the mid-depth station was omitted. Should the water depth be less than 3 m, only the mid-depth station was monitored.

At each sampling depth, two consecutive *in-situ* measurements (DO concentration and saturation, temperature, turbidity, pH and salinity) and water samples for SS were taken. The probes were retrieved out of the water after the first measurement and then re-deployed for the second measurement. Where the difference in the value between the first and second readings of DO or turbidity parameters was more than 25% of the value of the first reading, the reading was discarded and further readings were taken.

Duplicate samples were collected at each sampling depth for SS measurement in the laboratory. Water samples were collected using the water samplers and the samples were stored in high-density polythene bottles. Water samples collected were well-mixed in the water sampler prior to pre-rinsing and transferring to sample bottles. Samples bottles were pre-rinsed with the same water samples. The sample bottles were then packed in cool-boxes (cooled at 4° C) without being frozen) and delivered to ALS Technichem (HK) Pty Ltd. for the analysis of SS concentrations. The laboratory determination work would be started within 24 hours after collection of the water samples. ALS Technichem (HK) Pty Ltd. is a HOKLAS accredited laboratory and has comprehensive QA/QC programme. For QA/QC procedures, one sample of every batch of 20 samples was analyzed.

The analysis method and reporting and detection limit for SS is shown in *Table 4.4*.

Table 4.4 *Laboratory Analysis for Suspended Solids*

Parameters	Instrumentation	Analytical Method	Reporting Limit	Detection Limit
Suspended Solid (SS)	Weighing	APHA 2540-D	0.5 mg/L	0.5 mg/L

Other relevant data were recorded, including monitoring location/ position, time, water depth, tidal stages, weather conditions and any special phenomena or work underway at the construction site in the field log sheet for information.

4.5.3 *Maintenance and Calibration*

All *in situ* monitoring instruments were checked, calibrated and certified by a laboratory accredited under HOKLAS or other international accreditation scheme before use, and subsequently re-calibrated at 3 monthly intervals throughout all stages of the water quality monitoring programme. Responses of sensors and electrodes were checked with certified standard solutions before each use. Wet bulb calibration for a DO meter was carried out before measurement at each monitoring event.

For the on-site calibration of field equipment (Multi-parameter Water Quality System), the BS 1427:2009, "Guide to on-site test methods for the analysis of waters" was observed. Copies of the calibration certificates are attached in *Appendix E*.

4.6 *MONITORING SCHEDULE FOR THE REPORTING MONTH*

The schedule for water quality monitoring in November 2013 is provided in *Appendix F*.

4.7 *RESULTS AND OBSERVATIONS*

Impact water quality monitoring was conducted at all designated monitoring stations in the reporting month. Impact water quality monitoring results and graphical presentations are provided in *Appendix J*.

Exceedances of the Action Levels of the depth-averaged SS was observed at SR4a during mid-ebb tide on 26 November 2013. It is considered that the exceedance of depth-averaged SS level at SR4a during mid-ebb tide on 26 November 2013 was likely due to sediment disturbance caused by water sampler touching seabed, contributing to an exceedance in SS for water sampled at bottom water depth. Thus, the observed SS exceedance was not considered to be project-related and not of environmental concern.

Should non-compliance of the criteria occur, action in accordance with the Event and Action Plan, as provided in *Appendix L* should be carried out.

5.1 MONITORING REQUIREMENTS

Impact dolphin monitoring is required to be conducted by a qualified dolphin specialist team to evaluate whether there have been any effects on the dolphins. Dolphin monitoring works by line transect methodology is required to carry out in accordance with the Updated EM&A Manual of the TM-CLK Link Project. In order to fulfil the EM&A requirements and make good use of available resources, the on-going impact line transect dolphin monitoring data collected by HyD's *Contract No. HY/2011/03 Hong Kong-Zhuhai-Macao Bridge. Hong Kong Link Road - Section between Scenic Hill and Hong Kong Boundary Crossing Facilities* on the monthly basis is adopted to avoid duplicates of survey effort.

5.2 MONITORING EQUIPMENT

Table 5.1 summarises the equipment used for the impact dolphin monitoring.

Table 5.1 *Dolphin Monitoring Equipment*

Equipment	Model
Global Positioning System (GPS)	Garmin 18X-PC Geo One Phottix
Camera	Nikon D90 300m 2.8D fixed focus Nikon D90 20-300m zoom lens
Laser Binoculars	Infinitor LRF 1000
Marine Binocular	Bushell 7 x 50 marine binocular with compass and reticules
Vessel for Monitoring	65 foot single engine motor vessel with viewing platform 4.5m above water level

5.3

MONITORING PARAMETER, FREQUENCIES AND DURATION

Dolphin monitoring should cover all transect lines in Northeast Lantau (NEL) and the Northwest Lantau (NWL) survey areas twice per month throughout the entire construction period. The monitoring data should be compatible with, and should be made available for, long-term studies of small cetacean ecology in Hong Kong. In order to provide a suitable long-term dataset for comparison, identical methodology and line transects employed in baseline dolphin monitoring was followed in the impact dolphin monitoring.

5.4

MONITORING LOCATION

The impact dolphin monitoring was carried out in the NEL and NWL along the line transect as depicted in *Figure 5.1*. The co-ordinates of all transect lines are shown in *Table 5.2* below.

Table 5.2 *Impact Dolphin Monitoring Line Transect Co-ordinates*

Line No.		Easting	Northing		Line No.		Easting	Northing
1	Start Point	804671	814577		13	Start Point	816506	819480
1	End Point	804671	831404		13	End Point	816506	824859
2	Start Point	805475	815457		14	Start Point	817537	820220
2	End Point	805477	826654		14	End Point	817537	824613
3	Start Point	806464	819435		15	Start Point	818568	820735
3	End Point	806464	822911		15	End Point	818568	824433
4	Start Point	807518	819771		16	Start Point	819532	821420
4	End Point	807518	829230		16	End Point	819532	824209
5	Start Point	808504	820220		17	Start Point	820451	822125
5	End Point	808504	828602		17	End Point	820451	823671
6	Start Point	809490	820466		18	Start Point	821504	822371
6	End Point	809490	825352		18	End Point	821504	823761
7	Start Point	810499	820690		19	Start Point	822513	823268
7	End Point	810499	824613		19	End Point	822513	824321
8	Start Point	811508	820847		20	Start Point	823477	823402
8	End Point	811508	824254		20	End Point	823477	824613
9	Start Point	812516	820892		21	Start Point	805476	827081
9	End Point	812516	824254		21	End Point	805476	830562
10	Start Point	813525	820872		22	Start Point	806464	824033
10	End Point	813525	824657		22	End Point	806464	829598
11	Start Point	814556	818449		23	Start Point	814559	821739
11	End Point	814556	820992		23	End Point	814559	824768
12	Start Point	815542	818807					




Figure 5.1

Layout of Transect Lines of Dolphin Monitoring in Northwest and Northeast Lantau Areas

Line No.		Easting	Northing		Line No.		Easting	Northing
12	End Point	815542	824882					

5.5 MONITORING SCHEDULE FOR THE REPORTING MONTH

Dolphin monitoring was carried out on 1, 5, 8 and 13 November 2013. The dolphin monitoring schedule for the reporting period is shown in *Appendix F*.

5.6 RESULTS AND OBSERVATIONS

Vessel-based Line-transect Survey

A total of 268.17 km of survey effort was collected, with 100% of the total survey effort being conducted under favourable weather conditions (i.e. Beaufort Sea State 3 or below with good visibility) during the November's surveys. Amongst the two areas, 98.97 km and 169.20 km of survey effort were collected from NEL and NWL survey areas, respectively. The total survey effort conducted on primary and secondary lines were 211.85 km and 56.32 km respectively. The survey efforts are summarized in *Appendix K*.

A total of twenty-one groups of 102 Chinese White Dolphin sightings were recorded during the two surveys. All sightings were made in NWL during the two sets of surveys in November, with no sightings made at all in NEL. All except one were on-effort sightings, and 18 of these on-effort sightings were made on primary lines. None of the dolphin groups was associated with operating fishing vessels.

None of the 21 sightings was made in the proximity of this Project. The distribution of dolphin sightings during the reporting month is shown in *Figure 5.2*.

Encounter rates of Chinese White Dolphins are deduced from the survey effort and on-effort sighting data made under favourable conditions (Beaufort 3 or below) in November 2013 with the results presented in *Tables 5.3* and *5.4*.

Table 5.3 Individual Survey Event Encounter Rates

		Encounter rate (STG) (no. of on-effort dolphin sightings per 100 km of survey effort)	Encounter rate (ANI) (no. of dolphins from all on-effort sightings per 100 km of survey effort)
		Primary Lines Only	Primary Lines Only
NEL	Set 1: Nov 1 st /5 th	0.0	0.0
	Set 2: Nov 8 th /13 th	0.0	0.0
NWL	Set 1: Nov 1 st /5 th	10.3	50.0
	Set 2: Nov 8 th /13 th	16.1	76.1




Figure 5.2

HY/2012/07 TM-CLKL Southern Connection Viaduct Section
 The distribution of dolphin sightings during the reporting period
 (Source: Adopted from HKLR03 Monitoring Survey in November 2013)

DATE: 06/03/2013

Environmental
 Resources
 Management



Table 5.4 Monthly Average Encounter Rates

	Encounter rate (STG) (no. of on-effort dolphin sightings per 100 km of survey effort)		Encounter rate (ANI) (no. of dolphins from all on-effort sightings per 100 km of survey effort)	
	Primary Lines Only	Both Primary and Secondary Lines	Primary Lines Only	Both Primary and Secondary Lines
Northeast Lantau	0.0	0.0	0.0	0.0
Northwest Lantau	13.2	11.2	63.1	53.2

Note: Overall dolphin encounter rates (sightings per 100km of survey effort) from all four surveys are conducted in November 2013 on primary lines only as well as both primary lines and secondary lines in Northeast and Northwest Lantau

The average group size of Chinese White Dolphins in November 2013 was 4.86 individuals per group. Twelve dolphin groups were composed of only 1-4 animals, while the other nine were larger groups with 5-11 animals per group.

Photo-identification Work

During dolphin monitoring in November 2013, 58 individual dolphins were identified and a majority of them were only sighted once in the reporting month (Appendices III and IV). Seven (7) individuals were sighted twice and four (4) others were sighted 3-4 times during the two sets of surveys.

Five (5) well-recognized females, including NL33, NL88, NL93, NL98 and NL123 were accompanied with their calves during their re-sightings.

During this month of dolphin monitoring, no adverse impact from the construction activities of the TM-CLKL Southern Connection Viaduct Section on Chinese White Dolphins was noticeable from general observations

Due to monthly variation in dolphin occurrence within the Study area, it would be more appropriate to draw conclusion on whether any impacts on dolphins have been detected related to the construction activities of the TM-CLKL Southern Connection Viaduct Section in the quarterly EM&A reports, where comparison on distribution, group size and encounter rates of dolphins between the quarterly impact monitoring period and baseline monitoring period will be made.

Taking into account of natural seasonal change in distribution patterns, which is also observed in baseline monitoring, it is suggested that a longer period of impact monitoring data should be obtained for comparison.

The Event Action Plan is provided in *Appendix L*.

6 BORE PILING MONITORING

6.1 MONITORING REQUIREMENTS

Bore piling monitoring comprised land-based theodolite tracking, underwater noise monitoring and acoustic behavioural monitoring. Such monitoring is undertaken by qualified dolphin specialist, who has sufficient relevant post-graduate experience and publication in the respective aspects.

6.2 MONITORING FREQUENCIES

Table 6.1 summarizes the monitoring frequency of the bore piling monitoring as required in the Updated EM&A Manual. The impact phase bored piling monitoring has not been carried out in the reporting month since no bored piling works were scheduled to be undertaken.

Table 6.1 Bore Piling Monitoring Frequency

	Monitoring Frequency
Land-based Theodolite Tracking	As a minimum, 30 days before, 30 days during and 30 days after the bore piling works.
Underwater Noise Monitoring and Acoustic Behavioural Monitoring	30 days before and 30 days during the construction phase of the bore piling activities

6.3 MONITORING LOCATION

Table 6.2 summarizes the monitoring locations for bore piling monitoring.

Table 6.2 Bore Piling Monitoring Locations

Monitoring Component	Monitoring Locations
Land-based Theodolite Tracking	Pak Mong Station (Figure 6.1)
Underwater Noise Monitoring	Pier No. B1, B2, B3, B4, B5, and B6 (Figure 6.2)

Monitoring Component	Monitoring Locations
Acoustic Behavioural Monitoring	
Dipping Hydrophone	Predefined route in Northeast Lantau (overlapped with TM-CLKL alignment) and part of Northwest Lantau (Control Site) (Figure 6.3)
Ecological Acoustics Recorders (EARs)	Site C1 (within 500m of TM-CLKL alignment) and Site C2 (Control Site between Sha Chau and Lung Kwu Chau) (Figure 6.3)

6.4

MONITORING METHODOLOGY

Land-based Theodolite Tracking

The methodology of the present monitoring programme generally follows the one established under the Piwetz et al. 2012 ⁽¹⁾ study, which is also part of the AFCD long-term marine mammal monitoring programme (ung 2012, 2013)⁽²⁾⁽³⁾. On each survey day, observers will search systematically for Chinese white dolphins using the unaided eye and handheld binoculars (7 x 50) from the Pak Mong Station, overlooking the viaduct alignment to the northeast coast of Lantau Island, in particular the area around the six bored pile sites. Notably, all six bored piling sites were monitored during baseline phase, while three of these six sites will be chosen for construction phase and post-construction phase monitoring when the initial phase of the construction schedule is confirmed.

A theodolite tracking session will be initiated when an individual dolphin or group of dolphins is located, and focal follow methods will be used to track the dolphins. Within a group, a focal individual will be selected for the purposes of tracking the behaviour and movement of the group, based on its distinctive feature such as colouration or severe injury mark. The focal individual will then be tracked continuously via the theodolite, with positions recorded whenever the dolphin surfaces. If an individual cannot be positively distinguished from other members, the group will be tracked by

(¹) Piwetz, S., Hung, S. K., Wang J. Y., Lundquist, D. and Würsig, B. 2012. Influence of vessel traffic on movements of Indo-Pacific humpback dolphins (*Sousa chinensis*) off Lantau Island, Hong Kong. *Aquatic Mammals* 38: 325-331.

(²) Hung, S. K. 2012. Monitoring of Marine Mammals in Hong Kong waters: final report (2011-12). An unpublished report submitted to the Agriculture, Fisheries and Conservation Department, 171 pp.

(³) Hung, S. K. 2013. Monitoring of Marine Mammals in Hong Kong waters: final report (2012-13). An unpublished report submitted to the Agriculture, Fisheries and Conservation Department, 168 pp.

Pier No.	Northing	Easting
B1	818342	814940
B2	818306	814987
B3	818261	815028
B5	818152	815081
B6	818094	815091
B7	818035	815093





Figure 6.1

Location of Pak Mong Station in NE Lantau with alignment of TM-CLKL Southern Connection Viaduct




Figure 6.2 Location of the bored pile pier sites to be monitored for the underwater noise measurement study of TM-CLKL construction




Figure 6.3

Map showing the tentative location of EAR deployments, pier sites to be monitored as well as pre-defined route for dolphin acoustic behavioural study

recording positions based on a central point within the group when the dolphins surface.

Tracking will continue until animals are lost from view, move beyond the range of reliable visibility (>5 km), or when environmental conditions obstructed visibility (e.g. intense haze). Behavioural state data will also be recorded every 5 minutes for the focal individual or group. This interval is long enough to allow for determination of the behavioural state, and short enough to capture behavioural responses to the bored piling activities. Moreover, when multiple groups or individuals are present in the study area, attempts will be made to record the behaviours of all groups/individuals every 10 minutes, with spotters assisting in determining behaviour of the dolphins.

Positions of dolphins, boats and construction activities will be measured using a Sokkisha DT5 digital theodolite with ± 5 -sec precision and 30-power magnification connected to a laptop computer running the program *Pythagoras* Version 1.2 (Gailey and Ortega-Ortiz 2002)⁽¹⁾. This program calculates a real-time conversion of horizontal and vertical angles collected by the theodolite into geographic positions of latitude and longitude each time a fix is initiated. *Pythagoras* also displays positions, movements, and distances in real-time. When possible, the position of the focal dolphin will be recorded at every surfacing with use of *Pythagoras*. The position, type, and activity of all vessels within 5 km of the focal dolphin will also be recorded. An effort will be made to obtain at least several positions for each vessel, and additional positions will be acquired when vessels changed course or speed.

While the primary source of human disturbance to dolphins of interest in this study is bored piling works for the TM-CLKL Project, the presence of vessels may also have an effect on the behaviour and movement patterns of dolphins. Prior to the construction phase (i.e. baseline phase), the simultaneous tracking of dolphins and boats over time provides information on the speed and orientation of dolphins, as well as their movements in relation to vessel activities. Other construction activities and vessel movements in relation to the bored piling works will be recorded during the construction phase monitoring, and the same theodolite tracking and behavioural procedures will be followed as during baseline phase.

Underwater Noise Monitoring Study using Dipping Hydrophone

The underwater sound recording system consists of a high-sensitivity, high-bandwidth hydrophone (International Transducer Corporation ITC-6050c) and two-channel audio recorder (Sound Devices 702T). The hydrophone will be deployed from the stern of the research vessel, a deployment scheme sometimes referred to as a “dipping hydrophone”, approximately mid-water

(1) Gailey, G. A. and Ortega-Ortiz J. 2002. A note on a computer-based system for theodolite tracking of cetaceans. *Journal of Cetacean Research and Management* 4: 213-218

column at a depth of 5 m beneath a 2 m spar buoy. The hydrophone cable is faired to streamline water flow around the cable, reducing pseudonoise and eliminating cable vibration. The vessel will “go quiet” (its engine, generator, bilge pump, and depth sounder turned off) and drift for the duration of each recording. The recording system and deployment method generally follow that of another well-established study of underwater sounds in Hong Kong waters (Würsig and Greene 2002)⁽¹⁾.

The ITC-6050c is a wide-band hydrophone with a built-in, low-noise preamplifier for optimum noise performance. Its nominal operating band is 30 Hz to 70 kHz, and its self-noise level is well below Knudsen Sea State 0 up to 20 kHz. The hydrophone signal will be amplified as needed via a postamplifier with user-selectable gains from 0 to 60 dB in 10 dB increments. The audio recorder will be configured to sample 16-bit data received on each of its two channels at a rate of 192 kHz, thus allowing analysis of the acoustic data up to 96 kHz. According to Section 6.4.5 of the EM&A Manual, “the acoustic results of the monitoring should be analyzed in terms of both the broadband range (100 Hz to 25.6 kHz) and, also, the dolphin sensitive range (400 Hz to 12.6 kHz).” The acoustic data collected from the present underwater noise study was analyzed between 100 Hz and 50 kHz, in compliance with the EM&A Manual requirement.

Observers will log document the recording date, start and end times, hydrophone and water depths, Beaufort sea state, survey area, and postamplifier gain in each recording. Wind speed, often directly correlated with underwater levels, will be measured and documented in the survey team’s logs. The wind speed measurements will be performed with a handheld Kestrel 1000 anemometer, containing an impeller with precision axle and low-friction bearings, providing 0.1 m/s resolution between 0.6–40.0 m/s and an accuracy (calculated using two standard deviations) of the larger of 3% of the reading, least significant digit, or 0.1 m/s.

Dolphin Acoustic Behavioural Study using Dipping Hydrophone

During dedicated acoustic surveys, the survey team of 2-3 HKCRP researchers will conduct systematic search for dolphins within the study area. The survey protocol to search for dolphins is similar to the line-transect survey methodology adopted in the vessel survey under the AFCD long-term marine mammal monitoring programme (Hung 2012, 2013)⁽²⁾⁽³⁾ as well as various HZMB EM&A dolphin monitoring programmes. For each survey, a 15-m inboard vessel with an open upper deck will be used to make observations

(1) Würsig, B. and Greene, C. R., Jr. 2002. Underwater sounds near a fuel receiving facility in western Hong Kong: relevance to dolphins. *Marine Environmental Research* 54: 129–145

(2) Hung, S. K. 2012. Monitoring of Marine Mammals in Hong Kong waters: final report (2011-12). An unpublished report submitted to the Agriculture, Fisheries and Conservation Department, 171 pp.

(3) Hung, S. K. 2013. Monitoring of Marine Mammals in Hong Kong waters: final report (2012-13). An unpublished report submitted to the Agriculture, Fisheries and Conservation Department, 168 pp

from the flying bridge area, at a visual height of 4-5 m above water surface. The two observers searched with unaided eyes and 7 x 50 marine binoculars ahead of the vessel (between 270° and 90° in relation to the bow, which is defined as 0°). The survey team will record effort data including time, position (latitude and longitude), weather conditions (Beaufort sea state and visibility), and distance travelled in each series (a continuous period of search effort) with the assistance of a handheld GPS.

When dolphins are sighted, the survey team will end the search effort, and the research vessel will be diverted from its course to slowly approach the animals for group size estimation, assessment of group composition, and behavioural observations in the initial 5-10 minutes. The dipping hydrophone will then be deployed 3 to 7 metres below the sea surface by 2-metre long spar buoy from the stern of the research vessel, with vessel engine noise off and the vessel drifting. Broadband dolphin recordings will be made with the same set of underwater sound recording system as mentioned in Section 2.3.1 (see previous paragraph for detailed description). According to Section 6.4.5 of the EM&A Manual, “the acoustic results of the monitoring should be analyzed in terms of both the broadband range (100 Hz to 25.6 kHz) and, also, the dolphin sensitive range (400 Hz to 12.6 kHz).” Dolphin acoustic data collected from the recording system will be analyzed from 100 Hz and up to 40 kHz, which avoided a hydrophone resonance frequency at 50 kHz. This range would be sufficient to detect the presence of dolphin acoustic signals and their temporal parameters (e.g. click intervals), while it is also in compliance with the EM&A Manual requirement.

During the dipping hydrophone deployment, the date, start and end times, hydrophone and water depths, Beaufort sea state, survey area, locations, gain, event, and notes will be taken for each recording in five-minute intervals. Within each corresponding five-minute interval, observers will also note variables including the group size, group composition and general behaviour during the 5-minute period (i.e. feeding, socializing, travelling, resting, milling and any aerial activity). The number of vessels that passed within 500 m of the dolphin group will also be recorded during the same 5-minute interval, with special notes on close approaches by vessels within 100 m of dolphins, including the time of closest approach and any behavioural reaction being noted. Distances of vessels will be gathered by hand-held laser rangefinder (*Bushnell* Yardage Pro 800; maximum range of detection for most objects: 720 metres; ranging accuracy ± 2 metres under most circumstances). Also, notes will be made on the approximate distance (i.e. 0-250m, 250-500m, >500 m) of the dolphin groups to the hydrophone during the 5-minute interval. Notably, positions of dolphin group will be recorded continuously during the entire focal follow session to examine their movements in detail, especially when they occur in the vicinity of the TM-CLKL alignment.

Passive Acoustic Monitoring using Ecological Acoustic Recorders

Two sets of EARs will be deployed at two sites in North Lantau, one near the bored piling site and another at a control site between Sha Chau and Lung Kwu Chau. The EARs will be deployed and recovered by a professional dive

team from Oceanway Corporation Limited. During each deployment, the EAR serial number, as well as the time and date of deployment will be recorded. Moreover, the GPS position, water depth and type of substrate at the deployment location will also be recorded.

The EARs will be programmed to record on a 20% duty cycle (1 minute “on” for every 5 minutes). Recordings will be from approximately 20 Hz at the low end to 32 kHz at the high end, which effectively covered a major part of the acoustic channel of the Chinese White Dolphins (Sims et al. 2011)⁽¹⁾. Data from the EARs was downloaded onto a computer hard disk at the end of the baseline monitoring period, and will then be re-deployed at the same location before the start of bored piling works until the study is completed at the end of the 30 days of construction phase monitoring.

(¹) Sims, P. Q., Vaughn, R., Hung, S. K. and Würsig, B. 2011. Sounds of Indo-Pacific humpback dolphins (*Sousa chinensis*) in West Hong Kong: A preliminary description. *Journal of the Acoustical Society of America*, EL48-EL53 (doi: 10.1121/1.3663281).

7.1 SITE INSPECTION

Site inspections were carried out on a weekly basis to monitor the implementation of proper environmental pollution control and mitigation measures under the Contract. In the reporting month, four (4) site inspections were carried out on 6, 13, 20 and 27 November 2013.

Particular observations during the site inspections are described below:

Air Quality

The Contractor was reminded to implement dust suppression measures more frequently, especially on water spraying at Area 5.

Noise

No adverse observation was identified in the reporting month.

Water Quality

The Contractor was recommended to set up an appropriate wastewater treatment system in the work site.

Marine Ecology

Pre-translocation survey at Yam Tsai Wan was conducted on 19 October 2013 and the subsequent coral translocation and audit survey was carried out at Tai Ho Wan and Yam Tsai Wan on 24 October 2013. The post-translocation monitoring is scheduled in January 2014.

Daily 250 m marine mammal exclusion zone monitoring was undertaken within the reporting month. No sighting of the Indo-Pacific humpback dolphin *Sousa chinensis* were recorded in November 2013 during the exclusion zone monitoring. In addition, acoustic decoupling monitoring and marine vessel control were implemented in this reporting month.

Chemical and Waste Management

The drip tray stopper was found missing for one of the generators in Area 5 which was then being rectified in timely-manner.

Landscape and Visual Impact

No adverse observation was identified in the reporting month.

Miscellaneous

The Environmental Permit was displayed at the site entrance.

The Contractor has rectified most of the observations as identified during environmental site inspection in the reporting month. Rectifications of remaining identified items are undertaken by the Contractor. Follow-up inspections on the status on provision of mitigation measures will be conducted to ensure all identified items are mitigated properly.

7.2

WASTE MANAGEMENT STATUS

The Contractor had submitted application form for registration as chemical waste producer under the Contract. Sufficient numbers of receptacles were available for general refuse collection and sorting.

As advised by the Contractor, 560 m³ of inert C&D Materials are generated and disposed of in the reporting period and 37 m³ of inert C&D Materials are disposed of as public fill. 22.05 tonnes of general refuse were generated and disposed of in the reporting period. Monthly summary of waste flow table is detailed in *Appendix M*.

The Contractor is advised to properly maintain on site C&D materials and waste collection, sorting and recording system, dispose of C&D materials and wastes at designated ground and maximize reuse/ recycle of C&D materials and wastes. The Contractor is reminded to properly maintain the site tidiness and dispose of the wastes accumulated on site regularly and properly.

The Contractor is reminded that chemical waste containers should be properly treated and stored temporarily in designated chemical waste storage area on site in accordance with the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes.

7.3

ENVIRONMENTAL LICENSES AND PERMITS

The status of environmental licensing and permit is summarized in *Table 7.1* below.

Table 7.1 Summary of Environmental Licensing and Permit Status

Statutory Reference	License/ Permit	License or Permit No.	Date of Issue	Date of Expiry	License/ Permit Holder	Remarks
EIAO	Environmental Permit	EP-354/2009/A	8 Dec 2010	NA	HyD	Tuen Mun- Chek Lap Kok Link
NCO	Construction Dust Notification	361571	5 Jul 2013	NA	GCL	-
NCO	Construction Dust Notification	362093	17 Jul 2013	NA	GCL	Areas 2 and 3
WDO	Chemical Waste Registration	5213-961-G2380-13	10 Oct 2013	NA	GCL	Chemical waste produced in Contract HY/2012/07
WDO	Chemical Waste Registration	5213-961-G2380-14	10 Oct 2013	NA	GCL	Chemical waste produced in Contract HY/2012/07
WDO	Chemical Waste Registration	5213-974-G2588-03	4 Nov 2013	NA	GCL	Chemical waste produced in Contract HY/2012/07
WDO	Construction Waste Disposal Account	7017735	10 Jul 2013	NA	GCL	Waste disposal in Contract HY/2012/07
WPCO	Waste Water Discharge License	Nil	Application in process	NA	GCL	Discharge of Construction Runoff
NCO	Construction Noise Permit	Nil	Application in process	NA	GCL	For Piling Works
NCO	Construction Noise Permit	GW-RW0660-13	27 Sep 2013	02 Feb 2014	GCL	For night works and works in general holidays

Statutory Reference	License/ Permit	License or Permit No.	Date of Issue	Date of Expiry	License/ Permit Holder	Remarks
NCO	Construction Noise Permit	GW-RS1129-13	31 Oct 2013	30 Apr 2014	GCL	For night works and works in general holidays
NCO	Construction Noise Permit	GW-RS1186-13	23 Oct 2013	24 Dec 2013	GCL	For night works and works in general holidays
NCO	Construction Noise Permit	GW-RS1187-13	24 Oct 2013	28 Feb 2014	GCL	For night

7.4 *IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES*

In response to the site audit findings, the Contractors carried out corrective actions.

A summary of the Implementation Schedule of Environmental Mitigation Measures (EMIS) is presented in *Appendix C*. The necessary mitigation measures were implemented properly for this Contract.

7.5 *SUMMARY OF EXCEEDANCES OF THE ENVIRONMENTAL QUALITY PERFORMANCE LIMIT*

Results for 1-hour and 24-hour TSP monitoring and construction noise monitoring complied with the Action/ Limit levels in the reporting period. One (1) exceedance of Action Level for depth-averaged SS at SR4a was recorded in the reporting month. The exceedances were considered not related to the construction works of this Contract after further investigation.

Cumulative statistics on exceedances is provided in *Appendix N*.

7.6 *SUMMARY OF COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTIONS*

The Environmental Complaint Handling Procedure is provided in *Figure 7.1*.

One (1) complaint was referred by EPD to various parties of the HZMB projects on 12 November 2013 regarding the noise nuisance arising from the operation or towing of barges by tug boats during restricted hours, particularly during the period from 23:00 to 07:00 of next day by HZMB Projects in the waters outside Tung Chung New Development Pier and near the barging point of CEDD's construction site of Site Formation at Tung Chung Areas 53 and 54.

With reference to the Contractor's site diary of 12 November 2013, no site activity after 18:00 was undertaken on the concerned day. Thus, the noise complaint was considered as non-project related.

No notification of summons and prosecution was received in the reporting period.

Statistics on complaints, notifications of summons and successful prosecutions are summarized in *Appendix N*.




Figure 7.1

Environmental Complaint Handling Procedure

8 ***FUTURE KEY ISSUES***

8.1 ***CONSTRUCTION PROGRAMME FOR THE COMING MONTHS***

As informed by the Contractor, the major works for the Contract in December 2013 and January 2014 will be:

Marine Works

- GI works at marine piers;
- Filling Platform at seawall; and
- Marine foundation at Viaduct E2, E5-8 and E13.

Land-based Works

- Additional GI fieldwork, Lab testing and permitting;
- Fence relocation at Viaduct A, C and D; and
- Site offices erection at Area 2, Area 3, Area 5 and seawall.

8.2 ***KEY ISSUES FOR THE COMING MONTH***

Potential environmental impacts arising from the above upcoming construction activities in the next reporting month of December 2013 are mainly associated with dust, noise, marine water quality, marine ecology and waste management issues.

8.3 ***MONITORING SCHEDULE FOR THE COMING MONTH***

The tentative schedule for environmental monitoring in December 2013 is provided in *Appendix F*.

9.1 CONCLUSIONS

The construction phase of the TM-CLKL Southern Connection Viaduct Section and the associated impact phase EM&A programme of the Project commenced on 31 October 2013.

1-hour TSP, 24-hour TSP, noise, water quality and dolphin monitoring were carried out in the reporting period.

Exceedance of Action Levels for depth-averaged SS level was recorded in one monitoring event in this reporting month. The review of monitoring data and works activities undertaken suggested that no marine works were being undertaken when exceedance was recorded and that construction activities have been proceeded in an environmentally acceptable manner.

Results for noise and air quality monitoring complied with the Action/ Limit levels in the reporting period.

A total of twenty-one dolphin sightings were recorded during the two surveys. All sightings were made in NWL during the two sets of surveys with no sightings made at all in NEL in November 2013. None of the 21 sightings was made in the proximity of the TM-CLKL Southern Connection Viaduct Section. During this reporting period of dolphin monitoring, no adverse impact from the construction activities of the TM-CLKL Southern Connection Viaduct Section on Chinese White Dolphins was noticeable from general observations.

Environmental site inspection was carried out four (4) times in November 2013. Recommendations on remedial actions were given to the Contractor for the deficiencies identified during the site audits.

One (1) environmental complaint regarding noise nuisance was followed up and was considered to be not related to the Contract works.

9.2 RECOMMENDATIONS

According to the environmental site inspections performed in the reporting month, the following recommendations were provided:

Air Quality Impact

- All working plants and vessels on site should be regularly inspected and properly maintained by the Contractor to avoid dark smoke emission.
- Open stockpiles should be properly covered by the Contractor.

- The Contractor should provide water spraying to suppress fugitive dust for any dusty construction activity.

Construction Noise Impact

- Vessels and equipment operating should be checked regularly and properly maintained by the Contractor.

Water Quality Impact

- The Contractor should regularly review and maintain drainage systems to make sure they are functioning effectively.
- Proper drainage channels, bunds and set-up should be provided by the Contractor at the site to collect/ intercept the surface run-off or waste water generated from works area to ensure no direct discharge from site to surrounding water bodies.

Chemical and Waste Management


- All types of wastes should be collected and sorted accordingly and removed timely by the Contractor. They should be properly stored in designated areas within the works areas temporarily.
- All plants and vehicles on site should be properly maintained by the Contractor to prevent oil leakage.
- All drain holes of the drip trays within the works areas should be properly plugged by the Contractor to avoid any oil and chemical waste leakage.
- Oil stains on soil surface should be cleared and disposed of as chemical waste by the Contractor.

Marine Mammal Exclusion Zone Monitoring

- Daily 250 m marine mammal exclusion zone monitoring was undertaken during the period in which marine works were being undertaken. No sighting of the Indo-Pacific humpback dolphin *Sousa chinensis* were recorded in November 2013 during the exclusion zone monitoring.


Appendix A

Project Organization for Environmental Works



Appendix B


Three-Month Rolling Construction Programme




	Actual Work
	Planned Bar
	Critical Bar
	Milestone





Date	Revision	Checked	Approved
28-Jun-13	3M-Rolling Program...	RT	
21-Aug-13	3M-Rolling Progr Up...	RT	
21-Sep-13	3M-Rolling Progr Up...	RT	
21-Oct-13	3M-Rolling Progr Up...	RT	

8Tuen Mun - Chek Lap Kok Southern Connection
3-Months Rolling Programme (Page 1 of 8 Pages)
(21-Oct-13 to 20-Jan-14)



DWG. No.:
J3518/GCL/PGM/3MRP-M05




	Actual Work		
	Planned Bar		
	Critical Bar		
	Milestone		
Date	Revision	Checked	Approved
28-Jun-13	3M-Rolling Program...	RT	
21-Aug-13	3M-Rolling Progr Up...	RT	
21-Sep-13	3M-Rolling Progr Up...	RT	
21-Oct-13	3M-Rolling Progr Up...	RT	

8Tuen Mun - Chek Lap Kok Southern Connection
3-Months Rolling Programme (Page 2 of 8 Pages)
(21-Oct-13 to 20-Jan-14)



DWG. No.:
J3518/GCL/PGM/3MRP-M05



	Actual Work
	Planned Bar
	Critical Bar
	Milestone

Date	Revision	Checked	Approved
28-Jun-13	3M-Rolling Program...	RT	
21-Aug-13	3M-Rolling Progr Up...	RT	
21-Sep-13	3M-Rolling Progr Up...	RT	
21-Oct-13	3M-Rolling Progr Up...	RT	

8Tuen Mun - Chek Lap Kok Southern Connection
3-Months Rolling Programme (Page 4 of 8 Pages)
(21-Oct-13 to 20-Jan-14)



DWG. No.:
J3518/GCL/PGM/3MRP-M05


Activity ID	Activity Name	Remaining Duration	Start	Finish	Physical % Complete	2013												2014				
						Oct				Nov				Dec				Jan				
						16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
PR03095	PBH35	0	26-Sep-13 A	28-Sep-13 A	100%	█																
PR03100	PBH36 and 37 (Helicopter access)	12	31-Oct-13	13-Nov-13	0%																	
PR03130	Apply for land between Viaduct C & D	54	15-Sep-13 A	21-Dec-13	28%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR03140	Fence relocation Viaduct B	10	21-Oct-13	31-Oct-13	0%																	
PR03150	Fence relocation Viaduct D	20	1-Nov-13	23-Nov-13	0%																	
PR03160	Fence relocation Viaduct A	20	25-Nov-13	17-Dec-13	0%																	
PR03170	Fence relocation Viaduct C	20	18-Dec-13	13-Jan-14	0%																	
PR03180	Fencing connecting Viaduct C & D	10	14-Jan-14	24-Jan-14	0%																	
PR03189	Scaffold platform construction for PBH42	5	1-Nov-13*	6-Nov-13	0%																	
PR03190	PBH42 (Viaduct B) Rig #3	9	7-Nov-13	16-Nov-13	0%																	
PR03190-1	PBH23 (Viaduct C) Rig #3	8	18-Nov-13	26-Nov-13	0%																	
PR03190-2	PBH25 (Viaduct D) Rig #3	9	27-Nov-13	6-Dec-13	0%																	
PR03200	PBH29 (Viaduct D) Rig #1	8	21-Oct-13*	29-Oct-13	0%																	
PR03200-1	PBH30 (Viaduct D) Rig #1	0	16-Oct-13 A	21-Oct-13 A	100%	█																
PR03200-2	PBH31 (Viaduct D) Rig #1	8	30-Oct-13	7-Nov-13	0%																	
PR03200-3	PBH36 (Viaduct D) Rig #1	9	8-Nov-13	18-Nov-13	0%																	
PR03210	PBH38 (Viaduct A) Rig #2	9	21-Oct-13*	30-Oct-13	0%																	
PR03210-1	PBH39 (Viaduct A) Rig #2	9	31-Oct-13	9-Nov-13	0%																	
PR03210-2	PBH40 (Viaduct A) Rig #2	9	11-Nov-13	20-Nov-13	0%																	
PR03316	Topographic Survey Slope Works 10NW-C/F13, F14, F15 (CTR) & assoc. work area	0	30-Aug-13 A	12-Oct-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR03326	Topographic Survey Slope Works 10NW-C/F9, R4, F10 & F50 & assoc. works area	0	21-Sep-13 A	28-Sep-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR03328	Proposed Viaduct C & associated works area	0	28-Sep-13 A	28-Sep-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR03330	Topographic Survey Slope Works 9SE-B/FR8 & assoc. works area	12	21-Oct-13	2-Nov-13	0%																	
PR03334	Topographic Survey Natural Terrain at western end of CTR (above footpath)	30	21-Oct-13	23-Nov-13	0%																	
PR03338	Topographic Survey Natural Terrain at western end of CTR (above slope toe area)	30	25-Nov-13	31-Dec-13	0%																	
Marine Works																						
PR00700	Marine travel routes for vessels moving to/from work sites	0	29-Jul-13 A	3-Oct-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR01000	Join the MMWG marine mgt liaison grp establ/oprted under Cont#HY/2010/02 - Recl Works	0	7-Aug-13 A	27-Sep-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR01030	Apply for permits/licences for cross-boundary disposal of Cat. Mp and Cat. L marine sediments	16	29-Jul-13 A	5-Nov-13	82%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR01120	Apply for DASO permits for the dumping of sediments in Hong Kong waters	56	30-Aug-13 A	15-Dec-13	38%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR01340	Hydrographic survey before any marine activities	0	21-Aug-13 A	25-Sep-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR02130	Liaison with BCF Contract	0	16-Aug-13 A	27-Sep-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR02140	GCL Additional GI Commencement	0	7-Oct-13 A	23-Oct-13	100%																	
PR02142	PBH21 (Pier E5E6a or E11-B)	3	7-Oct-13 A	23-Oct-13	80%																	
PR02142-1	PBH44 (Pier E7E8a or E11-A)	14	24-Oct-13	6-Nov-13	0%																	
PR02152	PBH15 (Pier E5c or E13-D)	0	10-Sep-13 A	21-Sep-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR02152-1	PBH14 (Pier E5d or E14-D)	0	3-Oct-13 A	10-Oct-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR02152-2	PBH20 (Pier E8b or E12-A)	12	21-Oct-13	1-Nov-13	0%																	
PR02153	PBH16 (Pier E6c or E13-C)	0	30-Sep-13 A	12-Oct-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR02154	PBH17 (Pier E7c or E13-B)	5	15-Oct-13 A	26-Oct-13	44%																	
PR02154-1	PBH22 (D4d or D3)	8	15-Oct-13 A	28-Oct-13	44%																	
PR02155	PBH18 (Pier E8c or E13-A)	0	25-Sep-13 A	3-Oct-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR070	MDN Application (for Marine Piling & Civil Works)	7	30-Aug-13 A	28-Oct-13	82%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR080	Temporary Access Bridge and Working Platform (North Lantau)	74	28-Nov-13	1-Mar-14	0%																	
Environmental Management																						
PR00560	Updated Environ Assessment Report for temp marine struct-then to Marine Consultant / EC	0	1-Aug-13 A	4-Oct-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR00590	Baseline Environmental Monitoring Report	0	1-Aug-13 A	4-Oct-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR00690	Spill Response Plan (SRP) for marine works	0	29-Jul-13 A	27-Sep-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR00710	Waste Management Plan (WMP)	0	9-Aug-13 A	27-Sep-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR030	Application of EPD Permits	2	15-Jul-13 A	22-Oct-13	98%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR06010	Water Quality Monitoring	0	29-Aug-13 A	24-Sep-13 A	100%	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█	█
PR06020	Submit Baseline Water Quality Monitoring Results	0		4-Oct-13 A	100%																	

█	Actual Work	Date	Revision	Checked	Approved
█	Planned Bar	28-Jun-13	3M-Rolling Program...	RT	
█	Critical Bar	21-Aug-13	3M-Rolling Progr Up...	RT	
◆	Milestone	21-Sep-13	3M-Rolling Progr Up...	RT	
		21-Oct-13	3M-Rolling Progr Up...	RT	

8Tuen Mun - Chek Lap Kok Southern Connection
3-Months Rolling Programme (Page 7 of 8 Pages)
(21-Oct-13 to 20-Jan-14)




DWG. No.:
J3518/GCL/PGM/3MRP-M05



	Actual Work
	Planned Bar
	Critical Bar
	Milestone

Date	Revision	Checked	Approved
28-Jun-13	3M-Rolling Program...	RT	
21-Aug-13	3M-Rolling Progr Up...	RT	
21-Sep-13	3M-Rolling Progr Up...	RT	
21-Oct-13	3M-Rolling Progr Up...	RT	

8Tuen Mun - Chek Lap Kok Southern Connection
3-Months Rolling Programme (Page 8 of 8 Pages)
(21-Oct-13 to 20-Jan-14)



DWG. No.:
J3518/GCL/PGM/3MRP-M05

Appendix C

Environmental Mitigation and Enhancement Measure Implementation Schedules

(Adopted from: CINOTECH (2011) Agreement No.
CE35/2011 EP Baseline Environmental Monitoring for
Hong Kong-Zhuhai-Macao Bridge Tuen Mun-Chep Lap
Kok Link – Investigation. Updated EM&A Manual for
Tuen Mun-Chek Lap Kok Link)

*Contract No. HY/2012/07
Tuen Mun – Chek Lap Kok Link
Southern Connection Viaduct Section
Environmental Mitigation and Enhancement Measure Implementation Schedule*

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
AIR QUALITY									
4.8.1	3.8	An effective watering programme of eight daily watering with complete coverage, is estimated to reduce by 50%. This is recommended for all areas in order to reduce dust levels to a minimum;	All areas / throughout construction period	Contractor	TMEIA Avoid smoke impacts and disturbance		Y		n/a
4.8.1	3.8	The Contractor shall, to the satisfaction of the Engineer, install effective dust suppression measures and take such other measures as may be necessary to ensure that at the Site boundary and any nearby sensitive receiver, dust levels are kept to acceptable levels.	All areas / throughout construction period	Contractor	TMEIA Avoid dust generation		Y		n/a
4.8.1	3.8	The Contractor shall not burn debris or other materials on the works areas.	All areas / throughout construction period	Contractor	TMEIA Avoid dust generation		Y		n/a
4.8.1	3.8	In hot, dry or windy weather, the watering programme shall maintain all exposed road surfaces and dust sources wet.	All unpaved haul roads / throughout construction period in hot, dry or windy weather	Contractor	TMEIA Avoid smoke impacts and disturbance		Y		n/a
4.8.1	3.8	Where breaking of oversize rock/concrete is required, watering shall be implemented to control dust. Water spray shall be used during the handling of fill material at the site and at active cuts, excavation and fill sites where dust is likely to be created.	All areas / throughout construction period	Contractor	TMEIA Avoid dust generation		Y		n/a
4.8.1	3.8	Open dropping heights for excavated materials shall be controlled to a maximum height of 2m to minimise the fugitive dust arising from unloading.	All areas / throughout construction period	Contractor	TMEIA Avoid dust generation		Y		n/a
4.8.1	3.8	During transportation by truck, materials shall not be loaded to a level higher than the side and tail boards, and	All areas / throughout construction period	Contractor	TMEIA Avoid dust generation		Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
		shall be dampened or covered before transport.							
4.8.1	3.8	Materials having the potential to create dust shall not be loaded to a level higher than the side and tail boards, and shall be covered by a clean tarpaulin. The tarpaulin shall be properly secured and shall extend at least 300mm over the edges of the side and tail boards.	All areas / throughout construction period	Contractor	TMEIA Avoid dust generation		Y		n/a
4.8.1	3.8	No earth, mud, debris, dust and the like shall be deposited on public roads. Wheel washing facility shall be usable prior to any earthworks excavation activity on the site.	All site exits / throughout construction period	Contractor	TMEIA Avoid dust		Y		n/a
4.8.1	3.8	Areas of exposed soil shall be minimised to areas in which works have been completed shall be restored as soon as is practicable.	All exposed surfaces / throughout construction period	Contractor	TMEIA Avoid dust generation		Y		n/a
4.8.1	3.8	All stockpiles of aggregate or spoil shall be enclosed or covered and water applied in dry or windy condition.	All areas / throughout construction period	Contractor	TMEIA Avoid dust generation		Y		n/a
4.11	Section 3	EM&A in the form of 1 hour and 24 hour dust monitoring and site audit	All representative existing ASRs / throughout construction period	Contractor	EM&A Manual		Y		n/a
NOISE									
5.11	Section 4	Noise monitoring	All existing representative sensitive receivers / during North Lantau Viaduct construction	Contractor	EM&A Manual		Y		n/a
WATER QUALITY									
<i>General Marine Works</i>									
6.10	-	Bored piling to be undertaken within a metal casing.	Marine viaducts of TM-CLKL and HKLR/ bored piling	Contractor	TM-EIAO		Y		n/a
6.10	-	Barges and hopper dredgers shall have tight fitting seals to their bottom openings to prevent leakage of material.	All areas/ throughout construction period	Contractor	Marine Fill Committee Guidelines. DASO		Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
					permit conditions.				
6.10	-	Any pipe leakages shall be repaired quickly. Plant should not be operated with leaking pipes.	All areas/ throughout construction period	Contractor	Marine Fill Committee Guidelines. DASO permit conditions.		Y		n/a
6.10	-	Loading of barges and hoppers shall be controlled to prevent splashing of dredged material to the surrounding water. Barges or hoppers shall not be filled to a level which will cause overflow of materials or pollution of water during loading or transportation.	All areas/ throughout construction period	Contractor	Marine Fill Committee Guidelines. DASO permit conditions.		Y		n/a
6.10	-	Excess material shall be cleaned from the decks and exposed fittings of barges and hopper dredgers before the vessel is moved	All areas/ throughout construction period	Contractor	Marine Fill Committee Guidelines. DASO permit conditions.		Y		n/a
6.10	-	Adequate freeboard shall be maintained on barges to reduce the likelihood of decks being washed by wave action;	All areas/ throughout construction period	Contractor	Marine Fill Committee Guidelines. DASO permit conditions.		Y		n/a
6.10	-	All vessels shall be sized such that adequate clearance is maintained between vessels and the sea bed at all states of the tide to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash.	All areas/ throughout construction period	Contractor	Marine Fill Committee Guidelines. DASO permit conditions.		Y		n/a
6.10	-	The works shall not cause foam, oil, grease, litter or other objectionable matter to be present in the water within and adjacent to the works site.	All areas/ throughout construction period	Contractor	Marine Fill Committee Guidelines. DASO permit conditions.		Y		n/a
<i>Temporary Staging work</i>									
	5.2	Regular inspection for the accumulation of floating refuse and collection of floating refuse if required	During temporary staging works	Contractor			Y		n/a
	5.2	Provision of temporary drainage system on the temporary staging for collection of construction site runoff to allow appropriate treatment before discharge into the sea	During temporary staging works	Contractor			Y		n/a
	5.2	Wastewater generated from construction works such as bored / drilling water will be collected, treated, neutralized and de-silted through silt trap or sedimentation tank before disposal	During temporary staging works	Contractor			Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
	5.2	One additional water quality monitoring station is proposed at station SR4a. In case elevated SS or turbidity is identified during the water quality monitoring, the source of pollution will be tracked down and be removed as soon as possible. In case depletion of dissolved oxygen is identified, artificial aeration will be arranged at the monitoring station SR4a,	During temporary staging works	Contractor			Y		n/a
<i>Land Works</i>									
6.10	-	Wastewater from temporary site facilities should be controlled to prevent direct discharge to surface or marine waters.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Sewage effluent and discharges from on-site kitchen facilities shall be directed to Government sewer in accordance with the requirements of the WPCO or collected for disposal offsite. The use of soakaways shall be avoided.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Storm drainage shall be directed to storm drains via adequately designed sand/silt removal facilities such as sand traps, silt traps and sediment basins. Channels, earth bunds or sand bag barriers should be provided on site to properly direct stormwater to such silt removal facilities. Catchpits and perimeter channels should be constructed in advance of site formation works and earthworks.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Silt removal facilities, channels and manholes shall be maintained and any deposited silt and grit shall be removed regularly, including specifically at the onset of and after each rainstorm.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Temporary access roads should be surfaced with crushed stone or gravel.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Rainwater pumped out from trenches or foundation excavations should be discharged into storm drains via silt removal facilities.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Measures should be taken to prevent the washout of construction materials, soil, silt or debris into any drainage	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
		system.							
6.10	-	Open stockpiles of construction materials (e.g. aggregates and sand) on site should be covered with tarpaulin or similar fabric during rainstorms.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	5.8	Manholes (including any newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris from getting into the drainage system, and to prevent storm run-off from getting into foul sewers.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Discharges of surface run-off into foul sewers must always be prevented in order not to unduly overload the foul sewerage system.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	All vehicles and plant should be cleaned before they leave the construction site to ensure that no earth, mud or debris is deposited by them on roads. A wheel washing bay should be provided at every site exit.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Wheel wash overflow shall be directed to silt removal facilities before being discharged to the storm drain.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Section of construction road between the wheel washing bay and the public road should be surfaced with crushed stone or coarse gravel.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Wastewater generated from concreting, plastering, internal decoration, cleaning work and other similar activities, shall be screened to remove large objects.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Vehicle and plant servicing areas, vehicle wash bays and lubrication facilities shall be located under roofed areas. The drainage in these covered areas shall be connected to foul sewers via a petrol interceptor in accordance with the requirements of the WPCO or collected for off site disposal.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	The Contractor shall prepare an oil / chemical cleanup plan and ensure that leakages or spillages are contained and cleaned up immediately.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Waste oil should be collected and stored for recycling or disposal, in accordance with the Waste Disposal	All areas/ throughout	Contractor	TM-EIAO Waste		Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
		Ordinance.	construction period		Disposal Ordinance				
6.10	-	All fuel tanks and chemical storage areas should be provided with locks and be sited on sealed areas. The storage areas should be surrounded by bunds with a capacity equal to 110% of the storage capacity of the largest tank.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Surface run-off from bunded areas should pass through oil/grease traps prior to discharge to the stormwater system.	All areas/ throughout construction period	Contractor	TM-EIAO		Y		n/a
6.10	-	Roadside gullies to trap silt and grit shall be provided prior to discharging the stormwater into the marine environment. The sumps will be maintained and cleaned at regular intervals.	Roadside/design and operation	Design Consultant/ Contractor	TM-EIAO	Y		Y	n/a
6.10	Section 5	All construction works shall be subject to routine audit to ensure implementation of all EIA recommendations and good working practice.	All areas/ throughout construction period	Contractor	EM&A Manual		Y		n/a
<i>Water Quality Monitoring</i>									
6.10	Section 5	Water quality monitoring shall be undertaken for suspended solids, turbidity, and dissolved oxygen. Nutrients and metal parameters shall also be measured for Mf sediment operations (only HKBCF and HKLR required handling of Mf sediment) during baseline, backfilling and post construction period. One year operation phase water quality monitoring at designated stations	Designated monitoring stations as defined in EM&A Manual, Section 5/ Before, through-out marine construction period, post construction and monthly operational phase water quality monitoring for a year.	Contractor	EM&A Manual		Y	Y	n/a
ECOLOGY									
8.14	6.3	Specification for and implement pre, during and post construction dolphin abundance monitoring.	All Areas/Detailed Design/ during construction works/post construction	Design Consultant/ Contractor	TMEIA	Y	Y	Y	n/a
8.14	6.3	Specification for bored piling monitoring	Detailed Design	Design Consultant	TMEIA	Y			n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
8.14	6.3	Implement any recommendations of the bored piling monitoring	Southern marine viaduct/Throughout construction during bored piling	Contractor	TMEIA		Y		n/a
8.14	6.3,6.5	Avoidance of peak CWD calving season in May and June for driving of metal caissons during bored piling works	Southern marine viaduct/ May and June during bored piling	Contractor	TMEIA		Y		n/a
8.14	6.3,6.5	Specification and implementation of 250m dolphin exclusion zone.	All marine bored piling and temporary staging works areas/Detailed Design/during all marine bored piling and temporary staging works	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
8.15	6.3, 6.5	Specification and deployment of an artificial reef of an area of 3,600m2 in an area where fishing activities are prohibited.	Area of prohibited fishing activities/Detailed Design/towards end of construction period	TM-CLKL/ HKBCF Design Consultant/ TM-CLKL/ HKBCF Contractor	TMEIA	Y		Y	AFCD
8.14	6.3, 6.5	Specification and implementation of marine vessel control specifications	All areas/Detailed Design/during construction works	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
8.14	6.3, 6.5	Design and implementation of acoustic decoupling methods for marine bored piling and the whole lifespan of temporary staging works.	All areas/ Detailed Design/during marine bored piling and temporary staging works	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
8.15	6.3, 6.4	Pre-construction phase survey and coral translocation	Tai Ho Wan (donor site) and Yam Tsui Wan (receptor site) /Detailed Design/Prior to construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
8.15	6.5	Audit coral translocation success	Yam Tsui Wan (receptor site)/Post translocation	Contractor	TMEIA		Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
7.13	6.5	Undertaken gabion wall works in Stream NL1 in the dry season	North Lantau slope works/dry season/construction phase	Contractor	TMEIA		Y		n/a
7.13	6.5	The loss of habitat shall be supplemented by enhancement planting in accordance with the landscape mitigation schedule.	All areas / As soon as accessible	Contractor	TMEIA		Y		AFCD/LCSD
7.13	6.5	Spoil heaps shall be covered at all times.	All areas / Throughout construction period	Contractor	TMEIA		Y		n/a
7.13	6.5	Avoid damage and disturbance to the remaining and surrounding natural habitat	All areas / Throughout construction period	Contractor	TMEIA		Y		n/a
7.13	6.5	Placement of equipment in designated areas within the existing disturbed land	All areas / Throughout construction period	Contractor	TMEIA		Y		n/a
7.13	6.5	Disturbed areas to be reinstated immediately after completion of the works.	All areas / Throughout construction period	Contractor	TMEIA		Y		n/a
7.13	6.5	Construction activities should be restricted to the proposed works boundary	All areas / Throughout construction period	Contractor	TMEIA		Y		n/a
LANDSCAPE AND VISUAL									
10.9	7.6	Round angle, patterned finishes, and oval shaped pier were considered in the viaduct design, and further details will be developed under ACABAS submission (DM3)	All areas/detailed design	Design Consultant	TMEIA	Y			n/a
10.9	7.6	Details of the street furniture will be developed in the detailed design stage (DM4)	All areas/detailed design	Design Consultant	TMEIA	Y			n/a
10.9	7.6	Aesthetic design of the viaduct, retaining wall and other structures will be developed under ACABAS submission (DM5)	All areas/detailed design	Design Consultant	TMEIA	Y			n/a
10.9	7.6	Existing trees on boundary of the Project Area shall be carefully protected during construction. Detailed Tree Protection Specification shall be provided in the Contract Specification. Under this specification, the Contractor shall be required to submit, for approval, a detailed working method statement for the protection of trees	All areas/detailed design/ during construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
		prior to undertaking any works adjacent to all retained trees, including trees in contractor's works areas. (Tree protection measures will be detailed at Tree Removal Application stage) (CM1)							
10.9	7.6	Trees unavoidably affected by the works shall be transplanted where practical. Trees will be transplanted straight to their final receptor site and not held in a temporary nursery. A detailed Tree Transplanting Specification shall be provided in the Contract Specification. Sufficient time for necessary tree root and crown preparation periods shall be allowed in the project programme (CM2)	All areas/detailed design/ during construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
10.9	7.6	Hillside and roadside screen planting to proposed roads, associated structures and slope works (CM3).	All areas/detailed design/ during construction/post construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
10.9	7.6	Hydroseeding or sheeting of soil stockpiles with visually unobtrusive material (in earth tone) (CM4)	All areas/detailed design/ during construction/post construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
10.9	7.6	Screening of construction works by hoardings around works area in visually unobtrusive colours, to screen works (CM5)	All areas/detailed design/ during construction/post construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
10.9	7.6	Control night-time lighting and glare by hooding all lights (CM6)	All areas/detailed design/ during construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
10.9	7.6	Ensure no run-off into water body adjacent to the Project Area (CM7)	All areas/detailed design/ during construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
10.9	7.6	Avoidance of excessive height and bulk of buildings and structures (CM8)	All areas/detailed design/ during construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
10.9	7.6	Recycle/Reuse all felled trees and vegetation, e.g. mulching (CM9)	All areas/detailed design/ during construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
10.9	7.6	Compensatory tree planting shall be provided to the satisfaction of relevant Government departments. Required numbers and locations of compensatory trees shall be determined and agreed separately with Government during the Tree Felling Application process under ETWBTC 3/2006 (CM10).	All areas/detailed design/ during construction	Design Consultant/ Contractor	TMEIA	Y	Y		n/a
10.9	7.6	Re-vegetation of affected woodland/shrubland with native species (OM1)	All areas/detailed design/ during construction/ during operation	Design Consultant/ Contractor	TMEIA	Y	Y	Y	AFCD/HyD/ LCSD
10.9	7.6	Tall buffer screen tree / shrub / climber planting should be incorporated to soften hard engineering structures and facilities (OM2)	All areas/detailed design/ during construction/ during operation	Design Consultant/ Contractor	TMEIA	Y	Y	Y	HyD/LCSD
10.9	7.6	Streetscape elements (e.g. paving, signage, street furniture, lighting etc.) shall be sensitively designed in a manner that responds to the local context, and minimises potential negative landscape and visual impacts. Lighting units should be directional and minimise unnecessary light spill (OM3)	All areas/detailed design/ during construction / during operation	Design Consultant/ Contractor	TMEIA	Y	Y	Y	HyD/LCSD
10.9	7.6	Structure, ornamental tree / shrub / climber planting should be provided along roadside amenity strips, central dividers and newly formed slopes to enhance the townscape quality and further greenery enhancement (OM4)	All areas/detailed design/ during construction / during operation	Design Consultant/ Contractor	TMEIA	Y	Y	Y	HyD/LCSD
10.9	7.6	Aesthetically pleasing design (visually unobtrusive and non-reflective) as regard to the form, material and finishes	All areas/detailed design/ during construction / during operation	Design Consultant/ Contractor	TMEIA	Y	Y	Y	HyD
WASTE									

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
12.6		The Contractor shall identify a coordinator for the management of waste.	Contract mobilisation	Contractor	TMEIA		Y		n/a
12.6		The Contractor shall prepare and implement a Waste Management Plan which specifies procedures such as a ticketing system, to facilitate tracking of loads and to ensure that illegal disposal of wastes does not occur, and protocols for the maintenance of records of the quantities of wastes generated, recycled and disposed. A recording system for the amount of waste generated, recycled and disposed (locations) should be established.	Contract mobilisation	Contractor	TMEIA, Works Branch Technical Circular No. 5/99 for the Trip-ticket System for Disposal of Construction and Demolition Material		Y		n/a
12.6		The Contractor shall apply for and obtain the appropriate licenses for the disposal of public fill, chemical waste and effluent discharges.	Contract mobilisation	Contractor	TMEIA, Land (Miscellaneous Provisions) Ordinance (Cap 28); Waste Disposal Ordinance (Cap 354); Dumping at Sea Ordinance (Cap 466); Water Pollution Control Ordinance.		Y		n/a
12.6	8.1	Training shall be provided to workers about the concepts of site cleanliness and appropriate waste management procedures including waste reduction, reuse and recycling.	Contract Mobilisation	Contractor	TMEIA		Y		n/a
12.6	8.1	The extent of cutting operation should be optimised where possible. Earth retaining structures and bored pile walls should be proposed to minimise the extent of cutting.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Rock armour from the existing seawall should be reused on the new sloping seawall as far as possible	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	The site and surroundings shall be kept tidy and litter free.	All areas / throughout	Contractor	TMEIA		Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
			construction period						
12.6	8.1	No waste shall be burnt on site.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Provisions to be made in contract documents to allow and promote the use of recycled aggregates where appropriate.	Detailed Design	Design Consultant	TMEIA	Y			n/a
12.6	8.1	The Contractor shall be prohibited from disposing of C&D materials at any sensitive locations. The Contractor should propose the final disposal sites in the EMP and WMP for approval before implementation.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Stockpiled material shall be covered by tarpaulin and /or watered as appropriate to prevent windblown dust/ surface run off.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Excavated material in trucks shall be covered by tarpaulins to reduce the potential for spillage and dust generation.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Wheel washing facilities shall be used by all trucks leaving the site to prevent transfer of mud onto public roads.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Standard formwork or pre-fabrication should be used as far as practicable so as to minimise the C&D materials arising. The use of more durable formwork/plastic facing for construction works should be considered. The use of wooden hoardings should be avoided and metal hoarding should be used to facilitate recycling. Purchasing of construction materials should avoid over-ordering and wastage.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	The Contractor should recycle as many C&D materials (this is a waste section) as possible on-site. The public fill and C&D waste should be segregated and stored in separate containers or skips to facilitate the reuse or recycling of materials and proper	All areas / throughout construction period	Contractor	TMEIA		Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
		disposal. Where practicable, the concrete and masonry should be crushed and used as fill materials. Steel reinforcement bar should be collected for use by scrap steel mills. Different areas of the sites should be considered for segregation and storage activities.							
12.6	8.1	All falsework will be steel instead of wood.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	<p>Chemical waste producers should register with the EPD. Chemical waste should be handled in accordance with the Code of Practice on the Packaging, Handling and Storage of Chemical Wastes as follows:</p> <ul style="list-style-type: none"> - suitable for the substance to be held, resistant to corrosion, maintained in good conditions and securely closed; - Having a capacity of <450L unless the specifications have been approved by the EPD; and - Displaying a label in English and Chinese according to the instructions prescribed in Schedule 2 of the Regulations. Clearly labelled and used solely for the storage of chemical wastes; - Enclosed with at least 3 sides; - Impermeable floor and bund with capacity to accommodate 110% of the volume of the largest container or 20% by volume of the chemical waste stored in the area, whichever is greatest; - Adequate ventilation; - Sufficiently covered to prevent rainfall entering (water collected within the bund must be tested and disposed of as chemical waste, if necessary); and - Incompatible materials are adequately 	All areas / throughout construction period	Contractor	TMEIA		Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
		separated.							
12.6	8.1	Waste oils, chemicals or solvents shall not be disposed of to drain,	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Adequate numbers of portable toilets should be provided for on-site workers. Portable toilets should be maintained in reasonable states, which will not deter the workers from utilising them.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Night soil should be regularly collected by licensed collectors.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	General refuse arising on-site should be stored in enclosed bins or compaction units separately from C&D and chemical wastes. Sufficient dustbins shall be provided for storage of waste as required under the Public Cleansing and Prevention of Nuisances By-laws. In addition, general refuse shall be cleared daily and shall be disposed of to the nearest licensed landfill or refuse transfer station. Burning of refuse on construction sites is prohibited.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	All waste containers shall be in a secure area on hardstanding;	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Training shall be provided to workers about the concepts of site cleanliness and appropriate waste management procedure, including waste reduction, reuse and recycling.	All areas / throughout construction period	Contractor	TMEIA		Y		n/a
12.6	8.1	Office wastes can be reduced by recycling of paper if such volume is sufficiently large to warrant collection. Participation in a local collection scheme by the Contractor should be advocated. Waste separation facilities for paper, aluminium cans, plastic bottles, etc should be provided on-site.	Site Offices/ throughout construction period	Contractor	TMEIA		Y		n/a

EIA Reference	EM&A Manual Reference	Environmental Protection Measures	Location/ Timing	Implementation Agent	Relevant Standard or Requirement	Implementation Stages			Maintenance Agency
						D	C	O	
12.6	Section 8	EM&A of waste handling, storage, transportation, disposal procedures and documentation through the site audit programme shall be undertaken.	All areas / throughout construction period	Contractor	EM&A Manual		Y		n/a
CULTURAL HERITAGE									
11.8	Section 9	EM&A in the form of audit of the mitigation measures	All areas / throughout construction period	Highways Department	EIAO-TM		Y		n/a
Notes: Legend: D=Design, C=Construction, O=Operation Note: Funding Agent for all mitigation measures will be the Highways Department of the Hong Kong SAR Government									

Appendix D

Summary of Action and Limit Levels

Table D1 *Action and Limit Levels for 1-hour and 24-hour TSP*

Parameters	Action	Limit
24 Hour TSP Level in $\mu\text{g}/\text{m}^3$	ASR9A/ASR8A = 178 ASR9C/ASR8 = 178	260
1 Hour TSP Level in $\mu\text{g}/\text{m}^3$	ASR9A/ASR8A = 394 ASR9C/ASR8 = 393	500

Table D2 *Action and Limit Levels for Construction Noise (0700-1900 hrs of normal weekdays)*

Time Period	Action	Limit
0700-1900 hrs on normal weekdays	When one documented complaint is received	75* dB(A)

Table D3 *Action and Limit Levels for Water Quality*

Parameter	Action Level#	Limit Level#
DO in mg/L ^(a)	<u>Surface and Middle</u> 5.0 mg/L	<u>Surface and Middle</u> 4.2 mg/L
	<u>Bottom</u> 4.7 mg/L	<u>Bottom</u> 3.6 mg/L
Turbidity in NTU (Depth-averaged ^{(b), (c)})	120% of upstream control station at the same tide of the same day and 95%-ile of baseline data, i.e., 27.5 NTU	130% of upstream control station at the same tide of the same day and 99%-ile of baseline data, i.e., 47.0 NTU
SS in mg/L (Depth-averaged ^{(b), (c)})	120% of upstream control station at the same tide of the same day and 95%-ile of baseline data, i.e., 23.5 mg/L	130% of upstream control station at the same tide of the same day and 10mg/L for WSD Seawater Intakes at Tuen Mun and 99%-ile of baseline data, i.e., 34.4 mg/L

Notes:

Baseline data: data from HKZMB Baseline Water Quality Monitoring between 6 and 31 October 2011.

- (a) For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
- (b) "Depth-averaged" is calculated by taking the arithmetic means of reading of all three depths
- (c) For turbidity and SS, non-compliance of the water quality limits occurs when monitoring result is higher than the limits.
- (d) All figures given in the table are used for reference only, and EPD may amend the figures whenever it is considered as necessary

Parameter	Action Level#	Limit Level#
(e) The 1%-ile of baseline data for surface and middle DO is 4.2 mg/L, whilst for bottom DO is 3.6 mg/L.		

Table D4 *Action and Limit Levels for Impact Dolphin Monitoring*

	North Lantau Social Cluster	
	NEL	NWL
Action Level	STG < 70% of baseline & ANI < 70% of baseline	STG < 70% of baseline & ANI < 70% of baseline
Limit Level	[STG < 40% of baseline & ANI < 40% of baseline] and STG < 40% of baseline & ANI < 40% of baseline	
Notes:		
1.	STG means quarterly encounter rate of number of dolphin sightings, which is 6.00 in NEL and 9.85 in NWL during the baseline monitoring period	
2.	ANI means quarterly encounter rate of total number of dolphins, which is 22.19 in NEL and 44.66 in NWL during the baseline monitoring period	
3.	For North Lantau Social Cluster, AL will be trigger if NEL or NWL fall below the criteria; LL will be triggered if both NEL and NWL fall below the criteria.	

Table D5 *Derived Value of Action Level (AL) and Limit Level (LL)*

	North Lantau Social Cluster	
	NEL	NWL
Action Level	STG < 4.2 & ANI < 15.5	STG < 6.9 & ANI < 31.3
Limit Level	[STG < 2.4 & ANI < 8.9] and [STG < 3.9 & ANI < 17.9]	

Appendix E

Calibration Certificates of Monitoring Equipments

ALS Technichem (HK) Pty Ltd



ALS Laboratory Group

ANALYTICAL CHEMISTRY & TESTING SERVICES

SUB-CONTRACTING REPORT

CONTACT	: MR K.W. FAN	WORK ORDER	: HK1327471
CLIENT	: ENVIROTECH SERVICES CO.		
ADDRESS	: SHOP 6, G/F. CASIO MANSION, 209 SHAUKEIWAN ROAD HONG KONG	SUB-BATCH	: 1
		DATE RECEIVED	: 7-OCT-2013
		DATE OF ISSUE	: 22-OCT-2013
PROJECT	: ----	NO. OF SAMPLES	: 1
		CLIENT ORDER	: ----

General Comments

- Sample(s) were received in an ambient condition.
- Sample(s) analysed and reported on an as received basis.
- Calibration was subcontracted to and analysed by Action United Enviro Services.

Signatories

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

Signatories

Position

Richard Fung General Manager

This is the Final Report and supersedes any preliminary report with this batch number.
Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release.

Trading Name: **ALS Technichem (HK) Pty Ltd**
11/F, Chung Shun Knitting Centre, 1-3 Wing Yip Street, Kwai Chung, N.T., Hong Kong
Tel. +852 2610 1044 Fax. +852 2610 2021 www.alsglobal.com

A Campbell Brothers Limited Company

WORK ORDER : HK1327471
SUB-BATCH : 1
CLIENT : ENVIROTECH SERVICES CO.
PROJECT : ----



ALS Lab ID	Client's Sample ID	Sample Type	Sample Date	External Lab Report No.
HK1327471-001	S/N: IY5546	Equipment	07-OCT-2013	S/N: IY5546

Equipment Calibration Record

Equipment Calibrated:

Type: Laser Dust monitor
 Manufacturer: Sibata LD-3B
 Serial No. 1Y5546
 Equipment Ref: Nil
 Job Order HK1327471

Standard Equipment:

Standard Equipment: Higher Volume Sampler
 Location & Location ID: AUES office (calibration room)
 Equipment Ref: HVS 018
 Last Calibration Date: 8 October 2013

Equipment Calibration Results:

Calibration Date: 10 & 11 October 2013

Hour	Time	Mean Temp °C	Mean Pressure (hPa)	Concentration in mg/m ³ (Standard Equipment)	Total Count (Calibrated Equipment)	Count/Minute (Total Count/60min)
1hr50min	12:00 ~ 13:50	27.0	1012.8	0.123	5911	55.0
4hr25min	13:55 ~ 18:20	27.0	1012.8	0.207	24157	90.9
16hr20min	18:25 ~ 10:45	27.0	1012.8	0.050	24112	24.7

Sensitivity Adjustment Scale Setting (Before Calibration) 629 (CPM)


Sensitivity Adjustment Scale Setting (After Calibration) 633 (CPM)

Linear Regression of Y or X

Slope (K-factor): 0.0023

Correlation Coefficient 0.9992

Validity of Calibration Record 16 Oct 2013



Operator : Tung Chi Sun Signature : *Tung Chi Sun* Date : 16 October 2013

QC Reviewer : Ben Tam Signature : *Ben Tam* Date : 16 October 2013

TSP SAMPLER CALIBRATION CALCULATION SPREADSHEET

Location : Gold King Industrial Building, Kwai Chung
 Location ID : Calibration Room

Date of Calibration: 8-Oct-13
 Next Calibration Date: 8-Jan-14

CONDITIONS

Sea Level Pressure (hPa) 1008.1
 Temperature (°C) 26.8

Corrected Pressure (mm Hg) 756.075
 Temperature (K) 300

CALIBRATION ORIFICE

Make-> TISCH
 Model-> 5025A
 Calibration Date-> 9-Apr-13

Qstd Slope -> 2.11662
 Qstd Intercept -> -0.01714
 Expiry Date-> 9-Apr-14

CALIBRATION

Plate No.	H2O (L) (in)	H2O (R) (in)	H2O (in)	Qstd (m3/min)	I (chart)	IC corrected	LINEAR REGRESSION
18	3.8	3.8	7.6	1.303	66	65.63	Slope = 21.6637 Intercept = 37.9417 Corr. coeff. = 0.9975
13	3	3	6.0	1.159	64	63.64	
10	2.2	2.2	4.4	0.994	60	59.66	
8	1.2	1.2	2.4	0.736	54	53.70	
5	0.9	0.9	1.8	0.638	52	51.71	

Calculations :

$$Qstd = 1/m[\text{Sqrt}(H20(Pa/Pstd)(Tstd/Ta))-b]$$

$$IC = I[\text{Sqrt}(Pa/Pstd)(Tstd/Ta)]$$

Qstd = standard flow rate

IC = corrected chart responses

I = actual chart response

m = calibrator Qstd slope

b = calibrator Qstd intercept

Ta = actual temperature during calibration (deg K

Pstd = actual pressure during calibration (mm Hg

For subsequent calculation of sampler flow:

$$1/m((I)[\text{Sqrt}(298/Tav)(Pav/760)]-b)$$


m = sampler slope

b = sampler intercept

I = chart response

Tav = daily average temperature

Pav = daily average pressure





ALS Laboratory Group

ANALYTICAL CHEMISTRY & TESTING SERVICES

SUB-CONTRACTING REPORT

CONTACT	: MR K.W. FAN	WORK ORDER	: HK1327473
CLIENT	: ENVIROTECH SERVICES CO.		
ADDRESS	: SHOP 6, G/F, CASIO MANSION, 209 SHAUKEIWAN ROAD HONG KONG	SUB-BATCH	: 1
		DATE RECEIVED	: 7-OCT-2013
		DATE OF ISSUE	: 22-OCT-2013
PROJECT	: ----	NO. OF SAMPLES	: 1
		CLIENT ORDER	: ----

General Comments

- Sample(s) were received in an ambient condition.
- Sample(s) analysed and reported on an as received basis.
- Calibration was subcontracted to and analysed by Action United Enviro Services.

Signatories

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the Electronic Transactions Ordinance of Hong Kong, Chapter 553, Section 6.

Signatories

Position

Richard Fung

General Manager

This is the Final Report and supersedes any preliminary report with this batch number.
Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release.

WORK ORDER : HK1327473
SUB-BATCH : 1
CLIENT : ENVIROTECH SERVICES CO.
PROJECT : ----



ALS Lab ID	Client's Sample ID	Sample Type	Sample Date	External Lab Report No.
HK1327473-001	S/N: 245834	Equipment	07-OCT-2013	S/N: 245834

Equipment Calibration Record

Equipment Calibrated:

Type: Laser Dust monitor
Manufacturer: Sibata LD-3B
Serial No. 245834
Equipment Ref: Nil
Job Order HK1327473

Standard Equipment:

Standard Equipment: Higher Volume Sampler
Location & Location ID: AUES office (calibration room)
Equipment Ref: HVS 018
Last Calibration Date: 8 October 2013

Equipment Calibration Results:

Calibration Date: 10 & 11 October 2013

Hour	Time	Mean Temp °C	Mean Pressure (hPa)	Concentration in mg/m ³ (Standard Equipment)	Total Count (Calibrated Equipment)	Count/Minute (Total Count/60min)
1hr50min	12:00 ~ 13:50	27.0	1012.8	0.123	6013	56.0
4hr25min	13:55 ~ 18:20	27.0	1012.8	0.207	26441	99.5
16hr20min	18:25 ~ 10:45	27.0	1012.8	0.050	25113	25.7

Sensitivity Adjustment Scale Setting (Before Calibration) 765 (CPM)


Sensitivity Adjustment Scale Setting (After Calibration) 760 (CPM)


Linear Regression of Y or X

Slope (K-factor): 0.0021

Correlation Coefficient 0.9980

Validity of Calibration Record 16 Oct 2013



Operator: Tung Chi Sun Signature:  Date: 16 October 2013

QC Reviewer: Ben Tam Signature:  Date: 16 October 2013

TSP SAMPLER CALIBRATION CALCULATION SPREADSHEET

Location : Gold King Industrial Building, Kwai Chung
 Location ID : Calibration Room

Date of Calibration: 8-Oct-13
 Next Calibration Date: 8-Jan-14

CONDITIONS

Sea Level Pressure (hPa)	1008.1	Corrected Pressure (mm Hg)	756.075
Temperature (°C)	26.8	Temperature (K)	300

CALIBRATION ORIFICE

Make->	TISCH	Qstd Slope ->	2.11662
Model->	5025A	Qstd Intercept ->	-0.01714
Calibration Date->	9-Apr-13	Expiry Date->	9-Apr-14

CALIBRATION

Plate No.	H2O (L) (in)	H2O (R) (in)	H2O (in)	Qstd (m3/min)	I (chart)	IC corrected	LINEAR REGRESSION
							Slope = 21.6637 Intercept = 37.9417 Corr. coeff. = 0.9975
18	3.8	3.8	7.6	1.303	66	65.63	
13	3	3	6.0	1.159	64	63.64	
10	2.2	2.2	4.4	0.994	60	59.66	
8	1.2	1.2	2.4	0.736	54	53.70	
5	0.9	0.9	1.8	0.638	52	51.71	

Calculations :

$$Qstd = 1/m[\text{Sqrt}(H20(Pa/Pstd)(Tstd/Ta))-b]$$

$$IC = I[\text{Sqrt}(Pa/Pstd)(Tstd/Ta)]$$

Qstd = standard flow rate

IC = corrected chart responses

I = actual chart response

m = calibrator Qstd slope

b = calibrator Qstd intercept

Ta = actual temperature during calibration (deg K

Pstd = actual pressure during calibration (mm Hg

For subsequent calculation of sampler flow:

$$1/m((I)[\text{Sqrt}(298/Tav)(Pav/760)]-b)$$

m = sampler slope


b = sampler intercept

I = chart response

Tav = daily average temperature

Pav = daily average pressure

FLOW RATE CHART





TISCH ENVIRONMENTAL, INC.
 145 SOUTH MIAMI AVE.
 VILLAGE OF CLEVELAND, OH 45002
 513.467.9000
 877.263.7610 TOLL FREE
 513.467.9009 FAX
 WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT

ORIFICE TRANSFER STANDARD CERTIFICATION WORKSHEET TE-5025A

Date - Dec 26, 2012 Rootsmeter S/N 0438320 Ta (K) - 295
 Operator Tisch Orifice I.D. - 2323 Pa (mm) - 753.11

PLATE OR Run #	VOLUME START (m3)	VOLUME STOP (m3)	DIFF VOLUME (m3)	DIFF TIME (min)	METER DIFF Hg (mm)	ORFICE DIFF H2O (in.)
1	NA	NA	1.00	1.4440	3.2	2.00
2	NA	NA	1.00	1.0240	6.4	4.00
3	NA	NA	1.00	0.9120	8.0	5.00
4	NA	NA	1.00	0.8720	8.8	5.50
5	NA	NA	1.00	0.7200	12.8	8.00

DATA TABULATION

Vstd	(x axis) Qstd	(y axis)	Va	(x axis) Qa	(y axis)
0.9967	0.6902	1.4149	0.9957	0.6896	0.8851
0.9925	0.9693	2.0010	0.9915	0.9683	1.2517
0.9903	1.0858	2.2372	0.9893	1.0847	1.3995
0.9893	1.1345	2.3464	0.9883	1.1334	1.4678
0.9840	1.3666	2.8299	0.9830	1.3652	1.7702
Qstd slope (m) = 2.09107			Qa slope (m) = 1.30939		
intercept (b) = -0.02838			intercept (b) = -0.01775		
coefficient (r) = 0.99996			coefficient (r) = 0.99996		
y axis = SQRT[H2O(Pa/760)(298/Ta)]			x axis = SQRT[H2O(Ta/Pa)]		

CALCULATIONS

Vstd = Diff. Vol [(Pa-Diff. Hg)/760] (298/Ta)
 Qstd = Vstd/Time

Va = Diff Vol [(Pa-Diff Hg)/Pa]
 Qa = Va/Time

For subsequent flow rate calculations:

Qstd = 1/m{ [SQRT(H2O(Pa/760)(298/Ta))] - b }
 Qa = 1/m{ [SQRT H2O(Ta/Pa)] - b }

High-Volume TSP Sampler
5-Point Calibration Record

Location : ASR 9C
 Calibrated by : P.F.Yeung
 Date : 05/11/2013

Sampler

Model : TE-5170
 Serial Number : S/N 3572

Calibration Office and Standard Calibration Relationship

Serial Number : 2323
 Service Date : 26 Dec 2012
 Slope (m) : 2.09107
 Intercept (b) : -0.02838
 Correlation Coefficient(r) : 0.99996

Standard Condition

Pstd (hpa) : 1013
 Tstd (K) : 298.18

Calibration Condition

Pa (hpa) : 1019
 Ta(K) : 296

Resistance Plate	dH [green liquid] (inch water)	Z	X=Qstd (cubic meter/min)	IC (chart)	Y (corrected)
1 18 holes	11.4	3.398	1.638	56	56.36
2 13 holes	9.0	3.019	1.457	50	50.32
3 10 holes	6.6	2.585	1.250	43	43.27
4 7 holes	4.2	2.062	0.100	36	36.23
5 5 holes	2.4	1.559	0.759	29	29.18

Notes: $Z = \sqrt{dH(Pa/Pstd)(Tstd/Ta)}$, $X = Z/m - b$, $Y(\text{Corrected Flow}) = IC * \{\sqrt{Pa/Pstd}(Tstd/Ta)\}$

Sampler Calibration Relationship (Linear Regression)

Slope(m): 30.801 Intercept(b): 5.465 Correlation Coefficient(r): 0.9991

Checked by: Magnum Fan

Date: 08/11/2013

High-Volume TSP Sampler
5-Point Calibration Record

Location : ASR9A
 Calibrated by : P.F.Yeung
 Date : 05/11/2013

Sampler

Model : TE-5170
 Serial Number : S/N 3573

Calibration Office and Standard Calibration Relationship

Serial Number : 2323
 Service Date : 26 Dec 2012
 Slope (m) : 2.09107
 Intercept (b) : -0.02838
 Correlation Coefficient(r) : 0.99996

Standard Condition

Pstd (hpa) : 1013
 Tstd (K) : 298.18

Calibration Condition

Pa (hpa) : 1019
 Ta(K) : 296

Resistance Plate	dH [green liquid] (inch water)	Z	X=Qstd (cubic meter/min)	IC (chart)	Y (corrected)
1 18 holes	10.5	3.261	1.573	60	60.38
2 13 holes	8.2	2.882	1.392	54	54.34
3 10 holes	6.0	2.465	1.192	49	49.31
4 7 holes	4.0	2.013	0.976	42	42.27
5 5 holes	2.6	1.623	0.790	37	37.23

Notes: $Z = \sqrt{dH(Pa/Pstd)(Tstd/Ta)}$, $X = Z/m - b$, $Y(\text{Corrected Flow}) = IC * \{\sqrt{Pa/Pstd}(Tstd/Ta)\}$

Sampler Calibration Relationship (Linear Regression)

Slope(m): 29.442 Intercept(b): 13.831 Correlation Coefficient(r): 0.9992

Checked by: Magnum Fan

Date: 08/11/2013

Certificate of Calibration

校正證書

Certificate No. : C134307
證書編號**ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC13-1709)**

Description / 儀器名稱 : Sound Level Calibrator
Manufacturer / 製造商 : Rion
Model No. / 型號 : NC-73
Serial No. / 編號 : 10997142
Supplied By / 委託者 : Envirotech Services Co.
Shop 6, G/F., Casio Mansion, 209 Shaukeiwan Road,
Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : (23 ± 2)°C
Line Voltage / 電壓 : ---
Relative Humidity / 相對濕度 : (55 ± 20)%

TEST SPECIFICATIONS / 測試規範


Calibration check

DATE OF TEST / 測試日期 : 12 July 2013**TEST RESULTS / 測試結果**

The results apply to the particular unit-under-test only.
All results are within manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Rohde & Schwarz Laboratory, Germany
- Fluke Everett Service Center, USA
- Agilent Technologies, USA

Tested By
測試
K C LeeCertified By
核證
K M WuDate of Issue
簽發日期

15 July 2013

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C134307
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

Equipment ID	Description	Certificate No.
CL130	Universal Counter	C133632
CL281	Multifunction Acoustic Calibrator	DC130171
TST150A	Measuring Amplifier	C120886

- Test procedure : MA100N.
- Results :

5.1 Sound Level Accuracy

UUT Nominal Value	Measured Value (dB)	Mfr's Spec. (dB)	Uncertainty of Measured Value (dB)
94 dB, 1 kHz	93.7	± 0.5	± 0.2

5.2 Frequency Accuracy

UUT Nominal Value (kHz)	Measured Value (kHz)	Mfr's Spec.	Uncertainty of Measured Value (Hz)
1	0.988	1 kHz ± 2 %	± 1

Remark : The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Sun Creation Engineering Limited – Calibration & Testing Laboratory

c/o 4 F, Tsing Shan Wan Exchange Building, 1 Hing On Lane, Tuen Mun, New Territories, Hong Kong

輝創工程有限公司 – 校正及檢測實驗室

c/o 香港新界屯門興安里一號青山灣機樓四樓

Tel 電話: 2927 2606

Fax 傳真: 2744 8986

E-mail 電郵: callab@suncreation.com

Website 網址: www.suncreation.com

Certificate of Calibration

校正證書

Certificate No. : C133573
證書編號

ITEM TESTED / 送檢項目 (Job No. / 序引編號 : IC13-1422)

Description / 儀器名稱 : Sound Level Meter
Manufacturer / 製造商 : Rion
Model No. / 型號 : NL-31
Serial No. / 編號 : 00410224
Supplied By / 委託者 : Envirotech Services Co.
Shop 6, G/F., Casio Mansion, 209 Shaukeiwan Road,
Hong Kong

TEST CONDITIONS / 測試條件

Temperature / 溫度 : $(23 \pm 2)^{\circ}\text{C}$ Relative Humidity / 相對濕度 : $(55 \pm 20)\%$
Line Voltage / 電壓 : ---

TEST SPECIFICATIONS / 測試規範

Calibration check

DATE OF TEST / 測試日期 : 14 June 2013

TEST RESULTS / 測試結果

The results apply to the particular unit-under-test only.
All results are within manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- Rohde & Schwarz Laboratory, Germany
- Fluke Everett Service Center, USA
- Agilent Technologies, USA

Tested By : 
測試 : K C Lee

Certified By : 
核證 : K K Wong

Date of Issue : 17 June 2013
簽發日期

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室所書面批准。

Certificate of Calibration

校正證書

Certificate No. : C133573
證書編號

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 12 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- Self-calibration was performed before the test.
- The results presented are the mean of 3 measurements at each calibration point.
- Test equipment :

Equipment ID	Description	Certificate No.
CL280	40 MHz Arbitrary Waveform Generator	C130019
CL281	Multifunction Acoustic Calibrator	DC110233

- Test procedure : MA101N.

- Results :

6.1 Sound Pressure Level

6.1.1 Reference Sound Pressure Level

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Mode	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 120	L _A	A	Fast	94.00	1	93.6	± 1.1

6.1.2 Linearity

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Mode	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)	
30 - 120	L _A	A	Fast	94.00	1	93.6 (Ref.)
				104.00		103.6
				114.00		113.6

IEC 61672 Class 1 Spec. : ± 0.6 dB per 10 dB step and ± 1.1 dB for overall different.

6.2 Time Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Mode	Frequency Weighting	Time Weighting	Level (dB)	Freq. (kHz)		
30 - 120	L _A	A	Fast	94.00	1	93.6	Ref.
			Slow			93.5	± 0.3

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗室書面批准。

Certificate of Calibration 校正證書

Certificate No. : C133573
證書編號

6.3 Frequency Weighting

6.3.1 A-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Mode	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 120	L _A	A	Fast	94.00	63 Hz	67.3	-26.2 ± 1.5
					125 Hz	77.3	-16.1 ± 1.5
					250 Hz	84.9	-8.6 ± 1.4
					500 Hz	90.3	-3.2 ± 1.4
					1 kHz	93.6	Ref.
					2 kHz	94.9	+1.2 ± 1.6
					4 kHz	94.8	+1.0 ± 1.6
					8 kHz	92.6	-1.1 (+2.1 ; -3.1)
					12.5 kHz	89.7	-4.3 (+3.0 ; -6.0)

6.3.2 C-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 61672 Class 1 Spec. (dB)
Range (dB)	Mode	Frequency Weighting	Time Weighting	Level (dB)	Freq.		
30 - 120	L _C	C	Fast	94.00	63 Hz	92.7	-0.8 ± 1.5
					125 Hz	93.4	-0.2 ± 1.5
					250 Hz	93.6	0.0 ± 1.4
					500 Hz	93.7	0.0 ± 1.4
					1 kHz	93.7	Ref.
					2 kHz	93.5	-0.2 ± 1.6
					4 kHz	93.0	-0.8 ± 1.6
					8 kHz	90.7	-3.0 (+2.1 ; -3.1)
					12.5 kHz	87.9	-6.2 (+3.0 ; -6.0)

Remarks : - UUT Microphone Model No. : UC-53A & S/N : 307154

- Mfr's Spec. : IEC 61672 Class 1

- Uncertainties of Applied Value : 94 dB : 63 Hz - 125 Hz : ± 0.35 dB
 250 Hz - 500 Hz : ± 0.30 dB
 1 kHz : ± 0.20 dB
 2 kHz - 4 kHz : ± 0.35 dB
 8 kHz : ± 0.45 dB
 12.5 kHz : ± 0.70 dB
 104 dB : 1 kHz : ± 0.10 dB (Ref. 94 dB)
 114 dB : 1 kHz : ± 0.10 dB (Ref. 94 dB)

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the Nation Standards as specified in this certificate. This certificate shall not be reproduced except in full, without the prior written approval of this laboratory.

本證書所載校正用之測試器材均可溯源至國際標準。局部複印本證書需先獲本實驗所書面批准。



Performance Check of Turbidity Meter


Equipment Ref. No. : ET/0505/009 Manufacturer : HACH
Model No. : 2100Q Serial No. : 11060 C 010010
Date of Calibration : 08/10/2013 Due Date : 07/01/2014


Gelex Vial Std	Theoretical Value (NTU)	Measured Value (NTU)	Difference %
0-10 NTU	5	5.2	3.92
10-100 NTU	50	5.19	3.73
100-1000 NTU	550	561	1.98

Acceptance Criteria

Difference : -5 % to 5%

The turbidity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by : 

Approved by : 



Internal Calibration & Performance Check Report of pH Meter

Equipment Ref. No. : ET/EW/007/003 Manufacturer : HANNA
 Model No. : HI 8314 Serial No. : 674469
 Date of Calibration : 09/09/2013 Calibration Due Date : 08/10/2013

Liquid Junction Error

Primary Standard Solution Used : Phosphate Ref No. of Primary Solution: 003/5.2/001/15
 Temperature of Solution : 19.9 pH_½ = +0.08
 pH value of diluted buffer : 6.8 pH (S) = 6.881
 pH = pH(S) - pH of diluted buffer = 0.081 (Observed Deviation)
 Liquid Junction Error (ΔpH_j) = pH - pH_½ = 0.001

Shift on Stirring

pH of buffer solution (with stirring), pH_s = 6.89
 Shift on stirring, $\Delta\text{pH}_s = \text{pH}_s - \text{pH(S)} - \Delta\text{pH}_j =$ 0.008

Noise

Noise, pH_n = difference between max and min reading : 0.01

Verification of ATC

Ref. No. of reference thermometer used: ET/0521/008
 Temperature record from the reference thermometer (T_R): 20.0 °C
 Temperature record from the ATC (T_{ATC}): 19.8 °C
 Temperature Difference (T_R - T_{ATC}): 0.2 °C

Acceptance Criteria

Performance Characteristic	Acceptable Range
Liquid Junction Error pH _j	≤0.05
Shift on Stirring pH _s	≤0.02
Noise pH _n	≤0.02
Verification of ATC Temperature Difference	≤0.5°C

The pH meter complies * / does not comply * with the specified requirements and is deemed acceptable * / unacceptable * for use. Measurements are traceable to national standards.

* Delete as appropriate

Calibrated by :  Approved Signatory : 



Internal Calibration & Performance Check of pH Meter

Equipment Ref. No. : ET/EW/007/003 Manufacturer : HANNA
 Model No. : HI 8314 Serial No. : 674469
 Date of Calibration : 09/10/2013 Calibration Due Date : 08/11/2013

Liquid Junction Error

Primary Standard Solution Used : Phosphate Ref No. of Primary Solution: 003/5.2/001/15
 Temperature of Solution : 20.0 $\Delta\text{pH}_{1/2} = \underline{+0.08}$
 pH value of diluted buffer : 6.81 pH (S) = 6.881
 $\Delta\text{pH} = \text{pH(S)} - \text{pH of diluted buffer} = \underline{0.071}$ (Observed Deviation)
 Liquid Junction Error (ΔpH_j) = $\Delta\text{pH} - \Delta\text{pH}_{1/2} = \underline{-0.009}$

Shift on Stirring

pH of buffer solution (with stirring), $\text{pH}_s = \underline{6.88}$
 Shift on stirring, $\Delta\text{pH}_s = \text{pH}_s - \text{pH(S)} - \Delta\text{pH}_j = \underline{0.008}$

Noise

Noise, $\Delta\text{pH}_n = \text{difference between max and min reading} : \underline{0.01}$

Verification of ATC

Ref. No. of reference thermometer used: ET/0521/008 °C
 Temperature record from the reference thermometer (T_R): 20.0 °C
 Temperature record from the ATC (T_{ATC}): 19.7 °C
 Temperature Difference, $|T_R - T_{ATC}|$: 0.3 °C

Acceptance Criteria

Performance Characteristic	Acceptable Range
Liquid Junction Error ΔpH_j	≤ 0.05
Shift on Stirring ΔpH_s	≤ 0.02
Noise ΔpH_n	≤ 0.02
Verification of ATC Temperature Difference	$\leq 0.5^\circ\text{C}$

The pH meter complies * / does not comply * with the specified requirements and is deemed acceptable * / unacceptable * for use. Measurements are traceable to national standards.

* Delete as appropriate

Calibrated by :

Checked by :



Internal Calibration & Performance Check of pH Meter

Equipment Ref. No. : ET/EW/007/003 Manufacturer : HANNA
 Model No. : HI 8314 Serial No. : 674469
 Date of Calibration : 09/11/2013 Calibration Due Date : 08/12/2013

Liquid Junction Error

Primary Standard Solution Used : Phosphate Ref No. of Primary Solution: 003/5.2/001/16
 Temperature of Solution : 20.2 $\Delta\text{pH}_{1/2} = \underline{+0.08}$
 pH value of diluted buffer : 6.80 pH (S) = 6.881
 $\Delta\text{pH} = \text{pH(S)} - \text{pH of diluted buffer} = \underline{0.081}$ (Observed Deviation)
 Liquid Junction Error (ΔpH_j) = $\Delta\text{pH} - \Delta\text{pH}_{1/2} = \underline{0.001}$

Shift on Stirring

pH of buffer solution (with stirring), $\text{pH}_s = \underline{6.89}$
 Shift on stirring, $\Delta\text{pH}_s = \text{pH}_s - \text{pH(S)} - \Delta\text{pH}_j = \underline{0.008}$

Noise

Noise, $\Delta\text{pH}_n =$ difference between max and min reading : 0.00

Verification of ATC

Ref. No. of reference thermometer used: ET/0521/008
 Temperature record from the reference thermometer (T_R): 20.2 °C
 Temperature record from the ATC (T_{ATC}): 19.8 °C
 Temperature Difference, $|T_R - T_{ATC}|$: 0.4 °C

Acceptance Criteria

Performance Characteristic	Acceptable Range
Liquid Junction Error ΔpH_j	≤ 0.05
Shift on Stirring ΔpH_s	≤ 0.02
Noise ΔpH_n	≤ 0.02
Verification of ATC Temperature Difference	$\leq 0.5^\circ\text{C}$

The pH meter complies * / does not comply * with the specified requirements and is deemed acceptable * / unacceptable * for use. Measurements are traceable to national standards.

* Delete as appropriate

Calibrated by : 

Checked by : 



Internal Calibration Report of Dissolved Oxygen Meter

Equipment Ref. No. : <u>ET/EW/008/005</u>	Manufacturer : <u>YSI</u>
Model No. : <u>Pro 2030</u>	Serial No. : <u>12A 100353</u>
Date of Calibration : <u>31/07/2013</u>	Calibration Due Date : <u>30/10/2013</u>

Temperature Verification

Ref. No. of Reference Thermometer : ET/0521/008

Ref. No. of Water Bath : ---

		Temperature (°C)		
Reference Thermometer reading	Measured	20.2	Corrected	19.8
DO Meter reading	Measured	19.8	Difference	0.0

Standardization of sodium thiosulphate (Na₂S₂O₃) solution

Reagent No. of Na ₂ S ₂ O ₃ titrant	CPE/012/4.5/001/7	Reagent No. of 0.025N K ₂ Cr ₂ O ₇	CPE/012/4.4/001/20
		Trial 1	Trial 2
Initial Vol. of Na ₂ S ₂ O ₃ (ml)		0.10	0.00
Final Vol. of Na ₂ S ₂ O ₃ (ml)		10.55	10.40
Vol. of Na ₂ S ₂ O ₃ used (ml)		10.45	10.40
Normality of Na ₂ S ₂ O ₃ solution (N)		0.02392	0.02404
Average Normality (N) of Na ₂ S ₂ O ₃ solution (N)		0.02398	
Acceptance criteria, Deviation		Less than ± 0.001N	

Calculation: Normality of Na₂S₂O₃, N = 0.25 / ml Na₂S₂O₃ used

Linearity Checking

Determination of dissolved oxygen content by Winkler Titration *

Purging Time (min)	2		5		10	
	1	2	1	2	1	2
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0.00	11.70	23.20	0.00	7.90	12.90
Final Vol. of Na ₂ S ₂ O ₃ (ml)	11.70	23.20	31.20	7.90	12.90	18.00
Vol. (V) of Na ₂ S ₂ O ₃ used (ml)	11.70	11.50	8.00	7.90	5.00	5.10
Dissolved Oxygen (DO), mg/L	7.53	7.40	5.15	5.09	3.22	3.28
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L		Less than + 0.3mg/L	

Calculation: DO (mg/L) = V x N x 8000/298

Purging time, min	DO meter reading, mg/L			Winkler Titration result *, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
2	7.44	7.65	7.65	7.53	7.40	7.47	2.38
5	5.30	5.22	5.26	5.15	5.09	5.12	2.70
10	3.20	3.11	3.16	3.22	3.28	3.25	2.81
Linear regression coefficient				0.9982			



Internal Calibration Report of Dissolved Oxygen Meter

Zero Point Checking

DO meter reading, mg/L	0.00
------------------------	------

Salinity Checking

Reagent No. of NaCl (10ppt)	CPE/012/4.7/002/07	Reagent No. of NaCl (30ppt)	CPE/012/4.8/002/07
-----------------------------	--------------------	-----------------------------	--------------------

Determination of dissolved oxygen content by Winkler Titration **

Salinity (ppt)	10		30	
	1	2	1	2
Trial				
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0.00	12.00	24.30	35.30
Final Vol. of Na ₂ S ₂ O ₃ (ml)	12.00	24.30	35.30	46.40
Vol. (V) of Na ₂ S ₂ O ₃ used (ml)	12.00	12.30	11.00	11.10
Dissolved Oxygen (DO), mg/L	7.73	7.92	7.08	7.15
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L	

Calculation: $DO (mg/L) = V \times N \times 8000/298$

Salinity (ppt)	DO meter reading, mg/L			Winkler Titration result**, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
10	7.82	7.73	7.78	7.73	7.92	7.83	0.64
30	7.15	7.09	7.12	7.08	7.15	7.12	0.00

Acceptance Criteria

- (1) Difference between temperature readings from temperature sensor of DO probe and reference thermometer : < 0.5 °C
- (2) Linear regression coefficient : >0.99
- (3) Zero checking: 0.0mg/L
- (4) Difference (%) of DO content from the meter reading and by winkler titration : within ± 5%

The equipment complies [#] / ~~does not comply~~ [#] with the specified requirements and is deemed acceptable [#] / unacceptable [#] for use.

[#] Delete as appropriate

Calibrated by

:

Approved by :



Performance Check of Salinity Meter

Equipment Ref. No. : ET/EW/008/005 Manufacturer : YSI
Model No. : Pro 2030 Serial No. : 12A 100353
Date of Calibration : 31/07/2013 Due Date : 30/10/2013

Ref. No. of Salinity Standard used (30ppt)


S/001/4


Salinity Standard (ppt)	Measured Salinity (ppt)	Difference %
30.0	31.2	3.92

Acceptance Criteria

Difference : <10 %

The salinity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by : 

Approved by : 



Internal Calibration Report of Dissolved Oxygen Meter

Equipment Ref. No. : <u>ET/EW/008/005</u>	Manufacturer : <u>YSI</u>
Model No. : <u>Pro 2030</u>	Serial No. : <u>12A 100353</u>
Date of Calibration : <u>29/10/2013</u>	Calibration Due Date : <u>28/01/2014</u>

Temperature Verification

Ref. No. of Reference Thermometer : ET/0521/008
 Ref. No. of Water Bath : ---

		Temperature (°C)		
Reference Thermometer reading	Measured	20.3	Corrected	19.9
DO Meter reading	Measured	19.8	Difference	0.1

Standardization of sodium thiosulphate (Na₂S₂O₃) solution

Reagent No. of Na ₂ S ₂ O ₃ titrant	CPE/012/4.5/001/7	Reagent No. of 0.025N K ₂ Cr ₂ O ₇	CPE/012/4.4/001/22
		Trial 1	Trial 2
Initial Vol. of Na ₂ S ₂ O ₃ (ml)		1.00	12.00
Final Vol. of Na ₂ S ₂ O ₃ (ml)		11.55	22.50
Vol. of Na ₂ S ₂ O ₃ used (ml)		10.55	10.50
Normality of Na ₂ S ₂ O ₃ solution (N)		0.02370	0.02381
Average Normality (N) of Na ₂ S ₂ O ₃ solution (N)		0.02376	
Acceptance criteria, Deviation		Less than ± 0.001N	

Calculation: Normality of Na₂S₂O₃, N = 0.25 / ml Na₂S₂O₃ used

Lineality Checking

Determination of dissolved oxygen content by Winkler Titration *

Purging Time (min)	2		5		10	
	1	2	1	2	1	2
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0.00	11.80	23.40	0.00	8.00	13.00
Final Vol. of Na ₂ S ₂ O ₃ (ml)	11.80	23.40	31.50	8.00	13.00	18.10
Vol. (V) of Na ₂ S ₂ O ₃ used (ml)	11.80	11.60	8.10	8.00	5.00	5.10
Dissolved Oxygen (DO), mg/L	7.53	7.40	5.17	5.10	3.19	3.25
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L		Less than + 0.3mg/L	

Calculation: DO (mg/L) = V x N x 8000/298

Purging time, min	DO meter reading, mg/L			Winkler Titration result *, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
2	7.66	7.41	7.54	7.53	7.40	7.47	0.93
5	5.31	5.23	5.27	5.17	5.10	5.14	2.50
10	3.20	3.10	3.15	3.19	3.25	3.22	2.20
Linear regression coefficient				0.9987			



Performance Check of Salinity Meter

Equipment Ref. No. : ET/EW/008/005 Manufacturer : YSI
Model No. : Pro 2030 Serial No. : 12A 100353
Date of Calibration : ^{29/10/2013} ~~29/08/2013~~ _{29/08/2013} Due Date : 28/01/2014

Ref. No. of Salinity Standard used (30ppt)

S/001/4

Salinity Standard (ppt)	Measured Salinity (ppt)	Difference %
30.0	30.8	2.63

Acceptance Criteria

Difference : <10 %

The salinity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by : 

Approved by : 

Appendix F

EM&A Monitoring Schedules

**HY/2012/07 - Tuen Mun - Chek Lap Kok Link - Southern Connection Viaduct Section
Impact Marine Water Quality Monitoring (WQM) Schedule (31 Oct to 30 Nov 13)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
27-Oct	28-Oct	29-Oct	30-Oct	31-Oct	01-Nov	02-Nov
				WQM Mid-Ebb 10:32 (08:47 - 12:17) Mid-Flood 16:51 (15:06 - 18:36)		WQM Mid-Ebb 11:58 (10:13 - 13:43) Mid-Flood 17:49 (16:04 - 19:34)
03-Nov	04-Nov	05-Nov	06-Nov	07-Nov	08-Nov	09-Nov
		WQM Mid-Ebb 14:14 (12:29 - 15:59) Mid-Flood 19:30 (17:45 - 21:15)		WQM Mid-Flood 10:20 (08:35 - 12:05) Mid-Ebb 15:51 (14:06 - 17:36)		WQM Mid-Flood 12:28 (10:43 - 14:13) Mid-Ebb 17:57 (16:12 - 19:42)
10-Nov	11-Nov	12-Nov	13-Nov	14-Nov	15-Nov	16-Nov
		WQM Mid-Ebb 8:22 (06:36 - 10:06) Mid-Flood 15:35 (13:50 - 17:20)		WQM Mid-Ebb 10:28 (08:43 - 12:13) Mid-Flood 16:49 (15:04 - 18:34)		WQM Mid-Ebb 12:02 (10:17 - 13:47) Mid-Flood 17:46 (16:01 - 19:31)
17-Nov	18-Nov	19-Nov	20-Nov	21-Nov	22-Nov	23-Nov
		WQM Mid-Ebb 13:56 (12:11 - 15:41) Mid-Flood 19:10 (17:25 - 20:55)		WQM Mid-Flood 9:53 (08:08 - 11:38) Mid-Ebb 15:02 (13:20 - 16:50)		WQM Mid-Flood 11:17 (09:32 - 13:02) Mid-Ebb 16:12 (14:35 - 17:50)
24-Nov	25-Nov	26-Nov	27-Nov	28-Nov	29-Nov	30-Nov
		WQM Mid-Flood 14:06 (12:21 - 15:51) Mid-Ebb 20:11 (18:26 - 21:56)		WQM Mid-Ebb 8:33 (06:48 - 10:18) Mid-Flood 15:19 (13:34 - 17:04)		WQM Mid-Ebb 10:42 (08:57 - 12:27) Mid-Flood 16:30 (14:45 - 18:15)

**HY/2012/07 Tuen Mun - Chek Lap Kok Link - Southern Connection Viaduct Section
Tentative Impact Noise Monitoring Schedule (31 Oct to 30 Nov 2013)**

Noise Monitoring at the rooftop of Pak Mong Village Watch Tower

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
27-Oct	28-Oct	29-Oct	30-Oct	31-Oct	01-Nov	02-Nov
03-Nov	04-Nov	05-Nov	06-Nov	07-Nov	08-Nov	09-Nov
		Noise Monitoring				
10-Nov	11-Nov	12-Nov	13-Nov	14-Nov	15-Nov	16-Nov
	Noise Monitoring				Noise Monitoring	
17-Nov	18-Nov	19-Nov	20-Nov	21-Nov	22-Nov	23-Nov
				Noise Monitoring		
24-Nov	25-Nov	26-Nov	27-Nov	28-Nov	29-Nov	30-Nov
			Noise Monitoring			

The schedule is subject to agreement from the EPD on the monitoring times. The schedule will be revised after reviewing the progress of the construction works or due to adverse (safety, weather etc) conditions.

**HY/2012/07 Tuen Mun - Chek Lap Kok Link - Southern Connection Viaduct Section
Tentative Impact Air Quality Monitoring Schedule (31 Oct to 30 Nov 2013)**

Air Quality Monitoring at Siu Ho Wan MTRC Depot

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
27-Oct	28-Oct	29-Oct	30-Oct	31-Oct	01-Nov	02-Nov
03-Nov	04-Nov	05-Nov	06-Nov	07-Nov	08-Nov	09-Nov
		1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>				
10-Nov	11-Nov	12-Nov	13-Nov	14-Nov	15-Nov	16-Nov
	1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>				1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>	
17-Nov	18-Nov	19-Nov	20-Nov	21-Nov	22-Nov	23-Nov
				1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>		
24-Nov	25-Nov	26-Nov	27-Nov	28-Nov	29-Nov	30-Nov
			1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>			

The schedule is subject to agreement from the EPD on the monitoring times. The schedule will be revised after reviewing the progress of the construction works or due to adverse (safety, weather etc) conditions.

**HY/2012/07 - Tuen Mun - Chek Lap Kok Link - Southern Connection Viaduct Section
Impact Marine Water Quality Monitoring (WQM) Schedule (Dec 13)**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
01-Dec	02-Dec	03-Dec	04-Dec	05-Dec	06-Dec	07-Dec
		WQM Mid-Ebb 13:15 (11:30 - 15:00) Mid-Flood 18:27 (16:42 - 20:12)		WQM Mid-Flood 9:23 (07:38 - 11:08) Mid-Ebb 14:52 (13:07 - 16:37)		WQM Mid-Flood 11:04 (09:19 - 12:49) Mid-Ebb 16:35 (14:51 - 18:21)
08-Dec	09-Dec	10-Dec	11-Dec	12-Dec	13-Dec	14-Dec
		WQM Mid-Flood 13:55 (12:10 - 15:40) Mid-Ebb 20:18 (18:33 - 22:03)		WQM Mid-Ebb 8:57 (07:12 - 10:42) Mid-Flood 15:28 (13:43 - 17:13)		WQM Mid-Ebb 11:05 (09:20 - 12:50) Mid-Flood 16:40 (14:55 - 18:25)
15-Dec	16-Dec	17-Dec	18-Dec	19-Dec	20-Dec	21-Dec
		WQM Mid-Ebb 13:03 (11:18 - 14:48) Mid-Flood 18:14 (16:29 - 19:59)		WQM Mid-Ebb 14:09 (12:24 - 15:54) Mid-Flood 19:18 (17:33 - 21:03)		WQM Mid-Flood 10:00 (08:15 - 11:45) Mid-Ebb 15:13 (13:28 - 16:58)
22-Dec	23-Dec	24-Dec	25-Dec	26-Dec	27-Dec	28-Dec
		WQM Mid-Flood 11:53 (10:08 - 13:38) Mid-Ebb 17:33 (15:48 - 19:18)		WQM Mid-Flood 13:25 (11:40 - 15:10) Mid-Ebb 19:58 (18:13 - 21:43)		WQM Mid-Ebb 9:01 (07:16 - 10:46) Mid-Flood 14:59 (13:14 - 16:44)
29-Dec	30-Dec	31-Dec				
		WQM Mid-Ebb 12:15 (10:30 - 14:00) Mid-Flood 17:23 (15:38 - 19:08)				

**HY/2012/07 Tuen Mun - Chek Lap Kok Link - Southern Connection Viaduct Section
Tentative Impact Noise Monitoring Schedule (1 Dec to 31 Dec 2013)**

Noise Monitoring at the rooftop of Pak Mong Village Watch Tower

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
01-Dec	02-Dec	03-Dec	04-Dec	05-Dec	06-Dec	07-Dec
		Noise Monitoring				
08-Dec	09-Dec	10-Dec	11-Dec	12-Dec	13-Dec	14-Dec
	Noise Monitoring				Noise Monitoring	
15-Dec	16-Dec	17-Dec	18-Dec	19-Dec	20-Dec	21-Dec
				Noise Monitoring		
22-Dec	23-Dec	24-Dec	25-Dec	26-Dec	27-Dec	28-Dec
		Noise Monitoring				
29-Dec	30-Dec	31-Dec				
	Noise Monitoring					

The schedule is subject to agreement from the EPD on the monitoring times. The schedule will be revised after reviewing the progress of the construction works or due to adverse (safety, weather etc) conditions.

**HY/2012/07 Tuen Mun - Chek Lap Kok Link - Southern Connection Viaduct Section
Tentative Impact Air Quality Monitoring Schedule (1 Dec to 31 Dec 2013)**

Air Quality Monitoring at WA4 and rooftop of Pak Mong Village Watch Tower

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
01-Dec	02-Dec	03-Dec	04-Dec	05-Dec	06-Dec	07-Dec
		1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>				
08-Dec	09-Dec	10-Dec	11-Dec	12-Dec	13-Dec	14-Dec
	1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>				1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>	
15-Dec	16-Dec	17-Dec	18-Dec	19-Dec	20-Dec	21-Dec
				1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>		
22-Dec	23-Dec	24-Dec	25-Dec	26-Dec	27-Dec	28-Dec
		1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>				
29-Dec	30-Dec	31-Dec				
	1-hour TSP - 3 times 24-hour TSP - 1 time <i>Impact AQM</i>					

The schedule is subject to agreement from the EPD on the monitoring times. The schedule will be revised after reviewing the progress of the construction works or due to adverse (safety, weather etc) conditions.

Appendix G

Impact Air Quality
Monitoring Results and
Graphical Presentation

1-hour TSP Monitoring Results at Air Quality Monitoring Station ASR9A

Project	Works	Date (yyyy-mm-dd)	Station	Time (hh:mm, 24hour)	Parameter	Results (ug/m3)	Action Level (ug/m3)	Limit Level (ug/m3)
TMCLKL	HY/2012/07	2013/11/05	ASR9A	9:30	1-hr TSP	120	394	500
TMCLKL	HY/2012/07	2013/11/05	ASR9A	10:30	1-hr TSP	126		
TMCLKL	HY/2012/07	2013/11/05	ASR9A	11:30	1-hr TSP	128		
TMCLKL	HY/2012/07	2013/11/11	ASR9A	9:35	1-hr TSP	84		
TMCLKL	HY/2012/07	2013/11/11	ASR9A	10:35	1-hr TSP	72		
TMCLKL	HY/2012/07	2013/11/11	ASR9A	11:35	1-hr TSP	70		
TMCLKL	HY/2012/07	2013/11/15	ASR9A	11:08	1-hr TSP	60		
TMCLKL	HY/2012/07	2013/11/15	ASR9A	12:08	1-hr TSP	62		
TMCLKL	HY/2012/07	2013/11/15	ASR9A	13:08	1-hr TSP	65		
TMCLKL	HY/2012/07	2013/11/21	ASR9A	8:26	1-hr TSP	115		
TMCLKL	HY/2012/07	2013/11/21	ASR9A	9:26	1-hr TSP	83		
TMCLKL	HY/2012/07	2013/11/21	ASR9A	10:26	1-hr TSP	114		
TMCLKL	HY/2012/07	2013/11/27	ASR9A	9:00	1-hr TSP	182		
TMCLKL	HY/2012/07	2013/11/27	ASR9A	10:02	1-hr TSP	138		
TMCLKL	HY/2012/07	2013/11/27	ASR9A	11:04	1-hr TSP	103		
						Average		
						Min.	60	
						Max.	182	

1-hour TSP Monitoring Results at Air Quality Monitoring Station ASR9C

Project	Works	Date (yyyy-mm-dd)	Station	Time (hh:mm, 24hour)	Parameter	Results (ug/m3)	Action Level (ug/m3)	Limit Level (ug/m3)
TMCLKL	HY/2012/07	2013/11/05	ASR9C	9:38	1-hr TSP	131	393	500
TMCLKL	HY/2012/07	2013/11/05	ASR9C	10:38	1-hr TSP	124		
TMCLKL	HY/2012/07	2013/11/05	ASR9C	11:38	1-hr TSP	136		
TMCLKL	HY/2012/07	2013/11/11	ASR9C	9:40	1-hr TSP	68		
TMCLKL	HY/2012/07	2013/11/11	ASR9C	10:40	1-hr TSP	75		
TMCLKL	HY/2012/07	2013/11/11	ASR9C	11:40	1-hr TSP	63		
TMCLKL	HY/2012/07	2013/11/15	ASR9C	10:05	1-hr TSP	69		
TMCLKL	HY/2012/07	2013/11/15	ASR9C	11:05	1-hr TSP	63		
TMCLKL	HY/2012/07	2013/11/15	ASR9C	12:05	1-hr TSP	68		
TMCLKL	HY/2012/07	2013/11/21	ASR9C	8:35	1-hr TSP	117		
TMCLKL	HY/2012/07	2013/11/21	ASR9C	9:35	1-hr TSP	109		
TMCLKL	HY/2012/07	2013/11/21	ASR9C	10:35	1-hr TSP	156		
TMCLKL	HY/2012/07	2013/11/27	ASR9C	9:10	1-hr TSP	137		
TMCLKL	HY/2012/07	2013/11/27	ASR9C	10:12	1-hr TSP	117		
TMCLKL	HY/2012/07	2013/11/27	ASR9C	11:14	1-hr TSP	99		
						Average		
						Min.	63	
						Max.	156	

24-hour TSP Monitoring Results at Air Quality Monitoring Station ASR9A

Project	Works	Date (yyyy-mm-dd)	Station	Time (hh:mm, 24hour)	Parameter	Results (ug/m3)	Action Level (ug/m3)	Limit Level (ug/m3)
TMCLKL	HY/2012/07	2013/11/05	ASR9A	15:45	24-hr TSP	82	178	260
TMCLKL	HY/2012/07	2013/11/11	ASR9A	10:05	24-hr TSP	52		
TMCLKL	HY/2012/07	2013/11/15	ASR9A	10:05	24-hr TSP	52		
TMCLKL	HY/2012/07	2013/11/21	ASR9A	11:32	24-hr TSP	69		
TMCLKL	HY/2012/07	2013/11/27	ASR9A	12:06	24-hr TSP	91		

Average 69.2

Min. 52

Max. 91



24-hour TSP Monitoring Results at Air Quality Monitoring Station ASR9C



Project	Works	Date (yyyy-mm-dd)	Station	Time (hh:mm, 24hour)	Parameter	Results (ug/m3)	Action Level (ug/m3)	Limit Level (ug/m3)
TMCLKL	HY/2012/07	2013/11/05	ASR9C	15:30	24-hr TSP	121	178	260
TMCLKL	HY/2012/07	2013/11/11	ASR9C	10:20	24-hr TSP	65		
TMCLKL	HY/2012/07	2013/11/15	ASR9C	10:20	24-hr TSP	65		
TMCLKL	HY/2012/07	2013/11/21	ASR9C	11:41	24-hr TSP	72		
TMCLKL	HY/2012/07	2013/11/27	ASR9C	12:16	24-hr TSP	90		

Average 82.6

Min. 65

Max. 121





Appendix H

Meteorological Data for the Reporting Month

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
05-11-2013	09:38:39	0.23	102.51
05-11-2013	09:43:39	0.02	79.11
05-11-2013	09:48:39	1.07	61.28
05-11-2013	09:53:39	0.02	50.92
05-11-2013	09:58:39	0.58	97.16
05-11-2013	10:03:39	0.86	76.77
05-11-2013	10:08:39	0.81	83.45
05-11-2013	10:13:39	0.21	91.48
05-11-2013	10:18:39	0.75	63.29
05-11-2013	10:23:39	0.09	88.13
05-11-2013	10:28:39	0.02	92.92
05-11-2013	10:33:39	0.02	72.87
05-11-2013	10:38:39	0.41	24.85
05-11-2013	10:43:39	1.19	29.75
05-11-2013	10:48:39	1.54	24.18
05-11-2013	10:53:39	1.7	29.08
05-11-2013	10:58:39	1.15	20.84
05-11-2013	11:03:39	1.41	36.21
05-11-2013	11:08:39	0.92	24.62
05-11-2013	11:13:39	1.44	1.11
05-11-2013	11:18:39	1.22	28.08
05-11-2013	11:23:39	0.92	23.06
05-11-2013	11:28:39	1.12	21.06
05-11-2013	11:33:39	0.2	22.84
05-11-2013	11:38:39	0.98	15.15
05-11-2013	11:43:39	1.27	-0.22
05-11-2013	11:48:39	0.35	24.18
05-11-2013	11:53:39	0.69	25.96
05-11-2013	11:58:39	0.66	0.22
05-11-2013	12:03:39	0.31	23.4
05-11-2013	12:08:39	0.18	357.44
05-11-2013	12:13:39	0.31	19.28
05-11-2013	12:18:39	0.55	24.51
05-11-2013	12:23:39	0.64	27.19
05-11-2013	12:28:39	0.49	23.73
05-11-2013	12:33:39	0.06	42.01
05-11-2013	12:38:39	0.37	32.76
05-11-2013	12:43:39	0.18	25.63
05-11-2013	12:48:39	0.26	24.74
05-11-2013	12:53:39	0.29	18.72
05-11-2013	12:58:39	0.76	32.87
05-11-2013	13:03:39	0.12	2.34
05-11-2013	13:08:39	0.02	23.51

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
05-11-2013	13:13:39	0.02	348.08
05-11-2013	13:18:39	0.58	343.62
05-11-2013	13:23:39	0.41	2.9
05-11-2013	13:28:39	0.86	25.07
05-11-2013	13:33:39	1.65	28.08
05-11-2013	13:38:39	1.07	21.28
05-11-2013	13:43:39	0.98	8.47
05-11-2013	13:48:39	1.41	26.85
05-11-2013	13:53:39	1.7	30.75
05-11-2013	13:58:39	1.27	19.16
05-11-2013	14:03:39	1.44	38.66
05-11-2013	14:08:39	1.64	18.94
05-11-2013	14:13:39	1.58	25.4
05-11-2013	14:18:39	1.32	31.42
05-11-2013	14:23:39	1.76	36.77
05-11-2013	14:28:39	0.87	30.64
05-11-2013	14:33:39	0.87	39.33
05-11-2013	14:38:39	0.69	25.29
05-11-2013	14:43:39	0.61	27.74
05-11-2013	14:48:39	1.33	20.06
05-11-2013	14:53:39	0.75	29.42
05-11-2013	14:58:39	0.5	18.27
05-11-2013	15:03:39	0.32	34.54
05-11-2013	15:08:39	0.73	15.15
05-11-2013	15:13:39	1.42	30.19
05-11-2013	15:18:39	2.16	17.6
05-11-2013	15:23:39	1.94	11.81
05-11-2013	15:28:39	1.41	12.48
05-11-2013	15:33:39	2.23	353.76
05-11-2013	15:38:39	0.49	0.22
05-11-2013	15:43:39	0.54	358.22
05-11-2013	15:48:39	1.09	348.41
05-11-2013	15:53:39	1.04	358.33
05-11-2013	15:58:39	0.4	357.21
05-11-2013	16:03:39	0.95	333.48
05-11-2013	16:08:39	0.95	336.94
05-11-2013	16:13:39	1.42	336.6
05-11-2013	16:18:39	2.05	330.7
05-11-2013	16:23:39	1.27	348.08
05-11-2013	16:28:39	1.84	351.75
05-11-2013	16:33:39	1.33	342.73
05-11-2013	16:38:39	2.69	357.1
05-11-2013	16:43:39	1.16	341.84

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
05-11-2013	16:48:39	1.32	347.52
05-11-2013	16:53:39	1.19	356.88
05-11-2013	16:58:39	1.1	0
05-11-2013	17:03:39	1.19	334.71
05-11-2013	17:08:39	0.83	346.41
05-11-2013	17:13:39	1.25	360.56
05-11-2013	17:18:39	0.81	356.88
05-11-2013	17:23:39	0.24	6.91
05-11-2013	17:28:39	0.78	21.28
05-11-2013	17:33:39	0.02	32.87
05-11-2013	17:38:39	0.38	19.83
05-11-2013	17:43:39	0.86	22.84
05-11-2013	17:48:39	0.02	75.54
05-11-2013	17:53:39	1.35	19.28
05-11-2013	17:58:39	0.41	43.45
05-11-2013	18:03:39	0.23	21.17
05-11-2013	18:08:39	0.32	22.28
05-11-2013	18:13:39	0.6	26.07
05-11-2013	18:18:39	0.03	40.78
05-11-2013	18:23:39	0.03	159.89
05-11-2013	18:28:39	0.03	193.76
05-11-2013	18:33:39	0.03	160.89
05-11-2013	18:38:39	0.03	160.89
05-11-2013	18:43:39	0.03	103.51
05-11-2013	18:48:39	0.02	51.7
05-11-2013	18:53:39	0.03	51.7
05-11-2013	18:58:39	0.03	51.7
05-11-2013	19:03:39	0.03	51.7
05-11-2013	19:08:39	0.03	63.73
05-11-2013	19:13:39	0.03	63.29
05-11-2013	19:18:39	0.03	87.91
05-11-2013	19:23:39	0.03	87.91
05-11-2013	19:28:39	0.03	87.91
05-11-2013	19:33:39	0.03	87.91
05-11-2013	19:38:39	0.03	87.91
05-11-2013	19:43:39	0.03	146.96
05-11-2013	19:48:39	0.03	199.44
05-11-2013	19:53:39	0.03	186.41
05-11-2013	19:58:39	0.03	204.46
05-11-2013	20:03:39	0.03	204.35
05-11-2013	20:08:39	0.03	202.56
05-11-2013	20:13:39	0.03	206.91
05-11-2013	20:18:39	0.03	163.9

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
05-11-2013	20:23:39	0.03	169.69
05-11-2013	20:28:39	0.03	159.44
05-11-2013	20:33:39	0.03	159.44
05-11-2013	20:38:39	0.03	159.44
05-11-2013	20:43:39	0.05	159.44
05-11-2013	20:48:39	0.05	159.44
05-11-2013	20:53:39	0.05	146.07
05-11-2013	20:58:39	0.05	146.18
05-11-2013	21:03:39	0.03	146.07
05-11-2013	21:08:39	0.03	163.12
05-11-2013	21:13:39	0.03	147.86
05-11-2013	21:18:39	0.03	150.19
05-11-2013	21:23:39	0.03	149.08
05-11-2013	21:28:39	0.05	167.58
05-11-2013	21:33:39	0.03	167.47
05-11-2013	21:38:39	0.05	167.47
05-11-2013	21:43:39	0.03	167.47
05-11-2013	21:48:39	0.03	151.53
05-11-2013	21:53:39	0.03	133.82
05-11-2013	21:58:39	0.03	161.45
05-11-2013	22:03:39	0.03	161.45
05-11-2013	22:08:39	0.03	161.45
05-11-2013	22:13:39	0.03	161.45
05-11-2013	22:18:39	0.03	139.16
05-11-2013	22:23:39	0.03	118.66
05-11-2013	22:28:39	0.03	42.79
05-11-2013	22:33:39	0.03	222.73
05-11-2013	22:38:39	0.03	172.14
05-11-2013	22:43:39	0.03	172.14
05-11-2013	22:48:39	0.03	172.14
05-11-2013	22:53:39	0.03	149.3
05-11-2013	22:58:39	0.05	149.3
05-11-2013	23:03:39	0.03	150.31
05-11-2013	23:08:39	0.03	150.42
05-11-2013	23:13:39	0.03	150.42
05-11-2013	23:18:39	0.03	171.59
05-11-2013	23:23:39	0.03	171.59
05-11-2013	23:28:39	0.03	171.48
05-11-2013	23:33:39	0.03	176.04
05-11-2013	23:38:39	0.03	176.04
05-11-2013	23:43:39	0.03	176.04
05-11-2013	23:48:39	0.03	175.82
05-11-2013	23:53:39	0.03	171.59

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
05-11-2013	23:58:39	0.03	171.59
11-11-2013	09:57:32	2.28	23.29
11-11-2013	10:02:32	4.3	136.27
11-11-2013	10:07:32	2.66	80.11
11-11-2013	10:12:32	3.38	151.31
11-11-2013	10:17:32	1.54	118.77
11-11-2013	10:22:32	2.11	131.25
11-11-2013	10:27:32	3.17	82.23
11-11-2013	10:32:32	2.11	146.74
11-11-2013	10:37:32	2.22	157.1
11-11-2013	10:42:32	3.79	115.32
11-11-2013	10:47:32	1.13	160.22
11-11-2013	10:52:32	2.98	123.9
11-11-2013	10:57:32	4.6	97.94
11-11-2013	11:02:32	5.84	135.82
11-11-2013	11:07:32	2.08	84.46
11-11-2013	11:12:32	2.92	164.01
11-11-2013	11:17:32	0.76	122.67
11-11-2013	11:22:32	1.09	131.81
11-11-2013	11:27:32	4.71	110.64
11-11-2013	11:32:32	2.43	126.35
11-11-2013	11:37:32	1.54	117.1
11-11-2013	11:42:32	2.17	99.28
11-11-2013	11:47:32	3.75	116.55
11-11-2013	11:52:32	2.91	144.4
11-11-2013	11:57:32	1.15	81.78
11-11-2013	12:02:32	3.17	143.96
11-11-2013	12:07:32	2.2	116.77
11-11-2013	12:12:32	2.98	51.48
11-11-2013	12:17:32	5.83	110.97
11-11-2013	12:22:32	1.54	180.61
11-11-2013	12:27:32	4.39	110.97
11-11-2013	12:32:32	5.12	126.13
11-11-2013	12:37:32	2.16	95.6
11-11-2013	12:42:32	4.47	131.7
11-11-2013	12:47:32	3.55	86.13
11-11-2013	12:52:32	2.49	112.2
11-11-2013	12:57:32	4.85	142.62
11-11-2013	13:02:32	2.54	130.7
11-11-2013	13:07:32	1.99	129.58
11-11-2013	13:12:32	2.75	114.65
11-11-2013	13:17:32	1.61	153.2
11-11-2013	13:22:32	0.81	145.29

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
11-11-2013	13:27:32	2.51	115.1
11-11-2013	13:32:32	3.43	136.82
11-11-2013	13:37:32	2.13	167.02
11-11-2013	13:42:32	1.67	186.41
11-11-2013	13:47:32	3.33	101.5
11-11-2013	13:52:32	2.42	115.21
11-11-2013	13:57:32	1.53	132.14
11-11-2013	14:02:32	3.12	89.14
11-11-2013	14:07:32	4.99	160.45
11-11-2013	14:12:32	2.78	128.13
11-11-2013	14:17:32	3.07	126.35
11-11-2013	14:22:32	3.87	121.23
11-11-2013	14:27:32	1.19	147.19
11-11-2013	14:32:32	3.35	77.33
11-11-2013	14:37:32	3.18	105.74
11-11-2013	14:42:32	2.55	120.45
11-11-2013	14:47:32	4.47	97.83
11-11-2013	14:52:32	4.7	138.05
11-11-2013	14:57:32	0.9	86.24
11-11-2013	15:02:32	3.01	113.98
11-11-2013	15:07:32	4.79	129.36
11-11-2013	15:12:32	3.7	100.61
11-11-2013	15:17:32	4.14	128.25
11-11-2013	15:22:32	4.8	122.9
11-11-2013	15:27:32	2	89.81
11-11-2013	15:32:32	2.97	135.71
11-11-2013	15:37:32	2.31	119.67
11-11-2013	15:42:32	6.61	98.83
11-11-2013	15:47:32	1.47	149.64
11-11-2013	15:52:32	1.99	150.19
11-11-2013	15:57:32	5.28	92.26
11-11-2013	16:02:32	5.37	110.64
11-11-2013	16:07:32	2.89	100.84
11-11-2013	16:12:32	3.96	168.02
11-11-2013	16:17:32	2.51	150.53
11-11-2013	16:22:32	3.04	141.06
11-11-2013	16:27:32	1.41	79
11-11-2013	16:32:32	4.96	133.7
11-11-2013	16:37:32	3.44	159.44
11-11-2013	16:42:32	3.56	113.43
11-11-2013	16:47:32	2.36	134.71
11-11-2013	16:52:32	4.51	133.82
11-11-2013	16:57:32	3.41	107.74

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
11-11-2013	17:02:32	5.4	136.38
11-11-2013	17:07:32	4.3	168.02
11-11-2013	17:12:32	2.11	124.23
11-11-2013	17:17:32	1.32	186.41
11-11-2013	17:22:32	3.81	139.94
11-11-2013	17:27:32	6.26	145.63
11-11-2013	17:32:32	4.53	161.23
11-11-2013	17:37:32	2.03	136.82
11-11-2013	17:42:32	4.11	128.69
11-11-2013	17:47:32	4.71	87.02
11-11-2013	17:52:32	2.88	101.17
11-11-2013	17:57:32	6.58	169.14
11-11-2013	18:02:32	1.9	175.15
11-11-2013	18:07:32	1.87	214.15
11-11-2013	18:12:32	2.66	146.07
11-11-2013	18:17:32	8.47	142.73
11-11-2013	18:22:32	3.72	110.75
11-11-2013	18:27:32	2.58	131.36
11-11-2013	18:32:32	4.3	159.44
11-11-2013	18:37:32	0.81	208.02
11-11-2013	18:42:32	0.83	119.89
11-11-2013	18:47:32	0.9	75.77
11-11-2013	18:52:32	1.99	107.52
11-11-2013	18:57:32	1.82	144.18
11-11-2013	19:02:32	1.96	188.41
11-11-2013	19:07:32	0.6	143.84
11-11-2013	19:12:32	1.36	166.46
11-11-2013	19:17:32	2.88	128.91
11-11-2013	19:22:32	2.51	195.32
11-11-2013	19:27:32	5.75	128.47
11-11-2013	19:32:32	3.55	134.71
11-11-2013	19:37:32	5.44	152.31
11-11-2013	19:42:32	3.61	87.02
11-11-2013	19:47:32	3.66	128.36
11-11-2013	19:52:32	3.26	103.73
11-11-2013	19:57:32	3.06	98.83
11-11-2013	20:02:32	2.68	111.42
11-11-2013	20:07:32	1.93	138.16
11-11-2013	20:12:32	2.78	116.77
11-11-2013	20:17:32	5.26	119.44
11-11-2013	20:22:32	2.14	128.69
11-11-2013	20:27:32	3.23	109.64
11-11-2013	20:32:32	2.88	81.45

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
11-11-2013	20:37:32	3.61	130.03
11-11-2013	20:42:32	6.65	113.98
11-11-2013	20:47:32	3.15	124.23
11-11-2013	20:52:32	4.76	117.99
11-11-2013	20:57:32	8.52	130.7
11-11-2013	21:02:32	2.49	135.38
11-11-2013	21:07:32	1.51	158.33
11-11-2013	21:12:32	2.43	105.96
11-11-2013	21:17:32	6.19	124.46
11-11-2013	21:22:32	2.65	134.82
11-11-2013	21:27:32	7.37	157.88
11-11-2013	21:32:32	3.93	135.04
11-11-2013	21:37:32	2.57	107.3
11-11-2013	21:42:32	3.18	138.05
11-11-2013	21:47:32	2.05	182.84
11-11-2013	21:52:32	3.85	171.14
11-11-2013	21:57:32	4.22	135.6
11-11-2013	22:02:32	2.45	159.44
11-11-2013	22:07:32	2	103.51
11-11-2013	22:12:32	2.14	103.73
11-11-2013	22:17:32	2.34	108.41
11-11-2013	22:22:32	3.23	134.37
11-11-2013	22:27:32	3.52	96.49
11-11-2013	22:32:32	4.92	134.6
11-11-2013	22:37:32	4.82	116.1
11-11-2013	22:42:32	2.89	144.18
11-11-2013	22:47:32	1.51	122.12
11-11-2013	22:52:32	1.77	134.37
11-11-2013	22:57:32	5.26	126.13
11-11-2013	23:02:32	1.5	71.31
11-11-2013	23:07:32	4.27	139.39
11-11-2013	23:12:32	1.42	143.84
11-11-2013	23:17:32	0.76	144.29
11-11-2013	23:22:32	3.18	120.33
11-11-2013	23:27:32	3.36	135.93
11-11-2013	23:32:32	1.47	136.94
11-11-2013	23:37:32	2.17	170.81
11-11-2013	23:42:32	1.24	129.47
11-11-2013	23:47:32	1.64	112.65
11-11-2013	23:52:32	1.67	112.2
11-11-2013	23:57:32	1.87	160.56
15-11-2013	00:02:32	1.76	331.59
15-11-2013	00:07:32	1.58	330.36

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
15-11-2013	00:12:32	0.61	358.77
15-11-2013	00:17:32	1.16	359.67
15-11-2013	00:22:32	2.19	2.12
15-11-2013	00:27:32	1.51	334.93
15-11-2013	00:32:32	1.99	335.49
15-11-2013	00:37:32	0.93	333.82
15-11-2013	00:42:32	1.84	328.69
15-11-2013	00:47:32	1.38	349.08
15-11-2013	00:52:32	1.68	310.08
15-11-2013	00:57:32	1.8	338.61
15-11-2013	01:02:32	2.83	339.05
15-11-2013	01:07:32	1.8	329.58
15-11-2013	01:12:32	1.5	334.15
15-11-2013	01:17:32	2.37	353.65
15-11-2013	01:22:32	3.23	347.41
15-11-2013	01:27:32	1.77	333.15
15-11-2013	01:32:32	1.48	352.42
15-11-2013	01:37:32	2.45	344.85
15-11-2013	01:42:32	2.11	2.34
15-11-2013	01:47:32	1.77	10.58
15-11-2013	01:52:32	2.17	335.38
15-11-2013	01:57:32	2.54	355.21
15-11-2013	02:02:32	2.6	324.46
15-11-2013	02:07:32	2.36	348.41
15-11-2013	02:12:32	1.82	11.36
15-11-2013	02:17:32	2.39	334.48
15-11-2013	02:22:32	1.67	357.55
15-11-2013	02:27:32	2.28	358.55
15-11-2013	02:32:32	1.24	1
15-11-2013	02:37:32	1.77	5.24
15-11-2013	02:42:32	1.42	3.57
15-11-2013	02:47:32	3.14	1.34
15-11-2013	02:52:32	1.94	354.09
15-11-2013	02:57:32	3.18	350.19
15-11-2013	03:02:32	1.91	333.26
15-11-2013	03:07:32	1.12	330.58
15-11-2013	03:12:32	1.47	344.4
15-11-2013	03:17:32	1.1	317.66
15-11-2013	03:22:32	1.02	350.08
15-11-2013	03:27:32	1.1	303.84
15-11-2013	03:32:32	1.16	1.45
15-11-2013	03:37:32	1.27	21.06
15-11-2013	03:42:32	2.25	352.98

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
15-11-2013	03:47:32	1.07	356.55
15-11-2013	03:52:32	1.25	8.58
15-11-2013	03:57:32	2.43	353.54
15-11-2013	04:02:32	1.42	1.56
15-11-2013	04:07:32	2	2.45
15-11-2013	04:12:32	1.9	3.23
15-11-2013	04:17:32	1.06	335.6
15-11-2013	04:22:32	2.11	354.43
15-11-2013	04:27:32	1.45	-47.24
15-11-2013	04:32:32	1.84	358.11
15-11-2013	04:37:32	1.47	344.51
15-11-2013	04:42:32	1.28	334.6
15-11-2013	04:47:32	1.42	357.99
15-11-2013	04:52:32	1.91	1.23
15-11-2013	04:57:32	1.62	351.87
15-11-2013	05:02:32	1.35	344.29
15-11-2013	05:07:32	3.67	322.56
15-11-2013	05:12:32	0.46	284.01
15-11-2013	05:17:32	1.5	12.48
15-11-2013	05:22:32	1.24	353.65
15-11-2013	05:27:32	2.55	6.24
15-11-2013	05:32:32	0.05	7.02
15-11-2013	05:37:32	0.06	127.69
15-11-2013	05:42:32	0.34	164.23
15-11-2013	05:47:32	0.06	128.13
15-11-2013	05:52:32	0.05	120.11
15-11-2013	05:57:32	0.06	120.11
15-11-2013	06:02:32	0.06	143.06
15-11-2013	06:07:32	0.06	134.71
15-11-2013	06:12:32	0.05	137.94
15-11-2013	06:17:32	0.06	137.05
15-11-2013	06:22:32	1.12	98.05
15-11-2013	06:27:32	0.26	145.29
15-11-2013	06:32:32	0.06	117.33
15-11-2013	06:37:32	0.29	258.94
15-11-2013	06:42:32	0.06	261.95
15-11-2013	06:47:32	1.22	269.53
15-11-2013	06:52:32	1.18	350.53
15-11-2013	06:57:32	1.38	354.65
15-11-2013	07:02:32	0.06	272.98
15-11-2013	07:07:32	0.09	300.28
15-11-2013	07:12:32	0.06	246.91
15-11-2013	07:17:32	0.37	9.58

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
15-11-2013	07:22:32	1.27	313.87
15-11-2013	07:27:32	0.4	353.54
15-11-2013	07:32:32	0.06	344.29
15-11-2013	07:37:32	0.06	344.18
15-11-2013	07:42:32	0.06	344.18
15-11-2013	07:47:32	0.06	58.27
15-11-2013	07:52:32	0.06	314.87
15-11-2013	07:57:32	0.34	286.46
15-11-2013	08:02:32	0.12	294.26
15-11-2013	08:07:32	0.05	277.99
15-11-2013	08:12:32	0.05	277.99
15-11-2013	08:17:32	0.72	345.18
15-11-2013	08:22:32	0.05	346.41
15-11-2013	08:27:32	0.55	337.6
15-11-2013	08:32:32	0.05	-47.69
15-11-2013	08:37:32	0.15	347.63
15-11-2013	08:42:32	0.05	347.63
15-11-2013	08:47:32	0.05	291.14
15-11-2013	08:52:32	0.41	319.33
15-11-2013	08:57:32	0.66	352.2
15-11-2013	09:02:32	1.09	274.32
15-11-2013	09:07:32	1.53	291.25
15-11-2013	09:12:32	1.65	280
15-11-2013	09:17:32	1.67	260.72
15-11-2013	09:22:32	0.67	291.25
15-11-2013	09:27:32	0.05	274.99
15-11-2013	09:32:32	0.05	294.26
15-11-2013	09:37:32	0.26	302.84
15-11-2013	09:42:32	0.14	277.88
15-11-2013	09:47:32	0.81	286.57
15-11-2013	09:52:32	1.84	274.87
15-11-2013	09:57:32	0.32	251.14
15-11-2013	10:02:32	1.99	264.07
15-11-2013	10:07:32	2.52	275.77
15-11-2013	10:12:32	0.17	283.79
15-11-2013	10:17:32	1.58	276.21
15-11-2013	10:22:32	0.18	291.36
15-11-2013	10:27:32	0.03	300.17
15-11-2013	10:32:32	0.2	268.64
15-11-2013	10:37:32	0.52	270.31
15-11-2013	10:42:32	0.69	264.29
15-11-2013	10:47:32	1.64	339.28
15-11-2013	10:52:32	0.73	332.37

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
15-11-2013	10:57:32	0.03	311.31
15-11-2013	11:02:32	0.14	292.48
15-11-2013	11:07:32	0.03	291.25
15-11-2013	11:12:32	0.03	312.98
15-11-2013	11:17:32	0.03	324.68
15-11-2013	11:22:32	0.03	353.98
15-11-2013	11:27:32	0.03	331.25
15-11-2013	11:32:32	0.03	296.49
15-11-2013	11:37:32	0.03	293.93
15-11-2013	11:42:32	0.03	276.43
15-11-2013	11:47:32	0.18	281.78
15-11-2013	11:52:32	0.03	270.08
15-11-2013	11:57:32	0.14	315.88
15-11-2013	12:02:32	0.37	289.69
15-11-2013	12:07:32	0.23	292.14
15-11-2013	12:12:32	0.03	307.52
15-11-2013	12:17:32	0.06	294.26
15-11-2013	12:22:32	0.29	286.69
15-11-2013	12:27:32	0.61	302.51
15-11-2013	12:32:32	0.38	310.86
15-11-2013	12:37:32	0.81	319
15-11-2013	12:42:32	0.81	322.12
15-11-2013	12:47:32	0.83	302.62
15-11-2013	12:52:32	0.54	294.82
15-11-2013	12:57:32	0.41	286.13
15-11-2013	13:02:32	0.31	286.24
15-11-2013	13:07:32	0.55	281.67
15-11-2013	13:12:32	1.04	293.26
15-11-2013	13:17:32	1.16	300.5
15-11-2013	13:22:32	1.1	287.69
15-11-2013	13:27:32	1.65	307.74
15-11-2013	13:32:32	1.12	286.35
15-11-2013	13:37:32	2.55	316.88
15-11-2013	13:42:32	2.95	301.62
15-11-2013	13:47:32	1.96	295.82
15-11-2013	13:52:32	1.94	294.82
15-11-2013	13:57:32	2.65	299.61
15-11-2013	14:02:32	1.41	302.84
15-11-2013	14:07:32	1.8	303.18
15-11-2013	14:12:32	2.02	305.74
15-11-2013	14:17:32	1.44	302.06
15-11-2013	14:22:32	2.42	301.73
15-11-2013	14:27:32	2.57	290.81

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
15-11-2013	14:32:32	2.45	310.86
15-11-2013	14:37:32	2.26	293.82
15-11-2013	14:42:32	1.48	308.64
15-11-2013	14:47:32	2.28	287.35
15-11-2013	14:52:32	1.67	286.46
15-11-2013	14:57:32	2.55	288.13
15-11-2013	15:02:32	1.04	286.13
15-11-2013	15:07:32	2.08	312.98
15-11-2013	15:12:32	2.68	260.72
15-11-2013	15:17:32	2.43	296.27
15-11-2013	15:22:32	2.13	301.62
15-11-2013	15:27:32	2.45	310.19
15-11-2013	15:32:32	1.54	286.02
15-11-2013	15:37:32	2.16	305.07
15-11-2013	15:42:32	1.12	290.25
15-11-2013	15:47:32	2.77	316.77
15-11-2013	15:52:32	1.99	316.21
15-11-2013	15:57:32	2.17	312.09
15-11-2013	16:02:32	2.29	315.1
15-11-2013	16:07:32	1.79	292.7
15-11-2013	16:12:32	2.6	301.5
15-11-2013	16:17:32	1.93	290.47
15-11-2013	16:22:32	1.5	289.03
15-11-2013	16:27:32	1.36	283.23
15-11-2013	16:32:32	1.21	281.11
15-11-2013	16:37:32	1.99	292.37
15-11-2013	16:42:32	1.93	266.96
15-11-2013	16:47:32	1.33	266.96
15-11-2013	16:52:32	0.32	259.5
15-11-2013	16:57:32	0.05	243.23
15-11-2013	17:02:32	0.31	204.46
15-11-2013	17:07:32	0.05	257.94
15-11-2013	17:12:32	0.05	233.2
15-11-2013	17:17:32	0.05	191.42
15-11-2013	17:22:32	0.05	196.77
15-11-2013	17:27:32	0.06	196.77
15-11-2013	17:32:32	0.06	195.32
15-11-2013	17:37:32	0.05	153.65
15-11-2013	17:42:32	0.05	168.02
15-11-2013	17:47:32	0.05	175.6
15-11-2013	17:52:32	0.06	196.88
15-11-2013	17:57:32	0.06	168.36
15-11-2013	18:02:32	0.09	153.31

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
15-11-2013	18:07:32	0.08	211.92
15-11-2013	18:12:32	0.06	238.11
15-11-2013	18:17:32	0.06	168.47
15-11-2013	18:22:32	0.06	142.62
15-11-2013	18:27:32	0.12	159.22
15-11-2013	18:32:32	0.06	150.86
15-11-2013	18:37:32	0.06	148.52
15-11-2013	18:42:32	0.06	162.34
15-11-2013	18:47:32	0.08	162.12
15-11-2013	18:52:32	0.06	162.23
15-11-2013	18:57:32	0.08	167.8
15-11-2013	19:02:32	0.09	167.91
15-11-2013	19:07:32	0.09	203.34
15-11-2013	19:12:32	0.09	141.39
15-11-2013	19:17:32	0.08	141.39
15-11-2013	19:22:32	0.06	206.69
15-11-2013	19:27:32	0.06	166.69
15-11-2013	19:32:32	0.06	166.8
15-11-2013	19:37:32	0.06	139.5
15-11-2013	19:42:32	0.08	139.94
15-11-2013	19:47:32	0.06	139.94
15-11-2013	19:52:32	0.08	139.94
15-11-2013	19:57:32	0.06	189.97
15-11-2013	20:02:32	0.06	200.11
15-11-2013	20:07:32	0.06	200.11
15-11-2013	20:12:32	0.06	171.25
15-11-2013	20:17:32	0.06	187.86
15-11-2013	20:22:32	0.06	149.86
15-11-2013	20:27:32	0.06	162.34
15-11-2013	20:32:32	0.06	175.04
15-11-2013	20:37:32	0.06	175.04
15-11-2013	20:42:32	0.08	174.26
15-11-2013	20:47:32	0.06	166.13
15-11-2013	20:52:32	0.08	162.56
15-11-2013	20:57:32	0.06	191.31
15-11-2013	21:02:32	0.08	191.53
15-11-2013	21:07:32	0.06	202.34
15-11-2013	21:12:32	0.06	142.51
15-11-2013	21:17:32	0.06	167.35
15-11-2013	21:22:32	0.06	175.04
15-11-2013	21:27:32	0.06	173.93
15-11-2013	21:32:32	0.06	173.93
15-11-2013	21:37:32	0.06	173.93

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
15-11-2013	21:42:32	0.08	173.93
15-11-2013	21:47:32	0.06	173.93
15-11-2013	21:52:32	0.06	173.93
15-11-2013	21:57:32	0.06	170.36
15-11-2013	22:02:32	0.06	170.36
15-11-2013	22:07:32	0.08	170.36
15-11-2013	22:12:32	0.06	168.13
15-11-2013	22:17:32	0.06	200.22
15-11-2013	22:22:32	0.09	200.33
15-11-2013	22:27:32	0.06	185.07
15-11-2013	22:32:32	0.06	163.34
15-11-2013	22:37:32	0.06	223.29
15-11-2013	22:42:32	0.05	157.66
15-11-2013	22:47:32	0.06	202.79
15-11-2013	22:52:32	0.06	168.8
15-11-2013	22:57:32	0.06	162.01
15-11-2013	23:02:32	0.06	153.54
15-11-2013	23:07:32	0.06	193.87
15-11-2013	23:12:32	0.06	186.63
15-11-2013	23:17:32	0.06	145.18
15-11-2013	23:22:32	0.06	253.37
15-11-2013	23:27:32	0.06	219.16
15-11-2013	23:32:32	0.06	180.5
15-11-2013	23:37:32	0.06	196.43
15-11-2013	23:42:32	0.06	197.44
15-11-2013	23:47:32	0.06	197.33
15-11-2013	23:52:32	0.08	197.44
15-11-2013	23:57:32	0.83	6.35
21-11-2013	00:02:32	0.06	157.44
21-11-2013	00:07:32	0.05	157.44
21-11-2013	00:12:32	0.05	157.44
21-11-2013	00:17:32	0.05	184.4
21-11-2013	00:22:32	0.05	184.51
21-11-2013	00:27:32	0.05	219.39
21-11-2013	00:32:32	0.05	219.39
21-11-2013	00:37:32	0.05	219.39
21-11-2013	00:42:32	0.05	219.39
21-11-2013	00:47:32	0.05	219.39
21-11-2013	00:52:32	0.05	214.37
21-11-2013	00:57:32	0.05	166.57
21-11-2013	01:02:32	0.06	166.57
21-11-2013	01:07:32	0.06	166.57
21-11-2013	01:12:32	0.06	167.58

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
21-11-2013	01:17:32	0.05	151.53
21-11-2013	01:22:32	0.05	151.53
21-11-2013	01:27:32	0.05	222.06
21-11-2013	01:32:32	0.05	222.17
21-11-2013	01:37:32	0.05	246.46
21-11-2013	01:42:32	0.05	302.84
21-11-2013	01:47:32	0.05	150.31
21-11-2013	01:52:32	0.05	150.31
21-11-2013	01:57:32	0.05	182.06
21-11-2013	02:02:32	0.05	183.06
21-11-2013	02:07:32	0.05	171.03
21-11-2013	02:12:32	0.05	171.14
21-11-2013	02:17:32	0.05	171.03
21-11-2013	02:22:32	1.51	141.17
21-11-2013	02:27:32	0.05	130.58
21-11-2013	02:32:32	0.05	206.91
21-11-2013	02:37:32	0.05	270.75
21-11-2013	02:42:32	0.05	162.79
21-11-2013	02:47:32	0.05	234.65
21-11-2013	02:52:32	0.05	310.08
21-11-2013	02:57:32	0.05	195.21
21-11-2013	03:02:32	0.05	210.92
21-11-2013	03:07:32	0.06	225.96
21-11-2013	03:12:32	0.05	157.44
21-11-2013	03:17:32	0.05	170.7
21-11-2013	03:22:32	0.06	157.55
21-11-2013	03:27:32	0.05	162.23
21-11-2013	03:32:32	0.06	133.82
21-11-2013	03:37:32	0.06	133.82
21-11-2013	03:42:32	0.05	133.93
21-11-2013	03:47:32	0.05	140.39
21-11-2013	03:52:32	0.06	159.44
21-11-2013	03:57:32	0.06	148.75
21-11-2013	04:02:32	0.06	165.79
21-11-2013	04:07:32	0.06	169.25
21-11-2013	04:12:32	0.09	155.54
21-11-2013	04:17:32	0.06	186.96
21-11-2013	04:22:32	0.06	218.83
21-11-2013	04:27:32	0.06	191.75
21-11-2013	04:32:32	0.06	136.82
21-11-2013	04:37:32	0.06	190.75
21-11-2013	04:42:32	0.06	151.42
21-11-2013	04:47:32	0.06	165.13

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
21-11-2013	04:52:32	0.57	149.42
21-11-2013	04:57:32	0.06	151.64
21-11-2013	05:02:32	0.06	140.28
21-11-2013	05:07:32	0.32	171.48
21-11-2013	05:12:32	0.06	174.04
21-11-2013	05:17:32	0.06	286.35
21-11-2013	05:22:32	0.09	156.55
21-11-2013	05:27:32	0.06	158.66
21-11-2013	05:32:32	0.06	145.74
21-11-2013	05:37:32	0.06	141.17
21-11-2013	05:42:32	0.06	141.39
21-11-2013	05:47:32	0.06	153.54
21-11-2013	05:52:32	0.06	153.54
21-11-2013	05:57:32	0.06	152.87
21-11-2013	06:02:32	0.06	155.88
21-11-2013	06:07:32	0.06	151.64
21-11-2013	06:12:32	0.06	174.93
21-11-2013	06:17:32	0.06	145.96
21-11-2013	06:22:32	0.08	137.94
21-11-2013	06:27:32	0.08	137.94
21-11-2013	06:32:32	0.08	159.44
21-11-2013	06:37:32	0.09	161.11
21-11-2013	06:42:32	0.08	150.97
21-11-2013	06:47:32	0.08	143.73
21-11-2013	06:52:32	0.08	143.84
21-11-2013	06:57:32	0.08	100.06
21-11-2013	07:02:32	0.08	192.65
21-11-2013	07:07:32	0.08	171.03
21-11-2013	07:12:32	0.08	171.03
21-11-2013	07:17:32	0.09	158.33
21-11-2013	07:22:32	0.08	160.11
21-11-2013	07:27:32	0.08	160.11
21-11-2013	07:32:32	0.08	160.11
21-11-2013	07:37:32	0.08	149.19
21-11-2013	07:42:32	0.08	102.51
21-11-2013	07:47:32	0.08	149.19
21-11-2013	07:52:32	0.06	163.57
21-11-2013	07:57:32	0.02	113.54
21-11-2013	08:02:32	0.02	131.7
21-11-2013	08:07:32	0.02	152.87
21-11-2013	08:12:32	0.02	152.98
21-11-2013	08:17:32	0.02	150.86
21-11-2013	08:49:43	0.02	126.57

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
21-11-2013	08:54:43	0.03	112.09
21-11-2013	08:59:43	0.11	162.45
21-11-2013	09:04:43	0.24	113.76
21-11-2013	09:09:43	0.72	156.66
21-11-2013	09:14:43	0.14	51.25
21-11-2013	09:19:43	0.11	134.48
21-11-2013	09:24:43	0.89	67.41
21-11-2013	09:29:43	0.29	2.9
21-11-2013	09:34:43	0.63	164.46
21-11-2013	09:39:43	0.4	189.97
21-11-2013	09:44:43	0.02	146.07
21-11-2013	09:49:43	0.6	163.57
21-11-2013	09:54:43	0.69	64.18
21-11-2013	09:59:43	0.02	62.95
21-11-2013	10:04:43	0.18	116.88
21-11-2013	10:09:43	0.02	105.52
21-11-2013	10:14:43	0.02	136.71
21-11-2013	10:19:43	0.05	95.71
21-11-2013	10:24:43	0.02	197.33
21-11-2013	10:29:43	0.54	162.01
21-11-2013	10:34:43	0.02	169.36
21-11-2013	10:39:43	0.02	132.48
21-11-2013	10:44:43	0.09	136.6
21-11-2013	10:49:43	0.02	196.66
21-11-2013	10:54:43	0.05	236.43
21-11-2013	10:59:43	1.42	145.85
21-11-2013	11:04:43	0.02	49.47
21-11-2013	11:09:43	0.11	123.68
21-11-2013	11:14:43	0.21	23.06
21-11-2013	11:19:43	0	110.08
21-11-2013	11:24:43	0.21	116.99
21-11-2013	11:29:43	0.02	7.24
21-11-2013	11:34:43	0.6	51.81
21-11-2013	11:39:43	0.29	48.25
21-11-2013	11:44:43	0.12	136.04
21-11-2013	11:49:43	0.02	226.63
21-11-2013	11:54:43	0.67	73.31
21-11-2013	11:59:43	0.18	142.17
21-11-2013	12:04:43	0.02	332.59
21-11-2013	12:09:43	0.02	226.41
21-11-2013	12:14:43	0.81	98.5
21-11-2013	12:19:43	0.12	148.3
21-11-2013	12:24:43	1.01	70.19

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
21-11-2013	12:29:43	0.02	86.46
21-11-2013	12:34:43	0.02	177.72
21-11-2013	12:39:43	0.02	60.39
21-11-2013	12:44:43	0.12	57.94
21-11-2013	12:49:43	2.29	78.22
21-11-2013	12:54:43	0.49	152.87
21-11-2013	12:59:43	0.05	54.71
21-11-2013	13:04:43	0.32	59.94
21-11-2013	13:09:43	0.32	125.79
21-11-2013	13:14:43	0.02	169.25
21-11-2013	13:19:43	0.02	164.35
21-11-2013	13:24:43	0.2	106.18
21-11-2013	13:29:43	0.81	71.53
21-11-2013	13:34:43	0.26	135.15
21-11-2013	13:39:43	0.02	86.91
21-11-2013	13:44:43	0.02	57.27
21-11-2013	13:49:43	0.26	89.47
21-11-2013	13:54:43	0.23	176.49
21-11-2013	13:59:43	0.76	142.95
21-11-2013	14:04:43	0.67	189.75
21-11-2013	14:09:43	0.02	66.07
21-11-2013	14:14:43	0.02	41.11
21-11-2013	14:19:43	0.47	157.55
21-11-2013	14:24:43	0.02	114.32
21-11-2013	14:29:43	0.02	72.65
21-11-2013	14:34:43	0.02	128.13
21-11-2013	14:39:43	0.02	72.2
21-11-2013	14:44:43	0.03	162.45
21-11-2013	14:49:43	0.02	150.08
21-11-2013	14:54:43	0.18	197.1
21-11-2013	14:59:43	0.02	52.03
21-11-2013	15:04:43	0.02	147.63
21-11-2013	15:09:43	0.02	139.5
21-11-2013	15:14:43	0.02	172.81
21-11-2013	15:19:43	0.02	199.55
21-11-2013	15:24:43	0.02	145.85
21-11-2013	15:29:43	0.02	116.21
21-11-2013	15:34:43	0.02	82.79
21-11-2013	15:39:43	0	197.77
21-11-2013	15:44:43	0.02	154.65
21-11-2013	15:49:43	0.35	141.62
21-11-2013	15:54:43	0.02	129.36
21-11-2013	15:59:43	0.02	140.06

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
21-11-2013	16:04:43	0.02	28.41
21-11-2013	16:09:43	0.02	132.26
21-11-2013	16:14:43	0.2	191.42
21-11-2013	16:19:43	0.02	55.49
21-11-2013	16:24:43	0.02	162.79
21-11-2013	16:29:43	0.15	63.62
21-11-2013	16:34:43	0.02	221.39
21-11-2013	16:39:43	0.02	142.28
21-11-2013	16:44:43	0.02	131.81
21-11-2013	16:49:43	0.02	182.4
21-11-2013	16:54:43	0.02	191.53
21-11-2013	16:59:43	0.92	230.08
21-11-2013	17:04:43	0.02	202.67
21-11-2013	17:09:43	0.02	99.5
21-11-2013	17:14:43	0.02	200.22
21-11-2013	17:19:43	0.02	144.18
21-11-2013	17:24:43	0.02	167.24
21-11-2013	17:29:43	0.67	74.43
21-11-2013	17:34:43	0.02	177.83
21-11-2013	17:39:43	0.02	147.74
21-11-2013	17:44:43	0.02	70.08
21-11-2013	17:49:43	0.44	154.87
21-11-2013	17:54:43	0.02	62.84
21-11-2013	17:59:43	0.02	70.97
21-11-2013	18:04:43	0.02	118.44
21-11-2013	18:09:43	0.02	80.33
21-11-2013	18:14:43	0.02	70.19
21-11-2013	18:19:43	0.02	182.84
21-11-2013	18:24:43	0.02	186.85
21-11-2013	18:29:43	0.02	90.58
21-11-2013	18:34:43	0.02	130.14
21-11-2013	18:39:43	0.09	153.87
21-11-2013	18:44:43	0.47	203.12
21-11-2013	18:49:43	0.02	129.25
21-11-2013	18:54:43	0.02	153.54
21-11-2013	18:59:43	0.02	196.55
21-11-2013	19:04:43	0.03	174.15
21-11-2013	19:09:43	0.02	121.56
21-11-2013	19:14:43	0.02	117.66
21-11-2013	19:19:43	0.02	118.55
21-11-2013	19:24:43	0.09	137.38
21-11-2013	19:29:43	0.02	77.21
21-11-2013	19:34:43	0.02	118.33

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
21-11-2013	19:39:43	0.02	95.71
21-11-2013	19:44:43	0.02	146.96
21-11-2013	19:49:43	0.02	144.74
21-11-2013	19:54:43	0.02	82.56
21-11-2013	19:59:43	0.02	103.4
21-11-2013	20:04:43	0.02	122.01
21-11-2013	20:09:43	0.02	97.83
21-11-2013	20:14:43	0.02	100.61
21-11-2013	20:19:43	0.02	100.5
21-11-2013	20:24:43	0.02	103.84
21-11-2013	20:29:43	0.02	103.62
21-11-2013	20:34:43	0.02	205.46
21-11-2013	20:39:43	0.02	218.94
21-11-2013	20:44:43	0.02	174.48
21-11-2013	20:49:43	0.02	128.25
21-11-2013	20:54:43	0.02	170.14
21-11-2013	20:59:43	0.02	197.21
21-11-2013	21:04:43	0.02	94.04
21-11-2013	21:09:43	0.02	168.25
21-11-2013	21:14:43	0.41	134.93
21-11-2013	21:19:43	0.02	233.76
21-11-2013	21:24:43	0.02	134.04
21-11-2013	21:29:43	0.02	80.56
21-11-2013	21:34:43	0.02	103.96
21-11-2013	21:39:43	0.02	112.98
21-11-2013	21:44:43	0.02	163.01
21-11-2013	21:49:43	0.02	163.01
21-11-2013	21:54:43	0.02	114.76
21-11-2013	21:59:43	0.02	98.83
21-11-2013	22:04:43	0.02	130.92
21-11-2013	22:09:43	0.02	73.87
21-11-2013	22:14:43	0.02	127.69
21-11-2013	22:19:43	0.02	121.67
21-11-2013	22:24:43	0.02	140.72
21-11-2013	22:29:43	0.02	111.87
21-11-2013	22:34:43	0.17	203.34
21-11-2013	22:39:43	0.02	199.78
21-11-2013	22:44:43	0.02	351.42
21-11-2013	22:49:43	0.02	138.27
21-11-2013	22:54:43	0.02	68.3
21-11-2013	22:59:43	1.87	72.98
21-11-2013	23:04:43	2.66	134.6
21-11-2013	23:09:43	0.72	178.05

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
21-11-2013	23:14:43	0.02	209.92
21-11-2013	23:19:43	0.02	128.8
21-11-2013	23:24:43	0.03	180.95
21-11-2013	23:29:43	0.02	118.11
21-11-2013	23:34:43	0.02	308.75
21-11-2013	23:39:43	0.02	131.36
21-11-2013	23:44:43	0.02	134.26
21-11-2013	23:49:43	0.02	122.45
21-11-2013	23:54:43	0.02	202.56
21-11-2013	23:59:43	0.58	118.22
27-11-2013	00:04:43	0.54	207.69
27-11-2013	00:09:43	0.02	101.62
27-11-2013	00:14:43	0.02	167.02
27-11-2013	00:19:43	0.02	66.63
27-11-2013	00:24:43	0.02	211.03
27-11-2013	00:29:43	1.79	167.47
27-11-2013	00:34:43	0.02	10.7
27-11-2013	00:39:43	2.57	173.48
27-11-2013	00:44:43	1.38	148.08
27-11-2013	00:49:43	1.27	189.53
27-11-2013	00:54:43	1.07	174.48
27-11-2013	00:59:43	0.44	212.14
27-11-2013	01:04:43	0.23	59.72
27-11-2013	01:09:43	0.05	357.66
27-11-2013	01:14:43	0.92	159
27-11-2013	01:19:43	0.76	124.46
27-11-2013	01:24:43	0.26	150.53
27-11-2013	01:29:43	0.89	157.88
27-11-2013	01:34:43	0.26	174.04
27-11-2013	01:39:43	0.76	157.88
27-11-2013	01:44:43	0.41	229.97
27-11-2013	01:49:43	0.02	48.58
27-11-2013	01:54:43	0.02	144.96
27-11-2013	01:59:43	0.02	110.08
27-11-2013	02:04:43	0.29	225.29
27-11-2013	02:09:43	0.46	96.16
27-11-2013	02:14:43	0.02	36.88
27-11-2013	02:19:43	0.02	140.95
27-11-2013	02:24:43	0.02	134.37
27-11-2013	02:29:43	0.02	117.55
27-11-2013	02:34:43	0.02	109.97
27-11-2013	02:39:43	0.02	191.98
27-11-2013	02:44:43	0.02	41.78

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
27-11-2013	02:49:43	0.02	89.25
27-11-2013	02:54:43	0.02	151.98
27-11-2013	02:59:43	0.02	169.47
27-11-2013	03:04:43	0.02	152.98
27-11-2013	03:09:43	0.2	93.93
27-11-2013	03:14:43	0.02	124.9
27-11-2013	03:19:43	0.02	113.65
27-11-2013	03:24:43	0.02	56.04
27-11-2013	03:29:43	0.02	180.84
27-11-2013	03:34:43	0.02	94.48
27-11-2013	03:39:43	0.03	215.6
27-11-2013	03:44:43	0.02	145.74
27-11-2013	03:49:43	0.05	127.69
27-11-2013	03:54:43	0.46	77.33
27-11-2013	03:59:43	0.17	160.56
27-11-2013	04:04:43	0.02	43.45
27-11-2013	04:09:43	0.02	254.04
27-11-2013	04:14:43	0.03	100.06
27-11-2013	04:19:43	0.02	14.93
27-11-2013	04:24:43	0.02	154.54
27-11-2013	04:29:43	0.02	46.35
27-11-2013	04:34:43	0.02	256.27
27-11-2013	04:39:43	0.02	195.54
27-11-2013	04:44:43	0.02	67.41
27-11-2013	04:49:43	0.12	197.66
27-11-2013	04:54:43	0.02	94.71
27-11-2013	04:59:43	0.02	120.89
27-11-2013	05:04:43	0.02	204.68
27-11-2013	05:09:43	0.02	183.73
27-11-2013	05:14:43	0.02	215.82
27-11-2013	05:19:43	0.24	39.55
27-11-2013	05:24:43	0.02	114.65
27-11-2013	05:29:43	0.12	63.29
27-11-2013	05:34:43	0.72	158.66
27-11-2013	05:39:43	0.02	14.37
27-11-2013	05:44:43	0.02	175.26
27-11-2013	05:49:43	0.02	136.16
27-11-2013	05:54:43	0.02	106.63
27-11-2013	05:59:43	0.02	265.74
27-11-2013	06:04:43	0.02	87.24
27-11-2013	06:09:43	0.03	164.23
27-11-2013	06:14:43	0.02	93.7
27-11-2013	06:19:43	0.38	92.81

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
27-11-2013	06:24:43	0.02	30.42
27-11-2013	06:29:43	0.02	136.16
27-11-2013	06:34:43	0.02	53.15
27-11-2013	06:39:43	0.02	145.4
27-11-2013	06:44:43	0.02	183.51
27-11-2013	06:49:43	0.78	40
27-11-2013	06:54:43	0.02	145.85
27-11-2013	06:59:43	0.2	137.94
27-11-2013	07:04:43	0.12	131.14
27-11-2013	07:09:43	0.02	96.94
27-11-2013	07:14:43	0.02	154.99
27-11-2013	07:19:43	0.03	299.5
27-11-2013	07:24:43	0.21	64.96
27-11-2013	07:29:43	0.02	151.87
27-11-2013	07:34:43	0.02	172.14
27-11-2013	07:39:43	0.02	340.06
27-11-2013	07:44:43	0.02	83.68
27-11-2013	07:49:43	0.37	201.45
27-11-2013	07:54:43	0.02	122.34
27-11-2013	07:59:43	0.03	285.46
27-11-2013	08:04:43	0.02	200.22
27-11-2013	08:09:43	1.65	162.23
27-11-2013	08:14:43	0.02	137.49
27-11-2013	08:19:43	0.89	131.81
27-11-2013	08:24:43	0.02	138.61
27-11-2013	08:29:43	0.02	72.87
27-11-2013	08:34:43	0.02	46.13
27-11-2013	08:39:43	0.02	54.15
27-11-2013	08:44:43	0.17	40.22
27-11-2013	08:49:43	0.02	159.33
27-11-2013	08:54:43	0.02	159.55
27-11-2013	08:59:43	0.02	184.74
27-11-2013	09:04:43	0.35	63.96
27-11-2013	09:09:43	0.02	155.88
27-11-2013	09:14:43	0.02	60.5
27-11-2013	09:19:43	0.02	55.6
27-11-2013	09:24:43	0.03	212.37
27-11-2013	09:29:43	0.02	103.62
27-11-2013	09:34:43	0.02	241.89
27-11-2013	09:39:43	0.02	263.29
27-11-2013	09:44:43	0	284.12
27-11-2013	09:49:43	0.54	102.51
27-11-2013	09:54:43	1.62	57.49

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
27-11-2013	09:59:43	0.02	8.02
27-11-2013	10:04:43	0.02	44.9
27-11-2013	10:09:43	0.18	93.37
27-11-2013	10:14:43	0.02	174.15
27-11-2013	10:19:43	1.93	81.67
27-11-2013	10:24:43	0.02	100.72
27-11-2013	10:29:43	0.02	182.84
27-11-2013	10:34:43	0.32	129.69
27-11-2013	10:39:43	0.02	150.64
27-11-2013	10:44:43	0.02	260.06
27-11-2013	10:49:43	0.06	117.66
27-11-2013	10:54:43	0.05	161.89
27-11-2013	10:59:43	2.05	139.05
27-11-2013	11:04:43	0.31	181.73
27-11-2013	11:09:43	0.02	57.27
27-11-2013	11:14:43	0.49	63.84
27-11-2013	11:19:43	0.49	4.01
27-11-2013	11:24:43	0.02	200
27-11-2013	11:29:43	0.02	271.64
27-11-2013	11:34:43	0.02	262.95
27-11-2013	11:39:43	0.02	338.94
27-11-2013	11:44:43	0.02	245.79
27-11-2013	11:49:43	0.02	337.05
27-11-2013	11:54:43	0.02	213.04
27-11-2013	11:59:43	0.02	299.83
27-11-2013	12:04:43	0.38	239.11
27-11-2013	12:09:43	0.31	250.47
27-11-2013	12:14:43	0.02	269.42
27-11-2013	12:19:43	0.02	183.06
27-11-2013	12:24:43	0.02	215.38
27-11-2013	12:29:43	0.02	261.39
27-11-2013	12:34:43	0.14	248.69
27-11-2013	12:39:43	0.02	4.57
27-11-2013	12:44:43	0.02	147.97
27-11-2013	12:49:43	0.02	269.97
27-11-2013	12:54:43	0.02	44.9
27-11-2013	12:59:43	0.02	271.75
27-11-2013	13:04:43	0.57	270.86
27-11-2013	13:09:43	0.02	7.47
27-11-2013	13:14:43	0.23	344.51
27-11-2013	13:19:43	0.02	77.88
27-11-2013	13:24:43	0.02	41.89
27-11-2013	13:29:43	0.02	349.97

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
27-11-2013	13:34:43	0.02	262.62
27-11-2013	13:39:43	0.28	274.21
27-11-2013	13:44:43	0.89	252.37
27-11-2013	13:49:43	0.02	314.76
27-11-2013	13:54:43	0.32	325.68
27-11-2013	13:59:43	2.26	9.03
27-11-2013	14:04:43	2.16	16.71
27-11-2013	14:09:43	0.78	334.6
27-11-2013	14:14:43	0.09	1.67
27-11-2013	14:19:43	0.02	337.38
27-11-2013	14:24:43	0.02	267.08
27-11-2013	14:29:43	0.17	190.53
27-11-2013	14:34:43	0.02	266.52
27-11-2013	14:39:43	0.02	244.35
27-11-2013	14:44:43	0.02	244.9
27-11-2013	14:49:43	0.02	315.99
27-11-2013	14:54:43	0.02	272.09
27-11-2013	14:59:43	0.02	185.18
27-11-2013	15:04:43	0.02	276.77
27-11-2013	15:09:43	0.98	224.18
27-11-2013	15:14:43	0.28	250.03
27-11-2013	15:19:43	0.02	315.77
27-11-2013	15:24:43	0.17	231.64
27-11-2013	15:29:43	0.02	287.91
27-11-2013	15:34:43	0.24	221.39
27-11-2013	15:39:43	0.02	267.97
27-11-2013	15:44:43	0.32	293.37
27-11-2013	15:49:43	0.02	275.54
27-11-2013	15:54:43	1.1	8.69
27-11-2013	15:59:43	0.02	250.47
27-11-2013	16:04:43	0.02	236.99
27-11-2013	16:09:43	0.02	284.35
27-11-2013	16:14:43	0.02	257.27
27-11-2013	16:19:43	0.02	240
27-11-2013	16:24:43	0.02	355.77
27-11-2013	16:29:43	0.02	22.17
27-11-2013	16:34:43	0.47	276.66
27-11-2013	16:39:43	0.38	352.87
27-11-2013	16:44:43	0.02	245.13
27-11-2013	16:49:43	0.02	281.11
27-11-2013	16:54:43	0.02	293.15
27-11-2013	16:59:43	0.02	248.91
27-11-2013	17:04:43	0.09	287.13

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
27-11-2013	17:09:43	0.02	271.64
27-11-2013	17:14:43	0.03	246.13
27-11-2013	17:19:43	0.02	249.69
27-11-2013	17:24:43	0.02	279.11
27-11-2013	17:29:43	0.02	244.35
27-11-2013	17:34:43	0.02	209.36
27-11-2013	17:39:43	0.02	289.14
27-11-2013	17:44:43	0.02	317.44
27-11-2013	17:49:43	0.02	5.01
27-11-2013	17:54:43	0.02	294.04
27-11-2013	17:59:43	0.02	227.08
27-11-2013	18:04:43	0.02	214.82
27-11-2013	18:09:43	0.26	323.45
27-11-2013	18:14:43	0.02	261.95
27-11-2013	18:19:43	0.02	209.47
27-11-2013	18:24:43	0.02	345.74
27-11-2013	18:29:43	0.05	325.46
27-11-2013	18:34:43	0.02	15.6
27-11-2013	18:39:43	0.05	3.34
27-11-2013	18:44:43	0.87	1.34
27-11-2013	18:49:43	0.41	356.43
27-11-2013	18:54:43	0.67	351.53
27-11-2013	18:59:43	0.38	257.27
27-11-2013	19:04:43	1.09	6.69
27-11-2013	19:09:43	0.69	9.81
27-11-2013	19:14:43	0.21	39.33
27-11-2013	19:19:43	0.34	352.53
27-11-2013	19:24:43	0.02	350.19
27-11-2013	19:29:43	0.7	2.23
27-11-2013	19:34:43	0.02	304.51
27-11-2013	19:39:43	0.43	213.48
27-11-2013	19:44:43	0.02	10.36
27-11-2013	19:49:43	1.93	332.14
27-11-2013	19:54:43	0.02	246.57
27-11-2013	19:59:43	0.02	229.86
27-11-2013	20:04:43	0.12	213.7
27-11-2013	20:09:43	0.02	313.2
27-11-2013	20:14:43	0.28	290.81
27-11-2013	20:19:43	0.02	314.99
27-11-2013	20:24:43	0.02	320.56
27-11-2013	20:29:43	1.88	357.77
27-11-2013	20:34:43	0.02	22.62
27-11-2013	20:39:43	1.25	347.19

Appendix H Meteorological Data for Impact Monitoring in the reporting period

Date	Time (24hrs)	Wind Speed (m/s)	Wind Direction (degree)
27-11-2013	20:44:43	0.02	291.36
27-11-2013	20:49:43	0.06	46.91
27-11-2013	20:54:43	0.03	113.09
27-11-2013	20:59:43	1.01	67.63
27-11-2013	21:04:43	0.02	54.48
27-11-2013	21:09:43	0.02	21.17
27-11-2013	21:14:43	0.02	338.5
27-11-2013	21:19:43	0.46	60.84
27-11-2013	21:24:43	0.55	36.66
27-11-2013	21:29:43	1.5	4.35
27-11-2013	21:34:43	3.95	34.32
27-11-2013	21:39:43	0.02	291.14
27-11-2013	21:44:43	0.02	49.69
27-11-2013	21:49:43	0.54	352.42
27-11-2013	21:54:43	0.9	349.97
27-11-2013	21:59:43	0.63	66.52
27-11-2013	22:04:43	0.02	343.96
27-11-2013	22:09:43	0.72	64.4
27-11-2013	22:14:43	0.02	48.8
27-11-2013	22:19:43	0.02	258.83
27-11-2013	22:24:43	1.01	8.02
27-11-2013	22:29:43	0.02	276.99
27-11-2013	22:34:43	0.02	244.57
27-11-2013	22:39:43	0.02	258.38
27-11-2013	22:44:43	0.02	354.09
27-11-2013	22:49:43	0.02	271.75
27-11-2013	22:54:43	0.02	229.64
27-11-2013	22:59:43	0.26	351.98
27-11-2013	23:04:43	1.19	356.88
27-11-2013	23:09:43	0.2	352.76
27-11-2013	23:14:43	0.02	352.31
27-11-2013	23:19:43	0.02	10.81
27-11-2013	23:24:43	0.02	24.74
27-11-2013	23:29:43	0.02	221.73
27-11-2013	23:34:43	0.09	221.39
27-11-2013	23:39:43	0.18	29.86
27-11-2013	23:44:43	0.02	358.55
27-11-2013	23:49:43	0.02	250.03
27-11-2013	23:54:43	0.02	254.48
27-11-2013	23:59:43	0.02	1.45


Appendix I

Impact Noise Monitoring Results and Graphical Presentation

Appendix II Noise Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Station	Weather Condition	Time (hh:mm, 24hour)	Noise Level for 30-min, dB(A)			Limit Level dB(A)	Temp (° C)	Wind Speed (m/s)	Noise Meter Model/ID	Calibrator Model/ID
						Leq	L10	L90					
TMCLKL	HY/2012/07	2013-11-05	NSR1	Sunny	13:00	58	61	52	75	23	0.3	RION NL31 (S/N 00410224)	RION NC73 (S/N 10997142)
TMCLKL	HY/2012/07	2013-11-11	NSR1	Sunny	11:07	56	59	49	75	24	0.3	RION NL31 (S/N 00410224)	RION NC73 (S/N 10997142)
TMCLKL	HY/2012/07	2013-11-15	NSR1	Sunny	11:20	57	60	50	75	24	0.8	RION NL31 (S/N 00410224)	RION NC73 (S/N 10997142)
TMCLKL	HY/2012/07	2013-11-21	NSR1	Sunny	9:42	59	62	52	75	22	0.6	RION NL31 (S/N 00410224)	RION NC73 (S/N 10997142)
TMCLKL	HY/2012/07	2013-11-27	NSR1	Sunny	10:17	57	61	52	75	23	0.6	RION NL31 (S/N 00410224)	RION NC73 (S/N 10997142)
						Min.	56						
						Max.	59						

Noise Monitoring Results at NSR 1 ($L_{eq, 30min}$)



Appendix J

Impact Water Quality Monitoring Results and Graphical Presentation

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)5	Surface	1	1	15:06	15:25	25.1	6.8	24.5	7.79	2.2	2.1
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)5	Surface	1	2	15:06	15:25	25.0	6.8	24.6	7.81	2.1	3.0
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)5	Middle	2	1	15:06	15:25	25.4	6.7	25.5	6.47	2.8	4.0
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)5	Middle	2	2	15:06	15:25	25.4	6.7	25.4	6.49	1.8	4.1
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)5	Bottom	3	1	15:06	15:25	25.4	6.7	25.6	6.29	2.6	4.3
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)5	Bottom	3	2	15:06	15:25	25.3	6.7	25.7	6.31	2.8	4.9
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4a	Surface	1	1	15:35	15:54	25.0	6.6	24.6	8.02	2.7	3.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4a	Surface	1	2	15:35	15:54	25.0	6.6	24.5	8.04	2.5	3.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4a	Middle	2	1	15:35	15:54						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4a	Middle	2	2	15:35	15:54						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4a	Bottom	3	1	15:35	15:54	24.9	6.6	25.0	7.89	5.4	5.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4a	Bottom	3	2	15:35	15:54	25.0	6.7	24.9	7.90	3.6	5.6
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4	Surface	1	1	16:00	16:18	25.1	6.6	24.6	8.11	2.7	5.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4	Surface	1	2	16:00	16:18	25.2	6.6	24.7	8.13	3.1	4.1
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4	Middle	2	1	16:00	16:18						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4	Middle	2	2	16:00	16:18						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4	Bottom	3	1	16:00	16:18	25.1	6.5	24.7	7.64	5.4	11.3
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	SR4	Bottom	3	2	16:00	16:18	25.1	6.5	24.8	7.66	6.7	12.7
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS8	Surface	1	1	16:24	16:42	25.2	6.5	24.6	8.29	2.4	2.9
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS8	Surface	1	2	16:24	16:42	25.2	6.6	24.5	8.31	3.1	3.1
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS8	Middle	2	1	16:24	16:42						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS8	Middle	2	2	16:24	16:42						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS8	Bottom	3	1	16:24	16:42	25.0	6.6	24.8	8.09	5.0	8.6
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS8	Bottom	3	2	16:24	16:42	25.1	6.6	24.8	8.11	3.1	9.3
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)16	Surface	1	1	16:50	17:09	25.1	6.6	24.7	8.25	3.5	6.3
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)16	Surface	1	2	16:50	17:09	25.2	6.6	24.7	8.27	3.4	5.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)16	Middle	2	1	16:50	17:09	25.1	6.7	24.9	8.11	3.9	5.6
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)16	Middle	2	2	16:50	17:09	25.6	6.7	25.0	8.12	4.1	6.3
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)16	Bottom	3	1	16:50	17:09	25.0	6.6	25.0	7.74	6.0	13.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)16	Bottom	3	2	16:50	17:09	25.0	6.6	24.9	7.77	6.3	14.6
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)9	Surface	1	1	17:17	17:40	25.4	6.7	24.8	8.55	11.6	13.8
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)9	Surface	1	2	17:17	17:40	25.4	6.8	24.9	8.57	9.5	13.9
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)9	Middle	2	1	17:17	17:40						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)9	Middle	2	2	17:17	17:40						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)9	Bottom	3	1	17:17	17:40	25.3	6.7	25.0	8.42	10.9	17.9
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	IS(Mf)9	Bottom	3	2	17:17	17:40	25.4	6.7	25.1	8.44	13.1	17.2
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)3	Surface	1	1	17:55	18:36	25.6	6.6	22.5	8.79	3.0	3.4
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)3	Surface	1	2	17:55	18:36	25.6	6.6	22.4	8.81	2.1	2.7
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)3	Middle	2	1	17:55	18:36	25.5	6.6	23.3	8.84	2.8	2.7
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)3	Middle	2	2	17:55	18:36	25.4	6.6	23.3	8.86	3.1	2.8
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)3	Bottom	3	1	17:55	18:36	25.3	6.6	23.7	8.74	2.5	2.3
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Flood	CS(Mf)3	Bottom	3	2	17:55	18:36	25.2	6.6	23.8	8.76	2.7	2.7
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)3	Surface	1	1	11:50	12:12	25.0	6.7	24.5	7.68	4.5	3.1
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)3	Surface	1	2	11:50	12:12	24.9	6.7	24.5	7.72	4.8	3.3
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)3	Middle	2	1	11:50	12:12	25.3	6.6	25.5	6.39	5.2	2.7
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)3	Middle	2	2	11:50	12:12	25.4	6.6	25.4	6.41	6.3	3.1
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)3	Bottom	3	1	11:50	12:12	25.4	6.7	25.6	6.23	7.3	3.4
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)3	Bottom	3	2	11:50	12:12	25.5	6.7	25.6	6.20	6.9	2.6
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4a	Surface	1	1	11:13	11:31	25.1	6.7	24.6	7.96	5.5	4.0
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4a	Surface	1	2	11:13	11:31	25.1	6.7	24.6	7.99	5.7	3.9
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4a	Middle	2	1	11:13	11:31						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4a	Middle	2	2	11:13	11:31						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4a	Bottom	3	1	11:13	11:31	25.0	6.6	25.0	78.60	5.9	4.6
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4a	Bottom	3	2	11:13	11:31	25.0	6.6	25.0	78.00	6.0	5.2
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4	Surface	1	1	10:48	11:06	25.2	6.5	24.7	8.04	4.7	3.8
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4	Surface	1	2	10:48	11:06	25.1	6.6	24.7	8.07	4.6	3.4
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4	Middle	2	1	10:48	11:06						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4	Middle	2	2	10:48	11:06						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4	Bottom	3	1	10:48	11:06	25.1	6.6	24.8	7.56	11.8	11.4
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	SR4	Bottom	3	2	10:48	11:06	25.1	6.6	24.8	7.60	12.4	12.0
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS8	Surface	1	1	10:23	10:40	25.1	6.5	24.5	8.23	4.6	4.1
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS8	Surface	1	2	10:23	10:40	25.1	6.5	24.6	8.25	4.7	4.2
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS8	Middle	2	1	10:23	10:40						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS8	Middle	2	2	10:23	10:40						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS8	Bottom	3	1	10:23	10:40	25.0	6.5	24.9	8.07	5.5	5.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS8	Bottom	3	2	10:23	10:40	25.0	6.5	24.8	8.03	5.8	6.7
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)16	Surface	1	1	09:56	10:14	25.1	6.5	24.8	8.17	5.2	5.8
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)16	Surface	1	2	09:56	10:14	25.2	6.6	24.7	8.20	5.7	4.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)16	Middle	2	1	09:56	10:14	25.1	6.6	24.9	8.01	8.8	5.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)16	Middle	2	2	09:56	10:14	25.0	6.6	24.9	8.04	7.5	5.0
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)16	Bottom	3	1	09:56	10:14	25.0	6.6	25.0	7.68	10.4	7.3
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)16	Bottom	3	2	09:56	10:14	25.0	6.6	25.0	7.63	9.4	7.3
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)9	Surface	1	1	09:24	09:45	25.3	6.7	24.9	8.45	16.7	16.1
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)9	Surface	1	2	09:24	09:45	25.4	6.7	24.8	8.41	16.9	17.4
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)9	Middle	2	1	09:24	09:45						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)9	Middle	2	2	09:24	09:45						
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)9	Bottom	3	1	09:24	09:45	25.4	6.7	24.9	8.33	15.0	15.9
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	IS(Mf)9	Bottom	3	2	09:24	09:45	25.4	6.8	25.0	8.38	15.5	15.5
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)5	Surface	1	1	08:50	09:10	25.6	6.6	22.4	8.71	3.4	3.9
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)5	Surface	1	2	08:50	09:10	25.5	6.6	22.5	8.68	3.4	3.7
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)5	Middle	2	1	08:50	09:10	25.4	6.6	23.3	8.80	3.4	4.8
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)5	Middle	2	2	08:50	09:10	25.4	6.6	23.2	8.77	3.7	3.9
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)5	Bottom	3	1	08:50	09:10	25.3	6.5	23.8	8.70	3.4	6.4
TM-CLK Southern	HY/2012/07	2013-10-31	Mid-Ebb	CS(Mf)5	Bottom	3	2	08:50	09:10	25.3	6.5	23.8	8.66	3.3	5.4

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)5	Surface	1	1	16:04	16:24	25.2	6.8	24.4	7.69	5.8	4.7
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)5	Surface	1	2	16:04	16:24	25.3	6.8	24.5	7.71	5.7	4.1
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)5	Middle	2	1	16:04	16:24	25.5	6.7	25.6	6.48	5.9	4.6
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)5	Middle	2	2	16:04	16:24	25.4	6.7	25.6	6.46	6.4	4.7
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)5	Bottom	3	1	16:04	16:24	25.5	6.6	25.7	6.30	7.3	7.2
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)5	Bottom	3	2	16:04	16:24	25.4	6.7	25.8	6.32	6.9	6.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4a	Surface	1	1	16:38	16:53	25.0	6.6	24.7	7.99	6.0	5.0
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4a	Surface	1	2	16:38	16:53	25.1	6.7	24.8	8.01	5.6	4.0
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4a	Middle	2	1	16:38	16:53						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4a	Middle	2	2	16:38	16:53						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4a	Bottom	3	1	16:38	16:53	25.0	6.7	24.8	7.79	7.8	8.0
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4a	Bottom	3	2	16:38	16:53	24.9	6.7	24.9	7.81	7.9	7.9
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4	Surface	1	1	17:08	17:28	25.2	6.7	24.6	8.08	5.8	4.1
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4	Surface	1	2	17:08	17:28	25.3	6.7	24.7	8.10	5.0	4.8
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4	Middle	2	1	17:08	17:28						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4	Middle	2	2	17:08	17:28						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4	Bottom	3	1	17:08	17:28	25.1	6.5	24.7	7.65	5.8	5.2
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	SR4	Bottom	3	2	17:08	17:28	25.1	6.5	24.8	7.64	6.7	4.3
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS8	Surface	1	1	17:43	17:58	25.3	6.5	24.6	8.27	5.3	3.8
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS8	Surface	1	2	17:43	17:58	25.2	6.5	24.5	8.25	5.1	3.5
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS8	Middle	2	1	17:43	17:58						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS8	Middle	2	2	17:43	17:58						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS8	Bottom	3	1	17:43	17:58	25.0	6.6	24.8	8.08	5.5	4.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS8	Bottom	3	2	17:43	17:58	25.1	6.7	24.9	8.05	5.8	3.8
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)16	Surface	1	1	18:12	18:27	25.2	6.6	24.6	8.22	7.4	7.7
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)16	Surface	1	2	18:12	18:27	25.3	6.6	24.7	8.20	7.6	6.7
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)16	Middle	2	1	18:12	18:27	25.2	6.6	24.9	8.10	7.4	7.2
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)16	Middle	2	2	18:12	18:27	25.1	6.6	24.8	8.08	7.8	7.3
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)16	Bottom	3	1	18:12	18:27	25.0	6.7	25.0	7.75	5.7	6.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)16	Bottom	3	2	18:12	18:27	25.1	6.7	25.1	7.77	6.7	7.1
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)9	Surface	1	1	18:41	18:56	25.6	6.7	25.0	8.43	8.5	7.2
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)9	Surface	1	2	18:41	18:56	25.5	6.7	25.1	8.46	8.5	7.6
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)9	Middle	2	1	18:41	18:56						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)9	Middle	2	2	18:41	18:56						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)9	Bottom	3	1	18:41	18:56	25.4	6.8	25.2	8.35	8.7	7.5
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	IS(Mf)9	Bottom	3	2	18:41	18:56	25.3	6.8	25.2	8.37	8.6	7.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)3	Surface	1	1	19:11	19:34	25.6	6.6	22.5	8.75	5.7	4.9
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)3	Surface	1	2	19:11	19:34	25.7	6.6	22.6	8.77	5.4	3.6
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)3	Middle	2	1	19:11	19:34	25.5	6.7	23.3	8.69	5.2	4.7
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)3	Middle	2	2	19:11	19:34	25.4	6.7	23.4	8.67	5.7	3.9
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)3	Bottom	3	1	19:11	19:34	25.4	6.6	23.9	8.73	5.0	3.9
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Flood	CS(Mf)3	Bottom	3	2	19:11	19:34	25.3	6.6	23.8	8.75	5.5	3.3
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)3	Surface	1	1	10:13	10:35	25.5	6.5	22.5	8.69	5.7	5.3
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)3	Surface	1	2	10:13	10:35	25.6	6.6	22.5	8.71	5.4	4.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)3	Middle	2	1	10:13	10:35	25.4	6.7	23.2	8.63	5.2	3.7
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)3	Middle	2	2	10:13	10:35	25.4	6.6	23.3	8.61	5.8	4.7
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)3	Bottom	3	1	10:13	10:35	25.3	6.6	23.7	8.67	5.0	5.2
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)3	Bottom	3	2	10:13	10:35	25.2	6.6	23.8	8.69	5.6	4.5
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4a	Surface	1	1	12:38	13:00	25.1	6.6	24.6	7.94	6.0	6.3
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4a	Surface	1	2	12:38	13:00	25.0	6.7	24.7	7.96	5.6	5.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4a	Middle	2	1	12:38	13:00						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4a	Middle	2	2	12:38	13:00						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4a	Bottom	3	1	12:38	13:00	25.0	6.7	24.9	7.73	7.8	6.5
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4a	Bottom	3	2	12:38	13:00	24.9	6.7	24.9	7.75	8.9	5.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4	Surface	1	1	12:10	12:32	25.2	6.7	24.5	8.02	5.8	6.0
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4	Surface	1	2	12:10	12:32	25.2	6.7	24.6	8.04	5.1	5.9
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4	Middle	2	1	12:10	12:32						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4	Middle	2	2	12:10	12:32						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4	Bottom	3	1	12:10	12:32	25.1	6.5	24.7	7.59	5.8	5.0
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	SR4	Bottom	3	2	12:10	12:32	25.0	6.5	24.7	7.57	6.7	5.1
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS8	Surface	1	1	11:42	12:04	25.1	6.5	24.5	8.21	5.3	4.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS8	Surface	1	2	11:42	12:04	25.2	6.5	24.5	8.19	5.1	3.8
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS8	Middle	2	1	11:42	12:04						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS8	Middle	2	2	11:42	12:04						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS8	Bottom	3	1	11:42	12:04	25.1	6.6	24.8	8.02	5.5	3.7
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS8	Bottom	3	2	11:42	12:04	25.1	6.6	24.7	8.00	5.9	3.5
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)16	Surface	1	1	11:13	11:35	25.1	6.6	24.7	8.16	7.5	6.1
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)16	Surface	1	2	11:13	11:35	25.1	6.6	24.6	8.14	7.6	6.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)16	Middle	2	1	11:13	11:35	25.1	6.6	24.9	8.04	7.5	7.2
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)16	Middle	2	2	11:13	11:35	25.0	6.6	24.9	8.02	7.9	7.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)16	Bottom	3	1	11:13	11:35	24.9	6.6	24.9	7.69	8.2	8.3
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)16	Bottom	3	2	11:13	11:35	25.0	6.7	25.0	7.71	7.5	7.7
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)9	Surface	1	1	10:44	11:06	25.5	6.7	24.9	8.37	8.5	7.0
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)9	Surface	1	2	10:44	11:06	25.4	6.7	25.0	8.40	8.6	8.3
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)9	Middle	2	1	10:44	11:06						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)9	Middle	2	2	10:44	11:06						
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)9	Bottom	3	1	10:44	11:06	25.3	6.8	25.1	8.29	8.7	7.2
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	IS(Mf)9	Bottom	3	2	10:44	11:06	25.3	6.8	25.0	8.31	8.7	6.0
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)5	Surface	1	1	13:15	13:43	25.2	6.8	24.5	7.63	5.9	5.4
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)5	Surface	1	2	13:15	13:43	25.1	6.8	24.5	7.65	5.8	4.1
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)5	Middle	2	1	13:15	13:43	25.4	6.7	25.6	6.42	6.0	7.5
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)5	Middle	2	2	13:15	13:43	25.3	6.7	25.5	6.40	6.5	8.8
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)5	Bottom	3	1	13:15	13:43	25.4	6.6	25.7	6.24	7.4	8.8
TM-CLK Southern	HY/2012/07	2013-11-02	Mid-Ebb	CS(Mf)5	Bottom	3	2	13:15	13:43	25.4	6.6	25.7	6.26	7.0	8.9

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)5	Surface	1	1	17:45	18:13	23.7	6.6	24.3	6.73	7.1	12.6
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)5	Surface	1	2	17:45	18:13	23.7	6.6	24.4	6.70	6.0	11.7
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)5	Middle	2	1	17:45	18:13	23.6	6.6	24.8	6.64	16.2	24.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)5	Middle	2	2	17:45	18:13	23.6	6.6	24.7	6.65	14.8	23.9
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)5	Bottom	3	1	17:45	18:13	23.5	6.6	25.0	6.58	8.8	23.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)5	Bottom	3	2	17:45	18:13	23.5	6.6	25.1	6.56	10.9	23.3
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4a	Surface	1	1	18:30	18:48	23.7	6.6	24.3	6.56	8.7	8.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4a	Surface	1	2	18:30	18:48	23.6	6.6	24.3	6.58	9.1	8.9
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4a	Middle	2	1	18:30	18:48						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4a	Middle	2	2	18:30	18:48						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4a	Bottom	3	1	18:30	18:48	23.5	6.6	24.7	6.63	8.8	8.2
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4a	Bottom	3	2	18:30	18:48	23.4	6.6	24.8	6.60	8.8	8.9
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4	Surface	1	1	18:56	19:13	23.6	6.6	24.3	6.58	9.1	12.7
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4	Surface	1	2	18:56	19:13	23.6	6.6	24.3	6.56	11.4	11.1
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4	Middle	2	1	18:56	19:13						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4	Middle	2	2	18:56	19:13						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4	Bottom	3	1	18:56	19:13	23.4	6.6	24.6	6.52	10.0	14.9
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	SR4	Bottom	3	2	18:56	19:13	23.4	6.5	24.6	6.50	11.8	13.9
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS8	Surface	1	1	19:19	19:35	23.5	6.6	24.3	6.52	18.6	11.0
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS8	Surface	1	2	19:19	19:35	23.5	6.6	24.3	6.50	19.8	10.6
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS8	Middle	2	1	19:19	19:35						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS8	Middle	2	2	19:19	19:35						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS8	Bottom	3	1	19:19	19:35	23.4	6.5	24.5	6.47	8.8	12.6
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS8	Bottom	3	2	19:19	19:35	23.3	6.6	24.6	6.44	8.8	11.9
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)16	Surface	1	1	19:43	20:08	23.5	6.6	24.2	6.43	9.4	13.0
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)16	Surface	1	2	19:43	20:08	23.4	6.6	24.3	6.45	10.7	14.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)16	Middle	2	1	19:43	20:08	23.4	6.6	24.6	6.37	9.6	11.1
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)16	Middle	2	2	19:43	20:08	23.3	6.5	24.6	6.38	10.3	10.8
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)16	Bottom	3	1	19:43	20:08	23.3	6.5	24.7	6.34	16.3	14.7
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)16	Bottom	3	2	19:43	20:08	23.3	6.5	24.7	6.30	14.9	14.1
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)9	Surface	1	1	20:21	20:37	23.5	6.6	24.9	6.40	15.2	19.2
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)9	Surface	1	2	20:21	20:37	23.5	6.6	24.8	6.36	16.0	20.3
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)9	Middle	2	1	20:21	20:37						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)9	Middle	2	2	20:21	20:37						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)9	Bottom	3	1	20:21	20:37	23.4	6.6	25.0	6.34	15.0	19.5
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	IS(Mf)9	Bottom	3	2	20:21	20:37	23.4	6.6	25.0	6.36	11.8	19.7
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)3	Surface	1	1	20:51	21:15	23.5	6.6	24.7	6.53	10.6	14.2
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)3	Surface	1	2	20:51	21:15	23.4	6.6	24.6	6.55	9.7	12.3
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)3	Middle	2	1	20:51	21:15	23.4	6.6	24.7	6.52	10.9	14.0
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)3	Middle	2	2	20:51	21:15	23.4	6.6	24.8	6.50	12.1	14.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)3	Bottom	3	1	20:51	21:15	23.4	6.6	24.8	6.50	9.2	15.2
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Flood	CS(Mf)3	Bottom	3	2	20:51	21:15	23.3	6.6	24.9	6.47	11.0	14.8
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)3	Surface	1	1	12:30	12:48	24.8	6.4	25.5	6.65	8.3	14.3
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)3	Surface	1	2	12:30	12:48	24.9	6.4	25.4	6.68	8.5	13.5
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)3	Middle	2	1	12:30	12:48	24.8	6.5	25.6	6.51	8.5	13.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)3	Middle	2	2	12:30	12:48	24.8	6.5	25.7	6.48	8.4	14.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)3	Bottom	3	1	12:30	12:48	24.8	6.5	25.9	6.32	8.8	13.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)3	Bottom	3	2	12:30	12:48	24.7	6.6	25.8	6.35	7.8	13.1
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4a	Surface	1	1	14:45	15:03	24.8	6.7	24.4	6.58	9.7	8.6
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4a	Surface	1	2	14:45	15:03	24.9	6.7	24.3	6.61	9.4	9.8
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4a	Middle	2	1	14:45	15:03						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4a	Middle	2	2	14:45	15:03						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4a	Bottom	3	1	14:45	15:03	24.8	6.6	24.6	6.53	8.9	9.2
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4a	Bottom	3	2	14:45	15:03	24.8	6.6	24.7	6.50	8.9	9.6
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4	Surface	1	1	14:20	14:37	24.9	6.5	24.4	6.62	9.3	10.0
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4	Surface	1	2	14:20	14:37	24.9	6.4	24.4	6.58	8.5	9.7
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4	Middle	2	1	14:20	14:37						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4	Middle	2	2	14:20	14:37						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4	Bottom	3	1	14:20	14:37	24.9	6.5	24.5	6.50	9.8	16.8
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	SR4	Bottom	3	2	14:20	14:37	25.0	6.5	24.6	6.47	10.0	15.5
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS8	Surface	1	1	13:58	14:14	24.8	6.4	24.3	6.53	13.4	10.5
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS8	Surface	1	2	13:58	14:14	24.9	6.4	24.4	6.56	13.7	9.6
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS8	Middle	2	1	13:58	14:14						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS8	Middle	2	2	13:58	14:14						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS8	Bottom	3	1	13:58	14:14	24.9	6.4	24.6	6.49	7.2	9.1
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS8	Bottom	3	2	13:58	14:14	24.9	6.4	24.6	6.47	7.6	9.7
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)16	Surface	1	1	13:31	13:50	24.8	6.4	24.4	6.38	8.4	14.8
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)16	Surface	1	2	13:31	13:50	24.8	6.4	24.5	6.41	8.3	14.7
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)16	Middle	2	1	13:31	13:50	24.8	6.5	24.6	6.33	7.1	15.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)16	Middle	2	2	13:31	13:50	24.9	6.5	24.6	6.31	7.2	14.8
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)16	Bottom	3	1	13:31	13:50	24.9	6.4	24.6	6.17	9.2	19.4
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)16	Bottom	3	2	13:31	13:50	25.0	6.4	24.7	6.19	7.1	18.1
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)9	Surface	1	1	13:02	13:18	24.9	6.7	25.3	6.24	15.9	15.9
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)9	Surface	1	2	13:02	13:18	24.9	6.7	25.3	6.27	12.7	15.6
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)9	Middle	2	1	13:02	13:18						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)9	Middle	2	2	13:02	13:18						
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)9	Bottom	3	1	13:02	13:18	24.9	6.7	25.3	6.30	16.4	20.8
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	IS(Mf)9	Bottom	3	2	13:02	13:18	24.8	6.7	25.4	6.29	16.8	19.0
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)5	Surface	1	1	15:20	15:48	24.9	6.6	24.2	6.83	5.9	14.1
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)5	Surface	1	2	15:20	15:48	24.8	6.6	24.3	6.78	5.8	15.0
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)5	Middle	2	1	15:20	15:48	24.8	6.5	24.7	6.73	7.3	21.1
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)5	Middle	2	2	15:20	15:48	24.8	6.6	24.6	6.71	8.0	19.5
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)5	Bottom	3	1	15:20	15:48	24.7	6.6	25.1	6.56	7.9	21.0
TM-CLK Southern	HY/2012/07	2013-11-05	Mid-Ebb	CS(Mf)5	Bottom	3	2	15:20	15:48	24.7	6.6	25.2	6.60	6.5	

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)5	Surface	1	1	08:35	08:59	24.9	6.6	24.4	6.94	7.7	5.1
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)5	Surface	1	2	08:35	08:59	24.9	6.6	24.3	6.96	8.0	5.9
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)5	Middle	2	1	08:35	08:59	24.8	6.5	24.6	6.77	7.7	5.8
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)5	Middle	2	2	08:35	08:59	24.9	6.5	24.6	6.79	8.0	4.8
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)5	Bottom	3	1	08:35	08:59	24.7	6.5	24.9	6.64	9.1	8.3
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)5	Bottom	3	2	08:35	08:59	24.8	6.6	25.0	6.66	9.1	8.1
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4a	Surface	1	1	09:06	09:30	24.8	6.7	24.4	6.67	15.2	12.6
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4a	Surface	1	2	09:06	09:30	24.7	6.7	24.4	6.69	12.4	12.4
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4a	Middle	2	1	09:06	09:30						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4a	Middle	2	2	09:06	09:30						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4a	Bottom	3	1	09:06	09:30	24.7	6.6	24.7	6.57	16.8	15.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4a	Bottom	3	2	09:06	09:30	24.7	6.6	24.8	6.59	18.2	15.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4	Surface	1	1	09:36	10:00	24.9	6.6	24.3	6.68	20.2	20.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4	Surface	1	2	09:36	10:00	25.0	6.6	24.4	6.70	20.0	20.3
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4	Middle	2	1	09:36	10:00						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4	Middle	2	2	09:36	10:00						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4	Bottom	3	1	09:36	10:00	24.8	6.5	24.6	6.56	21.0	20.3
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	SR4	Bottom	3	2	09:36	10:00	24.9	6.6	24.7	6.58	19.8	20.3
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS8	Surface	1	1	10:06	10:30	24.9	6.4	24.4	6.64	18.9	19.4
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS8	Surface	1	2	10:06	10:30	24.8	6.5	24.4	6.66	19.4	19.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS8	Middle	2	1	10:06	10:30						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS8	Middle	2	2	10:06	10:30						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS8	Bottom	3	1	10:06	10:30	24.7	6.4	24.7	6.51	18.8	20.1
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS8	Bottom	3	2	10:06	10:30	24.8	6.4	24.7	6.50	18.3	22.4
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)16	Surface	1	1	10:36	11:00	24.9	6.5	24.4	6.47	14.3	12.8
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)16	Surface	1	2	10:36	11:00	24.9	6.5	24.3	6.49	12.6	12.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)16	Middle	2	1	10:36	11:00	24.8	6.4	24.6	6.39	14.8	12.1
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)16	Middle	2	2	10:36	11:00	24.8	6.4	24.7	6.41	13.4	12.1
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)16	Bottom	3	1	10:36	11:00	24.7	6.5	24.7	6.25	12.2	12.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)16	Bottom	3	2	10:36	11:00	24.8	6.5	24.8	6.27	11.9	11.2
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)9	Surface	1	1	11:06	11:30	24.8	6.7	25.4	6.34	14.9	15.0
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)9	Surface	1	2	11:06	11:30	24.8	6.8	25.5	6.35	16.3	17.3
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)9	Middle	2	1	11:06	11:30						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)9	Middle	2	2	11:06	11:30						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)9	Bottom	3	1	11:06	11:30	24.7	6.5	25.5	6.39	22.5	21.8
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	IS(Mf)9	Bottom	3	2	11:06	11:30	24.8	6.6	25.5	6.41	20.3	20.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)3	Surface	1	1	11:36	12:05	24.9	6.5	25.3	6.73	14.8	17.9
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)3	Surface	1	2	11:36	12:05	24.8	6.5	25.4	6.70	15.1	17.1
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)3	Middle	2	1	11:36	12:05	24.8	6.5	25.7	6.56	24.0	26.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)3	Middle	2	2	11:36	12:05	24.8	6.6	25.8	6.58	25.5	27.1
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)3	Bottom	3	1	11:36	12:05	24.8	6.6	25.9	6.42	22.5	29.9
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Flood	CS(Mf)3	Bottom	3	2	11:36	12:05	24.9	6.6	25.9	6.40	24.3	28.8
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)3	Surface	1	1	14:06	14:30	25.2	6.4	25.4	6.63	6.8	15.6
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)3	Surface	1	2	14:06	14:30	25.0	6.5	25.2	6.65	8.3	15.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)3	Middle	2	1	14:06	14:30	25.2	6.5	25.7	6.52	22.3	23.9
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)3	Middle	2	2	14:06	14:30	25.2	6.5	25.9	6.55	20.9	23.4
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)3	Bottom	3	1	14:06	14:30	25.3	6.5	25.7	6.30	25.2	31.1
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)3	Bottom	3	2	14:06	14:30	25.2	6.5	26.0	6.33	21.8	30.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4a	Surface	1	1	16:36	17:00	24.8	6.7	24.4	6.56	7.9	15.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4a	Surface	1	2	16:36	17:00	24.9	6.7	24.5	6.57	6.1	14.4
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4a	Middle	2	1	16:36	17:00						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4a	Middle	2	2	16:36	17:00						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4a	Bottom	3	1	16:36	17:00	24.9	6.6	24.6	6.48	9.5	19.6
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4a	Bottom	3	2	16:36	17:00	25.2	6.6	24.8	6.49	8.8	18.3
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4	Surface	1	1	16:06	16:30	25.6	6.5	24.3	6.51	10.6	21.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4	Surface	1	2	16:06	16:30	25.8	6.5	24.2	6.52	10.8	22.2
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4	Middle	2	1	16:06	16:30						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4	Middle	2	2	16:06	16:30						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4	Bottom	3	1	16:06	16:30	25.7	6.5	24.4	6.40	11.8	22.2
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	SR4	Bottom	3	2	16:06	16:30	25.8	6.5	24.5	6.41	11.1	23.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS8	Surface	1	1	15:36	16:00	25.1	6.4	24.4	6.52	11.0	18.1
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS8	Surface	1	2	15:36	16:00	25.2	6.5	24.5	6.53	9.7	17.0
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS8	Middle	2	1	15:36	16:00						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS8	Middle	2	2	15:36	16:00						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS8	Bottom	3	1	15:36	16:00	25.2	6.5	24.5	6.52	11.6	18.2
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS8	Bottom	3	2	15:36	16:00	25.3	6.5	24.6	6.50	11.6	17.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)16	Surface	1	1	15:06	15:30	25.2	6.5	24.5	6.39	11.5	12.6
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)16	Surface	1	2	15:06	15:30	25.5	6.5	24.3	6.40	11.6	11.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)16	Middle	2	1	15:06	15:30	25.3	6.4	24.6	6.32	11.5	13.0
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)16	Middle	2	2	15:06	15:30	25.4	6.4	24.8	6.33	10.5	12.8
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)16	Bottom	3	1	15:06	15:30	25.3	6.5	24.5	6.18	11.3	12.4
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)16	Bottom	3	2	15:06	15:30	25.4	6.5	24.6	6.20	11.8	13.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)9	Surface	1	1	14:36	15:00	25.1	6.7	25.3	6.23	9.8	16.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)9	Surface	1	2	14:36	15:00	25.2	6.7	25.4	6.24	10.6	18.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)9	Middle	2	1	14:36	15:00						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)9	Middle	2	2	14:36	15:00						
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)9	Bottom	3	1	14:36	15:00	25.2	6.6	25.6	6.33	10.9	20.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	IS(Mf)9	Bottom	3	2	14:36	15:00	25.3	6.6	25.5	6.34	10.8	20.4
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)5	Surface	1	1	17:06	17:36	25.0	6.6	24.3	6.79	7.8	6.6
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)5	Surface	1	2	17:06	17:36	24.9	6.6	24.3	6.80	7.9	6.5
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)5	Middle	2	1	17:06	17:36	24.8	6.5	24.5	6.69	7.8	5.9
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)5	Middle	2	2	17:06	17:36	24.8	6.6	24.6	6.67	8.0	5.8
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)5	Bottom	3	1	17:06	17:36	24.7	6.4	24.8	6.58	9.1	7.7
TM-CLK Southern	HY/2012/07	2013-11-07	Mid-Ebb	CS(Mf)5	Bottom	3	2	17:06	17:36	24.6	6.4	24.9			

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)5	Surface	1	1	10:43	11:07	25.3	7.1	25.3	6.30	8.4	6.1
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)5	Surface	1	2	10:43	11:07	25.3	7.1	25.2	6.27	8.4	5.7
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)5	Middle	2	1	10:43	11:07	25.2	7.1	25.3	6.19	8.3	8.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)5	Middle	2	2	10:43	11:07	25.3	7.1	25.3	6.17	8.3	6.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)5	Bottom	3	1	10:43	11:07	25.2	7.1	25.4	6.10	10.7	9.7
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)5	Bottom	3	2	10:43	11:07	25.2	7.1	25.3	6.14	10.3	10.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4a	Surface	1	1	11:14	11:33	25.3	7.0	25.1	6.46	12.0	7.1
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4a	Surface	1	2	11:14	11:33	25.4	7.0	25.0	6.40	12.4	6.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4a	Middle	2	1	11:14	11:33						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4a	Middle	2	2	11:14	11:33						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4a	Bottom	3	1	11:14	11:33	25.3	7.1	25.2	6.37	12.4	11.2
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4a	Bottom	3	2	11:14	11:33	25.2	7.1	25.3	6.35	12.8	12.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4	Surface	1	1	11:40	12:04	25.2	7.0	25.4	6.35	11.1	7.1
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4	Surface	1	2	11:40	12:04	25.3	7.0	25.5	6.37	11.9	7.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4	Middle	2	1	11:40	12:04						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4	Middle	2	2	11:40	12:04						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4	Bottom	3	1	11:40	12:04	25.2	7.0	25.3	6.46	9.5	7.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	SR4	Bottom	3	2	11:40	12:04	25.1	7.0	25.4	6.40	9.5	7.6
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS8	Surface	1	1	12:08	12:30	25.2	7.1	25.4	6.18	10.9	8.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS8	Surface	1	2	12:08	12:30	25.3	7.1	25.4	6.20	10.1	9.6
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS8	Middle	2	1	12:08	12:30						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS8	Middle	2	2	12:08	12:30						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS8	Bottom	3	1	12:08	12:30	25.2	7.1	25.5	6.12	17.1	9.4
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS8	Bottom	3	2	12:08	12:30	25.2	7.1	25.5	6.10	17.3	10.3
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)16	Surface	1	1	12:38	13:02	25.1	7.1	25.1	6.39	11.9	8.9
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)16	Surface	1	2	12:38	13:02	25.2	7.1	25.2	6.40	11.5	8.4
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)16	Middle	2	1	12:38	13:02	25.1	7.1	25.2	6.40	14.8	9.2
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)16	Middle	2	2	12:38	13:02	25.1	7.1	25.3	6.44	14.0	9.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)16	Bottom	3	1	12:38	13:02	25.1	7.2	25.2	6.44	13.6	10.1
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)16	Bottom	3	2	12:38	13:02	25.0	7.2	25.2	6.46	13.8	9.9
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)9	Surface	1	1	13:15	13:38	25.2	7.0	25.2	6.39	15.9	8.1
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)9	Surface	1	2	13:15	13:38	25.3	7.0	25.3	6.42	15.7	8.9
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)9	Middle	2	1	13:15	13:38						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)9	Middle	2	2	13:15	13:38						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)9	Bottom	3	1	13:15	13:38	25.2	7.1	25.2	6.43	9.8	9.4
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	IS(Mf)9	Bottom	3	2	13:15	13:38	25.2	7.1	25.3	6.47	9.9	9.9
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)3	Surface	1	1	13:48	14:13	25.2	7.1	25.1	6.24	8.4	9.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)3	Surface	1	2	13:48	14:13	25.3	7.1	25.1	6.20	8.4	7.6
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)3	Middle	2	1	13:48	14:13	25.1	7.2	25.1	6.34	14.0	11.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)3	Middle	2	2	13:48	14:13	25.1	7.2	25.2	6.37	13.4	10.7
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)3	Bottom	3	1	13:48	14:13	25.0	7.2	25.1	6.16	16.1	12.5
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Flood	CS(Mf)3	Bottom	3	2	13:48	14:13	25.0	7.2	25.1	6.20	16.5	13.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)3	Surface	1	1	16:12	16:36	25.3	7.1	25.2	6.20	8.5	8.2
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)3	Surface	1	2	16:12	16:36	25.4	7.1	25.2	6.18	8.5	9.3
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)3	Middle	2	1	16:12	16:36	25.2	7.2	25.0	6.30	13.2	10.6
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)3	Middle	2	2	16:12	16:36	25.2	7.2	25.2	6.34	13.4	10.3
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)3	Bottom	3	1	16:12	16:36	25.1	7.2	25.1	6.20	16.6	12.5
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)3	Bottom	3	2	16:12	16:36	25.0	7.2	25.1	6.16	16.0	13.4
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4a	Surface	1	1	18:42	19:06	25.4	7.0	25.2	6.36	12.8	8.1
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4a	Surface	1	2	18:42	19:06	25.4	7.0	25.0	6.33	12.6	9.2
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4a	Middle	2	1	18:42	19:06						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4a	Middle	2	2	18:42	19:06						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4a	Bottom	3	1	18:42	19:06	25.3	7.2	25.3	6.30	12.6	10.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4a	Bottom	3	2	18:42	19:06	25.3	7.1	25.3	6.34	12.5	9.6
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4	Surface	1	1	18:12	18:36	25.2	7.0	25.4	6.30	11.3	6.9
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4	Surface	1	2	18:12	18:36	25.3	7.0	25.4	6.36	11.7	8.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4	Middle	2	1	18:12	18:36						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4	Middle	2	2	18:12	18:36						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4	Bottom	3	1	18:12	18:36	25.2	7.0	25.3	6.40	9.6	12.7
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	SR4	Bottom	3	2	18:12	18:36	25.2	7.0	25.4	6.34	9.6	11.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS8	Surface	1	1	17:42	18:06	25.3	7.1	25.4	6.14	10.6	8.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS8	Surface	1	2	17:42	18:06	25.3	7.1	25.4	6.14	10.9	9.4
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS8	Middle	2	1	17:42	18:06						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS8	Middle	2	2	17:42	18:06						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS8	Bottom	3	1	17:42	18:06	25.3	7.2	25.6	6.06	18.1	11.9
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS8	Bottom	3	2	17:42	18:06	25.2	7.2	25.5	6.10	17.5	11.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)16	Surface	1	1	17:12	17:36	25.2	7.1	25.3	6.33	11.6	9.9
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)16	Surface	1	2	17:12	17:36	25.2	7.1	25.3	6.28	11.3	8.4
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)16	Middle	2	1	17:12	17:36	25.3	7.1	25.2	6.36	14.6	9.3
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)16	Middle	2	2	17:12	17:36	25.2	7.1	25.3	6.38	15.0	9.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)16	Bottom	3	1	17:12	17:36	25.3	7.2	25.3	6.39	13.9	12.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)16	Bottom	3	2	17:12	17:36	25.2	7.2	25.2	6.42	14.2	12.6
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)9	Surface	1	1	16:42	17:06	25.3	7.0	24.8	6.41	15.6	9.2
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)9	Surface	1	2	16:42	17:06	25.3	7.0	25.0	6.43	15.3	8.4
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)9	Middle	2	1	16:42	17:06						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)9	Middle	2	2	16:42	17:06						
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)9	Bottom	3	1	16:42	17:06	25.2	7.1	25.1	6.15	10.1	11.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	IS(Mf)9	Bottom	3	2	16:42	17:06	25.2	7.1	25.1	6.11	9.9	10.5
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)5	Surface	1	1	19:12	19:42	25.3	7.1	25.3	6.28	8.5	6.2
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)5	Surface	1	2	19:12	19:42	25.4	7.1	25.3	6.24	8.4	6.0
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)5	Middle	2	1	19:12	19:42	25.3	7.1	25.2	6.14	8.4	6.5
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)5	Middle	2	2	19:12	19:42	25.2	7.1	25.2	6.14	8.3	7.8
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)5	Bottom	3	1	19:12	19:42	25.2	7.1	25.4	6.08	10.5	10.1
TM-CLK Southern	HY/2012/07	2013-11-09	Mid-Ebb	CS(Mf)5	Bottom	3	2	19:12	19:42	25.1	7.1	25.4	6.05	10.6	9.7

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)5	Surface	1	1	13:50	14:11	25.1	7.1	25.0	6.37	2.8	5.7
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)5	Surface	1	2	13:50	14:11	25.0	7.2	24.9	6.35	2.9	4.7
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)5	Middle	2	1	13:50	14:11	25.0	7.1	25.2	6.22	2.9	4.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)5	Middle	2	2	13:50	14:11	24.9	7.1	25.1	6.24	3.0	4.5
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)5	Bottom	3	1	13:50	14:11	24.9	7.2	25.3	6.08	2.6	6.1
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)5	Bottom	3	2	13:50	14:11	24.8	7.2	25.3	6.10	2.7	4.1
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4a	Surface	1	1	14:20	14:42	25.1	7.0	24.9	6.49	3.7	7.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4a	Surface	1	2	14:20	14:42	25.1	7.0	25.0	6.51	3.8	9.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4a	Middle	2	1	14:20	14:42						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4a	Middle	2	2	14:20	14:42						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4a	Bottom	3	1	14:20	14:42	25.0	7.1	25.1	6.39	3.1	7.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4a	Bottom	3	2	14:20	14:42	25.1	7.1	25.1	6.41	3.2	7.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4	Surface	1	1	14:52	15:13	25.1	7.0	25.0	6.42	2.8	4.7
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4	Surface	1	2	14:52	15:13	25.1	7.1	24.9	6.44	2.9	4.7
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4	Middle	2	1	14:52	15:13						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4	Middle	2	2	14:52	15:13						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4	Bottom	3	1	14:52	15:13	25.0	7.1	25.1	6.51	4.1	5.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	SR4	Bottom	3	2	14:52	15:13	24.9	7.1	25.0	6.54	4.1	7.2
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS8	Surface	1	1	15:23	15:44	25.0	7.1	25.0	6.24	5.5	5.7
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS8	Surface	1	2	15:23	15:44	25.1	7.1	25.0	6.22	5.6	5.3
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS8	Middle	2	1	15:23	15:44						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS8	Middle	2	2	15:23	15:44						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS8	Bottom	3	1	15:23	15:44	25.0	7.1	25.1	6.17	5.1	7.3
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS8	Bottom	3	2	15:23	15:44	25.0	7.1	25.2	6.20	5.1	6.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)16	Surface	1	1	15:54	16:15	25.0	7.1	24.9	6.37	6.1	8.7
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)16	Surface	1	2	15:54	16:15	24.9	7.1	25.0	6.39	6.1	9.2
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)16	Middle	2	1	15:54	16:15	24.9	7.2	25.1	6.46	6.2	6.8
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)16	Middle	2	2	15:54	16:15	24.8	7.2	25.0	6.48	6.3	8.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)16	Bottom	3	1	15:54	16:15	24.8	7.2	25.2	6.40	5.7	7.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)16	Bottom	3	2	15:54	16:15	24.8	7.3	25.2	6.38	5.7	7.6
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)9	Surface	1	1	16:25	16:48	25.0	7.0	25.1	6.36	4.7	10.3
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)9	Surface	1	2	16:25	16:48	25.0	7.0	25.0	6.38	4.7	9.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)9	Middle	2	1	16:25	16:48						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)9	Middle	2	2	16:25	16:48						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)9	Bottom	3	1	16:25	16:48	24.9	7.1	25.2	6.44	4.5	8.2
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	IS(Mf)9	Bottom	3	2	16:25	16:48	25.0	7.1	25.1	6.47	4.5	9.3
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)3	Surface	1	1	16:58	17:20	25.1	7.2	25.0	6.28	2.9	4.8
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)3	Surface	1	2	16:58	17:20	25.0	7.2	24.9	6.30	2.9	5.3
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)3	Middle	2	1	16:58	17:20	24.9	7.2	25.0	6.39	2.9	3.5
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)3	Middle	2	2	16:58	17:20	25.0	7.2	25.1	6.41	2.9	5.4
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)3	Bottom	3	1	16:58	17:20	24.8	7.2	25.2	6.23	2.7	5.2
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Flood	CS(Mf)3	Bottom	3	2	16:58	17:20	24.9	7.2	25.2	6.24	2.7	5.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)3	Surface	1	1	06:36	07:00	25.0	7.2	25.0	6.13	3.2	5.7
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)3	Surface	1	2	06:36	07:00	25.0	7.2	25.1	6.17	3.3	3.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)3	Middle	2	1	06:36	07:00	24.9	7.2	25.1	6.20	2.9	7.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)3	Middle	2	2	06:36	07:00	24.9	7.2	25.1	6.15	2.9	5.6
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)3	Bottom	3	1	06:36	07:00	24.9	7.1	25.2	6.17	2.5	7.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)3	Bottom	3	2	06:36	07:00	24.8	7.1	25.2	6.19	2.5	6.4
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4a	Surface	1	1	09:07	09:32	25.1	7.1	25.0	6.38	5.8	4.8
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4a	Surface	1	2	09:07	09:32	25.1	7.1	25.0	6.40	5.8	6.4
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4a	Middle	2	1	09:07	09:32						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4a	Middle	2	2	09:07	09:32						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4a	Bottom	3	1	09:07	09:32	25.0	7.0	25.0	6.24	3.6	6.7
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4a	Bottom	3	2	09:07	09:32	25.0	7.0	25.1	6.20	3.7	6.6
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4	Surface	1	1	08:36	08:59	25.0	7.0	25.0	6.40	3.7	4.5
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4	Surface	1	2	08:36	08:59	25.0	7.1	25.0	6.44	3.7	5.2
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4	Middle	2	1	08:36	08:59						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4	Middle	2	2	08:36	08:59						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4	Bottom	3	1	08:36	08:59	24.9	7.1	25.1	6.49	3.3	6.1
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	SR4	Bottom	3	2	08:36	08:59	24.8	7.2	25.0	6.41	3.4	4.8
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS8	Surface	1	1	08:07	08:31	25.0	7.1	25.0	6.18	3.9	3.4
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS8	Surface	1	2	08:07	08:31	25.0	7.1	25.1	6.14	3.9	3.7
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS8	Middle	2	1	08:07	08:31						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS8	Middle	2	2	08:07	08:31						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS8	Bottom	3	1	08:07	08:31	25.0	7.1	25.1	6.20	3.4	5.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS8	Bottom	3	2	08:07	08:31	25.0	7.1	25.0	6.15	3.3	6.4
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)16	Surface	1	1	07:36	08:00	24.9	7.1	24.9	6.25	4.6	9.1
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)16	Surface	1	2	07:36	08:00	24.9	7.1	25.0	6.21	4.6	8.1
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)16	Middle	2	1	07:36	08:00	24.9	7.1	25.0	6.30	4.7	7.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)16	Middle	2	2	07:36	08:00	24.9	7.1	25.0	6.24	4.8	7.8
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)16	Bottom	3	1	07:36	08:00	24.9	7.2	25.1	6.35	4.1	7.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)16	Bottom	3	2	07:36	08:00	24.9	7.2	25.2	6.34	4.1	8.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)9	Surface	1	1	07:06	07:30	25.1	7.0	25.0	6.23	4.6	10.4
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)9	Surface	1	2	07:06	07:30	25.1	7.0	24.9	6.21	4.5	10.2
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)9	Middle	2	1	07:06	07:30						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)9	Middle	2	2	07:06	07:30						
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)9	Bottom	3	1	07:06	07:30	25.0	7.1	25.0	6.29	4.8	8.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	IS(Mf)9	Bottom	3	2	07:06	07:30	24.9	7.1	25.0	6.31	4.7	7.9
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)5	Surface	1	1	09:40	10:06	25.1	7.2	25.0	6.22	2.8	4.2
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)5	Surface	1	2	09:40	10:06	25.1	7.2	25.1	6.28	2.9	4.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)5	Middle	2	1	09:40	10:06	25.0	7.1	25.1	6.14	2.6	6.0
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)5	Middle	2	2	09:40	10:06	25.0	7.1	25.1	6.16	2.6	5.5
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)5	Bottom	3	1	09:40	10:06	24.9	7.2	25.2	6.10	5.7	7.2
TM-CLK Southern	HY/2012/07	2013-11-12	Mid-Ebb	CS(Mf)5	Bottom	3	2	09:40	10:06	24.9	7.2	25.3	6.18	5.6	7.8

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)5	Surface	1	1	15:04	15:21	25.1	7.3	25.1	6.22	7.2	4.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)5	Surface	1	2	15:04	15:21	25.0	7.3	25.2	6.18	7.3	4.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)5	Middle	2	1	15:04	15:21	25.0	7.3	25.0	6.10	7.4	4.5
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)5	Middle	2	2	15:04	15:21	25.0	7.3	25.2	6.06	7.5	4.6
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)5	Bottom	3	1	15:04	15:21	25.0	7.3	25.3	6.04	7.1	4.3
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)5	Bottom	3	2	15:04	15:21	25.0	7.3	25.2	6.10	7.1	5.1
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4a	Surface	1	1	15:30	15:52	25.1	7.2	25.2	6.34	14.8	10.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4a	Surface	1	2	15:30	15:52	25.1	7.2	25.2	6.30	14.3	9.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4a	Middle	2	1	15:30	15:52						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4a	Middle	2	2	15:30	15:52						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4a	Bottom	3	1	15:30	15:52	25.2	7.2	25.3	6.18	14.0	12.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4a	Bottom	3	2	15:30	15:52	25.0	7.2	25.2	6.22	14.4	12.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4	Surface	1	1	16:02	16:22	25.1	7.2	25.3	6.38	15.0	14.5
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4	Surface	1	2	16:02	16:22	25.0	7.2	25.2	6.34	15.4	14.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4	Middle	2	1	16:02	16:22						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4	Middle	2	2	16:02	16:22						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4	Bottom	3	1	16:02	16:22	25.0	7.2	25.2	6.44	18.4	16.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	SR4	Bottom	3	2	16:02	16:22	25.2	7.3	25.2	6.46	18.0	14.6
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS8	Surface	1	1	16:33	16:53	25.0	7.2	25.2	6.10	16.4	12.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS8	Surface	1	2	16:33	16:53	25.1	7.2	25.2	6.15	15.8	13.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS8	Middle	2	1	16:33	16:53						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS8	Middle	2	2	16:33	16:53						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS8	Bottom	3	1	16:33	16:53	25.0	7.2	25.1	6.14	16.6	15.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS8	Bottom	3	2	16:33	16:53	25.2	7.3	25.2	6.09	16.2	13.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)16	Surface	1	1	17:03	17:23	25.0	7.2	25.0	6.18	6.5	4.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)16	Surface	1	2	17:03	17:23	25.0	7.3	25.2	6.14	6.5	5.1
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)16	Middle	2	1	17:03	17:23	24.9	7.2	25.2	6.22	6.5	3.7
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)16	Middle	2	2	17:03	17:23	25.0	7.2	25.3	6.20	6.5	4.8
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)16	Bottom	3	1	17:03	17:23	25.0	7.3	25.2	6.26	6.6	4.8
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)16	Bottom	3	2	17:03	17:23	25.0	7.3	25.2	6.22	6.6	5.8
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)9	Surface	1	1	17:34	17:55	25.1	7.1	25.2	6.10	10.8	7.6
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)9	Surface	1	2	17:34	17:55	25.1	7.1	25.2	6.14	10.4	7.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)9	Middle	2	1	17:34	17:55						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)9	Middle	2	2	17:34	17:55						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)9	Bottom	3	1	17:34	17:55	25.0	7.2	25.3	6.18	10.0	8.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	IS(Mf)9	Bottom	3	2	17:34	17:55	25.1	7.3	25.3	6.16	10.2	8.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)3	Surface	1	1	18:08	18:28	25.0	7.3	25.2	6.04	6.9	4.1
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)3	Surface	1	2	18:08	18:28	25.1	7.3	25.2	6.00	6.9	5.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)3	Middle	2	1	18:08	18:28	25.1	7.4	25.0	6.14	6.6	3.9
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)3	Middle	2	2	18:08	18:28	25.0	7.4	25.0	6.08	6.7	3.6
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)3	Bottom	3	1	18:08	18:28	24.9	7.3	25.2	6.10	6.4	5.8
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Flood	CS(Mf)3	Bottom	3	2	18:08	18:28	25.1	7.2	25.3	6.06	6.4	6.7
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)3	Surface	1	1	08:43	09:07	24.8	7.3	25.1	6.04	6.9	6.1
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)3	Surface	1	2	08:43	09:07	24.9	7.3	25.0	6.08	6.9	7.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)3	Middle	2	1	08:43	09:07	24.8	7.4	25.1	6.11	6.6	5.9
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)3	Middle	2	2	08:43	09:07	24.7	7.4	25.1	6.06	6.7	4.6
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)3	Bottom	3	1	08:43	09:07	24.8	7.2	25.2	6.13	6.4	7.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)3	Bottom	3	2	08:43	09:07	24.8	7.3	25.3	6.11	6.3	5.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4a	Surface	1	1	11:14	11:39	24.9	7.2	25.0	6.29	14.6	12.1
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4a	Surface	1	2	11:14	11:39	25.0	7.2	25.1	6.32	14.4	11.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4a	Middle	2	1	11:14	11:39						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4a	Middle	2	2	11:14	11:39						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4a	Bottom	3	1	11:14	11:39	24.9	7.2	25.1	6.15	14.2	15.5
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4a	Bottom	3	2	11:14	11:39	24.8	7.2	25.2	6.12	14.1	14.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4	Surface	1	1	10:43	11:06	25.0	7.2	25.1	6.31	15.4	10.1
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4	Surface	1	2	10:43	11:06	24.9	7.2	25.0	6.35	15.5	12.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4	Middle	2	1	10:43	11:06						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4	Middle	2	2	10:43	11:06						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4	Bottom	3	1	10:43	11:06	24.9	7.3	25.1	6.40	18.1	16.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	SR4	Bottom	3	2	10:43	11:06	24.9	7.3	25.2	6.32	17.8	15.5
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS8	Surface	1	1	10:14	10:38	24.9	7.2	25.0	6.09	16.0	12.1
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS8	Surface	1	2	10:14	10:38	24.9	7.2	25.1	6.05	15.7	12.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS8	Middle	2	1	10:14	10:38						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS8	Middle	2	2	10:14	10:38						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS8	Bottom	3	1	10:14	10:38	24.7	7.3	25.2	6.06	16.5	14.1
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS8	Bottom	3	2	10:14	10:38	24.8	7.3	25.2	6.11	16.6	14.9
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)16	Surface	1	1	09:43	10:07	24.9	7.3	24.9	6.16	6.5	5.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)16	Surface	1	2	09:43	10:07	24.8	7.3	25.0	6.12	6.6	6.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)16	Middle	2	1	09:43	10:07	24.8	7.2	25.1	6.21	6.5	3.8
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)16	Middle	2	2	09:43	10:07	24.9	7.2	25.0	6.15	6.5	5.6
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)16	Bottom	3	1	09:43	10:07	24.8	7.3	25.1	6.26	6.6	6.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)16	Bottom	3	2	09:43	10:07	24.7	7.3	25.2	6.24	6.6	6.5
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)9	Surface	1	1	09:13	09:37	25.0	7.1	25.1	6.14	10.6	8.6
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)9	Surface	1	2	09:13	09:37	24.9	7.2	25.2	6.12	10.8	7.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)9	Middle	2	1	09:13	09:37						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)9	Middle	2	2	09:13	09:37						
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)9	Bottom	3	1	09:13	09:37	24.8	7.3	25.3	6.22	10.2	9.4
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	IS(Mf)9	Bottom	3	2	09:13	09:37	24.9	7.3	25.3	6.20	9.8	10.7
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)5	Surface	1	1	11:47	12:13	25.0	7.3	25.0	6.13	7.2	5.1
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)5	Surface	1	2	11:47	12:13	24.9	7.3	24.9	6.19	7.3	2.8
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)5	Middle	2	1	11:47	12:13	24.9	7.3	25.0	6.05	7.5	5.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)5	Middle	2	2	11:47	12:13	24.8	7.3	25.1	6.07	7.5	4.0
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)5	Bottom	3	1	11:47	12:13	24.8	7.3	25.2	6.01	7.0	6.2
TM-CLK Southern	HY/2012/07	2013-11-14	Mid-Ebb	CS(Mf)5	Bottom	3	2	11:47	12:13	24.7	7.4	25.2	6.08	7.0	3.8

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)5	Surface	1	1	16:01	16:21	24.8	7.2	25.3	6.27	6.5	6.7
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)5	Surface	1	2	16:01	16:21	24.7	7.2	25.3	6.33	6.6	5.9
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)5	Middle	2	1	16:01	16:21	24.7	7.2	25.3	6.19	7.0	10.3
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)5	Middle	2	2	16:01	16:21	24.7	7.2	25.4	6.21	7.1	10.9
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)5	Bottom	3	1	16:01	16:21	24.6	7.3	25.4	6.15	8.0	10.9
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)5	Bottom	3	2	16:01	16:21	24.5	7.3	25.3	6.17	8.1	10.0
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4a	Surface	1	1	16:28	16:48	24.0	7.1	25.2	6.43	8.4	7.5
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4a	Surface	1	2	16:28	16:48	24.0	7.2	25.3	6.45	8.5	6.5
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4a	Middle	2	1	16:28	16:48						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4a	Middle	2	2	16:28	16:48						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4a	Bottom	3	1	16:28	16:48	24.6	7.1	25.4	6.26	9.0	10.0
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4a	Bottom	3	2	16:28	16:48	24.7	7.1	25.4	6.29	9.0	9.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4	Surface	1	1	16:58	17:18	24.7	7.1	25.3	6.28	7.8	6.0
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4	Surface	1	2	16:58	17:18	24.8	7.1	25.2	6.32	7.8	7.9
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4	Middle	2	1	16:58	17:18						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4	Middle	2	2	16:58	17:18						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4	Bottom	3	1	16:58	17:18	24.7	7.2	25.4	6.37	8.0	9.0
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	SR4	Bottom	3	2	16:58	17:18	24.6	7.2	25.4	6.29	8.0	7.9
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS8	Surface	1	1	17:28	17:53	24.7	7.2	25.2	6.24	6.9	7.4
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS8	Surface	1	2	17:28	17:53	24.6	7.2	25.3	6.20	7.0	8.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS8	Middle	2	1	17:28	17:53						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS8	Middle	2	2	17:28	17:53						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS8	Bottom	3	1	17:28	17:53	24.6	7.2	25.4	6.25	7.2	8.6
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS8	Bottom	3	2	17:28	17:53	24.5	7.2	25.3	6.21	7.2	9.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)16	Surface	1	1	18:02	18:27	24.8	7.2	25.2	6.26	6.0	6.4
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)16	Surface	1	2	18:02	18:27	24.7	7.2	25.1	6.30	6.1	5.0
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)16	Middle	2	1	18:02	18:27	24.7	7.2	25.2	6.35	6.9	6.9
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)16	Middle	2	2	18:02	18:27	24.7	7.1	25.1	6.30	6.9	5.8
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)16	Bottom	3	1	18:02	18:27	24.6	7.2	25.3	6.38	7.3	8.5
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)16	Bottom	3	2	18:02	18:27	24.5	7.3	25.2	6.39	7.3	7.8
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)9	Surface	1	1	18:36	19:01	24.7	7.1	25.2	6.29	8.5	6.9
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)9	Surface	1	2	18:36	19:01	24.8	7.1	25.2	6.27	8.6	6.7
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)9	Middle	2	1	18:36	19:01						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)9	Middle	2	2	18:36	19:01						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)9	Bottom	3	1	18:36	19:01	24.8	7.2	25.3	6.37	9.9	8.0
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	IS(Mf)9	Bottom	3	2	18:36	19:01	24.7	7.2	25.2	6.39	9.6	7.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)3	Surface	1	1	19:12	19:31	24.7	7.2	25.2	6.21	7.0	6.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)3	Surface	1	2	19:12	19:31	24.7	7.3	25.3	6.25	7.0	4.8
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)3	Middle	2	1	19:12	19:31	24.6	7.3	25.3	6.28	7.6	8.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)3	Middle	2	2	19:12	19:31	24.7	7.3	25.4	6.23	7.4	6.5
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)3	Bottom	3	1	19:12	19:31	24.6	7.2	25.4	6.30	8.1	6.9
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Flood	CS(Mf)3	Bottom	3	2	19:12	19:31	24.5	7.2	25.4	6.32	8.1	7.4
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)3	Surface	1	1	10:17	10:31	24.3	7.2	25.1	6.12	7.1	5.1
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)3	Surface	1	2	10:17	10:31	24.8	7.2	25.2	6.16	7.1	6.7
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)3	Middle	2	1	10:17	10:31	24.7	7.3	25.2	6.19	7.7	7.4
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)3	Middle	2	2	10:17	10:31	24.6	7.3	25.1	6.14	7.4	7.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)3	Bottom	3	1	10:17	10:31	24.7	7.1	25.3	6.21	8.2	7.6
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)3	Bottom	3	2	10:17	10:31	24.7	7.1	25.3	6.23	8.1	8.7
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4a	Surface	1	1	12:28	12:58	24.8	7.1	25.1	6.37	8.5	4.7
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4a	Surface	1	2	12:28	12:58	24.9	7.1	25.2	6.40	8.6	6.6
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4a	Middle	2	1	12:28	12:58						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4a	Middle	2	2	12:28	12:58						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4a	Bottom	3	1	12:28	12:58	24.8	7.1	25.3	6.23	9.1	9.6
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4a	Bottom	3	2	12:28	12:58	24.7	7.1	25.3	6.20	9.1	9.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4	Surface	1	1	11:57	12:20	24.8	7.1	25.2	6.22	7.8	6.7
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4	Surface	1	2	11:57	12:20	24.9	7.1	25.1	6.26	7.9	5.3
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4	Middle	2	1	11:57	12:20						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4	Middle	2	2	11:57	12:20						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4	Bottom	3	1	11:57	12:20	24.8	7.2	25.2	6.31	8.1	7.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	SR4	Bottom	3	2	11:57	12:20	24.7	7.2	25.3	6.23	8.1	6.6
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS8	Surface	1	1	11:28	11:52	24.8	7.2	25.1	6.18	7.0	5.7
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS8	Surface	1	2	11:28	11:52	24.7	7.2	25.2	6.14	7.0	6.5
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS8	Middle	2	1	11:28	11:52						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS8	Middle	2	2	11:28	11:52						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS8	Bottom	3	1	11:28	11:52	24.6	7.2	25.2	6.19	7.3	7.8
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS8	Bottom	3	2	11:28	11:52	24.7	7.2	25.2	6.15	7.2	8.5
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)16	Surface	1	1	11:07	11:21	24.8	7.1	25.1	6.20	6.1	5.5
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)16	Surface	1	2	11:07	11:21	24.7	7.2	25.1	6.24	6.1	6.0
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)16	Middle	2	1	11:07	11:21	24.7	7.1	25.2	6.29	7.0	6.2
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)16	Middle	2	2	11:07	11:21	24.8	7.1	25.1	6.23	7.0	5.4
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)16	Bottom	3	1	11:07	11:21	24.7	7.2	25.2	6.32	7.4	9.1
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)16	Bottom	3	2	11:07	11:21	24.7	7.2	25.3	6.34	7.4	7.8
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)9	Surface	1	1	10:37	11:01	24.8	7.0	25.2	6.23	8.6	6.0
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)9	Surface	1	2	10:37	11:01	24.9	7.0	25.1	6.21	8.7	6.8
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)9	Middle	2	1	10:37	11:01						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)9	Middle	2	2	10:37	11:01						
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)9	Bottom	3	1	10:37	11:01	24.7	7.2	25.4	6.31	9.9	7.9
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	IS(Mf)9	Bottom	3	2	10:37	11:01	24.8	7.2	25.3	6.33	9.7	9.4
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)5	Surface	1	1	13:20	13:47	24.9	7.2	25.1	6.21	6.6	6.8
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)5	Surface	1	2	13:20	13:47	24.9	7.2	25.2	6.27	6.7	7.6
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)5	Middle	2	1	13:20	13:47	24.8	7.2	25.1	6.13	7.1	7.1
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)5	Middle	2	2	13:20	13:47	24.7	7.2	25.2	6.15	7.2	5.5
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)5	Bottom	3	1	13:20	13:47	24.7	7.2	25.2	6.09	8.1	9.6
TM-CLK Southern	HY/2012/07	2013-11-16	Mid-Ebb	CS(Mf)5	Bottom	3	2	13:20	13:47	24.6	7.2	25.3	6.11	8.1	9.6

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)5	Surface	1	1	17:25	17:43	23.1	7.2	25.3	6.42	14.5	14.2
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)5	Surface	1	2	17:25	17:43	23.1	7.2	25.3	6.40	14.3	15.2
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)5	Middle	2	1	17:25	17:43	23.1	7.4	25.4	6.32	13.8	14.9
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)5	Middle	2	2	17:25	17:43	23.0	7.4	25.4	6.38	13.2	13.1
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)5	Bottom	3	1	17:25	17:43	23.0	7.4	25.3	6.22	15.8	19.2
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)5	Bottom	3	2	17:25	17:43	23.0	7.4	25.4	6.20	15.2	19.3
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4a	Surface	1	1	17:58	18:18	23.1	7.2	25.2	6.47	12.8	8.7
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4a	Surface	1	2	17:58	18:18	23.1	7.2	25.3	6.48	12.9	10.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4a	Middle	2	1	17:58	18:18						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4a	Middle	2	2	17:58	18:18						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4a	Bottom	3	1	17:58	18:18	23.1	7.4	25.3	6.40	11.7	11.2
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4a	Bottom	3	2	17:58	18:18	23.0	7.4	25.4	6.36	11.1	10.2
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4	Surface	1	1	18:38	18:59	23.1	7.3	25.3	6.47	13.0	13.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4	Surface	1	2	18:38	18:59	23.2	7.3	25.3	6.43	13.8	13.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4	Middle	2	1	18:38	18:59						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4	Middle	2	2	18:38	18:59						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4	Bottom	3	1	18:38	18:59	23.0	7.4	25.4	6.53	11.2	12.8
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	SR4	Bottom	3	2	18:38	18:59	23.1	7.4	25.3	6.57	11.8	12.1
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS8	Surface	1	1	19:20	19:38	23.1	7.4	25.3	6.27	11.4	12.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS8	Surface	1	2	19:20	19:38	23.1	7.4	25.3	6.30	11.6	10.7
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS8	Middle	2	1	19:20	19:38						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS8	Middle	2	2	19:20	19:38						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS8	Bottom	3	1	19:20	19:38	23.1	7.4	25.4	6.29	14.0	13.9
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS8	Bottom	3	2	19:20	19:38	23.1	7.4	25.5	6.31	14.8	12.2
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)16	Surface	1	1	19:45	20:03	23.2	7.4	25.2	6.38	13.4	11.1
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)16	Surface	1	2	19:45	20:03	23.2	7.4	25.3	6.40	13.5	12.4
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)16	Middle	2	1	19:45	20:03	23.1	7.3	25.3	6.35	12.2	14.4
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)16	Middle	2	2	19:45	20:03	23.1	7.4	25.4	6.36	12.8	15.9
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)16	Bottom	3	1	19:45	20:03	23.1	7.4	25.4	6.55	14.3	16.8
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)16	Bottom	3	2	19:45	20:03	23.0	7.4	25.5	6.50	14.7	17.7
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)9	Surface	1	1	20:10	20:28	23.2	7.3	25.3	6.47	12.1	10.5
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)9	Surface	1	2	20:10	20:28	23.2	7.3	25.3	6.49	12.9	12.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)9	Middle	2	1	20:10	20:28						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)9	Middle	2	2	20:10	20:28						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)9	Bottom	3	1	20:10	20:28	23.1	7.4	25.3	6.39	11.0	13.1
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	IS(Mf)9	Bottom	3	2	20:10	20:28	23.1	7.4	25.4	6.41	11.5	13.7
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)3	Surface	1	1	20:35	20:55	23.1	7.3	25.3	6.40	10.3	8.6
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)3	Surface	1	2	20:35	20:55	23.1	7.3	25.2	6.38	10.1	7.4
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)3	Middle	2	1	20:35	20:55	23.0	7.3	25.4	6.50	9.5	10.6
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)3	Middle	2	2	20:35	20:55	23.0	7.3	25.4	6.46	9.6	9.6
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)3	Bottom	3	1	20:35	20:55	22.9	7.2	25.5	6.33	11.9	10.6
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Flood	CS(Mf)3	Bottom	3	2	20:35	20:55	22.9	7.2	25.4	6.30	11.7	10.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)3	Surface	1	1	12:11	12:31	23.0	7.3	25.1	6.30	9.9	7.8
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)3	Surface	1	2	12:11	12:31	23.1	7.3	25.2	6.34	9.4	7.3
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)3	Middle	2	1	12:11	12:31	23.0	7.3	25.3	6.37	9.7	8.7
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)3	Middle	2	2	12:11	12:31	23.0	7.3	25.3	6.32	9.9	9.4
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)3	Bottom	3	1	12:11	12:31	22.9	7.2	25.4	6.39	11.4	12.8
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)3	Bottom	3	2	12:11	12:31	23.0	7.2	25.3	6.41	10.2	12.5
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4a	Surface	1	1	14:51	15:01	23.0	7.2	25.1	6.46	12.4	10.7
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4a	Surface	1	2	14:51	15:01	22.9	7.3	25.1	6.49	12.1	10.8
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4a	Middle	2	1	14:51	15:01						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4a	Middle	2	2	14:51	15:01						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4a	Bottom	3	1	14:51	15:01	23.1	7.2	25.3	6.32	11.8	13.5
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4a	Bottom	3	2	14:51	15:01	23.1	7.2	25.2	6.29	12.1	12.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4	Surface	1	1	14:16	14:31	23.0	7.3	25.2	6.37	12.9	12.1
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4	Surface	1	2	14:16	14:31	22.9	7.3	25.3	6.41	12.0	14.2
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4	Middle	2	1	14:16	14:31						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4	Middle	2	2	14:16	14:31						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4	Bottom	3	1	14:16	14:31	23.0	7.3	25.3	6.46	11.8	10.4
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	SR4	Bottom	3	2	14:16	14:31	23.1	7.4	25.4	6.38	11.1	11.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS8	Surface	1	1	13:46	14:01	23.0	7.3	25.2	6.33	10.7	10.8
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS8	Surface	1	2	13:46	14:01	23.1	7.4	25.2	6.29	11.9	10.9
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS8	Middle	2	1	13:46	14:01						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS8	Middle	2	2	13:46	14:01						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS8	Bottom	3	1	13:46	14:01	23.0	7.4	25.3	6.34	13.1	11.2
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS8	Bottom	3	2	13:46	14:01	22.9	7.4	25.2	6.30	13.8	13.1
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)16	Surface	1	1	13:16	13:31	23.1	7.3	25.1	6.35	12.2	12.5
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)16	Surface	1	2	13:16	13:31	23.0	7.3	25.2	6.39	13.7	13.4
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)16	Middle	2	1	13:16	13:31	23.1	7.3	25.3	6.44	13.2	15.8
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)16	Middle	2	2	13:16	13:31	23.1	7.3	25.2	6.41	13.6	14.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)16	Bottom	3	1	13:16	13:31	23.1	7.4	25.3	6.47	14.6	18.8
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)16	Bottom	3	2	13:16	13:31	23.0	7.4	25.3	6.48	14.7	20.1
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)9	Surface	1	1	12:41	13:01	23.1	7.2	25.2	6.38	12.7	12.9
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)9	Surface	1	2	12:41	13:01	23.1	7.2	25.1	6.36	13.8	12.9
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)9	Middle	2	1	12:41	13:01						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)9	Middle	2	2	12:41	13:01						
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)9	Bottom	3	1	12:41	13:01	23.0	7.4	25.2	6.46	11.9	13.5
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	IS(Mf)9	Bottom	3	2	12:41	13:01	23.1	7.3	25.3	6.48	11.4	14.2
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)5	Surface	1	1	15:21	15:41	23.0	7.2	25.2	6.30	13.4	11.3
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)5	Surface	1	2	15:21	15:41	23.1	7.2	25.1	6.36	13.7	13.4
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)5	Middle	2	1	15:21	15:41	23.0	7.3	25.2	6.22	14.8	13.3
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)5	Middle	2	2	15:21	15:41	23.0	7.3	25.2	6.24	13.5	12.8
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)5	Bottom	3	1	15:21	15:41	23.0	7.4	25.3	6.18	15.1	17.0
TM-CLK Southern	HY/2012/07	2013-11-19	Mid-Ebb	CS(Mf)5	Bottom	3	2	15:21	15:41						

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)5	Surface	1	1	08:08	08:32	22.9	7.4	24.2	7.37	7.4	8.8
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)5	Surface	1	2	08:08	08:32	22.8	7.4	24.1	7.39	7.5	9.1
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)5	Middle	2	1	08:08	08:32	22.9	7.3	24.2	7.11	8.0	10.5
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)5	Middle	2	2	08:08	08:32	23.0	7.3	24.3	7.13	8.1	11.0
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)5	Bottom	3	1	08:08	08:32	23.0	7.4	24.4	6.92	7.3	10.0
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)5	Bottom	3	2	08:08	08:32	22.9	7.4	24.3	6.94	7.3	10.3
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4a	Surface	1	1	08:38	09:02	22.8	7.4	24.1	7.34	10.8	14.1
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4a	Surface	1	2	08:38	09:02	22.8	7.4	24.1	7.36	11.0	12.8
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4a	Middle	2	1	08:38	09:02						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4a	Middle	2	2	08:38	09:02						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4a	Bottom	3	1	08:38	09:02	22.9	7.4	24.2	7.24	10.3	12.9
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4a	Bottom	3	2	08:38	09:02	22.8	7.4	24.3	7.26	10.6	12.7
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4	Surface	1	1	09:08	09:31	22.9	7.2	24.1	7.16	9.3	12.3
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4	Surface	1	2	09:08	09:31	23.0	7.3	24.2	7.18	9.4	13.5
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4	Middle	2	1	09:08	09:31						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4	Middle	2	2	09:08	09:31						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4	Bottom	3	1	09:08	09:31	23.0	7.2	24.3	6.99	10.2	12.3
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	SR4	Bottom	3	2	09:08	09:31	23.0	7.2	24.4	7.01	10.6	12.8
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS8	Surface	1	1	09:37	10:01	22.9	7.3	24.1	7.36	7.9	13.6
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS8	Surface	1	2	09:37	10:01	22.9	7.4	24.1	7.38	7.9	13.8
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS8	Middle	2	1	09:37	10:01						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS8	Middle	2	2	09:37	10:01						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS8	Bottom	3	1	09:37	10:01	23.0	7.4	24.2	7.11	8.8	15.8
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS8	Bottom	3	2	09:37	10:01	23.1	7.4	24.3	7.13	8.9	15.0
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)16	Surface	1	1	10:07	10:32	23.0	7.1	24.1	7.12	9.6	11.4
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)16	Surface	1	2	10:07	10:32	23.0	7.1	24.2	7.13	9.7	11.1
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)16	Middle	2	1	10:07	10:32	22.9	7.2	24.3	6.82	11.7	14.1
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)16	Middle	2	2	10:07	10:32	23.0	7.2	24.2	6.84	11.9	14.0
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)16	Bottom	3	1	10:07	10:32	23.0	7.1	24.5	6.89	22.1	19.5
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)16	Bottom	3	2	10:07	10:32	23.1	7.1	24.4	6.91	21.7	30.0
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)9	Surface	1	1	10:38	11:02	22.9	7.4	24.1	7.22	13.5	17.4
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)9	Surface	1	2	10:38	11:02	22.9	7.4	24.2	7.24	14.2	15.6
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)9	Middle	2	1	10:38	11:02						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)9	Middle	2	2	10:38	11:02						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)9	Bottom	3	1	10:38	11:02	23.0	7.3	24.2	7.04	13.1	17.9
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	IS(Mf)9	Bottom	3	2	10:38	11:02	22.9	7.4	24.3	7.06	12.8	17.4
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)3	Surface	1	1	11:08	11:38	22.9	7.6	24.2	7.29	8.5	8.9
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)3	Surface	1	2	11:08	11:38	23.0	7.6	24.2	7.31	8.5	7.4
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)3	Middle	2	1	11:08	11:38	23.0	7.4	24.4	6.99	8.4	8.7
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)3	Middle	2	2	11:08	11:38	23.1	7.4	24.3	7.01	8.4	10.4
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)3	Bottom	3	1	11:08	11:38	23.1	7.4	24.5	6.84	8.1	11.2
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Flood	CS(Mf)3	Bottom	3	2	11:08	11:38	23.0	7.5	24.4	6.82	8.1	10.6
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)3	Surface	1	1	13:20	13:44	22.8	7.4	24.3	7.20	8.6	11.1
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)3	Surface	1	2	13:20	13:44	22.9	7.4	24.2	7.24	8.5	10.9
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)3	Middle	2	1	13:20	13:44	23.0	7.4	24.3	6.94	7.7	10.6
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)3	Middle	2	2	13:20	13:44	23.0	7.4	24.3	6.91	7.7	10.3
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)3	Bottom	3	1	13:20	13:44	23.0	7.4	24.5	6.73	8.2	10.2
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)3	Bottom	3	2	13:20	13:44	23.0	7.4	24.5	6.76	8.1	11.1
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4a	Surface	1	1	15:49	16:13	22.9	7.3	24.1	7.29	11.0	11.4
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4a	Surface	1	2	15:49	16:13	22.8	7.3	24.0	7.21	11.8	11.6
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4a	Middle	2	1	15:49	16:13						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4a	Middle	2	2	15:49	16:13						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4a	Bottom	3	1	15:49	16:13	23.0	7.4	24.2	7.17	9.9	14.0
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4a	Bottom	3	2	15:49	16:13	22.9	7.4	24.3	7.13	10.0	15.9
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4	Surface	1	1	15:20	15:43	22.8	7.2	24.2	7.09	9.8	10.2
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4	Surface	1	2	15:20	15:43	22.9	7.2	24.1	7.10	9.8	11.0
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4	Middle	2	1	15:20	15:43						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4	Middle	2	2	15:20	15:43						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4	Bottom	3	1	15:20	15:43	22.9	7.2	24.4	6.93	9.7	12.1
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	SR4	Bottom	3	2	15:20	15:43	23.0	7.2	24.4	6.91	9.7	10.5
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS8	Surface	1	1	14:49	15:13	23.0	7.3	24.2	7.26	8.8	8.5
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS8	Surface	1	2	14:49	15:13	23.0	7.3	24.1	7.30	8.9	9.8
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS8	Middle	2	1	14:49	15:13						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS8	Middle	2	2	14:49	15:13						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS8	Bottom	3	1	14:49	15:13	23.1	7.3	24.3	7.06	10.2	10.3
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS8	Bottom	3	2	14:49	15:13	23.0	7.3	24.4	7.04	10.8	11.2
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)16	Surface	1	1	14:20	14:44	22.9	7.2	24.2	7.01	11.5	16.4
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)16	Surface	1	2	14:20	14:44	22.9	7.2	24.1	7.09	11.7	16.6
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)16	Middle	2	1	14:20	14:44	23.0	7.2	24.2	6.72	13.9	13.9
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)16	Middle	2	2	14:20	14:44	23.0	7.2	24.3	6.78	14.2	13.8
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)16	Bottom	3	1	14:20	14:44	22.9	7.1	24.3	6.88	17.2	20.9
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)16	Bottom	3	2	14:20	14:44	23.0	7.2	24.3	6.82	17.8	20.3
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)9	Surface	1	1	13:50	14:14	23.0	7.4	24.2	7.11	10.7	7.4
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)9	Surface	1	2	13:50	14:14	22.9	7.4	24.2	7.17	11.0	7.5
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)9	Middle	2	1	13:50	14:14						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)9	Middle	2	2	13:50	14:14						
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)9	Bottom	3	1	13:50	14:14	23.0	7.4	24.3	7.00	13.2	11.7
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	IS(Mf)9	Bottom	3	2	13:50	14:14	23.1	7.4	24.2	6.98	13.7	12.1
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)5	Surface	1	1	16:26	16:50	22.8	7.5	24.1	7.32	8.6	7.3
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)5	Surface	1	2	16:26	16:50	22.8	7.5	24.1	7.30	8.6	7.6
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)5	Middle	2	1	16:26	16:50	22.9	7.4	24.2	7.02	9.0	6.2
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)5	Middle	2	2	16:26	16:50	22.9	7.4	24.2	7.03	8.9	7.8
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)5	Bottom	3	1	16:26	16:50	23.0	7.4	24.3	6.87	8.6	7.5
TM-CLK Southern	HY/2012/07	2013-11-21	Mid-Ebb	CS(Mf)5	Bottom	3	2	16:26	16:50	23.0	7.4	24.3	6.88	8.7	

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)5	Surface	1	1	09:32	09:50	22.6	7.6	22.8	6.51	6.6	9.6
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)5	Surface	1	2	09:32	09:50	22.6	7.6	22.8	6.54	6.6	9.9
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)5	Middle	2	1	09:32	09:50	22.5	7.6	23.3	6.48	6.8	11.5
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)5	Middle	2	2	09:32	09:50	22.5	7.6	23.2	6.44	6.9	11.8
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)5	Bottom	3	1	09:32	09:50	22.5	7.6	23.6	6.49	5.9	10.8
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)5	Bottom	3	2	09:32	09:50	22.5	7.6	23.6	6.52	6.0	11.1
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4a	Surface	1	1	10:00	10:15	22.1	7.7	24.5	6.33	17.6	14.9
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4a	Surface	1	2	10:00	10:15	22.1	7.7	24.5	6.36	17.6	13.6
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4a	Middle	2	1	10:00	10:15						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4a	Middle	2	2	10:00	10:15						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4a	Bottom	3	1	10:00	10:15	22.1	7.7	24.5	6.42	19.7	13.9
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4a	Bottom	3	2	10:00	10:15	22.1	7.7	24.8	6.38	19.7	13.5
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4	Surface	1	1	10:18	10:34	22.3	8.0	24.4	6.15	13.0	13.1
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4	Surface	1	2	10:18	10:34	22.3	8.1	24.4	6.12	12.9	14.3
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4	Middle	2	1	10:18	10:34						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4	Middle	2	2	10:18	10:34						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4	Bottom	3	1	10:18	10:34	22.3	8.1	24.4	6.17	17.1	13.1
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	SR4	Bottom	3	2	10:18	10:34	22.3	8.1	24.4	6.12	17.1	13.6
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS8	Surface	1	1	10:40	10:57	22.3	8.0	24.4	6.20	10.4	14.6
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS8	Surface	1	2	10:40	10:57	22.4	8.0	24.4	6.17	10.4	14.6
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS8	Middle	2	1	10:40	10:57						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS8	Middle	2	2	10:40	10:57						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS8	Bottom	3	1	10:40	10:57	22.3	8.1	24.5	6.15	15.3	16.6
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS8	Bottom	3	2	10:40	10:57	22.4	8.1	24.5	6.11	15.2	15.8
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)16	Surface	1	1	11:17	11:37	22.4	8.1	24.4	6.13	7.8	12.2
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)16	Surface	1	2	11:17	11:37	22.4	8.1	24.3	6.15	7.7	11.9
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)16	Middle	2	1	11:17	11:37	22.3	8.1	24.4	6.10	6.1	14.9
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)16	Middle	2	2	11:17	11:37	22.4	8.1	24.3	6.07	6.2	14.8
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)16	Bottom	3	1	11:17	11:37	22.5	8.1	24.5	6.11	6.6	26.3
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)16	Bottom	3	2	11:17	11:37	22.4	8.1	24.5	6.04	6.7	26.9
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)9	Surface	1	1	12:00	12:20	22.6	8.0	24.4	6.12	11.6	18.4
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)9	Surface	1	2	12:00	12:20	22.6	8.0	24.4	6.15	11.6	16.4
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)9	Middle	2	1	12:00	12:20						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)9	Middle	2	2	12:00	12:20						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)9	Bottom	3	1	12:00	12:20	22.6	8.0	24.5	6.04	12.9	18.7
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	IS(Mf)9	Bottom	3	2	12:00	12:20	22.6	8.1	24.5	6.07	12.8	18.2
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)3	Surface	1	1	12:40	13:02	22.7	8.1	24.3	6.17	12.5	9.7
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)3	Surface	1	2	12:40	13:02	22.7	8.1	24.3	6.19	12.5	8.2
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)3	Middle	2	1	12:40	13:02	22.6	8.1	24.4	6.18	13.2	9.5
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)3	Middle	2	2	12:40	13:02	22.6	8.1	24.4	6.15	13.2	11.2
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)3	Bottom	3	1	12:40	13:02	22.6	8.1	24.5	6.09	12.6	12.0
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Flood	CS(Mf)3	Bottom	3	2	12:40	13:02	22.6	8.1	24.5	6.06	12.6	11.4
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)3	Surface	1	1	14:35	14:55	22.8	8.1	24.4	6.08	12.8	11.4
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)3	Surface	1	2	14:35	14:55	22.7	8.1	24.3	6.11	12.9	11.1
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)3	Middle	2	1	14:35	14:55	22.7	8.1	24.4	6.09	13.5	11.2
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)3	Middle	2	2	14:35	14:55	22.6	8.1	24.5	6.06	13.6	10.4
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)3	Bottom	3	1	14:35	14:55	22.5	8.1	24.5	6.00	12.9	11.4
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)3	Bottom	3	2	14:35	14:55	22.4	8.1	24.6	5.97	12.8	11.0
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4a	Surface	1	1	17:05	17:25	22.2	7.8	24.6	6.27	17.8	12.2
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4a	Surface	1	2	17:05	17:25	22.1	7.8	24.5	6.30	18.0	12.4
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4a	Middle	2	1	17:05	17:25						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4a	Middle	2	2	17:05	17:25						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4a	Bottom	3	1	17:05	17:25	22.2	7.8	24.8	6.36	19.9	11.9
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4a	Bottom	3	2	17:05	17:25	22.3	7.8	24.8	6.32	20.2	11.7
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4	Surface	1	1	16:35	16:55	22.3	8.1	24.5	6.09	13.5	11.0
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4	Surface	1	2	16:35	16:55	22.4	8.1	24.6	6.06	13.6	11.8
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4	Middle	2	1	16:35	16:55						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4	Middle	2	2	16:35	16:55						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4	Bottom	3	1	16:35	16:55	22.5	8.1	24.6	6.11	17.7	13.1
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	SR4	Bottom	3	2	16:35	16:55	22.5	8.1	24.6	6.07	17.9	11.3
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS8	Surface	1	1	16:05	16:25	22.4	8.1	24.5	6.14	10.9	9.3
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS8	Surface	1	2	16:05	16:25	22.4	8.1	24.4	6.11	10.8	10.6
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS8	Middle	2	1	16:05	16:25						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS8	Middle	2	2	16:05	16:25						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS8	Bottom	3	1	16:05	16:25	22.4	8.1	24.5	6.09	15.8	11.1
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS8	Bottom	3	2	16:05	16:25	22.5	8.1	24.6	6.05	15.7	12.0
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)16	Surface	1	1	15:35	15:55	22.4	8.1	24.4	6.05	7.8	15.2
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)16	Surface	1	2	15:35	15:55	22.5	8.1	24.5	6.07	7.8	15.4
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)16	Middle	2	1	15:35	15:55	22.5	8.1	24.5	6.02	6.1	14.7
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)16	Middle	2	2	15:35	15:55	22.4	8.1	24.6	5.99	6.2	14.6
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)16	Bottom	3	1	15:35	15:55	22.6	8.1	24.6	6.03	6.7	21.7
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)16	Bottom	3	2	15:35	15:55	22.6	8.1	24.7	6.06	6.7	21.1
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)9	Surface	1	1	15:05	15:25	22.7	8.1	24.5	6.03	11.9	8.2
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)9	Surface	1	2	15:05	15:25	22.7	8.1	24.4	6.06	11.8	8.3
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)9	Middle	2	1	15:05	15:25						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)9	Middle	2	2	15:05	15:25						
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)9	Bottom	3	1	15:05	15:25	22.6	8.1	24.6	5.95	13.1	12.5
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	IS(Mf)9	Bottom	3	2	15:05	15:25	22.6	8.1	24.7	5.98	13.3	12.9
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)5	Surface	1	1	17:35	17:50	22.7	7.6	22.8	6.45	6.7	7.5
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)5	Surface	1	2	17:35	17:50	22.6	7.6	22.9	6.48	6.7	8.4
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)5	Middle	2	1	17:35	17:50	22.6	7.6	23.4	6.42	6.9	9.0
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)5	Middle	2	2	17:35	17:50	22.5	7.6	23.3	6.38	7.0	8.6
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)5	Bottom	3	1	17:35	17:50	22.4	7.7	23.6	6.43	6.0	8.3
TM-CLK Southern	HY/2012/07	2013-11-23	Mid-Ebb	CS(Mf)5	Bottom	3	2	17:35	17:50	22.3	7.7	23.7</			

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)5	Surface	1	1	12:21	12:45	22.2	7.6	23.3	6.89	4.7	5.3
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)5	Surface	1	2	12:21	12:45	22.2	7.6	23.3	6.86	4.7	5.3
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)5	Middle	2	1	12:21	12:45	22.3	7.6	23.9	6.57	4.4	5.8
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)5	Middle	2	2	12:21	12:45	22.3	7.6	23.9	6.55	4.3	6.3
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)5	Bottom	3	1	12:21	12:45	22.5	7.6	24.0	6.35	5.4	8.8
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)5	Bottom	3	2	12:21	12:45	22.5	7.6	24.0	6.31	5.3	7.1
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4a	Surface	1	1	12:55	13:09	22.2	7.6	23.3	6.84	5.5	6.4
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4a	Surface	1	2	12:55	13:09	22.2	7.6	23.3	6.80	5.4	5.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4a	Middle	2	1	12:55	13:09						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4a	Middle	2	2	12:55	13:09						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4a	Bottom	3	1	12:55	13:09	22.3	7.7	23.5	6.60	14.6	11.2
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4a	Bottom	3	2	12:55	13:09	22.3	7.6	23.5	6.57	14.6	11.7
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4	Surface	1	1	13:20	13:36	22.1	7.7	23.3	6.86	6.0	8.4
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4	Surface	1	2	13:20	13:36	22.1	7.7	23.3	6.83	6.1	8.6
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4	Middle	2	1	13:20	13:36						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4	Middle	2	2	13:20	13:36						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4	Bottom	3	1	13:20	13:36	22.6	7.7	23.8	6.13	14.9	16.1
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	SR4	Bottom	3	2	13:20	13:36	22.6	7.7	23.8	6.16	14.9	16.6
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS8	Surface	1	1	13:46	14:03	22.1	7.7	23.3	6.83	6.0	6.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS8	Surface	1	2	13:46	14:03	22.1	7.7	23.3	6.79	5.9	4.5
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS8	Middle	2	1	13:46	14:03						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS8	Middle	2	2	13:46	14:03						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS8	Bottom	3	1	13:46	14:03	22.4	7.7	23.6	6.42	12.7	12.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS8	Bottom	3	2	13:46	14:03	22.4	7.7	23.6	6.39	12.7	13.7
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)16	Surface	1	1	14:16	14:36	22.2	7.7	23.3	6.77	10.6	12.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)16	Surface	1	2	14:16	14:36	22.2	7.7	23.3	6.75	10.6	11.9
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)16	Middle	2	1	14:16	14:36	22.4	7.7	23.8	6.30	13.2	14.7
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)16	Middle	2	2	14:16	14:36	22.4	7.7	23.7	6.25	13.2	13.8
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)16	Bottom	3	1	14:16	14:36	22.5	7.7	23.9	6.14	17.5	18.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)16	Bottom	3	2	14:16	14:36	22.5	7.7	23.9	6.17	17.6	16.3
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)9	Surface	1	1	14:46	15:04	22.2	7.7	23.3	6.59	6.6	6.6
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)9	Surface	1	2	14:46	15:04	22.2	7.7	23.3	6.57	6.5	6.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)9	Middle	2	1	14:46	15:04						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)9	Middle	2	2	14:46	15:04						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)9	Bottom	3	1	14:46	15:04	22.5	7.7	23.7	6.32	13.9	13.2
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	IS(Mf)9	Bottom	3	2	14:46	15:04	22.5	7.7	23.7	6.29	13.8	13.8
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)3	Surface	1	1	15:19	15:51	22.2	7.7	23.7	6.64	4.5	4.6
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)3	Surface	1	2	15:19	15:51	22.2	7.7	23.7	6.61	4.6	3.6
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)3	Middle	2	1	15:19	15:51	22.1	7.7	24.0	6.40	4.6	4.7
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)3	Middle	2	2	15:19	15:51	22.1	7.7	24.0	6.36	4.6	4.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)3	Bottom	3	1	15:19	15:51	22.5	7.7	24.8	6.02	5.3	6.1
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Flood	CS(Mf)3	Bottom	3	2	15:19	15:51	22.4	7.7	24.8	6.05	5.4	5.7
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)3	Surface	1	1	18:26	18:50	22.3	7.7	23.7	6.67	5.1	4.6
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)3	Surface	1	2	18:26	18:50	22.2	7.7	23.7	6.61	5.0	5.1
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)3	Middle	2	1	18:26	18:50	22.1	7.8	24.1	6.31	5.4	4.2
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)3	Middle	2	2	18:26	18:50	22.1	7.8	24.0	6.34	5.5	5.7
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)3	Bottom	3	1	18:26	18:50	22.4	7.8	24.7	6.04	5.2	7.4
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)3	Bottom	3	2	18:26	18:50	22.4	7.7	24.7	6.02	5.3	8.4
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4a	Surface	1	1	20:57	21:21	22.2	7.7	23.4	6.63	6.3	7.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4a	Surface	1	2	20:57	21:21	22.1	7.7	23.3	6.67	6.7	9.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4a	Middle	2	1	20:57	21:21						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4a	Middle	2	2	20:57	21:21						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4a	Bottom	3	1	20:57	21:21	22.4	7.7	23.6	6.47	13.4	46.8
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4a	Bottom	3	2	20:57	21:21	22.4	7.7	23.7	6.49	13.0	43.4
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4	Surface	1	1	20:22	20:46	22.2	7.6	23.3	6.72	6.0	11.3
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4	Surface	1	2	20:22	20:46	22.1	7.6	23.2	6.78	6.0	13.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4	Middle	2	1	20:22	20:46						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4	Middle	2	2	20:22	20:46						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4	Bottom	3	1	20:22	20:46	22.5	7.7	23.7	6.23	17.0	19.3
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	SR4	Bottom	3	2	20:22	20:46	22.4	7.7	27.8	6.20	16.6	17.5
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS8	Surface	1	1	19:53	20:17	22.2	7.7	23.3	6.82	6.0	8.1
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS8	Surface	1	2	19:53	20:17	22.2	7.7	23.4	6.81	6.1	7.9
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS8	Middle	2	1	19:53	20:17						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS8	Middle	2	2	19:53	20:17						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS8	Bottom	3	1	19:53	20:17	22.4	7.7	23.6	6.34	13.9	14.4
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS8	Bottom	3	2	19:53	20:17	22.4	7.7	23.6	6.36	14.1	15.1
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)16	Surface	1	1	19:24	19:48	22.3	7.7	23.4	6.71	9.2	11.5
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)16	Surface	1	2	19:24	19:48	22.2	7.7	23.4	6.73	9.3	12.2
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)16	Middle	2	1	19:24	19:48	22.2	7.7	23.5	6.59	12.6	13.3
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)16	Middle	2	2	19:24	19:48	22.3	7.8	23.6	6.62	12.9	13.1
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)16	Bottom	3	1	19:24	19:48	22.5	7.8	23.7	6.07	18.6	31.1
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)16	Bottom	3	2	19:24	19:48	22.4	7.8	23.8	6.10	19.0	30.7
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)9	Surface	1	1	18:55	19:19	22.2	7.7	23.8	6.50	5.4	4.8
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)9	Surface	1	2	18:55	19:19	22.3	7.7	23.7	6.58	5.4	5.1
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)9	Middle	2	1	18:55	19:19						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)9	Middle	2	2	18:55	19:19						
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)9	Bottom	3	1	18:55	19:19	22.4	7.9	24.8	6.27	15.8	6.4
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	IS(Mf)9	Bottom	3	2	18:55	19:19	22.4	7.9	24.7	6.30	16.1	7.5
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)5	Surface	1	1	21:32	21:56	22.3	7.6	23.4	6.59	4.9	4.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)5	Surface	1	2	21:32	21:56	22.3	7.6	23.5	6.61	4.9	4.4
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)5	Middle	2	1	21:32	21:56	22.2	7.7	23.5	6.54	5.6	4.9
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)5	Middle	2	2	21:32	21:56	22.3	7.7	23.6	6.50	5.7	5.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)5	Bottom	3	1	21:32	21:56	22.4	7.7	23.8	6.11	6.0	7.0
TM-CLK Southern	HY/2012/07	2013-11-26	Mid-Ebb	CS(Mf)5	Bottom	3	2	21:32	21:56	22.5	7.7	23.8	6.13	6.1	6.4

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)5	Surface	1	1	13:34	13:54	21.7	7.4	24.7	6.42	4.9	5.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)5	Surface	1	2	13:34	13:54	21.6	7.4	24.6	6.43	4.9	4.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)5	Middle	2	1	13:34	13:54	21.5	7.6	24.8	6.42	5.6	5.8
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)5	Middle	2	2	13:34	13:54	21.5	7.6	24.9	6.48	5.8	5.6
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)5	Bottom	3	1	13:34	13:54	21.7	7.5	24.8	6.41	5.6	5.6
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)5	Bottom	3	2	13:34	13:54	21.7	7.6	24.8	6.39	5.6	7.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4a	Surface	1	1	14:05	14:25	21.6	7.8	24.3	6.20	5.2	6.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4a	Surface	1	2	14:05	14:25	21.6	7.8	24.4	6.24	5.2	7.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4a	Middle	2	1	14:05	14:25						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4a	Middle	2	2	14:05	14:25						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4a	Bottom	3	1	14:05	14:25	21.7	7.6	24.8	6.17	7.9	8.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4a	Bottom	3	2	14:05	14:25	21.8	7.6	24.7	6.19	8.0	7.9
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4	Surface	1	1	14:35	14:55	21.5	7.4	24.7	6.93	5.9	4.4
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4	Surface	1	2	14:35	14:55	21.6	7.3	24.9	6.91	5.9	4.3
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4	Middle	2	1	14:35	14:55						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4	Middle	2	2	14:35	14:55						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4	Bottom	3	1	14:35	14:55	21.5	7.6	24.8	6.63	5.4	5.7
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	SR4	Bottom	3	2	14:35	14:55	21.5	7.6	24.7	6.71	4.9	6.5
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS8	Surface	1	1	15:05	15:25	21.6	7.6	24.7	6.76	7.3	6.4
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS8	Surface	1	2	15:05	15:25	21.6	7.6	24.6	6.82	7.4	7.8
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS8	Middle	2	1	15:05	15:25						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS8	Middle	2	2	15:05	15:25						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS8	Bottom	3	1	15:05	15:25	21.6	7.7	24.8	6.50	5.1	7.5
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS8	Bottom	3	2	15:05	15:25	21.6	7.7	24.8	6.48	5.2	8.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)16	Surface	1	1	15:35	15:55	21.5	7.7	24.6	6.17	5.7	5.7
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)16	Surface	1	2	15:35	15:55	21.6	7.7	24.6	6.20	5.9	4.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)16	Middle	2	1	15:35	15:55	21.7	7.6	24.7	6.71	5.5	6.5
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)16	Middle	2	2	15:35	15:55	21.7	7.7	24.6	6.79	5.5	6.0
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)16	Bottom	3	1	15:35	15:55	21.7	7.8	24.7	6.38	5.5	8.0
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)16	Bottom	3	2	15:35	15:55	21.7	7.8	24.7	6.32	5.4	5.9
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)9	Surface	1	1	16:05	16:25	21.5	7.8	24.6	6.75	5.0	6.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)9	Surface	1	2	16:05	16:25	21.6	7.8	24.5	6.76	5.1	5.7
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)9	Middle	2	1	16:05	16:25						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)9	Middle	2	2	16:05	16:25						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)9	Bottom	3	1	16:05	16:25	21.7	7.9	24.7	6.52	7.9	8.0
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	IS(Mf)9	Bottom	3	2	16:05	16:25	21.7	7.9	24.6	6.58	7.9	8.4
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)3	Surface	1	1	16:35	17:04	21.5	7.7	24.7	6.83	5.2	4.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)3	Surface	1	2	16:35	17:04	21.6	7.8	24.6	6.87	5.3	6.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)3	Middle	2	1	16:35	17:04	21.7	7.7	24.7	6.28	5.2	4.8
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)3	Middle	2	2	16:35	17:04	21.8	7.8	24.8	6.30	5.2	5.4
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)3	Bottom	3	1	16:35	17:04	27.8	7.8	24.7	6.10	5.7	4.8
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Flood	CS(Mf)3	Bottom	3	2	16:35	17:04	27.8	7.8	24.7	6.19	5.8	4.5
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)3	Surface	1	1	07:28	07:40	21.6	7.6	24.6	6.62	4.4	4.6
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)3	Surface	1	2	07:28	07:40	21.7	7.7	24.5	6.56	4.4	6.4
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)3	Middle	2	1	07:28	07:40	21.7	7.8	24.6	6.25	4.3	5.9
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)3	Middle	2	2	07:28	07:40	21.8	7.8	24.7	6.29	4.4	5.4
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)3	Bottom	3	1	07:28	07:40	21.8	7.7	24.7	6.09	4.8	5.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)3	Bottom	3	2	07:28	07:40	21.8	7.7	24.8	6.07	4.8	5.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4a	Surface	1	1	09:18	09:30	21.4	7.7	24.5	6.58	5.3	6.7
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4a	Surface	1	2	09:18	09:30	21.5	7.6	24.4	6.62	5.4	8.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4a	Middle	2	1	09:18	09:30						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4a	Middle	2	2	09:18	09:30						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4a	Bottom	3	1	09:18	09:30	21.5	7.7	24.6	6.42	8.1	7.5
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4a	Bottom	3	2	09:18	09:30	21.6	7.7	24.6	6.44	8.2	9.3
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4	Surface	1	1	08:48	09:08	21.6	7.6	24.4	6.81	0.1	8.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4	Surface	1	2	08:48	09:08	21.5	7.6	24.4	6.78	6.1	6.8
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4	Middle	2	1	08:48	09:08						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4	Middle	2	2	08:48	09:08						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4	Bottom	3	1	08:48	09:08	21.6	7.6	24.5	6.18	5.7	9.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	SR4	Bottom	3	2	08:48	09:08	21.7	7.6	24.6	6.21	5.8	9.9
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS8	Surface	1	1	08:30	08:40	21.6	7.6	24.4	6.78	7.4	5.6
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS8	Surface	1	2	08:30	08:40	21.6	7.6	24.5	6.74	7.5	5.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS8	Middle	2	1	08:30	08:40						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS8	Middle	2	2	08:30	08:40						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS8	Bottom	3	1	08:30	08:40	21.7	7.7	24.7	6.37	5.2	8.3
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS8	Bottom	3	2	08:30	08:40	21.7	7.6	24.6	6.34	5.3	6.6
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)16	Surface	1	1	08:08	08:24	21.6	7.6	24.5	6.72	5.7	6.6
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)16	Surface	1	2	08:08	08:24	21.7	7.6	24.5	6.70	5.1	6.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)16	Middle	2	1	08:08	08:24	21.8	7.7	24.6	6.35	4.6	3.7
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)16	Middle	2	2	08:08	08:24	21.7	7.7	24.7	6.30	5.0	3.0
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)16	Bottom	3	1	08:08	08:24	21.8	7.7	24.8	6.19	4.6	7.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)16	Bottom	3	2	08:08	08:24	21.9	7.7	24.7	6.22	4.6	6.4
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)9	Surface	1	1	07:48	08:00	21.5	7.7	24.5	6.45	5.6	8.5
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)9	Surface	1	2	07:48	08:00	21.6	7.7	24.4	6.53	5.7	7.7
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)9	Middle	2	1	07:48	08:00						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)9	Middle	2	2	07:48	08:00						
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)9	Bottom	3	1	07:48	08:00	21.7	7.9	24.6	6.22	8.0	7.4
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	IS(Mf)9	Bottom	3	2	07:48	08:00	21.7	7.9	24.6	6.25	8.1	8.6
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)5	Surface	1	1	09:53	10:18	21.5	7.6	24.4	6.54	3.9	5.1
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)5	Surface	1	2	09:53	10:18	21.4	7.6	24.5	6.56	3.9	4.9
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)5	Middle	2	1	09:53	10:18	21.6	7.6	24.6	6.49	4.7	3.0
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)5	Middle	2	2	09:53	10:18	21.6	7.6	24.5	6.45	4.7	2.7
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)5	Bottom	3	1	09:53	10:18	21.6	7.7	24.7	6.16	4.6	4.2
TM-CLK Southern	HY/2012/07	2013-11-28	Mid-Ebb	CS(Mf)5	Bottom	3	2	09:53	10:18	21.7	7.7	24.7	6.18	4.6	5.9

Appendix J Water Quality Monitoring Results

Project	Works	Date (yyyy-mm-dd)	Tide	Stat	Level	Lev_Cod	Replicate	Start Time	End Time	Temp(°C)	pH	Salinity(ppt)	DO(mg/L)	Turbidity(NTU)	SS(mg/L)
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)5	Surface	1	1	14:45	15:05	20.8	8.0	25.8	6.51	9.1	7.2
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)5	Surface	1	2	14:45	15:05	20.7	8.0	25.7	6.52	9.1	7.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)5	Middle	2	1	14:45	15:05	20.8	8.0	25.9	6.54	9.3	8.3
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)5	Middle	2	2	14:45	15:05	20.9	8.1	25.8	6.57	9.2	8.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)5	Bottom	3	1	14:45	15:05	21.0	8.2	26.0	6.50	9.9	8.4
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)5	Bottom	3	2	14:45	15:05	21.1	8.2	26.1	6.48	9.9	9.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4a	Surface	1	1	15:15	15:35	20.7	8.0	25.6	6.29	10.5	9.3
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4a	Surface	1	2	15:15	15:35	20.8	8.0	25.7	6.33	10.9	8.4
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4a	Middle	2	1	15:15	15:35						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4a	Middle	2	2	15:15	15:35						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4a	Bottom	3	1	15:15	15:35	20.9	8.2	25.9	6.26	12.2	9.9
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4a	Bottom	3	2	15:15	15:35	20.8	8.2	26.0	6.28	12.4	9.4
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4	Surface	1	1	15:45	16:05	20.9	8.0	25.7	6.90	6.7	6.9
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4	Surface	1	2	15:45	16:05	21.0	8.1	25.7	6.89	6.8	6.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4	Middle	2	1	15:45	16:05						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4	Middle	2	2	15:45	16:05						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4	Bottom	3	1	15:45	16:05	21.0	8.3	25.8	6.95	7.5	8.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	SR4	Bottom	3	2	15:45	16:05	21.1	8.3	25.7	6.98	7.2	8.7
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS8	Surface	1	1	16:15	16:35	20.9	7.9	25.6	6.85	12.4	8.2
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS8	Surface	1	2	16:15	16:35	20.8	8.0	25.7	6.91	12.5	8.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS8	Middle	2	1	16:15	16:35						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS8	Middle	2	2	16:15	16:35						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS8	Bottom	3	1	16:15	16:35	21.0	8.2	25.9	6.59	10.5	9.7
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS8	Bottom	3	2	16:15	16:35	21.1	8.2	25.8	6.57	10.8	10.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)16	Surface	1	1	16:45	17:05	20.8	8.0	25.7	6.26	9.9	6.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)16	Surface	1	2	16:45	17:05	20.9	8.1	25.6	6.28	9.8	6.3
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)16	Middle	2	1	16:45	17:05	20.9	8.1	25.8	6.80	9.9	7.6
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)16	Middle	2	2	16:45	17:05	20.8	8.1	25.8	6.88	10.0	8.6
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)16	Bottom	3	1	16:45	17:05	21.0	8.2	25.9	6.47	9.3	8.7
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)16	Bottom	3	2	16:45	17:05	21.1	8.2	26.0	6.41	9.3	8.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)9	Surface	1	1	17:15	17:35	20.8	8.0	25.8	6.84	10.1	7.2
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)9	Surface	1	2	17:15	17:35	20.7	8.0	25.9	6.86	10.0	8.5
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)9	Middle	2	1	17:15	17:35						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)9	Middle	2	2	17:15	17:35						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)9	Bottom	3	1	17:15	17:35	20.9	8.1	26.1	6.61	9.8	8.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	IS(Mf)9	Bottom	3	2	17:15	17:35	21.0	8.1	26.0	6.67	9.8	8.8
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)3	Surface	1	1	17:55	18:15	20.9	8.0	25.8	6.92	10.9	7.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)3	Surface	1	2	17:55	18:15	20.8	8.0	25.7	6.96	11.1	8.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)3	Middle	2	1	17:55	18:15	20.9	8.1	25.8	6.37	8.7	6.2
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)3	Middle	2	2	17:55	18:15	21.0	8.1	25.9	6.39	8.7	7.5
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)3	Bottom	3	1	17:55	18:15	21.1	8.2	26.1	6.21	8.5	7.4
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Flood	CS(Mf)3	Bottom	3	2	17:55	18:15	21.0	8.1	26.2	6.24	8.5	9.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)3	Surface	1	1	08:57	09:17	20.9	8.0	25.8	6.76	11.4	7.9
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)3	Surface	1	2	08:57	09:17	20.9	8.0	25.9	6.78	11.3	8.3
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)3	Middle	2	1	08:57	09:17	21.0	8.0	26.0	6.21	8.8	7.8
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)3	Middle	2	2	08:57	09:17	20.9	8.0	26.1	6.22	8.8	8.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)3	Bottom	3	1	08:57	09:17	21.0	8.1	26.2	6.09	8.6	9.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)3	Bottom	3	2	08:57	09:17	21.1	8.2	26.1	6.10	8.6	7.5
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4a	Surface	1	1	11:30	11:55	20.6	8.0	25.7	6.11	11.1	10.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4a	Surface	1	2	11:30	11:55	20.7	8.0	25.8	6.10	11.2	10.2
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4a	Middle	2	1	11:30	11:55						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4a	Middle	2	2	11:30	11:55						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4a	Bottom	3	1	11:30	11:55	20.8	8.1	25.9	6.15	12.9	11.5
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4a	Bottom	3	2	11:30	11:55	20.9	8.1	26.1	6.17	13.0	12.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4	Surface	1	1	10:57	11:17	20.8	7.9	25.8	6.81	6.8	5.7
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4	Surface	1	2	10:57	11:17	20.9	8.1	26.1	6.80	6.9	5.8
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4	Middle	2	1	10:57	11:17						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4	Middle	2	2	10:57	11:17						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4	Bottom	3	1	10:57	11:17	21.0	8.3	26.3	6.86	7.6	6.4
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	SR4	Bottom	3	2	10:57	11:17	21.0	8.3	26.4	6.89	7.1	6.3
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS8	Surface	1	1	10:27	10:47	20.9	7.9	25.5	6.74	13.1	10.9
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS8	Surface	1	2	10:27	10:47	21.0	7.9	25.6	6.76	13.2	9.9
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS8	Middle	2	1	10:27	10:47						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS8	Middle	2	2	10:27	10:47						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS8	Bottom	3	1	10:27	10:47	21.1	8.2	25.8	6.47	11.5	11.8
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS8	Bottom	3	2	10:27	10:47	21.1	8.2	25.8	6.49	11.5	11.8
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)16	Surface	1	1	09:57	10:17	20.7	8.0	25.5	6.11	10.0	9.5
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)16	Surface	1	2	09:57	10:17	20.8	8.0	25.6	6.10	10.0	9.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)16	Middle	2	1	09:57	10:17	20.8	8.0	25.8	6.74	10.0	10.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)16	Middle	2	2	09:57	10:17	20.9	8.0	25.9	6.73	10.1	10.6
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)16	Bottom	3	1	09:57	10:17	21.0	8.2	26.0	6.24	9.4	11.8
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)16	Bottom	3	2	09:57	10:17	21.0	8.2	26.1	6.21	9.4	11.2
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)9	Surface	1	1	09:27	09:47	20.8	8.0	25.6	6.61	10.9	9.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)9	Surface	1	2	09:27	09:47	20.8	8.0	25.7	6.63	10.8	9.1
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)9	Middle	2	1	09:27	09:47						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)9	Middle	2	2	09:27	09:47						
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)9	Bottom	3	1	09:27	09:47	20.9	8.1	25.9	6.45	9.9	9.2
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	IS(Mf)9	Bottom	3	2	09:27	09:47	21.0	8.2	26.0	6.47	9.9	9.0
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)5	Surface	1	1	12:05	12:25	20.7	8.0	25.9	6.41	9.2	6.7
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)5	Surface	1	2	12:05	12:25	20.6	8.0	25.8	6.42	9.2	7.4
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)5	Middle	2	1	12:05	12:25	20.8	8.0	25.9	6.47	9.4	7.8
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)5	Middle	2	2	12:05	12:25	20.8	8.0	26.0	6.49	9.4	8.7
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)5	Bottom	3	1	12:05	12:25	21.1	8.2	25.9	6.41	10.1	10.9
TM-CLK Southern	HY/2012/07	2013-11-30	Mid-Ebb	CS(Mf)5	Bottom	3	2	12:05	12:25	21.0	8.1	26.1	6.40	10.3	9.7

Sampling Date: 31-10-2018 Weather Condition: Fine Ambient Temperature (°C): 25 Sea Conditions: Calm Small Wave / Great Wave Tide Mode: Flood Tide Direction of water current: From CS(MD)5 to CS(MD)3

Station: CS(MD)5 (Upstream Control Station) Duration: 15:06 to 15:25 Depth of Water (meter): 9.8 Wet bulb calibration for DO meter: 1.97 mg/L (99.0 %)

	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit		
Depth (meter)	1.0		4.9		8.8			
Temp. (°C)	25.1	25.0	25.4	25.4	25.4	25.3	Ave.: 25.4	
pH	6.77	6.75	6.67	6.69	6.68	6.68	Ave.: 6.69	
Salinity (ppt)	24.5	24.6	25.5	25.4	25.5	25.7	Ave.: 25.7	
D.O. (mg/L)	7.79	7.81	6.47	6.49	6.48	6.31	Ave.: 6.30	
D.O.S. (%)	108.2	108.5	89.8	90.1	90.0	87.6	Ave.: 87.5	120%
Turbidity (NTU)	2.20	2.11	2.76	1.83	2.30	2.61	Ave.: 2.69	2.86
S.S. (mg/L)							Ave.:	3.09

Station: IS(MD)16 SR4a Duration: 15:35 to 15:54 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 1.95 mg/L (98.6 %)

	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
Depth (meter)	1.0		4.2		4.2					
Temp. (°C)	25.0	25.0	25.0	25.0	25.0	25.0	Ave.: 25.0			
pH	6.62	6.60	6.62	6.66	6.64	6.65	Ave.: 6.65			
Salinity (ppt)	24.6	24.5	24.6	24.6	24.9	25.0	Ave.: 25.0			
D.O. (mg/L)	8.02	8.04	8.02	8.04	7.89	7.90	Ave.: 7.90	4.7	2.0	
D.O.S. (%)	111.4	111.7	111.6	111.6	109.6	109.7	Ave.: 109.7			
Turbidity (NTU)	2.76	2.54	2.62	2.62	5.41	3.57	Ave.: 4.49			
S.S. (mg/L)							Ave.:			

Station: SREA IS(MF)29 Duration: 17:17 to 17:40 Depth of Water (meter): 4.2 Wet bulb calibration for DO meter: 8.05 mg/L (99.9 %)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	Limit	Depth AVE	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Depth (meter)	3.2											
Temp (°C)	25.4	25.4	25.3	25.4	25.3	25.4	2.0	2.0	11.27	27.5 and 120% of CS(MF)5	47.0 and 130% of CS(MF)5	
pH	6.74	6.76		6.67	6.69	6.68						
Salinity (ppt)	24.8	24.9		24.9	25.0	25.1						
D.O. (mg/L)	8.55	8.57		8.44	8.42	8.43	5.0	4.2				
D.O.S. (%)	118.7	119.0		116.9	116.7	117.1						
Turbidity (NTU)	11.6	9.48		10.5	10.9	13.1						
S.S. (mg/L)												

Station: CS(MF)3 Duration: 17:55 to 18:36 Depth of Water (meter): 8.7 Wet bulb calibration for DO meter: 8.04 mg/L (90.8 %)

Parameter	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK
	Ave.	Limit	Limit	Ave.	Limit	Limit	Ave.	Limit	Limit		
Depth (meter)	7.7										
Temp (°C)	25.6	25.6	25.5	25.4	25.5	25.3	25.2	25.3	25.3		
pH	6.64	6.62	6.61	6.63	6.62	6.56	6.58	6.57	6.57		
Salinity (ppt)	22.5	22.5	23.3	23.3	23.3	23.7	23.8	23.8	23.8		
D.O. (mg/L)	8.79	8.80	8.84	8.86	8.85	8.74	8.76	8.75	8.75		
D.O.S. (%)	122.2	122.4	123.0	123.2	123.1	121.6	121.9	121.8	121.8		
Turbidity (NTU)	2.97	2.12	2.83	3.07	2.95	2.50	2.71	2.61	2.70		
S.S. (mg/L)											

Any notable discoloration of water? N If yes, elaboration is as follows: _____

Any notable pollutant by others near monitoring site? N If yes, elaboration is as follows: _____

Field Operator	<u>Tony Chung Henry</u>	Checked by	<u>[Signature]</u>
Date	<u>31-10-2013</u>	Date	<u>31/10/17</u>

Impact Water Quality Monitoring - Data Record Sheet (Ebb Condition)

Sampling Date: 31/02/13 Weather Condition: Fine Ambient Temperature (C): 24°C Sea Conditions: Calm / Small Wave / Great Wave Tide Mode: Ebb/Tide Direction of water current: From CS(M)3 to CS(M)5

Station: CS(M)5 Duration: 11:50 to 12:12 Depth of Water (meter): 9.6 Wet bulb calibration for DO meter: 8.45 mg/L (99.7 %)

Parameter	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit		
Depth (meter)	1.0		4.8		8.6			
Temp. (C)	25.0	25.0	25.3	25.4	25.4	25.5	Ave.: 25.5	
pH	6.68	6.70	6.63	6.64	6.64	6.73	Ave.: 6.73	
Salinity (ppt)	24.5	24.5	25.5	25.4	25.5	25.6	Ave.: 25.6	
D.O. (mg/L)	7.68	7.70	6.39	6.41	6.40	6.22	Ave.: 6.22	
D.O.S. (%)	106.6	107.3	88.7	89.0	88.9	86.1	Ave.: 86.3	
Turbidity (NTU)	4.53	4.75	5.24	6.32	5.78	6.86	Ave.: 7.10	5.84
S.S. (mg/L)								

Station: ISAMT6 SP40 Duration: 11:23 to 11:31 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 8.42 mg/L (99.5 %)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVERAGE	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
Depth (meter)	1.0		4.0		4.0					
Temp. (C)	25.1	25.1	25.0	25.0	25.0	25.0	Ave.: 25.0			
pH	6.74	6.70	6.59	6.62	6.61	6.61	Ave.: 6.61			
Salinity (ppt)	24.6	24.6	25.0	25.0	25.0	25.0	Ave.: 25.0			
D.O. (mg/L)	7.96	7.99	7.86	7.80	7.83	7.83	Ave.: 7.83	4.7	2.0	
D.O.S. (%)	110.6	110.0	109.2	108.3	108.8	108.8	Ave.: 108.8			
Turbidity (NTU)	5.53	5.67	5.87	5.95	5.91	5.91	Ave.: 5.91			27.3 and 120% of CS(M)3
S.S. (mg/L)										47.0 and 130% of CS(M)3

Station: ~~SM19~~ IS(MF)19. Duration: 9:24 to 9:42 Depth of Water (meter): 4.0 Wet bulb calibration for DO meter: 8.34 mg/L (99.8%)

SURFACE (S)	Action Limit	V/A/L	MIDDLE (M)	Action Limit	V/A/L	BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
						Ave.	Ave.						
Depth (meter)						3.0							
Temp. (°C)	25.3	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4				
pH	6.71	6.68	6.70	6.70	6.70	6.76	6.76	6.76	6.76				
Salinity (ppt)	24.9	24.8	24.9	24.9	24.9	25.0	25.0	25.0	25.0				
D.O. (mg/L)	8.45	8.41	8.43	8.43	8.43	8.38	8.36	8.36	8.36				
D.O.S. (%)	117.4	116.8	117.1	117.1	117.1	116.4	116.1	116.1	116.1			47.0 and 130% of CS(M)3	47.0
Turbidity (NTU)	16.7	17.9	17.3	17.3	17.3	15.5	15.3	15.3	15.3	16.3	27.5 and 120% of CS(M)3	27.5	
S.S. (mg/L)													34.4 and 130% of CS(M)3

Station: CS(M)3 (Upstream Control Station) Duration: 8:50 to 9:10 Depth of Water (meter): 8.4 Wet bulb calibration for DO meter: 8.35 mg/L (99.9%)

SURFACE	Action Limit	V/A/L	MIDDLE	Action Limit	V/A/L	BOTTOM		Action Limit	V/A/L	DEPTH AVERAGE	REMARK		
						Ave.	Ave.						
Depth (meter)						7.4							
Temp. (°C)	25.6	25.5	25.4	25.4	25.4	25.3	25.3	25.3	25.3				
pH	6.58	6.56	6.57	6.58	6.58	6.52	6.53	6.53	6.53				
Salinity (ppt)	22.4	22.5	23.3	23.2	23.2	23.8	23.8	23.8	23.8				
D.O. (mg/L)	8.71	8.68	8.80	8.77	8.77	8.70	8.66	8.66	8.68				
D.O.S. (%)	121.0	120.5	122.2	121.8	121.8	120.9	120.3	120.3	120.6				
Turbidity (NTU)	3.35	3.41	3.43	3.65	3.65	3.37	3.32	3.32	3.35				
S.S. (mg/L)												120%	130%

Any notable discoloration of water? Y N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y N If yes, elaboration is as follows: _____

Field Operator	K. M. Chan	Checked by	ideker	Laboratory Staff	
Date	31.10.2013	Date	31/10/13	Date	

Sampling Date: 2-11-2017 Weather Condition: Fine Ambient Temperature (°C): 25 Sea Conditions: Calm/Small Wave/ Great Wave Tide Mode: Ebb Tide Direction of water current: From CS(M)3 to CS(M)5

Station: CS(M)5 Duration: 13:15 to 13:43 Depth of Water (meter): 9.5 Wet bulb calibration for DO meter: 8.41 mg/L (99.6 %)

	SURFACE	MIDDLE	BOTTOM	DEPTH AVERAGE	REMARK
Depth (meter)	1.0				
Temp. (°C)	Ave.: 25.2	Ave.: 25.4	Ave.: 25.4	Ave.: 25.4	
pH	Ave.: 6.81	Ave.: 6.72	Ave.: 6.64	Ave.: 6.63	
Salinity (ppt)	Ave.: 24.5	Ave.: 25.6	Ave.: 25.7	Ave.: 25.7	
D.O. (mg/L)	Ave.: 7.63	Ave.: 6.42	Ave.: 6.24	Ave.: 6.25	
D.O.S. (%)	Ave.: 105.8	Ave.: 89.1	Ave.: 86.7	Ave.: 86.9	
Turbidity (NTU)	Ave.: 5.89	Ave.: 6.01	Ave.: 7.41	Ave.: 7.20	
S.S. (mg/L)					

Station: CS(M)16 SR46 Duration: 12:38 to 13:00 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 8.40 mg/L (99.8 %)

	SURFACE (S)	MIDDLE (M)	BOTTOM (B)	DEPTH AVERAGE	ACTION	DEPTH V/A/L	REMARK
Depth (meter)	1.0						
Temp. (°C)	Ave.: 25.1		Ave.: 25.0	Ave.: 25.0			
pH	Ave.: 6.64		Ave.: 6.71	Ave.: 6.70			
Salinity (ppt)	Ave.: 24.6		Ave.: 24.9	Ave.: 24.9			
D.O. (mg/L)	Ave.: 7.94		Ave.: 7.73	Ave.: 7.74			
D.O.S. (%)	Ave.: 110.1		Ave.: 107.3	Ave.: 107.5			
Turbidity (NTU)	Ave.: 602		Ave.: 784	Ave.: 838			
S.S. (mg/L)							
						7.10	47.0 and 130% of CS(M)3
						27.5	27.5 and 120% of CS(M)3
							34.4 and 130% of CS(M)3



Station: ~~IS8~~ SRL4 Duration: 12:10 to 12:32 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.43 mg/L (99.6 %)


Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.						
1.0	25.2	25.2			25.1	25.1						
	6.69	6.70			6.47	6.48						
	24.5	24.6			24.7	24.7						
	8.02	8.03			7.59	7.58	5.0	4.2		4.7	2.0	
	111.2	111.3			105.3	105.2						
	5.81	5.44			5.81	6.26			5.85	27.5 and 120% of CS(M)3	47.0 and 130% of CS(M)3	47.0
										23.5 and 120% of CS(M)3	34.4 and 130% of CS(M)3	

Station: IS8 Duration: 11:42 to 12:04 Depth of Water (meter): 4.5 Wet bulb calibration for DO meter: 8.39 mg/L (99.9 %)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.						
1.0	25.1	25.2			25.1	25.1						
	6.49	6.48			6.62	6.63						
	24.5	24.5			24.8	24.8						
	8.21	8.20			8.02	8.00	5.0	4.2		4.7	2.0	
	113.8	113.7			111.2	111.1						
	5.32	5.23			5.50	5.72			5.47	27.5 and 120% of CS(M)3	47.0 and 130% of CS(M)3	47.0
										23.5 and 120% of CS(M)3	34.4 and 130% of CS(M)3	

Station: ~~IS8~~ SRL4 Duration: 11:13 to 11:35 Depth of Water (meter): 6.8 Wet bulb calibration for DO meter: 8.39 mg/L (99.9 %)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.						
1.0	25.1	25.1			24.9	25.0						
	6.59	6.58			6.64	6.65						
	24.7	24.7			24.9	25.0						
	8.16	8.15			7.69	7.70	5.0	4.2		4.7	2.0	
	113.3	113.2			106.7	106.9						
	7.51	7.57			8.66	7.81			7.68	27.5 and 120% of CS(M)3	47.0 and 130% of CS(M)3	47.0
										23.5 and 120% of CS(M)3	34.4 and 130% of CS(M)3	



Station: SP4 IS (M) 9 Duration: 10:44 to 11:06 Depth of Water (meter): 4.1 Wet bulb calibration for DO meter: 8.41 mg/L (99.6 %)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit								
Depth (meter)	1.0				3.1									
Temp. (°C)	25.5	25.4			25.3	25.3								
pH	6.69	6.71			6.77	6.79								
Salinity (ppt)	24.9	25.0			25.1	25.0								
D.O. (mg/L)	8.37	8.40			8.29	8.31	5.0	4.2			4.7	2.0		
D.O.S. (%)	116.6	117.0			115.2	115.5								
Turbidity (NTU)	8.52	8.54			8.68	8.69							27.5 and 120% of CS(M)3	47.0 and 130% of CS(M)3
S.S. (mg/L)													23.5 and 120% of CS(M)3	34.4 and 130% of CS(M)3

Station: CS(M)3 (Upstream Control Station) Duration: 10:13 to 10:35 Depth of Water (meter): 8.5 Wet bulb calibration for DO meter: 8.39 mg/L (99.4 %)

Parameter	SURFACE		MIDDLE		BOTTOM		Action	Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit								
Depth (meter)	1.0				7.5									
Temp. (°C)	25.5	25.6	25.4	25.4	25.3	25.2								
pH	6.54	6.57	6.66	6.64	6.59	6.61								
Salinity (ppt)	22.5	22.5	23.2	23.3	23.7	23.8								
D.O. (mg/L)	8.69	8.71	8.63	8.61	8.67	8.69								
D.O.S. (%)	119.7	119.9	118.7	118.5	119.6	119.9								
Turbidity (NTU)	5.70	5.40	5.24	5.82	5.01	5.58							120%	130%
S.S. (mg/L)														

Any notable discoloration of water Y/N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site Y/N If yes, elaboration is as follows: _____

Field Operator	<u>Tony Chan</u>	Checked by	<u>Debra</u>
Date	<u>2-17-2013</u>	Date	<u>2/11/13</u>
Laboratory Staff		Checked by	
Date		Date	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Flood Condition)

Sampling Date: 2.11.2013 Weather Condition: Fm Weather Condition: Fm Ambient Temperature (°C): 25 Sea Conditions: Calm / Small Wave / Great Wave Tide Mode: Flood Tide Direction of water current: From CS(M)5 to CS(M)3
 Station: CS(M)5 (Upstream Control Station) Duration: 16:04 to 16:24 Depth of Water (meter): 9.8 Wet bulb calibration for DO meter: 8.11 mg/L (99.6 %)

Parameter	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit		
Depth (meter)	1.0		4.9		8.8			
Temp. (°C)	25.2	25.3	25.5	25.4	25.5	25.4	25.5	
pH	6.82	6.83	6.70	6.71	6.63	6.65	6.64	
Salinity (ppt)	24.4	24.5	25.6	25.6	25.7	25.8	25.8	
D.O. (mg/L)	7.69	7.70	6.48	6.46	6.30	6.32	6.31	120%
D.O.S. (%)	106.7	106.9	90.0	89.7	87.6	87.9	87.8	130%
Turbidity (NTU)	5.80	5.74	5.93	6.40	7.33	6.90	7.11	6.34
S.S. (mg/L)								7.61
								8.24

Station: ISAMPT6 SR40 Duration: 16:38 to 16:53 Depth of Water (meter): 5.4 Wet bulb calibration for DO meter: 8.60 mg/L (99.3 %)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
Depth (meter)	1.0				4.4					
Temp. (°C)	25.0	25.1			25.0	25.0	25.0			
pH	6.63	6.67			6.70	6.71	6.71			
Salinity (ppt)	24.7	24.8			24.8	24.9	24.9			
D.O. (mg/L)	7.99	8.00			7.79	7.81	7.80	4.7	2.0	
D.O.S. (%)	110.9	111.2			108.2	108.5	108.4			
Turbidity (NTU)	5.97	5.78			7.79	7.86	7.82	6.8	✓	27.5
S.S. (mg/L)										47.0 and 130% of CS(M)5
										34.4 and 130% of CS(M)5

Station: ISA499 SRA Duration: 17:08 to 17:28 Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 8.43 mg/L (99.6 %)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK	
	Ave.	Std.	Ave.	Std.	Ave.	Std.							
Depth (meter)	1.0				3.8								
Temp. (°C)	26.2	26.3	/		25.1	25.1	4.7	2.0	✓				
pH	6.71	6.72			6.48	6.49	6.48	6.49					
Salinity (ppt)	24.6	24.7			24.7	24.8	24.8	24.8					
D.O. (mg/L)	8.08	8.10	7.65	7.64	7.65	7.65	5.0	4.2	✓				
D.O.S. (%)	112.2	112.3	106.2	106.0	106.1	106.1							
Turbidity (NTU)	5.77	5.01	5.05	6.65	6.20	6.20					47.0 and 130% of CS(M)5	4.10	
S.S. (mg/L)											23.5 and 120% of CS(M)5		

Station: IS8 Duration: 17:43 to 17:58 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 8.38 mg/L (99.9 %)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK	
	Ave.	Std.	Ave.	Std.	Ave.	Std.							
Depth (meter)	1.0				4.2								
Temp. (°C)	25.3	25.2	/		25.0	25.1	4.7	2.0	✓				
pH	6.51	6.49			6.63	6.65	6.64	6.64					
Salinity (ppt)	24.6	24.5			24.8	24.9	24.9	24.9					
D.O. (mg/L)	8.27	8.25	8.08	8.05	8.07	8.07	5.0	4.2	✓				
D.O.S. (%)	114.7	114.4	112.0	111.7	111.9	111.9							
Turbidity (NTU)	5.28	5.11	5.49	5.81	5.65	5.65					47.0 and 130% of CS(M)5	4.10	
S.S. (mg/L)											23.5 and 120% of CS(M)5		

Station: SRA IS(MA)16 Duration: 18:12 to 18:27 Depth of Water (meter): 7.2 Wet bulb calibration for DO meter: 8.39 mg/L (99.9 %)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Std.	Ave.	Std.	Ave.	Std.						
Depth (meter)	1.0				7.2							
Temp. (°C)	25.2	25.3	25.2	25.1	25.2	25.1	4.7	2.0	✓			
pH	6.60	6.57	6.61	6.63	6.62	6.65	6.65	6.65				
Salinity (ppt)	24.6	24.7	24.9	24.8	24.9	25.1	25.1	25.1				
D.O. (mg/L)	8.22	8.20	8.10	8.08	8.09	7.75	7.75	7.75	✓			
D.O.S. (%)	114.2	114.0	112.4	112.2	112.3	107.6	108.0	107.8				
Turbidity (NTU)	7.44	7.59	7.40	7.81	7.61	5.73	6.66	6.20			47.0 and 130% of CS(M)5	4.10
S.S. (mg/L)											23.5 and 120% of CS(M)5	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Flood Conaition)

Station: SR4a IS (MS) 9 Duration: 18:41 to 18:56 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.34 mg/L (99.8 %)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		ACTION LIMIT	DEPTH AVE. $\sqrt{A/L}$	ACTION	LIMIT	REMARK
	Ave.	5.0	Ave.	5.0	Ave.	4.7					
1.0	25.6	25.5	25.6	25.4	25.4	25.3	3.4				
Temp. (°C)	6.70	6.72	6.71		6.78	6.79					
pH	25.0	25.1	25.1		25.2	25.2					
Salinity (ppt)	8.43	8.45	8.45		8.35	8.37					
D.O. (mg/L)	117.5	117.9	117.7		116.1	116.3					
D.O.S. (%)	8.49	8.51	8.50		8.66	8.60					
Turbidity (NTU)								8.57	27.5 and 120% of CS(M)5	47.0 and 130% of CS(M)5	47.0
S.S. (mg/L)									23.3 and 120% of CS(M)5	34.4 and 130% of CS(M)5	

Station: CS(M)3 Duration: 19:11 to 19:34 Depth of Water (meter): 8.8 Wet bulb calibration for DO meter: 8.35 mg/L (99.5 %)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		ACTION LIMIT	DEPTH AVE. $\sqrt{A/L}$	ACTION	LIMIT	REMARK
	Ave.	5.0	Ave.	5.0	Ave.	4.7					
1.0	25.7	25.7	25.5	25.4	25.4	25.3	7.8				
Temp. (°C)	6.56	6.59	6.67	6.66	6.60	6.59					
pH	22.5	22.6	23.3	23.4	23.9	23.8					
Salinity (ppt)	8.75	8.77	8.69	8.67	8.73	8.75					
D.O. (mg/L)	120.5	120.7	119.4	119.7	120.5	120.8					
D.O.S. (%)	5.70	5.35	5.19	5.74	4.99	5.51					
Turbidity (NTU)											
S.S. (mg/L)											

Any notable discoloration of water? Y/N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y/N If yes, elaboration is as follows: _____

Field Operator	Jacky Cheung	Checked by	(Signature)	Laboratory Staff	
Date	2.11.2013	Date	2/11/13	Date	
		Checked by		Date	

Station: SR4 Duration: (4:20 to 14:37) Depth of Water (meter): 4.6 Wet bulb calibration for DO meter: 8.43 mg/L (99.4 %) (23.7 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	√/A/L	Action	Limit	√/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Std.	Ave.	Std.	Ave.	Std.										
Temp. (°C)	24.9	24.9			24.9	25.0										
pH	6.45	6.43			6.48	6.50										
Salinity (ppt)	24.4	24.4			24.5	24.6										
D.O. (mg/L)	6.62	6.58			6.50	6.47	5.0	4.2	✓							
D.O.S. (%)	91.1	91.5			90.5	90.1										
Turbidity (NTU)	9.27	8.52			9.77	9.98							9.35	27.5 and 120% of CS(MF)3	47.0 and 130% of CS(MF)3	47.0
S.S. (mg/L)														23.5 and 120% of CS(MF)3	34.4 and 130% of CS(MF)3	

Station: IS8 Duration: (13:58 to 14:14) Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 8.51 mg/L (99.7 %) (23.5 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	√/A/L	Action	Limit	√/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Std.	Ave.	Std.	Ave.	Std.										
Temp. (°C)	24.8	24.9			24.9	24.9										
pH	6.35	6.37			6.39	6.41										
Salinity (ppt)	24.3	24.4			24.6	24.6										
D.O. (mg/L)	6.53	6.56			6.49	6.47	5.0	4.2	✓							
D.O.S. (%)	90.8	91.1			90.3	90.0										
Turbidity (NTU)	13.4	13.7			7.16	7.58							10.5	27.5 and 120% of CS(MF)3	47.0 and 130% of CS(MF)3	47.0
S.S. (mg/L)														23.5 and 120% of CS(MF)3	34.4 and 130% of CS(MF)3	

Station: IS(MF)16 Duration: (13:23 to 13:50) Depth of Water (meter): 6.6 Wet bulb calibration for DO meter: 8.44 mg/L (99.1 %) (23.6 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	√/A/L	Action	Limit	√/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Std.	Ave.	Std.	Ave.	Std.										
Temp. (°C)	24.8	24.8	24.8	24.9	24.9	25.0										
pH	6.41	6.39	6.45	6.47	6.42	6.43										
Salinity (ppt)	24.4	24.5	24.6	24.6	24.6	24.7										
D.O. (mg/L)	6.38	6.41	6.33	6.31	6.27	6.19	5.0	4.2	✓							
D.O.S. (%)	88.8	89.2	88.1	87.8	88.0	86.2										
Turbidity (NTU)	8.44	8.31	7.05	7.23	9.23	7.14							7.90	27.5 and 120% of CS(MF)3	47.0 and 130% of CS(MF)3	47.0
S.S. (mg/L)														23.5 and 120% of CS(MF)3	34.4 and 130% of CS(MF)3	

Station: IS(MF)9 Duration: 13:02 to 13:18 Depth of Water (meter): 4.2 Wet bulb calibration for DO meter: 8.41 mg/L (99.3 %) (23.6 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	V/A/L	Ave.	V/A/L	Ave.	V/A/L					
Temp. (°C)	24.9	✓			24.9	✓	4.7				
pH	6.67	✓			6.68	✓					
Salinity (ppt)	25.3	✓			25.3	✓					
D.O. (mg/L)	6.24	✓			6.30	✓	2.0				
D.O.S. (%)	86.8	✓			87.6	✓					
Turbidity (NTU)	15.9	✓			16.4	✓		27.5	27.5 and 120% of CS(MF)3	47.0 and 130% of CS(MF)3	47.0
S.S. (mg/L)									23.5 and 120% of CS(MF)3	34.4 and 130% of CS(MF)3	

Station: CS(MF)3 (Upstream Control Station) Duration: 12:30 to 12:48 Depth of Water (meter): 8.6 Wet bulb calibration for DO meter: 8.34 mg/L (99.2 %) (23.5 °C)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		Action Limit	DEPTH AVE.	REMARK
	Ave.	V/A/L	Ave.	V/A/L	Ave.	V/A/L			
Temp. (°C)	24.8	✓	24.8	✓	24.8	✓			
pH	6.41	✓	6.47	✓	6.52	✓			
Salinity (ppt)	25.5	✓	25.7	✓	25.9	✓			
D.O. (mg/L)	6.65	✓	6.48	✓	6.32	✓			
D.O.S. (%)	92.7	✓	90.2	✓	88.0	✓			
Turbidity (NTU)	8.30	✓	8.46	✓	8.82	✓		8.37	
S.S. (mg/L)									

Any notable discoloration of water? Y/N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y/N If yes, elaboration is as follows: _____

Field Operator	<u>K. M. TUNOW</u>	Checked by	<u>[Signature]</u>	Laboratory Staff		Checked by	
Date	<u>5-11-2013</u>	Date	<u>5/11/13</u>	Date		Date	

Tuen Mun - Chek Lap Kok Link - Southern
 Impact Water Quality Monitoring - Data Record Sheet (Flood Condition)

Sampling Date: 5-11-2013 Weather Condition: Cloudy Ambient Temperature (°C): 23 Sea Conditions: Calm/Small Wave/Great Wave Tide Mode: Flood Tide Direction of water current: From CS(MD)5 to CS(MD)3
 Station: CS(MD)5 (Upstream Control Station) Duration: 17:45 to 18:13 Depth of Water (meter): 9.8 Wet bulb calibration for DO meter: 8.45 mg/L (99.5 %) (23.4 °C)

Depth (meter)	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK
	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L		
Temp. (°C)	23.7	23.6	23.7	23.6	23.6	23.6	23.5	23.5	23.5	8.8	
pH	6.58	6.57	6.59	6.57	6.59	6.58	6.60	6.60	6.60	6.60	
Salinity (ppt)	28.3	28.8	28.4	28.7	28.7	28.7	28.1	28.1	28.1	28.1	
D.O. (mg/L)	6.73	6.64	6.72	6.65	6.65	6.65	6.56	6.56	6.57	6.57	120%
D.O.S. (%)	93.5	92.3	93.2	92.4	92.4	92.4	91.5	91.5	91.4	91.4	130%
Turbidity (NTU)	7.10	6.2	6.55	6.28	6.28	6.28	8.84	8.84	8.87	8.87	12.7
S.S. (mg/L)											13.8

Station: SR4a Duration: 18:30 to 18:48 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 8.43 mg/L (99.6 %) (23.7 °C)

Depth (meter)	SURFACE (S)			MIDDLE (M)			BOTTOM (B)			DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L				
Temp. (°C)	23.7	23.6	23.7	23.7	23.4	23.5	23.5	23.5	23.5				
pH	6.57	6.58	6.58	6.57	6.57	6.58	6.58	6.58	6.58				
Salinity (ppt)	28.3	28.3	28.3	28.3	28.8	28.8	28.8	28.8	28.8				
D.O. (mg/L)	6.56	6.58	6.57	6.57	6.60	6.62	6.62	6.62	6.62	4.7	2.0		
D.O.S. (%)	91.2	91.5	91.4	91.7	91.7	92.0	92.0	92.0	92.0				
Turbidity (NTU)	8.72	9.12	8.92	8.81	7.79	8.30	8.30	8.30	8.30	8.61	27.5	47.0 and 130% of CS(MD)5	
S.S. (mg/L)												34.4 and 130% of CS(MD)5	

Station: IS(M)9 Duration: 2021 to 2031 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.46 mg/L (99.5 %) (23.5 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
1.0	23.5	2.0			23.4	2.0				
Temp. (°C)	23.5				23.4					
pH	6.59				6.59					
Salinity (ppt)	24.8				25.0					
D.O. (mg/L)	6.36	5.0			6.35	4.7				
D.O.S. (%)	89.0				88.4					
Turbidity (NTU)	15.2				15.0			27.5 and 120% of CS(M)5	47.0 and 130% of CS(M)5	47.0
S.S. (mg/L)							15.8	23.5 and 120% of CS(M)5	34.4 and 130% of CS(M)5	

Station: CS(M)3 Duration: 2051 to 2115 Depth of Water (meter): 8.0 Wet bulb calibration for DO meter: 8.45 mg/L (99.6 %) (23.5 °C)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit		
1.0	23.4	2.0	23.4	2.0	23.4	2.0		
Temp. (°C)	23.4		23.4		23.4			
pH	6.47		6.56		6.58			
Salinity (ppt)	24.7		24.8		24.8			
D.O. (mg/L)	6.53	5.0	6.52	4.2	6.50	4.7		
D.O.S. (%)	90.8		90.6		90.4			
Turbidity (NTU)	10.6		10.9		9.23			
S.S. (mg/L)							10.8	

Any notable discoloration of water? Y(N) If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y(N) If yes, elaboration is as follows: _____

Field Operator	<u>Pofan</u>	Checked by	<u>Welson</u>	Laboratory Staff		Checked by	
Date	<u>5.11.13</u>	Date	<u>5.11.13</u>	Date		Date	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Flood Condition)

Sampling Date: 7/11/2013 Weather Condition: Cloudy Ambient Temperature (°C): 25 Sea Conditions: Calm/Small Wave/ Great Wave Tide Mode: Flood Tide Direction of water current: From CS(MD5) to CS(MD3)

Station: CS(MD5) (Upstream Control Station) Duration: 08:35 to 08:59 Depth of Water (meter): 9.7 Wet bulb calibration for DO meter: 8.43 mg/L (99.2 %) (23.6 °C)

	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK	
	Ave.	Limit	✓/A/L	Ave.	Limit	✓/A/L	Ave.	Limit	✓/A/L			
Depth (meter)	1.0			4.9			8.7					
Temp. (°C)	24.9	24.9	✓	24.8	24.9	✓	24.7	24.8	24.8			
pH	6.64	6.62	✓	6.49	6.51	✓	6.54	6.56	6.55			
Salinity (ppt)	24.4	24.3	✓	24.6	24.6	✓	24.9	25.0	25.0			
D.O. (mg/L)	6.94	6.96	✓	6.77	6.79	✓	6.64	6.66	6.65	120%		
D.O.S. (%)	96.5	96.1	✓	95.5	95.7	✓	93.0	93.2	93.1	130%		
Turbidity (NTU)	7.73	7.98	✓	7.71	8.01	✓	9.05	9.12	9.09	8.27	9.92	10.75
S.S. (mg/L)												

Station: SR4a Duration: 09:06 to 09:30 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 8.49 mg/L (99.6 %) (23.5 °C)

	SURFACE (S)			MIDDLE (M)			BOTTOM (B)			DEPTH AVERAGE	REMARK	
	Ave.	Limit	✓/A/L	Ave.	Limit	✓/A/L	Ave.	Limit	✓/A/L			
Depth (meter)	1.0			4.0			4.0					
Temp. (°C)	24.8	24.7	✓	24.7	24.7	✓	24.7	24.7	24.7			
pH	6.73	6.71	✓	6.59	6.61	✓	6.60	6.60	6.60			
Salinity (ppt)	24.4	24.4	✓	24.7	24.8	✓	24.8	24.8	24.8			
D.O. (mg/L)	6.67	6.69	✓	6.57	6.59	✓	6.58	6.58	6.58	4.7	2.0	✓
D.O.S. (%)	92.7	93.0	✓	92.6	92.9	✓	92.8	92.8	92.8	27.5	27.5	✓
Turbidity (NTU)	15.2	12.4	✓	16.8	18.2	✓	17.5	17.5	17.5	27.5 and 120% of CS(MD5)	27.5	47.0
S.S. (mg/L)										23.5 and 120% of CS(MD5)		34.4 and 130% of CS(MD5)

Station: IS(M)09 Duration: 11:06 to 11:30 Depth of Water (meter): 4.6 Wet bulb calibration for DO meter: 8.47 mg/L (99.8 %) (23.6 °C)


Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	v/v/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.						
Depth (meter)	1.0				3.6							
Temp. (°C)	24.8	24.8			24.7	24.8						
pH	6.73	6.75			6.54	6.57						
Salinity (ppt)	25.4	25.5			25.5	25.5						
D.O. (mg/L)	6.34	6.35			6.39	6.41	5.0	4.2				
D.O.S. (%)	88.6	88.7			89.3	89.6						
Turbidity (NTU)	1.9	1.63			22.5	20.3			18.5	27.5 and 120% of CS(M)05	47.0 and 130% of CS(M)05	47.0
S.S. (mg/L)										23.5 and 120% of CS(M)05	34.4 and 130% of CS(M)05	

Station: CS(M)03 Duration: 11:36 to 12:05 Depth of Water (meter): 8.8 Wet bulb calibration for DO meter: 8.52 mg/L (99.7 %) (23.7 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	v/v/L	DEPTH AVERAGE	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.				
Depth (meter)	1.0		4.4		7.8					
Temp. (°C)	24.9	24.8	24.8	24.8	24.8	24.9				
pH	6.45	6.48	6.52	6.55	6.59	6.60				
Salinity (ppt)	25.3	25.4	25.7	25.8	25.9	25.9				
D.O. (mg/L)	6.73	6.70	6.56	6.58	6.42	6.40				
D.O.S. (%)	94.0	93.5	91.8	92.1	90.1	89.9				
Turbidity (NTU)	14.8	15.1	24.0	25.5	22.5	24.3			21.0	
S.S. (mg/L)										

Any notable discoloration of water? N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? N If yes, elaboration is as follows: _____

Field Operator	Tony Cheung Hong	Checked by	1 de la	Laboratory Staff		Checked by	
Date	7-11-2013	Date	7/11/13	Date		Date	



Sampling Date: 1/4/11 Weather Condition: (B&C) Ambient Temperature (°C): 25 Sea Conditions: Calm / Small Wave / Great Wave Tide Mode: Ebb Tide Direction of water current: From CS(MD)3 to CS(MD)5

Station: CS(MD)5 Duration: 17:06 to 17:36 Depth of Water (meter): 9.6 Wet bulb calibration for DO meter: 8.01 mg/L (99.7 %) (26.6 °C)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit		
1.0	25.0	24.9	24.8	24.8	24.7	24.6	24.7	
Temp (°C)	6.58	6.59	6.50	6.55	6.57	6.39	6.38	
pH	7.43	7.43	7.45	7.46	7.48	7.49	7.49	
Salinity (ppt)	6.79	6.80	6.69	6.67	6.58	6.59	6.59	
D.O. (mg/L)	9.44	9.45	9.50	9.27	9.15	9.16	9.16	
Turbidity (NTU)	7.82	7.84	7.83	8.03	9.11	9.18	9.15	8.3
S.S. (mg/L)								

Station: SR4a Duration: 16:36 to 17:00 Depth of Water (meter): 4.7 Wet bulb calibration for DO meter: 7.95 mg/L (99.2 %) (26.6 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit		
1.0	24.8	24.9	24.8	24.8	24.9	25.0	24.9	
Temp (°C)	6.68	6.69	6.69	6.63	6.62	6.63	6.63	
pH	7.44	7.45	7.45	7.48	7.46	7.48	7.47	
Salinity (ppt)	6.56	6.57	6.57	6.49	6.48	6.49	6.49	
D.O. (mg/L)	9.11	9.13	9.12	9.02	9.01	9.02	9.02	
Turbidity (NTU)	7.9	7.0	7.0	8.2	9.5	8.2	8.0	27.5 and 120% of CS(MD)3
S.S. (mg/L)								47.0 and 150% of CS(MD)3

Station: IS(M)09 Duration: 14:36 to 15:00 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 7.77 mg/L (97.0%) (26.8 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	Depth AVE	Action	Limit	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Depth (meter)	1.0				3.4							
Temp. (°C)	25.1	25.2	/		25.2	25.3						
pH	6.72	6.73			6.56	6.57						
Salinity (ppt)	25.3	25.4	/		25.6	25.5						
D.O. (mg/L)	6.23	6.24			6.33	6.34			4.7	2.0		
D.O.S. (%)	87.1	87.2	/		88.5	88.6						
Turbidity (NTU)	9.3	10.2			10.9	10.9					27.5 and 120% of CS(M)3	27.5
S.S. (mg/L)												

Station: CS(M)3 (Upstream Control Station) Duration: 14:06 to 14:30 Depth of Water (meter): 8.6 Wet bulb calibration for DO meter: 7.81 mg/L (98.1%) (26.6 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action	Limit	Depth AVE	Action	Limit	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Depth (meter)	1.0		4.3		7.6							
Temp. (°C)	25.2	25.0	25.2	25.2	25.3	25.2			25.3			
pH	6.44	6.48	6.49	6.53	6.53	6.54			6.54			
Salinity (ppt)	25.4	25.2	25.7	25.9	25.7	26.0			25.9			
D.O. (mg/L)	6.63	6.65	6.52	6.55	6.30	6.33			6.31			
D.O.S. (%)	92.6	92.9	91.1	91.5	88.0	88.4			88.2			130%
Turbidity (NTU)	6.81	8.53	7.73	78.9	21.6	21.8			23.5			21.0
S.S. (mg/L)									17.6			

Any notable discoloration of water? / N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? / N If yes, elaboration is as follows: _____

Field Operator	Wong Chun Lung	Checked by	John Chan
Date	7/11/13	Date	7/11/13

Sampling Date: 9-11-2013 Weather Condition: cloudy Ambient Temperature (°C): 27 Sea Conditions: Calm / Small Wave / Great Wave Tide Mode: Flood Tide Direction of water current: From CS(M)5 to CS(M)3

Station: CS(M)5 (Upstream Control Station) Duration: 10:13 to 11:07 Depth of Water (meter): 9.6 Wet bulb calibration for DO meter: 8.40 mg/L (99.4 %) (25.1 °C)

Depth (meter)	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK
	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L		
1.0	25.3	25.3		25.2	25.3		25.2	25.2	25.2		
Temp. (°C)	7.09	7.08		7.12	7.17		7.10	7.11	7.11		
pH	25.3	25.2		25.3	25.3		25.4	25.3	25.4		
Salinity (ppt)	6.30	6.27		6.19	6.17		6.18	6.14	6.12		
D.O. (mg/L)	88.1	87.6		86.5	86.2		86.4	85.8	85.6	120%	
D.O.S. (%)	8.43	8.37		8.33	8.31		8.32	10.7	10.5	130%	
Turbidity (NTU)										10.9	
S.S. (mg/L)										11.8	

Station: SR4a Duration: 11:14 to 11:33 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 8.48 mg/L (99.7 %) (25.0 °C)

Depth (meter)	SURFACE (S)			MIDDLE (M)			BOTTOM (B)			DEPTH AVERAGE	REMARK
	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L		
1.0	25.3	25.4					25.3	25.2	25.3		
Temp. (°C)	7.01	7.02					7.11	7.10	7.11		
pH	25.1	25.0					25.2	25.3	25.3		
Salinity (ppt)	6.46	6.40					6.37	6.35	6.36		
D.O. (mg/L)	90.5	89.5					89.4	88.8	87.1		
D.O.S. (%)	12.4	12.2					12.4	12.8	12.6		
Turbidity (NTU)										12.4 ✓	
S.S. (mg/L)										27.5 and 120% of CS(M)5	
										23.5 and 120% of CS(M)5	
										47.0 and 130% of CS(M)5	
										34.4 and 130% of CS(M)5	

Station: IS(M)09 Duration: 13:15 to 13:38 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 838 mg/L (99.6%) (25.3 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	√/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit							
Temp. (°C)	25.2	25.3	25.1	25.1	25.0	25.0	5.0	4.2	4.7	2.0	27.5 and 120% of CS(M)5	47.0 and 130% of CS(M)5	
pH	6.99	7.01	7.20	7.20	7.19	7.19					23.5 and 120% of CS(M)5	34.4 and 130% of CS(M)5	
Salinity (ppt)	25.2	25.3	25.1	25.2	25.1	25.1							
D.O. (mg/L)	6.39	6.42	6.34	6.37	6.16	6.20							
D.O.S. (%)	89.5	89.7	88.7	89.1	86.1	86.7							
Turbidity (NTU)	15.7	15.7	14.0	13.4	16.1	16.5							
S.S. (mg/L)													

Station: CS(M)03 Duration: 13:48 to 14:13 Depth of Water (meter): 9.0 Wet bulb calibration for DO meter: 841 mg/L (99.5%) (25.2 °C)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		Action	Limit	√/A/L	DEPTH AVE.	REMARK	
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Temp. (°C)	25.2	25.3	25.1	25.1	25.0	25.0	5.0	4.2	4.7	2.0	27.5 and 120% of CS(M)5	47.0 and 130% of CS(M)5
pH	7.12	7.13	7.20	7.20	7.19	7.19					23.5 and 120% of CS(M)5	34.4 and 130% of CS(M)5
Salinity (ppt)	25.1	25.1	25.1	25.2	25.1	25.1						
D.O. (mg/L)	6.24	6.20	6.34	6.37	6.16	6.20						
D.O.S. (%)	87.4	86.8	88.7	89.1	86.1	86.7						
Turbidity (NTU)	8.40	8.42	14.0	13.4	16.1	16.5						
S.S. (mg/L)												

Any notable discoloration of water? No if yes, elaboration is as follows: _____

Any notable pollutant by others near monitoring site? No if yes, elaboration is as follows: _____

Field Operator	S.H. Lam	Checked by	Lablan	Laboratory Staff		Checked by	
Date	9-11-2013	Date	9/11/13	Date		Date	

Station: IS(Mf)9 Duration: 16:42 to 17:06 Depth of Water (meter): 4.3 Wet bulb calibration for DO meter: 8.38 mg/L (99.6 %) (25.3 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	Depth AVE	√/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Depth (meter)	1.0		/		3.3							
Temp. (°C)	25.3	25.3	/		25.2	25.2	25.2					
pH	7.02	7.00	/		7.12	7.12	7.12					
Salinity (ppt)	24.6	25.0	/		25.1	25.1	25.1					
D.O. (mg/L)	6.41	6.43	/		6.15	6.11	6.13	4.7	2.0	✓		
D.O.S. (%)	89.9	90.2	/		86.1	85.5	85.8					
Turbidity (NTU)	15.6	15.3	/		10.1	9.92	10.0				47.0 and 130% of CS(Mf)3	47.0
S.S. (mg/L)			/								27.5 and 120% of CS(Mf)3	27.5
			/								23.5 and 120% of CS(Mf)3	

Station: CS(Mf)3 (Upstream Control Station) Duration: 16:12 to 16:36 Depth of Water (meter): 8.4 Wet bulb calibration for DO meter: 8.38 mg/L (99.6 %) (25.3 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	Depth AVE	√/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Depth (meter)	1.0		4.2		7.4							
Temp. (°C)	25.3	25.4	25.2	25.2	25.1	25.0	25.1					
pH	7.14	7.12	7.22	7.20	7.26	7.26	7.20					
Salinity (ppt)	25.2	25.2	25.0	25.2	25.1	25.1	25.1					
D.O. (mg/L)	6.20	6.18	6.30	6.34	6.20	6.16	6.18					
D.O.S. (%)	86.8	86.5	88.2	88.8	86.7	86.6	86.7					
Turbidity (NTU)	8.54	8.48	13.2	13.4	16.6	16.0	16.3					
S.S. (mg/L)												

Any notable discoloration of water? Y (N) if yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y (N) if yes, elaboration is as follows: _____

Field Operator	<u>Lee Kwai Shing</u>	Checked by	<u>De Len</u>
Date	<u>9/11/13</u>	Date	<u>9/11/13</u>
		Laboratory Staff	
		Checked by	
		Date	



Station: **SR4** Duration: **8:36** to **8:59** Depth of Water (meter): **4.8** Wet bulb calibration for DO meter: **8.39** mg/L (**99.3** %) (**25.1** °C)

DEPTH (meter)	SURFACE (S)	MIDDLE (M)	ACTION LIMIT V/L	DEPTH AVE. V/L	BOTTOM (B)	ACTION LIMIT V/L	DEPTH AVE. V/L	ACTION	DEPTH AVE. V/L	REMARK
Temp. (°C)	Ave.: 25.0			Ave.: 24.8						
	Ave.: 7.05			Ave.: 7.14						
pH	Ave.: 25.0			Ave.: 25.1						
	Ave.: 6.44		5.0 4.2 ✓	Ave.: 6.45			4.7 2.0 ✓			
D.O.S. (%)	Ave.: 89.5			Ave.: 89.1						
	Ave.: 3.72			Ave.: 3.30					27.5 and 120% of CS(M)3	47.0
Turbidity (NTU)	Ave.: 3.74			Ave.: 3.30					23.5 and 130% of CS(M)3	47.0
	Ave.: 3.70			Ave.: 3.34					47.0 and 130% of CS(M)3	
S.S. (mg/L)	Ave.:			Ave.:					34.4 and 130% of CS(M)3	

Station: **IS8** Duration: **8:07** to **8:31** Depth of Water (meter): **5.0** Wet bulb calibration for DO meter: **8.38** mg/L (**99.2** %) (**25.0** °C)

DEPTH (meter)	SURFACE (S)	MIDDLE (M)	ACTION LIMIT V/L	DEPTH AVE. V/L	BOTTOM (B)	ACTION LIMIT V/L	DEPTH AVE. V/L	ACTION	DEPTH AVE. V/L	REMARK
Temp. (°C)	Ave.: 25.0			Ave.: 25.0						
	Ave.: 7.08			Ave.: 7.10						
pH	Ave.: 25.1			Ave.: 25.1						
	Ave.: 6.16		5.0 4.2 ✓	Ave.: 6.18			4.7 2.0 ✓			
D.O.S. (%)	Ave.: 85.9			Ave.: 85.8						
	Ave.: 3.88			Ave.: 3.35					27.5 and 120% of CS(M)3	47.0
Turbidity (NTU)	Ave.: 3.86			Ave.: 3.31					23.5 and 120% of CS(M)3	
	Ave.:			Ave.:					47.0 and 130% of CS(M)3	
S.S. (mg/L)	Ave.:			Ave.:					34.4 and 130% of CS(M)3	

Station: **IS(M)16** Duration: **7:36** to **8:00** Depth of Water (meter): **6.4** Wet bulb calibration for DO meter: **8.40** mg/L (**99.5** %) (**25.1** °C)

DEPTH (meter)	SURFACE (S)	MIDDLE (M)	ACTION LIMIT V/L	DEPTH AVE. V/L	BOTTOM (B)	ACTION LIMIT V/L	DEPTH AVE. V/L	ACTION	DEPTH AVE. V/L	REMARK
Temp. (°C)	Ave.: 24.9			Ave.: 24.9						
	Ave.: 7.11			Ave.: 7.17						
pH	Ave.: 25.0			Ave.: 25.2						
	Ave.: 6.23		5.0 4.2 ✓	Ave.: 6.35			4.7 2.0 ✓			
D.O.S. (%)	Ave.: 86.9			Ave.: 88.9						
	Ave.: 4.60			Ave.: 4.06					27.5 and 120% of CS(M)3	47.0
Turbidity (NTU)	Ave.: 4.58			Ave.: 4.75					23.5 and 120% of CS(M)3	
	Ave.:			Ave.:					47.0 and 130% of CS(M)3	
S.S. (mg/L)	Ave.:			Ave.:					34.4 and 130% of CS(M)3	



Station: IS(M)09 Duration: 7:06 to 7:30 Depth of Water (meter): 4.6 Wet bulb calibration for DO meter: 8.30 mg/L (99.4 %) (25.0 °C)

Parameter	SURFACE (S)		MIDDLE (M)		ACTION LIMIT		BOTTOM (B)		ACTION	DEPTH AVE. (μM/L)	REMARK	
	Value	Limit	Value	Limit	Value	Limit	Value	Limit				
Depth (meter)	1.0		/					3.6				
Temp. (°C)	25.1	25.1			Ave.: 25.0				249	25.0		
pH	6.99	7.00			Ave.: 7.00				7.11	7.11		
Salinity (ppt)	25.0	24.9			Ave.: 25.0				250	25.0		
D.O. (mg/L)	6.23	6.21			Ave.: 6.22	3.0	4.2	4.7	6.30	6.30	✓	
D.O.S. (%)	86.6	86.3			Ave.: 86.5				88.1	88.2		
Turbidity (NTU)	4.59	4.5	Ave.: 4.55				4.79	4.75				
S.S. (mg/L)										465 ✓	47.0 47.0	

Station: CS(M)03 (Upstream Control Station) Duration: 6:36 to 7:00 Depth of Water (meter): 8.2 Wet bulb calibration for DO meter: 8.36 mg/L (99.2 %) (25.1 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Value	Limit	Value	Limit	Value	Limit		
Depth (meter)	1.0		4.1		7.2			
Temp. (°C)	25.0	25.0	24.9	24.9	24.8	24.9	Ave.: 24.9	
pH	7.19	7.19	7.22	7.23	7.10	7.09	Ave.: 7.10	
Salinity (ppt)	25.0	25.1	25.1	25.1	25.2	25.2	Ave.: 25.2	
D.O. (mg/L)	6.13	6.17	6.20	6.15	6.19	6.17	Ave.: 6.18	
D.O.S. (%)	85.2	85.8	86.8	86.1	86.7	86.4	Ave.: 86.6	120%
Turbidity (NTU)	3.23	3.27	2.91	2.93	2.53	2.51	Ave.: 2.52	130%
S.S. (mg/L)							Ave.: 2.90	348

Any notable discoloration of water? No If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? No If yes, elaboration is as follows: _____

Field Operator	S.H. Lam	Checked by	(Signature)	Laboratory Staff		Checked by	
Date	17-11-2013	Date	12/11/13	Date		Date	



Station: SR4 Duration: 14:52 to 15:13 Depth of Water (meter): 5.3 Wet bulb calibration for DO meter: 8.41 mg/L (100.0 %) (25.2 °C)

Parameter	SURFACE (S)		MIDDLE (M)	BOTTOM (B)		Action	Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Value	Ave.		Value	Ave.								
Depth (meter)	1.0			4.3									
Temp. (°C)	25.1	Ave.: 25.1		25.0	Ave.: 25.0								
pH	7.02	Ave.: 7.04		7.11	Ave.: 7.10								
Salinity (ppt)	25.0	Ave.: 25.0		25.1	Ave.: 25.1								
D.O. (mg/L)	6.42	Ave.: 6.43		6.51	Ave.: 6.53	5.0	4.2			4.7	2.0		
D.O.S. (%)	89.6	Ave.: 89.7		90.9	Ave.: 91.1								
Turbidity (NTU)	2.80	Ave.: 2.87		4.10	Ave.: 4.12				350			27.5 and 120% of CS(M)5	47.0
S.S. (mg/L)		Ave.:			Ave.:							23.4 and 130% of CS(M)5	

Station: ISS Duration: 15:23 to 15:44 Depth of Water (meter): 5.3 Wet bulb calibration for DO meter: 8.46 mg/L (99.9 %) (25.3 °C)

Parameter	SURFACE (S)		MIDDLE (M)	BOTTOM (B)		Action	Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Value	Ave.		Value	Ave.								
Depth (meter)	1.0			5.3									
Temp. (°C)	25.0	Ave.: 25.1		25.0	Ave.: 25.0								
pH	7.05	Ave.: 7.06		7.11	Ave.: 7.12								
Salinity (ppt)	25.0	Ave.: 25.0		25.1	Ave.: 25.2								
D.O. (mg/L)	6.24	Ave.: 6.23		6.17	Ave.: 6.14	5.0	4.2			4.7	2.0		
D.O.S. (%)	87.0	Ave.: 86.9		86.1	Ave.: 86.3								
Turbidity (NTU)	5.48	Ave.: 5.54		5.09	Ave.: 5.11				532			27.5 and 120% of CS(M)5	47.0
S.S. (mg/L)		Ave.:			Ave.:							34.4 and 130% of CS(M)5	

Station: IS(M)16 Duration: 15:54 to 16:15 Depth of Water (meter): 7.7 Wet bulb calibration for DO meter: 8.40 mg/L (99.9 %) (25.3 °C)

Parameter	SURFACE (S)		MIDDLE (M)	BOTTOM (B)		Action	Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Value	Ave.		Value	Ave.								
Depth (meter)	1.0		3.9	6.7									
Temp. (°C)	25.0	Ave.: 25.0	24.9	24.8	Ave.: 24.9								
pH	7.05	Ave.: 7.07	7.17	7.15	Ave.: 7.16								
Salinity (ppt)	24.9	Ave.: 25.0	25.1	25.0	Ave.: 25.1								
D.O. (mg/L)	6.37	Ave.: 6.38	6.46	6.48	Ave.: 6.47	5.0	4.2			4.7	2.0		
D.O.S. (%)	88.9	Ave.: 89.0	90.0	90.3	Ave.: 90.2								
Turbidity (NTU)	6.07	Ave.: 6.07	6.22	6.25	Ave.: 6.24							27.5 and 120% of CS(M)5	47.0
S.S. (mg/L)		Ave.:			Ave.:							23.3 and 120% of CS(M)5	

Station: IS(M)9 Duration: 16:25 to 16:48 Depth of Water (meter): 5.1 Wet bulb calibration for DO meter: 8.36 mg/L (99.4 %) (25.2 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Temp. (°C)	25.0	25.0	25.0	25.0	24.9	25.0	2.0					
pH	6.97	6.99	6.98	6.98	7.07	7.09	7.0					
Salinity (ppt)	25.1	25.0	25.1	25.1	25.2	25.1	2.0					
D.O. (mg/L)	6.36	6.38	6.37	6.37	6.44	6.47	4.7					
D.O.S. (%)	88.7	89.0	88.9	88.9	89.7	90.2	90.0					
Turbidity (NTU)	4.68	4.71	4.70	4.70	4.68	4.49	4.49		4.59	27.5 and 120% of CS(M)5	47.0 and 130% of CS(M)5	47.0
S.S. (mg/L)										23.5 and 120% of CS(M)5	34.4 and 130% of CS(M)5	

Station: CS(M)3 Duration: 16:58 to 17:20 Depth of Water (meter): 8.9 Wet bulb calibration for DO meter: 8.39 mg/L (99.5 %) (25.3 °C)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		Action Limit	V/A/L	DEPTH AVE.	REMARK	
	Ave.	Limit	Ave.	Limit	Ave.	Limit					
Temp. (°C)	25.1	25.0	25.0	25.0	24.8	24.9	2.0				
pH	7.15	7.17	7.22	7.20	7.16	7.18	7.0				
Salinity (ppt)	25.0	24.9	25.0	25.1	25.2	25.2	2.0				
D.O. (mg/L)	6.28	6.30	6.39	6.41	6.23	6.24	4.7				
D.O.S. (%)	87.6	87.9	89.0	89.4	86.7	86.8	90.0				
Turbidity (NTU)	1.88	2.91	2.88	2.92	2.65	2.73	4.49		2.83		
S.S. (mg/L)											

Any notable discoloration of water? N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? N If yes, elaboration is as follows: _____

Field Operator	Tony Ching Henry	Checked by	[Signature]	Laboratory Staff		Checked by	
Date	12-11-2013	Date	72/11/13	Date		Date	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Ebb Cond. n)

Sampling Date: 14.11.2013 Weather Condition: cloudy Ambient Temperature (°C): 24 Sea Conditions: Calm/Small Wave/ Great Wave Tide Mode: Ebb Tide Direction of water current: From CS(M)3 to CS(M)5

Station: CS(M)5 Duration: 11:47 to 12:13 Depth of Water (meter): 9.2 Wet bulb calibration for DO meter: 8.43 mg/L (99.4 %) (25 °C)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Ave.	Ave.	Ave.	Ave.	Ave.	Ave.		
Temp. (°C)	25.0	24.9	24.8	24.9	24.8	24.7	24.8	
pH	7.31	7.32	7.28	7.27	7.34	7.35	7.35	
Salinity (ppt)	25.0	24.9	25.1	25.0	25.2	25.2	25.2	
D.O. (mg/L)	6.13	6.19	6.07	6.05	6.01	6.08	6.05	
D.O.S. (%)	85.2	85.0	84.9	84.6	84.1	85.1	84.6	
Turbidity (NTU)	7.24	7.25	7.50	7.48	7.01	7.04	7.25	
S.S. (mg/L)								

Station: SR4a Duration: 11:14 to 11:39 Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 8.40 mg/L (99.2 %) (25.1 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Ave.	Ave.	Ave.	Ave.	Ave.				
Temp. (°C)	24.9	25.0	25.0	24.9	24.8	24.9	24.9			
pH	7.20	7.21	7.21	7.18	7.18	7.17	7.17			
Salinity (ppt)	25.0	25.1	25.1	25.1	25.2	25.2	25.2			
D.O. (mg/L)	6.29	6.32	6.31	6.15	6.12	6.14	6.14	4.7	2.0	
D.O.S. (%)	87.5	87.7	87.6	86.1	86.7	85.9	85.9			47.0 and 130% of CS(M)3
Turbidity (NTU)	14.6	14.4	14.5	14.2	14.1	14.2	14.3	✓	27.5 and 120% of CS(M)3	27.5
S.S. (mg/L)										34.4 and 130% of CS(M)3

Station: SR4 Duration: 10:43 to 11:06 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.39 mg/L (99.3 %) (25.1 °C)


Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Std. Dev.	Ave.	Std. Dev.	Ave.	Std. Dev.						
1.0	25.0	24.9	24.9	24.9	24.9	24.9	4.7	2.0	✓			
Temp. (°C)	25.0	24.9	24.9	24.9	24.9	24.9						
pH	7.19	7.20	7.24	7.24	7.31	7.28						
Salinity (ppt)	25.1	25.0	25.0	25.0	25.1	25.2						
D.O. (mg/L)	6.31	6.35	6.33	6.33	6.40	6.36						
D.O.S. (%)	87.6	88.2	87.9	87.9	88.9	88.4						
Turbidity (NTU)	15.4	15.5	15.5	15.5	18.1	17.8			16.7	✓	27.5 and 120% of CS(M)3	47.0
S.S. (mg/L)											34.4 and 130% of CS(M)3	47.0

Station: IS8 Duration: 10:14 to 10:38 Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 8.38 mg/L (99.2 %) (25.0 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Std. Dev.	Ave.	Std. Dev.	Ave.	Std. Dev.						
1.0	24.9	24.9	24.7	24.8	24.7	24.8	4.7	2.0	✓			
Temp. (°C)	24.9	24.9	24.7	24.8	24.7	24.8						
pH	7.23	7.24	7.24	7.24	7.27	7.27						
Salinity (ppt)	25.0	25.1	25.2	25.2	25.2	25.2						
D.O. (mg/L)	6.09	6.05	6.06	6.11	6.09	6.09						
D.O.S. (%)	84.5	84.0	84.2	84.9	84.6	84.6						
Turbidity (NTU)	16.0	15.7	16.5	16.6	16.6	16.6			16.2	✓	27.5 and 120% of CS(M)3	47.0
S.S. (mg/L)											34.4 and 130% of CS(M)3	47.0

Station: IS(M)16 Duration: 09:43 to 10:07 Depth of Water (meter): 6.8 Wet bulb calibration for DO meter: 8.40 mg/L (99.5 %) (25.1 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Std. Dev.	Ave.	Std. Dev.	Ave.	Std. Dev.						
1.0	24.9	24.8	24.8	24.9	24.8	24.8	4.7	2.0	✓			
Temp. (°C)	24.9	24.8	24.8	24.9	24.8	24.8						
pH	7.25	7.26	7.24	7.24	7.31	7.33						
Salinity (ppt)	24.9	25.0	25.1	25.0	25.1	25.2						
D.O. (mg/L)	6.16	6.12	6.21	6.15	6.26	6.24						
D.O.S. (%)	86.6	85.1	86.9	86.1	87.6	87.4						
Turbidity (NTU)	6.54	6.57	6.48	6.52	6.60	6.63			6.56	✓	27.5 and 120% of CS(M)3	47.0
S.S. (mg/L)											34.4 and 130% of CS(M)3	47.0



Station: IS(M)09 Duration: 09:13 to 09:37 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.30 mg/L (99.4 %) (25 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	Limit	Depth AVE	Action	Limit	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Depth (meter)	1.0				3.4							
Temp. (°C)	25.0	24.9			24.8	24.9	24.9					
pH	7.14	7.15			7.25	7.26	7.26					
Salinity (ppt)	25.1	25.2			25.3	25.3	25.3					
D.O. (mg/L)	6.14	6.13			6.22	6.21	6.21	4.7	2.0			
D.O.S. (%)	85.3	85.2			87.0	86.8	86.9					
Turbidity (NTU)	10.6	10.7			10.2	9.8	10.0			27.5 and 120% of CS(M)3	215	47.0 and 130% of CS(M)3
S.S. (mg/L)										23.5 and 120% of CS(M)3		34.4 and 130% of CS(M)3

Station: CS(M)3 (Upstream Control Station) Duration: 08:43 to 09:07 Depth of Water (meter): 9.2 Wet bulb calibration for DO meter: 8.36 mg/L (99.2 %) (25.1 °C)

Parameter	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK	
	Ave.	Limit	Limit	Ave.	Limit	Limit	Ave.	Limit	Limit			
Depth (meter)	1.0			4.6			8.2					
Temp. (°C)	24.8	24.9	24.8	24.7	24.8	24.8	24.8	24.8	24.8			
pH	7.34	7.33	7.37	7.38	7.38	7.24	7.25	7.25	7.25			
Salinity (ppt)	25.1	25.1	25.1	25.1	25.1	25.2	25.3	25.3	25.3			
D.O. (mg/L)	6.04	6.06	6.11	6.06	6.09	6.13	6.11	6.11	6.11			
D.O.S. (%)	83.9	84.2	85.5	84.8	85.2	85.2	85.5	85.5	85.4			
Turbidity (NTU)	6.86	6.87	6.63	6.65	6.64	6.36	6.33	6.35	6.52			
S.S. (mg/L)										120%		130%

Any notable discoloration of water ? Y/N If yes, elaboration is as follows: _____

Any notable pollutant by others near monitoring site ? Y/N If yes, elaboration is as follows: _____

Field Operator	Jacky Cheung	Checked by	(Signature)	Laboratory Staff		Checked by	
Date	14. 11. 2013	Date	14/11/13	Date		Date	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Flood Condition)

Sampling Date: 19/11/2013 Weather Condition: Sunny Ambient Temperature (°C): 23 Sea Conditions: Calm / Small Wave / Great Wave Tide Mode: Flood Tide Direction of water current: From CS(M)5 to CS(M)3
 Station: CS(M)5 (Upstream Control Station) Duration: 15:04 to 15:21 Depth of Water (meter): 9.8 Wet bulb calibration for DO meter: 8.39 mg/L (99.3 %) (25.1 °C)

	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit		
Depth (meter)	1.0		4.9		8.8			
Temp. (°C)	25.1	25.0	25.0	25.0	25.0	25.0		
pH	7.34	7.30	7.28	7.30	7.30	7.32		
Salinity (ppt)	25.1	25.2	25.2	25.2	25.3	25.3		
D.O. (mg/L)	6.22	6.10	6.06	6.08	6.04	6.07		120%
D.O.S. (%)	86.5	84.9	84.4	84.7	84.2	84.6		130%
Turbidity (NTU)	7.18	7.44	7.52	7.08	7.11	7.07	7.26	8.7
S.S. (mg/L)								9.4

Station: SR4a Duration: 15:30 to 15:52 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 8.39 mg/L (99.3 %) (25.1 °C)

	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVERAGE	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
Depth (meter)	1.0		4.2		4.2					
Temp. (°C)	25.1	25.1	25.0	25.1	25.2	25.0	25.1			
pH	7.24	7.22	7.18	7.23	7.18	7.23	7.21			
Salinity (ppt)	25.2	25.2	25.3	25.2	25.3	25.2	25.3			
D.O. (mg/L)	6.34	6.32	6.18	6.22	6.18	6.22	6.20			
D.O.S. (%)	88.2	88.0	86.1	86.7	86.1	86.7	86.4			
Turbidity (NTU)	14.8	14.6	14.0	14.4	14.0	14.4	14.2			
S.S. (mg/L)										

Wet bulb calibration for DO meter: 8.39 mg/L (99.3 %) (25.1 °C)
 Action Limit: 5.0, 4.2, 4.7, 2.0
 Depth Average: 14.4, 14.2, 14.0, 14.4, 14.2
 Action: 27.5 and 120% of CS(M)5, 27.5 and 120% of CS(M)5, 47.0 and 130% of CS(M)5, 34.4 and 130% of CS(M)5
 Limit: 47.0, 34.4

Station: SR4 Duration: 16-02 10 (16-02) Depth of Water (meter): 5.4 Wet bulb calibration for DO meter: 8.40 mg/L (99.5) % (25.1) °C

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	Action Limit	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Std.	Ave.	Std.	Ave.	Std.								
Temp. (°C)	25.1	25.1			25.0	25.1	25.0	25.1						
pH	7.22	7.23			7.24	7.25	7.24	7.25						
Salinity (ppt)	25.2	25.3			25.2	25.2	25.2	25.2		4.7	2.0			
D.O. (mg/L)	6.38	6.36			6.44	6.46	6.44	6.45						
D.O.S. (%)	88.9	88.7			89.7	90.0	89.7	89.9					47.0 and 130% of CS(M)/5	97.0
Turbidity (NTU)	15.0	15.2			18.4	18.0	18.4	18.2					27.5 and 120% of CS(M)/5	27.5
S.S. (mg/L)													23.5 and 130% of CS(M)/5	

Station: IS8 Duration: 16-03 10 (16-03) Depth of Water (meter): 5.4 Wet bulb calibration for DO meter: 8.40 mg/L (99.5) % (25.1) °C

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	Action Limit	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Std.	Ave.	Std.	Ave.	Std.								
Temp. (°C)	25.0	25.1			25.0	25.2	25.0	25.1						
pH	7.20	7.22			7.24	7.28	7.24	7.26						
Salinity (ppt)	25.2	25.2			25.1	25.2	25.1	25.2		4.7	2.0			
D.O. (mg/L)	6.10	6.15			6.14	6.09	6.14	6.12						
D.O.S. (%)	85.0	85.7			85.6	84.9	85.6	85.3					47.0 and 130% of CS(M)/5	47.0
Turbidity (NTU)	16.4	15.8			16.6	16.2	16.6	16.4					27.5 and 120% of CS(M)/5	27.5
S.S. (mg/L)													34.4 and 130% of CS(M)/5	

Station: IS(MF)16 Duration: 17-03 10 (17-03) Depth of Water (meter): 7.8 Wet bulb calibration for DO meter: 8.39 mg/L (99.3) % (25.1) °C

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	Action Limit	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Std.	Ave.	Std.	Ave.	Std.								
Temp. (°C)	25.0	25.0	24.9	25.0	25.0	25.0	25.0	25.0						
pH	7.23	7.25	7.22	7.19	7.21	7.28	7.23	7.29						
Salinity (ppt)	25.0	25.1	25.2	25.3	25.2	25.2	25.2	25.2		4.7	2.0			
D.O. (mg/L)	6.18	6.16	6.22	6.20	6.21	6.22	6.22	6.24						
D.O.S. (%)	86.1	85.6	86.7	86.4	86.6	86.7	87.2	87.0					47.0 and 130% of CS(M)/5	47.0
Turbidity (NTU)	6.48	6.54	6.50	6.54	6.52	6.54	6.64	6.61					27.5 and 120% of CS(M)/5	27.5
S.S. (mg/L)													34.4 and 130% of CS(M)/5	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Flood Condition)

Station: IS(M)9 Duration: 17:34 to 17:55 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 8.36 mg/L (99.2 %) (25.1 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	Limit	Depth AVE	Action	Limit	Remark
	Ave.	Value	Ave.	Value	Ave.	Value						
Depth (meter)	1.0											
Temp. (°C)	25.1	25.1	/		25.0	25.1	25.1	25.1				
pH	7.10	7.14	/		7.22	7.25	7.24	7.24				
Salinity (ppt)	25.2	25.2	/		25.3	25.3	25.3	25.3				
D.O. (mg/L)	6.10	6.14	/		6.18	6.16	6.17	2.0	✓			
D.O.S. (%)	85.0	85.3	/		86.1	85.8	86.0					
Turbidity (NTU)	10.8	10.4	/		10.0	10.2	10.1		10.4	✓	27.3 and 120% of CS(M)5	47.0 and 130% of CS(M)5
S.S. (mg/L)			/								23.5 and 120% of CS(M)5	34.4 and 130% of CS(M)5

Station: CS(M)3 Duration: 18:08 to 18:28 Depth of Water (meter): 7.0 Wet bulb calibration for DO meter: 8.36 mg/L (99.2 %) (25.1 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	Limit	Depth AVE	Action	Limit	Remark
	Ave.	Value	Ave.	Value	Ave.	Value						
Depth (meter)	1.0											
Temp. (°C)	25.0	25.1	25.0	4.5	24.9	25.1	25.0	25.0				
pH	7.30	7.33	7.36	7.40	7.16	7.23	7.25	7.25				
Salinity (ppt)	25.2	25.2	25.0	25.0	25.2	25.3	25.3	25.3				
D.O. (mg/L)	6.04	6.00	6.14	6.08	6.10	6.06	6.08	6.08				
D.O.S. (%)	84.2	83.6	85.6	84.7	85.0	84.4	84.7	84.7				
Turbidity (NTU)	6.90	6.86	6.64	6.68	6.36	6.44	6.40	6.40				
S.S. (mg/L)												

Any notable discoloration of water? Y (N) If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y (N) If yes, elaboration is as follows: _____

Field Operator	Lee Kwan Cheung	Checked by	(Signature)	Laboratory Staff		Checked by	
Date	14/11/2013	Date	14/11/13	Date		Date	

Station: SRA Duration: 11:57 to 12:20 Depth of Water (meter): 4.2 Wet bulb calibration for DO meter: 8.39 mg/L (99.3 %) (25.1 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Action	Value	Action	Value	Action				
1.0	24.8	5.0			3.2					
Temp. (°C)	Ave.: 24.9				24.8		Ave.: 24.8			
pH	Ave.: 7.09				7.16		Ave.: 7.16			
Salinity (ppt)	Ave.: 25.2				25.2		Ave.: 25.3			
D.O. (mg/L)	Ave.: 6.24	5.0			6.31	4.2	Ave.: 6.27	4.7	2.0	
D.O.S. (%)	Ave.: 86.3				87.6		Ave.: 87.1			
Turbidity (NTU)	Ave.: 7.84				8.10		Ave.: 8.11		27.5 and 120% of CS(M)3	47.0 and 130% of CS(M)3
S.S. (mg/L)	Ave.: 7.87				8.10		Ave.: 8.11		23.5 and 120% of CS(M)3	34.4 and 130% of CS(M)3

Station: IS8 Duration: 11:38 to 11:52 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 8.38 mg/L (99.2 %) (25.0 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Action	Value	Action	Value	Action				
1.0	24.8	5.0			4.0					
Temp. (°C)	Ave.: 24.8				24.6		Ave.: 24.7			
pH	Ave.: 7.17				7.21		Ave.: 7.20			
Salinity (ppt)	Ave.: 25.2				25.2		Ave.: 25.2			
D.O. (mg/L)	Ave.: 6.16	5.0			6.19	4.2	Ave.: 6.17	4.7	2.0	
D.O.S. (%)	Ave.: 85.8				85.9		Ave.: 85.7			
Turbidity (NTU)	Ave.: 7.04				7.28		Ave.: 7.25		27.5 and 120% of CS(M)3	47.0 and 130% of CS(M)3
S.S. (mg/L)	Ave.: 7.03				7.28		Ave.: 7.25		23.5 and 120% of CS(M)3	34.4 and 130% of CS(M)3

Station: IS(M)16 Duration: 11:07 to 11:21 Depth of Water (meter): 6.8 Wet bulb calibration for DO meter: 8.40 mg/L (99.5 %) (25.1 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Action	Value	Action	Value	Action				
1.0	24.8	5.0			5.8					
Temp. (°C)	Ave.: 24.8				24.7		Ave.: 24.7			
pH	Ave.: 7.15				7.20		Ave.: 7.22			
Salinity (ppt)	Ave.: 25.1				25.2		Ave.: 25.3			
D.O. (mg/L)	Ave.: 6.22	5.0			6.29	4.2	Ave.: 6.33	4.7	2.0	
D.O.S. (%)	Ave.: 86.1				87.4		Ave.: 86.5			
Turbidity (NTU)	Ave.: 6.14				6.99		Ave.: 7.00		27.5 and 120% of CS(M)3	47.0 and 130% of CS(M)3
S.S. (mg/L)	Ave.: 6.14				6.99		Ave.: 7.00		23.5 and 120% of CS(M)3	34.4 and 130% of CS(M)3

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Ebb Conjunction)

Station: CS(M)9 Duration: 10:37 to 11:01 Depth of Water (meter): 4.0 Wet bulb calibration for DO meter: 8.30 mg/L (99.4 %) (25 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	DEPTH AVE. $\sqrt{H/L}$	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit					
Depth (meter)	1.0				3.2						
Temp. (°C)	24.8	24.9			24.7	24.8	24.8				
pH	7.03	7.03			7.17	7.16	7.0				
Salinity (ppt)	25.2	25.1			25.4	25.3	25.4				
D.O. (mg/L)	6.23	6.21			6.31	6.33	4.7	2.0			
D.O.S. (%)	86.5	86.2			87.6	88.0	87.5			47.0 and 130% of CS(M)3	
Turbidity (NTU)	8.60	8.71			9.94	9.69	9.82		27.5 and 120% of CS(M)3	27.5	47.0 and 130% of CS(M)3
S.S. (mg/L)									23.5 and 120% of CS(M)3	27.5	34.4 and 130% of CS(M)3

Station: CS(M)3 (Upstream Control Station) Duration: 10:17 to 10:31 Depth of Water (meter): 9.0 Wet bulb calibration for DO meter: 8.36 mg/L (99.2 %) (25.1 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit		
Depth (meter)								
Temp. (°C)	24.7	24.8	24.7	24.6	24.7	24.7	24.7	
pH	7.21	7.23	7.25	7.26	7.12	7.14	7.13	
Salinity (ppt)	25.1	25.2	25.2	25.1	25.3	25.3	25.3	
D.O. (mg/L)	6.10	6.16	6.19	6.14	6.21	6.23	6.22	
D.O.S. (%)	84.9	85.4	86.0	85.3	86.2	86.6	86.4	120%
Turbidity (NTU)	7.08	7.12	7.13	7.44	8.20	8.13	8.17	130%
S.S. (mg/L)								

Any notable discoloration of water? Y/N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y/N If yes, elaboration is as follows: _____

Field Operator	Jacky Cheung / <u>Cony</u>	Checked by	<u>De La</u>	Laboratory Staff		Checked by	
Date	16. 11. 2013	Date	16/11/13	Date		Date	

Sampling Date: 16.11.2013 Weather Condition: Fins Ambient Temperature (°C): 24 Sea Conditions: Calm / Small Wave / Great Wave Tide Mode: Flood Tide Direction of water current: From CS(MD)5 to CS(MD)3

Station: CS(MD)5 (Upstream Control Station) Duration: 16.01 to 16.21 Depth of Water (meter): 9.8 Wet bulb calibration for DO meter: 8.43 mg/L (99.4 %) (25 °C)

Depth (meter)	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK
	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L		
1.0											
Temp. (°C)	24.8	24.7	24.8	24.7	24.7	24.7	24.6	24.6	24.6		
pH	7.02	7.04	7.03	7.02	7.01	7.01	7.06	7.08	7.07		
Salinity (ppt)	25.3	25.3	25.3	25.4	25.4	25.4	25.4	25.3	25.4		
D.O. (mg/L)	6.27	6.33	6.30	6.19	6.21	6.20	6.15	6.17	6.16	120%	130%
D.O.S. (%)	87.0	87.9	87.5	86.0	86.3	86.2	85.5	85.7	85.6		
Turbidity (NTU)	6.51	6.62	6.57	7.03	7.11	7.07	7.97	8.05	8.01	7.22	8.66
S.S. (mg/L)											9.38

Station: SR4a Duration: 16.18 to 16.48 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 8.40 mg/L (99.2 %) (25.1 °C)

Depth (meter)	SURFACE (S)			MIDDLE (M)			BOTTOM (B)			DEPTH AVERAGE	ACTION	LIMIT	REMARK
	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L				
1.0													
Temp. (°C)	24.1	24.1	24.1				24.6	24.7	24.7				
pH	7.11	7.00	7.17				7.14	7.13	7.14				
Salinity (ppt)	25.2	25.3	25.3				25.4	25.4	25.4				
D.O. (mg/L)	6.43	6.45	6.44				6.26	6.29	6.28	4.7	2.0		
D.O.S. (%)	89.2	89.5	89.4				87.5	87.9	87.7				
Turbidity (NTU)	8.41	8.46	8.44				9.02	8.99	9.01	27.5	27.5	47.0 and 130% of CS(MD)5	47.0
S.S. (mg/L)										8.10	8.10	34.4 and 130% of CS(MD)5	47.0

Impact Water Quality Monitoring - Data Record Sheet (Flood Contamination)

Station: IS(M)09 Duration: 18:36 to 19:01 Depth of Water (meter): 4.6 Wet bulb calibration for DO meter: 830 mg/L (99.4) % (25) °C

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	Limit	V/mL	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	5.0	Ave.	5.0	Ave.	4.7							
Depth (meter)	1.0				3.6								
Temp. (°C)	24.7	24.8			24.8	24.7	24.7						
pH	7.06	7.07			7.02	7.19	7.02						
Salinity (ppt)	25.2	25.2			25.3	25.2	25.3						
D.O. (mg/L)	6.29	6.28			6.37	6.39	6.38	4.7	2.0				
D.O.S. (%)	81.2	81.1			88.4	88.7	88.6					47.0 and 130% of CS(M)05	47.0
Turbidity (NTU)	8.51	8.57			9.85	9.60	9.73			9.15	27.5	27.5 and 120% of CS(M)05	27.5
S.S. (mg/L)												34.4 and 130% of CS(M)05	

Station: CS(M)03 Duration: 19:12 to 19:31 Depth of Water (meter): 9.4 Wet bulb calibration for DO meter: 836 mg/L (99.2) % (25.1) °C

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	Limit	V/mL	DEPTH AVERAGE	REMARK	
	Ave.	4.7	Ave.	4.7	Ave.	8.4						
Depth (meter)	1.0				8.4							
Temp. (°C)	24.7	24.7	24.6	24.7	24.6	24.5	24.6					
pH	7.04	7.05	7.08	7.09	7.15	7.16	7.16					
Salinity (ppt)	25.2	25.3	25.3	25.4	25.4	25.4	25.4					
D.O. (mg/L)	6.21	6.23	6.28	6.23	6.30	6.32	6.31					
D.O.S. (%)	86.2	86.5	87.2	86.5	81.4	81.8	81.6					
Turbidity (NTU)	6.99	7.04	7.64	7.25	8.11	8.05	8.08					
S.S. (mg/L)										7.53		

Any notable discoloration of water? Y / N If yes, elaboration is as follows: _____

Any notable pollutant by others near monitoring site? Y / N If yes, elaboration is as follows: _____

Field Operator	Tody Chung / Camp	Checked by	<i>[Signature]</i>	Laboratory Staff		Checked by	
Date	16.11.2013	Date	16/11/13	Date		Date	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Ebb Cond.) (n)

Sampling Date : 19.11.2013 Weather Condition : cloudy Ambient Temperature (°C) : 24 Sea Conditions : Calm / Small Wave / Great Wave Tide Mode : Ebb Tide Direction of water current: From CS(M)3 to CS(M)5

Station: CS(M)5 Duration: 15:21 to 15:41 Depth of Water (meter): 9.4 Wet bulb calibration for DO meter: 8.43 mg/L (99.4 %) (25 °C)

Depth (meter)	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK
	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L		
Temp. (°C)	23.0	23.1	23.0	23.0	23.0	23.0	23.1	23.1	23.1		
pH	7.18	7.17	7.31	7.32	7.32	7.32	7.39	7.39	7.39		
Salinity (ppt)	25.2	25.1	25.2	25.2	25.2	25.2	25.4	25.4	25.4		
D.O. (mg/L)	6.30	6.36	6.22	6.24	6.23	6.18	6.20	6.19	6.19		
D.O.S. (%)	85.1	85.9	84.0	84.2	84.1	83.4	83.5	83.5	83.5		
Turbidity (NTU)	13.4	13.7	14.8	13.5	14.2	15.1	15.9	15.5	14.4		
S.S. (mg/L)											

Station: SR4a Duration: 14:51 to 15:01 Depth of Water (meter): 14.6 Wet bulb calibration for DO meter: 8.40 mg/L (99.2 %) (25.1 °C)

Depth (meter)	SURFACE (S)			MIDDLE (M)			BOTTOM (B)			DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L				
Temp. (°C)	23.0	22.9	23.0				23.1	23.1	23.1				
pH	7.04	7.05	7.05				7.04	7.02	7.03				
Salinity (ppt)	25.1	25.1	25.1				25.3	25.2	25.3				
D.O. (mg/L)	6.46	6.49	6.48				6.32	6.29	6.31				
D.O.S. (%)	87.3	87.6	87.5				85.3	84.9	85.1				
Turbidity (NTU)	12.4	12.1	12.3				11.8	12.1	12.0				
S.S. (mg/L)													

27.5 and 120% of CS(M)3
47.0 and 130% of CS(M)3
34.4 and 130% of CS(M)3

Station: SR4 Duration: 14:16 to 14:31 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 838 mg/L (99.3 %) (25.1 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Limit	Value	Limit	Value	Limit				
1.0	23.0	4.2			3.4					
Temp (°C)	Ave.: 23.0				Ave.: 23.1					
pH	Ave.: 7.27				Ave.: 7.36					
Salinity (ppt)	Ave.: 25.3				Ave.: 25.4					
D.O. (mg/L)	Ave.: 6.39	5.0			Ave.: 6.42	4.7	2.0			
D.O.S. (%)	Ave.: 86.0				Ave.: 86.6				47.0 and 130% of CS(M)3	47.0
Turbidity (NTU)	Ave.: 12.9				Ave.: 11.1				27.5 and 120% of CS(M)3	27.5
S.S. (mg/L)	Ave.: 12.5				Ave.: 11.5				23.5 and 120% of CS(M)3	23.5

Station: IS8 Duration: 13:46 to 14:01 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 838 mg/L (99.2 %) (25.0 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Limit	Value	Limit	Value	Limit				
1.0	23.0	4.2			4.2					
Temp (°C)	Ave.: 23.0				Ave.: 23.0					
pH	Ave.: 7.35				Ave.: 7.38					
Salinity (ppt)	Ave.: 25.2				Ave.: 25.3					
D.O. (mg/L)	Ave.: 6.31	5.0			Ave.: 6.32	4.7	2.0			
D.O.S. (%)	Ave.: 85.2				Ave.: 85.3				47.0 and 130% of CS(M)3	47.0
Turbidity (NTU)	Ave.: 10.7				Ave.: 13.8				27.5 and 120% of CS(M)3	27.5
S.S. (mg/L)	Ave.: 11.3				Ave.: 13.5				23.5 and 120% of CS(M)3	23.5

Station: IS(M)16 Duration: 13:16 to 13:31 Depth of Water (meter): 7.4 Wet bulb calibration for DO meter: 8 mg/L (99.5 %) (25.1 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Limit	Value	Limit	Value	Limit				
1.0	23.1	4.2	3.7		6.4					
Temp (°C)	Ave.: 23.1		Ave.: 23.1		Ave.: 23.0					
pH	Ave.: 7.33		Ave.: 7.30		Ave.: 7.39					
Salinity (ppt)	Ave.: 25.2		Ave.: 25.2		Ave.: 25.3					
D.O. (mg/L)	Ave.: 6.37	5.0	Ave.: 6.41	4.2	Ave.: 6.48	4.7	2.0			
D.O.S. (%)	Ave.: 86.0		Ave.: 86.5		Ave.: 87.4					
Turbidity (NTU)	Ave.: 13.0		Ave.: 13.2		Ave.: 14.7				27.5 and 120% of CS(M)3	27.5
S.S. (mg/L)	Ave.: 13.7		Ave.: 12.6		Ave.: 14.7				23.5 and 120% of CS(M)3	23.5

Station: IS(M)9 Duration: 12:41 to 13:01 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 83.0 mg/L (99.4 %) (25 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	DEPTH AVE. $\frac{1}{4}AL$	ACTION	LIMIT	REMARK	
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Depth (meter)	1.0		/		3.4							
Temp. (°C)	23.1	23.1			23.0	23.1	Ave.: 23.1					
pH	7.01	7.04			7.35	7.24	Ave.: 7.35					
Salinity (ppt)	25.2	25.1			25.2	25.3	Ave.: 25.3	4.7	2.0			
D.O. (mg/L)	6.38	6.36			6.37	6.48	Ave.: 6.47					
D.O.S. (%)	86.1	85.9			86.0	87.5	Ave.: 87.3			27.5 and 120% of CS(M)3	47.0 and 130% of CS(M)3	47.0
Turbidity (NTU)	12.7	13.8			13.3	11.4	Ave.: 11.7			23.5 and 120% of CS(M)3	34.4 and 130% of CS(M)3	12.5
S.S. (mg/L)												

Station: CS(M)3 (Upstream Control Station) Duration: 12:11 to 12:31 Depth of Water (meter): 9.2 Wet bulb calibration for DO meter: 83.6 mg/L (99.2 %) (25.1 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	DEPTH AVE. $\frac{1}{4}AL$	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit					
Depth (meter)	1.0		4.6		8.2						
Temp. (°C)	23.0	23.1	23.0	23.0	22.9	23.0	Ave.: 23.0				
pH	7.27	7.29	7.31	7.32	7.18	7.19	Ave.: 7.19				
Salinity (ppt)	25.1	25.2	25.3	25.3	25.4	25.3	Ave.: 25.4				
D.O. (mg/L)	6.30	6.34	6.37	6.32	6.39	6.41	Ave.: 6.40				
D.O.S. (%)	85.1	85.7	86.1	85.4	86.5	86.7	Ave.: 86.6				
Turbidity (NTU)	9.94	9.28	9.72	9.90	11.4	10.2	Ave.: 10.8				
S.S. (mg/L)											

Any notable discoloration of water? Y/N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y/N If yes, elaboration is as follows: _____

Field Operator	Judy Chong	Checked by	<i>[Signature]</i>	Laboratory Staff	
Date	19.11.2013	Date	19/11/13	Date	



Station: SR4 Duration: 18:38 to 19:59 Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 8.38 mg/L (99.2 %) (25.0 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)	ACTION LIMIT	VIAL	BOTTOM (B)	ACTION LIMIT	VIAL	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Ave.										
1.0	23.1	23.2		5.0	✓	3.8	4.7	✓				
Temp. (°C)	23.1	23.2				Ave.: 23.1						
pH	7.30	7.31				Ave.: 7.31						
Salinity (ppt)	25.3	25.3				Ave.: 25.4						
D.O. (mg/L)	6.47	6.43		5.0	4.2	Ave.: 6.45						
D.O.S. (%)	87.3	86.8				Ave.: 87.1						
Turbidity (NTU)	13.0	13.8				Ave.: 13.4						
S.S. (mg/L)						Ave.: 11.5						
Wet bulb calibration for DO meter: <u>8.36</u> mg/L (<u>99.0</u> %) (<u>24.9</u> °C)												

Station: IS8 Duration: 19:20 to 19:38 Depth of Water (meter): 5.6 Wet bulb calibration for DO meter: 8.36 mg/L (99.0 %) (24.9 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)	ACTION LIMIT	VIAL	BOTTOM (B)	ACTION LIMIT	VIAL	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Ave.										
1.0	23.1	23.1		5.0	4.2	4.6	4.7	✓				
Temp. (°C)	23.1	23.1				Ave.: 23.1						
pH	7.39	7.41				Ave.: 7.42						
Salinity (ppt)	25.3	25.3				Ave.: 25.5						
D.O. (mg/L)	6.27	6.30		5.0	4.2	Ave.: 6.30						
D.O.S. (%)	84.6	85.1				Ave.: 85.1						
Turbidity (NTU)	11.4	11.6				Ave.: 14.4						
S.S. (mg/L)						Ave.: 14.8						
Wet bulb calibration for DO meter: <u>8.39</u> mg/L (<u>99.3</u> %) (<u>25.0</u> °C)												

Station: IS(M)D16 Duration: 19:45 to 20:03 Depth of Water (meter): 7.8 Wet bulb calibration for DO meter: 8.39 mg/L (99.3 %) (25.0 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)	ACTION LIMIT	VIAL	BOTTOM (B)	ACTION LIMIT	VIAL	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Ave.										
1.0	23.2	23.2		5.0	4.2	6.8	4.7	✓				
Temp. (°C)	23.2	23.2				Ave.: 23.1						
pH	7.42	7.41				Ave.: 7.41						
Salinity (ppt)	25.2	25.3				Ave.: 25.5						
D.O. (mg/L)	6.38	6.40		5.0	4.2	Ave.: 6.53						
D.O.S. (%)	86.1	86.4				Ave.: 88.1						
Turbidity (NTU)	13.4	13.5				Ave.: 14.5						
S.S. (mg/L)						Ave.: 14.7						
Wet bulb calibration for DO meter: <u>8.39</u> mg/L (<u>99.3</u> %) (<u>25.0</u> °C)												

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Flood Condi...-n)

Station: IS(MF)9 Duration: 20:10 to 20:28 Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 8.33 mg/L (99.6 %) (25 °C)

Parameter	SURFACE (S)		MIDDLE (M)	BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE	ACTION	LIMIT	REMARK
	Ave.	Value		Ave.	Value						
Depth (meter)	1.0		3.8								
Temp. (°C)	23.2	23.2	23.1		23.1	23.1	23.1	23.1			
pH	7.30	7.29	7.40		7.41	7.41	7.41	7.41			
Salinity (ppt)	25.3	25.3	25.3		25.4	25.4	25.4	25.4			
D.O. (mg/L)	6.47	6.48	6.39		6.4	6.4	6.4	6.4	4.7	2.0	✓
D.O.S. (%)	87.3	87.6	86.3		86.5	86.5	86.5	86.5			47.0 and 130% of CS(MF)3
Turbidity (NTU)	12.1	12.9	11.0		11.5	11.3	11.3	11.3	27.5 and 120% of CS(MF)3	23.5 and 130% of CS(MF)3	✓
S.S. (mg/L)											34.4 and 130% of CS(MF)3

Station: CS(MF)3 Duration: 20:35 to 20:55 Depth of Water (meter): 10.0 Wet bulb calibration for DO meter: 8.34 mg/L (99.7 %) (25.0 °C)

Parameter	SURFACE		MIDDLE	BOTTOM		Action Limit	V/A/L	DEPTH AVERAGE	REMARK
	Ave.	Value		Ave.	Value				
Depth (meter)	1.0		5.0		9.0				
Temp. (°C)	23.1	23.1	23.0	23.0	22.9	22.9	22.9	22.9	
pH	7.28	7.30	7.32	7.31	7.20	7.20	7.20	7.20	
Salinity (ppt)	25.3	25.2	25.4	25.4	25.5	25.4	25.4	25.5	
D.O. (mg/L)	6.40	6.38	6.50	6.46	6.33	6.30	6.30	6.32	
D.O.S. (%)	86.4	86.1	87.8	87.2	85.5	85.1	85.1	85.3	
Turbidity (NTU)	10.3	10.1	9.53	9.61	11.9	11.7	11.7	11.8	
S.S. (mg/L)								10.5	

Any notable discoloration of water? No If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? No If yes, elaboration is as follows: _____

Field Operator	S.H. Lam	Checked by	[Signature]	Laboratory Staff		Checked by	
Date	19-11-2013	Date	19/11/13	Date		Date	

Tuen Mun - Chek Lap Kok Link - Southern
 Impact Water Quality Monitoring - Data Record Sheet (Flood Condition)

Sampling Date: 21-11-2017 Weather Condition: Cloudy Ambient Temperature (°C): 23 Sea Conditions: Calm (Small Wave / Great Wave) Tide Mode: Flood Tide Direction of water current: From CS(M)S to CS(M)S
 Station: CS(M)S (Upstream Control Station) Duration: 8:08 to 8:32 Depth of Water (meter): 10.1 Wet bulb calibration for DO meter: 8.33 mg/L (99.8 %) (24.7 °C)

Depth (meter)	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK
	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L		
1.0	22.9	22.8	22.9	23.0	23.0	23.0	22.9	23.0	23.0		
Temp (°C)	7.42	7.44	7.32	7.34	7.33	7.33	7.41	7.40	7.40		
pH	24.2	24.1	24.2	24.3	24.3	24.3	24.3	24.4	24.4		
Salinity (ppt)	7.37	7.39	7.11	7.13	7.12	7.12	6.94	6.93	6.93	120%	
D.O. (mg/L)	98.6	98.8	95.0	95.3	95.2	95.2	92.9	92.8	92.8	130%	
D.O.S. (%)	7.42	7.47	8.00	8.06	8.03	8.03	7.27	7.30	7.29	9.10	
Turbidity (NTU)										9.86	
S.S. (mg/L)											

Station: SR4a Duration: 8:38 to 9:02 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 8.32 mg/L (99.8 %) (24.8 °C)

Depth (meter)	SURFACE (S)			MIDDLE (M)			BOTTOM (B)			DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L				
1.0	22.8	22.8	22.8	22.9	22.8	22.9	22.9	22.8	22.9				
Temp (°C)	7.35	7.37	7.36	7.40	7.42	7.41	7.41	7.41	7.41				
pH	24.1	24.1	24.1	24.2	24.3	24.3	24.3	24.3	24.3				
Salinity (ppt)	7.34	7.36	7.35	7.24	7.26	7.25	7.25	7.25	7.25	4.7	2.0	✓	
D.O. (mg/L)	98.1	98.4	98.3	96.9	97.1	97.0	97.0	97.0	97.0				
D.O.S. (%)	10.8	11.0	10.9	10.3	10.6	10.5	10.5	10.5	10.5				
Turbidity (NTU)										10.7	✓	27.5 and 120% of CS(M)S	
S.S. (mg/L)												47.0 and 130% of CS(M)S	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Flood Con ion)

Station: SR4 Duration: 9:08 to 9:31 Depth of Water (meter): 4.6 Wet bulb calibration for DO meter: 8.42 mg/L (99.5 %) (24.8 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Action Limit	Value	Action Limit	Value	Action Limit				
1.0	22.9	5.0			3.6					
Temp. (°C)	Ave.: 23.0				Ave.: 23.0					
pH	Ave.: 7.25				Ave.: 7.19					
Salinity (ppt)	Ave.: 24.2				Ave.: 24.4					
D.O. (mg/L)	Ave.: 7.17	5.0			Ave.: 7.00	4.7	2.0			
D.O.S. (%)	Ave.: 95.8				Ave.: 93.7					
Turbidity (NTU)	Ave.: 9.34				Ave.: 10.4					47.0 and 130% of CS(M)5
S.S. (mg/L)										27.5 and 120% of CS(M)5
										23.5 and 120% of CS(M)5

Station: ISS8 Duration: 9:37 to 10:01 Depth of Water (meter): 5.4 Wet bulb calibration for DO meter: 8.44 mg/L (99.8 %) (24.7 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Action Limit	Value	Action Limit	Value	Action Limit				
1.0	22.9	5.0			4.4					
Temp. (°C)	Ave.: 22.9				Ave.: 23.1					
pH	Ave.: 7.34				Ave.: 7.37					
Salinity (ppt)	Ave.: 24.1				Ave.: 24.3					
D.O. (mg/L)	Ave.: 7.37	5.0			Ave.: 7.13	4.7	2.0			
D.O.S. (%)	Ave.: 98.6				Ave.: 95.3					
Turbidity (NTU)	Ave.: 7.88				Ave.: 8.87					47.0 and 130% of CS(M)5
S.S. (mg/L)										34.4 and 130% of CS(M)5

Station: JS(M)16 Duration: 10:07 to 10:32 Depth of Water (meter): 7.0 Wet bulb calibration for DO meter: 8.43 mg/L (99.8 %) (24.8 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Action Limit	Value	Action Limit	Value	Action Limit				
1.0	23.0	5.0	3.5		6.0					
Temp. (°C)	Ave.: 23.0		Ave.: 23.0		Ave.: 23.1					
pH	Ave.: 7.13		Ave.: 7.21		Ave.: 7.10					
Salinity (ppt)	Ave.: 24.2		Ave.: 24.3		Ave.: 24.5					
D.O. (mg/L)	Ave.: 7.13	5.0	Ave.: 6.82	4.2	Ave.: 6.90	4.7	2.0			
D.O.S. (%)	Ave.: 95.3		Ave.: 91.5		Ave.: 92.4					
Turbidity (NTU)	Ave.: 9.65		Ave.: 11.9		Ave.: 21.9					47.0 and 130% of CS(M)5
S.S. (mg/L)										34.4 and 130% of CS(M)5

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Flood Concl...ion)

Station: IS(MF)9 Duration: 10:38 to 11:02 Depth of Water (meter): 4.6 Wet bulb calibration for DO meter: 8.37 mg/L (99.5 %) (24.8 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	VAIL	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	5.0 4.2	Ave.	5.0 4.2	Ave.	4.7 2.0						
Depth (meter)	3.6											
Temp. (°C)	22.9	22.9	/		23.0	22.9	Ave.: 23.0					
pH	7.42	7.44	/		7.34	7.36	Ave.: 7.35					
Salinity (ppt)	24.1	24.2	/		24.2	24.3	Ave.: 24.3					
D.O. (mg/L)	7.22	7.24	/		7.04	7.06	Ave.: 7.05					
D.O.S. (%)	96.6	96.8	/		94.1	94.4	Ave.: 94.3					
Turbidity (NTU)	13.5	14.2	/		13.1	12.8	Ave.: 13.0		13.4	27.5 and 120% of CS(MF)5	47.0 and 130% of CS(MF)5	47.0
S.S. (mg/L)												

Station: CS(MF)3 Duration: 11:08 to 11:38 Depth of Water (meter): 9.1 Wet bulb calibration for DO meter: 8.38 mg/L (99.6 %) (24.8 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	VAIL	DEPTH AVERAGE	REMARK
	Ave.	5.0 4.2	Ave.	5.0 4.2	Ave.	4.7 2.0				
Depth (meter)	8.1									
Temp. (°C)	22.9	23.0	23.1	23.1	23.1	23.0	Ave.: 23.1			
pH	7.56	7.58	7.41	7.41	7.43	7.45	Ave.: 7.44			
Salinity (ppt)	24.2	24.2	24.3	24.4	24.5	24.4	Ave.: 24.5			
D.O. (mg/L)	7.29	7.31	7.01	7.01	6.84	6.82	Ave.: 6.83			
D.O.S. (%)	97.5	97.8	93.8	93.7	91.4	91.2	Ave.: 91.3			
Turbidity (NTU)	8.46	8.52	8.41	8.39	8.06	8.10	Ave.: 8.08		8.32	
S.S. (mg/L)										

Any notable discoloration of water? /N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? /N If yes, elaboration is as follows: _____

Field Operator	Tony Chung Hing	Checked by	W. Chan
Date	21-11-2013	Date	21/11/13
Laboratory Staff		Checked by	
Date		Date	

Station: SR4 Duration: 15:20 to 15:43 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.41 mg/L (99.4 %) (24.8 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Limit	Value	Limit	Value	Limit				
1.0	22.8	22.9			22.9	23.0				
Temp. (°C)	Ave.: 22.9				Ave.: 23.0					
pH	7.19	7.18			7.21	7.21				
	Ave.: 7.19				Ave.: 7.21					
Salinity (ppt)	24.2	24.1			24.4	24.4				
	Ave.: 24.2				Ave.: 24.4					
D.O. (mg/L)	7.09	7.10			6.93	6.91	4.7	2.0		
	Ave.: 7.10				Ave.: 6.92					
D.O.S. (%)	94.9	95.1			92.8	92.5				
	Ave.: 95.0				Ave.: 92.7					
Turbidity (NTU)	9.81	9.83			9.69	9.71				
	Ave.: 9.82				Ave.: 9.70					
S.S. (mg/L)							9.76	✓	27.5 and 120% of CS(M)3	47.0
									23.5 and 120% of CS(M)3	

Station: IS8 Duration: 14:49 to 15:13 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 8.42 mg/L (99.9 %) (24.8 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Limit	Value	Limit	Value	Limit				
1.0	23.0	23.0			23.1	23.0				
Temp. (°C)	Ave.: 23.0				Ave.: 23.1					
pH	7.27	7.28			7.30	7.29				
	Ave.: 7.28				Ave.: 7.30					
Salinity (ppt)	24.2	24.1			24.3	24.4				
	Ave.: 24.2				Ave.: 24.4					
D.O. (mg/L)	7.26	7.30			7.06	7.04	4.7	2.0		
	Ave.: 7.28				Ave.: 7.05					
D.O.S. (%)	97.2	97.7			94.6	94.3				
	Ave.: 97.5				Ave.: 94.4					
Turbidity (NTU)	8.82	8.86			10.2	10.8				
	Ave.: 8.84				Ave.: 10.5					
S.S. (mg/L)							9.67	✓	27.5 and 120% of CS(M)3	47.0
									23.5 and 120% of CS(M)3	

Station: IS(M)16 Duration: 14:20 to 14:44 Depth of Water (meter): 6.8 Wet bulb calibration for DO meter: 8.44 mg/L (99.8 %) (24.7 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Limit	Value	Limit	Value	Limit				
1.0	22.9	22.9			22.9	23.0				
Temp. (°C)	Ave.: 22.9				Ave.: 23.0					
pH	7.15	7.16			7.14	7.18				
	Ave.: 7.16				Ave.: 7.16					
Salinity (ppt)	24.2	24.1			24.3	24.3				
	Ave.: 24.1				Ave.: 24.3					
D.O. (mg/L)	7.01	7.09			6.88	6.82	4.7	2.0		
	Ave.: 7.05				Ave.: 6.85					
D.O.S. (%)	93.9	94.9			92.1	91.3				
	Ave.: 94.4				Ave.: 91.7					
Turbidity (NTU)	11.5	11.7			17.2	17.8				
	Ave.: 11.6				Ave.: 17.5					
S.S. (mg/L)							14.4	✓	27.5 and 120% of CS(M)3	47.0
									23.5 and 120% of CS(M)3	

Station: IS(MF)9 Duration: 13:50 to 14:14 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.38 mg/L (99.6 %) (24.8 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	Depth AVE. $\sqrt{H/L}$	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit					
Depth (meter)	1.0				3.4						
Temp. (°C)	23.0	22.9			23.0	23.0	23.0	23.0			
pH	7.36	7.37			7.40	7.40	7.40	7.40			
Salinity (ppt)	24.2	24.2			24.3	24.2	24.3	24.3			
D.O. (mg/L)	7.11	7.14			7.00	6.98	6.99	4.7	2.0		
D.O.S. (%)	95.2	95.6			93.7	93.5	93.6				
Turbidity (NTU)	10.7	10.9			13.2	13.7	13.5				
S.S. (mg/L)											

Station: CS(MF)3 (Upstream Control Station) Duration: 13:20 to 13:44 Depth of Water (meter): 8.8 Wet bulb calibration for DO meter: 8.39 mg/L (99.7 %) (24.9 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	Depth AVE. $\sqrt{H/L}$	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit					
Depth (meter)	1.0		4.4		7.8						
Temp. (°C)	22.8	22.9	23.0	23.0	23.0	23.0	23.0	23.0			
pH	7.41	7.42	7.38	7.37	7.40	7.42	7.41	7.41			
Salinity (ppt)	24.3	24.3	24.3	24.3	24.5	24.5	24.5	24.5			
D.O. (mg/L)	7.20	7.24	6.94	6.91	6.73	6.76	6.75	6.75			
D.O.S. (%)	96.4	96.7	92.9	92.5	90.1	90.5	90.3	90.3			
Turbidity (NTU)	8.55	8.53	7.65	7.66	8.16	8.10	8.13	8.13			
S.S. (mg/L)											

Any notable discoloration of water? If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? If yes, elaboration is as follows: _____

Field Operator	S.H. Lam	Checked by	Lab Staff	Checked by
Date	21-11-2013	Date	Date	Date

Sampling Date : 23/11/13 Weather Condition : Cloudy Ambient Temperature (°C) : 22°C Sea Conditions: Calm/Small Wave/Great Wave Tide Mode: Flood Tide Direction of water current: From CS(MD5 to CS(MD3

Station: CS(MD5 (Upstream Control Station)) Duration: 9:30 to 9:50 Depth of Water (meter): 4.0 Wet bulb calibration for DO meter: 8.88 mg/L (99.8 %) (21.4 °C)

	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
Depth (meter)	1.0		4.5		8.0			
Temp (°C)	Ave.: 22.6	Ave.: 22.5	Ave.: 22.5	Ave.: 22.5	Ave.: 22.5	Ave.: 22.5		
pH	Ave.: 7.59	Ave.: 7.60	Ave.: 7.59	Ave.: 7.61	Ave.: 7.61	Ave.: 7.61		
Salinity (ppt)	Ave.: 22.8	Ave.: 23.3	Ave.: 23.2	Ave.: 23.6	Ave.: 23.6	Ave.: 23.6		
D.O. (mg/L)	Ave.: 6.51	Ave.: 6.48	Ave.: 6.44	Ave.: 6.49	Ave.: 6.52	Ave.: 6.51	120%	
D.O.S. (%)	Ave.: 86.7	Ave.: 85.6	Ave.: 85.1	Ave.: 85.7	Ave.: 86.1	Ave.: 85.9	130%	
Turbidity (NTU)	Ave.: 6.63	Ave.: 6.80	Ave.: 6.87	Ave.: 5.92	Ave.: 5.97	Ave.: 5.95	6.77	7.76
S.S. (mg/L)								8.41

Station: SR4a Duration: 10:00 to 10:15 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.85 mg/L (99.4 %) (20.8 °C)

	SURFACE (S)		Action Limit	✓/A/L	MIDDLE (M)	Action Limit	✓/A/L	BOTTOM (B)	Action Limit	✓/A/L	DEPTH AVE.	✓/A/L	ACTION	LIMIT	REMARK
Depth (meter)	1.0							3.4							
Temp (°C)	Ave.: 22.1	Ave.: 22.1						22.1	22.1	22.1					
pH	Ave.: 7.73	Ave.: 7.74						7.74	7.74	7.74					
Salinity (ppt)	Ave.: 24.5	Ave.: 24.5						24.5	24.8	24.8					
D.O. (mg/L)	Ave.: 6.33	Ave.: 6.35	5.0	4.2		5.0	4.2	6.42	6.38	6.40	4.7	2.0			
D.O.S. (%)	Ave.: 83.4	Ave.: 83.6						84.8	84.3	84.6					
Turbidity (NTU)	Ave.: 17.6	Ave.: 17.6						19.7	19.7	19.7	18.7	✓	27.5 and 120% of CS(MD5)	27.5	47.0 and 130% of CS(MD5)
S.S. (mg/L)													23.5 and 120% of CS(MD5)		34.4 and 130% of CS(MD5)



Station: IS(MF)9 Duration: 12:00 to 12:20 Depth of Water (meter): 4.6 Wet bulb calibration for DO meter: 8.44 mg/L (99.5%) (21.0 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit							
Depth (meter)	3.6												
Temp. (°C)	22.6	22.6	/		22.6	22.6							
pH	8.04	8.04	/		8.05	8.05							
Salinity (ppt)	24.4	24.4	/		24.5	24.5							
D.O. (mg/L)	6.12	6.15	/		6.04	6.07	5.0	4.2	✓	4.7	2.0		
D.O.S. (%)	81.1	81.5	/		80.0	80.4							
Turbidity (NTU)	11.6	11.6	/		12.9	12.8				12.3		47.0 and 130% of CS(MF)5	47.0
S.S. (mg/L)			/									34.4 and 130% of CS(MF)5	

Station: CS(MF)3 Duration: 12:40 to 13:02 Depth of Water (meter): 11.2 Wet bulb calibration for DO meter: 8.45 mg/L (99.8%) (21.0 °C)

Parameter	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK	
	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L			
Depth (meter)	10.2											
Temp. (°C)	22.7	22.7	22.6	5.6		22.6	22.6	22.6	22.6	22.6		
pH	8.06	8.05	8.06	/		8.06	8.06	8.06	8.07	8.07		
Salinity (ppt)	24.3	24.3	24.4	/		24.4	24.4	24.5	24.5	24.5		
D.O. (mg/L)	6.17	6.19	6.18	/		6.15	6.17	6.09	6.06	6.08		
D.O.S. (%)	82.3	82.6	82.5	/		82.1	82.3	81.2	80.8	81.0		
Turbidity (NTU)	12.5	12.5	13.2	/		13.2	13.2	12.6	12.6	12.6		
S.S. (mg/L)				/								

Any notable discoloration of water? Y/N If yes, elaboration is as follows: _____

Any notable pollutant by others near monitoring site? Y/N If yes, elaboration is as follows: _____

Field Operator	Mark Lui Man	Checked by	(Signature)
Date	23/11/13	Date	23/11/13
Laboratory Staff		Checked by	
Date		Date	

Station: SR4 Duration: 16:35 to 16:55 Depth of Water (meter): 4.2 Wet bulb calibration for DO meter: 8.45 mg/L (99.7 %) (21.0 °C)


Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
1.0	22.3	5.0			3.2					
Temp (°C)	22.4	5.0			22.5					
pH	8.06	5.0			8.11					
Salinity (ppt)	24.5	5.0			24.6					
D.O. (mg/L)	6.09	5.0			6.11					
D.O.S. (%)	80.7	5.0			80.8					
Turbidity (NTU)	13.5	5.0			17.7					
S.S. (mg/L)										

Station: IS8 Duration: 16:05 to 16:25 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 8.45 mg/L (99.8 %) (21.0 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
1.0	22.4	5.0			4.0					
Temp (°C)	22.4	5.0			22.4					
pH	8.06	5.0			8.10					
Salinity (ppt)	24.5	5.0			24.5					
D.O. (mg/L)	6.14	5.0			6.09					
D.O.S. (%)	81.2	5.0			79.9					
Turbidity (NTU)	10.8	5.0			15.8					
S.S. (mg/L)										

Station: IS(M)16 Duration: 15:35 to 15:55 Depth of Water (meter): 6.8 Wet bulb calibration for DO meter: 8.44 mg/L (99.7 %) (21.0 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
1.0	22.4	5.0			5.8					
Temp (°C)	22.4	5.0			22.6					
pH	8.08	5.0			8.14					
Salinity (ppt)	24.4	5.0			24.6					
D.O. (mg/L)	6.05	5.0			6.03					
D.O.S. (%)	80.1	5.0			79.9					
Turbidity (NTU)	7.81	5.0			6.14					
S.S. (mg/L)										



Station: IS(MF)9 Duration: 15:06 to 15:26 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.44 mg/L (99.5 %) (21.0 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	Limit	Depth AVE	Action	Limit	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.						
Depth (meter)	3.4											
Temp. (°C)	22.7	22.7			22.5	22.6	22.6					
pH	8.07	8.06			8.08	8.09	8.09					
Salinity (ppt)	24.5	24.4			24.6	24.7	24.7					
D.O. (mg/L)	6.03	6.05			5.95	5.98	5.97	4.7	2.0			
D.O.S. (%)												
Turbidity (NTU)	11.9	11.8			13.1	13.2	13.2					47.0 and 130% of CS(MF)3
S.S. (mg/L)												34.4 and 130% of CS(MF)3

Station: CS(MF)3 (Upstream Control Station) Duration: 14:35 to 14:55 Depth of Water (meter): 10.8 Wet bulb calibration for DO meter: 8.45 mg/L (99.6 %) (21.0 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	Limit	Depth AVE	Action	Limit	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.						
Depth (meter)	9.8											
Temp. (°C)	22.8	22.7	22.6	22.7	22.5	22.4	22.5					
pH	8.08	8.07	8.07	8.07	8.07	8.08	8.08					
Salinity (ppt)	24.4	24.3	24.4	24.5	24.5	24.6	24.6					
D.O. (mg/L)	6.08	6.10	6.06	6.08	6.00	5.97	5.99					
D.O.S. (%)	81.2	81.6	81.4	81.4	80.0	79.6	79.8					120%
Turbidity (NTU)	12.8	12.9	13.5	13.6	12.9	12.8	12.9					130%
S.S. (mg/L)												

Any notable discoloration of water? N If yes, elaboration is as follows: _____

Any notable pollutant by others near monitoring site? N If yes, elaboration is as follows: _____

Field Operator	Jody Chung	Checked by	[Signature]	Laboratory Staff	
Date	23/11/2013	Date	23/11/13	Date	

Impact Water Quality Monitoring - Data Record Sheet (Flood Condition)



Sampling Date : 26/11/13 Weather Condition : Wind Ambient Temperature (°C) : 20°C Sea Conditions: Calm/Small Wave/Great Wave Tide Mode: Flood Tide Direction of water current: From CS(M)5 to CS(M)3

Station: CS(M)5 (Upstream Control Station) Duration: 12:21 to 12:45 Depth of Water (meter): 9.6 Wet bulb calibration for DO meter: 8.40 mg/L (99.5 %) (21.2 °C)

	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK
	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L		
Depth (meter)	1.0			4.8			8.6				
Temp. (°C)	22.2	22.2	22.2	22.3	22.3	22.3	22.5	22.5	22.5		
pH	7.60	7.61	7.61	7.62	7.61	7.62	7.62	7.62	7.62		
Salinity (ppt)	23.3	23.3	23.3	23.9	23.9	23.9	24.0	24.0	24.0		
D.O. (mg/L)	6.89	6.86	6.88	6.57	6.57	6.55	6.35	6.31	6.33	120%	130%
D.O.S. (%)	90.6	90.2	90.4	86.5	86.5	86.2	83.8	83.2	83.5		
Turbidity (NTU)	4.65	4.69	4.67	4.36	4.36	4.32	5.36	5.31	5.34	4.78	5.74
S.S. (mg/L)											6.21

Station: SR4a Duration: 12:55 to 13:09 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 8.38 mg/L (99.6 %) (21.1 °C)

	SURFACE (S)			MIDDLE (M)			BOTTOM (B)			DEPTH AVERAGE	REMARK
	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L	Ave.	Limit	√/A/L		
Depth (meter)	1.0			4.8			8.6				
Temp. (°C)	22.2	22.2	22.2	22.3	22.3	22.3	22.3	22.3	22.3		
pH	7.64	7.64	7.64	7.64	7.64	7.64	7.65	7.65	7.65		
Salinity (ppt)	23.3	23.3	23.3	23.3	23.3	23.3	23.5	23.5	23.5		
D.O. (mg/L)	6.84	6.80	6.82	6.60	6.57	6.59	6.60	6.57	6.59	4.7	2.0
D.O.S. (%)	89.9	90.5	90.2	87.1	86.7	86.9	87.1	86.7	86.9		
Turbidity (NTU)	5.47	5.42	5.45	14.6	14.6	14.6	14.6	14.6	14.6	10.0	47.0
S.S. (mg/L)											34.4 and 130% of CS(M)5



Station: SR4 Duration: 13=20 to 13=36 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 8.46 mg/L (99.7 %) (21.4 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit								
1.0	22.1	22.1			4.2									
	Ave.: 22.1				Ave.: 22.6									
	Ave.: 7.66				Ave.: 7.67									
	Ave.: 23.3				Ave.: 23.8									
	Ave.: 6.86				Ave.: 6.13									
	Ave.: 89.7				Ave.: 81.4									
	Ave.: 6.00				Ave.: 14.9									
					Ave.: 14.9					10.5		27.5 and 120% of CS(M)/S	47.0 and 130% of CS(M)/S	47.0
					Ave.: 6.04							23.5 and 120% of CS(M)/S	34.4 and 130% of CS(M)/S	

Station: ISS Duration: 13=46 to 14=03 Depth of Water (meter): 5.4 Wet bulb calibration for DO meter: 8.44 mg/L (99.6 %) (21.4 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit								
1.0	22.1	22.1			4.4									
	Ave.: 22.1				Ave.: 22.4									
	Ave.: 7.68				Ave.: 7.69									
	Ave.: 23.3				Ave.: 23.6									
	Ave.: 6.83				Ave.: 6.42									
	Ave.: 89.7				Ave.: 84.6									
	Ave.: 5.97				Ave.: 12.7									
					Ave.: 12.7					9.32		27.5 and 120% of CS(M)/S	47.0 and 130% of CS(M)/S	47.0
					Ave.: 6.04							23.5 and 120% of CS(M)/S	34.4 and 130% of CS(M)/S	

Station: JS(M)/16 Duration: 14=16 to 14=36 Depth of Water (meter): 7.8 Wet bulb calibration for DO meter: 8.45 mg/L (99.8 %) (21.6 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit								
1.0	22.2	22.2			6.8									
	Ave.: 22.2				Ave.: 22.5									
	Ave.: 7.69				Ave.: 7.70									
	Ave.: 23.3				Ave.: 23.9									
	Ave.: 6.77				Ave.: 6.14									
	Ave.: 89.0				Ave.: 81.3									
	Ave.: 10.6				Ave.: 17.5									
					Ave.: 17.6					13.8		27.5 and 120% of CS(M)/S	47.0 and 130% of CS(M)/S	47.0
					Ave.: 13.2							23.5 and 120% of CS(M)/S	34.4 and 130% of CS(M)/S	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Flood Condition)

Station: IS(M)09 Duration: 14-46 to 15:04 Depth of Water (meter): 5.0 Wet bulb calibration for DO meter: 8.39 mg/L (99.7 %) (21.1 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Action Limit	Value	Action Limit	Value	Action Limit				
Temp. (°C)	22.2	22.2	22.2	22.2	22.5	22.5	Ave.: 22.5			
pH	7.66	7.66	7.66	7.66	7.67	7.67	Ave.: 7.67			
Salinity (ppt)	23.3	23.3	23.3	23.3	23.7	23.7	Ave.: 23.7			
D.O. (mg/L)	6.54	6.57	6.58	6.58	6.32	6.29	Ave.: 6.31	4.7	2.0	
D.O.S. (%)	86.8	86.5	86.7	86.7	83.3	82.9	Ave.: 83.1			
Turbidity (NTU)	6.57	6.52	6.55	6.55	13.9	13.8	Ave.: 13.9	27.5 and 120% of CS(M)5	27.5	47.0 and 130% of CS(M)5
S.S. (mg/L)								23.5 and 120% of CS(M)5		34.4 and 130% of CS(M)5

Station: CS(M)03 Duration: 15:19 to 15:51 Depth of Water (meter): 9.0 Wet bulb calibration for DO meter: 8.40 mg/L (99.8 %) (21.2 °C)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Value	Action Limit	Value	Action Limit	Value	Action Limit		
Temp. (°C)	22.2	22.2	22.1	22.1	22.5	22.4	Ave.: 22.5	
pH	7.68	7.68	7.67	7.67	7.69	7.69	Ave.: 7.69	
Salinity (ppt)	23.7	23.7	24.0	24.0	24.8	24.8	Ave.: 24.8	
D.O. (mg/L)	6.64	6.63	6.36	6.36	6.02	6.05	Ave.: 6.04	
D.O.S. (%)	87.5	87.3	84.4	83.9	80.5	80.9	Ave.: 80.7	
Turbidity (NTU)	4.51	4.55	4.58	4.63	5.28	5.35	Ave.: 5.32	
S.S. (mg/L)								

Any notable discoloration of water? Y/N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y/N If yes, elaboration is as follows: _____

Field Operator	Wah Yee Wan	Checked by	Ida Lan	Laboratory Staff	
Date	26/11/13	Date	26/11/13	Date	
		Checked by		Date	

Tuen Mun - Chek Lap Kok Link - Southern
Impact Water Quality Monitoring - Data Record Sheet (Ebb Condition)

Station: IS(MF)2 Duration: 18:55 to 19:19 Depth of Water (meter): 4.6 Wet bulb calibration for DO meter: 8.44 mg/L (99.7%) (21.4 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	Depth AVE	Action	LIMIT	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.					
Depth (meter)	1.0				3.6						
Temp. (°C)	22.2	22.3			22.4	22.4					
pH	7.73	7.71			7.86	7.88					
Salinity (ppt)	23.8	23.7			24.8	24.7					
D.O. (mg/L)	6.50	6.58			6.27	6.30	4.7				
D.O.S. (%)	85.7	86.7			83.8	84.2					
Turbidity (NTU)	5.38	5.42			16.8	16.1		11.0	27.3 and 120% of CS(MF)3	47.0 and 130% of CS(MF)3	47.0
S.S. (mg/L)									23.5 and 120% of CS(MF)3	34.4 and 130% of CS(MF)3	

Station: CS(MF)3 (Upstream Control Station) Duration: 18:26 to 18:50 Depth of Water (meter): 8.4 Wet bulb calibration for DO meter: 8.43 mg/L (99.6%) (21.4 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	Depth AVE	Action	LIMIT	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.					
Depth (meter)	1.0		4.2		7.4						
Temp. (°C)	22.3	22.2	22.1	22.1	22.4	22.4					
pH	7.72	7.74	7.77	7.79	7.76	7.74					
Salinity (ppt)	23.7	23.7	24.1	24.0	24.7	24.7					
D.O. (mg/L)	6.67	6.61	6.31	6.34	6.04	6.02					
D.O.S. (%)	87.9	87.1	83.2	83.5	80.8	80.5					
Turbidity (NTU)	5.07	5.03	5.40	5.48	5.20	5.25					
S.S. (mg/L)											

Any notable discoloration of water? N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? N If yes, elaboration is as follows: _____

Field Operator	S.H. Lam	Checked by	(Signature)
Date	26-11-2013	Date	26/11/13

Station: SR4 Duration: 08:48 to 09:08 Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 8.46 mg/L (99.7 %) (21.4 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	V/AIL	DEPTH AVE.	V/AIL	ACTION	LIMIT	REMARK
	Ave.	Std. Dev.	Ave.	Std. Dev.	Ave.	Std. Dev.								
1.0	21.6	7.63	21.7	7.64	21.7	7.64								
Temp. (°C)	21.6	7.63	21.7	7.64	21.7	7.64								
pH	7.63	7.63	7.65	7.64	7.64	7.64								
Salinity (ppt)	24.4	24.4	24.4	24.4	24.5	24.5								
D.O. (mg/L)	6.81	6.78	6.80	6.80	6.18	6.21	5.0	4.2	4.7	2.0	✓			
D.O.S. (%)	89.0	88.5	88.8	88.8	80.8	81.3								
Turbidity (NTU)	6.05	6.09	6.07	6.07	5.68	5.75								
S.S. (mg/L)														

Station: IS8 Duration: 08:30 to 08:40 Depth of Water (meter): 5.2 Wet bulb calibration for DO meter: 8.44 mg/L (99.6 %) (21.4 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	V/AIL	DEPTH AVE.	V/AIL	ACTION	LIMIT	REMARK
	Ave.	Std. Dev.	Ave.	Std. Dev.	Ave.	Std. Dev.								
1.0	21.6	7.64	21.7	7.65	21.7	7.65								
Temp. (°C)	21.6	7.64	21.7	7.65	21.7	7.65								
pH	7.64	7.64	7.65	7.64	7.65	7.65								
Salinity (ppt)	24.4	24.5	24.7	24.6	24.7	24.7								
D.O. (mg/L)	6.78	6.74	6.76	6.74	6.37	6.34	5.0	4.2	4.7	2.0	✓			
D.O.S. (%)	88.5	88.0	88.3	88.3	83.3	82.9								
Turbidity (NTU)	7.44	7.49	7.47	7.47	5.19	5.25								
S.S. (mg/L)														

Station: IS(M)16 Duration: 08:08 to 08:14 Depth of Water (meter): 7.6 Wet bulb calibration for DO meter: 8.45 mg/L (99.9 %) (21.5 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action	Limit	V/AIL	DEPTH AVE.	V/AIL	ACTION	LIMIT	REMARK
	Ave.	Std. Dev.	Ave.	Std. Dev.	Ave.	Std. Dev.								
1.0	21.6	7.63	21.7	7.64	21.7	7.64								
Temp. (°C)	21.6	7.63	21.7	7.64	21.7	7.64								
pH	7.63	7.63	7.65	7.65	7.65	7.65								
Salinity (ppt)	24.5	24.5	24.6	24.7	24.8	24.7								
D.O. (mg/L)	6.72	6.71	6.35	6.30	6.19	6.22	5.0	4.2	4.7	2.0	✓			
D.O.S. (%)	89.5	89.7	83.0	82.3	81.0	81.4								
Turbidity (NTU)	5.73	5.11	4.55	5.01	4.59	4.63								
S.S. (mg/L)														

Station: IS(MF)9 Duration: 07:48 to 08:05 Depth of Water (meter): 4.4 Wet bulb calibration for DO meter: 8.44 mg/L (99.7%) (21.4 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Depth (meter)	3.4											
Temp. (°C)	21.5	21.6	21.7	21.7	21.7	21.7	21.7	21.7				
pH	7.15	7.10	7.15	7.15	7.15	7.15	7.15	7.15				
Salinity (ppt)	24.5	24.4	24.5	24.5	24.6	24.6	24.6	24.6				
D.O. (mg/L)	6.45	6.53	6.39	6.25	6.25	6.24	4.7	2.0	✓			
D.O.S. (%)	84.3	85.4	84.5	81.4	81.8	81.6					47.0 and 130% of CS(MF)3	
Turbidity (NTU)	5.58	5.68	5.63	7.89	8.05	8.02			6.83	✓	27.5 and 120% of CS(MF)3	4.10
S.S. (mg/L)											23.5 and 120% of CS(MF)3	

Station: CS(MF)3 (Upstream Control Station) Duration: 07:28 to 07:40 Depth of Water (meter): 6.0 Wet bulb calibration for DO meter: 8.38 mg/L (99.6%) (21.1 °C)

Parameter	SURFACE			MIDDLE			BOTTOM			DEPTH AVERAGE	REMARK
	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L	Ave.	Limit	V/A/L		
Depth (meter)	5.0										
Temp. (°C)	21.6	21.7	21.7	21.7	21.8	21.8	21.8	21.8	21.8	21.8	
pH	7.64	7.65	7.77	7.77	7.78	7.77	7.77	7.77	7.77	7.77	
Salinity (ppt)	24.6	24.6	24.6	24.7	24.7	24.8	24.8	24.8	24.8	24.8	
D.O. (mg/L)	6.62	6.58	6.25	6.28	6.27	6.09	6.07	6.08	6.08	6.08	120%
D.O.S. (%)	86.5	86.1	81.8	82.2	82.0	79.7	79.4	79.6	79.6	79.6	130%
Turbidity (NTU)	4.37	4.41	4.29	4.37	4.33	4.75	4.81	4.78	4.78	4.78	5.40
S.S. (mg/L)											5.85

Any notable discoloration of water? *Y/N* If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? *Y/N* If yes, elaboration is as follows: _____

Field Operator	Jarley Cheung	Checked by	(Signature)	Laboratory Staff	
Date	28.11.2013	Date	28/11/13	Date	
		Checked by		Checked by	
		Date		Date	

Station: IS(M)D9 Duration: 16:05 to 16:25 Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 8.50 mg/L (99.7%) (21.0 °C)

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V./H/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.						
Depth (meter)	1.0											
Temp. (°C)	21.5	21.6			21.7	21.7	4.7	2.0				
pH	7.82	7.80			7.90	7.88						
Salinity (ppt)	24.6	24.5			24.7	24.6						
D.O. (mg/L)	6.75	6.76			6.52	6.58	5.0	4.2				
D.O.S. (%)	88.3	88.4			85.3	86.1						
Turbidity (NTU)	5.00	5.08			7.94	7.90			6.48	27.5 and 120% of CS(M)5	47.0 and 130% of CS(M)5	47.0
S.S. (mg/L)										23.5 and 120% of CS(M)5	34.4 and 130% of CS(M)5	

Station: CS(M)D3 Duration: 16:35 to 17:04 Depth of Water (meter): 6.6 Wet bulb calibration for DO meter: 8.47 mg/L (99.8%) (21.2 °C)

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	V./H/L	DEPTH AVERAGE	REMARK
	Value	Ave.	Value	Ave.	Value	Ave.				
Depth (meter)	1.0									
Temp. (°C)	21.5	21.6	21.7	21.8	21.8	21.8	4.7	2.0		
pH	7.72	7.78	7.74	7.75	7.84	7.82				
Salinity (ppt)	24.7	24.6	24.7	24.8	24.7	24.7				
D.O. (mg/L)	6.83	6.87	6.28	6.30	6.10	6.19				
D.O.S. (%)	89.3	89.9	82.1	82.4	79.8	80.9				
Turbidity (NTU)	5.23	5.27	5.18	5.22	5.72	5.78			5.40	
S.S. (mg/L)										

Any notable discoloration of water? No if yes, elaboration is as follows: _____

Any notable pollutant by others near monitoring site? No if yes, elaboration is as follows: _____

Field Operator	S.H. Au	Checked by	[Signature]	Laboratory Staff		Checked by	
Date	28-11-2013	Date	28/11/13	Date		Date	



Station: SR4 Duration: 10:57 to 11:17 Depth of Water (meter): 4.7 Wet bulb calibration for DO meter: 8.46 mg/L (99.7 %) (21.0 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit							
1.0	20.9	20.9			21.0	21.0							
Temp. (°C)	20.9	20.9			21.0	21.0							
pH	7.93	8.11			8.25	8.32							
Salinity (ppt)	25.8	26.1			26.3	26.4							
D.O. (mg/L)	6.81	6.80			6.86	6.89	5.0	4.2		4.7	2.0		
D.O.S. (%)	88.9	88.7			89.8	90.3							
Turbidity (NTU)	6.78	6.91			7.57	7.09			7.09	✓	27.5 and 120% of CS(M)3	27.5	47.0 and 130% of CS(M)3
S.S. (mg/L)											23.5 and 120% of CS(M)3		34.4 and 130% of CS(M)3

Station: IS8 Duration: 10:27 to 10:47 Depth of Water (meter): 5.5 Wet bulb calibration for DO meter: 8.40 mg/L (99.5 %) (21.1 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit							
1.0	20.9	21.0			21.1	21.1							
Temp. (°C)	20.9	21.0			21.1	21.1							
pH	7.91	7.91			8.16	8.17							
Salinity (ppt)	25.5	25.6			25.8	25.8							
D.O. (mg/L)	6.74	6.75			6.47	6.49	5.0	4.2		4.7	2.0		
D.O.S. (%)	88.0	88.1			84.7	85.0							
Turbidity (NTU)	13.1	13.2			11.5	11.5			12.3	✓	27.5 and 120% of CS(M)3	27.5	47.0 and 130% of CS(M)3
S.S. (mg/L)											23.5 and 120% of CS(M)3		34.4 and 130% of CS(M)3

Station: IS(M)16 Duration: 9:57 to 10:17 Depth of Water (meter): 8.3 Wet bulb calibration for DO meter: 8.47 mg/L (99.6 %) (21.4 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	V/A/L	DEPTH AVE.	V/A/L	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit							
1.0	20.7	20.8			21.0	21.0							
Temp. (°C)	20.7	20.8			21.0	21.0							
pH	7.97	7.96			8.17	8.18							
Salinity (ppt)	25.5	25.6			26.0	26.1							
D.O. (mg/L)	6.11	6.10			6.24	6.21	5.0	4.2		4.7	2.0		
D.O.S. (%)	79.8	79.7			81.7	81.4							
Turbidity (NTU)	9.98	9.99			9.39	9.41			9.81	✓	27.5 and 120% of CS(M)3	27.5	47.0 and 130% of CS(M)3
S.S. (mg/L)											23.5 and 120% of CS(M)3		34.4 and 130% of CS(M)3

Station: IS(M)9 Duration: 9:27 to 9:47 Depth of Water (meter): 4.7 Wet bulb calibration for DO meter: 8.5 mg/L (99.8 %) (21.1) °C

Parameter	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		Action Limit	√/A/L	DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit						
Depth (meter)	1.0				3.7							
Temp. (°C)	20.8	20.8			20.9	21.0	Ave.: 21.0					
pH	7.99	8.00			8.14	8.15	Ave.: 8.15					
Salinity (ppt)	25.6	25.7			25.9	26.0	Ave.: 26.0					
D.O. (mg/L)	6.61	6.63			6.45	6.47	Ave.: 6.46	4.7	2.0			
D.O.S. (%)	86.3	86.5			84.5	84.8	Ave.: 84.7					
Turbidity (NTU)	10.9	10.8			9.88	9.87	Ave.: 9.88	10.36	✓	27.5 and 120% of CS(M)3	47.0 and 130% of CS(M)3	47.0
S.S. (mg/L)							Ave.:			23.5 and 120% of CS(M)3	34.4 and 130% of CS(M)3	

Station: CS(M)3 (Upstream Control Station) Duration: 8:57 to 9:17 Depth of Water (meter): 7.0 Wet bulb calibration for DO meter: 8.46 mg/L (99.7 %) (21.0) °C

Parameter	SURFACE		MIDDLE		BOTTOM		Action Limit	√/A/L	DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
Depth (meter)	1.0		3.5		6.0					
Temp. (°C)	20.9	20.9	21.0	20.9	21.0	21.1	Ave.: 21.1			
pH	8.00	7.99	8.03	8.02	8.14	8.16	Ave.: 8.15			
Salinity (ppt)	25.8	25.9	26.0	26.1	26.2	26.1	Ave.: 26.2			
D.O. (mg/L)	6.76	6.78	6.21	6.22	6.09	6.10	Ave.: 6.10			
D.O.S. (%)	88.2	88.5	81.2	81.3	79.7	79.9	Ave.: 79.8			
Turbidity (NTU)	11.4	11.3	8.78	8.76	8.63	8.64	Ave.: 8.64			
S.S. (mg/L)							Ave.:			

Any notable discoloration of water? Y/N If yes, elaboration is as follows: _____
 Any notable pollutant by others near monitoring site? Y/N If yes, elaboration is as follows: _____

Field Operator	Sunny Tang	Checked by	<i>[Signature]</i>	Laboratory Staff		Checked by	
Date	30. 11. 2013	Date	30/11/13	Date		Date	

Sampling Date: 20.11.2013 Weather Condition: Fine Ambient Temperature (°C): 20 Sea Conditions: Calm / Small Wave / Great Wave Tide Mode: Flood Tide Direction of water current: From CS(M)S to CS(M)S3

Station: CS(M)S5 (Upstream Control Station) Duration: 14:45 to 15:05 Depth of Water (meter): 10.4 Wet bulb calibration for DO meter: 8.38 mg/L (99.4 %) (21.2 °C)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit		
Temp (°C)	20.8	20.8	20.9	20.9	21.0	21.1	21.1	
pH	7.98	7.97	8.06	8.04	8.19	8.20	8.20	
Salinity (ppt)	25.8	25.8	25.8	25.8	26.0	26.1	26.1	
D.O. (mg/L)	6.51	6.52	6.57	6.54	6.50	6.48	6.49	120%
D.O.S. (%)	85.1	85.2	85.9	85.7	85.0	84.8	84.9	130%
Turbidity (NTU)	9.09	9.10	9.21	9.24	9.92	9.89	9.91	11.3
S.S. (mg/L)								12.3

Station: SR4a Duration: 15:15 to 15:35 Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 8.41 mg/L (99.6 %) (21.1 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVE.	ACTION	LIMIT	REMARK
	Ave.	Limit	Ave.	Limit	Ave.	Limit				
Temp (°C)	20.7	20.8	20.8	20.8	20.9	20.9	20.9			
pH	7.98	8.03	8.10	8.10	8.22	8.20	8.20			
Salinity (ppt)	25.6	25.7	25.7	25.7	25.9	26.0	26.0			
D.O. (mg/L)	6.29	6.33	6.31	6.31	6.28	6.27	6.27	4.7	2.0	
D.O.S. (%)	82.1	82.7	82.4	82.4	81.9	82.0	82.0			27.5 and 120% of CS(M)S
Turbidity (NTU)	10.5	10.9	10.7	10.7	12.2	12.4	12.3			47.0 and 130% of CS(M)S
S.S. (mg/L)										34.4 and 130% of CS(M)S

Impact Water Quality Monitoring - Data Record Sheet (Flood Conviction)

Station: IS(M)09 Duration: 17:15 to 17:35 Depth of Water (meter): 4.8 Wet bulb calibration for DO meter: 850 mg/L (99.7 %) (21.0 °C)

Depth (meter)	SURFACE (S)		MIDDLE (M)		BOTTOM (B)		DEPTH AVERAGE	ACTION	LIMIT	REMARK
	Value	Limit	Value	Limit	Value	Limit				
Temp. (°C)	20.8	20.8	20.9	21.0	20.9	21.0	20.9			
pH	8.01	8.04	8.03	8.14	8.13	8.14	8.14			
Salinity (ppt)	25.8	25.9	25.9	26.1	26.1	26.1	26.1			
D.O. (mg/L)	6.84	6.86	6.85	6.67	6.61	6.64	6.64	4.7	2.0	✓
D.O.S. (%)	89.4	89.7	89.6	86.7	86.7	87.1	87.1			
Turbidity (NTU)	10.1	9.96	10.0	9.79	9.83	9.81	9.81			
S.S. (mg/L)										

Station: CS(M)03 Duration: 17:55 to 18:15 Depth of Water (meter): 7.2 Wet bulb calibration for DO meter: 847 mg/L (99.8 %) (21.2 °C)

Depth (meter)	SURFACE		MIDDLE		BOTTOM		DEPTH AVERAGE	ACTION	LIMIT	REMARK
	Value	Limit	Value	Limit	Value	Limit				
Temp. (°C)	20.9	20.9	20.9	21.0	21.1	21.0	21.1			
pH	8.01	8.00	8.05	8.07	8.16	8.11	8.14			
Salinity (ppt)	25.8	25.8	25.8	25.9	26.1	26.2	26.2			
D.O. (mg/L)	6.92	6.94	6.37	6.38	6.21	6.24	6.23			
D.O.S. (%)	90.4	90.7	83.1	83.7	81.3	81.7	81.5			
Turbidity (NTU)	10.9	11.1	8.66	8.69	8.54	8.49	8.52			
S.S. (mg/L)										

Any notable discoloration of water? N If yes, elaboration is as follows: _____

Any notable pollutant by others near monitoring site? N If yes, elaboration is as follows: _____

Field Operator	Judy Cheung	Checked by		Laboratory Staff		Checked by	
Date	30/11/2013	Date	30/11/13	Date		Date	





Figure J1 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 31 October and 30 November 2013 at CS(Mf)6 and SR4a.

Environmental Resources Management







Figure J2 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 31 October and 30 November 2013 at SR4 and IS8.

Environmental Resources Management







Figure J3 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 31 October and 30 November 2013 at IS(Mf)16 and IS(Mf)9.

Environmental Resources Management






Figure J4 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-ebb tide between 31 October and 30 November 2013 at CS(Mf)3.

Environmental Resources Management







Figure J5 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 31 October and 30 November 2013 at CS(Mf)5 and SR4a.





Figure J6 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 31 October and 30 November 2013 at SR4 and IS8.

Environmental Resources Management







Figure J7 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 31 October and 30 November 2013 at IS(Mf)16 and IS(Mf)9.

Environmental Resources Management






Figure J8 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in surface waters during mid-flood tide between 31 October and 30 November 2013 at CS(Mf)3.

Environmental Resources Management





Figure J9 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-ebb tide between 31 October and 30 November 2013 at CS(Mf)5 and IS(Mf)16.






Figure J10 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-ebb tide between 31 October and 30 November 2013 at CS(Mf)3.




Figure J11 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-flood tide between 31 October and 30 November 2013 at IS(Mf)5 and IS(Mf)16.




Figure J12 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters during mid-flood tide between 31 October and 30 November 2013 at IS(Mf)3.





Figure J13 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 31 October and 30 November 2013 at IS(Mf)5 and SR4a.




Figure J14 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 31 October and 30 November 2013 at SR4a and IS8.




Figure J15 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 31 October and 30 November 2013 at IS(Mf)16 and IS(Mf)9.

Environmental Resources Management






Figure J16 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-ebb tide between 31 October and 30 November 2013 at CS(Mf)3.

Environmental
Resources
Management







Figure J17 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 31 October and 30 November 2013 at CS(Mf)6 and SR4a.






Figure J18 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 31 October and 30 November 2013 at SR4 and IS8.







Figure J19 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 31 October and 30 November 2013 at IS(Mf)16 and IS(Mf)9.

Environmental Resources Management






Figure J20 Impact Monitoring – Mean Level of Dissolved Oxygen (mg/L) in bottom waters during mid-flood tide between 31 October and 30 November 2013 at CS(Mf)3.





Figure J21 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 31 October and 30 November 2013 at CS(Mf5) and SR4a.





Figure J22 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 31 October and 30 November 2013 at SR4 and IS8.





Figure J23 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 31 October and 30 November 2013 at IS(Mf)16 and IS(Mf)9 .

Environmental
Resources
Management






Figure J24 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-ebb tide between 31 October and 30 November 2013 at CS(Mf)3.

Environmental
Resources
Management







Figure J25 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 31 October and 30 November 2013 at IS(Mf)5 and SR4a.





Figure J26 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 31 October and 30 November 2013 at SR4 and IS8.




Figure J27 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 31 October and 30 November 2013 at IS(Mf)16 and IS(Mf)9.






Figure J28 Impact Monitoring – Mean Level of depth-averaged Turbidity (NTU) during mid-flood tide between 31 October and 30 November 2013 at CS(Mf)3.

Environmental
Resources
Management







Figure J29 Impact Monitoring – Mean Level of depth-averaged Suspended Solids (mg/L) during mid-ebb tide between 31 October and 30 November 2013 at CS(Mf)5 and SR4a.





Figure J30 Impact Monitoring – Mean Level of depth-averaged Suspended Solids (mg/L) during mid-ebb tide between 31 October and 30 November 2013 at SR4 and IS8.

Environmental Resources Management







Figure J31 Impact Monitoring – Mean Level of depth-averaged Suspended Solids (mg/L) during mid-ebb tide between 31 October and 30 November 2013 at IS(Mf)16 and IS(Mf)9.






Figure J32 Impact Monitoring – Mean Level of depth-averaged Suspended Solids (mg/L) during mid-ebb tide between 31 October and 30 November 2013 at CS(Mf)3.

Environmental
Resources
Management







Figure J33 Impact Monitoring – Mean Level of depth-averaged Suspended Solids (mg/L) during mid-flood tide between 31 October and 30 November 2013 at CS(Mf)5 and SR4a.





Figure J34 Impact Monitoring – Mean Level of depth-averaged Suspended Solids (mg/L) during mid-flood tide between 31 October and 30 November 2013 at SR4 and IS8 .





Figure J35 Impact Monitoring – Mean Level of depth-averaged Suspended Solids (mg/L) during mid-flood tide between 31 October and 30 November 2013 at IS(Mf)16 and IS(Mf)9.

Environmental Resources Management






Figure J36 Impact Monitoring – Mean Level of depth-averaged Suspended Solids (mg/L) during mid-flood tide between 31 October and 30 November 2013 at CS(Mf)3.

Environmental Resources Management



Appendix K

Impact Dolphin Monitoring Survey Results




Figure 1. Transect Line Layout in Northwest and Northeast Lantau Survey Areas




Figure 2. Survey Route on November 1st, 2013




Figure 3. Survey Route on November 5th, 2013




Figure 4. Survey Route on November 8th, 2013




Figure 5. Survey Route on November 13th, 2013




Figure 6. Distribution of Chinese White Dolphin Sightings During November 2013 HKLR03 Monitoring Surveys

Appendix I. HKLR03 Survey Effort Database (November 2013)

(Abbreviations: BEAU = Beaufort Sea State; P = Primary Line Effort; S = Secondary Line Effort)

DATE	AREA	BEAU	EFFORT	SEASON	VESSEL	TYPE	P/S
1-Nov-13	NW LANTAU	1	6.43	AUTUMN	STANDARD31516	HKLR	P
1-Nov-13	NW LANTAU	2	28.32	AUTUMN	STANDARD31516	HKLR	P
1-Nov-13	NW LANTAU	3	19.23	AUTUMN	STANDARD31516	HKLR	P
1-Nov-13	NW LANTAU	1	2.25	AUTUMN	STANDARD31516	HKLR	S
1-Nov-13	NW LANTAU	2	5.73	AUTUMN	STANDARD31516	HKLR	S
1-Nov-13	NW LANTAU	3	4.87	AUTUMN	STANDARD31516	HKLR	S
1-Nov-13	NE LANTAU	2	3.67	AUTUMN	STANDARD31516	HKLR	P
5-Nov-13	NE LANTAU	2	34.75	AUTUMN	STANDARD31516	HKLR	P
5-Nov-13	NE LANTAU	2	10.65	AUTUMN	STANDARD31516	HKLR	S
5-Nov-13	NW LANTAU	2	13.99	AUTUMN	STANDARD31516	HKLR	P
5-Nov-13	NW LANTAU	2	6.61	AUTUMN	STANDARD31516	HKLR	S
8-Nov-13	NW LANTAU	0	1.73	AUTUMN	STANDARD31516	HKLR	P
8-Nov-13	NW LANTAU	1	10.57	AUTUMN	STANDARD31516	HKLR	P
8-Nov-13	NW LANTAU	2	39.88	AUTUMN	STANDARD31516	HKLR	P
8-Nov-13	NW LANTAU	3	1.50	AUTUMN	STANDARD31516	HKLR	P
8-Nov-13	NW LANTAU	1	1.29	AUTUMN	STANDARD31516	HKLR	S
8-Nov-13	NW LANTAU	2	5.53	AUTUMN	STANDARD31516	HKLR	S
8-Nov-13	NW LANTAU	3	2.36	AUTUMN	STANDARD31516	HKLR	S
13-Nov-13	NE LANTAU	1	5.70	AUTUMN	STANDARD31516	HKLR	P
13-Nov-13	NE LANTAU	2	21.79	AUTUMN	STANDARD31516	HKLR	P
13-Nov-13	NE LANTAU	3	9.60	AUTUMN	STANDARD31516	HKLR	P
13-Nov-13	NE LANTAU	2	11.71	AUTUMN	STANDARD31516	HKLR	S
13-Nov-13	NE LANTAU	3	1.10	AUTUMN	STANDARD31516	HKLR	S
13-Nov-13	NW LANTAU	1	1.93	AUTUMN	STANDARD31516	HKLR	P
13-Nov-13	NW LANTAU	2	5.89	AUTUMN	STANDARD31516	HKLR	P
13-Nov-13	NW LANTAU	3	6.87	AUTUMN	STANDARD31516	HKLR	P
13-Nov-13	NW LANTAU	2	4.22	AUTUMN	STANDARD31516	HKLR	S

Appendix II. HKLR03 Chinese White Dolphin Sighting Database (November 2013)

(Abbreviations: STG# = Sighting Number; HRD SZ = Dolphin Herd Size; BEAU = Beaufort Sea State; PSD = Perpendicular Distance; BOAT ASSOC. = Fishing Boat Association; P/S: Sighting Made on Primary/Secondary Line)

DATE	STG #	TIME	HRD SZ	AREA	BEAU	PSD	EFFORT	TYPE	NORTHING	EASTING	SEASON	BOAT ASSOC.	P/S
1-Nov-13	1	1049	4	NW LANTAU	2	74	ON	HKLR	823145	809509	AUTUMN	NONE	P
1-Nov-13	2	1152	3	NW LANTAU	3	214	ON	HKLR	826947	807517	AUTUMN	NONE	P
1-Nov-13	3	1203	7	NW LANTAU	3	159	ON	HKLR	827235	807539	AUTUMN	NONE	P
1-Nov-13	4	1225	1	NW LANTAU	2	137	ON	HKLR	827490	807539	AUTUMN	NONE	P
1-Nov-13	5	1236	3	NW LANTAU	2	358	ON	HKLR	828232	807530	AUTUMN	NONE	P
1-Nov-13	6	1252	7	NW LANTAU	2	ND	OFF	HKLR	828941	807583	AUTUMN	NONE	
1-Nov-13	7	1312	4	NW LANTAU	2	72	ON	HKLR	830018	805999	AUTUMN	NONE	S
1-Nov-13	8	1458	11	NW LANTAU	3	60	ON	HKLR	821228	804642	AUTUMN	NONE	P
5-Nov-13	1	1421	5	NW LANTAU	2	378	ON	HKLR	828097	808508	AUTUMN	NONE	P
8-Nov-13	1	1041	4	NW LANTAU	1	302	ON	HKLR	824489	807678	AUTUMN	NONE	P
8-Nov-13	2	1103	8	NW LANTAU	2	694	ON	HKLR	827091	807858	AUTUMN	NONE	P
8-Nov-13	3	1152	7	NW LANTAU	3	299	ON	HKLR	827660	805459	AUTUMN	NONE	P
8-Nov-13	4	1215	9	NW LANTAU	2	756	ON	HKLR	825357	805465	AUTUMN	NONE	P
8-Nov-13	5	1232	5	NW LANTAU	2	ND	OFF	HKLR	825025	805464	AUTUMN	NONE	
8-Nov-13	6	1249	4	NW LANTAU	2	7	ON	HKLR	823806	805462	AUTUMN	NONE	P
8-Nov-13	7	1400	2	NW LANTAU	2	155	ON	HKLR	818382	804657	AUTUMN	NONE	P
8-Nov-13	8	1426	8	NW LANTAU	2	149	ON	HKLR	823675	804648	AUTUMN	NONE	P
8-Nov-13	9	1526	1	NW LANTAU	2	45	ON	HKLR	826872	806446	AUTUMN	NONE	P
8-Nov-13	10	1536	4	NW LANTAU	1	225	ON	HKLR	825643	806454	AUTUMN	NONE	P
8-Nov-13	11	1606	4	NW LANTAU	2	223	ON	HKLR	821988	806457	AUTUMN	NONE	P
13-Nov-13	1	1451	1	NW LANTAU	3	343	ON	HKLR	825118	808482	AUTUMN	NONE	P

Appendix III. Individual dolphins identified during HKLR03 monitoring surveys in November 2013

ID#	DATE	STG#	AREA
CH34	05/11/13	1	NW LANTAU
	08/11/13	4	NW LANTAU
	08/11/13	5	NW LANTAU
EL01	05/11/13	1	NW LANTAU
NL24	08/11/13	4	NW LANTAU
	08/11/13	5	NW LANTAU
NL33	05/11/13	1	NW LANTAU
	08/11/13	4	NW LANTAU
	08/11/13	5	NW LANTAU
	08/11/13	11	NW LANTAU
NL37	08/11/13	2	NW LANTAU
NL46	01/11/13	3	NW LANTAU
NL48	08/11/13	9	NW LANTAU
NL49	08/11/13	2	NW LANTAU
NL80	01/11/13	3	NW LANTAU
	01/11/13	6	NW LANTAU
	08/11/13	6	NW LANTAU
NL93	01/11/13	8	NW LANTAU
NL98	01/11/13	2	NW LANTAU
NL103	08/11/13	3	NW LANTAU
NL123	08/11/13	11	NW LANTAU
NL136	01/11/13	8	NW LANTAU
NL139	01/11/13	8	NW LANTAU
	08/11/13	1	NW LANTAU
NL145	01/11/13	3	NW LANTAU
NL150	08/11/13	3	NW LANTAU
NL165	01/11/13	8	NW LANTAU
	08/11/13	1	NW LANTAU
NL182	01/11/13	6	NW LANTAU
NL188	08/11/13	8	NW LANTAU
NL212	08/11/13	3	NW LANTAU
NL226	01/11/13	1	NW LANTAU
NL236	01/11/13	7	NW LANTAU
	08/11/13	2	NW LANTAU
NL242	08/11/13	4	NW LANTAU
	08/11/13	5	NW LANTAU

ID#	DATE	STG#	AREA
NL259	01/11/13	8	NW LANTAU
NL261	01/11/13	1	NW LANTAU
	08/11/13	1	NW LANTAU
	08/11/13	10	NW LANTAU
NL262	01/11/13	8	NW LANTAU
NL269	01/11/13	8	NW LANTAU
NL272	01/11/13	1	NW LANTAU
	08/11/13	4	NW LANTAU
NL284	01/11/13	1	NW LANTAU
NL285	08/11/13	11	NW LANTAU
NL296	05/11/13	1	NW LANTAU
NL300	08/11/13	6	NW LANTAU
NL301	01/11/13	4	NW LANTAU
	01/11/13	6	NW LANTAU
SL35	08/11/13	10	NW LANTAU
WL04	01/11/13	8	NW LANTAU
WL05	01/11/13	8	NW LANTAU
WL11	08/11/13	2	NW LANTAU
WL15	08/11/13	10	NW LANTAU
WL79	08/11/13	4	NW LANTAU
WL98	08/11/13	4	NW LANTAU
WL124	08/11/13	8	NW LANTAU

NL226_20131101_1



NL261_20131101_1



NL272_20131101_1



NL284_20131101_1



NL98_20131101_2



NL46_20131101_3



NL80_20131101_3



NL145_20131101_3



NL301_20131101_4



Appendix IV. Photographs of Identified Individual Dolphins in November 2013 (HKLR03)

NL80_20131101_6



NL182_20131101_6



NL301_20131101_6



NL236_20131101_7



NL93_20131101_8



NL136_20131101_8



NL139_20131101_8



NL165_20131101_8



NL259_20131101_8



NL262_20131101_8



NL269_20131101_8



WL04_20131101_8



WL05_20131101_8



CH34_20131105_1



EL01_20131105_1



NL33_20131105_1



NL296_20131105_1



NL139_20131108_1





Appendix IV. (cont'd)

CH34_20131108_4



NL24_20131108_4



NL33_20131108_4



NL242_20131108_4



NL272_20131108_4



WL79_20131108_4



WL98_20131108_4



CH34_20131108_5



NL24_20131108_5



NL33_20131108_5



NL242_20131108_5



NL80_20131108_6



NL300_20131108_6



NL188_20131108_8



WL124_20131108_8



NL48_20131108_9



NL261_20131108_10



SL35_20131108_10





Appendix IV. (cont'd)

Appendix L

Event Action Plan

Appendix L1 *Event/ Action Plan for Air Quality*

EVENT	ACTION			
	ET ⁽¹⁾	IEC ⁽¹⁾	SOR ⁽¹⁾	Contractor
Action Level				
1. Exceedance for one sample	<ol style="list-style-type: none"> 1. Identify the source. 2. Inform the IEC and the SOR. 3. Repeat measurement to confirm finding. 4. Increase monitoring frequency to daily. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by the ET. 2. Check Contractor's working method. 	<ol style="list-style-type: none"> 1. Notify Contractor. 	<ol style="list-style-type: none"> 1. Rectify any unacceptable practice 2. Amend working methods if appropriate
2. Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Identify the source. 2. Inform the IEC and the SOR. 3. Repeat measurements to confirm findings. 4. Increase monitoring frequency to daily. 5. Discuss with the IEC and the Contractor on remedial actions required. 6. If exceedance continues, arrange meeting with the IEC and the SOR. 7. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by the ET. 2. Check the Contractor's working method. 3. Discuss with the ET and the Contractor on possible remedial measures. 4. Advise the SOR on the effectiveness of the proposed remedial measures. 5. Supervisor implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify the Contractor. 3. Ensure remedial measures properly implemented. 	<ol style="list-style-type: none"> 1. Submit proposals for remedial actions to IEC within 3 working days of notification 2. Implement the agreed proposals 3. Amend proposal if appropriate

Appendix L2 Event/ Action Plan for Construction Noise

ACTION					
EVENT	ET	IEC	SOR	Contractor	
Action Level	<ol style="list-style-type: none"> 1. Notify the IEC and the Contractor. 2. Carry out investigation. 3. Report the results of investigation to the IEC and the Contractor. 4. Discuss with the Contractor and formulate remedial measures. 5. Increase monitoring frequency to check mitigation effectiveness. 	<ol style="list-style-type: none"> 1. Review the analysed results submitted by the ET. 2. Review the proposed remedial measures by the Contractor and advise the SOR accordingly. 3. Supervise the implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 	<ol style="list-style-type: none"> 1. Submit noise mitigation proposals to IEC 2. Implement noise mitigation proposals 	
Limit Level	<ol style="list-style-type: none"> 1. Notify the IEC, the SOR, the DEP and the Contractor. 2. Identify the source. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency. 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented. 6. Inform the IEC, the SOR and the DEP the causes & actions taken for the exceedances. 7. Assess effectiveness of the Contractor's remedial actions and keep the IEC, the DEP and the SOR informed of the results. 8. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Discuss amongst the SOR, the ET and the Contractor on the potential remedial actions. 2. Review the Contractor's remedial actions whenever necessary to assure their effectiveness and advise the SOR accordingly. 3. Supervise the implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 5. If exceedance continues, consider what activity of the work is responsible and instruct the Contractor to stop that activity of work until the exceedance is abated. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance 2. Submit proposals for remedial actions to IEC within 3 working days of notification 3. Implement the agreed proposals 4. Resubmit proposals if problem still not under control 5. Stop the relevant activity of works as determined by the SOR until the exceedance is abated. 	

Appendix L3 *Event/ Action Plan for Water Quality*

Event	ET Leader	IEC	SOR	Contractor
Action level being exceeded by one sampling day	Repeat in situ measurement on next day of exceedance to confirm findings; Identify source(s) of impact; Inform IEC, contractor and SOR; Check monitoring data, all plant, equipment and Contractor's working methods.	Check monitoring data submitted by ET and Contractor's working methods.	Confirm receipt of notification of non-compliance in writing; Notify Contractor.	Inform the SOR and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Amend working methods if appropriate.
Action level being exceeded by two or more consecutive sampling days	Repeat measurement on next day of exceedance to confirm findings; Identify source(s) of impact; Inform IEC, contractor, SOR and EPD; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IEC, SOR and Contractor; Ensure mitigation measures are implemented; Increase the monitoring frequency to daily until no exceedance of Action level;	Check monitoring data submitted by ET and Contractor's working method; Discuss with ET and Contractor on possible remedial actions; Review the proposed mitigation measures submitted by Contractor and advise the SOR accordingly; Supervise the implementation of mitigation measures.	Discuss with IEC on the proposed mitigation measures; Ensure mitigation measures are properly implemented; Assess the effectiveness of the implemented mitigation measures.	Inform the Supervising Officer and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment and consider changes of working methods; Submit proposal of additional mitigation measures to SOR within 3 working days of notification and discuss with ET, IEC and SOR; Implement the agreed mitigation measures.
Limit level being exceeded by one sampling day	Repeat measurement on next day of exceedance to confirm findings; Identify source(s) of impact; Inform IEC, contractor, SOR and EPD;	Check monitoring data submitted by ET and Contractor's working method; Discuss with ET and Contractor on possible remedial actions;	Confirm receipt of notification of failure in writing; Discuss with IEC, ET and Contractor on the proposed mitigation measures;	Inform the SOR and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment

Event	ET Leader	IEC	SOR	Contractor
Limit level being exceeded by two or more consecutive sampling days	Check monitoring data, all plant, equipment and Contractor's working methods;	Review the proposed mitigation measures submitted by Contractor and advise the SOR accordingly.	Request Contractor to review the working methods.	and consider changes of working methods;
	Discuss mitigation measures with IEC, SOR and Contractor;			Submit proposal of mitigation measures to SOR within 3 working days of notification and discuss with ET, IEC and SOR.
	Repeat measurement on next day of exceedance to confirm findings;	Check monitoring data submitted by ET and Contractor's working method;	Discuss with IEC, ET and Contractor on the proposed mitigation measures;	Take immediate action to avoid further exceedance;
	Identify source(s) of impact;	Discuss with ET and Contractor on possible remedial actions;		Submit proposal of mitigation measures to SOR within 3 working days of notification and discuss with ET, IEC and SOR;
	Inform IEC, contractor, SOR and EPD;			Implement the agreed mitigation measures;
	Check monitoring data, all plant, equipment and Contractor's working methods;	Review the Contractor's mitigation measures whenever necessary to assure their effectiveness and advise the SOR accordingly;	Request Contractor to critically review the working methods;	Resubmit proposals of mitigation measures if problem still not under control;
	Discuss mitigation measures with IEC, SOR and Contractor;	Supervise the implementation of mitigation measures.	Make agreement on the mitigation measures to be implemented;	As directed by the Supervising Officer, to slow down or to stop all or part of the construction activities until no exceedance of Limit level.
	Ensure mitigation measures are implemented;		Ensure mitigation measures are properly implemented;	
	Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days;		Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the construction activities until no exceedance of Limit level.	

Appendix L4 Implementation of Event-Action Plan for Dolphin Monitoring

Event	ET Leader	IEC	SOR	Contractor
Action Level	<ol style="list-style-type: none"> 1. Repeat statistical data analysis to confirm findings; 2. Review all available and relevant data, including raw data and statistical analysis results of other parameters covered in the EM&A, to ascertain if differences are as a result of natural variation or previously observed seasonal differences; 3. Identify source(s) of impact; 4. Inform the IEC, SOR and Contractor; 5. Check monitoring data. 6. Review to ensure all the dolphin protective measures are fully and properly implemented and advise on additional measures if necessary. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor; 2. Discuss monitoring results and findings with the ET and the Contractor. 	<ol style="list-style-type: none"> 1. Discuss monitoring with the IEC and any other measures proposed by the ET; 2. If SOR is satisfied with the proposal of any other measures, SOR to signify the agreement in writing on the measures to be implemented. 	<ol style="list-style-type: none"> 1. Inform the SOR and confirm notification of the non-compliance in writing; 2. Discuss with the ET and the IEC and propose measures to the IEC and the SOR; 3. Implement the agreed measures.

Event	ET Leader	IEC	SOR	Contractor
Limit Level	<ol style="list-style-type: none"> 1. Repeat statistical data analysis to confirm findings; 2. Review all available and relevant data, including raw data and statistical analysis results of other parameters covered in the EM&A, to ascertain if differences are as a result of natural variation or previously observed seasonal differences; 3. Identify source(s) of impact; 4. Inform the IEC, ER/SOR and Contractor of findings; 5. Check monitoring data; 6. Repeat review to ensure all the dolphin protective measures are fully and properly implemented and advise on additional measures if necessary; 7. If ET proves that the source of impact is caused by any of the construction activity by the works contract, ET to arrange a meeting to discuss with IEC, ER/SOR and Contractor the necessity of additional dolphin monitoring and/or any other potential mitigation measures (e.g., consider to modify the perimeter silt curtain or consider to control/temporarily stop relevant construction activity etc.) and submit to IEC a proposal of additional dolphin monitoring and/or mitigation measures where necessary. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor; 2. Discuss monitoring results and findings with the ET and the Contractor; 3. Attend the meeting to discuss with ET, ER/SOR and Contractor the necessity of additional dolphin monitoring and any other potential mitigation measures; 4. Review proposals for additional monitoring and any other mitigation measures submitted by ET and Contractor and advise ER/SOR of the results and findings accordingly; 5. Supervise / Audit the implementation of additional monitoring and/or any other mitigation measures and advise ER/SOR the results and findings accordingly. 	<ol style="list-style-type: none"> 1. Attend the meeting to discuss with ET, IEC and Contractor the necessity of additional dolphin monitoring and any other potential mitigation measures; 2. If ER/SOR is satisfied with the proposals for additional dolphin monitoring and/or any other mitigation measures submitted by ET and Contractor and verified by IEC, ER/SOR to signify the agreement in writing on such proposals and any other mitigation measures; 3. Supervise the implementation of additional monitoring and/or any other mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the ER/SOR and confirm notification of the non-compliance in writing; 2. Attend the meeting to discuss with ET, IEC and ER/SOR the necessity of additional dolphin monitoring and any other potential mitigation measures; 3. Jointly submit with ET to IEC a proposal of additional dolphin monitoring and/or any other mitigation measures when necessary; 4. Implement the agreed additional dolphin monitoring and/or any other mitigation measures.

Appendix L5 Event and Action Plan on Dolphin Acoustic Behaviour

EVENT	ACTION			
	ET Leader	IEC	SO	Contractor
<u>Action Level</u>				
With the numerical values presented in <i>Table 5.7</i> , when any of the response variable for dolphin acoustic behaviour recorded in the construction phase monitoring is 20% lower or higher than that recorded in the baseline monitoring (see <i>Table 5.8</i>), or when there is a difference of 20% in dolphin acoustic signal detection at nighttime period at Site C1 only, the action level should be triggered	<ol style="list-style-type: none"> 1. Repeat statistical data analysis to confirm findings; 2. Review all available and relevant data to ascertain if differences are as a result of natural variation or seasonal differences; 3. Identify source(s) of impact; 4. Inform the IEC, SO and Contractor; 5. Check monitoring data; 6. Carry out audit to ensure all dolphin protective measures are implemented fully and additional measures be proposed if necessary 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor; 2. Discuss monitoring with the ET and the Contractor; 	<ol style="list-style-type: none"> 1. Discuss with the IEC the repeat monitoring and any other measures proposed by the ET; 2. Make agreement on measures to be implemented. 	<ol style="list-style-type: none"> 1. Inform the SO and confirm notification of the non-compliance in writing; 2. Discuss with the ET and the IEC and propose measures to the IEC and the SO; 3. Implement the agreed measures.

EVENT	ACTION			
	ET Leader	IEC	SO	Contractor
<p><u>Limit Level</u></p> <p>With the numerical values presented in Table 5.7, when any of the response variable for dolphin acoustic behaviour recorded in the construction phase monitoring is 40% lower or higher than that recorded in the baseline monitoring (see Table 5.8), or when there is a difference of 40% in dolphin acoustic signal detection at nighttime at Site C1 only, the limit level should be triggered</p>	<ol style="list-style-type: none"> 1. Repeat statistical data analysis to confirm findings; 2. Review all available and relevant data to ascertain if differences are as a result of natural variation or seasonal differences; 3. Identify source(s) of impact; 4. Inform the IEC, SO and Contractor; 5. Check monitoring data; 6. Carry out audit to ensure all dolphin protective measures are implemented fully and additional measures be proposed if necessary 7. Discuss additional dolphin monitoring and any other potential mitigation measures (eg consider to temporarily stop relevant portion of construction activity) with the IEC and Contractor. 	<ol style="list-style-type: none"> 1. Check monitoring data submitted by ET and Contractor; 2. Discuss monitoring with the ET and the Contractor; 3. Review proposals for additional monitoring and any other measures submitted by the Contractor and advise ER accordingly. 	<ol style="list-style-type: none"> 1. Discuss with the IEC the repeat monitoring and any other measures proposed by the ET; 2. Make agreement on measures to be implemented. 	<ol style="list-style-type: none"> 1. Inform the SO and confirm notification of the non-compliance in writing; 2. Discuss with the ET and the IEC and propose measures to the IEC and the SO; 3. Implement the agreed measures.

Abbreviations: ET – Environmental Team, IEC – Independent Environmental Checker, SO – Supervising Office

Appendix M

Monthly Summary of Waste Flow Table

Contract No. : HY/2012/07
Tuen Mun Chek Lap Kok Link – Southern Connection Viaduct Section
Monthly Summary Waste Flow Table for 2013 (Year)

Month\Material	Actual Quantities of Inert C&D Materials Generation						Actual Quantities of C&D wastes Generation					Actual Quantities of Recyclables Generation		
	Total Quantity Generated	Hard Rock and Large Broken Concrete	Reused in the Contract	Reused in other Projects	Disposed as Public Fills	Imported Fill	Marine Sediment, Cat. L	Marine Sediment, Cat. Mp	Marine Sediment, Cat. Mf	Chemical Waste	General Refuse	Metals	Paper/ cardboard packaging	Plastics
Unit	('000m ³)	('000m ³)	('000m ³)	('000m ³)	('000m ³)	('000m ³)	('000m ³)	('000m ³)	('000m ³)	('000Kg)	('000Kg)	('000Kg)	('000Kg)	('000Kg)
Jan	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Feb	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mar	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Apr	-	-	-	-	-	-	-	-	-	-	-	-	-	-
May	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jun	0	0	0	0	0	0	-	-	0	0	0	0	0	0
SUB-TOTAL	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Jul	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Aug	0	0	0	0	0	0	0	0	0	322.89	0	0	0	0
Sep	0.004	0.004	0	0	0.004	0	0	0	0	412.86	0	0	0	0
Oct	0.044	0.018	0	0	0.044	0	0	0	0	27.63	0	0	0	0
Nov	0.597	0	0.560	0	0.037	0	0	0	0	22.05	0	0	0	0
Dec														
TOTAL	0.645	0.022	0.560	-	0.085	-	-	-	-	785.43	-	-	-	-

Notes :

- 1 - The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
- 2 - Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material.
- 3 - Broken concrete for recycling into aggregates.

Appendix N

Cumulative Statistics on
Exceedances, Complaints,
Notifications of Summons
and Successful Prosecutions

Appendix N1 Cumulative Statistics on Exceedances

		Total No. recorded in this reporting month	Total No. recorded since project commencement
1-Hr TSP	Action	0	0
	Limit	0	0
24-Hr TSP	Action	0	0
	Limit	0	0
Noise	Action	0	0
	Limit	0	0
Water Quality	Action	1	1
	Limit	0	0

Appendix N2 Cumulative Statistics on Complaints, Notifications of Summons and Successful Prosecutions

Reporting Period	Cumulative Statistics		
	Complaints	Notifications of Summons	Successful Prosecutions
This Reporting Month (Nov 2013)	1	0	0
Total No. received since project commencement	1	0	0

**Email
message**

**Environmental
Resources
Management**

To ENVIRON – Hong Kong, Limited (ENPO)


From ERM- Hong Kong, Limited

Ref/Project number Contract No. HY/2012/07
Tuen Mun – Chek Lap Kok Link – Southern
Connection Viaduct Section

Subject Notification of Exceedance for Marine Water
Quality Impact Monitoring

Date 26 November 2013

16/F DCH Commercial Centre,
25 Westlands Road
Quarry Bay, Hong Kong
Telephone: (852) 2271 3113
Facsimile: (852) 2723 5660
E-mail: jovy.tam@erm.com



Dear Sir/ Madam,

Please find attached the Notification of Exceedance (NOE) of the following
Log no.:

0215660_26 November 2013_SS_ME_SR4a

Recorded on 11 December 2013.

Regards,

A handwritten signature in black ink, appearing to be 'Jovy Tam', written over a light blue horizontal line.

Mr Jovy Tam
Environmental Team Leader

CONFIDENTIALITY NOTICE

This facsimile transmission is intended only for the use of the addressee and is confidential. If you are not the addressee it may be unlawful for you to read, copy, distribute, disclose or otherwise use the information in this facsimile. If you are not the intended recipient, please telephone or fax us immediately.



ERM-Hong Kong, Limited
CONTRACT NO. HY/2012/07
TUEN MUN – CHEK LAP KOK LINK –
SOUTHERN CONNECTION VIADUCT SECTION

Marine Water Quality Impact Monitoring

Notification of Exceedance

Log No.	0215660_26November2013_SS_ME_SR4a [Total No. of Exceedances = 1]	
Date	26 November 2013 (Measured) 27 November 2013 (<i>In situ</i> results received by ERM) 10 December 2013 (Laboratory results received by ERM)	
Monitoring Station	CS(Mf)5, SR4a, SR4, IS8, IS(Mf)16, IS(Mf)9, CS(Mf)3	
Parameter(s) with Exceedance(s)	Depth-averaged Suspended Solids (SS)	
Action Levels	SS	23.5
Limit Levels	SS	34.4
Measured Levels	Action Level Exceedance is observed at SR4a (26.6 mg/L) during mid-ebb tide.	
Works Undertaken (at the time of monitoring event)	On 26 November 2013, marine works (ie rock grabbing by Barge Yu Fat No. B21494V from 08:00 to 17:30 and Survey Tower Installation at G28 from 08:00 to 17:30) were being carried out. After examination of the marine works record, it is confirmed that no marine works were being carried out when exceedance of depth-averaged SS level was recorded at SR4a during mid-ebb tide (18:26-21:56).	
Possible Reason for Action or Limit Level Exceedance(s)	The exceedance of depth-averaged SS at SR4a during mid-ebb tide is unlikely to be due to the Project, in view of the following: <ul style="list-style-type: none"> • Suspended solid level at surface water depth at SR4a was 8 mg/L. The Action Level exceedance of depth-averaged SS was due to the exceedance of SS level at bottom water depth. Since SR4a is located in shallow waters (~ 4.7 m), such exceedance was likely due to sediment disturbance caused by water sampler touching seabed. 	
Actions Taken / To Be Taken	No immediate action is considered necessary. The ET will monitor for future trends in exceedances.	
Remarks	The monitoring results and the locations of water quality monitoring stations are attached.	

Date	Tidal Level	Sea Condition	Station	Monitoring Period	Depth + Replicate No.	Replicate	Depth (m)	Water Temp (°C)	Salinity (ppt)	D.O. (mg/L)	Turbidity (NTU)	SS (mg/L)	Ave. D.O. (mg/L) S, M, B	Turbidity (Depth-ave.) (NTU)	SS (Depth-ave.) (mg/L)
26-11-13	Mid-Flood	Moderate	CS(Mf)5	12:21-12:45	S1	R1	1.0	22.2	23.3	6.89	4.65	5.3	6.88	4.78	6.4
					S2	R2		22.2	23.3	6.86	4.69	5.3			
					M1	R1	4.8	22.3	23.9	6.57	4.36	5.8	6.56		
					M2	R2		22.3	23.9	6.55	4.32	6.3			
					B1	R1	8.6	22.5	24	6.35	5.36	8.8	6.33		
					B2	R2		22.5	24	6.31	5.31	7.1			
			SR4a	12:55-13:09	S1	R1	1.0	22.2	23.3	6.84	5.47	6.4	6.82	10.02	8.6
					S2	R2		22.2	23.3	6.8	5.42	5			
					M1	R1	4.2	22.3	23.5	6.6	14.6	11.2	6.59		
					M2	R2		22.3	23.5	6.57	14.6	11.7			
					B1	R1	1.0	22.1	23.3	6.86	6	8.4	6.85		
					B2	R2		22.1	23.3	6.83	6.07	8.6			
			SR4	13:20-13:26	S1	R1	1.0	22.6	23.8	6.13	14.9	16.1	6.15	10.47	12.4
					S2	R2		22.6	23.8	6.16	14.9	16.6			
					M1	R1	4.2	22.1	23.3	6.83	5.97	6	6.81		
					M2	R2		22.1	23.3	6.79	5.91	4.5			
					B1	R1	4.4	22.4	23.6	6.42	12.7	12	6.41		
					B2	R2		22.4	23.6	6.39	12.7	13.7			
			IS8	13:46-14:03	S1	R1	1.0	22.2	23.3	6.77	10.6	12	6.76	9.32	9.1
					S2	R2		22.2	23.3	6.75	10.6	11.9			
					M1	R1	3.9	22.4	23.8	6.3	13.2	14.7	6.28		
					M2	R2		22.4	23.7	6.25	13.2	13.8			
					B1	R1	6.8	22.5	23.9	6.14	17.5	18	6.16		
					B2	R2		22.5	23.9	6.17	17.6	16.3			
			IS(Mf)16	14:16-14:36	S1	R1	1.0	22.2	23.3	6.59	6.57	6.6	6.58	13.78	14.5
					S2	R2		22.2	23.3	6.57	6.52	6			
					M1	R1	4.0	22.5	23.7	6.32	13.9	13.2	6.31		
					M2	R2		22.5	23.7	6.29	13.8	13.8			
					B1	R1	1.0	22.2	23.7	6.64	4.51	4.6	6.63		
					B2	R2		22.2	23.7	6.61	4.59	3.6			
			IS(Mf)9	14:46-15:04	S1	R1	1.0	22.1	24	6.4	4.58	4.7	6.38	4.82	4.8
					S2	R2		22.1	24	6.36	4.63	4			
					M1	R1	4.5	22.5	24.8	6.02	5.28	6.1	6.04		
					M2	R2		22.5	24.8	6.05	5.35	5.7			
					B1	R1	8.0	22.2	23.3	6.86	6	8.4	6.85		
					B2	R2		22.2	23.3	6.83	6.07	8.6			
			CS(Mf)3	15:19-15:51	S1	R1	1.0	22.1	23.3	6.83	5.97	6	6.81	10.20	9.9
					S2	R2		22.1	23.3	6.79	5.91	4.5			
					M1	R1	4.4	22.4	23.6	6.42	12.7	12	6.41		
					M2	R2		22.4	23.6	6.39	12.7	13.7			
					B1	R1	4.4	22.4	23.6	6.39	12.7	13.7	6.41		
					B2	R2		22.4	23.6	6.39	12.7	13.7			
			CS(Mf)5	15:19-15:51	S1	R1	1.0	22.2	23.3	6.86	6	8.4	6.85	10.47	12.4
					S2	R2		22.1	23.3	6.83	6.07	8.6			
					M1	R1	4.2	22.6	23.8	6.13	14.9	16.1	6.15		
					M2	R2		22.6	23.8	6.16	14.9	16.6			
					B1	R1	1.0	22.1	23.3	6.83	5.97	6	6.81		
					B2	R2		22.1	23.3	6.79	5.91	4.5			
SR4a	15:19-15:51	S1	R1	1.0	22.2	23.3	6.84	5.47	6.4	6.82	10.02	8.6			
		S2	R2		22.2	23.3	6.8	5.42	5						
		M1	R1	4.2	22.3	23.5	6.6	14.6	11.2	6.59					
		M2	R2		22.3	23.5	6.57	14.6	11.7						
		B1	R1	1.0	22.1	23.3	6.86	6	8.4	6.85					
		B2	R2		22.1	23.3	6.83	6.07	8.6						
IS8	15:19-15:51	S1	R1	1.0	22.6	23.8	6.13	14.9	16.1	6.15	10.47	12.4			
		S2	R2		22.6	23.8	6.16	14.9	16.6						
		M1	R1	4.2	22.1	23.3	6.83	5.97	6	6.81					
		M2	R2		22.1	23.3	6.79	5.91	4.5						
		B1	R1	4.4	22.4	23.6	6.42	12.7	12	6.41					
		B2	R2		22.4	23.6	6.39	12.7	13.7						
IS(Mf)16	15:19-15:51	S1	R1	1.0	22.2	23.3	6.77	10.6	12	6.76	9.32	9.1			
		S2	R2		22.2	23.3	6.75	10.6	11.9						
		M1	R1	3.9	22.4	23.8	6.3	13.2	14.7	6.28					
		M2	R2		22.4	23.7	6.25	13.2	13.8						
		B1	R1	6.8	22.5	23.9	6.14	17.5	18	6.16					
		B2	R2		22.5	23.9	6.17	17.6	16.3						
IS(Mf)9	15:19-15:51	S1	R1	1.0	22.2	23.3	6.59	6.57	6.6	6.58	13.78	14.5			
		S2	R2		22.2	23.3	6.57	6.52	6						
		M1	R1	4.0	22.5	23.7	6.32	13.9	13.2	6.31					
		M2	R2		22.5	23.7	6.29	13.8	13.8						
		B1	R1	1.0	22.2	23.7	6.64	4.51	4.6	6.63					
		B2	R2		22.2	23.7	6.61	4.59	3.6						
CS(Mf)3	15:19-15:51	S1	R1	1.0	22.1	24	6.4	4.58	4.7	6.38	4.82	4.8			
		S2	R2		22.1	24	6.36	4.63	4						
		M1	R1	4.5	22.5	24.8	6.02	5.28	6.1	6.04					
		M2	R2		22.5	24.8	6.05	5.35	5.7						
		B1	R1	8.0	22.2	23.3	6.86	6	8.4	6.85					
		B2	R2		22.2	23.3	6.83	6.07	8.6						


Date	Tidal Level	Sea Condition	Station	Monitoring Period	Depth + Replicate No.	Replicate	Depth (m)	Water Temp (°C)	Salinity (ppt)	D.O. Saturation (%)	D.O. (mg/L)	Turbidity (NTU)	Ave. D.O. (mg/L) S, M, B	Turbidity (Depth-ave.) (NTU)	SS (Depth-ave.) (mg/L)				
26-11-13	Mid-Ebb	Moderate	CS(Mf)3	18:26-18:50	S1	R1	1.0	22.3	23.7	6.67	5.07	4.6	6.64	5.24	5.9				
					S2	R2		22.2	23.7	6.61	5.03	5.1							
					M1	R1	4.2	22.1	24.1	6.31	5.4	4.2	6.33						
					M2	R2		22.1	24	6.34	5.48	5.7							
					B1	R1	7.4	22.4	24.7	6.04	5.2	7.4	6.03						
					B2	R2		22.4	24.7	6.02	5.25	8.4							
			SR4a	20:57-21:21	S1	R1	1.0	22.2	23.4	6.63	6.32	7	6.65	9.85	26.6				
					S2	R2		22.1	23.3	6.67	6.67	9							
					M1	R1	3.6	22.4	23.6	6.47	13.4	46.8	6.48						
					B2	R2		22.4	23.7	6.49	13	43.4							
					SR4	20:22-20:46	S1	R1	1.0	22.2	23.3	6.72	5.95			11.3	6.75	11.39	15.3
							S2	R2		22.1	23.2	6.78	6.02			13			
			B1	R1			3.6	22.5	23.7	6.23	17	19.3	6.22						
			B2	R2				22.4	23.8	6.2	16.6	17.5							
			IS8	19:53-20:17			S1	R1	1.0	22.2	23.3	6.82	6.03	8.1	6.82	10.03	11.4		
							S2	R2		22.2	23.4	6.81	6.07	7.9					
					B1	R1	5.0	22.4	23.6	6.34	13.9	14.4	6.35						
					B2	R2		22.4	23.6	6.36	14.1	15.1							
					IS(Mf)16	19:24-19:48	S1	R1	1.0	22.3	23.4	6.71	9.23	11.5	6.72			13.60	18.7
							S2	R2		22.2	23.4	6.73	9.27	12.2					
			M1	R1			3.3	22.2	23.5	6.59	12.6	13.3	6.61						
			M2	R2				22.3	23.6	6.62	12.9	13.1							
			B1	R1			5.6	22.5	23.7	6.07	18.6	31.1	6.09						
			B2	R2				22.4	23.8	6.1	19	30.7							
			IS(Mf)9	18:55-19:19	S1	R1	1.0	22.2	23.8	6.5	5.38	4.8	6.54	10.68	6.0				
					S2	R2		22.3	23.7	6.58	5.42	5.1							
					M1	R1	3.6	22.4	24.8	6.27	15.8	6.4	6.29						
					B2	R2		22.4	24.7	6.3	16.1	7.5							
					CS(Mf)5	21:32-21:56	S1	R1	1.0	22.3	23.4	6.59	4.86			4	6.60	5.52	5.3
							S2	R2		22.3	23.5	6.61	4.88			4.4			
			M1	R1			5.2	22.2	23.5	6.54	5.6	4.9	6.52						
			M2	R2				22.3	23.6	6.5	5.68	5							
			B1	R1			9.4	22.4	23.8	6.11	6.02	7	6.12						
			B2	R2				22.5	23.8	6.13	6.08	6.4							

Note: (1) Indicates Exceedance of Action Level

Indicates Exceedance of Limit Level

Key

- Control / Far Field Station
- Impact Station
- Sensitive Receiver Station
- Site Boundary



WQMS	X	Y
Impact Station		
IS8	814251	818412
IS(Mf)9	813273	818850
IS(Mf)16	814328	819497
Control / Far Field Station		
CS(Mf)3	809989	821117
CS(Mf)5	817990	821129
Sensitive Receiver Station		
SR4	814760	817867
SR4a	815247	818067

Figure 4.1

Locations of Water Quality Monitoring Stations

COMPLAINT INVESTIGATION REPORT

Basic Information of Complaint

Reference Number:	EP3/N09/RS/00026142-13
Date of Complaint Received	19 November 2013
Location of Complaint	Tung Chung New Development Pier
Nature of Complaint	Noise generated from a barge which is moving through the southern channel of HyD's construction site in Lantau
Complaint Received by	Environmental Protection Department (EPD)
Complainant	A local resident living in Tung Chung town

Details of Complaint

On 11 November 2013, a complaint was received by the EPD regarding the noise nuisance generated by a barge moving through the southern channel of HyD's construction site in the vicinity of the Tung Chung New Development Pier after 23:00 on 8 November 2013. The Contractor received the complaint notification on 18 November 2013.

Investigation Report

Upon receiving the complaint notification from EPD on 18 November 2013, the Contractor had promptly checked the works summary and had notified SOR on 19 November that no site activities were taken place after 18:00 for the date concerned.

Based on the works summary, activities conducted under this Contract strictly followed the conditions stated in the approved Construction Noise Permits (CNPs). In addition, the main site activities were located near Tai Ho Wan which is more than 2km from the concerned location the complaint referred to. Therefore, any noise generated from this Contract's work should be acceptable and should be insignificant after distance attenuation.

Based on the above, the concerned noise nuisance was considered not related to this Contract's work.

Mitigation Measures and Follow-Up Actions Recommended to Contractor

The Contractor was reminded to adhere strictly to the Construction Noise Mitigation Plan and to implement all relevant noise mitigation measures recommended or specified in the EIA Report, EM&A Manual, EMP, Method Statements, General and Particular Specifications of this Contract to avoid causing noise nuisance.

The Contractor is also reminded to ensure that the construction plant deployed for the works during restricted hours is in strict compliance with the relevant CNP granted.

Date of File Closed : 19 November 2013

Approved and Filed by:



(Jovy Tam, ET Leader)

Date: 19 November 2013