

Annex D

Breakdown of Noise Levels

- Without mitigation measures (D1-D9)
- With mitigation measures (D10-D18)

Breakdown of noise levels (without mitigation measures)

Facade	Floor	Unaltered	New	Total
344	Low	65.0	32.4	65.0
	Mid	66.7	32.3	66.7
	Top	67.0	37.4	67.0
345	Low	60.3	78.7	78.8
	Mid	60.3	78.7	78.8
	Top	60.3	78.6	78.7
346	Low	63.8	63.7	66.8
	Mid	70.3	67.4	72.1
	Top	68.1	65.4	70.0
355	Low	65.6	66.4	69.0
	Mid	66.9	70.2	71.9
	Top	65.0	68.2	69.9
364	Low	68.0	71.1	72.8
	Mid	64.7	75.1	75.5
	Top	62.6	72.6	73.0
371	Low	54.0	69.3	69.5
	Mid	60.8	74.3	74.5
	Top	62.3	71.9	72.4
377	Low	36.6	55.4	55.5
	Mid	55.7	61.9	62.8
	Top	56.0	62.4	63.3
378	Low	53.7	37.3	53.8
	Mid	57.8	58.7	61.3
	Top	59.0	59.2	62.1
379	Low	54.3	46.9	55.0
	Mid	56.5	60.2	61.7
	Top	57.2	60.3	62.0
381	Low	76.8	65.9	77.2
	Mid	73.6	64.3	74.1
	Top	71.4	62.8	72.0
382	Low	38.5	47.1	47.7
	Mid	58.8	58.3	61.6
	Top	60.0	58.7	62.4
383	Low	37.6	49.8	50.0
	Mid	58.6	59.5	62.1
	Top	59.3	59.7	62.5
386	Low	49.7	36.1	49.9
	Mid	59.9	57.5	61.9
	Top	61.4	57.9	63.0

Breakdown of noise levels (without mitigation measures)

Facade	Floor	Unaltered	New	Total
387	Low	55.1	41.6	55.3
	Mid	58.9	58.9	61.9
	Top	59.9	59.1	62.5
390	Low	57.4	44.3	57.6
	Mid	61.4	56.5	62.6
	Top	63.0	57.1	64.0
391	Low	58.5	38.3	58.6
	Mid	59.2	47.3	59.5
	Top	61.8	48.8	62.0
393	Low	60.3	36.8	60.3
	Mid	61.6	39.7	61.6
	Top	63.2	47.0	63.3
395	Low	37.3	46.1	46.6
	Mid	37.3	62.2	62.2
	Top	46.5	62.8	62.9
397	Low	56.4	41.9	56.6
	Mid	59.0	53.7	60.2
	Top	59.7	56.3	61.3
399	Low	37.0	42.5	43.6
	Mid	37.0	56.9	56.9
	Top	46.2	59.1	59.3
500	Low	70.7	74.9	76.3
	Mid	70.6	73.1	75.0
	Top	69.8	70.8	73.3
501	Low	45.4	73.6	73.6
	Mid	55.6	72.2	72.3
	Top	55.7	70.2	70.3
502	Low	54.6	76.9	77.0
	Mid	58.5	74.9	75.0
	Top	59.3	72.6	72.8
503	Low	39.4	65.0	65.0
	Mid	45.8	65.0	65.0
	Top	46.3	63.8	63.8
504	Low	57.0	68.2	68.5
	Mid	62.6	68.8	69.7
	Top	62.2	67.4	68.6
505	Low	49.3	54.3	55.5
	Mid	55.0	56.0	58.5
	Top	55.2	56.1	58.7

Breakdown of noise levels (without mitigation measures)

Facade	Floor	Unaltered	New	Total
510	Low	43.5	62.6	62.7
	Mid	54.7	63.6	64.2
	Top	55.3	64.6	65.1
512	Low	35.6	62.1	62.1
	Mid	35.6	62.8	62.8
	Top	45.9	63.3	63.4
517	Low	36.2	56.9	56.9
	Mid	36.2	61.3	61.3
	Top	44.0	63.4	63.5
531	Low	45.2	67.4	67.5
	Mid	45.9	67.8	67.8
	Top	48.4	68.5	68.5
541	Low	43.3	62.8	62.9
	Mid	46.2	64.8	64.9
	Top	49.7	65.3	65.5
569	Low	60.0	59.9	63.0
	Mid	60.1	60.0	63.1
	Top	60.3	60.7	63.5
573	Low	63.5	36.1	63.5
	Mid	63.5	38.7	63.5
	Top	63.6	48.8	63.7
576	Low	35.1	63.0	63.0
	Mid	36.0	63.3	63.3
	Top	43.9	63.6	63.6
579	Low	60.3	35.8	60.3
	Mid	60.5	38.4	60.5
	Top	60.9	48.4	61.1
580	Low	39.8	58.3	58.4
	Mid	46.5	58.6	58.8
	Top	52.0	59.3	60.1
581	Low	60.6	53.0	61.3
	Mid	60.9	57.6	62.5
	Top	61.4	59.1	63.4
585	Low	58.2	39.8	58.2
	Mid	58.6	53.1	59.7
	Top	59.6	54.9	60.9
587	Low	35.9	57.0	57.1
	Mid	37.3	57.4	57.5
	Top	45.0	59.9	60.0

Breakdown of noise levels (without mitigation measures)

Facade	Floor	Unaltered	New	Total
590	Low	41.9	73.1	73.1
	Mid	46.0	72.9	73.0
	Top	64.3	73.8	74.3
600	Low	33.2	72.8	72.8
	Mid	35.2	72.9	72.9
	Top	39.1	73.2	73.2
601	Low	37.3	72.1	72.1
	Mid	38.1	72.2	72.2
	Top	39.7	72.4	72.4
605	Low	34.9	69.2	69.2
	Mid	38.0	69.3	69.3
	Top	43.0	69.5	69.5
611	Low	55.5	71.3	71.5
	Mid	56.3	75.4	75.4
	Top	56.1	73.7	73.7
612	Low	43.0	67.0	67.0
	Mid	49.5	68.3	68.4
	Top	53.0	68.0	68.1
613	Low	34.2	71.7	71.7
	Mid	34.1	74.1	74.1
	Top	42.8	72.6	72.6
621	Low	56.1	66.6	67.0
	Mid	57.3	74.8	74.8
	Top	57.0	73.3	73.4
622	Low	42.3	63.5	63.5
	Mid	50.6	66.6	66.7
	Top	53.1	66.7	66.9
631	Low	56.7	64.6	65.3
	Mid	58.0	74.5	74.6
	Top	57.8	73.1	73.2
632	Low	42.6	61.4	61.4
	Mid	52.2	65.5	65.7
	Top	54.7	65.8	66.2
641	Low	57.1	64.1	64.9
	Mid	58.0	74.2	74.3
	Top	57.8	73.0	73.1
642	Low	47.2	59.0	59.2
	Mid	51.7	64.5	64.8
	Top	54.0	65.0	65.3

Breakdown of noise levels (without mitigation measures)

Facade	Floor	Unaltered	New	Total
645	Low	73.7	52.7	73.7
	Mid	73.6	52.8	73.7
	Top	73.6	52.9	73.6
650	Low	75.7	62.4	75.9
	Mid	74.5	64.2	74.9
	Top	72.7	64.4	73.3
651	Low	58.9	67.3	67.9
	Mid	59.4	74.4	74.5
	Top	59.0	73.0	73.2
652	Low	52.1	59.0	59.9
	Mid	53.9	63.8	64.2
	Top	55.4	64.3	64.8
653	Low	58.4	69.0	69.4
	Mid	58.7	71.1	71.4
	Top	59.2	70.0	70.4
656	Low	77.5	68.0	78.0
	Mid	75.3	68.6	76.2
	Top	72.5	66.8	73.5
660	Low	80.2	61.7	80.2
	Mid	80.0	61.9	80.0
	Top	79.7	62.1	79.8
661	Low	76.6	54.2	76.6
	Mid	76.6	54.8	76.6
	Top	76.5	55.4	76.5
664	Low	59.4	73.5	73.7
	Mid	59.4	74.0	74.2
	Top	59.4	74.7	74.8
665	Low	59.3	74.1	74.3
	Mid	59.6	74.4	74.5
	Top	59.8	74.7	74.9
675	Low	54.5	67.4	67.6
	Mid	55.2	67.7	68.0
	Top	57.0	68.3	68.6
676	Low	58.7	63.4	64.7
	Mid	58.8	63.6	64.8
	Top	59.5	64.0	65.3
677	Low	48.3	56.6	57.2
	Mid	48.8	58.9	59.3
	Top	56.9	64.6	65.3

Breakdown of noise levels (without mitigation measures)

Facade	Floor	Unaltered	New	Total
679	Low	64.4	53.3	64.7
	Mid	64.4	53.4	64.8
	Top	64.5	53.7	64.8
688	Low	73.0	71.5	75.4
	Mid	71.7	72.7	75.3
	Top	70.2	71.6	74.0
700	Low	76.7	76.9	79.8
	Mid	76.5	78.4	80.6
	Top	76.1	78.2	80.3
711	Low	65.2	73.8	74.4
	Mid	60.6	73.2	73.5
	Top	57.8	71.8	72.0
712	Low	66.6	74.4	75.0
	Mid	63.0	72.8	73.2
	Top	61.0	70.8	71.2
721	Low	67.1	76.4	76.9
	Mid	66.1	73.6	74.3
	Top	64.5	71.1	72.0
722	Low	57.8	71.1	71.3
	Mid	61.0	70.0	70.5
	Top	59.7	68.1	68.7
731	Low	52.4	70.0	70.0
	Mid	63.3	70.1	70.9
	Top	62.3	68.5	69.5
732	Low	41.3	61.7	61.8
	Mid	60.1	62.2	64.3
	Top	61.3	66.1	67.4
751	Low	44.8	45.7	48.3
	Mid	63.6	63.8	66.7
	Top	64.5	67.8	69.5
761	Low	64.0	44.4	64.0
	Mid	66.3	59.2	67.1
	Top	65.8	67.1	69.5
762	Low	66.5	56.8	66.9
	Mid	66.4	58.3	67.0
	Top	65.3	59.4	66.3
763	Low	43.1	55.5	55.8
	Mid	48.8	58.0	58.5
	Top	51.9	59.1	59.8

Breakdown of noise levels (without mitigation measures)

Facade	Floor	Unaltered	New	Total
771	Low	57.9	50.1	58.6
	Mid	58.2	54.7	59.8
	Top	58.5	58.0	61.3
772	Low	36.1	62.7	62.7
	Mid	44.8	63.5	63.6
	Top	49.3	64.1	64.2
811	Low	67.9	61.7	68.8
	Mid	69.0	67.2	71.2
	Top	69.1	66.1	70.8
812	Low	65.9	62.4	67.5
	Mid	68.0	68.4	71.2
	Top	67.6	67.3	70.5
813	Low	39.6	64.5	64.5
	Mid	39.4	67.5	67.5
	Top	48.9	66.6	66.6
814	Low	39.6	64.8	64.8
	Mid	39.5	67.2	67.2
	Top	48.5	66.4	66.5
821	Low	38.7	61.1	61.1
	Mid	38.6	64.6	64.6
	Top	46.4	64.1	64.2
831	Low	68.1	63.0	69.3
	Mid	68.2	67.2	70.8
	Top	68.7	66.6	70.8
832	Low	69.4	63.6	70.4
	Mid	69.5	66.0	71.1
	Top	69.9	65.7	71.3
841	Low	67.1	58.0	67.6
	Mid	67.5	62.2	68.7
	Top	68.0	62.6	69.1
842	Low	68.1	59.9	68.7
	Mid	68.7	61.3	69.4
	Top	68.9	61.6	69.7
844	Low	33.3	73.1	73.1
	Mid	35.9	73.1	73.1
	Top	40.6	73.2	73.2
851	Low	36.9	75.1	75.1
	Mid	38.7	75.2	75.2
	Top	42.2	75.4	75.4

Breakdown of noise levels (without mitigation measures)

Facade	Floor	Unaltered	New	Total
854	Low	33.1	74.3	74.3
	Mid	36.0	74.4	74.4
	Top	41.3	74.6	74.6
855	Low	0.0	71.4	71.4
	Mid	0.0	71.6	71.6
	Top	0.0	71.6	71.6
861	Low	37.5	41.3	42.8
	Mid	37.5	64.0	64.1
	Top	46.7	64.4	64.5
886	Low	36.7	55.6	55.6
	Mid	41.5	56.3	56.4
	Top	51.0	58.5	59.2
900	Low	43.9	67.5	67.5
	Mid	43.9	67.6	67.6
	Top	44.0	67.8	67.8
911	Low	39.5	48.0	48.6
	Mid	56.0	63.9	64.5
	Top	57.8	64.5	65.3
912	Low	36.5	60.1	60.2
	Mid	37.6	64.3	64.3
	Top	46.2	65.5	65.6
922	Low	39.1	63.9	64.0
	Mid	47.3	64.8	64.9
	Top	49.4	65.5	65.6
950	Low	66.5	73.3	74.1
	Mid	66.5	75.1	75.6
	Top	67.2	75.7	76.3
951	Low	76.3	55.2	76.4
	Mid	76.3	58.1	76.4
	Top	76.3	58.0	76.4
954	Low	70.5	76.5	77.4
	Mid	68.9	75.9	76.7
	Top	68.0	74.0	75.0
955	Low	72.3	75.5	77.2
	Mid	69.8	75.8	76.8
	Top	68.4	74.1	75.1
956	Low	73.4	72.6	76.0
	Mid	71.4	73.5	75.6
	Top	69.8	72.1	74.1

Breakdown of noise levels (without mitigation measures)

Facade	Floor	Unaltered	New	Total
957	Low	57.1	68.2	68.5
	Mid	63.2	71.0	71.6
	Top	63.6	69.5	70.5
961	Low	61.0	64.4	66.1
	Mid	63.6	68.0	69.3
	Top	63.9	67.3	68.9
975	Low	61.4	71.1	71.5
	Mid	61.4	71.1	71.5
	Top	61.3	71.2	71.6
981	Low	57.5	69.6	69.9
	Mid	57.7	69.9	70.1
	Top	57.9	70.4	70.7
983	Low	33.1	77.2	77.2
	Mid	35.7	77.6	77.6
	Top	40.7	77.7	77.7
984	Low	33.5	73.4	73.4
	Mid	36.1	73.6	73.6
	Top	41.1	73.9	73.9
991	Low	64.9	72.5	73.2
	Mid	60.6	71.6	71.9
	Top	58.3	70.0	70.3
992	Low	60.1	72.4	72.7
	Mid	59.3	71.5	71.8
	Top	58.0	70.0	70.2
993	Low	63.1	72.1	72.6
	Mid	59.9	70.3	70.7
	Top	57.5	68.2	68.5
994	Low	67.0	71.0	72.5
	Mid	63.2	69.5	70.4
	Top	60.5	67.5	68.3
995	Low	65.9	70.8	72.1
	Mid	64.1	69.3	70.4
	Top	61.9	67.3	68.4
996	Low	66.3	71.4	72.6
	Mid	65.0	69.3	70.7
	Top	63.1	67.3	68.7

Breakdown of noise levels (with mitigation measures)

Facade	Floor	Unaltered	New	Total
344	Low	65.0	32.4	65.0
	Mid	66.7	32.3	66.7
	Top	67.0	37.4	67.0
345	Low	46.7	63.6	63.7
	Mid	48.7	65.5	65.5
	Top	51.8	68.6	68.7
346	Low	63.8	63.7	66.8
	Mid	70.3	67.2	72.0
	Top	68.1	65.2	69.9
355	Low	65.6	66.4	69.0
	Mid	66.9	70.2	71.9
	Top	65.0	68.2	69.9
364	Low	68.0	71.1	72.8
	Mid	64.7	75.1	75.4
	Top	62.6	72.6	73.0
371	Low	54.0	69.3	69.5
	Mid	60.9	73.9	74.1
	Top	62.4	71.8	72.2
377	Low	36.6	54.4	54.4
	Mid	55.7	59.8	61.2
	Top	56.0	60.5	61.8
378	Low	53.7	36.9	53.8
	Mid	57.8	57.2	60.5
	Top	59.0	57.8	61.5
379	Low	54.3	46.8	55.0
	Mid	56.5	59.1	61.0
	Top	57.2	59.3	61.4
381	Low	76.8	65.9	77.2
	Mid	73.6	63.5	74.0
	Top	71.4	61.8	71.9
382	Low	38.5	41.1	43.0
	Mid	58.8	56.5	60.8
	Top	60.0	57.1	61.8
383	Low	37.6	49.7	50.0
	Mid	58.6	58.4	61.5
	Top	59.3	58.6	62.0
386	Low	49.7	35.7	49.9
	Mid	59.9	55.5	61.3
	Top	61.4	56.0	62.5

Breakdown of noise levels (with mitigation measures)

Facade	Floor	Unaltered	New	Total
387	Low	55.1	41.5	55.3
	Mid	58.9	57.7	61.3
	Top	59.9	57.9	62.0
390	Low	57.4	39.5	57.5
	Mid	61.4	54.7	62.3
	Top	63.0	55.5	63.7
391	Low	58.5	37.8	58.5
	Mid	59.2	47.2	59.5
	Top	61.8	48.4	62.0
393	Low	60.3	36.5	60.3
	Mid	61.6	39.6	61.6
	Top	63.2	46.7	63.3
395	Low	37.3	43.4	44.3
	Mid	37.3	58.8	58.8
	Top	46.5	60.4	60.6
397	Low	56.4	41.3	56.5
	Mid	59.0	50.6	59.6
	Top	59.7	52.6	60.4
399	Low	37.0	40.7	42.2
	Mid	37.0	55.7	55.8
	Top	46.2	58.3	58.6
500	Low	68.4	64.9	70.0
	Mid	68.7	64.3	70.0
	Top	67.7	62.3	68.8
501	Low	0.00	67.7	67.7
	Mid	0.00	66.0	66.0
	Top	0.00	63.9	63.9
502	Low	0.00	68.3	68.3
	Mid	0.00	66.9	66.9
	Top	0.00	64.8	64.8
503	Low	45.7	61.2	61.3
	Mid	45.8	62.7	62.8
	Top	46.2	60.4	60.6
504	Low	57.0	66.0	66.5
	Mid	62.6	68.1	69.2
	Top	62.2	67.0	68.2
505	Low	49.2	47.5	51.5
	Mid	55.0	49.0	55.9
	Top	55.2	49.8	56.3

Breakdown of noise levels (with mitigation measures)

Facade	Floor	Unaltered	New	Total
510	Low	43.5	60.6	60.7
	Mid	54.7	61.5	62.3
	Top	55.3	62.7	63.4
512	Low	35.6	59.7	59.7
	Mid	35.6	60.4	60.4
	Top	45.9	61.1	61.2
517	Low	36.2	55.3	55.4
	Mid	36.2	58.6	58.6
	Top	44.0	61.6	61.7
531	Low	45.2	61.9	62.0
	Mid	45.9	62.9	63.0
	Top	48.4	64.5	64.6
541	Low	42.8	58.4	58.5
	Mid	46.8	59.6	59.8
	Top	50.2	61.0	61.4
569	Low	60.0	54.8	61.1
	Mid	60.1	55.0	61.3
	Top	60.3	56.4	61.8
573	Low	63.5	35.8	63.5
	Mid	63.5	38.3	63.5
	Top	63.6	47.8	63.7
576	Low	35.1	61.4	61.4
	Mid	36.0	61.7	61.7
	Top	43.9	61.9	62.0
579	Low	60.3	35.3	60.3
	Mid	60.5	37.7	60.5
	Top	60.9	47.0	61.0
580	Low	39.8	56.5	56.6
	Mid	46.5	56.7	57.1
	Top	51.8	57.5	58.5
581	Low	60.6	49.5	61.0
	Mid	60.9	55.6	62.0
	Top	61.4	57.1	62.7
585	Low	58.2	39.3	58.2
	Mid	58.6	51.2	59.3
	Top	59.6	53.1	60.5
587	Low	35.9	52.6	52.7
	Mid	37.3	53.3	53.4
	Top	45.0	57.0	57.3

Breakdown of noise levels (with mitigation measures)

Facade	Floor	Unaltered	New	Total
590	Low	42.1	66.7	66.7
	Mid	46.2	66.7	66.8
	Top	64.3	70.0	71.0
600	Low	33.2	66.4	66.4
	Mid	35.2	67.4	67.4
	Top	39.1	68.9	68.9
601	Low	37.3	63.8	63.8
	Mid	38.1	64.7	64.7
	Top	39.7	65.7	65.7
605	Low	34.9	61.1	61.1
	Mid	37.9	61.6	61.6
	Top	42.8	62.2	62.2
611	Low	55.5	57.9	59.8
	Mid	56.3	63.2	64.0
	Top	56.0	62.7	63.5
612	Low	41.9	64.4	64.5
	Mid	48.3	67.6	67.7
	Top	52.0	67.6	67.7
613	Low	34.0	66.0	66.0
	Mid	33.9	68.3	68.3
	Top	42.3	67.9	67.9
621	Low	56.1	57.5	59.5
	Mid	57.3	63.9	64.8
	Top	57.0	63.1	64.1
622	Low	40.6	60.9	60.9
	Mid	48.5	65.4	65.5
	Top	52.0	66.2	66.4
631	Low	56.7	58.5	60.7
	Mid	58.0	65.4	66.1
	Top	57.8	64.3	65.2
632	Low	42.1	58.8	58.9
	Mid	50.9	63.8	64.0
	Top	53.9	65.2	65.5
641	Low	57.1	60.4	62.0
	Mid	58.0	67.1	67.6
	Top	57.8	65.8	66.4
642	Low	47.0	56.8	57.2
	Mid	50.7	62.3	62.5
	Top	53.3	64.0	64.4

Breakdown of noise levels (with mitigation measures)

Facade	Floor	Unaltered	New	Total
645	Low	73.7	52.7	73.7
	Mid	73.6	52.8	73.7
	Top	73.6	52.9	73.6
650	Low	75.7	62.2	75.9
	Mid	74.5	64.0	74.8
	Top	72.7	64.2	73.3
651	Low	58.9	65.7	66.5
	Mid	59.4	69.3	69.7
	Top	59.0	67.8	68.3
652	Low	50.1	56.2	57.2
	Mid	52.7	61.0	61.6
	Top	54.3	63.1	63.6
653	Low	58.3	67.8	68.3
	Mid	58.6	69.3	69.6
	Top	58.9	68.1	68.6
656	Low	77.5	67.9	78.0
	Mid	75.3	68.4	76.1
	Top	72.5	66.4	73.4
660	Low	80.2	61.7	80.2
	Mid	80.0	61.9	80.0
	Top	79.7	62.1	79.8
661	Low	76.6	54.2	76.6
	Mid	76.6	54.8	76.6
	Top	76.5	55.4	76.5
664	Low	59.4	65.4	66.4
	Mid	59.4	67.6	68.2
	Top	59.4	69.7	70.1
665	Low	44.5	60.9	61.0
	Mid	47.3	61.8	61.9
	Top	51.5	63.3	63.5
675	Low	48.0	65.0	65.1
	Mid	50.6	65.3	65.4
	Top	54.2	65.9	66.2
676	Low	58.7	63.9	65.0
	Mid	58.7	64.1	65.2
	Top	59.0	64.3	65.4
677	Low	43.4	52.3	52.8
	Mid	48.6	55.3	56.1
	Top	55.8	59.3	60.9

Breakdown of noise levels (with mitigation measures)

Facade	Floor	Unaltered	New	Total
679	Low	64.4	49.1	64.5
	Mid	64.4	49.4	64.6
	Top	64.5	50.0	64.6
688	Low	73.0	71.5	75.4
	Mid	71.7	72.7	75.3
	Top	70.2	71.6	74.0
700	Low	76.7	76.9	79.8
	Mid	76.5	78.4	80.5
	Top	76.1	78.2	80.3
711	Low	65.2	65.1	68.1
	Mid	60.6	71.3	71.7
	Top	57.8	71.8	72.0
712	Low	66.6	65.7	69.1
	Mid	63.0	70.0	70.8
	Top	61.0	70.8	71.2
721	Low	64.9	66.7	68.9
	Mid	66.3	72.1	73.1
	Top	64.5	71.1	72.0
722	Low	57.8	68.7	69.0
	Mid	61.0	68.1	68.8
	Top	59.7	68.4	69.0
731	Low	45.4	67.1	67.2
	Mid	63.3	68.0	69.2
	Top	62.3	68.1	69.1
732	Low	41.3	61.5	61.5
	Mid	60.1	62.1	64.2
	Top	61.3	66.3	67.5
751	Low	44.8	45.7	48.3
	Mid	63.6	58.3	64.7
	Top	64.5	67.6	69.3
761	Low	64.0	44.8	64.0
	Mid	66.3	57.8	66.9
	Top	65.8	67.2	69.6
762	Low	66.5	56.8	66.9
	Mid	66.4	57.6	66.9
	Top	65.3	58.7	66.2
763	Low	43.1	54.0	54.3
	Mid	48.8	56.6	57.3
	Top	51.9	57.8	58.8

Breakdown of noise levels (with mitigation measures)

Facade	Floor	Unaltered	New	Total
771	Low	57.9	49.7	58.5
	Mid	58.2	53.3	59.4
	Top	58.5	57.0	60.9
772	Low	36.1	61.2	61.2
	Mid	44.8	62.1	62.1
	Top	49.3	62.9	63.1
811	Low	67.9	61.6	68.8
	Mid	69.0	67.2	71.2
	Top	69.1	66.0	70.8
812	Low	66.0	62.3	67.5
	Mid	68.0	68.4	71.2
	Top	67.3	66.9	70.1
813	Low	23.6	61.0	61.0
	Mid	23.7	66.5	66.5
	Top	44.3	65.4	65.5
814	Low	21.9	60.8	60.8
	Mid	24.4	66.3	66.3
	Top	44.3	65.4	65.4
821	Low	25.2	53.9	53.9
	Mid	25.2	59.5	59.5
	Top	31.7	59.9	59.9
831	Low	68.1	63.0	69.3
	Mid	68.2	67.2	70.8
	Top	68.4	66.6	70.6
832	Low	69.4	63.2	70.3
	Mid	69.6	64.5	70.7
	Top	69.9	64.2	70.9
841	Low	67.1	58.0	67.6
	Mid	67.4	62.4	68.6
	Top	67.9	62.5	69.0
842	Low	68.1	52.9	68.2
	Mid	68.6	54.4	68.8
	Top	68.9	54.9	69.1
844	Low	33.3	64.1	64.1
	Mid	35.8	64.8	64.8
	Top	40.3	65.8	65.8
851	Low	36.8	65.6	65.6
	Mid	38.6	67.7	67.7
	Top	42.0	70.2	70.2

Breakdown of noise levels (with mitigation measures)

Facade	Floor	Unaltered	New	Total
854	Low	33.1	64.7	64.7
	Mid	35.9	66.1	66.1
	Top	41.0	67.9	67.9
855	Low	0.00	61.2	61.2
	Mid	0.00	61.6	61.6
	Top	0.00	62.3	62.3
861	Low	37.4	41.0	42.6
	Mid	37.3	60.9	60.9
	Top	46.6	62.5	62.6
886	Low	36.7	53.9	54.0
	Mid	41.5	54.5	54.7
	Top	51.0	57.0	58.0
900	Low	43.9	67.5	67.5
	Mid	43.9	67.6	67.6
	Top	44.0	67.8	67.8
911	Low	39.5	44.0	45.3
	Mid	56.0	61.1	62.3
	Top	57.8	62.4	63.7
912	Low	36.5	56.2	56.2
	Mid	37.6	62.0	62.0
	Top	46.2	63.7	63.8
922	Low	39.1	61.9	62.0
	Mid	47.3	62.7	62.8
	Top	49.4	63.6	63.8
950	Low	58.8	66.5	67.1
	Mid	59.1	68.0	68.6
	Top	59.7	69.9	70.3
951	Low	76.3	55.4	76.4
	Mid	76.3	58.3	76.4
	Top	76.3	58.2	76.4
954	Low	70.5	76.5	77.4
	Mid	68.9	75.9	76.7
	Top	68.0	74.0	75.0
955	Low	72.3	75.5	77.2
	Mid	69.8	75.8	76.8
	Top	68.4	74.1	75.1
956	Low	73.4	72.6	76.0
	Mid	71.4	73.5	75.6
	Top	69.8	72.1	74.1

Breakdown of noise levels (with mitigation measures)

Facade	Floor	Unaltered	New	Total
957	Low	57.1	68.2	68.5
	Mid	63.2	68.1	69.3
	Top	63.6	68.3	69.5
961	Low	61.0	64.4	66.1
	Mid	63.6	65.5	67.7
	Top	63.9	65.4	67.7
975	Low	59.8	63.5	65.1
	Mid	59.8	63.4	64.9
	Top	59.8	63.6	65.1
981	Low	53.3	63.5	63.9
	Mid	54.2	64.3	64.7
	Top	55.9	66.1	66.4
983	Low	33.1	64.6	64.6
	Mid	35.6	66.3	66.3
	Top	40.4	68.3	68.3
984	Low	33.4	62.7	62.7
	Mid	36.0	63.8	63.8
	Top	40.6	65.1	65.2
991	Low	64.9	60.4	66.2
	Mid	60.6	69.5	70.1
	Top	58.3	70.0	70.3
992	Low	60.1	62.1	64.2
	Mid	59.3	69.6	70.0
	Top	58.0	70.0	70.2
993	Low	63.1	65.0	67.2
	Mid	59.9	66.1	67.1
	Top	57.5	68.2	68.5
994	Low	67.0	60.9	68.0
	Mid	63.2	63.1	66.2
	Top	60.5	67.5	68.3
995	Low	64.9	53.7	65.3
	Mid	64.4	62.9	66.7
	Top	61.9	67.3	68.4
996	Low	64.0	54.9	64.5
	Mid	64.9	66.2	68.6
	Top	63.1	67.3	68.7