APPENDIX 3B

DETAILS OF TRAFFIC NOISE IMPACT ASSESSMENT

Table A3.2.1a Identified Noise Sensitive Receivers and Assessment Points for NAKTA Area

Site	Description	Assessment Points	Base Level Height#	Height of Assessed Floors**					
				1/F	10/F	20/F	30/F	40/F	50/F
NAKTA Area									
1A	Public housing, RS 36-40 storeys	8001-8011	5	6.2	34.2	62.2	90.2	118.2	
	Schools	7001-7013	5	5.25	12.3 (3/F)	22.2 (6/F)			
1B	Public housing, RS 37-50 storeys	8101-8113	5	6.2	34.2	62.2	90.2	118.2	136.2
1C	Public housing, HOS, 34-50 storeys	8201-8210	5	6.2	34.2	62.2	90.2	118.2	136.2
	Schools	7101-7113	5	5.25	12.3 (3/F)	22.2 (6/F)			
1D	Public housing, HOS, 50-59 storeys	8301-8325	18.5	6.2	34.2	62.2	90.2	118.2	136.2
1E	Private housing, 35-48 storeys	8401-8423	5	6.2	34.55	66.05	97.55	129.05	160.55
		8424-8459	30						
	Schools	7301-7314	5	5.25	12.3 (3/F)	22.2 (6/F)			
1K	Private Housing 30-36 storeys	8501-8538	20	6.2	34.55	66.05	97.55	129.05	
2A	Private Housing with schools, above railway depot, 27-41 storeys	8601-8751	30	6.2	34.55	66.05	97.55	129.05	
	Schools	7601-7613	30	5.25	12.3 (3/F)	22.2 (6/F)			

Site	Description	Assessment Points	Base Level Height#	Height of Assessed Floors**					
				1/F	10/F	20/F	30/F	40/F	50/F
2B	Private housing with schools, 30-35 storeys	8761-8771	15	6.2	34.55	66.05	97.55	129.05	
	Schools	7701-7709		5.25	12.3 (3/F)	22.2 (6/F)			
2C	Private housing, 30-33 storeys	8801-8805	20	6.2	34.55	66.05	97.55		
		8806-8810	5						
		8811-8818	20						
2D	Private housing, 30-37 storeys	8901-8908	20	6.2	34.55	66.05	97.55	129.05	
		8909-8918	15						
2E	Private housing, 32 storeys	8923-8962	20	6.2	34.55	66.05	97.55		
2F	Private housing, 29-31 storeys	8971-8988	20	6.2	34.55	66.05	97.55		
1L	School Village next to the Stadium	7401-7418	5	5.25	12.3 (3/F)	22.2 (6/F)			
1P	School Village	7501-7518	5	5.25	12.3 (3/F)	22.2 (6/F)			

* Clinic/Hospital, similar to existing ones, would not rely on openable window for ventilation since air conditioning would be provided all the time. Therefore, it was excluded for noise assessment.

\# Base level of the buildings in mPD used in noise assessment, some are at grade, some are on podium.

** height above base level of buildings.

Table A3.2.1a **Outside/Existing NSRs Likely Affected by SEKD**

Site	Description	Assessment Points	Base Level Height#	Height of Assessed Floors**			
				1/F	10/F	20/F	30/F
NAKTA Area							
Richland Gardens	Residential area with approx. 25 storeys buildings	9313-9317	6	5.7	30.9	58.9	86.9
Choi Hung Estate	Residential area with approx. 15 storeys buildings	9307-9312	6	5.7	30.9	58.9	
Rhythm Garden	Residential area with approx. 30 storeys buildings	9301-9306	6	5.7	30.9	58.9	86.9
Kowloon City Area	Residential area with approx. 10 storeys buildings and schools	9201-9212	6	5.7	30.9		
		9213-9216	5				
San Po Kong Area	Residential area with approx. 15 storeys buildings and schools	9501,9502,9508	5	5.7	30.9	58.9	
		9503-9507,9509	5	5.25	12.3 (3/F)	22.2 (6/F)	

* Clinic/Hospital, similar to existing ones, would not rely on openable window for ventilation since air conditioning would be provided all the time. Therefore, it was excluded for noise assessment.

\# Base level of the buildings in mPD used in noise assessment, some are at grade, some are on podium.

** height above base level of buildings.

Table A3.2.1b Identified Noise Sensitive Receivers and Assessment Points for Hoi Sham Area

Site	Description	Assessment Points	Base Level Height#	Height of Assessed Floors**					
				1/F	10/F	20/F	30/F	40/F	50/F
Hoi Sham Area									
3A	Private Housing (22-28 storeys)	8001-8012	20	6.2	34.55	66.05	97.55		
3B	Private Housing (20-28 storeys)	8051-8075	20	6.2	34.55	66.05	97.55		
3C	Private Housing (18-22 storeys)	8101-8121	15	6.2	34.55	66.05	97.55		
		8122-8133	20						
3D	Private Housing (22-30 storeys)	8151-8156	20	6.2	34.55	66.05	97.55		
3E	Private Housing (10-22 storeys)	8201-8208	20	6.2	34.55	66.05	97.55		
3F	Private Housing (7-20 storeys)	8251-8257	20	6.2	34.55	66.05			
3G	Private Housing (6-20 storeys)	8301-8310	20	6.2	34.55	66.05			
3H	Private Housing (12-22 storeys)	8351-8357	20	6.2	34.55	66.05			
3J	Private Housing (11-20 storeys)	8401-8412	20	6.2	34.55	66.05			
		8413-8414	15						
3K	Private Housing (27 storeys)	8451-8462	20	6.2	34.55	66.05	97.55		
		8463-8498	15						
3M	Private Housing with School (secondary) (29-32 storeys)	8518-8524	20	6.2	34.55	66.05			
	Primary School	7001-7004	5	5.25	12.3 (3/F)	22.2 (6/F)			

Site	Description	Assessment Points	Base Level Height#	Height of Assessed Floors**					
				1/F	10/F	20/F	30/F	40/F	50/F
3N	Private Housing with Clinics, market etc (26-32 storeys)	8551-8553	5	6.2	34.55	66.05	97.55		
		8554-8556	10	6.2	34.55	66.05	97.55		
		8557-8579	20	6.2	34.55	66.05	97.55		
3P	Private Housing (21-24 storeys)	8601-8630	20	6.2	34.55	66.05	97.55		
		8631-8639	15	6.2	34.55	66.05	97.55		
3Q	Private Housing with Schools (primary & secondary) (38 storeys)	8651-8681	20	6.2	34.55	66.05	97.55	129.05	
	Schools	7101-7109	5	5.25	12.3 (3/F)	22.2 (6/F)			
3R	Private Housing (38 storeys)	8701-8720	20	6.2	34.55	66.05	97.55	129.05	
3S	Private Housing (34-35 storeys)	8751-8763	20	6.2	34.55	66.05	97.55	129.05	
3T	Private Housing (32 storeys)	8801-8825	20	6.2	34.55	66.05	97.55	129.05	
3V	Private Housing (42-43 storeys)	8851-8878	20	6.2	34.55	66.05	97.55	129.05	
3X	Primary School &Secondary School	7201-7209	5	5.25	12.3 (3/F)	22.2 (6/F)			

* Clinic/Hospital, similar to existing ones, would not rely on openable window for ventilation since air conditioning would be provided all the time. Therefore, it was excluded for noise assessment.

\# Base level of the buildings in mPD used in noise assessment, some are at grade, some are on podium.

** height above base level of buildings.

Table A3.2.1b Outside/Existing NSRs Likely Affected by SEKD

Site	Description	Assessment Points	Base Level Height#	Height of Assessed Floors**			
				1/F	10/F	20/F	30/F
Hoi Sham Area							
Wyler Garden	Residential area with approx. 15 storeys buidlingss	9101-9113	5	5.7	30.9	58.9	
Laguna Verda	Test for 20 storeys	9003,9004, 9120,9121	5	5.7	30.9	58.9	
Ma Tau Kok Area	Residential area with approx. 10 storeys buildings	9114-9119	5	5.7	30.9		
Holy Carpenter Primary School, & Oblate Fathers Primary School.	6 storeys	9122-9127	5	5.25	12.3 (3/F)	22.2 (6/F)	

* Clinic/Hospital, similar to existing ones, would not rely on openable window for ventilation since air conditioning would be provided all the time. Therefore, it was excluded for noise assessment.

\# Base level of the buildings in mPD used in noise assessment, some are at grade, some are on podium.

** height above base level of buildings.

Table A3.2.1c Identified Noise Sensitive Receivers and Assessment Points for Kai Tak Runway Area

Site	Description	Assessment Points	Base Level Height#	Height of Assessed Floors**					
				1/F	10/F	20/F	30/F	40/F	50/F
KTAC and Kai Tak Runway Area									
4A	Private Housing , 23-37 storeys	8001-8021	20	6.2	34.55	66.05	97.55	129.05	
		8022-8027	5						
4B	Public Housing with kindergarten, and other uses e.g. day activities centre etc, 30-45 storeys	8051-8065	5	6.2	34.2	62.2	90.2	118.2	146.2
4C	Public Housing, 25-39 storeys	8101-8106	20	6.2	34.2	62.2	90.2	118.2	
		8107-8113	5						
4D	Private Housing, 17-24 storeys	8121-8125	20	6.2	34.55	66.05			
		8126-8129	15						
4E	Public Housing, PRH/HOS/PSPS, 45 storeys	8153-8170	5	6.2	34.2	62.2	90.2	118.2	146.2
	Schools	7001-7009	5	5.25	12.3 (3/F)	22.2 (6/F)			
4F	Public Housing, PRH/HOS/PSPS, 25-34 storeys	8201-8203	20	6.2	34.2	62.2	90.2	118.2	
4G	Private Housing, 15-24 storeys	8211-8213	20	6.2	34.55	66.05			
		8214	5						
4H	Private Housing, 11-23 storeys	8231-8232	5	6.2	34.55	66.05			
		8233-8237	20						
4J	Private Housing, 11-23 storeys	8251-8253	20	6.2	34.55	66.05			
		8254	5						

Site	Description	Assessment Points	Base Level Height#	Height of Assessed Floors**					
				1/F	10/F	20/F	30/F	40/F	50/F
4K	Public Housing, 21-40 storeys	8261-8267	5	6.2	34.2	62.2	90.2	118.2	
		8268-8272	20	6.2	34.2	62.2			
4L	Public Housing, PRH/HOS/PSPS, 38-39 storeys	8281-8296	5	6.2	34.2	62.2	90.2	118.2	
	Schools	7101-7109	5	5.25	12.3 (3/F)	22.2 (6/F)			
4M	Public Housing, PRH/HOS/PSPS, 45 storeys	8301-8324	5	6.2	34.2	62.2	90.2	118.2	
4N	Schools	7201-7209	5	5.25	12.3 (3/F)	22.2 (6/F)			
4R	Public Housing, 44 storeys	8331-8345	5	6.2	34.2	62.2	90.2	118.2	
4S	Private Housing , 20-38 storeys	8361-8366	5	6.2	34.55	66.05	97.55	129.05	
		8367-8371	20	6.2	34.55	66.05	97.55	129.05	
5A	Private Housing, 11-23 storeys	8401-8414	20	6.2	34.55	66.05			
		8415	5						
5C	Private Housing, 15-24 storeys	8431-8468	20	6.2	34.55	66.05			
		8469-8475	5						
5E	Private Housing, 18-34 storeys	8501-8506	20	6.2	34.55	66.05	97.55		
		8507-8519	5						
5G	Private Housing, 17-33 storeys	8551-8578, 8581-8593	20	6.2	34.55	66.05	97.55		
		8579-8580	5	6.2	34.55	66.05	97.55	129.05	

Site	Description	Assessment Points	Base Level Height#	Height of Assessed Floors**					
				1/F	10/F	20/F	30/F	40/F	50/F
5H	Private Housing , 28-43 storeys	8601-8609	5	6.2	34.55	66.05	97.55	129.05	
		8610-8615	20						
5J	Public Housing, PRH/HOS/PSPS, 20-36 storeys	8651-8670	5	6.2	34.2	62.2	90.2	118.2	
		8671-8682	20	6.2	34.2	62.2	90.2		
	School	7301-7309	5	5.25	12.3 (3/F)	22.2 (6/F)			
5L	Hospital* with School	7401-7404	5	5.25	12.3 (3/F)	22.2 (6/F)			
5K	Private Housing & existing structures, 28-35 storeys	8701-8721, 8732-8733	20	6.2	34.55	66.05	97.55	129.05	
		8722-8731, 8734-8735	5						

* Clinic/Hospital, similar to existing ones, would not rely on openable window for ventilation since air conditioning would be provided all the time. Therefore, it was excluded for noise assessment.

\# Base level of the buildings in mPD used in noise assessment, some are at grade, some are on podium.

** height above base level of buildings.Clinic/Hospital, similar to existing ones, would not rely on openable window for ventilation since air conditioning would be provided all the time. Therefore, it was excluded for noise assessment.

Table A3.2.1c Outside/Existing NSRs Likely Affected by SEKD

Site	Description	Assessment Points	Ground Level Height	Height of Assessed Floors						
				1/F	5/F	10/F	15/F	20/F	25/F	30/F
Kai Tak Runway Area										
Laguna City	Residential area with approx. 28 storeys buildings	9401-9404	5	6.2	20.2	34.2	58.2	72.2	86.2	100.2
Cha Kwo Ling Village Cha Kwo Ling Housing Site (Planned)	Residential area with approx. 3 storeys houses	9405-9407	5	6.2	20.2	34.2	58.2	72.2	86.2	100.2

* Clinic/Hospital, similar to existing ones, would not rely on openable window for ventilation since air conditioning would be provided all the time. Therefore, it was excluded for noise assessment.

\# Base level of the buildings in mPD used in noise assessment, some are at grade, some are on podium.

** height above base level of buildings.

Table A3.2.1d Planned NSRs Likely Affected by SEKD

Outline Zoning Plan No.	Location	Assessment Points	Ground Level Height	Expected Year of Completion	Height of Assessed Floors					
					1/F	10/F	20/F	30/F	40/F	50/F
S/K9/12	J/O Tai Wan Road and Dyer Avenue, Hung Hom. KIL , 11056	9128,9129	5	Dec 2001	6.2	34.55	66.05	97.55	129.05	160.55
S/K10/12	R(E) Zones along Yuk Yat Street and Chi Kiang Street	9130,9131	5	N.A.	6.2	34.2	62.2	90.2	118.2	146.2
S/K10/12	R(E) Zones along Sheung Heung Road and To Kwa Wan Road	9132	5	N.A.	6.2	34.2	62.2	90.2	118.2	146.2
S/K10/12	Gas Works, To Kwa Wan Road	9133	5	N.A.	6.2	34.2	62.2	90.2	118.2	146.2
S/K10/12	CAD(3), Sung Wong Toi Road	9134	5	N.A.	6.2	34.2	62.2	90.2	118.2	146.2
S/K10/12	CAD(2), Sung Wong Toi Road	9135	5	2004	6.2	34.2	62.2	90.2	118.2	146.2
S/K10/12	CAD(1), Sung Wong Toi Road	9136	5	N.A.	6.2	34.2	62.2	90.2	118.2	146.2
S/K10/12	KIL 4013, Sung Wong Toi Road	9137,9138	5	2003	6.2	34.2	62.2	90.2	118.2	146.2
S/K8/11	Two areas located in South-west of Shek Ku Lung Road Playground at junction of Lok Sin Road and Sa Po Road	9217	5	Land Disposal Program scheduled in 2002/3	6.2	34.2	62.2	90.2	118.2	146.2

Outline Zoning Plan No.	Location	Assessment Points	Ground Level Height	Expected Year of Completion	Height of Assessed Floors					
					1/F	10/F	20/F	30/F	40/F	50/F
S/K11/12A	Proposed Residential Development at King Fuk Street	9218,9219	5	After 2005	6.2	34.55	66.05	97.55	129.05	160.55

TABLE A3.2.2
KTA1 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
EXISTING RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F					50/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
Rhythm Garden	9303	71.3	0	66.7	73	1.3	72	0	67.1	73	1.2	70.1	0	61.7	71	0.5	71.5	0	66	73	1										
	9304	73.9	0	67.1	75	0.9	74.2	0	67.8	75	0.9	72	0	64	73	0.6	72.9	0	66.8	74	0.9										
	9305	82.4	0	70.9	83	0.3	79.9	0	68.6	80	0.3	76.4	0	66.2	77	0.4	76.4	0	66.7	77	0.4										
	9306	66.7	0	57.7	67	0.5	70.7	0	65.4	72	1.1	68.4	0	52.2	69	0.1	69.7	0	63.8	71	1										
Choi Hung Estate	9307	72.5	0	58.8	73	0.2	72.5	0	63	73	0.5	71.3	0	63.8	72																
	9308	79.1	0	63.8	79	0.1	78.6	0	67	79	0.3	77.3	0	67.2	78																
	9309	79.8	0	62.7	80	0.1	79.7	0	65.6	80	0.1	78.6	0	66.5	79																
	9310	48.3	0	36.9	49	0.3	49	0	40	50	0.5	72.6	0	64.8	73																
	9311	83.7	0	59.9	84	0.1	81.2	0	62.3	81	0	79.4	0	63.7	80																
	9312	52.8	0	36.1	53	0.1	52.7	0	37.8	53	0.1	72.2	0	62.4	73																
Richland Garden	9313	68.6	0	64.4	70	1.4	72.3	0	66.3	73	0.9	72.3	0	66.9	73	1.1	71.8	0	66.7	73	1.2										
	9314	69.3	0	65.2	71	1.5	72	0	67.2	73	1.3	71.7	0	67.7	73	1.4	71.1	0	67.2	73	1.5										
	9315	65.7	0	67.1	69	3.7	70.3	0	68.8	73	2.3	69.8	0	68.6	72	2.4	69.4	0	67.7	72	2.3										
	9316	71.5	0	66.4	73	1.2	71.4	0	68	73	1.6	70.7	0	68	73	1.9	70.1	0	67.4	72	1.8										
	9317	69.1	0	65	71	1.4	70.8	0	66.6	72	1.4	70.8	0	66.9	72	1.5	70.3	0	66.6	72	1.6										
San Po Kong Area	9508	73.1	0	59.1	73	0.2	74.8	0	63.3	75	0.3	74.4	0	65.3	75	0.5	75.4	0	64.8	76	0.3										
Proposed Residential development at King Fuk Street	9218	74.9	0	64.4	75	0.4	75.6	0	66.4	76	0.5	73.9	0	64.8	74	0.5	75	0	66.1	76	0.5	74.5	0	65.9	75	0.5	74	0	65.8	75	0.6
	9219	84.8	0	70.9	85	0.1	81.4	0	70.9	82	0.3	77.1	0	69.9	78	0.7	77.6	0	69.2	78	0.6	76.6	0	68.6	77	0.6	75.8	0	68.2	77	0.7

: Planned NSRs

TABLE A3.2.2
KTA1 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
EXISTING SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	**Total**	T-E	Existing	Altered	New	**Total**	T-E	Existing	Altered	New	**Total**	T-E
San Po Kong Area	9503	79.2	0	62.5	**79**	0.1	79.6	0	63.7	**80**	0.2	79.9	0	64.1	**80**	0.1
	9504	81.7	0	64.4	**82**	0.1	81.9	0	65.4	**82**	0.1	81.7	0	65.6	**82**	0.1
	9505	65	0	0	65	0	67.3	0	0	**67**	0	69	0	0	**69**	0
	9506	69.7	0	49.9	**70**	0	70.6	0	51.3	**71**	0	71.7	0	52.7	**72**	0.1
	9507	79.6	0	63.8	**80**	0.1	80.2	0	65.2	**80**	0.1	80.7	0	65.7	**81**	0.2
	9509	82.2	0	70.2	**83**	0.3	82.1	0	67.5	**82**	0.1	80.7	0	70.1	**81**	0.3

TABLE A3.2.2
KTA2 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
EXISTING RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F					50/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
Sung Wong Toi Road	9134	64.5	0	79.1	79	14.7	65	0	76.8	77	12.1	65.1	0	74.7	75	10	65	0	73.2	74	8.8	64.7	0	72.2	73	8.2	64.6	0	71.3	72	7.5
	9135	71.9	0	78.6	79	7.5	69.9	0	75.8	77	6.9	68.7	0	73.6	75	6.1	67.9	0	72.1	74	5.6	67.4	0	71.1	73	5.2	67	0	70.3	72	5
	9136	74.4	0	69.8	76	1.3	74.2	0	69.5	76	1.3	73.3	0	68.6	75	1.3	72.4	0	67.6	74	1.3	71.7	0	66.7	73	1.2	71.2	0	66.1	72	1.2
	9137	79.9	0	62.9	80	0	77.5	0	61.6	78	0.1	75.8	0	60.5	76	0.1	74.7	0	59.7	75	0.1	73.9	0	59.3	74	0.1	73.2	0	59.2	73	0.2
	9138	79.5	0	60.3	80	0	77.6	0	59.5	78	0.1	75.9	0	58.7	76	0.1	74.8	0	58.3	75	0.1	74.1	0	58	74	0.1	73.5	0	57.9	74	0.1
Kowloon City Area	9201	71.2	0	55.8	71	0.1	72.3	0	56.3	72	0.1	71.9	0	55.9	72	0.1															
	9202	78.8	0	61.1	79	0	79.2	0	62.2	79	0.1	78.1	0	61.7	78	0.1															
	9203	83.3	0	63.7	83	0.1	81.5	0	64.4	82	0.1	79.7	0	63.6	80	0.1															
	9204	84.1	0	64.2	84	0	81.8	0	65	82	0.1	80	0	64.3	80	0.1															
	9205	79.7	0	59.3	80	0	79.4	0	62.5	79	0	78.3	0	62	78	0.1															
	9206	64.1	0	48.1	64	0.1	64.9	0	50.6	65	0.1	68.6	0	56.3	69	0.3															
	9207	79.7	0	58.3	80	0.1	79.7	0	63.1	80	0.1	78.5	0	62.6	79	0.1															
	9208	83.7	0	61.9	84	0	82.4	0	64.2	82	0	80.5	0	63.5	81	0.1															
	9209	83	0	60.4	83	0	82.5	0	62.8	83	0.1	80.8	0	62.4	81	0.1															
	9210	82.3	0	59	82	0	82.1	0	61	82	0	80.3	0	60.9	80	0															
	9211	81.4	0	57.6	81	0	80.2	0	59.6	80	0	78.7	0	59.8	79	0															
	9212	79.2	0	56	79	0	77.2	0	57.9	77	0.1	75.8	0	58.1	76	0.1															
	9213	77.4	0	56.8	77	0	77.3	0	57	77	0.1	76.4	0	56.3	76	0															
	9214	79.7	0	57.9	80	0.1	77.5	0	58.3	78	0.1	75.9	0	57.8	76	0.1															
	9215	71.1	0	55	71	0.1	69.9	0	53.1	70	0.1	68.5	0	51.6	69	0.1															
	9216	75.1	0	57.4	75	0.1	74.6	0	55.6	75	0	73.7	0	54.8	74	0															
Two areas located in Southwest of Shek Ku Lung Road	9217	76.7	0	60	77	0.1	77.8	0	61.4	78	0.1	77.2	0	61.2	77	0.1	76.5	0	61	77	0.1	75.7	0	60.7	76	0.2	75.1	0	60.3	75	0.1
San Po Kong Area	9501	67.7	0	56	68	0.3	69.5	0	59	70	0.4	74.7	0	62.3	75	0.3															
	9502	71.2	0	53.8	71	0	72.7	0	58.1	73	0.2	75.2	0	62	75	0.2															

: Planned NSRs

TABLE A3.2.2
KTA2 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
EXISTING SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**
San Po Kong Area	9503	79.2	0	62.5	**79**	0.1	79.6	0	63.7	**80**	0.2	79.9	0	64.1	**80**	0.1
	9504	81.7	0	64.4	**82**	0.1	81.9	0	65.4	**82**	0.1	81.7	0	65.6	**82**	0.1
	9505	65	0	0	65	0	67.3	0	0	**67**	0	69	0	0	**69**	0
	9506	69.7	0	49.9	**70**	0	70.6	0	51.3	**71**	0	71.7	0	52.7	**72**	0.1
	9507	79.6	0	63.8	**80**	0.1	80.2	0	65.2	**80**	0.1	80.7	0	65.7	**81**	0.2

TABLE A3.2.2
NAKTA TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
Existing NSRs North T1

NSR	AP	1/F					5/F					10/F					15/F					20/F				
		Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**
Ha Yuen Leng, Planned Site No. 13	9001	82.8	0	44.1	**82.8**	0	81.9	0	46.3	**81.9**	0	80.6	0	48.9	**80.6**	0	79.6	0	49.9	**79.6**	0	78.7	0	50.2	**78.7**	0
	9002	77.4	0	54.3	**77.4**	0	77.9	0	57.1	**77.9**	0	78.1	0	59.7	**78.2**	0.1	77.9	0	60.4	**78**	0.1	77.5	0	60.5	**77.6**	0.1
	9003	77.2	0	53.7	**77.3**	0.1	76.5	0	54.5	**76.5**	0	75.2	0	55.5	**75.3**	0.1	74.2	0	56.2	**74.3**	0.1	73.3	0	56.5	**73.4**	0.1
Rhythum Garden	9004	76	0	51.4	**76**	0	75.7	0	51.7	**75.8**	0.1	75	0	52.3	**75.1**	0.1	74.4	0	52.5	**74.5**	0.1	73.9	0	52.5	**73.9**	0
	9005	77.5	0	57.3	**77.5**	0	77.2	0	61.1	**77.3**	0.1	76.8	0	64	**77**	0.2	76.3	0	64.5	**76.5**	0.2	75.7	0	64.4	**76**	0.3
	9006	77.6	0	57.3	**77.7**	0.1	77.8	0	61.1	**77.9**	0.1	77.8	0	64.2	**77.9**	0.1	77.3	0	64.7	**77.6**	0.3	76.9	0	64.5	**77.1**	0.2
Hollywood Plaza	9007	79	0	0	**79**	0	77.9	0	0	**77.9**	0	76.7	0	0	**76.7**	0	75.8	0	0	**75.8**	0	75	0	0	**75**	0
	9008	75.8	0	49.1	**75.8**	0	77.3	0	54	**77.3**	0	77.6	0	55	**77.6**	0	77.3	0	54.7	**77.3**	0	76.9	0	54.1	**76.9**	0
	9009	77.2	0	50.2	**77.2**	0	77.7	0	53.2	**77.8**	0.1	77.6	0	54.9	**77.6**	0	77.3	0	55.3	**77.3**	0	76.9	0	55.3	**76.9**	0
Temple	9010	74.9	0	42.2	**74.9**	0	75.2	0	44.4	**75.2**	0	75.4	0	45.6	**75.4**	0	75.3	0	46.4	**75.3**	0	75.1	0	46.7	**75.1**	0
	9011	73.4	0	50.7	**73.5**	0.1	74.2	0	52.5	**74.2**	0	74.7	0	53.6	**74.7**	0	74.9	0	55	**74.9**	0	75	0	55.8	**75**	0
	9012	73.1	0	48	**73.1**	0	73.3	0	49.5	**73.3**	0	73.1	0	50.6	**73.1**	0	72.8	0	51.7	**72.8**	0	72.5	0	52.8	**72.6**	0.1
Choi Hung Estate	9013	74.8	0	59.1	**74.9**	0.1	75.6	0	62.4	**75.8**	0.2	76.3	0	65.7	**76.6**	0.3	76.1	0	66.4	**76.5**	0.4	75.7	0	66.2	**76.2**	0.5
	9014	77.1	0	53.7	**77.1**	0	77.7	0	56.3	**77.7**	0	77.8	0	58.5	**77.8**	0	77.5	0	60	**77.6**	0.1	77.2	0	60.5	**77.3**	0.1
	9015	79.4	0	0	**79.4**	0	78.9	0	0	**78.9**	0	77.8	0	0	**77.8**	0	76.9	0	0	**76.9**	0	76	0	0	**76**	0

TABLE A3.2.2
KTA1 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F					50/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8001	70.2	0	61.7	71	0.6	73.4	0	64.2	74	0.5	73.7	0	64.9	74	0.6	73.6	0	64.8	74	0.6	73.4	0	64.5	74	0.5					
	8002	66.7	0	60	68	0.9	70.6	0	63.1	71	0.7	71.1	0	63.2	72	0.6	71.2	0	63	72	0.6	71.2	0	63	72	0.6					
	8003	67.5	0	59.1	68	0.6	71.2	0	62.4	72	0.5	71.6	0	62.7	72	0.5	71.7	0	62.6	72	0.5	71.6	0	62.6	72	0.6					
	8004	64.8	0	60.2	66	1.3	69.3	0	63.1	70	0.9	69.9	0	62.9	71	0.8	70.3	0	62.8	71	0.7	70.5	0	62.8	71	0.7					
	8005	59.6	0	68.2	69	9.2	62.6	0	67.3	69	5.9	64.2	0	66.3	68	4.2	65.9	0	65.7	69	2.9	67	0	65.2	69	2.2					
	8006	58.4	0	67.2	68	9.4	62.1	0	66.3	68	5.6	64	0	65.4	68	3.8	65.1	0	64.8	68	2.9	66.1	0	64.6	68	2.3					
	8007	58.2	0	67	68	9.3	61.6	0	66	67	5.8	63.4	0	65	67	3.9	64.9	0	64.5	68	2.8	65.5	0	64.1	68	2.4					
1A	8008	52.9	0	65.4	66	12.7	55.6	0	64.7	65	9.6	58.6	0	63.7	65	6.3	61.5	0	63.3	66	4	62.6	0	62.9	66	3.2					
	8009	59.3	0	67.3	68	8.7	63.4	0	66	68	4.5	68	0	66.4	70	2.3	68.7	0	66.2	71	1.9	68.8	0	65.8	71	1.8					
	8010	58	0	68.9	69	11.2	64.4	0	67.1	69	4.6	69.9	0	67.9	72	2.1	70.8	0	67.7	73	1.7	71	0	67.2	73	1.5					
	8011	58.6	0	65.9	67	8	64.9	0	65.1	68	3.1	70.4	0	66.9	72	1.6	71.3	0	67.2	73	1.4	71.4	0	66.8	73	1.3					
	8012	54.3	0	58.3	60	5.5	61.8	0	59.2	64	1.9	69.9	0	63.1	71	0.9	70.4	0	64.7	71	1	70.5	0	64.6	72	1					
	8013	53.3	0	56.7	58	5	60.1	0	57.1	62	1.8	66.6	0	58.7	67	0.6	68	0	61.5	69	0.9	68.3	0	62.1	69	0.9					
	8014	60.1	0	56.1	62	1.4	62.8	0	56.6	64	1	66.2	0	57.7	67	0.6	68.1	0	59.3	69	0.5	68.4	0	60.7	69	0.7					
	8015	58.2	0	56	60	2.1	61.5	0	56.3	63	1.2	65.7	0	57.2	66	0.6	67.8	0	59.1	68	0.6	68.2	0	60.4	69	0.6					
	8101	57.8	0	60.9	63	4.8	61.4	0	61.1	64	2.9	64.9	0	61.2	66	1.5	65.7	0	61.7	67	1.5	66.2	0	61.8	68	1.3	66.7	0	61.7	68	1.2
	8102	58.6	0	64.8	66	7	61.9	0	65	67	4.8	64.4	0	64.5	68	3.1	65.7	0	64.2	68	2.3	66.5	0	64.1	69	2	67.8	0	64.1	69	1.6
	8103	58.4	0	67	68	9.1	61.3	0	65.8	67	5.8	62.3	0	64.6	67	4.3	63.5	0	63.9	67	3.2	64.3	0	63.4	67	2.6	66.1	0	63.3	68	1.8
	8104	58.1	0	66.6	67	9.1	60.9	0	66	67	6.2	62.1	0	65	67	4.7	63.1	0	64.3	67	3.7	64.1	0	63.9	67	2.9	64.4	0	63.7	67	2.7
	8105	55.3	0	65.1	66	10.2	57	0	65.1	66	8.7	58.4	0	65.1	66	7.5	59.2	0	65.2	66	7	59.6	0	64.9	66	6.4	60	0	64.6	66	5.9
	8106	61.3	0	69.3	70	8.6	63.2	0	69.5	70	7.2	64.7	0	69.3	71	5.9	65.2	0	68.7	70	5.1	65.6	0	68	70	4.4	65.9	0	67.4	70	3.8
1B	8107	63.4	0	68.9	70	6.6	65.9	0	70	71	5.5	67.4	0	69.9	72	4.4	67.9	0	69.2	72	3.7	68.3	0	68.4	71	3.1	68.4	0	67.8	71	2.7
	8108	64.5	0	69.3	71	6	67.7	0	70.5	72	4.6	68.9	0	69.9	73	3.6	69.6	0	69.1	72	2.7	69.5	0	68.2	72	2.4	69.1	0	67.5	71	2.3
	8109	67	0	70.5	72	5.1	71.1	0	71.6	74	3.3	72.2	0	70.4	74	2.2	72.3	0	69.2	74	1.7	71.9	0	68.1	73	1.5	71.4	0	67.3	73	1.4
	8110	64.8	0	67.8	70	4.8	68.8	0	69	72	3.1	69.9	0	68.3	72	2.3	70	0	67.3	72	1.9	69.6	0	66.4	71	1.7	69	0	65.6	71	1.7
	8111	67.4	0	70.3	72	4.7	72.2	0	71.4	75	2.6	72.9	0	70.3	75	1.9	72.6	0	69	74	1.6	72.1	0	68	74	1.4	71.6	0	67.2	73	1.3
	8112	63.9	0	66.3	68	4.4	68.5	0	67.2	71	2.4	70.6	0	67.6	72	1.7	70.9	0	67.1	72	1.5	70.9	0	66.5	72	1.3	70.6	0	65.9	72	1.3
	8113	58	0	64.5	65	7.4	62.5	0	64.6	67	4.2	67.5	0	65.1	70	2	68.8	0	65.3	70	1.6	69.2	0	65.2	71	1.4	69.6	0	64.9	71	1.3
	8201	54.6	0	68.4	69	14	58.8	0	65.8	67	7.8	59.9	0	64.2	66	5.7	60.8	0	63.3	65	4.4	62.1	0	62.7	65	3.3	62.6	0	62.2	65	2.8
	8202	56	0	64.4	65	9	58.9	0	64.5	66	6.6	60.9	0	63.8	66	4.7	61.8	0	63.2	66	3.8	63.2	0	62.9	66	2.9	64.4	0	62.6	67	2.2
	8203	33.7	0	64	64	30.3	34.1	0	63.7	64	29.6	34.6	0	63.6	64	29	35.3	0	63.2	63	27.9	36.6	0	62.9	63	26.3	39.3	0	62.6	63	23.3
	8204	51.6	0	65.6	66	14.1	54.4	0	66.5	67	12.4	55.4	0	66	66	11	55.8	0	65.6	66	10.3	56.2	0	65.4	66	9.7	57.4	0	65.5	66	8.7
	8205	49.7	0	67.9	68	18.3	55.1	0	68.7	69	13.7	56.5	0	68.3	69	12.1	57.4	0	68	68	10.9	58	0	67.9	68	10.3	58.2	0	67.4	68	9.7
1C	8206	44.2	0	64.6	65	20.4	53.4	0	69.6	70	16.3	54.5	0	70	70	15.6	55.7	0	69.7	70	14.2	56.4	0	69.3	70	13.1	57	0	68.8	69	12.1
	8207	44.1	0	60.2	60	16.2	52.5	0	69.5	70	17.1	53.8	0	70.5	71	16.8	54.8	0	70	70	15.3	55.7	0	69.6	70	14.1	56.5	0	69	69	12.8
	8208	43.7	0	63	63	19.4	51.8	0	69.8	70	18	53	0	71	71	18.1	54	0	70.5	71	16.6	55.6	0	69.9	70	14.5	56.2	0	69.4	70	13.4
	8209	51.7	0	63.4	64	12	59	0	64.5	66	6.5	61.8	0	68.3	69	7.4	62.5	0	69	70	7.4	63.1	0	68.7	70	6.6	63.4	0	68.2	70	6.1
	8210	58.2	0	63	64	6	60.2	0	62.7	65	4.4	61.3	0	62.5	65	3.6	62	0	62.3	65	3.2	62.4	0	62	65	2.8	63	0	61.7	65	2.4
	8301	61.4	0	64.2	66	4.6	63	0	65.8	68	4.6	64.6	0	65.4	68	3.4	65	0	64.9	68	2.9	65.4	0	64.4	68	2.5					
	8302	60.7	0	63.7	66	4.8	64.9	0	70.9	72	6.9	66.7	0	70.2	72	5.1	67.4	0	69.3	72	4.1	67.8	0	68.6	71	3.4					
	8303	55.6	0	59.2	61	5.2	62.8	0	70.8	72	8.7	63.8	0	69.7	71	6.9	64.1	0	68.8	70	5.9	64.8	0	67.9	70	4.8					
	8304	58.9	0	62.2	64	5	63.6	0	71.2	72	8.3	65	0	69.9	71	6.1	65.6	0	69	71	5	66.2	0	68.2	70	4.1					
	8305	43.5	0	60.7	61	17.3	49.4	0	71	71	21.6	50.2	0	69.4	69	19.2	52.1	0	68.1	68	16.1	52.4	0	67.1	67	14.9					
	8306	48.8	0	60.7	61	12.2	55.9	0	70.8	71	15.1	59	0	69.3	70	10.7	60.3	0	68.3	69	8.7	60.9	0	67.5	68	7.5					
	8307	49.3	0	61.3	62	12.3	55.4	0	71.4	72	16.1	55.8	0	69.8	70	14.2	56.1	0	68.6	69	12.8	56.1	0	67.8	68	12					
	8308	46.1	0	58.8	59	12.9	52.2	0	72.1	72	19.9	53.4	0	70.7	71	17.4	55.8	0	69.5	70	13.9	57.4	0	68.7	69	11.6					
	8309	49.3	0	61.1	61	12	55.1	0	70.5	71	15.6	57.4	0	70.8	71	13.6	58.8	0	70.1	70	11.6	59.6	0	69.4	70	10.2					
	8310	45.7	0	61.6	62	16	51.6	0	66.4	67	14.9	54.4	0	69.4	70	15.1	54.9	0	69	69	14.2	55.1	0	68.3	69	13.4					
	8311	53.6	0	62.6	63	9.5	58	0	67	68	9.5	59.8	0	69.6	70	10.2	60.4	0	69.2	70	9.3	60.7	0	68.5	69	8.5					
	8312	34.9	0	62.9	63	28	38.1	0	67	67	28.9	38.2	0	69.7	70	31.5	38.2	0	69.2	69	31	38.1	0	68.4	68	30.3					
1D	8313	53.9	0	62.2	63	8.9	57	0	66.8	67	10.2	58.8	0	69.5	70	11	59.5	0	69	69	9.9	59.7	0	68.4	69	9.2					
	8314	36.1	0	61.8	62	25.8	39.2	0	66.1	66	26.9	39.2	0	69.1	69	29.9	39.2	0	69	69	29.8	39.1	0	68.3	68	29.3					
	8315	51.7	0	61.4	62	10.2	54.8	0	66.3	67	11.8	56.9	0	69.1	69	12.5	57.7	0	69	69	11.6	58.1	0	68.4	69	10.6					
	8316	40.9	0	61.6	62	20.8	42.6	0	66.8	67	24.2	42.7	0	69.2	69	26.5	42.7	0	69.3	69	26.6	42.8	0	68.7	69	25.9					
	8317	35.7	0	60.2	60	24.5	35.7	0	65.4	65	29.7	35.7	0	67.4	67	31.7	35.6	0	68.7	69	33.1	35.6	0	68.2	68	32.6					
	8318	43.9	0	61.2	61	17.4	46.7	0	67.2	67	20.6	52.5	0	67.7	68	15.3	53.5	0	68.6	69	15.2	53.8	0	68.4	69	14.7					
	8319	43.2	0	65.2	65	22	46.6	0	65.2	65	18.6	52.7	0	64.8	65	12.4	53.6	0	64.2	65	11	53.9	0	63.8	64	10.4					
	8320	41.1	0	50.4	51	9.8	43.2	0	59.7	60	16.6	45.3	0	60	60	14.9	46.2	0	60	60	14	47	0	59.6	60	12.9					
	8321	33	0	50.9	51	18	33.7	0	59.4	59	25.7	34.7	0	59.5	60	24.8	36	0	59.6	60	23.6	38.4	0	59.3	59	20.9					
	8322	42.6	0	58.2	58	15.7	44.2	0	61.4	62	17.3	47.7	0	60.6	61	13.1	49.6	0	60.3	61	11	50.5	0	60	60	9.9					
	8323	39.5	0	59.5	60	20.1	40.3	0	61.1	61	20.8	41.4	0	60.2	60	18.8	42.8	0	59.9	60	17.1	45.7	0	59.5	60	14					

TABLE A3.2.2
KTA1 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F					50/F			
	8324	59.3	0	63.7	65	5.7	60.7	0	62.9	65	4.3	61.7	0	62.1	65	3.2	62.2	0	61.6	65	2.7	62.5	0	61.3	65	2.5				
	8325	60.8	0	62.2	65	3.7	63.3	0	64.6	67	3.7	64.4	0	64.7	68	3.2	65.4	0	64.6	68	2.6	65.7	0	64.3	68	2.4				

TABLE A3.2.2
KTA1 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8401	60.1	0	47.9	60	0.3	67.9	0	56.5	68	0.3	68.9	0	58.1	69	0.4	69	0	57.8	69	0.3	69	0	57.5	69	0.3
	8402	58.6	0	46.6	59	0.3	66.4	0	53.2	67	0.2	67.3	0	55	68	0.2	67.4	0	56.6	68	0.4	67.3	0	56.2	68	0.4
	8403	58.4	0	49.5	59	0.5	68.4	0	57.3	69	0.3	71	0	61.2	71	0.4	71.1	0	61	72	0.4	71.1	0	60.7	72	0.4
	8404	58.1	0	52.6	59	1.1	65.5	0	56.5	66	0.5	69.9	0	61.1	70	0.5	70	0	61	71	0.5	70	0	60.7	71	0.5
	8405	59.6	0	51.9	60	0.7	65.9	0	55.3	66	0.4	70.1	0	60.5	71	0.4	70.3	0	60.4	71	0.4	70.3	0	60.1	71	0.4
	8406	61.1	0	52.8	62	0.6	66.6	0	55.6	67	0.4	69.4	0	59.9	70	0.4	69.8	0	59.7	70	0.4	69.9	0	59.3	70	0.4
	8407	57.8	0	50	59	0.7	64.5	0	53.1	65	0.3	65.3	0	53.7	66	0.3	66.8	0	53.4	67	0.2	67.4	0	54.3	68	0.2
	8408	56.6	0	52.8	58	1.5	67.2	0	55.8	68	0.3	70.8	0	61.3	71	0.5	71.4	0	61.2	72	0.4	71.9	0	61.3	72	0.4
	8409	55.1	0	51.5	57	1.5	61.4	0	53.4	62	0.6	66.2	0	57.4	67	0.5	67.1	0	58	68	0.6	68.1	0	58.4	69	0.4
	8410	55.6	0	48.4	56	0.8	64	0	51.1	64	0.2	68.4	0	57.3	69	0.4	69.6	0	58.3	70	0.3	70.2	0	58.5	71	0.3
	8411	60.1	0	53	61	0.7	65.6	0	55.1	66	0.4	68	0	58.4	68	0.4	68.2	0	58.1	69	0.4	69.1	0	57.9	70	0.4
	8412	45.4	0	33.5	46	0.2	56.3	0	45.2	57	0.3	59.3	0	49.6	60	0.5	59.4	0	49.4	60	0.4	67.6	0	51.5	68	0.1
	8413	64.5	0	58.6	66	1	68.2	0	60.1	69	0.7	71.8	0	62.9	72	0.5	71.9	0	63	72	0.5	72.7	0	63.1	73	0.4
	8414	64.8	0	59	66	1	67.1	0	60.4	68	0.9	69.8	0	61.5	70	0.6	70.3	0	61.7	71	0.5	70.1	0	61.9	71	0.6
	8415	64.9	0	58.7	66	0.9	68.2	0	60.1	69	0.6	72.2	0	62.9	73	0.5	72.5	0	63.1	73	0.4	72.3	0	63.1	73	0.5
	8416	64.7	0	57	65	0.7	68.3	0	58.4	69	0.4	71.9	0	62.3	72	0.4	72.1	0	62.3	73	0.4	72	0	61.9	72	0.4
	8417	64.9	0	57	66	0.6	68.3	0	58.3	69	0.4	70	0	60.4	70	0.4	70.2	0	60	71	0.4	70.2	0	59.6	71	0.3
	8418	65.6	0	60.1	67	1.1	69.2	0	61.5	70	0.7	73.4	0	64.5	74	0.5	73.7	0	65.1	74	0.5	73.5	0	64.8	74	0.5
	8419	60.1	0	62.8	65	4.6	64.4	0	64.2	67	2.9	71.4	0	65.8	72	1	71.6	0	66.4	73	1.1	71.3	0	66.2	73	1.2
	8420	63.5	0	60.5	65	1.7	67.2	0	62	68	1.1	72.5	0	64.4	73	0.6	72.7	0	64.9	73	0.7	72.4	0	64.6	73	0.7
	8421	62.7	0	63.2	66	3.3	66	0	65	69	2.5	70.8	0	67.1	72	1.6	71.1	0	67.4	73	1.6	70.9	0	67	72	1.5
	8422	50.5	0	58.1	59	8.3	57.8	0	60.5	62	4.6	62.1	0	63.7	66	3.9	62.5	0	63.9	66	3.8	62.7	0	63.4	66	3.4
	8423	60.8	0	62.6	65	4	64	0	64	67	3	65.7	0	64.8	68	2.6	66.5	0	65	69	2.3	66.5	0	64.6	69	2.1
	8424	39.2	0	68.3	68	29.1	39.5	0	69.8	70	30.3	39.6	0	68.7	69	29.1	39.7	0	67.8	68	28.1	39.9	0	67	67	27.1
	8425	38.9	0	68.6	69	29.7	39.4	0	68	68	28.6	39.4	0	66.8	67	27.4	39.4	0	65.9	66	26.5	39.3	0	65.1	65	25.8
	8426	52.2	0	72.7	73	20.5	55	0	72.2	72	17.3	56	0	70.9	71	15.1	56.5	0	69.9	70	13.6	56.8	0	69.1	69	12.5
	8427	51	0	68	68	17.1	53.5	0	69.6	70	16.2	54.4	0	68.3	69	14.1	55	0	67.3	68	12.6	56.5	0	66.4	67	10.3
	8428	40	0	66.4	66	26.4	40.8	0	70.9	71	30.2	41.2	0	69.9	70	28.7	41.6	0	68.9	69	27.3	53.6	0	68.1	68	14.6
	8429	36.1	0	66	66	29.9	39.5	0	70.5	71	31	39.4	0	69.7	70	30.3	39.4	0	68.8	69	29.4	39.5	0	68	68	28.5
1E	8430	35.1	0	67.3	67	32.2	39.2	0	68.8	69	29.6	39.2	0	68.3	68	29.1	39.2	0	67.4	67	28.2	39.1	0	66.6	67	27.5
	8431	52.8	0	72.5	73	19.7	55.6	0	72.3	72	16.8	56.5	0	71.4	72	15	57	0	70.5	71	13.7	57.3	0	69.6	70	12.6
	8432	51.9	0	67.6	68	15.9	54.6	0	69.2	69	14.8	55.6	0	68	68	12.7	56.2	0	66.9	67	11.1	57.6	0	66.1	67	9
	8433	37.1	0	64.1	64	27	39	0	70.4	70	31.4	42.6	0	69.5	70	26.9	45.6	0	68.7	69	23.2	54.4	0	67.9	68	13.7
	8434	27.7	0	64.9	65	37.2	27.7	0	70.5	71	42.8	27.9	0	69.5	70	41.6	28	0	68.8	69	40.8	29.3	0	68.1	68	38.8
	8435	20.7	0	68	68	47.3	20.6	0	69.1	69	48.5	21.3	0	68.1	68	46.8	23.1	0	67.5	68	44.4	26.7	0	66.9	67	40.2
	8436	52.3	0	72.4	72	20.1	55.7	0	72.3	72	16.7	57.3	0	71.1	71	14	57.7	0	70.2	71	12.8	58	0	69.5	70	11.8
	8437	52.7	0	66.9	67	14.4	55	0	68.8	69	14	55.9	0	67.6	68	12	56.3	0	66.6	67	10.7	56.6	0	65.7	66	9.6
	8438	43	0	64.2	64	21.2	44.3	0	70.4	70	26.1	44.8	0	69.2	69	24.5	46	0	68.3	68	22.3	47.3	0	67.4	67	20.1
	8439	28.2	0	64.9	65	36.7	28.2	0	70.6	71	42.4	28.2	0	69.5	70	41.3	28.2	0	68.5	69	40.3	29.9	0	67.8	68	37.9
	8440	23.9	0	67.9	68	44	23.8	0	69.2	69	45.4	23.7	0	68.1	68	44.4	23.7	0	67.2	67	43.5	25	0	66.5	67	41.5
	8441	54.3	0	72.2	72	18	56.7	0	72.2	72	15.6	57.6	0	70.9	71	13.5	58.3	0	70	70	11.9	58.6	0	69.2	70	10.9
	8442	53.6	0	67.2	67	13.8	56.1	0	68.8	69	13	57.1	0	67.7	68	11	57.8	0	66.7	67	9.5	58.2	0	65.9	67	8.4
	8443	45.6	0	63.9	64	18.3	47.1	0	70	70	23	48.7	0	68.9	69	20.2	51.8	0	67.9	68	16.2	52.8	0	67	67	14.4
	8444	28.9	0	64.4	64	35.5	28.9	0	70.5	71	41.6	28.9	0	69.4	69	40.5	29.2	0	68.4	68	39.2	30.9	0	67.6	68	36.7
	8445	28.4	0	67.7	68	39.3	28.4	0	69.2	69	40.8	28.3	0	68	68	39.7	28.2	0	67	67	38.8	28.8	0	66.2	66	37.4
	8446	55	0	72.3	72	17.4	58.1	0	72.2	72	14.3	59.7	0	71	71	11.6	60.5	0	70	71	10	60.7	0	69.2	70	9.1
	8447	55.1	0	66.4	67	11.6	57.2	0	68.5	69	11.6	58.1	0	67.4	68	9.8	58.7	0	66.5	67	8.4	61	0	65.7	67	6
	8448	46.7	0	63.7	64	17	47.9	0	69.9	70	22	48.7	0	68.7	69	20.1	50.5	0	67.7	68	17.3	59.9	0	66.9	68	7.8
	8449	48.4	0	63.9	64	15.6	50.4	0	70	70	19.7	50.6	0	68.9	69	18.3	51	0	67.9	68	17	51.4	0	67.1	67	15.8
	8450	29.4	0	67.5	68	38.1	29.4	0	69	69	39.6	29.3	0	67.8	68	38.5	29.3	0	66.7	67	37.4	29.8	0	65.9	66	36.1
	8451	56.4	0	71.7	72	15.5	59.4	0	72	72	12.8	60.3	0	70.7	71	10.8	60.8	0	69.7	70	9.4	61	0	68.9	70	8.6
	8452	58.3	0	66.1	67	8.4	63.9	0	69.7	71	6.8	65.5	0	68.9	71	5.1	66.4	0	68.2	70	4	66.3	0	67.4	70	3.6
	8453	55.6	0	63.9	65	8.9	60.1	0	70.2	71	10.5	60.9	0	69.2	70	8.9	61.4	0	68.3	69	7.7	61.6	0	67.5	69	6.9
	8454	66.1	0	65	69	2.5	68.2	0	70.7	73	4.4	69.9	0	69.9	73	3	70.2	0	69.2	73	2.5	70	0	68.6	72	2.4
	8455	67.2	0	65.4	69	2.2	69.4	0	66.7	71	1.8	71.6	0	66.4	73	1.2	71.8	0	66.2	73	1.1	71.6	0	65.7	73	1
	8456	66.4	0	66.5	69	3	68.4	0	68.4	71	3	69.9	0	67.9	72	2.2	70.1	0	67.4	72	1.9	69.9	0	66.8	72	1.7
	8457	67.4	0	66	70	2.4	69.7	0	65.8	71	1.5	71.9	0	66	73	1	72	0	65.8	73	0.9	71.8	0	65.4	73	0.9
	8458	54.6	0	45.8	55	0.5	63.6	0	48.2	64	0.1	66.8	0	56.9	67	0.5	66.8	0	57.2	67	0.4	66.6	0	56.9	67	0.4
	8459	61	0	53.8	62	0.7	63.7	0	54.3	64	0.5	68.3	0	58	69	0.4	68.5	0	59	69	0.5	68.3	0	59.1	69	0.5

TABLE A3.2.2
KTA1 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**
1A	7001	67.7	0	59.7	68	0.6	69.2	0	60.4	70	0.6	70.6	0	61.5	**71**	0.5
	7002	56.7	0	64.1	65	8.1	59.3	0	64.3	66	6.2	63.4	0	65.1	67	3.9
	7003	53	0	59.7	61	7.6	56.5	0	59.7	61	4.9	62.5	0	59.7	64	1.9
	7004	61.7	0	59.9	64	2.2	63.5	0	60.4	65	1.7	65.1	0	61.6	67	1.6
	7005	60.5	0	56.7	62	1.5	61.6	0	56.4	63	1.1	62.7	0	56.1	64	0.8
	7006	58.4	0	66.2	67	8.5	60.9	0	66.5	68	6.6	64	0	67.4	69	5.1
	7007	65.6	0	66.3	69	3.4	67.4	0	66.4	70	2.6	69.9	0	66.6	**72**	1.7
	7008	65.2	0	67.1	69	4.1	67.2	0	67.9	**71**	3.4	70.2	0	69.2	**73**	2.5
	7009	57.3	0	68.1	68	11.1	58.2	0	67.7	68	10	59	0	66.9	68	8.5
	7010	60.4	0	67.2	68	7.6	63.3	0	67.6	69	5.7	67.6	0	68.3	**71**	3.4
	7011	62.8	0	66.8	68	5.4	64.5	0	67.2	69	4.6	66.3	0	67.7	70	3.7
	7012	62.9	0	67.2	69	5.7	64.9	0	67.7	69	4.2	66.7	0	68.6	**71**	4
	7013	67.9	0	67.3	**71**	2.7	69.6	0	67.8	**72**	2.2	71.7	0	69.2	**74**	1.9
1C	7101	37.7	0	37.6	41	3	37.7	0	38.3	41	3.3	37.7	0	40.3	42	4.5
	7102	34.7	0	62.5	63	27.8	35	0	62.7	63	27.7	35.5	0	62.8	63	27.3
	7103	57.7	0	64.3	65	7.4	58.9	0	64.5	66	6.7	59.8	0	64.6	66	6
	7104	55	0	62.6	63	8.3	56.2	0	62.9	64	7.5	57.6	0	63	64	6.5
	7105	50.8	0	59.3	60	9.1	51.9	0	59.3	60	8.1	52.9	0	59.4	60	7.3
	7106	35.8	0	69.3	69	33.5	36.3	0	69.7	70	33.4	37	0	70.1	70	33.1
	7107	61.2	0	69.2	70	8.6	62.3	0	69.5	70	8	62.9	0	69.8	**71**	7.7
	7108	62.2	0	68.8	70	7.4	63.2	0	69.2	70	7	63.9	0	69.9	**71**	7
	7109	49.6	0	56	57	7.3	50.6	0	56.7	58	7	52.3	0	57.5	59	6.4
	7110	58.5	0	67.6	68	9.6	59.7	0	68	69	8.9	60.8	0	68.5	69	8.3
	7111	30.9	0	64.1	64	33.2	31.1	0	64.3	64	33.2	31.7	0	64.7	65	33
	7112	31.3	0	58.6	59	27.3	31.5	0	59.6	60	28.1	31.9	0	60.9	61	29.1
	7113	58.7	0	72.2	**72**	13.7	60.1	0	72.6	**73**	12.8	60.7	0	73.2	**73**	12.7
1E	7301	53.3	0	55.5	58	4.3	54.7	0	56.3	59	3.9	55.6	0	56.9	59	3.7
	7302	69.3	0	63.5	**70**	1	70.5	0	64.1	**71**	0.9	71.2	0	64.5	**72**	0.8
	7303	67	0	60.3	**68**	0.8	68.6	0	61	**69**	0.7	69.6	0	61.3	**70**	0.6
	7304	67.4	0	60.6	**68**	0.8	68.8	0	61.3	**70**	0.7	69.9	0	61.5	**71**	0.6
	7305	47.4	0	59.8	60	12.6	49.8	0	60.7	61	11.3	52.9	0	61.3	62	9
	7306	71.6	0	64.8	**72**	0.8	73	0	65.1	**74**	0.6	73.5	0	65.3	**74**	0.6
	7307	71.9	0	65.2	**73**	0.8	73.1	0	65.7	**74**	0.8	73.8	0	65.9	**75**	0.7
	7308	72.1	0	65.5	**73**	0.9	73.2	0	66	**74**	0.8	73.6	0	66	**74**	0.7
	7309	65.3	0	58.3	**66**	0.8	66.5	0	59.1	**67**	0.8	68.2	0	59.6	**69**	0.6
	7310	51.9	0	68.3	**68**	16.5	54.2	0	69	**69**	15	57.1	0	69.1	**69**	12.3
	7311	63.9	0	64	**67**	3	65.2	0	64.6	**68**	2.7	65.9	0	64.6	**68**	2.4
	7312	66.1	0	64.4	**68**	2.3	67.5	0	64.8	**69**	1.9	68.2	0	64.7	**70**	1.6
	7313	69.6	0	71.6	**74**	4.1	71.1	0	72	**75**	3.5	71.9	0	71.9	**75**	3
	7314	73.3	0	67.1	**74**	0.9	74.6	0	67.7	**75**	0.8	75.3	0	67.8	**76**	0.7

TABLE A3.2.2
KTA2 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8501	64.7	0	49.7	65	0.1	67.5	0	56.8	68	0.4	67.7	0	58	68	0.5	67.9	0	57.8	68	0.4	70.8	0	58.3	71	0.2
	8502	67.5	0	48.8	68	0.1	69.8	0	55.1	70	0.1	70.3	0	55.1	70	0.1	70.2	0	54.7	70	0.1	72.1	0	57	72	0.1
	8503	67.2	0	48.6	67	0.1	69.1	0	54.1	69	0.2	69.3	0	53.9	69	0.1	69.2	0	53.5	69	0.1	71	0	56.4	71	0.1
	8504	69.1	0	50.4	69	0.1	71.1	0	55.4	71	0.1	71.6	0	56.1	72	0.1	71.5	0	56	72	0.1	72.1	0	57.4	72	0.1
	8505	60.3	0	59.7	63	2.7	63.5	0	59.9	65	1.5	65.5	0	59.5	67	1	65.4	0	59	66	0.9	65.2	0	58.5	66	0.9
	8506	66.1	0	47.4	66	0	68.5	0	52.8	69	0.1	69.4	0	53.4	70	0.1	69.2	0	53.2	69	0.1	69	0	52.9	69	0.1
	8507	57	0	60.8	62	5.3	60.8	0	60.9	64	3.1	64.1	0	60.5	66	1.6	63.9	0	60	65	1.5	63.8	0	60.4	65	1.6
	8508	63	0	44.1	63	0.1	66.6	0	50.9	67	0.1	67.7	0	51.3	68	0.1	67.7	0	51.7	68	0.1	69.9	0	54.2	70	0.1
	8509	45.4	0	63.2	63	17.9	52	0	62.7	63	11.1	60.1	0	62	64	4.1	60.3	0	61.4	64	3.6	60.2	0	60.7	64	3.3
	8510	62	0	56.8	63	1.2	66.1	0	57.1	67	0.5	67.5	0	56.8	68	0.4	67.6	0	56.6	68	0.3	67.4	0	56.1	68	0.3
	8511	43.3	0	64.7	65	21.5	44.9	0	67	67	22.1	46.6	0	66	66	19.5	46.8	0	65.3	65	18.6	47.3	0	64.7	65	17.5
	8512	18.4	0	58.9	59	40.5	18.4	0	68	68	49.6	18.2	0	67.3	67	49.1	19	0	66.7	67	47.7	20.3	0	66.3	66	46
	8513	51.4	0	62.3	63	11.2	52.8	0	67.5	68	14.8	53.7	0	66.4	67	12.9	53.8	0	65.5	66	12	53.8	0	64.8	65	11.4
	8514	19.5	0	59.5	60	40	19.5	0	69.5	70	50	19.6	0	68.8	69	49.2	21.8	0	68.2	68	46.4	25.5	0	67.7	68	42.2
	8515	56.1	0	56.4	59	3.2	62.2	0	66.1	68	5.4	62.7	0	65.8	68	4.9	62.9	0	65.4	67	4.5	63	0	65	67	4.2
	8516	0	0	55.6	56	55.6	0	0	67.1	67	67.1	0	0	66.7	67	66.7	0	0	66.3	66	66.3	0	0	65.9	66	65.9
	8517	44.8	0	58.7	59	14.1	46.6	0	68.6	69	22.1	47.9	0	67.9	68	20	48.4	0	67.3	67	19	52.8	0	66.8	67	14.2
	8518	0	0	60.2	60	60.2	0	0	69.2	69	69.2	0	0	68.5	69	68.5	0	0	68	68	68	0	0	67.4	67	67.4
1K	8519	39.7	0	58.9	59	19.2	42.7	0	68.8	69	26.1	45.5	0	68.1	68	22.6	46	0	67.5	68	21.5	46.4	0	66.8	67	20.5
	8520	43.4	0	60.5	61	17.2	48.7	0	69.4	70	20.8	51.1	0	68.8	69	17.8	54.2	0	68.2	68	14.2	56.1	0	67.6	68	11.8
	8521	42.6	0	62.1	62	19.6	45.2	0	69.7	70	24.5	46.9	0	68.9	69	22.1	47.4	0	68.1	68	20.8	52.6	0	67.5	68	15
	8522	0	0	63.5	64	63.5	0	0	69.8	70	69.8	0	0	69	69	69	0	0	68.2	68	68.2	0	0	67.6	68	67.6
	8523	44.7	0	63.3	63	18.7	48	0	69.7	70	21.8	49.1	0	68.8	69	19.8	49.5	0	67.9	68	18.5	49.6	0	67.2	67	17.7
	8524	45.1	0	63.9	64	18.9	55.5	0	69.9	70	14.6	55.8	0	69.1	69	13.5	55.6	0	68.3	69	12.9	56.2	0	67.7	68	11.8
	8525	42.9	0	63.7	64	20.8	46.9	0	69.3	69	22.4	48.4	0	68.3	68	20	48.8	0	67.5	68	18.8	52.2	0	66.9	67	14.8
	8526	0	0	66	66	66	0	0	69.3	69	69.3	0	0	68.4	68	68.4	0	0	67.6	68	67.6	0	0	66.9	67	66.9
	8527	37.5	0	64.3	64	26.8	41.5	0	69	69	27.6	44.5	0	68.1	68	23.6	45.4	0	67.3	67	21.9	45.7	0	66.6	67	20.9
	8528	27.1	0	67.7	68	40.6	26.9	0	69.2	69	42.3	26.8	0	68.3	68	41.5	28.3	0	67.4	67	39.1	36	0	66.7	67	30.7
	8529	63.1	0	63.9	67	3.4	65.1	0	64.2	68	2.6	66	0	63.6	68	1.9	66.6	0	62.8	68	1.5	66.8	0	62.1	68	1.3
	8530	49.7	0	67	67	17.4	59	0	67.1	68	8.8	59.1	0	66.5	67	8.1	58.9	0	65.7	67	7.6	58.6	0	65	66	7.3
	8531	64.8	0	62	67	1.9	66.9	0	63.5	69	1.6	67.5	0	63	69	1.3	68	0	62.4	69	1.1	70.4	0	62	71	0.6
	8532	67.3	0	65.2	69	2.1	68.9	0	65.8	71	1.8	69.5	0	65.5	71	1.4	69.9	0	64.9	71	1.2	69.8	0	64.4	71	1.1
	8533	69.9	0	56.1	70	0.2	71.6	0	59.3	72	0.2	72	0	59	72	0.2	72.1	0	58.6	72	0.2	72	0	58.2	72	0.2
	8534	67.7	0	55.3	68	0.2	69.1	0	58.2	70	0.4	69.7	0	57.8	70	0.3	70	0	57.4	70	0.2	70	0	57	70	0.2
	8535	71	0	56.7	71	0.1	72.4	0	59.8	73	0.2	72.7	0	59.4	73	0.2	72.7	0	59	73	0.2	73.2	0	59.1	73	0.2
	8536	64.5	0	46.2	65	0	66.1	0	51	66	0.2	66.3	0	51.8	66	0.1	66.2	0	51.9	66	0.2	69.7	0	54.9	70	0.2
	8537	67.5	0	52.1	68	0.1	69.3	0	55.2	70	0.2	69.6	0	55.1	70	0.2	69.6	0	54.8	70	0.2	72.2	0	57.1	72	0.1
	8538	62.7	0	47.1	63	0.1	65.5	0	53.3	66	0.2	66.2	0	59.3	67	0.8	66.1	0	59.4	67	0.8	70.1	0	60	71	0.4
	8601	31.6	0	38	39	7.3	37.6	0	48.6	49	11.3	48.8	0	50.2	53	3.7	50	0	51.4	54	3.8	50	0	52	54	4.1
	8602	0	0	40.1	40	40.1	0	0	49.2	49	49.2	0	0	51.3	51	51.3	0	0	53.5	54	53.5	0	0	55.4	55	55.4
	8603	62.6	0	55.1	63	0.7	67.5	0	56.2	68	0.4	67.2	0	56.1	68	0.3	66.8	0	55.2	67	0.3	66.7	0	54.6	67	0.3
	8604	57.2	0	55.9	60	2.4	64.6	0	55.7	65	0.5	64.6	0	55.1	65	0.4	64.5	0	54.2	65	0.4	65.5	0	53.5	66	0.3
	8605	58.7	0	47.6	59	0.4	61.4	0	51.7	62	0.4	61.2	0	51.6	62	0.5	61.2	0	51.2	62	0.5	66.9	0	52	67	0.1
	8606	63.1	0	49.5	63	0.2	66.3	0	53.8	67	0.2	66.1	0	53.4	66	0.2	65.8	0	52.9	66	0.3	66	0	52.7	66	0.2
	8607	64.8	0	50.2	65	0.1	68.7	0	55	69	0.2	68.5	0	54.6	69	0.2	68.2	0	54.1	68	0.2	68.1	0	53.8	68	0.1
	8608	52.3	0	34.2	52	0.1	64.1	0	48.1	64	0.1	63.9	0	48	64	0.1	63.9	0	47.5	64	0.1	65.2	0	47.7	65	0
	8609	48.7	0	32	49	0.1	59.2	0	42.6	59	0.1	59.1	0	42.4	59	0.1	59.1	0	41.9	59	0.1	62.1	0	42.7	62	0.1
	8610	67.1	0	52.4	67	0.1	71.5	0	57.1	72	0.1	71.3	0	56.8	72	0.2	71	0	56.3	71	0.2	70.9	0	55.9	71	0.1
	8611	67.5	0	53.2	68	0.2	71.6	0	57.2	72	0.1	71.4	0	57.3	72	0.2	71.2	0	57	71	0.1	70.9	0	56.5	71	0.1
	8612	68	0	53.7	68	0.1	71.9	0	57.5	72	0.2	71.8	0	57.4	72	0.2	71.5	0	57	72	0.2	71.2	0	56.5	71	0.2
	8613	51	0	33	51	0	63	0	43.7	63	0	67.8	0	51.1	68	0.1	67.8	0	52.6	68	0.1	67.5	0	52.5	68	0.2
	8614	49.7	0	33.1	50	0.1	62.4	0	40.1	62	0	67.2	0	50.2	67	0.1	67.2	0	52.2	67	0.2	67	0	52.1	67	0.1
	8615	64.3	0	50.3	65	0.2	66.7	0	52.9	67	0.1	68.9	0	53.8	69	0.1	68.9	0	54.5	69	0.1	68.7	0	54.2	69	0.2
	8616	66.3	0	51.1	66	0.1	69	0	54.8	69	0.2	69.2	0	54.6	69	0.1	69.1	0	54.3	69	0.2	68.9	0	54	69	0.2
	8617	66.8	0	51.5	67	0.1	70	0	55.4	70	0.1	70.2	0	55.5	70	0.1	70	0	55.2	70	0.2	69.8	0	54.9	70	0.2
	8618	67.1	0	58	68	0.5	69.9	0	59.8	70	0.4	70.2	0	61.4	71	0.5	70.1	0	61.6	71	0.6	69.9	0	62.1	71	0.7
	8619	0	0	60.9	61	60.9	0	0	61.3	61	61.3	0	0	62.6	63	62.6	0	0	62.6	63	62.6	0	0	62.9	63	62.9
	8620	62.3	0	59.9	64	2	63.6	0	60.7	65	1.8	63.9	0	62.3	66	2.3	64.2	0	62.3	66	2.1	64.2	0	62.5	66	2.2
	8621	27.9	0	61.4	62	33.6	27.9	0	61.8	62	33.9	27.9	0	63.4	63	35.5	27.8	0	63.3	63	35.5	27.8	0	63.2	63	35.4
	8622	58.4	0	61.8	64	5.1	60.4	0	62.8	65	4.4	60.8	0	64	66	4.9	61.2	0	63.7	66	4.4	61.5	0	63.4	66	4.1
	8623	0	0	61.8	62	61.8	0	0	63.2	63	63.2	0	0	64.1	64	64.1	0	0	63.7	64	63.7	0	0	63.3	63	63.3
	8624	56	0	60.5	62	5.8	58.2	0	62.7	64	5.8	58.7	0	63.5	65	6	59.1	0	63.2	65	5.5	59.5	0	62.9	65	5
	8625	62.8	0	65.4	67	4.5	65.5	0	66.4	69	3.5	65.9	0	66	69	3.1	66	0	65.5	69	2.8	66.1	0	65	69	2.5

TABLE A3.2.2
KTA2 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8626	0	0	68.2	68	68.2	0	0	68.1	68	68.1	0	0	67.4	67	67.4	0	0	66.8	67	66.8	0	0	66.2	66	66.2
	8627	52.1	0	67.2	67	15.2	56	0	66.8	67	11.2	56.4	0	66.2	67	10.2	56.5	0	65.5	66	9.5	57	0	64.9	66	8.6
	8628	53.2	0	71.1	71	18	55.1	0	70.2	70	15.2	55.4	0	69.2	69	14	55.5	0	68.4	69	13.2	55.6	0	67.8	68	12.4
	8629	50.3	0	68.2	68	17.9	55.4	0	67.2	68	12.1	55.7	0	66.1	67	10.8	55.8	0	65.2	66	9.9	55.8	0	64.6	65	9.3
	8630	49.2	0	69.2	69	20	54.5	0	68.4	69	14.1	54.6	0	67.4	68	13	54.8	0	66.5	67	12	54.8	0	65.8	66	11.4
	8631	0	0	63.5	64	63.5	0	0	68.1	68	68.1	0	0	67.2	67	67.2	0	0	66.5	67	66.5	0	0	65.8	66	65.8
	8632	31.4	0	66.4	66	35	31.4	0	66.6	67	35.2	31.4	0	65.7	66	34.3	31.4	0	65	65	33.6	32.4	0	64.4	64	32
	8633	53.1	0	69.4	70	16.4	57.6	0	70.1	70	12.8	57.7	0	69.2	70	11.8	57.7	0	68.5	69	11.2	57.8	0	67.8	68	10.4
	8634	52.5	0	57.9	59	6.5	57.9	0	66.9	67	9.5	58	0	66.3	67	8.9	57.9	0	65.6	66	8.4	58	0	64.9	66	7.7
	8635	52.3	0	56.4	58	5.5	57.3	0	68.2	69	11.2	57.4	0	67.5	68	10.5	57.4	0	66.8	67	9.8	57.5	0	66.1	67	9.2
	8636	0	0	58	58	58	0	0	68.8	69	68.8	0	0	68	68	68	0	0	67.2	67	67.2	0	0	66.6	67	66.6
	8637	32.2	0	58.4	58	26.2	32.2	0	67.2	67	35	32.2	0	66.2	66	34	32.1	0	65.4	65	33.3	32	0	64.8	65	32.8
	8638	59.4	0	69.5	70	10.5	60.1	0	70.1	71	10.5	60.1	0	69.2	70	9.6	60.1	0	68.4	69	8.9	60.5	0	67.9	69	8.1
	8639	59.5	0	66	67	7.4	60.7	0	66.1	67	6.5	60.7	0	65.4	67	6	60.7	0	64.8	66	5.5	61	0	64.3	66	4.9
	8640	59.6	0	64.3	66	5.9	60.4	0	67.7	68	8	60.3	0	67	68	7.5	60.3	0	66.2	67	6.9	60.7	0	65.7	67	6.2
	8641	43.2	0	67.8	68	24.6	43.9	0	67.8	68	23.9	44.9	0	66.9	67	22	46.2	0	66.2	66	20.1	46.2	0	65.7	66	19.6
	8642	34.3	0	66.7	67	32.4	36	0	66.5	67	30.5	41.8	0	65.6	66	23.8	52.6	0	64.7	65	12.4	53	0	64	64	11.4
	8643	64.3	0	69.2	70	6.1	64.2	0	69	70	6.1	64	0	68.3	70	5.7	64.2	0	67.8	69	5.2	64	0	67.4	69	5
	8644	67.8	0	64.9	70	1.8	67.7	0	64.7	70	1.8	67.5	0	64.4	69	1.7	67.3	0	64.6	69	1.9	67.1	0	64.5	69	1.9
	8645	64.5	0	66.4	69	4.1	64.3	0	66.9	69	4.5	64.1	0	66.5	69	4.4	64.2	0	66.3	68	4.2	64	0	66	68	4.1
	8646	68.8	0	63.7	70	1.2	69	0	64	70	1.2	68.8	0	64.1	70	1.3	68.7	0	64.3	70	1.4	68.5	0	64.1	70	1.3
	8647	66.2	0	43	66	0	66.6	0	47.8	67	0.1	66.4	0	47.7	67	0.1	66.2	0	47.5	66	0.1	66	0	47.2	66	0.1
	8648	67.3	0	38.5	67	0	67.6	0	45.9	68	0	67.4	0	45.7	67	0	67.2	0	45.5	67	0	67	0	45.2	67	0
	8649	67.7	0	58.9	68	0.5	67.7	0	59.7	68	0.6	67.5	0	60.6	68	0.8	67.5	0	61.4	68	0.9	67.2	0	62	68	1.2
	8650	65.5	0	60.7	67	1.2	65.3	0	61.7	67	1.6	65.1	0	62.4	67	1.8	65.1	0	62.8	67	2	64.9	0	62.9	67	2.1
	8651	68.1	0	60.7	69	0.7	68.2	0	61.7	69	0.9	68.1	0	62.3	69	1	68	0	62.8	69	1.1	67.8	0	62.9	69	1.2
	8652	61.6	0	25.9	62	0	62.6	0	26.5	63	0	63.2	0	27.4	63	0	64.7	0	28.7	65	0	65.2	0	33.4	65	0
	8653	64.7	0	23.3	65	0	65.2	0	23.3	65	0	65	0	23.2	65	0	64.9	0	23.1	65	0	64.8	0	30.3	65	0
	8654	69	0	59.9	70	0.5	68.9	0	61	70	0.7	68.7	0	61.8	70	0.8	68.6	0	62.5	70	0.9	68.3	0	62.6	69	1
	8655	67	0	60.6	68	0.9	66.9	0	62.3	68	1.3	66.7	0	63.1	68	1.6	66.6	0	63.5	68	1.7	66.3	0	63.6	68	1.8
	8656	71.2	0	60.3	72	0.4	71.3	0	61.3	72	0.4	71.3	0	62	72	0.4	71.2	0	62.6	72	0.5	70.9	0	62.7	72	0.6
	8657	68.7	0	54	69	0.2	68.9	0	54.2	69	0.2	68.8	0	53.9	69	0.1	68.5	0	53.5	69	0.2	68.5	0	53.1	69	0.1
	8658	68.7	0	52.1	69	0.1	68.8	0	52.3	69	0.1	68.7	0	52	69	0.1	68.5	0	51.6	69	0.1	68.7	0	51.3	69	0
	8659	68.6	0	52.9	69	0.1	68.6	0	53.6	69	0.1	68.4	0	54.3	69	0.1	68.3	0	55.5	69	0.2	68.1	0	59.8	69	0.6
	8660	66.7	0	56.2	67	0.4	66.6	0	57.9	67	0.6	66.4	0	59.3	67	0.8	66.4	0	60.3	67	1	66.2	0	60.7	67	1.1
2A	8661	71.4	0	59.5	72	0.3	71.7	0	60.3	72	0.3	71.6	0	61	72	0.4	71.5	0	61.6	72	0.4	71.2	0	61.7	72	0.5
	8662	69.2	0	55.5	69	0.2	69.8	0	55.6	70	0.2	70	0	55.3	70	0.2	69.9	0	55.1	70	0.1	69.6	0	54.5	70	0.1
	8663	69.9	0	54.4	70	0.1	70.7	0	55.5	71	0.1	70.6	0	55.2	71	0.2	70.4	0	54.9	71	0.1	70.2	0	54.4	70	0.1
	8664	61.6	0	42.5	62	0.1	64.6	0	50.4	65	0.2	64.5	0	50	65	0.1	64.2	0	49.5	64	0.1	64.3	0	50.1	65	0.2
	8665	57.3	0	37.7	57	0	59.2	0	46.1	59	0.2	59.2	0	48.6	60	0.4	59.2	0	48.8	60	0.3	60.1	0	49.8	61	0.4
	8666	66.1	0	46.3	66	0.1	68.5	0	53.9	69	0.2	68.4	0	53.4	69	0.1	68.2	0	52.8	68	0.1	68.1	0	52.9	68	0.1
	8667	62.6	0	44.4	63	0	65.5	0	51.8	66	0.2	66	0	51.3	66	0.1	65.8	0	50.7	66	0.2	66.1	0	50.2	66	0.1
	8668	63.1	0	41.4	63	0	66.5	0	48.8	67	0	66.9	0	48.2	67	0	66.8	0	47.8	67	0	67	0	47.4	67	0
	8669	57.5	0	31.4	58	0	63.8	0	44.7	64	0	64.2	0	48.1	64	0.1	64	0	48.1	64	0.1	69.6	0	49.6	70	0.1
	8670	49.4	0	31.9	50	0.1	65.9	0	47.8	66	0.1	66.9	0	52.8	67	0.2	66.6	0	52.4	67	0.1	66.7	0	52.2	67	0.1
	8671	50.2	0	31.6	50	0.1	67	0	48.1	67	0.1	68.9	0	53.4	69	0.1	68.7	0	53.6	69	0.1	68.6	0	53.3	69	0.1
	8672	66.2	0	54.8	67	0.3	66.2	0	56.6	67	0.5	66.1	0	57.9	67	0.6	66.1	0	59.4	67	0.8	65.9	0	59.8	67	1
	8673	25.8	0	41	41	15.4	27.8	0	50.3	50	22.5	32	0	51.5	52	19.5	39	0	53.2	53	14.4	40.7	0	54.3	55	13.8
	8674	51.6	0	32.6	52	0	61.1	0	45.5	61	0.2	64.8	0	46.8	65	0.1	66.4	0	46.6	66	0	66.8	0	46.4	67	0.1
	8675	54	0	33.9	54	0	62.5	0	47.8	63	0.2	63.4	0	48	64	0.1	63.5	0	47.7	64	0.1	63.5	0	47.3	64	0.1
	8676	53.9	0	35.3	54	0.1	63.5	0	47.8	64	0.1	70.5	0	54	71	0.1	70.9	0	54.5	71	0.1	70.9	0	54.5	71	0.1
	8677	51.2	0	33.5	51	0.1	62	0	42	62	0	70.1	0	53.5	70	0.1	70.6	0	54.4	71	0.1	70.6	0	54.4	71	0.1
	8678	52.8	0	31.3	53	0	63.5	0	40.2	64	0	69.8	0	52.2	70	0	70.3	0	53.4	70	0.1	70.6	0	53.5	71	0.1
	8679	54.2	0	34.1	54	0.1	65.3	0	46.4	65	0.1	68	0	49.5	68	0.1	68.9	0	49.4	69	0.1	69.2	0	49.3	69	0
	8680	53.8	0	33.4	54	0.1	64.9	0	46.3	65	0.1	65	0	48.9	65	0.1	64.9	0	48.6	65	0.1	64.8	0	48.2	65	0.1
	8681	59.7	0	35.1	60	0	66.4	0	47.1	66	0	71.8	0	54.8	72	0	72.1	0	55.7	72	0.1	72	0	55.5	72	0.1
	8682	44.5	0	31.8	45	0.2	56.4	0	37.6	56	0	70.1	0	53.6	70	0.1	70.5	0	54.8	71	0.1	70.4	0	54.6	71	0.1
	8683	56.5	0	33.1	57	0	65.9	0	43.2	66	0	71.1	0	53.7	71	0.1	71.6	0	54.9	72	0.1	71.7	0	54.7	72	0.1
	8684	53.3	0	30.9	53	0	62.6	0	40.8	63	0	69.7	0	51.2	70	0.1	70.3	0	51.6	70	0.1	70.4	0	51.5	71	0.1
	8685	45	0	25.3	45	0	57.6	0	32	58	0	67.5	0	47.6	68	0.1	67.7	0	48.1	68	0	67.6	0	47.8	68	0.1
	8686	49.5	0	32.4	50	0.1	62.9	0	41.7	63	0	72.3	0	55	72	0.1	72.6	0	56	73	0.1	72.5	0	55.9	73	0.1
	8687	50.6	0	34.1	51	0.1	63.7	0	42.1	64	0	70.2	0	53.9	70	0.1	70.4	0	55.7	71	0.2	70.3	0	55.5	71	0.2
	8688	51.6	0	33.6	52	0.1	64.7	0	41.9	65	0	72	0	53.9	72	0.1	72.4	0	56.1	73	0.1	72.3	0	55.9	72	0.1

TABLE A3.2.2
KTA2 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8689	52.5	0	34.2	53	0.1	64	0	40.7	64	0	69.7	0	50.8	70	0	70.8	0	53.3	71	0.1	70.9	0	53.5	71	0.1
	8690	54.2	0	35	54	0.1	66.3	0	44	66	0	71.3	0	52.5	71	0.1	71.8	0	54.8	72	0.1	71.8	0	54.5	72	0.1
	8691	49.9	0	33.6	50	0.1	61.1	0	45.9	61	0.1	68.7	0	49.4	69	0.1	69.4	0	50.2	69	0	69.4	0	50.1	70	0.1
	8692	55.1	0	35.9	55	0	67.3	0	45.9	67	0	73	0	55.4	73	0.1	73.3	0	57.5	73	0.1	73.1	0	57.2	73	0.1
	8693	46.7	0	32.4	47	0.1	58.3	0	39.8	58	0.1	70.2	0	53	70	0.1	70.3	0	56.2	71	0.2	70	0	56	70	0.2
	8694	54.1	0	34.1	54	0.1	66.2	0	43.1	66	0	72	0	54.1	72	0.1	72.4	0	56.9	73	0.1	72.2	0	56.7	72	0.1
	8695	53.4	0	32.2	53	0	65.5	0	40.8	66	0	71.4	0	51.4	72	0.1	72	0	55.6	72	0.1	71.9	0	55.3	72	0.1
	8696	52.8	0	30.3	53	0	65	0	37.9	65	0	69.6	0	49.2	70	0	70	0	51.8	70	0.1	70.1	0	51.5	70	0
	8697	53.4	0	31.7	53	0	65.9	0	39.8	66	0	73.1	0	55.1	73	0	73.2	0	57.6	73	0.1	73.1	0	57.4	73	0.1
	8698	48.3	0	35.6	49	0.2	61.2	0	45.5	61	0.1	69.9	0	54.5	70	0.2	70	0	55.9	70	0.1	69.7	0	55.9	70	0.2
	8699	51.5	0	33.2	52	0.1	64.4	0	41.9	64	0	72.2	0	54.7	72	0.1	72.5	0	57.1	73	0.1	72.2	0	57.1	72	0.1
	8731	51.8	0	33.1	52	0.1	64.6	0	41.7	65	0	72.1	0	54.1	72	0.1	72.3	0	56.5	73	0.2	72.2	0	56.3	72	0.1
	8732	47.1	0	31.1	47	0.1	59.5	0	38.6	60	0.1	70.2	0	50.6	70	0	70.4	0	53.6	71	0.1	70.3	0	53.4	70	0.1
	8733	52.5	0	37.3	53	0.2	66	0	47.5	66	0	73.2	0	56.8	73	0.1	73.2	0	58.2	73	0.1	73	0	58	73	0.1
	8734	52.9	0	38.5	53	0.1	66.1	0	47.9	66	0	69.4	0	55.2	70	0.2	69.4	0	56.2	70	0.2	69.1	0	56.2	69	0.2
	8735	53.8	0	37.2	54	0.1	66.4	0	47.1	67	0.1	71.8	0	55.9	72	0.1	72	0	57.8	72	0.1	71.7	0	57.6	72	0.2
	8736	50.6	0	34.2	51	0.1	62.3	0	39.6	62	0	70.1	0	50.7	70	0	71.1	0	55.9	71	0.1	70.9	0	56.3	71	0.2
	8737	49.7	0	32.1	50	0.1	62	0	41	62	0.1	72.3	0	55.6	72	0.1	72.4	0	57.4	73	0.2	72.2	0	57.2	72	0.2
	8738	44.2	0	36.3	45	0.7	57.4	0	42	58	0.1	70.3	0	54.6	71	0.2	70.3	0	55.9	71	0.2	70.1	0	55.6	70	0.2
	8739	50	0	36.2	50	0.1	61.1	0	46.4	61	0.2	72.7	0	56.9	73	0.1	72.6	0	57.9	73	0.2	72.4	0	57.5	73	0.1
	8740	50.3	0	32	50	0	57.7	0	40.9	58	0.1	67.2	0	50.6	67	0.1	67.4	0	52.8	68	0.2	67.2	0	52.5	67	0.1
	8741	44.9	0	29.9	45	0.1	55.4	0	38	56	0.1	70.4	0	55.2	71	0.2	70.6	0	56.2	71	0.1	70.3	0	55.9	71	0.2
	8742	50	0	32.1	50	0.1	62.5	0	41.4	63	0.1	71.7	0	55.5	72	0.1	71.8	0	56.7	72	0.2	71.5	0	56.5	72	0.2
	8743	46.2	0	31.2	46	0.2	57.6	0	37.9	58	0	70.8	0	54.4	71	0.1	70.9	0	55.7	71	0.1	70.6	0	55.3	71	0.2
	8744	56.4	0	36.5	57	0.1	66.3	0	47.7	66	0	72	0	56.3	72	0.1	72	0	57	72	0.1	71.7	0	56.7	72	0.1
	8745	53.4	0	34.8	53	0	63.9	0	46.8	64	0.1	64.2	0	49.1	64	0.1	64.1	0	48.7	64	0.1	63.8	0	48.3	64	0.2
	8746	53.7	0	36.7	54	0.1	66.3	0	47	66	0.1	69.5	0	53.7	70	0.1	69.6	0	54.7	70	0.1	69.3	0	54.5	69	0.1
	8747	51.2	0	33.6	51	0.1	64.4	0	42.7	64	0	70.6	0	54.2	71	0.1	70.6	0	55.6	71	0.2	70.3	0	55.4	70	0.1
	8748	51.5	0	34.9	52	0.1	65.2	0	44.1	65	0.1	70.6	0	54.7	71	0.1	70.6	0	55.6	71	0.1	70.4	0	55.4	71	0.1
	8749	54.9	0	38.2	55	0.1	67.4	0	48.8	67	0	71.2	0	55.4	71	0.1	71.1	0	56.2	71	0.2	70.9	0	55.9	71	0.1
	8750	51.6	0	45.9	53	1	64	0	47.8	64	0.1	64.3	0	49.6	64	0.1	64.1	0	49.1	64	0.1	63.9	0	48.9	64	0.1
	8751	52.8	0	45.5	54	0.8	66.2	0	47.2	66	0.1	66.8	0	52	67	0.2	66.6	0	51.7	67	0.1	66.3	0	51.3	66	0.1
	8761	51.5	0	53.1	55	3.9	54.1	0	67.4	68	13.5	54.3	0	66.4	67	12.3	54.7	0	65.4	66	11.1					
	8762	53.3	0	53.5	56	3.1	57.9	0	66.7	67	9.4	58.2	0	65.8	67	8.3	58.2	0	64.7	66	7.4					
	8763	55.4	0	61.2	62	6.8	60.8	0	69.5	70	9.3	61.9	0	68.4	69	7.3	62.2	0	67.3	69	6.3					
	8764	51.6	0	61.1	62	9.9	58.4	0	66.3	67	8.6	60.1	0	65.6	67	6.6	60.5	0	65	66	5.8					
	8765	51.7	0	62.6	63	11.2	58.4	0	67.6	68	9.7	60.3	0	66.7	68	7.3	61.2	0	65.8	67	5.9					
	8766	51.4	0	53.4	56	4.1	56.8	0	67.7	68	11.3	57	0	66.8	67	10.2	58.3	0	65.8	67	8.2					
	8767	54.5	0	53.7	57	2.6	59.5	0	67.1	68	8.3	59.7	0	66	67	7.2	60.3	0	64.9	66	5.9					
2B	8768	55.7	0	59.2	61	5.1	60.1	0	69.7	70	10.1	60.7	0	68.6	69	8.5	60.8	0	67.5	68	7.6					
	8769	45.4	0	57.5	58	12.4	52.6	0	66	66	13.6	54.5	0	64.9	65	10.8	55.4	0	64	65	9.1					
	8770	48.8	0	53.8	55	6.2	54.6	0	67.4	68	13	56.4	0	66.4	67	10.4	56.9	0	65.4	66	9.1					
	8771	51.8	0	52.2	55	3.2	61.4	0	66.7	68	6.4	61.6	0	66.2	68	5.9	62	0	65.2	67	4.9					
	8772	52	0	53	56	3.5	61.4	0	66.1	67	6	61.6	0	65.8	67	5.6	61.6	0	64.9	67	5					
	8773	52.7	0	57.4	59	6	61.3	0	69.6	70	8.9	61.5	0	68.4	69	7.7	62.3	0	67.3	69	6.2					
	8774	39.2	0	55.8	56	16.7	41.1	0	66.6	67	25.5	45.1	0	65.5	66	20.4	51.7	0	64.4	65	12.9					
	8775	41.5	0	53.7	54	12.4	46.4	0	67.9	68	21.5	49	0	66.9	67	18	54.1	0	65.9	66	12.1					
	8801	54.5	0	61.2	62	7.5	58.5	0	69.2	70	11	58.5	0	68	68	9.9	58.7	0	67	68	8.9					
	8802	50.9	0	59.8	60	9.4	55.8	0	68.5	69	12.9	56.7	0	67.2	68	10.8	57.6	0	66.2	67	9.2					
	8803	51.9	0	60.3	61	9	58.7	0	71.2	72	12.8	58.5	0	69.7	70	11.5	58.8	0	68.6	69	10.2					
	8804	45.4	0	53	54	8.3	55.9	0	66.6	67	11	54.8	0	64.9	65	10.5	54.2	0	63.5	64	9.8					
	8805	43.5	0	55.9	56	12.7	53.7	0	69.2	69	15.6	53.2	0	68.3	68	15.2	54.4	0	67.3	68	13.1					
	8806	47.1	0	69.9	70	22.9	54	0	69.1	69	15.3	54.8	0	67.7	68	13.1	55.8	0	66.6	67	11.2					
	8807	47.2	0	69.9	70	22.8	54	0	68.1	68	14.2	54.8	0	66.5	67	11.9	55.7	0	65.3	66	10.1					
	8808	45.7	0	73.2	73	27.5	52.6	0	70.3	70	17.7	53.3	0	68.5	69	15.3	53.8	0	67.3	68	13.7					
2C	8809	21.3	0	68.6	69	47.3	21.2	0	65.8	66	44.6	20.7	0	64.1	64	43.4	20.4	0	62.8	63	42.4					
	8810	32.4	0	69.5	70	37.1	46	0	67.4	67	21.4	45.6	0	65.6	66	20	46.3	0	64.4	64	18.1					
	8811	44.1	0	58.7	59	14.7	55.2	0	66.8	67	11.9	55.8	0	66.2	67	10.8	56.2	0	65.4	66	9.7					
	8812	45	0	57.8	58	13	54.8	0	66.9	67	12.3	55.7	0	65.7	66	10.4	56.8	0	64.8	65	8.6					
	8813	43.3	0	56.7	57	13.6	53.2	0	69.1	69	16	54.8	0	67.9	68	13.3	56.3	0	66.8	67	10.9					
	8814	0	0	49.1	49	49.1	0	0	63.1	63	63.1	0	0	62.7	63	62.7	0	0	62	62	62					
	8815	35.5	0	46.3	47	11.1	47.3	0	60.7	61	13.6	52	0	63.8	64	12.1	52.7	0	62.9	63	10.6					
	8816	52.9	0	56.5	58	5.2	59.8	0	58	62	2.2	60	0	60.3	63	3.2	59.9	0	62.3	64	4.4					

TABLE A3.2.2
KTA2 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8817	44.3	0	56	56	12	59.4	0	59.4	62	3	59.6	0	61.5	64	4.1	59.7	0	62.4	64	4.6					
	8818	46.6	0	56	56	9.8	58.1	0	58.8	62	3.4	58.3	0	61	63	4.6	58.4	0	61.3	63	4.7					
2D	8901	40.6	0	68	68	27.4	43.2	0	68.2	68	25	46.2	0	67.4	68	21.3	48.6	0	66.5	67	18					
	8902	0	0	67.7	68	67.7	0	0	67.8	68	67.8	0	0	66.8	67	66.8	0	0	65.8	66	65.8					
	8903	0	0	66.6	67	66.6	0	0	66.5	67	66.5	0	0	65.4	65	65.4	0	0	64.4	64	64.4					
	8904	0	0	51.9	52	51.9	0	0	51.7	52	51.7	0	0	51.3	51	51.3	0	0	50.8	51	50.8					
	8905	0	0	46.6	47	46.6	0	0	45.3	45	45.3	0	0	43.9	44	43.9	0	0	42.7	43	42.7					
	8906	59.6	0	62.3	64	4.6	60.3	0	62.1	64	4	60.7	0	61.6	64	3.5	60.9	0	61	64	3.1					
	8907	59.6	0	62.4	64	4.6	60.4	0	62.1	64	3.9	60.9	0	61.6	64	3.4	61.1	0	61.1	64	3					
	8908	59.2	0	62.1	64	4.7	59.4	0	61.7	64	4.3	59.5	0	61.2	64	4	59.3	0	60.7	63	3.8					
	8909	0	0	57.3	57	57.3	0	0	57.3	57	57.3	0	0	56.9	57	56.9	0	0	56.4	56	56.4					
	8910	0	0	35.7	36	35.7	0	0	35.6	36	35.6	0	0	35.4	35	35.4	0	0	35.1	35	35.1					
	8911	61	0	63.9	66	4.7	61.6	0	63.5	66	4	61.8	0	62.9	65	3.6	61.8	0	62.2	65	3.2					
	8912	61.1	0	64.2	66	4.8	61.6	0	63.6	66	4.1	61.7	0	63	65	3.7	61.7	0	62.3	65	3.3					
	8913	60.6	0	64	66	5	60.7	0	63.4	65	4.6	60.7	0	62.7	65	4.1	60.5	0	62	64	3.8					
	8914	46.3	0	60.3	61	14.2	46.8	0	60.1	60	13.5	46.9	0	59.4	60	12.8	46.8	0	58.7	59	12.2					
	8915	0	0	45	45	45	0	0	43.8	44	43.8	0	0	42.5	43	42.5	0	0	41.4	41	41.4					
	8916	61.9	0	65.7	67	5.3	62.3	0	64.9	67	4.5	62.6	0	64.1	66	3.8	62.6	0	63.3	66	3.4					
	8917	61.8	0	65.9	67	5.5	62.4	0	65.5	67	4.8	62.7	0	64.8	67	4.2	62.7	0	64	66	3.7					
	8918	61.4	0	65.4	67	5.4	62.1	0	64.8	67	4.6	62.5	0	64	66	3.8	62.5	0	63.3	66	3.4					
2E	8923	40.3	0	61.9	62	21.7	43	0	67.3	67	24.4	48.3	0	66.6	67	18.4	50.5	0	65.5	66	15.1					
	8924	36	0	61.7	62	25.7	37.5	0	67.6	68	30.1	39.9	0	66.5	67	26.6	41	0	65.2	65	24.2					
	8925	41	0	65.7	66	24.7	43.6	0	70.4	70	26.8	50.1	0	69.8	70	19.7	56	0	68.9	69	13.1					
	8926	47.8	0	64.6	65	16.9	58	0	69.3	70	11.6	58.5	0	68.2	69	10.2	59.8	0	67.6	68	8.5					
	8927	42.2	0	65	65	22.9	49.8	0	70.2	70	20.5	57.4	0	69.3	70	12.2	59.3	0	68.5	69	9.7					
	8928	48.1	0	59.4	60	11.6	59.5	0	68.4	69	9.5	61	0	68	69	7.8	61.6	0	67.4	68	6.8					
	8929	26.7	0	58.5	59	31.8	26	0	59.5	60	33.5	25.1	0	58.8	59	33.7	25.3	0	58.1	58	32.8					
	8930	37.8	0	50.3	51	12.7	48.7	0	63.4	64	14.9	51.5	0	63.9	64	12.7	55.3	0	63.5	64	8.8					
	8931	18.8	0	66.7	67	47.9	18.8	0	67.9	68	49.1	18.7	0	66.4	66	47.7	20	0	65.1	65	45.1					
	8932	0	0	64.9	65	64.9	0	0	67.1	67	67.1	0	0	65.2	65	65.2	0	0	63.9	64	63.9					
	8933	35	0	58.8	59	23.9	35.3	0	65.7	66	30.4	36	0	65.7	66	29.7	38.2	0	64.9	65	26.7					
	8934	52.6	0	58.2	59	6.6	59.7	0	64.9	66	6.4	60.9	0	64.8	66	5.4	60.6	0	63.9	66	4.9					
	8935	35.8	0	60.2	60	24.4	37.6	0	65.6	66	28	40.7	0	64.8	65	24.1	41.9	0	64	64	22.1					
	8936	62.3	0	67.5	69	6.4	64.1	0	69.8	71	6.8	64.9	0	68.9	70	5.5	64.6	0	68	70	5					
	8937	62	0	67.9	69	6.9	63.9	0	70.1	71	7.1	64.8	0	69	70	5.6	64.6	0	68	70	5.1					
	8938	63.4	0	69.9	71	7.4	64.8	0	70.1	71	6.4	65.4	0	69.2	71	5.3	65.1	0	68.2	70	4.8					
	8939	51.1	0	64.6	65	13.7	50.4	0	64.4	65	14.2	49.3	0	63.4	64	14.3	48.4	0	62.5	63	14.3					
	8940	61.8	0	64	66	4.3	61.6	0	66.5	68	6.1	61.8	0	65.6	67	5.3	61.3	0	64.7	66	5					
	8941	19.2	0	63	63	43.8	19.2	0	63.2	63	44	19	0	62.5	63	43.5	20.4	0	61.9	62	41.5					
	8942	0	0	63.3	63	63.3	0	0	62.8	63	62.8	0	0	62.1	62	62.1	0	0	61.5	62	61.5					
	8943	34.9	0	64.9	65	30	35.6	0	64.8	65	29.2	37	0	64.3	64	27.3	40.8	0	64	64	23.2					
	8944	36.7	0	61.5	62	24.8	36.8	0	62	62	25.2	37.2	0	61.6	62	24.4	42.3	0	61.2	61	19					
	8945	34.8	0	63.4	63	28.6	35.4	0	64.3	64	28.9	36.3	0	63.6	64	27.3	39.4	0	63	63	23.6					
	8946	62.9	0	66.8	68	5.4	64	0	68.4	70	5.7	64.4	0	67.3	69	4.7	64.1	0	66.4	68	4.3					
	8947	63.8	0	67.6	69	5.3	64.8	0	67.4	69	4.5	65.2	0	66.4	69	3.6	64.9	0	65.5	68	3.3					
	8948	64.2	0	69.9	71	6.7	64.8	0	69.2	71	5.7	65.2	0	68	70	4.7	64.9	0	67.1	69	4.2					
	8949	0	0	64.8	65	64.8	0	0	64	64	64	0	0	62.8	63	62.8	0	0	61.8	62	61.8					
	8950	61	0	64.3	66	5	61	0	66.2	67	6.4	61.1	0	65.1	67	5.4	60.7	0	64.1	66	5.1					
	8951	0	0	62.8	63	62.8	0	0	63	63	63	0	0	62.5	63	62.5	0	0	62	62	62					
	8952	0	0	60.8	61	60.8	0	0	60.5	61	60.5	0	0	60.1	60	60.1	0	0	59.8	60	59.8					
	8953	39.9	0	63.9	64	24.1	42.5	0	63.7	64	21.3	44.6	0	63.4	64	18.9	46.7	0	63.1	63	16.5					
	8954	36.4	0	63	63	26.6	36.8	0	62.6	63	25.8	37.8	0	61.9	62	24.1	42.2	0	61.3	61	19.1					
	8955	33.2	0	62.8	63	29.6	33.2	0	63	63	29.8	34.1	0	62.3	62	28.2	38.9	0	61.6	62	22.7					
	8956	60.5	0	61.5	64	3.6	61.4	0	66.5	68	6.3	61.9	0	65.6	67	5.3	61.7	0	64.8	67	4.9					
	8957	62.6	0	66.3	68	5.2	63.3	0	67.6	69	5.7	63.6	0	66.5	68	4.7	63.4	0	65.5	68	4.2					
	8958	63.3	0	67	69	5.2	63.9	0	66.6	69	4.6	64.3	0	65.4	68	3.6	64.1	0	64.5	67	3.2					
	8959	63.6	0	69	70	6.5	64.1	0	68	70	5.4	64.5	0	66.8	69	4.3	64.4	0	65.8	68	3.8					
	8960	59.5	0	63.5	65	5.4	59.7	0	65	66	6.4	59.8	0	63.8	65	5.5	59.5	0	62.9	65	5					
	8961	0	0	60.7	61	60.7	0	0	61.7	62	61.7	0	0	61.9	62	61.9	0	0	61.9	62	61.9					
	8962	0	0	54.4	54	54.4	0	0	57.3	57	57.3	0	0	58.6	59	58.6	0	0	59	59	59					
	8971	67.9	0	61	69	0.8	68.2	0	63.6	70	1.3	68.1	0	63.6	69	1.3	68	0	63.1	69	1.2					
	8972	68	0	60.5	69	0.7	68.3	0	64.4	70	1.5	68.2	0	65.4	70	1.8	68.2	0	65.5	70	1.8					
	8973	67.9	0	62.6	69	1.1	68.2	0	65.4	70	1.8	68	0	66.9	71	2.5	67.8	0	66.2	70	2.3					

TABLE A3.2.2
KTA2 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
2F	8974	57.2	0	55.8	60	2.4	58.7	0	57.4	61	2.4	59.2	0	56.8	61	2	65.5	0	57.8	66	0.7					
	8975	59.6	0	59.4	63	3	61.1	0	63.6	66	4.4	61.8	0	66.2	68	5.8	62	0	65.8	67	5.3					
	8976	58.2	0	68.4	69	10.6	57.2	0	69.5	70	12.6	58	0	68.8	69	11.1	58.4	0	68	68	10					
	8977	59.2	0	69.1	70	10.3	57.8	0	69.6	70	12.1	58.5	0	69.3	70	11.1	60.2	0	69.1	70	9.4					
	8978	59.6	0	68.2	69	9.2	57.7	0	70.7	71	13.2	56.7	0	69.7	70	13.2	57.4	0	68.9	69	11.8					
	8979	22.9	0	60.1	60	37.2	23	0	67.2	67	44.2	23	0	66.3	66	43.3	26.7	0	65.4	65	38.7					
	8980	0	0	62.4	62	62.4	0	0	68.7	69	68.7	0	0	67.7	68	67.7	0	0	66.8	67	66.8					
	8981	40.1	0	65.9	66	25.8	43.5	0	68.1	68	24.6	50.2	0	66.8	67	16.7	53.2	0	65.9	66	12.9					
	8982	55	0	65.4	66	10.8	57	0	66.9	67	10.3	58.4	0	65.5	66	7.9	59.2	0	64.7	66	6.6					
	8983	37.9	0	68.1	68	30.2	39	0	70.5	71	31.5	41	0	68.9	69	27.9	43.9	0	67.8	68	23.9					
	8984	0	0	64.9	65	64.9	0	0	69.5	70	69.5	0	0	68.1	68	68.1	0	0	66.9	67	66.9					
	8985	26	0	65.2	65	39.2	26.2	0	69	69	42.8	26.3	0	67.8	68	41.5	27.9	0	66.7	67	38.8					
	8986	57.1	0	67.5	68	10.8	55.1	0	70.2	70	15.2	53.8	0	69	69	15.4	54	0	68.1	68	14.3					
	8987	57.5	0	61.1	63	5.2	55.7	0	65.7	66	10.4	54.3	0	64.8	65	10.9	54.1	0	64	64	10.3					
	8988	29.3	0	61.1	61	31.8	28.8	0	67	67	38.2	28	0	66	66	38	43.4	0	65.3	65	21.9					

KTA2 TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
1L	7401	51.2	0	73.9	74	22.7	52.3	0	74.2	74	21.9	53.6	0	73.7	74	20.1
	7402	44.5	0	73.4	74	29	46.8	0	73.8	74	27	51.6	0	73.5	74	21.9
	7403	23.6	0	36.1	36	12.7	23.8	0	38.1	38	14.4	25.1	0	41.6	42	16.6
	7404	47.5	0	58.9	59	11.7	49.4	0	59.9	60	10.9	50.6	0	60.3	61	10.1
	7405	22.5	0	67.2	67	44.7	23.3	0	67.8	68	44.5	23.6	0	68	68	44.4
	7406	46.6	0	73.5	74	26.9	48.2	0	73.7	74	25.6	51.5	0	73.4	74	22
	7407	37.2	0	31.5	38	1	39.3	0	34.6	41	1.3	43.4	0	40.7	45	1.8
	7408	35.4	0	27.3	36	0.7	37.7	0	29.3	38	0.6	41.7	0	32.4	42	0.5
	7409	22.5	0	51.5	52	29	23.5	0	53.3	53	29.8	23.7	0	59.3	59	35.6
	7410	42.3	0	60.5	61	18.3	44.1	0	61.6	62	17.6	49.4	0	62.5	63	13.3
	7411	43.1	0	61.9	62	18.9	44.2	0	63	63	18.9	46.2	0	63.8	64	17.7
	7412	39.6	0	61.8	62	22.2	40.6	0	62.9	63	22.3	42.4	0	63.6	64	21.2
	7413	25.3	0	46.7	47	21.4	29.6	0	48.5	49	18.9	35.7	0	52.2	52	16.6
	7414	46.9	0	59.4	60	12.7	46.3	0	60.4	61	14.3	45.2	0	61.2	61	16.1
	7415	48.3	0	33.2	48	0.1	49.5	0	34.7	50	0.1	51.2	0	41.3	52	0.4
	7416	45.1	0	54.4	55	9.8	46.8	0	55.5	56	9.2	49.5	0	56.2	57	7.5
	7417	48.8	0	66.3	66	17.6	50.3	0	67.4	68	17.2	52.8	0	68	68	15.3
	7418	40.1	0	63.9	64	23.9	42.4	0	64.5	65	22.2	50.9	0	65.2	65	14.5
1P	7501	40.1	0	38.3	42	2.2	41.3	0	39.5	44	2.2	43.3	0	41.6	46	2.3
	7502	30.3	0	55.9	56	25.6	30.8	0	57.1	57	26.3	31.5	0	58.9	59	27.4
	7503	0	0	29.1	29	29.1	0	0	31.1	31	31.1	0	0	33.9	34	33.9
	7504	0	0	27.2	27	27.2	0	0	28.9	29	28.9	0	0	31.3	31	31.3
	7505	40.5	0	62.1	62	21.7	41.7	0	61.8	62	20.1	43.5	0	61.5	62	18.1
	7506	0	0	65.3	65	65.3	0	0	65.2	65	65.2	0	0	65	65	65
	7507	0	0	47.9	48	47.9	0	0	49.3	49	49.3	0	0	51.6	52	51.6
	7508	0	0	47.2	47	47.2	0	0	48.7	49	48.7	0	0	51	51	51
	7509	32	0	68.5	69	36.5	33	0	68.5	69	35.5	34.7	0	68.3	68	33.6
	7510	0	0	57.8	58	57.8	0	0	57.7	58	57.7	0	0	57.4	57	57.4
	7511	36.8	0	35.5	39	2.4	38.2	0	36.6	41	2.3	40.6	0	38.2	43	2
	7512	37.8	0	36.3	40	2.3	38.8	0	37.2	41	2.3	40.8	0	38.6	43	2
	7513	0	0	43.4	43	43.4	0	0	43.4	43	43.4	0	0	45.3	45	45.3
	7514	32.5	0	57.5	58	25	33.7	0	58.8	59	25.1	35.3	0	60.3	60	25
	7515	39.1	0	36.4	41	1.9	40.4	0	37.3	42	1.7	42.9	0	38.8	44	1.5
	7516	37.8	0	36.9	40	2.6	38.8	0	37.8	41	2.5	40.6	0	39.4	43	2.5
	7517	0	0	54.3	54	54.3	0	0	55.7	56	55.7	0	0	57.7	58	57.7
	7518	28.8	0	45.1	45	16.4	29.8	0	46.4	46	16.6	31.5	0	48.8	49	17.4
2A	7601	34.3	0	36.9	39	4.5	34.3	0	37.1	39	4.7	34.3	0	37.4	39	4.9
	7602	67.5	0	45.1	68	0	69.3	0	53.3	69	0.1	69.9	0	55.1	70	0.1
	7603	61.8	0	43	62	0	68.6	0	47.3	69	0	72	0	55.5	72	0.1
	7604	64.4	0	45.5	65	0.1	70.3	0	53.9	70	0.1	71.6	0	57.1	72	0.2
	7605	37.6	0	41.3	43	5.2	39	0	43.1	45	5.5	41.9	0	46.7	48	6
	7606	61	0	42	61	0	68	0	47.2	68	0.1	70.3	0	54	70	0.1
	7607	55	0	40.9	55	0.2	63	0	45.5	63	0	65.1	0	53.7	65	0.3
	7608	58.8	0	41.2	59	0	66.7	0	47.2	67	0	68	0	55	68	0.2
	7609	36.1	0	39.6	41	5.1	36.4	0	41.1	42	6	37.2	0	46.2	47	9.5
	7610	64.2	0	46.5	64	0	71.2	0	54.7	71	0.1	71.6	0	58.9	72	0.2
	7611	64.7	0	45	65	0	71.6	0	49.4	72	0	74.1	0	57.7	74	0.1
	7612	68.5	0	47.7	69	0	73.5	0	56.6	74	0.1	73.6	0	60	74	0.2
	7613	68.6	0	49	69	0.1	74.9	0	57.7	75	0.1	75.6	0	61.7	76	0.1
2B	7701	26.9	0	58.9	59	32	27.1	0	59.1	59	32	28.1	0	59.2	59	31.1
	7702	36.9	0	43.2	44	7.2	37	0	44.9	46	8.6	37.2	0	48.3	49	11.4
	7703	35.2	0	30.7	37	1.3	35.3	0	32.5	37	1.9	35.4	0	34.8	38	2.7
	7704	35.9	0	26.4	36	0.4	37	0	28	38	0.5	38.1	0	30.2	39	0.6
	7705	39.8	0	58.4	59	18.7	41.2	0	58.7	59	17.6	46.1	0	58.9	59	13
	7706	57.3	0	70.1	70	13	58.6	0	70.2	71	11.9	60.1	0	70	70	10.3
	7707	0	0	40.1	40	40.1	0	0	41.3	41	41.3	0	0	43.4	43	43.4
	7708	0	0	44	44	44	0	0	45.3	45	45.3	0	0	47.5	48	47.5
	7709	42.7	0	44.2	47	3.9	45.3	0	46.3	49	3.5	52.5	0	49.4	54	1.8

TABLE A3.2.3
KTA1 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
EXISTING RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
Rhythm Garden	9303	69.7	0	57.5	70	0.3	70.3	0	61.4	71	0.5	70.1	0	61.7	71	0.5	69.8	0	62	71	0.7
	9304	72.6	0	61.1	73	0.3	72.7	0	63.9	73	0.6	72	0	64	73	0.6	71.4	0	64.6	72	0.8
	9305	81	0	69.9	81	0.3	78.5	0	67.9	79	0.3	76.4	0	66.2	77	0.4	75.1	0	65.4	76	0.4
	9306	65.4	0	43.4	65	0	68.6	0	47.9	69	0	68.4	0	52.2	69	0.1	67.5	0	57.5	68	0.4
Choi Hung Estate	9307	72	0	53.6	72	0.1	73.8	0	58.4	74	0.1	72.5	0	59.3	73	0.2					
	9308	78.4	0	59.7	78	0	79.1	0	62.8	79	0.1	77.5	0	64	78	0.1					
	9309	78.4	0	58.7	79	0.1	78.8	0	62.4	79	0.1	77.8	0	64	78	0.2					
	9310	47.4	0	37.9	48	0.5	48.2	0	43.7	50	1.3	71.6	0	62.3	72	0.5					
	9311	81.4	0	57.4	82	0.1	79.5	0	60.5	80	0.1	77.9	0	61.1	78	0.1					
	9312	50.8	0	37	51	0.2	50.8	0	41	51	0.4	71.3	0	59.8	72	0.3					
Richland Garden	9313	67.4	0	58.7	68	0.5	70.9	0	59.4	71	0.3	70.8	0	60.6	71	0.4	70	0	62.9	71	0.8
	9314	68.4	0	58.7	69	0.4	70.6	0	60.1	71	0.4	70	0	61.8	71	0.6	69	0	64.3	70	1.3
	9315	64.4	0	60.1	66	1.3	68.7	0	61.8	70	0.8	67.8	0	63.5	69	1.4	66.6	0	65	69	2.3
	9316	71.1	0	57	71	0.2	70.6	0	59.6	71	0.3	69.6	0	61.6	70	0.6	68.5	0	64.1	70	1.3
	9317	68.5	0	54.9	69	0.2	70	0	57.9	70	0.3	69.7	0	59.7	70	0.4	68.9	0	62.2	70	0.9
San Po Kong Area	9508	72.2	0	60.1	73	0.3	73.5	0	62.9	74	0.4	74.4	0	65.3	75	0.5	74.1	0	65.3	75	0.5
Proposed Residential development at King Fuk Street	9218	73.6	0	60.7	74	0.2	74.1	0	64.3	75	0.4	73.9	0	64.8	74	0.5	73.5	0	65.1	74	0.6
	9219	82.7	0	64.4	83	0	79.3	0	68.2	80	0.4	77.1	0	69.9	78	0.7	75.7	0	69.2	77	0.9

: Planned NSRs

TABLE A3.2.3
KTA1 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
EXISTING SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**
	9503	77.3	0	58.5	**77**	0.1	77.8	0	60.6	**78**	0.1	78.2	0	62.2	**78**	0.1
	9504	79.7	0	61.7	**80**	0.1	80	0	62.8	**80**	0	79.9	0	64.1	**80**	0.1
San Po	9505	65	0	0	65	0	67.3	0	0	**67**	0	69	0	0	**69**	0
Kong Area	9506	68.2	0	42.2	**68**	0	69.2	0	44.1	**69**	0	70.7	0	48.9	**71**	0
	9507	78.1	0	62.4	**78**	0.1	78.7	0	64	**79**	0.2	79.5	0	64.7	**80**	0.2
	9509	83.2	0	63.5	**83**	0	82.1	0	67.5	**82**	0.1	80.6	0	70.1	**81**	0.4

TABLE A3.2.3
KTA2 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
EXISTING RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F					50/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
Sung Wong Toi Road	9134	64.5	0	79.1	79	14.7	65	0	76.8	77	12.1	64.7	0	74.7	75	10.4	64.3	0	73.3	74	9.5	64	0	72.2	73	8.8	63.8	0	71.4	72	8.3
	9135	71.9	0	78.6	79	7.5	69.9	0	75.8	77	6.9	68.7	0	73.6	75	6.1	67.9	0	72.1	74	5.6	67.4	0	71.1	73	5.2	67	0	70.3	72	5
	9136	74.3	0	70	76	1.3	74	0	69.8	75	1.4	73.1	0	68.8	75	1.4	72.3	0	67.9	74	1.3	71.6	0	67	73	1.3	71	0	66.4	72	1.3
	9137	79.8	0	63.8	80	0.1	77.5	0	63	78	0.1	75.7	0	62	76	0.2	74.6	0	61.2	75	0.2	73.8	0	60.7	74	0.2	73.1	0	60.5	73	0.2
	9138	79.5	0	61.4	80	0	77.6	0	61	78	0.1	75.8	0	60.5	76	0.2	74.7	0	60.1	75	0.1	73.9	0	59.8	74	0.2	73.3	0	59.6	74	0.2
Kowloon City Area	9201	69.3	0	53.3	69	0.1	70.7	0	55.9	71	0.2	70.2	0	56.1	70	0.2															
	9202	77.2	0	51.6	77	0	77.8	0	61	78	0.1	76.5	0	61.7	77	0.1															
	9203	81.7	0	54.9	82	0	79.7	0	63.8	80	0.1	77.8	0	63.5	78	0.2															
	9204	82.1	0	54.3	82	0.1	79.9	0	64.5	80	0.2	78	0	64.2	78	0.2															
	9205	78.5	0	52.7	79	0	78.1	0	61.2	78	0.1	77.1	0	61.9	77	0.2															
	9206	62.3	0	38.5	62	0	63.3	0	48.6	64	0.2	67.9	0	55.9	68	0.3															
	9207	77.8	0	52.1	78	0	77.9	0	62.1	78	0.1	76.6	0	62.6	77	0.2															
	9208	83.3	0	61.8	83	0	81.6	0	64.1	82	0.1	79.6	0	63.4	80	0.1															
	9209	82.8	0	60.2	83	0	82.1	0	62.6	82	0	80.2	0	62.2	80	0.1															
	9210	82.2	0	58.9	82	0	81.8	0	60.8	82	0	79.9	0	60.6	80	0															
	9211	81.4	0	57.5	81	0	80	0	59.3	80	0	78.3	0	59.5	78	0.1															
	9212	79.2	0	55.7	79	0	76.9	0	57.5	77	0.1	75.6	0	57.7	76	0															
	9213	77.3	0	57.4	77	0	77.1	0	57.8	77	0.1	76	0	57.3	76	0.1															
	9214	79.7	0	57.7	80	0	77.2	0	57.7	77	0.1	75.5	0	57.3	76	0.1															
	9215	71.2	0	45.7	71	0	69.7	0	46.9	70	0.1	68.3	0	46.8	68	0															
	9216	75.1	0	57.5	75	0	74.3	0	56.9	74	0.1	73.4	0	56.7	73	0															
Two areas located in Southwest of Shek Ku Lung Road	9217	75	0	54.3	75	0.1	76.4	0	59.3	77	0.1	75.7	0	61.1	76	0.2	74.9	0	60.9	75	0.2	74.1	0	60.5	74	0.2	73.8	0	60.3	74	0.2
San Po Kong Area	9501	66	0	54.5	66	0.3	68.7	0	58.9	69	0.4	74	0	62.2	74	0.3															
	9502	69.8	0	45.1	70	0	71.8	0	57.4	72	0.1	74.2	0	62.1	75	0.3															

: Planned NSRs

TABLE A3.2.3
KTA2 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
EXISTING SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**
	9503	77.3	0	58.5	**77**	0.1	77.8	0	60.6	**78**	0.1	78.2	0	62.2	**78**	0.1
	9504	79.7	0	61.7	**80**	0.1	80	0	62.8	**80**	0	79.9	0	64.1	**80**	0.1
San Po	9505	65	0	0	65	0	67.3	0	0	**67**	0	69	0	0	**69**	0
Kong Area	9506	68.2	0	42.2	**68**	0	69.2	0	44.1	**69**	0	70.7	0	48.9	**71**	0
	9507	78.1	0	62.4	**78**	0.1	78.7	0	64	**79**	0.2	79.5	0	64.7	**80**	0.2
	9509	83.2	0	63.5	**83**	0	82.1	0	67.5	**82**	0.1	80.6	0	70.1	**81**	0.4

TABLE A3.2.3
KTA1 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

APW Avoid Prescribed Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F					50/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8001	60.7	0	58.7	63	2.1	64.1	0	60.3	66	1.5	67.2	0	61	68	0.9	69.1	0	61.2	70	0.6	69.4	0	61.1	70	0.6					
	8002	55.6	0	56.9	59	3.7	59.2	0	59.6	62	3.2	63.1	0	59.8	65	1.7	66	0	60	67	1	67.1	0	60.5	68	0.9					
	8003	56.4	0	53.7	58	1.9	60	0	57.7	62	2	63.3	0	58.3	65	1.2	66	0	58.8	67	0.8	67.3	0	59.5	68	0.7					
	8004	54.2	0	58.7	60	5.8	58	0	60.4	62	4.4	62.4	0	60.2	65	2.1	65.3	0	60.3	67	1.2	66.7	0	60.8	68	1					
	8005	47.5	0	68	68	20.6	52.7	0	67.1	67	14.5	58.8	0	66	67	8	62.6	0	65.3	67	4.6	64.1	0	64.9	68	3.4					
	8006	50.2	0	67.2	67	17.1	54.2	0	66.2	66	12.2	58.7	0	65.2	66	7.4	61.5	0	64.5	66	4.8	63.1	0	64.2	67	3.6					
	8007	49.7	0	66.9	67	17.3	53.7	0	65.8	66	12.3	57.5	0	64.7	65	7.9	59.9	0	64	66	5.6	61.7	0	63.6	66	4					
1A	8008	44.3	0	65.3	65	21	47.4	0	64.6	65	17.3	54.2	0	63.6	64	9.9	57.9	0	63.1	64	6.3	59.9	0	62.7	65	4.6					
	8009	51	0	67.1	67	16.2	59.9	0	65.3	66	6.5	65.6	0	64.8	68	2.6	66.4	0	64.6	69	2.2	66.7	0	64.3	69	1.9					
	8010	53.8	0	68.5	69	14.9	62.6	0	66.4	68	5.3	67.1	0	64.4	69	1.9	68.1	0	63.5	69	1.3	68.3	0	62.7	69	1.1					
	8011	56.6	0	64.6	65	8.6	64	0	63.2	67	2.6	67.7	0	61.7	69	1	68.6	0	61.7	69	0.8	68.9	0	61.3	70	0.7					
	8012	54	0	51.7	56	2	61.3	0	53.4	62	0.7	68.2	0	57.9	69	0.4	68.9	0	61.5	70	0.8	69.1	0	62.2	70	0.8					
	8013	52.5	0	46.9	54	1.1	59.1	0	48.4	60	0.4	65.3	0	51.5	66	0.2	66.7	0	56.5	67	0.4	67.1	0	58.8	68	0.6					
	8014	52.4	0	48.2	54	1.4	57.5	0	49.3	58	0.6	63.4	0	51.2	64	0.3	65.6	0	54.4	66	0.3	66.3	0	56.9	67	0.4					
	8015	52.6	0	45.8	53	0.8	57.1	0	48.7	58	0.6	63.5	0	50.1	64	0.2	65.7	0	53.3	66	0.3	66.4	0	56.4	67	0.4					
	8101	52.1	0	60.6	61	9.1	57.1	0	60.5	62	5	62.3	0	60.2	64	2.1	63.3	0	60.2	65	1.8	63.9	0	60.3	66	1.6	64.4	0	60.1	66	1.4
	8102	50.8	0	64.6	65	13.9	55	0	64.6	65	10.1	60	0	64	66	5.5	61.4	0	63.5	66	4.2	62.6	0	63.3	66	3.4	64.2	0	63.1	67	2.5
	8103	49.5	0	66.8	67	17.4	51.6	0	65.5	66	14	53.3	0	64.1	65	11.2	55.4	0	63.3	64	8.5	57.9	0	62.7	64	6	61.1	0	62.3	65	3.7
	8104	49	0	66.4	67	17.5	51.2	0	65.6	66	14.6	52.6	0	64.5	65	12.2	54.6	0	63.7	64	9.6	56.5	0	63.2	64	7.5	57.9	0	62.8	64	6.1
	8105	52.4	0	64.3	65	12.2	57.1	0	64.3	65	8	58.6	0	64	65	6.5	59.4	0	64.1	65	5.9	59.8	0	63.9	65	5.5	60.2	0	63.7	65	5.1
	8106	58	0	68.7	69	11.1	63.3	0	68.5	70	6.3	64.9	0	68.1	70	4.9	65.5	0	67.4	70	4.1	66.2	0	67	70	3.4	66.4	0	66.6	70	3.1
1B	8107	59.4	0	67.9	69	9.1	64.9	0	68.1	70	4.9	66.4	0	66	69	2.8	67.3	0	65.7	70	2.3	67.8	0	65.6	70	2	67.7	0	65.5	70	2.1
	8108	59.9	0	67.4	68	8.2	66.3	0	67.9	70	3.9	67.8	0	63.9	69	1.5	68.5	0	64.3	70	1.4	68.3	0	64.8	70	1.6	67.9	0	64.6	70	1.7
	8109	61.3	0	66.1	67	6.1	67.7	0	67	70	2.7	69.4	0	59.7	70	0.4	69.3	0	62.6	70	0.8	68.8	0	62.9	70	1	68.3	0	62.5	69	1
	8110	57.6	0	60.7	62	4.8	64.8	0	62.3	67	2	66.2	0	52.5	66	0.2	66.2	0	56.7	67	0.5	65.8	0	59.5	67	0.9	65.4	0	59.8	66	1
	8111	60.3	0	62.6	65	4.3	66.6	0	64.4	69	2	67.3	0	58.5	68	0.6	66.9	0	61.4	68	1.1	66.4	0	61.8	68	1.3	65.9	0	61.4	67	1.3
	8112	57.3	0	63.1	64	6.8	64.5	0	63.9	67	2.7	66.7	0	65.8	69	2.6	67.2	0	65.6	70	2.3	67.3	0	65.1	69	2	67.2	0	64.7	69	1.9
	8113	52.9	0	54.4	65	11.8	59.5	0	64.2	65	5.9	65.4	0	63.8	68	2.3	66.6	0	63.9	69	1.9	67.2	0	63.8	69	1.6	67.5	0	63.5	69	1.4
	8201	47.9	0	68.4	68	20.5	52.6	0	65.6	66	13.2	53.6	0	63.9	64	10.7	54.6	0	62.9	64	8.9	55.7	0	62.1	63	7.3	56.6	0	61.5	63	6.1
	8202	50.2	0	54.2	64	14.2	52.6	0	64.1	64	11.8	53.6	0	63.6	64	10.4	54.6	0	62.9	64	8.9	56	0	62.5	63	7.3	58.8	0	62.1	64	5
	8203	33	0	63.8	64	30.8	33.5	0	63.3	63	29.8	34	0	62.1	62	28.2	34.8	0	61.3	61	26.5	36.2	0	60.8	61	24.6	39.1	0	60.8	61	21.7
	8204	45.2	0	62.3	62	17.2	47.6	0	65.1	65	17.6	48.4	0	64.4	65	16.1	48.9	0	63.9	64	15.1	49.6	0	63.9	64	14.4	51	0	64.3	65	13.5
	8205	42.1	0	61.3	61	19.2	49	0	67	67	18	50.4	0	66.6	67	16.3	51.3	0	66.8	67	15.7	52.1	0	66.9	67	14.9	53	0	66.5	67	13.7
1C	8206	41.4	0	58.5	59	17.2	50.8	0	65.8	66	15.2	51.8	0	68.5	69	16.8	52.4	0	68.8	69	16.5	53.1	0	68.5	69	15.5	54.1	0	68.1	68	14.1
	8207	41.2	0	57.4	58	16.3	49.5	0	64.1	64	14.7	50.6	0	68.6	69	18.1	51.5	0	69.3	69	17.8	52.3	0	68.9	69	16.7	53.6	0	68.4	69	14.9
	8208	40	0	61.9	62	21.9	49.1	0	64.7	65	15.7	50	0	68.8	69	18.9	50.7	0	69.7	70	19.1	52.6	0	69.3	69	16.8	53.5	0	68.8	69	15.4
	8209	51.5	0	63.2	64	12	58.5	0	63.7	65	6.4	61.6	0	66.4	68	6	62.3	0	67.6	69	6.4	63	0	67.4	69	5.7	63.4	0	67.2	69	5.3
	8210	54.9	0	62.6	63	8.4	59.1	0	62	64	4.7	60.2	0	61.4	64	3.6	60.8	0	61	64	3.1	61.3	0	60.7	64	2.7	61.7	0	60.4	64	2.4
	8301	0	0	63.3	63	63.3	0	0	65.3	65	65.3	0	0	64.8	65	64.8	0	0	63.5	64	63.5	0	0	62.9	63	62.9					
	8302	0	0	62.7	63	62.7	0	0	67.1	67	67.1	0	0	67.9	68	67.9	0	0	68.2	68	68.2	0	0	67.8	68	67.8					
	8303	0	0	56	56	56	0	0	62	62	62	0	0	66.4	66	66.4	0	0	67.8	68	67.8	0	0	67.4	67	67.4					
	8304	0	0	59	59	59	0	0	65.1	65	65.1	0	0	67.5	68	67.5	0	0	68.1	68	68.1	0	0	67.7	68	67.7					
	8305	0	0	56.6	57	56.6	0	0	62.8	63	62.8	0	0	66	66	66	0	0	67	67	67	0	0	66.7	67	66.7					
	8306	0	0	57.1	57	57.1	0	0	62.7	63	62.7	0	0	66	66	66	0	0	67.3	67	67.3	0	0	67.1	67	67.1					
	8307	0	0	58.4	58	58.4	0	0	65.9	66	65.9	0	0	66.8	67	66.8	0	0	67.2	67	67.2	0	0	66.9	67	66.9					
	8308	0	0	55.8	56	55.8	0	0	65.2	65	65.2	0	0	65.9	66	65.9	0	0	66.4	66	66.4	0	0	66.4	66	66.4					
	8309	0	0	60	60	60	0	0	68.9	69	68.9	0	0	69.8	70	69.8	0	0	68.9	69	68.9	0	0	68.3	68	68.3					
	8310	0	0	59.7	60	59.7	0	0	64.7	65	64.7	0	0	68.7	69	68.7	0	0	67.9	68	67.9	0	0	67.2	67	67.2					
	8311	0	0	60.5	61	60.5	0	0	65.7	66	65.7	0	0	69	69	69	0	0	68.3	68	68.3	0	0	67.8	68	67.8					
	8312	0	0	60	60	60	0	0	64.9	65	64.9	0	0	68.8	69	68.8	0	0	67.8	68	67.8	0	0	67.3	67	67.3					
1D	8313	0	0	59.4	59	59.4	0	0	64.7	65	64.7	0	0	68.6	69	68.6	0	0	67.8	68	67.8	0	0	67.3	67	67.3					
	8314	0	0	58.4	58	58.4	0	0	63	63	63	0	0	68	68	68	0	0	67.6	68	67.6	0	0	67.2	67	67.2					
	8315	0	0	57.8	58	57.8	0	0	63.2	63	63.2	0	0	68	68	68	0	0	67.6	68	67.6	0	0	67.2	67	67.2					
	8316	0	0	56.8	57	56.8	0	0	63.3	63	63.3	0	0	67.8	68	67.8	0	0	67.8	68	67.8	0	0	67.3	67	67.3					
	8317	0	0	56.2	56	56.2	0	0	60.9	61	60.9	0	0	65.5	66	65.5	0	0	67.3	67	67.3	0	0	66.9	67	66.9					
	8318	0	0	58.1	58	58.1	0	0	63.6	64	63.6	0	0	65.4	65	65.4	0	0	67.1	67	67.1	0	0	66.7	67	66.7					
	8319	0	0	65	65	65	0	0	64.3	64	64.3	0	0	63.6	64	63.6	0	0	62.9	63	62.9	0	0	62.4	62	62.4					
	8320	0	0	47.8	48	47.8	0	0	59.3	59	59.3	0	0	58.5	59	58.5	0	0	58.2	58	58.2	0	0	58.3	58	58.3					
	8321	0	0	49.9	50	49.9	0	0	59.1	59	59.1	0	0	58.4	58	58.4	0	0	57.8	58	57.8	0	0	58.2	58	58.2					

TABLE A3.2.3
KTA1 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

APW Avoid Prescribed Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F					50/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8322	0	0	58.1	58	58.1	0	0	61.3	61	61.3	0	0	60.2	60	60.2	0	0	58.6	59	58.6	0	0	58.3	58	58.3					
	8323	0	0	59.4	59	59.4	0	0	60.9	61	60.9	0	0	59.8	60	59.8	0	0	58.3	58	58.3	0	0	57.9	58	57.9					
	8324	0	0	63.2	63	63.2	0	0	62.1	62	62.1	0	0	61	61	61	0	0	59.3	59	59.3	0	0	58.7	59	58.7					
	8325	0	0	61.5	62	61.5	0	0	63.9	64	63.9	0	0	63.9	64	63.9	0	0	63.1	63	63.1	0	0	62.7	63	62.7					

TABLE A3.2.3
KTA1 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8401	54.2	0	49.2	55	1.2	63.5	0	55.5	64	0.6	66.2	0	57.5	67	0.6	66.8	0	57.5	67	0.5	67	0	57.8	68	0.5
	8402	52.6	0	48	54	1.3	61.8	0	54	63	0.7	64.5	0	55.6	65	0.5	65.2	0	57	66	0.6	65.3	0	56.6	66	0.6
	8403	53.3	0	47.1	54	0.9	64.7	0	53.8	65	0.4	68	0	57.5	68	0.3	68.3	0	59.4	69	0.6	68.5	0	60.1	69	0.6
	8404	50.8	0	41.5	51	0.5	62.7	0	49.2	63	0.2	67	0	57	67	0.4	67.3	0	59.1	68	0.6	67.4	0	59.8	68	0.7
	8405	53.2	0	40.4	53	0.2	62.9	0	51.8	63	0.4	67.5	0	56.7	68	0.3	68.1	0	58.1	69	0.4	68.1	0	59.1	69	0.5
	8406	58.4	0	49.7	59	0.5	64.3	0	53.8	65	0.4	67.6	0	56.5	68	0.4	68.2	0	57.9	69	0.4	68.4	0	58.8	69	0.4
	8407	56.8	0	50.1	58	0.9	62.1	0	54.1	63	0.7	63.2	0	55	64	0.6	65.2	0	54.6	66	0.4	65.9	0	54.3	66	0.3
	8408	53.6	0	48	55	1	65	0	52.9	65	0.3	68.8	0	56.8	69	0.3	69.5	0	58.9	70	0.4	69.9	0	60.4	70	0.5
	8409	43.6	0	39.8	45	1.5	58.8	0	43.9	59	0.2	63.7	0	51.4	64	0.2	64.3	0	54.7	65	0.5	65.3	0	57.1	66	0.6
	8410	46.9	0	38.7	48	0.6	61.2	0	46.9	61	0.2	65.7	0	54.3	66	0.3	67.1	0	56.7	68	0.4	67.9	0	58	68	0.4
	8411	50.3	0	40.5	51	0.4	60.9	0	49.5	61	0.3	65.1	0	55.7	66	0.5	65.6	0	57.2	66	0.6	66.9	0	57.7	67	0.5
	8412	44.1	0	33.8	45	0.4	51.8	0	45.7	53	0.9	54.4	0	47.3	55	0.8	54.9	0	48.2	56	0.9	65.9	0	52.2	66	0.2
	8413	52.9	0	45.3	54	0.7	64.4	0	50.2	65	0.1	68.6	0	58	69	0.4	68.8	0	61.1	70	0.7	70	0	62.5	71	0.7
	8414	53	0	48.5	54	1.3	62.5	0	51.6	63	0.3	65.2	0	57.8	66	0.7	66.1	0	60.4	67	1	66.1	0	61.4	67	1.3
	8415	53.7	0	45.4	54	0.6	64.9	0	50	65	0.1	69.4	0	58.1	70	0.3	69.7	0	61	70	0.5	69.5	0	62.4	70	0.8
	8416	57.5	0	43	58	0.2	65.9	0	48.5	66	0.1	69.3	0	58.4	70	0.3	69.5	0	60.5	70	0.6	69.4	0	61.4	70	0.6
	8417	57.7	0	42.3	58	0.1	65.9	0	47	66	0.1	68.3	0	56.1	69	0.2	68.4	0	58.2	69	0.4	68.3	0	59	69	0.5
	8418	58.1	0	45.8	58	0.3	66.4	0	51.8	67	0.2	70.2	0	61.1	71	0.5	70.7	0	63.8	72	0.8	70.6	0	64.4	72	0.9
	8419	46.1	0	58.3	59	12.5	54.7	0	60.1	61	6.5	65.5	0	64.4	68	2.5	66.4	0	65.7	69	2.7	66.5	0	65.7	69	2.6
	8420	53.8	0	46.8	55	0.8	63.2	0	53.2	64	0.4	68.8	0	61.7	70	0.7	69.2	0	63.8	70	1.1	69.1	0	64.2	70	1.2
	8421	49.5	0	58.7	59	9.7	57.3	0	61.5	63	5.6	64.2	0	65.7	68	3.8	65.7	0	66.3	69	3.3	65.8	0	66.2	69	3.2
	8422	21.1	0	54.8	55	33.7	22	0	57.9	58	35.9	26.6	0	61.8	62	35.2	32.4	0	62.4	62	30	39.8	0	62	62	22.2
	8423	48.5	0	58.7	59	10.6	56.5	0	60.5	62	5.5	58.2	0	63.5	65	6.4	59.9	0	64	65	5.5	60.4	0	63.7	65	4.9
	8424	0	0	67.5	68	67.5	0	0	69.4	69	69.4	0	0	68.4	68	68.4	0	0	67.5	68	67.5	0	0	66.7	67	66.7
	8425	0	0	68	68	68	0	0	67.5	68	67.5	0	0	66.5	67	66.5	0	0	65.5	66	65.5	0	0	64.8	65	64.8
	8426	0	0	71.3	71	71.3	0	0	71.1	71	71.1	0	0	70.4	70	70.4	0	0	69.6	70	69.6	0	0	68.8	69	68.8
	8427	31.4	0	65	65	33.6	31.4	0	67.6	68	36.2	31.4	0	67.3	67	35.9	31.2	0	67	67	35.8	32.6	0	66.2	66	33.6
	8428	0	0	64.5	65	64.5	0	0	69.3	69	69.3	0	0	68.7	69	68.7	0	0	68.3	68	68.3	0	0	67.6	68	67.6
	8429	0	0	64.2	64	64.2	0	0	69.2	69	69.2	0	0	68.8	69	68.8	0	0	68.3	68	68.3	0	0	67.6	68	67.6
1E	8430	0	0	66.5	67	66.5	0	0	68.4	68	68.4	0	0	67.8	68	67.8	0	0	67.1	67	67.1	0	0	66.2	66	66.2
	8431	0	0	69.3	69	69.3	0	0	70.2	70	70.2	0	0	70.5	71	70.5	0	0	70.1	70	70.1	0	0	69.4	69	69.4
	8432	31.6	0	59.9	60	28.3	31.7	0	64.5	65	32.8	31.7	0	66	66	34.3	31.6	0	66.4	66	34.8	41.6	0	65.9	66	24.3
	8433	0	0	59.6	60	59.6	0	0	66.5	67	66.5	0	0	67.1	67	67.1	0	0	68	68	68	0	0	67.6	68	67.6
	8434	0	0	61.6	62	61.6	0	0	67.3	67	67.3	0	0	67.4	67	67.4	0	0	68	68	68	0	0	67.7	68	67.7
	8435	16.3	0	64.9	65	48.6	16	0	66.8	67	50.8	15.8	0	66.9	67	51.1	15.4	0	66.9	67	51.5	15.7	0	66.5	67	50.8
	8436	0	0	67.3	67	67.3	0	0	68.9	69	68.9	0	0	69.8	70	69.8	0	0	69.8	70	69.8	0	0	69.3	69	69.3
	8437	31.5	0	60.1	60	28.6	31.5	0	64.6	65	33.1	31.6	0	65.8	66	34.2	31.6	0	66.2	66	34.6	31.6	0	65.7	66	34.1
	8438	0	0	57.9	58	57.9	0	0	65	65	65	0	0	66.2	66	66.2	0	0	67.4	67	67.4	0	0	67.1	67	67.1
	8439	0	0	60	60	60	0	0	66.1	66	66.1	0	0	66.7	67	66.7	0	0	67.6	68	67.6	0	0	67.3	67	67.3
	8440	20.1	0	62.5	63	42.4	20	0	65.5	66	45.5	19.8	0	66.4	66	46.6	19.6	0	66.5	67	46.9	19.7	0	66.1	66	46.4
	8441	0	0	66.3	66	66.3	0	0	68.4	68	68.4	0	0	69.5	70	69.5	0	0	69.5	70	69.5	0	0	69	69	69
	8442	31.8	0	61.1	61	29.3	31.9	0	65	65	33.1	32	0	66	66	34	31.9	0	66.3	66	34.4	32	0	65.8	66	33.8
	8443	0	0	58.5	59	58.5	0	0	65.4	65	65.4	0	0	66.2	66	66.2	0	0	67.2	67	67.2	0	0	66.8	67	66.8
	8444	0	0	58.8	59	58.8	0	0	65.4	65	65.4	0	0	66.4	66	66.4	0	0	67.4	67	67.4	0	0	67.2	67	67.2
	8445	25.6	0	61.6	62	36	25.6	0	65.2	65	39.6	25.4	0	66.2	66	40.8	25.3	0	66.5	67	41.2	25.1	0	66	66	40.9
	8446	0	0	66.6	67	66.6	0	0	68.6	69	68.6	0	0	69.6	70	69.6	0	0	69.6	70	69.6	0	0	69	69	69
	8447	31.9	0	62.3	62	30.4	32	0	65.7	66	33.7	32.1	0	66.2	66	34.1	32.1	0	66.1	66	34	46.7	0	65.5	66	18.9
	8448	0	0	59.5	60	59.5	0	0	66.3	66	66.3	0	0	66.5	67	66.5	0	0	67	67	67	0	0	66.6	67	66.6
	8449	0	0	58.7	59	58.7	0	0	65.5	66	65.5	0	0	66.3	66	66.3	0	0	67.3	67	67.3	0	0	66.9	67	66.9
	8450	26.8	0	60.9	61	34.1	26.8	0	64.8	65	38	26.7	0	66.1	66	39.4	26.8	0	66.4	66	39.6	26.9	0	65.8	66	38.9
	8451	0	0	67.9	68	67.9	0	0	69.6	70	69.6	0	0	69.8	70	69.8	0	0	69.5	70	69.5	0	0	68.8	69	68.8
	8452	41.6	0	65.3	65	23.7	50.5	0	69.3	69	18.8	55.5	0	68.6	69	13.3	58	0	67.8	68	10.2	58.7	0	67	68	8.9
	8453	0	0	62	62	62	0	0	68.7	69	68.7	0	0	68.1	68	68.1	0	0	67.8	68	67.8	0	0	67.1	67	67.1
	8454	56.7	0	62.7	64	7	60	0	70.4	71	10.8	63.4	0	69.6	71	7.2	64.6	0	68.9	70	5.7	64.7	0	68.2	70	5.1
	8455	58.8	0	63.2	65	5.8	64	0	66.3	68	4.3	67.4	0	65.9	70	2.3	68	0	65.7	70	2	67.9	0	65.3	70	1.9
	8456	57.6	0	64.2	65	7.4	60.1	0	68.1	69	8.6	63.4	0	67.7	69	5.7	64.6	0	67.1	69	4.4	64.6	0	66.5	69	4.1
	8457	59.6	0	63.2	65	5.2	64.8	0	65.1	68	3.1	67.9	0	65	70	1.8	68.3	0	65.1	70	1.7	68.3	0	64.9	70	1.6
	8458	47.3	0	39.1	48	0.6	61.2	0	44.2	61	0.1	64.4	0	50.7	65	0.2	64.3	0	54.3	65	0.4	64	0	55.3	65	0.5
	8459	48.6	0	46.5	51	2.1	57	0	49.5	58	0.7	63.8	0	54.7	64	0.5	64.3	0	58.1	65	1	64.3	0	59.1	65	1.1

TABLE A3.2.3
KTA1 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
1A	7001	53.4	0	57.2	59	5.3	54.7	0	57.5	59	4.6	56.2	0	57.8	60	3.9
	7002	56.7	0	54	59	1.9	59.2	0	54.2	60	1.2	63.2	0	55.7	64	0.7
	7003	51.6	0	45.5	53	1	55.3	0	47.1	56	0.6	61.1	0	49.8	61	0.3
	7004	56.9	0	45.7	57	0.3	60.4	0	47.3	61	0.2	63.5	0	50.3	64	0.2
	7005	45.2	0	56	56	11.1	46	0	55.6	56	10	47.4	0	55.1	56	8.3
	7006	55.2	0	56.6	59	3.8	59	0	59.6	62	3.3	62.6	0	64.7	**67**	4.2
	7007	61.2	0	54.8	62	0.9	63.9	0	56.1	65	0.6	67.7	0	58.9	**68**	0.5
	7008	60.8	0	56.1	62	1.2	63.7	0	57.8	65	1	68	0	62.6	**69**	1.1
	7009	46.7	0	64	64	17.4	47.7	0	67.6	**68**	20	48.4	0	66.8	**67**	18.5
	7010	59.3	0	56.2	61	1.7	62.5	0	60.3	65	2.1	66.8	0	65.7	**69**	2.5
	7011	55.9	0	58.5	60	4.5	59.3	0	62.7	64	5.1	62.8	0	64.2	**67**	3.8
	7012	55.9	0	59.1	61	4.9	59.4	0	63	65	5.1	62.6	0	65.8	**68**	4.9
	7013	62.4	0	57	64	1.1	65.9	0	57.9	**67**	0.6	69.6	0	60.2	**70**	4.9
1C	7101	36.1	0	36.4	39	3.2	36.1	0	36.5	39	3.3	36.1	0	36.8	40	3.4
	7102	34.5	0	58.7	59	24.2	34.9	0	58.8	59	23.9	35.6	0	59	59	23.4
	7103	55.3	0	63.4	64	8.8	57.5	0	63.8	65	7.2	59.1	0	64	65	6.1
	7104	52.2	0	62	63	10.3	53.5	0	62.3	63	9.4	55.9	0	62.4	63	7.4
	7105	40.7	0	58.4	58	17.7	41.6	0	58.3	58	16.8	43	0	58.3	58	15.4
	7106	35.3	0	65.4	65	30.1	35.7	0	65.6	**66**	29.9	36.3	0	66.3	**66**	30
	7107	59.7	0	61.8	64	4.2	61.8	0	66.1	**68**	5.7	62.7	0	67.1	**69**	5.8
	7108	58.8	0	63.7	65	6.1	62.2	0	65.8	**67**	5.1	63.3	0	66.4	**68**	4.8
	7109	41.1	0	54.9	55	14	42	0	55	55	13.2	42.9	0	55.2	55	12.5
	7110	54.9	0	61.3	62	7.3	59.2	0	63	65	5.3	60.7	0	64.4	**66**	5.2
	7111	30.9	0	48.6	49	17.8	31.3	0	50.7	51	19.5	31.7	0	54.4	54	22.7
	7112	31.3	0	43.5	44	12.4	31.5	0	45.7	46	14.4	31.9	0	49.9	50	18.1
	7113	55.6	0	67.8	**68**	12.4	59.6	0	68.3	**69**	9.2	60.8	0	69.4	**70**	9.2
1E	7301	47.1	0	52.4	54	6.4	48.2	0	53.1	54	6.1	49.1	0	53.7	55	5.9
	7302	59.5	0	56.7	61	1.8	62.6	0	57.4	64	1.1	66.4	0	58.5	**67**	0.7
	7303	60.1	0	44.2	60	0.1	64.9	0	45.6	65	0	67.5	0	47.6	**68**	0
	7304	60.9	0	44.1	61	0.1	65.5	0	45.6	**66**	0	68	0	47.8	**68**	0.1
	7305	44	0	58.1	58	14.3	45.9	0	59	59	13.3	48	0	59.6	60	11.9
	7306	55.3	0	64.7	65	9.9	57.5	0	64.9	**66**	8.1	61.7	0	65	**67**	5
	7307	62.8	0	51.6	63	0.3	67	0	52.9	**67**	0.1	70.8	0	56.1	**71**	0.2
	7308	62.8	0	50.5	63	0.2	68.1	0	53.1	**68**	0.1	71.5	0	57.5	**72**	0.2
	7309	53.6	0	44.3	54	0.5	57	0	45.8	57	0.4	63.8	0	49.4	64	0.1
	7310	46.7	0	64.3	64	17.7	48.9	0	65.4	**66**	16.6	50.3	0	67.3	**67**	17.1
	7311	47.1	0	49.2	51	4.2	49.4	0	52.1	54	4.6	52.7	0	58.3	59	6.7
	7312	53.2	0	51.5	56	2.3	61.4	0	56.7	63	4.6	62.6	0	60.7	65	2.1
	7313	55.9	0	63.4	64	0.4	62.6	0	66	**68**	4.6	63.9	0	70.5	**71**	2.1
	7314	65.2	0	60.2	**66**	-1.5	69.4	0	60.8	**70**	4.6	72.6	0	61.6	**73**	2.1

TABLE A3.2.3
KTA2 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
1K	8501	59	0	50.5	60	0.6	62.6	0	57.6	64	1.2	64.3	0	58.6	65	1	65.1	0	58.3	66	0.9	68.3	0	59	69	0.5
	8502	59.3	0	50	60	0.5	64.1	0	55.6	65	0.6	66.3	0	56.2	67	0.4	67	0	56	67	0.3	69.5	0	58.2	70	0.3
	8503	59	0	50.1	60	0.5	63.8	0	55.4	64	0.6	65.7	0	55.2	66	0.3	66.1	0	54.9	66	0.3	68.5	0	57.4	69	0.3
	8504	61.8	0	51.8	62	0.4	66.2	0	56.8	67	0.5	68	0	57.2	68	0.3	68.4	0	57.3	69	0.4	69.5	0	58.5	70	0.3
	8505	51.2	0	58.6	59	8.1	57.8	0	58.8	61	3.6	61.1	0	58.9	63	2.1	62.1	0	59.1	64	1.8	62.3	0	58.7	64	1.6
	8506	57.4	0	48.9	58	0.5	62.4	0	54.3	63	0.6	65.1	0	54.7	66	0.4	65.9	0	54.7	66	0.3	66	0	54.3	66	0.3
	8507	48.9	0	59.4	60	10.9	55.2	0	59.7	61	5.8	59.3	0	60.1	63	3.5	60.4	0	60.1	63	2.9	60.7	0	60.5	64	2.9
	8508	55.2	0	45.5	56	0.5	59.6	0	52.4	60	0.8	62.9	0	52.7	63	0.4	64	0	53.1	64	0.4	67.3	0	55.4	68	0.3
	8509	44.2	0	61.5	62	17.4	49.6	0	61.3	62	12	55.6	0	62	63	7.3	57.1	0	61.3	63	5.6	57.7	0	60.6	62	4.7
	8510	54.7	0	45.4	55	0.4	58.9	0	54.1	60	1.3	62.5	0	57.2	64	1.1	63.6	0	57	65	0.9	64.1	0	56.6	65	0.7
	8511	39.5	0	63.2	63	23.7	44.6	0	67	67	22.5	46.4	0	66.3	66	19.9	46.7	0	65.5	66	18.9	47.1	0	64.9	65	17.9
	8512	18.4	0	59.1	59	40.7	18.4	0	68.3	68	49.9	18.2	0	67.6	68	49.4	19	0	66.9	67	47.9	20.3	0	66.4	66	46.1
	8513	42.1	0	60.5	61	18.5	52.4	0	67.7	68	15.4	53.1	0	66.6	67	13.7	53.2	0	65.8	66	12.8	53.4	0	65.1	65	11.9
	8514	19.5	0	59.6	60	40.1	19.5	0	69.6	70	50.1	19.6	0	68.8	69	49.2	21.8	0	68.1	68	46.3	25.5	0	67.5	68	42
	8515	54.7	0	56.5	59	4	59.9	0	66.2	67	7.2	60.8	0	65.8	67	6.2	61.1	0	65.3	67	5.6	61.3	0	64.9	67	5.2
	8516	0	0	55.7	56	55.7	0	0	67.3	67	67.3	0	0	66.8	67	66.8	0	0	66.3	66	66.3	0	0	65.9	66	65.9
	8517	40	0	57.1	57	17.2	46.5	0	69.1	69	22.6	47.8	0	68.2	68	20.4	48.4	0	67.5	68	19.1	52.8	0	67	67	14.4
	8518	0	0	60.2	60	60.2	0	0	69.5	70	69.5	0	0	68.8	69	68.8	0	0	68.2	68	68.2	0	0	67.6	68	67.6
	8519	39.7	0	58.5	59	18.9	42.7	0	69.3	69	26.6	45.5	0	68.4	68	22.9	46	0	67.7	68	21.7	46.4	0	67.1	67	20.8
	8520	42.3	0	60.4	61	18.2	47	0	69.6	70	22.6	49.9	0	68.8	69	19	53.3	0	68.2	68	15.1	55.2	0	67.7	68	12.7
	8521	40.3	0	61.4	61	21.1	45.2	0	69.9	70	24.7	46.8	0	69.1	69	22.4	47.4	0	68.4	68	21	52	0	67.8	68	15.9
	8522	0	0	62.7	63	62.7	0	0	69.8	70	69.8	0	0	69.1	69	69.1	0	0	68.4	68	68.4	0	0	67.9	68	67.9
	8523	40.9	0	62.2	62	21.4	48	0	69.9	70	21.9	49.1	0	69	69	20	49.5	0	68.2	68	18.8	49.6	0	67.6	68	18
	8524	42.5	0	63	63	20.5	52.6	0	70	70	17.5	53.3	0	69.2	69	16	53.1	0	68.5	69	15.5	53.7	0	67.9	68	14.4
	8525	41.8	0	63.8	64	22	46.7	0	69.7	70	23	48.3	0	68.8	69	20.5	48.7	0	67.9	68	19.3	51.7	0	67.3	67	15.7
	8526	0	0	65.6	66	65.6	0	0	69.5	70	69.5	0	0	68.6	69	68.6	0	0	67.8	68	67.8	0	0	67.2	67	67.2
	8527	37.5	0	64.3	64	26.8	41.5	0	69.1	69	27.6	44.5	0	68.2	68	23.7	45.4	0	67.3	67	22	45.7	0	66.7	67	21
	8528	24.6	0	67.4	67	42.8	24.4	0	69.2	69	44.8	24.3	0	68.3	68	44	25.8	0	67.6	68	41.8	33.5	0	66.9	67	33.4
	8529	59.6	0	62.9	65	5	62.6	0	63.3	66	3.4	64.2	0	62.7	67	2.3	65.1	0	62.3	67	1.8	65.4	0	62	67	1.6
	8530	47	0	66.6	67	19.6	56	0	66.7	67	11	56.6	0	66	67	9.9	56.4	0	65.4	66	9.5	56.1	0	64.9	65	9.3
	8531	61.7	0	61.1	64	2.7	64.5	0	62.4	67	2.1	65.6	0	62	67	1.6	66.4	0	61.7	68	1.2	68.4	0	61.8	69	0.8
	8532	64	0	65	68	3.5	66.4	0	65.4	69	2.6	67.5	0	65.2	70	2	68.1	0	64.8	70	1.6	68.1	0	64.3	70	1.5
	8533	65.4	0	57	66	0.6	68.2	0	59.1	69	0.5	69.4	0	59.4	70	0.4	69.8	0	59.2	70	0.4	69.9	0	58.9	70	0.3
	8534	64.2	0	56.1	65	0.7	66.6	0	57.6	67	0.5	67.6	0	57.9	68	0.5	68.1	0	57.8	69	0.4	68.2	0	57.5	69	0.4
	8535	66.1	0	57.6	67	0.6	69	0	60	70	0.5	70.1	0	60	71	0.4	70.4	0	59.8	71	0.4	71	0	60	71	0.3
	8536	56.6	0	47.7	57	0.5	61.3	0	52.5	62	0.5	63	0	53	63	0.4	63.3	0	53	64	0.4	66.9	0	56.1	67	0.4
	8537	62.9	0	53.3	63	0.5	66.1	0	56.5	67	0.4	67	0	56.4	67	0.4	67.2	0	56.1	68	0.3	69.6	0	58.4	70	0.3
	8538	54.3	0	47.9	55	0.9	60.1	0	54.1	61	1	62.3	0	59.7	64	1.9	62.7	0	59.8	65	1.8	67.1	0	60.6	68	0.9
	8601	31.6	0	37.5	39	6.9	37.6	0	43.9	45	7.2	48.8	0	50.6	53	4	50	0	50.8	53	3.4	50	0	51.3	54	3.7
	8602	0	0	40.7	41	40.7	0	0	50.4	50	50.4	0	0	51.7	52	51.7	0	0	52.9	53	52.9	0	0	55.5	56	55.5
	8603	61.5	0	39.9	62	0.1	65.9	0	53.3	66	0.3	65.8	0	54.2	66	0.3	65.5	0	53.5	66	0.3	65.5	0	52.9	66	0.2
	8604	54	0	55.9	58	4.1	62.1	0	56.1	63	1	62.8	0	55.5	64	0.7	63.1	0	54.6	64	0.5	64.4	0	53.9	65	0.4
	8605	56.8	0	47.6	57	0.5	60	0	52.8	61	0.8	60.3	0	52.5	61	0.7	60.6	0	52.1	61	0.6	65.7	0	52.9	66	0.2
	8606	60.6	0	49.4	61	0.3	63.5	0	54.2	64	0.5	63.8	0	53.7	64	0.4	63.8	0	53.3	64	0.3	64.2	0	53	65	0.3
	8607	61.9	0	50.1	62	0.3	65.7	0	55.1	66	0.4	65.8	0	54.7	66	0.3	65.7	0	54.2	66	0.3	65.8	0	53.8	66	0.2
	8608	49.5	0	35.3	50	0.1	58.8	0	49.2	59	0.5	60.5	0	49.5	61	0.3	61.1	0	49	61	0.3	63.5	0	49	64	0.2
	8609	46.5	0	32.8	47	0.2	54.7	0	43.9	55	0.4	56.2	0	43.8	56	0.2	56.6	0	43.3	57	0.2	61.2	0	43.9	61	0.1
	8610	63.3	0	52.5	64	0.4	67.9	0	57.9	68	0.4	68.5	0	57.6	69	0.3	68.4	0	57.1	69	0.3	68.7	0	56.7	69	0.2
	8611	63.7	0	53.2	64	0.3	67.9	0	57.9	68	0.4	68.6	0	57.7	69	0.3	68.5	0	57.3	69	0.3	68.4	0	56.9	69	0.3
	8612	63.9	0	53.9	64	0.4	68.2	0	58.3	69	0.4	68.9	0	58.3	69	0.4	68.9	0	57.9	69	0.3	68.8	0	57.4	69	0.3
	8613	48.3	0	33.6	48	0.1	59.6	0	41.1	60	0	65.8	0	51.9	66	0.2	65.9	0	53.6	66	0.2	65.7	0	53.5	66	0.3
	8614	47.9	0	33.9	48	0.1	59.6	0	40.8	60	0	65.6	0	51.2	66	0.1	65.5	0	53.2	66	0.2	65.3	0	53	66	0.3
	8615	61.3	0	50.6	62	0.3	64.3	0	53.2	65	0.4	67.3	0	54.2	68	0.2	67.3	0	55	68	0.2	67.2	0	54.7	68	0.3
	8616	62.5	0	51.4	63	0.3	65.7	0	55.5	66	0.4	66.5	0	55.3	67	0.3	66.7	0	55	67	0.2	66.6	0	54.6	67	0.3
	8617	62.8	0	52.1	63	0.4	66.3	0	56.2	67	0.4	67.2	0	56.4	68	0.4	67.5	0	56.1	68	0.3	67.4	0	55.8	68	0.3
	8618	62.7	0	58.9	64	1.5	66	0	60.8	67	1.2	67.1	0	62.4	68	1.3	67.4	0	62.5	69	1.2	67.4	0	62.8	69	1.3
	8619	0	0	59.7	60	59.7	0	0	61.9	62	61.9	0	0	63.3	63	63.3	0	0	63.2	63	63.2	0	0	63.4	63	63.4
	8620	60.3	0	59.9	63	2.8	61.7	0	61.6	65	2.9	62.2	0	63.1	66	3.5	62.5	0	62.9	66	3.2	62.6	0	63	66	3.2
	8621	27.9	0	57.5	58	29.7	27.9	0	62.6	63	34.7	27.9	0	64	64	36.1	27.8	0	63.7	64	35.9	27.8	0	63.6	64	35.8
	8622	56	0	55.4	59	2.7	58.3	0	63.5	65	6.4	58.8	0	64.6	66	6.8	59.2	0	64.1	65	6.2	59.7	0	63.8	65	5.5
	8623	0	0	56.4	56	56.4	0	0	64.1	64	64.1	0	0	64.6	65	64.6	0	0	64.1	64	64.1	0	0	63.6	64	63.6
	8624	54.3	0	55.9	58	3.9	56.5	0	63.5	64	7.8	57.2	0	64	65	7.6	57.6	0	63.6	65	7	58	0	63.2	64	6.3
	8625	58.7	0	66.2	67	8.2	61.6	0	67.1	68	6.6	63.1	0	66.6	68	5.1	63.6	0	65.9	68	4.3	63.8	0	65.4	68	3.9

TABLE A3.2.3
KTA2 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8626	0	0	67.4	67	67.4	0	0	68.6	69	68.6	0	0	67.8	68	67.8	0	0	67.1	67	67.1	0	0	66.5	67	66.5
	8627	50.4	0	67.2	67	16.9	53.5	0	67.5	68	14.1	54.1	0	66.7	67	12.8	54.5	0	65.9	66	11.7	55.1	0	65.3	66	10.6
	8628	44.1	0	65.4	66	21.4	48.7	0	70.3	70	21.6	49.5	0	69.3	69	19.8	49.8	0	68.5	69	18.7	50	0	67.8	68	17.8
	8629	46.8	0	53.8	55	7.8	54.1	0	67.2	67	13.3	54.9	0	66.1	66	11.5	55.4	0	65.2	66	10.2	55.8	0	64.5	65	9.3
	8630	46.6	0	53.6	54	7.7	54.2	0	68.4	69	14.3	54.4	0	67.4	68	13.2	54.6	0	66.6	67	12.2	54.6	0	65.8	66	11.5
	8631	0	0	53.8	54	53.8	0	0	68.1	68	68.1	0	0	67.2	67	67.2	0	0	66.5	67	66.5	0	0	65.8	66	65.8
	8632	30.2	0	53.8	54	23.7	30.2	0	66.6	67	36.4	30.1	0	65.8	66	35.7	30.1	0	65	65	34.9	31.4	0	64.4	64	33
	8633	50.4	0	58	59	8.3	56.4	0	70.2	70	13.9	57.1	0	69.2	70	12.4	57.6	0	68.5	69	11.2	57.8	0	67.8	68	10.4
	8634	50.5	0	53.5	55	4.8	56.6	0	66.9	67	10.7	57.5	0	66.3	67	9.3	57.9	0	65.5	66	8.3	58	0	64.9	66	7.7
	8635	48.3	0	53.1	54	6.1	56.1	0	68.2	69	12.4	56.9	0	67.5	68	10.9	57.3	0	66.7	67	9.9	57.5	0	66.1	67	9.1
	8636	0	0	54.4	54	54.4	0	0	68.8	69	68.8	0	0	67.9	68	67.9	0	0	67.2	67	67.2	0	0	66.5	67	66.5
	8637	30.7	0	53.6	54	22.9	30.6	0	67.3	67	36.7	30.6	0	66.3	66	35.7	30.5	0	65.4	65	34.9	30.4	0	64.8	65	34.4
	8638	53.4	0	59.2	60	6.8	58.7	0	70.1	70	11.7	59	0	69.2	70	10.6	59.1	0	68.4	69	9.7	59.5	0	67.8	68	8.9
	8639	54.1	0	54.9	58	3.4	60	0	66	67	6.9	60.7	0	65.3	67	5.9	60.7	0	64.6	66	5.4	61	0	64.1	66	4.9
	8640	51.9	0	54.6	57	4.6	59.6	0	67.6	68	8.7	60.3	0	66.9	68	7.4	60.3	0	66.1	67	6.8	60.7	0	65.6	67	6.1
	8641	43.1	0	58.4	59	15.4	43.9	0	67.6	68	23.8	44.9	0	66.8	67	22	46.2	0	66.2	66	20	46.2	0	65.7	66	19.5
	8642	32.2	0	58	58	25.8	33.9	0	66.4	66	32.5	39.7	0	65.5	66	25.8	47.5	0	64.6	65	17.2	48.8	0	63.9	64	15.2
	8643	57.9	0	59.8	62	4	64.2	0	69	70	6	64	0	68.3	70	5.7	64.2	0	67.8	69	5.1	64	0	67.3	69	5
	8644	63.4	0	53.7	64	0.5	67.7	0	64.7	70	1.8	67.5	0	64.4	69	1.7	67.4	0	64.6	69	1.8	67.1	0	64.5	69	1.9
	8645	59.8	0	56.2	61	1.6	64.3	0	66.9	69	4.5	64.1	0	66.6	69	4.4	64.2	0	66.3	68	4.2	64	0	66	68	4.1
	8646	66.1	0	54.6	66	0.3	69	0	63.8	70	1.2	68.8	0	64.1	70	1.3	68.7	0	64.3	70	1.4	68.5	0	64.1	70	1.3
	8647	63.8	0	40.7	64	0	66.6	0	47.8	67	0.1	66.4	0	47.7	67	0.1	66.2	0	47.5	66	0.1	66	0	47.2	66	0.1
	8648	63.6	0	38.3	64	0	67.6	0	45.9	68	0	67.4	0	45.7	67	0	67.2	0	45.5	67	0.1	67	0	45.2	67	0
	8649	63.5	0	48.1	64	0.2	67.7	0	58.3	68	0.5	67.6	0	60.6	68	0.8	67.5	0	61.4	69	1	67.3	0	62	68	1.1
	8650	61.1	0	52.8	62	0.6	65.4	0	60.1	67	1.1	65.1	0	62.3	67	1.9	65.1	0	62.7	67	2	65	0	62.8	67	2
	8651	65.7	0	52.6	66	0.2	68.3	0	59.7	69	0.5	68.1	0	62.2	69	1	68	0	62.8	69	1.1	67.8	0	62.9	69	1.2
	8652	60.5	0	26	61	0	62.6	0	26.6	63	0	63	0	27.6	63	0	64.3	0	29	64	0	64.8	0	33.6	65	0
	8653	60.9	0	23.3	61	0	65.2	0	23.3	65	0	65	0	23.2	65	0	64.9	0	23.1	65	0	64.8	0	30.3	65	0
	8654	68.9	0	57.5	69	0.3	68.9	0	60.8	70	0.6	68.7	0	61.6	70	0.8	68.6	0	62.5	70	0.9	68.3	0	62.6	69	1
	8655	67	0	58.7	68	0.6	66.9	0	61	68	1	66.7	0	62.4	68	1.4	66.6	0	63.5	68	1.7	66.3	0	63.6	68	1.8
	8656	71.2	0	60.7	72	0.4	71.3	0	61.4	72	0.4	71.3	0	61.9	72	0.4	71.2	0	62.6	72	0.5	70.9	0	62.7	72	0.6
	8657	68.7	0	53.9	69	0.1	68.9	0	54.2	69	0.2	68.8	0	53.9	69	0.1	68.5	0	53.5	69	0.2	68.5	0	53.1	69	0.1
	8658	68.7	0	51.8	69	0.1	68.8	0	52.3	69	0.1	68.7	0	52	69	0.1	68.5	0	51.6	69	0.1	68.7	0	51.3	69	0
	8659	68.5	0	52.9	69	0.1	68.6	0	53.6	69	0.1	68.4	0	54.3	69	0.1	68.3	0	55.5	69	0.2	68.1	0	59.7	69	0.6
	8660	66.7	0	57	67	0.5	66.6	0	58.4	67	0.6	66.4	0	59.4	67	0.8	66.4	0	60.4	67	1	66.2	0	60.7	67	1.1
2A	8661	71.4	0	60.1	72	0.3	71.7	0	60.5	72	0.3	71.6	0	61.1	72	0.4	71.5	0	61.7	72	0.4	71.2	0	61.7	72	0.5
	8662	69.2	0	55.3	69	0.1	69.8	0	55.6	70	0.2	70	0	55.3	70	0.2	69.9	0	55	70	0.1	69.6	0	54.5	70	0.1
	8663	69.3	0	53.7	69	0.1	70.3	0	55.5	70	0.1	70.2	0	55.2	70	0.2	70	0	54.9	70	0.1	69.7	0	54.4	70	0.1
	8664	61.2	0	41.9	61	0.1	64.6	0	50.4	65	0.2	64.5	0	50	65	0.1	64.2	0	49.5	64	0.1	64.3	0	50.1	65	0.2
	8665	56.9	0	35.8	57	0.1	59.2	0	37.8	59	0	59.2	0	44.6	59	0.2	59.2	0	47.5	59	0.2	60.1	0	49.7	61	0.4
	8666	65.7	0	45.5	66	0.1	68.4	0	53.6	69	0.1	68.2	0	53.1	68	0.1	68	0	52.5	68	0.1	67.8	0	52.6	68	0.2
	8667	59.2	0	43.2	59	0.1	63.6	0	51.8	64	0.3	64.2	0	51.3	64	0.2	64	0	50.7	64	0.2	64.1	0	50.1	64	0.1
	8668	61.5	0	40.7	62	0.1	64.9	0	49.1	65	0.1	65.2	0	48.5	65	0.1	65.1	0	47.9	65	0	65.1	0	47.6	65	0
	8669	57.1	0	31.6	57	0	62.8	0	45.8	63	0.1	63.4	0	48.6	64	0.1	63.2	0	48.6	63	0.1	69.3	0	49.9	69	0.1
	8670	47.5	0	32.6	48	0.1	62.9	0	48.7	63	0.1	63.7	0	53.2	64	0.4	63.6	0	52.7	64	0.4	64	0	52.3	64	0.3
	8671	48.2	0	31	48	0	63.9	0	46.6	64	0	66.6	0	53	67	0.2	66.5	0	53.3	67	0.2	66.4	0	53.2	67	0.2
	8672	66.2	0	55.3	67	0.3	66.2	0	57.3	67	0.6	66.1	0	58	67	0.6	66.1	0	59.1	67	0.8	65.9	0	59.6	67	0.9
	8673	25.7	0	39.9	40	14.4	27.8	0	48.5	49	20.8	32	0	50.4	50	18.4	39	0	53.2	53	14.4	40.7	0	54.1	54	13.6
	8674	51	0	32.4	51	0.1	60.9	0	44.8	61	0.1	64	0	46.8	64	0.1	65.5	0	46.6	66	0.1	65.9	0	46.4	66	0.1
	8675	52.9	0	33.7	53	0	62.5	0	47.5	63	0.1	63.4	0	48	64	0.1	63.5	0	47.7	64	0.1	63.5	0	47.3	64	0.1
	8676	53.3	0	35.4	53	0.1	62.9	0	47.7	63	0.1	68.2	0	54.7	68	0.2	68.9	0	55.2	69	0.2	69	0	55.2	69	0.2
	8677	50.5	0	33.8	51	0.1	61.2	0	41.7	61	0.1	67.7	0	54.4	68	0.2	68.5	0	55.1	69	0.2	68.6	0	55	69	0.2
	8678	52	0	31.6	52	0	63.1	0	40	63	0	67.7	0	53.1	68	0.2	68.5	0	54.2	69	0.2	68.9	0	54.3	69	0.1
	8679	53.9	0	34.1	54	0.1	65.1	0	46.1	65	0.1	67.3	0	49.5	67	0.1	68.1	0	49.5	68	0.1	68.3	0	49.5	68	0.1
	8680	53.7	0	33.3	54	0.1	64.9	0	45.9	65	0	65	0	48.9	65	0.1	64.9	0	48.6	65	0.1	64.8	0	48.2	65	0.1
	8681	55.7	0	35.2	56	0	66.2	0	46.9	66	0.1	69.9	0	55.5	70	0.2	70.4	0	56.4	71	0.2	70.5	0	56.2	71	0.1
	8682	42.5	0	32.3	43	0.4	53.9	0	38.6	54	0.2	67.1	0	54.7	67	0.2	67.9	0	55.9	68	0.2	68	0	55.7	68	0.2
	8683	54.7	0	33.8	55	0	65.7	0	43.1	66	0	69.5	0	54.7	70	0.1	70.1	0	56	70	0.2	70.2	0	55.8	70	0.2
	8684	52	0	31.1	52	0	62.4	0	40.3	62	0	68.6	0	52	69	0.1	69.3	0	52.5	69	0.1	69.4	0	52.4	70	0.1
	8685	44.9	0	25.3	45	0.1	57.5	0	32	58	0.1	67.3	0	47.6	67	0.1	67.5	0	48.1	68	0	67.5	0	47.8	68	0
	8686	48	0	32.9	48	0.1	60.7	0	42.4	61	0.1	70.5	0	55.9	71	0.1	70.9	0	57.1	71	0.2	71	0	57	71	0.1
	8687	47.6	0	35	48	0.3	59.9	0	43	60	0	66.9	0	55.2	67	0.3	67.3	0	57	68	0.4	67.3	0	56.9	68	0.4
	8688	48.8	0	34.5	49	0.1	61.2	0	42.5	61	0	69.4	0	54.8	70	0.2	70	0	57.2	70	0.3	70.1	0	56.9	70	0.2

TABLE A3.2.3
KTA2 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8689	50	0	35.1	50	0.1	61	0	41.3	61	0.1	68.2	0	51.6	68	0.1	69.4	0	54.4	70	0.1	69.5	0	54.7	70	0.1
	8690	51.4	0	35.9	52	0.1	62.6	0	44.3	63	0.1	69.2	0	53.6	69	0.1	69.8	0	54.7	70	0.1	69.9	0	54.4	70	0.1
	8691	48.5	0	32.1	49	0.1	59.3	0	39.9	59	0.1	68.2	0	47.5	68	0	68.9	0	50.6	69	0.1	69	0	50.6	69	0.1
	8692	53	0	37	53	0.1	64.9	0	46.6	65	0	70.9	0	56.8	71	0.2	71.4	0	58.9	72	0.2	71.4	0	58.5	72	0.2
	8693	44	0	33.3	44	0.4	54.9	0	40.8	55	0.1	66.7	0	54.5	67	0.3	67	0	57.7	68	0.5	66.9	0	57.5	67	0.5
	8694	52.4	0	35.2	53	0.1	64.3	0	43.8	64	0	69.5	0	55.7	70	0.2	70.1	0	58.4	70	0.2	70	0	58.1	70	0.3
	8695	52.4	0	33	53	0.1	64.5	0	41.2	65	0	69.6	0	52.6	70	0.1	70.2	0	57	70	0.2	70.2	0	56.7	70	0.2
	8696	52.6	0	30.5	53	0.1	64.9	0	37.9	65	0	68.4	0	50.2	69	0.1	69	0	53	69	0.1	69.1	0	52.7	69	0.1
	8697	52.8	0	32.6	53	0.1	65.4	0	41	65	0	70.8	0	56.3	71	0.1	71.1	0	59	71	0.3	71.1	0	58.8	71	0.3
	8698	45.7	0	36.2	46	0.5	57.4	0	45.9	58	0.3	66.6	0	55.7	67	0.3	66.8	0	57.5	67	0.5	66.7	0	57.5	67	0.5
	8699	49	0	34.2	49	0.1	61.3	0	42.9	61	0.1	69.4	0	56	70	0.2	69.8	0	58.6	70	0.3	69.7	0	58.6	70	0.3
	8731	47.8	0	29.9	48	0.1	60.1	0	37.8	60	0	69.5	0	53.9	70	0.1	69.9	0	57	70	0.2	69.8	0	56.9	70	0.3
	8732	46.6	0	31.3	47	0.2	59.1	0	39	59	0.1	68.7	0	52.3	69	0.1	69	0	54.7	69	0.2	69	0	54.5	69	0.2
	8733	49.9	0	38.1	50	0.3	62	0	48.1	62	0.1	70.7	0	58.1	71	0.3	71	0	59.5	71	0.3	70.9	0	59.3	71	0.3
	8734	49.9	0	39	50	0.3	61.3	0	47.9	62	0.2	65.8	0	56.5	66	0.5	66.1	0	57.6	67	0.6	66	0	57.5	67	0.6
	8735	51.1	0	38	51	0.2	62.3	0	47.6	63	0.2	68.8	0	57.3	69	0.3	69.2	0	59.1	70	0.4	69	0	58.9	69	0.4
	8736	47.9	0	35.1	48	0.3	59.1	0	40.7	59	0	67	0	52	67	0.1	68.3	0	57.3	69	0.3	68.3	0	57.7	69	0.3
	8737	46.5	0	32.5	47	0.2	58.4	0	41.1	59	0.1	69.4	0	56.2	70	0.2	69.7	0	57.9	70	0.3	69.6	0	57.7	70	0.3
	8738	43	0	36	44	0.8	56.3	0	41.7	56	0.1	68.5	0	55.2	69	0.2	68.5	0	56.7	69	0.3	68.5	0	56.5	69	0.2
	8739	48.4	0	36.6	49	0.3	59.8	0	46.8	60	0.2	70.2	0	58.2	70	0.2	70.3	0	59.2	71	0.4	70.2	0	58.6	71	0.3
	8740	48.7	0	32.6	49	0.1	55.1	0	41.6	55	0.2	63.8	0	52	64	0.3	64.4	0	54.2	65	0.4	64.4	0	54	65	0.4
	8741	42.7	0	31.1	43	0.3	52.9	0	39.4	53	0.2	66.9	0	56.7	67	0.4	67.3	0	57.7	68	0.5	67.2	0	57.4	68	0.4
	8742	48.4	0	33.3	49	0.1	59.2	0	42.4	59	0.1	69.2	0	56.9	69	0.2	69.4	0	58.1	70	0.4	69.2	0	57.8	70	0.3
	8743	45.5	0	31.6	46	0.1	56.4	0	38.9	57	0.1	68.5	0	55.5	69	0.2	68.7	0	56.8	69	0.3	68.6	0	56.4	69	0.2
	8744	53	0	37.4	53	0.1	62.6	0	48.2	63	0.2	69.5	0	57.5	70	0.3	69.7	0	58.2	70	0.3	69.6	0	57.8	70	0.2
	8745	51.2	0	35.1	51	0.1	59.9	0	46.8	60	0.2	61	0	49.7	61	0.3	61.1	0	49.3	61	0.3	61.1	0	48.9	61	0.3
	8746	51	0	37.4	51	0.2	62	0	47.3	62	0.1	66.1	0	54.5	66	0.3	66.4	0	56.1	67	0.4	66.2	0	55.9	67	0.4
	8747	48.6	0	34.8	49	0.2	59.9	0	43.5	60	0.1	68.1	0	55.2	68	0.2	68.3	0	56.8	69	0.3	68	0	56.5	68	0.3
	8748	48.7	0	35.9	49	0.2	60.7	0	45.1	61	0.1	68.2	0	55.7	68	0.2	68.3	0	56.8	69	0.3	68.2	0	56.5	69	0.3
	8749	52.3	0	38.9	52	0.1	63.4	0	49.3	64	0.1	68.8	0	56.3	69	0.2	68.8	0	57.3	69	0.3	68.7	0	57	69	0.3
	8750	49.1	0	46	51	1.7	59.7	0	48.2	60	0.3	61	0	50.7	61	0.3	61.1	0	50.2	62	0.4	61.1	0	49.9	61	0.3
	8751	50	0	45.6	51	1.4	61.3	0	47.5	62	0.2	63	0	53.3	64	0.5	63.3	0	53	64	0.4	63.2	0	52.6	64	0.4
	8761	41	0	53.4	54	12.7	44.6	0	67.6	68	23.1	53.3	0	66.7	67	13.6	54.6	0	65.7	66	11.4					
	8762	46.8	0	53.8	55	7.8	55.4	0	67	67	11.9	57.3	0	66	67	9.3	58.2	0	65	66	7.6					
	8763	51.1	0	61.2	62	10.5	57.9	0	69.5	70	11.9	59.8	0	68.4	69	9.1	60.8	0	67.3	68	7.4					
	8764	46.5	0	60.9	61	14.5	53	0	66.4	67	13.6	55.8	0	65.5	66	10.2	57.3	0	64.8	66	8.2					
	8765	47.4	0	61.9	62	14.6	52.5	0	67.6	68	15.2	55.5	0	66.7	67	11.5	57.7	0	65.8	67	8.8					
	8766	43.3	0	53.6	54	10.6	51.4	0	67.9	68	16.6	56.7	0	67	67	10.7	58	0	66	67	8.6					
	8767	47.1	0	53.7	55	7.5	57.5	0	67.1	68	10.1	59.5	0	66	67	7.4	60.3	0	65	66	6					
2B	8768	51.7	0	59.1	60	8.2	58.2	0	70	70	12	60	0	68.8	69	9.3	60.4	0	67.7	69	8.1					
	8769	42.6	0	57.5	58	15	51	0	66.1	66	15.2	52.6	0	65	65	12.6	53.7	0	64	64	10.7					
	8770	43.9	0	54	54	10.5	52.2	0	67.6	68	15.5	54	0	66.6	67	12.9	54.7	0	65.6	66	11.3					
	8771	49.9	0	52.6	55	4.6	59.8	0	67.1	68	8	61.5	0	66.5	68	6.2	61.6	0	65.5	67	5.4					
	8772	49.8	0	52.5	54	4.6	59.9	0	66	67	7.1	61.6	0	65.6	67	5.5	61.6	0	64.8	67	4.9					
	8773	49.8	0	57.7	58	8.5	59.9	0	69.9	70	10.4	61.4	0	68.7	69	8	61.8	0	67.6	69	6.8					
	8774	37.1	0	55.9	56	18.9	38.6	0	67.3	67	28.7	42.1	0	66.1	66	24.1	47.6	0	65.1	65	17.6					
	8775	39.8	0	53.9	54	14.3	42.7	0	68.1	68	25.4	46.2	0	67.2	67	21	52.8	0	66.2	66	13.6					
	8801	54.1	0	61.4	62	8	57.1	0	69.2	70	12.4	58.3	0	68	69	10.2	58.7	0	67	68	8.9					
	8802	49.6	0	59.9	60	10.7	52.7	0	68.5	69	15.9	56.5	0	67.2	68	11.1	57.6	0	66.3	67	9.2					
	8803	51.2	0	60.3	61	9.6	57.7	0	71.2	71	13.7	58.4	0	69.7	70	11.6	58.8	0	68.6	69	10.2					
	8804	45.4	0	53	54	8.3	55.9	0	66.6	67	11	54.8	0	64.9	65	10.5	54.2	0	63.5	64	9.8					
	8805	43.5	0	55.9	56	12.7	53.7	0	69.2	69	15.6	53.2	0	68.3	68	15.2	54.4	0	67.3	68	13.1					
	8806	45.3	0	69.9	70	24.7	51	0	69.2	69	18.2	54.5	0	67.7	68	13.4	55.8	0	66.6	67	11.2					
	8807	45	0	69.9	70	25	50.9	0	68.1	68	17.2	54.6	0	66.5	67	12.1	55.6	0	65.3	66	10.2					
	8808	43.3	0	73.2	73	29.9	49.2	0	70.3	70	21.1	53	0	68.5	69	15.6	53.8	0	67.3	68	13.7					
2C	8809	21.3	0	68.6	69	47.3	21.2	0	65.8	66	44.6	20.7	0	64	64	43.3	20.4	0	62.8	63	42.4					
	8810	32.4	0	69.5	70	37.1	46	0	67.3	67	21.4	45.6	0	65.6	66	20	46.3	0	64.4	64	18.1					
	8811	43	0	58.7	59	15.8	54.6	0	66.8	67	12.5	55.7	0	66.2	67	10.9	56.2	0	65.5	66	9.7					
	8812	42.1	0	57.8	58	15.8	53.4	0	66.9	67	13.7	55.5	0	65.7	66	10.6	56.8	0	64.8	65	8.6					
	8813	41.1	0	56.8	57	15.8	52	0	69.1	69	17.2	54.6	0	67.9	68	13.5	56.3	0	66.8	67	10.9					
	8814	0	0	49.4	49	49.4	0	0	63.1	63	63.1	0	0	62.8	63	62.8	0	0	62.1	62	62.1					
	8815	35.5	0	46.2	47	11.1	47.3	0	60.7	61	13.5	52	0	63.8	64	12.1	52.7	0	62.9	63	10.6					
	8816	52.8	0	56	58	4.9	59	0	58	62	2.5	59.9	0	60.6	63	3.4	59.8	0	62.4	64	4.5					

TABLE A3.2.3
KTA2 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8817	43.9	0	55.2	56	11.6	58.8	0	59.4	62	3.3	59.5	0	61.4	64	4.1	59.6	0	62.2	64	4.5					
	8818	46.3	0	55.3	56	9.5	57.2	0	58.9	61	4	58	0	61	63	4.8	58.3	0	61.4	63	4.8					
	8901	38.2	0	68	68	29.8	40.6	0	68.2	68	27.6	43.4	0	67.5	68	24.1	45.5	0	66.6	67	21.1					
	8902	0	0	67.7	68	67.7	0	0	67.8	68	67.8	0	0	66.8	67	66.8	0	0	65.8	66	65.8					
	8903	0	0	66.5	67	66.5	0	0	66.5	67	66.5	0	0	65.4	65	65.4	0	0	64.4	64	64.4					
	8904	0	0	50.4	50	50.4	0	0	50.5	51	50.5	0	0	50.3	50	50.3	0	0	50	50	50					
	8905	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	8906	59.6	0	62.2	64	4.5	60.3	0	62	64	3.9	60.7	0	61.5	64	3.4	60.9	0	61	64	3.1					
	8907	59.6	0	62.4	64	4.6	60.4	0	62.1	64	4	60.9	0	61.6	64	3.4	61.1	0	61.1	64	3					
	8908	59.2	0	62	64	4.6	59.4	0	61.7	64	4.3	59.5	0	61.2	63	3.9	59.3	0	60.7	63	3.8					
	8909	0	0	57.3	57	57.3	0	0	57.3	57	57.3	0	0	56.9	57	56.9	0	0	56.4	56	56.4					
2D	8910	0	0	29.5	30	29.5	0	0	29.4	29	29.4	0	0	29.1	29	29.1	0	0	28.8	29	28.8					
	8911	61	0	63.9	66	4.7	61.6	0	63.5	66	4.1	61.8	0	62.9	65	3.6	61.8	0	62.3	65	3.2					
	8912	61.1	0	64.2	66	4.8	61.6	0	63.6	66	4.1	61.7	0	63	65	3.7	61.7	0	62.3	65	3.4					
	8913	60.6	0	64	66	5	60.7	0	63.4	65	4.5	60.7	0	62.7	65	4.1	60.5	0	62	64	3.8					
	8914	46.3	0	60.2	60	14.1	46.8	0	60	60	13.4	46.9	0	59.4	60	12.7	46.8	0	58.7	59	12.1					
	8915	0	0	31.9	32	31.9	0	0	31.8	32	31.8	0	0	31.7	32	31.7	0	0	32.1	32	32.1					
	8916	61.9	0	65.6	67	5.3	62.3	0	64.9	67	4.5	62.6	0	64.1	66	3.8	62.6	0	63.3	66	3.4					
	8917	61.7	0	65.9	67	5.6	62.3	0	65.5	67	4.9	62.7	0	64.8	67	4.2	62.7	0	64	66	3.7					
	8918	61.4	0	65.4	67	5.4	62.1	0	64.9	67	4.6	62.5	0	64.1	66	3.9	62.5	0	63.3	66	3.5					
	8923	39	0	61.8	62	22.8	41.3	0	67.3	67	26	46.2	0	66.6	67	20.4	48.8	0	65.5	66	16.8					
	8924	34.3	0	61.6	62	27.3	36.2	0	67.6	68	31.4	39.1	0	66.5	67	27.4	40	0	65.2	65	25.3					
	8925	40.5	0	65.7	66	25.2	43.4	0	70.4	70	27	50	0	69.8	70	19.8	55.9	0	68.9	69	13.2					
	8926	47.8	0	64.6	65	16.9	58	0	69.3	70	11.6	58.5	0	68.2	69	10.2	59.8	0	67.6	68	8.5					
	8927	41.8	0	65.1	65	23.3	49.7	0	70.2	70	20.6	57.4	0	69.3	70	12.2	59.2	0	68.5	69	9.8					
	8928	48	0	59.4	60	11.7	59.5	0	68.5	69	9.5	61	0	68	69	7.8	61.6	0	67.4	68	6.8					
	8929	26.7	0	58.5	59	31.8	26	0	59.5	60	33.5	25.1	0	58.8	59	33.7	25.3	0	58.2	58	32.9					
	8930	37.8	0	50.3	51	12.7	48.7	0	63.4	64	14.9	51.5	0	63.9	64	12.7	55.3	0	63.5	64	8.8					
	8931	16.3	0	66.7	67	50.4	16.3	0	67.9	68	51.6	16.2	0	66.4	66	50.2	17.5	0	65.1	65	47.6					
	8932	0	0	64.9	65	64.9	0	0	67.1	67	67.1	0	0	65.2	65	65.2	0	0	63.9	64	63.9					
	8933	33.4	0	58.8	59	25.4	33.6	0	65.7	66	32.1	34.2	0	65.7	66	31.5	36.4	0	64.9	65	28.5					
	8934	52.5	0	58.2	59	6.7	59.7	0	64.9	66	6.4	60.8	0	64.8	66	5.5	60.5	0	63.9	66	5					
	8935	34	0	60.2	60	26.2	34.6	0	65.6	66	31.1	36.1	0	64.9	65	28.8	39.6	0	64	64	24.4					
	8936	62.3	0	67.6	69	6.4	63.8	0	69.2	70	6.5	64.9	0	68.9	70	5.5	64.6	0	68	70	5					
	8937	62	0	68	69	7	62.7	0	69.5	70	7.6	64.8	0	69	70	5.6	64.6	0	68.1	70	5.1					
	8938	63.4	0	69.9	71	7.4	64.8	0	70.1	71	6.4	65.4	0	69.2	71	5.3	65.1	0	68.2	70	4.8					
	8939	51.1	0	64.6	65	13.7	50.4	0	64.4	65	14.2	49.3	0	63.4	64	14.3	48.4	0	62.5	63	14.3					
	8940	61.8	0	64	66	4.3	61.6	0	66.5	68	6.1	61.8	0	65.6	67	5.3	61.3	0	64.7	66	5					
	8941	16.7	0	63	63	46.3	16.7	0	63.2	63	46.5	16.5	0	62.5	63	46	17.9	0	61.9	62	44					
2E	8942	0	0	63.3	63	63.3	0	0	62.8	63	62.8	0	0	62.1	62	62.1	0	0	61.5	62	61.5					
	8943	33.2	0	64.9	65	31.7	33.7	0	64.7	65	31	34.9	0	64.2	64	29.3	38.7	0	63.9	64	25.2					
	8944	35.9	0	61.5	62	25.6	35.9	0	62	62	26.1	36.1	0	61.5	62	25.5	41.5	0	61.2	61	19.7					
	8945	33	0	63.4	63	30.4	33.4	0	64.3	64	30.9	34.1	0	63.6	64	29.5	37.1	0	62.9	63	25.9					
	8946	62.9	0	66.8	68	5.4	64	0	68.4	70	5.7	64.4	0	67.3	69	4.7	64.1	0	66.4	68	4.3					
	8947	63.8	0	67.6	69	5.3	64.8	0	67.5	69	4.5	65.2	0	66.4	69	3.6	64.9	0	65.5	68	3.3					
	8948	64.2	0	69.9	71	6.7	64.8	0	69.2	71	5.7	65.2	0	68	70	4.7	64.9	0	67.1	69	4.2					
	8949	0	0	64.8	65	64.8	0	0	64	64	64	0	0	62.8	63	62.8	0	0	61.7	62	61.7					
	8950	61	0	64.3	66	4.9	61	0	66.2	67	6.3	61.1	0	65.1	67	5.4	60.7	0	64.1	66	5					
	8951	0	0	62.8	63	62.8	0	0	63.1	63	63.1	0	0	62.5	63	62.5	0	0	62	62	62					
	8952	0	0	60.8	61	60.8	0	0	60.5	61	60.5	0	0	60.1	60	60.1	0	0	59.8	60	59.8					
	8953	34.4	0	64	64	29.6	36.4	0	63.8	64	27.4	38.6	0	63.5	64	24.9	40.4	0	63.2	63	22.8					
	8954	35.4	0	62.9	63	27.6	35.6	0	62.6	63	27	36.3	0	61.9	62	25.6	41.2	0	61.3	61	20.1					
	8955	31.6	0	62.8	63	31.2	31.6	0	62.9	63	31.3	32.4	0	62.3	62	29.9	36.9	0	61.6	62	24.7					
	8956	60.5	0	61.5	64	3.6	61.4	0	66.5	68	6.3	61.9	0	65.6	67	5.3	61.7	0	64.8	67	4.9					
	8957	62.6	0	66.3	68	5.2	63.3	0	67.6	69	5.7	63.6	0	66.5	68	4.7	63.4	0	65.5	68	4.2					
	8958	63.3	0	67	69	5.2	63.9	0	66.6	69	4.6	64.3	0	65.5	68	3.6	64.1	0	64.5	67	3.2					
	8959	63.6	0	69	70	6.5	64.1	0	68	70	5.4	64.5	0	66.8	69	4.3	64.4	0	65.8	68	3.8					
	8960	59.5	0	63.5	65	5.4	59.7	0	64.9	66	6.4	59.8	0	63.8	65	5.5	59.5	0	62.8	65	5					
	8961	0	0	60.7	61	60.7	0	0	61.8	62	61.8	0	0	62	62	62	0	0	62	62	62					
	8962	0	0	54.5	55	54.5	0	0	57.6	58	57.6	0	0	58.8	59	58.8	0	0	59.2	59	59.2					
	8971	67.9	0	63.1	69	1.2	68.2	0	64.5	70	1.5	68.1	0	64.4	70	1.6	68	0	63.9	69	1.4					
	8972	67.8	0	61.8	69	1	68.3	0	64.5	70	1.5	68.2	0	65.4	70	1.8	68.2	0	65.5	70	1.8					
	8973	67.7	0	64.7	70	1.8	68.2	0	66	70	2	68	0	67.4	71	2.7	67.8	0	66.6	70	2.4					

TABLE A3.2.3
KTA2 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
2F	8974	53.1	0	58.6	60	6.6	58.3	0	58.8	62	3.3	59.2	0	58	62	2.4	65.5	0	58.6	66	0.8					
	8975	58	0	61.9	63	5.4	60.8	0	64.2	66	5.1	61.7	0	66.7	68	6.2	61.8	0	66.2	68	5.8					
	8976	58.2	0	68.4	69	10.6	57.2	0	69.5	70	12.6	58	0	68.8	69	11.1	58.4	0	68	68	10					
	8977	59.2	0	69.1	70	10.3	57.8	0	69.6	70	12.1	58.5	0	69.3	70	11.1	60.2	0	69.1	70	9.4					
	8978	59.6	0	68.2	69	9.2	57.7	0	70.7	71	13.2	56.7	0	69.7	70	13.2	57.4	0	68.9	69	11.8					
	8979	21.1	0	60.1	60	39	21.2	0	67.2	67	46	21.2	0	66.3	66	45.1	25.6	0	65.5	66	39.9					
	8980	0	0	62.4	62	62.4	0	0	68.7	69	68.7	0	0	67.7	68	67.7	0	0	66.8	67	66.8					
	8981	38.3	0	65.5	66	27.2	41.3	0	68.2	68	26.9	47.1	0	66.8	67	19.8	50.9	0	66	66	15.2					
	8982	52.3	0	65	65	12.9	56	0	66.7	67	11	58.1	0	65.4	66	8.1	58.7	0	64.7	66	7					
	8983	36.6	0	68.1	68	31.5	37.9	0	70.6	71	32.7	40.2	0	69	69	28.8	43.5	0	67.9	68	24.4					
	8984	0	0	64.9	65	64.9	0	0	69.6	70	69.6	0	0	68.2	68	68.2	0	0	67	67	67					
	8985	24	0	65.3	65	41.3	24.1	0	69.2	69	45.1	24.3	0	68	68	43.7	26	0	66.8	67	40.8					
	8986	57.1	0	67.5	68	10.8	55.1	0	70.1	70	15.2	53.8	0	69	69	15.4	54	0	68.1	68	14.3					
	8987	57.5	0	61.1	63	5.2	55.7	0	65.7	66	10.4	54.3	0	64.8	65	10.8	54.1	0	63.9	64	10.3					
	8988	29.3	0	61.1	61	31.8	28.8	0	67	67	38.2	28	0	66	66	38	43.4	0	65.2	65	21.9					

KTA2 TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
1L	7401	48.2	0	65.1	65	17	50.3	0	73.9	74	23.7	51.5	0	73.7	74	22.2
	7402	43	0	65.9	66	22.9	45.4	0	69.9	70	24.5	50.5	0	71.8	72	21.3
	7403	23.6	0	36.5	37	13.2	23.8	0	38.5	39	14.9	25.1	0	42.1	42	17.1
	7404	38	0	53.1	53	15.3	39.5	0	55.1	55	15.7	42.5	0	59.5	60	17.1
	7405	22.5	0	58.5	59	36	23.3	0	62.4	62	39.1	23.6	0	63.7	64	40.1
	7406	44.4	0	61.8	62	17.5	46.4	0	68	68	21.6	50.1	0	70.3	70	20.2
	7407	35.1	0	31.7	37	1.6	37.1	0	34.7	39	1.9	40.8	0	40.6	44	3
	7408	33	0	27.5	34	1.1	35.2	0	29.5	36	1	39	0	32.6	40	0.9
	7409	22.5	0	44.6	45	22.2	23.5	0	49.4	49	25.9	23.7	0	57.9	58	34.2
	7410	39.9	0	49.1	50	9.6	41.2	0	52.1	52	11.2	43.9	0	58.5	59	14.7
	7411	40.8	0	56.9	57	16.2	41.8	0	58.3	58	16.6	43.6	0	60.1	60	16.6
	7412	37.8	0	57.3	57	19.5	38.8	0	58.6	59	19.9	40.5	0	61	61	20.5
	7413	25.3	0	41.9	42	16.7	29.6	0	45.5	46	16	35.7	0	50.6	51	15
	7414	46.8	0	60.8	61	14.2	46.1	0	61.9	62	15.9	45	0	62.7	63	17.7
	7415	41.5	0	34	42	0.7	42.8	0	35.6	44	0.8	44.8	0	42.2	47	1.9
	7416	42	0	44.5	46	4.4	43.4	0	46.8	49	5.1	45.4	0	52.3	53	7.7
	7417	46.4	0	63.6	64	17.3	47.8	0	64.8	65	17.1	50	0	66.3	66	16.4
	7418	38.9	0	52.5	53	13.8	41.3	0	60.2	60	18.9	50	0	62.5	63	12.7
1P	7501	38.6	0	38.9	42	3.2	39.6	0	39.9	43	3.2	40.9	0	41.6	44	3.4
	7502	30.3	0	56.1	56	25.8	30.8	0	57.3	57	26.5	31.5	0	59.1	59	27.6
	7503	0	0	29.1	29	29.1	0	0	31.1	31	31.1	0	0	33.9	34	33.9
	7504	0	0	27.2	27	27.2	0	0	28.9	29	28.9	0	0	31.3	31	31.3
	7505	38.5	0	62.4	62	23.9	39.9	0	62.1	62	22.2	41.2	0	61.8	62	20.6
	7506	0	0	65.3	65	65.3	0	0	65.2	65	65.2	0	0	65	65	65
	7507	0	0	47.9	48	47.9	0	0	49.3	49	49.3	0	0	51.6	52	51.6
	7508	0	0	47.2	47	47.2	0	0	48.7	49	48.7	0	0	51	51	51
	7509	30.3	0	68.5	69	38.2	31.3	0	68.5	69	37.2	33	0	68.3	68	35.3
	7510	0	0	57.8	58	57.8	0	0	57.7	58	57.7	0	0	57.4	57	57.4
	7511	36.2	0	35.6	39	2.7	37.4	0	36.6	40	2.6	39.2	0	38	42	2.5
	7512	36.6	0	36.5	40	3	37.5	0	37.4	41	3	39	0	38.8	42	2.9
	7513	0	0	43.6	44	43.6	0	0	43.6	44	43.6	0	0	45.6	46	45.6
	7514	30.5	0	57.4	57	26.9	31.7	0	58.5	59	26.8	33.2	0	60.6	61	27.4
	7515	38.5	0	36.6	41	2.2	39.9	0	37.4	42	1.9	42.6	0	39	44	1.6
	7516	37.1	0	37	40	2.9	38.1	0	37.9	41	2.9	40	0	39.5	43	2.8
	7517	0	0	54.6	55	54.6	0	0	56	56	56	0	0	57.9	58	57.9
	7518	28.8	0	45.4	46	16.7	29.8	0	46.8	47	17.1	31.5	0	49.5	50	18.1
2A	7601	34.3	0	36.9	39	4.5	34.3	0	37.1	39	4.6	34.3	0	37.4	39	4.8
	7602	61.7	0	41.7	62	0.1	69.1	0	48.7	69	0	69.8	0	53.7	70	0.1
	7603	57.6	0	41.7	58	0.1	63	0	45.2	63	0.1	68.6	0	53.2	69	0.1
	7604	58.3	0	43.1	58	0.1	65.5	0	49.9	66	0.1	68.1	0	57.4	69	0.4
	7605	37.6	0	40.1	42	4.4	39	0	41.1	43	4.2	41.8	0	43.1	46	3.7
	7606	57.4	0	39.9	58	0.1	64.9	0	43.7	65	0	69	0	53	69	0.1
	7607	48.8	0	39.7	49	0.5	55.2	0	43.6	56	0.3	61.1	0	51.9	62	0.5
	7608	51.9	0	39.7	52	0.2	59.7	0	44.5	60	0.2	63.5	0	54.1	64	0.4
	7609	36.1	0	38.8	41	4.6	36.4	0	39.4	41	4.7	37.2	0	40.2	42	4.8
	7610	58.5	0	46.1	59	0.2	65.1	0	53	65	0.3	66.9	0	60.1	68	0.8
	7611	58.4	0	43.5	59	0.2	66.1	0	47.3	66	0	70.5	0	55.5	71	0.1
	7612	60.7	0	45.4	61	0.2	69.8	0	52.6	70	0	70.6	0	61	71	0.5
	7613	62.2	0	47.3	62	0.1	70.9	0	54.8	71	0.1	72.8	0	62.7	73	0.4
2B	7701	26.9	0	51.8	52	24.9	27.1	0	53.1	53	26	28.1	0	56.3	56	28.2
	7702	34.8	0	43.5	44	9.2	34.9	0	45.1	46	10.6	35.1	0	48.4	49	13.5
	7703	33.5	0	32.2	36	2.4	33.6	0	34	37	3.2	33.8	0	36.2	38	4.4
	7704	35.1	0	27.7	36	0.7	35.8	0	29.4	37	0.9	36.6	0	31.7	38	1.2
	7705	40.1	0	48.3	49	8.8	41.3	0	50.7	51	9.9	45.9	0	55	56	9.6
	7706	56.9	0	67.4	68	10.9	58.4	0	69.5	70	11.5	59.7	0	70.5	71	11.2
	7707	0	0	40.2	40	40.2	0	0	41.3	41	41.3	0	0	43.5	44	43.5
	7708	0	0	42.4	42	42.4	0	0	43.7	44	43.7	0	0	45.6	46	45.6
	7709	42.1	0	44.2	46	4.2	44.9	0	46.3	49	3.8	52.4	0	49.5	54	1.8

TABLE A3.2.4
HS TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
3A	8001	31.5	0	62.6	63	31.1	34.1	0	63.4	63	29.3	37.2	0	63.6	64	26.4	41.2	0	63.6	64	22.4					
	8002	0	0	59.5	60	59.5	0	0	61.3	61	61.3	0	0	61.5	62	61.5	0	0	61.5	62	61.5					
	8003	0	0	59.7	60	59.7	0	0	61.4	61	61.4	0	0	61.6	62	61.6	0	0	61.4	61	61.4					
	8004	30.5	0	62.3	62	31.8	32.9	0	63.1	63	30.2	35.4	0	62.9	63	27.5	38.6	0	62.3	62	23.7					
	8005	0	0	60.2	60	60.2	0	0	62.2	62	62.2	0	0	60.8	61	60.8	0	0	59.6	60	59.6					
	8006	0	0	61.3	61	61.3	0	0	61.7	62	61.7	0	0	60.2	60	60.2	0	0	58.9	59	58.9					
	8007	0	0	60.2	60	60.2	0	0	61.2	61	61.2	0	0	59.7	60	59.7	0	0	58.6	59	58.6					
	8008	18.6	0	51.5	52	32.9	18.7	0	53.3	53	34.6	18.9	0	52.9	53	34	22.3	0	52.7	53	30.4					
	8009	0	0	28.9	29	28.9	0	0	30.5	31	30.5	0	0	33.4	33	33.4	0	0	38.2	38	38.2					
	8010	54	0	59.7	61	6.7	52.8	0	59.4	60	7.5	52.5	0	58.2	59	6.8	52.2	0	57.4	59	6.4					
	8011	38.9	0	67.5	68	28.6	49.9	0	65.1	65	15.3	52	0	64	64	12.2	52.2	0	63.1	64	11.3					
	8012	35.8	0	66.8	67	31	41.8	0	65.2	65	23.4	50.3	0	64	64	13.8	51.3	0	63	63	12					
3B	8051	0	0	55.3	55	55.3	0	0	55.1	55	55.1	0	0	54.5	55	54.5										
	8052	0	0	56.2	56	56.2	0	0	57.3	57	57.3	0	0	56.6	57	56.6										
	8053	0	0	26.2	26	26.2	0	0	26.2	26	26.2	0	0	29.4	29	29.4										
	8054	0	0	55.6	56	55.6	0	0	57.6	58	57.6	0	0	56.9	57	56.9										
	8055	0	0	55.2	55	55.2	0	0	58.7	59	58.7	0	0	58.3	58	58.3										
	8056	0	0	28.5	29	28.5	0	0	28.4	28	28.4	0	0	33.8	34	33.8										
	8057	0	0	56.3	56	56.3	0	0	58.4	58	58.4	0	0	58.1	58	58.1										
	8058	0	0	56	56	56	0	0	58.8	59	58.8	0	0	58.5	59	58.5										
	8059	0	0	40.1	40	40.1	0	0	53.9	54	53.9	0	0	53.6	54	53.6										
	8060	21.1	0	52	52	30.9	21.7	0	59.6	60	37.9	23.7	0	60.8	61	37.1										
	8061	38.9	0	62	62	23.1	48.4	0	61.3	62	13.2	48.2	0	61.3	62	13.3	48.5	0	61.5	62	13.2					
	8062	42.3	0	60.3	60	18.1	45	0	60	60	15.2	44.8	0	60.1	60	15.4	44.8	0	60.8	61	16.1					
	8063	44.8	0	47.4	49	4.5	48.5	0	54.2	55	6.8	48.3	0	54.2	55	6.9	48.2	0	54.8	56	7.4					
	8064	44	0	45.9	48	4.1	49.4	0	52.1	54	4.6	49.2	0	52.7	54	5.1	49	0	53.3	55	5.7					
	8065	36.3	0	48.1	48	12.1	40.9	0	52.4	53	11.8	50.2	0	53.4	55	4.9	51.7	0	56.1	57	5.7					
	8066	37.7	0	58.1	58	20.4	48.9	0	59.3	60	10.8	52.4	0	59	60	7.5	52.8	0	59.7	61	7.7					
	8067	39.9	0	53.6	54	13.9	43.7	0	59.2	59	15.6	43.7	0	58.9	59	15.3	44.2	0	58.9	59	14.9					
	8068	44	0	42.9	47	2.5	48.7	0	50.2	53	3.8	48.6	0	51.2	53	4.5	48.5	0	52.7	54	5.6					
	8069	43.2	0	41.5	45	2.2	47.7	0	48.9	51	3.6	47.6	0	49	51	3.8	47.6	0	49.9	52	4.3					
	8070	44.7	0	62.8	63	18.2	50.8	0	63.7	64	13.1	53.3	0	63.4	64	10.5	53.5	0	62.7	63	9.7					
	8071	37.3	0	59.5	60	22.2	46.5	0	64.3	64	17.9	49.1	0	63.9	64	15	49.1	0	63.1	63	14.2					
	8072	18	0	63.1	63	45.1	17.9	0	69.7	70	51.8	20.4	0	68.4	68	48	35.3	0	67.3	67	32					
	8073	32.9	0	60.7	61	27.8	41	0	65.1	65	24.1	41.4	0	64.8	65	23.5	41.6	0	64.5	65	22.9					
	8074	0	0	56.8	57	56.8	0	0	66.7	67	66.7	0	0	66.3	66	66.3	0	0	65.2	65	65.2					
	8075	0	0	56.8	57	56.8	0	0	67.2	67	67.2	0	0	67.2	67	67.2	0	0	66.1	66	66.1					
3C	8101	31.3	0	57.8	58	26.5	31.6	0	67.1	67	35.5	32.2	0	67	67	34.8										
	8102	0	0	50.7	51	50.7	0	0	57.1	57	57.1	0	0	58.6	59	58.6										
	8103	30.1	0	52.3	52	22.2	32.5	0	62.4	62	29.9	37.6	0	63.1	63	25.5										
	8104	0	0	51.9	52	51.9	0	0	54.7	55	54.7	0	0	56.7	57	56.7										
	8105	0	0	29.8	30	29.8	0	0	29.1	29	29.1	0	0	30.9	31	30.9										
	8106	0	0	24.4	24	24.4	0	0	23.6	24	23.6	0	0	25.4	25	25.4										
	8107	16.5	0	33.4	34	17	16.5	0	32.6	33	16.3	18.5	0	47.6	48	29.1										
	8108	30.2	0	47.8	48	17.7	37.4	0	61	61	23.6	37.4	0	61.9	62	24.5										
	8109	16.8	0	44.6	45	27.8	16.9	0	57.8	58	40.9	18.3	0	58.2	58	39.9										
	8110	31.6	0	52.8	53	21.2	32.1	0	65.7	66	33.6	33.1	0	66	66	32.9										
	8111	33.5	0	54.7	55	21.2	39.4	0	66.8	67	27.4	42.9	0	66.6	67	23.7										
	8112	31.3	0	56.6	57	25.3	31.7	0	66.3	66	34.6	32.6	0	65.9	66	33.3										
	8113	32.5	0	46.9	47	14.6	37.3	0	55.9	56	18.6	37.7	0	60.4	60	22.7										
	8114	0	0	51.9	52	51.9	0	0	54.2	54	54.2	0	0	56	56	56										
	8115	26.2	0	51.3	51	25.2	26.3	0	55.1	55	28.8	28.5	0	56.7	57	28.2										
	8116	0	0	51.1	51	51.1	0	0	54.9	55	54.9	0	0	56.3	56	56.3										
	8117	0	0	59.2	59	59.2	0	0	60.8	61	60.8	0	0	58.9	59	58.9										
	8118	0	0	58.7	59	58.7	0	0	56.8	57	56.8	0	0	54.8	55	54.8										
	8119	17.3	0	68	68	50.7	17.2	0	65.3	65	48.1	17.9	0	63.3	63	45.4										
	8120	32.6	0	65.6	66	33	38.9	0	64.2	64	25.3	43.7	0	62.8	63	19.2										
	8121	17.5	0	63.2	63	45.7	17.4	0	65.2	65	47.8	18.6	0	63.3	63	44.7										
	8122	0	0	60.1	60	60.1	0	0	64.1	64	64.1	0	0	62.4	62	62.4	0	0	61.1	61	61.1					
	8123	0	0	63.6	64	63.6	0	0	62.4	62	62.4	0	0	60.6	61	60.6	0	0	60.3	60	60.3					

TABLE A3.2.4
HS TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8124	18.4	0	68.7	69	50.3	18.4	0	66.2	66	47.8	20.1	0	64.4	64	44.3	24.1	0	63	63	38.9					
	8125	35.6	0	63.4	63	27.8	45.9	0	63.2	63	17.3	46	0	61.6	62	15.7	46.4	0	60.5	61	14.3					
	8126	18.7	0	61.4	61	42.7	18.7	0	64.8	65	46.1	20.8	0	63.1	63	42.3	25.5	0	61.9	62	36.4					
	8127	39.3	0	62.7	63	23.5	49.1	0	65	65	16	49.1	0	64.2	64	15.2	49.4	0	63.3	63	14					
	8128	41	0	59.3	59	18.4	50.4	0	63.8	64	13.6	51.7	0	64.7	65	13.2	51.7	0	64.1	64	12.6					
	8129	40.2	0	58.9	59	18.8	49.9	0	63.6	64	13.9	50.8	0	63.6	64	13	50.7	0	62.8	63	12.3					
	8130	42	0	58.9	59	17	50.1	0	65.8	66	15.8	50.9	0	66.2	66	15.4	50.9	0	65.7	66	14.9					
	8131	17.8	0	53.2	53	35.4	17.8	0	61.9	62	44.1	18.4	0	62.8	63	44.4	18.6	0	62.5	63	43.9					
	8132	31	0	53.3	53	22.3	35.3	0	61.5	62	26.2	42.9	0	64	64	21.1	45.9	0	63.7	64	17.9					
	8133	13.9	0	58.9	59	45	13.8	0	63.9	64	50.1	14.3	0	63.8	64	49.5	14.4	0	63.3	63	48.9					
3D	8151	32.8	0	63.1	63	30.3	33.9	0	65.7	66	31.8	37.7	0	64.3	64	26.6										
	8152	30.6	0	68.6	69	38	31.6	0	66.4	66	34.8	36.2	0	64.9	65	28.7										
	8153	28.9	0	59.5	60	30.6	30.2	0	64.8	65	34.6	35	0	63.4	63	28.4										
	8154	30	0	61.3	61	31.3	30.1	0	64.6	65	34.5	31.5	0	63.1	63	31.6										
	8155	32	0	69	69	37	34.8	0	66.8	67	32	41.4	0	65.2	65	23.8										
	8156	31.2	0	60.8	61	29.6	38.2	0	64	64	25.8	40.9	0	62.8	63	22										
3E	8201	31.1	0	64.9	65	33.8	31.1	0	65.5	66	34.4	33.7	0	64	64	30.3										
	8202	34.3	0	69.1	69	34.8	41.1	0	66.8	67	25.8	43.2	0	65.2	65	22										
	8203	36.1	0	64.1	64	28	44.2	0	65.5	66	21.3	50.1	0	64.1	64	14.2										
	8204	35.8	0	63.2	63	27.4	41.1	0	64.6	65	23.5	41.5	0	63.1	63	21.7										
	8205	42	0	69.5	70	27.5	44.8	0	67.3	67	22.6	45.3	0	65.8	66	20.5										
	8206	44.1	0	63.4	64	19.4	47	0	65.6	66	18.7	51.5	0	64.3	65	13										
	8207	42.8	0	56.8	57	14.2	44.3	0	63.3	63	19.1	46.7	0	62.6	63	16										
	8208	19.4	0	37.4	38	18.1	19.3	0	49.7	50	30.4	22.5	0	53.8	54	31.3										
3F	8251	49.9	0	66.4	67	16.6	51.6	0	65.3	66	13.9	52.7	0	64	64	11.6										
	8252	43.9	0	65.6	66	21.7	47.7	0	65.1	65	17.5	49.6	0	63.8	64	14.4										
	8253	40.7	0	65.2	65	24.5	47.7	0	64.1	64	16.5	49.8	0	63	63	13.4										
	8254	38	0	50.2	50	12.4	41.1	0	57.5	58	16.5	44.8	0	56.9	57	12.3										
	8255	43.6	0	57.5	58	14.1	45.7	0	59.9	60	14.4	45.7	0	59.1	59	13.6										
	8256	30.9	0	60.5	61	29.6	31.1	0	60.3	60	29.3	34.6	0	60.2	60	25.6										
	8257	30.7	0	57.3	57	26.6	30.7	0	57.2	57	26.5	34.2	0	56.7	57	22.5										
3G	8301	50.8	0	50.2	54	2.7	52.3	0	51.3	55	2.5	52.5	0	51.4	55	2.5										
	8302	51.4	0	50.4	54	2.5	52.9	0	54.2	57	3.7	53.1	0	54.1	57	3.6										
	8303	44.2	0	55.4	56	11.5	47	0	56.4	57	9.9	47.2	0	56.2	57	9.5										
	8304	41.9	0	54.2	55	12.6	45.6	0	55.4	56	10.3	45.7	0	55.1	56	9.8										
	8305	29.4	0	54.7	55	25.3	29.6	0	55.4	55	25.8	34.8	0	54.6	55	19.8										
	8306	30.5	0	60.5	61	30	30.6	0	59.4	59	28.8	35.2	0	58.2	58	23										
	8307	24.4	0	60.6	61	36.2	24.4	0	59.5	60	35.1	25.7	0	58.1	58	32.4										
	8308	28.5	0	60.2	60	31.7	28.7	0	59.6	60	30.9	32.9	0	58.3	58	25.4										
	8309	32.6	0	59.8	60	27.2	40.1	0	59.8	60	19.7	40	0	58.5	59	18.5										
	8310	24.3	0	47.3	47	23.1	24.2	0	52.2	52	28	24.9	0	53.6	54	28.7										
3H	8351	44.7	0	49.3	51	5.9	51.6	0	60.1	61	9.1	52.6	0	58.9	60	7.2										
	8352	42.6	0	56.8	57	14.4	50.8	0	62.3	63	11.8	51.9	0	60.9	62	9.6										
	8353	37.6	0	62	62	24.4	47.7	0	60.7	61	13.2	49	0	59.2	60	10.6										
	8354	47.1	0	66.3	66	19.3	48.6	0	63.8	64	15.3	49.2	0	62.2	62	13.2										
	8355	48.7	0	61.3	62	12.8	49.5	0	60.5	61	11.3	49.6	0	58.8	59	9.7										
	8356	50.6	0	59.1	60	9.1	51.7	0	61.9	62	10.6	51.9	0	60.3	61	9										
	8357	50.7	0	58.8	59	8.7	51.7	0	59.1	60	8.1	51.7	0	57.6	59	6.9										
3J	8401	47.8	0	60.6	61	13	50.2	0	61.9	62	12	50.6	0	60.3	61	10.1										
	8402	43.7	0	61.5	62	17.9	47.1	0	60.2	60	13.3	47.5	0	58.5	59	11.3										
	8403	54.5	0	66.2	67	12	55.1	0	63.6	64	9.1	55.3	0	61.7	63	7.3										
	8404	55.3	0	60.9	62	6.6	55.9	0	60.1	62	5.6	56	0	58.3	60	4.3										
	8405	55.5	0	54.4	58	2.5	56.2	0	60.9	62	6	56.2	0	59.1	61	4.7										
	8406	53.9	0	55.7	58	4	54.6	0	61.5	62	7.7	54.8	0	59.7	61	6.1										
	8407	29.2	0	61.5	62	32.3	33.5	0	60.4	60	26.9	38	0	58.6	59	20.7										
	8408	57.4	0	66.2	67	9.3	58.1	0	63.7	65	6.7	58.2	0	61.9	63	5.2										
	8409	57.4	0	59.9	62	4.5	57.9	0	59.9	62	4.1	57.9	0	58.7	61	3.5										
	8410	57.5	0	55	59	1.9	57.8	0	61.5	63	5.3	57.9	0	60.1	62	4.2										
	8411	57.2	0	48.5	58	0.6	57.7	0	59.1	61	3.7	57.8	0	58.4	61	3.3										
	8412	46.6	0	53.6	54	7.8	47.3	0	53.7	55	7.3	47.3	0	53.7	55	7.3										

TABLE A3.2.4
HS TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8413	51.9	0	56.7	58	6	56.2	0	57.2	60	3.6	56.4	0	56.1	59											
	8414	54	0	58.7	60	5.9	56.1	0	56.6	59	3.3	56.2	0	55	59											
3K	8451	58.8	0	60.3	63	3.8	59.3	0	60.3	63	3.5	59.3	0	60.1	63	3.4	59.1	0	59.8	63	3.4					
	8452	54	0	59.1	60	6.3	55.5	0	59.5	61	5.5	55.7	0	59.8	61	5.6	55.8	0	59.4	61	5.2					
	8453	53.3	0	61.6	62	8.9	55.3	0	61.5	62	7.1	55.6	0	61.3	62	6.8	55.7	0	60.8	62	6.3					
	8454	30.8	0	56.5	57	25.7	43.8	0	58.6	59	15	45.6	0	58.3	59	12.9	47.2	0	57.5	58	10.7					
	8455	53.2	0	58.2	59	6.2	54.8	0	60.2	61	6.5	55.1	0	60.1	61	6.2	55.3	0	59.6	61	5.7					
	8456	52.7	0	58.5	60	6.9	54.7	0	59.8	61	6.3	55	0	59.5	61	5.9	55.2	0	59.2	61	5.5					
	8457	48.9	0	62	62	13.3	54.5	0	61.7	63	8	54.8	0	61	62	7.1	54.8	0	60.4	62	6.7					
	8458	17	0	54.1	54	37.1	17	0	59.8	60	42.8	19.9	0	59.5	60	39.6	25	0	58.4	58	33.4					
	8459	47.8	0	56.4	57	9.2	54.1	0	60.9	62	7.6	54.5	0	59.9	61	6.5	54.6	0	59.3	61	6					
	8460	0	0	52.7	53	52.7	0	0	63.2	63	63.2	0	0	61.6	62	61.6	0	0	60.4	60	60.4					
	8461	23.3	0	50.8	51	27.5	23.3	0	61.1	61	37.8	24.3	0	59.3	59	35	36.2	0	58.1	58	21.9					
	8462	0	0	52.9	53	52.9	0	0	62.3	62	62.3	0	0	60.8	61	60.8	0	0	59.5	60	59.5					
	8463	49.3	0	53.2	55	5.4	54	0	57.7	59	5.2	54.3	0	57.9	60	5.2	54.6	0	58.7	60	5.5					
	8464	55	0	58.7	60	5.2	56.8	0	59.7	62	4.7	56.9	0	59.5	61	4.5	56.8	0	59.3	61	4.5					
	8465	52.8	0	57.3	59	5.8	54.7	0	58.1	60	5.1	55	0	58.2	60	4.9	55.1	0	58.4	60	4.9					
	8466	59.6	0	59.8	63	3.1	60.1	0	59.8	63	2.9	60.1	0	59.6	63	2.8	59.9	0	59.4	63	2.8					
	8467	58.5	0	53.7	60	1.3	58.9	0	53.6	60	1.1	58.8	0	53.4	60	1.1	58.5	0	53.1	60	1.1					
	8468	58.5	0	58.1	61	2.8	58.9	0	58	62	2.6	58.8	0	57.8	61	2.5	58.6	0	57.6	61	2.5					
	8469	56.2	0	56.9	60	3.3	56.6	0	57.2	60	3.3	56.5	0	56.5	60	3	58.4	0	55.9	60	1.9					
	8470	0	0	59.6	60	59.6	0	0	59.3	59	59.3	0	0	59	59	59	0	0	58.3	58	58.3					
	8471	21	0	58.4	58	37.4	20.9	0	58.2	58	37.3	20.7	0	57.6	58	36.9	43.5	0	56.7	57	13.4					
	8472	17.7	0	60.3	60	42.6	17.8	0	59.9	60	42.1	19.6	0	59.8	60	40.2	39.3	0	59.1	59	19.9					
	8473	48.5	0	50.8	53	4.3	53.6	0	53.4	57	2.9	53.9	0	54.7	57	3.5	54.2	0	55.6	58	3.8					
	8474	21.2	0	56.1	56	34.9	21.4	0	55.7	56	34.3	24.2	0	55.7	56	31.5	37.1	0	56.4	57	19.4					
	8475	28	0	58.4	58	30.4	28.1	0	58.3	58	30.2	28.3	0	58.1	58	29.8	53.6	0	58.7	60	6.3					
	8476	56.6	0	58.6	61	4.1	57.1	0	58.6	61	3.8	57.1	0	58.4	61	3.7	58.2	0	58.4	61	3.1					
	8477	52.8	0	58	59	6.4	54	0	58.1	60	5.5	54.2	0	58	60	5.3	54.7	0	57.9	60	4.9					
	8478	60.1	0	59.3	63	2.6	60.7	0	59.3	63	2.4	60.6	0	59.2	63	2.4	60.4	0	58.9	63	2.3					
	8479	59.3	0	49.4	60	0.4	59.6	0	49.3	60	0.4	59.5	0	49.1	60	0.4	59.2	0	48.8	60	0.4					
	8480	59.2	0	57.6	62	2.3	59.5	0	57.5	62	2.1	59.4	0	57.3	62	2.1	59.2	0	57	61	2.1					
	8481	57.5	0	52.1	59	1.1	58	0	53.7	59	1.4	58	0	54.7	60	1.7	59	0	54	60	1.2					
	8482	0	0	58.6	59	58.6	0	0	59.1	59	59.1	0	0	59.1	59	59.1	0	0	58.1	58	58.1					
	8483	18.9	0	56.7	57	37.8	18.8	0	58.3	58	39.5	18.6	0	57.9	58	39.3	40.6	0	56.9	57	16.4					
	8484	31.3	0	61.4	61	30.1	39.3	0	61.4	61	22.1	39.6	0	60.6	61	21.1	41.1	0	59.6	60	18.5					
	8485	28	0	57.4	57	29.4	28.1	0	57.1	57	29	29.7	0	56.7	57	27	53.5	0	55.9	58	4.4					
	8486	17	0	59.3	59	42.3	17.1	0	58.8	59	41.7	17.6	0	58.2	58	40.6	30.9	0	57.6	58	26.7					
	8487	27.7	0	58.7	59	31	27.8	0	58.7	59	30.9	28	0	58.1	58	30.1	53.2	0	58.6	60	6.5					
	8488	57.9	0	58.1	61	3.1	58.3	0	58.1	61	2.9	58.2	0	57.9	61	2.9	59.5	0	57.9	62	2.3					
	8489	52.6	0	58.3	59	6.8	53.9	0	58.3	60	5.8	54.1	0	58.2	60	5.5	54.4	0	58.3	60	5.4					
	8490	60.6	0	58.7	63	2.2	61.1	0	58.7	63	2	61.1	0	58.6	63	2	60.9	0	58.3	63	1.9					
	8491	59.6	0	0	60	0	59.9	0	0	60	0	59.8	0	0	60	0	59.6	0	0	60	0					
	8492	59.8	0	56.7	62	1.7	60.1	0	56.6	62	1.6	60	0	56.5	62	1.6	59.8	0	56.2	61	1.6					
	8493	59	0	46.2	59	0.2	59.4	0	55.1	61	1.4	59.4	0	56.6	61	1.8	59.1	0	55.6	61	1.6					
	8494	0	0	48.8	49	48.8	0	0	60	60	60	0	0	59.3	59	59.3	0	0	58.2	58	58.2					
	8495	0	0	49	49	49	0	0	58.9	59	58.9	0	0	57.8	58	57.8	0	0	56.7	57	56.7					
	8496	27.4	0	57.2	57	29.8	32.5	0	62.1	62	29.6	41.9	0	60.8	61	18.9	43	0	59.7	60	16.8					
	8497	27.5	0	57.6	58	30.1	27.6	0	57.7	58	30.1	29.2	0	56.4	56	27.2	49.1	0	55.6	57	7.4					
	8498	20.1	0	58	58	37.9	20.3	0	59.2	59	38.9	20.8	0	58.6	59	37.8	34.8	0	57.5	58	22.7					
	8501	53.5	0	55.7	58	4.2	54.6	0	57.9	60	4.9	54.7	0	57.6	59	4.7	55.1	0	57.3	59	4.2					
	8502	0	0	53.6	54	53.6	0	0	54.6	55	54.6	0	0	54	54	54	0	0	53.6	54	53.6					
	8503	17.2	0	53.8	54	36.6	17.2	0	54.7	55	37.5	21.8	0	54.1	54	32.3	37.2	0	53.7	54	16.6					
	8504	0	0	54.9	55	54.9	0	0	53.9	54	53.9	0	0	53.1	53	53.1	0	0	52.4	52	52.4					
	8505	23.1	0	48.9	49	25.8	23.1	0	49.9	50	26.9	24.4	0	49.5	50	25.1	32.6	0	52.8	53	20.3					
	8506	23.2	0	45.7	46	22.5	23.2	0	45.3	45	22.1	24.6	0	44.7	45	20.2	44	0	50	51	7					
	8507	23.3	0	53.9	54	30.6	23.2	0	56.2	56	33	24.6	0	56.6	57	32	44.3	0	57.4	58	13.3					
	8508	47.4	0	45.8	50	2.3	49.6	0	51	53	3.8	49.7	0	52.1	54	4.4	52.8	0	55.5	57	4.6					
	8509	0	0	46.6	47	46.6	0	0	46.2	46	46.2	0	0	45.5	46	45.5	0	0	51.7	52	51.7					
	8510	23.3	0	52.4	52	29.1	23.5	0	51.8	52	28.3	27.4	0	51	51	23.7	47.5	0	53.9	55	7.3					

TABLE A3.2.4
HS TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
3M	8511	0	0	54.1	54	54.1	0	0	54.7	55	54.7	0	0	53.8	54	53.8	0	0	53	53	53					
	8512	24.3	0	58.2	58	33.9	24.2	0	58.8	59	34.6	25.9	0	57.2	57	31.3	36.2	0	56.1	56	19.9					
	8513	24.4	0	61.1	61	36.7	24.4	0	59.1	59	34.7	26.2	0	57.4	57	31.2	37.5	0	56.1	56	18.6					
	8514	24.5	0	64.6	65	40.1	24.5	0	63.1	63	38.6	26.2	0	61.7	62	35.5	37.6	0	60.7	61	23.1					
	8515	42.5	0	63.7	64	21.2	54.1	0	62.7	63	9.2	54.4	0	61.9	63	8.2	54.5	0	61.2	62	7.5					
	8516	36.4	0	61.7	62	25.3	41.7	0	62.8	63	21.1	41.6	0	61.8	62	20.2	42.5	0	61.1	61	18.6					
	8517	42.6	0	58.8	59	16.3	54.6	0	61.4	62	7.6	54.9	0	61.3	62	7.3	55.1	0	61	62	6.9					
	8518	51.8	0	57.2	58	6.5	56.7	0	60.8	62	5.5	56.8	0	61.1	63	5.7	56.8	0	60.5	62	5.3					
	8519	52.5	0	57	58	5.8	53.6	0	60.4	61	7.6	53.6	0	60.6	61	7.8	53.4	0	60.1	61	7.5					
	8520	56.6	0	61.7	63	6.3	57.2	0	63.4	64	7.1	57.2	0	63.3	64	7.1	57.3	0	62.9	64	6.6					
	8521	56.1	0	60.8	62	6	56.8	0	61	62	5.6	57	0	60.8	62	5.3	57	0	60.4	62	5					
	8522	56	0	61.3	62	6.4	56.8	0	61.8	63	6.2	57	0	61.5	63	5.8	57	0	61	63	5.5					
3N	8551	56	0	63.7	64	8.4	57.3	0	64.4	65	7.9	57.9	0	64.2	65	7.2	58.6	0	63.8	65	6.4					
	8552	56.5	0	64.2	65	8.4	58.4	0	64.9	66	7.4	58.7	0	64.8	66	7.1	58.9	0	64.4	66	6.6					
	8553	55.5	0	59.2	61	5.3	57.3	0	61.1	63	5.4	57.3	0	60.9	62	5.1	57.1	0	60.3	62	4.9					
	8554	55.8	0	61.6	63	6.9	56.9	0	62.6	64	6.8	57	0	62.4	64	6.5	57.4	0	62.1	63	5.9					
	8555	55.8	0	61.9	63	7.1	57.5	0	64.3	65	7.6	57.6	0	64.1	65	7.4	57.9	0	63.7	65	6.8					
	8556	52	0	51.8	55	2.9	57.6	0	61.7	63	5.5	57.6	0	61.5	63	5.4	57.7	0	60.9	63	4.9					
	8557	52.9	0	64.2	65	11.6	52.7	0	66.6	67	14	53.5	0	65.6	66	12.4	54.5	0	65.1	65	10.9					
	8558	54.2	0	64.8	65	11	54.4	0	64.8	65	10.8	55.7	0	64	65	8.9	56.7	0	63.9	65	8					
	8559	53	0	68.5	69	15.6	53.1	0	67.8	68	14.9	54	0	66.5	67	12.7	55.1	0	65.8	66	11					
	8560	0	0	61.2	61	61.2	0	0	63.9	64	63.9	0	0	62.1	62	62.1	0	0	60.8	61	60.8					
	8561	0	0	61	61	61	0	0	64.8	65	64.8	0	0	63.1	63	63.1	0	0	61.9	62	61.9					
	8562	17.2	0	61.7	62	44.5	17.1	0	60.9	61	43.8	17.7	0	59.4	59	41.7	21.1	0	58.3	58	37.2					
	8563	20.7	0	45.9	46	25.2	20.6	0	45.6	46	25	22.3	0	45.9	46	23.6	37.7	0	49.8	50	12.4					
	8564	20.4	0	22.5	25	4.1	20.3	0	30.4	31	10.5	21.1	0	37	37	16	43.1	0	44.1	47	3.5					
	8565	41.8	0	49	50	8	42.1	0	50.4	51	8.9	42.1	0	50.3	51	8.8	47.4	0	52.8	54	6.5					
	8566	53.1	0	58.8	60	6.8	53.8	0	60.2	61	7.3	54.4	0	60.4	61	6.9	55.3	0	60.9	62	6.6					
	8567	0	0	49	49	49	0	0	52.1	52	52.1	0	0	52.1	52	52.1	0	0	52.2	52	52.2					
	8568	0	0	55.5	56	55.5	0	0	56.7	57	56.7	0	0	55.9	56	55.9	0	0	55.4	55	55.4					
	8569	16.1	0	56.9	57	40.8	16.1	0	57.1	57	41	16	0	56.2	56	40.2	19.9	0	55.5	56	35.6					
	8570	21.1	0	48.1	48	27	21.1	0	47	47	25.9	22.6	0	45.8	46	23.3	41.7	0	51.7	52	10.4					
	8571	16.8	0	19.5	21	4.6	16.8	0	18.6	21	4	17	0	19.4	21	4.4	25.8	0	41.7	42	16					
	8572	50.2	0	51.1	54	3.5	51.4	0	52.1	55	3.4	52.3	0	51.9	55	2.8	53.4	0	54.9	57	3.8					
	8573	45.3	0	55.6	56	10.7	46.2	0	57	57	11.2	47.8	0	57.3	58	10	50.8	0	59.5	60	9.2					
	8574	0	0	46.1	46	46.1	0	0	47.1	47	47.1	0	0	46.6	47	46.6	0	0	49	49	49					
	8575	0	0	53.2	53	53.2	0	0	53.8	54	53.8	0	0	53.5	54	53.5	0	0	53.1	53	53.1					
	8576	17.2	0	55.2	55	38	17.1	0	55.1	55	38	17.3	0	54.3	54	37	21.7	0	53.5	54	31.8					
	8577	21.7	0	50.7	51	29	21.6	0	53.1	53	31.5	24.1	0	52.9	53	28.8	35.2	0	52.6	53	17.5					
	8578	13.2	0	48	48	34.8	13.1	0	45.5	46	32.4	13.2	0	43.9	44	30.7	17.9	0	43.8	44	25.9					
	8579	41.6	0	54.7	55	13.3	46.9	0	56.4	57	9.9	47.2	0	56.6	57	9.9	50.2	0	56.5	57	7.2					
	8601	53.4	0	66.3	67	13.1	55.1	0	66	66	11.3	56.5	0	66.5	67	10.4	57	0	66.2	67	9.7					
	8602	54.2	0	66.8	67	12.8	55.8	0	68	68	12.5	57	0	66.9	67	10.3	57.6	0	66	67	9					
	8603	53.5	0	66.6	67	13.3	55.1	0	67.5	68	12.7	56.2	0	66.5	67	10.7	57	0	65.8	66	9.3					
	8604	53.4	0	68.5	69	15.2	53.6	0	68.9	69	15.5	54	0	67.2	67	13.4	54.7	0	66	66	11.6					
	8605	19.7	0	64.8	65	45.1	19.7	0	66.7	67	47	21.7	0	64.7	65	43	31.5	0	63.4	63	31.9					
	8606	19.6	0	66.8	67	47.2	19.6	0	67.1	67	47.5	21.6	0	65.2	65	43.6	30.6	0	63.8	64	33.2					
	8607	19.9	0	69.7	70	49.8	19.8	0	67.4	67	47.6	21.7	0	65.6	66	43.9	29.5	0	64.2	64	34.7					
	8608	0	0	66.5	67	66.5	0	0	64.2	64	64.2	0	0	62.2	62	62.2	0	0	61.1	61	61.1					
	8609	0	0	61.8	62	61.8	0	0	64.5	65	64.5	0	0	62.6	63	62.6	0	0	61.4	61	61.4					
	8610	38.1	0	51.8	52	13.9	48.8	0	60.8	61	12.3	54.5	0	61.7	62	7.9	55	0	62.2	63	7.9					
	8611	48.9	0	59.6	60	11.1	52.3	0	63.4	64	11.4	52.8	0	63	63	10.6	53.7	0	62.8	63	9.6					
	8612	19.1	0	62.5	63	43.4	19.1	0	64.9	65	45.8	19	0	63.1	63	44.1	29.4	0	61.9	62	32.5					
	8613	19.5	0	66.3	66	46.8	19.5	0	64.6	65	45.1	20.7	0	62.8	63	42.1	28.8	0	61.6	62	32.8					
	8614	19.5	0	69.6	70	50.1	19.5	0	67	67	47.5	21	0	65.1	65	44.1	27.3	0	63.8	64	36.5					
	8615	0	0	66.4	66	66.4	0	0	64.4	64	64.4	0	0	62.4	62	62.4	0	0	61.9	62	61.9					
	8616	0	0	61.3	61	61.3	0	0	64.3	64	64.3	0	0	62.4	62	62.4	0	0	61.1	61	61.1					
	8617	37.9	0	50.9	51	13.2	47	0	60.3	61	13.5	49.4	0	59.8	60	10.8	50	0	60.1	61	10.5					
	8618	42.2	0	51.5	52	9.7	53.3	0	61.4	62	8.7	55.9	0	62.7	64	7.6	56.6	0	62.6	64	7					
	8619	18.5	0	61.5	62	43	18.5	0	64.3	64	45.8	18.6	0	62.4	62	43.8	27.5	0	61.2	61	33.7					

TABLE A3.2.4
HS TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
3P	8620	19.6	0	64.9	65	45.3	19.6	0	63.3	63	43.7	21.3	0	61.4	61	40.1	37.9	0	60.2	60	22.4					
	8621	19.3	0	68.7	69	49.4	19.3	0	65.9	66	46.6	21	0	63.9	64	42.9	26.3	0	62.5	63	36.2					
	8622	0	0	66.6	67	66.6	0	0	64.4	64	64.4	0	0	63.2	63	63.2	0	0	62.3	62	62.3					
	8623	0	0	65.6	66	65.6	0	0	64.7	65	64.7	0	0	62.8	63	62.8	0	0	61.5	62	61.5					
	8624	21	0	65.1	65	44.1	20.9	0	65.2	65	44.3	20.9	0	65	65	44.1	21.1	0	64.2	64	43.1					
	8625	32.8	0	59.1	59	26.4	32.9	0	62.2	62	29.3	32.9	0	63.1	63	30.2	46.6	0	62.5	63	16					
	8626	34.8	0	50.9	51	16.2	34.8	0	62.5	63	27.7	34.8	0	62.4	62	27.6	48.9	0	61.7	62	13.1					
	8627	38.1	0	52	52	14.1	41.5	0	58.7	59	17.3	41.4	0	59.3	59	18	54.9	0	60	61	6.2					
	8628	42.3	0	56.4	57	14.3	52.5	0	61.3	62	9.3	52.7	0	61.7	62	9.5	55.9	0	61.1	62	6.4					
	8629	43.9	0	55.9	56	12.3	53.6	0	60.2	61	7.4	55.5	0	62.3	63	7.6	56.9	0	62	63	6.3					
	8630	18.6	0	51.6	52	33	18.5	0	54.8	55	36.3	21.6	0	54.5	55	32.9	41.1	0	54.2	54	13.3					
	8631	39	0	57.8	58	18.9	40.9	0	58.1	58	17.2	40.9	0	57.8	58	17	45.8	0	57.8	58	12.2					
	8632	35.9	0	56.5	57	20.6	43.7	0	57	57	13.5	44.5	0	56.7	57	12.5	44.6	0	56.4	57	12					
	8633	49.7	0	59.6	60	10.3	56.6	0	65.4	66	9.4	57.8	0	64.6	65	7.6	58	0	64	65	7					
	8634	49.6	0	61.3	62	12	55.9	0	67.3	68	11.7	57.7	0	66	67	8.9	57.9	0	65.3	66	8.1					
	8635	49.7	0	65.5	66	15.9	56.2	0	66.9	67	11	57.9	0	65.7	66	8.5	58.1	0	65	66	7.8					
	8636	49.2	0	72.1	72	22.9	55.9	0	69.7	70	13.9	57.8	0	68	68	10.6	58	0	66.9	67	9.4					
	8637	37.6	0	69.8	70	32.2	48.7	0	67.8	68	19.1	51.6	0	65.9	66	14.5	51.9	0	64.7	65	13					
	8638	35.9	0	68.4	68	32.5	46.9	0	68.2	68	21.3	50.8	0	66.5	67	15.8	51.4	0	65.2	65	14					
	8639	21.7	0	65.7	66	44	21.7	0	66.2	66	44.5	21.7	0	64.9	65	43.2	22	0	64	64	42					
	8651	53.3	0	56.8	58	5.1	57.4	0	61.7	63	5.7	58.6	0	63.6	65	6.2	58.8	0	63.6	65	6.1	58.9	0	63.4	64.7	5.8
	8652	48.9	0	57.4	58	9.1	57.4	0	66.6	67	9.7	58.9	0	66.7	67	8.4	59.2	0	66.2	67	7.8	59.3	0	65.7	66.6	7.3
	8653	45.1	0	60.3	60	15.3	52.4	0	69	69	16.7	52.5	0	67.6	68	15.3	52.4	0	66.6	67	14.4	52.2	0	65.9	66	13.8
	8654	45.2	0	65.9	66	20.7	52.6	0	68.5	69	16	52.7	0	67.1	67	14.5	52.9	0	66.1	66	13.4	53.2	0	65.3	65.6	12.4
	8655	34.7	0	73.1	73	38.4	44	0	70.5	71	26.5	44.8	0	68.7	69	23.9	44.9	0	67.5	68	22.6	45	0	66.6	66.6	21.6
	8656	0	0	67.4	67	67.4	0	0	68.5	69	68.5	0	0	66.9	67	66.9	0	0	65.7	66	65.7	0	0	65	65	65
	8657	0	0	65.7	66	65.7	0	0	68.6	69	68.6	0	0	67	67	67	0	0	65.9	66	65.9	0	0	65.1	65.1	65.1
	8658	12.3	0	65.8	66	53.5	12.3	0	65.8	66	53.5	12.2	0	64.9	65	52.7	12	0	64.1	64	52.1	14.8	0	63.8	63.8	49
	8659	47.4	0	58	58	10.9	52.9	0	61	62	8.7	54.7	0	63.4	64	9.2	54.8	0	64.2	65	9.9	54.8	0	63.8	64.3	9.5
	8660	54.6	0	60.7	62	7	58.1	0	62.5	64	5.7	59.5	0	64.5	66	6.2	59.6	0	65.3	66	6.7	59.6	0	65.3	66.3	6.7
	8661	53.3	0	59.6	61	7.2	57.8	0	60.4	62	4.5	59.7	0	61.9	64	4.3	59.8	0	62.4	64	4.5	59.8	0	62.5	64.3	4.5
	8662	54.5	0	59.9	61	6.5	56.7	0	60.5	62	5.3	59.1	0	62	64	4.7	59.2	0	62.5	64	4.9	59	0	62.5	64.1	5.1
	8663	55	0	60.1	61	6.3	58.6	0	61.4	63	4.6	60.5	0	63.4	65	4.7	60.5	0	64	66	5.1	60.3	0	64	65.6	5.3
	8664	54	0	56.3	58	4.3	58.7	0	58.6	62	3	60	0	60.5	63	3.3	60.1	0	61.3	64	3.7	60	0	61.2	63.6	3.6
	8665	22.7	0	60.1	60	37.4	22.6	0	59.4	59	36.8	22.5	0	61.6	62	39.1	22.7	0	61.8	62	39.1	23.1	0	61.1	61.1	38
3Q	8666	0	0	60.5	61	60.5	0	0	59.7	60	59.7	0	0	61.3	61	61.3	0	0	61	61	61	0	0	60.3	60.3	60.3
	8667	36.5	0	59.6	60	23.1	49.2	0	61.1	61	12.2	51.9	0	63	63	11.4	52.7	0	62.5	63	10.3	56.5	0	61.8	62.9	6.4
	8668	42	0	48.4	49	7.3	56.3	0	55.5	59	2.6	58	0	60.8	63	4.6	58.8	0	61.4	63	4.5	59.4	0	61	63.3	3.9
	8669	42.8	0	45.7	48	4.7	57.7	0	57.4	61	2.9	58.7	0	61.2	63	4.4	59.3	0	61.7	64	4.4	59.2	0	61.1	63.3	4.1
	8670	49.6	0	56	57	7.3	58.1	0	59.7	62	3.9	59.5	0	62.7	64	4.9	60	0	63	65	4.8	60	0	62.7	64.6	4.6
	8671	51.7	0	57.3	58	6.6	55	0	58.1	60	4.8	57.5	0	60.2	62	4.6	57.7	0	61	63	5	57.5	0	61	62.6	5.1
	8672	52.8	0	57.5	59	6	58.5	0	59.3	62	3.4	59.7	0	60.8	63	3.6	59.8	0	61.6	64	4	59.6	0	61.5	63.7	4.1
	8673	50	0	55.6	57	6.7	51.2	0	56.5	58	6.4	53.4	0	57.8	59	5.7	53.2	0	57.9	59	6	53.8	0	58.5	59.8	6
	8674	42.4	0	64.1	64	21.8	58.9	0	66.7	67	8.5	60.4	0	66.6	68	7.1	60.8	0	65.9	67	6.3	60.8	0	65.2	66.5	5.7
	8675	55.4	0	65.2	66	10.2	56.8	0	67.9	68	11.4	57.7	0	66.5	67	9.3	58.1	0	65.5	66	8.1	58	0	64.6	65.4	7.4
	8676	56.2	0	64.5	65	8.9	58.1	0	66.3	67	8.8	59.5	0	65.7	67	7.1	60	0	64.9	66	6.1	60.1	0	64	65.5	5.4
	8677	50.2	0	57.2	58	7.8	57.4	0	70	70	12.8	58.1	0	68.4	69	10.7	59.1	0	67.4	68	8.9	59.1	0	66.5	67.2	8.1
	8678	0	0	59.2	59	59.2	0	0	66.3	66	66.3	0	0	65.3	65	65.3	0	0	64.1	64	64.1	0	0	63.1	63.1	63.1
	8679	24.1	0	56.6	57	32.5	24	0	67.7	68	43.7	23.9	0	66.3	66	42.4	23.8	0	65	65	41.2	24.3	0	64.1	64.1	39.8
	8680	0	0	51.8	52	51.8	0	0	65.3	65	65.3	0	0	64.4	64	64.4	0	0	63.2	63	63.2	0	0	62.3	62.3	62.3
	8681	0	0	42.5	43	42.5	0	0	56.8	57	56.8	0	0	55.6	57	56.6	0	0	55.5	56	55.5	0	0	54.7	54.7	54.7
	8701	0	0	54.5	55	54.5	0	0	60	60	60	0	0	59.6	60	59.6	0	0	59	59	59	0	0	58.4	58	58.4
	8702	0	0	60.9	61	60.9	0	0	67.7	68	67.7	0	0	66.4	66	66.4	0	0	65.2	65	65.2	0	0	64.3	64	64.3
	8703	30.3	0	63.5	64	33.2	41.6	0	68.9	69	27.3	47.4	0	67.4	67	20	47.8	0	66.2	66	18.4	49.5	0	65.2	65	15.8
	8704	0	0	64	64	64	0	0	67.7	68	67.7	0	0	66	66	66	0	0	64.8	65	64.8	0	0	63.8	64	63.8
	8705	45.4	0	64.3	64	19	51.5	0	70.1	70	18.7	53.9	0	68.7	69	14.9	54.7	0	67.5	68	13	56.3	0	66.6	67	10.7
	8706	39.8	0	53.6	54	14	51.4	0	66.1	66	14.8	54.3	0	65.6	66	11.6	54.5	0	64.5	65	10.4	54.9	0	63.7	64	9.3
	8707	37.7	0	58.3	58	20.7	50.2	0	68.3	68	18.2	50.9	0	67	67	16.2	51.2	0	65.9	66	14.8	50.9	0	65	65	14.2
	8708	0	0	58.1	58	58.1	0	0	67.6	68	67.6	0	0	66.1	66	66.1	0	0	65	65	65	0	0	64.1	64	64.1
	8709	55.9	0	63.8	65	8.6	59.3	0	70.4	71	11.4	59.8	0	68.9	69	9.6	60	0	67.8	68	8.4	60.1	0	66.8	68	7.6

TABLE A3.2.4
HS TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
3R	8710	56.6	0	61.2	63	5.9	60	0	67.7	68	8.4	60.1	0	66.3	67	7.1	60.4	0	65.1	66	6	60.4	0	64.1	66	5.3
	8711	55.2	0	61	62	6.8	58.7	0	68	69	9.8	59	0	66.9	68	8.6	59.2	0	65.8	67	7.4	59.4	0	64.9	66	6.6
	8712	53.3	0	59.5	60	7.1	58.5	0	68.1	69	10.1	58.9	0	66.8	68	8.6	59.1	0	65.6	67	7.4	59.5	0	64.7	66	6.3
	8713	30.8	0	47	47	16.3	30.6	0	61.7	62	31.1	30.3	0	60.4	60	30.1	29.9	0	59.2	59	29.3	29.7	0	59	59	29.3
	8714	50.1	0	48.4	52	2.2	51.8	0	62.6	63	11.2	51.8	0	62	62	10.6	51.6	0	60.9	61	9.8	51.5	0	60	61	9.1
	8715	49.3	0	55	56	6.8	57.1	0	66.3	67	9.7	57.4	0	65.3	66	8.6	57.4	0	64.1	65	7.6	57.9	0	63.2	64	6.4
	8716	49.3	0	61.2	62	12.2	55.3	0	68.5	69	13.4	55.4	0	67.1	67	12	55.6	0	66	66	10.8	56.5	0	65.1	66	9.2
	8717	43.4	0	50.8	52	8.1	48.8	0	64.8	65	16.1	48.8	0	63.4	64	14.8	48.7	0	62.1	62	13.6	48.6	0	61.3	62	12.9
	8718	44.5	0	53.1	54	9.1	52.7	0	65.7	66	13.2	52.9	0	64.4	65	11.8	52.8	0	63.4	64	11	53.9	0	62.5	63	9.2
	8719	49.6	0	61.4	62	12.1	55.2	0	68.3	69	13.3	55	0	66.6	67	11.9	55.3	0	65.5	66	10.6	55.9	0	64.6	65	9.3
	8720	56.4	0	60.9	62	5.8	57.8	0	65.6	66	8.4	57.1	0	63.9	65	7.7	56.7	0	62.7	64	7	56.3	0	61.7	63	6.5
3S	8751	39.5	0	60.5	61	21.1	49.8	0	66.7	67	17	49.8	0	65.3	65	15.6	49.5	0	64.3	64	14.9	49.8	0	63.4	64	13.8
	8752	37.3	0	61.4	61	24.1	48	0	64.9	65	17	48	0	63.7	64	15.8	47.7	0	62.8	63	15.3	47.4	0	62.1	62	14.9
	8753	41	0	68.6	69	27.6	43.7	0	68.6	69	24.9	47	0	66.8	67	19.9	47.2	0	65.6	66	18.5	51.3	0	64.7	65	13.6
	8754	37.3	0	56.7	57	19.5	42.7	0	65.1	65	22.4	45.4	0	63.2	63	17.9	45.9	0	61.9	62	16.1	52.2	0	61.1	62	9.4
	8755	39.6	0	54	54	14.5	48.6	0	66.3	66	17.7	48.6	0	64.4	65	15.9	48.3	0	63.1	63	14.9	53	0	62.2	63	9.7
	8756	47.7	0	58.9	59	11.5	54.6	0	66.8	67	12.5	54.5	0	65.1	66	11	54.3	0	63.8	64	10	55.9	0	63	64	7.8
	8757	38.8	0	61.7	62	22.9	49.4	0	65.4	66	16.1	49.3	0	63.7	64	14.5	49.1	0	62.4	63	13.5	48.9	0	61.6	62	13
	8758	53.3	0	70.1	70	16.9	56.8	0	67.5	68	11	56.9	0	65.6	66	9.3	56.7	0	64.4	65	8.4	57.3	0	63.5	64	7.1
	8759	54.6	0	62.7	63	8.7	57.4	0	64.4	65	7.8	57.4	0	62.5	64	6.3	57.3	0	61.5	63	5.6	57.5	0	60.8	63	5
	8760	56	0	63.2	64	7.9	58.4	0	66.2	67	8.5	58	0	64.3	65	7.2	57.7	0	63.1	64	6.5	57.6	0	62.4	64	6
	8761	37.5	0	55.1	55	17.7	47.5	0	55	56	8.2	48.3	0	56.3	57	8.7	48.3	0	57.6	58	9.8	50.8	0	57.6	58	7.6
	8762	0	0	56.4	56	56.4	0	0	57.9	58	57.9	0	0	59.1	59	59.1	0	0	59.4	59	59.4	0	0	59.4	59	59.4
	8763	31.2	0	54.9	55	23.7	40	0	54	54	14.1	43.8	0	53.7	54	10.3	44.3	0	55.1	55	11.1	44.6	0	55.6	56	11.3
3T	8801	67	0	48.4	67	0.1	67.4	0	49.7	68	0.1	67	0	52.4	67	0.2	66.4	0	53.7	67	0.3	65.9	0	55.1	66	0.4
	8802	66.9	0	53.1	67	0.1	67.8	0	60.2	69	0.7	67.3	0	61.3	68	1	66.7	0	61.3	68	1.1	66.1	0	61.5	67	1.3
	8803	61.8	0	53.5	62	0.6	65	0	60.8	66	1.4	65	0	62.3	67	1.9	64.5	0	62.2	67	2	64	0	62.1	66	2.1
	8804	45.3	0	58.3	59	13.2	58.9	0	64	65	6.3	59.9	0	66	67	7	59.4	0	65.7	67	7.2	58.8	0	65.5	66	7.5
	8805	42.6	0	61.2	61	18.7	51	0	66.9	67	16	58.5	0	66.5	67	8.6	58.3	0	66	67	8.4	57.9	0	65.7	66	8.5
	8806	0	0	67.5	68	67.5	0	0	66.9	67	66.9	0	0	65.8	66	65.8	0	0	65	65	65	0	0	64.5	65	64.5
	8807	0	0	67.6	68	67.6	0	0	66.6	67	66.6	0	0	65.7	66	65.7	0	0	65.1	65	65.1	0	0	64.6	65	64.6
	8808	0	0	70.5	71	70.5	0	0	68.4	68	68.4	0	0	66.9	67	66.9	0	0	66	66	66	0	0	65.4	65	65.4
	8809	29.7	0	65.7	66	36	29.5	0	65.3	65	35.8	29.2	0	63.6	64	34.4	29	0	62.4	62	33.4	35.8	0	61.4	62	25.7
	8810	0	0	59.3	59	59.3	0	0	66.2	66	66.2	0	0	65	65	65	0	0	64.2	64	64.2	0	0	63.7	64	63.7
	8811	0	0	59.2	59	59.2	0	0	66.1	66	66.1	0	0	64.9	65	64.9	0	0	64.2	64	64.2	0	0	63.6	64	63.6
	8812	0	0	63	63	63	0	0	65.1	65	65.1	0	0	64.2	64	64.2	0	0	63.6	64	63.6	0	0	63.1	63	63.1
	8813	43.1	0	70.4	70	27.3	45.2	0	68.5	69	23.4	45.4	0	67.1	67	21.7	45.4	0	66.1	66	20.8	45.4	0	65.5	66	20.2
	8814	29.7	0	64.9	65	35.2	29.5	0	65.1	65	35.6	29.3	0	63.5	64	34.2	30.9	0	62.4	62	31.5	54	0	61.7	62	8.3
	8815	0	0	60.1	60	60.1	0	0	66.7	67	66.7	0	0	65.4	65	65.4	0	0	64.5	65	64.5	0	0	64.2	64	64.2
	8816	0	0	58.5	59	58.5	0	0	66.1	66	66.1	0	0	64.7	65	64.7	0	0	63.6	64	63.6	0	0	62.8	63	62.8
	8817	0	0	62.3	62	62.3	0	0	64.8	65	64.8	0	0	63.3	63	63.3	0	0	62.1	62	62.1	0	0	61.3	61	61.3
	8818	42.1	0	70	70	27.9	43	0	68	68	25.1	43.1	0	66.4	66	23.3	43.2	0	65.2	65	22	43.2	0	64.3	64	21.2
	8819	29.4	0	64.1	64	34.7	29.2	0	65.2	65	36	29.1	0	63.5	64	34.4	29	0	62.5	63	33.5	29.6	0	61.7	62	32.1
	8820	16.3	0	63.3	63	47	16.3	0	66.5	67	50.2	16.3	0	64.9	65	48.6	16.2	0	63.8	64	47.6	20.3	0	62.9	63	42.6
	8821	61.9	0	61.6	65	2.8	62.9	0	63.5	66	3.3	62.4	0	62.2	65	2.9	62	0	61.1	65	2.6	61.5	0	60.4	64	2.5
	8822	65.9	0	56.4	66	0.5	65.5	0	58.1	66	0.8	64.9	0	59.1	66	1.1	64.4	0	58.4	65	0.9	63.8	0	57.8	65	1
	8823	68.2	0	49.9	68	0.1	67.8	0	51	68	0.1	67.2	0	53.3	67	0.1	66.6	0	53.8	67	0.2	66	0	53.7	66	0.2
	8824	68.9	0	51.7	69	0.1	68.7	0	57.7	69	0.3	68.1	0	58.3	69	0.4	67.4	0	58.5	68	0.6	66.8	0	58.7	67	0.6
	8825	67	0	45.7	67	0	67	0	56.7	67	0.4	66.5	0	57.1	67	0.5	66	0	57.4	67	0.5	65.4	0	57.6	66	0.7
	8851	65.3	0	57.5	66	0.7	64.8	0	58.3	66	0.8	64.1	0	59.3	65	1.3	63.5	0	58.8	65	1.3	62.9	0	59.2	64	1.5
	8852	67.9	0	45.6	68	0	67.4	0	54.1	68	0.2	66.8	0	54.4	67	0.2	66.1	0	54.8	67	0.4	65.6	0	55.3	66	0.4
	8853	68.9	0	51.2	69	0.1	68.6	0	57.6	69	0.3	67.9	0	57.5	68	0.4	67.2	0	57.7	68	0.5	66.6	0	57.6	67	0.5
	8854	67.1	0	40.7	67	0	67.3	0	53.2	68	0.2	66.7	0	52.7	67	0.2	66.1	0	52.3	66	0.2	65.6	0	52.1	66	0.2
	8855	0	0	64.5	65	64.5	0	0	66.6	67	66.6	0	0	64.8	65	64.8	0	0	63.6	64	63.6	0	0	62.6	63	62.6
	8856	0	0	70.5	71	70.5	0	0	68.5	69	68.5	0	0	66.7	67	66.7	0	0	65.6	66	65.6	0	0	64.9	65	64.9
	8857	45	0	60.7	61	15.8	46.3	0	67.1	67	20.8	46.5	0	65.6	66	19.2	46.4	0	64.8	65	18.5	46.4	0	64.1	64	17.8
	8858	64.5	0	31.4	65	0	64.7	0	31.2	65	0	64.1	0	30.3	64	0	63.6	0	29.4	64	0	63	0	28.6	63	0
	8859	68	0	48.4	68	0	68.2	0	55.7	68	0.2	67.5	0	56.3	68	0.4	66.9	0	56.3	67	0.4	66.3	0	56.2	67	0.4
	8860	67.7	0	32.3	68	0	67.5	0	34.9	68	0	66.9	0	39.1	67	0	66.2	0	45.7	66	0.1	65.6	0	48.1	66	0.1
	8861	0	0	44.2	44	44.2	0	0	55.1	55	55.1	0	0	60.2	60	60.2	0	0	59.6	60	59.6	0	0	59	59	59

TABLE A3.2.4
HS TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
3V	8862	34.7	0	54.5	55	19.9	46.6	0	64.4	65	17.9	46.7	0	65.4	66	18.8	46.7	0	64.9	65	18.2	46.7	0	64.2	64	17.6
	8863	0	0	51.6	52	51.6	0	0	61.4	61	61.4	0	0	64.1	64	64.1	0	0	63.5	64	63.5	0	0	62.9	63	62.9
	8864	0	0	49.4	49	49.4	0	0	60.2	60	60.2	0	0	63.7	64	63.7	0	0	63.2	63	63.2	0	0	62.7	63	62.7
	8865	36.3	0	58.6	59	22.3	47.2	0	67.1	67	19.9	47.3	0	67	67	19.8	47.4	0	66.3	66	18.9	47.7	0	65.6	66	17.9
	8866	52.7	0	60	61	8.1	53.3	0	67.3	67	14.1	53.9	0	66.6	67	12.9	56.7	0	65.6	66	9.4	57.5	0	64.8	66	8.1
	8867	34.9	0	60.5	61	25.6	44.2	0	66.4	66	22.2	44.2	0	66.4	66	22.2	44.2	0	65.5	66	21.3	44.3	0	64.7	65	20.4
	8868	60.8	0	63	65	4.2	62.6	0	68.6	70	6.9	62.8	0	67.5	69	6	63	0	66.5	68	5.1	63	0	65.6	68	4.5
	8869	61	0	53.7	62	0.7	62.8	0	64.2	67	3.8	62.8	0	62.5	66	2.8	62.8	0	61.3	65	2.3	62.6	0	60.2	65	2
	8870	58.8	0	54.8	60	1.5	60.4	0	66.3	67	6.9	60.6	0	65.1	67	5.9	61.1	0	64.1	66	4.8	60.9	0	63.3	65	4.4
	8871	53.6	0	56.5	58	4.7	54.4	0	66.6	67	12.4	56.1	0	65.5	66	9.9	57.8	0	64.5	65	7.6	57.8	0	63.8	65	6.9
	8872	30	0	58	58	28	35	0	65.9	66	30.9	42.9	0	64.9	65	22.1	49.1	0	64.1	64	15.1	50.5	0	63.3	64	13
	8873	63.9	0	60	65	1.5	64.3	0	68.5	70	5.6	64.2	0	67.2	69	4.8	64	0	66.2	68	4.3	63.8	0	65.4	68	3.9
	8874	67.7	0	54.9	68	0.2	67.9	0	63.9	69	1.5	67.4	0	62.3	69	1.2	66.9	0	61.1	68	1	66.4	0	60.1	67	0.9
	8875	65.9	0	57.6	67	0.6	65.7	0	66.1	69	3.2	65.3	0	65	68	2.8	65.1	0	64	68	2.5	64.8	0	63.2	67	2.3
	8876	70.1	0	59.8	71	0.4	69.8	0	62.7	71	0.8	69.2	0	61.7	70	0.7	68.5	0	60.7	69	0.6	67.9	0	60	69	0.7
	8877	67.7	0	51.8	68	0.1	67.5	0	53.5	68	0.1	66.7	0	53.6	67	0.2	66	0	53.6	66	0.2	65.3	0	54	66	0.3
	8878	69.1	0	54.4	69	0.2	68.9	0	56	69	0.3	68.3	0	55.4	69	0.2	67.6	0	55	68	0.2	66.9	0	54.9	67	0.3

TABLE A3.2.4
HS TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**
3M	7001	51.8	0	57	58	6.3	52.6	0	57.8	59	6.3	52.8	0	58.1	59	6.4
	7002	54.1	0	65	65	11.2	54.3	0	65.1	65	11.1	54.4	0	64.8	65	10.8
	7003	54.8	0	63.3	64	9.1	56.3	0	63.6	64	8	57	0	63.6	65	7.5
	7004	55.3	0	63.6	64	8.9	56.7	0	63.8	65	7.9	57.4	0	63.7	65	7.2
3Q	7101	0	0	57.5	58	57.5	0	0	57.8	58	57.8	0	0	57.8	58	57.8
	7102	57.3	0	64	65	7.6	58.1	0	64	65	6.9	58.2	0	63.7	65	6.6
	7103	49.6	0	59.4	60	10.2	51.6	0	59.4	60	8.4	55.5	0	59.3	61	5.3
	7104	37.9	0	30	39	0.6	40.7	0	30	41	0.3	47	0	36.4	47	0.4
	7105	59.8	0	65.8	**67**	6.9	59.8	0	65.7	**67**	6.9	59.4	0	65.5	**66**	7
	7106	0	0	65.5	**66**	65.5	0	0	65.3	65	65.3	0	0	64.7	65	64.7
	7107	56.2	0	62.7	64	7.4	57.5	0	62.9	64	6.5	57.7	0	63.9	65	7.1
	7108	54.6	0	64.2	65	10.1	56	0	64.3	65	8.9	56.3	0	64.2	65	8.6
	7109	57.5	0	68.7	**69**	11.5	58.2	0	68.6	**69**	10.8	59.5	0	68.2	**69**	9.3
3X	7201	63.5	0	69.9	**71**	7.3	64.5	0	69.9	**71**	6.5	64.8	0	69.6	**71**	6
	7202	61	0	55.3	62	1	60.8	0	56.3	62	1.3	60.1	0	62.3	64	4.2
	7203	67.6	0	23.7	**68**	0	67.5	0	23.7	**68**	0	67.3	0	23.8	**67**	0
	7204	68.4	0	0	**68**	0	68.3	0	0	**68**	0	68	0	0	**68**	0
	7205	73.4	0	44	**73**	0	72.6	0	45.4	**73**	0	71.4	0	46.3	**71**	0
	7206	65.4	0	64.2	**68**	2.5	65.3	0	64.9	**68**	2.8	64.9	0	65	**68**	3.1
	7207	39	0	60.6	61	21.7	40.7	0	61.6	62	21	45	0	62.1	62	17.2
	7208	0	0	59.2	59	59.2	0	0	60.2	60	60.2	0	0	60.7	61	60.7
	7209	53.5	0	67.4	**68**	14	53.5	0	68.1	**68**	14.7	53.4	0	68	**68**	14.8

TABLE A3.2.4
HOI SHAM TRAFFIC NOISE
EXISTING NSR
UNMITIGATED SCENARIO

NSR	AP	1/F					10/F					20/F					30/F					40/F					50/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
Laguna Verda	9003	58.4	0	63	64	5.9	59.3	0	63	65	5.2	60.9	0	62.6	65	3.9	60.7	0	62.1	65	3.8	60.4	0	61.7	64	3.7	60	0	61.2	64	3.7
	9004	59.6	0	63.5	65	5.4	60.2	0	63.3	65	4.9	61	0	62.9	65	4	60.7	0	62.4	65	3.9	60.3	0	61.9	64	3.9	59.9	0	61.4	64	3.8
	9120	56.4	0	60.7	62	5.7	56	0	61.3	62	6.4	54.9	0	61.1	62	7.2	54.3	0	60.8	62	7.4	53.8	0	60.5	61	7.5	53.3	0	60.1	61	7.6
	9121	57.5	0	60.2	62	4.6	54.9	0	60.8	62	6.9	53.5	0	60.6	61	7.9	53.2	0	60.5	61	8	52.7	0	60.3	61	8.3	52.3	0	60	61	8.4
Wyler Garden	9101	72.6	0	42.2	73	0	72.4	0	44.6	72	0	71.4	0	45.3	71	0	70.5	0	49.4	71	0.1										
	9102	65.9	0	54.2	66	0.3	66	0	55.2	66	0.4	65.4	0	55.2	66	0.4	65.1	0	55	66	0.4										
	9103	65	0	54.7	65	0.4	64.6	0	56.6	65	0.7	63.6	0	59.3	65	1.3	62.6	0	60	65	1.9										
	9104	71.8	0	55.7	72	0.1	66.8	0	57.2	67	0.4	64.4	0	57	65	0.7	64.4	0	58	65	0.9										
	9106	78.5	0	38.6	79	0	75.5	0	41.8	76	0	73.3	0	45.7	73	0	71.9	0	48.9	72	0										
	9107	74	0	43.1	74	0	72.7	0	44.8	73	0	70.9	0	45.6	71	0	69.5	0	53.9	70	0.1										
	9108	66.9	0	52.5	67	0.2	66.3	0	53.9	67	0.3	65.6	0	54.4	66	0.3	67.5	0	56.3	68	0.4										
	9109	65.6	0	55	66	0.3	64.1	0	56.4	65	0.7	62.5	0	56.9	64	1	61.5	0	57.1	63	1.3										
	9110	75.3	0	55.6	75	0	70.4	0	60.7	71	0.4	68	0	64.6	70	1.6	66.7	0	64.6	69	2.1										
	9111	63.6	0	57.6	65	0.9	64.4	0	62.7	67	2.3	65	0	63.7	67	2.4	64.6	0	64.6	68	3										
	9112	67.8	0	62.2	69	1.1	67.9	0	62.3	69	1.1	67.2	0	64.1	69	1.7	66.5	0	64	68	1.9										
	9113	71.8	0	63.4	72	0.6	70.8	0	63.4	72	0.8	69.4	0	63.4	70	1	68.3	0	62.9	69	1.1										
Ma Tau Kok Area	9114	78	0	52	78	0	74	0	54.2	74	0	72	0	54.7	72	0.1	70.8	0	55.2	71	0.1	69.9	0	55.8	70	0.2	69.3	0	56.1	70	0.2
	9115	78.5	0	53.9	79	0	74.7	0	55.5	75	0	72.4	0	56.2	73	0.1	70.9	0	56.6	71	0.2	69.9	0	56.7	70	0.2	69.1	0	57.3	69	0.3
	9116	75.8	0	58	76	0.1	73.1	0	59	73	0.2	70.8	0	59.1	71	0.3	69.3	0	59.2	70	0.4	68.1	0	59.8	69	0.6	67.2	0	60.5	68	0.8
	9117	69.3	0	53.1	69	0.1	67.7	0	60	68	0.7	65.6	0	61	67	1.3	64.1	0	61.7	66	2	62.9	0	62.8	66	3	62	0	63.9	66	4.1
	9118	53.6	0	38.1	54	0.1	54.9	0	53	57	2.2	54.6	0	59.9	61	6.4	54.6	0	61.3	62	7.5	56.8	0	62.6	64	6.8	58.3	0	64.1	65	6.8
	9119	26.8	0	37.9	38	11.4	29.4	0	49.6	50	20.3	32	0	59.5	60	27.5	34.7	0	61.4	61	26.7	37.4	0	62.8	63	25.4	40.1	0	64	64	23.9
Ma Tau Kok Road	9130	73.2	0	50.7	73	0	73	0	51.9	73	0	71.8	0	51.7	72	0.1	70.7	0	52.4	71	0.1	69.8	0	54.7	70	0.1	69	0	55.1	69	0.2
	9131	70.4	0	56.4	71	0.2	67.1	0	60.5	68	0.9	64.8	0	61.2	66	1.6	63.3	0	61.7	66	2.3	62.4	0	61.7	65	2.6	61.6	0	61.4	65	2.9
	9132	77.1	0	61.3	77	0.2	74.5	0	61.2	75	0.2	72.1	0	60.4	72	0.3	70.6	0	60.1	71	0.3	69.5	0	60.2	70	0.4	68.5	0	60.2	69	0.6
	9133	77.2	0	60.5	77	0.1	73.7	0	61.3	74	0.2	71.2	0	61.8	72	0.5	69.7	0	61.6	70	0.6	68.6	0	61.2	69	0.7	67.6	0	61	69	0.9
Hung Hom	9128	57	0	59.9	62	4.7	58.1	0	59.1	62	3.5	58.3	0	58.5	61	3.1	58.2	0	58	61	2.9	58.1	0	57.5	61	2.7	58	0	57.2	61	2.6
	9129	61.7	0	57.9	63	1.5	62.5	0	58	64	1.3	62.2	0	57.9	64	1.4	61.8	0	57.8	63	1.5	61.3	0	57.6	63	1.6	60.9	0	57.3	63	1.6

: Planned NSRs

TABLE A3.2.4
HOI SHAM TRAFFIC NOISE
EXISTING NSR
UNMITIGATED SCENARIO

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**	Existing	Altered	New	**Total**	**T-E**
	9122	72.5	0	66.3	**73**	0.9	72	0	66.5	**73**	1	70.8	0	66.4	**72**	1.4
Holy Carpenter	9123	66.1	0	69.3	**71**	4.9	65.7	0	69.3	**71**	5.2	65	0	68.9	**70**	5.4
Primary School, &	9124	53	0	63.2	64	10.6	53.8	0	63.5	64	10.1	54.1	0	63.4	64	9.8
Oblate Fathers	9125	56.2	0	60.5	62	5.7	56.1	0	61	62	6.1	56.1	0	61	62	6.1
Primary School	9126	50	0	63	63	13.2	50.7	0	63.6	64	13.1	50.7	0	63.7	64	13.2
	9127	70.2	0	31.7	**70**	0	69.5	0	32.3	**70**	0	68.3	0	33.3	**68**	0

AP 9127 not facing any new roads, should be excluded.

TABLE A3.2.5
HS TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
3A	8001	31.5	0	60.8	61	29.3	34.1	0	61.6	62	27.5	37.2	0	61.9	62	24.7	41.2	0	62.1	62	21					
	8002	0	0	52.5	53	52.5	0	0	57.4	57	57.4	0	0	58.3	58	58.3	0	0	58.5	59	58.5					
	8003	0	0	54.2	54	54.2	0	0	57.8	58	57.8	0	0	58.6	59	58.6	0	0	58.7	59	58.7					
	8004	30.5	0	60.7	61	30.2	32.9	0	61.6	62	28.7	35.4	0	61.5	62	26.1	38.6	0	60.9	61	22.3					
	8005	0	0	58.2	58	58.2	0	0	59.8	60	59.8	0	0	58.4	58	58.4	0	0	57.2	57	57.2					
	8006	0	0	60.1	60	60.1	0	0	59.4	59	59.4	0	0	57.9	58	57.9	0	0	56.7	57	56.7					
	8007	0	0	58.8	59	58.8	0	0	59	59	59	0	0	57.6	58	57.6	0	0	56.5	57	56.5					
	8008	18.7	0	51.5	52	32.8	18.8	0	53.3	53	34.5	19	0	52.9	53	33.9	22.4	0	52.7	53	30.3					
	8009	0	0	28.9	29	28.9	0	0	30.5	31	30.5	0	0	33.4	33	33.4	0	0	38.1	38	38.1					
	8010	54.1	0	59.7	61	6.6	53	0	59.4	60	7.3	52.9	0	58.2	59	6.5	52.6	0	57.4	59	6.1					
	8011	38.8	0	67.5	68	28.7	49.8	0	65.1	65	15.4	52	0	63.9	64	12.2	52.4	0	63.1	64	11.1					
	8012	34.8	0	66.8	67	32	40.4	0	65.1	65	24.7	48.5	0	63.9	64	15.5	49.8	0	62.9	63	13.3					
3B	8051	0	0	53	53	53	0	0	52.8	53	52.8	0	0	52.9	53	52.9										
	8052	0	0	54.4	54	54.4	0	0	55.4	55	55.4	0	0	55	55	55										
	8053	0	0	26.2	26	26.2	0	0	26.2	26	26.2	0	0	29.4	29	29.4										
	8054	0	0	53.7	54	53.7	0	0	55.6	56	55.6	0	0	55	55	55										
	8055	0	0	52.7	53	52.7	0	0	56.2	56	56.2	0	0	56.3	56	56.3										
	8056	0	0	28.5	29	28.5	0	0	28.4	28	28.4	0	0	33.8	34	33.8										
	8057	0	0	51.7	52	51.7	0	0	55.6	56	55.6	0	0	55.6	56	55.6										
	8058	0	0	52	52	52	0	0	56.3	56	56.3	0	0	56	56	56										
	8059	0	0	40.1	40	40.1	0	0	53.9	54	53.9	0	0	53.6	54	53.6										
	8060	24.2	0	52	52	27.8	27	0	59.6	60	32.6	32.5	0	60.8	61	28.3										
	8061	39.4	0	62	62	22.6	48.6	0	61.3	62	13	49.4	0	61.3	62	12.2	49.5	0	61.5	62	12.3					
	8062	36.3	0	59.9	60	23.6	38.6	0	59.2	59	20.6	41.6	0	59.4	60	17.9	43.9	0	60.3	60	16.5					
	8063	38.5	0	43.5	45	6.2	44.3	0	50.6	52	7.2	45.5	0	51.2	52	6.7	46.9	0	52.5	54	6.7					
	8064	40	0	45.3	46	6.4	46.5	0	51	52	5.8	47.8	0	51.9	53	5.5	48.4	0	52.9	54	5.8					
	8065	35.8	0	48.1	48	12.5	40.3	0	52.4	53	12.4	49.6	0	53.5	55	5.4	50.5	0	56.4	57	6.9					
	8066	37.3	0	52.1	52	14.9	47.8	0	55.2	56	8.2	51.7	0	55.7	57	5.5	52.3	0	57.7	59	6.5					
	8067	36.6	0	52.2	52	15.7	38.9	0	54.5	55	15.7	42.2	0	55.4	56	13.4	45	0	55.7	56	11					
	8068	39.6	0	40.8	43	3.7	45.2	0	47.1	49	4	46.5	0	49.5	51	4.8	47.6	0	51.9	53	5.6					
	8069	38.5	0	37.9	41	2.7	44.5	0	43.5	47	2.6	45.5	0	44.4	48	2.5	46.2	0	47.1	50	3.5					
	8070	42.1	0	56.4	57	14.5	49.9	0	60.3	61	10.8	53.2	0	60.5	61	8	53.4	0	60.3	61	7.7					
	8071	37.2	0	56.9	57	19.7	45.8	0	61.9	62	16.2	49.1	0	62.4	63	13.5	49.1	0	61.9	62	13					
	8072	18	0	62.5	63	44.5	17.9	0	69.3	69	51.4	20.4	0	68.1	68	47.7	35.3	0	67	67	31.7					
	8073	32.9	0	57.4	57	24.5	41	0	63.2	63	22.2	41.4	0	63.5	64	22.2	41.6	0	63.6	64	22					
	8074	0	0	56.8	57	56.8	0	0	66.7	67	66.7	0	0	66.3	66	66.3	0	0	65.2	65	65.2					
	8075	0	0	56.8	57	56.8	0	0	67.2	67	67.2	0	0	67.2	67	67.2	0	0	66.1	66	66.1					
	8101	32.9	0	57.1	57	24.2	34.2	0	67	67	32.8	35.5	0	66.8	67	31.3										
	8102	0	0	46.1	46	46.1	0	0	55	55	55	0	0	56.9	57	56.9										
	8103	30.1	0	49.6	50	19.5	32.5	0	61.9	62	29.4	37.6	0	62.5	63	24.9										
	8104	0	0	44.9	45	44.9	0	0	50.9	51	50.9	0	0	54.1	54	54.1										
	8105	0	0	29.8	30	29.8	0	0	29.1	29	29.1	0	0	30.9	31	30.9										
	8106	0	0	24.4	24	24.4	0	0	23.6	24	23.6	0	0	25.4	25	25.4										
	8107	16.5	0	33.4	34	17	16.5	0	32.6	33	16.3	18.5	0	47.6	48	29.1										
	8108	30.8	0	47.8	48	17.1	37.8	0	61	61	23.2	40.2	0	61.8	62	21.6										
	8109	16.8	0	44.6	45	27.8	16.9	0	57.8	58	40.9	18.3	0	58.2	58	39.9										
	8110	31.7	0	52.6	53	20.9	32.2	0	65.7	66	33.5	33.2	0	66	66	32.8										
	8111	33.4	0	54.5	55	21.2	38.5	0	66.8	67	28.3	42.4	0	66.6	67	24.2										
	8112	31.3	0	55.3	55	24.1	31.6	0	66.2	66	34.6	32.6	0	65.9	66	33.3										
	8113	32.4	0	46.9	47	14.7	37.2	0	56.2	56	19	37.6	0	59.4	59	21.8										

TABLE A3.2.5
HS TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
3C	8114	0	0	44.4	44	44.4	0	0	49.8	50	49.8	0	0	53.4	53	53.4										
	8115	26.2	0	44.8	45	18.6	26.3	0	49.9	50	23.6	28.5	0	53.7	54	25.2										
	8116	0	0	44.4	44	44.4	0	0	49.1	49	49.1	0	0	53	53	53										
	8117	0	0	59.2	59	59.2	0	0	60.8	61	60.8	0	0	58.9	59	58.9										
	8118	0	0	58.7	59	58.7	0	0	56.8	57	56.8	0	0	54.8	55	54.8										
	8119	17.3	0	68	68	50.7	17.2	0	65.3	65	48.1	17.9	0	63.3	63	45.4										
	8120	32.6	0	65.6	66	33	38.9	0	64.1	64	25.3	43.7	0	62.6	63	19										
	8121	17.5	0	63.2	63	45.7	17.4	0	65.2	65	47.8	18.6	0	63.3	63	44.7										
	8122	0	0	60.1	60	60.1	0	0	64.1	64	64.1	0	0	62.4	62	62.4	0	0	61.1	61	61.1					
	8123	0	0	63.6	64	63.6	0	0	62.4	62	62.4	0	0	60.6	61	60.6	0	0	59.8	60	59.8					
	8124	18.4	0	68.7	69	50.3	18.4	0	66.2	66	47.8	20.1	0	64.4	64	44.3	24.1	0	63	63	38.9					
	8125	35.4	0	63.4	63	28	43.1	0	63.2	63	20.1	45.6	0	61.6	62	16.1	46.4	0	60.6	61	14.3					
	8126	18.7	0	61.4	61	42.7	18.7	0	64.8	65	46.1	20.8	0	63.1	63	42.3	25.5	0	61.9	62	36.4					
	8127	39.1	0	61.4	61	22.3	47.5	0	63.7	64	16.4	48.9	0	63.1	63	14.3	49.3	0	62.2	62	13.1					
	8128	40.9	0	56.4	57	15.6	49.4	0	61.8	62	12.7	51.7	0	63.6	64	12.2	51.7	0	63.2	64	11.8					
	8129	40	0	57.1	57	17.2	48.4	0	61.6	62	13.4	50.6	0	62.2	63	11.9	50.7	0	61.6	62	11.2					
	8130	42	0	58.3	58	16.4	48.7	0	64.9	65	16.3	51.2	0	65.4	66	14.4	51.4	0	65	65	13.8					
	8131	17.8	0	51.8	52	34	17.8	0	61.6	62	43.8	18.4	0	62.4	62	44	18.6	0	62	62	43.4					
	8132	30.9	0	52.1	52	21.2	35.1	0	61.2	61	26.1	42.7	0	63.7	64	21	45.8	0	63.4	64	17.7					
	8133	13.9	0	58.5	59	44.6	13.8	0	63.7	64	49.9	14.3	0	63.5	64	49.2	14.4	0	63	63	48.6					
3D	8151	32.6	0	63.1	63	30.5	33.5	0	65.7	66	32.2	37.4	0	64.3	64	26.9										
	8152	30.4	0	68.6	69	38.2	31.3	0	66.4	66	35.1	34.2	0	64.9	65	30.7										
	8153	28.7	0	59.4	59	30.7	30	0	64.6	65	34.6	33.1	0	63.2	63	30.1										
	8154	30	0	61.3	61	31.3	30.1	0	64.6	65	34.5	31.6	0	63.1	63	31.5										
	8155	32	0	69	69	37	34.8	0	66.6	67	31.8	41.4	0	65	65	23.6										
	8156	31.2	0	60.5	61	29.3	38.2	0	63.8	64	25.6	40.9	0	62.4	62	21.5										
3E	8201	31.1	0	64.8	65	33.7	31.1	0	65.4	65	34.3	33.6	0	64	64	30.4										
	8202	32.9	0	69.1	69	36.2	34.6	0	66.8	67	32.2	37.6	0	65.2	65	27.6										
	8203	36.1	0	64.1	64	28	44.3	0	65.4	66	21.2	50.1	0	64	64	14.1										
	8204	32.8	0	63.2	63	30.4	34.1	0	64.5	65	30.4	37.3	0	63.1	63	25.8										
	8205	41.7	0	69.5	70	27.8	42.1	0	67.3	67	25.2	42.7	0	65.8	66	23.1										
	8206	44.1	0	63.4	64	19.4	47.4	0	65.6	66	18.3	51.6	0	64.3	65	12.9										
	8207	42.8	0	56.8	57	14.2	44.3	0	63.3	63	19.1	46.7	0	62.6	63	16										
	8208	19.4	0	37.4	38	18.1	19.3	0	49.7	50	30.4	22.5	0	53.8	54	31.3										
3F	8251	49.7	0	66.4	67	16.8	51.6	0	65.3	66	13.9	52.6	0	64	64	11.7										
	8252	43.9	0	65.6	66	21.7	47.6	0	65.1	65	17.6	49.8	0	63.9	64	14.2										
	8253	44.4	0	65.2	65	20.9	48.3	0	64	64	15.8	50.5	0	62.9	63	12.6										
	8254	37.9	0	49.7	50	12.1	41	0	57.2	57	16.3	44.7	0	56.5	57	12										
	8255	43.6	0	57.3	58	13.9	45.7	0	59.8	60	14.3	45.7	0	59	59	13.5										
	8256	30.9	0	60.5	61	29.6	31.2	0	60.5	61	29.3	34.7	0	60.3	60	25.6										
	8257	30.7	0	57.3	57	26.6	30.7	0	57.2	57	26.5	34.2	0	56.7	57	22.5										
3G	8301	50.8	0	50.2	54	2.8	52.3	0	51.4	55	2.5	52.5	0	51.5	55	2.5										
	8302	51.2	0	50.4	54	2.6	52.6	0	54.2	57	3.9	52.9	0	54.1	57	3.7										
	8303	44.2	0	55.4	56	11.5	48.1	0	56.4	57	8.9	48.6	0	56.2	57	8.3										
	8304	41.9	0	54.2	55	12.6	45.6	0	55.4	56	10.3	45.7	0	55.1	56	9.8										
	8305	29.4	0	54.7	55	25.3	29.6	0	55.4	55	25.8	34.8	0	54.6	55	19.8										
	8306	30.5	0	60.5	61	30	30.6	0	59.3	59	28.7	35.2	0	58.1	58	22.9										
	8307	24.4	0	60.6	61	36.2	24.4	0	59.5	60	35.1	25.7	0	58.1	58	32.4										
	8308	28.5	0	60.2	60	31.7	28.7	0	59.6	60	30.9	32.9	0	58.3	58	25.4										
	8309	32.6	0	59.8	60	27.2	40.1	0	59.8	60	19.7	40	0	58.5	59	18.5										

TABLE A3.2.5
HS TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8310	24.3	0	47.3	47	23.1	24.2	0	52.2	52	28	24.9	0	53.6	54	28.7										
3H	8351	44.7	0	49.2	51	5.8	51.6	0	60.1	61	9.1	52.6	0	58.8	60	7.2										
	8352	42.6	0	56.8	57	14.4	50.8	0	62.3	63	11.8	51.9	0	60.9	62	9.6										
	8353	37.6	0	62	62	24.4	47.7	0	60.7	61	13.2	49	0	59.2	60	10.6										
	8354	47.1	0	66.3	66	19.3	48.6	0	63.8	64	15.3	49.2	0	62.2	62	13.2										
	8355	48.7	0	61.3	62	12.8	49.5	0	60.5	61	11.3	49.6	0	58.8	59	9.7										
	8356	50.6	0	59.1	60	9.1	51.7	0	61.9	62	10.6	51.9	0	60.3	61	9										
	8357	50.7	0	58.8	59	8.7	51.7	0	59.1	60	8.1	51.7	0	57.6	59	6.9										
3J	8401	47.8	0	60.6	61	13	50.2	0	61.9	62	12	50.6	0	60.3	61	10.1										
	8402	43.7	0	61.5	62	17.9	47.1	0	60.2	60	13.3	47.5	0	58.5	59	11.3										
	8403	54.5	0	66.2	67	12	55.1	0	63.6	64	9.1	55.3	0	61.7	63	7.3										
	8404	55.3	0	60.9	62	6.6	55.9	0	60.1	62	5.6	56	0	58.3	60	4.3										
	8405	55.5	0	54.4	58	2.5	56.2	0	60.9	62	6	56.2	0	59.1	61	4.7										
	8406	53.9	0	55.7	58	4	54.6	0	61.5	62	7.7	54.8	0	59.7	61	6.1										
	8407	29.2	0	61.5	62	32.3	33.5	0	60.4	60	26.9	38	0	58.6	59	20.7										
	8408	57.4	0	66.2	67	9.3	58.1	0	63.7	65	6.6	58.2	0	61.9	63	5.2										
	8409	57.4	0	59.9	62	4.5	57.9	0	59.9	62	4.1	57.9	0	58.7	61	3.5										
	8410	57.5	0	55	59	1.9	57.8	0	61.5	63	5.3	57.9	0	60.1	62	4.2										
	8411	57.2	0	48.5	58	0.6	57.7	0	59.1	61	3.7	57.8	0	58.4	61	3.3										
	8412	46.6	0	53.6	54	7.8	47.3	0	53.7	55	7.3	47.3	0	53.7	55	7.3										
	8413	51.9	0	56.7	58	6	56.2	0	57.2	60	3.6															
	8414	54	0	58.7	60	5.9	56.1	0	56.6	59	3.3															
3K	8451	58.8	0	60.3	63	3.8	59.3	0	60.3	63	3.5	59.3	0	60.1	63	3.4	59.1	0	59.8	63	3.4					
	8452	54	0	59.1	60	6.3	55.5	0	59.5	61	5.5	55.7	0	59.8	61	5.6	55.8	0	59.5	61	5.2					
	8453	53.3	0	61.6	62	8.9	55.3	0	61.5	62	7.1	55.6	0	61.4	62	6.8	55.7	0	60.8	62	6.3					
	8454	30.9	0	56.5	57	25.6	43.8	0	58.6	59	14.9	45.6	0	58.3	59	12.9	47.2	0	57.5	58	10.7					
	8455	53.2	0	58.2	59	6.2	54.8	0	60.2	61	6.5	55.2	0	60.1	61	6.1	55.4	0	59.6	61	5.6					
	8456	52.8	0	58.5	60	6.8	54.8	0	59.8	61	6.2	55.1	0	59.5	61	5.8	55.3	0	59.2	61	5.4					
	8457	48.8	0	62	62	13.4	54.5	0	61.7	63	8	54.8	0	61	62	7.1	54.8	0	60.4	62	6.7					
	8458	17.3	0	54.1	54	36.8	17.4	0	59.9	60	42.5	20.2	0	59.6	60	39.4	25.5	0	58.5	59	33					
	8459	47.8	0	56.4	57	9.2	54.1	0	61	62	7.7	54.5	0	60	61	6.6	54.6	0	59.4	61	6					
	8460	0	0	52.7	53	52.7	0	0	63.2	63	63.2	0	0	61.6	62	61.6	0	0	60.5	61	60.5					
	8461	23.3	0	50.8	51	27.5	23.3	0	61.1	61	37.8	24.3	0	59.3	59	35	36.2	0	58.1	58	21.9					
	8462	0	0	52.9	53	52.9	0	0	62.3	62	62.3	0	0	60.8	61	60.8	0	0	59.5	60	59.5					
	8463	49.3	0	53.2	55	5.4	54	0	57.6	59	5.2	54.3	0	57.9	60	5.2	54.6	0	58.7	60	5.5					
	8464	55	0	58.7	60	5.2	56.8	0	59.7	62	4.7	56.9	0	59.5	61	4.5	56.8	0	59.3	61	4.5					
	8465	52.8	0	57.3	59	5.8	54.7	0	58.1	60	5.1	55	0	58.2	60	4.9	55.1	0	58.4	60	5					
	8466	59.6	0	59.8	63	3.1	60.1	0	59.8	63	2.9	60.1	0	59.6	63	2.8	59.9	0	59.4	63	2.8					
	8467	58.5	0	53.7	60	1.3	58.9	0	53.6	60	1.1	58.8	0	53.4	60	1.1	58.5	0	53.1	60	1.1					
	8468	58.5	0	58.1	61	2.8	58.9	0	58	62	2.6	58.8	0	57.8	61	2.5	58.6	0	57.6	61	2.5					
	8469	56.2	0	56.9	60	3.3	56.6	0	57.2	60	3.3	56.5	0	56.5	60	3	58.4	0	55.9	60	1.9					
	8470	0	0	59.6	60	59.6	0	0	59.3	59	59.3	0	0	59	59	59	0	0	58.3	58	58.3					
	8471	21	0	58.4	58	37.4	20.9	0	58.2	58	37.3	20.7	0	57.6	58	36.9	43.5	0	56.7	57	13.4					
	8472	18.1	0	60.3	60	42.2	18.2	0	59.9	60	41.7	20.1	0	59.8	60	39.7	39.5	0	59.1	59	19.7					
	8473	48.5	0	50.8	53	4.3	53.6	0	53.4	57	2.9	53.9	0	54.7	57	3.5	54.2	0	55.6	58	3.8					
	8474	21.5	0	56.1	56	34.6	21.7	0	55.7	56	34	24.4	0	55.7	56	31.3	37.7	0	56.4	57	18.8					
	8475	28	0	58.4	58	30.4	28.1	0	58.3	58	30.2	28.3	0	58.1	58	29.8	53.6	0	58.7	60	6.3					
	8476	56.6	0	58.6	61	4.1	57.1	0	58.6	61	3.8	57.1	0	58.4	61	3.7	58.2	0	58.4	61	3.1					
	8477	52.8	0	58	59	6.4	54	0	58.1	60	5.5	54.2	0	58	60	5.3	54.7	0	57.9	60	4.9					
	8478	60.1	0	59.3	63	2.6	60.7	0	59.3	63	2.4	60.6	0	59.2	63	2.4	60.4	0	58.9	63	2.3					

TABLE A3.2.5
HS TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8479	59.3	0	49.4	60	0.4	59.6	0	49.3	60	0.4	59.5	0	49.1	60	0.4	59.2	0	48.8	60	0.4					
	8480	59.2	0	57.6	62	2.3	59.5	0	57.5	62	2.1	59.4	0	57.3	62	2.1	59.2	0	57	61	2.1					
	8481	57.5	0	52.1	59	1.1	58	0	53.7	59	1.4	58	0	54.7	60	1.7	59	0	54	60	1.2					
	8482	0	0	58.6	59	58.6	0	0	59.1	59	59.1	0	0	59.1	59	59.1	0	0	58.1	58	58.1					
	8483	18.9	0	56.7	57	37.8	18.8	0	58.3	58	39.5	18.6	0	57.9	58	39.3	40.6	0	56.9	57	16.4					
	8484	32.8	0	61.4	61	28.6	40.8	0	61.4	61	20.6	41.1	0	60.6	61	19.6	42.2	0	59.6	60	17.4					
	8485	28	0	57.4	57	29.4	28.1	0	57.1	57	29	29.8	0	56.7	57	26.9	53.5	0	55.9	58	4.4					
	8486	17.4	0	59.3	59	41.9	17.5	0	58.8	59	41.3	18.1	0	58.2	58	40.1	31.5	0	57.5	58	26					
	8487	27.7	0	58.7	59	31	27.8	0	58.7	59	30.9	28	0	58.1	58	30.1	53.2	0	58.6	60	6.5					
	8488	57.9	0	58.1	61	3.1	58.3	0	58.1	61	2.9	58.2	0	57.9	61	2.9	59.5	0	57.9	62	2.3					
	8489	52.6	0	58.3	59	6.8	53.9	0	58.3	60	5.8	54.1	0	58.2	60	5.5	54.4	0	58.3	60	5.4					
	8490	60.6	0	58.7	63	2.2	61.1	0	58.7	63	2	61.1	0	58.6	63	2	60.9	0	58.3	63	1.9					
	8491	59.6	0	0	60	0	59.9	0	0	60	0	59.8	0	0	60	0	59.6	0	0	60	0					
	8492	59.8	0	56.7	62	1.7	60.1	0	56.6	62	1.6	60	0	56.5	62	1.6	59.8	0	56.2	61	1.6					
	8493	59	0	46.2	59	0.2	59.4	0	55.1	61	1.4	59.4	0	56.6	61	1.8	59.1	0	55.6	61	1.6					
	8494	0	0	48.8	49	48.8	0	0	60	60	60	0	0	59.3	59	59.3	0	0	58.2	58	58.2					
	8495	0	0	49	49	49	0	0	58.9	59	58.9	0	0	57.8	58	57.8	0	0	56.7	57	56.7					
	8496	27.4	0	57.2	57	29.8	32.5	0	62	62	29.5	41.9	0	60.7	61	18.9	43	0	59.6	60	16.7					
	8497	27.6	0	57.6	58	30	27.6	0	57.7	58	30.1	29.2	0	56.4	56	27.2	49.1	0	55.6	57	7.4					
	8498	20.3	0	58	58	37.7	20.5	0	59.2	59	38.7	21	0	58.6	59	37.6	34.9	0	57.5	58	22.6					
	8501	53.5	0	55.7	58	4.2	54.6	0	57.9	60	4.9	54.7	0	57.6	59	4.7	55.1	0	57.3	59	4.2					
	8502	0	0	53.6	54	53.6	0	0	54.6	55	54.6	0	0	54	54	54	0	0	53.6	54	53.6					
	8503	17.2	0	53.8	54	36.6	17.2	0	54.7	55	37.5	21.8	0	54.1	54	32.3	37.2	0	53.7	54	16.6					
	8504	0	0	54.9	55	54.9	0	0	53.9	54	53.9	0	0	53.1	53	53.1	0	0	52.4	52	52.4					
	8505	23.1	0	48.9	49	25.8	23.1	0	49.9	50	26.9	24.4	0	49.5	50	25.1	32.6	0	52.8	53	20.3					
	8506	23.2	0	45.7	46	22.5	23.2	0	45.3	45	22.1	24.6	0	44.7	45	20.2	44	0	50	51	7					
	8507	23.3	0	53.9	54	30.6	23.2	0	56.2	56	33	24.6	0	56.6	57	32	44.3	0	57.4	58	13.3					
	8508	47.4	0	45.9	50	2.3	49.6	0	51.2	54	3.9	49.7	0	52.3	54	4.5	52.8	0	55.6	57	4.6					
	8509	0	0	46.6	47	46.6	0	0	46.2	46	46.2	0	0	45.5	46	45.5	0	0	51.7	52	51.7					
	8510	23.5	0	52.4	52	28.9	23.6	0	51.8	52	28.2	27.5	0	51	51	23.6	47.5	0	53.9	55	7.3					
3M	8511	0	0	54.1	54	54.1	0	0	54.7	55	54.7	0	0	53.8	54	53.8	0	0	53	53	53					
	8512	24.3	0	58.2	58	33.9	24.2	0	58.8	59	34.6	25.9	0	57.2	57	31.3	36.2	0	56.1	56	19.9					
	8513	24.4	0	61.1	61	36.7	24.4	0	59.1	59	34.7	26.2	0	57.4	57	31.2	37.5	0	56.1	56	18.6					
	8514	24.5	0	64.6	65	40.1	24.5	0	63.1	63	38.6	26.2	0	61.7	62	35.5	37.6	0	60.7	61	23.1					
	8515	42.5	0	63.7	64	21.2	54.1	0	62.7	63	9.2	54.4	0	61.9	63	8.2	54.5	0	61.2	62	7.5					
	8516	36.4	0	61.7	62	25.3	41.7	0	62.8	63	21.1	41.6	0	61.8	62	20.2	42.5	0	61.1	61	18.6					
	8517	42.6	0	58.8	59	16.3	54.6	0	61.3	62	7.6	54.9	0	61.3	62	7.3	55.1	0	61	62	6.9					
	8518	51.8	0	57.2	58	6.5	56.7	0	60.8	62	5.5	56.8	0	61.1	63	5.7	56.8	0	60.5	62	5.3					
	8519	52.5	0	57	58	5.8	53.6	0	60.4	61	7.6	53.6	0	60.6	61	7.8	53.4	0	60.1	61	7.5					
	8520	56.6	0	61.7	63	6.3	57.2	0	63.4	64	7.1	57.2	0	63.3	64	7.1	57.3	0	62.8	64	6.6					
	8521	56	0	60.8	62	6.1	56.7	0	61	62	5.7	56.9	0	60.7	62	5.3	56.9	0	60.3	62	5.1					
	8522	56	0	61.3	62	6.4	56.8	0	61.8	63	6.2	57	0	61.5	63	5.8	57	0	61	63	5.5					
	8551	55.4	0	63.9	65	9.1	56.7	0	64.7	65	8.6	57.6	0	64.6	65	7.8	58.5	0	64.1	65	6.7					
	8552	56.2	0	64.4	65	8.8	58	0	65.1	66	7.9	58.4	0	65	66	7.5	58.8	0	64.5	66	6.8					
	8553	55.4	0	59.4	61	5.4	57.2	0	61.2	63	5.5	57.2	0	60.9	63	5.3	57	0	60.4	62	5					
	8554	56.1	0	61.6	63	6.5	57.1	0	62.7	64	6.6	57.2	0	62.4	64	6.4	57.6	0	62.1	63	5.8					
	8555	55.8	0	62	63	7.1	57.6	0	64.4	65	7.6	57.6	0	64.3	65	7.5	58	0	63.8	65	6.8					
	8556	51.5	0	52.5	55	3.5	57.4	0	61.8	63	5.7	57.5	0	61.5	63	5.4	57.5	0	60.9	63	5.1					
	8557	52.6	0	64.3	65	12	51.8	0	66.5	67	14.9	53	0	65.6	66	12.8	54.3	0	65.1	65	11.1					
	8558	53.7	0	64.9	65	11.5	53.5	0	64.8	65	11.6	55.3	0	64.1	65	9.3	56.5	0	64	65	8.2					

TABLE A3.2.5
HS TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8559	53	0	68.5	69	15.7	53.2	0	67.9	68	14.8	54.2	0	66.5	67	12.5	55.3	0	65.8	66	10.9					
	8560	0	0	61.2	61	61.2	0	0	63.9	64	63.9	0	0	62.1	62	62.1	0	0	60.8	61	60.8					
	8561	0	0	61	61	61	0	0	64.8	65	64.8	0	0	63.1	63	63.1	0	0	61.9	62	61.9					
	8562	17.2	0	61.7	62	44.5	17.1	0	60.9	61	43.8	17.7	0	59.4	59	41.7	21.1	0	58.3	58	37.2					
	8563	20.7	0	45.9	46	25.2	20.6	0	45.6	46	25	22.3	0	45.9	46	23.6	37.7	0	49.8	50	12.4					
	8564	20.4	0	22.5	25	4.1	20.3	0	30.4	31	10.5	21.1	0	37	37	16	43.1	0	44.1	47	3.5					
3N	8565	41.8	0	49	50	8	42.1	0	50.4	51	8.9	42.1	0	50.3	51	8.8	47.4	0	52.8	54	6.5					
	8566	52.2	0	59	60	7.7	53.1	0	60.3	61	8	54	0	60.5	61	7.4	55.1	0	60.9	62	6.8					
	8567	0	0	49	49	49	0	0	52.1	52	52.1	0	0	52.1	52	52.1	0	0	52.2	52	52.2					
	8568	0	0	55.5	56	55.5	0	0	56.7	57	56.7	0	0	55.9	56	55.9	0	0	55.4	55	55.4					
	8569	16.1	0	56.9	57	40.8	16.1	0	57.1	57	41	16	0	56.2	56	40.2	19.9	0	55.5	56	35.6					
	8570	21.1	0	48.1	48	27	21.1	0	47	47	25.9	22.6	0	45.8	46	23.3	41.7	0	51.7	52	10.4					
	8571	16.8	0	19.5	21	4.6	16.8	0	18.6	21	4	17	0	19.4	21	4.4	25.8	0	41.7	42	16					
	8572	50.2	0	51.1	54	3.5	51.4	0	52.1	55	3.4	52.3	0	51.9	55	2.8	53.4	0	54.9	57	3.8					
	8573	39.5	0	56	56	16.6	44.6	0	57.2	57	12.8	47.4	0	57.5	58	10.5	50.7	0	59.5	60	9.3					
	8574	0	0	46.1	46	46.1	0	0	47.1	47	47.1	0	0	46.6	47	46.6	0	0	49	49	49					
	8575	0	0	53.2	53	53.2	0	0	53.8	54	53.8	0	0	53.5	54	53.5	0	0	53.1	53	53.1					
	8576	17.2	0	55.2	55	38	17.1	0	55.1	55	38	17.3	0	54.3	54	37	21.7	0	53.5	54	31.8					
	8577	21.7	0	50.7	51	29	21.6	0	53.1	53	31.5	24.1	0	52.9	53	28.8	35.2	0	52.6	53	17.5					
	8578	13.2	0	48	48	34.8	13.1	0	45.5	46	32.4	13.2	0	43.9	44	30.7	17.9	0	43.8	44	25.9					
	8579	41.6	0	54.7	55	13.3	46.9	0	56.4	57	9.9	47.2	0	56.6	57	9.9	50.2	0	56.5	57	7.2					
	8601	53.1	0	66.3	67	13.4	54.4	0	66.1	66	11.9	56.1	0	66.5	67	10.8	56.8	0	66.2	67	9.8					
	8602	53.9	0	66.8	67	13.1	55.3	0	68	68	12.9	56.7	0	66.9	67	10.6	57.4	0	66	67	9.2					
	8603	53.1	0	66.6	67	13.7	54.3	0	67.5	68	13.4	55.8	0	66.5	67	11.1	56.7	0	65.8	66	9.6					
	8604	53.1	0	68.5	69	15.5	52.5	0	68.9	69	16.5	53.1	0	67.3	67	14.3	54.1	0	66	66	12.2					
	8605	19.7	0	64.8	65	45.1	19.7	0	66.7	67	47	21.7	0	64.7	65	43	31.5	0	63.4	63	31.9					
	8606	19.6	0	66.8	67	47.2	19.6	0	67.1	67	47.5	21.6	0	65.2	65	43.6	30.6	0	63.8	64	33.2					
	8607	19.9	0	69.7	70	49.8	19.8	0	67.4	67	47.6	21.7	0	65.6	66	43.9	29.5	0	64.2	64	34.7					
	8608	0	0	66.5	67	66.5	0	0	64.2	64	64.2	0	0	62.2	62	62.2	0	0	61	61	61					
	8609	0	0	61.8	62	61.8	0	0	64.5	65	64.5	0	0	62.6	63	62.6	0	0	61.4	61	61.4					
	8610	38.1	0	51.7	52	13.8	48.9	0	60.7	61	12.1	54.7	0	61.6	62	7.7	55.2	0	62	63	7.7					
	8611	48.8	0	59.6	60	11.2	51.5	0	63.4	64	12.2	52.2	0	63.1	63	11.2	53.3	0	62.9	63	10					
	8612	19.1	0	62.5	63	43.4	19.1	0	64.9	65	45.8	19	0	63.1	63	44.1	29.4	0	61.9	62	32.5					
	8613	19.5	0	66.3	66	46.8	19.5	0	64.6	65	45.1	20.7	0	62.8	63	42.1	28.8	0	61.6	62	32.8					
	8614	19.5	0	69.6	70	50.1	19.5	0	67	67	47.5	21	0	65.1	65	44.1	27.3	0	63.8	64	36.5					
	8615	0	0	66.4	66	66.4	0	0	64.4	64	64.4	0	0	62.4	62	62.4	0	0	61.5	62	61.5					
	8616	0	0	61.3	61	61.3	0	0	64.3	64	64.3	0	0	62.4	62	62.4	0	0	61.1	61	61.1					
	8617	37.9	0	50.8	51	13.1	47	0	60.1	60	13.3	49.4	0	59.6	60	10.6	50	0	59.5	60	10					
	8618	42.2	0	51.5	52	9.8	53.3	0	61.3	62	8.7	55.6	0	62.7	64	7.9	56.4	0	62.7	64	7.2					
	8619	18.5	0	61.5	62	43	18.5	0	64.3	64	45.8	18.6	0	62.4	62	43.8	27.5	0	61.2	61	33.7					
3P	8620	19.6	0	64.9	65	45.3	19.6	0	63.3	63	43.7	21.3	0	61.4	61	40.1	37.9	0	60.2	60	22.4					
	8621	19.3	0	68.7	69	49.4	19.3	0	65.9	66	46.6	21	0	63.9	64	42.9	26.3	0	62.5	63	36.2					
	8622	0	0	66.5	67	66.5	0	0	64.3	64	64.3	0	0	62.9	63	62.9	0	0	61.9	62	61.9					
	8623	0	0	65.6	66	65.6	0	0	64.7	65	64.7	0	0	62.8	63	62.8	0	0	61.5	62	61.5					
	8624	21	0	64.1	64	43.1	20.9	0	64.2	64	43.3	20.9	0	63.9	64	43	21.1	0	63.1	63	42					
	8625	32.8	0	58.5	59	25.7	32.9	0	59.8	60	26.9	32.9	0	61.1	61	28.2	46.5	0	60.6	61	14.2					
	8626	34.9	0	49.9	50	15.1	34.9	0	60.7	61	25.8	34.8	0	60.8	61	26	49.4	0	60.1	61	11.1					
	8627	38.1	0	51.9	52	13.9	41.5	0	58.4	59	17	41.4	0	58.8	59	17.5	54.9	0	59.5	61	5.9					
	8628	42.3	0	56.4	57	14.3	52.5	0	61.3	62	9.3	52.7	0	61.8	62	9.6	55.9	0	61.3	62	6.5					
	8629	44.2	0	56	56	12	53.5	0	60.2	61	7.5	55.2	0	62.4	63	7.9	56.7	0	62.1	63	6.5					

TABLE A3.2.5
HS TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8630	18.6	0	51.6	52	33	18.5	0	54.8	55	36.3	21.6	0	54.5	55	32.9	41.1	0	54.2	54	13.3					
	8631	39	0	57.8	58	18.9	40.9	0	58.1	58	17.2	40.9	0	57.8	58	17	45.8	0	57.8	58	12.2					
	8632	35.9	0	56.5	57	20.6	43.7	0	57	57	13.5	44.5	0	56.7	57	12.5	44.6	0	56.4	57	12					
	8633	49.6	0	59.5	60	10.4	56.5	0	65.3	66	9.4	57.6	0	64.6	65	7.8	57.8	0	64	65	7.1					
	8634	49.4	0	61.2	62	12.1	55.6	0	67.2	68	11.9	57.4	0	66	67	9.1	57.8	0	65.2	66	8.1					
	8635	49.7	0	65.5	66	15.9	56	0	66.8	67	11.1	57.8	0	65.6	66	8.5	58	0	65	66	7.8					
	8636	48	0	70.4	70	22.4	55.6	0	68.6	69	13.3	57.5	0	67	68	10	57.8	0	66	67	8.8					
	8637	37.8	0	68	68	30.2	48.9	0	66.2	66	17.4	51.4	0	64.3	65	13.2	51.7	0	63.1	63	11.7					
	8638	37.2	0	66.9	67	29.7	48	0	66.6	67	18.7	50.4	0	64.9	65	14.7	51.1	0	63.8	64	12.9					
	8639	21.7	0	64.2	64	42.5	21.7	0	63.6	64	41.9	21.7	0	62.7	63	41	22	0	61.8	62	39.8					
	8651	51.5	0	54.7	56	4.9	57.3	0	61.2	63	5.4	58.4	0	63.3	65	6.1	58.7	0	63.5	65	6.1	58.9	0	63.3	64.7	5.8
	8652	48	0	55.8	57	8.5	57.2	0	65.6	66	9	58.4	0	66.3	67	8.5	58.9	0	66.1	67	8	59.2	0	65.7	66.6	7.4
	8653	44.9	0	59.4	60	14.6	52.3	0	67	67	14.9	52.4	0	66.8	67	14.5	52.4	0	66.2	66	14	52.2	0	65.6	65.8	13.6
	8654	45.8	0	64	64	18.3	52.9	0	67	67	14.2	53.2	0	66.5	67	13.5	53.2	0	65.8	66	12.9	53.3	0	65.2	65.5	12.2
	8655	34.7	0	68.5	69	33.8	44	0	68.6	69	24.7	44.8	0	67.6	68	22.8	44.9	0	66.6	67	21.7	45	0	65.8	65.8	20.8
	8656	0	0	64.5	65	64.5	0	0	65.1	65	65.1	0	0	64.6	65	64.6	0	0	63.8	64	63.8	0	0	63.3	63.3	63.3
	8657	0	0	63.9	64	63.9	0	0	64.9	65	64.9	0	0	64.5	65	64.5	0	0	63.9	64	63.9	0	0	63.2	63.2	63.2
	8658	12.3	0	63.3	63	51	12.3	0	62.7	63	50.4	12.2	0	62.3	62	50.1	12	0	61.9	62	49.9	14.8	0	61.9	61.9	47.1
	8659	44.8	0	57.8	58	13.2	52.4	0	60.9	62	9.1	53.7	0	63.4	64	10.1	54.3	0	64.2	65	10.3	54.6	0	63.8	64.3	9.7
	8660	51.3	0	59.4	60	8.7	58.4	0	61.7	63	4.9	59.5	0	64.2	66	6	59.8	0	65.1	66	6.4	59.9	0	65.1	66.3	6.4
	8661	48	0	57.8	58	10.2	57.4	0	58.9	61	3.8	59.5	0	61.3	64	4	59.8	0	62.3	64	4.5	59.8	0	62.4	64.3	4.5
	8662	47.4	0	57.9	58	10.9	55.4	0	59	61	5.1	58.8	0	61.4	63	4.5	59.1	0	62.3	64	4.9	59	0	62.6	64.1	5.1
	8663	48	0	58	58	10.4	57.6	0	60	62	4.4	60	0	63.2	65	4.9	60.3	0	64	66	5.2	60.2	0	64.2	65.6	5.4
	8664	47.6	0	49.7	52	4.2	57.9	0	56.4	60	2.3	59.8	0	60.1	63	3.2	60.1	0	61.1	64	3.6	60	0	61.2	63.7	3.7
	8665	22.7	0	60.1	60	37.4	22.6	0	58.7	59	36.1	22.5	0	61.1	61	38.6	22.7	0	61.4	61	38.7	23.1	0	60.8	60.8	37.7
3Q	8666	0	0	60.5	61	60.5	0	0	59.4	59	59.4	0	0	61	61	61	0	0	60.8	61	60.8	0	0	60	60	60
	8667	35.4	0	59.6	60	24.2	48	0	61.1	61	13.3	49.6	0	62.9	63	13.5	51.1	0	62.3	63	11.6	55.9	0	61.7	62.7	6.8
	8668	42.2	0	45.2	47	4.7	55.7	0	55.9	59	3.1	58	0	60.3	62	4.3	58.8	0	61.3	63	4.4	59.4	0	61.1	63.4	4
	8669	42.7	0	44.4	47	4	56.9	0	57.4	60	3.3	58.5	0	60.6	63	4.2	59.1	0	61.6	64	4.4	59.1	0	61.2	63.3	4.2
	8670	46.3	0	54.7	55	9	57.5	0	59.2	62	4	59.7	0	62.3	64	4.5	60.2	0	62.9	65	4.6	60.2	0	62.8	64.7	4.5
	8671	46.3	0	55.8	56	10	53.6	0	56.8	59	4.9	57.2	0	60	62	4.6	57.7	0	61	63	4.9	57.6	0	61.2	62.8	5.2
	8672	48.2	0	55.7	56	8.2	57.7	0	58.4	61	3.4	59.4	0	60.5	63	3.6	59.7	0	61.5	64	4	59.6	0	61.7	63.8	4.2
	8673	40.2	0	53.3	54	13.3	47	0	55.3	56	8.9	52.4	0	57.5	59	6.3	53	0	58	59	6.2	53.8	0	58.6	59.9	6.1
	8674	42.4	0	64.1	64	21.7	58.6	0	66.5	67	8.5	60.4	0	66.4	67	7	60.8	0	65.9	67	6.3	60.8	0	65.2	66.5	5.7
	8675	55.4	0	65.1	66	10.1	56.8	0	67.7	68	11.3	57.7	0	66.4	67	9.3	58.1	0	65.5	66	8.1	58	0	64.5	65.4	7.4
	8676	55.9	0	64.4	65	9.1	57.8	0	66.1	67	8.9	59.4	0	65.5	67	7.1	60	0	64.9	66	6.1	60.1	0	64.1	65.5	5.4
	8677	50.8	0	57.1	58	7.2	57.2	0	69.9	70	12.9	58	0	68.4	69	10.8	59.1	0	67.4	68	8.9	59.1	0	66.5	67.2	8.1
	8678	0	0	59.2	59	59.2	0	0	66.3	66	66.3	0	0	65.3	65	65.3	0	0	64.1	64	64.1	0	0	63.1	63.1	63.1
	8679	24.2	0	56.6	57	32.4	24.2	0	67.7	68	43.5	24.1	0	66.3	66	42.2	23.9	0	65	65	41.1	24.3	0	64.1	64.1	39.8
	8680	0	0	51.8	52	51.8	0	0	65.3	65	65.3	0	0	64.4	64	64.4	0	0	63.2	63	63.2	0	0	62.3	62.3	62.3
	8681	0	0	42.5	43	42.5	0	0	56.8	57	56.8	0	0	56.6	57	56.6	0	0	55.5	56	55.5	0	0	54.7	54.7	54.7
	8701	0	0	54.2	54	54.2	0	0	58.5	59	58.5	0	0	57.5	58	57.5	0	0	56.7	57	56.7	0	0	56	56	56
	8702	0	0	60.8	61	60.8	0	0	67.4	67	67.4	0	0	65.9	66	65.9	0	0	64.7	65	64.7	0	0	63.8	64	63.8
	8703	30.3	0	63.4	63	33.1	40.9	0	68.9	69	28	47.1	0	67.3	67	20.3	47.7	0	66.1	66	18.5	49.5	0	65.1	65	15.7
	8704	0	0	64	64	64	0	0	67.6	68	67.6	0	0	65.9	66	65.9	0	0	64.7	65	64.7	0	0	63.7	64	63.7
	8705	43.9	0	64.1	64	20.2	51.4	0	70.1	70	18.8	53.3	0	68.7	69	15.5	54.7	0	67.6	68	13.1	56.5	0	66.7	67	10.6
	8706	39.9	0	52.6	53	12.9	51.6	0	66.2	66	14.7	53.2	0	65.9	66	12.9	54.1	0	64.9	65	11.1	54.7	0	64	65	9.8
	8707	45.2	0	57.4	58	12.4	51	0	68.6	69	17.7	51.9	0	67.4	68	15.6	51.6	0	66.3	66	14.8	51.3	0	65.4	66	14.2
	8708	0	0	58.2	58	58.2	0	0	67.7	68	67.7	0	0	66.2	66	66.2	0	0	65.1	65	65.1	0	0	64.2	64	64.2
	8709	55.2	0	62.7	63	8.2	59.1	0	70.6	71	11.7	59.5	0	69.1	70	10.1	59.9	0	68	69	8.7	60	0	67	68	7.8

TABLE A3.2.5
HS TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
3R	8710	55.5	0	58.5	60	4.8	59.8	0	68	69	8.8	60	0	66.6	68	7.5	60.3	0	65.4	67	6.3	60.3	0	64.4	66	5.6
	8711	54.8	0	59.5	61	5.9	58.6	0	68.2	69	10	58.9	0	67.2	68	8.9	59.3	0	66	67	7.6	59.5	0	65.1	66	6.7
	8712	52.9	0	58	59	6.3	58.3	0	68.2	69	10.3	58.6	0	67	68	9	58.8	0	65.8	67	7.8	59.2	0	64.9	66	6.7
	8713	30.8	0	47	47	16.3	30.6	0	61.7	62	31.1	30.3	0	60.4	60	30.1	29.9	0	59.2	59	29.3	29.7	0	59	59	29.3
	8714	49.8	0	48.6	52	2.4	51.6	0	62.6	63	11.4	51.6	0	61.9	62	10.7	51.4	0	60.8	61	9.8	51.3	0	59.9	61	9.2
	8715	49.7	0	56.4	57	7.5	57.2	0	66.4	67	9.7	57.6	0	65.4	66	8.5	57.5	0	64.3	65	7.6	58	0	63.4	65	6.5
	8716	48.9	0	60.9	61	12.2	55.2	0	68.3	69	13.3	55.4	0	67.1	67	11.9	55.5	0	66	66	10.9	56.4	0	65.2	66	9.3
	8717	43.4	0	50.8	52	8.1	48.8	0	64.8	65	16.1	48.8	0	63.4	64	14.8	48.7	0	62.1	62	13.6	48.6	0	61.2	62	12.9
	8718	44.4	0	53.1	54	9.2	52.3	0	65.7	66	13.6	52.8	0	64.4	65	11.9	52.8	0	63.4	64	11	53.7	0	62.6	63	9.4
	8719	48.8	0	60.8	61	12.2	55	0	68.1	68	13.3	54.9	0	66.4	67	11.8	55.3	0	65.3	66	10.4	55.8	0	64.4	65	9.2
	8720	56.4	0	59.5	61	4.8	57.8	0	64.9	66	7.9	57.1	0	63.3	64	7.1	56.7	0	62	63	6.4	56.3	0	61.1	62	6
3S	8751	39.5	0	60	60	20.5	49.8	0	63.5	64	13.9	49.8	0	62.5	63	12.9	49.5	0	61.6	62	12.4	49.8	0	61	61	11.5
	8752	37.3	0	60.8	61	23.5	48	0	62.6	63	14.8	48	0	61.8	62	14	47.7	0	61.2	61	13.7	47.4	0	60.6	61	13.4
	8753	38.9	0	63.1	63	24.2	43.6	0	62.4	63	18.9	47	0	61.3	62	14.5	47.1	0	60.5	61	13.6	51.2	0	59.9	61	9.3
	8754	37.4	0	49.4	50	12.2	42.7	0	56.7	57	14.2	45.5	0	55	56	10	46	0	53.8	55	8.5	52.2	0	54.1	56	4.1
	8755	39.5	0	42.4	44	4.7	48.6	0	53.9	55	6.4	48.6	0	52	54	5	48.3	0	50.8	53	4.4	53.2	0	51.4	55	2.2
	8756	47.7	0	56.2	57	9	54.6	0	57.6	59	4.8	54.5	0	57	59	4.5	54.3	0	56.3	58	4.1	55.9	0	56	59	3.1
	8757	38.8	0	57.8	58	19.1	49.4	0	57.5	58	8.7	49.3	0	57.1	58	8.5	49.1	0	56.5	57	8.1	48.9	0	56.2	57	8
	8758	53	0	65.4	66	12.6	56.7	0	63.1	64	7.3	56.7	0	61.5	63	6.1	56.6	0	60.5	62	5.4	57.2	0	60	62	4.6
	8759	54.5	0	62.3	63	8.5	57.4	0	63.8	65	7.3	57.4	0	61.9	63	5.8	57.3	0	60.9	63	5.2	57.5	0	60.4	62	4.7
	8760	56	0	62.9	64	7.7	58.4	0	64.4	65	7	58.1	0	62.6	64	5.8	57.8	0	61.4	63	5.2	57.6	0	60.9	63	5
	8761	37.5	0	54.9	55	17.5	47.5	0	54.3	55	7.6	48.3	0	54.6	56	7.3	48.3	0	55	56	7.5	50.8	0	55.2	57	5.8
	8762	0	0	55.7	56	55.7	0	0	54.7	55	54.7	0	0	55.3	55	55.3	0	0	55.6	56	55.6	0	0	55.8	56	55.8
	8763	31.3	0	55.2	55	23.9	40	0	53.9	54	14.1	43.9	0	53.5	54	10.1	44.4	0	54.8	55	10.8	44.8	0	55.4	56	10.9
3T	8801	67	0	49.2	67	0.1	67.4	0	50.5	68	0.1	67	0	52.8	67	0.2	66.4	0	53.7	67	0.3	65.9	0	55.1	66	0.4
	8802	66.8	0	53.4	67	0.2	67.8	0	60.3	69	0.7	67.3	0	61.3	68	1	66.7	0	61.3	68	1.1	66.1	0	61.5	67	1.3
	8803	61.8	0	53.5	62	0.6	65	0	60.8	66	1.4	65	0	62.3	67	1.9	64.5	0	62.2	67	2	64	0	62.1	66	2.1
	8804	45.3	0	57.9	58	12.8	58.9	0	63.8	65	6.1	59.9	0	65.6	67	6.7	59.4	0	65.2	66	6.8	58.8	0	64.9	66	7.1
	8805	42.6	0	61	61	18.4	51	0	66.7	67	15.8	58.5	0	66.1	67	8.3	58.3	0	65.4	66	7.9	57.9	0	65.1	66	8
	8806	0	0	67.4	67	67.4	0	0	66.6	67	66.6	0	0	65.1	65	65.1	0	0	64.2	64	64.2	0	0	63.6	64	63.6
	8807	0	0	67.5	68	67.5	0	0	66.3	66	66.3	0	0	65.1	65	65.1	0	0	64.3	64	64.3	0	0	63.8	64	63.8
	8808	0	0	68.8	69	68.8	0	0	66.6	67	66.6	0	0	65	65	65	0	0	64.1	64	64.1	0	0	63.5	64	63.5
	8809	29.7	0	59.6	60	29.9	29.5	0	59.3	59	29.8	29.3	0	57.6	58	28.4	29	0	56.7	57	27.7	35.8	0	56	56	20.2
	8810	0	0	54.6	55	54.6	0	0	61	61	61	0	0	59.8	60	59.8	0	0	59.2	59	59.2	0	0	59.1	59	59.1
	8811	0	0	55.2	55	55.2	0	0	61.7	62	61.7	0	0	60.5	61	60.5	0	0	59.9	60	59.9	0	0	59.7	60	59.7
	8812	0	0	59.3	59	59.3	0	0	62.4	62	62.4	0	0	61.3	61	61.3	0	0	60.7	61	60.7	0	0	60.5	61	60.5
	8813	43.1	0	64.5	65	21.5	45	0	63.4	64	18.5	45.4	0	62.3	62	17	45.4	0	61.8	62	16.5	45.4	0	61.5	62	16.2
	8814	29.7	0	59.4	59	29.7	29.5	0	59.3	59	29.8	29.3	0	57.9	58	28.6	30.9	0	57.4	57	26.5	54	0	57.2	59	4.9
	8815	0	0	54	54	54	0	0	58.9	59	58.9	0	0	58.2	58	58.2	0	0	58	58	58	0	0	59.3	59	59.3
	8816	0	0	51.9	52	51.9	0	0	56.5	57	56.5	0	0	56.1	56	56.1	0	0	56.1	56	56.1	0	0	56.4	56	56.4
	8817	0	0	54.7	55	54.7	0	0	58.4	58	58.4	0	0	57.5	58	57.5	0	0	56.7	57	56.7	0	0	56.2	56	56.2
	8818	42.1	0	65.3	65	23.2	43	0	63.7	64	20.7	43.1	0	62.3	62	19.2	43.2	0	61.3	61	18.2	43.2	0	60.7	61	17.6
	8819	29.6	0	63.5	64	33.9	29.4	0	64.5	65	35.1	29.2	0	62.9	63	33.7	29.1	0	61.9	62	32.8	29.7	0	61.1	61	31.4
	8820	16.3	0	62.7	63	46.4	16.3	0	64.6	65	48.3	16.3	0	63.1	63	46.8	16.2	0	62.1	62	45.9	20.3	0	61.3	61	41
	8821	61.9	0	61.6	65	2.8	62.9	0	63.5	66	3.3	62.4	0	62.2	65	2.9	62	0	61.1	65	2.6	61.5	0	60.4	64	2.5
	8822	65.9	0	56.4	66	0.5	65.5	0	58.3	66	0.8	65	0	59.1	66	1	64.4	0	58.5	65	1	63.9	0	58	65	1
	8823	68.2	0	49.9	68	0.1	67.8	0	51.7	68	0.1	67.2	0	53.1	67	0.1	66.6	0	53.9	67	0.2	66	0	54	66	0.2
	8824	68.9	0	52.8	69	0.1	68.7	0	58	69	0.3	68.1	0	58.3	69	0.4	67.4	0	58.5	68	0.6	66.8	0	58.8	67	0.6
	8825	67	0	45.7	67	0	67	0	56.7	67	0.4	66.5	0	57.1	67	0.5	66	0	57.4	67	0.5	65.4	0	57.6	66	0.7
	8851	65.3	0	56.9	66	0.6	64.8	0	57.6	66	0.7	64.1	0	57.4	65	0.9	63.5	0	57	64	0.9	62.9	0	58	64	1.2

TABLE A3.2.5
HS TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
3V	8852	67.9	0	45.6	68	0	67.4	0	54.1	68	0.2	66.8	0	54.4	67	0.2	66.1	0	54.8	67	0.4	65.6	0	55.3	66	0.4
	8853	68.9	0	51.3	69	0.1	68.6	0	57.5	69	0.3	67.9	0	57.6	68	0.4	67.3	0	57.9	68	0.5	66.7	0	57.8	67	0.5
	8854	67.1	0	40.7	67	0	67.3	0	52.8	67	0.1	66.7	0	52.3	67	0.1	66.1	0	51.9	66	0.1	65.5	0	51.8	66	0.2
	8855	0	0	61.9	62	61.9	0	0	65.6	66	65.6	0	0	63.9	64	63.9	0	0	62.7	63	62.7	0	0	61.7	62	61.7
	8856	0	0	70.3	70	70.3	0	0	68.2	68	68.2	0	0	66.5	67	66.5	0	0	65.5	66	65.5	0	0	64.7	65	64.7
	8857	44.1	0	60.7	61	16.7	44.8	0	67.1	67	22.3	45.4	0	65.6	66	20.3	46	0	64.8	65	18.8	46.2	0	64.1	64	17.9
	8858	64.5	0	32.6	65	0	64.7	0	32.4	65	0	64.1	0	31.5	64	0	63.6	0	30.6	64	0	63	0	29.8	63	0
	8859	68	0	48.4	68	0	68.2	0	55.7	68	0.2	67.5	0	56.4	68	0.4	66.9	0	56.5	67	0.4	66.3	0	56.5	67	0.4
	8860	67.7	0	32.3	68	0	67.5	0	34.9	68	0	66.9	0	39.1	67	0	66.2	0	45.7	66	0.1	65.6	0	48.1	66	0.1
	8861	0	0	44.1	44	44.1	0	0	55.1	55	55.1	0	0	60.2	60	60.2	0	0	59.5	60	59.5	0	0	59	59	59
	8862	34.7	0	53.7	54	19.1	46.6	0	64.7	65	18.2	46.7	0	65.7	66	19	46.7	0	65.1	65	18.4	46.7	0	64.4	65	17.8
	8863	0	0	51.4	51	51.4	0	0	61.8	62	61.8	0	0	64.4	64	64.4	0	0	63.8	64	63.8	0	0	63.1	63	63.1
	8864	0	0	48.7	49	48.7	0	0	59.9	60	59.9	0	0	63.4	63	63.4	0	0	62.8	63	62.8	0	0	62.1	62	62.1
	8865	33.4	0	57.9	58	24.5	45.5	0	67.1	67	21.7	46.1	0	67	67	20.9	46.6	0	66.2	66	19.6	47	0	65.5	66	18.5
	8866	51.4	0	59.7	60	8.9	53.3	0	67.6	68	14.5	54.2	0	66.9	67	13	56.9	0	66	67	9.6	57.7	0	65.2	66	8.2
	8867	31.7	0	60.6	61	28.9	41.4	0	66.6	67	25.2	42.7	0	66.6	67	24	43.5	0	65.7	66	22.3	44.4	0	64.9	65	20.6
	8868	60.3	0	63.5	65	4.9	62.6	0	69.2	70	7.4	62.8	0	68.2	69	6.5	63	0	67.1	69	5.5	63.1	0	66.2	68	4.9
	8869	60.5	0	54.7	62	1	62.8	0	65.4	67	4.5	62.8	0	63.8	66	3.5	62.8	0	62.6	66	2.9	62.6	0	61.6	65	2.5
	8870	58.2	0	55.3	60	1.8	60.4	0	66.8	68	7.3	60.8	0	66	67	6.4	61.3	0	65	67	5.3	61.2	0	64.2	66	4.8
	8871	50.9	0	57.8	59	7.7	53.2	0	67.1	67	14	56	0	66.3	67	10.7	57.9	0	65.4	66	8.2	58	0	64.6	65	7.4
	8872	30.3	0	58.6	59	28.3	37	0	66.2	66	29.2	47.8	0	65.4	66	17.7	49.5	0	64.5	65	15.2	50.9	0	63.7	64	13.1
	8873	63.5	0	60.3	65	1.7	64.2	0	68.9	70	6	64.2	0	67.7	69	5.1	64	0	66.7	69	4.6	63.8	0	65.9	68	4.2
	8874	67.5	0	55.9	68	0.3	67.8	0	64.7	70	1.8	67.4	0	63.3	69	1.4	66.9	0	62.1	68	1.2	66.4	0	61.1	68	1.1
	8875	65.6	0	59	67	0.9	65.6	0	66.4	69	3.4	65.3	0	65.6	68	3.1	65.1	0	64.6	68	2.8	64.8	0	63.8	67	2.5
	8876	70	0	60.3	71	0.5	69.8	0	63.4	71	0.9	69.2	0	62.7	70	0.8	68.6	0	61.7	69	0.8	68	0	61	69	0.8
	8877	67.7	0	51.8	68	0.1	67.5	0	53.5	68	0.1	66.7	0	53.6	67	0.2	66	0	53.6	66	0.2	65.3	0	53.9	66	0.3
	8878	69.1	0	54.4	69	0.2	68.9	0	56	69	0.3	68.3	0	55.4	69	0.2	67.6	0	55	68	0.2	66.9	0	54.9	67	0.3

TABLE A3.2.6
KTAC TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
4B	8051	49.7	0	62.6	63	13.1	52.7	0	64.9	65	12.5	52.9	0	66.7	67	14	53	0	67.2	67	14.4	52.9	0	67.3	67	14.5
	8052	55.3	0	64.4	65	9.6	58.5	0	66.7	67	8.8	59.7	0	68.2	69	9.1	63.2	0	68.7	70	6.6	64.4	0	68.7	70	5.7
	8053	55.4	0	62.5	63	7.9	58.4	0	64.6	66	7.2	59.2	0	66	67	7.6	62.6	0	66.5	68	5.4	63.4	0	66.5	68	4.8
	8054	54.7	0	64.2	65	10	57.9	0	66.5	67	9.1	58.7	0	68	69	9.8	61.9	0	68.4	69	7.4	61.9	0	68.4	69	7.4
	8055	52.1	0	63.7	64	11.9	55	0	65.9	66	11.2	55.2	0	67.5	68	12.5	55.2	0	67.8	68	12.9	55.1	0	67.8	68	13
	8056	0	0	60.3	60	60.3	0	0	62.8	63	62.8	0	0	64.5	65	64.5	0	0	64.8	65	64.8	0	0	64.8	65	64.8
	8057	55.6	0	65	66	9.9	58.5	0	67.2	68	9.3	60.7	0	68.8	69	8.7	64.7	0	69.1	70	5.7	64.9	0	69.2	71	5.6
	8058	55.5	0	62.8	64	8	61	0	65.3	67	5.7	63.8	0	66.7	69	4.7	67.1	0	67.2	70	3.1	67.7	0	67.6	71	2.9
	8059	45.7	0	64	64	18.3	56.4	0	66.5	67	10.5	61.5	0	68.3	69	7.6	65.4	0	68.7	70	5	65.5	0	68.8	71	5
	8060	61.6	0	64.1	66	4.5	66	0	67.2	70	3.6	68.6	0	68.6	72	3	70.4	0	69.3	73	2.5	70.6	0	69.5	73	2.5
	8061	62.4	0	63.1	66	3.4	65.5	0	64.8	68	2.7	67.7	0	66.1	70	2.3	68.5	0	66.7	71	2.2	68.7	0	66.9	71	2.2
	8062	62.2	0	62.9	66	3.4	65.4	0	64.6	68	2.6	67.9	0	65.8	70	2.1	69.1	0	66.7	71	2	69.6	0	67.2	72	2
	8063	61.6	0	62.5	65	3.5	64.9	0	64.2	68	2.7	67.8	0	65.6	70	2.1	69	0	66.7	71	2	69.7	0	67.1	72	1.9
	8064	60.7	0	61.4	64	3.4	64.1	0	63.2	67	2.6	67.1	0	64.5	69	1.9	67.7	0	65.7	70	2.1	67.9	0	66	70	2.2
	8065	61.2	0	61.9	65	3.3	64.3	0	63.6	67	2.7	66.6	0	64.4	69	2	67.5	0	65.6	70	2.2	68.1	0	66	70	2.1
	8066	36.1	0	60.6	61	24.5	38.4	0	62.6	63	24.3	43.7	0	64.4	64	20.7	50.2	0	65.2	65	15.1	52.1	0	65.3	66	13.4
4C	8101	48.9	0	57.7	58	9.3	58.8	0	61.9	64	4.8	63	0	61.9	66	2.5	64.4	0	61.9	66	2					
	8102	52.8	0	60.4	61	8.3	58.6	0	62.1	64	5.1	62.8	0	62	65	2.6	64.5	0	62.3	67	2.1					
	8103	55.2	0	65.1	66	10.3	58.3	0	63.8	65	6.6	61.9	0	62.9	66	3.6	63.8	0	62.8	66	2.5					
	8104	0	0	60.2	60	60.2	0	0	58.2	58	58.2	0	0	55.9	56	55.9	0	0	54.4	54	54.4					
	8105	15.4	0	58.5	59	43.1	15.4	0	57.3	57	41.9	15.2	0	56.5	57	41.3	15.3	0	55.2	55	39.9					
	8106	0	0	55	55	55	0	0	54.3	54	54.3	0	0	54.6	55	54.6	0	0	53.7	54	53.7					
	8107	53.5	0	57.5	59	5.4	55.7	0	57	59	3.7	58.8	0	56.7	61	2.1	60.5	0	56.7	62	1.5					
	8108	51.7	0	57	58	6.4	54.6	0	59	60	5.7	58.2	0	58.5	61	3.2	60.2	0	58.4	62	2.2					
	8109	55.7	0	59.2	61	5.1	57.3	0	60.9	63	5.2	59.9	0	60.7	63	3.4	61.3	0	60.9	64	2.8					
	8110	55.5	0	63.5	64	8.6	56.9	0	62.5	64	6.7	59	0	61.9	64	4.7	60.6	0	61.8	64	3.6					
	8111	0	0	53.5	54	53.5	0	0	56.8	57	56.8	0	0	55.1	55	55.1	0	0	53.9	54	53.9					
	8112	0	0	55	55	55	0	0	57.2	57	57.2	0	0	55.9	56	55.9	0	0	54.8	55	54.8					
	8113	0	0	56.6	57	56.6	0	0	55.7	56	55.7	0	0	54.6	55	54.6	0	0	53.6	54	53.6					
4E	8153	62.4	0	63.3	66	3.5	66.6	0	65.6	69	2.5	69.5	0	68.2	72	2.4	70.4	0	69.1	73	2.4	70.7	0	69.3	73	2.4
	8154	57.3	0	57.3	60	3	63	0	60.7	65	2	67.4	0	65.5	70	2.2	68	0	66.9	71	2.5	68.2	0	67.1	71	2.5
	8155	62.4	0	61.5	65	2.6	66.4	0	64.2	68	2	69	0	67	71	2.1	69.6	0	68.1	72	2.3	69.8	0	68.3	72	2.3
	8156	58	0	58.3	61	3.1	63.3	0	62.1	66	2.4	67.1	0	65.8	70	2.4	67.9	0	67	71	2.6	68.4	0	67.3	71	2.5
	8157	52.5	0	54.1	56	3.9	60.5	0	58.7	63	2.2	65.7	0	64.1	68	2.3	66.2	0	65.2	69	2.6	66.7	0	65.5	69	2.5
	8158	62.9	0	62.4	66	2.8	66.6	0	66	69	2.7	70.1	0	68.7	73	2.4	70.7	0	69.5	73	2.4	71	0	69.6	73	2.4
	8159	62.8	0	62.5	66	2.9	65.7	0	65.6	69	2.9	67.8	0	66.6	70	2.4	68.4	0	66.9	71	2.3	68.6	0	67	71	2.3
	8160	62.5	0	62.2	65	2.9	65.4	0	65.3	68	2.9	68.1	0	66.9	71	2.4	68.8	0	67.7	71	2.5	69	0	67.8	72	2.5
	8161	58.3	0	60.7	63	4.4	61.9	0	64	66	4.2	67	0	66.6	70	2.8	67.9	0	67.5	71	2.8	68.3	0	67.7	71	2.7
	8162	51	0	56.6	58	6.7	58.2	0	58.3	61	3.1	65.6	0	63.5	68	2.1	66.1	0	65	69	2.5	66.4	0	65.4	69	2.5
	8163	63.8	0	65.4	68	3.9	67	0	67.6	70	3.3	70.4	0	69.1	73	2.4	70.9	0	69.7	73	2.5	71.1	0	69.8	74	2.4
	8164	63.1	0	65	67	4	65.8	0	66.5	69	3.4	68.1	0	66.8	71	2.4	68.7	0	67.1	71	2.3	68.8	0	67.1	71	2.3
	8165	63.2	0	65.5	68	4.3	66.2	0	66.9	70	3.4	69	0	67.6	71	2.4	69.6	0	68.1	72	2.3	69.8	0	68.2	72	2.3
	8166	61.7	0	67.5	69	6.8	64	0	66.2	68	4.3	67.5	0	66	70	2.3	68.1	0	66.3	70	2.2	68.3	0	66.3	70	2.1
	8167	0	0	60.6	61	60.6	0	0	58.5	59	58.5	0	0	56.3	56	56.3	0	0	54.7	55	54.7	0	0	53.6	54	53.6
	8168	35.4	0	59.7	60	24.3	44.6	0	59.3	60	14.9	55.5	0	57.8	60	4.3	56.3	0	57.4	60	3.6	56.4	0	56.9	60	3.2
	8169	61.7	0	62.6	65	3.5	65	0	64.6	68	2.8	66.5	0	65.7	69	2.6	67.6	0	66.5	70	2.5	68.4	0	66.7	71	2.2
	8170	59.1	0	60.3	63	3.7	62.3	0	62.5	65	3.1	63.5	0	63.4	67	3	65.3	0	64	68	2.4	66.2	0	64.2	68	2.2
4F	8201	57	0	61.4	63	5.8	58.3	0	63.1	64	6.1	59.9	0	62.2	64	4.3	60.6	0	61.3	64	3.4					
	8202	57.4	0	66	67	9.2	58.1	0	65.7	66	8.3	58.8	0	64	65	6.3	59.4	0	62.9	65	5.1					
	8203	0	0	59.9	60	59.9	0	0	61.9	62	61.9	0	0	60.6	61	60.6	0	0	59.5	60	59.5					
4K	8261	54.7	0	61.2	62	7.4	57.4	0	63.6	65	7.1	61.3	0	62.6	65	3.7	62.7	0	62.3	66	2.8	63.2	0	62.2	66	2.6
	8262	56.1	0	64.8	65	9.3	58.4	0	65.1	66	7.5	60	0	63.7	65	5.3	61	0	63.2	65	4.2	61.4	0	62.9	65	3.9
	8263	57.4	0	67.2	68	10.2	59.5	0	65	66	6.6	61.1	0	63.7	66	4.5	62.2	0	63.1	66	3.5	62.8	0	62.8	66	3
	8264	56.2	0	70.1	70	14.1	58.4	0	66.7	67	8.9	60.3	0	64.7	66	5.8	61.1	0	63.8	66	4.6	61.4	0	63.3	65	4
	8266	20.3	0	64.5	65	44.2	20.2	0	63	63	42.8	20.3	0	61.8	62	41.5	20.3	0	60.4	60	40.1	23	0	59.3	59	36.3
	8267	0	0	61.1	61	61.1	0	0	60.4	60	60.4	0	0	60.8	61	60.8	0	0	59.6	60	59.6	0	0	58.6	59	58.6
	8268	35.8	0	55.1	55	19.3	36.5	0	55.7	56	19.3	44.1	0	55.7	56	11.9	58.2	0	59.7	62	3.8	58.9	0	60.1	63	3.6
	8269	46.4	0	54.5	55	8.7	47.9	0	57.4	58	10	52.2	0	57.3	59	6.3	60.5	0	59.5	63	2.5	61	0	60.1	64	2.6

TABLE A3.2.6
KTAC TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8270	51.1	0	56.3	57	6.3	53.3	0	60.9	62	8.3	54.3	0	61.9	63	8.3	59.1	0	62.2	64	4.8	59.4	0	62.1	64	4.6
	8271	0	0	56.3	56	56.3	0	0	58.6	59	58.6	0	0	58.1	58	58.1	0	0	57.7	58	57.7	0	0	56.9	57	56.9
	8272	13.3	0	57.5	58	44.2	13.2	0	58	58	44.8	13.2	0	57.6	58	44.4	13.3	0	58.2	58	44.9	15.8	0	57.9	58	42.1
	8281	59.8	0	63	65	4.9	65.7	0	66	69	3.2	70.3	0	69	73	2.4	70.9	0	69.9	73	2.5	71	0	69.9	74	2.5
	8282	54.3	0	57.5	59	4.9	62	0	58.3	64	1.6	68.2	0	63.7	70	1.3	68.6	0	65.8	70	1.8	68.7	0	66.1	71	1.9
	8283	58.8	0	59.6	62	3.4	64.8	0	61.8	67	1.8	69	0	66.1	71	1.8	69.6	0	67.4	72	2	69.7	0	67.6	72	2.1
	8284	59.1	0	60.1	63	3.5	64.5	0	62.1	67	2	68	0	63.3	69	1.2	68.2	0	64.6	70	1.6	68.3	0	65.1	70	1.7
	8285	56.2	0	58.2	60	4.1	62.3	0	61.4	65	2.5	65.9	0	65.5	69	2.8	66.7	0	66.5	70	2.9	67.2	0	66.8	70	2.8
	8286	61.5	0	60.5	64	2.5	65.5	0	63	68	2	68.9	0	67	71	2.2	69.5	0	68.2	72	2.4	69.7	0	68.4	72	2.4
	8287	51.7	0	56.3	58	5.9	61.3	0	59.8	64	2.3	66.3	0	65.6	69	2.7	67.1	0	67.1	70	3	67.3	0	67.1	70	2.9
4L	8288	64.3	0	66.4	69	4.2	68.3	0	66.9	71	2.4	71	0	69.1	73	2.2	71.4	0	69.8	74	2.3	71.4	0	69.8	74	2.3
	8289	64.1	0	67.1	69	4.7	66.7	0	66.8	70	3	69	0	66.6	71	2	69.2	0	66.5	71	1.8	69.2	0	66.3	71	1.8
	8290	63.3	0	67.2	69	5.4	66.5	0	66.3	69	2.9	69.6	0	66.5	71	1.7	70.1	0	67.3	72	1.8	70.2	0	67.3	72	1.8
	8291	62	0	70.1	71	8.8	65.1	0	67.5	70	4.4	68.1	0	66	70	2.1	68.6	0	65.4	70	1.7	68.6	0	65.1	70	1.6
	8292	0	0	65.5	66	65.5	0	0	63.4	63	63.4	0	0	61.2	61	61.2	0	0	59.7	60	59.7	0	0	58.5	59	58.5
	8293	23.8	0	64.5	65	40.7	23.9	0	64	64	40.1	23.9	0	62.2	62	38.3	23.9	0	60.8	61	36.9	26	0	59.8	60	33.8
	8294	0	0	59.9	60	59.9	0	0	61.7	62	61.7	0	0	60.3	60	60.3	0	0	59.1	59	59.1	0	0	58	58	58
	8295	60.3	0	62.8	65	4.5	64.3	0	65.5	68	3.7	67.6	0	67.5	71	3	68.4	0	68.3	71	2.9	68.7	0	68.4	72	2.8
	8296	59.9	0	62.8	65	4.7	63.5	0	65.6	68	4.2	65.6	0	67.1	69	3.8	66.5	0	67.4	70	3.5	66.8	0	67.4	70	3.3
	8301	0	0	62.2	62	62.2	0	0	62.2	62	62.2	0	0	60.7	61	60.7	0	0	59.5	60	59.5	0	0	58.4	58	58.4
	8302	45.5	0	64.7	65	19.3	53	0	64	64	11.3	55	0	62.8	63	8.4	55.1	0	61.8	63	7.6	55.9	0	61.2	62	6.4
	8303	0	0	64.9	65	64.9	0	0	62.7	63	62.7	0	0	60.6	61	60.6	0	0	59.1	59	59.1	0	0	57.9	58	57.9
	8304	59.5	0	69.9	70	10.8	62.7	0	68	69	6.4	66.4	0	67.8	70	3.8	67.1	0	68.1	71	3.5	67.3	0	67.9	71	3.3
	8305	63.4	0	68	69	5.9	66.8	0	67.4	70	3.3	70.8	0	68.2	73	1.9	71.3	0	68.9	73	2	71.4	0	69	73	2
	8306	62.4	0	67.4	69	6.2	64.7	0	67.3	69	4.5	67.5	0	68.1	71	3.3	68	0	68.4	71	3.2	68.1	0	68.1	71	3
	8307	63.7	0	69.1	70	6.5	66.8	0	68.3	71	3.8	71.1	0	69.3	73	2.2	71.6	0	69.8	74	2.2	71.7	0	69.7	74	2.1
	8308	47.4	0	63.3	63	16	59.7	0	61.5	64	4	68	0	62.5	69	1.1	68.5	0	63.8	70	1.3	68.8	0	63.9	70	1.2
	8309	62.3	0	65.7	67	5.1	65.4	0	66.1	69	3.4	69.9	0	66.9	72	1.7	70.5	0	67.4	72	1.7	70.8	0	67.4	72	1.6
	8310	47.1	0	59.7	60	12.8	58.2	0	59	62	3.4	67.2	0	60.3	68	0.8	68	0	61.9	69	0.9	68.4	0	62.3	69	0.9
	8311	61	0	64	66	4.8	63.4	0	65.1	67	4	66.6	0	65.6	69	2.5	67.2	0	66.3	70	2.6	67.4	0	66.3	70	2.5
4M	8312	60.6	0	65.6	67	6.2	64.8	0	65.9	68	3.6	70.3	0	67.1	72	1.7	71	0	68	73	1.8	71.2	0	68.1	73	1.8
	8313	58.4	0	65.4	66	7.8	62.3	0	65.5	67	4.9	68	0	66.8	71	2.5	68.5	0	67.7	71	2.6	68.6	0	67.7	71	2.6
	8314	59.3	0	69	70	10.2	65.2	0	67.9	70	4.5	70.7	0	68.9	73	2.2	71.4	0	69.3	74	2.1	71.6	0	69.2	74	2
	8315	50.1	0	64.5	65	14.5	62.4	0	63.3	66	3.5	66.4	0	63.6	68	1.8	67.2	0	63.1	69	1.4	67.8	0	62.7	69	1.1
	8316	58	0	65.8	67	8.5	65	0	65.8	69	3.5	69.4	0	66.7	71	1.9	70.2	0	66.9	72	1.7	70.6	0	66.9	72	1.5
	8317	50.7	0	62.7	63	12.2	62.9	0	62.8	66	3	66	0	63.2	68	1.8	66.9	0	62.6	68	1.4	67.5	0	62.1	69	1.1
	8318	54.5	0	61.7	63	8	60	0	62.1	64	4.2	67	0	64.3	69	1.9	67.8	0	65.2	70	1.9	67.9	0	65.4	70	2
	8319	58.4	0	64.9	66	7.4	65.1	0	64.7	68	2.8	69.9	0	66.7	72	1.7	70.7	0	67.5	72	1.7	71.1	0	67.5	73	1.6
	8320	50.5	0	63	63	12.7	61.8	0	61.7	65	3	68.5	0	65.5	70	1.8	69.2	0	66.9	71	2	69.4	0	67	71	2
	8321	59.8	0	68.3	69	9	65.7	0	67	69	3.7	70.3	0	68.2	72	2.1	71	0	68.7	73	2	71.3	0	68.6	73	1.9
	8322	59.5	0	65.9	67	7.3	62.1	0	65.3	67	4.9	64.2	0	64.3	67	3.1	65.3	0	63.6	68	2.2	66	0	63	68	1.8
	8323	61.4	0	66.3	68	6.1	64.9	0	65.9	68	3.5	68.8	0	65.6	71	1.7	69.7	0	66	71	1.6	70.1	0	66.1	72	1.5
	8324	59.7	0	64.9	66	6.3	61.9	0	64.7	67	4.6	64.1	0	63.9	67	2.9	65.4	0	63.2	67	2	66.1	0	62.7	68	1.6
	8331	62.8	0	65.6	67	4.6	65.1	0	65.3	68	3.1	68.6	0	65.8	70	1.8	69.6	0	66.3	71	1.7	70.1	0	66.5	72	1.6
	8332	62.1	0	64.5	67	4.4	64.3	0	64	67	2.9	67.7	0	65.1	70	1.9	68.5	0	65.8	70	1.9	68.7	0	66	71	1.9
	8333	64.2	0	69.1	70	6.1	66.1	0	68.3	70	4.2	69.1	0	68	72	2.5	70	0	68.1	72	2.1	70.4	0	67.9	72	1.9
	8334	56.2	0	66.8	67	11	58.3	0	65.8	67	8.2	61	0	64.6	66	5.2	63	0	63.7	66	3.4	63.9	0	63.1	67	2.6
	8335	63.2	0	67.6	69	5.8	64.9	0	67	69	4.2	66.5	0	66.1	69	2.8	67.7	0	65.3	70	2	68.3	0	64.7	70	1.6
	8336	54.2	0	66.6	67	12.6	56.3	0	65.7	66	9.8	59.5	0	64.5	66	6.2	61.9	0	63.6	66	3.9	62.8	0	62.9	66	3.1
	8337	44.2	0	60.7	61	16.6	48.1	0	61.3	62	13.4	57.9	0	61	63	4.8	61.5	0	61	64	2.8	61.8	0	61.3	65	2.8
4R	8338	43.2	0	60.8	61	17.7	47.5	0	61.4	62	14.1	52.6	0	61.1	62	9.1	56.9	0	60.7	62	5.3	58.3	0	60.3	62	4.1
	8339	52.8	0	60.8	61	8.6	55	0	61.3	62	7.2	58.3	0	61.1	63	4.6	61.9	0	60.8	64	2.5	62.8	0	60.6	65	2.1
	8340	56.7	0	60.8	62	5.5	58.7	0	61.4	63	4.5	61	0	61.3	64	3.1	63.2	0	61.3	65	2.2	64.2	0	61.3	66	1.8
	8341	57.2	0	57.2	60	3	59.2	0	57.6	62	2.3	60.8	0	57.6	63	1.7	61.9	0	58	63	1.5	62.6	0	57.9	64	1.3
	8342	59.7	0	64.6	66	6.1	61.6	0	64.8	67	4.9	62.9	0	64.1	67	3.7	64.7	0	63.5	67	2.5	65.6	0	62.9	68	1.9
	8343	48.6	0	62.7	63	14.3	50.9	0	63.8	64	13.1	54.9	0	63	64	8.8	59.5	0	62.3	64	4.6	60.8	0	61.6	64	3.5
	8344	60	0	63.9	65	5.4	61.9	0	64.8	67	4.7	63.1	0	64.1	67	3.5	64.9	0	63.5	67	2.4	65.7	0	62.9	68	1.8
	8345	42.9	0	61.1	61	18.3	46.2	0	63.7	64	17.6	52.5	0	63	63	10.9	58.5	0	62.3	64	5.3	59.9	0	61.7	64	4

TABLE A3.2.6
KTAC TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
5J	8651	44.6	0	65.5	66	20.9	59.3	0	66.5	67	7.9	62.1	0	67.1	68	6.2	66.5	0	66.3	69	2.9	67.4	0	65.5	70	2.1
	8652	41.7	0	65.6	66	24	60.1	0	66.4	67	7.2	62	0	66.1	68	5.5	64.3	0	65.2	68	3.5	64.8	0	64.5	68	2.9
	8653	45.4	0	69.3	69	23.9	60.6	0	69.8	70	9.7	62.6	0	68.8	70	7.2	66.8	0	67.8	70	3.5	67.6	0	67	70	2.7
	8654	38.7	0	65.3	65	26.6	44.9	0	66	66	21.2	53.8	0	65.1	65	11.6	63	0	64.2	67	3.7	63.8	0	63.5	67	2.9
	8655	42.7	0	67.6	68	24.9	47.8	0	68.7	69	20.9	55.9	0	67.9	68	12.2	64.9	0	66.9	69	4.1	66.3	0	66.2	69	2.9
	8656	43.5	0	67.9	68	24.4	48.2	0	68.8	69	20.7	56.1	0	68	68	12.2	65.2	0	67.1	69	4.1	66.6	0	66.2	69	2.8
	8657	47	0	66.6	67	19.6	59.3	0	67.2	68	8.6	61.1	0	66.4	68	6.4	63.5	0	65.3	68	4	64.5	0	64.5	68	3
	8658	54.6	0	70.1	70	15.7	60.3	0	70.6	71	10.7	62	0	69.7	70	8.4	66.8	0	68.7	71	4	67.7	0	67.9	71	3.1
	8659	37.7	0	66.1	66	28.4	43.7	0	66.9	67	23.2	52.3	0	66	66	13.9	61.8	0	65.1	67	5	62.8	0	64.5	67	3.9
	8660	42.5	0	67.7	68	25.3	47.7	0	68.8	69	21.1	55.7	0	67.9	68	12.5	65	0	67.1	69	4.1	66.4	0	66.4	69	3
	8661	43.2	0	66.6	67	23.5	47.9	0	67.7	68	19.8	55.7	0	66.8	67	11.5	65	0	65.8	69	3.5	66.3	0	65.2	69	2.5
	8662	53.1	0	65.8	66	13	58.9	0	66.5	67	8.3	60.1	0	65.7	67	6.7	62.7	0	64.6	67	4.1	63.8	0	63.7	67	3
	8663	53.6	0	69.4	70	15.9	59.3	0	69.9	70	11	61.2	0	69	70	8.4	66.4	0	68	70	3.9	67.3	0	67.4	70	3
	8664	37.6	0	65.5	66	27.9	43.6	0	66.2	66	22.7	52.2	0	65.5	66	13.5	61.8	0	64.8	67	4.8	62.8	0	64.4	67	3.9
	8665	42.4	0	66.6	67	24.2	47.7	0	67.8	68	20.1	56.3	0	67	67	11.1	65.1	0	66.2	69	3.6	66.3	0	65.7	69	2.7
	8666	43.2	0	66.8	67	23.7	47.9	0	67.8	68	20	56	0	67	67	11.3	65.1	0	66.1	69	3.6	66.2	0	65.7	69	2.8
	8667	53.1	0	66.1	66	13.2	58.6	0	66.8	67	8.8	60.3	0	65.9	67	6.6	64.7	0	64.9	68	3.1	65.4	0	64	68	2.3
	8668	52.2	0	68.7	69	16.6	58.6	0	69.8	70	11.5	60.8	0	69.1	70	8.9	66.5	0	68.2	70	3.9	67.2	0	67.6	71	3.3
	8669	37.1	0	62.4	62	25.3	43	0	66.1	66	23.1	51.5	0	66.4	67	15.1	61.2	0	65.9	67	6	62.2	0	65.5	67	5
	8670	42.1	0	63.2	63	21.1	47.5	0	66.7	67	19.3	55.6	0	67.5	68	12.2	65.1	0	66.9	69	4	66.2	0	66.2	69	3
	8671	44.3	0	60.4	61	16.2	49.5	0	63.4	64	14.1	60.5	0	62.7	65	4.3	63.9	0	61.9	66	2.2	64.8	0	61.3	66	1.6
	8672	49.7	0	63.8	64	14.2	53.1	0	68.6	69	15.6	62.7	0	67.8	69	6.3	65.8	0	67	69	3.6	66.6	0	66.2	69	2.8
	8673	51.7	0	60.5	61	9.4	53	0	67.5	68	14.6	57.2	0	66.6	67	9.8	59.4	0	65.7	67	7.2	59.8	0	64.9	66	6.2
	8674	54.4	0	59.6	61	6.4	56.1	0	66.3	67	10.6	61	0	65.8	67	6.1	64.5	0	64.9	68	3.2	64.9	0	64.2	68	2.6
	8675	54.5	0	62.4	63	8.5	55.8	0	68.2	68	12.6	57.6	0	67.2	68	10	59.8	0	66.2	67	7.3	60.2	0	65.4	67	6.3
	8676	0	0	56	56	56	0	0	64.2	64	64.2	0	0	63.1	63	63.1	0	0	62.1	62	62.1	0	0	61.3	61	61.3
	8677	0	0	54.3	54	54.3	0	0	65.3	65	65.3	0	0	64.4	64	64.4	0	0	63.6	64	63.6	0	0	63.2	63	63.2
	8678	28.6	0	54.3	54	25.7	28.7	0	65.4	65	36.7	32.9	0	64.5	65	31.6	56.9	0	64	65	7.9	57.7	0	64.2	65	7.4
	8679	50	0	56.6	58	7.5	52	0	65.1	65	13.3	53.1	0	64.1	64	11.3	62.7	0	63.1	66	3.2	64.3	0	62.5	67	2.2
	8680	52.1	0	61.8	62	10.1	54.4	0	67.9	68	13.7	55.9	0	66.8	67	11.2	57.5	0	65.9	67	9	58.4	0	65	66	7.5
	8681	0	0	56.6	57	56.6	0	0	63.7	64	63.7	0	0	62.6	63	62.6	0	0	61.6	62	61.6	0	0	60.8	61	60.8
	8682	0	0	56.4	56	56.4	0	0	65.7	66	65.7	0	0	64.8	65	64.8	0	0	63.9	64	63.9	0	0	63.1	63	63.1

TABLE A3.2.6
KTAC TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
4A	8001	0	0	60.3	60	60.3	0	0	71.5	72	71.5	0	0	70.6	71	70.6										
	8002	53.2	0	64.2	65	11.4	54.4	0	73.5	74	19.2	54.5	0	72.8	73	18.3										
	8003	0	0	61.9	62	61.9	0	0	73.2	73	73.2	0	0	72.3	72	72.3										
	8004	58	0	65.7	66	8.4	59.4	0	74.4	75	15.2	60.1	0	73.9	74	14										
	8005	58.1	0	64.6	66	7.4	59.5	0	68.5	69	9.5	60.1	0	68.1	69	8.7										
	8006	57.8	0	65.2	66	8.1	59.1	0	70.7	71	11.9	59.7	0	71.2	72	11.8										
	8007	56.6	0	66.2	67	10	57.6	0	70.9	71	13.5	57.8	0	72.1	72	14.5										
	8008	0	0	62.5	63	62.5	0	0	69.2	69	69.2	0	0	71.1	71	71.1										
	8009	58.2	0	68	68	10.2	59.4	0	71.1	71	12	59.9	0	72.2	73	12.6										
	8010	58.1	0	65.1	66	7.8	59.4	0	66.2	67	7.7	59.8	0	66.2	67	7.3										
	8011	58	0	67.3	68	9.8	59.5	0	69	69	9.9	60	0	69.1	70	9.6										
	8012	56	0	66.9	67	11.2	57.6	0	68.8	69	11.5	58	0	69.9	70	12.2										
	8013	0	0	66.1	66	66.1	0	0	68	68	68	0	0	69.4	69	69.4										
	8014	53.6	0	66.5	67	13.1	55.8	0	68.5	69	12.9	57.3	0	69.4	70	12.4										
	8015	48	0	44.5	50	1.6	52.3	0	49.6	54	1.9	55.4	0	52.1	57	1.7										
	8016	49.9	0	62.9	63	13.2	53	0	64.4	65	11.7	55.9	0	64.5	65	9.1										
	8017	55.8	0	63.9	65	8.8	57.3	0	66.1	67	9.3	58.5	0	66.6	67	8.7										
	8018	50.7	0	62.9	63	12.4	53.6	0	65.3	66	12	53.8	0	66.2	66	12.6										
	8019	58.1	0	63.6	65	6.6	59.5	0	65.9	67	7.3	60.2	0	66.7	68	7.4										
	8020	54.6	0	55.6	58	3.5	56	0	56.5	59	3.3	57.2	0	57.1	60	2.9										
	8021	57.8	0	60.6	63	4.7	59.3	0	62.2	64	4.7	59.8	0	63	65	4.9										
	8022	0	0	63.9	64	63.9	0	0	68.3	68	68.3	0	0	69.3	69	69.3	0	0	69.7	70	69.7	0	0	69.7	70	69.7
	8023	0	0	66.2	66	66.2	0	0	70.3	70	70.3	0	0	70.7	71	70.7	0	0	70.7	71	70.7	0	0	70.4	70	70.4
	8024	0	0	63.2	63	63.2	0	0	68	68	68	0	0	69	69	69	0	0	69.3	69	69.3	0	0	69.3	69	69.3
	8025	56.1	0	67.8	68	12	61.7	0	71.5	72	10.3	62.4	0	72.1	73	10.1	63.5	0	72.1	73	9.2	64.3	0	71.9	73	8.3
	8026	56.1	0	63	64	7.7	61.7	0	66	67	5.7	62.5	0	66.8	68	5.6	63.5	0	66.6	68	4.9	64.4	0	66.4	69	4.1
	8027	55.3	0	65.3	66	10.4	60.7	0	68.5	69	8.4	61.3	0	68.8	70	8.2	62.3	0	68.6	70	7.2	63.2	0	68.2	69	6.2
4D	8121	36	0	52.3	52	16.4	36.1	0	52.3	52	16.3	36.5	0	52.6	53	16.2										
	8122	37.7	0	49.9	50	12.4	37.8	0	52.5	53	14.9	38.2	0	52.6	53	14.5										
	8123	37.9	0	45.9	47	8.6	39.5	0	52.2	53	13	44.3	0	53.5	54	9.7										
	8124	0	0	26.2	26	26.2	0	0	33.9	34	33.9	0	0	43.5	44	43.5										
	8125	21.7	0	38.6	39	17	22.2	0	45.5	46	23.4	23.7	0	49.2	49	25.5										
	8126	38.3	0	42.8	44	5.9	39.5	0	49.4	50	10.3	43.5	0	50.2	51	7.5										
	8127	47.3	0	50.4	52	4.9	51.3	0	54.2	56	4.7	53.2	0	54.9	57	4										
	8128	50.3	0	53.7	55	5	52.9	0	55.6	58	4.6	54	0	55.9	58	4.1										
	8129	51.2	0	53.4	55	4.2	52.6	0	54.4	57	4	53.5	0	55.1	57	3.9										
4G	8211	39	0	55.6	56	16.7	42.4	0	57.7	58	15.4	48.9	0	59	59	10.5										
	8212	36.2	0	50.8	51	14.7	36.6	0	57.8	58	21.2	40.4	0	59.3	59	18.9										
	8213	0	0	47.3	47	47.3	0	0	48.7	49	48.7	0	0	54.2	54	54.2										
	8214	41.7	0	54.8	55	13.3	51.6	0	54.9	57	5	52.7	0	55.3	57	4.5										
4H	8231	38.4	0	38.3	41	3	48	0	55.6	56	8.3	49.8	0	57.1	58	8.1										
	8232	36.7	0	49.8	50	13.3	49.8	0	54.5	56	6	50.7	0	55.4	57	6										
	8233	45.2	0	57.9	58	13	48.8	0	58.8	59	10.4	51.4	0	58.9	60	8.2										
	8234	45.1	0	57	57	12.2	48.5	0	58.3	59	10.2	51.1	0	58.5	59	8.2										
	8235	43.8	0	55.4	56	11.9	47.1	0	58.8	59	12	49.8	0	59.1	60	9.8										
	8236	0	0	27.4	27	27.4	0	0	34.7	35	34.7	0	0	44.2	44	44.2										
	8237	20.1	0	38.8	39	18.8	20.2	0	46.8	47	26.6	20.7	0	52	52	31.3										
4J	8251	36.9	0	57.4	58	20.6	39.1	0	59	59	19.9	44.1	0	60.1	60	16.1										
	8252	35.4	0	49.5	50	14.2	36.4	0	60.1	60	23.7	41.3	0	59.6	60	18.4										
	8253	0	0	38.9	39	38.9	0	0	50.9	51	50.9	0	0	54.5	55	54.5										
	8254	34.1	0	37.3	39	4.9	34.5	0	53.9	54	19.4	36.9	0	55.1	55	18.2										
	8361	60.4	0	64.6	66	5.6	62.4	0	65.1	67	4.6	63.3	0	64	67	3.4	64.7	0	63.3	67	2.4					
	8362	49.1	0	65.8	66	16.8	51.6	0	64.1	64	12.7	52.8	0	62.3	63	9.9	54.8	0	61.1	62	7.2					
	8363	56.7	0	65.8	66	9.6	58.9	0	64.6	66	6.8	59.9	0	63.1	65	4.9	61.9	0	62.2	65	3.2					
	8364	49	0	68.2	68	19.2	51.7	0	65.9	66	14.4	52.8	0	63.8	64	11.3	54.7	0	62.4	63	8.4					

TABLE A3.2.6
KTAC TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8365	0	0	61	61	61	0	0	60.7	61	60.7	0	0	59.5	60	59.5	0	0	58	58	58					
4S	8366	0	0	61.8	62	61.8	0	0	61	61	61	0	0	61	61	61	0	0	59.5	60	59.5					
	8367	33.9	0	48.7	49	15	34.4	0	56.3	56	21.9	39.7	0	58.8	59	19.2	52.3	0	58.9	60	7.5					
	8368	53.3	0	52.9	56	2.8	54.8	0	57.8	60	4.8	56.3	0	58.7	61	4.4	61.4	0	59.8	64	2.3					
	8369	39.3	0	49.1	50	10.2	44.2	0	58.3	58	14.2	46	0	58.9	59	13.1	53.1	0	58.4	60	6.4					
	8370	0	0	53.7	54	53.7	0	0	58.4	58	58.4	0	0	58.1	58	58.1	0	0	56.9	57	56.9					
	8371	0	0	56.8	57	56.8	0	0	58.7	59	58.7	0	0	59.4	59	59.4	0	0	58.5	59	58.5					
	8401	26.5	0	57.7	58	31.2	27.2	0	57.2	57	30	29.3	0	56.2	56	26.9										
	8402	54.5	0	62.5	63	8.7	55.6	0	61.8	63	7.1	56.9	0	60.9	62	5.4										
	8403	56.4	0	62.2	63	6.8	57.4	0	61.8	63	5.8	58.3	0	61	63	4.6										
	8404	49.7	0	57.4	58	8.4	51.2	0	59.4	60	8.8	51.8	0	59.5	60	8.4										
	8405	36.6	0	55.3	55	18.8	38.5	0	58.4	59	20	41.8	0	59.1	59	17.4										
	8406	47.4	0	53.9	55	7.4	50	0	58.4	59	8.9	50.7	0	59.3	60	9.1										
	8407	35.8	0	51.8	52	16.1	37.7	0	57.8	58	20.2	40.9	0	59.1	59	18.3										
5A	8408	0	0	11.4	11	11.4	0	0	12.3	12	12.3	0	0	14.4	14	14.4										
	8409	51.3	0	51.8	55	3.3	53.3	0	59.3	60	7	53.7	0	59.7	61	7										
	8410	48.7	0	52.6	54	5.4	50.9	0	59.3	60	9	51.6	0	59	60	8.2										
	8411	50.2	0	57.5	58	8	52.2	0	58.6	60	7.3	52.9	0	58.1	59	6.4										
	8412	49.7	0	57.3	58	8.3	51.9	0	57.7	59	6.8	52.6	0	57.3	59	5.9										
	8413	0	0	28.1	28	28.1	0	0	34.1	34	34.1	0	0	34	34	34										
	8414	0	0	42.5	43	42.5	0	0	46.7	47	46.7	0	0	49.5	50	49.5										
	8415	38.7	0	42.5	44	5.3	49.4	0	55.7	57	7.2	50.4	0	55.1	56	6										
	8431	50.8	0	56.4	57	6.6	53.7	0	57.6	59	5.4	55.2	0	59	61	5.3										
	8432	50.6	0	56.9	58	7.2	52.6	0	58.8	60	7.1	53.7	0	61	62	8										
	8433	51	0	56.6	58	6.7	52.6	0	58.4	59	6.8	53.2	0	60.1	61	7.7										
	8434	47	0	56.3	57	9.8	49.1	0	59.2	60	10.5	51.1	0	61.9	62	11.1										
	8435	28.2	0	43.8	44	15.7	28.2	0	50.4	50	22.2	28.4	0	55.3	55	27										
	8436	36.5	0	48.4	49	12.2	39.6	0	53.5	54	14.1	43	0	58	58	15.1										
	8437	32.3	0	44.2	45	12.2	34.2	0	47.7	48	13.7	37	0	51.2	51	14.4										
	8438	51	0	54.7	56	5.2	52	0	60.8	61	9.3	52.6	0	62.8	63	10.6										
	8439	52.3	0	56.2	58	5.4	53.5	0	63.6	64	10.5	54.1	0	65.3	66	11.6										
	8440	51	0	56.6	58	6.6	52.2	0	63.8	64	11.9	53.5	0	64.5	65	11.3										
	8441	50.3	0	58.8	59	9	51.9	0	66.7	67	14.9	53.7	0	67.3	68	13.8										
	8442	26.8	0	53.3	53	26.5	26.8	0	62.4	62	35.6	27.3	0	63.8	64	36.5										
	8443	34.7	0	53	53	18.4	34.9	0	63.1	63	28.2	35.7	0	65.2	65	29.5										
	8444	26.5	0	46.3	46	19.8	26.5	0	56.1	56	29.6	26.6	0	60.1	60	33.5										
	8445	35.6	0	47.5	48	12.2	35.7	0	58	58	22.3	49.8	0	60.8	61	11.3										
	8446	49.5	0	54.6	56	6.3	51	0	63.8	64	13	52.6	0	65.4	66	13										
	8447	47.8	0	55.1	56	8.1	49.7	0	63.8	64	14.3	51.2	0	64.3	65	13.3										
	8448	49.6	0	58.4	59	9.4	51.2	0	66.9	67	15.8	52.8	0	67.4	68	14.7										
	8449	27.8	0	53.8	54	26	27.8	0	62.3	62	34.5	27.8	0	64	64	36.2										
	8450	34.4	0	53.6	54	19.3	34.6	0	63.1	63	28.5	35.3	0	65.5	66	30.2										
	8451	26.6	0	50.1	50	23.5	26.7	0	59.1	59	32.4	26.6	0	62.7	63	36.1										
	8452	50.4	0	52.5	55	4.2	52	0	65.3	66	13.5	53	0	64.4	65	11.7										
5C	8453	50.8	0	57.3	58	7.4	52.1	0	67.9	68	15.9	53.6	0	66.9	67	13.5										
	8454	46.8	0	56.1	57	9.8	48.9	0	64.8	65	16	51.5	0	63.7	64	12.4										
	8455	47.3	0	62.3	62	15.1	49.7	0	69	69	19.3	51.7	0	67.7	68	16.1										
	8456	24.1	0	58.5	59	34.4	24.1	0	63.9	64	39.8	24.4	0	63.7	64	39.3										
	8457	34	0	58.3	58	24.3	34.1	0	65.5	66	31.4	34.5	0	65.4	65	30.9										
	8458	21.9	0	56.5	57	34.6	21.9	0	61.9	62	40	24.7	0	62.2	62	37.5										
	8459	36.7	0	48.1	48	11.7	39.8	0	61.3	61	21.5	42.8	0	61.9	62	19.1										
	8460	49	0	60.1	60	11.4	52.6	0	67.2	67	14.8	53.5	0	66.3	67	13										
	8461	47.7	0	56.2	57	9.1	51	0	65	65	14.2	51.7	0	63.8	64	12.3										
	8462	49.1	0	63.6	64	14.7	52.4	0	66.9	67	14.7	53.1	0	65.7	66	12.9										
	8463	0	0	62	62	62	0	0	62.3	62	62.3	0	0	60.8	61	60.8										

TABLE A3.2.6
KTAC TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8464	49.7	0	61.5	62	12	51.5	0	64.1	64	12.8	51.9	0	63.2	64	11.6										
	8465	0	0	60.1	60	60.1	0	0	62.5	63	62.5	0	0	60.7	61	60.7										
	8466	0	0	43.6	44	43.6	0	0	56.7	57	56.7	0	0	55.1	55	55.1										
	8467	0	0	50.4	50	50.4	0	0	58.6	59	58.6	0	0	57.5	58	57.5										
	8468	0	0	39.6	40	39.6	0	0	52.8	53	52.8	0	0	54.3	54	54.3										
	8469	38	0	58.5	59	20.5	48.3	0	60.5	61	12.4	49.4	0	59.3	60	10.3										
	8470	0	0	63.6	64	63.6	0	0	62.1	62	62.1	0	0	59.9	60	59.9										
	8471	0	0	52.4	52	52.4	0	0	50.8	51	50.8	0	0	48.9	49	48.9										
	8472	37.1	0	36.3	40	2.6	42.5	0	40.2	45	2	44.4	0	45.8	48	3.7										
	8473	34.4	0	48.9	49	14.6	42	0	53.2	54	11.5	42.9	0	54.2	55	11.6										
	8474	0	0	39.9	40	39.9	0	0	39.7	40	39.7	0	0	39	39	39										
	8475	0	0	39.6	40	39.6	0	0	39.4	39	39.4	0	0	39	39	39										
	8501	0	0	37.6	38	37.6	0	0	52.7	53	52.7	0	0	56.5	57	56.5										
	8502	0	0	28.1	28	28.1	0	0	46.6	47	46.6	0	0	45.8	46	45.8										
	8503	0	0	40.8	41	40.8	0	0	58.9	59	58.9	0	0	60.3	60	60.3										
	8504	31.1	0	40.3	41	9.7	31.2	0	58.8	59	27.6	31.2	0	60.2	60	29										
	8505	0	0	39.9	40	39.9	0	0	58.9	59	58.9	0	0	60.1	60	60.1										
	8506	39.3	0	37.5	42	2.2	54.9	0	59	60	5.5	55.5	0	59.8	61	5.7										
	8507	36.7	0	56.7	57	20.1	44.3	0	57.9	58	13.8	53.3	0	58.9	60	6.6										
	8508	0	0	59.2	59	59.2	0	0	58.9	59	58.9	0	0	59	59	59										
	8509	0	0	55.9	56	55.9	0	0	55.7	56	55.7	0	0	56.3	56	56.3										
5E	8510	37.4	0	62.6	63	25.2	39.5	0	61.4	61	21.9	43.1	0	59.8	60	16.8										
	8511	0	0	63.7	64	63.7	0	0	62.6	63	62.6	0	0	61.2	61	61.2										
	8512	58	0	61.2	63	4.9	59.6	0	60.8	63	3.6	60.1	0	60	63	3										
	8513	0	0	61.4	61	61.4	0	0	60.6	61	60.6	0	0	59.6	60	59.6										
	8514	0	0	64.3	64	64.3	0	0	62.8	63	62.8	0	0	61.2	61	61.2										
	8515	0	0	62.6	63	62.6	0	0	60.5	61	60.5	0	0	58.6	59	58.6										
	8516	36.6	0	67.9	68	31.3	39.9	0	65.5	66	25.6	44.5	0	63.4	64	19										
	8517	52.1	0	66.1	66	14.1	55.1	0	63.9	64	9.3	56.6	0	62	63	6.5										
	8518	51.1	0	66.5	67	15.6	53.2	0	64.7	65	11.8	55	0	62.9	64	8.6										
	8519	59.6	0	64.8	66	6.4	61.6	0	64.1	66	4.4	63.1	0	63.3	66	3.1										
	8551	58	0	63	64	6.1	58.7	0	62.6	64	5.4	59.4	0	61.6	64	4.2	60.9	0	60.9	64	3.1					
	8552	59.4	0	65.8	67	7.3	60.6	0	64.7	66	5.5	62	0	63.7	66	4	63	0	63.1	66	3.1					
	8553	56.7	0	63.2	64	7.4	59.6	0	63.9	65	5.7	61.1	0	63.1	65	4.2	61.7	0	62.6	65	3.5					
	8554	52.9	0	61.2	62	8.9	57.7	0	64.1	65	7.3	60.5	0	63.4	65	4.7	62.4	0	62.8	66	3.3					
	8555	44.6	0	50	51	6.5	52.4	0	59.9	61	8.2	56.8	0	59.1	61	4.3	60	0	58.6	62	2.4					
	8556	51.4	0	54.2	56	4.7	55.4	0	61.1	62	6.8	57.4	0	60.8	62	5	59.6	0	60.3	63	3.4					
	8557	45.1	0	57.9	58	13	52.7	0	61.9	62	9.7	57.1	0	61.8	63	5.9	60.1	0	61.4	64	3.7					
	8558	45	0	49.5	51	5.8	52.6	0	58	59	6.5	55.3	0	57.1	59	4	59.1	0	57	61	2					
	8559	58.9	0	62.9	64	5.5	60.4	0	63.2	65	4.6	62.3	0	62.6	66	3.2	63.7	0	62.2	66	2.3					
	8563	0	0	55.6	56	55.6	0	0	67.7	68	67.7	0	0	66.4	66	66.4	0	0	65.2	65	65.2					
	8564	0	0	61.4	61	61.4	0	0	69.1	69	69.1	0	0	67.7	68	67.7	0	0	66.5	67	66.5					
	8565	0	0	53.2	53	53.2	0	0	63.7	64	63.7	0	0	63.5	64	63.5	0	0	62.5	63	62.5					
	8566	0	0	51.6	52	51.6	0	0	64.1	64	64.1	0	0	64.3	64	64.3	0	0	63.4	63	63.4					
	8568	0	0	56.6	57	56.6	0	0	63.4	63	63.4	0	0	65.4	65	65.4	0	0	64.9	65	64.9					
	8569	0	0	55.8	56	55.8	0	0	66.9	67	66.9	0	0	66.1	66	66.1	0	0	65.1	65	65.1					
	8570	0	0	60.3	60	60.3	0	0	68.8	69	68.8	0	0	67.8	68	67.8	0	0	66.7	67	66.7					
	8571	0	0	52.1	52	52.1	0	0	65.2	65	65.2	0	0	65.2	65	65.2	0	0	64.3	64	64.3					
	8572	0	0	52.9	53	52.9	0	0	66.1	66	66.1	0	0	65.4	65	65.4	0	0	64.4	64	64.4					
	8573	0	0	59.7	60	59.7	0	0	68.8	69	68.8	0	0	67.7	68	67.7	0	0	66.7	67	66.7					
5G	8574	0	0	51.7	52	51.7	0	0	64.5	65	64.5	0	0	65.3	65	65.3	0	0	64.4	64	64.4					
	8575	0	0	53.7	54	53.7	0	0	66.6	67	66.6	0	0	65.4	65	65.4	0	0	64.4	64	64.4					
	8576	0	0	62.5	63	62.5	0	0	67.7	68	67.7	0	0	66.1	66	66.1	0	0	65	65	65					
	8577	0	0	55.3	55	55.3	0	0	64.7	65	64.7	0	0	63.9	64	63.9	0	0	62.8	63	62.8					
	8578	0	0	54.6	55	54.6	0	0	65.2	65	65.2	0	0	64.5	65	64.5	0	0	63.5	64	63.5					

TABLE A3.2.6
KTAC TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8579	40.1	0	52.8	53	12.9	48.9	0	54.4	55	6.5	50.7	0	54.7	56	5.4	51.6	0	55	57	5					
	8580	39.9	0	50.1	51	10.6	48.2	0	53.8	55	6.7	50	0	54.6	56	5.9	51	0	54.6	56	5.2					
	8581	47.6	0	59.7	60	12.3	51.4	0	67	67	15.7	51.9	0	66.1	66	14.3	52.6	0	65	65	12.7					
	8582	43.9	0	55.5	56	11.9	45.4	0	64.7	65	19.4	46	0	63.5	64	17.6	51	0	62.5	63	11.8					
	8583	25.6	0	55.2	55	29.6	25.5	0	65.4	65	39.9	26	0	64.2	64	38.2	26.1	0	63.3	63	37.2					
	8584	0	0	54.3	54	54.3	0	0	64.2	64	64.2	0	0	63.2	63	63.2	0	0	62.2	62	62.2					
	8585	0	0	53.7	54	53.7	0	0	61.3	61	61.3	0	0	60.9	61	60.9	0	0	60.4	60	60.4					
	8586	48.2	0	60.7	61	12.7	52.4	0	67.1	67	14.8	53	0	65.9	66	13.2	53.8	0	64.9	65	11.5					
	8587	34.6	0	55.4	56	20.9	34.7	0	64.5	65	29.8	39.4	0	63.3	63	23.9	53.6	0	62.3	63	9.2					
	8588	0	0	54.2	54	54.2	0	0	64.7	65	64.7	0	0	63.7	64	63.7	0	0	63.4	63	63.4					
	8589	0	0	54.4	54	54.4	0	0	64.6	65	64.6	0	0	63.5	64	63.5	0	0	62.6	63	62.6					
	8590	0	0	54	54	54	0	0	62.1	62	62.1	0	0	61	61	61	0	0	60.3	60	60.3					
	8591	47.3	0	60.9	61	13.8	51.2	0	67.3	67	16.2	51.8	0	66.1	66	14.4	52.6	0	65	65	12.7					
	8592	48.9	0	56.6	57	8.4	52	0	64.7	65	12.9	52.8	0	63.5	64	11.1	54.7	0	62.5	63	8.4					
	8593	44	0	58	58	14.2	47	0	65.7	66	18.8	48	0	64.7	65	16.8	49	0	63.7	64	14.8					
	8601	50.3	0	52.3	54	4.1	53	0	64.8	65	12.1	57	0	64.3	65	8	58.7	0	63.3	65	5.9	60.9	0	62.4	65	3.8
	8602	55.4	0	58	60	4.5	57.4	0	66.5	67	9.6	59.6	0	65.8	67	7.1	60.9	0	65	66	5.5	62.7	0	64.3	67	3.9
	8603	46.9	0	54.8	55	8.5	51.3	0	63.3	64	12.3	52.9	0	63.1	63	10.5	55.1	0	62.5	63	8.1	59.1	0	61.9	64	4.6
	8604	51.9	0	49.4	54	2	55.6	0	62.1	63	7.4	58.2	0	63	64	6.1	60.1	0	62.6	65	4.4	62.3	0	62	65	2.8
	8605	50.5	0	46.5	52	1.4	54.1	0	60.4	61	7.2	57	0	62.1	63	6.3	58	0	61.7	63	5.2	59.9	0	60.9	63	3.5
	8606	51.1	0	57	58	6.9	55	0	64.6	65	10	59.1	0	65.1	66	7	60.7	0	64.6	66	5.4	62.4	0	64	66	3.9
	8607	35.3	0	60.3	60	25	40.8	0	63.1	63	22.3	50.2	0	63.1	63	13.1	55.6	0	62.4	63	7.6	57.4	0	61.8	63	5.7
5H	8608	51.7	0	61.4	62	10.2	54.7	0	62.9	64	8.8	58.6	0	63.5	65	6.1	60.5	0	62.8	65	4.3	62.1	0	62.3	65	3.1
	8609	44.4	0	61.2	61	16.9	53.6	0	61.8	62	8.8	57.6	0	62.8	64	6.4	60.8	0	63.4	65	4.5	62.4	0	62.9	66	3.2
	8610	46.2	0	65.5	66	19.4	57.2	0	65.1	66	8.5	59.1	0	64.4	66	6.4	61.5	0	64.6	66	4.8	62.8	0	64	66	3.6
	8611	34.3	0	65	65	30.7	38.6	0	64.4	64	25.8	45.2	0	63.3	63	18.2	54.1	0	63	64	9.5	57.2	0	62.4	64	6.4
	8612	51.1	0	64.9	65	14	56.1	0	64	65	8.5	58.5	0	62.8	64	5.7	61.2	0	62.5	65	3.7	62.5	0	62.3	65	2.9
	8613	53.3	0	68.3	68	15.1	57	0	66.3	67	9.7	58.4	0	64.6	66	7.1	60.9	0	63.6	66	4.6	62.5	0	63.4	66	3.5
	8614	0	0	65.6	66	65.6	0	0	63.9	64	63.9	0	0	62.2	62	62.2	0	0	60.8	61	60.8	0	0	60	60	60
	8615	63.5	0	58.4	64.7	1.2	64.8	0	67.2	69	4.4	66.1	0	66.2	69	3	66.6	0	65.1	69	2.3	67.1	0	64.3	69	1.9
	8701	0	0	66.2	66	66.2	0	0	66.4	66	66.4	0	0	65.5	66	65.5	0	0	64.8	65	64.8					
	8702	65.8	0	66.3	69	3.3	66.3	0	67.8	70	3.8	66.9	0	66.7	70	2.9	67	0	65.7	69	2.4					
	8703	0	0	64.7	65	64.7	0	0	66.8	67	66.8	0	0	66.8	67	66.8	0	0	65.9	66	65.9					
	8704	0	0	48.7	49	48.7	0	0	59.4	59	59.4	0	0	62.6	63	62.6	0	0	62.2	62	62.2					
	8705	0	0	50.3	50	50.3	0	0	58.2	58	58.2	0	0	61.8	62	61.8	0	0	62.7	63	62.7					
	8706	0	0	53.3	53	53.3	0	0	61.4	61	61.4	0	0	63	63	63	0	0	63.1	63	63.1					
	8707	0	0	59.8	60	59.8	0	0	63.2	63	63.2	0	0	64.2	64	64.2	0	0	63.5	64	63.5					
	8708	0	0	60.4	60	60.4	0	0	65.6	66	65.6	0	0	66.7	67	66.7	0	0	66	66	66					
	8709	0	0	51.6	52	51.6	0	0	61.9	62	61.9	0	0	63.5	64	63.5	0	0	62.9	63	62.9					
	8710	0	0	47.7	48	47.7	0	0	58.8	59	58.8	0	0	62.5	63	62.5	0	0	62.5	63	62.5					
	8711	0	0	49.7	50	49.7	0	0	58.9	59	58.9	0	0	62.7	63	62.7	0	0	62.8	63	62.8					
	8712	0	0	52.1	52	52.1	0	0	61.1	61	61.1	0	0	63.3	63	63.3	0	0	62.7	63	62.7					
	8713	0	0	59.6	60	59.6	0	0	66.1	66	66.1	0	0	66.7	67	66.7	0	0	65.9	66	65.9					
	8714	0	0	55.3	55	55.3	0	0	63.6	64	63.6	0	0	64.1	64	64.1	0	0	63	63	63					
	8715	0	0	50.7	51	50.7	0	0	62.1	62	62.1	0	0	64	64	64	0	0	63.1	63	63.1					
	8716	0	0	50.4	50	50.4	0	0	60.2	60	60.2	0	0	63.3	63	63.3	0	0	62.7	63	62.7					
	8717	0	0	50.8	51	50.8	0	0	60.8	61	60.8	0	0	62.3	62	62.3	0	0	61.4	61	61.4					
5K	8718	0	0	64.6	65	64.6	0	0	66.6	67	66.6	0	0	66.2	66	66.2	0	0	65.1	65	65.1					
	8719	31.1	0	65.4	65	34.3	36.8	0	64.6	65	27.8	46	0	63.6	64	17.7	58.6	0	62.9	64	5.7					
	8720	0	0	65.7	66	65.7	0	0	64.9	65	64.9	0	0	64.3	64	64.3	0	0	63.3	63	63.3					
	8721	62.2	0	65.2	67	4.8	65.5	0	64.1	68	2.4	67.2	0	63.3	69	1.5	68.3	0	62.9	69	1.1					
	8722	61.1	0	61.2	64	3	63.7	0	63.3	67	2.8	68.1	0	64.9	70	1.7	69.9	0	64.3	71	1					
	8723	60.4	0	62.2	64	4	63.4	0	61.2	65	2	65.5	0	59.7	67	1	68.4	0	58.5	69	0.5					
	8724	59.3	0	63.1	65	5.3	62.3	0	63.8	66	3.9	67.3	0	65	69	2.1	69.4	0	64.5	71	1.2					
	8725	63.6	0	62.8	66	2.6	66.4	0	62	68	1.3	68.2	0	60.5	69	0.7	70.2	0	59.3	71	0.3					

TABLE A3.2.6
KTAC TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8726	59.9	0	51.9	61	0.7	62.6	0	47.9	63	0.1	64.1	0	45.6	64	0	64.2	0	44	64	0					
	8727	59	0	54.9	61	1.5	61.9	0	54.1	63	0.6	63.9	0	52.7	64	0.3	65.4	0	51.4	66	0.2					
	8728	61	0	61.8	64	3.4	64.4	0	61.7	66	1.9	68.2	0	62.6	69	1.1	69.9	0	62.1	71	0.6					
	8729	62.6	0	61.8	65	2.6	65.7	0	60.4	67	1.1	67.8	0	59	68	0.5	69.5	0	57.9	70	0.3					
	8730	54.9	0	62.6	63	8.4	59.4	0	62	64	4.5	65.2	0	63.5	67	2.2	68.1	0	63.1	69	1.2					
	8731	65.3	0	61.2	67	1.4	69	0	59.3	69	0.4	70.2	0	57.5	71	0.3	71.2	0	56.2	71	0.1					
	8732	64	0	60.2	66	1.5	67.3	0	64.5	69	1.8	69.1	0	62.8	70	0.9	69.8	0	61.6	70	0.6					
	8733	65.8	0	64.7	68	2.5	68.4	0	67.7	71	2.7	69.4	0	66.5	71	1.8	69.9	0	65.6	71	1.3					
	8734	61.1	0	61.5	64	3.2	64.7	0	59.6	66	1.2	65.1	0	58.8	66	0.9	69.2	0	62.5	70	0.8					
	8735	67.7	0	53.5	68	0.2	72.1	0	53.6	72	0	71.4	0	53.7	72	0.1	70.4	0	54.7	71	0.1					

TABLE A3.2.6
KTAC TRAFFIC NOISE RESULTS
UNMITIGATED SCENARIO
MAIN ASSESSMENT FOR SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
4E	7001	0	0	52.6	53	52.6	0	0	52.9	53	52.9	0	0	53	53	53
	7002	60.5	0	63.8	66	5	62	0	64.9	67	4.7	63.5	0	65.7	68	4.2
	7003	65	0	66.8	69	4	67	0	67.8	70	3.4	68.1	0	68.4	71	3.2
	7004	65.3	0	67	69	3.9	67.2	0	68	71	3.4	68.3	0	68.5	71	3.1
	7005	61.8	0	63.9	66	4.2	63.6	0	64.9	67	3.7	64.7	0	65.6	68	3.5
	7006	0	0	56.4	56	56.4	0	0	56.5	57	56.5	0	0	56.4	56	56.4
	7007	46.7	0	44.3	49	2	55	0	50.2	56	1.2	63	0	61.2	65	2.2
	7008	0	0	36.9	37	36.9	0	0	42.5	43	42.5	0	0	53.6	54	53.6
	7009	54.5	0	58.5	60	5.4	59.9	0	59.9	63	3	66.6	0	64.7	69	2.2
4L	7101	0	0	58.4	58	58.4	0	0	58.6	59	58.6	0	0	58.6	59	58.6
	7102	63.5	0	64.7	67	3.7	64.5	0	65.8	68	3.7	65.4	0	66.3	69	3.5
	7103	64	0	68.7	70	5.9	65.7	0	69.9	71	5.6	66.7	0	70.5	72	5.4
	7104	65.1	0	69.3	71	5.6	66.6	0	70.5	72	5.4	67.9	0	71.2	73	5
	7105	60.6	0	65.6	67	6.2	61.8	0	66.5	68	6	63	0	66.9	68	5.3
	7106	0	0	63.2	63	63.2	0	0	63.2	63	63.2	0	0	62.8	63	62.8
	7107	43.7	0	61.4	62	17.8	50.9	0	61.5	62	11	51	0	61.5	62	10.9
	7108	0	0	48	48	48	0	0	48.4	48	48.4	0	0	48.8	49	48.8
	7109	64	0	67.3	69	5	66.3	0	67.7	70	3.8	67.3	0	68	71	3.3
4N	7201	0	0	65.6	66	65.6	0	0	65.4	65	65.4	0	0	65	65	65
	7202	62.5	0	60.3	65	2	63.7	0	61.2	66	2	64.8	0	61.8	67	1.8
	7203	40.6	0	49	50	9	42.9	0	49.8	51	7.8	44.9	0	52	53	7.9
	7204	57	0	63.2	64	7.2	58.5	0	64.1	65	6.7	59.7	0	64.5	66	6
	7205	63.1	0	61.2	65	2.1	64	0	62.8	67	2.5	64.8	0	64.1	68	2.7
	7206	0	0	65.4	65	65.4	0	0	65.3	65	65.3	0	0	64.8	65	64.8
	7207	66.3	0	66.3	69	3	67.5	0	67.2	70	2.8	68.5	0	67.4	71	2.5
	7208	65	0	65.9	69	3.5	66.6	0	66.6	70	3	67.8	0	66.6	70	2.5
	7209	61.6	0	68	69	7.3	63	0	68.7	70	6.7	64.8	0	69	70	5.6
5J	7301	0	0	59.3	59	59.3	0	0	60.1	60	60.1	0	0	60.3	60	60.3
	7302	39.1	0	61.2	61	22.1	40.6	0	62.5	63	21.9	42.4	0	62.8	63	20.4
	7303	46.8	0	66.7	67	20	48.6	0	67.9	68	19.3	57.8	0	68.3	69	10.8
	7304	43.2	0	60.4	61	17.3	44.3	0	61.8	62	17.5	45.9	0	62.2	62	16.4
	7305	44.8	0	60	60	15.3	47.2	0	60.7	61	13.7	50.8	0	61	61	10.6
	7306	45.8	0	61	61	15.3	48	0	61.8	62	14	51.2	0	62	62	11.1
	7307	0	0	65.5	66	65.5	0	0	65.2	65	65.2	0	0	64.4	64	64.4
	7308	35.1	0	55.7	56	20.7	35.4	0	56.1	56	20.8	35.8	0	56.5	57	20.8
	7309	49.2	0	59.6	60	10.8	50.3	0	60.9	61	10.9	51.4	0	61.4	62	10.5
5L	7401	64	0	53	64	0.3	64.9	0	52.3	65	0.3	65.6	0	51.6	66	0.2
	7402	47.5	0	55.9	57	9	52	0	56	57	5.4	61	0	56	62	1.2
	7403	34.6	0	57.3	57	22.7	34.8	0	57.4	58	22.7	35.3	0	57.5	58	22.2
	7404	72.2	0	52.2	72	0	73.7	0	52.3	74	0.1	75.1	0	52.3	75	0

TABLE A3.2.7
KTAC TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
4B	8051	49.7	0	62.3	63	12.8	52.7	0	64	64	11.7	52.9	0	65.6	66	12.9	53	0	66.2	66	13.4	52.9	0	66.4	67	13.7
	8052	55.2	0	64	65	9.3	58.3	0	65.9	67	8.3	59.4	0	67.2	68	8.5	62	0	67.7	69	6.7	63	0	67.8	69	6.1
	8053	55.2	0	62.2	63	7.8	58.3	0	64.1	65	6.8	58.8	0	65.3	66	7.4	61.5	0	65.8	67	5.6	62	0	65.8	67	5.3
	8054	54.7	0	63.8	64	9.6	57.8	0	65.7	66	8.5	58.5	0	66.9	68	9	60.9	0	67.4	68	7.4	60.9	0	67.6	68	7.5
	8055	52.1	0	63.3	64	11.5	55	0	65.1	66	10.5	55.2	0	66.4	67	11.5	55.2	0	66.9	67	12	55.1	0	67	67	12.2
	8056	0	0	59.7	60	59.7	0	0	61.4	61	61.4	0	0	62.7	63	62.7	0	0	63.2	63	63.2	0	0	63.4	63	63.4
	8057	55.6	0	64.6	65	9.5	58.4	0	66.5	67	8.7	60.2	0	67.7	68	8.2	63.3	0	68.1	69	6.1	63.4	0	68.3	70	6.1
	8058	55.2	0	62.5	63	8	59.9	0	64.4	66	5.8	63.1	0	65.6	68	4.5	65.8	0	66.1	69	3.2	66.3	0	66.3	69	3
	8059	45.2	0	63.6	64	18.5	56.2	0	65.9	66	10.1	60.7	0	67.3	68	7.4	63.9	0	67.7	69	5.3	64	0	67.8	69	5.3
	8060	57.9	0	60	62	4.2	64.2	0	63.8	67	2.8	67.4	0	65.7	70	2.2	69.1	0	66.7	71	1.9	69.3	0	67.1	71	2.1
	8061	58.1	0	54.1	60	1.4	63.4	0	55.9	64	0.7	66.3	0	59.7	67	0.9	67.3	0	62	68	1.1	67.5	0	62.8	69	1.3
	8062	58	0	53.6	59	1.4	63.1	0	55.5	64	0.7	66.6	0	59.2	67	0.7	67.8	0	62	69	1	68.3	0	62.8	69	1.1
	8063	57.4	0	53	59	1.3	62.4	0	55	63	0.7	66.2	0	58.4	67	0.7	67.7	0	61.6	69	1	68.4	0	62.7	69	1
	8064	56.5	0	51.7	58	1.2	61.6	0	53.8	62	0.7	65.4	0	57.1	66	0.6	66.4	0	60.4	67	1	66.7	0	61.5	68	1.2
	8065	56.9	0	52.5	58	1.4	61.7	0	54.2	62	0.7	65.3	0	57.4	66	0.7	66.4	0	60.5	67	1	66.9	0	61.6	68	1.1
	8066	35.1	0	60.4	60	25.3	37.6	0	61.9	62	24.4	43.4	0	63.3	63	20	50	0	64.3	64	14.4	51.5	0	64.6	65	13.3
4C	8101	47.4	0	57.6	58	10.6	55.8	0	60.3	62	5.8	60.4	0	60	63	2.8	61.5	0	59.7	64	2.2					
	8102	50.1	0	59.8	60	10.1	56.5	0	60.4	62	5.4	60.7	0	59.9	63	2.6	61.9	0	59.8	64	2.1					
	8103	52.5	0	64.7	65	12.5	56.3	0	62.8	64	7.3	59.9	0	61.4	64	3.9	61.2	0	60.9	64	2.9					
	8104	0	0	60.2	60	60.2	0	0	58.2	58	58.2	0	0	55.9	56	55.9	0	0	54.4	54	54.4					
	8105	15.4	0	58.5	59	43.1	15.4	0	57.3	57	41.9	15.2	0	56.5	57	41.3	15.3	0	55.2	55	39.9					
	8106	0	0	55	55	55	0	0	54.1	54	54.1	0	0	54.4	54	54.4	0	0	53.2	53	53.2					
	8107	50.1	0	56.1	57	7	53.2	0	55.2	57	4.1	56	0	54.3	58	2.2	57.2	0	53.8	59	1.7					
	8108	48.6	0	54.7	56	7	51.7	0	57.3	58	6.7	54.4	0	56.1	58	3.9	56	0	55.3	59	2.7					
	8109	53.4	0	57.4	59	5.4	55.3	0	59.4	61	5.5	57.1	0	58.9	61	4	58.4	0	58.6	62	3.1					
	8110	53.3	0	62.8	63	10	55.1	0	61.5	62	7.3	57	0	60.5	62	5.1	58.2	0	60	62	4					
	8111	0	0	53.5	54	53.5	0	0	56.8	57	56.8	0	0	55.1	55	55.1	0	0	53.9	54	53.9					
	8112	0	0	55	55	55	0	0	57.2	57	57.2	0	0	55.9	56	55.9	0	0	54.8	55	54.8					
	8113	0	0	56.6	57	56.6	0	0	55.7	56	55.7	0	0	54.6	55	54.6	0	0	53.6	54	53.6					
4E	8153	57.9	0	56	60	2.2	64.3	0	59.3	66	1.2	67.9	0	63.2	69	1.3	69.1	0	65.1	71	1.4	69.5	0	65.8	71	1.5
	8154	52.3	0	51.6	55	2.7	60.6	0	54.3	62	1	65.6	0	60.6	67	1.2	66.7	0	62.5	68	1.4	67.1	0	63.3	69	1.5
	8155	56.5	0	53.3	58	1.7	63.2	0	55.6	64	0.7	67.3	0	61.3	68	1	68.3	0	63.2	70	1.2	68.6	0	64.1	70	1.3
	8156	53.9	0	52.3	56	2.3	61.4	0	56.7	63	1.3	65.8	0	59.5	67	0.9	66.8	0	61.5	68	1.1	67.3	0	62.6	69	1.3
	8157	48.5	0	50.7	53	4.2	59.2	0	55.2	61	1.4	64.4	0	58.4	65	1	65.1	0	60.5	66	1.3	65.6	0	61.6	67	1.4
	8158	57.1	0	59.6	62	4.4	63.6	0	62.6	66	2.6	68.4	0	64.3	70	1.4	69.4	0	65.2	71	1.4	69.7	0	66	71	1.6
	8159	57.2	0	58.8	61	3.9	62.5	0	61.7	65	2.6	65.9	0	62.6	68	1.7	67	0	63.2	69	1.5	67.3	0	63.8	69	1.6
	8160	57.1	0	58.3	61	3.6	62	0	61.3	65	2.7	66.2	0	62.4	68	1.5	67.2	0	63.1	69	1.5	67.6	0	63.6	69	1.5
	8161	56.2	0	58.2	60	4.1	60.4	0	60.9	64	3.3	65.8	0	62.1	67	1.6	66.7	0	63	68	1.5	67.1	0	63.5	69	1.6
	8162	48	0	54	55	7	57.4	0	55	59	1.9	64.4	0	57.3	65	0.8	65	0	59.6	66	1.1	65.3	0	60.8	67	1.3
	8163	58.7	0	62.8	64	5.5	64.2	0	64.1	67	3	68.7	0	64.9	70	1.5	69.5	0	65.8	71	1.5	69.8	0	66.4	71	1.6
	8164	57.5	0	63	64	6.6	62.2	0	63.7	66	3.8	66.1	0	63.9	68	2	67	0	64.3	69	1.9	67.4	0	64.6	69	1.8
	8165	58.5	0	63.3	65	6.1	63.5	0	63.4	67	3	67.2	0	63.8	69	1.6	68.1	0	64.3	70	1.5	68.4	0	64.7	70	1.6
	8166	56.4	0	66.6	67	10.6	60.6	0	64.4	66	5.3	65.4	0	63.8	68	2.3	66.3	0	63.9	68	2	66.7	0	64.1	69	1.9
	8167	0	0	60.6	61	60.6	0	0	58.5	59	58.5	0	0	56.3	56	56.3	0	0	54.7	55	54.7	0	0	53.6	54	53.6
	8168	35.4	0	59.6	60	24.2	44.6	0	59.2	59	14.8	55.4	0	57.6	60	4.3	56.2	0	56.8	60	3.3	56.4	0	56.3	59	2.9
	8169	57.4	0	54.4	59	1.7	62.4	0	57.8	64	1.3	65.2	0	59.9	66	1.2	66.6	0	62.1	68	1.3	67.2	0	62.9	69	1.4
	8170	54.8	0	53.2	57	2.3	59.6	0	56.8	61	1.8	62.3	0	59	64	1.6	64.1	0	60.8	66	1.7	64.9	0	61.5	67	1.6
4F	8201	45.7	0	61.7	62	16.1	49.6	0	63.2	63	13.8	55.3	0	62.1	63	7.6	57.1	0	61.1	63	5.4	58	0	60.3	62	4.3
	8202	43.1	0	66.1	66	23	45.4	0	65.6	66	20.3	50.2	0	63.9	64	13.9	53.3	0	62.7	63	9.9	55.7	0	61.8	63	7.1
	8203	0	0	59.9	60	59.9	0	0	61.9	62	61.9	0	0	60.6	61	60.6	0	0	59.5	60	59.5	0	0	58.5	59	58.5
4K	8261	46.2	0	61.3	62	15.3	50.3	0	63.5	64	13.4	58.4	0	62.3	64	5.4	60.4	0	61.4	64	3.5	61.2	0	60.9	64	2.8
	8262	46.2	0	64.9	65	18.7	49.1	0	64.9	65	16	54.3	0	63.3	64	9.5	56.3	0	62.3	63	6.9	57.6	0	61.6	63	5.5
	8263	47.4	0	67.2	67	19.9	50.4	0	64.8	65	14.5	54.5	0	62.9	64	9	57.2	0	61.9	63	6	58.8	0	61.3	63	4.4
	8264	46.3	0	70.1	70	23.8	51	0	66.5	67	15.6	55.4	0	64.2	65	9.3	56.7	0	63	64	7.2	57.6	0	62.1	63	5.8
	8266	19.6	0	64.5	65	44.9	19.6	0	63	63	43.4	19.6	0	61.8	62	42.2	19.6	0	60.4	60	40.8	22.7	0	59.3	59	36.6
	8267	0	0	61.1	61	61.1	0	0	60.4	60	60.4	0	0	60.8	61	60.8	0	0	59.6	60	59.6	0	0	58.5	59	58.5
	8268	34.6	0	55.1	55	20.5	35.1	0	55.7	56	20.7	42.6	0	55.7	56	13.3	56	0	58.3	60	4.3	56.9	0	58.7	61	4
	8269	44.8	0	53.8	54	9.5	46.4	0	57	57	10.9	50.4	0	56.8	58	7.3	58	0	58	61	3	58.6	0	58.6	62	3

TABLE A3.2.7
KTAC TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8270	48.6	0	55.7	57	7.9	52.6	0	60.6	61	8.7	53.6	0	61.5	62	8.5	56.2	0	61.5	63	6.4	56.7	0	61.3	63	5.9
	8271	0	0	56.3	56	56.3	0	0	58.6	59	58.6	0	0	58.1	58	58.1	0	0	57.7	58	57.7	0	0	56.9	57	56.9
	8272	13.3	0	57.5	58	44.2	13.2	0	58	58	44.8	13.2	0	57.6	58	44.4	13.3	0	58.2	58	44.9	15.8	0	57.9	58	42.1
	8281	59.1	0	60.4	63	3.7	64.4	0	62.9	67	2.4	68.2	0	65.3	70	1.8	69.3	0	66.6	71	1.8	69.6	0	66.8	72	1.9
	8282	50	0	56.1	57	7	58.6	0	57.3	61	2.4	63.6	0	59.6	65	1.5	64.8	0	62	67	1.8	65.3	0	62.7	67	1.9
	8283	53.8	0	55.9	58	4.2	62.3	0	59.4	64	1.8	66.1	0	63.4	68	1.9	67.2	0	64.6	69	1.9	67.6	0	65	70	1.9
	8284	52.2	0	56.3	58	5.5	60.5	0	60.1	63	2.9	63.4	0	60.9	65	1.9	64.2	0	61.4	66	1.8	64.6	0	61.9	67	1.9
	8285	54.3	0	51.1	56	1.7	60.3	0	54.4	61	1	65.2	0	61.2	67	1.4	66.4	0	62.3	68	1.4	66.9	0	62.9	68	1.4
	8286	53.5	0	56.9	59	5	60.3	0	60.5	63	3.1	66.1	0	63.3	68	1.8	67.5	0	64.2	69	1.6	68.1	0	64.7	70	1.6
	8287	49.8	0	54.8	56	6.2	58.8	0	55.4	60	1.6	65.5	0	61.7	67	1.5	66.6	0	63	68	1.6	67	0	63.5	69	1.6
4L	8288	52.2	0	65.2	65	13.2	63	0	65.9	68	4.7	68.1	0	66.5	70	2.3	69.1	0	66.8	71	2	69.4	0	66.8	71	1.9
	8289	50.1	0	66.4	67	16.4	59.2	0	66.4	67	7.9	64.4	0	65.5	68	3.6	65.2	0	64.9	68	2.8	65.5	0	64.3	68	2.4
	8290	49.6	0	67.6	68	18	59	0	66.2	67	7.9	65.5	0	65.3	68	2.9	66.6	0	65	69	2.3	67.1	0	64.8	69	2
	8291	48.1	0	70.4	70	22.3	57.7	0	67.5	68	10.2	63.9	0	65.5	68	3.9	64.9	0	64.4	68	2.8	65	0	63.5	67	2.3
	8292	0	0	65.5	66	65.5	0	0	63.4	63	63.4	0	0	61.2	61	61.2	0	0	59.7	60	59.7	0	0	58.5	59	58.5
	8293	0	0	64.5	65	64.5	0	0	64	64	64	0	0	62.2	62	62.2	0	0	60.8	61	60.8	0	0	59.7	60	59.7
	8294	0	0	59.9	60	59.9	0	0	61.7	62	61.7	0	0	60.3	60	60.3	0	0	59.1	59	59.1	0	0	58	58	58
	8295	60	0	59.8	63	2.9	63.7	0	62.3	66	2.3	66.6	0	63.4	68	1.7	67.7	0	64	69	1.6	68.2	0	64.5	70	1.6
	8296	59.5	0	60	63	3.3	63.1	0	62.5	66	2.8	65.9	0	63.9	68	2.1	66.9	0	64.3	69	1.9	67.2	0	64.3	69	1.8
	8301	0	0	62.2	62	62.2	0	0	62.2	62	62.2	0	0	60.7	61	60.7	0	0	59.5	60	59.5	0	0	58.4	58	58.4
	8302	43	0	64.7	65	21.7	48.5	0	63.8	64	15.4	51.5	0	62.2	63	11	52.4	0	60.9	62	9.1	52.7	0	60	61	8
	8303	0	0	64.9	65	64.9	0	0	62.7	63	62.7	0	0	60.6	61	60.6	0	0	59.1	59	59.1	0	0	57.9	58	57.9
	8304	48.9	0	70.1	70	21.2	56.6	0	67.7	68	11.4	63.9	0	66.2	68	4.3	65.4	0	66	69	3.3	66.2	0	65.7	69	2.7
	8305	51.5	0	66.9	67	15.6	59.5	0	66	67	7.4	66.4	0	65.3	69	2.5	67.9	0	65.5	70	2	68.5	0	65.4	70	1.7
	8306	50.3	0	67.7	68	17.5	57.4	0	66.9	67	10	64.2	0	66.2	68	4.1	65.8	0	66.2	69	3.2	66.6	0	65.9	69	2.6
	8307	53	0	68.9	69	16	60.1	0	67.7	68	8.3	68	0	67.5	71	2.8	69	0	67.5	71	2.3	69.4	0	67.2	72	2.1
	8308	44.2	0	64.4	64	20.2	54.7	0	62.5	63	8.5	65.1	0	62.4	67	1.8	65.7	0	62	67	1.5	65.8	0	61.5	67	1.4
	8309	51.3	0	58.5	59	7.9	58.1	0	62.8	64	6	66.1	0	63.7	68	1.9	67.2	0	63.8	69	1.6	67.7	0	63.7	69	1.5
	8310	43.3	0	60.3	60	17.1	54.4	0	59.6	61	6.4	64.7	0	60.1	66	1.3	65.4	0	59.8	67	1.1	65.5	0	59.2	66	0.9
	8311	51.4	0	62.6	63	11.5	56.3	0	64.2	65	8.5	61.4	0	63.9	66	4.4	63.8	0	64.1	67	3.2	64.9	0	64	68	2.6
4M	8312	52.3	0	64.7	65	12.6	60.1	0	65.1	66	6.2	67.3	0	64.8	69	1.9	68.5	0	65.2	70	1.7	68.8	0	64.7	70	1.4
	8313	52.2	0	64.3	65	12.3	57.8	0	64.5	65	7.6	64	0	64.5	67	3.3	65.9	0	65	69	2.6	66.6	0	64.9	69	2.3
	8314	54.7	0	68.5	69	13.9	62.5	0	67.3	69	6	67.7	0	67.1	70	2.7	68.8	0	67.1	71	2.3	69.3	0	66.9	71	1.9
	8315	45.3	0	64.3	64	19.1	60.8	0	63.5	65	4.6	64.8	0	63.3	67	2.4	65.4	0	62.6	67	1.9	65.4	0	62.1	67	1.7
	8316	50.7	0	64.9	65	14.4	62.2	0	65	67	4.6	66.1	0	64.9	69	2.4	67.2	0	64.4	69	1.8	67.7	0	64	69	1.5
	8317	48.5	0	62.3	63	14	61.2	0	62.9	65	4	64.5	0	62.8	67	2.2	65.1	0	62.1	67	1.8	65.2	0	61.6	67	1.6
	8318	50.5	0	60.3	61	10.2	57	0	60.5	62	5.1	62.4	0	61.3	65	2.5	64.2	0	61.8	66	2	65.2	0	61.9	67	1.7
	8319	56.2	0	64	65	8.4	63.2	0	64	67	3.5	67.1	0	64.3	69	1.8	68.3	0	64.5	70	1.5	68.8	0	64.5	70	1.4
	8320	48.4	0	63.2	63	15	60.4	0	61.9	64	3.8	65.4	0	62.3	67	1.8	66.8	0	63.4	68	1.6	67.4	0	63.5	69	1.5
	8321	58.1	0	68.4	69	10.7	64.1	0	67.2	69	4.8	67.6	0	66.6	70	2.5	68.6	0	66.6	71	2.2	69.1	0	66.4	71	1.9
	8322	57.8	0	65.9	67	8.8	60.5	0	65.4	67	6.1	62.6	0	64.4	67	4	63.1	0	63.6	66	3.3	63.2	0	63	66	2.9
	8323	59.4	0	66.1	67	7.5	63.3	0	65.6	68	4.3	65.6	0	64.6	68	2.5	66.7	0	63.9	69	1.8	67.2	0	63.4	69	1.5
	8324	58.3	0	64.9	66	7.5	60.5	0	64.7	66	5.6	62.6	0	63.9	66	3.7	63.3	0	63.2	66	2.9	63.4	0	62.7	66	2.7
	8331	60.2	0	65.6	67	6.5	63.2	0	65.1	67	4.1	65.9	0	64.4	68	2.3	67.2	0	64.2	69	1.7	67.8	0	64.3	69	1.6
	8332	58	0	64.3	65	7.2	61.5	0	63.3	66	4	64.7	0	62.6	67	2.1	66.1	0	62.8	68	1.7	66.8	0	62.9	68	1.5
	8333	60.7	0	69	70	8.9	63.8	0	68	69	5.6	66.5	0	67	70	3.3	67.7	0	66.5	70	2.4	68.2	0	66.3	70	2.1
	8334	54.9	0	66.8	67	12.1	56.9	0	65.7	66	9.4	58.9	0	64.6	66	6.7	59.8	0	63.6	65	5.3	60.1	0	63	65	4.7
	8335	60.5	0	67.6	68	7.9	62.8	0	66.7	68	5.4	64.4	0	65.7	68	3.7	65.5	0	64.8	68	2.7	65.9	0	64.2	68	2.2
	8336	52.9	0	66.6	67	13.9	54.9	0	65.6	66	11.1	56.8	0	64.4	65	8.3	57.8	0	63.5	65	6.7	58.2	0	62.8	64	5.9
	8337	41.3	0	60.7	61	19.4	43.8	0	61.2	61	17.5	47.1	0	60.9	61	14	51.8	0	60.4	61	9.2	54.8	0	60.1	61	6.4
4R	8338	31.7	0	60.8	61	29.1	31.9	0	61.4	61	29.5	32.3	0	61.1	61	28.8	32.8	0	60.7	61	27.9	35.3	0	60.2	60	24.9
	8339	51.8	0	60.8	61	9.5	53.8	0	61.3	62	8.2	55.2	0	61.1	62	6.9	56.6	0	60.7	62	5.5	57.5	0	60.2	62	4.6
	8340	55.5	0	60.8	62	6.4	57.5	0	61.4	63	5.4	59.4	0	61.2	63	4	60.7	0	60.9	64	3.1	61.3	0	60.6	64	2.7
	8341	56.3	0	57.3	60	3.5	58.3	0	57.9	61	2.8	59.7	0	57.7	62	2.1	60.8	0	57.4	62	1.6	61.4	0	57.2	63	1.4
	8342	58.6	0	64.6	66	7	60.7	0	64.8	66	5.5	61.7	0	64.1	66	4.4	62.8	0	63.4	66	3.3	63.3	0	62.9	66	2.8
	8343	46.6	0	62.6	63	16.2	48.4	0	63.7	64	15.4	49.6	0	62.9	63	13.5	50.8	0	62.1	62	11.6	51.5	0	61.5	62	10.4
	8344	58.6	0	63.8	65	6.4	60.6	0	64.7	66	5.5	61.5	0	63.9	66	4.4	62.6	0	63.3	66	3.4	63.2	0	62.7	66	2.8
	8345	29.9	0	61.1	61	31.2	31.3	0	63.7	64	32.4	33.3	0	62.9	63	29.6	35.5	0	62.2	62	26.7	38.3	0	61.6	62	23.3

TABLE A3.2.7
KTAC TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PUBLIC RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
5J	8651	8651	44.5	0	57	57.6	57.8	0	58.9	61	3.6	61.3	0	63.7	66	4.3	66.2	0	64.8	69	2.4	67.2	0	65.1	69	2.1
	8652	8652	41.5	0	56	56.1	58.6	0	61.3	63	4.6	61	0	63.7	66	4.5	63.8	0	64.4	67	3.3	64.4	0	64.3	67	2.9
	8653	8653	45	0	62	62	59.8	0	64.6	66	6	61.9	0	66.1	68	5.6	66.5	0	67.2	70	3.4	67.4	0	66.9	70	2.8
	8654	8654	38.7	0	59	58.9	44.9	0	60.6	61	15.8	53.8	0	62.1	63	8.9	63	0	63.4	66	3.2	63.8	0	63.4	67	2.8
	8655	8655	42.7	0	60	59.9	47.8	0	61.3	62	13.7	55.9	0	62.5	63	7.5	64.9	0	65	68	3.1	66.3	0	65.6	69	2.7
	8656	8656	43.4	0	59	59.5	48.2	0	61.8	62	13.8	56.1	0	63	64	7.7	65.2	0	65.3	68	3	66.6	0	65.7	69	2.6
	8657	8657	46.6	0	59	59	58.3	0	61.3	63	4.8	60.1	0	63	65	4.7	63	0	64.4	67	3.7	64.1	0	64.1	67	3
	8658	8658	53.5	0	63	63.3	59.3	0	64.8	66	6.6	61.2	0	66.7	68	6.6	66.5	0	68.1	70	3.9	67.3	0	67.5	70	3.1
	8659	8659	37.7	0	59	59.1	43.7	0	61.3	61	17.7	52.3	0	62.9	63	11	61.8	0	64.4	66	4.5	62.8	0	64.3	67	3.8
	8660	8660	42.5	0	60	60.1	47.7	0	62	62	14.4	55.7	0	63	64	8.1	65	0	65.4	68	3.2	66.4	0	65.9	69	2.8
	8661	8661	43.1	0	60	59.7	47.9	0	60.6	61	12.9	55.7	0	61.6	63	6.9	65	0	64.1	68	2.6	66.3	0	64.7	69	2.2
	8662	8662	52.3	0	58	59.4	58.1	0	60.4	62	4.3	59.2	0	62.4	64	4.9	62.2	0	63.7	66	3.8	63.5	0	63.5	67	3
	8663	8663	52.9	0	63	63.7	58.1	0	65.1	66	7.7	60.5	0	66.4	67	6.9	66.2	0	67.5	70	3.7	67.1	0	67.2	70	3.1
	8664	8664	37.6	0	60	60.1	43.6	0	62.4	62	18.8	52.2	0	63.4	64	11.5	61.8	0	64.3	66	4.4	62.8	0	64.3	67	3.8
	8665	8665	42.4	0	61	60.7	47.7	0	63.2	63	15.7	56.3	0	63.8	65	8.2	65.1	0	65.2	68	3	66.3	0	65.5	69	2.6
	8666	8666	43.1	0	60	60	47.9	0	62.1	62	14.3	56	0	62.8	64	7.6	65.1	0	64.8	68	2.8	66.2	0	65.4	69	2.6
	8667	8667	52.3	0	60	60.3	57.4	0	60.8	62	5	59.4	0	62.5	64	4.8	64.4	0	64	67	2.8	65.1	0	63.7	68	2.4
	8668	8668	51.1	0	62	62.5	57.4	0	65.7	66	8.9	60.1	0	67	68	7.7	66.3	0	67.8	70	3.8	67.1	0	67.6	70	3.2
	8669	8669	37.1	0	56	56	43	0	63.8	64	20.8	51.5	0	65.3	66	14	61.2	0	65.7	67	5.8	62.2	0	65.5	67	5
	8670	8670	42.1	0	57	56.7	47.5	0	63.9	64	16.5	55.6	0	65.7	66	10.5	65.1	0	66.3	69	3.7	66.2	0	66.1	69	2.9
	8671	8671	44.3	0	53	53.4	49.5	0	56.5	57	7.8	60.5	0	59	63	2.3	63.9	0	60.7	66	1.7	64.8	0	60.9	66	1.5
	8672	8672	49.7	0	61	61.6	53.1	0	66.6	67	13.7	62.7	0	66.5	68	5.3	65.8	0	66.6	69	3.4	66.5	0	66.1	69	2.8
	8673	8673	51.7	0	61	61.1	53	0	67.4	68	14.6	57.2	0	66.5	67	9.8	59.4	0	65.7	67	7.2	59.8	0	64.9	66	6.2
	8674	8674	54.4	0	60	60.7	56.1	0	65.8	66	10.2	61	0	65.2	67	5.6	64.5	0	64.6	68	3	64.8	0	64	68	2.7
	8675	8675	54.5	0	62	63	55.8	0	68.2	68	12.6	57.6	0	67.2	68	10	59.8	0	66.2	67	7.3	60.2	0	65.4	67	6.3
	8676	8676	0	0	56	56	0	0	64.2	64	64.2	0	0	63.1	63	63.1	0	0	62.1	62	62.1	0	0	61.3	61	61.3
	8677	8677	0	0	54	54.3	0	0	65.3	65	65.3	0	0	64.4	64	64.4	0	0	63.6	64	63.6	0	0	63.2	63	63.2
	8678	8678	28.6	0	54	54.3	28.7	0	65.4	65	36.7	32.9	0	64.5	65	31.6	56.9	0	64	65	7.9	57.7	0	64.2	65	7.4
	8679	8679	50.4	0	57	57.6	52.5	0	65.1	65	12.9	53.5	0	64.1	64	10.9	62.7	0	63.1	66	3.2	64.3	0	62.5	67	2.2
	8680	8680	52.1	0	62	62.2	54.4	0	67.9	68	13.7	55.9	0	66.8	67	11.2	57.5	0	65.9	67	9	58.4	0	65	66	7.5
	8681	8681	0	0	57	56.6	0	0	63.7	64	63.7	0	0	62.6	63	62.6	0	0	61.6	62	61.6	0	0	60.8	61	60.8
	8682	8682	0	0	56	56.4	0	0	65.7	66	65.7	0	0	64.8	65	64.8	0	0	63.9	64	63.9	0	0	63.1	63	63.1

TABLE A3.2.7
KTAC TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
4A	8001	0	0	58.5	59	58.5	0	0	67.2	67	67.2	0	0	66.9	67	66.9										
	8002	53.1	0	62.7	63	10	54.4	0	70	70	15.7	54.5	0	69.7	70	15.3										
	8003	0	0	59.6	60	59.6	0	0	68.2	68	68.2	0	0	67.8	68	67.8										
	8004	57.1	0	64.6	65	8.2	58.5	0	71	71	12.7	59.2	0	70.7	71	11.8										
	8005	57.2	0	63.8	65	7.5	58.5	0	67.5	68	9.5	59.1	0	67.5	68	9										
	8006	57	0	64.3	65	8.1	58.4	0	68.9	69	10.9	58.9	0	68.9	69	10.4										
	8007	56	0	64.9	66	9.5	57.2	0	69.3	70	12.4	57.4	0	69.5	70	12.4										
	8008	0	0	58.9	59	58.9	0	0	67.1	67	67.1	0	0	67.4	67	67.4										
	8009	57.3	0	66.2	67	9.4	58.5	0	69.5	70	11.3	59	0	69.9	70	11.3										
	8010	57.2	0	64.7	65	8.2	58.5	0	65.7	66	7.9	59	0	65.8	67	7.6										
	8011	57	0	65.4	66	8.9	58.5	0	67.3	68	9.4	59	0	68	69	9.5										
	8012	55.8	0	64.8	65	9.5	57.3	0	67	67	10.1	57.6	0	68.5	69	11.2										
	8013	0	0	63.1	63	63.1	0	0	65.6	66	65.6	0	0	67.7	68	67.7										
	8014	53.3	0	64	64	11.1	55	0	66.3	67	11.6	56.8	0	68	68	11.5										
	8015	46.6	0	41	48	1.1	50.3	0	42	51	0.6	54.5	0	48.2	55	0.9										
	8016	47.9	0	61.5	62	13.8	51.3	0	63.1	63	12.1	55	0	63.7	64	9.2										
	8017	54.5	0	61.5	62	7.8	55.9	0	63.7	64	8.4	57.3	0	64.9	66	8.3										
	8018	50.7	0	60	61	9.8	53.6	0	62.5	63	9.4	53.8	0	64.3	65	10.9										
	8019	57.1	0	61	63	5.4	58.6	0	63.2	65	5.9	59.4	0	64.7	66	6.4										
	8020	52.5	0	54.3	57	4	54	0	55	58	3.5	55.6	0	55.3	59	2.9										
	8021	56.8	0	60.2	62	5	58.3	0	61.7	63	5	58.9	0	62.1	64	4.9										
	8022	0	0	60.3	60	60.3	0	0	65	65	65	0	0	67.5	68	67.5	0	0	67.8	68	67.8					
	8023	0	0	64.5	65	64.5	0	0	67.8	68	67.8	0	0	69.3	69	69.3	0	0	69.3	69	69.3					
	8024	0	0	57.7	58	57.7	0	0	63.7	64	63.7	0	0	66.8	67	66.8	0	0	67.2	67	67.2					
	8025	54.8	0	66.6	67	12.1	60.6	0	69.6	70	9.5	61.5	0	70.9	71	9.8	62.5	0	70.9	72	9					
	8026	54.7	0	62.9	64	8.8	60.5	0	65.1	66	5.9	61.5	0	66	67	5.8	62.5	0	65.9	68	5.1					
	8027	53.9	0	65.4	66	11.8	59.8	0	67.8	68	8.6	60.4	0	68.3	69	8.6	61.4	0	68.1	69	7.6					
4D	8121	35.5	0	52.3	52	16.9	35.5	0	52.3	52	16.9	36	0	52.6	53	16.7										
	8122	37.1	0	49.9	50	13	37.1	0	52.5	53	15.6	37.6	0	52.6	53	15.1										
	8123	36.8	0	45.8	46	9.5	37.7	0	52.2	52	14.7	40.6	0	53.5	54	13.1										
	8124	0	0	26.2	26	26.2	0	0	33.9	34	33.9	0	0	43.5	44	43.5										
	8125	21.7	0	38.6	39	17	22.2	0	45.5	46	23.4	23.7	0	49.2	49	25.5										
	8126	37.7	0	42.8	44	6.3	38.4	0	49.4	50	11.3	40.5	0	50.1	51	10.1										
	8127	46.1	0	49.3	51	4.9	49.5	0	51.3	54	4	51.7	0	52	55	3.1										
	8128	48.4	0	52.1	54	5.3	51.1	0	53.8	56	4.6	52.6	0	53.8	56	3.7										
	8129	49.2	0	51	53	4	50.9	0	51.8	54	3.5	52	0	52.6	55	3.3										
4G	8211	38.3	0	55.6	56	17.4	41.6	0	57.6	58	16.2	47.7	0	59	59	11.6										
	8212	35.8	0	50.8	51	15.1	36.1	0	57.8	58	21.7	39.7	0	59.3	59	19.6										
	8213	0	0	47.3	47	47.3	0	0	48.7	49	48.7	0	0	54.2	54	54.2										
	8214	39.4	0	54.7	55	15.4	43.7	0	54.5	55	11.1	45.6	0	55	56	9.9										
4H	8231	37.5	0	38	41	3.3	40.9	0	55.2	55	14.5	44.6	0	57	57	12.6										
	8232	34.5	0	49.7	50	15.4	36.9	0	54.2	54	17.4	39.7	0	55.3	55	15.7										
	8233	43.5	0	57.7	58	14.4	47.7	0	58.5	59	11.1	50.3	0	58.5	59	8.8										
	8234	43.2	0	57	57	14	47.4	0	58.2	59	11.2	50	0	58.2	59	8.8										
	8235	41.8	0	55.5	56	13.9	45.8	0	58.8	59	13.2	48.7	0	59.1	60	10.8										
	8236	0	0	27.4	27	27.4	0	0	34.7	35	34.7	0	0	44.2	44	44.2										
	8237	19.6	0	38.8	39	19.2	19.8	0	46.8	47	27	20.2	0	52	52	31.8										
4J	8251	36.8	0	57.4	57	20.6	39.1	0	59	59	19.9	44.1	0	60.1	60	16.1										
	8252	35.4	0	49.5	50	14.3	36.4	0	60.1	60	23.7	41.3	0	59.6	60	18.4										
	8253	0	0	38.9	39	38.9	0	0	50.9	51	50.9	0	0	54.5	55	54.5										
	8254	34.1	0	37.4	39	4.9	34.5	0	53.9	54	19.4	36.9	0	55.1	55	18.2										
	8361	58.1	0	64.6	66	7.4	60.4	0	65	66	5.9	61.6	0	63.8	66	4.2	63.5	0	62.9	66	2.7					
	8362	49.1	0	65.8	66	16.8	51.6	0	64.1	64	12.8	52.8	0	62.3	63	10	54.8	0	61.1	62	7.2					
	8363	56.3	0	65.9	66	10	58.5	0	64.7	66	7.1	59.6	0	63.2	65	5.2	61.7	0	62.2	65	3.2					
	8364	49	0	68.2	68	19.2	51.7	0	65.9	66	14.4	52.8	0	63.8	64	11.4	54.7	0	62.4	63	8.4					

TABLE A3.2.7
KTAC TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8365	0	0	61	61	61	0	0	60.7	61	60.7	0	0	59.5	60	59.5	0	0	58	58	58					
4S	8366	0	0	61.8	62	61.8	0	0	61	61	61	0	0	61	61	61	0	0	59.5	60	59.5					
	8367	33.4	0	48.3	49	15.1	33.5	0	55.3	55	21.9	40	0	58.5	59	18.5	53.5	0	58.6	60	6.3					
	8368	55.2	0	55.5	58	3.2	56.1	0	58.6	61	4.4	57.5	0	59.5	62	4.1	61.1	0	60	64	2.5					
	8369	39.2	0	49.1	50	10.3	44.2	0	57.9	58	13.9	45.9	0	58.7	59	13	52.8	0	58.2	59	6.5					
	8370	0	0	53.7	54	53.7	0	0	58.4	58	58.4	0	0	58.1	58	58.1	0	0	56.9	57	56.9					
	8371	0	0	56.8	57	56.8	0	0	58.7	59	58.7	0	0	59.4	59	59.4	0	0	58.5	59	58.5					
	8401	25.6	0	57.7	58	32.1	26.4	0	57.2	57	30.8	28.8	0	56.2	56	27.4										
	8402	54.2	0	62.5	63	8.9	55.4	0	61.8	63	7.3	56.6	0	60.9	62	5.7										
	8403	56.1	0	62.2	63	7.1	57	0	61.8	63	6.1	57.9	0	61	63	4.9										
	8404	49	0	57.4	58	9	50.5	0	59.4	60	9.5	51.2	0	59.6	60	9										
	8405	36.5	0	55.3	55	18.9	38.4	0	58.5	59	20.1	41.7	0	59.1	59	17.5										
	8406	47	0	53.9	55	7.7	49.7	0	58.4	59	9.2	50.4	0	59.4	60	9.5										
	8407	35.8	0	51.7	52	16.1	37.7	0	57.8	58	20.1	40.9	0	59.1	59	18.3										
5A	8408	0	0	11.4	11	11.4	0	0	12.3	12	12.3	0	0	14.4	14	14.4										
	8409	51	0	51.8	54	3.4	53.1	0	59.3	60	7.1	53.5	0	59.7	61	7.1										
	8410	49.1	0	52.7	54	5.2	51.2	0	59.4	60	8.8	51.9	0	59.1	60	8										
	8411	50.2	0	57.4	58	8	52.2	0	58.6	60	7.3	52.8	0	58.1	59	6.5										
	8412	49.9	0	57.3	58	8.1	52	0	57.7	59	6.7	52.7	0	57.2	59	5.8										
	8413	0	0	28.1	28	28.1	0	0	34.1	34	34.1	0	0	34	34	34										
	8414	0	0	42.5	43	42.5	0	0	46.7	47	46.7	0	0	49.5	50	49.5										
	8415	38.5	0	42.5	44	5.4	49.3	0	55.7	57	7.3	50.3	0	55.1	56	6.1										
	8431	49.3	0	56.3	57	7.8	52.1	0	57.4	59	6.4	53.7	0	58.8	60	6.2										
	8432	49.8	0	56.9	58	7.9	51.9	0	58.8	60	7.7	53.1	0	61	62	8.6										
	8433	50.3	0	56.6	58	7.2	51.7	0	58.4	59	7.5	52.4	0	60.2	61	8.5										
	8434	46.2	0	56.3	57	10.5	48.4	0	59.3	60	11.2	50.7	0	61.9	62	11.5										
	8435	28.2	0	43.8	44	15.7	28.2	0	50.4	50	22.2	28.4	0	55.3	55	27										
	8436	36.4	0	48.4	49	12.3	39.5	0	53.5	54	14.2	43	0	58	58	15.1										
	8437	32.3	0	42.7	43	10.8	34.2	0	46.1	46	12.2	37	0	50.5	51	13.7										
	8438	47.5	0	54.6	55	7.8	48.4	0	60.7	61	12.5	48.5	0	62.7	63	14.3										
	8439	48.9	0	56.1	57	8	50.1	0	63.5	64	13.6	50.6	0	65.3	65	14.8										
	8440	46	0	56.4	57	10.8	47.4	0	63.8	64	16.5	49.6	0	64.4	65	14.9										
	8441	46.3	0	58.6	59	12.6	48.2	0	66.6	67	18.5	50.6	0	67.3	67	16.8										
	8442	26.8	0	53.3	53	26.5	26.8	0	62.4	62	35.6	27.3	0	63.8	64	36.5										
	8443	34.7	0	53	53	18.4	34.8	0	63.1	63	28.3	35.7	0	65.2	65	29.5										
	8444	26.5	0	46.3	46	19.8	26.5	0	56.1	56	29.6	26.6	0	60.1	60	33.5										
	8445	35.2	0	47.5	48	12.5	35.4	0	58	58	22.6	47.5	0	60.8	61	13.5										
	8446	46.4	0	54.4	55	8.7	48.4	0	63.8	64	15.5	50.6	0	65.4	66	14.9										
	8447	46.5	0	55	56	9.1	49.3	0	63.8	64	14.7	50.8	0	64.3	65	13.7										
	8448	47.9	0	58.4	59	10.9	49.9	0	66.9	67	17.1	51.7	0	67.4	68	15.8										
	8449	27.8	0	53.8	54	26	27.8	0	62.3	62	34.5	27.8	0	64	64	36.2										
	8450	34.4	0	53.6	54	19.3	34.5	0	63.1	63	28.6	35.1	0	65.5	66	30.4										
	8451	26.6	0	50.1	50	23.5	26.7	0	59.1	59	32.4	26.6	0	62.7	63	36.1										
	8452	48.3	0	52.6	54	5.6	49.7	0	65.3	65	15.7	51.2	0	64.5	65	13.5										
5C	8453	48.3	0	57.3	58	9.5	49.6	0	67.9	68	18.3	51.3	0	66.9	67	15.7										
	8454	43.4	0	56	56	12.8	45.6	0	64.8	65	19.2	48.4	0	63.5	64	15.3										
	8455	42.1	0	62.2	62	20.2	45.6	0	68.9	69	23.4	49.1	0	67.7	68	18.6										
	8456	24.1	0	58.5	59	34.4	24.1	0	63.9	64	39.8	24.4	0	63.7	64	39.3										
	8457	34	0	58.3	58	24.3	34.1	0	65.5	66	31.4	34.5	0	65.4	65	30.9										
	8458	21.9	0	56.5	57	34.6	21.9	0	61.9	62	40	24.7	0	62.2	62	37.5										
	8459	36.5	0	48.1	48	11.9	39.7	0	61.3	61	21.6	42	0	61.9	62	19.9										
	8460	47.1	0	60	60	13.1	51.2	0	67.2	67	16.1	52	0	66.2	66	14.4										
	8461	46.1	0	56.2	57	10.5	49.9	0	65	65	15.2	50.8	0	63.7	64	13.2										
	8462	49.4	0	63.6	64	14.4	52.6	0	66.9	67	14.5	53.3	0	65.7	66	12.6										
	8463	0	0	62	62	62	0	0	62.3	62	62.3	0	0	60.8	61	60.8										

TABLE A3.2.7
KTAC TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8464	49.7	0	61.5	62	12	51.5	0	64.1	64	12.8	51.9	0	63.2	64	11.6										
	8465	0	0	60.1	60	60.1	0	0	62.5	63	62.5	0	0	60.7	61	60.7										
	8466	0	0	43.6	44	43.6	0	0	56.7	57	56.7	0	0	55.1	55	55.1										
	8467	0	0	50.4	50	50.4	0	0	58.6	59	58.6	0	0	57.5	58	57.5										
	8468	0	0	39.6	40	39.6	0	0	52.8	53	52.8	0	0	54.3	54	54.3										
	8469	37.2	0	58.5	59	21.3	46.9	0	60.5	61	13.8	48.1	0	59.3	60	11.5										
	8470	0	0	63.6	64	63.6	0	0	62.1	62	62.1	0	0	59.9	60	59.9										
	8471	0	0	52.4	52	52.4	0	0	50.8	51	50.8	0	0	48.9	49	48.9										
	8472	36.5	0	36.2	39	2.9	41.8	0	40.1	44	2.3	43.7	0	45.7	48	4.2										
	8473	34.4	0	48.9	49	14.6	42	0	53.2	54	11.5	42.9	0	54.2	55	11.6										
	8474	0	0	39.9	40	39.9	0	0	39.7	40	39.7	0	0	39	39	39										
	8475	0	0	39.6	40	39.6	0	0	39.4	39	39.4	0	0	39	39	39										
	8501	0	0	37.6	38	37.6	0	0	52.7	53	52.7	0	0	56.5	57	56.5										
	8502	0	0	28.1	28	28.1	0	0	46.6	47	46.6	0	0	45.8	46	45.8										
	8503	0	0	40.9	41	40.9	0	0	59	59	59	0	0	60.4	60	60.4										
	8504	31.1	0	40.5	41	9.8	31.2	0	59	59	27.8	31.3	0	60.4	60	29.1										
	8505	0	0	39.9	40	39.9	0	0	59	59	59	0	0	60.2	60	60.2										
	8506	38.9	0	37.6	41	2.4	54.4	0	59	60	5.9	55.1	0	59.8	61	6										
	8507	35.9	0	56.9	57	21.1	43.8	0	58.1	58	14.4	52.4	0	58.9	60	7.4										
	8508	0	0	59.2	59	59.2	0	0	58.9	59	58.9	0	0	59	59	59										
	8509	0	0	55.9	56	55.9	0	0	55.7	56	55.7	0	0	56.3	56	56.3										
5E	8510	37.6	0	63.2	63	25.6	39.8	0	62	62	22.2	43.4	0	60.3	60	17										
	8511	0	0	64	64	64	0	0	62.9	63	62.9	0	0	61.5	62	61.5										
	8512	56	0	61.4	63	6.5	57.7	0	61	63	5	58.3	0	60.2	62	4										
	8513	0	0	61.4	61	61.4	0	0	60.6	61	60.6	0	0	59.6	60	59.6										
	8514	0	0	64.3	64	64.3	0	0	62.8	63	62.8	0	0	61.2	61	61.2										
	8515	0	0	62.6	63	62.6	0	0	60.5	61	60.5	0	0	58.6	59	58.6										
	8516	36.6	0	68.3	68	31.7	39.9	0	65.9	66	26	44.5	0	63.7	64	19.2										
	8517	52.1	0	66.6	67	14.6	55.1	0	64.4	65	9.8	56.6	0	62.4	63	6.8										
	8518	36.6	0	66.2	66	29.6	39.9	0	64.3	64	24.4	44.6	0	62.3	62	17.8										
	8519	57.2	0	64.9	66	8.4	59.3	0	63.8	65	5.8	61.2	0	62.6	65	3.7										
	8551	55.4	0	62.9	64	8.2	56.4	0	62.5	63	7	57.3	0	61.4	63	5.5	59.3	0	60.6	63	3.7					
	8552	56.9	0	65.7	66	9.3	58.7	0	64.6	66	6.9	60.6	0	63.3	65	4.6	61.9	0	62.5	65	3.4					
	8553	50.9	0	63	63	12.3	57.6	0	63.6	65	7	59.3	0	62.5	64	4.9	60.3	0	61.8	64	3.8					
	8554	50.6	0	60.8	61	10.6	57	0	63.7	65	7.5	59.7	0	62.6	64	4.7	61.8	0	61.9	65	3.1					
	8555	44.5	0	50	51	6.6	52.3	0	59.6	60	8.1	56.7	0	58.7	61	4.2	60	0	58.3	62	2.2					
	8556	48.9	0	52.8	54	5.4	53.8	0	60.8	62	7.8	56.9	0	60.3	62	5.1	59.6	0	59.8	63	3.1					
	8557	44.7	0	57.2	57	12.7	51.5	0	61.8	62	10.7	56.4	0	61.4	63	6.2	59.6	0	60.9	63	3.7					
	8558	45	0	48	50	4.8	52.7	0	57.8	59	6.3	55.5	0	56.9	59	3.8	59.2	0	56.7	61	1.9					
	8559	56.4	0	62.7	64	7.2	58.8	0	62.9	64	5.5	61.1	0	61.8	64	3.3	62.9	0	61.1	65	2.2					
	8563	0	0	55.6	56	55.6	0	0	67.7	68	67.7	0	0	66.4	66	66.4	0	0	65.2	65	65.2					
	8564	0	0	61.4	61	61.4	0	0	69.1	69	69.1	0	0	67.7	68	67.7	0	0	66.5	67	66.5					
	8565	0	0	53.2	53	53.2	0	0	63.7	64	63.7	0	0	63.5	64	63.5	0	0	62.5	63	62.5					
	8566	0	0	51.6	52	51.6	0	0	64.1	64	64.1	0	0	64.3	64	64.3	0	0	63.4	63	63.4					
	8568	0	0	56.6	57	56.6	0	0	63.4	63	63.4	0	0	65.4	65	65.4	0	0	64.9	65	64.9					
	8569	0	0	55.8	56	55.8	0	0	66.9	67	66.9	0	0	66.1	66	66.1	0	0	65.1	65	65.1					
	8570	0	0	60.3	60	60.3	0	0	68.8	69	68.8	0	0	67.8	68	67.8	0	0	66.7	67	66.7					
	8571	0	0	52.1	52	52.1	0	0	65.2	65	65.2	0	0	65.2	65	65.2	0	0	64.3	64	64.3					
	8572	0	0	52.9	53	52.9	0	0	66.1	66	66.1	0	0	65.4	65	65.4	0	0	64.4	64	64.4					
	8573	0	0	59.7	60	59.7	0	0	68.8	69	68.8	0	0	67.7	68	67.7	0	0	66.7	67	66.7					
5G	8574	0	0	51.7	52	51.7	0	0	64.5	65	64.5	0	0	65.3	65	65.3	0	0	64.4	64	64.4					
	8575	0	0	53.7	54	53.7	0	0	66.6	67	66.6	0	0	65.4	65	65.4	0	0	64.4	64	64.4					
	8576	0	0	62.5	63	62.5	0	0	67.7	68	67.7	0	0	66.1	66	66.1	0	0	65	65	65					
	8577	0	0	55.3	55	55.3	0	0	64.7	65	64.7	0	0	63.9	64	63.9	0	0	62.8	63	62.8					
	8578	0	0	54.6	55	54.6	0	0	65.2	65	65.2	0	0	64.5	65	64.5	0	0	63.5	64	63.5					

TABLE A3.2.7
KTAC TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8579	39.6	0	52.4	53	13	47.2	0	54.2	55	7.8	48.7	0	55.1	56	7.3	49.9	0	55.3	56	6.5					
	8580	39.5	0	50.6	51	11.4	47.4	0	54.2	55	7.6	49.4	0	55.1	56	6.7	50.5	0	55.2	57	6					
	8581	47.6	0	59.7	60	12.3	51.4	0	67	67	15.7	51.9	0	66.1	66	14.3	52.6	0	65	65	12.7					
	8582	43.9	0	55.5	56	11.9	45.4	0	64.7	65	19.4	46	0	63.5	64	17.6	51	0	62.5	63	11.8					
	8583	25.6	0	55.2	55	29.6	25.5	0	65.4	65	39.9	26	0	64.2	64	38.2	26.1	0	63.3	63	37.2					
	8584	0	0	54.3	54	54.3	0	0	64.2	64	64.2	0	0	63.2	63	63.2	0	0	62.2	62	62.2					
	8585	0	0	53.7	54	53.7	0	0	61.3	61	61.3	0	0	60.9	61	60.9	0	0	60.4	60	60.4					
	8586	48.2	0	60.7	61	12.7	52.4	0	67.1	67	14.8	53	0	65.9	66	13.2	53.8	0	64.9	65	11.5					
	8587	34.6	0	55.4	56	20.9	34.7	0	64.5	65	29.8	39.4	0	63.3	63	23.9	53.6	0	62.3	63	9.2					
	8588	0	0	54.2	54	54.2	0	0	64.7	65	64.7	0	0	63.7	64	63.7	0	0	63.4	63	63.4					
	8589	0	0	54.4	54	54.4	0	0	64.6	65	64.6	0	0	63.5	64	63.5	0	0	62.6	63	62.6					
	8590	0	0	54	54	54	0	0	62.1	62	62.1	0	0	61	61	61	0	0	60.3	60	60.3					
	8591	47.3	0	60.9	61	13.8	51.2	0	67.3	67	16.2	51.8	0	66.1	66	14.4	52.6	0	65	65	12.7					
	8592	49.1	0	56.6	57	8.2	52.2	0	64.7	65	12.7	53	0	63.5	64	10.9	54.8	0	62.5	63	8.4					
	8593	44	0	58	58	14.2	47	0	65.7	66	18.8	48	0	64.7	65	16.8	49	0	63.7	64	14.8					
	8601	49.7	0	52.3	54	4.5	52.3	0	64.8	65	12.7	56.2	0	64.3	65	8.7	58	0	63.3	64	6.4	60.3	0	62.4	65	4.2
	8602	54.9	0	56.9	59	4.1	56.9	0	66.2	67	9.8	59	0	65.8	67	7.6	60.4	0	65	66	5.9	62.3	0	64.4	67	4.2
	8603	46.9	0	51.4	53	5.8	51.3	0	62.5	63	11.5	52.9	0	62.8	63	10.3	55.1	0	62.5	63	8.1	59.1	0	62	64	4.7
	8604	51.9	0	48.5	54	1.6	55.6	0	61.7	63	7.1	58.2	0	62.9	64	5.9	60.1	0	62.6	65	4.4	62.2	0	62	65	2.9
	8605	50.4	0	46.5	52	1.5	54	0	60.4	61	7.3	56.9	0	62.1	63	6.3	57.8	0	61.7	63	5.4	59.7	0	60.9	63	3.7
	8606	51	0	56.5	58	6.6	54.9	0	63.9	64	9.5	59	0	64.9	66	6.9	60.7	0	64.6	66	5.4	62.3	0	64.1	66	4
	8607	35.3	0	60.1	60	24.8	40.8	0	62.7	63	21.9	50.2	0	62.7	63	12.7	55.6	0	62.4	63	7.6	57.4	0	62	63	5.9
5H	8608	51.7	0	61.2	62	10	54.7	0	62.7	63	8.6	58.6	0	63.1	64	5.8	60.5	0	62.8	65	4.3	62.1	0	62.5	65	3.2
	8609	44.4	0	60.9	61	16.6	53.6	0	61.3	62	8.4	57.6	0	61.9	63	5.7	60.8	0	62.5	65	4	62.4	0	62.3	65	2.9
	8610	46.2	0	66.1	66	19.9	57.2	0	65.4	66	8.8	59.1	0	64.4	66	6.4	61.5	0	64.2	66	4.5	62.8	0	63.7	66	3.5
	8611	34.3	0	65.1	65	30.8	38.6	0	64.5	65	25.9	45.2	0	63.1	63	18	54.1	0	62.2	63	8.7	57.2	0	61.7	63	5.8
	8612	51.1	0	65.5	66	14.5	56.1	0	64.4	65	8.9	58.5	0	63	64	5.9	61.1	0	62.1	65	3.6	62.5	0	61.7	65	2.7
	8613	53.3	0	68.9	69	15.7	57	0	66.9	67	10.3	58.4	0	65	66	7.5	61	0	63.8	66	4.6	62.6	0	63.1	66	3.3
	8614	0	0	66.1	66	66.1	0	0	64.5	65	64.5	0	0	62.5	63	62.5	0	0	61.2	61	61.2	0	0	60.3	60	60.3
	8615	62.9	0	57.2	64	1	64.2	0	67	69	4.6	65.5	0	66.1	69	3.3	66	0	65.1	69	2.6	66.6	0	64.3	69	2
	8701	0	0	65.7	66	65.7	0	0	66	66	66	0	0	65.1	65	65.1	0	0	64.3	64	64.3					
	8702	59.4	0	64.5	66	6.3	61.9	0	66.7	68	6	63.6	0	65.5	68	4.1	64.2	0	64.5	67	3.2					
	8703	0	0	63	63	63	0	0	65.9	66	65.9	0	0	66.1	66	66.1	0	0	65.2	65	65.2					
	8704	0	0	49	49	49	0	0	59.9	60	59.9	0	0	62.9	63	62.9	0	0	62.5	63	62.5					
	8705	0	0	49.7	50	49.7	0	0	58	58	58	0	0	61.8	62	61.8	0	0	62.7	63	62.7					
	8706	0	0	53.1	53	53.1	0	0	61.3	61	61.3	0	0	62.9	63	62.9	0	0	63	63	63					
	8707	0	0	55.8	56	55.8	0	0	62	62	62	0	0	63.4	63	63.4	0	0	62.7	63	62.7					
	8708	0	0	58.3	58	58.3	0	0	65	65	65	0	0	66.4	66	66.4	0	0	65.6	66	65.6					
	8709	0	0	51.8	52	51.8	0	0	62.3	62	62.3	0	0	63.8	64	63.8	0	0	63.1	63	63.1					
	8710	0	0	47.1	47	47.1	0	0	58.7	59	58.7	0	0	62.6	63	62.6	0	0	62.7	63	62.7					
	8711	0	0	49.2	49	49.2	0	0	58.7	59	58.7	0	0	62.7	63	62.7	0	0	62.8	63	62.8					
	8712	0	0	51.7	52	51.7	0	0	61.1	61	61.1	0	0	63.3	63	63.3	0	0	62.7	63	62.7					
	8713	0	0	57.3	57	57.3	0	0	65.7	66	65.7	0	0	66.5	67	66.5	0	0	65.6	66	65.6					
	8714	0	0	57.3	57	57.3	0	0	64	64	64	0	0	64.4	64	64.4	0	0	63.4	63	63.4					
	8715	0	0	51.3	51	51.3	0	0	62.3	62	62.3	0	0	64.2	64	64.2	0	0	63.2	63	63.2					
	8716	0	0	49.7	50	49.7	0	0	60	60	60	0	0	63.3	63	63.3	0	0	62.7	63	62.7					
	8717	0	0	49.6	50	49.6	0	0	60.7	61	60.7	0	0	62.3	62	62.3	0	0	61.3	61	61.3					
5K	8718	0	0	64.2	64	64.2	0	0	66.5	67	66.5	0	0	66	66	66	0	0	64.9	65	64.9					
	8719	30.7	0	65.7	66	35	36.3	0	65.1	65	28.8	45.4	0	63.9	64	18.6	58.1	0	62.8	64	5.9					
	8720	0	0	66.3	66	66.3	0	0	65.4	65	65.4	0	0	64.8	65	64.8	0	0	63.8	64	63.8					
	8721	61.6	0	65.7	67	5.5	64.8	0	64.6	68	2.9	66.2	0	63.8	68	2	66.9	0	62.8	68	1.5					
	8722	60.2	0	61.1	64	3.5	62.8	0	63.1	66	3.1	65.9	0	62.7	68	1.7	68.6	0	61.8	69	0.8					
	8723	59.5	0	61.6	64	4.2	62.6	0	60.6	65	2.1	64.6	0	59.2	66	1.1	67.7	0	58	68	0.4					
	8724	58.4	0	62.7	64	5.6	61.7	0	62.5	65	3.4	65	0	61.4	67	1.6	67.8	0	60.3	69	0.7					
	8725	62.7	0	62.8	66	3.1	65.2	0	61.9	67	1.7	66.7	0	60.5	68	1	69	0	59.3	69	0.4					

TABLE A3.2.7
KTAC TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR PRIVATE RESIDENTIAL

AOW Avoid Openable Window at facade represented by AP

NSR	AP	1/F					10/F					20/F					30/F					40/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
	8726	58.5	0	51.9	59	0.9	60.8	0	47.9	61	0.2	61.9	0	45.6	62	0.1	61.9	0	44	62	0.1					
	8727	57.9	0	54.9	60	1.7	60.5	0	54.1	61	0.9	62.3	0	52.7	63	0.5	64.3	0	51.4	65	0.2					
	8728	58.9	0	61.7	64	4.6	62.2	0	61.4	65	2.7	65	0	60.4	66	1.3	67.8	0	59.4	68	0.6					
	8729	59.8	0	61.1	64	3.7	63	0	59.5	65	1.6	64.8	0	57.8	66	0.8	67.4	0	56.5	68	0.3					
	8730	54.6	0	62.5	63	8.5	58.4	0	61.6	63	4.9	61.9	0	61	65	2.6	66.5	0	60.2	67	0.9					
	8731	64.3	0	61.2	66	1.7	67.6	0	59.3	68	0.6	68.8	0	57.5	69	0.3	70	0	56.2	70	0.2					
	8732	63.6	0	57.8	65	1.1	66	0	63.8	68	2.1	67.6	0	62.2	69	1.1	68.3	0	61	69	0.8					
	8733	62.9	0	58.1	64	1.3	65.7	0	64.7	68	2.5	67.4	0	63.1	69	1.4	68.2	0	62	69	0.9					
	8734	61.1	0	61.5	64	3.2	64.7	0	59.6	66	1.2	64.8	0	58	66	0.8	67.8	0	59.4	68	0.6					
	8735	66.4	0	48.9	67	0.1	55.7	0	54.6	58	2.5	54.7	0	55.5	58	3.4	53.3	0	55.4	58	4.2					

TABLE A3.2.7
KTAC TRAFFIC NOISE RESULTS
MITIGATED SCENARIO
MAIN ASSESSMENT FOR SCHOOL

NSR	AP	1/F					3/F					6/F				
		Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E	Existing	Altered	New	Total	T-E
4E	7001	0	0	52.4	52	52.4	0	0	52.7	53	52.7	0	0	52.8	53	52.8
	7002	55.8	0	51.9	57	1.5	58.3	0	53.8	60	59.7	61.3	0	57.1	63	1.4
	7003	58.5	0	57.2	61	2.4	62.2	0	58.7	64	64.4	65.5	0	61.1	67	1.3
	7004	59.5	0	56.3	61	1.7	62.4	0	57.8	64	64.2	65.4	0	60.2	67	1.1
	7005	55.9	0	52.7	58	1.7	59.4	0	54.5	61	60.9	62.2	0	57.6	64	1.3
	7006	0	0	56.3	56	56.3	0	0	56.4	56	56.4	0	0	56.3	56	56.3
	7007	44.2	0	42	46	2.1	49.1	0	45.9	51	54.9	53.8	0	54.2	57	3.2
	7008	0	0	36.3	36	36.3	0	0	41.1	41	51.3	0	0	51.7	52	51.7
	7009	52.5	0	56.9	58	5.7	57.5	0	57.8	61	65.1	63.2	0	60.9	65	2
4L	7101	0	0	57	57	57	0	0	57.9	58	57.9	0	0	58.1	58	58.1
	7102	52.5	0	47.3	54	1.2	55.3	0	48.3	56	0.8	58.4	0	50.4	59	0.7
	7103	62	0	60.8	65	2.5	64.3	0	64.2	67	3	66.5	0	66.1	69	2.8
	7104	62.9	0	62.1	66	2.6	65	0	64.7	68	2.9	67.2	0	66.4	70	2.6
	7105	56.6	0	49.7	57	0.8	59.2	0	51.1	60	0.6	61.7	0	54.1	62	0.7
	7106	0	0	59.2	59	59.2	0	0	62.4	62	62.4	0	0	62.9	63	62.9
	7107	40.1	0	53.1	53	13.2	50.4	0	58.2	59	8.5	50.9	0	61.5	62	11
	7108	0	0	44.1	44	44.1	0	0	48.4	48	48.4	0	0	48.9	49	48.9
	7109	54.3	0	60.8	62	7.3	57.4	0	66.2	67	9.4	61.1	0	67.6	69	7.4
4N	7201	0	0	62.7	63	62.7	0	0	65.1	65	65.1	0	0	65.1	65	65.1
	7202	57	0	54.1	59	1.8	60.8	0	54.1	62	1	62.7	0	54.3	63	0.6
	7203	35.6	0	42.7	44	7.9	37.9	0	47.5	48	10.1	42.9	0	49.3	50	7.3
	7204	54	0	52.5	56	2.3	56.8	0	57.2	60	3.2	59.3	0	59.6	63	3.2
	7205	47.9	0	54	55	7	49.7	0	54	55	5.6	53.6	0	54.4	57	3.4
	7206	0	0	64.4	64	64.4	0	0	65.2	65	65.2	0	0	64.7	65	64.7
	7207	61.7	0	61.9	65	3.2	65	0	64.9	68	3	66.8	0	65.1	69	2.2
	7208	60.1	0	60.8	64	3.4	64.6	0	64.2	67	2.8	66.4	0	64.5	69	2.2
	7209	55.6	0	61.6	63	6.9	57.9	0	66.5	67	9.1	60.4	0	67.2	68	7.6
5J	7301	0	0	55.8	56	55.8	0	0	58.9	59	58.9	0	0	60.2	60	60.2
	7302	39.1	0	54.2	54	15.2	40.6	0	54.9	55	14.4	42.4	0	55.4	56	13.2
	7303	45.8	0	58.3	59	12.7	48.2	0	61.1	61	13.1	56.7	0	62.3	63	6.7
	7304	43.2	0	48.8	50	6.6	44.3	0	52.9	54	9.2	45.9	0	55.2	56	9.7
	7305	44.3	0	56.9	57	12.9	46.7	0	59.2	59	12.7	50.4	0	60.9	61	10.9
	7306	45.4	0	58.6	59	13.4	47.6	0	61.3	61	13.8	50.7	0	62	62	11.6
	7307	0	0	63.4	63	63.4	0	0	65.2	65	65.2	0	0	64.4	64	64.4
	7308	35.1	0	52.4	52	17.3	35.4	0	52.8	53	17.5	35.8	0	53.6	54	17.9
	7309	46.8	0	44.1	49	1.9	50.2	0	45.3	51	1.2	51.4	0	47.9	53	1.6
5L	7401	64	0	53	64	0.3	64.9	0	52.3	65	0.3	65.6	0	51.6	66	0.2
	7402	47.5	0	56.8	57	9.8	52	0	56.9	58	6.1	61	0	56.8	62	1.4
	7403	33.8	0	57.5	58	23.7	34	0	57.8	58	23.8	34.5	0	57.8	58	23.3
	7404	72.2	0	52.2	72	0	73.7	0	52.3	74	0.1	75.1	0	52.3	75	0

TABLE A3.2.11

Development Schedule

Version: May 30, 2001 pm

A1	A2	Zoning	Use	Flat	Population	Site Handover	Population Intake/ Dev. Programme	Employment
1	A	R1(RS)	PRH	4,874	12,810	2001	2005	1,011
1	B	R1(RS)	PRH	7,710	23,804	2001	2005	1,751
1	C	R1(HOS)	HOS	5,138	16,442	2001	2005	1,205
1	D	R1(HOS)	HOS	4,656	14,899	2001	2005	2,549
1	E	R1	R1	3,320	9,596	2011	2015	2,317
1	K	OU	R1	1,612	4,659	2011	2014	1,544
2	A	OU	R1	6,459	18,667	2011	2015	3,735
2	B	R1	R1	1,201	3,470	2003	2006	1,150
2	C	R1	R1	1,839	5,316	2005	2008	1,731
2	D	R1	R1	2,154	6,226	2003	2007	2,064
2	E	R1	R1	1,085	3,135	2003	2006	1,039
2	F	R1	R1	1,292	3,734	2003	2006	1,200
3	A	R2	R2	574	1,659	2013	2016	389
3	B	R2	R2	1,172	3,386	2013	2016	793
3	C	R2	R2	462	1,335	2013	2016	385
3	D	R2	R2	539	1,559	2013	2016	449
3	E	R2	R2	447	1,291	2013	2016	372
3	F	R2	R2	503	1,455	2013	2016	419
3	G	R2	R2	378	1,093	2015	2018	315
3	H	R2	R2	395	1,143	2015	2018	329
3	J	R2	R2	515	1,488	2015	2018	429
3	K	R1	R1	1,163	3,362	2015	2018	1,114
3	M	R1	R1	736	2,128	2015	2018	672
3	N	R1	R1	1,129	3,264	2013	2016	1,044
3	P	R1	R1	715	2,067	2013	2016	685
3	Q	R1	R1	1,226	3,542	2013	2016	1,141
3	R	R1	R1	1,219	3,523	2013	2016	829
3	S	R1	R1	802	2,317	2013	2016	568
3	T	CDA	R1	1,267	3,663	2013	2016	7,318
3	V	R1	R1	1,708	4,935	0	2016	1,209
4	A	R2	R2	1,011	2,921	2009	2012	842
4	B	R1(HOS)	HOS	2,109	6,580	2008	2012	495
4	C	R1(HOS)	HOS	1,921	5,992	2008	2012	1,007
4	D	R2	R2	618	1,786	2009	2012	515
4	E	R1(RS)	PRH	2,997	9,351	2008	2012	695
4	F	R1(HOS)	HOS	1,189	3,709	2008	2012	590
4	G	R2	R2	750	2,168	2011	2014	625
4	H	R2	R2	632	1,825	2011	2014	526
4	J	R2	R2	641	1,853	2014	2016	534
4	K	R1(HOS)	HOS	1,276	3,980	2008	2012	669
4	S	R1	R1	1,009	2,917	2009	2012	933
4	L	R1(RS)	PRH	1,913	5,969	2008	2012	430
4	M	R1(HOS)	HOS	2,245	7,006	2008	2012	504
4	R	R1(HOS)	HOS	1,315	4,102	2008	2012	295
5	A	R2	R2	924	2,671	2011	2014	770
5	C	R2	R2	1,404	4,057	2013	2017	1,169
5	E	R1	R1	1,022	2,954	2011	2014	979
5	G	R1	R1	2,626	7,588	2011	2015	2,409
5	H	R1	R1	1,124	3,249	2011	2014	967
5	J	R1(HOS)	HOS	3,071	9,582	2010	2014	881
5	K	CDA	R1	2,411	6,967	0	2015	2,145
1	A		PS			2003	2005	44
1	A		PS			2003	2005	44
1	A		SS			2003	2005	73
1	C		PS			2003	2005	44
1	C		PS			2003	2005	44
1	C		SS			2003	2005	73
1	E		PS			2011	2013	44
1	E		SS			2011	2013	73
1	E		SS			2011	2013	73
1	G		POL			2003	2005	850
1	L		SV			2011	2013	234
1	L		STD			2009	2012	346
1	P		SV			2009	2011	234
1	Q		EMSD			2004	2006	2,500
1	R		HITEC			0	0	4,500
2	A		PS			2011	2014	44
2	A		PS			2011	2014	44
2	A		SS			2011	2014	73
2	B		PS			2004	2006	44
2	B		SS			2004	2006	73
3	M		PS			2016	2018	44
3	Q		PS			2014	2016	44
3	Q		SS			2014	2016	73
3	X		PS			2014	2016	44
3	X		SS			2014	2016	73
3	Z		RO			2015	2017	100
4	E		PS			2010	2012	44
4	E		SS			2010	2012	73
4	L		PS			2010	2012	44
4	L		SS			2010	2012	73
4	N		PS			2010	2012	44
4	N		SS			2010	2012	73
5	J		PS			2012	2014	44
5	J		SS			2012	2014	73
5	L		PS			2012	2014	44
5	L		HOSP			2011	2014	3,500
6	A		CruiseT/Helipad/ASDE			2011	2013	80
6	A		Museum			2012	2015	100
6	A		Tourist Node			2013	2015	4,475

Table A3.2.8 Proposed Junction Improvement Scheme in the Hinterland Area

Junction	Drawing Reference	Proposed Improvement Scheme	Road Type	Implementation Date
Hung Hom				
Wuhu Street / Ma Tau Wai Road	22936/LS/042	Rearrangement of Lane Markings.	DD	Required before 2006
Ma Tau Wai Road / Bailey Street	22936/LS/018	Local Junction Widening.	DD	Required before 2006
Bailey Street / Hung Hom Road / Road D1	22936/LS/018 & 051	New road junction with Road D1 of SEKD.	DD	Required before 2011
Hung Hom Road / Tak Man Street	22936/LS/042	Modification of Lane Markings.	DD	Required before 2011
Ma Tau Wai				
Ma Tau Wai Road / Chi Kiang Street	22936/LS/040	Local Junction Widening.	PD	Required before 2006
Ma Tau Wai Road / Tin Kwong Road	22936/LS/037	Local Junction Widening.	PD	Required before 2006
Ma Tau Chung Road / Ma Tau Kok Road	22936/LS/006	Rearrangement of Lane Markings.	PD	Required before 2006
Ma Tau Chung Road / Sung Wong Toi Road	22936/LS/006	Minor Junction Modification from 2-way to 1-way carriageway.	PD	Required before 2006
Hang Wan Road / Olympic Avenue (Road D3)	22936/LS/006	Local Junction Widening.	DD	Required before 2006
Road D1(Sung Wong Toi Rd) / Road L3	22936/LS/010	Signalisation.	DD	Required before 2006
Tin Kwong Road / Kau Pui Lung Road	22936/LS/037	Signalisation.	DD	Required before 2006
Road D1(Sung Wong Toi Rd) / Road L3	22936/LS/010	Signalisation. New Road Junction with Road L3 of SEKD.	DD	Required before 2011
To Kwa Wan				
To Kwa Wan Road / San Shan Road	22936/LS/010 & 052	New junction arrangement form at San Ma Tau Street.	DD	Required before 2016
Kowloon City				
Argyle Street / Lomond Road	22936/LS/006	Rearrangement of Lane Markings.	PD	Required before 2006
Prince Edward Road / Junction Road	22936/LS/006	Traffic Diversion (Ban Right Turn Movement).	PD	Required before 2006
Boundary Street / La Salle Road	22936/LS/034	Rearrangement of Lane Markings.	PD	Required before 2006
Kowloon Bay				
Kai Wah Road / Wang Kwong Road	22936/LS/009	Signalisation.	LD	Required before 2006
Kai Cheung Road / Wang Kwong Road	22936/LS/009 & 053	Junction Widening.	DD	Required before 2006
Kai Cheung Road / Wang Chiu Road	22936/LS/009	Junction Widening.	DD	Required before 2006
Wang Chiu Road / Sheung Yee Road	22936/LS/012 & 054	Staggered Pedestrian Crossing.	DD	Required before 2006
Road L1 / Wang Chiu Road	22936/LS/005 & 055	New Road Junction with Road L1 of SEKD.	LD	Required before 2006
Ngan Tau Kok Road / Jordan Valley Road	22936/LS/036 & 039	Local Junction Widening.	DD	Required before 2006
Wang Chiu Road / Kai Lai Road	22936/LS/009	Signalisation & road widening.	LD	Required before 2011
Kwun Tong				
Road D6 / Cheung Yip Street / Hoi Bun Street	22936/LS/016 & 056	New Road Junction with Road D6 of SEKD.	LD	Required before 2006
Hoi Bun Road / Lai Yip Street	22936/LS/017	New Road Junction of SEKD.	LD	Required before 2011
Wai Yip Street / Lai Yip Street	22936/LS/017 & 057	Road Widening to existing STT (Cooked Food Stall) and PA of LCSD.	PD	Required before 2011
Wai Yip Street / Hoi Yuen Road Roundabout	22936/LS/024	Road widening encroaching onto existing open space of LCSD.	DD	Required before 2011
Wai Yip Street / Tsun Yip Street	22936/LS/024	Modification of road kerb for reversion of traffic flow direction.	DD	Required before 2011

Junction	Drawing Reference	Proposed Improvement Scheme	Road Type	Implementation Date
Wai Yip Street / Shun Yip Street	22936/LS/016	Modification of existing road marking to ban right turn movement.	PD	Required before 2011
Wai Yip Street / New Link Road	22936/LS/016 & 058	New link road encroaching on open space of LCSD.	DD	Required before 2011
Hip Wo Street / Yuet Wah Street	22936/LS/041 & 059	Location widening. Widening of Yuet Wah Street.	DD	Required before 2011
Wai Yip Street / Wai Fat Road	22936/LS/025 & 060	Junction modification Modification of traffic island, central divider. Introduction of footbridge.	DD	Required before 2011

Junction	Drawing Reference	Proposed Improvement Scheme	Road Type	Implementation Date
Choi Hung Road Widening	**(Requirement on Land Resumption refer to Highways Agreement No. 80/97)**			
Choi Hung Road / Yin Hing Street	22936/LS/033	Road Widening (D2 to D3).	DD	Required before 2006
Choi Hung Road / Tseung Luk Street	22936/LS/033	Road Widening (D2 to D3).	DD	Required before 2006
Choi Hung Road / Shatin Pass Road	22936/LS/031	Road Widening (D2 to D3).	DD	Required before 2006
Choi Hung Road / Po Kong Village Road	22936/LS/032	Road Widening (D2 to D4).	DD	Required before 2006
Choi Hung Road / Tai Yau Street	22936/LS/032	*Road Widening within Tai Yau Street.*	DD	Required before 2006
		Road Widening (D2 to D3).		Required before 2011
Choi Hung Road / Sze Mei Street	22936/LS/032	*Road Widening within Sze Mei Street.*	DD	Required before 2006
		Road Widening (D2 to D3).		Required before 2016

Notes: Latest information from Transport Department indicates that there would be possible deferring of "Choi Hung Road Widening – Section between Yin Hing Street to Tai Yau Street" from Year 2006 to Year 2011.
PD – Primary Distributor
DD – District Distributor
LD – Local Distributor

Drawing No. 22936/TR/712

Area Wide Traffic Forecasts (in vehicle per hour)

- 2016 AM (with Trunk Road T1)

	UC1-Actual	UC2-Actual	Bus	Total Vehicles	%HV
A 1	683	136	59	879	22
A 2	494	102	34	630	22
A 3	29	13	58	100	71
A 4	3373	591	256	4220	20
A 5	3225	998	303	4525	29
A 6	415	165	215	794	48
A 7	3747	1242	202	5191	28
A 8	227	71	138	437	48
A 9	326	79	31	437	25
A 10	69	23	4	96	28
A 11	138	50	140	329	58
A 12	1961	619	74	2655	26
A 13	1175	262	272	1710	31
A 14	1125	258	268	1651	32
A 15	1866	1061	49	2976	37
A 16	1924	216	78	2217	13
A 17	1795	302	73	2171	17
A 18	2343	301	82	2726	14
A 19	1248	201	132	1581	21
A 20	2379	611	269	3260	27
A 21	855	179	21	1055	19
A 22	35	6	0	42	15
A 23	311	18	34	363	14
A 24	726	168	21	915	21
A 25a	3068	553	202	3823	20
A 25b	1795	468	162	2425	26
A 26	4240	839	240	5319	20
A 27	727	44	0	771	6
A 28	717	87	19	823	13
A 29	701	210	149	1059	34
A 30	1384	274	171	1830	24
A 31	1925	469	143	2538	24
A 32	500	48	20	568	12
A 33	444	55	19	518	14
A 34	466	67	34	567	18
A 35	142	13	0	155	8
A 36	3354	347	164	3865	13
A 37	320	44	24	388	18
A 38	430	13	26	470	8
A 39	125	11	17	154	18
A 40	137	16	25	179	23
A 41	1481	396	32	1910	22
A 42	400	22	10	432	7
A 43	840	157	3	1000	16
A 44	1259	150	31	1440	13
A 45	412	128	34	573	28
A 46	313	74	45	432	28
A 47	775	123	50	949	18
A 48	447	328	23	798	44
A 49	855	177	74	1106	23
A 50	2022	308	100	2430	17
A 51a	819	122	0	940	13
A 51b	1559	304	259	2122	27
A 52	2663	961	38	3662	27
A 53	1135	321	36	1492	24
A 54	848	70	10	928	9
A 55	2038	378	323	2739	26
A 56	1919	347	61	2327	18
A 57	906	338	61	1305	31
A 58a	103	42	181	326	68
A 58b	859	349	119	1326	35
A 59	1503	425	0	1928	22
A 60	3988	525	0	4513	12
A 61a	36	3	232	271	87
A 61b	2390	329	96	2814	15

Remarks:

UC1	Private Vehicles, Taxi, SPB
UC2	Heavy Goods Vehicles
Bus	Buses

Growth factor to 2031 = 1.161

Drawing No. 22936/TR/712

Area Wide Traffic Forecasts (in vehicle per hour)

- 2016 AM (with Trunk Road T1)

	UC1-Actual	UC2-Actual	Bus	Total Vehicles	%HV
A 62	507	166	143	836	39
A 63	1740	278	119	2137	19
A 64	1419	156	7	1581	10
A 65	1834	469	57	2360	22
A 66	798	217	20	1035	23
A 67	2853	532	263	3648	22
A 68	320	33	0	353	9
A 69	1973	221	0	2193	10
A 70	3382	664	85	4132	18
A 71a	991	185	17	1194	17
A 71b	2195	627	275	3097	29
A 72	167	14	0	181	8
A 73	613	62	0	674	9
A 74	1956	337	76	2368	17
A 75	1907	526	18	2450	22
A 76	2333	881	32	3246	28
A 77	1955	331	30	2316	16
A 78	2470	388	88	2946	16
A 79	150	70	0	220	32
A 80	444	95	0	539	18
A 81	2470	388	88	2946	16
A 82	1263	469	176	1908	34
A 83	615	94	0	709	13
A 84	93	2	0	95	2
A 85	341	3	0	344	1
A 86	3589	693	197	4479	20
A 87	453	361	124	937	52
A 88	868	151	42	1061	18
A 89	129	79	18	227	43
A 90	719	50	0	768	6
A 91	653	214	60	927	30
A 92	306	153	0	458	33
A 93	738	230	0	968	24
A 94	890	58	17	965	8
A 95	1936	611	74	2622	26
A 96	51	13	0	64	20
A 97	1955	331	30	2316	16
A 98	5215	553	214	5982	13
A 99a	3300	431	302	4033	18
A 99b	2970	269	55	3294	10
A 100	1277	224	45	1547	17
A 101	197	13	14	224	12
A 102	1174	261	268	1702	31
A 103	175	33	22	229	24
A 104	2098	634	50	2782	25
A 105	1361	169	39	1569	13
A 106	1575	205	33	1813	13
A 107	277	75	49	402	31
A 108	641	74	0	715	10
A 109	1695	114	234	2043	17
A 110	815	190	4	1008	19
A 111	1876	146	9	2032	8
A 112	453	184	26	663	32
A 113	1535	122	21	1679	9
A 114	239	110	0	349	31
A 115	750	101	12	863	13
A 116	710	150	22	882	19

Drawing No. 22936/TR/708

SEKD Internal Road Network Traffic Forecasts (in vehicle per hour)

- 2016 AM (with Trunk Road T1)

		UC1-Actual	UC2-Actual	Bus	Total Vehicle	%HV
B	1	419	22	0	440	5
B	2	93	2	0	95	2
B	3	343	3	0	346	1
B	4	93	2	0	95	2
B	5	343	3	0	346	1
B	6	425	20	0	445	4
B	7	46	17	0	63	26
B	8	356	24	0	380	6
B	9	519	87	0	605	14
B	10	447	29	0	476	6
B	11	302	38	0	340	11
B	12	31	7	0	38	18
B	13	1114	173	0	1287	13
B	14	90	45	0	135	33
B	15	840	76	17	933	10
B	16	146	25	22	193	24
B	17	184	36	12	232	21
B	18	306	153	0	458	33
B	19	738	230	0	968	24
B	20	1775	367	0	2143	17
B	21	54	13	0	67	20
B	22	2078	340	14	2433	15
B	23	844	121	23	988	15
B	24	1818	323	0	2141	15
B	25	7	3	0	10	33
B	26	728	164	21	913	20
B	27	855	179	21	1055	19
B	28	197	13	14	224	12
B	29	1302	223	45	1570	17
B	30	314	16	34	364	14
B	31	295	7	0	302	2
B	32	1307	249	26	1582	17
B	33	773	50	0	822	6
B	34	729	87	19	836	13
B	35	144	13	0	157	8
B	36	459	62	34	555	17
B	37	465	54	19	538	14
B	38	430	13	26	470	8
B	39	1027	53	26	1106	7
B	40	299	8	0	307	3
B	41	126	14	25	165	24
B	42	129	11	18	158	18
B	43	272	11	0	282	4
B	44	171	39	0	209	19
B	45	1074	203	51	1328	19
B	46	338	13	0	351	4
B	47	305	74	0	379	19
B	48	58	17	25	100	42
B	49	1385	253	55	1692	18
B	50	808	151	3	962	16
B	51	422	25	10	456	8
B	52	1075	158	31	1265	15
B	53	1017	370	60	1446	30
B	54	36	7	28	71	49
B	55	38	12	0	50	24
B	56	15	56	0	71	79
B	57a	968	219	0	1187	18
B	57b	1360	554	67	1980	31
B	58	2566	715	60	3340	23
B	59	1142	110	0	1252	9
B	60	240	19	0	259	7
B	61	652	63	0	715	9
B	62	738	28	0	766	4
B	63	2006	211	0	2217	10
B	64	322	46	0	367	12

Remarks:

UC1	Private Vehicles, Taxi, SPB
UC2	Heavy Goods Vehicles
Bus	Buses

Growth factor to 2031 = 1.161

Drawing No. 22936/TR/708

SEKD Internal Road Network Traffic Forecasts (in vehicle per hour)

- 2016 AM (with Trunk Road T1)

		UC1-Actual	UC2-Actual	Bus	Total Vehicle	%HV
B	65	1503	425	0	1928	22
B	66	3988	525	0	4513	12
B	67	1176	135	0	1312	10
B	68	395	39	0	435	9
B	69	824	91	0	914	10
B	70	124	22	0	146	15
B	71	72	13	0	85	16
B	72	264	20	0	284	7
B	73	136	8	0	144	6
B	74	96	13	0	109	12
B	75	347	20	0	367	5
B	76	25	5	0	29	16
B	77	137	3	0	140	2
B	78	535	3	0	539	1
B	79	231	5	0	237	2
B	80	71	0	0	71	0
B	81	137	5	0	142	4
B	82	146	74	34	254	43
B	83	35	0	0	35	0
B	84	2470	388	88	2946	16
B	85	335	39	0	375	11
B	86	153	72	0	225	32
B	87	447	95	0	542	18
B	88	160	28	0	188	15
B	89	536	39	0	575	7
B	90	665	89	0	754	12
B	91	316	46	23	384	18
B	92	367	42	22	431	15
B	93	1936	611	74	2622	26
B	94	548	26	12	586	6
B	95	17	65	0	82	80
B	96	1062	114	0	1176	10
B	97	899	20	0	919	2
B	98	894	82	6	982	9