



SECTION 2



LEGEND:

- Sekd Boundary
- - - 500m from Sekd Boundary
- ▨ Sensitive Receiver Site
- 1 No. of Sensitive Receiver Site

Figure 1



Drawing No. 22936/EN/276B Locations of Planned Development Around SEKD (Sheet 2 of 4)




Figure 3




Figure 4



LEGEND:

~ Contour Showing the Concentration of Max 1 Hr NO₂ at 1.5 m Height


Drawing No. 22936/EN/316A Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/316B Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 1.5m Above Ground



Drawing No. 22936/EN/316C Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/316D Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/316E Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 1.5m Above Ground



Drawing No. 22936/EN/316F Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/317A Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 10m Above Ground




Drawing No. 22936/EN/317B Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 10m Above Ground




Drawing No. 22936/EN/317C Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 10m Above Ground




Drawing No. 22936/EN/317D Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 10m Above Ground




Drawing No. 22936/EN/317E Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 10m Above Ground




Drawing No. 22936/EN/317F Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 10m Above Ground



Drawing No. 22936/EN/318A Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/318B Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/318C Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/318D Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/318E Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/318F Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/319A Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/319B Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 50m Above Ground



Drawing No. 22936/EN/319C Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 50m Above Ground



Drawing No. 22936/EN/319D Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 50m Above Ground



Drawing No. 22936/EN/319E Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/319F Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/320A Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/320B Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/320C Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/320D Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/320E Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/320F Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 75m Above Ground



Drawing No. 22936/EN/321A Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 100m Above Ground



Drawing No. 22936/EN/321B Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/321C Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/321D Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 100m Above Ground



Drawing No. 22936/EN/321E Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 100m Above Ground



Drawing No. 22936/EN/321F Predicted Worst-case 1-hr Average NO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/322A Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/322B Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 1.5m Above Ground



Drawing No. 22936/EN/322C Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 1.5m Above Ground



Drawing No. 22936/EN/322D Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/322E Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 1.5m Above Ground



Drawing No. 22936/EN/322F Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 1.5m Above Ground



Drawing No. 22936/EN/323A Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 10m Above Ground




Drawing No. 22936/EN/323B Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 10m Above Ground



Drawing No. 22936/EN/323C Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 10m Above Ground



Drawing No. 22936/EN/323D Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 10m Above Ground




Drawing No. 22936/EN/323E Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 10m Above Ground



Drawing No. 22936/EN/323F Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 10m Above Ground



Drawing No. 22936/EN/324A Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/324B Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/324C Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/324D Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/324E Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/324F Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/325A Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/325B Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 50m Above Ground



Drawing No. 22936/EN/325C Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/325D Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/325E Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 50m Above Ground



Drawing No. 22936/EN/325F Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 50m Above Ground



Drawing No. 22936/EN/326A Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 75m Above Ground



Drawing No. 22936/EN/326B Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 75m Above Ground



Drawing No. 22936/EN/326C Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/326D Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/326E Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/326F Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 75m Above Ground



Drawing No. 22936/EN/327A Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/327B Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 100m Above Ground



Drawing No. 22936/EN/327C Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/327D Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 100m Above Ground



LEGEND:

∩ Contour Showing
the Concentration
of Max 24 Hr NO₂
at 100 m Height

Drawing No. 22936/EN/327E Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 100m Above Ground



Drawing No. 22936/EN/327F Predicted Worst-case 24-hr Average NO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/328A Predicted Worst-case 24-hr Average RSP Concentration Contours at 1.5m Above Ground



Drawing No. 22936/EN/328B Predicted Worst-case 24-hr Average RSP Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/328C Predicted Worst-case 24-hr Average RSP Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/328D Predicted Worst-case 24-hr Average RSP Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/328E Predicted Worst-case 24-hr Average RSP Concentration Contours at 1.5m Above Ground




Drawing No. 22936/EN/328F Predicted Worst-case 24-hr Average RSP Concentration Contours at 1.5m Above Ground



Drawing No. 22936/EN/329A Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/329B Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/329C Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/329D Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/329E Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/329F Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/330A Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/330B Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 50m Above Ground




LEGEND:

~ Contour Showing
the Concentration
of Max 1 Hr SO₂
at 50 m Height

Drawing No. 22936/EN/330C Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/330D Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/330E Predicted Worst-case 1-hr Average SO2 Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/330F Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 50m Above Ground



Drawing No. 22936/EN/331A Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/331B Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 75m Above Ground



Drawing No. 22936/EN/331C Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/331D Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/331E Predicted Worst-case 1-hr Average SO2 Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/331F Predicted Worst-case 1-hr Average SO2 Concentration Contours at 75m Above Ground



Drawing No. 22936/EN/332A Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/332B Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/332C Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/332D Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/332E Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/332F Predicted Worst-case 1-hr Average SO₂ Concentration Contours at 100m Above Ground



Drawing No. 22936/EN/333A Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/333B Predicted Worst-case 24-hr Average SO2 Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/333C Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/333D Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 25m Above Ground




Drawing No. 22936/EN/333E Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/333F Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 25m Above Ground



Drawing No. 22936/EN/334A Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/334B Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/334C Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/334D Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 50m Above Ground




Drawing No. 22936/EN/334E Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 50m Above Ground



Drawing No. 22936/EN/334F Predicted Worst-case 24-hr Average SO2 Concentration Contours at 50m Above Ground



Drawing No. 22936/EN/335A Predicted Worst-case 24-hr Average SO2 Concentration Contours at 75m Above Ground



Drawing No. 22936/EN/335B Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 75m Above Ground



Drawing No. 22936/EN/335C Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/335D Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/335E Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 75m Above Ground




Drawing No. 22936/EN/335F Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 75m Above Ground



Drawing No. 22936/EN/336A Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 100m Above Ground



Drawing No. 22936/EN/336B Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 100m Above Ground



Drawing No. 22936/EN/336C Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/336D Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/336E Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/336F Predicted Worst-case 24-hr Average SO₂ Concentration Contours at 100m Above Ground




Drawing No. 22936/EN/337A Locations of Air Quality Assessment Points (Sheet 1 of 6)




Drawing No. 22936/EN/337B Locations of Air Quality Assessment Points (Sheet 2 of 6)




Drawing No. 22936/EN/337C Locations of Air Quality Assessment Points (Sheet 3 of 6)



Drawing No. 22936/EN/337D Locations of Air Quality Assessment Points (Sheet 4 of 6)




Drawing No. 22936/EN/337E Locations of Air Quality Assessment Points (Sheet 5 of 6)




Drawing No. 22936/EN/337F Locations of Air Quality Assessment Points (Sheet 6 of 6)




Drawing No. 22936/EN/340 Locations of Ventilation Shafts Within South East Kowloon Development




Drawing No. 22936/EN/338 Locations of Selected Existing and Planned Air Quality Sensitive Receivers




Drawing No. 22936/EN/339 **Locations of Industrial Chimneys in the Proximity of South East Kowloon Development**




Drawing No. 22936/EN/340 Locations of Ventilation Shafts Within South East Kowloon Development




Drawing No. 22936/EN/389 Predicted Worst-case 1-hr Average TSP Concentration Contours at 1.5m Above Ground (Unmitigated Scenario)




Drawing No. 22936/EN/390 Predicted Worst-case 24-hr Average TSP Concentration Contours at 1.5m Above Ground (Unmitigated Scenario)




Drawing No. 22936/EN/391 Predicted Worst-case 1-hr Average TSP Concentration Contours at 1.5m Above Ground (Mitigated Scenario)



Drawing No. 22936/EN/392 Predicted Worst-case 24-hr Average TSP Concentration Contours at 1.5m Above Ground (Mitigated Scenario)



Drawing No. 22936/EN/A2.1 Dust Sources in the Construction Dust Modeling



Drawing No. 22936/EN/A2.2 Traffic Emission Sources in the Traffic Air Quality Modeling