



- NOTES**
- 1 ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE INDICATED
 - 2 ALL LEVELS ARE IN METRES ABOVE PRINCIPAL DATUM (mPD)
 - 3 DETAILS OF EXISTING STORMWATER DRAINS ARE BASED ON DSD RECORD DRAWINGS
 - 4 THE ALIGNMENT OF UTILITIES SHOWN IN THE DRAWINGS ARE INDICATIVE ONLY

- LEGEND**
- SITE LIMIT
 - PROPOSED STORMWATER DRAIN TO REPLACE EXISTING STORMWATER DRAIN 450mm Ø
 - PROPOSED STORMWATER DRAIN PIPE
 - U-CHANNEL
 - PROPOSED U-CHANNEL
 - EXISTING STORMWATER DRAIN TO BE DEMOLISHED AND REMOVED
 - MH2.1 (150Ø)
 - PROPOSED SEWERAGE DRAIN TO REPLACE EXISTING SEWERAGE 150mm Ø
 - MH1.1
 - PROPOSED SEWERAGE PIPE
 - EXISTING SEWERAGE TO BE DEMOLISHED OR ABANDONED
 - EXISTING 750mm Ø STORMWATER DRAIN
 - ELECTRIC CABLES
 - FRESH WATER MAINS
 - EXISTING SEWER PIPE
 - SALT WATER MAINS
 - TOWN GAS PIPE
 - ⊗ EXISTING CATCHPIT
 - ⊗ EXISTING STORMWATER MANHOLE TO BE DEMOLISHED AND REMOVED
 - ⊗ EXISTING CATCHPIT TO BE DEMOLISHED AND RECONSTRUCTED
 - ⊗ EXISTING STORMWATER MANHOLE
 - ⊗ PROPOSED STORMWATER MANHOLE
 - ⊗ EXISTING STORMWATER MANHOLE TO BE MODIFIED
 - ⊗ EXISTING STORMWATER MANHOLE TO BE DEMOLISHED AND RECONSTRUCTED
 - ⊗ PROPOSED SEWERAGE MANHOLE
 - ⊗ EXISTING SEWERAGE MANHOLE TO BE DEMOLISHED AND RECONSTRUCTED
 - ⊗ EXISTING SEWERAGE MANHOLE
 - ⊗ EXISTING SEWERAGE MANHOLE TO BE DEMOLISHED AND REMOVED
 - ⊗ DRAINAGE INLET
 - ⊗ DRAINAGE OUTLET
 - ⊗ PROPOSED FLAP VALVE
 - PROPOSED STORM WATER DRAIN PIPE BY TRENCHLESS METHOD
 - 3.5m x 2.0m B.C. PROPOSED BOX CULVERT
 - EXISTING BOX CULVERT TO BE DEMOLISHED
 - EXISTING BOX CULVERT

PIPE SCHEDULE

PIPE LABEL	PIPE LENGTH (m)	USGL (mPD)	USIL (mPD)	DSL (mPD)	PIPE SIZE (mm)	PIPE SLOPE (1 IN)	PIPE BEDDING	PIPE CLASS	UPSTREAM MANHOLE TYPE	DOWNSTREAM MANHOLE TYPE
0206.1	17	5.990	3.520	3.195	600	52	B	M	E	D
0203.1	25	4.610	3.195	2.995	600	125	C	M	D	D
0201.1	24	4.260	2.995	2.785	600	114	C	M	D	L
0205.1	8	4.540	3.630	3.590	300	200	C	M	C	D
0204.1	35	4.490	3.590	3.470	525	292	C	M	D	D
1226.1	53	4.190	3.270	3.060	450	252	C	M	D	L

DRAINAGE SERVICES DEPARTMENT, THE GOVERNMENT OF THE HONG KONG SPECIAL ADMINISTRATIVE REGION

AGREEMENT No. CE 60/2001 (DS)
DRAINAGE IMPROVEMENT IN SHA TIN AND TAI PO DESIGN AND CONSTRUCTION

STORMWATER DRAINAGE IMPROVEMENT AT TAI PO MARKET

SHEET 2 OF 2

MAUNSELL CONSULTANTS ASIA LTD.
茂盛(亞洲)工程顧問有限公司

DRG. NO. **FIGURE 1.6I**

DESIGNED BY CPWU	DATE OF ISSUE 2001
DRAWN BY GON	STATUS PRELIMINARY
SCALE A1 1:500	COPYRIGHT RESERVED
UNITS METRES	版權所有

Maunsell

DATE 04.12.24