

TEST REPORT

Report No. : 108383A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Address : 28/F Devon House, Taikoo Place, 979 King's Road, Hong Kong

Lab Job No. : J680

Lab Sample No. : 21751/1

Sample Description : 1 sample said to be sediment

Sample Receipt Date : 20 January 2009

Test Period : 20 January 2009 - 6 February 2009

Test Information

Code	Test Parameter	Reporting Limits		Test Procedure
		Sediment/Soil		
		mg/kg		
Cd	Cadmium	0.20		S/M/DIG-RAR & M/ICP-MS
Cr	Chromium	8.0		S/M/DIG-RAR & M/ICP-MS
Cu	Copper	7.0		S/M/DIG-RAR & M/ICP-MS
Ni	Nickel	4.0		S/M/DIG-RAR & M/ICP-MS
Pb	Lead	8.0		S/M/DIG-RAR & M/ICP-MS
Zn	Zinc	20		S/M/DIG-RAR & M/ICP-MS
Hg	Mercury	0.05		S/M/DIG-RAR & M/ICP-MS
As	Arsenic	1.0		S/M/DIG-RAR & M/ICP-MS
Ag	Silver	0.10		S/M/DIG-RAR & M/ICP-MS

- Notes :
1. This report shall not be reproduced, except in full, without prior approval from Lam Laboratories Ltd.
 2. Results related to samples as received.
 3. Results are based on dry sample weight.
 4. < = less than
 5. N/A = Not applicable
 6. Test results satisfy all in-house QA/QC protocols as attached.
 7. Test description (for in-house methods) as follows:
 S/M/DIG-RAR: Acid digestion.
 M/ICP-MS: ICP-MS Quantification.
 8. This report supersedes the one, 108383A, dated 9 February 2009.

Authorized Signatory :



Wong Yau Tim
 (Operations Manager)

Issue Date: 03 March 2009

Hong Kong Accreditation Service (HOKLAS) has accredited this laboratory under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. The results shown in this report were determined by this laboratory in accordance with its terms of accreditation.

TEST REPORT

Report No. : 108383A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

Test Result

Customer Ref.	Sample				Cd	Cr	Cu	Ni	Pb	Zn	Hg	As	Ag
Drillhole No.	Depth, m			Type Specimen Depth, m	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
	No.	From	To										
G1	NA	NA	NA	NA	0.28	16	230	6.2	60	280	0.07	6.3	0.39

---End of Report---

QUALITY CONTROL REPORT

Report No. : 108383A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

QC Results

1.1 Sample Duplicate (Relative deviation)


Customer Ref.	Sample					Batch	Cd %	Cr %	Cu %	Ni %	Pb %	Zn %	Hg %	As %	Ag %	
	Drillhole No.	Depth, m			Type											Specimen Depth m
		No.	From	To												
G1	NA	NA	NA		NA	1	15	6.9	11	7.6	9.5	22	15	8.8	10	
Control Limits							+/- 30 % of the mean									

1.2 Method Spike (Standard Addition)

Customer Ref.	Sample					Batch	Cd %	Cr %	Cu %	Ni %	Pb %	Zn %	Hg %	As %	Ag %	
	Drillhole No.	Depth, m			Type											Specimen Depth m
		No.	From	To												
G1	NA	NA	NA		NA	1	102	104	118	105	125	107	109	113	88	
Control Limits							75 - 125 %									

Note: 1. *na = Relative deviation(RD) for duplicates cannot be evaluated as the value determined is lower than reporting limits.
 2. Results are based on dry sample weight
 3. < = less than

Authorized Signatory :



Wong Yau Tim
 (Operations Manager)

Issue Date:

03 March 2009

QUALITY CONTROL REPORT

Report No. : 108383A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

QC Results

1.3 Sample Reference Material (ISE 2005.3.3)

Reference	Sample					Batch	Cd %	Cr %	Cu %	Ni %	Pb %	Zn %	Hg %	As %	Ag %
	Depth, m			Type	Specimen Depth m										
	No.	From	To												
ISE 050303	N/A	N/A	N/A		N/A	1	99	97	119	93	101	89	104	87	109
Control Limits							75 - 125% of nominal value								

1.4 Method Blank

Reference	Sample					Batch	Cd	Cr	Cu	Ni	Pb	Zn	Hg	As	Ag
	Depth, m			Type	Specimen Depth m										
	No.	From	To												
N/A	N/A	N/A	N/A		N/A	1	<0.20	<8.0	<7.0	<4.0	<8.0	<20	<0.05	<1.0	<0.10
Control Limits							Less than reporting limit								

Note: 1. Results are based on dry sample weight
 2. < = less than

TEST REPORT

Report No. : 108277A(1)
Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Address : 28/F Devon House, Taikoo Place, 979 King's Road, Hong Kong

Lab Job No. : J680
Lab Sample No. : 21751/1
Sample Description : 1 sample said to be sediment
Sample Receipt Date : 20 Jan 2009
Test Period : 21 Jan 2009 - 24 Jan 2009

Test Information**1. Low Molecular Weight Polyaromatic Hydrocarbons, LMW PAHs**

CODE	Test Parameter	Reporting Limit	Test Procedure
		ug/kg	
NAP	Naphthalene	55	S/O/PAH
ANY	Acenaphthylene	55	S/O/PAH
ANA	Acenaphthene	55	S/O/PAH
FLU	Fluorene	55	S/O/PAH
PHE	Phenanthrene	55	S/O/PAH
ANT	Anthracene	55	S/O/PAH
LMW PAH	Total LMW PAH	55	S/O/PAH


2. High Molecular Weight Polyaromatic Hydrocarbons, HMW PAHs

CODE	Test Parameter	Reporting Limit	Test Procedure
		ug/kg	
CHR	Chrysene	170	S/O/PAH
BaA	Benzo(a)anthracene	170	S/O/PAH
BbF	Benzo(b)fluoranthene	170	S/O/PAH
BkF	Benzo(k)fluoranthene	170	S/O/PAH
BaP	Benzo(a)pyrene	170	S/O/PAH
DBA	Dibenz(ah)anthracene	170	S/O/PAH
FLT	Fluoranthene	170	S/O/PAH
IPY	Indeno(1,2,3-cd)pyrene	170	S/O/PAH
PYR	Pyrene	170	S/O/PAH
BPE	Benzo(ghi)perylene	170	S/O/PAH
HMW PAH	Total HMW PAH	170	S/O/PAH

- Notes :
1. This report shall not be reproduced, except in full, without prior approval from Lam Laboratories Ltd.
 2. Results relate to samples as received.
 3. Results are based on dry sample weight.
 4. < = less than
 5. N/A = Not applicable
 6. Test results satisfy all in-house QA/QC protocols as attached.
 7. Test description (for in-house methods only) as follows:
S/O/PAH: Ultra-Sonic extraction and GC-MS Quantification.
 8. Total LMW PAH equals to the sum of NAP, ANY, ANA, FLU, PHE, ANT.
 9. Total HMW PAH equals to the sum of CHR, BaA, BbF, BkF, BaP, DBA, FLT, IPY, PYR, BPE.
 7. This report Supersedes the one dated 9 February 2009 with Report No.108277A.

Approved Signatory :

Issue Date: 03 Mar. 2009



Wong Yau Tim
(Operations Manager)

Hong Kong Accreditation Service (HKAS) has accredited this laboratory under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. The results shown in this report were determined by this laboratory in accordance with its terms of accreditation.

TEST REPORT

Report No. : 108277A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

Test Results**1. Low Molecular Weight Polyaromatic Hydrocarbons, LMW PAHs**

Customer Ref.	Sample				NAP ug/kg	ANY ug/kg	ANA ug/kg	FLU ug/kg	PHE ug/kg	ANT ug/kg	LMW PAH ug/kg	
	Depth, m			Type								Specimen Depth m
	No.	From	To									
G1	NA	NA	NA		NA	<55	<55	<55	<55	<55	<55	

TEST REPORT

Report No. : 108277A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

Test Results**2. High Molecular Weight Polyaromatic Hydrocarbons, HMW PAHs**

Customer Ref.	Sample				CHR	BaA	BbF	BkF	BaP	DBA	FLT	IPY	PYR	BPE	HMW PAH
Drillhole No.	Depth, m			Type	Specimen Depth m	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
	No.	From	To												
G1	NA	NA	NA		NA	<170	<170	<170	<170	<170	<170	<170	<170	<170	300

—End of Report—

QUALITY CONTROL REPORT

Report No. : 108277A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

QC Results**1. Low Molecular Weight Polyaromatic Hydrocarbons, LMW PAHs****1.1 Sample Duplicate**

Customer Ref.	Sample					Batch	NAP	ANY	ANA	FLU	PHE	ANT
Drillhole No.	Depth, m			Type	Specimen		%	%	%	%	%	%
	No.	From	To		Depth m							
G1	NA	NA	NA		NA	1	na*	na*	na*	na*	na*	na*
Control Limits							+/- 30 % of the mean					


1.2 Sample Spike (Spike Level = 5 ug)

Customer Ref.	Sample					Batch	NAP	ANY	ANA	FLU	PHE	ANT
Drillhole No.	Depth, m			Type	Specimen		%	%	%	%	%	%
	No.	From	To		Depth m							
G1	NA	NA	NA		NA	1	99	104	105	97	106	102
Control Limits							70 - 130 %					

Notes :

1. na* = Relative deviation (RD) for duplicates cannot be evaluated as the value determined is lower than reporting limit.

Approved Signatory :



Wong Yau Tim
(Operations Manager)

Issue Date: : 03 Mar. 2009

QUALITY CONTROL REPORT

Report No. : 108277A(1)
Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
Lab Sample No. : 21751/1

QC Results**2. High Molecular Weight Polyaromatic Hydrocarbons, HMW PAHs****2.1 Sample Duplicate**

Customer Ref.	Sample				Batch	CHR	BaA	BbF	BkF	BaP	DBA	FLT	IPY	PYR	BPE		
	Drillhole No.	Depth, m														Type	Specimen Depth m
		No.	From	To													
G1	NA	NA	NA		NA	1	na*	na*	na*	na*	na*	na*	na*	na*	na*		
Control Limits						+/- 30 % of the mean											

2.2 Sample Spike (Spike Level = 5 ug)

Customer Ref.	Sample				Batch	CHR	BaA	BbF	BkF	BaP	DBA	FLT	IPY	PYR	BPE		
	Drillhole No.	Depth, m														Type	Specimen Depth m
		No.	From	To													
G1	NA	NA	NA		NA	1	106	111	120	102	118	119	112	103	114	109	
Control Limits						70 - 130 %											

Notes :

- na* = Relative deviation (RD) for duplicates cannot be evaluated as the value determined is lower than reporting limit.

QUALITY CONTROL REPORT

Report No. : 108277A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

QC Results**1. Low Molecular Weight Polyaromatic Hydrocarbons, LMW PAHs****1.3 QC Sample (SETOC 2007.4.1)**

Customer Ref.	Sample					Batch	NAP %	ANY %	ANA %	FLU %	PHE %	ANT %
	Depth, m			Type	Specimen Depth m							
	No.	From	To									
SETOC 2007.4.1	N/A	N/A	N/A		N/A	1	93	122	82	93	85	110
Control Limits							70 - 130 % of nominal value					

1.4 Method Blank

Customer Ref.	Sample					Batch	NAP ug/kg	ANY ug/kg	ANA ug/kg	FLU ug/kg	PHE ug/kg	ANT ug/kg
	Depth, m			Type	Specimen Depth m							
	No.	From	To									
N/A	N/A	N/A	N/A		N/A	1	<55	<55	<55	<55	<55	<55
Control Limits							Less than reporting limit					

QUALITY CONTROL REPORT

Report No. : 108277A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

QC Results**2. High Molecular Weight Polyaromatic Hydrocarbons, HMW PAHs****2.3 QC Sample (SETOC 2007.4.1)**

Customer Ref.	Sample					Batch	CHR	BaA	BbF	BkF	BaP	DBA	FLT	IPY	PYR	BPE
Drillhole No.	Depth, m			Type	Specimen		%	%	%	%	%	%	%	%	%	%
	No.	From	To		Depth m											
SETOC 2007.4.1	N/A	N/A	N/A		N/A	1	89	96	95	121	79	110	80	90	98	101
Control Limits						70 - 130% of nominal value										

2.4 Method Blank

Customer Ref.	Sample					Batch	CHR	BaA	BbF	BkF	BaP	DBA	FLT	IPY	PYR	BPE
Drillhole No.	Depth, m			Type	Specimen		ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
	No.	From	To		Depth m											
N/A	N/A	N/A	N/A		N/A	1	<170	<170	<170	<170	<170	<170	<170	<170	<170	<170
Control Limits						Less than reporting limit										

TEST REPORT

Report No. : 108278A(1)
Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Address : 28/F Devon House, Taikoo Place, 979 King's Road, Hong Kong

Lab Job No. : J680

Lab Sample No. : 21751/1

Sample Description : 1 sample said to be sediment

Sample Receipt Date : 20 Jan 2009


Test Period : 21 Jan 2009 - 24 Jan 2009

Test Information

CODE	Test Parameter	Reporting Limit	Test Procedure
		ug/kg	
8	2,4' dichlorobiphenyl	3.0	S/O/PCB
18	2,2',5 trichlorobiphenyl	3.0	S/O/PCB
28	2,4,4' trichlorobiphenyl	3.0	S/O/PCB
44	2,2',3,5' tetrachlorobiphenyl	3.0	S/O/PCB
52	2,2',5,5' tetrachlorobiphenyl	3.0	S/O/PCB
66	2,3',4,4' tetrachlorobiphenyl	3.0	S/O/PCB
77	3,3',4,4' tetrachlorobiphenyl	3.0	S/O/PCB
101	2,2',4,5,5' pentachlorobiphenyl	3.0	S/O/PCB
105	2,3,3',4,4' pentachlorobiphenyl	3.0	S/O/PCB
118	2,3',4,4',5 pentachlorobiphenyl	3.0	S/O/PCB
126	3,3',4,4',5 pentachlorobiphenyl	3.0	S/O/PCB
128	2,2',3,3',4,4' hexachlorobiphenyl	3.0	S/O/PCB
138	2,2',3,4,4',5' hexachlorobiphenyl	3.0	S/O/PCB
153	2,2',4,4',5,5' hexachlorobiphenyl	3.0	S/O/PCB
169	3,3',4,4',5,5' hexachlorobiphenyl	3.0	S/O/PCB
170	2,2',3,3',4,4',5 heptachlorobiphenyl	3.0	S/O/PCB
180	2,2',3,4,4',5,5' heptachlorobiphenyl	3.0	S/O/PCB
187	2,2',3,4',5,5',6 heptachlorobiphenyl	3.0	S/O/PCB
Total PCB	Total PCB	3.0	S/O/PCB

- Notes :
1. This report shall not be reproduced, except in full, without prior approval from Lam Laboratories Ltd.
 2. Results relate to samples as received.
 3. Results are based on dry sample weight.
 4. < = less than
 5. N/A = Not applicable
 6. Test results satisfy all in-house QA/QC protocols as attached.
 7. Test description (for in-house methods only) as follows:
S/O/PCB: Ultra-Sonic extraction and GC-MS Quantification.
 8. Total PCB equals to the sum of individual reported PCBs.
 7. This report Supersedes the one dated 9 February 2009 with Report No.108278A.

Approved Signatory :


 Wong Yau Tim
 (Operations Manager)

Issue Date: 03 Mar. 2009

Hong Kong Accreditation Service (HKAS) has accredited this laboratory under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. The results shown in this report were determined by this laboratory in accordance with its terms of accreditation.

TEST REPORT

Report No. : 108278A(1)
Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
Lab Sample No. : 21751/1

Test Results

Customer Ref.	Sample				Specimen Depth m	8	18	28	44	52	66	77	101	105
	Depth, m			Type		ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
	No.	From	To			ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	
G1	NA	NA	NA		NA	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

TEST REPORT

Report No. : 108278A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

Test Results

Customer Ref.	Sample				118	126	128	138	153	169	170	180	187	Total PCB	
	Depth, m			Type											Specimen
	No.	From	To												
G1	NA	NA	NA		NA	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	

—End of Report—

QUALITY CONTROL REPORT

Report No. : 108278A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

QC Results**1.1 Sample Duplicate**

Customer Ref.	Sample					Batch	8	18	28	44	52	66	77	101	105
	Depth, m			Type	Specimen Depth m		%	%	%	%	%	%	%	%	%
	No.	From	To				%	%	%	%	%	%	%	%	%
G1	NA	NA	NA		NA	1	na*	na*	na*	na*	na*	na*	na*	na*	na*
Control Limit							+/- 30% of the mean								


1.2 Sample Spike (Spike Level = 1 ug)

Customer Ref.	Sample					Batch	8	18	28	44	52	66	77	101	105
	Depth, m			Type	Specimen Depth m		%	%	%	%	%	%	%	%	%
	No.	From	To				%	%	%	%	%	%	%	%	
G1	NA	NA	NA		NA	1	84	107	90	108	108	93	91	96	97
Control Limit							70-130 %								

Notes :

1. na* = Relative deviation (RD) for duplicates cannot be evaluated as the value determined is lower than reporting limit.

Approved Signatory :



Wong Yau Tim
(Operations Manager)

Issue Date: : 03 Mar. 2009

QUALITY CONTROL REPORT

Report No. : 108278A(1)
Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
Lab Sample No. : 21751/1

QC Results**1.3 Sample Duplicate**

Customer Ref.	Sample					Batch	118	126	128	138	153	169	170	180	187
Drillhole No.	Depth, m			Type	Specimen		%	%	%	%	%	%	%	%	%
	No.	From	To		Depth m										
G1	NA	NA	NA		NA	1	na*	na*	na*	na*	na*	na*	na*	na*	na*
Control Limit						+/- 30% of the mean									

1.4 Sample Spike (Spike Level = 1 ug)

Customer Ref.	Sample					Batch	118	126	128	138	153	169	170	180	187
Drillhole No.	Depth, m			Type	Specimen		%	%	%	%	%	%	%	%	%
	No.	From	To		Depth m										
G1	NA	NA	NA		NA	1	91	106	108	87	96	101	101	96	102
Control Limit						70-130 %									

Notes :

- na* = Relative deviation (RD) for duplicates cannot be evaluated as the value determined is lower than reporting limit.

QUALITY CONTROL REPORT

Report No. : 108278A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

QC Results

2.1 QC Sample (SETOC 2005.2.4)

Customer Ref.	Batch	28	52	101	105	118	128	138	153	180
Drillhole No.		%	%	%	%	%	%	%	%	%
SETOC 2005.2.4	1	107	98	89	84	82	106	106	101	90
Control Limit		70 - 130% of nominal value								

2.2 Method Blank

Customer Ref.	Sample					Batch	8	18	28	44	52	66	77	101	105
	Depth, m			Type	Specimen		ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
	No.	From	To	Depth m	Depth m										
N/A	N/A	N/A	N/A		N/A	1	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
Control Limit						less than reporting limit									

Customer Ref.	Sample					Batch	118	126	128	138	153	169	170	180	187
	Depth, m			Type	Specimen		ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg	ug/kg
	No.	From	To	Depth m	Depth m										
N/A	N/A	N/A	N/A		N/A	1	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
Control Limit						less than reporting limit									

TEST REPORT

Report No. : 108276A(1)
Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Address : 28/F Devon House, Taikoo Place, 979 King's Road, Hong Kong

Lab Job No. : J680
Lab Sample No. : 21751/1
Sample Description : 1 liquid sample said to be pore water
Sample Receipt Date : 20 Jan 2009
Test Period : 21 Jan 2009 - 24 Jan 2009

Test Information

CODE	Test Parameter	Reporting Limit	Test Procedure
		ug/L	
TBT	Tri-Butyl Tin	0.015	W/O/TBT

- Notes :
1. This report shall not be reproduced, except in full, without prior approval from Lam Laboratories Ltd.
 2. < = less than
 3. N/A = Not applicable
 4. Test results satisfy all in-house QA/QC protocols as attached.
 5. Test description (for in-house methods) as follows:
W/O/TBT: Solvent extraction and GC-MS Quantification.
 6. The elutriate samples were prepared according to contract agreed procedure.
 7. This report Supersedes the one dated 9 February 2009 with Report No.108276A.

Approved Signatory :



 Wong Yau Tim
 (Operations Manager)

Issue Date:

03 Mar. 2009

Hong Kong Accreditation Service (HKAS) has accredited this laboratory under Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. The results shown in this report were determined by this laboratory in accordance with its terms of accreditation.

Lam Laboratories Limited Unit 12, 14/F., Honour Industrial Centre, 6 Sun Yip Street, Chai Wan, Hong Kong.
 Tel: (852) 2897 3282 Fax: (852) 2897 5509 e-mail: info@lamlab.com

TEST REPORT

Report No. : 108276A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
 Lab Sample No. : 21751/1

Test Results

Customer Ref. Drillhole No.	Sample				Specimen Depth m	TBT ug TBT / L
	Depth, m			Type		
	No.	From	To			
G1	N/A	N/A	N/A		N/A	<0.015

-----End of report-----

QUALITY CONTROL REPORT

Report No. : 108276A(1)
Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680
Lab Sample No. : 21751/1

QC Results**1.1 Sample Duplicate (Relative deviation)**

Customer Ref. Drillhole No.	Sample					Batch	TBT %
	Depth, m			Type	Specimen Depth m		
	No.	From	To				
21735/1	N/A	N/A	N/A		N/A	1	na*
Control Limit							+/- 30% of the mean


1.2 Sample Spike (Spike Level = 50 ng)

Customer Ref. Drillhole No.	Sample					Batch	TBT %
	Depth, m			Type	Specimen Depth m		
	No.	From	To				
21735/1	N/A	N/A	N/A		N/A	1	84
Control Limit							70-130 %

Notes :

- na* = Relative deviation (RD) for duplicates cannot be evaluated as the value determined is lower than reporting limit.

Approved Signatory :



Wong Yau Tim
(Operations Manager)

Issue Date:

03 Mar. 2009

QUALITY CONTROL REPORT

Report No. : 108276A(1)
 Project Name : South Island Line (East) - Sediment Quality Assessment
 Chemical and Biological Testing of Sediment

Customer : Gammon Construction Limited

Lab Job No. : J680

Lab Sample No. : 21751/1

QC Results**1.3 QC Sample (Spike level = 50 ng)**

Customer Ref.	Sample					Batch	TBT	
	Drillhole No.	Depth, m			Type		Specimen Depth m	%
		No.	From	To				
MB Spike	N/A	N/A	N/A		N/A	1	96	
Control Limit							70 - 130 %	

1.4 Method Blank

Customer Ref.	Sample					Batch	TBT	
	Drillhole No.	Depth, m			Type		Specimen Depth m	ug TBT / L
		No.	From	To				
N/A	N/A	N/A	N/A		N/A	1	<0.015	
Control Limit							Less than reporting limit	