



**Consultancy Agreement No. NEX/2301
South Island Line (East)
Environmental Impact Assessment**

Environmental Impact Assessment Report
(Volume 2 of 4)

Report No.: 248137/51/F

August 2010

MTR Corporation Limited



List of Figures

Figure 1.1	General Layout Plan	Figure 3.22b	Schematic Configuration of Movable Noise Barrier for Slope Work
Figure 2.1.1	Proposed Alignment of SIL(E) (Sheet 1 of 5)	Figure 3.23	Schematic Configuration of Full Noise Enclosure for PME
Figure 2.1.2	Proposed Alignment of SIL(E) (Sheet 2 of 5)	Figure 3.24	Typical Cross Section of Viaduct with Structural Frame
Figure 2.1.3	Proposed Alignment of SIL(E) (Sheet 3 of 5)	Figure 3.25	Extent of Noise Mitigation Measures (Scenario for Existing NSRs)
Figure 2.1.4	Proposed Alignment of SIL(E) (Sheet 4 of 5)	Figure 3.26	Extent of Noise Mitigation Measures (Scenario for Existing NSRs)
Figure 2.1.5	Proposed Alignment of SIL(E) (Sheet 5 of 5)	Figure 3.27	Extent of Noise Mitigation Measures (Scenario for Existing NSRs)
Figure 2.2	Two Possible Locations Evaluated for SOH Station	Figure 3.28	Extent of Noise Mitigation Measures (Scenario for Existing and Planned NSRs)
Figure 2.3	LET Station to Aberdeen Channel - Modified Vertical Alignment	Figure 3.29	Extent of Noise Mitigation Measures (Scenario for Existing and Planned NSRs)
Figure 2.4	Section between Aberdeen Channel Crossing and Nam Fung Portal – Option on Viaduct and Deep Rock Tunnel	Figure 3.30	Extent of Noise Mitigation Measures (Scenario for Existing and Planned NSRs)
Figure 2.5	Envisaged Construction Methods for SIL(E)	Figure 3.31	Schematic Cross-section of Noise Barrier / Semi-enclosure (Sheet 1 of 3)
Figure 2.6.1	Works Areas (Sheet 1 of 10)	Figure 3.32	Schematic Cross-section of Noise Barrier / Semi-enclosure (Sheet 2 of 3)
Figure 2.6.2	Works Areas (Sheet 2 of 10)	Figure 3.33	Schematic Cross-section of Noise Barrier / Semi-enclosure (Sheet 3 of 3)
Figure 2.6.3	Works Areas (Sheet 3 of 10)	Figure 3.34.1	Location of Fixed Plant at Admiralty Station
Figure 2.6.4	Works Areas (Sheet 4 of 10)	Figure 3.34.2	Location of Fixed Plant at Admiralty Station
Figure 2.6.5	Works Areas (Sheet 5 of 10)	Figure 3.34.3	Location of Fixed Plant at Admiralty Station
Figure 2.6.6	Works Areas (Sheet 6 of 10)	Figure 3.34.4	Location of Fixed Plant at Admiralty Station
Figure 2.6.7	Works Areas (Sheet 7 of 10)	Figure 3.35.1	Location of Fixed Plant at Hong Kong Park
Figure 2.6.8	Works Areas (Sheet 8 of 10)	Figure 3.35.2	Location of Fixed Plant at Hong Kong Park
Figure 2.6.9	Works Areas (Sheet 9 of 10)	Figure 3.35.3	Location of Fixed Plant at Hong Kong Park
Figure 2.6.10	Works Areas (Sheet 10 of 10)	Figure 3.35.4	Location of Fixed Plant at Hong Kong Park
Figure 2.6.11	Works Areas (Telegraph Bay Barging Point)	Figure 3.36.1	Location of Fixed Plant at Nam Fung Portal Ventilation Building
Figure 2.6.12	Works Areas (Chung Hom Shan Magazine Site)	Figure 3.36.2	Location of Fixed Plant at Nam Fung Portal Ventilation Building
Figure 2.7	Typical Layout of Crushing Facilities	Figure 3.36.3	Location of Fixed Plant at Nam Fung Portal Ventilation Building
Figure 3.1	Preferred Alignment and Assessment Area	Figure 3.37.1	Location of Fixed Plant at Ocean Park Station
Figure 3.2	The First Layer of Affected Noise Sensitive Uses (Sheet 1 of 9)	Figure 3.37.2	Location of Fixed Plant at Ocean Park Station
Figure 3.3	The First Layer of Affected Noise Sensitive Uses (Sheet 2 of 9)	Figure 3.38.1	Location of Fixed Plant at Wong Chuk Hang Station
Figure 3.4	The First Layer of Affected Noise Sensitive Uses (Sheet 3 of 9)	Figure 3.38.2	Location of Fixed Plant at Wong Chuk Hang Station
Figure 3.5	The First Layer of Affected Noise Sensitive Uses (Sheet 4 of 9)	Figure 3.38.3	Location of Fixed Plant at Wong Chuk Hang Station
Figure 3.6	The First Layer of Affected Noise Sensitive Uses (Sheet 5 of 9)	Figure 3.38.4	Location of Fixed Plant at Wong Chuk Hang Station
Figure 3.7	The First Layer of Affected Noise Sensitive Uses (Sheet 6 of 9)	Figure 3.38.5	Location of Fixed Plant at Wong Chuk Hang Station
Figure 3.8	The First Layer of Affected Noise Sensitive Uses (Sheet 7 of 9)	Figure 3.39.1	Location of Fixed Plant Noise Source
Figure 3.9	The First Layer of Affected Noise Sensitive Uses (Sheet 8 of 9)	Figure 3.39.2	Location of Fixed Plant at Wong Chuk Hang Depot
Figure 3.10	The First Layer of Affected Noise Sensitive Uses (Sheet 9 of 9)	Figure 3.39.3	Location of Fixed Plant at Wong Chuk Hang Depot
Figure 3.11	Representative Noise Sensitive Receivers (Sheet 1 of 9)	Figure 3.39.4	Location of Fixed Plant at Wong Chuk Hang Depot
Figure 3.12	Representative Noise Sensitive Receivers (Sheet 2 of 9)	Figure 3.39.5	Location of Fixed Plant at Wong Chuk Hang Depot
Figure 3.13	Representative Noise Sensitive Receivers (Sheet 3 of 9)	Figure 3.39.6	Location of Fixed Plant at Wong Chuk Hang Depot
Figure 3.14	Representative Noise Sensitive Receivers (Sheet 4 of 9)	Figure 3.39.7	Location of Fixed Plant at Wong Chuk Hang Depot
Figure 3.15	Representative Noise Sensitive Receivers (Sheet 5 of 9)	Figure 3.39.8	Location of Fixed Plant at Wong Chuk Hang Depot
Figure 3.16	Representative Noise Sensitive Receivers (Sheet 6 of 9)	Figure 3.39.9	Location of Fixed Plant at Wong Chuk Hang Depot
Figure 3.17	Representative Noise Sensitive Receivers (Sheet 7 of 9)	Figure 3.40.1	Location of Fixed Plant at Lei Tung Station and Entrances
Figure 3.18	Representative Noise Sensitive Receivers (Sheet 8 of 9)	Figure 3.40.2	Location of Fixed Plant at Lei Tung Station and Entrances
Figure 3.19	Representative Noise Sensitive Receivers (Sheet 9 of 9)	Figure 3.40.3	Location of Fixed Plant at Lei Tung Station and Entrances
Figure 3.20	Representative Noise Sensitive Receivers – (Telegraph Bay Barging Point)	Figure 3.40.4	Location of Fixed Plant at Lei Tung Station and Entrances
Figure 3.21	Representative Noise Sensitive Receivers – (Chung Hom Shan Magazine Site)	Figure 3.40.5	Location of Fixed Plant at Lei Tung Station and Entrances
Figure 3.22a	Schematic Configuration of Movable Noise Barrier	Figure 3.40.6	Location of Fixed Plant at Lei Tung Station and Entrances
		Figure 3.41.1	Location of Fixed Plant near Sham Wan Tower
		Figure 3.41.2	Location of Fixed Plant near Sham Wan Tower
		Figure 3.42.1	Location of Fixed Plant at South Horizons Plant Building and Entrance

Figure 3.42.2	Location of Fixed Plant at South Horizons Plant Building and Entrance
Figure 3.42.3	Location of Fixed Plant at South Horizons Plant Building and Entrance
Figure 3.42.4	Location of Fixed Plant at South Horizons Plant Building and Entrance
Figure 3.42.5	Location of Fixed Plant at South Horizons Plant Building and Entrance
Figure 3.43.1	Location of Fixed Plant at Lee Wing Street Plant Building
Figure 3.43.2	Location of Fixed Plant at Lee Wing Street Plant Building
Figure 3.43.3	Location of Fixed Plant at Lee Wing Street Plant Building
Figure 3.43.4	Location of Fixed Plant at Lee Wing Street Plant Building
Figure 3.44	Noise Mitigation Measures for Operation Ground-borne Noise near South Horizons Station

Figure 4.1	Ecological Assessment Area
Figure 4.2	Habitat Map and Species of Conservation Concern (Sheet 1 of 13)
Figure 4.3	Habitat Map and Species of Conservation Concern (Sheet 2 of 13)
Figure 4.4	Habitat Map and Species of Conservation Concern (Sheet 3 of 13)
Figure 4.5	Habitat Map and Species of Conservation Concern (Sheet 4 of 13)
Figure 4.6	Habitat Map and Species of Conservation Concern (Sheet 5 of 13)
Figure 4.7	Habitat Map and Species of Conservation Concern (Sheet 6 of 13)
Figure 4.8	Habitat Map and Species of Conservation Concern (Sheet 7 of 13)
Figure 4.9	Habitat Map and Species of Conservation Concern (Sheet 8 of 13)
Figure 4.10	Habitat Map and Species of Conservation Concern (Sheet 9 of 13)
Figure 4.11	Habitat Map and Species of Conservation Concern (Sheet 10 of 13)
Figure 4.12	Habitat Map and Species of Conservation Concern (Sheet 11 of 13)
Figure 4.13	Habitat Map and Species of Conservation Concern (Sheet 12 of 13)
Figure 4.14	Habitat Map and Species of Conservation Concern (Sheet 13 of 13)
Figure 4.15	Mitigation Measures to the Impact on Ardeid Night Roost

Figure 5.1	Locations of Water Control Zones
Figure 5.2	Locations of Water Quality Sensitive Receivers
Figure 5.3	Locations of Marine Piles for Telegraph Bay Barging Point
Figure 5.4	Proposed Railway Bridge Pier Foundation for Aberdeen Channel – Plan
Figure 5.5	Proposed Re-Construction Works for Staunton Creek Nullah - Location
Figure 5.6	Proposed Re-Construction Works for Staunton Creek Nullah - Plan
Figure 5.7	Proposed Re-construction Works for Staunton Creek Nullah – Typical Section 1
Figure 5.8	Proposed Re-construction Works for Staunton Creek Nullah – Typical Section 2
Figure 5.9	Proposed Re-construction Works for Staunton Creek Nullah – Typical Section 3
Figure 5.10.1	Aberdeen Channel to Ocean Park Station Foundation Layout Plan (Sheet 1 of 4)
Figure 5.10.2	Aberdeen Channel to Ocean Park Station Foundation Layout Plan (Sheet 2 of 4)
Figure 5.10.3	Aberdeen Channel to Ocean Park Station Foundation Layout Plan (Sheet 3 of 4)
Figure 5.10.4	Aberdeen Channel to Ocean Park Station Foundation Layout Plan (Sheet 4 of 4)

Figure 6.1.1	Review of Planning and Development Control Framework Sheet 1 of 6
Figure 6.1.2	Review of Planning and Development Control Framework Sheet 2 of 6
Figure 6.1.3	Review of Planning and Development Control Framework Sheet 3 of 6
Figure 6.1.4	Review of Planning and Development Control Framework Sheet 4 of 6
Figure 6.1.5	Review of Planning and Development Control Framework Sheet 5 of 6
Figure 6.1.6	Review of Planning and Development Control Framework Sheet 6 of 6
Figure 6.2.1	Landscape Resources Sheet 1 of 13
Figure 6.2.2	Landscape Resources Sheet 2 of 13
Figure 6.2.3	Landscape Resources Sheet 3 of 13
Figure 6.2.4	Landscape Resources Sheet 4 of 13
Figure 6.2.5	Landscape Resources Sheet 5 of 13

Figure 6.2.6	Landscape Resources Sheet 6 of 13
Figure 6.2.7	Landscape Resources Sheet 7 of 13
Figure 6.2.8	Landscape Resources Sheet 8 of 13
Figure 6.2.9	Landscape Resources Sheet 9 of 13
Figure 6.2.10	Landscape Resources Sheet 10 of 13
Figure 6.2.11	Landscape Resources Sheet 11 of 13
Figure 6.2.12	Landscape Resources Sheet 12 of 13
Figure 6.2.13	Landscape Resources Sheet 13 of 13
Figure 6.2.14	Landscape Resources Photographs 1 of 5
Figure 6.2.15	Landscape Resources Photographs 2 of 5
Figure 6.2.16	Landscape Resources Photographs 3 of 5
Figure 6.2.17	Landscape Resources Photographs 4 of 5
Figure 6.2.18	Landscape Resources Photographs 5 of 5
Figure 6.3.1	Landscape Character Areas and Impacts 1 of 6
Figure 6.3.2	Landscape Character Areas and Impacts 2 of 6
Figure 6.3.3	Landscape Character Areas and Impacts 3 of 6
Figure 6.3.4	Landscape Character Areas and Impacts 4 of 6
Figure 6.3.5	Landscape Character Areas and Impacts 5 of 6
Figure 6.3.6	Landscape Character Areas and Impacts 6 of 6
Figure 6.4.1	Landscape Character Areas Photographs 1 of 5
Figure 6.4.2	Landscape Character Areas Photographs 2 of 5
Figure 6.4.3	Landscape Character Areas Photographs 3 of 5
Figure 6.4.4	Landscape Character Areas Photographs 4 of 5
Figure 6.4.5	Landscape Character Areas Photographs 5 of 5
Figure 6.5.1	Impact on Landscape Resources 1 of 13
Figure 6.5.2	Impact on Landscape Resources 2 of 13
Figure 6.5.3	Impact on Landscape Resources 3 of 13
Figure 6.5.4	Impact on Landscape Resources 4 of 13
Figure 6.5.5	Impact on Landscape Resources 5 of 13
Figure 6.5.6	Impact on Landscape Resources 6 of 13
Figure 6.5.7	Impact on Landscape Resources 7 of 13
Figure 6.5.8	Impact on Landscape Resources 8 of 13
Figure 6.5.9	Impact on Landscape Resources 9 of 13
Figure 6.5.10	Impact on Landscape Resources 10 of 13
Figure 6.5.11	Impact on Landscape Resources 11 of 13
Figure 6.5.12	Impact on Landscape Resources 12 of 13
Figure 6.5.13	Impact on Landscape Resources 13 of 13
Figure 6.6.1	Visual Envelope and Zone of Visual Influence 1 of 5
Figure 6.6.2	Visual Envelope and Zone of Visual Influence 2 of 5
Figure 6.6.3	Visual Envelope and Zone of Visual Influence 3 of 5
Figure 6.6.4	Visual Envelope and Zone of Visual Influence 4 of 5
Figure 6.6.5	Visual Envelope and Zone of Visual Influence 5 of 5
Figure 6.7.1	Visual Context of Visual Sensitive Receivers 1 of 11
Figure 6.7.2	Visual Context of Visual Sensitive Receivers 2 of 11
Figure 6.7.3	Visual Context of Visual Sensitive Receivers 3 of 11
Figure 6.7.4	Visual Context of Visual Sensitive Receivers 4 of 11
Figure 6.7.5	Visual Context of Visual Sensitive Receivers 5 of 11
Figure 6.7.6	Visual Context of Visual Sensitive Receivers 6 of 11
Figure 6.7.7	Visual Context of Visual Sensitive Receivers 7 of 11
Figure 6.7.8	Visual Context of Visual Sensitive Receivers 8 of 11
Figure 6.7.9	Visual Context of Visual Sensitive Receivers 9 of 11

Figure 6.7.10	Visual Context of Visual Sensitive Receivers 10 of 11	Figure 6.10.16	Photomontage - Vantage Points J
Figure 6.7.11	Visual Context of Visual Sensitive Receivers 11 of 11	Figure 6.10.17	Photomontage - Vantage Points K
Figure 6.8.1	Visual Impacts 1 of 4	Figure 6.10.18	Photomontage - Vantage Points L
Figure 6.8.2	Visual Impacts 2 of 4	Figure 6.10.19	Photomontage - Vantage Points L
Figure 6.8.3	Visual Impacts 3 of 4	Figure 6.10.20	Photomontage - Vantage Points M
Figure 6.8.4	Visual Impacts 4 of 4	Figure 6.10.21	Photomontage - Vantage Points N
Figure 6.9.1.1	Recommended Landscape Mitigation Measures	Figure 6.10.22	Photomontage - Vantage Points N
Figure 6.9.1.2	Recommended Landscape Mitigation Measures	Figure 6.10.23	Photomontage - Vantage Points O
Figure 6.9.1.3	Recommended Landscape Mitigation Measures	Figure 6.10.24	Photomontage - Vantage Points O
Figure 6.9.2	Recommended Landscape Mitigation Measures	Figure 6.10.25	Photomontage - Vantage Points P
Figure 6.9.3.1	Recommended Landscape Mitigation Measures	Figure 6.10.26	Photomontage - Vantage Points Q
Figure 6.9.3.2	Recommended Landscape Mitigation Measures	Figure 6.10.27	Photomontage - Vantage Points Q
Figure 6.9.4	Recommended Landscape Mitigation Measures	Figure 6.10.28	Photomontage - Vantage Points R
Figure 6.9.5	Recommended Landscape Mitigation Measures	Figure 6.10.29	Photomontage - Vantage Points S
Figure 6.9.6	Recommended Landscape Mitigation Measures	Figure 6.10.30	Photomontage - Vantage Points T
Figure 6.9.7	Recommended Landscape Mitigation Measures	Figure 6.10.31	Photomontage - Vantage Points T
Figure 6.9.8	Recommended Landscape Mitigation Measures	Figure 6.10.32	Photomontage - Vantage Points U
Figure 6.9.9	Recommended Landscape Mitigation Measures	Figure 6.10.33	Photomontage - Vantage Points U
Figure 6.9.10	Recommended Landscape Mitigation Measures	Figure 6.10.34	Photomontage - Vantage Points V
Figure 6.9.11	Recommended Landscape Mitigation Measures	Figure 6.10.35	Photomontage - Vantage Points V
Figure 6.9.12	Recommended Landscape Mitigation Measures		
Figure 6.9.13	Recommended Landscape Mitigation Measures	Figure 7.1	Hong Kong Government Risk Guidelines
Figure 6.9.14	Recommended Landscape Mitigation Measures	Figure 7.2	Schematic diagram of QRA Process
Figure 6.9.15	Recommended Landscape Mitigation Measures	Figure 7.3	Proposed Alignment and Work Areas
Figure 6.9.16	Recommended Landscape Mitigation Measures	Figure 7.4	Proposed Alignment, Proposed Magazine Locations and Explosives Transport Routes
Figure 6.9.17	Recommended Landscape Mitigation Measures	Figure 7.5	Maximum IR for the Delivery Routes from Chung Hom Shan Magazine
Figure 6.9.18	Recommended Landscape Mitigation Measures	Figure 7.6	IR of Proposed Chung Hom Shan Magazine
Figure 6.9.19	Recommended Landscape Mitigation Measures	Figure 7.7	F-N Curves for Storage and Transport of Explosives
Figure 6.9.20	Recommended Landscape Mitigation Measures	Figure 7.8	F-N Curves for Base Case with Breakdown by Transport and Storage
Figure 6.9.21	Recommended Landscape Mitigation Measures	Figure 7.9	Location of South Horizons Station and the LPG Depot
Figure 6.9.22	Recommended Landscape Mitigation Measures	Figure 7.10	Layout of the LPG Depot
Figure 6.9.23	Recommended Landscape Mitigation Measures	Figure 7.11	FN Curves for Current Year, Construction Phase and Future Operational Phase of the SIL(E) Project
Figure 6.9.24	Recommended Landscape Mitigation Measures	Figure 7.12	FN Curves showing Construction Phase (Year 2014) Risk Breakdown by Population Type
Figure 6.9.25	Recommended Landscape Mitigation Measures	Figure 7.13	IR Contours for the LPG Depot
Figure 6.9.26	Recommended Landscape Mitigation Measures		
Figure 6.9.27	Recommended Landscape Mitigation Measures	Figure 8.1	Location of Grab Sampling
Figure 6.10.1	Photomontage - Vantage Points A		
Figure 6.10.2	Photomontage - Vantage Points A	Figure 9.1	Proposed Land Contamination Site Investigation Location on Ocean Park Station (OCP)
Figure 6.10.3	Photomontage - Vantage Points B	Figure 9.2	Proposed Land Contamination Site Investigation Locations on South Horizons Station (SOH)
Figure 6.10.4	Photomontage - Vantage Points B		
Figure 6.10.5	Photomontage - Vantage Points C	Figure 10.1	Study Area for Air Quality Impact Assessment
Figure 6.10.6	Photomontage - Vantage Points C	Figure 10.2	Locations of Air Sensitive Receivers in Admiralty
Figure 6.10.7	Photomontage - Vantage Points D	Figure 10.3	Locations of Air Sensitive Receivers at Nam Fung Portal and Ocean Park
Figure 6.10.8	Photomontage - Vantage Points D	Figure 10.4	Locations of Air Sensitive Receivers in Wong Chuk Hang
Figure 6.10.9	Photomontage - Vantage Points E	Figure 10.5	Locations of Air Sensitive Receivers in Lei Tung
Figure 6.10.10	Photomontage - Vantage Points F	Figure 10.6	Locations of Air Sensitive Receivers in South Horizons and Lee Nam Road Barging Point
Figure 6.10.11	Photomontage - Vantage Points F	Figure 10.7	Locations of Air Sensitive Receivers at Chung Hom Shan Magazine Site and Telegraph Bay Barging Point
Figure 6.10.12	Photomontage - Vantage Points G		
Figure 6.10.13	Photomontage - Vantage Points H	Figure 10.8	Zoning for Site Formation Works and Zoning for Structure / Fitting Out Works
Figure 6.10.14	Photomontage - Vantage Points I	Figure 10.9	Locations of Potential Dust Emission Sources in Admiralty (1) (Tier 1)
Figure 6.10.15	Photomontage - Vantage Points J	Figure 10.10	Location of Potential Dust Emission Sources in Admiralty (2) (Tier 1)

Figure 10.11	Location of Potential Dust Emission Sources in Nam Fung and Ocean Park (Tier 1)	Figure 10.35	Cumulative Result - Contours of tier 1 daily TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $260\mu\text{g}/\text{m}^3$) – Nam Fung Portal and Ocean Park
Figure 10.12	Location of Potential Dust Emission Sources in Wong Chuk Hang (Tier 1)	Figure 10.36	Cumulative Result - Contours of tier 1 daily TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $260\mu\text{g}/\text{m}^3$) - Wong Chuk Hang
Figure 10.13	Location of Potential Dust Emission Sources in Ap Lei Chau and Lei Tung (Tier 1)	Figure 10.37	Cumulative Result - Contours of tier 1 daily TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $260\mu\text{g}/\text{m}^3$) – Lei Tung
Figure 10.14	Location of Potential Dust Emission Sources in South Horizons (Tier 1)	Figure 10.38	Cumulative Result - Contours of tier 1 daily TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $260\mu\text{g}/\text{m}^3$) – South Horizons and Lee Nam Barging Point
Figure 10.15	Locations of Potential Dust Emission Sources at Lee Nam Barging Point (Tier 1)	Figure 10.39	Cumulative Result - Contours of tier 1 daily TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $260\mu\text{g}/\text{m}^3$) - Telegraph Bay
Figure 10.16	Location of Potential Dust Emission Sources at Chung Hom Shan Magazine Site and Telegraph Bay Barging Point (Tier 1)	Figure 10.40	Cumulative Result - Contours of tier 1 daily TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $260\mu\text{g}/\text{m}^3$) – Chung Hom Shan
Figure 10.17	Location of Potential Dust Emission Sources in Wong Chuk Hang (Tier 2 for ASR – WCH14)	Figure 10.41	Not used
Figure 10.18	Location of Potential Dust Emission Sources in Wong Chuk Hang (Tier 2 for ASR – WCH2)	Figure 10.42	Not used
Figure 10.19	Location of Potential Dust Emission Sources in Wong Chuk Hang (Tier 2 for ASR – WCH3, WCH16 and WCH17)	Figure 10.43	Cumulative Result - Contours of tier 2 daily TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $260\mu\text{g}/\text{m}^3$) - Wong Chuk Hang for ASR – WCH3
Figure 10.20	Location of Potential Dust Emission Sources in Wong Chuk Hang (Tier 2 for ASR – WCH5 and WCH18)	Figure 10.44	Not used
Figure 10.21	Location of Potential Dust Emission Sources in Wong Chuk Hang (Tier 2 for ASR – WCH6)	Figure 10.45	Cumulative Result - Contours of tier 2 daily TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $260\mu\text{g}/\text{m}^3$) - Wong Chuk Hang for ASR – WCH6
Figure 10.22	Cumulative Result - Contours of tier 1 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $77.4\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) - Admiralty	Figure 10.46	Cumulative Result - Contours of annual TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $77.4\mu\text{g}/\text{m}^3$, AQO = $80\mu\text{g}/\text{m}^3$) - Admiralty
Figure 10.23	Cumulative Result - Contours of tier 1 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) - Nam Fung Portal and Ocean Park	Figure 10.47	Cumulative Result - Contours of annual TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $80\mu\text{g}/\text{m}^3$) – Nam Fung Portal and Ocean Park
Figure 10.24	Cumulative Result - Contours of tier 1 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) – Wong Chuk Hang	Figure 10.48	Cumulative Result - Contours of annual TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $80\mu\text{g}/\text{m}^3$) – Wong Chuk Hang
Figure 10.25	Cumulative Result - Contours of tier 1 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) – Lei Tung	Figure 10.49	Cumulative Result - Contours of annual TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground (during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $80\mu\text{g}/\text{m}^3$) – Lei Tung
Figure 10.26	Cumulative Result - Contours of tier 1 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) – South Horizons and Lee Nam Barging Point	Figure 10.50	Cumulative Result - Contours of tier 1 annual TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $80\mu\text{g}/\text{m}^3$) – South Horizons and Lee Nam Barging Point
Figure 10.27	Cumulative Result - Contours of tier 1 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) - Telegraph Bay	Figure 10.51	Cumulative Result - Contours of annual TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $80\mu\text{g}/\text{m}^3$) - Telegraph Bay
Figure 10.28	Cumulative Result - Contours of tier 1 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) - Chung Hom Shan	Figure 10.52	Cumulative Result - Contours of annual TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $80\mu\text{g}/\text{m}^3$) – Chung Hom Shan
Figure 10.29	Cumulative Result - Contours of tier 2 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) – Wong Chuk Hang for ASR – WCH14	Figure 11.1	Geological map for the proposed works area at Admiralty
Figure 10.30	Cumulative Result - Contours of tier 2 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) – Wong Chuk Hang for ASR – WCH2	Figure 11.2	Geological map for the proposed work sites at Wong Chuk Hang
Figure 10.31	Cumulative Result - Contours of tier 2 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) – Wong Chuk Hang for ASR – WCH3, WCH16 & WCH17	Figure 11.3	Geological map for the proposed alignment on Ap Lei Chau
Figure 10.32	Cumulative Result - Contours of tier 2 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) – Wong Chuk Hang for ASR – WCH5 & WCH18	Figure 11.4	Historical map for project study area at Admiralty (1856)
Figure 10.33	Cumulative Result - Contours of tier 2 hourly TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $73.2\mu\text{g}/\text{m}^3$, AQO = $500\mu\text{g}/\text{m}^3$) – Wong Chuk Hang for ASR – WCH6	Figure 11.5	Historical map for project study area at Admiralty (1936-46)
Figure 10.34	Cumulative Result - Contours of tier 1 daily TSP Concentration ($\mu\text{g}/\text{m}^3$) at 1.5m above ground during Construction Phase (Include Background Concentration = $77.4\mu\text{g}/\text{m}^3$, AQO = $260\mu\text{g}/\text{m}^3$) - Admiralty	Figure 11.6	Historical map of Wong Chuk Hang Area (1895)
		Figure 11.7	Aerial photograph of the Wong Chuk Hang Area (1949)

Figure 11.8	Map showing the area of previously identified archaeological potential near Wong Chuk Hang San Wai
Figure 11.9	Map showing the area of previously identified archaeological potential near Ocean Park
Figure 11.10	Map from 1880 showing the location of the Explosive Magazine and Flagstaff House (Head Quarter House on the Map), the Montgomery, Wavell and Roberts Blocks have yet to be constructed
Figure 11.11	1930-45 Map showing the locations of the graded historic buildings and declared monuments at Admiralty in their historical setting
Figure 11.12	1845 Map showing the location of the historical settlement known as Little Hong Kong
Figure 11.13	Graded historic building and built heritage resource around Ap Lei Chau
Figure 11.14.1	Graded historic building and Declared Monument around Admiralty
Figure 11.14.2	Proposed Graded Buildings along Nam Fung Tunnel
Figure 11.15	Graded historic building and built heritage resource around Wong Chuk Hang
Figure 11.16	Graded historic building and Declared Monument around Wong Chuk Hang
Figure 11.17	Location of the previously recorded resources in Wong Chuk Hang San Wai
Figure 11.18	Map in 1936-46 overlaying map in 1880 of Admiralty
Figure 11.19	Approximate locations of original shoreline and former Military Structures Marked on the Alignment Map of Admiralty
Figure 11.20	Location of Archaeological Investigation carried out in 2001 for the LPG Filling Station Project
Figure 11.21	Assessment of archaeological potential – Admiralty
Figure 11.22	Assessment of archaeological potential – Admiralty
Figure 11.23	Assessment of archaeological potential – Admiralty
Figure 11.24	Assessment of archaeological potential – Nam Fung Tunnel
Figure 11.25	Assessment of archaeological potential – Nam Fung Tunnel
Figure 11.26	Assessment of archaeological potential – Nam Fung Tunnel
Figure 11.27	Assessment of archaeological potential – Nam Fung Tunnel
Figure 11.28	Assessment of archaeological potential – Nam Fung Portal
Figure 11.29	Assessment of archaeological potential – Ocean Park
Figure 11.30	Assessment of archaeological potential – Wong Chuk Hang
Figure 11.31	Assessment of archaeological potential – Ap Lei Chau
Figure 11.32	Assessment of archaeological potential – Ap Lei Chau
Figure 11.33	Assessment of archaeological potential – Ap Lei Chau
Figure 11.34	Assessment of archaeological potential – Ap Lei Chau
Figure 11.35	Plan showing the area proposed for watching brief at Wong Chuk Hang (pier locations)
Figure 11.36	1957 map showing the general area at Admiralty
Figure 11.37	1963 map showing the general area at Admiralty
Figure 11.38	1977 map showing the general area at Admiralty
Figure 11.39	1986 map showing the Harcourt Garden Site at Admiralty
Figure 11.40	Underground section of the proposed cut-and-cover station box at Harcourt Garden
Figure 11.41	Plan showing Wellington Battery, Military Hospital and works alignments overlain on modern topographical map