

Main Construction Activity		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
Stage 1 - Site Clearance																							
Stage 2 - Site Formation Works																							
Stage 3 - Building Formation Works																							
Stage 4 - Building Structures																							
Stage 5 - Building E&M System		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 6 - Cross Boundary Bridges - Substructures																							
Stage 7 - Cross Boundary Bridges - Bridges Deck																							
Stage 8 - Cross Boundary Bridges - Road Works & Facilities																							
Stage 9 - Cross Boundary Bridges - E&M System		Y	Y	Y	Y																		
Stage 10 - General Civil Works and Utilities																							
Stage 11 - Road Works																							
Stage 12 - Lighting/E&M/TCSS																							
Stage 13a Sewage Treatment Plant - Foundation Works																							
Stage 13b Sewage Treatment Plant - Superstructures		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 13c Sewage Treatment Plant - Road & Pipe Works										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Sound Power Level, dB(A)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 2 - Site Formation Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - Building Formation Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 4 - Building Structures		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Building E&M System		112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112
Stage 6 - Cross Boundary Bridges - Substructures		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 7 - Cross Boundary Bridges - Bridges Deck		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 8 - Cross Boundary Bridges - Road Works & Facilities		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 9 - Cross Boundary Bridges - E&M System		112	112	112	112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 10 - General Civil Works and Utilities		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 11 - Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 12 - Lighting/E&M/TCSS		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13a Sewage Treatment Plant - Foundation Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13b Sewage Treatment Plant - Superstructures		114	114	114	114	114	114	114	114	114	114	114	114	114	114	0	0	0	0	0	0	0	0
Stage 13c Sewage Treatment Plant - Road & Pipe Works		0	0	0	0	0	0	0	0	119	119	119	119	119	119	119	119	119	119	119	119	119	119

Predicted Noise Level, dB(A) (Stage 1)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR	Description																						Maximum
TYH	Distance (m)																						
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65

Predicted Noise Level, dB(A) (Stage 2)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR	Description																						Maximum
TYH	Distance (m)																						
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64

Predicted Noise Level, dB(A) (Stage 3)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR	Description																						Maximum
TYH	Distance (m)																						
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63

Predicted Noise Level, dB(A) (Stage 4)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR	Description																						Maximum
TYH	Distance (m)																						
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62

Predicted Noise Level, dB(A) (Stage 5)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112
NSR	Description																						Maximum
TYH	Distance (m)																						
	Distance Attenuation (dB(A))	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5	-49.5
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66

Main Construction Activity	Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
Stage 1 - Site Clearance																						
Stage 2 - Site Formation Works																						
Stage 3 - Building Formation Works																						
Stage 4 - Building Structures																						
Stage 5 - Building E&M System	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 6 - Cross Boundary Bridges - Substructures																						
Stage 7 - Cross Boundary Bridges - Bridges Deck																						
Stage 8 - Cross Boundary Bridges - Road Works & Facilities																						
Stage 9 - Cross Boundary Bridges - E&M System	Y	Y	Y	Y																		
Stage 10 - General Civil Works and Utilities																						
Stage 11 - Road Works																						
Stage 12 - Lighting/E&M/TCSS																						
Stage 13a Sewage Treatment Plant - Foundation Works																						
Stage 13b Sewage Treatment Plant - Superstructures	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 13c Sewage Treatment Plant - Road & Pipe Works									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Sound Power Level, dB(A)	Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
Stage 1 - Site Clearance	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 2 - Site Formation Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - Building Formation Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 4 - Building Structures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Building E&M System	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112
Stage 6 - Cross Boundary Bridges - Substructures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 7 - Cross Boundary Bridges - Bridges Deck	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 8 - Cross Boundary Bridges - Road Works & Facilities	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 9 - Cross Boundary Bridges - E&M System	112	112	112	112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 10 - General Civil Works and Utilities	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 11 - Road Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 12 - Lighting/E&M/TCSS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13a Sewage Treatment Plant - Foundation Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13b Sewage Treatment Plant - Superstructures	114	114	114	114	114	114	114	114	114	114	114	114	114	114	0	0	0	0	0	0	0	0
Stage 13c Sewage Treatment Plant - Road & Pipe Works	0	0	0	0	0	0	0	0	119	119	119	119	119	119	119	119	119	119	119	119	119	119

Predicted Noise Level, dB(A) (Stage 6)	Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR																						Maximum
TYH																						
Distance (m)																						
Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 7)	Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR																						Maximum
TYH																						
Distance (m)																						
Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 8)	Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR																						Maximum
TYH																						
Distance (m)																						
Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 9)	Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
	112	112	112	112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR																						Maximum
TYH																						
Distance (m)	353	353	353	353																		
Distance Attenuation (dB(A))	-59.0	-59.0	-59.0	-59.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
Overall Noise Level (dB (A))	56	56	56	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 10)	Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR																						Maximum
TYH																						
Distance (m)																						
Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Main Construction Activity	Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 2 - Site Formation Works																																			
Stage 3 - Building Formation Works																																			
Stage 4 - Building Structures																																			
Stage 5 - Building E&M System																																			
Stage 6 - Cross Boundary Bridges - Substructures																																			
Stage 7 - Cross Boundary Bridges - Bridges Deck																																			
Stage 8 - Cross Boundary Bridges - Road Works & Facilities																																			
Stage 9 - Cross Boundary Bridges - E&M System																																			
Stage 10 - General Civil Works and Utilities																																			
Stage 11 - Road Works																																			
Stage 12 - Lighting/E&M/TCSS																																			
Stage 13a Sewage Treatment Plant - Foundation Works																																			
Stage 13b Sewage Treatment Plant - Superstructures																																			
Stage 13c Sewage Treatment Plant - Road & Pipe Works																																			

Sound Power Level, dB(A)	Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
Stage 1 - Site Clearance	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111	111
Stage 2 - Site Formation Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - Building Formation Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 4 - Building Structures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Building E&M System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 6 - Cross Boundary Bridges - Substructures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 7 - Cross Boundary Bridges - Bridges Deck	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 8 - Cross Boundary Bridges - Road Works & Facilities	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 9 - Cross Boundary Bridges - E&M System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 10 - General Civil Works and Utilities	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 11 - Road Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 12 - Lighting/E&M/TCSS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13a Sewage Treatment Plant - Foundation Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13b Sewage Treatment Plant - Superstructures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13c Sewage Treatment Plant - Road & Pipe Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 11)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Description																																			
TYH	Distance (m)																																		
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Predicted Noise Level, dB(A) (Stage 12)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Description																																			
TYH	Distance (m)																																		
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 13a)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Description																																			
TYH	Distance (m)																																		
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 13b)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
NSR		0	0	0	0	0																													

Main Construction Activity	Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance																																			
Stage 2 - Site Formation Works	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 3 - Building Formation Works																																			
Stage 4 - Building Structures																																			
Stage 5 - Building E&M System																																			
Stage 6 - Cross Boundary Bridges - Substructures																																			
Stage 7 - Cross Boundary Bridges - Bridges Deck																																			
Stage 8 - Cross Boundary Bridges - Road Works & Facilities																																			
Stage 9 - Cross Boundary Bridges - E&M System																																			
Stage 10 - General Civil Works and Utilities																																			
Stage 11 - Road Works																																			
Stage 12 - Lighting/E&M/TCSS																																			
Stage 13a Sewage Treatment Plant - Foundation Works																																			
Stage 13b Sewage Treatment Plant - Superstructures																																			
Stage 13c Sewage Treatment Plant - Road & Pipe Works																																			

Sound Power Level, dB(A)	Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation Works	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 3 - Building Formation Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	
Stage 4 - Building Structures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Building E&M System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Cross Boundary Bridges - Substructures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 7 - Cross Boundary Bridges - Bridges Deck	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 8 - Cross Boundary Bridges - Road Works & Facilities	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 9 - Cross Boundary Bridges - E&M System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 10 - General Civil Works and Utilities	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 11 - Road Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 12 - Lighting/E&M/TCSS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13a Sewage Treatment Plant - Foundation Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13b Sewage Treatment Plant - Superstructures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13c Sewage Treatment Plant - Road & Pipe Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 11)	Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
NSR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TYH																																			
Distance (m)																																			
Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Predicted Noise Level, dB(A) (Stage 12)	Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
NSR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TYH																																			
Distance (m)																																			
Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 13a)	Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
NSR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	109	109	109	109	109	109	109	109	
TYH																																			
Distance (m)																												596	596	596	596	596	596	596	596
Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5		
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	48	48	48	48	48	48	48	

Predicted Noise Level, dB(A) (Stage 13b)	Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)
--	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

Main Construction Activity	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	
Stage 1 - Site Clearance																																			
Stage 2 - Site Formation Works																																			
Stage 3 - Building Formation Works	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 4 - Building Structures	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 5 - Building E&M System																																			
Stage 6 - Cross Boundary Bridges - Substructures	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 7 - Cross Boundary Bridges - Bridges Deck	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 8 - Cross Boundary Bridges - Road Works & Facilities																																			
Stage 9 - Cross Boundary Bridges - E&M System																																			
Stage 10 - General Civil Works and Utilities	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 11 - Road Works																																			
Stage 12 - Lighting/E&M/TCSS																																			
Stage 13a Sewage Treatment Plant - Foundation Works	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 13b Sewage Treatment Plant - Superstructures																																			
Stage 13c Sewage Treatment Plant - Road & Pipe Works																																			

Sound Power Level, dB(A)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)
Stage 1 - Site Clearance	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 2 - Site Formation Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - Building Formation Works	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109
Stage 4 - Building Structures	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109
Stage 5 - Building E&M System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 6 - Cross Boundary Bridges - Substructures	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
Stage 7 - Cross Boundary Bridges - Bridges Deck	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
Stage 8 - Cross Boundary Bridges - Road Works & Facilities	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 9 - Cross Boundary Bridges - E&M System	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 10 - General Civil Works and Utilities	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
Stage 11 - Road Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 12 - Lighting/E&M/TCSS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13a Sewage Treatment Plant - Foundation Works	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109
Stage 13b Sewage Treatment Plant - Superstructures	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13c Sewage Treatment Plant - Road & Pipe Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 11)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	
NSR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TYH																																			
Distance (m)																																			
Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	

Predicted Noise Level, dB(A) (Stage 12)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	
NSR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TYH																																			
Distance (m)																																			
Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	

Predicted Noise Level, dB(A) (Stage 13a)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	
NSR	109	109	109	109	109	109	109	109	109	109	109	109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TYH																																			
Distance (m)	596	596	596	596	596	596	596	596	596	596	596	596																							
Distance Attenuation (dB(A))	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Facade Effect (dB(A))	+3	+3	+3																																

Main Construction Activity		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
Stage 1 - Site Clearance																							
Stage 2 - Site Formation Works																							
Stage 3 - Building Formation Works																							
Stage 4 - Building Structures																							
Stage 5 - Building E&M System		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 6 - Cross Boundary Bridges - Substructures																							
Stage 7 - Cross Boundary Bridges - Bridges Deck																							
Stage 8 - Cross Boundary Bridges - Road Works & Facilities																							
Stage 9 - Cross Boundary Bridges - E&M System		Y	Y	Y	Y																		
Stage 10 - General Civil Works and Utilities																							
Stage 11 - Road Works																							
Stage 12 - Lighting/E&M/TCSS																							
Stage 13a Sewage Treatment Plant - Foundation Works																							
Stage 13b Sewage Treatment Plant - Superstructures		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 13c Sewage Treatment Plant - Road & Pipe Works										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Sound Power Level, dB(A)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 2 - Site Formation Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - Building Formation Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 4 - Building Structures		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Building E&M System		112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112	112
Stage 6 - Cross Boundary Bridges - Substructures		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 7 - Cross Boundary Bridges - Bridges Deck		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 8 - Cross Boundary Bridges - Road Works & Facilities		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 9 - Cross Boundary Bridges - E&M System		112	112	112	112	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 10 - General Civil Works and Utilities		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 11 - Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 12 - Lighting/E&M/TCSS		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13a Sewage Treatment Plant - Foundation Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 13b Sewage Treatment Plant - Superstructures		114	114	114	114	114	114	114	114	114	114	114	114	114	114	0	0	0	0	0	0	0	0
Stage 13c Sewage Treatment Plant - Road & Pipe Works		0	0	0	0	0	0	0	0	119	119	119	119	119	119	119	119	119	119	119	119	119	119

Predicted Noise Level, dB(A) (Stage 11)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR	Description																						Maximum
TYH	Distance (m)																						
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62

Predicted Noise Level, dB(A) (Stage 12)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR	Description																						Maximum
TYH	Distance (m)																						
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64

Predicted Noise Level, dB(A) (Stage 13a)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NSR	Description																						Maximum
TYH	Distance (m)																						
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48

Predicted Noise Level, dB(A) (Stage 13b)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		114	114	114	114	114	114	114	114	114	114	114	114	114	114	0	0	0	0	0	0	0	0
NSR	Description																						Maximum
TYH	Distance (m)	596	596	596	596	596	596	596	596	596	596	596	596	596	596								
	Distance Attenuation (dB(A))	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	54	54	54	54	54	54	54	54	54	54	54	54	54	54	0	0	0	0	0	0	0	54

Predicted Noise Level, dB(A) (Stage 13c)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		0	0	0	0	0	0	0	0	119	119	119	119	119	119	119	119	119	119	119	119	119	119
NSR	Description																						Maximum
TYH	Distance (m)									596	596	596	596	596	596	596	596	596	596	596	596	596	596
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	59	59	59	59	59	59	59	59	59	59	59	59	59	59

Predicted Noise Level, dB(A) (Overall Total)		Month 52 (1)	Month 52 (2)	Month 53 (1)	Month 53 (2)	Month 54 (1)	Month 54 (2)	Month 55 (1)	Month 55 (2)	Month 56 (1)	Month 56 (2)	Month 57 (1)	Month 57 (2)	Month 58 (1)	Month 58 (2)	Month 59 (1)	Month 59 (2)	Month 60 (1)	Month 60 (2)	Month 61 (1)	Month 61 (2)	Month 62 (1)	Month 62 (2)
		66	66	66	66	66	66	66	66	67	67	67	67	67	67	67	67	67	67	67	67	67	69
NSR	Description																						Maximum
TYH	House No. 63, Tsung Yuen Ha	66	66	66	66	66	66	66	66	67	67	67	67	67	67	67	67	67	67	67	67	67	69

Note: Bold figures in shaded box(es) denotes exceedance of relevant constr

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance		Y	Y	Y	Y																					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 2 - Site Formation and Road Works						Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance		109	109	109	109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation and Road Works		0	0	0	0	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	
Predicted Noise Level, dB(A) (Stage 1)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
NSR		109	109	109	109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TYH	Distance (m)	55	55	55	55																															
	Distance Attenuation (dB(A))	-42.9	-42.9	-42.9	-42.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	69	69	69	69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Stage 2)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
NSR		0	0	0	0	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	
TYH	Distance (m)					55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
NSR																																				
TYH	House No. 63, Tsung Yuen Ha	69	69	69	69	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance																																				
Stage 2 - Site Formation and Road Works		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation and Road Works		106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Stage 1)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TYH	Description																																			
	Distance (m)																																			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Stage 2)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
NSR		106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	0	0	0	0	0	0	0	
TYH	Description																																			
	Distance (m)	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	
	Distance Attenuation (dB(A))	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	-42.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
Overall Noise Level (dB (A))	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
NSR		66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	0	0	0	0	0	0	0	
TYH	Description																																			
	House No. 63, Tsung Yuen Ha	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	0	0	0	0	0	0	0	

Note: Bold figures in shaded box(es) denotes exceedance of rele

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
Stage 1 - Site Clearance																																					
Stage 2 - Site Formation and Road Works																																					
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 2 - Site Formation and Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Predicted Noise Level, dB(A) (Stage 1)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
TYH	Description																																				
	Distance (m)																																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3					
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0						
																																					Maximum
																																					69
Predicted Noise Level, dB(A) (Stage 2)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
TYH	Description																																				
	Distance (m)																																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3					
Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0						
																																					Maximum
																																					66
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
TYH	Description																																				
	House No. 63, Tsung Yuen Ha	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0						
																																					Maximum
																																					69

Note: Bold figures in shaded box(es) denotes exceedance of rele

BCP Site Formation

Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
NSR	Description																																				
TYH	House No. 63, Tsung Yuen Ha	2.8E+06 65	2.8E+06 65	2.8E+06 65	2.8E+06 65	2.8E+06 65	2.8E+06 65	2.8E+06 65	2.8E+06 65	2.8E+06 65	2.8E+06 65	2.8E+06 65	2.8E+06 65	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67	5.3E+06 67		

Lin Ma Hang Road next to BCP

Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
NSR	Description																																				
TYH	House No. 63, Tsung Yuen Ha	7.5E+06 69	7.5E+06 69	7.5E+06 69	7.5E+06 69	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66		

Predicted Noise Level, dB(A) (Cumulative Impact)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
NSR	Description																																				
TYH	House No. 63, Tsung Yuen Ha	1.0E+07 70	1.0E+07 70	1.0E+07 70	1.0E+07 70	6.6E+06 68	6.6E+06 68	6.6E+06 68	6.6E+06 68	6.6E+06 68	6.6E+06 68	6.6E+06 68	6.6E+06 68	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70	9.1E+06 70		

Note: **Bold** figures in shaded box(es) denotes exceedance of relevant construction noise criteria

BCP Site Formation

Predicted Noise Level, dB(A) (Overall Total)		Month 18	Month 18	Month 19	Month 19	Month 20	Month 20	Month 21	Month 21	Month 22	Month 22	Month 23	Month 23	Month 24	Month 24	Month 25	Month 25	Month 26	Month 26	Month 27	Month 27	Month 28	Month 28	Month 29	Month 29	Month 30	Month 30	Month 31	Month 31	Month 32	Month 32	Month 33	Month 33	Month 34	Month 34	
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	
NSR	Description																																			
TYH	House No. 63, Tsung Yuen Ha	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	2.4E+06 64	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	4.6E+06 67	6.6E+06 68	6.6E+06 68	6.6E+06 68	6.6E+06 68	8.7E+06 69	8.7E+06 69	8.7E+06 69	8.7E+06 69

Lin Ma Hang Road next to BCP

Predicted Noise Level, dB(A) (Overall Total)		Month 18	Month 18	Month 19	Month 19	Month 20	Month 20	Month 21	Month 21	Month 22	Month 22	Month 23	Month 23	Month 24	Month 24	Month 25	Month 25	Month 26	Month 26	Month 27	Month 27	Month 28	Month 28	Month 29	Month 29	Month 30	Month 30	Month 31	Month 31	Month 32	Month 32	Month 33	Month 33	Month 34	Month 34	
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	
NSR	Description																																			
TYH	House No. 63, Tsung Yuen Ha	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	3.8E+06 66	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0

Predicted Noise Level, dB(A) (Cumulative Impact)		Month 18	Month 18	Month 19	Month 19	Month 20	Month 20	Month 21	Month 21	Month 22	Month 22	Month 23	Month 23	Month 24	Month 24	Month 25	Month 25	Month 26	Month 26	Month 27	Month 27	Month 28	Month 28	Month 29	Month 29	Month 30	Month 30	Month 31	Month 31	Month 32	Month 32	Month 33	Month 33	Month 34	Month 34	
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	
NSR	Description																																			
TYH	House No. 63, Tsung Yuen Ha	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	8.4E+06 69	6.6E+06 68	6.6E+06 68	6.6E+06 68	6.6E+06 68	8.7E+06 69	8.7E+06 69	8.7E+06 69	8.7E+06 69

Note: **Bold** figures in shaded box(es) denotes exceedance of relevant constru

BCP Site Formation

Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)
NSR	Description																																		
TYH	House No. 63, Tsung Yuen Ha	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	4.1E+06 66	4.1E+06 66	4.3E+06 66	4.3E+06 66	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.9E+06 68	6.9E+06 68	2.4E+06 64	2.4E+06 64	4.2E+06 66	4.2E+06 66	4.6E+06 67	4.6E+06 67	4.4E+06 66	4.4E+06 66

Lin Ma Hang Road next to BCP

Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)
NSR	Description																																		
TYH	House No. 63, Tsung Yuen Ha	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	

Predicted Noise Level, dB(A) (Cumulative Impact)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)
NSR	Description																																		
TYH	House No. 63, Tsung Yuen Ha	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	6.3E+06 68	4.1E+06 66	4.1E+06 66	4.3E+06 66	4.3E+06 66	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.7E+06 68	6.9E+06 68	6.9E+06 68	2.4E+06 64	2.4E+06 64	4.2E+06 66	4.2E+06 66	4.6E+06 67	4.6E+06 67	4.4E+06 66	4.4E+06 66

Note: **Bold** figures in shaded box(es) denotes exceedance of relevant constru

BCP Site Formation

Predicted Noise Level, dB(A) (Overall Total)		Month 52	Month 52	Month 53	Month 53	Month 54	Month 54	Month 55	Month 55	Month 56	Month 56	Month 57	Month 57	Month 58	Month 58	Month 59	Month 59	Month 60	Month 60	Month 61	Month 61	Month 62	Month 62
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
NSR	Description																						
TYH	House No. 63, Tsung Yuen Ha	4.4E+06 66	4.4E+06 66	4.4E+06 66	4.4E+06 66	4.0E+06 66	4.0E+06 66	4.0E+06 66	4.0E+06 66	4.8E+06 67	4.8E+06 67	4.8E+06 67	4.8E+06 67	4.8E+06 67	4.8E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	
	Maximum																						69

Lin Ma Hang Road next to BCP

Predicted Noise Level, dB(A) (Overall Total)		Month 52	Month 53	Month 53	Month 54	Month 54	Month 55	Month 55	Month 56	Month 56	Month 57	Month 57	Month 58	Month 58	Month 59	Month 59	Month 60	Month 60	Month 60	Month 61	Month 61	Month 62	Month 62
		(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(2)	(1)	(2)	(1)	(2)
NSR	Description																						
TYH	House No. 63, Tsung Yuen Ha	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	0.0E+00 0	
	Maximum																						69

Predicted Noise Level, dB(A) (Cumulative Impact)		Month 52	Month 52	Month 53	Month 53	Month 54	Month 54	Month 55	Month 55	Month 56	Month 56	Month 57	Month 57	Month 58	Month 58	Month 59	Month 59	Month 60	Month 60	Month 61	Month 61	Month 62	Month 62
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
NSR	Description																						
TYH	House No. 63, Tsung Yuen Ha	4.4E+06 66	4.4E+06 66	4.4E+06 66	4.4E+06 66	4.0E+06 66	4.0E+06 66	4.0E+06 66	4.0E+06 66	4.8E+06 67	4.8E+06 67	4.8E+06 67	4.8E+06 67	4.8E+06 67	4.8E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	4.5E+06 67	
	Maximum																						70

Note: **Bold** figures in shaded box(es) denotes exceedance of relevant constru

Main Construction Activity	Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance	Y	Y	Y	Y																															
Stage 2 - Temporary Bridge - Piling																																			
Stage 3 - Temporary Bridge - PileCaps																																			
Stage 4 - Temporary Bridge - Piers																																			
Stage 5 - Temporary Bridge - Bridge Decks																																			
Stage 6 - Road Works																																			

Sound Power Level, dB(A)	Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
Stage 1 - Site Clearance	104	104	104	104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 2 - Temporary Bridge - Piling	0	0	0	0	117	117	117	117	0	0	0	0	0	0	0	0	117	117	117	117	117	117	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - Temporary Bridge - PileCaps	0	0	0	0	0	0	0	0	109	109	109	109	0	0	0	0	0	0	0	0	0	0	109	109	109	109	109	109	0	0	0	0	0	0
Stage 4 - Temporary Bridge - Piers	0	0	0	0	0	0	0	0	0	0	0	0	113	113	113	113	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Temporary Bridge - Bridge Decks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	114	114	114	114	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 6 - Road Works	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 1)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
NSR	Description	104	104	104	104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
V1	Distance (m)	35	35	35	35																														
	Distance Attenuation (dB(A))	-38.8	-38.8	-38.8	-38.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	68	68	68	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
V2	Distance (m)	67	67	67	67																														
	Distance Attenuation (dB(A))	-44.6	-44.6	-44.6	-44.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	62	62	62	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CY3	Distance (m)	235	235	235	235																														
	Distance Attenuation (dB(A))	-55.4	-55.4	-55.4	-55.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	51	51	51	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KL1	Distance (m)	50	50	50	50																														
	Distance Attenuation (dB(A))	-42.0	-42.0	-42.0	-42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	65	65	65	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKL1	Distance (m)	25	25	25	25																														
	Distance Attenuation (dB(A))	-36.1	-36.1	-36.1	-36.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	71	71	71	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKL2	Distance (m)	24	24	24	24																														
	Distance Attenuation (dB(A))	-35.5	-35.5	-35.5	-35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	71	71	71	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KTW1	Distance (m)	268	268	268	268																														
	Distance Attenuation (dB(A))	-56.6	-56.6	-56.6	-56.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	50	50	50	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 2)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
NSR	Description	0	0	0	0	117	117	117	117	0	0	0	0	0	0	0	0	117	117	117	117	117	117	0	0	0	0	0	0	0	0	0	0	0	
V1	Distance (m)					399	399	399	399									399	399	399	399	399	399												
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-60.0	-60.0	-60.0	-60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-60.0	-60.0	-60.0	-60.0	-60.0	-60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	60	60	60	60	0	0	0	0	0	0	0	0	60	60	60	60	60	60	0	0	0	0	0	0	0	0	0	0	0	
V2	Distance (m)					428	428	428	428									428	428	428	428	428	428												
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-60.6	-60.6	-60.6	-60.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-60.6	-60.6	-60.6	-60.6	-60.6	-60.6	0.0											

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road																																	
Stage 2 - Piling																																	
Stage 3 - PileCaps																																	
Stage 4 - Piers																																	
Stage 5 - Bridge Decks		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																										Y	Y	Y	Y	Y			
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	106	106	0	0	0
Predicted Noise Level, dB(A) (Stage 1)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
V1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
V2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
CY3	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KL1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
TKL1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
TKL2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW3	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW4	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW5	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
NYH1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
NYH2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY3	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY4	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY5	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY6	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY7	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road																																	
Stage 2 - Piling																																	
Stage 3 - PileCaps																																	
Stage 4 - Piers																																	
Stage 5 - Bridge Decks		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																										Y	Y	Y	Y	Y			
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	106	106	0	0	0
Predicted Noise Level, dB(A) (Stage 2)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
V1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
V2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
CY3	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KL1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
TKL1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
TKL2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW3	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW4	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
KTW5	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
NYH1	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
NYH2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY2	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY3	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY4	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY5	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY6	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
PY7	Distance (m)																																
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance & Haul Road															Y																					
Stage 2 - Piling															Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 3 - PileCaps																			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 4 - Piers																				Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 5 - Bridge Decks																					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110	0	0	110	0	0	110	0	0	110	0	0	110	0	0	110	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107	0	0	107	0	0	107	0	0	107	0	0	107	0	0	107	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110	0	0	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Stage 3)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110	0	0	110	0	0	110	0	0	110	0	0	110	0	0	110	0	0	
V1	Distance (m)																																	481		
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-61.6	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	
V2	Distance (m)																																	393		
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-59.9	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	
CY3	Distance (m)																																	368		
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-59.3	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	
KL1	Distance (m)																																		470	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-61.4	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	
TKL1	Distance (m)																																		497	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-61.9	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	
TKL2	Distance (m)																																			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KTW1	Distance (m)																																			181
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-53.2	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	
KTW2	Distance (m)																	1029			877			598			444			181			67			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-68.3	0.0	0.0	-66.9	0.0	0.0	-63.5	0.0	0.0	-60.9	0.0	0.0	-53.1	0.0	0.0	-44.5	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	0	46	0	0	49	0	0	52	0	0	60	0	0	68	0		
KTW3	Distance (m)																	828			653			407			224			68			139			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-66.4	0.0	0.0	-64.3	0.0	0.0	-60.2	0.0	0.0	-55.0	0.0	0.0	-44.6	0.0	0.0	-50.9	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	49	0	0	53	0	0	58	0								

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance & Haul Road																																				
Stage 2 - Piling		Y	Y	Y	Y	Y	Y																													
Stage 3 - PileCaps		Y			Y		Y	Y	Y																											
Stage 4 - Piers			Y		Y		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 5 - Bridge Decks		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																																				
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		110	110	110	110	110	110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		110	0	0	110	0	0	110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	107	0	0	107	0	0	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Stage 5)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
NSR		110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
V1	Distance (m)																																			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
V2	Distance (m)																																			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CY3	Distance (m)																																			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KL1	Distance (m)																																			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKL1	Distance (m)																																			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKL2	Distance (m)																																			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KTW1	Distance (m)																																			
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KTW2	Distance (m)	877	598	598	598	598	598	598	598	598	598	444	444	444	444	444	444	444	444	181	181	181	181	181	181	181	181	181	181	181	181	181	181	181		
	Distance Attenuation (dB(A))	-66.9	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-63.5	-60.9	-60.9	-60.9	-60.9	-60.9	-60.9	-60.9	-60.9	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1	-53.1		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	46	49	49	49	49	49	49	49	49	49	52	52	52	52	52	52	52	52	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	
KTW3	Distance (m)	653	407	407	407	407	407	407	407	407	224	224	224	224	224	224	224	224	224	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68		
	Distance Attenuation (dB(A))	-64.3	-60.2	-60.2	-60.2	-60.2	-60.2	-60.2	-60.2	-60.2	-55.0	-55.0	-55.0	-55.0	-55.0	-55.0	-55.0	-55.0	-55.0	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6	-44.6		
	Facade Effect (dB(A))	+3	+3	+3																																

Main Construction Activity	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance & Haul Road																																	
Stage 2 - Piling																																	
Stage 3 - PileCaps																																	
Stage 4 - Piers																																	
Stage 5 - Bridge Decks	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 6 - Parapet & Surfacing																																	

Sound Power Level, dB(A)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance & Haul Road	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 6 - Parapet & Surfacing	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	106	106	0	0	0	0

Predicted Noise Level, dB(A) (Stage 5)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110

NSR	Description	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
V1	Distance (m)	164	164	164	164	164	164	164	50	50	50	50	50	50	50	163	163	163	163	163	163	163	163									Maximum	
	Distance Attenuation (dB(A))	-52.3	-52.3	-52.3	-52.3	-52.3	-52.3	-52.3	-42.0	-42.0	-42.0	-42.0	-42.0	-42.0	-42.0	-52.3	-52.3	-52.3	-52.3	-52.3	-52.3	-52.3	-52.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	60	60	60	60	60	60	60	71	71	71	71	71	71	71	61	61	61	61	61	61	61	61	61	0	0	0	0	0	0	0	0	
V2	Distance (m)	107	107	107	107	107	107	107	38	38	38	38	38	38	38	189	189	189	189	189	189	189	189	189	189	189	189	189	189	189	189	189	
	Distance Attenuation (dB(A))	-48.6	-48.6	-48.6	-48.6	-48.6	-48.6	-48.6	-39.5	-39.5	-39.5	-39.5	-39.5	-39.5	-39.5	-53.5	-53.5	-53.5	-53.5	-53.5	-53.5	-53.5	-53.5	-53.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	64	64	64	64	64	64	64	73	73	73	73	73	73	73	59	59	59	59	59	59	59	59	59	59	0	0	0	0	0	0	0	
CY3	Distance (m)	238	238	238	238	238	238	238	234	234	234	234	234	234	234	323	323	323	323	323	323	323	323	323	323	323	323	323	323	323	323		
	Distance Attenuation (dB(A))	-55.5	-55.5	-55.5	-55.5	-55.5	-55.5	-55.5	-55.4	-55.4	-55.4	-55.4	-55.4	-55.4	-55.4	-58.2	-58.2	-58.2	-58.2	-58.2	-58.2	-58.2	-58.2	-58.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	57	57	57	57	57	57	57	57	57	57	57	57	57	57	55	55	55	55	55	55	55	55	55	55	0	0	0	0	0	0	0	
KL1	Distance (m)	323	323	323	323	323	323	323	379	379	379	379	379	379	379	564	564	564	564	564	564	564	564	564	564	564	564	564	564	564	564		
	Distance Attenuation (dB(A))	-58.2	-58.2	-58.2	-58.2	-58.2	-58.2	-58.2	-59.6	-59.6	-59.6	-59.6	-59.6	-59.6	-59.6	-63.0	-63.0	-63.0	-63.0	-63.0	-63.0	-63.0	-63.0	-63.0	-63.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	55	55	55	55	55	55	55	53	53	53	53	53	53	53	50	50	50	50	50	50	50	50	50	50	0	0	0	0	0	0		
TKL1	Distance (m)	401	401	401	401	401	401	401	474	474	474	474	474	474	474	666	666	666	666	666	666	666	666	666	666	666	666	666	666	666	666		
	Distance Attenuation (dB(A))	-60.1	-60.1	-60.1	-60.1	-60.1	-60.1	-60.1	-61.5	-61.5	-61.5	-61.5	-61.5	-61.5	-61.5	-64.5	-64.5	-64.5	-64.5	-64.5	-64.5	-64.5	-64.5	-64.5	-64.5	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	53	53	53	53	53	53	53	51	51	51	51	51	51	51	48	48	48	48	48	48	48	48	48	48	0	0	0	0	0	0	0	
TKL2	Distance (m)	453	453	453	453	453	453	453	545	545	545	545	545	545	545	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743	743		
	Distance Attenuation (dB(A))	-61.1	-61.1	-61.1	-61.1	-61.1	-61.1	-61.1	-62.7	-62.7	-62.7	-62.7	-62.7	-62.7	-62.7	-65.4	-65.4	-65.4	-65.4	-65.4	-65.4	-65.4	-65.4	-65.4	-65.4	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	52	52	52	52	52	52	52	50	50	50	50	50	50	50	47	47	47	47	47	47	47	47	47	47	0	0	0	0	0	0	0	
KTW1	Distance (m)	93	93	93	93	93	93	93	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229	229		
	Distance Attenuation (dB(A))	-47.4	-47.4	-47.4	-47.4	-47.4	-47.4	-47.4	-55.2	-55.2	-55.2	-55.2	-55.2	-55.2	-55.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	65	65	65	65	65	65	65	58	58	58	58	58	58	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KTW2	Distance (m)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KTW3	Distance (m)	0.0	0.0	0.0	0.0	0.0																											

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
Stage 1 - Site Clearance & Haul Road														Y																								
Stage 2 - Piling															Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Stage 3 - PileCaps																					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Stage 4 - Piers																																						
Stage 5 - Bridge Decks																					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
Stage 6 - Parapet & Surfacing																																						
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110			
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110	0	0	110	0	0	110	0	0	110	0	0	110	0	0	0		
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110	110	110	110	110	110	110	110	110	110	110	110	110	110		
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
NSR	Description																																					
V1	Village House near Lin Ma Hang Road	0	0	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	51	51	61	61	61
V2	Village House near Lin Ma Hang Road	0	0	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	53	53	65	65	64
CY3	Chuk Yuen Village Resite	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	54	54	59	58	58	
KL1	Village House, Kau Liu Village	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	52	52	57	56	55	
TKL1	Village House, Ta Kwu Ling	0	0	0	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	51	51	55	54	53	
TKL2	Village House, Ta Kwu Ling	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	52	52	
KTW1	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	60	67	66	66	
KTW2	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	65	45	45	45	49	48	46	52	51	51	54	54	53	61	60	60	69	69	69	68	66	46	46		
KTW3	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	64	47	47	47	51	50	49	55	54	54	59	59	58	69	69	68	69	67	62	62	60	48	48		
KTW4	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	72	46	46	46	50	49	48	54	54	53	58	57	56	70	70	70	71	69	66	66	63	48	48		
KTW5	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	0	0	0	0	0	0	0	0	60	60	60	69	68	68	69	66	60	60	57	0	0	
NYH1	Village House, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	0	0	64	50	50	50	55	54	53	61	61	61	70	69	69	69	67	60	61	59	56	56	55	53	53		
NYH2	House No. 4, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	0	0	57	51	51	51	56	55	54	62	62	61	64	63	61	61	58	54	54	54	54	54	54	54	54		
PY2	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	72	57	57	57	65	65	65	74	74	73	73	71	60	60	59	64	64	64	64	64	64	64	64	64	
PY3	House No. 303, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	56	57	57	57	62	61	61	63	62	59	60	58	54	55	53	61	61	61	60	60	60	60	60	60	
PY4	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	71	59	59	59	68	67	67	71	70	68	68	66	60	61	60	67	67	67	67	67	67	67	67	67	
PY5	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	61	61	61	61	67	66	65	67	66	63	63	63	61	62	61	65	65	65	65	65	65	65	65	65	
PY6	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	63	65	65	65	68	67	64	68	67	64	68	67	66	65	65	65	64	64	64	64	64	64	64	64	
PY7	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	56	61	61	61	63	61	58	63	63	63	62	62	62	61	61	61	59	59	59	58	58	58	58	58	

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance & Haul Road																																				
Stage 2 - Piling		Y	Y	Y	Y	Y	Y																													
Stage 3 - PileCaps		Y		Y	Y	Y	Y	Y	Y																											
Stage 4 - Piers			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 5 - Bridge Decks		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																																				
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 2 - Piling		110	110	110	110	110	110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - PileCaps		110	0	0	110	0	0	110	110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 4 - Piers		0	107	0	0	107	0	0	107	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Bridge Decks		110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
NSR	Description																																			
V1	Village House near Lin Ma Hang Road	71	71	71	71	69	61	61	62	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	51	51	51	51	51	51	51	60	
V2	Village House near Lin Ma Hang Road	74	74	74	74	71	60	59	61	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	53	53	53	53	53	53	53	64	
CY3	Chuk Yuen Village Resite	61	59	58	59	58	55	55	57	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	53	53	53	53	53	53	53	57	
KL1	Village House, Kau Liu Village	57	56	53	55	53	50	50	52	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	51	51	51	51	51	51	51	55	
TKL1	Village House, Ta Kwu Ling	55	54	52	53	52	49	48	50	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	51	51	51	51	51	51	51	53	
TKL2	Village House, Ta Kwu Ling	54	53	50	52	51	48	47	49	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52
KTW1	Village House, Kan Tau Wai	66	64	58	58	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	60	60	60	60	60	60	65	
KTW2	Village House, Kan Tau Wai	46	49	49	49	49	49	49	49	49	52	52	52	52	52	52	52	52	60	60	60	60	60	60	60	60	60	68	68	68	68	68	68	68	68	0
KTW3	Village House, Kan Tau Wai	48	53	53	53	53	53	53	53	58	58	58	58	58	58	58	58	68	68	68	68	68	68	68	68	68	62	62	62	62	62	62	62	62	0	
KTW4	Village House, Kan Tau Wai	48	52	52	52	52	52	52	52	56	56	56	56	56	56	56	56	69	69	69	69	69	69	69	69	69	65	65	65	65	65	65	65	65	0	
KTW5	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	60	60	60	60	60	60	60	60	68	68	68	68	68	68	68	68	60	60	60	60	60	60	60	60	60	0	
NYH1	Village House, Nga Yiu Ha	53	60	60	60	60	60	60	60	69	69	69	69	69	69	69	69	59	59	59	59	59	59	59	59	59	53	53	53	53	53	53	53	53	0	
NYH2	House No. 4, Nga Yiu Ha	54	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PY2	Village House, Ping Yeung	64	73	73	73	73	73	73	73	73	56	56	56	56	56	56	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PY3	House No. 303, Ping Yeung	60	59	59	59	59	59	59	59	59	53	53	53	53	53	53	53	50	50	50	50	50	50	50	50	50	47	47	47	47	47	47	47	47	0	
PY4	Village House, Ping Yeung	67	68	68	68	68	68	68	68	68	55	55	55	55	55	55	55	51	51	51	51	51	51	51	51	51	48	48	48	48	48	48	48	48	0	
PY5	Village House, Ping Yeung	65	59	59	59	59	59	59	59	59	52	52	52	52	52	52	52	49	49	49	49	49	49	49	49	49	47	47	47	47	47	47	47	47	0	
PY6	Village House, Ping Yeung	64	57	57	57	57	57	57	57	57	51	51	51	51	51	51	51	48	48	48	48	48	48	48	48	48	46	46	46	46	46	46	46	46	0	
PY7	Village House, Ping Yeung	58	54	54	54	54	54	54	54	54	50	50	50	50	50	50	50	50	47	47	47	47	47	47	47	47	45	45	45	45	45	45	45	45	0	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constr.

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance & Haul Road																																		
Stage 2 - Piling																																		
Stage 3 - PileCaps																																		
Stage 4 - Piers																																		
Stage 5 - Bridge Decks		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 6 - Parapet & Surfacing																										Y	Y	Y	Y	Y				
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	106	106	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
NSR	Description																																Maximum	
V1	Village House near Lin Ma Hang Road	60	60	60	60	60	60	60	71	71	71	71	71	71	71	71	61	61	61	61	61	61	61	61	67	67	67	67	67	0	0	0	71	
V2	Village House near Lin Ma Hang Road	64	64	64	64	64	64	73	73	73	73	73	73	73	73	59	59	59	59	59	59	59	59	59	69	69	69	69	69	0	0	0	74	
CY3	Chuk Yuen Village Resite	57	57	57	57	57	57	57	57	57	57	57	57	57	57	55	55	55	55	55	55	55	55	55	53	53	53	53	53	0	0	0	61	
KL1	Village House, Kau Liu Village	55	55	55	55	55	55	53	53	53	53	53	53	53	53	50	50	50	50	50	50	50	50	50	50	50	50	50	0	0	0	57		
TKL1	Village House, Ta Kwu Ling	53	53	53	53	53	53	51	51	51	51	51	51	51	51	48	48	48	48	48	48	48	48	48	49	49	49	49	49	0	0	0	55	
TKL2	Village House, Ta Kwu Ling	52	52	52	52	52	52	50	50	50	50	50	50	50	50	47	47	47	47	47	47	47	47	47	47	47	47	47	47	0	0	0	54	
KTW1	Village House, Kan Tau Wai	65	65	65	65	65	65	58	58	58	58	58	58	58	58	0	0	0	0	0	0	0	0	0	61	61	61	61	61	0	0	0	67	
KTW2	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	55	55	55	55	55	0	0	0	69	
KTW3	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	64	64	64	64	0	0	0	69	
KTW4	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	65	65	65	65	0	0	0	72	
KTW5	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	64	64	64	64	0	0	0	69	
NYH1	Village House, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	65	65	65	65	0	0	0	70	
NYH2	House No. 4, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	56	56	56	56	0	0	0	64	
PY2	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	69	69	69	69	0	0	0	74	
PY3	House No. 303, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	56	56	56	56	0	0	0	63	
PY4	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	63	63	63	63	0	0	0	71	
PY5	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	61	61	61	0	0	0	67	
PY6	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	61	61	61	0	0	0	68	
PY7	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	57	57	57	57	0	0	0	63	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constru

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance												Y	Y	Y	Y	Y	Y																			
Stage 2 - Site Formation																		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 3 - Road Works																																				
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	110	110	110	110	110	110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	
Stage 3 - Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
NSR	Description																																			
KTW2	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	48	48	48	48	48	48	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	47	
KTW3	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	52	52	52	52	52	52	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	
KTW4	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	51	51	51	51	51	51	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	
KTW5	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	53	53	53	53	53	53	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	
NYH1	Village House, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	58	58	58	58	58	58	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	
NYH2	House No. 4, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	
PY2	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	71	71	71	71	71	71	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	
PY3	House No. 303, Ping Yeung	0	0	0	0	0	0	0	0	0	0	59	59	59	59	59	59	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	
PY4	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66	
PY5	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	59	59	59	59	59	59	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	
PY6	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	56	56	56	56	56	56	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	

Note: **Bold** figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance																																					
Stage 2 - Site Formation		Y	Y	Y	Y	Y																															
Stage 3 - Road Works																																					
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation		109	109	109	109	109	109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
NSR	Description																																				
KTW2	Village House, Kan Tau Wai	47	47	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
KTW3	Village House, Kan Tau Wai	51	51	51	51	51	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KTW4	Village House, Kan Tau Wai	50	50	50	50	50	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KTW5	Village House, Kan Tau Wai	52	52	52	52	52	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NYH1	Village House, Nga Yiu Ha	57	57	57	57	57	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NYH2	House No. 4, Nga Yiu Ha	61	61	61	61	61	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PY2	Village House, Ping Yeung	70	70	70	70	70	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PY3	House No. 303, Ping Yeung	66	66	66	66	66	66	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PY4	Village House, Ping Yeung	66	66	66	66	66	66	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PY5	Village House, Ping Yeung	58	58	58	58	58	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PY6	Village House, Ping Yeung	58	58	58	58	58	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note: Bold figures in shaded box(es) denotes exceedance of relevant construct

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance																																	
Stage 2 - Site Formation																																	
Stage 3 - Road Works										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - Road Works		0	0	0	0	0	0	0	0	101	101	101	101	101	101	101	101	101	101	101	101	101	101	101	101	101	101	101	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR	Description																																Maximum
KTW2	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	0	0	0	0	0	48
KTW3	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	0	0	0	0	0	52
KTW4	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	0	0	0	0	0	51
KTW5	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	0	0	0	0	0	53
NYH1	Village House, Nga Yiu Ha	0	0	0	0	0	0	0	0	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	0	0	0	0	0	58	
NYH2	House No. 4, Nga Yiu Ha	0	0	0	0	0	0	0	0	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	0	0	0	0	0	61	
PY2	Village House, Ping Yeung	0	0	0	0	0	0	0	0	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	0	0	0	0	0	71	
PY3	House No. 303, Ping Yeung	0	0	0	0	0	0	0	0	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	0	0	0	0	0	66	
PY4	Village House, Ping Yeung	0	0	0	0	0	0	0	0	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	0	0	0	0	0	69	
PY5	Village House, Ping Yeung	0	0	0	0	0	0	0	0	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	0	0	0	0	0	59	
PY6	Village House, Ping Yeung	0	0	0	0	0	0	0	0	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	0	0	0	0	0	58	

Note: Bold figures in shaded box(es) denotes exceedance of relevant construct

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
Stage 1 - Site Clearance														Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 2 - Site Formation																			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 3 - Bored Pile Wall																									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 4 - Road Works																																						
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	110	110	110	110	110	110	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	
Stage 3 - Bored Pile Wall		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	109	109	109	109	109	109	109	109	109	109	109	109	109	109
Stage 4 - Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
NSR	Description																																					
NYH1	Village House, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	47	47	47	47	47	47	46	46	46	46	46	46	49	49	49	49	49	49	49	49	49	49	49	49	49	49	
NYH2	House No. 4, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	48	48	48	48	48	48	48	48	48	48	48	48	50	50	50	50	50	50	50	50	50	50	50	50	50	50	
PY2	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	52	52	52	52	52	52	51	51	51	51	51	51	54	54	54	54	54	54	54	54	54	54	54	54	54	54	
PY3	House No. 303, Ping Yeung	0	0	0	0	0	0	0	0	0	0	52	52	52	52	52	52	51	51	51	51	51	51	54	54	54	54	54	54	54	54	54	54	54	54	54	54	
PY4	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	53	53	53	53	53	53	52	52	52	52	52	52	55	55	55	55	55	55	55	55	55	55	55	55	55	55	
PY5	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	54	54	54	54	54	54	53	53	53	53	53	53	56	56	56	56	56	56	56	56	56	56	56	56	56	56	
PY6	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	56	56	56	56	56	56	55	55	55	55	55	55	58	58	58	58	58	58	58	58	58	58	58	58	58	58	
WKS1	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	65	65	65	65	65	65	65	65	65	65	65	65	67	67	67	67	67	67	67	67	67	67	67	67	67		
WKS3	Village House No. 1, Wo Keng Shan Village	0	0	0	0	0	0	0	0	0	0	54	54	54	54	54	54	54	54	54	54	54	54	57	57	57	57	57	57	57	57	57	57	57	57	57		

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance																																					
Stage 2 - Site Formation		Y	Y	Y	Y	Y																															
Stage 3 - Bored Pile Wall																																					
Stage 4 - Road Works																																					
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation		109	109	109	109	109	109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - Bored Pile Wall		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
NSR	Description																																				
NYH1	Village House, Nga Yiu Ha	46	46	46	46	46	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
NYH2	House No. 4, Nga Yiu Ha	48	48	48	48	48	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PY2	Village House, Ping Yeung	51	51	51	51	51	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PY3	House No. 303, Ping Yeung	51	51	51	51	51	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PY4	Village House, Ping Yeung	52	52	52	52	52	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PY5	Village House, Ping Yeung	53	53	53	53	53	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PY6	Village House, Ping Yeung	55	55	55	55	55	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WKS1	Village House, Wo Keng Shan	65	65	65	65	65	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WKS3	Village House No. 1, Wo Keng Shan Village	54	54	54	54	54	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note: Bold figures in shaded box(es) denotes exceedance of relevant construc

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance																																	
Stage 2 - Site Formation																																	
Stage 3 - Bored Pile Wall																																	
Stage 4 - Road Works										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y						
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - Bored Pile Wall		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Road Works		0	0	0	0	0	0	0	0	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	114	
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR	Description																																Maximum
NYH1	Village House, Nga Yiu Ha	0	0	0	0	0	0	0	0	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	
NYH2	House No. 4, Nga Yiu Ha	0	0	0	0	0	0	0	0	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	
PY2	Village House, Ping Yeung	0	0	0	0	0	0	0	0	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	
PY3	House No. 303, Ping Yeung	0	0	0	0	0	0	0	0	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	
PY4	Village House, Ping Yeung	0	0	0	0	0	0	0	0	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	56	
PY5	Village House, Ping Yeung	0	0	0	0	0	0	0	0	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	
PY6	Village House, Ping Yeung	0	0	0	0	0	0	0	0	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	
WKS1	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	
WKS3	Village House No. 1, Wo Keng Shan Village	0	0	0	0	0	0	0	0	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	

Note: Bold figures in shaded box(es) denotes exceedance of relevant construc

Chuk Yuen Village Access Road

Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)		
NSR	Description																																		Maximum
V1	Village House near Lin Ma Hang Road	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	
V2	Village House near Lin Ma Hang Road	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	
CY3	Chuk Yuen Village Resite	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67		
KL1	Village House, Kau Liu Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49		
TKL1	Village House, Ta Kwu Ling	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47		

Lin Ma Hang Road Improvement Work

Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
NSR	Description																																	Maximum
V1	Village House near Lin Ma Hang Road	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	
V2	Village House near Lin Ma Hang Road	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	
CY3	Chuk Yuen Village Resite	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	
KL1	Village House, Kau Liu Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	
TKL1	Village House, Ta Kwu Ling	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	
TKL2	Village House, Ta Kwu Ling	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	
KTW1	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	

Viaduct Section from BCP to Wo Keng Shan

Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
NSR	Description																																	Maximum
V1	Village House near Lin Ma Hang Road	60	60	60	60	60	60	60	71	71	71	71	71	71	71	61	61	61	61	61	61	61	61	67	67	67	67	67	0	0	0	0	71	
V2	Village House near Lin Ma Hang Road	64	64	64	64	64	64	73	73	73	73	73	73	73	73	59	59	59	59	59	59	59	59	69	69	69	69	69	0	0	0	0	74	
CY3	Chuk Yuen Village Resite	57	57	57	57	57	57	57	57	57	57	57	57	57	57	55	55	55	55	55	55	55	55	53	53	53	53	53	0	0	0	0	61	
KL1	Village House, Kau Liu Village	55	55	55	55	55	55	53	53	53	53	53	53	53	53	50	50	50	50	50	50	50	50	50	50	50	50	50	0	0	0	0	57	
TKL1	Village House, Ta Kwu Ling	53	53	53	53	53	53	51	51	51	51	51	51	51	51	48	48	48	48	48	48	48	48	49	49	49	49	49	0	0	0	0	55	
TKL2	Village House, Ta Kwu Ling	52	52	52	52	52	52	50	50	50	50	50	50	50	50	47	47	47	47	47	47	47	47	47	47	47	47	47	0	0	0	0	54	
KTW1	Village House, Kan Tau Wai	65	65	65	65	65	65	58	58	58	58	58	58	58	58	0	0	0	0	0	0	0	0	61	61	61	61	61	0	0	0	0	67	
KTW2	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	55	55	55	55	55	0	0	0	0	69	
KTW3	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	64	64	64	64	0	0	0	0	69	
KTW4	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	65	65	65	65	0	0	0	0	72	
KTW5	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	64	64	64	64	0	0	0	0	69	
NYH1	Village House, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	65	65	65	65	0	0	0	0	70	
NYH2	House No. 4, Nga Yiu Ha	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	56	56	56	56	0	0	0	0	64	
PY2	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	69	69	69	69	0	0	0	0	74	
PY3	House No. 303, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	56	56	56	56	0	0	0	0	63	
PY4	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	63	63	63	63	0	0	0	0	71	
PY5	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	61	61	61	0	0	0	0	67	
PY6	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	61	61	61	0	0	0	0	68	
PY7	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	57	57	57	57	0	0	0	0	63	

Ping Yeung Interchange Road Section

Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
NSR	Description																																	Maximum
KTW2	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	0	0	0	0	0	48
KTW3	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	0	0	0	0	0	52
KTW4	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	0	0	0	0	0	0	51
KTW5	Village House, Kan Tau Wai	0	0	0	0	0	0	0	0	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	0	0	0	0	0	53
NYH1	Village House, Nga Yiu Ha	0	0	0	0	0	0	0	0	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	51	0	0	0	0	0	0	58
NYH2	House No. 4, Nga Yiu Ha	0	0	0	0	0	0	0	0	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	55	0	0	0	0	0	0	61
PY2	Village House, Ping Yeung	0	0	0	0	0	0	0	0	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	0	0	0	0	0	0	71
PY3	House No. 303, Ping Yeung	0	0	0	0	0	0	0	0	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	0	0	0	0	0	0	66
PY4	Village House, Ping Yeung	0	0	0	0	0	0	0	0	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	0	0	0	0	0	0	69
PY5	Village House, Ping Yeung	0	0	0	0	0	0	0	0	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	0	0	0	0	0	0	59
PY6	Village House, Ping Yeung	0	0	0																														

Predicted Noise Level, dB(A) (Cumulative Impact)		Month 35	Month 35	Month 36	Month 36	Month 37	Month 37	Month 38	Month 38	Month 39	Month 39	Month 40	Month 40	Month 41	Month 41	Month 42	Month 42	Month 43	Month 43	Month 44	Month 44	Month 45	Month 45	Month 46	Month 46	Month 47	Month 47	Month 48	Month 48	Month 49	Month 49	Month 50	Month 50	Maximum		
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)			
NSR	Description																																			
V1	Village House near Lin Ma Hang Road	60	60	60	60	60	60	60	71	71	71	71	71	71	71	71	61	61	61	61	61	61	61	61	67	67	67	67	67	67	0	0	0	0	72	
V2	Village House near Lin Ma Hang Road	64	64	64	64	64	64	64	73	73	73	73	73	73	73	73	59	59	59	59	59	59	59	59	69	69	69	69	69	69	0	0	0	0	74	
CY3	Chuk Yuen Village Resite	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	55	55	55	55	55	55	55	55	53	53	53	53	53	53	0	0	0	0	67	
KL1	Village House, Kau Liu Village	55	55	55	55	55	55	55	53	53	53	53	53	53	53	53	50	50	50	50	50	50	50	50	50	50	50	50	50	0	0	0	0	65		
TKL1	Village House, Ta Kwu Ling	53	53	53	53	53	53	53	51	51	51	51	51	51	51	51	48	48	48	48	48	48	48	48	49	49	49	49	49	49	0	0	0	0	71	
TKL2	Village House, Ta Kwu Ling	52	52	52	52	52	52	52	50	50	50	50	50	50	50	50	47	47	47	47	47	47	47	47	47	47	47	47	47	47	0	0	0	0	71	
KTW1	Village House, Kan Tau Wai	65	65	65	65	65	65	65	58	58	58	58	58	58	58	58	0	0	0	0	0	0	0	0	61	61	61	61	61	61	0	0	0	0	67	
KTW2	Village House, Kan Tau Wai	0	0	0	0	0	0	0	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	56	56	56	55	55	55	55	55	55	0	0	69
KTW3	Village House, Kan Tau Wai	0	0	0	0	0	0	0	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	44	64	64	64	64	64	64	0	0	0	0	69	
KTW4	Village House, Kan Tau Wai	0	0	0	0	0	0	0	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	42	65	65	65	65	65	65	0	0	0	0	72	
KTW5	Village House, Kan Tau Wai	0	0	0	0	0	0	0	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	45	64	64	64	64	64	64	0	0	0	0	69	
NYH1	Village House, Nga Yiu Ha	0	0	0	0	0	0	0	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	65	65	65	65	65	65	0	0	0	0	70	
NYH2	House No. 4, Nga Yiu Ha	0	0	0	0	0	0	0	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	60	60	60	56	56	56	56	56	56	0	0	66
PY2	Village House, Ping Yeung	0	0	0	0	0	0	0	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	69	72	72	72	69	69	69	69	69	69	69	0	75
PY3	House No. 303, Ping Yeung	0	0	0	0	0	0	0	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	60	60	60	56	56	56	56	56	56	56	56	68
PY4	Village House, Ping Yeung	0	0	0	0	0	0	0	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	71	71	71	63	63	63	63	63	63	63	63	72
PY5	Village House, Ping Yeung	0	0	0	0	0	0	0	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	63	63	63	61	61	61	61	61	61	61	61	68
PY6	Village House, Ping Yeung	0	0	0	0	0	0	0	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	64	64	64	61	61	61	61	61	61	61	61	69
PY7	Village House, Ping Yeung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	57	57	57	57	57	57	57	57	57	57	63

Note: Bold figures in shaded box(es) denotes exceedance of relevant constr

Main Construction Activity		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	
Stage 1 - Site Clearance & Haul Road									Y																									
Stage 2 - Piling										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 3 - PileCaps														Y									Y	Y										
Stage 4 - Piers															Y								Y	Y										
Stage 5 - Bridge Decks																Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 6 - Parapet & Surfacing																							Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Sound Power Level, dB(A)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	109	0	0	0	0	0	0	0	0	109	109	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	110	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	0
Predicted Noise Level, dB(A) (Stage 1)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	
NSR		0	0	0	0	0	0	0	108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS1	Distance (m)								119																									
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-49.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS2	Distance (m)								105																									
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-48.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	63	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS3	Distance (m)								251																									
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-56.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Stage 2)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	
NSR		0	0	0	0	0	0	0	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	108	
WKS1	Distance (m)								226	226	226	226	139	139	139	139	70	70	70	70														
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-55.1	-55.1	-55.1	-55.1	-50.8	-50.8	-50.8	-50.8	-44.9	-44.9	-44.9	-44.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	56	56	56	56	61	61	61	61	66	66	66	66	66	0	0	0	0	0	0	0	0	0	0	0	0	
WKS2	Distance (m)								115	115	115	115	119	119	119	119	180	180	180	180														
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-49.2	-49.2	-49.2	-49.2	-49.5	-49.5	-49.5	-49.5	-53.1	-53.1	-53.1	-53.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	62	62	62	62	62	62	62	62	58	58	58	58	58	0	0	0	0	0	0	0	0	0	0	0	0	
WKS3	Distance (m)								301	301	301	301	259	259	259	259	255	255	255	255														
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-57.6	-57.6	-57.6	-57.6	-56.3	-56.3	-56.3	-56.3	-56.1	-56.1	-56.1	-56.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	54	54	54	54	55	55	55	55	55	55	55	55	55	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Stage 3)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	
NSR		0	0	0	0	0	0	0	0	0	0	0	0	109	0	0	0	109	0	0	0	109	109	0	0	0	0	0	0	0	0	0		
WKS1	Distance (m)													226				139				70	70											
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-55.1	0.0	0.0	0.0	-50.8	0.0	0.0	0.0	-44.9	-44.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	57	0	0	0	61	0	0	0	67	67	0	0	0	0	0	0	0	0	0		
WKS2	Distance (m)													115				119				180	180											
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-49.2	0.0	0.0	0.0	-49.5	0.0	0.0	0.0	-53.1	-53.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0	0	62	0	0	0	59	59	0	0	0	0	0	0	0	0	0		
WKS3	Distance (m)													301				259				255	255											

Wo Keng Shan Road Section

Predicted Noise Level, dB(A) (Overall Total)		Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)		
NSR	Description																																						
WKS1	Village House, Wo Keng Shan	65	65	65	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS3	Village House No. 1, Wo Keng Shan Village	54	54	54	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Viaduct Section Crossing Wo Keng Shan

Predicted Noise Level, dB(A) (Overall Total)		Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)		
NSR	Description																																						
WKS1	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS2	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS3	Village House No. 1, Wo Keng Shan Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Ng Chow Road Road Section

Predicted Noise Level, dB(A) (Overall Total)		Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)		
NSR	Description																																						
WKS1	Village House, Wo Keng Shan	58	58	58	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS2	Village House, Wo Keng Shan	65	65	65	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WKS3	Village House No. 1, Wo Keng Shan Village	57	57	57	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WKS4	Village House, Wo Keng Shan	67	67	67	67	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WKS5	Village House, Wo Keng Shan	63	63	63	63	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WKS6	Village House, Wo Keng Shan	60	60	60	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WKS7	Village House, Wo Keng Shan	59	59	59	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Viaduct Section Crossing Ng Chow Road

Predicted Noise Level, dB(A) (Overall Total)		Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)		
NSR	Description																																						
WKS4	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	57	57	62	61	62	68	68	68	69	69	68	66	66	64	64	
WKS5	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	62	62	71	71	71	70	69	68	71	70	69	68	71	70	69	
WKS6	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	68	68	70	69	71	70	69	67	67	68	67	67	67	67		
WKS7	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	69	69	69	67	69	69	69	68	68	64	64	64	64	63	63	

Construction of North Portal of North Tunnel

Predicted Noise Level, dB(A) (Overall Total)		Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)		
NSR	Description																																						
WKS4	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	55	55	55	55	58	58	58	58	58	58	58	58	59	59	59	59	57	57	58	58	58	60	60	60	60	60	60	60	60	
WKS5	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	60	60	60	60	63	63	63	63	63	63	63	63	64	64	64	64	62	62	61	61	61	61	61	61	63	63	63	63	63	63
WKS6	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	69	69	69	69	72	72	72	72	72	72	72	72	72	72	72	72	70	70	65	65	65	65	67	67	67	67	67	67	67	67
WKS7	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	65	65	65	65	67	67	67	67	67	67	67	67	67	68	68	68	68	67	67	67	67	67	69	69	69	69	69	69	69	69

Predicted Noise Level, dB(A) (Cumulative Impact)		Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)		
NSR	Description																																						
WKS1	Village House, Wo Keng Shan	66	66	66	66	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS2	Village House, Wo Keng Shan	65	65	65	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS3	Village House No. 1, Wo Keng Shan Village	59	59	59	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WKS4	Village House, Wo Keng Shan	67	67	67	67	0	0	0	0	55	55	55	55	58	58	58	58	58	58	58	58	59	59	59	59	61	61	63	63	68	68	68	70	69	69	67	67	65	65
WKS5	Village House, Wo Keng Shan	63	63	63	63	0	0	0	0	60	60	60	60	63	63	63	63	63	63	63	63	64	64	64	64	66	66	71	71	72	72	71	70	69	71	71	70	70	70
WKS6	Village House, Wo Keng Shan	60	60	60	60	0	0	0	0	69	69	69	69	72	72	72	72	72	72	72	72	72	72	72	73	73	73	73	72	71	70	69	70	70	70	70	70	70	
WKS7	Village House, Wo Keng Shan	59	59	59	59	0	0	0	0	65	65	65	65	67	67	67	67	67	67	67	67	67	68	68	68	68	71	70	71	71	71	71	71	71	71	70	70	70	

Note: **Bold** figures in shaded box(es) denotes exceedance of relevant constr

Wo Keng Shan Road Section

Predicted Noise Level, dB(A) (Overall Total)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	Maximum		
NSR	Description																																			
WKS1	Village House, Wo Keng Shan	0	0	0	0	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	0	0	0	0	0	0	0	0	0	0	67	
WKS3	Village House No. 1, Wo Keng Shan Village	0	0	0	0	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	0	0	0	0	0	0	0	0	0	0	59	

Viaduct Section Crossing Wo Keng Shan

Predicted Noise Level, dB(A) (Overall Total)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	Maximum		
NSR	Description																																			
WKS1	Village House, Wo Keng Shan	0	0	0	0	0	0	0	62	56	56	56	56	62	61	62	62	68	67	67	68	68	68	65	62	68	68	68	68	68	68	64	64	0	68	
WKS2	Village House, Wo Keng Shan	0	0	0	0	0	0	0	63	62	62	62	62	65	63	66	66	67	65	65	65	65	65	64	63	60	60	60	60	60	59	59	0	67		
WKS3	Village House No. 1, Wo Keng Shan Village	0	0	0	0	0	0	0	55	54	54	54	54	58	56	58	58	60	59	58	59	59	59	58	57	57	57	57	57	57	52	52	0	60		

Ng Chow Road Road Section

Predicted Noise Level, dB(A) (Overall Total)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	Maximum		
NSR	Description																																			
WKS1	Village House, Wo Keng Shan	0	0	0	0	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	0	0	0	0	0	0	0	0	0	0	0	59	
WKS2	Village House, Wo Keng Shan	0	0	0	0	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	0	0	0	0	0	0	0	0	0	0	0	65	
WKS3	Village House No. 1, Wo Keng Shan Village	0	0	0	0	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	58	0	0	0	0	0	0	0	0	0	0	0	58	
WKS4	Village House, Wo Keng Shan	0	0	0	0	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	68	0	0	0	0	0	0	0	0	0	0	0	68	
WKS5	Village House, Wo Keng Shan	0	0	0	0	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	64	0	0	0	0	0	0	0	0	0	0	0	64	
WKS6	Village House, Wo Keng Shan	0	0	0	0	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	0	0	0	0	0	0	0	0	0	0	0	60	
WKS7	Village House, Wo Keng Shan	0	0	0	0	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	0	0	0	0	0	0	0	0	0	0	0	60	

Viaduct Section Crossing Ng Chow Road

Predicted Noise Level, dB(A) (Overall Total)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	Maximum		
NSR	Description																																			
WKS4	Village House, Wo Keng Shan	66	66	66	66	66	66	66	66	66	66	68	68	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	
WKS5	Village House, Wo Keng Shan	67	67	67	67	67	67	60	60	60	60	69	69	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	
WKS6	Village House, Wo Keng Shan	59	59	59	59	59	59	55	55	55	55	66	66	66	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	
WKS7	Village House, Wo Keng Shan	58	58	58	58	58	58	54	54	54	54	67	67	66	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	

Construction of North Portal of North Tunnel

Predicted Noise Level, dB(A) (Overall Total)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	Maximum		
NSR	Description																																			
WKS4	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	
WKS5	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	
WKS6	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	
WKS7	Village House, Wo Keng Shan	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	

Predicted Noise Level, dB(A) (Cumulative Impact)		Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	Month 51 (1)	Month 51 (2)	Month 52 (1)	Month 52 (2)	Maximum		
NSR	Description																																			
WKS1	Village House, Wo Keng Shan	0	0	0	0	66	66	66	67	66	66	66	66	67	67	67	67	70	70	69	70	70	70	70	65	62	68	68	68	68	0	0	0	0	70	
WKS2	Village House, Wo Keng Shan	0	0	0	0	64	64	64	66	66	66	66	66	68	67	68	68	68	69	68	68	67	67	67	64	63	60	60	60	60	0	0	0	0	69	
WKS3	Village House No. 1, Wo Keng Shan Village	0	0	0	0	62	62	62	63	62	62	62	62	63	63	63	63	64	64	63	64	64	64	58	57	57	57	57	57	0	0	0	0	64		
WKS4	Village House, Wo Keng Shan	66	66	66	66	70	70	70	70	70	71	71	69	68	68	68	68	68	68	68	68	68	68	68	0	0	0	0	0	0	0	0	0	0	71	
WKS5	Village House, Wo Keng Shan	67	67	67	67	68	68	65	65	65	65	70	70	69	64	64	64	64	64	64	64	64	64	0	0	0	0	0	0	0	0	0	0	0	72	
WKS6	Village House, Wo Keng Shan	59	59	59	59	63	63	62	62	62	62	67	67	67	60	60	60	60	60	60	60	60	60	0	0	0	0	0	0	0	0	0	0	0	75	
WKS7	Village House, Wo Keng Shan	58	58	58	58	62	62	61	61	61	61	67	67	67	60	60	60	60	60	60	60	60	60	0	0	0	0	0	0	0	0	0	0	0	72	

Note: **Bold** figures in shaded box(es) denotes exceedance of relevant constr

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)			
Stage 1 - Site Clearance																																				
Stage 2 - Portal Formation																																				
Stage 3 - Slope Stabilisation																																				
Stage 4 - Bored Pile Wall																																				
Stage 5 - Road Works																																				
Stage 6 - Building Foundation Works																																				
Stage 7 - Building Structures		Y	Y	Y	Y																															
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)			
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Stage 2 - Portal Formation		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Stage 3 - Slope Stabilisation		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Stage 4 - Bored Pile Wall		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Stage 5 - Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Stage 6 - Building Foundation Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Stage 7 - Building Structures		109	109	109	109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Predicted Noise Level, dB(A) (Stage 7)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)			
NSR		109	109	109	109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Description		Maximum																																		
ST1	Distance (m)	137	137	137	137																															
	Distance Attenuation (dB(A))	-50.7	-50.7	-50.7	-50.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3			
	Overall Noise Level (dB (A))	61	61	61	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
ST2	Distance (m)	161	161	161	161																															
	Distance Attenuation (dB(A))	-52.1	-52.1	-52.1	-52.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3			
	Overall Noise Level (dB (A))	60	60	60	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
ST3	Distance (m)	366	366	366	366																															
	Distance Attenuation (dB(A))	-59.3	-59.3	-59.3	-59.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3			
	Overall Noise Level (dB (A))	53	53	53	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
ST6	Distance (m)	467	467	467	467																															
	Distance Attenuation (dB(A))	-61.4	-61.4	-61.4	-61.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3			
	Overall Noise Level (dB (A))	51	51	51	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
LT1	Distance (m)	546	546	546	546																															
	Distance Attenuation (dB(A))	-62.7	-62.7	-62.7	-62.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3			
	Overall Noise Level (dB (A))	49	49	49	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
LT2	Distance (m)	740	740	740	740																															
	Distance Attenuation (dB(A))	-65.4	-65.4	-65.4	-65.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3			
	Overall Noise Level (dB (A))	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
LT3	Distance (m)	445	445	445	445																															
	Distance Attenuation (dB(A))	-61.0	-61.0	-61.0	-61.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3			
	Overall Noise Level (dB (A))	51	51	51	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
TTW1	Distance (m)	403	403	403	403																															
	Distance Attenuation (dB(A))	-60.1	-60.1	-60.1	-60.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3			
	Overall Noise Level (dB (A))	52	52	52	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
TTW2	Distance (m)	284	284	284	284																															
	Distance Attenuation (dB(A))	-57.1	-57.1	-57.1	-57.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3			
	Overall Noise Level (dB (A))	55	55	55	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)												

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance																																	
Stage 2 - Building Foundation Works																																	
Stage 3 - Building Structures																																	
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Building Foundation Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - Building Structures		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Stage 3)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NSR	Description																															Maximum	
ST1	Distance (m)																															59	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
ST2	Distance (m)																															59	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
ST3	Distance (m)																															63	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
ST6	Distance (m)																															57	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
LT1	Distance (m)																															52	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
LT2	Distance (m)																															49	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
LT3	Distance (m)																															51	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
TTW1	Distance (m)																															49	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
TTW2	Distance (m)																															53	
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
NSR	Description																															Maximum	
ST1	Village House, Shan Tong																															62	
ST2	Village House, Shan Tong																															62	
ST3	Village House, Shan Tong																															66	
ST6	Village House, Shan Tong																															60	
LT1	Village House, Loi Tung																															55	
LT2	Village House, Loi Tung																															52	
LT3	Village House, Loi Tung																															54	
TTW1	House No. 115, Tai Tong Wu Village																															52	
TTW2	Tai Tong Wu Village House 2																															56	

Note: Bold figures in shaded box(es) denotes exceedance of relevant construc

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road																																					
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 6 - Parapet & Surfacing																																					
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Bridge Decks		107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Stage 5)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
NSR		107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	0	0	0	0	0	0	0	0	0	
ST1	Distance (m)	341	211	211	211	211	211	211	174	174	174	174	174	174	130	130	130	130	130	130	105	105	105	105	105	105											
	Distance Attenuation (dB(A))	-58.7	-54.5	-54.5	-54.5	-54.5	-54.5	-54.5	-52.8	-52.8	-52.8	-52.8	-52.8	-52.8	-50.3	-50.3	-50.3	-50.3	-50.3	-50.3	-48.5	-48.5	-48.5	-48.5	-48.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	51	55	55	55	55	55	55	57	57	57	57	57	57	60	60	60	60	60	60	61	61	61	61	61	61	0	0	0	0	0	0	0	0	0		
ST2	Distance (m)	274	139	139	139	139	139	139	94	94	94	94	94	94	58	58	58	58	58	58	58	59	59	59	59	59	0	0	0	0	0	0	0	0	0		
	Distance Attenuation (dB(A))	-56.7	-50.9	-50.9	-50.9	-50.9	-50.9	-50.9	-47.4	-47.4	-47.4	-47.4	-47.4	-47.4	-43.3	-43.3	-43.3	-43.3	-43.3	-43.3	-43.4	-43.4	-43.4	-43.4	-43.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	53	59	59	59	59	59	59	62	62	62	62	62	62	66	66	66	66	66	66	66	66	66	66	66	66	0	0	0	0	0	0	0	0	0		
ST3	Distance (m)	157	162	162	162	162	162	162	177	177	177	177	177	177	203	203	203	203	203	203	252	252	252	252	252	252	0	0	0	0	0	0	0	0	0		
	Distance Attenuation (dB(A))	-51.9	-52.2	-52.2	-52.2	-52.2	-52.2	-52.2	-53.0	-53.0	-53.0	-53.0	-53.0	-53.0	-54.1	-54.1	-54.1	-54.1	-54.1	-54.1	-56.0	-56.0	-56.0	-56.0	-56.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	58	58	58	58	58	58	58	58	57	57	57	57	57	54	54	54	54	54	54	54	54	54	54	54	54	0	0	0	0	0	0	0	0	0		
ST5	Distance (m)	79	159	159	159	159	159	159	205	205	205	205	205	205	246	246	246	246	246	246	296	296	296	296	296	296	0	0	0	0	0	0	0	0	0		
	Distance Attenuation (dB(A))	-46.0	-52.1	-52.1	-52.1	-52.1	-52.1	-52.1	-54.3	-54.3	-54.3	-54.3	-54.3	-54.3	-55.8	-55.8	-55.8	-55.8	-55.8	-55.8	-57.4	-57.4	-57.4	-57.4	-57.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	63	55	55	55	55	55	55	55	54	54	54	54	54	53	53	53	53	53	53	53	53	53	53	53	53	0	0	0	0	0	0	0	0	0		
ST6	Distance (m)	125	211	211	211	211	211	211	256	256	256	256	256	256	287	287	287	287	287	287	334	334	334	334	334	334	0	0	0	0	0	0	0	0	0		
	Distance Attenuation (dB(A))	-49.9	-54.5	-54.5	-54.5	-54.5	-54.5	-54.5	-56.2	-56.2	-56.2	-56.2	-56.2	-56.2	-57.2	-57.2	-57.2	-57.2	-57.2	-57.2	-58.5	-58.5	-58.5	-58.5	-58.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	60	55	55	55	55	55	55	55	54	54	54	54	54	53	53	53	53	53	53	53	53	53	53	53	53	0	0	0	0	0	0	0	0	0		
LT1	Distance (m)	91	227	227	227	227	227	227	306	306	306	306	306	306	355	355	355	355	355	355	403	403	403	403	403	403	0	0	0	0	0	0	0	0	0		
	Distance Attenuation (dB(A))	-47.2	-55.1	-55.1	-55.1	-55.1	-55.1	-55.1	-57.7	-57.7	-57.7	-57.7	-57.7	-57.7	-59.0	-59.0	-59.0	-59.0	-59.0	-59.0	-60.1	-60.1	-60.1	-60.1	-60.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	63	55	55	55	55	55	55	55	52	52	52	52	52	51	51	51	51	51	51	51	50	50	50	50	50	0	0	0	0	0	0	0	0	0		
LT2	Distance (m)	294	434	434	434	434	434	434	506	506	506	506	506	506	553	553	553	553	553	553	596	596	596	596	596	596	0	0	0	0	0	0	0	0	0		
	Distance Attenuation (dB(A))	-57.4	-60.8	-60.8	-60.8	-60.8	-60.8	-60.8	-62.1	-62.1	-62.1	-62.1	-62.1	-62.1	-62.9	-62.9	-62.9	-62.9	-62.9	-62.9	-63.5	-63.5	-63.5	-63.5	-63.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	52	49	49	49	49	49	49	48	48	48	48	48	48	47	47	47	47	47	47	47	46	46	46	46	46	0	0	0	0	0	0	0	0	0		
LT3	Distance (m)	129	156	156	156	156	156	156	202	202	202	202	202	202	257	257	257	257	257	257	298	298	298	298	298	298	0	0	0	0	0	0	0	0	0		
	Distance Attenuation (dB(A))	-50.2	-51.9	-51.9	-51.9	-51.9	-51.9	-51.9	-54.1	-54.1	-54.1	-54.1	-54.1	-54.1	-56.2	-56.2	-56.2	-56.2	-56.2	-56.2	-57.5	-57.5	-57.5	-57.5	-57.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	60	58	58	58	58	58	58	56	56	56	56	56	56	54	54	54	54	54	54	52	52	52	52	52	52	0	0	0	0	0	0	0	0	0		
TTW1	Distance (m)	321	272	272	272	272	272	272	276	276	276	276	276	276	287	287	287	287	287	287	308	308	308	308	308	308	0	0	0	0	0	0	0	0	0		
	Distance Attenuation (dB(A))	-58.1	-56.7	-56.7	-56.7	-56.7	-56.7	-56.7	-56.8	-56.8	-56.8	-56.8	-56.8	-56.8	-57.2	-57.2	-57.2	-57.2	-57.2	-57.2	-57.8	-57.8	-57.8	-57.8	-57.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	52	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	52	52	52	52	52	52	0	0	0	0	0	0	0	0	0		
TTW2	Distance (m)	184	95	95	95	95	95	95	91	91	91	91	91	91	115	115	115	115	115	115	155	155	155	155	155	155	0	0	0	0	0	0	0	0	0		
	Distance Attenuation (dB(A))	-53.3	-47.6	-47.6	-47.6	-47.6	-47.6	-47.6	-47.2	-47.2	-47.2	-47.2	-47.2	-47.2	-49.2	-49.2	-49.2	-49.2	-49.2	-49.2	-51.8	-51.8	-51.8	-51.8	-51.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	Overall Noise Level (dB (A))	57</																																			

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
Stage 1 - Site Clearance & Haul Road														Y																								
Stage 2 - Piling															Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 3 - PileCaps																		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 4 - Piers																			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 5 - Bridge Decks																									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109	109		
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	0	0	106	0	0	106	0	0	106	0	0	106	0	0	106	0	0	106	106	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	104	0	0	104	0	0	104	0	0	104	0	0	104	0	0	104	0	0	104	104
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107	107	107	107	107	107	107	107	107	107	107	107	107	107
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
NSR	Description																																					
ST1	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	55	52	52	52	55	54	54	59	58	58	61	61	60	63	63	62	65	65	64	61	63	59			
ST2	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	60	54	54	54	57	56	56	62	62	61	66	66	65	70	69	69	71	70	69	66	68	64			
ST3	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	56	57	57	57	61	61	60	62	61	60	61	62	61	61	61	60	60	61	60	59	60	59			
ST5	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	59	62	62	62	67	67	66	65	63	60	61	62	62	62	61	61	61	65	64	64	64	64			
ST6	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	56	60	60	60	63	63	62	62	60	58	58	61	60	60	60	60	60	61	61	60	61	60			
LT1	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	62	69	69	69	68	65	65	63	57	57	57	55	55	55	53	53	54	52	52	49	49	0			
LT2	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	51	56	56	56	57	56	55	55	54	52	52	56	55	56	56	55	56	54	54	53	54	53			
LT3	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	59	61	61	61	64	63	62	63	62	60	61	62	61	61	61	61	61	61	61	61	60	61	60		
TTW1	House No. 115, Tai Tong Wu Village	0	0	0	0	0	0	0	0	0	0	0	0	51	53	53	53	56	55	54	57	56	56	57	58	57	58	57	56	57	56	54	56	53				
TTW2	Tai Tong Wu Village House 2	0	0	0	0	0	0	0	0	0	0	0	0	61	56	56	56	60	60	59	65	65	65	67	66	65	66	65	64	64	63	62	60	61	59			

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)			
Stage 1 - Site Clearance & Haul Road																																						
Stage 2 - Piling																																						
Stage 3 - PileCaps																																						
Stage 4 - Piers																																						
Stage 5 - Bridge Decks			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																																						
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)			
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)			
NSR	Description																																					
ST1	Village House, Shan Tong	51	55	55	55	55	55	55	57	57	57	57	57	60	60	60	60	60	60	61	61	61	61	61	61	60	60	60	0	0	0	0	0	0	0	0		
ST2	Village House, Shan Tong	53	59	59	59	59	59	59	62	62	62	62	62	66	66	66	66	66	66	66	66	66	66	66	66	65	65	65	0	0	0	0	0	0	0	0		
ST3	Village House, Shan Tong	58	58	58	58	58	58	58	57	57	57	57	57	56	56	56	56	56	56	54	54	54	54	54	54	57	57	57	0	0	0	0	0	0	0	0		
ST5	Village House, Shan Tong	64	58	58	58	58	58	58	56	56	56	56	56	54	54	54	54	54	54	54	52	52	52	52	52	52	63	63	63	0	0	0	0	0	0	0		
ST6	Village House, Shan Tong	60	55	55	55	55	55	55	54	54	54	54	54	53	53	53	53	53	53	51	51	51	51	51	51	59	59	59	0	0	0	0	0	0	0	0		
LT1	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
LT2	Village House, Loi Tung	52	49	49	49	49	49	49	48	48	48	48	48	47	47	47	47	47	47	46	46	46	46	46	46	53	53	53	0	0	0	0	0	0	0	0		
LT3	Village House, Loi Tung	60	58	58	58	58	58	58	56	56	56	56	56	54	54	54	54	54	54	52	52	52	52	52	52	58	58	58	0	0	0	0	0	0	0	0		
TTW1	House No. 115, Tai Tong Wu Village	52	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	53	52	52	52	52	52	52	52	52	52	0	0	0	0	0	0	0		
TTW2	Tai Tong Wu Village House 2	57	62	62	62	62	62	63	63	63	63	63	63	61	61	61	61	61	61	61	58	58	58	58	58	58	61	61	0	0	0	0	0	0	0	0		

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road																																	
Stage 2 - Piling																																	
Stage 3 - PileCaps																																	
Stage 4 - Piers																																	
Stage 5 - Bridge Decks																																	
Stage 6 - Parapet & Surfacing																																	
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR	Description																																Maximum
ST1	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	
ST2	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	
ST3	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	
ST5	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	
ST6	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	
LT1	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	
LT2	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	
LT3	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	
TTW1	House No. 115, Tai Tong Wu Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	
TTW2	Tai Tong Wu Village House 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
Stage 1 - Site Clearance								Y	Y	Y	Y	Y	Y																								
Stage 2 - Site Formation														Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 3 - Bored Pile Wall																					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
Stage 4 - Road Works																																			Y	Y	
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
Stage 1 - Site Clearance		0	0	0	0	0	0	108	108	108	108	108	108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation		0	0	0	0	0	0	0	0	0	0	0	0	0	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107		
Stage 3 - Bored Pile Wall		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	107	
Stage 4 - Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	105	105	
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
NSR	Description																																				
ST1	Village House, Shan Tong	0	0	0	0	0	0	55	55	55	55	55	55	54	54	54	54	54	54	55	55	55	55	55	55	55	55	55	55	55	55	55	54	54	59	59	
ST2	Village House, Shan Tong	0	0	0	0	0	0	60	60	60	60	60	60	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	59	63	63
ST3	Village House, Shan Tong	0	0	0	0	0	0	63	63	63	63	63	63	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	65	65	
ST5	Village House, Shan Tong	0	0	0	0	0	0	68	68	68	68	68	68	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	71	71	
ST6	Village House, Shan Tong	0	0	0	0	0	0	63	63	63	63	63	63	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	65	65	
LT1	Village House, Loi Tung	0	0	0	0	0	0	68	68	68	68	68	68	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	71	71	
LT2	Village House, Loi Tung	0	0	0	0	0	0	59	59	59	59	59	59	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	57	61	61	
LT3	Village House, Loi Tung	0	0	0	0	0	0	68	68	68	68	68	68	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	71	71	
LT4	Village House, Loi Tung	0	0	0	0	0	0	53	53	53	53	53	53	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	58	58	
TTW1	House No. 115, Tai Tong Wu Village	0	0	0	0	0	0	55	55	55	55	55	55	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	54	57	57		
TTW2	Tai Tong Wu Village House 2	0	0	0	0	0	0	63	63	63	63	63	63	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	62	74	74		

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance																																				
Stage 2 - Site Formation		Y	Y																																	
Stage 3 - Bored Pile Wall																																				
Stage 4 - Road Works		Y	Y	Y	Y	Y	Y																													
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 2 - Site Formation		107	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - Bored Pile Wall		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 4 - Road Works		105	105	105	105	105	105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)	
NSR	Description																																			
ST1	Village House, Shan Tong	59	59	57	57	57	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ST2	Village House, Shan Tong	63	63	60	60	60	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ST3	Village House, Shan Tong	65	65	63	63	63	63	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ST5	Village House, Shan Tong	71	71	69	69	69	69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ST6	Village House, Shan Tong	65	65	62	62	62	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LT1	Village House, Loi Tung	71	71	68	68	68	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LT2	Village House, Loi Tung	61	61	59	59	59	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LT3	Village House, Loi Tung	71	71	68	68	68	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LT4	Village House, Loi Tung	58	58	56	56	56	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TTW1	House No. 115, Tai Tong Wu Village	57	57	55	55	55	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TTW2	Tai Tong Wu Village House 2	74	74	74	74	74	74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance																																		
Stage 2 - Site Formation																																		
Stage 3 - Bored Pile Wall																																		
Stage 4 - Road Works																																		
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Site Formation		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - Bored Pile Wall		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Road Works		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
NSR	Description																																	Maximum
ST1	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	
ST2	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	
ST3	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	
ST5	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	
ST6	Village House, Shan Tong	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	
LT1	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	
LT2	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	
LT3	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	
LT4	Village House, Loi Tung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	
TTW1	House No. 115, Tai Tong Wu Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	
TTW2	Tai Tong Wu Village House 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
Stage 1 - Site Clearance & Haul Road		Y																																	
Stage 2 - Piling			Y	Y	Y																														
Stage 3 - PileCaps						Y	Y																												
Stage 4 - Piers								Y	Y																										
Stage 5 - Bridge Decks										Y	Y	Y																							
Stage 6 - Parapet & Surfacing												Y																							
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
Stage 1 - Site Clearance & Haul Road		106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	107	107	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	109	109	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	104	104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	106	106	106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
NSR	Description																																		
TH1	Village House, Tong Hang	59	59	59	59	62	62	57	57	58	58	58	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH2	Village House, Tong Hang	55	55	55	55	58	58	53	53	55	55	55	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH4	Village House, Tong Hang	66	66	66	66	69	69	64	64	65	65	65	67	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH5	House No. 88A1, Tong Hang	61	62	62	62	64	64	59	59	61	61	61	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH6	House No. 50, Tong Hang	53	53	53	53	56	56	51	51	52	52	52	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHS1	House No. 307, Wo Hop Shek Village	52	52	52	52	55	55	50	50	51	51	51	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT1	Village House, Kiu Tau Village	53	53	53	53	56	56	51	51	52	52	52	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT2	House No. 300, Kiu Tau Village	45	46	46	46	49	49	44	44	45	45	45	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT3	Village House, Kiu Tau Village	49	49	49	49	52	52	47	47	48	48	48	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NWP1	House No. 78, Nam Wa Po	44	45	45	45	47	47	42	42	44	44	44	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KLHSW	House No. 55C, Kau Lung Hang San Wai	43	44	44	44	46	46	41	41	43	43	43	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)			
Stage 1 - Site Clearance & Haul Road																																						
Stage 2 - Piling																																						
Stage 3 - PileCaps																																						
Stage 4 - Piers																																						
Stage 5 - Bridge Decks																																						
Stage 6 - Parapet & Surfacing																																						
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)			
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)			
NSR	Description																																					
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
Stage 1 - Site Clearance & Haul Road																																					
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks																																					
Stage 6 - Parapet & Surfacing																																					
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
NSR	Description																																				Maximum
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62				
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58				
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69				
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64					
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56					
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	55					
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56					
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49					
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52					
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47					
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46					

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
Stage 1 - Site Clearance & Haul Road																																					
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks																																					
Stage 6 - Parapet & Surfacing																																					
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
NSR	Description																																				
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)			
Stage 1 - Site Clearance & Haul Road																																						
Stage 2 - Piling		Y	Y	Y	Y	Y	Y																															
Stage 3 - PileCaps				Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 4 - Piers		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 5 - Bridge Decks				Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																																						
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)			
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		108	108	108	108	108	108	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	107	0	0	0	107	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		104	104	0	104	104	104	0	0	104	104	104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Bridge Decks		0	0	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)			
NSR	Description																																					
TH1	Village House, Tong Hang	64	64	65	65	65	65	65	65	64	57	57	56	56	56	56	56	50	50	50	50	50	50	64	64	64	0	0	0	0	0	0	0	0	0	0		
TH2	Village House, Tong Hang	62	62	63	62	62	61	61	61	58	58	57	57	57	57	57	57	51	51	51	51	51	51	60	60	60	0	0	0	0	0	0	0	0	0	0	0	
TH4	Village House, Tong Hang	57	57	58	58	58	57	57	56	52	52	51	51	51	51	51	51	47	47	47	47	47	47	56	56	56	0	0	0	0	0	0	0	0	0	0	0	
TH5	House No. 88A1, Tong Hang	56	56	57	57	57	56	56	55	52	52	51	51	51	51	51	51	47	47	47	47	47	47	55	55	54	0	0	0	0	0	0	0	0	0	0	0	
TH6	House No. 50, Tong Hang	52	52	53	53	53	53	51	51	49	49	48	48	48	48	48	48	45	45	45	45	45	45	51	51	49	0	0	0	0	0	0	0	0	0	0	0	
WHS1	House No. 307, Wo Hop Shek Village	53	53	54	53	53	52	52	51	51	49	49	49	49	49	49	49	47	47	47	47	47	47	51	51	49	0	0	0	0	0	0	0	0	0	0	0	
KT1	Village House, Kiu Tau Village	65	65	66	65	65	63	63	62	63	63	62	62	62	62	62	62	56	56	56	56	56	56	63	63	62	0	0	0	0	0	0	0	0	0	0	0	
KT2	House No. 300, Kiu Tau Village	55	55	60	59	59	57	57	55	56	56	53	53	53	53	53	53	56	56	56	56	56	56	59	59	56	0	0	0	0	0	0	0	0	0	0	0	0
KT3	Village House, Kiu Tau Village	64	64	66	65	65	63	63	61	64	64	62	62	62	62	62	62	61	61	61	61	61	61	64	64	61	0	0	0	0	0	0	0	0	0	0	0	0
NWP1	House No. 78, Nam Wa Po	53	53	66	66	66	65	65	62	63	63	51	51	51	51	51	64	64	64	64	64	64	67	67	64	0	0	0	0	0	0	0	0	0	0	0	0	0
KLHSW	House No. 55C, Kau Lung Hang San Wai	51	51	58	58	58	58	57	57	54	55	49	49	49	49	49	49	56	56	56	56	56	56	58	58	55	0	0	0	0	0	0	0	0	0	0	0	0

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance & Haul Road																																		
Stage 2 - Piling																																		
Stage 3 - PileCaps																																		
Stage 4 - Piers																																		
Stage 5 - Bridge Decks																																		
Stage 6 - Parapet & Surfacing																																		
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
NSR	Description																																	Maximum
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
Stage 1 - Site Clearance & Haul Road																																					
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks																																					
Stage 6 - Parapet & Surfacing																																					
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
NSR	Description																																				
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road																							Y														
Stage 2 - Piling																							Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 3 - PileCaps																									Y												
Stage 4 - Piers																										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 5 - Bridge Decks																											Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 6 - Parapet & Surfacing																												Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	103	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	108	108	108	108	108	108	108	108	108	108	108	108	108	108	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107	0	0	107	0	0	107	107	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	101	101	0	101	101	0	101	101	101	101	101	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	106	106	106	106	106	106	106	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
NSR	Description																																				
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	53	53	54	51	54	56	56	56	55	56	53	53	51		
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	55	55	55	52	56	58	57	57	56	57	54	54	53		
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	50	50	51	48	51	53	53	53	52	52	49	49	48		
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	50	50	51	48	51	53	53	52	52	49	49	48			
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	47	47	49	46	49	51	50	50	49	50	47	47	46		
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	49	49	50	48	50	52	52	52	51	52	49	49	47		
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	60	60	56	60	62	62	62	61	62	59	59	58		
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	64	64	68	67	68	67	65	65	63	63	62	62	62		
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	68	68	68	63	68	69	69	69	68	68	67	67	67		
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	56	56	72	72	72	72	67	67	62	63	58	58	54		
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	55	55	64	63	64	63	60	60	57	57	55	55	53		

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road																																	
Stage 2 - Piling																																	
Stage 3 - PileCaps																																	
Stage 4 - Piers																																	
Stage 5 - Bridge Decks		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																																	
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR	Description	47	47	47	47	47	47	47	47	47	52	52	52	52	52	52	55	55	55	0	0	0	0	0	0	0	0	0	0	0	0	0	Maximum
TH1	Village House, Tong Hang	47	47	47	47	47	47	47	47	47	52	52	52	52	52	52	55	55	55	0	0	0	0	0	0	0	0	0	0	0	0	56	
TH2	Village House, Tong Hang	48	48	48	48	48	48	48	48	48	53	53	53	53	53	53	56	56	56	0	0	0	0	0	0	0	0	0	0	0	0	58	
TH4	Village House, Tong Hang	45	45	45	45	45	45	45	45	45	49	49	49	49	49	49	51	51	51	0	0	0	0	0	0	0	0	0	0	0	0	53	
TH5	House No. 88A1, Tong Hang	44	44	44	44	44	44	44	44	44	49	49	49	49	49	49	51	51	51	0	0	0	0	0	0	0	0	0	0	0	0	53	
TH6	House No. 50, Tong Hang	43	43	43	43	43	43	43	43	43	46	46	46	46	46	46	49	49	49	0	0	0	0	0	0	0	0	0	0	0	0	51	
WHS1	House No. 307, Wo Hop Shek Village	44	44	44	44	44	44	44	44	44	48	48	48	48	48	48	51	51	51	0	0	0	0	0	0	0	0	0	0	0	0	52	
KT1	Village House, Kiu Tau Village	50	50	50	50	50	50	50	50	50	58	58	58	58	58	58	61	61	61	0	0	0	0	0	0	0	0	0	0	0	0	62	
KT2	House No. 300, Kiu Tau Village	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	0	0	0	0	0	0	0	0	0	0	0	0	68	
KT3	Village House, Kiu Tau Village	57	57	57	57	57	57	57	57	57	62	62	62	62	62	62	68	68	68	0	0	0	0	0	0	0	0	0	0	0	0	70	
NWP1	House No. 78, Nam Wa Po	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	0	0	0	0	0	0	0	0	0	0	0	0	72	
KLHSW	House No. 55C, Kau Lung Hang San Wai	61	61	61	61	61	61	61	61	61	53	53	53	53	53	53	62	62	62	0	0	0	0	0	0	0	0	0	0	0	0	64	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity	Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
Stage 1 - Site Clearance & Haul Road	Y																																	
Stage 2 - Piling	Y	Y	Y	Y	Y	Y	Y																											
Stage 3 - PileCaps			Y	Y	Y	Y																												
Stage 4 - Piers				Y	Y	Y																												
Stage 5 - Bridge Decks					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
Stage 6 - Parapet & Surfacing																																		

Sound Power Level, dB(A)	Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance & Haul Road	103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling	106	106	106	106	106	106	106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps	0	0	107	0	107	0	0	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers	0	0	0	104	0	104	0	0	104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks	0	0	0	0	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106
Stage 6 - Parapet & Surfacing	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Predicted Noise Level, dB(A) (Stage 5)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)
NSR	Description	0	0	0	0	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH1	Distance (m)					52	52	52	52	52	236	236	236	236	236	407	407	407	407	407															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-42.4	-42.4	-42.4	-42.4	-42.4	-55.4	-55.4	-55.4	-55.4	-55.4	-60.2	-60.2	-60.2	-60.2	-60.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3
	Overall Noise Level (dB (A))	0	0	0	0	67	67	67	67	67	54	54	54	54	54	49	49	49	49	49	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH2	Distance (m)					84	84	84	84	84	192	192	192	192	192	350	350	350	350	350															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-46.5	-46.5	-46.5	-46.5	-46.5	-53.7	-53.7	-53.7	-53.7	-53.7	-58.9	-58.9	-58.9	-58.9	-58.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	62	62	62	62	62	55	55	55	55	55	50	50	50	50	50	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH4	Distance (m)					193	193	193	193	193	367	367	367	367	367	557	557	557	557	557															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-53.7	-53.7	-53.7	-53.7	-53.7	-59.3	-59.3	-59.3	-59.3	-59.3	-62.9	-62.9	-62.9	-62.9	-62.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	55	55	55	55	55	50	50	50	50	50	46	46	46	46	46	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH5	Distance (m)					229	229	229	229	229	379	379	379	379	379	568	568	568	568	568															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-55.2	-55.2	-55.2	-55.2	-55.2	-59.6	-59.6	-59.6	-59.6	-59.6	-63.1	-63.1	-63.1	-63.1	-63.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	54	54	54	54	54	49	49	49	49	49	46	46	46	46	46	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH6	Distance (m)					390	390	390	390	390	529	529	529	529	529	708	708	708	708	708															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-59.8	-59.8	-59.8	-59.8	-59.8	-62.5	-62.5	-62.5	-62.5	-62.5	-65.0	-65.0	-65.0	-65.0	-65.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	49	49	49	49	49	46	46	46	46	46	44	44	44	44	44	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHS1	Distance (m)					390	390	390	390	390	452	452	452	452	452	599	599	599	599	599															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-59.8	-59.8	-59.8	-59.8	-59.8	-61.1	-61.1	-61.1	-61.1	-61.1	-63.6	-63.6	-63.6	-63.6	-63.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	49	49	49	49	49	48	48	48	48	48	45	45	45	45	45	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT1	Distance (m)					70	70	70	70	70	87	87	87	87	87	238	238	238	238	238															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	-44.9	-44.9	-44.9	-44.9	-44.9	-46.7	-46.7	-46.7	-46.7	-46.7	-55.5	-55.5	-55.5	-55.5	-55.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	64	64	64	64	64	62	62	62	62	62	53	53	53</																	

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance & Haul Road		Y																																		
Stage 2 - Piling		Y	Y	Y	Y	Y	Y	Y																												
Stage 3 - PileCaps				Y	Y	Y	Y		Y	Y																										
Stage 4 - Piers					Y	Y	Y		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 5 - Bridge Decks						Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
Stage 6 - Parapet & Surfacing																					Y	Y														
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance & Haul Road		103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		106	106	106	106	106	106	106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	107	0	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	104	0	104	0	0	104	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	105	105	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
NSR	Description																																			
TH1	Village House, Tong Hang	69	67	67	65	67	67	67	67	67	54	54	54	54	54	49	49	49	49	66	66	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH2	Village House, Tong Hang	65	63	64	62	64	63	63	63	63	55	55	55	55	55	50	50	50	50	62	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH4	Village House, Tong Hang	57	56	57	55	57	56	56	56	56	50	50	50	50	50	46	46	46	46	55	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH5	House No. 88A1, Tong Hang	56	54	56	54	56	55	55	55	54	49	49	49	49	49	46	46	46	46	54	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH6	House No. 50, Tong Hang	51	50	52	50	52	51	50	50	50	46	46	46	46	46	44	44	44	44	50	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHS1	House No. 307, Wo Hop Shek Village	51	50	52	51	53	52	51	51	50	48	48	48	48	48	45	45	45	45	50	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT1	Village House, Kiu Tau Village	66	64	67	65	67	66	64	64	64	62	62	62	62	62	53	53	53	53	64	63	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT2	House No. 300, Kiu Tau Village	60	50	57	57	64	64	63	63	61	56	56	56	56	56	62	62	62	62	65	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT3	Village House, Kiu Tau Village	66	57	69	68	70	69	65	66	63	68	68	68	68	68	64	64	64	64	69	67	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NWP1	House No. 78, Nam Wa Po	56	48	54	53	60	59	59	59	57	52	52	52	52	52	58	58	58	58	61	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KLHSW	House No. 55C, Kau Lung Hang San Wai	58	47	52	52	61	61	61	61	59	50	50	50	50	50	60	60	60	60	63	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road																																					
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks																																					
Stage 6 - Parapet & Surfacing																																					
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
NSR	Description																																				
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
Stage 1 - Site Clearance & Haul Road																																					
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks																																					
Stage 6 - Parapet & Surfacing																																					
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)				
NSR	Description																																				Maximum
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69				
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65				
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57				
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56					
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52					
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53					
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67					
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65					
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70					
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61					
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63					

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity	Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)			
Stage 1 - Site Clearance & Haul Road																																					
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks																																					
Stage 6 - Parapet & Surfacing																																					

Sound Power Level, dB(A)	Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
Stage 1 - Site Clearance & Haul Road	0	0	0	0	0	0	0	0	0	0	0	0	0	0	103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	
Stage 3 - PileCaps	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 1)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
NSR	Description	0	0	0	0	0	0	0	0	0	0	0	0	0	0	103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH1	Distance (m)															295																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-57.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH2	Distance (m)															239																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-55.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH4	Distance (m)															435																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-60.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH5	Distance (m)															447																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-61.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH6	Distance (m)															620																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-63.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHS1	Distance (m)															505																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-62.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT1	Distance (m)															128																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-50.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT2	Distance (m)															47																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-41.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT3	Distance (m)															26																				
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-36.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NWP1	Distance (m)																																			

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
Stage 1 - Site Clearance & Haul Road																Y	Y	Y	Y	Y	Y																
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks																																					
Stage 6 - Parapet & Surfacing																																					
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	106	106	106	106	106	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)		
NSR	Description																																				
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	52	52	53	51	53	53	53	53	52	52	52	52	45	45	45	45	45	45	45		
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	54	54	55	53	54	54	54	54	54	54	53	53	46	46	46	46	46	46	46		
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	49	49	50	48	50	50	50	50	49	49	48	48	43	43	43	43	43	43	43	43	
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	48	48	50	48	49	49	49	49	49	49	48	48	43	43	43	43	43	43	43	43	
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	46	47	46	47	47	47	47	46	46	45	45	42	42	42	42	42	42	42	42	
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	47	47	49	47	49	49	49	49	48	48	47	47	43	43	43	43	43	43	43	43	
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	59	59	60	58	59	59	59	59	59	59	59	48	48	48	48	48	48	48	48	48	
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	68	68	69	67	68	68	68	69	68	68	68	61	61	61	61	61	61	61	61	61	
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	73	73	73	71	73	73	73	73	73	73	73	53	53	53	53	53	53	53	53	53	
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	56	56	74	74	74	74	74	74	72	72	55	55	74	74	74	74	74	74	74	74	
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	59	59	64	64	64	64	64	64	63	63	58	58	62	62	62	62	62	62	62	62	

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road																																					
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks		Y	Y																																		
Stage 6 - Parapet & Surfacing		Y	Y																																		
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		106	106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		101	101	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
NSR	Description																																				
TH1	Village House, Tong Hang	49	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH2	Village House, Tong Hang	51	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH4	Village House, Tong Hang	46	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH5	House No. 88A1, Tong Hang	46	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH6	House No. 50, Tong Hang	44	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHS1	House No. 307, Wo Hop Shek Village	46	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT1	Village House, Kiu Tau Village	55	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT2	House No. 300, Kiu Tau Village	65	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT3	Village House, Kiu Tau Village	68	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NWP1	House No. 78, Nam Wa Po	75	75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KLHSW	House No. 55C, Kau Lung Hang San Wai	64	64	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road																																	
Stage 2 - Piling																																	
Stage 3 - PileCaps																																	
Stage 4 - Piers																																	
Stage 5 - Bridge Decks																																	
Stage 6 - Parapet & Surfacing																																	
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR	Description																																
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance & Haul Road																																	
Stage 2 - Piling															Y	Y	Y																
Stage 3 - PileCaps																	Y																
Stage 4 - Piers																				Y													
Stage 5 - Bridge Decks																				Y	Y	Y	Y	Y	Y								
Stage 6 - Parapet & Surfacing																								Y	Y								

Sound Power Level, dB(A)	Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
Stage 1 - Site Clearance & Haul Road	0	0	0	0	0	0	0	0	0	0	0	0	0	0	103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 2 - Piling	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - PileCaps	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 4 - Piers	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	104	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Bridge Decks	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	106	106	0	0	0	0	0	0	0	0
Stage 6 - Parapet & Surfacing	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	101	101	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Stage 3)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)
NSR	Description	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH1	Distance (m)																	624															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-63.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH2	Distance (m)																	573															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-63.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH4	Distance (m)																	745															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-65.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH5	Distance (m)																	735															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-65.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH6	Distance (m)																	851															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-66.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHS1	Distance (m)																	700															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-64.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT1	Distance (m)																	457															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-61.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT2	Distance (m)																	238															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-55.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT3	Distance (m)																	296															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-57.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NWP1	Distance (m)																	26															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-36.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Facade Effect (dB(A))	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3	+3		
	Overall Noise Level (dB (A))	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KLHSW	Distance (m)																	171															
	Distance Attenuation (dB(A))	0.0	0.0	0.0	0.0</																												

Main Construction Activity		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance & Haul Road																																				
Stage 2 - Piling																																				
Stage 3 - PileCaps																																				
Stage 4 - Piers																																				
Stage 5 - Bridge Decks																																				
Stage 6 - Parapet & Surfacing																																				
Sound Power Level, dB(A)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 1 (1)	Month 1 (2)	Month 2 (1)	Month 2 (2)	Month 3 (1)	Month 3 (2)	Month 4 (1)	Month 4 (2)	Month 5 (1)	Month 5 (2)	Month 6 (1)	Month 6 (2)	Month 7 (1)	Month 7 (2)	Month 8 (1)	Month 8 (2)	Month 9 (1)	Month 9 (2)	Month 10 (1)	Month 10 (2)	Month 11 (1)	Month 11 (2)	Month 12 (1)	Month 12 (2)	Month 13 (1)	Month 13 (2)	Month 14 (1)	Month 14 (2)	Month 15 (1)	Month 15 (2)	Month 16 (1)	Month 16 (2)	Month 17 (1)	Month 17 (2)	
NSR	Description																																			
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Note: Bold figures in shaded box(es) denotes exceedance of relevant construction noise criteria

Main Construction Activity		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road																																					
Stage 2 - Piling																																					
Stage 3 - PileCaps																																					
Stage 4 - Piers																																					
Stage 5 - Bridge Decks																																					
Stage 6 - Parapet & Surfacing																																					
Sound Power Level, dB(A)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Predicted Noise Level, dB(A) (Overall Total)		Month 18 (1)	Month 18 (2)	Month 19 (1)	Month 19 (2)	Month 20 (1)	Month 20 (2)	Month 21 (1)	Month 21 (2)	Month 22 (1)	Month 22 (2)	Month 23 (1)	Month 23 (2)	Month 24 (1)	Month 24 (2)	Month 25 (1)	Month 25 (2)	Month 26 (1)	Month 26 (2)	Month 27 (1)	Month 27 (2)	Month 28 (1)	Month 28 (2)	Month 29 (1)	Month 29 (2)	Month 30 (1)	Month 30 (2)	Month 31 (1)	Month 31 (2)	Month 32 (1)	Month 32 (2)	Month 33 (1)	Month 33 (2)	Month 34 (1)	Month 34 (2)		
NSR	Description																																				
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Main Construction Activity		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance & Haul Road																Y																		
Stage 2 - Piling																Y	Y	Y																
Stage 3 - PileCaps																		Y			Y													
Stage 4 - Piers																					Y													
Stage 5 - Bridge Decks																						Y	Y	Y	Y	Y								
Stage 6 - Parapet & Surfacing																							Y	Y										
Sound Power Level, dB(A)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
Stage 1 - Site Clearance & Haul Road		0	0	0	0	0	0	0	0	0	0	0	0	0	0	103	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 2 - Piling		0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 3 - PileCaps		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	107	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 4 - Piers		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	104	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stage 5 - Bridge Decks		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	106	106	106	106	106	0	0	0	0	0	0	0	0	0
Stage 6 - Parapet & Surfacing		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	101	101	0	0	0	0	0	0	0	0	0
Predicted Noise Level, dB(A) (Overall Total)		Month 35 (1)	Month 35 (2)	Month 36 (1)	Month 36 (2)	Month 37 (1)	Month 37 (2)	Month 38 (1)	Month 38 (2)	Month 39 (1)	Month 39 (2)	Month 40 (1)	Month 40 (2)	Month 41 (1)	Month 41 (2)	Month 42 (1)	Month 42 (2)	Month 43 (1)	Month 43 (2)	Month 44 (1)	Month 44 (2)	Month 45 (1)	Month 45 (2)	Month 46 (1)	Month 46 (2)	Month 47 (1)	Month 47 (2)	Month 48 (1)	Month 48 (2)	Month 49 (1)	Month 49 (2)	Month 50 (1)	Month 50 (2)	
NSR	Description																																	Maximum
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	46	46	43	45	45	45	46	46	0	0	0	0	0	0	0	47	
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	46	46	44	46	46	46	47	47	0	0	0	0	0	0	0	48	
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	44	44	44	42	44	44	44	45	45	0	0	0	0	0	0	0	46	
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	44	44	44	42	44	44	44	45	45	0	0	0	0	0	0	0	46	
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	44	43	43	43	41	42	42	42	44	44	0	0	0	0	0	0	0	44	
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	45	45	45	42	44	44	44	45	45	0	0	0	0	0	0	0	46	
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	48	48	48	46	48	48	48	49	49	0	0	0	0	0	0	0	50	
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	54	54	54	52	53	53	53	55	55	0	0	0	0	0	0	0	56	
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	52	52	52	50	52	52	52	53	53	0	0	0	0	0	0	0	54	
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	73	73	73	71	73	73	73	74	74	0	0	0	0	0	0	0	75	
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	57	57	57	54	56	56	56	58	58	0	0	0	0	0	0	0	58	

Note: Bold figures in shaded box(es) denotes exceedance of relevant constructio

Proposed Link Road 4

Predicted Noise Level, dB(A) (Overall Total)		Month 18	Month 18	Month 19	Month 19	Month 20	Month 20	Month 21	Month 21	Month 22	Month 22	Month 23	Month 23	Month 24	Month 24	Month 25	Month 25	Month 26	Month 26	Month 27	Month 27	Month 28	Month 28	Month 29	Month 29	Month 30	Month 30	Month 31	Month 31	Month 32	Month 32	Month 33	Month 33	Month 34	Month 34	
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	
NSR	Description																																			
TH1	Village House, Tong Hang	49	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH2	Village House, Tong Hang	51	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH4	Village House, Tong Hang	46	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH5	House No. 88A1, Tong Hang	46	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH6	House No. 50, Tong Hang	44	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WHS1	House No. 307, Wo Hop Shek Village	46	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT1	Village House, Kiu Tau Village	55	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT2	House No. 300, Kiu Tau Village	65	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KT3	Village House, Kiu Tau Village	68	68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
NWP1	House No. 78, Nam Wa Po	75	75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KLHSW	House No. 55C, Kau Lung Hang San Wai	64	64	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Proposed Link Road 5

Predicted Noise Level, dB(A) (Overall Total)		Month 18	Month 18	Month 19	Month 19	Month 20	Month 20	Month 21	Month 21	Month 22	Month 22	Month 23	Month 23	Month 24	Month 24	Month 25	Month 25	Month 26	Month 26	Month 27	Month 27	Month 28	Month 28	Month 29	Month 29	Month 30	Month 30	Month 31	Month 31	Month 32	Month 32	Month 33	Month 33	Month 34	Month 34	
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	
NSR	Description																																			
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHS1	House No. 307, Wo Hop Shek Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Fanling Road Section

Predicted Noise Level, dB(A) (Overall Total)		Month 18	Month 18	Month 19	Month 19	Month 20	Month 20	Month 21	Month 21	Month 22	Month 22	Month 23	Month 23	Month 24	Month 24	Month 25	Month 25	Month 26	Month 26	Month 27	Month 27	Month 28	Month 28	Month 29	Month 29	Month 30	Month 30	Month 31	Month 31	Month 32	Month 32	Month 33	Month 33	Month 34	Month 34	
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	
NSR	Description																																			
TH1	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH2	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH4	Village House, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH5	House No. 88A1, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TH6	House No. 50, Tong Hang	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT1	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT2	House No. 300, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KT3	Village House, Kiu Tau Village	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NWP1	House No. 78, Nam Wa Po	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
KLHSW	House No. 55C, Kau Lung Hang San Wai	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Predicted Noise Level, dB(A) (Cumulative Impact)		Month 18	Month 18	Month 19	Month 19	Month 20	Month 20	Month 21	Month 21	Month 22	Month 22	Month 23	Month 23	Month 24	Month 24	Month 25	Month 25	Month 26	Month 26	Month 27	Month 27	Month 28	Month 28	Month 29	Month 29	Month 30	Month 30	Month 31	Month 31	Month 32	Month 32	Month 33	Month 33	Month 34	Month 34	
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	
NSR	Description																																			
TH1	Village House, Tong Hang	64	64	65	65	65	65	65	65	64	57	65	65	65	65	69	69	69	69	69	69	56	55	55	64	64	64	56	56	56	55	56	53	53	51	
TH2	Village House, Tong Hang	62	62	63	62	62	61	61	61	58	62	62	62	62	66	66	66	65	65	57	56	56	62	61	61	58	57	57	57	56	57	54	54	53	53	
TH4	Village House, Tong Hang	57	57	58	58	58	57	57	56	52	65	65	65	65	70	70	70	70	70	53	52	52	57	57	57	53	53	53	52	52	49	49	49	48	48	
TH5	House No. 88A1, Tong Hang	56	56	57	57	57	56	56	55	52	61	61	61	61	65	65	65	65	65	53	52	52	56	56	56	53	53	53	52	52	49	49	49	48	48	
TH6	House No. 50, Tong Hang	52	52	53	53	53	51	51	49	56	56	56	56	60	60	60	60	60	50	49	49	53	52	52	51	50	50	49	50	47	47	47	46	46		
WHS1	House No. 307, Wo Hop Shek Village	53	53	54	53	53	52	52	51	51	55	54	54	54	58	58	58	58	58	52	51	51	54	53	53	52	52	51	52	49	49					

