

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft

Table 1 - Noise Contribution from Sources at Jan 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2 - Noise Contribution from Sources at Feb 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 3 - Noise Contribution from Sources at March 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 4 - Noise Contribution from Sources at Apr 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 - Noise Contribution from Sources at May 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 6 - Noise Contribution from Sources at Jun 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft

Table 7 - Noise Contribution from Sources at Jul 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 8 - Noise Contribution from Sources at Aug 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 9 - Noise Contribution from Sources at Sept 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	59	55	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0
MTW-6-2	60	55	0	0	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	60	56	0	0	0	0	0	68	0	0	0	0	0	0	0	0	0	0
TKW-1-2	59	54	0	0	0	0	0	63	0	0	0	0	0	0	0	0	0	0
TKW-2-2	59	55	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0
TKW-2-1	58	54	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0
TKW-3-2	59	57	0	0	0	0	0	63	0	0	0	0	0	0	0	0	0	0
TKW-3-1	61	56	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0
TKW-2-3	60	54	0	0	0	0	0	57	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 10 - Noise Contribution from Sources at Oct 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	59	55	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0
MTW-6-2	60	55	0	0	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	60	56	0	0	0	0	0	68	0	0	0	0	0	0	0	0	0	0
TKW-1-2	59	54	0	0	0	0	0	63	0	0	0	0	0	0	0	0	0	0
TKW-2-2	59	55	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0
TKW-2-1	58	54	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0
TKW-3-2	59	57	0	0	0	0	0	63	0	0	0	0	0	0	0	0	0	0
TKW-3-1	61	56	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0
TKW-2-3	60	54	0	0	0	0	0	57	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 11 - Noise Contribution from Sources at Nov 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	59	55	0	0	0	0	0	62	0	0	0	0	0	0	0	0	58	0
MTW-6-2	60	55	0	0	0	0	0	59	0	0	0	0	0	0	0	0	57	0
TKW-1-1	60	56	0	0	0	0	0	68	0	0	0	0	0	0	0	0	59	0
TKW-1-2	59	54	0	0	0	0	0	63	0	0	0	0	0	0	0	0	57	0
TKW-2-2	59	55	0	0	0	0	0	64	0	0	0	0	0	0	0	0	57	0
TKW-2-1	58	54	0	0	0	0	0	62	0	0	0	0	0	0	0	0	56	0
TKW-3-2	59	57	0	0	0	0	0	63	0	0	0	0	0	0	0	0	54	0
TKW-3-1	61	56	0	0	0	0	0	64	0	0	0	0	0	0	0	0	53	0
TKW-2-3	60	54	0	0	0	0	0	57	0	0	0	0	0	0	0	0	55	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 12 - Noise Contribution from Sources at Dec 2012

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	55	0	0	0	0	0	62	0	0	0	0	0	0	0	0	58	0
MTW-6-2	56	55	0	0	0	0	0	59	0	0	0	0	0	0	0	0	57	0
TKW-1-1	57	56	0	0	0	0	0	68	0	0	0	0	0	0	0	0	59	0
TKW-1-2	56	54	0	0	0	0	0	63	0	0	0	0	0	0	0	0	57	0
TKW-2-2	56	55	0	0	0	0	0	64	0	0	0	0	0	0	0	0	57	0
TKW-2-1	55	54	0	0	0	0	0	62	0	0	0	0	0	0	0	0	56	0
TKW-3-2	56	57	0	0	0	0	0	63	0	0	0	0	0	0	0	0	54	0
TKW-3-1	57	56	0	0	0	0	0	64	0	0	0	0	0	0	0	0	53	0
TKW-2-3	56	54	0	0	0	0	0	57	0	0	0	0	0	0	0	0	55	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft

Table 13 - Noise Contribution from Sources at Jan 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	59	55	0	0	0	0	0	62	0	0	0	0	0	0	0	0	58	0
MTW-6-2	60	55	0	0	0	0	0	59	0	0	0	0	0	0	0	0	57	0
TKW-1-1	60	56	0	0	0	0	0	68	0	0	0	0	0	0	0	0	59	0
TKW-1-2	59	54	0	0	0	0	0	63	0	0	0	0	0	0	0	0	57	0
TKW-2-2	59	55	0	0	0	0	0	64	0	0	0	0	0	0	0	0	57	0
TKW-2-1	58	54	0	0	0	0	0	62	0	0	0	0	0	0	0	0	56	0
TKW-3-2	59	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0
TKW-3-1	61	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0
TKW-2-3	60	54	0	0	0	0	0	57	0	0	0	0	0	0	0	0	55	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 14 - Noise Contribution from Sources at Feb 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	59	0	55	0	0	0	0	62	0	0	0	0	0	0	0	0	0	57
MTW-6-2	60	0	54	0	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	60	0	55	0	0	0	0	68	0	0	0	0	0	0	0	0	0	59
TKW-1-2	59	0	54	0	0	0	0	63	0	0	0	0	0	0	0	0	0	57
TKW-2-2	59	0	54	0	0	0	0	64	0	0	0	0	0	0	0	0	0	58
TKW-2-1	58	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	57
TKW-3-2	59	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
TKW-3-1	61	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
TKW-2-3	60	0	0	0	0	0	0	57	0	0	0	0	0	0	0	0	0	58
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 15 - Noise Contribution from Sources at March 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	61	0	55	0	0	0	0	62	0	0	0	0	0	0	0	0	0	57
MTW-6-2	62	0	54	0	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	62	0	55	0	0	0	0	68	0	0	0	0	0	0	0	0	0	59
TKW-1-2	61	0	54	0	0	0	0	63	0	0	0	0	0	0	0	0	0	57
TKW-2-2	61	0	54	0	0	0	0	64	0	0	0	0	0	0	0	0	0	58
TKW-2-1	60	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	57
TKW-3-2	61	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
TKW-3-1	63	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
TKW-2-3	62	0	0	0	0	0	0	57	0	0	0	0	0	0	0	0	0	58
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 16 - Noise Contribution from Sources at Apr 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	61	0	55	0	0	0	0	62	0	0	0	0	0	0	0	0	0	57
MTW-6-2	62	0	54	0	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	62	0	55	0	0	0	0	68	0	0	0	0	0	0	0	0	0	59
TKW-1-2	61	0	54	0	0	0	0	63	0	0	0	0	0	0	0	0	0	57
TKW-2-2	61	0	54	0	0	0	0	64	0	0	0	0	0	0	0	0	0	58
TKW-2-1	61	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	57
TKW-3-2	61	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
TKW-3-1	63	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
TKW-2-3	62	0	0	0	0	0	0	57	0	0	0	0	0	0	0	0	0	58
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 17 - Noise Contribution from Sources at May 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	61	0	55	0	0	0	0	62	0	0	0	0	0	0	0	0	0	56
MTW-6-2	62	0	54	0	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	62	0	55	0	0	0	0	68	0	0	0	0	0	0	0	0	0	57
TKW-1-2	61	0	54	0	0	0	0	63	0	0	0	0	0	0	0	0	0	56
TKW-2-2	61	0	54	0	0	0	0	64	0	0	0	0	0	0	0	0	0	56
TKW-2-1	61	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	56
TKW-3-2	61	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56
TKW-3-1	63	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
TKW-2-3	62	0	0	0	0	0	0	57	0	0	0	0	0	0	0	0	0	57
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 18 - Noise Contribution from Sources at Jun 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	60	0	0	54	0	0	0	62	0	0	0	0	0	0	0	0	0	56
MTW-6-2	61	0	0	54	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	61	0	0	54	0	0	0	68	0	0	0	0	0	0	0	0	0	57
TKW-1-2	60	0	0	0	0	0	0	63	0	0	0	0	0	0	0	0	0	56
TKW-2-2	60	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	56
TKW-2-1	59	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	56
TKW-3-2	60	0	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	56
TKW-3-1	62	0	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	58
TKW-2-3	61	0	0	0	0	0	0	57	0	0	0	0	0	0	0	0	0	57
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft

Table 19 - Noise Contribution from Sources at Jul 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	54	0	0	0	62	0	0	0	0	0	0	0	0	0	0
MTW-6-2	56	0	0	54	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	57	0	0	54	0	0	0	68	0	0	0	0	0	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	63	0	0	0	0	0	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0
TKW-2-1	55	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0
TKW-3-2	56	0	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	57	0	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	56	0	0	0	0	0	0	57	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 20 - Noise Contribution from Sources at Aug 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	54	0	0	0	62	0	0	0	0	0	0	0	0	0	0
MTW-6-2	56	0	0	54	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	57	0	0	54	0	0	0	72	0	0	0	0	0	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	66	0	0	0	0	0	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	67	0	0	0	0	0	0	0	0	0	0
TKW-2-1	55	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0
TKW-3-2	56	0	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	57	0	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	56	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	0	0

Table 21 - Noise Contribution from Sources at Sept 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	54	0	0	0	62	0	0	0	0	0	0	0	0	0	0
MTW-6-2	56	0	0	54	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	57	0	0	54	0	0	0	72	0	0	0	0	0	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	66	0	0	0	0	0	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	67	0	0	0	0	0	0	0	0	0	0
TKW-2-1	55	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0
TKW-3-2	56	0	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	57	0	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	56	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	0	0

Table 22 - Noise Contribution from Sources at Oct 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	54	0	0	0	62	0	0	0	0	0	0	0	0	0	0
MTW-6-2	56	0	0	54	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	57	0	0	54	0	0	0	72	0	0	0	0	0	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	66	0	0	0	0	0	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	67	0	0	0	0	0	0	0	0	0	0
TKW-2-1	55	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0
TKW-3-2	56	0	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	57	0	0	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	56	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 23 - Noise Contribution from Sources at Nov 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	54	0	0	0	62	0	0	0	0	0	0	0	0	0	0
MTW-6-2	56	0	0	54	0	0	0	59	0	0	0	0	0	0	0	0	0	0
TKW-1-1	57	0	0	54	0	0	0	72	0	0	0	0	0	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	66	0	0	0	0	0	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	67	0	0	0	0	0	0	0	0	0	0
TKW-2-1	55	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	0
TKW-3-2	56	0	0	59	64	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	57	0	0	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	56	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 24 - Noise Contribution from Sources at Dec 2013

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	57	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0
MTW-6-2	58	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0	0	0
TKW-1-1	58	0	0	0	0	0	0	74	0	0	0	0	0	0	0	0	0	0
TKW-1-2	57	0	0	0	0	0	0	66	0	0	0	0	0	0	0	0	0	0
TKW-2-2	57	0	0	0	0	0	0	68	0	0	0	0	0	0	0	0	0	0
TKW-2-1	56	0	0	0	0	0	0	65	0	0	0	0	0	0	0	0	0	0
TKW-3-2	57	0	0	0	64	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	59	0	0	0	61	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	58	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft  
 Table 25 - Noise Contribution from Sources at Jan 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	57	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0
MTW-6-2	58	0	0	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0
TKW-1-1	58	0	0	0	0	0	0	0	0	74	0	0	0	0	0	0	0	0
TKW-1-2	57	0	0	0	0	0	0	0	0	66	0	0	0	0	0	0	0	0
TKW-2-2	57	0	0	0	0	0	0	0	0	68	0	0	0	0	0	0	0	0
TKW-2-1	56	0	0	0	0	0	0	0	0	65	0	0	0	0	0	0	0	0
TKW-3-2	57	0	0	0	64	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	59	0	0	0	61	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	58	0	0	0	0	0	0	0	0	58	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 26 - Noise Contribution from Sources at Feb 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	57	0	0	0	0	0	0	0	0	62	0	0	0	47	0	0	0	0
MTW-6-2	58	0	0	0	0	0	0	0	0	58	0	0	48	0	0	0	0	0
TKW-1-1	58	0	0	0	0	0	0	0	0	74	0	0	48	0	0	0	0	0
TKW-1-2	57	0	0	0	0	0	0	0	0	66	0	0	47	0	0	0	0	0
TKW-2-2	57	0	0	0	0	0	0	0	0	68	0	0	47	0	0	0	0	0
TKW-2-1	56	0	0	0	0	0	0	0	0	65	0	0	46	0	0	0	0	0
TKW-3-2	57	0	0	0	64	0	0	0	0	0	0	0	47	0	0	0	0	0
TKW-3-1	59	0	0	0	61	0	0	0	0	0	0	0	49	0	0	0	0	0
TKW-2-3	58	0	0	0	0	0	0	0	0	58	0	0	48	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 27 - Noise Contribution from Sources at March 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	60	0	0	0	0	0	0	0	0	62	0	0	47	0	0	0	0	0
MTW-6-2	60	0	0	0	0	0	0	0	0	58	0	0	47	0	0	0	0	0
TKW-1-1	61	0	0	0	0	0	0	0	0	74	0	0	48	0	0	0	0	0
TKW-1-2	59	0	0	0	0	0	0	0	0	66	0	0	47	0	0	0	0	0
TKW-2-2	60	0	0	0	0	0	0	0	0	68	0	0	47	0	0	0	0	0
TKW-2-1	59	0	0	0	0	0	0	0	0	65	0	0	46	0	0	0	0	0
TKW-3-2	60	0	0	0	64	0	0	0	0	0	0	0	47	0	0	0	0	0
TKW-3-1	61	0	0	0	61	0	0	0	0	0	0	0	48	0	0	0	0	0
TKW-2-3	60	0	0	0	0	0	0	0	0	58	0	0	47	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 28 - Noise Contribution from Sources at Apr 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	60	0	0	0	0	0	0	0	0	62	0	0	47	0	0	0	0	0
MTW-6-2	60	0	0	0	0	0	0	0	0	58	0	0	47	0	0	0	0	0
TKW-1-1	61	0	0	0	0	0	0	0	0	74	0	0	48	0	0	0	0	0
TKW-1-2	59	0	0	0	0	0	0	0	0	66	0	0	47	0	0	0	0	0
TKW-2-2	60	0	0	0	0	0	0	0	0	68	0	0	47	0	0	0	0	0
TKW-2-1	59	0	0	0	0	0	0	0	0	65	0	0	46	0	0	0	0	0
TKW-3-2	60	0	0	0	64	0	0	0	0	0	0	0	47	0	0	0	0	0
TKW-3-1	61	0	0	0	61	0	0	0	0	0	0	0	48	0	0	0	0	0
TKW-2-3	60	0	0	0	0	0	0	0	0	58	0	0	47	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 29 - Noise Contribution from Sources at May 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	58	0	0	0	0	0	0	0	0	62	0	0	50	0	0	0	0	0
MTW-6-2	59	0	0	0	0	0	0	0	0	59	0	0	51	0	0	0	0	0
TKW-1-1	59	0	0	0	0	0	0	0	0	76	0	0	51	0	0	0	0	0
TKW-1-2	58	0	0	0	0	0	0	0	0	71	0	0	50	0	0	0	0	0
TKW-2-2	59	0	0	0	0	0	0	0	0	72	0	0	51	0	0	0	0	0
TKW-2-1	58	0	0	0	0	0	0	0	0	69	0	0	50	0	0	0	0	0
TKW-3-2	59	0	0	0	64	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	60	0	0	0	61	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	59	0	0	0	0	0	0	0	0	58	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 30 - Noise Contribution from Sources at Jun 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	58	0	0	0	0	0	0	0	0	62	0	0	50	0	0	0	0	0
MTW-6-2	59	0	0	0	0	0	0	0	0	59	0	0	51	0	0	0	0	0
TKW-1-1	59	0	0	0	0	0	0	0	0	76	0	0	51	0	0	0	0	0
TKW-1-2	58	0	0	0	0	0	0	0	0	71	0	0	50	0	0	0	0	0
TKW-2-2	59	0	0	0	0	0	0	0	0	72	0	0	51	0	0	0	0	0
TKW-2-1	58	0	0	0	0	0	0	0	0	69	0	0	50	0	0	0	0	0
TKW-3-2	59	0	0	0	64	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	60	0	0	0	61	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	59	0	0	0	0	0	0	0	0	58	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft

Table 31 - Noise Contribution from Sources at Jul 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	58	0	0	0	0	0	0	0	0	0	62	0	50	0	0	0	0	0
MTW-6-2	59	0	0	0	0	0	0	0	0	0	59	0	51	0	0	0	0	0
TKW-1-1	59	0	0	0	0	0	0	0	0	0	76	0	51	0	0	0	0	0
TKW-1-2	58	0	0	0	0	0	0	0	0	0	71	0	50	0	0	0	0	0
TKW-2-2	59	0	0	0	0	0	0	0	0	0	72	0	51	0	0	0	0	0
TKW-2-1	58	0	0	0	0	0	0	0	0	0	69	0	50	0	0	0	0	0
TKW-3-2	59	0	0	0	64	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	60	0	0	0	61	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	59	0	0	0	0	0	0	0	0	0	58	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 32 - Noise Contribution from Sources at Aug 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	58	0	0	0	0	0	0	0	0	0	62	0	50	0	0	0	0	0
MTW-6-2	59	0	0	0	0	0	0	0	0	0	59	0	51	0	0	0	0	0
TKW-1-1	59	0	0	0	0	0	0	0	0	0	76	0	51	0	0	0	0	0
TKW-1-2	58	0	0	0	0	0	0	0	0	0	71	0	50	0	0	0	0	0
TKW-2-2	59	0	0	0	0	0	0	0	0	0	72	0	51	0	0	0	0	0
TKW-2-1	58	0	0	0	0	0	0	0	0	0	69	0	50	0	0	0	0	0
TKW-3-2	59	0	0	0	64	80	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	60	0	0	0	61	64	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	59	0	0	0	0	0	0	0	0	0	58	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 33 - Noise Contribution from Sources at Sept 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	58	0	0	0	0	0	0	0	0	0	62	0	50	0	0	0	0	0
MTW-6-2	59	0	0	0	0	0	0	0	0	0	59	0	51	0	0	0	0	0
TKW-1-1	59	0	0	0	0	0	0	0	0	0	76	0	51	0	0	0	0	0
TKW-1-2	58	0	0	0	0	0	0	0	0	0	71	0	50	0	0	0	0	0
TKW-2-2	59	0	0	0	0	0	0	0	0	0	72	0	51	0	0	0	0	0
TKW-2-1	58	0	0	0	0	0	0	0	0	0	69	0	50	0	0	0	0	0
TKW-3-2	59	0	0	0	0	80	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	60	0	0	0	0	64	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	59	0	0	0	0	0	0	0	0	0	58	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 34 - Noise Contribution from Sources at Oct 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	58	0	0	0	0	0	0	0	0	0	62	0	50	0	0	0	0	0
MTW-6-2	59	0	0	0	0	0	0	0	0	0	59	0	51	0	0	0	0	0
TKW-1-1	59	0	0	0	0	0	0	0	0	0	76	0	51	0	0	0	0	0
TKW-1-2	58	0	0	0	0	0	0	0	0	0	71	0	50	0	0	0	0	0
TKW-2-2	59	0	0	0	0	0	0	0	0	0	72	0	51	0	0	0	0	0
TKW-2-1	58	0	0	0	0	0	0	0	0	0	69	0	50	0	0	0	0	0
TKW-3-2	59	0	0	0	0	80	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	60	0	0	0	0	64	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	59	0	0	0	0	0	0	0	0	0	58	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 35 - Noise Contribution from Sources at Nov 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	58	0	0	0	0	0	0	63	63	63	63	0	50	0	0	0	0	0
MTW-6-2	58	0	0	0	0	0	0	60	60	59	60	0	51	0	0	0	0	0
TKW-1-1	59	0	0	0	0	0	0	69	73	75	77	0	51	0	0	0	0	0
TKW-1-2	58	0	0	0	0	0	0	64	67	67	72	0	50	0	0	0	0	0
TKW-2-2	58	0	0	0	0	0	0	65	68	69	73	0	51	0	0	0	0	0
TKW-2-1	57	0	0	0	0	0	0	63	65	66	70	0	50	0	0	0	0	0
TKW-3-2	58	0	0	0	0	80	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	59	0	0	0	0	64	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	58	0	0	0	0	0	0	58	59	59	59	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 36 - Noise Contribution from Sources at Dec 2014

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	54	0	0	0	0	0	0	63	63	63	63	0	50	0	0	0	0	0
MTW-6-2	55	0	0	0	0	0	0	60	60	59	60	0	51	0	0	0	0	0
TKW-1-1	55	0	0	0	0	0	0	69	73	75	77	0	51	0	0	0	0	0
TKW-1-2	54	0	0	0	0	0	0	64	67	67	72	0	50	0	0	0	0	0
TKW-2-2	54	0	0	0	0	0	0	65	68	69	73	0	51	0	0	0	0	0
TKW-2-1	53	0	0	0	0	0	0	63	65	66	70	0	50	0	0	0	0	0
TKW-3-2	54	0	0	0	0	0	75	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	56	0	0	0	0	0	65	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	55	0	0	0	0	0	0	58	59	59	59	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft

Table 37 - Noise Contribution from Sources at Jan 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	0	0	0	0	63	63	63	63	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	60	60	59	60	0	51	0	0	0	0	0
TKW-1-1	57	0	0	0	0	0	0	69	73	75	77	0	51	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	64	67	67	72	0	50	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	65	68	69	73	0	51	0	0	0	0	0
TKW-2-1	55	0	0	0	0	0	0	63	65	66	70	0	50	0	0	0	0	0
TKW-3-2	56	0	0	0	0	0	75	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	57	0	0	0	0	0	65	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	56	0	0	0	0	0	0	58	59	59	59	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 38 - Noise Contribution from Sources at Feb 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	0	0	0	0	63	63	63	63	0	50	0	0	0	0	0
MTW-6-2	57	0	0	0	0	0	0	60	60	59	60	0	51	0	0	0	0	0
TKW-1-1	57	0	0	0	0	0	0	69	73	75	77	0	51	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	64	67	67	72	0	50	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	65	68	69	73	0	51	0	0	0	0	0
TKW-2-1	56	0	0	0	0	0	0	63	65	66	70	0	50	0	0	0	0	0
TKW-3-2	56	0	0	0	0	0	75	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	58	0	0	0	0	0	65	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	57	0	0	0	0	0	0	58	59	59	59	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 39 - Noise Contribution from Sources at March 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	0	0	0	0	63	63	63	63	0	51	0	0	0	0	0
MTW-6-2	57	0	0	0	0	0	0	60	60	59	60	0	51	0	0	0	0	0
TKW-1-1	57	0	0	0	0	0	0	69	73	75	77	0	52	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	64	67	67	72	0	50	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	65	68	69	73	0	51	0	0	0	0	0
TKW-2-1	56	0	0	0	0	0	0	63	65	66	70	0	50	0	0	0	0	0
TKW-3-2	56	0	0	0	0	0	75	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	58	0	0	0	0	0	65	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	57	0	0	0	0	0	0	58	59	59	59	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 40 - Noise Contribution from Sources at Apr 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	56	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	57	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	57	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	56	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	56	0	0	0	0	0	0	65	68	69	73	0	51	0	0	0	0	0
TKW-3-2	56	0	0	0	0	0	75	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	58	0	0	0	0	0	65	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	57	0	0	0	0	0	0	58	59	59	59	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 41 - Noise Contribution from Sources at May 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	55	0	0	0	0	0	75	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	57	0	0	0	0	0	65	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 42 - Noise Contribution from Sources at Jun 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	54	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	55	0	0	0	0	0	75	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	56	0	0	0	0	0	65	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft

Table 43 - Noise Contribution from Sources at Jul 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	54	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	55	0	0	0	0	0	75	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	56	0	0	0	0	0	65	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0

Table 44 - Noise Contribution from Sources at Aug 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	54	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	55	0	0	0	0	0	75	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	56	0	0	0	0	0	65	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0

Table 45 - Noise Contribution from Sources at Sept 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	54	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	55	0	0	0	64	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	56	0	0	0	61	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0

Table 46 - Noise Contribution from Sources at Oct 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	54	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	55	0	0	0	64	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	56	0	0	0	61	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 47 - Noise Contribution from Sources at Nov 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	54	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	55	0	0	0	64	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	56	0	0	0	61	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 648- Noise Contribution from Sources at Dec 2015

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	54	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	55	0	0	0	64	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	56	0	0	0	61	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0



Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft  
 Table 49 - Noise Contribution from Sources at Jan 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	56	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	55	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	54	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	56	0	0	0	0	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	55	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 50 - Noise Contribution from Sources at Feb 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	53	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	53	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	54	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	52	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	53	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	52	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	53	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	54	0	0	0	0	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	53	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 51 - Noise Contribution from Sources at March 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	53	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
MTW-6-2	53	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-1	54	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-1-2	52	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-2-2	53	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-2-1	52	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0
TKW-3-2	53	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-3-1	54	0	0	0	0	0	0	0	0	0	0	0	52	0	0	0	0	0
TKW-2-3	53	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 52 - Noise Contribution from Sources at Apr 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 53 - Noise Contribution from Sources at May 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 54 - Noise Contribution from Sources at Jun 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft

Table 55 - Noise Contribution from Sources at Jul 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 56 - Noise Contribution from Sources at Aug 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 57 - Noise Contribution from Sources at Sept 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 58 - Noise Contribution from Sources at Oct 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 59 - Noise Contribution from Sources at Nov 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 60 - Noise Contribution from Sources at Dec 2016

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : SCL - Tai Wai to Hung Hom Section  
 Title : Monthly Contribution (Mitigated Scenario)  
 Subtitle : TKW Station + Adit + Underpinning + Launching Shaft

Table 61 - Noise Contribution from Sources at Jan 2017

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 62 - Noise Contribution from Sources at Feb 2017

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 63 - Noise Contribution from Sources at Mar 2017

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 64 - Noise Contribution from Sources at Apr 2017

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 65 - Noise Contribution from Sources at May 2017

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 66 - Noise Contribution from Sources at Jun 2017

NSRs	Work Site																	
	S1	S2	S3	S4	S5	S6	S7	S8	S9	S10	S11	S12	S13	S14	S15	S16	S18	S19
MTW-6-1	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MTW-6-2	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-1	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-1-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-1	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-2	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-3-1	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-2-3	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-4-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TKW-5-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0