





Appendix 3.16 Detail Prediction of Cumulative Odour Concentration (OU/m<sup>3</sup>) due to STWs and RTS

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
2-18	P1037	1.5	0.1
2-18	P1037	5	0.1
2-18	P1037	10	0.1
2-18	P1038	1.5	0.1
2-18	P1038	5	0.1
2-18	P1038	10	0.1
2-19	P1039	1.5	0.1
2-19	P1039	5	0.1
2-19	P1039	10	0.1
2-19	P1040	1.5	0.1
2-19	P1040	5	0.1
2-19	P1040	10	0.1
2-19	P1041	1.5	0.1
2-19	P1041	5	0.1
2-19	P1041	10	0.1
2-20	P1042	1.5	0.1
2-20	P1042	5	0.1
2-20	P1042	10	0.1
2-20	P1042	20	0.1
2-20	P1043	1.5	0.1
2-20	P1043	5	0.1
2-20	P1043	10	0.1
2-20	P1043	20	0.1
2-20	P1044	1.5	0.1
2-20	P1044	5	0.1
2-20	P1044	10	0.1
2-20	P1044	20	0.1
2-20	P1045	1.5	0.1
2-20	P1045	5	0.1
2-20	P1045	10	0.1
2-20	P1045	20	0.1
2-21	P1046	1.5	0.1
2-21	P1046	5	0.1
2-21	P1046	10	0.1
2-21	P1046	20	0.1
2-21	P1046	40	0.1
2-21	P1047	1.5	0.1
2-21	P1047	5	0.1
2-21	P1047	10	0.1
2-21	P1047	20	0.1
2-21	P1047	40	0.1
2-21	P1048	1.5	0.1
2-21	P1048	5	0.1
2-21	P1048	10	0.1
2-21	P1048	20	0.1
2-21	P1048	40	0.1
2-22	P1049	1.5	0.1
2-22	P1049	5	0.1
2-22	P1049	10	0.1
2-22	P1049	20	0.1
2-22	P1049	30	0.1
2-22	P1050	1.5	0.1
2-22	P1050	5	0.1
2-22	P1050	10	0.1
2-22	P1050	20	0.1
2-22	P1050	30	0.1
2-22	P1051	1.5	0.1
2-22	P1051	5	0.1

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
2-22	P1051	10	0.1
2-22	P1051	20	0.1
2-22	P1051	30	0.1
2-22	P1052	1.5	0.1
2-22	P1052	5	0.1
2-22	P1052	10	0.1
2-22	P1052	20	0.1
2-22	P1052	30	0.1
2-24	P1053	1.5	0.1
2-24	P1053	5	0.1
2-24	P1053	10	0.1
2-24	P1053	20	0.1
2-24	P1053	40	0.1
2-24	P1054	1.5	0.1
2-24	P1054	5	0.1
2-24	P1054	10	0.1
2-24	P1054	20	0.1
2-24	P1054	40	0.1
2-25	P1055	1.5	0.1
2-25	P1055	5	0.1
2-25	P1055	10	0.1
2-25	P1055	20	0.1
2-25	P1055	30	0.1
2-25	P1056	1.5	0.1
2-25	P1056	5	0.1
2-25	P1056	10	0.1
2-25	P1056	20	0.1
2-25	P1056	30	0.1
2-25	P1057	1.5	0.1
2-25	P1057	5	0.1
2-25	P1057	10	0.1
2-25	P1057	20	0.1
2-25	P1057	30	0.1
2-25	P1058	1.5	0.1
2-25	P1058	5	0.1
2-25	P1058	10	0.1
2-25	P1058	20	0.1
2-25	P1058	30	0.1
2-26	P1059	1.5	0.1
2-26	P1059	5	0.1
2-26	P1059	10	0.1
2-26	P1059	20	0.1
2-26	P1059	40	0.1
2-26	P1060	1.5	0.1
2-26	P1060	5	0.1
2-26	P1060	10	0.1
2-26	P1060	20	0.1
2-26	P1060	40	0.1
2-26	P1061	1.5	0.1
2-26	P1061	5	0.1
2-26	P1061	10	0.1
2-26	P1061	20	0.1
2-26	P1061	40	0.1
2-26	P1062	1.5	0.1
2-26	P1062	5	0.1
2-26	P1062	10	0.1
2-26	P1062	20	0.1
2-26	P1062	40	0.1
2-28	P1063	1.5	0.1
2-28	P1063	5	0.1

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
2-28	P1063	10	0.1
2-28	P1063	20	0.1
2-28	P1063	40	0.1
2-28	P1064	1.5	0.1
2-28	P1064	5	0.1
2-28	P1064	10	0.1
2-28	P1064	20	0.1
2-28	P1064	40	0.1
2-28	P1065	1.5	0.1
2-28	P1065	5	0.1
2-28	P1065	10	0.1
2-28	P1065	20	0.1
2-28	P1065	40	0.1
2-29	P1066	1.5	0.1
2-29	P1066	5	0.1
2-29	P1066	10	0.1
2-29	P1066	20	0.1
2-29	P1066	40	0.1
2-29	P1066	50	0.1
2-29	P1067	1.5	0.1
2-29	P1067	5	0.1
2-29	P1067	10	0.1
2-29	P1067	20	0.1
2-29	P1067	40	0.1
2-29	P1067	50	0.1
2-29	P1068	1.5	0.1
2-29	P1068	5	0.1
2-29	P1068	10	0.1
2-29	P1068	20	0.1
2-29	P1068	40	0.1
2-29	P1068	50	0.1
2-29	P1069	1.5	0.1
2-29	P1069	5	0.1
2-29	P1069	10	0.1
2-29	P1069	20	0.1
2-29	P1069	40	0.1
2-29	P1069	50	0.1
2-30	P1001	1.5	0.2
2-30	P1001	5	0.2
2-30	P1001	10	0.2
2-30	P1001	20	0.1
2-30	P1001	40	0.1
2-30	P1001	80	0.1
2-30	P1001	120	0.1
2-30	P1002	1.5	0.1
2-30	P1002	5	0.1
2-30	P1002	10	0.1
2-30	P1002	20	0.1
2-30	P1002	40	0.1
2-30	P1002	80	0.1
2-30	P1002	120	0.1
2-30	P1003	1.5	0.1
2-30	P1003	5	0.1
2-30	P1003	10	0.1
2-30	P1003	20	0.1
2-30	P1003	40	0.1
2-30	P1003	80	0.1
2-30	P1003	120	0.1
2-30	P1004	1.5	0.1
2-30	P1004	5	0.1

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
2-30	P1004	10	0.1
2-30	P1004	20	0.1
2-30	P1004	40	0.1
2-30	P1004	80	0.1
2-30	P1004	120	0.1
2-30	P1005	1.5	0.1
2-30	P1005	5	0.1
2-30	P1005	10	0.1
2-30	P1005	20	0.1
2-30	P1005	40	0.1
2-30	P1005	80	0.1
2-30	P1005	120	0.1
2-30	P1006	1.5	0.1
2-30	P1006	5	0.1
2-30	P1006	10	0.1
2-30	P1006	20	0.1
2-30	P1006	40	0.1
2-30	P1006	80	0.1
2-30	P1006	120	0.1
2-31	P1007	1.5	0.1
2-31	P1007	5	0.1
2-31	P1007	10	0.1
2-31	P1007	20	0.1
2-31	P1007	40	0.1
2-31	P1007	80	0.1
2-31	P1007	120	0.1
2-33	P1008	1.5	0.1
2-33	P1008	5	0.1
2-33	P1008	10	0.1
2-33	P1008	20	0.1
2-33	P1008	40	0.1
2-33	P1009	1.5	0.2
2-33	P1009	5	0.2
2-33	P1009	10	0.2
2-33	P1009	20	0.2
2-33	P1009	40	0.1
2-33	P1010	1.5	0.1
2-33	P1010	5	0.1
2-33	P1010	10	0.1
2-33	P1010	20	0.1
2-33	P1010	40	0.1
2-33	P1011	1.5	0.1
2-33	P1011	5	0.1
2-33	P1011	10	0.1
2-33	P1011	20	0.1
2-33	P1011	40	0.1
3-1	P1018	1.5	0.1
3-1	P1018	5	0.1
3-1	P1018	10	0.1
3-1	P1018	20	0.1
3-1	P1018	40	0.1
3-1	P1018	80	0.1
3-1	P1019	1.5	0.1
3-1	P1019	5	0.1
3-1	P1019	10	0.1
3-1	P1019	20	0.1
3-1	P1019	40	0.1
3-1	P1019	80	0.1
3-1	P1020	1.5	0.1
3-1	P1020	5	0.1

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
3-1	P1020	10	0.1
3-1	P1020	20	0.1
3-1	P1020	40	0.1
3-1	P1020	80	0.1
3-1	P1021	1.5	0.1
3-1	P1021	5	0.1
3-1	P1021	10	0.1
3-1	P1021	20	0.1
3-1	P1021	40	0.1
3-1	P1021	80	0.1
3-11	P1503	1.5	0.9
3-11	P1503	5	0.9
3-11	P1503	10	0.9
3-11	P1503	20	0.8
3-11	P1503	40	0.5
3-11	P1503	80	0.2
3-11	P612	1.5	1.2
3-11	P612	5	1.2
3-11	P612	10	1.2
3-11	P612	20	1.3
3-11	P612	40	0.9
3-11	P612	80	0.2
3-11	P613	1.5	1.2
3-11	P613	5	1.2
3-11	P613	10	1.2
3-11	P613	20	1.3
3-11	P613	40	1.0
3-11	P613	80	0.2
3-11	P614	1.5	1.1
3-11	P614	5	1.1
3-11	P614	10	1.1
3-11	P614	20	1.0
3-11	P614	40	0.7
3-11	P614	80	0.2
3-13	P1012	1.5	0.2
3-13	P1012	5	0.2
3-13	P1012	10	0.2
3-13	P1012	20	0.2
3-13	P1012	40	0.2
3-13	P1012	80	0.1
3-13	P1013	1.5	0.2
3-13	P1013	5	0.2
3-13	P1013	10	0.2
3-13	P1013	20	0.2
3-13	P1013	40	0.1
3-13	P1013	80	0.1
3-13	P602	1.5	0.2
3-13	P602	5	0.2
3-13	P602	10	0.2
3-13	P602	20	0.3
3-13	P602	40	0.2
3-13	P602	80	0.1
3-13	P603	1.5	0.2
3-13	P603	5	0.2
3-13	P603	10	0.2
3-13	P603	20	0.2
3-13	P603	40	0.1
3-13	P603	80	0.1
3-14	P604	1.5	0.4
3-14	P604	5	0.4

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
3-14	P604	10	0.3
3-14	P604	20	0.3
3-14	P604	40	0.2
3-14	P604	80	0.1
3-14	P605	1.5	0.4
3-14	P605	5	0.4
3-14	P605	10	0.4
3-14	P605	20	0.4
3-14	P605	40	0.2
3-14	P605	80	0.1
3-14	P606	1.5	0.3
3-14	P606	5	0.3
3-14	P606	10	0.3
3-14	P606	20	0.2
3-14	P606	40	0.2
3-14	P606	80	0.1
3-14	P607	1.5	0.2
3-14	P607	5	0.2
3-14	P607	10	0.2
3-14	P607	20	0.2
3-14	P607	40	0.1
3-14	P607	80	0.1
3-15	P1014	1.5	0.3
3-15	P1014	5	0.3
3-15	P1014	10	0.3
3-15	P1014	20	0.2
3-15	P1014	40	0.2
3-15	P1014	80	0.1
3-15	P1014	90	0.1
3-15	P1015	1.5	0.4
3-15	P1015	5	0.4
3-15	P1015	10	0.4
3-15	P1015	20	0.4
3-15	P1015	40	0.3
3-15	P1015	80	0.1
3-15	P1015	90	0.1
3-15	P1016	1.5	0.1
3-15	P1016	5	0.1
3-15	P1016	10	0.1
3-15	P1016	20	0.1
3-15	P1016	40	0.1
3-15	P1016	80	0.1
3-15	P1016	90	0.1
3-15	P1017	1.5	0.1
3-15	P1017	5	0.1
3-15	P1017	10	0.1
3-15	P1017	20	0.1
3-15	P1017	40	0.1
3-15	P1017	80	0.1
3-15	P1017	90	0.1
3-16	P608	1.5	0.3
3-16	P608	5	0.3
3-16	P608	10	0.3
3-16	P608	20	0.3
3-16	P608	40	0.2
3-16	P608	80	0.1
3-16	P608	90	0.2
3-16	P609	1.5	0.3
3-16	P609	5	0.3
3-16	P609	10	0.3

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
3-16	P609	20	0.2
3-16	P609	40	0.2
3-16	P609	80	0.1
3-16	P609	90	0.1
3-16	P610	1.5	0.3
3-16	P610	5	0.3
3-16	P610	10	0.2
3-16	P610	20	0.2
3-16	P610	40	0.2
3-16	P610	80	0.2
3-16	P610	90	0.1
3-16	P611	1.5	0.3
3-16	P611	5	0.3
3-16	P611	10	0.2
3-16	P611	20	0.2
3-16	P611	40	0.2
3-16	P611	80	0.2
3-16	P611	90	0.2
3-18	P615	1.5	0.7
3-18	P615	5	0.7
3-18	P615	10	0.7
3-18	P615	20	0.7
3-18	P615	40	0.5
3-18	P615	80	0.1
3-18	P615	90	0.1
3-18	P616	1.5	0.3
3-18	P616	5	0.3
3-18	P616	10	0.3
3-18	P616	20	0.3
3-18	P616	40	0.2
3-18	P616	80	0.1
3-18	P616	90	0.1
3-18	P617	1.5	0.4
3-18	P617	5	0.4
3-18	P617	10	0.4
3-18	P617	20	0.3
3-18	P617	40	0.2
3-18	P617	80	0.1
3-18	P617	90	0.1
3-18	P618	1.5	0.3
3-18	P618	5	0.3
3-18	P618	10	0.3
3-18	P618	20	0.3
3-18	P618	40	0.2
3-18	P618	80	0.1
3-18	P618	90	0.1
3-20	P619	1.5	0.4
3-20	P619	5	0.4
3-20	P619	10	0.4
3-20	P619	20	0.4
3-20	P619	40	0.3
3-20	P619	80	0.2
3-20	P619	90	0.1
3-20	P620	1.5	0.2
3-20	P620	5	0.2
3-20	P620	10	0.2
3-20	P620	20	0.2
3-20	P620	40	0.2
3-20	P620	80	0.1
3-20	P620	90	0.1

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
3-20	P621	1.5	0.3
3-20	P621	5	0.3
3-20	P621	10	0.3
3-20	P621	20	0.3
3-20	P621	40	0.2
3-20	P621	80	0.1
3-20	P621	90	0.1
3-20	P622	1.5	0.2
3-20	P622	5	0.2
3-20	P622	10	0.2
3-20	P622	20	0.2
3-20	P622	40	0.2
3-20	P622	80	0.1
3-20	P622	90	0.1
3-24	P623	1.5	0.2
3-24	P623	5	0.3
3-24	P623	10	0.3
3-24	P623	20	0.2
3-24	P623	40	0.2
3-24	P623	80	0.1
3-24	P623	90	0.1
3-24	P624	1.5	0.2
3-24	P624	5	0.2
3-24	P624	10	0.3
3-24	P624	20	0.2
3-24	P624	40	0.2
3-24	P624	80	0.1
3-24	P624	90	0.1
3-24	P625	1.5	0.2
3-24	P625	5	0.2
3-24	P625	10	0.2
3-24	P625	20	0.2
3-24	P625	40	0.2
3-24	P625	80	0.1
3-24	P625	90	0.1
3-24	P626	1.5	0.2
3-24	P626	5	0.2
3-24	P626	10	0.2
3-24	P626	20	0.2
3-24	P626	40	0.1
3-24	P626	80	0.1
3-24	P626	90	0.1
3-25	P627	1.5	0.3
3-25	P627	5	0.3
3-25	P627	10	0.3
3-25	P627	20	0.3
3-25	P627	40	0.3
3-25	P627	80	0.2
3-25	P627	90	0.2
3-25	P628	1.5	0.2
3-25	P628	5	0.2
3-25	P628	10	0.2
3-25	P628	20	0.2
3-25	P628	40	0.2
3-25	P628	80	0.1
3-25	P628	90	0.1
3-27	P629	1.5	0.4
3-27	P629	5	0.4
3-27	P629	10	0.3
3-27	P629	20	0.3

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
3-27	P629	40	0.2
3-27	P629	80	0.1
3-27	P629	90	0.2
3-27	P630	1.5	0.2
3-27	P630	5	0.3
3-27	P630	10	0.2
3-27	P630	20	0.2
3-27	P630	40	0.2
3-27	P630	80	0.1
3-27	P630	90	0.3
3-27	P631	1.5	0.3
3-27	P631	5	0.3
3-27	P631	10	0.2
3-27	P631	20	0.1
3-27	P631	40	0.1
3-27	P631	80	0.1
3-27	P631	90	0.2
3-27	P632	1.5	0.5
3-27	P632	5	0.5
3-27	P632	10	0.3
3-27	P632	20	0.3
3-27	P632	40	0.3
3-27	P632	80	0.2
3-27	P632	90	0.1
3-28	P633	1.5	0.2
3-28	P633	5	0.2
3-28	P633	10	0.2
3-28	P633	20	0.2
3-28	P633	40	0.2
3-28	P633	80	0.1
3-28	P633	90	0.1
3-28	P634	1.5	0.2
3-28	P634	5	0.2
3-28	P634	10	0.2
3-28	P634	20	0.2
3-28	P634	40	0.2
3-28	P634	80	0.2
3-28	P634	90	0.2
3-28	P635	1.5	0.2
3-28	P635	5	0.2
3-28	P635	10	0.2
3-28	P635	20	0.2
3-28	P635	40	0.2
3-28	P635	80	0.2
3-28	P635	90	0.1
3-28	P636	1.5	0.4
3-28	P636	5	0.4
3-28	P636	10	0.4
3-28	P636	20	0.4
3-28	P636	40	0.4
3-28	P636	80	0.2
3-28	P636	90	0.2
3-29	P637	1.5	0.3
3-29	P637	5	0.4
3-29	P637	10	0.4
3-29	P637	20	0.4
3-29	P637	40	0.3
3-29	P637	80	0.2
3-29	P637	90	0.1
3-29	P638	1.5	0.2

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
3-29	P638	5	0.2
3-29	P638	10	0.2
3-29	P638	20	0.2
3-29	P638	40	0.2
3-29	P638	80	0.1
3-29	P638	90	0.1
3-29	P639	1.5	0.3
3-29	P639	5	0.3
3-29	P639	10	0.3
3-29	P639	20	0.3
3-29	P639	40	0.3
3-29	P639	80	0.2
3-29	P639	90	0.2
3-32	P601	1.5	0.6
3-32	P601	5	0.6
3-32	P601	10	0.5
3-32	P601	20	0.5
3-32	P601	40	0.4
3-32	P601	70	0.2
3-4	P1022	1.5	0.1
3-4	P1022	5	0.1
3-4	P1022	10	0.1
3-4	P1022	20	0.1
3-4	P1022	40	0.1
3-4	P1022	80	0.1
3-4	P1023	1.5	0.1
3-4	P1023	5	0.1
3-4	P1023	10	0.1
3-4	P1023	20	0.1
3-4	P1023	40	0.1
3-4	P1023	80	0.1
3-4	P1024	1.5	0.1
3-4	P1024	5	0.1
3-4	P1024	10	0.1
3-4	P1024	20	0.1
3-4	P1024	40	0.1
3-4	P1024	80	0.1
3-5	P1025	1.5	0.1
3-5	P1025	5	0.1
3-5	P1025	10	0.1
3-5	P1025	20	0.1
3-5	P1025	40	0.1
3-5	P1025	80	0.1
3-5	P1026	1.5	0.1
3-5	P1026	5	0.1
3-5	P1026	10	0.2
3-5	P1026	20	0.1
3-5	P1026	40	0.1
3-5	P1026	80	0.1
3-5	P1027	1.5	0.1
3-5	P1027	5	0.1
3-5	P1027	10	0.1
3-5	P1027	20	0.1
3-5	P1027	40	0.1
3-5	P1027	80	0.1
3-5	P1028	1.5	0.1
3-5	P1028	5	0.1
3-5	P1028	10	0.1
3-5	P1028	20	0.1
3-5	P1028	40	0.1

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
3-5	P1028	80	0.1
3-6	P1029	1.5	0.2
3-6	P1029	5	0.2
3-6	P1029	10	0.2
3-6	P1029	20	0.2
3-6	P1029	40	0.2
3-6	P1029	80	0.1
3-6	P1030	1.5	0.2
3-6	P1030	5	0.2
3-6	P1030	10	0.2
3-6	P1030	20	0.2
3-6	P1030	40	0.1
3-6	P1030	80	0.1
3-6	P1031	1.5	0.2
3-6	P1031	5	0.2
3-6	P1031	10	0.2
3-6	P1031	20	0.1
3-6	P1031	40	0.1
3-6	P1031	80	0.1
3-6	P1032	1.5	0.2
3-6	P1032	5	0.2
3-6	P1032	10	0.2
3-6	P1032	20	0.1
3-6	P1032	40	0.1
3-6	P1032	80	0.1
3-7	P1033	1.5	0.1
3-7	P1033	5	0.1
3-7	P1033	10	0.1
3-7	P1033	20	0.1
3-7	P1033	40	0.1
3-7	P1033	80	0.1
3-7	P1034	1.5	0.2
3-7	P1034	5	0.2
3-7	P1034	10	0.2
3-7	P1034	20	0.2
3-7	P1034	40	0.1
3-7	P1034	80	0.1
3-7	P1035	1.5	0.2
3-7	P1035	5	0.2
3-7	P1035	10	0.2
3-7	P1035	20	0.2
3-7	P1035	40	0.1
3-7	P1035	80	0.1
3-7	P901	1.5	0.2
3-7	P901	5	0.2
3-7	P901	10	0.2
3-7	P901	20	0.2
3-7	P901	40	0.1
3-7	P901	80	0.1
3-8	P1036	1.5	0.4
3-8	P1036	5	0.4
3-8	P1036	10	0.4
3-8	P1036	20	0.4
3-8	P1036	40	0.3
3-8	P1036	80	0.1
3-8	P1501	1.5	0.7
3-8	P1501	5	0.8
3-8	P1501	10	1.0
3-8	P1501	20	1.2
3-8	P1501	40	0.4

Odour Concentration (OU/m<sup>3</sup>)

Site	Receptor	Height (mAG)	Maximum 5-second Odour Concentration
3-8	P1501	80	0.1
3-8	P1502	1.5	0.9
3-8	P1502	5	0.9
3-8	P1502	10	0.9
3-8	P1502	20	0.9
3-8	P1502	40	0.3
3-8	P1502	80	0.1
3-8	P902	1.5	0.4
3-8	P902	5	0.4
3-8	P902	10	0.4
3-8	P902	20	0.3
3-8	P902	40	0.2
3-8	P902	80	0.1
Existing	A1001	1.5	0.1
Existing	A1001	5	0.1
Existing	A1001	10	0.1
Existing	A1002	1.5	0.1
Existing	A1002	5	0.1
Existing	A1002	10	0.1
Existing	A1003	1.5	0.1
Existing	A1003	5	0.1
Existing	A1003	10	0.1
Existing	A1004	1.5	0.1
Existing	A1004	5	0.1
Existing	A1004	10	0.1
Existing	A1005	1.5	0.1
Existing	A1005	5	0.1
Existing	A1005	10	0.1
Existing	A1501	1.5	0.9
Existing	A601	1.5	0.3
Existing	A601	5	0.3
Existing	A601	10	0.3
Existing	A602	1.5	1.5
Existing	A603	1.5	1.1
Existing	A901	1.5	0.4
Existing	A901	5	0.4
Existing	A901	10	0.4
Existing	A902	1.5	0.1
Existing	A902	5	0.1
Existing	A902	10	0.1
Existing	A903	1.5	0.1
Existing	A903	5	0.1
Existing	A903	10	0.1