

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

Prevailing Scenario (Year 2018)

Existing [E]/ Planned [P]/ Committed by Other Project [O]	Inside [I] / Outside [O] HSK NDA	DCA	NAP	Floor	Uses [1]	Criteria, L10 (1-hr), dB(A) {A}	Predicted Noise Level, L10 (1-hr), dB(A)				Eligibility Testing Criteria for Indirect Noise Mitigation Measures			Indirect Noise Mitigation Measures Required	
							Prevailing Noise Level {B}	Mitigated Scenario			{D} > {A}	{D} - {B} ≥ 1.0	{C} ≥ 1.0		
								Other Road	Project Road	Project Road Contribution {C}					Overall Noise Level {D}
E	O	1	E1-OA_R01	1	R	70	67	67	47	0.0	67	No	No	No	No
E	O	1	E1-OA_R01	2	R	70	67	67	48	0.0	67	No	No	No	No
E	O	1	E1-OA_R01	3	R	70	67	67	49	0.0	67	No	No	No	No
E	O	1	E1-OA_R01	4	R	70	67	67	49	0.0	67	No	No	No	No
E	O	1	E1-OA_R01	5	R	70	67	67	49	0.0	67	No	No	No	No
E	O	1	E1-OA_R01	6	R	70	67	67	49	0.1	67	No	No	No	No
E	O	1	E1-OA_R01	7	R	70	67	67	49	0.1	67	No	No	No	No
E	O	1	E1-OA_R01	8	R	70	67	67	49	0.1	67	No	No	No	No
E	O	1	E1-OA_R01	9	R	70	67	66	49	0.1	67	No	No	No	No
E	O	1	E1-OA_R01	10	R	70	67	66	49	0.1	67	No	No	No	No
E	O	1	E1-OA_R01	11	R	70	66	66	49	0.0	66	No	No	No	No
E	O	1	E1-OA_R01	12	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	13	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	14	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	15	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	16	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	17	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	18	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	19	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	20	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	21	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	22	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	23	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	24	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	25	R	70	66	66	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	26	R	70	66	65	50	0.1	66	No	No	No	No
E	O	1	E1-OA_R01	27	R	70	65	65	50	0.1	65	No	No	No	No
E	O	1	E1-OB_E01	1	E	65	59	59	26	0.0	59	No	No	No	No
E	O	1	E1-OB_E01	2	E	65	64	64	26	0.0	64	No	No	No	No
E	O	1	E1-OB_E01	3	E	65	68	68	26	0.0	68	Yes	No	No	No
E	O	1	E1-OB_E01	4	E	65	71	71	26	0.0	71	Yes	No	No	No
E	O	1	E1-OB_E01	5	E	65	72	72	26	0.0	72	Yes	No	No	No
E	O	1	E1-OB_E01	6	E	65	73	73	27	0.0	73	Yes	No	No	No
E	O	1	E1-OB_E01	7	E	65	73	73	27	0.0	73	Yes	No	No	No
E	O	1	E1-OB_E01	8	E	65	73	73	28	0.0	73	Yes	No	No	No
E	O	1	E1-OB_E02	1	E	65	56	56	29	0.1	56	No	No	No	No
E	O	1	E1-OB_E02	2	E	65	61	61	29	0.0	61	No	No	No	No
E	O	1	E1-OB_E02	3	E	65	68	68	29	0.0	68	Yes	No	No	No
E	O	1	E1-OB_E02	4	E	65	73	73	30	0.0	73	Yes	No	No	No
E	O	1	E1-OB_E02	5	E	65	74	74	30	0.0	74	Yes	No	No	No
E	O	1	E1-OB_E02	6	E	65	74	74	31	0.0	74	Yes	No	No	No
E	O	1	E1-OB_E02	7	E	65	74	74	32	0.0	74	Yes	No	No	No
E	O	1	E1-OB_E02	8	E	65	74	74	33	0.0	74	Yes	No	No	No
E	O	1	E1-OB_E11	1	E	65	66	66	41	0.0	66	Yes	No	No	No
E	O	1	E1-OB_E11	2	E	65	67	67	47	0.0	67	Yes	No	No	No
E	O	1	E1-OB_E11	3	E	65	71	71	50	0.0	71	Yes	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	O	1	E1-OB_E11	4	E	65	72	72	52	0.1	72	Yes	No	No	No
E	O	1	E1-OB_E11	5	E	65	73	73	53	0.0	73	Yes	No	No	No
E	O	1	E1-OB_E11	6	E	65	74	74	54	0.1	74	Yes	No	No	No
E	O	1	E1-OB_E11	7	E	65	74	74	54	0.0	74	Yes	No	No	No
E	O	1	E1-OB_E11	8	E	65	74	74	54	0.0	74	Yes	No	No	No
E	O	1	E1-OB_E12	1	E	65	61	60	42	0.1	61	No	No	No	No
E	O	1	E1-OB_E12	2	E	65	63	63	46	0.1	63	No	No	No	No
E	O	1	E1-OB_E12	3	E	65	66	66	50	0.1	66	Yes	No	No	No
E	O	1	E1-OB_E12	4	E	65	69	69	53	0.2	69	Yes	No	No	No
E	O	1	E1-OB_E12	5	E	65	70	70	54	0.1	70	Yes	No	No	No
E	O	1	E1-OB_E12	6	E	65	71	71	55	0.1	71	Yes	No	No	No
E	O	1	E1-OB_E12	7	E	65	72	72	55	0.1	72	Yes	No	No	No
E	O	1	E1-OB_E12	8	E	65	72	72	55	0.1	72	Yes	No	No	No
E	O	1	E1-OB_E21	1	E	65	54	52	50	1.8	54	No	No	Yes	No
E	O	1	E1-OB_E21	2	E	65	56	54	52	2.2	56	No	No	Yes	No
E	O	1	E1-OB_E21	3	E	65	59	56	56	3.0	59	No	No	Yes	No
E	O	1	E1-OB_E21	4	E	65	62	58	60	4.4	62	No	No	Yes	No
E	O	1	E1-OB_E21	5	E	65	64	59	62	4.8	64	No	No	Yes	No
E	O	1	E1-OB_E21	6	E	65	65	60	63	5.0	65	No	No	Yes	No
E	O	1	E1-OB_E21	7	E	65	65	60	63	4.5	65	No	No	Yes	No
E	O	1	E1-OB_E21	8	E	65	65	61	63	4.2	65	No	No	Yes	No
E	O	1	E1-OB_R01	1	R	70	62	46	62	15.6	62	No	No	Yes	No
E	O	1	E1-OB_R01	2	R	70	62	47	62	15.5	62	No	No	Yes	No
E	O	1	E1-OB_R01	3	R	70	63	47	63	15.6	63	No	No	Yes	No
E	O	1	E1-OB_R01	4	R	70	64	48	64	16.0	64	No	No	Yes	No
E	O	1	E1-OB_R01	5	R	70	65	49	65	16.1	65	No	No	Yes	No
E	O	1	E1-OB_R01	6	R	70	65	49	65	15.9	65	No	No	Yes	No
E	O	1	E1-OB_R01	7	R	70	65	50	65	15.1	65	No	No	Yes	No
E	O	1	E1-OB_R01	8	R	70	65	51	65	14.6	65	No	No	Yes	No
E	O	1	E1-OB_R01	9	R	70	65	51	65	14.1	65	No	No	Yes	No
E	O	1	E1-OB_R01	10	R	70	65	52	65	13.7	65	No	No	Yes	No
E	O	1	E1-OB_R01	11	R	70	65	52	65	13.3	65	No	No	Yes	No
E	O	1	E1-OB_R01	12	R	70	65	52	65	12.9	65	No	No	Yes	No
E	O	1	E1-OB_R01	13	R	70	65	53	65	12.6	65	No	No	Yes	No
E	O	1	E1-OB_R01	14	R	70	65	53	65	12.3	65	No	No	Yes	No
E	O	1	E1-OB_R01	15	R	70	65	54	65	11.9	65	No	No	Yes	No
E	O	1	E1-OB_R01	16	R	70	65	54	65	11.6	65	No	No	Yes	No
E	O	1	E1-OB_R01	17	R	70	65	54	65	11.2	65	No	No	Yes	No
E	O	1	E1-OB_R01	18	R	70	66	55	65	10.9	66	No	No	Yes	No
E	O	1	E1-OB_R01	19	R	70	66	55	65	10.5	66	No	No	Yes	No
E	O	1	E1-OB_R01	20	R	70	66	55	65	10.1	66	No	No	Yes	No
E	O	1	E1-OB_R01	21	R	70	66	56	65	9.6	66	No	No	Yes	No
E	O	1	E1-OB_R01	22	R	70	66	56	65	9.2	66	No	No	Yes	No
E	O	1	E1-OB_R01	23	R	70	66	57	65	8.5	66	No	No	Yes	No
E	O	1	E1-OB_R01	24	R	70	66	58	65	8.1	66	No	No	Yes	No
E	O	1	E1-OB_R01	25	R	70	66	58	65	7.7	66	No	No	Yes	No
E	O	1	E1-OB_R01	26	R	70	66	58	65	7.5	66	No	No	Yes	No
E	O	1	E1-OB_R01	27	R	70	66	59	65	7.0	66	No	No	Yes	No
E	O	2	E2-OA_R01	1	R	70	66	66	38	0.0	66	No	No	No	No
E	O	2	E2-OA_R01	2	R	70	67	67	39	0.0	67	No	No	No	No
E	O	2	E2-OA_R01	3	R	70	67	67	39	0.0	67	No	No	No	No
E	O	2	E2-OB_R01	1	R	70	71	71	41	0.0	71	Yes	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	O	2	E2-OB_R01	2	R	70	71	71	43	0.0	71	Yes	No	No	No
E	O	2	E2-OB_R01	3	R	70	71	71	43	0.0	71	Yes	No	No	No
E	O	2	E2-OB_R02	1	R	70	72	71	46	0.1	72	Yes	No	No	No
E	O	2	E2-OB_R02	2	R	70	71	71	46	0.0	71	Yes	No	No	No
E	O	2	E2-OB_R02	3	R	70	71	71	47	0.0	71	Yes	No	No	No
E	O	2	E2-OB_R03	1	R	70	71	71	51	0.0	71	Yes	No	No	No
E	O	2	E2-OB_R03	2	R	70	71	71	51	0.0	71	Yes	No	No	No
E	O	2	E2-OB_R03	3	R	70	71	71	52	0.0	71	Yes	No	No	No
E	O	2	E2-OC_R01	1	R	70	67	67	55	0.3	67	No	No	No	No
E	O	2	E2-OC_R01	2	R	70	67	67	60	0.8	67	No	No	No	No
E	O	2	E2-OC_R01	3	R	70	70	67	68	3.6	70	No	No	Yes	No
E	O	2	E2-OC_R02	1	R	70	64	63	57	0.9	64	No	No	No	No
E	O	2	E2-OC_R02	2	R	70	65	63	59	1.4	65	No	No	Yes	No
E	O	2	E2-OC_R02	3	R	70	65	63	61	2.1	65	No	No	Yes	No
E	O	2	E2-OC_R03	1	R	70	66	56	66	10.0	66	No	No	Yes	No
E	O	2	E2-OC_R03	2	R	70	67	56	66	10.6	67	No	No	Yes	No
E	O	2	E2-OC_R03	3	R	70	69	56	68	12.5	69	No	No	Yes	No
E	O	2	E2-OC_R04	1	R	70	68	58	68	10.3	68	No	No	Yes	No
E	O	2	E2-OC_R04	2	R	70	68	58	68	10.5	68	No	No	Yes	No
E	O	2	E2-OC_R04	3	R	70	69	58	68	10.8	69	No	No	Yes	No
E	O	2	E2-OD_R01	1	R	70	67	67	56	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	2	R	70	67	67	56	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	3	R	70	67	67	56	0.4	67	No	No	No	No
E	O	2	E2-OD_R01	4	R	70	67	67	56	0.4	67	No	No	No	No
E	O	2	E2-OD_R01	5	R	70	67	67	56	0.4	67	No	No	No	No
E	O	2	E2-OD_R01	6	R	70	67	67	56	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	7	R	70	67	67	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	8	R	70	67	67	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	9	R	70	67	67	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	10	R	70	67	67	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	11	R	70	67	67	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	12	R	70	67	67	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	13	R	70	67	67	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	14	R	70	67	66	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	15	R	70	67	66	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	16	R	70	67	66	55	0.2	67	No	No	No	No
E	O	2	E2-OD_R01	17	R	70	67	66	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	18	R	70	67	66	55	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	19	R	70	67	66	54	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	20	R	70	67	66	54	0.3	67	No	No	No	No
E	O	2	E2-OD_R01	21	R	70	66	66	54	0.3	66	No	No	No	No
E	O	2	E2-OD_R01	22	R	70	66	66	54	0.3	66	No	No	No	No
E	O	2	E2-OD_R01	23	R	70	66	66	54	0.3	66	No	No	No	No
E	O	2	E2-OD_R01	24	R	70	66	66	54	0.3	66	No	No	No	No
E	O	2	E2-OD_R01	25	R	70	66	66	54	0.3	66	No	No	No	No
E	O	2	E2-OD_R01	26	R	70	66	66	54	0.2	66	No	No	No	No
E	O	2	E2-OD_R01	27	R	70	66	66	54	0.3	66	No	No	No	No
E	O	4	E4-OA_R01	1	R	70	68	59	67	8.5	68	No	No	Yes	No
E	O	4	E4-OA_R01	2	R	70	68	60	67	7.9	68	No	No	Yes	No
E	O	4	E4-OA_R01	3	R	70	68	61	68	7.3	68	No	No	Yes	No
E	O	4	E4-OA_R02	1	R	70	70	60	69	9.1	70	No	No	Yes	No
E	O	4	E4-OA_R02	2	R	70	70	62	69	8.2	70	No	No	Yes	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	O	4	E4-OA_R02	3	R	70	70	63	69	7.2	70	No	No	Yes	No
E	O	4	E4-OA_R03	1	R	70	70	65	67	4.2	70	No	No	Yes	No
E	O	4	E4-OA_R03	2	R	70	70	66	67	4.0	70	No	No	Yes	No
E	O	4	E4-OA_R03	3	R	70	70	66	67	3.7	70	No	No	Yes	No
E	O	4	E4-OA_R04	1	R	70	69	66	67	3.7	69	No	No	Yes	No
E	O	4	E4-OA_R04	2	R	70	70	66	67	3.6	70	No	No	Yes	No
E	O	4	E4-OA_R04	3	R	70	70	66	67	3.4	70	No	No	Yes	No
E	O	4	E4-OB_R01	1	R	70	77	77	58	0.0	77	Yes	No	No	No
E	O	4	E4-OB_R01	2	R	70	77	77	59	0.0	77	Yes	No	No	No
E	O	4	E4-OB_R01	3	R	70	76	76	60	0.1	76	Yes	No	No	No
E	O	4	E4-OC_R01	1	R	70	75	75	57	0.1	75	Yes	No	No	No
E	O	4	E4-OC_R01	2	R	70	75	75	57	0.0	75	Yes	No	No	No
E	O	4	E4-OC_R01	3	R	70	75	75	58	0.1	75	Yes	No	No	No
E	O	4	E4-OC_R02	1	R	70	72	72	50	0.1	72	Yes	No	No	No
E	O	4	E4-OC_R02	2	R	70	72	72	53	0.0	72	Yes	No	No	No
E	O	4	E4-OC_R02	3	R	70	72	72	55	0.1	72	Yes	No	No	No
E	O	4	E4-OC_R03	1	R	70	78	78	55	0.1	78	Yes	No	No	No
E	O	4	E4-OC_R03	2	R	70	78	78	56	0.1	78	Yes	No	No	No
E	O	4	E4-OC_R03	3	R	70	78	78	57	0.0	78	Yes	No	No	No
E	O	4	E4-OD_R01	1	R	70	78	78	53	0.0	78	Yes	No	No	No
E	O	4	E4-OD_R01	2	R	70	78	78	54	0.0	78	Yes	No	No	No
E	O	4	E4-OD_R01	3	R	70	77	77	55	0.1	77	Yes	No	No	No
E	O	4	E4-OD_R02	1	R	70	77	77	46	0.0	77	Yes	No	No	No
E	O	4	E4-OD_R02	2	R	70	77	77	47	0.1	77	Yes	No	No	No
E	O	4	E4-OD_R02	3	R	70	77	77	48	0.0	77	Yes	No	No	No
E	O	4	E4-OD_R03	1	R	70	74	74	38	0.0	74	Yes	No	No	No
E	O	4	E4-OD_R03	2	R	70	74	74	40	0.0	74	Yes	No	No	No
E	O	4	E4-OD_R03	3	R	70	74	74	41	0.0	74	Yes	No	No	No
E	O	4	E4-OD_R04	1	R	70	75	75	38	0.0	75	Yes	No	No	No
E	O	4	E4-OD_R04	2	R	70	75	75	39	0.0	75	Yes	No	No	No
E	O	4	E4-OD_R04	3	R	70	75	75	40	0.0	75	Yes	No	No	No
E	O	5	E5-OA_R01	1	R	70	79	79	53	0.0	79	Yes	No	No	No
E	O	5	E5-OA_R01	2	R	70	79	78	53	0.1	79	Yes	No	No	No
E	O	5	E5-OA_R01	3	R	70	78	78	53	0.0	78	Yes	No	No	No
E	O	5	E5-OA_R02	1	R	70	66	65	60	1.3	66	No	No	Yes	No
E	O	5	E5-OA_R02	2	R	70	66	65	60	1.3	66	No	No	Yes	No
E	O	5	E5-OA_R02	3	R	70	66	65	60	1.3	66	No	No	Yes	No
E	O	5	E5-OB_R01	1	R	70	75	75	54	0.0	75	Yes	No	No	No
E	O	5	E5-OB_R01	2	R	70	75	75	54	0.1	75	Yes	No	No	No
E	O	5	E5-OB_R01	3	R	70	75	75	54	0.0	75	Yes	No	No	No
E	O	5	E5-OC_R01	1	R	70	71	71	0	0.0	71	Yes	No	No	No
E	O	5	E5-OC_R01	2	R	70	71	71	0	0.0	71	Yes	No	No	No
E	O	5	E5-OC_R01	3	R	70	71	71	0	0.0	71	Yes	No	No	No
E	O	5	E5-OD_R01	1	R	70	76	76	24	0.0	76	Yes	No	No	No
E	O	5	E5-OD_R01	2	R	70	75	75	25	0.0	75	Yes	No	No	No
E	O	5	E5-OD_R01	3	R	70	75	75	26	0.0	75	Yes	No	No	No
E	O	5	E5-OD_R01	4	R	70	75	75	27	0.0	75	Yes	No	No	No
E	O	5	E5-OD_R01	5	R	70	75	75	29	0.0	75	Yes	No	No	No
E	O	5	E5-OD_R01	6	R	70	74	74	30	0.0	74	Yes	No	No	No
E	O	5	E5-OD_R01	7	R	70	74	74	32	0.0	74	Yes	No	No	No
E	O	5	E5-OD_R01	8	R	70	74	74	34	0.0	74	Yes	No	No	No
E	O	5	E5-OD_R01	9	R	70	73	73	36	0.0	73	Yes	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	O	5	E5-OD_R01	10	R	70	73	73	37	0.0	73	Yes	No	No	No
E	O	5	E5-OD_R01	11	R	70	73	73	37	0.0	73	Yes	No	No	No
E	O	5	E5-OD_R01	12	R	70	73	73	37	0.0	73	Yes	No	No	No
E	O	5	E5-OD_R01	13	R	70	72	72	37	0.0	72	Yes	No	No	No
E	O	5	E5-OD_R01	14	R	70	72	72	38	0.0	72	Yes	No	No	No
E	O	5	E5-OD_R01	15	R	70	72	72	37	0.0	72	Yes	No	No	No
E	O	5	E5-OD_R01	16	R	70	72	72	37	0.0	72	Yes	No	No	No
E	O	5	E5-OD_R01	17	R	70	72	72	37	0.0	72	Yes	No	No	No
E	O	5	E5-OE_E01	1	E	65	74	74	17	0.0	74	Yes	No	No	No
E	O	5	E5-OE_E01	2	E	65	74	74	17	0.0	74	Yes	No	No	No
E	O	5	E5-OE_E01	3	E	65	74	74	17	0.0	74	Yes	No	No	No
E	O	5	E5-OE_E01	4	E	65	74	74	17	0.0	74	Yes	No	No	No
E	O	5	E5-OE_E01	5	E	65	73	73	17	0.0	73	Yes	No	No	No
E	O	5	E5-OE_E01	6	E	65	73	73	17	0.0	73	Yes	No	No	No
E	O	5	E5-OE_E01	7	E	65	73	73	17	0.0	73	Yes	No	No	No
E	O	5	E5-OE_E01	8	E	65	73	73	17	0.0	73	Yes	No	No	No
E	O	5	E5-OF_R01	1	R	70	73	73	23	0.0	73	Yes	No	No	No
E	O	5	E5-OF_R01	2	R	70	73	73	24	0.0	73	Yes	No	No	No
E	O	5	E5-OF_R01	3	R	70	73	73	25	0.0	73	Yes	No	No	No
E	O	5	E5-OF_R01	4	R	70	73	73	26	0.0	73	Yes	No	No	No
E	O	5	E5-OF_R01	5	R	70	73	73	27	0.0	73	Yes	No	No	No
E	O	5	E5-OG_R01	1	R	70	74	74	28	0.0	74	Yes	No	No	No
E	O	5	E5-OG_R01	2	R	70	74	74	29	0.0	74	Yes	No	No	No
E	O	5	E5-OG_R01	3	R	70	74	74	31	0.0	74	Yes	No	No	No
E	O	5	E5-OG_R01	4	R	70	74	74	32	0.0	74	Yes	No	No	No
E	O	5	E5-OG_R01	5	R	70	74	74	34	0.0	74	Yes	No	No	No
E	O	5	E5-OG_R01	6	R	70	74	74	36	0.0	74	Yes	No	No	No
E	O	5	E5-OH_R01	1	R	70	75	75	34	0.0	75	Yes	No	No	No
E	O	5	E5-OH_R01	2	R	70	75	75	35	0.0	75	Yes	No	No	No
E	O	5	E5-OH_R01	3	R	70	74	74	36	0.0	74	Yes	No	No	No
E	O	5	E5-OH_R01	4	R	70	74	74	37	0.0	74	Yes	No	No	No
E	O	5	E5-OH_R01	5	R	70	74	74	39	0.0	74	Yes	No	No	No
E	O	5	E5-OH_R01	6	R	70	74	74	41	0.0	74	Yes	No	No	No
E	I	1	E1-26_R01	1	R	70	58	0	58	57.7	58	No	No	Yes	No
E	I	1	E1-26_R01	2	R	70	59	0	59	59.3	59	No	No	Yes	No
E	I	1	E1-26_R01	3	R	70	60	0	60	60.2	60	No	No	Yes	No
E	I	1	E1-26_R02	1	R	70	60	22	60	38.3	60	No	No	Yes	No
E	I	1	E1-26_R02	2	R	70	60	22	60	38.3	60	No	No	Yes	No
E	I	1	E1-26_R02	3	R	70	60	22	60	38.3	60	No	No	Yes	No
E	I	1	E1-IA_R01	1	R	70	69	17	69	51.7	69	No	No	Yes	No
E	I	1	E1-IA_R01	2	R	70	69	17	69	52.0	69	No	No	Yes	No
E	I	1	E1-IA_R01	3	R	70	70	17	70	52.5	70	No	No	Yes	No
E	I	1	E1-IB_R01	1	R	70	54	0	54	53.8	54	No	No	Yes	No
E	I	1	E1-IB_R01	2	R	70	54	0	54	54.4	54	No	No	Yes	No
E	I	1	E1-IB_R01	3	R	70	55	0	55	54.9	55	No	No	Yes	No
E	I	1	E1-IC_R01	1	R	70	67	0	67	66.9	67	No	No	Yes	No
E	I	1	E1-IC_R01	2	R	70	67	0	67	67.0	67	No	No	Yes	No
E	I	1	E1-IC_R01	3	R	70	67	0	67	67.4	67	No	No	Yes	No
E	I	1	E1-IC_R02	1	R	70	61	5	61	55.9	61	No	No	Yes	No
E	I	1	E1-IC_R02	2	R	70	62	5	62	56.3	62	No	No	Yes	No
E	I	1	E1-IC_R02	3	R	70	62	5	62	56.9	62	No	No	Yes	No
E	I	1	E1-IC_R03	1	R	70	66	12	66	53.5	66	No	No	Yes	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	I	1	E1-IC_R03	2	R	70	66	12	66	53.6	66	No	No	Yes	No
E	I	1	E1-IC_R03	3	R	70	66	12	66	53.8	66	No	No	Yes	No
E	I	1	E1-ID_R01	1	R	70	56	22	56	34.0	56	No	No	Yes	No
E	I	1	E1-ID_R01	2	R	70	56	23	56	32.9	56	No	No	Yes	No
E	I	1	E1-ID_R01	3	R	70	56	25	56	30.9	56	No	No	Yes	No
E	I	1	E1-IE_R01	1	R	70	66	29	66	36.7	66	No	No	Yes	No
E	I	1	E1-IE_R01	2	R	70	66	30	66	35.8	66	No	No	Yes	No
E	I	1	E1-IE_R01	3	R	70	68	32	68	36.1	68	No	No	Yes	No
E	I	1	E1-IF_R01	1	R	70	62	22	62	39.7	62	No	No	Yes	No
E	I	1	E1-IF_R01	2	R	70	63	25	63	37.9	63	No	No	Yes	No
E	I	1	E1-IF_R01	3	R	70	64	29	64	35.3	64	No	No	Yes	No
E	I	1	E1-IF_R02	1	R	70	62	50	61	12.2	62	No	No	Yes	No
E	I	1	E1-IF_R02	2	R	70	64	56	63	7.9	64	No	No	Yes	No
E	I	1	E1-IF_R02	3	R	70	67	60	66	6.8	67	No	No	Yes	No
E	I	1	E1-IG_R01	1	R	70	61	10	61	51.3	61	No	No	Yes	No
E	I	1	E1-IG_R01	2	R	70	65	10	65	54.5	65	No	No	Yes	No
E	I	1	E1-IG_R01	3	R	70	65	10	65	55.1	65	No	No	Yes	No
E	I	1	E1-IG_R02	1	R	70	64	47	64	17.4	64	No	No	Yes	No
E	I	1	E1-IG_R02	2	R	70	66	48	66	17.6	66	No	No	Yes	No
E	I	1	E1-IG_R02	3	R	70	66	49	66	17.4	66	No	No	Yes	No
E	I	1	E1-IG_R03	1	R	70	64	53	63	11.2	64	No	No	Yes	No
E	I	1	E1-IG_R03	2	R	70	65	54	65	11.1	65	No	No	Yes	No
E	I	1	E1-IG_R03	3	R	70	66	55	66	10.8	66	No	No	Yes	No
E	I	1	E1-IH_R01	1	R	70	67	23	67	44.3	67	No	No	Yes	No
E	I	1	E1-IH_R01	2	R	70	70	23	70	46.4	70	No	No	Yes	No
E	I	1	E1-IH_R01	3	R	70	70	24	70	46.4	70	No	No	Yes	No
E	I	1	E1-IH_R02	1	R	70	66	24	66	41.4	66	No	No	Yes	No
E	I	1	E1-IH_R02	2	R	70	67	25	67	42.6	67	No	No	Yes	No
E	I	1	E1-IH_R02	3	R	70	68	25	68	42.7	68	No	No	Yes	No
E	I	1	E1-IJ_R01	1	R	70	73	73	51	0.0	73	Yes	No	No	No
E	I	1	E1-IJ_R01	2	R	70	73	73	52	0.1	73	Yes	No	No	No
E	I	1	E1-IJ_R01	3	R	70	73	73	52	0.0	73	Yes	No	No	No
E	I	1	E1-IJ_R02	1	R	70	72	72	52	0.1	72	Yes	No	No	No
E	I	1	E1-IJ_R02	2	R	70	72	72	53	0.1	72	Yes	No	No	No
E	I	1	E1-IJ_R02	3	R	70	72	72	53	0.1	72	Yes	No	No	No
E	I	1	E1-IJ_R03	1	R	70	73	73	53	0.1	73	Yes	No	No	No
E	I	1	E1-IJ_R03	2	R	70	73	73	54	0.0	73	Yes	No	No	No
E	I	1	E1-IJ_R03	3	R	70	73	73	54	0.0	73	Yes	No	No	No
E	I	1	E1-IJ_R04	1	R	70	72	72	56	0.1	72	Yes	No	No	No
E	I	1	E1-IJ_R04	2	R	70	72	72	57	0.1	72	Yes	No	No	No
E	I	1	E1-IJ_R04	3	R	70	72	72	57	0.1	72	Yes	No	No	No
E	I	1	E1-IJ_R05	1	R	70	68	63	66	4.5	68	No	No	Yes	No
E	I	1	E1-IJ_R05	2	R	70	68	63	66	4.5	68	No	No	Yes	No
E	I	1	E1-IJ_R05	3	R	70	68	64	66	4.6	68	No	No	Yes	No
E	I	1	E1-IK_R01	1	R	70	64	64	43	0.1	64	No	No	No	No
E	I	1	E1-IK_R01	2	R	70	69	69	50	0.1	69	No	No	No	No
E	I	1	E1-IK_R01	3	R	70	70	70	51	0.0	70	No	No	No	No
E	I	1	E1-IK_R02	1	R	70	65	65	0	0.0	65	No	No	No	No
E	I	1	E1-IK_R02	2	R	70	69	69	0	0.0	69	No	No	No	No
E	I	1	E1-IK_R02	3	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	1	E1-IK_R03	1	R	70	68	68	49	0.1	68	No	No	No	No
E	I	1	E1-IK_R03	2	R	70	71	71	54	0.1	71	Yes	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	I	1	E1-IK_R03	3	R	70	72	72	55	0.1	72	Yes	No	No	No
E	I	2	E2-IA_R01	1	R	70	68	0	68	68.0	68	No	No	Yes	No
E	I	2	E2-IA_R01	2	R	70	68	0	68	68.2	68	No	No	Yes	No
E	I	2	E2-IA_R01	3	R	70	68	0	68	68.4	68	No	No	Yes	No
E	I	2	E2-IA_R02	1	R	70	67	0	67	66.7	67	No	No	Yes	No
E	I	2	E2-IA_R02	2	R	70	67	0	67	66.8	67	No	No	Yes	No
E	I	2	E2-IA_R02	3	R	70	67	0	67	66.8	67	No	No	Yes	No
E	I	4	E4-30_C01	1	C	65	72	72	51	0.0	72	Yes	No	No	No
E	I	4	E4-IA_R01	1	R	70	73	73	49	0.1	73	Yes	No	No	No
E	I	4	E4-IA_R01	2	R	70	73	72	49	0.1	73	Yes	No	No	No
E	I	4	E4-IA_R01	3	R	70	72	72	49	0.0	72	Yes	No	No	No
E	I	4	E4-IA_R02	1	R	70	73	73	40	0.0	73	Yes	No	No	No
E	I	4	E4-IA_R02	2	R	70	73	73	40	0.0	73	Yes	No	No	No
E	I	4	E4-IA_R02	3	R	70	73	73	40	0.0	73	Yes	No	No	No
E	I	4	E4-IA_R03	1	R	70	72	72	47	0.0	72	Yes	No	No	No
E	I	4	E4-IA_R03	2	R	70	72	72	47	0.0	72	Yes	No	No	No
E	I	4	E4-IA_R03	3	R	70	72	72	48	0.0	72	Yes	No	No	No
E	I	4	E4-IB_R01	1	R	70	67	62	65	4.6	67	No	No	Yes	No
E	I	4	E4-IB_R01	2	R	70	69	65	67	4.0	69	No	No	Yes	No
E	I	4	E4-IB_R01	3	R	70	70	66	67	3.6	70	No	No	Yes	No
E	I	5	E5-23_R01	1	R	70	64	64	18	0.0	64	No	No	No	No
E	I	5	E5-23_R01	2	R	70	64	64	19	0.0	64	No	No	No	No
E	I	5	E5-23_R01	3	R	70	64	64	20	0.0	64	No	No	No	No
E	I	5	E5-23_R01	4	R	70	64	64	21	0.0	64	No	No	No	No
E	I	5	E5-23_R01	5	R	70	64	64	22	0.0	64	No	No	No	No
E	I	5	E5-23_R01	6	R	70	64	64	23	0.0	64	No	No	No	No
E	I	5	E5-23_R02	1	R	70	65	65	28	0.0	65	No	No	No	No
E	I	5	E5-23_R02	2	R	70	65	65	29	0.0	65	No	No	No	No
E	I	5	E5-23_R02	3	R	70	65	65	31	0.0	65	No	No	No	No
E	I	5	E5-23_R02	4	R	70	65	65	34	0.0	65	No	No	No	No
E	I	5	E5-23_R02	5	R	70	65	65	36	0.0	65	No	No	No	No
E	I	5	E5-23_R02	6	R	70	65	65	38	0.0	65	No	No	No	No
E	I	5	E5-23_R11	1	R	70	65	65	34	0.0	65	No	No	No	No
E	I	5	E5-23_R11	2	R	70	65	65	36	0.1	65	No	No	No	No
E	I	5	E5-23_R11	3	R	70	65	65	39	0.0	65	No	No	No	No
E	I	5	E5-23_R11	4	R	70	65	65	41	0.1	65	No	No	No	No
E	I	5	E5-23_R11	5	R	70	65	65	44	0.0	65	No	No	No	No
E	I	5	E5-23_R11	6	R	70	65	65	45	0.1	65	No	No	No	No
E	I	5	E5-23_R12	1	R	70	66	66	43	0.0	66	No	No	No	No
E	I	5	E5-23_R12	2	R	70	66	66	44	0.1	66	No	No	No	No
E	I	5	E5-23_R12	3	R	70	66	66	45	0.0	66	No	No	No	No
E	I	5	E5-23_R12	4	R	70	66	66	47	0.1	66	No	No	No	No
E	I	5	E5-23_R12	5	R	70	66	66	48	0.0	66	No	No	No	No
E	I	5	E5-23_R12	6	R	70	66	66	49	0.1	66	No	No	No	No
E	I	5	E5-25_R01	1	R	70	67	66	56	0.3	67	No	No	No	No
E	I	5	E5-25_R01	2	R	70	68	67	56	0.3	68	No	No	No	No
E	I	5	E5-25_R01	3	R	70	69	68	57	0.3	69	No	No	No	No
E	I	5	E5-25_R01	4	R	70	70	70	57	0.2	70	No	No	No	No
E	I	5	E5-25_R01	5	R	70	71	71	57	0.1	71	Yes	No	No	No
E	I	5	E5-25_R01	6	R	70	72	72	57	0.1	72	Yes	No	No	No
E	I	5	E5-25_R01	7	R	70	73	72	57	0.2	73	Yes	No	No	No
E	I	5	E5-25_R01	8	R	70	73	73	57	0.1	73	Yes	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	I	5	E5-25_R01	9	R	70	73	73	57	0.2	73	Yes	No	No	No
E	I	5	E5-25_R01	10	R	70	73	73	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R01	11	R	70	73	73	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R01	12	R	70	73	72	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R01	13	R	70	72	72	57	0.2	72	Yes	No	No	No
E	I	5	E5-25_R01	14	R	70	72	72	57	0.1	72	Yes	No	No	No
E	I	5	E5-25_R01	15	R	70	72	72	57	0.1	72	Yes	No	No	No
E	I	5	E5-25_R01	16	R	70	72	72	57	0.1	72	Yes	No	No	No
E	I	5	E5-25_R01	17	R	70	72	72	57	0.1	72	Yes	No	No	No
E	I	5	E5-25_R01	18	R	70	72	72	57	0.1	72	Yes	No	No	No
E	I	5	E5-25_R01	19	R	70	72	71	57	0.2	72	Yes	No	No	No
E	I	5	E5-25_R01	20	R	70	71	71	57	0.1	71	Yes	No	No	No
E	I	5	E5-25_R01	21	R	70	71	71	57	0.1	71	Yes	No	No	No
E	I	5	E5-25_R01	22	R	70	71	71	57	0.1	71	Yes	No	No	No
E	I	5	E5-25_R01	23	R	70	71	71	57	0.2	71	Yes	No	No	No
E	I	5	E5-25_R01	24	R	70	71	71	57	0.2	71	Yes	No	No	No
E	I	5	E5-25_R11	1	R	70	70	70	58	0.3	70	No	No	No	No
E	I	5	E5-25_R11	2	R	70	71	71	58	0.2	71	Yes	No	No	No
E	I	5	E5-25_R11	3	R	70	72	72	58	0.2	72	Yes	No	No	No
E	I	5	E5-25_R11	4	R	70	72	72	58	0.2	72	Yes	No	No	No
E	I	5	E5-25_R11	5	R	70	73	73	58	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	6	R	70	73	73	58	0.2	73	Yes	No	No	No
E	I	5	E5-25_R11	7	R	70	73	73	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	8	R	70	74	73	57	0.1	74	Yes	No	No	No
E	I	5	E5-25_R11	9	R	70	73	73	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	10	R	70	73	73	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	11	R	70	73	73	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	12	R	70	73	73	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	13	R	70	73	73	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	14	R	70	73	73	57	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	15	R	70	73	73	56	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	16	R	70	73	73	56	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	17	R	70	73	72	56	0.1	73	Yes	No	No	No
E	I	5	E5-25_R11	18	R	70	72	72	56	0.1	72	Yes	No	No	No
E	I	5	E5-25_R11	19	R	70	72	72	56	0.1	72	Yes	No	No	No
E	I	5	E5-25_R11	20	R	70	72	72	56	0.1	72	Yes	No	No	No
E	I	5	E5-25_R11	21	R	70	72	72	56	0.2	72	Yes	No	No	No
E	I	5	E5-25_R11	22	R	70	72	72	56	0.1	72	Yes	No	No	No
E	I	5	E5-25_R11	23	R	70	72	72	56	0.1	72	Yes	No	No	No
E	I	5	E5-25_R11	24	R	70	72	72	55	0.1	72	Yes	No	No	No
E	I	5	E5-25_R21	1	R	70	71	71	49	0.0	71	Yes	No	No	No
E	I	5	E5-25_R21	2	R	70	72	72	50	0.0	72	Yes	No	No	No
E	I	5	E5-25_R21	3	R	70	72	72	50	0.1	72	Yes	No	No	No
E	I	5	E5-25_R21	4	R	70	72	72	50	0.1	72	Yes	No	No	No
E	I	5	E5-25_R21	5	R	70	72	72	50	0.0	72	Yes	No	No	No
E	I	5	E5-25_R21	6	R	70	72	72	51	0.1	72	Yes	No	No	No
E	I	5	E5-25_R21	7	R	70	72	72	51	0.0	72	Yes	No	No	No
E	I	5	E5-25_R21	8	R	70	72	72	51	0.1	72	Yes	No	No	No
E	I	5	E5-25_R21	9	R	70	72	72	51	0.0	72	Yes	No	No	No
E	I	5	E5-25_R21	10	R	70	72	72	51	0.1	72	Yes	No	No	No
E	I	5	E5-25_R21	11	R	70	72	72	52	0.0	72	Yes	No	No	No
E	I	5	E5-25_R21	12	R	70	72	72	52	0.1	72	Yes	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	I	5	E5-25_R21	13	R	70	72	72	52	0.1	72	Yes	No	No	No
E	I	5	E5-25_R21	14	R	70	72	72	52	0.1	72	Yes	No	No	No
E	I	5	E5-25_R21	15	R	70	72	72	52	0.0	72	Yes	No	No	No
E	I	5	E5-25_R21	16	R	70	71	71	52	0.0	71	Yes	No	No	No
E	I	5	E5-25_R21	17	R	70	71	71	52	0.1	71	Yes	No	No	No
E	I	5	E5-25_R21	18	R	70	71	71	52	0.1	71	Yes	No	No	No
E	I	5	E5-25_R21	19	R	70	71	71	52	0.1	71	Yes	No	No	No
E	I	5	E5-25_R21	20	R	70	71	71	53	0.1	71	Yes	No	No	No
E	I	5	E5-25_R21	21	R	70	71	71	53	0.0	71	Yes	No	No	No
E	I	5	E5-25_R21	22	R	70	71	71	53	0.0	71	Yes	No	No	No
E	I	5	E5-25_R21	23	R	70	71	71	53	0.1	71	Yes	No	No	No
E	I	5	E5-25_R21	24	R	70	71	71	53	0.1	71	Yes	No	No	No
E	I	5	E5-25_R31	1	R	70	61	61	17	0.0	61	No	No	No	No
E	I	5	E5-25_R31	2	R	70	61	61	18	0.0	61	No	No	No	No
E	I	5	E5-25_R31	3	R	70	61	61	20	0.0	61	No	No	No	No
E	I	5	E5-25_R31	4	R	70	61	61	21	0.0	61	No	No	No	No
E	I	5	E5-25_R31	5	R	70	61	61	23	0.0	61	No	No	No	No
E	I	5	E5-25_R31	6	R	70	61	61	25	0.0	61	No	No	No	No
E	I	5	E5-25_R31	7	R	70	61	61	27	0.0	61	No	No	No	No
E	I	5	E5-25_R31	8	R	70	61	61	29	0.0	61	No	No	No	No
E	I	5	E5-25_R31	9	R	70	61	61	32	0.0	61	No	No	No	No
E	I	5	E5-25_R31	10	R	70	62	62	36	0.0	62	No	No	No	No
E	I	5	E5-25_R31	11	R	70	62	62	38	0.1	62	No	No	No	No
E	I	5	E5-25_R31	12	R	70	63	63	39	0.1	63	No	No	No	No
E	I	5	E5-25_R31	13	R	70	64	64	39	0.0	64	No	No	No	No
E	I	5	E5-25_R31	14	R	70	65	65	39	0.1	65	No	No	No	No
E	I	5	E5-25_R31	15	R	70	65	65	39	0.0	65	No	No	No	No
E	I	5	E5-25_R31	16	R	70	66	66	39	0.0	66	No	No	No	No
E	I	5	E5-25_R31	17	R	70	66	66	39	0.0	66	No	No	No	No
E	I	5	E5-25_R31	18	R	70	67	67	40	0.0	67	No	No	No	No
E	I	5	E5-25_R31	19	R	70	67	67	40	0.0	67	No	No	No	No
E	I	5	E5-25_R31	20	R	70	67	67	40	0.0	67	No	No	No	No
E	I	5	E5-25_R31	21	R	70	67	67	40	0.0	67	No	No	No	No
E	I	5	E5-25_R31	22	R	70	67	67	40	0.1	67	No	No	No	No
E	I	5	E5-25_R31	23	R	70	67	67	40	0.1	67	No	No	No	No
E	I	5	E5-25_R31	24	R	70	67	67	40	0.0	67	No	No	No	No
E	I	5	E5-25_R32	1	R	70	68	68	15	0.0	68	No	No	No	No
E	I	5	E5-25_R32	2	R	70	68	68	15	0.0	68	No	No	No	No
E	I	5	E5-25_R32	3	R	70	68	68	15	0.0	68	No	No	No	No
E	I	5	E5-25_R32	4	R	70	68	68	15	0.0	68	No	No	No	No
E	I	5	E5-25_R32	5	R	70	68	68	15	0.0	68	No	No	No	No
E	I	5	E5-25_R32	6	R	70	67	67	15	0.0	67	No	No	No	No
E	I	5	E5-25_R32	7	R	70	67	67	15	0.0	67	No	No	No	No
E	I	5	E5-25_R32	8	R	70	67	67	15	0.0	67	No	No	No	No
E	I	5	E5-25_R32	9	R	70	67	67	15	0.0	67	No	No	No	No
E	I	5	E5-25_R32	10	R	70	67	67	15	0.0	67	No	No	No	No
E	I	5	E5-25_R32	11	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	12	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	13	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	14	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	15	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	16	R	70	66	66	15	0.0	66	No	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	I	5	E5-25_R32	17	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	18	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	19	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	20	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	21	R	70	66	66	15	0.0	66	No	No	No	No
E	I	5	E5-25_R32	22	R	70	65	65	15	0.0	65	No	No	No	No
E	I	5	E5-25_R32	23	R	70	65	65	15	0.0	65	No	No	No	No
E	I	5	E5-25_R32	24	R	70	65	65	15	0.0	65	No	No	No	No
E	I	5	E5-25_R41	1	R	70	67	67	25	0.0	67	No	No	No	No
E	I	5	E5-25_R41	2	R	70	67	67	25	0.0	67	No	No	No	No
E	I	5	E5-25_R41	3	R	70	67	67	25	0.0	67	No	No	No	No
E	I	5	E5-25_R41	4	R	70	67	67	25	0.0	67	No	No	No	No
E	I	5	E5-25_R41	5	R	70	67	67	25	0.0	67	No	No	No	No
E	I	5	E5-25_R41	6	R	70	66	66	25	0.0	66	No	No	No	No
E	I	5	E5-25_R41	7	R	70	66	66	25	0.0	66	No	No	No	No
E	I	5	E5-25_R41	8	R	70	66	66	25	0.0	66	No	No	No	No
E	I	5	E5-25_R41	9	R	70	66	66	25	0.0	66	No	No	No	No
E	I	5	E5-25_R41	10	R	70	66	66	25	0.0	66	No	No	No	No
E	I	5	E5-25_R41	11	R	70	65	65	25	0.0	65	No	No	No	No
E	I	5	E5-25_R41	12	R	70	65	65	25	0.0	65	No	No	No	No
E	I	5	E5-25_R41	13	R	70	65	65	25	0.0	65	No	No	No	No
E	I	5	E5-25_R41	14	R	70	65	65	25	0.0	65	No	No	No	No
E	I	5	E5-25_R41	15	R	70	65	65	25	0.0	65	No	No	No	No
E	I	5	E5-25_R41	16	R	70	65	65	25	0.0	65	No	No	No	No
E	I	5	E5-25_R41	17	R	70	64	64	25	0.0	64	No	No	No	No
E	I	5	E5-25_R41	18	R	70	64	64	25	0.0	64	No	No	No	No
E	I	5	E5-25_R41	19	R	70	64	64	25	0.0	64	No	No	No	No
E	I	5	E5-25_R41	20	R	70	64	64	25	0.0	64	No	No	No	No
E	I	5	E5-25_R41	21	R	70	64	64	25	0.0	64	No	No	No	No
E	I	5	E5-25_R41	22	R	70	64	64	25	0.0	64	No	No	No	No
E	I	5	E5-25_R41	23	R	70	64	64	25	0.0	64	No	No	No	No
E	I	5	E5-25_R41	24	R	70	63	63	25	0.0	63	No	No	No	No
E	I	5	E5-31_R01	1	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R01	2	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R01	3	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	5	E5-31_R01	4	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	5	E5-31_R01	5	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	5	E5-31_R01	6	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	5	E5-31_R01	7	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	5	E5-31_R01	8	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	5	E5-31_R01	9	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	5	E5-31_R01	10	R	70	71	71	0	0.0	71	Yes	No	No	No
E	I	5	E5-31_R01	11	R	70	71	71	0	0.0	71	Yes	No	No	No
E	I	5	E5-31_R05	1	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R05	2	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R05	3	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R05	4	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R05	5	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R05	6	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R05	7	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R05	8	R	70	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-31_R05	9	R	70	72	72	0	0.0	72	Yes	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	I	5	E5-31_R05	10	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	5	E5-31_R05	11	R	70	72	72	0	0.0	72	Yes	No	No	No
E	I	5	E5-31_R11	1	R	70	73	73	3	0.0	73	Yes	No	No	No
E	I	5	E5-31_R11	2	R	70	73	73	4	0.0	73	Yes	No	No	No
E	I	5	E5-31_R11	3	R	70	73	73	4	0.0	73	Yes	No	No	No
E	I	5	E5-31_R11	4	R	70	72	72	4	0.0	72	Yes	No	No	No
E	I	5	E5-31_R11	5	R	70	72	72	4	0.0	72	Yes	No	No	No
E	I	5	E5-31_R11	6	R	70	72	72	4	0.0	72	Yes	No	No	No
E	I	5	E5-31_R11	7	R	70	72	72	4	0.0	72	Yes	No	No	No
E	I	5	E5-31_R11	8	R	70	72	72	4	0.0	72	Yes	No	No	No
E	I	5	E5-31_R11	9	R	70	72	72	4	0.0	72	Yes	No	No	No
E	I	5	E5-31_R11	10	R	70	71	71	4	0.0	71	Yes	No	No	No
E	I	5	E5-31_R11	11	R	70	71	71	4	0.0	71	Yes	No	No	No
E	I	5	E5-31_R21	1	R	70	64	64	30	0.0	64	No	No	No	No
E	I	5	E5-31_R21	2	R	70	64	64	31	0.0	64	No	No	No	No
E	I	5	E5-31_R21	3	R	70	64	64	33	0.0	64	No	No	No	No
E	I	5	E5-31_R21	4	R	70	65	65	35	0.0	65	No	No	No	No
E	I	5	E5-31_R21	5	R	70	65	65	38	0.0	65	No	No	No	No
E	I	5	E5-31_R21	6	R	70	65	65	40	0.0	65	No	No	No	No
E	I	5	E5-31_R21	7	R	70	65	65	41	0.0	65	No	No	No	No
E	I	5	E5-31_R21	8	R	70	65	65	42	0.0	65	No	No	No	No
E	I	5	E5-31_R21	9	R	70	65	65	42	0.0	65	No	No	No	No
E	I	5	E5-31_R21	10	R	70	65	65	42	0.0	65	No	No	No	No
E	I	5	E5-31_R21	11	R	70	65	65	42	0.0	65	No	No	No	No
E	I	5	E5-31_R22	1	R	70	66	66	26	0.0	66	No	No	No	No
E	I	5	E5-31_R22	2	R	70	66	66	28	0.0	66	No	No	No	No
E	I	5	E5-31_R22	3	R	70	67	67	31	0.0	67	No	No	No	No
E	I	5	E5-31_R22	4	R	70	67	67	34	0.0	67	No	No	No	No
E	I	5	E5-31_R22	5	R	70	67	67	36	0.0	67	No	No	No	No
E	I	5	E5-31_R22	6	R	70	67	67	36	0.0	67	No	No	No	No
E	I	5	E5-31_R22	7	R	70	67	67	37	0.0	67	No	No	No	No
E	I	5	E5-31_R22	8	R	70	67	67	37	0.0	67	No	No	No	No
E	I	5	E5-31_R22	9	R	70	67	67	37	0.0	67	No	No	No	No
E	I	5	E5-31_R22	10	R	70	67	67	37	0.0	67	No	No	No	No
E	I	5	E5-31_R22	11	R	70	67	67	37	0.0	67	No	No	No	No
E	I	5	E5-35_R01	1	R	70	67	67	38	0.0	67	No	No	No	No
E	I	5	E5-35_R01	2	R	70	71	71	40	0.0	71	Yes	No	No	No
E	I	5	E5-35_R01	3	R	70	71	71	40	0.0	71	Yes	No	No	No
E	I	5	E5-39_R01	1	R	70	69	69	10	0.0	69	No	No	No	No
E	I	5	E5-39_R01	2	R	70	73	73	10	0.0	73	Yes	No	No	No
E	I	5	E5-39_R01	3	R	70	73	73	10	0.0	73	Yes	No	No	No
E	I	5	E5-39_R01	4	R	70	73	73	10	0.0	73	Yes	No	No	No
E	I	5	E5-39_R02	1	R	70	69	69	56	0.2	69	No	No	No	No
E	I	5	E5-39_R02	2	R	70	75	75	61	0.2	75	Yes	No	No	No
E	I	5	E5-39_R03	1	R	70	59	59	40	0.0	59	No	No	No	No
E	I	5	E5-39_R03	2	R	70	64	63	41	0.1	64	No	No	No	No
E	I	5	E5-39_R03	3	R	70	67	67	42	0.0	67	No	No	No	No
E	I	5	E5-39_R03	4	R	70	68	68	44	0.0	68	No	No	No	No
E	I	5	E5-39_R03	5	R	70	69	69	45	0.0	69	No	No	No	No
E	I	5	E5-39_R03	6	R	70	69	69	46	0.0	69	No	No	No	No
E	I	5	E5-39_R04	1	R	70	72	72	15	0.0	72	Yes	No	No	No
E	I	5	E5-39_R04	2	R	70	72	72	15	0.0	72	Yes	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning

Appendix 4.7.5 Eligibility Testing for Indirect Noise Mitigation Measures

E	I	5	E5-39_R05	1	R	70	74	74	0	0.0	74	Yes	No	No	No
E	I	5	E5-39_R05	2	R	70	74	74	0	0.0	74	Yes	No	No	No
E	I	5	E5-44_C01	1	C	65	73	73	12	0.0	73	Yes	No	No	No
E	I	5	E5-44_C02	1	C	65	72	72	36	0.0	72	Yes	No	No	No
E	I	5	E5-IA_R01	1	R	70	61	31	61	30.0	61	No	No	Yes	No
E	I	5	E5-IA_R01	2	R	70	65	35	65	30.1	65	No	No	Yes	No
E	I	5	E5-IA_R01	3	R	70	66	35	66	31.8	66	No	No	Yes	No
E	I	5	E5-IB_C01	1	C	65	73	73	0	0.0	73	Yes	No	No	No
E	I	5	E5-IB_C01	2	C	65	74	74	0	0.0	74	Yes	No	No	No
E	I	5	E5-IB_C01	3	C	65	74	74	0	0.0	74	Yes	No	No	No
E	I	5	E5-IB_R01	1	R	70	61	27	61	34.4	61	No	No	Yes	No
E	I	5	E5-IB_R01	2	R	70	64	27	64	36.6	64	No	No	Yes	No
E	I	5	E5-IB_R01	3	R	70	65	29	65	36.3	65	No	No	Yes	No
E	I	5	E5-IB_R02	1	R	70	64	37	64	26.4	64	No	No	Yes	No
E	I	5	E5-IB_R02	2	R	70	68	41	68	26.8	68	No	No	Yes	No
E	I	5	E5-IB_R02	3	R	70	69	41	69	27.2	69	No	No	Yes	No
E	I	5	E5-IC_R01	1	R	70	73	73	49	0.0	73	Yes	No	No	No
E	I	5	E5-IC_R01	2	R	70	73	73	51	0.0	73	Yes	No	No	No
E	I	5	E5-IC_R01	3	R	70	73	73	52	0.0	73	Yes	No	No	No

Remarks:

[1] R = Residential; E = Educational; C = Place of Worship

[2] AW = Acoustic Windows with 5dB(A) noise reduction; BF = Blank Façade; AC = Noise Insulation Windows Air Conditioning