

本署檔號 (12) in EP2/N4/PT2/121  
OUR REF:  
來函檔號  
YOUR REF: 2835 1868  
電話  
TEL. NO.: 2591 0558  
圖文傳真  
FAX NO.:  
電子郵件  
E-MAIL:  
網址  
HOMEPAGE: <http://www.epd.gov.hk>

**Environmental Protection Department**  
**Branch Office**  
28th Floor, Southorn Centre,  
130 Hennessy Road,  
Wan Chai, Hong Kong.



環境保護署分處  
香港灣仔  
軒尼詩道  
一百三十號  
修頓中心廿八樓

31 May 2016

**Environmental Impact Assessment (EIA) Ordinance, Cap.499**  
**Application for Permission to Apply Directly for Environmental Permit**

**Project Title: Decommissioning and Disposal of Clinical Waste Incinerator and Associated Chimney at ex-Siu Lam Hospital in Tuen Mun, New Territories**  
**(Application No: DIR-247/2016)**

I refer to your above application received on 26 April 2016 for permission to apply directly for an environmental permit under Section 5(1)(b) of the EIA Ordinance.

With the consent of the Secretary for the Environment under Section 5(11) of the EIA Ordinance, I now permit you to apply directly for an environmental permit subject to the attached condition.

Under Section 15 of the EIA Ordinance, the decision on the application will be placed on the EIA Ordinance Register. It will also be placed on the EIA Ordinance website (<http://www.epd.gov.hk/eia>).

Please note that if you are aggrieved by any of the conditions imposed in this permission, you may appeal under Section 17 of the EIA Ordinance within 30 days of receipt of this permission.

Should you have any queries concerning the above application, please contact my colleague Mr. Johnson Wong at 2835 1107.

Yours sincerely,

(Terence S.W. TSANG)  
Principal Environmental Protection Officer  
for Director of Environmental Protection

Encl.-  
c.c. AA/SEN

(Attn: Ms. Estrella CHEUNG)

Fax: 2147 3287

**Environmental Impact Assessment (EIA) Ordinance, Cap. 499  
Application for Permission to Apply Directly for Environmental Permit  
(Application No: DIR-247/2016)**

**Project Title: Decommissioning and Disposal of Clinical Waste Incinerator and  
Associated Chimney at ex-Siu Lam Hospital in Tuen Mun, New Territories  
(Application No: DIR-247/2016)**

**Conditions Imposed under section 5(12) of the EIA Ordinance  
For Permission to Apply Directly for Environmental Permit**

1. All environmental mitigation measures described in the Project Profile [No. PP-536/2016] submitted with the Application No. DIR-247/2016 on 26 April 2016 shall be fully implemented.

-END-

Environmental Protection Department  
May 2016