

本署檔號
OUR REF: () in EP2/H16/O/06 Pt.5
來函檔號
YOUR REF:
電話
TEL. NO.: 2835 1267
圖文傳真
FAX NO.: 2591 0558
電子郵件
E-MAIL:
網址
HOMEPAGE: <http://www.epd.gov.hk>

Environmental Protection Department
Branch Office
28th Floor, Southorn Centre,
130 Hennessy Road,
Wanchai, Hong Kong.



環境保護署分處
香港灣仔
軒尼詩道
一百三十號
修頓中心廿八樓

12 September 2018

Queen Mary Hospital

**Environmental Impact Assessment (EIA) Ordinance, Cap.499,
Application for Variation of an Environmental Permit**

**Project Title: Decommissioning and Disposal of Clinical Waste Incinerators for
the Redevelopment of Queen Mary Hospital**
(Application No. VEP-546/2018)

I refer to your above application received on 6 September 2018 for variation of an environmental permit under Section 13(1) of the EIA Ordinance.

Pursuant to Section 13(5) of the EIA Ordinance, we have amended the Environmental Permit (No. EP-545/2017). I attach the Environmental Permit as amended (No. EP-545/2017/A) for your use.

Under Section 15 of the EIA Ordinance, the amended Environmental Permit will be placed on the EIA Ordinance Register. It will also be placed on the EIA Ordinance website (<http://www.epd.gov.hk/eia/>).

Please note that if you are aggrieved by any of the conditions imposed in this Permit, you may appeal under Section 17 of the EIA Ordinance within 30 days of receipt of this Permit.

Should you have any queries on the above application, please contact my colleague Mr. Richard WONG at 2835 1128.

Yours sincerely,

(Tony W. H. CHEUNG)

Principal Environmental Protection Officer
for Director of Environmental Protection