


Annex F

Estimation of Dwellings Eligible for Indirect Technical Remedies

F1: Vertical Interim Housing in Area 29
F2: Siu Hong Court

SUMMARY OF INDIRECT TECHNICAL REMEDIES RECOMMENDED AT AREA 29

	Block 1	Block 2	Block 3	Block 4	Block 5	Block 6	Block 7	Block 8	Block 9	TOTAL
Total no. of dwellings	1008	1008	1008	1008	1008	1008	1008	1008	672	8736
No. of dwellings eligible for Indirect Technical Remedies (w/indon type I)	0	0	0	36	269	223	0	402	224	1154
Percentage for Dwellings Recommended for Indirect Technical Remedies	0%	0%	0%	4%	27%	22%	0%	40%	33%	13%



LAYOUT PLAN OF AREA 29

FIGURE F1a





FIGURE F1b THE FLOOR PLAN AND THE LOCATION OF NOISE SENSITIVE RECEIVERS FOR BLOCK 4 AT AREA 29

FILE: C1707z29
DATE: 11/06/99

Environmental Resources Management



ERM




FIGURE F1c

THE FLOOR PLAN AND THE LOCATION OF NOISE SENSITIVE RECEIVERS FOR BLOCK 5 AT AREA 29

FILE: C1707z30
DATE: 11/06/99

Environmental
Resources
Management






FIGURE F1d

THE FLOOR PLAN AND THE LOCATION OF NOISE SENSITIVE RECEIVERS FOR BLOCK 6 AT AREA 29

FILE: C1707z26
DATE: 11/06/99

Environmental
Resources
Management






FIGURE F1e

THE FLOOR PLAN AND THE LOCATION OF NOISE SENSITIVE RECEIVERS FOR BLOCK 8 AT AREA 29

FILE: C1707z28
DATE: 11/06/99

Environmental
Resources
Management



Recommendation of Indirect Remediation with Special Window Type at the Individual Flat of Block 9 of Area 29

BLOCK 9	Window Type Recommended at Each NSR																TOTAL									
	FLOOR NO.	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945		946	947	948	949	950	951	952	953	954
28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
27	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
26	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
25	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
24	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
23	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
22	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
21	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
20	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
19	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
18	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
17	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
15	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
12	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
11	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total no. of dwellings		28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
No. of dwellings eligible for Indirect Technical Remedies (within type I)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percentage for Dwellings Recommended for Indirect Technical Remedies		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%




FIGURE F1f

THE FLOOR PLAN AND THE LOCATION OF NOISE SENSITIVE RECEIVERS FOR BLOCK 9 AT AREA 29

FILE: C1707z27
DATE: 11/06/99

Environmental
Resources
Management



Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation Exceedance	Window Type	
Block 4	529	42.2	44.2	66.1	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	62.8	68.2	67.4	70.8	71	70	yes	yes	yes	yes	0.8	I
	542	63.1	68.5	67.6	71.1	71	70	yes	yes	yes	yes	1.1	I
	543	62.6	68.0	67.7	70.9	71	70	yes	yes	yes	yes	0.9	I
	544	55.7	60.6	67.5	68.4	68	70	no	yes	yes	no	N/A	N/A
	545	44.4	48.1	66.0	66.1	66	70	no	yes	yes	no	N/A	N/A
	546	40.5	45.8	39.6	46.7	47	70	no	yes	no	no	N/A	N/A
	547	41.2	46.5	39.5	47.3	47	70	no	yes	no	no	N/A	N/A
	548	40.0	45.3	39.4	46.3	46	70	no	yes	yes	no	N/A	N/A
	549	40.5	45.7	39.3	46.6	47	70	no	yes	no	no	N/A	N/A
	550	42.1	47.4	39.1	48.0	48	70	no	yes	no	no	N/A	N/A
	551	42.4	47.6	38.8	48.2	48	70	no	yes	no	no	N/A	N/A
	552	42.0	47.2	38.5	47.7	48	70	no	yes	no	no	N/A	N/A
	553	36.7	42.0	38.4	43.6	44	70	no	yes	yes	no	N/A	N/A
	554	36.3	41.6	38.5	43.3	43	70	no	yes	yes	no	N/A	N/A
	555	36.2	41.5	38.5	43.2	43	70	no	yes	yes	no	N/A	N/A
	556	36.3	41.5	38.8	43.4	43	70	no	yes	yes	no	N/A	N/A
	557	36.4	41.7	39.0	43.5	44	70	no	yes	yes	no	N/A	N/A
	558	36.4	41.6	39.0	43.5	44	70	no	yes	yes	no	N/A	N/A
	559	36.3	41.5	38.9	43.4	43	70	no	yes	yes	no	N/A	N/A
	560	36.0	41.3	38.8	43.2	43	70	no	yes	yes	no	N/A	N/A
	561	36.0	41.2	38.7	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	35.6	40.9	38.8	42.9	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.6	60.2	60.3	60	70	no	yes	yes	no	N/A	N/A
	564	37.5	42.9	40.3	44.8	45	70	no	yes	yes	no	N/A	N/A
	565	37.6	43.0	40.1	44.8	45	70	no	yes	yes	no	N/A	N/A
	566	37.9	43.3	39.8	44.9	45	70	no	yes	yes	no	N/A	N/A
	591	38.0	43.4	39.9	45.0	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.5	40.2	45.1	45	70	no	yes	yes	no	N/A	N/A
	593	38.1	43.5	40.2	45.1	45	70	no	yes	yes	no	N/A	N/A
	594	63.5	69.0	67.2	71.2	71	70	yes	yes	yes	yes	1.2	I
	595	64.2	69.7	67.8	71.8	72	70	yes	yes	yes	yes	1.8	I
	596	64.0	69.4	67.6	71.6	72	70	yes	yes	yes	yes	1.6	I
	597	64.1	69.5	67.5	71.6	72	70	yes	yes	yes	yes	1.6	I
	598	63.4	68.8	67.2	71.1	71	70	yes	yes	yes	yes	1.1	I
	599	62.7	68.2	62.4	69.2	69	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.8	44.0	37.5	44.9	45	70	no	yes	no	no	N/A	N/A
	702	38.8	44.0	37.9	45.0	45	70	no	yes	yes	no	N/A	N/A
	703	38.9	44.1	38.0	45.0	45	70	no	yes	no	no	N/A	N/A
	704	39.8	45.2	46.2	48.7	49	70	no	yes	yes	no	N/A	N/A
	705	43.1	48.4	40.8	49.1	49	70	no	yes	no	no	N/A	N/A
	706	43.3	48.5	57.5	58.0	58	70	no	yes	yes	no	N/A	N/A
	707	43.4	48.6	60.0	60.3	60	70	no	yes	yes	no	N/A	N/A
	708	43.9	48.9	59.9	60.2	60	70	no	yes	yes	no	N/A	N/A
	709	43.6	48.6	37.8	48.9	49	70	no	yes	no	no	N/A	N/A
	710	42.3	47.1	59.8	60.1	60	70	no	yes	yes	no	N/A	N/A
	735	43.8	48.7	59.5	59.8	60	70	no	yes	yes	no	N/A	N/A
	736	43.9	48.8	56.0	56.8	57	70	no	yes	yes	no	N/A	N/A
	737	43.7	48.7	48.9	51.8	52	70	no	yes	yes	no	N/A	N/A
	738	43.7	48.6	43.5	49.8	50	70	no	yes	yes	no	N/A	N/A
	739	43.3	48.1	43.3	49.3	49	70	no	yes	yes	no	N/A	N/A
	740	42.0	46.6	36.6	47.0	47	70	no	yes	no	no	N/A	N/A
	741	42.3	47.0	36.6	47.4	47	70	no	yes	no	no	N/A	N/A
	742	41.8	46.4	36.9	46.8	47	70	no	yes	no	no	N/A	N/A
	743	41.4	46.2	36.9	46.6	47	70	no	yes	no	no	N/A	N/A
	744	42.4	47.2	36.6	47.6	48	70	no	yes	no	no	N/A	N/A
	745	42.4	47.2	36.6	47.6	48	70	no	yes	no	no	N/A	N/A
	746	39.6	44.7	36.4	45.3	45	70	no	yes	no	no	N/A	N/A
	747	37.9	43.0	36.5	43.9	44	70	no	yes	no	no	N/A	N/A
	748	39.6	44.1	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.6	44.1	36.7	44.8	45	70	no	yes	no	no	N/A	N/A
	752	39.6	44.1	37.0	44.9	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.7	37.0	45.4	45	70	no	yes	no	no	N/A	N/A
	754	39.8	44.2	37.1	45.0	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	37.0	45.3	45	70	no	yes	no	no	N/A	N/A
	756	39.9	44.3	36.8	45.0	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.8	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.6	36.9	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.1	44.8	37.2	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.3	45.1	37.4	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.4	45.2	37.6	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.4	37.5	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion - (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.8	48.5	52.4	53.9	54	70	no	yes	yes	no	N/A	N/A
	422	42.6	48.3	57.9	58.4	58	70	no	yes	yes	no	N/A	N/A
	423	37.9	43.4	54.4	54.7	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.4	63.0	63.0	63	70	no	yes	yes	no	N/A	N/A
	425	62.2	67.9	68.4	71.2	71	70	yes	yes	yes	yes	1.2	I
	426	61.7	67.3	68.7	71.1	71	70	yes	yes	yes	yes	1.1	I
	427	61.4	67.4	68.5	71.0	71	70	yes	yes	yes	yes	1.0	I
	428	49.6	52.5	67.5	67.6	68	70	no	yes	yes	no	N/A	N/A
	429	49.6	52.3	67.4	67.5	68	70	no	yes	yes	no	N/A	N/A
	430	49.7	52.0	69.5	69.6	70	70	no	yes	yes	no	N/A	N/A
	431	50.7	52.6	69.2	69.3	69	70	no	yes	yes	no	N/A	N/A
	432	67.5	72.9	73.0	76.0	76	70	yes	yes	yes	yes	6.0	I
	433	68.0	73.4	73.4	76.4	76	70	yes	yes	yes	yes	6.4	I
	434	67.7	73.1	69.4	74.6	75	70	yes	yes	yes	yes	4.6	I
	435	67.6	73.0	69.7	74.7	75	70	yes	yes	yes	yes	4.7	I
	436	66.9	72.4	68.4	73.9	74	70	yes	yes	yes	yes	3.9	I
	437	62.3	67.6	44.7	67.6	68	70	no	yes	no	no	N/A	N/A
	438	61.5	67.1	67.6	70.4	70	70	no	yes	yes	no	N/A	N/A
	439	66.7	72.2	68.9	73.8	74	70	yes	yes	yes	yes	3.8	I
	440	67.3	72.7	70.7	74.8	75	70	yes	yes	yes	yes	4.8	I
	441	67.2	72.7	68.2	74.0	74	70	yes	yes	yes	yes	4.0	I
	442	67.1	72.5	69.5	74.3	74	70	yes	yes	yes	yes	4.3	I
	443	66.6	72.1	65.8	73.0	73	70	yes	yes	no	no	N/A	N/A
	444	37.0	42.3	43.0	45.7	46	70	no	yes	no	no	N/A	N/A
	445	36.9	42.2	42.9	45.6	46	70	no	yes	yes	no	N/A	N/A
	446	36.5	41.8	42.9	45.4	45	70	no	yes	yes	no	N/A	N/A
	447	42.6	48.3	43.0	49.4	49	70	no	yes	yes	no	N/A	N/A
	448	37.2	42.5	42.6	45.5	46	70	no	yes	yes	no	N/A	N/A
	449	36.0	41.2	42.4	44.9	45	70	no	yes	yes	no	N/A	N/A
	450	50.5	55.8	42.0	56.0	56	70	no	yes	no	no	N/A	N/A
	451	41.4	47.0	59.4	59.7	60	70	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	60.4	60.6	61	70	no	yes	yes	no	N/A	N/A
	453	42.4	48.1	60.3	60.5	61	70	no	yes	yes	no	N/A	N/A
	454	42.7	48.4	56.4	57.1	57	70	no	yes	yes	no	N/A	N/A
	455	43.0	48.7	52.3	53.9	54	70	no	yes	yes	no	N/A	N/A
	456	43.0	48.7	43.8	49.9	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.5	51.3	40.3	51.6	52	70	no	yes	no	no	N/A	N/A
	462	35.6	40.8	52.0	52.3	52	70	no	yes	yes	no	N/A	N/A
	463	35.6	40.8	52.0	52.3	52	70	no	yes	yes	no	N/A	N/A
	464	35.4	40.6	62.2	62.2	62	70	no	yes	yes	no	N/A	N/A
	465	63.6	69.1	62.5	70.0	70	70	no	yes	no	no	N/A	N/A
	466	62.4	68.2	62.9	69.3	69	70	no	yes	yes	no	N/A	N/A
	467	62.8	68.7	63.6	69.8	70	70	no	yes	yes	no	N/A	N/A
	468	49.8	54.3	64.3	64.7	65	70	no	yes	yes	no	N/A	N/A
	469	48.6	53.4	61.9	62.4	62	70	no	yes	yes	no	N/A	N/A
	470	48.9	54.7	54.6	57.7	58	70	no	yes	yes	no	N/A	N/A
	471	48.1	53.4	63.0	63.5	64	70	no	yes	yes	no	N/A	N/A
	472	49.9	54.7	64.6	65.0	65	70	no	yes	yes	no	N/A	N/A
	473	50.1	54.8	65.1	65.5	66	70	no	yes	yes	no	N/A	N/A
	474	65.8	71.2	67.5	72.7	73	70	yes	yes	yes	yes	2.7	I
	475	65.2	70.4	68.7	72.7	73	70	yes	yes	yes	yes	2.7	I
	476	64.5	69.9	64.3	71.0	71	70	yes	yes	yes	yes	1.0	I
	477	64.4	69.7	66.3	71.4	71	70	yes	yes	yes	yes	1.4	I
	478	64.0	69.4	62.3	70.1	70	70	no	yes	no	no	N/A	N/A
	479	63.7	69.1	64.1	70.3	70	70	no	yes	yes	no	N/A	N/A
	480	64.8	70.2	67.4	72.0	72	70	yes	yes	yes	yes	2.0	I
	491	64.8	70.2	67.5	72.0	72	70	yes	yes	yes	yes	2.0	I
	492	64.3	69.8	63.4	70.7	71	70	yes	yes	no	no	N/A	N/A
	493	63.8	69.2	56.7	69.4	69	70	no	yes	no	no	N/A	N/A
	494	37.1	42.2	40.2	44.3	44	70	no	yes	yes	no	N/A	N/A
	495	44.4	50.1	40.0	50.5	51	70	no	yes	no	no	N/A	N/A
	496	48.0	53.8	40.0	53.9	54	70	no	yes	no	no	N/A	N/A
	497	48.1	53.9	40.1	54.1	54	70	no	yes	no	no	N/A	N/A
	498	47.8	53.6	40.1	53.8	54	70	no	yes	no	no	N/A	N/A
	499	47.7	53.5	40.0	53.7	54	70	no	yes	no	no	N/A	N/A
	520	47.2	53.0	39.7	53.2	53	70	no	yes	no	no	N/A	N/A
	521	47.0	52.8	39.6	53.0	53	70	no	yes	no	no	N/A	N/A
	522	46.5	52.3	39.4	52.5	53	70	no	yes	no	no	N/A	N/A
	523	46.4	52.1	51.8	55.0	55	70	no	yes	yes	no	N/A	N/A
	524	46.8	52.5	55.2	57.1	57	70	no	yes	yes	no	N/A	N/A
	525	46.8	52.6	56.4	57.9	58	70	no	yes	yes	no	N/A	N/A
	526	47.4	53.1	51.8	55.5	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	59.6	64.8	46.2	64.9	65	70	no	yes	no	no	N/A	N/A
	932	63.7	69.1	61.3	69.7	70	70	no	yes	no	no	N/A	N/A
	933	64.0	69.4	61.8	70.1	70	70	no	yes	no	no	N/A	N/A
	934	59.9	65.0	56.0	65.5	66	70	no	yes	no	no	N/A	N/A
	935	42.3	48.0	61.1	61.4	61	70	no	yes	yes	no	N/A	N/A
	936	45.4	50.8	59.9	60.4	60	70	no	yes	yes	no	N/A	N/A
	937	45.4	50.8	62.1	62.4	62	70	no	yes	yes	no	N/A	N/A
	938	47.9	53.2	58.1	59.3	59	70	no	yes	yes	no	N/A	N/A
	939	47.8	53.2	56.8	58.3	58	70	no	yes	yes	no	N/A	N/A
	940	47.5	52.9	58.3	59.4	59	70	no	yes	yes	no	N/A	N/A
	941	47.4	52.8	59.2	60.1	60	70	no	yes	yes	no	N/A	N/A
	942	64.7	70.3	75.1	76.3	76	70	yes	yes	yes	yes	6.3	I
	943	64.4	69.9	75.7	76.7	77	70	yes	yes	yes	yes	6.7	I
	944	65.2	70.6	73.6	75.4	75	70	yes	yes	yes	yes	5.4	I
	945	66.2	71.7	74.1	76.1	76	70	yes	yes	yes	yes	6.1	I
	946	66.7	72.2	75.3	77.0	77	70	yes	yes	yes	yes	7.0	I
	947	66.8	72.2	75.3	77.1	77	70	yes	yes	yes	yes	7.1	I
	948	67.3	72.8	74.7	76.9	77	70	yes	yes	yes	yes	6.9	I
	949	67.0	72.5	72.4	75.5	76	70	yes	yes	yes	yes	5.5	I
	950	48.1	53.3	46.8	54.2	54	70	no	yes	no	no	N/A	N/A
	951	62.7	67.9	46.4	68.0	68	70	no	yes	no	no	N/A	N/A
	952	48.7	54.1	46.4	54.8	55	70	no	yes	no	no	N/A	N/A
	953	48.7	54.1	46.5	54.8	55	70	no	yes	no	no	N/A	N/A
	954	48.5	53.9	46.5	54.6	55	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F)-(G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.3	66.4	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.1	68.5	67.6	71.1	71	70	yes	yes	yes	yes	1.1	I
	542	63.4	68.8	67.8	71.4	71	70	yes	yes	yes	yes	1.4	I
	543	62.9	68.3	67.9	71.1	71	70	yes	yes	yes	yes	1.1	I
	544	55.7	60.6	67.8	68.5	69	70	no	yes	yes	no	N/A	N/A
	545	45.4	49.5	66.3	66.4	66	70	no	yes	yes	no	N/A	N/A
	546	41.5	46.8	39.6	47.5	48	70	no	yes	no	no	N/A	N/A
	547	42.3	47.6	39.5	48.2	48	70	no	yes	no	no	N/A	N/A
	548	40.9	46.2	39.4	47.0	47	70	no	yes	no	no	N/A	N/A
	549	41.4	46.7	39.3	47.4	47	70	no	yes	no	no	N/A	N/A
	550	43.2	48.5	39.1	49.0	49	70	no	yes	no	no	N/A	N/A
	551	43.5	48.7	38.8	49.2	49	70	no	yes	no	no	N/A	N/A
	552	43.0	48.3	38.5	48.7	49	70	no	yes	no	no	N/A	N/A
	553	36.9	42.2	38.4	43.7	44	70	no	yes	yes	no	N/A	N/A
	554	36.4	41.6	38.5	43.3	43	70	no	yes	yes	no	N/A	N/A
	555	36.3	41.6	38.5	43.3	43	70	no	yes	yes	no	N/A	N/A
	556	36.4	41.6	38.8	43.4	43	70	no	yes	yes	no	N/A	N/A
	557	36.5	41.7	39.0	43.6	44	70	no	yes	yes	no	N/A	N/A
	558	36.5	41.7	39.0	43.6	44	70	no	yes	yes	no	N/A	N/A
	559	36.4	41.6	38.9	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.1	41.3	38.8	43.2	43	70	no	yes	yes	no	N/A	N/A
	561	36.0	41.3	38.7	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	35.7	40.9	38.8	43.0	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.6	60.4	60.5	61	70	no	yes	yes	no	N/A	N/A
	564	37.6	42.9	40.3	44.8	45	70	no	yes	yes	no	N/A	N/A
	565	37.7	43.1	40.1	44.8	45	70	no	yes	yes	no	N/A	N/A
	566	38.0	43.3	39.8	44.9	45	70	no	yes	yes	no	N/A	N/A
	591	38.1	43.5	39.9	45.0	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.5	40.2	45.1	45	70	no	yes	yes	no	N/A	N/A
	593	38.1	43.5	40.2	45.2	45	70	no	yes	yes	no	N/A	N/A
	594	63.8	69.2	67.4	71.4	71	70	yes	yes	yes	yes	1.4	I
	595	64.5	70.0	68.1	72.1	72	70	yes	yes	yes	yes	2.1	I
	596	64.3	69.8	67.9	71.9	72	70	yes	yes	yes	yes	1.9	I
	597	64.4	69.8	67.8	71.9	72	70	yes	yes	yes	yes	1.9	I
	598	63.7	69.1	67.4	71.3	71	70	yes	yes	yes	yes	1.3	I
	599	63.1	68.5	62.6	69.5	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.9	44.1	37.6	45.0	45	70	no	yes	no	no	N/A	N/A
	702	38.9	44.1	37.9	45.0	45	70	no	yes	no	no	N/A	N/A
	703	38.9	44.1	38.0	45.1	45	70	no	yes	yes	no	N/A	N/A
	704	40.4	45.7	46.2	49.0	49	70	no	yes	yes	no	N/A	N/A
	705	44.1	49.3	41.5	50.0	50	70	no	yes	no	no	N/A	N/A
	706	44.2	49.4	57.9	58.4	58	70	no	yes	yes	no	N/A	N/A
	707	44.3	49.5	60.5	60.8	61	70	no	yes	yes	no	N/A	N/A
	708	44.7	49.6	60.2	60.5	61	70	no	yes	yes	no	N/A	N/A
	709	44.3	49.3	37.8	49.6	50	70	no	yes	no	no	N/A	N/A
	710	42.5	47.3	60.1	60.3	60	70	no	yes	yes	no	N/A	N/A
	735	44.5	49.5	59.6	60.0	60	70	no	yes	yes	no	N/A	N/A
	736	44.6	49.6	56.4	57.2	57	70	no	yes	yes	no	N/A	N/A
	737	44.4	49.4	50.2	52.9	53	70	no	yes	yes	no	N/A	N/A
	738	44.6	49.6	44.6	50.8	51	70	no	yes	yes	no	N/A	N/A
	739	44.2	49.1	44.4	50.4	50	70	no	yes	yes	no	N/A	N/A
	740	42.4	47.1	36.9	47.5	48	70	no	yes	no	no	N/A	N/A
	741	42.9	47.6	37.0	48.0	48	70	no	yes	no	no	N/A	N/A
	742	42.1	46.8	37.1	47.3	47	70	no	yes	no	no	N/A	N/A
	743	41.9	46.6	37.1	47.1	47	70	no	yes	no	no	N/A	N/A
	744	43.1	48.0	36.8	48.3	48	70	no	yes	no	no	N/A	N/A
	745	43.0	48.0	36.7	48.3	48	70	no	yes	no	no	N/A	N/A
	746	40.1	45.3	36.5	45.8	46	70	no	yes	no	no	N/A	N/A
	747	38.2	43.3	36.6	44.1	44	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.6	44.1	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.6	44.1	37.0	44.9	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.7	37.1	45.4	45	70	no	yes	no	no	N/A	N/A
	754	39.8	44.3	37.1	45.0	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	37.1	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.9	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.7	36.9	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.1	44.9	37.2	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.1	37.4	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.2	37.6	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.4	37.5	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.8	48.5	52.5	53.9	54	70	no	yes	yes	no	N/A	N/A
	422	42.6	48.3	58.0	58.5	59	70	no	yes	yes	no	N/A	N/A
	423	37.9	43.4	54.4	54.7	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.4	63.2	63.2	63	70	no	yes	yes	no	N/A	N/A
	425	62.1	67.8	88.5	71.2	71	70	yes	yes	yes	yes	1.2	
	426	61.7	67.3	88.9	71.2	71	70	yes	yes	yes	yes	1.2	
	427	61.4	67.4	68.7	71.1	71	70	yes	yes	yes	yes	1.1	
	428	49.6	52.5	67.7	67.8	68	70	no	yes	yes	no	N/A	N/A
	429	49.6	52.3	67.6	67.7	68	70	no	yes	yes	no	N/A	N/A
	430	49.7	52.0	69.7	69.8	70	70	no	yes	yes	no	N/A	N/A
	431	50.7	52.6	69.4	69.5	70	70	no	yes	yes	no	N/A	N/A
	432	67.5	72.9	73.2	76.0	76	70	yes	yes	yes	yes	6.0	
	433	67.9	73.3	73.6	76.5	77	70	yes	yes	yes	yes	6.5	
	434	67.6	73.0	69.5	74.6	75	70	yes	yes	yes	yes	4.6	
	435	67.5	73.0	69.9	74.7	75	70	yes	yes	yes	yes	4.7	
	436	66.9	72.4	68.5	73.9	74	70	yes	yes	yes	yes	3.9	
	437	62.2	67.5	44.7	67.6	68	70	no	yes	no	no	N/A	N/A
	438	61.5	67.1	67.7	70.4	70	70	no	yes	yes	no	N/A	N/A
	439	66.7	72.2	69.0	73.9	74	70	yes	yes	yes	yes	3.9	
	440	67.2	72.6	70.8	74.8	75	70	yes	yes	yes	yes	4.8	
	441	67.1	72.6	68.3	73.9	74	70	yes	yes	yes	yes	3.9	
	442	67.0	72.5	69.6	74.3	74	70	yes	yes	yes	yes	4.3	
	443	66.5	72.0	65.9	72.9	73	70	yes	yes	no	no	N/A	N/A
	444	37.0	42.3	43.0	45.7	46	70	no	yes	yes	no	N/A	N/A
	445	36.8	42.1	43.0	45.6	46	70	no	yes	yes	no	N/A	N/A
	446	36.5	41.8	42.9	45.4	45	70	no	yes	yes	no	N/A	N/A
	447	42.6	48.3	43.0	49.4	49	70	no	yes	yes	no	N/A	N/A
	448	37.6	42.9	42.6	45.7	46	70	no	yes	yes	no	N/A	N/A
	449	35.9	41.2	42.4	44.9	45	70	no	yes	yes	no	N/A	N/A
	450	50.5	55.8	42.0	56.0	56	70	no	yes	no	no	N/A	N/A
	451	41.4	47.0	59.5	59.8	60	70	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	60.5	60.7	61	70	no	yes	yes	no	N/A	N/A
	453	42.4	48.1	60.4	60.6	61	70	no	yes	yes	no	N/A	N/A
	454	42.8	48.5	56.5	57.1	57	70	no	yes	yes	no	N/A	N/A
	455	43.0	48.7	52.4	53.9	54	70	no	yes	yes	no	N/A	N/A
	456	43.0	48.7	43.7	49.9	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.5	51.3	40.3	51.6	52	70	no	yes	no	no	N/A	N/A
	462	35.5	40.8	52.1	52.4	52	70	no	yes	yes	no	N/A	N/A
	463	35.5	40.7	52.0	52.3	52	70	no	yes	yes	no	N/A	N/A
	464	35.4	40.6	62.3	62.3	62	70	no	yes	yes	no	N/A	N/A
	465	63.6	69.2	62.7	70.0	70	70	no	yes	no	no	N/A	N/A
	466	62.4	68.2	63.1	69.4	69	70	no	yes	yes	no	N/A	N/A
	467	62.8	68.7	63.8	69.9	70	70	no	yes	yes	no	N/A	N/A
	468	49.8	54.3	64.5	64.9	65	70	no	yes	yes	no	N/A	N/A
	469	48.6	53.4	62.2	62.7	63	70	no	yes	yes	no	N/A	N/A
	470	48.9	54.7	54.6	57.7	58	70	no	yes	yes	no	N/A	N/A
	471	48.1	53.4	63.4	63.8	64	70	no	yes	yes	no	N/A	N/A
	472	49.9	54.7	64.9	65.3	65	70	no	yes	yes	no	N/A	N/A
	473	50.1	54.8	65.4	65.8	66	70	no	yes	yes	no	N/A	N/A
	474	65.7	71.1	67.7	72.7	73	70	yes	yes	yes	yes	2.7	
	475	65.3	70.6	68.9	72.8	73	70	yes	yes	yes	yes	2.8	
	476	64.6	70.0	64.5	71.1	71	70	yes	yes	yes	yes	1.1	
	477	64.6	69.9	66.5	71.5	72	70	yes	yes	yes	yes	1.5	
	478	64.2	69.5	62.6	70.3	70	70	no	yes	no	no	N/A	N/A
	479	63.9	69.2	64.4	70.5	71	70	yes	yes	yes	yes	0.5	
	480	64.8	70.2	67.7	72.1	72	70	yes	yes	yes	yes	2.1	
	491	64.8	70.2	67.8	72.1	72	70	yes	yes	yes	yes	2.1	
	492	64.4	69.9	63.7	70.8	71	70	yes	yes	no	no	N/A	N/A
	493	63.9	69.3	56.9	69.6	70	70	no	yes	no	no	N/A	N/A
	494	37.0	42.1	40.2	44.2	44	70	no	yes	yes	no	N/A	N/A
	495	44.4	50.1	40.0	50.5	51	70	no	yes	no	no	N/A	N/A
	496	48.0	53.8	40.0	53.9	54	70	no	yes	no	no	N/A	N/A
	497	48.1	53.9	40.1	54.1	54	70	no	yes	no	no	N/A	N/A
	498	47.8	53.6	40.1	53.8	54	70	no	yes	no	no	N/A	N/A
	499	47.7	53.5	40.0	53.7	54	70	no	yes	no	no	N/A	N/A
	520	47.2	53.0	39.7	53.2	53	70	no	yes	no	no	N/A	N/A
	521	47.0	52.8	39.6	53.0	53	70	no	yes	no	no	N/A	N/A
	522	46.5	52.3	39.4	52.5	53	70	no	yes	no	no	N/A	N/A
	523	46.4	52.1	51.9	55.0	55	70	no	yes	yes	no	N/A	N/A
	524	46.8	52.5	55.3	57.2	57	70	no	yes	yes	no	N/A	N/A
	525	46.8	52.6	56.5	58.0	58	70	no	yes	yes	no	N/A	N/A
	526	47.4	53.1	51.9	55.6	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	59.4	64.6	46.2	64.7	65	70	no	yes	no	no	N/A	N/A
	932	63.4	68.9	62.0	69.7	70	70	no	yes	no	no	N/A	N/A
	933	63.8	69.2	62.4	70.0	70	70	no	yes	no	no	N/A	N/A
	934	59.6	64.7	56.1	65.2	65	70	no	yes	no	no	N/A	N/A
	935	42.3	48.0	61.3	61.5	62	70	no	yes	yes	no	N/A	N/A
	936	45.4	50.8	60.0	60.5	61	70	no	yes	yes	no	N/A	N/A
	937	45.4	50.8	62.3	62.6	63	70	no	yes	yes	no	N/A	N/A
	938	47.9	53.2	58.1	59.4	59	70	no	yes	yes	no	N/A	N/A
	939	47.8	53.1	58.8	58.4	58	70	no	yes	yes	no	N/A	N/A
	940	47.5	52.9	58.4	59.4	59	70	no	yes	yes	no	N/A	N/A
	941	47.4	52.8	59.3	60.2	60	70	no	yes	yes	no	N/A	N/A
	942	64.6	70.1	75.9	76.9	77	70	yes	yes	yes	yes	6.9	
	943	64.3	69.8	76.5	77.3	77	70	yes	yes	yes	yes	7.3	
	944	65.0	70.5	74.3	75.8	76	70	yes	yes	yes	yes	5.8	
	945	65.9	71.4	74.7	76.4	76	70	yes	yes	yes	yes	6.4	
	946	66.4	71.9	76.0	77.5	78	70	yes	yes	yes	yes	7.5	
	947	66.5	72.0	76.0	77.5	78	70	yes	yes	yes	yes	7.5	
	948	67.0	72.5	75.4	77.2	77	70	yes	yes	yes	yes	7.2	
	949	68.9	72.4	72.9	75.7	76	70	yes	yes	yes	yes	5.7	
	950	48.1	53.3	46.8	54.2	54	70	no	yes	no	no	N/A	N/A
	951	62.6	67.8	46.4	67.9	68	70	no	yes	no	no	N/A	N/A
	952	48.7	54.1	46.4	54.8	55	70	no	yes	no	no	N/A	N/A
	953	48.7	54.1	46.5	54.8	55	70	no	yes	no	no	N/A	N/A
	954	48.5	53.9	46.4	54.6	55	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.3	66.5	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.2	68.7	67.7	71.2	71	70	yes	yes	yes	yes	1.2	I
	542	63.5	69.0	68.0	71.5	72	70	yes	yes	yes	yes	1.5	I
	543	63.0	68.4	68.1	71.3	71	70	yes	yes	yes	yes	1.3	I
	544	55.8	60.8	68.1	68.8	69	70	no	yes	yes	no	N/A	N/A
	545	46.6	51.0	66.7	66.8	67	70	no	yes	yes	no	N/A	N/A
	546	42.6	47.9	39.6	48.5	49	70	no	yes	no	no	N/A	N/A
	547	43.5	48.9	39.5	49.4	49	70	no	yes	no	no	N/A	N/A
	548	41.8	47.1	39.4	47.8	48	70	no	yes	no	no	N/A	N/A
	549	42.4	47.7	39.3	48.3	48	70	no	yes	no	no	N/A	N/A
	550	44.5	49.7	39.1	50.1	50	70	no	yes	no	no	N/A	N/A
	551	44.7	50.0	38.8	50.3	50	70	no	yes	no	no	N/A	N/A
	552	44.2	49.4	38.5	49.8	50	70	no	yes	no	no	N/A	N/A
	553	37.1	42.3	38.4	43.8	44	70	no	yes	yes	no	N/A	N/A
	554	36.5	41.7	38.5	43.4	43	70	no	yes	yes	no	N/A	N/A
	555	36.4	41.6	38.5	43.4	43	70	no	yes	yes	no	N/A	N/A
	556	36.5	41.7	38.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	557	36.6	41.8	38.9	43.6	44	70	no	yes	yes	no	N/A	N/A
	558	36.6	41.8	39.0	43.6	44	70	no	yes	yes	no	N/A	N/A
	559	36.5	41.7	38.9	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.1	41.4	38.8	43.3	43	70	no	yes	yes	no	N/A	N/A
	561	36.1	41.3	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	35.7	40.9	38.8	43.0	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.6	60.6	60.7	61	70	no	yes	yes	no	N/A	N/A
	564	37.6	43.0	40.4	44.9	45	70	no	yes	yes	no	N/A	N/A
	565	37.7	43.1	40.1	44.9	45	70	no	yes	yes	no	N/A	N/A
	566	38.0	43.4	39.8	44.9	45	70	no	yes	yes	no	N/A	N/A
	591	38.1	43.5	39.9	45.1	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.5	40.2	45.1	45	70	no	yes	yes	no	N/A	N/A
	593	38.1	43.5	40.1	45.2	45	70	no	yes	yes	no	N/A	N/A
	594	63.9	69.3	67.5	71.5	72	70	yes	yes	yes	yes	1.5	I
	595	64.6	70.0	68.1	72.2	72	70	yes	yes	yes	yes	2.2	I
	596	64.4	69.8	68.0	72.0	72	70	yes	yes	yes	yes	2	I
	597	64.5	69.9	67.9	72.0	72	70	yes	yes	yes	yes	2	I
	598	63.8	69.3	67.4	71.5	72	70	yes	yes	yes	yes	1.5	I
	599	63.2	68.6	62.6	69.6	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.9	44.1	37.6	45.0	45	70	no	yes	no	no	N/A	N/A
	702	38.9	44.1	37.9	45.0	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.2	38.0	45.1	45	70	no	yes	no	no	N/A	N/A
	704	41.1	46.5	46.2	49.3	49	70	no	yes	yes	no	N/A	N/A
	705	45.2	50.4	42.4	51.1	51	70	no	yes	no	no	N/A	N/A
	706	45.3	50.4	58.1	58.8	59	70	no	yes	yes	no	N/A	N/A
	707	45.4	50.5	60.9	61.3	61	70	no	yes	yes	no	N/A	N/A
	708	45.6	50.6	60.5	60.9	61	70	no	yes	yes	no	N/A	N/A
	709	45.2	50.2	37.9	50.4	50	70	no	yes	no	no	N/A	N/A
	710	42.9	47.6	60.5	60.7	61	70	no	yes	yes	no	N/A	N/A
	735	45.4	50.4	59.8	60.3	60	70	no	yes	yes	no	N/A	N/A
	736	45.6	50.6	56.7	57.6	58	70	no	yes	yes	no	N/A	N/A
	737	45.4	50.4	51.3	53.9	54	70	no	yes	yes	no	N/A	N/A
	738	45.7	50.8	46.2	52.1	52	70	no	yes	yes	no	N/A	N/A
	739	45.4	50.4	46.0	51.7	52	70	no	yes	yes	no	N/A	N/A
	740	42.9	47.7	37.2	48.1	48	70	no	yes	no	no	N/A	N/A
	741	43.5	48.4	37.2	48.7	49	70	no	yes	no	no	N/A	N/A
	742	42.6	47.3	37.2	47.7	48	70	no	yes	no	no	N/A	N/A
	743	42.4	47.2	37.2	47.6	48	70	no	yes	no	no	N/A	N/A
	744	43.9	48.9	36.9	49.2	49	70	no	yes	no	no	N/A	N/A
	745	43.9	48.9	36.9	49.1	49	70	no	yes	no	no	N/A	N/A
	746	40.8	46.0	36.6	46.5	47	70	no	yes	no	no	N/A	N/A
	747	38.5	43.5	36.6	44.4	44	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	37.1	44.9	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.8	37.1	45.4	45	70	no	yes	no	no	N/A	N/A
	754	39.8	44.3	37.2	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	37.1	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.9	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.9	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.7	36.9	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.2	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.1	37.4	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.2	37.6	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.5	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion*	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion - (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.8	48.5	52.5	53.9	54	70	no	yes	yes	no	N/A	N/A
	422	42.6	48.3	58.1	58.6	59	70	no	yes	yes	no	N/A	N/A
	423	37.9	43.4	54.5	54.8	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.3	63.3	63.4	63	70	no	yes	yes	no	N/A	N/A
	425	62.1	67.8	68.7	71.3	71	70	yes	yes	yes	yes	1.3	I
	426	61.6	67.2	69.0	71.2	71	70	yes	yes	yes	yes	1.2	I
	427	61.3	67.3	68.8	71.1	71	70	yes	yes	yes	yes	1.1	I
	428	49.6	52.5	67.8	68.0	68	70	no	yes	yes	no	N/A	N/A
	429	49.6	52.2	67.8	67.9	68	70	no	yes	yes	no	N/A	N/A
	430	49.7	52.0	70.0	70.0	70	70	no	yes	yes	no	N/A	N/A
	431	50.7	52.6	69.8	69.9	70	70	no	yes	yes	no	N/A	N/A
	432	67.4	72.7	73.7	76.2	76	70	yes	yes	yes	yes	6.2	I
	433	67.8	73.2	74.2	76.8	77	70	yes	yes	yes	yes	6.8	I
	434	67.5	73.0	70.1	74.8	75	70	yes	yes	yes	yes	4.8	I
	435	67.4	72.9	70.4	74.8	75	70	yes	yes	yes	yes	4.8	I
	436	66.9	72.3	69.0	74.0	74	70	yes	yes	yes	yes	4	I
	437	62.2	67.5	44.7	67.5	68	70	no	yes	no	no	N/A	N/A
	438	61.4	67.0	68.0	70.5	71	70	yes	yes	yes	yes	0.5	I
	439	66.6	72.1	69.4	74.0	74	70	yes	yes	yes	yes	4.0	I
	440	67.1	72.6	71.2	74.9	75	70	yes	yes	yes	yes	4.9	I
	441	67.0	72.5	68.7	74.0	74	70	yes	yes	yes	yes	4.0	I
	442	66.9	72.3	69.9	74.3	74	70	yes	yes	yes	yes	4.3	I
	443	66.4	71.9	66.1	72.9	73	70	yes	yes	yes	yes	2.9	I
	444	36.9	42.2	43.0	45.6	46	70	no	yes	yes	no	N/A	N/A
	445	36.8	42.1	43.0	45.6	46	70	no	yes	yes	no	N/A	N/A
	446	36.5	41.8	42.9	45.4	45	70	no	yes	yes	no	N/A	N/A
	447	42.6	48.3	43.0	49.4	49	70	no	yes	yes	no	N/A	N/A
	448	38.1	43.3	42.5	46.0	46	70	no	yes	yes	no	N/A	N/A
	449	36.0	41.2	42.4	44.9	45	70	no	yes	yes	no	N/A	N/A
	450	50.5	55.8	42.0	56.0	58	70	no	yes	no	no	N/A	N/A
	451	41.4	47.0	59.6	59.9	60	70	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	60.6	60.9	61	70	no	yes	yes	no	N/A	N/A
	453	42.4	48.1	60.5	60.7	61	70	no	yes	yes	no	N/A	N/A
	454	42.8	48.5	56.6	57.2	57	70	no	yes	yes	no	N/A	N/A
	455	43.0	48.7	52.4	53.9	54	70	no	yes	yes	no	N/A	N/A
	456	43.0	48.7	43.7	49.9	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.5	51.3	40.3	51.6	52	70	no	yes	no	no	N/A	N/A
	462	35.4	40.6	52.1	52.4	52	70	no	yes	yes	no	N/A	N/A
	463	35.4	40.7	52.1	52.4	52	70	no	yes	yes	no	N/A	N/A
	464	35.3	40.5	62.4	62.5	63	70	no	yes	yes	no	N/A	N/A
	465	63.6	69.1	62.8	70.0	70	70	no	yes	no	no	N/A	N/A
	466	62.4	68.2	63.2	69.4	69	70	no	yes	yes	no	N/A	N/A
	467	62.8	68.6	63.9	69.8	70	70	no	yes	yes	no	N/A	N/A
	468	49.8	54.3	64.6	64.9	65	70	no	yes	yes	no	N/A	N/A
	469	48.6	53.4	62.4	63.0	63	70	no	yes	yes	no	N/A	N/A
	470	48.9	54.7	54.7	57.7	58	70	no	yes	yes	no	N/A	N/A
	471	48.1	53.3	63.5	63.9	64	70	no	yes	yes	no	N/A	N/A
	472	50.0	54.7	64.9	65.3	65	70	no	yes	yes	no	N/A	N/A
	473	50.0	54.8	65.4	65.7	66	70	no	yes	yes	no	N/A	N/A
	474	65.7	71.0	67.7	72.7	73	70	yes	yes	yes	yes	2.7	I
	475	65.3	70.6	69.0	72.9	73	70	yes	yes	yes	yes	2.9	I
	476	64.7	70.0	64.6	71.1	71	70	yes	yes	yes	yes	1.1	I
	477	64.6	69.9	66.6	71.6	72	70	yes	yes	yes	yes	1.6	I
	478	64.2	69.6	62.6	70.4	70	70	no	yes	no	no	N/A	N/A
	479	63.9	69.3	64.4	70.5	71	70	yes	yes	yes	yes	0.5	I
	480	64.7	70.1	67.7	72.1	72	70	yes	yes	yes	yes	2.1	I
	491	64.7	70.1	67.7	72.1	72	70	yes	yes	yes	yes	2.1	I
	492	64.5	69.9	63.7	70.8	71	70	yes	yes	no	no	N/A	N/A
	493	63.9	69.3	56.9	69.6	70	70	no	yes	no	no	N/A	N/A
	494	36.9	42.0	40.2	44.2	44	70	no	yes	yes	no	N/A	N/A
	495	44.4	50.1	40.0	50.5	51	70	no	yes	no	no	N/A	N/A
	496	48.0	53.8	40.0	53.9	54	70	no	yes	no	no	N/A	N/A
	497	48.1	53.9	40.1	54.0	54	70	no	yes	no	no	N/A	N/A
	498	47.8	53.6	40.1	53.8	54	70	no	yes	no	no	N/A	N/A
	499	47.7	53.5	40.0	53.7	54	70	no	yes	no	no	N/A	N/A
	520	47.2	53.0	39.7	53.2	53	70	no	yes	no	no	N/A	N/A
	521	47.0	52.8	39.6	53.0	53	70	no	yes	no	no	N/A	N/A
	522	46.5	52.3	39.4	52.5	53	70	no	yes	no	no	N/A	N/A
	523	46.4	52.1	51.9	55.0	55	70	no	yes	yes	no	N/A	N/A
	524	46.8	52.5	55.4	57.2	57	70	no	yes	yes	no	N/A	N/A
	525	46.8	52.6	56.6	58.1	58	70	no	yes	yes	no	N/A	N/A
	526	47.4	53.1	51.9	55.6	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	59.2	64.4	46.2	64.5	65	70	no	yes	no	no	N/A	N/A
	932	63.2	68.6	62.8	69.6	70	70	no	yes	yes	no	N/A	N/A
	933	63.5	69.0	63.2	70.0	70	70	no	yes	yes	no	N/A	N/A
	934	59.2	64.3	56.2	64.9	65	70	no	yes	no	no	N/A	N/A
	935	42.3	47.9	61.4	61.6	62	70	no	yes	yes	no	N/A	N/A
	936	45.4	50.8	60.2	60.7	61	70	no	yes	yes	no	N/A	N/A
	937	45.4	50.8	62.5	62.8	63	70	no	yes	yes	no	N/A	N/A
	938	47.9	53.2	58.2	59.4	59	70	no	yes	yes	no	N/A	N/A
	939	47.8	53.1	56.9	58.4	58	70	no	yes	yes	no	N/A	N/A
	940	47.5	52.9	58.5	59.5	60	70	no	yes	yes	no	N/A	N/A
	941	47.4	52.8	59.5	60.3	60	70	no	yes	yes	no	N/A	N/A
	942	64.4	70.0	76.3	77.2	77	70	yes	yes	yes	yes	7.2	I
	943	64.2	69.7	76.9	77.6	78	70	yes	yes	yes	yes	7.6	I
	944	64.8	70.3	74.8	76.1	76	70	yes	yes	yes	yes	6.1	I
	945	65.7	71.1	75.2	76.7	77	70	yes	yes	yes	yes	6.7	I
	946	66.2	71.6	76.6	77.8	78	70	yes	yes	yes	yes	7.8	I
	947	66.3	71.7	76.5	77.8	78	70	yes	yes	yes	yes	7.8	I
	948	66.8	72.3	75.8	77.4	77	70	yes	yes	yes	yes	7.4	I
	949	66.7	72.2	73.5	75.9	76	70	yes	yes	yes	yes	5.9	I
	950	48.1	53.3	46.7	54.2	54	70	no	yes	no	no	N/A	N/A
	951	62.3	67.6	46.4	67.6	68	70	no	yes	no	no	N/A	N/A
	952	48.7	54.1	46.3	54.7	55	70	no	yes	no	no	N/A	N/A
	953	48.7	54.1	46.5	54.8	55	70	no	yes	no	no	N/A	N/A
	954	48.5	53.9	46.4	54.6	55	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.3	66.8	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.3	68.7	68.0	71.4	71	70	yes	yes	yes	yes	1.4	I
	542	63.5	69.0	68.3	71.6	72	70	yes	yes	yes	yes	1.6	I
	543	63.0	68.5	68.4	71.4	71	70	yes	yes	yes	yes	1.4	I
	544	56.1	61.1	68.4	69.2	69	70	no	yes	yes	no	N/A	N/A
	545	48.2	52.9	67.0	67.2	67	70	no	yes	yes	no	N/A	N/A
	546	44.0	49.3	39.6	49.7	50	70	no	yes	no	no	N/A	N/A
	547	45.1	50.4	39.5	50.8	51	70	no	yes	no	no	N/A	N/A
	548	42.9	48.3	39.4	48.8	49	70	no	yes	no	no	N/A	N/A
	549	43.6	48.9	39.3	49.4	49	70	no	yes	no	no	N/A	N/A
	550	45.8	51.1	39.1	51.3	51	70	no	yes	no	no	N/A	N/A
	551	46.1	51.3	38.8	51.5	52	70	no	yes	no	no	N/A	N/A
	552	45.4	50.6	38.5	50.9	51	70	no	yes	no	no	N/A	N/A
	553	37.3	42.5	38.3	43.9	44	70	no	yes	yes	no	N/A	N/A
	554	36.6	41.8	38.4	43.5	44	70	no	yes	yes	no	N/A	N/A
	555	36.5	41.7	38.5	43.4	43	70	no	yes	yes	no	N/A	N/A
	556	36.5	41.8	38.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	557	36.7	41.9	38.9	43.7	44	70	no	yes	yes	no	N/A	N/A
	558	36.6	41.9	39.0	43.7	44	70	no	yes	yes	no	N/A	N/A
	559	36.5	41.7	38.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.2	41.4	38.8	43.3	43	70	no	yes	yes	no	N/A	N/A
	561	36.1	41.4	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	35.8	41.0	38.7	43.0	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.7	60.7	60.8	61	70	no	yes	yes	no	N/A	N/A
	564	37.6	43.0	40.5	44.9	45	70	no	yes	yes	no	N/A	N/A
	565	37.7	43.1	40.1	44.9	45	70	no	yes	yes	no	N/A	N/A
	566	38.0	43.4	39.8	45.0	45	70	no	yes	yes	no	N/A	N/A
	591	38.1	43.5	39.9	45.1	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.5	40.2	45.2	45	70	no	yes	yes	no	N/A	N/A
	593	38.2	43.6	40.1	45.2	45	70	no	yes	yes	no	N/A	N/A
	594	63.9	69.3	67.7	71.6	72	70	yes	yes	yes	yes	1.6	I
	595	64.6	70.0	68.3	72.3	72	70	yes	yes	yes	yes	2.3	I
	596	64.4	69.8	68.2	72.1	72	70	yes	yes	yes	yes	2.1	I
	597	64.5	70.0	68.1	72.2	72	70	yes	yes	yes	yes	2.2	I
	598	63.9	69.3	67.6	71.6	72	70	yes	yes	yes	yes	1.6	I
	599	63.3	68.7	62.8	69.7	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.9	44.2	37.6	45.0	45	70	no	yes	no	no	N/A	N/A
	702	38.9	44.1	37.9	45.1	45	70	no	yes	yes	no	N/A	N/A
	703	39.0	44.2	38.0	45.1	45	70	no	yes	no	no	N/A	N/A
	704	42.0	47.3	46.2	49.8	50	70	no	yes	yes	no	N/A	N/A
	705	46.4	51.6	43.4	52.2	52	70	no	yes	no	no	N/A	N/A
	706	46.4	51.5	58.6	59.4	59	70	no	yes	yes	no	N/A	N/A
	707	46.6	51.7	61.6	62.0	62	70	no	yes	yes	no	N/A	N/A
	708	46.6	51.6	60.9	61.4	61	70	no	yes	yes	no	N/A	N/A
	709	46.2	51.2	37.9	51.4	51	70	no	yes	no	no	N/A	N/A
	710	43.4	48.0	60.8	61.0	61	70	no	yes	yes	no	N/A	N/A
	735	46.5	51.5	59.9	60.5	61	70	no	yes	yes	no	N/A	N/A
	736	46.7	51.8	57.0	58.1	58	70	no	yes	yes	no	N/A	N/A
	737	46.6	51.6	52.3	55.0	55	70	no	yes	yes	no	N/A	N/A
	738	47.1	52.2	48.1	53.6	54	70	no	yes	yes	no	N/A	N/A
	739	46.8	51.9	47.9	53.3	53	70	no	yes	yes	no	N/A	N/A
	740	43.6	48.5	37.3	48.8	49	70	no	yes	no	no	N/A	N/A
	741	44.4	49.4	37.4	49.7	50	70	no	yes	no	no	N/A	N/A
	742	43.2	48.0	37.3	48.4	48	70	no	yes	no	no	N/A	N/A
	743	43.1	48.0	37.3	48.4	48	70	no	yes	no	no	N/A	N/A
	744	45.0	50.1	37.0	50.3	50	70	no	yes	no	no	N/A	N/A
	745	44.8	49.9	37.0	50.1	50	70	no	yes	no	no	N/A	N/A
	746	41.7	46.9	36.7	47.3	47	70	no	yes	no	no	N/A	N/A
	747	38.8	43.9	36.7	44.6	45	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	37.1	45.0	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.8	37.1	45.5	46	70	no	yes	no	no	N/A	N/A
	754	39.8	44.3	37.1	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	37.1	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.9	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	36.9	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.2	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.1	37.4	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.6	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.5	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{10(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion - (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.8	48.5	52.5	53.9	54	70	no	yes	yes	no	N/A	N/A
	422	42.6	48.3	58.3	58.7	59	70	no	yes	yes	no	N/A	N/A
	423	37.9	43.4	54.5	54.8	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.3	63.5	63.5	64	70	no	yes	yes	no	N/A	N/A
	425	61.9	67.7	69.0	71.4	71	70	yes	yes	yes	yes	1.4	
	426	61.5	67.1	69.3	71.4	71	70	yes	yes	yes	yes	1.4	
	427	61.2	67.2	69.2	71.3	71	70	yes	yes	yes	yes	1.3	
	428	49.6	52.5	68.1	68.3	68	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.2	68.1	68.3	68	70	no	yes	yes	no	N/A	N/A
	430	49.7	52.0	70.4	70.4	70	70	no	yes	yes	no	N/A	N/A
	431	50.7	52.6	70.2	70.2	70	70	no	yes	yes	no	N/A	N/A
	432	67.2	72.6	74.1	76.4	76	70	yes	yes	yes	yes	6.4	
	433	67.7	73.1	74.5	76.9	77	70	yes	yes	yes	yes	6.9	
	434	67.4	72.9	70.5	74.9	75	70	yes	yes	yes	yes	4.9	
	435	67.4	72.8	70.8	74.9	75	70	yes	yes	yes	yes	4.9	
	436	66.8	72.3	69.4	74.1	74	70	yes	yes	yes	yes	4.1	
	437	62.1	67.4	44.7	67.4	67	70	no	yes	no	no	N/A	N/A
	438	61.3	66.9	68.4	70.7	71	70	yes	yes	yes	yes	0.7	
	439	66.6	72.1	69.7	74.1	74	70	yes	yes	yes	yes	4.1	
	440	67.0	72.4	71.6	75.0	75	70	yes	yes	yes	yes	5.0	
	441	66.9	72.4	69.1	74.0	74	70	yes	yes	yes	yes	4.0	
	442	66.8	72.2	70.3	74.4	74	70	yes	yes	yes	yes	4.4	
	443	66.4	71.8	66.5	72.9	73	70	yes	yes	yes	yes	2.9	
	444	36.9	42.2	43.0	45.6	46	70	no	yes	yes	no	N/A	N/A
	445	36.8	42.1	42.9	45.5	46	70	no	yes	yes	no	N/A	N/A
	446	36.5	41.8	42.9	45.4	45	70	no	yes	yes	no	N/A	N/A
	447	42.6	48.2	42.9	49.4	49	70	no	yes	yes	no	N/A	N/A
	448	38.7	44.0	42.5	46.3	46	70	no	yes	yes	no	N/A	N/A
	449	35.9	41.2	42.4	44.8	45	70	no	yes	yes	no	N/A	N/A
	450	50.6	55.9	42.0	56.1	56	70	no	yes	no	no	N/A	N/A
	451	41.4	47.0	59.8	60.0	60	70	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	60.8	61.0	61	70	no	yes	yes	no	N/A	N/A
	453	42.4	48.0	60.7	60.9	61	70	no	yes	yes	no	N/A	N/A
	454	42.8	48.5	56.7	57.3	57	70	no	yes	yes	no	N/A	N/A
	455	43.0	48.7	52.5	54.0	54	70	no	yes	yes	no	N/A	N/A
	456	43.0	48.7	43.7	49.9	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.5	51.3	40.3	51.6	52	70	no	yes	no	no	N/A	N/A
	462	35.3	40.5	52.2	52.5	53	70	no	yes	yes	no	N/A	N/A
	463	35.4	40.6	52.2	52.5	53	70	no	yes	yes	no	N/A	N/A
	464	35.3	40.5	62.5	62.6	63	70	no	yes	yes	no	N/A	N/A
	465	63.5	69.0	62.9	70.0	70	70	no	yes	yes	no	N/A	N/A
	466	62.3	68.0	63.3	69.3	69	70	no	yes	yes	no	N/A	N/A
	467	62.7	68.5	64.0	69.8	70	70	no	yes	yes	no	N/A	N/A
	468	49.7	54.2	64.6	65.0	65	70	no	yes	yes	no	N/A	N/A
	469	48.6	53.4	62.6	63.1	63	70	no	yes	yes	no	N/A	N/A
	470	48.9	54.7	54.8	57.8	58	70	no	yes	yes	no	N/A	N/A
	471	48.1	53.3	63.7	64.1	64	70	no	yes	yes	no	N/A	N/A
	472	50.0	54.7	65.1	65.5	66	70	no	yes	yes	no	N/A	N/A
	473	50.0	54.8	65.6	65.9	66	70	no	yes	yes	no	N/A	N/A
	474	65.6	71.0	68.0	72.7	73	70	yes	yes	yes	yes	2.7	
	475	65.3	70.6	69.2	73.0	73	70	yes	yes	yes	yes	3.0	
	476	64.7	70.0	64.8	71.2	71	70	yes	yes	yes	yes	1.2	
	477	64.6	69.9	66.7	71.6	72	70	yes	yes	yes	yes	1.6	
	478	64.2	69.6	62.8	70.4	70	70	no	yes	no	no	N/A	N/A
	479	63.9	69.3	64.5	70.5	71	70	yes	yes	yes	yes	0.5	
	480	64.6	70.0	67.9	72.1	72	70	yes	yes	yes	yes	2.1	
	491	64.7	70.0	67.9	72.1	72	70	yes	yes	yes	yes	2.1	
	492	64.4	69.8	63.8	70.8	71	70	yes	yes	yes	yes	0.8	
	493	63.8	69.2	57.0	69.5	70	70	no	yes	no	no	N/A	N/A
	494	36.9	42.0	40.1	44.2	44	70	no	yes	yes	no	N/A	N/A
	495	44.4	50.1	40.0	50.5	51	70	no	yes	no	no	N/A	N/A
	496	48.0	53.8	40.0	53.9	54	70	no	yes	no	no	N/A	N/A
	497	48.1	53.9	40.1	54.0	54	70	no	yes	no	no	N/A	N/A
	498	47.8	53.6	40.1	53.8	54	70	no	yes	no	no	N/A	N/A
	499	47.7	53.5	40.0	53.7	54	70	no	yes	no	no	N/A	N/A
	520	47.2	53.0	39.6	53.2	53	70	no	yes	no	no	N/A	N/A
	521	47.0	52.8	39.6	53.0	53	70	no	yes	no	no	N/A	N/A
	522	46.5	52.3	39.4	52.5	53	70	no	yes	no	no	N/A	N/A
	523	46.4	52.1	52.0	55.1	55	70	no	yes	yes	no	N/A	N/A
	524	46.8	52.5	55.5	57.3	57	70	no	yes	yes	no	N/A	N/A
	525	46.9	52.6	56.7	58.1	58	70	no	yes	yes	no	N/A	N/A
	526	47.4	53.1	52.1	55.6	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	58.9	64.2	46.2	64.2	64	70	no	yes	no	no	N/A	N/A
	932	63.0	68.4	63.3	69.6	70	70	no	yes	yes	no	N/A	N/A
	933	63.3	68.7	63.7	69.9	70	70	no	yes	yes	no	N/A	N/A
	934	58.7	63.9	56.2	64.6	65	70	no	yes	no	no	N/A	N/A
	935	42.3	47.9	61.6	61.8	62	70	no	yes	yes	no	N/A	N/A
	936	45.4	50.8	60.4	60.8	61	70	no	yes	yes	no	N/A	N/A
	937	45.4	50.8	62.7	63.0	63	70	no	yes	yes	no	N/A	N/A
	938	47.9	53.2	58.3	59.5	60	70	no	yes	yes	no	N/A	N/A
	939	47.8	53.1	57.0	58.5	59	70	no	yes	yes	no	N/A	N/A
	940	47.5	52.9	58.6	59.6	60	70	no	yes	yes	no	N/A	N/A
	941	47.4	52.8	59.6	60.5	61	70	no	yes	yes	no	N/A	N/A
	942	64.3	69.8	76.4	77.3	77	70	yes	yes	yes	yes	7.3	
	943	64.1	69.6	77.0	77.7	78	70	yes	yes	yes	yes	7.7	
	944	64.7	70.2	75.0	76.2	76	70	yes	yes	yes	yes	6.2	
	945	65.4	70.9	75.5	76.8	77	70	yes	yes	yes	yes	6.8	
	946	65.9	71.4	76.8	77.9	78	70	yes	yes	yes	yes	7.9	
	947	66.0	71.5	76.8	77.9	78	70	yes	yes	yes	yes	7.9	
	948	66.6	72.1	76.1	77.6	78	70	yes	yes	yes	yes	7.6	
	949	66.5	72.1	73.8	76.0	76	70	yes	yes	yes	yes	6.0	
	950	48.0	53.3	46.7	54.1	54	70	no	yes	no	no	N/A	N/A
	951	62.1	67.4	46.3	67.4	67	70	no	yes	no	no	N/A	N/A
	952	48.7	54.1	46.3	54.7	55	70	no	yes	no	no	N/A	N/A
	953	48.7	54.0	46.4	54.7	55	70	no	yes	no	no	N/A	N/A
	954	48.5	53.9	46.4	54.6	55	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.4	67.1	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.3	68.7	68.3	71.5	72	70	yes	yes	yes	yes	1.5	I
	542	63.5	69.0	68.6	71.8	72	70	yes	yes	yes	yes	1.8	I
	543	63.1	68.5	68.6	71.6	72	70	yes	yes	yes	yes	1.6	I
	544	56.5	61.5	68.7	69.4	69	70	no	yes	yes	no	N/A	N/A
	545	50.0	54.8	67.4	67.6	68	70	no	yes	yes	no	N/A	N/A
	546	45.4	50.7	39.6	51.0	51	70	no	yes	no	no	N/A	N/A
	547	46.6	52.0	39.4	52.2	52	70	no	yes	no	no	N/A	N/A
	548	44.1	49.5	39.4	49.9	50	70	no	yes	no	no	N/A	N/A
	549	44.9	50.2	39.3	50.5	51	70	no	yes	no	no	N/A	N/A
	550	47.2	52.4	39.0	52.6	53	70	no	yes	no	no	N/A	N/A
	551	47.5	52.7	38.8	52.9	53	70	no	yes	no	no	N/A	N/A
	552	46.9	52.0	38.4	52.2	52	70	no	yes	no	no	N/A	N/A
	553	37.4	42.7	38.3	44.0	44	70	no	yes	yes	no	N/A	N/A
	554	36.6	41.9	38.4	43.5	44	70	no	yes	yes	no	N/A	N/A
	555	36.5	41.7	38.5	43.4	43	70	no	yes	yes	no	N/A	N/A
	556	36.5	41.8	38.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	557	36.7	41.9	38.9	43.7	44	70	no	yes	yes	no	N/A	N/A
	558	36.6	41.9	38.9	43.7	44	70	no	yes	yes	no	N/A	N/A
	559	36.5	41.7	38.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.2	41.4	38.8	43.3	43	70	no	yes	yes	no	N/A	N/A
	561	36.2	41.4	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	35.8	41.0	38.7	43.0	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.7	60.8	60.9	61	70	no	yes	yes	no	N/A	N/A
	564	37.6	43.0	40.6	45.0	45	70	no	yes	yes	no	N/A	N/A
	565	37.8	43.1	40.1	44.9	45	70	no	yes	yes	no	N/A	N/A
	566	38.0	43.4	39.7	45.0	45	70	no	yes	yes	no	N/A	N/A
	591	38.1	43.5	39.9	45.1	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.5	40.2	45.2	45	70	no	yes	yes	no	N/A	N/A
	593	38.2	43.6	40.1	45.2	45	70	no	yes	yes	no	N/A	N/A
	594	63.8	69.3	67.9	71.6	72	70	yes	yes	yes	yes	1.6	I
	595	64.5	70.0	68.5	72.3	72	70	yes	yes	yes	yes	2.3	I
	596	64.4	69.8	68.5	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	64.5	70.0	68.4	72.3	72	70	yes	yes	yes	yes	2.3	I
	598	63.9	69.3	67.9	71.7	72	70	yes	yes	yes	yes	1.7	I
	599	63.3	68.7	63.0	69.8	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	39.0	44.2	37.6	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.9	45.1	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.2	38.0	45.2	45	70	no	yes	yes	no	N/A	N/A
	704	43.2	48.4	46.2	50.4	50	70	no	yes	yes	no	N/A	N/A
	705	47.8	52.8	44.6	53.5	54	70	no	yes	no	no	N/A	N/A
	706	47.7	52.7	59.0	59.9	60	70	no	yes	yes	no	N/A	N/A
	707	48.0	52.9	61.9	62.4	62	70	no	yes	yes	no	N/A	N/A
	708	48.0	52.9	61.3	61.8	62	70	no	yes	yes	no	N/A	N/A
	709	47.4	52.3	37.9	52.5	53	70	no	yes	no	no	N/A	N/A
	710	44.1	48.4	61.1	61.3	61	70	no	yes	yes	no	N/A	N/A
	735	47.8	52.7	60.1	60.9	61	70	no	yes	yes	no	N/A	N/A
	736	48.2	53.1	57.6	58.9	59	70	no	yes	yes	no	N/A	N/A
	737	48.1	52.9	53.8	56.4	56	70	no	yes	yes	no	N/A	N/A
	738	48.7	53.8	50.4	55.4	55	70	no	yes	yes	no	N/A	N/A
	739	48.4	53.5	50.1	55.2	55	70	no	yes	yes	no	N/A	N/A
	740	44.5	49.4	37.4	49.7	50	70	no	yes	no	no	N/A	N/A
	741	45.4	50.5	37.5	50.7	51	70	no	yes	no	no	N/A	N/A
	742	43.9	48.8	37.4	49.1	49	70	no	yes	no	no	N/A	N/A
	743	43.9	48.8	37.3	49.1	49	70	no	yes	no	no	N/A	N/A
	744	46.3	51.3	37.1	51.5	52	70	no	yes	no	no	N/A	N/A
	745	45.8	50.9	37.0	51.1	51	70	no	yes	no	no	N/A	N/A
	746	42.5	47.8	36.8	48.1	48	70	no	yes	no	no	N/A	N/A
	747	39.2	44.3	36.7	45.0	45	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	36.9	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	37.1	45.0	45	70	no	yes	no	no	N/A	N/A
	753	40.4	44.8	37.2	45.5	46	70	no	yes	no	no	N/A	N/A
	754	39.9	44.3	37.1	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	37.0	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	36.9	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.2	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.2	37.4	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.6	46.0	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.5	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀	2021 "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.8	48.5	52.5	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.6	48.3	58.4	58.8	59	70	no	yes	yes	no	N/A	N/A
	423	37.9	43.4	54.5	54.9	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.3	63.6	63.7	64	70	no	yes	yes	no	N/A	N/A
	425	61.9	67.6	69.2	71.5	72	70	yes	yes	yes	yes	1.5	I
	426	61.4	67.0	69.7	71.6	72	70	yes	yes	yes	yes	1.6	I
	427	61.1	67.1	69.4	71.4	71	70	yes	yes	yes	yes	1.4	I
	428	49.6	52.5	68.4	68.5	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.2	68.4	68.5	69	70	no	yes	yes	no	N/A	N/A
	430	49.7	51.9	70.6	70.7	71	70	yes	yes	yes	yes	0.7	I
	431	50.7	52.6	70.4	70.5	71	70	yes	yes	yes	yes	0.5	I
	432	67.1	72.5	74.3	76.5	77	70	yes	yes	yes	yes	6.5	I
	433	67.6	73.0	74.8	77.0	77	70	yes	yes	yes	yes	7	I
	434	67.3	72.8	70.8	74.9	75	70	yes	yes	yes	yes	4.9	I
	435	67.3	72.7	71.1	75.0	75	70	yes	yes	yes	yes	5	I
	436	66.7	72.1	69.7	74.1	74	70	no	yes	no	no	N/A	N/A
	437	62.0	67.3	44.6	67.3	67	70	no	yes	no	no	N/A	N/A
	438	61.2	66.8	68.7	70.9	71	70	yes	yes	yes	yes	0.9	I
	439	66.5	72.0	70.1	74.1	74	70	yes	yes	yes	yes	4.1	I
	440	66.9	72.3	71.9	75.1	75	70	yes	yes	yes	yes	5.1	I
	441	66.8	72.2	69.4	74.1	74	70	yes	yes	yes	yes	4.1	I
	442	66.7	72.1	70.5	74.4	74	70	yes	yes	yes	yes	4.4	I
	443	66.2	71.6	66.9	72.9	73	70	yes	yes	yes	yes	2.9	I
	444	36.8	42.1	43.0	45.6	46	70	no	yes	yes	no	N/A	N/A
	445	36.7	42.0	42.9	45.5	46	70	no	yes	yes	no	N/A	N/A
	446	36.5	41.7	42.9	45.3	45	70	no	yes	yes	no	N/A	N/A
	447	42.6	48.2	43.0	49.4	49	70	no	yes	yes	no	N/A	N/A
	448	39.6	44.8	42.5	46.8	47	70	no	yes	yes	no	N/A	N/A
	449	35.9	41.1	42.3	44.8	45	70	no	yes	yes	no	N/A	N/A
	450	50.6	55.9	42.0	56.0	56	70	no	yes	no	no	N/A	N/A
	451	41.3	47.0	60.0	60.2	60	70	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	61.0	61.3	61	70	no	yes	yes	no	N/A	N/A
	453	42.4	48.0	60.9	61.2	61	70	no	yes	yes	no	N/A	N/A
	454	42.8	48.5	57.0	57.5	58	70	no	yes	yes	no	N/A	N/A
	455	42.9	48.6	53.4	54.7	55	70	no	yes	yes	no	N/A	N/A
	456	43.0	48.7	43.7	49.9	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.5	51.2	40.3	51.6	52	70	no	yes	no	no	N/A	N/A
	462	35.3	40.5	52.4	52.6	53	70	no	yes	yes	no	N/A	N/A
	463	35.3	40.5	52.4	52.6	53	70	no	yes	yes	no	N/A	N/A
	464	35.2	40.5	62.6	62.6	63	70	no	yes	yes	no	N/A	N/A
	465	63.4	68.9	63.1	69.9	70	70	no	yes	yes	no	N/A	N/A
	466	62.1	67.9	63.5	69.2	69	70	no	yes	yes	no	N/A	N/A
	467	62.5	68.3	64.2	69.7	70	70	no	yes	yes	no	N/A	N/A
	468	49.7	54.2	64.8	65.2	65	70	no	yes	yes	no	N/A	N/A
	469	48.6	53.4	62.8	63.3	63	70	no	yes	yes	no	N/A	N/A
	470	48.9	54.7	54.9	57.8	58	70	no	yes	yes	no	N/A	N/A
	471	48.1	53.3	63.9	64.3	64	70	no	yes	yes	no	N/A	N/A
	472	50.0	54.7	65.4	65.7	66	70	no	yes	yes	no	N/A	N/A
	473	50.1	54.8	65.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	474	65.5	70.9	68.2	72.8	73	70	yes	yes	yes	yes	2.8	I
	475	65.3	70.5	69.5	73.1	73	70	yes	yes	yes	yes	3.1	I
	476	64.6	70.0	65.1	71.2	71	70	yes	yes	yes	yes	1.2	I
	477	64.6	69.9	67.0	71.7	72	70	yes	yes	yes	yes	1.7	I
	478	64.2	69.6	63.1	70.5	71	70	yes	yes	no	no	N/A	N/A
	479	63.9	69.3	64.7	70.6	71	70	yes	yes	yes	yes	0.6	I
	480	64.6	69.9	68.1	72.1	72	70	yes	yes	yes	yes	2.1	I
	491	64.6	69.9	68.2	72.1	72	70	yes	yes	yes	yes	2.1	I
	492	64.3	69.7	64.1	70.8	71	70	yes	yes	yes	yes	0.8	I
	493	63.7	69.1	57.2	69.4	69	70	no	yes	no	no	N/A	N/A
	494	36.8	41.9	40.1	44.1	44	70	no	yes	yes	no	N/A	N/A
	495	44.4	50.1	40.0	50.5	51	70	no	yes	no	no	N/A	N/A
	496	48.0	53.8	39.9	53.9	54	70	no	yes	no	no	N/A	N/A
	497	48.1	53.9	40.1	54.0	54	70	no	yes	no	no	N/A	N/A
	498	47.8	53.6	40.1	53.8	54	70	no	yes	no	no	N/A	N/A
	499	47.6	53.4	40.0	53.6	54	70	no	yes	no	no	N/A	N/A
	520	47.2	52.9	39.6	53.1	53	70	no	yes	no	no	N/A	N/A
	521	47.0	52.8	39.6	53.0	53	70	no	yes	no	no	N/A	N/A
	522	46.5	52.2	39.4	52.4	52	70	no	yes	no	no	N/A	N/A
	523	46.4	52.1	52.2	55.2	55	70	no	yes	yes	no	N/A	N/A
	524	46.7	52.5	55.6	57.3	57	70	no	yes	yes	no	N/A	N/A
	525	46.8	52.6	58.8	58.2	58	70	no	yes	yes	no	N/A	N/A
	526	47.3	53.1	52.2	55.7	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	58.7	64.0	46.1	64.0	64	70	no	yes	no	no	N/A	N/A
	932	62.7	68.2	63.5	69.5	70	70	no	yes	yes	no	N/A	N/A
	933	63.1	68.5	64.0	69.8	70	70	no	yes	yes	no	N/A	N/A
	934	58.4	63.5	56.2	64.2	64	70	no	yes	no	no	N/A	N/A
	935	42.2	47.9	61.8	62.0	62	70	no	yes	yes	no	N/A	N/A
	936	45.4	50.8	60.6	61.0	61	70	no	yes	yes	no	N/A	N/A
	937	45.4	50.8	62.9	63.1	63	70	no	yes	yes	no	N/A	N/A
	938	47.8	53.2	58.5	59.6	60	70	no	yes	yes	no	N/A	N/A
	939	47.8	53.1	57.0	58.5	59	70	no	yes	yes	no	N/A	N/A
	940	47.5	52.8	58.8	59.7	60	70	no	yes	yes	no	N/A	N/A
	941	47.4	52.8	59.9	60.6	61	70	no	yes	yes	no	N/A	N/A
	942	64.2	69.7	76.4	77.3	77	70	yes	yes	yes	yes	7.3	I
	943	64.0	69.5	77.0	77.7	78	70	yes	yes	yes	yes	7.7	I
	944	64.5	70.0	75.1	76.2	76	70	yes	yes	yes	yes	6.2	I
	945	65.2	70.6	75.6	76.8	77	70	yes	yes	yes	yes	6.8	I
	946	65.7	71.2	76.8	77.9	78	70	yes	yes	yes	yes	7.9	I
	947	65.8	71.3	76.8	77.9	78	70	yes	yes	yes	yes	7.9	I
	948	66.3	71.9	76.2	77.6	78	70	yes	yes	yes	yes	7.6	I
	949	66.3	71.9	73.9	76.0	76	70	yes	yes	yes	yes	6.0	I
	950	48.0	53.9	46.6	54.1	54	70	no	yes	no	no	N/A	N/A
	951	61.9	67.1	46.3	67.2	67	70	no	yes	no	no	N/A	N/A
	952	48.7	54.1	46.2	54.7	55	70	no	yes	no	no	N/A	N/A
	953	48.6	54.0	46.4	54.7	55	70	no	yes	no	no	N/A	N/A
	954	48.5	53.8	46.3	54.5	55	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.4	67.3	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.3	68.7	68.5	71.6	72	70	yes	yes	yes	yes	1.6	I
	542	63.6	69.0	68.7	71.9	72	70	yes	yes	yes	yes	1.9	I
	543	63.1	68.6	68.8	71.7	72	70	yes	yes	yes	yes	1.7	I
	544	57.4	62.4	68.8	69.7	70	70	no	yes	yes	no	N/A	N/A
	545	52.3	57.1	67.6	68.0	68	70	no	yes	yes	no	N/A	N/A
	546	47.2	52.4	39.5	52.6	53	70	no	yes	no	no	N/A	N/A
	547	48.5	53.8	39.4	54.0	54	70	no	yes	no	no	N/A	N/A
	548	45.6	51.0	39.3	51.3	51	70	no	yes	no	no	N/A	N/A
	549	46.5	51.7	39.2	51.9	52	70	no	yes	no	no	N/A	N/A
	550	48.8	54.0	39.0	54.1	54	70	no	yes	no	no	N/A	N/A
	551	49.2	54.3	38.8	54.4	54	70	no	yes	no	no	N/A	N/A
	552	48.5	53.6	38.4	53.7	54	70	no	yes	no	no	N/A	N/A
	553	37.6	42.8	38.3	44.2	44	70	no	yes	yes	no	N/A	N/A
	554	36.6	41.9	38.4	43.5	44	70	no	yes	yes	no	N/A	N/A
	555	36.5	41.7	38.5	43.4	43	70	no	yes	yes	no	N/A	N/A
	556	36.7	41.8	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	557	36.7	41.9	38.9	43.7	44	70	no	yes	yes	no	N/A	N/A
	558	36.5	41.9	38.9	43.7	44	70	no	yes	yes	no	N/A	N/A
	559	36.2	41.8	38.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.2	41.4	38.7	43.3	43	70	no	yes	yes	no	N/A	N/A
	561	35.7	41.4	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	41.4	40.9	38.7	43.0	43	70	no	yes	yes	no	N/A	N/A
	563	37.6	42.6	61.0	61.1	61	70	no	yes	yes	no	N/A	N/A
	564	37.8	43.0	40.7	45.0	45	70	no	yes	yes	no	N/A	N/A
	565	38.0	43.1	40.1	44.9	45	70	no	yes	yes	no	N/A	N/A
	566	38.2	43.4	39.7	45.0	45	70	no	yes	yes	no	N/A	N/A
	591	38.1	43.5	39.8	45.1	45	70	no	yes	yes	no	N/A	N/A
	592	38.2	43.5	40.1	45.1	45	70	no	yes	yes	no	N/A	N/A
	593	63.7	43.6	40.1	45.2	45	70	no	no	yes	no	N/A	N/A
	594	64.5	69.2	68.1	71.7	72	70	yes	yes	yes	yes	1.7	I
	595	64.4	69.9	68.8	72.4	72	70	yes	yes	yes	yes	2.4	I
	596	64.5	69.8	68.7	72.3	72	70	yes	yes	yes	yes	2.3	I
	597	63.9	69.9	68.6	72.3	72	70	yes	yes	yes	yes	2.3	I
	598	63.3	69.3	68.2	71.8	72	70	yes	yes	yes	yes	1.8	I
	599	39.0	68.7	63.2	69.8	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	39.0	44.2	37.5	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.8	45.1	45	70	no	yes	no	no	N/A	N/A
	703	44.6	44.2	38.0	45.2	45	70	no	no	yes	no	N/A	N/A
	704	49.4	49.7	46.2	51.3	51	70	no	yes	yes	no	N/A	N/A
	705	49.4	54.3	46.0	54.9	55	70	no	yes	no	no	N/A	N/A
	706	49.8	54.0	59.3	60.4	60	70	no	yes	yes	no	N/A	N/A
	707	49.7	54.3	62.3	63.0	63	70	no	yes	yes	no	N/A	N/A
	708	49.0	54.4	61.5	62.3	62	70	no	yes	yes	no	N/A	N/A
	709	45.1	53.7	37.9	53.8	54	70	no	yes	no	no	N/A	N/A
	710	49.5	48.9	61.4	61.7	62	70	no	yes	yes	no	N/A	N/A
	735	50.0	54.1	60.5	61.4	61	70	no	yes	yes	no	N/A	N/A
	736	49.9	54.6	58.4	59.9	60	70	no	yes	yes	no	N/A	N/A
	737	50.5	54.5	55.6	58.1	58	70	no	yes	yes	no	N/A	N/A
	738	50.3	55.5	53.4	57.6	58	70	no	yes	yes	no	N/A	N/A
	739	45.5	55.3	52.9	57.3	57	70	no	yes	yes	no	N/A	N/A
	740	46.6	50.5	37.5	50.7	51	70	no	yes	no	no	N/A	N/A
	741	44.9	51.6	37.5	51.8	52	70	no	yes	no	no	N/A	N/A
	742	44.9	49.8	37.4	50.0	50	70	no	yes	no	no	N/A	N/A
	743	47.7	49.8	37.3	50.0	50	70	no	yes	no	no	N/A	N/A
	744	46.9	52.9	37.1	53.0	53	70	no	yes	no	no	N/A	N/A
	745	43.5	52.0	37.0	52.2	52	70	no	yes	no	no	N/A	N/A
	746	39.7	48.8	36.8	49.1	49	70	no	yes	no	no	N/A	N/A
	747	39.7	44.8	36.7	45.4	45	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	36.9	44.9	45	70	no	yes	no	no	N/A	N/A
	752	40.4	44.2	37.0	45.0	45	70	no	yes	no	no	N/A	N/A
	753	39.9	44.8	37.1	45.5	46	70	no	yes	no	no	N/A	N/A
	754	40.2	44.4	37.1	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.0	44.7	37.0	45.4	45	70	no	yes	no	no	N/A	N/A
	756	39.9	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.3	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	758	40.2	43.7	36.9	44.6	45	70	no	yes	no	no	N/A	N/A
	759	40.4	44.9	37.2	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.5	45.2	37.4	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.7	45.3	37.6	46.0	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.5	46.2	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion*	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.8	48.4	52.6	54.0	54	no	yes	yes	no	N/A	N/A
	422	42.6	48.2	58.9	59.3	59	no	yes	yes	no	N/A	N/A
	423	37.9	43.2	54.7	55.0	55	no	yes	yes	no	N/A	N/A
	424	38.1	43.2	64.2	64.3	64	no	yes	yes	no	N/A	N/A
	425	61.7	67.2	69.7	71.7	72	yes	yes	yes	yes	1.7	I
	426	61.3	66.7	70.1	71.7	72	yes	yes	yes	yes	1.7	I
	427	61.0	66.8	69.9	71.6	72	yes	yes	yes	yes	1.6	I
	428	49.6	52.4	68.9	69.0	69	no	yes	yes	no	N/A	N/A
	429	49.5	52.2	68.9	69.0	69	no	yes	yes	no	N/A	N/A
	430	49.7	51.9	71.0	71.0	71	yes	yes	yes	yes	1	I
	431	50.7	52.6	70.7	70.8	71	yes	yes	yes	yes	0.8	I
	432	66.9	72.0	74.5	76.4	76	yes	yes	yes	yes	6.4	I
	433	67.4	72.5	74.9	76.9	77	yes	yes	yes	yes	6.9	I
	434	67.2	72.4	71.0	74.8	75	yes	yes	yes	yes	4.8	I
	435	67.1	72.4	71.3	74.9	75	yes	yes	yes	yes	4.9	I
	436	66.6	71.9	70.1	74.1	74	yes	yes	yes	yes	4.1	I
	437	61.9	67.0	44.5	67.0	67	no	yes	no	no	N/A	N/A
	438	61.1	66.5	69.1	71.0	71	yes	yes	yes	yes	1	I
	439	66.4	71.7	70.5	74.1	74	yes	yes	yes	yes	4.1	I
	440	66.8	72.0	72.2	75.1	75	yes	yes	yes	yes	5.1	I
	441	66.7	71.9	69.8	74.0	74	yes	yes	yes	yes	4.0	I
	442	66.6	71.7	70.9	74.3	74	yes	yes	yes	yes	4.3	I
	443	66.1	71.3	67.3	72.8	73	yes	yes	yes	yes	2.8	I
	444	36.8	41.9	42.8	45.4	45	no	yes	yes	no	N/A	N/A
	445	36.7	41.8	42.8	45.3	45	no	yes	yes	no	N/A	N/A
	446	36.4	41.5	42.8	45.2	45	no	yes	yes	no	N/A	N/A
	447	42.6	48.2	42.9	49.3	49	no	yes	yes	no	N/A	N/A
	448	40.8	49.6	42.4	50.3	50	no	yes	no	no	N/A	N/A
	449	35.9	41.0	42.3	44.7	45	no	yes	yes	no	N/A	N/A
	450	50.7	56.4	41.9	56.5	57	no	yes	no	no	N/A	N/A
	451	41.3	47.0	60.7	60.8	61	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	61.6	61.8	62	no	yes	yes	no	N/A	N/A
	453	42.3	48.0	61.5	61.7	62	no	yes	yes	no	N/A	N/A
	454	42.8	48.4	57.6	58.1	58	no	yes	yes	no	N/A	N/A
	455	42.9	48.6	53.8	54.9	55	no	yes	yes	no	N/A	N/A
	456	43.0	48.6	43.6	49.8	50	no	yes	yes	no	N/A	N/A
Block 6	461	45.5	51.2	40.2	51.5	52	no	yes	no	no	N/A	N/A
	462	35.2	40.3	53.0	53.3	53	no	yes	yes	no	N/A	N/A
	463	35.2	40.3	53.0	53.2	53	no	yes	yes	no	N/A	N/A
	464	35.2	40.3	63.1	63.2	63	no	yes	yes	no	N/A	N/A
	465	63.3	68.6	63.6	69.8	70	no	yes	yes	no	N/A	N/A
	466	62.1	67.5	64.2	69.2	69	no	yes	yes	no	N/A	N/A
	467	62.5	68.0	64.9	69.7	70	no	yes	yes	no	N/A	N/A
	468	49.8	54.3	65.4	65.8	66	no	yes	yes	no	N/A	N/A
	469	48.6	53.3	63.4	63.8	64	no	yes	yes	no	N/A	N/A
	470	48.9	54.7	55.6	58.2	58	no	yes	yes	no	N/A	N/A
	471	48.0	53.3	64.6	64.9	65	no	yes	yes	no	N/A	N/A
	472	50.0	54.7	66.0	66.3	66	no	yes	yes	no	N/A	N/A
	473	50.1	54.8	66.5	66.8	67	no	yes	yes	no	N/A	N/A
	474	65.4	70.7	68.8	72.8	73	yes	yes	yes	yes	2.8	I
	475	65.2	70.4	70.0	73.2	73	yes	yes	yes	yes	3.2	I
	476	64.6	69.9	65.6	71.3	71	yes	yes	yes	yes	1.3	I
	477	64.6	69.8	67.6	71.8	72	yes	yes	yes	yes	1.8	I
	478	64.2	69.5	63.6	70.5	71	yes	yes	yes	yes	0.5	I
	479	63.9	69.2	65.4	70.7	71	yes	yes	yes	yes	0.7	I
	480	64.5	69.7	68.7	72.2	72	yes	yes	yes	yes	2.2	I
	491	64.5	69.7	68.7	72.3	72	yes	yes	yes	yes	2.3	I
	492	64.3	69.7	64.6	70.9	71	yes	yes	yes	yes	0.9	I
	493	63.7	69.0	57.6	69.3	69	no	yes	no	no	N/A	N/A
	494	38.8	41.7	40.1	44.0	44	no	yes	yes	no	N/A	N/A
	495	44.4	50.0	39.9	50.4	50	no	yes	no	no	N/A	N/A
	496	47.9	53.7	39.9	53.8	54	no	yes	no	no	N/A	N/A
	497	48.1	53.8	40.0	54.0	54	no	yes	no	no	N/A	N/A
	498	47.8	53.6	40.1	53.8	54	no	yes	no	no	N/A	N/A
	499	47.6	53.4	40.0	53.6	54	no	yes	no	no	N/A	N/A
	520	47.2	52.9	39.6	53.1	53	no	yes	no	no	N/A	N/A
	521	47.0	52.7	39.5	52.9	53	no	yes	no	no	N/A	N/A
	522	46.5	52.2	39.3	52.4	52	no	yes	no	no	N/A	N/A
	523	46.4	52.1	52.6	55.4	55	no	yes	yes	no	N/A	N/A
	524	46.7	52.5	56.1	57.6	58	no	yes	yes	no	N/A	N/A
	525	46.8	52.5	57.4	58.6	59	no	yes	yes	no	N/A	N/A
	526	47.3	53.0	52.8	55.9	56	no	yes	yes	no	N/A	N/A
Block 9	931	58.4	63.2	45.9	63.3	63	no	yes	no	no	N/A	N/A
	932	62.5	67.5	63.6	69.0	69	no	yes	yes	no	N/A	N/A
	933	62.8	67.9	64.2	69.4	69	no	yes	yes	no	N/A	N/A
	934	58.0	62.4	56.2	63.3	63	no	yes	no	no	N/A	N/A
	935	42.2	47.7	62.2	62.3	62	no	yes	yes	no	N/A	N/A
	936	45.4	50.8	60.9	61.3	61	no	yes	yes	no	N/A	N/A
	937	45.3	50.7	63.4	63.7	64	no	yes	yes	no	N/A	N/A
	938	47.8	53.2	58.7	59.8	60	no	yes	yes	no	N/A	N/A
	939	47.7	53.1	57.2	58.6	59	no	yes	yes	no	N/A	N/A
	940	47.5	52.8	59.0	60.0	60	no	yes	yes	no	N/A	N/A
	941	47.4	52.7	60.2	60.9	61	no	yes	yes	no	N/A	N/A
	942	64.1	69.4	76.0	76.9	77	yes	yes	yes	yes	6.9	I
	943	63.9	69.2	76.7	77.4	77	yes	yes	yes	yes	7.4	I
	944	64.4	69.5	74.9	76.0	76	yes	yes	yes	yes	6.0	I
	945	65.0	70.1	75.4	76.5	77	yes	yes	yes	yes	6.5	I
	946	65.5	70.6	76.6	77.6	78	yes	yes	yes	yes	7.6	I
	947	65.6	70.7	76.6	77.6	78	yes	yes	yes	yes	7.6	I
	948	66.1	71.2	76.0	77.3	77	yes	yes	yes	yes	7.3	I
	949	66.2	71.3	73.9	75.8	76	yes	yes	yes	yes	5.8	I
	950	48.0	53.2	46.4	54.0	54	no	yes	no	no	N/A	N/A
	951	61.6	66.5	46.1	66.5	67	no	yes	no	no	N/A	N/A
	952	48.7	54.0	46.0	54.6	55	no	yes	no	no	N/A	N/A
	953	48.6	54.0	46.1	54.6	55	no	yes	no	no	N/A	N/A
	954	48.4	53.8	46.1	54.4	54	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2011 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.4	67.4	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.3	68.8	68.6	71.7	72	70	yes	yes	yes	yes	1.7	I
	542	63.7	69.1	68.8	72.0	72	70	yes	yes	yes	yes	2.0	I
	543	63.5	68.9	68.9	71.9	72	70	yes	yes	yes	yes	1.9	I
	544	59.8	64.9	69.0	70.4	70	70	no	yes	yes	no	N/A	N/A
	545	55.1	59.9	67.9	68.5	69	70	no	yes	yes	no	N/A	N/A
	546	49.4	54.5	39.5	54.6	55	70	no	yes	no	no	N/A	N/A
	547	51.1	56.4	39.4	56.4	56	70	no	yes	no	no	N/A	N/A
	548	47.6	53.1	39.3	53.2	53	70	no	yes	no	no	N/A	N/A
	549	48.6	53.7	39.2	53.8	54	70	no	yes	no	no	N/A	N/A
	550	50.8	55.8	39.0	55.9	56	70	no	yes	no	no	N/A	N/A
	551	51.1	56.1	38.8	56.2	56	70	no	yes	no	no	N/A	N/A
	552	50.5	55.4	38.4	55.5	56	70	no	yes	no	no	N/A	N/A
	553	37.7	43.0	38.3	44.2	44	70	no	yes	yes	no	N/A	N/A
	554	36.6	41.9	38.4	43.5	44	70	no	yes	yes	no	N/A	N/A
	555	36.5	41.7	38.5	43.4	43	70	no	yes	yes	no	N/A	N/A
	556	36.6	41.8	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	557	36.7	41.9	38.9	43.7	44	70	no	yes	yes	no	N/A	N/A
	558	36.7	41.9	38.9	43.7	44	70	no	yes	yes	no	N/A	N/A
	559	36.5	41.7	38.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.2	41.4	38.7	43.3	43	70	no	yes	yes	no	N/A	N/A
	561	36.1	41.4	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	35.7	40.9	38.7	43.0	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.6	61.2	61.3	61	70	no	yes	yes	no	N/A	N/A
	564	37.6	43.0	40.9	45.1	45	70	no	yes	yes	no	N/A	N/A
	565	37.7	43.1	40.1	44.9	45	70	no	yes	yes	no	N/A	N/A
	566	38.0	43.4	39.7	45.0	45	70	no	yes	yes	no	N/A	N/A
	591	38.1	43.5	39.8	45.1	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.5	40.1	45.1	45	70	no	yes	yes	no	N/A	N/A
	593	38.2	43.5	40.1	45.1	45	70	no	yes	yes	no	N/A	N/A
	594	63.7	69.1	68.3	71.7	72	70	yes	yes	yes	yes	1.7	I
	595	64.5	69.9	69.0	72.5	73	70	yes	yes	yes	yes	2.5	I
	596	64.4	69.8	68.9	72.4	72	70	yes	yes	yes	yes	2.4	I
	597	64.5	69.9	68.8	72.4	72	70	yes	yes	yes	yes	2.4	I
	598	63.9	69.3	68.3	71.9	72	70	yes	yes	yes	yes	1.9	I
	599	63.4	68.8	63.4	69.9	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	39.0	44.2	37.5	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.8	45.1	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.2	38.0	45.2	45	70	no	yes	yes	no	N/A	N/A
	704	46.5	51.4	46.2	52.5	53	70	no	yes	yes	no	N/A	N/A
	705	51.4	56.0	47.8	56.6	57	70	no	yes	no	no	N/A	N/A
	706	51.3	55.5	59.6	61.0	61	70	no	yes	yes	no	N/A	N/A
	707	52.1	56.2	62.5	63.4	63	70	no	yes	yes	no	N/A	N/A
	708	52.3	56.9	61.8	63.0	63	70	no	yes	yes	no	N/A	N/A
	709	51.1	55.5	37.9	55.6	56	70	no	yes	no	no	N/A	N/A
	710	46.7	49.5	61.8	62.1	62	70	no	yes	yes	no	N/A	N/A
	735	51.8	56.0	61.0	62.2	62	70	no	yes	yes	no	N/A	N/A
	736	52.3	56.6	59.8	61.5	62	70	no	yes	yes	no	N/A	N/A
	737	52.3	56.5	58.6	60.7	61	70	no	yes	yes	no	N/A	N/A
	738	52.7	57.5	58.2	60.9	61	70	no	yes	yes	no	N/A	N/A
	739	52.7	57.5	56.9	60.2	60	70	no	yes	yes	no	N/A	N/A
	740	46.8	51.8	37.5	51.9	52	70	no	yes	no	no	N/A	N/A
	741	47.7	52.9	37.6	53.0	53	70	no	yes	no	no	N/A	N/A
	742	45.8	50.7	37.3	50.9	51	70	no	yes	no	no	N/A	N/A
	743	46.2	51.0	37.3	51.2	51	70	no	yes	no	no	N/A	N/A
	744	50.0	55.2	37.1	55.2	55	70	no	yes	no	no	N/A	N/A
	745	48.3	53.4	37.0	53.5	54	70	no	yes	no	no	N/A	N/A
	746	44.5	49.9	36.8	50.1	50	70	no	yes	no	no	N/A	N/A
	747	40.3	45.4	36.6	46.0	46	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	37.0	45.0	45	70	no	yes	no	no	N/A	N/A
	753	40.4	44.8	37.1	45.5	46	70	no	yes	no	no	N/A	N/A
	754	39.9	44.4	37.1	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.7	37.0	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	36.9	44.6	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.2	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.2	37.3	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.6	46.0	46	70	no	yes	no	no	N/A	N/A
	778	40.8	45.5	37.5	46.2	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.8	48.5	52.5	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.6	48.2	58.8	59.2	59	70	no	yes	yes	no	N/A	N/A
	423	37.8	43.3	54.6	54.9	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.2	64.1	64.1	64	70	no	yes	yes	no	N/A	N/A
	425	61.7	67.4	69.6	71.7	72	70	yes	yes	yes	yes	1.7	!
	426	61.2	66.8	70.0	71.7	72	70	yes	yes	yes	yes	1.7	!
	427	60.9	66.9	69.8	71.6	72	70	yes	yes	yes	yes	1.6	!
	428	49.6	52.5	68.8	68.9	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.2	68.8	68.9	69	70	no	yes	yes	no	N/A	N/A
	430	49.7	51.9	70.9	70.9	71	70	yes	yes	yes	yes	0.9	!
	431	50.7	52.6	70.7	70.7	71	70	yes	yes	yes	yes	0.7	!
	432	66.8	72.2	74.5	76.5	77	70	yes	yes	yes	yes	6.5	!
	433	67.2	72.7	74.9	76.9	77	70	yes	yes	yes	yes	6.9	!
	434	67.1	72.5	71.0	74.8	75	70	yes	yes	yes	yes	4.8	!
	435	67.0	72.5	71.3	74.9	75	70	yes	yes	yes	yes	4.9	!
	436	66.5	72.0	70.0	74.1	74	70	yes	yes	yes	yes	4.1	!
	437	61.8	67.1	44.6	67.1	67	70	no	yes	no	no	N/A	N/A
	438	61.0	66.6	69.0	71.0	71	70	yes	yes	yes	yes	1	!
	439	66.3	71.8	70.4	74.1	74	70	yes	yes	yes	yes	4.1	!
	440	66.7	72.1	72.1	75.1	75	70	yes	yes	yes	yes	5.1	!
	441	66.5	72.0	69.8	74.0	74	70	yes	yes	yes	yes	4.0	!
	442	66.4	71.8	70.8	74.4	74	70	yes	yes	yes	yes	4.4	!
	443	66.0	71.4	67.2	72.8	73	70	yes	yes	yes	yes	2.8	!
	444	36.7	41.9	42.9	45.5	46	70	no	yes	yes	no	N/A	N/A
	445	36.6	41.8	42.8	45.4	45	70	no	yes	yes	no	N/A	N/A
	446	36.3	41.6	42.8	45.2	45	70	no	yes	yes	no	N/A	N/A
	447	42.5	48.2	42.9	49.3	49	70	no	yes	yes	no	N/A	N/A
	448	42.3	47.5	42.5	48.7	49	70	no	yes	yes	no	N/A	N/A
	449	35.8	41.0	42.3	44.7	45	70	no	yes	yes	no	N/A	N/A
	450	50.8	56.1	41.9	56.3	56	70	no	yes	no	no	N/A	N/A
	451	41.3	47.0	60.5	60.7	61	70	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	61.5	61.7	62	70	no	yes	yes	no	N/A	N/A
	453	42.3	48.0	61.4	61.6	62	70	no	yes	yes	no	N/A	N/A
	454	42.8	48.4	57.5	58.0	58	70	no	yes	yes	no	N/A	N/A
	455	42.9	48.6	54.0	55.1	55	70	no	yes	yes	no	N/A	N/A
	456	43.0	48.7	43.6	49.9	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.5	51.2	40.3	51.6	52	70	no	yes	no	no	N/A	N/A
	462	35.2	40.3	52.7	53.0	53	70	no	yes	yes	no	N/A	N/A
	463	35.2	40.4	52.7	53.0	53	70	no	yes	yes	no	N/A	N/A
	464	35.1	40.3	62.9	63.0	63	70	no	yes	yes	no	N/A	N/A
	465	63.2	68.7	63.4	69.9	70	70	no	yes	yes	no	N/A	N/A
	466	62.0	67.6	64.0	69.2	69	70	no	yes	yes	no	N/A	N/A
	467	62.5	68.1	64.7	69.7	70	70	no	yes	yes	no	N/A	N/A
	468	49.8	54.2	65.3	65.6	66	70	no	yes	yes	no	N/A	N/A
	469	48.6	53.4	63.3	63.7	64	70	no	yes	yes	no	N/A	N/A
	470	48.9	54.7	55.3	58.0	58	70	no	yes	yes	no	N/A	N/A
	471	48.0	53.3	64.4	64.8	65	70	no	yes	yes	no	N/A	N/A
	472	50.0	54.7	65.8	66.2	66	70	no	yes	yes	no	N/A	N/A
	473	50.1	54.8	66.4	66.6	67	70	no	yes	yes	no	N/A	N/A
	474	65.4	70.7	68.7	72.8	73	70	yes	yes	yes	yes	2.8	!
	475	65.2	70.5	69.9	73.2	73	70	yes	yes	yes	yes	3.2	!
	476	64.6	70.0	65.5	71.3	71	70	yes	yes	yes	yes	1.3	!
	477	64.6	69.8	67.4	71.8	72	70	yes	yes	yes	yes	1.8	!
	478	64.2	69.5	63.5	70.5	71	70	yes	yes	yes	yes	0.5	!
	479	63.9	69.2	65.2	70.7	71	70	yes	yes	yes	yes	0.7	!
	480	64.4	69.8	68.5	72.2	72	70	yes	yes	yes	yes	2.2	!
	491	64.5	69.8	68.5	72.2	72	70	yes	yes	yes	yes	2.2	!
	492	64.3	69.7	64.5	70.8	71	70	yes	yes	yes	yes	0.8	!
	493	63.7	69.1	57.5	69.4	69	70	no	yes	no	no	N/A	N/A
	494	36.7	41.8	40.1	44.0	44	70	no	yes	yes	no	N/A	N/A
	495	44.4	50.0	39.9	50.4	50	70	no	yes	no	no	N/A	N/A
	496	47.9	53.7	39.9	53.8	54	70	no	yes	no	no	N/A	N/A
	497	48.1	53.9	40.0	54.0	54	70	no	yes	no	no	N/A	N/A
	498	47.8	53.6	40.1	53.8	54	70	no	yes	no	no	N/A	N/A
	499	47.6	53.4	40.0	53.6	54	70	no	yes	no	no	N/A	N/A
	520	47.1	52.9	39.6	53.1	53	70	no	yes	no	no	N/A	N/A
	521	47.0	52.8	39.6	53.0	53	70	no	yes	no	no	N/A	N/A
	522	46.5	52.2	39.3	52.4	52	70	no	yes	no	no	N/A	N/A
	523	46.4	52.1	52.5	55.3	55	70	no	yes	yes	no	N/A	N/A
	524	46.7	52.5	55.9	57.5	58	70	no	yes	yes	no	N/A	N/A
	525	46.8	52.6	57.2	58.5	59	70	no	yes	yes	no	N/A	N/A
	526	47.3	53.0	52.5	55.8	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	58.2	63.5	46.0	63.6	64	70	no	yes	no	no	N/A	N/A
	932	62.3	67.8	63.7	69.2	69	70	no	yes	yes	no	N/A	N/A
	933	62.6	68.1	64.3	69.6	70	70	no	yes	yes	no	N/A	N/A
	934	57.6	62.7	56.2	63.6	64	70	no	yes	no	no	N/A	N/A
	935	42.2	47.8	62.0	62.2	62	70	no	yes	yes	no	N/A	N/A
	936	45.4	50.8	60.8	61.2	61	70	no	yes	yes	no	N/A	N/A
	937	45.3	50.7	63.3	63.5	64	70	no	yes	yes	no	N/A	N/A
	938	47.8	53.2	58.6	59.7	60	70	no	yes	yes	no	N/A	N/A
	939	47.7	53.1	57.2	58.6	59	70	no	yes	yes	no	N/A	N/A
	940	47.5	52.8	58.9	59.9	60	70	no	yes	yes	no	N/A	N/A
	941	47.4	52.7	60.0	60.8	61	70	no	yes	yes	no	N/A	N/A
	942	64.0	69.5	76.2	77.0	77	70	yes	yes	yes	yes	7.0	!
	943	63.8	69.3	76.8	77.5	78	70	yes	yes	yes	yes	7.5	!
	944	64.2	69.7	75.0	76.1	76	70	yes	yes	yes	yes	6.1	!
	945	64.8	70.3	75.5	76.6	77	70	yes	yes	yes	yes	6.6	!
	946	65.3	70.8	76.8	77.7	78	70	yes	yes	yes	yes	7.7	!
	947	65.4	70.9	76.7	77.7	78	70	yes	yes	yes	yes	7.7	!
	948	65.9	71.4	76.1	77.4	77	70	yes	yes	yes	yes	7.4	!
	949	66.0	71.5	74.0	75.9	76	70	yes	yes	yes	yes	5.9	!
	950	47.9	53.2	46.5	54.0	54	70	no	yes	no	no	N/A	N/A
	951	61.4	66.7	46.1	66.7	67	70	no	yes	no	no	N/A	N/A
	952	48.6	54.0	46.1	54.7	55	70	no	yes	no	no	N/A	N/A
	953	48.6	54.0	46.2	54.7	55	70	no	yes	no	no	N/A	N/A
	954	48.4	53.8	46.2	54.5	55	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.4	67.6	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.5	68.9	68.7	71.9	72	70	yes	yes	yes	yes	1.9	I
	542	64.1	69.5	69.0	72.2	72	70	yes	yes	yes	yes	2.2	I
	543	64.1	69.4	69.0	72.2	72	70	yes	yes	yes	yes	2.2	I
	544	63.1	68.4	69.0	71.8	72	70	yes	yes	yes	yes	1.8	I
	545	58.1	63.3	68.4	69.6	70	70	no	yes	yes	no	N/A	N/A
	546	51.7	56.9	39.5	57.0	57	70	no	yes	no	no	N/A	N/A
	547	54.4	59.8	39.3	59.8	60	70	no	yes	no	no	N/A	N/A
	548	50.7	56.2	39.3	56.3	56	70	no	yes	no	no	N/A	N/A
	549	50.8	55.9	39.2	56.0	56	70	no	yes	no	no	N/A	N/A
	550	52.6	57.8	38.9	57.8	58	70	no	yes	no	no	N/A	N/A
	551	53.0	58.1	38.7	58.1	58	70	no	yes	no	no	N/A	N/A
	552	52.4	57.4	38.4	57.5	58	70	no	yes	no	no	N/A	N/A
	553	37.9	43.2	38.2	44.4	44	70	no	yes	yes	no	N/A	N/A
	554	36.6	41.9	38.4	43.5	44	70	no	yes	yes	no	N/A	N/A
	555	36.5	41.7	38.4	43.4	43	70	no	yes	yes	no	N/A	N/A
	556	36.5	41.8	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	557	36.7	41.9	38.8	43.7	44	70	no	yes	yes	no	N/A	N/A
	558	36.6	41.9	38.9	43.6	44	70	no	yes	yes	no	N/A	N/A
	559	36.5	41.7	38.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.2	41.4	38.7	43.3	43	70	no	yes	yes	no	N/A	N/A
	561	36.1	41.3	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	35.7	40.9	38.7	43.0	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.6	61.4	61.5	62	70	no	yes	yes	no	N/A	N/A
	564	37.6	42.9	41.0	45.1	45	70	no	yes	yes	no	N/A	N/A
	565	37.7	43.1	40.1	44.9	45	70	no	yes	yes	no	N/A	N/A
	566	38.0	43.4	39.7	44.9	45	70	no	yes	yes	no	N/A	N/A
	591	38.1	43.5	39.8	45.0	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.5	40.1	45.1	45	70	no	yes	yes	no	N/A	N/A
	593	38.2	43.5	40.1	45.1	45	70	no	yes	yes	no	N/A	N/A
	594	63.6	69.0	68.5	71.8	72	70	yes	yes	yes	yes	1.8	I
	595	64.7	70.0	69.1	72.6	73	70	yes	yes	yes	yes	2.6	I
	596	64.6	69.9	69.1	72.5	73	70	yes	yes	yes	yes	2.5	I
	597	64.7	70.1	69.0	72.6	73	70	yes	yes	yes	yes	2.6	I
	598	64.1	69.5	68.4	72.0	72	70	yes	yes	yes	yes	2	I
	599	63.6	69.0	63.6	70.1	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	39.0	44.2	37.5	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.8	45.1	45	70	no	yes	no	no	N/A	N/A
	703	39.1	44.3	37.9	45.2	45	70	no	yes	no	no	N/A	N/A
	704	48.3	53.2	46.2	54.0	54	70	no	yes	no	no	N/A	N/A
	705	53.2	57.9	50.1	58.5	59	70	no	yes	no	no	N/A	N/A
	706	53.0	57.2	60.1	61.9	62	70	no	yes	yes	no	N/A	N/A
	707	53.9	58.1	62.8	64.1	64	70	no	yes	yes	no	N/A	N/A
	708	54.4	58.9	62.2	63.8	64	70	no	yes	yes	no	N/A	N/A
	709	53.3	57.6	37.9	57.7	58	70	no	yes	no	no	N/A	N/A
	710	47.7	50.2	62.5	62.7	63	70	no	yes	yes	no	N/A	N/A
	735	53.9	58.1	62.0	63.5	64	70	no	yes	yes	no	N/A	N/A
	736	54.3	58.6	62.0	63.7	64	70	no	yes	yes	no	N/A	N/A
	737	54.3	58.6	62.3	63.8	64	70	no	yes	yes	no	N/A	N/A
	738	54.6	59.4	62.1	64.0	64	70	no	yes	yes	no	N/A	N/A
	739	54.0	58.9	61.2	63.2	63	70	no	yes	yes	no	N/A	N/A
	740	48.1	53.1	37.4	53.2	53	70	no	yes	no	no	N/A	N/A
	741	48.9	54.2	37.5	54.3	54	70	no	yes	no	no	N/A	N/A
	742	46.8	51.8	37.3	52.0	52	70	no	yes	no	no	N/A	N/A
	743	47.7	52.4	37.3	52.6	53	70	no	yes	no	no	N/A	N/A
	744	52.0	57.3	37.1	57.3	57	70	no	yes	no	no	N/A	N/A
	745	49.7	54.8	37.0	54.8	55	70	no	yes	no	no	N/A	N/A
	746	45.7	51.1	36.7	51.3	51	70	no	yes	no	no	N/A	N/A
	747	41.1	46.3	36.6	46.7	47	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	37.0	45.0	45	70	no	yes	no	no	N/A	N/A
	753	40.4	44.8	37.1	45.5	46	70	no	yes	no	no	N/A	N/A
	754	39.9	44.4	37.1	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.7	37.0	45.4	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	36.9	44.6	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.2	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.2	37.3	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.6	46.0	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.4	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L ₁₀ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.8	48.4	52.6	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.5	48.2	58.9	59.3	59	70	no	yes	yes	no	N/A	N/A
	423	37.8	43.2	54.7	55.0	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.2	64.2	64.3	64	70	no	yes	yes	no	N/A	N/A
	425	61.5	67.2	69.7	71.7	72	70	yes	yes	yes	yes	1.7	I
	426	61.1	66.7	70.1	71.7	72	70	yes	yes	yes	yes	1.7	I
	427	60.8	66.8	69.9	71.6	72	70	yes	yes	yes	yes	1.6	I
	428	49.6	52.4	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.2	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	430	49.8	51.9	71.0	71.0	71	70	yes	yes	yes	yes	1	I
	431	50.8	52.6	70.7	70.8	71	70	yes	yes	yes	yes	0.8	I
	432	66.6	72.0	74.5	76.4	76	70	yes	yes	yes	yes	6.4	I
	433	67.1	72.5	74.9	76.9	77	70	yes	yes	yes	yes	6.9	I
	434	67.0	72.4	71.0	74.8	75	70	yes	yes	yes	yes	4.8	I
	435	66.9	72.4	71.3	74.9	75	70	yes	yes	yes	yes	4.9	I
	436	66.4	71.9	70.1	74.1	74	70	yes	yes	yes	yes	4.1	I
	437	61.7	67.0	44.5	67.0	67	70	no	yes	no	no	N/A	N/A
	438	60.9	66.5	69.1	71.0	71	70	yes	yes	yes	yes	1	I
	439	66.2	71.7	70.5	74.1	74	70	yes	yes	yes	yes	4.1	I
	440	66.6	72.0	72.2	75.1	75	70	yes	yes	yes	yes	5.1	I
	441	66.4	71.9	69.8	74.0	74	70	yes	yes	yes	yes	4.0	I
	442	66.3	71.7	70.9	74.3	74	70	yes	yes	yes	yes	4.3	I
	443	65.9	71.3	67.3	72.8	73	70	yes	yes	yes	yes	2.8	I
	444	36.6	41.9	42.8	45.4	45	70	no	yes	yes	no	N/A	N/A
	445	36.5	41.8	42.8	45.3	45	70	no	yes	yes	no	N/A	N/A
	446	36.3	41.5	42.8	45.2	45	70	no	yes	yes	no	N/A	N/A
	447	42.5	48.2	42.9	49.3	49	70	no	yes	yes	no	N/A	N/A
	448	44.3	49.6	42.4	50.3	50	70	no	yes	no	no	N/A	N/A
	449	35.8	41.0	42.3	44.7	45	70	no	yes	yes	no	N/A	N/A
	450	51.1	56.4	41.9	56.5	57	70	no	yes	no	no	N/A	N/A
	451	41.3	47.0	60.7	60.8	61	70	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	61.6	61.8	62	70	no	yes	yes	no	N/A	N/A
	453	42.3	48.0	61.5	61.7	62	70	no	yes	yes	no	N/A	N/A
	454	42.7	48.4	57.6	58.1	58	70	no	yes	yes	no	N/A	N/A
	455	42.9	48.6	53.8	54.9	55	70	no	yes	yes	no	N/A	N/A
	456	42.9	48.6	43.6	49.8	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.4	51.2	40.2	51.5	52	70	no	yes	no	no	N/A	N/A
	462	35.1	40.3	53.0	53.3	53	70	no	yes	yes	no	N/A	N/A
	463	35.1	40.3	53.0	53.2	53	70	no	yes	yes	no	N/A	N/A
	464	35.1	40.3	63.1	63.2	63	70	no	yes	yes	no	N/A	N/A
	465	63.1	68.6	63.6	69.8	70	70	no	yes	yes	no	N/A	N/A
	466	62.0	67.5	64.2	69.2	69	70	no	yes	yes	no	N/A	N/A
	467	62.4	68.0	64.9	69.7	70	70	no	yes	yes	no	N/A	N/A
	468	49.8	54.3	65.4	65.8	66	70	no	yes	yes	no	N/A	N/A
	469	48.5	53.3	63.4	63.8	64	70	no	yes	yes	no	N/A	N/A
	470	48.9	54.7	55.6	58.2	58	70	no	yes	yes	no	N/A	N/A
	471	48.0	53.3	64.6	64.9	65	70	no	yes	yes	no	N/A	N/A
	472	50.0	54.7	66.0	66.3	66	70	no	yes	yes	no	N/A	N/A
	473	50.2	54.8	66.5	66.8	67	70	no	yes	yes	no	N/A	N/A
	474	65.3	70.7	68.8	72.8	73	70	yes	yes	yes	yes	2.8	I
	475	65.2	70.4	70.0	73.2	73	70	yes	yes	yes	yes	3.2	I
	476	64.5	69.9	65.6	71.3	71	70	yes	yes	yes	yes	1.3	I
	477	64.5	69.8	67.6	71.8	72	70	yes	yes	yes	yes	1.8	I
	478	64.1	69.5	63.6	70.5	71	70	yes	yes	yes	yes	0.5	I
	479	63.8	69.2	65.4	70.7	71	70	yes	yes	yes	yes	0.7	I
	480	64.4	69.7	68.7	72.2	72	70	yes	yes	yes	yes	2.2	I
	491	64.4	69.7	68.7	72.3	72	70	yes	yes	yes	yes	2.3	I
	492	64.3	69.7	64.6	70.9	71	70	yes	yes	yes	yes	0.9	I
	493	63.6	69.0	57.6	69.3	69	70	no	yes	no	no	N/A	N/A
	494	36.7	41.7	40.1	44.0	44	70	no	yes	yes	no	N/A	N/A
	495	44.3	50.0	39.9	50.4	50	70	no	yes	no	no	N/A	N/A
	496	47.9	53.7	39.9	53.8	54	70	no	yes	no	no	N/A	N/A
	497	48.0	53.8	40.0	54.0	54	70	no	yes	no	no	N/A	N/A
	498	47.8	53.6	40.1	53.8	54	70	no	yes	no	no	N/A	N/A
	499	47.6	53.4	40.0	53.6	54	70	no	yes	no	no	N/A	N/A
	520	47.1	52.9	39.6	53.1	53	70	no	yes	no	no	N/A	N/A
	521	47.0	52.7	39.5	52.9	53	70	no	yes	no	no	N/A	N/A
	522	46.5	52.2	39.3	52.4	52	70	no	yes	no	no	N/A	N/A
	523	46.3	52.1	52.6	55.4	55	70	no	yes	yes	no	N/A	N/A
	524	46.7	52.5	56.1	57.6	58	70	no	yes	yes	no	N/A	N/A
	525	46.8	52.5	57.4	58.6	59	70	no	yes	yes	no	N/A	N/A
	526	47.3	53.0	52.8	55.9	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	58.0	63.2	45.9	63.3	63	70	no	yes	no	no	N/A	N/A
	932	62.0	67.5	63.6	69.0	69	70	no	yes	yes	no	N/A	N/A
	933	62.4	67.9	64.2	69.4	69	70	no	yes	yes	no	N/A	N/A
	934	57.3	62.4	56.2	63.3	63	70	no	yes	no	no	N/A	N/A
	935	42.1	47.7	62.2	62.3	62	70	no	yes	yes	no	N/A	N/A
	936	45.4	50.8	60.9	61.3	61	70	no	yes	yes	no	N/A	N/A
	937	45.3	50.7	63.4	63.7	64	70	no	yes	yes	no	N/A	N/A
	938	47.8	53.2	58.7	59.8	60	70	no	yes	yes	no	N/A	N/A
	939	47.7	53.1	57.2	58.6	59	70	no	yes	yes	no	N/A	N/A
	940	47.5	52.8	59.0	60.0	60	70	no	yes	yes	no	N/A	N/A
	941	47.4	52.7	60.2	60.9	61	70	no	yes	yes	no	N/A	N/A
	942	63.8	69.4	76.0	76.9	77	70	yes	yes	yes	yes	6.9	I
	943	63.7	69.2	76.7	77.4	77	70	yes	yes	yes	yes	7.4	I
	944	64.1	69.5	74.9	76.0	76	70	yes	yes	yes	yes	6.0	I
	945	64.6	70.1	75.4	76.5	77	70	yes	yes	yes	yes	6.5	I
	946	65.1	70.6	76.6	77.6	78	70	yes	yes	yes	yes	7.6	I
	947	65.2	70.7	76.6	77.6	78	70	yes	yes	yes	yes	7.6	I
	948	65.7	71.2	76.0	77.3	77	70	yes	yes	yes	yes	7.3	I
	949	65.8	71.3	73.9	75.8	76	70	yes	yes	yes	yes	5.8	I
	950	47.9	53.2	46.4	54.0	54	70	no	yes	no	no	N/A	N/A
	951	61.2	66.5	46.1	66.5	67	70	no	yes	no	no	N/A	N/A
	952	48.6	54.0	46.0	54.6	55	70	no	yes	no	no	N/A	N/A
	953	48.6	54.0	46.1	54.6	55	70	no	yes	no	no	N/A	N/A
	954	48.4	53.8	46.1	54.4	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.3	67.6	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.8	69.2	68.8	72.1	72	70	yes	yes	yes	yes	2.1	I
	542	64.4	69.8	69.0	72.4	72	70	yes	yes	yes	yes	2.4	I
	543	64.4	69.8	69.1	72.4	72	70	yes	yes	yes	yes	2.4	I
	544	64.3	69.7	69.1	72.4	72	70	yes	yes	yes	yes	2.4	I
	545	61.7	67.2	68.6	71.0	71	70	yes	yes	yes	yes	1.0	I
	546	54.0	59.4	39.4	59.4	59	70	no	yes	no	no	N/A	N/A
	547	56.6	62.1	39.3	62.1	62	70	no	yes	no	no	N/A	N/A
	548	53.7	59.2	39.2	59.3	59	70	no	yes	no	no	N/A	N/A
	549	53.0	58.4	39.1	58.4	58	70	no	yes	no	no	N/A	N/A
	550	54.6	59.9	38.9	60.0	60	70	no	yes	no	no	N/A	N/A
	551	54.9	60.2	38.7	60.2	60	70	no	yes	no	no	N/A	N/A
	552	54.7	59.8	38.3	59.9	60	70	no	yes	no	no	N/A	N/A
	553	38.1	43.4	38.2	44.5	45	70	no	yes	yes	no	N/A	N/A
	554	36.6	41.8	38.3	43.4	43	70	no	yes	yes	no	N/A	N/A
	555	36.5	41.7	38.4	43.4	43	70	no	yes	yes	no	N/A	N/A
	556	36.5	41.8	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	557	36.7	41.9	38.8	43.6	44	70	no	yes	yes	no	N/A	N/A
	558	36.6	41.8	38.9	43.6	44	70	no	yes	yes	no	N/A	N/A
	559	36.5	41.7	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.2	41.4	38.7	43.2	43	70	no	yes	yes	no	N/A	N/A
	561	36.1	41.3	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	35.7	40.9	38.7	42.9	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.6	61.5	61.6	62	70	no	yes	yes	no	N/A	N/A
	564	37.6	42.9	41.2	45.2	45	70	no	yes	yes	no	N/A	N/A
	565	37.7	43.1	40.1	44.8	45	70	no	yes	yes	no	N/A	N/A
	566	38.0	43.4	39.7	44.9	45	70	no	yes	yes	no	N/A	N/A
	591	38.1	43.5	39.8	45.0	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.5	40.1	45.1	45	70	no	yes	yes	no	N/A	N/A
	593	38.1	43.5	40.0	45.1	45	70	no	yes	yes	no	N/A	N/A
	594	63.5	69.0	68.6	71.8	72	70	yes	yes	yes	yes	1.8	I
	595	64.7	70.1	69.2	72.7	73	70	yes	yes	yes	yes	2.7	I
	596	64.7	70.0	69.1	72.6	73	70	yes	yes	yes	yes	2.6	I
	597	64.8	70.1	69.0	72.6	73	70	yes	yes	yes	yes	2.6	I
	598	64.3	69.6	68.5	72.1	72	70	yes	yes	yes	yes	2.1	I
	599	63.9	69.2	63.6	70.3	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	39.0	44.2	37.5	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.8	45.1	45	70	no	yes	no	no	N/A	N/A
	703	39.1	44.3	37.9	45.2	45	70	no	yes	no	no	N/A	N/A
	704	50.3	55.4	46.1	55.9	56	70	no	yes	no	no	N/A	N/A
	705	55.2	60.2	53.1	61.0	61	70	no	yes	no	no	N/A	N/A
	706	54.4	59.0	61.0	63.1	63	70	no	yes	yes	no	N/A	N/A
	707	55.3	59.8	63.5	65.0	65	70	no	yes	yes	no	N/A	N/A
	708	55.5	60.2	63.0	64.8	65	70	no	yes	yes	no	N/A	N/A
	709	54.6	59.2	37.9	59.2	59	70	no	yes	no	no	N/A	N/A
	710	48.4	51.0	63.6	63.9	64	70	no	yes	yes	no	N/A	N/A
	735	55.3	59.8	64.0	65.4	65	70	no	yes	yes	no	N/A	N/A
	736	55.6	60.2	64.2	65.7	66	70	no	yes	yes	no	N/A	N/A
	737	55.6	60.2	64.3	65.7	66	70	no	yes	yes	no	N/A	N/A
	738	56.2	61.2	64.0	65.8	66	70	no	yes	yes	no	N/A	N/A
	739	55.5	60.6	63.0	65.0	65	70	no	yes	yes	no	N/A	N/A
	740	49.5	54.7	37.4	54.8	55	70	no	yes	no	no	N/A	N/A
	741	50.5	55.9	37.4	56.0	56	70	no	yes	no	no	N/A	N/A
	742	47.9	53.1	37.3	53.2	53	70	no	yes	no	no	N/A	N/A
	743	48.9	53.7	37.2	53.8	54	70	no	yes	no	no	N/A	N/A
	744	53.0	58.3	37.0	58.3	58	70	no	yes	no	no	N/A	N/A
	745	50.9	56.1	37.0	56.2	56	70	no	yes	no	no	N/A	N/A
	746	47.0	52.4	36.7	52.5	53	70	no	yes	no	no	N/A	N/A
	747	42.1	47.3	36.6	47.7	48	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	36.9	45.0	45	70	no	yes	no	no	N/A	N/A
	753	40.4	44.8	37.0	45.5	46	70	no	yes	no	no	N/A	N/A
	754	39.9	44.4	37.0	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.7	36.9	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.4	36.8	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	36.8	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.2	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.2	37.3	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.5	46.0	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.4	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀ 2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₀ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.7	48.4	52.6	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.5	48.2	59.0	59.0	59	70	no	yes	yes	no	N/A	N/A
	423	37.7	43.2	54.8	55.1	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.1	64.4	64.4	64	70	no	yes	yes	no	N/A	N/A
	425	61.4	67.1	69.8	71.7	72	70	yes	yes	yes	yes	1.7	
	426	61.0	66.6	70.1	71.7	72	70	yes	yes	yes	yes	1.7	
	427	60.7	66.7	69.9	71.6	72	70	yes	yes	yes	yes	1.6	
	428	49.7	52.4	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.2	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	430	49.8	51.9	71.0	71.0	71	70	yes	yes	yes	yes	1	
	431	50.8	52.6	70.7	70.8	71	70	yes	yes	yes	yes	0.8	
	432	66.5	71.8	74.5	76.4	76	70	yes	yes	yes	yes	6.4	
	433	66.9	72.3	74.9	76.8	77	70	yes	yes	yes	yes	6.8	
	434	66.8	72.2	71.0	74.7	75	70	yes	yes	yes	yes	4.7	
	435	66.8	72.2	71.3	74.8	75	70	yes	yes	yes	yes	4.8	
	436	66.3	71.8	70.1	74.0	74	70	yes	yes	yes	yes	4	
	437	61.7	67.0	44.5	67.0	67	70	no	yes	no	no	N/A	N/A
	438	60.7	66.3	69.1	70.9	71	70	yes	yes	yes	yes	0.9	
	439	66.2	71.6	70.5	74.1	74	70	yes	yes	yes	yes	4.1	
	440	66.5	71.9	72.2	75.1	75	70	yes	yes	yes	yes	5.1	
	441	66.4	71.8	69.8	73.9	74	70	yes	yes	yes	yes	3.9	
	442	66.2	71.6	70.9	74.3	74	70	yes	yes	yes	yes	4.3	
	443	65.8	71.2	67.5	72.7	73	70	yes	yes	yes	yes	2.7	
	444	36.5	41.8	42.8	45.3	45	70	no	yes	yes	no	N/A	N/A
	445	38.4	41.7	42.8	45.3	45	70	no	yes	yes	no	N/A	N/A
	446	36.2	41.4	42.7	45.1	45	70	no	yes	yes	no	N/A	N/A
	447	42.5	48.2	42.8	49.3	49	70	no	yes	yes	no	N/A	N/A
	448	47.5	52.8	42.4	53.1	53	70	no	yes	no	no	N/A	N/A
	449	35.7	40.9	42.2	44.6	45	70	no	yes	yes	no	N/A	N/A
	450	51.9	57.2	41.9	57.3	57	70	no	yes	no	no	N/A	N/A
	451	41.3	47.0	60.8	60.9	61	70	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	61.7	61.9	62	70	no	yes	yes	no	N/A	N/A
	453	42.3	48.0	61.6	61.8	62	70	no	yes	yes	no	N/A	N/A
	454	42.7	48.4	57.6	58.1	58	70	no	yes	yes	no	N/A	N/A
	455	42.8	48.5	53.6	54.8	55	70	no	yes	yes	no	N/A	N/A
	456	42.9	48.6	43.6	49.8	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.4	51.2	40.2	51.5	52	70	no	yes	no	no	N/A	N/A
	462	35.0	40.2	53.3	53.5	54	70	no	yes	yes	no	N/A	N/A
	463	35.1	40.3	53.2	53.4	53	70	no	yes	yes	no	N/A	N/A
	464	35.0	40.2	63.3	63.3	63	70	no	yes	yes	no	N/A	N/A
	465	63.0	68.5	63.7	69.8	70	70	no	yes	yes	no	N/A	N/A
	466	62.0	67.4	64.4	69.1	69	70	no	yes	yes	no	N/A	N/A
	467	62.4	67.8	65.0	69.6	70	70	no	yes	yes	no	N/A	N/A
	468	49.9	54.3	65.6	65.9	66	70	no	yes	yes	no	N/A	N/A
	469	48.5	53.3	63.6	64.0	64	70	no	yes	yes	no	N/A	N/A
	470	48.9	54.6	55.8	58.3	58	70	no	yes	yes	no	N/A	N/A
	471	48.0	53.2	64.7	65.0	65	70	no	yes	yes	no	N/A	N/A
	472	50.1	54.7	66.2	66.5	67	70	no	yes	yes	no	N/A	N/A
	473	50.1	54.8	66.6	66.9	67	70	no	yes	yes	no	N/A	N/A
	474	65.3	70.6	68.9	72.8	73	70	yes	yes	yes	yes	2.8	
	475	65.2	70.4	70.1	73.3	73	70	yes	yes	yes	yes	3.3	
	476	64.5	69.9	65.8	71.3	71	70	yes	yes	yes	yes	1.3	
	477	64.5	69.7	67.7	71.8	72	70	yes	yes	yes	yes	1.8	
	478	64.1	69.5	63.8	70.5	71	70	yes	yes	yes	yes	0.5	
	479	63.8	69.1	65.5	70.7	71	70	yes	yes	yes	yes	0.7	
	480	64.4	69.7	68.8	72.3	72	70	yes	yes	yes	yes	2.3	
	491	64.4	69.7	68.8	72.3	72	70	yes	yes	yes	yes	2.3	
	492	64.2	69.6	64.7	70.8	71	70	yes	yes	yes	yes	0.8	
	493	63.6	69.0	57.7	69.3	69	70	no	yes	no	no	N/A	N/A
	494	36.6	41.7	40.1	43.9	44	70	no	yes	yes	no	N/A	N/A
	495	44.3	49.9	39.9	50.4	50	70	no	yes	no	no	N/A	N/A
	496	47.9	53.7	39.9	53.8	54	70	no	yes	no	no	N/A	N/A
	497	48.0	53.8	40.0	53.9	54	70	no	yes	no	no	N/A	N/A
	498	47.7	53.5	40.0	53.7	54	70	no	yes	no	no	N/A	N/A
	499	47.6	53.4	40.0	53.6	54	70	no	yes	no	no	N/A	N/A
	520	47.1	52.9	39.6	53.1	53	70	no	yes	no	no	N/A	N/A
	521	47.0	52.7	39.5	52.9	53	70	no	yes	no	no	N/A	N/A
	522	46.4	52.2	39.3	52.4	52	70	no	yes	no	no	N/A	N/A
	523	46.3	52.1	52.9	55.5	56	70	no	yes	yes	no	N/A	N/A
	524	46.7	52.4	56.3	57.8	58	70	no	yes	yes	no	N/A	N/A
	525	46.8	52.5	57.5	58.7	59	70	no	yes	yes	no	N/A	N/A
	526	47.3	53.0	53.0	56.0	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	57.7	63.0	45.8	63.0	63	70	no	yes	no	no	N/A	N/A
	932	61.8	67.3	63.6	68.9	69	70	no	yes	yes	no	N/A	N/A
	933	62.2	67.7	64.2	69.3	69	70	no	yes	yes	no	N/A	N/A
	934	57.0	62.1	56.1	63.1	63	70	no	yes	yes	no	N/A	N/A
	935	42.0	47.7	62.3	62.4	62	70	no	yes	yes	no	N/A	N/A
	936	45.3	50.7	61.1	61.4	61	70	no	yes	yes	no	N/A	N/A
	937	45.3	50.7	63.6	63.8	64	70	no	yes	yes	no	N/A	N/A
	938	47.8	53.1	58.8	59.8	60	70	no	yes	yes	no	N/A	N/A
	939	47.7	53.1	57.2	58.6	59	70	no	yes	yes	no	N/A	N/A
	940	47.5	52.8	59.1	60.1	60	70	no	yes	yes	no	N/A	N/A
	941	47.4	52.7	60.4	61.1	61	70	no	yes	yes	no	N/A	N/A
	942	63.8	69.3	75.8	76.7	77	70	yes	yes	yes	yes	6.7	
	943	63.7	69.1	76.5	77.2	77	70	yes	yes	yes	yes	7.2	
	944	64.0	69.4	74.7	75.9	76	70	yes	yes	yes	yes	5.9	
	945	64.5	69.9	75.3	76.4	76	70	yes	yes	yes	yes	6.4	
	946	64.9	70.4	76.5	77.5	78	70	yes	yes	yes	yes	7.5	
	947	65.0	70.5	76.5	77.5	78	70	yes	yes	yes	yes	7.5	
	948	65.5	71.1	75.9	77.1	77	70	yes	yes	yes	yes	7.1	
	949	65.6	71.1	73.8	75.7	76	70	yes	yes	yes	yes	5.7	
	950	47.9	53.2	46.3	54.0	54	70	no	yes	no	no	N/A	N/A
	951	60.9	66.2	46.0	66.2	66	70	no	yes	no	no	N/A	N/A
	952	48.6	54.0	46.0	54.6	55	71	no	yes	no	no	N/A	N/A
	953	48.6	54.0	46.1	54.6	55	72	no	yes	no	no	N/A	N/A
	954	48.4	53.8	46.1	54.4	54	73	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation Exceedance	Window Type	
Block 4	529	42.2	44.3	67.7	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.0	69.4	68.8	72.2	72	70	yes	yes	yes	yes	2.2	I
	542	64.7	70.0	69.0	72.6	73	70	yes	yes	yes	yes	2.6	I
	543	64.8	70.1	69.1	72.6	73	70	yes	yes	yes	yes	2.6	I
	544	64.7	70.1	69.0	72.6	73	70	yes	yes	yes	yes	2.6	I
	545	63.5	69.0	68.7	71.8	72	70	yes	yes	yes	yes	1.8	I
	546	55.6	61.1	39.4	61.1	61	70	no	yes	no	no	N/A	N/A
	547	58.2	63.8	39.2	63.8	64	70	no	yes	no	no	N/A	N/A
	548	55.1	60.7	39.2	60.7	61	70	no	yes	no	no	N/A	N/A
	549	55.0	60.5	39.1	60.6	61	70	no	yes	no	no	N/A	N/A
	550	57.0	62.4	38.9	62.5	63	70	no	yes	no	no	N/A	N/A
	551	57.1	62.5	38.6	62.5	63	70	no	yes	no	no	N/A	N/A
	552	56.4	61.7	38.3	61.7	62	70	no	yes	no	no	N/A	N/A
	553	38.3	43.5	38.2	44.6	45	70	no	yes	yes	no	N/A	N/A
	554	36.6	41.9	38.3	43.4	43	70	no	yes	yes	no	N/A	N/A
	555	36.4	41.7	38.4	43.3	43	70	no	yes	yes	no	N/A	N/A
	556	36.5	41.7	38.6	43.5	44	70	no	yes	yes	no	N/A	N/A
	557	36.7	41.9	38.8	43.6	44	70	no	yes	yes	no	N/A	N/A
	558	36.6	41.8	38.8	43.6	44	70	no	yes	yes	no	N/A	N/A
	559	36.5	41.7	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.1	41.4	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	561	36.1	41.3	38.5	43.2	43	70	no	yes	yes	no	N/A	N/A
	562	35.7	40.9	38.7	42.9	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.6	61.7	61.7	62	70	no	yes	yes	no	N/A	N/A
	564	37.5	42.9	41.4	45.2	45	70	no	yes	yes	no	N/A	N/A
	565	37.7	43.0	40.1	44.8	45	70	no	yes	yes	no	N/A	N/A
	566	38.0	43.4	39.6	44.9	45	70	no	yes	yes	no	N/A	N/A
	591	38.1	43.5	39.7	45.0	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.4	40.0	45.1	45	70	no	yes	yes	no	N/A	N/A
	593	38.1	43.5	40.0	45.1	45	70	no	yes	yes	no	N/A	N/A
	594	63.5	68.9	68.7	71.8	72	70	yes	yes	yes	yes	1.8	I
	595	64.7	70.1	69.2	72.7	73	70	yes	yes	yes	yes	2.7	I
	596	64.7	70.0	69.2	72.6	73	70	yes	yes	yes	yes	2.6	I
	597	64.8	70.1	69.1	72.7	73	70	yes	yes	yes	yes	2.7	I
	598	64.3	69.7	68.5	72.2	72	70	yes	yes	yes	yes	2.2	I
	599	63.9	69.3	63.7	70.4	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	39.0	44.2	37.4	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.7	45.1	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.2	37.9	45.1	45	70	no	yes	no	no	N/A	N/A
	704	52.4	57.6	46.1	57.9	58	70	no	yes	no	no	N/A	N/A
	705	56.9	62.1	56.6	63.2	63	70	no	yes	yes	no	N/A	N/A
	706	55.9	60.9	62.1	64.6	65	70	no	yes	yes	no	N/A	N/A
	707	56.7	61.5	64.2	66.1	66	70	no	yes	yes	no	N/A	N/A
	708	56.5	61.4	64.1	65.9	66	70	no	yes	yes	no	N/A	N/A
	709	55.9	60.7	37.8	60.7	61	70	no	yes	no	no	N/A	N/A
	710	48.8	51.8	64.7	64.9	65	70	no	yes	yes	no	N/A	N/A
	735	56.5	61.3	65.0	66.5	67	70	no	yes	yes	no	N/A	N/A
	736	57.0	62.0	65.2	66.9	67	70	no	yes	yes	no	N/A	N/A
	737	57.0	62.0	65.3	66.9	67	70	no	yes	yes	no	N/A	N/A
	738	57.7	63.0	65.1	67.2	67	70	no	yes	yes	no	N/A	N/A
	739	57.2	62.5	64.3	66.5	67	70	no	yes	yes	no	N/A	N/A
	740	50.7	55.9	37.3	56.0	56	70	no	yes	no	no	N/A	N/A
	741	52.1	57.6	37.4	57.6	58	70	no	yes	no	no	N/A	N/A
	742	49.2	54.5	37.2	54.6	55	70	no	yes	no	no	N/A	N/A
	743	50.0	55.1	37.2	55.1	55	70	no	yes	no	no	N/A	N/A
	744	54.1	59.5	37.0	59.5	60	70	no	yes	no	no	N/A	N/A
	745	52.4	57.8	36.9	57.8	58	70	no	yes	no	no	N/A	N/A
	746	48.5	54.0	36.6	54.1	54	70	no	yes	no	no	N/A	N/A
	747	43.4	48.6	36.5	48.9	49	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.6	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	36.9	44.9	45	70	no	yes	no	no	N/A	N/A
	753	40.4	44.8	37.0	45.5	46	70	no	yes	no	no	N/A	N/A
	754	39.9	44.3	37.0	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.7	36.9	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.7	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.4	36.7	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	36.8	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.1	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.2	37.3	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.5	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.4	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion - (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.7	48.3	52.6	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.5	48.2	59.1	59.5	60	70	no	yes	yes	no	N/A	N/A
	423	37.7	43.2	54.8	55.1	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.0	64.5	64.5	65	70	no	yes	yes	no	N/A	N/A
	425	61.4	67.1	69.9	71.7	72	70	yes	yes	yes	yes	1.7	I
	426	60.9	66.5	70.2	71.7	72	70	yes	yes	yes	yes	1.7	I
	427	60.6	66.6	70.0	71.6	72	70	yes	yes	yes	yes	1.6	I
	428	49.7	52.4	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.1	69.0	69.0	69	70	no	yes	yes	no	N/A	N/A
	430	49.9	51.9	71.0	71.0	71	70	yes	yes	yes	yes	1	I
	431	50.8	52.6	70.7	70.8	71	70	yes	yes	yes	yes	0.8	I
	432	66.3	71.7	74.4	76.2	76	70	yes	yes	yes	yes	6.2	I
	433	68.8	72.2	74.8	76.7	77	70	yes	yes	yes	yes	6.7	I
	434	68.7	72.1	71.0	74.6	75	70	yes	yes	yes	yes	4.6	I
	435	66.7	72.1	71.3	74.7	75	70	yes	yes	yes	yes	4.7	I
	436	66.3	71.8	70.1	74.0	74	70	yes	yes	yes	yes	4	I
	437	61.9	67.1	44.4	67.1	67	70	no	yes	no	no	N/A	N/A
	438	60.6	66.2	69.1	70.9	71	70	yes	yes	yes	yes	0.9	I
	439	66.1	71.5	70.5	74.1	74	70	yes	yes	yes	yes	4.1	I
	440	66.5	71.8	72.2	75.0	75	70	yes	yes	yes	yes	5.0	I
	441	66.3	71.7	69.9	73.9	74	70	yes	yes	yes	yes	3.9	I
	442	66.1	71.5	70.9	74.2	74	70	yes	yes	yes	yes	4.2	I
	443	65.7	71.1	67.5	72.6	73	70	yes	yes	yes	yes	2.6	I
	444	36.4	41.7	42.8	45.3	45	70	no	yes	yes	no	N/A	N/A
	445	36.4	41.6	42.7	45.2	45	70	no	yes	yes	no	N/A	N/A
	446	36.1	41.3	42.7	45.1	45	70	no	yes	yes	no	N/A	N/A
	447	42.5	48.2	42.8	49.3	49	70	no	yes	yes	no	N/A	N/A
	448	50.5	55.8	42.4	56.0	56	70	no	yes	no	no	N/A	N/A
	449	35.6	40.8	42.2	44.6	45	70	no	yes	yes	no	N/A	N/A
	450	53.0	58.3	41.8	58.4	58	70	no	yes	no	no	N/A	N/A
	451	41.2	46.9	60.8	61.0	61	70	no	yes	yes	no	N/A	N/A
	452	42.3	48.0	61.8	62.0	62	70	no	yes	yes	no	N/A	N/A
	453	42.3	48.0	61.7	61.9	62	70	no	yes	yes	no	N/A	N/A
	454	42.7	48.3	57.5	58.0	58	70	no	yes	yes	no	N/A	N/A
	455	42.8	48.5	53.5	54.7	55	70	no	yes	yes	no	N/A	N/A
	456	42.9	48.6	43.6	49.8	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.4	51.1	40.2	51.5	52	70	no	yes	no	no	N/A	N/A
	462	35.0	40.1	53.5	53.7	54	70	no	yes	yes	no	N/A	N/A
	463	35.0	40.2	53.4	53.6	54	70	no	yes	yes	no	N/A	N/A
	464	35.0	40.2	63.4	63.4	63	70	no	yes	yes	no	N/A	N/A
	465	62.9	68.4	63.8	69.7	70	70	no	yes	yes	no	N/A	N/A
	466	61.9	67.2	64.5	69.1	69	70	no	yes	yes	no	N/A	N/A
	467	62.3	67.7	65.1	69.6	70	70	no	yes	yes	no	N/A	N/A
	468	49.9	54.3	65.7	66.0	66	70	no	yes	yes	no	N/A	N/A
	469	48.5	53.3	63.7	64.1	64	70	no	yes	yes	no	N/A	N/A
	470	48.8	54.6	55.9	58.3	58	70	no	yes	yes	no	N/A	N/A
	471	48.0	53.2	64.9	65.2	65	70	no	yes	yes	no	N/A	N/A
	472	50.2	54.7	66.2	66.5	67	70	no	yes	yes	no	N/A	N/A
	473	50.2	54.8	66.8	67.0	67	70	no	yes	yes	no	N/A	N/A
	474	65.2	70.5	68.9	72.8	73	70	yes	yes	yes	yes	2.8	I
	475	65.1	70.3	70.2	73.3	73	70	yes	yes	yes	yes	3.3	I
	476	64.5	69.8	65.8	71.3	71	70	yes	yes	yes	yes	1.3	I
	477	64.5	69.7	67.7	71.9	72	70	yes	yes	yes	yes	1.9	I
	478	64.1	69.4	63.9	70.5	71	70	yes	yes	yes	yes	0.5	I
	479	63.8	69.1	65.6	70.7	71	70	yes	yes	yes	yes	0.7	I
	480	64.3	69.6	68.8	72.3	72	70	yes	yes	yes	yes	2.3	I
	491	64.4	69.7	68.9	72.3	72	70	yes	yes	yes	yes	2.3	I
	492	64.2	69.6	64.8	70.8	71	70	yes	yes	yes	yes	0.8	I
	493	63.6	69.0	57.9	69.3	69	70	no	yes	no	no	N/A	N/A
	494	36.6	41.6	40.0	43.9	44	70	no	yes	yes	no	N/A	N/A
	495	44.3	49.9	39.8	50.4	50	70	no	yes	no	no	N/A	N/A
	496	47.9	53.7	39.9	53.8	54	70	no	yes	no	no	N/A	N/A
	497	48.0	53.8	40.0	53.9	54	70	no	yes	no	no	N/A	N/A
	498	47.7	53.5	40.0	53.7	54	70	no	yes	no	no	N/A	N/A
	499	47.6	53.3	39.9	53.5	54	70	no	yes	no	no	N/A	N/A
	520	47.2	52.9	39.6	53.1	53	70	no	yes	no	no	N/A	N/A
	521	46.9	52.7	39.5	52.9	53	70	no	yes	no	no	N/A	N/A
	522	46.4	52.2	39.3	52.4	52	70	no	yes	no	no	N/A	N/A
	523	46.3	52.0	53.1	55.6	56	70	no	yes	yes	no	N/A	N/A
	524	46.7	52.4	56.5	58.0	58	70	no	yes	yes	no	N/A	N/A
	525	46.8	52.5	57.7	58.9	59	70	no	yes	yes	no	N/A	N/A
	526	47.3	53.0	53.3	56.2	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	57.5	62.8	45.7	62.9	63	70	no	yes	no	no	N/A	N/A
	932	61.6	67.1	63.6	68.7	69	70	no	yes	yes	no	N/A	N/A
	933	62.0	67.5	64.2	69.2	69	70	no	yes	yes	no	N/A	N/A
	934	56.7	61.8	56.1	62.8	63	70	no	yes	yes	no	N/A	N/A
	935	42.0	47.7	62.4	62.6	63	70	no	yes	yes	no	N/A	N/A
	936	45.3	50.7	61.2	61.6	62	70	no	yes	yes	no	N/A	N/A
	937	45.3	50.7	63.8	64.0	64	70	no	yes	yes	no	N/A	N/A
	938	47.8	53.1	58.8	59.9	60	70	no	yes	yes	no	N/A	N/A
	939	47.7	53.1	57.3	58.7	59	70	no	yes	yes	no	N/A	N/A
	940	47.4	52.8	59.2	60.1	60	70	no	yes	yes	no	N/A	N/A
	941	47.3	52.7	60.5	61.2	61	70	no	yes	yes	no	N/A	N/A
	942	63.7	69.2	75.6	76.5	77	70	yes	yes	yes	yes	6.5	I
	943	63.5	69.0	76.4	77.1	77	70	yes	yes	yes	yes	7.1	I
	944	63.8	69.3	74.6	75.7	76	70	yes	yes	yes	yes	5.7	I
	945	64.3	69.7	75.2	76.3	76	70	yes	yes	yes	yes	6.3	I
	946	64.8	70.2	76.4	77.3	77	70	yes	yes	yes	yes	7.3	I
	947	64.9	70.4	76.3	77.3	77	70	yes	yes	yes	yes	7.3	I
	948	65.3	70.9	75.8	77.0	77	70	yes	yes	yes	yes	7.0	I
	949	65.4	71.0	73.7	75.5	76	70	yes	yes	yes	yes	5.5	I
	950	47.9	53.1	46.2	54.0	54	70	no	yes	no	no	N/A	N/A
	951	60.7	65.9	45.9	66.0	66	70	no	yes	no	no	N/A	N/A
	952	48.6	54.0	45.9	54.6	55	70	no	yes	no	no	N/A	N/A
	953	48.6	54.0	46.0	54.6	55	70	no	yes	no	no	N/A	N/A
	954	48.4	53.7	45.9	54.4	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.3	67.7	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.1	69.5	68.9	72.2	72	70	yes	yes	yes	yes	2.2	I
	542	64.9	70.2	69.0	72.7	73	70	yes	yes	yes	yes	2.7	I
	543	64.9	70.3	69.0	72.7	73	70	yes	yes	yes	yes	2.7	I
	544	65.1	70.5	69.0	72.8	73	70	yes	yes	yes	yes	2.8	I
	545	64.0	69.5	68.6	72.1	72	70	yes	yes	yes	yes	2.1	I
	546	56.3	61.8	39.3	61.8	62	70	no	yes	no	no	N/A	N/A
	547	59.1	64.6	39.1	64.6	65	70	no	yes	no	no	N/A	N/A
	548	55.7	61.2	39.1	61.2	61	70	no	yes	no	no	N/A	N/A
	549	56.1	61.6	39.0	61.6	62	70	no	yes	no	no	N/A	N/A
	550	59.1	64.7	38.8	64.7	65	70	no	yes	no	no	N/A	N/A
	551	59.1	64.6	38.6	64.6	65	70	no	yes	no	no	N/A	N/A
	552	57.9	63.3	38.2	63.3	63	70	no	yes	no	no	N/A	N/A
	553	38.4	43.7	38.2	44.8	45	70	no	yes	yes	no	N/A	N/A
	554	36.5	41.8	38.3	43.4	43	70	no	yes	yes	no	N/A	N/A
	555	36.5	41.7	38.3	43.3	43	70	no	yes	yes	no	N/A	N/A
	556	36.5	41.7	38.6	43.4	43	70	no	yes	yes	no	N/A	N/A
	557	36.6	41.8	38.7	43.6	44	70	no	yes	yes	no	N/A	N/A
	558	36.6	41.8	38.8	43.6	44	70	no	yes	yes	no	N/A	N/A
	559	36.4	41.7	38.7	43.4	43	70	no	yes	yes	no	N/A	N/A
	560	36.1	41.3	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	561	36.1	41.3	38.5	43.1	43	70	no	yes	yes	no	N/A	N/A
	562	35.7	40.9	38.6	42.9	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.6	61.8	61.9	62	70	no	yes	yes	no	N/A	N/A
	564	37.5	42.9	41.7	45.3	45	70	no	yes	yes	no	N/A	N/A
	565	37.6	43.0	40.1	44.8	45	70	no	yes	yes	no	N/A	N/A
	566	38.0	43.3	39.6	44.9	45	70	no	yes	yes	no	N/A	N/A
	591	38.0	43.4	39.7	44.9	45	70	no	yes	yes	no	N/A	N/A
	592	38.1	43.4	40.0	45.1	45	70	no	yes	yes	no	N/A	N/A
	593	38.1	43.5	40.0	45.1	45	70	no	yes	yes	no	N/A	N/A
	594	63.4	68.8	68.7	71.8	72	70	yes	yes	yes	yes	1.8	I
	595	64.7	70.0	69.3	72.7	73	70	yes	yes	yes	yes	2.7	I
	596	64.6	70.0	69.2	72.6	73	70	yes	yes	yes	yes	2.6	I
	597	64.8	70.1	69.1	72.6	73	70	yes	yes	yes	yes	2.6	I
	598	64.4	69.7	68.6	72.2	72	70	yes	yes	yes	yes	2.2	I
	599	64.0	69.4	63.7	70.5	71	70	yes	yes	yes	yes	0.5	I
Block 5	701	39.0	44.2	37.4	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.7	45.1	45	70	no	yes	no	no	N/A	N/A
	703	39.1	44.2	37.8	45.1	45	70	no	yes	no	no	N/A	N/A
	704	53.7	59.0	46.1	59.3	59	70	no	yes	no	no	N/A	N/A
	705	58.4	63.7	58.9	65.0	65	70	no	yes	yes	no	N/A	N/A
	706	57.5	62.7	63.2	66.0	66	70	no	yes	yes	no	N/A	N/A
	707	58.1	63.2	64.8	67.1	67	70	no	yes	yes	no	N/A	N/A
	708	57.6	62.8	64.7	66.9	67	70	no	yes	yes	no	N/A	N/A
	709	57.2	62.2	37.8	62.3	62	70	no	yes	no	no	N/A	N/A
	710	49.4	52.7	65.3	65.6	66	70	no	yes	yes	no	N/A	N/A
	735	57.8	62.9	65.6	67.4	67	70	no	yes	yes	no	N/A	N/A
	736	58.3	63.4	65.9	67.8	68	70	no	yes	yes	no	N/A	N/A
	737	58.3	63.4	65.9	67.8	68	70	no	yes	yes	no	N/A	N/A
	738	59.1	64.4	65.6	68.1	68	70	no	yes	yes	no	N/A	N/A
	739	58.7	64.1	65.0	67.6	68	70	no	yes	yes	no	N/A	N/A
	740	52.2	57.5	37.3	57.6	58	70	no	yes	no	no	N/A	N/A
	741	53.6	59.1	37.3	59.1	59	70	no	yes	no	no	N/A	N/A
	742	50.5	55.9	37.2	56.0	56	70	no	yes	no	no	N/A	N/A
	743	51.2	56.3	37.1	56.4	56	70	no	yes	no	no	N/A	N/A
	744	55.3	60.8	36.9	60.8	61	70	no	yes	no	no	N/A	N/A
	745	54.1	59.6	36.9	59.6	60	70	no	yes	no	no	N/A	N/A
	746	49.5	55.0	36.6	55.0	55	70	no	yes	no	no	N/A	N/A
	747	44.9	50.1	36.5	50.3	50	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.6	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	36.9	44.9	45	70	no	yes	no	no	N/A	N/A
	753	40.4	44.8	37.0	45.5	46	70	no	yes	no	no	N/A	N/A
	754	39.9	44.3	37.0	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	36.9	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.7	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.7	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	36.8	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.1	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.2	37.2	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.5	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.3	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion - (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.6	48.3	52.6	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.5	48.2	59.3	59.6	60	70	no	yes	yes	no	N/A	N/A
	423	37.7	43.1	54.8	55.1	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.0	64.7	64.7	65	70	no	yes	yes	no	N/A	N/A
	425	61.2	66.9	69.9	71.7	72	70	yes	yes	yes	yes	1.7	
	426	60.8	66.4	70.2	71.7	72	70	yes	yes	yes	yes	1.7	
	427	60.5	66.5	70.0	71.6	72	70	yes	yes	yes	yes	1.6	
	428	49.8	52.4	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.1	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	430	49.9	51.9	70.9	71.0	71	70	yes	yes	yes	yes	1	
	431	50.9	52.7	70.6	70.7	71	70	yes	yes	yes	yes	0.7	
	432	68.1	71.5	74.4	76.2	76	70	yes	yes	yes	yes	6.2	
	433	68.6	72.0	74.8	76.6	77	70	yes	yes	yes	yes	6.6	
	434	68.6	72.0	70.9	74.5	75	70	yes	yes	yes	yes	4.5	
	435	66.6	72.0	71.2	74.6	75	70	yes	yes	yes	yes	4.6	
	436	66.3	71.7	70.0	74.0	74	70	yes	yes	yes	yes	4	
	437	62.0	67.2	44.4	67.2	67	70	no	yes	no	no	N/A	N/A
	438	60.5	66.1	69.1	70.9	71	70	yes	yes	yes	yes	0.9	
	439	68.1	71.5	70.5	74.0	74	70	yes	yes	yes	yes	4.0	
	440	66.4	71.8	72.2	75.0	75	70	yes	yes	yes	yes	5.0	
	441	66.3	71.6	69.9	73.9	74	70	yes	yes	yes	yes	3.9	
	442	66.1	71.4	70.9	74.2	74	70	yes	yes	yes	yes	4.2	
	443	65.6	71.0	67.5	72.6	73	70	yes	yes	yes	yes	2.6	
	444	38.3	41.6	42.7	45.2	45	70	no	yes	yes	no	N/A	N/A
	445	38.3	41.5	42.7	45.1	45	70	no	yes	yes	no	N/A	N/A
	446	36.0	41.2	42.6	45.0	45	70	no	yes	yes	no	N/A	N/A
	447	42.5	48.2	42.7	49.2	49	70	no	yes	yes	no	N/A	N/A
	448	51.5	56.8	42.3	56.9	57	70	no	yes	no	no	N/A	N/A
	449	35.6	40.7	42.2	44.5	45	70	no	yes	yes	no	N/A	N/A
	450	53.7	59.0	41.8	59.1	59	70	no	yes	no	no	N/A	N/A
	451	41.2	46.9	60.9	61.1	61	70	no	yes	yes	no	N/A	N/A
	452	42.2	47.9	61.9	62.1	62	70	no	yes	yes	no	N/A	N/A
	453	42.3	48.0	61.8	62.0	62	70	no	yes	yes	no	N/A	N/A
	454	42.6	48.3	57.5	58.0	58	70	no	yes	yes	no	N/A	N/A
	455	42.8	48.5	53.4	54.6	55	70	no	yes	yes	no	N/A	N/A
	456	42.9	48.6	43.5	49.8	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.4	51.1	40.2	51.5	52	70	no	yes	no	no	N/A	N/A
	462	34.9	40.1	53.6	53.8	54	70	no	yes	yes	no	N/A	N/A
	463	35.0	40.1	53.6	53.8	54	70	no	yes	yes	no	N/A	N/A
	464	34.9	40.1	63.5	63.6	64	70	no	yes	yes	no	N/A	N/A
	465	62.8	68.3	63.9	69.7	70	70	no	yes	yes	no	N/A	N/A
	466	61.8	67.1	64.6	69.1	69	70	no	yes	yes	no	N/A	N/A
	467	62.2	67.6	65.2	69.6	70	70	no	yes	yes	no	N/A	N/A
	468	50.0	54.3	65.8	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.5	53.3	63.8	64.2	64	70	no	yes	yes	no	N/A	N/A
	470	48.8	54.6	56.0	58.3	58	70	no	yes	yes	no	N/A	N/A
	471	47.9	53.2	64.9	65.2	65	70	no	yes	yes	no	N/A	N/A
	472	50.2	54.7	66.3	66.6	67	70	no	yes	yes	no	N/A	N/A
	473	50.3	54.9	66.8	67.1	67	70	no	yes	yes	no	N/A	N/A
	474	65.1	70.4	68.9	72.8	73	70	yes	yes	yes	yes	2.8	
	475	65.1	70.3	70.2	73.3	73	70	yes	yes	yes	yes	3.3	
	476	64.4	69.8	65.9	71.3	71	70	yes	yes	yes	yes	1.3	
	477	64.4	69.7	67.7	71.8	72	70	yes	yes	yes	yes	1.8	
	478	64.1	69.4	63.9	70.5	71	70	yes	yes	yes	yes	0.5	
	479	63.7	69.1	65.6	70.7	71	70	yes	yes	yes	yes	0.7	
	480	64.3	69.6	68.9	72.3	72	70	yes	yes	yes	yes	2.3	
	491	64.3	69.6	68.9	72.3	72	70	yes	yes	yes	yes	2.3	
	492	64.1	69.5	64.9	70.8	71	70	yes	yes	yes	yes	0.8	
	493	63.5	68.9	57.9	69.3	69	70	no	yes	no	no	N/A	N/A
	494	36.5	41.6	40.0	43.9	44	70	no	yes	yes	no	N/A	N/A
	495	44.3	49.9	39.8	50.3	50	70	no	yes	no	no	N/A	N/A
	496	47.8	53.6	39.8	53.7	54	70	no	yes	no	no	N/A	N/A
	497	48.0	53.8	39.9	53.9	54	70	no	yes	no	no	N/A	N/A
	498	47.7	53.5	40.0	53.7	54	70	no	yes	no	no	N/A	N/A
	499	47.5	53.3	39.9	53.5	54	70	no	yes	no	no	N/A	N/A
	520	47.1	52.9	39.5	53.1	53	70	no	yes	no	no	N/A	N/A
	521	46.9	52.7	39.5	52.9	53	70	no	yes	no	no	N/A	N/A
	522	46.4	52.2	39.3	52.4	52	70	no	yes	no	no	N/A	N/A
	523	46.3	52.0	53.3	55.7	56	70	no	yes	yes	no	N/A	N/A
	524	46.7	52.4	56.7	58.1	58	70	no	yes	yes	no	N/A	N/A
	525	46.7	52.5	57.8	59.0	59	70	no	yes	yes	no	N/A	N/A
	526	47.2	53.0	53.4	56.2	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	57.2	62.5	45.7	62.6	63	70	no	yes	no	no	N/A	N/A
	932	61.4	66.9	63.5	68.6	69	70	no	yes	yes	no	N/A	N/A
	933	61.8	67.3	64.1	69.0	69	70	no	yes	yes	no	N/A	N/A
	934	56.4	61.5	56.0	62.6	63	70	no	yes	yes	no	N/A	N/A
	935	42.0	47.7	62.6	62.7	63	70	no	yes	yes	no	N/A	N/A
	936	45.3	50.7	61.3	61.7	62	70	no	yes	yes	no	N/A	N/A
	937	45.3	50.7	63.9	64.1	64	70	no	yes	yes	no	N/A	N/A
	938	47.8	53.1	59.0	60.0	60	70	no	yes	yes	no	N/A	N/A
	939	47.7	53.1	57.3	58.7	59	70	no	yes	yes	no	N/A	N/A
	940	47.4	52.8	59.4	60.2	60	70	no	yes	yes	no	N/A	N/A
	941	47.3	52.7	60.7	61.3	61	70	no	yes	yes	no	N/A	N/A
	942	63.6	69.1	75.4	76.3	76	70	yes	yes	yes	yes	6.3	
	943	63.5	69.0	76.2	76.9	77	70	yes	yes	yes	yes	6.9	
	944	63.7	69.2	74.4	75.6	76	70	yes	yes	yes	yes	5.6	
	945	64.1	69.6	75.0	76.1	76	70	yes	yes	yes	yes	6.1	
	946	64.6	70.1	76.2	77.2	77	70	yes	yes	yes	yes	7.2	
	947	64.7	70.2	76.2	77.2	77	70	yes	yes	yes	yes	7.2	
	948	65.2	70.7	75.6	76.8	77	70	yes	yes	yes	yes	6.8	
	949	65.3	70.8	73.6	75.4	75	70	yes	yes	yes	yes	5.4	
	950	47.9	53.1	46.1	53.9	54	70	no	yes	no	no	N/A	N/A
	951	60.5	65.7	45.7	65.8	66	70	no	yes	no	no	N/A	N/A
	952	48.6	54.0	45.7	54.6	55	70	no	yes	no	no	N/A	N/A
	953	48.6	53.9	45.9	54.6	55	70	no	yes	no	no	N/A	N/A
	954	48.4	53.7	45.9	54.4	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.2	67.7	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.2	69.6	68.9	72.3	72	70	yes	yes	yes	yes	2.3	
	542	64.9	70.2	69.0	72.7	73	70	yes	yes	yes	yes	2.7	
	543	65.0	70.3	69.0	72.7	73	70	yes	yes	yes	yes	2.7	
	544	65.3	70.7	69.0	72.9	73	70	yes	yes	yes	yes	2.9	
	545	64.2	69.7	68.6	72.2	72	70	yes	yes	yes	yes	2.2	
	546	56.6	62.2	39.2	62.2	62	70	no	yes	no	no	N/A	N/A
	547	59.3	64.9	39.1	64.9	65	70	no	yes	no	no	N/A	N/A
	548	55.9	61.4	39.1	61.4	61	70	no	yes	no	no	N/A	N/A
	549	56.5	62.0	39.0	62.1	62	70	no	yes	no	no	N/A	N/A
	550	60.4	66.0	38.8	66.0	66	70	no	yes	no	no	N/A	N/A
	551	60.7	66.3	38.5	66.3	66	70	no	yes	no	no	N/A	N/A
	552	59.0	64.5	38.2	64.5	65	70	no	yes	no	no	N/A	N/A
	553	38.6	43.9	38.1	44.9	45	70	no	yes	yes	no	N/A	N/A
	554	36.6	41.8	38.2	43.4	43	70	no	yes	yes	no	N/A	N/A
	555	36.4	41.7	38.3	43.3	43	70	no	yes	yes	no	N/A	N/A
	556	36.5	41.7	38.6	43.4	43	70	no	yes	yes	no	N/A	N/A
	557	36.6	41.8	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	558	36.6	41.8	38.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	559	36.4	41.7	38.6	43.4	43	70	no	yes	yes	no	N/A	N/A
	560	36.1	41.3	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	561	36.0	41.2	38.5	43.1	43	70	no	yes	yes	no	N/A	N/A
	562	35.6	40.8	38.6	42.9	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.5	61.8	61.9	62	70	no	yes	yes	no	N/A	N/A
	564	37.5	42.9	41.8	45.4	45	70	no	yes	yes	no	N/A	N/A
	565	37.6	43.0	40.1	44.8	45	70	no	yes	yes	no	N/A	N/A
	566	37.9	43.3	39.6	44.8	45	70	no	yes	yes	no	N/A	N/A
	591	38.0	43.4	39.7	44.9	45	70	no	yes	yes	no	N/A	N/A
	592	38.0	43.4	40.0	45.0	45	70	no	yes	yes	no	N/A	N/A
	593	38.1	43.4	39.9	45.0	45	70	no	yes	yes	no	N/A	N/A
	594	63.3	68.7	68.7	71.7	72	70	yes	yes	yes	yes	1.7	
	595	64.6	70.0	69.3	72.6	73	70	yes	yes	yes	yes	2.6	
	596	64.6	69.9	69.3	72.6	73	70	yes	yes	yes	yes	2.6	
	597	64.7	70.1	69.1	72.6	73	70	yes	yes	yes	yes	2.6	
	598	64.3	69.7	68.6	72.2	72	70	yes	yes	yes	yes	2.2	
	599	64.1	69.5	63.8	70.5	71	70	yes	yes	yes	yes	0.5	
Block 5	701	39.0	44.2	37.3	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.7	45.0	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.2	37.8	45.1	45	70	no	yes	no	no	N/A	N/A
	704	54.4	59.8	46.1	60.0	60	70	no	yes	no	no	N/A	N/A
	705	59.7	65.1	59.5	66.2	66	70	no	yes	yes	no	N/A	N/A
	706	58.7	64.1	63.7	66.9	67	70	no	yes	yes	no	N/A	N/A
	707	59.2	64.5	65.3	67.9	68	70	no	yes	yes	no	N/A	N/A
	708	58.7	63.9	65.2	67.6	68	70	no	yes	yes	no	N/A	N/A
	709	58.3	63.5	37.7	63.5	64	70	no	yes	no	no	N/A	N/A
	710	50.1	53.8	65.7	66.0	66	70	no	yes	yes	no	N/A	N/A
	735	58.8	64.0	66.0	68.1	68	70	no	yes	yes	no	N/A	N/A
	736	59.2	64.5	66.2	68.4	68	70	no	yes	yes	no	N/A	N/A
	737	59.2	64.5	66.3	68.5	69	70	no	yes	yes	no	N/A	N/A
	738	60.1	65.5	66.0	68.8	69	70	no	yes	yes	no	N/A	N/A
	739	60.0	65.5	65.4	68.4	68	70	no	yes	yes	no	N/A	N/A
	740	53.6	59.0	37.2	59.0	59	70	no	yes	no	no	N/A	N/A
	741	55.0	60.6	37.2	60.6	61	70	no	yes	no	no	N/A	N/A
	742	52.0	57.4	37.1	57.4	57	70	no	yes	no	no	N/A	N/A
	743	52.4	57.7	37.1	57.7	58	70	no	yes	no	no	N/A	N/A
	744	56.3	61.8	36.9	61.8	62	70	no	yes	no	no	N/A	N/A
	745	55.4	61.0	36.8	61.0	61	70	no	yes	no	no	N/A	N/A
	746	51.0	56.5	36.5	56.5	57	70	no	yes	no	no	N/A	N/A
	747	47.2	52.4	36.5	52.6	53	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.6	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.6	44.2	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	36.9	44.9	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.8	36.9	45.4	45	70	no	yes	no	no	N/A	N/A
	754	39.9	44.3	36.9	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	36.8	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.7	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.7	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	36.8	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.1	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.2	37.2	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.4	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.3	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion*	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion - (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.6	48.3	52.6	53.9	54	70	no	yes	yes	no	N/A	N/A
	422	42.5	48.2	59.4	59.7	60	70	no	yes	yes	no	N/A	N/A
	423	37.6	43.0	54.9	55.1	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	43.0	64.8	64.8	65	70	no	yes	yes	no	N/A	N/A
	425	61.1	66.8	69.9	71.6	72	70	yes	yes	yes	yes	1.6	I
	426	60.8	66.3	70.2	71.7	72	70	yes	yes	yes	yes	1.7	I
	427	60.4	66.4	70.0	71.5	72	70	yes	yes	yes	yes	1.5	I
	428	49.8	52.4	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.1	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	430	50.0	51.9	70.8	70.9	71	70	yes	yes	yes	yes	0.9	I
	431	50.9	52.7	70.6	70.7	71	70	yes	yes	yes	yes	0.7	I
	432	66.0	71.4	74.3	76.1	76	70	yes	yes	yes	yes	6.1	I
	433	66.5	71.9	74.7	76.5	77	70	yes	yes	yes	yes	6.5	I
	434	66.4	71.8	70.8	74.4	74	70	yes	yes	yes	yes	4.4	I
	435	66.4	71.8	71.2	74.5	75	70	yes	yes	yes	yes	4.5	I
	436	66.2	71.6	70.0	73.9	74	70	yes	yes	yes	yes	3.9	I
	437	62.0	67.2	44.3	67.2	67	70	no	yes	no	no	N/A	N/A
	438	60.5	66.0	69.1	70.8	71	70	yes	yes	yes	yes	0.8	I
	439	66.1	71.5	70.4	74.0	74	70	yes	yes	yes	yes	4.0	I
	440	66.4	71.8	72.1	74.9	75	70	yes	yes	yes	yes	4.9	I
	441	66.3	71.6	69.8	73.8	74	70	yes	yes	yes	yes	3.8	I
	442	66.0	71.4	70.9	74.1	74	70	yes	yes	yes	yes	4.1	I
	443	65.6	70.9	67.5	72.5	73	70	yes	yes	yes	yes	2.5	I
	444	36.3	41.5	42.7	45.1	45	70	no	yes	yes	no	N/A	N/A
	445	36.2	41.4	42.6	45.1	45	70	no	yes	yes	no	N/A	N/A
	446	35.9	41.1	42.6	44.9	45	70	no	yes	yes	no	N/A	N/A
	447	42.4	48.1	42.7	49.2	49	70	no	yes	yes	no	N/A	N/A
	448	52.0	57.2	42.3	57.4	57	70	no	yes	no	no	N/A	N/A
	449	35.5	40.7	42.1	44.5	45	70	no	yes	yes	no	N/A	N/A
	450	54.0	59.3	41.8	59.3	59	70	no	yes	no	no	N/A	N/A
	451	41.2	46.8	61.0	61.2	61	70	no	yes	yes	no	N/A	N/A
	452	42.2	47.9	62.0	62.2	62	70	no	yes	yes	no	N/A	N/A
	453	42.3	48.0	62.0	62.1	62	70	no	yes	yes	no	N/A	N/A
	454	42.6	48.3	57.5	58.0	58	70	no	yes	yes	no	N/A	N/A
	455	42.7	48.4	53.3	54.5	55	70	no	yes	yes	no	N/A	N/A
	456	42.9	48.6	43.5	49.7	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.4	51.1	40.2	51.5	52	70	no	yes	no	no	N/A	N/A
	462	34.9	40.0	53.7	53.9	54	70	no	yes	yes	no	N/A	N/A
	463	34.9	40.1	53.7	53.9	54	70	no	yes	yes	no	N/A	N/A
	464	34.9	40.0	63.7	63.7	64	70	no	yes	yes	no	N/A	N/A
	465	62.8	68.3	64.0	69.7	70	70	no	yes	yes	no	N/A	N/A
	466	61.7	67.0	64.6	69.0	69	70	no	yes	yes	no	N/A	N/A
	467	62.1	67.5	65.3	69.5	70	70	no	yes	yes	no	N/A	N/A
	468	50.0	54.4	65.8	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.5	53.3	63.9	64.2	64	70	no	yes	yes	no	N/A	N/A
	470	48.8	54.6	56.0	58.4	58	70	no	yes	yes	no	N/A	N/A
	471	47.9	53.2	65.0	65.2	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.8	66.3	66.6	67	70	no	yes	yes	no	N/A	N/A
	473	50.4	54.9	66.8	67.1	67	70	no	yes	yes	no	N/A	N/A
	474	65.1	70.4	69.0	72.7	73	70	yes	yes	yes	yes	2.7	I
	475	65.0	70.3	70.2	73.2	73	70	yes	yes	yes	yes	3.2	I
	476	64.4	69.7	65.9	71.2	71	70	yes	yes	yes	yes	1.2	I
	477	64.4	69.7	67.8	71.8	72	70	yes	yes	yes	yes	1.8	I
	478	64.0	69.3	64.0	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.7	69.1	65.7	70.7	71	70	yes	yes	yes	yes	0.7	I
	480	64.3	69.5	68.9	72.3	72	70	yes	yes	yes	yes	2.3	I
	491	64.3	69.5	68.9	72.3	72	70	yes	yes	yes	yes	2.3	I
	492	64.1	69.4	64.9	70.7	71	70	yes	yes	yes	yes	0.7	I
	493	63.5	68.9	58.0	69.2	69	70	no	yes	no	no	N/A	N/A
	494	36.5	41.5	40.0	43.8	44	70	no	yes	yes	no	N/A	N/A
	495	44.2	49.8	39.8	50.3	50	70	no	yes	no	no	N/A	N/A
	496	47.8	53.6	39.8	53.7	54	70	no	yes	no	no	N/A	N/A
	497	48.0	53.7	39.9	53.9	54	70	no	yes	no	no	N/A	N/A
	498	47.7	53.4	40.0	53.6	54	70	no	yes	no	no	N/A	N/A
	499	47.5	53.3	39.9	53.5	54	70	no	yes	no	no	N/A	N/A
	520	47.1	52.9	39.5	53.1	53	70	no	yes	no	no	N/A	N/A
	521	46.9	52.7	39.4	52.9	53	70	no	yes	no	no	N/A	N/A
	522	46.4	52.1	39.3	52.3	52	70	no	yes	no	no	N/A	N/A
	523	46.3	52.0	53.5	55.8	56	70	no	yes	yes	no	N/A	N/A
	524	46.6	52.4	56.8	58.1	58	70	no	yes	yes	no	N/A	N/A
	525	46.7	52.5	58.0	59.1	59	70	no	yes	yes	no	N/A	N/A
	526	47.2	52.9	53.5	56.2	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	57.1	62.3	45.6	62.4	62	70	no	yes	no	no	N/A	N/A
	932	61.2	66.7	63.4	68.4	68	70	no	yes	yes	no	N/A	N/A
	933	61.6	67.1	64.0	68.8	69	70	no	yes	yes	no	N/A	N/A
	934	56.1	61.2	55.9	62.3	62	70	no	yes	yes	no	N/A	N/A
	935	42.0	47.6	62.7	62.8	63	70	no	yes	yes	no	N/A	N/A
	936	45.3	50.7	61.5	61.8	62	70	no	yes	yes	no	N/A	N/A
	937	45.2	50.7	64.1	64.3	64	70	no	yes	yes	no	N/A	N/A
	938	47.7	53.1	59.1	60.1	60	70	no	yes	yes	no	N/A	N/A
	939	47.7	53.0	57.4	58.8	59	70	no	yes	yes	no	N/A	N/A
	940	47.4	52.8	59.5	60.4	60	70	no	yes	yes	no	N/A	N/A
	941	47.3	52.6	60.9	61.5	62	70	no	yes	yes	no	N/A	N/A
	942	63.6	69.1	75.2	76.2	76	70	yes	yes	yes	yes	6.2	I
	943	63.4	68.9	76.0	76.8	77	70	yes	yes	yes	yes	6.8	I
	944	63.6	69.1	74.3	75.4	75	70	yes	yes	yes	yes	5.4	I
	945	64.0	69.5	74.9	76.0	76	70	yes	yes	yes	yes	6.0	I
	946	64.5	69.9	76.0	77.0	77	70	yes	yes	yes	yes	7.0	I
	947	64.6	70.1	76.1	77.0	77	70	yes	yes	yes	yes	7.0	I
	948	65.0	70.6	75.4	76.6	77	70	yes	yes	yes	yes	6.6	I
	949	65.1	70.6	73.5	75.3	75	70	yes	yes	yes	yes	5.3	I
	950	47.9	53.1	46.0	53.9	54	70	no	yes	no	no	N/A	N/A
	951	60.2	65.5	45.7	65.6	66	70	no	yes	no	no	N/A	N/A
	952	48.6	53.9	45.7	54.5	55	70	no	yes	no	no	N/A	N/A
	953	48.6	53.9	45.8	54.5	55	70	no	yes	no	no	N/A	N/A
	954	48.4	53.7	45.8	54.4	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type	
Block 4	529	42.2	44.2	67.7	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.2	69.6	68.9	72.3	72	70	yes	yes	yes	yes	2.3	I
	542	64.8	70.2	68.9	72.6	73	70	yes	yes	yes	yes	2.6	I
	543	64.9	70.3	69.0	72.7	73	70	yes	yes	yes	yes	2.7	I
	544	65.4	70.8	68.9	73.0	73	70	yes	yes	yes	yes	3.0	I
	545	64.4	69.9	68.5	72.3	72	70	yes	yes	yes	yes	2.3	I
	546	57.0	62.5	39.2	62.5	63	70	no	yes	no	no	N/A	N/A
	547	59.5	65.1	39.0	65.1	65	70	no	yes	no	no	N/A	N/A
	548	56.0	61.6	39.0	61.6	62	70	no	yes	no	no	N/A	N/A
	549	56.7	62.3	38.9	62.3	62	70	no	yes	no	no	N/A	N/A
	550	60.9	66.6	38.7	66.6	67	70	no	yes	no	no	N/A	N/A
	551	61.5	67.1	38.5	67.1	67	70	no	yes	no	no	N/A	N/A
	552	59.8	65.4	38.1	65.4	65	70	no	yes	no	no	N/A	N/A
	553	38.9	44.2	38.1	45.1	45	70	no	yes	no	no	N/A	N/A
	554	36.5	41.8	38.2	43.4	43	70	no	yes	yes	no	N/A	N/A
	555	36.4	41.6	38.3	43.3	43	70	no	yes	yes	no	N/A	N/A
	556	36.4	41.6	38.5	43.4	43	70	no	yes	yes	no	N/A	N/A
	557	36.6	41.8	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	558	36.5	41.7	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	559	36.4	41.6	38.6	43.4	43	70	no	yes	yes	no	N/A	N/A
	560	36.1	41.3	38.5	43.1	43	70	no	yes	yes	no	N/A	N/A
	561	36.0	41.2	38.4	43.1	43	70	no	yes	yes	no	N/A	N/A
	562	35.6	40.8	38.6	42.8	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.5	61.9	61.9	62	70	no	yes	yes	no	N/A	N/A
	564	37.5	42.8	41.9	45.4	45	70	no	yes	yes	no	N/A	N/A
	565	37.6	43.0	40.1	44.8	45	70	no	yes	yes	no	N/A	N/A
	566	37.9	43.2	39.5	44.8	45	70	no	yes	yes	no	N/A	N/A
	591	38.0	43.3	39.6	44.9	45	70	no	yes	yes	no	N/A	N/A
	592	38.0	43.4	39.9	45.0	45	70	no	yes	yes	no	N/A	N/A
	593	38.0	43.4	39.9	45.0	45	70	no	yes	yes	no	N/A	N/A
	594	63.2	68.6	68.7	71.7	72	70	yes	yes	yes	yes	1.7	I
	595	64.6	69.9	69.3	72.6	73	70	yes	yes	yes	yes	2.6	I
	596	64.5	69.9	69.2	72.6	73	70	yes	yes	yes	yes	2.6	I
	597	64.7	70.0	69.1	72.6	73	70	yes	yes	yes	yes	2.6	I
	598	64.4	69.7	68.6	72.2	72	70	yes	yes	yes	yes	2.2	I
	599	64.1	69.5	63.8	70.5	71	70	yes	yes	yes	yes	0.5	I
Block 5	701	39.0	44.2	37.3	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.6	45.0	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.2	37.8	45.1	45	70	no	yes	no	no	N/A	N/A
	704	54.8	60.2	46.1	60.4	60	70	no	yes	no	no	N/A	N/A
	705	60.9	66.3	59.8	67.2	67	70	no	yes	no	no	N/A	N/A
	706	59.8	65.2	63.9	67.6	68	70	no	yes	yes	no	N/A	N/A
	707	60.1	65.4	65.4	68.4	68	70	no	yes	yes	no	N/A	N/A
	708	59.4	64.7	65.5	68.1	68	70	no	yes	yes	no	N/A	N/A
	709	59.0	64.3	37.7	64.3	64	70	no	yes	no	no	N/A	N/A
	710	51.0	55.2	66.0	66.4	66	70	no	yes	yes	no	N/A	N/A
	735	59.5	64.7	66.2	68.6	69	70	no	yes	yes	no	N/A	N/A
	736	59.9	65.2	66.4	68.9	69	70	no	yes	yes	no	N/A	N/A
	737	59.9	65.2	66.5	68.9	69	70	no	yes	yes	no	N/A	N/A
	738	61.1	66.6	66.3	69.5	70	70	no	yes	yes	no	N/A	N/A
	739	61.1	66.6	65.7	69.2	69	70	no	yes	yes	no	N/A	N/A
	740	55.2	60.6	37.1	60.6	61	70	no	yes	no	no	N/A	N/A
	741	56.3	61.8	37.2	61.8	62	70	no	yes	no	no	N/A	N/A
	742	53.3	58.7	37.0	58.7	59	70	no	yes	no	no	N/A	N/A
	743	53.6	58.9	37.0	58.9	59	70	no	yes	no	no	N/A	N/A
	744	57.0	62.6	36.8	62.6	63	70	no	yes	no	no	N/A	N/A
	745	56.5	62.1	36.7	62.1	62	70	no	yes	no	no	N/A	N/A
	746	52.4	57.9	36.5	58.0	58	70	no	yes	no	no	N/A	N/A
	747	49.1	54.4	36.4	54.5	55	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.5	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.6	44.1	36.6	44.9	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.8	36.9	45.4	45	70	no	yes	no	no	N/A	N/A
	754	39.8	44.3	36.9	45.0	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	36.8	45.3	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.7	45.1	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.7	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	36.7	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.2	44.9	37.1	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.1	37.2	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.4	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.3	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole ne.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.6	48.3	52.6	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.4	48.1	59.6	59.9	60	70	no	yes	yes	no	N/A	N/A
	423	37.5	43.0	55.0	55.2	55	70	no	yes	yes	no	N/A	N/A
	424	38.1	42.9	64.9	64.9	65	70	no	yes	yes	no	N/A	N/A
	425	61.0	66.7	69.9	71.6	72	70	yes	yes	yes	yes	1.6	
	426	60.7	66.2	70.2	71.7	72	70	yes	yes	yes	yes	1.7	
	427	60.3	66.3	70.0	71.5	72	70	yes	yes	yes	yes	1.5	
	428	49.8	52.4	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.1	68.8	68.9	69	70	no	yes	yes	no	N/A	N/A
	430	50.0	51.9	70.8	70.9	71	70	yes	yes	yes	yes	0.9	
	431	50.9	52.7	70.5	70.6	71	70	yes	yes	yes	yes	0.6	
	432	65.8	71.2	74.2	76.0	76	70	yes	yes	yes	yes	6.0	
	433	66.3	71.7	74.6	76.4	76	70	yes	yes	yes	yes	6.4	
	434	66.3	71.7	70.7	74.3	74	70	yes	yes	yes	yes	4.3	
	435	66.3	71.7	71.1	74.4	74	70	yes	yes	yes	yes	4.4	
	436	66.1	71.5	70.0	73.8	74	70	yes	yes	yes	yes	3.8	
	437	61.9	67.1	44.2	67.2	67	70	no	yes	no	no	N/A	N/A
	438	60.4	65.9	69.1	70.8	71	70	yes	yes	yes	yes	0.8	
	439	66.1	71.5	70.4	74.0	74	70	yes	yes	yes	yes	4.0	
	440	66.4	71.7	72.1	74.9	75	70	yes	yes	yes	yes	4.9	
	441	66.2	71.6	69.8	73.8	74	70	yes	yes	yes	yes	3.8	
	442	66.0	71.3	70.9	74.1	74	70	yes	yes	yes	yes	4.1	
	443	65.5	70.9	67.5	72.5	73	70	yes	yes	yes	yes	2.5	
	444	36.2	41.4	42.6	45.0	45	70	no	yes	yes	no	N/A	N/A
	445	36.1	41.3	42.6	45.0	45	70	no	yes	yes	no	N/A	N/A
	446	35.8	41.0	42.5	44.9	45	70	no	yes	yes	no	N/A	N/A
	447	42.4	48.0	42.6	49.1	49	70	no	yes	yes	no	N/A	N/A
	448	52.5	57.7	42.3	57.8	58	70	no	yes	no	no	N/A	N/A
	449	35.4	40.6	42.1	44.4	44	70	no	yes	yes	no	N/A	N/A
	450	54.2	59.5	41.7	59.5	60	70	no	yes	no	no	N/A	N/A
	451	41.2	46.8	61.1	61.3	61	70	no	yes	yes	no	N/A	N/A
	452	42.2	47.9	62.1	62.3	62	70	no	yes	yes	no	N/A	N/A
	453	42.2	47.9	62.1	62.3	62	70	no	yes	yes	no	N/A	N/A
	454	42.6	48.3	57.6	58.1	58	70	no	yes	yes	no	N/A	N/A
	455	42.7	48.4	53.2	54.5	55	70	no	yes	yes	no	N/A	N/A
	456	42.8	48.5	43.4	49.7	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.3	51.0	40.1	51.4	51	70	no	yes	no	no	N/A	N/A
	462	34.8	40.0	53.8	54.0	54	70	no	yes	yes	no	N/A	N/A
	463	34.9	40.0	53.8	54.0	54	70	no	yes	yes	no	N/A	N/A
	464	34.8	40.0	63.8	63.8	64	70	no	yes	yes	no	N/A	N/A
	465	62.7	68.1	64.1	69.6	70	70	no	yes	yes	no	N/A	N/A
	466	61.6	66.9	64.7	69.0	69	70	no	yes	yes	no	N/A	N/A
	467	62.0	67.4	65.3	69.5	70	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.4	65.8	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.5	53.3	63.9	64.2	64	70	no	yes	yes	no	N/A	N/A
	470	48.7	54.5	58.1	58.4	58	70	no	yes	yes	no	N/A	N/A
	471	47.9	53.2	65.0	65.3	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.8	66.3	66.6	67	70	no	yes	yes	no	N/A	N/A
	473	50.4	54.9	66.8	67.1	67	70	no	yes	yes	no	N/A	N/A
	474	65.1	70.4	68.9	72.7	73	70	yes	yes	yes	yes	2.7	
	475	65.0	70.2	70.2	73.2	73	70	yes	yes	yes	yes	3.2	
	476	64.4	69.7	65.9	71.2	71	70	yes	yes	yes	yes	1.2	
	477	64.3	69.6	67.8	71.8	72	70	yes	yes	yes	yes	1.8	
	478	64.0	69.3	64.0	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.7	69.0	65.7	70.7	71	70	yes	yes	yes	yes	0.7	
	480	64.2	69.5	69.0	72.2	72	70	yes	yes	yes	yes	2.2	
	491	64.2	69.5	69.0	72.2	72	70	yes	yes	yes	yes	2.2	
	492	64.0	69.4	65.0	70.7	71	70	yes	yes	yes	yes	0.7	
	493	63.4	68.8	58.0	69.1	69	70	no	yes	no	no	N/A	N/A
	494	36.5	41.5	39.9	43.8	44	70	no	yes	yes	no	N/A	N/A
	495	44.2	49.8	39.8	50.2	50	70	no	yes	no	no	N/A	N/A
	496	47.8	53.6	39.8	53.7	54	70	no	yes	no	no	N/A	N/A
	497	47.9	53.7	39.9	53.8	54	70	no	yes	no	no	N/A	N/A
	498	47.7	53.4	39.9	53.6	54	70	no	yes	no	no	N/A	N/A
	499	47.5	53.3	39.9	53.5	54	70	no	yes	no	no	N/A	N/A
	520	47.1	52.8	39.5	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.9	52.6	39.4	52.8	53	70	no	yes	no	no	N/A	N/A
	522	46.4	52.1	39.2	52.3	52	70	no	yes	no	no	N/A	N/A
	523	46.2	52.0	53.6	55.9	56	70	no	yes	yes	no	N/A	N/A
	524	46.6	52.4	56.9	58.2	58	70	no	yes	yes	no	N/A	N/A
	525	46.7	52.4	58.1	59.1	59	70	no	yes	yes	no	N/A	N/A
	526	47.2	52.9	53.6	56.3	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	56.8	62.1	45.5	62.2	62	70	no	yes	no	no	N/A	N/A
	932	61.0	66.5	63.3	68.2	68	70	no	yes	yes	no	N/A	N/A
	933	61.4	66.9	63.9	68.7	69	70	no	yes	yes	no	N/A	N/A
	934	55.8	60.9	55.9	62.1	62	70	no	yes	yes	no	N/A	N/A
	935	41.9	47.6	62.8	62.9	63	70	no	yes	yes	no	N/A	N/A
	936	45.3	50.7	61.6	61.9	62	70	no	yes	yes	no	N/A	N/A
	937	45.2	50.6	64.2	64.4	64	70	no	yes	yes	no	N/A	N/A
	938	47.7	53.1	59.2	60.2	60	70	no	yes	yes	no	N/A	N/A
	939	47.7	53.0	57.5	58.8	59	70	no	yes	yes	no	N/A	N/A
	940	47.4	52.7	59.7	60.5	61	70	no	yes	yes	no	N/A	N/A
	941	47.3	52.6	61.0	61.6	62	70	no	yes	yes	no	N/A	N/A
	942	63.5	69.0	75.0	76.0	76	70	yes	yes	yes	yes	6.0	
	943	63.3	68.8	75.8	76.6	77	70	yes	yes	yes	yes	6.6	
	944	63.5	69.0	74.1	75.3	75	70	yes	yes	yes	yes	5.3	
	945	63.9	69.3	74.7	75.8	76	70	yes	yes	yes	yes	5.8	
	946	64.3	69.8	75.9	76.8	77	70	yes	yes	yes	yes	6.8	
	947	64.4	69.9	75.9	76.9	77	70	yes	yes	yes	yes	6.9	
	948	64.9	70.4	75.3	76.5	77	70	yes	yes	yes	yes	6.5	
	949	65.0	70.5	73.3	75.1	75	70	yes	yes	yes	yes	5.1	
	950	47.8	53.1	45.9	53.8	54	70	no	yes	no	no	N/A	N/A
	951	60.0	65.3	45.6	65.4	65	70	no	yes	no	no	N/A	N/A
	952	48.6	53.9	45.6	54.5	55	70	no	yes	no	no	N/A	N/A
	953	48.5	53.9	45.7	54.5	55	70	no	yes	no	no	N/A	N/A
	954	48.3	53.7	45.7	54.3	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.2	44.2	67.7	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.2	69.6	68.8	72.3	72	70	yes	yes	yes	yes	2.3	I
	542	64.8	70.2	68.9	72.6	73	70	yes	yes	yes	yes	2.6	I
	543	64.9	70.2	68.9	72.6	73	70	yes	yes	yes	yes	2.6	I
	544	65.5	70.9	68.8	73.0	73	70	yes	yes	yes	yes	3.0	I
	545	64.6	70.1	68.5	72.4	72	70	yes	yes	yes	yes	2.4	I
	546	57.3	62.8	39.1	62.8	63	70	no	yes	no	no	N/A	N/A
	547	59.6	65.2	39.0	65.2	65	70	no	yes	no	no	N/A	N/A
	548	56.2	61.7	39.0	61.7	62	70	no	yes	no	no	N/A	N/A
	549	56.9	62.4	38.9	62.4	62	70	no	yes	no	no	N/A	N/A
	550	61.3	66.9	38.7	66.9	67	70	no	yes	no	no	N/A	N/A
	551	62.0	67.6	38.4	67.6	68	70	no	yes	no	no	N/A	N/A
	552	60.3	65.9	38.1	65.9	66	70	no	yes	no	no	N/A	N/A
	553	39.1	44.4	38.0	45.3	45	70	no	yes	no	no	N/A	N/A
	554	36.5	41.7	38.1	43.3	43	70	no	yes	yes	no	N/A	N/A
	555	36.4	41.6	38.2	43.3	43	70	no	yes	yes	no	N/A	N/A
	556	36.4	41.6	38.5	43.4	43	70	no	yes	yes	no	N/A	N/A
	557	36.5	41.8	38.6	43.5	44	70	no	yes	yes	no	N/A	N/A
	558	36.5	41.7	38.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	559	36.3	41.6	38.6	43.3	43	70	no	yes	yes	no	N/A	N/A
	560	36.0	41.2	38.5	43.1	43	70	no	yes	yes	no	N/A	N/A
	561	36.0	41.2	38.4	43.0	43	70	no	yes	yes	no	N/A	N/A
	562	35.6	40.7	38.6	42.8	43	70	no	yes	yes	no	N/A	N/A
	563	41.4	42.5	61.9	62.0	62	70	no	yes	yes	no	N/A	N/A
	564	37.4	42.8	42.1	45.5	46	70	no	yes	yes	no	N/A	N/A
	565	37.5	42.9	40.1	44.7	45	70	no	yes	yes	no	N/A	N/A
	566	37.8	43.2	39.5	44.7	45	70	no	yes	yes	no	N/A	N/A
	591	37.9	43.3	39.6	44.8	45	70	no	yes	yes	no	N/A	N/A
	592	37.9	43.3	39.9	44.9	45	70	no	yes	yes	no	N/A	N/A
	593	38.0	43.3	39.9	44.9	45	70	no	yes	yes	no	N/A	N/A
	594	63.2	68.6	68.8	71.7	72	70	yes	yes	yes	yes	1.7	I
	595	64.5	69.8	69.3	72.6	73	70	yes	yes	yes	yes	2.6	I
	596	64.5	69.8	69.2	72.5	73	70	yes	yes	yes	yes	2.5	I
	597	64.6	69.9	69.1	72.5	73	70	yes	yes	yes	yes	2.5	I
	598	64.3	69.6	68.6	72.1	72	70	yes	yes	yes	yes	2.1	I
	599	64.1	69.4	63.8	70.5	71	70	yes	yes	yes	yes	0.5	I
Block 5	701	38.9	44.1	37.3	45.0	45	70	no	yes	no	no	N/A	N/A
	702	39.0	44.2	37.6	45.0	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.2	37.7	45.1	45	70	no	yes	no	no	N/A	N/A
	704	55.0	60.4	46.0	60.6	61	70	no	yes	no	no	N/A	N/A
	705	61.7	67.1	59.8	67.9	68	70	no	yes	no	no	N/A	N/A
	706	60.7	66.2	63.9	68.2	68	70	no	yes	yes	no	N/A	N/A
	707	60.9	66.3	65.4	68.9	69	70	no	yes	yes	no	N/A	N/A
	708	60.1	65.5	65.6	68.5	69	70	no	yes	yes	no	N/A	N/A
	709	59.7	65.1	37.6	65.1	65	70	no	yes	no	no	N/A	N/A
	710	52.3	57.0	66.1	66.6	67	70	no	yes	yes	no	N/A	N/A
	735	60.1	65.5	66.3	69.0	69	70	no	yes	yes	no	N/A	N/A
	736	60.5	65.9	66.5	69.2	69	70	no	yes	yes	no	N/A	N/A
	737	60.5	65.9	66.6	69.2	69	70	no	yes	yes	no	N/A	N/A
	738	61.9	67.3	66.4	69.9	70	70	no	yes	yes	no	N/A	N/A
	739	61.7	67.2	65.9	69.6	70	70	no	yes	yes	no	N/A	N/A
	740	56.1	61.5	37.0	61.5	62	70	no	yes	no	no	N/A	N/A
	741	57.0	62.5	37.1	62.5	63	70	no	yes	no	no	N/A	N/A
	742	54.5	59.9	37.0	59.9	60	70	no	yes	no	no	N/A	N/A
	743	54.7	60.0	36.9	60.0	60	70	no	yes	no	no	N/A	N/A
	744	57.5	63.1	36.7	63.1	63	70	no	yes	no	no	N/A	N/A
	745	57.2	62.8	36.7	62.8	63	70	no	yes	no	no	N/A	N/A
	746	54.2	59.6	36.4	59.6	60	70	no	yes	no	no	N/A	N/A
	747	50.9	56.2	36.4	56.2	56	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.5	44.8	45	70	no	yes	no	no	N/A	N/A
	749	39.6	44.1	36.6	44.8	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.2	36.8	44.9	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.8	36.8	45.4	45	70	no	yes	no	no	N/A	N/A
	754	39.8	44.3	36.8	45.0	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	36.8	45.2	45	70	no	yes	no	no	N/A	N/A
	756	40.0	44.4	36.6	45.0	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.6	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.7	36.7	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.1	44.9	37.0	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.1	37.2	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.3	37.3	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.2	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀ 2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₀ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.6	48.3	52.6	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.4	48.1	59.7	60.0	60	70	no	yes	yes	no	N/A	N/A
	423	37.5	42.9	55.1	55.3	55	70	no	yes	yes	no	N/A	N/A
	424	38.2	42.8	65.0	65.0	65	70	no	yes	yes	no	N/A	N/A
	425	60.9	66.6	69.9	71.6	72	70	yes	yes	yes	yes	1.6	I
	426	60.6	66.1	70.1	71.6	72	70	yes	yes	yes	yes	1.6	I
	427	60.2	66.2	69.9	71.5	72	70	yes	yes	yes	yes	1.5	I
	428	49.8	52.4	68.9	69.0	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.1	68.8	68.9	69	70	no	yes	yes	no	N/A	N/A
	430	50.0	51.9	70.7	70.8	71	70	yes	yes	yes	yes	0.8	I
	431	51.0	52.7	70.4	70.5	71	70	yes	yes	yes	yes	0.5	I
	432	65.7	71.1	74.1	75.9	76	70	yes	yes	yes	yes	5.9	I
	433	66.2	71.5	74.5	76.3	76	70	yes	yes	yes	yes	6.3	I
	434	66.2	71.6	70.7	74.1	74	70	yes	yes	yes	yes	4.1	I
	435	66.2	71.6	71.1	74.3	74	70	yes	yes	yes	yes	4.3	I
	436	66.0	71.4	69.9	73.7	74	70	yes	yes	yes	yes	3.7	I
	437	61.7	67.0	44.2	67.0	67	70	no	yes	no	no	N/A	N/A
	438	60.3	65.8	69.0	70.7	71	70	yes	yes	yes	yes	0.7	I
	439	66.0	71.4	70.3	73.9	74	70	yes	yes	yes	yes	3.9	I
	440	66.3	71.6	72.0	74.8	75	70	yes	yes	yes	yes	4.8	I
	441	66.2	71.5	69.7	73.7	74	70	yes	yes	yes	yes	3.7	I
	442	66.1	71.4	70.8	74.1	74	70	yes	yes	yes	yes	4.1	I
	443	65.5	70.9	67.4	72.5	73	70	yes	yes	yes	yes	2.5	I
	444	36.1	41.3	42.6	45.0	45	70	no	yes	yes	no	N/A	N/A
	445	36.0	41.2	42.5	44.9	45	70	no	yes	yes	no	N/A	N/A
	446	35.7	40.9	42.5	44.8	45	70	no	yes	yes	no	N/A	N/A
	447	42.3	48.0	42.6	49.1	49	70	no	yes	yes	no	N/A	N/A
	448	53.0	58.1	42.2	58.2	58	70	no	yes	no	no	N/A	N/A
	449	35.3	40.5	42.0	44.3	44	70	no	yes	yes	no	N/A	N/A
	450	54.5	59.7	41.7	59.8	60	70	no	yes	no	no	N/A	N/A
	451	41.2	46.8	61.3	61.4	61	70	no	yes	yes	no	N/A	N/A
	452	42.2	47.9	62.3	62.4	62	70	no	yes	yes	no	N/A	N/A
	453	42.2	47.9	62.2	62.4	62	70	no	yes	yes	no	N/A	N/A
	454	42.6	48.3	57.7	58.2	58	70	no	yes	yes	no	N/A	N/A
	455	42.7	48.4	53.2	54.4	54	70	no	yes	yes	no	N/A	N/A
	456	42.8	48.5	43.4	49.6	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.3	51.0	40.1	51.4	51	70	no	yes	no	no	N/A	N/A
	462	34.8	39.9	53.9	54.0	54	70	no	yes	yes	no	N/A	N/A
	463	34.8	39.9	53.8	54.0	54	70	no	yes	yes	no	N/A	N/A
	464	34.8	39.9	63.9	63.9	64	70	no	yes	yes	no	N/A	N/A
	465	62.6	68.1	64.2	69.6	70	70	no	yes	yes	no	N/A	N/A
	466	61.5	68.9	64.8	69.0	69	70	no	yes	yes	no	N/A	N/A
	467	61.9	67.3	65.3	69.5	70	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.4	65.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	469	48.5	53.3	63.9	64.3	64	70	no	yes	yes	no	N/A	N/A
	470	48.7	54.5	56.1	58.4	58	70	no	yes	yes	no	N/A	N/A
	471	47.9	53.1	65.0	65.3	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.8	66.3	66.6	67	70	no	yes	yes	no	N/A	N/A
	473	50.4	54.9	66.9	67.1	67	70	no	yes	yes	no	N/A	N/A
	474	65.0	70.3	68.9	72.7	73	70	yes	yes	yes	yes	2.7	I
	475	65.0	70.3	70.2	73.2	73	70	yes	yes	yes	yes	3.2	I
	476	64.3	69.6	65.9	71.2	71	70	yes	yes	yes	yes	1.2	I
	477	64.3	69.6	67.8	71.8	72	70	yes	yes	yes	yes	1.8	I
	478	63.9	69.3	64.0	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.7	69.0	65.7	70.7	71	70	yes	yes	yes	yes	0.7	I
	480	64.2	69.4	68.9	72.2	72	70	yes	yes	yes	yes	2.2	I
	491	64.2	69.4	69.0	72.2	72	70	yes	yes	yes	yes	2.2	I
	492	63.9	69.3	64.9	70.6	71	70	yes	yes	yes	yes	0.6	I
	493	63.4	68.7	58.0	69.1	69	70	no	yes	no	no	N/A	N/A
	494	36.4	41.4	39.9	43.7	44	70	no	yes	yes	no	N/A	N/A
	495	44.2	49.8	39.8	50.2	50	70	no	yes	no	no	N/A	N/A
	496	47.8	53.5	39.8	53.7	54	70	no	yes	no	no	N/A	N/A
	497	47.9	53.7	39.9	53.8	54	70	no	yes	no	no	N/A	N/A
	498	47.6	53.4	39.9	53.6	54	70	no	yes	no	no	N/A	N/A
	499	47.5	53.2	39.8	53.4	53	70	no	yes	no	no	N/A	N/A
	520	47.1	52.8	39.5	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.9	52.6	39.4	52.8	53	70	no	yes	no	no	N/A	N/A
	522	46.3	52.1	39.2	52.3	52	70	no	yes	no	no	N/A	N/A
	523	46.2	52.0	53.7	56.0	56	70	no	yes	yes	no	N/A	N/A
	524	46.6	52.3	57.0	58.2	58	70	no	yes	yes	no	N/A	N/A
	525	46.7	52.4	58.2	59.2	59	70	no	yes	yes	no	N/A	N/A
	526	47.1	52.9	53.6	56.3	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	56.6	61.9	45.4	62.0	62	70	no	yes	no	no	N/A	N/A
	932	60.8	66.4	63.2	68.1	68	70	no	yes	yes	no	N/A	N/A
	933	61.3	66.8	63.8	68.6	69	70	no	yes	yes	no	N/A	N/A
	934	55.6	60.7	55.9	61.9	62	70	no	yes	yes	no	N/A	N/A
	935	41.9	47.6	62.9	63.0	63	70	no	yes	yes	no	N/A	N/A
	936	45.3	50.6	61.7	62.0	62	70	no	yes	yes	no	N/A	N/A
	937	45.2	50.6	64.3	64.4	64	70	no	yes	yes	no	N/A	N/A
	938	47.7	53.1	59.4	60.3	60	70	no	yes	yes	no	N/A	N/A
	939	47.7	53.0	57.6	58.9	59	70	no	yes	yes	no	N/A	N/A
	940	47.4	52.7	59.8	60.8	61	70	no	yes	yes	no	N/A	N/A
	941	47.3	52.6	61.1	61.7	62	70	no	yes	yes	no	N/A	N/A
	942	63.5	68.9	74.9	75.8	76	70	yes	yes	yes	yes	5.8	I
	943	63.3	68.7	75.6	76.4	76	70	yes	yes	yes	yes	6.4	I
	944	63.4	68.9	74.0	75.1	75	70	yes	yes	yes	yes	5.1	I
	945	63.8	69.2	74.6	75.7	76	70	yes	yes	yes	yes	5.7	I
	946	64.2	69.7	75.7	76.7	77	70	yes	yes	yes	yes	6.7	I
	947	64.3	69.8	75.7	76.7	77	70	yes	yes	yes	yes	6.7	I
	948	64.7	70.2	75.2	76.4	76	70	yes	yes	yes	yes	6.4	I
	949	64.8	70.3	73.2	75.0	75	70	yes	yes	yes	yes	5.0	I
	950	47.8	53.0	45.8	53.8	54	70	no	yes	no	no	N/A	N/A
	951	59.8	65.1	45.5	65.1	65	70	no	yes	no	no	N/A	N/A
	952	48.5	53.9	45.5	54.5	55	70	no	yes	no	no	N/A	N/A
	953	48.5	53.9	45.6	54.5	55	70	no	yes	no	no	N/A	N/A
	954	48.3	53.7	45.6	54.3	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.1	44.1	67.6	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.1	69.6	68.8	72.2	72	70	yes	yes	yes	yes	2.2	I
	542	64.7	70.1	68.8	72.5	73	70	yes	yes	yes	yes	2.5	I
	543	64.8	70.2	68.8	72.6	73	70	yes	yes	yes	yes	2.6	I
	544	65.5	70.9	68.7	73.0	73	70	yes	yes	yes	yes	3.0	I
	545	64.8	70.3	68.4	72.4	72	70	yes	yes	yes	yes	2.4	I
	546	57.7	63.2	39.0	63.2	63	70	no	yes	no	no	N/A	N/A
	547	59.7	65.3	38.9	65.3	65	70	no	yes	no	no	N/A	N/A
	548	56.4	61.9	38.9	61.9	62	70	no	yes	no	no	N/A	N/A
	549	57.0	62.6	38.8	62.6	63	70	no	yes	no	no	N/A	N/A
	550	61.6	67.2	38.6	67.2	67	70	no	yes	no	no	N/A	N/A
	551	62.3	67.8	38.4	67.8	68	70	no	yes	no	no	N/A	N/A
	552	60.6	66.2	38.1	66.2	66	70	no	yes	no	no	N/A	N/A
	553	39.4	44.7	38.0	45.5	46	70	no	yes	no	no	N/A	N/A
	554	36.5	41.7	38.1	43.3	43	70	no	yes	yes	no	N/A	N/A
	555	36.4	41.6	38.2	43.2	43	70	no	yes	yes	no	N/A	N/A
	556	36.4	41.6	38.5	43.3	43	70	no	yes	yes	no	N/A	N/A
	557	36.5	41.7	38.6	43.4	43	70	no	yes	yes	no	N/A	N/A
	558	36.4	41.7	38.6	43.4	43	70	no	yes	yes	no	N/A	N/A
	559	36.3	41.5	38.5	43.3	43	70	no	yes	yes	no	N/A	N/A
	560	36.0	41.2	38.5	43.1	43	70	no	yes	yes	no	N/A	N/A
	561	35.9	41.1	38.4	43.0	43	70	no	yes	yes	no	N/A	N/A
	562	35.5	40.7	38.5	42.8	43	70	no	yes	yes	no	N/A	N/A
	563	41.3	42.4	61.9	62.0	62	70	no	yes	yes	no	N/A	N/A
	564	37.4	42.7	42.4	45.6	46	70	no	yes	yes	no	N/A	N/A
	565	37.5	42.9	40.1	44.7	45	70	no	yes	yes	no	N/A	N/A
	566	37.8	43.2	39.4	44.7	45	70	no	yes	yes	no	N/A	N/A
	591	37.9	43.3	39.6	44.8	45	70	no	yes	yes	no	N/A	N/A
	592	37.9	43.2	39.8	44.9	45	70	no	yes	yes	no	N/A	N/A
	593	37.9	43.3	39.8	44.9	45	70	no	yes	yes	no	N/A	N/A
	594	63.1	68.5	68.7	71.6	72	70	yes	yes	yes	yes	1.6	I
	595	64.4	69.8	69.3	72.5	73	70	yes	yes	yes	yes	2.5	I
	596	64.4	69.7	69.2	72.5	73	70	yes	yes	yes	yes	2.5	I
	597	64.6	69.9	69.0	72.5	73	70	yes	yes	yes	yes	2.5	I
	598	64.3	69.6	68.5	72.1	72	70	yes	yes	yes	yes	2.1	I
	599	64.0	69.4	63.8	70.4	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.9	44.1	37.2	44.9	45	70	no	yes	no	no	N/A	N/A
	702	38.9	44.1	37.5	45.0	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.2	37.7	45.1	45	70	no	yes	no	no	N/A	N/A
	704	55.1	60.5	46.0	60.7	61	70	no	yes	no	no	N/A	N/A
	705	62.2	67.7	59.9	68.4	68	70	no	yes	no	no	N/A	N/A
	706	61.5	66.9	63.9	68.7	69	70	no	yes	yes	no	N/A	N/A
	707	61.6	67.0	65.4	69.3	69	70	no	yes	yes	no	N/A	N/A
	708	60.6	66.0	65.6	68.8	69	70	no	yes	yes	no	N/A	N/A
	709	60.2	65.6	37.6	65.6	66	70	no	yes	no	no	N/A	N/A
	710	53.8	58.8	66.2	66.9	67	70	no	yes	yes	no	N/A	N/A
	735	60.7	66.1	66.3	69.2	69	70	no	yes	yes	no	N/A	N/A
	736	61.0	66.4	66.4	69.4	69	70	no	yes	yes	no	N/A	N/A
	737	60.9	66.3	66.5	69.4	69	70	no	yes	yes	no	N/A	N/A
	738	62.3	67.8	66.4	70.1	70	70	no	yes	yes	no	N/A	N/A
	739	62.0	67.5	66.0	69.8	70	70	no	yes	yes	no	N/A	N/A
	740	56.6	62.0	37.0	62.0	62	70	no	yes	no	no	N/A	N/A
	741	57.5	63.0	37.0	63.0	63	70	no	yes	no	no	N/A	N/A
	742	55.2	60.6	36.9	60.6	61	70	no	yes	no	no	N/A	N/A
	743	55.3	60.6	36.9	60.7	61	70	no	yes	no	no	N/A	N/A
	744	57.9	63.5	36.7	63.5	64	70	no	yes	no	no	N/A	N/A
	745	57.8	63.4	36.6	63.4	63	70	no	yes	no	no	N/A	N/A
	746	55.2	60.7	36.4	60.7	61	70	no	yes	no	no	N/A	N/A
	747	51.7	57.0	36.3	57.0	57	70	no	yes	no	no	N/A	N/A
	748	39.6	44.1	36.4	44.8	45	70	no	yes	no	no	N/A	N/A
	749	39.6	44.1	36.5	44.8	45	70	no	yes	no	no	N/A	N/A
	752	39.6	44.1	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.7	36.8	45.4	45	70	no	yes	no	no	N/A	N/A
	754	39.8	44.3	36.8	45.0	45	70	no	yes	no	no	N/A	N/A
	755	40.2	44.6	36.7	45.2	45	70	no	yes	no	no	N/A	N/A
	756	39.9	44.4	36.6	45.0	45	70	no	yes	no	no	N/A	N/A
	757	39.9	44.3	36.6	45.0	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.7	36.7	44.5	45	70	no	yes	no	no	N/A	N/A
	759	40.1	44.9	37.0	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.4	45.1	37.1	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.2	37.3	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.5	37.2	46.1	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.6	48.3	52.6	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.4	48.1	59.9	60.1	60	70	no	yes	yes	no	N/A	N/A
	423	37.4	42.8	55.1	55.4	55	70	no	yes	yes	no	N/A	N/A
	424	38.2	42.8	65.0	65.1	65	70	no	yes	yes	no	N/A	N/A
	425	60.8	66.5	69.9	71.5	72	70	yes	yes	yes	yes	1.5	I
	426	60.6	66.1	70.1	71.6	72	70	yes	yes	yes	yes	1.6	I
	427	60.2	66.1	69.9	71.4	71	70	yes	yes	yes	yes	1.4	I
	428	49.8	52.4	68.9	68.9	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.0	68.8	68.9	69	70	no	yes	yes	no	N/A	N/A
	430	50.1	51.9	70.7	70.7	71	70	yes	yes	yes	yes	0.7	I
	431	51.0	52.7	70.4	70.5	71	70	yes	yes	yes	yes	0.5	I
	432	65.6	70.9	74.0	75.7	76	70	yes	yes	yes	yes	5.7	I
	433	66.0	71.4	74.4	76.1	76	70	yes	yes	yes	yes	6.1	I
	434	66.0	71.4	70.6	74.0	74	70	yes	yes	yes	yes	4	I
	435	66.1	71.5	70.9	74.2	74	70	yes	yes	yes	yes	4.2	I
	436	65.9	71.3	69.8	73.6	74	70	yes	yes	yes	yes	3.6	I
	437	61.6	66.9	44.1	66.9	67	70	no	yes	no	no	N/A	N/A
	438	60.2	65.7	68.9	70.6	71	70	yes	yes	yes	yes	0.6	I
	439	65.9	71.3	70.2	73.8	74	70	yes	yes	yes	yes	3.8	I
	440	66.2	71.5	71.9	74.7	75	70	yes	yes	yes	yes	4.7	I
	441	66.1	71.4	69.6	73.6	74	70	yes	yes	yes	yes	3.6	I
	442	66.1	71.4	70.7	74.1	74	70	yes	yes	yes	yes	4.1	I
	443	65.6	70.9	67.3	72.5	73	70	yes	yes	yes	yes	2.5	I
	444	36.0	41.2	42.5	44.9	45	70	no	yes	yes	no	N/A	N/A
	445	35.9	41.1	42.4	44.8	45	70	no	yes	yes	no	N/A	N/A
	446	35.6	40.8	42.4	44.7	45	70	no	yes	yes	no	N/A	N/A
	447	42.3	48.0	42.5	49.1	49	70	no	yes	yes	no	N/A	N/A
	448	53.5	58.6	42.2	58.7	59	70	no	yes	no	no	N/A	N/A
	449	35.2	40.4	42.0	44.3	44	70	no	yes	yes	no	N/A	N/A
	450	54.8	60.0	41.7	60.1	60	70	no	yes	no	no	N/A	N/A
	451	41.1	46.8	61.4	61.5	62	70	no	yes	yes	no	N/A	N/A
	452	42.1	47.8	62.4	62.5	63	70	no	yes	yes	no	N/A	N/A
	453	42.2	47.9	62.3	62.5	63	70	no	yes	yes	no	N/A	N/A
	454	42.5	48.2	57.8	58.2	58	70	no	yes	yes	no	N/A	N/A
	455	42.7	48.4	53.1	54.4	54	70	no	yes	yes	no	N/A	N/A
	456	42.7	48.4	43.4	49.6	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.3	51.0	40.1	51.4	51	70	no	yes	no	no	N/A	N/A
	462	34.7	39.9	53.9	54.1	54	70	no	yes	yes	no	N/A	N/A
	463	34.7	39.9	53.8	54.0	54	70	no	yes	yes	no	N/A	N/A
	464	34.7	39.8	63.9	63.9	64	70	no	yes	yes	no	N/A	N/A
	465	62.5	68.0	64.3	69.5	70	70	no	yes	yes	no	N/A	N/A
	466	61.4	66.7	64.8	68.9	69	70	no	yes	yes	no	N/A	N/A
	467	61.9	67.2	65.4	69.4	69	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.4	65.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	469	48.5	53.2	63.9	64.3	64	70	no	yes	yes	no	N/A	N/A
	470	48.7	54.5	56.2	58.4	58	70	no	yes	yes	no	N/A	N/A
	471	47.8	53.1	65.0	65.3	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.8	66.3	66.6	67	70	no	yes	yes	no	N/A	N/A
	473	50.4	54.8	66.9	67.1	67	70	no	yes	yes	no	N/A	N/A
	474	65.0	70.3	68.9	72.6	73	70	yes	yes	yes	yes	2.6	I
	475	65.0	70.2	70.1	73.2	73	70	yes	yes	yes	yes	3.2	I
	476	64.3	69.6	65.9	71.2	71	70	yes	yes	yes	yes	1.2	I
	477	64.2	69.5	67.8	71.7	72	70	yes	yes	yes	yes	1.7	I
	478	63.9	69.3	64.1	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.6	69.0	65.7	70.6	71	70	yes	yes	yes	yes	0.6	I
	480	64.1	69.4	68.9	72.2	72	70	yes	yes	yes	yes	2.2	I
	491	64.1	69.4	68.9	72.2	72	70	yes	yes	yes	yes	2.2	I
	492	63.9	69.2	65.0	70.6	71	70	yes	yes	yes	yes	0.6	I
	493	63.3	68.7	58.0	69.0	69	70	no	yes	no	no	N/A	N/A
	494	38.4	41.4	39.9	43.7	44	70	no	yes	yes	no	N/A	N/A
	495	44.1	49.7	39.7	50.2	50	70	no	yes	no	no	N/A	N/A
	496	47.7	53.5	39.7	53.6	54	70	no	yes	no	no	N/A	N/A
	497	47.9	53.6	39.8	53.8	54	70	no	yes	no	no	N/A	N/A
	498	47.6	53.4	39.9	53.6	54	70	no	yes	no	no	N/A	N/A
	499	47.5	53.2	39.8	53.4	53	70	no	yes	no	no	N/A	N/A
	520	47.1	52.8	39.4	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.8	52.6	39.4	52.8	53	70	no	yes	no	no	N/A	N/A
	522	46.3	52.1	39.2	52.3	52	70	no	yes	no	no	N/A	N/A
	523	46.2	51.9	53.8	56.0	56	70	no	yes	yes	no	N/A	N/A
	524	46.6	52.3	57.0	58.3	58	70	no	yes	yes	no	N/A	N/A
	525	46.6	52.4	58.2	59.2	59	70	no	yes	yes	no	N/A	N/A
	526	47.1	52.9	53.6	56.3	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	56.5	61.7	45.3	61.8	62	70	no	yes	no	no	N/A	N/A
	932	60.7	66.2	63.0	67.9	68	70	no	yes	yes	no	N/A	N/A
	933	61.1	66.6	63.7	68.4	68	70	no	yes	yes	no	N/A	N/A
	934	55.3	60.4	55.9	61.8	62	70	no	yes	yes	no	N/A	N/A
	935	41.9	47.6	63.0	63.1	63	70	no	yes	yes	no	N/A	N/A
	936	45.2	50.6	61.8	62.1	62	70	no	yes	yes	no	N/A	N/A
	937	45.2	50.6	64.3	64.5	65	70	no	yes	yes	no	N/A	N/A
	938	47.7	53.1	59.5	60.4	60	70	no	yes	yes	no	N/A	N/A
	939	47.6	53.0	57.7	58.9	59	70	no	yes	yes	no	N/A	N/A
	940	47.4	52.7	59.9	60.7	61	70	no	yes	yes	no	N/A	N/A
	941	47.3	52.6	61.3	61.8	62	70	no	yes	yes	no	N/A	N/A
	942	63.4	68.9	74.7	75.7	76	70	yes	yes	yes	yes	5.7	I
	943	63.2	68.6	75.4	76.3	76	70	yes	yes	yes	yes	6.3	I
	944	63.3	68.8	73.8	75.0	75	70	yes	yes	yes	yes	5.0	I
	945	63.7	69.1	74.4	75.5	76	70	yes	yes	yes	yes	5.5	I
	946	64.1	69.5	75.6	76.5	77	70	yes	yes	yes	yes	6.5	I
	947	64.2	69.7	75.6	76.6	77	70	yes	yes	yes	yes	6.6	I
	948	64.6	70.1	75.0	76.2	76	70	yes	yes	yes	yes	6.2	I
	949	64.7	70.2	73.0	74.9	75	70	yes	yes	yes	yes	4.9	I
	950	47.8	53.0	45.7	53.8	54	70	no	yes	no	no	N/A	N/A
	951	59.6	64.9	45.3	64.9	65	70	no	yes	no	no	N/A	N/A
	952	48.5	53.9	45.4	54.5	55	70	no	yes	no	no	N/A	N/A
	953	48.5	53.9	45.5	54.4	54	70	no	yes	no	no	N/A	N/A
	954	48.3	53.7	45.5	54.3	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.1	44.1	67.6	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.1	69.5	68.7	72.1	72	70	yes	yes	yes	yes	2.1	I
	542	64.7	70.0	68.8	72.5	73	70	yes	yes	yes	yes	2.5	I
	543	64.7	70.1	68.8	72.5	73	70	yes	yes	yes	yes	2.5	I
	544	65.5	70.9	68.7	72.9	73	70	yes	yes	yes	yes	2.9	I
	545	64.9	70.3	68.3	72.4	72	70	yes	yes	yes	yes	2.4	I
	546	58.0	63.5	38.9	63.5	64	70	no	yes	no	no	N/A	N/A
	547	59.9	65.4	38.9	65.5	66	70	no	yes	no	no	N/A	N/A
	548	56.6	62.1	38.8	62.1	62	70	no	yes	no	no	N/A	N/A
	549	57.2	62.7	38.7	62.8	63	70	no	yes	no	no	N/A	N/A
	550	61.8	67.3	38.5	67.4	67	70	no	yes	no	no	N/A	N/A
	551	62.4	67.9	38.3	67.9	68	70	no	yes	no	no	N/A	N/A
	552	60.9	66.5	38.0	66.5	67	70	no	yes	no	no	N/A	N/A
	553	39.7	44.9	37.9	45.7	46	70	no	yes	no	no	N/A	N/A
	554	36.4	41.7	38.0	43.2	43	70	no	yes	yes	no	N/A	N/A
	555	36.3	41.5	38.1	43.2	43	70	no	yes	yes	no	N/A	N/A
	556	36.3	41.6	38.4	43.3	43	70	no	yes	yes	no	N/A	N/A
	557	36.5	41.7	38.5	43.4	43	70	no	yes	yes	no	N/A	N/A
	558	36.4	41.6	38.6	43.4	43	70	no	yes	yes	no	N/A	N/A
	559	36.2	41.5	38.5	43.2	43	70	no	yes	yes	no	N/A	N/A
	560	36.0	41.2	38.4	43.0	43	70	no	yes	yes	no	N/A	N/A
	561	35.9	41.1	38.3	42.9	43	70	no	yes	yes	no	N/A	N/A
	562	35.5	40.6	38.5	42.7	43	70	no	yes	yes	no	N/A	N/A
	563	41.3	42.4	61.9	62.0	62	70	no	yes	yes	no	N/A	N/A
	564	37.3	42.7	42.6	45.7	46	70	no	yes	yes	no	N/A	N/A
	565	37.5	42.9	40.1	44.7	45	70	no	yes	yes	no	N/A	N/A
	566	37.8	43.1	39.4	44.7	45	70	no	yes	yes	no	N/A	N/A
	591	37.9	43.2	39.5	44.8	45	70	no	yes	yes	no	N/A	N/A
	592	37.9	43.2	39.8	44.9	45	70	no	yes	yes	no	N/A	N/A
	593	37.9	43.3	39.8	44.9	45	70	no	yes	yes	no	N/A	N/A
	594	63.0	68.4	68.7	71.6	72	70	yes	yes	yes	yes	1.6	I
	595	64.4	69.7	69.2	72.5	73	70	yes	yes	yes	yes	2.5	I
	596	64.4	69.7	69.2	72.4	72	70	yes	yes	yes	yes	2.4	I
	597	64.5	69.8	69.0	72.4	72	70	yes	yes	yes	yes	2.4	I
	598	64.2	69.5	68.5	72.0	72	70	yes	yes	yes	yes	2	I
	599	64.0	69.4	63.7	70.4	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.9	44.1	37.2	44.9	45	70	no	yes	no	no	N/A	N/A
	702	38.9	44.1	37.5	45.0	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.2	37.6	45.0	45	70	no	yes	no	no	N/A	N/A
	704	55.2	60.6	46.0	60.8	61	70	no	yes	no	no	N/A	N/A
	705	62.5	68.0	59.8	68.6	69	70	no	yes	no	no	N/A	N/A
	706	62.0	67.5	63.9	69.1	69	70	no	yes	yes	no	N/A	N/A
	707	62.3	67.7	65.3	69.7	70	70	no	yes	yes	no	N/A	N/A
	708	61.1	66.5	65.5	69.1	69	70	no	yes	yes	no	N/A	N/A
	709	60.6	66.0	37.5	66.0	66	70	no	yes	no	no	N/A	N/A
	710	55.2	60.4	66.1	67.1	67	70	no	yes	yes	no	N/A	N/A
	735	61.1	66.5	66.3	69.4	69	70	no	yes	yes	no	N/A	N/A
	736	61.4	66.8	66.4	69.6	70	70	no	yes	yes	no	N/A	N/A
	737	61.2	66.7	66.5	69.6	70	70	no	yes	yes	no	N/A	N/A
	738	62.6	68.1	66.3	70.3	70	70	no	yes	yes	no	N/A	N/A
	739	62.3	67.8	66.0	70.0	70	70	no	yes	yes	no	N/A	N/A
	740	57.0	62.4	36.9	62.4	62	70	no	yes	no	no	N/A	N/A
	741	57.9	63.4	36.9	63.4	63	70	no	yes	no	no	N/A	N/A
	742	55.6	61.0	36.8	61.0	61	70	no	yes	no	no	N/A	N/A
	743	55.8	61.1	36.8	61.1	61	70	no	yes	no	no	N/A	N/A
	744	58.4	64.0	36.6	64.0	64	70	no	yes	no	no	N/A	N/A
	745	58.3	63.9	36.6	63.9	64	70	no	yes	no	no	N/A	N/A
	746	56.5	61.9	36.3	61.9	62	70	no	yes	no	no	N/A	N/A
	747	52.0	57.3	36.3	57.4	57	70	no	yes	no	no	N/A	N/A
	748	39.6	44.1	36.4	44.8	45	70	no	yes	no	no	N/A	N/A
	749	39.6	44.1	36.5	44.8	45	70	no	yes	no	no	N/A	N/A
	752	39.6	44.1	36.7	44.8	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.7	36.7	45.4	45	70	no	yes	no	no	N/A	N/A
	754	39.8	44.3	36.8	45.0	45	70	no	yes	no	no	N/A	N/A
	755	40.1	44.5	36.7	45.2	45	70	no	yes	no	no	N/A	N/A
	756	39.9	44.3	36.5	45.0	45	70	no	yes	no	no	N/A	N/A
	757	39.8	44.2	36.5	44.9	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.7	36.6	44.4	44	70	no	yes	no	no	N/A	N/A
	759	40.1	44.9	37.0	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.3	45.1	37.1	45.7	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.2	37.3	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.4	37.1	46.0	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.5	48.2	52.6	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.3	48.0	60.0	60.3	60	70	no	yes	yes	no	N/A	N/A
	423	37.3	42.8	55.2	55.5	56	70	no	yes	yes	no	N/A	N/A
	424	38.3	42.7	65.1	65.1	65	70	no	yes	yes	no	N/A	N/A
	425	60.7	66.4	69.9	71.5	72	70	yes	yes	yes	yes	1.5	I
	426	60.5	66.0	70.1	71.5	72	70	yes	yes	yes	yes	1.5	I
	427	60.1	66.0	69.9	71.4	71	70	yes	yes	yes	yes	1.4	I
	428	49.8	52.4	68.8	68.9	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.0	68.7	68.8	69	70	no	yes	yes	no	N/A	N/A
	430	50.1	51.9	70.6	70.6	71	70	yes	yes	yes	yes	0.6	I
	431	51.0	52.7	70.3	70.4	70	70	no	yes	yes	no	N/A	N/A
	432	65.4	70.8	73.8	75.6	76	70	yes	yes	yes	yes	5.6	I
	433	65.9	71.3	74.2	76.0	76	70	yes	yes	yes	yes	6	I
	434	65.9	71.3	70.5	73.9	74	70	yes	yes	yes	yes	3.9	I
	435	65.9	71.3	70.8	74.1	74	70	yes	yes	yes	yes	4.1	I
	436	65.8	71.2	69.7	73.5	74	70	yes	yes	yes	yes	3.5	I
	437	61.5	66.7	44.0	66.7	67	70	no	yes	no	no	N/A	N/A
	438	60.2	65.6	68.9	70.5	71	70	yes	yes	yes	yes	0.5	I
	439	65.8	71.2	70.2	73.7	74	70	yes	yes	yes	yes	3.7	I
	440	66.0	71.4	71.9	74.6	75	70	yes	yes	yes	yes	4.6	I
	441	66.0	71.3	69.6	73.5	74	70	yes	yes	yes	yes	3.5	I
	442	66.1	71.3	70.6	74.0	74	70	yes	yes	yes	yes	4.0	I
	443	65.6	70.9	67.3	72.5	73	70	yes	yes	yes	yes	2.5	I
	444	35.9	41.1	42.4	44.8	45	70	no	yes	yes	no	N/A	N/A
	445	35.8	41.0	42.4	44.8	45	70	no	yes	yes	no	N/A	N/A
	446	35.5	40.7	42.4	44.6	45	70	no	yes	yes	no	N/A	N/A
	447	42.3	48.0	42.5	49.1	49	70	no	yes	yes	no	N/A	N/A
	448	54.3	59.4	42.1	59.5	60	70	no	yes	no	no	N/A	N/A
	449	35.2	40.3	41.9	44.2	44	70	no	yes	yes	no	N/A	N/A
	450	55.2	60.4	41.6	60.4	60	70	no	yes	no	no	N/A	N/A
	451	41.0	46.7	61.5	61.6	62	70	no	yes	yes	no	N/A	N/A
	452	42.1	47.8	62.5	62.7	63	70	no	yes	yes	no	N/A	N/A
	453	42.2	47.8	62.4	62.6	63	70	no	yes	yes	no	N/A	N/A
	454	42.5	48.2	57.9	58.3	58	70	no	yes	yes	no	N/A	N/A
	455	42.7	48.4	53.1	54.3	54	70	no	yes	yes	no	N/A	N/A
	456	42.7	48.4	43.3	49.6	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.3	51.0	40.0	51.4	51	70	no	yes	no	no	N/A	N/A
	462	34.7	39.8	53.9	54.1	54	70	no	yes	yes	no	N/A	N/A
	463	34.7	39.8	53.8	54.0	54	70	no	yes	yes	no	N/A	N/A
	464	34.6	39.8	64.0	64.0	64	70	no	yes	yes	no	N/A	N/A
	465	62.4	67.9	64.3	69.5	70	70	no	yes	yes	no	N/A	N/A
	466	61.3	66.7	64.9	68.9	69	70	no	yes	yes	no	N/A	N/A
	467	61.7	67.1	65.4	69.4	69	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.4	65.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	469	48.4	53.2	63.9	64.3	64	70	no	yes	yes	no	N/A	N/A
	470	48.6	54.4	56.3	58.4	58	70	no	yes	yes	no	N/A	N/A
	471	47.8	53.1	65.0	65.3	65	70	no	yes	yes	no	N/A	N/A
	472	50.4	54.8	66.3	66.6	67	70	no	yes	yes	no	N/A	N/A
	473	50.4	54.8	66.8	67.1	67	70	no	yes	yes	no	N/A	N/A
	474	65.0	70.3	68.9	72.6	73	70	yes	yes	yes	yes	2.6	I
	475	65.0	70.2	70.1	73.2	73	70	yes	yes	yes	yes	3.2	I
	476	64.3	69.6	65.9	71.1	71	70	yes	yes	yes	yes	1.1	I
	477	64.3	69.5	67.7	71.7	72	70	yes	yes	yes	yes	1.7	I
	478	63.9	69.2	64.0	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.6	69.0	65.7	70.6	71	70	yes	yes	yes	yes	0.6	I
	480	64.1	69.4	68.9	72.2	72	70	yes	yes	yes	yes	2.2	I
	491	64.1	69.4	68.9	72.2	72	70	yes	yes	yes	yes	2.2	I
	492	63.8	69.2	65.0	70.6	71	70	yes	yes	yes	yes	0.6	I
	493	63.2	68.6	58.0	69.0	69	70	no	yes	no	no	N/A	N/A
	494	36.3	41.3	39.8	43.7	44	70	no	yes	yes	no	N/A	N/A
	495	44.1	49.7	39.7	50.1	50	70	no	yes	no	no	N/A	N/A
	496	47.7	53.5	39.7	53.6	54	70	no	yes	no	no	N/A	N/A
	497	47.9	53.6	39.8	53.8	54	70	no	yes	no	no	N/A	N/A
	498	47.6	53.3	39.9	53.5	54	70	no	yes	no	no	N/A	N/A
	499	47.4	53.2	39.8	53.4	53	70	no	yes	no	no	N/A	N/A
	520	47.1	52.8	39.4	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.8	52.5	39.4	52.7	53	70	no	yes	no	no	N/A	N/A
	522	46.3	52.1	39.2	52.3	52	70	no	yes	no	no	N/A	N/A
	523	46.2	51.9	53.8	56.0	56	70	no	yes	yes	no	N/A	N/A
	524	46.5	52.3	57.1	58.3	58	70	no	yes	yes	no	N/A	N/A
	525	46.6	52.4	58.3	59.3	59	70	no	yes	yes	no	N/A	N/A
	526	47.1	52.8	53.6	56.3	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	56.3	61.6	45.2	61.7	62	70	no	yes	no	no	N/A	N/A
	932	60.5	66.0	62.9	67.8	68	70	no	yes	yes	no	N/A	N/A
	933	60.9	66.4	63.5	68.2	68	70	no	yes	yes	no	N/A	N/A
	934	55.1	60.2	55.9	61.6	62	70	no	yes	yes	no	N/A	N/A
	935	41.8	47.5	63.1	63.2	63	70	no	yes	yes	no	N/A	N/A
	936	45.2	50.6	61.9	62.2	62	70	no	yes	yes	no	N/A	N/A
	937	45.2	50.6	64.4	64.6	65	70	no	yes	yes	no	N/A	N/A
	938	47.7	53.0	59.5	60.4	60	70	no	yes	yes	no	N/A	N/A
	939	47.6	53.0	57.8	59.0	59	70	no	yes	yes	no	N/A	N/A
	940	47.3	52.7	60.0	60.7	61	70	no	yes	yes	no	N/A	N/A
	941	47.3	52.6	61.4	61.9	62	70	no	yes	yes	no	N/A	N/A
	942	63.3	68.8	74.5	75.5	76	70	yes	yes	yes	yes	5.5	I
	943	63.1	68.6	75.3	76.1	76	70	yes	yes	yes	yes	6.1	I
	944	63.3	68.7	73.7	74.9	75	70	yes	yes	yes	yes	4.9	I
	945	63.6	69.0	74.2	75.4	75	70	yes	yes	yes	yes	5.4	I
	946	64.0	69.4	75.4	76.4	76	70	yes	yes	yes	yes	6.4	I
	947	64.1	69.6	75.4	76.4	76	70	yes	yes	yes	yes	6.4	I
	948	64.5	70.0	74.8	76.1	76	70	yes	yes	yes	yes	6.1	I
	949	64.6	70.1	72.9	74.7	75	70	yes	yes	yes	yes	4.7	I
	950	47.8	53.0	45.6	53.8	54	70	no	yes	no	no	N/A	N/A
	951	59.4	64.7	45.2	64.8	65	70	no	yes	no	no	N/A	N/A
	952	48.5	53.9	45.3	54.4	54	70	no	yes	no	no	N/A	N/A
	953	48.5	53.8	45.4	54.4	54	70	no	yes	no	no	N/A	N/A
	954	48.3	53.6	45.4	54.2	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation . Exceedance	Window Type	
Block 4	529	42.1	44.0	67.6	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.0	69.5	68.7	72.1	72	70	yes	yes	yes	yes	2.1	I
	542	64.7	70.0	68.7	72.4	72	70	yes	yes	yes	yes	2.4	I
	543	64.7	70.1	68.7	72.5	73	70	yes	yes	yes	yes	2.5	I
	544	65.6	71.0	68.6	72.9	73	70	yes	yes	yes	yes	2.9	I
	545	65.0	70.4	68.2	72.5	73	70	yes	yes	yes	yes	2.5	I
	546	58.4	63.9	38.9	63.9	64	70	no	yes	no	no	N/A	N/A
	547	60.1	65.7	38.8	65.7	66	70	no	yes	no	no	N/A	N/A
	548	56.8	62.3	38.8	62.4	62	70	no	yes	no	no	N/A	N/A
	549	57.5	63.0	38.7	63.0	63	70	no	yes	no	no	N/A	N/A
	550	62.0	67.5	38.5	67.5	68	70	no	yes	no	no	N/A	N/A
	551	62.6	68.1	38.2	68.1	68	70	no	yes	no	no	N/A	N/A
	552	61.3	66.8	37.9	66.8	67	70	no	yes	no	no	N/A	N/A
	553	40.0	45.3	37.9	46.0	46	70	no	yes	no	no	N/A	N/A
	554	36.4	41.6	38.0	43.2	43	70	no	yes	yes	no	N/A	N/A
	555	36.3	41.5	38.1	43.1	43	70	no	yes	yes	no	N/A	N/A
	556	36.3	41.5	38.4	43.2	43	70	no	yes	yes	no	N/A	N/A
	557	36.4	41.6	38.5	43.3	43	70	no	yes	yes	no	N/A	N/A
	558	36.3	41.6	38.6	43.3	43	70	no	yes	yes	no	N/A	N/A
	559	36.2	41.4	38.5	43.2	43	70	no	yes	yes	no	N/A	N/A
	560	35.9	41.1	38.4	43.0	43	70	no	yes	yes	no	N/A	N/A
	561	35.8	41.1	38.3	42.9	43	70	no	yes	yes	no	N/A	N/A
	562	35.4	40.6	38.5	42.7	43	70	no	yes	yes	no	N/A	N/A
	563	41.3	42.4	61.9	62.0	62	70	no	yes	yes	no	N/A	N/A
	564	37.3	42.7	42.8	45.7	46	70	no	yes	yes	no	N/A	N/A
	565	37.4	42.8	40.1	44.7	45	70	no	yes	yes	no	N/A	N/A
	566	37.7	43.1	39.4	44.6	45	70	no	yes	yes	no	N/A	N/A
	591	37.8	43.2	39.5	44.7	45	70	no	yes	yes	no	N/A	N/A
	592	37.8	43.2	39.8	44.8	45	70	no	yes	yes	no	N/A	N/A
	593	37.9	43.2	39.7	44.8	45	70	no	yes	yes	no	N/A	N/A
	594	63.0	68.3	68.7	71.5	72	70	yes	yes	yes	yes	1.5	I
	595	64.3	69.6	69.2	72.4	72	70	yes	yes	yes	yes	2.4	I
	596	64.3	69.6	69.1	72.4	72	70	yes	yes	yes	yes	2.4	I
	597	64.5	69.8	68.9	72.4	72	70	yes	yes	yes	yes	2.4	I
	598	64.2	69.5	68.4	72.0	72	70	yes	yes	yes	yes	2	I
	599	63.9	69.3	63.7	70.3	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.9	44.1	37.1	44.9	45	70	no	yes	no	no	N/A	N/A
	702	38.9	44.1	37.4	44.9	45	70	no	yes	no	no	N/A	N/A
	703	39.0	44.1	37.6	45.0	45	70	no	yes	no	no	N/A	N/A
	704	55.3	60.7	46.0	60.8	61	70	no	yes	no	no	N/A	N/A
	705	62.9	68.3	59.8	68.9	69	70	no	yes	no	no	N/A	N/A
	706	62.6	68.0	63.8	69.4	69	70	no	yes	yes	no	N/A	N/A
	707	62.8	68.2	65.2	70.0	70	70	no	yes	yes	no	N/A	N/A
	708	61.6	67.0	65.4	69.3	69	70	no	yes	yes	no	N/A	N/A
	709	60.8	66.3	37.4	66.3	66	70	no	yes	no	no	N/A	N/A
	710	56.3	61.6	66.0	67.4	67	70	no	yes	yes	no	N/A	N/A
	735	61.4	66.9	66.2	69.6	70	70	no	yes	yes	no	N/A	N/A
	736	61.7	67.1	66.3	69.7	70	70	no	yes	yes	no	N/A	N/A
	737	61.5	66.9	66.4	69.7	70	70	no	yes	yes	no	N/A	N/A
	738	63.0	68.5	66.2	70.5	71	70	yes	yes	yes	yes	0.5	I
	739	62.6	68.2	65.9	70.2	70	70	no	yes	yes	no	N/A	N/A
	740	57.5	62.9	36.8	62.9	63	70	no	yes	no	no	N/A	N/A
	741	58.3	63.8	36.8	63.8	64	70	no	yes	no	no	N/A	N/A
	742	56.1	61.5	36.8	61.5	62	70	no	yes	no	no	N/A	N/A
	743	56.2	61.6	36.7	61.6	62	70	no	yes	no	no	N/A	N/A
	744	59.0	64.5	36.5	64.5	65	70	no	yes	no	no	N/A	N/A
	745	59.0	64.5	36.5	64.5	65	70	no	yes	no	no	N/A	N/A
	746	57.1	62.5	36.2	62.5	63	70	no	yes	no	no	N/A	N/A
	747	52.1	57.4	36.2	57.5	58	70	no	yes	no	no	N/A	N/A
	748	39.6	44.1	36.3	44.8	45	70	no	yes	no	no	N/A	N/A
	749	39.6	44.1	36.4	44.8	45	70	no	yes	no	no	N/A	N/A
	752	39.6	44.1	36.6	44.8	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.7	36.7	45.3	45	70	no	yes	no	no	N/A	N/A
	754	39.7	44.2	36.7	44.9	45	70	no	yes	no	no	N/A	N/A
	755	40.1	44.5	36.6	45.2	45	70	no	yes	no	no	N/A	N/A
	756	39.9	44.3	36.5	45.0	45	70	no	yes	no	no	N/A	N/A
	757	39.8	44.2	36.5	44.9	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.6	36.6	44.4	44	70	no	yes	no	no	N/A	N/A
	759	40.1	44.8	36.9	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.3	45.1	37.0	45.7	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.2	37.2	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.7	45.4	37.1	46.0	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L ₁₁ (noise no)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.5	48.2	52.6	53.9	54	70	no	yes	yes	no	N/A	N/A
	422	42.3	48.0	60.1	60.4	60	70	no	yes	yes	no	N/A	N/A
	423	37.3	42.8	55.3	55.5	56	70	no	yes	yes	no	N/A	N/A
	424	38.4	42.7	65.2	65.2	65	70	no	yes	yes	no	N/A	N/A
	425	60.6	66.3	69.8	71.4	71	70	yes	yes	yes	yes	1.4	
	426	60.5	65.9	70.0	71.4	71	70	yes	yes	yes	yes	1.4	
	427	60.1	65.9	69.8	71.3	71	70	yes	yes	yes	yes	1.3	
	428	49.8	52.4	68.7	68.8	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.0	68.7	68.8	69	70	no	yes	yes	no	N/A	N/A
	430	50.1	51.9	70.5	70.5	71	70	yes	yes	yes	yes	0.5	
	431	51.0	52.7	70.2	70.3	70	70	no	yes	yes	no	N/A	N/A
	432	65.3	70.6	73.7	75.5	76	70	yes	yes	yes	yes	5.5	
	433	65.8	71.1	74.1	75.9	76	70	yes	yes	yes	yes	5.9	
	434	65.8	71.2	70.4	73.8	74	70	yes	yes	yes	yes	3.8	
	435	65.8	71.2	70.7	74.0	74	70	yes	yes	yes	yes	4	
	436	65.7	71.0	69.7	73.4	73	70	yes	yes	yes	yes	3.4	
	437	61.4	66.6	44.0	66.6	67	70	no	yes	no	no	N/A	N/A
	438	60.1	65.5	68.8	70.5	71	70	yes	yes	yes	yes	0.5	
	439	65.7	71.0	70.1	73.6	74	70	yes	yes	yes	yes	3.6	
	440	65.9	71.2	71.8	74.5	75	70	yes	yes	yes	yes	4.5	
	441	65.8	71.1	69.5	73.4	73	70	yes	yes	yes	yes	4.5	
	442	66.0	71.3	70.6	73.9	74	70	yes	yes	yes	yes	3.9	
	443	65.7	71.0	67.2	72.5	73	70	yes	yes	yes	yes	2.5	
	444	35.8	41.0	42.4	44.7	45	70	no	yes	yes	no	N/A	N/A
	445	35.7	40.9	42.3	44.7	45	70	no	yes	yes	no	N/A	N/A
	446	35.5	40.6	42.3	44.6	45	70	no	yes	yes	no	N/A	N/A
	447	42.2	47.9	42.4	49.0	49	70	no	yes	yes	no	N/A	N/A
	448	54.8	60.0	42.1	60.0	60	70	no	yes	no	no	N/A	N/A
	449	35.1	40.2	41.9	44.1	44	70	no	yes	yes	no	N/A	N/A
	450	55.6	60.8	41.6	60.8	61	70	no	yes	no	no	N/A	N/A
	451	41.0	46.7	61.5	61.7	62	70	no	yes	yes	no	N/A	N/A
	452	42.1	47.7	62.6	62.7	63	70	no	yes	yes	no	N/A	N/A
	453	42.1	47.8	62.5	62.7	63	70	no	yes	yes	no	N/A	N/A
	454	42.5	48.2	58.0	58.4	58	70	no	yes	yes	no	N/A	N/A
	455	42.6	48.3	53.0	54.3	54	70	no	yes	yes	no	N/A	N/A
	456	42.7	48.4	43.2	49.6	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.2	50.9	40.0	51.3	51	70	no	yes	no	no	N/A	N/A
	462	34.6	39.7	53.9	54.1	54	70	no	yes	yes	no	N/A	N/A
	463	34.6	39.7	53.8	54.0	54	70	no	yes	yes	no	N/A	N/A
	464	34.6	39.7	64.1	64.1	64	70	no	yes	yes	no	N/A	N/A
	465	62.3	67.8	64.4	69.4	69	70	no	yes	yes	no	N/A	N/A
	466	61.2	66.6	64.9	68.8	69	70	no	yes	yes	no	N/A	N/A
	467	61.7	67.1	65.4	69.3	69	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.3	65.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	469	48.4	53.2	63.9	64.2	64	70	no	yes	yes	no	N/A	N/A
	470	48.6	54.4	56.3	58.4	58	70	no	yes	yes	no	N/A	N/A
	471	47.8	53.0	65.0	65.2	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.7	66.3	66.6	67	70	no	yes	yes	no	N/A	N/A
	473	50.4	54.8	66.8	67.1	67	70	no	yes	yes	no	N/A	N/A
	474	65.0	70.3	68.8	72.6	73	70	yes	yes	yes	yes	2.6	
	475	65.0	70.2	70.1	73.2	73	70	yes	yes	yes	yes	3.2	
	476	64.3	69.6	65.8	71.1	71	70	yes	yes	yes	yes	1.1	
	477	64.2	69.5	67.7	71.7	72	70	yes	yes	yes	yes	1.7	
	478	63.9	69.2	64.0	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.6	68.9	65.6	70.6	71	70	yes	yes	yes	yes	0.6	
	480	64.1	69.4	68.9	72.1	72	70	yes	yes	yes	yes	2.1	
	491	64.1	69.4	68.9	72.1	72	70	yes	yes	yes	yes	2.1	
	492	63.8	69.1	64.9	70.5	71	70	yes	yes	yes	yes	0.5	
	493	63.2	68.5	58.0	68.9	69	70	no	yes	no	no	N/A	N/A
	494	38.3	41.3	39.8	43.6	44	70	no	yes	yes	no	N/A	N/A
	495	44.1	49.7	39.7	50.1	50	70	no	yes	no	no	N/A	N/A
	496	47.7	53.4	39.7	53.6	54	70	no	yes	no	no	N/A	N/A
	497	47.8	53.6	39.7	53.7	54	70	no	yes	no	no	N/A	N/A
	498	47.5	53.3	39.8	53.5	54	70	no	yes	no	no	N/A	N/A
	499	47.4	53.1	39.7	53.3	53	70	no	yes	no	no	N/A	N/A
	520	47.0	52.8	39.4	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.8	52.5	39.3	52.7	53	70	no	yes	no	no	N/A	N/A
	522	46.2	52.0	39.1	52.2	52	70	no	yes	no	no	N/A	N/A
	523	46.1	51.9	53.9	56.0	56	70	no	yes	yes	no	N/A	N/A
	524	46.5	52.2	57.1	58.3	58	70	no	yes	yes	no	N/A	N/A
	525	46.6	52.4	58.4	59.4	59	70	no	yes	yes	no	N/A	N/A
	526	47.0	52.8	53.6	56.2	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	56.1	61.4	45.1	61.5	62	70	no	yes	no	no	N/A	N/A
	932	60.3	65.9	62.8	67.6	68	70	no	yes	yes	no	N/A	N/A
	933	60.7	66.3	63.4	68.1	68	70	no	yes	yes	no	N/A	N/A
	934	54.9	60.0	56.0	61.4	61	70	no	yes	yes	no	N/A	N/A
	935	41.8	47.5	63.1	63.3	63	70	no	yes	yes	no	N/A	N/A
	936	45.2	50.6	62.0	62.3	62	70	no	yes	yes	no	N/A	N/A
	937	45.2	50.5	64.4	64.6	65	70	no	yes	yes	no	N/A	N/A
	938	47.7	53.0	59.6	60.5	61	70	no	yes	yes	no	N/A	N/A
	939	47.6	52.9	57.9	59.1	59	70	no	yes	yes	no	N/A	N/A
	940	47.3	52.7	60.1	60.8	61	70	no	yes	yes	no	N/A	N/A
	941	47.2	52.6	61.5	62.0	62	70	no	yes	yes	no	N/A	N/A
	942	63.3	68.8	74.3	75.4	75	70	yes	yes	yes	yes	5.4	
	943	63.1	68.5	75.1	75.9	76	70	yes	yes	yes	yes	5.9	
	944	63.2	68.7	73.5	74.7	75	70	yes	yes	yes	yes	4.7	
	945	63.5	68.9	74.1	75.3	75	70	yes	yes	yes	yes	5.3	
	946	63.9	69.3	75.2	76.2	76	70	yes	yes	yes	yes	6.2	
	947	64.0	69.4	75.2	76.3	76	70	yes	yes	yes	yes	6.3	
	948	64.4	69.9	74.7	75.9	76	70	yes	yes	yes	yes	5.9	
	949	64.4	69.9	72.8	74.6	75	70	yes	yes	yes	yes	4.6	
	950	47.8	53.0	45.4	53.7	54	70	no	yes	no	no	N/A	N/A
	951	59.2	64.5	45.1	64.6	65	70	no	yes	no	no	N/A	N/A
	952	48.5	53.8	45.2	54.4	54	70	no	yes	no	no	N/A	N/A
	953	48.5	53.8	45.3	54.4	54	70	no	yes	no	no	N/A	N/A
	954	48.3	53.6	45.3	54.2	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.1	44.0	67.5	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.0	69.4	68.6	72.0	72	70	yes	yes	yes	yes	2	I
	542	64.6	70.0	68.6	72.3	72	70	yes	yes	yes	yes	2.3	I
	543	64.7	70.0	68.6	72.4	72	70	yes	yes	yes	yes	2.4	I
	544	65.7	71.1	68.5	73.0	73	70	yes	yes	yes	yes	3.0	I
	545	65.1	70.5	68.1	72.5	73	70	yes	yes	yes	yes	2.5	I
	546	58.8	64.3	38.8	64.3	64	70	no	yes	no	no	N/A	N/A
	547	60.5	66.0	38.7	66.0	66	70	no	yes	no	no	N/A	N/A
	548	57.3	62.7	38.7	62.8	63	70	no	yes	no	no	N/A	N/A
	549	57.9	63.3	38.6	63.4	63	70	no	yes	no	no	N/A	N/A
	550	62.3	67.8	38.4	67.8	68	70	no	yes	no	no	N/A	N/A
	551	62.8	68.3	38.2	68.3	68	70	no	yes	no	no	N/A	N/A
	552	61.6	67.1	37.9	67.1	67	70	no	yes	no	no	N/A	N/A
	553	40.3	45.6	37.8	46.3	46	70	no	yes	no	no	N/A	N/A
	554	36.3	41.6	38.0	43.1	43	70	no	yes	yes	no	N/A	N/A
	555	36.2	41.5	38.1	43.1	43	70	no	yes	yes	no	N/A	N/A
	556	36.2	41.4	38.3	43.2	43	70	no	yes	yes	no	N/A	N/A
	557	36.4	41.6	38.4	43.3	43	70	no	yes	yes	no	N/A	N/A
	558	36.3	41.5	38.5	43.3	43	70	no	yes	yes	no	N/A	N/A
	559	36.2	41.4	38.4	43.2	43	70	no	yes	yes	no	N/A	N/A
	560	35.9	41.1	38.4	43.0	43	70	no	yes	yes	no	N/A	N/A
	561	35.8	41.0	38.3	42.9	43	70	no	yes	yes	no	N/A	N/A
	562	35.4	40.6	38.4	42.6	43	70	no	yes	yes	no	N/A	N/A
	563	41.3	42.4	61.9	62.0	62	70	no	yes	yes	no	N/A	N/A
	564	37.3	42.6	42.7	45.7	46	70	no	yes	yes	no	N/A	N/A
	565	37.4	42.7	40.2	44.7	45	70	no	yes	yes	no	N/A	N/A
	566	37.7	43.0	39.3	44.6	45	70	no	yes	yes	no	N/A	N/A
	591	37.8	43.1	39.4	44.7	45	70	no	yes	yes	no	N/A	N/A
	592	37.8	43.1	39.7	44.8	45	70	no	yes	yes	no	N/A	N/A
	593	37.8	43.2	39.7	44.8	45	70	no	yes	yes	no	N/A	N/A
	594	62.9	68.2	68.7	71.5	72	70	yes	yes	yes	yes	1.5	I
	595	64.3	69.6	69.1	72.4	72	70	yes	yes	yes	yes	2.4	I
	596	64.3	69.5	69.1	72.3	72	70	yes	yes	yes	yes	2.3	I
	597	64.5	69.7	68.9	72.3	72	70	yes	yes	yes	yes	2.3	I
	598	64.1	69.4	68.4	71.9	72	70	yes	yes	yes	yes	1.9	I
	599	63.9	69.2	63.7	70.3	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.9	44.1	37.1	44.9	45	70	no	yes	no	no	N/A	N/A
	702	38.9	44.1	37.4	44.9	45	70	no	yes	no	no	N/A	N/A
	703	38.9	44.1	37.6	45.0	45	70	no	yes	no	no	N/A	N/A
	704	55.3	60.7	46.0	60.8	61	70	no	yes	no	no	N/A	N/A
	705	63.0	68.4	59.7	69.0	69	70	no	yes	no	no	N/A	N/A
	706	62.8	68.2	63.7	69.6	70	70	no	yes	yes	no	N/A	N/A
	707	63.0	68.4	65.2	70.1	70	70	no	yes	yes	no	N/A	N/A
	708	61.9	67.3	65.3	69.5	70	70	no	yes	yes	no	N/A	N/A
	709	61.0	66.5	37.4	66.5	67	70	no	yes	no	no	N/A	N/A
	710	57.3	62.6	66.0	67.6	68	70	no	yes	yes	no	N/A	N/A
	735	61.8	67.2	66.1	69.7	70	70	no	yes	yes	no	N/A	N/A
	736	62.1	67.5	66.2	69.9	70	70	no	yes	yes	no	N/A	N/A
	737	61.9	67.4	66.3	69.9	70	70	no	yes	yes	no	N/A	N/A
	738	63.3	68.8	66.1	70.7	71	70	yes	yes	yes	yes	0.7	I
	739	63.0	68.5	65.8	70.4	70	70	no	yes	yes	no	N/A	N/A
	740	58.0	63.3	36.7	63.4	63	70	no	yes	no	no	N/A	N/A
	741	58.9	64.3	36.8	64.3	64	70	no	yes	no	no	N/A	N/A
	742	56.6	61.9	36.7	61.9	62	70	no	yes	no	no	N/A	N/A
	743	56.7	62.1	36.7	62.1	62	70	no	yes	no	no	N/A	N/A
	744	59.5	65.0	36.5	65.0	65	70	no	yes	no	no	N/A	N/A
	745	59.4	64.9	36.4	64.9	65	70	no	yes	no	no	N/A	N/A
	746	57.4	62.8	36.2	62.8	63	70	no	yes	no	no	N/A	N/A
	747	52.2	57.5	36.2	57.6	58	70	no	yes	no	no	N/A	N/A
	748	39.6	44.1	36.3	44.8	45	70	no	yes	no	no	N/A	N/A
	749	39.6	44.1	36.4	44.8	45	70	no	yes	no	no	N/A	N/A
	752	39.6	44.1	36.6	44.8	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.7	36.6	45.3	45	70	no	yes	no	no	N/A	N/A
	754	39.7	44.2	36.6	44.9	45	70	no	yes	no	no	N/A	N/A
	755	40.1	44.5	36.6	45.2	45	70	no	yes	no	no	N/A	N/A
	756	39.9	44.3	36.4	45.0	45	70	no	yes	no	no	N/A	N/A
	757	39.8	44.2	36.4	44.9	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.6	36.6	44.4	44	70	no	yes	no	no	N/A	N/A
	759	40.1	44.8	36.9	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.3	45.1	37.0	45.7	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.2	37.2	45.8	46	70	no	yes	no	no	N/A	N/A
	778	40.6	45.4	37.1	46.0	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.5	48.2	52.6	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.2	47.9	60.2	60.5	61	70	no	yes	yes	no	N/A	N/A
	423	37.2	42.7	55.4	55.6	56	70	no	yes	yes	no	N/A	N/A
	424	38.5	42.7	65.2	65.2	65	70	no	yes	yes	no	N/A	N/A
	425	60.5	66.2	69.8	71.4	71	70	yes	yes	yes	yes	1.4	
	426	60.4	65.9	70.0	71.4	71	70	yes	yes	yes	yes	1.4	
	427	60.1	65.9	69.8	71.3	71	70	yes	yes	yes	yes	1.3	
	428	49.8	52.3	68.7	68.8	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.0	68.6	68.7	69	70	no	yes	yes	no	N/A	N/A
	430	50.2	51.9	70.4	70.5	71	70	yes	yes	yes	yes	0.5	
	431	51.0	52.7	70.1	70.2	70	70	no	yes	yes	no	N/A	N/A
	432	65.2	70.5	73.6	75.4	75	70	yes	yes	yes	yes	5.4	
	433	65.7	71.0	74.0	75.8	76	70	yes	yes	yes	yes	5.8	
	434	65.6	71.0	70.3	73.7	74	70	yes	yes	yes	yes	3.7	
	435	65.7	71.1	70.6	73.9	74	70	yes	yes	yes	yes	3.9	
	436	65.6	70.9	69.6	73.3	73	70	yes	yes	yes	yes	3.3	
	437	61.2	66.5	43.9	66.5	67	70	no	yes	no	no	N/A	N/A
	438	60.0	65.4	68.7	70.4	70	70	no	yes	yes	no	N/A	N/A
	439	65.6	70.9	70.0	73.5	74	70	yes	yes	yes	yes	3.5	
	440	65.8	71.1	71.7	74.4	74	70	yes	yes	yes	yes	4.4	
	441	65.7	71.0	69.4	73.3	73	70	yes	yes	yes	yes	3.3	
	442	65.9	71.2	70.5	73.9	74	70	yes	yes	yes	yes	3.9	
	443	65.6	70.9	67.2	72.5	73	70	yes	yes	yes	yes	2.5	
	444	35.7	40.8	42.3	44.7	45	70	no	yes	yes	no	N/A	N/A
	445	35.6	40.7	42.3	44.6	45	70	no	yes	yes	no	N/A	N/A
	446	35.4	40.5	42.3	44.5	45	70	no	yes	yes	no	N/A	N/A
	447	42.2	47.9	42.4	48.9	49	70	no	yes	yes	no	N/A	N/A
	448	55.5	60.7	42.0	60.8	61	70	no	yes	no	no	N/A	N/A
	449	35.0	40.1	41.9	44.1	44	70	no	yes	yes	no	N/A	N/A
	450	56.0	61.2	41.5	61.2	61	70	no	yes	no	no	N/A	N/A
	451	41.0	46.7	61.6	61.8	62	70	no	yes	yes	no	N/A	N/A
	452	42.0	47.7	62.7	62.8	63	70	no	yes	yes	no	N/A	N/A
	453	42.1	47.7	62.6	62.8	63	70	no	yes	yes	no	N/A	N/A
	454	42.4	48.1	58.1	58.5	59	70	no	yes	yes	no	N/A	N/A
	455	42.6	48.3	53.0	54.3	54	70	no	yes	yes	no	N/A	N/A
	456	42.7	48.4	43.2	49.5	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.2	50.9	40.0	51.3	51	70	no	yes	no	no	N/A	N/A
	462	34.5	39.7	53.9	54.0	54	70	no	yes	yes	no	N/A	N/A
	463	34.6	39.7	53.8	54.0	54	70	no	yes	yes	no	N/A	N/A
	464	34.5	39.6	64.1	64.1	64	70	no	yes	yes	no	N/A	N/A
	465	62.3	67.7	64.4	69.4	69	70	no	yes	yes	no	N/A	N/A
	466	61.2	66.5	65.0	68.8	69	70	no	yes	yes	no	N/A	N/A
	467	61.6	67.0	65.4	69.3	69	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.3	65.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	469	48.4	53.2	63.9	64.3	64	70	no	yes	yes	no	N/A	N/A
	470	48.6	54.3	56.3	58.5	59	70	no	yes	yes	no	N/A	N/A
	471	47.8	53.0	65.0	65.2	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.7	66.2	66.5	67	70	no	yes	yes	no	N/A	N/A
	473	50.4	54.8	66.8	67.0	67	70	no	yes	yes	no	N/A	N/A
	474	64.9	70.2	68.8	72.6	73	70	yes	yes	yes	yes	2.6	
	475	65.0	70.3	70.0	73.1	73	70	yes	yes	yes	yes	3.1	
	476	64.3	69.6	65.8	71.1	71	70	yes	yes	yes	yes	1.1	
	477	64.3	69.5	67.6	71.7	72	70	yes	yes	yes	yes	1.7	
	478	63.9	69.2	64.0	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.7	69.0	65.7	70.6	71	70	yes	yes	yes	yes	0.6	
	480	64.1	69.4	68.8	72.1	72	70	yes	yes	yes	yes	2.1	
	491	64.1	69.4	68.9	72.1	72	70	yes	yes	yes	yes	2.1	
	492	63.7	69.1	64.9	70.5	71	70	yes	yes	yes	yes	0.5	
	493	63.1	68.5	58.0	68.9	69	70	no	yes	no	no	N/A	N/A
	494	36.2	41.2	39.8	43.0	44	70	no	yes	yes	no	N/A	N/A
	495	44.0	49.6	39.6	50.0	50	70	no	yes	no	no	N/A	N/A
	496	47.7	53.4	39.6	53.6	54	70	no	yes	no	no	N/A	N/A
	497	47.8	53.5	39.7	53.7	54	70	no	yes	no	no	N/A	N/A
	498	47.5	53.2	39.8	53.4	53	70	no	yes	no	no	N/A	N/A
	499	47.4	53.1	39.7	53.3	53	70	no	yes	no	no	N/A	N/A
	520	47.0	52.8	39.4	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.8	52.5	39.3	52.7	53	70	no	yes	no	no	N/A	N/A
	522	46.2	52.0	39.1	52.2	52	70	no	yes	no	no	N/A	N/A
	523	46.1	51.9	53.9	56.0	56	70	no	yes	yes	no	N/A	N/A
	524	46.5	52.2	57.2	58.4	58	70	no	yes	yes	no	N/A	N/A
	525	46.5	52.3	58.6	59.5	60	70	no	yes	yes	no	N/A	N/A
	526	47.0	52.8	53.6	56.2	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	55.9	61.2	45.0	61.3	61	70	no	yes	no	no	N/A	N/A
	932	60.2	65.7	62.7	67.5	68	70	no	yes	yes	no	N/A	N/A
	933	60.6	66.1	63.3	67.9	68	70	no	yes	yes	no	N/A	N/A
	934	54.6	59.8	56.0	61.3	61	70	no	yes	yes	no	N/A	N/A
	935	41.8	47.4	63.2	63.3	63	70	no	yes	yes	no	N/A	N/A
	936	45.2	50.6	62.0	62.3	62	70	no	yes	yes	no	N/A	N/A
	937	45.1	50.5	64.5	64.6	65	70	no	yes	yes	no	N/A	N/A
	938	47.6	53.0	59.7	60.5	61	70	no	yes	yes	no	N/A	N/A
	939	47.6	52.9	57.9	59.1	59	70	no	yes	yes	no	N/A	N/A
	940	47.3	52.7	60.2	60.9	61	70	no	yes	yes	no	N/A	N/A
	941	47.2	52.5	61.5	62.1	62	70	no	yes	yes	no	N/A	N/A
	942	63.2	68.7	74.2	75.2	75	70	yes	yes	yes	yes	5.2	
	943	63.1	68.5	74.9	75.8	76	70	yes	yes	yes	yes	5.8	
	944	63.2	68.6	73.4	74.6	75	70	yes	yes	yes	yes	4.6	
	945	63.5	68.9	73.9	75.1	75	70	yes	yes	yes	yes	5.1	
	946	63.8	69.2	75.1	76.1	76	70	yes	yes	yes	yes	6.1	
	947	63.9	69.3	75.1	76.1	76	70	yes	yes	yes	yes	6.1	
	948	64.2	69.7	74.5	75.7	76	70	yes	yes	yes	yes	5.7	
	949	64.3	69.8	72.6	74.4	74	70	yes	yes	yes	yes	4.4	
	950	47.7	52.9	45.3	53.6	54	70	no	yes	no	no	N/A	N/A
	951	59.0	64.3	45.0	64.4	64	70	no	yes	no	no	N/A	N/A
	952	48.5	53.8	45.1	54.4	54	70	no	yes	no	no	N/A	N/A
	953	48.4	53.8	45.2	54.3	54	70	no	yes	no	no	N/A	N/A
	954	48.2	53.6	45.2	54.2	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.0	43.9	67.4	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.9	69.3	68.5	72.0	72	70	yes	yes	yes	yes	2	I
	542	64.6	69.9	68.6	72.3	72	70	yes	yes	yes	yes	2.3	I
	543	64.6	70.0	68.5	72.3	72	70	yes	yes	yes	yes	2.3	I
	544	65.9	71.2	68.4	73.1	73	70	yes	yes	yes	yes	3.1	I
	545	65.3	70.7	68.0	72.6	73	70	yes	yes	yes	yes	2.6	I
	546	59.4	64.8	38.7	64.8	65	70	no	yes	no	no	N/A	N/A
	547	60.9	66.4	38.6	66.4	66	70	no	yes	no	no	N/A	N/A
	548	57.8	63.2	38.7	63.2	63	70	no	yes	no	no	N/A	N/A
	549	58.4	63.8	38.6	63.8	64	70	no	yes	no	no	N/A	N/A
	550	62.6	68.1	38.4	68.1	68	70	no	yes	no	no	N/A	N/A
	551	63.0	68.5	38.1	68.5	69	70	no	yes	no	no	N/A	N/A
	552	61.8	67.3	37.8	67.3	67	70	no	yes	no	no	N/A	N/A
	553	40.7	46.0	37.8	46.6	47	70	no	yes	no	no	N/A	N/A
	554	36.3	41.5	37.9	43.1	43	70	no	yes	yes	no	N/A	N/A
	555	36.2	41.4	38.0	43.0	43	70	no	yes	yes	no	N/A	N/A
	556	36.2	41.4	38.3	43.1	43	70	no	yes	yes	no	N/A	N/A
	557	36.3	41.5	38.4	43.2	43	70	no	yes	yes	no	N/A	N/A
	558	36.2	41.5	38.5	43.2	43	70	no	yes	yes	no	N/A	N/A
	559	36.1	41.3	38.4	43.1	43	70	no	yes	yes	no	N/A	N/A
	560	35.8	41.0	38.3	42.9	43	70	no	yes	yes	no	N/A	N/A
	561	35.8	41.0	38.2	42.8	43	70	no	yes	yes	no	N/A	N/A
	562	35.3	40.5	38.4	42.6	43	70	no	yes	yes	no	N/A	N/A
	563	41.3	42.3	61.9	62.0	62	70	no	yes	yes	no	N/A	N/A
	564	37.2	42.6	42.8	45.7	46	70	no	yes	yes	no	N/A	N/A
	565	37.3	42.7	40.2	44.6	45	70	no	yes	yes	no	N/A	N/A
	566	37.6	43.0	39.3	44.5	45	70	no	yes	yes	no	N/A	N/A
	591	37.7	43.1	39.4	44.6	45	70	no	yes	yes	no	N/A	N/A
	592	37.7	43.1	39.7	44.7	45	70	no	yes	yes	no	N/A	N/A
	593	37.8	43.1	39.6	44.7	45	70	no	yes	yes	no	N/A	N/A
	594	62.8	68.2	68.6	71.4	71	70	yes	yes	yes	yes	1.4	I
	595	64.2	69.5	69.1	72.3	72	70	yes	yes	yes	yes	2.3	I
	596	64.2	69.5	69.0	72.3	72	70	yes	yes	yes	yes	2.3	I
	597	64.4	69.7	68.8	72.3	72	70	yes	yes	yes	yes	2.3	I
	598	64.1	69.4	68.3	71.9	72	70	yes	yes	yes	yes	1.9	I
	599	63.8	69.2	63.6	70.2	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.9	44.1	37.0	44.8	45	70	no	yes	no	no	N/A	N/A
	702	38.9	44.0	37.4	44.9	45	70	no	yes	no	no	N/A	N/A
	703	38.9	44.1	37.5	45.0	45	70	no	yes	no	no	N/A	N/A
	704	55.4	60.7	46.0	60.9	61	70	no	yes	no	no	N/A	N/A
	705	63.2	68.6	59.7	69.1	69	70	no	yes	no	no	N/A	N/A
	706	63.0	68.4	63.7	69.7	70	70	no	yes	yes	no	N/A	N/A
	707	63.2	68.6	65.1	70.2	70	70	no	yes	yes	no	N/A	N/A
	708	62.1	67.5	65.3	69.6	70	70	no	yes	yes	no	N/A	N/A
	709	61.2	66.7	37.3	66.7	67	70	no	yes	no	no	N/A	N/A
	710	58.0	63.3	65.9	67.8	68	70	no	yes	yes	no	N/A	N/A
	735	62.0	67.5	66.0	69.8	70	70	no	yes	yes	no	N/A	N/A
	736	62.4	67.8	66.2	70.1	70	70	no	yes	yes	no	N/A	N/A
	737	62.2	67.6	66.2	70.0	70	70	no	yes	yes	no	N/A	N/A
	738	63.6	69.1	66.0	70.8	71	70	yes	yes	yes	yes	0.8	I
	739	63.3	68.8	65.7	70.5	71	70	yes	yes	yes	yes	0.5	I
	740	58.5	63.8	36.7	63.9	64	70	no	yes	no	no	N/A	N/A
	741	59.3	64.8	36.7	64.8	65	70	no	yes	no	no	N/A	N/A
	742	57.2	62.6	36.6	62.6	63	70	no	yes	no	no	N/A	N/A
	743	57.4	62.7	36.6	62.7	63	70	no	yes	no	no	N/A	N/A
	744	59.8	65.3	36.4	65.3	65	70	no	yes	no	no	N/A	N/A
	745	59.7	65.2	36.4	65.2	65	70	no	yes	no	no	N/A	N/A
	746	57.5	62.9	36.1	62.9	63	70	no	yes	no	no	N/A	N/A
	747	52.2	57.5	36.1	57.6	58	70	no	yes	no	no	N/A	N/A
	748	39.6	44.1	36.2	44.7	45	70	no	yes	no	no	N/A	N/A
	749	39.5	44.0	36.4	44.7	45	70	no	yes	no	no	N/A	N/A
	752	39.5	44.0	36.5	44.7	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.7	36.6	45.3	45	70	no	yes	no	no	N/A	N/A
	754	39.7	44.2	36.6	44.9	45	70	no	yes	no	no	N/A	N/A
	755	40.1	44.5	36.5	45.1	45	70	no	yes	no	no	N/A	N/A
	756	39.9	44.3	36.4	45.0	45	70	no	yes	no	no	N/A	N/A
	757	39.8	44.2	36.4	44.9	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.6	36.6	44.4	44	70	no	yes	no	no	N/A	N/A
	759	40.1	44.8	37.0	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.3	45.0	37.0	45.7	46	70	no	yes	no	no	N/A	N/A
	777	40.4	45.2	37.2	45.8	46	70	no	yes	no	no	N/A	N/A
	778	40.6	45.4	37.0	46.0	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{10(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.4	48.1	52.6	53.9	54	70	no	yes	yes	no	N/A	N/A
	422	42.2	47.9	60.4	60.6	61	70	no	yes	yes	no	N/A	N/A
	423	37.2	42.7	55.4	55.6	56	70	no	yes	yes	no	N/A	N/A
	424	38.8	42.6	65.2	65.2	65	70	no	yes	yes	no	N/A	N/A
	425	60.4	66.1	69.8	71.3	71	70	yes	yes	yes	yes	1.3	I
	426	60.4	65.8	69.9	71.4	71	70	yes	yes	yes	yes	1.4	I
	427	60.0	65.8	69.7	71.2	71	70	yes	yes	yes	yes	1.2	I
	428	49.8	52.3	68.6	68.7	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.0	68.6	68.7	69	70	no	yes	yes	no	N/A	N/A
	430	50.2	51.9	70.3	70.4	70	70	no	yes	yes	no	N/A	N/A
	431	51.0	52.6	70.0	70.1	70	70	no	yes	yes	no	N/A	N/A
	432	65.1	70.4	73.5	75.2	75	70	yes	yes	yes	yes	5.2	I
	433	65.5	70.9	73.9	75.6	76	70	yes	yes	yes	yes	5.6	I
	434	65.5	70.9	70.2	73.6	74	70	yes	yes	yes	yes	3.6	I
	435	65.6	70.9	70.5	73.7	74	70	yes	yes	yes	yes	3.7	I
	436	65.4	70.8	69.5	73.2	73	70	yes	yes	yes	yes	3.2	I
	437	61.1	66.3	43.8	66.3	66	70	no	yes	no	no	N/A	N/A
	438	60.0	65.3	68.6	70.3	70	70	no	yes	yes	no	N/A	N/A
	439	65.5	70.8	69.9	73.4	73	70	yes	yes	yes	yes	3.4	I
	440	65.7	71.0	71.6	74.3	74	70	yes	yes	yes	yes	4.3	I
	441	65.6	70.9	69.3	73.2	73	70	yes	yes	yes	yes	3.2	I
	442	65.8	71.0	70.4	73.7	74	70	yes	yes	yes	yes	3.7	I
	443	65.6	70.9	67.1	72.4	72	70	yes	yes	yes	yes	2.4	I
	444	35.6	40.7	42.3	44.6	45	70	no	yes	yes	no	N/A	N/A
	445	35.5	40.7	42.2	44.5	45	70	no	yes	yes	no	N/A	N/A
	446	35.3	40.4	42.2	44.4	44	70	no	yes	yes	no	N/A	N/A
	447	42.2	47.8	42.3	48.9	49	70	no	yes	yes	no	N/A	N/A
	448	55.9	61.1	41.9	61.1	61	70	no	yes	no	no	N/A	N/A
	449	34.9	40.0	41.8	44.0	44	70	no	yes	yes	no	N/A	N/A
	450	56.3	61.5	41.5	61.6	62	70	no	yes	no	no	N/A	N/A
	451	41.0	46.7	61.7	61.9	62	70	no	yes	yes	no	N/A	N/A
	452	42.0	47.7	62.7	62.9	63	70	no	yes	yes	no	N/A	N/A
	453	42.0	47.7	62.7	62.8	63	70	no	yes	yes	no	N/A	N/A
	454	42.4	48.1	58.2	58.6	59	70	no	yes	yes	no	N/A	N/A
	455	42.6	48.2	52.9	54.2	54	70	no	yes	yes	no	N/A	N/A
	456	42.6	48.3	43.2	49.5	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.2	50.9	40.0	51.3	51	70	no	yes	no	no	N/A	N/A
	462	34.5	39.6	53.9	54.0	54	70	no	yes	yes	no	N/A	N/A
	463	34.5	39.6	53.8	53.9	54	70	no	yes	yes	no	N/A	N/A
	464	34.6	39.6	64.2	64.2	64	70	no	yes	yes	no	N/A	N/A
	465	62.2	67.6	64.4	69.3	69	70	no	yes	yes	no	N/A	N/A
	466	61.1	66.4	65.0	68.7	69	70	no	yes	yes	no	N/A	N/A
	467	61.5	66.9	65.4	69.2	69	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.3	65.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	469	48.4	53.1	63.9	64.2	64	70	no	yes	yes	no	N/A	N/A
	470	48.5	54.3	56.4	58.5	59	70	no	yes	yes	no	N/A	N/A
	471	47.8	53.0	65.0	65.2	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.6	66.2	66.5	67	70	no	yes	yes	no	N/A	N/A
	473	50.4	54.8	66.7	67.0	67	70	no	yes	yes	no	N/A	N/A
	474	65.1	70.3	68.7	72.6	73	70	yes	yes	yes	yes	2.6	I
	475	65.1	70.3	70.0	73.2	73	70	yes	yes	yes	yes	3.2	I
	476	64.3	69.6	65.7	71.1	71	70	yes	yes	yes	yes	1.1	I
	477	64.3	69.6	67.6	71.7	72	70	yes	yes	yes	yes	1.7	I
	478	64.0	69.3	64.0	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.7	69.0	65.6	70.6	71	70	yes	yes	yes	yes	0.6	I
	480	64.1	69.4	68.8	72.1	72	70	yes	yes	yes	yes	2.1	I
	491	64.1	69.4	68.8	72.1	72	70	yes	yes	yes	yes	2.1	I
	492	63.7	69.0	64.9	70.4	70	70	no	yes	yes	no	N/A	N/A
	493	63.1	68.4	57.9	68.8	69	70	no	yes	no	no	N/A	N/A
	494	36.2	41.2	39.8	43.5	44	70	no	yes	yes	no	N/A	N/A
	495	44.0	49.6	39.6	50.0	50	70	no	yes	no	no	N/A	N/A
	496	47.6	53.4	39.6	53.5	54	70	no	yes	no	no	N/A	N/A
	497	47.8	53.5	39.7	53.7	54	70	no	yes	no	no	N/A	N/A
	498	47.5	53.2	39.7	53.4	53	70	no	yes	no	no	N/A	N/A
	499	47.3	53.1	39.7	53.3	53	70	no	yes	no	no	N/A	N/A
	520	47.1	52.8	39.3	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.7	52.4	39.3	52.6	53	70	no	yes	no	no	N/A	N/A
	522	46.2	52.0	39.1	52.2	52	70	no	yes	no	no	N/A	N/A
	523	48.1	51.8	53.9	56.0	56	70	no	yes	yes	no	N/A	N/A
	524	46.5	52.2	57.2	58.4	58	70	no	yes	yes	no	N/A	N/A
	525	46.5	52.3	58.6	59.5	60	70	no	yes	yes	no	N/A	N/A
	526	47.0	52.8	53.6	56.2	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	55.8	61.1	44.9	61.2	61	70	no	yes	no	no	N/A	N/A
	932	60.0	65.5	62.6	67.3	67	70	no	yes	yes	no	N/A	N/A
	933	60.4	66.0	63.2	67.8	68	70	no	yes	yes	no	N/A	N/A
	934	54.4	59.6	56.1	61.2	61	70	no	yes	yes	no	N/A	N/A
	935	41.8	47.4	63.2	63.4	63	70	no	yes	yes	no	N/A	N/A
	936	45.1	50.5	62.0	62.3	62	70	no	yes	yes	no	N/A	N/A
	937	45.1	50.5	64.5	64.7	65	70	no	yes	yes	no	N/A	N/A
	938	47.6	53.0	59.8	60.6	61	70	no	yes	yes	no	N/A	N/A
	939	47.6	52.9	58.0	59.2	59	70	no	yes	yes	no	N/A	N/A
	940	47.3	52.7	60.2	60.9	61	70	no	yes	yes	no	N/A	N/A
	941	47.2	52.5	61.6	62.1	62	70	no	yes	yes	no	N/A	N/A
	942	63.2	68.6	74.0	75.1	75	70	yes	yes	yes	yes	5.1	I
	943	63.0	68.4	74.8	75.7	76	70	yes	yes	yes	yes	5.7	I
	944	63.1	68.5	73.2	74.5	75	70	yes	yes	yes	yes	4.5	I
	945	63.4	68.8	73.8	75.0	75	70	yes	yes	yes	yes	5.0	I
	946	63.7	69.1	74.9	75.9	76	70	yes	yes	yes	yes	5.9	I
	947	63.8	69.2	74.9	76.0	76	70	yes	yes	yes	yes	6.0	I
	948	64.1	69.6	74.4	75.6	76	70	yes	yes	yes	yes	5.6	I
	949	64.2	69.7	72.5	74.3	74	70	yes	yes	yes	yes	4.3	I
	950	47.7	52.9	45.2	53.6	54	70	no	yes	no	no	N/A	N/A
	951	58.9	64.1	44.9	64.2	64	70	no	yes	no	no	N/A	N/A
	952	48.4	53.8	45.0	54.3	54	70	no	yes	no	no	N/A	N/A
	953	48.4	53.8	45.1	54.3	54	70	no	yes	no	no	N/A	N/A
	954	48.2	53.6	45.1	54.2	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.0	43.9	67.4	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.9	69.3	68.5	71.9	72	70	yes	yes	yes	yes	1.9	I
	542	64.6	70.0	68.5	72.3	72	70	yes	yes	yes	yes	2.3	I
	543	64.7	70.0	68.5	72.3	72	70	yes	yes	yes	yes	2.3	I
	544	66.1	71.5	68.3	73.2	73	70	yes	yes	yes	yes	3.2	I
	545	65.6	71.0	67.9	72.7	73	70	yes	yes	yes	yes	2.7	I
	546	59.9	65.3	38.7	65.3	65	70	no	yes	no	no	N/A	N/A
	547	61.3	66.7	38.6	66.8	67	70	no	yes	no	no	N/A	N/A
	548	58.2	63.7	38.6	63.7	64	70	no	yes	no	no	N/A	N/A
	549	58.8	64.2	38.5	64.2	64	70	no	yes	no	no	N/A	N/A
	550	62.8	68.2	38.3	68.2	68	70	no	yes	no	no	N/A	N/A
	551	63.2	68.7	38.1	68.7	69	70	no	yes	no	no	N/A	N/A
	552	62.0	67.4	37.7	67.4	67	70	no	yes	no	no	N/A	N/A
	553	41.1	46.4	37.7	47.0	47	70	no	yes	no	no	N/A	N/A
	554	36.3	41.5	37.8	43.0	43	70	no	yes	yes	no	N/A	N/A
	555	36.1	41.4	37.9	43.0	43	70	no	yes	yes	no	N/A	N/A
	556	36.1	41.3	38.2	43.1	43	70	no	yes	yes	no	N/A	N/A
	557	36.3	41.5	38.3	43.2	43	70	no	yes	yes	no	N/A	N/A
	558	36.2	41.4	38.4	43.2	43	70	no	yes	yes	no	N/A	N/A
	559	36.1	41.3	38.3	43.1	43	70	no	yes	yes	no	N/A	N/A
	560	35.8	41.0	38.3	42.9	43	70	no	yes	yes	no	N/A	N/A
	561	35.7	40.9	38.2	42.8	43	70	no	yes	yes	no	N/A	N/A
	562	35.3	40.5	38.4	42.6	43	70	no	yes	yes	no	N/A	N/A
	563	41.3	42.3	61.9	61.9	62	70	no	yes	yes	no	N/A	N/A
	564	37.2	42.6	42.9	45.7	46	70	no	yes	yes	no	N/A	N/A
	565	37.3	42.7	40.2	44.6	45	70	no	yes	yes	no	N/A	N/A
	566	37.6	43.0	39.2	44.5	45	70	no	yes	yes	no	N/A	N/A
	591	37.7	43.0	39.3	44.6	45	70	no	yes	yes	no	N/A	N/A
	592	37.7	43.1	39.7	44.7	45	70	no	yes	yes	no	N/A	N/A
	593	37.7	43.1	39.6	44.7	45	70	no	yes	yes	no	N/A	N/A
	594	62.8	68.1	68.5	71.3	71	70	yes	yes	yes	yes	1.3	I
	595	64.2	69.5	69.0	72.3	72	70	yes	yes	yes	yes	2.3	I
	596	64.2	69.5	68.9	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	64.4	69.7	68.8	72.3	72	70	yes	yes	yes	yes	2.3	I
	598	64.0	69.4	68.2	71.8	72	70	yes	yes	yes	yes	1.8	I
Block 5	701	38.8	44.0	37.0	44.8	45	70	no	yes	no	no	N/A	N/A
	702	38.8	44.0	37.3	44.9	45	70	no	yes	no	no	N/A	N/A
	703	38.9	44.1	37.5	44.9	45	70	no	yes	no	no	N/A	N/A
	704	55.4	60.8	46.0	60.9	61	70	no	yes	no	no	N/A	N/A
	705	63.2	68.6	59.6	69.1	69	70	no	yes	no	no	N/A	N/A
	706	63.1	68.5	63.6	69.7	70	70	no	yes	yes	no	N/A	N/A
	707	63.3	68.7	65.0	70.2	70	70	no	yes	yes	no	N/A	N/A
	708	62.2	67.6	65.2	69.6	70	70	no	yes	yes	no	N/A	N/A
	709	61.4	66.8	37.3	66.8	67	70	no	yes	no	no	N/A	N/A
	710	58.3	63.6	65.8	67.9	68	70	no	yes	yes	no	N/A	N/A
	735	62.2	67.6	66.0	69.9	70	70	no	yes	yes	no	N/A	N/A
	736	62.6	68.0	66.1	70.2	70	70	no	yes	yes	no	N/A	N/A
	737	62.4	67.8	66.1	70.1	70	70	no	yes	yes	no	N/A	N/A
	738	63.9	69.4	65.9	71.0	71	70	yes	yes	yes	yes	1.0	I
	739	63.6	69.1	65.6	70.7	71	70	yes	yes	yes	yes	0.7	I
	740	58.9	64.2	36.6	64.2	64	70	no	yes	no	no	N/A	N/A
	741	59.6	65.0	36.6	65.0	65	70	no	yes	no	no	N/A	N/A
	742	57.8	63.1	36.5	63.1	63	70	no	yes	no	no	N/A	N/A
	743	57.9	63.2	36.6	63.2	63	70	no	yes	no	no	N/A	N/A
	744	60.0	65.4	36.4	65.5	66	70	no	yes	no	no	N/A	N/A
	745	59.9	65.4	36.3	65.4	65	70	no	yes	no	no	N/A	N/A
	746	57.6	63.0	36.1	63.0	63	70	no	yes	no	no	N/A	N/A
	747	52.1	57.4	36.0	57.5	58	70	no	yes	no	no	N/A	N/A
	748	39.6	44.1	36.2	44.7	45	70	no	yes	no	no	N/A	N/A
	749	39.5	44.0	36.4	44.7	45	70	no	yes	no	no	N/A	N/A
	752	39.5	44.0	36.5	44.7	45	70	no	yes	no	no	N/A	N/A
	753	40.2	44.7	36.5	45.3	45	70	no	yes	no	no	N/A	N/A
	754	39.7	44.2	36.5	44.9	45	70	no	yes	no	no	N/A	N/A
	755	40.1	44.5	36.5	45.1	45	70	no	yes	no	no	N/A	N/A
	756	39.9	44.3	36.4	44.9	45	70	no	yes	no	no	N/A	N/A
	757	39.8	44.2	36.4	44.9	45	70	no	yes	no	no	N/A	N/A
	758	39.2	43.6	36.6	44.4	44	70	no	yes	no	no	N/A	N/A
	759	40.1	44.8	37.1	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.3	45.0	37.0	45.6	46	70	no	yes	no	no	N/A	N/A
	777	40.4	45.2	37.3	45.8	46	70	no	yes	no	no	N/A	N/A
	778	40.6	45.4	37.0	45.9	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2021 L ₁₀ 2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.3	48.0	52.6	53.9	22	70	no	yes	yes	no	N/A	N/A
	422	42.2	47.9	60.5	60.7	61	70	no	yes	yes	no	N/A	N/A
	423	37.2	42.6	55.5	55.7	56	70	no	yes	yes	no	N/A	N/A
	424	39.0	42.6	65.3	65.3	65	70	no	yes	yes	no	N/A	N/A
	425	60.3	66.0	69.7	71.3	71	70	yes	yes	yes	yes	1.3	I
	426	60.4	65.8	69.9	71.3	71	70	yes	yes	yes	yes	1.3	I
	427	60.0	65.7	69.7	71.2	71	70	yes	yes	yes	yes	1.2	I
	428	49.8	52.3	68.5	68.6	69	70	no	yes	yes	no	N/A	N/A
	429	49.5	52.0	68.5	68.6	69	70	no	yes	yes	no	N/A	N/A
	430	50.2	51.9	70.2	70.3	70	70	no	yes	yes	no	N/A	N/A
	431	51.0	52.6	69.9	70.0	70	70	no	yes	yes	no	N/A	N/A
	432	65.0	70.3	73.4	75.1	75	70	yes	yes	yes	yes	5.1	I
	433	65.4	70.7	73.8	75.5	76	70	yes	yes	yes	yes	5.5	I
	434	65.4	70.8	70.0	73.4	73	70	yes	yes	yes	yes	3.4	I
	435	65.4	70.8	70.4	73.6	74	70	yes	yes	yes	yes	3.6	I
	436	65.3	70.7	69.4	73.1	73	70	yes	yes	yes	yes	3.1	I
	437	60.9	66.2	43.8	66.2	66	70	no	yes	no	no	N/A	N/A
	438	59.8	65.2	68.5	70.2	70	70	no	yes	yes	no	N/A	N/A
	439	65.4	70.7	69.8	73.3	73	70	yes	yes	yes	yes	3.3	I
	440	65.6	70.9	71.5	74.2	74	70	yes	yes	yes	yes	4.2	I
	441	65.5	70.8	69.2	73.1	73	70	yes	yes	yes	yes	3.1	I
	442	65.7	70.9	70.3	73.6	74	70	yes	yes	yes	yes	3.6	I
	443	65.5	70.8	67.0	72.3	72	70	yes	yes	yes	yes	2.3	I
	444	35.5	40.6	42.2	44.5	45	70	no	yes	yes	no	N/A	N/A
	445	35.4	40.6	42.1	44.4	44	70	no	yes	yes	no	N/A	N/A
	446	35.2	40.3	42.1	44.3	44	70	no	yes	yes	no	N/A	N/A
	447	42.2	47.8	42.2	48.9	49	70	no	yes	yes	no	N/A	N/A
	448	56.1	61.3	41.9	61.3	61	70	no	yes	no	no	N/A	N/A
	449	34.8	39.9	41.7	43.9	44	70	no	yes	yes	no	N/A	N/A
	450	56.9	62.1	41.4	62.2	62	70	no	yes	no	no	N/A	N/A
	451	41.0	46.6	61.8	62.0	62	70	no	yes	yes	no	N/A	N/A
	452	42.0	47.7	62.8	62.9	63	70	no	yes	yes	no	N/A	N/A
	453	42.0	47.7	62.8	62.9	63	70	no	yes	yes	no	N/A	N/A
	454	42.4	48.0	58.3	58.7	59	70	no	yes	yes	no	N/A	N/A
	455	42.5	48.2	52.9	54.2	54	70	no	yes	yes	no	N/A	N/A
	456	42.6	48.3	43.1	49.4	49	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.2	50.9	39.9	51.3	51	70	no	yes	no	no	N/A	N/A
	462	34.4	39.5	53.9	54.0	54	70	no	yes	yes	no	N/A	N/A
	463	34.5	39.6	53.7	53.9	54	70	no	yes	yes	no	N/A	N/A
	464	34.6	39.5	64.2	64.2	64	70	no	yes	yes	no	N/A	N/A
	465	62.1	67.6	64.5	69.3	69	70	no	yes	yes	no	N/A	N/A
	466	61.0	66.3	65.0	68.7	69	70	no	yes	yes	no	N/A	N/A
	467	61.4	66.8	65.5	69.2	69	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.3	65.9	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.4	53.1	63.8	64.2	64	70	no	yes	yes	no	N/A	N/A
	470	48.5	54.2	56.4	58.5	59	70	no	yes	yes	no	N/A	N/A
	471	47.7	52.9	64.9	65.2	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.6	66.2	66.5	67	70	no	yes	yes	no	N/A	N/A
	473	50.3	54.7	66.7	67.0	67	70	no	yes	yes	no	N/A	N/A
	474	65.1	70.3	68.7	72.6	73	70	yes	yes	yes	yes	2.6	I
	475	65.2	70.4	69.9	73.2	73	70	yes	yes	yes	yes	3.2	I
	476	64.4	69.7	65.7	71.2	71	70	yes	yes	yes	yes	1.2	I
	477	64.3	69.6	67.5	71.7	72	70	yes	yes	yes	yes	1.7	I
	478	63.9	69.3	63.9	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.7	69.0	65.6	70.7	71	70	yes	yes	yes	yes	0.7	I
	480	64.1	69.4	68.8	72.1	72	70	yes	yes	yes	yes	2.1	I
	491	64.1	69.4	68.8	72.1	72	70	yes	yes	yes	yes	2.1	I
	492	63.7	69.0	64.8	70.4	70	70	no	yes	yes	no	N/A	N/A
	493	63.0	68.4	57.9	68.8	69	70	no	yes	no	no	N/A	N/A
	494	36.1	41.1	39.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	495	43.9	49.5	39.5	49.9	50	70	no	yes	no	no	N/A	N/A
	496	47.6	53.3	39.6	53.5	54	70	no	yes	no	no	N/A	N/A
	497	47.7	53.4	39.6	53.6	54	70	no	yes	no	no	N/A	N/A
	498	47.5	53.2	39.7	53.4	53	70	no	yes	no	no	N/A	N/A
	499	47.3	53.0	39.6	53.2	53	70	no	yes	no	no	N/A	N/A
	520	47.1	52.8	39.3	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.7	52.4	39.2	52.6	53	70	no	yes	no	no	N/A	N/A
	522	46.2	51.9	39.1	52.2	52	70	no	yes	no	no	N/A	N/A
	523	46.0	51.8	54.0	56.0	56	70	no	yes	yes	no	N/A	N/A
	524	46.4	52.1	57.3	58.4	58	70	no	yes	yes	no	N/A	N/A
	525	46.5	52.3	58.7	59.6	60	70	no	yes	yes	no	N/A	N/A
	526	46.9	52.7	53.5	56.1	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	55.6	60.9	44.8	61.0	61	70	no	yes	no	no	N/A	N/A
	932	59.8	65.4	62.5	67.2	67	70	no	yes	yes	no	N/A	N/A
	933	60.3	65.8	63.1	67.7	68	70	no	yes	yes	no	N/A	N/A
	934	54.3	59.4	56.1	61.1	61	70	no	yes	yes	no	N/A	N/A
	935	41.7	47.4	63.3	63.4	63	70	no	yes	yes	no	N/A	N/A
	936	45.1	50.5	62.1	62.4	62	70	no	yes	yes	no	N/A	N/A
	937	45.1	50.5	64.6	64.7	65	70	no	yes	yes	no	N/A	N/A
	938	47.6	53.0	59.8	60.6	61	70	no	yes	yes	no	N/A	N/A
	939	47.5	52.9	58.1	59.2	59	70	no	yes	yes	no	N/A	N/A
	940	47.3	52.6	60.3	61.0	61	70	no	yes	yes	no	N/A	N/A
	941	47.2	52.5	61.7	62.2	62	70	no	yes	yes	no	N/A	N/A
	942	63.1	68.6	73.8	74.9	75	70	yes	yes	yes	yes	4.9	I
	943	63.0	68.4	74.6	75.5	76	70	yes	yes	yes	yes	5.5	I
	944	63.0	68.4	73.0	74.3	74	70	yes	yes	yes	yes	4.3	I
	945	63.3	68.7	73.7	74.9	75	70	yes	yes	yes	yes	4.9	I
	946	63.6	69.0	74.8	75.8	76	70	yes	yes	yes	yes	5.8	I
	947	63.7	69.1	74.8	75.8	76	70	yes	yes	yes	yes	5.8	I
	948	64.0	69.5	74.2	75.5	76	70	yes	yes	yes	yes	5.5	I
	949	64.1	69.6	72.4	74.2	74	70	yes	yes	yes	yes	4.2	I
	950	47.7	52.9	45.1	53.6	54	70	no	yes	no	no	N/A	N/A
	951	58.7	64.0	44.8	64.0	64	70	no	yes	no	no	N/A	N/A
	952	48.4	53.8	44.9	54.3	54	70	no	yes	no	no	N/A	N/A
	953	48.4	53.8	45.0	54.3	54	70	no	yes	no	no	N/A	N/A
	954	48.2	53.5	45.0	54.1	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.0	43.8	67.3	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.9	69.2	68.4	71.9	72	70	yes	yes	yes	yes	1.9	I
	542	64.7	70.0	68.4	72.3	72	70	yes	yes	yes	yes	2.3	I
	543	64.7	70.0	68.4	72.3	72	70	yes	yes	yes	yes	2.3	I
	544	66.4	71.8	68.2	73.4	73	70	yes	yes	yes	yes	3.4	I
	545	65.9	71.3	67.8	72.9	73	70	yes	yes	yes	yes	2.9	I
	546	60.4	65.8	38.6	65.8	66	70	no	yes	no	no	N/A	N/A
	547	61.7	67.1	38.5	67.1	67	70	no	yes	no	no	N/A	N/A
	548	58.6	64.0	38.5	64.1	64	70	no	yes	no	no	N/A	N/A
	549	59.1	64.6	38.4	64.6	65	70	no	yes	no	no	N/A	N/A
	550	62.9	68.4	38.2	68.4	68	70	no	yes	no	no	N/A	N/A
	551	63.3	68.8	38.0	68.8	69	70	no	yes	no	no	N/A	N/A
	552	62.1	67.6	37.7	67.6	68	70	no	yes	no	no	N/A	N/A
	553	41.5	46.8	37.7	47.3	47	70	no	yes	no	no	N/A	N/A
	554	36.2	41.4	37.8	43.0	43	70	no	yes	yes	no	N/A	N/A
	555	36.1	41.3	38.0	43.0	43	70	no	yes	yes	no	N/A	N/A
	556	36.1	41.3	38.2	43.0	43	70	no	yes	yes	no	N/A	N/A
	557	36.2	41.4	38.3	43.1	43	70	no	yes	yes	no	N/A	N/A
	558	36.1	41.4	38.4	43.1	43	70	no	yes	yes	no	N/A	N/A
	559	36.0	41.2	38.3	43.0	43	70	no	yes	yes	no	N/A	N/A
	560	35.7	40.9	38.2	42.8	43	70	no	yes	yes	no	N/A	N/A
	561	35.7	40.9	38.1	42.7	43	70	no	yes	yes	no	N/A	N/A
	562	35.3	40.4	38.3	42.5	43	70	no	yes	yes	no	N/A	N/A
	563	41.3	42.2	61.9	61.9	62	70	no	yes	yes	no	N/A	N/A
	564	37.2	42.5	43.0	45.8	46	70	no	yes	yes	no	N/A	N/A
	565	37.3	42.6	40.3	44.6	45	70	no	yes	yes	no	N/A	N/A
	566	37.6	42.9	39.3	44.5	45	70	no	yes	yes	no	N/A	N/A
	591	37.6	43.0	39.3	44.5	45	70	no	yes	yes	no	N/A	N/A
	592	37.6	43.0	39.7	44.7	45	70	no	yes	yes	no	N/A	N/A
	593	37.7	43.1	39.6	44.7	45	70	no	yes	yes	no	N/A	N/A
	594	62.7	68.0	68.5	71.3	71	70	yes	yes	yes	yes	1.3	I
	595	64.2	69.5	69.0	72.2	72	70	yes	yes	yes	yes	2.2	I
	596	64.2	69.5	68.9	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	64.4	69.7	68.7	72.2	72	70	yes	yes	yes	yes	2.2	I
	598	64.0	69.3	68.2	71.8	72	70	yes	yes	yes	yes	1.8	I
	599	63.8	69.1	63.5	70.2	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.8	44.0	37.0	44.8	45	70	no	yes	no	no	N/A	N/A
	702	38.8	44.0	37.3	44.8	45	70	no	yes	no	no	N/A	N/A
	703	38.9	44.1	37.4	44.9	45	70	no	yes	no	no	N/A	N/A
	704	55.4	60.8	46.0	60.9	61	70	no	yes	no	no	N/A	N/A
	705	63.3	68.7	59.6	69.2	69	70	no	yes	no	no	N/A	N/A
	706	63.2	68.6	63.5	69.8	70	70	no	yes	yes	no	N/A	N/A
	707	63.4	68.8	64.9	70.3	70	70	no	yes	yes	no	N/A	N/A
	708	62.4	67.8	65.1	69.7	70	70	no	yes	yes	no	N/A	N/A
	709	61.5	67.0	37.2	67.0	67	70	no	yes	no	no	N/A	N/A
	710	58.5	63.8	65.7	67.9	68	70	no	yes	yes	no	N/A	N/A
	735	62.2	67.6	65.9	69.9	70	70	no	yes	yes	no	N/A	N/A
	736	62.8	68.2	66.0	70.3	70	70	no	yes	yes	no	N/A	N/A
	737	62.5	68.0	66.0	70.1	70	70	no	yes	yes	no	N/A	N/A
	738	64.2	69.6	65.8	71.1	71	70	yes	yes	yes	yes	1.1	I
	739	63.9	69.3	65.5	70.8	71	70	yes	yes	yes	yes	0.8	I
	740	59.0	64.4	36.5	64.4	64	70	no	yes	no	no	N/A	N/A
	741	59.8	65.2	36.6	65.2	65	70	no	yes	no	no	N/A	N/A
	742	58.1	63.4	36.5	63.4	63	70	no	yes	no	no	N/A	N/A
	743	58.2	63.5	36.5	63.5	64	70	no	yes	no	no	N/A	N/A
	744	60.1	65.5	36.3	65.5	66	70	no	yes	no	no	N/A	N/A
	745	60.0	65.4	36.2	65.4	65	70	no	yes	no	no	N/A	N/A
	746	57.7	63.1	36.0	63.1	63	70	no	yes	no	no	N/A	N/A
	747	52.1	57.4	36.0	57.5	58	70	no	yes	no	no	N/A	N/A
	748	39.6	44.1	36.1	44.7	45	70	no	yes	no	no	N/A	N/A
	749	39.5	44.0	36.3	44.7	45	70	no	yes	no	no	N/A	N/A
	752	39.5	44.0	36.4	44.7	45	70	no	yes	no	no	N/A	N/A
	753	40.2	44.6	36.5	45.3	45	70	no	yes	no	no	N/A	N/A
	754	39.7	44.1	36.5	44.8	45	70	no	yes	no	no	N/A	N/A
	755	40.1	44.5	36.4	45.1	45	70	no	yes	no	no	N/A	N/A
	756	39.8	44.2	36.3	44.9	45	70	no	yes	no	no	N/A	N/A
	757	39.8	44.2	36.3	44.8	45	70	no	yes	no	no	N/A	N/A
	758	39.1	43.6	36.7	44.4	44	70	no	yes	no	no	N/A	N/A
	759	40.1	44.8	37.2	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.3	45.0	37.2	45.7	46	70	no	yes	no	no	N/A	N/A
	777	40.4	45.1	37.4	45.8	46	70	no	yes	no	no	N/A	N/A
	778	40.6	45.3	37.0	45.9	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{10(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.3	48.0	52.6	53.9	22	70	no	yes	yes	no	N/A	N/A
	422	42.2	47.9	60.6	60.8	61	70	no	yes	yes	no	N/A	N/A
	423	37.1	42.6	55.5	55.7	56	70	no	yes	yes	no	N/A	N/A
	424	39.1	42.5	65.3	65.3	65	70	no	yes	yes	no	N/A	N/A
	425	60.2	65.9	69.7	71.2	71	70	yes	yes	yes	yes	1.2	
	426	60.3	65.7	69.8	71.2	71	70	yes	yes	yes	yes	1.2	
	427	59.9	65.6	69.6	71.1	71	70	yes	yes	yes	yes	1.1	
	428	49.8	52.3	68.5	68.6	69	70	no	yes	yes	no	N/A	N/A
	429	49.6	52.0	68.4	68.5	69	70	no	yes	yes	no	N/A	N/A
	430	50.3	52.0	70.1	70.2	70	70	no	yes	yes	no	N/A	N/A
	431	51.1	52.6	69.9	69.9	70	70	no	yes	yes	no	N/A	N/A
	432	64.9	70.2	73.3	75.0	75	70	yes	yes	yes	yes	5.0	
	433	65.3	70.6	73.7	75.4	75	70	yes	yes	yes	yes	5.4	
	434	65.3	70.6	69.9	73.3	73	70	yes	yes	yes	yes	3.3	
	435	65.3	70.7	70.3	73.5	74	70	yes	yes	yes	yes	3.5	
	436	65.2	70.6	69.3	73.0	73	70	yes	yes	yes	yes	3	
	437	60.8	66.0	43.7	66.1	66	70	no	yes	no	no	N/A	N/A
	438	59.8	65.1	68.4	70.1	70	70	no	yes	yes	no	N/A	N/A
	439	65.3	70.6	69.8	73.2	73	70	yes	yes	yes	yes	3.2	
	440	65.5	70.7	71.4	74.1	74	70	yes	yes	yes	yes	4.1	
	441	65.4	70.7	69.1	73.0	73	70	yes	yes	yes	yes	3.0	
	442	65.6	70.8	70.2	73.5	74	70	yes	yes	yes	yes	3.5	
	443	65.4	70.7	66.9	72.2	72	70	yes	yes	yes	yes	2.2	
	444	35.4	40.5	42.1	44.4	44	70	no	yes	yes	no	N/A	N/A
	445	35.3	40.5	42.1	44.4	44	70	no	yes	yes	no	N/A	N/A
	446	35.1	40.2	42.1	44.3	44	70	no	yes	yes	no	N/A	N/A
	447	42.1	47.7	42.1	48.8	49	70	no	yes	yes	no	N/A	N/A
	448	56.1	61.3	41.8	61.4	61	70	no	yes	no	no	N/A	N/A
	449	34.7	39.9	41.7	43.9	44	70	no	yes	yes	no	N/A	N/A
	450	57.4	62.6	41.4	62.6	63	70	no	yes	no	no	N/A	N/A
	451	40.9	46.5	61.9	62.0	62	70	no	yes	yes	no	N/A	N/A
	452	41.9	47.6	62.9	63.0	63	70	no	yes	yes	no	N/A	N/A
	453	42.0	47.7	62.8	62.9	63	70	no	yes	yes	no	N/A	N/A
	454	42.3	48.0	58.4	58.8	59	70	no	yes	yes	no	N/A	N/A
	455	42.5	48.2	52.9	54.2	54	70	no	yes	yes	no	N/A	N/A
	456	42.6	48.3	43.0	49.4	49	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.1	50.8	39.9	51.2	51	70	no	yes	no	no	N/A	N/A
	462	34.4	39.5	53.8	54.0	54	70	no	yes	yes	no	N/A	N/A
	463	34.4	39.5	53.7	53.8	54	70	no	yes	yes	no	N/A	N/A
	464	34.6	39.5	64.3	64.3	64	70	no	yes	yes	no	N/A	N/A
	465	62.1	67.5	64.5	69.3	69	70	no	yes	yes	no	N/A	N/A
	466	61.0	66.2	65.0	68.7	69	70	no	yes	yes	no	N/A	N/A
	467	61.4	66.7	65.4	69.1	69	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.3	65.8	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.4	53.1	63.8	64.2	64	70	no	yes	yes	no	N/A	N/A
	470	48.5	54.2	56.5	58.5	59	70	no	yes	yes	no	N/A	N/A
	471	47.7	52.9	64.9	65.2	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.6	66.1	66.4	66	70	no	yes	yes	no	N/A	N/A
	473	50.3	54.7	66.6	66.9	67	70	no	yes	yes	no	N/A	N/A
	474	65.1	70.4	68.6	72.6	73	70	yes	yes	yes	yes	2.6	
	475	65.3	70.5	69.9	73.2	73	70	yes	yes	yes	yes	3.2	
	476	64.5	69.8	65.6	71.2	71	70	yes	yes	yes	yes	1.2	
	477	64.4	69.7	67.5	71.7	72	70	yes	yes	yes	yes	1.7	
	478	64.0	69.3	63.9	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.7	69.0	65.5	70.6	71	70	yes	yes	yes	yes	0.6	
	480	64.1	69.4	68.7	72.0	72	70	yes	yes	yes	yes	2.0	
	491	64.2	69.4	68.7	72.1	72	70	yes	yes	yes	yes	2.1	
	492	63.6	69.0	64.8	70.4	70	70	no	yes	yes	no	N/A	N/A
	493	63.0	68.3	57.8	68.7	69	70	no	yes	no	no	N/A	N/A
	494	36.1	41.0	39.7	43.4	43	70	no	yes	yes	no	N/A	N/A
	495	43.9	49.5	39.5	49.9	50	70	no	yes	no	no	N/A	N/A
	496	47.6	53.3	39.5	53.5	54	70	no	yes	no	no	N/A	N/A
	497	47.7	53.4	39.6	53.6	54	70	no	yes	no	no	N/A	N/A
	498	47.4	53.1	39.7	53.3	53	70	no	yes	no	no	N/A	N/A
	499	47.3	53.0	39.6	53.2	53	70	no	yes	no	no	N/A	N/A
	520	47.0	52.7	39.3	52.9	53	70	no	yes	no	no	N/A	N/A
	521	46.7	52.4	39.2	52.6	53	70	no	yes	no	no	N/A	N/A
	522	46.1	51.9	39.0	52.1	52	70	no	yes	no	no	N/A	N/A
	523	46.0	51.8	54.0	56.1	56	70	no	yes	yes	no	N/A	N/A
	524	46.4	52.1	57.3	58.5	59	70	no	yes	yes	no	N/A	N/A
	525	46.4	52.2	58.8	59.7	60	70	no	yes	yes	no	N/A	N/A
	526	48.9	52.7	53.5	56.1	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	55.4	60.7	44.7	60.8	61	70	no	yes	no	no	N/A	N/A
	932	59.7	65.3	62.4	67.1	67	70	no	yes	yes	no	N/A	N/A
	933	60.1	65.7	63.0	67.5	68	70	no	yes	yes	no	N/A	N/A
	934	54.1	59.2	56.1	61.0	61	70	no	yes	yes	no	N/A	N/A
	935	41.6	47.3	63.3	63.5	64	70	no	yes	yes	no	N/A	N/A
	936	45.1	50.5	62.1	62.4	62	70	no	yes	yes	no	N/A	N/A
	937	45.1	50.5	64.6	64.7	65	70	no	yes	yes	no	N/A	N/A
	938	47.6	52.9	59.9	60.7	61	70	no	yes	yes	no	N/A	N/A
	939	47.5	52.9	58.2	59.3	59	70	no	yes	yes	no	N/A	N/A
	940	47.3	52.6	60.4	61.1	61	70	no	yes	yes	no	N/A	N/A
	941	47.2	52.5	61.7	62.2	62	70	no	yes	yes	no	N/A	N/A
	942	63.1	68.5	73.7	74.8	75	70	yes	yes	yes	yes	4.8	
	943	62.9	68.3	74.4	75.4	75	70	yes	yes	yes	yes	5.4	
	944	63.0	68.4	72.9	74.2	74	70	yes	yes	yes	yes	4.2	
	945	63.2	68.6	73.5	74.7	75	70	yes	yes	yes	yes	4.7	
	946	63.5	68.9	74.7	75.7	76	70	yes	yes	yes	yes	5.7	
	947	63.7	69.0	74.7	75.7	76	70	yes	yes	yes	yes	5.7	
	948	63.9	69.4	74.1	75.4	75	70	yes	yes	yes	yes	5.4	
	949	64.0	69.4	72.2	74.1	74	70	yes	yes	yes	yes	4.1	
	950	47.7	52.9	45.0	53.6	54	70	no	yes	no	no	N/A	N/A
	951	58.5	63.8	44.7	63.9	64	70	no	yes	no	no	N/A	N/A
	952	48.4	53.8	44.8	54.3	54	70	no	yes	no	no	N/A	N/A
	953	48.4	53.7	44.9	54.2	54	70	no	yes	no	no	N/A	N/A
	954	48.2	53.5	44.9	54.1	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.0	43.8	67.2	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.9	69.3	68.4	71.9	72	70	yes	yes	yes	yes	1.9	I
	542	64.7	70.0	68.3	72.3	72	70	yes	yes	yes	yes	2.3	I
	543	64.8	70.1	68.3	72.3	72	70	yes	yes	yes	yes	2.3	I
	544	66.8	72.1	68.1	73.6	74	70	yes	yes	yes	yes	3.6	I
	545	66.2	71.6	67.8	73.1	73	70	yes	yes	yes	yes	3.1	I
	546	61.0	66.4	38.5	66.4	66	70	no	yes	no	no	N/A	N/A
	547	62.1	67.5	38.4	67.5	68	70	no	yes	no	no	N/A	N/A
	548	58.9	64.3	38.5	64.3	64	70	no	yes	no	no	N/A	N/A
	549	59.4	64.8	38.4	64.8	65	70	no	yes	no	no	N/A	N/A
	550	63.0	68.5	38.2	68.5	69	70	no	yes	no	no	N/A	N/A
	551	63.4	68.9	38.0	68.9	69	70	no	yes	no	no	N/A	N/A
	552	62.2	67.7	37.6	67.7	68	70	no	yes	no	no	N/A	N/A
	553	42.0	47.3	37.6	47.7	48	70	no	yes	no	no	N/A	N/A
	554	36.2	41.4	37.7	42.9	43	70	no	yes	yes	no	N/A	N/A
	555	36.0	41.3	37.9	42.9	43	70	no	yes	yes	no	N/A	N/A
	556	36.0	41.2	38.1	43.0	43	70	no	yes	yes	no	N/A	N/A
	557	36.1	41.4	38.2	43.1	43	70	no	yes	yes	no	N/A	N/A
	558	36.1	41.3	38.3	43.1	43	70	no	yes	yes	no	N/A	N/A
	559	36.0	41.2	38.2	43.0	43	70	no	yes	yes	no	N/A	N/A
	560	35.7	40.9	38.2	42.8	43	70	no	yes	yes	no	N/A	N/A
	561	35.6	40.8	38.1	42.7	43	70	no	yes	yes	no	N/A	N/A
	562	35.2	40.4	38.4	42.5	43	70	no	yes	yes	no	N/A	N/A
	563	41.2	42.2	61.8	61.9	62	70	no	yes	yes	no	N/A	N/A
	564	37.1	42.5	43.2	45.9	46	70	no	yes	yes	no	N/A	N/A
	565	37.3	42.6	40.5	44.7	45	70	no	yes	yes	no	N/A	N/A
	566	37.5	42.9	39.3	44.5	45	70	no	yes	yes	no	N/A	N/A
	591	37.6	43.0	39.3	44.5	45	70	no	yes	yes	no	N/A	N/A
	592	37.6	43.0	39.7	44.7	45	70	no	yes	yes	no	N/A	N/A
	593	37.6	43.0	39.6	44.6	45	70	no	yes	yes	no	N/A	N/A
	594	62.7	68.0	68.4	71.2	71	70	yes	yes	yes	yes	1.2	I
	595	64.2	69.5	68.9	72.2	72	70	yes	yes	yes	yes	2.2	I
	596	64.2	69.5	68.8	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	64.5	69.7	68.6	72.2	72	70	yes	yes	yes	yes	2.2	I
	598	64.0	69.3	68.1	71.8	72	70	yes	yes	yes	yes	1.8	I
	599	63.7	69.0	63.4	70.1	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.8	44.0	37.1	44.8	45	70	no	yes	no	no	N/A	N/A
	702	38.8	43.9	37.3	44.8	45	70	no	yes	no	no	N/A	N/A
	703	38.8	44.0	37.4	44.9	45	70	no	yes	no	no	N/A	N/A
	704	55.5	60.8	46.0	60.9	61	70	no	yes	no	no	N/A	N/A
	705	63.4	68.8	59.5	69.3	69	70	no	yes	no	no	N/A	N/A
	706	63.3	68.7	63.5	69.8	70	70	no	yes	yes	no	N/A	N/A
	707	63.5	68.9	64.8	70.3	70	70	no	yes	yes	no	N/A	N/A
	708	62.5	67.9	65.0	69.7	70	70	no	yes	yes	no	N/A	N/A
	709	61.6	67.1	37.1	67.1	67	70	no	yes	no	no	N/A	N/A
	710	58.6	64.0	65.7	67.9	68	70	no	yes	yes	no	N/A	N/A
	735	62.4	67.8	65.8	69.9	70	70	no	yes	yes	no	N/A	N/A
	736	63.1	68.5	65.9	70.4	70	70	no	yes	yes	no	N/A	N/A
	737	62.7	68.1	65.9	70.2	70	70	no	yes	yes	no	N/A	N/A
	738	64.4	69.9	65.7	71.3	71	70	yes	yes	yes	yes	1.3	I
	739	64.1	69.5	65.5	71.0	71	70	yes	yes	yes	yes	1.0	I
	740	59.2	64.5	36.4	64.5	65	70	no	yes	no	no	N/A	N/A
	741	59.9	65.3	36.5	65.3	65	70	no	yes	no	no	N/A	N/A
	742	58.2	63.6	36.4	63.6	64	70	no	yes	no	no	N/A	N/A
	743	58.4	63.7	36.4	63.7	64	70	no	yes	no	no	N/A	N/A
	744	60.1	65.6	36.3	65.6	66	70	no	yes	no	no	N/A	N/A
	745	60.0	65.5	36.2	65.5	66	70	no	yes	no	no	N/A	N/A
	746	57.6	63.0	35.9	63.0	63	70	no	yes	no	no	N/A	N/A
	747	52.1	57.4	35.9	57.5	58	70	no	yes	no	no	N/A	N/A
	748	39.5	44.0	36.1	44.6	45	70	no	yes	no	no	N/A	N/A
	749	39.5	44.0	36.3	44.7	45	70	no	yes	no	no	N/A	N/A
	752	39.5	44.0	36.4	44.7	45	70	no	yes	no	no	N/A	N/A
	753	40.2	44.6	36.4	45.2	45	70	no	yes	no	no	N/A	N/A
	754	39.7	44.1	36.4	44.8	45	70	no	yes	no	no	N/A	N/A
	755	40.0	44.4	36.4	45.1	45	70	no	yes	no	no	N/A	N/A
	756	39.8	44.2	36.3	44.9	45	70	no	yes	no	no	N/A	N/A
	757	39.8	44.2	36.3	44.8	45	70	no	yes	no	no	N/A	N/A
	758	39.1	43.6	36.8	44.4	44	70	no	yes	no	no	N/A	N/A
	759	40.1	44.8	37.5	45.5	46	70	no	yes	no	no	N/A	N/A
	776	40.2	45.0	37.5	45.7	46	70	no	yes	no	no	N/A	N/A
	777	40.4	45.1	37.7	45.8	46	70	no	yes	no	no	N/A	N/A
	778	40.6	45.3	37.1	45.9	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L ₁₁ (noise)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.3	48.0	52.6	53.9	22	70	no	yes	yes	no	N/A	N/A
	422	42.1	47.8	60.6	60.8	61	70	no	yes	yes	no	N/A	N/A
	423	37.1	42.5	55.6	55.8	56	70	no	yes	yes	no	N/A	N/A
	424	39.3	42.5	65.3	65.3	65	70	no	yes	yes	no	N/A	N/A
	425	60.1	65.8	69.6	71.1	71	70	yes	yes	yes	yes	1.1	
	426	60.2	65.6	69.8	71.2	71	70	yes	yes	yes	yes	1.2	
	427	59.8	65.6	69.5	71.0	71	70	yes	yes	yes	yes	1.0	
	428	49.8	52.3	68.4	68.5	69	70	no	yes	yes	no	N/A	N/A
	429	49.6	52.0	68.4	68.5	69	70	no	yes	yes	no	N/A	N/A
	430	50.4	52.0	70.0	70.1	70	70	no	yes	yes	no	N/A	N/A
	431	51.1	52.6	69.8	69.8	70	70	no	yes	yes	no	N/A	N/A
	432	64.8	70.0	73.2	74.9	75	70	yes	yes	yes	yes	4.9	
	433	65.2	70.5	73.6	75.3	75	70	yes	yes	yes	yes	5.3	
	434	65.2	70.5	69.8	73.2	73	70	yes	yes	yes	yes	3.2	
	435	65.2	70.5	70.2	73.4	73	70	yes	yes	yes	yes	3.4	
	436	65.1	70.4	69.2	72.9	73	70	yes	yes	yes	yes	2.9	
	437	60.7	65.9	43.6	65.9	66	70	no	yes	no	no	N/A	N/A
	438	59.6	64.9	68.3	70.0	70	70	no	yes	yes	no	N/A	N/A
	439	65.1	70.5	69.7	73.1	73	70	yes	yes	yes	yes	3.1	
	440	65.4	70.6	71.3	74.0	74	70	yes	yes	yes	yes	4.0	
	441	65.3	70.6	69.0	72.9	73	70	yes	yes	yes	yes	2.9	
	442	65.4	70.7	70.1	73.4	73	70	yes	yes	yes	yes	3.4	
	443	65.3	70.6	66.9	72.2	72	70	yes	yes	yes	yes	2.2	
	444	35.3	40.4	42.0	44.3	44	70	no	yes	yes	no	N/A	N/A
	445	35.2	40.4	42.0	44.3	44	70	no	yes	yes	no	N/A	N/A
	446	35.0	40.1	42.0	44.2	44	70	no	yes	yes	no	N/A	N/A
	447	42.0	47.7	42.1	48.8	49	70	no	yes	yes	no	N/A	N/A
	448	56.1	61.3	41.8	61.4	61	70	no	yes	no	no	N/A	N/A
	449	34.6	39.8	41.6	43.8	44	70	no	yes	yes	no	N/A	N/A
	450	57.6	62.8	41.3	62.9	63	70	no	yes	no	no	N/A	N/A
	451	40.9	46.5	62.0	62.1	62	70	no	yes	yes	no	N/A	N/A
	452	41.9	47.6	62.9	63.1	63	70	no	yes	yes	no	N/A	N/A
	453	41.9	47.6	62.9	63.0	63	70	no	yes	yes	no	N/A	N/A
	454	42.3	48.0	58.5	58.9	59	70	no	yes	yes	no	N/A	N/A
	455	42.4	48.1	52.8	54.1	54	70	no	yes	yes	no	N/A	N/A
	456	42.6	48.3	43.0	49.4	49	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.1	50.8	39.8	51.2	51	70	no	yes	no	no	N/A	N/A
	462	34.3	39.4	53.8	53.9	54	70	no	yes	yes	no	N/A	N/A
	463	34.3	39.4	53.7	53.8	54	70	no	yes	yes	no	N/A	N/A
	464	34.7	39.4	64.3	64.3	64	70	no	yes	yes	no	N/A	N/A
	465	62.0	67.4	64.5	69.2	69	70	no	yes	yes	no	N/A	N/A
	466	60.9	66.2	65.0	68.6	69	70	no	yes	yes	no	N/A	N/A
	467	61.3	66.7	65.4	69.1	69	70	no	yes	yes	no	N/A	N/A
	468	50.1	54.3	65.8	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.3	53.0	63.8	64.1	64	70	no	yes	yes	no	N/A	N/A
	470	48.4	54.1	56.5	58.5	59	70	no	yes	yes	no	N/A	N/A
	471	47.7	52.9	64.9	65.1	65	70	no	yes	yes	no	N/A	N/A
	472	50.2	54.6	66.1	66.4	66	70	no	yes	yes	no	N/A	N/A
	473	50.3	54.7	66.6	66.9	67	70	no	yes	yes	no	N/A	N/A
	474	65.2	70.4	68.6	72.6	73	70	yes	yes	yes	yes	2.6	
	475	65.4	70.6	69.8	73.2	73	70	yes	yes	yes	yes	3.2	
	476	64.5	69.8	65.5	71.2	71	70	yes	yes	yes	yes	1.2	
	477	64.5	69.7	67.5	71.8	72	70	yes	yes	yes	yes	1.8	
	478	64.0	69.3	63.8	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.7	69.0	65.5	70.6	71	70	yes	yes	yes	yes	0.6	
	480	64.2	69.4	68.7	72.1	72	70	yes	yes	yes	yes	2.1	
	491	64.2	69.4	68.7	72.1	72	70	yes	yes	yes	yes	2.1	
	492	63.6	69.0	64.7	70.4	70	70	no	yes	yes	no	N/A	N/A
	493	63.0	68.3	57.8	68.7	69	70	no	yes	no	no	N/A	N/A
	494	36.0	41.0	39.6	43.4	43	70	no	yes	yes	no	N/A	N/A
	495	43.8	49.4	39.4	49.9	50	70	no	yes	no	no	N/A	N/A
	496	47.5	53.2	39.5	53.4	53	70	no	yes	no	no	N/A	N/A
	497	47.7	53.4	39.6	53.8	54	70	no	yes	no	no	N/A	N/A
	498	47.4	53.1	39.6	53.3	53	70	no	yes	no	no	N/A	N/A
	499	47.2	52.9	39.6	53.1	53	70	no	yes	no	no	N/A	N/A
	520	47.1	52.8	39.2	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.6	52.3	39.2	52.5	53	70	no	yes	no	no	N/A	N/A
	522	46.1	51.9	39.0	52.1	52	70	no	yes	no	no	N/A	N/A
	523	46.0	51.7	54.1	56.1	56	70	no	yes	yes	no	N/A	N/A
	524	46.4	52.1	57.4	58.5	59	70	no	yes	yes	no	N/A	N/A
	525	46.4	52.2	58.9	59.7	60	70	no	yes	yes	no	N/A	N/A
	526	46.9	52.7	53.5	56.1	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	55.3	60.6	44.6	60.7	61	70	no	yes	no	no	N/A	N/A
	932	59.5	65.1	62.2	66.9	67	70	no	yes	yes	no	N/A	N/A
	933	60.0	65.5	62.9	67.4	67	70	no	yes	yes	no	N/A	N/A
	934	53.9	59.0	56.2	60.9	61	70	no	yes	yes	no	N/A	N/A
	935	41.6	47.3	63.4	63.5	64	70	no	yes	yes	no	N/A	N/A
	936	45.1	50.5	62.2	62.5	63	70	no	yes	yes	no	N/A	N/A
	937	45.1	50.5	64.6	64.8	65	70	no	yes	yes	no	N/A	N/A
	938	47.6	52.9	59.9	60.7	61	70	no	yes	yes	no	N/A	N/A
	939	47.5	52.8	58.2	59.3	59	70	no	yes	yes	no	N/A	N/A
	940	47.3	52.6	60.4	61.1	61	70	no	yes	yes	no	N/A	N/A
	941	47.2	52.5	61.8	62.3	62	70	no	yes	yes	no	N/A	N/A
	942	63.0	68.4	73.5	74.7	75	70	yes	yes	yes	yes	4.7	
	943	62.9	68.3	74.3	75.3	75	70	yes	yes	yes	yes	5.3	
	944	62.9	68.3	72.7	74.1	74	70	yes	yes	yes	yes	4.1	
	945	63.1	68.5	73.4	74.6	75	70	yes	yes	yes	yes	4.6	
	946	63.5	68.8	74.5	75.5	76	70	yes	yes	yes	yes	5.5	
	947	63.5	68.9	74.5	75.5	76	70	yes	yes	yes	yes	5.5	
	948	63.8	69.2	73.9	75.2	75	70	yes	yes	yes	yes	5.2	
	949	63.8	69.3	72.1	73.9	74	70	yes	yes	yes	yes	3.9	
	950	47.6	52.9	44.9	53.5	54	70	no	yes	no	no	N/A	N/A
	951	58.4	63.7	44.6	63.7	64	70	no	yes	no	no	N/A	N/A
	952	48.4	53.7	44.7	54.2	54	70	no	yes	no	no	N/A	N/A
	953	48.3	53.7	44.8	54.2	54	70	no	yes	no	no	N/A	N/A
	954	48.2	53.5	44.8	54.1	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.0	43.7	67.2	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.9	69.3	68.3	71.8	72	70	yes	yes	yes	yes	1.8	I
	542	64.9	70.2	68.2	72.3	72	70	yes	yes	yes	yes	2.3	I
	543	64.8	70.2	68.2	72.3	72	70	yes	yes	yes	yes	2.3	I
	544	67.0	72.3	68.0	73.7	74	70	yes	yes	yes	yes	3.7	I
	545	66.5	71.9	67.7	73.3	73	70	yes	yes	yes	yes	3.3	I
	546	61.7	67.0	38.4	67.0	67	70	no	yes	no	no	N/A	N/A
	547	62.5	67.9	38.4	67.9	68	70	no	yes	no	no	N/A	N/A
	548	59.2	64.6	38.4	64.6	65	70	no	yes	no	no	N/A	N/A
	549	59.7	65.1	38.3	65.1	65	70	no	yes	no	no	N/A	N/A
	550	63.1	68.5	38.3	68.5	69	70	no	yes	no	no	N/A	N/A
	551	63.5	68.9	38.1	68.9	69	70	no	yes	no	no	N/A	N/A
	552	62.4	67.8	37.6	67.8	68	70	no	yes	no	no	N/A	N/A
	553	42.4	47.7	37.6	48.1	48	70	no	yes	no	no	N/A	N/A
	554	36.1	41.3	37.7	42.9	43	70	no	yes	yes	no	N/A	N/A
	555	36.0	41.2	38.0	42.9	43	70	no	yes	yes	no	N/A	N/A
	556	36.0	41.2	38.1	42.9	43	70	no	yes	yes	no	N/A	N/A
	557	36.1	41.3	38.2	43.0	43	70	no	yes	yes	no	N/A	N/A
	558	36.0	41.2	38.3	43.0	43	70	no	yes	yes	no	N/A	N/A
	559	36.0	41.1	38.2	42.9	43	70	no	yes	yes	no	N/A	N/A
	560	35.7	40.9	38.1	42.7	43	70	no	yes	yes	no	N/A	N/A
	561	35.6	40.8	38.1	42.6	43	70	no	yes	yes	no	N/A	N/A
	562	35.2	40.4	38.4	42.5	43	70	no	yes	yes	no	N/A	N/A
	563	41.2	42.2	61.8	61.8	62	70	no	yes	yes	no	N/A	N/A
	564	37.1	42.5	43.4	45.9	46	70	no	yes	yes	no	N/A	N/A
	565	37.3	42.6	40.7	44.8	45	70	no	yes	yes	no	N/A	N/A
	566	37.5	42.8	39.5	44.5	45	70	no	yes	yes	no	N/A	N/A
	591	37.5	42.9	39.4	44.5	45	70	no	yes	yes	no	N/A	N/A
	592	37.6	42.9	39.8	44.7	45	70	no	yes	yes	no	N/A	N/A
	593	37.6	43.0	39.7	44.7	45	70	no	yes	yes	no	N/A	N/A
	594	62.6	67.9	68.4	71.2	71	70	yes	yes	yes	yes	1.2	I
	595	64.3	69.5	68.8	72.2	72	70	yes	yes	yes	yes	2.2	I
	596	64.3	69.5	68.7	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	64.6	69.9	68.6	72.3	72	70	yes	yes	yes	yes	2.3	I
	598	64.1	69.4	68.1	71.8	72	70	yes	yes	yes	yes	1.8	I
	599	63.7	69.1	63.4	70.1	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.7	43.9	37.2	44.8	45	70	no	yes	no	no	N/A	N/A
	702	38.7	43.9	37.6	44.8	45	70	no	yes	no	no	N/A	N/A
	703	38.8	44.0	37.6	44.9	45	70	no	yes	no	no	N/A	N/A
	704	55.5	60.8	46.0	60.9	61	70	no	yes	no	no	N/A	N/A
	705	63.5	68.9	59.4	69.4	69	70	no	yes	no	no	N/A	N/A
	706	63.4	68.8	63.4	69.9	70	70	no	yes	yes	no	N/A	N/A
	707	63.6	69.0	64.8	70.4	70	70	no	yes	yes	no	N/A	N/A
	708	62.7	68.1	64.9	69.8	70	70	no	yes	yes	no	N/A	N/A
	709	61.7	67.1	37.1	67.1	67	70	no	yes	no	no	N/A	N/A
	710	58.7	64.1	65.6	67.9	68	70	no	yes	yes	no	N/A	N/A
	735	62.4	67.8	65.7	69.9	70	70	no	yes	yes	no	N/A	N/A
	736	63.3	68.7	65.8	70.5	71	70	yes	yes	yes	yes	0.5	I
	737	62.9	68.3	65.8	70.2	70	70	no	yes	yes	no	N/A	N/A
	738	64.6	70.0	65.6	71.4	71	70	yes	yes	yes	yes	1.4	I
	739	64.3	69.8	65.4	71.1	71	70	yes	yes	yes	yes	1.1	I
	740	59.2	64.6	36.4	64.6	65	70	no	yes	no	no	N/A	N/A
	741	59.9	65.3	36.4	65.3	65	70	no	yes	no	no	N/A	N/A
	742	58.3	63.7	36.4	63.7	64	70	no	yes	no	no	N/A	N/A
	743	58.4	63.7	36.4	63.7	64	70	no	yes	no	no	N/A	N/A
	744	60.2	65.6	36.4	65.6	66	70	no	yes	no	no	N/A	N/A
	745	60.1	65.5	36.4	65.5	66	70	no	yes	no	no	N/A	N/A
	746	57.7	63.0	35.9	63.0	63	70	no	yes	no	no	N/A	N/A
	747	52.0	57.3	35.9	57.4	57	70	no	yes	no	no	N/A	N/A
	748	39.5	44.0	36.0	44.6	45	70	no	yes	no	no	N/A	N/A
	749	39.5	43.9	36.5	44.7	45	70	no	yes	no	no	N/A	N/A
	752	39.5	43.9	36.4	44.6	45	70	no	yes	no	no	N/A	N/A
	753	40.2	44.6	36.4	45.2	45	70	no	yes	no	no	N/A	N/A
	754	39.6	44.1	36.4	44.8	45	70	no	yes	no	no	N/A	N/A
	755	40.1	44.4	36.3	45.1	45	70	no	yes	no	no	N/A	N/A
	756	39.8	44.2	36.2	44.8	45	70	no	yes	no	no	N/A	N/A
	757	39.8	44.1	36.2	44.8	45	70	no	yes	no	no	N/A	N/A
	758	39.1	43.5	36.9	44.4	44	70	no	yes	no	no	N/A	N/A
	759	40.0	44.8	37.9	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.2	45.0	37.9	45.7	46	70	no	yes	no	no	N/A	N/A
	777	40.4	45.1	38.1	45.9	46	70	no	yes	no	no	N/A	N/A
	778	40.6	45.3	37.5	46.0	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₀ (whole no.)	Noise Criterion"	1st criterion (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.3	48.0	52.6	53.9	22	70	no	yes	yes	no	N/A	N/A
	422	42.1	47.8	60.7	60.9	61	70	no	yes	yes	no	N/A	N/A
	423	37.0	42.5	55.6	55.8	56	70	no	yes	yes	no	N/A	N/A
	424	39.5	42.5	65.3	65.3	65	70	no	yes	yes	no	N/A	N/A
	425	60.0	65.7	69.6	71.1	71	70	yes	yes	yes	yes	1.1	I
	426	60.2	65.5	69.7	71.1	71	70	yes	yes	yes	yes	1.1	I
	427	59.8	65.5	69.5	70.9	71	70	yes	yes	yes	yes	0.9	I
	428	49.9	52.3	68.4	68.5	69	70	no	yes	yes	no	N/A	N/A
	429	49.6	51.9	68.3	68.4	68	70	no	yes	yes	no	N/A	N/A
	430	50.4	52.0	69.9	70.0	70	70	no	yes	yes	no	N/A	N/A
	431	51.1	52.6	69.6	69.7	70	70	no	yes	yes	no	N/A	N/A
	432	64.6	69.9	73.1	74.8	75	70	yes	yes	yes	yes	4.8	I
	433	65.1	70.3	73.4	75.2	75	70	yes	yes	yes	yes	5.2	I
	434	65.0	70.4	69.7	73.1	73	70	yes	yes	yes	yes	3.1	I
	435	65.1	70.4	70.1	73.3	73	70	yes	yes	yes	yes	3.3	I
	436	65.0	70.3	69.1	72.8	73	70	yes	yes	yes	yes	2.8	I
	437	60.6	65.8	43.6	65.8	66	70	no	yes	no	no	N/A	N/A
	438	59.6	64.9	68.2	69.9	70	70	no	yes	yes	no	N/A	N/A
	439	65.0	70.3	69.6	73.0	73	70	yes	yes	yes	yes	3.0	I
	440	65.3	70.5	71.2	73.9	74	70	yes	yes	yes	yes	3.9	I
	441	65.1	70.4	68.9	72.8	73	70	yes	yes	yes	yes	2.8	I
	442	65.3	70.6	70.1	73.3	73	70	yes	yes	yes	yes	3.3	I
	443	65.2	70.5	66.8	72.0	72	70	yes	yes	yes	yes	2	I
	444	35.2	40.4	42.0	44.3	44	70	no	yes	yes	no	N/A	N/A
	445	35.1	40.3	42.0	44.2	44	70	no	yes	yes	no	N/A	N/A
	446	34.9	40.0	41.9	44.1	44	70	no	yes	yes	no	N/A	N/A
	447	42.0	47.7	42.1	48.7	49	70	no	yes	yes	no	N/A	N/A
	448	56.1	61.3	41.7	61.3	61	70	no	yes	yes	no	N/A	N/A
	449	34.6	39.7	41.6	43.7	44	70	no	yes	yes	no	N/A	N/A
	450	57.7	62.9	41.3	63.0	63	70	no	yes	no	no	N/A	N/A
	451	40.8	46.5	62.0	62.1	62	70	no	yes	yes	no	N/A	N/A
	452	41.9	47.6	63.0	63.1	63	70	no	yes	yes	no	N/A	N/A
	453	42.0	47.6	62.9	63.0	63	70	no	yes	yes	no	N/A	N/A
	454	42.3	47.9	58.6	58.9	59	70	no	yes	yes	no	N/A	N/A
	455	42.4	48.1	52.8	54.1	54	70	no	yes	yes	no	N/A	N/A
	456	42.5	48.2	42.9	49.3	49	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.1	50.8	39.8	51.2	51	70	no	yes	no	no	N/A	N/A
	462	34.3	39.4	53.8	53.9	54	70	no	yes	yes	no	N/A	N/A
	463	34.3	39.4	53.6	53.8	54	70	no	yes	yes	no	N/A	N/A
	464	34.9	39.4	64.3	64.3	64	70	no	yes	yes	no	N/A	N/A
	465	61.9	67.3	64.6	69.2	69	70	no	yes	yes	no	N/A	N/A
	466	60.8	66.1	65.0	68.6	69	70	no	yes	yes	no	N/A	N/A
	467	61.2	66.5	65.4	69.0	69	70	no	yes	yes	no	N/A	N/A
	468	50.0	54.2	65.8	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.3	53.0	63.7	64.1	64	70	no	yes	yes	no	N/A	N/A
	470	48.4	54.1	56.6	58.5	59	70	no	yes	yes	no	N/A	N/A
	471	47.6	52.8	64.8	65.1	65	70	no	yes	yes	no	N/A	N/A
	472	50.2	54.6	66.0	66.3	66	70	no	yes	yes	no	N/A	N/A
	473	50.3	54.6	66.6	66.8	67	70	no	yes	yes	no	N/A	N/A
	474	65.2	70.5	68.5	72.6	73	70	yes	yes	yes	yes	2.6	I
	475	65.4	70.6	69.7	73.2	73	70	yes	yes	yes	yes	3.2	I
	476	64.7	70.0	65.5	71.3	71	70	yes	yes	yes	yes	1.3	I
	477	64.6	69.8	67.4	71.8	72	70	yes	yes	yes	yes	1.8	I
	478	64.0	69.4	63.8	70.4	70	70	no	yes	yes	no	N/A	N/A
	479	63.8	69.1	65.4	70.7	71	70	yes	yes	yes	yes	0.7	I
	480	64.2	69.4	68.6	72.1	72	70	yes	yes	yes	yes	2.1	I
	491	64.2	69.4	68.6	72.1	72	70	yes	yes	yes	yes	2.1	I
	492	63.6	68.9	64.7	70.3	70	70	no	yes	yes	no	N/A	N/A
	493	62.9	68.3	57.8	68.7	69	70	no	yes	no	no	N/A	N/A
	494	36.0	40.9	39.6	43.3	43	70	no	yes	yes	no	N/A	N/A
	495	43.8	49.4	39.4	49.8	50	70	no	yes	no	no	N/A	N/A
	496	47.5	53.2	39.4	53.4	53	70	no	yes	no	no	N/A	N/A
	497	47.6	53.3	39.5	53.5	54	70	no	yes	no	no	N/A	N/A
	498	47.3	53.0	39.6	53.2	53	70	no	yes	no	no	N/A	N/A
	499	47.2	52.9	39.5	53.1	53	70	no	yes	no	no	N/A	N/A
	520	47.1	52.8	39.2	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.6	52.3	39.2	52.5	53	70	no	yes	no	no	N/A	N/A
	522	46.1	51.8	39.0	52.1	52	70	no	yes	no	no	N/A	N/A
	523	45.9	51.7	54.1	56.1	56	70	no	yes	yes	no	N/A	N/A
	524	46.3	52.1	57.5	58.6	59	70	no	yes	yes	no	N/A	N/A
	525	46.4	52.2	59.0	59.8	60	70	no	yes	yes	no	N/A	N/A
	526	46.8	52.6	53.4	56.0	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	55.2	60.5	44.5	60.6	61	70	no	yes	no	no	N/A	N/A
	932	59.4	65.0	62.1	66.8	67	70	no	yes	yes	no	N/A	N/A
	933	59.9	65.4	62.8	67.3	67	70	no	yes	yes	no	N/A	N/A
	934	53.7	58.9	56.2	60.7	61	70	no	yes	yes	no	N/A	N/A
	935	41.6	47.3	63.4	63.5	64	70	no	yes	yes	no	N/A	N/A
	936	45.1	50.5	62.2	62.5	63	70	no	yes	yes	no	N/A	N/A
	937	45.1	50.5	64.6	64.7	65	70	no	yes	yes	no	N/A	N/A
	938	47.5	52.9	60.0	60.8	61	70	no	yes	yes	no	N/A	N/A
	939	47.5	52.8	58.3	59.4	59	70	no	yes	yes	no	N/A	N/A
	940	47.2	52.6	60.5	61.1	61	70	no	yes	yes	no	N/A	N/A
	941	47.1	52.4	61.8	62.3	62	70	no	yes	yes	no	N/A	N/A
	942	62.9	68.4	73.4	74.6	75	70	yes	yes	yes	yes	4.6	I
	943	62.8	68.2	74.2	75.1	75	70	yes	yes	yes	yes	5.1	I
	944	62.8	68.2	72.6	74.0	74	70	yes	yes	yes	yes	4.0	I
	945	63.0	68.4	73.2	74.5	75	70	yes	yes	yes	yes	4.5	I
	946	63.4	68.7	74.4	75.4	75	70	yes	yes	yes	yes	5.4	I
	947	63.5	68.8	74.4	75.4	75	70	yes	yes	yes	yes	5.4	I
	948	63.7	69.1	73.8	75.1	75	70	yes	yes	yes	yes	5.1	I
	949	63.7	69.2	72.0	73.8	74	70	yes	yes	yes	yes	3.8	I
	950	47.6	52.8	44.8	53.5	54	70	no	yes	no	no	N/A	N/A
	951	58.3	63.5	44.5	63.6	64	70	no	yes	no	no	N/A	N/A
	952	48.3	53.7	44.6	54.2	54	70	no	yes	no	no	N/A	N/A
	953	48.3	53.7	44.7	54.2	54	70	no	yes	no	no	N/A	N/A
	954	48.2	53.5	44.7	54.0	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	41.9	43.7	67.1	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	63.9	69.3	68.2	71.8	72	70	yes	yes	yes	yes	1.8	I
	542	65.0	70.3	68.1	72.4	72	70	yes	yes	yes	yes	2.4	I
	543	64.9	70.2	68.1	72.3	72	70	yes	yes	yes	yes	2.3	I
	544	67.1	72.4	67.9	73.7	74	70	yes	yes	yes	yes	3.7	I
	545	66.7	72.1	67.5	73.4	73	70	yes	yes	yes	yes	3.4	I
	546	62.2	67.5	38.4	67.5	68	70	no	yes	no	no	N/A	N/A
	547	63.0	68.4	38.3	68.4	68	70	no	yes	no	no	N/A	N/A
	548	59.7	65.1	38.4	65.1	65	70	no	yes	no	no	N/A	N/A
	549	60.1	65.5	38.4	65.5	66	70	no	yes	no	no	N/A	N/A
	550	63.3	68.7	38.6	68.7	69	70	no	yes	no	no	N/A	N/A
	551	63.6	69.0	38.3	69.0	69	70	no	yes	no	no	N/A	N/A
	552	62.5	67.9	37.6	67.9	68	70	no	yes	no	no	N/A	N/A
	553	43.0	48.3	37.6	48.7	49	70	no	yes	no	no	N/A	N/A
	554	36.1	41.3	37.7	42.9	43	70	no	yes	yes	no	N/A	N/A
	555	35.9	41.1	38.3	43.0	43	70	no	yes	yes	no	N/A	N/A
	556	35.9	41.1	38.3	42.9	43	70	no	yes	yes	no	N/A	N/A
	557	36.0	41.2	38.2	43.0	43	70	no	yes	yes	no	N/A	N/A
	558	36.0	41.2	38.3	43.0	43	70	no	yes	yes	no	N/A	N/A
	559	36.0	41.1	38.2	42.9	43	70	no	yes	yes	no	N/A	N/A
	560	35.8	40.9	38.1	42.8	43	70	no	yes	yes	no	N/A	N/A
	561	35.6	40.8	38.1	42.6	43	70	no	yes	yes	no	N/A	N/A
	562	35.1	40.3	38.6	42.5	43	70	no	yes	yes	no	N/A	N/A
	563	41.2	42.1	61.8	61.8	62	70	no	yes	yes	no	N/A	N/A
	564	37.0	42.4	43.7	46.1	46	70	no	yes	yes	no	N/A	N/A
	565	37.4	42.6	41.1	44.9	45	70	no	yes	yes	no	N/A	N/A
	566	37.5	42.8	39.9	44.6	45	70	no	yes	yes	no	N/A	N/A
	591	37.5	42.9	39.6	44.5	45	70	no	yes	yes	no	N/A	N/A
	592	37.5	42.9	40.1	44.7	45	70	no	yes	yes	no	N/A	N/A
	593	37.5	42.9	40.0	44.7	45	70	no	yes	yes	no	N/A	N/A
	594	62.5	67.8	68.3	71.1	71	70	yes	yes	yes	yes	1.1	I
	595	64.3	69.5	68.8	72.2	72	70	yes	yes	yes	yes	2.2	I
	596	64.3	69.6	68.7	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	64.7	70.0	68.5	72.3	72	70	yes	yes	yes	yes	2.3	I
	598	64.1	69.4	68.0	71.7	72	70	yes	yes	yes	yes	1.7	I
	599	63.7	69.0	63.3	70.1	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.7	43.9	37.6	44.8	45	70	no	yes	no	no	N/A	N/A
	702	38.7	43.9	38.0	44.9	45	70	no	yes	yes	no	N/A	N/A
	703	38.8	44.0	37.9	44.9	45	70	no	yes	no	no	N/A	N/A
	704	55.6	60.9	46.0	61.0	61	70	no	yes	no	no	N/A	N/A
	705	63.6	69.0	59.4	69.4	69	70	no	yes	no	no	N/A	N/A
	706	63.5	68.9	63.3	69.9	70	70	no	yes	yes	no	N/A	N/A
	707	63.7	69.1	64.7	70.4	70	70	no	yes	yes	no	N/A	N/A
	708	62.9	68.2	64.9	69.9	70	70	no	yes	yes	no	N/A	N/A
	709	61.8	67.2	37.1	67.2	67	70	no	yes	no	no	N/A	N/A
	710	58.7	64.0	65.5	67.8	68	70	no	yes	yes	no	N/A	N/A
	735	62.6	68.0	65.7	70.0	70	70	no	yes	yes	no	N/A	N/A
	736	63.6	69.0	65.7	70.6	71	70	yes	yes	yes	yes	0.6	I
	737	63.1	68.5	65.7	70.3	70	70	no	yes	yes	no	N/A	N/A
	738	64.9	70.3	65.5	71.5	72	70	yes	yes	yes	yes	1.5	I
	739	64.5	69.9	65.3	71.2	71	70	yes	yes	yes	yes	1.2	I
	740	59.3	64.6	36.4	64.6	65	70	no	yes	no	no	N/A	N/A
	741	60.0	65.4	36.4	65.4	65	70	no	yes	no	no	N/A	N/A
	742	58.4	63.7	36.4	63.7	64	70	no	yes	no	no	N/A	N/A
	743	58.6	63.9	36.5	63.9	64	70	no	yes	no	no	N/A	N/A
	744	60.2	65.7	36.8	65.7	66	70	no	yes	no	no	N/A	N/A
	745	60.1	65.6	36.8	65.6	66	70	no	yes	no	no	N/A	N/A
	746	57.6	63.0	35.9	63.0	63	70	no	yes	no	no	N/A	N/A
	747	52.0	57.3	35.9	57.4	57	70	no	yes	no	no	N/A	N/A
	748	39.5	43.9	36.0	44.6	45	70	no	yes	no	no	N/A	N/A
	749	39.4	43.9	36.8	44.7	45	70	no	yes	no	no	N/A	N/A
	752	39.5	43.9	36.6	44.7	45	70	no	yes	no	no	N/A	N/A
	753	40.1	44.5	36.5	45.2	45	70	no	yes	no	no	N/A	N/A
	754	39.6	44.1	36.4	44.8	45	70	no	yes	no	no	N/A	N/A
	755	40.0	44.4	36.4	45.1	45	70	no	yes	no	no	N/A	N/A
	756	39.8	44.2	36.2	44.9	45	70	no	yes	no	no	N/A	N/A
	757	39.8	44.2	36.3	44.8	45	70	no	yes	no	no	N/A	N/A
	758	39.1	43.5	37.4	44.4	44	70	no	yes	no	no	N/A	N/A
	759	40.0	44.7	38.4	45.6	46	70	no	yes	no	no	N/A	N/A
	776	40.2	45.0	38.3	45.8	46	70	no	yes	no	no	N/A	N/A
	777	40.5	45.2	38.6	46.1	46	70	no	yes	no	no	N/A	N/A
	778	40.6	45.3	38.0	46.0	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 L _{11(whole no.)}	Noise Criterion"	1st criterion (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.2	47.9	52.6	53.9	54	70	no	yes	yes	no	N/A	N/A
	422	42.1	47.8	60.8	61.0	61	70	no	yes	yes	no	N/A	N/A
	423	37.0	42.4	55.6	55.9	56	70	no	yes	yes	no	N/A	N/A
	424	39.7	42.4	65.3	65.3	65	70	no	yes	yes	no	N/A	N/A
	425	59.9	65.6	69.5	71.0	71	70	yes	yes	yes	yes	1.0	
	426	60.1	65.4	69.6	71.0	71	70	yes	yes	yes	yes	1.0	
	427	59.7	65.4	69.4	70.9	71	70	yes	yes	yes	yes	0.9	
	428	49.9	52.3	68.3	68.4	68	70	no	yes	yes	no	N/A	N/A
	429	49.6	51.9	68.2	68.3	68	70	no	yes	yes	no	N/A	N/A
	430	50.5	52.1	69.9	69.9	70	70	no	yes	yes	no	N/A	N/A
	431	51.1	52.6	69.5	69.6	70	70	no	yes	yes	no	N/A	N/A
	432	64.5	69.8	72.9	74.6	75	70	yes	yes	yes	yes	4.6	
	433	64.9	70.2	73.3	75.0	75	70	yes	yes	yes	yes	5	
	434	64.9	70.3	69.6	73.0	73	70	yes	yes	yes	yes	3	
	435	65.0	70.3	70.0	73.2	73	70	yes	yes	yes	yes	3.2	
	436	64.9	70.2	69.0	72.6	73	70	yes	yes	yes	yes	2.6	
	437	60.4	65.6	43.5	65.6	66	70	no	yes	no	no	N/A	N/A
	438	59.5	64.7	68.1	69.8	70	70	no	yes	yes	no	N/A	N/A
	439	64.9	70.2	69.5	72.9	73	70	yes	yes	yes	yes	2.9	
	440	65.2	70.4	71.1	73.8	74	70	yes	yes	yes	yes	3.8	
	441	65.0	70.3	68.8	72.7	73	70	yes	yes	yes	yes	2.7	
	442	65.2	70.5	70.0	73.2	73	70	yes	yes	yes	yes	3.2	
	443	65.1	70.4	66.7	71.9	72	70	yes	yes	yes	yes	1.9	
	444	35.2	40.3	42.0	44.2	44	70	no	yes	yes	no	N/A	N/A
	445	35.1	40.2	42.1	44.2	44	70	no	yes	yes	no	N/A	N/A
	446	34.9	40.0	41.9	44.1	44	70	no	yes	yes	no	N/A	N/A
	447	41.9	47.6	42.0	48.7	49	70	no	yes	yes	no	N/A	N/A
	448	56.0	61.2	41.7	61.3	61	70	no	yes	no	no	N/A	N/A
	449	34.6	39.6	41.6	43.7	44	70	no	yes	yes	no	N/A	N/A
	450	57.7	63.0	41.3	63.0	63	70	no	yes	no	no	N/A	N/A
	451	40.9	46.5	62.1	62.2	62	70	no	yes	yes	no	N/A	N/A
	452	42.0	47.6	63.0	63.1	63	70	no	yes	yes	no	N/A	N/A
	453	42.0	47.6	62.9	63.1	63	70	no	yes	yes	no	N/A	N/A
	454	42.3	47.9	58.7	59.0	59	70	no	yes	yes	no	N/A	N/A
	455	42.4	48.1	52.8	54.1	54	70	no	yes	yes	no	N/A	N/A
	456	42.5	48.2	42.9	49.3	49	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.0	50.7	39.9	51.1	51	70	no	yes	no	no	N/A	N/A
	462	34.3	39.3	53.7	53.9	54	70	no	yes	yes	no	N/A	N/A
	463	34.3	39.3	53.6	53.7	54	70	no	yes	yes	no	N/A	N/A
	464	35.2	39.3	64.4	64.4	64	70	no	yes	yes	no	N/A	N/A
	465	61.8	67.3	64.6	69.1	69	70	no	yes	yes	no	N/A	N/A
	466	60.8	68.0	65.0	68.5	69	70	no	yes	yes	no	N/A	N/A
	467	61.2	66.5	65.4	69.0	69	70	no	yes	yes	no	N/A	N/A
	468	50.0	54.2	65.8	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.3	53.0	63.7	64.0	64	70	no	yes	yes	no	N/A	N/A
	470	48.3	54.0	56.6	58.5	59	70	no	yes	yes	no	N/A	N/A
	471	47.6	52.8	64.8	65.1	65	70	no	yes	yes	no	N/A	N/A
	472	50.2	54.5	66.0	66.3	66	70	no	yes	yes	no	N/A	N/A
	473	50.3	54.6	66.5	66.8	67	70	no	yes	yes	no	N/A	N/A
	474	65.2	70.4	68.4	72.5	73	70	yes	yes	yes	yes	2.5	
	475	65.4	70.6	69.7	73.2	73	70	yes	yes	yes	yes	3.2	
	476	64.8	70.1	65.5	71.4	71	70	yes	yes	yes	yes	1.4	
	477	64.7	70.0	67.3	71.9	72	70	yes	yes	yes	yes	1.9	
	478	64.1	69.4	63.7	70.5	71	70	yes	yes	yes	yes	0.5	
	479	63.9	69.2	65.4	70.7	71	70	yes	yes	yes	yes	0.7	
	480	64.3	69.5	68.6	72.1	72	70	yes	yes	yes	yes	2.1	
	491	64.3	69.5	68.6	72.1	72	70	yes	yes	yes	yes	2.1	
	492	63.7	69.0	64.6	70.3	70	70	no	yes	yes	no	N/A	N/A
	493	62.9	68.3	57.7	68.6	69	70	no	yes	no	no	N/A	N/A
	494	35.9	40.9	39.6	43.3	43	70	no	yes	yes	no	N/A	N/A
	495	43.8	49.4	39.5	49.8	50	70	no	yes	no	no	N/A	N/A
	496	47.4	53.2	39.6	53.4	53	70	no	yes	no	no	N/A	N/A
	497	47.6	53.3	39.6	53.5	54	70	no	yes	no	no	N/A	N/A
	498	47.3	53.0	39.6	53.2	53	70	no	yes	no	no	N/A	N/A
	499	47.2	52.9	39.5	53.1	53	70	no	yes	no	no	N/A	N/A
	520	47.1	52.8	39.2	53.0	53	70	no	yes	no	no	N/A	N/A
	521	46.6	52.3	39.2	52.5	53	70	no	yes	no	no	N/A	N/A
	522	46.0	51.8	39.0	52.0	52	70	no	yes	no	no	N/A	N/A
	523	45.9	51.7	54.2	56.1	56	70	no	yes	yes	no	N/A	N/A
	524	46.3	52.0	57.5	58.6	59	70	no	yes	yes	no	N/A	N/A
	525	46.3	52.1	59.0	59.8	60	70	no	yes	yes	no	N/A	N/A
	526	46.8	52.6	53.4	56.0	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	55.0	60.3	44.4	60.4	60	70	no	yes	no	no	N/A	N/A
	932	59.3	64.8	62.0	66.7	67	70	no	yes	yes	no	N/A	N/A
	933	59.7	65.3	62.6	67.1	67	70	no	yes	yes	no	N/A	N/A
	934	53.6	58.7	56.3	60.6	61	70	no	yes	yes	no	N/A	N/A
	935	41.6	47.3	63.4	63.5	64	70	no	yes	yes	no	N/A	N/A
	936	45.1	50.4	62.2	62.5	63	70	no	yes	yes	no	N/A	N/A
	937	45.1	50.4	64.6	64.7	65	70	no	yes	yes	no	N/A	N/A
	938	47.5	52.9	60.0	60.8	61	70	no	yes	yes	no	N/A	N/A
	939	47.5	52.8	58.3	59.4	59	70	no	yes	yes	no	N/A	N/A
	940	47.2	52.5	60.5	61.2	61	70	no	yes	yes	no	N/A	N/A
	941	47.1	52.4	61.8	62.3	62	70	no	yes	yes	no	N/A	N/A
	942	62.8	68.3	73.2	74.4	74	70	yes	yes	yes	yes	4.4	
	943	62.8	68.1	74.0	75.0	75	70	yes	yes	yes	yes	5.0	
	944	62.7	68.1	72.5	73.8	74	70	yes	yes	yes	yes	3.6	
	945	63.0	68.3	73.1	74.4	74	70	yes	yes	yes	yes	4.4	
	946	63.3	68.6	74.3	75.3	75	70	yes	yes	yes	yes	5.3	
	947	63.4	68.7	74.3	75.3	75	70	yes	yes	yes	yes	5.3	
	948	63.6	69.0	73.7	75.0	75	70	yes	yes	yes	yes	5.0	
	949	63.6	69.1	71.8	73.7	74	70	yes	yes	yes	yes	3.7	
	950	47.6	52.8	44.7	53.5	54	70	no	yes	no	no	N/A	N/A
	951	58.1	63.3	44.5	63.4	63	70	no	yes	no	no	N/A	N/A
	952	48.3	53.7	44.6	54.2	54	70	no	yes	no	no	N/A	N/A
	953	48.3	53.7	44.6	54.2	54	70	no	yes	no	no	N/A	N/A
	954	48.1	53.5	44.6	54.0	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀ 2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	41.9	43.6	67.0	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.0	69.4	68.1	71.8	72	70	yes	yes	yes	yes	1.8	I
	542	65.0	70.3	68.0	72.3	72	70	yes	yes	yes	yes	2.3	I
	543	64.9	70.2	68.0	72.3	72	70	yes	yes	yes	yes	2.3	I
	544	67.1	72.4	67.9	73.7	74	70	yes	yes	yes	yes	3.7	I
	545	66.8	72.2	67.5	73.4	73	70	yes	yes	yes	yes	3.4	I
	546	62.8	68.2	38.7	68.2	68	70	no	yes	no	no	N/A	N/A
	547	63.5	68.9	38.5	68.9	69	70	no	yes	no	no	N/A	N/A
	548	60.1	65.5	38.6	65.5	66	70	no	yes	no	no	N/A	N/A
	549	60.5	65.8	38.6	65.8	66	70	no	yes	no	no	N/A	N/A
	550	63.4	68.9	39.2	68.9	69	70	no	yes	no	no	N/A	N/A
	551	63.8	69.2	39.1	69.2	69	70	no	yes	no	no	N/A	N/A
	552	62.6	68.0	37.8	68.0	68	70	no	yes	no	no	N/A	N/A
	553	43.6	48.9	37.8	49.2	49	70	no	yes	no	no	N/A	N/A
	554	36.3	41.5	38.0	43.1	43	70	no	yes	yes	no	N/A	N/A
	555	36.2	41.3	38.8	43.3	43	70	no	yes	yes	no	N/A	N/A
	556	36.2	41.3	38.9	43.3	43	70	no	yes	yes	no	N/A	N/A
	557	36.3	41.4	38.6	43.2	43	70	no	yes	yes	no	N/A	N/A
	558	36.5	41.6	38.6	43.4	43	70	no	yes	yes	no	N/A	N/A
	559	36.8	41.9	38.6	43.5	44	70	no	yes	yes	no	N/A	N/A
	560	36.8	41.9	38.6	43.6	44	70	no	yes	yes	no	N/A	N/A
	561	36.5	41.6	38.5	43.3	43	70	no	yes	yes	no	N/A	N/A
	562	35.5	40.6	39.2	43.0	43	70	no	yes	yes	no	N/A	N/A
	563	41.3	42.3	61.8	61.8	62	70	no	yes	yes	no	N/A	N/A
	564	37.2	42.5	44.1	46.4	46	70	no	yes	yes	no	N/A	N/A
	565	38.0	43.1	42.2	45.7	46	70	no	yes	yes	no	N/A	N/A
	566	37.8	43.0	40.7	45.0	45	70	no	yes	yes	no	N/A	N/A
	591	37.6	42.9	40.1	44.7	45	70	no	yes	yes	no	N/A	N/A
	592	37.6	42.9	40.6	44.9	45	70	no	yes	yes	no	N/A	N/A
	593	37.7	43.0	40.5	44.9	45	70	no	yes	yes	no	N/A	N/A
	594	62.5	67.8	68.3	71.0	71	70	yes	yes	yes	yes	1	I
	595	64.4	69.6	68.7	72.2	72	70	yes	yes	yes	yes	2.2	I
	596	64.4	69.7	68.6	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	64.9	70.1	68.4	72.4	72	70	yes	yes	yes	yes	2.4	I
	598	64.2	69.5	67.9	71.8	72	70	yes	yes	yes	yes	1.8	I
	599	63.8	69.1	63.2	70.1	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	38.9	44.1	38.3	45.1	45	70	no	yes	yes	no	N/A	N/A
	702	38.9	44.1	38.7	45.2	45	70	no	yes	yes	no	N/A	N/A
	703	39.0	44.1	38.4	45.1	45	70	no	yes	yes	no	N/A	N/A
	704	55.6	60.9	46.0	61.1	61	70	no	yes	no	no	N/A	N/A
	705	63.7	69.0	59.3	69.5	70	70	no	yes	no	no	N/A	N/A
	706	63.6	69.0	63.3	70.0	70	70	no	yes	yes	no	N/A	N/A
	707	63.9	69.3	64.6	70.5	71	70	yes	yes	yes	yes	0.5	I
	708	63.0	68.4	64.8	70.0	70	70	no	yes	yes	no	N/A	N/A
	709	61.9	67.4	37.3	67.4	67	70	no	yes	no	no	N/A	N/A
	710	58.8	64.1	65.4	67.8	68	70	no	yes	yes	no	N/A	N/A
	735	62.7	68.1	65.6	70.0	70	70	no	yes	yes	no	N/A	N/A
	736	63.8	69.1	65.6	70.7	71	70	yes	yes	yes	yes	0.7	I
	737	63.4	68.7	65.6	70.5	71	70	yes	yes	yes	yes	0.5	I
	738	65.2	70.6	65.4	71.8	72	70	yes	yes	yes	yes	1.8	I
	739	64.7	70.1	65.2	71.3	71	70	yes	yes	yes	yes	1.3	I
	740	59.3	64.7	36.7	64.7	65	70	no	yes	no	no	N/A	N/A
	741	60.0	65.4	36.7	65.4	65	70	no	yes	no	no	N/A	N/A
	742	58.4	63.8	36.8	63.8	64	70	no	yes	no	no	N/A	N/A
	743	58.5	63.9	36.8	63.9	64	70	no	yes	no	no	N/A	N/A
	744	60.3	65.7	37.5	65.7	66	70	no	yes	no	no	N/A	N/A
	745	60.1	65.6	37.5	65.6	66	70	no	yes	no	no	N/A	N/A
	746	57.7	63.0	36.3	63.0	63	70	no	yes	no	no	N/A	N/A
	747	52.0	57.3	36.3	57.3	57	70	no	yes	no	no	N/A	N/A
	748	39.7	44.2	36.3	44.9	45	70	no	yes	no	no	N/A	N/A
	749	39.7	44.2	37.4	45.0	45	70	no	yes	no	no	N/A	N/A
	752	39.7	44.1	37.3	45.0	45	70	no	yes	no	no	N/A	N/A
	753	40.3	44.7	36.9	45.4	45	70	no	yes	no	no	N/A	N/A
	754	39.9	44.4	36.8	45.1	45	70	no	yes	no	no	N/A	N/A
	755	40.5	44.9	36.7	45.5	46	70	no	yes	no	no	N/A	N/A
	756	40.2	44.6	36.7	45.3	45	70	no	yes	no	no	N/A	N/A
	757	40.0	44.5	36.7	45.1	45	70	no	yes	no	no	N/A	N/A
	758	39.3	43.7	38.0	44.8	45	70	no	yes	yes	no	N/A	N/A
	759	40.2	44.9	39.1	45.9	46	70	no	yes	yes	no	N/A	N/A
	776	40.4	45.1	39.1	46.1	46	70	no	yes	yes	no	N/A	N/A
	777	41.1	45.8	39.6	46.7	47	70	no	yes	no	no	N/A	N/A
	778	40.8	45.6	38.8	46.4	46	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.3	47.9	52.6	53.9	54	70	no	yes	yes	no	N/A	N/A
	422	42.1	47.8	60.8	61.1	61	70	no	yes	yes	no	N/A	N/A
	423	37.1	42.5	55.7	55.9	56	70	no	yes	yes	no	N/A	N/A
	424	40.0	42.5	65.3	65.3	65	70	no	yes	yes	no	N/A	N/A
	425	59.8	65.5	69.5	70.9	71	70	yes	yes	yes	yes	0.9	I
	426	60.0	65.4	69.6	71.0	71	70	yes	yes	yes	yes	1.0	I
	427	59.6	65.3	69.4	70.8	71	70	yes	yes	yes	yes	0.8	I
	428	49.9	52.3	68.2	68.3	68	70	no	yes	yes	no	N/A	N/A
	429	49.6	51.9	68.2	68.3	68	70	no	yes	yes	no	N/A	N/A
	430	50.6	52.1	69.8	69.8	70	70	no	yes	yes	no	N/A	N/A
	431	51.2	52.6	69.4	69.5	70	70	no	yes	yes	no	N/A	N/A
	432	64.4	69.7	72.8	74.5	75	70	yes	yes	yes	yes	4.5	I
	433	64.8	70.1	73.2	74.9	75	70	yes	yes	yes	yes	4.9	I
	434	64.8	70.2	69.5	72.9	73	70	yes	yes	yes	yes	2.9	I
	435	64.8	70.2	69.9	73.1	73	70	yes	yes	yes	yes	3.1	I
	436	64.8	70.1	68.8	72.5	73	70	yes	yes	yes	yes	2.5	I
	437	60.3	65.5	43.6	65.5	66	70	no	yes	no	no	N/A	N/A
	438	59.4	64.6	68.1	69.7	70	70	no	yes	yes	no	N/A	N/A
	439	64.8	70.1	69.4	72.8	73	70	yes	yes	yes	yes	2.8	I
	440	65.1	70.3	71.0	73.7	74	70	yes	yes	yes	yes	3.7	I
	441	64.9	70.2	68.7	72.6	73	70	yes	yes	yes	yes	2.6	I
	442	65.1	70.4	69.9	73.1	73	70	yes	yes	yes	yes	3.1	I
	443	65.0	70.3	66.6	71.8	72	70	yes	yes	yes	yes	1.8	I
	444	35.3	40.2	42.1	44.3	44	70	no	yes	yes	no	N/A	N/A
	445	35.3	40.2	42.3	44.4	44	70	no	yes	yes	no	N/A	N/A
	446	35.0	39.9	42.0	44.1	44	70	no	yes	yes	no	N/A	N/A
	447	42.0	47.6	42.2	48.7	49	70	no	yes	yes	no	N/A	N/A
	448	56.0	61.2	42.0	61.2	61	70	no	yes	no	no	N/A	N/A
	449	34.6	39.5	41.7	43.7	44	70	no	yes	yes	no	N/A	N/A
	450	57.7	63.0	41.5	63.0	63	70	no	yes	no	no	N/A	N/A
	451	40.8	46.4	62.1	62.2	62	70	no	yes	yes	no	N/A	N/A
	452	42.0	47.5	63.0	63.1	63	70	no	yes	yes	no	N/A	N/A
	453	42.1	47.6	62.9	63.1	63	70	no	yes	yes	no	N/A	N/A
	454	42.3	47.9	58.7	59.1	59	70	no	yes	yes	no	N/A	N/A
	455	42.4	48.0	52.8	54.1	54	70	no	yes	yes	no	N/A	N/A
	456	42.5	48.2	43.0	49.3	49	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.0	50.7	40.4	51.1	51	70	no	yes	no	no	N/A	N/A
	462	34.5	39.4	53.8	53.9	54	70	no	yes	yes	no	N/A	N/A
	463	34.5	39.4	53.6	53.7	54	70	no	yes	yes	no	N/A	N/A
	464	35.8	39.3	64.4	64.4	64	70	no	yes	yes	no	N/A	N/A
	465	61.8	67.2	64.6	69.1	69	70	no	yes	yes	no	N/A	N/A
	466	60.7	65.9	65.0	68.5	69	70	no	yes	yes	no	N/A	N/A
	467	61.1	66.4	65.4	68.9	69	70	no	yes	yes	no	N/A	N/A
	468	50.0	54.2	65.8	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.4	53.0	63.7	64.0	64	70	no	yes	yes	no	N/A	N/A
	470	48.3	54.0	56.7	58.6	59	70	no	yes	yes	no	N/A	N/A
	471	47.6	52.7	64.7	65.0	65	70	no	yes	yes	no	N/A	N/A
	472	50.2	54.5	65.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	473	50.3	54.6	66.4	66.7	67	70	no	yes	yes	no	N/A	N/A
	474	65.1	70.4	68.3	72.5	73	70	yes	yes	yes	yes	2.5	I
	475	65.4	70.6	69.6	73.1	73	70	yes	yes	yes	yes	3.1	I
	476	64.8	70.1	65.4	71.4	71	70	yes	yes	yes	yes	1.4	I
	477	64.8	70.1	67.3	71.9	72	70	yes	yes	yes	yes	1.9	I
	478	64.2	69.5	63.7	70.5	71	70	yes	yes	yes	yes	0.5	I
	479	64.0	69.3	65.4	70.8	71	70	yes	yes	yes	yes	0.8	I
	480	64.4	69.6	68.5	72.1	72	70	yes	yes	yes	yes	2.1	I
	491	64.4	69.6	68.5	72.1	72	70	yes	yes	yes	yes	2.1	I
	492	63.7	69.1	64.6	70.4	70	70	no	yes	yes	no	N/A	N/A
	493	62.9	68.3	57.8	68.6	69	70	no	yes	no	no	N/A	N/A
	494	36.2	41.0	39.9	43.5	44	70	no	yes	yes	no	N/A	N/A
	495	43.7	49.4	40.0	49.8	50	70	no	yes	no	no	N/A	N/A
	496	47.4	53.1	40.3	53.4	53	70	no	yes	no	no	N/A	N/A
	497	47.5	53.2	40.2	53.4	53	70	no	yes	no	no	N/A	N/A
	498	47.3	53.0	40.3	53.2	53	70	no	yes	no	no	N/A	N/A
	499	47.2	52.9	40.4	53.1	53	70	no	yes	no	no	N/A	N/A
	520	47.2	52.9	40.0	53.1	53	70	no	yes	no	no	N/A	N/A
	521	46.7	52.4	40.0	52.6	53	70	no	yes	no	no	N/A	N/A
	522	46.0	51.8	39.7	52.0	52	70	no	yes	no	no	N/A	N/A
	523	45.9	51.7	54.2	56.2	56	70	no	yes	yes	no	N/A	N/A
	524	46.3	52.0	57.5	58.6	59	70	no	yes	yes	no	N/A	N/A
	525	46.4	52.1	59.1	59.9	60	70	no	yes	yes	no	N/A	N/A
	526	46.8	52.6	53.4	56.0	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	54.9	60.2	44.3	60.3	60	70	no	yes	no	no	N/A	N/A
	932	59.1	64.7	61.9	66.6	67	70	no	yes	yes	no	N/A	N/A
	933	59.6	65.2	62.5	67.0	67	70	no	yes	yes	no	N/A	N/A
	934	53.4	58.6	56.3	60.6	61	70	no	yes	yes	no	N/A	N/A
	935	41.7	47.3	63.4	63.5	64	70	no	yes	yes	no	N/A	N/A
	936	45.1	50.5	62.2	62.5	63	70	no	yes	yes	no	N/A	N/A
	937	45.1	50.4	64.5	64.7	65	70	no	yes	yes	no	N/A	N/A
	938	47.6	52.9	60.0	60.8	61	70	no	yes	yes	no	N/A	N/A
	939	47.5	52.8	58.3	59.4	59	70	no	yes	yes	no	N/A	N/A
	940	47.2	52.5	60.5	61.2	61	70	no	yes	yes	no	N/A	N/A
	941	47.1	52.4	61.9	62.3	62	70	no	yes	yes	no	N/A	N/A
	942	62.8	68.2	73.0	74.3	74	70	yes	yes	yes	yes	4.3	I
	943	62.7	68.1	73.9	74.9	75	70	yes	yes	yes	yes	4.9	I
	944	62.7	68.0	72.4	73.7	74	70	yes	yes	yes	yes	3.7	I
	945	62.9	68.3	73.0	74.2	74	70	yes	yes	yes	yes	4.2	I
	946	63.2	68.5	74.1	75.2	75	70	yes	yes	yes	yes	5.2	I
	947	63.3	68.6	74.1	75.2	75	70	yes	yes	yes	yes	5.2	I
	948	63.5	68.9	73.5	74.8	75	70	yes	yes	yes	yes	4.8	I
	949	63.5	69.0	71.7	73.6	74	70	yes	yes	yes	yes	3.6	I
	950	47.6	52.8	44.7	53.4	53	70	no	yes	no	no	N/A	N/A
	951	58.0	63.3	44.6	63.3	63	70	no	yes	no	no	N/A	N/A
	952	48.3	53.7	44.7	54.2	54	70	no	yes	no	no	N/A	N/A
	953	48.3	53.6	44.7	54.2	54	70	no	yes	no	no	N/A	N/A
	954	48.1	53.5	44.6	54.0	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	42.6	45.1	66.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.0	69.4	68.1	71.8	72	70	yes	yes	yes	yes	1.8	I
	542	65.0	70.3	68.0	72.3	72	70	yes	yes	yes	yes	2.3	I
	543	64.9	70.2	68.0	72.2	72	70	yes	yes	yes	yes	2.2	I
	544	67.1	72.5	67.8	73.7	74	70	yes	yes	yes	yes	3.7	I
	545	66.9	72.2	67.4	73.5	74	70	yes	yes	yes	yes	3.5	I
	546	63.3	68.6	40.4	68.6	69	70	no	yes	no	no	N/A	N/A
	547	63.9	69.3	40.3	69.3	69	70	no	yes	no	no	N/A	N/A
	548	60.6	65.9	40.5	65.9	66	70	no	yes	no	no	N/A	N/A
	549	61.1	66.4	40.6	66.4	66	70	no	yes	no	no	N/A	N/A
	550	63.7	69.1	41.1	69.1	69	70	no	yes	no	no	N/A	N/A
	551	63.9	69.3	40.9	69.4	69	70	no	yes	no	no	N/A	N/A
	552	62.9	68.3	39.7	68.3	68	70	no	yes	no	no	N/A	N/A
	553	44.7	49.9	39.6	50.3	50	70	no	yes	no	no	N/A	N/A
	554	38.3	43.5	39.8	45.0	45	70	no	yes	yes	no	N/A	N/A
	555	38.0	43.2	40.8	45.1	45	70	no	yes	yes	no	N/A	N/A
	556	38.0	43.1	41.1	45.2	45	70	no	yes	yes	no	N/A	N/A
	557	38.2	43.3	40.7	45.2	45	70	no	yes	yes	no	N/A	N/A
	558	38.4	43.5	40.7	45.3	45	70	no	yes	yes	no	N/A	N/A
	559	38.7	43.7	40.6	45.4	45	70	no	yes	yes	no	N/A	N/A
	560	38.4	43.4	40.7	45.3	45	70	no	yes	yes	no	N/A	N/A
	561	38.1	43.2	40.5	45.1	45	70	no	yes	yes	no	N/A	N/A
	562	37.1	42.2	41.2	44.7	45	70	no	yes	yes	no	N/A	N/A
	563	41.8	43.5	61.7	61.8	62	70	no	yes	yes	no	N/A	N/A
	564	38.5	43.7	45.1	47.5	48	70	no	yes	yes	no	N/A	N/A
	565	39.5	44.3	43.7	47.0	47	70	no	yes	yes	no	N/A	N/A
	566	39.3	44.4	42.7	46.7	47	70	no	yes	yes	no	N/A	N/A
	591	39.0	44.3	42.1	46.3	46	70	no	yes	yes	no	N/A	N/A
	592	39.1	44.3	42.6	46.5	47	70	no	yes	yes	no	N/A	N/A
	593	39.2	44.4	42.5	46.6	47	70	no	yes	yes	no	N/A	N/A
	594	62.4	67.7	68.2	71.0	71	70	yes	yes	yes	yes	1	I
	595	64.5	69.7	68.6	72.2	72	70	yes	yes	yes	yes	2.2	I
	596	64.5	69.8	68.6	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	65.1	70.3	68.3	72.4	72	70	yes	yes	yes	yes	2.4	I
	598	64.3	69.6	67.9	71.8	72	70	yes	yes	yes	yes	1.8	I
	599	63.8	69.2	63.2	70.1	70	70	no	yes	no	no	N/A	N/A
Block 5	701	40.2	45.3	39.9	46.4	46	70	no	yes	yes	no	N/A	N/A
	702	40.2	45.4	40.4	46.6	47	70	no	yes	yes	no	N/A	N/A
	703	40.2	45.4	40.1	46.5	47	70	no	yes	yes	no	N/A	N/A
	704	55.7	61.0	46.4	61.2	61	70	no	yes	no	no	N/A	N/A
	705	63.9	69.2	59.3	69.6	70	70	no	yes	no	no	N/A	N/A
	706	63.9	69.2	63.2	70.2	70	70	no	yes	yes	no	N/A	N/A
	707	64.1	69.4	64.5	70.6	71	70	yes	yes	yes	yes	0.6	I
	708	63.3	68.6	64.7	70.1	70	70	no	yes	yes	no	N/A	N/A
	709	62.1	67.5	39.1	67.5	68	70	no	yes	no	no	N/A	N/A
	710	58.9	64.2	65.3	67.8	68	70	no	yes	yes	no	N/A	N/A
	735	62.9	68.3	65.5	70.1	70	70	no	yes	yes	no	N/A	N/A
	736	64.0	69.4	65.5	70.9	71	70	yes	yes	yes	yes	0.9	I
	737	63.8	69.1	65.6	70.7	71	70	yes	yes	yes	yes	0.7	I
	738	65.4	70.8	65.3	71.9	72	70	yes	yes	yes	yes	1.9	I
	739	65.0	70.4	65.1	71.5	72	70	yes	yes	yes	yes	1.5	I
	740	59.4	64.7	38.3	64.7	65	70	no	yes	no	no	N/A	N/A
	741	60.2	65.6	38.3	65.6	66	70	no	yes	no	no	N/A	N/A
	742	58.5	63.8	38.5	63.8	64	70	no	yes	no	no	N/A	N/A
	743	58.7	64.0	38.7	64.0	64	70	no	yes	no	no	N/A	N/A
	744	60.3	65.7	39.5	65.7	66	70	no	yes	no	no	N/A	N/A
	745	60.2	65.6	39.4	65.7	66	70	no	yes	no	no	N/A	N/A
	746	57.7	63.0	38.0	63.0	63	70	no	yes	no	no	N/A	N/A
	747	52.0	57.3	38.1	57.4	57	70	no	yes	no	no	N/A	N/A
	748	40.7	45.3	38.2	46.1	46	70	no	yes	no	no	N/A	N/A
	749	40.6	45.2	39.2	46.2	46	70	no	yes	yes	no	N/A	N/A
	752	40.6	45.3	39.3	46.2	46	70	no	yes	no	no	N/A	N/A
	753	41.2	45.7	38.8	46.5	47	70	no	yes	no	no	N/A	N/A
	754	40.9	45.5	38.6	46.3	46	70	no	yes	no	no	N/A	N/A
	755	41.4	45.9	38.5	46.7	47	70	no	yes	no	no	N/A	N/A
	756	41.0	45.6	38.4	46.3	46	70	no	yes	no	no	N/A	N/A
	757	40.8	45.4	38.4	46.2	46	70	no	yes	no	no	N/A	N/A
	758	40.1	44.7	39.5	45.8	46	70	no	yes	yes	no	N/A	N/A
	759	40.9	45.7	40.4	46.8	47	70	no	yes	yes	no	N/A	N/A
	776	41.2	45.9	40.6	47.1	47	70	no	yes	yes	no	N/A	N/A
	777	42.0	46.7	40.9	47.7	48	70	no	yes	yes	no	N/A	N/A
	778	41.8	46.6	40.5	47.5	48	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{10(whole no.)}	Noise Criterion*	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion - (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	42.6	48.1	52.7	54.0	54	70	no	yes	yes	no	N/A	N/A
	422	42.3	47.9	60.9	61.1	61	70	no	yes	yes	no	N/A	N/A
	423	37.8	43.0	55.8	56.0	56	70	no	yes	yes	no	N/A	N/A
	424	40.6	43.1	65.3	65.3	65	70	no	yes	yes	no	N/A	N/A
	425	59.7	65.4	69.4	70.9	71	70	yes	yes	yes	yes	0.9	I
	426	60.0	65.3	69.5	70.9	71	70	yes	yes	yes	yes	0.9	I
	427	59.6	65.2	69.3	70.7	71	70	yes	yes	yes	yes	0.7	I
	428	50.0	52.4	68.2	68.3	68	70	no	yes	yes	no	N/A	N/A
	429	49.7	52.0	68.1	68.2	68	70	no	yes	yes	no	N/A	N/A
	430	50.7	52.3	69.7	69.8	70	70	no	yes	yes	no	N/A	N/A
	431	51.2	52.7	69.3	69.4	69	70	no	yes	yes	no	N/A	N/A
	432	64.3	69.6	72.7	74.4	74	70	yes	yes	yes	yes	4.4	I
	433	64.7	70.0	73.1	74.8	75	70	yes	yes	yes	yes	4.8	I
	434	64.7	70.0	69.4	72.7	73	70	yes	yes	yes	yes	2.7	I
	435	64.7	70.1	69.8	73.0	73	70	yes	yes	yes	yes	3	I
	436	64.7	70.0	68.7	72.4	72	70	yes	yes	yes	yes	2.4	I
	437	60.2	65.4	44.9	65.4	65	70	no	yes	no	no	N/A	N/A
	438	59.3	64.6	68.0	69.6	70	70	no	yes	yes	no	N/A	N/A
	439	64.7	70.0	69.3	72.7	73	70	yes	yes	yes	yes	2.7	I
	440	65.0	70.2	70.9	73.6	74	70	yes	yes	yes	yes	3.6	I
	441	64.8	70.1	68.6	72.5	73	70	yes	yes	yes	yes	2.5	I
	442	65.0	70.3	69.8	73.0	73	70	yes	yes	yes	yes	3.0	I
	443	64.9	70.2	66.6	71.8	72	70	yes	yes	yes	yes	1.8	I
	444	37.0	41.8	43.8	45.9	46	70	no	yes	yes	no	N/A	N/A
	445	37.0	41.8	44.0	46.0	46	70	no	yes	yes	no	N/A	N/A
	446	36.7	41.5	43.5	45.6	46	70	no	yes	yes	no	N/A	N/A
	447	42.4	47.9	43.6	49.3	49	70	no	yes	yes	no	N/A	N/A
	448	55.9	61.1	43.1	61.2	61	70	no	yes	no	no	N/A	N/A
	449	36.1	40.9	42.9	45.1	45	70	no	yes	yes	no	N/A	N/A
	450	57.7	62.9	42.7	63.0	63	70	no	yes	no	no	N/A	N/A
	451	41.2	46.7	62.1	62.3	62	70	no	yes	yes	no	N/A	N/A
	452	42.4	47.7	63.1	63.2	63	70	no	yes	yes	no	N/A	N/A
	453	42.5	47.8	63.0	63.1	63	70	no	yes	yes	no	N/A	N/A
	454	42.7	48.2	58.8	59.1	59	70	no	yes	yes	no	N/A	N/A
	455	42.8	48.3	53.0	54.3	54	70	no	yes	yes	no	N/A	N/A
	456	42.7	48.3	44.0	49.7	50	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.1	50.8	42.1	51.4	51	70	no	yes	no	no	N/A	N/A
	462	36.4	41.2	53.8	54.1	54	70	no	yes	yes	no	N/A	N/A
	463	36.4	41.1	53.6	53.9	54	70	no	yes	yes	no	N/A	N/A
	464	37.7	41.1	64.4	64.4	64	70	no	yes	yes	no	N/A	N/A
	465	61.7	67.1	64.6	69.1	69	70	no	yes	yes	no	N/A	N/A
	466	60.6	65.9	65.0	68.4	68	70	no	yes	yes	no	N/A	N/A
	467	61.1	66.4	65.4	68.9	69	70	no	yes	yes	no	N/A	N/A
	468	50.2	54.3	65.7	66.0	66	70	no	yes	yes	no	N/A	N/A
	469	48.6	53.2	63.6	64.0	64	70	no	yes	yes	no	N/A	N/A
	470	48.3	54.0	56.7	58.6	59	70	no	yes	yes	no	N/A	N/A
	471	47.8	52.9	64.7	65.0	65	70	no	yes	yes	no	N/A	N/A
	472	50.3	54.5	65.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	473	50.4	54.7	66.4	66.6	67	70	no	yes	yes	no	N/A	N/A
	474	65.1	70.3	68.3	72.4	72	70	yes	yes	yes	yes	2.4	I
	475	65.3	70.6	69.5	73.1	73	70	yes	yes	yes	yes	3.1	I
	476	64.8	70.1	65.3	71.4	71	70	yes	yes	yes	yes	1.4	I
	477	64.9	70.1	67.2	71.9	72	70	yes	yes	yes	yes	1.9	I
	478	64.3	69.6	63.6	70.6	71	70	yes	yes	yes	yes	0.6	I
	479	64.1	69.4	65.3	70.9	71	70	yes	yes	yes	yes	0.9	I
	480	64.5	69.7	68.4	72.1	72	70	yes	yes	yes	yes	2.1	I
	491	64.5	69.7	68.4	72.1	72	70	yes	yes	yes	yes	2.1	I
	492	63.8	69.1	64.6	70.4	70	70	no	yes	yes	no	N/A	N/A
	493	63.0	68.3	57.7	68.7	69	70	no	yes	no	no	N/A	N/A
	494	38.0	42.9	41.9	45.5	46	70	no	yes	yes	no	N/A	N/A
	495	44.1	49.7	42.0	50.4	50	70	no	yes	no	no	N/A	N/A
	496	47.5	53.2	42.1	53.5	54	70	no	yes	no	no	N/A	N/A
	497	47.6	53.4	42.0	53.7	54	70	no	yes	no	no	N/A	N/A
	498	47.4	53.1	41.8	53.4	53	70	no	yes	no	no	N/A	N/A
	499	47.4	53.0	41.9	53.4	53	70	no	yes	no	no	N/A	N/A
	520	47.5	53.1	41.4	53.4	53	70	no	yes	no	no	N/A	N/A
	521	46.8	52.5	41.5	52.8	53	70	no	yes	no	no	N/A	N/A
	522	46.2	51.9	41.2	52.3	52	70	no	yes	no	no	N/A	N/A
	523	46.0	51.7	54.3	56.2	56	70	no	yes	yes	no	N/A	N/A
	524	46.4	52.1	57.6	58.7	59	70	no	yes	yes	no	N/A	N/A
	525	46.6	52.2	59.2	60.0	60	70	no	yes	yes	no	N/A	N/A
	526	46.9	52.6	53.5	56.1	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	54.8	60.1	45.4	60.2	60	70	no	yes	no	no	N/A	N/A
	932	59.0	64.6	61.8	66.4	66	70	no	yes	yes	no	N/A	N/A
	933	59.5	65.1	62.4	66.9	67	70	no	yes	yes	no	N/A	N/A
	934	53.3	58.4	56.4	60.5	61	70	no	yes	yes	no	N/A	N/A
	935	41.9	47.4	63.4	63.5	64	70	no	yes	yes	no	N/A	N/A
	936	45.2	50.5	62.3	62.5	63	70	no	yes	yes	no	N/A	N/A
	937	45.3	50.5	64.6	64.7	65	70	no	yes	yes	no	N/A	N/A
	938	47.6	52.9	60.1	60.8	61	70	no	yes	yes	no	N/A	N/A
	939	47.5	52.8	58.4	59.5	60	70	no	yes	yes	no	N/A	N/A
	940	47.3	52.6	60.6	61.2	61	70	no	yes	yes	no	N/A	N/A
	941	47.2	52.5	61.9	62.4	62	70	no	yes	yes	no	N/A	N/A
	942	62.7	68.1	72.9	74.2	74	70	yes	yes	yes	yes	4.2	I
	943	62.7	68.0	73.8	74.8	75	70	yes	yes	yes	yes	4.8	I
	944	62.6	68.0	72.2	73.6	74	70	yes	yes	yes	yes	3.6	I
	945	62.8	68.2	72.8	74.1	74	70	yes	yes	yes	yes	4.1	I
	946	63.1	68.4	74.0	75.0	75	70	yes	yes	yes	yes	5.0	I
	947	63.2	68.5	74.0	75.1	75	70	yes	yes	yes	yes	5.1	I
	948	63.4	68.8	73.4	74.7	75	70	yes	yes	yes	yes	4.7	I
	949	63.4	68.9	71.6	73.5	74	70	yes	yes	yes	yes	3.5	I
	950	47.7	52.8	45.8	53.6	54	70	no	yes	no	no	N/A	N/A
	951	57.8	63.1	45.8	63.2	63	70	no	yes	no	no	N/A	N/A
	952	48.4	53.7	45.8	54.4	54	70	no	yes	no	no	N/A	N/A
	953	48.3	53.7	45.8	54.3	54	70	no	yes	no	no	N/A	N/A
	954	48.2	53.5	45.6	54.2	54	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	44.1	47.5	66.9	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.0	69.3	68.0	71.7	72	70	yes	yes	yes	yes	1.7	I
	542	65.0	70.3	67.9	72.3	72	70	yes	yes	yes	yes	2.3	I
	543	64.8	70.1	67.9	72.1	72	70	yes	yes	yes	yes	2.1	I
	544	67.1	72.4	67.6	73.7	74	70	yes	yes	yes	yes	3.7	I
	545	66.9	72.2	67.3	73.4	73	70	yes	yes	yes	yes	3.4	I
	546	63.5	68.8	43.5	68.8	69	70	no	yes	no	no	N/A	N/A
	547	64.2	69.6	43.4	69.6	70	70	no	yes	no	no	N/A	N/A
	548	61.1	66.4	43.3	66.4	66	70	no	yes	no	no	N/A	N/A
	549	61.4	66.7	43.3	66.8	67	70	no	yes	no	no	N/A	N/A
	550	64.0	69.4	43.6	69.4	69	70	no	yes	no	no	N/A	N/A
	551	64.3	69.7	43.2	69.7	70	70	no	yes	no	no	N/A	N/A
	552	63.0	68.4	42.3	68.4	68	70	no	yes	no	no	N/A	N/A
	553	46.1	51.3	41.9	51.8	52	70	no	yes	no	no	N/A	N/A
	554	41.2	46.3	42.3	47.8	48	70	no	yes	yes	no	N/A	N/A
	555	40.8	45.9	43.2	47.8	48	70	no	yes	yes	no	N/A	N/A
	556	40.6	45.7	43.9	47.9	48	70	no	yes	yes	no	N/A	N/A
	557	40.8	45.8	43.6	47.8	48	70	no	yes	yes	no	N/A	N/A
	558	40.9	45.9	43.7	48.0	48	70	no	yes	yes	no	N/A	N/A
	559	40.9	45.8	43.3	47.8	48	70	no	yes	yes	no	N/A	N/A
	560	40.3	45.2	43.1	47.3	47	70	no	yes	yes	no	N/A	N/A
	561	40.1	45.1	42.8	47.1	47	70	no	yes	yes	no	N/A	N/A
	562	39.1	44.1	43.4	46.8	47	70	no	yes	yes	no	N/A	N/A
	563	42.7	45.1	61.7	61.8	62	70	no	yes	yes	no	N/A	N/A
	564	40.2	45.3	46.4	48.9	49	70	no	yes	yes	no	N/A	N/A
	565	41.5	46.0	45.5	48.8	49	70	no	yes	yes	no	N/A	N/A
	566	41.4	46.4	45.2	48.9	49	70	no	yes	yes	no	N/A	N/A
	591	41.3	46.4	45.0	48.8	49	70	no	yes	yes	no	N/A	N/A
	592	41.5	46.6	45.3	49.0	49	70	no	yes	yes	no	N/A	N/A
	593	41.7	46.8	45.3	49.1	49	70	no	yes	yes	no	N/A	N/A
	594	62.4	67.7	68.1	70.9	71	70	yes	yes	yes	yes	0.9	I
	595	64.5	69.7	68.6	72.2	72	70	yes	yes	yes	yes	2.2	I
	596	64.6	69.9	68.5	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	65.1	70.4	68.3	72.5	73	70	yes	yes	yes	yes	2.5	I
	598	64.3	69.6	67.8	71.8	72	70	yes	yes	yes	yes	1.8	I
	599	63.9	69.1	63.2	70.1	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	42.3	47.5	42.0	48.6	49	70	no	yes	yes	no	N/A	N/A
	702	42.5	47.6	42.4	48.8	49	70	no	yes	yes	no	N/A	N/A
	703	42.5	47.7	42.2	48.8	49	70	no	yes	yes	no	N/A	N/A
	704	55.9	61.2	46.9	61.3	61	70	no	yes	no	no	N/A	N/A
	705	63.9	69.3	59.3	69.7	70	70	no	yes	no	no	N/A	N/A
	706	64.0	69.4	63.1	70.3	70	70	no	yes	no	no	N/A	N/A
	707	64.2	69.6	64.5	70.7	71	70	yes	yes	yes	yes	0.7	I
	708	63.4	68.8	64.6	70.2	70	70	no	yes	yes	no	N/A	N/A
	709	62.3	67.7	42.1	67.7	68	70	no	yes	no	no	N/A	N/A
	710	59.0	64.2	65.3	67.8	68	70	no	yes	yes	no	N/A	N/A
	735	63.1	68.5	65.4	70.2	70	70	no	yes	yes	no	N/A	N/A
	736	64.4	69.7	65.4	71.1	71	70	yes	yes	yes	yes	1.1	I
	737	64.0	69.4	65.5	70.9	71	70	yes	yes	yes	yes	0.9	I
	738	65.6	71.0	65.2	72.0	72	70	yes	yes	yes	yes	2.0	I
	739	65.2	70.6	65.0	71.6	72	70	yes	yes	yes	yes	1.6	I
	740	59.5	64.8	41.3	64.9	65	70	no	yes	no	no	N/A	N/A
	741	60.3	65.7	41.3	65.7	66	70	no	yes	no	no	N/A	N/A
	742	58.5	63.8	41.5	63.9	64	70	no	yes	no	no	N/A	N/A
	743	58.7	64.0	41.7	64.0	64	70	no	yes	no	no	N/A	N/A
	744	60.4	65.8	42.1	65.8	66	70	no	yes	no	no	N/A	N/A
	745	60.3	65.7	41.9	65.7	66	70	no	yes	no	no	N/A	N/A
	746	57.8	63.1	40.6	63.1	63	70	no	yes	no	no	N/A	N/A
	747	52.1	57.4	40.7	57.5	58	70	no	yes	no	no	N/A	N/A
	748	42.3	47.1	40.7	48.0	48	70	no	yes	no	no	N/A	N/A
	749	42.1	46.9	41.7	48.0	48	70	no	yes	yes	no	N/A	N/A
	752	42.2	47.0	41.7	48.1	48	70	no	yes	yes	no	N/A	N/A
	753	42.7	47.5	41.5	48.4	48	70	no	yes	no	no	N/A	N/A
	754	42.4	47.2	41.0	48.2	48	70	no	yes	yes	no	N/A	N/A
	755	42.8	47.5	40.9	48.3	48	70	no	yes	no	no	N/A	N/A
	756	42.3	47.0	40.5	47.8	48	70	no	yes	no	no	N/A	N/A
	757	42.0	46.7	40.4	47.6	48	70	no	yes	no	no	N/A	N/A
	758	41.4	46.1	41.3	47.3	47	70	no	yes	yes	no	N/A	N/A
	759	42.1	46.9	41.7	48.1	48	70	no	yes	yes	no	N/A	N/A
	776	42.4	47.3	42.2	48.5	49	70	no	yes	yes	no	N/A	N/A
	777	43.4	48.1	42.4	49.1	49	70	no	yes	yes	no	N/A	N/A
	778	43.3	48.2	42.4	49.2	49	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	43.4	48.8	53.1	54.4	54	70	no	yes	yes	no	N/A	N/A
	422	43.1	48.5	61.0	61.2	61	70	no	yes	yes	no	N/A	N/A
	423	39.7	44.5	56.0	56.3	56	70	no	yes	yes	no	N/A	N/A
	424	42.1	44.8	65.3	65.3	65	70	no	yes	yes	no	N/A	N/A
	425	59.6	65.3	69.4	70.8	71	70	yes	yes	yes	yes	0.8	
	426	59.9	65.2	69.4	70.8	71	70	yes	yes	yes	yes	0.8	
	427	59.5	65.2	69.2	70.6	71	70	yes	yes	yes	yes	0.6	
	428	50.2	52.7	68.1	68.3	68	70	no	yes	yes	no	N/A	N/A
	429	49.9	52.3	68.0	68.1	68	70	no	yes	yes	no	N/A	N/A
	430	50.9	52.7	69.6	69.7	70	70	no	yes	yes	no	N/A	N/A
	431	51.4	53.1	69.2	69.3	69	70	no	yes	yes	no	N/A	N/A
	432	64.2	69.5	72.6	74.3	74	70	yes	yes	yes	yes	4.3	
	433	64.6	69.9	73.0	74.7	75	70	yes	yes	yes	yes	4.7	
	434	64.6	69.9	69.3	72.6	73	70	yes	yes	yes	yes	2.6	
	435	64.6	70.0	69.7	72.9	73	70	yes	yes	yes	yes	2.9	
	436	64.5	69.9	68.7	72.3	72	70	yes	yes	yes	yes	2.3	
	437	60.1	65.3	47.2	65.4	65	70	no	yes	no	no	N/A	N/A
	438	59.2	64.5	67.9	69.5	70	70	no	yes	yes	no	N/A	N/A
	439	64.6	69.9	69.2	72.6	73	70	yes	yes	yes	yes	2.6	
	440	64.9	70.1	70.9	73.5	74	70	yes	yes	yes	yes	3.5	
	441	64.7	70.0	68.6	72.4	72	70	yes	yes	yes	yes	2.4	
	442	65.0	70.2	69.7	73.0	73	70	yes	yes	yes	yes	3.0	
	443	64.8	70.1	66.5	71.7	72	70	yes	yes	yes	yes	1.7	
	444	40.2	45.0	46.1	48.6	49	70	no	yes	yes	no	N/A	N/A
	445	40.1	44.9	46.3	48.6	49	70	no	yes	yes	no	N/A	N/A
	446	39.7	44.4	45.6	48.0	48	70	no	yes	yes	no	N/A	N/A
	447	43.4	48.8	45.6	50.5	51	70	no	yes	yes	no	N/A	N/A
	448	55.8	61.0	45.0	61.1	61	70	no	yes	no	no	N/A	N/A
	449	38.9	43.6	44.9	47.3	47	70	no	yes	yes	no	N/A	N/A
	450	57.7	62.9	44.6	63.0	63	70	no	yes	no	no	N/A	N/A
	451	42.1	47.5	62.2	62.3	62	70	no	yes	yes	no	N/A	N/A
	452	43.3	48.4	63.1	63.2	63	70	no	yes	yes	no	N/A	N/A
	453	43.5	48.5	63.0	63.2	63	70	no	yes	yes	no	N/A	N/A
	454	43.6	48.8	58.9	59.3	59	70	no	yes	yes	no	N/A	N/A
	455	43.7	49.0	53.3	54.7	55	70	no	yes	yes	no	N/A	N/A
	456	43.5	49.0	45.8	50.7	51	70	no	yes	yes	no	N/A	N/A
Block 6	461	45.6	51.2	44.4	52.0	52	70	no	yes	no	no	N/A	N/A
	462	39.0	43.7	54.1	54.4	54	70	no	yes	yes	no	N/A	N/A
	463	38.9	43.5	53.8	54.2	54	70	no	yes	yes	no	N/A	N/A
	464	40.2	43.8	64.4	64.4	64	70	no	yes	yes	no	N/A	N/A
	465	61.7	67.0	64.6	69.0	69	70	no	yes	yes	no	N/A	N/A
	466	60.6	65.8	65.0	68.4	68	70	no	yes	yes	no	N/A	N/A
	467	61.0	66.3	65.4	68.9	69	70	no	yes	yes	no	N/A	N/A
	468	50.4	54.5	65.7	66.1	66	70	no	yes	yes	no	N/A	N/A
	469	48.9	53.4	63.6	64.0	64	70	no	yes	yes	no	N/A	N/A
	470	48.6	54.3	56.9	58.8	59	70	no	yes	yes	no	N/A	N/A
	471	48.2	53.1	64.7	65.0	65	70	no	yes	yes	no	N/A	N/A
	472	50.6	54.8	65.8	66.1	66	70	no	yes	yes	no	N/A	N/A
	473	50.6	54.9	66.3	66.6	67	70	no	yes	yes	no	N/A	N/A
	474	65.0	70.3	68.3	72.4	72	70	yes	yes	yes	yes	2.4	
	475	65.3	70.5	69.4	73.0	73	70	yes	yes	yes	yes	3.0	
	476	64.8	70.1	65.3	71.4	71	70	yes	yes	yes	yes	1.4	
	477	64.9	70.1	67.1	71.9	72	70	yes	yes	yes	yes	1.9	
	478	64.4	69.7	63.6	70.7	71	70	yes	yes	yes	yes	0.7	
	479	64.3	69.6	65.2	70.9	71	70	yes	yes	yes	yes	0.9	
	480	64.6	69.8	68.4	72.2	72	70	yes	yes	yes	yes	2.2	
	491	64.6	69.9	68.4	72.2	72	70	yes	yes	yes	yes	2.2	
	492	64.0	69.2	64.5	70.5	71	70	yes	yes	yes	yes	0.5	
	493	63.0	68.3	57.8	68.7	69	70	no	yes	no	no	N/A	N/A
	494	41.0	45.9	44.8	48.4	48	70	no	yes	yes	no	N/A	N/A
	495	44.9	50.4	44.7	51.4	51	70	no	yes	yes	no	N/A	N/A
	496	47.9	53.5	44.6	54.0	54	70	no	yes	no	no	N/A	N/A
	497	48.0	53.7	44.3	54.1	54	70	no	yes	no	no	N/A	N/A
	498	47.8	53.4	43.8	53.9	54	70	no	yes	no	no	N/A	N/A
	499	47.8	53.3	43.9	53.8	54	70	no	yes	no	no	N/A	N/A
	520	47.9	53.4	43.2	53.8	54	70	no	yes	no	no	N/A	N/A
	521	47.2	52.7	43.6	53.2	53	70	no	yes	no	no	N/A	N/A
	522	46.5	52.1	43.6	52.7	53	70	no	yes	no	no	N/A	N/A
	523	46.3	51.9	54.5	56.4	56	70	no	yes	yes	no	N/A	N/A
	524	46.7	52.3	57.7	58.8	59	70	no	yes	yes	no	N/A	N/A
	525	47.0	52.5	59.3	60.1	60	70	no	yes	yes	no	N/A	N/A
	526	47.3	52.9	53.7	56.3	56	70	no	yes	yes	no	N/A	N/A
Block 9	931	54.8	60.0	47.6	60.3	60	70	no	yes	no	no	N/A	N/A
	932	58.9	64.5	61.7	66.3	66	70	no	yes	yes	no	N/A	N/A
	933	59.4	64.9	62.4	66.8	67	70	no	yes	yes	no	N/A	N/A
	934	53.2	58.3	56.6	60.6	61	70	no	yes	yes	no	N/A	N/A
	935	42.7	48.0	63.5	63.6	64	70	no	yes	yes	no	N/A	N/A
	936	45.5	50.8	62.3	62.6	63	70	no	yes	yes	no	N/A	N/A
	937	45.7	50.8	64.6	64.7	65	70	no	yes	yes	no	N/A	N/A
	938	47.8	53.0	60.2	61.0	61	70	no	yes	yes	no	N/A	N/A
	939	47.7	53.0	58.7	59.7	60	70	no	yes	yes	no	N/A	N/A
	940	47.5	52.7	60.7	61.4	61	70	no	yes	yes	no	N/A	N/A
	941	47.3	52.6	62.0	62.5	63	70	no	yes	yes	no	N/A	N/A
	942	62.7	68.1	72.8	74.1	74	70	yes	yes	yes	yes	4.1	
	943	62.6	67.9	73.6	74.6	75	70	yes	yes	yes	yes	4.6	
	944	62.5	67.9	72.1	73.5	74	70	yes	yes	yes	yes	3.5	
	945	62.7	68.1	72.7	74.0	74	70	yes	yes	yes	yes	4.0	
	946	63.1	68.4	73.8	74.9	75	70	yes	yes	yes	yes	4.9	
	947	63.1	68.4	73.8	74.9	75	70	yes	yes	yes	yes	4.9	
	948	63.3	68.7	73.3	74.6	75	70	yes	yes	yes	yes	4.6	
	949	63.3	68.8	71.5	73.4	73	70	yes	yes	yes	yes	3.4	
	950	48.0	53.1	48.2	54.3	54	70	no	yes	yes	no	N/A	N/A
	951	57.7	63.0	48.3	63.1	63	70	no	yes	no	no	N/A	N/A
	952	48.6	53.9	48.1	54.9	55	70	no	yes	yes	no	N/A	N/A
	953	48.5	53.8	48.2	54.9	55	70	no	yes	yes	no	N/A	N/A
	954	48.4	53.6	47.9	54.7	55	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 4	529	47.5	51.9	66.8	66.2	66	70	no	yes	yes	no	N/A	N/A
	530	64.0	69.3	67.9	71.7	72	70	yes	yes	yes	yes	1.7	I
	542	65.0	70.3	67.8	72.2	72	70	yes	yes	yes	yes	2.2	I
	543	64.8	70.1	67.8	72.1	72	70	yes	yes	yes	yes	2.1	I
	544	67.1	72.4	67.6	73.6	74	70	yes	yes	yes	yes	3.6	I
	545	66.8	72.2	67.2	73.4	73	70	yes	yes	yes	yes	3.4	I
	546	63.7	69.0	48.3	69.1	69	70	no	yes	no	no	N/A	N/A
	547	64.4	69.7	47.6	69.8	70	70	no	yes	no	no	N/A	N/A
	548	61.6	66.9	47.1	67.0	67	70	no	yes	no	no	N/A	N/A
	549	62.0	67.3	46.9	67.4	67	70	no	yes	no	no	N/A	N/A
	550	64.2	69.6	46.5	69.6	70	70	no	yes	no	no	N/A	N/A
	551	64.4	69.8	46.0	69.9	70	70	no	yes	no	no	N/A	N/A
	552	63.4	68.8	46.0	68.8	69	70	no	yes	no	no	N/A	N/A
	553	48.5	53.7	45.0	54.3	54	70	no	yes	no	no	N/A	N/A
	554	45.1	50.1	45.7	51.4	51	70	no	yes	yes	no	N/A	N/A
	555	44.3	49.2	46.1	51.0	51	70	no	yes	yes	no	N/A	N/A
	556	43.9	48.6	46.8	50.8	51	70	no	yes	yes	no	N/A	N/A
	557	44.2	49.0	46.9	51.1	51	70	no	yes	yes	no	N/A	N/A
	558	44.3	48.9	47.5	51.3	51	70	no	yes	yes	no	N/A	N/A
	559	44.3	48.8	46.2	50.7	51	70	no	yes	yes	no	N/A	N/A
	560	43.1	47.4	46.2	49.8	50	70	no	yes	yes	no	N/A	N/A
	561	42.9	47.4	45.8	49.7	50	70	no	yes	yes	no	N/A	N/A
	562	42.1	46.6	45.8	49.2	49	70	no	yes	yes	no	N/A	N/A
	563	44.6	47.7	61.7	61.9	62	70	no	yes	yes	no	N/A	N/A
	564	43.0	47.6	48.1	50.9	51	70	no	yes	yes	no	N/A	N/A
	565	44.4	48.3	47.6	51.0	51	70	no	yes	yes	no	N/A	N/A
	566	44.9	49.4	47.8	51.7	52	70	no	yes	yes	no	N/A	N/A
	591	44.7	49.6	48.1	51.9	52	70	no	yes	yes	no	N/A	N/A
	592	45.1	49.9	49.1	52.5	53	70	no	yes	yes	no	N/A	N/A
	593	45.5	50.2	49.7	53.0	53	70	no	yes	yes	no	N/A	N/A
	594	62.4	67.6	68.1	70.9	71	70	yes	yes	yes	yes	0.9	I
	595	64.6	69.8	68.5	72.2	72	70	yes	yes	yes	yes	2.2	I
	596	64.6	69.9	68.4	72.2	72	70	yes	yes	yes	yes	2.2	I
	597	65.2	70.4	68.2	72.5	73	70	yes	yes	yes	yes	2.5	I
	598	64.4	69.7	67.7	71.8	72	70	yes	yes	yes	yes	1.8	I
	599	63.9	69.1	63.2	70.1	70	70	no	yes	yes	no	N/A	N/A
Block 5	701	45.4	50.5	44.2	51.4	51	70	no	yes	no	no	N/A	N/A
	702	45.8	50.8	44.5	51.7	52	70	no	yes	no	no	N/A	N/A
	703	45.9	51.0	44.3	51.9	52	70	no	yes	no	no	N/A	N/A
	704	56.2	61.5	48.0	61.7	62	70	no	yes	no	no	N/A	N/A
	705	64.2	69.5	59.3	69.9	70	70	no	yes	no	no	N/A	N/A
	706	64.2	69.6	63.0	70.5	71	70	yes	yes	no	no	N/A	N/A
	707	64.5	69.9	64.3	70.9	71	70	yes	yes	yes	yes	0.9	I
	708	63.7	69.0	64.6	70.3	70	70	no	yes	yes	no	N/A	N/A
	709	62.5	67.9	47.2	67.9	68	70	no	yes	no	no	N/A	N/A
	710	59.2	64.5	65.2	67.9	68	70	no	yes	yes	no	N/A	N/A
	735	63.4	68.8	65.3	70.4	70	70	no	yes	yes	no	N/A	N/A
	736	64.6	69.9	65.3	71.2	71	70	yes	yes	yes	yes	1.2	I
	737	64.3	69.7	65.4	71.0	71	70	yes	yes	yes	yes	1	I
	738	65.8	71.2	65.1	72.2	72	70	yes	yes	yes	yes	2.2	I
	739	65.4	70.8	64.9	71.8	72	70	yes	yes	yes	yes	1.8	I
	740	59.8	65.1	46.2	65.1	65	70	no	yes	no	no	N/A	N/A
	741	60.6	65.9	45.8	66.0	66	70	no	yes	no	no	N/A	N/A
	742	58.7	63.9	45.8	64.0	64	70	no	yes	no	no	N/A	N/A
	743	58.8	64.1	45.8	64.1	64	70	no	yes	no	no	N/A	N/A
	744	60.5	65.9	45.0	65.9	66	70	no	yes	no	no	N/A	N/A
	745	60.4	65.8	44.8	65.9	66	70	no	yes	no	no	N/A	N/A
	746	57.9	63.2	44.1	63.3	63	70	no	yes	no	no	N/A	N/A
	747	52.6	57.8	44.1	58.0	58	70	no	yes	no	no	N/A	N/A
	748	45.1	49.9	43.9	50.9	51	70	no	yes	yes	no	N/A	N/A
	749	44.6	49.5	44.6	50.7	51	70	no	yes	yes	no	N/A	N/A
	752	44.7	49.5	44.3	50.6	51	70	no	yes	yes	no	N/A	N/A
	753	45.5	50.3	44.7	51.4	51	70	no	yes	yes	no	N/A	N/A
	754	44.8	49.6	44.1	50.7	51	70	no	yes	yes	no	N/A	N/A
	755	45.0	49.5	43.6	50.5	51	70	no	yes	yes	no	N/A	N/A
	756	44.2	48.8	43.7	50.0	50	70	no	yes	yes	no	N/A	N/A
	757	44.1	48.8	43.5	49.9	50	70	no	yes	yes	no	N/A	N/A
	758	43.9	48.6	43.4	49.7	50	70	no	yes	yes	no	N/A	N/A
	759	44.5	49.2	43.5	50.3	50	70	no	yes	yes	no	N/A	N/A
	776	44.6	49.5	44.2	50.6	51	70	no	yes	yes	no	N/A	N/A
	777	45.5	50.0	44.0	51.0	51	70	no	yes	yes	no	N/A	N/A
	778	45.9	50.7	44.4	51.6	52	70	no	yes	no	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Area 29

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type
Block 8	421	45.4	50.3	54.1	55.6	56	70	no	yes	yes	no	N/A	N/A
	422	45.2	50.0	61.1	61.4	61	70	no	yes	yes	no	N/A	N/A
	423	43.4	47.6	56.7	57.2	57	70	no	yes	yes	no	N/A	N/A
	424	44.9	48.3	65.3	65.4	65	70	no	yes	yes	no	N/A	N/A
	425	59.6	65.2	69.3	70.7	71	70	yes	yes	yes	yes	0.7	I
	426	59.9	65.1	69.4	70.8	71	70	yes	yes	yes	yes	0.8	I
	427	59.5	65.1	69.1	70.6	71	70	yes	yes	yes	yes	0.6	I
	428	50.7	53.5	68.1	68.2	68	70	no	yes	yes	no	N/A	N/A
	429	50.5	53.3	67.9	68.1	68	70	no	yes	yes	no	N/A	N/A
	430	51.6	53.8	69.5	69.7	70	70	no	yes	yes	no	N/A	N/A
	431	52.1	54.2	69.2	69.3	69	70	no	yes	yes	no	N/A	N/A
	432	64.1	69.3	72.5	74.2	74	70	yes	yes	yes	yes	4.2	I
	433	64.5	69.7	72.9	74.6	75	70	yes	yes	yes	yes	4.6	I
	434	64.5	69.8	69.2	72.5	73	70	yes	yes	yes	yes	2.5	I
	435	64.5	69.9	69.6	72.8	73	70	yes	yes	yes	yes	2.8	I
	436	64.5	69.8	68.6	72.2	72	70	yes	yes	yes	yes	2.2	I
	437	60.1	65.3	51.3	65.4	65	70	no	yes	no	no	N/A	N/A
	438	59.3	64.5	67.8	69.5	70	70	no	yes	yes	no	N/A	N/A
	439	64.6	69.8	69.2	72.5	73	70	yes	yes	yes	yes	2.5	I
	440	64.7	69.9	70.8	73.4	73	70	yes	yes	yes	yes	3.4	I
	441	64.7	69.9	68.5	72.3	72	70	yes	yes	yes	yes	2.3	I
	442	64.9	70.1	69.7	72.9	73	70	yes	yes	yes	yes	2.9	I
	443	64.8	70.0	66.4	71.6	72	70	yes	yes	yes	yes	1.6	I
	444	45.4	50.0	49.4	52.7	53	70	no	yes	yes	no	N/A	N/A
	445	45.1	49.6	49.4	52.5	53	70	no	yes	yes	no	N/A	N/A
	446	44.4	48.7	48.9	51.8	52	70	no	yes	yes	no	N/A	N/A
	447	46.0	50.7	48.9	52.9	53	70	no	yes	yes	no	N/A	N/A
	448	55.9	61.0	48.5	61.3	61	70	no	yes	no	no	N/A	N/A
	449	43.4	47.8	48.7	51.3	51	70	no	yes	yes	no	N/A	N/A
	450	57.7	62.9	48.8	63.0	63	70	no	yes	no	no	N/A	N/A
	451	44.8	49.6	62.3	62.5	63	70	no	yes	yes	no	N/A	N/A
	452	45.3	49.8	63.1	63.3	63	70	no	yes	yes	no	N/A	N/A
	453	45.4	49.8	63.1	63.3	63	70	no	yes	yes	no	N/A	N/A
	454	45.8	50.4	59.1	59.6	60	70	no	yes	yes	no	N/A	N/A
	455	46.1	50.8	54.1	55.8	56	70	no	yes	yes	no	N/A	N/A
	456	45.8	50.7	49.2	53.0	53	70	no	yes	yes	no	N/A	N/A
Block 6	461	47.1	52.3	48.8	53.9	54	70	no	yes	yes	no	N/A	N/A
	462	43.0	47.1	54.9	55.6	56	70	no	yes	yes	no	N/A	N/A
	463	42.8	46.7	54.7	55.3	55	70	no	yes	yes	no	N/A	N/A
	464	44.0	48.2	64.4	64.5	65	70	no	yes	yes	no	N/A	N/A
	465	61.6	67.0	64.6	69.0	69	70	no	yes	yes	no	N/A	N/A
	466	60.6	65.8	65.0	68.4	68	70	no	yes	yes	no	N/A	N/A
	467	60.9	66.2	65.4	68.8	69	70	no	yes	yes	no	N/A	N/A
	468	50.9	55.1	65.7	66.0	66	70	no	yes	yes	no	N/A	N/A
	469	49.7	54.2	63.6	64.1	64	70	no	yes	yes	no	N/A	N/A
	470	49.5	55.0	57.1	59.2	59	70	no	yes	yes	no	N/A	N/A
	471	49.4	54.2	64.6	65.0	65	70	no	yes	yes	no	N/A	N/A
	472	51.4	55.7	65.8	66.2	66	70	no	yes	yes	no	N/A	N/A
	473	51.5	55.9	66.3	66.7	67	70	no	yes	yes	no	N/A	N/A
	474	65.0	70.2	68.2	72.3	72	70	yes	yes	yes	yes	2.3	I
	475	65.3	70.5	69.4	73.0	73	70	yes	yes	yes	yes	3.0	I
	476	64.8	70.1	65.3	71.3	71	70	yes	yes	yes	yes	1.3	I
	477	64.9	70.1	67.1	71.9	72	70	yes	yes	yes	yes	1.9	I
	478	64.4	69.7	63.6	70.7	71	70	yes	yes	yes	yes	0.7	I
	479	64.4	69.6	65.3	71.0	71	70	yes	yes	yes	yes	1	I
	480	64.7	69.9	68.3	72.2	72	70	yes	yes	yes	yes	2.2	I
	491	64.7	69.9	68.3	72.2	72	70	yes	yes	yes	yes	2.2	I
	492	64.1	69.4	64.5	70.6	71	70	yes	yes	yes	yes	0.6	I
	493	63.1	68.4	58.1	68.8	69	70	no	yes	no	no	N/A	N/A
	494	45.4	50.2	48.3	52.3	52	70	no	yes	yes	no	N/A	N/A
	495	47.0	52.2	48.1	53.6	54	70	no	yes	yes	no	N/A	N/A
	496	48.9	54.3	47.9	55.2	55	70	no	yes	no	no	N/A	N/A
	497	49.1	54.5	47.8	55.3	55	70	no	yes	no	no	N/A	N/A
	498	49.0	54.3	47.5	55.1	55	70	no	yes	no	no	N/A	N/A
	499	48.8	54.1	47.5	54.9	55	70	no	yes	no	no	N/A	N/A
	520	48.7	54.0	46.7	54.7	55	70	no	yes	no	no	N/A	N/A
	521	48.0	53.2	47.2	54.2	54	70	no	yes	yes	no	N/A	N/A
	522	47.2	52.5	48.3	53.9	54	70	no	yes	yes	no	N/A	N/A
	523	47.2	52.5	55.1	57.0	57	70	no	yes	yes	no	N/A	N/A
	524	47.4	52.8	57.9	59.0	59	70	no	yes	yes	no	N/A	N/A
	525	48.2	53.4	59.4	60.4	60	70	no	yes	yes	no	N/A	N/A
	526	48.4	53.7	54.4	57.0	57	70	no	yes	yes	no	N/A	N/A
Block 9	931	54.9	60.0	50.7	60.5	61	70	no	yes	no	no	N/A	N/A
	932	58.8	64.4	61.8	66.3	66	70	no	yes	yes	no	N/A	N/A
	933	59.3	64.8	62.4	66.8	67	70	no	yes	yes	no	N/A	N/A
	934	53.4	58.5	57.3	60.9	61	70	no	yes	yes	no	N/A	N/A
	935	45.1	49.9	63.5	63.7	64	70	no	yes	yes	no	N/A	N/A
	936	46.7	51.7	62.4	62.8	63	70	no	yes	yes	no	N/A	N/A
	937	47.1	51.7	64.6	64.8	65	70	no	yes	yes	no	N/A	N/A
	938	48.7	53.6	60.5	61.3	61	70	no	yes	yes	no	N/A	N/A
	939	48.5	53.5	59.2	60.2	60	70	no	yes	yes	no	N/A	N/A
	940	48.2	53.2	61.1	61.8	62	70	no	yes	yes	no	N/A	N/A
	941	48.1	53.1	62.3	62.8	63	70	no	yes	yes	no	N/A	N/A
	942	62.6	68.0	72.7	74.0	74	70	yes	yes	yes	yes	4.0	I
	943	62.6	67.9	73.5	74.5	75	70	yes	yes	yes	yes	4.5	I
	944	62.5	67.8	72.0	73.4	73	70	yes	yes	yes	yes	3.4	I
	945	62.6	68.0	72.6	73.9	74	70	yes	yes	yes	yes	3.9	I
	946	63.0	68.3	73.7	74.8	75	70	yes	yes	yes	yes	4.8	I
	947	63.1	68.4	73.7	74.8	75	70	yes	yes	yes	yes	4.8	I
	948	63.2	68.6	73.2	74.5	75	70	yes	yes	yes	yes	4.5	I
	949	63.2	68.7	71.4	73.2	73	70	yes	yes	yes	yes	3.2	I
	950	49.2	54.2	51.8	56.2	56	70	no	yes	yes	no	N/A	N/A
	951	57.7	62.9	51.5	63.2	63	70	no	yes	no	no	N/A	N/A
	952	49.4	54.5	51.4	56.2	56	70	no	yes	yes	no	N/A	N/A
	953	49.3	54.4	51.6	56.2	56	70	no	yes	yes	no	N/A	N/A
	954	49.4	54.3	51.2	56.0	56	70	no	yes	yes	no	N/A	N/A

**SUMMARY OF NUMBER OF DWELLINGS ELIGIBLE FOR INDIRECT TECHNICAL REMEDIES
AT SIU HONG COURT**

	Block K	Block P	Block Q	Block R	TOTAL
Total no. of dwellings	248	248	248	248	992
No. of dwellings eligible for Indirect Technical Remedies (window type I)	31	39	112	69	251
Percentage for Dwellings Recommended for Indirect Technical Remedies	13%	16%	45%	28%	25%




FIGURE F2a LOCATION OF NOISE SENSITIVE RECEIVERS AT SIU HONG COURT

FILE: C1707234
DATE: 13/06/99

Environmental
Resources
Management



Recommendation of Indirect Technical Remedies with Special Window Type at the Individual Flat at Siu Hong Court (Block K, P, Q, R)

Floor	BLOCK K										BLOCK P										BLOCK Q					BLOCK R					TOTAL		
	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375		376	380
31	N/A	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
30	N/A	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
29	N/A	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
27	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
26	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
25	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
24	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
23	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
22	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
21	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
20	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
19	I	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
18	I	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
17	I	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
16	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
15	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
14	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
13	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
12	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
11	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
9	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
8	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
7	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
6	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total no. of dwellings	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31
No. of dwellings eligible for Indirect Technical Remedies (Window type I)	25	6	0	0	0	0	0	0	0	20	19	0	0	0	0	0	24	29	30	29	0	0	0	0	19	23	4	0	0	0	0	0	
Percentage for Dwellings Recommended for Indirect Technical Remedies	81%	19%	0%	0%	0%	0%	0%	0%	0%	65%	61%	0%	0%	0%	0%	0%	77%	94%	97%	94%	0%	0%	0%	61%	74%	13%	0%	0%	0%	0%	0%	0%	

Recommendation of Indirect Remediation with Special Window Type
at the Individual Flat of Block K At Siu Hong Court

BLOCK K		Window Type Recommended at Each NSR							
Floor	346	347	348	349	350	351	352	353	
31	N/A	I	N/A	N/A	N/A	N/A	N/A	N/A	
30	N/A	I	N/A	N/A	N/A	N/A	N/A	N/A	
29	N/A	I	N/A	N/A	N/A	N/A	N/A	N/A	
28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
27	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
26	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
25	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
24	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
23	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
22	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
21	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
20	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
19	I	I	N/A	N/A	N/A	N/A	N/A	N/A	
18	I	I	N/A	N/A	N/A	N/A	N/A	N/A	
17	I	I	N/A	N/A	N/A	N/A	N/A	N/A	
16	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
15	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
14	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
13	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
12	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
11	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
10	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
9	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
8	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
7	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
6	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
5	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
4	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
3	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
									Total
Total no. of dwelling	31	31	31	31	31	31	31	31	248
No. of dwellings eligible for Indirect Technical Remedies (window type I)	25	6	0	0	0	0	0	0	31
Percentage for Dwellings Recommended for Indirect Technical Remedies	81%	19%	0%	0%	0%	0%	0%	0%	13%

Recommendation of Indirect Remediation with Special Window Type
at the Individual Flat of Block P At Siu Hong Court

BLOCK P	Window Type Recommended at Each NSR								
	Floor	354	355	356	357	358	359	360	361
31	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
30	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
29	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
27	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
26	N/A	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A
25	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
24	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
23	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
22	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
21	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
20	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
19	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
18	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
17	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
16	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
15	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
14	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
13	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
12	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
11	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
10	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
9	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
8	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
7	N/A	I	I	N/A	N/A	N/A	N/A	N/A	N/A
6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total no. of dwelling	31	31	31	31	31	31	31	31	Total 248
No. of dwellings eligible for Indirect Technical Remedies (window type I)	0	20	19	0	0	0	0	0	39
Percentage for Dwellings Recommended for Indirect Technical Remedies	0%	65%	61%	0%	0%	0%	0%	0%	16%

Recommendation of Indirect Remediation with Special Window Type
at the Individual Flat of Block Q At Siu Hong Court

BLOCK Q	Window Type Recommended at Each NSR								
	Floor	362	363	364	365	366	367	368	369
31					N/A	N/A	N/A	N/A	
30					N/A	N/A	N/A	N/A	
29					N/A	N/A	N/A	N/A	
28					N/A	N/A	N/A	N/A	
27					N/A	N/A	N/A	N/A	
26					N/A	N/A	N/A	N/A	
25					N/A	N/A	N/A	N/A	
24					N/A	N/A	N/A	N/A	
23					N/A	N/A	N/A	N/A	
22					N/A	N/A	N/A	N/A	
21					N/A	N/A	N/A	N/A	
20					N/A	N/A	N/A	N/A	
19					N/A	N/A	N/A	N/A	
18					N/A	N/A	N/A	N/A	
17					N/A	N/A	N/A	N/A	
16					N/A	N/A	N/A	N/A	
15					N/A	N/A	N/A	N/A	
14					N/A	N/A	N/A	N/A	
13					N/A	N/A	N/A	N/A	
12					N/A	N/A	N/A	N/A	
11					N/A	N/A	N/A	N/A	
10					N/A	N/A	N/A	N/A	
9					N/A	N/A	N/A	N/A	
8					N/A	N/A	N/A	N/A	
7	N/A				N/A	N/A	N/A	N/A	
6	N/A				N/A	N/A	N/A	N/A	
5	N/A				N/A	N/A	N/A	N/A	
4	N/A				N/A	N/A	N/A	N/A	
3	N/A				N/A	N/A	N/A	N/A	
2	N/A	N/A		N/A	N/A	N/A	N/A	N/A	
1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Total no. of dwelling	31	31	31	31	31	31	31	31	Total 248
No. of dwellings eligible for Indirect Technical Remedies (window type I)	24	29	30	29	0	0	0	0	112
Percentage for Dwellings Recommended for Indirect Technical Remedies	77%	94%	97%	94%	0%	0%	0%	0%	45%

Recommendation of Indirect Remediation with Special Window Type
at the Individual Flat of Block R At Siu Hong Court

BLOCK R	Window Type Recommended at Each NSR								
	Floor	370	371	372	373	374	375	376	380
31				N/A	N/A	N/A	N/A	N/A	
30				N/A	N/A	N/A	N/A	N/A	
29				N/A	N/A	N/A	N/A	N/A	
28				N/A	N/A	N/A	N/A	N/A	
27				N/A	N/A	N/A	N/A	N/A	
26				N/A	N/A	N/A	N/A	N/A	
25				N/A	N/A	N/A	N/A	N/A	
24				N/A	N/A	N/A	N/A	N/A	
23				N/A	N/A	N/A	N/A	N/A	
22				N/A	N/A	N/A	N/A	N/A	
21				N/A	N/A	N/A	N/A	N/A	
20				N/A	N/A	N/A	N/A	N/A	
19				N/A	N/A	N/A	N/A	N/A	
18				N/A	N/A	N/A	N/A	N/A	
17					N/A	N/A	N/A	N/A	
16					N/A	N/A	N/A	N/A	
15					N/A	N/A	N/A	N/A	
14					N/A	N/A	N/A	N/A	
13				N/A	N/A	N/A	N/A	N/A	
12	N/A			N/A	N/A	N/A	N/A	N/A	
11	N/A			N/A	N/A	N/A	N/A	N/A	
10	N/A			N/A	N/A	N/A	N/A	N/A	
9	N/A			N/A	N/A	N/A	N/A	N/A	
8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Total no. of dwelling	31	31	31	31	31	31	31	31	Total 248
No. of dwellings eligible for Indirect Technical Remedies (window type I)	19	23	23	4	0	0	0	0	69
Percentage for Dwellings Recommended for Indirect Technical Remedies	61%	74%	74%	13%	0%	0%	0%	0%	28%

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	NSR	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Block K	346	64.7	63.8	63.7	66.8	67	70	70	no	yes	yes	no	N/A	N/A
	347	74.1	76.1	69.2	76.9	77	70	70	yes	yes	no	no	N/A	N/A
	348	74.1	76.3	68.5	77.0	77	70	70	yes	yes	no	no	N/A	N/A
	349	62.4	65.0	45.0	65.0	65	70	70	no	yes	no	no	N/A	N/A
	350	42.0	44.0	38.6	45.1	45	70	70	no	yes	yes	no	N/A	N/A
	351	41.3	43.3	38.7	44.6	45	70	70	no	yes	yes	no	N/A	N/A
	352	55.1	43.0	51.7	52.2	52	70	70	no	no	yes	no	N/A	N/A
	353	60.1	43.1	58.6	58.7	59	70	70	no	no	yes	no	N/A	N/A
	354	63.9	41.5	61.0	61.1	61	70	70	no	no	yes	no	N/A	N/A
	355	69.0	65.6	66.4	69.0	69	70	70	no	no	yes	no	N/A	N/A
Block P	356	69.3	65.7	67.4	69.6	70	70	70	no	no	yes	no	N/A	N/A
	357	66.2	63.1	65.6	67.6	68	70	70	no	yes	yes	no	N/A	N/A
	358	62.1	61.2	62.8	65.1	65	70	70	no	yes	yes	no	N/A	N/A
	359	42.6	44.0	40.6	45.6	46	70	70	no	yes	yes	no	N/A	N/A
	360	56.5	51.1	53.4	55.4	55	70	70	no	no	yes	no	N/A	N/A
	361	59.5	41.5	55.7	55.9	56	70	70	no	no	yes	no	N/A	N/A
	362	73.3	40.0	65.5	65.5	66	70	70	no	no	yes	no	N/A	N/A
	363	76.9	66.1	69.6	71.2	71	70	70	yes	no	yes	no	N/A	N/A
	364	76.7	68.0	71.1	72.8	73	70	70	yes	no	yes	no	N/A	N/A
	365	73.6	69.1	66.5	71.0	71	70	70	yes	no	yes	no	N/A	N/A
Block Q	366	62.7	65.1	45.4	65.2	65	70	70	no	yes	no	no	N/A	N/A
	367	61.5	64.0	44.8	64.0	64	70	70	no	yes	no	no	N/A	N/A
	368	56.4	38.3	46.3	46.9	47	70	70	no	no	yes	no	N/A	N/A
	369	50.0	38.2	45.1	45.9	46	70	70	no	no	yes	no	N/A	N/A
	370	73.3	53.9	69.6	69.7	70	70	70	no	no	yes	no	N/A	N/A
	371	75.6	54.0	69.3	69.5	70	70	70	no	no	yes	no	N/A	N/A
	372	75.1	52.0	68.3	68.4	68	70	70	no	no	yes	no	N/A	N/A
	373	71.2	38.4	58.1	58.2	58	70	70	no	no	yes	no	N/A	N/A
	374	41.5	37.8	44.3	45.1	45	70	70	no	yes	yes	no	N/A	N/A
	375	41.7	39.8	43.8	45.3	45	70	70	no	yes	yes	no	N/A	N/A
Block R	376	65.8	40.8	65.3	65.4	65	70	70	no	no	yes	no	N/A	N/A
	380	64.9	41.6	60.8	60.8	61	70	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended
Block K	346	68.0	68.3	67.4	70.9	70	yes	yes	yes	yes	0.9	I
	347	74.5	76.5	69.5	77.3	70	yes	yes	no	no	N/A	N/A
	348	74.5	76.7	68.6	77.3	70	yes	yes	no	no	N/A	N/A
	349	66.8	69.4	45.4	69.4	70	no	yes	no	no	N/A	N/A
	350	41.9	44.0	38.5	45.1	70	no	yes	yes	no	N/A	N/A
	351	41.3	43.2	38.6	44.5	70	no	yes	yes	no	N/A	N/A
	352	56.0	42.9	54.0	54.3	70	no	no	yes	no	N/A	N/A
	353	61.9	43.0	61.6	61.6	70	no	no	yes	no	N/A	N/A
Block P	354	63.9	41.6	61.2	61.3	70	no	no	yes	no	N/A	N/A
	355	68.9	65.6	66.6	69.1	70	no	no	yes	no	N/A	N/A
	356	69.2	65.6	67.4	69.6	70	no	no	yes	no	N/A	N/A
	357	66.2	63.2	65.7	67.6	70	no	yes	yes	no	N/A	N/A
	358	62.1	61.2	62.7	65.1	70	no	yes	yes	no	N/A	N/A
	359	43.9	45.2	40.6	46.5	70	no	yes	yes	no	N/A	N/A
	360	56.5	51.1	53.4	55.4	70	no	no	yes	no	N/A	N/A
	361	59.5	41.6	56.1	56.2	70	no	no	yes	no	N/A	N/A
Block Q	362	73.1	39.9	66.4	66.4	70	no	no	yes	no	N/A	N/A
	363	76.5	67.3	76.8	77.3	70	yes	no	yes	no	N/A	N/A
	364	76.3	68.1	78.7	79.1	70	yes	yes	yes	yes	9.1	I
	365	73.4	68.9	69.5	72.2	70	yes	no	yes	no	N/A	N/A
	366	62.7	65.2	45.4	65.2	70	no	yes	no	no	N/A	N/A
	367	61.5	64.0	44.8	64.0	70	no	yes	no	no	N/A	N/A
	368	56.3	38.3	46.6	47.2	70	no	no	yes	no	N/A	N/A
	369	50.0	38.2	45.1	45.9	70	no	no	yes	no	N/A	N/A
Block R	370	73.1	54.0	69.6	69.7	70	no	no	yes	no	N/A	N/A
	371	75.3	55.5	69.7	69.9	70	no	no	yes	no	N/A	N/A
	372	74.9	52.0	69.0	69.1	70	no	no	yes	no	N/A	N/A
	373	71.0	38.4	59.8	59.8	70	no	no	yes	no	N/A	N/A
	374	41.4	37.8	44.2	45.1	70	no	yes	yes	no	N/A	N/A
	375	41.6	39.8	43.8	45.3	70	no	yes	yes	no	N/A	N/A
	376	65.7	41.0	65.4	65.4	70	no	no	yes	no	N/A	N/A
	380	64.7	42.2	60.9	61.0	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 "Existing roads" L ₁₀	2021 "New roads" L ₁₀	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F)-(B) ≥ 1dB	2nd criterion (F)-(C) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended
Block K	346	70.8	71.9	68.8	73.6	74	70	yes	yes	yes	yes	3.6	I
	347	74.1	76.1	69.4	77.0	77	70	yes	yes	no	no	N/A	N/A
	348	74.1	76.3	68.4	77.0	77	70	yes	yes	no	no	N/A	N/A
	349	70.4	73.0	45.8	73.0	73	70	yes	yes	no	no	N/A	N/A
	350	41.7	43.8	38.4	44.9	45	70	no	yes	yes	no	N/A	N/A
	351	41.2	43.1	38.5	44.4	44	70	no	yes	yes	no	N/A	N/A
	352	56.0	42.8	55.6	55.8	56	70	no	no	yes	no	N/A	N/A
	353	62.0	42.9	62.9	63.0	63	70	no	yes	yes	no	N/A	N/A
Block P	354	63.9	41.6	61.4	61.4	61	70	no	no	yes	no	N/A	N/A
	355	68.9	65.5	66.7	69.2	69	70	no	no	yes	no	N/A	N/A
	356	69.2	65.5	67.5	69.6	70	70	no	no	yes	no	N/A	N/A
	357	66.2	63.2	65.7	67.7	68	70	no	yes	yes	no	N/A	N/A
	358	62.2	61.4	62.7	65.1	65	70	no	yes	yes	no	N/A	N/A
	359	45.5	46.7	40.6	47.6	48	70	no	yes	no	no	N/A	N/A
	360	56.5	51.1	53.4	55.4	55	70	no	no	yes	no	N/A	N/A
	361	59.5	41.7	56.3	56.5	57	70	no	no	yes	no	N/A	N/A
Block Q	362	72.9	39.9	68.2	68.2	68	70	no	no	yes	no	N/A	N/A
	363	76.1	67.4	78.0	78.4	78	70	yes	yes	yes	yes	8.4	I
	364	75.9	68.3	79.2	79.5	80	70	yes	yes	yes	yes	9.5	I
	365	73.2	68.7	74.0	75.2	75	70	yes	yes	yes	yes	5.2	I
	366	62.6	65.1	45.3	65.1	65	70	no	yes	no	no	N/A	N/A
	367	61.5	63.9	44.7	64.0	64	70	no	yes	no	no	N/A	N/A
	368	56.3	38.3	46.9	47.5	48	70	no	no	yes	no	N/A	N/A
	369	50.0	38.2	45.1	45.9	46	70	no	no	yes	no	N/A	N/A
Block R	370	73.0	54.0	69.6	69.8	70	70	no	no	yes	no	N/A	N/A
	371	75.0	58.5	70.6	70.9	71	70	yes	no	yes	no	N/A	N/A
	372	74.6	52.1	70.6	70.7	71	70	yes	no	yes	no	N/A	N/A
	373	70.9	38.4	61.6	61.7	62	70	no	no	yes	no	N/A	N/A
	374	41.4	37.9	44.2	45.1	45	70	no	yes	yes	no	N/A	N/A
	375	41.6	39.8	43.8	45.2	45	70	no	yes	yes	no	N/A	N/A
	376	65.6	41.2	65.4	65.4	65	70	no	no	yes	no	N/A	N/A
	380	64.5	42.7	61.1	61.2	61	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended
Block K	346	71.3	69.0	74.1	74	70	yes	yes	yes	yes	4.1	I
	347	73.8	69.2	76.7	77	70	yes	yes	no	no	N/A	N/A
	348	73.9	68.1	76.7	77	70	yes	yes	no	no	N/A	N/A
	349	70.9	46.4	73.5	74	70	yes	yes	no	no	N/A	N/A
	350	41.6	38.3	44.8	45	70	no	yes	yes	no	N/A	N/A
	351	41.1	38.5	44.3	44	70	no	yes	yes	no	N/A	N/A
	352	55.9	42.7	57.8	58	70	no	yes	yes	no	N/A	N/A
	353	62.0	42.8	64.3	64	70	no	yes	yes	no	N/A	N/A
	354	63.8	41.6	61.8	62	70	no	no	yes	no	N/A	N/A
	355	68.8	65.5	67.1	69	70	no	no	yes	no	N/A	N/A
Block P	356	69.1	65.6	67.7	70	70	no	no	yes	no	N/A	N/A
	357	66.2	63.3	67.6	68	70	no	yes	yes	no	N/A	N/A
	358	62.3	61.5	65.2	65	70	no	yes	yes	no	N/A	N/A
	359	47.4	48.5	49.2	49	70	no	yes	no	no	N/A	N/A
	360	56.5	51.1	55.4	55	70	no	no	yes	no	N/A	N/A
	361	59.4	41.7	56.7	57	70	no	no	yes	no	N/A	N/A
	362	72.6	39.7	71.0	71	70	yes	no	yes	no	N/A	N/A
	363	75.6	67.1	77.7	78	70	yes	yes	yes	yes	8.1	I
	364	75.4	67.9	78.9	79	70	yes	yes	yes	yes	9.2	I
	365	73.0	68.6	75.7	77	70	yes	yes	yes	yes	6.5	I
Block Q	366	62.6	65.0	65.1	65	70	no	yes	no	no	N/A	N/A
	367	61.4	63.9	63.9	64	70	no	yes	no	no	N/A	N/A
	368	56.2	38.3	47.2	48	70	no	no	yes	no	N/A	N/A
	369	50.0	38.2	45.0	46	70	no	no	yes	no	N/A	N/A
	370	72.7	54.1	69.6	70	70	no	no	yes	no	N/A	N/A
	371	74.6	59.4	71.6	72	70	yes	no	yes	no	N/A	N/A
	372	74.2	52.1	72.1	72	70	yes	no	yes	no	N/A	N/A
	373	70.7	38.4	64.1	64	70	no	no	yes	no	N/A	N/A
	374	41.3	37.8	44.2	45	70	no	yes	yes	no	N/A	N/A
	375	41.5	39.8	43.7	45	70	no	no	yes	no	N/A	N/A
Block R	376	65.4	41.4	65.4	65	70	no	no	yes	no	N/A	N/A
	380	64.4	43.3	61.3	61	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	NSR	(A)	(B)	(C)		(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
				2021 "Existing roads"	2021 "New roads"										
		2001 L ₁₀	2021 L ₁₀	2021 L ₁₀	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended		
Block K	346	71.2	72.5	69.0	74.1	74	70	yes	yes	yes	yes	4.1	I		
	347	73.5	75.5	69.0	76.4	76	70	yes	yes	no	no	N/A	N/A		
	348	73.6	75.7	67.9	76.4	76	70	yes	yes	no	no	N/A	N/A		
	349	70.9	73.5	46.7	73.5	74	70	yes	yes	no	no	N/A	N/A		
	350	41.5	43.6	38.2	44.7	45	70	no	yes	yes	no	N/A	N/A		
	351	40.9	42.9	38.4	44.2	44	70	no	yes	yes	no	N/A	N/A		
	352	55.7	42.6	58.6	58.7	59	70	no	yes	yes	no	N/A	N/A		
	353	61.8	42.7	64.9	64.9	65	70	no	yes	yes	no	N/A	N/A		
Block P	354	63.7	41.6	62.2	62.3	62	70	no	no	yes	no	N/A	N/A		
	355	68.7	65.5	67.6	69.7	70	70	no	yes	yes	no	N/A	N/A		
	356	69.1	65.6	67.9	69.9	70	70	no	no	yes	no	N/A	N/A		
	357	66.2	63.4	65.7	67.7	68	70	no	yes	yes	no	N/A	N/A		
	358	62.4	61.8	62.6	65.3	65	70	no	yes	yes	no	N/A	N/A		
	359	49.4	50.9	40.5	51.3	51	70	no	yes	no	no	N/A	N/A		
	360	56.4	51.1	53.5	55.5	56	70	no	no	yes	no	N/A	N/A		
	361	59.4	41.8	57.0	57.2	57	70	no	no	yes	no	N/A	N/A		
Block Q	362	72.3	39.6	72.0	72.0	72	70	yes	no	yes	no	N/A	N/A		
	363	75.1	66.7	77.5	77.9	78	70	yes	yes	yes	yes	7.9	I		
	364	75.0	67.6	78.5	78.8	79	70	yes	yes	yes	yes	8.8	I		
	365	72.7	68.5	75.8	76.6	77	70	yes	yes	yes	yes	6.6	I		
	366	62.5	65.0	45.1	65.0	65	70	no	yes	no	no	N/A	N/A		
	367	61.4	63.8	44.5	63.9	64	70	no	yes	no	no	N/A	N/A		
	368	56.2	38.2	47.6	48.0	48	70	no	no	yes	no	N/A	N/A		
	369	49.9	38.1	45.0	45.8	46	70	no	no	yes	no	N/A	N/A		
Block R	370	72.4	54.2	69.6	69.8	70	70	no	no	yes	no	N/A	N/A		
	371	74.2	59.5	71.9	72.1	72	70	yes	no	yes	no	N/A	N/A		
	372	73.9	52.2	72.6	72.6	73	70	yes	no	yes	no	N/A	N/A		
	373	70.5	38.4	66.6	66.6	67	70	no	no	yes	no	N/A	N/A		
	374	41.1	37.8	44.1	45.0	45	70	no	yes	yes	no	N/A	N/A		
	375	41.4	39.8	43.6	45.1	45	70	no	yes	yes	no	N/A	N/A		
	376	65.3	41.7	65.4	65.4	65	70	no	no	yes	no	N/A	N/A		
	380	64.1	44.0	61.3	61.4	61	70	no	no	yes	no	N/A	N/A		

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 "Existing roads" L ₁₀	2021 "New roads" L ₁₀	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F)-(B) ≥ 1dB	2nd criterion (F)-(C) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Exceedance	Window Type Recommended
Block K	346	71.1	72.4	68.9	74.0	74	70	yes	yes	yes	4	I
	347	73.3	75.3	68.7	76.1	76	70	yes	yes	no	N/A	N/A
	348	73.3	75.5	67.6	76.1	76	70	yes	yes	no	N/A	N/A
	349	70.8	73.4	47.3	73.4	73	70	yes	yes	no	N/A	N/A
	350	41.4	43.5	38.2	44.6	45	70	no	yes	no	N/A	N/A
	351	40.8	42.8	38.3	44.1	44	70	no	yes	no	N/A	N/A
	352	55.6	42.5	58.9	59.0	59	70	no	yes	yes	N/A	N/A
	353	61.7	42.6	65.0	65.1	65	70	no	yes	yes	N/A	N/A
	354	63.7	41.5	62.8	62.9	63	70	no	yes	yes	N/A	N/A
	355	68.6	65.4	68.4	70.2	70	70	no	yes	yes	N/A	N/A
Block P	356	69.0	65.5	68.6	70.3	70	70	no	yes	yes	N/A	N/A
	357	66.3	63.7	65.8	67.9	68	70	no	yes	yes	N/A	N/A
	358	62.5	62.2	62.6	65.4	65	70	no	yes	yes	N/A	N/A
	359	51.4	53.2	40.5	53.4	53	70	no	yes	no	N/A	N/A
	360	56.4	51.1	53.5	55.5	56	70	no	yes	no	N/A	N/A
	361	59.3	41.9	57.4	57.5	58	70	no	no	yes	N/A	N/A
	362	72.0	39.5	72.2	72.2	72	70	yes	no	yes	N/A	N/A
	363	74.7	66.4	77.4	77.7	78	70	yes	yes	yes	7.7	I
	364	74.6	67.2	78.1	78.5	79	70	yes	yes	yes	8.5	I
	365	72.5	68.4	75.7	76.4	76	70	yes	yes	yes	6.4	I
Block Q	366	62.6	65.1	45.0	65.1	65	70	no	yes	no	N/A	N/A
	367	61.4	63.8	44.4	63.8	64	70	no	yes	no	N/A	N/A
	368	56.0	38.1	47.9	48.3	48	70	no	no	yes	N/A	N/A
	369	49.8	38.0	44.8	45.6	46	70	no	no	yes	N/A	N/A
	370	72.1	54.2	69.7	69.8	70	70	no	no	yes	N/A	N/A
	371	73.8	59.4	72.2	72.4	72	70	yes	no	yes	N/A	N/A
	372	73.5	52.2	72.8	72.8	73	70	yes	no	yes	N/A	N/A
	373	70.2	38.4	68.3	68.3	68	70	no	no	yes	N/A	N/A
	374	41.0	37.7	44.0	44.9	45	70	no	yes	no	N/A	N/A
	375	41.4	39.8	43.5	45.1	45	70	no	yes	yes	N/A	N/A
Block R	376	65.1	42.0	65.3	65.3	65	70	no	no	yes	N/A	N/A
	380	63.9	44.6	61.3	61.4	61	70	no	no	yes	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 "Existing roads" L ₁₀	(D) 2021 "New roads" L ₁₀	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended	
Block K	346	70.8	72.1	68.7	73.7	74	70	yes	yes	yes	yes	3.7	I	
	347	73.0	75.0	68.5	75.9	76	70	yes	yes	no	no	N/A	N/A	
	348	73.0	75.2	67.3	75.8	76	70	yes	yes	no	no	N/A	N/A	
	349	70.5	73.1	47.7	73.1	73	70	yes	yes	no	no	N/A	N/A	
	350	41.2	43.3	38.0	44.4	44	70	no	yes	yes	no	N/A	N/A	
	351	40.7	42.7	38.2	44.0	44	70	no	yes	yes	no	N/A	N/A	
	352	55.5	42.3	59.1	59.2	59	70	no	yes	yes	no	N/A	N/A	
	353	61.5	42.4	65.2	65.2	65	70	no	yes	yes	no	N/A	N/A	
	354	63.6	41.5	64.1	64.1	64	70	no	yes	yes	no	N/A	N/A	
	355	68.5	65.5	69.6	69.6	71	70	yes	yes	yes	yes	1	I	
	356	68.9	65.7	69.2	69.2	71	70	yes	yes	yes	yes	0.8	I	
	357	66.2	63.9	65.9	65.9	68	70	no	yes	yes	no	N/A	N/A	
	358	62.7	62.6	62.5	62.5	66	70	no	yes	yes	no	N/A	N/A	
	359	53.3	55.3	40.4	55.4	55	70	no	yes	no	no	N/A	N/A	
	360	56.4	51.1	53.6	53.6	56	70	no	no	yes	no	N/A	N/A	
Block Q	361	59.3	42.0	57.9	58.1	58	70	no	no	yes	no	N/A	N/A	
	362	71.7	39.4	72.3	72.3	72	70	yes	no	yes	no	N/A	N/A	
	363	74.2	66.1	77.1	77.1	78	70	yes	yes	yes	yes	7.5	I	
	364	74.2	66.9	77.8	78.2	78	70	yes	yes	yes	yes	8.2	I	
	365	72.2	68.2	75.4	76.1	76	70	yes	yes	yes	yes	6.1	I	
	366	62.9	65.4	44.8	65.5	66	70	no	yes	no	no	N/A	N/A	
	367	61.5	64.0	44.3	64.0	64	70	no	yes	no	no	N/A	N/A	
	368	55.9	38.0	48.3	48.3	49	70	no	no	yes	no	N/A	N/A	
	369	49.8	37.9	44.7	44.7	46	70	no	no	yes	no	N/A	N/A	
	Block R	370	71.8	54.4	69.8	69.9	70	70	no	no	yes	no	N/A	N/A
		371	73.4	59.2	72.6	72.8	73	70	yes	no	yes	no	N/A	N/A
		372	73.1	52.3	73.1	73.2	73	70	yes	no	yes	no	N/A	N/A
		373	70.0	38.4	68.8	68.8	69	70	no	no	yes	no	N/A	N/A
		374	40.9	37.7	43.8	44.8	45	70	no	yes	yes	no	N/A	N/A
		375	41.2	39.8	43.4	45.0	45	70	no	yes	yes	no	N/A	N/A
376		65.0	42.4	65.3	65.3	65	70	no	no	yes	no	N/A	N/A	
380		63.7	45.4	61.4	61.5	62	70	no	no	yes	no	N/A	N/A	

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	
Location	NSR	2001 L ₁₀	2021 "Existing roads" L ₁₀	2021 "New roads" L ₁₀	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion" (F) > (G)	1st criterion - (F)-(B) ≥ 1dB	2nd criterion (F)-(C) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended
Block K	346	70.6	71.9	68.6	73.6	74	70	yes	yes	yes	yes	3.6	I
	347	72.7	74.7	68.3	75.6	76	70	yes	yes	no	no	N/A	N/A
	348	72.7	74.9	67.1	75.6	76	70	yes	yes	no	no	N/A	N/A
	349	70.3	72.9	48.1	72.9	73	70	yes	yes	no	no	N/A	N/A
	350	41.1	43.2	37.9	44.3	44	70	no	yes	yes	no	N/A	N/A
	351	40.6	42.5	38.2	43.9	44	70	no	yes	yes	no	N/A	N/A
	352	55.4	42.2	59.0	59.1	59	70	no	yes	yes	no	N/A	N/A
	353	61.4	42.3	65.1	65.1	65	70	no	yes	yes	no	N/A	N/A
	354	63.5	41.5	64.8	64.8	65	70	no	yes	yes	no	N/A	N/A
	355	68.5	65.7	70.4	71.7	72	70	yes	yes	yes	yes	1.7	I
Block P	356	68.9	66.0	69.8	71.3	71	70	yes	yes	yes	yes	1.3	I
	357	66.2	64.0	66.1	68.2	68	70	no	yes	yes	no	N/A	N/A
	358	62.7	62.7	62.4	65.6	66	70	no	yes	yes	no	N/A	N/A
	359	54.2	56.4	40.4	56.5	57	70	no	yes	no	no	N/A	N/A
	360	56.3	51.1	53.7	55.6	56	70	no	no	yes	no	N/A	N/A
	361	59.2	42.2	59.0	59.1	59	70	no	no	yes	no	N/A	N/A
	362	71.4	39.3	72.5	72.5	73	70	yes	yes	yes	yes	2.5	I
	363	73.8	65.8	76.8	77.2	77	70	yes	yes	yes	yes	7.2	I
	364	73.8	66.6	77.5	77.8	78	70	yes	yes	yes	yes	7.8	I
	365	71.9	67.9	75.1	75.8	76	70	yes	yes	yes	yes	5.8	I
Block Q	366	63.5	66.1	44.6	66.1	66	70	no	yes	no	no	N/A	N/A
	367	62.0	64.4	44.2	64.5	65	70	no	yes	no	no	N/A	N/A
	368	55.7	38.0	48.7	49.1	49	70	no	no	yes	no	N/A	N/A
	369	49.8	37.8	44.5	45.3	45	70	no	no	yes	no	N/A	N/A
	370	71.5	54.5	70.0	70.1	70	70	no	no	yes	no	N/A	N/A
	371	73.0	59.0	73.0	73.2	73	70	yes	no	yes	no	N/A	N/A
	372	72.8	52.3	73.4	73.5	74	70	yes	no	yes	no	N/A	N/A
	373	69.7	38.5	69.2	69.2	69	70	no	no	yes	no	N/A	N/A
	374	40.7	37.6	43.7	44.7	45	70	no	yes	yes	no	N/A	N/A
	375	41.1	39.7	43.3	44.9	45	70	no	yes	yes	no	N/A	N/A
Block R	376	64.8	42.8	65.2	65.3	65	70	no	no	yes	no	N/A	N/A
	380	63.5	46.1	61.5	61.6	62	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	NSR	(B)		(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
		2001 L ₁₀	2021 "Existing roads"	2021 "New roads"	*2021 Total L ₁₀	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended		
Block K	346	70.4	71.7	68.4	73.4	70	73	70	yes	yes	yes	yes	3.4	I
	347	72.4	74.4	68.0	75.3	70	75	70	yes	yes	no	no	N/A	N/A
	348	72.4	74.6	66.9	75.3	70	75	70	yes	yes	no	no	N/A	N/A
	349	70.1	72.7	48.4	72.7	70	73	70	yes	yes	no	no	N/A	N/A
	350	40.9	43.0	37.8	44.2	70	44	44	no	yes	yes	no	N/A	N/A
	351	40.5	42.5	38.0	43.8	70	44	44	no	yes	yes	no	N/A	N/A
	352	55.2	42.1	59.0	59.1	70	59	59	no	yes	yes	no	N/A	N/A
	353	61.2	42.1	65.0	65.0	70	65	65	no	yes	yes	no	N/A	N/A
	354	63.4	41.4	65.8	65.9	70	66	66	no	yes	yes	no	N/A	N/A
	355	68.5	66.0	70.6	71.9	70	72	72	yes	yes	yes	yes	1.9	I
Block Q	356	69.0	66.5	70.1	71.7	70	72	70	yes	yes	yes	yes	1.7	I
	357	66.2	64.2	66.3	68.4	70	68	70	no	yes	yes	no	N/A	N/A
	358	62.8	62.8	62.4	65.6	70	66	70	no	yes	yes	no	N/A	N/A
	359	54.7	56.8	40.4	56.9	70	57	70	no	yes	no	no	N/A	N/A
	360	56.3	51.1	53.7	55.6	70	56	70	no	no	yes	no	N/A	N/A
	361	59.1	42.3	59.4	59.5	70	60	70	no	no	yes	no	N/A	N/A
	362	71.1	39.1	72.7	72.7	70	73	70	yes	yes	yes	yes	2.7	I
	363	73.4	65.6	76.5	76.8	70	77	70	yes	yes	yes	yes	6.8	I
	364	73.4	66.4	77.1	77.4	70	77	70	yes	yes	yes	yes	7.4	I
	365	71.6	67.7	74.8	75.5	70	76	70	yes	yes	yes	yes	5.5	I
Block R	366	63.9	66.4	44.4	66.4	70	66	70	no	yes	no	no	N/A	N/A
	367	62.6	65.0	44.0	65.1	70	65	70	no	yes	no	no	N/A	N/A
	368	55.6	37.9	49.3	49.6	70	50	70	no	no	yes	no	N/A	N/A
	369	49.7	37.7	44.4	45.2	70	45	70	no	no	yes	no	N/A	N/A
	370	71.2	54.7	70.1	70.3	70	70	70	no	no	yes	no	N/A	N/A
	371	72.7	58.9	73.6	73.8	70	74	70	yes	yes	yes	yes	3.8	I
	372	72.5	52.4	73.9	74.0	70	74	70	yes	yes	yes	yes	4	I
	373	69.5	38.6	69.3	69.3	70	69	70	no	no	yes	no	N/A	N/A
	374	40.6	37.5	43.6	44.5	70	45	70	no	yes	yes	no	N/A	N/A
	375	41.0	39.6	43.3	44.8	70	45	70	no	yes	yes	no	N/A	N/A
376	64.6	43.1	65.1	65.2	70	65	70	no	no	yes	no	N/A	N/A	
380	63.2	47.0	61.5	61.7	70	62	70	no	no	yes	no	N/A	N/A	

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L ₁₀ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion - (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended
Block K	346	70.2	68.2	73.2	73	70	yes	yes	yes	yes	3.2	I
	347	72.2	67.8	75.1	75	70	yes	yes	no	no	N/A	N/A
	348	72.2	66.7	75.1	75	70	yes	yes	no	no	N/A	N/A
	349	69.8	48.6	72.4	72	70	yes	yes	no	no	N/A	N/A
	350	40.8	37.7	44.0	44	70	no	yes	yes	no	N/A	N/A
	351	40.3	38.0	43.7	44	70	no	yes	yes	no	N/A	N/A
	352	55.1	59.0	59.1	59	70	no	yes	yes	no	N/A	N/A
	353	61.1	64.9	64.9	65	70	no	yes	yes	no	N/A	N/A
	354	63.3	66.5	66.6	67	70	no	yes	yes	no	N/A	N/A
	355	68.7	70.8	72.2	72	70	yes	yes	yes	yes	2.2	I
Block P	356	69.2	70.1	72.0	72	70	yes	yes	yes	yes	2	I
	357	66.3	66.6	68.7	69	70	no	yes	yes	no	N/A	N/A
	358	62.8	62.3	65.6	66	70	no	yes	yes	no	N/A	N/A
	359	54.8	40.3	57.1	57	70	no	yes	no	no	N/A	N/A
	360	56.2	53.8	55.7	56	70	no	no	yes	no	N/A	N/A
	361	59.1	60.4	60.5	61	70	no	yes	yes	no	N/A	N/A
	362	70.8	73.0	73.0	73	70	yes	yes	yes	yes	3	I
	363	73.2	65.3	76.1	77	70	70	yes	yes	yes	6.5	I
	364	73.1	66.0	76.7	77	70	70	yes	yes	yes	7.1	I
	365	71.4	67.5	74.5	75	70	70	yes	yes	yes	5.3	I
Block Q	366	63.9	44.3	66.4	66	70	no	yes	no	no	N/A	N/A
	367	63.0	43.9	65.5	66	70	no	yes	no	no	N/A	N/A
	368	55.5	37.8	49.7	50	70	no	no	yes	no	N/A	N/A
	369	49.7	37.6	44.2	45	70	no	no	yes	no	N/A	N/A
	370	70.9	55.0	70.7	71	70	yes	no	yes	no	N/A	N/A
	371	72.4	58.8	74.2	74	70	yes	yes	yes	yes	4.2	I
	372	72.2	52.4	74.3	74	70	yes	yes	yes	yes	4.3	I
	373	69.2	38.7	69.6	70	70	no	no	yes	no	N/A	N/A
	374	40.4	43.5	44.4	44	70	no	yes	yes	no	N/A	N/A
	375	40.9	39.6	43.1	45	70	no	yes	yes	no	N/A	N/A
Block R	376	64.4	65.1	65.1	65	70	no	no	yes	no	N/A	N/A
	380	63.0	47.9	61.8	62	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2001 L ₁₀	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₁ (whole no.)	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion - (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended
Block K	346	69.9	71.2	68.0	72.9	70	yes	yes	yes	yes	2.9	I
	347	71.9	73.9	67.6	74.8	70	yes	yes	no	no	N/A	N/A
	348	72.0	74.1	66.4	74.8	70	yes	yes	no	no	N/A	N/A
	349	69.6	72.2	48.8	72.2	70	yes	yes	no	no	N/A	N/A
	350	40.7	42.8	37.6	43.9	70	no	yes	yes	no	N/A	N/A
	351	40.2	42.2	37.9	43.6	70	no	yes	yes	no	N/A	N/A
	352	55.0	41.8	58.8	58.9	70	no	yes	yes	no	N/A	N/A
	353	60.9	41.9	64.8	64.8	70	no	yes	yes	no	N/A	N/A
	354	63.1	41.3	66.9	66.9	70	no	yes	yes	no	N/A	N/A
	355	68.7	67.1	70.7	72.3	70	yes	yes	yes	yes	2.3	I
Block P	356	69.3	67.9	70.1	72.2	70	yes	yes	yes	yes	2.2	I
	357	66.5	65.3	66.8	69.1	70	no	yes	yes	no	N/A	N/A
	358	62.9	63.1	62.3	65.7	70	no	yes	yes	no	N/A	N/A
	359	55.0	57.2	40.3	57.3	70	no	yes	no	no	N/A	N/A
	360	56.1	51.2	53.8	55.7	70	no	no	yes	no	N/A	N/A
	361	59.0	42.7	61.0	61.1	70	no	yes	yes	no	N/A	N/A
	362	70.5	38.9	73.2	73.2	70	yes	yes	yes	yes	3.2	I
	363	72.8	65.1	75.8	76.2	70	yes	yes	yes	yes	6.2	I
	364	72.8	65.8	76.4	76.8	77	yes	yes	yes	yes	6.8	I
	365	71.1	67.2	74.2	75.0	75	yes	yes	yes	yes	5.0	I
Block Q	366	63.8	66.3	44.2	66.3	70	no	yes	no	no	N/A	N/A
	367	63.1	65.6	43.7	65.7	70	no	yes	no	no	N/A	N/A
	368	55.4	37.7	50.2	50.5	70	no	no	yes	no	N/A	N/A
	369	49.5	37.5	44.0	44.9	70	no	no	yes	no	N/A	N/A
	370	70.7	55.4	71.1	71.2	70	yes	no	yes	no	N/A	N/A
	371	72.1	58.9	74.2	74.4	74	yes	yes	yes	yes	4.4	I
	372	71.9	52.5	74.4	74.4	74	yes	yes	yes	yes	4.4	I
	373	69.0	38.8	69.8	69.8	70	no	no	yes	no	N/A	N/A
	374	40.2	37.4	43.3	44.3	44	no	no	yes	no	N/A	N/A
	375	40.8	39.6	43.0	44.6	45	no	no	yes	no	N/A	N/A
Block R	376	64.2	44.2	65.1	65.1	70	no	no	yes	no	N/A	N/A
	380	62.8	49.0	61.7	61.9	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	69.7	71.0	67.9	72.7	73	70	yes	yes	yes	yes	2.7	I
	347	71.7	73.7	67.4	74.6	75	70	yes	yes	no	no	N/A	N/A
	348	71.8	73.9	66.2	74.6	75	70	yes	yes	no	no	N/A	N/A
	349	69.4	72.0	49.0	72.0	72	70	yes	yes	no	no	N/A	N/A
	350	40.5	42.6	37.5	43.8	44	70	no	yes	yes	no	N/A	N/A
	351	40.1	42.1	37.7	43.5	44	70	no	yes	yes	no	N/A	N/A
	352	54.8	41.7	58.7	58.8	59	70	no	yes	yes	no	N/A	N/A
	353	60.8	41.7	64.6	64.6	65	70	no	yes	yes	no	N/A	N/A
Block P	354	63.0	41.3	67.1	67.1	67	70	no	yes	yes	no	N/A	N/A
	355	68.7	67.3	70.7	72.3	72	70	yes	yes	yes	yes	2.3	I
	356	69.3	68.2	70.1	72.3	72	70	yes	yes	yes	yes	2.3	I
	357	66.6	65.8	66.9	69.4	69	70	no	yes	yes	no	N/A	N/A
	358	63.0	63.4	62.2	65.8	66	70	no	yes	yes	no	N/A	N/A
	359	55.1	57.3	40.2	57.4	57	70	no	yes	no	no	N/A	N/A
	360	56.1	51.1	53.9	55.7	56	70	no	no	yes	no	N/A	N/A
Block Q	361	58.9	43.0	61.5	61.5	62	70	no	yes	yes	no	N/A	N/A
	362	70.2	38.8	73.1	73.1	73	70	yes	yes	yes	yes	3.1	I
	363	72.5	64.9	75.5	75.9	76	70	yes	yes	yes	yes	5.9	I
	364	72.5	65.5	76.1	76.5	77	70	yes	yes	yes	yes	6.5	I
	365	70.8	66.9	74.0	74.7	75	70	yes	yes	yes	yes	4.7	I
	366	63.7	66.2	44.0	66.3	66	70	no	yes	no	no	N/A	N/A
	367	63.1	65.6	43.5	65.6	66	70	no	yes	no	no	N/A	N/A
	368	55.2	37.6	50.9	51.1	51	70	no	no	yes	no	N/A	N/A
	369	49.5	37.4	43.8	44.7	45	70	no	no	yes	no	N/A	N/A
Block R	370	70.4	56.0	71.2	71.3	71	70	yes	no	yes	no	N/A	N/A
	371	71.8	59.0	74.3	74.4	74	70	yes	yes	yes	yes	4.4	I
	372	71.6	52.5	74.4	74.4	74	70	yes	yes	yes	yes	4.4	I
	373	68.8	39.0	70.0	70.0	70	70	no	yes	yes	no	N/A	N/A
	374	40.1	37.3	43.2	44.2	44	70	no	yes	yes	no	N/A	N/A
	375	40.7	39.5	42.9	44.6	45	70	no	yes	yes	no	N/A	N/A
	376	64.1	44.9	65.0	65.0	65	70	no	no	yes	no	N/A	N/A
	380	62.6	50.2	61.8	62.1	62	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 "Existing roads" L ₁₀	(D) 2021 "New roads" L ₁₀	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	69.5	70.8	67.8	72.6	73	70	yes	yes	yes	yes	2.6	
	347	71.5	73.5	67.2	74.4	74	70	yes	yes	no	no	N/A	N/A
	348	71.6	73.7	66.0	74.4	74	70	yes	yes	no	no	N/A	N/A
	349	69.2	71.8	49.2	71.8	72	70	yes	yes	no	no	N/A	N/A
	350	40.4	42.5	37.4	43.7	44	70	no	yes	yes	no	N/A	N/A
	351	39.9	42.0	37.7	43.3	43	70	no	yes	yes	no	N/A	N/A
	352	54.7	41.6	41.6	58.5	59	70	no	yes	yes	no	N/A	N/A
	353	60.6	41.6	64.5	64.5	65	70	no	yes	yes	no	N/A	N/A
	354	62.9	41.2	67.1	67.1	67	70	no	yes	yes	no	N/A	N/A
	355	68.6	67.2	67.2	70.6	72	70	yes	yes	yes	yes	2.2	
Block P	356	69.2	68.1	69.9	72.1	72	70	yes	yes	yes	yes	2.1	
	357	66.9	66.6	66.9	69.7	70	70	no	yes	yes	no	N/A	N/A
	358	63.5	64.1	62.1	66.2	66	70	no	yes	yes	no	N/A	N/A
	359	55.2	57.4	40.2	57.5	58	70	no	yes	no	no	N/A	N/A
	360	56.0	51.1	54.0	55.8	56	70	no	no	yes	no	N/A	N/A
	361	58.8	43.3	61.6	61.6	62	70	no	yes	yes	no	N/A	N/A
	362	70.0	38.8	73.0	73.0	73	70	yes	yes	yes	yes	3	
	363	72.2	64.7	75.3	75.6	76	70	yes	yes	yes	yes	5.6	
	364	72.2	65.3	75.8	76.2	76	70	yes	yes	yes	yes	6.2	
	365	70.6	66.8	73.7	74.5	75	70	yes	yes	yes	yes	4.5	
Block Q	366	63.5	66.0	43.8	66.1	66	70	no	yes	no	no	N/A	N/A
	367	63.0	65.5	43.5	65.5	66	70	no	yes	no	no	N/A	N/A
	368	55.0	37.5	51.5	51.7	52	70	no	no	yes	no	N/A	N/A
	369	49.4	37.3	43.7	44.6	45	70	no	no	yes	no	N/A	N/A
	370	70.1	56.9	71.7	71.8	72	70	yes	yes	yes	yes	1.8	
	371	71.5	59.3	74.3	74.4	74	70	yes	yes	yes	yes	4.4	
	372	71.3	52.7	74.4	74.4	74	70	yes	yes	yes	yes	4.4	
	373	68.6	39.3	70.3	70.3	70	70	no	yes	yes	no	N/A	N/A
	374	39.9	37.2	43.1	44.1	44	70	no	yes	yes	no	N/A	N/A
	375	40.5	39.5	42.8	44.4	44	70	no	yes	yes	no	N/A	N/A
Block R	376	63.9	45.6	65.0	65.0	65	70	no	yes	yes	no	N/A	N/A
	380	62.4	52.0	61.9	62.3	62	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{1(whole no.)}	Noise Criterion" "	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended
Block K	346	69.3	70.6	67.6	72.4	70	yes	yes	yes	yes	2.4	
	347	71.3	73.3	67.0	74.2	70	yes	yes	no	no	N/A	N/A
	348	71.4	73.5	65.8	74.2	70	yes	yes	no	no	N/A	N/A
	349	69.0	71.6	49.4	71.6	70	yes	yes	no	no	N/A	N/A
	350	40.2	42.3	37.3	43.5	44	no	no	yes	no	N/A	N/A
	351	39.8	41.9	37.6	43.2	43	no	no	yes	no	N/A	N/A
	352	54.5	41.5	58.4	58.5	70	no	yes	yes	no	N/A	N/A
	353	60.5	41.5	64.3	64.3	70	no	yes	yes	no	N/A	N/A
	354	62.8	41.2	67.1	67.2	70	no	yes	yes	no	N/A	N/A
	355	68.5	67.2	70.5	72.1	70	yes	yes	yes	yes	2.1	
Block P	356	69.1	68.1	69.8	72.1	70	yes	yes	yes	yes	2.1	
	357	67.1	66.9	66.7	69.8	70	no	yes	yes	no	N/A	N/A
	358	63.6	64.4	62.0	66.4	70	no	yes	yes	no	N/A	N/A
	359	55.3	57.5	40.1	57.5	70	no	yes	no	no	N/A	N/A
	360	55.9	51.1	54.0	55.8	70	no	no	yes	no	N/A	N/A
	361	58.7	43.6	61.8	61.8	70	no	no	yes	no	N/A	N/A
	362	69.7	38.7	72.9	72.9	73	yes	yes	yes	yes	2.9	
	363	71.9	64.4	75.0	75.4	75	yes	yes	yes	yes	5.4	
	364	71.9	65.1	75.6	75.9	76	yes	yes	yes	yes	5.9	
	365	70.4	66.6	73.5	74.3	74	yes	yes	yes	yes	4.3	
Block Q	366	63.3	65.8	43.6	65.9	70	no	yes	no	no	N/A	N/A
	367	62.9	65.4	43.3	65.4	70	no	yes	no	no	N/A	N/A
	368	54.9	37.4	52.4	52.5	53	no	no	yes	no	N/A	N/A
	369	49.3	37.2	43.5	44.4	44	no	no	yes	no	N/A	N/A
	370	69.9	57.8	72.1	72.2	72	yes	yes	yes	yes	2.2	
	371	71.2	59.7	74.1	74.3	74	yes	yes	yes	yes	4.3	
	372	71.1	52.7	74.2	74.3	74	yes	yes	yes	yes	4.3	
	373	68.4	39.7	70.5	70.5	71	yes	yes	yes	yes	0.5	
	374	39.8	37.1	42.9	43.9	44	no	no	yes	no	N/A	N/A
	375	40.4	39.5	42.7	44.4	44	no	no	yes	no	N/A	N/A
Block R	376	63.7	46.4	64.9	65.0	70	no	yes	yes	no	N/A	N/A
	380	62.2	53.4	62.0	63	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
Location	NSR	2021 L ₁₀ "Existing roads"	2021 L ₁₀ "New roads"	*2021 Total L ₁₀	*2021 Total L _{10(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended
Block K	346	69.3	70.5	67.4	72.2	70	yes	yes	yes	yes	2.2	I
	347	71.1	73.1	66.8	74.0	70	yes	yes	no	no	N/A	N/A
	348	71.2	73.3	65.6	74.0	70	yes	yes	no	no	N/A	N/A
	349	68.8	71.4	49.5	71.5	70	yes	yes	no	no	N/A	N/A
	350	40.0	42.2	37.2	43.4	70	no	yes	yes	no	N/A	N/A
	351	39.7	41.7	37.5	43.1	70	no	yes	yes	no	N/A	N/A
	352	54.4	41.3	58.2	58.3	70	no	yes	yes	no	N/A	N/A
	353	60.3	41.3	64.2	64.2	70	no	yes	yes	no	N/A	N/A
	354	62.7	41.1	67.0	67.1	70	no	yes	yes	no	N/A	N/A
	355	68.3	67.0	70.3	72.0	70	yes	yes	yes	yes	2	I
Block P	356	68.9	68.0	69.7	71.9	70	yes	yes	yes	yes	1.9	I
	357	67.2	67.1	66.7	69.9	70	no	yes	yes	no	N/A	N/A
	358	64.1	65.1	61.9	66.8	70	no	yes	yes	no	N/A	N/A
	359	55.5	57.7	40.0	57.8	70	no	yes	no	no	N/A	N/A
	360	55.9	51.2	54.1	55.9	70	no	no	no	no	N/A	N/A
	361	58.6	44.2	61.8	61.9	70	no	yes	yes	no	N/A	N/A
	362	69.5	38.6	72.8	72.8	70	yes	yes	yes	yes	2.8	I
	363	71.7	64.3	74.7	75.1	70	yes	yes	yes	yes	5.1	I
	364	71.7	64.9	75.3	75.7	70	yes	yes	yes	yes	5.7	I
	365	70.1	66.3	73.2	74.0	70	yes	yes	yes	yes	4.0	I
Block Q	366	63.1	65.7	43.4	65.7	70	no	yes	no	no	N/A	N/A
	367	62.7	65.2	43.1	65.2	70	no	yes	no	no	N/A	N/A
	368	54.8	37.3	52.9	53.0	70	no	no	yes	no	N/A	N/A
	369	49.3	37.1	43.4	44.3	70	no	no	yes	no	N/A	N/A
	370	69.7	59.0	72.3	72.5	70	yes	yes	yes	yes	2.5	I
	371	71.0	60.3	74.0	74.2	70	yes	yes	yes	yes	4.2	I
	372	70.8	52.8	74.1	74.1	70	yes	yes	yes	yes	4.1	I
	373	68.2	40.5	70.6	70.6	70	yes	yes	yes	yes	0.6	I
	374	39.6	37.0	42.8	43.8	70	no	yes	yes	no	N/A	N/A
	375	40.3	39.4	42.5	44.2	70	no	yes	yes	no	N/A	N/A
Block R	376	63.6	47.4	64.9	65.0	70	no	yes	yes	no	N/A	N/A
	380	62.0	55.0	62.2	62.9	70	no	no	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L ₁ (whole no.)	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended	
Block K	346	69.1	70.3	67.2	72.0	72	70	yes	yes	yes	yes	2	1	
	347	70.9	72.9	66.7	73.8	74	70	yes	yes	no	no	N/A	N/A	
	348	71.0	73.2	65.5	73.8	74	70	yes	yes	no	no	N/A	N/A	
	349	68.7	71.3	49.6	71.4	71	70	yes	yes	no	no	N/A	N/A	
	350	39.9	42.1	37.1	43.3	43	70	no	yes	yes	no	N/A	N/A	
	351	39.6	41.6	37.4	43.0	43	70	no	yes	yes	no	N/A	N/A	
	352	54.3	41.2	58.1	58.2	58	70	no	yes	yes	no	N/A	N/A	
	353	60.2	41.2	64.0	64.0	64	70	no	yes	yes	no	N/A	N/A	
	354	62.5	41.1	67.0	67.0	67	70	no	yes	yes	no	N/A	N/A	
	355	68.2	66.9	70.2	71.9	72	70	yes	yes	yes	yes	1.9	1	1
Block P	356	68.8	67.9	69.5	71.8	72	70	yes	yes	yes	yes	1.8	1	1
	357	67.1	67.1	66.6	69.9	70	70	no	yes	yes	no	N/A	N/A	
	358	64.4	65.6	61.8	67.1	67	70	no	yes	yes	no	N/A	N/A	
	359	55.7	57.9	40.0	58.0	58	70	no	yes	no	no	N/A	N/A	
	360	55.8	51.2	54.2	56.0	56	70	no	no	yes	no	N/A	N/A	
	361	58.5	44.9	61.8	61.9	62	70	no	yes	yes	no	N/A	N/A	
	362	69.3	38.5	72.6	72.6	73	70	yes	yes	yes	yes	2.6	1	1
	363	71.5	64.1	74.5	74.9	75	70	yes	yes	yes	yes	4.9	1	1
	364	71.4	64.7	75.1	75.4	75	70	yes	yes	yes	yes	5.4	1	1
	365	69.9	66.2	73.0	73.8	74	70	yes	yes	yes	yes	3.8	1	1
Block Q	366	63.0	65.5	43.3	65.5	66	70	no	yes	no	no	N/A	N/A	
	367	62.5	65.0	43.0	65.1	65	70	no	yes	no	no	N/A	N/A	
	368	54.6	37.2	53.1	53.2	53	70	no	no	yes	no	N/A	N/A	
	369	49.2	37.0	43.2	44.1	44	70	no	no	yes	no	N/A	N/A	
	370	69.4	59.7	72.4	72.6	73	70	yes	yes	yes	yes	2.6	1	1
	371	70.7	60.9	73.9	74.1	74	70	yes	yes	yes	yes	4.1	1	1
	372	70.6	53.0	73.9	74.0	74	70	yes	yes	yes	yes	4	1	1
	373	68.0	40.8	70.6	70.6	71	70	yes	yes	yes	yes	0.6	1	1
	374	39.5	37.0	42.6	43.7	44	70	no	yes	yes	no	N/A	N/A	
	375	40.2	39.4	42.4	44.2	44	70	no	yes	yes	no	N/A	N/A	
Block R	376	63.4	48.5	64.9	65.0	65	70	no	yes	yes	no	N/A	N/A	
	380	61.8	56.4	62.3	63.3	63	70	no	yes	yes	no	N/A	N/A	

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion" (F) > (G)	(H) 1st criterion - (F)-(B) ≥ 1dB	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	68.9	70.1	67.0	71.8	72	70	yes	yes	yes	yes	1.8	I
	347	70.7	72.7	66.5	73.7	74	70	yes	yes	yes	yes	3.7	I
	348	70.8	73.0	65.3	73.7	74	70	yes	yes	no	no	N/A	N/A
	349	68.5	71.1	49.7	71.2	71	70	yes	yes	no	no	N/A	N/A
	350	39.8	41.9	37.0	43.1	43	70	no	yes	yes	no	N/A	N/A
	351	39.5	41.5	37.3	42.9	43	70	no	yes	yes	no	N/A	N/A
	352	54.1	41.0	58.0	58.1	58	70	no	yes	yes	no	N/A	N/A
	353	60.0	41.1	63.9	63.9	64	70	no	yes	yes	no	N/A	N/A
	354	62.4	41.1	66.9	66.9	67	70	no	yes	yes	no	N/A	N/A
	355	68.0	66.8	70.0	70.0	72	70	yes	yes	yes	yes	1.7	I
Block P	356	68.6	67.7	69.4	71.6	72	70	yes	yes	yes	yes	1.6	I
	357	67.0	67.1	66.5	69.8	70	70	no	yes	yes	no	N/A	N/A
	358	64.5	65.8	61.7	67.2	67	70	no	yes	yes	no	N/A	N/A
	359	56.1	58.3	39.9	58.3	58	70	no	yes	no	no	N/A	N/A
	360	55.7	51.3	54.3	56.1	56	70	no	no	yes	no	N/A	N/A
	361	58.4	46.0	61.8	61.9	62	70	no	yes	yes	no	N/A	N/A
	362	69.1	38.5	72.4	72.4	72	70	yes	yes	yes	yes	2.4	I
	363	71.2	64.0	64.0	74.2	75	70	yes	yes	yes	yes	4.6	I
	364	71.2	64.5	64.5	74.8	75	70	yes	yes	yes	yes	5.2	I
	365	69.7	66.0	72.8	73.6	74	70	yes	yes	yes	yes	3.6	I
Block Q	366	62.8	65.4	43.2	65.4	65	70	no	yes	no	no	N/A	N/A
	367	62.4	64.9	42.9	64.9	65	70	no	yes	no	no	N/A	N/A
	368	54.5	37.1	53.8	53.9	54	70	no	no	yes	no	N/A	N/A
	369	49.1	36.9	43.0	44.0	44	70	no	no	yes	no	N/A	N/A
	370	69.2	60.4	72.4	72.7	73	70	yes	yes	yes	yes	2.7	I
	371	70.5	61.3	73.8	74.0	74	70	yes	yes	yes	yes	4	I
	372	70.3	53.1	73.8	73.8	74	70	yes	yes	yes	yes	3.8	I
	373	67.8	41.4	70.5	70.5	71	70	yes	yes	yes	yes	0.5	I
	374	39.3	36.9	42.5	43.6	44	70	no	yes	yes	no	N/A	N/A
	375	40.1	39.3	42.3	44.1	44	70	no	yes	yes	no	N/A	N/A
Block R	376	63.2	49.8	64.9	65.0	65	70	no	yes	yes	no	N/A	N/A
	380	61.6	57.3	62.6	63.7	64	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 "Existing roads" L ₁₀	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	68.7	69.9	66.9	71.7	72	70	yes	yes	yes	yes	1.7	-
	347	70.6	72.5	66.3	73.5	74	70	yes	yes	yes	yes	3.5	-
	348	70.6	72.8	65.1	73.5	74	70	yes	yes	no	no	N/A	N/A
	349	68.3	70.9	49.8	71.0	71	70	yes	yes	no	no	N/A	N/A
	350	39.7	41.8	36.9	43.1	43	70	no	yes	yes	no	N/A	N/A
	351	39.3	41.4	37.2	42.8	43	70	no	yes	yes	no	N/A	N/A
	352	54.0	41.0	57.8	57.9	58	70	no	yes	yes	no	N/A	N/A
	353	59.9	41.0	63.7	63.7	64	70	no	yes	yes	no	N/A	N/A
	354	62.3	41.0	66.8	66.9	67	70	no	yes	yes	no	N/A	N/A
	355	67.9	66.7	69.9	69.9	72	70	yes	yes	yes	yes	yes	1.6
Block P	356	68.5	67.6	69.2	71.6	72	70	yes	yes	yes	yes	1.5	-
	357	66.9	67.0	66.5	69.8	70	70	no	yes	yes	no	N/A	N/A
	358	64.5	65.9	61.6	67.3	67	70	no	yes	yes	no	N/A	N/A
	359	56.4	58.7	39.9	58.7	59	70	no	yes	no	no	N/A	N/A
	360	55.6	51.3	54.5	56.2	56	70	no	no	yes	no	N/A	N/A
	361	58.3	46.6	61.7	61.9	62	70	no	yes	yes	no	N/A	N/A
	362	68.8	38.4	72.3	72.3	72	70	yes	yes	yes	yes	2.3	-
	363	71.0	63.8	74.1	74.4	74	70	yes	yes	yes	yes	4.4	-
	364	71.0	64.3	74.6	75.0	75	70	yes	yes	yes	yes	5.0	-
	365	69.5	65.8	72.6	73.4	73	70	yes	yes	yes	yes	3.4	-
Block Q	366	62.7	65.2	43.0	65.2	65	70	no	yes	no	no	N/A	N/A
	367	62.2	64.8	42.7	64.8	65	70	no	yes	no	no	N/A	N/A
	368	54.3	37.0	54.4	54.5	55	70	no	no	yes	no	N/A	N/A
	369	49.0	36.8	42.9	43.8	44	70	no	no	yes	no	N/A	N/A
	370	69.0	61.0	72.4	72.7	73	70	yes	yes	yes	yes	2.7	-
	371	70.3	61.7	73.5	73.8	74	70	yes	yes	yes	yes	3.8	-
	372	70.1	53.2	73.6	73.6	74	70	yes	yes	yes	yes	3.6	-
	373	67.6	42.2	70.4	70.4	70	70	no	yes	yes	no	N/A	N/A
	374	39.2	36.8	42.4	43.4	43	70	no	yes	yes	no	N/A	N/A
	375	40.0	39.3	42.2	44.0	44	70	no	yes	yes	no	N/A	N/A
Block R	376	63.1	50.6	64.9	65.0	65	70	no	yes	yes	no	N/A	N/A
	380	61.5	58.0	62.9	64.1	64	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	68.6	69.8	66.7	71.5	72	70	yes	yes	yes	yes	1.5	I
	347	70.4	72.3	66.2	73.3	73	70	yes	yes	yes	yes	3.3	I
	348	70.4	72.6	65.0	73.3	73	70	yes	yes	no	no	N/A	N/A
	349	68.3	70.8	49.9	70.9	71	70	yes	yes	no	no	N/A	N/A
	350	39.6	41.7	36.9	43.0	43	70	no	yes	yes	no	N/A	N/A
	351	39.2	41.3	37.1	42.7	43	70	no	yes	yes	no	N/A	N/A
	352	53.9	40.9	57.7	57.8	58	70	no	yes	yes	no	N/A	N/A
	353	59.8	40.8	63.6	63.6	64	70	no	yes	yes	no	N/A	N/A
	354	62.2	40.9	66.7	66.7	67	70	no	yes	yes	no	N/A	N/A
	355	67.7	66.5	69.7	69.7	71	70	70	yes	yes	yes	yes	1.4
Block P	356	68.3	67.4	69.1	71.3	71	70	yes	yes	yes	yes	1.3	I
	357	66.9	67.0	66.3	69.7	70	70	no	yes	yes	no	N/A	N/A
	358	64.5	65.9	61.5	67.3	67	70	no	yes	yes	no	N/A	N/A
	359	56.7	58.9	39.8	59.0	59	70	no	yes	no	no	N/A	N/A
	360	55.6	51.1	54.5	56.2	56	70	no	no	yes	no	N/A	N/A
	361	58.2	47.8	61.7	61.9	62	70	no	yes	yes	no	N/A	N/A
	362	68.6	38.3	72.1	72.1	72	70	yes	yes	yes	yes	2.1	I
	363	70.8	63.7	73.9	74.3	74	70	yes	yes	yes	yes	4.3	I
	364	70.8	64.1	74.5	74.8	75	70	yes	yes	yes	yes	4.8	I
	365	69.3	65.6	72.4	73.2	73	70	yes	yes	yes	yes	3.2	I
Block Q	366	62.5	65.0	42.8	65.0	65	70	no	yes	no	no	N/A	N/A
	367	62.1	64.6	42.6	64.7	65	70	no	yes	no	no	N/A	N/A
	368	54.2	37.0	54.7	54.8	55	70	no	no	yes	no	N/A	N/A
	369	48.9	36.7	42.7	43.7	44	70	no	no	yes	no	N/A	N/A
	370	68.9	61.3	72.4	72.7	73	70	yes	yes	yes	yes	2.7	I
	371	70.1	62.0	73.4	73.7	74	70	yes	yes	yes	yes	3.7	I
	372	69.9	53.2	73.5	73.5	74	70	yes	yes	yes	yes	3.5	I
	373	67.4	42.7	70.4	70.4	70	70	no	yes	yes	no	N/A	N/A
	374	39.0	36.7	42.3	43.3	43	70	no	yes	yes	no	N/A	N/A
	375	39.9	39.3	42.1	43.9	44	70	no	yes	yes	no	N/A	N/A
Block R	376	62.9	52.0	64.9	65.1	65	70	no	yes	yes	no	N/A	N/A
	380	61.3	58.6	62.9	64.3	64	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L ₁₁ (whole no.)	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	68.4	69.6	66.6	71.4	71	70	yes	yes	yes	yes	1.4	I
	347	70.2	72.2	66.0	73.1	73	70	yes	yes	no	no	N/A	N/A
	348	70.2	72.4	64.8	73.1	73	70	yes	yes	no	no	N/A	N/A
	349	68.1	70.6	50.0	70.7	71	70	yes	yes	no	no	N/A	N/A
	350	39.4	41.6	36.8	42.8	43	70	no	yes	yes	no	N/A	N/A
	351	39.1	41.2	37.1	42.6	43	70	no	yes	yes	no	N/A	N/A
	352	53.8	40.7	40.7	57.6	58	70	no	yes	yes	no	N/A	N/A
	353	59.6	40.7	40.7	63.5	64	70	no	yes	yes	no	N/A	N/A
	354	62.0	40.9	40.9	66.6	67	70	no	yes	yes	no	N/A	N/A
	355	67.6	66.4	69.6	69.6	71	70	yes	yes	yes	yes	1.3	I
Block P	356	68.2	67.3	69.0	71.2	71	70	yes	yes	yes	yes	1.2	I
	357	66.7	66.8	66.2	69.5	70	70	no	yes	yes	no	N/A	N/A
	358	64.5	65.9	61.4	67.2	67	70	no	yes	yes	no	N/A	N/A
	359	56.8	59.0	39.7	59.1	59	70	no	yes	no	no	N/A	N/A
	360	55.5	51.6	54.7	56.4	56	70	no	no	yes	no	N/A	N/A
	361	58.2	48.7	61.6	61.9	62	70	no	yes	yes	no	N/A	N/A
	362	68.4	38.3	71.9	71.9	72	70	yes	yes	yes	yes	1.9	I
	363	70.6	63.6	73.7	74.1	74	70	yes	yes	yes	yes	4.1	I
	364	70.6	64.0	74.3	74.7	75	70	yes	yes	yes	yes	4.7	I
	365	69.1	65.5	72.2	73.0	73	70	yes	yes	yes	yes	3.0	I
Block Q	366	62.4	64.9	42.7	64.9	65	70	no	yes	no	no	N/A	N/A
	367	62.0	64.5	42.4	64.5	65	70	no	yes	no	no	N/A	N/A
	368	54.1	36.9	55.0	55.1	55	70	no	yes	yes	no	N/A	N/A
	369	48.9	36.6	42.6	43.6	44	70	no	no	yes	no	N/A	N/A
	370	68.7	61.6	72.4	72.7	73	70	yes	yes	yes	yes	2.7	I
	371	69.9	62.2	73.3	73.6	74	70	yes	yes	yes	yes	3.6	I
	372	69.7	53.3	73.3	73.3	73	70	yes	yes	yes	yes	3.3	I
	373	67.2	43.2	70.3	70.3	70	70	no	yes	yes	no	N/A	N/A
	374	38.9	36.7	42.1	43.2	43	70	no	yes	yes	no	N/A	N/A
	375	39.8	39.2	41.9	43.8	44	70	no	yes	yes	no	N/A	N/A
Block R	376	62.8	53.0	65.0	65.2	65	70	no	yes	yes	no	N/A	N/A
	380	61.1	59.0	63.1	64.5	65	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B)		(C)		(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)
		2001 L ₁₀	2021 L ₁₀	2021 "Existing roads"	2021 L ₁₀	2021 "New roads"	*2021 Total L ₁₀	*2021 Total L _{11(whole no.)}	Noise Criterion"	1st criterion - (F) > (G)	2nd criterion (F)-(B) ≥ 1dB	3rd criterion (F)-(C) ≥ 1dB	Eligible for insulation	Exceedance	Window Type Recommended
Block K	346	68.2	69.4	66.4	71.2	71	70	70	yes	yes	yes	yes	yes	1.2	I
	347	70.1	72.1	65.8	73.0	73	70	70	yes	yes	no	no	no	N/A	N/A
	348	70.1	72.3	64.6	73.0	73	70	70	yes	yes	no	no	no	N/A	N/A
	349	67.9	70.4	50.0	70.5	71	70	70	yes	yes	no	no	no	N/A	N/A
	350	39.3	41.5	36.7	42.7	43	70	70	no	no	yes	yes	no	N/A	N/A
	351	39.0	41.0	37.0	42.5	43	70	70	no	no	yes	yes	no	N/A	N/A
	352	53.6	40.6	57.5	57.6	58	70	70	no	no	yes	yes	no	N/A	N/A
	353	59.5	40.6	63.3	63.3	63	70	70	no	no	yes	yes	no	N/A	N/A
	354	61.9	40.9	66.5	66.5	67	70	70	no	no	yes	yes	no	N/A	N/A
	355	67.4	66.2	69.4	71.1	71	70	70	yes	yes	yes	yes	yes	1.1	I
Block P	356	68.0	67.1	68.8	71.0	71	70	70	yes	yes	yes	yes	yes	1	I
	357	66.6	66.7	66.1	69.4	69	70	70	no	no	yes	yes	no	N/A	N/A
	358	64.4	65.9	61.3	67.2	67	70	70	no	no	yes	yes	no	N/A	N/A
	359	56.8	55.1	39.6	59.2	59	70	70	no	no	yes	no	no	N/A	N/A
	360	55.4	51.8	54.8	56.6	57	70	70	no	no	yes	yes	no	N/A	N/A
	361	58.1	49.4	61.6	61.8	62	70	70	no	no	yes	yes	no	N/A	N/A
	362	68.3	38.2	71.8	71.8	72	70	70	yes	yes	yes	yes	yes	1.8	I
	363	70.4	63.4	73.5	73.9	74	70	70	yes	yes	yes	yes	yes	3.9	I
	364	70.4	63.8	74.1	74.5	75	70	70	yes	yes	yes	yes	yes	4.5	I
	365	68.9	65.3	72.0	72.8	73	70	70	yes	yes	yes	yes	yes	2.8	I
Block Q	366	62.2	64.7	42.6	64.7	65	70	70	no	no	yes	no	no	N/A	N/A
	367	61.9	64.1	42.3	64.4	64	70	70	no	no	yes	no	no	N/A	N/A
	368	53.9	36.8	55.2	55.3	55	70	70	no	no	yes	yes	no	N/A	N/A
	369	48.8	36.5	42.5	43.5	44	70	70	no	no	yes	yes	no	N/A	N/A
	370	68.5	61.7	72.3	72.6	73	70	70	yes	yes	yes	yes	yes	2.6	I
	371	69.7	62.4	73.1	73.5	74	70	70	yes	yes	yes	yes	yes	3.5	I
	372	69.5	53.4	73.1	73.2	73	70	70	yes	yes	yes	yes	yes	3.2	I
	373	67.0	43.5	70.1	70.1	70	70	70	no	no	yes	yes	no	N/A	N/A
	374	38.8	36.6	42.0	43.1	43	70	70	no	no	yes	yes	no	N/A	N/A
	375	39.7	39.2	41.9	43.7	44	70	70	no	no	yes	yes	no	N/A	N/A
Block R	376	62.6	53.8	65.0	65.3	65	70	70	no	no	yes	yes	no	N/A	N/A
	380	61.0	59.3	63.3	64.8	65	70	70	no	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 "Existing roads" L ₁₀	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	68.1	69.3	66.4	71.1	71	70	yes	yes	yes	yes	1.1	
	347	69.9	71.9	65.7	72.8	73	70	yes	yes	no	no	N/A	N/A
	348	69.9	72.1	64.6	72.8	73	70	yes	yes	no	no	N/A	N/A
	349	67.8	70.3	50.1	70.4	70	70	no	yes	no	no	N/A	N/A
	350	39.1	41.3	36.6	42.6	43	70	no	yes	yes	no	N/A	N/A
	351	38.9	40.9	36.9	42.4	42	70	no	yes	yes	no	N/A	N/A
	352	53.5	40.6	40.6	57.3	57	70	no	yes	yes	no	N/A	N/A
	353	59.3	40.5	40.5	63.2	63	70	no	yes	yes	no	N/A	N/A
	354	61.8	40.8	40.8	66.4	66	70	no	yes	yes	no	N/A	N/A
	355	67.3	66.1	66.1	69.3	71	70	70	yes	yes	yes	yes	1
Block P	356	67.9	67.0	68.7	70.9	71	70	yes	yes	yes	yes	0.9	
	357	66.5	66.6	66.6	69.3	69	70	no	yes	yes	no	N/A	N/A
	358	64.3	65.8	61.3	67.1	67	70	no	yes	yes	no	N/A	N/A
	359	56.9	59.2	39.6	59.2	59	70	no	yes	no	no	N/A	N/A
	360	55.3	52.0	55.0	56.7	57	70	no	yes	yes	no	N/A	N/A
	361	58.0	49.8	49.8	61.5	62	70	no	yes	yes	no	N/A	N/A
	362	68.1	38.2	38.2	71.7	72	70	yes	yes	yes	yes	1.7	
	363	70.2	63.4	63.4	73.3	74	70	yes	yes	yes	yes	3.7	
	364	70.2	63.7	63.7	74.3	74	70	yes	yes	yes	yes	4.3	
	365	68.8	65.1	71.9	72.7	73	70	yes	yes	yes	yes	2.7	
Block Q	366	62.1	64.6	42.5	64.6	65	70	no	yes	no	no	N/A	N/A
	367	61.7	64.2	42.2	64.2	64	70	no	yes	no	no	N/A	N/A
	368	53.8	36.7	36.7	55.2	55	70	no	yes	yes	no	N/A	N/A
	369	48.7	36.5	36.5	42.3	43	70	no	no	yes	no	N/A	N/A
	370	68.3	61.8	72.2	72.5	73	70	yes	yes	yes	yes	2.5	
	371	69.5	62.5	62.5	73.3	73	70	yes	yes	yes	yes	3.3	
	372	69.4	53.4	73.0	73.1	73	70	yes	yes	yes	yes	3.1	
	373	66.9	43.8	43.8	70.0	70	70	no	yes	yes	no	N/A	N/A
	374	38.6	36.5	36.5	41.9	43	70	no	yes	yes	no	N/A	N/A
	375	39.6	39.2	39.2	41.8	44	70	no	yes	yes	no	N/A	N/A
Block R	376	62.5	54.2	65.0	65.3	65	70	no	yes	yes	no	N/A	N/A
	380	60.8	59.4	63.5	65.0	65	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 "Existing roads" L ₁₀	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F)-(G) > 1dB	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for Insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	68.0	69.2	66.2	71.0	71	70	yes	yes	yes	yes	1	-
	347	69.8	71.8	65.6	72.7	73	70	yes	yes	no	no	N/A	N/A
	348	69.8	72.0	64.4	72.7	73	70	yes	yes	no	no	N/A	N/A
	349	67.6	70.2	50.2	70.2	70	70	no	yes	no	no	N/A	N/A
	350	39.0	41.2	36.6	42.5	43	70	no	yes	yes	no	N/A	N/A
	351	38.8	40.9	36.8	42.3	42	70	no	yes	yes	no	N/A	N/A
	352	53.4	40.5	57.2	57.3	57	70	no	yes	yes	no	N/A	N/A
	353	59.2	40.4	63.1	63.2	63	70	no	yes	yes	no	N/A	N/A
	354	61.7	40.7	66.3	66.3	66	70	no	yes	yes	no	N/A	N/A
	355	67.2	66.0	69.2	70.9	71	70	yes	yes	yes	yes	yes	0.9
Block P	356	67.8	66.9	68.5	70.8	71	70	yes	yes	yes	yes	0.8	-
	357	66.4	66.5	65.9	69.2	69	70	no	yes	yes	no	N/A	N/A
	358	64.3	65.8	61.2	67.1	67	70	no	yes	yes	no	N/A	N/A
	359	56.8	59.1	39.5	59.2	59	70	no	yes	no	no	N/A	N/A
	360	55.2	52.2	55.1	56.9	57	70	no	yes	yes	no	N/A	N/A
	361	57.9	50.4	61.5	61.8	62	70	no	yes	yes	no	N/A	N/A
	362	67.9	38.1	71.5	71.5	72	70	yes	yes	yes	yes	1.5	-
	363	70.0	63.3	73.1	73.5	74	70	yes	yes	yes	yes	3.5	-
	364	70.0	63.5	73.7	74.1	74	70	yes	yes	yes	yes	4.1	-
	365	68.6	65.0	71.7	72.5	73	70	yes	yes	yes	yes	2.5	-
Block Q	366	61.9	64.4	42.3	64.5	65	70	no	yes	no	no	N/A	N/A
	367	61.6	64.1	42.1	64.1	64	70	no	yes	no	no	N/A	N/A
	368	53.6	36.7	55.3	55.3	55	70	no	yes	yes	no	N/A	N/A
	369	48.6	36.4	42.2	43.2	43	70	no	no	yes	no	N/A	N/A
	370	68.2	61.8	72.1	72.5	73	70	yes	yes	yes	yes	2.5	-
	371	69.4	62.5	72.8	73.2	73	70	yes	yes	yes	yes	3.2	-
	372	69.2	53.5	72.8	72.9	73	70	yes	yes	yes	yes	2.9	-
	373	66.7	44.0	69.9	69.9	70	70	no	yes	yes	no	N/A	N/A
	374	38.5	36.5	41.8	42.9	43	70	no	yes	yes	no	N/A	N/A
	375	39.5	39.1	41.6	43.6	44	70	no	yes	yes	no	N/A	N/A
Block R	376	62.3	54.4	64.9	65.3	65	70	no	yes	yes	no	N/A	N/A
	380	60.6	59.5	63.7	65.1	65	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended	
Block K	346	67.8	69.0	66.1	70.8	71	70	yes	yes	yes	yes	0.8	I	
	347	69.6	71.6	65.5	72.5	73	70	yes	yes	no	no	N/A	N/A	
	348	69.7	71.8	64.3	72.5	73	70	yes	yes	no	no	N/A	N/A	
	349	67.5	70.0	50.3	70.1	70	70	no	yes	no	no	N/A	N/A	
	350	39.0	41.2	36.5	42.4	42	70	no	yes	yes	no	N/A	N/A	
	351	38.7	40.8	36.8	42.2	42	70	no	yes	yes	no	N/A	N/A	
	352	53.3	40.4	57.2	57.2	57	70	no	yes	yes	no	N/A	N/A	
	353	59.1	40.3	62.9	63.0	63	70	no	yes	yes	no	N/A	N/A	
	354	61.6	40.7	66.1	66.1	66	70	no	yes	yes	no	N/A	N/A	
	355	67.0	65.8	69.0	69.0	71	70	yes	yes	yes	yes	yes	0.7	I
Block P	356	67.6	66.7	68.4	70.7	71	70	yes	yes	yes	yes	0.7	I	
	357	66.3	66.4	65.7	69.1	69	70	no	yes	yes	no	N/A	N/A	
	358	64.2	65.7	61.1	67.0	67	70	no	yes	yes	no	N/A	N/A	
	359	56.9	59.2	39.4	59.2	59	70	no	yes	no	no	N/A	N/A	
	360	55.1	52.5	55.3	57.1	57	70	no	yes	no	no	N/A	N/A	
	361	57.8	50.7	61.4	61.8	62	70	no	yes	yes	no	N/A	N/A	
	362	67.8	38.1	71.4	71.4	71	70	yes	yes	yes	yes	yes	1.4	I
	363	69.9	63.2	72.9	73.4	73	70	yes	yes	yes	yes	yes	3.4	I
	364	69.9	63.4	73.5	73.9	74	70	yes	yes	yes	yes	yes	3.9	I
	365	68.4	64.8	71.5	72.3	72	70	yes	yes	yes	yes	yes	2.3	I
Block Q	366	61.8	64.3	42.2	64.4	64	70	no	yes	no	no	N/A	N/A	
	367	61.5	64.0	42.0	64.0	64	70	no	yes	no	no	N/A	N/A	
	368	53.6	36.6	55.3	55.3	55	70	no	yes	yes	no	N/A	N/A	
	369	48.6	36.3	42.1	43.1	43	70	no	no	yes	no	N/A	N/A	
	370	68.0	61.9	72.0	72.4	72	70	yes	yes	yes	yes	2.4	I	
	371	69.2	62.5	72.7	73.1	73	70	yes	yes	yes	yes	3.1	I	
	372	69.1	53.5	72.7	72.8	73	70	yes	yes	yes	yes	2.8	I	
	373	66.5	44.1	69.7	69.7	70	70	no	yes	yes	no	N/A	N/A	
	374	38.4	36.4	41.7	42.8	43	70	no	yes	yes	no	N/A	N/A	
	375	39.4	39.1	41.5	43.5	44	70	no	yes	yes	no	N/A	N/A	
Block R	376	62.2	54.6	65.0	65.4	65	70	no	yes	yes	no	N/A	N/A	
	380	60.5	59.5	63.8	65.2	65	70	no	yes	yes	no	N/A	N/A	

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 "Existing roads" L ₁₀	(D) 2021 "New roads" L ₁₀	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	67.7	68.9	65.9	70.7	71	70	yes	yes	yes	yes	0.7	I
	347	69.5	71.5	65.3	72.4	72	70	yes	yes	no	no	N/A	N/A
	348	69.5	71.7	64.1	72.4	72	70	yes	yes	no	no	N/A	N/A
	349	67.4	69.9	50.3	70.0	70	70	no	yes	no	no	N/A	N/A
	350	38.9	41.1	36.4	42.3	42	70	no	yes	yes	no	N/A	N/A
	351	38.6	40.7	36.7	42.1	42	70	no	yes	yes	no	N/A	N/A
	352	53.1	40.4	40.4	57.1	57	70	no	yes	yes	no	N/A	N/A
	353	59.0	40.3	40.3	62.9	63	70	no	yes	yes	no	N/A	N/A
	354	61.4	40.6	40.6	66.0	66	70	no	yes	yes	no	N/A	N/A
	355	66.9	65.7	65.7	68.9	71	70	70	yes	yes	yes	yes	0.6
Block P	356	67.5	66.6	68.3	70.6	71	70	yes	yes	yes	yes	0.6	I
	357	66.1	66.2	65.6	68.9	69	70	no	yes	yes	no	N/A	N/A
	358	64.1	65.6	61.0	66.9	67	70	no	yes	yes	no	N/A	N/A
	359	56.9	59.1	39.3	59.2	59	70	no	yes	no	no	N/A	N/A
	360	55.1	52.8	55.4	57.3	57	70	no	yes	yes	no	N/A	N/A
	361	57.7	51.0	61.3	61.7	62	70	no	yes	yes	no	N/A	N/A
	362	67.6	38.0	71.2	71.2	71	70	yes	yes	yes	yes	1.2	I
	363	69.7	63.2	72.8	73.3	73	70	yes	yes	yes	yes	3.3	I
	364	69.7	63.2	73.4	73.8	74	70	yes	yes	yes	yes	3.8	I
	365	68.3	64.7	71.4	72.2	72	70	no	yes	yes	yes	2.2	I
Block Q	366	61.6	64.2	42.1	64.2	64	70	no	yes	no	no	N/A	N/A
	367	61.3	63.8	41.8	63.8	64	70	no	yes	no	no	N/A	N/A
	368	53.5	36.5	55.3	55.3	55	70	no	yes	yes	no	N/A	N/A
	369	48.5	36.3	42.0	43.0	43	70	no	no	yes	no	N/A	N/A
	370	67.9	61.9	71.9	72.3	72	70	yes	yes	yes	yes	2.3	I
	371	69.1	62.5	72.6	73.0	73	70	yes	yes	yes	yes	3	I
	372	68.9	53.5	72.6	72.6	73	70	yes	yes	yes	yes	2.6	I
	373	66.4	44.3	69.6	69.6	70	70	no	yes	yes	no	N/A	N/A
	374	38.2	36.3	41.6	42.7	43	70	no	yes	yes	no	N/A	N/A
	375	39.3	39.1	41.4	43.4	43	70	no	yes	yes	no	N/A	N/A
Block R	376	62.0	54.7	65.1	65.5	66	70	no	yes	yes	no	N/A	N/A
	380	60.3	59.6	63.8	65.2	65	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	67.5	68.7	65.8	70.5	71	70	yes	yes	yes	yes	0.5	I
	347	69.3	71.3	65.2	72.2	72	70	yes	yes	no	no	N/A	N/A
	348	69.4	71.5	64.0	72.2	72	70	yes	yes	no	no	N/A	N/A
	349	67.2	69.7	50.4	69.8	70	70	no	yes	no	no	N/A	N/A
	350	38.7	40.9	36.3	42.2	42	70	no	yes	yes	no	N/A	N/A
	351	38.4	40.5	36.6	42.0	42	70	no	yes	yes	no	N/A	N/A
	352	53.0	40.4	56.9	57.0	57	70	no	yes	yes	no	N/A	N/A
	353	58.8	40.2	62.8	62.8	63	70	no	yes	yes	no	N/A	N/A
	354	61.3	40.6	65.9	65.9	66	70	no	yes	yes	no	N/A	N/A
	355	66.8	65.6	68.8	68.8	71	70	70	yes	yes	yes	yes	0.5
Block P	356	67.4	66.5	68.1	70.4	70	70	no	yes	yes	no	N/A	N/A
	357	66.0	66.1	65.5	68.9	69	70	no	yes	yes	no	N/A	N/A
	358	64.0	65.5	60.9	66.8	67	70	no	yes	yes	no	N/A	N/A
	359	56.8	50.1	39.3	59.1	59	70	no	yes	no	no	N/A	N/A
	360	55.0	53.0	55.6	57.5	58	70	no	yes	yes	no	N/A	N/A
	361	57.6	51.2	61.3	61.7	62	70	no	yes	yes	no	N/A	N/A
	362	67.4	38.0	71.1	71.1	71	70	yes	yes	yes	yes	1.1	I
	363	69.5	63.1	72.6	73.1	73	70	yes	yes	yes	yes	3.1	I
	364	69.5	63.1	73.2	73.6	74	70	yes	yes	yes	yes	3.6	I
	365	68.1	64.6	71.2	72.0	72	70	yes	yes	yes	yes	2.0	I
Block Q	366	61.5	64.1	42.0	64.1	64	70	no	yes	no	no	N/A	N/A
	367	61.2	63.7	41.7	63.8	64	70	no	yes	no	no	N/A	N/A
	368	53.3	36.4	55.3	55.4	55	70	no	yes	yes	no	N/A	N/A
	369	48.4	36.2	41.8	42.9	43	70	no	no	yes	no	N/A	N/A
	370	67.7	61.8	71.7	72.2	72	70	yes	yes	yes	yes	2.2	I
	371	68.9	62.5	72.4	72.8	73	70	yes	yes	yes	yes	2.8	I
	372	68.8	53.5	72.4	72.5	73	70	yes	yes	yes	yes	2.5	I
	373	66.2	44.3	69.5	69.5	70	70	no	yes	yes	no	N/A	N/A
	374	38.1	36.3	41.5	42.6	43	70	no	yes	yes	no	N/A	N/A
	375	39.2	39.1	41.3	43.4	43	70	no	yes	yes	no	N/A	N/A
Block R	376	61.9	54.8	65.1	65.5	66	70	no	yes	yes	no	N/A	N/A
	380	60.2	59.6	64.0	65.3	65	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 "Existing roads" L ₁₀	(D) 2021 "New roads" L ₁₀	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	67.4	68.6	65.7	70.4	70	70	no	yes	yes	no	N/A	N/A
	347	69.2	71.2	65.1	72.1	72	70	yes	yes	no	no	N/A	N/A
	348	69.3	71.4	64.0	72.1	72	70	yes	yes	no	no	N/A	N/A
	349	67.1	69.6	50.5	69.7	70	70	no	yes	no	no	N/A	N/A
	350	38.6	40.8	36.3	42.1	42	70	no	yes	yes	no	N/A	N/A
	351	38.4	40.5	36.6	42.0	42	70	no	yes	yes	no	N/A	N/A
	352	52.9	40.4	56.8	56.9	57	70	no	yes	yes	no	N/A	N/A
	353	58.7	40.2	62.7	62.7	63	70	no	yes	yes	no	N/A	N/A
	354	61.2	40.6	65.8	65.8	66	70	no	yes	yes	no	N/A	N/A
	355	66.6	65.4	68.6	68.6	70	70	no	yes	yes	no	N/A	N/A
Block P	356	67.2	66.3	68.0	70.3	70	70	no	yes	yes	no	N/A	N/A
	357	65.9	66.0	65.4	68.8	69	70	no	yes	yes	no	N/A	N/A
	358	63.9	65.4	60.8	66.7	67	70	no	yes	yes	no	N/A	N/A
	359	56.7	59.0	39.3	59.0	59	70	no	yes	no	no	N/A	N/A
	360	54.9	53.2	55.7	57.7	58	70	no	yes	yes	no	N/A	N/A
	361	57.5	51.4	61.2	61.6	62	70	no	yes	yes	no	N/A	N/A
	362	67.3	37.9	71.0	71.0	71	70	yes	yes	yes	yes	1	I
	363	69.4	63.0	72.5	73.0	73	70	yes	yes	yes	yes	3	I
	364	69.4	63.0	73.1	73.5	74	70	yes	yes	yes	yes	3.5	I
	365	68.0	64.4	71.1	71.9	72	70	yes	yes	yes	yes	1.9	I
Block Q	366	61.4	63.9	41.9	63.9	64	70	no	yes	no	no	N/A	N/A
	367	61.1	63.6	41.6	63.6	64	70	no	yes	no	no	N/A	N/A
	368	53.2	36.3	55.2	55.3	55	70	no	yes	yes	no	N/A	N/A
	369	48.3	36.1	41.7	42.8	43	70	no	no	yes	no	N/A	N/A
	370	67.6	61.8	71.7	72.1	72	70	yes	yes	yes	yes	2.1	I
	371	68.7	62.5	72.3	72.7	73	70	yes	yes	yes	yes	2.7	I
	372	68.6	53.5	72.3	72.4	72	70	yes	yes	yes	yes	2.4	I
	373	66.1	44.4	69.4	69.4	69	70	no	yes	yes	no	N/A	N/A
	374	38.0	36.3	41.4	42.5	43	70	no	yes	yes	no	N/A	N/A
	375	39.2	39.1	41.2	43.3	43	70	no	yes	yes	no	N/A	N/A
Block R	376	61.8	54.9	65.1	65.5	66	70	no	yes	yes	no	N/A	N/A
	380	60.1	59.6	64.0	65.3	65	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended	
Block K	346	67.3	68.5	65.6	70.3	70	70	no	yes	yes	no	N/A	N/A	
	347	69.1	71.1	65.0	72.0	72	70	yes	yes	no	no	N/A	N/A	
	348	69.2	71.3	63.8	72.0	72	70	yes	yes	no	no	N/A	N/A	
	349	67.0	69.5	50.6	69.6	70	70	no	yes	no	no	N/A	N/A	
	350	38.5	40.8	36.2	42.1	42	70	no	yes	yes	no	N/A	N/A	
	351	38.3	40.5	36.6	42.0	42	70	no	yes	yes	no	N/A	N/A	
	352	52.8	40.5	56.7	56.8	57	70	no	yes	yes	no	N/A	N/A	
	353	58.6	40.2	62.6	62.6	63	70	no	yes	yes	no	N/A	N/A	
	354	61.1	40.6	65.7	65.7	66	70	no	yes	yes	no	N/A	N/A	
	355	66.5	65.3	68.5	68.5	70	70	no	yes	yes	no	N/A	N/A	
Block P	356	67.1	66.2	67.9	70.2	70	70	no	yes	yes	no	N/A	N/A	
	357	65.8	66.0	65.3	68.7	69	70	no	yes	yes	no	N/A	N/A	
	358	63.8	65.3	60.7	66.6	67	70	no	yes	yes	no	N/A	N/A	
	359	56.7	59.0	39.3	59.0	59	70	no	yes	no	no	N/A	N/A	
	360	54.9	53.3	55.8	57.8	58	70	no	yes	yes	no	N/A	N/A	
	361	57.4	51.4	61.2	61.6	62	70	no	yes	yes	no	N/A	N/A	
	362	67.1	38.0	70.8	70.8	71	70	yes	yes	yes	yes	yes	0.8	I
	363	69.2	63.0	72.4	72.8	73	70	yes	yes	yes	yes	yes	2.8	I
	364	69.3	62.9	72.9	73.4	73	70	yes	yes	yes	yes	yes	3.4	I
	365	67.8	64.3	70.9	71.8	72	70	yes	yes	yes	yes	yes	1.8	I
Block Q	366	61.3	63.8	41.7	63.8	64	70	no	yes	no	no	N/A	N/A	
	367	60.9	63.4	41.5	63.5	64	70	no	yes	no	no	N/A	N/A	
	368	53.1	36.5	55.1	55.2	55	70	no	yes	yes	no	N/A	N/A	
	369	48.3	36.1	41.6	42.7	43	70	no	no	yes	no	N/A	N/A	
	370	67.4	61.8	71.5	72.0	72	70	yes	yes	yes	yes	2	I	
	371	68.6	62.5	72.1	72.6	73	70	yes	yes	yes	yes	2.6	I	
	372	68.5	53.5	72.1	72.2	72	70	yes	yes	yes	yes	2.2	I	
	373	66.0	44.4	69.2	69.2	69	70	no	yes	yes	no	N/A	N/A	
	374	38.0	36.4	41.2	42.5	43	70	no	yes	yes	no	N/A	N/A	
	375	39.2	39.2	41.2	43.3	43	70	no	yes	yes	no	N/A	N/A	
Block R	376	61.7	54.8	65.1	65.5	66	70	no	yes	yes	no	N/A	N/A	
	380	60.0	59.5	63.9	65.3	65	70	no	yes	yes	no	N/A	N/A	

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	67.2	68.4	65.4	70.2	70	70	no	yes	yes	no	N/A	N/A
	347	68.9	70.9	64.9	71.9	72	70	yes	yes	yes	yes	1.9	I
	348	69.0	71.1	63.7	71.9	72	70	yes	yes	no	no	N/A	N/A
	349	66.9	69.4	50.7	69.5	70	70	no	yes	no	no	N/A	N/A
	350	38.5	40.9	36.3	42.2	42	70	no	yes	yes	no	N/A	N/A
	351	38.4	40.6	36.8	42.1	42	70	no	yes	yes	no	N/A	N/A
	352	52.7	40.6	40.6	56.6	57	70	no	yes	yes	no	N/A	N/A
	353	58.5	40.3	40.3	62.5	63	70	no	yes	yes	no	N/A	N/A
	354	61.0	40.6	40.6	65.6	66	70	no	yes	yes	no	N/A	N/A
	355	66.4	65.2	65.2	68.4	70	70	no	yes	yes	no	N/A	N/A
Block P	356	67.0	66.1	67.8	70.1	70	70	no	yes	yes	no	N/A	N/A
	357	65.7	65.9	65.2	68.6	69	70	no	yes	yes	no	N/A	N/A
	358	63.7	65.2	60.6	66.5	67	70	no	yes	yes	no	N/A	N/A
	359	56.7	58.9	39.3	59.0	59	70	no	yes	no	no	N/A	N/A
	360	54.8	53.5	55.8	57.8	58	70	no	yes	yes	no	N/A	N/A
	361	57.3	51.5	61.1	61.6	62	70	no	yes	yes	no	N/A	N/A
	362	67.0	38.2	70.7	70.7	71	70	yes	yes	yes	yes	0.7	I
	363	69.1	62.9	62.9	72.3	73	70	yes	yes	yes	yes	2.7	I
	364	69.1	62.7	62.7	72.8	73	70	yes	yes	yes	yes	3.2	I
	365	67.7	64.2	64.2	70.8	72	70	yes	yes	yes	yes	1.7	I
Block Q	366	61.2	63.7	41.7	63.7	64	70	no	yes	no	no	N/A	N/A
	367	60.8	63.4	41.5	63.4	63	70	no	yes	no	no	N/A	N/A
	368	53.0	36.9	36.9	55.1	55	70	no	yes	yes	no	N/A	N/A
	369	48.2	36.5	41.6	41.6	43	70	no	no	yes	no	N/A	N/A
	370	67.3	61.8	71.5	71.5	72	70	yes	yes	yes	yes	1.9	I
	371	68.4	62.4	72.0	72.0	73	70	yes	yes	yes	yes	2.5	I
	372	68.3	53.6	72.0	72.0	72	70	yes	yes	yes	yes	2.1	I
	373	65.8	44.5	69.1	69.1	69	70	no	yes	yes	no	N/A	N/A
	374	37.9	36.9	41.2	41.2	43	70	no	yes	yes	no	N/A	N/A
	375	39.2	39.4	41.2	43.4	43	70	no	yes	yes	no	N/A	N/A
Block R	376	61.5	54.9	65.1	65.5	66	70	no	yes	yes	no	N/A	N/A
	380	59.9	59.5	64.0	65.3	65	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F)-(B) ≥ 1dB	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	67.0	68.2	65.3	70.0	70	70	no	yes	yes	no	N/A	N/A
	347	68.8	70.8	64.8	71.8	72	70	yes	yes	yes	yes	1.8	I
	348	68.9	71.0	63.7	71.8	72	70	yes	yes	no	no	N/A	N/A
	349	66.7	69.2	50.8	69.3	69	70	no	yes	no	no	N/A	N/A
	350	38.6	41.1	36.9	42.5	43	70	no	yes	yes	no	N/A	N/A
	351	38.6	41.0	37.4	42.5	43	70	no	yes	yes	no	N/A	N/A
	352	52.7	40.9	56.5	56.6	57	70	no	yes	yes	no	N/A	N/A
	353	58.4	40.6	62.4	62.4	62	70	no	yes	yes	no	N/A	N/A
	354	60.9	40.8	65.5	65.5	66	70	no	yes	yes	no	N/A	N/A
	355	66.3	65.1	68.3	68.3	70	70	no	yes	yes	no	N/A	N/A
Block P	356	66.9	66.0	67.7	70.0	70	70	no	yes	yes	no	N/A	N/A
	357	65.6	65.8	65.1	68.5	69	70	no	yes	yes	no	N/A	N/A
	358	63.7	65.1	60.5	66.4	66	70	no	yes	yes	no	N/A	N/A
	359	56.6	58.8	39.7	58.9	59	70	no	yes	no	no	N/A	N/A
	360	54.7	53.5	55.9	57.9	58	70	no	yes	no	no	N/A	N/A
	361	57.2	51.5	61.1	61.5	62	70	no	yes	yes	no	N/A	N/A
	362	66.9	38.7	70.6	70.6	71	70	yes	yes	yes	yes	0.6	I
	363	69.0	62.8	72.1	72.1	73	70	yes	yes	yes	yes	2.6	I
	364	69.0	62.7	72.7	72.7	73	70	yes	yes	yes	yes	3.1	I
	365	67.6	64.1	70.6	70.6	72	70	yes	yes	yes	yes	1.5	I
Block Q	366	61.1	63.6	41.8	63.6	64	70	no	yes	no	no	N/A	N/A
	367	60.8	63.3	41.7	63.3	63	70	no	yes	no	no	N/A	N/A
	368	52.9	37.5	55.2	55.2	55	70	no	yes	yes	no	N/A	N/A
	369	48.1	37.3	41.7	43.1	43	70	no	no	yes	no	N/A	N/A
	370	67.2	61.7	71.4	71.8	72	70	yes	yes	yes	yes	1.8	I
	371	68.3	62.4	71.9	72.4	72	70	yes	yes	yes	yes	2.4	I
	372	68.2	53.5	71.9	72.0	72	70	yes	yes	yes	yes	2	I
	373	65.7	44.7	69.1	69.1	69	70	no	yes	yes	no	N/A	N/A
	374	38.0	38.0	41.4	43.1	43	70	no	yes	yes	no	N/A	N/A
	375	39.3	39.9	41.5	43.7	44	70	no	yes	yes	no	N/A	N/A
Block R	376	61.4	54.9	65.1	65.5	66	70	no	yes	yes	no	N/A	N/A
	380	59.7	59.6	64.0	65.3	65	70	no	yes	yes	no	N/A	N/A

Result of Eligibility Test for Implementing Indirect Technical Remedies at Siu Hong Court

Location	(A) NSR	(B) 2001 L ₁₀	(C) 2021 L ₁₀ "Existing roads"	(D) 2021 L ₁₀ "New roads"	(E) *2021 Total L ₁₀	(F) *2021 Total L _{11(whole no.)}	(G) Noise Criterion"	(H) 1st criterion - (F) > (G)	(I) 2nd criterion (F)-(B) ≥ 1dB	(J) 3rd criterion (F)-(C) ≥ 1dB	(K) Eligible for insulation	(L) Exceedance	(M) Window Type Recommended
Block K	346	66.9	68.1	65.2	69.9	70	70	no	yes	yes	no	N/A	N/A
	347	68.7	70.7	64.7	71.7	72	70	yes	yes	yes	yes	1.7	I
	348	68.8	71.0	63.6	71.7	72	70	yes	yes	no	no	N/A	N/A
	349	66.6	69.1	50.9	69.2	69	70	no	yes	no	no	N/A	N/A
	350	39.0	41.7	37.8	43.2	43	70	no	yes	yes	no	N/A	N/A
	351	39.1	41.6	38.5	43.3	43	70	no	yes	yes	no	N/A	N/A
	352	52.6	41.5	56.4	56.5	57	70	no	yes	yes	no	N/A	N/A
	353	58.3	41.1	62.2	62.2	62	70	no	yes	yes	no	N/A	N/A
	354	60.8	41.2	65.4	65.4	65	70	no	yes	yes	no	N/A	N/A
	355	66.2	65.0	68.2	68.2	70	70	no	yes	yes	no	N/A	N/A
Block P	356	66.8	65.8	67.5	69.8	70	70	no	yes	yes	no	N/A	N/A
	357	65.5	65.7	65.0	68.4	68	70	no	yes	yes	no	N/A	N/A
	358	63.6	65.0	60.4	66.3	66	70	no	yes	yes	no	N/A	N/A
	359	56.5	58.8	40.4	58.8	59	70	no	yes	no	no	N/A	N/A
	360	54.6	53.5	56.0	57.9	58	70	no	yes	yes	no	N/A	N/A
	361	57.1	51.6	61.0	61.5	62	70	no	yes	yes	no	N/A	N/A
	362	66.7	39.7	70.5	70.5	71	70	yes	yes	yes	yes	0.5	I
	363	68.9	62.7	72.0	72.5	73	70	yes	yes	yes	yes	2.5	I
	364	68.9	62.6	72.6	73.0	73	70	yes	yes	yes	yes	3.0	I
	365	67.5	64.0	70.5	71.4	71	70	yes	yes	yes	yes	1.4	I
Block Q	366	60.9	63.4	42.2	63.4	63	70	no	yes	no	no	N/A	N/A
	367	60.6	63.2	42.1	63.2	63	70	no	yes	no	no	N/A	N/A
	368	52.8	38.2	55.0	55.1	55	70	no	yes	yes	no	N/A	N/A
	369	48.0	38.3	42.2	43.7	44	70	no	no	yes	no	N/A	N/A
	370	67.0	61.7	71.2	71.7	72	70	yes	yes	yes	yes	1.7	I
	371	68.2	62.4	71.8	72.2	72	70	yes	yes	yes	yes	2.2	I
	372	68.0	53.6	71.8	71.9	72	70	yes	yes	yes	yes	1.9	I
	373	65.6	45.0	68.9	68.9	69	70	no	yes	yes	no	N/A	N/A
	374	38.3	39.3	42.0	43.9	44	70	no	yes	yes	no	N/A	N/A
	375	39.6	40.9	42.0	44.5	45	70	no	yes	yes	no	N/A	N/A
Block R	376	61.3	54.9	65.1	65.5	66	70	no	yes	yes	no	N/A	N/A
	380	59.6	59.6	64.0	65.3	65	70	no	yes	yes	no	N/A	N/A