

本署檔號
OUR REF: (39) in EP2/N9/O/215
來函檔號
YOUR REF:
電話
TEL. NO.: 2835 1140
圖文傳真
FAX NO.: 2591 0558
電子郵件
E-MAIL: karenkmlee@epd.gov.hk
網址
HOMEPAGE: <http://www.epd.gov.hk>

**Environmental Protection Department
Branch Office**

28th Floor, Southorn Centre,
130 Hennessy Road,
Wan Chai, Hong Kong.



環境保護署分處

香港灣仔
軒尼詩道
一百三十號
修頓中心廿八樓

8 September 2026

By Registered Post & Fax

Civil Engineering and Development Department,

**Environmental Impact Assessment (EIA) Ordinance, Cap.499
Application for EIA Study Brief**

**Project Title: Marina Development at Ex-Lamma Quarry Area at
Sok Kwu Wan, Lamma Island
(Application No. ESB-387/2026)**

I refer to your above application received on 3 August 2026 for an EIA Study Brief under Section 5(1)(a) of the EIA Ordinance.

In accordance with Section 5(7)(a) of the EIA Ordinance and after public inspection of the project profile, I issue the attached EIA Study Brief (No. ESB-387/2026) for your preparation of an EIA report.

Under Section 15 of the EIA Ordinance, the EIA Study Brief will be placed on the EIA Ordinance Register. It will also be placed on the EIA Ordinance website (<http://www.epd.gov.hk/eia/>).


You may submit an application for approval of the EIA report in accordance with Section 6(2) of the EIA Ordinance after its completion. Upon receipt of your application, this department will decide under Section 6(3) of the EIA Ordinance whether the EIA report meets the requirements of the EIA Study Brief and Technical Memorandum on EIA Process, and accordingly advise you under Section 6(4) of the EIA Ordinance whether a submission to the Advisory Council on the Environment (ACE) or its subcommittee is required. In this connection, you are required to provide a set of soft copy of the Executive Summary of the EIA report to the Secretariat of the EIA Subcommittee of the Council by email at acesecretariat@eeb.gov.hk for selection for submission when you submit the EIA report to this department for approval. Should you have questions on the submission, please contact Executive Officer (Cross-Boundary & International Division) 1 of the Secretariat of the EIA Subcommittee of the ACE at 2594 6324.

If the EIA report is selected by ACE for submission and presentation, you are expected to provide ACE with an account of the environmental issues arising from the project, major conclusions and recommendations of the EIA study. In particular, the main environmental concerns of the general public and interest groups who may be affected by the Project should be identified and addressed in the EIA study. As such, you are strongly advised to engage the public and interest groups during the course of the EIA study. Please find attached a copy of the "*Guidance Note on Advertisement and Public Inspection of Documents*" and "*Modus Operandi of the EIA Subcommittee of the Advisory Council on the Environment*" for your reference.

Please note that if you are aggrieved by any of the content of this EIA Study Brief, you may appeal under Section 17 of the EIA Ordinance within 30 days of receipt of this EIA Study Brief.

Should you have any queries on the above application, please contact the undersigned at 2835 1140.

Yours sincerely,



(Dr. Karen LEE)

Acting Principal Environmental Protection Officer
for Director of Environmental Protection

Encl.

c.c. (w/o encl.)
ACE EIA Subcommittee Secretariat

Environmental Impact Assessment Ordinance (Cap. 499), Section 5(7)

Environmental Impact Assessment Study Brief No. ESB-387/2026

**Project Title: Marina Development at Ex-Lamma Quarry Area at
Sok Kwu Wan, Lamma Island**
(hereinafter known as the “Project”)

Name of Applicant: Civil Engineering and Development Department
(hereinafter known as the “Applicant”)

1. BACKGROUND

- 1.1 An application (No. ESB-387/2026) for an Environmental Impact Assessment (EIA) study brief under Section 5(1)(a) of the Environmental Impact Assessment Ordinance (EIAO) was submitted by the captioned Applicant on 3 August 2026 with a project profile (No. PP-704/2026) (the Project Profile).
- 1.2 The Project aims to develop a marina at the waterbody near the Ex-Lamma Quarry (ELQ) area at Sok Kwu Wan, Lamma Island. The Project comprises a marina of approximately 150 to 200 berths for yachts and landside facilities including a marina club and commercial facilities to support the operation of the marina. The location of the project is shown in **Appendix A** of this EIA study brief.
- 1.3 Based on the information provided in the Project Profile, the Project constitutes a designated project (DP) by virtue of Item O.2 in Part I, Schedule 2 of the EIAO (Item O.2 – A marina designed to provide moorings for more than 30 vessels used primarily for pleasure or recreation).
- 1.4 Pursuant to Section 5(7)(a) of the EIAO, the Director of Environmental Protection (the Director) issues this EIA study brief to the Applicant to carry out an EIA study.
- 1.5 The purpose of the EIA study is to provide information on the nature and extent of environmental impacts arising from the construction and operation of the Project and associated works that will take place concurrently. This information will contribute to decisions by the Director on:
 - (i) the overall acceptability of any adverse environmental consequences that are likely to arise as a result of the Project;
 - (ii) the conditions and requirements for the detailed design, construction and operation of the Project to mitigate against adverse environmental consequences wherever practicable; and
 - (iii) the acceptability of residual impacts after the proposed mitigation measures are implemented.

2. OBJECTIVES OF THE EIA STUDY

- 2.1 The purpose of the EIA study is to identify the potential environmental impacts, the residual impacts and the mitigation measures required for the Project.

3. DETAILED REQUIREMENTS OF THE EIA STUDY

3.1 The Purpose

- 3.1.1 The purpose of this EIA study brief is to set out the purposes and objectives of the EIA study, the scope of environmental issues which shall be addressed, the requirements that the EIA study shall need to fulfil, and the necessary procedural and reporting requirements. The Applicant shall demonstrate in the EIA report whether the criteria in the relevant sections of the Technical Memorandum on the Environmental Impact Assessment Process of the Environmental Impact Assessment Ordinance (the TM), are fully complied with.

3.2 The Scope

- 3.2.1 The scope of the EIA study shall cover the Project and associated works mentioned in Section 1.2 of this EIA study brief. For the purpose of assessing whether the environmental impacts shall comply with the criteria of the TM, the EIA study shall address the issues described below:
- (i) potential air quality impacts on existing and planned air sensitive receivers (ASRs) due to the construction and operation of the Project;
 - (ii) potential noise impacts on existing and planned noise sensitive receivers (NSRs) due to the construction and operation of the Project;
 - (iii) potential water quality impacts on water sensitive receivers (WSRs) and relevant water system(s) in the vicinity due to construction and operation of the Project;
 - (iv) potential waste management implications arising from the construction and operation of the Project;
 - (v) potential marine ecological impacts due to construction and operation of the Project;
 - (vi) potential fisheries impacts due to the construction and operation of the Project;
 - (vii) potential landscape impacts due to the construction and operation of the Project;
 - (viii) potential visual impacts due to the operation of the Project;
 - (ix) potential cultural heritage impacts, including marine archaeological impact due to the construction and operation of the Project;
 - (x) potential human health risk associated with consumption of seafood due to operation of the Project; and
 - (xi) potential cumulative environmental impacts of the Project, through interaction or in combination with other existing, committed and planned projects in the vicinity of the Project that may have a bearing on the environmental acceptability of the Project.

3.3 Qualified Professionals

- 3.3.1 The EIA report shall be prepared, checked and signed by qualified professionals listed as either EIA Experts of the Hong Kong Institute of Qualified Environmental Professionals, or Engineering EIA Professionals of the Hong Kong Institution of Engineers.

3.4 Description of the Project

3.4.1 Purpose(s) and Objectives of the Project

The Applicant shall provide information on the Project, including the purpose(s), objectives and environmental benefits of the Project, and describe the need of the Project and scenarios with and without the Project.

3.4.2 Details of the Project

The Applicant shall indicate the nature and status of Project for which the EIA study is undertaken. The Applicant shall describe the design, scale / size, construction methods, sequence of construction works, and other major activities involved in the Project, using diagrams, plans and / or maps as necessary. The estimated duration of the construction phase and operation phase of the Project together with the programme within these phases shall be given. The waters and / or land to be taken by the Project, including construction sites, any associated access arrangements, auxiliary facilities and landscaping areas, shall be shown on a scaled map. The uses of the Project shall be described and the different waters and / or land use areas shall be demarcated as appropriate.

3.4.3 Background and History of the Project

The Applicant shall provide information on the site location and site history of the Project, interactions with other projects, and the consideration of different development options. The options might include design, scale / size, construction methods and sequence of construction works for the Project. An account on the rationale for selecting the preferred development option(s) and the part environmental factors played in the selection shall be provided. The main environmental impacts of different development option(s) shall be compared with those of the Project and without the Project.

3.5 Technical Requirements

- 3.5.1 The Applicant shall conduct the EIA study to address the environmental aspects of the activities as described in the scope as set out above.
- 3.5.2 The Applicant shall include in the EIA report details of the construction programme and methodologies. The Applicant shall state in the EIA report the time frame, and work programmes of the Project, associated works, other concurrent projects, and qualitatively and/or quantitatively assess the cumulative environmental impacts from the Project with the interacting projects, including staged implementation of the Project and associated works and measures to manage potential cumulative environmental impacts associated with other works under the development of the ELQ area. The EIA study shall follow

the technical requirements and methodologies specified below and in the Appendices of this EIA study brief.

3.5.3 Air Quality Impact

- 3.5.3.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing air quality impact as stated in Section 1 of Annex 4 and Annex 12 of the TM respectively.
- 3.5.3.2 The assessment area for air quality impact assessment shall be defined by a distance of 500 metres from the boundary of the Project Area and its associated works as identified in the EIA study, which shall be extended to include major existing, committed and planned air pollutant emission sources identified to have a bearing on the environmental acceptability of the Project. The assessment shall include the existing, committed and planned ASRs within the assessment area as well as any proposed ASRs within Project as identified in the EIA study. The assessment shall also take into account the impacts of emission sources from nearby concurrent projects within the assessment area.
- 3.5.3.3 The assessment of air quality impact arising from the construction and operation of the Project shall follow the requirements and methodologies given in **Appendix B** of this EIA study brief.

3.5.4 Noise Impact

- 3.5.4.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing noise impact as stated in Annexes 5 and 13 of the TM respectively. The Applicant shall also take into account the EIAO Guidance Note No. 9/2023 “Preparation of Construction Noise Impact Assessment Under the EIAO” and EIAO Guidance Note No. 16/2023 “Preparation of Fixed Noise Sources Impact Assessment Under the EIAO”, as published on the website of the Environmental Protection Department.
- 3.5.4.2 The assessment area for the noise impact assessment shall include areas within 300 metres from the boundary of the Project and its associated works as identified in the EIA study. The assessment shall cover the potential noise impacts due to the construction and operation of the Project, including construction noise, marine traffic noise and fixed noise sources impacts on the existing, committed and planned NSRs.
- 3.5.4.3 The noise impact assessment for the construction and operation stage of the Project shall follow the requirements and methodologies given in **Appendix C** of this EIA study brief.

3.5.5 Water Quality Impact

- 3.5.5.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing water pollution as stated in Annexes 6 and 14 of the TM respectively.
- 3.5.5.2 The Project falls within the Southern Water Control Zone as designated under the Water Pollution Control Ordinance (Cap. 358). The assessment area for the water quality impact assessment shall include areas within 500 metres from the boundary of the Project and its associated works within the Southern Water Control Zone as identified in the EIA study. The assessment area shall be extended to include other areas which are

found to be potentially impacted by the Project during the course of the EIA study and have a bearing on the environmental acceptability of the Project.

- 3.5.5.3 The water quality impact assessment for the construction and operation of the Project shall follow the requirements and methodologies given in **Appendix D and Appendix D-1** of this EIA study brief.

3.5.6 Waste Management Implications

- 3.5.6.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing waste management implications as stated in Annexes 7 and 15 of the TM respectively.
- 3.5.6.2 The assessment of waste management implications arising from construction and operation of the Project shall follow the requirements and methodologies given in **Appendix E** of this EIA study brief.

3.5.7 Ecological Impact (Marine)

- 3.5.7.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing ecological impact as stated in Annexes 8 and 16 of the TM respectively. The Applicant shall also take into account the EIAO Guidance Note No. 11/2023 “Methodologies for Marine Ecological Baseline Surveys”, EIAO Guidance Note No. 7/2023 “Ecological Baseline Survey for Ecological Assessment”, and EIAO Guidance Note No. 6/2023 “Some Observations on Ecological Assessment From the Environmental Impact Assessment Ordinance Perspective” as published on the website of the Environmental Protection Department.
- 3.5.7.2 The assessment area for marine ecological impact assessment shall include areas within 500 metres from the boundary of the Project and its associated works as identified in the EIA study. The assessment area shall be extended to include other areas with potential marine ecological impacts as found during the course of the EIA study and have a bearing on the environmental acceptability of the Project. Ecological field surveys shall be conducted over a 12-month period covering both wet and dry seasons.
- 3.5.7.3 The ecological impact assessment for construction and operation of the Project shall follow the requirements and methodologies given in **Appendix F** of this EIA study brief.

3.5.8 Fisheries Impact

- 3.5.8.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing fisheries impact as stated in Annexes 9 and 17 of the TM respectively. The Applicant shall also take into account the EIAO Guidance Note No. 15/2023 “Methodologies for Fisheries Baseline Surveys” as published on the website of the Environmental Protection Department in conducting fisheries baseline surveys.
- 3.5.8.2 The assessment area for the fisheries impact assessment shall include areas within 500 metres from the boundary of the Project and its associated works as identified in the EIA study. This assessment area shall be extended to include other areas with potential fisheries impacts as found during the course of the EIA study and have a bearing on the environmental acceptability of the Project. Special attention should be given to potential loss or disturbance of fisheries habitat, fishing grounds, aquaculture

sites, nursery and spawning grounds of commercially important species, artificial reefs, and water quality deterioration at sensitive receivers such as fish culture zones (FCZ). Fisheries baseline surveys including an interview survey and a 12-month observation-based survey shall be conducted for supporting the assessment of fisheries impacts.

- 3.5.8.3 The fisheries impact assessment for construction and operation of the Project shall follow the requirements and methodologies given in **Appendix G** of this EIA study brief.

3.5.9 Landscape and Visual Impact

- 3.5.9.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing landscape and visual impacts as stated in Section 1 of Annex 10 and Annex 18 of the TM respectively, and the EIAO Guidance Note No. 8/2023 “Preparation of Landscape and Visual Impact Assessment under the EIAO” as published on the website of the Environmental Protection Department.
- 3.5.9.2 The assessment area for the landscape impact assessment shall include areas within 100 metres from the boundary of the Project and its associated works as identified in the EIA study, while the assessment area for the visual impact assessment shall be defined by the visual envelope of the Project. The extent of the defined visual envelope shall be shown on a plan and documented in the EIA report.
- 3.5.9.3 The landscape impact assessment for the construction and operation phases of the Project and the visual impact assessment for the operation phase of the Project shall follow the requirements and methodologies given in **Appendix H** of this EIA study brief.

3.5.10 Impact on Cultural Heritage

- 3.5.10.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing the cultural heritage impacts as stated in Section 2 of Annex 10 and Section 2 of Annex 19 of the TM respectively.
- 3.5.10.2 The cultural heritage impact assessment (CHIA) shall include a Marine Archaeological Investigation (MAI) covering the area(s) which may be affected by the marine works associated with the Project.
- 3.5.10.3 The CHIA for the construction and operation of the Project shall follow the requirements and methodologies given in **Appendix I** of this EIA study brief.

3.5.11 Hazard to Health

- 3.5.11.1 The Applicant shall carry out a health risk assessment to identify any adverse impacts related to human consumption of seafood in Sok Kwu Wan FCZ due to potential release and accumulation of chemicals from the marine vessels of the Project during the operation of the Project, following the principles and methods adopted by international authority, such as the “Principles and methods for the risk assessment of chemicals in food (Environmental health criteria 240)” published by the World Health Organization. The risk assessment shall include the following:

- (i) identification of the chemicals that would be released from the marine vessels of the Project;
- (ii) review of the local monitoring data and the level of chemicals identified in (i) above in the seafood in Sok Kwu Wan FCZ;
- (iii) description and evaluation of the impact of the chemicals released from the marine vessels of the Project;
- (iv) prediction on the accumulation of chemicals released from the marine vessels in the tissue of fish and invertebrates due to the operation of the Project;
- (v) identification of the risk of inducing a toxic effect when organisms are exposed to given concentrations of chemicals released from the marine vessels of the Project; and
- (vi) address whether human consumption of seafood in Sok Kwu Wan FCZ is predicted to result in exposures to chemicals released from the marine vessels of the Project that would give rise to concern for the general public and sensitive subpopulations.

3.6 Environmental Monitoring and Audit (EM&A) Requirements

- 3.6.1 The Applicant shall identify and justify in the EIA study whether there is any need for EM&A activities during the construction and operation phases of the Project and, if affirmative, to define the scope of the EM&A requirements for the Project in the EIA study.
- 3.6.2 Subject to the confirmation of the EIA study findings, the Applicant shall comply with the requirements as stipulated in Annex 21 of the TM.
- 3.6.3 The Applicant shall prepare a Project Implementation Schedule (in the form of a checklist as shown in **Appendix J**) containing the EIA study recommendations and mitigation measures with reference to the implementation programme.

3.7 Presentation of Summary Information

3.7.1 Summary of Environmental Outcomes

The EIA report shall contain a summary of environmental outcomes arising from the EIA study, including estimated population protected from various environmental impacts, environmentally sensitive areas protected, environmentally friendly options considered and incorporated in the preferred option, environmental designs recommended, environmental problems avoided, compensation areas included and the environmental benefits of environmental protection measures recommended.

3.7.2 Summary of Environmental Impacts

To facilitate effective retrieval of pertinent key information, the EIA report shall contain a summary table of environmental impacts showing the assessment points, results of

impact predictions, relevant standards or criteria, extents of exceedances predicted, impact avoidance measures considered, mitigation measures proposed and residual impacts (after mitigation). This summary shall cover each individual impact and shall also form an essential part of the executive summary of the EIA report.

3.7.3 Documentation of Key Assessment Assumptions and Limitation of Assessment Methodologies

The EIA report shall contain a summary including the assessment methodologies and key assessment assumptions adopted in the EIA study, the limitations and adequacy of these assessment methodologies / assumptions, the validity of the assumptions and the assessment results.

3.7.4 Documentation of Public Concerns

The EIA report shall contain a summary of the main concerns of the general public, special interest groups and the relevant statutory or advisory bodies received and identified by the Applicant during the course of the EIA study, and describe how the relevant concerns have been taken into account.

4. DURATION OF VALIDITY

- 4.1 The Applicant shall notify the Director of the commencement of the EIA study. If the EIA study does not commence within 36 months after the date of issue of this EIA study brief, the Applicant shall apply to the Director for a fresh EIA study brief before commencement of the EIA study.

5. REPORTING REQUIREMENTS

- 5.1 In preparing the EIA report, the Applicant shall refer to Annex 11 of the TM for the contents of an EIA report. The Applicant shall also refer to Annex 20 of the TM, which stipulates the guidelines for the review of an EIA report. When submitting the EIA report to the Director, the Applicant shall provide a summary, pointing out where in the EIA report the respective requirements of this EIA study brief and the TM (in particular Annexes 11 and 20) have been addressed and fulfilled.
- 5.2 To facilitate the updating of the ecological information of the Hong Kong Environmental Database, the Applicant shall provide the raw data of the ecological habitat maps including the project location and boundary, types and locations of habitats, findings of ecological field surveys and species of conservation interest in the assessment area in shapefile or GeoJSON or other formats as agreed with the Director. The data shall be submitted in 3 copies of CD-ROM, DVD±R or other suitable means as agreed with the Director.
- 5.3 The Applicant shall supply the Director with hard and electronic copies of the EIA report and the executive summary in accordance with the requirements given in **Appendix K** of this EIA study brief. The Applicant shall, upon request, make additional copies of the above documents available to the public, subject to payment by the interested parties of full costs of printing.

- 5.4 To facilitate the public engagement in the EIA process, the Applicant shall produce video footage to concisely present the key features and environmental benefits of the Project. The video(s) shall be produced with narrations and subtitles in traditional Chinese and English, with a length of not less than 3 minutes. The content shall include the project descriptions, the environmental benefits and achievements from the Project, the development programme, the environmental situations with and without the Project, the key unmitigated and mitigated EIA findings and key mitigation measures to facilitate public's understanding of the Project and the related environmental matters. The video shall be based on the EIA report results, and shall be accessible via standard internet browsers without requiring software licences. The electronic files of the video footage shall be submitted in 3 copies on CD-ROM, DVD±R or other suitable formats as agreed with the Director.

6. OTHER PROCEDURAL REQUIREMENTS

- 6.1 If there is any change in the name of the Applicant for this EIA study brief during the course of EIA study, the Applicant must notify the Director immediately.
- 6.2 If there is any key change in the scope of the Project mentioned in Sections 1.2 and 1.3 of this EIA study brief and in Project Profile (No. PP-704/2026), the Applicant must seek confirmation from the Director in writing on whether or not the scope of issues covered by this EIA study brief can still cover the key changes, and the additional issues, if any, that the EIA study must also address. If the changes to the Project fundamentally alter the key scope of this EIA study brief, the Applicant shall apply to the Director for a fresh EIA study brief.

7. LIST OF APPENDICES

- 7.1 This EIA study brief includes the following appendices:


<u>Appendix A</u>	– Project Location Plan
<u>Appendix B</u>	– Requirements and Methodologies for Air Quality Impact Assessment
<u>Appendix C</u>	– Requirements and Methodologies for Noise Impact Assessment
<u>Appendix D</u>	– Requirements and Methodologies for Water Quality Impact Assessment
<u>Appendix D-1</u>	– Hydrodynamic and Water Quality Modelling Requirements
<u>Appendix E</u>	– Requirements and Methodologies for Assessment of Waste Management Implications
<u>Appendix F</u>	– Requirements and Methodologies for Ecological Impact Assessment (Marine)
<u>Appendix G</u>	– Requirements and Methodologies for Fisheries Impact Assessment
<u>Appendix H</u>	– Requirements and Methodologies for Landscape and Visual Impact Assessment
<u>Appendix I</u>	– Requirements and Methodologies for Cultural Heritage Impact Assessment
<u>Appendix J</u>	– Implementation Schedule of Recommended Mitigation Measures

Appendix K – Requirements for EIA Report Documents

END of EIA STUDY BRIEF

September 2026
Environmental Assessment Division
Environmental Protection Department

Appendix A



Project Title – Marina Development at Ex-Lamma Quarry Area at Sok Kwu Wan, Lamma Island

工程項目名稱 – 南丫島索葛灣前南丫石礦場用地遊艇碇泊處發展

(This figure is prepared with reference to Figure 1.1 of Project Profile No.: PP-704/2026)

(本圖是參考工程項目簡介編號 PP-704/2026 圖1.1編製)

EIA Study Brief No.:

環評研究概要編號:

ESB-387/2026

Appendix A – Project Location Plan

附錄A – 工程項目位置圖



Appendix B

Requirements and Methodologies for Air Quality Impact Assessment

The air quality impact assessment shall include the following:

1. Construction Air Quality Impact Assessment

1.1 Identification of Air Sensitive Receivers (ASRs) and Examination of Emission / Dispersion Characteristics

- (a) Provision of background information relating to air quality issues relevant to the Project, including description of the types of activities of the Project that would affect air quality during construction phase of the Project.
- (b) Provision of an account of the considerations / measures that have been taken into consideration in the planning of the Project to avoid and minimise the air pollution impact.
- (c) Identification and description of existing, committed and planned ASRs that would be affected by the Project, including those indicated on the relevant Outline Zoning Plans, Development Permission Area Plans, Outline Development Plans and Layout Plans and land use and development applications approved by the Town Planning Board. The Applicant shall select the assessment points of the identified ASRs that represent the worst impact point of these ASRs. A map showing the location and description including name of buildings, their uses and height of the selected assessment points shall be given. The separation distances of these ASRs from the nearest emission sources shall also be given.
- (d) Provision of a list of air pollutant emission sources, including any nearby emission sources which are likely to have impact related to the Project based on the analysis of the construction activities in Section 1.1(a) above. Confirmation regarding the validity of assumptions and the magnitude of activities shall be obtained from the relevant government departments / authorities, and documented in the EIA report.
- (e) The emissions from the concurrent projects identified shall be taken into account. The impacts at the existing, committed and planned ASRs within the assessment area shall be assessed.

1.2 Construction Air Quality Impact Assessment Methodology

- (a) The Applicant shall follow the requirements stipulated under the Air Pollution Control (Construction Dust) Regulation and good site practice to ensure that construction air quality impacts are effectively controlled. Construction air quality assessment within the assessment area should be conducted qualitatively.

1.3 Mitigation Measures for Construction Air Quality Impact

- (a) The Applicant shall consider and evaluate direct mitigation measures for fugitive dust and gaseous emission control. The Applicant shall also consider connecting construction plant and equipment to mains electricity supply and minimise use of

diesel generators and diesel-powered equipment to minimise air quality impact arising from the construction machinery. The Applicant shall describe the means of transportation and their trips and routings involved, with a view to addressing potential constructional air quality impact caused by transportation activities. The mitigation measures and good practices recommended for constructional air quality impact shall be documented in the EIA report.

- (b) A monitoring and audit programme for the construction phase of the Project shall be devised to verify the effectiveness of the proposed control measures so as to ensure proper control of constructional air quality impact.

2. Operational Phase Air Quality Impact

2.1 Identification of ASRs and Examination of Emission/Dispersion Characteristics

- (a) Provision of background information relating to air quality issues relevant to the Project, including description of the types of activities of the Project that would affect air quality during operation phase of the Project.
- (b) Provision of an account of the consideration/measures that have been taken into consideration during the planning of the Project to avoid and minimise the air pollution impact.
- (c) Provision of background air quality levels in the assessment area based on the “Pollutants in the Atmosphere and their Transport over Hong Kong” (PATH) model released by the Director with necessary modification according to the emission scenarios(s) of the assessment year(s).
- (d) Identification and description of existing, committed and planned ASRs that would be affected by the Project, including those indicated on the relevant Outline Zoning Plans, Development Permission Area Plans, Outline Development Plans, Layout Plans and land use and development applications approved by the Town Planning Board. The Applicant shall select the assessment points of the identified ASRs that represent the worst impact point of these ASRs. A map showing the location and description including name of buildings, their uses and height of the selected assessment points shall be given. The separation distances of these ASRs from the nearest emission sources shall also be given.
- (e) Provision of a list of air pollution emission sources, including the nearby emission sources which are likely to have impact related to the Project based on the analysis of the operational activities in Section 2.1(a) above. Confirmation regarding the validity of assumptions and the magnitude of activities shall be obtained from the relevant government departments/authorities, and documented in the EIA report. The marine forecast shall be agreed with Marine Department.
- (f) Identification of existing and potential chimneys (if any) and obtainment of chimney emission data in the assessment area by carrying out a survey for assessing the cumulative air quality impact of air pollutants through chimneys. The Applicant shall ensure and confirm the validity of the emission data used in their assessment.

- (g) The emissions from the concurrent projects identified shall be taken into account. The impacts at the existing, committed and planned ASRs within the assessment area shall be assessed.
- (h) The Applicant shall assess the expected air quality impact at the identified ASRs within the assessment area based on an assumed reasonably worst-case scenario under normal operating conditions of the Project.
- (i) Quantitative assessment should be carried out to evaluate the operational phase air quality impacts at the identified ASRs. The Applicant shall follow the methodology set out in Section 2.2 below when carrying out the quantitative assessment.

2.2 Operational Air Quality Impact Assessment Methodology

- (a) The Applicant shall conduct the quantitative assessment by applying the general principles enunciated in the modelling guidelines and technical notes as stated in (i) – (v) below that are published on the website of the Environmental Protection Department (https://www.epd.gov.hk/epd/english/environmentinhk/air/guide_ref/guide_aqa_mode1.html) while making allowance for the specific characteristic of the Project. This specific characteristic must be documented in such level of details, assisted with tables and diagrams, to allow the readers of the EIA report to grasp how the model has been set up to simulate the situation under study without referring to the model input files.
 - (i) Guidelines on Assessing the 'Total' Air Quality Impacts
 - (ii) Guidelines on Choice of Models and Model Parameters
 - (iii) Guidelines on the Use of Alternative Computer Models in Air Quality Assessment
 - (iv) Guidelines on the Estimation of 10-minute Average SO₂ Concentration for Air Quality Assessment in Hong Kong
 - (v) Technical Notes on Air Quality Modelling
- (b) For the purpose of assessing the compliance with the criteria as stated in Section 1 of Annex 4 of the TM, the Applicant shall identify the air pollution parameters (types of pollutants and the averaging time concentrations) to be evaluated and provide explanation for selecting these parameters for assessing the impact of the Project.
- (c) Calculation of the relevant pollutant emission rates for input to the model and map(s) showing road links, navigation paths and emission sources shall be presented in the EIA report. A summary table of the emission rates with detailed calculations shall be presented in the EIA report. The Applicant shall ensure consistency between the text description and the model files at every stage of submission for review.
- (d) The air quality impacts of future marine traffic shall be calculated based on the highest emission strength from the marine vessels in the assessment area within the next 15 years upon commissioning of the Project. The Applicant shall demonstrate that the selected year of assessment represents the highest emission scenario given the marine emission factors and traffic flow for the selected year. The marine traffic forecast data and assumptions used in the assessment shall be presented.

- (e) Emission sources, such as marine traffic, other industrial sources and nearby concurrent projects within the assessment area, which contribute to the cumulative air quality impact of the identified ASRs, should be taken into account and be included in the dispersion models.
- (f) For projection of future background air quality, the PATH model released by the Director shall be used taking into consideration the major air pollutant emission sources projected for Hong Kong and nearby regions. If modification is made to the emission sources in PATH model, details of the emission sources adopted should be presented. In general, major point sources (referred in Section 2.3 of EPD's prevailing version of "Guidelines on Assessing the 'TOTAL' Air Quality Impacts") located within 4 kilometres from the identified ASRs shall be reviewed if they have direct contributions of air quality impacts to the ASRs on the concerned pollutants of the assessment. In such case, these point sources shall be simulated by dispersion model to account for their induced sub-grid scale spatial variations in background air quality.
- (g) The Applicant shall calculate the cumulative air quality impact at the identified ASRs and compare these results against the criteria set out in Section 1 of Annex 4 in the TM. The predicted air quality impacts shall be presented in the form of summary table(s) and pollution contours to cover the whole assessment area, to be evaluated against the relevant air quality standards and on the effect they would have on the land use implications. Plans of a suitable scale shall be used to present pollution contours over the whole assessment area to allow buffer distance requirements to be determined properly.

2.3 Mitigation Measures for Operational Air Quality Impact

- (a) When the predicted air quality impact exceeds the criteria set in Section 1 of Annex 4 in the TM, the Applicant shall consider mitigation measures to reduce the air quality impact on the identified ASRs. The feasibility, practicability, programming and effectiveness of the recommended mitigation measures shall be assessed and documented in the EIA report. If these measures will result in any constraints on future land use planning outside the Project site, the Applicant shall liaise with the relevant government departments/authorities and document the agreement in the EIA report in order to demonstrate that the proposed measures are feasible and practicable. The Applicant shall demonstrate quantitatively that the residual impacts after incorporation of the proposed mitigation measures will comply with the criteria stipulated in the TM.
- (b) Taking into account the findings of the assessment in Section 2.3(a) above, a monitoring and audit programme for the operational phase of the Project shall be devised to verify the effectiveness of the proposed control measures so as to ensure proper control of operational air quality impacts.

2.4 Evaluation of Residual Air Quality Impact

- (a) Upon consideration of mitigation measures, if the mitigated air quality impact still exceeds the relevant criteria in Annex 4 of the TM, the Applicant shall identify, predict and evaluate the residual air quality impact in accordance with Section 4.4.3 and Section 4.5.1(d) of the TM.

3. Submission of Emission Calculation Details and Model Files

- 3.1 All input and output file(s) of model run(s) including those files for the generation of the pollution contours and emission calculations worksheets shall be submitted to the Director in electronic format together with the submission of the EIA report.

Appendix C

Requirements and Methodologies for Noise Impact Assessment

1. Construction Noise Impact Assessment

1.1 Identification of Construction Noise Impact

1.1.1 *Identification of Assessment Area and Noise Sensitive Receivers (NSRs)*

- (i) The assessment area for the construction noise impact assessment shall include areas within 300 metres from the boundary of the Project and its associated works as identified in the EIA study.
- (ii) The Applicant shall identify existing, committed and planned NSRs indicated on the relevant Outline Zoning Plans, Development Permission Area Plans, Outline Development Plans, Layout Plans and land use and development applications approved by the Town Planning Board in the assessment area and select assessment points to represent identified NSRs for carrying out construction noise impact assessment.
- (iii) A map showing the location and description including name of building, use, and floor of each and every selected assessment point shall be given. Photographs of existing NSRs shall be appended to the EIA report.

1.1.2 *Inventory of Noise Sources*

The Applicant shall identify an inventory of noise sources for representative construction equipment for the purpose of construction noise impact assessment and document in the EIA report.

1.2 Construction Noise Impact Assessment Methodology

1.2.1 The Applicant shall carry out construction noise impact assessment (excluding percussive piling) of the Project during daytime, i.e. 7am to 7pm, on weekdays other than general holidays in accordance with methodology in Sections 5.3 and 5.4 of Annex 13 of the TM.

1.2.2 The Applicant shall conduct a qualitative assessment in the EIA to demonstrate no adverse construction noise impact would be associated with the Project by adopting quieter construction method and equipment during the construction phase. The Applicant shall firstly identify the noise sources/activities, then propose the corresponding quiet construction methods and noise mitigation measures, and commit to submitting a Construction Noise Management Plan to the Director.

1.3 Mitigation of Construction Noise Impact

1.3.1 The Applicant shall consider and evaluate the application of direct mitigation measures in accordance with Section 6.1 of Annex 13 of TM. The feasibility, practicability, programming and effectiveness of the recommended mitigation measures shall be

qualitatively assessed. Any direct mitigation measures recommended shall be documented in the report. Specific reasons for not adopting certain direct mitigation measures to maximise the protection for the NSRs shall be substantiated and documented in the EIA report.

1.4 Construction Noise Management Plan (CNMP)

1.4.1 The Applicant shall commit to submit a CNMP to the Director. The CNMP shall contain the quantitative construction noise impact assessment, the adopted quieter construction method and equipment, noise mitigation measures and the construction noise impact monitoring and audit programme, with reference to the updated and identified noise mitigation measures once available and in any case before the tender invitation if there is any change to the construction noise mitigation measures recommended in the EIA report and before the commencement of construction of the Project. Any technical constraint that would hinder the use of the quieter construction method and equipment shall be evaluated and recorded in the assessment.

1.4.2 The CNMP shall include an implementation schedule listing out the mitigation measures, the implementation party, location and timing of implementation. Mitigation measures recommended and requirements specified in the CNMP shall be fully implemented.

2. **Marine Traffic Noise Impact Assessment**

2.1 Identification of Marine Traffic Noise Impact

2.1.1 *Identification of Assessment Area and NSRs*

The Applicant shall identify the existing, committed and planned NSRs reflected on the relevant Outline Zoning Plans, Development Permission Area Plans, Outline Development Plans, Layout Plans and land use and development applications approved by the Town Planning Board in the assessment area and select assessment points to represent identified NSRs for carrying out marine traffic noise impact assessment.

2.2 Marine Traffic Noise Impact Assessment Methodology

2.2.1 The Applicant shall conduct prevailing background noise surveys to determine the standards and assessment area for evaluating marine traffic noise impact from manoeuvring of vessels during operation phase of the Project.

2.2.2 Quantitative assessment at the identified NSRs shall be compared against the relevant criteria or limits.

2.3 Mitigation of Marine Traffic Noise Impact

2.3.1 The Applicant shall make recommendations for direct mitigation measures for NSRs which would be subject to predicted noise impact from marine traffic.

3. **Fixed Noise Impact Assessment Methodology**

3.1 Identification of Fixed Noise Sources Impact

3.1.1 Identification of Assessment Area and Noise Sensitive Receivers (NSRs)

- (a) The assessment area for the fixed noise sources impact shall include areas within 300 metres from the boundary of the Project and its associated works of the Project as identified in the EIA study.
- (b) The Applicant shall identify the existing, committed and planned NSRs reflected on the relevant Outline Zoning Plans, Development Permission Area Plans, Outline Development Plans, Layout Plans and land use and development applications approved by the Town Planning Board in the assessment area and select assessment points to represent identified NSRs for carrying out the fixed noise sources impact assessment.
- (c) A map showing the location and description including name of building, use, and floor of each and every selected assessment point shall be given. Photographs of existing NSRs shall be appended to the EIA report.
- (d) For planned noise sensitive land uses without committed site layouts, the Applicant shall use the relevant land use and planning parameters and conditions to work out representative site layouts for fixed noise sources impact assessment purpose. However, such parameters and conditions together with representative site layouts and any constraints identified shall be confirmed with the relevant responsible parties including Planning Department and Lands Department.

3.1.2 Inventory of Noise Sources

- (a) The Applicant shall identify an inventory of noise sources for fixed noise sources impact assessment. The inventory of noise sources shall include existing noise sources (including both permanent and temporary fixed noise sources) and planned fixed noise sources (including electrical and mechanical equipment provided in the proposed land-side marina supporting facilities).
- (b) The Applicant shall provide document or certificate for the sound power level of each type of fixed noise sources and documented in the EIA report.

3.2 Fixed Noise Sources Impact Assessment Methodology

- 3.2.1 The Applicant shall conduct prevailing background noise surveys to determine the standards for evaluating noise impact from fixed noise sources. The respective noise environment shall be documented in the EIA report.
- 3.2.2 The Applicant shall carry out fixed noise sources impact assessment for the Project in accordance with methodology in Section 5.2 of Annex 13 of the TM.
- 3.2.3 The Applicant shall conduct a qualitative assessment in the EIA to demonstrate no adverse fixed noise sources impact would be associated with the project by committing to adopt noise mitigation measures during the operation periods. The Applicant shall identify all noise sources / activities, and commit to submitting a Fixed Noise Source Management Plan to the Director.

3.3 Mitigation of Fixed Noise Sources Impact

- 3.3.1 The Applicant shall consider and evaluate the application of direct mitigation measures in accordance with Section 6.1 of Annex 13 of the TM. The feasibility, practicability, programming and effectiveness of the recommended mitigation measures shall be qualitatively assessed. Any direct mitigation measures recommended should be well documented in the report. Specific reasons for not adopting certain direct mitigation measures to maximise the protection for the NSRs as far as possible should be clearly substantiated and documented in the EIA report.

3.4 Fixed Noise Source Management Plan (FNMP)

- 3.4.1 The Applicant shall commit to submit a FNMP to the Director. The FNMP shall contain the quantitative fixed noise source impact assessment, covering planned and existing fixed noise sources, noise mitigation measures and the fixed noise source impact monitoring and audit programme, with reference to the updated and identified inventories once available and in any case before commencement of construction of the Project.
- 3.4.2 The FNMP shall include an implementation schedule clearly listing out the mitigation measures, the implementation party, location and timing of implementation. Mitigation measures recommended and requirements specified in the FNMP shall be fully implemented.

4. **Submission of Noise Calculation Details**

- 4.1 All input and output file(s) shall be submitted to the Director in electronic format together with the submission of the EIA report.

Appendix D

Requirements and Methodologies for Water Quality Impact Assessment

1. The Applicant shall identify and analyse physical, chemical and biological disruptions of the water system(s) arising from the construction and operation of the Project.
2. The Applicant shall predict and evaluate water quality impacts arising from the construction and operation of the Project. Possible impacts due to marine works and discharges shall be quantified by using mathematical modelling in accordance to the requirements set out in **Appendix D-1**.
3. The Applicant shall address water quality impacts due to the construction and operation of the Project. The assessment shall include the following:
 - (i) collect and review background information on affected existing and planned water system(s), their respective catchments and WSRs which shall be affected by the Project;
 - (ii) characterise water quality of the water systems and WSRs, which shall be affected by the Project based on prevailing information and through site survey and tests when existing data are insufficient;
 - (iii) identify and analyse relevant existing and planned activities, beneficial uses and WSRs related to the affected water system(s);
 - (iv) identify pertinent water quality objectives and establish other appropriate water quality criteria or standards for the water system(s) and the WSRs identified in (i), (ii) & (iii) above;
 - (v) review the specific construction methods, programme and configurations, and the operation of the Project to identify any change in hydrodynamics, and identify and predict the water quality impacts arising from the Project;
 - (vi) identify any alteration of any watercourses, natural streams, change of water holding / flow regimes of water bodies, change of catchment types or areas, erosion or sedimentation due to the Project in the assessment area;
 - (vii) identify and evaluate existing and future water pollution sources within the assessment area, including point discharges, non-point sources discharges and effluent (e.g. sewage from workforce and future marina users) generated from the construction and operation of the Project. Field investigation and laboratory test shall be conducted as appropriate to fill relevant information gaps as necessary;
 - (viii) predict and evaluate the impacts on the water system(s) and its / their water sensitive receivers due to those alterations and changes and the pollution sources as identified above. The prediction shall consider both construction and operation of the Project;
 - (ix) assess the cumulative water quality impacts due to other related concurrent and planned projects, activities or pollution sources within the assessment area that shall have a bearing on the environmental acceptability of the Project;

- (x) analyse the provision and adequacy of existing and planned future facilities to handle or reduce water pollution arising from the point and non-point sources identified in (vii) above;
- (xi) develop effective infrastructure upgrading or provision, contingency plan, water pollution prevention and mitigation measures to be implemented during construction and operation phases so as to reduce the water quality impacts to within standards. Effluent generated from the Project shall require appropriate collection, treatment and disposal. Requirements to be incorporated in the Project contract document shall also be proposed;
- (xii) investigate and develop management practices to reduce storm water and non-point source pollution; and
- (xiii) identify and evaluate residual impacts on water system(s) and the WSRs with regard to the appropriate water quality objectives, criteria, standards or guidelines. If the mitigated water quality impact still exceeds the relevant criteria in Annex 6 of the TM, the Applicant shall identify, predict and evaluate the residual water quality impact in accordance with Section 4.4.3 of the TM and estimate the significance of the residual impact to the water system(s) and the WSRs.

Appendix D-1

Hydrodynamic and Water Quality Modelling Requirements

1. Water Quality Modelling Plan

- (i) The Applicant shall submit a Water Quality Modelling Plan for agreement with the Director before commencement of modelling assessment. The Plan shall demonstrate that the models meet the requirements as stipulated under the sections of Modelling Software, Model Details – Setup, Calibration and Validation, and Model Details – Simulation (Sections 2 to 4) in this Appendix. The Plan shall also set out the methodology for the modelling assessment in accordance with the requirements as stipulated under the Modelling Assessment section (Section 5) in this Appendix.

2. Modelling Software

- (i) The modules, D-Flow Flexible Mesh and D-Water Quality, of the Delft3D Flexible Mesh (DFM) Suite modelling software shall be used to simulate the far field hydrodynamic and water quality conditions of the water bodies under different representative scenarios of the EIA study.
- (ii) An initial dilution model shall be used to characterise the initial mixing of the effluent discharge, and to estimate the terminal level and size of the plume to be fed into the far field water quality model where necessary. The initial dilution model shall have been proven with successful applications locally and overseas (such as Cormix and VISJET).

3. Model Details – Setup, Calibration and Validation

- (i) The Applicant shall use the HK-DFM model setup (version 202210 or later, available in the Hong Kong Environmental Database of EPD), and update the model configurations such as grid size, pollution loading inventory, coastline, and bathymetry, where necessary, to suit the needs of the EIA study.
- (ii) The model updated by the Applicant shall be properly calibrated and validated against the latest available field data and checked against the original HK-DFM Model before use in the EIA study. The field data set for calibration and validation shall be agreed with the Director.
- (iii) If nested modelling is considered to be absolutely necessary, the Applicant shall use the updated model (refers to paragraphs (i) and (ii) of Section 3 of this Appendix) to generate the open boundary conditions for the nested / detailed local model as appropriate. The Applicant shall demonstrate that the use of the nested / detailed local model will not eliminate the essential features for hydrodynamic and water quality processes in the area of concern. In addition, the Applicant shall demonstrate to the satisfaction of the Director that the results of the nested / detailed local model at all key monitoring points are highly consistent with and closely resembling those of the updated model in selected scenario(s) for the Study (e.g. the baseline scenario) as well as available field data.
- (iv) In addition to the model simulation of selected study period including calibration and validation runs, proper model spin-up shall be carried out to ensure that the model results

have largely stabilised. Spin-up test results shall be provided to demonstrate that the model is sufficiently spun up to minimise any numerical artifacts from initial conditions.

- (v) For the purpose of calibration and validation, the model shall run for at least a real sequence of 15-day spring-neap tidal cycle (excluding model spin up) each for the dry and the wet seasons.
- (vi) The hydrodynamic model shall satisfactorily reproduce the observed variations of tide level and tidal current (in terms of magnitude and direction), and the temporal variations of salinity along the water column. In general, model calibration and validation shall achieve the following level of fitness with field data as far as possible.

<u>Criteria</u>	<u>Level of fitness with field data</u>
(a) tidal elevation (@)	< 8 %
(b) maximum phase error at high water and low water	< 20 minutes
(c) maximum current speed deviation	< 30 %
(d) maximum phase error at peak speed	< 20 minutes
(e) maximum direction error at peak speed	< 15 degrees
(f) maximum salinity deviation	< 2.5 ppt

@ Root mean square of the error including the mean and fluctuating components shall meet the criteria at no less than 80% of the monitoring stations in the model domain.

4. Model Details – Simulation

- (i) The water quality modelling results shall be qualitatively explainable, and any identifiable trend and variations in water quality shall be reproduced by the model. The water quality model shall be able to simulate and take into account the interaction of dissolved oxygen, phytoplankton, organic and inorganic nitrogen, phosphorus, silicate, BOD, salinity, temperature, suspended solids, contaminants release from sediments, air-water exchange, *E. coli* and benthic processes. Reference shall be made to Water Quality Objectives (WQOs) of the corresponding Water Control Zone (WCZ) as appropriate.
- (ii) The model shall take into account the processes of settling, deposition, erosion and re-suspension when assessing impacts of sediment loss due to marine works. The values of the modelling parameters shall be agreed with the Director.
- (iii) The model shall incorporate the physical processes of thermal discharge and flow abstraction, buoyancy effect of the thermal plume, and surface heat exchange when assessing impacts of thermal discharge. Dispersion of biocides in the discharge shall also be simulated with appropriate decay rates.
- (iv) In general, grid size within and around the study area of the Project shall be less than 400 m in open waters and less than 75 m around discharge points or sensitive receivers. The grid shall also be able to reasonably represent coastal features existing and proposed in the Project. The grid schematisation shall be agreed with the Director.
- (v) The pollution load inventory for water quality modelling shall include both the background and project pollution loads. The Applicant shall adopt the pollution load inventory available in the Hong Kong Environmental Database of EPD as the

background pollution loads. Any update or revision to the background pollution loads as well as the project pollution loads shall be justified and agreed with the Director.

5. Modelling Assessment

- (i) The assessment shall include the construction and operation stages of the Project. Potential impacts of the water quality due to the Project, and potential changes in hydrodynamic regime due to marine works and major discharges under the Project shall be assessed. Scenarios to be assessed shall cover the baseline condition and scenarios with different options proposed by the Applicant in order to quantify the environmental impacts and improvements that will be brought about by these options. Corresponding pollution load, bathymetry and coastline shall be adopted in the model setup.
- (ii) The water quality model shall run for a complete year to assess water quality impacts during operation stage of the Project. Water quality impacts during construction stage and floating refuse and debris entrapment, where appropriate, shall be assessed by simulating at least 30 days (two 15-day spring-neap tidal cycle) in both the dry and wet seasons.
- (iii) Compliance of WQOs and other relevant criteria in the relevant WCZs during both the construction and operation stages of the Project shall be assessed.
- (iv) Any changes in hydrodynamic regime shall be assessed by the model simulation with the minimum simulation time as follows:

Construction stage:

30 days (two 15-day spring-neap tidal cycles) for both the dry and wet seasons

Operation stage:

A complete year

Daily erosion / sedimentation rate on identified sensitive receivers shall be computed and assessed with relevant criteria.

- (v) The impacts of water quality and / or hydrodynamic changes on identified sensitive receivers shall be assessed.
- (vi) Cumulative impacts due to other relevant concurrent and planned projects, activities or pollution sources within a boundary to be agreed with the Director shall also be predicted, quantified and assessed.
- (vii) If nested modelling is adopted (paragraph (iii) of Section 3 of this Appendix) and the modelling results indicates that certain scenarios are sensitive / critical, e.g. where the predicted water quality only marginally meets the WQOs, the Applicant may be required to verify the findings from the nested model by re-running the identical scenarios using the updated model (refers to paragraphs (i) and (ii) of Section 3 of this Appendix), if deemed necessary by the Director.
- (viii) All modelling input data and results shall be submitted in digital media to the Director upon request.

Appendix E

Requirements and Methodologies for Assessment of Waste Management Implications

The assessment of waste management implications shall cover the following:

1. Analysis of Activities and Waste Generation

- (i) The Applicant shall identify the quantity, quality and timing of the waste arising as a result of the construction and operation activities of the Project, based on the sequence and duration of these activities, methods and process of these activities including construction and demolition (C&D) materials, chemical waste, excavated sediment / mud, floating refuse and other wastes which will be generated during construction and operation phases.
- (ii) The Applicant shall adopt appropriate design, construction methods and programme to minimise the generation of public fill / inert C&D materials and maximise the use of public fill / inert C&D materials for other construction works.

2. Proposal for Waste Management

- (i) Prior to considering the disposal options for various types of wastes, the Applicant shall evaluate and assess the feasibility and environmental acceptability of the measures for reducing waste generation, on-site or off-site re-use and recycling. Measures that can be taken in the planning and design stages and in the construction phase for maximising waste reduction shall be separately considered.
- (ii) The Applicant shall consider measures to minimise floating refuse accumulation / entrapment and the potential floating refuse problem. Regarding the potential trapping of floating refuse along the shoreline of the Project, the Applicant shall estimate the amount of floating refuse to be trapped along the shoreline of the Project during the construction and operation of the Project. The Applicant shall develop effective measures to minimise the trapping of floating refuse. If floating refuse is identified and needs to be dealt with, the Applicant shall propose appropriate measures to deal with this floating refuse in a proper and acceptable manner e.g. to collect, recycle, reuse, store, transport and dispose of.
- (iii) After considering the opportunities for reducing waste generation and maximising re-use, the types and quantities of the wastes required to be disposed of as a consequence shall be estimated and the disposal methods / options for each type of waste shall be described. The disposal methods / options recommended for each type of wastes shall take into account the result of the assessment in (v) below.
- (iv) The EIA report shall also state the transportation routings and the frequency of the trucks / vessels involved, the barging point or conveyor system to be used, the stockpiling areas and the disposal outlets for the waste identified.
- (v) The impact caused by handling (including stockpiling, labelling, packaging and storage), collection, transportation and re-use / disposal of wastes shall be addressed and mitigation measures shall be proposed.

- (vi) In addition to the above, the EIA report shall also identify practicable means of avoiding illegal dumping and landfilling, particularly on ecological sensitive areas in the vicinity of the Project, such as use of Global Positioning System or equivalent automatic identification system for real time tracking and monitoring of travel routings and parking locations for vessels and/or dump trucks.

3. **Excavation and Dumping**

- (i) The Applicant shall identify and estimate excavation, excavated sediment / mud transportation and disposal activities and requirements. Potential dumping ground to be involved shall also be identified. Appropriate field investigation, sampling and chemical and biological laboratory tests to characterise the sediment / mud concerned shall be conducted for marine disposal option. The ranges of parameters to be analysed; the number, type and methods of sampling; sample preservation; chemical and biological laboratory test methods to be used shall be agreed with the Director (with reference to Section 4.4.2(c) of the TM) prior to the commencement of the tests and document in the EIA report for consideration. The categories of sediment/mud which are to be disposed of in accordance with the Dumping at Sea Ordinance shall be identified by both chemical and biological tests and their quantities shall be estimated. If the presence of contamination of sediment / mud which requires special treatment / disposal is confirmed, the Applicant shall identify the appropriate treatment and / or disposal arrangement and demonstrate its viability in consultation with relevant authorities.
- (ii) The Applicant shall identify and evaluate the practical excavation methods to minimise excavation and dumping requirements based on the criterion that existing sediment / mud shall be left in place and not to be disturbed as far as possible.
- (iii) The Applicant shall address the handling of the excavated sediment, e.g. whether the guidelines in Section 4.2.1, Chapter 4 of Project Administration Handbook for Civil Engineering Works and Dumping at Sea Ordinance (Cap. 466) will be followed.

Appendix F

Requirements and Methodologies for Ecological Impact Assessment (Marine)

Scope of Ecological Survey

1. The Applicant shall examine the flora, fauna and ecological habitats within the assessment area. The assessment shall identify and quantify as far as possible the potential ecological impacts associated with the Project, both directly by physical disturbance and indirectly by potential impacts such as change of water quality and hydrodynamic regime to natural habitats and the associated wildlife groups and habitats / species.
2. Ecological field surveys shall be conducted over a 12-month period covering both the wet and dry seasons. The field surveys shall cover flora, fauna and any other habitats / species of conservation importance. Optimal time of the year, minimum survey frequency and optimal time of the day for conducting the ecological baseline surveys shall be determined in accordance with Appendix B of the TM Annex 16.
3. The ecological profile of the assessment area shall be established based on information collected in the marine ecological field surveys and review of the existing information, with the descriptions of the characteristics of each habitat found. The data set shall be comprehensive and representative to cover the variations of the wet and dry seasons, and is up to date and valid for the purpose of this assessment.
4. The ecological profile shall include investigation and descriptions of the habitats and ecological resources within the assessment area including:
 - (i) the intertidal, subtidal soft-bottom and hard-bottom habitats;
 - (ii) seagrass beds;
 - (iii) coral communities
 - (iv) marine mammals (e.g. Finless Porpoises); and
 - (v) any other habitats and wildlife groups identified as having special conservation interest identified by the EIA study.

Ecological Survey Methodology

5. The ecological survey shall be conducted by transects, sampling and direct observation. The survey locations shall be agreed with Agriculture, Fisheries and Conservation Department (AFCD).

Habitat Mapping

- (i) Marine habitats within the assessment area shall be identified, sized and mapped. Ecological characteristics of each habitat type, including size, species present, dominant species found, species diversity and abundance, community structure, ecological value and inter-dependence of the habitats and species, and presence of any features of ecological importance shall be defined and characterised. Representative colour photographs of the habitat types and / or any important ecological features identified shall be taken. A habitat map of suitable scale (1:1000 to 1:5000) showing types and locations of habitats within the assessment area shall be prepared. The habitat map shall be checked during ground truthing.

Intertidal Communities Survey

- (ii) Intertidal survey shall be conducted for the distribution and abundance of intertidal shore communities. Quantitative information such as species richness and diversity, abundance and density shall be collected using the transect method. Particular attention shall be paid to potential intertidal habitats that support seagrass beds. If seagrass beds are found during the survey, their locations, sizes, percentage cover, and associated fauna shall be recorded.

Subtidal Hard-bottom Communities Survey

- (iii) Hard-bottom communities shall be initially surveyed by spot-check dives to identify locations of coral communities and their composition.
- (iv) A Rapid Ecological Assessment shall be conducted to assess and classify survey areas. Other quantitative surveys shall be conducted if deemed necessary.

Subtidal Soft-bottom Communities Survey

- (v) Soft-bottom communities shall be surveyed using grab sampling at representative stations with suitable number of replicates for collection of representative species taking into account field condition and time constraint.

Marine Mammals Survey

- (vi) Marine mammals shall be surveyed using boat-line transect survey and passive acoustic monitoring to collect baseline information on species occurrence, distribution, and density.

Impact Identification and Evaluation

- 6. Using the above survey methodologies and considering any works activities from the Project and other projects occur at the same time, identify and evaluate impacts during construction and operation of the Project in accordance with Section 5.2 of Annex 16 of TM, in particular loss of habitats; indirect ecological impacts due to potential hydrological disruption; increase in marine traffic; underwater noise and other disturbance such as those associated with tourism and recreational activities; deterioration of water quality during construction and operation of the Project; and cumulative impacts due to other planned and committed concurrent development projects in the vicinity of the Project area.
- 7. Evaluate the ecological impacts using qualitative and / or quantitative approach covering both construction and operation phases of the Project.

Impact Mitigation

- 8. The Applicant shall:
 - (i) recommend practicable mitigation measures (such as alternative design and configuration of the Project and modification / change of construction methods,

restriction on vessel speed / travel routes, management of yacht movements, etc.) to minimise and / or compensate for the adverse ecological impacts identified during construction and operation of the Project;

- (ii) evaluate feasibility and effectiveness of the recommended mitigation measures and define the scope, type, location, implementation arrangement, resources requirement, subsequent management and maintenance of such measures;
- (iii) determine and quantify the residual ecological impacts after implementation of the proposed mitigation measures;
- (iv) evaluate the significance and acceptability of the residual ecological impacts using the criteria in Annex 8 of the TM and determine if off-site mitigation measures are necessary to mitigate the residual impacts and if affirmative, guidelines and requirements laid down in Annex 16 of the TM shall be followed; and
- (v) review the need for and recommend any ecological monitoring programme required.

Appendix G

Requirements and Methodologies for Fisheries Impact Assessment

1. The fisheries impact assessment shall cover impacts on capture fisheries and mariculture during construction and operation phases.
2. Existing fisheries information regarding the assessment area shall be reviewed.
3. A 12-month observation-based survey shall be conducted to confirm and update the status of fishing vessel operation. An interview survey shall also be conducted to collect information from capture fishermen, mariculturists, and recreational fisheries operators about their fisheries operations, including suitable timing for conducting the observation-based survey.
4. The fisheries impact assessment shall provide the following information:
 - (i) description of the physical environmental background;
 - (ii) description and quantification of existing fisheries activities and fisheries resources / production based on information collected;
 - (iii) identification of areas within the assessment area that are important to fisheries and will be affected by the Project;
 - (iv) identification, prediction and evaluation of impacts on fisheries during the construction and operation phases of the Project, including, loss or disturbance of fishing grounds, fisheries habitats, aquaculture sites, fisheries production and operations, nursery and spawning grounds of commercially important species, artificial reefs, as well as water quality deterioration at sensitive receivers due to construction and operation of the project;
 - (v) evaluation of cumulative impacts on fisheries due to other planned and committed concurrent development projects at and within the assessment area;
 - (vi) proposals of feasible, practicable and effective alternatives and/or mitigation measures of fisheries impact, such as alternative design and configuration of the Project, modification / change of construction methods, restriction on vessel speed / travel routes, management of yacht movements; and
 - (vii) recommendations for the need for and the scope of fisheries monitoring and audit programme during the construction and operation phase of the Project and associated works.

Appendix H

Requirements and Methodologies for Landscape and Visual Impact Assessment

1. A system shall be derived for judging the landscape and visual impact significance as required under the Annexes 10 and 18 of the TM and the EIAO Guidance Note 8/2023 “Preparation of Landscape and Visual Impact Assessment under the EIAO” published on the website of the Environmental Protection Department.
2. A baseline study on landscape impact assessment shall be conducted based on desktop study by reviewing relevant approved EIA reports and topographical maps, information databases, aerial photographs, as well as undertaking site visits and broad brush tree and vegetation survey in paragraph 3 below to give a brief account of the landscape character and resources within the assessment area.
3. A broad brush tree / vegetation survey within the assessment area shall be carried out. Such broad brush survey could be quantified by estimation supported with on-site survey within the assessment area, rather than detailed survey of individual trees, such that it could assist a brief account of the landscape characters and resources of the assessment area. Where there are site constraints (including inaccessibility of the areas) during the on-site survey of the broad brush tree / vegetation survey, aerial drones or other remote sensing technologies shall be used to capture photographs and / or videos to survey the landscape characters and resources.
4. Annotated oblique aerial photographs and plans of suitable scale showing the baseline landscape resources and landscape character areas and mapping of impact assessment shall be used to present the findings of impact assessment. Descriptive text shall provide a concise and reasoned judgment from a landscape point of view. The assessment shall be particularly focused on the sensitivity of the landscape character areas and resources and its ability to accommodate change. The Applicant shall identify the degree of compatibility of the Project with the existing and planned landscape setting and scenic spot. The landscape impact assessment shall qualify and quantify the potential landscape impact, so as to illustrate the significance of such impact arising from the Project. Cumulative landscape impacts of the Project with other committed and planned developments shall be assessed.
5. The landscape impact assessment shall assess:
 - (i) the direct impacts upon specific landscape elements, in particular on landscape with special interest, distinctive quality and value; and
 - (ii) the overall pattern of landscape elements that give rise to landscape character, and local and regional distinctiveness.
6. Note 1 to Appendix A, Annex 18 of the TM sets out the examples of landscape with distinctive character / resources, among which trees of particular interest, for the purpose of this EIA, shall include the following:
 - (a) Old and Valuable Trees (OVTs);
 - (b) Trees of 100 years old or above;

- (c) Trees with trunk diameter equal to or exceeding 1.0m (measured at 1.3m above ground level), or with height / canopy spread equal to or exceeding 25 m;
 - (d) Stonewall trees or trees of outstanding form (taking account of overall tree sizes, shape and any special features);
 - (e) Rare tree species listed in 'Rare and Precious Plants of Hong Kong' published by AFCD;
 - (f) Endangered plant species protected under the Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586); and
 - (g) Tree species listed in the Forestry Regulations (Cap. 96A) under the Forests and Countryside Ordinance (Cap. 96).
7. The Applicant shall assess the visual impact of the Project during operation phase. Clear illustrations including mapping of visual impact is required. The Visual Impact Assessment should take into account existing / planned / approved land uses as the baseline conditions. All direct impacts on existing / planned / approved land uses, and on future outlook of the area shall be discussed. The assessment shall include the following:
- (i) identification and plotting of visual envelope of the Project;
 - (ii) appraisal of existing visual resources and characters as well as future outlook of the visual system of the assessment area;
 - (iii) identification and justification of the key public viewing points within the visual envelope and their views at ground level and elevated vantage points, and clearly indicate the key public viewing points on a plan of appropriate scale;
 - (iv) evaluation of the magnitude of change in terms of visual composition, visual obstruction and visual change of the Project with the existing and planned visual context, and sensitivity of viewers in terms of types of viewers and value of existing views;
 - (v) the visual impact of the Project with and without mitigation measures during operation phase shall be included and illustrated so as to demonstrate the effectiveness of the proposed mitigation measures across time; and
 - (vi) evaluation and explanation with supportive arguments of factors considered in arriving the significance thresholds of visual impact. The visual impacts should include presentation of an evaluation matrix derived for judging impact significance.
8. The Applicant shall evaluate the merits of preservation in totality, in parts or total destruction of existing landscape and the establishment of a new landscape character area. In addition, alternative development options, design and construction methods that would avoid or reduce the identified impacts on landscape, and / or visual amenity shall be examined before adopting other mitigation or compensatory measures to alleviate the impacts. The applicant shall recommend mitigation measures which shall not only focus on damage reduction but also potential enhancement of existing landscape and visual quality of the area. The recommendations shall also be illustrated in landscape design and landscape / visual impact mitigation measure plan.

9. The mitigation measures shall include preservation of vegetation and natural landscape resources, provision of buffer planting, re-vegetation of disturbed area, woodland restoration, compensatory planting, erection of decorative screen hoarding compatible with surrounding setting, provisioning / reprovisioning of amenity areas and open spaces, design and layout of structures, façade treatment, creation of interesting landscape or visual features and any measures to mitigate the impact on existing and planned land uses and viewers. Parties shall be identified for the ongoing management and maintenance of the proposed mitigation works to ensure their effectiveness throughout the implementation of the Project. Agreement from relevant authorities responsible for funding, implementation, management and maintenance of proposed mitigation measures have to be obtained before including into the landscape and visual impact assessment. A practical programme for the implementation of the recommended measures shall be provided. If any noise barriers / enclosures are proposed, the choice of their colours, design and materials should be compatible with the surrounding buildings and development context and their aesthetic designs should be considered.
10. Annotated illustration materials including coloured perspective drawings, plans and section / elevation diagrams, oblique aerial photographs, photographs taken at key public viewing points, and computer-generated photomontage shall be adopted to fully illustrate the landscape and visual impacts of the Project. In order to illustrate the landscape and visual impacts and to demonstrate the effectiveness of the proposed landscape and visual mitigation measures, photomontages at selected representative public viewing points shall be prepared to illustrate existing conditions and proposed development with and without mitigation measures at the operation phase. Computer graphics shall be in a common format compatible with desktop computers. The Applicant shall record the technical details in preparing the illustrations, which shall need to be submitted for verification of the accuracy of the illustrations.

Appendix I

Requirements and Methodologies for Cultural Heritage Impact Assessment

1. Marine Archaeological Investigation (MAI)

- (i) The Applicant shall engage archaeologist(s) to conduct a marine archaeological investigation (MAI) covering the area of the proposed marina, taking the results of previous studies and other background of the site into account, to evaluate any marine archaeological impact imposed by the Project and its associated works. The scope of the MAI shall be submitted to the Antiquities and Monuments Office (AMO) and the Director prior to the commencement of the investigation for consideration.
- (ii) In case the existing information is inadequate or where the assessment area has not been adequately studied before, the archaeologist shall conduct marine archaeological investigations to assemble data. The archaeologist shall obtain licences from the Antiquities Authority under the Antiquities and Monuments Ordinance (Cap. 53) prior to the commencement of archaeological investigations.
- (iii) Based on existing and collected data, the Applicant shall evaluate whether the Project and its associated works are acceptable from marine archaeological preservation point of view. In case adverse impact on archaeological heritage cannot be avoided, appropriate mitigation measures should be designed and recommended in the EIA report in agreement and consideration with AMO, and implemented to the satisfaction of AMO.
- (iv) If mitigation measure(s) is / are required, the area and the practical programme for implementation of the mitigation measure(s) shall be recommended in the EIA report.

Implementation Schedule of Recommended Mitigation Measures

[illegible]

Appendix K

Requirements for EIA Report Documents

1. The Applicant shall supply the Director with the following number of copies of the EIA report and the executive summary:
 - (i) 30 copies of the EIA report and 30 copies of the executive summary (each bilingual in both English and Chinese) as required under Section 6(2) of the EIAO to be supplied at the time of application for approval of the EIA report.
 - (ii) When necessary, addendum to the EIA report and the executive summary submitted in item (i) above as required under Section 7(1) of the EIAO, to be supplied upon advice by the Director for public inspection.
 - (iii) 20 copies of the EIA report and 50 copies of the executive summary (each bilingual in both English and Chinese) with or without Addendum as required under Section 7(5) of the EIAO, to be supplied upon advice by the Director for consultation with the Advisory Council on the Environment.
2. In addition, to facilitate public inspection of EIA report via EIAO Internet Website, the Applicant shall provide electronic copies of both the EIA report and executive summary prepared in Portable Document Format (PDF), unless otherwise agreed by the Director. A content page capable of providing hyperlink to each section and sub-section of the EIA report and executive summary shall be included in the beginning of the document. Hyperlinks to figures, drawings and tables in the EIA report and executive summary shall be provided in the main text from where respective references are made. The EIA report, including drawings, tables, figures and appendices shall be viewable by common web browsers including the latest version of Microsoft Edge, Mozilla Firefox, Safari, Google Chrome or any web browsers as agreed by the Director, and support languages including Traditional Chinese, Simplified Chinese and English.
3. The electronic copies of the EIA report and the executive summary shall be submitted to the Director at the time of application for approval of the EIA report.
4. When the EIA report and the executive summary are made available for public inspection under Section 7(1) of the EIAO, the content of the electronic copies of the EIA report and the executive summary must be the same as the hard copies and the Director shall be provided with the most updated electronic copies.
5. To promote environmentally friendly and efficient dissemination of information, both hardcopies and electronic copies of future EM&A reports recommended by the EIA study shall be required and their format shall be agreed by the Director.

**ENVIRONMENTAL IMPACT ASSESSMENT ORDINANCE
(CAP. 499)**

**GUIDANCE NOTE ON ADVERTISEMENT AND
PUBLIC INSPECTION OF DOCUMENTS**

CONTENTS

1. Purpose
2. Advertising the Availability of Project Profile and the Arrangement for its Public Inspection
3. Advertising the Availability of Environmental Impact Assessment (EIA) Report and the Arrangement for its Public Inspection
4. Confirmation of Advertisement
5. Further Enquiries

Appendix 1 - Format of Advertisement for Application for EIA Study Brief

Appendix 2 - Format of Advertisement for Application for Permission to Apply Directly for Environmental Permit

Appendix 3 - Format of Advertisement for Application for Approval of EIA Report

Appendix 4 - Confirmation of Advertisement for the Availability of Project Profile

Appendix 5 - Confirmation of Advertisement for the Availability of EIA Report

**Environmental Impact Assessment Ordinance, Cap.499
Guidance Note**

Advertisement and Public Inspection of Documents

(Important Note :

The guidance note is intended for general reference only. You are advised to refer to and follow the requirements in the Environmental Impact Assessment Ordinance (Cap 499) and the Technical Memorandum on the Environmental Impact Assessment (EIA) Process. Each case has to be considered on individual merits. This guidance note serves to provide some good practices on EIA and was developed in consultation with the EIA Ordinance Users Liaison Groups and the Advisory Council on the Environment. This guidance note may be subject to revision without prior notice. You are advised to make reference to the guidance note current to the date. Any enquiry on this guidance note should be directed to the EIA Ordinance Register Office of EPD on 27th Floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong. (Telephone: 2835-1835, Faxline: 2147-0894), or through the EIA Ordinance web site (www.epd.gov.hk/eia)

1. Purpose

1.1 This guidance note sets out the advertisement requirements and the arrangement for public inspection of a project profile or an environmental impact assessment (EIA) report submitted under the Environmental Impact Assessment (EIA) Ordinance (the Ordinance).

1.2 This guidance note should be read in conjunction with "A Guide to the EIA Ordinance" which can be obtained from the EIA Ordinance Register Office at 27/F, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong or downloaded from the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

2. Advertising the Availability of Project Profile and the Arrangement for its Public Inspection

The Requirement

2.1 Under the Ordinance, an applicant should advertise, at his or her own expense, the availability of a project profile for the following applications:

- (i) an application for EIA study brief under section 5.(1)(a) of the Ordinance; or
- (ii) an application for permission to apply directly for environmental permit under section 5.(1)(b) of the Ordinance.

Timing and Frequency of Advertisement

2.2 An applicant should advertise the availability of the project profile on the day following the submission of the application form and the project profile to the Director of Environmental Protection (the Director).

2.3 The applicant would only need to make one advertisement in a Chinese newspaper and an English newspaper, unless further information relating to the project profile is required and the applicant has been advised by the Director to advertise the availability of the additional information.

The Format and Size of Advertisement

2.4 For a project profile submitted for an application for EIA study brief, the format of advertisement should follow Appendix 1.

2.5 For a project profile submitted for an application for permission to apply directly for environmental permit, the format of advertisement should follow Appendix 2. The applicant should state clearly whether the application is pursuant to section 5.(9), 5.(10) or 5.(11) of the Ordinance.

Advertising the Availability of Additional Information

2.6 If the Director requires further information concerning the project profile, the applicant may have to advertise the availability of the additional information. The Director will advise the applicant the details of such an advertisement.

Period and Place of Public Inspection of Project Profile

2.7 The Director will place the project profile at the following locations for the public to inspect for 14 days from the day of the advertisement:

- (a) The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays);
- (b) Wan Chai Environmental Resource Centre, 221 Queen's Road East, Wan Chai, Hong Kong (Opening hours: Monday, Wednesday to Friday 1000 to 1700, closed on Tuesday, Saturday, Sunday and Public Holidays) [Note: Temporarily closed due to renovation.]; and
- (c) the relevant District Offices in those districts where the designated project will be located (Opening hours: normal office hours of District Offices).

The Director will also upload the project profile to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

2.8 Before the public inspection period expires, the public may forward written comments to the Director by post or fax or email to the EIA Ordinance Register Office at the following address:

The EIA Ordinance Register Office
Environmental Protection Department
27th floor, Southorn Centre,
130 Hennessy Road,
Wanchai, Hong Kong
Fax. no.: 2147 0894
Email address: eiaocomment@epd.gov.hk

3. Advertising the Availability of EIA Report and the Arrangement for its Public Inspection

The Requirement

3.1 Under the Ordinance, an applicant should advertise the availability of the EIA report when the report is considered by the Director as meeting the requirements of the EIA study brief and the Technical Memorandum on EIA Process.

Delivery of EIA Reports

3.2 The applicant should notify EPD of date of advertisement at least two full working days before the day of first advertisement and submit (no. of EIA report specified in the EIA study brief) with electronic copy to the EIA Ordinance Register Office on the 27th Floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong. If EPD find the electronic copy differs from the hard copy substantially, the applicant would be required to defer the date of advertisement until the defect is rectified.

Timing and Frequency of Advertisement

3.3 The applicant should advertise the availability of the EIA report once every 10 days of the 30 days public inspection period. The arrangement should be as follows:

- (a) the first advertisement to be placed on the same day of the placing of the report at locations required by the Director;
- (b) the second advertisement to be placed 10 days after the first advertisement; and
- (c) the third advertisement to be placed 10 days after the second advertisement.

The Format and Size of Advertisement

3.4 The format of the advertisement should follow Appendix 3. If the Director requires any other information relating to the project to be set out in the advertisement, the applicant will be informed of the requirements.

Re-advertisement

3.5 If the applicant fails to comply with the requirements for advertising the availability of the EIA report, the Director may require the applicant to re-advertise or extend the period of public inspection for up to another 30 days.

Period and Place of Public Inspection of EIA Report

3.6 The applicant should make available at least two copies of the EIA report at a location in his or her office that is accessible to the public during normal office hours. The advertisement notice should be attached to the EIA report so that the public can know the duration of the public inspection period and the address to which his or her written comments can be sent.

3.7 The applicant should provide sufficient copies of the EIA report for the Director to place them at the following locations for the public to inspect for 30 days:

- (a) The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays);
- (b) Wan Chai Environmental Resource Centre, 221 Queen's Road East, Wan Chai, Hong Kong (Opening hours: Monday, Wednesday to Friday 1000 to 1700, closed on Tuesday, Saturday, Sunday and Public Holidays) [Note: Temporarily closed due to renovation.]; and
- (c) the relevant District Offices in those districts where the designated project will be located (Opening hours: normal office hours of District Offices).

The Director will also upload the EIA report to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

3.8 Before the public inspection period expires, the public may forward written comments to the Director by post or fax or email to the EIA Ordinance Register Office at the address given in this guidance note.

4. Confirmation of Advertisement

4.1 The applicant should confirm that the advertisement have been placed as required by filling in Appendix 4 or 5 and faxing it back on the day of the advertisement to the EIA Ordinance Register Office at fax. no. 21470894, together with copies of the advertisements.

5. Further Enquiries

5.1 Any further enquiries could be made to the EIA Ordinance Register Office.

Environmental Protection Department
Date of issue: October 2010
Last revision date: December 2023

Appendix 1 - Format of Advertisement for Application for EIA Study Brief

ENVIRONMENTAL IMPACT ASSESSMENT ORDINANCE (CHAPTER 499) **Application for Environmental Impact Assessment Study Brief under Section 5.(1)(a)**

An application for environmental impact assessment (EIA) study brief to proceed with EIA study for << *title of the proposed designated project* >> has been submitted by << *name of the applicant* >> to the Director of Environmental Protection under section 5.(1)(a) of the EIA Ordinance.

The project profile prepared by the applicant is now available for inspection from << *date of this advertisement* >> to << *date of this advertisement + 13 calendar days* >> at the following locations:

- i. The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays); and
- ii. << *relevant District Office(s)* >> during normal office hours.

The project profile will also be uploaded to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

The public may forward written comments on the project profile to the Director of Environmental Protection on environmental issues covered by the Technical Memorandum on EIA Process within 14 days of this advertisement. The Technical Memorandum can be obtained from the EIA Ordinance Register Office or the EIA Ordinance website. The comments from the public may be forwarded to any relevant parties in processing of the application. Any written comments should be sent to the following address by post or fax or email:

The EIA Ordinance Register Office
Environmental Protection Department
27th floor, Southorn Centre,
130 Hennessy Road,
Wanchai, Hong Kong.

Fax. no.: 2147 0894

Email address: eiaoccomment@epd.gov.hk

<< *Date of advertisement* >>

Appendix 2 - Format of Advertisement for Application for Permission to Apply Directly for Environmental Permit

ENVIRONMENTAL IMPACT ASSESSMENT ORDINANCE (CHAPTER 499)

Application for Permission to Apply Directly for Environmental Permit under Section 5.(1)(b) and << either Section 5.(9), 5.(10) or 5.(11), use one number only in this box >>

An application for permission to apply directly for environmental permit has been submitted by << name of the applicant >> for the << title of the proposed designated project >> to the Director of Environmental Protection under section 5.(1)(b) and << section 5.(9), 5.(10) or 5.(11), fill in one section number only in this box >> of the Environmental Impact Assessment (EIA) Ordinance.

The project profile prepared by the applicant is now available for inspection from << date of this advertisement >> to << the date of this advertisement + 13 calendar days >> at the following locations:

- i. The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays); and
- ii. << relevant District Office(s) >> during normal office hours.

The project profile will also be uploaded to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

The public may forward written comments on the project profile to the Director of Environmental Protection on environmental issues covered by the Technical Memorandum on EIA Process within 14 days of this advertisement. The Technical Memorandum can be obtained from the EIA Ordinance Register office or the EIA Ordinance website. The comments from the public may be forwarded to any relevant parties in processing of the application. Any written comments should be sent to the following address by post or fax or email:

The EIA Ordinance Register Office
Environmental Protection Department
27th floor, Southorn Centre,
130 Hennessy Road,
Wanchai, Hong Kong.

Fax. no.: 2147 0894

Email address: eiaocomment@epd.gov.hk

<< Date of advertisement >>

Appendix 3 - Format of Advertisement for Application for Approval of EIA Report

ENVIRONMENTAL IMPACT ASSESSMENT ORDINANCE (CHAPTER 499) **Public Inspection of Environmental Impact Assessment Report under Section 7.(1)**

An application for approval of environmental impact assessment (EIA) report for the << *title of the proposed designated project* >> has been submitted by << *name of the applicant* >> to the Director of Environmental Protection under section 6.(2) of the EIA Ordinance.

The EIA report prepared by the applicant is now available for the public to inspect under section 7.(1) of the Ordinance from << *date of the first advertisement* >> to << *date of the first advertisement + 29 calendar days* >> at the following locations:

- i. The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays); and
- ii. << *the applicant's office address and opening hours* >>; and
- iii. << *relevant District Office(s)* >> during normal office hours.

The EIA report will also be uploaded to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

The public may seek clarification or assistance in understanding the EIA report from the << *name of the applicant* >> at << *telephone numbers* >> during office hours << *the applicant's office opening hours* >>. The public may forward written comments on the EIA report to the Director of Environmental Protection on environmental issues covered by the Technical Memorandum on EIA Process before the public inspection period expires. The Technical Memorandum can be obtained from the EIA Ordinance Register office or the EIA Ordinance website. The comments from the public may be forwarded to the applicant or any relevant parties in processing of the application. Any written comments should be sent to the following address by post or fax or email:

The EIA Ordinance Register Office,
Environmental Protection Department,
27th floor, Southorn Centre,
130 Hennessy Road,
Wanchai, Hong Kong.

Fax. no. : 2147 0894

Email address : eiaocoment@epd.gov.hk

Date of the first advertisement: << *Date of the first advertisement* >>

Date of this advertisement: << *Date of this advertisement* >>

Environmental Impact Assessment Ordinance
Confirmation of Advertisement for the Availability of Project Profile

From:

To: EIA Ordinance Register Office
(Fax. no.: 2147 0894)

Date:

Tel. no.:

Please complete the following and return it by fax to 21470894, with a copy of the advertisements appeared in the newspapers, on the day the advertisement has been made.

1. Title of the Designated Project:

2. Reference No. of Application:

3. The Name of the Chinese Newspaper and the Date of Advertisement:

4. The Name of the English Newspaper and the Date of Advertisement:

5. Number of pages faxed:

**Environmental Impact Assessment Ordinance
Confirmation of Advertisement for the Availability of
Environmental Impact Assessment Report**

From:

To: EIA Ordinance Register Office
(Fax. no.: 2147 0894)

Date:

Tel. no.:

Please complete the following and return it by fax to 21470894, with a copy of the advertisements appeared in the newspapers, on the day the advertisement has been made.

1. Title of the Designated Project:

2. Reference No. of Application:

3. Please tick one of the following:

- ☐ the first advertisement during the public inspection period
☐ the second advertisement during the public inspection period
☐ the third advertisement during the public inspection period

4. The Name of the Chinese Newspaper and the Date of Advertisement:

5. The Name of the English Newspaper and the Date of Advertisement:

6. Number of pages faxed:

**MODUS OPERANDI OF THE
ENVIRONMENTAL IMPACT ASSESSMENT SUBCOMMITTEE OF
THE ADVISORY COUNCIL ON THE ENVIRONMENT**

Purpose

This paper sets out the *modus operandi* of the Environmental Impact Assessment (EIA) Subcommittee of the Advisory Council on the Environment (ACE) so as to facilitate smooth proceedings of subcommittee meetings. The current *modus operandi* was last updated and endorsed by ACE in July 2009.

Background

2. ACE is the Government's principal advisory body on matters relating to environmental protection and nature conservation. The terms of reference of ACE are –

- (a) to keep under review the state of the environment in Hong Kong; and
- (b) to advise the Government, through the Secretary for Environment and Ecology, on appropriate measures which might be taken to combat pollution of all kinds, and to protect and sustain the environment.

3. The EIA Subcommittee is set up under ACE to study EIA reports of major development projects. It also comments on strategic environmental assessment reports of major planning projects. The terms of reference of the EIA Subcommittee are –

- (a) to receive and study EIA reports of major development projects; and
- (b) to report on its deliberations and findings and make recommendations to ACE.

EIA Process

4. ACE and the EIA Subcommittee are involved in three main stages of the EIA process, namely commenting on the project profiles for designated projects, selection of EIA reports for submission to ACE and commenting on selected EIA reports. In accordance with ETWB Technical Circular (Works) No. 13/2003, the statutory gazetting of a project under the relevant ordinances can be done in parallel with the EIA process. Separately, consultation with District Councils and other relevant parties may proceed in advance of or in parallel with the submission of EIA reports to the EIA Subcommittee.

Project Profiles

5. Under section 5 of the EIA Ordinance, ACE and members of the public may comment on the project profile of a designated project within 14 days of it being advertised. It is hence not necessary for the EIA Subcommittee to present to the Director of Environmental Protection (DEP) the collective view of the EIA Subcommittee on project profiles. To ensure that comments on project profiles, if any, are given to DEP within the statutory time limit, individual ACE Members would write to DEP directly. Where necessary, the ACE Member may copy his/her comments to the Chairman and Members for information.

Selection of EIA Reports

6. Project proponents of designated projects will have to present their EIA reports to ACE if they are required to submit the reports to the Council. Members of the EIA Subcommittee will be asked to select those projects which they consider should require a presentation to the EIA Subcommittee by the project proponent. The selection outcome is for internal planning of the schedule of the EIA Subcommittee and will not be divulged to the project proponent. Only those projects selected by half or more of EIA Subcommittee Members will be selected. The project proponent concerned will be notified of the selection outcome only after DEP has decided that the EIA report is ready for public inspection and submission to ACE for advice.

7. During the project selection process, if individual EIA Subcommittee Member has special concerns/comments on a certain project, he/she could draw the EIA Subcommittee Chairman's attention to his/her concerns/comments and the Chairman would consider the need to review the decision on selection of the EIA report for submission to ACE.

8. For projects not selected, the project proponent will be required to send the Executive Summary of the EIA report to the EIA Subcommittee. Members would pass their comments, if any, to DEP directly within the prescribed public inspection period and if necessary, copy his/her comments to the Chairman and Members of the EIA Subcommittee for information. At the ACE meeting immediately following the issue of the Executive Summaries of the EIA reports, the EIA Subcommittee Chairman will report to ACE about the submission of these Executive Summaries for information of Members and record as projects not selected for discussion.

Meeting Arrangements

9. The EIA Subcommittee will basically meet on a monthly basis. Meetings will be held when there is submission of EIA report(s) or issue(s) to be discussed.

10. To facilitate focused discussion, the EIA Subcommittee will generally consider no more than two EIA reports in each meeting. EPD will prepare a paper on each EIA report to be submitted to the EIA Subcommittee highlighting the key environmental issues and major findings of the EIA study. Upon expiry of the report inspection period by the general public, EPD will summarize all public comments received during the period for consideration of the EIA Subcommittee. The project proponent, where applicable, will provide the EIA Subcommittee with a report on the site selection process of the project, setting out the alternative sites that have been considered and the reasons of the selection of the particular site when such information is not provided in the EIA report. The paper, the EIA report and the site report, if any, will normally be issued to EIA Subcommittee Members two weeks before the scheduled meeting. The summary of public comments will also be given to Members before the meeting. Members will be asked to indicate whether it is necessary for the project proponent to attend the meeting or the report could be considered by circulation. Project proponents will be informed accordingly before the scheduled meeting.

11. Summary of the public comments will also be provided to non-EIA Subcommittee Members for reference to facilitate their discussion of the EIA Subcommittee's recommendations at the next ACE meeting before the Council tenders its comments to DEP on the EIA report as provided for under the EIA Ordinance.

12. Members of the EIA Subcommittee may raise questions in writing on an EIA report before the scheduled meeting and the project proponent should provide written response to the Secretariat at least three working days before the meeting.

13. Each discussion item on an EIA report would include a Presentation Session by the project proponent, a Question-and-Answer Session and Internal Discussion Sessions. The Presentation Session and the Question-and-Answer Session are open up for broadcasting and members of the public can view the sessions real time in the public viewing room. The EIA Subcommittee would allocate as much time to the Question-and-Answer Session as possible.

14. The presentation by the project proponent should cover, inter alia, the major conclusions and recommendations of the EIA study. In addition, the project proponent should provide a concise and objective account of the main concerns of the general public and interest groups made known during the EIA study and the public inspection stages, and explain how these concerns are addressed in the EIA study.

Criteria for Assessing EIA Reports

15. EIA reports will be assessed by the EIA Subcommittee according to the requirements of the Technical Memorandum on the EIA Process and the study brief of the individual projects issued by DEP.

Recommendations to the Full Council

16. The EIA Subcommittee can make one of the following recommendations to the full Council –

- (i) endorse the EIA report without condition; or
- (ii) endorse the EIA report with condition(s); or
- (iii) reject the EIA report and inform the proponent the right to go to the full Council.

17. If the EIA Subcommittee cannot reach a consensus (i.e. if two or more Members do not agree with the conclusion of the EIA Subcommittee) during the meeting, it may –

- (i) ask for a second submission to the EIA Subcommittee; or
- (ii) defer the decision to the full Council and highlight issues or reasons for not reaching a consensus for the full Council's deliberation.

18. Other than the scenario in paragraph 17 above or the EIA Subcommittee Chairman considers it appropriate, the recommendations of the EIA Subcommittee will not be discussed in detail in the full Council.

Other Rules that apply to EIA Subcommittee Meetings

19. Apart from the procedures mentioned above, the following rules also apply to EIA Subcommittee meetings –

- (i) the quorum for EIA Subcommittee meetings should be half of the number of EIA Subcommittee Members, including the Chairman;
- (ii) ACE Members who are not EIA Subcommittee Members may attend EIA Subcommittee meetings and participate in the discussion of the meetings but they shall not vote when votes are taken;
- (iii) Council Members and EIA Subcommittee Members should declare direct and indirect interest before deliberating on agenda items so that the EIA Subcommittee Chairman could decide whether they should take part in the discussion or in the case of EIA Subcommittee Members to vote;
- (iv) the confirmed minutes of the EIA Subcommittee (with Members' names deleted) are uploaded on the ACE's website for public inspection;
- (v) the Presentation Session and Question-and-Answer Session of a discussion item on an EIA report at the EIA Subcommittee meeting requiring the attendance of the project proponent team will be opened to the public. The opening up of these sessions is an administrative arrangement only. The open meeting arrangements are not applicable to internal discussion sessions of a discussion item on an EIA report and all other sessions of the meetings of the EIA Subcommittee;
- (vi) special meetings may be called to consider urgent items. The EIA Subcommittee will consider each case individually should there be requests for direct submissions to the full Council;
- (vii) there will not be a limit on the number of professionals/experts to be invited to each EIA Subcommittee meeting for items requiring their assistance. In these cases and where votes are taken, these professionals/experts shall not vote; and
- (viii) to facilitate effective deliberation at meetings of the EIA Subcommittee, the EIA Subcommittee may appoint Members to

advise the EIA Subcommittee on specific subject areas of EIA reports. The appointed Members would consider the assigned subjects of an EIA report, and seek advice from the relevant authorities designated under the EIAO as necessary before EIA Subcommittee meetings.

20. The revised *modus operandi* of the EIA Subcommittee has taken effect in April 2013 upon endorsement of ACE.

[Note: Government official title in paragraph 2 is updated as a result of the organisational changes in the Government with effect from 1 July 2022.]

EIA Subcommittee Secretariat
April 2013