Issue No. : Issue 1 April 2017 Issue Date:

Project No.: 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (JANUARY – MARCH 2017)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE





Issue No. : Issue 1

Issue Date: April 2017

Project No.: 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (JANUARY - MARCH 2017)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE

Certified by:

Grace. M. H. KWOK

Environmental Team Leader

Verified by:

Eric M. K. CHING

Independent Environmental Checker

Approved by:

ANDY S. W. CHAN

Principal Environmental Protection Officer Environmental Protection Department

Issue No. : Issue 1
Issue Date : April 2017

Project No.: 1260

ECOPARK OPERATION

QUARTERLY ENVIRONMENTAL MONITORING & AUDIT REPORT (JANUARY – MARCH 2017)

Prepared By:

ALLIED ENVIRONMENTAL CONSULTANTS LTD.

COMMERCIAL-IN-CONFIDENCE

Author:

Ronan L. H. CHAN

BSc AMHKIEIA MIAIA AMHKIOA

Checked:

HO Tin Kit BEng(Hons) Approved:

Grace M. H. KWOK

BEng(Hons) FHKIQEP (Founding) MHKIEIA MIAIA MRAPA MISWA MHKIOA MAEE LEED AP BEAMPro CAP GB Faculty

This report has been prepared by Allied Environmental Consultants Limited with all reasonable skill, care and diligence within the terms of the Agreement with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.

TABLE OF CONTENTS

LIST	OF TABLES	i
LIST	OF FIGURES	iii
LIST	OF APPENDICES	iii
EXE	UTIVE SUMMARY	1
1	ROJECT BACKGROUND	4
1.1	Project Overview	4
1.2	Operation Programme	4
1.3	Project Organization and Contact Personnel	5
2	UMMARY OF EM&A REQUIREMENT	8
2.1	Monitoring Parameters	8
2.2	Environmental Quality Performance Limits and EAP	8
2.3	Environmental Audit of Non-Monitored Parameters	9
2.4	Environmental Mitigation Measures	9
2.5	Environmental Requirements in Tenancy Agreements	9
3	PERATION STATUS	11
3.1	General	11
3.2	Champway Technology Limited	11
3.3	Shiu Wing Steel Limited	11
3.4	Hong Kong Hung Wai Wooden Board Company	11
3.5	Li Tong Group	12
3.6	Hong Kong Telford Envirotech Group Limited	12
3.7	Yan Oi Tong EcoPark Plastic Resources Recycling Centre	12
3.8	WEEE Refurbishment at Lot P5	12
3.9	Chung Yue Steel Group Company Limited	13
3.1	K.Wah Construction Products Ltd.	13
3.1	South China Reborn Resources (Zhongshan) Company Ltd.	13
3.1	Throughput Statistics	14
3.1	Process Review	14
4	IPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURI	ES 16
5	ONITORING RESULTS	17
5.1	Monitoring Date, Time, Frequency and Duration	17
5.2	Monitoring Methodology, Parameters and Equipment	17
5.3	Results and Graphical Plots of Monitoring Parameters	18

AEC

EcoPark	No.: 1260 a Operation ly Environmental Monitoring & Audit Report (January – March 2017)	ii
6 SUI	MMARY OF ENVIRONMENTAL AUDIT	19
6.1	General	19
6.2	Champway Technology Limited	19
6.3	Shiu Wing Steel Limited	20
6.4	Hong Kong Hung Wai Wooden Board Company	21
6.5	Li Tong Group	21
6.6	Hong Kong Telford Envirotech Group Limited	21
6.7	WEEE Refurbishment at Lot P5	22
6.8	Chung Yue Steel Group Company Limited	22
6.9	K. Wah Construction Products Limited	23
6.10	South China Reborn Resources (Zhongshan) Company Limited.	23
6.11	E.Tech Management (HK) Limited.	24
6.12	General Condition of EcoPark	25
	VIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL CUTION	26
7.1	Follow-up on Previous Environmental Complaint	26
7.2	New Environmental Complaint in the Reporting Period	26
8 CO	NCLUSIONS	28
	LIST OF TABLES	
Table 1	.1 EM&A Personnel Contact Details	
Table 2		
Table 2		
Table 3	.1 Throughput Statistics for the Reporting Quarter	
Table 5		
Table 5		
Table 5		
Table 6 Table 6		
Table 6		
Table 6		
Table 6		
Table 6	e e e e e e e e e e e e e e e e e e e	
Table 6		
Table 6	E	
Table 6		
Table 6		
Table 6 Table 8	$\boldsymbol{\varepsilon}$	

Issue 1_____AEC

LIST OF FIGURES

Figure 1-1	Location of EcoPark in Tuen Mun Area 38
Figure 1-2	Organisation Chart of UPML
Figure 1-3	Organisation Chart of EM&A Works (Operation)
Figure 2-1	LFG Monitoring Locations within EcoPark
Figure 3-1	Current Lot Usage within EcoPark

LIST OF APPENDICES

Appendix 1	Environmental Mitigation Measures (from the Implementation Schedule)
Appendix 2	Environmental Requirements in Tenancy Agreements
Appendix 2.1	Environmental Requirements in Tenancy Agreements (Phase 1)
Appendix 2.2	Environmental Requirements in Tenancy Agreements (Phase 2)
Appendix 3	Material and Waste Throughputs
Appendix 3.1	Material and Waste Throughputs of the Reporting Quarter
Appendix 3.2	Updates of Previously-Reported Material and Waste Throughputs
Appendix 4	Calibration Certificate of Infrared Gas Analyser
Appendix 5	Laboratory Test Report and Graphical Plots of LFG Monitoring
Appendix 6	Tenant-Specific Audit Checklists for the Reporting Quarter
Appendix 6.1	Champway Technology Ltd
Appendix 6.2	Shiu Wing Steel Ltd
Appendix 6.3	Hong Kong Hung Wai Wooden Board Co
Appendix 6.4	Li Tong Group
Appendix 6.5	Hong Kong Telford Envirotech Group Ltd
Appendix 6.6	WEEE Refurbishment at Lot P5
Appendix 6.7	Chung Yue Steel Group Co Ltd
Appendix 6.8	K.Wah Construction Products Ltd
Appendix 6.9	South China Reborn Resources (Zhongshan) Co Ltd
Appendix 6.10	E.Tech Management (HK) Ltd
Appendix 6.11	General EcoPark Checklists
Appendix 7	Complaints Log

AEC

EXECUTIVE SUMMARY

General

EcoPark is a key element in the Government's waste management policy that aims at promoting the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes. EcoPark is being developed in two phases at site in Tuen Mun Area 38 as shown in *Figure 1-1*. The contract for the management of EcoPark – Contract No. *EP/SP/71/13 Provision of Management Services for EcoPark 2014* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2014.

UPML, the "Operator" of EcoPark, have appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP) (EP-226/2005/D).

This is the fortieth (40th) quarterly EM&A report prepared for the operation phase of EcoPark and covers the quarter from January to March 2017. In the reporting quarter, there were fourteen tenants in EcoPark Phase 1 and Phase 2, and one tenant whose tenancy expired. The details of tenants are provided as below:

Phase 1 tenants comprise:

- Champway Technology Limited (Champway) Waste cooking oil
- Shiu Wing Steel Limited (Shiu Wing) Waste metals
- Hong Kong Hung Wai Wooden Board Co (Hung Wai) Waste wood
- Li Tong Group (Li Tong) Waste Electrical and Electronic Equipment (WEEE)
- Hong Kong Telford Envirotech Group Ltd (Telford) Waste plastics

Phase 2 tenants comprise:

- WEEE Refurbishment at Lot P5 (WEEE Refurbishment) WEEE
- K.Wah Construction Products Ltd (K.Wah) Waste construction materials/waste glass
- E.Tech Management (HK) Ltd (E.Tech) WEEE
- On Fat Lung Innovative Resources Ltd (On Fat Lung) Waste rubber tyres
- Chung Yue Steel Group Company Ltd (Chung Yue) Waste metals
- SSK Metal Ltd (SSK) Waste lead-acid batteries
- South China Reborn Resources (Zhongshan) Co Ltd (South China) Food waste
- Alba Integrated Waste Solutions (Hong Kong) Ltd (Alba IWS) WEEE
- Cheong Hing Refinery Works Limited (Cheong Hing) WEEE

Tenancy of one tenant was expired:

• Yan Oi Tong EcoPark Plastic Resources Recycling Centre (Yan Oi Tong) – Waste plastics (since 3rd January 2017)

Recycling activities of the following ten tenants were audited in the reporting quarter: Champway, Shiu Wing, Hung Wai, Li Tong, Telford, WEEE Refurbishment, K.Wah, Chung Yue, South China and E.Tech. Tenancy of Yan Oi Tong had expired on 3rd January 2017. Lots under development by On Fat Lung, SSK, Cheong Hing and Alba IWS were inspected but not audited under the EM&A programme during the reporting quarter, as no recycling activities had commenced.

In this reporting quarter, site inspections were conducted by the Operator and the ET on 25th January, 28th February, and 15th March 2017. IEC also carried out random site audits on 25th January and 15th March 2017. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 17th February 2017.

Throughput of Materials / Waste Generated

The throughputs of the ten active tenants in the reporting quarter are summarised below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Material Type	Waste Input (tonnes)	Product Output (4) (tonnes)	Waste Disposed ⁽⁴⁾ (tonnes)
Waste Organic Food	2,715	1,885	1,115
Waste Ferrous Metals	19,991	20,163	151
Waste Wood	191	48	-
Waste Electronics	410	272	15
Waste Plastics	422	390	-
Construction Waste	744	15,669	90
Waste Glass	314	13,009	90

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.

Exceedances of Any Measured Action / Limit Levels

The northern part of EcoPark is located within the 250m Landfill Gas (LFG) Consultation Zone of Shiu Lang Shui Landfill. LFG monitoring during this quarter was undertaken on 15th March 2017 at five locations (three in Phase 1 and two in Phase 2). No exceedance of Action or Limit Level was recorded in the reporting quarter.

Summary of Complaints, Summons and Prosecutions

Number of complaints, summons and successful prosecutions in the reporting quarter are summarised below.

3

• **Complaints:** One.

• **Summons:** Zero.

• Successful Prosecutions: Zero.

A public complaint regarding a suspected strong malodour from EcoPark in the morning of 20th February 2017 was received from 1823 hotline on the same day. Due to restricted access in EcoPark, the complainant did not provide the source of the malodour and could not identify the nature of the malodour. The complaint was referred to the ET and the Operator by the Project Proponent and to the IEC by the ET on the same day. A site investigation was conducted by representatives from the ET and the Operator to search for the suspected malodour and identify the source of malodour generation on 21st February 2017 from 09:30. Although the suspected malodour was unlikely to be generated from EcoPark and no action was needed to be taken, the good practices for odour control has been suggested to be continued. Details of the complaint and actions taken are provided in *Section 7* and *Appendix 7*.

Reporting Changes

There is no change in the reporting quarter.

Future Key Issues

No key issues are anticipated in the next reporting quarter.

1 PROJECT BACKGROUND

1.1 Project Overview

- 1.1.1 In the document "A Policy Framework for the Management of Municipal Solid Waste (2005 –2014)", the government set out a comprehensive policy to support the recycling industry. This included allocating suitable land, encouraging research and development, introducing environmental legislation and providing effective support measures. In May 2013, the Environment Bureau launched "Hong Kong Blueprint for Sustainable Use of Resources 2013 2022", which promised continuing support for the recycling industry.
- 1.1.2 EcoPark was developed to support the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes
- 1.1.3 EcoPark, as shown in *Figure 1-1*, has been developed in Tuen Mun Area 38 in two phases (Phase1 and Phase 2) under Contract *EP/SP/52/06 Development of EcoPark in Tuen Mun Area 38*, which was awarded to Kaden Construction Ltd by the Environmental Protection Department (EPD) in June 2006. Phase 1 construction was completed in July 2009 and Phase 2 construction was completed in November 2010.
- 1.1.4 The contract for the management of EcoPark Contract No. *EP/SP/71/13 Provision of Management Services for EcoPark 2014* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2014.
- 1.1.5 UPML, the "Operator" of EcoPark, has appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP-226/2005/D). Mott MacDonald Hong Kong Limited (MottMac) has been appointed by the EPD as the Independent Environmental Checker (IEC) for the Project. The ET and the IEC carry out the EM&A works for EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP).

1.2 Operation Programme

- 1.2.1 By the end of March 2017, there were a total of fourteen tenants in EcoPark and one tenant's tenancy was expired:
 - Nine active tenants (Champway, Shiu Wing, Li Tong, Telford, WEEE Refurbishment, Hung Wai, Chung Yue, K.Wah, and South China) who have carried out full recycling operations;
 - Two tenants (E.Tech and On Fat Lung) carried out machinery testing or installation;
 - Waste Management Policy Group (WMG) of EPD has taken possession of Lot Nos. P2, P3 and P4 and handed over to Alba IWS to carry out plant construction.

- One tenant (SSK) who is carrying out construction works;
- One tenant (Cheong Hing) commenced tenancy without any site operation; and
- One tenant (Yan Oi Tong) whose tenancy was expired.

1.3 Project Organization and Contact Personnel

1.3.1 Key personnel and contact particulars are summarised in *Table 1.1*.

Table 1.1 EM&A Personnel Contact Details

Position Name		Email Address	Phone No.				
Project Proponent -	Project Proponent – EPD						
Principal EPO Mr. Andy S.W. CHAN		andychan@epd.gov.hk	2872 1720				
Operator – UPML							
Project Manager	Ms. Raindy YIP	raindy.py.yip@urban.com.hk	2212 5900				
Park Manager	Ms. May WU	may.sm.wu@urban.com.hk	2212 5920				
IEC – Mott MacDor	nald						
IEC	Ir. Eric CHING	eric.ching@mottmac.com	2828 5757				
ET-AEC							
ET Leader	Ms. Grace KWOK	gk@aechk.com	2815 7028				

1.3.2 The organisational structure and lines of communication for the operation of EcoPark with respect to environmental management is given in *Figure 1-2* and *Figure 1-3* respectively.

Figure 1-1 Location of EcoPark in Tuen Mun Area 38



Issue 1______AEC

Figure 1-2 Organisation Chart of UPML





Figure 1-3 Organisation Chart of EM&A Works (Operation)



2 SUMMARY OF EM&A REQUIREMENT

2.1 Monitoring Parameters

- 2.1.1 Landfill Gas (LFG) is required to be monitored quarterly at service voids and utility boxes within EcoPark because the northern part of EcoPark lies within the 250m LFG Consultation Zone for Siu Lang Shui Landfill, which is located to the north of EcoPark.
- 2.1.2 Operational LFG monitoring has been carried out in Phase 1 after completion of construction in July 2009, commencing in the August to October 2009 quarter. In Phase 2, monitoring has been carried out after completion of construction in November 2010, commencing in the November 2010 to January 2011 quarter.
- 2.1.3 The location for LFG monitoring was not specified in the EM&A Manual since the final design of EcoPark was not available when the EM&A Manual was approved. Therefore, during a joint site inspection on 27th July 2009, three monitoring locations were identified and agreed as suitable monitoring locations by the former ET (SMEC Asia Ltd.), IEC (Atkins China Ltd.) and the Operator (Serco Guardian Joint Venture). Subsequently, two more monitoring locations in Phase 2 were proposed by the former ET and agreed by the IEC and Operator via email in January 2011. These five monitoring locations are listed in *Table 2.1* and shown in *Figure 2-1*.

Table 2.1 Operation Phase LFG Monitoring Locations in EcoPark

Monitoring Station ID	Туре	Locations
EP1-1	LFG vent pipe	Inside the landscaping area of Administration Building
EP1-2	Service void	PCCW below-ground chamber outside Lot EP08-01
EP1-3	Service void	HGC Broadband below-ground chamber outside Lot EP08-03
EP2-1	Service void	HGC Broadband below-ground chamber outside Lot P1
EP2-2	Service void	HGC Broadband below-ground chamber outside Lot P3

2.1.4 Routine LFG monitoring has been carried out on a quarterly basis. Should EPD alert the Operator that high LFG levels have been detected during monthly monitoring under the Siu Lang Shui Landfill restoration contract, the Operator may be required to increase LFG monitoring to monthly until such time as EPD inform the Operator that quarterly monitoring can be resumed. No detection of high LFG levels under Siu Lang Shui Landfill restoration contract was received from EPD in the reporting quarter.

2.2 Environmental Quality Performance Limits and EAP

2.2.1 The Action/Limit Levels and Event Action Plan (EAP) for LFG are shown in *Table 2.2* below. These refer to LFG detected in excavations, utilities and any enclosed on-site areas. No other A/L Levels or EAPs are specified in the EM&A Manual for the operation phase EM&A.

Table 2.2 Action Levels, Limit Levels and Event and Action Plan for LFG

Parameter	Level	Action		
	Action Level <19% O2	• Ventilate trench/void to restore O ₂ to >19%		
Oxygen (O ₂)	Limit Level <18% O ₂	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore O₂ to >19% 		
Methane	Action Level >10% LEL	 Post "No Smoking" signs Prohibit hot works Increase ventilation to restore CH₄ to <10% LEL 		
(CH ₄)	Limit Level >20% LEL	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CH₄ to <10% LEL 		
Conform	Action Level >0.5% CO ₂	• Ventilate to restore CO ₂ to <0.5%		
Carbon Dioxide (CO ₂)	Limit Level >1.5% CO ₂	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CO₂ to <0.5% 		

2.3 Environmental Audit of Non-Monitored Parameters

- 2.3.1 Site inspections provide a direct means to trigger and enforce the environmental protection and pollution control measures specified in the Environmental Impact Assessment (EIA) Report. To examine operational practice, site inspections are to be undertaken by the ET once per month. The monthly inspection shall join with the random site inspection by the IEC where possible. A joint inspection by ET and IEC will be carried out at least once per quarter. Ad hoc site inspections are also carried out if significant environmental problems are identified. In addition, inspections may be required subsequent to receipt of environmental complaint, or as part of the investigation work, as specified in the EAP.
- 2.3.2 The following parameters are required to be audited as part of the operation phase EM&A program:
 - Air Quality
 - Water Quality
 - Waste Management
 - Land Contamination


2.4 Environmental Mitigation Measures

2.4.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the Implementation Schedule are summarised in *Appendix 1*.

2.5 Environmental Requirements in Tenancy Agreements

2.5.1 Environmental requirements specified in tenancy agreements are provided in *Appendix 2*.

Figure 2-1 LFG Monitoring Locations within EcoPark



Issue 1_____AEC

3 OPERATION STATUS

3.1 General

- 3.1.1 The location of lots within EcoPark, the tenancy numbers and tenant names are shown in *Figure 3-1*. A summary of waste throughputs is provided in *Section 3.12*. Brief descriptions of the active tenants are provided from *Sections 3.2* to *3.11*.
- 3.1.2 In the reporting quarter:
 - E.Tech and On Fat Lung carried out machinery testing or installation;
 - Tenancy of Yan Oi Tong expired on 3rd January 2017;
 - Waste Management Policy Group (WMG) of EPD has taken possession of Lot Nos. P2, P3 and P4 and handed over to Alba IWS to carry out plant construction;
 - SSK carried out construction works; and
 - Cheong Hing commenced tenancy without any site operation.

3.2 Champway Technology Limited

- **Tenancy No.:** EP07-03 (Phase 1)
- **Lot Size:** Approx. 6,000m²
- Activity: Recycling of Organic Waste (Waste Cooking Oil)
- **Recycling Process:** Turn waste cooking oil into biodiesel by extraction, neutralisation, separation and distillation.
- 3.2.1 In this reporting quarter, waste cooking oil was recycled. Also, the tenant adopted "tankered away" approach for handling of industrial effluent arising from biodiesel production instead of discharging into foul sewer.

3.3 Shiu Wing Steel Limited

- **Tenancy No.:** EP08-03 (Phase 1)
- Lot Size: Approx. 9,500m²
- Activity: Recycling of Waste Metals
- **Recycling Process:** Turn waste metals into light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing.
- 3.3.1 In this reporting quarter, waste metal was recycled.

3.4 Hong Kong Hung Wai Wooden Board Company

• **Tenancy No.:** EP06-34 (Phase 1)

• **Lot Size:** Approx. 5,000m²

- Activity: Recycling of Waste Wood
- **Recycling Process:** Recycle waste wood to wood fuel pellets. Ferrous metals will be separated by magnets.
- 3.4.1 In this reporting quarter, waste wood was recycled.

3.5 Li Tong Group

- **Tenancy No. :** EP07-02 (Phase 1)
- Lot Size: Approx. 6,500m²
- Activity: Recycling of WEEE
- Recycling Process: Manually dismantling of WEEE into metals (ferrous materials, aluminium, etc.) and non-metals (fibres, plastics, etc.). Manually dismantling of Cathode Ray Tube (CRT) glass and Liquid Crystal Display (LCD) panels would be carried out upon request.
- 3.5.1 In this reporting quarter, WEEE was recycled.

3.6 Hong Kong Telford Envirotech Group Limited

- **Tenancy No. :** EP08-01 (Phase 1)
- **Lot Size:** Approx. 5,000m²
- Activity: Recycling of Waste Plastics
- Recycling Process: Sorting, shredding and baling of waste plastics
- 3.6.1 In this reporting quarter, waste plastic was recycled.

3.7 Yan Oi Tong EcoPark Plastic Resources Recycling Centre

- **Tenancy No. :** EP10-01 (Phase 2)
- Lot Size: Approx.9.000 m²
- Activity: Recycling of waste plastics
- **Recycling Process:** Convert mixed waste plastics into pellets/flake/baled materials by pre-washing/sterilization, sorting, flaking, washing, drying, extrusion and chipping.
- 3.7.1 In this reporting quarter, there was no recycling activity and the tenancy expired on 3rd January 2017.

3.8 WEEE Refurbishment at Lot P5

• **Lot No.:** P5 (Phase 2)

• Lot Size: Approx. 5,000 m²

- Activity: Recycling of WEEE
- **Recycling Process:** WEEE will be sorted on site first. WEEE suitable for reuse will be repaired and refurbished, whilst those irreparable / not suitable for repair will be collected by local contractors designated by WMG.
- 3.8.1 In this reporting quarter, WEEE was recycled.

3.9 Chung Yue Steel Group Company Limited

- **Tenancy No.:** EP11-01(1) (Phase 2)
- **Lot Size:** Approx. 100,000 m²
- Activity: Recycling of Waste Metals
- **Recycling Process:** Turn waste metals into non-ferrous scrap, light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing
- 3.9.1 In this reporting quarter, waste metal was recycled.

3.10 K.Wah Construction Products Ltd.

- **Tenancy No.:** EP11-01(3) (Phase 2)
- **Lot Size:** Approx. 10,000 m²
- Activity: Recycling of Waste Construction Materials/Waste Glass
- **Recycling Process:** Waste construction materials and waste glass will be crushed and delivered to the concrete mixing plant for blending and poured into block machine for casting. The blocks will then be cured, washed and packaged.
- 3.10.1 In this reporting quarter, waste construction materials and waste glasses were recycled.

3.11 South China Reborn Resources (Zhongshan) Company Ltd.

- **Tenancy No.:** EP12-01 (Phase 2)
- **Lot Size:** Approx. 9,000 m²
- Activity: Recycling of Organic Waste (Food Waste)
- **Recycling Process:** Food waste will be segregated. The recyclable portion will undergo deodorisation, dewatering, shredding, fermentation and drying to produce high protein animal feed for livestock farming and aquaculture.
- 3.11.1 In this reporting quarter, food waste was recycled. Also, the tenant adopted "tankered away" approach for handling of industrial effluent arising from the recycling of food waste instead of discharging into foul sewer.

3.12 Throughput Statistics

- 3.12.1 For the active recyclers, most of the incoming waste materials and outgoing products were delivered by land transportation, except for the metals from Chung Yue were delivered by both marine and land transportation.
- 3.12.2 The throughputs of the nine active tenants in the reporting quarter are summarised in *Table 3.1* below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lot.

Table 3.1 Throughput Statistics for the Reporting Quarter

Material Type	Waste Input (tonnes)	Product Output (4) (tonnes)	Waste Disposed (4) (tonnes)	
Waste Organic Food	2,715	1,885	1,115	
Waste Ferrous Metals	19,991	20,163	151	
Waste Wood	191	48	-	
Waste Electronics	410	272	15	
Waste Plastics	422	390	-	
Construction Waste	744	15 660	90	
Waste Glass	314	15,669	90	

Notes:

- The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 3.12.3 Detailed throughput figures of the reporting quarter are provided in *Appendix 3.1*. Updated throughput figures of the previous months are provided in *Appendix 3.2*.

3.13 Process Review

- 3.13.1 Process Review, and maybe Design Audit (DA) where required, had been conducted for each recycling processes to be operated within EcoPark to confirm its compliance with the findings and recommendations of the EIA report and the conditions of the EP.
- 3.13.2 Since 2008, seventeen process reviews and two DAs had been approved. Among those, fifteen process reviews and two DAs are related to the recycling processes of the current tenants in EcoPark as of March 2017. In the reporting period, three new process reviews or DA are ongoing, namely the process review/DA for Waste Electrical and Electronic Equipment Treatment and Recycling Facility (WEEETRF) of Alba IWS, and the process reviews for South China and Cheong Hing. Full set of the completed PRCs and DAs are submitted separately to relevant authorities in EPD.

(WEEE)

Figure 3-1 Current Lot Usage within EcoPark Alba Integrated Waste Cheong Hing Refinery Solutions (Hong Kong) Ltd. Works Limited (WEEE) (WEEE) WEEE Refurbishment **(D)** P2 (WEEE) On Fat Lung Innovative Resources Ltd. (Rubber Tyres) Hong Kong Telford Envirotech Group Ltd. P3 (Plastics) K.Wah Construction Products Ltd. (Construction Materials) P7 Shiu Wing Steel Ltd. (Metals) ~ EP08-01 EP11-01(6) South China Reborn EP11-01(3) EP08-03 Legend 圖例 Hong Kong Hung Wai Resources (Zhongshan) Wooden Board Co. Co. Ltd. (Food Wastes) Phase 1 第一期 (Wood) EP11-01(2) EP12-01 EP06-34 Chung Yue Steel Champway EP11-01(1) EP11-01(5) Technology Co. Ltd. Group Company Ltd. EP07-03 EP07-02 (Cooking Oil) (Metals) Marine Frontage 海傍碼頭 SSK Metal Ltd. E.Tech Management (Lead-Acid Batteries) Li Tong Group (HK) Ltd. (WEEE)

AEC Issue 1

4 IMPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES

- 4.1.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the implementation schedule are summarised in *Appendix 1*. Environmental requirements specified in tenancy agreements are summarised in *Appendix 2*.
- 4.1.2 By the end of March 2017, ten tenants (Champway, Shiu Wing, Li Tong, Telford, WEEE Refurbishment, Hung Wai, Chung Yue, K.Wah, South China and E.Tech) were under full operation or machinery testing.
- 4.1.3 Appropriate environmental protection measures are in place at all lots.

5 MONITORING RESULTS

5.1 Monitoring Date, Time, Frequency and Duration

5.1.1 As described in *Section 2.1*, operational LFG monitoring is conducted quarterly at five monitoring locations, three in Phase 1 and two in Phase 2. In this reporting quarter, monitoring was undertaken on 15th March 2017. Monitoring details are shown *Table 5.1* below.

Table 5.1 Sampling Schedule for the Quarterly LFG Monitoring

Station ID	Sampling Date	Time	Duration	Ambient Air Temp.	Weather
EP1-1		10:05 - 10:08	3 minutes	17°C	Overcast
EP1-2		09:45 - 09:48	3 minutes	17°C	Overcast
EP1-3	15 th March 2017	09:40 - 09:43	3 minutes	17°C	Overcast
EP2-1		09:55 - 09:58	3 minutes	17°C	Overcast
EP2-2		10:00 - 10:03	3 minutes	17°C	Overcast

5.2 Monitoring Methodology, Parameters and Equipment

5.2.1 The LFG monitoring requirement and methodology are stipulated in *Section 6* of the EM&A Manual. The LFG monitoring parameters and their measurement ranges are detailed in *Table 5.2* below.

Table 5.2 Parameters and Measurement Ranges for LFG Monitoring

Parameters	Measurement Ranges
Methane (CH ₄)	0 – 100% LEL & 0-100% v/v
Oxygen (O ₂)	0 – 25% v/v
Carbon Dioxide (CO ₂)	0 – 100% v/v
Barometric Pressure	mBar (absolute)

- 5.2.2 LFG monitoring shall be carried out using intrinsically-safe, portable multi-gas monitoring instruments. The gas monitoring equipment shall:
 - 1. Where possible, comply with BS 6020 and be approved by BASEEFA as intrinsically safe, suitable for use in a Zone 2 are to BS 5345;
 - 2. Be capable of continuous monitoring of methane, oxygen and carbon dioxide;
 - 3. Be capable of continuous barometric pressure and gas pressure measurements;
 - 4. Normally operate in diffusion mode unless required for spot sampling, when it should be capable of operating by means of an aspirator or pump;

- 5. Have low battery, fault and over range indication incorporated;
- 6. Store monitoring data, and shall be capable of being down-loaded directly to a PC; and
- 7. Measure in the following ranges:

- Methane 0 - 100% LEL & 0 - 100% v/v

- Oxygen 0-25% v/v- Carbon dioxide 0-100% v/v

Barometric pressure mBar (absolute)

5.3 Results and Graphical Plots of Monitoring Parameters

- 5.3.1 One InfraRed Gas Analyser Model GA5000 (serial number G501982) was used for LFG measurements. The gas analyser is calibrated every 6 months. *Appendix 4* presents the calibration records of the monitoring equipment.
- 5.3.2 LFG monitoring results are summarised in *Table 5.3* and compared with the Action and Limit Levels tabulated in *Table 2.2*. Graphical plots of the monitoring results are also provided in *Appendix 5*.

Table 5.3 Quarterly LFG Monitoring Results in the Reporting Quarter

			Me	onitoring Resu	ılts	
Station ID	Sampling Date	Methane (% v/v)	Methane (% LEL)	Oxygen (% v/v)	Carbon Dioxide (% v/v)	Barometric Pressure (mBar)
EP1-1	15 th March 2017	0.0	0	20.2	0.5	1022
EP1-2		0.0	0	20.6	0.0	1022
EP1-3		0.0	0	20.7	0.0	1022
EP2-1		0.0	0	20.5	0.0	1022
EP2-2		0.0	0	20.3	0.2	1022

5.3.3 No exceedance of Action and Limit Levels was recorded in the reporting quarter.

6 SUMMARY OF ENVIRONMENTAL AUDIT

6.1 General

- 6.1.1 Among the fourteen tenants, only nine active tenants were under full operation, and one tenant was under machinery testing. As such, specific site inspections were only carried out at the lots of these ten tenants. For the lots of those tenants not currently in operation, general site inspections were conducted.
- 6.1.2 Environmental audits based on the approved site inspection checklist were carried out by the Operator and the ET on 25th January, 28th February, and 15th March 2017. IEC random site audits were also carried out on 25th January and 15th March 2017. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 17th February 2017. The completed audit checklists for tenants are provided in *Appendix 6*.

6.2 Champway Technology Limited

6.2.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.1* below. The completed checklists for Champway are given in *Appendix 6.1*.

Table 6.1 Environmental Audit Findings for Champway

Date	Item	Comment	Status			
Observations I	Observations From Previous Reporting Quarters					
None						
Observations I	From This Reporting Quarter	•				
25 Jan 2017	No new critical issue was id	lentified.				
17 Feb 2017	Oil stain was observed on the ground but no sign of leakage from containers was found.	The tenant was requested to clear the oil stain and dispose of as chemical waste. The tenant should check the storage condition to ensure no leakage from any container occurs, and consider the provision of drip trays for non-empty chemical containers in order to prevent any accidental spillage.	As observed during inspection on 15 th Mar 2017, oil stain on the ground was partially removed while no sign of leakage from containers was found. The tenant was requested to clear the remaining stain and dispose of as chemical waste. The condition will be followed-up during the next audit.			

EcoPark Operation

Date	Item	Comment	Status
	Oil stain was observed on the ground but no sign of leakage from containers was found.	(Reminder) The tenant should clarify whether the concerned area with the mentioned oil stain is designated for chemical storage in order to determine whether further action is necessary to be taken.	As advised by the tenant on 15 th Mar 2017, the area was used as temporary storage and the containers would be gradually removed from the concerned area within the next two months tentatively. The item was recorded as new observation for 15 th Mar 2017.
17 Feb 2017 (Con't)	Oil-water mixture was observed inside the surface drainage channel near the storage area. The remaining mixture is likely caused by the poor condition of the surface drain. The tenant was suggested to in the drain condition and the drain condition of the surface to clear the mixture is and ensure no	effectiveness of the drainage channel. Meanwhile, the tenant was requested to clear the mixture and ensure no overflow could	The tenant had cleared the oil-water mixture from the surface drainage channel as observed during inspection on 15 th Mar 2017. Nonetheless, the tenant was suggested to improve the drain condition to maintain the effectiveness of the drainage channel. The improvement work will be followed up in the next audit.
15 Mar 2017	The concerned area mentioned with abovementioned oil stain was not provided with permeation-proof floor and partition. As advised by the tenant, the area was used as temporary storage and the containers would be gradually removed from the concerned area within the next two months tentatively.	The tenant was reminded to implement sufficient preventive measures to avoid any accidental spillage during material transfer.	The removal progress will be monitored in the next audit.

6.3 Shiu Wing Steel Limited

6.3.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.2* below. The completed checklists for Shiu Wing are given in *Appendix 6.2*.

Table 6.2 Environmental Audit Findings for Shiu Wing

Date	Item	Comment	Status	
Observations From Previous Reporting Quarters				
None				

Date	Item	Comment	Status
Observations From This Reporting Quarter			
25 Jan 2017	No new critical issue was identified.		
17 Feb 2017	No new critical issue was identified.		
15 Mar 2017	No new critical issue was i	identified.	

6.4 Hong Kong Hung Wai Wooden Board Company

6.4.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.3* below. The completed checklists for Hung Wai are given in *Appendix 6.3*.

Table 6.3 Environmental Audit Findings for Hung Wai

Date	Item	Comment	Status		
Observations From Previous Reporting Quarters					
None					
Observations I	Observations From This Reporting Quarter				
25 Jan 2017	No new critical issue was identified.				
17 Feb 2017	No new critical issue was identified.				
15 Mar 2017	No new critical issue was identified.				

6.5 Li Tong Group

6.5.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.4* below. The completed checklists for Li Tong are given in *Appendix 6.4*.

Table 6.4 Environmental Audit Findings for Li Tong

Date	Item	Comment	Status		
Observations I	Observations From Previous Reporting Quarters				
None					
Observations I	From This Reporting Quarte	r			
25 Jan 2017	No new critical issue was identified.				
17 Feb 2017	No new critical issue was identified.				
15 Mar 2017	Small portion of WEEE fragments were observed on unpaved ground near the perimeter drain.	The tenant should remove the fragments and be reminded to avoid storage of material on unpaved area.	The condition will be followed-up in the next site audit.		

6.6 Hong Kong Telford Envirotech Group Limited

6.6.1 Audit observations from previous reporting quarters and this reporting quarter are

summarised in *Table 6.5* below. The completed checklists for Telford are given in *Appendix 6.5*.

Table 6.5 Environmental Audit Findings for Telford

Date	Item	Comment	Status		
Observations I	Observations From Previous Reporting Quarters				
None					
Observations I	Observations From This Reporting Quarter				
25 Jan 2017	25 Jan 2017 No new critical issue was identified.				
28 Feb 2017	No new critical issue was identified.				
15 Mar 2017	No new critical issue was i	dentified.			

6.7 WEEE Refurbishment at Lot P5

6.7.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.6* below. The completed checklists for WEEE Refurbishment are given in *Appendix 6.6*.

Table 6.6 Environmental Audit Findings for WEEE Refurbishment at Lot P5

Date	Item	Comment	Status	
Observations I	From Previous Reporti	ng Quarters		
None				
Observations I	From This Reporting Q	Juarter		
25 Jan 2017	Vegetation is observed inside and near the perimeter drainage near the entrance of the lot.	The tenant should clear the vegetation to avoid potential blockage of the channel.	While it was noticed that the vegetation removal was in progress as observed during inspection on 15 th Mar 2017, some vegetation was still observed inside the perimeter drainage near the entrance of the lot. The tenant was reminded to clear the vegetation to avoid potential blockage of the channel.	
17 Feb 2017	No new critical issue was identified.			
15 Mar 2017	No new critical issue was identified.			

6.8 Chung Yue Steel Group Company Limited

6.8.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.7* below. The completed checklists for Chung Yue are given in *Appendix 6.7*.

Table 6.7 Environmental Audit Findings for Chung Yue

Date	Item	Comment	Status	
Observations From Previous Reporting Quarters				
None				

Date	Item	Comment	Status
Observations I	From This Reporting Quarte	er	
25 Jan 2017	No new critical issue was	identified.	
17 Feb 2017	No new critical issue was	identified.	
15 Mar 2017	Dusty trail was observed at the lot entrance during inspection.	As advised by the tenant, steel delivery was being carried out and daily cleaning will be provided after work. According to the photo record provided by the Operator on 17 Mar 2017, the tenant has removed the tyre marks.	The condition will be verified in the next site audit.

6.9 K.Wah Construction Products Limited

6.9.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.8* below. The completed checklists for K.Wah are given in *Appendix 6.8*.

Table 6.8 Environmental Audit Findings for K. Wah

Date	Item	Comment	Status	
Observations I	From Previous Reporting Qu	ıarters		
28 Nov 2016	Fallen leaves and branches are observed in the stormwater drain near the southwest corner of the lot that clogged the drainage channel.	The tenant is requested to remove the materials and regularly inspect the condition of all drainage channels in the lot to ensure that the channels can function properly.	As observed during inspection on 25 th Jan 2017, the tenant has cleared the blockage of the stormwater drain near the southwest corner of the lot.	
Observations I	From This Reporting Quarte	r		
25 Jan 2017	Fallen leaves and wastes are observed in the perimeter drainage channel. The tenant is requested to clear the materials from the channel to avoid blockage. As observed during inspection on 15 th Mar 2017, fallen leaves were removed in the perimete drainage channel.			
17 Feb 2017	No new critical issue was identified.			
15 Mar 2017	No new critical issue was identified.			

6.10 South China Reborn Resources (Zhongshan) Company Limited.

6.10.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.9* below. The completed checklists for South China are given in *Appendix 6.9*.

Table 6.9 Environmental Audit Findings for South China

Date	Item	Comment	Status	
Observations I	From Previous Reporting	g Quarters		
28 Nov 2016	Storage tank is observed near the perimeter drainage channel along the eastern boundary of the lot that may cause potential contamination.	Although the tenant has removed the old water tanks and storage containers from the perimeter drainage channel, the leaked dirty water and the liquid storage container as observed during inspection on February 2017 were still observed. The tenant was requested to clean up the dirty water, and keeping the containers free from the perimeter drainage to ensure no untreated wastewater will be discharged to the drainage.	The condition will be followed-up in the next site audit.	
Observations I	From This Reporting Qu			
25 Jan 2017	Dirty water was observed in the stormwater manholes located along the vehicular access between the two building structures, but no sign of discharge was identified (i.e. adjacent ground was clean).	The tenant advised that the cleaning of the stormwater manhole would be provided immediately, and a pump truck had arrived for the provision of cleaning during the inspection. The tenant was reminded to ensure the handling of food waste should be carried out only at the designated area. The tenant was also requested to ensure no leakage of any objectionable matter into stormwater drain. The condition will be verified during the next audit.	As observed during inspection on 15 th Mar 2017, dirty water was still observed in the same stormwater manholes located along the vehicular access between the two building structures. The condition will be followed-up in the next site audit.	
17 Feb 2017	No new critical issue was identified.			
15 Mar 2017	No new critical issue was identified.			

6.11 E.Tech Management (HK) Limited.

6.11.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.10* below. The completed checklists for E.Tech are given in *Appendix 6.10*.

Table 6.10 Environmental Audit Findings for E.Tech

Date	Item	Comment	Status		
Observations From Previous Reporting Quarters					
None					

Date	Item	Comment	Status	
Observations From This Reporting Quarter				
25 Jan 2017	No new critical issue was identified.			
17 Feb 2017	No new critical issue was identified.			
15 Mar 2017	No new critical issue was identified.			

6.12 General Condition of EcoPark

6.12.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.11* below. The completed checklists of general site inspection for EcoPark are given in *Appendix 6.11*.

Table 6.11 General EcoPark Audit Findings

Date	Item	Comment	Status				
Observations From Previous Reporting Quarters							
None							
Observations I	Observations From This Reporting Quarter						
25 Jan 2017	Poor housekeeping is observed within the lot of On Fat Lung.	The tenant is requested to tidy up the material to maintain proper housekeeping within the lot of On Fat Lung.	As observed during inspection on 17 th Feb 2017, the tenant had tidied up the material to maintain proper housekeeping.				
17 Feb 2017	The tenant of SSK was requested to provide hoarding of not less than 2.4m where site boundary adjoins road or service lane according to Clause 13(c) of the Schedule of Air Pollution Control (Construction Dust) Regulation.	(Same as the item)	As observed during inspection on 15 th Mar 2017, the tenant of SSK has not established hoarding along with the site boundary. The condition will be followed-up in the next site audit.				
15 Mar 2017	No new critical issue was identified.						

Issue 1______ AEC

7 ENVIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTION

7.1 Follow-up on Previous Environmental Complaint

- 7.1.1 Regarding the complaint on the operation of South China received on 26th October 2016, flow meters had been installed by the tenant at various points of the wastewater treatment system, such as incoming pipe for the storage tank at 3/F, outgoing pipe of the treatment tank for recycling, outgoing pipe of the treatment tank for discharge, etc.
- 7.1.2 The tenant advised that the wastewater treatment plant (WTP) were being cleaned and would be replaced with new filter sands and activated carbon. After completion, testing of the wastewater treatment system shall commence and re-sampling of the treated effluent would be carried out tentatively in April 2017.
- 7.1.3 The case will be followed up in the next reporting period to ensure the wastewater treatment system will function properly for handling of the wastewater. The tenant was reminded that the no wastewater shall be discharged until the testing of treatment system is completed with the discharge quality in full compliance with the discharge licence.

7.2 New Environmental Complaint in the Reporting Period

- 7.2.1 By the end of March 2017, one complaint was received in this reporting quarter; but no notification of summons or successful prosecutions related to recycling activities was received in this reporting quarter.
- 7.2.2 A public complaint was received from 1823 hotline on 20th February 2017 and referred to the ET and the Operator by the Project Proponent on the same day. The ET has notified the IEC of the incident on the same day.
- 7.2.3 The complaint was with regard to suspected strong malodour from EcoPark in the morning of 20th February 2017. Due to restricted access in EcoPark, the complainant did not provide the source of the malodour and could not identify the nature of the malodour. A site investigation was conducted by representatives from the ET and the Operator to search for the suspected malodour and identify the source of malodour generation on 21st February 2017 from 09:30.
- 7.2.4 The perimeter of EcoPark had been walked through during the investigation, except the northwestern boundary of Shiu Wing and Telford which were not accessible due to safety issue and site closure respectively. As alternative, the lot condition of Shiu Wing was assessed from the northern corner of Hung Wai's lot, while the lot condition of Telford was assessed through the fence at the northern corner of the lot. No malodour was detected and no source of malodour generation was observed within EcoPark or along the perimeter of EcoPark, except the detection of a slight odour with rotten and/or sour smell in the lots of Champway and South China.
- 7.2.5 As advised by Champway, collection of waste cooking oil was carried out in the morning of 20th and 21st February 2017 without any processing. Tank away was being carried out

during the investigation. A slight odour with sour smell was noticed within the lot near the pump truck but no malodour was detected along the pumping pipe. The malodour was also not detected at a distance of 5-10m away from the pump truck. No malodour was noticed when the pump truck left.

- 7.2.6 A slight odour with rotten smell was noticed in the covered processing area of Champway during investigation while no recycling operation was observed and no source of generation could be identified, which was thus considered as the residual odour from the collection/processing of waste cooking oil.
- 7.2.7 Due to the prevailing east wind during investigation, the malodour was dissipating progressively towards the fence at the southwestern boundary of the lot, where the marine frontage located. Yet, the malodour was barely perceptible at the road between the marine frontage and the lot boundary, and became completely unnoticeable at around 7m away from the lot boundary at the marine frontage. No malodour was detected at other downwind areas, possibly due to the blockage by the structure of Champway's office. Although the malodour was barely noticeable in very close distance to Champway's lot at downwind side, it dissipated further away to undetectable level within the area of EcoPark while the dispersal route towards the public was blocked.
- 7.2.8 The boundary of EcoPark along Champway's lot was also checked, in particular the northern boundary that was adjacent to the public (i.e. permanent aviation fuel facility). No malodour was noticed and no source of malodour generation was observed.
- 7.2.9 In the lot of South China, a slight odour with sour smell was noticed inside the building at the works area during investigation. Since no operation was observed during the investigation, the malodour was likely to be the residual odour from food waste collection/processing. It was observed that the air curtains were in operation with the roller shutter partially lowered to enhance the negative pressure condition in the works area. No malodour was detected at the building entrance outside the building structure and other areas in the lot of South China. Hence, the malodour from South China was confined within the premise and was not considered to generate odour nuisance to neighbouring tenants or the public.
- 7.2.10 Based on the investigation, it was found that the slight malodour generated from the normal operation of EcoPark was confined within EcoPark and was not noticeable along the boundary of EcoPark. Therefore, the suspected strong malodour claimed by the complainant was considered unrelated to EcoPark and the complaint was not substantiated.
- 7.2.11 Since the suspected malodour was unlikely to be generated from EcoPark, no action was needed to be taken. However, the good practices for odour control at Champway and South China had been suggested to be continued. The complaints log is provided in *Appendix* 7.

8 CONCLUSIONS

- 8.1.1 This is the fortieth (40th) quarterly EM&A report prepared for the operation phase of EcoPark and covers the reporting quarter from January to March 2017. The tenants' recycling activities are audited on a monthly basis and the results are summarised in this report. In the reporting quarter, there were fourteen tenants in EcoPark Phase 1 and Phase 2.
- 8.1.2 The ET has conducted monthly site inspections while the IEC has carried out full site inspection on quarterly basis and random site audits on monthly basis, and some general observations have been made. The approved checklist has been used in the monthly site inspections for various tenants.
- 8.1.3 The throughputs of the nine active tenants in the reporting quarter are summarised in *Table 8.1*. Please note that product output plus waste disposal do not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Table 8.1 Throughput Statistics for the Reporting Quarter

Material Type	Waste Input (tonnes)	Product Output (4) (tonnes)	Waste Disposed (4) (tonnes)
Waste Organic Food	2,715 1,885		1,115
Waste Ferrous Metals	19,991	20,163	151
Waste Wood	191	48	-
Waste Electronics	410	272	15
Waste Plastics	422	390	-
Construction Waste	744	15 660	90
Waste Glass	314	15,669	70

Notes:


- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 8.1.4 LFG monitoring during the reporting quarter was undertaken on 15th March 2017 at five locations (three in Phase 1 and two in Phase 2). No exceedance of Action or Limit Levels was recorded in the reporting quarter.
- 8.1.5 Numbers of complaints, summons and successful prosecutions in the reporting quarter are summarised below:

• Complaints: One.

• Summons: Zero.

• Successful Prosecutions: Zero.

- 8.1.6 A public complaint regarding a suspected strong malodour from EcoPark in the morning of 20th February 2017 was received from 1823 hotline on the same day. The complaint was referred to the ET and the Operator by the Project Proponent and to the IEC by the ET on the same day. A site investigation was conducted by representatives from the ET and the Operator to search for the suspected malodour and identify the source of malodour generation in the morning of 21st February 2017. Details of the complaint and actions taken are provided in *Section 7* and *Appendix 7*.
- 8.1.7 In the next reporting quarter, LFG monitoring in operation phase for Phase 1 and Phase 2 will be continued.



Issue 1______AEC

AEC

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
General					
5.5.23 to 5.5.25, 10.2.24 & 10.2.37	4.2.5 to 4.2.8	The Operator shall develop and implement an Emergency Response Plan (ERP) that lists the procedures to be followed in case of fire, fuel or chemical spillage or other emergency within the EcoPark.	Throughout the duration of the operation.	Operator	
12.2	7.2	No process shall be allowed to operate within EcoPark without approval from WFBU. Approval will be based on the ten-step Process Review, which may include a Design Audit if deemed to be necessary.	Throughout the duration of the operation.	ET IEC Project Proponent	
	8.1.2	All reports (including Process Review Checklists and any Design Audits) shall be prepared and certified by the ET, verified by the IEC and approved by the Project Proponent.	Throughout the duration of construction works until construction is substantially completed. Throughout the duration of the operation.	ET IEC Project Proponent	
12.3	7.3	The Operator shall prepare and implement an Environmental Management Plan (EMP) to define mechanisms for achieving the environmental requirements specified in the EIA, EP and in statutory regulations.	Throughout the duration of the operation.	Operator	
Air Quality	,				
13.2		The Operator shall ensure that EcoPark "base case" assumptions for air quality shown in Table 13.1 of the Final EIA Report are met by tenants, as a whole.	Throughout the duration of the operation.	Operator	Table 13.1 of the Final EIA Report
Water Qua	lity				
5.4.11 & 5.6.7		To minimise the chance of accidental spillage during loading and unloading, and thereby reduce marine water quality impacts, well established cargo handling guidelines should be followed.	Adjacent to EcoPark marine frontage when loading or unloading goods.	Operator Operators of bulk carriers	Sections 5 & 6 of IMO Code of Practice for the Safe Loading/ Unloading of Bulk Carriers

Issue 1

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
5.5.19		Contaminated water collected in the surface drainage systems shall be treated at the WTF or other appropriate treatment facility.	Within EcoPark throughout the life of the facility.	Operator	
5.5.23 to 5.5.25	4.2.5 to 4.2.7	An Emergency Response Plan (ERP) will be formulated to address various accident scenarios. The ERP will be certified by the Environmental Team (ET) and verified by the Independent Environmental Checker (IEC) under the operation EM&A programme.	Within EcoPark throughout the life of the facility.	Operator	
5.6.4		For uncovered areas where recovery process identified as causing potentially high level of contamination are located, stop-logs will be installed in the perimeter drainage system to isolate contamination.	Within EcoPark throughout the life of the facility.	Operator	
	4.2.2	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
Waste Man	agement				
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
6.8.16		The dust collected by any air pollution control equipment installed by tenants must be tested to ensure compliance for landfill disposal.	Within EcoPark throughout the life of the facility.	Operator	Practice Note for disposal of dusty waste at landfills & Admission Ticket System
6.8.18 & 6.8.22	5.2.4	Sludge will be disposed of at WENT landfill, or at any future dedicated sludge treatment facility. Sludge will be collected by a Licensed collector at regular intervals, as determined by the operation of the WTF.	Within EcoPark throughout the life of the facility.	Operator	


AEC Issue 1_


EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
5.2.4	Chemical wastes shall be stored in appropriate containers in a covered area. "No Smoking" signs will be clearly displayed to prevent accidental ignition of flammable materials. Drip trays capable of storing 110% of the volume of the largest container will be used to mitigate possible leakage.	Within EcoPark throughout the life of the facility.	Operator	Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes
5.2.3 & 5.2.5	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
of Contam	inated Land			
5.3.2	Any spillages of contaminating material shall be cleaned up immediately through the use of an absorbent. Any such used material should then be considered chemical waste and disposed of appropriately.	Within EcoPark throughout the life of the facility.	Operator	
	Any areas within the lot to be used for recycling processes shall be concrete paved before recycling activities commence.	Within EcoPark throughout the life of the facility.	Operator	
5.3.2	During operation, the greatest risk of land contamination will come from storage of chemical wastes, therefore the measures should be followed:	Within EcoPark throughout the life of the facility.	Operator	
	All chemical storage areas shall be provided with locks and be sited on sealed areas. The storage areas shall be surrounded by bunds with a capacity equal to 110% of the storage capacity of the largest tank to prevent spilled oil and chemicals from contaminating the ground.			
	Ref. 5.2.4 5.2.3 & 5.2.5 5.2.4 of Contam 5.3.2	Sef. Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Ref. Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Ref. Implementation Schedule that are Applicable to the Operation Phase of EcoPark

Issue 1 AEC

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
		accordance with the Regulation. Disposal of other construction waste will be undertaken by licensed contractors in accordance with applicable statutory requirements in the WDO.			
		Chemical wastes shall be handled according to the relevant code of practice. Spent chemicals shall be stored and collected by an approved operator for disposal at a licensed facility in accordance with the relevant regulation.			
Landfill Ga	ıs				
8.7.10 & 8.7.11	6.1.2	 Alert workers and visitors of possible LFG hazards Prohibit smoking and open fires on site Conduct regular (quarterly) LFG monitoring at mobile offices, equipment stores, etc. 	Within EcoPark throughout the life of the facility.	Operator	
	6.4.3	Following construction, routine monthly monitoring may be required at service voids and utility boxes. The monitoring requirement and specific locations of monitoring points shall be established based on the findings of the monitoring carried out during construction (i.e. if no LFG is detected during construction then no routine monitoring is required). The need for continued monitoring shall, however, be reviewed through discussion with EPD.	Within EcoPark throughout the life of the facility.	Operator	
Hazard to 1	Life				
10.4.3		Building height limit within EcoPark shall be applied to structures within which people may work at elevated levels.	Within EcoPark throughout the life of the facility.	Operator	EIA Report Table 10.2
Landscape	and Visual	!			
9.4.4		It recommended that this commonality be promoted throughout EcoPark by the Operator and adopted by tenants, if practicable.	Within EcoPark throughout the life of the facility.	Operator	

AEC Issue 1_





NERAL ENVIRONMENTAL RESPONSIBILITIES

- The Tenant shall at its own cost(s) comply with and shall ensure that the Premises is used, designed, constructed, operated and maintained in accordance with:-
 - (a) All relevant Ordinances, by-laws, regulations, statutory technical memorandums, codes of practice, rules, non-statutory guidance notes, schemes and abatement notices for the time being in force in Hong Kong including those relating to the environment and governing the control of any form of pollution (see specific Ordinances mentioned hereinbelow) and licensing requirements under relevant Ordinances and regulations.
 - (b) All information, mitigation measures, prohibitions, restrictions, recommendations and requirements under the Environmental Impact Assessment Report for Development of an EcoPark in Tuen Mun Area 38 with Appendices, i.e. the EIA Report (Register No.: AEIAR-086/2005) dated April 2005, the Final EM&A Manual dated April 2005, the application documents including all attachments (Application No. AEP-226/2005) and other relevant documents in the Register (or in any other places, any internet websites or by any other means as specified by the Director), including the prohibitions and mitigation measures for processes in Table 14.1 and the material throughputs, processes and remarks in Table B.1 of the EIA Report (in so far as applicable).
 - (c) All information, conditions, submissions, mitigation measures, orders, notices, requirements, prohibitions, restrictions and time limits under the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including updated information about the Permit, any amended permit and any further permit) and all mitigation measures recommended and to be recommended in submissions that shall be deposited with or approved by the Director as a result of permit conditions contained in the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including updated information about the Permit, any amended permit and any further permit). The Tenant shall refer to, inter alia, Conditions 4.1 to 4.14 (and Annexes A and B) and Conditions 3.7 and 3.8 (and Figures 2 and 3) of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 regarding measures to mitigate air quality impact, measures to mitigate hazard to life impact, measures to prevent land contamination, measures to mitigate landfill gas hazard, maintenance of landscape and visual measures (see also hereinbelow regarding Condition 5 of the Environmental Permit and specified Ordinances).
 - (d) All information, conditions, submissions, mitigation measures, orders, notices and requirements under on going surveillance and monitoring activities during all stages of the Project and during the tenancy under the Tenancy Agreement (e.g. any additional mitigation measures recommended and to be recommended under the Process Review and Design Audit (carried out and to be carried out in accordance with the EM&A Manual) for various environmental impacts including, but not limited to,

- noise pollution, air quality, hazard to life, landfill gas hazard, landscape and visual measures, waste management and land contamination).
- (e) All recommendations referred to in the documents of the EIAO Register which are not expressly referred to in Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 and any amended Environmental Permit (unless expressly excluded or impliedly amended in the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 and any amended Environmental Permit).
- 9.2 Further to Condition Nos. 6 and 8 hereinabove, the Tenant shall at its own cost provide relevant environmental monitoring data, information, documents and assistance to the Director and/or the Environmental Protection Department and shall permit authorised representatives of the Environmental Protection Department to access, inspect, take samples and monitor the Premises and operations for the Process Review and the Design Audit carried out and/or to be carried out pursuant to Conditions 4.1 and 5 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (and any updated Permit, amended permit and further permit).
- 9.3 If the Tenant's operations (i.e. activities and facilities for recovery and/or recycling and/or reprocessing) are not covered by the EIA Report and/or deviate from the development parameters mentioned in inter alia the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including the parameters at Annex A) and/or any environmental licence (e.g. the Water Treatment Facility ("WTF") Discharge Licence), and if additional mitigation measures are not available or are not effective in the opinion of the Director, to ensure compliance with the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit) and the relevant environmental licence(s), the Tenant shall comply with any modified parameters and/or the Tenant shall immediately modify its operations in such a way that the findings and requirements of the EIA Report, the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit) and the environmental licence(s) are complied with and shall immediately cease to continue the offending part of the operations or activity in question.
- 9.4 The Tenant shall at its own cost(s) apply for, obtain, renew, maintain and comply with all the relevant licences related to compliance with all relevant Ordinances, by-laws, regulations, statutory technical memorandums, codes of practice, rules, non-statutory guidance notes, schemes, abatement notices and the environmental permits for the time being in force in Hong Kong (including those relating to the environment and governing the control of any form of pollution). The Tenant shall obtain, renew and comply with all the said licences within the relevant time limits (in any event, within one (1) calendar month of the date of signing and/or execution of the Tenancy Agreement), shall comply with all abatement notices, orders, directions and requests of the relevant authorities and public officers and shall be responsible for paying all relevant fees, costs, fines and penalties.

- 9.5 The Tenant shall not do anything or omit to do anything which would cause, contribute to or involve a breach or potential breach by the Director relating to any of the matters mentioned in Conditions 9.1 to 9.4 hereinabove (and other Conditions hereinbelow).
- The Tenant shall fully indemnify the Government and/or the Director for any fees, costs, damages, expenses, fines, penalties, losses and claims arising (a) out of any breach of any of the matters mentioned in inter alia Conditions 9.1 to 9.4 hereinabove (and other Conditions hereinbelow) or (b) from the use of the Premises or (c) out of any works carried out at any time during the term to or at the Premises or (d) out of anything now or during the term attached to or projecting from the Premises or (e) from any neglect or default by the Tenant or by its respective servants or agents or by any express licensee of the Tenant.

SPECIFIC ENVIRONMENTAL RESPONSIBILITIES

Air Pollution

- Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance (Cap. 311 of the Laws of Hong Kong)), which exists or which is imminent, without the prior written approval of the Director.
- 11. No alteration to the installation and method of manufacture shall be made without the prior written consent of the Director. In any event, the Tenant shall at its own cost(s) comply with, inter alia, Conditions 4.2 to 4.7 and Annex A of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 regarding design, installation and operation of chimney, location of fresh air intakes and use of ultra-low sulphur or other cleaner fuel(s) as agreed by the Director (and the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate air quality impact), good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Noise Pollution

12. The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to

disturbance to the general public under the Noise Control Ordinance (Cap. 400 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation.

13. The decision of the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Waste Management

- 14. The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all waste arising from recycling activities, chemical waste arising from maintenance of plant and equipment, sewage sludge (from WTF) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Director.
- In any event, the Tenant shall at its own cost(s) comply with, inter alia, Conditions 4.11 and 4.12 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 regarding paving all areas of the Premises with concrete/using concrete hardstanding and siting all fuel tanks and chemical storage areas on the specified sealed areas, respectively (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to prevent land contamination). The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap.354 of the Laws of Hong Kong) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Water Pollution

In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358 of the Laws of Hong Kong) any regulations made thereunder and any amending legislation, and is not covered by a WTF Discharge Licence issued under the Water Pollution Control Ordinance (Cap. 358 of the Laws of Hong Kong) the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence and the WTF Discharge Licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, stormwater drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director and WTF Discharge Licence, the Tenant shall at its own cost(s) separate, collect, discharge and send all process or industrial wastewater to the WTF for treatment to the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.

- 17. Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pre-treatment plants within the Premises if such process or industrial wastewater could not meet the influent limits / exceeds the maximum influent criteria of the WTF (in accordance with paragraph 7.2.9 of the Final E&MA Manual). The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
- 18. In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap 466 of the Laws of Hong Kong) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Hazard to Life Impact


- 19. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
 - (a) Bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) Bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) Exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit Application No.VEP-221/2006 (including any updated Permit, amended permit and further permit).

Landfill Gas Hazard

20. To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit – Application No.VEP-221/2006 regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

Landscape and Visual Impacts

To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005 as amended by the Variation of Environmental Permit — Application No.VEP-221/2006 regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).



Compliance of Environmental Legislation

5. The Tenant shall comply with and observe all Ordinances, by-laws, regulations and rules for the time being in force in Hong Kong governing the control of any form of pollution, including air, noise, water and waste pollution, and for the protection of the environment.

Air Pollution

6. Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance

(Cap. 311), which exists or which is imminent, without the prior written approval of the Director.

Water Pollution

- 7. (a) In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358) any regulations made thereunder and any amending legislation, the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, storm-water drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director, the Tenant shall at its own cost(s) separate, collect, and discharge all process or industrial wastewater which comply with the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.
 - (b) Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pretreatment plants within the Premises if such process or industrial wastewater could not meet the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence. The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
 - (c) In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap. 466) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Waste Management

- 8. (a) The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap. 354).
 - (b) The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all materials arising from recycling activities, chemical materials arising from maintenance of plant and equipment, sewage sludge (from wastewater treatment facilities, if any) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Landlord and/or the Director.

Noise Pollution

- 9. (a) The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Landlord and/or the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to disturbance to the general public under the Noise Control Ordinance (Cap. 400) any regulations made thereunder and any amending legislation.
 - (b) The decision of the Landlord or the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Landfill Gas Hazard

To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005/A regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia

Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

EcoPark Being Within the 250m Consultation Zone of Siu Lang Shui Landfill

- 11. (a) The Tenant acknowledges that the EcoPark is within the 250m Consultation Zone of the Siu Lang Shui Landfill and that the Premises may be affected by problems associated with migrating landfill gas and undertakes to provide suitable precautionary or protection measures at his own expense to control these potential hazards.
 - (b) The Tenant shall ensure all personnel entering the Premises and all visitors to the Premises are aware of the potential hazards of the landfill gas by posting suitable warning notices of the potential hazards at his own expense.
 - (c) All buildings and enclosed structures, including temporary offices, temporary stores and the administration building, within the 250m Consultation Zone of the Siu Lang Shui Landfill shall be provided with the following measure(s):
 - (i) buildings shall be raised clear of the ground with a clear separation distance (as measured from the highest point on the ground surface to the underside of the lowest floor joist) of at least 500mm; or
 - (ii) a low-gas permeability membrane shall be applied to the surface of any wall or floor slab that rests on or is below ground. A gravel-fill vent system shall be provided such that passive venting is achieved around the perimeter of the structure. In addition, other building materials, such as dense well-compacted concrete or steel shuttering which provide a measure of resistance to gas permeation, shall be used to achieve gas protection.
 - (d) The Tenant shall ensure that the electrical equipment used on the Premises shall be intrinsically safe. Welding, flame-cutting or other hot works shall be confined to the open areas of the Premises and shall be at least 15m away from any ground-level confined space.
 - (e) No drilling, trenching and excavation shall be allowed on the Premises. During any construction work, the Tenant shall observe the guidelines recommended in Chapter 8 of the "Landfill Gas Hazard Assessment Guidance Note" published by the Department of Environmental Protection. In particular, no smoking, naked

flames and all other sources of ignition shall be allowed within 15m of any ground-level confined space.

Hazard to Life Impact

- 12. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005/A (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
 - (a) bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005/A (including any updated Permit, amended permit and further permit).

Landscape and Visual Impacts

13. To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005/A regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).

Environmental Permits Relating to EcoPark

14. The Tenant hereby declares, confirms and acknowledges that it is fully aware that, pursuant to the Environmental Impact Assessment Ordinance (Cap.499), the Director has the right to grant, amend or revoke environmental permit(s) or to grant further or amended environmental permit(s) relating to the lots comprising the EcoPark and any other lots but that such right may be challenged by third parties on justifiable grounds. The Tenant hereby undertakes to waive all its rights and remedies for any loss, damages, cost and expenses whatsoever which it may sustain and/or incur directly or

indirectly as a result of the grant, amendment or revocation of the environmental permit(s) or the consequential grant of further or amended environmental permit(s), including but not limited to any right to terminate this Lease and/or to make any claim against the Landlord and/or the Director for any compensation whatsoever.






Table A3.1-1 Recycling of Waste Organic Food

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
January 2017	1,141	635	547
February 2017	1,119	649	522
March 2017	455 ⁽⁵⁾	601 ⁽⁵⁾	46 ⁽⁵⁾

Table A3.1-2 Recycling of Waste Ferrous Metal

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
January 2017	11,242	13,353	82
February 2017	8,749	6,810	69
March 2017	n/a	n/a	n/a

Table A3.1-3 Recycling of Waste Wood

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
January 2017	86	48	-
February 2017	105	-	-
March 2017	n/a	n/a	n/a

Table A3.1-4 Recycling of Waste Electronics

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
January 2017	185	24	14
February 2017	122 ⁽⁵⁾	51 ⁽⁵⁾	- (5)
March 2017	103 ⁽⁵⁾	197 ⁽⁵⁾	$1^{(5)}$

Table A3.1-5 Recycling of Waste Plastic

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
January 2017	105	87	-
February 2017	99	98	-
March 2017	218	205	-

Table A3.1-6 Recycling of Waste Glass and Construction Waste

	Waste Input (tonnes)		Product	Waste	
Date	Construction Waste	Glass	Output ⁽⁴⁾ (tonnes)	Disposal ⁽⁴⁾ (tonnes)	
January 2017	259	133	7,988	47	
February 2017	485	181	7,681	43	
March 2017	n/a	n/a	n/a	n/a	

Notes:

- 1) The throughput data presented in Tables A3.1-1 to A3.1-6 has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) The presented throughput is the best available data.

Issue 1 AEC



Table A3.2-1 Recycling of Waste Organic Food

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
May 2015	1,263	320	696
June 2015	1,215	313	687
July 2015	1,240	316	727
August 2015	1,216	304	714
September 2015	858	337	291
October 2015	974	439	442
November 2015	904	361	410
December 2015	880	368	281
January 2016	883	312	305
February 2016	1,076	396	456
March 2016	1,218	421	498
April 2016	1,298	586	593
May 2016	1,348	586	685
June 2016	1,273	403	671
July 2016	1,223	577	609
August 2016	1,169	548	599
September 2016	1,254	589	659
October 2016	1,282	603	695
November 2016	1,217	593	627
December 2016	1,216	603	631

Table A3.2-2 Recycling of Waste Ferrous Metal

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2016	10,799	10,242	48
August 2016	8,488	6,284	48
September 2016	8,058	9,156	74
October 2016	10,261	12,359	52
November 2016	12,280	8,844	61
December 2016	13,004	13,011	59

Table A3.2-3 Recycling of Waste Wood

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
December 2016	25	-	-

Table A3.2-4 Recycling of Waste Electronics

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
August 2016	133	142	1
September 2016	156	118	25

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
October 2016	145	88	5
November 2016	179	144	7
December 2016	122	118	10

Table A3.2-5 Recycling of Waste Plastic

Date	Waste Input (tonnes)	Product Output (tonnes)	Waste Disposal (tonnes)
July 2016	444	350	1
August 2016	461	355	-
September 2016	521	382	2
October 2016	420	278	45
November 2016	311	252	-
December 2016	247	110	-

Table A3.2-6 Recycling of Waste Glass and Construction Waste


	Waste Inp	ut (tonnes)	Product	Waste
Date	Construction Waste	Glass	Output ⁽⁴⁾ (tonnes)	Disposal ⁽⁴⁾ (tonnes)
November 2016	3,544	187	10,499	30
December 2016	1,275	150	8,302	31

Notes:

- 1) The throughput data in Tables A3.2-1 to A3.2-6 supersede the same batch of the throughput data in previous Quarterly Environmental Monitoring & Audit Reports. The presented data has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.

5) The presented throughput is the best available data.

Issue 1 AEC



FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre. 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong.

Fax : +852 2450 6138 E-mail: matlab@fugro.com Website: www.fugro.com



REPORT ON CALIBRATION OF INFRA RED GAS ANALYSER

Client

Fugro Technical Services Limited - MateriaLab Division

Sample description

One sample of Infra Red Gas Analyser (GA5000)

Sample identification

E/084/2

Serial number

G501982

Test required

Calibration

Date of calibration

02/12/2016

Next calibration date

01/06/2017

Method used

In-house method (Comparison with Standard Gas)

Results:

Parameters	Standard Gas Concentration,	Infra Red Gas Analyser Reading,	Deviation,
	% volume	% volume	% volume
Methane (CH ₄)	1.00	1.0	0.00
Carbon dioxide (CO ₂)	1.00	1.5	0.50
Oxygen (O ₂)	1.00	0.9	-0.10

Calibrated by : _____ C. F. Leung

Certified by

Approved Signatory: Raymond K. F. Wong


Manager - Chemical & Environmenta Manager/

Date

End of Report

Note: This report refers only to the sample(s) tested.

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.



Quarterly Landfill Gas Monitoring Results

								Mea	surement Res	sults			Action Leve	el		Limit Level	I								
Monitoring Station ID	Monitoring Locations	Date	Weather Conditions	Temperature (°C)	Start Time	End Time	Met	hane	Oxygen	Carbon Dioxide	Barometric Pressure	Methane	Oxygen	Carbon Dioxide	Methane	Oxygen	Carbon Dioxide	Remarks							
							% v/v	% LEL	% v/v	% v/v	mBar (absolute)	% LEL	% v/v	% v/v	% LEL	% v/v	% v/v								
EP1-1	Inside the landscaping area of Administration Building			17	10:05	10:08	0.0	0	20.2	0.5	1022							Nil							
EP1-2	PCCW below-ground chamber outside Lot EP08-01						I	I			17	09:45	09:48	0.0	0	20.6	0.0	1022							Nil
EP1-3	HGC Broadband below-ground chamber outside Lot EP08-03	15 Mar 2017	Overcast	17	09:40	09:43	0.0	0	20.7	0.0	1022	>10	<19	>0.5	>20	<18	>1.5	Nil							
EP2-1	HGC Broadband below-ground chamber outside Lot P1			17	09:55	09:58	0.0	0	20.5	0.0	1022							Nil							
EP2-2	HGC Broadband below-ground chamber outside Lot P3			17	10:00	10:03	0.0	0	20.3	0.2	1022							Nil							

Notes:

- (1) Underlined figure indicates an exceedance of Action Level
- (2) Shaded area indicates an exceedance of Limit Level

FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre, 5 Lok Yi Street, Tai Lam, Tuen Mun, N.T., Hong Kong. Tel : +852 2450 8233 Fax : +852 2450 6138 E-mail : matlab@fugro.com Website : www.fugro.com



Report No.

144799EN170558A



Page 1 of 1

Test Report on Landfill Monitoring

Information Supplied by Client

Client

: Allied Environmental Consultants Ltd.

Client's address

19/F, Kwan Chart Tower, 6 Tonnochy Road.

Wan Chai, Hong Kong

Project

Landfill Gas Monitoring at Eco Park, Tuen Mun

Sample description

Five samples of gas

Sampling location

EP1-1 Inside the Landscaping area of Administration Building

EP1-2 PCCW below-ground chamber outside Lot EP08-01

EP1-3 HGC Broadband below–ground chamber outside Lot EP08-03 EP2-1 HGC Broadband below-ground chamber outside Lot P1 EP2-2 HGC Broadband below-ground chamber outside Lot P3

Test required

For all locations -

In-situ measurement of methane, carbon dioxide, oxygen and

barometric pressure

Laboratory Information

Date of in-situ testing

15/03/2017

Test method used

Measured by Infra Red Gas Analyser GA5000

Results:

Sampling Sampling		Barometric pressure,	Meth	nane	Carbon dioxide,	Oxygen,	
location	time	mbar	%v/v %LEL		%v/v	%v/v	
EP1-1	10:05	1022	0.0	0	0.5	20.2	
EP1-2	09:45	1022	0.0	0	0.0	20.6	
EP1-3	09:40	1022	0.0	0	0.0	20.7	
EP2-1	09:55	1022	0.0	0	0.0	20.5	
EP2-2	10:00	1022	0.0	0	0.2	20.3	

Remarks: 1. A calibration certificate of the monitoring equipment is attached for reference.

2. A layout plan showing the sampling location is also attached for reference.

3. This report is to supersede our former report #144799EN170558.

Supervised by : K.F. Wong Certified by

Approved Signatory : HO Kin Man, John Manager – Chemistry Department

Date

** End of Report **

Note: This report refers only to the sample(s) tested.

EP1-1

Methane (% LEL)			(L)	Oxygen (% v/v)			Carbon Di	Barometric Pressure (mBar)		
	Measurement	Action Level	Limit Level	Measurement		Limit Level	Measurement	Action Level	Limit Level	Measurement
06 Jun 2016	0	10	20	20.1	19	18	0.5	0.5	1.5	1012
21 Sep 2016	0	10	20	20.2	19	18	0.3	0.5	1.5	1015
22 Dec 2016	0	10	20	20.8	19	18	0.0	0.5	1.5	1021
15 Mar 2017	0	10	20	20.2	19	18	0.5	0.5	1.5	1022

EP1-2

Methane (% LEL)				Oxyge	Oxygen (% v/v)			Carbon Dioxide (% v/v)			
	Measurement	Action Level	Limit Level	Measurement Action Limit Level Level M		Measurement	Action Level	Limit Level	Measurement		
06 Jun 2016	0	10	20	18.7	19	18	1.1	0.5	1.5	1012	
21 Sep 2016	0	10	20	20.2	19	18	0.1	0.5	1.5	1015	
22 Dec 2016	0	10	20	20.8	19	18	0.1	0.5	1.5	1021	
15 Mar 2017	0	10	20	20.6	19	18	0.0	0.5	1.5	1022	

EP1-3


Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Di	Barometric Pressure (mBar)		
	Measurement	Action Level	Limit Level	Measurement Action Limit Level Level N		Measurement	Action Level	Limit Level	Measurement	
06 Jun 2016	0	10	20	20.3	19	18	0.2	0.5	1.5	1012
21 Sep 2016	0	10	20	20.2	19	18	0.1	0.5	1.5	1016
22 Dec 2016	0	10	20	20.8	19	18	0.1	0.5	1.5	1021
15 Mar 2017	0	10	20	20.7	19	18	0.0	0.5	1.5	1022


EP2-1


Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Di	Barometric Pressure (mBar)		
	Measurement	Action Level	Limit Level	Measurement	Action Limit Level Level Measur		Measurement	Action Level	Limit Level	Measurement
06 Jun 2016	0	10	20	17.6	19	18	2.6	0.5	1.5	1012
21 Sep 2016	0	10	20	20.0	19	18	0.5	0.5	1.5	1016
22 Dec 2016	0	10	20	20.6	19	18	0.1	0.5	1.5	1021
15 Mar 2017	0	10	20	20.5	19	18	0.0	0.5	1.5	1022


EP2-2


Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Dioxide (% v/v)			Barometric Pressure (mBar)
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
06 Jun 2016	0	10	20	20.0	19	18	0.5	0.5	1.5	1012
21 Sep 2016	0	10	20	20.1	19	18	0.3	0.5	1.5	1016
22 Dec 2016	0	10	20	20.5	19	18	0.2	0.5	1.5	1021
15 Mar 2017	0	10	20	20.3	19	18	0.2	0.5	1.5	1022




























































Issue 1_____AEC



Issue 1_____AEC



	Inspection Date: 2017/01/25 Time: 10:30 Lot Number: EP07-03 Tenant: Champway	Inspected by:		HO, Ronan CHAN & TSANG
Wea	<u>ther</u>			
	Condition: ✓ Sunny Fine Overcast Drizzle	Rain		Storm Hazy
	Temperature: 18 ℃ Humidity: High	✓ Moderate		Low
	Wind: Calm ✓ Light Breeze Strong			
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	√		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks Prohibition of discharging wastewater
2.1	Valid Effluent Discharge Licence available?	✓		to communal sewer by the enforcement unit of EPD
	a) Sampling record available?	✓		Self-monitoring; Notification letter from EPD
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?		✓	For the sample collected by EPD on 30-Nov-2016
	d) If exceedance is recorded, any follow-up action taken?	✓		In progress. Wastewater was tanked away since Dec 2016.
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		WTF is being checked. Wastewater is tanked away
	a) Adequate capacity?	✓		With the state of
	b) Properly maintained and function normally?	✓		WTF is being checked. Outlet is blocked temporarily.
2.3	Surface run-off control measures in place and adequately maintained?	✓		Surface run-off was tanked away since Dec 2016.
2.4	Surface run-off discharging into drainage system?	 		
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	 ✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			No discharge is made
2.9	Processes or activities with high risk of contamination located under covered area?			Complement 111 C
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Y		Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		Pending for provision of drainage plan from tenant
2.13	Drainage from maintenance area discharged via oil interceptor?		
	a) Oil and grease removed regularly?		Not observed during inspection
	b) Collected by licensed collector?		Not observed during inspection
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Expired in Dec 2016. Renewal application has been sumitted to the Authority.
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		The system is switched off as there is no operation
3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?		Not observed
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		No dust-generating activity is observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?		Not required
3.11	Air pollution control system properly maintained and function normally?		The system is switched off as there is no operation
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		No operation is observed during inspection
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓	Not observed
3.16 Truck loads to a level within the side and tail boards?	/	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	✓	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Veh	nicle/equipment moven	nent
Loading/unloading of materials	ners: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?]
4.2 Sufficient receptacles (e.g. rubbish bins) available?]
4.3 Disposed of regularly and properly?]
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?]
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓	Not observed
Packaging of Chemical Waste		
4.7 Stored in suitable container?	/	No chemical waste is observed
4.8 Container properly closed or sealed?]
4.9 Spillage cleaned up immediately through the use of absorbent?	/	
4.10 Obtained approval for the use of chemical waste container >450L?	<u> </u>	
Labelling of Chemical Waste		
4.11 Provision of chemical waste label?	/]
a) Label is securely attached and visible?	/]
b) Label is bilingual and in proper dimension?	✓]
c) Information is accurate and sufficient?	✓ <u> </u>]
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	✓ <u> </u>]
4.13 Incompatible wastes separated by impermeable partition?	✓ <u> </u>]
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	V]
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/]
4.16 Properly stored and locked in designated area with adequate ventilation?	/]
4.17 Storage area paved with concrete and kept clean and dry?	✓]
4.18 Cover provided for outdoor storage area?	✓]
4.19 Chemical waste collected by licensed collector?	✓]
Liquid Chemical Storage		
4.20 Storage area provided with permeation-proof floor or surface?		For storage of product

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest cont 20% volume of waste in storage?	ainer or]
4.22	Walls or partitions of stacked container storage area constructed of impermeable materials of the stacked container storage area constructed of impermeable materials.	erial?	For storage of product
	Alert workers and visitors of possible LFG hazards?	N/A Yes No	Remarks Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
6. Ot	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?]
6.2	Damage to surrounding areas avoided?]
6.3	Site lighting designed to avoid glare to surrounding receivers?]
6.4	Materials and machinery stored in an orderly manner?		1
6.5	Areas within lot for recycling activities paved with concrete?]
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		1
6.7	Valid calibration certificate for any monitoring equipment?		Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		1
	a) Storage area in compliance with the approved plan?		Subject to tenant's information provision
	b) Storage area is securely locked?		, <u></u> 1
	c) Total storage capacity in compliance with relevant statutory requirement?		1
	d) Proper labelling provided?		 1
	e) Dangerous goods properly packaged?		
Rem	arks:		
New	<u>Observations</u>		
•	No major environmental deficiency was observed.		
Sign	atures:		
ET R	epresentative: Operator Representative: Tenant R	epresentative: IEC R	epresentative:
{	STE W	ingi	
Name	T. K. HO Name: May Wu Name: K	enji Wong Name:	

Date: 10 Mar 2017


Date:

Date: 2017/01/25


Date: 15 FEB 2017



Inspection Date: Lot Number:	2017/02/17 Time: 10:15 EP07-03 Tenant: Champway	Inspected by:		HO, Ronan CHAN, TSANG
Weather Condition: Temperature: Wind:	✓ Sunny Fine Overcast Drizzle 20 ℃ Humidity: High Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. General		N/A Yes	No	Remarks
1.2 Environmental Policy1.3 Environmental Manag1.4 Emergency Response(a) Drill or training re	gement Plan (EMP) kept up-to-date? Plan (ERP) documented? ecords available? es in operation have been approved by WFBU?			EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
c) Monitoring result c d) If exceedance is rec 2.2 Provision of wastewat a) Adequate capacity? b) Properly maintaine	vailable? ney met the licence requirement? comply with the licence requirement? corded, any follow-up action taken? ter treatment facility (WTF) prior to discharge? ed and function normally?	N/A Yes V V V V V V V V V V V V V V V V V V	No	Remarks Prohibition of discharging wastewater to communal sewer by the enforcement unit of EPD Self-monitoring; no sampling was requested by the authority Self-monitoring when required WTF is being checked. Wastewater is tanked away For temporary storage tank WTF is being checked. Outlet is blocked temporarily.
	ol measures in place and adequately maintained? arging into drainage system?			
	oris, rubbish and other objectionable matters prevented from			Except the 2 manholes that are opened for regular inspection
2.8 Drainage system well	and equipment located away from water bodies? maintained to prevent flooding or overflow? s with high risk of contamination located under covered area?			No discharge is made
process with potential	gs in perimeter drainage system for uncovered areas where recovery lly high level of contamination is carried out? prication replacements performed only in bunded maintenance area?			Stop-logs are available for use by tenant if needed Replacement activity is not observed




2.13 Drainage from maintenance area discharged via oil interceptor? a) Oil and grease removed regularly? b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjucent to marrine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Valid Specified Process (SP) Licence available for all specified process? 3. I Double specified Process (SP) Licence available for all specified process? 3. I Double specified Process (SP) Licence available for all specified process? 3. I Double specified Process (SP) Licence available for all specified process? 3. Dust materials dampened prior to loading/unloading? 3. Dust suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Dust suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening				
2.13 Diringae from maintenance area discharged via oil interceptor? a) Oil and grease removed regularly? b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3.1 Valid Specified Process (SP) Licence available for all specified process? 3.2 Operate without generation of noticeable odour? 3.3 Operate without generation of noticeable odour? 3.4 I Odour os materials covered? 3.5 Oberate without generation of noticeable odour? 3.6 I Odour os materials covered? 3.7 I of odour control system is installed, is it operating normally? 3.8 Dusty materials dampened prior to loading/unloading? 3.9 Dust monitoring record available? 3.0 Dust suppression measures provided where main dust-generating activities take place (i.e. 3.1 Dust suppression measures provided where main dust-generating activities take place (i.e. 3.1 Copen burning provided where main dust-generating activities take place (i.e. 3.1 Copen burning provided where main dust-generating activities take place (i.e. 3.2 Openate or Sike solid furthour, or Sike solid furthour, or 150MI gascous fatchour? 3.3 Dusty suppression measures provided where main dust-generating activities take place (i.e. 3.4 Dust monitoring requard variable? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. 3.6 Open burning problibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of controlled refrigerant? 4.	2.12			New Observation (2)
a) Oil and grease removed regularly? b) Collected by licensed collector? c) Collected by licensed collectors? c) Collected by licensed collectors? c) Collected by licensed collectors? c) Collected by licensed available for all specified process? c) Collected by licensed available for all specified process? c) Collected by licensed available for all specified process? c) Collected by licensed available for all specified process? c) Collected by licensed available for all specified process? c) SP Licensed conditions/monitoring requirements comply? c) Collected, can the source be identified? c) Collected available (c) collected, can the source be identified? c) Collected available (c) collected, can the source be identified? c) Collected available? c) Collected available? c) Collected available? c) Monitoring record available? c) Monitoring frequency met the license requirement? c) Collected available? c) May exceedance? c) If exceedance is recorded, follow-up action taken? c) Collected dampening? c) Collected available of the boar or 5 Sky solid finethour, or 1150Ml gaseous facefoor: c) Collected approval for the use of liquid fined with a viscosity point of ignition >30 contistories or an equivalent viscosity? c) Collected approval for the use of controlled r	2.13	Drainage from maintenance area discharged via oil interceptor?	/	Not observed during inspection
b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during looding and unloading adjacent to marine frontuge? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3. I Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions / monitoring requirements comply? 3. Operate without generation of noticeable odour? b) Odourous materials covered? c) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3. Dusty materials dampened prior to loading/unloading? 3. Dust monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance of the licence requirement? b) Any exceedance? c) If exceedance of the licence requirement data-generating activities take place (i.e. of loading/unloading) 3. Emission from chimney or powered plant free of black smoke? 3. Dust-suppression measures provided where main dust-generating activities take place (i.e. of loading/unloading) 3. Emission from chimney or powered plant free of black smoke? 3. Dust-suppression measures provided where main dust-generating activities take place (i.e. of loading/unloading) 3. Dustined approval for usuallation/alteration of furnace, oven or chimney consuming over 25L liquid fiele/hour, or		a) Oil and grease removed regularly?	\checkmark	Not observed during inspection
loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed property? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3.18 Valid Specified Process (SP) Licence available for all specified process? 3.19 P Licence conditions/monitoring requirements comply? 3.2 Operate without generation of noticeable odour? 3.3 I valid Specified Process (SP) Licence available for all specified process? 3.4 Dust under the same of t		b) Collected by licensed collector?		Not observed during inspection
2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 2.18 Measures to prevent the washing away of sand/silt to drains? 3.19 Valid Specified Process (SP) Licence available for all specified process? 3.10 Valid Specified Process (SP) Licence available for all specified process? 3.11 Valid Specified Process (SP) Licence available for all specified process? 3.22 Operate without generation of noticeable odour? 3.33 Degrate without generation of noticeable odour? 3.41 Fodour is detected, can the source be identified? 3.52 Discourse materials covered? 3.53 Dusty materials dampened prior to loading/unloading? 3.64 Dust monitoring record available? 3.75 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.76 Emission from chimney or powered plant free of black smoke? 3.77 Emission from chimney or powered plant free of black smoke? 3.87 Vehicles and equipment switched off while not in use? 3.98 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 expension of the service	2.14		/	Not required
2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3. I Valid Specified Process (SP) Licence available for all specified process? 3. SP Licence conditions / monitoring requirements comply? 3. Operate without generation of noticeable odour? 3. 17 July 18 July	2.15	Bulk cargo and materials packed properly?		<u> </u>
2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3. Air Quality 3. Alvaid Specified Process (SP) Licence available for all specified process? 3. Valid Specified Process (SP) Licence available for all specified process? 3. SP Licence conditions/monitoring requirements comply? 3. Operate without generation of noticeable odour? 3. If odour is detected, can the source be identified? 4. Obditional specified process (SP) Licence devailable, is it operating normally? 5. Did odour control system is installed, is it operating normally? 6. Did notion control system is installed, is it operating normally? 7. Obditional specified process (SP) Licence requirement? 8. Dust monitoring record available? 8. Object monitoring record available? 9. Of required 9. Object with the system is source available or an available or av	2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
Sample S	2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3.1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions / monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid fluel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? c) If yes, record of refrigeration equipment service available? during inspection is of during inspection in the requiring liquid fuel? c) If yes, record of refrigeration equipment service available? during inspection is of during inspection in the requiring liquid fuel? c) If yes, record of refrigeration equipment service available? during inspection is of during inspection in the requiring liquid fuel? c) If yes, record of refrigeration equipment service available? during inspection is of during inspection in the requiring liquid fuel? c) If yes, record of refrigeration equipment service available?	3. Ai	ir Quality	N/A Yes No	
a) SP Licence conditions/monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerann? b) If yes, record of refrigeration equipment service available? No operation is of during inspection No operation is of during inspection No operation is of during inspection of furnace, oven or chimney consuming over 25L liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? Not required The system is swithere is no operation is of during inspection is of during insp	3.1	Valid Specified Process (SP) Licence available for all specified process?		application was sumitted to the
3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? b) If yes, record of refrigeration equipment service available? 3.13 Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? No operation is of during inspection. An operation is of during inspection is of during inspection.		a) SP Licence conditions / monitoring requirements comply?		Quarterly reporting on quantity of raw material and product (up to Oct 2016)
b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Objection is odentified in the substance of the suppression of the substance of refrigeration equipment service available? 3.15 No operation is odentified in the substance of refrigeration equipment service available? 3.16 No operation is odentified in the substance of refrigeration equipment service available? 3.17 No operation is odentified in the substance of the su	3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
c) If odour control system is installed, is it operating normally? A		a) If odour is detected, can the source be identified?		<u> </u>
c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.15 Indicate the prevention is of during inspection is of during inspection is of during inspection is of during inspection.		b) Odourous materials covered?		
3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? V Mor required No operation is of during inspection No operation is of during inspection No operation is of during inspection		c) If odour control system is installed, is it operating normally?		The system is switched off as there is no operation
a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? Another approach is of during inspection is of during inspection is of during inspection.	3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? A No dust-generating No dust-generating observed No operation is of during inspection.	3.4	Dust monitoring record available?		Not required
c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? A No dust-generating observed No operation is of during inspection		a) Monitoring frequency met the licence requirement?		
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		b) Any exceedance?		
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.15 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		c) If exceedance is recorded, follow-up action taken?		
3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	3.5		V	No dust-generating activity is observed
3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? Authorized during inspection Not required Not required Y Not required Y Not required Not required The system is swit there is no operation of the property maintained and function normally? Authorized to the use of controlled refrigerant? Author	3.6	Open burning prohibited?		
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	3.7	Emission from chimney or powered plant free of black smoke?	/	No operation is observed during inspection
25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? Not required Not required The system is swithere is no operation is of the use of controlled refrigerant? V	3.8	Vehicles and equipment switched off while not in use?		
centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	3.9	• • • • • • • • • • • • • • • • • • • •	V	Not required
3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? there is no operation there is no operation operation. No operation is of during inspection.	3.10		V	Not required
compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? No operation is of during inspection	3.11	Air pollution control system properly maintained and function normally?	/	The system is switched off as there is no operation
b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? No operation is of during inspection	3.12		V	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? No operation is of during inspection		a) Obtained approval for the use of controlled refrigerant?	/	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		b) If yes, record of refrigeration equipment service available?	/	
3.14 Public road around site entrance kept clean and free from dust?	3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	<u> </u>	No operation is observed during inspection
*	3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion V	ehicle/equipment movement
Loading/unloading of materials	others: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	Not observed
Packaging of Chemical Waste	
4.7 Stored in suitable container?	No chemical waste is observed
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Chemical Storage	
4.20 Storage area provided with permeation-proof floor or surface?	Reminder (1)

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or			✓	New Observation (1)
	20% volume of the material in storage?				
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓	Ш		Reminder (1)
	ndfill Gas (LFG) (within LFG Consultation Zone) Alert workers and visitors of possible LFG hazards?	N/A ✓	Yes	No	Remarks Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		✓		
<u>6. Ot</u>	<u>hers</u>	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		√		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		√		
6.5	Areas within lot for recycling activities paved with concrete?		√		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		√		
6.7	Valid calibration certificate for any monitoring equipment?	✓			For source sampling; Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		√		
	a) Storage area in compliance with the approved plan?	✓			Subject to tenant's information provision
	b) Storage area is securely locked?		✓		
	c) Total storage capacity in compliance with relevant statutory requirement?		√		
	d) Proper labelling provided?		√		
	e) Dangerous goods properly packaged?		√		

Remarks:

New Observations

1) Oil stain was observed on the ground but no sign of leakage from containers was found. The tenant was requested to clear the oil stain and dispose of as chemical waste. The tenant should check the storage condition to ensure no leakage from any container occurs, and consider the provision of drip trays for non-empty chemical containers in order to prevent any accidental spillage.



(Observed on 17 February 2017)

SITE INSPECTION CHECKLIST



Oil-water mixture was observed inside the surface drainage channel near the storage area. The remaining mixture is likely caused by the poor condition of the surface drain. The tenant was suggested to improve the drain condition to maintain the effectiveness of the drainage channel. Meanwhile, the tenent was requested to clear the mixture and ensure no overflow could occur.



(Observed on 17 February 2017)

Reminders

1) The tenant should clarify whether the concerned area mentioned in New Observation (1) is designated for chemical storage in order to determine whether further action is necessary to be taken.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/02/17

Operator Representative:

Name:

Date:

May Wu

1 0 MAR 2017

Name: Kenji Wong


Tenant Representative:

Date: 13 Mar 2017

IEC Representative:



		_		
	Inspection Date: 2017/03/15 Time: 11:10 Lot Number: EP07-03 Tenant: Champway			IO, Ronan CHAN, TSANG
Wea	<u>ther</u>			
	Condition: Sunny Fine V Overcast Drizzle	Rain	S	storm Hazy
	Temperature: 17 °C Humidity: High	✓ Moderate		ow
	Wind: Calm ✓ Light Breeze Strong			
1. G	eneral eneral	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	V		EP for tenant is not required
1.2	Environmental Policy documented?	/		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	V		UPML's ERP is followed
	(a) Drill or training records available?	_		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks Prohibition of discharging wastewater
2.1	Valid Effluent Discharge Licence available?			to communal sewer by the enforcement unit of EPD
	a) Sampling record available?	✓		Self-monitoring; no sampling was requested by the authority
	b) Monitoring frequency met the licence requirement?	V		Self-monitoring when required
	c) Monitoring result comply with the licence requirement?	/		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		✓	WTF is being checked. Wastewater is tanked away
	a) Adequate capacity?			For temporary storage tank
	b) Properly maintained and function normally?		✓	WTF is being checked. Outlet is blocked temporarily.
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			Except the 2 manholes that are opened for inspection
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			No discharge is made
2.9	Processes or activities with high risk of contamination located under covered area?			0. 1 2
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓ [Replacement activity is not observed



2.13 Drainage from maintenance area discharged via oil interceptor? a) Oil and grease removed regularly? b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3. Air Quality 3. I Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions./ monitoring requirements comply? 3. I Valid Specified Process (SP) Licence available for all specified process? a) I Godour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3. Dusty materials dampened prior to loading/unloading? 3. Dust monitoring requirement? b) Any exceedance? c) If exceedance is recorded, follow up action taken? 3. Dust suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Dust suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Dust suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?				
2.13 Drainage from maintenance area disk-praged via oil interceptor? a) Oil and grease removed regularly? b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 3.17 Measures to prevent the washing away of sand/silt to drains? 3.18 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions/ monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If door control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If door control system is installed, is it operating normally? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid foul with a viscosity point of ignition >30 centroloses or negular dampening)? 3.10 Obtained approval for the use of liquid foul with a viscosity point of ignition >30 centroloses or an equivalent viscosity? a) Obtained approval for the use of liquid fine with a viscosity point of ignition >30 centroloses or an equivalent viscosity? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment installed hy tenants tested to ensure compliance for la	2.12			Follow-up Observation (2)
a) Olt and grease removed regularly? b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during looding and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3.1 Valid Specified Process (SP) Licence available for all specified process? 3.14 Valid Specified Process (SP) Licence available for all specified process? 3.19 SP Licence conditions / monitoring requirements comply? 3.2 Operate without generation of noticeable odour? 3.3 Desty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. encoloures or regular dampening)? 3.6 Open hurning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of controlled refrigerant? 3.10 Dobtained approval for the use of controlled refrigerant? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal* 3.12 Dust-collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal* 3.12 Dust-collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal* 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Dust include approval for the use of controlled refrigerant? 3.15 Dust-suppression approval for the use of controlled refrigerant? 3.16 Dust-inded approval for the use of controlled refrigerant? 3.17 Dust-inded approval for the use of controlled refrigerant? 3.18 Optimized approval for the use of controlled refrigerant? 3.19 Optimized appro	2.13	Drainage from maintenance area discharged via oil interceptor?		Not observed during inspection
b) Collected by licensed collector? 2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3. 1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions / monitoring requirements comply? 3. 1 Valid Specified Process (SP) Licence available for all specified process? a) If John of the service of the source be identified? b) Odourus materials covered? c) If door control system is installed, is it operating normally? 3. 1 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3. 5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. 6 Open huming prohibited? 3. 7 Emission from chimney or powered plant free of black smoke? 3. 10 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 11SOMI gaseous fuel/hour? 3. 10 Dottained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? a) Obtained approval for the use of fourithed and function normally? d) Set required to be surgically and pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of fourithed refrigerant? b) If yes, record of refrigeration equipment service available? 3. 13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 4 Set required banding inspection.		a) Oil and grease removed regularly?		Not observed during inspection
loading and unloading adjacent to marine frontage? 2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockplies covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3.18 Valid Specified Process (SP) Licence available for all specified process? 3.19 Licence conditions, monitoring requirements comply? 3.2 Operate without generation of noticeable odour? 3.3 P Licence conditions, monitoring requirements comply? 3.4 Dust monitoring requirements comply? 3.5 Operate without generation of noticeable odour? 3.6 Dust monitoring record available? 3.7 Dust monitoring record available? 3.8 Not sequined 3.9 Monitoring frequency met the licence requirement? 3.10 Dust monitoring record available? 3.11 Conduction of the second		b) Collected by licensed collector?		Not observed during inspection
2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 2.18 Valid Specified Process (SP) Licence available for all specified process? 3.19 Valid Specified Process (SP) Licence available for all specified process? 3.2 Operate without generation of noticeable odour? 3.3 Dogstate without generation of noticeable odour? 3.4 Dodourous materials covered? 3.5 District of a superial is the superial stock of the superial is the superial in the superial is the superial in the superial is covered? 3.6 Dodourous materials dampened prior to loading/unloading? 3.7 District moving record available? 3.8 District moving record available? 3.9 District moving record available? 3.9 District moving record available? 3.9 District moving record available? 3.0 District moving record available? 3.10 District moving record available? 3.2 District moving record available? 3.3 District moving record available? 3.4 District moving record available? 3.5 District moving record available? 3.6 Dopen burning probibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 4. District moving record of refrigeration equipment installed by tenants tested to ensure compliance for landfill disposal? 4. District moving record of refrigeration equipment service available? 4. District moving record of refrigeration equipment service available? 4. District moving record of refrigeration equipment service available? 4. District moving record of refrigeration equipment service available? 4. District moving record of refrigerat	2.14		✓	Not required
2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3. Air Quality 3. Air Quality 3. I Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions/monitoring requirements comply? 3. Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3. Dusty materials dampened prior to loading/unloading? 3. Dusty materials dampened prior to loading/unloading? 3. Dusty monitoring record available? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3. Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Emission from chimney or powered plant free of black smoke? 3. Vehicles and equipment switched off while not in use	2.15	Bulk cargo and materials packed properly?		
2.17 Measures to prevent the washing away of sand/silt to drains? 3. Air Quality 3. Air Quality 3. 1 Valid Specified Process (SP) Licence available for all specified process? 3. 2 Operate without generation of noticeable odour? 3. 3. Particles of the source be identified? 4. 1 If odour is detected, can the source be identified? 5. 1 Of Operate without generation of noticeable odour? 6. 2 If odour control system is installed, is it operating normally? 7. 3. Dusty materials dampened prior to loading/unloading? 7. 4 In the system is switch there is no operation materials dampened prior to loading/unloading? 8. 4 Dust monitoring record available? 8. 5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 8. 6 Open burning prohibited? 8. 7 Emission from chimney or powered plant free of black smoke? 8. 9 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 8. 11 Air pollution control system properly maintained and function normally? 8. 12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? 8. 13 Ohyultra-low sulphur diesel is used for activities requiring liquid fuel? 8. No required during inspection.	2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
3.1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions / monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odour os materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25.1 liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? b) If yes, record of refrigeration equipment service available? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? v	2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3.1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions/monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid tew with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 4. In particular synthesis and make the compliance of the system is switched on the use of liquid they with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Ohly ultra-low sulphur diesel is used for activities requiring liquid fuel? b) Obtaining inspection is obeduring inspection is obeduring inspection is obeduring inspection.	3. Ai	ir Quality	N/A Yes No	
a) SP Licence conditions / monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? a) Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? a) Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? a) Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? b) If yes, record of refrigeration equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? A) Operation is obed during inspection is obed during inspection is obed during inspection is installed in the policy in the poli	3.1	Valid Specified Process (SP) Licence available for all specified process?		Expired in Dec 2016. Renewal application was submitted to the Authority.
3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? An operation is obseduring inspection No operation is obseduring inspection No operation is obseduring inspection is obseduring inspection is obseduring inspection.		a) SP Licence conditions / monitoring requirements comply?		Quarterly reporting on quantity of raw material and product (up to Feb 2017)
b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 7. The system is switch there is no operation and installed, is it operating normally? 7. In system is switch there is no operation materials dampened prior to loading/unloading? 7. Dust monitoring record available? 8. Monitoring frequency met the licence requirement? 8. An installation and installed is no present in a materials is observed. 8. An installation and installed is no present in a material is no observed. 8. An installation and installation and installation and installation and installation and function normally? 8. Vehicles and equipment switched off while not in use? 8. Vehicles and equipment switched off while not in use? 8. Vehicles and equipment switched off while not in use? 8. Vehicles and equipment switched off while not in use? 8. Vehicles and equipment switched off while not in use? 8. Vehicles and equipment switched off while not in use? 8. Vehicles and equipment switched off while not in use? 8. Vehicles and equipment switched off while not in use? 8. Vehicles and equipment switched off while not in use? 8. No required 8. No required 8. No required 8. No required 9. No required 1. No required 1. No required 1. No operation is obsequently an intallation and function normally? 8. Not required 1. No operation is obsequently an intallation and function normally? 1. No operation is obsequently an intallation and required presently an intallation and function of refrigeration equipment service available? 8. No operation is obsequently for the use of controlled refrigerant? 9. No operation is obsequently inspection.	3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
c) If odour control system is installed, is it operating normally? The system is swhether is no operation 3.3 Dusty materials dampened prior to loading/unloading? Solution Solution Solution		a) If odour is detected, can the source be identified?		
c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 4		b) Odourous materials covered?		
3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 In pollution control equipment service available? 3.15 In the properties of the subsection of the service available? 3.16 In the properties of the subsection of the		c) If odour control system is installed, is it operating normally?		The system is switched off as there is no operation
a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? AND operation is obeduring inspection.	3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
b) Any exceedance? c) If exceedance is recorded, follow-up action taken? Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? Emission from chimney or powered plant free of black smoke? Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? Emission from chimney or powered plant free of black smoke? Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures or segular dampening)? Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures on beauting activities take place (i.e. enclosures) Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures) Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures) Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures) Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures) Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosure) Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures) Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures) Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures) Jost-suppression measures provided where main dust-generating activities take place (i.e. enclosures) Jost-suppression measures Jost-suppression measur	3.4	Dust monitoring record available?		Not required
c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		a) Monitoring frequency met the licence requirement?		
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		b) Any exceedance?		
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		c) If exceedance is recorded, follow-up action taken?	V	
3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? No operation is obsequiring inspection No operation is obsequiring inspection	3.5			No dust-generating activity is observed
3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? Aution of the use of during inspection during inspection Not required Not required The system is switch there is no operation V	3.6	Open burning prohibited?		
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	3.7	Emission from chimney or powered plant free of black smoke?	✓ <u> </u>	No operation is observed during inspection
25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? Not required Not required The system is switch there is no operation Y Not required The system is switch there is no operation Y No operation is no operation No operation is observed during inspection	3.8	Vehicles and equipment switched off while not in use?		
centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? Not required The system is switch there is no operation V	3.9	· · · · · · · · · · · · · · · · · · ·	V	Not required
3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? there is no operation ✓ □ □ No operation is obsequence of the property maintained and function normally?	3.10		V	Not required
compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	3.11	Air pollution control system properly maintained and function normally?	✓	The system is switched off as there is no operation
b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? No operation is obseduring inspection	3.12		√	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? No operation is obseduring inspection during inspection		a) Obtained approval for the use of controlled refrigerant?	/	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		b) If yes, record of refrigeration equipment service available?	✓ <u> </u>	
3.14 Public road around site entrance kept clean and free from dust?	3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		No operation is observed during inspection
	3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion V	ehicle/equipment movement
Loading/unloading of materials O	thers: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not observed
Packaging of Chemical Waste	
4.7 Stored in suitable container?	No chemical waste is observed
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Chemical Storage	
4.20 Storage area provided with permeation-proof floor or surface?	New Observation (1)

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		Follow-up Observation (1)
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		New Observation (1)
<u>5. La</u>	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓ <u> </u>	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
6. Ot	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓ □ □	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	✓	For source sampling; Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		
	a) Storage area in compliance with the approved plan?		Subject to tenant's information provision
	b) Storage area is securely locked?		
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?		

Remarks:

Follow-up from Previous Audits

1) Oil stain on the ground was partially removed while no sign of leakage from containers was found. The tenant was requested to clear the remaining stain and dispose of as chemical waste.




(Observed on 17 February 2017)



(Observed on 15 March 2017)

SITE INSPECTION CHECKLIST



2) The tenant had cleared the oil-water mixture from the surface drainage channel. Nonetheless, the tenant was suggested to improve the drain condition to maintain the effectiveness of the drainage channel. The improvement work will be followed up in the next audit.







(Observed on 15 March 2017)

New Observations

1) The concerned area mentioned in Follow-up Observation (1) was not provided with permeation-proof floor and partition. As advised by the tenant, the area was used as temporary storage and the containers would be gradually removed from the concerned area within the next two months tentatively. The tenant was reminded to implement sufficient preventive measures to avoid any accidental spillage during material transfer. The removal progress will be monitored in the next audit.



(Observed on 15 March 2017)

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/03/15

Operator Representative:

Name: May Wu

Date: 3 0 MAR 2017

Name:

Kenji Wond

Date:


te: 31 Mar 2017

Tenant Representative:

IEC Representative:

Name:

Date:



Issue 1______AEC



	Inspection Date: 2017/01/25 Time: 09:30 Lot Number: EP08-03 Tenant: Shiu Wing	Inspected by:	T. K. HO, Ronan CHAN & David TSANG
Wea	Condition: Sunny Fine Overcast Drizzle Temperature: 18 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Moderate	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?		EP for tenant is not required. UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?	✓	UPML's EMP is followed UPML's ERP is followed
	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		Subject to tenant's provision
	ater Quality	N/A Yes	No Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available? a) Sampling record available?	✓ <u> </u>	from recycling process
	b) Monitoring frequency met the licence requirement?c) Monitoring result comply with the licence requirement?d) If exceedance is recorded, any follow-up action taken?	✓ <u></u>	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity?		
2.3	b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained?		
2.42.5	Surface run-off discharging into drainage system? All manholes covered?	✓	
	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?		Recycling process has low
2.9 2.10	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓ <u> </u>	risk of contamination Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Not required
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	✓ □ □	-
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Not required
	a) SP Licence conditions / monitoring requirements comply?		-
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	✓	
	c) If odour control system is installed, is it operating normally?	✓ □ □	
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?	✓ <u> </u>	
	b) Any exceedance?	✓ □ □	
	c) If exceedance is recorded, follow-up action taken?	✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?	✓	Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓ □ □	
	b) If yes, record of refrigeration equipment service available?	✓ □ □	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ No dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	Phicle/equipment movement
✓ Loading/unloading of materials Ot	hers: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>50L$)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	✓ <u> </u>
4.18 Cover provided for outdoor storage area?	✓ <u> </u>
4.19 Chemical waste collected by licensed collector?	✓
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	✓ <u> </u>

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container	or 🗸 🔝
20% volume of waste in storage?4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	✓ Covered by metal plates
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	✓ □ □
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	✓
e) Dangerous goods properly packaged?	
Remarks:	
New Observations	
No major environmental deficiency was observed.	

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/01/25

Operator Representative:

Name

Date:

May Wu 5 FFB 2017 Tenant Representative:

IEC Representative:

Name: DULCIE CHAN


9/2/17 Date:



	Inspection Date: 2017/02/17 Time: 09:30 Lot Number: EP08-03 Tenant: Shiu Wing	Inspected by:	T. K. HO, Ronan CHAN, David TSANG
Wea	<u>ther</u>		
	Condition: ✓ Sunny Fine Overcast Drizzle	Rain	Storm Hazy
	Temperature: 20 ℃ Humidity: High	✓ Moderate	Low
	Wind: Calm Light Breeze Strong		
1. G	eneral_	N/A Yes	No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	V	EP for tenant is not required.
1.2	Environmental Policy documented?	✓	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	V	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓	UPML's ERP is followed
	(a) Drill or training records available?	V	Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?		
1.6	Any record of complaint or prosecution?		✓
<u>2. W</u>	ater Quality	N/A Yes	No Remarks
2.1	Valid Effluent Discharge Licence available?	✓	No wastewater is generated from recycling process
	a) Sampling record available?	√	
	b) Monitoring frequency met the licence requirement?	√	
	c) Monitoring result comply with the licence requirement?	✓	
	d) If exceedance is recorded, any follow-up action taken?	✓	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓	
	a) Adequate capacity?	✓	
	b) Properly maintained and function normally?	✓	
2.3	Surface run-off control measures in place and adequately maintained?	✓	
2.4	Surface run-off discharging into drainage system?	✓	
2.5	All manholes covered?	✓	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓	
2.7	Storage of materials and equipment located away from water bodies?	✓	
2.8	Drainage system well maintained to prevent flooding or overflow?	✓	
2.9	Processes or activities with high risk of contamination located under covered area?	✓	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓	Not required
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?	✓	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	✓ □ □	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓	Not required
	a) SP Licence conditions / monitoring requirements comply?		-
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?	✓ □ □	Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided wit drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	th 🗸 🗀 🔠
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST




4.21	Capacity of retention structure sufficient to 20% volume of the material in storage?	accommodate contents of t	he largest container or	✓		
4.22	Walls or partitions of stacked container sto	rage area constructed of imp	permeable material?	√		
5. La	ndfill Gas (LFG) (within LFG Consultation	on Zone)		N/A Ye	s No	Remarks
5.1	Alert workers and visitors of possible LFG	hazards?				
5.2	Smoking and open fires prohibited?					
<u>6. Ot</u>	hers_			N/A Ye	s No	Remarks
6.1	Works confined within lot boundaries?					
6.2	Damage to surrounding areas avoided?					
6.3	Site lighting designed to avoid glare to surn	ounding receivers?		√		
6.4	Materials and machinery stored in an order	ly manner?				
6.5	Areas within lot for recycling activities pav	red with concrete?			√	Covered by metal plates
6.6	Potential stagnant pools cleared and mosqu	ito breeding prevented?				
6.7	Valid calibration certificate for any monito	ring equipment?		✓		Not required
6.8	Valid licence(s) obtained for manufacture of	or storage of dangerous goo	ds?	✓		Not required
	a) Storage area in compliance with the appr	roved plan?		✓		
	b) Storage area is securely locked?			V		
	c) Total storage capacity in compliance wit	h relevant statutory require	ment?	✓		
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly packaged?			✓		
Rem	arks:					
New	Observations					
	No major environmental deficiency was ob	served.				
Signa	atures:					
ET R	epresentative: Operator	Representative:	Tenant Representativ	re:	IEC Rep	presentative:
{	57£\$	M	D		4	WL,
Name	T. K. HO	May Wu	Name: Hex W	م	Name: ĵ	DULCIE CHAN
Date:	2017/02/17 Date:	1 0 MAR 2017	Date: /3.3.300	7	Date:	7/3/17



	Inspection Date: 2017/03/15 Time: 09:35 Lot Number: EP08-03 Tenant: Shiu Wing	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	Condition: Sunny Fine Vovercast Drizzle Temperature: 17 °C Humidity: High Wind: Calm V Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	V		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?	✓		from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	<u> </u>		
	d) If exceedance is recorded, any follow-up action taken?		Ш	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		Щ	
	a) Adequate capacity?			
	b) Properly maintained and function normally?		Щ	
2.3	Surface run-off control measures in place and adequately maintained?		Щ	
2.4	Surface run-off discharging into drainage system?		Ш	
2.5	All manholes covered?		Щ	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		Recycling process has low
2.9	Processes or activities with high risk of contamination located under covered area?	✓		risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Not required
	a) Oil and grease removed regularly?	/	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions / monitoring requirements comply?	/	
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?	✓ □ □	Not required
	a) Monitoring frequency met the licence requirement?	✓ □ □	
	b) Any exceedance?	✓	
	c) If exceedance is recorded, follow-up action taken?	✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?	/	Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?		
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided wit drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	h 🗸 🔝
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST




4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	
5.2	Smoking and open fires prohibited?	
6. Ot	hers_	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	✓ Covered by metal plates
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	✓ Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	
Rem	arks:	
New	Observations	
•	No major environmental deficiency was observed.	
	ntures: epresentative: Operator Representative: Tenant Representa	tive: IEC Representative:
{	STEE WW De	
Name	T. K. HO Name: 3 0 MAR 2017	Name:
Date:	2017/03/15 Date: 3 0.3.	Date:



Issue 1_____AEC



	Inspection Date: 2017/01/25 Time: 10:00 Lot Number: EP06-34 Tenant: Hung Wai	Inspected by:	1	HO, Ronan CHAN & TSANG
<u>Wea</u>	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?			EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed
1.5	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?			Subject to tenant's provision
2. Water Quality N/A Yes No Remarks				Remarks
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken?	V V V V V		No wastewater is generated from the recycling process
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained?			
2.4 2.5	Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from			
2.72.8	entering nearby drains or sewer? Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?			Recycling process has low
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?			Recycling process has low risk of contamination Stop-logs are available for use by tenant if needed. Replacement activity is not
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		-
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		No operation is observed during inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Via enclosure
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?		Not required
3.11	Air pollution control system properly maintained and function normally?		No operation is observed during inspection
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?		
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	h 🗸 🗌
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of waste in storage?		_
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks	
5.1	Alert workers and visitors of possible LFG hazards?		
5.2	Smoking and open fires prohibited?		
6. Ot	<u>hers</u>	N/A Yes No Remarks	
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?		
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	✓ No monitoring is required	_
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required	
	a) Storage area in compliance with the approved plan?		
	b) Storage area is securely locked?	✓ □ □	
	c) Total storage capacity in compliance with relevant statutory requirement?		_
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?		

Remarks:

New Observations

No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/01/25

Operator Representative:

Name

Date:

May Wu 15 FEB 2017

Name

Date:


Name:

DULCIE CHAN

Date:

9/2/17

IEC Representative:



	Inspection Date: 2017/02/17 Time: 10:35 Lot Number: EP06-34 Tenant: Hung Wai	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?			EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
	ater Quality	N/A Yes	No	Remarks
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge?			No wastewater is generated from the recycling process
2.3 2.4 2.5 2.6	a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?			Recycling process has low risk of contamination Stop-logs are available for use by tenant if needed. Replacement activity is not
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	/	Not required
	a) Oil and grease removed regularly?	/	
	b) Collected by licensed collector?	/	l
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions / monitoring requirements comply?	✓ <u> </u>	
3.2	Operate without generation of noticeable odour?	/	No operation is observed during inspection
	a) If odour is detected, can the source be identified?	<u> </u>	
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	/	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	/	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Via enclosure
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	/	No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?	/	No operation is observed during inspection
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?	/	Ī
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	✓ observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided wit drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	th 🗸 🔝
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	
 5. Landfill Gas (LFG) (within LFG Consultation Zone) 5.1 Alert workers and visitors of possible LFG hazards? 5.2 Smoking and open fires prohibited? 	N/A Yes No Remarks
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	No monitoring is required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	
Remarks: New Observations	

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/02/17

Operator Representative:

Name: May Wu

Date: 1 0 MAR 2017

Tenant toppresWhatiye

Autor

香港湾偉人造板公司

Tenant toppresWhatiye

IEC Representative:

Name

Name: DULCHE CHAN

Date:

3/2017 Dal

Date: 9/3/17



	Inspection Date: 2017/03/15 Time: 10:05 Lot Number: EP06-34 Tenant: Hung Wai	Inspected by:		HO, Ronan CHAN, TSANG
Wea	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 17 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Moderate		Storm Hazy Low
1. Ge	<u>eneral</u>	N/A Yes	No	Remarks
1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?			EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
	Any record of complaint or prosecution? ater Quality	N/A Yes	√ No	Remarks
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken?	Image: square of the content of the		No wastewater is generated from the recycling process
2.22.32.42.5	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered?			
2.7 2.8	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer? Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?			Recycling process has low
2.10	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out? Equipment oil and lubrication replacements performed only in bunded maintenance area?			risk of contamination Stop-logs are available for use by tenant if needed. Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	✓ <u> </u>	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	✓	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions / monitoring requirements comply?	✓ <u> </u>	
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?	/	
	b) Odourous materials covered?	✓	
	c) If odour control system is installed, is it operating normally?	✓	
3.3	Dusty materials dampened prior to loading/unloading?	✓ <u> </u>	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓ <u> </u>	Not required
	a) Monitoring frequency met the licence requirement?	✓ <u> </u>	
	b) Any exceedance?	✓ <u> </u>	
	c) If exceedance is recorded, follow-up action taken?	✓ <u> </u>	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Via enclosure
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?	✓	
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓ <u> </u>	
	b) If yes, record of refrigeration equipment service available?	✓ <u> </u>	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓ □ □	
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	✓ observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided wit drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	th 🗸 🔝
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21		ifficient to accommodate contents of t	the largest container or	√]	_
4.22	20% volume of the material in st Walls or partitions of stacked con	orage?	permeable material?	✓	ı — — — — — — — — — — — — — — — — — — —	
5. La	andfill Gas (LFG) (within LFG (Consultation Zone)		N/A Yes	No Remarks	
5.1	Alert workers and visitors of pos	sible LFG hazards?			<u> </u>	
5.2	Smoking and open fires prohibite	ed?		✓] [
<u>6. Ot</u>	<u>hers</u>			N/A Yes	No Remarks	
6.1	Works confined within lot bound	laries?				
6.2	Damage to surrounding areas avo	oided?		✓] 🔲	
6.3	Site lighting designed to avoid g	lare to surrounding receivers?		√] 🔲	
6.4	Materials and machinery stored i	n an orderly manner?		✓		
6.5	Areas within lot for recycling act	tivities paved with concrete?		✓] 🗀	
6.6	Potential stagnant pools cleared a	and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for a	ny monitoring equipment?		√	No monitoring is required	
6.8	Valid licence(s) obtained for man	nufacture or storage of dangerous goo	ds?	✓	Not required	
	a) Storage area in compliance wi	th the approved plan?		✓		
	b) Storage area is securely locked	d?		✓		
	c) Total storage capacity in comp	bliance with relevant statutory require	ment?			
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly pac	ckaged?			i — — — — — — — — — — — — — — — — — — —	
Rem	arks:					
New	Observations					
•	No major environmental deficier	ncy was observed.				
Signa	atures:					
ET R	epresentative:	Operator Representative:	Tenant Representativ	e:	IEC Representative:	
{	STE	M	弘		No	
Name	T. K. HO	Name: May Wu	Name: The Name:	3	Name: Taurus Kwan	
Date:	2017/03/15	Date: 3 0 MAR 2017	Date: 3/3/	2017	Date: 2017/03/28	



Issue 1 AEC



	Inspection Date: 2017/01/25 Time: 10:15 Lot Number: EP07-02 Tenant: Li Tong	Inspected by:	1	HO, Ronan CHAN & TSANG
<u>Wea</u>	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
1.6	Any record of complaint or prosecution?		√	
2.1 2.2 2.3 2.4 2.5	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	N/A Yes	No	Remarks No wastewater is generated from recycling process
	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?			Stop-logs are available for use by tenant if needed. Replacement activity is not
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓ <u> </u>	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	✓ □ □	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ □ □	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	✓ □ □	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	✓ □ □	Dusty material is not observed
3.4	Dust monitoring record available?	✓ □ □	Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?	✓ □ □	
	c) If exceedance is recorded, follow-up action taken?	✓ □ □	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	✓ □ □	No chimney/powered plant is being used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	
3.11	Air pollution control system properly maintained and function normally?	✓ □ □	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	✓ □ □	
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Veh	nicle/equipment movement
Loading/unloading of materials	ners: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ No sludge is produced
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>50L$)?	Waste drums were provided
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage
4.19 Chemical waste collected by licensed collector?	✓
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	✓ Not observed

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or		
4.22	20% volume of waste in storage? Walls or partitions of stacked container storage area constructed of impermeable material?		
5.1	Alert workers and visitors of possible LFG hazards? Smoking and open fires prohibited?	N/A Yes No	Remarks Outside LFG consultation zone
<u>6. Ot</u>	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓ □ □	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?		No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ □ □	Not required
	a) Storage area in compliance with the approved plan?		
	b) Storage area is securely locked?	✓ □ □	
	c) Total storage capacity in compliance with relevant statutory requirement?	/	
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?		
Rem	arks:		

New Observations

No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/01/25

Operator Representative:

May Wu 15 FEB 2017 Date:

Tenant Representative:

TARESA HO


IEC Representative:

Name: DULCIE CHAN

9/2/17 Date:



	Inspection Date: 2017/02/17 Time: 10:00 Lot Number: EP07-02 Tenant: Li Tong	Inspected by:		HO, Ronan CHAN, TSANG
Wea	ther			
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Moderate	=	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?			from recycling process
	a) Sampling record available?			
	b) Monitoring frequency met the licence requirement?	<u> </u>		
	c) Monitoring result comply with the licence requirement?			
	d) If exceedance is recorded, any follow-up action taken?			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		
2.9	Processes or activities with high risk of contamination located under covered area?			Stop-logs are available for use
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Not required
	a) Oil and grease removed regularly?	/	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?	/	
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	✓ □ □	Dusty material is not observed
3.4	Dust monitoring record available?	✓ □ □	Not required
	a) Monitoring frequency met the licence requirement?	✓ □ □	
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?	✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	✓	No chimney/powered plant is being used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?		
3.11	Air pollution control system properly maintained and function normally?	✓	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓ □ □	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement
Loading/unloading of materials Oth	hers: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ No sludge is produced
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>50L$)?	Waste drums were provided
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage
4.19 Chemical waste collected by licensed collector?	
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	✓ Not observed

SITE INSPECTION CHECKLIST



	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
5.1	Alert workers and visitors of possible LFG hazards? Smoking and open fires prohibited?	N/A Yes No	Remarks Outside LFG consultation zone
<u>6. Ot</u>	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	/	
6.4	Materials and machinery stored in an orderly manner?	✓	
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	V	No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	√	Not required
	a) Storage area in compliance with the approved plan?	✓	
	b) Storage area is securely locked?	✓	
	c) Total storage capacity in compliance with relevant statutory requirement?	✓	
	d) Proper labelling provided?	✓	
	e) Dangerous goods properly packaged?	✓	
Rem	arks:		

New Observations

No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/02/17

Operator Representative:

May Wu Name:

1 0 MAR 2017 Date:

Tenant Representative:

IEC Representative:

DULCIE CHAN Name:

Date:



	2017/02/17	<u>.</u>	_	
	Inspection Date: 2017/03/15 Time: 10:15 Lot Number: EP07-02 Tenant: Li Tong	Inspected by:		IO, Ronan CHAN, ΓSANG
<u>Wea</u>	<u>ther</u>			
	Condition: Sunny Fine VOvercast Drizzle	Rain		torm Hazy
	Temperature: 17 ℃ Humidity: High	✓ Moderate		Low
	Wind: Calm ✓ Light Breeze Strong			
1. Ge	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?			No wastewater is generated from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?	✓		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?	✓		0. 1 2
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	V		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓	Not required
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?	√ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		No chimney/powered plant is being used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	
3.11	Air pollution control system properly maintained and function normally?	V	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/	
3.14	Public road around site entrance kept clean and free from dust?	✓	



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Ve	hicle/equipment movement
Loading/unloading of materials Oth	hers: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ No sludge is produced
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>50L$)?	Waste drums were provided
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage
4.19 Chemical waste collected by licensed collector?	
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	✓ Not observed

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or	✓			
	20% volume of the material in storage?				
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓	Ш		
<u>5. La</u>	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	√			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		√		
(04	L	N/A	Yes	No	Remarks
<u>6. Ot</u>	ners_	IN/A	res	NO	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		✓		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?			√	New Observation (1)
6.5	Areas within lot for recycling activities paved with concrete?		✓		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for any monitoring equipment?	✓			No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved plan?	✓			
	b) Storage area is securely locked?	✓			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?	✓			
	e) Dangerous goods properly packaged?	✓			

Remarks:

New Observations

1) Small portion of WEEE fragments were observed on unpaved ground near the perimeter drain. The tenant should remove the fragments and be reminded to avoid storage of material on unpaved area.



(Observed on 15 March 2017)

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO
Date: 2017/03/15

Name:

De

May Wu


3-0 MAR 2017

y vvu

Name: TERESA HO

Name: Taurus Kwan


Date: 2017/03/28



Issue 1_____AEC



	Inspection Date: 2017/01/25 Time: 09:45 Lot Number: EP08-01 Tenant: Telford	Inspected by:		HO, Ronan CHAN & TSANG
<u>Wea</u>	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	_		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?	✓		from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	<u> </u>		
	d) If exceedance is recorded, any follow-up action taken?			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		Щ	
	a) Adequate capacity?			
	b) Properly maintained and function normally?		Щ	
2.3	Surface run-off control measures in place and adequately maintained?		Щ	_
2.4	Surface run-off discharging into drainage system?		Ш	
2.5	All manholes covered?		Щ	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			Pacycling process has low
2.9	Processes or activities with high risk of contamination located under covered area?	V		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Y		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Not required
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	✓ □ □	
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?	✓ □ □	No operation is observed during inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	✓ □ □	
	c) If odour control system is installed, is it operating normally?	✓ □ □	
3.3	Dusty materials dampened prior to loading/unloading?	✓ □ □	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓ <u> </u>	Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?	✓	
	c) If exceedance is recorded, follow-up action taken?	✓ □ □	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	✓ □ □	No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?	✓ □ □	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?		
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided wit drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	th 🗸 🔝
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of waste in storage? Walls or partitions of stacked container storage area constructed of impermeable material?		
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
	Alert workers and visitors of possible LFG hazards? Smoking and open fires prohibited?		
<u>6. Ot</u>	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?	✓	
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓ <u> </u>	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?		Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?		
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?	✓ □ □	

Remarks:

New Observations

No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/01/25

Operator Representative:

Name

May Wu 15 FEB 2017 Date:

Tenant Representative:

Name

Date:

IEC Representative:

Name: DULCIE CHAN

Date:



	Inspection Date: 2017/02/28 Time: 10:00 Lot Number: EP08-01 Tenant: Telford	Inspected by:	Ronan TSAN	n CHAN & David IG
<u>Wea</u>	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
1.6	Any record of complaint or prosecution?		√	
2.1 2.2 2.3 2.4 2.5	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	N/A Yes	No	Remarks No wastewater is generated from recycling process
	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?	\ \frac{}{}		Recycling process has low risk of contamination Stop-logs are available for use by tenant if needed. Replacement activity is not
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	/	Not required
	a) Oil and grease removed regularly?	/	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions / monitoring requirements comply?	/	
3.2	Operate without generation of noticeable odour?	/	No operation is observed during inspection
	a) If odour is detected, can the source be identified?	/	
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?	/	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	/	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	/	No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?	/	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?	/	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	h 🗸 🗀
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	<u> </u>
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	/
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure s 20% volume of the material in s	ufficient to accommodate contents of torage?	f the largest container or	✓		
4.22	Walls or partitions of stacked co	ontainer storage area constructed of in	mpermeable material?	√		
5. La	andfill Gas (LFG) (within LFG	Consultation Zone)		N/A Yes	No	Remarks
5.1	Alert workers and visitors of po	ssible LFG hazards?		✓		
5.2	Smoking and open fires prohibit	red?				
6. Ot	<u>chers</u>			N/A Yes	No	Remarks
6.1	Works confined within lot boun	daries?				
6.2	Damage to surrounding areas av	roided?		✓		
6.3	Site lighting designed to avoid g	clare to surrounding receivers?		√		
6.4	Materials and machinery stored	in an orderly manner?		✓		
6.5	Areas within lot for recycling ac	tivities paved with concrete?		 		
6.6	Potential stagnant pools cleared	and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for a	any monitoring equipment?		✓		Not required
6.8	Valid licence(s) obtained for ma	nufacture or storage of dangerous go	oods?	√		Not required
	a) Storage area in compliance w	ith the approved plan?		✓		
	b) Storage area is securely locked	d?		✓		
	c) Total storage capacity in com	pliance with relevant statutory requir	rement?	✓		
	d) Proper labelling provided?			√		
	e) Dangerous goods properly pa	ckaged?		✓ <u> </u>		
Rem	arks:					
New	<u>Observations</u>					
•	No major environmental deficie	ncy was observed.				
	atures: epresentative:	Operator Representative:	Tenant Representati	ve:	IEC Rep	resentative:
	Ronan CHAN 2017/02/28	Name: May Wu 1 0 MAR 2017 Date:	Name: M/VS. Date: 11-3-	251	Name:	
Date.	2017/02/20		. 2		Date.	



	Inspection Date: 2017/03/15 Time: 09:50 Lot Number: EP08-01 Tenant: Telford	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	Condition: Sunny Fine Vovercast Drizzle Temperature: 17 °C Humidity: High Wind: Calm V Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	V		EP for tenant is not required.
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			-
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		No wastewater is generated from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓		
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			Decycling masses bester
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	/	Not required
	a) Oil and grease removed regularly?	/	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?	_	
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	/	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?	/	No operation is observed during inspection
	a) If odour is detected, can the source be identified?	/	
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?	/	No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	✓	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	/	No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?	_	
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?	/	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?	/	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/	
3.14	Public road around site entrance kept clean and free from dust?		




3.15 Materials transported on trucks covered?	✓ <u> </u>	Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion V	ehicle/equipment movem	ent
Loading/unloading of materials O	others: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks No chemical waste is
4.1 Registered as chemical waste producer?	✓	observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓	
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓ <u> </u>	
4.8 Container properly closed or sealed?		
4.9 Spillage cleaned up immediately through the use of absorbent?		
4.10 Obtained approval for the use of chemical waste container >450L?		
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?		
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?		
4.13 Incompatible wastes separated by impermeable partition?		
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	_
4.16 Properly stored and locked in designated area with adequate ventilation?		
4.17 Storage area paved with concrete and kept clean and dry?		
4.18 Cover provided for outdoor storage area?		
4.19 Chemical waste collected by licensed collector?		
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?	/	

SITE INSPECTION CHECKLIST



4.21 Capacity of retention struct 20% volume of the materia	ure sufficient to accommodate contents of the larger larger larger.	gest container or	
	ed container storage area constructed of imperme	able material?	□
5. Landfill Gas (LFG) (within 1	LFG Consultation Zone)	N/A Yes	s No Remarks
5.1 Alert workers and visitors	of possible LFG hazards?]
5.2 Smoking and open fires pro	phibited?		
6. Others		N/A Yes	s No Remarks
6.1 Works confined within lot	boundaries?] [
6.2 Damage to surrounding are	as avoided?] 🔲
6.3 Site lighting designed to av	oid glare to surrounding receivers?	✓] [
6.4 Materials and machinery st	ored in an orderly manner?		
6.5 Areas within lot for recycli	ng activities paved with concrete?] 🗆
6.6 Potential stagnant pools cle	eared and mosquito breeding prevented?		
6.7 Valid calibration certificate	e for any monitoring equipment?	✓	Not required
6.8 Valid licence(s) obtained for	or manufacture or storage of dangerous goods?	✓	Not required
a) Storage area in compliar	ace with the approved plan?	✓] 🔲
b) Storage area is securely	locked?	✓]
c) Total storage capacity in	compliance with relevant statutory requirement?	✓]
d) Proper labelling provide	d?	✓	
e) Dangerous goods proper	ly packaged?	✓]
Remarks:			
New Observations			
No major environmental de	eficiency was observed.		
Signatures:			
ET Representative:	Operator Representative:	Tenant Representative:	IEC Representative:
85E5_	M	and -	
Name: T. K. HO	Name: May Wu	Name: CELING TOR	Name:
Date: 2017/03/15	2.0 MAD 2017	Date: \(\)	Date:



Issue 1______AEC



	Inspection Date: 2017/01/25 Time: 11:45 Lot Number: P5 Tenant: Alba IWS	Inspected by:	T. K. HO, Ronan CHAN & David TSANG
<u>Wea</u>	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Moderate	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	\checkmark	EP for tenant is not required.
1.2	Environmental Policy documented?		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	V	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓	UPML's ERP is followed
	(a) Drill or training records available?	✓	Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?		
1.6	Any record of complaint or prosecution?		✓
	Valid Effluent Discharge Licence available? a) Sampling record available?	N/A Yes	No Remarks No generation of industrial wastewater
	b) Monitoring frequency met the licence requirement?	✓	
	c) Monitoring result comply with the licence requirement?	✓	
	d) If exceedance is recorded, any follow-up action taken?	_	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓	
	a) Adequate capacity?	✓	
	b) Properly maintained and function normally?	✓	
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		
2.5	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		New Observation (1)
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?		Stop-logs are available for use
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓	by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	√ □ □	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		-
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?	✓ <u> </u>	
3.3	Dusty materials dampened prior to loading/unloading?	✓ □ □	Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	/	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		No chimney or powered plant is used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	
3.11	Air pollution control system properly maintained and function normally?	✓ □ □	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed			
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed			
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed			
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement			
Loading/unloading of materials	Others: n/a			
4. Waste / Chemical Management				
General	N/A Yes No Remarks No lubrication/chemical will			
4.1 Registered as chemical waste producer?	be used as advised by tenant			
4.2 Sufficient receptacles (e.g. rubbish bins) available?				
4.3 Disposed of regularly and properly?				
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?				
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report			
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required			
Packaging of Chemical Waste				
4.7 Stored in suitable container?	No chemical waste will be generated as advised by			
4.8 Container properly closed or sealed?				
4.9 Spillage cleaned up immediately through the use of absorbent?				
4.10 Obtained approval for the use of chemical waste container >450L?				
Labelling of Chemical Waste				
4.11 Provision of chemical waste label?				
a) Label is securely attached and visible?				
b) Label is bilingual and in proper dimension?				
c) Information is accurate and sufficient?				
Storage of Chemical Waste				
4.12 Proper "Chemical Waste" sign displayed?				
4.13 Incompatible wastes separated by impermeable partition?				
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	h 🗸 🔝			
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?				
4.16 Properly stored and locked in designated area with adequate ventilation?				
4.17 Storage area paved with concrete and kept clean and dry?				
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage			
4.19 Chemical waste collected by licensed collector?				
Liquid Waste Storage				
4.20 Storage area provided with permeation-proof floor or surface?	Not observed			

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or	
	20% volume of waste in storage?	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	<u> </u>
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	
5.2	Smoking and open fires prohibited?	
<u>6. O</u> 1	her <u>s</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	<u> </u>
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	✓ No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	✓

Remarks:

New Observations

1) Vegetation is observed inside and near the perimeter drainage near the entrance of the lot. The tenant should clear the vegetation to avoid potential blockage of the channel.



(Observed on 25 January 2017)



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO

Date: 2017/01/25

Name;

May Wu

Date: 15 FEB 2017

Nema;


Date:

Name:

Date:



	Inspection Date: 2017/02/17 Time: 11:30 Lot Number: P5 Tenant: Alba IWS	Inspected by:		HO, Ronan CHAN, TSANG
Wea	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
	ater Quality	N/A Yes	No	Remarks
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity?			No generation of industrial wastewater
2.32.42.52.6	b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			Follow-up Observation (1)
	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?			Stop-logs are available for use by tenant if needed. Replacement activity is not
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Not required
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓ <u> </u>	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ □ □	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	✓ □ □	
	c) If odour control system is installed, is it operating normally?	✓ □ □	
3.3	Dusty materials dampened prior to loading/unloading?	✓ □ □	Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	✓ □ □	No chimney or powered plant is used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	
3.11	Air pollution control system properly maintained and function normally?	✓ □ □	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?		
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed			
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed			
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed			
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement			
Loading/unloading of materials	Others: n/a			
4. Waste / Chemical Management				
General	N/A Yes No Remarks No lubrication/chemical will			
4.1 Registered as chemical waste producer?	be used as advised by tenant			
4.2 Sufficient receptacles (e.g. rubbish bins) available?				
4.3 Disposed of regularly and properly?				
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?				
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report			
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required			
Packaging of Chemical Waste				
4.7 Stored in suitable container?	No chemical waste will be generated as advised by tenant			
4.8 Container properly closed or sealed?				
4.9 Spillage cleaned up immediately through the use of absorbent?				
4.10 Obtained approval for the use of chemical waste container >450L?				
Labelling of Chemical Waste				
4.11 Provision of chemical waste label?				
a) Label is securely attached and visible?				
b) Label is bilingual and in proper dimension?				
c) Information is accurate and sufficient?				
Storage of Chemical Waste				
4.12 Proper "Chemical Waste" sign displayed?				
4.13 Incompatible wastes separated by impermeable partition?				
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided w drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?				
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?				
4.16 Properly stored and locked in designated area with adequate ventilation?				
4.17 Storage area paved with concrete and kept clean and dry?				
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage			
4.19 Chemical waste collected by licensed collector?				
Liquid Waste Storage				
4.20 Storage area provided with permeation-proof floor or surface?	✓ Not observed			

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	√	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	/	
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?		
5.2	Smoking and open fires prohibited?		
6. Ot	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	/	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	V	No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?	/	
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?	/	
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?	✓	

Remarks:

Follow-up from Previous Audits

1) Some vegetation is still observed inside the perimeter drainage near the entrance of the lot. The tenant was reminded to clear the vegetation to avoid potential blockage of the channel.



(Observed on 25 January 2017)



(Observed on 17 February 2017)

SITE INSPECTION CHECKLIST



New Observations

No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO

Date: 2017/02/17

May Wu Nange

Date:

1 0 MAR 2017

Name: DULCIE CHAN To Think (b) 7 Date: 9/3/17



	Inspection Date: 2017/03/15 Time: 11:40 Lot Number: P5 Tenant: Alba IWS	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	Condition: Sunny Fine Vovercast Drizzle Temperature: 17 °C Humidity: High Wind: Calm V Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	√		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		√	
2. W	ater Quality	N/A Yes	No	Remarks No generation of industrial
2.1	Valid Effluent Discharge Licence available?			wastewater
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		✓	Follow-up Observation (1)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			Stop loss are smileble for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	√		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Not required
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓ <u> </u>	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ □ □	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	✓ □ □	
	c) If odour control system is installed, is it operating normally?	✓ □ □	
3.3	Dusty materials dampened prior to loading/unloading?	✓ □ □	Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?	✓	No chimney or powered plant is used
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	
3.11	Air pollution control system properly maintained and function normally?	✓	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?		
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed		
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed		
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed		
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement		
Loading/unloading of materials	✓ Others: n/a		
4. Waste / Chemical Management			
General	N/A Yes No Remarks		
4.1 Registered as chemical waste producer?	No lubrication/chemical will be used as advised by tenant		
4.2 Sufficient receptacles (e.g. rubbish bins) available?			
4.3 Disposed of regularly and properly?			
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?			
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	▼ Verified via quarterly report		
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required		
Packaging of Chemical Waste	<u> </u>		
4.7 Stored in suitable container?	No chemical waste will be generated as advised by tenant		
4.8 Container properly closed or sealed?			
4.9 Spillage cleaned up immediately through the use of absorbent?			
4.10 Obtained approval for the use of chemical waste container >450L?			
<u>Labelling of Chemical Waste</u>			
4.11 Provision of chemical waste label?			
a) Label is securely attached and visible?			
b) Label is bilingual and in proper dimension?			
c) Information is accurate and sufficient?	<u> </u>		
Storage of Chemical Waste			
4.12 Proper "Chemical Waste" sign displayed?			
4.13 Incompatible wastes separated by impermeable partition?			
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of storing 110% of the volume of the largest container (if quantity $>$ 50 capable of the volume of the largest container (if quantity $>$ 50 capable of the volume of the largest container (if quantity $>$ 50 capable of the volume of the largest container (if quantity $>$ 50 capable of the volume of the largest capable of the volume of the largest capable of the volume of the volume of the volume of the largest capable of the volume of t			
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?			
4.16 Properly stored and locked in designated area with adequate ventilation?			
4.17 Storage area paved with concrete and kept clean and dry?			
4.18 Cover provided for outdoor storage area?	✓ No outdoor storage		
4.19 Chemical waste collected by licensed collector?			
<u>Liquid Waste Storage</u>			
4.20 Storage area provided with permeation-proof floor or surface?	✓ Not observed		

SITE INSPECTION CHECKLIST



4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	✓ No monitoring is required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	<u> </u>
e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Audits

1) While it was noticed that the vegetation removal was in progress, some vegetation was still observed inside the perimeter drainage near the entrance of the lot. The tenant was reminded to clear the vegetation to avoid potential blockage of the channel.



(Observed on 25 January 2017)



(Observed on 15 March 2017)

SITE INSPECTION CHECKLIST



New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO

Date: 2017/03/15

Name

May Wu


Date: 3 0 MAR 2017

Name: 156 White

are:

Name:


Date:



Issue 1______AEC



	Inspection Date: 2017/01/25 Time: 11:15 Lot Number: EP11-01(1) Tenant: Chung Yue	Inspected by:		HO, Ronan CHAN & TSANG
Wea	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	V		EP for tenant is not required
1.2	Environmental Policy documented?	✓		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks No wastewater is generated
2.1	Valid Effluent Discharge Licence available?	✓		from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	<u> </u>		
	d) If exceedance is recorded, any follow-up action taken?			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		Щ	
	a) Adequate capacity?			
	b) Properly maintained and function normally?		Щ	-
2.3	Surface run-off control measures in place and adequately maintained?		Щ	
2.4	Surface run-off discharging into drainage system?		\sqsubseteq	
2.5	All manholes covered?		\sqsubseteq	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?	✓		Recycling process has low
2.9	Processes or activities with high risk of contamination located under covered area?	✓		risk of contamination Stop-logs are available for use
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Lub/oil replacement is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?		No oily wastewater is generated from recycling
	a) Oil and grease removed regularly?		Not required
	b) Collected by licensed collector?		Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		-
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ □ □	Not required
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		-
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		
3.6	Open burning prohibited?		-
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?		Not required
3.11	Air pollution control system properly maintained and function normally?		Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided windering trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	th 🗸 📗
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	✓ □ □

SITE INSPECTION CHECKLIST



4.21 Capacity of retention struct 20% volume of waste in sto	ure sufficient to accommodate contents of	the largest container or	/	
	ed container storage area constructed of in	npermeable material?	/	
5. Landfill Gas (LFG) (within L			N/A Yes N	No Remarks Outside LFG consultation
5.1 Alert workers and visitors of				zone
5.2 Smoking and open fires pro	ohibited?			
6. Others			N/A Yes N	To Remarks
6.1 Works confined within lot l	ooundaries?			□
6.2 Damage to surrounding are	as avoided?]
6.3 Site lighting designed to av	oid glare to surrounding receivers?		✓	□
6.4 Materials and machinery st	ored in an orderly manner?			
6.5 Areas within lot for recyclin	ng activities paved with concrete?			
6.6 Potential stagnant pools cle	ared and mosquito breeding prevented?			
6.7 Valid calibration certificate	for any monitoring equipment?		✓	Not required
6.8 Valid licence(s) obtained for	or manufacture or storage of dangerous go	ods?	✓ <u> </u>	Not required
a) Storage area in complian	ce with the approved plan?]
b) Storage area is securely l	ocked?		✓ <u> </u>	
c) Total storage capacity in	compliance with relevant statutory require	ement?	✓	
d) Proper labelling provide	d?		✓ <u> </u>	
e) Dangerous goods proper	ly packaged?		V	□
Remarks:				
New Observations				
- No major environmental de	ficiency was observed.			
Signatures:				
ET Representative:	Operator Representative:	Tenant Representati	ve: IEC	Representative:
85 F.S	~~~	m		
Name: T. K. HO	Name May Wu	Name Wy	Nam-	e:

Date:

Date: 2017/01/25

Date:

15 FEB 2017



	Inspection Date: 2017/02/17 Time: 11:00 Lot Number: EP11-01(1) Tenant: Chung Yue	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	<u>ther</u>			
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	=	Storm Hazy Low
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	V		EP for tenant is not required
1.2	Environmental Policy documented?	V		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	V		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		No wastewater is generated from recycling process
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	✓		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?	✓		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?	✓		
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?	✓		
2.4	Surface run-off discharging into drainage system?	✓		
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?	✓		
2.8	Drainage system well maintained to prevent flooding or overflow?			D 1:
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Lub/oil replacement is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	No oily wastewater is generated from recycling
	a) Oil and grease removed regularly?		Not required
	b) Collected by licensed collector?		Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?		No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓	Not required
	a) SP Licence conditions / monitoring requirements comply?	✓] <u></u>
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?	✓ <u> </u>	
	b) Odourous materials covered?	✓ □ □	
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?	✓ □ □	
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?]
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?	✓	Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		l



3.15 Materials transported on trucks covered?	Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided winder drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	th 🗸 🔝
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	V
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure a 20% volume of the material in	sufficient to accommodate contents of storage?	the largest container or	√		
4.22	Walls or partitions of stacked c	ontainer storage area constructed of ir	mpermeable material?	✓		
5. La	ndfill Gas (LFG) (within LFG	Consultation Zone)		N/A Ye	s No	Remarks Outside LFG consultation
5.1	Alert workers and visitors of po	ossible LFG hazards?		✓		zone
5.2	Smoking and open fires prohibi	ited?				
<u>6. Ot</u>	<u>hers</u>			N/A Ye	s No	Remarks
6.1	Works confined within lot bour	ndaries?				
6.2	Damage to surrounding areas a	voided?		✓		
6.3	Site lighting designed to avoid	glare to surrounding receivers?		√		
6.4	Materials and machinery stored	in an orderly manner?				
6.5	Areas within lot for recycling a	ctivities paved with concrete?				
6.6	Potential stagnant pools cleared	l and mosquito breeding prevented?				
6.7	Valid calibration certificate for	any monitoring equipment?		✓		Not required
6.8	Valid licence(s) obtained for m	anufacture or storage of dangerous go	ods?	✓		Not required
	a) Storage area in compliance v	vith the approved plan?		✓		
	b) Storage area is securely lock	ed?		✓		
	c) Total storage capacity in con	npliance with relevant statutory requir	ement?	✓		
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly pa	ackaged?		/		
Rem	arks:					
New	Observations Observations					
	No major environmental deficie	ency was observed.				
Sign	atures:					
ET R	epresentative:	Operator Representative:	Tenant Representativ	ve:	IEC Re	presentative:
{	SEE	W _m	Sh.			plly
Name	T. K. HO	Name: May Wu	Name: By K	4	Name:	DULCIE CHAN
Date:	2017/02/17	Date: 1 0 MAR 2017	Date: 17/3	2017	Date:	1/3/17



	Inspection Date: 2017/03/15 Time: 10:30 Lot Number: EP11-01(1) Tenant: Chung Yue	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 17 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?			EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
1.6	Any record of complaint or prosecution?		✓	
2.1	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge?	N/A Yes V	No	Remarks No wastewater is generated from recycling process
2.32.42.5	a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?			Recycling process has low risk of contamination Stop-logs are available for use by tenant if needed Lub/oil replacement is not
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓ □ □	No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	No oily wastewater is generated from recycling
	a) Oil and grease removed regularly?		Not required
	b) Collected by licensed collector?		Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?]
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions / monitoring requirements comply?	✓]
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?]
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	Not required
3.11	Air pollution control system properly maintained and function normally?		Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?		l
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		New Observation (1)



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	generated during recycling
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided windering trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	th 🗸 📗
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	✓ □ □

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓ <u> </u>	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	/	
5. Landfill Gas (LFG) (within LFG Consultation Zone)		N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	√ □ □	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
6. Ot	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	/	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	V	Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	V	Not required
	a) Storage area in compliance with the approved plan?	/	
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?	/	
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?	✓ <u> </u>	

Remarks:

New Observations

1) Dusty trail was still observed at the lot entrance during inspection. As advised by the tenant, steel delivery was being carried out and daily cleaning will be provided after work. According to the photo record provided by the Operator on 17 Mar 2017, the tenant has removed the tyre marks. The condition will be verified in the next site audit.



(Observed on 15 March 2017)



(Provided by Operator on 17 March 2017)



Signatures:

ET Representative:

Operator Representative:

Tenant Representative: IEC Representative:

Name: T. K. HO

Date: 2017/03/15

Name:

May Wu


Date:

3 0 MAR 2017


Name:

Name: Taurus Kwan

Date: 2017/03/28



Issue 1 AEC



	Inspection Date: 2017/01/25 Time: 11:00 Lot Number: EP11-01(3) Tenant: K. Wah	Inspected by:		HO, Ronan CHAN & TSANG
<u>Wea</u>	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 °C Humidity: High Wind: ✓ Calm ✓ Light Breeze Strong	Rain ✓ Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
1.6	Any record of complaint or prosecution?		√	
	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken?			Wastewater is reused
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained?	Y Y Y Y Y Y Y		
2.42.5	Surface run-off discharging into drainage system? All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		√	New observation (1)
2.7	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?		✓	Follow-up Observation (1) and New observation (1)
	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	<u> </u>		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	√		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	Not required
	a) Oil and grease removed regularly?	✓ <u> </u>	
	b) Collected by licensed collector?	✓	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?	/	
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Test report of 24-hr RSP up to Nov 2016 is available
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		Against AQO
	c) If exceedance is recorded, follow-up action taken?	✓ <u> </u>	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Enclousures and sprinkler system are provided
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	<u> </u>	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?	✓	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed		
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed		
3.17 Stockpiles of dusty materials covered or regularly watered?			
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement		
✓ Loading/unloading of materials	Others:		
4. Waste / Chemical Management			
<u>General</u>	N/A Yes No Remarks No chemical waste is		
4.1 Registered as chemical waste producer?	→ observed		
4.2 Sufficient receptacles (e.g. rubbish bins) available?			
4.3 Disposed of regularly and properly?			
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?			
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report		
4.6 Collection of sludge by licensed collector at regular intervals?			
Packaging of Chemical Waste			
4.7 Stored in suitable container?			
4.8 Container properly closed or sealed?			
4.9 Spillage cleaned up immediately through the use of absorbent?			
4.10 Obtained approval for the use of chemical waste container >450L?			
Labelling of Chemical Waste			
4.11 Provision of chemical waste label?			
a) Label is securely attached and visible?			
b) Label is bilingual and in proper dimension?			
c) Information is accurate and sufficient?			
Storage of Chemical Waste			
4.12 Proper "Chemical Waste" sign displayed?			
4.13 Incompatible wastes separated by impermeable partition?			
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided wit drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	h 🗸 🗌		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?			
4.16 Properly stored and locked in designated area with adequate ventilation?			
4.17 Storage area paved with concrete and kept clean and dry?			
4.18 Cover provided for outdoor storage area?			
4.19 Chemical waste collected by licensed collector?			
Liquid Waste Storage			
4.20 Storage area provided with permeation-proof floor or surface?			

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or	✓ <u> </u>	
	20% volume of waste in storage?		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓	
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	√	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
<u>6. O</u> 1	<u>thers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		-
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓ □ □	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	/	Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ □ □	Not required
	a) Storage area in compliance with the approved plan?	✓ □ □	
	b) Storage area is securely locked?	✓ □ □	
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?	✓ □ □	
	e) Dangerous goods properly packaged?		

Remarks:

Follow-up from Previous Audits

1) The tenant has cleared the blockage of the stormwater drain near the southwest corner of the lot.



(Observed on 28 November 2016)



(Observed on 25 January 2017)

SITE INSPECTION CHECKLIST



New Observations

1) Fallen leaves and wastes are observed in the perimeter drainage channel. The tenant is requested to clear the materials from the channel to avoid blockage.



(Observed on 25 January 2017)

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/01/25

Operator Representative:

Name

May Wu

Date:

15 FEB 2017

Tenant Representative:

0

ame Vellena

Date:

IEC Representative:

Name:

Date:



	Inspection Date: 2017/02/17 Time: 10:45 Lot Number: EP11-01(3) Tenant: K. Wah	Inspected by:		HO, Ronan CHAN, TSANG
Wea	<u>ther</u>			
	Condition: Sunny Fine Overcast Drizzle	Rain		Storm Hazy
	Temperature: 18 $^{\circ}$ C Humidity: High	✓ Moderate		Low
	Wind: Calm ✓ Light Breeze Strong			
1. Ge	<u>eneral</u>	N/A Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓		EP for tenant is not required.
1.2	Environmental Policy documented?	V		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	V		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed
	(a) Drill or training records available?	✓		Subject to tenant's provision
1.5	All recycling processes in operation have been approved by WFBU?			
1.6	Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	<u> </u>		Wastewater is reused
	a) Sampling record available?	✓		
	b) Monitoring frequency met the licence requirement?	<u> </u>		
	c) Monitoring result comply with the licence requirement?	✓		
	d) If exceedance is recorded, any follow-up action taken?			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓		
	a) Adequate capacity?			
	b) Properly maintained and function normally?	✓		
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		✓	Follow-up Observation (1)
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?		✓	Follow-up Observation (1)
2.9	Processes or activities with high risk of contamination located under covered area?			Stop-logs are available for use
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	V		by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?		
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		
	a) SP Licence conditions / monitoring requirements comply?		Test report of 24-hr RSP up to Nov 2016 is available
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		
3.4	Dust monitoring record available?		Test report of 24-hr RSP up to Nov 2016 is available
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		Against AQO
	c) If exceedance is recorded, follow-up action taken?	✓ □ □	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Enclousures and sprinkler system are provided
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?		
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?		
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	
3.18 Major dust source(s): Wind erosion ✓	Vehicle/equipment movement
✓ Loading/unloading of materials	Others:
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided widrip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	ith 🗸 🔲
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST

	6	工程顧問:
AEC	6	有限公司

4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓ <u> </u>	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓ <u> </u>	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
6. Ot	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?		
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	/	Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?	/	
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?	/	
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?	✓ <u> </u>	

Remarks:

Follow-up from Previous Audits

1) Despite of that cleaning action had been taken, fallen leaves were still observed in the perimeter drainage channel. The tenant was requested to timely clear the materials from the channel to avoid blockage.




(Observed on 25 January 2017)



(Observed on 17 Febuary 2017)

SITE INSPECTION CHECKLIST



New Observations

• No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO

Date: 2017/02/17

May Wu 1 0 MAR 2017

Date:

une: Stephen Lenny

Name: DULCIE CHAN

Date: 9/3/17



	Inspection Date: 2017/03/15 Time: 10:55 Lot Number: EP11-01(3) Tenant: K. Wah	Inspected by:	T. K. HO, Ronan CHAN, David TSANG
<u>Wea</u>	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 17 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate	Storm Hazy Low
1. G	eneral	N/A Yes	No Remarks
1.2 1.3 1.4	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?		EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
1.6	Any record of complaint or prosecution?		
2.1	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	N/A Yes V	No Remarks Wastewater is reused Description: Descriptio
2.7 2.8 2.9 2.10	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?		Follow-up Observation (1) Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ □ □	Not required
	a) Oil and grease removed regularly?	✓ □ □	
	b) Collected by licensed collector?	✓ □ □	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V	Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?		
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		
	a) SP Licence conditions / monitoring requirements comply?		24-hr RSP monitoring record and quarterly reporting up to Nov 2016
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		-
3.4	Dust monitoring record available?		Test report of 24-hr RSP up to Nov 2016 is available
	a) Monitoring frequency met the licence requirement?		-
	b) Any exceedance?		Against AQO
	c) If exceedance is recorded, follow-up action taken?	✓	-
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Enclousures and sprinkler system are provided
3.6	Open burning prohibited?		-
3.7	Emission from chimney or powered plant free of black smoke?		-
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?	✓	
	b) If yes, record of refrigeration equipment service available?	✓	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
✓ Loading/unloading of materials	Others:
4. Waste / Chemical Management	
General	N/A Yes No Remarks No chemical waste is
4.1 Registered as chemical waste producer?	observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided wit drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	h 🗸 🗌
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	<u> </u>
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST

	6	工程顧問
AEC	E	有限公司

4.21 Capacity of retention structure sufficient to accommodate contents of the largest contain 20% volume of the material in storage?	ner or	
•	a19/	
4.22 Walls or partitions of stacked container storage area constructed of impermeable materia	ai?	
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Re	marks
5.1 Alert workers and visitors of possible LFG hazards?	✓ Out zon	side LFG consultation
5.2 Smoking and open fires prohibited?		
6. Others	N/A Yes No Re	marks
6.1 Works confined within lot boundaries?		
6.2 Damage to surrounding areas avoided?		
6.3 Site lighting designed to avoid glare to surrounding receivers?	<pre></pre>	
6.4 Materials and machinery stored in an orderly manner?		
6.5 Areas within lot for recycling activities paved with concrete?		
6.6 Potential stagnant pools cleared and mosquito breeding prevented?		
6.7 Valid calibration certificate for any monitoring equipment?	Not	provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not	required
a) Storage area in compliance with the approved plan?		
b) Storage area is securely locked?	<pre>/</pre>	
c) Total storage capacity in compliance with relevant statutory requirement?	<pre>/</pre>	
d) Proper labelling provided?		
e) Dangerous goods properly packaged?	✓ <u> </u>	

Remarks:

Follow-up from Previous Audits

1) Fallen leaves were removed in the perimeter drainage channel.




(Observed on 25 January 2017)



(Observed on 15 March 2017)

SITE INSPECTION CHECKLIST



New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO

Date: 2017/03/15


May Wu

3 0 MAR 2017

umo: Stephen Leung

Name:

Date:



Issue 1_____AEC



	Inspection Date: 2017/01/25 Time: 12:15 Lot Number: EP12-01 Tenant: South China	Inspected by:		HO, Ronan CHAN & TSANG
Wea	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed
	Emergency Response Plan (ERP) documented?			UPML's ERP is followed
	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?			Subject to tenant's provision
2. W	ater Quality	N/A Yes	No	Remarks Prohibition of discharging wastewater
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system?			to communal sewer by the enforcement unit of EPD WTF is being checked. Discharge is suspended temporarily. WTF is being checked. Wastewater is tanked away Temporarily stored in the underground storage tank Wastewater is tanked away No discharge is made Manholes near the cleaning
2.5	All manholes covered?	✓		area are sealed
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			New Observation (1)
2.7	Storage of materials and equipment located away from water bodies?		√	Follow-up Observation (1)
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			Stop-logs are available for use
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		by tenant if needed. Replacement activity is not
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?	✓	Wastewater is tanked away
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓ □ □	Not required
2.15	Bulk cargo and materials packed properly?		Not required
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?		No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		
	a) SP Licence conditions / monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	/	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓ □ □	
	a) Obtained approval for the use of controlled refrigerant?	✓ <u> </u>	
	b) If yes, record of refrigeration equipment service available?	✓ <u> </u>	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓ <u> </u>	
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ <u> </u>	Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion V	ehicle/equipment movem	ent
Loading/unloading of materials O	others: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks No chemical waste is
4.1 Registered as chemical waste producer?	✓	observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓	
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓ <u> </u>	
4.8 Container properly closed or sealed?		
4.9 Spillage cleaned up immediately through the use of absorbent?		
4.10 Obtained approval for the use of chemical waste container >450L?		
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?		
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?		
4.13 Incompatible wastes separated by impermeable partition?		
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	_
4.16 Properly stored and locked in designated area with adequate ventilation?		
4.17 Storage area paved with concrete and kept clean and dry?		
4.18 Cover provided for outdoor storage area?		
4.19 Chemical waste collected by licensed collector?		
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?	/	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of waste in storage?	✓ <u> </u>	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	/	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
6. Ot	thers_	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	/	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	V	Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?	/	
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?	/	
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?	/	

Remarks:

Follow-up from Previous Audits

1) The tenant is gradually removing the materials away from the perimeter drainage channel. Although the old and disused water tanks have been removed, some oil drums are still observed. A reminder was given to the tenant and the progress will be followed up in the next audit




(Observed on 28 November 2016)



(Observed on 25 January 2017)

SITE INSPECTION CHECKLIST



Follow-up from Previous Audits (Con't)



(Observed on 25 January 2017)

New Observations

1) Dirty water was observed in the stormwater manholes located along the vehicular access between the two building structures, but no sign of discharge was identified (i.e. adjacent ground was clean). The tenant advised that the cleaning of the stormwater manhole would be provided immediately, and a pump truck had arrived for the provision of cleaning during the inspection. The tenant was reminded to ensure the handling of food waste should be carried out only at the designated area. The tenant was also requested to ensure no leakage of any objectionable matter into stormwater drain. The condition will be verified during the next audit.



(Observed on 25 January 2017)



(Observed on 25 January 2017)

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/01/25

Operator Representative:

Tenant Representative:

28 FEB 2017

Name: Terence Tsui


IEC Representative:

Name:

Date:



	Inspection Date: 2017/02/17 Time: 12:00 Lot Number: EP12-01 Tenant: South China	Inspected by:		HO, Ronan CHAN, TSANG
<u>Wea</u>	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed
1.5 1.6	(a) Drill or training records available? All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?			Subject to tenant's provision
<u>2. W</u>	ater Quality	N/A Yes	No	Remarks Prohibition of discharging wastewater
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained?			to communal sewer by the enforcement unit of EPD WTF is being checked. Discharge is suspended temporarily. WTF is being checked. Wastewater is tanked away for the temporary storage at the underground storage tank Wastewater is tanked away
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			Manholes near the cleaning area are sealed
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		√	Follow-up Observation (2)
2.7	Storage of materials and equipment located away from water bodies?		✓	Follow-up Observation (1)
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9 2.10	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?		Wastewater is tanked away
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?		Not required
2.16	Temporary stockpiles covered during rainstorms?		
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		
	a) SP Licence conditions / monitoring requirements comply?		-
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		Air curtain is operating and roller shutter is lowered
3.3	Dusty materials dampened prior to loading/unloading?	/	Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Dust-generating activity is not observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓	
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ <u> </u>	Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion V	ehicle/equipment movem	ent
Loading/unloading of materials O	others: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks No chemical waste is
4.1 Registered as chemical waste producer?	✓	observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓	
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓ <u> </u>	
4.8 Container properly closed or sealed?		
4.9 Spillage cleaned up immediately through the use of absorbent?		
4.10 Obtained approval for the use of chemical waste container >450L?		
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?		
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?		
4.13 Incompatible wastes separated by impermeable partition?		
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	_
4.16 Properly stored and locked in designated area with adequate ventilation?		
4.17 Storage area paved with concrete and kept clean and dry?		
4.18 Cover provided for outdoor storage area?		
4.19 Chemical waste collected by licensed collector?		
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?	/	

SITE INSPECTION CHECKLIST

	6	工程顧問
AEC	E	有限公司

4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓ <u> </u>	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	/	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
<u>6. Ot</u>	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	/	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	V	Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?		
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?	/	
	d) Proper labelling provided?	/	
	e) Dangerous goods properly packaged?	/	

Remarks:

Follow-up from Previous Audits

1) The tenant was gradually removing the materials away from the perimeter drainage channel. Although the old and disused water tanks had been removed, other storage containers and empty oil drums were still observed with leakage of dirty water from one of the containers. The tenant was requested to clean up the leaked liquid, and keeping the containers free from the perimeter drainage to ensure no untreated wastewater will be discharged to the drainage.




(Observed on 28 November 2016)




(Observed on 25 January 2017)

SITE INSPECTION CHECKLIST



Follow-up from Previous Audits (Con't)







(Observed on 17 February 2017)

2) Dirty water was observed in the stormwater manholes located along the vehicular access between the two building structures. The tenant advised that the cleaning of the stormwater manhole would be provided later on. The tenant was reminded to ensure the handling of food waste should be carried out only at the designated area. The tenant was also requested to ensure no leakage of any objectionable matter into stormwater drain.



(Observed on 25 January 2017)



(Observed on 17 February 2017)

New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/02/17

Operator Representative:

Name:

Date:

May Wu

1 0 MAR 2017

Tenant Representative:

Name: Terence Tsui

Date: 18 MAR 2017

IEC Representative:

Name: DULCKE CHAW

Date: 9/3/17



	Inspection Date: 2017/03/15 Time: 12:00 Lot Number: EP12-01 Tenant: South China	Inspected by:		HO, Ronan CHAN, TSANG
Wea	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 17 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Moderate		Storm Hazy Low
1. G	enera <u>l</u>	N/A Yes	No	Remarks
1.3	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
1.5 1.6	All recycling processes in operation have been approved by WFBU? Any record of complaint or prosecution?		✓	
2. W	ater Quality	N/A Yes	No	Remarks Prohibition of discharging wastewater
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity?			to communal sewer by the enforcement unit of EPD WTF is being checked. Discharge is suspended temporarily. WTF is being checked. Wastewater is tanked away for the temporary storage at the underground storage tank
2.32.42.52.6	b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			Manholes near the cleaning area are sealed Follow-up Observation (2)
2.7 2.8 2.9 2.10	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery			Follow-up Observation (1) Stop-logs are available for use by tenant if needed.
	process with potentially high level of contamination is carried out? Equipment oil and lubrication replacements performed only in bunded maintenance area?			Replacement activity is not observed



2.12 Contaminated water collected in th facility or other appropriate treatme	e surface drainage system is treated at water treatment ent facility?		Wastewater is tanked away
2.13 Drainage from maintenance area di	scharged via oil interceptor?	✓	Wastewater is tanked away
a) Oil and grease removed regular	ly?	✓	
b) Collected by licensed collector?		✓	
2.14 Follow Cargo Handling Guideline loading and unloading adjacent to	to minimise the chance of accidental spillage during marine frontage?	V	Not required
2.15 Bulk cargo and materials packed pr	roperly?	√	Not required
2.16 Temporary stockpiles covered duri	ng rainstorms?	V	
2.17 Measures to prevent the washing a	way of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Air Quality		N/A Yes No	Remarks
3.1 Valid Specified Process (SP) Licer	ace available for all specified process?	/	
a) SP Licence conditions / monitor	ring requirements comply?	/	
3.2 Operate without generation of notice	ceable odour?	✓	
a) If odour is detected, can the sour	rce be identified?	/	
b) Odourous materials covered?		✓	
c) If odour control system is install	ed, is it operating normally?		Air curtain is operating and roller shutter is lowered
3.3 Dusty materials dampened prior to	loading/unloading?	✓	Dusty material is not observed
3.4 Dust monitoring record available?		✓	Not required
a) Monitoring frequency met the lie	cence requirement?	✓	
b) Any exceedance?		✓	
c) If exceedance is recorded, follow	v-up action taken?	✓	
3.5 Dust-suppression measures provide enclosures or regular dampening)?	ed where main dust-generating activities take place (i.e.	V	Dust-generating activity is not observed
3.6 Open burning prohibited?		✓	
3.7 Emission from chimney or powered	d plant free of black smoke?	✓	
3.8 Vehicles and equipment switched of	off while not in use?	✓	
**	alteration of furnace, oven or chimney consuming over fuel/hour, or 1150MJ gaseous fuel/hour?	V	
3.10 Obtained approval for the use of lic centistokes or an equivalent viscos:	quid fuel with a viscosity point of ignition >30 ity?	V	
3.11 Air pollution control system proper	rly maintained and function normally?	✓	
3.12 Dust collected by any air pollution compliance for landfill disposal?	control equipment installed by tenants tested to ensure	V	
a) Obtained approval for the use of	controlled refrigerant?	/	
b) If yes, record of refrigeration eq	uipment service available?	/	
3.13 Only ultra-low sulphur diesel is use	ed for activities requiring liquid fuel?	/	
3.14 Public road around site entrance ke	ept clean and free from dust?		



3.15 Materials transported on trucks covered?	✓ <u> </u>	Not observed
3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion V	ehicle/equipment movem	ent
Loading/unloading of materials O	others: n/a	
4. Waste / Chemical Management		
<u>General</u>	N/A Yes No	Remarks No chemical waste is
4.1 Registered as chemical waste producer?	✓	observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓	
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓ <u> </u>	
4.8 Container properly closed or sealed?		
4.9 Spillage cleaned up immediately through the use of absorbent?		
4.10 Obtained approval for the use of chemical waste container >450L?		
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?		
a) Label is securely attached and visible?		
b) Label is bilingual and in proper dimension?		
c) Information is accurate and sufficient?		
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?		
4.13 Incompatible wastes separated by impermeable partition?		
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	/	_
4.16 Properly stored and locked in designated area with adequate ventilation?		
4.17 Storage area paved with concrete and kept clean and dry?		
4.18 Cover provided for outdoor storage area?		
4.19 Chemical waste collected by licensed collector?		
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?	/	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?	
6. O	<u>hers</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	✓ Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
	a) Storage area in compliance with the approved plan?	<u> </u>
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Audits

1) Although the tenant has removed the old water tanks and storage containers from the perimeter drainage channel, the leaked dirty water and the liquid storage container as observed during inspection on February 2017 were still observed. The tenant was requested to clean up the dirty water, and keeping the containers free from the perimeter drainage to ensure no untreated wastewater will be discharged to the drainage.




(Observed on 17 February 2017)



(Observed on 17 February 2017)

SITE INSPECTION CHECKLIST





(Observed on 15 March 2017)



(Observed on 15 March 2017)

2) Dirty water was still observed in the same stormwater manholes located along the vehicular access between the two building structures. The tenant was requested to remove dirty water inside the manholes and to ensure no leakage of any objectionable matter into stormwater drain.



(Observed on 25 January 2017)



(Observed on 15 March 2017)

New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/03/15

Operator Representative:

Name:

riamo.

Date: 30 MAR 2017

May Wu

Tenant Representative:


Name: Terence Tsui

Date: 1 1 APR 7017

IEC Representative:

Name:

Date:



Issue 1______AEC



	Inspection Date: 2017/01/25 Time: 12:00 Lot Number: EP11-01(5) Tenant: E.Tech	Inspected by:	1	HO, Ronan CHAN & TSANG
<u>Wea</u>	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
1.6	Any record of complaint or prosecution?		√	
2.1 2.2 2.3 2.4 2.5	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	N/A Yes	No	Remarks No wastewater is generated from recycling process
	Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?			Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓	No oily wastewater is generated from recycling.
	a) Oil and grease removed regularly?	✓	Not required
	b) Collected by licensed collector?	✓	Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/	Not required
2.15	Bulk cargo and materials packed properly?	✓]
2.16	Temporary stockpiles covered during rainstorms?	✓ □]
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions / monitoring requirements comply?	✓ □ □]
3.2	Operate without generation of noticeable odour?]
	a) If odour is detected, can the source be identified?	✓ □ □]
	b) Odourous materials covered?	✓]
	c) If odour control system is installed, is it operating normally?	✓]
3.3	Dusty materials dampened prior to loading/unloading?	✓	Dusty material is not observed
3.4	Dust monitoring record available?	✓ □ □	Not required
	a) Monitoring frequency met the licence requirement?	✓ <u> </u>]
	b) Any exceedance?	✓]
	c) If exceedance is recorded, follow-up action taken?	✓ □]
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Extraction system and filter
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?]
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V]
	a) Obtained approval for the use of controlled refrigerant?	/]
	b) If yes, record of refrigeration equipment service available?	✓ □ □]
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/]
3.14	Public road around site entrance kept clean and free from dust?]



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Veh	nicle/equipment movement
Loading/unloading of materials	ers: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	No chemical waste is observed
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	/
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure so 20% volume of waste in storage	afficient to accommodate contents of	the largest container or	✓		
4.22		ntainer storage area constructed of im	permeable material?	✓		
5.1	Alert workers and visitors of pos Smoking and open fires prohibit	sible LFG hazards?		N/A Yes	No	Remarks Outside LFG consultation zone
<u>6. Ot</u>	hers			N/A Yes	No	Remarks
6.36.46.56.66.7	Valid calibration certificate for a Valid licence(s) obtained for ma a) Storage area in compliance with b) Storage area is securely locker.	boided? lare to surrounding receivers? In an orderly manner? tivities paved with concrete? and mosquito breeding prevented? my monitoring equipment? nufacture or storage of dangerous good th the approved plan? d? pliance with relevant statutory require				Not required Not required
	arks: Observations					
•	No major environmental deficien	ncy was observed.				
	epresentative:	Operator Representative:	Tenant Representativ	ve: II	EC Rep	resentative:
	T. K. HO 2017/01/25	Name May Wu Date: 15 FEB 2017	Name 20m Pb Date: 7-2	20	Vame:	


Page 4 of 4



	Inspection Date: 2017/02/17 Time: 11:15 Lot Number: EP11-01(5) Tenant: E.Tech	Inspected by:		HO, Ronan CHAN, TSANG			
Wea	Weather						
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Moderate	=	Storm Hazy Low			
<u>1. G</u>	<u>eneral</u>	N/A Yes	No	Remarks			
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	\checkmark		EP for tenant is not required.			
1.2	Environmental Policy documented?	V		UPML's Environmental Policy is followed			
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓		UPML's EMP is followed			
1.4	Emergency Response Plan (ERP) documented?	✓		UPML's ERP is followed			
	(a) Drill or training records available?	✓		Subject to tenant's provision			
1.5	All recycling processes in operation have been approved by WFBU?						
1.6	Any record of complaint or prosecution?		✓				
2. W	ater Quality	N/A Yes	No	Remarks No wastewater is generated			
2.1	Valid Effluent Discharge Licence available?	<u> </u>		from recycling process			
	a) Sampling record available?	✓					
	b) Monitoring frequency met the licence requirement?	<u> </u>					
	c) Monitoring result comply with the licence requirement?	✓					
	d) If exceedance is recorded, any follow-up action taken?	✓					
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓					
	a) Adequate capacity?	✓					
	b) Properly maintained and function normally?	✓					
2.3	Surface run-off control measures in place and adequately maintained?						
2.4	Surface run-off discharging into drainage system?						
2.5	All manholes covered?						
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?						
2.7	Storage of materials and equipment located away from water bodies?	✓					
2.8	Drainage system well maintained to prevent flooding or overflow?	✓					
2.9	Processes or activities with high risk of contamination located under covered area?	✓		Stor loss on and 11 C			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.			
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed			



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ <u> </u>	No oily wastewater is generated from recycling.
	a) Oil and grease removed regularly?	✓	Not required
	b) Collected by licensed collector?	✓	Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?	✓ <u> </u>]
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	/	No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓	Not required
	a) SP Licence conditions / monitoring requirements comply?]
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?	/]
	b) Odourous materials covered?	✓ <u> </u>]
	c) If odour control system is installed, is it operating normally?]
3.3	Dusty materials dampened prior to loading/unloading?	✓	Dusty material is not observed
3.4	Dust monitoring record available?	/	Not required
	a) Monitoring frequency met the licence requirement?	✓ <u> </u>]
	b) Any exceedance?	/]
	c) If exceedance is recorded, follow-up action taken?	/]
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V	Manual dismantling without dust generation observed
3.6	Open burning prohibited?	✓	
3.7	Emission from chimney or powered plant free of black smoke?	✓	Operation of the automatic recycling system was suspended
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓	Not required
3.11	Air pollution control system properly maintained and function normally?	✓	Under inspection due to fire accident
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V]
	a) Obtained approval for the use of controlled refrigerant?	/]
	b) If yes, record of refrigeration equipment service available?	/]
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/]
3.14	Public road around site entrance kept clean and free from dust?]



3.15 Materials transported on trucks covered?	
3.16 Truck loads to a level within the side and tail boards?	
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	No chemical waste is observed
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure a 20% volume of the material in a	sufficient to accommodate contents of storage?	f the largest container or	✓		
4.22	Walls or partitions of stacked co	ontainer storage area constructed of in	mpermeable material?	✓		
5. La	andfill Gas (LFG) (within LFG	Consultation Zone)		N/A Ye	es No	Remarks Outside LFG consultation
5.1	Alert workers and visitors of po	ossible LFG hazards?		✓		zone
5.2	Smoking and open fires prohibi	ited?				
<u>6. Ot</u>	<u>thers</u>			N/A Ye	es No	Remarks
6.1	Works confined within lot bour	ndaries?				
6.2	Damage to surrounding areas a	voided?				
6.3	Site lighting designed to avoid	glare to surrounding receivers?		✓		
6.4	Materials and machinery stored	in an orderly manner?				
6.5	Areas within lot for recycling a	ctivities paved with concrete?				
6.6	Potential stagnant pools cleared	and mosquito breeding prevented?				
6.7	Valid calibration certificate for	any monitoring equipment?		/		Not required
6.8	Valid licence(s) obtained for ma	anufacture or storage of dangerous go	oods?			Not required
	a) Storage area in compliance w	vith the approved plan?		✓		
	b) Storage area is securely lock	ed?		-		
	c) Total storage capacity in con	apliance with relevant statutory requir	rement?		7	
	d) Proper labelling provided?				- -	
	e) Dangerous goods properly pa	ackaged?				
Rem	arks:					
New	Observations					
•	No major environmental deficie	ency was observed.				
Signa	atures:					
ET R	epresentative:	Operator Representative:	Tenant Representati	ve:	IEC Rep	presentative:
{	STE	m	ny	_		M
Name	T. K. HO	Name: May Wu	Name: TOIVY	75A1	Name:	DULCIE CHAN
Date:	2017/02/17	Date: 1 0 MAR 2017	Date: 13 Mar	2017	Date:	9/3/17

EcoPark Operation SITE INSPECTION CHECKLIST



	Inspection Date: 2017/03/15 Time: 10:40 Lot Number: EP11-01(5) Tenant: E.Tech	Inspected by:		HO, Ronan CHAN, TSANG
Wea	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 17 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Moderate		Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes	No	Remarks
1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? (a) Drill or training records available? All recycling processes in operation have been approved by WFBU?			EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed Subject to tenant's provision
	Any record of complaint or prosecution? ater Quality	N/A Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken?			No wastewater is generated from recycling process
2.22.32.42.5	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally? Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered?			
2.7 2.8	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer? Storage of materials and equipment located away from water bodies? Drainage system well maintained to prevent flooding or overflow?			
2.10	Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out? Equipment oil and lubrication replacements performed only in bunded maintenance area?	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Stop-logs are available for use by tenant if needed. Replacement activity is not observed

EcoPark Operation SITE INSPECTION CHECKLIST



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓	No oily wastewater is generated from recycling.
	a) Oil and grease removed regularly?	✓	Not required
	b) Collected by licensed collector?	✓	Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓	Not required
2.15	Bulk cargo and materials packed properly?	✓ □ □	
2.16	Temporary stockpiles covered during rainstorms?		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓	No sand/silt is generated from the recycling process
3. Ai	ir Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ <u> </u>	Not required
	a) SP Licence conditions / monitoring requirements comply?	✓ _	l
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?	✓ <u> </u>	l
	b) Odourous materials covered?	✓	l
	c) If odour control system is installed, is it operating normally?	✓	
3.3	Dusty materials dampened prior to loading/unloading?		Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	/	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		Manual dismantling without dust generation observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		Operation of the automatic recycling system was suspended
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?		Under inspection due to fire accident
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/	
	a) Obtained approval for the use of controlled refrigerant?	✓	
	b) If yes, record of refrigeration equipment service available?	✓	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓	
3.14	Public road around site entrance kept clean and free from dust?		

EcoPark Operation SITE INSPECTION CHECKLIST



3.15 Materials transported on trucks covered?		Not Observed
3.16 Truck loads to a level within the side and tail boards?		Not Observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion Vel	hicle/equipment movem	nent
Loading/unloading of materials	ners: <u>n/a</u>	
4. Waste / Chemical Management		_
<u>General</u>	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?		
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		In machinery testing stage
4.6 Collection of sludge by licensed collector at regular intervals?	✓ <u> </u>	Not required
Packaging of Chemical Waste		
4.7 Stored in suitable container?	✓	No chemical waste is observed
4.8 Container properly closed or sealed?		l
4.9 Spillage cleaned up immediately through the use of absorbent?	✓	
4.10 Obtained approval for the use of chemical waste container >450L?		
Labelling of Chemical Waste		
4.11 Provision of chemical waste label?	✓ □ □	
a) Label is securely attached and visible?	/	
b) Label is bilingual and in proper dimension?	√	
c) Information is accurate and sufficient?	/	
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	✓	
4.13 Incompatible wastes separated by impermeable partition?	✓	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >50L)?	✓ <u> </u>	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	✓	l
4.16 Properly stored and locked in designated area with adequate ventilation?	✓ <u> </u>	l
4.17 Storage area paved with concrete and kept clean and dry?		
4.18 Cover provided for outdoor storage area?	/	
4.19 Chemical waste collected by licensed collector?	/	
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?	√	

SITE INSPECTION CHECKLIST



4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or		
4.22	20% volume of the material in storage? Walls or partitions of stacked container storage area constructed of impermeable material?		
	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks Outside LFG consultation	
	Alert workers and visitors of possible LFG hazards? Smoking and open fires prohibited?	zone	
<u>6. Ot</u>	<u>hers</u>	N/A Yes No Remarks	
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓ □ □ □	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	✓ Not required	
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required	
	a) Storage area in compliance with the approved plan?		
	b) Storage area is securely locked?		
	c) Total storage capacity in compliance with relevant statutory requirement?	✓ □ □ □	
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?		
Rem	arks:		

New Observations

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/03/15

Operator Representative:

Name: May Wu

Date: 3 0 MAR 2017

Tenant Representative:


Name: TONY TGAI

Date: 31 - 3 - 2017

IEC Representative:


Name:

Date:



Issue 1_____AEC

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2017/01/25 n/a	Time: Tenant:	09:30 - 13:00 n/a	Inspected by:	T. K. HO, Ronan CHAN & David TSANG	
Weather Condition: Temperature:	✓ Sunny 18 °C	Fine	Overcast Drizzle Humidity: High	Rain ✓ Moderate	Storm Hazy	-
Wind:		Light	Breeze Strong			_

New Observation

Cosmos Star

· No major environmental deficiency was observed.

On Fat Lung

1) Poor housekeeping is observed within the lot. The tenant is requested to tidy up the material to maintain proper housekeeping.



(Observed on 25 January 2017)

SSK

· No major environmental deficiency was observed.

WEEE Treatment and Recycling Facilities (WEEETRF)

• No major environmental deficiency was observed.

Other Areas

· No major environmental deficiency was observed.

Signatures:			
ET Representative:	Operator Representative:	Tenant Representative:	IEC Representative:
8575	W.		
Name: T. K. HO	Name May Wu	Name:	Name:
Date: 2017/01/25	Date: 15 FEB 2017	Date:	Date:

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2017/02/17 n/a	Time: Tenant:	09:30 - 13:00 n/a		T. K. HO, Ronan CHAN, David TSANG	
Weather Condition: Temperature: Wind:	20 ℃	H	vercast Drizzle Humidity: High reeze Strong	Rain ✓ Moderate	Storm Ha	ızy

Follow-up from Previous Audits

On Fat Lung

1) The tenant had tidied up the material to maintain proper housekeeping.



(Observed on 25 January 2017)



(Observed on 17 Febuary 2017)

New Observation

Cosmos Star

· No major environmental deficiency was observed.

On Fat Lung

· No major environmental deficiency was observed.


SSK

• The tenant should provide hoarding of not less than 2.4m where site boundary adjoins road or service lane according to Clause 13(c) of the Schedule of Air Pollution Control (Construction Dust) Regulation.



(Observed on 17 Febuary 2017)

SITE INSPECTION CHECKLIST



WEEE Treatment and Recycling Facilities (WEEETRF)

· No major environmental deficiency was observed.

Other Areas

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: T. K. HO

Date: 2017/02/17

Operator Representative:

Name:

May Wu

10 MAR 2017

Date:

_ __

Name:


Tenant Representative:

IEC Representative:

Name: DULCIE CHAN

Date: 9/3/17

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2017/03/15 n/a	Time: Tenant:	09:30 - 13:00 n/a	Inspected by:	T. K. HO, Ronan C. David TSANG	HAN,
Weather Condition: Temperature: Wind:			Overcast Drizzle Humidity: High Breeze Strong	Rain ✓ Moderate	Storm	Hazy

Follow-up from Previous Audits

<u>SSK</u>

• The tenant was requested to provide hoarding of not less than 2.4m where site boundary adjoins road or service lane according to Clause 13(c) of the Schedule of Air Pollution Control (Construction Dust) Regulation.



(Observed on 17 Febuary 2017)



(Observed on 15 March 2017)

New Observation

Cosmos Star

· No major environmental deficiency was observed.

On Fat Lung

· No major environmental deficiency was observed.

SSK

No major environmental deficiency was observed.

WEEE Treatment and Recycling Facilities (WEEETRF)

· No major environmental deficiency was observed.

Other Areas

· No major environmental deficiency was observed.

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: T. K. HO

Date: 2017/03/15

Name:

Date:

May Wu 3 0 MAR 2017 Name:

Date:

- "

Name: Date:

Park Operation arterly Environmental Monitoring &	Audit Report (January -	– March 2017)	
			Appendix 7
			Appendix 7 Complaints Log

Issue 1_____AEC



Log Reference	006
Date	20 th February 2017
Location	n/a
Complainant/ Date of Contact	A public complaint was received from 1823 hotline on 20 th February 2017. The complaint was referred by the Project Proponent to the ET and the Operator, and then referred by the ET to the IEC on the same day.
Details of Complaint	A public complaint is with regard to a suspected strong malodour from EcoPark in the morning of 20 th February 2017. Due to restricted access in EcoPark, the complainant did not provide the source of the malodour and could not identify the nature of the malodour.
Investigation/ Mitigation Action	A site investigation was conducted by representatives from the ET and the Operator to search for the suspected malodour and identify the source of malodour generation on 21 st February 2017 from 09:30. Since the types of site activities carried out between the morning of 20 th and 21 st February 2017 were similar, the observations during the investigation on 21 st February 2017 should justify the source of the suspected malodour, if any.
	The perimeter of EcoPark had been walked through during the investigation, except the northwestern boundary of Shiu Wing and Telford which were not accessible due to safety issue and site closure respectively. As alternative, the lot condition of Shiu Wing was assessed from the northern corner of Hung Wai's lot, while the lot condition of Telford was assessed through the fence at the northern corner of the lot. No malodour was detected and no source of malodour generation was observed within EcoPark or along the perimeter of EcoPark, except the detection of a slight odour with rotten and/or sour smell in the lots of Champway and South China.
	The lot of Champway was visited at around 10:45. As advised by Champway, collection of waste cooking oil was carried out in the morning of 20 th and 21 st February 2017 without any processing. Tank away was being carried out during the investigation. A slight odour with sour smell was noticed within the lot near the pump truck but no malodour was detected along the pumping pipe. The malodour was also not detected at a distance of 5-10m away from the pump truck. No malodour was noticed when the pump truck left.
	A slight odour with rotten smell was noticed in the covered processing area of Champway during investigation while no recycling operation was observed and no source of generation could be identified, which was thus considered as the residual odour from the collection/processing of waste cooking oil. The air extraction system and activated carbon filter was not operating during investigation, but would be switched on during processing of waste cooking oil as advised by Champway.
	Due to the prevailing east wind during investigation, the malodour was dissipating progressively towards the fence at the southwestern boundary of the lot, where the marine frontage located. Yet, the malodour was barely perceptible at the road between the marine frontage and the lot boundary, which was only 5m away from the lot boundary of Champway. The malodour was completely unnoticeable at around 7m away from the lot boundary at the marine frontage. No malodour was detected at other downwind areas, i.e. the western corner and the northwestern boundary of Champway's lot that were adjacent to the public (i.e. the permanent aviation fuel facility), possibly due to the blockage by the structure of Champway's office. Although the malodour was barely noticeable in very close distance to Champway's lot at downwind side, it dissipated further away to undetectable level within the area of EcoPark while the dispersal route towards the public was blocked.



According to the wind data from the weather station that is the closest to the EcoPark (i.e. Sha Chau Automatic Wind Station), the prevailing wind direction on the day of the complaint (i.e. 100°) is similar to that during the investigation (i.e. east wind). Therefore, the investigation finding regarding malodour dissipation is considered valid to for the site condition on the day of the complaint.

The boundary of EcoPark along Champway's lot was also checked, in particular the northern boundary that was adjacent to the public (i.e. permanent aviation fuel facility). No malodour was noticed and no source of malodour generation was observed.

The lot of South China was visited at around 11:15. A slight odour with sour smell was noticed inside the building at the works area during investigation. Since no operation was observed during the investigation, the malodour was likely to be the residual odour from food waste collection/processing. It was observed that the air curtains were in operation with the roller shutter partially lowered to enhance the negative pressure condition in the works area. No malodour was detected at the building entrance outside the building structure and other areas in the lot of South China. Hence, the malodour from South China was confined within the premise and was not considered to generate odour nuisance to neighbouring tenants or the public.

Based on the investigation, it was found that the slight malodour generated from the normal operation of EcoPark was confined within EcoPark and was not noticeable along the boundary of EcoPark. Therefore, the suspected strong malodour claimed by the complainant was considered unrelated to EcoPark and the complaint was not substantiated.

Follow-up Action

Since the suspected malodour is unlikely to be generated from EcoPark, no action is needed to be taken. However, implementation of the following good practices are suggested to be continue:

- a) Champway shall switch on the air extraction system and the activated carbon filters for any activities that may generate odour emission, e.g. processing of the waste cooking oil, etc.
- b) South China shall implement the odour mitigation measures, such as carrying out the recycling process in enclosed building, switching on the air curtains, lowering the roller shutter partially to enhance the negative pressure in the works area, etc.

Status

Closed