Issue No.: Issue 1 Issue Date: April 2020 Project No.: 1616



EcoPark Operation

Quarterly Environmental Monitoring & Audit Report (January – March 2020)

27/F, Overseas Trust Bank Building 160 Gloucester Road Wan Chai Hong Kong

T: +852 2815 7028 F: +852 2815 5399

www.asecg.com

Prepared By:

Allied Environmental Consultants Limited

COMMERCIAL-IN-CONFIDENCE

Issue No.:

Issue 1

Issue Date:

April 2020

Project No.:

1616



EcoPark Operation

Quarterly Environmental Monitoring & Audit Report (January – March 2020)

27/F, Overseas Trust Bank Building 160 Gloucester Road Wan Chai Hong Kong T: +852 2815 7028 F: +852 2815 5399

www.asecg.com

Prepared By:

Allied Environmental Consultants Limited

COMMERCIAL-IN-CONFIDENCE

This report has been prepared by Allied Environmental Consultants Limited with all reasonable skill, care and diligence within the terms of the Agreement with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to Certified

by:

James W. H. WONG

Environmental Team Leader

Verified by:

Approved:

Sam P. S. TSOI

Independent Environmental Checker

Gary C. W. TAM

Principal Environmental Protection Officer Environmental Protection Department

it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk

Issue No.: Issue 1 April 2020 Issue Date: Project No.: 1616



EcoPark Operation

Quarterly Environmental Monitoring & Audit Report (January - March 2020)

27/F, Overseas Trust Bank Building 160 Gloucester Road Wan Chai Hong Kong

> T: +852 2815 7028 F: +852 2815 5399

> > www.asecg.com

Prepared By:

Allied Environmental Consultants Limited

COMMERCIAL-IN-CONFIDENCE

Author: Various

Checked:

Grace M. H. KWOK BEng(Hons) MHKIEIA MHKIOA MIAIA MRAPA MISWA BEAM Pro LEED Fellow BREEAM AP FFHKIQEP CAP HKGBC Faculty

Approved:

James W. H. WONG BSc MSc PhD CEng MIMechE MHKIQEP MHKIEIA MIOA MHKIOA MIOE MCIBSE FHKAAST RPE REA MASOS MICTA

(lu

CTBUH MSLL BEAM Pro GB Faculty

This report has been prepared by Allied Environmental Consultants Limited with all reasonable skill, care and diligence within the terms of the Agreement with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.

TABLE OF CONTENTS

L	IST O	F FIGURES	ii
L	IST O	F TABLES	iii
L	IST O	F APPENDICES	iii
E	XECU	TIVE SUMMARY	1
1	PR	OJECT BACKGROUND	4
	1.1	Project Overview	4
	1.2	Operation Programme	4
	1.3	Project Organisation and Contact Personnel	5
2	SU	MMARY OF EM&A REQUIREMENT	8
	2.1	Monitoring Parameters	8
	2.2	Environmental Quality Performance Limits and EAP	8
	2.3	Environmental Audit of Non-Monitored Parameters	9
	2.4	Environmental Mitigation Measures	9
	2.5	Environmental Requirements in Tenancy Agreements	9
3	OP	PERATION STATUS	11
	3.1	General	11
	3.2	Champway Technology Limited	11
	3.3	Hong Kong Biomass (Wood) Collect and Recycle Company Limited	11
	3.4	HP Telford Envirotech Group Limited	11
	3.5	Chung Yue Steel Group Company Limited	12
	3.6	K. Wah Construction Products Ltd.	12
	3.7	South China Reborn Resources (Zhongshan) Company Ltd.	12
	3.8	WEEE.PARK	12
	3.9	On Fat Lung Innovative Resources Ltd.	13
	3.10	Food Waste Management Group (FWMG) of EPD	13
	3.11	E. Tech Management (HK) Limited	13
	3.12	Throughput Statistics	13
	3.13	Process Review	14
4	IM	PLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES	16
5	MO	ONITORING RESULTS	17
	5.1	Monitoring Date, Time, Frequency and Duration	17
	5.2	Monitoring Methodology, Parameters and Equipment	17
	5.3	Results and Graphical Plots of Monitoring Parameters	18

_AEC

Projec	t No.:	1616

	No.: 1616	
	k Operation	::
Quarte	rly Environmental Monitoring & Audit Report (January – March 2020)	<u>ii</u>
6 SU	MMARY OF ENVIRONMENTAL AUDIT	19
6.1	General	19
6.2	Champway Technology Limited	19
6.3	Hong Kong Biomass (Wood) Collect and Recycle Company Limited	21
6.4	HP Telford Envirotech Group Limited	21
6.5	Chung Yue Steel Group Company Limited	22
6.6	K.Wah Construction Products Limited	22
6.7	South China Reborn Resources (Zhongshan) Company Limited.	24
6.8	E. Tech Management (HK) Limited.	24
6.9	WEEE.PARK	25
6.10	On Fat Lung Innovative Resources Limited	25
6.11	Lot T7 (FWMG of EPD)	26
6.12	General Condition of EcoPark	26
	IVIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SU	
PROSE	CCUTION	27
7.1	Follow-up on Previous Environmental Complaint	27
7.2	New Environmental Complaint, Notification of Summon and Successful Prosecution 27	on in the Reporting Period
8 CC	ONCLUSIONS	28

LIST OF FIGURES

Figure 1-1	Location of EcoPark in Tuen Mun Area 38
Figure 1-2	Organisation Chart of UPML
Figure 1-3	Organisation Chart of EM&A Works (Operation)
Figure 2-1	LFG Monitoring Locations within EcoPark
Figure 3-1	Current Lot Usage within EcoPark

AEC

LIST OF TABLES

Table 1.1	EM&A Personnel Contact Details
Table 2.1	Operation Phase LFG Monitoring Locations in EcoPark
Table 2.2	Action Levels, Limit Levels and Event and Action Plan for LFG
Table 3.1	Throughput Statistics for the Reporting Quarter
Table 5.1	Sampling Schedule for the Quarterly LFG Monitoring
Table 5.2	Parameters and Measurement Ranges for LFG Monitoring
Table 5.3	Quarterly LFG Monitoring Results in the Reporting Quarter
Table 6.1	Environmental Audit Findings for Champway
Table 6.2	Environmental Audit Findings for HK Biomass
Table 6.3	Environmental Audit Findings for HP Telford
Table 6.4	Environmental Audit Findings for Chung Yue
Table 6.5	Environmental Audit Findings for K.Wah
Table 6.6	Environmental Audit Findings for South China
Table 6.7	Environmental Audit Findings for E. Tech
Table 6.8	Environmental Audit Findings for WEEE.PARK
Table 6.9	Environmental Audit Findings for On Fat Lung
Table 6.10	Environmental Audit Findings for Lot T7
Table 6.11	General EcoPark Audit Findings
Table 8.1	Throughput Statistics for the Reporting Quarter

LIST OF APPENDICES

Appendix 1	Environmental Mitigation Measures (from the Implementation Schedule)
Appendix 2	Environmental Requirements in Tenancy Agreements
Appendix 3	Material and Waste Throughputs
Appendix 3.1	Material and Waste Throughputs of the Reporting Quarter
Appendix 3.2	Updates of Previously-Reported Material and Waste Throughputs
Appendix 4	Calibration Certificate of Infrared Gas Analyser
Appendix 5	Laboratory Test Report and Graphical Plots of LFG Monitoring
Appendix 6	Tenant-Specific Audit Checklists for the Reporting Quarter
Appendix 6.1	Champway Technology Ltd
Appendix 6.2	Hong Kong Biomass (Wood) Collect and Recycle Company Ltd
Appendix 6.3	HP Telford Envirotech Group Ltd
Appendix 6.4	Chung Yue Steel Group Co Ltd
Appendix 6.5	K.Wah Construction Products Ltd
Appendix 6.6	South China Reborn Resources (Zhongshan) Co Ltd
Appendix 6.7	E. Tech Management (HK) Ltd
Appendix 6.8	WEEE.PARK
Appendix 6.9	On Fat Lung Innovative Resources Limited
Appendix 6.10	Lot T7 (FWMG of EPD)
Appendix 6.11	General EcoPark Checklist

_AEC

EXECUTIVE SUMMARY

General

EcoPark is a key element in the Government's waste management policy that aims at promoting the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes. EcoPark is being developed in two phases at site in Tuen Mun Area 38 as shown in *Figure 1-1*. The contract for the management of EcoPark – Contract No. *EP/SP/102/17 Provision of Management Services for EcoPark 2018* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2018.

UPML, the "Operator" of EcoPark, have appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP) (EP-226/2005/F).

This is the fifty-second (52nd) quarterly EM&A report prepared for the operation phase of EcoPark and covers the quarter from January to March 2020. In the reporting quarter, there were twelve tenants in EcoPark Phase 1 and Phase 2, one operator of Lot T7 in EcoPark Phase 1 and one operator of WEEE.PARK in EcoPark Phase 2. The details are provided as below:

Phase 1 tenants and operator comprise:

- Champway Technology Ltd. (Champway) Waste cooking oil
- 3R Hong Kong International Eco-Pioneer Ltd. (3R) Waste plastics
- Hong Kong Biomass (Wood) Collect and Recycle Co. Ltd. (HK Biomass) Waste wood
- Baguio Waste Management & Recycling Ltd. (Baguio) Waste plastics
- HP Telford Envirotech Group Ltd. (HP Telford) Waste plastics
- Food Waste Management Group (FWMG) of EPD Waste wood

Phase 2 tenants and operator comprise:

- K.Wah Construction Products Ltd. (K.Wah) Waste construction materials/waste glass
- E. Tech Management (HK) Ltd. (E. Tech) WEEE
- On Fat Lung Innovative Resources Ltd. (On Fat Lung) Waste rubber tyres
- Chung Yue Steel Group Company Ltd. (Chung Yue) Waste metals
- Hong Kong Battery Recycling Centre Ltd. (HKBRC) Waste lead-acid batteries
- South China Reborn Resources (Zhongshan) Co. Ltd. (South China) Food waste
- WEEE.PARK operated by Alba Integrated Waste Solutions (Hong Kong) Ltd. (Alba IWS) –
 WEEE
- Rocsky International Ltd. (Rocsky) Waste Paper

Recycling activities of WEEE.PARK in Lots P2-P4, FWMG of EPD in Lot T7 and the following eight active tenants were audited in the reporting quarter: Champway, HK Biomass, HP Telford, K. Wah, E. Tech, On Fat Lung, Chung Yue and South China. The lots possessed by HKBRC (i.e. Lots P9 & P10), 3R (i.e. Lots T2 & T3), Baguio (i.e. Lot T6) and Rocsky (i.e. Lots P1, P5, P6 and P7) were inspected but not audited under the EM&A programme during the reporting quarter, as no recycling activities were conducted.

In this reporting quarter, site inspections were conducted by the Operator and the ET on 16th January, 18th February and 19th March 2020. IEC also carried out random site audits on 16th January and 19th March 2020. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 18th February 2020.

Throughput of Materials / Waste Generated

The throughputs of WEEE.PARK and the eight active tenants in the reporting quarter are summarised below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Material Type	Waste Input (tonne)	Product Output ⁽⁴⁾ (tonne)	Waste Disposed ⁽⁴⁾ (tonne)
Waste Organic Food	1,767	1,396	167
Waste Ferrous Metals	16,127	12,365	128
Waste Wood	148	36	-
Waste Electronics	5,180	4,219	714
Waste Plastics	247	144	-
Construction Waste	1,790	7.650	5
Waste Glass	824	7,650	3
Waste Rubber Tyres	n/a	n/a	n/a

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.

Exceedances of Any Measured Action / Limit Levels

The northern part of EcoPark is located within the 250m Landfill Gas (LFG) Consultation Zone of Shiu Lang Shui Landfill. LFG monitoring during this quarter was undertaken on 19th March 2020 at five locations (three in Phase 1 and two in Phase 2). No exceedance of Action or Limit Level was recorded in the reporting quarter.

Summary of Complaints, Summons and Prosecutions

Number of complaints, summons and successful prosecutions in the reporting quarter are summarised below.

• Complaints: Zero.

3

- **Summons:** Zero.
- Successful Prosecutions: Zero

Reporting Changes

There is no change in the reporting quarter.

Future Key Issues

No key issues are anticipated in the next reporting quarter.

Issue 1______ AEC

1 PROJECT BACKGROUND

1.1 Project Overview

- 1.1.1 In the document "A Policy Framework for the Management of Municipal Solid Waste (2005 –2014)", the government set out a comprehensive policy to support the recycling industry. This included allocating suitable land, encouraging research and development, introducing environmental legislation and providing effective support measures. In May 2013, the Environment Bureau launched "Hong Kong Blueprint for Sustainable Use of Resources 2013 2022", which promised continuing support for the recycling industry.
- 1.1.2 EcoPark was developed to support the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes.
- 1.1.3 EcoPark, as shown in *Figure 1-1*, has been developed in Tuen Mun Area 38 in two phases (Phase1 and Phase 2) under Contract *EP/SP/52/06 Development of EcoPark in Tuen Mun Area 38*, which was awarded to Kaden Construction Ltd by the Environmental Protection Department (EPD) in June 2006. Phase 1 construction was completed in July 2009 and Phase 2 construction was completed in November 2010.
- 1.1.4 The contract for the management of EcoPark Contract No. *EP/SP/102/17 Provision of Management Services for EcoPark 2018* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2018.
- 1.1.5 UPML, the "Operator" of EcoPark, has appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP-226/2005/F). Ove Arup & Partners Hong Kong Ltd. (Arup) has been appointed by the EPD as the Independent Environmental Checker (IEC) for the Project. The ET and the IEC carry out the EM&A works for EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP).

1.2 Operation Programme

- 1.2.1 In the reporting period, there were twelve tenants in EcoPark, one operator of Lot T7 and one operator of WEEE.PARK:
 - Alba Integrated Waste Solutions (Hong Kong) Ltd. (Alba IWS) for WEEE.PARK, Food Waste Management Group (FWMG) of EPD for Lot T7, and eight other active tenants (Champway, HK Biomass, HP Telford, Chung Yue, K.Wah, South China, E. Tech and On Fat Lung) who have carried out full recycling operations;
 - HKBRC was without any site operation;
 - One tenant (Baguio) is carrying out building works but without any site operation; and

• Two tenants (3R and Rocsky) are under pre-construction works but without any site operation.

1.3 Project Organisation and Contact Personnel

1.3.1 Key personnel and contact particulars are summarised in *Table 1.1*.

Table 1.1 EM&A Personnel Contact Details

Position	Name	Email Address	Phone No.	
Project Proponent – EPD				
Principal EPO	Mr. Gary C. W. Tam garytam@epd.gov.hk		3690 7860	
Operator – UPML				
Project Manager	Ms. Raindy YIP	raindy.py.yip@urban.com.hk	2212 5900	
Park Manager	Ms. May WU	may.sm.wu@urban.com.hk	2212 5920	
IEC – Ove Arup				
IEC	Mr. Sam TSOI	sam.tsoi@arup.com	2268 3208	
ET-AEC				
ET Leader	Ir. Dr. James WONG	jw@aechk.com	2815 7028	

1.3.2 The organisational structure and lines of communication for the operation of EcoPark with respect to environmental management is given in *Figure 1-2* and *Figure 1-3* respectively.

Figure 1-1 Location of EcoPark in Tuen Mun Area 38



Site Boundary Phase 1 Tenants Phase 2 Tenants

Issue 1_____AEC

Figure 1-2 Organisation Chart of UPML





Figure 1-3 Organisation Chart of EM&A Works (Operation)



2 SUMMARY OF EM&A REQUIREMENT

2.1 Monitoring Parameters

- 2.1.1 Landfill Gas (LFG) is required to be monitored quarterly at service voids and utility boxes within EcoPark because the northern part of EcoPark lies within the 250m LFG Consultation Zone for Siu Lang Shui Landfill, which is located to the north of EcoPark.
- 2.1.2 Operational LFG monitoring has been carried out in Phase 1 after completion of construction in July 2009, commencing in the August to October 2009 quarter. In Phase 2, monitoring has been carried out after completion of construction in November 2010, commencing in the November 2010 to January 2011 quarter.
- 2.1.3 The location for LFG monitoring was not specified in the EM&A Manual since the final design of EcoPark was not available when the EM&A Manual was approved. Therefore, during a joint site inspection on 27th July 2009, three monitoring locations were identified and agreed as suitable monitoring locations by the former ET (SMEC Asia Ltd.), IEC (Atkins China Ltd.) and the Operator (Serco Guardian Joint Venture). Subsequently, two more monitoring locations in Phase 2 were proposed by the former ET and agreed by the IEC and Operator via email in January 2011. These five monitoring locations are listed in *Table 2.1* and shown in *Figure 2-1*.

Table 2.1 Operation Phase LFG Monitoring Locations in EcoPark

Monitoring Station ID	Type Locations			
EP1-1 LFG vent pipe Inside		Inside the landscaping area of Administration Building		
EP1-2 Service void		PCCW below-ground chamber outside Lot T1		
EP1-3	Service void	HGC Broadband below-ground chamber outside Lot T3		
EP2-1	Service void	HGC Broadband below-ground chamber outside Lot P1		
EP2-2	Service void	HGC Broadband below-ground chamber outside Lot P3		

2.1.4 Routine LFG monitoring has been carried out on a quarterly basis. Should EPD alert the Operator that high LFG levels have been detected during monthly monitoring under the Siu Lang Shui Landfill restoration contract, the Operator may be required to increase LFG monitoring to monthly until such time as EPD inform the Operator that quarterly monitoring can be resumed. No detection of high LFG levels under Siu Lang Shui Landfill restoration contract was received from EPD in the reporting quarter.

2.2 Environmental Quality Performance Limits and EAP

2.2.1 The Action/Limit Levels and Event Action Plan (EAP) for LFG are shown in *Table 2.2* below. These refer to LFG detected in excavations, utilities and any enclosed on-site areas. No other A/L Levels or EAPs are specified in the EM&A Manual for the operation phase EM&A.

Table 2.2 Action Levels, Limit Levels and Event and Action Plan for LFG

Parameter	Level	Action	
	Action Level <19% O2	• Ventilate trench/void to restore O ₂ to >19%	
Oxygen (O ₂)	Limit Level <18% O ₂	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore O₂ to >19% 	
Methane	Action Level >10% LEL	 Post "No Smoking" signs Prohibit hot works Increase ventilation to restore CH₄ to <10% LEL 	
(CH ₄)	Limit Level >20% LEL	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CH₄ to <10% LEL 	
Conform	Action Level >0.5% CO ₂	• Ventilate to restore CO ₂ to <0.5%	
Carbon Dioxide (CO ₂)	Limit Level >1.5% CO ₂	 Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CO₂ to <0.5% 	

2.3 Environmental Audit of Non-Monitored Parameters

- 2.3.1 Site inspections provide a direct means to trigger and enforce the environmental protection and pollution control measures specified in the Environmental Impact Assessment (EIA) Report. To examine operational practice, site inspections are to be undertaken by the ET once per month. The monthly inspection shall join with the random site inspection by the IEC where possible. A joint inspection by ET and IEC will be carried out at least once per quarter. Ad hoc site inspections are also carried out if significant environmental problems are identified. In addition, inspections may be required subsequent to receipt of environmental complaint, or as part of the investigation work, as specified in the EAP.
- 2.3.2 The following parameters are required to be audited as part of the operation phase EM&A program:
 - Air Quality
 - Water Quality
 - Waste Management
 - Land Contamination

2.4 Environmental Mitigation Measures


2.4.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the Implementation Schedule are summarised in *Appendix 1*.

2.5 Environmental Requirements in Tenancy Agreements

2.5.1 Environmental requirements specified in tenancy agreements are provided in *Appendix 2*.

<u>10</u>

Figure 2-1 LFG Monitoring Locations within EcoPark



Issue 1_____AEC

3 OPERATION STATUS

3.1 General

- 3.1.1 The location of lots within EcoPark, the current usage and tenant names are shown in *Figure 3-1*. A summary of waste throughputs is provided in *Section 3.12*. Brief descriptions of the active tenants and operators are provided from *Sections 3.2* to *3.10*.
- 3.1.2 In the reporting quarter:
 - HKBRC was without any site operation;
 - Baguio was carrying out building works; and
 - 3R and Rocsky were under pre-construction work.

3.2 Champway Technology Limited

- **Lot No.:** T5 (Phase 1)
- **Lot Size:** Approx. 6,000m²
- Activity: Recycling of Organic Waste (Waste Cooking Oil)
- **Recycling Process:** Turn waste cooking oil into biodiesel by extraction, neutralisation, separation and distillation.
- 3.2.1 In this reporting quarter, waste cooking oil was recycled. Bi-monthly samplings for effluent arising from producing biodiesel have been conducted to comply with the requirement of effluent discharge licence.

3.3 Hong Kong Biomass (Wood) Collect and Recycle Company Limited

- **Lot No.:** T4 (Phase 1)
- **Lot Size:** Approx. 5,000m²
- Activity: Recycling of Waste Woods
- **Recycling Process:** Recycle waste woods to wood fuel pellets. Ferrous metals will be separated by magnets.
- 3.3.1 In this reporting quarter, waste wood was recycled.

3.4 HP Telford Envirotech Group Limited

- **Lot No.:** T1 (Phase 1)
- Lot Size: Approx. 5,000m²
- Activity: Recycling of Waste Plastics
- Recycling Process: Sorting, shredding and baling of waste plastic

3.4.1 In this reporting quarter, waste plastics were recycled.

3.5 Chung Yue Steel Group Company Limited

- **Lot No.:** P13 (Phase 2)
- **Lot Size:** Approx. 10,000 m²
- Activity: Recycling of Waste Metals
- **Recycling Process:** Turn waste metals into non-ferrous scrap, light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing.
- 3.5.1 In this reporting quarter, waste metals were recycled.

3.6 K. Wah Construction Products Ltd.

- **Lot No.:** P11 (Phase 2)
- **Lot Size:** Approx. 10,000 m²
- Activity: Recycling of Waste Construction Materials/Waste Glass
- Recycling Process: Waste construction materials and waste glass will be crushed and delivered to the concrete mixing plant for blending and poured into block machine for casting. The blocks will then be cured, washed and packaged.
- 3.6.1 In this reporting quarter, waste construction materials and waste glasses were recycled.

3.7 South China Reborn Resources (Zhongshan) Company Ltd.

- **Lot No.:** P12 (Phase 2)
- **Lot Size:** Approx. 9,000 m²
- Activity: Recycling of Organic Waste (Food Waste)
- **Recycling Process:** Food waste will be segregated. The recyclable portion will undergo deodorisation, dewatering, shredding, fermentation and drying to produce high protein animal feed for livestock farming and aquaculture.
- 3.7.1 In this reporting quarter, food waste was recycled. Also, the tenant adopted "tankered away" approach for handling of industrial effluent arising from the recycling of food waste instead of discharging into foul sewer.

3.8 WEEE.PARK

- Lot No.: P2, P3, P4 (Phase 2)
- **Lot Size:** Approx. 30,000 m²
- **Activity:** Recycling of WEEE
- Recycling Process: Four major types of WEEE (i.e. refrigerator and freezers, air conditioners, e-scrap, TV and computer screens) will be recycled. The recycling

processes include separation of insulation/backlighting/plastics/various metals, recovery of screen/monitor stand/refrigerant/oil/hazardous materials, and shredding of casing.

3.8.1 In this reporting quarter, WEEE was recycled.

3.9 On Fat Lung Innovative Resources Ltd.

- **Lot No.:** P8 (Phase 2)
- **Lot Size:** Approx. 4,400 m²
- Activity: Recycling of Waste Rubber Tyres and WEEE
- Recycling Process: Waste rubber tyres will be shredded into rubber powder and processed to form rubber bricks. WEEE will be dismantled/shredded and recovered for reusable components.
- 3.9.1 In this reporting quarter, waste rubber tyres were recycled.

3.10 Food Waste Management Group (FWMG) of EPD

- **Lot No.:** T7 (Phase 1)
- **Lot Size:** Approx. 4,000m²
- Activity: Temporary storage of wood chip and waste trees handling
- **Recycling Process:** Bulk reduction of waste tree by mechanical shearing and chipping.
- 3.10.1 In this reporting quarter, temporary storage of wood chip and waste trees handling were conducted.

3.11 E. Tech Management (HK) Limited

- **Lot No.:** P14 (Phase 2)
- Lot Size: Approx. 5,000m²
- **Activity:** Recycling of WEEE
- **Recycling Process:** CRT, computer/electronics, white goods and florescent lamps will be recycled. The recycling processes include testing and dismantling of components, repair of refurbished equipment, sorting for reusable components and shredding for scrap..
- 3.11.1 In this reporting quarter, WEEE was recycled.

3.12 Throughput Statistics

3.12.1 For the active recyclers, most of the incoming waste materials and outgoing products were delivered by land transportation, except for the metals from Chung Yue were delivered by both marine and land transportation.

3.12.2 The throughputs of WEEE.PARK and the eight active tenants are summarised in *Table* 3.1 below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lot.

Table 3.1 Throughput Statistics for the Reporting Quarter


Material Type	Waste Input (tonne)	Product Output (4) (tonne)	Waste Disposed (4) (tonne)
Waste Organic Food	1,767	1,396	167
Waste Ferrous Metals	16,127	12,365	128
Waste Wood	148	36	-
Waste Electronics	5,180	4,219	714
Waste Plastics	247	144	-
Construction Waste	1,790	7.650	5
Waste Glass	824	7,650	3
Waste Rubber Tyres	n/a	n/a	n/a

Notes:

- The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.
- 3.12.3 Detailed throughput figures of the reporting quarter are provided in *Appendix 3.1*. Updated throughput figures of the previous months are provided in *Appendix 3.2*.

3.13 Process Review

- 3.13.1 Process Review, and possibly Design Audit (DA) where required, had been conducted for each recycling process to be operated within EcoPark to confirm its compliance with the findings and recommendations of the EIA report and the conditions of the EP.
- 3.13.2 Since 2008, twenty four process reviews and three DAs had been approved. Among those, sixteen process reviews and three DAs are related to the current recycling processes in EcoPark as of March 2020. In the reporting period, neither process review nor DA were approved in the reporting period. Full set of the completed PRCs and DAs are submitted separately to relevant authorities in EPD.



4 IMPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES

- 4.1.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the implementation schedule are summarised in *Appendix 1*. Environmental requirements specified in tenancy agreements are summarised in *Appendix 2*.
- 4.1.2 By the end of March 2020, WEEE.PARK, Lot T7 (FWMG of EPD) and eight tenants (Champway, HK Biomass, HP Telford, K. Wah, E. Tech, Chung Yue, South China and On Fat Lung) were under full operation.
- 4.1.3 Appropriate environmental protection measures are in place at all lots.

5 MONITORING RESULTS

5.1 Monitoring Date, Time, Frequency and Duration

5.1.1 As described in *Section 2.1*, operational LFG monitoring is conducted quarterly at five monitoring locations, three in Phase 1 and two in Phase 2. In this reporting quarter, monitoring was undertaken on 19th March 2020. Monitoring details are shown *Table 5.1* below.

Table 5.1 Sampling Schedule for the Quarterly LFG Monitoring

Station ID	Sampling Date	Time	Duration	Ambient Air Temp.	Weather
EP1-1		09:40 - 09:42	2 minutes	21°C	Overcast
EP1-2		10:00 - 10:02	2 minutes	21°C	Overcast
EP1-3	19 th March 2020	09:57 – 09:59	2 minutes	21°C	Overcast
EP2-1		09:50 - 09:52	2 minutes	21°C	Overcast
EP2-2		09:52 - 09:54	2 minutes	21°C	Overcast

5.2 Monitoring Methodology, Parameters and Equipment

5.2.1 The LFG monitoring requirement and methodology are stipulated in *Section 6* of the EM&A Manual. The LFG monitoring parameters and their measurement ranges are detailed in *Table 5.2* below.

Table 5.2 Parameters and Measurement Ranges for LFG Monitoring

Parameters	Measurement Ranges
Methane (CH ₄)	0 – 100% LEL & 0-100% v/v
Oxygen (O ₂)	0 - 25% v/v
Carbon Dioxide (CO ₂)	0 – 100% v/v
Barometric Pressure	mBar (absolute)

- 5.2.2 LFG monitoring shall be carried out using intrinsically-safe, portable multi-gas monitoring instruments. The gas monitoring equipment shall:
 - 1. Where possible, comply with BS 6020 and be approved by BASEEFA as intrinsically safe, suitable for use in a Zone 2 are to BS 5345;
 - 2. Be capable of continuous monitoring of methane, oxygen and carbon dioxide;
 - 3. Be capable of continuous barometric pressure and gas pressure measurements;
 - 4. Normally operate in diffusion mode unless required for spot sampling, when it should be capable of operating by means of an aspirator or pump;

- 5. Have low battery, fault and over range indication incorporated;
- 6. Store monitoring data, and shall be capable of being down-loaded directly to a PC; and

mBar (absolute)

7. Measure in the following ranges:

Barometric pressure

- Methane 0 - 100% LEL & 0 - 100% v/v

- Oxygen 0-25% v/v- Carbon dioxide 0-100% v/v

5.3 Results and Graphical Plots of Monitoring Parameters

- 5.3.1 One InfraRed Gas Analyser Model GA5000 (serial number G501982) was used for LFG measurements. The gas analyser is calibrated every 6 months. *Appendix 4* presents the calibration records of the monitoring equipment.
- 5.3.2 LFG monitoring results are summarised in *Table 5.3* and compared with the Action and Limit Levels tabulated in *Table 2.2*. Graphical plots of the monitoring results are also provided in *Appendix 5*.

Table 5.3 Quarterly LFG Monitoring Results in the Reporting Quarter

		Monitoring Results				
Station ID	Sampling Date	Methane (% v/v)	Methane (% LEL)	Oxygen (% v/v)	Carbon Dioxide (% v/v)	Barometric Pressure (mBar)
EP1-1		0.2	4	20.7	< 0.1	1018
EP1-2	10th Manala	0.1	2	20.5	< 0.1	1018
EP1-3	19 th March 2020	0.1	2	20.5	< 0.1	1018
EP2-1	2020	0.1	2	20.6	< 0.1	1018
EP2-2		0.1	2	20.3	< 0.1	1018

5.3.3 No exceedance of Action and Limit Levels was recorded in the reporting quarter.

6 SUMMARY OF ENVIRONMENTAL AUDIT

6.1 General

- 6.1.1 In the reporting quarter, WEEE.PARK, Lot T7 (FWMG of EPD) and eight active tenants were under full operation.
- 6.1.2 Environmental audits based on the approved site inspection checklist were carried out by the Operator and the ET on 16th January, 18th February and 19th March 2020. IEC random site audits were also carried out on 16th January and 19th March 2020. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 18th February 2020. The completed audit checklists for tenants are provided in *Appendix 6*.

6.2 Champway Technology Limited

6.2.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.1* below. The completed checklists for Champway are given in *Appendix 6.1*.

Table 6.1 Environmental Audit Findings for Champway

Date	Item	Comment	Status		
Observations I	Observations From Previous Reporting Quarters				
19 Mar 2019	No labelling is provided to the chemical waste and chemical waste storage area, which should also be provided with adequate ventilation.	The tenant should review relevant requirements stipulated in the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes and provide proper labelling to the chemical waste and chemical waste storage area with adequate ventilation.	As observed on 16 Jan 2020, a proper signage for the relocated chemical waste storage area at the northern part of the lot was provided by the tenant. The chemical container without securely attached chemical waste label was removed from the storage area.		
24 Jul 2019	No chemical waste label is provided on one of the chemical waste containers which stored at the chemical waste storage area.	The tenant was reminded to provide proper chemical waste labels to all chemical waste containers.	As observed on 16 Jan 2020, a proper signage for the relocated chemical waste storage area at the northern part of the lot was provided by the tenant. The chemical container without securely attached chemical waste label was removed from the storage area.		

Date	Item	Comment	Status
22 Oct 2019	General refuse was observed in the perimeter drain next to the exhaust of carbon filter.	The tenant was reminded to remove the refuse in order to prevent any blockage.	As observed on 18 Feb 2020, general refuse had been cleared from the perimeter drain next to the exhaust of carbon filter.
22 Oct 2019	Milky discharge was observed in the stormwater drain at the entrance area.	The tenant was reminded to prevent any untreated runoff from discharging to the stormwater drain which should follow the discharge standard of the WPCO discharge licence.	Milky oil discharge were still observed in the stormwater drain at the entrance area during the inspection in 19 Mar 2020. The status will be reviewed in the next inspection in Apr 2020.
22 Oct 2019	Grease was observed accumulated at the storage tank area.	The tenant was reminded to regularly clear it and seal up in between the concrete barriers to prevent any potential leakage into the perimeter drain.	As no grease was observed in perimeter drain adjacent to filter press system during regular site inspections between November 2019 and February 2020, it is considered that the current measures, such as concrete barriers and regular waste removal, are sufficient to prevent oil product from entering into perimeter drain.
22 Oct 2019	The bi-monthly sampling record of effluent discharge for Sep 2019 was outstanding while the results for effluent sampling in Oct 2019 was presented during ET's inspection.	The tenant should keep records of bi-monthly sampling results for vetting and provide the renewed Licence once available.	As observed on 16 Jan 2020, under the renewed discharge licence, bi-monthly sampling results complying with discharge limitations was provided by the tenant.
19 Nov 2019	Oil spillage was found in adjacent to the chemical waste storage area owing to machinery repairment	The tenant should clean up the spillage with sufficient absorbent and dispose of as chemical waste.	As observed on 16 Jan 2020, oil spillage adjacent to the chemical waste storage area owing to machinery repairment had been removed.
23 Dec 2019	Oil spillage was observed adjacent to the cooling tower.	Same as the item.	As observed on 16 Jan 2020, the oil spillage adjacent to the cooling tower had been cleaned up.

Issue 1_____ _AEC

EcoPark Operation	
O4-1-E	A 124 D -

Date	Item	Comment	Status
23 Dec 2019	Oil stain was found at the vehicular access.	The tenant was requested to clean up the stain.	Although most of the oil stain had been removed, a portion of oil stain was still found at the vehicular during the inspection on 19 Mar 2020. The status will be reviewed in the next inspection in Apr 2020.
Observations I	From This Reporting	Quarter	
16 Jan 2020	Two dark oil stains were observed on the floor between toilet and blower area.	The tenant should clean the stains off the floor by using absorbent material and dispose of as chemical waste.	As observed on 18 Feb 2020, two dark oil stains observed on the floor between toilet and blower area was removed.
18 Feb 2020	No new critical issu	e was identified.	
19 Mar 2020	Oil spillage was observed nearby the tray of waste oil sludge stockpile.	The tenant was reminded to clean up the oil spillage.	The status will be reviewed in the next inspection in Apr 2020.

6.3 Hong Kong Biomass (Wood) Collect and Recycle Company Limited

6.3.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.2* below. The completed checklist for HK Biomass is given in *Appendix 6.2*.

Table 6.2 Environmental Audit Findings for HK Biomass

Date	Item	Comment	Status		
Observations .	Observations From Previous Reporting Quarters				
None					
Observations .	From This Reporting	Quarter			
16 Jan 2020	No new critical issu	No new critical issue was identified.			
18 Feb 2020	No new critical issu	No new critical issue was identified.			
19 Mar 2020	Smoke and dust emission was seen during the operation of the site.	The tenant was reminded to implement dust-suppression measures to reduce dust emission.	The status will be reviewed in the next inspection in Apr 2020.		

6.4 HP Telford Envirotech Group Limited

6.4.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.3* below. The completed checklists for HP Telford are given in *Appendix 6.3*.

Table 6.3 Environmental Audit Findings for HP Telford

Date	Item	Comment	Status	
Observations .	Observations From Previous Reporting Quarters			
None				
Observations .	Observations From This Reporting Quarter			
16 Jan 2020	No new critical issue was identified.			
18 Feb 2020	No new critical issue was identified.			
19 Mar 2020	No new critical issue was identified.			

6.5 Chung Yue Steel Group Company Limited

6.5.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.4* below. The completed checklists for Chung Yue are given in *Appendix 6.4*.

Table 6.4 Environmental Audit Findings for Chung Yue

Date	Item	Comment	Status
Observations I	From Previous Repor	ting Quarters	
19 Nov 2019	A truck with transported materials was observed without covering	The tenant should fully cover the transported materials and avoid overloading of transported materials.	As observed on 18 Feb 2020, no trucks with improper cover were observed during the inspection.
Observations I	From This Reporting	Quarter	
16 Jan 2020	No new critical issu	e was identified.	
18 Feb 2020	Smoke and dust emission has been seen during the operation of the site.	The tenant is reminded to implement dust-suppression measures to reduce dust emission.	As observed on 19 Mar 2020, water spraying was applied to the floor and a stockpile was covered by tarpaulin sheeting for dust suppression.
19 Mar 2020	No new critical issue was identified.		

6.6 K.Wah Construction Products Limited

6.6.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.5* below. The completed checklists for K.Wah are given in *Appendix 6.5*.

Table 6.5 Environmental Audit Findings for K. Wah

Date	Item Comment		Status
Observations From Previous Reporting Quarters			
24 Jul 2019	Stockpiles of concrete block and	The tenant was reminded to provide tarpaulin for	As observed on 19 Mar 2020, the remaining

Date	Item	Comment	Status	
	earth materials are exposed and located on top of a stormwater drainage channel.	covering the stockpiles and regularly inspect the stormwater channel especially after raining events in order to prevent accumulation of grit and blockage in the stormwater channel.	stockpiles were sufficiently watered during inspection.	
19 Nov 2019	Some of the chemical waste containers which stored in the chemical waste storage area were observed without chemical waste labels.	The tenant should provide proper label on each chemical waste container.	As observed on 16 Jan 2020, chemical waste containers stored in the chemical waste storage area were provided with chemical waste labels.	
23 Dec 2019	Chemical containers were found above the perimeter drain near the site entrance.	The tenant was requested to relocate these chemical containers in order to prevent any chemical leakage entering the perimeter drain.	As of 16 Jan 2020, the chemical containers above the perimeter drain near the site entrance had been removed.	
Observations From This Reporting Quarter				
16 Jan 2020	No new critical issue was identified.			
18 Feb 2020	No new critical issue was identified.			
19 Mar 2020	No new critical issue w	No new critical issue was identified.		

Issue 1_____ AEC

6.7 South China Reborn Resources (Zhongshan) Company Limited.

6.7.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.6* below. The completed checklists for South China are given in *Appendix 6.6*.

Table 6.6 Environmental Audit Findings for South China

Date	Item	Comment	Status
Observations I	From Previous R	eporting Quarters	
19 Nov 2019	Scum was observed in the stormwater drain.	The tenant should regularly inspect and review to prevent accidental spillage of cleansing water from entering the manholes.	As observed on 18 Feb 2020, the milky discharge and oil mixture in the stormwater drain has been removed.
23 Dec 2019	Scum was observed in the perimeter drain	The tenant should regularly inspect and clean up the scum.	As observed on 18 Feb 2020, the scum in the perimeter basin has been removed.
Observations From This Reporting Quarter			
16 Jan 2020	No new critical issue was identified.		
18 Feb 2020	No new critical issue was identified.		
19 Mar 2020	No new critical	issue was identified.	

6.8 E. Tech Management (HK) Limited.

6.8.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.7* below. The completed checklists for E. Tech are given in *Appendix 6.7*.

Table 6.7 Environmental Audit Findings for E. Tech

Date	Item	Comment	Status			
Observations .	Observations From Previous Reporting Quarters					
Improper signage for Chemical Waste Storage Area was observed and could not meet the requirements as stipulated in the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes. Improper signage for Chemical Waste The tenant was requested to provide rectification on proper signage of chemical waste storage areas was provided. As observed on 16 Jan 2020, proper signage of chemical waste storage areas was provided.						
Observations From This Reporting Quarter						

Date	Item	Comment	Status
16 Jan 2020	No new critical issue was identified.		
18 Feb 2020	No new critical issue was identified.		
19 Mar 2020	No new critical issue was identified.		

6.9 WEEE.PARK

6.9.1 Audit observations from this reporting quarter are summarised in *Table 6.8* below. The completed checklists for WEEE.PARK are given in *Appendix 6.8*.

Table 6.8 Environmental Audit Findings for WEEE.PARK

Date	Item	Comment	Status		
Observations I	Observations From Previous Reporting Quarters				
19 Nov 2019	Some of the chemical waste containers which stored in the chemical waste storage area was observed without chemical waste labels	The tenant should provide proper label on each chemical waste container.	As observed on 16 Jan 2020, chemical waste containers stored in chemical waste storage areas had been provided with chemical waste labels.		
None	None				
Observations From This Reporting Quarter					
16 Jan 2020	No new critical issue was identified.				
18 Feb 2020	No new critical issue was identified.				
19 Mar 2020	No new critical issue was identified.				

6.10 On Fat Lung Innovative Resources Limited

6.10.1 Audit observations from this reporting quarter are summarised in *Table 6.9* below. The completed checklists for On Fat Lung are given in *Appendix 6.9*.

Table 6.9 Environmental Audit Findings for On Fat Lung

Date	Item	Comment	Status		
Observations I	Observations From Previous Reporting Quarters				
23 Dec 2019	Dusty stockpile was not entirely covered.	The tenant was requested to entirely cover the dusty stockpile with impervious sheeting.	As observed on 16 Jan 2020, dusty stockpile on the ground was entirely covered with impervious sheeting.		
None					
Observations From This Reporting Quarter					
16 Jan 2020	No new critical issue was identified.				
18 Feb 2020	No new critical issue was identified.				

Date	Item	Comment	Status
19 Mar 2020	No new critical issue was identified.		

6.11 Lot T7 (FWMG of EPD)

6.11.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.10* below. The completed checklists of general site inspection for EcoPark are given in *Appendix 6.10*.

Table 6.10 Environmental Audit Findings for Lot T7

Date	Item	Comment	Status		
Observations Fr	Observations From Previous Reporting Quarters				
None					
Observations From This Reporting Quarter					
16 Jan 2020 No new critical issue was identified.					
18 Feb 2020	No new critical issue was identified.				
19 Mar 2020	No new critical issue was identified.				

6.12 General Condition of EcoPark

6.12.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6.11* below. The completed checklists of general site inspection for EcoPark are given in *Appendix 6.11*.

Table 6.11 General EcoPark Audit Findings

Date	Item	Comment	Status		
Observations Fr	Observations From Previous Reporting Quarters				
None					
Observations From This Reporting Quarter					
16 Jan 2020 No new critical issue was identified for HKBRC, Baguio and other areas.			and other areas.		
18 Feb 2020	No new critical issue was identified for HKBRC, Baguio and other areas.				
19 Mar 2020	No new critical issue was identified for HKBRC, Baguio and other areas.				

7 ENVIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTION

7.1 Follow-up on Previous Environmental Complaint

Wastewater Treatment at South China received on 26th October 2016

- 7.1.1 Flow meters were installed at various points of the wastewater treatment system, e.g. incoming pipe for the storage tank at 3/F, the outgoing pipe of the treatment tank for recycling, the wastewater collection pipes for washing area at G/F, etc. The flow data was recorded to monitor the quantity of wastewater generated from different areas. During this reporting quarter, no discharge of wastewater was recorded based on the flow data record inspected. The wastewater was collected and transported to designated treatment facility by a licenced collector as a temporary measure.
- 7.1.2 As verbally informed by the tenant, the expired discharge licence would not be renewed and the upgrade of the WTP would not be carried out. The wastewater would continually be collected and transported to designated treatment facility by a licenced collector.
- 7.2 New Environmental Complaint, Notification of Summon and Successful Prosecution in the Reporting Period
- 7.2.1 By the end of March 2020, no complaint or notification of summon or successful prosecution related to recycling activities was received in this reporting quarter.

28

EcoPark Operation

8 CONCLUSIONS

- 8.1.1 This is the fifty-second (52nd) quarterly EM&A report prepared for the operation phase of EcoPark and covers the reporting quarter from January to March 2020. The recycling activities are audited on a monthly basis and the results are summarised in this report. In the reporting quarter, there were twelve tenants in EcoPark Phase 1 and Phase 2, one operator (FWMG of EPD) of Lot T7 in EcoPark Phase 1 and one operator (Alba IWS) in EcoPark Phase 2.
- 8.1.2 The ET has conducted monthly site inspections while the IEC has carried out full site inspection on quarterly basis and random site audits on monthly basis, and some general observations have been made. The approved checklist has been used in the monthly site inspections for various tenants.
- 8.1.3 The throughputs of WEEE.PARK and the eight active tenants in the reporting quarter are summarised in *Table 8.1*. Please note that product output plus waste disposal do not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Material Type	Waste Input (tonne)	Product Output (4) (tonne)	Waste Disposed (4) (tonne)	
Waste Organic Food	1,767	1,396	167	
Waste Ferrous Metals	16,127	12,365	128	
Waste Wood	148	36	-	
Waste Electronics	5,180	4,219	714	
Waste Plastics	247	144	-	
Construction Waste	1,790	7 650	5	
Waste Glass	824	7,650	3	
			1	

Table 8.1 Throughput Statistics for the Reporting Quarter

Notes:

Waste Rubber Tyres

1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.

n/a

n/a

- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.

n/a


- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.
- 8.1.4 LFG monitoring during the reporting quarter was undertaken on 19th March 2020 at five locations (three in Phase 1 and two in Phase 2). No exceedance of Action or Limit Level was recorded in the reporting quarter.
- 8.1.5 Numbers of complaints, summons and successful prosecutions in the reporting quarter are summarised below:

• **Complaints:** Zero.

<u> 29</u>

- **Summons:** Zero.
- Successful Prosecutions: Zero.
- 8.1.6 In the next reporting quarter, LFG monitoring in operation phase for Phase 1 and Phase 2 will be continued.

Issue 1______AEC



EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
General					
5.5.23 to 5.5.25, 10.2.24 & 10.2.37	4.2.5 to 4.2.8	The Operator shall develop and implement an Emergency Response Plan (ERP) that lists the procedures to be followed in case of fire, fuel or chemical spillage or other emergency within the EcoPark.	Throughout the duration of the operation.	Operator	
12.2	7.2	No process shall be allowed to operate within EcoPark without approval from WFBU. Approval will be based on the ten-step Process Review, which may include a Design Audit if deemed to be necessary.	Throughout the duration of the operation.	ET IEC Project Proponent	
	8.1.2	All reports (including Process Review Checklists and any Design Audits) shall be prepared and certified by the ET, verified by the IEC and approved by the Project Proponent.	Throughout the duration of construction works until construction is substantially completed. Throughout the duration of the operation.	ET IEC Project Proponent	
12.3	7.3	The Operator shall prepare and implement an Environmental Management Plan (EMP) to define mechanisms for achieving the environmental requirements specified in the EIA, EP and in statutory regulations.	Throughout the duration of the operation.	Operator	
Air Quality	,				
13.2		The Operator shall ensure that EcoPark "base case" assumptions for air quality shown in Table 13.1 of the Final EIA Report are met by tenants, as a whole.	Throughout the duration of the operation.	Operator	Table 13.1 of the Final EIA Report
Water Qua	lity				
5.4.11 & 5.6.7		To minimise the chance of accidental spillage during loading and unloading, and thereby reduce marine water quality impacts, well established cargo handling guidelines should be followed.	Adjacent to EcoPark marine frontage when loading or unloading goods.	Operator Operators of bulk carriers	Sections 5 & 6 of IMO Code of Practice for the Safe Loading/ Unloading of Bulk Carriers


AEC Issue 1

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
5.5.19		Contaminated water collected in the surface drainage systems shall be treated at the WTF or other appropriate treatment facility.	Within EcoPark throughout the life of the facility.	Operator	
5.5.23 to 5.5.25	4.2.5 to 4.2.7	An Emergency Response Plan (ERP) will be formulated to address various accident scenarios. The ERP will be certified by the Environmental Team (ET) and verified by the Independent Environmental Checker (IEC) under the operation EM&A programme.	Within EcoPark throughout the life of the facility.	Operator	
5.6.4		For uncovered areas where recovery process identified as causing potentially high level of contamination are located, stop-logs will be installed in the perimeter drainage system to isolate contamination.	Within EcoPark throughout the life of the facility.	Operator	
	4.2.2	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
Waste Man	agement				
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
6.8.16		The dust collected by any air pollution control equipment installed by tenants must be tested to ensure compliance for landfill disposal.	Within EcoPark throughout the life of the facility.	Operator	Practice Note for disposal of dusty waste at landfills & Admission Ticket System
6.8.18 & 6.8.22	5.2.4	Sludge will be disposed of at WENT landfill, or at any future dedicated sludge treatment facility. Sludge will be collected by a Licensed collector at regular intervals, as determined by the operation of the WTF.	Within EcoPark throughout the life of the facility.	Operator	

AEC Issue 1_

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
6.8.21	5.2.4	Chemical wastes shall be stored in appropriate containers in a covered area. "No Smoking" signs will be clearly displayed to prevent accidental ignition of flammable materials. Drip trays capable of storing 110% of the volume of the largest container will be used to mitigate possible leakage.	Within EcoPark throughout the life of the facility.	Operator	Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes
	5.2.3 & 5.2.5	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC	
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation
Prevention	of Contam	inated Land			
7.3.1	5.3.2	Any spillages of contaminating material shall be cleaned up immediately through the use of an absorbent. Any such used material should then be considered chemical waste and disposed of appropriately.	Within EcoPark throughout the life of the facility.	Operator	
7.3.3		Any areas within the lot to be used for recycling processes shall be concrete paved before recycling activities commence.	Within EcoPark throughout the life of the facility.	Operator	
7.3.5	5.3.2	During operation, the greatest risk of land contamination will come from storage of chemical wastes, therefore the measures should be followed:	Within EcoPark throughout the life of the facility.	Operator	
		 All chemical storage areas shall be provided with locks and be sited on sealed areas. The storage areas shall be surrounded by bunds with a capacity equal to 110% of the storage capacity of the largest tank to prevent spilled oil and chemicals from contaminating the ground. Chemical wastes will be collected, stored and disposed of in 			

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines
		accordance with the Regulation. Disposal of other construction waste will be undertaken by licensed contractors in accordance with applicable statutory requirements in the WDO.			
		Chemical wastes shall be handled according to the relevant code of practice. Spent chemicals shall be stored and collected by an approved operator for disposal at a licensed facility in accordance with the relevant regulation.			
Landfill Ga	is				
8.7.10 & 8.7.11	6.1.2	 Alert workers and visitors of possible LFG hazards Prohibit smoking and open fires on site Conduct regular (quarterly) LFG monitoring at mobile offices, equipment stores, etc. 	Within EcoPark throughout the life of the facility.	Operator	
	6.4.3	Following construction, routine monthly monitoring may be required at service voids and utility boxes. The monitoring requirement and specific locations of monitoring points shall be established based on the findings of the monitoring carried out during construction (i.e. if no LFG is detected during construction then no routine monitoring is required). The need for continued monitoring shall, however, be reviewed through discussion with EPD.	Within EcoPark throughout the life of the facility.	Operator	
Hazard to	Life				
10.4.3		Building height limit within EcoPark shall be applied to structures within which people may work at elevated levels.	Within EcoPark throughout the life of the facility.	Operator	EIA Report Table 10.2
Landscape	and Visua				
9.4.4		It recommended that this commonality be promoted throughout EcoPark by the Operator and adopted by tenants, if practicable.	Within EcoPark throughout the life of the facility.	Operator	



Compliance of Environmental Legislation

5. The Tenant shall comply with and observe all Ordinances, by-laws, regulations and rules for the time being in force in Hong Kong governing the control of any form of pollution, including air, noise, water and waste pollution, and for the protection of the environment.

Air Pollution

6. Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance

(Cap. 311), which exists or which is imminent, without the prior written approval of the Director.

Water Pollution

- 7. (a) In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358) any regulations made thereunder and any amending legislation, the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, storm-water drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director, the Tenant shall at its own cost(s) separate, collect, and discharge all process or industrial wastewater which comply with the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.
 - (b) Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pretreatment plants within the Premises if such process or industrial wastewater could not meet the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence. The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
 - (c) In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap. 466) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Waste Management

- 8. (a) The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap. 354).
 - (b) The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all materials arising from recycling activities, chemical materials arising from maintenance of plant and equipment, sewage sludge (from wastewater treatment facilities, if any) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Landlord and/or the Director.

Noise Pollution

- 9. (a) The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Landlord and/or the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to disturbance to the general public under the Noise Control Ordinance (Cap. 400) any regulations made thereunder and any amending legislation.
 - (b) The decision of the Landlord or the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Landfill Gas Hazard

10. To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005/A regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia

Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

EcoPark Being Within the 250m Consultation Zone of Siu Lang Shui Landfill

- 11. (a) The Tenant acknowledges that the EcoPark is within the 250m Consultation Zone of the Siu Lang Shui Landfill and that the Premises may be affected by problems associated with migrating landfill gas and undertakes to provide suitable precautionary or protection measures at his own expense to control these potential hazards.
 - (b) The Tenant shall ensure all personnel entering the Premises and all visitors to the Premises are aware of the potential hazards of the landfill gas by posting suitable warning notices of the potential hazards at his own expense.
 - (c) All buildings and enclosed structures, including temporary offices, temporary stores and the administration building, within the 250m Consultation Zone of the Siu Lang Shui Landfill shall be provided with the following measure(s):
 - (i) buildings shall be raised clear of the ground with a clear separation distance (as measured from the highest point on the ground surface to the underside of the lowest floor joist) of at least 500mm; or
 - (ii) a low-gas permeability membrane shall be applied to the surface of any wall or floor slab that rests on or is below ground. A gravel-fill vent system shall be provided such that passive venting is achieved around the perimeter of the structure. In addition, other building materials, such as dense well-compacted concrete or steel shuttering which provide a measure of resistance to gas permeation, shall be used to achieve gas protection.
 - (d) The Tenant shall ensure that the electrical equipment used on the Premises shall be intrinsically safe. Welding, flame-cutting or other hot works shall be confined to the open areas of the Premises and shall be at least 15m away from any ground-level confined space.
 - (e) No drilling, trenching and excavation shall be allowed on the Premises. During any construction work, the Tenant shall observe the guidelines recommended in Chapter 8 of the "Landfill Gas Hazard Assessment Guidance Note" published by the Department of Environmental Protection. In particular, no smoking, naked

flames and all other sources of ignition shall be allowed within 15m of any ground-level confined space.

Hazard to Life Impact

- 12. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005/A (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
 - (a) bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005/A (including any updated Permit, amended permit and further permit).

Landscape and Visual Impacts

13. To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005/A regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).

Environmental Permits Relating to EcoPark

14. The Tenant hereby declares, confirms and acknowledges that it is fully aware that, pursuant to the Environmental Impact Assessment Ordinance (Cap.499), the Director has the right to grant, amend or revoke environmental permit(s) or to grant further or amended environmental permit(s) relating to the lots comprising the EcoPark and any other lots but that such right may be challenged by third parties on justifiable grounds. The Tenant hereby undertakes to waive all its rights and remedies for any loss, damages, cost and expenses whatsoever which it may sustain and/or incur directly or

indirectly as a result of the grant, amendment or revocation of the environmental permit(s) or the consequential grant of further or amended environmental permit(s), including but not limited to any right to terminate this Lease and/or to make any claim against the Landlord and/or the Director for any compensation whatsoever.






Table A3.1-1 Recycling of Waste Organic Food

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
January 2020	908	703	80
February 2020	860	693	87
March 2020	n/a	n/a	n/a

Table A3.1-2 Recycling of Waste Ferrous Metals

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
January 2020	7,981	8,075	66
February 2020	8,146	4,290	62
March 2020	n/a	n/a	n/a

Table A3.1-3 Recycling of Waste Wood

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
January 2020	65	12	-
February 2020	83	23	-
March 2020	n/a	n/a	n/a

Table A3.1-4 Recycling of Waste Electronics

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
January 2020	1,715	1,340	225
February 2020	1,671	1,459	250
March 2020	1,794	1,420	239

Table A3.1-5 Recycling of Waste Plastics

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
January 2020	107	66	-
February 2020	140	78	-
March 2020	n/a	n/a	n/a

Table A3.1-6 Recycling of Waste Glass and Construction Waste

	Waste Inp	out (tonne)	Product	Waste
Date	Construction Waste	Glass	Output ⁽⁴⁾ (tonne)	Disposal ⁽⁴⁾ (tonne)
January 2020	324	359	3,354	5
February 2020	1,466	465	4,296	-
March 2020	n/a	n/a	n/a	n/a

Table A3.1-7 Recycling of Waste Rubber Tyres

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
January 2020	n/a	n/a	n/a
February 2020	n/a	n/a	n/a
March 2020	n/a	n/a	n/a

Notes:

- 1) The throughput data presented in Tables A3.1-1 to A3.1-7 has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) The presented throughput is the best available data.
- 6) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.




Table A3.2-1 Recycling of Waste Organic Food

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
September 2019	757*	654*	59*
October 2019	828*	776*	74*
November 2019	723	733	57
December 2019	786	692	62

Table A3.2-2 Recycling of Waste Ferrous Metals

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
December 2019	8,827	11,695	74

Table A3.2-3 Recycling of Waste Wood

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
December 2019	141	58	-

Table A3.2-4 Recycling of Waste Electronics

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
November 2019	1,864*	1,684*	213*
December 2019	1,889	1,431*	252*

Table A3.2-5 Recycling of Waste Plastics

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
December 2019	204	199	_*

Table A3.2-6 Recycling of Waste Glass and Construction Waste


	Waste Inp	out (tonne)	Product	Waste	
Date	Construction Waste	Glass	Output ⁽⁴⁾ (tonne)	Disposal ⁽⁴⁾ (tonne)	
December 2019	1,224	164	5,165	15	

Table A3.2-7 Recycling of Waste Rubber Tyres

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)		
October 2019	122	120	-		
November 2019	108	100	-		
December 2019	94	94	-		

Notes:

- 1) The throughput data in Tables A3.2-1 to A3.2-6 supersede the same batch of the throughput data in previous Quarterly Environmental Monitoring & Audit Reports. The presented data has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information.
- 6) The throughput data marked with "*" have been revised with updated data since submission of previous quarterly EM&A report (Oct Dec 2019).







Fugro Development Centre 5 Lok Yi Street, Tai Lam Tuen Mun, NT Hong Kong

REPORT ON CALIBRATION OF INFRA RED GAS ANALYSER

Client

Fugro Technical Services Limited

Sample description

One sample of Infra Red Gas Analyser (GA5000)

Sample identification

E/084/2

Serial number

G501982

Test required

Calibration

Date of calibration

02/11/2019

Next calibration date

01/05/2020

Method used

In-house method (Comparison with Standard Gas)

Results:

Parameters	Standard Gas Concentration,	Infra Red Gas Analyser Reading,	Deviation,
	% volume	% volume	% volume
Methane (CH₄)	1.00	0.9	-0.1
Carbon dioxide (CO ₂)	1.00	1.8	0.8
Oxygen (O₂)	15.83	15.8	- 0.03


Calibrated by : _____ C. F. Leung Certified by : _____ Approved Signatory : Raymond K. F. Wong

Manager – Chemistry Department

Date
** End of Report **

Note: This report refers only to the sample(s) tested.

GEN01/0819



Quarterly Landfill Gas Monitoring Results

								Measurement Results			Action Level			Limit Level				
Monitoring Station ID	Monitoring Locations	Date	Weather Conditions	Temperature (°C)	Start Time	End Time	Met	hane	Oxygen	Carbon Dioxide	Barometric Pressure	Methane	Oxygen	Carbon Dioxide	Methane	Oxygen	Carbon Dioxide	Remarks
							% v/v	% LEL	% v/v	% v/v	mBar (absolute)	% LEL	% v/v	% v/v	% LEL	% v/v	% v/v	
EP1-1	Inside the landscaping area of Administration Building	19 Mar 2019	Overcast	21	09:40	09:42	0.2	4	20.7	< 0.1	1018							Nil
EPI-2	PCCW below-ground chamber outside Lot T1	19 Mar 2019	Overcast	21	10:00	10:02	0.1	2	20.5	< 0.1	1018							Nil
EPI-3	HGC Broadband below-ground chamber outside Lot T3	19 Mar 2019	Overcast	21	09:57	09:59	0.1	2	20.5	< 0.1	1018	> 10	< 19	> 0.5	> 20	< 18	> 1.5	Nil
EP7-1	HGC Broadband below-ground chamber outside Lot P1	19 Mar 2019	Overcast	21	09:50	09:52	0.1	2	20.6	< 0.1	1018							Nil
E.P.//.	HGC Broadband below-ground chamber outside Lot P3	19 Mar 2019	Overcast	21	09:52	09:54	0.1	2	20.3	< 0.1	1018							Nil

Notes:

- (1) Underlined figure indicates an exceedance of Action Level
- (2) Shaded area indicates an exceedance of Limit Level

EP1-1

Date	Methane (% LEL)			Oxygen (% v/v)			Carbon Di	Barometric Pressure (mBar)		
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
17 Jun 2019	2	10	20	20.0	19	18	0.5	0.5	1.5	1010
18 Sep 2019	2	10	20	20.5	19	18	< 0.1	0.5	1.5	1015
23 Dec 2019	4	10	20	19.7	19	18	< 0.1	0.5	1.5	1021
19 Mar 2020	4	10	20	20.7	19	18	< 0.1	0.5	1.5	1018

EP1-2

Date	Methane (% LEL)			Oxyger	Oxygen (% v/v)			Carbon Dioxide (% v/v)			
Date	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	
17 Jun 2019	0	10	20	19.6	19	18	< 0.1	0.5	1.5	1010	
18 Sep 2019	0	10	20	19.9	19	18	< 0.1	0.5	1.5	1015	
30 Dec 2019	4	10	20	19.9	19	18	< 0.1	0.5	1.5	1023	
19 Mar 2020	2	10	20	20.5	19	18	< 0.1	0.5	1.5	1018	

EP1-3

Date	Methan	e (% LE	L)	Oxygen (% v/v)			Carbon Dioxide (% v/v)			Barometric Pressure (mBar)
Date	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
17 Jun 2019	0	10	20	19.7	19	18	< 0.1	0.5	1.5	1010
18 Sep 2019	0	10	20	19.9	19	18	< 0.1	0.5	1.5	1015
23 Dec 2019	2	10	20	19.9	19	18	< 0.1	0.5	1.5	1021
19 Mar 2020	2	10	20	20.5	19	18	< 0.1	0.5	1.5	1018

EP2-1

Date	Methane (% LEL)			Oxyger	Oxygen (% v/v)			Carbon Dioxide (% v/v)			
	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	
17 Jun 2019	2	10	20	20.3	19	18	< 0.1	0.5	1.5	1010	
18 Sep 2019	2	10	20	20.0	19	18	0.3	0.5	1.5	1015	
23 Dec 2019	4	10	20	19.9	19	18	< 0.1	0.5	1.5	1021	
19 Mar 2020	2	10	20	20.6	19	18	< 0.1	0.5	1.5	1018	

EP2-2

Data	Methane (% LEL)			Oxygen (% v/v)			Carbon Di	Barometric Pressure (mBar)		
Date	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
17 Jun 2019	0	10	20	19.3	19	18	0.6	0.5	1.5	1010
17 Jun 2019*	0	10	20	19.9	19	18	< 0.1	0.5	1.5	1010
18 Sep 2019	0	10	20	20.0	19	18	< 0.1	0.5	1.5	1015
23 Dec 2019	4	10	20	19.5	19	18	0.2	0.5	1.5	1021
19 Mar 2020	2	10	20	20.3	19	18	< 0.1	0.5	1.5	1018

^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.



FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre 5 Lok Yi Street, Tai Lam Tuen Mun, NT Hong Kong

Report No.

183114EN200446



Page 1 of 1

Test Report on Landfill Monitoring

Information Supplied by Client

Client : Allied Environmental Consultants Ltd.

Client's address : 27/F, Overseas Trust Bank Building, 160 Gloucester Road,

Wan Chai, Hong Kong

Project : Landfill Gas Monitoring at Eco Park, Tuen Mun

Sample description : Five samples of gas

Sampling location : EP1-1 Inside the Landscaping area of Administration Building

EP1-2 PCCW underground chamber outside Lot T1

EP1-3 HGC Broadband underground chamber outside Lot T3 EP2-1 HGC Broadband underground chamber outside Lot P1 EP2-2 HGC Broadband underground chamber outside Lot P3

Test required : For all locations -

In-situ measurement of methane, carbon dioxide, oxygen and

barometric pressure

Laboratory Information

Date of in-situ testing : 19/03/2020

Test method used : Measured by Infra Red Gas Analyser GA5000

Results:

Sampling	Sampling	Barometric	Meth	ane	Carbon dioxide,	Oxygen, %v/v	
location	time	pressure, mbar	%v/v	%LEL	%v/v		
EP1-1	09:40	1018	0.2	4	<0.1	20.7	
EP1-2	10:00	1018	0.1	2	<0.1	20.5	
EP1-3	09:57	1018	0.1	2	<0.1	20.5	
EP2-1	09:50	1018	0.1	2	<0.1	20.6	
EP2-2	09:52	1018	0.1	2	<0.1	20.3	

Remarks: 1. A calibration certificate of the monitoring equipment is attached for reference.

2. A layout plan showing the sampling location is also attached for reference.

Supervised by : C.H. Chiu


Certified by


Approved Signatory: WOMG Kwok Fung, Raymond
Manager - Chemistry Department


Date


** End of Report **


Note: This report refers only to the sample(s) tested.
















^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.
















^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.
















^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement. Remark: All <0.1% v/v for carbon dioxide is regarded as 0.0% v/v in graphical presentation













^{*} Re-measurement was carried out after the initial measurement to confirm the rectification of exceedance after ventilation enhancement.





EcoPark Operation

SITE INSPECTION CHECKLIST



	Inspection Date: 2020/01/16 Time: 10:10 Lot Number: T5 Tenant: Champway	Inspected by: Joanne NG, Cindy KWOK David TSANG, Chris LO
Weat	her	
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
<u>1. Ge</u>	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wa	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	Follow-up Observation (6)
	a) Sampling record available?	Sampling report (Nov 2019)
	b) Monitoring frequency met the licence requirement?	Follow-up Observation (6)
	c) Monitoring regult comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	via Grease Trap
2.2	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from	Follow-up Observation (2), (3) & (4)
2.0	entering nearby drains or sewer?	10110W-up 00361 Valion (2), (3) & (4)
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓ needed
2.11	$Equipment\ oil\ and\ lubrication\ replacements\ performed\ only\ in\ bunded\ maintenance\ area?$	✓ Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	Petrol interceptor is provided
2.13	Drainage from maintenance area discharged via oil interceptor?	
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during	✓ Not required

EcoPark Operation

SITE INSPECTION CHECKLIST



	loading and unloading adjacent to marine frontage?					
2.15	Bulk cargo and materials packed properly?			√		
2.16	Temporary stockpiles covered during rainstorms?		/			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?		/			No sand/silt is generated from the recycling process
3. Air	· Quality	N	/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		_	√		Valid from Feb 2018 to Feb 2023
	a) SP Licence conditions / monitoring requirements comply?			√		
3.2	Operate without generation of noticeable odour?			√		
	a) If odour is detected, can the source be identified?		/			
	b) Odourous materials covered?		/			
	c) If odour control system is installed, is it operating normally?		/			
3.3	Dusty materials dampened prior to loading/unloading?	_	/			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?		/			Not required
	a) Monitoring frequency met the licence requirement?		/			
	b) Any exceedance?	_	/			
	c) If exceedance is recorded, follow-up action taken?	,	/			
3.5	Dust-suppression measures provided where main dust-generating activities take pl enclosures or regular dampening)?	lace (i.e.	/			No dust-generating activity is observed
3.6	Open burning prohibited?			√		
3.7	Emission from chimney or powered plant free of black smoke?			✓		
3.8	Vehicles and equipment switched off while not in use?			√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	ng over	/			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition $>$ 30 centistokes or an equivalent viscosity?	_	/			Not required
3.11	Air pollution control system properly maintained and function normally?			✓		Regular replacement of activated carbon filter
3.12	Dust collected by any air pollution control equipment installed by tenants tested to compliance for landfill disposal?	ensure	/			
	a) Obtained approval for the use of controlled refrigerant?		/			
	b) If yes, record of refrigeration equipment service available?	,	/			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	,	/			
3.14	Public road around site entrance kept clean and free from dust?			✓		
3.15	Materials transported on trucks covered?	,	/			Not observed
3.16	Truck loads to a level within the side and tail boards?	,	/			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	,	/			No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle	e/eq	uipmei	nt move	ement
	Loading/unloading of materials	✓ Others	:	n/a		
4. Wa	aste / Chemical Management					
Gener	ral_	N	/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?			✓		



4.2	Sufficient receptacles (e.g. rubbish bins) available?		√		
4.3	Disposed of regularly and properly?			√	Follow-up Observation (2)
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		✓		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	√			Not observed
Packa	ging of Chemical Waste				
4.7	Stored in suitable container?		✓		
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?			√	Follow-up Observation (5) & (7) were rectified. Follow-up Observation (8) & New Observation (1)
4.10	Obtained approval for the use of chemical waste container >450L?	✓			
Label	ling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		✓		Follow-up Observation (1)
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		✓		_
Stora	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		Follow-up Observation (1)
4.13	Incompatible wastes separated by impermeable partition?	✓			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity x		✓		
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		✓		
4.16	Properly stored and locked in designated area with adequate ventilation?		√		
4.17	Storage area paved with concrete and kept clean and dry?		✓		
4.18	Cover provided for outdoor storage area?		√		
4.19	Chemical waste collected by licensed collector?	√			Not observed
<u>Liqui</u>	d Chemical Storage				
4.20	Storage area provided with permeation-proof floor or surface?		✓		
4.21	Capacity of retention structure sufficient to accommodate contents of the		✓		
	largest container or 20% volume of the material in storage?				
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	√			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		√		
6. Ot	hers_	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		√		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		✓		

SITE INSPECTION CHECKLIST



6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	
	a) Storage area in compliance with the approved plan?	Subject to tenant's information provision
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Audits

A proper signage for the chemical waste storage area had been provided by the tenant.
 The chemical container without securely attacted chemical waste label was removed from the storage area.









(Observed on 23 Dec 2019)

(Observed on 16 Jan 2020)

(Observed on 16 Jan 2020)

(Observed on 23 Dec 2019)

General refuse was still observed in the perimeter drain next to the exhaust of carbon filter. The tenant should remove the refuse in order to prevent any blockage. The status will be reviewed in next inspection.



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)

SITE INSPECTION CHECKLIST



3) Little milky oil discharge were still observed in the stormwater drain at the entrance area. The tenant was requested to remove the oil discharge. The tenant was also reminded to prevent any untreated runoff from discharging to the stormwater drain and to follow the discharge standard of the WPCO discharge licence. The status will be reviewed in next inspection.





(Observed on 16 Jan 2020)

(Observed on 23 Dec 2019)

4) No grease was observed in perimeter drain adjacent to filter press system. Nevertheless, the tenant should remove the grease on the floor and ensure the filtrate can be well collected in skips. In addition, the tenant was also reminded to provide sufficient measures, e.g. seal up the barriers with concrete, to prevent any potential surface runoff entering into the perimeter drain. The status will be reviewed in



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)



(Observed on 16 Jan 2020)

5) Oil spillage adjacent to the chemical waste storage area owing to machinery repairment had been removed.



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)

SITE INSPECTION CHECKLIST



6) Under the renewed discharge licence, bi-monthly sampling results complying with discharge limitations was provided by the tenant.





(Provided by tenant)

(Observed on 16 Jan 2020)

7) Oil spillage adjacent to the cooling tower had been cleaned up.





(Rectification work was conducted on 23 Dec 2019)

(Observed on 16 Jan 2020)

8) A portion of oil stain was still found at the vehicular access. The tenant was requested to clean up the stain. The status will be reviewed in next inspection.





(Observed on 23 Dec 2019)

(Observed on 16 Jan 2020)

SITE INSPECTION CHECKLIST



New Observation

1) Two dark oil stains were observed on the floor between toilet and blower area. The tenant should clean the stains off the floor by using absorbent material and dispose of as chemical waste. The status will be reviewed in next inspection.



(Observed on 16 Jan 2020)

Signatures:

ET Representative:

Name: David TSANG

Date: 2020/01/16

Operator Representative:

Name May Wu

Date: 12 FED 2020

Tenant Representative:

Name Kenji Wong

Date: 6 Mar 2020

IEC Representative:

Name: Tiffany TAM

Date: 2020/02/12



	Inspection Date: 2020/02/18 Time: 10:10 Lot Number: T5 Tenant: Champway	Inspected by: David TSANG, Chris LO
Weat	<u>her</u>	
	Condition:	Rain Storm Hazy Moderate Low
1. Ge	neral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wa	<u>iter Quality</u>	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	
	a) Sampling record available?	Sampling report (Nov 2019)
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓ via Grease Trap
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	Follow-up Observation (1), Follow-up Observation (3)
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	Petrol interceptor is provided
2.13	Drainage from maintenance area discharged via oil interceptor?	
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Air	• Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		\checkmark		Valid from Feb 2018 to Feb 2023
	a) SP Licence conditions / monitoring requirements comply?		✓		
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	√			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			No dust-generating activity is observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		√		Regular replacement of activated carbon filter
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		√		
3.15	Materials transported on trucks covered?	√			Not observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion Ve	hicle/eq	uipmer	nt move	ement
		hers:	n/a		
4. Wa	aste / Chemical Management				
Gener	<u>al</u>	N/A	Yes	No	Remarks
41	Registered as chemical waste producer?		\checkmark		



4.0		_		_	
4.2	Sufficient receptacles (e.g. rubbish bins) available?				
4.3	Disposed of regularly and properly?		<u> </u>		Follow-up Observation (2)
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		<u> </u>		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?				Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	V			Not observed
	ging of Chemical Waste				
4.7	Stored in suitable container?		<u> </u>		
4.8	Container properly closed or sealed?		✓		Follow-up Observation (4),
4.9	Spillage cleaned up immediately through the use of absorbent?			<u> </u>	Follow-up Observation (5)
4.10	Obtained approval for the use of chemical waste container >450L?	✓			
Label	ling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		✓		
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		✓		
Storag	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	✓			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$		✓		
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		√		
4.16	Properly stored and locked in designated area with adequate ventilation?		✓		
4.17	Storage area paved with concrete and kept clean and dry?		✓		
4.18	Cover provided for outdoor storage area?		√		
4.19	Chemical waste collected by licensed collector?	✓			Not observed
Liqui	d Chemical Storage				
4.20	Storage area provided with permeation-proof floor or surface?		✓		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		√		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			
<u>5. La</u>	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		√		
<u>6. Otl</u>	<u>hers</u>	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		√		
6.2	Damage to surrounding areas avoided?		√		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		

SITE INSPECTION CHECKLIST



6.5	Areas within lot for recycling activities paved with concrete?		✓	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓	
6.7	Valid calibration certificate for any monitoring equipment?	✓		
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		√	
	a) Storage area in compliance with the approved plan?	✓		Subject to tenant's information provision
	b) Storage area is securely locked?		√	
	c) Total storage capacity in compliance with relevant statutory requirement?	✓		
	d) Proper labelling provided?		√	
	e) Dangerous goods properly packaged?	✓		

Remarks:

Follow-up from Previous Audits

1) Little milky oil discharge were still observed in the stormwater drain at the entrance area. The tenant was requested to remove the oil discharge. The tenant was also reminded to prevent any untreated runoff from discharging to the stormwater drain and to follow the discharge standard of the WPCO discharge licence. The status will be reviewed in next inspection.



(Observed on 16 Jan 2020)



(Observed on 18 Feb 2020)

2) General refuse had been cleared from the perimeter drain next to the exhaust of carbon filter.



(Observed on 16 Jan 2020)



(Observed on 18 Feb 2020)

SITE INSPECTION CHECKLIST



3) As no grease was observed in perimeter drain adjacent to filter press system during regular site inspections between November 2019 and February 2020, it is considered that the current measures, such as concrete barriers and regular waste removal, are sufficient to prevent oil product from entering into perimeter drain. The tenant is also reminded to inspect the conditions of perimeter drain regularly to ensure no direct discharge of oil product into stormwater system







(Observed on 16 Jan 2020)

(Observed on 18 Feb 2020)

(Observed on 18 Feb 2020)

4) A portion of oil stain was still found at the vehicular access. The tenant was requested to clean up the stain.





(Observed on 16 Jan 2020)

(Observed on 18 Feb 2020)

5) Two dark oil stains observed on the floor between toilet and blower area was removed.







(Observed on 18 Feb 2020)

New Observation

• No major environmental deficiency was observed.

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

IEC Representative:

Name: David TSANG

Name: Date:

Name Kenji Wong

Tenant Representative:

Name: Tiffany TAM Date: 2020/03/09

Date: 2020/02/18

11 MAR 2020

May Wu

Date: 30 Mar 2020



	Inspection Date: 2020/03/19 Time: 10:45 Lot Number: T5 Tenant: Champway	Inspected by:	David TSANG, Chris LO
Weat	<u>her</u>		
	Condition: Sunny Fine VOvercast Drizzle	Rain	Storm Hazy
	Temperature: 21 ℃ Humidity: ✓ High	Moderate	Low
	Wind: Calm Light Breeze Strong		
1. Ge	<u>neral</u>	N/A Yes	No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓	EP for tenant is not required
1.2	Environmental Policy documented?	✓	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓	UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?		
1.6	Any record of complaint or prosecution?		✓
2 W		NI/A X/	No. Donosto
	<u>ater Quality</u>	N/A Yes	No Remarks
2.1	Valid Effluent Discharge Licence available?		
	a) Sampling record available?		Sampling report (Feb 2020)
	b) Monitoring frequency met the licence requirement?		
	c) Monitoring result comply with the licence requirement?		
	d) If exceedance is recorded, any follow-up action taken?	✓	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓	via Grease Trap
	a) Adequate capacity?		
	b) Properly maintained and function normally?		
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		
2.5	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		✓ Follow-up Observation (1)
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?	 	Stor loss are quilable for use by target if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓ □	Stop-logs are available for use by tenant if needed
2.11	$\label{prop:equipment} Equipment\ oil\ and\ lubrication\ replacements\ performed\ only\ in\ bunded\ maintenance\ area?$	✓ □	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		Petrol interceptor is provided
2.13	Drainage from maintenance area discharged via oil interceptor?		
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?		



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	\checkmark			No sand/silt is generated from the recycling process
3. Air	· Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		Valid from Feb 2018 to Feb 2023
	a) SP Licence conditions / monitoring requirements comply?		✓		
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	\checkmark			No loading/unloading of dusty materials is
3.3	Dusty materials dampened prior to loading/unloading?	\checkmark			observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	\checkmark			
	b) Any exceedance?	\checkmark			
	c) If exceedance is recorded, follow-up action taken?	\checkmark			
3.5	Dust-suppression measures provided where main dust-generating activities take place (enclosures or regular dampening)?	i.e. ✓			No dust-generating activity is observed
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming ov 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	ver 🗸			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		Regular replacement of activated carbon filter
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensucompliance for landfill disposal?	ure 🗸			
	a) Obtained approval for the use of controlled refrigerant?	\checkmark			
	b) If yes, record of refrigeration equipment service available?	\checkmark			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	\checkmark			Not observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle/eq	uipmer	it move	ment
	Loading/unloading of materials	Others:	n/a		
1 W.	nste / Chemical Management				
			**		
Gener	Registered as chamical waste producer?	N/A	Yes	No	Remarks



4.2	Sufficient receptacles (e.g. rubbish bins) available?		√		
4.3	Disposed of regularly and properly?		√		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		√		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	√			Not observed
Packa	aging of Chemical Waste				
4.7	Stored in suitable container?		√		
4.8	Container properly closed or sealed?		√		
4.9	Spillage cleaned up immediately through the use of absorbent?			√	Follow-up Observation (2), New Observation (1)
4.10	Obtained approval for the use of chemical waste container >450L?	√			
Label	ling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		✓		
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		✓		
Stora	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	✓			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$		✓		
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		✓		
4.16	Properly stored and locked in designated area with adequate ventilation?		✓		
4.17	Storage area paved with concrete and kept clean and dry?		✓		
4.18	Cover provided for outdoor storage area?		✓		
4.19	Chemical waste collected by licensed collector?	✓			Not observed
<u>Liqui</u>	d Chemical Storage				
4.20	Storage area provided with permeation-proof floor or surface?		✓		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		✓		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		√		
6. Ot	<u>hers</u>	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		✓		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		

SITE INSPECTION CHECKLIST



6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	
	a) Storage area in compliance with the approved plan?	✓ Subject to tenant's information provision
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Audits

Milky oil discharge were still observed in the stormwater drain at the entrance area. The tenant was requested to remove the oil discharge. The tenant was also reminded to prevent any untreated runoff from discharging to the stormwater drain and to follow the discharge standard of the WPCO discharge licence. The status will be reviewed in next inspection.



(Observed on 18 Feb 2020)



(Observed on 19 Mar 2020)

2) Although most of the oil stain had been removed, a portion of oil stain was still found at the vehicular access.

The tenant was requested to clean up the stain. The status will be reviewed in next inspection.



(Observed on 18 Feb 2020)



(Observed on 19 Mar 2020)

New Observation

Oil spillage was observed nearby the tray of waste oil sludge stockpile.
 The tenant was reminded to clean up the oil spillage. The status will be reviewed in the next inspection.



(Observed on 19 Mar 2020)

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: David TSANG

Date: 2020/03/19

Name: Date:


3 d MAR 2020

Name Kenji Wong

Date: 30 Mar 2020

Name: Tiffany TAM

Date: 2020/03/27



Issue 1______AEC



	Inspection Date: 2020/01/16 Time: 10:40 Lot Number: T4 Tenant: Hong Kong Biomass (Wood	Inspected by: Joanne NG, Cindy KWOK David TSANG, Chris LO
Weat		
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: ✓ High	Rain Storm Hazy Moderate Low
	Wind: Calm Light Breeze Strong	
1. Ge	eneral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	No wastewater is generated from the recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	Recycling process has low risk of
2.9	Processes or activities with high risk of contamination located under covered area?	contamination Stop-logs are available for use by tenant
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed



2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Aiı	· Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?	✓			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?	√			Dampening of waste wood affects the wood quality and is therefore unsuitable
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	\checkmark			
	c) If exceedance is recorded, follow-up action taken?	\checkmark			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			Dust-generating activity is not observed
3.6	Open burning prohibited?		√		No constitute of alcost in alcost of decision
3.7	Emission from chimney or powered plant free of black smoke?	√			No operation of plant is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Dust-generating activity is not observed.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	\checkmark			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	√			Not observed



3.16	Truck loads to a level within the side and tail boards?		✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?		✓			Dampening of waste wood affects the wood quality and is therefore unsuitable
3.18	Major dust source(s): Wind erosion	Veh	icle/equ	ıipmen	t move	ement
	Loading/unloading of materials	✓ Othe	ers:	No dus	t is obs	erved
4. W	aste/Chemical Management					
Gene	<u>ral</u>		N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓			No chemical waste is observed
4.2	Sufficient receptacles (e.g. rubbish bins) available?			√		
4.3	Disposed of regularly and properly?			√		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?			√		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?			√		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?		✓			Not required
Packa	aging of Chemical Waste					
4.7	Stored in suitable container?		√			
4.8	Container properly closed or sealed?		✓			
4.9	Spillage cleaned up immediately through the use of absorbent?		✓			
4.10	Obtained approval for the use of chemical waste container >450L?		√			
Labe	lling of Chemical Waste					
4.11	Provision of chemical waste label?		✓			
	a) Label is securely attached and visible?		✓			
	b) Label is bilingual and in proper dimension?		✓			
	c) Information is accurate and sufficient?		✓			
Stora	ge of Chemical Waste					
4.12	Proper "Chemical Waste" sign displayed?		✓			
4.13	Incompatible wastes separated by impermeable partition?		✓			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or with drip trays capable of storing 110% of the volume of the largest container (if or		✓ 0L)?			
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / of containers?	stack	√			
4.16	Properly stored and locked in designated area with adequate ventilation?		√			
4.17	Storage area paved with concrete and kept clean and dry?		√			
4.18	Cover provided for outdoor storage area?		√			
4.19	Chemical waste collected by licensed collector?		√			
<u>Liqui</u>	d Waste Storage		_			
4.20	Storage area provided with permeation-proof floor or surface?		✓			
4.21	Capacity of retention structure sufficient to accommodate contents of the		√			



4.22	Walls or partitions of stacked	container storage area constructed	of impermeable material?	✓		
5. La	andfill Gas (LFG) (within LF)	G Consultation Zone)		N/A Yes	No	Remarks
5.1	Alert workers and visitors of	possible LFG hazards?		$\overline{}$		
5.2	Smoking and open fires prohi	ibited?		✓		
<u>6. Ot</u>	<u>hers</u>			N/A Yes	No	Remarks
6.1	Works confined within lot bo	undaries?				
6.2	Damage to surrounding areas	avoided?		✓		
6.3	Site lighting designed to avoi	d glare to surrounding receivers?		√		
6.4	Materials and machinery store	ed in an orderly manner?		✓		
6.5	Areas within lot for recycling	activities paved with concrete?				
6.6	Potential stagnant pools clear	ed and mosquito breeding prevente	d?	\checkmark		
6.7	Valid calibration certificate for	or any monitoring equipment?		√		No monitoring is required
6.8	Valid licence(s) obtained for	manufacture or storage of dangerou	s goods?	V		Not required
	a) Storage area in compliance	with the approved plan?		√		
	b) Storage area is securely loo	cked?		√		
	c) Total storage capacity in co	ompliance with relevant statutory re	quirement?	√		
	d) Proper labelling provided?			√		
	e) Dangerous goods properly	packaged?		√		
Rem	arks:					
New	<u>Observation</u>					
•	No major environmental defic	ciency was observed.				
Signa	atures:					
ET R	epresentative:	Operator Representative:	Tenant Representat	ive:		IEC Representative:
-	David		/	Y	. •	A
Name	: David TSANG	Name: May Wu	Names Eagle Lan	ı /		Name: Tiffany TAM
Date:	2020/01/16	Date: 12 FEG 2020	Date: 9 Mar 202	b		Date: 2020/02/12



	Inspection Date: 2020/02/18 Time: 10:40 Lot Number: T4 Tenant: Hong Kong Biomass (Wood	Inspected by: David TSANG, Chris LO
Wea	ther .	
	Condition: Sunny Fine Overcast Drizzle	Rain Storm Hazy
	Temperature: 18 °C Humidity: High	✓ Moderate Low
	Wind: Calm Light Breeze Strong	
1. Ge	<u>eneral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from the
2.1	Valid Effluent Discharge Licence available?	recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed



2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?	√			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	\checkmark			
	b) Odourous materials covered?	\checkmark			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	√			Dampening of waste wood affects the wood quality and is therefore unsuitable
3.4	Dust monitoring record available?	√			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	√			Dust-generating activity is not observed
3.6	Open burning prohibited?		√		N. C. C. L.
3.7	Emission from chimney or powered plant free of black smoke?	√			No operation of plant is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Dust-generating activity is not observed.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		√		
3.15	Materials transported on trucks covered?	V			Not observed



3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	Dampening of waste wood affects the wood quality and is therefore unsuitable
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	✓ Others: No dust is observed
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly	kept? Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	✓ □ □
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓ □ □ □
4.10 Obtained approval for the use of chemical waste container >450L?	✓ □ □
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	✓ □ □ □
a) Label is securely attached and visible?	✓ □ □ □
b) Label is bilingual and in proper dimension?	✓ □ □ □
c) Information is accurate and sufficient?	/
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	/
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity < with drip trays capable of storing 110% of the volume of the largest contains	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest con of containers?	tainer / stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	✓ □ □
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	



4.22	Walls or partitions of stacke	d container storage area constructed of impermeable	material?]
5. La	andfill Gas (LFG) (within Ll	FG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors o	f possible LFG hazards?]
5.2	Smoking and open fires pro-	hibited?]
6. Ot	<u>hers</u>		N/A Yes No	Remarks
6.1	Works confined within lot b	oundaries?]
6.2	Damage to surrounding area	s avoided?]
6.3	Site lighting designed to avo	oid glare to surrounding receivers?	/]
6.4	Materials and machinery sto	ored in an orderly manner?]
6.5	Areas within lot for recyclin	g activities paved with concrete?]
6.6	Potential stagnant pools clea	ared and mosquito breeding prevented?]
6.7	Valid calibration certificate	for any monitoring equipment?	✓	No monitoring is required
6.8	Valid licence(s) obtained for	r manufacture or storage of dangerous goods?	V	Not required
	a) Storage area in compliance	ee with the approved plan?	✓]
	b) Storage area is securely le	ocked?	✓]
	c) Total storage capacity in	compliance with relevant statutory requirement?	V]
	d) Proper labelling provided	1?	✓]
	e) Dangerous goods properl	y packaged?	V]
Rem	arks:			
New	Observation			
•	No major environmental det	iciency was observed.		
Signa	atures:			
ET R	epresentative:	Operator Representative: Tenant Re	presentative:	IEC Representative:
	David		V	
Name	: David TSANG		Eagle/Lam	Name: Tiffany TAM
Date:	2020/02/18	Date: 1 1 MAR 2020 Date: 5	-Apr 2010	Date: 2020/03/09



	Inspection Date: 2020/03/19 Time: 11:15 Lot Number: T4 Tenant: Hong Kong Biomass (Wood)	Inspected by: David TSANG, Chris LO
Weat	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 21 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
<u>1. Ge</u>	<u>eneral</u>	N/A Yes No Remarks
1.2	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented?	EP for tenant is not required UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date?	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented? All recycling processes in operation have been approved by WRG of EPD?	UPML's ERP is followed
	Any record of complaint or prosecution?	
2. Wa	ater Quality	N/A Yes No Remarks No wastewater is generated from the
2.1	Valid Effluent Discharge Licence available?	recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed



2.13	Drainage from maintenance area discharged via oil interceptor?	✓ Not required
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	Not required
2.15	Bulk cargo and materials packed properly?	
2.16	Temporary stockpiles covered during rainstorms?	No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?	No sand/silt is generated from the recycling process
3. Aiı	- Quality	N/A Yes No Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ Not required
	a) SP Licence conditions / monitoring requirements comply?	
3.2	Operate without generation of noticeable odour?	
	a) If odour is detected, can the source be identified?	
	b) Odourous materials covered?	
	c) If odour control system is installed, is it operating normally?	
3.3	Dusty materials dampened prior to loading/unloading?	Dampening of waste wood affects the wood quality and is therefore unsuitable
3.4	Dust monitoring record available?	✓ Not required
	a) Monitoring frequency met the licence requirement?	
	b) Any exceedance?	
	c) If exceedance is recorded, follow-up action taken?	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	New Observation (1)
3.6	Open burning prohibited?	
3.7	Emission from chimney or powered plant free of black smoke?	
3.8	Vehicles and equipment switched off while not in use?	
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	Not required
3.11	Air pollution control system properly maintained and function normally?	New Observation (1)
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	
	a) Obtained approval for the use of controlled refrigerant?	
	b) If yes, record of refrigeration equipment service available?	
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	
3.14	Public road around site entrance kept clean and free from dust?	
3.15	Materials transported on trucks covered?	✓ Not observed



3.16 Truck loads to a level within the side and tail boards?		✓	Ш		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered	?	✓			Dampening of waste wood affects the wood quality and is therefore unsuitable
3.18 Major dust source(s): Wind erosion	Vei	hicle/equ	uipmen	t move	ment
Loading/unloading of ma	erials Oth	ners:	Operat	ion	
4. Waste / Chemical Management					
General		N/A	Yes	No	Remarks
4.1 Registered as chemical waste producer?		✓			No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?			√		
4.3 Disposed of regularly and properly?			✓		
4.4 Sorting of materials on-site for reuse or disposal to design	ated outlet?		✓		
4.5 Records of quantities of waste generated, recycled and dis	posed properly kept?		✓		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular interv	als?	√			Not required
Packaging of Chemical Waste					
4.7 Stored in suitable container?		✓			
4.8 Container properly closed or sealed?		\checkmark			
4.9 Spillage cleaned up immediately through the use of absort	pent?	√			
4.10 Obtained approval for the use of chemical waste containe	>450L?	\checkmark			
<u>Labelling of Chemical Waste</u>					
4.11 Provision of chemical waste label?		✓			
a) Label is securely attached and visible?		\checkmark			
b) Label is bilingual and in proper dimension?		✓			
c) Information is accurate and sufficient?		\checkmark			
Storage of Chemical Waste					
4.12 Proper "Chemical Waste" sign displayed?		✓			
4.13 Incompatible wastes separated by impermeable partition?		✓			
4.14 Containers kept in cabinet or receptacle of suitable materi with drip trays capable of storing 110% of the volume of	. 1	✓ 0L)?			
4.15 Enclosed on 3 sides with no less than 2m in height or height of containers?	tht of tallest container / stack	✓			
4.16 Properly stored and locked in designated area with adequa	te ventilation?	✓			
4.17 Storage area paved with concrete and kept clean and dry?		✓			
4.18 Cover provided for outdoor storage area?		√			
4.19 Chemical waste collected by licensed collector?		✓			
<u>Liquid Waste Storage</u>					
4.20 Storage area provided with permeation-proof floor or surf	ace?	✓			
4.21 Capacity of retention structure sufficient to accommodate largest container or 20% volume of the material in storage		✓			

SITE INSPECTION CHECKLIST



4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓					
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes No	Remarks			
5.1	Alert workers and visitors of possible LFG hazards?		✓				
5.2	Smoking and open fires prohibited?		$\overline{}$				
6. Ot	<u>hers</u>	N/A	Yes No	Remarks			
6.1	Works confined within lot boundaries?		✓				
6.2	Damage to surrounding areas avoided?		✓				
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓					
6.4	Materials and machinery stored in an orderly manner?		✓				
6.5	Areas within lot for recycling activities paved with concrete?		✓				
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓				
6.7	Valid calibration certificate for any monitoring equipment?	✓		No monitoring is required			
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓		Not required			
	a) Storage area in compliance with the approved plan?	✓					
	b) Storage area is securely locked?	✓					
	c) Total storage capacity in compliance with relevant statutory requirement?	✓					
	d) Proper labelling provided?	✓					
	e) Dangerous goods properly packaged?	✓					
	Remarks: New Observation						

Smoke and dust emission was seen during the operation of the site. The tenant was reminded to implement dust-suppression measures to reduce dust emission.



(Observed on 19 Mar 2020)

Signatures:

ET Representative:

Name: David TSANG

Date: 2020/03/19

Operator Representative:

Name: Date:


Tenant Representative:

Eagle/Lam Name 9-Apr 2010 Date:

IEC Representative:

Name: Tiffany TAM

Date: 2020/03/27



Issue 1______AEC



	Inspection Date: 2020/01/16 Time: 12:00 Lot Number: T1 Tenant: HP Telford	Inspected by: Joanne NG, David TSAN	Cindy KWOK NG, Chris LO
Wea	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Storm Moderate Low	Hazy
1. Ge	eneral	N/A Yes No Rema	arks
1.1 1.2 1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? All recycling processes in operation have been approved by WRG of EPD?	UPMI UPMI	tenant is not required. See Environmental Policy is followed See EMP is followed See ERP is followed
1.6	Any record of complaint or prosecution?		
2. W	ater Quality	N/A Yes No Rema	arks stewater is generated from recycling
2.1	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken?	✓	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally?		
2.3	Surface run-off control measures in place and adequately maintained?		_
2.4	Surface run-off discharging into drainage system? All manholes covered?		
	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?	☐ ✓ ☐ Bowe	ling process has law risk of
2.9	Processes or activities with high risk of contamination located under covered area?	✓ contain	ling process has low risk of nination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-le needed	ogs are available for use by tenant if l.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓ Replac	ement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No con	ntaminated water is observed



2.13	Drainage from maintenance area discharged via oil interceptor?	✓		Not required
	a) Oil and grease removed regularly?	√		
	b) Collected by licensed collector?	✓		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	/		Not required
2.15	Bulk cargo and materials packed properly?			
2.16	Temporary stockpiles covered during rainstorms?	✓		No dusty stockpile is observed No sand/silt is generated from the recycling
2.17	Measures to prevent the washing away of sand/silt to drains?	√		process
3. Aiı	· Quality	N/A Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓		Not required
	a) SP Licence conditions / monitoring requirements comply?	✓		
3.2	Operate without generation of noticeable odour?	√		No operation is observed during inspection
	a) If odour is detected, can the source be identified?	√		
	b) Odourous materials covered?	✓		
	c) If odour control system is installed, is it operating normally?	✓		N. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
3.3	Dusty materials dampened prior to loading/unloading?	√		No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓		Not required
	a) Monitoring frequency met the licence requirement?	✓		
	b) Any exceedance?	√		
	c) If exceedance is recorded, follow-up action taken?	√		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	/		Dust-generating activity is not observed
3.6	Open burning prohibited?			
3.7	Emission from chimney or powered plant free of black smoke?	✓		No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?			
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓ □		Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓ [Not required
3.11	Air pollution control system properly maintained and function normally?	√		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓ [
	a) Obtained approval for the use of controlled refrigerant?	✓		
	b) If yes, record of refrigeration equipment service available?	/ [
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	/		
3.14	Public road around site entrance kept clean and free from dust?			
3.15	Materials transported on trucks covered?	V		Not observed



3.16 Truck loads to a level within the side and tail boards?		Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?		No stockpile of dusty material is observed
3.18 Major dust source	(s): Wind erosion	Vehicle/equipment movement
	Loading/unloading of materials	✓ Others: n/a
4. Waste / Chemical M	<u>Ianagement</u>	
<u>General</u>		N/A Yes No Remarks
4.1 Registered as cher	nical waste producer?	No chemical waste is observed
4.2 Sufficient recepta	cles (e.g. rubbish bins) available?	
4.3 Disposed of regul	arly and properly?	
4.4 Sorting of materia	ls on-site for reuse or disposal to designated outlet?	
4.5 Records of quanti	ties of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of slud	ge by licensed collector at regular intervals?	
Packaging of Chemical	Waste	
4.7 Stored in suitable	container?	
4.8 Container properly	y closed or sealed?	
4.9 Spillage cleaned u	p immediately through the use of absorbent?	
4.10 Obtained approva	l for the use of chemical waste container >450L?	
Labelling of Chemical V	<u>Vaste</u>	
4.11 Provision of chem	ical waste label?	
a) Label is secure	y attached and visible?	
b) Label is bilingu	al and in proper dimension?	
c) Information is a	accurate and sufficient?	
Storage of Chemical Wa	<u>iste</u>	
4.12 Proper "Chemical	Waste" sign displayed?	
4.13 Incompatible was	tes separated by impermeable partition?	
	cabinet or receptacle of suitable material (if quantity $<$ 50L), or pable of storing 110% of the volume of the largest container (if quantity $<$ 50L).	
4.15 Enclosed on 3 sid of containers?	es with no less than 2m in height or height of tallest container/s	stack 🗸 📗
4.16 Properly stored ar	d locked in designated area with adequate ventilation?	
4.17 Storage area pave	d with concrete and kept clean and dry?	/
4.18 Cover provided for	or outdoor storage area?	
4.19 Chemical waste co	ollected by licensed collector?	
Liquid Waste Storage		
4.20 Storage area provi	ded with permeation-proof floor or surface?	
	ion structure sufficient to accommodate contents of the or 20% volume of the material in storage?	



4.22	Walls or partitions of stacke	d container storage area constructed of	of impermeable material?	✓ <u> </u>	
5. La	andfill Gas (LFG) (within Ll	G Consultation Zone		N/A Yes N	Io Remarks
5.1	Alert workers and visitors of	f possible LFG hazards?			
5.2	Smoking and open fires prob	nibited?			
<u>6. Ot</u>	thers			N/A Yes N	To Remarks
6.1	Works confined within lot b	oundaries?			
6.2	Damage to surrounding area	s avoided?			
6.3	Site lighting designed to avo	id glare to surrounding receivers?		✓ <u> </u>	
6.4	Materials and machinery sto	red in an orderly manner?			
6.5	Areas within lot for recyclin	g activities paved with concrete?			
6.6	Potential stagnant pools clea	red and mosquito breeding prevented	?		
6.7	Valid calibration certificate	for any monitoring equipment?			Not required
6.8	Valid licence(s) obtained for	manufacture or storage of dangerous	s goods?		Not required
	a) Storage area in compliance	e with the approved plan?			<u> </u>
	b) Storage area is securely lo	ocked?			<u> </u>
	c) Total storage capacity in c	compliance with relevant statutory rec	quirement?		
	d) Proper labelling provided	?			
	e) Dangerous goods properly	y packaged?		√	
Rem	arks:				
New	Observation				
	No major environmental def	iciency was observed.			
Sign	atures:				
ET R	Representative:	Operator Representative:	Tenant Representati	ive:	IEC Representative:
<	David		弱		
Name	: David TSANG	Name: May Wu	Name: Mr. Lee Hing	g Tak	Name:
Date:	2020/01/16	Date: 12 FEB 2020	Date: 14-2-	2020	Date



	Inspection Date: 2020/02/18 Time: 12:00 Lot Number: T1 Tenant: HP Telford	Inspected by: David TSANG, Chris LO				
Weat	Condition: Sunny Fine Overcast Drizzle Temperature: 18 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Storm Hazy Moderate Low				
<u>1. Ge</u>	1. General N/A Yes No Remarks					
1.1 1.2 1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? All recycling processes in operation have been approved by WRG of EPD? Any record of complaint or prosecution?	EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed				
2. W	2. Water Quality N/A Yes No Remarks					
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally?	No wastewater is generated from recycling process No wastewater is generated from recycling process No wastewater is generated from recycling process				
	Surface run-off control measures in place and adequately maintained?					
2.4	Surface run-off discharging into drainage system? All manholes covered?					
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?					
2.7	Storage of materials and equipment located away from water bodies?					
2.8	Drainage system well maintained to prevent flooding or overflow?	Recycling process has low risk of				
2.9	Processes or activities with high risk of contamination located under covered area?	✓ Contamination Stop-logs are available for use by tenant if				
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	stop-logs are available for use by tenant if needed.				
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed				
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed				



2.13	Drainage from maintenance area discharged via oil interceptor?	✓		Not required
	a) Oil and grease removed regularly?	√		
	b) Collected by licensed collector?	√		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V		Not required
2.15	Bulk cargo and materials packed properly?			
2.16	Temporary stockpiles covered during rainstorms?	√		No dusty stockpile is observed No sand/silt is generated from the recycling
2.17	Measures to prevent the washing away of sand/silt to drains?	√		process
3. Air	· Quality	N/A Yes	s No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√		Not required
	a) SP Licence conditions / monitoring requirements comply?	√		
3.2	Operate without generation of noticeable odour?	√		No operation is observed during inspection
	a) If odour is detected, can the source be identified?	√		
	b) Odourous materials covered?	✓		
	c) If odour control system is installed, is it operating normally?	√		N. I. I. A. I. A.
3.3	Dusty materials dampened prior to loading/unloading?	√		No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓		Not required
	a) Monitoring frequency met the licence requirement?	√		
	b) Any exceedance?	✓		
	c) If exceedance is recorded, follow-up action taken?	✓		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	V		Dust-generating activity is not observed
3.6	Open burning prohibited?			
3.7	Emission from chimney or powered plant free of black smoke?	✓		No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?			
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V		Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√		Not required
3.11	Air pollution control system properly maintained and function normally?	√		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓		
	a) Obtained approval for the use of controlled refrigerant?	√		
	b) If yes, record of refrigeration equipment service available?	√		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓		
3.14	Public road around site entrance kept clean and free from dust?			
3.15	Materials transported on trucks covered?	√		Not observed



3.16 Truck loads to a level within the side and tail boards?	✓	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	✓	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment move	ement
Loading/unloading of materials	✓ Others: n/a	
4. Waste / Chemical Management		
General	N/A Yes No	Remarks
4.1 Registered as chemical waste producer?	✓	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?		
4.3 Disposed of regularly and properly?		
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5 Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓	
Packaging of Chemical Waste		
4.7 Stored in suitable container?		
4.8 Container properly closed or sealed?	✓ □ □	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓ □ □	
4.10 Obtained approval for the use of chemical waste container >450L?	✓ □ □	
<u>Labelling of Chemical Waste</u>		
4.11 Provision of chemical waste label?	V	
a) Label is securely attached and visible?	✓	
b) Label is bilingual and in proper dimension?	✓	
c) Information is accurate and sufficient?	✓	l
Storage of Chemical Waste		
4.12 Proper "Chemical Waste" sign displayed?	✓	
4.13 Incompatible wastes separated by impermeable partition?	✓	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or pro with drip trays capable of storing 110% of the volume of the largest container (if quantity <50L).		
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stac of containers?	ck 🗸 🗀	l
4.16 Properly stored and locked in designated area with adequate ventilation?	✓	
4.17 Storage area paved with concrete and kept clean and dry?	✓	
4.18 Cover provided for outdoor storage area?	✓	
4.19 Chemical waste collected by licensed collector?	✓ □ □	
Liquid Waste Storage		
4.20 Storage area provided with permeation-proof floor or surface?		
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	/	l



4.22	Walls or partitions of stacke	d container storage area constructed or	f impermeable material?	✓	□
5. La	andfill Gas (LFG) (within L	FG Consultation Zone)		N/A Yes N	o Remarks
5.1	Alert workers and visitors of	f possible LFG hazards?			
5.2	Smoking and open fires pro	hibited?			
<u>6. Ot</u>	<u>hers</u>			N/A Yes N	o Remarks
6.1	Works confined within lot b	oundaries?			
6.2	Damage to surrounding area	s avoided?			
6.3	Site lighting designed to ave	oid glare to surrounding receivers?		✓	
6.4	Materials and machinery sto	ored in an orderly manner?			
6.5	Areas within lot for recyclin	g activities paved with concrete?			
6.6	Potential stagnant pools clea	ared and mosquito breeding prevented	?		
6.7	Valid calibration certificate	for any monitoring equipment?			Not required
6.8	Valid licence(s) obtained for	r manufacture or storage of dangerous	goods?	✓	Not required
	a) Storage area in compliance	ee with the approved plan?			
	b) Storage area is securely l	ocked?		✓	
	c) Total storage capacity in	compliance with relevant statutory req	uirement?		
	d) Proper labelling provided	?		✓	
	e) Dangerous goods properl	y packaged?		✓	
Rem	arks:				
New	Observation				
	No major environmental de	iciency was observed.			
Signa	atures:				
ET R	epresentative:	Operator Representative:	Tenant Representation	ve:	IEC Representative:
C	David		Q	P.	1
Name	: David TSANG	Name: May Wu	Name: LZE H	ING TAK	Name: Tiffany TAM
Date:	2020/02/18	Date: 11 MAR 2020	Date: 13 - 3	05	Date: 2020/03/09



	Inspection Date: 2020/03/19 Time: 12:35 Lot Number: T1 Tenant: HP Telford	Inspected by: David TSANG, Chris LO	
Wea	ther Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 21 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Storm Hazy Moderate Low	
1. Ge	<u>eneral</u>	N/A Yes No Remarks	
1.1 1.2 1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? All recycling processes in operation have been approved by WRG of EPD? Any record of complaint or prosecution?	EP for tenant is not required. UPML's Environmental Policy i UPML's EMP is followed UPML's ERP is followed	is followed
2. W	ater Quality	N/A Yes No Remarks	
2.1	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken?	No wastewater is generated from process No wastewater is generated from process	m recycling
2.2	Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally?		
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		
2.5 2.6	All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk contamination	of
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use be needed.	by tenant if
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not obse	erved
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is obser	ved




2.13	Drainage from maintenance area discharged via oil interceptor?	\checkmark			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	\checkmark			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	\checkmark			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Air	· Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?	√			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	\checkmark			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	√			Not required
	a) Monitoring frequency met the licence requirement?	√			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	√			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			Dust-generating activity is not observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	\checkmark			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	\checkmark			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	√			Not observed



3.16 Tri	uck loads to a level w	rithin the side and tail boards?		✓			Not observed
3.17 Sto	ockpiles of dusty mate	erials covered or regularly watered?		✓			No stockpile of dusty material is observed
3.18 Ma	ajor dust source(s):	Wind erosion	Vehi	icle/equ	uipment	move	ment
		Loading/unloading of materials	✓ Othe	ers:	n/a		
4. Waste	e/Chemical Manag	<u>rement</u>					
General				N/A	Yes	No	Remarks
4.1 Re	egistered as chemical v	waste producer?		✓			No chemical waste is observed
4.2 Su	fficient receptacles (e	e.g. rubbish bins) available?			✓		
4.3 Dis	sposed of regularly ar	nd properly?			✓		
4.4 So	orting of materials on-	site for reuse or disposal to designated outlet?			✓		
4.5 Re	ecords of quantities of	waste generated, recycled and disposed properly kept?			✓		Verified via quarterly report
4.6 Co	ollection of sludge by	licensed collector at regular intervals?		✓			
Packagin	ng of Chemical Waste	:					
4.7 Sto	ored in suitable contai	iner?	1	✓			
4.8 Co	ontainer properly close	ed or sealed?		✓			
4.9 Sp	village cleaned up imn	nediately through the use of absorbent?	l	✓			
4.10 Ob	otained approval for th	he use of chemical waste container >450L?	l	✓			
Labelling	g of Chemical Waste						
4.11 Pro	ovision of chemical w	vaste label?		✓			
a)]	Label is securely attack	ched and visible?	l	✓			
b)	Label is bilingual and	d in proper dimension?	l	✓			
c)]	Information is accura	te and sufficient?		✓			
Storage of	of Chemical Waste						
4.12 Pro	oper "Chemical Waste	e" sign displayed?	l	✓			
4.13 Inc	compatible wastes sep	parated by impermeable partition?	l	✓			
	-	net or receptacle of suitable material (if quantity <50L), of storing 110% of the volume of the largest container (if	-	✓ L)?			
	aclosed on 3 sides with containers?	h no less than 2m in height or height of tallest container	/stack	✓			
4.16 Pro	operly stored and lock	ked in designated area with adequate ventilation?		✓			
4.17 Sto	orage area paved with	concrete and kept clean and dry?		✓			
4.18 Co	over provided for outd	loor storage area?		✓			
4.19 Ch	nemical waste collecte	ed by licensed collector?	ļ	✓			
Liquid W	Vaste Storage						
4.20 Sto	orage area provided w	vith permeation-proof floor or surface?	I	✓			
		ructure sufficient to accommodate contents of the 5 volume of the material in storage?	1	✓			



4.22	Walls or partitions of stacked	d container storage area constructed of im	permeable material?	✓ □ □]
5. La	ndfill Gas (LFG) (within LF	G Consultation Zone)		N/A Yes No	o Remarks
5.1	Alert workers and visitors of	possible LFG hazards?			7
	Smoking and open fires proh				
<u>6. Ot</u>	<u>hers</u>			N/A Yes No	o Remarks
6.1	Works confined within lot be	oundaries?			
6.2	Damage to surrounding areas	s avoided?			
6.3	Site lighting designed to avoi	id glare to surrounding receivers?			
6.4	Materials and machinery stor	red in an orderly manner?		 	
6.5	Areas within lot for recycling	g activities paved with concrete?			
6.6	Potential stagnant pools clear	red and mosquito breeding prevented?			
6.7	Valid calibration certificate f	For any monitoring equipment?		√	Not required
6.8	Valid licence(s) obtained for	manufacture or storage of dangerous goo	ods?		Not required
	a) Storage area in compliance	e with the approved plan?		√]
	b) Storage area is securely lo	cked?		√	
	c) Total storage capacity in c	compliance with relevant statutory require	ement?	✓	
	d) Proper labelling provided	?		✓ <u> </u>]
	e) Dangerous goods properly	packaged?		✓ <u> </u>]
Rema	arks:				
New	Observation				
	No major environmental defi	iciency was observed.			
Signa	atures:				
ET R	epresentative:	Operator Representative:	Tenant Representative	e:	IEC Representative:
C	David		04		
Name:	David TSANG	Name: May Wu	Name: Mr. Lee	Hay Tak	Name:
Date:	2020/03/19	Date: 3 0 MAR 2020	Date: 20-7-	2-3	Date:



Issue 1______AEC



	Inspection Date: 2020/01/16 Time: 11:40 Lot Number: P13 Tenant: Chung Yue	Inspected by: Joanne NG, Cindy KWOK David TSANG, Chris LO
Wea	ther_	
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. G	eneral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1		No wastewater is discharged from recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring regular comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
2.2	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.2	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	Recycling process has low risk of
2.9	Processes or activities with high risk of contamination located under covered area?	contamination Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ Not required
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		✓		
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?		√		
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (in enclosures or regular dampening)?	i.e.	√		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming ov 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	er 🗸			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensu compliance for landfill disposal?	are 🗸			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		
3.15	Materials transported on trucks covered?			✓	Follow-up Observation (1)
3.16	Truck loads to a level within the side and tail boards?		√		Follow-up Observation (1)
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			No dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle/eq	uipmen	t move	ment
	Loading/unloading of materials	Others:	Handl	ing of 1	materials



4. Waste / Chemical Management

General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	✓ No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	To be verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or p. with drip trays capable of storing 110% of the volume of the largest container (if qu	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / st of containers?	ack 🗸 📗
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	<u> </u>
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22 Walls or partitions of stacked container storage area constructed of impermeable ma	aterial?
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks

SITE INSPECTION CHECKLIST



6.1	Works confined within lot boundaries?		✓	
6.2	Damage to surrounding areas avoided?		✓	
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓		
6.4	Materials and machinery stored in an orderly manner?		✓	
6.5	Areas within lot for recycling activities paved with concrete?		✓	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		√	
6.7	Valid calibration certificate for any monitoring equipment?	✓		Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓		Not required
	a) Storage area in compliance with the approved plan?	✓		
	b) Storage area is securely locked?	✓		
	c) Total storage capacity in compliance with relevant statutory requirement?	✓		
	d) Proper labelling provided?	✓		
	e) Dangerous goods properly packaged?	√		

Remarks:

Follow-up from Previous Audits

Truck loaded to a level within the side and tail boards was observed. Nevertheless, materials transported on truck should be properly covered. The status will be reviewed in next inspection.



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)

New Observation

No major environmental deficiency was observed.

Si	gna	tur	es:

ET Representative:

Name: David TSANG

Date: 2020/01/16

Operator Representative:

May Wu 12 FEB 2020

Tenant Representative:

Name:

Date:

IEC Representative:

Name:

Date:

Date:



	Inspection Date: 2020/02/18 Time: 11:40 Lot Number: P13 Tenant: Chung Yue	Inspected by: David TSANG, Chris LO
Wea	fher	
		
	Condition: Sunny Fine Overcast Drizzle	Rain Storm Hazy
	Temperature: 18 ℃ Humidity: High	/ Moderate Low
	Wind: Calm Light Breeze Strong	
1. G	<u>eneral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
		WA W N D I
<u>2. W</u>	ater Quality	N/A Yes No Remarks No wastewater is discharged from
2.1	C	recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓ Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ Not required
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		✓		
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	\checkmark			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?		✓		
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e enclosures or regular dampening)?			✓	New Observation (1)
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Not required
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	· 🗸			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?		√		Follow-up Observation (1)
3.16	Truck loads to a level within the side and tail boards?		✓		
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			No dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle/eq	uipmen	t move	ment
	Loading/unloading of materials	Others:	Handl	ing of 1	materials

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gene	<u>ral</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?	\checkmark			No chemical waste is observed
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		√		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		√		To be verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			Not required
Pack	aging of Chemical Waste				
4.7	Stored in suitable container?	✓			
4.8	Container properly closed or sealed?	✓			
4.9	Spillage cleaned up immediately through the use of absorbent?	✓			
4.10	Obtained approval for the use of chemical waste container >450L?	\checkmark			
Labe	lling of Chemical Waste				
4.11	Provision of chemical waste label?	✓			
	a) Label is securely attached and visible?	✓			
	b) Label is bilingual and in proper dimension?	\checkmark			
	c) Information is accurate and sufficient?	✓			
Stora	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?	✓			
4.13	Incompatible wastes separated by impermeable partition?	\checkmark			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$	✓ 50L)?			
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	✓			
4.16	Properly stored and locked in designated area with adequate ventilation?	\checkmark			
4.17	Storage area paved with concrete and kept clean and dry?	\checkmark			
4.18	Cover provided for outdoor storage area?	✓			
4.19	Chemical waste collected by licensed collector?	✓			
Liqui	d Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?	✓			
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓			
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓			Outside LFG consultation zone
	Smoking and open fires prohibited?		√		

SITE INSPECTION CHECKLIST



<u>6. Ot</u>	<u>hers</u>	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		✓		
6.3	Site lighting designed to avoid glare to surrounding receivers?	√			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		✓		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for any monitoring equipment?	✓			Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved plan?	✓			
	b) Storage area is securely locked?	√			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?	√			
	e) Dangerous goods properly packaged?	✓			

Remarks:

Follow-up from Previous Audits

1) No trucks with improper cover was observed during the inspection.



(Observed on 16 Jan 2020)



(Observed on 18 Feb 2020)

New Observation

1) Smoke and dust emission has been seen during the operation of the site. The tenant is reminded to implement dust-suppression measures to reduce dust emission.



(Observed on 18 Feb 2020)

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: David TSANG

Date: 2020/02/18

Name:

Date:

May Wu

11 MAR 2020

Name:

7 1000

Name: Tiffany TAM

Date: 2020/03/09



	Inspection Date: 2020/03/19 Time: 12:15 Lot Number: P13 Tenant: Chung Yue	Inspected by: David TSANG, Chris LO

Wea	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 21 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
1. G	<u>eneral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1		No wastewater is discharged from recycling process
2.1	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ Not required
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	



2.15	Bulk cargo and materials packed properly?				
	Bulk cargo and materials packed property:		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Aiı	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	\checkmark			
	c) If odour control system is installed, is it operating normally?	\checkmark			
3.3	Dusty materials dampened prior to loading/unloading?		√		
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		Follow-Up Observation (1)
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Not required
	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	\checkmark			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		
3.15	Materials transported on trucks covered?	✓			Not observed
3.16	Truck loads to a level within the side and tail boards?	\checkmark			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			No dusty material is observed
3.18	Major dust source(s): Wind erosion Ve	hicle/eq	uipmer	nt move	ment
	Loading/unloading of materials ✓ Ot	hers:	Hand	ling of	materials

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gene	<u>ral</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?	\checkmark			No chemical waste is observed
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		√		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		√		To be verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			Not required
Pack	aging of Chemical Waste				
4.7	Stored in suitable container?	\checkmark			
4.8	Container properly closed or sealed?	✓			
4.9	Spillage cleaned up immediately through the use of absorbent?	✓			
4.10	Obtained approval for the use of chemical waste container >450L?	\checkmark			
Labe	lling of Chemical Waste				
4.11	Provision of chemical waste label?	✓			
	a) Label is securely attached and visible?	✓			
	b) Label is bilingual and in proper dimension?	\checkmark			
	c) Information is accurate and sufficient?	✓			
Stora	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?	✓			
4.13	Incompatible wastes separated by impermeable partition?	\checkmark			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$	✓ 50L)?			
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	✓			
4.16	Properly stored and locked in designated area with adequate ventilation?	\checkmark			
4.17	Storage area paved with concrete and kept clean and dry?	\checkmark			
4.18	Cover provided for outdoor storage area?	✓			
4.19	Chemical waste collected by licensed collector?	✓			
Liqui	d Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?	✓			
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓			
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓			Outside LFG consultation zone
	Smoking and open fires prohibited?		√		

SITE INSPECTION CHECKLIST



<u>6. Ot</u>	<u>hers</u>	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		✓		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		✓		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for any monitoring equipment?	✓			Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved plan?	✓			
	b) Storage area is securely locked?	✓			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?	✓			
	e) Dangerous goods properly packaged?	✓			

Remarks:

Follow-up from Previous Audits

1) Water spraying was applied to the floor and a stockpile was covered by tarpaulin sheeting for dust suppression.



(Observed on 18 Feb 2020)



(Observed on 19 Mar 2020)

New Observation

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: David TSANG

Date: 2020/03/19

Operator Representative:

Name:

Date:

Tenant Representative:


Name:

Date:

IEC Representative:

Name:

Date:



Issue 1______AEC



	Inspection Date: 2020/01/16 Time: 11:25 Lot Number: P11 Tenant: K. Wah	Inspected by: Joanne NG, Cindy KWOK David TSANG, Chris LO
Wea		
	Condition: Sunny Fine Overcast Drizzle	Rain Storm Hazy
	Temperature: 20 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Moderate Low
1. G	<u>eneral</u>	N/A Yes No Remarks
1.1	• • • • • • • • • • • • • • • • • • • •	EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	✓ Wastewater is reused
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓ Sedimentation pit is provided
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	Follow-up Observation (3)
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ Not required
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?		✓		Fall gradient is provided to direct runoff from works area to sedimentation pit
<u>3. Ai</u>	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		
	a) SP Licence conditions / monitoring requirements comply?		✓		Quarterly reporting on quantity of raw material and product (up to Aug - Oct 2019)
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	\checkmark			
	b) Odourous materials covered?	\checkmark			
	c) If odour control system is installed, is it operating normally?	\checkmark			
3.3	Dusty materials dampened prior to loading/unloading?	\checkmark			No loading/unloading is observed Measurement of 24-hr RSP required by SP
3.4	Dust monitoring record available?		√		Licence (Dec 2019)
	a) Monitoring frequency met the licence requirement?		✓		
	b) Any exceedance?			✓	
	c) If exceedance is recorded, follow-up action taken?	✓			Englocures and anrinklar system are
3.5	$Dust-suppression\ measures\ provided\ where\ main\ dust-generating\ activities\ take\ place\ (i.e.\ enclosures\ or\ regular\ dampening)?$		✓		Enclosures and sprinkler system are provided
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?	\checkmark			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			
3.11	Air pollution control system properly maintained and function normally?		✓		Maintenance record to be provided
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	✓			Not observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?			✓	Follow-up Observation (1)
3.18	Major dust source(s): ✓ Wind erosion	ehicle/eq	uipmen	t move	ement
	Loading/unloading of materials Ot	hers:			

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gene	<u>ral</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		✓		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			
Pack	aging of Chemical Waste				
4.7	Stored in suitable container?		✓		
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?	✓			
4.10	Obtained approval for the use of chemical waste container >450L?	\checkmark			
Labe	lling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		Follow-up Observation (2)
	a) Label is securely attached and visible?		✓		Follow-up Observation (2)
	b) Label is bilingual and in proper dimension?		✓		Follow-up Observation (2)
	c) Information is accurate and sufficient?		✓		Follow-up Observation (2)
Stora	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	✓			Not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$		✓		
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		✓		
4.16	Properly stored and locked in designated area with adequate ventilation?		✓		
4.17	Storage area paved with concrete and kept clean and dry?		✓		
4.18	Cover provided for outdoor storage area?		✓		
4.19	Chemical waste collected by licensed collector?	✓			Not observed
Liqui	id Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?		√		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		✓		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		✓		
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	√			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		√		

SITE INSPECTION CHECKLIST



6. U	<u>mers</u>	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		✓		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		✓		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for any monitoring equipment?	✓			Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved plan?	✓			
	b) Storage area is securely locked?	✓			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?	✓			
	e) Dangerous goods properly packaged?	✓			

Remarks:

Follow-up from Previous Audits

1) Although part of open stockpiles were observed with covering of tarpaulin sheeting, the tenant was reminded to properly cover the stockpiles when they were not-in-use and regularly inspect the stormwater channel in order to prevent accumulation of grit and blockage in the stormwater channel. The status will be reviewed in next inspection.



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)

2) Chemical waste containers stored in the chemical waste storage area were provided with chemical waste labels.



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)

SITE INSPECTION CHECKLIST



Chemical containers above the perimeter drain near the site entrance had been removed.



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)

New Observation

• No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: David TSANG

Date: 2020/01/16

Operator Representative:

Name:

Date:

May Wu

12 FEG 2020

Tenant Representative:

IEC Representative:

Name:

Date:



	Inspection Date: 2020/02/18 Time: 11:25 Lot Number: P11 Tenant: K. Wah	Inspected by: David TSANG, Chris LO
Wea	<u>ther</u>	
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. G	eneral_	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
	Valid Effluent Discharge Licence available?	✓ Wastewater is reused
2.1	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	Sedimentation pit is provided
2.2		Semination pit is provided
	a) Adequate capacity?	
2.2	b) Properly maintained and function normally?	
	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop less are quillelle for use but aport if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ Not required
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	



2.15 Bulk cargo and materials packed properly? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sands'slit to drains? 3.1 Valid Specified Process (SP) Licence available for all specified process? 3.1 Valid Specified Process (SP) Licence available for all specified process? 3.2 Operate without generation of noticeable odour? 3.3 Discourse of the detected, can the source be identified? 3.4 Didour is detected, can the source be identified? 3.5 Discourse materials convered? 3.6 Discourse of the detected, can the source be identified? 3.7 Discourse materials dampened prior to loading/unloading? 3.8 Discourse of regular dampening? 3.9 Discourse or regular dampening? 3.0 Discourse or regular dampening? 3.1 Discourse or regular dampening? 3.2 Discourse or regular dampening? 3.3 Discourse or regular dampening? 3.4 Discourse or regular dampening? 3.5 Discourse or regular dampening? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid fatel with a viscosity point of ignition >30 centrified days and prohibited? 3.11 Air pollution control system properly maintained and function normally? 3.12 Discourse or regular dampening? 3.13 Ohly ultra-low sulphule discoursed in the critical plant free of black smoke? 3.14 Discourse or regular dampening was promoted in the use of liquid fatel with a viscosity point of ignition >30 centrified or an equivalent viscosity? 3.14 Discourse or regular dampening was promoted or ferigeration equipment service available? 3.15 Discourse or regular dampening over 25% in facility discourse or regular dampening over 25% in facility of the bloom, or 35% good fine/hour, or 1150MI gaseous fuel/hour? 3.16 Obtained approval for the use of liquid fate of the order of the second of liquid fate of the order of	2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	\checkmark			Not required
2.17 Measures to prevent the washing away of sand/silt to drains? V Measures to prevent the washing away of sand/silt to drains? V Measures to prevent the washing away of sand/silt to drains? N/A Yes No Remarks N/A Y	2.15			√		
2.17 Measures to prevent the washing away of sand/silt to drains? V Measures to prevent the washing away of sand/silt to drains? V Measures to prevent the washing away of sand/silt to drains? N/A Yes No Remarks N/A Y	2.16	Temporary stockpiles covered during rainstorms?	√			No rainstorm during inspection
3. Air Ouality 3. Air Ouality 3. I Valid Specified Process (SP) Licence available for all specified process? 4. I Valid Specified Process (SP) Licence available for all specified process? 5. I Valid Specified Process (SP) Licence available for all specified process? 6. I Valid Specified Process (SP) Licence available for all specified process? 7. I valid Specified Process (SP) Licence available for all specified process? 8. I Valid Specified Process (SP) Licence available for all specified process? 9. If odour is detected, can the source be identified? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed, is it operating normally? 9. I doour control system is installed by the man in dust-generating activities take place (i.e. operation is observed during inspection on control in the provided where main dust-generating activities take place (i.e. operation in provided where main dust-generating activities take place (i.e. operation in provided where main dust-generating activities take place (i.e. operation of regulary system are provided within inspection of regulary system are provided in provide			一	✓	一	
3.1 Valid Specified Process (SP) Licence available for all specified process? a) SP Licence conditions/monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. orlowers or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/bour, or 35kg solid fuel/hour, or 31kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? b) If yes, record of refrigeration equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centrolic viscosity? 3.13 Only ultra-low sulphur disest is used for activities requiring liquid fuel? b) If yes, record of refrigeration equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment installed in the side and tail boards? c) Not observed 3.15 Materials transported on tracks covered? v) Not observed v						·
a) SP Licence conditions / monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 4. Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, over or chimney consuming over 251. Iquid fuel/blour, or 352 good in the flour, or 1150MI gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? b) If yes, record of refrigeration equipment estrice available? b) If yes, record of refrigeration equipment estrice available? c) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphru diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 4. Visible/equipment movement	3. Ai	r Quality	N/A	Yes	No	Remarks
a) SP Licence conditions / monitoring requirements compily? 3.2 Operate without generation of noticeable olour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.9 Obtained approval for installation/alteration of furnace, owen or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dus? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		Overteely reporting on expertity of resumptional
a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to louding/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. provided dumpening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of flouid fleel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.10 Obtained approval for the use of liquid fleel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.11 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.12 Dust collected by any air pollution control equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Wehicle/equipment movement		a) SP Licence conditions / monitoring requirements comply?		✓		
b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 4.4 Dust monitoring record available? 3.5 Dust monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. or provided ampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 2.5 Liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? 3.13 Obtained approval for the use of found if the with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): 4. Whicle/equipment movement	3.2	Operate without generation of noticeable odour?		✓		
c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. provided provided during impection of Schrift System are provided during inspection of Schrift System are provided approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gascous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Ohyu ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 4 Vehicle/equipment movement		a) If odour is detected, can the source be identified?	✓			
3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? 3.5 Dust monitoring frequency met the licence requirement? 3.6 Dust-suppression measures provided where main dust-generating activities take place (i.e. provided provided dumpering)? 3.7 Dust-suppression measures provided where main dust-generating activities take place (i.e. provided dumpering)? 3.8 Open burning prohibited? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 pot collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? 3.13 Obtained approval for the use of controlled refrigerant? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): V Wind erosion		b) Odourous materials covered?	✓			
Measurement of 24-th RSP required by SP Licence (Jan & Feb 2020)		c) If odour control system is installed, is it operating normally?	\checkmark			
3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): V Mind erosion V Schicles equipment movement	3.3	Dusty materials dampened prior to loading/unloading?		✓		Management of 24 har DCD associated by CD
b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? 3.13 Obtained approval for the use of controlled refrigerant?	3.4	Dust monitoring record available?		√		
c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. V provided provided provided enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement		a) Monitoring frequency met the licence requirement?		√		
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): 4 Wind erosion 4 Vehicle/equipment movement		b) Any exceedance?			✓	
2.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25. liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? 3.13 Ohly ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Vehicles and equipment in during inspection 3.19 Vehicle/equipment movement Not observed Vehicles and equipment is observed during inspection Not observed Vehicles and equipment is observed during inspection Not observed Vehicles of dusty materials covered or regularly watered? Vehicles of dusty materials covered or regularly watered? Vehicles and equipment is observed during inspection Vehicles (equipment movement)		c) If exceedance is recorded, follow-up action taken?	\checkmark			
3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Not observation (1) Vehicle/equipment movement	3.5			√		
3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.6	Open burning prohibited?		✓		
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Vehicle/equipment movement	3.7	Emission from chimney or powered plant free of black smoke?	\checkmark			No operation is observed during inspection
25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): V mind erosion Vehicle/equipment movement	3.8	Vehicles and equipment switched off while not in use?		✓		
centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.9		✓			
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.10		✓			
compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Wehicle/equipment movement	3.11	Air pollution control system properly maintained and function normally?		√		Maintenance record to be provided
b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.12		✓			
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement		a) Obtained approval for the use of controlled refrigerant?	✓			
3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Wehicle/equipment movement		b) If yes, record of refrigeration equipment service available?	✓			
3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Wehicle/equipment movement	3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	\checkmark			
3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Wehicle/equipment movement	3.14	Public road around site entrance kept clean and free from dust?		✓		
3.17 Stockpiles of dusty materials covered or regularly watered? Solventials covered or regularly watered? Solventials covered or regularly watered? Wind erosion Vehicle/equipment movement	3.15	Materials transported on trucks covered?	\checkmark			Not observed
3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.16	Truck loads to a level within the side and tail boards?	✓			Not observed
	3.17	Stockpiles of dusty materials covered or regularly watered?			✓	Follow-up Observation (1)
Loading/unloading of materials Others:	3.18	Major dust source(s): ✓ Wind erosion Ve	ehicle/eq	uipmer	it move	ment
		Loading/unloading of materials Or	hers:			

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gene	<u>ral</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		√		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			
Pack	aging of Chemical Waste				
4.7	Stored in suitable container?		✓		
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?	✓			
4.10	Obtained approval for the use of chemical waste container >450L?	✓			
Labe	lling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		✓		
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		✓		
<u>Stora</u>	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	\checkmark			Not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$		✓		
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		✓		
4.16	Properly stored and locked in designated area with adequate ventilation?		✓		
4.17	Storage area paved with concrete and kept clean and dry?		✓		
4.18	Cover provided for outdoor storage area?		✓		
4.19	Chemical waste collected by licensed collector?	✓			Not observed
<u>Liqui</u>	id Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?		✓		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		✓		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		✓		
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		√		

SITE INSPECTION CHECKLIST



<u>6. Others</u>		N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		✓		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		✓		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for any monitoring equipment?	✓			Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved plan?	√			
	b) Storage area is securely locked?	✓			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?	✓			
	e) Dangerous goods properly packaged?	✓			

Remarks:

Follow-up from Previous Audits

Open stockpiles were observed without covering of tarpaulin sheeting. The tenant was reminded to properly cover
the stockpiles when they were not-in-use and regularly inspect the stormwater channel in order to prevent accumulation of grit and
blockage in the stormwater channel. The status will be reviewed in the next inspection.



(Observed on 16 Jan 2020)



(Observed on 18 Feb 2020)

New Observation

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: David TSANG

Date: 2020/02/18

Operator Representative:

Name: May Wu

Date: 1 1 MAD 2070

Tenant Representative:

Name: Sammy

IEC Representative:

Name: Tiffany TAM

Date: 2020/03/09



	Inspection Date: 2020/03/19 Time: 12:00 Lot Number: P11 Tenant: K. Wah	Inspected by: David TSANG, Chris LO
Wea	<u>ther</u>	
	Condition: Sunny Fine V Overcast Drizzle	Rain Storm Hazy
	Temperature: 21 $^{\circ}$ C Humidity: \checkmark High	Moderate Low
	Wind: Calm Light Breeze Strong	
1. G	<u>eneral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	✓ Wastewater is reused
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	Sedimentation pit is provided
2.2	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4		
2.5	All manholes covered?	
	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from	
2.0	entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ Not required
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	



2.15 Balk cargo and materials packed property? 2.16 Temporary stockpiles covered during rainstorms? 2.17 Measures to prevent the washing away of sandsilt to drains? 3.1 Valid Specified Process (SP) Licence available for all specified process? 3.1 Valid Specified Process (SP) Licence available for all specified process? 3.2 Operate without generation of noticeable odour? 3.1 Journal of detected, can the source be identified? 3.2 Operate without generation of noticeable odour? 3.3 Dusty materials during control system is installed, is it operating normally? 3.4 Dusty materials during control system is installed, is it operating normally? 3.5 Dusty materials during the licence requirement? 3.6 Appearance of the second of control system is installed, is it operating activities take place (i.e.	2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.17 Measures to prevent the washing away of sand/silt to drains? V Management of prevent the washing away of sand/silt to drains? V Management of prevent the washing away of sand/silt to drains? N/A Yes No Remarks N/A	2.15			✓		
2.17 Measures to prevent the washing away of sand/silt to drains? V Management of prevent the washing away of sand/silt to drains? V Management of prevent the washing away of sand/silt to drains? N/A Yes No Remarks N/A	2.16	Temporary stockpiles covered during rainstorms?	✓	一	一	No rainstorm during inspection
3. Air Quality 1. Valid Specified Process (SP) Licence available for all specified process? 2. Operate without generation of noticeable odour? 3. Operate without generation of noticeable odour? 3. Operate without generation of noticeable odour? 4. Outside Specified Process (SP) Licence available for all specified process? 5. Operate without generation of noticeable odour? 6. Operate without generation of noticeable odour? 7. Outside Specified Process (SP) Licence available? 8. Outside Specified Process (SP) Licence available odour? 8. Outside Specified Process (SP) Licence available of the identified? 9. Outside Specified Process (SP) Licence available of the identified? 9. Outside Specified Process (SP) Licence available of the identified? 9. Outside John Specified Process (SP) Licence of Specified Process (SP) Licence Outside Specified Process (SP) Licence Outside Specified Process (SP) Licence Outside Specified Specified Process (SP) Licence Outside Specified Specified Process (SP) Licence Outside Specified Specifi					=	Fall gradient is provided to direct runoff
Valid Specified Process (SP) Licence available for all specified process?	2.17	Measures to prevent the washing away of sand/shi to drains:				nom works area to seamentation pr
a) SP Licence conditions / monitoring requirements comply? 3.2 Operate without generation of noticeable odour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 251. liquid fuel/blour, or 352 good fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? b) If yes, record of refrigeration equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment estrice available? c) If yes, record of refrigeration equipment estrice available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on tracks covered? 3.16 Track loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind crosion Vehicle/equipment movement	<u>3. Ai</u>	r Quality	N/A	Yes	No	Remarks
a) SP Licence conditions/monitoring requirements comply? 3.2 Operate without generation of noticeable olour? a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures and spinither system are neclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chinney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chinney consuming over 25t. Inquir fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 certification control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur dised is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		Overteely reporting on expertity of resumptional
a) If odour is detected, can the source be identified? b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 4.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. particular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of liquid fluel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.10 Obtained approval for the use of liquid fluel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? a) Obtained approval for the use of liquid fluel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): 4. Wind erosion 4. Vehicle/equipment movement		a) SP Licence conditions / monitoring requirements comply?		✓		
b) Odourous materials covered? c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures provided where main dust-generating activities take place (i.e. or provided measures are gular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for the use of figuid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.10 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for l	3.2	Operate without generation of noticeable odour?		✓		
c) If odour control system is installed, is it operating normally? 3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. provided provided adaption)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gascous fuel/hour? 3.10 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Ohly ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Vehicles of dusty materials covered or regularly watered? 4 Onto observed 5 Follow-up Observation (1) 5 Vehicle/equipment movement		a) If odour is detected, can the source be identified?	✓			
3.3 Dusty materials dampened prior to loading/unloading? 3.4 Dust monitoring record available? 3.5 Dust monitoring frequency met the licence requirement? 3.6 Dust-suppression measures provided where main dust-generating activities take place (i.e. or local dampening)? 3.7 Dust-suppression measures provided where main dust-generating activities take place (i.e. or local dampening)? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150Ml gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 contistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? 3.13 Obtained approval for the use of controlled refrigerant? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): V Wind erosion		b) Odourous materials covered?	✓			
Measurement of 24-hr RSP required by SP Licence (Mar 2020) A point property of the property of the provided where main dust-generating activities take place (i.e.		c) If odour control system is installed, is it operating normally?	✓			
3.4 Dust monitoring record available? a) Monitoring frequency met the licence requirement? b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): V Wind erosion V Wehicle/equipment movement	3.3	Dusty materials dampened prior to loading/unloading?	✓			
b) Any exceedance? c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): 4 Wind erosion 4 Vehicle/equipment movement	3.4	Dust monitoring record available?		✓		1 5
c) If exceedance is recorded, follow-up action taken? 3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. provided plant free of black smoke? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion		a) Monitoring frequency met the licence requirement?		✓		
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): 4 Wind erosion 4 Vehicle/equipment movement		b) Any exceedance?			✓	
2.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)? 3.6 Open burning prohibited? 3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Whind erosion Vehicle/equipment movement		c) If exceedance is recorded, follow-up action taken?	✓			Endowen and an inline control
3.7 Emission from chimney or powered plant free of black smoke? 3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.5			✓		
3.8 Vehicles and equipment switched off while not in use? 3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.6	Open burning prohibited?		√		
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Vehicle/equipment movement	3.7	Emission from chimney or powered plant free of black smoke?		✓		
25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour? 3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Vehicle/equipment movement	3.8	Vehicles and equipment switched off while not in use?		✓		
centistokes or an equivalent viscosity? 3.11 Air pollution control system properly maintained and function normally? 3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Vehicle/equipment movement	3.9		✓			
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.10		✓			
compliance for landfill disposal? a) Obtained approval for the use of controlled refrigerant? b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Wehicle/equipment movement	3.11	Air pollution control system properly maintained and function normally?		✓		Maintenance record to be provided
b) If yes, record of refrigeration equipment service available? 3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.12		✓			
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel? 3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Vehicle/equipment movement		a) Obtained approval for the use of controlled refrigerant?	✓			
3.14 Public road around site entrance kept clean and free from dust? 3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Wehicle/equipment movement		b) If yes, record of refrigeration equipment service available?	✓			
3.15 Materials transported on trucks covered? 3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Wehicle/equipment movement	3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.16 Truck loads to a level within the side and tail boards? 3.17 Stockpiles of dusty materials covered or regularly watered? 3.18 Major dust source(s): Wind erosion Wehicle/equipment movement	3.14	Public road around site entrance kept clean and free from dust?		✓		
3.17 Stockpiles of dusty materials covered or regularly watered? Solution (1) Tollow-up Observation (1) Solution (1) Wind erosion Vehicle/equipment movement	3.15	Materials transported on trucks covered?	✓			Not observed
3.18 Major dust source(s): Wind erosion Vehicle/equipment movement	3.16	Truck loads to a level within the side and tail boards?	\checkmark			Not observed
	3.17	Stockpiles of dusty materials covered or regularly watered?		✓		Follow-up Observation (1)
Loading/unloading of materials Others:	3.18	Major dust source(s): Wind erosion Ve	ehicle/eq	uipmer	it move	ment
		Loading/unloading of materials Ot	hers:			

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gene	<u>ral</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		√		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			
Pack	aging of Chemical Waste				
4.7	Stored in suitable container?		✓		
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?	✓			
4.10	Obtained approval for the use of chemical waste container >450L?	✓			
Labe	lling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		✓		
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		✓		
<u>Stora</u>	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	\checkmark			Not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$		✓		
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		✓		
4.16	Properly stored and locked in designated area with adequate ventilation?		✓		
4.17	Storage area paved with concrete and kept clean and dry?		✓		
4.18	Cover provided for outdoor storage area?		✓		
4.19	Chemical waste collected by licensed collector?	✓			Not observed
<u>Liqui</u>	id Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?		✓		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		✓		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		✓		
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		√		

SITE INSPECTION CHECKLIST



<u>6. Others</u>		N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		
6.2	Damage to surrounding areas avoided?		√		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		√		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓		
6.7	Valid calibration certificate for any monitoring equipment?	\checkmark			Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved plan?	√			
	b) Storage area is securely locked?	✓			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?	\checkmark			
	e) Dangerous goods properly packaged?	\checkmark			

Remarks:

Follow-up from Previous Audits

1) The remaining stockpiles were sufficiently watered during inspection.



(Observed on 18 Feb 2020)



(Observed on 19 Mar 2020)

New Observation

No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: David TSANG

Date: 2020/03/19

Operator Representative:

Name:


Date:

Tenant Representative:

IEC Representative:

Name:

Date:



Issue 1 AEC



	Inspection Date: 2020/01/16 Time: 9:40 Lot Number: P12 Tenant: South China	Inspected by: Joanne NG, Cindy KWOK David TSANG, Chris LO
Weat	her Condition: ✓ Sunny Fine Overcast Drizzle	Rain Storm Hazy
	Temperature: 20 °C Humidity: ✓ High	Moderate Low
	Wind: Calm Light Breeze Strong	
<u>1. Ge</u>	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required.
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wa	<u>iter Quality</u>	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	✓ Wastewater is tanked away
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓ Wastewater is tanked away
	a) Adequate capacity?	Storage in the underground storage tank
	b) Properly maintained and function normally?	✓ Wastewater is tanked away
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	Manholes near the cleaning area are
2.5	All manholes covered?	sealed Follow-up Observation (1) &
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	Follow-up Observation (2)
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	Wastewater is tanked away



2.13	Drainage from maintenance area discharged via oil interceptor?		Wastewater is tanked away
	a) Oil and grease removed regularly?	✓	
	b) Collected by licensed collector?	/	
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	Y	Not required
2.15	Bulk cargo and materials packed properly?	/	Not required
2.16	Temporary stockpiles covered during rainstorms?	/	Na and delta in a second of formation
2.17	Measures to prevent the washing away of sand/silt to drains?		No sand/silt is generated from the recycling process
3. Air	Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		
	a) SP Licence conditions / monitoring requirements comply?	/	No operation is observed during
3.2	Operate without generation of noticeable odour?	/	inspection
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?	/	
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		Dusty material is not observed
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?	✓ □ □	
	c) If exceedance is recorded, follow-up action taken?	/	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	Y	Dust-generating activity is not observed
3.6	Open burning prohibited?		N C L C L
3.7	Emission from chimney or powered plant free of black smoke?	/	No operation of plant is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	Y	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓ □ □	
3.11	Air pollution control system properly maintained and function normally?	✓	
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		
3.15	Materials transported on trucks covered?	/	Not observed



3.16	Truck loads to a level within the side and tail boards?		Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	V	No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle/equipment m	novement
	Loading/unloading of materials	✓ Others: n/a	
4. Wa	aste / Chemical Management		
Gener	r <u>al</u>	N/A Yes 1	No Remarks
4.1	Registered as chemical waste producer?	✓	
4.2	Sufficient receptacles (e.g. rubbish bins) available?		
4.3	Disposed of regularly and properly?		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	V	<u> </u>
Packa	iging of Chemical Waste		
4.7	Stored in suitable container?	V	
4.8	Container properly closed or sealed?	V	
4.9	Spillage cleaned up immediately through the use of absorbent?	V	
4.10	Obtained approval for the use of chemical waste container >450L?	V	
Label	ling of Chemical Waste		
4.11	Provision of chemical waste label?	V	<u> </u>
	a) Label is securely attached and visible?	V	
	b) Label is bilingual and in proper dimension?	V	<u> </u>
	c) Information is accurate and sufficient?	V	
Stora	ge of Chemical Waste		
4.12	Proper "Chemical Waste" sign displayed?	V	
4.13	Incompatible wastes separated by impermeable partition?	V	
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or pr with drip trays capable of storing 110% of the volume of the largest container (if quantity $<$ 50L).		
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / sta of containers?	ack 🗸	
4.16	Properly stored and locked in designated area with adequate ventilation?	✓	
4.17	Storage area paved with concrete and kept clean and dry?	V	<u> </u>
4.18	Cover provided for outdoor storage area?	✓	
4.19	Chemical waste collected by licensed collector?	✓	
Liqui	d Waste Storage		
4.20	Storage area provided with permeation-proof floor or surface?	✓	
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	V	□

SITE INSPECTION CHECKLIST



4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
5. La 5.1 5.2	Alert workers and visitors of possible LFG hazards? Smoking and open fires prohibited?	N/A Yes No	Remarks Outside LFG consultation zone
<u>6. Otl</u>	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	/	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?		Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		Not required
	a) Storage area in compliance with the approved plan?	/	
	b) Storage area is securely locked?	/	
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?		

Remarks:

Follow-up from Previous Audits

1) Milky discharge and oil mixture was still observed in the stormwater drain. The tenant should remove the dusty discharge and prevent any untreated runoff from entering the stormwater manhole. The status will be reviewed in next inspection.



(Observed on 19 Nov 2019)



(Observed on 16 Jan 2020)

SITE INSPECTION CHECKLIST



2) Scum was still observed in the perimeter drain. The tenant should regularly inspect and clean up the scum. The status will be reviewed in next inspection.







(Observed on 16 Jan 2020)

New Observation

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: David TSANG

Date: 2020/01/16

Operator Representative:

May Wu

Name:

Date: 12 FEB 2020

n

Name: Terence Tsui

Date: 14 FEB 2020

Tenant Representative:

IEC Representative:

Name: Tiffany TAM

Date: 2020/02/12



	Inspection Date: 2020/02/18 Time: 09:40 Lot Number: P12 Tenant: South China	Inspecto	ed by:	David TS	ANG, Chris LO
Weathe	r				
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain ✓ Modera	ate	Sto	orm Hazy w
1. Gene	ral_	N/A	Yes	No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓			EP for tenant is not required.
1.2	Environmental Policy documented?	√			UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	V			UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓			UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?		✓		
1.6	Any record of complaint or prosecution?			√	
2. Wate	r Quality	N/A	Yes	No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓			Wastewater is tanked away
	a) Sampling record available?				
	b) Monitoring frequency met the licence requirement?				
	c) Monitoring result comply with the licence requirement?				
	d) If exceedance is recorded, any follow-up action taken?		一	一	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	一	一		Wastewater is tanked away
	a) Adequate capacity?		✓		Storage in the underground storage tank
	b) Properly maintained and function normally?		一	一	Wastewater is tanked away
2.3	Surface run-off control measures in place and adequately maintained?		✓		
2.4	Surface run-off discharging into drainage system?		<u> </u>		
2.5	All manholes covered?	一一	<u> </u>	一	Manholes near the cleaning area are sealed
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		✓		Follow-up Observation (1) & Follow-up Observation (2)
2.7	Storage of materials and equipment located away from water bodies?		✓		-
2.8	Drainage system well maintained to prevent flooding or overflow?		✓		
2.9	Processes or activities with high risk of contamination located under covered area?		✓		-
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓			Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓			Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?	\checkmark			Wastewater is tanked away
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?	\checkmark			Not required
2.16	Temporary stockpiles covered during rainstorms?	\checkmark			
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Air O	nality	N/A	Yes	No	Remarks



3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?	✓			No operation is observed during inspection
	a) If odour is detected, can the source be identified?				
	b) Odourous materials covered?		一		
	c) If odour control system is installed, is it operating normally?				
3.3	Dusty materials dampened prior to loading/unloading?				Dusty material is not observed
3.4	Dust monitoring record available?				Not required
	a) Monitoring frequency met the licence requirement?				
	b) Any exceedance?				
	c) If exceedance is recorded, follow-up action taken?				
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e.		\equiv		Dust-generating activity is not observed
3.3	enclosures or regular dampening)?	ب ا		<u> </u>	Bust generating activity is not observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?	√			No operation of plant is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			
3.11	Air pollution control system properly maintained and function normally?	√			
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?	一	✓		
3.15	Materials transported on trucks covered?		一		Not observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			No stockpile of dusty material is observed
3.18		Vehicle/equip	oment me	ovement	
		Others:	n/a		
4. Wast	e/Chemical Management				
General		N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?				
4.2	Sufficient receptacles (e.g. rubbish bins) available?				
4.3	Disposed of regularly and properly?				
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?	\vdash			
4.5			$\overline{}$		Verified via quarterly report
4.6	Records of quantities of waste generated, recycled and disposed properly kent?				vermen vin quarterly report
4.0	Records of quantities of waste generated, recycled and disposed properly kept? Collection of sludge by licensed collector of recycles intervals?		一	\equiv	
Doolsoo	Collection of sludge by licensed collector at regular intervals?	✓			
_	Collection of sludge by licensed collector at regular intervals? ng of Chemical Waste				
4.7	Collection of sludge by licensed collector at regular intervals? ng of Chemical Waste Stored in suitable container?	V			
4.7 4.8	Collection of sludge by licensed collector at regular intervals? ng of Chemical Waste Stored in suitable container? Container properly closed or sealed?	V			
4.7 4.8 4.9	Collection of sludge by licensed collector at regular intervals? ng of Chemical Waste Stored in suitable container? Container properly closed or sealed? Spillage cleaned up immediately through the use of absorbent?	\frac{1}{\sqrt{1}}			
4.7 4.8 4.9 4.10	Collection of sludge by licensed collector at regular intervals? ng of Chemical Waste Stored in suitable container? Container properly closed or sealed? Spillage cleaned up immediately through the use of absorbent? Obtained approval for the use of chemical waste container >450L?	\frac{1}{\sqrt{1}}			
4.7 4.8 4.9 4.10	Collection of sludge by licensed collector at regular intervals? ng of Chemical Waste Stored in suitable container? Container properly closed or sealed? Spillage cleaned up immediately through the use of absorbent?				



	a) Label is securely attached and visible?	✓			
	b) Label is bilingual and in proper dimension?	✓			
	c) Information is accurate and sufficient?	✓			
Storage	of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?	\checkmark			
4.13	Incompatible wastes separated by impermeable partition?	✓			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>50L$)	✓ L)?			
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	✓			
4.16	Properly stored and locked in designated area with adequate ventilation?	\checkmark			
4.17	Storage area paved with concrete and kept clean and dry?	✓			
4.18	Cover provided for outdoor storage area?	\checkmark			
4.19	Chemical waste collected by licensed collector?	\checkmark			
Liquid V	Vaste Storage				
4.20	Storage area provided with permeation-proof floor or surface?	✓			
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓			
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			
5. Land	fill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	—			Outside LFG consultation zone
	Their workers and visitors of possible Er G nazards.				
7.2	Smoking and open fires prohibited?		✓		
5.2	Smoking and open fires prohibited?		√		
6. Other		N/A	√ Yes	No	Remarks
		N/A	Yes	No	Remarks
6. Other	<u>ss</u>	N/A	Yes ✓	No	Remarks
6. Other 6.1	Works confined within lot boundaries?	N/A	✓	No	Remarks
6.1 6.2	Works confined within lot boundaries? Damage to surrounding areas avoided?	N/A	✓	No	Remarks
6. Other 6.1 6.2 6.3	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers?	N/A	✓	No	Remarks
6. Other 6.1 6.2 6.3 6.4	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner?	N/A	✓	No No	Remarks
6. Other 6.1 6.2 6.3 6.4 6.5	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete?	N/A	✓	No Signature of the control of the c	Remarks Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented?	N/A V V V	✓	No No	
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment?	N/A	✓	No No	Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment? Valid licence(s) obtained for manufacture or storage of dangerous goods?	N/A	✓	No No	Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment? Valid licence(s) obtained for manufacture or storage of dangerous goods? a) Storage area in compliance with the approved plan?	N/A	✓	No No	Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment? Valid licence(s) obtained for manufacture or storage of dangerous goods? a) Storage area in compliance with the approved plan? b) Storage area is securely locked?	N/A	✓	No No	Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment? Valid licence(s) obtained for manufacture or storage of dangerous goods? a) Storage area in compliance with the approved plan? b) Storage area is securely locked? c) Total storage capacity in compliance with relevant statutory requirement?	N/A V V V V V V V V	✓	No No O	Not provided

SITE INSPECTION CHECKLIST



Remarks:

Follow-up from Previous Audits

Milky discharge and oil mixture in the stormwater drain has been removed.



(Observed on 16 Jan 2020)

2) Scum in the perimetre basin has been removed.



(Observed on 16 Jan 2020)



(Observed on 18 Feb 2020)



(Observed on 18 Feb 2020)

New Observation

No major environmental deficiency was observed.

Signatures:

ET Representative:

Name: David TSANG

2020/02/18 Date:

Operator Representative:

Name:

Date:

May Wu

11 MAR 2020

Tenant Representative:

Terence Tsui

16 MAR 2020 Date.

IEC Representative:

Name: Tiffany TAM

Date: 2020/03/09



	Inspection Date: 2020/03/19 Time: 10:15 Lot Number: P12 Tenant: South China	Inspected by	David TS	ANG, Chris LO
Weathe	Condition: Sunny Fine Vovercast Drizzle Temperature: 21 °C Humidity: VHigh Wind: VCalm Light Breeze Strong	Rain Moderate	Sto	orm Hazy w
1. Gene	Environmental Permit (EP) for Tenant displayed at entrances/exits?	N/A Y	es No	Remarks EP for tenant is not required.
1.2	Environmental Policy documented?	√		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?		7 —	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?			UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?			
1.6	Any record of complaint or prosecution?			
2. Wate	r Quality	N/A Y	es No	Remarks
2.1	Valid Effluent Discharge Licence available?	✓		Wastewater is tanked away
	a) Sampling record available?		- -	
	b) Monitoring frequency met the licence requirement?		- -	
	c) Monitoring result comply with the licence requirement?			
	d) If exceedance is recorded, any follow-up action taken?		7	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?			Wastewater is tanked away
2.2				
	a) Adequate capacity?			Storage in the underground storage tank
	b) Properly maintained and function normally?			Wastewater is tanked away
2.3	Surface run-off control measures in place and adequately maintained?			
2.4	Surface run-off discharging into drainage system?			
2.5	All manholes covered?			Manholes near the cleaning area are sealed
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?			
2.7	Storage of materials and equipment located away from water bodies?			
2.8	Drainage system well maintained to prevent flooding or overflow?			
2.9	Processes or activities with high risk of contamination located under covered area?			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓		Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓		Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√		Wastewater is tanked away
2.13	Drainage from maintenance area discharged via oil interceptor?	✓		Wastewater is tanked away
	a) Oil and grease removed regularly?	✓		
	b) Collected by licensed collector?	V		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V		Not required
2.15	Bulk cargo and materials packed properly?	√		Not required
2.16	Temporary stockpiles covered during rainstorms?	✓		
2.17	Measures to prevent the washing away of sand/silt to drains?	✓		No sand/silt is generated from the recycling process
3. Air Q	vuality	N/A Y	es No	Remarks



3.1	Valid Specified Process (SP) Licence available for all specified process?	\checkmark			
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?	✓			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	✓	$\overline{\Box}$		
	b) Odourous materials covered?		一		
	c) If odour control system is installed, is it operating normally?				
3.3	Dusty materials dampened prior to loading/unloading?				Dusty material is not observed
3.4	Dust monitoring record available?		\exists		Not required
	a) Monitoring frequency met the licence requirement?				
	b) Any exceedance?		一		
	c) If exceedance is recorded, follow-up action taken?				
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e.		一		Dust-generating activity is not observed
3.3	enclosures or regular dampening)?				Dast generaling activity is not observed
3.6	Open burning prohibited?		\checkmark		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation of plant is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	\checkmark			
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	\checkmark			
3.11	Air pollution control system properly maintained and function normally?	✓			
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	\checkmark			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	✓			Not observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle/equ	iipment m	ovement	
	Loading/unloading of materials	Others:	n/a		
4. Wast	e/Chemical Management				
General		N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?	✓			
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?	一	✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		✓		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?				
Packagii	ng of Chemical Waste				
4.7	Stored in suitable container?	$\overline{}$			
4.8	Container properly closed or sealed?		一	\equiv	
4.9	Spillage cleaned up immediately through the use of absorbent?		一	\equiv	
4.10	Obtained approval for the use of chemical waste container >450L?		\equiv		
	g of Chemical Waste				
4.11	Provision of chemical waste label?	$\overline{}$			
1					



	a) Label is securely attached and visible?	✓			
	b) Label is bilingual and in proper dimension?	✓			
	c) Information is accurate and sufficient?	✓			
Storage	of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?	\checkmark			
4.13	Incompatible wastes separated by impermeable partition?	✓			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>50L$)	✓ L)?			
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	✓			
4.16	Properly stored and locked in designated area with adequate ventilation?	\checkmark			
4.17	Storage area paved with concrete and kept clean and dry?	✓			
4.18	Cover provided for outdoor storage area?	\checkmark			
4.19	Chemical waste collected by licensed collector?	\checkmark			
Liquid V	Vaste Storage				
4.20	Storage area provided with permeation-proof floor or surface?	✓			
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓			
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			
5. Land	fill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	—			Outside LFG consultation zone
	Their workers and visitors of possible Er G nazards.				
7.7.	Smoking and open fires prohibited?		✓		
5.2	Smoking and open fires prohibited?		√		
6. Other		N/A	√ Yes	No	Remarks
		N/A	Yes	No	Remarks
6. Other	<u>ss</u>	N/A	Yes ✓	No	Remarks
6. Other 6.1	Works confined within lot boundaries?	N/A	✓	No	Remarks
6.1 6.2	Works confined within lot boundaries? Damage to surrounding areas avoided?	N/A	✓	No	Remarks
6. Other 6.1 6.2 6.3	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers?	N/A	✓	No	Remarks
6. Other 6.1 6.2 6.3 6.4	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner?	N/A	✓	No No	Remarks
6. Other 6.1 6.2 6.3 6.4 6.5	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete?	N/A	✓	No Signature of the control of the c	Remarks Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented?	N/A V V V	✓	No No	
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment?	N/A	✓	No No	Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment? Valid licence(s) obtained for manufacture or storage of dangerous goods?	N/A	✓	No No	Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment? Valid licence(s) obtained for manufacture or storage of dangerous goods? a) Storage area in compliance with the approved plan?	N/A	✓	No No	Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment? Valid licence(s) obtained for manufacture or storage of dangerous goods? a) Storage area in compliance with the approved plan? b) Storage area is securely locked?	N/A	✓	No No	Not provided
6. Other 6.1 6.2 6.3 6.4 6.5 6.6	Works confined within lot boundaries? Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment? Valid licence(s) obtained for manufacture or storage of dangerous goods? a) Storage area in compliance with the approved plan? b) Storage area is securely locked? c) Total storage capacity in compliance with relevant statutory requirement?	N/A V V V V V V V V	✓	No No O	Not provided

SITE INSPECTION CHECKLIST



Remarks:

New Observation

No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:


Name: David TSANG

Date: 2020/03/19

Name: Date: May Wu 3 0 MAR 2020 Name: Terence Tsui
Date: 30 MAR 2020

Name: Tiffany TAM

Date: 2020/03/27



Issue 1______AEC



	Inspection Date: 2020/01/16 Time: 11:50 Lot Number: P14 Tenant: E.Tech	Inspected by: Joanne NG, Cindy KWOK David TSANG, Chris LO	
Wea	<u>ther</u>		
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low	
1. G	<u>eneral</u>	N/A Yes No Remarks	
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required.	
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is follows:	owed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed	
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed	
1.5	All recycling processes in operation have been approved by WRG of EPD?		
1.6	Any record of complaint or prosecution?		
		NA V N D I	
	ater Quality	N/A Yes No Remarks	
2.1	Valid Effluent Discharge Licence available?		
	a) Sampling record available?		
	b) Monitoring frequency met the licence requirement?		-
	c) Monitoring result comply with the licence requirement?		
2.2	d) If exceedance is recorded, any follow-up action taken?		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		
	a) Adequate capacity?b) Properly maintained and function normally?		
23	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		
2.5	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?		
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by ten needed	ant if
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed	
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed	
2.13	Drainage from maintenance area discharged via oil interceptor?	✓ Not required	
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?		



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?	✓			
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
<u>3. Ai</u>	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	\checkmark			Not required
	a) SP Licence conditions / monitoring requirements comply?	\checkmark			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	\checkmark			
	b) Odourous materials covered?	\checkmark			
	c) If odour control system is installed, is it operating normally?	\checkmark			No loading/unloading of dusty materials is
3.3	Dusty materials dampened prior to loading/unloading?	\checkmark			observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			GI 11 : 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		Shredder is enclosed and connected with dust collector with filter
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		Dust filter was checked and maintained.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		
3.15	Materials transported on trucks covered?	✓			Not Observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not Observed
3.17	Stockpiles of dusty materials covered or regularly watered?	\checkmark			No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion V	ehicle/eq	uipmer	nt move	ment
	Loading/unloading of materials ✓ O	thers:	n/a		

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gene	<u>ral</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		_
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		✓		To be verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			Not required
Packa	aging of Chemical Waste				
4.7	Stored in suitable container?		✓		_
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?	\checkmark			No spillage is observed
4.10	Obtained approval for the use of chemical waste container >450L?	✓			
Label	lling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		✓		
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		✓		
Stora	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		Follow-up Observation (1)
4.13	Incompatible wastes separated by impermeable partition?	✓			Incompatible wastes are not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$				
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		√		
4.16	Properly stored and locked in designated area with adequate ventilation?		✓		
4.17	Storage area paved with concrete and kept clean and dry?		✓		
4.18	Cover provided for outdoor storage area?		✓		_
4.19	Chemical waste collected by licensed collector?		✓		
Liqui	d Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?	✓			No storage of liquid waste
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓			No storage of liquid waste
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			No storage of liquid waste
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	√			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		✓		
<u>6. Ot</u>	<u>hers</u>	N/A	Yes	No	Remarks

SITE INSPECTION CHECKLIST



Works confined within lot boundaries?	
Damage to surrounding areas avoided?	
Site lighting designed to avoid glare to surrounding receivers?	
Materials and machinery stored in an orderly manner?	
Areas within lot for recycling activities paved with concrete?	
Potential stagnant pools cleared and mosquito breeding prevented?	
Valid calibration certificate for any monitoring equipment?	Not required
Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	
	Damage to surrounding areas avoided? Site lighting designed to avoid glare to surrounding receivers? Materials and machinery stored in an orderly manner? Areas within lot for recycling activities paved with concrete? Potential stagnant pools cleared and mosquito breeding prevented? Valid calibration certificate for any monitoring equipment? Valid licence(s) obtained for manufacture or storage of dangerous goods? a) Storage area in compliance with the approved plan? b) Storage area is securely locked? c) Total storage capacity in compliance with relevant statutory requirement? d) Proper labelling provided?

Remarks:

Follow-up from Previous Audits

1) Proper signage of chemical waste storage areas was provided.



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)

New Observation

· No major environmental deficiency was observed.

<u>Signa</u>	<u>tures:</u>

ET Representative:

Name: David TSANG

Date: 2020/01/16

Operator Representative:

Name:

May Wu 12 FEG 2020 Date:

Tenant Representative:

IEC Representative:

Name:



	Inspection Date: 2020/02/18 Time: 11:50 Lot Number: P14 Tenant: E.Tech	Inspected by: David	d TSANG, Chris LO
Wea	ther		
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain	Storm Hazy Low
1. G	<u>eneral</u>	N/A Yes No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?		EP for tenant is not required.
1.2	Environmental Policy documented?		UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	/	UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?		
1.6	Any record of complaint or prosecution?		
2. W	ater Quality	N/A Yes No	Remarks
2.1			
2.1	a) Sampling record available?		
	b) Monitoring frequency met the licence requirement?		
	c) Monitoring result comply with the licence requirement?		
	d) If exceedance is recorded, any follow-up action taken?		
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?		
	a) Adequate capacity?		
	b) Properly maintained and function normally?		
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		
2.5	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?		Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓ <u> </u>	needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?		Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?	✓ <u> </u>	
	b) Collected by licensed collector?		



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?	✓			
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			No loading/unloading of dusty materials is
3.3	Dusty materials dampened prior to loading/unloading?	✓			observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		Shredder is enclosed and connected with dust collector with filter
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		Dust filter was checked and maintained.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	√			Not Observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not Observed
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	ehicle/eq	uipmer	it move	ment
	Loading/unloading of materials	thers:	n/a		

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gene	<u>ral</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		√		_
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		_
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		√		To be verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			Not required
Pack	aging of Chemical Waste				
4.7	Stored in suitable container?		✓		
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?	\checkmark			No spillage is observed
4.10	Obtained approval for the use of chemical waste container >450L?	✓			
Labe	lling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		✓		
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		✓		
Stora	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	\checkmark			Incompatible wastes are not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$				
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		✓		
4.16	Properly stored and locked in designated area with adequate ventilation?		✓		
4.17	Storage area paved with concrete and kept clean and dry?		√		_
4.18	Cover provided for outdoor storage area?		✓		
4.19	Chemical waste collected by licensed collector?		✓		
<u>Liqu</u>	id Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?	\checkmark			No storage of liquid waste
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	√			No storage of liquid waste
4.22	$Walls \ or \ partitions \ of \ stacked \ container \ storage \ area \ constructed \ of \ impermeable \ material?$	✓			No storage of liquid waste
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓			Outside LFG consultation zone
	Smoking and open fires prohibited?		<u></u> ✓	\equiv	-
	0 · · · · · · · · · · · · · · · · · · ·				

SITE INSPECTION CHECKLIST



<u>6. O</u>	<u>thers</u>	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		✓		-
6.2	Damage to surrounding areas avoided?		✓		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		√		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		√		
6.7	Valid calibration certificate for any monitoring equipment?	✓			Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓			Not required
	a) Storage area in compliance with the approved plan?	√			
	b) Storage area is securely locked?	✓			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?	√			
	e) Dangerous goods properly packaged?	√			

Remarks:

New Observation

No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

1.

IEC Representative:

Name: David TSANG

Date: 2020/02/18

Name:

May Wu

ine.

Date: 1 1 MAR 7020

Name: TONY TSA 1

Date: 12/3/2020

Name: Tiffany TAM

Date: 2020/03/09



	Inspection Date: 2020/03/19 Time: 12:25 Lot Number: P14 Tenant: E.Tech	Inspected by: David TSANG, Chris LO
Wear	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 21 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
<u>1. Ge</u>	<u>eneral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required.
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
	Valid Effluent Discharge Licence available?	
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	✓ Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	Not required
	a) Oil and grease removed regularly?	
	b) Collected by licensed collector?	



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓		Not required
2.15	Bulk cargo and materials packed properly?	✓		
2.16	Temporary stockpiles covered during rainstorms?	✓		No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓		No sand/silt is generated from the recycling process
				_
3. Ai	r Quality	N/A	Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓		Not required
	a) SP Licence conditions / monitoring requirements comply?	✓		
3.2	Operate without generation of noticeable odour?		✓	
	a) If odour is detected, can the source be identified?	✓		
	b) Odourous materials covered?	✓		
	c) If odour control system is installed, is it operating normally?	✓		No loading/unloading of dusty materials is
3.3	Dusty materials dampened prior to loading/unloading?	✓		observed
3.4	Dust monitoring record available?	\checkmark		Not required
	a) Monitoring frequency met the licence requirement?	\checkmark		·
	b) Any exceedance?	\checkmark		
	c) If exceedance is recorded, follow-up action taken?	\checkmark		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√	Shredder is enclosed and connected with dust collector with filter
3.6	Open burning prohibited?		✓	
3.7	Emission from chimney or powered plant free of black smoke?		✓	
3.8	Vehicles and equipment switched off while not in use?		✓	
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√		Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓		Not required
3.11	Air pollution control system properly maintained and function normally?		✓	Dust filter was checked and maintained.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓		
	a) Obtained approval for the use of controlled refrigerant?	\checkmark		
	b) If yes, record of refrigeration equipment service available?	\checkmark		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	\checkmark		·
3.14	Public road around site entrance kept clean and free from dust?		✓	
3.15	Materials transported on trucks covered?	✓		Not Observed
3.16	Truck loads to a level within the side and tail boards?	✓		Not Observed
3.17	Stockpiles of dusty materials covered or regularly watered?	✓		No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion V	ehicle/eq	uipment move	ement
	Loading/unloading of materials O	thers:	n/a	

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gene	eral_	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		_
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		✓		To be verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	\checkmark			Not required
Pack	aging of Chemical Waste				
4.7	Stored in suitable container?		✓		_
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?	\checkmark			No spillage is observed
4.10	Obtained approval for the use of chemical waste container >450L?	\checkmark			
Labe	lling of Chemical Waste				
4.11	Provision of chemical waste label?		√		
	a) Label is securely attached and visible?		✓		
	b) Label is bilingual and in proper dimension?		√		
	c) Information is accurate and sufficient?		✓		
Stora	age of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	\checkmark			Incompatible wastes are not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity >				
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		√		
4.16	Properly stored and locked in designated area with adequate ventilation?		✓		
4.17	Storage area paved with concrete and kept clean and dry?		✓		
4.18	Cover provided for outdoor storage area?		✓		_
4.19	Chemical waste collected by licensed collector?		✓		
Liqu	id Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?	\checkmark			No storage of liquid waste
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	✓			No storage of liquid waste
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	✓			No storage of liquid waste
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓			Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		✓		

SITE INSPECTION CHECKLIST



<u>6. O</u>	<u>thers</u>	N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		√		
6.2	Damage to surrounding areas avoided?		✓		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		✓		_
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		✓		_
6.7	Valid calibration certificate for any monitoring equipment?	✓			Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	√			Not required
	a) Storage area in compliance with the approved plan?	✓			
	b) Storage area is securely locked?	✓			
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			_
	d) Proper labelling provided?	√			
	e) Dangerous goods properly packaged?	✓			
Rem	arks:				
New	<u>Observation</u>				
•	No major environmental deficiency was observed.				

Signatures:


ET Representative: Operator Representative: Tenant Representative: IEC Representative:

Name: David TSANG

Name: May Wy

Name: T3(WY TGA)

Name:



Issue 1______AEC



	Inspection Date: 2020/01/16 Time: 12:20 Lot Number: P2, P3 & P4 Tenant: WEEE.PARK	Inspected by: Joanne NG, Cindy KWOK David TSANG, Chris LO
Weat	<u>her</u>	
	Condition:	Rain Storm Hazy
	Temperature: 20 °C Humidity: ✓ High ✓	Moderate Low
	Wind: Calm Light Breeze Strong	
1. Ge	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	
1.3	Environmental Management Plan (EMP) kept up-to-date?	
1.4	Emergency Response Plan (ERP) documented?	In-house Emergency Procedure Plan was applied
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wa	<u>iter Quality</u>	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	Self-monitoring when required
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	via petrol interceptor
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from	
	entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	if needed.
2.11	$Equipment\ oil\ and\ lubrication\ replacements\ performed\ only\ in\ bunded\ maintenance\ area?$	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed
2.13	Drainage from fuel dispensing area discharged via oil interceptor?	
	a) Oil and grease removed regularly?	Not observed
	b) Collected by licensed collector?	



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Air	Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			N
3.2	Operate without generation of noticeable odour?	✓			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			Dusty material is not observed
3.4	Air monitoring record available?		✓		
	a) Monitoring frequency met the licence requirement?		✓		Requirements stipulated in Compliance Audit Report
	b) Any exceedance?			✓	Against AQO/USEPA
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Suppression measures provided where main pollutant-generating activities take place (i.e. enclosures or regular dampening)?		✓		Use of localised hood and extraction system with HEPA filter for CRT Recovery
3.6	Open burning prohibited?		✓		No operation is observed during
3.7	Emission from chimney or powered plant free of black smoke?	✓			inspection
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		√		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			
3.11	Air pollution control system properly maintained and function normally?		✓		Dust filter was checked and maintained.
3.12	Filtered dust/ fluorescent powder from any air pollution control equipment installed by tenants disposed of as chemical waste?		✓		
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	✓			Not observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not observed No stockpile of dusty material is
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			observed
3.18	Major dust source(s): Wind erosion Vel	hicle/eq	uipmen	t move	ement
	Loading/unloading of materials	ners:	n/a		
3.19	Shredding, crushing and sorting processes including CRT dismantling are carried out in enclosed structure(s)?		✓		

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gener	<u>al</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		✓		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			Not required
Packa	ging of Chemical Waste				
4.7	Stored in suitable container?		✓		
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?	✓			
4.10	Obtained approval for the use of chemical waste container >450L?	✓			
Label	ling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		Follow-up Observation (1)
	a) Label is securely attached and visible?		√		Follow-up Observation (1)
	b) Label is bilingual and in proper dimension?		√		Follow-up Observation (1)
	c) Information is accurate and sufficient?		✓		Follow-up Observation (1)
Storag	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	✓			Not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provide with drip trays capable of storing 110% of the volume of the largest container (if quantity				
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		√		
4.16	Properly stored and locked in designated area with adequate ventilation?		√		
4.17	Storage area paved with concrete and kept clean and dry?		√		
4.18	Cover provided for outdoor storage area?		√		
4.19	Chemical waste collected by licensed collector?		✓		
Liqui	1 Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?		√		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		√		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	· 🗀	√		
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?		✓		
5.2	Smoking and open fires prohibited?		<u> </u>		

SITE INSPECTION CHECKLIST



6. Others		N/A	Yes	No	Remarks
6.1	Works confined within lot boundaries?		√		
6.2	Damage to surrounding areas avoided?		√		
6.3	Site lighting designed to avoid glare to surrounding receivers?	✓			
6.4	Materials and machinery stored in an orderly manner?		✓		
6.5	Areas within lot for recycling activities paved with concrete?		√		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		√		
6.7	Valid calibration certificate for any monitoring equipment?	✓			Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		✓		
	a) Storage area in compliance with the approved plan?	✓			
	b) Storage area is securely locked?		√		
	c) Total storage capacity in compliance with relevant statutory requirement?	✓			
	d) Proper labelling provided?		√		
	e) Dangerous goods properly packaged?	√			

Remarks:

Follow-up from Previous Audits

1) Chemical waste containers stored in chemical waste storage areas had been provided with chemical waste labels.



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)

New Observation

No major environmental deficiency was observed.

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: David TSANG

Date: 2020/01/16

Name

May Wu

Date: 12 FED 2020

Name
Date:

Name:

Date:



	Inspection Date: 2020/02/18 Time: 12:20 Lot Number: P2, P3 & P4 Tenant: WEEE.PARK	Inspected by: David TSANG, Chris LO						
Weat	Weather Condition: ✓ Sunny Fine Overcast Drizzle Rain Storm Hazy							
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low						
1. Ge	<u>neral</u>	N/A Yes No Remarks						
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required						
1.2	Environmental Policy documented?							
1.3	Environmental Management Plan (EMP) kept up-to-date?							
1.4	Emergency Response Plan (ERP) documented?	In-house Emergency Procedure Plan was applied						
1.5	All recycling processes in operation have been approved by WRG of EPD?							
1.6	Any record of complaint or prosecution?							
2. Wa	ater Quality	N/A Yes No Remarks						
2.1	Valid Effluent Discharge Licence available?							
	a) Sampling record available?							
	b) Monitoring frequency met the licence requirement?	Self-monitoring when required						
	c) Monitoring result comply with the licence requirement?							
	d) If exceedance is recorded, any follow-up action taken?							
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	via petrol interceptor						
	a) Adequate capacity?							
	b) Properly maintained and function normally?							
2.3	Surface run-off control measures in place and adequately maintained?							
2.4	Surface run-off discharging into drainage system?							
2.5	All manholes covered?							
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?							
2.7	Storage of materials and equipment located away from water bodies?							
2.8	Drainage system well maintained to prevent flooding or overflow?							
2.9	Processes or activities with high risk of contamination located under covered area?							
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.						
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed						
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed						
2.13	Drainage from fuel dispensing area discharged via oil interceptor?							
	a) Oil and grease removed regularly?	Not observed						
	b) Collected by licensed collector?							



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Air	Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			Dusty material is not observed
3.4	Air monitoring record available?		✓		Deguiromento etimolete din Compliance Audit
	a) Monitoring frequency met the licence requirement?		✓		Requirements stipulated in Compliance Audit Report
	b) Any exceedance?			✓	Against AQO/USEPA
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Suppression measures provided where main pollutant-generating activities take place (i.e. enclosures or regular dampening)?		✓		Use of localised hood and extraction system with HEPA filter for CRT Recovery
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		√		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			
3.11	Air pollution control system properly maintained and function normally?		✓		Dust filter was checked and maintained.
3.12	Filtered dust/ fluorescent powder from any air pollution control equipment installed by tenants disposed of as chemical waste?		✓		
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	✓			Not observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not observed No stockpile of dusty material is
3.17	Stockpiles of dusty materials covered or regularly watered?	√			observed
3.18	Major dust source(s): Wind erosion Vel	nicle/eq	uipmer	nt move	ement
	Loading/unloading of materials Oth	iers:	n/a		
3.19	Shredding, crushing and sorting processes including CRT dismantling are carried out in		✓		
	enclosed structure(s)?				

SITE INSPECTION CHECKLIST



4. Waste / Chemical Management

Gener	<u>al</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		✓		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			Not required
Packa	ging of Chemical Waste				
4.7	Stored in suitable container?		✓		
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?	✓			
4.10	Obtained approval for the use of chemical waste container >450L?	✓			
Label	ling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		√		
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		✓		
Storag	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	✓			Not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity is				
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		√		
4.16	Properly stored and locked in designated area with adequate ventilation?		√		
4.17	Storage area paved with concrete and kept clean and dry?		√		
4.18	Cover provided for outdoor storage area?		√		
4.19	Chemical waste collected by licensed collector?		✓		
Liquio	1 Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?		✓		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		√		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		√		
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?		✓		
5.2	Smoking and open fires prohibited?		√		

SITE INSPECTION CHECKLIST



<u>6. Otl</u>	<u>ners</u>			N/A	Yes	No	Remarks
6.1	Works confined within lot bo	oundaries?			√		
6.2	Damage to surrounding areas	avoided?			✓		
6.3	Site lighting designed to avoi	d glare to surrounding receivers?		✓			
6.4	Materials and machinery stor	ed in an orderly manner?			✓		
6.5	Areas within lot for recycling	activities paved with concrete?			✓		
6.6	Potential stagnant pools clear	red and mosquito breeding prevented	?		✓		
6.7	Valid calibration certificate for	or any monitoring equipment?		✓			Not provided
6.8	Valid licence(s) obtained for	manufacture or storage of dangerous	goods?		✓		
	a) Storage area in compliance	e with the approved plan?		√			
	b) Storage area is securely loo	cked?			✓		
	c) Total storage capacity in co	ompliance with relevant statutory req	uirement?	✓			
	d) Proper labelling provided?	•			√		
	e) Dangerous goods properly	packaged?		✓			
Rema	rks:						
New (<u>Observation</u>						
	No major environmental defic	ciency was observed.					
Signa	tures:						
ET Re	epresentative:	Operator Representative:	Tenant Representativ	re:			IEC Representative:
C	David						
Name:	David TSANG	Name: May Wu	Name Linns	Lee	_		Name: Tiffany TAM
Date:	2020/02/18	Date: 1.3 MAR 2020	Date: 12 Mar	202	10		Date: 2020/03/09

Date: 11 MAR 2020



	Inspection Date: 2020/03/19 Time: 12:55 Lot Number: P2, P3 & P4 Tenant: WEEE.PARK	Inspected by: David TSANG, Chris LO
Weat	her Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 21 ℃ Humidity: ✓ High	Rain Storm Hazy Moderate Low
	Wind: Calm Light Breeze Strong	
1. Ge	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	
1.3	Environmental Management Plan (EMP) kept up-to-date?	
1.4	Emergency Response Plan (ERP) documented?	In-house Emergency Procedure Plan was applied
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wa	iter Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	Self-monitoring when required
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	via petrol interceptor
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from	
2.0	entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed
2.13	Drainage from fuel dispensing area discharged via oil interceptor?	
	a) Oil and grease removed regularly?	✓ Not observed
	b) Collected by licensed collector?	



2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2 15	Bulk cargo and materials packed properly?				
	Temporary stockpiles covered during rainstorms?			\equiv	No dusty stockpile is observed
				\square	No sand/silt is generated from the
2.17	Measures to prevent the washing away of sand/silt to drains?				recycling process
3. Air	Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?	✓			No operation was observed in lunch hour.
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			Dusty material is not observed
3.4	Air monitoring record available?		✓		
	a) Monitoring frequency met the licence requirement?		✓		Requirements stipulated in Compliance Audit Report
	b) Any exceedance?			✓	Against AQO/USEPA
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Suppression measures provided where main pollutant-generating activities take place (i.e. enclosures or regular dampening)?		√		Use of localised hood and extraction system with HEPA filter for CRT Recovery
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation was observed in lunch hour.
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		√		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			
3.11	Air pollution control system properly maintained and function normally?		✓		Dust filter was checked and maintained.
3.12	Filtered dust/ fluorescent powder from any air pollution control equipment installed by tenants disposed of as chemical waste?		√		
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	✓			Not observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	✓			No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion Vel	hicle/ec	quipmer	it move	ement
	Loading/unloading of materials Oth	ners:	n/a		
3.19	Shredding, crushing and sorting processes including CRT dismantling are carried out in enclosed structure(s)?		✓		

SITE INSPECTION CHECKLIST




4. Waste / Chemical Management

Gener	<u>al</u>	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		√		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		✓		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓			Not required
Packa	ging of Chemical Waste				
4.7	Stored in suitable container?		✓		
4.8	Container properly closed or sealed?		✓		
4.9	Spillage cleaned up immediately through the use of absorbent?	✓			
4.10	Obtained approval for the use of chemical waste container >450L?	✓			
Label	ing of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		√		
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		√		
Storag	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	✓			Not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provide with drip trays capable of storing 110% of the volume of the largest container (if quantity $<$ 50L).				
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?		√		
4.16	Properly stored and locked in designated area with adequate ventilation?		✓		
4.17	Storage area paved with concrete and kept clean and dry?		√		
4.18	Cover provided for outdoor storage area?		√		
4.19	Chemical waste collected by licensed collector?		✓		
Liquio	1 Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?		√		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		√		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		√		
5. Lai	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A	Yes	No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?		√		
5.2	Smoking and open fires prohibited?		✓		

SITE INSPECTION CHECKLIST



<u>6. Otl</u>	ners			N/A	Yes	No	Remarks
6.1	Works confined within lot b	ooundaries?			√		
6.2	Damage to surrounding area	as avoided?			✓		
6.3	Site lighting designed to avo	oid glare to surrounding receivers?		✓			
6.4	Materials and machinery sto	ored in an orderly manner?			✓		
6.5	Areas within lot for recyclin	g activities paved with concrete?			✓		
6.6	Potential stagnant pools clea	ared and mosquito breeding prevente	ed?		✓		
6.7	Valid calibration certificate	for any monitoring equipment?		✓			Not provided
6.8	Valid licence(s) obtained for	r manufacture or storage of dangerou	is goods?		✓		
	a) Storage area in compliance	ce with the approved plan?		✓			
	b) Storage area is securely le	ocked?			✓		
	c) Total storage capacity in	compliance with relevant statutory re	equirement?	√			
	d) Proper labelling provided	1?			√		
	e) Dangerous goods properl	y packaged?		√			
Rema	rks:						
New (Observation						
	No major environmental def	ficiency was observed.					
Signa	tures:						
ET Re	epresentative:	Operator Representative:	Tenant Representativ	ve:			IEC Representative:
c	David		Les			-	
Name:	David TSANG	Name: May Wu	Name Linus	ree			Name:
Date:	2020/03/19	Date: 3 U MAR ZUZU	Date: 3. Ma	- 21	20		Date:



Issue 1______AEC



	Inspection Date: 2020/01/16 Time: 11:00 Lot Number: P8 Tenant: On Fat Lung	Inspected by: Joanne NG, Cindy KWOK David TSANG, Chris LO			
Wea	<u>Weather</u>				
	Condition: ✓ Sunny Fine Overcast Drizzle	Rain Storm Hazy			
	Temperature: 20 °C Humidity: ✓ High	Moderate Low			
	Wind: Calm ✓ Light Breeze Strong				
1. Ge	<u>eneral</u>	N/A Yes No Remarks			
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required.			
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed			
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed			
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed			
1.5	All recycling processes in operation have been approved by WRG of EPD?				
1.6	Any record of complaint or prosecution?				
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from recycling			
2.1	Valid Effluent Discharge Licence available?	process process			
	a) Sampling record available?				
	b) Monitoring frequency met the licence requirement?				
	c) Monitoring result comply with the licence requirement?				
	d) If exceedance is recorded, any follow-up action taken?	No wastewater is generated from recycling			
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	process process			
	a) Adequate capacity?				
	b) Properly maintained and function normally?				
2.3	Surface run-off control measures in place and adequately maintained?				
2.4	Surface run-off discharging into drainage system?				
2.5	All manholes covered?				
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?				
2.7	Storage of materials and equipment located away from water bodies?				
2.8	Drainage system well maintained to prevent flooding or overflow?				
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant if			
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.			
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed			
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water was observed			



2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			Not required
	b) Collected by licensed collector?	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?		✓		
3. Aiı	<u> Quality</u>	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?	✓			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			Dust-generating activity is not observed
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			No operation is observed during inspection
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	✓			Not observed



3.16 Truck loads to a level within	in the side and tail boards?	[✓			Not observed
3.17 Stockpiles of dusty materia	als covered or regularly watered?	[✓		Follow-up Observation (1)
3.18 Major dust source(s):	✓ Wind erosion	Vehi	cle/equ	ipmen	t move	ment
	Loading/unloading of materials	Othe	ers:			
4. Waste / Chemical Managem	<u>uent</u>					
<u>General</u>			N/A	Yes	No	Remarks
4.1 Registered as chemical was	ste producer?	[√		_
4.2 Sufficient receptacles (e.g.	rubbish bins) available?	[√		_
4.3 Disposed of regularly and p	properly?	[√		_
4.4 Sorting of materials on-site	for reuse or disposal to designated outlet?	[√		_
4.5 Records of quantities of wa	aste generated, recycled and disposed properly kept?	[✓		Verified via quarterly report
4.6 Collection of sludge by lice	ensed collector at regular intervals?	[✓			
Packaging of Chemical Waste						
4.7 Stored in suitable container	r?	[✓			
4.8 Container properly closed of	or sealed?	[✓			
4.9 Spillage cleaned up immed	iately through the use of absorbent?	[✓			
4.10 Obtained approval for the u	use of chemical waste container >450L?	[✓			
<u>Labelling of Chemical Waste</u>						
4.11 Provision of chemical wast	te label?	[✓			
a) Label is securely attache	ed and visible?	[✓			
b) Label is bilingual and in	proper dimension?	[✓			
c) Information is accurate a	and sufficient?	[✓			
Storage of Chemical Waste						
4.12 Proper "Chemical Waste" s	sign displayed?	[✓			
4.13 Incompatible wastes separa	ated by impermeable partition?	[✓			
	or receptacle of suitable material (if quantity <50L), o storing 110% of the volume of the largest container (if		✓ L)?			
4.15 Enclosed on 3 sides with no of containers?	o less than 2m in height or height of tallest container	/stack	✓			
4.16 Properly stored and locked	in designated area with adequate ventilation?	[✓			
4.17 Storage area paved with co	ncrete and kept clean and dry?	[✓			
4.18 Cover provided for outdoor	r storage area?	[✓			
4.19 Chemical waste collected b	by licensed collector?	[✓			
Liquid Waste Storage						
4.20 Storage area provided with	permeation-proof floor or surface?	[✓			
	ture sufficient to accommodate contents of the plume of the material in storage?	[✓			

SITE INSPECTION CHECKLIST



4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	
5.2	Smoking and open fires prohibited?	
<u>6. Ot</u>	<u>hers</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	✓ Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Audits

1) Dusty stockpile on the ground was entirely covered with impervious sheeting.



(Observed on 23 Dec 2019)



(Observed on 16 Jan 2020)

SITE INSPECTION CHECKLIST



New Observation

· No major environmental deficiency was observed.

Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: David TSANG

Date: 2020/01/16

Name:

May Wu

Date: 12 FEG 2020

Name: Mr. Kwan Wing On

Date: 13-2-2020

Name: Tiffany TAM

Date: 2020/02/12



	Inspection Date: 2020/02/18 Time: 11:00 Lot Number: P8 Tenant: On Fat Lung	Inspected by: David	1 TSANG, Chris LO
Wea	<u>ther</u>		
	Condition: ✓ Sunny Fine Overcast Drizzle	Rain	Storm
	Temperature: 18 °C Humidity: High	✓ Moderate	Low
	Wind: Calm ✓ Light Breeze Strong		
1. Ge	<u>eneral</u>	N/A Yes No	Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓	EP for tenant is not required.
1.2	Environmental Policy documented?	/	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	/	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	/	UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?		
1.6	Any record of complaint or prosecution?		
2. W	ater Quality	N/A Yes No	Remarks
2.1	Valid Effluent Discharge Licence available?	—	No wastewater is generated from recycling process
	a) Sampling record available?	✓	
	b) Monitoring frequency met the licence requirement?	✓	
	c) Monitoring result comply with the licence requirement?	✓	
	d) If exceedance is recorded, any follow-up action taken?		No wastewater is generated from recycling
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓	process
	a) Adequate capacity?	/	_
	b) Properly maintained and function normally?	/	
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		_
2.5	All manholes covered?		
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		_
2.9	Processes or activities with high risk of contamination located under covered area?		Stop loge are quallelle for you be a series
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Y	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓ □ □	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	/	No contaminated water was observed



2.13	Drainage from maintenance area discharged via oil interceptor?	\checkmark			Not required
	a) Oil and grease removed regularly?	√			Not required
	b) Collected by licensed collector?	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?		√		
3. Air	· Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			Dust-generating activity is not observed
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	✓			Not observed



3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	
3.18 Major dust source(s): Wind erosion Vo	ehicle/equipment movement
Loading/unloading of materials O	thers:
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or provided with drip trays capable of storing 110% of the volume of the largest container (if quantity $>$	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	



4.22	Walls or partitions of stacked conta	iner storage area constructed of impermeable ma	aterial?	
5. La	andfill Gas (LFG) (within LFG Con	nsultation Zone)	N/A Yes No Remar	ks
5.1	Alert workers and visitors of possib	le LFG hazards?		
5.2	Smoking and open fires prohibited			
6. Ot	her <u>s</u>		N/A Yes No Remar	ks
6.1	Works confined within lot boundar	ies?		
6.2	Damage to surrounding areas avoid	ed?		
6.3	Site lighting designed to avoid glare	e to surrounding receivers?	✓ <u> </u>	
6.4	Materials and machinery stored in a	nn orderly manner?		
6.5	Areas within lot for recycling activ	ties paved with concrete?		
6.6	Potential stagnant pools cleared and	I mosquito breeding prevented?		
6.7	Valid calibration certificate for any	monitoring equipment?	✓ Not requ	iired
6.8	Valid licence(s) obtained for manuf	Cacture or storage of dangerous goods?	✓ Not requ	iired
	a) Storage area in compliance with	the approved plan?	✓	
	b) Storage area is securely locked?		✓ □ □ _	
	c) Total storage capacity in complia	nnce with relevant statutory requirement?	✓	
	d) Proper labelling provided?		✓	
	e) Dangerous goods properly packa	ged?	✓	
Rem	arks:			
New	Observation			
	No major environmental deficiency	was observed.		
	- · · · · · · · · · · · · · · · · · · ·			
Signs	atures:			
	epresentative:	Operator Representative:	Tenant Representative:	EC Representative:
		\	•	•
	David		of	4
Name	: David TSANG	Name: May Wu	Name: Mr. KWAN	Name: Tiffany TAM
Date:	2020/02/18	Date: 1 1 MAR 2020	Name: Mr. Kuran N	Date: 2020/03/09



	Inspection Date: 2020/03/19 Time: 11:35 Lot Number: P8 Tenant: On Fat Lung	Inspected by: David TSANG, Chris LO
Weat	Condition: Sunny Fine ✓ Overcast Drizzle Temperature: 21 ℃ Humidity: ✓ High Wind: ✓ Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Ge	eneral_	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required.
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from recycling
2.1	Valid Effluent Discharge Licence available?	process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	No wastewater is generated from recycling
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	rowastewater is generated from recycling process
	a) Adequate capacity?	
	b) Properly maintained and function normally?	✓ □ □
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	State Lane and an illustration for
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water was observed




2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			Not required
	b) Collected by licensed collector?	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?		✓		
3. Aiı	<u> Quality</u>	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?	✓			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			Dust-generating activity is not observed
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			No operation is observed during inspection
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	✓			Not observed



3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	
3.18 Major dust source(s): ✓ Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others:
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or p with drip trays capable of storing 110% of the volume of the largest container (if quantity <50L).	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container/s of containers?	tack 🗸 📗
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	



4.22	Walls or partitions of stacked conta	niner storage area constructed of impermeable m	aterial?	
5. La	andfill Gas (LFG) (within LFG Co	nsultation Zone)	N/A Yes No Remark	s
5.1	Alert workers and visitors of possil	ble LFG hazards?		
5.2	Smoking and open fires prohibited	?		
6. Ot	<u>hers</u>		N/A Yes No Remark	s
6.1	Works confined within lot boundar	ries?		
6.2	Damage to surrounding areas avoid	led?		
6.3	Site lighting designed to avoid glar	e to surrounding receivers?		_
6.4	Materials and machinery stored in	an orderly manner?		
6.5	Areas within lot for recycling activ	ities paved with concrete?		
6.6	Potential stagnant pools cleared an	d mosquito breeding prevented?		_
6.7	Valid calibration certificate for any	monitoring equipment?	✓ Not requi	red
6.8	Valid licence(s) obtained for manu	facture or storage of dangerous goods?	Not requi	red
	a) Storage area in compliance with	the approved plan?	/	_
	b) Storage area is securely locked?		✓	
	c) Total storage capacity in compli	ance with relevant statutory requirement?	/	
	d) Proper labelling provided?		/	_
	e) Dangerous goods properly packa	aged?	<pre></pre>	
Rem	arks:			
New	Observation			
	No major environmental deficiency	y was observed		
•	No major environmental deficiency	was observed.		
Sign	atures:			
ET R	depresentative:	Operator Representative:	Tenant Representative: IE	C Representative:
	David		my	4
Name	: David TSANG	Name: May Wu	Name: Mr. Kwan Wing On 1	Name: Tiffany TAM
	2020/03/19	Date: 3 0 MAR 2020	12 2 2 2	Date: 2020/03/27



Issue 1 AEC



	Inspection Date: 2020/01/16 Time: 10:50 Lot Number: T7 Tenant: FWMG (Wood)	Inspected by: Joanne NG, Cindy KWOK David TSANG, Chris LO						
Weat	ther							
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 20 °C Humidity: ✓ High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low						
<u>1. Ge</u>	1. General N/A Yes No Remarks							
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required UPML's Environmental Policy is						
1.2	Environmental Policy documented?	followed						
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed						
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed						
1.5	All recycling processes in operation have been approved by WRG of EPD?							
1.6	Any record of complaint or prosecution?							
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from the						
2.1	Valid Effluent Discharge Licence available?	recycling process						
	a) Sampling record available?							
	b) Monitoring frequency met the licence requirement?							
	c) Monitoring result comply with the licence requirement?							
	d) If exceedance is recorded, any follow-up action taken?							
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?							
	a) Adequate capacity?							
	b) Properly maintained and function normally?							
2.3	Surface run-off control measures in place and adequately maintained?							
2.4	Surface run-off discharging into drainage system?							
2.5	All manholes covered?							
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?							
2.7	Storage of materials and equipment located away from water bodies?							
2.8	Drainage system well maintained to prevent flooding or overflow?							
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination						
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.						
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed						
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed						



2.13	Drainage from maintenance area discharged via oil interceptor?	√			Not required
	a) Oil and grease removed regularly?	√			
	b) Collected by licensed collector?	√			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?	√			
2.16	Temporary stockpiles covered during rainstorms?	√			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			
3.2	Operate without generation of noticeable odour?	√			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?	✓			Dampening of waste wood affects the wood quality and is therefore not applicable
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	√			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			Dust-generating activity is not observed
3.6	Open burning prohibited?		✓		V
3.7	Emission from chimney or powered plant free of black smoke?	√			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Dust-generating activity is not observed.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		
3.15	Materials transported on trucks covered?	√			Not observed



3.16	Truck loads to a level within the side and tail boards?	✓ Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	Dampening of waste wood affects the wood quality and is therefore not applicable
3.18	Major dust source(s): Wind erosion	Vehicle/equipment movement
	Loading/unloading of materials	Others: n/a
4. W	aste / Chemical Management	
Gene	<u>ral</u>	N/A Yes No Remarks
4.1	Registered as chemical waste producer?	No chemical waste is observed
4.2	Sufficient receptacles (e.g. rubbish bins) available?	
4.3	Disposed of regularly and properly?	
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5	Records of quantities of waste generated, recycled and disposed properly kept?	
4.6	Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packa	aging of Chemical Waste	
4.7	Stored in suitable container?	
4.8	Container properly closed or sealed?	
4.9	Spillage cleaned up immediately through the use of absorbent?	
4.10	Obtained approval for the use of chemical waste container >450L?	
Label	lling of Chemical Waste	
4.11	Provision of chemical waste label?	
	a) Label is securely attached and visible?	
	b) Label is bilingual and in proper dimension?	
	c) Information is accurate and sufficient?	
Stora	ge of Chemical Waste	
4.12	Proper "Chemical Waste" sign displayed?	
4.13	Incompatible wastes separated by impermeable partition?	
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), o with drip trays capable of storing 110% of the volume of the largest container (if	
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container of containers?	stack
4.16	Properly stored and locked in designated area with adequate ventilation?	
4.17	Storage area paved with concrete and kept clean and dry?	
4.18	Cover provided for outdoor storage area?	
4.19	Chemical waste collected by licensed collector?	
<u>Liqui</u>	d Waste Storage	
4.20	Storage area provided with permeation-proof floor or surface?	
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	



4.22	Walls or partitions of stacked	container storage area constructed	of impermeable material?	✓			
5. La	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A	Yes	No	Remarks
5.1	Alert workers and visitors of	possible LFG hazards?					Outside LFG consultation zone
5.2	Smoking and open fires prohi	ibited?			✓		
<u>6. Ot</u>	<u>hers</u>			N/A	Yes	No	Remarks
6.1	Works confined within lot bo	undaries?			✓		
6.2	Damage to surrounding areas	avoided?			✓		
6.3	Site lighting designed to avoi	d glare to surrounding receivers?		√			
6.4	Materials and machinery store	ed in an orderly manner?			✓		
6.5	Areas within lot for recycling	activities paved with concrete?			✓		
6.6	Potential stagnant pools clear	ed and mosquito breeding prevente	d?		✓		
6.7	Valid calibration certificate for	or any monitoring equipment?		✓			No monitoring is required
6.8	Valid licence(s) obtained for	manufacture or storage of dangerou	is goods?	✓			Not required
	a) Storage area in compliance	with the approved plan?		\checkmark			
	b) Storage area is securely loo	cked?		✓			
	c) Total storage capacity in co	ompliance with relevant statutory re	equirement?	✓			
	d) Proper labelling provided?			✓			
	e) Dangerous goods properly	packaged?		✓			
Rem	arks:						
New	Observation						
•	No major environmental defic	ciency was observed.					
Signa	atures:						
ET R	epresentative:	Operator Representative:	Tenant Representat	ive:			IEC Representative:
C	David		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<u>۲</u>			
Name	: David TSANG	Name: May Wu	Name: Eagle Lam)			Name: Tiffany TAM
Date:	ate: 2020/01/16 Date: 12 FEB 2020 Date: 9 Mar 2020						Date: 2020/02/12



	Inspection Date: 2020/02/18 Time: 10:50 Lot Number: T7 Tenant: FWMG (Wood)	Inspected by: David TSANG, Chris LO
Weat	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 18 ℃ Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
<u>1. Ge</u>	<u>eneral</u>	N/A Yes No Remarks
1.2 1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? All recycling processes in operation have been approved by WRG of EPD? Any record of complaint or prosecution?	EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed
2. W	ater Quality	N/A Yes No Remarks
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity?	No wastewater is generated from the recycling process V
	b) Properly maintained and function normally?	
2.4 2.5	Surface run-off control measures in place and adequately maintained? Surface run-off discharging into drainage system? All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer? Storage of materials and equipment located away from water bodies?	
2.8 2.9 2.10	Drainage system well maintained to prevent flooding or overflow? Processes or activities with high risk of contamination located under covered area? Installation of stop-logs in perimeter drainage system for uncovered areas where recovery	Recycling process has low risk of contamination Stop-logs are available for use by tenant if needed.
	process with potentially high level of contamination is carried out? Equipment oil and lubrication replacements performed only in bunded maintenance area? Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	Replacement activity is not observed No contaminated water is observed



2.13	Drainage from maintenance area discharged via oil interceptor?	√			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?	✓			
2.16	Temporary stockpiles covered during rainstorms?	√			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?	✓			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?	√			Dampening of waste wood affects the wood quality and is therefore not applicable
3.4	Dust monitoring record available?	√			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	\checkmark			
	c) If exceedance is recorded, follow-up action taken?	\checkmark			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			Dust-generating activity is not observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Dust-generating activity is not observed.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		
3.15	Materials transported on trucks covered?	√			Not observed



3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	Dampening of waste wood affects the wood quality and is therefore not applicable
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	✓ Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly	y kept?
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity with drip trays capable of storing 110% of the volume of the largest containers.)	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest coof containers?	ontainer / stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	
<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	



4.22	Walls or partitions of stacke	d container storage area constructed	of impermeable material?		
5. La	andfill Gas (LFG) (within Ll	FG Consultation Zone)		N/A Yes	No Remarks
5.1	Alert workers and visitors o	f possible LFG hazards?			Outside LFG consultation zone
5.2	Smoking and open fires pro-	hibited?			<u> </u>
<u>6. Ot</u>	<u>hers</u>			N/A Yes	No Remarks
6.1	Works confined within lot b	oundaries?		✓	
6.2	Damage to surrounding area	as avoided?			
6.3	Site lighting designed to avo	oid glare to surrounding receivers?		✓	
6.4	Materials and machinery sto	ored in an orderly manner?			
6.5	Areas within lot for recyclin	g activities paved with concrete?			
6.6	Potential stagnant pools clea	ared and mosquito breeding prevente	ed?		
6.7	Valid calibration certificate	for any monitoring equipment?		✓	No monitoring is required
6.8	Valid licence(s) obtained fo	r manufacture or storage of dangerou	us goods?	√	Not required
	a) Storage area in compliance	ce with the approved plan?		✓	
	b) Storage area is securely le	ocked?		√	
	c) Total storage capacity in	compliance with relevant statutory re	equirement?	√	
	d) Proper labelling provided	1?		✓	
	e) Dangerous goods properl	y packaged?		✓	
Rem	arks:				
New	Observation				
•	No major environmental def	ficiency was observed.			
Signa	atures:				
ET R	epresentative:	Operator Representative:	Tenant Representativ	ve:	IEC Representative:
C	David		Olam	2	
Name	: David TSANG	Name: May Wu	Name: Norman Lui		Name: Tiffany TAM
Date:	2020/02/18	Date: 1.1 MAR 2020	Date: 11 Mar 2020		Date: 2020/03/09



	Inspection Date: 2020/03/19 Time: 11:25 Lot Number: T7 Tenant: FWMG (Wood)	Inspected by: David TSANG, Chris LO						
Weat	ther can be a second of the can be a second o							
	Condition: Sunny Fine ✓ Overcast Drizzle	Rain Storm Hazy						
	Temperature: 21 °C Humidity: \checkmark High	Moderate Low						
	Wind: Calm Light Breeze Strong							
1. Ge	1. General N/A Yes No Remarks							
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required						
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed						
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed						
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed						
1.5	All recycling processes in operation have been approved by WRG of EPD?							
1.6	Any record of complaint or prosecution?							
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from the						
2.1	Valid Effluent Discharge Licence available?	recycling process						
	a) Sampling record available?							
	b) Monitoring frequency met the licence requirement?							
	c) Monitoring result comply with the licence requirement?							
	d) If exceedance is recorded, any follow-up action taken?							
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?							
	a) Adequate capacity?							
	b) Properly maintained and function normally?							
2.3	Surface run-off control measures in place and adequately maintained?							
2.4	Surface run-off discharging into drainage system?							
2.5	All manholes covered?							
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?							
2.7	Storage of materials and equipment located away from water bodies?							
2.8	Drainage system well maintained to prevent flooding or overflow?	Recycling process has low risk of						
2.9	Processes or activities with high risk of contamination located under covered area?	contamination Stop-logs are available for use by tenant						
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.						
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed						
2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	No contaminated water is observed						




2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	√			
	b) Collected by licensed collector?	√			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?	√			
2.16	Temporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	√			Not required
	a) SP Licence conditions / monitoring requirements comply?	√			No constitution in absorbed design
3.2	Operate without generation of noticeable odour?	√			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	\checkmark			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	√			Dampening of waste wood affects the wood quality and is therefore not applicable
3.4	Dust monitoring record available?	√			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			Dust-generating activity is not observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?	✓			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Dust-generating activity is not observed.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		√		
3.15	Materials transported on trucks covered?	V			Not observed



3.16	Truck loads to a level within the side and tail boards?		✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?		✓			Dampening of waste wood affects the wood quality and is therefore not applicable
3.18	Major dust source(s): Wind erosion	Veh	nicle/eq	uipmen	t move	ement
	Loading/unloading of materials	✓ Oth	ers:	n/a		
4. Wa	ste/Chemical Management					
Genera	<u>al</u>		N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓			No chemical waste is observed
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓			
4.3	Disposed of regularly and properly?		✓			
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?			✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		✓			
4.6	Collection of sludge by licensed collector at regular intervals?		✓			Not required
Packa	ging of Chemical Waste					
4.7	Stored in suitable container?		√			
4.8	Container properly closed or sealed?		✓			
4.9	Spillage cleaned up immediately through the use of absorbent?		✓			
4.10	Obtained approval for the use of chemical waste container >450L?		✓			
Labell	ing of Chemical Waste					
4.11	Provision of chemical waste label?		√			
;	a) Label is securely attached and visible?		√			
1	b) Label is bilingual and in proper dimension?		✓			
	c) Information is accurate and sufficient?		√			
Storag	e of Chemical Waste					
4.12	Proper "Chemical Waste" sign displayed?		✓			
4.13	Incompatible wastes separated by impermeable partition?		✓			
	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or with drip trays capable of storing 110% of the volume of the largest container (if		✓ 50L)?			
	Enclosed on 3 sides with no less than 2m in height or height of tallest container of containers?	stack	√			
4.16	Properly stored and locked in designated area with adequate ventilation?		✓			
4.17	Storage area paved with concrete and kept clean and dry?		✓			
4.18	Cover provided for outdoor storage area?		√			
4.19	Chemical waste collected by licensed collector?		✓			
Liquid	1 Waste Storage					
4.20	Storage area provided with permeation-proof floor or surface?		✓			
	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		√			



4.22	Walls or partitions of stacked	I container storage area constructed o	f impermeable material?			
5. La	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A Yes	No	Remarks
5.1	Alert workers and visitors of	possible LFG hazards?		$\overline{}$		Outside LFG consultation zone
5.2	Smoking and open fires proh	ibited?				
<u>6. Ot</u>	<u>thers</u>			N/A Yes	No	Remarks
6.1	Works confined within lot bo	oundaries?				
6.2	Damage to surrounding areas	avoided?				
6.3	Site lighting designed to avoi	d glare to surrounding receivers?		✓		
6.4	Materials and machinery stor	red in an orderly manner?				
6.5	Areas within lot for recycling	g activities paved with concrete?				
6.6	Potential stagnant pools clear	red and mosquito breeding prevented	?	✓		
6.7	Valid calibration certificate for	or any monitoring equipment?		✓		No monitoring is required
6.8	Valid licence(s) obtained for	manufacture or storage of dangerous	goods?	✓		Not required
	a) Storage area in compliance	e with the approved plan?		✓		
	b) Storage area is securely lo	cked?		✓		
	c) Total storage capacity in co	ompliance with relevant statutory req	uirement?	✓		
	d) Proper labelling provided?	?		✓		
	e) Dangerous goods properly	packaged?		√		-
						_
Rem	arks:					
New	Observation					
•	No major environmental defi	ciency was observed.				
Signa	atures:					
ET R	epresentative:	Operator Representative:	Tenant Representation	ve:		IEC Representative:
C	David	h.	a	m		4
Name	: David TSANG	Name: 2 May Wy	Name: Norman	Lui		Name: Tiffany TAM
Date:	te: 2020/03/19 Date: Date: 30 Mar 202)		Date: 2020/03/27	



Issue 1 AEC

Date: 2020/01/16

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2020/01/16 Time:	09:30 - 13:00 Inspecte	d by: Joanne NG, Cindy KWOK David TSANG, Chris LO
Weather			
Condition: Temperature: Wind:		rcast Drizzle Rain nidity: High Moderat eze Strong	Storm Hazy te Low
New Observation			
HKBRC			
· No major environmenta	l deficiency was observed.		
Baguio			
· No major environmenta	l deficiency was observed.		
3R No major environmenta	l deficiency was observed.		
Other Areas			
· No major environmenta	l deficiency was observed.		
Signatures:			
ET Representative:	Operator Representative:	Tenant Representative:	IEC Representative:
David			
Name: David TSANG	Name: May Wu	Name:	Name:
Date: 2020/01/16	Date: 12 FEG 2020	Date:	Date:

Date:

Date:

Date: 2020/02/18

SITE INSPECTION CHECKLIST



F			
Inspection Date:	2020/02/18 Time:		pected by: David TSANG, Chris LO
Lot Number:	n/a Tenant:	n/a	
<u>Weather</u>			
Condition:		ercast Drizzle Rai	
Temperature:		· <u> </u>	derate Low
Wind:	Calm ✓ Light Bre	eeze Strong	
New Observation			
HKBRC			
· No major environme	ental deficiency was observed.		
Baguio			
· No major environme	ental deficiency was observed.		
<u>3R</u>			
· No major environme	ental deficiency was observed.		
Other Areas			
· No major environme	ental deficiency was observed.		
Signatures:			
ET Representative:	Operator Representative:	Tenant Representative:	IEC Representative:
David			
Name: David TSANG	Name: May Wu	Name:	Name: Tiffany TAM

Date:

11 MAR 2020

Date:

Date: 2020/03/09

Date: 2020/03/19

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2020/03/19 Time:	09:30 - 13:15 Inspected by:	David TSANG, Chris LO			
<u>Weather</u>						
Condition: Temperature: Wind:		ercast Drizzle Rain midity: High Moderate eze Strong	Storm Hazy Low			
New Observation						
HKBRC						
·	mental deficiency was observed.					
Baguio						
· No major environmental deficiency was observed.						
<u>3R</u>						
	mental deficiency was observed.					
Other Areas						
	mental deficiency was observed.					
Signatures:						
ET Representative:	Operator Representative:	Tenant Representative:	IEC Representative:			
David	m (
Name: David TSANG	Name: May Wy	Name:	Name:			
_	5 U MAK ZUZU	_				

Date:

Date:

Date: