Issue No.: Issue 1 Issue Date: January 2022

Project No.: 1616



EcoPark Operation

Quarterly Environmental Monitoring & Audit Report (October - December 2021)

27/F, Overseas Trust Bank Building 160 Gloucester Road Wan Chai

Hong Kong

T: +852 2815 7028 F: +852 2815 5399

www.asecg.com

Prepared By:

Allied Environmental Consultants Limited

COMMERCIAL-IN-CONFIDENCE

27/F, Overseas Trust Bank Building, 160 Gloucester Road, Wan Chai, Hong Kong

香港灣仔告士打道 160 號海外信託銀行大廈 27 樓

Issue No.:

Issue 1

Issue Date:

January 2022

Project No.:

1616



EcoPark Operation

Quarterly Environmental Monitoring & Audit Report (October - December 2021)

27/F, Overseas Trust Bank Building 160 Gloucester Road Wan Chai Hong Kong T: +852 2815 7028 F: +852 2815 5399

www.asecg.com

Prepared By:

Allied Environmental Consultants Limited

COMMERCIAL-IN-CONFIDENCE

Certified by:

Grace M. H. KWOK

Environmental Team Leader

Verified by:

Franki C. K. CHIU

Independent Environmental Checker

anki Chiu

Approved:

Gary C. W. TAM

Principal Environmental Protection Officer Environmental Protection Department

This report has been prepared by Allied Environmental Consultants Limited with all reasonable skill, care and diligence within the terms of the Agreement with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk

Issue No.: Issue 1 Issue Date: January 2022

Project No.: 1616



EcoPark Operation

Quarterly Environmental Monitoring & Audit Report (October - December 2021)

27/F, Overseas Trust Bank Building 160 Gloucester Road Wan Chai Hong Kong

> T: +852 2815 7028 F: +852 2815 5399

> > www.asecg.com

Prepared By:

Allied Environmental Consultants Limited

COMMERCIAL-IN-CONFIDENCE

Author:	Various		
	/ <u>-</u>	_	La.
Checked:		Approved:	
	Joanne W. Y. NG BSc(Hons) MSc MHKIEIA AHKIOA	_	Grace M. H. KWOK BEng(Hons) MHKIEIA MHKIOA MIAIA MRAPA MISWA BEAM Pro LEED Fellow

This report has been prepared by Allied Environmental Consultants Limited with all reasonable skill, care and diligence within the terms of the Agreement with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.

BREEAM AP FFHKIQEP CAP HKGBC

TABLE OF CONTENTS

LIST	OF TABLES	4
LIST	OF APPENDICES	4
EXE(CUTIVE SUMMARY	5
1 P	PROJECT BACKGROUND	8
1.1	Project Overview	8
1.2	Operation Programme	8
1.3	Project Organisation and Contact Personnel	9
2 S	SUMMARY OF EM&A REQUIREMENT	12
2.1	Monitoring Parameters	12
2.2	Environmental Quality Performance Limits and EAP	12
2.3	Environmental Audit of Non-Monitored Parameters	13
2.4	Environmental Mitigation Measures	13
2.5	Environmental Requirements in Tenancy Agreements	13
3 (OPERATION STATUS	15
3.1	General	15
3.2	Champway Technology Limited	15
3.3	Hong Kong Biomass (Wood) Collect and Recycle Company Limited	15
3.4	HP Telford Envirotech Group Limited	15
3.5	Chung Yue Steel Group Company Limited	16
3.6	K. Wah Construction Products Ltd.	16
3.7	WEEE.PARK	16
3.8	On Fat Lung Innovative Resources Ltd.	16
3.9	E. Tech Management (HK) Limited	17
3.10	O Hong Kong Battery Recycling Centre (HKBRC) Limited	17
3.1.	1 Throughput Statistics	17
3.12	2 Process Review	18
4 I	MPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES	20
5 N	MONITORING RESULTS	21
5.1	Monitoring Date, Time, Frequency and Duration	21
5.2	Monitoring Methodology, Parameters and Equipment	21
5.3	Results and Graphical Plots of Monitoring Parameters	22
6 S	SUMMARY OF ENVIRONMENTAL AUDIT	23
6.1	General	23
Issue	1	AEC

	ark Operation erly Environmental Monitoring & Audit Report (October - December 2021)	iii
6.2	Champway Technology Limited	23
6.3	Hong Kong Biomass (Wood) Collect and Recycle Company Limited	24
6.4	HP Telford Envirotech Group Limited	25
6.5	Chung Yue Steel Group Company Limited	25
6.6	K.Wah Construction Products Limited	26
6.7	E. Tech Management (HK) Limited.	27
6.8	WEEE.PARK	27
6.9	On Fat Lung Innovative Resources Limited	27
6.10) HKBRC	28
6.11	General Conditions of EcoPark	28
	INVIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL SECUTION	29
7.1	New Environmental Complaint, Notification of Summon and Successful Prosecution in the Repor 29	ting Period
8 (CONCLUSIONS	30

Issue 1_____AEC

LIST OF FIGURES

Figure 1-1	Location of EcoPark in Tuen Mun Area 38
Figure 1-2	Organisation Chart of UPML
Figure 1-3	Organisation Chart of EM&A Works (Operation)
Figure 2-1	LFG Monitoring Locations within EcoPark
Figure 3-1	Current Lot Usage within EcoPark

LIST OF TABLES

Table 1-1	EM&A Personnel Contact Details
Table 2-1	Operation Phase LFG Monitoring Locations in EcoPark
Table 2-2	Action Levels, Limit Levels and Event and Action Plan for LFG
Table 3-1	Throughput Statistics for the Reporting Quarter
Table 5-1	Sampling Schedule for the Quarterly LFG Monitoring
Table 5-2	Parameters and Measurement Ranges for LFG Monitoring
Table 5-3	Quarterly LFG Monitoring Results in the Reporting Quarter
Table 6-2	Environmental Audit Findings for HK Biomass
Table 6-3	Environmental Audit Findings for HP Telford
Table 6-4	Environmental Audit Findings for Chung Yue
Table 6-5	Environmental Audit Findings for K.Wah
Table 6-6	Environmental Audit Findings for E. Tech
Table 6-7	Environmental Audit Findings for WEEE.PARK
Table 6-8	Environmental Audit Findings for On Fat Lung
Table 6-9	Environmental Audit Findings for HKBRC
Table 6-10	General EcoPark Audit Findings
Table 8-1	Throughput Statistics for the Reporting Quarter

LIST OF APPENDICES

Appendix 1	Environmental Mitigation Measures (from the Implementation Schedule)
Appendix 2	Environmental Requirements in Tenancy Agreements
Appendix 3	Material and Waste Throughputs
Appendix 3.1	Material and Waste Throughputs of the Reporting Quarter
Appendix 3.2	Updates of Previously-Reported Material and Waste Throughputs
Appendix 4	Calibration Certificate of Infrared Gas Analyser
Appendix 5	Laboratory Test Report and Graphical Plots of LFG Monitoring
Appendix 6	Tenant-Specific Audit Checklists for the Reporting Quarter
Appendix 6.1	Champway Technology Ltd
Appendix 6.2	Hong Kong Biomass (Wood) Collect and Recycle Company Ltd
Appendix 6.3	HP Telford Envirotech Group Ltd
Appendix 6.4	Chung Yue Steel Group Co Ltd
Appendix 6.5	K.Wah Construction Products Ltd
Appendix 6.6	E. Tech Management (HK) Ltd
Appendix 6.7	WEEE.PARK
Appendix 6.8	On Fat Lung Innovative Resources Limited
Appendix 6.9	Hong Kong Battery Recycling Center (HKBRC) Limited
Appendix 6.10	General EcoPark Checklist

AEC Issue 1

EXECUTIVE SUMMARY

General

EcoPark is a key element in the Government's waste management policy that aims at promoting the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes. EcoPark is being developed in two phases at site in Tuen Mun Area 38 as shown in *Figure 1-1*. The contract for the management of EcoPark – Contract No. *EP/SP/102/17 Provision of Management Services for EcoPark 2018* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2018.

UPML, the "Operator" of EcoPark, have appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP) (EP-226/2005/G).

This is the fifty-ninth (59th) quarterly EM&A report prepared for the operation phase of EcoPark and covers the quarter from October to December 2021. In the reporting quarter, there were nine tenants in EcoPark Phase 1 and Phase 2, and three operators located at WEEE.PARK, biochar production plant and bioconversion of organic waste plant in EcoPark Phase 1 and Phase 2. The details are provided as below:

Phase 1 tenants and operator comprise:

- Champway Technology Ltd. (Champway) Waste cooking oil
- Hong Kong Biomass (Wood) Collect and Recycle Co. Ltd. (HK Biomass) Waste wood
- Baguio Waste Management & Recycling Ltd. (Baguio) Waste plastics
- HP Telford Envirotech Group Ltd. (HP Telford) Waste plastics
- Biochar production plant operated by Jardine Engineering Corporation Ltd. (Jardine Engineering) Waste wood

Phase 2 tenants and operator comprise:

- K.Wah Construction Products Ltd. (K.Wah) Waste construction materials/waste glass
- E. Tech Management (HK) Ltd. (E. Tech) WEEE
- On Fat Lung Innovative Resources Ltd. (On Fat Lung) Waste rubber tyres
- Chung Yue Steel Group Company Ltd. (Chung Yue) Waste metals
- Hong Kong Battery Recycling Centre Ltd. (HKBRC) Waste lead-acid batteries
- WEEE.PARK operated by Alba Integrated Waste Solutions (Hong Kong) Ltd. (Alba IWS) –
 WEEE
- Bioconversion of organic waste plant operated by Organic Tech Ltd. (Organic Tech) Organic waste

Recycling activities of WEEE.PARK in Lots P2-P4 and the following eight active tenants were audited in the reporting quarter: Champway, HK Biomass, HP Telford, K. Wah, E. Tech, On Fat Lung, Chung Yue, and HKBRC. The lot possessed by Baguio (i.e. Lot T6) was only inspected but not audited under the EM&A programme during the reporting quarter, as no recycling activities were conducted. The lots operated by Organic Tech (i.e. Lot P12) and Jardine Engineering (i.e. Lots T8-T11) were under preparatory works without any operation during the reporting quarter.

In the reporting quarter, the PRC for Baguio's plastic recycling process was approved in December 2021. No DA was approved in this reporting quarter. The completed PRC has been submitted separately to relevant authorities in EPD.

In this reporting quarter, site inspections were conducted by the Operator and the ET on 25th October, 15th November, and 15th December 2021. IEC also carried out random site audits on 25th October and 15th December 2021. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 15th November 2021.

Throughput of Materials / Waste Generated

The throughputs of WEEE.PARK and the eight active tenants in the reporting quarter are summarised below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Material Type	Waste Input (tonne)	Product Output (4) (tonne)	Waste Disposed (4) (tonne)
Waste Organic Food	5,427	2,195	1,399
Waste Ferrous Metals	22,373	21,925	166
Waste Wood	490	135	-
Waste Electronics	4,761	4,184	592
Waste Plastics	512	306	-
Construction Waste	6,647	16 212	27
Waste Glass	1,816	16,312	21
Waste Rubber Tyres	615	385	-

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information at the time of report preparation.

Exceedances of Any Measured Action / Limit Levels

The northern part of EcoPark is located within the 250m Landfill Gas (LFG) Consultation Zone of Shiu Lang Shui Landfill. LFG monitoring during this quarter was undertaken on 15th November 2021 at five locations (three in Phase 1 and two in Phase 2). No exceedance of Action or Limit Level was recorded in the reporting quarter.

EcoPark Operation

Quarterly Environmental Monitoring & Audit Report (October - December 2021)

vii

Summary of Complaints, Summons and Prosecutions

Number of complaints, summons and successful prosecutions in the reporting quarter are summarised below.

• Complaints: Zero.

• Summons: Zero.

• Successful Prosecutions: Zero

Reporting Changes

There is no change in the reporting quarter.

Process Review and Design Audit

In the reporting quarter, the PRC for Baguio's plastic recycling process was approved in December 2021. No DA was approved in this reporting quarter. The completed PRC has been submitted separately to relevant authorities in EPD.

Future Key Issues

During the site inspection on 15th December 2021, no operation equipment, recycling materials, and other facilities at Lot T7 has been observed. It is anticipated that no recycling activity will be operating at the lot in the upcoming period.

1 PROJECT BACKGROUND

1.1 Project Overview

- 1.1.1 In the document "A Policy Framework for the Management of Municipal Solid Waste (2005 2014)", the government set out a comprehensive policy to support the recycling industry. This included allocating suitable land, encouraging research and development, introducing environmental legislation and providing effective support measures. In May 2013, the Environment Bureau launched "Hong Kong Blueprint for Sustainable Use of Resources 2013 2022", which promised continuing support for the recycling industry.
- 1.1.2 EcoPark was developed to support the local recycling industry by providing long-term land at affordable rents, thereby encouraging investment in advanced technology and value-added recycling processes.
- 1.1.3 EcoPark, as shown in *Figure 1-1*, has been developed in Tuen Mun Area 38 in two phases (Phase1 and Phase 2) under Contract *EP/SP/52/06 Development of EcoPark in Tuen Mun Area 38*, which was awarded to Kaden Construction Ltd by the Environmental Protection Department (EPD) in June 2006. Phase 1 construction was completed in July 2009 and Phase 2 construction was completed in November 2010.
- 1.1.4 The contract for the management of EcoPark Contract No. *EP/SP/102/17 Provision of Management Services for EcoPark 2018* was awarded to Urban Property Management Limited (UPML) by Environmental Protection Department (EPD) effective from 30th October 2018.
- 1.1.5 UPML, the "Operator" of EcoPark, has appointed Allied Environmental Consultants Ltd. (AEC) as the Environmental Team (ET) to carry out the Environmental Monitoring and Audit (EM&A) works for the operation of EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP-226/2005/G). Ove Arup & Partners Hong Kong Ltd. (Arup) has been appointed by the EPD as the Independent Environmental Checker (IEC) for the Project. The ET and the IEC carry out the EM&A works for EcoPark as required by the EM&A Manual and in accordance with the conditions of the Environmental Permit (EP).

1.2 Operation Programme

- 1.2.1 In the reporting period, there were nine tenants in EcoPark, one operator of WEEE.PARK, one operator of bioconversion of organic waste plant and one operator of biochar production plant:
 - Alba Integrated Waste Solutions (Hong Kong) Ltd. (Alba IWS) for WEEE.PARK, and eight active tenants (Champway, HK Biomass, HP Telford, Chung Yue, K.Wah, E. Tech, On Fat Lung and HKBRC) who have carried out full recycling operations;
 - One tenant (Baguio) was under machinery plant installation during the reporting quarter; and

• Organic Tech Ltd. (Organic Tech) for bioconversion of organic waste plant and Jardine Engineering Corporation Ltd. (Jardine Engineering) for biochar production plant were under preparatory works without any operation during the reporting quarter

1.3 Project Organisation and Contact Personnel

1.3.1 Key personnel and contact particulars are summarised in *Table 1-1*.

Table 1-1 EM&A Personnel Contact Details

Position	Name	Email Address	Phone No.				
Project Proponent -	Project Proponent – EPD						
Principal EPO	Mr. Gary C. W. Tam	garytam@epd.gov.hk	3690 7860				
Operator – UPML							
Project Manager	Ms. Raindy YIP	raindy.py.yip@urban.com.hk	2212 5900				
Park Manager*	Ms. May WU	may.sm.wu@urban.com.hk	2212 5920				
	Ms. Susan LEUNG	susanleung@urban.com.hk	2212 5920				
IEC – Ove Arup	IEC – Ove Arup						
IEC Mr. Franki C. K. CHIU		franki.chiu@arup.com 2268 320					
ET-AEC							
ET Leader Ms. Grace KWOK		gk@aechk.com	2815 7028				

^{*}Ms. May WU was replaced by Ms. Susan LEUNG with effective from 8 December 2021

1.3.2 The organisational structure and lines of communication for the operation of EcoPark with respect to environmental management is given in *Figure 1-2* and *Figure 1-3* respectively.

Figure 1-1 Location of EcoPark in Tuen Mun Area 38



Site Boundary Phase 1 Tenants Phase 2 Tenants

Issue 1_____AEC

Figure 1-2 Organisation Chart of UPML





Figure 1-3 Organisation Chart of EM&A Works (Operation)



2 SUMMARY OF EM&A REQUIREMENT

2.1 Monitoring Parameters

- 2.1.1 Landfill Gas (LFG) is required to be monitored quarterly at service voids and utility boxes within EcoPark because the northern part of EcoPark lies within the 250m LFG Consultation Zone for Siu Lang Shui Landfill, which is located to the north of EcoPark.
- 2.1.2 Operational LFG monitoring has been carried out in Phase 1 after completion of construction in July 2009, commencing in the August to October 2009 quarter. In Phase 2, monitoring has been carried out after completion of construction in November 2010, commencing in the November 2010 to January 2011 quarter.
- 2.1.3 The location for LFG monitoring was not specified in the EM&A Manual since the final design of EcoPark was not available when the EM&A Manual was approved. Therefore, during a joint site inspection on 27th July 2009, three monitoring locations were identified and agreed as suitable monitoring locations by the former ET (SMEC Asia Ltd.), IEC (Atkins China Ltd.) and the Operator (Serco Guardian Joint Venture). Subsequently, two more monitoring locations in Phase 2 were proposed by the former ET and agreed by the IEC and Operator via email in January 2011. These five monitoring locations are listed in *Table 2-1* and shown in *Figure 2-1*.

Table 2-1 Operation Phase LFG Monitoring Locations in EcoPark

Monitoring Station ID	Туре	Locations	
EP1-1	LFG vent pipe	Inside the landscaping area of Administration Building	
EP1-2	Service void PCCW below-ground chamber outside Lot T1		
EP1-3	Service void	HGC Broadband below-ground chamber outside Lot T3	
EP2-1	Service void	HGC Broadband below-ground chamber outside Lot P1	
EP2-2	Service void	HGC Broadband below-ground chamber outside Lot P3	

2.1.4 Routine LFG monitoring has been carried out on a quarterly basis. Should EPD alert the Operator that high LFG levels have been detected during monthly monitoring under the Siu Lang Shui Landfill restoration contract, the Operator may be required to increase LFG monitoring to monthly until such time as EPD inform the Operator that quarterly monitoring can be resumed. No detection of high LFG levels under Siu Lang Shui Landfill restoration contract was received from EPD in the reporting quarter.

2.2 Environmental Quality Performance Limits and EAP

2.2.1 The Action/Limit Levels and Event Action Plan (EAP) for LFG are shown in *Table 2-2* below. These refer to LFG detected in excavations, utilities and any enclosed on-site areas. No other A/L Levels or EAPs are specified in the EM&A Manual for the operation phase EM&A.

Parameter Level Action Action Level <19% O₂ Ventilate trench/void to restore O₂ to >19% Oxygen • Stop works (O_2) Limit Level <18% O₂ Evacuate personnel/prohibit entry Increase ventilation to restore O_2 to >19% Post "No Smoking" signs Action Level >10% LEL Prohibit hot works Increase ventilation to restore CH₄ to <10% LEL Methane (CH_4) Stop works Limit Level >20% LEL Evacuate personnel/prohibit entry Increase ventilation to restore CH₄ to <10% LEL Action Level >0.5% CO₂ Ventilate to restore CO₂ to <0.5% Carbon Stop works Dioxide

Evacuate personnel/prohibit entry

Increase ventilation to restore CO₂ to <0.5%

Table 2-2 Action Levels, Limit Levels and Event and Action Plan for LFG

2.3 Environmental Audit of Non-Monitored Parameters

Limit Level >1.5% CO₂

- 2.3.1 Site inspections provide a direct means to trigger and enforce the environmental protection and pollution control measures specified in the Environmental Impact Assessment (EIA) Report. To examine operational practice, site inspections are to be undertaken by the ET once per month. The monthly inspection shall join with the random site inspection by the IEC where possible. A joint inspection by ET and IEC will be carried out at least once per quarter. Ad hoc site inspections are also carried out if significant environmental problems are identified. In addition, inspections may be required subsequent to receipt of environmental complaint, or as part of the investigation work, as specified in the EAP.
- 2.3.2 The following parameters are required to be audited as part of the operation phase EM&A program:
 - Air Quality

 (CO_2)

- Water Quality
- Waste Management
- Land Contamination


2.4 Environmental Mitigation Measures

2.4.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the Implementation Schedule are summarised in *Appendix 1*.

2.5 Environmental Requirements in Tenancy Agreements

2.5.1 Environmental requirements specified in tenancy agreements are provided in .

Figure 2-1 LFG Monitoring Locations within EcoPark



Issue 1_____AEC

3 OPERATION STATUS

3.1 General

- 3.1.1 The location of lots within EcoPark, the current usage and tenant names are shown in *Figure* 3-1. A summary of waste throughputs is provided in *Section 3.11*. Brief descriptions of the active tenants and operators are provided from *Sections 3.2* to 3.10.
- 3.1.2 In the reporting quarter:
 - Baguio (i.e. Lot T6) was under machinery plant installation; and
 - Operator of Lot P12 (Organic Tech) and Operator of Lots T8-T11 (Jardine Engineering) were under preparatory works without any site operation

3.2 Champway Technology Limited

- **Lot No.:** T5 (Phase 1)
- **Lot Size:** Approx. 6,000m²
- Activity: Recycling of Organic Waste (Waste Cooking Oil)
- **Recycling Process:** Turn waste cooking oil into biodiesel by extraction, neutralisation, separation and distillation.
- 3.2.1 In this reporting quarter, waste cooking oil was recycled. Bi-monthly samplings for effluent arising from producing biodiesel have been conducted to comply with the requirement of effluent discharge licence.

3.3 Hong Kong Biomass (Wood) Collect and Recycle Company Limited

- **Lot No.:** T4 (Phase 1)
- Lot Size: Approx. 5,000m²
- Activity: Recycling of Waste Woods
- **Recycling Process:** Recycle waste woods to wood fuel pellets. Ferrous metals will be separated by magnets.
- 3.3.1 In this reporting quarter, waste wood was recycled.

3.4 HP Telford Envirotech Group Limited

- **Lot No.:** T1 (Phase 1)
- **Lot Size:** Approx. 5,000m²
- **Activity:** Recycling of Waste Plastics
- Recycling Process: Sorting, shredding and baling of waste plastic

Issue 1_____ AEC

3.4.1 In this reporting quarter, waste plastics were recycled.

3.5 Chung Yue Steel Group Company Limited

- **Lot No.:** P13 (Phase 2)
- **Lot Size:** Approx. 10,000 m²
- Activity: Recycling of Waste Metals
- **Recycling Process:** Turn waste metals into non-ferrous scrap, light ferrous scrap and heavy ferrous scrap by sorting, baling and shearing.
- 3.5.1 In this reporting quarter, waste metals were recycled.

3.6 K. Wah Construction Products Ltd.

- **Lot No.:** P11 (Phase 2)
- **Lot Size:** Approx. 10,000 m²
- Activity: Recycling of Waste Construction Materials/Waste Glass
- Recycling Process: Waste construction materials and waste glass will be crushed and delivered to the concrete mixing plant for blending and poured into block machine for casting. The blocks will then be cured, washed and packaged.
- 3.6.1 In this reporting quarter, waste construction materials and waste glasses were recycled.

3.7 WEEE.PARK

- Lot No.: P2, P3, P4 (Phase 2)
- **Lot Size:** Approx. 30,000 m²
- **Activity:** Recycling of WEEE
- **Recycling Process:** Four major types of WEEE (i.e. refrigerator and freezers, air conditioners, e-scrap, TV and computer screens) will be recycled. The recycling processes include separation of insulation/backlighting/plastics/various metals, recovery of screen/monitor stand/refrigerant/oil/hazardous materials, and shredding of casing.
- 3.7.1 In this reporting quarter, WEEE was recycled.

3.8 On Fat Lung Innovative Resources Ltd.

- **Lot No.:** P8 (Phase 2)
- Lot Size: Approx. 4,400 m²
- Activity: Recycling of Waste Rubber Tyres and WEEE
- **Recycling Process:** Waste rubber tyres will be shredded into rubber powder and processed to form rubber bricks. WEEE will be dismantled/shredded and recovered for reusable components.

3.8.1 In this reporting quarter, waste rubber tyres were recycled.

3.9 E. Tech Management (HK) Limited

• **Lot No.:** P14 (Phase 2)

• Lot Size: Approx. 5,000m²

• Activity: Recycling of WEEE

- **Recycling Process:** CRT, computer/electronics, white goods and florescent lamps will be recycled. The recycling processes include testing and dismantling of components, repair of refurbished equipment, sorting for reusable components and shredding for scrap.
- 3.9.1 In this reporting quarter, WEEE was recycled.

3.10 Hong Kong Battery Recycling Centre (HKBRC) Limited

• **Lot No.:** P9 & P10 (Phase 2)

• **Lot Size:** Approx. 10,000m²

• Activity: Waste Lead Acid Batteries

- **Recycling Process:** The recycling process involves extraction of lead from spent batteries, secondary lead smelting and refining to produce lead ingots as the end product.
- 3.10.1 In this reporting quarter, waste lead acid batteries were recycled.

3.11 Throughput Statistics

- 3.11.1 For the active recyclers, most of the incoming waste materials and outgoing products were delivered by land transportation, except for the metals from Chung Yue were delivered by both marine and land transportation.
- 3.11.2 The throughputs of WEEE.PARK and the eight active tenants are summarised in *Table 3.1* below. Please note that product output plus waste disposal does not necessarily equal the waste input, due to material losses during processing and material retained within the lot.

Issue 1______AEC

Table 3-1	Throughput Statistics for the Reporting Qu	arter


Material Type	Waste Input	Product Output (4)	Waste Disposed (4)
	(tonne)	(tonne)	(tonne)
Waste Organic Food	5,427	2,195	1,399
Waste Ferrous	22,373	21,925	166
Metals			
Waste Wood	490	135	-
Waste Electronics	4,761	4,184	592
Waste Plastics	512	306	-
Construction Waste	6,647	16,312	27
Waste Glass	1,816		
Waste Rubber Tyres	615	385	-

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" a denotes unavailable information at the time of report preparation.
- 3.11.3 Detailed throughput figures of the reporting quarter are provided in *Appendix 3.1*. Updated throughput figures of the previous months based on the latest available data, and the updates to the throughput figures from the previous quarter are not significant. The throughput figures are provided in *Appendix 3.2*.

3.12 Process Review

- 3.12.1 Process Review, and possibly Design Audit (DA) where required, had been conducted for each recycling process to be operated within EcoPark to confirm its compliance with the findings and recommendations of the EIA report and the conditions of the EP.
- 3.12.2 Since 2008, twenty five process reviews and three DAs had been approved. Among those, seventeen process reviews and three DAs are related to the current recycling processes in EcoPark as of December 2021.



4 IMPLEMENTATION STATUS OF ENVIRONMENTAL PROTECTION MEASURES

- 4.1.1 Environmental mitigation measures applicable to the operation phase EM&A as stated in the implementation schedule are summarised in *Appendix 1*. Environmental requirements specified in tenancy agreements are summarised in *Appendix 2*. The implementation status of the environmental requirements for tenants are summarised in the site inspection checklist, in *Appendix 6*.
- 4.1.2 By December 2021, WEEE.PARK and eight active tenants (Champway, HK Biomass, HP Telford, K. Wah, E. Tech, Chung Yue, On Fat Lung and HKBRC) were under full operation.
- 4.1.3 Appropriate environmental protection measures are in place at all lots.

5 MONITORING RESULTS

5.1 Monitoring Date, Time, Frequency and Duration

5.1.1 As described in *Section 2.1*, operational LFG monitoring is conducted quarterly at five monitoring locations, three in Phase 1 and two in Phase 2. In this reporting quarter, monitoring was undertaken on 15th November 2021. Monitoring details are shown *Table 5-1* below.

Table 5-1 Sampling Schedule for the Quarterly LFG Monitoring

Station ID	Sampling Date	Time	Duration	Ambient Air Temp.	Weather
EP1-1	15 th November 2021	09:46	2 minutes	22°C	Sunny
EP1-2		10:02	2 minutes	22°C	Sunny
EP1-3		09:59	2 minutes	22°C	Sunny
EP2-1		09:50	2 minutes	22°C	Sunny
EP2-2		09:53	2 minutes	22°C	Sunny

5.2 Monitoring Methodology, Parameters and Equipment

5.2.1 The LFG monitoring requirement and methodology are stipulated in *Section 6* of the EM&A Manual. The LFG monitoring parameters and their measurement ranges are detailed in *Table 5-2* below.

Table 5-2 Parameters and Measurement Ranges for LFG Monitoring

Parameters	Measurement Ranges
Methane (CH ₄)	0 – 100% LEL & 0-100% v/v
Oxygen (O ₂)	0 - 25% v/v
Carbon Dioxide (CO ₂)	0 – 100% v/v
Barometric Pressure	mBar (absolute)

- 5.2.2 LFG monitoring shall be carried out using intrinsically-safe, portable multi-gas monitoring instruments. The gas monitoring equipment shall:
 - 1. Comply with BS 6020 and be approved by BASEEFA as intrinsically safe, suitable for use in a Zone 2 are to BS 5345;
 - 2. Be capable of continuous monitoring of methane, oxygen and carbon dioxide;
 - 3. Be capable of continuous barometric pressure and gas pressure measurements;
 - 4. Normally operate in diffusion mode unless required for spot sampling, when it should be capable of operating by means of an aspirator or pump;

- 5. Have low battery, fault and over range indication incorporated;
- 6. Store monitoring data, and shall be capable of being down-loaded directly to a PC; and

7. Measure in the following ranges:

- Methane 0 - 100% LEL & 0 - 100% v/v

- Oxygen 0-25% v/v- Carbon dioxide 0-100% v/v

- Barometric pressure mBar (absolute)

5.3 Results and Graphical Plots of Monitoring Parameters

- 5.3.1 RKI Instruments EAGLE 2 Gas Detector (serial number E2F694) was used for LFG measurements. The gas analyser is calibrated every year. *Appendix 4* presents the calibration records of the monitoring equipment.
- 5.3.2 LFG monitoring results are summarised in *Table 5-3* and compared with the Action and Limit Levels tabulated in *Table 2-2*. Graphical plots of the monitoring results are also provided in *Appendix 5*.

Table 5-3 Quarterly LFG Monitoring Results in the Reporting Quarter

		Monitoring Results				
Station ID	Sampling Date	Methane (% v/v)	Methane (% LEL)	Oxygen (% v/v)	Carbon Dioxide (% v/v)	Barometric Pressure (mBar)
EP1-1		0.0	0.0	20.9	< 0.1	1013
EP1-2	15^{th}	0.0	0.0	20.9	< 0.1	1013
EP1-3	November	0.0	0.0	20.9	< 0.1	1013
EP2-1	2021	0.0	0.0	20.9	< 0.1	1013
EP2-2		0.0	0.0	20.9	0.4	1013

5.3.3 No exceedance of Action and Limit Levels was recorded in the reporting quarter.

6 SUMMARY OF ENVIRONMENTAL AUDIT

6.1 General

- 6.1.1 In the reporting quarter, WEEE.PARK and eight active tenants were under full operation.
- 6.1.2 Environmental audits based on the approved site inspection checklist were carried out by the Operator and the ET on 25th October, 15th November, and 15th December 2021. IEC random site audit were also carried out on 25th October and 15th December 2021. A quarterly joint site inspection was carried out by the Operator, the IEC and the ET on 15th November 2021. The completed audit checklists for tenants are provided in *Appendix* 6.

6.2 Champway Technology Limited

6.2.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in below. The completed checklists for Champway are given in *Appendix 6.1*.

Table 6-1 Environmental Audit Findings for Champway

Date	Item	Comment	Status			
Observations F	Observations From Previous Reporting Quarters					
16 Sep 2021	Oil sheen was observed in the stormwater manhole near the entrance of the facility.	The tenant was requested to clean up the oil.	On 25 October 2021, the oil residue in the stormwater manhole near the entrance of the facility was observed to have been cleaned up.			
	Oil sheen was observed in the stormwater surface channel near the activated carbon storage area.	The tenant was requested to clean up the oil.	On 25 October 2021, the oil residue in the stormwater surface channel near the activated carbon storage area was observed have been cleaned up.			
Observations F	rom This Reporting Quar	rter				
25 Oct 2021	No new critical issue w	as identified.				
15 Nov 2021	No new critical issue w	as identified.				
15 Dec 2021	The surface channel near the filter press is observed to have oil sheen.	The tenant has been requested to clean up the oil sheen and strengthen mitigation measures such as replacing the existing barrier along the boundary of the channel to prevent wastewater from entering the surface channel.	This item will be reviewed in the next inspection in January 2022.			

6.3 Hong Kong Biomass (Wood) Collect and Recycle Company Limited

6.3.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6-2* below. The completed checklist for HK Biomass is given in *Appendix 6.2*.

Table 6-2 Environmental Audit Findings for HK Biomass

Date	Item	Comment	Status				
Observations F	Observations From Previous Reporting Quarters						
None							
Observations F	rom This Reporting Quarte	er					
25 Oct 2021	No new critical issue wa	s identified.					
15 Nov 2021	No new critical issue wa	s identified.					
	Dusty materials have been observed to be stockpiled in an open area without any dust mitigation measures.	The tenant is requested to keep dusty materials in enclosed storage and/or cover with tarpaulin to prevent dust emissions.	This item will be reviewed in the next inspection in January 2022.				
15 Dec 2021	Non-road mobile machinery ("NRMM") are observed to be without NRMM labels as required by the Air Pollution Control (Non-road Mobile Machinery) (Emission) Regulation (Cap. 311Z).	The tenant has been requested to ensure that the machines have been approved by the EPD and provide NRMM labels accordingly.	This item will be reviewed in the next inspection in January 2022.				

6.4 HP Telford Envirotech Group Limited

6.4.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6-3* below. The completed checklists for HP Telford are given in *Appendix 6.3*.

Table 6-3 Environmental Audit Findings for HP Telford

Date	Item	Comment	Status	
Observations F	rom Previous Reporting Qua	arters		
None				
Observations F	rom This Reporting Quarter			
25 Oct 2021	No new critical issue was i	dentified.		
15 Nov 2021	No new critical issue was identified.			
15 Dec 2021	Non-road mobile machinery ("NRMM") are observed to be without NRMM labels as required by the Air Pollution Control (Non- road Mobile Machinery) (Emission) Regulation (Cap. 311Z).	The tenant has been requested to ensure that the machines have been approved by the EPD and provide NRMM labels accordingly.	This item will be reviewed in the next inspection in January 2022.	

6.5 Chung Yue Steel Group Company Limited

6.5.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6-4* below. The completed checklists for Chung Yue are given in *Appendix 6.4*.

Table 6-4 Environmental Audit Findings for Chung Yue

Date	Item	Comment	Status		
Observations From Previous Reporting Quarters					
None					
Observations Fi	Observations From This Reporting Quarter				
25 Oct 2021 No new critical issue was identified.					
15 Nov 2021	No new critical issue was identified.				
15 Dec 2021	No new critical issue	e was identified.			

6.6 K.Wah Construction Products Limited

6.6.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6-5* below. The completed checklists for K.Wah are given in *Appendix* 6.5.

Table 6-5 Environmental Audit Findings for K. Wah

Date	Item	Comment	Status			
Observations I	Observations From Previous Reporting Quarters					
None						
Observations I	From This Reporting Quarter					
25 Oct 2021	No new critical issue was ide	ntified.				
15 Nov 2021	24-hour RSP level was observed to have reached 162 mg/m³ on 27 October 2021 which exceeds action level for 24-hour RSP monitoring, as stipulated in the SP license (i.e. 100 mg/m³). It is noted that there are no further exceedances of 24-hour RSP level in November 2021. The Tuen Mun fill bank is observed to remain at a high level which may have contributed to the high 24-hour RSP level.	The tenant has been requested to further strength mitigation measures such as increasing the frequency of water spraying to minimize dust emissions.	As observed on 15 December 2021, 24-hour RSP levels reached 116 mg/m3 on 20 November 2021 which exceeds the action level of 100 mg/m3, as stipulated in the SP license. The latest RSP monitoring record on 2 December 2021 have shown that there have been no further exceedances. It is noted that the Tuen Mun fill bank remains at a high level which may have contributed to the exceedance event on 20 November 2021. The tenant has been requested to continue to strengthen mitigation measures such as increasing the frequency of water spraying. This item will be reviewed in the next inspection in January 2022.			
15 Dec 2021	15 Dec 2021 No new critical issue was identified.					

6.7 E. Tech Management (HK) Limited.

6.7.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6-6* below. The completed checklists for E. Tech are given in *Appendix 6.6.*

Table 6-6 Environmental Audit Findings for E. Tech

Date	Item	Comment	Status		
Observations From Previous Reporting Quarters					
None					
Observations From This Reporting Quarter					
25 Oct 2021 No new critical issue was identified.					
15 Nov 2021	No new critical issue was identified.				
15 Dec 2021	No new critical issue was identified.				

6.8 WEEE.PARK

6.8.1 Audit observations from this reporting quarter are summarised in *Table 6-7* below. The completed checklists for WEEE.PARK are given in *Appendix 6.7*.

Table 6-7 Environmental Audit Findings for WEEE.PARK

Date	Item	Comment	Status		
Observations From Previous Reporting Quarters					
None					
Observations From This Reporting Quarter					
25 Oct 2021 No new critical issue was identified.					
15 Nov 2021	No new critical issue was identified.				
15 Dec 2021	No new critical issue	e was identified.			

6.9 On Fat Lung Innovative Resources Limited

6.9.1 Audit observations from this reporting quarter are summarised in *Table 6-8* below. The completed checklists for On Fat Lung are given in *Appendix 6.8*.

Table 6-8 Environmental Audit Findings for On Fat Lung

Date	Item	Comment	Status		
Observations From Previous Reporting Quarters					
None					
Observations Fro	Observations From This Reporting Quarter				
25 Oct 2021 No new critical issue was identified.					
15 Nov 2021	v 2021 No new critical issue was identified.				
15 Dec 2021	No new critical issue	was identified.			

6.10 HKBRC

6.10.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6-9* below. The completed checklists for HKBRC are given in *Appendix 6.9*.

Table 6-9 Environmental Audit Findings for HKBRC

Date	Item	Comment	Status		
Observations From Previous Reporting Quarters					
None					
Observations F	Observations From This Reporting Quarter				
25 Oct 2021 No new critical issue was identified.					
15 Nov 2021	No new critical issue was identified.				
15 Dec 2021	No new critical issue was identified.				

6.11 General Conditions of EcoPark

6.11.1 Audit observations from previous reporting quarters and this reporting quarter are summarised in *Table 6-10* below. The completed checklists of general site inspection for EcoPark are given in *Appendix 6.10*.

Table 6-10 General EcoPark Audit Findings

Date	Item	Comment	Status			
Observations From F	Observations From Previous Reporting Quarters					
None						
Observations From T	Observations From This Reporting Quarter					
25 Oct 2021 No new critical issue was identified.						
15 Nov 2021	15 Nov 2021 No new critical issue was identified.					
25 Oct 2021	No new critical issue	was identified.				

7 ENVIRONMENTAL COMPLAINTS, NOTIFICATION OF SUMMONS AND SUCCESSFUL PROSECUTION

- 7.1 New Environmental Complaint, Notification of Summon and Successful Prosecution in the Reporting Period
- 7.1.1 By the end of December 2021, no complaint or notification of summon or successful prosecution related to recycling activities was received in this reporting quarter.

8 CONCLUSIONS

- 8.1.1 This is the fifty-ninth (59th) quarterly EM&A report prepared for the operation phase of EcoPark and covers the reporting quarter from October to December 2021. The recycling activities are audited on a monthly basis and the results are summarised in this report. In the reporting quarter, there were nine tenants and three operators (Alba IWS, Organic Tech and Jardine Engineering) in EcoPark Phase 1 and Phase 2.
- 8.1.2 The ET has conducted monthly site inspections while the IEC has carried out full site inspection on quarterly basis and random site audits on monthly basis, and some general observations have been made. The approved checklist has been used in the monthly site inspections for various tenants.
- 8.1.3 The throughputs of WEEL.PARK and the eight active tenants in the reporting quarter are summarised in *Table 8-1*. Please note that product output plus waste disposal do not necessarily equal the waste input, due to material losses during processing and material retained within the lots.

Table 8-1 Throughput Statistics for the Reporting Quarter

Material Type	Waste Input (tonne)	Product Output (4) (tonne)	Waste Disposed (4) (tonne)	
Waste Organic Food	5,427	2,195	1,399	
Waste Ferrous Metals	22,373	21,925	166	
Waste Wood	490	135	-	
Waste Electronics	4,761	4,184	592	
Waste Plastics	512	306	-	
Construction Waste	6,647	16 212	27	
Waste Glass	1,816	16,312		
Waste Rubber Tyres	615	385	-	

Notes:

- 1) The throughput data presented above is the best available data and has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information at the time of report preparation.
- 8.1.4 LFG monitoring during the reporting quarter was undertaken on 15th November 2021 at five locations (three in Phase 1 and two in Phase 2). No exceedance of Action or Limit Level was recorded in the reporting quarter.
- 8.1.5 Numbers of complaints, summons and successful prosecutions in the reporting quarter are summarised below:

• **Complaints:** Zero.

• Summons: Zero.

31

- Successful Prosecutions: Zero.
- 8.1.6 In the next reporting quarter, LFG monitoring in operation phase for Phase 1 and Phase 2 will be continued.

Issue 1______AEC

Appendix 1

Environmental Mitigation Measures (from the Implementation Schedule)

Issue 1______AEC

Quarterly Environmental Monitoring & Audit Report (October - December 2021)

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines	Implementation Status (✓ - Implemented; X - Not Implemented; / - To Be Implemented)
General						
5.5.23 to 5.5.25, 10.2.24 & 10.2.37	4.2.5 to 4.2.8	The Operator shall develop and implement an Emergency Response Plan (ERP) that lists the procedures to be followed in case of fire, fuel or chemical spillage or other emergency within the EcoPark.	Throughout the duration of the operation.	Operator		✓
12.2	7.2	No process shall be allowed to operate within EcoPark without approval from WFBU. Approval will be based on the ten-step Process Review, which may include a Design Audit if deemed to be necessary.	Throughout the duration of the operation.	ET IEC Project Proponent		√
	8.1.2	All reports (including Process Review Checklists and any Design Audits) shall be prepared and certified by the ET, verified by the IEC and approved by the Project Proponent.	Throughout the duration of construction works until construction is substantially completed. Throughout the duration of the operation.	ET IEC Project Proponent		√
12.3	7.3	The Operator shall prepare and implement an Environmental Management Plan (EMP) to define mechanisms for achieving the environmental requirements specified in the EIA, EP and in statutory regulations.	Throughout the duration of the operation.	Operator		√


EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines	Implementation Status (✓ – Implemented; X – Not Implemented; / - To Be Implemented)
Air Qualit	Air Quality					
13.2		The Operator shall ensure that EcoPark "base case" assumptions for air quality shown in Table 13.1 of the Final EIA Report are met by tenants, as a whole.	Throughout the duration of the operation.	Operator	Table 13.1 of the Final EIA Report	✓
Water Qu	ality		1			
5.4.11 & 5.6.7		To minimise the chance of accidental spillage during loading and unloading, and thereby reduce marine water quality impacts, well established cargo handling guidelines should be followed.	Adjacent to EcoPark marine frontage when loading or unloading goods.	Operator Operators of bulk carriers	Sections 5 & 6 of IMO Code of Practice for the Safe Loading/ Unloading of Bulk Carriers	
5.5.19		Contaminated water collected in the surface drainage systems shall be treated at the WTF or other appropriate treatment facility.	Within EcoPark throughout the life of the facility.	Operator	of Bulk Carriers	✓
5.5.23 to 5.5.25	4.2.5 to 4.2.7	An Emergency Response Plan (ERP) will be formulated to address various accident scenarios. The ERP will be certified by the Environmental Team (ET) and verified by the Independent Environmental Checker (IEC) under the operation EM&A programme.	Within EcoPark throughout the life of the facility.	Operator		✓
5.6.4		For uncovered areas where recovery process identified as causing potentially high level of contamination are located, stop-logs will be installed in the perimeter drainage system to isolate contamination.	Within EcoPark throughout the life of the facility.	Operator		✓

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines	Implementation Status (✓ - Implemented; X - Not Implemented; / - To Be Implemented)
	4.2.2	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC		✓
Waste Ma	nagement				T	
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation	✓
6.8.16		The dust collected by any air pollution control equipment installed by tenants must be tested to ensure compliance for landfill disposal.	Within EcoPark throughout the life of the facility.	Operator	Practice Note for disposal of dusty waste at landfills & Admission Ticket System	✓
6.8.18 & 6.8.22	5.2.4	Sludge will be disposed of at WENT landfill, or at any future dedicated sludge treatment facility. Sludge will be collected by a Licensed collector at regular intervals, as determined by the operation of the WTF.	Within EcoPark throughout the life of the facility.	Operator		√
6.8.21	5.2.4	Chemical wastes shall be stored in appropriate containers in a covered area. "No Smoking" signs will be clearly displayed to prevent accidental ignition of flammable materials. Drip trays capable of storing 110% of the volume of the largest container will be used to	Within EcoPark throughout the life of the facility.	Operator	Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes	✓

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines	Implementation Status (✓ – Implemented; X – Not Implemented; / - To Be Implemented)
		mitigate possible leakage.				
	5.2.3 & 5.2.5	The ET should develop an audit checklist, with the agreement of the IEC, to ensure that each mitigation measure is implemented when appropriate and operated correctly when implemented.	Within EcoPark throughout the life of the facility.	ET with IEC		√
6.8.7	5.2.4	The Operator should register with EPD as a chemical waste producer.	Within EcoPark throughout the life of the facility.	Operator	Waste Disposal (Chemical Waste) (General) Regulation	✓
Preventio	on of Contai	minated Land				
7.3.1	5.3.2	Any spillages of contaminating material shall be cleaned up immediately through the use of an absorbent. Any such used material should then be considered chemical waste and disposed of appropriately.	Within EcoPark throughout the life of the facility.	Operator		
7.3.3		Any areas within the lot to be used for recycling processes shall be concrete paved before recycling activities commence.	Within EcoPark throughout the life of the facility.	Operator		✓

7.3.5 During operation, the greatest risk of land contamination will come from storage of chemical wastes, therefore the measures should be followed: • All chemical storage areas shall be provided with locks and be sited on sealed areas. The storage areas shall be surrounded by bunds with a capacity equal to 110% of the storage capacity of the largest tank to prevent spilled oil and chemicals from contaminating the ground. • Chemical wastes will be collected, stored and disposed of in accordance with applicable statutory requirements in the WDO. • Chemical wastes shall be handled according to the relevant code of practice. Spent chemicals shall be stored and collected by an approved operator for disposal at a licensed facility in accordance with the relevant requirements in the water of the relevant equilation.	EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines	Implementation Status (✓ - Implemented; X - Not Implemented; / - To Be Implemented)
Landfill Gas			 contamination will come from storage of chemical wastes, therefore the measures should be followed: All chemical storage areas shall be provided with locks and be sited on sealed areas. The storage areas shall be surrounded by bunds with a capacity equal to 110% of the storage capacity of the largest tank to prevent spilled oil and chemicals from contaminating the ground. Chemical wastes will be collected, stored and disposed of in accordance with the Regulation. Disposal of other construction waste will be undertaken by licensed contractors in accordance with applicable statutory requirements in the WDO. Chemical wastes shall be handled according to the relevant code of practice. Spent chemicals shall be stored and collected by an approved operator 	throughout the life of	Operator		

EIA Ref.	EM&A Ref.	Environmental Protection Measures Identified in the Implementation Schedule that are Applicable to the Operation Phase of EcoPark	Location / Duration of Measures / Timing of Completion of Measures	Implementation Agent	Relevant Legislation and Guidelines	Implementation Status (✓ - Implemented; X - Not Implemented; / - To Be Implemented)
8.7.10 & 8.7.11	6.1.2	 Alert workers and visitors of possible LFG hazards Prohibit smoking and open fires on site Conduct regular (quarterly) LFG monitoring at mobile offices, equipment stores, etc. 	Within EcoPark throughout the life of the facility.	Operator		✓
	6.4.3	Following construction, routine monthly monitoring may be required at service voids and utility boxes. The monitoring requirement and specific locations of monitoring points shall be established based on the findings of the monitoring carried out during construction (i.e. if no LFG is detected during construction then no routine monitoring is required). The need for continued monitoring shall, however, be reviewed through discussion with EPD.	Within EcoPark throughout the life of the facility.	Operator		✓
Hazard to	Life					
10.4.3		Building height limit within EcoPark shall be applied to structures within which people may work at elevated levels.	Within EcoPark throughout the life of the facility.	Operator	EIA Report Table 10.2	✓
Landscape	e and Visuo	al				
9.4.4		It recommended that this commonality be promoted throughout EcoPark by the Operator and adopted by tenants, if practicable.	Within EcoPark throughout the life of the facility.	Operator		√



Issue 1_____AEC

Compliance of Environmental Legislation

5. The Tenant shall comply with and observe all Ordinances, by-laws, regulations and rules for the time being in force in Hong Kong governing the control of any form of pollution, including air, noise, water and waste pollution, and for the protection of the environment.

Air Pollution

6. Save with an appropriate exemption under the Air Pollution Control Ordinance (Cap. 311) any regulations made thereunder and any amending legislation, the Tenant shall not install or permit or suffer to be installed upon the Premises or any part thereof or any building(s) or structure(s) or part of any building(s) or structure(s) erected or to be erected thereon any furnace, oven, chimney or flue or any other combustion equipment or use or permit or suffer to be used any fuel or any method or process of manufacture or treatment that might in any circumstance result in, cause or contribute to the discharge or emission of any pollutant or any noxious, harmful or corrosive matter, whether it be in the form of gas, smoke, liquid, solid or otherwise (including but not limited to air pollutant as defined in Section 2 of the Air Pollution Control Ordinance

(Cap. 311), which exists or which is imminent, without the prior written approval of the Director.

Water Pollution

- 7. (a) In the event that the Tenant produces, generates, permits, causes, allows or suffers any discharge which is subject to control under the Water Pollution Control Ordinance (Cap. 358) any regulations made thereunder and any amending legislation, the Tenant shall apply to the Director for a licence and comply with the terms and conditions stipulated in the licence at the Tenant's own cost(s). Otherwise, the Tenant is not allowed to discharge directly or indirectly or to produce, generate, permit, cause, allow or suffer any discharge into any public sewer, storm-water drain, channel, stream-course, sea or any area inside or outside the Premises any trade effluent or foul or contaminated water or cooling or hot water. Subject to the said licence from the Director, the Tenant shall at its own cost(s) separate, collect, and discharge all process or industrial wastewater which comply with the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence.
 - (b) Subject to obtaining advance written approval of the Director, the Tenant shall at its own cost(s) provide, install, operate and maintain its own waste water pretreatment plants within the Premises if such process or industrial wastewater could not meet the standard required for discharge into a sewer leading to the sewage treatment works at Pillar Point or other treatment works specified in the licence. The Tenant shall at its own cost(s) separate, collect, discharge and send all domestic wastewater (i.e. other than process or industrial wastewater) to the Pillar Point Sewage Treatment Works directly for treatment or other treatment works specified in the licence.
 - (c) In any event, the Tenant shall prevent any spilled materials from entering the surface water drainage system and prevent contamination of the sea at its own cost(s) by, inter alia, providing, installing, operating and maintaining stop-logs or interceptors in the surface water drainage system and at the marine frontage area, respectively, or as required by the licence. The Tenant shall at its own cost comply with relevant provisions of the Dumping at Sea Ordinance (Cap. 466) good practices and relevant provisions of the EIA Report and Final EM&A Manual.

Waste Management

- 8. (a) The Tenant shall at its own cost(s) comply with relevant provisions of the Waste Disposal Ordinance (Cap. 354).
 - (b) The Tenant shall not permit, allow or suffer any fuel or chemical and any sewage, waste water or effluent containing sand, cement, silt or any suspended or dissolved material to flow, escape or run from the Premises onto any adjoining land or allow any waste matter which does not form part of the recovery and/or recycling and/or reprocessing operation or is not part of the final product of such operation to be deposited, kept, held or stored anywhere within the Premises and other areas of EcoPark. The Tenant shall at its own cost(s) have all such matters and all materials arising from recycling activities, chemical materials arising from maintenance of plant and equipment, sewage sludge (from wastewater treatment facilities, if any) and general daily waste from the operation removed from the Premises or any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon in a proper manner to the satisfaction of the Landlord and/or the Director.

Noise Pollution

- 9. (a) The Tenant shall take all necessary measures as may be required by and to the satisfaction of the Landlord and/or the Director to ensure that the operation of all plant and equipment, installed or used on the Premises or in any building(s) or structure(s) or any part of any building(s) or structure(s) erected or to be erected thereon, will not result, not cause and/or will not contribute any noise (which exists or which is imminent) which disturbs or annoys the residents or occupiers of any adjoining or neighbouring lot or lots or premises, or causes and/or contributes to disturbance to the general public under the Noise Control Ordinance (Cap. 400) any regulations made thereunder and any amending legislation.
 - (b) The decision of the Landlord or the Director as to whether any such plant and equipment are causing disturbance or annoyance as aforesaid shall be final and binding on the Tenant.

Landfill Gas Hazard

10. To mitigate landfill gas hazard, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.13 of the Environmental Permit No. EP-226/2005/A regarding raising clear of the ground all buildings and enclosed structures as specified in inter alia

Condition 3.7 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact).

EcoPark Being Within the 250m Consultation Zone of Siu Lang Shui Landfill

- 11. (a) The Tenant acknowledges that the EcoPark is within the 250m Consultation Zone of the Siu Lang Shui Landfill and that the Premises may be affected by problems associated with migrating landfill gas and undertakes to provide suitable precautionary or protection measures at his own expense to control these potential hazards.
 - (b) The Tenant shall ensure all personnel entering the Premises and all visitors to the Premises are aware of the potential hazards of the landfill gas by posting suitable warning notices of the potential hazards at his own expense.
 - (c) All buildings and enclosed structures, including temporary offices, temporary stores and the administration building, within the 250m Consultation Zone of the Siu Lang Shui Landfill shall be provided with the following measure(s):
 - (i) buildings shall be raised clear of the ground with a clear separation distance (as measured from the highest point on the ground surface to the underside of the lowest floor joist) of at least 500mm; or
 - (ii) a low-gas permeability membrane shall be applied to the surface of any wall or floor slab that rests on or is below ground. A gravel-fill vent system shall be provided such that passive venting is achieved around the perimeter of the structure. In addition, other building materials, such as dense well-compacted concrete or steel shuttering which provide a measure of resistance to gas permeation, shall be used to achieve gas protection.
 - (d) The Tenant shall ensure that the electrical equipment used on the Premises shall be intrinsically safe. Welding, flame-cutting or other hot works shall be confined to the open areas of the Premises and shall be at least 15m away from any ground-level confined space.
 - (e) No drilling, trenching and excavation shall be allowed on the Premises. During any construction work, the Tenant shall observe the guidelines recommended in Chapter 8 of the "Landfill Gas Hazard Assessment Guidance Note" published by the Department of Environmental Protection. In particular, no smoking, naked

flames and all other sources of ignition shall be allowed within 15m of any ground-level confined space.

Hazard to Life Impact

- 12. To mitigate hazard to life impact, the Tenant shall comply with, inter alia, Conditions 4.8 to 4.10 of the Environmental Permit No. EP-226/2005/A (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate hazard to life impact) and shall not:-
 - (a) bring, keep, store or transport chlorine within the Premises and other areas of EcoPark;
 - (b) bring, keep, store, locate or transport dangerous goods, substances and fuels supporting combustion including oxygen, acetylene, hydrogen peroxide, rubber tyres and diesel within 10 metres from the boundary of the site of EcoPark; and
 - (c) exceed the building height restrictions for buildings on the Premises which are on/near the western boundary of the site of EcoPark as mentioned in Annex B to the Environmental Permit No. EP-226/2005/A (including any updated Permit, amended permit and further permit).


Landscape and Visual Impacts


13. To mitigate landscape and visual impacts, the Tenant shall at its own cost(s) comply with, inter alia, Condition 4.14 of the Environmental Permit No. EP-226/2005/A regarding maintaining landscape, planting, treatment and mitigation measures as specified in inter alia Condition 3.8 and Figure 3 (and comply with the conditions of any updated Permit, amended permit and further permit regarding measures to mitigate landscape and visual impacts).

Environmental Permits Relating to EcoPark

14. The Tenant hereby declares, confirms and acknowledges that it is fully aware that, pursuant to the Environmental Impact Assessment Ordinance (Cap.499), the Director has the right to grant, amend or revoke environmental permit(s) or to grant further or amended environmental permit(s) relating to the lots comprising the EcoPark and any other lots but that such right may be challenged by third parties on justifiable grounds. The Tenant hereby undertakes to waive all its rights and remedies for any loss, damages, cost and expenses whatsoever which it may sustain and/or incur directly or

indirectly as a result of the grant, amendment or revocation of the environmental permit(s) or the consequential grant of further or amended environmental permit(s), including but not limited to any right to terminate this Lease and/or to make any claim against the Landlord and/or the Director for any compensation whatsoever.





Issue 1______AEC

Table A3.1-1 Recycling of Waste Organic Food

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
October 2021	2,595	1,070	673
November 2021	2,833	1,125	726
December 2021	n/a	n/a	n/a

Table A3.1-2 Recycling of Waste Ferrous Metals

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
October 2021	8,813	8,813	76
November 2021	13,561	13,112	90
December 2021	n/a	n/a	n/a

Table A3.1-3 Recycling of Waste Wood

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
October 2021	259	53	-
November 2021	231	82	-
December 2021	n/a	n/a	n/a

Table A3.1-4 Recycling of Waste Electronics

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
October 2021	2,269	1,988	246
November 2021	2,492	2,196	346
December 2021	n/a	n/a	n/a

Table A3.1-5 Recycling of Waste Plastics

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
October 2021	512	306	-
November 2021	n/a	n/a	n/a
December 2021	n/a	n/a	n/a

Issue 1_____AEC

Table A3.1-6 Recycling of Waste Glass and Construction Waste


	Waste Inpu	ut (tonne)	D., d., 4 O., 4.	Waste
Date	Construction Waste	Glass	Product Output (4) (tonne)	Disposal ⁽⁴⁾ (tonne)
October 2021	2,487	873	7,470	6
November 2021	4,161	943	8,842	22
December 2021	n/a	n/a	n/a	n/a

Table A3.1-7 Recycling of Waste Rubber Tyres

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
October 2021	373	205	-
November 2021	242	180	-
December 2021	n/a	n/a	n/a

Notes:

- 1) The throughput data presented in Tables A3.1-1 to A3.1-7 has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) The presented throughput is the best available data.
- 6) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information at the time of report preparation.



Issue 1______AEC

Table A3.2-1 Recycling of Waste Organic Food

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
June 2021	2,336*	957	602
July 2021	2,637*	1,115	666
August 2021	2,645*	1,244*	686*
September 2021	2,692*	1,413*	664*

Table A3.2-2 Recycling of Waste Ferrous Metals

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
September 2021	12,797*	12,760*	85*

Table A3.2-3 Recycling of Waste Wood

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
September 2021	222*	147*	-

Table A3.2-4 Recycling of Waste Electronics

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
June 2021	2,237*	2,036*	241*
July 2021	2,285*	2,085*	261*
August 2021	2,558*	2,108*	278*
September 2021	2,453*	2,203*	318*

Table A3.2-5 Recycling of Waste Plastics

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
September 2021	517*	285*	_*

Table A3.2-6 Recycling of Waste Glass and Construction Waste

	Waste Inp	Waste Input (tonne)		Waste
Date	Construction Waste	Glass	Product Output (4) (tonne)	Disposal ⁽⁴⁾ (tonne)
September 2021	2,829*	1,006*	7,399*	12*

Table A3.2-6 Recycling of Waste Tyres

Date	Waste Input (tonne)	Product Output (tonne)	Waste Disposal (tonne)
April 2021	185*	100*	_*
May 2021	197*	197*	_*
June 2021	200*	200*	_*
July 2021	194*	173*	_*
September 2021	293*	48*	_*

Notes:

- 1) The throughput data in Tables A3.2-1 to A3.2-6 supersede the same batch of the throughput data in previous Quarterly Environmental Monitoring & Audit Reports. The presented data has been rounded off to the nearest whole tonne for presentation.
- 2) The total product output may not be the same as the waste input due to processing of materials that were received before the reporting quarter and were stored within the lots.
- 3) Waste disposal refers to the disposal of general refuse (i.e. packaging) and/or chemical waste.
- 4) Since the recycling of waste glass and construction waste is combined to produce concrete block at K.Wah, the product output and waste disposal from both processes are combined.
- 5) "-" in the column of waste disposal denotes zero quantity; while "n/a" denotes unavailable information at the time of report preparation.
- 6) The throughput data marked with "*" have been revised with updated data since submission of previous quarterly EM&A report (Jul Sep 2021).



Issue 1______AEC



東業德勤測試顧問有限公司 ETS-TESTCONSULT LTD.

8/F Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fo Tan, Hong Kong

T: +852 2695 8318 F: +852 2695 3944 E: etl@ets-testconsult.com W: www.ets-testconsult.com

Calibration Certificate

Information Provided by Customer

Custome

ETS - TESTCONSULT LIMITED

Address

8/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fo Tan, Hong Kong

Information of Unit-under test (UUT)

Description

Gas Detector

Equipment I.D. No

ET/EA/005/01

Manufacturer

RKI Instruments EAGLE 2

Serial No.

E2F694

Type of gas

CO₂, O₂, CH₄

Laboratory Information

Procedure

Data of issue

In-house method

Data of Receipt

18-Jun-2021

Data of Calibration

22-Jun-2021 22-Jun-2021 Calibration Location

Environmental Laboratory

Calibration Condition

Ambient Temperature

(20 ± 3) ℃

Relative Humidity

(50 ± 20)%

Stabilizing Time

30 minutes

Warm-up Time

30 minutes

Reference Equipment

Reference Gas Detector, ET/EA/005/02

Calibration Specification

- To perform the calibration of gas below:
- CO₂ at 0, 3000 and 5000ppm
- O₂ at 10, 20 & 30vol%
- CH₄ at 0, 5 & 10%LEL

Calibration Result (CO2)

Calibration Range (ppm)	Reference Equipment Reading (ppm)	*Corrected Value (ppm)	UUT Reading (ppm)	Deviation (ppm)
0	0.0	0.0	0.0	0.0
3000	3102.6	3040.5	3056.2	15.7
5000	5108.4	5006.2	5048.3	42.1

Remark:

. 2% indicator error of reference equipment is applied.

Measurement Result (CO2)

Items	Results
Indication Error (%)	0.7
Repeatability (%)	0.8



東業德勤測試顧問有限公司 ETS-TESTCONSULT LTD.

8/F Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fo Tan, Hong Kong

T: +852 2695 8318 F: +852 2695 3944 E: etl@ets-testconsult.com W: www.ets-testconsult.com

Calibration Result (O2)

Janota Virtour (J				
Calibration Range (%vol)	Reference Equipment Reading (%vol)	*Corrected Value (%vol)	UUT Reading (%vol)	Deviation (%vol)
10	10.6	10.5	10.5	0.0
20	21.2	21.0	20.8	-0.2
30	31.1	30.8	30.5	-0.3

Remark

Measurement Result (O2)

Items	Results
Indication Error (%)	-0.8
Repeatability (%)	0.4

Calibration Result (CH₄)

Calibration Range (%LEL)	Reference Equipment Reading (%LEL)	*Corrected Value (%LEL)	UUT Reading (%LEL)	Deviation (%LEL)
0	0	0	0	0
5	5	5	5	0 .
10	11 .	11	11	0

Remark:

Measurement Result (CH4)

weasurement Nesun (Chit)		
Items	Results	
Indication Error (%)	0	
Repeatability (%)	2.1	

Note:

Remarks:

- The calibration results apply to the particular unit-under-test only.

Calibrated By: ______(Technician)


Approved Signatory:

angle

^{1.0%} indicator error of reference equipment is applied.

^{1. 0%} indicator error of reference equipment is applied.

^(*) Corrected Value = Reference Equipment Reading x Indicator Error of Reference Equipment



Issue 1______AEC

Quarterly Landfill Gas Monitoring Results

					_		Measurement Results				Action Level			Limit Level				
Monitoring Station ID	Monitoring Locations	Date	Weather Conditions	Temperature (°C)	Start Time	End Time	Met	hane	Oxygen	Carbon Dioxide	Barometric Pressure	Methane	Oxygen	Carbon Dioxide	Methane	Oxygen	Carbon Dioxide	Remarks
							% v/v	% LEL	% v/v	% v/v	mBar (absolute)	% LEL	% v/v	% v/v	% LEL	% v/v	% v/v	
EP1-1	Inside the landscaping area of Administration Building	15 Nov 2021	Sunny	22	9:46	9:48	0.0	0	20.9	< 0.1	1013							Nil
EP1-2	PCCW below-ground chamber outside Lot T1	15 Nov 2021	Sunny	22	10:02	10:04	0.0	0	20.9	< 0.1	1013							Nil
EP1-3	HGC Broadband below-ground chamber outside Lot T3	15 Nov 2021	Sunny	22	9:59	10:01	0.0	0	20.9	< 0.1	1013	> 10	< 19	> 0.5	> 20	< 18	> 1.5	Nil
EP2-1	HGC Broadband below-ground chamber outside Lot P1	15 Nov 2021	Sunny	22	9:50	9:52	0.0	0	20.9	< 0.1	1013							Nil
EP2-2	HGC Broadband below-ground chamber outside Lot P3	15 Nov 2021	Sunny	22	9:53	9:55	0.0	0	20.9	0.4	1013							Nil

Notes:

- (1) Underlined figure indicates an exceedance of Action Level
- (2) Shaded area indicates an exceedance of Limit Level

EP1-1

Data	Methane (% LEL)			Oxygen	(% v/v)		Carbon Diox	Barometric Pressure (mBar)		
Date	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
23 Feb 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1015
26 May 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1009
24 Aug 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1008
15 Nov 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1013

EP1-2

Date	Methane	(% LEL)	Oxygen	(% v/v)		Carbon Diox	Barometric Pressure (mBar)		
Date	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
23 Feb 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1015
26 May 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1009
24 Aug 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1008
15 Nov 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1013

EP1-3

Date	Methane	(% LEL)	Oxygen	(% v/v)		Carbon Diox	Barometric Pressure (mBar)		
Date	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
23 Feb 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1015
26 May 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1009
24 Aug 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1008
15 Nov 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1013

EP2-1

Date	Methane (% LEL)			Oxygen	(% v/v)		Carbon Diox	Barometric Pressure (mBar)		
Date	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement
23 Feb 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1015
26 May 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1009
24 Aug 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1008
15 Nov 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1013

EP2-2

Date	Methane	(% LEL)	Oxygen	(% v/v)		Carbon Dio	Barometric Pressure (mBar)			
Date	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	Action Level	Limit Level	Measurement	
23 Feb 2021	0	10	20	20.9	19	18	0.4	0.5	1.5	1015	
26 May 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1009	
24 Aug 2021	0	10	20	20.9	19	18	< 0.1	0.5	1.5	1008	
15 Nov 2021	0	10	20	20.9	19	18	0.4	0.5	1.5	1013	



東業德勤測試顧問有限公司 **ETS-TESTCONSULT LTD**.

8/F Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fo Tan, Hong Kong

T: +852 2695 8318 F: +852 2695 3944 E: etl@ets-testconsult.com W: www.ets-testconsult.com



TEST REPORT

Test Report of Landfill Gas Monitoring

Report No.

: ENA16682

Date of Issue: 16 November 2021

Page No.

:1 of 1

Information Provided by Customer

Customer Name

: Allied Enviornmental Consultants Ltd.

Customer Address

: 27/F, Overseas Trust Bank Building, 160 Gloucester Road, Wan Chai, Hong Kong

Sample Source

: Landfill Gas Monitoring at Eco Park, Tuen Mun

Sampling Location

: EP1-1 Inside the Landscaping area of Administration Building

EP1-2 PCCW underground chamber outside Lot T1

EP1-3 HGC Broadband underground chamber outside Lot T3 EP2-1 HGC Broadband underground chamber outside Lot P1

EP2-2 HGC Broadband underground chamber outside Lot P3

Date of Test Method

: 15 November 2021

: To carry out landfill gas monitoring by gas detector

Equipment

Reference Number

: ET/EA/005/01

Manufacturer

: RKI Instruments EAGLE 2

Serial Number

: E2F694

Result

Kesuit		Barometric Pressure,	Met	hane	Carban Diavida 9/1/4	Oxygen, %v/v	
Sampling Location	Sampling Time	mBar	%v/v	%LEL	Carbon Dioxide, %v/v	CAYGON, 70070	
EP1-1	09:46	1013	0	0	<0.1	20.9	
EP1-2	10:02	1013	0	0	<0.1	20.9	
EP1-3	09:59	1013	0	0	<0.1	20.9	
EP2-1	09:50	1013	0	0	<0.1	20.9	
EP2-2	09:53	1013	0	0	0.4	20.9	

Approved Signatory:

LAU, Chi Leung



Appendix of Test Report

Report No.

: ENA16682


Date of Issue : 06 September 2021


Page No.


: 1 of 1


Location Plan


Landfill Gas Monitoring Stations

















































Remark: All <0.1% v/v for carbon dioxide is regarded as 0.0% v/v in graphical presentation















Issue 1______AEC





	Inspection Date: 2021/10/25 Time: 10:00 Lot Number: T5 Tenant: Champway	Inspected by: Henry POON, Timmy WONG
Weather	Condition: Sunny Fine Overcast Drizzle Temperature: 30 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Gene	ral_	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wate	r Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	
	a) Sampling record available?	Sampling Report (August 2021)
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	via Grease Trap
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	Follow up Observation (1, 2)
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recover process with potentially high level of contamination is carried out?	
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area	? Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	Petrol interceptor is provided	
2.13	Drainage from maintenance area discharged via oil interceptor?		
	a) Oil and grease removed regularly?	Follow up Observation (1, 2)	
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓ Not required	
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?	✓ No dusty stockpile is observed	
2.17	Measures to prevent the washing away of sand/silt to drains?	No sand/silt is generated from the re process	ecycling
3. Air Q	<u>vality</u>	N/A Yes No Remarks	
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓ Valid from Feb 2018 to Feb 2023	
	a) SP Licence conditions/monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?	No loading/unloading of dusty mater observed	rials is
3.4	Dust monitoring record available?	✓ Not required	
	a) Monitoring frequency met the licence requirement?		
	b) Any exceedance?	✓	
	c) If exceedance is recorded, follow-up action taken?	✓ <u> </u>	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	No dust-generating activity is observed.	/ed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	Not required	
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	Not required	
3.11	Air pollution control system properly maintained and function normally?	Regular replacement of activated car (quarterly)	rbon filter
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?		
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15	Materials transported on trucks covered?	✓ Not observed
3.16	Truck loads to a level within the side and tail boards?	✓ Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle/equipment movement
	Loading/unloading of materials	✓ Others: n/a
4. Waste	e/Chemical Management	
General		N/A Yes No Remarks
4.1	Registered as chemical waste producer?	✓
4.2	Sufficient receptacles (e.g. rubbish bins) available?	
4.3	Disposed of regularly and properly?	
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5	Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓ Not observed
Packagir	ng of Chemical Waste	
4.7	Stored in suitable container?	
4.8	Container properly closed or sealed?	
4.9	Spillage cleaned up immediately through the use of absorbent?	
4.10	Obtained approval for the use of chemical waste container >450L?	
Labellin	g of Chemical Waste	
4.11	Provision of chemical waste label?	
	a) Label is securely attached and visible?	
	b) Label is bilingual and in proper dimension?	
	c) Information is accurate and sufficient?	
Storage	of Chemical Waste	
4.12	Proper "Chemical Waste" sign displayed?	
4.13	Incompatible wastes separated by impermeable partition?	✓
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or with drip trays capable of storing 110% of the volume of the largest container (if of	
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container of containers?	stack
4.16	Properly stored and locked in designated area with adequate ventilation?	
4.17	Storage area paved with concrete and kept clean and dry?	
4.18	Cover provided for outdoor storage area?	
4.19	Chemical waste collected by licensed collector?	✓ Not observed

SITE INSPECTION CHECKLIST



Liquid C	Chemical Storage		
4.20	Storage area provided with permeation-proof floor or surface?		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?		
	Trans of partitions of stacked container storage area constructed of imperimeable materials		
5. Land	fill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?	V	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
6. Other	<u>rs</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?		
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	/	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?		
6.7	Valid calibration certificate for any monitoring equipment?	✓ <u> </u>	
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?		
	a) Storage area in compliance with the approved plan?	V	Subject to tenant's information provision
	b) Storage area is securely locked?		
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?		
	e) Dangerous goods properly packaged?	V	

Remarks:

Follow-up from Previous Observations

(1) On 25 October 2021, the oil residue in the stormwater manhole near the entrance of the facility was observed to have been cleaned up.



(Observed on 16 September 2021)



(Observed on 25 October 2021)



On 25 October 2021, the oil residue in the stormwater surface channel near the activated carbon storage area was observed have been cleaned up.



(Observed on 16 September 2021)



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: Henry POON

Date:

2021/10/25

May Wu

Date: 10 NOV 2021

Name: Kenji Wong

Date: 6 Dec 2021

An Name: Hilton TAM

Date: 2021/11/08



	Inspection Date: 2021/11/15 Time: 10:00 Lot Number: T5 Tenant: Champway	Inspected by: Henry POON, Timmy WONG
Weathe	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High Wind: ✓ Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Gene	ral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	UPML's EMP is followed UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wate	r Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	
	a) Sampling record available?	Sampling Report (October 2021)
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	via Grease Trap
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		✓		Petrol interceptor is provided
2.13	Drainage from maintenance area discharged via oil interceptor?		√		
	a) Oil and grease removed regularly?		✓		
	b) Collected by licensed collector?		√		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Air Q	nolity.	N/A	Yes	No	Remarks
		11/21	103		
3.1	Valid Specified Process (SP) Licence available for all specified process?		<u> </u>		Valid from Feb 2018 to Feb 2023
	a) SP Licence conditions / monitoring requirements comply?	Щ			
3.2	Operate without generation of noticeable odour?	Ш	√		
	a) If odour is detected, can the source be identified?		\checkmark		
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?		✓		No loading/unloading of dusty materials is
3.3	Dusty materials dampened prior to loading/unloading?	✓			observed
3.4	Dust monitoring record available?	\checkmark			Not required
	a) Monitoring frequency met the licence requirement?	\checkmark			
	b) Any exceedance?	\checkmark			
	c) If exceedance is recorded, follow-up action taken?	\checkmark			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			No dust-generating activity is observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		√		Regular replacement of activated carbon filter (quarterly)
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		<u> </u>		



3.15	Materials transported on trucks covered?				Not observed
3.16	Truck loads to a level within the side and tail boards?				Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?				No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle	e/equipme	nt move	ment
	Loading/unloading of materials	✓ Others:	n/a		
4. Waste	e/Chemical Management				
General		N	/A Yes	No	Remarks
4.1	Registered as chemical waste producer?		√		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		√		
4.3	Disposed of regularly and properly?		√		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?		√		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?		√		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?				Not observed
Packagin	ng of Chemical Waste				
4.7	Stored in suitable container?		√		
4.8	Container properly closed or sealed?		√		
4.9	Spillage cleaned up immediately through the use of absorbent?		√		
4.10	Obtained approval for the use of chemical waste container >450L?				
Labelling	g of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible?		√		
	b) Label is bilingual and in proper dimension?		✓		
	c) Information is accurate and sufficient?		√		
Storage of	of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?				
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or provided the capable of storing 110% of the volume of the largest container (if quantity <50L).		?		
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / st of containers?	ack	√		
4.16	Properly stored and locked in designated area with adequate ventilation?		√		
4.17	Storage area paved with concrete and kept clean and dry?		√		
4.18	Cover provided for outdoor storage area?		√		
4.19	Chemical waste collected by licensed collector?				Not observed

SITE INSPECTION CHECKLIST



Liquid C	Chemical Storage	
4.20	Storage area provided with permeation-proof floor or surface?	
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22	Walls or partitions of stacked container storage area constructed of imperr	meable material?
5. Land	fill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓ Outside LFG consultation zone
5.2	Smoking and open fires prohibited?	
6. Other	<u>rs</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	
	a) Storage area in compliance with the approved plan?	Subject to tenant's information provision
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requiremen	nt?
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	
Remark	xs:	
	oservations	
•	No major environmental deficiency was observed.	
Signatu	res:	
ET Repi	resentative: Operator Representative: Te	enant Representative: IEC Representative:
	Mar La	lengi _ Hr
Name:	Henry POON Name: May Wu Name:	Kenji Wong Name Hilton TAM
Date:	2021/11/15 Date: - 7 DEC 2021	7 Dec 2021 Date: 2021/12/06



	Inspection Date: 2021/12/15 Time: 10:00 Lot Number: T5 Tenant: Champway	Inspected by: Henry POON, Chris LO
Weather	r	
	Condition: Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Gener	ral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wate	r Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	
	a) Sampling record available?	Sampling Report (October 2021)
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓ via Grease Trap
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	New Observation (1)
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recover process with potentially high level of contamination is carried out?	
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area	a? Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		Petrol interceptor is provided
2.13	Drainage from maintenance area discharged via oil interceptor?		
	a) Oil and grease removed regularly?		New Observation (1)
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		Not required
2.15	Bulk cargo and materials packed properly?		Annual Control of the
2.16	Temporary stockpiles covered during rainstorms?	/	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	V	No sand/silt is generated from the recycling process
3. Air Q		N/A 37 - 37	D STATE OF THE PARTY OF THE PAR
A S		N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Valid from Feb 2018 to Feb 2023
	a) SP Licence conditions/monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		No loading/unloading of dusty materials is
3.3	Dusty materials dampened prior to loading/unloading?		observed
3.4	Dust monitoring record available?	7	Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?		
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	/	No dust-generating activity is observed
3.6	Open burning prohibited?		
3.7	Emission from chimney or powered plant free of black smoke?		V
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	4	Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓	Not required
3.11	Air pollution control system properly maintained and function normally?		Regular replacement of activated carbon filter (quarterly)
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V	
	a) Obtained approval for the use of controlled refrigerant?	/	
	b) If yes, record of refrigeration equipment service available?		100
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15	Materials transported on trucks covered?	Not observed
3.16	Truck loads to a level within the side and tail boards?	✓ Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	✓ No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle/equipment movement
	Loading/unloading of materials	✓ Others: n/a
4. Waste	e/Chemical Management	
General		N/A Yes No Remarks
4.1	Registered as chemical waste producer?	
4.2	Sufficient receptacles (e.g. rubbish bins) available?	
4.3	Disposed of regularly and properly?	
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5	Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓ Not observed
Packagir	ng of Chemical Waste	
4.7	Stored in suitable container?	
4.8	Container properly closed or sealed?	
4.9	Spillage cleaned up immediately through the use of absorbent?	
4.10	Obtained approval for the use of chemical waste container >450L?	/
Labellin	g of Chemical Waste	
4.11	Provision of chemical waste label?	
	a) Label is securely attached and visible?	
	b) Label is bilingual and in proper dimension?	
	c) Information is accurate and sufficient?	
Storage	of Chemical Waste	
4.12	Proper "Chemical Waste" sign displayed?	
4.13	Incompatible wastes separated by impermeable partition?	
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or with drip trays capable of storing 110% of the volume of the largest container (if or	
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container of containers?	stack
4.16	Properly stored and locked in designated area with adequate ventilation?	
4.17	Storage area paved with concrete and kept clean and dry?	
4.18	Cover provided for outdoor storage area?	
4.19	Chemical waste collected by licensed collector?	✓ Not observed

SITE INSPECTION CHECKLIST



Liquid C	<u>Chemical Storage</u>	
4.20	Storage area provided with permeation-proof floor or surface?	
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4,22	Walls or partitions of stacked container storage area constructed of impermeable material?	
5. Land	fill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?	
6. Other	78	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	
	a) Storage area in compliance with the approved plan?	✓ Subject to tenant's information provision
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	

Remarks:

New Observations

(1) The surface channel near the filter press is observed to have oil sheen. The tenant has been requested to clean up the oil sheen and strengthen mitigation measures such as replacing the existing barrier along the boundary of the channel to prevent wastewater from entering the surface channel.



(Observed on 15 December 2021)

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: Date:

Henry POON


2021/12/16

NameSusan Leung 2 9 DEC 2021

Name Kenji Wong

Date: 29 Dec 2021

Date: 2021/12/23



Issue 1______AEC



	Inspection Date: 2021/10/25 Time: 10:30 Lot Number: T4 Tenant: Hong Kong Biomass (Wood)	Inspected by:	Henry POON, Timmy WONG
Weat	Condition: Sunny Fine Overcast Drizzle Temperature: 30 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Moderate	Storm Hazy Low
<u>1. Ge</u>	<u>eneral</u>	N/A Yes	No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓	EP for tenant is not required
1.2	Environmental Policy documented?	√	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	√	UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD	√	
1.6	Any record of complaint or prosecution?		√
2. W	ater Quality	N/A Yes	No Remarks No wastewater is generated from the
2.1	Valid Effluent Discharge Licence available?	√	recycling process
	a) Sampling record available?	√	
	b) Monitoring frequency met the licence requirement:	√	
	c) Monitoring result comply with the licence requirement	√	<u> </u>
	d) If exceedance is recorded, any follow-up action taken:	✓	<u> </u>
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	✓	
	a) Adequate capacity?	√	
	b) Properly maintained and function normally?	√	
2.3	Surface run-off control measures in place and adequately maintained?	✓	
2.4	Surface run-off discharging into drainage system?	✓	
2.5	All manholes covered?	✓	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	✓	
2.7	Storage of materials and equipment located away from water bodies:		
2.8	Drainage system well maintained to prevent flooding or overflow		Dografina magazz har lana siala af
2.9	Processes or activities with high risk of contamination located under covered area	✓	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recover process with potentially high level of contamination is carried out.	√	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area'	✓	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatmen facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor:	✓			Not required
	a) Oil and grease removed regularly:	✓			
	b) Collected by licensed collector:	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms:	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions/monitoring requirements comply?	✓			-
3.2	Operate without generation of noticeable odour:	✓			No operation is observed during inspection
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally:	✓			
3.3	Dusty materials dampened prior to loading/unloading:	✓			Dampening of waste wood affects the wood quality and is therefore unsuitable
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement:	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken:	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e enclosures or regular dampening)?		√		Via enclosure
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke:	✓			No operation is observed during inspection
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming ove 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally	✓			Dust-generating activity is not observed.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensur compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available:	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel:	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15	Materials transported on trucks covered?	✓			Not observed
3.16	Truck loads to a level within the side and tail boards:	~			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered	~			Dampening of waste wood affects the wood quality and is therefore unsuitable
3.18	Major dust source(s): Wind erosion	Vehicle	equipment	nt move	emen
	Loading/unloading of materials	✓ Others:	n/a		
4. W	aste/Chemical Management				
Gene	<u>ral</u>	N/	'A Yes	No	Remarks
4.1	Registered as chemical waste producer:	~			No chemical waste is observed
4.2	Sufficient receptacles (e.g. rubbish bins) available?		√		
4.3	Disposed of regularly and properly?		√		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet:		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept'		✓		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals	_			Not required
Packa	aging of Chemical Waste				
4.7	Stored in suitable container?	~			
4.8	Container properly closed or sealed?	~			
4.9	Spillage cleaned up immediately through the use of absorbent'	~			
4.10	Obtained approval for the use of chemical waste container >450L5	~			
Label	lling of Chemical Waste				
4.11	Provision of chemical waste label?	~			
	a) Label is securely attached and visible:	~			
	b) Label is bilingual and in proper dimension?	~			
	c) Information is accurate and sufficient?	~			
Stora	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?	~			
4.13	Incompatible wastes separated by impermeable partition:	~			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or with drip trays capable of storing 110% of the volume of the largest container (if				
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest containe / s of containers?	stack			
4.16	Properly stored and locked in designated area with adequate ventilation'	_			
4.17	Storage area paved with concrete and kept clean and drys	_			
4.18	Cover provided for outdoor storage area?				
4.19	Chemical waste collected by licensed collector	~			



Liqui	d Waste Storage				
4.20	Storage area provided with perr	neation-proof floor or surface?		✓	
4.21	Capacity of retention structure : largest container or 20% volum	sufficient to accommodate contents of e of the material in storage	f the	V	
4.22	Walls or partitions of stacked c	ontainer storage area constructed of in	mpermeable material	✓ <u> </u>	
<u>5. La</u>	ndfill Gas (LFG) (within LFG	Consultation Zone)		N/A Yes No	Remarks
5.1	Alert workers and visitors of po	ossible LFG hazards':			
5.2	Smoking and open fires prohib	ited?			
6. O	thers			N/A Yes No	Remarks
6.1	Works confined within lot bou	ndaries?			
6.2	Damage to surrounding areas a	voided?			
6.3	Site lighting designed to avoid	glare to surrounding receivers'		/	
6.4	Materials and machinery store	d in an orderly manner?			
6.5	Areas within lot for recycling	activities paved with concrete's			
6.6	Potential stagnant pools cleare	d and mosquito breeding prevented]
6.7	Valid calibration certificate for	r any monitoring equipment?		/	No monitoring is required
6.8	Valid licence(s) obtained for n	nanufacture or storage of dangerous g	oods'.	/	Not required
	a) Storage area in compliance	with the approved plan?		✓ □ □]
	b) Storage area is securely loc	ked ² i		V]
	c) Total storage capacity in co	mpliance with relevant statutory requ	irement'	✓ <u> </u>]
	d) Proper labelling provided?			✓]
	e) Dangerous goods properly p	packaged?		7]
Ren	narks:				
Nev	v Observations				
	No major environmental defic	iency was observed			
Sig	natures:				
ET	Representative:	Operator Representative:	Tenant Representa	ntive:	IEC Representative:
	Mm			0	<u> </u>
Nan	ne: Henry POON	Name: May Wu	Name: Eagl	e Lam	Name: Halton TAM
Dat	e: 2021/10/25	Date: 10 NOV 2021	Date: 18/1	.1/2021	Date: 2021/11/08



	Inspection Date: 2021/11/15 Time: 10:30 Lot Number: T4 Tenant: Hong Kong Biomass (Wood)	Inspected by: Henry POON, Timmy WONG	
Wear	Condition:	Rain Storm Hazy Moderate Low	
1. Ge	<u>eneral</u>	N/A Yes No Remarks	
1.1 1.2 1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? All recycling processes in operation have been approved by WRG of EPD? Any record of complaint or prosecution?	EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed	
2. W	ater Quality	N/A Yes No Remarks	
2.1	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge?	No wastewater is generated from the recycling process V	e
	a) Adequate capacity?b) Properly maintained and function normally?		
2.3	Surface run-off control measures in place and adequately maintained?		
2.4	Surface run-off discharging into drainage system?		
2.52.6	All manholes covered? Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?		
2.7	Storage of materials and equipment located away from water bodies?		
2.8	Drainage system well maintained to prevent flooding or overflow?		
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by te if needed.	enant
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observe	d



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	√			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			Dampening of waste wood affects the wood quality and is therefore unsuitable
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	✓			Dust-generating activity is not observed
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			Dust-generating activity is not observed.
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Ma	aterials transported on trucks covered?	✓	╛┕			Not observed
3.16 Tru	uck loads to a level within the side and tail boards?	✓				Not observed
3.17 Sto	ockpiles of dusty materials covered or regularly watered?	✓				Dampening of waste wood affects the wood quality and is therefore unsuitable
3.18 Ma	ajor dust source(s): Wind erosion	Vehicle	equipn	nen	t move	ment
	Loading/unloading of materials	✓ Others:	n/a			
4. Waste	e/Chemical Management					
<u>General</u>		N/	A Ye	es	No	Remarks
4.1 Re	egistered as chemical waste producer?	✓				No chemical waste is observed
4.2 Sut	fficient receptacles (e.g. rubbish bins) available?					
4.3 Dis	sposed of regularly and properly?					
4.4 Soi	orting of materials on-site for reuse or disposal to designated outlet?					
4.5 Rec	ecords of quantities of waste generated, recycled and disposed properly kept?					Verified via quarterly report
4.6 Co	ollection of sludge by licensed collector at regular intervals?	✓				Not required
Packagin	ng of Chemical Waste					
4.7 Sto	ored in suitable container?	✓				
4.8 Co	ontainer properly closed or sealed?	✓				
4.9 Spi	illage cleaned up immediately through the use of absorbent?	✓				
4.10 Ob	otained approval for the use of chemical waste container >450L?	✓				
Labelling	g of Chemical Waste					
4.11 Pro	ovision of chemical waste label?	✓				
a) l	Label is securely attached and visible?	✓				
b)]	Label is bilingual and in proper dimension?	✓				
c) l	Information is accurate and sufficient?	✓				
Storage o	of Chemical Waste					
4.12 Pro	oper "Chemical Waste" sign displayed?	✓				
4.13 Inc	compatible wastes separated by impermeable partition?	✓				
	ontainers kept in cabinet or receptacle of suitable material (if quantity <50L), or th drip trays capable of storing 110% of the volume of the largest container (if		☐ <u></u>			
	aclosed on 3 sides with no less than 2m in height or height of tallest container / containers?	stack 🗸				
4.16 Pro	operly stored and locked in designated area with adequate ventilation?	✓				
4.17 Sto	orage area paved with concrete and kept clean and dry?	✓				
4.18 Co	over provided for outdoor storage area?	✓				
4.19 Ch	nemical waste collected by licensed collector?	✓				



<u>Liqui</u>	d Waste Storage			
4.20	Storage area provided with permeation-proof floor or surface?		√	<u></u>
4.21	Capacity of retention structure sufficient to accommodate contents of largest container or 20% volume of the material in storage?	the	/	□
4.22	Walls or partitions of stacked container storage area constructed of im	permeable material?]
<u>5. La</u>	ndfill Gas (LFG) (within LFG Consultation Zone)		N/A Yes N	o Remarks
5.1	Alert workers and visitors of possible LFG hazards?			
5.2	Smoking and open fires prohibited?			J
6. Ot	hers_		N/A Yes N	o Remarks
6.1	Works confined within lot boundaries?			J
6.2	Damage to surrounding areas avoided?		✓	
6.3	Site lighting designed to avoid glare to surrounding receivers?		√	
6.4	Materials and machinery stored in an orderly manner?]
6.5	Areas within lot for recycling activities paved with concrete?		✓]
6.6	Potential stagnant pools cleared and mosquito breeding prevented?			
6.7	Valid calibration certificate for any monitoring equipment?		✓	No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous good	ods?	√	Not required
	a) Storage area in compliance with the approved plan?		✓]
	b) Storage area is securely locked?		✓]
	c) Total storage capacity in compliance with relevant statutory require	ement?	✓]
	d) Proper labelling provided?		✓	
	e) Dangerous goods properly packaged?		✓	□
Rema	arks:			
New	<u>Observations</u>			
•	No major environmental deficiency was observed.			
Signa	atures:			
ET R	epresentative: Operator Representative:	Tenant Representati	ve:	IEC Representative:
	Mhr _		2	242
Name:	Henry POON Name: May Wu	Name: Eagle		Name: Holton TAM
Date:	2021/11/15 Date - 7 DEC 2021	Date: 07/12	/2021	Dure: 2021/12/06



ı	Inspection Date: 2021/12/15 Time: 10:30 Lot Number: T4 Tenant: Hong Kong Biomass (Wood)	Inspected by: Henry POON, Chris LO
Weat	Condition: Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Ge	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
	ater Quality	N/A Yes No Remarks No wastewater is generated from the
2.1	Valid Effluent Discharge Licence available?	recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
2.2	b) Properly maintained and function normally?	
	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system? All manholes covered?	
(57,650)	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from	
2,0	entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	Recycling process has low risk of
2.9	Processes or activities with high risk of contamination located under covered area?	contamination Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓	No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?		Not required
	a) Oil and grease removed regularly?		
	b) Collected by licensed collector?		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		Not required
2.15	Bulk cargo and materials packed properly?		
2.16	Temporary stockpiles covered during rainstorms?		No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?		No sand/silt is generated from the recycling process
3. Aiı	Quality	N/A Yes No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		Not required
	a) SP Licence conditions/monitoring requirements comply?		
3.2	Operate without generation of noticeable odour?		
	a) If odour is detected, can the source be identified?		
	b) Odourous materials covered?		
	c) If odour control system is installed, is it operating normally?		
3.3	Dusty materials dampened prior to loading/unloading?		Dampening of waste wood affects the wood quality and is therefore unsuitable
3.4	Dust monitoring record available?		Not required
	a) Monitoring frequency met the licence requirement?	/	
	b) Any exceedance?	/	
	c) If exceedance is recorded, follow-up action taken?		
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		
3.6	Open burning prohibited?		Ì
3.7	Emission from chimney or powered plant free of black smoke?		
3.8	Vehicles and equipment switched off while not in use?		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	/	Not required
3.11	Air pollution control system properly maintained and function normally?		New Observation (2)
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?		
	a) Obtained approval for the use of controlled refrigerant?		
	b) If yes, record of refrigeration equipment service available?		
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?		
3.14	Public road around site entrance kept clean and free from dust?		



3.15	Materials transported on trucks covered?		✓		Not observed
3.16	Truck loads to a level within the side and tail boards?		✓		Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?				New Observation (1)
3.18	Major dust source(s): Wind erosion		Vehicle/eq	uipment mover	nent
	Loading/unloading of material	5	✓ Others:	n/a	₩
4. W:	aste / Chemical Management				
Gener	r <u>al</u>		N/A	Yes No	Remarks
4.1	Registered as chemical waste producer?		V		No chemical waste is observed
4.2	Sufficient receptacles (e.g. rubbish bins) available?				
4.3	Disposed of regularly and properly?			V	
4.4	Sorting of materials on-site for reuse or disposal to designated	outlet?		V	
4.5	Records of quantities of waste generated, recycled and dispose	d properly kept?			Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?		✓		Not required
Packa	aging of Chemical Waste				
4.7	Stored in suitable container?		V		
4.8	Container properly closed or sealed?		1		
4.9	Spillage cleaned up immediately through the use of absorbent?		√		
4.10	Obtained approval for the use of chemical waste container >45	OL?	V		E-1
Label	lling of Chemical Waste				
4.11	Provision of chemical waste label?		V		
	a) Label is securely attached and visible?		1		
	b) Label is bilingual and in proper dimension?		V		
	c) Information is accurate and sufficient?		1		
Stora	age of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?		✓		
4.14	Containers kept in cabinet or receptacle of suitable material (if with drip trays capable of storing 110% of the volume of the la				
4.15	Enclosed on 3 sides with no less than 2m in height or height or of containers?	'tallest container/sta	ck 🗸		
4.16	Properly stored and locked in designated area with adequate ve	entilation?	V		
4.17	Storage area paved with concrete and kept clean and dry?		V		
4.18	Cover provided for outdoor storage area?		V		
4.19	Chemical waste collected by licensed collector?		1		

SITE INSPECTION CHECKLIST



<u>Liqui</u>	d Waste Storage	
4.20	Storage area provided with permeation-proof floor or surface?	7
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	
5.2	Smoking and open fires prohibited?	
6. Ot	<u>hers</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	✓ No monitoring is required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	

Remarks:

New Observations

(1) Dusty materials have been observed to be stockpiled in an open area without any dust mitigation measures. The tenant is requested to keep dusty materials in enclosed storage and/or cover with tarpaulin to prevent dust emissions



(Observed on 15 December 2021)



(2) Non-road mobile machinery (NRMM) are observed to be without NRMM labels as required by the Air Pollution Control (Non-road Mobile Machinery) (Emission) Regulation (Cap.311Z). The tenant has been requested to ensure that the machines have been approved by the EPD and provide NRMM labels accordingly.



(Observed on 15 December 2021)

31	gna	ture	s:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: Henry POON

Date: 2021/12/16

Name: Susan Leung


2 9 DEC 2021

Name: Eagle Lam

Date: 10/1/2022

Name: HTHON TAM

Date: 2021/12/23



Issue 1______AEC



	Inspection Date: 2021/10/25 Time: 12:00 Lot Number: T1 Tenant: HP Telford	Inspected by: Henry POON, Timmy WONG
Weat	Condition:	Rain Storm Hazy Moderate Low
1. Ge	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required.
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from
2.1	Valid Effluent Discharge Licence available?	recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	√			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			Na landing/order disconfidence of destruments sink
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >23 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			Not required
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	✓ Others: <u>n/a</u>
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	✓ No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or with drip trays capable of storing 110% of the volume of the largest container (if	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	



Liqui	d Waste Storage				
4.20	Storage area provided with	h permeation-proof floor or surface?	?	✓	□
4.21		cture sufficient to accommodate convolume of the material in storage?	tents of the	V	
4.22	Walls or partitions of stack	ked container storage area construct	ed of impermeable material?	V	
5. La	ndfill Gas (LFG) (within	LFG Consultation Zone)		N/A Yes N	No Remarks
5.1	Alert workers and visitors	of possible LFG hazards?			□
5.2	Smoking and open fires pr	rohibited?		✓	□
6. Ot	<u>hers</u>			N/A Yes N	No Remarks
6.1	Works confined within lot	t boundaries?			
6.2	Damage to surrounding ar	reas avoided?			
6.3	Site lighting designed to a	void glare to surrounding receivers?			
6.4	Materials and machinery s	stored in an orderly manner?			□
6.5	Areas within lot for recycl	ling activities paved with concrete?]
6.6	Potential stagnant pools cl	leared and mosquito breeding preven	nted?]
6.7	Valid calibration certification	te for any monitoring equipment?		V	Not required
6.8	Valid licence(s) obtained in	for manufacture or storage of dange	rous goods?	√	Not required
	a) Storage area in complia	nce with the approved plan?		V]
	b) Storage area is securely	locked?			
	c) Total storage capacity i	n compliance with relevant statutory	requirement?		
	d) Proper labelling provide	ed?			
	e) Dangerous goods prope	rly packaged?		V	
Rem	arks:				
New	Observation				
•	No major environmental d	leficiency was observed.			
Signa	atures:				
ET R	epresentative:	Operator Representative:	Tenant Representativ	/e:	IEC Representative:
	Mh	$-\sqrt{M}$	Host		
Name:	Henry Poon	Name: May Wu	Name: MRS L	BG Nam	ne:
Date:	2021/10/25	Date: 1 0 NOV 2021	Date: 11-11-7	Dist	e:



	Inspection Date: 2021/11/15 Time: 12:00 Lot Number: T1 Tenant: HP Telford	Inspected by: Henry POON, Timmy WONG
Weat	Condition:	Rain Storm Hazy Moderate Low
<u>1. Ge</u>	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required.
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from
2.1	Valid Effluent Discharge Licence available?	recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	Recycling process has low risk of
2.9	Processes or activities with high risk of contamination located under covered area?	contamination Stop-logs are available for use by tenant
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	—			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	\checkmark			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			-
	c) If odour control system is installed, is it operating normally?	✓			N. I. I. A. I. C. I. A. C. I.
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			-
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >23 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	✓			
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			Not required
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	✓ Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	✓ No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or with drip trays capable of storing 110% of the volume of the largest container (if	• ————
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	



<u>Liqui</u>	d Waste Storage			
4.20	Storage area provided with permeation-proof floor or surface?			
4.21	Capacity of retention structure sufficient to accommodate cont largest container or 20% volume of the material in storage?	ents of the		
4.22	Walls or partitions of stacked container storage area constructe	d of impermeable material?	<u> </u>	
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)		N/A Yes No Rem	narks
5.1	Alert workers and visitors of possible LFG hazards?			
5.2	Smoking and open fires prohibited?			
6. Ot	hers_		N/A Yes No Rem	narks
6.1	Works confined within lot boundaries?			
6.2	Damage to surrounding areas avoided?			
6.3	Site lighting designed to avoid glare to surrounding receivers?		✓ <u> </u>	
6.4	Materials and machinery stored in an orderly manner?			
6.5	Areas within lot for recycling activities paved with concrete?			
6.6	Potential stagnant pools cleared and mosquito breeding preven	ted?		
6.7	Valid calibration certificate for any monitoring equipment?		✓ Not re	equired
6.8	Valid licence(s) obtained for manufacture or storage of danger	ous goods?	✓ Not re	equired
	a) Storage area in compliance with the approved plan?			
	b) Storage area is securely locked?			
	c) Total storage capacity in compliance with relevant statutory	requirement?		
	d) Proper labelling provided?			_
	e) Dangerous goods properly packaged?			
Rem	nrks:			
New	<u>Observation</u>			
•	No major environmental deficiency was observed.			
Signa	atures:			
ET R	epresentative: Operator Representative:	Tenant Representativ	e: IEC R	Representative:
	Who !	1	•	
		() sever.	7.	h-
	7,000	Y-7	1 - 11-11	TAM
Name	Henry Poon Name: May Wu	Name: Joane	Lee. Name: Hilton 2021 Date: 2021	IATI
Date:	2021/11/15 Date: - 7 DEC 2021	Date: 7- Dec	LIVI DIE WIL	112/06



	Inspection Date: 2021/12/15 Time: 12:00 Lot Number: T1 Tenant: HP Telford	Inspected by: Henry POON, Chris LO
Weat	ther	
	Condition:	Rain Storm Hazy Moderate Low
1. Ge	eneral	N/A Yes No Remarks
1.2 1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? All recycling processes in operation have been approved by WRG of EPD? Any record of complaint or prosecution?	EP for tenant is not required. UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed
2. W	ater Quality	N/A Yes No Remarks
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge?	No wastewater is generated from recycling process V
2.2	a) Adequate capacity?	
	b) Properly maintained and function normally?	V
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	Recycling process has low risk of
2.9	Processes or activities with high risk of contamination located under covered area?	contamination Stop-logs are available for use by tenant
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovered with potentially high level of contamination is carried out?	
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance and	rea? Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatmen facility or other appropriate treatment facility?	1			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	V			Not required
	a) Oil and grease removed regularly?		\Box		
	b) Collected by licensed collector?	V			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V			Not required
2.15	Bulk cargo and materials packed properly?		V		
2.16	Temporary stockpiles covered during rainstorms?	1			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	1			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	V			Not required
	a) SP Licence conditions/monitoring requirements comply?	V			
3.2	Operate without generation of noticeable odour?		V		
	a) If odour is detected, can the source be identified?	1			
	b) Odourous materials covered?	V			
	c) If odour control system is installed, is it operating normally?	1			
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	1			Not required
	a) Monitoring frequency met the licence requirement?	1			***************************************
	b) Any exceedance?	\checkmark			Provide the second seco
	c) If exceedance is recorded, follow-up action taken?	1			given a second and
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e enclosures or regular dampening)?		1		
3.6	Open burning prohibited?		1		
3.7	Emission from chimney or powered plant free of black smoke?		V		
3.8	Vehicles and equipment switched off while not in use?		V		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >23 centistokes or an equivalent viscosity?	V			Not required
3.11	Air pollution control system properly maintained and function normally?			1	New Observation (1)
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensur compliance for landfill disposal?	V			Not required
	a) Obtained approval for the use of controlled refrigerant?	V			No.
	b) If yes, record of refrigeration equipment service available?	\checkmark			Name of the last o
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	1			
3.14	Public road around site entrance kept clean and free from dust?		V		



3.15	Materials transported o	n trucks covered?		V		Not observed
3.16	Truck loads to a level v	within the side and tail boards?		V		Not observed
3.17	Stockpiles of dusty mat	terials covered or regularly watered?				No stockpile of dusty material is observed
3.18	Major dust source(s):	Wind erosion	Ve	ehicle/equipme	ent move	ement
		Loading/unloading of materials	✓ Ot	hers: n/a		
<u>4. Wa</u>	nste/Chemical Manag	gemenf				
Gener	ral	,		N/A Yes	No	Remarks
4.1	Registered as chemical	waste producer?		V		No chemical waste is observed
4.2	Sufficient receptacles (e.g. rubbish bins) available?				-
4.3	Disposed of regularly a	and properly?				7
4.4	Sorting of materials on	-site for reuse or disposal to designated outlet?				
4.5	Records of quantities o	of waste generated, recycled and disposed properly kep	1?			Verified via quarterly report
4.6	Collection of sludge by	licensed collector at regular intervals?		V		7
Packa	aging of Chemical Wast	<u>e</u>				
4.7	Stored in suitable conta	ainer?		V		
4.8	Container properly clo	sed or sealed?		✓		
4.9	Spillage cleaned up im	mediately through the use of absorbent?		1	$]\Box$	
4.10	Obtained approval for	the use of chemical waste container >450L?		V		
Label	ling of Chemical Waste	2				
4.11	Provision of chemical v	waste label?		✓		
	a) Label is securely att	ached and visible?		✓		
	b) Label is bilingual ar	nd in proper dimension?		V		
	c) Information is accur	rate and sufficient?		1		
Stora	ge of Chemical Waste					
4.12	Proper "Chemical Was	te" sign displayed?		/		
4.13	Incompatible wastes se	parated by impermeable partition?		/		
4.14	Containers kept in cabi with drip trays capable	inet or receptacle of suitable material (if quantity <50L of storing 110% of the volume of the largest containe), or provided r (if quantity	i]
	Enclosed on 3 sides w k of containers?	ith no less than 2m in height or height of tallest contain	ner/	1]
4.16	Properly stored and lo	cked in designated area with adequate ventilation?		\checkmark		
4.17	Storage area paved wi	th concrete and kept clean and dry?		/		
4.18	Cover provided for ou	itdoor storage area?		/		1
4.19	Chemical waste collec	cted by licensed collector?		/]

SITE INSPECTION CHECKLIST



Liqui	d Waste Storage	
4.20	Storage area provided with permeation-proof floor or surface?	V
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	/
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	
5.2	Smoking and open fires prohibited?	
<u>6. Ot</u>	<u>hers</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	V
6.3	Site lighting designed to avoid glare to surrounding receivers?	/
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	✓ Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	/
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	/
	e) Dangerous goods properly packaged?	V

Remarks:

New Observation

(1) Non-road mobile machinery (NRMM) are observed to be without NRMM labels as required by the Air Pollution Control (Non-road Mobile Machinery) (Emission) Regulation (Cap.311Z). The tenant has been requested to ensure that the machines have been approved by the EPD and provide NRMM labels accordingly.



(Observed on 15 December 2021)



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: Henry Poon


Date: 2021/12/16

Name: Susan Leung

Date: 29 DEC 2021

Name: MRS LBB Name: H7/ton TAM

Date: 7-1- 70 22 Date: 2021 /12 /23



Issue 1______AEC



	Inspection Date: 2021/10/25 Time: 11:30 Lot Number: P13 Tenant: Chung Yue	Inspected by: Henry POON, Timmy WONG
Wea	Condition: Sunny Fine Overcast Drizzle Temperature: 30 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Ge	<u>eneral</u>	N/A Yes No Remarks
1.2 1.3 1.4 1.5	Environmental Permit (EP) for Tenant displayed at entrances/exits? Environmental Policy documented? Environmental Management Plan (EMP) kept up-to-date? Emergency Response Plan (ERP) documented? All recycling processes in operation have been approved by WRG of EPD' Any record of complaint or prosecution?	EP for tenant is not required UPML's Environmental Policy is followed UPML's EMP is followed UPML's ERP is followed
2. W	ater Quality	N/A Yes No Remarks
	Valid Effluent Discharge Licence available? a) Sampling record available? b) Monitoring frequency met the licence requirement? c) Monitoring result comply with the licence requirement? d) If exceedance is recorded, any follow-up action taken? Provision of wastewater treatment facility (WTF) prior to discharge? a) Adequate capacity? b) Properly maintained and function normally?	No wastewater is discharged from recycling process V
2.3	Surface run-off control measures in place and adequately maintained:	
2.4		
2.5	All manholes covered:	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies'	
2.8	Drainage system well maintained to prevent flooding or overflow	Pagualina process has law risk of
2.9	Processes or activities with high risk of contamination located under covered area	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recover process with potentially high level of contamination is carried out:	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance are	a' Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatmen facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor	✓			Not required
	a) Oil and grease removed regularly:	✓			
	b) Collected by licensed collectors	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		✓		
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process	✓			Not required
	a) SP Licence conditions/monitoring requirements comply?	\checkmark			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally	√			
3.3	Dusty materials dampened prior to loading/unloading		✓		
3.4	Dust monitoring record available?	\checkmark			Not required
	a) Monitoring frequency met the licence requirement:	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	\checkmark			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e enclosures or regular dampening)?		√		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke:	✓			
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming ove 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour.	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally:	✓			
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensur compliance for landfill disposal?	✓			Not required
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available:	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel:	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		Not applicable for two-less two-sets
					Not applicable for trucks transporting



3.15 Materials transported on trucks covered?	scrap steel material as observed on site.
3.16 Truck loads to a level within the side and tail boards?	
3.17 Stockpiles of dusty materials covered or regularly watered	No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	✓ Others: n/a
4. Waste/Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	✓ No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet'	
4.5 Records of quantities of waste generated, recycled and disposed properly kept	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	V
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), c with drip trays capable of storing 110% of the volume of the largest container (if	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest containe of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector	V



<u>Liqui</u>	d Waste Storage	
4.20	Storage area provided with permeation-proof floor or surface?	
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	V
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?	
<u>5. La</u>	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	✓ Outside LFG consultation zone
5.2	Smoking and open fires prohibited?	
<u>6. Ot</u>	hers	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	/
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	✓ Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	
Rem	arks:	
New	Observations .	
•	No major environmental deficiency was observed.	
Sign	atures:	
	epresentative: Operatol Representative: Tenant Representat	ive: IEC Representative:
L 11	Man My	He representative
Name	Henry POON Name: May Wu Name:	Name: Hilton TAM
Date:	2021/10/25 Date: 1 0 NOV 2021 Date:	Date: 2021/11/08



	Inspection Date: 2021/11/15 Time: 11:30 Lot Number: P13 Tenant: Chung Yue	Inspected by: Henry POON, Timmy WONG
Wea	ther Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. G	enera <u>l</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	No wastewater is discharged from recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	Dans Francisco de la constitución de
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed



2.13 Drainage from maintenance area discharged via oil interceptor?	ot required
a) Oil and grease removed regularly?	
b) Collected by licensed collector?	
2.14 Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	
2.15 Bulk cargo and materials packed properly?	
	o dusty stockpile is observed
	o sand/silt is generated from the cycling process
3. Air Quality N/A Yes No Rea	temarks
3.1 Valid Specified Process (SP) Licence available for all specified process?	ot required
a) SP Licence conditions / monitoring requirements comply?	
3.2 Operate without generation of noticeable odour?	
a) If odour is detected, can the source be identified?	
b) Odourous materials covered?	
c) If odour control system is installed, is it operating normally?	
3.3 Dusty materials dampened prior to loading/unloading?	
3.4 Dust monitoring record available? Not	ot required
a) Monitoring frequency met the licence requirement?	
b) Any exceedance?	
c) If exceedance is recorded, follow-up action taken?	
3.5 Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?	
3.6 Open burning prohibited?	
3.7 Emission from chimney or powered plant free of black smoke?	
3.8 Vehicles and equipment switched off while not in use?	
3.9 Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	ot required
3.10 Obtained approval for the use of liquid fuel with a viscosity point of ignition >30	ot required
3.11 Air pollution control system properly maintained and function normally?	
3.12 Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	ot required
a) Obtained approval for the use of controlled refrigerant?	
b) If yes, record of refrigeration equipment service available?	
3.13 Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	
3.14 Public road around site entrance kept clean and free from dust?	ot applicable for trucks transporting



3.15 Materials transported on trucks covered?	scrap steel material as observed on site.
3.16 Truck loads to a level within the side and tail boards?	
3.17 Stockpiles of dusty materials covered or regularly watered?	No dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	✓ Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	No chemical waste is observed
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or with drip trays capable of storing 110% of the volume of the largest container (if	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	



<u>Liquid Waste Storage</u>				
4.20 Storage area provided with p	ermeation-proof floor or surface?		✓]
4.21 Capacity of retention structur largest container or 20% volu	re sufficient to accommodate conte ume of the material in storage?	ents of the	✓]
4.22 Walls or partitions of stacked	l container storage area constructed	d of impermeable material?]
5. Landfill Gas (LFG) (within LF	G Consultation Zone)		N/A Yes No	Remarks
5.1 Alert workers and visitors of	possible LFG hazards?		✓	Outside LFG consultation zone
5.2 Smoking and open fires proh	ibited?]
6. Others			N/A Yes No	Remarks
6.1 Works confined within lot be	oundaries?]
6.2 Damage to surrounding areas	s avoided?]
6.3 Site lighting designed to avoi	id glare to surrounding receivers?		✓]
6.4 Materials and machinery stor	red in an orderly manner?]
6.5 Areas within lot for recycling	g activities paved with concrete?]
6.6 Potential stagnant pools clear	red and mosquito breeding prevente	ed?]
6.7 Valid calibration certificate f	for any monitoring equipment?		✓	Not required
6.8 Valid licence(s) obtained for	manufacture or storage of dangero	ous goods?	\checkmark	Not required
a) Storage area in compliance	e with the approved plan?		✓]
b) Storage area is securely lo	cked?		✓]
c) Total storage capacity in c	compliance with relevant statutory i	requirement?	✓]
d) Proper labelling provided?	?		✓ □ □]
e) Dangerous goods properly	packaged?		/]
Remarks:				
New Observations				
No major environmental defi	ciency was observed.			
Signatures:				
ET Representative:	Operator Representative:	Tenant Representati	ive:	IEC Representative:
Yhr	- wy	X		The
Name: Henry POON	Name: May Wu	Name: Janle	Name:	Hilton TAM
Date: 2021/11/15	Date: - 7 DEC 2021	Date: Alv) Date:	2021/12/06



	Inspection Date: 2021/12/15 Time: 11:30 Lot Number: P13 Tenant: Chung Yue	Inspected by: Henry POON, Chris LO
Wea	ther	
	Condition:	Rain Storm Hazy Moderate Low
<u>1. Ge</u>	eneral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	No wastewater is discharged from recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recover process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance are	a? ✓ Replacement activity is not observed



	2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	1			No contaminated water is observed
	2.13	Drainage from maintenance area discharged via oil interceptor?	V			Not required
•		a) Oil and grease removed regularly?	V			
		b) Collected by licensed collector?	~			
	2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		V		
	2.15	Bulk cargo and materials packed properly?		V		
	2.16	Temporary stockpiles covered during rainstorms?	1			No dusty stockpile is observed
	2.17	Measures to prevent the washing away of sand/silt to drains?	\checkmark			No sand/silt is generated from the recycling process
	3. Ai	r Quality	N/A	Yes	No	Remarks
	3.1	Valid Specified Process (SP) Licence available for all specified process?		П		Not required
		a) SP Licence conditions/monitoring requirements comply?				
	3.2	Operate without generation of noticeable odour?				
		a) If odour is detected, can the source be identified?				
		b) Odourous materials covered?				
		c) If odour control system is installed, is it operating normally?				
	3.3	Dusty materials dampened prior to loading/unloading?				
:	3.4	Dust monitoring record available?	7			Not required
		a) Monitoring frequency met the licence requirement?	7			
		b) Any exceedance?	V			
	,	c) If exceedance is recorded, follow-up action taken?	V			
	3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		V		-
	3.6	Open burning prohibited?		V		
	3.7	Emission from chimney or powered plant free of black smoke?	V			
	3.8	Vehicles and equipment switched off while not in use?		V		
	3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	1			Not required
	3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
	3.11	Air pollution control system properly maintained and function normally?	1			
	3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V			Not required
		a) Obtained approval for the use of controlled refrigerant?	V	1	grid.	
		b) If yes, record of refrigeration equipment service available?	1			
	3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	V			
	3.14	Public road around site entrance kept clean and free from dust?		/		
						Not applicable for trucks transporting




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	V			Not required
	a) Oil and grease removed regularly?	V			
	b) Collected by licensed collector?	V			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?		V		
2.15	Bulk cargo and materials packed properly?		V		
2.16	Temporary stockpiles covered during rainstorms?	1			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	V			No sand/silt is generated from the recycling process
3. A	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	1			Not required
	a) SP Licence conditions/monitoring requirements comply?	V			
3.2	Operate without generation of noticeable odour?		V		
	a) If odour is detected, can the source be identified?	V			
	b) Odourous materials covered?	V			
	c) If odour control system is installed, is it operating normally?	1			
.3.3	Dusty materials dampened prior to loading/unloading?		1		
3.4	Dust monitoring record available?	1			Not required
	a) Monitoring frequency met the licence requirement?				
	b) Any exceedance?	1			
,	c) If exceedance is recorded, follow-up action taken?	V			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		V		
3.6	Open burning prohibited?		V		
3.7	Emission from chimney or powered plant free of black smoke?	1			
3.8	Vehicles and equipment switched off while not in use?		1		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	/			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?	1			
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	/			Not required
	a) Obtained approval for the use of controlled refrigerant?	1	- 6		
	b) If yes, record of refrigeration equipment service available?	1			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	1			
3.14	Public road around site entrance kept clean and free from dust?		/		Not applicable for trucks transporting



3.15	Materials transported o	on trucks covered?		V			scrap steel material as observed on site.
3.16	Truck loads to a level w	vithin the side and tail boards?			V		
3.17	Stockpiles of dusty mat	terials covered or regularly watered?		V			No dusty material is observed
3.18	Major dust source(s):	Wind erosion	U Ve	ehicle/eq	uipmen	t move	ment
		Loading/unloading of materials	✓ Ot	thers:	n/a		
4. W	aste/Chemical Manag	gement					-
Gene	eral			N/A	Yes	No	Remarks
4.1	Registered as chemical	waste producer?		V		П	No chemical waste is observed
4.2	Sufficient receptacles (e	e.g. rubbish bins) available?					4
4.3	Disposed of regularly a	nd properly?			7		
4.4	Sorting of materials on-	site for reuse or disposal to designated outlet?					
4.5	Records of quantities of	f waste generated, recycled and disposed properly kept?					Verified via quarterly report
4.6	Collection of sludge by	licensed collector at regular intervals?					Not required
Pack	aging of Chemical Waste	<u>a</u>					
4.7	Stored in suitable conta	iner?		1			
4.8	Container properly close	ed or sealed?		7			
4.9	Spillage cleaned up imn	nediately through the use of absorbent?		V			
4.10	Obtained approval for the	he use of chemical waste container >450L?		✓			
Labe	lling of Chemical Waste						
4.11	Provision of chemical w	vaste label?		V			
	a) Label is securely attack	ched and visible?		V			
	b) Label is bilingual and	d in proper dimension?		1			
	c) Information is accura	ate and sufficient?		/			
Stora	ge of Chemical Waste						
4.12	Proper "Chemical Waste	e" sign displayed?		V			
4.13	Incompatible wastes sep	parated by impermeable partition?		1			
4.14	Containers kept in cabin with drip trays capable of	net or receptacle of suitable material (if quantity <50L), of storing 110% of the volume of the largest container (or provided if quantity >:	50L)?			
4.15	Enclosed on 3 sides with of containers?	h no less than 2m in height or height of tallest container	/stack	V			
4.16	Properly stored and lock	ked in designated area with adequate ventilation?		\checkmark			
4.17	Storage area paved with	concrete and kept clean and dry?		V			
4.18	Cover provided for outd	loor storage area?		1			•
4.19	Chemical waste collecte	ed by licensed collector?		V			i



Liquid Waste Storage	
4.20 Storage area provided with permeation-proof floor or surface?	
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	<u> </u>
4.22 Walls or partitions of stacked container storage area constructed of impermeable material?	
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	✓ Not required
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement?	
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	
Remarks;	
New Observations	
No major environmental deficiency was observed.	
Signatures:	
ET Representative: Operator Representative: Tenant Representativ	e: IEC Representative:
Mar & 32	
Name: Henry POON Name: Susan Leung Name: Name:	. Name:
Date: 2021/12/16 Date: 2 9 DEC 2021 Date: 4 - 0[Date:



Issue 1 AEC



Inspection Date: 2021/10/25 Time: 11:15 Lot Number: P11 Tenant: K. Wah	Inspected by: Henry POON, Timmy WONG
Weather	mythologic for a section of the contract of th
Condition: Sunny Fine Overcast Drizzle Temperature: 23 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Storm Hazy ✓ Moderate Low
1. General	N/A Yes No Remarks
1.1 Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2 Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3 Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4 Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5 All recycling processes in operation have been approved by WRG of EPD?	
1.6 Any record of complaint or prosecution?	
2. Water Quality	N/A Yes No Remarks
2.1 Valid Effluent Discharge Licence available?	Wastewater is reused
a) Sampling record available?	
b) Monitoring frequency met the licence requirement?	
c) Monitoring result comply with the licence requirement?	
d) If exceedance is recorded, any follow-up action taken?	
2.2 Provision of wastewater treatment facility (WTF) prior to discharge?	✓ Sedimentation pit is provided
a) Adequate capacity?	
b) Properly maintained and function normally?	
2.3 Surface run-off control measures in place and adequately maintained?	
2.4 Surface run-off discharging into drainage system?	▽
2.5 All manholes covered?	V
2.6 Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7 Storage of materials and equipment located away from water bodies?	
2.8 Drainage system well maintained to prevent flooding or overflow?	
2.9 Processes or activities with high risk of contamination located under covered area?	
2.10 Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11 Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed



2.12	? Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		V		
2.13	Drainage from maintenance area discharged via oil interceptor?	1			Not required
	a) Oil and grease removed regularly?	√			
	b) Collected by licensed collector?	1			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V			Not required
2.15	Bulk cargo and materials packed properly?		V		
2.16	Temporary stockpiles covered during rainstorms?	V			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?		/		Fall gradient is provided to direct runoff from works area to sedimentation pit
3. A	ir Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		1		ragit postojanski senacionari († 1. j
	a) SP Licence conditions/monitoring requirements comply?		V		Quarterly reporting on quantity of raw material and product (up to May-Jul 2021)
3.2	Operate without generation of noticeable odour?		V		ecurego in estas roug platformin file 🧸
	a) If odour is detected, can the source be identified?	V			ear a to tendight use to blush and in-
	b) Odourous materials covered?	V			
	c) If odour control system is installed, is it operating normally?	✓			120000 2 No. 2000
3.3	Dusty materials dampened prior to loading/unloading?	1			No loading/unloading was observed
3.4	Dust monitoring record available?		V		Measurement of 24-hr RSP required by SP Licence (September 2021)
	a) Monitoring frequency met the licence requirement?		1		is set that yarrangett garranders in
	b) Any exceedance?			V	s daw salawa Hawa Bumasanya a
	c) If exceedance is recorded, follow-up action taken?	1			E VIEW TO DESCRIPTION OF TO THE CONTRACT OF TH
3.5	$Dust-suppression\ measures\ provided\ where\ main\ dust-generating\ activities\ take\ place\ (i.e.\ enclosures\ or\ regular\ dampening)?$		V		Enclosures and sprinkler system are provided
3.6	Open burning prohibited?		1	1000	betregt Englished to the disease to
3.7	Emission from chimney or powered plant free of black smoke?		V	ople	n See John Strategier (1997)
3.8	Vehicles and equipment switched off while not in use?		1	gs.mi	in Section of Asserting the Market
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Prosentat griefer – N. – F
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >23 centistokes or an equivalent viscosity?	V			CISTASTIC DOMERSTANDING GRITISMS
3.11	Air pollution control system properly maintained and function normally?		V		Complete was caregories as a factor
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V			1 - 15 - 11 - 149 / S - 1 - 148 - 14 - 149 - 14 - 14
	a) Obtained approval for the use of controlled refrigerant?	V			
	b) If yes, record of refrigeration equipment service available?	\checkmark			-
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	V			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported	on trucks covered?	✓ <u></u>	Not observed
3.16 Truck loads to a level	within the side and tail boards?	V	Not observed
3.17 Stockpiles of dusty ma	aterials covered or regularly watered		Same Strategy and Advance and a
3.18 Major dust source(s):	Wind erosion	Vehicle/equipment movem	ent
2000 00 00 00 00 00 00 00 00 00 00 00 00	Loading/unloading of materials	Others: n/a	entropolico de C
4. Waste / Chemical Mana	agement	Variation (Control of the Control of	
General		N/A Yes No I	Remarks
4.1 Registered as chemica	ll waste producer?		Strong Try 18 S. L.
4.2 Sufficient receptacles	(e.g. rubbish bins) available?		
4.3 Disposed of regularly	and properly?		
4.4 Sorting of materials or	n-site for reuse or disposal to designated outlet?		Song radion blockmar albeidf - 2 or
4.5 Records of quantities	of waste generated, recycled and disposed properly kept?		Verified via quarterly report
4.6 Collection of sludge by	y licensed collector at regular intervals?	/	
Packaging of Chemical Was	ste		
4.7 Stored in suitable cont	ainer?		
4.8 Container properly clo	sed or sealed?		neo a recent anticografic anticografia de co-
4.9 Spillage cleaned up im	nmediately through the use of absorbent?		
4.10 Obtained approval for	the use of chemical waste container >450L?	/	
Labelling of Chemical Wast	e		
4.11 Provision of chemical	waste label?		
a) Label is securely att	tached and visible?		
b) Label is bilingual ar	nd in proper dimension?	V	Busines Leader Interest to 1
c) Information is accur	rate and sufficient?	✓	
Storage of Chemical Waste			
4.12 Proper "Chemical Was	ste" sign displayed?	✓	
4.13 Incompatible wastes so	eparated by impermeable partition?	✓ <u> </u>	Not observed
	inet or receptacle of suitable material (if quantity <50L), or pro e of storing 110% of the volume of the largest container (if qua		and the construction to the construction
4.15 Enclosed on 3 sides we of containers?	ith no less than 2m in height or height of tallest container/stac	k	38 SHIZO ZI SA
4.16 Properly stored and loo	cked in designated area with adequate ventilation?	_ / _	
4.17 Storage area paved with	th concrete and kept clean and dry?	_ /	
4.18 Cover provided for our	tdoor storage area?	✓	42.10
4.19 Chemical waste collec	ted by licensed collector?	V	Not observed



Liqui	d Waste Storage				
4.20	Storage area provided with p	ermeation-proof floor or surface?			A CONTRACTOR OF THE STATE OF TH
4.21		re sufficient to accommodate contents ime of the material in storage?	of the		
4.22	Walls or partitions of stacked	container storage area constructed of	impermeable material?		
5. La	andfill Gas (LFG) (within LF	G Consultation Zone)		N/A Yes No	Remarks
5.1	Alert workers and visitors of	possible LFG hazards?		1	Outside LFG consultation zone
5.2	Smoking and open fires proh	ibited?			
6. 01	thers			N/A Yes No	Remarks
6.1	Works confined within lot be	oundaries?			
6.2	Damage to surrounding areas	avoided?			
6.3	Site lighting designed to avo	id glare to surrounding receivers?			
6.4	Materials and machinery stor	red in an orderly manner?			
6.5	Areas within lot for recycling	g activities paved with concrete?			2.34(1.791)0.007 17 18000
6.6	Potential stagnant pools clear	red and mosquito breeding prevented?	,		
6.7	Valid calibration certificate f	or any monitoring equipment			Not provided
6.8	Valid licence(s) obtained for	manufacture or storage of dangerous	goods?		Not required
	a) Storage area in compliance	e with the approved plan?			is harmad ret is who through a
	b) Storage area is securely lo	cked?			tanif and which gates
	c) Total storage capacity in c	compliance with relevant statutory req	uirement?		
	d) Proper labelling provided	2			who have early as making
	e) Dangerous goods properly	packaged?			
Rem	arks:				
New	Observations				
	No major environmental def	iciency was observed.			
Sign	atures:				
ETI	Representative:	Operator Representative:	Tenant Representat	ive:	IEC Representative:
	Ym	M	Sacraf	<u>\</u>	
Name	e: Henry POON	Name: May Wu	Name: Sammy	Sin	Name:
Date	2021/10/25	Date: 10 NOV 2021	Date: [[///	2021	Date:



	Inspection Date: 2021/11/15 Time: 11:15 Lot Number: P11 Tenant: K. Wah	Inspected by: Henry POON, Timmy WONG
Wea	ther Condition:	Rain Storm Hazy Moderate Low
1. G	<u>eneral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
<u>2. W</u>	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	✓ Wastewater is reused
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	Sedimentation pit is provided
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recove process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance are	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?		✓		
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	√			
	b) Collected by licensed collector?	√			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?		✓		Fall gradient is provided to direct runoff from works area to sedimentation pit
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		Our dealers and the second state of a second state of
	a) SP Licence conditions / monitoring requirements comply?		✓		Quarterly reporting on quantity of raw material and product
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading was observed
3.4	Dust monitoring record available?		✓		Measurement of 24-hr RSP required by SP Licence (October 2021)
	a) Monitoring frequency met the licence requirement?		✓		
	b) Any exceedance?		✓		New Observation (1)
	c) If exceedance is recorded, follow-up action taken?		✓		Actions taken according to Schedule F of SP License
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		√		Enclosures and sprinkler system are provided
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >23 centistokes or an equivalent viscosity?	✓			
3.11	Air pollution control system properly maintained and function normally?		✓		-
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	✓ Not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or particle with drip trays capable of storing 110% of the volume of the largest container (if quantity <50L).	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container/s of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	Not observed

SITE INSPECTION CHECKLIST





Liqui	d waste Storage		
4.20	Storage area provided with permeation-proof floor or surface?		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		1
4.22	Walls or partitions of stacked container storage area constructed of impermeable material?]
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?		Outside LFG consultation zone
5.2	Smoking and open fires prohibited?		
<u>6. Ot</u>	<u>hers</u>	N/A Yes No	Remarks
6.1	Works confined within lot boundaries?]
6.2	Damage to surrounding areas avoided?		
6.3	Site lighting designed to avoid glare to surrounding receivers?	/	
6.4	Materials and machinery stored in an orderly manner?		
6.5	Areas within lot for recycling activities paved with concrete?		
6.6	Potential stagnant pools cleared and mosquito breeding prevented?]
6.7	Valid calibration certificate for any monitoring equipment?	/	Not provided
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	/	Not required
	a) Storage area in compliance with the approved plan?		
	b) Storage area is securely locked?		
	c) Total storage capacity in compliance with relevant statutory requirement?		
	d) Proper labelling provided?	<u> </u>	
	e) Dangerous goods properly packaged?	<u> </u>	

Remarks:

New Observations

(1) 24-hour RSP level was observed to have reached $162 \mu \text{g/m}^3$ on 27 October 2021 which exceeds action level for 24-hour RSP monitoring, as stipulated in the SP license (i.e. $100 \mu \text{g/m}^3$). It is noted that there are no further exceedances of 24-hour RSP level in November 2021. The Tuen Mun fill bank is observed to remain at a high level which may have contributed to the high 24-hour RSP level. The tenant has been requested to further strength mitigation measures such as increasing the frequency of water spraying to minimize dust emissions. This item will be reviewed in the next inspection.







SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: Henry POON

Date: 2021/11/15

Name May Wu Date: - 7 DEC 2021



	Inspection Date: 2021/12/15 Time: 11:15 Lot Number: P11 Tenant: K. Wah	Inspected by: Henry POON, Chris LO
Weat	Condition: Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Ge	oneral_	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	✓ Wastewater is reused
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	✓ □ □
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	Sedimentation pit is provided
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop logs are switchts feature butter and if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance areas	Replacement activity is not observed



	ontaminated water collected in the surface drainage system is treated at water treatment acility or other appropriate treatment facility?		✓		
2.13 Di	rainage from maintenance area discharged via oil interceptor?	✓			Not required
a)	Oil and grease removed regularly?	✓			
b)	Collected by licensed collector?	✓			
	ollow Cargo Handling Guideline to minimise the chance of accidental spillage during adding and unloading adjacent to marine frontage?	✓			Not required
2.15 Bu	ulk cargo and materials packed properly?		√		
2.16 Te	emporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17 M	leasures to prevent the washing away of sand/silt to drains?		√		Fall gradient is provided to direct runoff from works area to sedimentation pit
3. Air (Duality	N/A	Yes	No	Remarks
3.1 Va	alid Specified Process (SP) Licence available for all specified process?		√		
a)	SP Licence conditions / monitoring requirements comply?		√		Quarterly reporting on quantity of raw material and product
3.2 O _j	perate without generation of noticeable odour?		✓		
a)	If odour is detected, can the source be identified?	√			
b)	Odourous materials covered?	✓			
c)	If odour control system is installed, is it operating normally?	✓			
3.3 D	usty materials dampened prior to loading/unloading?	✓			No loading/unloading was observed
3.4 D	ust monitoring record available?		√		Measurement of 24-hr RSP required by SP Licence (November 2021 and December 2021)
a)	Monitoring frequency met the licence requirement?		√		
b)	Any exceedance?		✓		Follow-up Observation (1)
c)	If exceedance is recorded, follow-up action taken?		✓		Actions taken according to Schedule F of SP License
	sust-suppression measures provided where main dust-generating activities take place (i.e. aclosures or regular dampening)?		✓		Enclosures and sprinkler system are provided
3.6 O _J	pen burning prohibited?		✓		
3.7 Er	mission from chimney or powered plant free of black smoke?		✓		
3.8 V	ehicles and equipment switched off while not in use?		√]
	btained approval for installation/alteration of furnace, oven or chimney consuming over 5L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			
	btained approval for the use of liquid fuel with a viscosity point of ignition >23 entistokes or an equivalent viscosity?	✓			<u> </u>
3.11 Ai	ir pollution control system properly maintained and function normally?		✓		
	oust collected by any air pollution control equipment installed by tenants tested to ensure ompliance for landfill disposal?	✓			
a)	Obtained approval for the use of controlled refrigerant?	✓			
b)	If yes, record of refrigeration equipment service available?	✓			
3.13 O	rnly ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14 Pu	ublic road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	✓ Not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or pro with drip trays capable of storing 110% of the volume of the largest container (if quantity <50L).	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container / stac of containers?	ck
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	✓ Not observed

SITE INSPECTION CHECKLIST



<u>Liquid Waste Storage</u>	
4.20 Storage area provided with permeation-proof floor or surface?	
4.21 Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22 Walls or partitions of stacked container storage area constructed of imperm	neable material?
5. Landfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1 Alert workers and visitors of possible LFG hazards?	Outside LFG consultation zone
5.2 Smoking and open fires prohibited?	
6. Others	N/A Yes No Remarks
6.1 Works confined within lot boundaries?	
6.2 Damage to surrounding areas avoided?	
6.3 Site lighting designed to avoid glare to surrounding receivers?	
6.4 Materials and machinery stored in an orderly manner?	
6.5 Areas within lot for recycling activities paved with concrete?	
6.6 Potential stagnant pools cleared and mosquito breeding prevented?	
6.7 Valid calibration certificate for any monitoring equipment?	Not provided
6.8 Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
a) Storage area in compliance with the approved plan?	
b) Storage area is securely locked?	
c) Total storage capacity in compliance with relevant statutory requirement	?
d) Proper labelling provided?	
e) Dangerous goods properly packaged?	

Remarks:

Follow-up from Previous Observations

(1) It was observed that 24-hour RSP levels reached $116~\mu g/m3$ on 20 November 2021, which exceeds the action level of $100~\mu g/m3$, as stipulated in the SP license. The latest RSP monitoring record on 2 December 2021 have shown that there have been no further exceedances. It is noted that the Tuen Mun fill bank remains at a high level which may have contributed to the exceedance event on 20 November 2021. The tenant has been requested to continue to strengthen mitigation measures such as increasing the frequency of water spraying.









(Observed on 15 December 2021)

SITE INSPECTION CHECKLIST



Signatures:

ET Representative:

Operator Representative:

Tenant Representative:

IEC Representative:

Name: Henry POON


Date: 2021/12/16

Name Susan Leung
Date 2 9 DEC 2021

Name. 8

Tute 29/12/2021

Name Hitton TAM



Issue 1______AEC



	Inspection Date: 2021/10/25 Time: 11:40 Lot Number: P14 Tenant: E.Tech	Inspected by: Henry POON, Timmy WONG
Wea	ther Condition:	Rain Storm Hazy Moderate Low
1. G	enera <u>l</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required.
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed
1.3		UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from recycling
2.1	Valid Effluent Discharge Licence available?	process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	✓
	b) Properly maintained and function normally?	✓
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	✓ Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	√			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?	✓			
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	\checkmark			Not required
	a) SP Licence conditions / monitoring requirements comply?	\checkmark			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	√			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	✓			Charles
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		Shredder is enclosed and connected with dust collector with filter
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			Í
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ Not Observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not Observed
3.17 Stockpiles of dusty materials covered or regularly watered?	✓ No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	✓ Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓ No spillage is observed
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	✓ Incompatible wastes are not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or with drip trays capable of storing 110% of the volume of the largest container (if	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	

SITE INSPECTION CHECKLIST



<u>Liqui</u>	id Waste Storage				
4.20	Storage area provided with permeation-proof	floor or surface?		✓	No storage of liquid waste
4.21	Capacity of retention structure sufficient to a largest container or 20% volume of the mater		nts of the	/	No storage of liquid waste
4.22	Walls or partitions of stacked container stora	ge area constructed	of impermeable material?	Y	No storage of liquid waste
<u>5. La</u>	andfill Gas (LFG) (within LFG Consultation	Zone)		N/A Yes No	Remarks
5.1	Alert workers and visitors of possible LFG ha	azards?		✓	Outside LFG consultation zone
5.2	Smoking and open fires prohibited?				
<u>6. Ot</u>	thers			N/A Yes No	Remarks
6.1	Works confined within lot boundaries?				
6.2	Damage to surrounding areas avoided?				
6.3	Site lighting designed to avoid glare to surrou	inding receivers?		✓	
6.4	Materials and machinery stored in an orderly	manner?			
6.5	Areas within lot for recycling activities paved	d with concrete?			
6.6	Potential stagnant pools cleared and mosquite	breeding prevente	d?		
6.7	Valid calibration certificate for any monitoring	ng equipment?		/	Not required
6.8	Valid licence(s) obtained for manufacture or	storage of dangerou	ıs goods?	/	Not required
	a) Storage area in compliance with the appro	ved plan?			
	b) Storage area is securely locked?				
	c) Total storage capacity in compliance with	relevant statutory re	equirement?	✓ □ □	
	d) Proper labelling provided?			✓ □ □	
	e) Dangerous goods properly packaged?			✓	l
Rem	arks:				
New	Observation				
•	No major environmental deficiency was obse	rved.			
Sign	atures:				
ET R	depresentative: Operator Repr	esentative:	Tenant Representativ	ve:	IEC Representative:
	Mar 1	\mathcal{M}	12/		
Name	: Henry POON Name: Ma	y Wu	Name: FONY [SAI"		
	2021/10/25 Date: 1 0 NC	W 2021	Date: 11/11/702	Date:	



	Inspection Date: 2021/11/15 Time: 11:40 Lot Number: P14 Tenant: E.Tech	Inspected by: Henry POON, Timmy WONG
Wea	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. G	eneral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required.
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from recycling
2.1	Valid Effluent Discharge Licence available?	process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	✓
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop Is as any available feature by travel if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	√			Not required
	a) Oil and grease removed regularly?	\checkmark			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	✓			Not required
2.15	Bulk cargo and materials packed properly?	✓			
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?	√			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	√			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		Shredder is enclosed and connected with dust collector with filter
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	√			· -
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	√			
3.14	Public road around site entrance kept clean and free from dust?		✓		
		_	_		



3.15 Materials transported on trucks covered?	Not Observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not Observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	✓ Others: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	✓ No spillage is observed
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	✓ Incompatible wastes are not observed
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), o with drip trays capable of storing 110% of the volume of the largest container (if	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	

Liquid Waste Storage

SITE INSPECTION CHECKLIST



		rmeation-proof floor or surface? e sufficient to accommodate contente me of the material in storage?	nts of the	✓ ✓			No storage of liquid waste No storage of liquid waste
4.22	Walls or partitions of stacked	container storage area constructed	of impermeable material?	√			No storage of liquid waste
<u>5. La</u>	ndfill Gas (LFG) (within LFC	G Consultation Zone)		N/A	Yes	No	Remarks
5.1	Alert workers and visitors of p	oossible LFG hazards?		✓			Outside LFG consultation zone
5.2	Smoking and open fires prohil	pited?			✓		
6. Ot	<u>hers</u>			N/A	Yes	No	Remarks
6.1	Works confined within lot box	undaries?			√		
6.2	Damage to surrounding areas	avoided?			✓		
6.3	Site lighting designed to avoid	glare to surrounding receivers?		✓			
6.4	Materials and machinery store	d in an orderly manner?			✓		
6.5	Areas within lot for recycling	activities paved with concrete?			✓		
6.6	Potential stagnant pools cleared	d and mosquito breeding prevente	d?		✓		
6.7	Valid calibration certificate for	r any monitoring equipment?		\checkmark			Not required
6.8	Valid licence(s) obtained for r	nanufacture or storage of dangero	us goods?	√			Not required
	a) Storage area in compliance	with the approved plan?		\checkmark			
	b) Storage area is securely loc	ked?		√			
	c) Total storage capacity in co	mpliance with relevant statutory re	equirement?	√			
	d) Proper labelling provided?			√			
	e) Dangerous goods properly p	packaged?		✓			
Rema	arks:						
New	Observation						
•	No major environmental defic	iency was observed.					
Signa	atures:						
ET R	epresentative:	Operator Representative:	Tenant Representativ	re:]	IEC Representative:
	Yh		M				The
	Henry POON 2021/11/15	Name: May Wu Date: - 7 DEC 2021	Name: TON YTSA! Date: 7/12/2021			Vame: Date:	Hilton TAM 204/12/06



	Inspection Date: 2021/12/15 Time: 11:40 Lot Number: P14 Tenant: E,Tech	Inspected by: Henry POON, Chris LO
	her Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Ge	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required.
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	✓
1.6	Any record of complaint or prosecution?	
1	ater Quality	N/A Yes No Remarks No wastewater is generated from recycling
	Valid Effluent Discharge Licence available?	process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recove process with potentially high level of contamination is carried out?	
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance are	a? Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	V			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	V			Not required
	a) Oil and grease removed regularly?	V			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V			Not required
2.15	Bulk cargo and materials packed properly?	V			
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	V			Not required
	a) SP Licence conditions/monitoring requirements comply?	V			
3.2	Operate without generation of noticeable odour?		V		
	a) If odour is detected, can the source be identified?	V			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	V			
3.3	Dusty materials dampened prior to loading/unloading?	V			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	V			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	/			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		Shredder is enclosed and connected with dust collector with filter
3.6	Open burning prohibited?		/		
3.7	Emission from chimney or powered plant free of black smoke?		V		
3.8	Vehicles and equipment switched off while not in use?		V		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	V			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	V	,		Not required
3.11	Air pollution control system properly maintained and function normally?		V		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	V			
	a) Obtained approval for the use of controlled refrigerant?	/			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	V			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported o	n trucks covered?					Not Observed
3.16 Truck loads to a level v	vithin the side and tail boards?					Not Observed
3.17 Stockpiles of dusty ma	terials covered or regularly watered?					No stockpile of dusty material is observed
3.18 Major dust source(s):	Wind erosion	Vehicle	e/equip	ment	move	ment
	Loading/unloading of materials	✓ Others	<u>n/</u>	a		
4. Waste/Chemical Mana	gement					
General		N	/A Y	es	No	Remarks
4.1 Registered as chemical	waste producer?			/		
4.2 Sufficient receptacles ((e.g. rubbish bins) available?			/		
4.3 Disposed of regularly a	and properly?			/		
4.4 Sorting of materials on	e-site for reuse or disposal to designated outlet?			✓		
4.5 Records of quantities of	of waste generated, recycled and disposed properly kept?			/		Verified via quarterly report
4.6 Collection of sludge by	/ licensed collector at regular intervals?					Not required
Packaging of Chemical Was	<u>te</u>					
4.7 Stored in suitable cont	ainer?			√		Water to the second sec
4.8 Container properly clo	sed or sealed?			√		Emilia Maria de Caracteria de
4.9 Spillage cleaned up im	mediately through the use of absorbent?	Γ	<u> </u>			No spillage is observed
4.10 Obtained approval for	the use of chemical waste container >450L?		✓			
Labelling of Chemical Waste	<u>e</u>					
4.11 Provision of chemical	waste label?			✓		***************************************
a) Label is securely att	ached and visible?			✓		
b) Label is bilingual a	nd in proper dimension?			✓		
c) Information is accu	rate and sufficient?			✓		
Storage of Chemical Waste						
4.12 Proper "Chemical Wa	ste" sign displayed?			√]
4.13 Incompatible wastes s	eparated by impermeable partition?		√			Incompatible wastes are not observed
	oinet or receptacle of suitable material (if quantity <50L), e of storing 110% of the volume of the largest container (√ _)?]
4.15 Enclosed on 3 sides w of containers?	rith no less than 2m in height or height of tallest container	stack [✓		
4.16 Properly stored and lo	ocked in designated area with adequate ventilation?			✓]
4.17 Storage area paved wi	ith concrete and kept clean and dry?			✓]
4.18 Cover provided for ou	itdoor storage area?			✓]
4.19 Chemical waste collect	cted by licensed collector?			✓		



Liqui	d Waste Storage				
4.20	Storage area provided with p	ermeation-proof floor or surface?		/	No storage of liquid waste
4.21	Capacity of retention structure largest container or 20% volumes.	re sufficient to accommodate contents on time of the material in storage?	of the	/	No storage of liquid waste
4.22	Walls or partitions of stacked	container storage area constructed of i	mpermeable material?	/	No storage of liquid waste
<u>5. La</u>	ndfill Gas (LFG) (within LF	G Consultation Zone)		N/A Yes No	Remarks
5.1	Alert workers and visitors of	possible LFG hazards?		V	Outside LFG consultation zone
5.2	Smoking and open fires proh	ibited?		/]
<u>6. Ot</u>	<u>hers</u>			N/A Yes No	Remarks
6.1	Works confined within lot be	oundaries?]
6.2	Damage to surrounding areas	avoided?			
6.3	Site lighting designed to avoi	d glare to surrounding receivers?			
6.4	Materials and machinery stor	ed in an orderly manner?			
6.5	Areas within lot for recycling	activities paved with concrete?			
6.6	Potential stagnant pools clear	ed and mosquito breeding prevented?]
6.7	Valid calibration certificate f	or any monitoring equipment?			Not required
6.8	Valid licence(s) obtained for	manufacture or storage of dangerous go	oods?	/	Not required
	a) Storage area in compliance	with the approved plan?			
	b) Storage area is securely loo	cked?		7	
	c) Total storage capacity in co	ompliance with relevant statutory requir	rement?		
	d) Proper labelling provided?				
	e) Dangerous goods properly	packaged?		V	
Rem	arks:				
New	Observation				
•	No major environmental defi	ciency was observed.			
Sign	atures:				
ET R	epresentative:	Operator Representative:	Tenant Representativ	e :	IEC Representative:
	Mh		10	1	
	Henry POON 2021/12/16	Name: Susan Leung	Name: 70/V 1	100000000000000000000000000000000000000	Name:
	24.45.000.000 26.04.05.05.05.05.	Commission of the Commission o	Date: 4/1/2		Date:



Issue 1______AEC



	Inspection Date: 2021/10/25 Time: 12:10 Lot Number: P2, P3 & P4 Tenant: WEEE.PARK	Inspected by: Henry POON, Timmy WONG
Weat	her Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 30 °C Humidity: High ✓ Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Ge	neral_	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	
1.3	Environmental Management Plan (EMP) kept up-to-date?	
1.4	Emergency Response Plan (ERP) documented?	In-house Emergency Procedure Plan was applied
1.5	All recycling processes in operation have been approved by WRG of EPD	
1.6	Any record of complaint or prosecution?	
2. Wa	ter Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement.	Self-monitoring when required
	c) Monitoring result comply with the licence requirement:	
	d) If exceedance is recorded, any follow-up action taken:	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	via petrol interceptor
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained:	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies:	
2.8	Drainage system well maintained to prevent flooding or overflow'	
2.9	Processes or activities with high risk of contamination located under covered area:	Story I are a sure in the format in
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recover process with potentially high level of contamination is carried out.	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area'	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatmen facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from fuel dispensing area discharged via oil interceptor:		✓		
	a) Oil and grease removed regularly:	√			Not observed
	b) Collected by licensed collector:	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms:	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Air	Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process:	✓			Not required
	a) SP Licence conditions/monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?			✓	No operation was observed in lunch hour
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally	✓			
3.3	Dusty materials dampened prior to loading/unloading	√			Dusty material is not observed
3.4	Air monitoring record available?		√		
	a) Monitoring frequency met the licence requirement:		√		Requirements stipulated in Compliance Audit Report
	b) Any exceedance?			✓	Against AQO/USEPA
	c) If exceedance is recorded, follow-up action taken?	✓			
3.5	Suppression measures provided where main pollutant-generating activities take place (i.e enclosures or regular dampening)?		✓		Use of localised hood and extraction system with HEPA filter for CRT Recovery
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke:			✓	No operation was observed in lunch hour
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming ove 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour.		✓		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity:	√			
3.11	Air pollution control system properly maintained and function normally		✓		Dust filter was checked and maintained.
3.12	Filtered dust/ fluorescent powder from any air pollution control equipment installed by tenants disposed of as chemical waste?		✓		
	a) Obtained approval for the use of controlled refrigerant?	✓			-
	b) If yes, record of refrigeration equipment service available:	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15	Materials transported on trucks covered?	\checkmark			Not observed
3.16	Truck loads to a level within the side and tail boards?	✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered	✓			No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	ehicle/eq	uipmer	nt mov	emen1
	Loading/unloading of materials	thers:	n/a		
3.19	Shredding, crushing and sorting processes including CRT dismantling are carried out in enclosed structure(s)?		√		
4. Wa	aste/Chemical Management				
Gener	ral	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?		✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?		✓		
4.3	Disposed of regularly and properly?		✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet		✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept'		✓		Verified via monthly report
4.6	Collection of sludge by licensed collector at regular intervals'	✓			Not required
Packa	ging of Chemical Waste				
4.7	Stored in suitable container?		✓		
4.8	Container properly closed or sealed?		✓		-
4.9	Spillage cleaned up immediately through the use of absorbent	✓			·
4.10	Obtained approval for the use of chemical waste container >450L?	✓			·
Label	ling of Chemical Waste				
4.11	Provision of chemical waste label?		✓		
	a) Label is securely attached and visible:		✓		
	b) Label is bilingual and in proper dimension?		✓		-
	c) Information is accurate and sufficient?		✓		·
Storag	ge of Chemical Waste				
4.12	Proper "Chemical Waste" sign displayed?		✓		
4.13	Incompatible wastes separated by impermeable partition?	✓			Not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or provid with drip trays capable of storing 110% of the volume of the largest container (if quantity				
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest containe / stack of containers?		✓		
4.16	Properly stored and locked in designated area with adequate ventilation		✓		
4.17	Storage area paved with concrete and kept clean and dry?		✓		
4.18	Cover provided for outdoor storage area?		✓		
4.19	Chemical waste collected by licensed collector		✓		



Liquio	I Waste Storage				
4.20	Storage area provided with per	meation-proof floor or surface?			
4.21	Capacity of retention structure largest container or 20% volume	sufficient to accommodate contents ne of the material in storage.	of the		
4.22	Walls or partitions of stacked	container storage area constructed o	f impermeable material]
5. La	ndfill Gas (LFG) (within LFG	Consultation Zone)		N/A Yes No	Remarks
5,1	Alert workers and visitors of p	oossible LFG hazards]
5.2	Smoking and open fires prohil	pited?			
6. Ot	hers_			N/A Yes No	Remarks
6.1	Works confined within lot box	undaries?]
6.2	Damage to surrounding areas	avoided?]
6.3	Site lighting designed to avoid	d glare to surrounding receivers		√	
6.4	Materials and machinery store	ed in an orderly manner?]
6.5	Areas within lot for recycling	activities paved with concrete?			
6.6	Potential stagnant pools cleared	ed and mosquito breeding prevented	•	✓]
6.7	Valid calibration certificate for	or any monitoring equipment?		/	Not provided
6.8	Valid licence(s) obtained for	manufacture or storage of dangerous	s goods'.		
	a) Storage area in compliance	with the approved plan?		/	
	b) Storage area is securely loo	cked?			
	c) Total storage capacity in co	ompliance with relevant statutory re	quirement ^c		
	d) Proper labelling provided?				
	e) Dangerous goods properly	packaged'.		✓ <u> </u>	
Rem	arks:				
	Observations				
	No major environmental defi	ciency was observed			
Sign	atures:			3	
ET I	Representative:	Operator Representative:	Tenant Representa	ntive:	IEC Representative:
	Ym) 	
Name	e: Henry POON	Name May Wu		nt Pang	Name:
Date	2021/10/25	Date: 10 NOV 2021	Date: 11 Nov	v 2021	Date:



	Inspection Date: 2021/11/15 Time: 12:10 Lot Number: P2, P3 & P4 Tenant: WEEE.PARK	Inspected by: Henry POON, Timmy WONG
Weat	he <u>r</u>	
	Condition: ✓ Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Ge	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required
1.2	Environmental Policy documented?	
1.3	Environmental Management Plan (EMP) kept up-to-date?	
1.4	Emergency Response Plan (ERP) documented?	In-house Emergency Procedure Plan was applied
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wa	nter Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	
2.1	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	Self-monitoring when required
	c) Monitoring result comply with the licence requirement?	Sen mountaining which required
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	via petrol interceptor
2,2	a) Adequate capacity?	The pends innerceptor
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
	Surface run-off discharging into drainage system?	
2.4	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from	
2.0	entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recover process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area	? Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from fuel dispensing area discharged via oil interceptor?		√		
	a) Oil and grease removed regularly?	✓			Not observed
	b) Collected by licensed collector?	√			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Air	Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?	\checkmark			No operation was observed in lunch hour
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	\checkmark			
3.3	Dusty materials dampened prior to loading/unloading?	√			Dusty material is not observed
3.4	Air monitoring record available?		✓		-
	a) Monitoring frequency met the licence requirement?		✓		Requirements stipulated in Compliance Audit Report
	b) Any exceedance?			✓	Against AQO/USEPA
	c) If exceedance is recorded, follow-up action taken?	\checkmark			
3.5	Suppression measures provided where main pollutant-generating activities take place (i.e. enclosures or regular dampening)?		✓		Use of localised hood and extraction system with HEPA filter for CRT Recovery
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?	\checkmark			No operation was observed in lunch hour
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		✓		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			
3.11	Air pollution control system properly maintained and function normally?		✓		Dust filter was checked and maintained.
3.12	Filtered dust/ fluorescent powder from any air pollution control equipment installed by tenants disposed of as chemical waste?		√		
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	\checkmark			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	\checkmark			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15	Materials transported on trucks covered?	✓ Not observed
3.16	Truck loads to a level within the side and tail boards?	✓ Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle/equipment movement
	Loading/unloading of materials	Others: n/a
3.19	Shredding, crushing and sorting processes including CRT dismantling are carried out in	n
	enclosed structure(s)?	
4. Wa	aste / Chemical Management	
Gener	<u>al</u>	N/A Yes No Remarks
4.1	Registered as chemical waste producer?	
4.2	Sufficient receptacles (e.g. rubbish bins) available?	
4.3	Disposed of regularly and properly?	
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5	Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via monthly report
4.6	Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packa	ging of Chemical Waste	
4.7	Stored in suitable container?	
4.8	Container properly closed or sealed?	
4.9	Spillage cleaned up immediately through the use of absorbent?	
4.10	Obtained approval for the use of chemical waste container >450L?	
Label	ling of Chemical Waste	
4.11	Provision of chemical waste label?	
	a) Label is securely attached and visible?	
	b) Label is bilingual and in proper dimension?	
	c) Information is accurate and sufficient?	
Storag	ge of Chemical Waste	
4.12	Proper "Chemical Waste" sign displayed?	
4.13	Incompatible wastes separated by impermeable partition?	✓ Not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<$ 50L), or proving with drip trays capable of storing 110% of the volume of the largest container (if quantity $<$ 50L).	
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / stack of containers?	
4.16	Properly stored and locked in designated area with adequate ventilation?	
4.17	Storage area paved with concrete and kept clean and dry?	
4.18	Cover provided for outdoor storage area?	
4.19	Chemical waste collected by licensed collector?	



Liqui	d Waste Storage				
4.20	Storage area provided with p	permeation-proof floor or surface?		✓	
4.21		re sufficient to accommodate content ume of the material in storage?	s of the		<u> </u>
4.22	Walls or partitions of stacked	d container storage area constructed o	f impermeable material?	✓	
5. La	ndfill Gas (LFG) (within LF	G Consultation Zone)		N/A Yes	No Remarks
5.1	Alert workers and visitors of	possible LFG hazards?		✓	<u> </u>
5.2	Smoking and open fires prob	nibited?		✓	
6. Ot	<u>hers</u>			N/A Yes	No Remarks
6.1	Works confined within lot be	oundaries?			<u> </u>
6.2	Damage to surrounding area	s avoided?		✓	
6.3	Site lighting designed to avo	id glare to surrounding receivers?		√	<u> </u>
6.4	Materials and machinery stor	red in an orderly manner?			
6.5	Areas within lot for recycling	g activities paved with concrete?			
6.6	Potential stagnant pools clea	red and mosquito breeding prevented	?	✓	
6.7	Valid calibration certificate	for any monitoring equipment?		✓	Not provided
6.8	Valid licence(s) obtained for	manufacture or storage of dangerous	goods?		
	a) Storage area in compliance	e with the approved plan?		√	
	b) Storage area is securely lo	ocked?		✓	
	c) Total storage capacity in c	compliance with relevant statutory rec	quirement?	√	
	d) Proper labelling provided	?		✓	
	e) Dangerous goods properly	packaged?		√	
Rema	nrks:				
New	<u>Observations</u>				
	No major environmental def	iciency was observed.			
Signa	tures:				
ET R	epresentative:	Operator Representative:	Tenant Representati	ve:	IEC Representative:
	Ym	~~~	U	0	Zh
Name:	Henry POON	Name May Wu	Name Clemen	nt Pang	Name: Hilton TAM
	2021/11/15	Date: - 7 DEC 2021	Date: 7 Dec 2	2021	Date 204/12/06



	Inspection Date: 2021/12/15 Time: 12:10 Lot Number: P2, P3 & P4 Tenant: WEEE.PARK	Inspected by: Henry POON, Chris LO
Weatl	ner_	
	Condition:	Rain Storm Hazy Moderate Low
<u>1. Ger</u>	<u>ieral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	✓ <u> </u>
1.3	Environmental Management Plan (EMP) kept up-to-date?	To house Foresteen Planage
1.4	Emergency Response Plan (ERP) documented?	In-house Emergency Procedure Plan was applied
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. Wa	ter Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	✓ Self-monitoring when required
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	via petrol interceptor
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	/
2.9	Processes or activities with high risk of contamination located under covered area?	Stop-logs are available for use by tenant
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area	? Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from fuel dispensing area discharged via oil interceptor?		/		
	a) Oil and grease removed regularly?				Not observed
	b) Collected by licensed collector?		\Box		
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	<u></u>			Not required
2.15	Bulk cargo and materials packed properly?		/	\Box	
2.16	Temporary stockpiles covered during rainstorms?		H	П	No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	/			No sand/silt is generated from the recycling process
3. Air	Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?				Not required
	a) SP Licence conditions/monitoring requirements comply?				
3.2	Operate without generation of noticeable odour?				No operation was observed in lunch hour
	a) If odour is detected, can the source be identified?			Ш	
	b) Odourous materials covered?			H	
	c) If odour control system is installed, is it operating normally?			\Box	,
3.3	Dusty materials dampened prior to loading/unloading?				Dusty material is not observed
3.4	Air monitoring record available?	\Box			
	a) Monitoring frequency met the licence requirement?	\Box		П	Requirements stipulated in Compliance Audit Report
	b) Any exceedance?	口			Against AQO/USEPA
	c) If exceedance is recorded, follow-up action taken?				
3.5	Suppression measures provided where main pollutant-generating activities take place (i.e. enclosures or regular dampening)?		✓		Use of localised hood and extraction system with HEPA filter for CRT Recovery
3.6	Open burning prohibited?		1		
3.7	Emission from chimney or powered plant free of black smoke?	V			No operation was observed in lunch hour
3.8	Vehicles and equipment switched off while not in use?		√		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?		✓		
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	\checkmark			
3.11	Air pollution control system properly maintained and function normally?		1		Dust filter was checked and maintained.
3.12	Filtered dust/ fluorescent powder from any air pollution control equipment installed by tenants disposed of as chemical waste?		V		
	a) Obtained approval for the use of controlled refrigerant?	V			
	b) If yes, record of refrigeration equipment service available?	V			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	V			
3.14	Public road around site entrance kept clean and free from dust?		√		<u> </u>



3.15	Materials transported on trucks covered?	✓ Not observed
3.16	Truck loads to a level within the side and tail boards?	Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehicle/equipment movement
	Loading/unloading of materials	Others: n/a
3.19	Shredding, crushing and sorting processes including CRT dismantling are carried out in	
	enclosed structure(s)?	a
4. Wa	ste/Chemical Management	
Gener	<u>al</u>	N/A Yes No Remarks
4.1	Registered as chemical waste producer?	
4.2	Sufficient receptacles (e.g. rubbish bins) available?	
4.3	Disposed of regularly and properly?	
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5	Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via monthly report
4.6	Collection of sludge by licensed collector at regular intervals?	Not required
Packa	ging of Chemical Waste	
4.7	Stored in suitable container?	
4.8	Container properly closed or sealed?	
4.9	Spillage cleaned up immediately through the use of absorbent?	
4.10	Obtained approval for the use of chemical waste container >450L?	
Label	ling of Chemical Waste	
4.11	Provision of chemical waste label?	
	a) Label is securely attached and visible?	
	b) Label is bilingual and in proper dimension?	
	c) Information is accurate and sufficient?	
Stora	ge of Chemical Waste	
4.12	Proper "Chemical Waste" sign displayed?	
4.13	Incompatible wastes separated by impermeable partition?	✓ Not observed
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or prov with drip trays capable of storing 110% of the volume of the largest container (if quant	ided /
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container/stack of containers?	
4.16	Properly stored and locked in designated area with adequate ventilation?	
4.17	Storage area paved with concrete and kept clean and dry?	
4.18	Cover provided for outdoor storage area?	
4.19	Chemical waste collected by licensed collector?	



Liqui	d Waste Storage				
4.20	Storage area provided with p	permeation-proof floor or surface?			
4.21	Capacity of retention structulargest container or 20% vol	are sufficient to accommodate content lume of the material in storage?	s of the		
4.22		d container storage area constructed of	of impermeable material?		コ
<u>5. La</u>	ndfill Gas (LFG) (within LF	G Consultation Zone)		N/A Yes	No Remarks
5.1	Alert workers and visitors of	f possible LFG hazards?			
5.2	Smoking and open fires pro-	nibited?			
<u>6. Otl</u>	hers			N/A Yes 1	No Remarks
6.1	Works confined within lot be	oundaries?			
6.2	Damage to surrounding areas	s avoided?			
6.3	Site lighting designed to avo	id glare to surrounding receivers?			
6.4	Materials and machinery stor	red in an orderly manner?			7
6.5	Areas within lot for recycling	g activities paved with concrete?			
6.6	Potential stagnant pools clear	red and mosquito breeding prevented?	,		
6.7	Valid calibration certificate f	for any monitoring equipment?			Not provided
6.8	Valid licence(s) obtained for	manufacture or storage of dangerous	goods?		
	a) Storage area in compliance	e with the approved plan?			
	b) Storage area is securely loo	cked?			
	c) Total storage capacity in c	ompliance with relevant statutory requ	uirement?		
	d) Proper labelling provided?				
	e) Dangerous goods properly	packaged?		V	
Remai	rks:				
	Observations				
•	No major environmental defic	ciency was observed.			
Signat	ures:				
ET Re	presentative:	Operator Representative:	Tenant Representative	e:	IEC Representative:
	Yhr	8/	CP	•	
Name:	Henry POON	NameSusan Leung	Name Clement	Pang	Name:
Date:	2021/12/16	2 9 DEC 2021	Date: 29 Dec 2	021	Date:



Issue 1 AEC



	Inspection Date: 2021/10/25 Time: 10:45 Lot Number: P8 Tenant: On Fat Lung	Inspected by: Henry POON, Timmy WONG
Weat	ther Condition: ✓ Sunny Fine Overcast Drizzle [Temperature: 30 °C Humidity: High [Wind: Calm ✓ Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Ge	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required.
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	No wastewater is generated from recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement:	
	c) Monitoring result comply with the licence requirement	/
	d) If exceedance is recorded, any follow-up action taken:	Nonetherina de la constitución d
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	No wastewater is generated from recycling process
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained:	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies'	
2.8	Drainage system well maintained to prevent flooding or overflow	
2.9	Processes or activities with high risk of contamination located under covered area:	Stop-logs are available for use by tenant if
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recove process with potentially high level of contamination is carried out.	
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance are	a' Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatmen facility or other appropriate treatment facility?	✓			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor	✓			Not required
	a) Oil and grease removed regularly	✓			
	b) Collected by licensed collector:	✓			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms:	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?		✓		
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions/monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?	√			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally	√			
3.3	Dusty materials dampened prior to loading/unloading:	√			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	√			Not required
	a) Monitoring frequency met the licence requirement:	✓			
	b) Any exceedance?	√			
	c) If exceedance is recorded, follow-up action taken:	✓			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e enclosures or regular dampening)?		√		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming ove 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour.	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensur compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available:	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel:	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered	
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet:	
4.5 Records of quantities of waste generated, recycled and disposed properly kept	Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals'	
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent'	
4.10 Obtained approval for the use of chemical waste container >450L5	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible:	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition:	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), or with drip trays capable of storing 110% of the volume of the largest container (if	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest containe / of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation'	
4.17 Storage area paved with concrete and kept clean and drys	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector	



Liqui	d Waste Storage				
4.20	Storage area provided with permeat	ion-proof floor or surface?			
4.21	Capacity of retention structure sufficiency container or 20% volume of		the		
4.22	Walls or partitions of stacked contain	iner storage area constructed of in	npermeable material	/	
<u>5. La</u>	ndfill Gas (LFG) (within LFG Con	sultation Zone)		N/A Yes No	Remarks
5.1	Alert workers and visitors of possib	le LFG hazards?			
5.2	Smoking and open fires prohibited?				
6. O	hers			N/A Yes No	Remarks
6.1	Works confined within lot boundari	ies?			
6.2	Damage to surrounding areas avoid	ed?			
6.3	Site lighting designed to avoid glare	e to surrounding receivers'		V	
6.4	Materials and machinery stored in a	ın orderly manner?			
6.5	Areas within lot for recycling activ	ities paved with concrete?			
6.6	Potential stagnant pools cleared and	I mosquito breeding prevented'			
6.7	Valid calibration certificate for any	monitoring equipment?			Not required
6.8	Valid licence(s) obtained for manu	facture or storage of dangerous go	ods'.		Not required
	a) Storage area in compliance with	the approved plan?			
	b) Storage area is securely locked?			V	
	c) Total storage capacity in compli-	ance with relevant statutory requir	rement'		
	d) Proper labelling provided?			/	
	e) Dangerous goods properly packa	aged?		V]
Ren	narks:				
Nev	Observations				
•	No major environmental deficienc	y was observed			
Sign	natures:				
ET	Representative:	Operator Representative:	Tenant Representat	ive:	IEC Representative:
	Mh		No Response	7	2/n
Nam	e: Henry POON	Name: May Wu	Name: Kenny	Kwan	Name: Halton TAM
	: 2021/10/25	Date: 10 NOV 2021	Date: 16-Nov		Date: 2021/11/08



	Inspection Date: 2021/11/15 Time: 10:45 Lot Number: P8 Tenant: On Fat Lung	Inspected by: Henry POON, Timmy WONG
Wear	Condition:	Rain Storm Hazy Moderate Low
<u>1. Ge</u>	<u>neral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required.
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2 11/		N/A W N D 1
<u>2. W</u>	ater Quality	N/A Yes No Remarks No wastewater is generated from recycling
2.1	Valid Effluent Discharge Licence available?	process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	No wastewater is generated from recycling
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	y process
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recovery process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area?	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor?	$\overline{}$			Not required
2.13	a) Oil and grease removed regularly?			一	
	b) Collected by licensed collector?			\Box	Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during			H	Not required
	loading and unloading adjacent to marine frontage?			ш	
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains?		✓		
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?	✓			Not required
	a) SP Licence conditions / monitoring requirements comply?	✓			
3.2	Operate without generation of noticeable odour?		√		
	a) If odour is detected, can the source be identified?	✓			
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	√			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	✓			Not required
	a) Monitoring frequency met the licence requirement?	✓			
	b) Any exceedance?	✓			
	c) If exceedance is recorded, follow-up action taken?	\checkmark			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		√		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	√			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		√		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15	Materials transported on trucks covered?		✓			Not observed
3.16	Truck loads to a level within the side and tail boards?		✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?			✓		
3.18	Major dust source(s): Wind erosion	Veh	icle/eq	uipmen	t move	ment
	Loading/unloading of materials	✓ Oth	ers:	n/a		
4. Wa	aste / Chemical Management					
Gener	ral		N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?			✓		
4.2	Sufficient receptacles (e.g. rubbish bins) available?			✓		
4.3	Disposed of regularly and properly?			✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?			✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?			✓		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?		✓			
Packa	aging of Chemical Waste					
4.7	Stored in suitable container?		✓			
4.8	Container properly closed or sealed?		✓			
4.9	Spillage cleaned up immediately through the use of absorbent?		√			
4.10	Obtained approval for the use of chemical waste container >450L?		✓			
<u>Label</u>	ling of Chemical Waste					
4.11	Provision of chemical waste label?		✓			
	a) Label is securely attached and visible?		✓			
	b) Label is bilingual and in proper dimension?		✓			
	c) Information is accurate and sufficient?		✓			
Stora	ge of Chemical Waste					
4.12	Proper "Chemical Waste" sign displayed?		✓			
4.13	Incompatible wastes separated by impermeable partition?		✓			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or with drip trays capable of storing 110% of the volume of the largest container (if c		✓ 50L)?			
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container / s of containers?	stack	✓			
4.16	Properly stored and locked in designated area with adequate ventilation?		√			
4.17	Storage area paved with concrete and kept clean and dry?		√			
4.18	Cover provided for outdoor storage area?		√			
4.19	Chemical waste collected by licensed collector?		√			



<u>Liqui</u>	d Waste Storage				
4.20	Storage area provided with permeation-proof floor or surface?		✓		
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?		✓		
4.22	Walls or partitions of stacked container storage area constructed of imper	rmeable material?	√		
5. La	ndfill Gas (LFG) (within LFG Consultation Zone)		N/A	Yes No	Remarks
5.1	Alert workers and visitors of possible LFG hazards?			√	
5.2	Smoking and open fires prohibited?			√	
6. Ot	hers_		N/A	Yes No	Remarks
6.1	Works confined within lot boundaries?			✓	
6.2	Damage to surrounding areas avoided?			√	
6.3	Site lighting designed to avoid glare to surrounding receivers?		\checkmark		
6.4	Materials and machinery stored in an orderly manner?			✓	
6.5	Areas within lot for recycling activities paved with concrete?			✓	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?			√	
6.7	Valid calibration certificate for any monitoring equipment?		✓		Not required
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	?	✓		Not required
	a) Storage area in compliance with the approved plan?		V		
	b) Storage area is securely locked?		V		
	c) Total storage capacity in compliance with relevant statutory requirement	ent?	✓		
	d) Proper labelling provided?		✓		
	e) Dangerous goods properly packaged?		✓		
Rema	nrks:				
New	<u>Observations</u>				
•	No major environmental deficiency was observed.				
Signa	atures:				
ET R	epresentative: Operator Representative: Te	enant Representativ	/e:		IEC Representative:
	Mh		K.F	-	The
Name:	Henry POON Name: May Wu N	Kenny ł	(wan	1	Name: Hitton TAM Date 2021/12/06
Date:	2021/11/15 Date: - / DEC 2021	7 Dec 2		1	Date 204/12/06



	Januari 2021/12/15	-
	Inspection Date: 2021/12/15 Time: 10:45 Lot Number: P8 Tenant: On Fat Lung	Inspected by: Henry POON, Chris LO
Wea	ther_	
	Condition:	Rain Storm Hazy Moderate Low
1. G	eneral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	✓ EP for tenant is not required.
1.2	Environmental Policy documented?	✓ UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	✓ UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	No wastewater is generated from recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement.	
	d) If exceedance is recorded, any follow-up action taken:	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	No wastewater is generated from recycling process
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies'.	
2.8	Drainage system well maintained to prevent flooding or overflow	
2.9	Processes or activities with high risk of contamination located under covered area'	
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recover process with potentially high level of contamination is carried out	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance area'	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatmen facility or other appropriate treatment facility?	V			No contaminated water was observed
2.13	Drainage from maintenance area discharged via oil interceptor:	1			Not required
	a) Oil and grease removed regularly?	1			
	b) Collected by licensed collector?	1			Not required
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	V			Not required
2.15	Bulk cargo and materials packed properly?		V		
2.16	Temporary stockpiles covered during rainstorms?	1			No rainstorm during inspection
2.17	Measures to prevent the washing away of sand/silt to drains':		V		
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process:	V			Not required
	a) SP Licence conditions/monitoring requirements comply?	V			
3.2	Operate without generation of noticeable odour?		V		
	a) If odour is detected, can the source be identified?	V			
	b) Odourous materials covered?	V			
	c) If odour control system is installed, is it operating normally	1			
3.3	Dusty materials dampened prior to loading/unloading/	1			No loading/unloading of dusty materials is observed
3.4	Dust monitoring record available?	V			Not required
	a) Monitoring frequency met the licence requirement?	1			
	b) Any exceedance?	1			
	c) If exceedance is recorded, follow-up action taken:	~			
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e enclosures or regular dampening)?		V		
3.6	Open burning prohibited?		1		
3.7	Emission from chimney or powered plant free of black smoke's		1		
3.8	Vehicles and equipment switched off while not in use?		1		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming ove 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour:	V			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	√			Not required
3.11	Air pollution control system properly maintained and function normally'		1		
3.12	2 Dust collected by any air pollution control equipment installed by tenants tested to ensur compliance for landfill disposal?	√			
	a) Obtained approval for the use of controlled refrigerant?	1			
	b) If yes, record of refrigeration equipment service available's	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel:	1			
3.14	Public road around site entrance kept clean and free from dust?		V		

EcoPark Operation


SITE INSPECTION CHECKLIST



3.15	Materials transported or	n trucks covered?		V			Not observed
3.16	Truck loads to a level w	vithin the side and tail boards?		1			Not observed
3.17	Stockpiles of dusty mat	erials covered or regularly watered			V		
3.18	Major dust source(s):	Wind erosion	U Ve	ehicle/eq	uipment	t move	ment
		Loading/unloading of materials	✓ Ot	hers:	n/a		900.9864
<u>4. W</u>	aste/Chemical Manag	ement					
Gene	eral			N/A	Yes	No	Remarks
4.1	Registered as chemical	waste producer?			V		
4.2	Sufficient receptacles (e	e.g. rubbish bins) available?			1		
4.3	Disposed of regularly as	nd properly?			V		
4.4	Sorting of materials on-	site for reuse or disposal to designated outlet'			V		
4.5	Records of quantities of	f waste generated, recycled and disposed properly kept	•		✓		Verified via quarterly report
4.6	Collection of sludge by	licensed collector at regular intervals'		V			
Pack	aging of Chemical Waste						
4.7	Stored in suitable conta	iner?		✓			
4.8	Container properly clos	ed or sealed:		V			
4.9	Spillage cleaned up imm	nediately through the use of absorbent'		1			
4.10	Obtained approval for the	he use of chemical waste container >450L'		V			
Labe	lling of Chemical Waste						
4.11	Provision of chemical w	vaste label?		1			
	a) Label is securely atta	ched and visible?		1			
	b) Label is bilingual and	l in proper dimension?		V			
	c) Information is accura	te and sufficient?		V			
Stora	ge of Chemical Waste						
4.12	Proper "Chemical Waste	e" sign displayed?		1			
4.13	Incompatible wastes sep	parated by impermeable partition.		V			
4.14	Containers kept in cabir with drip trays capable of	net or receptacle of suitable material (if quantity <50L) of storing 110% of the volume of the largest container	, or provided (if quantity	>50L)'.			
4.15	Enclosed on 3 sides with of containers?	h no less than 2m in height or height of tallest containe	stack	1			
4.16	Properly stored and lock	ced in designated area with adequate ventilation'		1			
4.17	Storage area paved with	concrete and kept clean and dry?		1			
4.18	Cover provided for outd	loor storage area?		7	Fi		
4.19	Chemical waste collecte	ed by licensed collector			Fi.		
	1.00			Section 1			



Liqui	d Waste Storage				
4.20	Storage area provided with permeat	ion-proof floor or surface?		/	(I
4.21	Capacity of retention structure suffi largest container or 20% volume of		f the	/	
4.22	Walls or partitions of stacked conta	iner storage area constructed of in	mpermeable material	/	
5. La	ndfill Gas (LFG) (within LFG Con	sultation Zone)		N/A Yes No	Remarks
5.1	Alert workers and visitors of possib	ole LFG hazards:			
5.2	Smoking and open fires prohibited?	•			
6. O	her <u>s</u>			N/A Yes No	Remarks
6.1	Works confined within lot boundar	ies?			
6.2	Damage to surrounding areas avoid	led?			
6.3	Site lighting designed to avoid glar	e to surrounding receivers'		7	
6.4	Materials and machinery stored in	an orderly manner?			
6.5	Areas within lot for recycling activ	ities paved with concretes		/	
6.6	Potential stagnant pools cleared and	d mosquito breeding prevented			
6.7	Valid calibration certificate for any	monitoring equipment?		/	Not required
6.8	Valid licence(s) obtained for manu	facture or storage of dangerous go	oods'		Not required
	a) Storage area in compliance with	the approved plan?			
	b) Storage area is securely locked?			/]
	c) Total storage capacity in compli	ance with relevant statutory requi	rement'	/]
	d) Proper labelling provided?			/]
	e) Dangerous goods properly packa	aged?		/	
Ren	narks:				
New	Observations				
¥	No major environmental deficiency	y was observed			
Sign	atures:			8	- Historia (Horando Horando H
ET I	Representative:	Operator Representative:	Tenant Representati	ive:	IEC Representative:
	Mh	\mathcal{A}	Resolution	7	72
	e: Henry POON : 2021/12/16	Name Susan Leung 2 9 DEC 2021	Name: Kenny I Date: 29 Dec		Name: H7/ton TAM Date: 2021/12/13
		avanes6250	2000 TOBO C		ACCOUNT OF THE PARTY OF THE PAR



Issue 1______AEC



	Inspection Date: 2021/10/25 Time: 11:00 Lot Number: P9 & 10 Tenant: HKBRC	Inspected by: Henry POON, Timmy WONG
Weat	Condition: Sunny Fine Overcast Drizzle Temperature: 30 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
<u>1. Ge</u>	<u>eneral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from
2.1	Valid Effluent Discharge Licence available?	recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	Recycling process has low risk of
2.9	Processes or activities with high risk of contamination located under covered area?	✓ contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recove process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance are	ea? Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	√			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	√			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		Air Pollution Control (Specified Processes) Regulations
	a) SP Licence conditions / monitoring requirements comply?		✓		Measurement of 24-hr RSP required by SP Licence (July 2021)
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?		✓		
	b) Odourous materials covered?	√			
	c) If odour control system is installed, is it operating normally?	✓			-
3.3	Dusty materials dampened prior to loading/unloading?	✓			W COAL DOD
3.4	Dust monitoring record available?		✓		Measurement of 24-hr RSP required by SP Licence (July 2021)
	a) Monitoring frequency met the licence requirement?		✓		
	b) Any exceedance?			✓	
	c) If exceedance is recorded, follow-up action taken?			✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		
3.6	Open burning prohibited?		✓		
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	✓ Others: n/a
4. Waste / Chemical Management	
<u>General</u>	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	✓ Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
<u>Labelling of Chemical Waste</u>	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), o with drip trays capable of storing 110% of the volume of the largest container (if	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	



<u>Liqui</u>	d Waste Storage					
4.20	Storage area provided with per	rmeation-proof floor or surface?		✓		
4.21	Capacity of retention structure largest container or 20% volume	sufficient to accommodate contented the material in storage?	nts of the			
4.22	Walls or partitions of stacked of	container storage area constructed	of impermeable material?			
5. La	ndfill Gas (LFG) (within LFC	G Consultation Zone)		N/A Yes	No Ren	narks
5.1	Alert workers and visitors of p	ossible LFG hazards?				
5.2	Smoking and open fires prohib	pited?		✓		
6. Ot	<u>hers</u>			N/A Yes	No Ren	narks
6.1	Works confined within lot bou	indaries?				
6.2	Damage to surrounding areas a	avoided?		✓		
6.3	Site lighting designed to avoid	glare to surrounding receivers?		√		
6.4	Materials and machinery store	d in an orderly manner?		✓		
6.5	Areas within lot for recycling	activities paved with concrete?		✓		
6.6	Potential stagnant pools cleare	d and mosquito breeding prevente	ed?	✓		
6.7	Valid calibration certificate fo	r any monitoring equipment?		✓		
6.8	Valid licence(s) obtained for n	nanufacture or storage of dangero	us goods?	✓	Not 1	required
	a) Storage area in compliance	with the approved plan?		✓		
	b) Storage area is securely lock	ced?		✓		
	c) Total storage capacity in co	mpliance with relevant statutory r	equirement?	✓		
	d) Proper labelling provided?			✓		
	e) Dangerous goods properly p	ackaged?		√		
Rem	arks:					
New	<u>Observations</u>					
•	No major environmental defici	ency was observed.				
Signa	atures:					
ET R	epresentative:	Operator Representative:	Tenant Representati	ve:	IEC F	Representative:
	Ym		My			7-h
Name	Henry POON	Nome: May Wu	Name Andy N	19	Name /	17/164 7AM
Date:	2021/10/25	Date 10 NOV 2021	Dale: 11 Nov	2021	Date	2021/11/08



	Inspection Date: 2021/11/15 Time: 11:00 Lot Number: P9 & 10 Tenant: HKBRC	Inspected by: Henry POON, Timmy WONG
Wear	Condition: Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High Wind: Calm Light Breeze Strong	Rain Storm Hazy Moderate Low
1. Ge	eneral	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2. W	ater Quality	N/A Yes No Remarks No wastewater is generated from
2.1	Valid Effluent Discharge Licence available?	recycling process
	a) Sampling record available?	
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recove process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance are	Replacement activity is not observed



2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	√			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		✓		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		√		Air Pollution Control (Specified Processes) Regulations
	a) SP Licence conditions / monitoring requirements comply?		√		Measurement of 24-hr RSP required by SP Licence (July 2021)
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?		✓		
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	✓			
3.3	Dusty materials dampened prior to loading/unloading?	✓			
3.4	Dust monitoring record available?		✓		Measurement of 24-hr RSP required by SP Licence (July 2021)
	a) Monitoring frequency met the licence requirement?		✓		-
	b) Any exceedance?			✓	
	c) If exceedance is recorded, follow-up action taken?			√	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		
3.6	Open burning prohibited?		√		
3.7	Emission from chimney or powered plant free of black smoke?		✓		-
3.8	Vehicles and equipment switched off while not in use?		✓		-
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	√			
	b) If yes, record of refrigeration equipment service available?	✓			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		√		



3.15 Materials transported on trucks covered?	✓ Not observed
3.16 Truck loads to a level within the side and tail boards?	✓ Not observed
3.17 Stockpiles of dusty materials covered or regularly watered?	No stockpile of dusty material is observed
3.18 Major dust source(s): Wind erosion	Vehicle/equipment movement
Loading/unloading of materials	Others: n/a
4. Waste / Chemical Management	
General	N/A Yes No Remarks
4.1 Registered as chemical waste producer?	
4.2 Sufficient receptacles (e.g. rubbish bins) available?	
4.3 Disposed of regularly and properly?	
4.4 Sorting of materials on-site for reuse or disposal to designated outlet?	
4.5 Records of quantities of waste generated, recycled and disposed properly kept?	✓ Verified via quarterly report
4.6 Collection of sludge by licensed collector at regular intervals?	Not required
Packaging of Chemical Waste	
4.7 Stored in suitable container?	
4.8 Container properly closed or sealed?	
4.9 Spillage cleaned up immediately through the use of absorbent?	
4.10 Obtained approval for the use of chemical waste container >450L?	
Labelling of Chemical Waste	
4.11 Provision of chemical waste label?	
a) Label is securely attached and visible?	
b) Label is bilingual and in proper dimension?	
c) Information is accurate and sufficient?	
Storage of Chemical Waste	
4.12 Proper "Chemical Waste" sign displayed?	
4.13 Incompatible wastes separated by impermeable partition?	
4.14 Containers kept in cabinet or receptacle of suitable material (if quantity <50L), of with drip trays capable of storing 110% of the volume of the largest container (if	
4.15 Enclosed on 3 sides with no less than 2m in height or height of tallest container of containers?	stack
4.16 Properly stored and locked in designated area with adequate ventilation?	
4.17 Storage area paved with concrete and kept clean and dry?	
4.18 Cover provided for outdoor storage area?	
4.19 Chemical waste collected by licensed collector?	



<u>Liqui</u>	id Waste Storage	
4.20	Storage area provided with permeation-proof floor or surface?	
4.21	Capacity of retention structure sufficient to accommodate contents of the largest container or 20% volume of the material in storage?	
4.22	Walls or partitions of stacked container storage area constructed of impermeable mater	rial?
5. La	andfill Gas (LFG) (within LFG Consultation Zone)	N/A Yes No Remarks
5.1	Alert workers and visitors of possible LFG hazards?	
5.2	Smoking and open fires prohibited?	
6. Ot	<u>thers</u>	N/A Yes No Remarks
6.1	Works confined within lot boundaries?	
6.2	Damage to surrounding areas avoided?	
6.3	Site lighting designed to avoid glare to surrounding receivers?	
6.4	Materials and machinery stored in an orderly manner?	
6.5	Areas within lot for recycling activities paved with concrete?	
6.6	Potential stagnant pools cleared and mosquito breeding prevented?	
6.7	Valid calibration certificate for any monitoring equipment?	
6.8	Valid licence(s) obtained for manufacture or storage of dangerous goods?	✓ Not required
	a) Storage area in compliance with the approved plan?	
	b) Storage area is securely locked?	
	c) Total storage capacity in compliance with relevant statutory requirement?	
	d) Proper labelling provided?	
	e) Dangerous goods properly packaged?	
Rem	arks:	
New	Observations	
•	No major environmental deficiency was observed.	
Signa	atures:	
ET R	depresentative: Operator Representative: Tenant Representative	entative: IEC Representative:
	Am was the	74n
Name	Henry POON Name May Wu Andy	Nog Name Hilton TAM
Date:	2021/11/15 Date - 7 DEC 2021 Date 1506	Date 2021 /12/06



	Inspection Date: 2021/12/15 Time: 11:00 Lot Number: P9 & 10 Tenant: HKBRC	Inspected by: Henry POON, Chris LO
Weat	Condition: V Sunny Fine Overcast Drizzle Temperature: 25 °C Humidity: High	Rain Storm Hazy ✓ Moderate Low
	Wind: Calm Light Breeze Strong	
<u>1. Ge</u>	<u>eneral</u>	N/A Yes No Remarks
1.1	Environmental Permit (EP) for Tenant displayed at entrances/exits?	EP for tenant is not required
1.2	Environmental Policy documented?	UPML's Environmental Policy is followed
1.3	Environmental Management Plan (EMP) kept up-to-date?	UPML's EMP is followed
1.4	Emergency Response Plan (ERP) documented?	✓ UPML's ERP is followed
1.5	All recycling processes in operation have been approved by WRG of EPD?	
1.6	Any record of complaint or prosecution?	
2 W	ater Quality	N/A Yes No Remarks
2.1	Valid Effluent Discharge Licence available?	No wastewater is generated from recycling process
2.1	a) Sampling record available?	recycling process
	b) Monitoring frequency met the licence requirement?	
	c) Monitoring result comply with the licence requirement?	
2.2	d) If exceedance is recorded, any follow-up action taken?	
2.2	Provision of wastewater treatment facility (WTF) prior to discharge?	
	a) Adequate capacity?	
	b) Properly maintained and function normally?	
2.3	Surface run-off control measures in place and adequately maintained?	
2.4	Surface run-off discharging into drainage system?	
2.5	All manholes covered?	
2.6	Foam, oil, grease, debris, rubbish and other objectionable matters prevented from entering nearby drains or sewer?	
2.7	Storage of materials and equipment located away from water bodies?	
2.8	Drainage system well maintained to prevent flooding or overflow?	Paradia a seconda de la constante de la consta
2.9	Processes or activities with high risk of contamination located under covered area?	Recycling process has low risk of contamination
2.10	Installation of stop-logs in perimeter drainage system for uncovered areas where recove process with potentially high level of contamination is carried out?	Stop-logs are available for use by tenant if needed.
2.11	Equipment oil and lubrication replacements performed only in bunded maintenance are	Replacement activity is not observed




2.12	Contaminated water collected in the surface drainage system is treated at water treatment facility or other appropriate treatment facility?	✓			No contaminated water is observed
2.13	Drainage from maintenance area discharged via oil interceptor?	✓			Not required
	a) Oil and grease removed regularly?	✓			
	b) Collected by licensed collector?	✓			
2.14	Follow Cargo Handling Guideline to minimise the chance of accidental spillage during loading and unloading adjacent to marine frontage?	√			Not required
2.15	Bulk cargo and materials packed properly?		√		
2.16	Temporary stockpiles covered during rainstorms?	✓			No dusty stockpile is observed
2.17	Measures to prevent the washing away of sand/silt to drains?	✓			No sand/silt is generated from the recycling process
3. Ai	r Quality	N/A	Yes	No	Remarks
3.1	Valid Specified Process (SP) Licence available for all specified process?		✓		Air Pollution Control (Specified Processes) Regulations
	a) SP Licence conditions / monitoring requirements comply?		✓		Measurement of 24-hr RSP required by SP Licence (July 2021)
3.2	Operate without generation of noticeable odour?		✓		
	a) If odour is detected, can the source be identified?		√		-
	b) Odourous materials covered?	✓			
	c) If odour control system is installed, is it operating normally?	√			
3.3	Dusty materials dampened prior to loading/unloading?	√			Management of 24 by DCD and in a law
3.4	Dust monitoring record available?		✓		Measurement of 24-hr RSP required by SP Licence (July 2021)
	a) Monitoring frequency met the licence requirement?		✓		
	b) Any exceedance?			√	
	c) If exceedance is recorded, follow-up action taken?			✓	
3.5	Dust-suppression measures provided where main dust-generating activities take place (i.e. enclosures or regular dampening)?		✓		
3.6	Open burning prohibited?		√		-
3.7	Emission from chimney or powered plant free of black smoke?		✓		
3.8	Vehicles and equipment switched off while not in use?		✓		
3.9	Obtained approval for installation/alteration of furnace, oven or chimney consuming over 25L liquid fuel/hour, or 35kg solid fuel/hour, or 1150MJ gaseous fuel/hour?	✓			Not required
3.10	Obtained approval for the use of liquid fuel with a viscosity point of ignition >30 centistokes or an equivalent viscosity?	✓			Not required
3.11	Air pollution control system properly maintained and function normally?		✓		
3.12	Dust collected by any air pollution control equipment installed by tenants tested to ensure compliance for landfill disposal?	✓			
	a) Obtained approval for the use of controlled refrigerant?	✓			
	b) If yes, record of refrigeration equipment service available?	√			
3.13	Only ultra-low sulphur diesel is used for activities requiring liquid fuel?	✓			
3.14	Public road around site entrance kept clean and free from dust?		✓		



3.15	Materials transported on trucks covered?		✓			Not observed
3.16	Truck loads to a level within the side and tail boards?		✓			Not observed
3.17	Stockpiles of dusty materials covered or regularly watered?		✓			No stockpile of dusty material is observed
3.18	Major dust source(s): Wind erosion	Vehic	le/eq	uipmer	nt move	ement
	Loading/unloading of materials	✓ Other	s:	n/a		
4. W:	aste / Chemical Management					
Gene	r <u>al</u>	N	N/A	Yes	No	Remarks
4.1	Registered as chemical waste producer?			√		
4.2	Sufficient receptacles (e.g. rubbish bins) available?			√		
4.3	Disposed of regularly and properly?			✓		
4.4	Sorting of materials on-site for reuse or disposal to designated outlet?			✓		
4.5	Records of quantities of waste generated, recycled and disposed properly kept?			\checkmark		Verified via quarterly report
4.6	Collection of sludge by licensed collector at regular intervals?		✓			Not required
Packa	aging of Chemical Waste					
4.7	Stored in suitable container?			√		
4.8	Container properly closed or sealed?			✓		
4.9	Spillage cleaned up immediately through the use of absorbent?			√		
4.10	Obtained approval for the use of chemical waste container >450L?			√		
<u>Label</u>	ling of Chemical Waste					
4.11	Provision of chemical waste label?			✓		
	a) Label is securely attached and visible?			✓		
	b) Label is bilingual and in proper dimension?			✓		
	c) Information is accurate and sufficient?			✓		
Storage of Chemical Waste						
4.12	Proper "Chemical Waste" sign displayed?			✓		
4.13	Incompatible wastes separated by impermeable partition?		✓			
4.14	Containers kept in cabinet or receptacle of suitable material (if quantity $<50L$), or with drip trays capable of storing 110% of the volume of the largest container (if q		L)?	✓		
4.15	Enclosed on 3 sides with no less than 2m in height or height of tallest container/s of containers?	stack		✓		
4.16	Properly stored and locked in designated area with adequate ventilation?			√		
4.17	Storage area paved with concrete and kept clean and dry?			√		
4.18	Cover provided for outdoor storage area?		√			
4.19	Chemical waste collected by licensed collector?			✓		



<u>Liqui</u>	d Waste Storage				
4.20	Storage area provided with	permeation-proof floor or surface?			
4.21		ure sufficient to accommodate cont lume of the material in storage?	ents of the		
4.22	Walls or partitions of stack	ed container storage area constructe	ed of impermeable material?		
5. La	ndfill Gas (LFG) (within L	FG Consultation Zone)		N/A Yes	No Remarks
5.1	Alert workers and visitors of	of possible LFG hazards?			<u> </u>
5.2	Smoking and open fires pro	phibited?			
<u>6. Ot</u>	<u>hers</u>			N/A Yes	No Remarks
6.1	Works confined within lot	ooundaries?			
6.2	Damage to surrounding are	as avoided?			
6.3	Site lighting designed to av	oid glare to surrounding receivers?		✓	
6.4	Materials and machinery stored in an orderly manner?				
6.5	Areas within lot for recycling activities paved with concrete?				
6.6	Potential stagnant pools cleared and mosquito breeding prevented?				
6.7	Valid calibration certificate	for any monitoring equipment?			
6.8	Valid licence(s) obtained for	or manufacture or storage of danger	ous goods?	✓	Not required
	a) Storage area in complian	ce with the approved plan?		✓	
	b) Storage area is securely	ocked?			
	c) Total storage capacity in	compliance with relevant statutory	requirement?	✓	
	d) Proper labelling provide	1?		\checkmark	
	e) Dangerous goods proper	y packaged?		/	
Rem	arks:				
New	<u>Observations</u>				
•	No major environmental de	ficiency was observed.			
Sign	atures:				
ET R	epresentative:	Operator Representative:	Tenant Representative:	,/	IEC Representative:
	Ym	<u>a</u>		W/K	7/h
Name	Henry POON	Name Susan Leung	Name: Andy N	3	Name: HTHON TAM
Date:	2021/12/16	Date 7 3 DEC 7071	Date: 2021 / 1.	2/31	Date: 2021/12/23



Issue 1______AEC

Date: 2021/10/25

EcoPark Operation SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2021/10/25 Time: 0 n/a Tenant:	9:30 - 12:45 Inspected	by: Henry POON, Timmy WONG
Weather			
Condition: Temperature: Wind:	Sunny Fine Overco	idity: High Moderate	Storm Hazy Low
New Observation			
<u>Baguio</u>			
· No major environ	nmental deficiency was observed.		
<u>FWMG</u>			
· No major enviror	nmental deficiency was observed.		
Other Areas			
· No major enviror	nmental deficiency was observed.		
Signatures:			
ET Representative:	Operator Representative:	Tenant Representative:	IEC Representative:
Ym			
Name: Henry POON	Name: May Wu	Name:	Name:

Date:

Date:

Date: 10 NOV 2021

EcoPark Operation

Date: 2021/11/15

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2021/11/15 Time:	09:30 - 12:45 Inspected by:	Henry POON, Timmy WONG
<u>Weather</u>			
Condition: Temperature: Wind:		ercast Drizzle Rain midity: High Moderate eze Strong	Storm Hazy Low
New Observation			
<u>Baguio</u>			
· No major environmenta	al deficiency was observed.		
<u>FWMG</u>			
· No major environmenta	al deficiency was observed.		
Other Areas			
· No major environmenta	al deficiency was observed.		
Signatures:			
ET Representative:	Operator Representative:	Tenant Representative:	IEC Representative:
Name: Henry POON	Name: May Wii	Name:	Name: Holton TAM

Date:

Date: 2021/12/06

Date: -7 DEC 2021

EcoPark Operation

SITE INSPECTION CHECKLIST



Inspection Date: Lot Number:	2021/12/15 Time:	09:30 - 12:45 Inspected	by: Henry POON, Chris LO
Weather			
Condition: Temperature: Wind:		reast Drizzle Rain nidity: High Moderate ze Strong	Storm Hazy Low
New Observation			
<u> 3aguio</u>			
· No major environment	al deficiency was observed.		
<u>FWMG</u>			
· No major environment	al deficiency was observed.		
Other Areas			
· No major environment	al deficiency was observed.		
Signatures:			
ET Representative:	Operator Representative:	Tenant Representative:	IEC Representative:
Mh			
Name: Henry POON	Name: Susan Leung	Name:	Name:
Date: 2021/12/16	Date: 2 9 DEC 2021	Date:	Date: