

# **North East New Territories (NENT) Landfill Extension**

Monthly Environmental  
Monitoring and Audit Report  
(No. 36) – November 2025

2025-12-11

Our Ref.: CL/91823/3189-VES  
Date: 11 December 2025

**By Email**

Veolia Hong Kong Holding Limited  
40/F, One Taikoo Place  
979 King's Road  
Quarry Bay  
Hong Kong

Attn.: Mr. Colin Mitchell

**Meinhardt Infrastructure and Environment Ltd**  
邁進基建環保工程顧問有限公司

10/F Genesis  
33-35 Wong Chuk Hang Road  
Hong Kong  
香港黃竹坑道33-35號  
創協坊10樓  
  
Tel 電話: +852 2858 0738  
Fax 傳真: +852 2540 1580  
  
mail@meinhardt.com.hk  
www.meinhardt-china.com  
www.meinhardtgroup.com

Dear Sir

Re: Contract No. EP/SP/77/15  
North-East New Territories Landfill Extension (NENTX)  
Monthly Environmental Monitoring and Audit Report (No.36) –  
November 2025

I refer to Condition 3.3 under Environmental Permit No. EP-292/2007 and Further Environmental Permit No. FEP-02/292/2007, regarding the submission of a monthly Environmental Monitoring and Audit report. I hereby verify the captioned "Monthly Environmental Monitoring and Audit Report (No.36) – November 2025" dated 11 December 2025.

Should you have any queries, please do not hesitate to contact the undersigned at 2859 5409.

Yours faithfully  
MEINHARDT INFRASTRUCTURE AND ENVIRONMENT LTD



Claudine Lee  
Independent Environmental Checker

**Aurecon Hong Kong Limited**  
Unit 1608, 16/F, Tower B,  
Manulife Financial Centre,  
223 – 231 Wai Yip Street, Kwun Tong  
Hong Kong

**T** +852 3664 6888  
**F** +852 3664 6999  
**E** hongkong@aurecongroup.com  
**W** aurecongroup.com



Ref: P521530-0000-REP-NN-0116

[By Email](#)

14 December 2025

**Meinhardt Infrastructure & Environment Ltd.**  
**10/F Genesis**  
**33-35 Wong Chuk Hand Road**  
**Hong Kong**

**Attn: Ms. Claudine Lee,**

**Dear Claudine,**

**Re: Contract No. EP/SP/77/15**  
**Northeast New Territories Landfill Extension**  
**Submission of Monthly Environmental Monitoring and Audit Report (No.36) – November 2025 R2**

---

In accordance with the requirement specified in Condition 3.3 of Environmental Permit No. EP-292/2007 and Further Environmental Permit No. FEP-02/292/2007, we are pleased to submit the certified "Monthly Environmental Monitoring and Audit Report (No.36) – November 2025 R2" dated 11 December 2025 for your verification.

Should you require any further information or clarification, please do not hesitate to contact the undersigned or our Mr. Keith Chau on 3664 6788.

Yours faithfully,  
For and on behalf of  
Aurecon Hong Kong Limited

A handwritten signature in blue ink, appearing to read "Fredrick Leong".

Fredrick Leong  
Environmental Team Leader

Encl.

1. Monthly Environmental Monitoring and Audit Report (No.36) – November 2025 R2

cc.

1. Veolia (Contractor) – Mr. Matt Choy (By email: matt.choy@veolia.com)

# Document Control Record

Document prepared by:

**Aurecon Hong Kong Limited**

Unit 1608, 16/F, Tower B, Manulife Financial Centre,  
223 – 231 Wai Yip Street, Kwun Tong, Kowloon

Hong Kong S. A. R.

**T** +852 3664 6888

**F** +852 3664 6999

**E** [hongkong@aurecongroup.com](mailto:hongkong@aurecongroup.com)

**W** aurecongroup.com

A person using Aurecon documents or data accepts the risk of:

- a) Using the documents or data in electronic form without requesting and checking them for accuracy against the original hard copy version.
- b) Using the documents or data for any purpose not agreed to in writing by Aurecon.

<b>Document control</b>							<b>aurecon</b>		
<b>Report title</b>		Monthly Environmental Monitoring and Audit Report (No. 36) - November 2025							
<b>Document ID</b>			<b>Project number</b>		P521531				
<b>File path</b>									
<b>Client</b>		Veolia Hong Kong Holding Ltd.							
<b>Client contact</b>			<b>Client reference</b>						
<b>Rev</b>	<b>Date</b>	<b>Revision details/status</b>	<b>Author</b>	<b>Reviewer</b>	<b>Verifier (if required)</b>	<b>Approver</b>			
0	10 Dec 2025	Draft	Jason Man	Keith Chau		Fredrick Leong			
1	11 Dec 2025	First Submission	Jason Man	Keith Chau		Fredrick Leong			
<b>Current revision</b>		1							

<b>Approval</b>			
Reviewer's signature		Approver's signature	
Name	Keith Chau	Name	Fredrick Leong
Title	Associate Director, Environmental	Title	Environmental Team Leader

# Contents

<b>Executive Summary .....</b>	<b>1</b>
<b>1. Introduction .....</b>	<b>4</b>
<b>2. Project Information .....</b>	<b>6</b>
<b>3. Air Quality Monitoring .....</b>	<b>11</b>
<b>4 Noise Monitoring.....</b>	<b>20</b>
<b>5 Water Quality Monitoring .....</b>	<b>26</b>
<b>6 Waste Management .....</b>	<b>35</b>
<b>7 Landfill Gas Monitoring.....</b>	<b>36</b>
<b>8 Landscape and Visual .....</b>	<b>42</b>
<b>9 Cultural Heritage .....</b>	<b>43</b>
<b>10 Ecological Monitoring .....</b>	<b>44</b>
<b>11 Site Inspection and Audit.....</b>	<b>45</b>
<b>12 Environmental Non-conformance .....</b>	<b>47</b>
<b>13 Implementation Status on Environmental Mitigation Measures .....</b>	<b>51</b>
<b>14 Future Key Issues .....</b>	<b>52</b>
<b>15 Conclusion.....</b>	<b>53</b>

## Figure

Figure 1	Location of the Project Site
Figure 2	Impact Air Quality, Noise & Surface Water Monitoring Locations
Figure 3	Landfill Gas Monitoring Locations

## Appendix

Appendix A	Construction Programme & Construction Site Activities
Appendix B	Project Organization Chart & Management Structure
Appendix C	Detail Status of FEP & EP Submission
Appendix D	Monitoring Schedule for Reporting Month & Next Month
Appendix E	Calibration Certificates
Appendix F	Monitoring Results
Appendix G	Graphical Presentations
Appendix H	Notification of Environmental Quality Limits Exceedance
Appendix I	Wind Data
Appendix J	Waste Flow Table
Appendix K	Joint Environmental Site Inspection Records
Appendix L	Environmental Mitigation Implementation Schedule (EMIS)
Appendix M	Mitigation Measures of Cultural Landscape Features
Appendix N	Cumulative Complaint / Enquiry Log, Summaries of Complaints and Enquiries

## Executive Summary

ES1. Aurecon Hong Kong Limited (Aurecon) was appointed to undertake the role of Environmental Team (ET) and carry out Environmental Monitoring and Audit for the North East New Territories (NENT) Landfill Extension.

ES2. The construction phase and EM&A programme of the Project commenced on 1 December 2022.

ES3. This 36<sup>th</sup> Monthly EM&A Report presents the EM&A works conducted from 1 to 30 November 2025 in accordance with the Updated EM&A Manual.

### Summary of Construction Works undertaken during Report Period

ES4. The major construction works undertaken during the reporting period include:

#### **ES Table1 Major Construction Works undertaken during the Reporting Period**

- Material loading and unloading, backfilling of material and site traffic at Portion A, SBA to alternative disposal ground
- Construction of site buildings at Portion D
- Site clearance at Portion A, B2/E1, E3-1 & E4
- Installation of permanent fencing at Portion A, B1 & E4
- Site formation at Portion A, B2/E1, E3-1 & E4
- Tree felling at whole site
- Shotcreting (Permanent and Temporary) at whole site
- Soil nail installation at Portion A, B2/E1 & E4
- Installation of minipile at Portion A
- Construction of RE wall at Portion E3-1
- Leachate plant installation at Portion A
- Linear installation at landfill area
- LFG plant installation at Portion A

### Environmental Monitoring and Audit Progress

ES5. A summary of the monitoring activities in this reporting period is listed below:

**ES Table2 Summary of the Monitoring Activities during the Reporting Period**

Items	Times	Date
- Air Quality Monitoring during normal weekdays at each monitoring station	5 times	1, 7, 13, 19 & 25 Nov 2025
- Construction Noise Monitoring during normal weekdays at each monitoring station	5 times	1, 6, 13, 19 & 25 Nov 2025
- Surface Water Quality Monitoring during normal weekdays at each monitoring station	1 time	6 Nov 2025
- Landfill Gas Monitoring during normal weekdays for Construction Works	25 times	1, 3 to 8, 10 to 15, 17 to 22 & 24 to 29 Nov 2025
- Joint Environmental Site Inspection	4 times	3, 10, 17 & 24 Nov 2025
- EPD General Site Inspection	1 time	12 Nov 2025

**Environmental Exceedance**

Air Quality, Surface Water Quality & Landfill Gas Monitoring

ES6. No exceedance of the Action and Limit Levels were recorded at designated monitoring stations during the reporting period.

Noise Monitoring

ES7. One (1) exceedance of the Action Level was recorded at NM1a based on the noise complaint received on 19 November 2025. In summary of the investigation, it concluded that the exceedance is not likely related to the NENT Landfill Extension project. No exceedance of the Limit Level was recorded at NM1a during the reporting period. No exceedance of the Action and Limit Levels were recorded at NM2a during the reporting period.

ES8. One (1) exceedance of the Action Level was recorded at NM1a based on the environmental noise complaint received on 27 Oct 2025. In summary of the investigation, it concluded that the exceedance is not likely related to the NENT Landfill Extension project.

**Environmental Non-Conformance/Summons and Prosecution**

ES9. No non-compliance event and summons/prosecutions were recorded during the reporting period.

**Environmental Complaint**

ES10. One (1) environmental complaint regarding construction noise was received on 19 Nov 2025. The related investigation had been completed during the reporting period. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project.

ES11. One (1) environmental complaint regarding the air quality & construction noise was received on 27 October 2025. The related investigation had been completed during the reporting period. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project.

**Reporting Change**

ES12. There was no reporting change in the reporting period.

### **Future Key Issues**

ES13. Works to be undertaken in the next month include:

#### **ES Table3 Major Construction Works undertaken during the Next Reporting Period**

- Material loading and unloading, backfilling of material and site traffic at Portion A, SBA to alternative disposal ground
- Construction of site buildings at Portion D
- Site clearance at Portion A, B2/E1, E3-1 & E4
- Installation of permanent fencing at Portion A, B1 & E4
- Site formation at Portion A, B2/E1, E3-1 & E4
- Tree felling at whole site
- Shotcreting (Permanent and Temporary) at whole site
- Soil nail installation at Portion A, B2/E1 & E4
- Installation of minipile at Portion A
- Construction of RE wall at Portion E3-1
- Leachate plant installation at Portion A
- Linear installation at landfill area
- LFG plant installation at Portion A

ES14. Potential environmental impacts arising from the above construction activities are mainly associated with air quality, construction noise, water quality, waste management, landfill gas monitoring, landscape and visual, cultural heritage and ecology.

# 1 Introduction

## 1.1 Background

1.1.1 The North East New Territories Landfill Extension (the NENTX Project) is located adjacent to the existing North East New Territories (NENT) Landfill at Ta Kwu Ling. The extension site is located in a valley covering mainly the existing NENT Landfill Stockpile and Borrow Area that was formed to the east of the existing landfill as part of the original site development of the landfill, and layout plan shown in **Figure 1**.

1.1.2 The NENTX is a designated project. The Environmental Impact Assessment (EIA) Report (AEIAR-111/2007) and an Environmental Monitoring and Audit Manual were approved on 20 September 2007. The project is governed by an Environmental Permit (EP) (EP-292/2007) which was granted on 26 November 2007. A further of EP (FEP) was applied and the FEP (FEP-01/292/2007) was subsequently granted on 28 April 2022. Another further of EP (FEP-02/292/2007) was subsequently granted on 23 August 2023. The Updated EM&A Manual was approved by Director of Environmental Protection (DEP) on 4 January 2024.

1.1.3 In accordance with the requirements specified in Section 2.7 to 2.11 and Section 12.3 of the Updated EM&A Manual and Condition 3.3 of EP and FEP, Monthly EM&A report should be submitted to DEP, within 2 weeks after the end of the reporting month. The submissions shall be certified by the Environmental Team (ET) Leader and verified by the Independent Environmental Checker (IEC).

1.1.4 The construction phase and EM&A programme of the Project commenced on 1 December 2022.

## 1.2 Nature, Scale and Scope of the captioned Designated Project

1.2.1 The Nature, Scale and Scope of the captioned Designated Project are presented in **Table 1-1**.

**Table 1-1 Nature, Scale and Scope of the captioned Designated Project**

Item(s)	Content
Nature of Designated Project	Construction and operation of a landfill for waste as defined in the "Waste Disposal Ordinance" (Cap. 354)
Scale and Scope of Designated Project	<p>The Project mainly consists of the followings: -</p> <p>Construction and operation of a landfill extension of about 70 hectares with a target void space of at least 19 million cubic metres on the eastern side of the existing NENT Landfill, including the followings: -</p> <ul style="list-style-type: none"><li>i. Site formation and preparation;</li><li>ii. Installation of liner system;</li><li>iii. Installation of leachate collection, treatment and disposal facilities;</li><li>iv. Installation of gas collection, utilization and management facilities;</li><li>v. Utilities provisions and drainage diversion;</li><li>vi. Landfilling operation;</li><li>vii. Restoration and aftercare in subsequent stages; and</li><li>viii. Measures to mitigate environmental impacts as well as environmental monitoring and auditing to be implemented.</li></ul>

## **1.3 Purpose of this Report**

1.3.1 This is the 36<sup>th</sup> Monthly EM&A Report which summarises the impact monitoring results and audit findings for the EM&A programme during the reporting period from 01 to 30 November 2025.

## **1.4 Structure of the Report**

1.4.1 The structure of the report is as follows:

Section 1 – Introduction

- details the background, purpose and structure of the report.

Section 2 – Project Information

- summarises background and scope of the Project, site description, project organization and contact details, construction programme, the construction works undertaken and the status of Environmental Permit(s)/License(s) during the reporting period.

Section 3 – Air Quality Monitoring

- Construction Dust

Section 4 – Noise Monitoring

Section 5 – Water Quality Monitoring

- Groundwater Monitoring

- Surface Water Monitoring

Section 6 – Waste Management

Section 7 – Landfill Gas Monitoring

Section 8 – Landscape and Visual

Section 9 – Cultural Heritage

Section 10 – Ecological Monitoring

Section 11 – Site Inspection and Audit

Section 12 – Environmental Non-Conformance

Section 13 – Implementation Status on Environmental Mitigation Measures

Section 14 – Future Key Issues

Section 15 – Conclusion

## 2 Project Information

### 2.1 Construction Activities

2.1.1 Construction programme and a summary of the major construction activities undertaken in this reporting period is shown in **Appendix A**. The major construction works undertaken during the reporting period is presented in **Table 2-1**.

**Table 2-1 Major Construction Works undertaken during the Reporting Period**

- Material loading and unloading, backfilling of material and site traffic at Portion A, SBA to alternative disposal ground
- Construction of site buildings at Portion D
- Site clearance at Portion A, B2/E1, E3-1 & E4
- Installation of permanent fencing at Portion A, B1 & E4
- Site formation at Portion A, B2/E1, E3-1 & E4
- Tree felling at whole site
- Shotcreting (Permanent and Temporary) at whole site
- Soil nail installation at Portion A, B2/E1 & E4
- Installation of minipile at Portion A
- Construction of RE wall at Portion E3-1
- Leachate plant installation at Portion A
- Linear installation at landfill area
- LFG plant installation at Portion A

### 2.2 Project Organization & Management Structure

2.2.1 The Project Organization Chart & Management Structure are shown in **Appendix B**. The key personnel contact information is summarized in **Table 2-2**.

**Table 2-2 Contact Information of Key Personnel**

Party	Name	Contact Number
Contractor (Veolia Hong Kong Holding Ltd.)	Mr. Matt Choy	2902 5296
Independent Environmental Checker (IEC) (Meinhardt Infrastructure and Environment Ltd.)	Ms. Claudine Lee	2859 5409
Environmental Team Leader (ETL) (Aurecon Hong Kong Limited)	Mr. Fredrick Leong	3664 6888

## 2.3 Status of Submission required under the EP & FEP during reporting period

2.3.1 The status of statutory environmental compliance with the EP & FEP conditions under the EIAO, submission status under the EP & FEP during reporting period are presented in **Table 2-3**. The detail status of statutory environmental compliance with the EP & FEP conditions under the EIAO, submission status under the EP & FEP for NENTX project are shown in **Appendix C**.

**Table 2-3 Status of Submissions required under the EP & FEP during Reporting Period**

EP Condition	FEP Condition	Submission / Measures	Status
2.3	2.1	Management Organization of Main Construction Companies	Submitted
2.4	2.2	Setting up of Community Liaison Group (CLG)	Community Liaison Group was set up.
2.5	2.3	Submission of EM&A Manual	Submitted
2.6	2.4	Submission of Preservation of Cultural Landscape Features	Submitted
2.7	2.5	Submission of Vegetation Survey (Transplantation Proposal)	Submitted
2.8	2.6	Submission of Translocation Proposal	Submitted
2.9	2.7	Submission of Transplantation Report and Post-Transplantation Monitoring	Submitted
2.10	2.8	Submission of Translocation Report and Post-Translocation Monitoring	Submitted
2.11	2.9	Submission of Detailed Landfill Gas Hazard Assessment Report	Submitted
2.12	2.10	Submission of Waste Management Plan	Submitted
2.13	2.11	Submission of Landscape Plan	Submitted
3.2	3.2	Submission of Baseline Monitoring Report	Submitted
3.3	3.3	Submission of Monthly EM&A Report	Submitted

## 2.4 Status of Environmental Approval Document

2.4.1 A summary of the relevant valid permits, licences, and/or notifications on environmental protection for this Project since the granting of the EP & FEP is presented in **Table 2-4**.

**Table 2-4 Summary of the Relevant Valid Permits, Licences, and/or Notifications on Environmental Protection**

Permit / Licenses / Notification	Reference	Expiry Date	Remark
Environmental Permit (EP)	EP-292/2007	Throughout the Contract	Permit granted on 26 November 2007
Further Environmental Permit (FEP)	FEP-01/292/2007	Throughout the Contract	Permit granted on 28 April 2022
	FEP-02/292/2007	Throughout the Contract	Permit granted on 23 August 2023
Notification of Construction Works as required under Air Pollution Control (Construction Dust) Regulation	479809	Throughout the Construction Phase	Notified on 13 May 2022
Registration of Waste Producer under Waste Disposal Ordinance	7043692	Throughout the Contract	Registered on 13 April 2022
Construction Noise Permit	GW-RN0899-25	18 December 2025	Permit granted on 4 August 2025
Registration as Chemical Waste Producer	5213-642-V2370-01	Throughout the Contract	Registered on 20 February 2025
Effluent Discharge License under Water Pollution Control Ordinance	WT00047198-2025	30 September 2030	Permit granted on 5 September 2025

## 2.5 Environmental Monitoring and Audit Progress

2.5.1 A summary of the monitoring activities in this reporting period is presented in **Table 2-5**.

**Table 2-5 Summary of the Monitoring Activities in this Reporting Period**

Items	Times	Date
- Air Quality Monitoring during normal weekdays at each monitoring station	5 times	1, 7, 13, 19 & 25 Nov 2025
- Construction Noise Monitoring during normal weekdays at each monitoring station	5 times	1, 6, 13, 19 & 25 Nov 2025
- Surface Water Quality Monitoring during normal weekdays at each monitoring station	1 time	6 Nov 2025
- Landfill Gas Monitoring during normal weekdays for Construction Works	25 times	1, 3 to 8, 10 to 15, 17 to 22 & 24 to 29 Nov 2025
- Joint Environmental Site Inspection	4 times	3, 10, 17 & 24 Nov 2025
- EPD General Site Inspection	1 time	12 Nov 2025

### Air Quality

2.5.2 5 sets of 1-hr & 24-hr TSP construction dust measurement were carried out at each monitoring stations during normal weekdays of the reporting period. No Action / Limit Level exceedance for 1-hr & 24-hr TSP impact monitoring was recorded during the period.

### Noise

2.5.3 5 sets of 30-minute construction noise measurement were carried out at each monitoring stations during normal weekdays of the reporting period. One (1) exceedance of the Action Level was recorded at NM1a based on the noise complaint received on 19 November 2025. No exceedance of the Limit Level was recorded at NM1a during the reporting period. No exceedance of the Action and Limit Levels were recorded at NM2a during the reporting period.

### Groundwater

2.5.4 The baseline groundwater monitoring was commenced on 28 March 2025. The details of baseline groundwater monitoring will be presented in the Baseline Monitoring Report.

### Surface Water Quality

2.5.5 1 set of surface water quality measurement were carried out at each monitoring stations during normal weekdays of the reporting period. No exceedance of Action and Limit Level of surface water quality at each monitoring stations was recorded during the reporting period.

### Landfill Gas

2.5.6 25 sets of landfill gas measurement were carried out at the designated monitoring locations during normal weekdays of the reporting period. No exceedance of Action and Limit Levels of landfill gas was recorded during the reporting period.

### **Landscape and Visual**

2.5.7 All the specified and affected LCAs, LRs and VSRs have been monitored during the reporting period. No exceedance of Action and Limit Levels of landscape and visual was recorded during the reporting period.

### **Cultural Heritage**

2.5.8 Implementation of the mitigation measures during construction phase of the Project has been monitored through the regular site inspection/audit.

### **Ecology**

2.5.9 Implementation of the mitigation measures during construction phase of the Project has been monitored through the regular site inspection/audit.

### **Environmental Site Inspection**

2.5.10 4 weekly environmental site inspections were carried out during the reporting period. A joint environmental site inspection was carried out by the representatives of the Employer's Representative (ER), the Contractor, IEC and the ET on 24 November 2025. The Contractor has generally implemented part of the mitigation measures as recommended. One (1) general site inspection was conducted by Environmental Protection Department-Regional Office (North) (EPD-RNG) during the reporting period.

### 3 Air Quality Monitoring

#### 3.1 Construction Dust

##### 3.1.1 Monitoring Requirement

3.1.1.1 In accordance with the Updated EM&A Manual, 1-hr & 24-hr Total Suspended Particulates (TSP) levels should be measured at the designated air quality monitoring stations in every 6 days to ensure that any deteriorating air quality could be readily detected, and timely action shall be undertaken to rectify such situation. For 1-hr TSP monitoring, the sampling frequency of at least three times in every six-days should be undertaken when the highest dust impact occurs. The specific time to start and stop the 24- hr TSP monitoring shall be clearly defined for each location.

##### 3.1.2 Monitoring Parameters, Frequency and Location

3.1.2.1 According to the Updated EM&A Manual, three monitoring stations namely AM(D)1, AM(D)2 and AM(D)3 are selected for the impact monitoring.

3.1.2.2 A baseline monitoring plan has been submitted to IEC and EPD on 31 May 2022 including the proposal with justification of change of monitoring locations. Due to limited access to the original monitoring locations at AM(D)1, AM(D)2 and AM(D)3, the adjusted stations at AM1, AM2 and AM3 were agreed with IEC prior to the baseline and impact monitoring. The locations of adjusted dust monitoring locations are shown in **Figure 2**.

3.1.2.3 The detailed monitoring schedule is shown in **Appendix D**. The locations of dust monitoring stations are shown in **Table 3-1**. The monitoring parameters, frequency and duration are shown in **Table 3-2**.

**Table 3-1 Locations of Dust Monitoring Stations**

Monitoring Station	Representative For	Monitoring Parameters
AM1	Tung Lo Hang	1-hr and 24-hr TSP
AM2	Heung Yuen Wai	1-hr and 24-hr TSP
AM3	Wo Keng Shan Tsuen	1-hr and 24-hr TSP

Remarks:

The contractor passed correspondence including original monitoring locations specified on the Approved EM&A Manual to the village representatives on 26 April 2022. After a meeting with Ta Kwu Ling District Rural Committee (RC) Chairman, representative from the RC and a few villagers on 1 May 2022, all the Village Heads of Wo Keng Shan Tsuen, Heung Yuen Wai and Lin Ma Hang verbally refused to accept our proposal for installation of dust and / or noise monitoring equipment within or next to their villages, for the baseline & impact monitoring.

AM(D)1 Tung Lo Hang, AM(D)2 Heung Yuen Wai, AM(D)3 Wo Keng Shan Tsuen are the air monitoring stations for the construction phase EM&A programme as identified in the approved EM&A Manual for the Project. The access to Tung Lo Hang, Heung Yuen Wai and Wo Keng Shan Tsuen were denied. A search for alternative air monitoring locations (AM1, AM2 & AM3) was carried out during the site visit.

The Baseline Monitoring Plan has been submitted to IEC and EPD including the proposal of change of monitoring locations on 31 May 2022. This arrangement was conducted between baseline and impact monitoring and has been agreed by the Independent Environmental Checker (IEC) and no comment received from EPD.

Due to the adjustment of the location of AM(D)1, AM(D)2 & AM(D)3 to AM1, AM2 & AM3, the measured air quality levels at AM1, AM2 & AM3 would represent the air quality levels at AM(D)1, AM(D)2 & AM(D)3.

**Table 3-2      Dust Impact Monitoring Parameters, Frequency and Duration**

Monitoring Station	Parameter	Frequency and Duration
AM1, AM2, AM3	1-hr TSP	At least 3 times per 6 days
	24-hr TSP	1 time per 6 days

### 3.1.3 Monitoring Equipment

3.1.3.1 High volume samplers (HVSs) were used for carrying out 24-hr TSP monitoring. For 1-hr TSP monitoring, direct reading dust meters were used to measure 1-hr TSP levels.

3.1.3.2 **Table 3-3** summarises the equipment that were used in the dust monitoring programme. The calibration certificates are shown in **Appendix E**.

**Table 3-3      Dust Monitoring Equipment**

Equipment	Model	Expiry Date	Monitoring Station
High Volume Sampler (HVS)	TE-5170X (S/N: 1105)	3 Dec 2025	AM1
	TE-5170X (S/N: 1106)		AM2
	TE-5170X (S/N: 1856)		AM3
Direct Reading Dust Meter	Sibata LD-5R (S/N: 0Z4545)	12 Sep 2026	AM1 to AM3
	Sibata LD-5R (S/N: 882106)		
	Sibata LD-5R (S/N: 942532)		
Calibration Kit (for HVS)	TE-5025A (S/N: 3465)	2 Dec 2025	AM1 to AM3

Remarks:

The Expiry Date of Calibration Kit (for HVS) reflected that the calibration certificate fulfils the bi-monthly calibration interval requirement for the HVS.

### 3.1.4 Monitoring Methodology

#### 1-hr TSP Monitoring

3.1.4.1 The 1-hr TSP impact monitoring was conducted using a portable direct reading dust meter.

#### **Measuring Procedures**

3.1.4.2 The measuring procedures of the 1-hr dust meter has been undertaken in accordance with the Manufacturer's Instruction Manual as follows:

##### Procedure of starting monitoring

- Place the 1-hr dust meter at least 1.3m above ground;
- Turn on the “On/Off” button at the side of instrument. Program will be changed to “BG” mode and leave it for 1 minute.
- Pull out the Suction adaptor and turn the button at the side. Cover with hand at the suction adaptor measure the background for 10 seconds.
- Press “UP” and “DOWN” for choosing “SPAM Mode” for SPAM Measurement.
- Press “Up” and “Down” to select “Measurement Mode” with 60 minutes interval and unit in ug/m<sup>3</sup>.
- Press “Start/Stop” to start monitoring.

##### Procedure of setting measurement timer

- Press “Up” or “Down” to find “Setting LOG”.
- Select “Record Cycle” and change the record time subject to different project requirement. For example, setting the record cycle as 60 minutes for normal operation.
- Press “ESCAPE” back to the main page.
- Press “Up” or “Down” to access “Measurement Timer” and select “Measurement time” to change the time to 3 hours.
- Information such as sampling date, time, count value and site condition will be recorded during the monitoring period.

#### **Calibration & Maintenance**

3.1.4.3 The direct reading dust meters will be verified against calibrated high volume samples (HVSs) annually. A 2-day, three 3-hour measurement results per day from direct reading dust meter will be taken to compare with the sampling results from the HVS. The correlation between the direct reading dust meter and the HVS will then be concluded. By accounting for the correlation factor, the direct reading dust meter will be considered to achieve comparable results as that of the HVS.

3.1.4.4 All digital dust indicator will be calibrated with on-site HVS annually. Calibration certificate will be provided after calibration. The Calibration process shall eyewitness with the representative of ET & IEC.

### Quality Audit

3.1.4.5 Checklist of regular checking for digital dust meter will be conducted bi-weekly by environmental technician to ensure the all-digital dust meter are in good condition and submitted to supervisors. All checklists will be kept by supervisors.

3.1.4.6 Logbook is provided to environmental technician record the transferal of equipment to other colleagues, reporting to supervisors is required.

### 24-hr TSP Monitoring

3.1.4.7 The 24-hr TSP monitoring has been conducted using a High-Volume Sampler (HVS).

### Measuring Procedures

3.1.4.8 The HVS has been set-up at the monitoring location with a fixed power supply for operation. The measuring procedures of the 24-hr TSP measurements has been undertaken in accordance with the specifications listed in the EM&A Manual. Each HVS includes a motor, a filter holder, a flow controller and a sampling inlet in accordance with the performance specification of the USEPA Standard Title 40, Code of Federation Regulations Chapter 1 (Part 50), Appendix B. The measuring procedures of the 24-hr dust meter was undertaken in accordance with the Manufacturer's Instruction Manual as follows:

- The power supply will be checked to ensure the HVS works properly;
- The filter holder and the area surrounding the filter will be cleaned;
- The filter holder will be removed by loosening the four bolts and a new filter on a supporting screen will be aligned carefully;
- The filter will be properly aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter;
- The swing bolts will be fastened to hold the filter holder down to the frame. The pressure applied should be sufficient to avoid air leakage at the edges;
- The shelter lid will be closed and secured with the aluminium strip;
- The HVS will be warmed-up to establish run-temperature conditions;
- A new flowrate record sheet will be set into the flow recorder;
- The programmable timer will be set for a sampling period of 24 hour, and the starting time, weather condition and the filter number will be recorded;
- The initial elapsed time will be recorded;
- At the end of sampling, the sampled filter will be removed carefully and folded in half-length so that only surfaces with collected particulate matter will be in contact;
- The sample will be placed in a clean plastic envelope and sealed;
- All monitoring information will be recorded on a standard data sheet; and
- The filters will be taken back to HOKLAS accredited laboratory for analysis.

3.1.4.9 In addition, site conditions and dust sources were recorded in a standard form for direct input into a database.

### Calibration & Maintenance

3.1.4.10 The high volume motors and their accessories should be properly maintained, including routine motor brushes replacement and electrical wiring checking, to ensure that the equipment and a continuous power supply were in good working condition.

3.1.4.11 Initial calibration of dust monitoring equipment shall be conducted upon installation and thereafter at bi-monthly intervals. The transfer standard shall be traceable to the internationally recognized primary standard and be calibrated annually.

The detail procedure of calibration of HVS is listed below:

1. Make sure the electrical circuit is connected properly. The motor should be directly connected to the power source.
2. Open the top cover and unlock the screws at the four corners.
3. Install the orifice and adapter plate to high volume air sample. Tighten the nut securely. Turn the knob of orifice clock-wise to close the four holes on the bottom open.
4. Hold the water manometer on the cover of mass flow controller vertically. Connect one side of a water manometer to the pressure tap on the side of the orifice with a rubber vacuum tube. Leave opposite side of the manometer open to the atmosphere.
5. Turn on the sampler
6. Five flow rates are achieved by changing the different plates to change the resistance. Record the manometer reading and the reading from continuous flow recorder. At least 5 sets of data should be recorded.

3.1.4.12 The Calibration process shall eyewitness with the representative of ET & IEC.

### 3.1.5 Monitoring Results

3.1.5.1 The impact dust monitoring results are summarized in **Table 3-4** and **Table 3-5**. The monitoring data together with graphical presentations are presented in **Appendix F** and **Appendix G**.

**Table 3-4 Summary of Impact 1-hr TSP Monitoring Results**

Month	Average 1-hr TSP Concentration, $\mu\text{g}/\text{m}^3$ (Range)		
	Dust Monitoring Station		
	AM1	AM2	AM3
Nov 2025	31 (15 – 40)	42 (38 – 51)	53 (43 – 62)
Action Level	>285	>279	>285
Limit Level	>500		

**Table 3-5 Summary of Impact 24-hr TSP Monitoring Results**

Month	Average 24-hr TSP Concentration, $\mu\text{g}/\text{m}^3$ (Range)		
	Dust Monitoring Station		
	AM1	AM2	AM3
Nov 2025	68 (50 – 76)	76 (71 – 83)	91 (81 – 102)
Action Level	>164	>152	>163
Limit Level	>260		

3.1.5.2 The Summary of Impact 1-hr & 24-hr TSP Exceedance during the reporting period are shown in **Table 3-6**. The Notification of Environmental Quality Limits Exceedances are presented in **Appendix H**.

**Table 3-6 Summary of Impact 1-hr & 24-hr TSP Exceedance during the Reporting Period**

Dust Monitoring Station		AM1		AM2		AM3	
Level Exceedance		Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level
Parameters	1-hr TSP	Exceedance Date	-	-	-	-	-
	24-hr TSP	Exceedance Date	0	0	0	0	0
Parameters	1-hr TSP	Exceedance Count	-	-	-	-	-
	24-hr TSP	Exceedance Count	0	0	0	0	0

Remarks: \* equal to non-project related

3.1.5.3 No Action / Limit Level exceedance for 1-hr & 24-hr TSP impact monitoring at AM1, AM2 & AM3 was recorded during the period.

### 3.1.6 Wind Data Monitoring

3.1.6.1 During the monitoring period, wind data from existing weather station in the vicinity of the designated monitoring location, i.e Ta Kwu Ling station operated by Hong Kong Observatory was adopted. It is considered that the wind data obtained from Ta Kwu Ling station are representative of the Project area and could be used for the construction dust monitoring programme for the Project. The results for wind data monitoring are presented in **Appendix I**.

### **3.1.7 Recommended Mitigation Measures**

3.1.7.1 The recommended dust mitigation measures from EIA report are listed as followed:

- The contractor shall follow the procedures and requirements given in the Air Pollution Control (Construction Dust) Regulation.
- Dust emission from construction vehicle movement is confined within the worksites area.
- Watering facilities will be provided at every designated vehicular exit point.
- Good site practice is recommended during construction phase.

### **3.1.8 Event and Action Plan**

3.1.7.2 Should non-compliance of the criteria occur, action in accordance with the action plan in **Table 3-7** shall be carried out.

**Table 3-7 Event and Action Plan for Dust Impact**

Event	ET	IEC	Contractor
Exceedance of Action Level			
Exceedance for one sample	<ul style="list-style-type: none"> <li>Identify source</li> <li>Prepare Notification of Exceedance</li> <li>Inform IEC and Contractor</li> <li>Repeat measurement to confirm findings</li> <li>Increase monitoring frequency to daily if exceedance is due to the Project and continue until the monitoring results reduce to below action level</li> </ul>	<ul style="list-style-type: none"> <li>Verify the Notification of Exceedance</li> <li>Check monitoring data submitted by ET and Contractor's working methods</li> <li>Discuss with ET and Contractor on proposed remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>Rectify any unacceptable practice</li> <li>Amend working methods if appropriate</li> </ul>
Exceedance for two or more consecutive samples	<ul style="list-style-type: none"> <li>Identify source</li> <li>Prepare Notification of Exceedance</li> <li>Inform Contractor and IEC</li> <li>Repeat measurements to confirm findings</li> <li>Increase monitoring frequency to daily if exceedance is due to the Project and continue until the monitoring results reduce to below action level</li> <li>Discuss with IEC for remedial action required</li> <li>Ensure remedial measures are properly implemented</li> <li>Continue monitoring at daily intervals if exceedance is due to the Project</li> <li>If no exceedance for 3 consecutive days, cease additional monitoring</li> </ul>	<ul style="list-style-type: none"> <li>Verify the Notification of Exceedance</li> <li>Check monitoring data submitted by ET and Contractor's working methods</li> <li>Discuss with ET and Contractor on proposed remedial measures</li> <li>Review with analysed results submitted by ET</li> <li>Review the proposed remedial measures by Contractor</li> <li>Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>Submit proposals for remedial actions to IEC within 3 working days of notification</li> <li>Implement the agreed proposals</li> <li>Amend proposal if appropriate</li> </ul>

Event	ET	IEC	Contractor
Exceedance of Limit Level			
Exceedance for one sample	<ul style="list-style-type: none"> <li>Identify source</li> <li>Prepare Notification of Exceedance</li> <li>Inform IEC and Contractor</li> <li>Repeat measurement to confirm findings</li> <li>Increase monitoring frequency to daily if exceedance is due to the Project and continue until the monitoring results reduce to below limit level</li> <li>Assess effectiveness of Contractor's remedial actions and keep EPD and IEC informed of the results</li> </ul>	<ul style="list-style-type: none"> <li>Verify the Notification of Exceedance</li> <li>Check monitoring data submitted by ET and Contractor's working methods</li> <li>Discuss with ET and Contractor potential remedial actions</li> <li>Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>Take immediate action to avoid further exceedance</li> <li>Submit proposals for remedial actions to IEC within 3 working days of notification</li> <li>Implement the agreed proposals</li> <li>Amend proposal if appropriate</li> </ul>
Exceedance for two or more consecutive samples	<ul style="list-style-type: none"> <li>Identify source</li> <li>Prepare Notification of Exceedance</li> <li>Inform IEC and EPD the causes and actions taken for the exceedances</li> <li>Discuss with IEC for remedial action required</li> <li>Ensure remedial measures are properly implemented</li> <li>Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and informed of the results</li> <li>Increase monitoring frequency to confirm findings</li> <li>If exceedance stops, cease additional monitoring</li> </ul>	<ul style="list-style-type: none"> <li>Verify the Notification of Exceedance</li> <li>Check monitoring data submitted by ET and Contractor's working methods</li> <li>Discuss amongst ET and Contractor on the potential remedial actions.</li> <li>Review Contractor's remedial actions whenever necessary to assure their effectiveness</li> <li>Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>Take immediate action to avoid further exceedance</li> <li>Submit proposals for remedial actions to IEC of notification</li> <li>Implement the agreed proposals</li> <li>Resubmit proposals if problem still not under control</li> <li>Stop the relevant activity of works until the exceedance is abated</li> </ul>

## 4 Noise Monitoring

### 4.1 Monitoring Requirement

4.1.1 In accordance with the Updated EM&A manual, noise impact monitoring shall be carried out at 2 monitoring stations NM1a and NM2a once a week during normal construction working hour (0700-1900 Monday to Saturday). The minimum logging interval shall be 30 minutes with average of 6 consecutive  $L_{eq}$  (5 mins),  $L_{10}$  and  $L_{90}$  shall also be measured at 5 mins intervals.

### 4.2 Monitoring Locations, Parameters and Frequency

4.2.1 According to the Updated EM&A Manual, two monitoring stations namely NM1 and NM2 are selected for the impact monitoring.

4.2.2 A baseline monitoring plan has been submitted to IEC and EPD on 31 May 2022 including the proposal with justification of change of monitoring locations. Due to limited access to the original monitoring locations at NM1 and NM2, the adjusted stations at NM1a and NM2a were agreed with IEC prior to the baseline and impact monitoring. The noise monitoring locations are summarized in **Table 4-1** and shown in **Figure 2**.

4.2.3 The detailed monitoring schedule is shown in **Appendix D**. The frequency and duration are shown in **Table 4-2**.

**Table 4-1 Noise Monitoring Locations**

Monitoring Station	Representative for	Type of Measurement
NM1a	Wo Keng Shan Tsuen	Free field
NM2a	Lin Ma Hang	Free field

Remarks:

The contractor passed correspondence including original monitoring locations specified on the Approved EM&A Manual to the village representatives on 26 April 2022. After a meeting with Ta Kwu Ling District Rural Committee (RC) Chairman, representative from the RC and a few villagers on 1 May 2022, all the Village Heads of Wo Keng Shan Tsuen, Heung Yuen Wai and Lin Ma Hang verbally refused to accept our proposal for installation of dust and / or noise monitoring equipment within or next to their villages, for the baseline & impact monitoring.

NM1 Wo Keng Shan Tsuen & NM2 Lin Ma Hang are the noise monitoring stations for the construction phase EM&A programme as identified in the approved EM&A Manual for the Project. The access to Tung Lo Hang, Heung Yuen Wai and Wo Keng Shan Tsuen were denied. A search for alternative noise monitoring locations (NM1a & NM2a) was carried out during the site visit.

The Baseline Monitoring Plan has been submitted to IEC and EPD including the proposal of change of monitoring locations on 31 May 2022. This arrangement was conducted between baseline and impact monitoring and has been agreed by the Independent Environmental Checker (IEC) and no comments received from EPD. Noise measurement at NM1a & NM2a will be considered as free-field and a correction of +3dB(A) would be made to the noise monitoring results.

Due to the adjustment of the location of NM1 & NM2 to NM1a & NM2a, the measured noise levels at NM1 & NM2 would represent the noise levels at NM1 & NM2.

**Table 4-2 Noise Monitoring Parameters, Frequency and Duration**

Monitoring Station	Parameter	Frequency and Duration
NM1a and NM2a	$L_{eq}$ (30mins) average of 6 consecutive $L_{eq}$ (5min); $L_{A10(5min)}$ & $L_{A90(5min)}$	Once a week during normal construction working hour (0700-1900 Monday to Saturday)

## 4.3 Monitoring Equipment

4.3.1 Integrating Sound Level Meter (SLM) was used for noise impact monitoring. The SLM complied with International Electrotechnical Commission Publications 651:1979 (Type 1) and 804:1985 (Type 1) specifications shall be used for carrying out noise monitoring. The accuracy of the SLM was checked using an acoustic calibrator generating a known sound pressure level at a known frequency. Measurements shall be accepted as valid only if the calibration level from prior to and after the noise measurement agrees to within 1.0dB.

4.3.2 A portable wind speed meter was used for measuring wind speeds in m/s.

4.3.3 **Table 4-3** summarises the equipment that have been used in the impact noise monitoring programme. The calibration certificates are shown in **Appendix E**.

**Table 4-3 Noise Monitoring Equipment**

Equipment	Model	Expiry Date
Sound Level Meter	NTi XL2 (S/N: A2A-13661-E0)	6 Aug 2026
Acoustic Calibrator	Rion NC-75 (S/N: 34724245)	10 Jul 2026
Anemometer	UNI-T UT363 (S/N: C222415356)	17 Feb 2027

## 4.4 Monitoring Methodology

4.4.1 The details of noise measurement procedures are described as follows:

- Free-field measurements were made at the monitoring locations.
- For free field, the Sound Level Meter was set at a height of 1.2 m above the ground. The battery condition was checked to ensure the proper functioning of the meter.
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
  - Frequency weighting: A
  - Time weighting: Fast
- Measurement time: 5 minutes (Leq (30-min) would be determined for daytime noise by calculating the logarithmic average of six Leq (5min) data.)
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94.0 dB at 1000 Hz. If the difference in the calibration level before and after measurement was more than 1.0 dB, the measurement would be considered invalid and repeat of noise measurement would be required after recalibration or repair of the equipment.
- Noise measurement should be paused during periods of high intrusive noise if possible and observation shall be recorded when intrusive noise is not avoided.
- At the end of the monitoring period, the Leq, L10 and L90 shall be recorded. In addition, site conditions and noise sources should be recorded on a standard record sheet.
- All noise monitoring will be conducted with the wind speed not exceeding 5m/s and no gusts exceeding 10m/s.

## Calibration & Maintenance

4.4.2 The sound level meter, sound calibrator, and anemometer should be properly maintained to ensure that the equipment and a continuous power supply were in good working condition. The sound level meter and sound calibrator will be calibrated annually. The anemometer will be calibrated two years interval in accordance with the HOKLAS Supplementary Criteria No.2. Calibration certificate will be provided after calibration.

4.4.3 The microphone head of the sound level meter and calibrator should be cleaned with a soft cloth at quarterly intervals.

## 4.5 Monitoring Results

4.5.1 The impact noise monitoring results are summarized in **Table 4-4**. The monitoring data together with graphical presentations are presented in **Appendix F** and **Appendix G**.

**Table 4-4 Summary of Noise Monitoring Results during Normal Working Hours (07:00-19:00, Monday to Saturday)**

Month	Average Leq, 30min, dB(A) (Range)	
	Noise Monitoring Station	
	NM1a	NM2a
Nov 2025	58.3 (54.0 – 60.1)	53.9 (45.0 – 58.4)
<b>Action Level</b>	<b>When one documented complaint is received</b>	
<b>Limit Level</b>	<b>&gt;75dB(A)</b>	

Remark:

- (1) \* A correction of +3 dB(A) was made to the free field measurements
- (2) If works are to be carried out during restricted hours, the conditions stipulated in the construction noise permit issued by the Noise Control Authority have to be followed.

4.5.2 One (1) exceedance of the Action Level was recorded at NM1a based on the noise complaint received on 19 November 2025. The related investigation had been completed during the reporting period. The investigation results are summarised below:

### Action Level Exceedance on 19 November 2025

4.5.3 It was noted from EPD-LDG's email to the ET on 19 November 2025 regarding the construction noise complaint from Wo Keng Shan Tsuen's villager on 13 November 2025. In summary of the investigation, it concluded that the exceedance is not likely related to the NENT Landfill Extension project based on the noise monitoring results, construction activities and related mitigation measures, implementation condition of noise control measures via joint weekly site inspections from 1 to 24 November 2025, and additional daytime and night investigations.

4.5.4 No exceedance of the Limit Level was recorded at NM1a during the reporting period. No exceedance of the Action and Limit Levels were recorded at NM2a during the reporting period. Therefore, the record of Notification of Environmental Quality Limits Exceedance is presented in the **Appendix H**.

4.5.5 One (1) exceedance of the Action Level was recorded at NM1a based on the environmental noise complaint received on 27 Oct 2025. The related investigation had been completed during the reporting period. The investigation results are summarised below:

#### Action Level Exceedance on 27 October 2025

4.5.6 It was noted from EPD-LDG's email to the ET on 27 October 2025 regarding the construction noise complaint from Wo Keng Shan Tsuen's villager on 22 October 2025. In summary of the investigation, it concluded that the exceedance is not likely related to the NENT Landfill Extension project based on the noise monitoring results, construction activities and related mitigation measures, implementation condition of noise control measures via joint weekly site inspections in October 2025, additional noise monitoring at NM1a, and additional daytime and night investigations.

4.5.7 No particular observations are identified near the monitoring stations during the monitoring period.

4.5.8 The Summary of Impact Noise Exceedance are shown in **Table 4-5**.

**Table 4-5 Summary of Impact Noise Exceedance during the Reporting Period**

Noise Monitoring Station		NM1a		NM2a	
Parameters	Level Exceedance	Action Level	Limit Level	Action Level	Limit Level
	LA <sub>eq</sub> (30mins)	Exceedance Date	19 Nov 2025	-	-
		Exceedance Count	1 <sup>#</sup>	0	0

Remarks:

(1) \* equal to non-project related after the investigation.

(2) # equal to the complaint under the investigation.

## **4.6 Recommended Mitigation Measures**

4.6.1 The recommended noise mitigation measures from EIA report are listed as followed:

1. Use of good site practices to limit noise emissions by considering the following:
  - Only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction programme;
  - Machines and plant (such as trucks, cranes) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum;
  - Plant known to emit noise strongly in one direction, where possible, be orientated so that the noise is directed away from nearby NSRs;
  - Silencers or mufflers on construction equipment should be properly fitted and maintained during the construction works;
  - Mobile plant should be sited as far away from NSRs as possible and practicable;
  - Material stockpiles, mobile container site officer and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.
2. Select “Quiet plants” which comply with the BS 5228 Part 1 or TM standards.

## 4.7 Event and Action Plan

4.7.1 Should non-compliance of the criteria occurs, action in accordance with the action plan in **Table 4-6** shall be carried out.

**Table 4-6 Event and Action Plan for Construction Noise Monitoring**

Event	ET	IEC	Contractor
Exceedance of Action Level	<ul style="list-style-type: none"> <li>Identify source, investigate the causes of exceedance</li> <li>Prepare Notification of Exceedance</li> <li>Inform IEC and Contractor</li> <li>Report the results of investigation to IEC, and Contractor</li> <li>Discuss with Contractor and IEC for formulate remedial measures</li> <li>Ensure remedial measures are properly implemented</li> <li>Have additional monitoring if exceedance is due to the Project. If exceedance stops, cease additional monitoring</li> </ul>	<ul style="list-style-type: none"> <li>Verify the Notification of Exceedance</li> <li>Review the analysed results submitted by ET</li> <li>Discuss with ET, and Contractor on the potential remedial actions</li> <li>Review the proposed remedial measures</li> <li>Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>Submit noise mitigation proposals to IEC</li> <li>Implement the agreed noise mitigation proposals</li> </ul>
Exceedance of Limit Level	<ul style="list-style-type: none"> <li>Identify source, investigate the causes of exceedance</li> <li>Prepare Notification of Exceedance</li> <li>Inform IEC and Contractor</li> <li>Repeat measurements to confirm findings</li> <li>Discuss with Contractor and IEC for remedial measures</li> <li>Ensure remedial measures are properly implemented</li> <li>Assess effectiveness of Contractor's remedial actions and keep IEC and EPD informed of the results</li> <li>Have additional monitoring if exceedance is due to the Project. If exceedance stops, cease additional monitoring</li> </ul>	<ul style="list-style-type: none"> <li>Verify the Notification of Exceedance</li> <li>Review the analysed results submitted by ET</li> <li>Discuss with ET, and Contractor on the potential remedial actions</li> <li>Review the proposed remedial measures</li> <li>Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>Take immediate action to avoid further exceedance</li> <li>Submit proposals for remedial actions to IEC of notification</li> <li>Implement the agreed proposals</li> <li>Resubmit proposals if problem still not under control</li> <li>Stop the relevant portion of works as determined by project proponent until the exceedance is abated.</li> </ul>

## 5 Water Quality Monitoring

### 5.1 Groundwater Monitoring

#### 5.1.1 Monitoring Requirement

5.1.1.1 According to the Updated EM&A Manual, baseline water quality (groundwater) monitoring shall be carried out at the 35 monitoring locations (ED-1 to ED-35), which are subject to changes on the design and modification of the Project. Considering the requirements, objectives and feasibility of conducting the baseline water quality (groundwater) monitoring, a total of 35 monitoring locations (CW-1 to CW-35) are proposed along the waste boundary and access road of the project site. Due to the proposed monitoring locations CW-1 to CW-35 locates along the waste filling boundary of the project site, it can maintain to determine the natural seasonal variation in groundwater levels, effects of any ground water abstraction, identification of hydraulic gradients and variation caused by the construction, operation or aftercare of the project site by Section 5.4.1 of the Updated EM&A Manual. The proposed monitoring locations (CW-1 to CW-35) were approved by IEC on 16 January 2025.

5.1.1.2 The baseline groundwater monitoring was commenced on 28 March 2025. The details of baseline groundwater monitoring will be presented in the Baseline Monitoring Report.

### 5.2 Surface Water Monitoring

#### 5.2.1 Monitoring Requirement

5.2.1.1 In accordance with the Updated EM&A manual, impact surface water quality monitoring was carried out at the two designated surface water discharge points (i.e. WM1 and WM2) for once per month from commencement of construction works of the Project.

#### 5.2.2 Monitoring Locations, Parameters and Frequency

5.2.2.1 Impact surface water monitoring was carried out at WM1 and WM2 during the reporting period. The monitoring locations are indicated in **Table 5-1** and **Figure 2**.

5.2.2.2 The monitoring parameters, frequency and duration of surface water quality monitoring are summarized in **Table 5-2**. Detailed monitoring schedule is presented in **Appendix D**.

**Table 5-1 Surface Water Quality Monitoring Locations**

Monitoring Station	Location	Coordinates (HK Grid)	
		Easting	Northing
WM1	Upstream of Lin Ma Hang River	836665	845020
WM2	Ping Yuen River	835592	844186

**Table 5-2 Surface Water Quality Monitoring Parameters, Frequency and Duration**

Parameter	Frequency
pH, Electrical conductivity, DO, Turbidity, SS, Alkalinity, COD, BOD <sub>5</sub> , TOC, Ammonia-nitrogen, TKN, Nitrate, Sulphate, Sulphite, Phosphate, Chloride, Sodium, Mg, Ca, K, Fe, Ni, Zn, Mn, Cu, Pb, Cd, Coliform Count, Oil and Grease	Once per month

### 5.2.3 Monitoring Equipment

5.2.3.1 The measurements of pH, electrical conductivity (EC), DO, turbidity, water temperature and air temperature were undertaken in situ. In situ monitoring instruments in compliance with the specifications listed under Section 5.5 of the Updated EM&A Manual were used to undertake the surface water quality monitoring for the Project. **Table 5-3** summarises the equipment used in the impact surface water quality monitoring works. Copies of the calibration certificates are attached in **Appendix E**.

**Table 5-3 Surface Water Quality Monitoring Equipment**

Equipment	Model	Expiry Date
Water Quality Meter	YSI ProDSS (S/N: 15M101091)	14 Nov 2025
Water Flow Meter	Global Water FP111 (S/N: 22K100859)	10 Feb 2026

### 5.2.4 Summary of Surface Water Quality Monitoring Procedure

#### Operational/ Analytical Procedures

5.2.4.1 In general, water samples were collected from within 500 mm of the water surface. Water was collected by a small clean open-mouthed bucket with the lip pointing upstream. Usually, water was then transferred to the sample bottles until they were filled to the top with no remaining air space before the lid was securely screwed on. For samples that were preserved with acid or alkalis prior to transport to the laboratory, the samples bottles were filled to the level specified by the analytical laboratory.

5.2.4.2 Analyses shall be carried out in accordance with methods described in ASTM or APHA - AWWA-WEF Standard.

#### Laboratory Analytical Methods

5.2.4.3 The testing of parameters presented in **Table 5-4** for all stations was conducted by ALS Technichem (HK) Pty Ltd. (HOKLAS Registration No. 066). Comprehensive quality assurance and control procedures were in place in order to ensure quality and consistency in results. The detection limits are provided in **Table 5-4**.

**Table 5-4 Surface Water Monitoring Detection Limits and Limit of Reporting**

Parameters	Detection Limit (in Updated EM&A Manual)	Limit of Reporting	Method Reference
pH	0.1	0.1	APHA 4500 H+ B
Electrical conductivity	1 mS/cm	1 mS/cm	APHA 2510 B
Alkalinity	1 mg/L	1 mg/L	APHA 2320 B
COD	10 mg/L	5 mg/L	APHA 5220 C
BOD <sub>5</sub>	3 mg/L	2 mg/L	APHA 5210 B
TOC	1 mg/L	1 mg/L	APHA 5310 B
SS	0.1 mg/L	0.1 mg/L	APHA 2540 D
Ammonia-nitrogen	0.2 mg/L	0.01 mg/L	APHA 4500 NH <sub>3</sub> G
TKN	0.4 mg/L	0.1 mg/L	APHA 4500Norg: D
Nitrate	0.5 mg/L	0.01 mg/L	APHA 4500 NO <sub>3</sub> I
Sulphate	5 mg/L	1 mg/L	USEPA 375.4
Sulphite	2 mg/L	2 mg/L	APHA 4500 SO <sub>3</sub> B
Phosphate	0.01 mg/L	0.01 mg/L	APHA 4500-P B & F
Chloride	0.5 mg/L	0.5 mg/L	USEPA 325.1
Sodium	50 mg/L	50 mg/L	USEPA 6010C
Mg	50 mg/L	50 mg/L	USEPA 6010C
Ca	50 mg/L	50 mg/L	USEPA 6010C
K	50 mg/L	50 mg/L	USEPA 6010C
Fe	50 mg/L	10 mg/L	USEPA 6010C
Ni	1 mg/L	1 mg/L	USEPA 6020A
Zn	10 mg/L	10 mg/L	USEPA 6020A
Mn	1 mg/L	1 mg/L	USEPA 6020A
Cu	1 mg/L	1 mg/L	USEPA 6020A
Pb	1 mg/L	1 mg/L	USEPA 6020A
Cd	0.2 mg/L	0.2 mg/L	USEPA 6020A
Coliform Count	1 cfu/ 100mL	1 cfu/ 100mL	DoE section 7.8, 7.9.4.1 & 3
Oil and Grease	5 mg/L	5 mg/L	APHA 5520 B

#### QA/ QC Requirements

5.2.4.4 All in situ monitoring instruments were checked, calibrated and certified by a laboratory accredited under HOKLAS or other international accreditation scheme before use, and subsequently re-calibrated at the intervals according to manufacturer's requirement throughout all stages of the surface water quality monitoring programme. Calibration of temperature, DO, salinity, pH and turbidity is conducted in three-month interval. Calibration of water flow is conducted annually. Responses of sensors and electrodes were checked with certified standard solutions before each use. Calibration for a DO meter was carried out before measurement according to the instruction manual of the equipment model. For the on-site calibration of field equipment, the requirements of the BS 1427:2018, "Guide to on-site test methods for the analysis of waters" was observed.

### Decontamination Procedures

5.2.4.5 Water sampling equipment used during the course of the monitoring programme was decontaminated by manual washing and rinsed with clean distilled water after each sampling location.

### Sampling Management and Supervision

5.2.4.6 All sampling bottles were labelled with the sample ID (including the indication of sampling station), laboratory number and sampling date. Water samples were dispatched to the testing laboratory for analysis as soon as possible after the sampling. All samples were stored in a cool box and kept at less than 4°C but without frozen. All water samples were handled under chain of custody protocols and relinquished to the laboratory representatives at locations specified by the laboratory. The laboratory determination works started within 24 hours after collection of water samples.

### Quality Control Measures for Sample Testing

5.2.4.7 The samples testing was performed by ALS Technichem (HK) Pty Ltd. The following quality control programme was performed by the laboratory:

- One method blank; and
- One sample duplicate.

## 5.2.5 Monitoring Results

5.2.5.1 Impact surface water quality monitoring was conducted at WM1 & WM2 on 6 November 2025. No adverse weather was observed during reporting period. The detailed monitoring schedule is shown in **Appendix D**.

5.2.5.2 The summary of monitoring results is presented in **Table 5-5**. Detailed monitoring results at each monitoring station and graphical presentations of surface water quality (DO, SS and Turbidity) at the monitoring stations are given in **Appendix F** and **Appendix G**.

5.2.5.3 No particular observations are identified near the monitoring stations during the monitoring period.

**Table 5-5 Summary of Impact Surface Water Monitoring Results**

Monitoring Parameter(s)	Monitoring Station					
	WM1			WM2		
	Monitoring Results	Action Level	Limit Level	Monitoring Results	Action Level	Limit Level
pH	6.9	>7.7	>7.8	6.9	>7.6	>7.7
DO in mg/L	7.5	<7.4	<4	7.5	<5	<4
Turbidity in NTU	3.0	>9.2	>9.5	20.0	>108.3	>108.9
Electrical Conductivity in $\mu\text{S}/\text{cm}$	67	---	---	204	---	---
SS in mg/L	5	>9.7	>11.4	17.5	>94.5	>94.7
Alkalinity in mg/L	14	---	---	62	---	---
COD in mg/L	<5			<5		
BOD <sub>5</sub> in mg/L	<2			<2		
TOC in mg/L	<1			2		
Ammonia-nitrogen in mg/L	0.01			0.14		
TKN in mg/L	0.1			0.2		
Nitrate in mg/L	0.06			0.14		
Sulphate in mg/L	3			21		
Sulphite in mg/L	<2			<2		
Phosphorus in mg/L	<0.01			<0.01		
Chloride in mg/L	6			6		
Sodium in $\mu\text{g}/\text{L}$	8160			7590		
Magnesium in $\mu\text{g}/\text{L}$	450			1780		
Calcium in $\mu\text{g}/\text{L}$	3050			26300		
Potassium in $\mu\text{g}/\text{L}$	400			3660		
Iron in $\mu\text{g}/\text{L}$	580			2340		
Nickel in $\mu\text{g}/\text{L}$	<1			<1		
Zinc in $\mu\text{g}/\text{L}$	<10			20		
Manganese in $\mu\text{g}/\text{L}$	34			1510		
Copper in $\mu\text{g}/\text{L}$	<1			1		
Lead in $\mu\text{g}/\text{L}$	<1			1		
Cadmium in $\mu\text{g}/\text{L}$	<0.2			<0.2		
Coliform Count in cfu/100mL	120			860		
Oil and Grease in mg/L	<5			<5		

Remarks:

1. Orange Text equals to exceed the Action Level.
2. Red Text equals to exceed the Limit Level.

5.2.5.4 The Summary of Impact Surface Water Quality Exceedance are shown in **Table 5-6**.

**Table 5-6 Summary of Impact Surface Water Quality Exceedance during the Reporting Period**

Surface Water Quality Monitoring Station		WM1		WM2	
Parameters	Level Exceedance	Action Level	Limit Level	Action Level	Limit Level
	pH	Exceedance Date	-	-	-
DO	Exceedance Count	0	0	0	0
	Exceedance Date	-	-	-	-
Turbidity	Exceedance Count	0	0	0	0
	Exceedance Date	-	-	-	-
SS	Exceedance Count	0	0	0	0
	Exceedance Date	-	-	-	-

Remarks: \* equal to non-project related

5.2.5.5 No exceedance of Action and Limit Level of surface water quality at designated monitoring stations was recorded during the reporting period. The Notification of Environmental Quality Limits Exceedance is presented in **Appendix H**.

## 5.2.6 Recommended Mitigation Measure

5.2.6.1 The recommended surface water mitigation measures from EIA report are listed as followed:

- Channels (both temporary and permanent drainage pipes and culverts), earth bunds or sand bag barriers should be provided on site to direct stormwater to silt removal facilities.
- The overall slope of the site should be kept to a minimum to reduce the erosive potential of surface water flows.
- The design of efficient silt removal facilities should be based on the guidelines in Appendix A1 of ProPECC PN 1/94, which states that the retention time for silts and sediment traps should be 5 minutes under maximum flow conditions.
- All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads.
- Construction solid waste, debris and rubbish on site should be collected, handled and disposed of properly to avoid water quality impacts.
- Measures should be taken to prevent the washing away of construction materials, soil, silt or debris into any drainage system.

## 5.2.7 Implementation of the Temporary Surface Water Drainage System (TSWDS)

5.2.7.1 The site inspection and audits were carried out by ER, IC, ET & Contractor on weekly basis (IEC on monthly basis) to monitor the construction progress, maintenance performance and effectiveness of temporary surface water drainage system in the Project Site to fulfil

the FEP Condition 2.13, EP Condition 2.15 and the Section 5.2.1.1 of the Updated EM&A Manual. The joint environmental site inspection records are shown in **Appendix K**.

5.2.7.2 All construction site runoff would be treated by silt removal facilities to fulfil the requirement of WPCO licenses from the project. Construction site runoff from the project after treatment was discharged to Ping Yuen River. The surface water monitoring results at WM2 (after the discharge point of silt removal facilities) can reflect the water quality at Ping Yuen River during the reporting period.

5.2.7.3

## 5.2.8 Event and Action Plan

5.2.8.1 Should non-compliance of the criteria occurs, action in accordance with the action plan in **Table 5-7** shall be carried out.

**Table 5-7 Event and Action Plan for Water Quality**

Event	ET	IEC	Contractor
Action level being exceeded by one sampling day	<ul style="list-style-type: none"> <li>Repeat in situ measurement to confirm findings</li> <li>Identify source(s) of impact</li> <li>Prepare Notification of Exceedance</li> <li>Inform IEC and Contractor</li> <li>Check monitoring data, all plant, equipment and Contractor's working methods</li> <li>Repeat measurement on next day of exceedance</li> </ul>	<ul style="list-style-type: none"> <li>Verify Notification of Exceedance</li> <li>Check monitoring data and Contractor's working methods</li> </ul>	<ul style="list-style-type: none"> <li>Rectify unacceptable practice</li> <li>Amend working methods if appropriate</li> </ul>
Action level being exceeded by two or more consecutive sampling days	<ul style="list-style-type: none"> <li>Repeat in situ measurement to confirm findings</li> <li>Identify source(s) of impact</li> <li>Prepare Notification of Exceedance</li> <li>Inform IEC and Contractor</li> <li>Check monitoring data, all plant, equipment and Contractor's working methods</li> <li>Discuss with Contractor and IEC for remedial measures</li> <li>Ensure mitigation measures are implemented</li> <li>Increase the monitoring frequency to daily until no exceedance of Action level</li> <li>Repeat measurement on next day of exceedance</li> </ul>	<ul style="list-style-type: none"> <li>Verify Notification of Exceedance</li> <li>Check monitoring data and Contractor's working method</li> <li>Discuss with ET and Contractor on possible remedial actions</li> <li>Review the proposed mitigation measures</li> <li>Supervise the implementation of mitigation measures</li> </ul>	<ul style="list-style-type: none"> <li>Submit proposal of additional mitigation measures to IEC of notification</li> <li>Implement the agreed mitigation measures</li> <li>Amend proposal if appropriate</li> </ul>

Event	ET	IEC	Contractor
Limit Level being exceeded by one sampling day	<ul style="list-style-type: none"> <li>Repeat in situ measurement to confirm findings</li> <li>Identify source(s) of impact</li> <li>Prepare Notification of Exceedance</li> <li>Inform IEC and Contractor;</li> <li>Check monitoring data, all plant, equipment and Contractor's working methods</li> <li>Discuss mitigation measures with IEC and Contractor</li> <li>Ensure mitigation measure are implemented</li> </ul>	<ul style="list-style-type: none"> <li>Verify Notification of Exceedance</li> <li>Check monitoring data submitted By ET and Contractor's working method</li> <li>Discuss with ET and Contractor on possible remedial actions</li> <li>Review the proposed mitigation measures</li> <li>Supervise the implementation of mitigation measures</li> </ul>	<ul style="list-style-type: none"> <li>Critically review the working method</li> <li>Rectify unacceptable practice</li> <li>Take immediate corrective actions to avoid further exceedance</li> <li>Submit proposal of mitigation measures to IEC</li> <li>Implement the agreed mitigation measures</li> <li>•</li> </ul>
Limit level being exceeded by two or more consecutive sampling days	<ul style="list-style-type: none"> <li>Repeat in situ measurement to confirm findings</li> <li>Identify source(s) of impact</li> <li>Prepare Notification of Exceedance</li> <li>Inform IEC, contractor and EPD</li> <li>Check monitoring data, all plant, equipment and Contractor's working methods</li> <li>Discuss mitigation measures with IEC and Contractor</li> <li>Ensure mitigation measure are implemented</li> </ul>	<ul style="list-style-type: none"> <li>Verify Notification of Exceedance</li> <li>Check monitoring data submitted by ET and Contractor's working method</li> <li>Discuss with ET and Contractor on possible remedial actions</li> <li>Review the proposed mitigation measures</li> <li>Supervise the implementation of mitigation measures</li> </ul>	<ul style="list-style-type: none"> <li>Critically review the working method</li> <li>Rectify unacceptable practice</li> <li>Take immediate corrective actions to avoid further exceedance</li> <li>Submit proposal of mitigation measures to IEC</li> <li>Implement the agreed mitigation measures</li> <li>Resubmit proposals if problem still not under control</li> <li>Slow down or to stop relevant activity until exceedance is abated</li> </ul>

## 6 Waste Management

6.1.1 Wastes generated from this Project include inert construction and demolition (C&D) materials and non-inert C&D materials. Non-inert C&D materials were made up of general refuse, steels and paper/cardboard packaging materials. Steel materials generated from the Project were also grouped into non-inert C&D materials as the materials were not disposed of with other inert C&D materials. With reference to relevant handling records and trip tickets of this Project, the quantities of different types of waste generated in the reporting month are summarised in **Appendix J**.

6.1.2 A total of 44,713.07 tonnes of C&D materials was reused in the project site during the reporting period. A total of 99,136 tonnes of C&D materials was reused at alternative disposal ground (NENT Landfill) during the reporting period. A total of 649.74 tonnes of C&D materials were imported fill during the reporting period. No Yard waste (collected to Y-Park) was generated during the reporting period. A total of 452.12 tonnes of general refuse and a total of 6.65 tonnes of non-recyclable yard waste was generated during the reporting period. The general refuse generated from the Project were disposed of at the NENT Landfill.

6.1.3 The recommended waste management mitigation measures from EIA report are listed as followed:

- Implement a trip-ticket system to ensure that the movement of C&D materials are properly documented and verified in accordance with DEVB TC(W) No. 6/2010.
- Concrete and masonry should be used as general fill and steel reinforcement bars can be used by scrap steel mills.
- Proper areas should be designated for waste segregation and storage wherever site conditions permit.
- Maximise the use of reusable steel formwork to reduce the amount of C&D material.
- Maintain temporary stockpiles and reuse excavated fill material for backfilling and reinstatement.
- On-site sorting and segregation facility of all type of wastes is considered as one of the best practice in waste management and hence, should be implemented in all projects generating construction waste.
- The sorted public fill and C&D waste should be properly reused.
- Excavated slope, stockpiled material and bund walls should be covered by tarpaulin until used in order to prevent wind-blown dust during dry weather, and to reduce muddy runoff during wet weather.

## 7 Landfill Gas Monitoring

### 7.1 Monitoring Requirement during Construction

#### ***Monitoring for Construction Works***

7.1.1 Intrinsically safe portable gas detectors should be used during or when working in any confined spaces, which have the potential for presence of LFG and risk of explosion or asphyxiation. The monitoring equipment should alarm, both audibly and visually, when the concentrations of the following gases were exceeded:

- CH<sub>4</sub>: >10% Lower Explosion Limit (LEL);
- CO<sub>2</sub>: >0.5%; and
- O<sub>2</sub>: <18% by volume.

### 7.2 Monitoring Locations

7.2.1 During the construction works within the NENT Landfill Extension site with excavation of 1m deep or more, LFG concentrations should be monitored before entry and periodically during the progress of works. If drilling is required, the procedures for safety management and working procedures as stipulated in EPD's Landfill Gas Hazard Assessment – Guidance Note should be strictly adopted.

7.2.2 The monitoring frequency and areas to be monitored should be set down prior to commencement of groundworks by the Safety Officer. All measurements in excavations should be made with the monitoring tube located not more than 10mm from the exposed ground surface. Monitoring of excavations should be undertaken as follows:

7.2.3 For excavation works deeper than 1m, measurements should be made:

- at ground surface prior to excavation;
- immediately before any worker enters the excavation;
- at the beginning of each working day for the entire period the excavation remains open; and
- periodically through the working day whilst workers are in the excavation.

7.2.4 For excavation between 300mm and 1m deep, measurements should be made:

- directly after the excavation has been completed; and
- periodically whilst the excavation remains open.

7.2.5 For excavations less than 300mm deep, monitoring may be omitted, at the discretion of the Safety Officer.

7.2.6 The locations of LFG monitoring locations during reporting period are shown in **Table 7-1**. The Site formation layout plan is shown in **Figure 2** and the Layout of LFG monitoring locations is presented in **Figure 3**.

**Table 7-1 Locations of LFG Monitoring during Reporting Period**

Monitoring Location	Type of works
Portion A	Excavation Works
Portion B2/E1	

### 7.3 Monitoring Equipment

7.3.1.1 Gas Detector was used for carrying out LFG monitoring for Construction Works. **Table 7-2** summarises the equipment that were used in the LFG monitoring programme. The calibration certificates are shown in **Appendix E**. The detection limits are provided in **Table 7-3**.

**Table 7-2 LFG Monitoring Equipment**

Monitoring Parameters	Equipment	Model
CH <sub>4</sub> , CO <sub>2</sub> & O <sub>2</sub>	Gas Analyser	Blackline Safety G7C-EU2 (S/N: 3571220922)

**Table 7-3 Landfill Gas Monitoring Detection Limits**

Parameters	Detection Limit
CH <sub>4</sub>	1% LEL
O <sub>2</sub>	0.1%
CO <sub>2</sub>	0.1%

### 7.4 Event and Action Plan (EAP)

7.4.1 Should non-compliance of the criteria occur, action in accordance with the action plan in **Table 7-4** shall be carried out.

**Table 7-4 Event and Action Plan for the Landfill Gas Monitoring during Construction Phase**

Parameter	Monitoring Result	Action
Oxygen (O <sub>2</sub> )	Action Level <19% O <sub>2</sub>	Ventilate trench/void to restore O <sub>2</sub> to >19%
	Limit Level <18% O <sub>2</sub>	Stop works Evacuate personnel/prohibit entry Increase ventilation to restore O <sub>2</sub> to >19%
Methane (CH <sub>4</sub> )	Action Level >10% LEL*	Prohibit hot works Increase ventilation to restore CH <sub>4</sub> to <10% LEL
	Limit Level >20% LEL*	Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CH <sub>4</sub> to <10% LEL
Carbon dioxide (CO <sub>2</sub> )	Action Level** >0.5%** CO <sub>2</sub>	Ventilate to restore CO <sub>2</sub> to <0.5%
	Limit Level >1.5% CO <sub>2</sub>	Stop works Evacuate personnel / prohibit entry Increase ventilation to restore CO <sub>2</sub> to <0.5%

\* LEL: Lower Explosive Limit - concentrations in air below which there is not enough fuel to continue an explosion.

\*\* This Action Level of CO<sub>2</sub> at 0.5% is set for reference only, assuming no CO<sub>2</sub> emission from a particular location.

Depending on the baseline CO<sub>2</sub> levels, the Action Level at a particular location will be changed.

## 7.5 Monitoring Results

7.5.1 The LFG monitoring was carried out two rounds (at the beginning of works in the morning and after lunch) at the working days. The monitoring period of each round of LFG monitoring is around 5 minutes.

7.5.2 The LFG monitoring was conducted at Portion A +50 mpD to 70 mpD Platform & Portion B2/E1 during the reporting period (Conducted on working days). The LFG monitoring results are summarized in **Table 7-5 & Table 7-6**.

**Table 7-5 Summary of LFG Monitoring Results**

LFG Monitoring Station	Monitoring Date	Monitoring Parameter(s)			
		CH <sub>4</sub> in %	LEL in %/v	CO <sub>2</sub> in %	O <sub>2</sub> in %
		Average Monitoring Results			
Portion A +50 mpD to 70 mpD Platform	1 Nov 2025	0	0	0	20.1
	3 Nov 2025	0	0	0	20.0
	4 Nov 2025	0	0	0	20.1
	5 Nov 2025	0	0	0	20.1
	6 Nov 2025	0	0	0	20.0
	7 Nov 2025	0	0	0	20.1
	8 Nov 2025	0	0	0	20.1
	10 Nov 2025	0	0	0	20.0
	11 Nov 2025	0	0	0	20.1
	12 Nov 2025	0	0	0	20.1
	13 Nov 2025	0	0	0	20.0
	14 Nov 2025	0	0	0	20.1
	15 Nov 2025	0	0	0	20.1
	17 Nov 2025	0	0	0	20.0
	18 Nov 2025	0	0	0	20.1
	19 Nov 2025	0	0	0	20.0
	20 Nov 2025	0	0	0	20.1
	21 Nov 2025	0	0	0	20.1
	22 Nov 2025	0	0	0	20.1
	24 Nov 2025	0	0	0	20.1
	25 Nov 2025	0	0	0	20.0
	26 Nov 2025	0	0	0	20.1
	27 Nov 2025	0	0	0	20.1
	28 Nov 2025	0	0	0	20.1
	29 Nov 2025	0	0	0	20.1
<b>Action Level</b>		>10% LEL	---	>0.5%** CO <sub>2</sub>	<19%
<b>Limit Level</b>		>20% LEL	---	>1.5% CO <sub>2</sub>	<18%

\* LEL: Lower Explosive Limit - concentrations in air below which there is not enough fuel to continue an explosion.

\*\* This Limit Level of CO<sub>2</sub> at 0.5% is set for reference only, assuming no CO<sub>2</sub> emission from a particular location.

**Table 7-6 Summary of LFG Monitoring Results**

LFG Monitoring Station	Monitoring Date	Monitoring Parameter(s)			
		CH <sub>4</sub> in %	LEL in %/v	CO <sub>2</sub> in %	O <sub>2</sub> in %
		Average Monitoring Results			
Portion B2/E1	1 Nov 2025	0	0	0	20.1
	3 Nov 2025	0	0	0	20.0
	4 Nov 2025	0	0	0	20.0
	5 Nov 2025	0	0	0	20.1
	6 Nov 2025	0	0	0	20.1
	7 Nov 2025	0	0	0	20.1
	8 Nov 2025	0	0	0	20.1
	10 Nov 2025	0	0	0	20.0
	11 Nov 2025	0	0	0	20.1
	12 Nov 2025	0	0	0	20.1
	13 Nov 2025	0	0	0	20.0
	14 Nov 2025	0	0	0	20.1
	15 Nov 2025	0	0	0	20.1
	17 Nov 2025	0	0	0	20.0
	18 Nov 2025	0	0	0	20.0
	19 Nov 2025	0	0	0	20.1
	20 Nov 2025	0	0	0	20.1
	21 Nov 2025	0	0	0	20.1
	22 Nov 2025	0	0	0	20.1
	24 Nov 2025	0	0	0	20.1
	25 Nov 2025	0	0	0	20.1
	26 Nov 2025	0	0	0	20.1
	27 Nov 2025	0	0	0	20.1
	28 Nov 2025	0	0	0	20.0
	29 Nov 2025	0	0	0	20.1
<b>Action Level</b>		>10% LEL	---	>0.5%** CO <sub>2</sub>	<19%
<b>Limit Level</b>		>20% LEL	---	>1.5% CO <sub>2</sub>	<18%

\* LEL: Lower Explosive Limit - concentrations in air below which there is not enough fuel to continue an explosion.

\*\* This Limit Level of CO<sub>2</sub> at 0.5% is set for reference only, assuming no CO<sub>2</sub> emission from a particular location.

7.5.3 The Summary of Landfill Gas Exceedance are shown in **Table 7-7**.

**Table 7-7 Summary of Landfill Gas Exceedance during the Reporting Period**

Landfill Gas Monitoring Station		Portion A +50 mpD to 70 mpD Platform		Portion B2/E1	
Parameters	Level Exceedance	Action Level	Limit Level	Action Level	Limit Level
	CH <sub>4</sub>	Exceedance Date	-	-	-
CO <sub>2</sub>	Exceedance Count	0	0	0	0
	Exceedance Date	-	-	-	-
O <sub>2</sub>	Exceedance Count	0	0	0	0
	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0

Remarks: \* equal to non-project related

7.5.4 No exceedance of Action and Limit Levels of LFG was recorded during the reporting period. Therefore, there was no record of Notification of Environmental Quality Limits Exceedance in the **Appendix H**.

7.5.5 No effect that arose from the other special phenomena and work progress of the concerned site was noted during the current monitoring month.

## 7.6 Recommended Mitigation Measures

7.6.1 The recommended landfill gas mitigation measures from EIA report are listed as followed:

- Special LFG precautions should be taken due to close proximity of NENT landfill extension site to existing landfill to avoid potential hazards of LFG exposure (ignition, explosion, asphyxiation, toxicity).
- Prominent safety warning signs should be erected on-site to alert all personnel and visitors of LFG hazards during excavation works.
- No smoking or burning should be permitted on-site.
- Prominent 'No smoking' and 'No Naked Flames' signs should be erected on-site.
- No worker should be allowed to work alone at any time in excavated trenches or confined areas on-site.
- Adequate fire fighting equipment should be provided on-site.
- Construction equipment should be equipped with vertical exhaust at least 0.6m above ground installed with spark arrestors.
- Electrical motors and extension cords should be explosion-proof and intrinsically safe for use on-site.
- 'Permit to Work' system should be implemented.

- Welding, flame-cutting or other hot works should be conducted only under 'Permit to Work' system following clear safety requirements, gas monitoring procedures and presence of qualified persons to supervise the works.

## 8 Landscape and Visual

### 8.1 Monitoring Requirement

- 8.1.1 In order to monitor the landscape and visual impact after providing mitigation measures effectively, all the specified and affected LCAs, LRs and VSRs should be monitored. Implementation of the mitigation measures during construction phase of the Project has been monitored through the regular site inspection/audit.
- 8.1.2 All relevant environmental mitigation measures listed in the approved EIA Report and the Updated EM&A Manual and their implementation status are summarised in **Appendix L**.

### 8.2 Result and Observation

- 8.2.1 Measures to mitigate the landscape and visual impacts during the construction phase has been checked to ensure compliance with the intended aims of the measures within the reporting period. The progress of the engineering works are regularly reviewed on site to identify the earliest practical opportunities for the landscape works to be undertaken.
- 8.2.2 In order to monitor the landscape and visual impact after providing mitigation measures effectively, all the specified and affected LCAs, LRs and VSRs should be monitored. Implementation of the mitigation measures during construction phase of the Project has been monitored through the regular site inspection/audit.

## 9 Cultural Heritage

- 9.1.1 The Mitigation measures for preservation of the cultural landscape feature located within the project area was conducted before commencement of construction of the project based on the requirement of Survey Report and Mapping Records for Boulder Paths BP1 & 2 & Conditions of G2, G4, G5 G6, G7, G8, G14, G15, G25, G26 and G27 within NENTX.
- 9.1.2 The survey and mapping works carried out on 23 August 2022 and the verification works carried out on 23 August 2022 confirmed that both 2 boulder paths BP1 and BP2 are fall outside the site boundary and the Project area.
- 9.1.3 All the affected graves within the waste boundary have been removed in accordance with section 119(1) of the Public Health and Municipal Services Ordinance (Cap 132). Removal of the graves as shown on Figure 2 attached to the FEP was proven by the visit of graves on 8 July 2022. All the graves as shown on Figure 2 attached to the FEP were abandoned and removed and no mitigation or preservation measures is necessary.
- 9.1.4 The Survey Report and Mapping Records for Boulder Paths BP1 & 2 was certified by ET on 10 Oct 2022, was verified by IEC and submitted to EPD on 12 Oct 2022. The Conditions of G2, G4, G5 G6, G7, G8, G14, G15, G25, G26 and G27 within NENTX was certified by ET, was verified by IEC and submitted to EPD on 15 Oct 2022. No later than four weeks before commencement of construction of the project in accordance with Condition 2.4 of the FEP-02/292/2007.
- 9.1.5 Implementation of the mitigation measures such as permanent fencing to protect the boulder path and setting up warning notices during construction phase of the Project has been monitored through the regular site inspection/audit. The permanent fencing locations are shown in **Appendix M**. In case of any presence of undiscovered grave during construction phase, AMO will be informed as soon as possible.

## 10 Ecological Monitoring

- 10.1.1 The post-transplantation monitoring had been completed in October 2023. No further post-transplantation monitoring will be conducted in accordance with the requirement of the approved Transplantation Proposal for Plant Species of Conservation Importance (Rev.1).
- 10.1.2 The post-translocation monitoring had been completed in July 2023. No further post-translocation monitoring will be conducted in accordance with the requirements of the Revised Translocation Proposal for the Endemic Freshwater Crab *Somanniathelphusa zanklon*.
- 10.1.3 The details of requirements, monitoring results and site inspection with photos for the post-translocation monitoring and post-transplantation monitoring would be reported separately.
- 10.1.4 The milestone of the ecological monitoring is presented in **Table 10-1**. The softcopies of the submissions are provided in <https://www.nentx-ema.com/ep-submissions/>.

**Table 10-1      Milestone of the Ecological Monitoring**

Type of Monitoring	Monitoring Event No.	Monitoring Date
Post-transplantation Monitoring	1 <sup>st</sup>	24 Nov 2022
	2 <sup>nd</sup>	9 Dec 2022
	3 <sup>rd</sup>	21 Dec 2022
	4 <sup>th</sup>	13 Jan 2023
	5 <sup>th</sup>	26 Jan 2023
	6 <sup>th</sup>	8 Feb 2023
	7 <sup>th</sup>	24 Feb 2023
	8 <sup>th</sup>	20 Mar 2023
	9 <sup>th</sup>	21 Apr 2023
	10 <sup>th</sup>	12 May 2023
	11 <sup>th</sup>	16 Jun 2023
	12 <sup>th</sup>	18 Jul 2023
	13 <sup>th</sup>	11 Aug 2023
	14 <sup>th</sup>	15 Sep 2023
	15 <sup>th</sup>	13 Oct 2023
Post-translocation Monitoring	1 <sup>st</sup> (Aug 2022)	29 Aug 2022
	2 <sup>nd</sup> (Sep 2022)	28 Sep 2022
	3 <sup>rd</sup> (Oct 2022)	28 Oct 2022
	4 <sup>th</sup> (Nov 2022)	22 Nov 2022
	5 <sup>th</sup> (Dec 2022)	29 Dec 2022
	6 <sup>th</sup> (Jan 2023)	30 Jan 2023
	7 <sup>th</sup> (Feb 2023)	24 Feb 2023
	8 <sup>th</sup> (Mar 2023)	20 Mar 2023
	9 <sup>th</sup> (Apr 2023)	19 Apr 2023
	10 <sup>th</sup> (May 2023)	17 May 2023
	11 <sup>th</sup> (Jun 2023)	7 Jun 2023
	12 <sup>th</sup> (Jul 2023)	12 Jul 2023

## 11 Site Inspection and Audit

- 11.1.1 Site Inspection and audits were carried out by ET on weekly basis to monitor the implementation of proper environmental management practices and mitigation measures in the Project Site.
- 11.1.2 Weekly ET environmental site inspections were conducted in the reporting period on 03, 10, 17 & 24 November 2025. A joint environmental site inspection was carried out by the representatives of the ER, the Contractor, IEC and the ET on 24 November 2025. The joint environmental site inspection records are shown in **Appendix K**. There was no noncompliance recorded during the site inspections.
- 11.1.3 Major findings and recommendations are summarized as follows:

### 03 Nov 2025

#### Observation(s):

1. Accumulated waste was found at Portion D. The Contractor was recommended to clean up the accumulated waste by approval waste collector and arrange the proper location to be the waste storage area.
2. Standing water was found at cut-off drain of SBA. The Contractor was advised to direct the standing water into silt removal facilities for treatment.
3. General refuse was found on the floor of SBA and Portion D. The Contractor was recommended to remove the general, which on the floor, into the enclosed bin for general refuse collection and consider increasing the enclosed bins for general refuse collection.

#### Reminder(s):

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

### 10 Nov 2025

#### Observation(s):

1. General refuse on the floor of Portion A was found. The Contractor was advised to remove the general refuse into the enclosed bins and consider to increase the number of enclosed bins for general refuse collection.

#### Reminder(s):

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.
2. The Contractor was reminded to establish the noise barrier at the rest of retaining wall at Portion A.

### 17 Nov 2025

#### Observation(s):

1. Dust dispersion was found at the access road of Portion E4 and SBA. The Contractor was recommended to increase the frequency of watering at the access road of Portion E4 & SBA.

2. General refuse was found in the waste skip of Portion D. The Contractor was advised that the general refuse should be collected by the enclosed rubbish bins.

Reminder(s):

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

24 Nov 2025

Observation(s):

1. Access road at Portion A's entrance was dry and dust dispersion was found. The Contractor was recommended that water spraying should be enhanced at the access road.
2. Overloading of waste skip at Portion A was found. The Contractor was advised that the accumulated waste should be collected by waste collector and the enclosed rubbish bins should be provided for collection of general refuse.
3. Standing water and accumulated silt at water channel of Portion A should be removed. The standing water and accumulated silt at water channel of Portion A should be cleaned up regularly.
4. Accumulated waste was found on the floor of Portion D. The Contractor was advised that the accumulated waste should be collected by waste collector.

Reminder(s):

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

11.1.4 One (1) general site inspection was conducted by Environmental Protection Department-Regional Office (North) (EPD-RNG) during the reporting period.

## 12 Environmental Non-Conformance

### 12.1 Summary of Monitoring Exceedance

#### Noise Monitoring

12.1.1 One (1) exceedance of the Action Level was recorded at NM1a based on the environmental noise complaint received on 19 November 2025. The related investigation had been completed during the reporting period. The investigation results are summarised below:

#### Action Level Exceedance on 19 November 2025

12.1.2 It was noted from EPD-LDG's email to the ET on 19 November 2025 regarding the construction noise complaint from Wo Keng Shan Tsuen's villager on 13 November 2025. In summary of the investigation, it concluded that the exceedance is not likely related to the NENT Landfill Extension project based on the noise monitoring results, construction activities and related mitigation measures, implementation condition of noise control measures via joint weekly site inspections from 1 to 24 November 2025, and additional daytime and night investigations.

12.1.3 No exceedance of the Limit Level was recorded at NM1a during the reporting period. No exceedance of the Action and Limit Levels were recorded at NM2a during the reporting period. Therefore, the record of Notification of Environmental Quality Limits Exceedance is presented in the **Appendix H**.

12.1.4 One (1) exceedance of the Action Level was recorded at NM1a based on the environmental noise complaint received on 27 Oct 2025. The related investigation had been completed during the reporting period. The investigation results are summarised below:

#### Action Level Exceedance on 27 October 2025

12.1.5 It was noted from EPD-LDG's email to the ET on 27 October 2025 regarding the construction noise complaint from Wo Keng Shan Tsuen's villager on 22 October 2025. In summary of the investigation, it concluded that the exceedance is not likely related to the NENT Landfill Extension project based on the noise monitoring results, construction activities and related mitigation measures, implementation condition of noise control measures via joint weekly site inspections in October 2025, additional noise monitoring at NM1a, and additional daytime and night investigations.

12.1.6 No particular observations are identified near the monitoring stations during the monitoring period.

12.1.7 The Summary of Impact Noise Exceedance are shown in **Table 12-1**.

**Table 12-1 Summary of Impact Noise Exceedance during the Reporting Period**

Noise Monitoring Station		NM1a		NM2a	
Parameters	Level Exceedance	Action Level	Limit Level	Action Level	Limit Level
	LA <sub>eq</sub> (30mins)	Exceedance Date	19 Nov 2025	-	-
		Exceedance Count	1*	0	0

Remarks:

(1) \* equal to non-project related after the investigation.

(2) # equal to the complaint under the investigation.

Air Quality, Surface Water Quality & Landfill Gas Monitoring

12.1.8 No exceedance of the Action and Limit Levels were recorded at designated monitoring stations during the reporting period. The Notification of Environmental Quality Limits Exceedance is presented in **Appendix H**.

12.1.9 The Summary of Impact 1-hr & 24-hr TSP Exceedance are shown in **Table 12-2**.

**Table 12-2 Summary of Impact 1-hr & 24-hr TSP Exceedance during the Reporting Period**

Dust Monitoring Station		AM1		AM2		AM3	
Level Exceedance		Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level
Parameters	1-hr TSP	Exceedance Date	-	-	-	-	-
	24-hr TSP	Exceedance Count	0	0	0	0	0
Parameters	1-hr TSP	Exceedance Date	-	-	-	-	-
	24-hr TSP	Exceedance Count	0	0	0	0	0

Remarks: \* equal to non-project related

12.1.10 The Summary of Impact Surface Water Quality Exceedance are shown in **Table 12-3**.

**Table 12-3 Summary of Impact Surface Water Quality Exceedance during the Reporting Period**

Surface Water Quality Monitoring Station		WM1		WM2	
Level Exceedance		Action Level	Limit Level	Action Level	Limit Level
Parameters	pH	Exceedance Date	-	-	-
	pH	Exceedance Count	0	0	0
Parameters	DO	Exceedance Date	-	-	-
	DO	Exceedance Count	0	0	0
Parameters	Turbidity	Exceedance Date	-	-	-
	Turbidity	Exceedance Count	0	0	0
Parameters	SS	Exceedance Date	-	-	-
	SS	Exceedance Count	0	0	0

Remarks: \* equal to non-project related

12.1.11 The Summary of Landfill Gas Exceedance are shown in **Table 12-4**.

**Table 12-4 Summary of Landfill Gas Exceedance during the reporting period**

Landfill Gas Monitoring Station		Portion A +50 mpD to 70 mpD Platform		Portion B2/E1	
Parameters	Level Exceedance	Action Level	Limit Level	Action Level	Limit Level
	CH <sub>4</sub>	Exceedance Date	-	-	-
CO <sub>2</sub>	Exceedance Count	0	0	0	0
	Exceedance Date	-	-	-	-
O <sub>2</sub>	Exceedance Count	0	0	0	0
	Exceedance Date	-	-	-	-
Exceedance Count	0	0	0	0	0

Remarks: \* equal to non-project related

## 12.2 Summary of Environmental Non-Compliance

12.2.1 No non-compliance event was recorded during the reporting period.

## 12.3 Summary of Environmental Complaint

12.3.1 One (1) environmental complaint regarding construction noise was received on 19 November 2025. The related investigation had been completed during the reporting period. The investigation results are summarised below:

### Environmental Complaint on 19 November 2025

12.3.2 It was noted from EPD-LDG's email to the ET on 19 November 2025 regarding the construction noise complaint from Wo Keng Shan Tsuen's villager on 13 November 2025. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project based on the noise monitoring results, construction activities and related mitigation measures, implementation condition of noise control measures via joint weekly site inspections from 1 to 24 November 2025, and additional daytime and night investigations.

12.3.3 One (1) environmental complaint regarding the air quality & construction noise which received on 27 October 2025. The related investigation had been completed during the reporting period. The investigation results are summarised below:

### Environmental Complaint on 27 October 2025

12.3.4 It was noted from EPD-LDG's email to the ET on 27 October 2025 regarding the air quality and construction noise complaint from Wo Keng Shan Tsuen's villager on 22 October 2025. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project based on the air quality and noise monitoring results, construction activities and related mitigation measures, implementation condition of air quality and noise control measures via joint weekly site inspections in October 2025, additional noise monitoring at NM1a, and additional daytime and night investigations.

12.3.5 The cumulative statistics on environmental complaints are presented in **Table 12-5**.

**Table 12-5      Cumulative Statistics on Environmental Complaints**

Reporting Period		Environmental Aspects				
		Air Quality	Noise	Water Quality	Waste	Ecology
Nov 2025	Complaint Date	-	19 Nov 2025	-	-	-
	No. of Complaint	0	1*	0	0	0
Reporting Period Total		0	1*	0	0	0
Accumulate of project		1*	2*	7(1*)	0	0

Remarks:

1.     \* equal to non-project related after the investigation.

12.3.6 Cumulative complaint / enquiry log, Summaries of complaints and enquiries are presented in **Appendix N**.

## 12.4 Summary of Environmental Summons and Successful Prosecution

12.4.1 No summons and successful prosecution were received during the reporting period.

## 13 Implementation Status on Environmental Mitigation Measures

### 13.1 General

13.1.1 The Contractor has generally implemented part of environmental mitigation measures and requirements as stated in the EIA Report, the EP and Updated EM&A Manual and the contract documents. The implementation status during the reporting period is summarized in **Appendix L**.

## 14 Future Key Issues

### 14.1 Key Issues for the Coming Month

14.1.1 Works to be undertaken for the coming monitoring periods are summarized below. Detailed construction activities and locations are summarized in **Appendix A**.

- Material loading and unloading, backfilling of material and site traffic at Portion A, SBA to alternative disposal ground
- Construction of site buildings at Portion D
- Site clearance at Portion A, B2/E1, E3-1 & E4
- Installation of permanent fencing at Portion A, B1 & E4
- Site formation at Portion A, B2/E1, E3-1 & E4
- Tree felling at whole site
- Shotcreting (Permanent and Temporary) at whole site
- Soil nail installation at Portion A, B2/E1 & E4
- Installation of minipile at Portion A
- Construction of RE wall at Portion E3-1
- Leachate plant installation at Portion A
- Linear installation at landfill area
- LFG plant installation at Portion A

14.1.2 Potential environmental impacts arising from the above construction activities are mainly associated with air quality, construction noise, water quality, waste management, landfill gas monitoring, landscape and visual, cultural heritage and ecology.

### 14.2 Monitoring Schedule for the Next Month

14.2.1 The tentative schedule of environmental monitoring for the next reporting period is presented in **Appendix D**.

### 14.3 Construction Programme for the Next Month


14.3.1 The most updated construction programme for the Project is presented in **Appendix A**.

## 15 Conclusion


- 15.1.1 1-hr & 24-hr TSP impact monitoring was carried out in the reporting month. No Action / Limit Level exceedance for 1-hr & 24-hr TSP impact monitoring was recorded during the period.
- 15.1.2 Construction noise monitoring was carried out in the reporting month. One (1) exceedance of the Action Level was recorded at NM1a based on the environmental noise complaint received on 19 November 2025. The related investigation had been completed during the reporting period. In summary of the investigation, it concluded that the exceedance is not likely related to the NENT Landfill Extension project. No exceedance of the Limit Level was recorded at NM1a during the reporting period. No exceedance of the Action and Limit Levels were recorded at NM2a during the reporting period.
- 15.1.3 One (1) exceedance of the Action Level was recorded at NM1a based on the environmental noise complaint received on 27 Oct 2025. The related investigation had been completed during the reporting period. In summary of the investigation, it concluded that the exceedance is not likely related to the NENT Landfill Extension project.
- 15.1.4 The baseline groundwater monitoring was commenced on 28 March 2025. The details of baseline groundwater monitoring will be presented in the Baseline Monitoring Report.
- 15.1.5 Surface Water Quality Monitoring was carried out in the reporting month. No Action / Limit Level exceedance of surface water quality was recorded at WM1 & WM2 during the reporting period.
- 15.1.6 Landfill Gas Monitoring was carried out in the reporting month. No exceedance of Action / Limit Levels of LFG was recorded during the reporting period.
- 15.1.7 In terms of cultural heritage, implementation of the mitigation measures such as permanent fencing to protect the boulder path and setting up warning notices during construction phase of the Project has been monitored through the regular site inspection/audit in the reporting period. All the mitigation measures are in order.
- 15.1.8 Weekly environmental site inspections were carried out in the reporting month. Recommendations on mitigation measures for Permit/ Licenses were given to the Contractor for remediating the deficiencies identified during the site inspections.
- 15.1.9 One (1) environmental complaint regarding construction noise was received on 19 November 2025. The related investigation had been completed during the reporting period. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project.
- 15.1.10 One (1) environmental complaint regarding the air quality & construction noise was received on 27 October 2025. The related investigation had been completed during the reporting period. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project.
- 15.1.11 No non-compliance event was recorded during the reporting period.

- 15.1.12 No notification of summons and prosecution was received during the reporting period.
- 15.1.13 The ET will keep track on the EM&A programme to ensure compliance of environmental requirements and the proper implementation of all necessary mitigation measures.

## Figure 1 Location of the Project Site



## Figure 2 Impact Air Quality, Noise & Surface Water Quality Monitoring Locations



## Figure 3 Landfill Gas Monitoring Locations

Gas Monitoring Point ●

Monitoring Frequency: 2 times per day





Figure 3 Landfill Gas Monitoring Locations



## Gas Monitoring Point

Monitoring Frequency:  
2 times per day



### Figure 3 Landfill Gas Monitoring Locations

# Appendix A Construction Programme & Construction Activities



# 環境保護署 Environmental Protection Department




**NORTH EAST NEW TERRITORIES (NENTX) LANDFILL EXTENSION  
UPDATED BASELINE PROGRAMME (Rev.4)  
Executive Summary  
INITIAL WORKS (PHASE 1)**



Date	Revision	Ch...	Appr...
22-Jun-22	GENERAL REVISION		
31-Mar-23	GENERAL REVISION		

Construction Activities	Where	Who	What - ENV Impacts	Mitigation Measures
Material loading and unloading, backfilling of material, site traffic	Portion A, SBA to Alternative Disposal Ground	PCL	Dust, bringing mud to the common haul road	Speed limit, covering of materials and water spraying, lorry washing at the exit of the site
Construction of Site buildings	Portion D	PCL	Washout flowing to site water discharge point, dust emissions	Avoid the spillage of concrete, lorry washing at designated area, operation and maintenance of water treatment facility at discharge point
Site clearance	Portion A, Portion E3-1, Portion E4, Portion E1/B2	PCL	Wash out going to surface water channel and site water discharge point, generation of yard waste	Cover exposed slope by tarpaulin, diversion of surface water, operation and maintenance of water treatment facility at discharge point, implementation of trip ticket system
Installation of permanent fencing	Portion A, Portion B1, Portion E4	PCL	Dust	Covering of cement storage area, enclosure of mixing area
Site formation	Portion A, Portion E3-1, Portion E4, Portion E1/B2	PCL	Generation of C&D waste	Implementation of trip ticket system, waste recycling, internal waste transfer
Tree Felling	Whole site	PCL	Generation of yard waste	Implementation of trip ticket system, waste recycling, internal waste transfer
Shotcreting (permanent and temporary)	Whole site	PCL	Dust	Covering of cement storage area, enclosure of mixing area
Soil Nail Installation	Portion A, E1/B2, E4	PCL	Dust	Covering of cement storage area, enclosure of mixing area, watering during works, install dust screen at work area
Construction of RE Wall	Portion E3-1	PCL	Dust	Regular watering
Leachate Plant installation	Portion A	ATAL	Noise, Waste generation	Noise mitigation when required, implementation of trip ticket system, waste recycling
Liner installation	Landfill area	ESCL	waste generation	implementation of trip ticket system, waste recycling
LFG plant installation	Portion A	REC	Noise, Waste generation	Noise mitigation when required, implementation of trip ticket system, waste recycling

## Appendix B Project Organization Chart & Management Structure



Notes:

EPD - Environmental Protection Department

Arup - Ove Arup & Partners Limited

Veolia - Veolia Environmental Services Hong Kong Limited

Meinhardt - Meinhardt Infrastructure And Environment Limited

Aurecon - Aurecon Hong Kong Limited

← → Line of Communication

## Appendix C Detail Status of FEP & EP Submission

### Detail Status of Submissions required under the FEP & EP

FEP Condition	EP Condition	Submission / Measures	Status
2.1	2.3	Management Organization of Main Construction Companies	Submission Date (12 Oct 2022)
2.2	2.4	Setting up of Community Liaison Group (CLG)	Submission Date (12 Oct 2022)  1 <sup>st</sup> CLG meeting (12 Jan 2023)
2.3	2.5	Submission of EM&A Manual	Submission Date (12 Oct 2022)
2.4	2.6	Submission of Preservation of Cultural Landscape Features	Survey and Preservation of Grave Records: Submission Date (15 Oct 2022)  Survey and Preservation of Boulder Paths: Submission Date (12 Oct 2022)
2.5	2.7	Submission of Vegetation Survey (Transplantation Proposal)	Submission Date (2 Sep 2022)
2.6	2.8	Submission of translocation proposal	Submission Date (8 Jul 2022)
2.7	2.9	Submission of Transplantation Report and Post-Transplantation Monitoring	Submission Date (19 Jan 2023)  1 <sup>st</sup> monitoring (24 Nov 2022) 2 <sup>nd</sup> monitoring (9 Dec 2022) 3 <sup>rd</sup> monitoring (21 Dec 2022) 4 <sup>th</sup> monitoring (13 Jan 2023) 5 <sup>th</sup> monitoring (26 Jan 2023) 6 <sup>th</sup> monitoring (8 Feb 2023) 7 <sup>th</sup> monitoring (24 Feb 2023) 8 <sup>th</sup> monitoring (20 Mar 2023) 9 <sup>th</sup> monitoring (21 Apr 2023) 10 <sup>th</sup> monitoring (12 May 2023) 11 <sup>th</sup> monitoring (16 Jun 2023) 12 <sup>th</sup> monitoring (18 Jul 2023) 13 <sup>th</sup> monitoring (11 Aug 2023) 14 <sup>th</sup> monitoring (15 Sep 2023) 15 <sup>th</sup> monitoring (13 Oct 2023)

<b>FEP Condition</b>	<b>EP Condition</b>	<b>Submission / Measures</b>	<b>Status</b>
2.8	2.10	Submission of Translocation Report and Post-Translocation Monitoring	Translocation was carried out in July 2022 Submission Date (27 Dec 2022)  1 <sup>st</sup> monitoring (29 Aug 2022) 2 <sup>nd</sup> monitoring (28 Sep 2022) 3 <sup>rd</sup> monitoring (28 Oct 2022) 4 <sup>th</sup> monitoring (22 Nov 2022) 5 <sup>th</sup> monitoring (29 Dec 2022) 6 <sup>th</sup> monitoring (30 Jan 2023) 7 <sup>th</sup> monitoring (24 Feb 2023) 8 <sup>th</sup> monitoring (20 Mar 2023) 9 <sup>th</sup> monitoring (19 Apr 2023) 10 <sup>th</sup> monitoring (17 May 2023) 11 <sup>th</sup> monitoring (7 Jun 2023) 12 <sup>th</sup> monitoring (12 Jul 2023)
2.9	2.11	Submission of Detailed Landfill Gas Hazard Assessment Report	Submission Date (6 Oct 2022)
2.10	2.12	Submission of Waste Management Plan	Submission Date (30 Dec 2022)
2.11	2.13	Submission of Landscape Plan	Submission Date (31 May 2023)
3.2	3.2	Submission of Baseline Monitoring Report	Submission Date (30 Nov 2022)

FEP Condition	EP Condition	Submission / Measures	Status
3.3	3.3	Submission of Monthly EM&A Report	<p>1<sup>st</sup> report (Dec 2022)</p> <p>2<sup>nd</sup> report (Jan 2023)</p> <p>3<sup>rd</sup> report (Feb 2023)</p> <p>4<sup>th</sup> report (Mar 2023)</p> <p>5<sup>th</sup> report (Apr 2023)</p> <p>6<sup>th</sup> report (May 2023)</p> <p>7<sup>th</sup> report (Jun 2023)</p> <p>8<sup>th</sup> report (Jul 2023)</p> <p>9<sup>th</sup> report (Aug 2023)</p> <p>10<sup>th</sup> report (Sep 2023)</p> <p>11<sup>th</sup> report (Oct 2023)</p> <p>12<sup>th</sup> report (Nov 2023)</p> <p>13<sup>th</sup> report (Dec 2023)</p> <p>14<sup>th</sup> report (Jan 2024)</p> <p>15<sup>th</sup> report (Feb 2024)</p> <p>16<sup>th</sup> report (Mar 2024)</p> <p>17<sup>th</sup> report (Apr 2024)</p> <p>18<sup>th</sup> report (May 2024)</p> <p>19<sup>th</sup> report (Jun 2024)</p> <p>20<sup>th</sup> report (Jul 2024)</p> <p>21<sup>st</sup> report (Aug 2024)</p> <p>22<sup>nd</sup> report (Sep 2024)</p> <p>23<sup>rd</sup> report (Oct 2024)</p> <p>24<sup>th</sup> report (Nov 2024)</p> <p>25<sup>th</sup> report (Dec 2024)</p> <p>26<sup>th</sup> report (Jan 2025)</p> <p>27<sup>th</sup> report (Feb 2025)</p> <p>28<sup>th</sup> report (Mar 2025)</p> <p>29<sup>th</sup> report (Apr 2025)</p> <p>30<sup>th</sup> report (May 2025)</p> <p>31<sup>st</sup> report (Jun 2025)</p> <p>32<sup>nd</sup> report (Jul 2025)</p> <p>33<sup>rd</sup> report (Aug 2025)</p> <p>34<sup>th</sup> report (Sep 2025)</p> <p>35<sup>th</sup> report (Oct 2025)</p> <p>36<sup>th</sup> report (Nov 2025)</p>

## Appendix D Monitoring Schedule for Reporting Month & Next Month

11-2025							
Sun	Mon	Tue	Wed	Thur	Fri	Sat	
26	27	28	29	30	31	1	Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a
2	3 Additional Noise monitoring at NM1a	4	5	6 Noise monitoring at NM1a and NM2a Surface water quality monitoring at WM1 & WM2	7 Air quality monitoring at AM1, AM2 and AM3	8	
9	10	11	12	13 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	14	15	
16	17	18	19 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	20	21	22	
23	24	25 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	26	27	28	29	
Remark: 1. The schedule is tentative only and would be subject to changes due to unforeseen circumstances. 2. Air quality monitoring includes 1-hour TSP and 24-hour TSP monitoring at AM1, AM2 and AM3 (Ref.: Table 3.1 of the approved EM&A Manual). 3. Noise monitoring includes 30-minute construction noise monitoring at NM1a and NM2a (Ref.: Table 4.1 of the approved EM&A Manual). 4. Surface water quality monitoring includes in-situ measurement and water sampling for laboratory analysis at WM1 and WM2 (Ref.: Table 5.5 and Section 5.5.6 of the approved EM&A Manual). 5. Please arrange a Veolia staff to accompany our staff(s) to each locations for every monitoring.							

12-2025							
Sun	Mon	Tue	Wed	Thur	Fri	Sat	
30	1 Air quality monitoring at AM1, AM2 and AM3	2	3 Noise monitoring at NM1a and NM2a	4	5	6 Air quality monitoring at AM1, AM2 and AM3	
7	8	9	10	11	12 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a Surface water quality monitoring at WM1 & WM2	13	
14	15	16	17	18 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	19	20	
21	22	23	24 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	25	26	27	
28	29	30 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	31	1	2	3	
Remark: 1. The schedule is tentative only and would be subject to changes due to unforeseen circumstances. 2. Air quality monitoring includes 1-hour TSP and 24-hour TSP monitoring at AM1, AM2 and AM3 (Ref.: Table 3.1 of the approved EM&A Manual). 3. Noise monitoring includes 30-minute construction noise monitoring at NM1a and NM2a (Ref.: Table 4.1 of the approved EM&A Manual). 4. Surface water quality monitoring includes in-situ measurement and water sampling for laboratory analysis at WM1 and WM2 (Ref.: Table 5.5 and Section 5.5.6 of the approved EM&A Manual). 5. Please arrange a Veolia staff to accompany our staff(s) to each locations for every monitoring.							

## Appendix E Calibration Certificates

# Air Quality

**Sibata LD-5R K-Factor Verification Test by Total Suspended Particulates HVS Test Report**
**Information of Calibrated Equipment**

Verification Test Date:	<u>13-Sep-25</u>	to	<u>14-Sep-25</u>	Next Verification Test Date:	<u>12-Sep-26</u>
Unit-under-Test- Model No.:	<u>Sibata LD-5R</u>				
Unit-under-Test Serial No.:	<u>0Z4545</u>				
Our Report Reference No.:	<u>RPT-25-HVS-0091</u>				
Calibration Location:	<u>AM2, location near the Leachate Treatment Works within the NENTX Landfill</u>				

**Standard Equipment Information**


Verification Equipment Type:	<u>Tisch TSP HVS</u>	Tisch HVS Calibrator
Standard Equipment Model No.:	<u>TE-5170X</u>	<u>TE-5025A</u>
Equipment serial no.:	<u>1106</u>	<u>3465</u>
Last Calibration Date:	<u>12-Sep-25</u>	<u>02-Dec-24</u>
Next Calibration Date:	<u>12-Sep-26</u>	<u>02-Dec-25</u>

**Equipment Verification Result**

Verification Test No.	Date	Duration			Results from Calibrated Equipment		Results from Standard Equipment
		Start-time	End-time	Elapsed Time (in min)	Total Counts	Counts/ Minute x-axis	Dust Concentration ( $\mu\text{g}/\text{m}^3$ y-axis)
1	12/09/25	6021.22	6024.22	180.00	9000	50	55
2	12/09/25	6024.22	6027.22	180.00	13140	73	77
3	12/09/25	6027.22	6030.22	180.00	13680	76	80
4	13/09/25	6030.22	6033.22	180.00	12960	72	75
5	13/09/25	6033.22	6036.22	180.00	12780	71	75
6	13/09/25	6036.22	6039.22	180.00	9540	53	59

**Linear Regression of y on x**

Slope, K factor:	<u>0.9249</u>	Intercept:	<u>9.2765</u>	*Correlation Coefficient,R:	<u>0.9984</u>
Verification Test Result:	<u>Strong Correlation, Results were accepted.</u>			* If the Correlation Coefficient, R is <0.5. Checking and Re-verification are required.	

**Verification Curve**


Operated By:

 Andy Li  
 Project Technician, Environmental

 Date: 14-09-2025


Checked By:

 Joe Ho  
 Lead Consultant, Environmental

 Date: 14-09-2025


**Sibata LD-5R K-Factor Verification Test by Total Suspended Particulates HVS Test Report**
**Information of Calibrated Equipment**

Verification Test Date:	<u>13-Sep-25</u>	to	<u>14-Sep-25</u>	Next Verification Test Date:	<u>12-Sep-26</u>
Unit-under-Test- Model No.:	<u>Sibata LD-5R</u>				
Unit-under-Test Serial No.:	<u>882106</u>				
Our Report Reference No.:	<u>RPT-25-HVS-0092</u>				
Calibration Location:	<u>AM2, location near the Leachate Treatment Works within the NENTX Landfill</u>				

**Standard Equipment Information**

Verification Equipment Type:	<u>Tisch TSP HVS</u>	Tisch HVS Calibrator
Standard Equipment Model No.:	<u>TE-5170X</u>	<u>TE-5025A</u>
Equipment serial no.:	<u>1106</u>	<u>3465</u>
Last Calibration Date:	<u>12-Sep-25</u>	<u>02-Dec-24</u>
Next Calibration Date:	<u>12-Sep-26</u>	<u>02-Dec-25</u>


**Equipment Verification Result**

Verification Test No.	Date	Duration			Results from Calibrated Equipment		Results from Standard Equipment
		Start-time	End-time	Elapsed Time (in min)	Total Counts	Counts/ Minute x-axis	Dust Concentration ( $\mu\text{g}/\text{m}^3$ y-axis)
1	12/09/25	6021.22	6024.22	180.00	9360	52	55
2	12/09/25	6024.22	6027.22	180.00	12960	72	77
3	12/09/25	6027.22	6030.22	180.00	14220	79	80
4	13/09/25	6030.22	6033.22	180.00	13140	73	75
5	13/09/25	6033.22	6036.22	180.00	13140	73	75
6	13/09/25	6036.22	6039.22	180.00	9900	55	59

**Linear Regression of y on x**

Slope, K factor:	<u>0.9382</u>	Intercept:	<u>6.9956</u>	*Correlation Coefficient,R:	<u>0.9922</u>
Verification Test Result:	Strong Correlation, Results were accepted.				

\* If the Correlation Coefficient, R is <0.5. Checking and Re-verification are required.

**Verification Curve**


Operated By:

 Andy Li  
 Project Technician, Environmental

 Date: 14-09-2025


Checked By:

 Joe Ho  
 Lead Consultant, Environmental

 Date: 14-09-2025


## Sibata LD-5R K-Factor Verification Test by Total Suspended Particulates HVS Test Report

### Information of Calibrated Equipment

Verification Test Date:	13-Sep-25	to	14-Sep-25	Next Verification Test Date:	12-Sep-26
Unit-under-Test- Model No.:	Sibata LD-5R				
Unit-under-Test Serial No.:	942532				
Our Report Reference No.:	RPT-25-HVS-0090				
Calibration Location:	AM2, location near the Leachate Treatment Works within the NENTX Landfill				

### Standard Equipment Information

Verification Equipment Type:	Tisch TSP HVS	Tisch HVS Calibrator
Standard Equipment Model No.:	TE-5170X	TE-5025A
Equipment serial no.:	1106	3465
Last Calibration Date:	12-Sep-25	02-Dec-24
Next Calibration Date:	12-Sep-26	02-Dec-25


### Equipment Verification Result

Verification Test No.	Date	Duration			Results from Calibrated Equipment		Results from Standard Equipment
		Start-time	End-time	Elapsed Time (in min)	Total Counts	Counts/ Minute x-axis	Dust Concentration ( $\mu\text{g}/\text{m}^3$ y-axis)
1	12/09/25	6021.22	6024.22	180.00	9720	54	55
2	12/09/25	6024.22	6027.22	180.00	13500	75	77
3	12/09/25	6027.22	6030.22	180.00	13680	76	80
4	13/09/25	6030.22	6033.22	180.00	12600	70	75
5	13/09/25	6033.22	6036.22	180.00	12960	72	75
6	13/09/25	6036.22	6039.22	180.00	10080	56	59

### Linear Regression of y on x

Slope, K factor:	<b>1.0704</b>	Intercept:	<b>-1.7277</b>	*Correlation Coefficient,R:	<b>0.9929</b>
Verification Test Result:	Strong Correlation, Results were accepted.				

\* If the Correlation Coefficient, R is <0.5. Checking and Re-verification are required.



Operated By:

Andy Li  
Project Technician, Environmental

Date: 14-09-2025

Checked By:

Joe Ho  
Lead Consultant, Environmental

Date: 14-09-2025

## HIVOL SAMPLER CALIBRATION DATA SHEET (TSP)

### Site Information

Location:	Representative For Tung Lo Hang	Site ID:	AM1	Cal Date: Exp Date:	4/10/2025 3/12/2025
Serial No:	1105	Model:	TE-5170X	Operator:	Andy Li

### Ambient Condition

Actual Pressure during Calibration ( $P_a$ ) (mm Hg):	759.4	Actual Temperature during Calibration ( $T_a$ ) (deg K):	302.9
--	-------	--	-------

### Calibration Orifice

Model:	TE-5025A	Slope ( $m_c$ ):	2.08107
Serial No.:	3465	Intercept ( $b_c$ ):	-0.04295
Calibration Due Date:	2-Dec-25	Corr. Coeff:	0.99999

### Calibration Data

Plate or Test #	$\Delta H_2O$ (in)	$Q_a$ , X-Axis ( $m^3/min$ )	I, CFM (chart)	IC, Y-Axis (corrected)
18	12.20	1.685	59.0	58.50
13	10.10	1.535	55.0	54.53
10	8.60	1.418	49.0	48.58
7	6.20	1.207	45.0	44.62
5	2.30	0.743	32.0	31.73

### Sampler Calibration Relationship ( $Q_a$ on x-axis, IC on y-axis)

$$m = 28.1776 \quad b = 10.4678 \quad \text{Corr. Coeff} = 0.9948$$


### Calculations

$$Q_a = 1/m_c * [\text{Sqrt}(\Delta H_2O * (P_a/P_{Std}) * (T_{Std}/T_a)) - b_c]$$

$$IC = I * (\text{Sqrt}(P_a/P_{Std}) * (T_{Std}/T_a))$$

$Q_a$  = actual flow rate  
 $IC$  = corrected chart response  
 $I$  = actual chart response  
 $m_c$  = calibrator slope  
 $b_c$  = calibrator intercept

$m$  = sampler slope  
 $b$  = sampler intercept  
 $T_{Std} = 298$  deg K  
 $P_{Std} = 760$  mm Hg  
 $T_a$  = actual temperature during calibration (deg K)  
 $P_a$  = actual pressure during calibration (mm Hg)



Checked by: F.C Tsang  
Monitoring Team Leader

Date: 05-Oct-2025

## HIVOL SAMPLER CALIBRATION DATA SHEET (TSP)

### Site Information

Location:	Representative For Heung YuenWai	Site ID:	AM2	Cal Date: Exp Date:	4/10/2025 3/12/2025
Serial No:	1106	Model:	TE-5170X	Operator:	Andy Li

### Ambient Condition

Actual Pressure during Calibration ( $P_a$ ) (mm Hg):	759.4	Actual Temperature during Calibration ( $T_a$ ) (deg K):	302.9
--	-------	--	-------

### Calibration Orifice

Model:	TE-5025A	Slope ( $m_c$ ):	2.08107
Serial No.:	3465	Intercept ( $b_c$ ):	-0.04295
Calibration Due Date:	2-Dec-25	Corr. Coeff:	0.99999

### Calibration Data

Plate or	$\Delta H_2O$	Qa, X-Axis	I, CFM	IC, Y-Axis
Test #	(in)	( $m^3/min$ )	(chart)	(corrected)
18	13.00	1.738	62.0	61.47
13	11.10	1.608	58.0	57.51
10	9.00	1.450	53.0	52.55
7	6.40	1.226	42.0	41.64
5	3.00	0.846	33.0	32.72

### Sampler Calibration Relationship (Qa on x-axis, IC on y-axis)

$$m = 33.3750 \quad b = 3.3333 \quad \text{Corr. Coeff} = 0.9919$$


### Calculations

$$Qa = 1/m_c * [\text{Sqrt}(\Delta H_2O * (P_a/P_{Std}) * (T_{Std}/T_a)) - b_c]$$

$$IC = I * [\text{Sqrt}(P_a/P_{Std}) * (T_{Std}/T_a)]$$

$Q_a$  = actual flow rate  
 $IC$  = corrected chart response  
 $I$  = actual chart response  
 $m_c$  = calibrator slope  
 $b_c$  = calibrator intercept

$m$  = sampler slope  
 $b$  = sampler intercept  
 $T_{Std} = 298$  deg K  
 $P_{Std} = 760$  mm Hg  
 $T_a$  = actual temperature during calibration (deg K)  
 $P_a$  = actual pressure during calibration (mm Hg)



Checked by: F.C Tsang  
Monitoring Team Leader

Date: 05-Oct-2025

## HIVOL SAMPLER CALIBRATION DATA SHEET (TSP)

### Site Information

Location:	Representative For Wo Keng Shan Tsuen	Site ID:	AM3	Cal Date: Exp Date:	4/10/2025 3/12/2025
Serial No:	1856	Model:	TE-5170X	Operator:	Andy Li

### Ambient Condition

Actual Pressure during Calibration ( $P_a$ ) (mm Hg):	759.4	Actual Temperature during Calibration ( $T_a$ ) (deg K):	302.9
--	-------	--	-------

### Calibration Orifice

Model:	TE-5025A	Slope ( $m_c$ ):	2.08107
Serial No.:	3465	Intercept ( $b_c$ ):	-0.04295
Calibration Due Date:	2-Dec-25	Corr. Coeff:	0.99999

### Calibration Data

Plate or Test #	$\Delta H_2O$ (in)	$Q_a$ , X-Axis ( $m^3/min$ )	I, CFM (chart)	IC, Y-Axis (corrected)
18	13.60	1.778	61.0	60.48
13	11.40	1.629	54.0	53.54
10	8.00	1.368	46.0	45.61
7	6.40	1.226	40.0	39.66
5	3.40	0.899	32.0	31.73

0

### Sampler Calibration Relationship ( $Q_a$ on x-axis, IC on y-axis)

$m = 32.5699$

$b = 1.2560$

Corr. Coeff = 0.9940

### Calculations


$$Q_a = 1/m_c * [\text{Sqrt}(\Delta H_2O * (P_a/P_{\text{Std}}) * (T_{\text{Std}}/T_a)) - b_c]$$

$$IC = I * [\text{Sqrt}(P_a/P_{\text{Std}}) * (T_{\text{Std}}/T_a)]$$

$Q_a$  = actual flow rate  
 $IC$  = corrected chart response  
 $I$  = actual chart response  
 $m_c$  = calibrator slope  
 $b_c$  = calibrator intercept

$m$  = sampler slope  
 $b$  = sampler intercept  
 $T_{\text{Std}} = 298$  deg K  
 $P_{\text{Std}} = 760$  mm Hg  
 $T_a$  = actual temperature during calibration (deg K)  
 $P_a$  = actual pressure during calibration (mm Hg)

Flow Rate Chart



Checked by: F.C Tsang  
Monitoring Team Leader

Date: 05-Oct-2025



RECALIBRATION

DUE DATE:

December 2, 2025

# Certificate of Calibration

## Calibration Certification Information

Cal. Date:	December 2, 2024	Rootsmeter S/N:	438320	Ta:	293	°K
Operator:	Jim Tisch			Pa:	757.4	mm Hg
Calibration Model #:	TE-5025A	Calibrator S/N: <b>3465</b>				

Run	Vol. Init (m <sup>3</sup> )	Vol. Final (m <sup>3</sup> )	ΔVol. (m <sup>3</sup> )	ΔTime (min)	ΔP (mm Hg)	ΔH (in H <sub>2</sub> O)
1	1	2	1	1.4300	3.2	2.00
2	3	4	1	1.0190	6.4	4.00
3	5	6	1	0.9090	7.9	5.00
4	7	8	1	0.8680	8.8	5.50
5	9	10	1	0.7170	12.8	8.00

## Data Tabulation

Vstd (m <sup>3</sup> )	Qstd (x-axis)	$\sqrt{\Delta H \left( \frac{Pa}{Pstd} \right) \left( \frac{Tstd}{Ta} \right)}$ (y-axis)	Va	Qa (x-axis)	$\sqrt{\Delta H \left( \frac{Ta}{Pa} \right)}$ (y-axis)
1.0093	0.7058	1.4238	0.9958	0.6963	0.8796
1.0051	0.9863	2.0136	0.9916	0.9731	1.2439
1.0031	1.1035	2.2512	0.9896	1.0886	1.3907
1.0018	1.1542	2.3611	0.9884	1.1387	1.4586
0.9965	1.3898	2.8476	0.9831	1.3711	1.7592
<b>QSTD</b>		<b>m= 2.08107</b>		<b>m= 1.30313</b>	
<b>QSTD</b>		<b>b= -0.04295</b>	<b>QA</b>	<b>b= -0.02653</b>	
<b>QSTD</b>		<b>r= 0.99999</b>		<b>r= 0.99999</b>	

## Calculations

$$Vstd = \Delta Vol \left( \frac{(Pa - \Delta P)}{Pstd} \right) \left( \frac{Tstd}{Ta} \right)$$

$$Va = \Delta Vol \left( \frac{(Pa - \Delta P)}{Pa} \right)$$

$$Qstd = Vstd / \Delta Time$$

$$Qa = Va / \Delta Time$$

For subsequent flow rate calculations:

$$Qstd = 1/m \left( \left( \sqrt{\Delta H \left( \frac{Pa}{Pstd} \right) \left( \frac{Tstd}{Ta} \right)} \right) - b \right)$$

$$Qa = 1/m \left( \left( \sqrt{\Delta H \left( \frac{Ta}{Pa} \right)} \right) - b \right)$$

## Standard Conditions

Tstd:	298.15 °K
Pstd:	760 mm Hg
<b>Key</b>	
ΔH: calibrator manometer reading (in H <sub>2</sub> O)	
ΔP: rootsmeter manometer reading (mm Hg)	
Ta: actual absolute temperature (°K)	
Pa: actual barometric pressure (mm Hg)	
b: intercept	
m: slope	

## RECALIBRATION

US EPA recommends annual recalibration per 1998 40 Code of Federal Regulations Part 50 to 51, Appendix B to Part 50, Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere, 9.2.17, page 30

**Noise**

# Certificate of Calibration

for

**Description:** Sound Level Meter  
**Manufacturer:** NTi Audio  
**Type No.:** XL2 (Serial No.: A2A-13661-E0)  
**Microphone:** ACO 7052 (Serial No.:84464)  
**Preamplifier:** NTi Audio MA220 (M2211) (Serial No.:5287)

**Submitted by:**

**Customer:** Aurecon Hong Kong Limited  
**Address:** Unit 1608, 16/F, Tower B, Manulife Financial Centre,  
223-231 Wai Yip Street, Kwun Tong,  
Kowloon, Hong Kong

**Upon receipt for calibration, the instrument was found to be:**

Within (31.5Hz – 8kHz)  
 Outside

**the allowable tolerance.**


The test equipment used for calibration are traceable to National Standards via:

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

**Date of receipt:** 6 August 2025


**Date of calibration:** 7 August 2025

**Date of NEXT calibration:** 6 August 2026

**Calibrated by:**   
Calibration Technician

**Date of issue:** 7 August 2025

**Certificate No.:** APJ25-046-CC002

**Certified by:**   
Mr. Ng Yan Wa  
Laboratory Manager



Page 1 of 4

## 1. Calibration Precaution:

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

## 2. Calibration Conditions:

Air Temperature: 24.6 °C  
 Air Pressure: 1006 hPa  
 Relative Humidity: 54.7 %

## 3. Calibration Equipment:

	Type	Serial No.	Calibration Report Number	Traceable to
Multifunction Calibrator	B&K 4226	2288467	AV240081	HOKLAS

## 4. Calibration Results

### Sound Pressure Level

#### Reference Sound Pressure Level

Setting of Unit-under-test (UUT)			Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz		
30-130	dBA	SPL	Fast	94	1000	94.1

### Linearity

Setting of Unit-under-test (UUT)			Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz		
30-130	dBA	SPL	Fast	94	1000	94.0
				104		104.1
				114		114.1

### Time Weighting

Setting of Unit-under-test (UUT)			Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz		
30-130	dBA	SPL	Fast	94	1000	94.0
						94.1

Certificate No.: APJ25-046-CC002



Page 2 of 4

## Frequency Response

## Linear Response

Setting of Unit-under-test (UUT)			Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz		
30-130	dB SPL	Fast	94	31.5	94.1	$\pm 2.0$
				63	94.2	$\pm 1.5$
				125	94.1	$\pm 1.5$
				250	94.1	$\pm 1.4$
				500	94.2	$\pm 1.4$
				1000	94.1	Ref
				2000	94.4	$\pm 1.6$
				4000	95.1	$\pm 1.6$
				8000	94.6	$+2.1; -3.1$

## A-weighting

Setting of Unit-under-test (UUT)			Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz		
30-130	dBA SPL	Fast	94	31.5	54.7	$-39.4 \pm 2.0$
				63	67.9	$-26.2 \pm 1.5$
				125	78.0	$-16.1 \pm 1.5$
				250	85.4	$-8.6 \pm 1.4$
				500	90.9	$-3.2 \pm 1.4$
				1000	94.1	Ref
				2000	95.6	$+1.2 \pm 1.6$
				4000	96.0	$+1.0 \pm 1.6$
				8000	93.5	$-1.1 + 2.1; -3.1$

## C-weighting

Setting of Unit-under-test (UUT)			Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz		
30-130	dB SPL	Fast	94	31.5	91.1	$-3.0 \pm 2.0$
				63	93.3	$-0.8 \pm 1.5$
				125	93.9	$-0.2 \pm 1.5$
				250	94.1	$-0.0 \pm 1.4$
				500	94.2	$-0.0 \pm 1.4$
				1000	94.1	Ref
				2000	94.2	$-0.2 \pm 1.6$
				4000	94.2	$-0.8 \pm 1.6$
				8000	91.6	$-3.0 + 2.1; -3.1$

Certificate No.: APJ25-046-CC002



Page 3 of 4

## 5. Calibration Results Applied

The results apply to the particular unit-under-test only. All calibration points are within manufacturer's specification as IEC 61672 Class 1.

Uncertainties of Applied Value:

94 dB	31.5 Hz	± 0.10
	63 Hz	± 0.10
	125 Hz	± 0.05
	250 Hz	± 0.05
	500 Hz	± 0.05
	1000 Hz	± 0.05
	2000 Hz	± 0.05
	4000 Hz	± 0.05
	8000 Hz	± 0.10
104 dB	1000 Hz	± 0.05
114 dB	1000 Hz	± 0.05

The uncertainties are evaluated for a 95% confidence level.

Note:

The values given in this certification only related to the values measured at the time of the calibration and any uncertainties quoted will not allow for the equipment long-term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the calibration. (A+A)\*L shall not be liable for any loss or damage resulting from the use of the equipment.

Certificate No.: APJ25-046-CC002



Page 4 of 4

# *Certificate of Calibration*

for

**Description:** Sound Level Calibrator  
**Manufacturer:** RION  
**Type No.:** NC-75  
**Serial No.:** 34724245

**Submitted by:**

**Customer:** Aurecon Hong Kong Limited  
**Address:** Unit 1608, 16/F, Tower B,  
Manulife Financial Centre,  
223-231 Wai Yip Street, Kwun Tong,  
Kowloon, Hong Kong

**Upon receipt for calibration, the instrument was found to be:**

Within  
 Outside

**the allowable tolerance.**

The test equipments used for calibration are traceable to National Standards via:

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

**Date of receipt:** 10 July 2025

**Date of calibration:** 11 July 2025

**Date of NEXT calibration:** 10 July 2026

**Calibrated by:** \_\_\_\_\_  
\_\_\_\_\_  
*[Signature]*  
Calibration Technician

**Date of issue:** 11 July 2025

**Certified by:** \_\_\_\_\_  
\_\_\_\_\_  
*[Signature]*  
Mr. Ng Yan Wa  
Laboratory Manager



**Certificate No.:** APJ25-045-CC003

Page 1 of 2

## 1. Calibration Precautions:

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

## 2. Calibration Specifications:

Calibration check

## 3. Calibration Conditions:

Air Temperature:	24.6 °C
Air Pressure:	1006 hPa
Relative Humidity:	57.5 %

## 4. Calibration Equipment:

Test Equipment	Type	Serial No.	Calibration Report Number	Traceable to
Multifunction Calibrator	B&K 4226	2288467	AV240081	HOKLAS
Sound Level Meter	RION NA-28	30721812	AV240109	HOKLAS

## 5. Calibration Results

### 5.1 Sound Pressure Level

Nominal value dB	Accept lower level dB	Accept upper level dB	Measured value dB
94.0	93.6	94.4	94.0

Note:

The values given in this certification only related to the values measured at the time of the calibration.

Certificate No.: APJ25-045-CC003



Page 2 of 2



# Cal Lab Limited 校正實驗室有限公司

Room 2103, Technology Plaza, 29-35 Sha Tsui Road,  
Tsuen Wan, NT, Hong Kong  
Tel: +852 25680106 Email: info@callab.com.hk  
Fax: +852 30116194 Website: www.callab.com.hk



## Calibration Certificate No.: CC0182502

### Information provided by customer

Customer: Aurecon Hong Kong Limited  
Address: Unit 1608, 16/F, Tower B, Manulife Financial Centre, 222-231 Wai Yip Street, Kwun Tong, Hong Kong

### Equipment identification provided by customer

Equipment Description	Manufacturer	Model No.	Serial No.	Assigned equipment No.
Air Velocity Meter	UNI-T	UT363	C222415356	A-02

### Certificate Information

Date of Receipt:	12 February 2025	Calibration Condition:	22.4°C, 54%RH, 1011hPa
Date of Calibration:	18 February 2025	Adjustment:	N/A
Recommended Next Cal. Date:	N/A	Appearance:	Good
Calibration Procedure:	SOP-112	Remark:	N/A

### Reference Equipment Identification

Equipment Description	Model	Serial No.	Expiration Date
Hot Wire Anemometer	405-V1	41576231	17 July 2026

### Result of Calibration

#### Air Velocity

Reference Reading (m/s)	Measured Reading (m/s)	Error (m/s)	Uncertainty (%)	Technical Requirement	Technical Reference Doc.
1.04	1.0	0.0	3.6	± 5 %	Mfr's Spec.
2.02	2.1	0.1	3.6	± 5 %	Mfr's Spec.
4.98	5.1	0.1	3.6	± 5 %	Mfr's Spec.
8.01	8.2	0.2	3.6	± 5 %	Mfr's Spec.

CT-AFR-01

Note1: The estimated expanded uncertainties have been calculated in "Evaluation and expression of uncertainty in measurement" and give an internal estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Note2: The standard (s) and instrument used in the calibration are traceable to national or international recognized standard and are calibrated on a schedule to maintain the accuracy and good condition.

Note3: The result reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long term stability of the instrument.

Note4: The result shows in this calibration certificate relate only to the item calibrated, and the result only applies to the calibration item as received.

Calibrated By:

Wing Cheng

Checked and Approved By:

Warren Yeung

Company Chop:




Certificate Issue Date: 20 February 2025

CT-BEG-04

\*\*\* End of Certificate \*\*\*

# Water Quality



專業化驗有限公司  
QUALITY PRO TEST-CONSULT LIMITED

Unit 10, 5/F, Wah Wai Centre, 38-40 Au Pui Wan St., Fotan, Hong Kong  
Email: info@qualityprotest.com; Website: www.qualityprotest.com  
Tel: (852) 3956 8717; Fax: (852) 3956 3928

## REPORT OF EQUIPMENT PERFORMANCE CHECK/ CALIBRATION

Test Report No. : R-BE080098  
Date of Issue : 20 August 2025  
Page No. : 1 of 2

### PART A - CUSTOMER INFORMATION

Acuity Sustainability Consulting Limited  
Unit 1608, 16/F, Tower B, Manulife Fin. Centre 223 - 231 Wai Yip Street, Kwun Tong,  
Kowloon (HK) Hong Kong

### PART B - SAMPLE INFORMATION

Name of Equipment : YSI ProDSS Multi Parameters  
Manufacturer : YSI  
Serial Number : 15M101091  
Date of Received : 15 August 2025  
Date of Calibration : 18 August 2025  
Date of Next Calibration : 14 November 2025  
Request No. : D-BE080098

### PART C - REFERENCE METHODS/ DOCUMENTS FOR THE CALIBRATION

<u>Test Parameter</u>	<u>Reference Method</u>
pH value	APHA 21e 4500-H <sup>+</sup> B
Temperature	Section 6 of international Accreditation New Zealand Technical Guide no. 3 Second edition March 2008: Working Thermometer Calibration Procedure
Dissolved oxygen	APHA 23c 4500-O G (Membrane Electrode Method)
Conductivity	APHA 21e 2510 B
Salinity	APHA 21e 2520 B
Turbidity	APHA 21e 2130 B (Nephelometric Method)

### PART D - CALIBRATION RESULT

#### (1) pH value

Target ( pH unit )	Display Reading ( pH unit )	Tolerance ( pH unit )	Result
4.00	3.93	-0.07	Satisfactory
7.42	7.41	-0.01	Satisfactory
10.01	9.89	-0.12	Satisfactory

Tolerance of pH value should be less than  $\pm 0.2$  ( pH unit )

#### (2) Temperature

Reading of Ref. thermometer ( °C )	Display Reading ( °C )	Tolerance ( °C )	Result
13.3	13.4	0.1	Satisfactory
24.6	24.6	0	Satisfactory
34.8	34.6	-0.2	Satisfactory

Tolerance of Temperature should be less than  $\pm 2.0$  ( °C )

#### (3) Dissolved oxygen


Expected Reading ( mg/L )	Display Reading ( mg/L )	Tolerance ( mg/L )	Result
7.41	7.59	0.18	Satisfactory
5.20	5.38	0.18	Satisfactory
3.91	3.98	0.07	Satisfactory
0.08	0.32	0.24	Satisfactory

Tolerance of Dissolved oxygen should be less than  $\pm 0.5$  ( mg/L )

--- CONTINUED ON NEXT PAGE ---

AUTHORIZED  
SIGNATORY:

FUNG Yuen-ching  
Laboratory Manager



專業化驗有限公司  
QUALITY PRO TEST-CONSULT LIMITED

Unit 10, 5/F, Wah Wai Centre, 38-40 Au Pui Wan St., Fotan, Hong Kong  
Email: info@qualityprotest.com; Website: www.qualityprotest.com  
Tel: (852) 3956 8717; Fax: (852) 3956 3928

## REPORT OF EQUIPMENT PERFORMANCE CHECK/ CALIBRATION

Test Report No. : R-BE080098  
Date of Issue : 20 August 2025  
Page No. : 2 of 2

### (4) Conductivity

Expected Reading ( $\mu\text{S}/\text{cm}$ at $25^\circ\text{C}$ )	Display Reading ( $\mu\text{S}/\text{cm}$ at $25^\circ\text{C}$ )	Tolerance ( % )	Result
146.9	160.3	9.1	Satisfactory
1412	1412	0	Satisfactory
12890	12596	-2.3	Satisfactory
58670	58120	-0.9	Satisfactory
111900	111080	-0.7	Satisfactory

Tolerance of Conductivity should be less than  $\pm 10.0$  ( % )

### (5) Salinity

Expected Reading ( g/L )	Display Reading ( g/L )	Tolerance ( % )	Result
10	10.15	1.50	Satisfactory
20	20.01	0.05	Satisfactory
30	30.36	1.20	Satisfactory

Tolerance of Salinity should be less than  $\pm 10.0$  ( % )

### (6) Turbidity

Expected Reading ( NTU )	Display Reading ( NTU )	Tolerance <sup>(a)</sup> ( % )	Result
0	0.64	-	Satisfactory
10	9.75	-2.5	Satisfactory
20	20.06	0.3	Satisfactory
100	92.09	-7.9	Satisfactory
800	801.54	0.2	Satisfactory

Tolerance of Turbidity should be less than  $\pm 10.0$  ( % )

<sup>(a)</sup> For 0 NTU, Display Reading should be less than 1 NTU

### Remark(s)

- The "Date of Next Calibration" is recommended according to best practice principles followed by QPT or relevant international standards.
- The results relate only to the calibrated equipment as received.
- The performance of the equipment stated in this report is checked using independent reference material, with results compared against a calibrated secondary source.
- "Displayed Reading" denotes the figure shown on the item under calibration/checking, regardless of equipment precision or significant figures.
- The "Tolerance Limit" mentioned is the acceptance criteria applicable to similar equipment used by Quality Pro Test-Consult Ltd. or quoted from relevant international standards.

--- END OF REPORT ---



# Cal Lab Limited 校正實驗室有限公司

Room 2103, Technology Plaza, 29-35 Sha Tsui Road,  
Tsuen Wan, NT, Hong Kong  
Tel: +852 25680106 Email: info@callab.com.hk  
Fax: +852 30116194 Website: www.callab.com.hk

## Calibration Certificate No.: CC0172502

### Information provided by customer

Customer: Acumen Laboratory and Testing Limited  
Address: Workshop 04, 7/F, The Whitney, No. 183 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong

### Equipment Identification provided by customer

Equipment Description	Manufacturer	Model No.	Serial No.	Assigned equipment No.
Flow Probe	Global Water	FP111	22K100859	N/A

### Certificate Information

Date of Receipt:	10 February 2025	Calibration Condition:	21.7°C, 52%RH, 1008hPa
Date of Calibration:	11 February 2025	Adjustment:	N/A
Due Date of Calibration:	N/A	Appearance:	Good
Calibration Procedure:	JJG 1030-2007	Remark:	N/A

### Reference Equipment Identification

Equipment Description	Model	Serial No.	Expiration Date
Water Flow Meter	GW8100	20240628GW8100-P165	13 November 2025

### Result of Calibration

#### Water Flow Rate

Reference Reading (m/s)	Measured Reading (m/s)	Error (m/s)	Uncertainty (%)
0.00	0.0	N/A	N/A
1.03	1.1	-0.07	5.8
2.92	3.0	-0.08	5.8
5.06	5.0	0.06	5.8

Note1: The estimated expanded uncertainties have been calculated in "Evaluation and expression of uncertainty in measurement" and give an internal estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.

Note2: The standard (s) and instrument used in the calibration are traceable to national or international recognized standard and are calibrated on a schedule to maintain the accuracy and good condition.

Note3: The result reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long term stability of the instrument.

Note4: The result shows in this calibration certificate relate only to the item calibrated, and the result only applies to the calibration item as received.

Note5: Calibration item/ parameter marked with \* is out of scope of Cal Lab Limited (A2LA 3815.01).

Calibrated By:

Wing Cheng

Checked and Approved By:

Warren Yeung

Company Chop:



Certificate Issue Date: 12 February 2025

CT-BEG-04

\*\*\* End of Certificate \*\*\*

- The certificate shall not be reproduced except in full, without written approval of Cal Lab Limited
- The certificate is issued subject to the latest Terms and Conditions, available at our web site

CC0172502

Page 1 of 1

# Landfill Gas

# Asia Pacific Industrial Safety Equipment

Tel: 2592 2100

Fax: 3165 8960

## Calibration Certificate

Cert. Ref. No.:

BLS/G7C/01/1426

Date: 27/7/2025

Customer: New Concepts Eng Dev Ltd

Attn: Victor Tel: 9840 3136 Fax:

User Details:

Gas Detector Model: Blackline Safety G7C-EU2 Serial No: 3571220922 CART ID: 334341  
Calibration Record: Act. Code: L6R 7HB

Inspection before calibration		Visual inspection	Functional Test
Basic Unit - Case, Clip & Display etc.		OK	OK
Battery and charge etc.		OK	OK
Motorized Pump		OK	OK
Other items		-	-

Type of Sensor	Expiry Date
Oxygen Sensor	
CO Sensor	
H2S Sensor	
Combustible (LEL) Sensor	
Carbon Dioxide (CO2) Sensor	

Type of calibration	Date of calibration	H2S ( ppm )	CO ( ppm )	O2 ( % )	LEL ( % )	CO2 ( ppm )
SENSOR Calibration	9/8/2025	25	100	18	50	5000
		OK	OK	OK	OK	OK

Calibration remarks:

Blackline Safety Recommended Next Calibration Date\*:

5/2/2026

\*The calibration Schedule can be configured to match your company's safety policy  
and Blackline Safety recommends not exceeding 180 days without a calibration

### IMPORTANT NOTES TO Blackline Safety GAS DETECTOR USERS

USERS MUST READ THE OPERATOR'S MANUAL THOROUGHLY BEFORE OPERATING THIS EQUIPMENT AND FOLLOW THEIR OWN SAFETY SUPERVISOR'S INSTRUCTION TO WORK.

All gas detection instrumentation on the market requires periodic calibration to accurately measure gas. Calibration is only as accurate as the test gas used. Blackline Safety quality test gases are made to the highest accuracy and traceability to N.I.S.T. Standard.

Calibration By:

Mind Lau

Services Hotline : 2592 2100



## Appendix F Monitoring Results

# Air Quality

**1-hour TSP Concentration (µg/m³) at Location AM1**

Date	Equipment Brand & Model	Equipment Serial No.	K-factor	Weather	Sampling Time (1)	Sampling Time (2)	Sampling Time (3)	Reading (1)		Reading (2)		Reading (3)		Average	Action Level	Limit Level			
								µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³						
01/11/2025	Sibata LD-5R	942532	1.0704	Fine	8:25	9:25	10:25	35	36	40	37	285	500						
07/11/2025	Sibata LD-5R	942532	1.0704	Fine	8:26	9:26	10:26	31	39	38	36								
13/11/2025	Sibata LD-5R	942532	1.0704	Fine	8:36	9:36	10:36	20	21	26	22								
19/11/2025	Sibata LD-5R	942532	1.0704	Fine	8:40	9:40	10:40	32	36	35	34								
25/11/2025	Sibata LD-5R	942532	1.0704	Fine	8:25	9:25	10:25	30	15	26	24								
								Average	31										
								Max.	40										
								Min.	15										

**1-hour TSP Concentration (µg/m³) at Location AM2**

Date	Equipment Brand & Model	Equipment Serial No.	K-factor	Weather	Sampling Time (1)	Sampling Time (2)	Sampling Time (3)	Reading (1)		Reading (2)		Reading (3)		Average	Action Level	Limit Level			
								µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³						
01/11/2025	Sibata LD-5R	0Z4545	0.9249	Fine	8:49	9:49	10:49	40	39	38	39	279	500						
07/11/2025	Sibata LD-5R	0Z4545	0.9249	Fine	8:45	9:45	10:45	49	51	48	49								
13/11/2025	Sibata LD-5R	0Z4545	0.9249	Fine	8:49	9:49	10:49	39	40	41	40								
19/11/2025	Sibata LD-5R	882106	0.9382	Fine	8:59	9:59	10:59	46	40	41	42								
25/11/2025	Sibata LD-5R	882106	0.9382	Fine	8:45	9:45	10:45	43	40	42	42								
								Average	42										
								Max.	51										
								Min.	38										

**1-hour TSP Concentration (µg/m³) at Location AM3**

Date	Equipment Brand & Model	Equipment Serial No.	K-factor	Weather	Sampling Time (1)	Sampling Time (2)	Sampling Time (3)	Reading (1)		Reading (2)		Reading (3)		Average	Action Level	Limit Level			
								µg/m³	µg/m³	µg/m³	µg/m³	µg/m³	µg/m³						
01/11/2025	Sibata LD-5R	882106	0.9382	Fine	8:06	9:06	10:06	60	62	59	60	285	500						
07/11/2025	Sibata LD-5R	882106	0.9382	Fine	8:15	9:15	10:15	60	61	59	60								
13/11/2025	Sibata LD-5R	882106	0.9382	Fine	8:17	9:17	10:17	45	50	48	48								
19/11/2025	Sibata LD-5R	0Z4545	0.9249	Fine	8:16	9:16	10:16	50	49	49	49								
25/11/2025	Sibata LD-5R	0Z4545	0.9249	Fine	8:15	9:15	10:15	49	43	44	45								
								Average	53										
								Max.	62										
								Min.	43										

**The Summary of TSP 24-hour Concentration ( $\mu\text{g}/\text{m}^3$ ) at Location AM1**

Start Date	Weather Condition	Avg Air Temp ( $^{\circ}\text{C}$ )	Avg Atmospheric Pressure (hPa)	Elapse Time Initial	Sampling Time Final	Averaged Flow Rate (cfm)	Averaged Flow Rate ( $\text{m}^3/\text{min}$ )	Total Flow Volume ( $\text{m}^3$ )	Filter Weight (g)	Particulate weight (g)	Concentration ( $\mu\text{g}/\text{m}^3$ )	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}3$ )
01/11/2025	Fine	24.9	1017.3	6872.39	6896.39	1440	41	1.1	1543	2.7140	2.8280	0.1140	74
07/11/2025	Fine	25.3	1015.1	6917.84	6941.84	1440	41	1.1	1538	2.6978	2.8153	0.1175	76
13/11/2025	Fine	21.7	1016.3	6963.98	6987.98	1440	40	1.1	1527	2.7161	2.8247	0.1086	71
19/11/2025	Fine	16.0	1024.1	7011.19	7035.19	1440	41	1.1	1589	2.7409	2.8509	0.1100	69
25/11/2025	Fine	21.0	1019.2	7103.05	7127.05	1440	40	1.1	1535	2.7308	2.8069	0.0761	50
													Average
													68
													Min
													76
													Max

**The Summary of 24-hour TSP Concentration ( $\mu\text{g}/\text{m}^3$ ) at Location AM2**

Start Date	Weather Condition	Avg Air Temp ( $^{\circ}\text{C}$ )	Avg Atmospheric Pressure (hPa)	Elapse Time Initial	Sampling Time Final	Averaged Flow Rate (cfm)	Flow Rate ( $\text{m}^3/\text{min}$ )	Total Flow Volume ( $\text{m}^3$ )	Filter Weight (g)	Particulate weight (g)	Concentration ( $\mu\text{g}/\text{m}^3$ )	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}3$ )
01/11/2025	Fine	24.9	1017.3	6694.39	6718.39	1440	41	1.1	1633	2.7033	2.8390	0.1357	83
07/11/2025	Fine	25.3	1015.1	6740.78	6764.78	1440	41	1.1	1606	2.7166	2.8468	0.1302	81
13/11/2025	Fine	21.7	1016.3	6786.21	6810.21	1440	41	1.1	1640	2.7275	2.8457	0.1182	72
19/11/2025	Fine	16.0	1024.1	6833.85	6857.85	1440	41	1.2	1672	2.7246	2.8492	0.1246	75
25/11/2025	Fine	21.0	1019.2	6928.67	6952.67	1440	41	1.1	1626	2.7269	2.8423	0.1154	71
													Average
													76
													Min
													83
													Max

**The Summary of 24-hour TSP Concentration ( $\mu\text{g}/\text{m}^3$ ) at Location AM3**

Start Date	Weather Condition	Avg Air Temp ( $^{\circ}\text{C}$ )	Avg Atmospheric Pressure (hPa)	Elapse Time Initial	Sampling Time Final	Averaged Flow Rate (cfm)	Flow Rate ( $\text{m}^3/\text{min}$ )	Total Flow Volume ( $\text{m}^3$ )	Filter Weight (g)	Particulate weight (g)	Concentration ( $\mu\text{g}/\text{m}^3$ )	Action Level ( $\mu\text{g}/\text{m}^3$ )	Limit Level ( $\mu\text{g}/\text{m}3$ )
01/11/2025	Fine	24.9	1017.3	7481.38	7505.38	1440	41	1.2	1765	2.7154	2.8954	0.1800	102
07/11/2025	Fine	25.3	1015.1	7525.56	7549.56	1440	42	1.2	1782	2.7005	2.8591	0.1586	89
13/11/2025	Fine	21.7	1016.3	7569.96	7593.96	1440	42	1.2	1795	2.7353	2.8992	0.1639	91
19/11/2025	Fine	16.0	1024.1	7617.50	7641.50	1440	41	1.3	1805	2.7224	2.8680	0.1456	81
25/11/2025	Fine	21.0	1019.2	7709.18	7733.18	1440	42	1.3	1803	2.7320	2.8950	0.1630	90
													Average
													91
													Min
													102
													Max

Remarks:

1. Orange Text equal to exceed Action Level
2. Red Text equal to exceed Limit Level

Noise

## Impact Phase Construction Noise Monitoring Data at Location NM1a

## Impact Phase Construction Noise Monitoring Data at Location NM2a

# Water Quality

## Monitoring Location: WM1

Date	Time	Weather	Water Depth (m)	Water Flow (L/s)	Water Temperature (°C)	DO (mg/L)			pH			Turbidity (NTU)			SS (mg/L)		
06-Nov-25	9:54	Fine	0.3	0.1	21.0	7.5	<7.4	<4	6.9	>7.7	>7.8	3.0	>9.2	>9.5	5.0	>9.7	>11.4

## Monitoring Location: WM2

Date	Time	Weather	Water Depth (m)	Water Flow (L/s)	Water Temperature (°C)	DO (mg/L)			pH			Turbidity (NTU)			SS (mg/L)		
						Value	Action Level	Limit Level	Value	Action Level	Limit Level	Value	Action Level	Limit Level	Value	Action Level	Limit Level
06-Nov-25	8:37	Fine	0.20	0.1	21.8	7.5	<5	<4	6.9	>7.6	>7.7	20.0	>108.3	>108.9	17.5	>94.5	>94.7

## Remarks

1. Sample will be grabbed on surface when the water depth is less than 1m.

2. "TBC" equal to "To be confirm"

3. Orange Text equal to exceed Action Level

4. Red Text equal to exceed Limit Level



## CERTIFICATE OF ANALYSIS

Client	: ACUMEN LABORATORY AND TESTING LIMITED	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 9
Contact Address	: MR. HUNTINGTON HUI : WORKSHOP 04, 7/F, THE WHITNEY NO.183 : WAI YIP STREET, KWUN TONG, KOWLOON	Contact Address	: Richard Fung : 11/F., Chung Shun Knitting Centre, 1 - 3 Wing : Yip Street, Kwai Chung, N.T., Hong Kong	Work Order	: HK2547822
E-mail	: Huntington.Hui@aurecongroup.com	E-mail	: richard.fung@alsglobal.com		
Telephone	: ---	Telephone	: +852 2610 1044		
Facsimile	: ---	Facsimile	: +852 2610 2021		
Project	: NENTX			Date Samples Received	: 06-Nov-2025
Order number	: ---	Quote number	: HKE/2751/2022_V5	Issue Date	: 20-Nov-2025
C-O-C number	: ---			No. of samples received	: 2
Site	: ---			No. of samples analysed	: 2

This report shall not be reproduced except in full without  
the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatories</u>	<u>Position</u>	<u>Authorised results for</u>
	Fung Lim Chee, Richard	Managing Director
	Fung Lim Chee, Richard	Managing Director
Ng Sin Kou, May	Laboratory Manager	Microbiology_ENV

## General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 06-Nov-2025 to 19-Nov-2025.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

## Specific Comments for Work Order: HK2547822

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.

Microbiological sample(s) was/ were collected in 250mL sterile plastic bottles containing sodium thiosulfate. Sample(s) arrived at the laboratory at 11:40.

NOT DETECTED denotes result(s) is (are) less than the Limit of Report (LOR).

ED037 - Titration end point for Total Alkalinity is pH 4.5 while end point for Total Alkalinity <20mg/L is pH 4.2.

Water sample(s) digested by in-house method E-3005 prior to the determination of total metals. The in-house method is developed based on USEPA method 3005.

EK058A - Nitrate is the difference of Nitrite + Nitrate and Nitrite.

### Analytical Results

Sub-Matrix: WATER		Sample ID	WM 1	WM2	---	---	---	
			Sampling date / time	06-Nov-2025	06-Nov-2025	---	---	---
Compound	CAS Number	LOR	Unit	HK2547822-001	HK2547822-002	---	---	---
<b>EA/ED: Physical and Aggregate Properties</b>								
EA025: Suspended Solids (SS)	---	0.1	mg/L	5.0	17.5	---	---	---
ED037: Total Alkalinity as CaCO <sub>3</sub>	---	1	mg/L	14	62	---	---	---
<b>ED/EK: Inorganic Nonmetallic Parameters</b>								
ED041K: Sulphate as SO <sub>4</sub> - Turbidimetric	---	1	mg/L	3	21	---	---	---
ED045K: Chloride	16887-00-6	0.5	mg/L	6	6	---	---	---
EK055K: Ammonia as N	7664-41-7	0.01	mg/L	0.01	0.14	---	---	---
EK058A: Nitrate as N	14797-55-8	0.01	mg/L	0.06	0.14	---	---	---
EK061A: Total Kjeldahl Nitrogen as N	---	0.1	mg/L	0.1	0.2	---	---	---
EK071K: Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	<0.01	---	---	---
EK086: Sulphite as SO <sub>3</sub> 2-	14265-45-3	2	mg/L	<2	<2	---	---	---
<b>EP: Aggregate Organics</b>								
EP005: Total Organic Carbon	---	1	mg/L	<1	2	---	---	---
EP020: Oil & Grease	---	5	mg/L	<5	<5	---	---	---
EP026C: Chemical Oxygen Demand	---	5	mg/L	<5	<5	---	---	---
EP030: Biochemical Oxygen Demand	---	2	mg/L	<2	<2	---	---	---
<b>EG: Metals and Major Cations - Total</b>								
EG020: Cadmium	7440-43-9	0.2	µg/L	<0.2	<0.2	---	---	---
EG020: Copper	7440-50-8	1	µg/L	<1	1	---	---	---
EG020: Lead	7439-92-1	1	µg/L	<1	1	---	---	---
EG020: Manganese	7439-96-5	1	µg/L	34	1510	---	---	---
EG020: Nickel	7440-02-0	1	µg/L	<1	<1	---	---	---
EG020: Zinc	7440-66-6	10	µg/L	<10	20	---	---	---
EG032: Calcium	7440-70-2	50	µg/L	3050	26300	---	---	---
EG032: Iron	7439-89-6	10	µg/L	580	2340	---	---	---
EG032: Magnesium	7439-95-4	50	µg/L	450	1780	---	---	---
EG032: Potassium	7440-09-7	50	µg/L	400	3660	---	---	---
EG032: Sodium	7440-23-5	50	µg/L	8160	7590	---	---	---
<b>EM: Microbiological Testing</b>								
EM002: E. coli	---	1	CFU/100mL	78	460	---	---	---

Sub-Matrix: WATER		Sample ID <i>Sampling date / time</i>	WM 1	WM2	---	---	---
Compound	CAS Number		LOR	Unit	HK2547822-001	HK2547822-002	-----
<b>EM: Microbiological Testing - Continued</b>							
EM003: Total Coliforms	---	1	CFU/100mL	120	860	---	---

----- END OF REPORT -----

## Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

Matrix: WATER		Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/EED: Physical and Aggregate Properties (QC Lot: 6987353)</b>								
HK2547438-001	Anonymous	ED037: Total Alkalinity as CaCO <sub>3</sub>	---	1	mg/L	<1	<1	0.0
<b>EA/EED: Physical and Aggregate Properties (QC Lot: 6991411)</b>								
HK2547575-001	Anonymous	ED037: Total Alkalinity as CaCO <sub>3</sub>	---	1	mg/L	77	77	0.0
<b>EA/EED: Physical and Aggregate Properties (QC Lot: 6992897)</b>								
HK2547222-001	Anonymous	EA025: Suspended Solids (SS)	---	0.5	mg/L	13.6	14.4	5.7
HK2547781-002	Anonymous	EA025: Suspended Solids (SS)	---	0.5	mg/L	54.3	58.7	7.7
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6988640)</b>								
HK2547822-001	WM 1	EK071K: Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	<0.01	0.0
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6991613)</b>								
HK2548074-001	Anonymous	EK055K: Ammonia as N	7664-41-7	0.01	mg/L	0.35	0.37	6.7
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6994555)</b>								
HK2547822-001	WM 1	ED041K: Sulphate as SO <sub>4</sub> - Turbidimetric	---	1	mg/L	3	2	0.0
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6994556)</b>								
HK2547822-001	WM 1	ED045K: Chloride	16887-00-6	1	mg/L	6	6	0.0
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7006532)</b>								
HK2547187-001	Anonymous	EK086: Sulphite as SO <sub>3</sub> 2-	14265-45-3	2	mg/L	<2	<2	0.0
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7013169)</b>								
HK2547822-001	WM 1	EK061A: Total Kjeldahl Nitrogen as N	---	0.1	mg/L	0.1	0.1	0.0
<b>EP: Aggregate Organics (QC Lot: 7008683)</b>								
HK2547806-001	Anonymous	EP026C: Chemical Oxygen Demand	---	5	mg/L	<5	<5	0.0
<b>EP: Aggregate Organics (QC Lot: 7008744)</b>								
HK2544744-046	Anonymous	EP005: Total Organic Carbon	---	1	mg/L	<5	<5	0.0
<b>EG: Metals and Major Cations - Total (QC Lot: 6991313)</b>								
HK2547822-002	WM2	EG032: Iron	7439-89-6	10	µg/L	2340	2310	1.0
		EG032: Calcium	7440-70-2	50	µg/L	26300	26400	0.5
		EG032: Magnesium	7439-95-4	50	µg/L	1780	1780	0.0
		EG032: Potassium	7440-09-7	50	µg/L	3660	3660	0.0
		EG032: Sodium	7440-23-5	50	µg/L	7590	7590	0.0

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EG: Metals and Major Cations - Total (QC Lot: 6991314)</b>								
HK2547822-002	WM2	EG020: Cadmium	7440-43-9	0.2	µg/L	<0.2	<0.2	0.0
		EG020: Copper	7440-50-8	1	µg/L	1	1	0.0
		EG020: Lead	7439-92-1	1	µg/L	1	1	0.0
		EG020: Manganese	7439-96-5	1	µg/L	1510	1490	1.6
		EG020: Nickel	7440-02-0	1	µg/L	<1	<1	0.0
		EG020: Zinc	7440-66-6	10	µg/L	20	19	0.0

#### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER	Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
				Spike Concentration	Spike Recovery (%)		Recovery Limits(%)		RPD (%)		
Method: Compound	CAS Number	LOR	Unit	Result	LCS	DCS	Low	High	Value	Control Limit	
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 6987353)</b>											
ED037: Total Alkalinity as CaCO <sub>3</sub>	----	1	mg/L	<1	50 mg/L	103	----	95.0	105	----	----
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 6991411)</b>											
ED037: Total Alkalinity as CaCO <sub>3</sub>	----	1	mg/L	<1	50 mg/L	102	----	95.0	105	----	----
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 6992897)</b>											
EA025: Suspended Solids (SS)	----	0.5	mg/L	<0.5	10 mg/L	90.5	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6988640)</b>											
EK071K: Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	0.5 mg/L	95.6	----	90.2	107	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6991613)</b>											
EK055K: Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.5 mg/L	101	----	85.2	112	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6994555)</b>											
ED041K: Sulphate as SO <sub>4</sub> - Turbidimetric	----	1	mg/L	<1	5 mg/L	103	----	89.8	117	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6994556)</b>											
ED045K: Chloride	16887-00-6	1	mg/L	<1	10 mg/L	98.1	----	91.8	106	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7006532)</b>											
EK086: Sulphite as SO <sub>3</sub> 2-	14265-45-3	2	mg/L	<2	----	----	----	----	----	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7013169)</b>											
EK061A: Total Kjeldahl Nitrogen as N	----	0.1	mg/L	<0.1	0.5 mg/L	97.1	----	85.0	115	----	----

Matrix: WATER	Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report														
	Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits(%)		RPD (%)							
							LCS	DCS	Low	High	Value	Control Limit						
<b>EP: Aggregate Organics (QC Lot: 6987618)</b>																		
EP030: Biochemical Oxygen Demand	---	---		mg/L	---	198 mg/L	98.0	---	85.0	115	---	---						
<b>EP: Aggregate Organics (QC Lot: 7008683)</b>																		
EP026C: Chemical Oxygen Demand	---	---		mg/L	---	25 mg/L	106	---	90.0	111	---	---						
					---	250 mg/L	99.5	---	94.3	104	---	---						
<b>EP: Aggregate Organics (QC Lot: 7008744)</b>																		
EP005: Total Organic Carbon	---	1		mg/L	<1	5 mg/L	105	---	85.0	115	---	---						
					<1	100 mg/L	90.1	---	84.1	117	---	---						
<b>EP: Aggregate Organics (QC Lot: 7013086)</b>																		
EP020: Oil & Grease	---	2		mg/L	<2	20 mg/L	96.8	---	85.0	115	---	---						
<b>EG: Metals and Major Cations - Total (QC Lot: 6991313)</b>																		
EG032: Calcium	7440-70-2	50		µg/L	<50	2000 µg/L	107	---	85.0	115	---	---						
EG032: Iron	7439-89-6	10		µg/L	<10	2000 µg/L	110	---	85.0	115	---	---						
EG032: Magnesium	7439-95-4	50		µg/L	<50	2000 µg/L	111	---	85.0	115	---	---						
EG032: Potassium	7440-09-7	50		µg/L	<50	2000 µg/L	111	---	85.0	115	---	---						
EG032: Sodium	7440-23-5	50		µg/L	<50	2000 µg/L	111	---	85.0	115	---	---						
<b>EG: Metals and Major Cations - Total (QC Lot: 6991314)</b>																		
EG020: Cadmium	7440-43-9	0.2		µg/L	<0.2	5 µg/L	102	---	85.0	109	---	---						
EG020: Copper	7440-50-8	1		µg/L	<1	50 µg/L	105	---	90.0	111	---	---						
EG020: Lead	7439-92-1	1		µg/L	<1	50 µg/L	98.9	---	89.0	111	---	---						
EG020: Manganese	7439-96-5	1		µg/L	<1	50 µg/L	100	---	85.0	115	---	---						
EG020: Nickel	7440-02-0	1		µg/L	<1	50 µg/L	103	---	87.0	110	---	---						
EG020: Zinc	7440-66-6	10		µg/L	<10	50 µg/L	103	---	86.0	114	---	---						

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

Matrix: WATER

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report									
				Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)				
					MS	MSD	Low	High	Value	Control Limit			
ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6988640)													
HK2547822-001	WM 1	EK071K: Reactive Phosphorus as P	14265-44-2	0.5 mg/L	98.1	---	75.0	125	---	---			
ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6991613)													
HK2548074-001	Anonymous	EK055K: Ammonia as N	7664-41-7	5 mg/L	104	---	75.0	125	---	---			
ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6994555)													
HK2547822-001	WM 1	ED041K: Sulphate as SO4 - Turbidimetric	---	5 mg/L	98.7	---	75.0	125	---	---			
ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 6994556)													
HK2547822-001	WM 1	ED045K: Chloride	16887-00-6	5 mg/L	93.3	---	75.0	125	---	---			
ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7013169)													
HK2547822-001	WM 1	EK061A: Total Kjeldahl Nitrogen as N	---	0.5 mg/L	97.1	---	75.0	125	---	---			
EP: Aggregate Organics (QC Lot: 7008683)													
HK2547797-001	Anonymous	EP026C: Chemical Oxygen Demand	---	10 mg/L	123	---	75.0	125	---	---			
EP: Aggregate Organics (QC Lot: 7008744)													
HK2544744-045	Anonymous	EP005: Total Organic Carbon	---	25 mg/L	97.2	---	75.0	125	---	---			
EG: Metals and Major Cations - Total (QC Lot: 6991313)													
HK2547822-001	WM 1	EG032: Calcium	7440-70-2	2000 µg/L	113	---	75.0	125	---	---			
		EG032: Iron	7439-89-6	2000 µg/L	111	---	75.0	125	---	---			
		EG032: Magnesium	7439-95-4	2000 µg/L	115	---	75.0	125	---	---			
		EG032: Potassium	7440-09-7	2000 µg/L	115	---	75.0	125	---	---			
		EG032: Sodium	7440-23-5	2000 µg/L	# Not Determined	---	75.0	125	---	---			
EG: Metals and Major Cations - Total (QC Lot: 6991314)													
HK2547822-001	WM 1	EG020: Cadmium	7440-43-9	5 µg/L	105	---	75.0	125	---	---			
		EG020: Copper	7440-50-8	50 µg/L	105	---	75.0	125	---	---			
		EG020: Lead	7439-92-1	50 µg/L	98.8	---	75.0	125	---	---			
		EG020: Manganese	7439-96-5	50 µg/L	100	---	75.0	125	---	---			


Matrix: WATER




Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
					MS	MSD	Low	High	Value	Control Limit
<b>EG: Metals and Major Cations - Total (QC Lot: 6991314) - Continued</b>										
HK2547822-001	WM 1	EG020: Nickel	7440-02-0	50 µg/L	106	----	75.0	125	----	----
		EG020: Zinc	7440-66-6	50 µg/L	103	----	75.0	125	----	----



## Appendix G Graphical Presentations

# Air Quality







Noise





# Water Quality



# Surface Water Monitoring Results at WM1





# Surface Water Monitoring Results at WM1



# Surface Water Monitoring Results at WM2



# Surface Water Monitoring Results at WM2



## Appendix H Notification of Environmental Quality Limits Exceedance

## Notification of Environmental Quality Limits Exceedance

### Air Quality Monitoring - Construction Dust

Dust Monitoring Station	Level Exceedance	1-hr TSP Exceedance Count				24-hr TSP Exceedance Count			
		Reporting period		Accumulate project to date		Reporting period		Accumulate project to date	
		Project related	Non-project related	Project related	Non-project related	Project related	Non-project related	Project related	Non-project related
AM1	Action	0	0	0	0	0	0	0	2
	Limit	0	0	0	0	0	0	0	3
AM2	Action	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0
AM3	Action	0	0	0	0	0	0	0	4
	Limit	0	0	0	0	0	0	0	3

### Noise Monitoring

Noise Monitoring Station	Level Exceedance	LAeq (30mins) Exceedance Count			
		Reporting period		Accumulate project to date	
		Project related	Non-project related	Project related	Non-project related
NM1a	Action	0	1	0	2
	Limit	0	0	0	0
NM2a	Action	0	0	0	0
	Limit	0	0	0	0

## Notification of Environmental Quality Limits Exceedance

### Surface Water Monitoring

Surface Water Quality Monitoring Station	Level Exceedance	Exceedance Count															
		Reporting period								Accumulate project to date							
		Project related				Non-project related				Project related				Non-project related			
		DO	pH	Turb	SS	DO	pH	Turb	SS	DO	pH	Turb	SS	DO	pH	Turb	SS
WM1	Action	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WM2	Action	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0

Remarks:

1. "DO" equal to Dissolved Oxygen
2. "Turb" equal to Turbidity
3. "SS" equal to Suspended Solids

## Landfill Gas (LFG) Monitoring

## Appendix I Wind Data

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251101	00:00	2.2	NW
20251101	00:15	2.2	NNW
20251101	00:30	2.2	NW
20251101	00:45	2.2	WNW
20251101	01:00	2.2	NW
20251101	01:15	1.3	NNW
20251101	01:30	0.9	N
20251101	01:45	1.3	NNW
20251101	02:00	1.8	NW
20251101	02:15	1.8	NNW
20251101	02:30	2.2	NNW
20251101	02:45	2.2	NNW
20251101	03:00	1.3	NNW
20251101	03:15	2.7	N
20251101	03:30	2.2	NW
20251101	03:45	2.2	NNW
20251101	04:00	0.9	N
20251101	04:15	1.3	N
20251101	04:30	1.8	NNW
20251101	04:45	1.8	NNW
20251101	05:00	1.8	NNW
20251101	05:15	1.3	NNW
20251101	05:30	1.8	NNW
20251101	05:45	1.3	NW
20251101	06:00	0.9	NNW
20251101	06:15	1.8	NNW
20251101	06:30	1.8	NNW
20251101	06:45	0.9	N
20251101	07:00	0.4	N
20251101	07:15	0.9	NNW
20251101	07:30	0.9	NNW
20251101	07:45	0.9	N
20251101	08:00	1.3	NNW
20251101	08:15	1.3	NNW
20251101	08:30	1.8	NNW
20251101	08:45	2.2	NNW
20251101	09:00	2.2	NNW
20251101	09:15	2.2	NNW
20251101	09:30	2.2	NNW
20251101	09:45	1.8	NNW
20251101	10:00	1.8	NW
20251101	10:15	1.8	NNW
20251101	10:30	1.8	NNW
20251101	10:45	1.8	NW
20251101	11:00	1.8	NNW
20251101	11:15	1.3	NNW
20251101	11:30	1.8	NNW
20251101	11:45	1.3	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251101	12:00	0.4	N
20251101	12:15	0.9	N
20251101	12:30	0.4	SE
20251101	12:45	0.4	NE
20251101	13:00	1.3	NNW
20251101	13:15	0.9	N
20251101	13:30	0.4	N
20251101	13:45	0.4	ESE
20251101	14:00	0.4	N
20251101	14:15	0.4	NE
20251101	14:30	0.4	ESE
20251101	14:45	0.9	SE
20251101	15:00	0.0	SE
20251101	15:15	0.9	SE
20251101	15:30	0.0	N
20251101	15:45	0.4	N
20251101	16:00	0.4	N
20251101	16:15	0.0	N
20251101	16:30	0.4	N
20251101	16:45	0.0	N
20251101	17:00	0.4	SE
20251101	17:15	0.9	SSE
20251101	17:30	0.9	SSE
20251101	17:45	0.0	SSE
20251101	18:00	0	---
20251101	18:15	0	---
20251101	18:30	0	---
20251101	18:45	0	SSE
20251101	19:00	0	SSE
20251101	19:15	0	SSE
20251101	19:30	0	---
20251101	19:45	0	---
20251101	20:00	0	---
20251101	20:15	0	---
20251101	20:30	0	---
20251101	20:45	0.4	SSE
20251101	21:00	0	---
20251101	21:15	0	---
20251101	21:30	0	---
20251101	21:45	0	---
20251101	22:00	0	SSE
20251101	22:15	0.4	SSE
20251101	22:30	0	SSE
20251101	22:45	0	---
20251101	23:00	0	---
20251101	23:15	0	SSE
20251101	23:30	0.9	SSE
20251101	23:45	0	SSE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251102	00:00	0.4	SSE
20251102	00:15	0.0	SSE
20251102	00:30	0.4	SSE
20251102	00:45	0.4	SSE
20251102	01:00	0.0	SSE
20251102	01:15	0.0	---
20251102	01:30	0.0	---
20251102	01:45	0.0	---
20251102	02:00	0.4	SSE
20251102	02:15	0.4	SSE
20251102	02:30	0.0	SSE
20251102	02:45	0.4	SSE
20251102	03:00	0.4	SSE
20251102	03:15	0.0	SSE
20251102	03:30	0.0	SSE
20251102	03:45	0.0	SSE
20251102	04:00	0.4	NW
20251102	04:15	0.0	NNW
20251102	04:30	0.4	NNW
20251102	04:45	0.4	NNW
20251102	05:00	0.4	N
20251102	05:15	0.4	SE
20251102	05:30	0.9	SE
20251102	05:45	0.4	SE
20251102	06:00	0.4	SE
20251102	06:15	0.9	SE
20251102	06:30	0.4	SE
20251102	06:45	0.9	SE
20251102	07:00	0.0	SE
20251102	07:15	0.0	SE
20251102	07:30	0.4	SE
20251102	07:45	0.9	NE
20251102	08:00	0.0	---
20251102	08:15	0.4	N
20251102	08:30	1.3	NNW
20251102	08:45	0.9	N
20251102	09:00	1.3	N
20251102	09:15	2.2	NNW
20251102	09:30	1.8	NW
20251102	09:45	1.3	NNW
20251102	10:00	1.8	NNW
20251102	10:15	1.3	NNW
20251102	10:30	1.3	NNW
20251102	10:45	0.9	WSW
20251102	11:00	0.9	NNW
20251102	11:15	0.9	SE
20251102	11:30	1.3	SE
20251102	11:45	1.8	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251102	12:00	2.2	NNW
20251102	12:15	2.2	NNW
20251102	12:30	1.8	NNW
20251102	12:45	1.8	NNW
20251102	13:00	1.3	NNW
20251102	13:15	0.9	N
20251102	13:30	0.9	N
20251102	13:45	1.3	NNW
20251102	14:00	0.9	NW
20251102	14:15	0.4	NW
20251102	14:30	0.0	NNE
20251102	14:45	0.0	N
20251102	15:00	0.4	N
20251102	15:15	1.3	SE
20251102	15:30	0.9	SE
20251102	15:45	0.9	SSE
20251102	16:00	0.4	SSE
20251102	16:15	0.4	SSE
20251102	16:30	0.4	SE
20251102	16:45	0.4	E
20251102	17:00	0.4	E
20251102	17:15	0.9	SE
20251102	17:30	0.4	SE
20251102	17:45	0.4	ESE
20251102	18:00	0.4	E
20251102	18:15	0	E
20251102	18:30	0.4	SE
20251102	18:45	0	SE
20251102	19:00	0	SE
20251102	19:15	1.3	NNW
20251102	19:30	0.9	N
20251102	19:45	0.9	N
20251102	20:00	1.3	NNW
20251102	20:15	1.3	N
20251102	20:30	1.3	NNW
20251102	20:45	0	N
20251102	21:00	0	---
20251102	21:15	0	---
20251102	21:30	0	N
20251102	21:45	0	N
20251102	22:00	0	---
20251102	22:15	0	---
20251102	22:30	0	---
20251102	22:45	0	N
20251102	23:00	0	N
20251102	23:15	0	N
20251102	23:30	0	N
20251102	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251103	00:00	0.0	---
20251103	00:15	0.0	---
20251103	00:30	0.0	NNE
20251103	00:45	0.4	NNE
20251103	01:00	0.0	---
20251103	01:15	0.0	---
20251103	01:30	0.0	NE
20251103	01:45	0.0	NE
20251103	02:00	0.0	---
20251103	02:15	0.0	NE
20251103	02:30	0.0	---
20251103	02:45	0.0	NE
20251103	03:00	0.0	NE
20251103	03:15	0.0	---
20251103	03:30	0.0	---
20251103	03:45	0.4	N
20251103	04:00	0.9	N
20251103	04:15	1.3	N
20251103	04:30	0.9	N
20251103	04:45	0.9	NNW
20251103	05:00	1.3	NNW
20251103	05:15	1.3	NNW
20251103	05:30	0.9	N
20251103	05:45	0.9	N
20251103	06:00	0.4	N
20251103	06:15	0.9	NNW
20251103	06:30	0.9	NNW
20251103	06:45	0.4	N
20251103	07:00	0.4	NNW
20251103	07:15	0.9	NNW
20251103	07:30	1.3	NNW
20251103	07:45	1.8	NNW
20251103	08:00	1.3	NNW
20251103	08:15	1.8	NNW
20251103	08:30	1.3	NNW
20251103	08:45	1.3	NNW
20251103	09:00	1.8	NNW
20251103	09:15	2.2	NNW
20251103	09:30	1.8	NNW
20251103	09:45	1.3	NNW
20251103	10:00	1.8	NNW
20251103	10:15	1.8	NNW
20251103	10:30	1.8	NNW
20251103	10:45	1.8	NNW
20251103	11:00	1.8	NNW
20251103	11:15	2.2	NNW
20251103	11:30	2.2	NNW
20251103	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251103	12:00	2.2	NW
20251103	12:15	2.2	NW
20251103	12:30	2.2	NNW
20251103	12:45	1.8	NNW
20251103	13:00	2.2	NNW
20251103	13:15	2.2	NNW
20251103	13:30	1.8	NNW
20251103	13:45	1.3	N
20251103	14:00	1.3	N
20251103	14:15	1.8	N
20251103	14:30	1.3	WNW
20251103	14:45	2.2	WNW
20251103	15:00	2.2	NW
20251103	15:15	2.2	NNW
20251103	15:30	1.8	NW
20251103	15:45	1.8	NNW
20251103	16:00	1.3	NNW
20251103	16:15	1.3	NNW
20251103	16:30	1.8	NNW
20251103	16:45	1.3	NNW
20251103	17:00	1.3	NNW
20251103	17:15	1.8	NNW
20251103	17:30	1.8	NNW
20251103	17:45	1.3	NNW
20251103	18:00	1.8	NNW
20251103	18:15	1.8	NNW
20251103	18:30	2.2	NNW
20251103	18:45	2.2	NW
20251103	19:00	1.8	NNW
20251103	19:15	1.3	NNW
20251103	19:30	1.3	N
20251103	19:45	1.8	NNW
20251103	20:00	1.3	NNW
20251103	20:15	0.9	NNW
20251103	20:30	0.4	NNW
20251103	20:45	1.3	NNW
20251103	21:00	1.3	NNW
20251103	21:15	0.9	NNW
20251103	21:30	0.4	N
20251103	21:45	0.9	N
20251103	22:00	0.4	NNW
20251103	22:15	0.9	N
20251103	22:30	0.9	N
20251103	22:45	0.9	NNW
20251103	23:00	1.3	NNW
20251103	23:15	1.8	NNW
20251103	23:30	1.3	NNW
20251103	23:45	1.3	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251104	00:00	1.3	NNW
20251104	00:15	1.3	N
20251104	00:30	1.3	NNW
20251104	00:45	1.3	NNW
20251104	01:00	1.3	NNW
20251104	01:15	1.3	NNW
20251104	01:30	1.8	NNW
20251104	01:45	1.3	N
20251104	02:00	1.3	N
20251104	02:15	2.2	NNW
20251104	02:30	1.8	NNW
20251104	02:45	1.3	NNW
20251104	03:00	1.8	NNW
20251104	03:15	1.8	NNW
20251104	03:30	1.8	NNW
20251104	03:45	1.8	NNW
20251104	04:00	1.3	NNW
20251104	04:15	1.3	NNW
20251104	04:30	0.9	N
20251104	04:45	1.3	NNW
20251104	05:00	1.3	NNW
20251104	05:15	1.3	NNW
20251104	05:30	1.8	NNW
20251104	05:45	1.3	NNW
20251104	06:00	1.8	NNW
20251104	06:15	1.8	NNW
20251104	06:30	1.3	NNW
20251104	06:45	1.8	NNW
20251104	07:00	1.3	NNW
20251104	07:15	1.3	NNW
20251104	07:30	1.3	NNW
20251104	07:45	1.3	NNW
20251104	08:00	1.3	NNW
20251104	08:15	1.8	NNW
20251104	08:30	1.8	NNW
20251104	08:45	2.2	NNW
20251104	09:00	1.3	NNW
20251104	09:15	2.2	NNW
20251104	09:30	2.2	NW
20251104	09:45	2.2	N
20251104	10:00	2.2	WNW
20251104	10:15	1.8	NNW
20251104	10:30	1.8	NNW
20251104	10:45	2.2	NNW
20251104	11:00	2.7	NW
20251104	11:15	2.2	NNW
20251104	11:30	2.2	NW
20251104	11:45	3.1	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251104	12:00	2.7	NW
20251104	12:15	2.7	NW
20251104	12:30	3.1	NNW
20251104	12:45	3.1	NNW
20251104	13:00	3.1	NNW
20251104	13:15	3.1	NW
20251104	13:30	2.2	NNW
20251104	13:45	3.1	NW
20251104	14:00	3.1	NW
20251104	14:15	3.1	NNW
20251104	14:30	3.1	NW
20251104	14:45	3.1	NNW
20251104	15:00	3.1	NNW
20251104	15:15	3.1	NNW
20251104	15:30	2.2	NNW
20251104	15:45	2.2	NW
20251104	16:00	2.7	NW
20251104	16:15	1.8	NNW
20251104	16:30	1.8	NNW
20251104	16:45	2.2	NNW
20251104	17:00	1.3	N
20251104	17:15	0.9	N
20251104	17:30	0.9	NNW
20251104	17:45	0.4	NNW
20251104	18:00	0.4	N
20251104	18:15	0	NNW
20251104	18:30	0.4	NW
20251104	18:45	0.4	NNW
20251104	19:00	0.9	NNW
20251104	19:15	0.4	N
20251104	19:30	0	N
20251104	19:45	0.4	N
20251104	20:00	0.9	N
20251104	20:15	0.9	NNW
20251104	20:30	0.9	N
20251104	20:45	0.9	NNW
20251104	21:00	0.9	NNW
20251104	21:15	0.9	NNW
20251104	21:30	0	NNW
20251104	21:45	0.4	NNW
20251104	22:00	0	---
20251104	22:15	0	---
20251104	22:30	0	NNW
20251104	22:45	0.4	NNW
20251104	23:00	0.4	NNW
20251104	23:15	0	NNE
20251104	23:30	0	---
20251104	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251105	00:00	0.0	NNE
20251105	00:15	0.0	NNE
20251105	00:30	0.0	---
20251105	00:45	0.0	---
20251105	01:00	0.0	---
20251105	01:15	0.9	NNE
20251105	01:30	0.9	N
20251105	01:45	0.9	N
20251105	02:00	0.0	N
20251105	02:15	0.4	NNW
20251105	02:30	1.8	NNW
20251105	02:45	1.8	NNW
20251105	03:00	1.3	N
20251105	03:15	1.8	NNW
20251105	03:30	2.2	NNW
20251105	03:45	2.7	NNW
20251105	04:00	2.7	NNW
20251105	04:15	2.2	NW
20251105	04:30	2.7	NNW
20251105	04:45	2.7	NNW
20251105	05:00	2.2	NNW
20251105	05:15	2.2	NNW
20251105	05:30	2.7	NNW
20251105	05:45	1.8	NNW
20251105	06:00	0.9	NNW
20251105	06:15	0.9	NNW
20251105	06:30	1.8	NNW
20251105	06:45	1.8	NNW
20251105	07:00	1.3	N
20251105	07:15	1.8	NNW
20251105	07:30	1.8	NW
20251105	07:45	1.8	NNW
20251105	08:00	0.9	SE
20251105	08:15	1.3	NNW
20251105	08:30	0.9	N
20251105	08:45	0.9	SE
20251105	09:00	1.3	N
20251105	09:15	1.8	NNW
20251105	09:30	2.2	NNW
20251105	09:45	2.2	NW
20251105	10:00	2.2	NW
20251105	10:15	2.2	NNW
20251105	10:30	2.2	NNW
20251105	10:45	2.2	NW
20251105	11:00	2.2	NW
20251105	11:15	1.8	NNW
20251105	11:30	1.8	NW
20251105	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251105	12:00	2.2	NNW
20251105	12:15	2.2	NW
20251105	12:30	2.7	NNW
20251105	12:45	2.7	NNW
20251105	13:00	2.2	NNW
20251105	13:15	2.2	NNW
20251105	13:30	2.2	NNW
20251105	13:45	2.2	NW
20251105	14:00	1.8	NW
20251105	14:15	2.2	NNW
20251105	14:30	1.3	NW
20251105	14:45	1.3	NNW
20251105	15:00	0.9	NNW
20251105	15:15	0.4	SSE
20251105	15:30	0.9	S
20251105	15:45	0.4	N
20251105	16:00	0.9	E
20251105	16:15	1.3	SE
20251105	16:30	0.9	SE
20251105	16:45	1.3	SE
20251105	17:00	1.3	SE
20251105	17:15	0.4	SE
20251105	17:30	0.0	SE
20251105	17:45	0.9	SE
20251105	18:00	0.4	E
20251105	18:15	0.4	SE
20251105	18:30	0.9	SE
20251105	18:45	0.4	SSE
20251105	19:00	0.4	SE
20251105	19:15	0.4	SSE
20251105	19:30	0.4	SSE
20251105	19:45	0	SSE
20251105	20:00	0	SSE
20251105	20:15	0	SSE
20251105	20:30	0.4	N
20251105	20:45	1.3	N
20251105	21:00	0.9	N
20251105	21:15	1.3	NNW
20251105	21:30	1.3	NNW
20251105	21:45	1.3	N
20251105	22:00	0.9	NNW
20251105	22:15	0.4	NNW
20251105	22:30	0.4	E
20251105	22:45	0.4	E
20251105	23:00	0	E
20251105	23:15	0	E
20251105	23:30	0	---
20251105	23:45	0	E

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251106	00:00	0.0	E
20251106	00:15	0.0	E
20251106	00:30	0.0	E
20251106	00:45	0.0	E
20251106	01:00	0.0	---
20251106	01:15	0.0	---
20251106	01:30	0.0	---
20251106	01:45	0.4	ESE
20251106	02:00	0.4	ESE
20251106	02:15	0.0	ESE
20251106	02:30	0.0	ESE
20251106	02:45	0.0	ESE
20251106	03:00	0.0	---
20251106	03:15	0.0	---
20251106	03:30	0.0	ESE
20251106	03:45	0.4	ESE
20251106	04:00	0.0	---
20251106	04:15	0.0	---
20251106	04:30	0.0	---
20251106	04:45	0.0	---
20251106	05:00	0.0	ESE
20251106	05:15	0.4	ESE
20251106	05:30	0.0	ESE
20251106	05:45	0.0	---
20251106	06:00	0.0	ESE
20251106	06:15	0.0	E
20251106	06:30	0.0	E
20251106	06:45	0.4	N
20251106	07:00	0.0	NNE
20251106	07:15	0.9	NNE
20251106	07:30	0.9	N
20251106	07:45	0.9	NNW
20251106	08:00	0.9	SE
20251106	08:15	0.9	SE
20251106	08:30	1.8	SE
20251106	08:45	2.2	SE
20251106	09:00	2.2	SE
20251106	09:15	1.8	SE
20251106	09:30	2.2	SE
20251106	09:45	2.2	SE
20251106	10:00	2.2	SE
20251106	10:15	2.2	SE
20251106	10:30	2.2	SE
20251106	10:45	3.1	SE
20251106	11:00	2.7	SE
20251106	11:15	2.2	SE
20251106	11:30	1.8	SE
20251106	11:45	1.3	S

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251106	12:00	1.8	SSE
20251106	12:15	0.9	NW
20251106	12:30	0.9	NNW
20251106	12:45	0.9	NW
20251106	13:00	0.9	N
20251106	13:15	1.3	SE
20251106	13:30	1.3	SE
20251106	13:45	0.9	SE
20251106	14:00	1.3	SE
20251106	14:15	0.9	SE
20251106	14:30	1.3	SE
20251106	14:45	1.3	SE
20251106	15:00	1.3	SE
20251106	15:15	1.8	SE
20251106	15:30	1.8	SE
20251106	15:45	1.8	SE
20251106	16:00	1.8	SE
20251106	16:15	1.8	SE
20251106	16:30	2.7	SE
20251106	16:45	2.7	SE
20251106	17:00	1.8	SE
20251106	17:15	0.9	SE
20251106	17:30	0.4	SE
20251106	17:45	0.4	N
20251106	18:00	0	S
20251106	18:15	0.4	SSE
20251106	18:30	0.9	ESE
20251106	18:45	0.9	SE
20251106	19:00	0.9	SE
20251106	19:15	0.9	SE
20251106	19:30	0.4	SE
20251106	19:45	0.4	SE
20251106	20:00	0.4	SE
20251106	20:15	0.4	NE
20251106	20:30	0.4	SE
20251106	20:45	1.3	SE
20251106	21:00	0.9	SE
20251106	21:15	0.4	NNW
20251106	21:30	0	NNW
20251106	21:45	0.4	NNW
20251106	22:00	0.9	WNW
20251106	22:15	0.9	WSW
20251106	22:30	0.9	SE
20251106	22:45	0.9	SE
20251106	23:00	0.4	NW
20251106	23:15	0.9	SE
20251106	23:30	1.3	SE
20251106	23:45	1.3	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251107	00:00	2.2	SE
20251107	00:15	2.7	SE
20251107	00:30	3.1	SE
20251107	00:45	3.1	SE
20251107	01:00	2.7	SE
20251107	01:15	2.7	SE
20251107	01:30	1.8	SE
20251107	01:45	1.8	SE
20251107	02:00	1.3	SSE
20251107	02:15	1.3	SSE
20251107	02:30	1.3	SE
20251107	02:45	1.8	SE
20251107	03:00	1.8	SE
20251107	03:15	1.8	SE
20251107	03:30	1.8	SE
20251107	03:45	2.2	SE
20251107	04:00	2.2	SE
20251107	04:15	2.7	SE
20251107	04:30	2.7	SE
20251107	04:45	1.8	SE
20251107	05:00	2.7	SE
20251107	05:15	1.8	SSE
20251107	05:30	2.2	SE
20251107	05:45	3.6	SE
20251107	06:00	3.1	SE
20251107	06:15	2.7	SE
20251107	06:30	2.7	SE
20251107	06:45	2.7	SE
20251107	07:00	1.8	SE
20251107	07:15	0.9	SE
20251107	07:30	0.9	N
20251107	07:45	1.3	SE
20251107	08:00	1.3	SE
20251107	08:15	1.3	SE
20251107	08:30	1.8	SE
20251107	08:45	1.8	SE
20251107	09:00	1.8	SE
20251107	09:15	1.8	SE
20251107	09:30	1.8	SE
20251107	09:45	2.2	SE
20251107	10:00	1.3	SE
20251107	10:15	1.3	SE
20251107	10:30	0.9	SE
20251107	10:45	1.3	SE
20251107	11:00	1.3	SE
20251107	11:15	0.9	SE
20251107	11:30	1.3	SE
20251107	11:45	2.2	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251107	12:00	2.2	SE
20251107	12:15	1.8	SE
20251107	12:30	1.8	SE
20251107	12:45	1.3	SE
20251107	13:00	0.9	SE
20251107	13:15	1.3	SE
20251107	13:30	1.3	SE
20251107	13:45	1.8	SE
20251107	14:00	1.3	SE
20251107	14:15	0.9	SE
20251107	14:30	1.3	SE
20251107	14:45	2.2	SE
20251107	15:00	1.3	SE
20251107	15:15	2.2	SE
20251107	15:30	2.2	SE
20251107	15:45	1.8	SE
20251107	16:00	1.8	SE
20251107	16:15	1.8	SE
20251107	16:30	1.8	SE
20251107	16:45	0.9	SE
20251107	17:00	1.3	SE
20251107	17:15	0.9	ESE
20251107	17:30	0.4	ENE
20251107	17:45	1.3	SE
20251107	18:00	1.3	SE
20251107	18:15	1.8	SE
20251107	18:30	1.3	SE
20251107	18:45	0.9	SE
20251107	19:00	0.9	SE
20251107	19:15	1.3	SE
20251107	19:30	1.3	SE
20251107	19:45	0.9	SE
20251107	20:00	0.9	SE
20251107	20:15	1.3	SE
20251107	20:30	0.9	SE
20251107	20:45	0.4	ENE
20251107	21:00	0.4	SE
20251107	21:15	0.4	SSE
20251107	21:30	0.4	SE
20251107	21:45	0.9	SE
20251107	22:00	0.9	SE
20251107	22:15	1.3	SE
20251107	22:30	1.8	SE
20251107	22:45	0.9	SE
20251107	23:00	1.3	SE
20251107	23:15	1.3	ESE
20251107	23:30	1.8	SE
20251107	23:45	1.8	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251108	00:00	0.9	SE
20251108	00:15	0.9	SE
20251108	00:30	1.3	SE
20251108	00:45	2.2	SE
20251108	01:00	1.8	SE
20251108	01:15	2.2	SE
20251108	01:30	2.7	SE
20251108	01:45	2.7	SE
20251108	02:00	1.8	SE
20251108	02:15	1.8	SE
20251108	02:30	2.2	SE
20251108	02:45	2.7	SE
20251108	03:00	1.8	SE
20251108	03:15	1.8	SE
20251108	03:30	0.9	SSE
20251108	03:45	0.9	SE
20251108	04:00	1.3	SE
20251108	04:15	1.3	ESE
20251108	04:30	0.9	SE
20251108	04:45	0.9	SE
20251108	05:00	1.3	SE
20251108	05:15	1.3	SE
20251108	05:30	1.8	SE
20251108	05:45	0.9	SE
20251108	06:00	1.3	SE
20251108	06:15	1.3	SE
20251108	06:30	0.9	SE
20251108	06:45	0.9	SE
20251108	07:00	1.3	SE
20251108	07:15	1.3	SE
20251108	07:30	0.9	SE
20251108	07:45	0.9	N
20251108	08:00	0.9	SE
20251108	08:15	1.3	SE
20251108	08:30	1.3	SE
20251108	08:45	1.8	SE
20251108	09:00	1.8	SE
20251108	09:15	0.9	SE
20251108	09:30	1.3	SE
20251108	09:45	1.8	SE
20251108	10:00	1.3	NW
20251108	10:15	1.8	NW
20251108	10:30	0.9	SSE
20251108	10:45	1.8	SE
20251108	11:00	1.3	SE
20251108	11:15	0.9	SE
20251108	11:30	1.3	SE
20251108	11:45	0.9	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251108	12:00	1.3	ESE
20251108	12:15	0.9	NNW
20251108	12:30	1.3	SE
20251108	12:45	1.3	SE
20251108	13:00	2.2	SE
20251108	13:15	2.7	SE
20251108	13:30	3.1	SE
20251108	13:45	2.7	SE
20251108	14:00	2.2	SE
20251108	14:15	1.3	SE
20251108	14:30	1.8	SE
20251108	14:45	2.2	SE
20251108	15:00	2.2	SE
20251108	15:15	1.8	SE
20251108	15:30	1.3	SE
20251108	15:45	2.2	SE
20251108	16:00	1.8	SE
20251108	16:15	1.3	SE
20251108	16:30	2.2	SE
20251108	16:45	3.1	SE
20251108	17:00	2.7	SE
20251108	17:15	2.2	SE
20251108	17:30	1.8	SE
20251108	17:45	1.8	SE
20251108	18:00	1.8	SE
20251108	18:15	1.8	SE
20251108	18:30	0.9	SE
20251108	18:45	0.9	SSE
20251108	19:00	0	SE
20251108	19:15	0	SE
20251108	19:30	0.9	SE
20251108	19:45	1.3	SE
20251108	20:00	1.3	SE
20251108	20:15	0.9	SE
20251108	20:30	0	WSW
20251108	20:45	0	WSW
20251108	21:00	0	WSW
20251108	21:15	0.9	SE
20251108	21:30	0.4	SE
20251108	21:45	0	WSW
20251108	22:00	0.4	SE
20251108	22:15	0.4	SSE
20251108	22:30	0.9	SE
20251108	22:45	0.4	SSE
20251108	23:00	0.4	SE
20251108	23:15	0.4	ESE
20251108	23:30	0	ESE
20251108	23:45	0.4	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251109	00:00	0.0	SE
20251109	00:15	0.0	SE
20251109	00:30	0.0	---
20251109	00:45	0.0	SSW
20251109	01:00	0.0	SSW
20251109	01:15	0.0	---
20251109	01:30	0.0	---
20251109	01:45	0.0	---
20251109	02:00	0.0	---
20251109	02:15	0.0	---
20251109	02:30	0.4	SSW
20251109	02:45	0.4	SSW
20251109	03:00	0.0	---
20251109	03:15	0.0	SSW
20251109	03:30	0.0	SSW
20251109	03:45	0.4	SSW
20251109	04:00	0.0	---
20251109	04:15	0.0	---
20251109	04:30	0.0	---
20251109	04:45	0.0	---
20251109	05:00	0.0	SSW
20251109	05:15	0.0	---
20251109	05:30	0.0	---
20251109	05:45	0.0	---
20251109	06:00	0.0	---
20251109	06:15	0.0	---
20251109	06:30	0.0	---
20251109	06:45	0.0	---
20251109	07:00	0.0	SSW
20251109	07:15	0.0	W
20251109	07:30	0.0	NNW
20251109	07:45	0.4	E
20251109	08:00	0.4	E
20251109	08:15	0.4	SSE
20251109	08:30	1.3	SE
20251109	08:45	0.9	WSW
20251109	09:00	0.9	ESE
20251109	09:15	1.3	SE
20251109	09:30	1.3	SE
20251109	09:45	0.4	NNW
20251109	10:00	2.2	NNW
20251109	10:15	2.2	NNW
20251109	10:30	1.8	NNW
20251109	10:45	1.8	NNW
20251109	11:00	1.8	NW
20251109	11:15	1.3	NW
20251109	11:30	1.3	NW
20251109	11:45	1.3	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251109	12:00	1.3	NW
20251109	12:15	1.8	NNW
20251109	12:30	1.8	NNW
20251109	12:45	1.8	NW
20251109	13:00	1.8	NNW
20251109	13:15	2.2	NW
20251109	13:30	2.2	NW
20251109	13:45	1.8	NW
20251109	14:00	1.3	NNW
20251109	14:15	1.8	NW
20251109	14:30	1.8	NNW
20251109	14:45	1.8	NNW
20251109	15:00	1.8	NNW
20251109	15:15	1.3	NNW
20251109	15:30	0.9	NNW
20251109	15:45	1.8	NNW
20251109	16:00	1.8	NNW
20251109	16:15	2.2	NW
20251109	16:30	2.2	NNW
20251109	16:45	2.2	NNW
20251109	17:00	2.2	NW
20251109	17:15	2.2	NW
20251109	17:30	1.8	NNW
20251109	17:45	1.8	NW
20251109	18:00	2.2	NW
20251109	18:15	2.2	NNW
20251109	18:30	1.8	NNW
20251109	18:45	0.4	N
20251109	19:00	0	NE
20251109	19:15	0	NE
20251109	19:30	0.4	NE
20251109	19:45	0	---
20251109	20:00	0	NE
20251109	20:15	0.9	N
20251109	20:30	0.9	NE
20251109	20:45	0.4	N
20251109	21:00	0.4	ENE
20251109	21:15	2.2	NNW
20251109	21:30	3.1	NW
20251109	21:45	2.7	NNW
20251109	22:00	1.8	NW
20251109	22:15	1.3	NNW
20251109	22:30	3.1	NNW
20251109	22:45	3.6	NW
20251109	23:00	3.6	NW
20251109	23:15	3.1	NNW
20251109	23:30	2.7	NW
20251109	23:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251110	00:00	1.8	NNW
20251110	00:15	1.3	NNW
20251110	00:30	1.3	NNW
20251110	00:45	0.9	NNW
20251110	01:00	0.9	WNW
20251110	01:15	2.7	NNW
20251110	01:30	2.7	NNW
20251110	01:45	1.8	NNW
20251110	02:00	2.2	NNW
20251110	02:15	2.7	NW
20251110	02:30	2.7	WNW
20251110	02:45	1.3	N
20251110	03:00	0.9	NNW
20251110	03:15	1.3	NNW
20251110	03:30	1.8	NNW
20251110	03:45	1.8	NNW
20251110	04:00	1.8	NNW
20251110	04:15	1.3	NNW
20251110	04:30	0.9	N
20251110	04:45	1.3	NNW
20251110	05:00	1.3	NNW
20251110	05:15	0.9	NNE
20251110	05:30	2.2	NNW
20251110	05:45	2.7	NNW
20251110	06:00	2.2	NW
20251110	06:15	2.2	NNW
20251110	06:30	1.3	NW
20251110	06:45	1.8	NNW
20251110	07:00	1.8	NNW
20251110	07:15	1.8	NNW
20251110	07:30	1.3	NNW
20251110	07:45	2.2	NNW
20251110	08:00	2.2	NNW
20251110	08:15	1.8	NNW
20251110	08:30	2.2	NNW
20251110	08:45	2.2	NNW
20251110	09:00	2.2	NNW
20251110	09:15	2.7	NNW
20251110	09:30	2.2	NW
20251110	09:45	2.7	NW
20251110	10:00	2.7	NW
20251110	10:15	2.7	NNW
20251110	10:30	2.7	NNW
20251110	10:45	2.7	NW
20251110	11:00	2.7	NW
20251110	11:15	3.1	NNW
20251110	11:30	3.6	NNW
20251110	11:45	3.1	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251110	12:00	3.6	NNW
20251110	12:15	3.6	NW
20251110	12:30	3.6	NNW
20251110	12:45	3.6	NNW
20251110	13:00	3.6	NW
20251110	13:15	3.1	NW
20251110	13:30	3.1	NNW
20251110	13:45	3.6	NW
20251110	14:00	3.1	NW
20251110	14:15	3.1	NNW
20251110	14:30	2.7	NW
20251110	14:45	2.7	NNW
20251110	15:00	2.7	NW
20251110	15:15	2.7	NNW
20251110	15:30	2.7	NNW
20251110	15:45	2.7	NW
20251110	16:00	2.2	NW
20251110	16:15	2.7	NW
20251110	16:30	2.2	NW
20251110	16:45	2.2	NNW
20251110	17:00	1.8	NNW
20251110	17:15	1.8	NNW
20251110	17:30	1.8	NNW
20251110	17:45	1.8	NW
20251110	18:00	1.3	NNW
20251110	18:15	1.3	NNW
20251110	18:30	1.8	NW
20251110	18:45	1.8	WNW
20251110	19:00	1.8	NNW
20251110	19:15	1.8	NW
20251110	19:30	1.8	NW
20251110	19:45	1.8	NW
20251110	20:00	1.8	WNW
20251110	20:15	2.2	WNW
20251110	20:30	2.2	NNW
20251110	20:45	1.3	NNW
20251110	21:00	1.8	WNW
20251110	21:15	2.2	WNW
20251110	21:30	2.2	NNW
20251110	21:45	2.2	NW
20251110	22:00	3.1	NNW
20251110	22:15	2.7	NNW
20251110	22:30	1.3	N
20251110	22:45	2.2	NNW
20251110	23:00	2.2	NNW
20251110	23:15	2.2	NNW
20251110	23:30	0.4	ENE
20251110	23:45	0.4	ENE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251111	00:00	1.3	N
20251111	00:15	1.8	NNW
20251111	00:30	0.9	WSW
20251111	00:45	0.4	WNW
20251111	01:00	0.4	NW
20251111	01:15	0.9	NNW
20251111	01:30	1.8	NNW
20251111	01:45	1.3	NW
20251111	02:00	1.3	NW
20251111	02:15	0.4	NW
20251111	02:30	0.9	NW
20251111	02:45	2.7	NW
20251111	03:00	1.8	NNW
20251111	03:15	1.3	N
20251111	03:30	1.3	NW
20251111	03:45	0.9	NW
20251111	04:00	0.9	WNW
20251111	04:15	0.4	N
20251111	04:30	0.9	NW
20251111	04:45	1.3	NNW
20251111	05:00	1.8	NW
20251111	05:15	2.2	NNW
20251111	05:30	1.3	NNW
20251111	05:45	1.3	NNW
20251111	06:00	1.3	NNW
20251111	06:15	2.2	NNW
20251111	06:30	0.4	ENE
20251111	06:45	0.4	E
20251111	07:00	0.4	NW
20251111	07:15	1.3	NNW
20251111	07:30	0.9	N
20251111	07:45	0.9	WNW
20251111	08:00	0.9	NNW
20251111	08:15	2.7	NNW
20251111	08:30	2.7	NNW
20251111	08:45	2.2	NNW
20251111	09:00	1.8	NNW
20251111	09:15	1.8	NNW
20251111	09:30	0.9	NNW
20251111	09:45	1.3	NNW
20251111	10:00	1.3	NNW
20251111	10:15	1.8	NNW
20251111	10:30	1.3	NNW
20251111	10:45	0.9	WNW
20251111	11:00	1.3	NNW
20251111	11:15	1.8	NNW
20251111	11:30	1.3	NW
20251111	11:45	1.3	WNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251111	12:00	1.8	NNW
20251111	12:15	1.3	NW
20251111	12:30	0.9	NNW
20251111	12:45	1.3	NNW
20251111	13:00	1.8	NNW
20251111	13:15	1.3	NNW
20251111	13:30	1.3	N
20251111	13:45	1.3	NNW
20251111	14:00	2.2	NNW
20251111	14:15	2.7	NNW
20251111	14:30	3.1	NW
20251111	14:45	2.7	NW
20251111	15:00	3.1	NNW
20251111	15:15	2.2	NNW
20251111	15:30	1.8	NNW
20251111	15:45	1.3	NNW
20251111	16:00	1.8	N
20251111	16:15	1.8	NNW
20251111	16:30	2.2	NNW
20251111	16:45	1.8	NNW
20251111	17:00	0.9	NNW
20251111	17:15	0.4	N
20251111	17:30	1.8	NNW
20251111	17:45	2.2	NNW
20251111	18:00	1.3	NNW
20251111	18:15	1.3	NNW
20251111	18:30	0.4	N
20251111	18:45	1.3	NNW
20251111	19:00	1.3	NNW
20251111	19:15	1.3	NW
20251111	19:30	0.9	NW
20251111	19:45	0.9	NNW
20251111	20:00	1.3	NW
20251111	20:15	1.3	NW
20251111	20:30	1.3	NW
20251111	20:45	1.3	NNW
20251111	21:00	1.3	NW
20251111	21:15	1.3	NW
20251111	21:30	1.8	NNW
20251111	21:45	1.3	NNW
20251111	22:00	1.3	NW
20251111	22:15	1.8	NNW
20251111	22:30	1.8	NW
20251111	22:45	1.8	NNW
20251111	23:00	1.8	WNW
20251111	23:15	1.8	NNW
20251111	23:30	2.2	NNW
20251111	23:45	1.8	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251112	00:00	1.3	NNW
20251112	00:15	2.2	WSW
20251112	00:30	1.3	W
20251112	00:45	2.2	NW
20251112	01:00	1.8	NW
20251112	01:15	2.2	NW
20251112	01:30	1.8	NNW
20251112	01:45	2.2	NNW
20251112	02:00	1.8	NNW
20251112	02:15	2.2	NNW
20251112	02:30	2.2	NNW
20251112	02:45	2.2	NNW
20251112	03:00	1.3	NW
20251112	03:15	1.8	NW
20251112	03:30	1.8	NNW
20251112	03:45	2.2	NNW
20251112	04:00	1.8	NNW
20251112	04:15	1.3	NNW
20251112	04:30	1.3	NNW
20251112	04:45	1.3	NNW
20251112	05:00	0.9	NNW
20251112	05:15	1.8	N
20251112	05:30	0.9	NNW
20251112	05:45	0.9	N
20251112	06:00	0.9	N
20251112	06:15	0.9	N
20251112	06:30	1.3	N
20251112	06:45	0.9	N
20251112	07:00	0.4	N
20251112	07:15	0.9	N
20251112	07:30	0.9	NNW
20251112	07:45	0.0	NNW
20251112	08:00	0.4	NNW
20251112	08:15	1.3	NNW
20251112	08:30	2.2	NNW
20251112	08:45	2.2	NW
20251112	09:00	2.7	NNW
20251112	09:15	2.2	NNW
20251112	09:30	2.7	NW
20251112	09:45	2.7	NNW
20251112	10:00	3.1	NNW
20251112	10:15	2.7	NNW
20251112	10:30	2.7	NW
20251112	10:45	2.7	NNW
20251112	11:00	3.6	NNW
20251112	11:15	2.7	NNW
20251112	11:30	2.7	NNW
20251112	11:45	2.7	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251112	12:00	3.1	NW
20251112	12:15	3.1	NW
20251112	12:30	3.6	NNW
20251112	12:45	3.1	NNW
20251112	13:00	3.1	NNW
20251112	13:15	3.6	NNW
20251112	13:30	2.7	NNW
20251112	13:45	3.1	NW
20251112	14:00	2.7	NW
20251112	14:15	2.7	NNW
20251112	14:30	3.1	NW
20251112	14:45	3.1	NW
20251112	15:00	2.7	NNW
20251112	15:15	3.1	NNW
20251112	15:30	2.7	NNW
20251112	15:45	3.1	NNW
20251112	16:00	2.7	NNW
20251112	16:15	2.7	NNW
20251112	16:30	2.7	NNW
20251112	16:45	2.7	NNW
20251112	17:00	1.8	NNW
20251112	17:15	2.2	NNW
20251112	17:30	2.2	NNW
20251112	17:45	2.2	NW
20251112	18:00	2.2	NNW
20251112	18:15	2.2	NNW
20251112	18:30	1.8	NW
20251112	18:45	1.3	NNW
20251112	19:00	1.8	NNW
20251112	19:15	1.8	NNW
20251112	19:30	1.8	NW
20251112	19:45	2.2	NNW
20251112	20:00	2.2	NNW
20251112	20:15	2.2	NNW
20251112	20:30	1.8	NNW
20251112	20:45	2.2	NNW
20251112	21:00	2.2	NNW
20251112	21:15	2.7	NNW
20251112	21:30	2.7	NW
20251112	21:45	2.2	NW
20251112	22:00	2.7	NW
20251112	22:15	2.7	NNW
20251112	22:30	2.7	NNW
20251112	22:45	2.2	NNW
20251112	23:00	2.2	NW
20251112	23:15	2.2	NNW
20251112	23:30	2.7	NNW
20251112	23:45	2.7	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251113	00:00	2.2	NNW
20251113	00:15	3.1	NNW
20251113	00:30	2.7	NNW
20251113	00:45	2.7	NNW
20251113	01:00	1.8	N
20251113	01:15	1.8	NNW
20251113	01:30	1.8	NNW
20251113	01:45	1.8	NNW
20251113	02:00	1.8	NNW
20251113	02:15	2.7	NNW
20251113	02:30	2.2	NNW
20251113	02:45	2.7	NNW
20251113	03:00	2.7	NNW
20251113	03:15	2.7	NW
20251113	03:30	2.7	NNW
20251113	03:45	2.2	NNW
20251113	04:00	2.2	NW
20251113	04:15	2.7	NNW
20251113	04:30	2.7	NW
20251113	04:45	3.1	NW
20251113	05:00	3.6	NW
20251113	05:15	3.1	NW
20251113	05:30	3.6	NW
20251113	05:45	3.6	NW
20251113	06:00	3.6	NW
20251113	06:15	3.1	NW
20251113	06:30	2.7	NNW
20251113	06:45	2.7	NNW
20251113	07:00	2.7	NW
20251113	07:15	3.1	NW
20251113	07:30	2.7	NW
20251113	07:45	2.7	NNW
20251113	08:00	3.1	NW
20251113	08:15	3.1	NW
20251113	08:30	3.1	NW
20251113	08:45	3.1	NW
20251113	09:00	2.7	NW
20251113	09:15	3.1	NNW
20251113	09:30	2.7	NW
20251113	09:45	3.1	NW
20251113	10:00	3.1	NW
20251113	10:15	3.1	NW
20251113	10:30	3.1	NW
20251113	10:45	3.1	NNW
20251113	11:00	2.7	NW
20251113	11:15	3.1	NW
20251113	11:30	2.7	NW
20251113	11:45	2.7	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251113	12:00	2.7	NW
20251113	12:15	2.2	NNW
20251113	12:30	2.2	NW
20251113	12:45	2.7	NW
20251113	13:00	2.7	NW
20251113	13:15	2.7	NW
20251113	13:30	2.7	NW
20251113	13:45	3.1	WNW
20251113	14:00	2.7	NW
20251113	14:15	1.8	NW
20251113	14:30	2.2	NW
20251113	14:45	2.2	NNW
20251113	15:00	2.2	NNW
20251113	15:15	2.2	NW
20251113	15:30	2.2	NNW
20251113	15:45	2.2	NW
20251113	16:00	2.2	NW
20251113	16:15	3.1	NNW
20251113	16:30	2.2	NNW
20251113	16:45	2.2	NW
20251113	17:00	2.2	NNW
20251113	17:15	2.2	NW
20251113	17:30	1.8	NW
20251113	17:45	1.3	NNW
20251113	18:00	1.8	NNW
20251113	18:15	1.3	NNW
20251113	18:30	1.8	NNW
20251113	18:45	2.2	NNW
20251113	19:00	1.3	NNW
20251113	19:15	1.8	N
20251113	19:30	1.8	NNW
20251113	19:45	1.8	NW
20251113	20:00	2.2	NNW
20251113	20:15	2.7	NNW
20251113	20:30	1.8	NW
20251113	20:45	1.8	NW
20251113	21:00	2.2	NNW
20251113	21:15	2.2	NNW
20251113	21:30	1.8	NNW
20251113	21:45	1.8	NNW
20251113	22:00	1.8	NW
20251113	22:15	2.2	NNW
20251113	22:30	1.8	NNW
20251113	22:45	1.8	NNW
20251113	23:00	1.3	NNW
20251113	23:15	1.8	NNW
20251113	23:30	1.8	NNW
20251113	23:45	1.8	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251114	00:00	1.8	NNW
20251114	00:15	2.2	NNW
20251114	00:30	1.8	NNW
20251114	00:45	1.8	NW
20251114	01:00	2.2	NNW
20251114	01:15	2.2	NNW
20251114	01:30	2.2	NNW
20251114	01:45	2.2	NNW
20251114	02:00	1.3	N
20251114	02:15	0.4	N
20251114	02:30	0.9	N
20251114	02:45	0.4	NNE
20251114	03:00	0.4	N
20251114	03:15	0.4	N
20251114	03:30	0.0	ENE
20251114	03:45	0.0	NNE
20251114	04:00	0.9	N
20251114	04:15	0.9	N
20251114	04:30	0.4	N
20251114	04:45	0.4	NE
20251114	05:00	0.4	N
20251114	05:15	0.4	NNE
20251114	05:30	0.4	E
20251114	05:45	0.4	ESE
20251114	06:00	0.4	NNE
20251114	06:15	1.8	NNW
20251114	06:30	1.3	NNW
20251114	06:45	1.3	N
20251114	07:00	1.3	N
20251114	07:15	0.4	SE
20251114	07:30	0.4	SE
20251114	07:45	0.4	ESE
20251114	08:00	1.8	NNW
20251114	08:15	1.8	NNW
20251114	08:30	2.2	NNW
20251114	08:45	1.8	NNW
20251114	09:00	1.8	NNW
20251114	09:15	1.8	NNW
20251114	09:30	1.8	NNW
20251114	09:45	1.8	WNW
20251114	10:00	1.3	NNW
20251114	10:15	1.8	NW
20251114	10:30	2.2	NW
20251114	10:45	1.8	NNW
20251114	11:00	1.8	NNW
20251114	11:15	2.2	NNW
20251114	11:30	2.7	NW
20251114	11:45	2.7	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251114	12:00	2.7	NW
20251114	12:15	2.7	NNW
20251114	12:30	2.2	NNW
20251114	12:45	2.2	NNW
20251114	13:00	2.2	NW
20251114	13:15	1.8	NW
20251114	13:30	2.2	NW
20251114	13:45	2.2	N
20251114	14:00	1.8	NW
20251114	14:15	2.2	NW
20251114	14:30	2.2	NNW
20251114	14:45	2.2	NNW
20251114	15:00	2.2	NNW
20251114	15:15	1.8	NW
20251114	15:30	2.2	NW
20251114	15:45	1.8	NNW
20251114	16:00	1.8	NNW
20251114	16:15	1.3	NW
20251114	16:30	1.3	NNW
20251114	16:45	1.3	NW
20251114	17:00	0.9	NNW
20251114	17:15	0.9	NW
20251114	17:30	0.0	N
20251114	17:45	0.0	---
20251114	18:00	0.4	SE
20251114	18:15	0	SE
20251114	18:30	0	SE
20251114	18:45	0.4	SE
20251114	19:00	1.3	SE
20251114	19:15	1.3	SE
20251114	19:30	1.8	SE
20251114	19:45	0.9	SE
20251114	20:00	0	ENE
20251114	20:15	0.4	E
20251114	20:30	0.4	E
20251114	20:45	0	---
20251114	21:00	0	---
20251114	21:15	0	---
20251114	21:30	0	---
20251114	21:45	0	---
20251114	22:00	0	---
20251114	22:15	0	NE
20251114	22:30	0	---
20251114	22:45	0	---
20251114	23:00	0	---
20251114	23:15	0	NE
20251114	23:30	0	NE
20251114	23:45	0	NE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251115	00:00	0.0	---
20251115	00:15	0.0	NE
20251115	00:30	0.0	E
20251115	00:45	0.0	E
20251115	01:00	0.0	E
20251115	01:15	0.0	ESE
20251115	01:30	0.0	SE
20251115	01:45	0.0	ESE
20251115	02:00	0.0	ESE
20251115	02:15	0.0	SE
20251115	02:30	0.9	SE
20251115	02:45	1.3	SE
20251115	03:00	0.9	SE
20251115	03:15	0.4	SE
20251115	03:30	0.9	SE
20251115	03:45	0.4	SE
20251115	04:00	0.4	NE
20251115	04:15	0.0	NE
20251115	04:30	0.0	NE
20251115	04:45	0.0	ENE
20251115	05:00	0.0	ENE
20251115	05:15	0.0	---
20251115	05:30	0.0	ENE
20251115	05:45	0.0	---
20251115	06:00	0.0	ENE
20251115	06:15	0.0	---
20251115	06:30	0.0	ENE
20251115	06:45	0.0	ENE
20251115	07:00	0.0	---
20251115	07:15	0.0	---
20251115	07:30	0.0	ENE
20251115	07:45	0.0	ENE
20251115	08:00	0.0	ENE
20251115	08:15	0.0	ENE
20251115	08:30	0.0	ENE
20251115	08:45	0.4	NNW
20251115	09:00	0.4	NNW
20251115	09:15	0.4	N
20251115	09:30	0.4	N
20251115	09:45	0.9	NNW
20251115	10:00	0.4	ENE
20251115	10:15	0.9	SE
20251115	10:30	0.9	SE
20251115	10:45	1.3	SE
20251115	11:00	1.3	SE
20251115	11:15	1.8	SE
20251115	11:30	0.9	SSE
20251115	11:45	0.9	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251115	12:00	1.3	NW
20251115	12:15	1.8	NW
20251115	12:30	1.8	NNW
20251115	12:45	0.9	SE
20251115	13:00	0.9	NNW
20251115	13:15	0.9	NNW
20251115	13:30	0.9	WNW
20251115	13:45	0.4	NW
20251115	14:00	0.9	SSE
20251115	14:15	0.9	NE
20251115	14:30	1.3	SE
20251115	14:45	0.9	ESE
20251115	15:00	1.3	SE
20251115	15:15	1.3	SE
20251115	15:30	1.3	SE
20251115	15:45	1.3	SE
20251115	16:00	1.8	SE
20251115	16:15	1.8	SE
20251115	16:30	1.8	SE
20251115	16:45	2.2	SE
20251115	17:00	2.2	SE
20251115	17:15	1.8	SE
20251115	17:30	1.8	SE
20251115	17:45	1.8	SE
20251115	18:00	1.8	SE
20251115	18:15	2.2	SE
20251115	18:30	3.1	SE
20251115	18:45	3.1	SE
20251115	19:00	2.2	SE
20251115	19:15	3.1	SE
20251115	19:30	3.1	SE
20251115	19:45	2.2	SE
20251115	20:00	1.8	SE
20251115	20:15	1.8	SE
20251115	20:30	2.2	SE
20251115	20:45	2.2	SE
20251115	21:00	2.2	SE
20251115	21:15	2.2	SE
20251115	21:30	1.3	SE
20251115	21:45	1.8	SE
20251115	22:00	1.8	SE
20251115	22:15	1.3	SE
20251115	22:30	0.4	ESE
20251115	22:45	0.4	SE
20251115	23:00	1.3	SE
20251115	23:15	1.8	SE
20251115	23:30	1.8	SE
20251115	23:45	1.8	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251116	00:00	1.8	SE
20251116	00:15	1.8	SE
20251116	00:30	1.3	SE
20251116	00:45	1.3	SE
20251116	01:00	1.3	SE
20251116	01:15	1.3	SE
20251116	01:30	0.9	SE
20251116	01:45	0.4	SE
20251116	02:00	0.9	SE
20251116	02:15	0.4	SE
20251116	02:30	0.9	SE
20251116	02:45	1.3	SE
20251116	03:00	1.3	SE
20251116	03:15	1.8	SE
20251116	03:30	0.9	SSE
20251116	03:45	1.3	SE
20251116	04:00	0.9	SE
20251116	04:15	0.4	SE
20251116	04:30	0.4	SE
20251116	04:45	0.4	SE
20251116	05:00	0.4	SE
20251116	05:15	0.9	SE
20251116	05:30	0.4	SE
20251116	05:45	0.4	ESE
20251116	06:00	0.9	SE
20251116	06:15	0.9	SE
20251116	06:30	0.9	SE
20251116	06:45	0.9	SE
20251116	07:00	0.4	SE
20251116	07:15	0.9	ESE
20251116	07:30	0.4	SE
20251116	07:45	1.3	SE
20251116	08:00	1.3	SE
20251116	08:15	1.3	SE
20251116	08:30	1.3	SSE
20251116	08:45	1.8	SE
20251116	09:00	1.8	SE
20251116	09:15	1.8	SE
20251116	09:30	1.8	SE
20251116	09:45	1.3	SE
20251116	10:00	1.3	SE
20251116	10:15	1.3	SE
20251116	10:30	0.9	SE
20251116	10:45	0.9	N
20251116	11:00	0.9	NW
20251116	11:15	0.4	NNW
20251116	11:30	0.4	ESE
20251116	11:45	0.9	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251116	12:00	0.9	NNW
20251116	12:15	0.4	N
20251116	12:30	0.9	NW
20251116	12:45	1.3	WSW
20251116	13:00	1.3	WSW
20251116	13:15	1.3	SE
20251116	13:30	1.3	WSW
20251116	13:45	1.3	WSW
20251116	14:00	0.4	SE
20251116	14:15	0.9	SE
20251116	14:30	1.3	ESE
20251116	14:45	1.3	SE
20251116	15:00	1.3	SE
20251116	15:15	1.8	SE
20251116	15:30	2.2	SE
20251116	15:45	0.9	SE
20251116	16:00	1.3	SE
20251116	16:15	1.3	SE
20251116	16:30	0.9	E
20251116	16:45	1.3	ESE
20251116	17:00	0.9	SE
20251116	17:15	1.8	SE
20251116	17:30	1.3	SE
20251116	17:45	0.9	SE
20251116	18:00	0	W
20251116	18:15	0	W
20251116	18:30	0	---
20251116	18:45	0	---
20251116	19:00	0	---
20251116	19:15	0.9	SSE
20251116	19:30	0.9	SE
20251116	19:45	0.4	SSE
20251116	20:00	0.9	SE
20251116	20:15	0.4	SSE
20251116	20:30	0	---
20251116	20:45	0	---
20251116	21:00	0	---
20251116	21:15	0	---
20251116	21:30	0	---
20251116	21:45	0	---
20251116	22:00	0	S
20251116	22:15	0	---
20251116	22:30	0	S
20251116	22:45	0	S
20251116	23:00	0.9	SE
20251116	23:15	0.9	SE
20251116	23:30	0	SE
20251116	23:45	0	SSE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251117	00:00	0.9	SE
20251117	00:15	0.9	SE
20251117	00:30	0.4	SE
20251117	00:45	0.0	SE
20251117	01:00	0.0	ESE
20251117	01:15	0.4	SE
20251117	01:30	0.0	SE
20251117	01:45	0.0	SE
20251117	02:00	0.0	SE
20251117	02:15	0.0	SSE
20251117	02:30	0.4	SSE
20251117	02:45	0.0	SSE
20251117	03:00	0.0	SE
20251117	03:15	0.0	SE
20251117	03:30	0.0	NE
20251117	03:45	0.0	NE
20251117	04:00	0.0	NE
20251117	04:15	0.0	NE
20251117	04:30	0.0	---
20251117	04:45	0.0	---
20251117	05:00	0.0	---
20251117	05:15	0.0	N
20251117	05:30	0.0	N
20251117	05:45	0.0	ENE
20251117	06:00	0.0	---
20251117	06:15	0.9	SE
20251117	06:30	0.4	SE
20251117	06:45	0.4	SE
20251117	07:00	0.0	E
20251117	07:15	0.4	ENE
20251117	07:30	0.4	N
20251117	07:45	0.4	ESE
20251117	08:00	0.4	ESE
20251117	08:15	0.4	ESE
20251117	08:30	0.4	N
20251117	08:45	0.4	N
20251117	09:00	0.9	NNW
20251117	09:15	1.3	NNW
20251117	09:30	1.8	NNW
20251117	09:45	1.8	NNW
20251117	10:00	1.3	NNW
20251117	10:15	1.3	NNW
20251117	10:30	0.9	N
20251117	10:45	0.9	WSW
20251117	11:00	1.3	WNW
20251117	11:15	0.9	N
20251117	11:30	0.9	N
20251117	11:45	0.4	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251117	12:00	1.8	N
20251117	12:15	1.8	NNW
20251117	12:30	2.2	NNW
20251117	12:45	2.2	NNW
20251117	13:00	2.2	NNW
20251117	13:15	2.2	NNW
20251117	13:30	2.2	NW
20251117	13:45	1.8	WNW
20251117	14:00	1.3	NNW
20251117	14:15	0.9	NNW
20251117	14:30	1.8	NW
20251117	14:45	1.3	NNW
20251117	15:00	1.3	WNW
20251117	15:15	1.3	NW
20251117	15:30	1.8	NNW
20251117	15:45	1.8	NW
20251117	16:00	1.8	WNW
20251117	16:15	1.8	NW
20251117	16:30	0.9	NNW
20251117	16:45	1.3	NNW
20251117	17:00	0.9	N
20251117	17:15	0.9	E
20251117	17:30	1.8	SE
20251117	17:45	2.7	SE
20251117	18:00	3.1	SE
20251117	18:15	2.7	SE
20251117	18:30	2.7	SE
20251117	18:45	2.2	SE
20251117	19:00	2.7	SE
20251117	19:15	1.8	SE
20251117	19:30	1.3	SE
20251117	19:45	3.1	SE
20251117	20:00	2.7	SE
20251117	20:15	3.1	SE
20251117	20:30	2.7	SE
20251117	20:45	2.7	SE
20251117	21:00	2.7	SE
20251117	21:15	2.2	SE
20251117	21:30	1.8	SE
20251117	21:45	1.3	SE
20251117	22:00	1.8	SE
20251117	22:15	1.3	SE
20251117	22:30	0	ENE
20251117	22:45	0	ENE
20251117	23:00	0	NE
20251117	23:15	0	---
20251117	23:30	0	---
20251117	23:45	0	NE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251118	00:00	0.4	ESE
20251118	00:15	0.0	ESE
20251118	00:30	0.0	SE
20251118	00:45	0.0	SE
20251118	01:00	0.4	SE
20251118	01:15	1.3	NNW
20251118	01:30	2.7	NNW
20251118	01:45	2.7	NW
20251118	02:00	2.7	NNW
20251118	02:15	2.2	NW
20251118	02:30	2.2	NNW
20251118	02:45	2.2	NNW
20251118	03:00	3.1	NNW
20251118	03:15	3.6	NNW
20251118	03:30	3.1	NW
20251118	03:45	3.1	NNW
20251118	04:00	2.7	NW
20251118	04:15	3.1	NW
20251118	04:30	2.7	NW
20251118	04:45	0.9	NNW
20251118	05:00	1.8	NNW
20251118	05:15	2.7	NW
20251118	05:30	2.2	NW
20251118	05:45	2.7	NNW
20251118	06:00	2.7	NW
20251118	06:15	3.1	NW
20251118	06:30	3.1	NNW
20251118	06:45	3.1	NW
20251118	07:00	3.6	NNW
20251118	07:15	3.1	NNW
20251118	07:30	3.6	NNW
20251118	07:45	4.5	NNW
20251118	08:00	4.0	NW
20251118	08:15	4.5	NW
20251118	08:30	4.0	NW
20251118	08:45	2.7	NNW
20251118	09:00	2.2	NNW
20251118	09:15	2.7	NNW
20251118	09:30	3.1	NNW
20251118	09:45	4.5	NW
20251118	10:00	4.5	NNW
20251118	10:15	4.0	NNW
20251118	10:30	3.6	NNW
20251118	10:45	3.6	NNW
20251118	11:00	3.1	NW
20251118	11:15	3.1	WNW
20251118	11:30	3.6	NNW
20251118	11:45	3.1	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251118	12:00	3.6	NNW
20251118	12:15	3.6	NW
20251118	12:30	3.6	NW
20251118	12:45	4.0	NNW
20251118	13:00	4.0	NW
20251118	13:15	4.5	NW
20251118	13:30	4.5	NW
20251118	13:45	4.9	NNW
20251118	14:00	4.5	NW
20251118	14:15	4.5	NW
20251118	14:30	4.5	NW
20251118	14:45	4.5	NW
20251118	15:00	3.6	NW
20251118	15:15	3.6	NW
20251118	15:30	3.1	NNW
20251118	15:45	2.7	WNW
20251118	16:00	2.7	NW
20251118	16:15	2.2	NNW
20251118	16:30	2.2	NW
20251118	16:45	3.1	NNW
20251118	17:00	3.6	NW
20251118	17:15	4.9	NW
20251118	17:30	4.9	NNW
20251118	17:45	5.4	NW
20251118	18:00	5.8	NW
20251118	18:15	4.5	NNW
20251118	18:30	3.6	NW
20251118	18:45	2.7	NNW
20251118	19:00	3.1	NNW
20251118	19:15	1.8	N
20251118	19:30	1.3	WSW
20251118	19:45	2.2	N
20251118	20:00	1.8	WSW
20251118	20:15	1.3	NNW
20251118	20:30	1.8	NNW
20251118	20:45	2.7	N
20251118	21:00	3.6	NW
20251118	21:15	3.6	NNW
20251118	21:30	3.1	NNW
20251118	21:45	4	NNW
20251118	22:00	4	NNW
20251118	22:15	4.9	NNW
20251118	22:30	4.5	NW
20251118	22:45	4.9	NNW
20251118	23:00	4.9	NNW
20251118	23:15	5.4	NW
20251118	23:30	4.9	NNW
20251118	23:45	5.4	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251119	00:00	5.4	NNW
20251119	00:15	5.4	NNW
20251119	00:30	4.9	NNW
20251119	00:45	4.9	NW
20251119	01:00	4.9	NW
20251119	01:15	4.9	NNW
20251119	01:30	3.1	N
20251119	01:45	3.1	NW
20251119	02:00	4.0	NW
20251119	02:15	1.8	WNW
20251119	02:30	1.3	N
20251119	02:45	3.6	NW
20251119	03:00	3.1	NNW
20251119	03:15	2.2	NNW
20251119	03:30	2.2	NNW
20251119	03:45	2.2	WSW
20251119	04:00	1.8	WSW
20251119	04:15	1.3	WSW
20251119	04:30	1.3	N
20251119	04:45	1.3	NNW
20251119	05:00	1.3	NNW
20251119	05:15	1.3	NE
20251119	05:30	2.2	WNW
20251119	05:45	3.1	N
20251119	06:00	3.1	NW
20251119	06:15	1.8	NNW
20251119	06:30	4.0	NNW
20251119	06:45	4.0	NNW
20251119	07:00	3.6	NNW
20251119	07:15	5.4	NW
20251119	07:30	4.9	NNW
20251119	07:45	4.5	NNW
20251119	08:00	4.0	NNW
20251119	08:15	4.9	NNW
20251119	08:30	4.0	NNW
20251119	08:45	4.5	NNW
20251119	09:00	4.0	NNW
20251119	09:15	3.6	NNW
20251119	09:30	3.1	NNW
20251119	09:45	2.2	NW
20251119	10:00	2.7	NNW
20251119	10:15	3.1	NNW
20251119	10:30	3.6	NNW
20251119	10:45	3.6	NNW
20251119	11:00	4.0	NW
20251119	11:15	4.0	NW
20251119	11:30	3.6	NW
20251119	11:45	3.6	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251119	12:00	3.6	NW
20251119	12:15	3.1	NNW
20251119	12:30	3.6	NW
20251119	12:45	3.1	NNW
20251119	13:00	4.0	NW
20251119	13:15	4.0	NNW
20251119	13:30	3.1	NW
20251119	13:45	3.6	NW
20251119	14:00	3.6	NW
20251119	14:15	3.6	NW
20251119	14:30	2.7	NNW
20251119	14:45	2.7	NW
20251119	15:00	3.6	NW
20251119	15:15	3.6	NNW
20251119	15:30	4.0	NW
20251119	15:45	3.1	NNW
20251119	16:00	3.1	NW
20251119	16:15	3.1	NW
20251119	16:30	3.1	NW
20251119	16:45	3.1	NNW
20251119	17:00	2.7	NNW
20251119	17:15	1.3	NNW
20251119	17:30	1.8	NW
20251119	17:45	1.8	NW
20251119	18:00	1.8	N
20251119	18:15	1.3	NNW
20251119	18:30	2.2	NW
20251119	18:45	2.2	NW
20251119	19:00	2.2	NW
20251119	19:15	2.2	N
20251119	19:30	1.8	N
20251119	19:45	2.2	NNW
20251119	20:00	1.3	N
20251119	20:15	2.2	NNW
20251119	20:30	0.9	N
20251119	20:45	1.3	NW
20251119	21:00	1.8	N
20251119	21:15	2.2	NNW
20251119	21:30	2.7	NW
20251119	21:45	1.8	NW
20251119	22:00	2.7	NNW
20251119	22:15	2.2	NNW
20251119	22:30	1.8	NNW
20251119	22:45	2.7	NNW
20251119	23:00	2.7	NW
20251119	23:15	2.7	NNW
20251119	23:30	2.7	NNW
20251119	23:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251120	00:00	1.8	NNW
20251120	00:15	1.8	NNW
20251120	00:30	2.2	NW
20251120	00:45	2.7	NNW
20251120	01:00	2.7	NNW
20251120	01:15	2.2	NNW
20251120	01:30	2.7	NNW
20251120	01:45	2.7	NNW
20251120	02:00	3.1	NW
20251120	02:15	2.7	NNW
20251120	02:30	3.1	NNW
20251120	02:45	2.7	NNW
20251120	03:00	3.1	NNW
20251120	03:15	2.7	NNW
20251120	03:30	2.2	NNW
20251120	03:45	2.2	NNW
20251120	04:00	2.7	NNW
20251120	04:15	2.7	NNW
20251120	04:30	2.7	NW
20251120	04:45	3.6	NNW
20251120	05:00	2.7	NNW
20251120	05:15	3.1	NNW
20251120	05:30	2.7	NNW
20251120	05:45	2.7	NW
20251120	06:00	2.2	NNW
20251120	06:15	2.2	NNW
20251120	06:30	1.8	NNW
20251120	06:45	1.3	NNW
20251120	07:00	1.8	NNW
20251120	07:15	1.8	NNW
20251120	07:30	1.8	NNW
20251120	07:45	2.7	NNW
20251120	08:00	2.2	NNW
20251120	08:15	2.2	NNW
20251120	08:30	2.2	NW
20251120	08:45	2.2	NNW
20251120	09:00	1.8	NNW
20251120	09:15	2.7	NNW
20251120	09:30	2.2	NNW
20251120	09:45	2.7	NNW
20251120	10:00	2.2	NNW
20251120	10:15	2.2	NNW
20251120	10:30	2.2	NNW
20251120	10:45	2.7	NNW
20251120	11:00	2.2	NNW
20251120	11:15	2.2	NNW
20251120	11:30	2.2	NNW
20251120	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251120	12:00	2.7	NNW
20251120	12:15	2.7	NNW
20251120	12:30	2.7	NW
20251120	12:45	2.7	NW
20251120	13:00	2.7	NW
20251120	13:15	2.7	NNW
20251120	13:30	2.2	NNW
20251120	13:45	2.2	NW
20251120	14:00	2.2	NNW
20251120	14:15	2.2	NNW
20251120	14:30	2.2	NNW
20251120	14:45	2.2	NW
20251120	15:00	1.8	NW
20251120	15:15	2.2	NNW
20251120	15:30	2.7	NW
20251120	15:45	1.8	NW
20251120	16:00	1.8	NW
20251120	16:15	0.9	NNW
20251120	16:30	1.3	NNW
20251120	16:45	2.2	NNW
20251120	17:00	1.8	NW
20251120	17:15	1.3	NW
20251120	17:30	0.9	NNW
20251120	17:45	0.4	N
20251120	18:00	0.4	N
20251120	18:15	0.9	NNW
20251120	18:30	1.3	NNW
20251120	18:45	0.9	NNW
20251120	19:00	0.4	NNW
20251120	19:15	1.3	N
20251120	19:30	0.9	NW
20251120	19:45	0.9	NNW
20251120	20:00	0.9	NW
20251120	20:15	0.4	NW
20251120	20:30	0.4	WSW
20251120	20:45	0.4	ESE
20251120	21:00	0.4	N
20251120	21:15	1.3	WSW
20251120	21:30	1.8	NW
20251120	21:45	1.8	NW
20251120	22:00	1.8	NNW
20251120	22:15	2.2	NNW
20251120	22:30	2.2	NNW
20251120	22:45	2.7	NNW
20251120	23:00	2.7	NNW
20251120	23:15	1.8	N
20251120	23:30	0.9	N
20251120	23:45	1.3	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251121	00:00	1.3	NNW
20251121	00:15	0.9	N
20251121	00:30	0.9	N
20251121	00:45	0.4	NNE
20251121	01:00	0.9	N
20251121	01:15	1.3	NNW
20251121	01:30	1.8	NNW
20251121	01:45	1.8	NNW
20251121	02:00	1.8	NNW
20251121	02:15	1.8	NNW
20251121	02:30	2.2	NNW
20251121	02:45	2.2	NNW
20251121	03:00	2.2	NNW
20251121	03:15	2.7	NNW
20251121	03:30	2.2	NNW
20251121	03:45	1.8	NNW
20251121	04:00	1.3	NNW
20251121	04:15	1.3	NNW
20251121	04:30	1.8	NNW
20251121	04:45	1.8	NNW
20251121	05:00	1.8	NNW
20251121	05:15	1.8	NNW
20251121	05:30	1.3	NNW
20251121	05:45	1.3	NNW
20251121	06:00	0.9	N
20251121	06:15	1.3	NNW
20251121	06:30	1.3	NNW
20251121	06:45	0.9	NNW
20251121	07:00	0.0	NNW
20251121	07:15	0.4	N
20251121	07:30	0.4	NNW
20251121	07:45	0.4	E
20251121	08:00	0.9	NW
20251121	08:15	0.9	NNW
20251121	08:30	0.9	NNW
20251121	08:45	1.8	NNW
20251121	09:00	2.2	NNW
20251121	09:15	2.2	NNW
20251121	09:30	2.2	NW
20251121	09:45	2.7	NW
20251121	10:00	2.7	NNW
20251121	10:15	2.2	NNW
20251121	10:30	2.7	NW
20251121	10:45	2.2	NNW
20251121	11:00	2.7	NNW
20251121	11:15	2.7	NNW
20251121	11:30	2.7	WNW
20251121	11:45	2.7	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251121	12:00	2.7	NW
20251121	12:15	3.1	NNW
20251121	12:30	2.7	NNW
20251121	12:45	2.2	NW
20251121	13:00	2.7	NNW
20251121	13:15	3.1	NW
20251121	13:30	2.7	NNW
20251121	13:45	2.7	NW
20251121	14:00	2.7	NW
20251121	14:15	2.2	NNW
20251121	14:30	1.8	NW
20251121	14:45	1.8	NNW
20251121	15:00	1.8	NW
20251121	15:15	1.3	NW
20251121	15:30	1.8	NNW
20251121	15:45	1.8	NW
20251121	16:00	1.8	NNW
20251121	16:15	1.3	NNW
20251121	16:30	0.9	NNW
20251121	16:45	1.3	NW
20251121	17:00	0.9	NNW
20251121	17:15	0.9	N
20251121	17:30	0.9	NNW
20251121	17:45	0.9	W
20251121	18:00	0.4	N
20251121	18:15	0.4	N
20251121	18:30	0.4	ENE
20251121	18:45	0.9	NNW
20251121	19:00	1.3	NNW
20251121	19:15	0.4	WSW
20251121	19:30	0.4	WSW
20251121	19:45	0	NW
20251121	20:00	0.4	ESE
20251121	20:15	0	SW
20251121	20:30	0.4	N
20251121	20:45	0.4	WSW
20251121	21:00	1.3	NNW
20251121	21:15	1.8	NW
20251121	21:30	1.8	NNW
20251121	21:45	0.9	N
20251121	22:00	0.4	NE
20251121	22:15	0.9	N
20251121	22:30	0.9	N
20251121	22:45	0.9	N
20251121	23:00	0.4	NNW
20251121	23:15	1.3	N
20251121	23:30	1.3	NNW
20251121	23:45	1.3	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251122	00:00	0.9	N
20251122	00:15	0.9	N
20251122	00:30	0.9	NNW
20251122	00:45	0.4	N
20251122	01:00	0.4	E
20251122	01:15	0.4	E
20251122	01:30	0.0	E
20251122	01:45	0.4	E
20251122	02:00	0.4	ESE
20251122	02:15	0.0	NNE
20251122	02:30	0.0	N
20251122	02:45	0.4	SE
20251122	03:00	0.0	SE
20251122	03:15	0.4	SE
20251122	03:30	0.4	SE
20251122	03:45	0.4	SE
20251122	04:00	0.9	SE
20251122	04:15	0.0	SE
20251122	04:30	0.4	SE
20251122	04:45	0.4	SE
20251122	05:00	0.4	SE
20251122	05:15	0.0	SE
20251122	05:30	0.0	SE
20251122	05:45	0.0	SE
20251122	06:00	0.4	SE
20251122	06:15	0.4	SE
20251122	06:30	0.4	SE
20251122	06:45	0.0	SE
20251122	07:00	0.0	---
20251122	07:15	0.0	SE
20251122	07:30	0.0	SE
20251122	07:45	0.4	SE
20251122	08:00	0.4	N
20251122	08:15	0.0	---
20251122	08:30	0.0	N
20251122	08:45	0.0	E
20251122	09:00	0.4	E
20251122	09:15	0.4	N
20251122	09:30	0.9	NNW
20251122	09:45	1.8	NW
20251122	10:00	1.3	NNW
20251122	10:15	1.8	NNW
20251122	10:30	2.2	NNW
20251122	10:45	1.8	NW
20251122	11:00	1.8	NNW
20251122	11:15	1.8	NNW
20251122	11:30	1.8	NNW
20251122	11:45	1.8	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251122	12:00	1.3	NNW
20251122	12:15	1.3	NW
20251122	12:30	0.9	SE
20251122	12:45	0.9	ESE
20251122	13:00	1.3	NW
20251122	13:15	2.2	NW
20251122	13:30	1.8	NNW
20251122	13:45	2.2	NNW
20251122	14:00	1.8	WNW
20251122	14:15	1.8	N
20251122	14:30	1.8	NW
20251122	14:45	1.8	NNW
20251122	15:00	1.8	NNW
20251122	15:15	1.8	NW
20251122	15:30	1.8	NNW
20251122	15:45	1.3	NNW
20251122	16:00	1.3	NW
20251122	16:15	1.3	NW
20251122	16:30	0.9	NNW
20251122	16:45	0.4	NNW
20251122	17:00	0.4	N
20251122	17:15	0.0	NNW
20251122	17:30	0.0	---
20251122	17:45	0.0	---
20251122	18:00	0	---
20251122	18:15	0	NNW
20251122	18:30	0	NNW
20251122	18:45	0	NNW
20251122	19:00	0	NNW
20251122	19:15	0	NNW
20251122	19:30	0	NNW
20251122	19:45	0	---
20251122	20:00	0	---
20251122	20:15	0	---
20251122	20:30	0	---
20251122	20:45	0	---
20251122	21:00	0	NNE
20251122	21:15	0	---
20251122	21:30	0	---
20251122	21:45	0	---
20251122	22:00	0	NNE
20251122	22:15	0	NNE
20251122	22:30	0.9	SE
20251122	22:45	0.4	N
20251122	23:00	0	N
20251122	23:15	0	N
20251122	23:30	0	---
20251122	23:45	0	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251123	00:00	0.0	---
20251123	00:15	0.0	---
20251123	00:30	0.0	NNE
20251123	00:45	0.0	---
20251123	01:00	0.0	NNE
20251123	01:15	0.0	---
20251123	01:30	0.0	---
20251123	01:45	0.0	---
20251123	02:00	0.0	---
20251123	02:15	0.0	---
20251123	02:30	0.0	---
20251123	02:45	0.0	---
20251123	03:00	0.0	---
20251123	03:15	0.0	---
20251123	03:30	0.0	---
20251123	03:45	0.0	---
20251123	04:00	0.0	---
20251123	04:15	0.0	---
20251123	04:30	0.0	---
20251123	04:45	0.0	---
20251123	05:00	0.0	---
20251123	05:15	0.0	---
20251123	05:30	0.0	---
20251123	05:45	0.0	---
20251123	06:00	0.0	---
20251123	06:15	0.0	---
20251123	06:30	0.0	---
20251123	06:45	0.0	---
20251123	07:00	0.0	---
20251123	07:15	0.0	---
20251123	07:30	0.0	---
20251123	07:45	0.4	E
20251123	08:00	0.4	ESE
20251123	08:15	0.4	E
20251123	08:30	0.4	NNW
20251123	08:45	0.0	N
20251123	09:00	0.4	N
20251123	09:15	0.9	NNW
20251123	09:30	0.9	NNW
20251123	09:45	1.3	N
20251123	10:00	1.8	NNW
20251123	10:15	1.8	N
20251123	10:30	1.8	NW
20251123	10:45	1.3	NNW
20251123	11:00	1.8	NNW
20251123	11:15	1.3	NNW
20251123	11:30	1.3	N
20251123	11:45	1.3	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251123	12:00	1.3	NNW
20251123	12:15	1.3	NNW
20251123	12:30	1.8	NNW
20251123	12:45	1.8	NNW
20251123	13:00	2.2	NNW
20251123	13:15	1.8	NNW
20251123	13:30	1.3	NW
20251123	13:45	1.3	NNW
20251123	14:00	1.8	N
20251123	14:15	1.3	WNW
20251123	14:30	1.3	N
20251123	14:45	1.8	NW
20251123	15:00	1.8	NW
20251123	15:15	2.2	NNW
20251123	15:30	1.8	NW
20251123	15:45	1.8	NNW
20251123	16:00	1.8	NNW
20251123	16:15	1.8	NNW
20251123	16:30	1.3	NW
20251123	16:45	0.9	WNW
20251123	17:00	0.4	NW
20251123	17:15	0.0	---
20251123	17:30	0.0	---
20251123	17:45	0.0	---
20251123	18:00	0	NNW
20251123	18:15	0	ENE
20251123	18:30	0	ENE
20251123	18:45	0	ENE
20251123	19:00	0	ENE
20251123	19:15	0	---
20251123	19:30	0	---
20251123	19:45	0	ENE
20251123	20:00	0	---
20251123	20:15	0	ENE
20251123	20:30	0	ENE
20251123	20:45	0	---
20251123	21:00	0	---
20251123	21:15	0	---
20251123	21:30	0	ENE
20251123	21:45	0	ENE
20251123	22:00	0	ENE
20251123	22:15	0	ENE
20251123	22:30	1.3	SSE
20251123	22:45	0.9	SE
20251123	23:00	0	SE
20251123	23:15	0	---
20251123	23:30	0	---
20251123	23:45	0	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251124	00:00	0.4	SE
20251124	00:15	1.3	NNW
20251124	00:30	2.2	SE
20251124	00:45	1.8	SE
20251124	01:00	1.3	SE
20251124	01:15	1.8	SE
20251124	01:30	1.3	SE
20251124	01:45	0.4	SE
20251124	02:00	0.4	SE
20251124	02:15	1.3	SE
20251124	02:30	0.9	SE
20251124	02:45	0.9	SE
20251124	03:00	0.4	NNE
20251124	03:15	0.0	NNE
20251124	03:30	0.4	SE
20251124	03:45	0.4	SE
20251124	04:00	0.0	SSE
20251124	04:15	0.4	SSE
20251124	04:30	0.4	SSE
20251124	04:45	0.0	SSE
20251124	05:00	0.0	SSE
20251124	05:15	0.4	SSE
20251124	05:30	0.0	SE
20251124	05:45	0.0	SE
20251124	06:00	0.0	SE
20251124	06:15	0.0	E
20251124	06:30	0.0	---
20251124	06:45	0.4	E
20251124	07:00	0.0	E
20251124	07:15	0.0	---
20251124	07:30	0.0	---
20251124	07:45	0.0	---
20251124	08:00	0.0	ENE
20251124	08:15	0.4	N
20251124	08:30	0.4	N
20251124	08:45	0.9	NNW
20251124	09:00	0.9	NNW
20251124	09:15	0.9	NNW
20251124	09:30	1.3	NNW
20251124	09:45	1.3	NNW
20251124	10:00	1.3	WNW
20251124	10:15	1.3	NNW
20251124	10:30	1.3	NW
20251124	10:45	1.8	N
20251124	11:00	2.2	NW
20251124	11:15	2.2	NW
20251124	11:30	1.8	NNW
20251124	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251124	12:00	2.2	NNW
20251124	12:15	2.2	N
20251124	12:30	1.8	NNW
20251124	12:45	1.8	NW
20251124	13:00	1.8	NNW
20251124	13:15	2.2	NNW
20251124	13:30	1.8	NNW
20251124	13:45	1.8	N
20251124	14:00	2.2	NW
20251124	14:15	1.3	N
20251124	14:30	1.3	NNW
20251124	14:45	1.3	NNW
20251124	15:00	1.3	NNW
20251124	15:15	1.3	NNW
20251124	15:30	0.9	NW
20251124	15:45	1.3	NW
20251124	16:00	1.3	NW
20251124	16:15	1.3	NW
20251124	16:30	1.3	NNW
20251124	16:45	1.8	NNW
20251124	17:00	0.9	NW
20251124	17:15	0.4	NNW
20251124	17:30	0.0	---
20251124	17:45	0.0	NW
20251124	18:00	0	NW
20251124	18:15	0	---
20251124	18:30	0	---
20251124	18:45	0	NW
20251124	19:00	0	---
20251124	19:15	0	---
20251124	19:30	0	---
20251124	19:45	0	---
20251124	20:00	0	---
20251124	20:15	0	---
20251124	20:30	0	---
20251124	20:45	0	---
20251124	21:00	0	---
20251124	21:15	0	---
20251124	21:30	0	---
20251124	21:45	0	---
20251124	22:00	0.9	N
20251124	22:15	1.3	N
20251124	22:30	1.3	NW
20251124	22:45	0.9	NNW
20251124	23:00	2.2	NNW
20251124	23:15	3.1	NW
20251124	23:30	4	NNW
20251124	23:45	3.1	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251125	00:00	3.1	NW
20251125	00:15	3.6	NW
20251125	00:30	3.1	NW
20251125	00:45	2.2	NNW
20251125	01:00	2.7	NNW
20251125	01:15	2.7	N
20251125	01:30	2.7	NW
20251125	01:45	3.6	NNW
20251125	02:00	4.0	NNW
20251125	02:15	4.0	NW
20251125	02:30	4.0	NNW
20251125	02:45	4.0	NW
20251125	03:00	3.6	NNW
20251125	03:15	3.1	NW
20251125	03:30	3.1	NNW
20251125	03:45	3.6	NW
20251125	04:00	4.0	NW
20251125	04:15	4.5	NW
20251125	04:30	5.4	NNW
20251125	04:45	4.9	NW
20251125	05:00	4.9	NW
20251125	05:15	4.5	NW
20251125	05:30	5.4	NW
20251125	05:45	4.5	NW
20251125	06:00	5.4	NNW
20251125	06:15	4.9	NW
20251125	06:30	5.4	NNW
20251125	06:45	4.5	NNW
20251125	07:00	2.7	NW
20251125	07:15	1.8	NW
20251125	07:30	2.2	WNW
20251125	07:45	2.2	NW
20251125	08:00	1.8	NNW
20251125	08:15	2.2	NNW
20251125	08:30	2.7	NNW
20251125	08:45	2.7	NNW
20251125	09:00	2.2	N
20251125	09:15	2.2	NNW
20251125	09:30	3.1	NW
20251125	09:45	2.7	WNW
20251125	10:00	3.1	NNW
20251125	10:15	2.7	NW
20251125	10:30	3.1	NW
20251125	10:45	4.0	NW
20251125	11:00	3.6	NW
20251125	11:15	4.0	NW
20251125	11:30	3.6	NNW
20251125	11:45	2.7	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251125	12:00	4.0	NW
20251125	12:15	3.6	NW
20251125	12:30	3.6	NW
20251125	12:45	4.0	NNW
20251125	13:00	3.1	NNW
20251125	13:15	2.7	NW
20251125	13:30	2.7	NNW
20251125	13:45	2.2	WNW
20251125	14:00	2.7	NW
20251125	14:15	2.2	NW
20251125	14:30	2.7	NNW
20251125	14:45	3.1	NW
20251125	15:00	2.7	NW
20251125	15:15	2.7	NW
20251125	15:30	2.2	WNW
20251125	15:45	2.7	NNW
20251125	16:00	3.1	NW
20251125	16:15	2.7	NW
20251125	16:30	2.2	NW
20251125	16:45	1.8	NNW
20251125	17:00	1.3	NNW
20251125	17:15	0.9	N
20251125	17:30	1.3	NNW
20251125	17:45	1.8	NNW
20251125	18:00	1.3	NNW
20251125	18:15	1.8	NW
20251125	18:30	2.2	NW
20251125	18:45	2.7	NW
20251125	19:00	2.7	NNW
20251125	19:15	2.2	NW
20251125	19:30	2.2	NNW
20251125	19:45	2.7	NW
20251125	20:00	2.2	NNW
20251125	20:15	2.7	NNW
20251125	20:30	1.8	WNW
20251125	20:45	2.7	NW
20251125	21:00	2.7	NNW
20251125	21:15	2.7	NNW
20251125	21:30	2.7	NW
20251125	21:45	2.7	NNW
20251125	22:00	3.1	NNW
20251125	22:15	3.1	NW
20251125	22:30	2.7	NNW
20251125	22:45	2.7	NW
20251125	23:00	2.7	NNW
20251125	23:15	2.7	NNW
20251125	23:30	2.2	NW
20251125	23:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251126	00:00	1.8	NNW
20251126	00:15	1.3	N
20251126	00:30	1.3	N
20251126	00:45	0.9	NNW
20251126	01:00	1.3	NNW
20251126	01:15	1.3	NNW
20251126	01:30	1.3	N
20251126	01:45	0.4	N
20251126	02:00	0.0	N
20251126	02:15	0.4	N
20251126	02:30	0.4	NNW
20251126	02:45	0.4	N
20251126	03:00	0.4	N
20251126	03:15	0.0	N
20251126	03:30	0.0	N
20251126	03:45	0.4	N
20251126	04:00	0.4	NNE
20251126	04:15	0.4	ENE
20251126	04:30	0.4	ENE
20251126	04:45	0.0	ENE
20251126	05:00	0.0	---
20251126	05:15	0.0	---
20251126	05:30	0.4	ENE
20251126	05:45	0.4	E
20251126	06:00	0.0	E
20251126	06:15	0.4	NE
20251126	06:30	0.4	SE
20251126	06:45	0.4	SE
20251126	07:00	0.4	SE
20251126	07:15	0.4	SE
20251126	07:30	0.4	SE
20251126	07:45	0.4	SE
20251126	08:00	0.0	SE
20251126	08:15	0.9	SE
20251126	08:30	0.4	SE
20251126	08:45	0.0	N
20251126	09:00	0.4	SE
20251126	09:15	0.9	NNW
20251126	09:30	2.2	NNW
20251126	09:45	2.2	NNW
20251126	10:00	1.8	NNW
20251126	10:15	2.2	NW
20251126	10:30	2.2	NNW
20251126	10:45	2.2	NNW
20251126	11:00	2.2	NNW
20251126	11:15	2.2	NNW
20251126	11:30	2.7	NNW
20251126	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251126	12:00	2.7	NNW
20251126	12:15	2.2	NNW
20251126	12:30	2.2	NW
20251126	12:45	2.2	NNW
20251126	13:00	2.7	NNW
20251126	13:15	2.7	NNW
20251126	13:30	2.2	NNW
20251126	13:45	2.2	NW
20251126	14:00	2.2	NNW
20251126	14:15	1.8	NW
20251126	14:30	2.2	NW
20251126	14:45	2.2	NNW
20251126	15:00	2.2	WNW
20251126	15:15	1.8	WNW
20251126	15:30	1.3	NW
20251126	15:45	1.8	NW
20251126	16:00	1.3	NNW
20251126	16:15	1.3	NW
20251126	16:30	1.3	NW
20251126	16:45	0.4	NNW
20251126	17:00	0.4	NW
20251126	17:15	0.4	NNW
20251126	17:30	0.0	N
20251126	17:45	0.0	N
20251126	18:00	0	N
20251126	18:15	0	---
20251126	18:30	0	---
20251126	18:45	0	N
20251126	19:00	0	---
20251126	19:15	0	---
20251126	19:30	0	---
20251126	19:45	0	---
20251126	20:00	0	NE
20251126	20:15	0	NE
20251126	20:30	0	NE
20251126	20:45	0	NE
20251126	21:00	0	NE
20251126	21:15	0	NE
20251126	21:30	0	NE
20251126	21:45	0	NE
20251126	22:00	0	NE
20251126	22:15	0	---
20251126	22:30	0	NE
20251126	22:45	0	---
20251126	23:00	0.4	E
20251126	23:15	0.4	N
20251126	23:30	0.4	S
20251126	23:45	0.4	S

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251127	00:00	0.4	S
20251127	00:15	0.4	S
20251127	00:30	0.9	N
20251127	00:45	2.2	NW
20251127	01:00	2.7	NW
20251127	01:15	3.1	NW
20251127	01:30	4.0	NW
20251127	01:45	4.0	NW
20251127	02:00	4.0	NNW
20251127	02:15	4.9	NW
20251127	02:30	4.9	NW
20251127	02:45	4.5	NW
20251127	03:00	4.9	NNW
20251127	03:15	4.9	NNW
20251127	03:30	5.4	NW
20251127	03:45	4.9	NNW
20251127	04:00	4.5	NW
20251127	04:15	4.9	NW
20251127	04:30	3.6	NW
20251127	04:45	3.1	NNW
20251127	05:00	3.1	NNW
20251127	05:15	3.1	NW
20251127	05:30	3.6	WNW
20251127	05:45	4.9	NW
20251127	06:00	4.5	NNW
20251127	06:15	3.6	NW
20251127	06:30	3.1	NNW
20251127	06:45	3.6	NNW
20251127	07:00	2.2	NNW
20251127	07:15	2.2	NNW
20251127	07:30	2.7	NW
20251127	07:45	2.7	NW
20251127	08:00	2.2	NNW
20251127	08:15	3.1	NW
20251127	08:30	3.1	N
20251127	08:45	2.7	NNW
20251127	09:00	2.7	NNW
20251127	09:15	3.1	NNW
20251127	09:30	3.6	NNW
20251127	09:45	3.1	NNW
20251127	10:00	3.1	NNW
20251127	10:15	2.7	NW
20251127	10:30	2.7	NW
20251127	10:45	2.7	NW
20251127	11:00	2.7	NW
20251127	11:15	3.1	NW
20251127	11:30	3.1	NW
20251127	11:45	2.7	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251127	12:00	3.1	NW
20251127	12:15	3.6	NW
20251127	12:30	3.6	NNW
20251127	12:45	3.6	NNW
20251127	13:00	3.6	NW
20251127	13:15	3.6	NW
20251127	13:30	3.1	NNW
20251127	13:45	3.1	NW
20251127	14:00	2.7	NW
20251127	14:15	2.7	NW
20251127	14:30	3.1	NNW
20251127	14:45	3.1	NNW
20251127	15:00	2.7	NNW
20251127	15:15	2.2	NW
20251127	15:30	2.7	NW
20251127	15:45	2.7	NW
20251127	16:00	3.1	NW
20251127	16:15	3.1	NW
20251127	16:30	3.6	NW
20251127	16:45	3.6	NW
20251127	17:00	2.7	NNW
20251127	17:15	2.7	NW
20251127	17:30	2.7	NW
20251127	17:45	2.2	WNW
20251127	18:00	2.2	WNW
20251127	18:15	3.6	NW
20251127	18:30	4	NW
20251127	18:45	3.1	NW
20251127	19:00	3.6	NW
20251127	19:15	3.1	NW
20251127	19:30	3.1	NW
20251127	19:45	3.6	NW
20251127	20:00	3.1	WNW
20251127	20:15	4	NW
20251127	20:30	4	NW
20251127	20:45	4.5	NW
20251127	21:00	4	NNW
20251127	21:15	3.6	NW
20251127	21:30	4	NW
20251127	21:45	4	NW
20251127	22:00	4	NW
20251127	22:15	3.1	NW
20251127	22:30	3.6	NNW
20251127	22:45	4	NNW
20251127	23:00	4	NW
20251127	23:15	4.5	NNW
20251127	23:30	4.5	NNW
20251127	23:45	4	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251128	00:00	3.6	NW
20251128	00:15	3.6	NW
20251128	00:30	4.0	NNW
20251128	00:45	3.1	NW
20251128	01:00	3.1	NW
20251128	01:15	2.2	NW
20251128	01:30	3.1	NW
20251128	01:45	2.7	NNW
20251128	02:00	2.7	NW
20251128	02:15	3.1	NNW
20251128	02:30	1.8	N
20251128	02:45	2.2	N
20251128	03:00	2.7	NNW
20251128	03:15	2.7	NW
20251128	03:30	2.2	NW
20251128	03:45	1.8	N
20251128	04:00	1.8	NW
20251128	04:15	2.7	NNW
20251128	04:30	2.2	NNW
20251128	04:45	3.1	NNW
20251128	05:00	3.1	NNW
20251128	05:15	2.7	NNW
20251128	05:30	1.8	NNW
20251128	05:45	2.2	N
20251128	06:00	1.8	N
20251128	06:15	2.2	N
20251128	06:30	2.2	NNW
20251128	06:45	1.8	NNW
20251128	07:00	1.3	NNW
20251128	07:15	2.7	NNW
20251128	07:30	1.8	NNW
20251128	07:45	1.8	NNW
20251128	08:00	2.2	NNW
20251128	08:15	2.2	NNW
20251128	08:30	2.2	NNW
20251128	08:45	2.2	NNW
20251128	09:00	2.2	NNW
20251128	09:15	2.2	NNW
20251128	09:30	1.8	NNW
20251128	09:45	1.8	NNW
20251128	10:00	1.8	NW
20251128	10:15	1.8	NW
20251128	10:30	2.2	NNW
20251128	10:45	2.7	NNW
20251128	11:00	2.7	NW
20251128	11:15	3.1	NW
20251128	11:30	2.7	NNW
20251128	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251128	12:00	2.2	NNW
20251128	12:15	2.2	NW
20251128	12:30	2.2	NNW
20251128	12:45	2.7	NNW
20251128	13:00	2.7	NW
20251128	13:15	2.7	NNW
20251128	13:30	1.8	NNW
20251128	13:45	2.2	NNW
20251128	14:00	2.2	NW
20251128	14:15	2.2	NNW
20251128	14:30	2.2	NNW
20251128	14:45	1.8	NNW
20251128	15:00	2.2	NNW
20251128	15:15	1.8	NNW
20251128	15:30	1.3	NNW
20251128	15:45	1.8	NW
20251128	16:00	1.3	NNW
20251128	16:15	0.4	NNE
20251128	16:30	0.4	NNW
20251128	16:45	0.9	N
20251128	17:00	0.9	NNW
20251128	17:15	0.0	N
20251128	17:30	0.0	---
20251128	17:45	0.0	---
20251128	18:00	0	N
20251128	18:15	0	N
20251128	18:30	0	N
20251128	18:45	0	N
20251128	19:00	0	ESE
20251128	19:15	0	---
20251128	19:30	0	---
20251128	19:45	0	ESE
20251128	20:00	0	---
20251128	20:15	0	---
20251128	20:30	0	---
20251128	20:45	0	ESE
20251128	21:00	0	ESE
20251128	21:15	0	ESE
20251128	21:30	0	---
20251128	21:45	0	ESE
20251128	22:00	0	ESE
20251128	22:15	0	---
20251128	22:30	0	---
20251128	22:45	0	---
20251128	23:00	0	---
20251128	23:15	0	ESE
20251128	23:30	0	---
20251128	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251129	00:00	0.0	---
20251129	00:15	0.0	---
20251129	00:30	0.0	ESE
20251129	00:45	0.0	ESE
20251129	01:00	0.0	---
20251129	01:15	0.0	ESE
20251129	01:30	0.0	---
20251129	01:45	0.0	---
20251129	02:00	0.0	---
20251129	02:15	0.0	---
20251129	02:30	0.0	---
20251129	02:45	0.0	---
20251129	03:00	0.0	---
20251129	03:15	0.0	ESE
20251129	03:30	0.0	ESE
20251129	03:45	0.0	ESE
20251129	04:00	0.0	ESE
20251129	04:15	0.0	---
20251129	04:30	0.0	ESE
20251129	04:45	0.0	---
20251129	05:00	0.0	---
20251129	05:15	0.0	---
20251129	05:30	0.0	---
20251129	05:45	0.0	---
20251129	06:00	0.0	---
20251129	06:15	0.0	---
20251129	06:30	0.0	---
20251129	06:45	0.0	---
20251129	07:00	0.0	---
20251129	07:15	0.0	---
20251129	07:30	0.0	---
20251129	07:45	0.0	---
20251129	08:00	0.0	---
20251129	08:15	0.0	---
20251129	08:30	0.0	---
20251129	08:45	0.0	---
20251129	09:00	0.4	ENE
20251129	09:15	0.9	NNE
20251129	09:30	0.9	NNE
20251129	09:45	1.3	N
20251129	10:00	1.3	NW
20251129	10:15	1.8	N
20251129	10:30	1.8	NNW
20251129	10:45	1.8	NNW
20251129	11:00	2.2	NW
20251129	11:15	2.2	NNW
20251129	11:30	1.8	NNW
20251129	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251129	12:00	1.8	NNW
20251129	12:15	1.8	NNW
20251129	12:30	1.8	NNW
20251129	12:45	1.8	NNW
20251129	13:00	1.3	N
20251129	13:15	1.8	N
20251129	13:30	1.3	NW
20251129	13:45	1.3	N
20251129	14:00	0.9	NW
20251129	14:15	1.3	NW
20251129	14:30	0.9	NW
20251129	14:45	0.9	NNW
20251129	15:00	1.3	NNW
20251129	15:15	0.9	NNW
20251129	15:30	0.9	NNW
20251129	15:45	0.9	NW
20251129	16:00	0.9	SE
20251129	16:15	0.9	SE
20251129	16:30	1.3	SE
20251129	16:45	0.9	SE
20251129	17:00	1.3	SE
20251129	17:15	1.3	ESE
20251129	17:30	0.4	SSE
20251129	17:45	0.0	SE
20251129	18:00	0	SE
20251129	18:15	0	---
20251129	18:30	0.4	SE
20251129	18:45	0	---
20251129	19:00	0	SE
20251129	19:15	0	SE
20251129	19:30	0	SE
20251129	19:45	0	SE
20251129	20:00	0	---
20251129	20:15	0	---
20251129	20:30	0	---
20251129	20:45	0	SE
20251129	21:00	1.3	SE
20251129	21:15	1.8	SE
20251129	21:30	1.8	SE
20251129	21:45	1.3	SE
20251129	22:00	1.8	SE
20251129	22:15	2.2	SE
20251129	22:30	2.2	SE
20251129	22:45	2.2	SE
20251129	23:00	1.3	SE
20251129	23:15	1.3	SE
20251129	23:30	1.3	SSE
20251129	23:45	1.3	SSE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251130	00:00	0.4	S
20251130	00:15	0.0	SSW
20251130	00:30	0.0	SSW
20251130	00:45	0.9	SE
20251130	01:00	0.9	SE
20251130	01:15	0.9	SE
20251130	01:30	0.9	SE
20251130	01:45	1.3	SE
20251130	02:00	0.9	SE
20251130	02:15	0.4	SE
20251130	02:30	0.4	SE
20251130	02:45	0.4	SE
20251130	03:00	0.0	SE
20251130	03:15	0.0	NE
20251130	03:30	0.4	SE
20251130	03:45	0.4	SE
20251130	04:00	0.4	SE
20251130	04:15	0.4	SE
20251130	04:30	0.4	SE
20251130	04:45	0.0	SE
20251130	05:00	0.0	ESE
20251130	05:15	0.0	SE
20251130	05:30	0.0	ENE
20251130	05:45	0.4	SE
20251130	06:00	0.4	SE
20251130	06:15	0.0	SSE
20251130	06:30	0.0	SSE
20251130	06:45	0.0	---
20251130	07:00	0.0	SSE
20251130	07:15	0.0	SSE
20251130	07:30	0.0	SSE
20251130	07:45	0.4	N
20251130	08:00	0.0	N
20251130	08:15	0.9	N
20251130	08:30	0.9	N
20251130	08:45	0.9	N
20251130	09:00	1.3	NNW
20251130	09:15	1.3	NNW
20251130	09:30	0.9	NNW
20251130	09:45	0.9	NNW
20251130	10:00	0.9	NNW
20251130	10:15	0.9	NW
20251130	10:30	1.8	N
20251130	10:45	1.3	NNW
20251130	11:00	1.8	NNW
20251130	11:15	1.8	NNW
20251130	11:30	1.8	NNW
20251130	11:45	2.2	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20251130	12:00	1.8	NNW
20251130	12:15	2.2	NNW
20251130	12:30	1.8	NNW
20251130	12:45	1.8	NNW
20251130	13:00	1.8	NNW
20251130	13:15	1.8	NNW
20251130	13:30	1.8	NW
20251130	13:45	1.8	NNW
20251130	14:00	1.8	NNW
20251130	14:15	1.8	WNW
20251130	14:30	1.3	NNW
20251130	14:45	1.3	NNW
20251130	15:00	1.3	N
20251130	15:15	1.3	N
20251130	15:30	1.3	NNW
20251130	15:45	1.3	NNW
20251130	16:00	1.3	NNW
20251130	16:15	1.3	NNW
20251130	16:30	0.9	NNW
20251130	16:45	0.9	SE
20251130	17:00	0.9	SE
20251130	17:15	0.4	SE
20251130	17:30	0.4	N
20251130	17:45	0.0	NNW
20251130	18:00	0.4	NNW
20251130	18:15	0.4	N
20251130	18:30	0	N
20251130	18:45	0	---
20251130	19:00	0	N
20251130	19:15	0	---
20251130	19:30	0	N
20251130	19:45	0	N
20251130	20:00	0	N
20251130	20:15	0	N
20251130	20:30	0	N
20251130	20:45	0	---
20251130	21:00	0	---
20251130	21:15	0	---
20251130	21:30	0	---
20251130	21:45	0	---
20251130	22:00	0	N
20251130	22:15	0	---
20251130	22:30	0	---
20251130	22:45	0	---
20251130	23:00	0	N
20251130	23:15	0	N
20251130	23:30	0	N
20251130	23:45	0	---

## Appendix J Waste Flow Table

## Waste Flow Table

Month	Total Quantity Generated	Total Quantities of Inert C&D Materials to be Generated from the Contract					Total Quantities of Recyclables Generation				Total Quantities of C&D Materials to be Generated from the Contract		
		Hard Rock and Large Broken Concrete	Reused in the Contract	Reused in Other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper / Cardboard Packaging	Plastics	Yard Waste (to Y-Park)	Chemical Waste	General Refuse	Others, e.g. non-recyclable yard waste
		(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in '000L)	(in tonne)	(in tonne)
Jan-25	168,646.98	0	48361.85	119,302	0	849.35	0	0	0	0	0	57.76	76.02
Feb-25	289,409.40	0	120705.57	168,201	0	115.28	0	0	0	0	0	241.88	145.67
Mar-25	206,271.43	0	52172.73	153,388	0	418.2	0	0	0	0	0	156.26	136.24
Apr-25	192,901.99	0	62122.45	129,495	0	1121.65	0	0	0	0	0	118.11	45.03
May-25	214,400.19	0	79056.7	134,473	0	648.15	0	0	0	0	0	222.34	0
Jun-25	107,274.99	0	43268.36	63,736	0	18.75	0	0	0	0	0	185.82	66.06
Jul-25	171,463.08	0	63631.4	106,019	0	948.55	0	0	0	0	0	263.36	600.77
Aug-25	139,404.49	0	41337.14	96,756	0	39.03	0	0	0	0	0	1056.28	216.04
Sep-25	154,632.71	0	49780.66	104,332	0	19.26	0	0	0	0	0	478.31	22.48
Oct-25	205,705.83	0	66379.53	138,201	0	0	0	0	0	0	0	1110.24	15.06
Nov-25	144,957.58	0	44713.07	99,136	0	649.74	0	0	0	0	0	452.12	6.65
<b>Total</b>	<b>1,995,068.67</b>	<b>0.00</b>	<b>671,529.46</b>	<b>1,313,038.75</b>	<b>0.00</b>	<b>4,827.96</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>4,342.48</b>	<b>1,330.02</b>

Note:

1. The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
2. Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material.

## Appendix K Joint Environmental Site Inspection Records

**Follow up action for previous Site Inspection:**

1. 20 October 2025 Observation 2 – The accumulated waste at Portion A was collected by the waste collector.
2. 20 October 2025 Observation 3 – The standing water at Portion A was pumped out by the Contractor.
3. 27 October 2025 Observation 2 – Obstacles at the water channel of SBA was removed by the Contractor.
4. 27 October 2025 Observation 3 – Silt fences were established near cut-off drain of SBA by the Contractor.

**Observation(s):**


1. Accumulated waste was found at Portion D.
2. Standing water was found at cut-off drain of SBA.
3. General refuse was found on the floor of SBA and Portion D.

**Reminder(s):**

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

**Corrective Actions – Mitigation Measures Implemented or Proposed (if any):**

1. The Contractor was recommended to clean up the accumulated waste by approval waste collector and arrange the proper location to be the waste storage area.
2. The Contractor was advised to direct the standing water into silt removal facilities for treatment.
3. The Contractor was recommended to remove the general, which on the floor, into the enclosed bin for general refuse collection and consider increasing the enclosed bins for general refuse collection.

	Environmental Team's Representative:	Independent Environmental Checker's Representative:	Contractor's Representative:	Employee's Representative
Signature:		/		
Name:	Jason Man	/	Matt Choy/ <del>Kristy Wong</del>	Simon Lee/ <del>Kenneth Lam</del>
Date:	03 November 2025	/	03 November 2025	03 November 2025

**Follow up action for previous Site Inspection:**

Nil

**Observation(s):**

1. General refuse on the floor of Portion A was found.

**Reminder(s):**

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.
2. The Contractor was reminded to establish the noise barrier at the rest of retaining wall at Portion A

**Corrective Actions – Mitigation Measures Implemented or Proposed (if any):**

1. The Contractor was advised to remove the general refuse into the enclosed bins and consider to increase the number of enclosed bins for general refuse collection.

	Environmental Team's Representative:	Independent Environmental Checker's Representative:	Contractor's Representative:	Employee's Representative
Signature:		/		
Name:	Jason Man	/	Matt Choy/Kristy Wong	Simon Lee/ Kenneth Lam
Date:	10 November 2025	/	10 November 2025	10 November 2025

**Follow up action for previous Site Inspection:**

1. 20 October 2025 Observation 1 – The water spraying at Shek Tsai Ha Road and access road to Portion E3's retaining wall was conducted by the Contractor.
2. 27 October 2025 Observation 1 – The waste on the floor of Portion C was removed by the Contractor.
3. 03 November 2025 Observation 1 – Accumulated waste at Portion D was removed by the Contractor.
4. 03 November 2025 Observation 2 – Standing water at the cut-off drain of SBA was pumped out by the water pump.
5. 03 November 2025 Observation 3 – General refuse on the floor of SBA and Portion D was removed by the Contractor.

**Observation(s):**

1. Dust dispersion was found at the access road of Portion E4 and SBA.
2. General refuse was found in the waste skip of Portion D.

**Reminder(s):**

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

**Corrective Actions – Mitigation Measures Implemented or Proposed (if any):**

1. The Contractor was recommended to increase the frequency of watering at the access road of Portion E4 & SBA.
2. The Contractor was advised that the general refuse should be collected by the enclosed rubbish bins.

	Environmental Team's Representative:	Independent Environmental Checker's Representative:	Contractor's Representative:	Employee's Representative
Signature:		/		
Name:	Jason Man	/	Matt Choy/ <del>Kristy Wong</del>	<del>Simon Lee/</del> Kenneth Lam
Date:	17 November 2025	/	17 November 2025	17 November 2025

**Follow up action for previous Site Inspection:**

Nil

**Observation(s):**

1. Access road at Portion A's entrance was dry and dust dispersion was found.
2. Overloading of waste skip at Portion A was found.
3. Standing water and accumulated silt at water channel of Portion A should be removed.
4. Accumulated waste was found on the floor of Portion D.

**Reminder(s):**

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

**Corrective Actions – Mitigation Measures Implemented or Proposed (if any):**

1. The Contractor was recommended that water spraying should be enhanced at the access road.
2. The Contractor was advised that the accumulated waste should be collected by waste collector and the enclosed rubbish bins should be provided for collection of general refuse.
3. The standing water and accumulated silt at water channel of Portion A should be cleaned up regularly.

	Environmental Team's Representative:	Independent Environmental Checker's Representative:	Contractor's Representative:	Employee's Representative
Signature:				
Name:	Jason Man	Echo Hung	Matt Choy/Kristy Wong	Simon Lee/Kenneth Lam
Date:	24 November 2025	24 November 2025	24 November 2025	24 November 2025

# Appendix L Environmental Mitigation Implementation Schedule (EMIS)

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref.	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
<b>Air Quality</b>								
S3.8.1	S3.1.8	B7 – B36	The contractor shall follow the procedures and requirements given in the Air Pollution Control (Construction Dust) Regulation.	Good construction site practices to control the dust impact at the nearby sensitive receivers to within the relevant criteria.	Contractor	Entire NENT Landfill Extension site	To control the dust impact to within the criteria of EIA Report (Register No. AEIAR-111/2007)	✓
		B4, B15 & B18	• Dust emission from construction vehicle movement is confined within the worksites area.					✓
		B11 – B12	• Watering facilities will be provided at every designated vehicular exit point.					Vehicle washing facilities provided at vehicular exit point in Portion A, B1-2, D, E3-1 & E4
		-	• Good site practice is recommended during construction phase.					✓
<b>Construction Noise</b>								
S4	S4.9	C1	1) Use of good site practices to limit noise emissions by considering the following: (a) Only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction programme;	Control construction airborne noise by means of good site practices	Contractor	Entire construction site	Noise Control Ordinance	✓
		C2	(b) Machines and plant (such as trucks, cranes) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum;					✓
		C3	(c) Plant known to emit noise strongly in one direction, where possible, be orientated so that the noise is directed away from nearby NSRs;					✓
		C4	(d) Silencers or mufflers on construction equipment should be properly fitted and maintained during the construction works;					N/A
		C5	(e) Mobile plant should be sited as far away from NSRs as possible and practicable;					✓
		C6	(f) Material stockpiles, mobile container site officer and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.					✓
S4	S4.9	C11 C13	2) Select "Quiet plants" which comply with the BS 5228 Part 1 or TM standards.	Reduce the noise levels of plant items	Contractor	Entire construction site	Noise Control Ordinance & its TM Annex 5, TM-EIA	✓
<b>Construction Runoff</b>								
S5.8.1	S5.2.1	D1	<u>Construction on Site Runoff</u> • (a) At the start of site establishment, perimeter cut-off drains to direct off-site water around the site should be constructed with internal drainage works and erosion and sedimentation control facilities implemented. (b) Channels (both temporary and permanent drainage pipes and culverts), earth bunds or sand bag barriers should be provided on site to direct stormwater to silt removal facilities.	Control construction runoff and erosion from site surface, drainage channel, stockpiles, wheel washing facilities, etc to minimize water quality during construction stage	Contractor	Entire Construction site	ProPECC PN 1/94 Water Pollution Control Ordinance	(a) ✓ (b) ✓
		D2	(a) The dikes or embankments for flood protection should be implemented around the boundaries of earthwork areas. (b) Temporary ditches should be provided to facilitate the runoff discharge into an appropriate watercourse, through a silt/sediment trap. (c) The sediment/silt traps should be incorporated in the permanent drainage channels to enhance deposition rates.					(a) ✓ (b) ✓ (c) ✓
		D3	The design of efficient silt removal facilities should be based on the guidelines in Appendix A1 of ProPECC PN 1/94, which states that the retention time for silts and sediment traps should be 5 minutes under maximum flow conditions.					✓
		D4	(a) Construction works should be programmed to minimize surface excavation works during the rainy seasons (April to September). (b) All exposed earth areas should be completed and vegetated as soon as possible after earthworks have been completed, or alternatively, within 14 days of the cessation of earthworks where practicable. (c) If excavation of soil cannot be avoided during the rainy season, or at any time of year when rainstorms are likely, exposed slope surfaces should be covered by tarpaulin or other means.					(a) ✓ (b) ✓ (c) ✓

Remarks:

✓ Compliance of mitigation measure

\* Recommendation was made during site audit but improved/rectified by the contractor

# Recommendation was made during site audit but not yet improved/rectified by the contractor.

N/A Not Applicable at this stage were conducted in the reporting period.

@ (Which measure) Alternative measure was made by the contractor.

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
Construction Runoff (Cont'd)								
S5.8.1	S5.2.1	D5	<ul style="list-style-type: none"> <li>(a) The overall slope of the site should be kept to a minimum to reduce the erosive potential of surface water flows, and (b) all traffic areas and access roads protected by coarse stone ballast. An additional advantage accruing from the use of crushed stone is the positive traction gained during prolonged periods of inclement weather and the reduction of surface sheet flows.</li> </ul>	Control construction runoff and erosion from site surface, drainage channel, stockpiles, wheel washing facilities, etc to minimize water quality during construction stage	Contractor	Entire Construction site	ProPECC PN 1/94 DSD Technical Circular TC01/2017 Water Pollution Control Ordinance	(a) ✓ (b) ✓
		D6	<ul style="list-style-type: none"> <li>(a) All drainage facilities and erosion and sediment control structures should be regularly inspected and (b) maintained to ensure proper and efficient operation at all times and particularly following rainstorms. (c) Deposited silt and grit should be removed regularly and disposed of by spreading evenly over stable, vegetated areas.</li> </ul>					(a) ✓, All drainage facilities and erosion and sediment control structure had been inspected by Contractor regularly and especially after rainstorm. (b) ✓, All drainage facilities and erosion and sediment control structure had been maintained by Contractor regularly and especially after rainstorm. (c) ✓, Deposited silt and grit had been removed regularly and especially after rainstorm.
		D7	<ul style="list-style-type: none"> <li>(a) Measures should be taken to minimise the ingress of site drainage into excavations. If the excavation of trenches in wet periods is necessary, they should be dug and backfilled in short sections wherever practicable.            (b) Water pumped out from trenches or foundation excavations should be discharged into storm drains via silt removal facilities.</li> </ul>					(a) ✓ (b) ✓
		D8	<ul style="list-style-type: none"> <li>Open stockpiles of construction materials (for example, aggregates, sand and fill material) of more than 50 m<sup>3</sup> should be covered with tarpaulin or similar fabric during rainstorms. Measures should be taken to prevent the washing away of construction materials, soil, silt or debris into any drainage system.</li> </ul>					✓
		D9	<ul style="list-style-type: none"> <li>(a) Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as (b) to prevent silt, construction materials or debris being washed into the drainage system and storm runoff being directed into foul sewers.</li> </ul>					(a) ✓ (b) ✓
		D10	<ul style="list-style-type: none"> <li>Precautions to be taken at any time of year when rainstorms are likely, actions to be taken when a rainstorm is imminent or forecasted, and actions to be taken during or after rainstorms are summarised in Appendix A2 of ProPECC PN 1/94. Particular attention should be paid to the control of silty surface runoff during storm events, especially for areas located near steep slopes.</li> </ul>					✓
		D11	<ul style="list-style-type: none"> <li>(a) All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads. (b) An adequately designed and sited wheel washing bay should be provided at every construction site exit. (c) Wash-water should have sand and silt settled out and removed at least on a weekly basis (d) to ensure the continued efficiency of the process. (e) The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfall toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains.</li> </ul>					(a) ✓ (b) ✓ (c) ✓ (d) ✓ (e) ✓
		D12	<ul style="list-style-type: none"> <li>(a) Oil interceptors should be provided in the site drainage system downstream of any oil/fuel pollution sources.            (b) The oil interceptors should be emptied and cleaned regularly to prevent the release of oil and grease into the storm water drainage system after accidental spillage. (c) A bypass should be provided for the oil interceptors to prevent flushing during heavy rain.</li> </ul>					(a) N/A (b) N/A (c) N/A
		D13	<ul style="list-style-type: none"> <li>Construction solid waste, debris and rubbish on site should be collected, handled and disposed of properly to avoid water quality impacts. Requirements for solid waste management are detailed in Section 6 of this Report.</li> </ul>					✓
		D14	<ul style="list-style-type: none"> <li>All fuel tanks and storage areas should be provided with docks and sited on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank to prevent spilled fuel oils from reaching water sensitive receivers nearby.</li> </ul>					✓
		D15	<ul style="list-style-type: none"> <li>To prevent pollution risks arising from works area (waste reception area) and haul roads, intercepting bund or barrier along the roadside should be constructed.</li> </ul>					✓

Remarks:

✓ Compliance of mitigation measure

\* Recommendation was made during site audit but improved/rectified by the contractor

# Recommendation was made during site audit but not yet improved/rectified by the contractor.

N/A Not Applicable at this stage were conducted in the reporting period.

@ (Which measure) Alternative measure was made by the contractor.

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
<b>Construction Runoff (Cont'd)</b>								
S5.8.1	S5.2.1	D19	<u>Sewage Effluent from Workforce</u> (a) Portable chemical toilets and sewage holding tanks are recommended for handling the construction sewage generated by the workforce. (b) A licensed contractor should be employed to provide appropriate and adequate portable toilets and be responsible for appropriate disposal and maintenance.	Control sewage effluent arising from the sanitary facilities provided for the on-site construction workforce	Contractor	On-site sanitary facilities	ProPECC PN 1/94 DSD Technical Circular TC01/2017 Water Pollution Control Ordinance Waste Disposal Ordinance	(a) ✓ (b) ✓
		D20	Notices will be posted at conspicuous locations to remind the workers not to discharge any sewage or wastewater into the nearby environment during the construction phase of the Project.					N/A
		-	Regular environmental audit on the construction site can provide an effective control of any malpractices and can achieve continual improvement of environmental performance on site.					✓
S5.8.1	S5.2.1	D21	<u>Accidental Spillage of Chemical</u> • (a) Any service workshop and maintenance facilities shall be located within a bunded area, and sumps and oil interceptors shall be provided. (b) Maintenance of equipment involving activities with potential for leakage and spillage will only be undertaken within the areas.	Control of chemical leakage	Contractor	Service workshop and maintenance facilities	ProPECC PN 1/94 Water Pollution Control Ordinance Waste Disposal Ordinance	(a) N/A (b) N/A
<b>Erosion Control Measures</b>								
S5.8.2	S5.2.2	-	<u>Erosion Control /Measures</u> a. Preserve Natural Vegetation This Best Management Practices will involve preserving natural vegetation to the greatest extent possible during the construction process, and after construction where appropriate. Maintaining natural vegetation is the most effective and inexpensive form of erosion prevention control.	Erosion control	Contractor	Drainage system	ProPECC PN 1/94 Water Pollution Control Ordinance	✓
		-	b. Provision of Buffer Zone A buffer zone consists of an undisturbed area or strip of natural vegetation or an established suitable planting adjacent to a disturbed area that reduces erosion and runoff. The rooted vegetation holds soils acts as a wind break and filters runoff that may leave the site.					✓
		-	c. Seeding (Temporary/Permanent) A well-established vegetative cover is one of the most effective methods of reducing erosion. Vegetation should be established on construction sites as the slopes are finished, rather than waiting until all the grading is complete. Besides, Hydroseeding will be applied on the surface of stockpiled soil and on temporary soil covers for inactive tipping areas to prevent soil erosion during rainy season.					✓
		-	d. Ground Cover Ground Cover is a protective layer of straw or other suitable material applied to the soil surface. Straw mulch and/or hydromulch are also used in conjunction with seeding of critical areas for the establishment of temporary or permanent vegetation. Ground cover provides immediate temporary protection from erosion. Mulch also enhances plant establishment by conserving moisture, holding fertilizer, seed, and topsoil in place, and moderating soil temperatures.					To be implemented
		-	e. Hydraulic Application Hydraulic application is a mechanical method of applying erosion control materials to bare soil in order to establish erosion-resistant vegetation on disturbed areas and critical slopes. By using hydraulic equipment, soil amendments, mulch, tackifying agents, Bonded Fiber Matrix (BFM) and liquid co-polymers can be uniformly broadcast, as homogenous slurry, onto the soil. These erosion and dust control materials can often be applied in one operation.					To be implemented
		-	f. Sod Establishes permanent turf for immediate erosion protection and stabilizes drainageways.					✓
		-	g. Matting There are numerous erosion control products available that can be described in various ways, such as matting, blankets, fabric and nets. These products are referred as matting. A wide range of materials and combination of materials are used to produce matting including, but not limited to: straw, jute, wood fiber, coir (coconut fiber), plastic netting, and Bonded Fiber Matrix. The selection of matting materials for a site can make a significant difference in the effectiveness of the Best Management Practices.					✓

Remarks:

✓ Compliance of mitigation measure

\* Recommendation was made during site audit but improved/rectified by the contractor

# Recommendation was made during site audit but not yet improved/rectified by the contractor.

N/A Not Applicable at this stage were conducted in the reporting period.

@ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
<b>Erosion Control Measures (Cont'd)</b>								
S5.8.2	S5.2.2		h. Plastic Sheeting Plastic Sheeting will provide immediate protection to slopes and stockpiles. However, it has been known to transfer erosion problems because water will sheet flow off the plastic at high velocity. This is usually attributable to poor application, installation and maintenance.	Erosion control	Contractor	Drainage system	ProPECC PN 1/94 Water Pollution Control Ordinance	✓
			i. Dust Control Dust Control is one preventative measure to minimize the wind transport of soil, prevent traffic hazards and reduce sediment transported by wind and deposited in water resources.					✓, Mist Cannons, Water Trucks, Water Sprinklers had been applied for dust control at access roads and exposed area of the project site.
<b>Surface Water Drainage System</b>								
S5.8.2	S5.2.2	D22	• (a) Temporary surface water drainage system will be provided to manage runoff during construction and operation. (b) This system will consist of channels as constructed around the perimeter of the site area. (c) This system will collect surface water from the areas of higher elevations to those of lower elevations and ultimately to the point of discharge. (d) Erosion will therefore be minimised.	Surface Water Management/ Control run off	Contractor	Surface water system Construction	Water Pollution Control Ordinance TM-water	(a) ✓ (b) ✓ (c) ✓ (d) ✓
		D23	• (a) The temporary surface water drainage system will include the use of a silt fence around the soil stockpile areas to prevent sediment from entering the system. (b) Regular cleaning will be carried out to prevent blockage of the passage of water flow in silt fence.					(a) ✓ (b) ✓, Regular cleaning at silt fence had been conducted by the contractor, especially, after rainstorm.
		-	• Intermediate drainage system will be installed for filled cell/phase. The major purpose of the intermediate drainage system is to prevent the clean surface water run-off from the filled phases coming into contact with the waste mass in active cell and to prevent excessive surface water infiltration through the intermediate cover, thus contribute to increasing volume of leachate. The intermediate drainage system will collect the clean surface water run-off and divert it to the permanent discharge channels connected to the public drainage system.					N/A
		-	• In addition, surface flow from the haul road (especially near the wheel washing facility) will be collected to a dry weather flow interceptor and conveyed to the on-site leachate treatment plant for further treatment.					N/A
<b>Waste Management</b>								
S6	WM1	-	<u>C&amp;D Materials</u> <ul style="list-style-type: none"><li>Implement proper waste management measures during construction phase as stipulated in the Environmental Management Plan (EMP) in accordance with the ETWB TC(W) No. 19/2005 Environmental Management in Construction Sites.</li></ul>	Good site practice to minimise C&D waste generation and reuse/recycle all C&D on-site as far as possible	Contractor	Entire construction site	Waste Disposal Ordinance ETWB TC(W) No. 19/2005 DEVB TC(W) No. 6/2010	✓
		-	<ul style="list-style-type: none"><li>Implement a trip-ticket system to ensure that the movement of C&amp;D materials are properly documented and verified in accordance with DEVB TC(W) No. 6/2010. Copies/counterfoils from trip-tickets (with quantities of C&amp;D Materials off-site) should be kept for record purposes.</li></ul>					✓
		-	<ul style="list-style-type: none"><li>Appropriate waste management should be implemented in accordance with the ETWB TC(W) No. 19/2005.</li></ul>					✓
		E4	<ul style="list-style-type: none"><li>(a) Make provisions in Contract documents to allow and promote the use of recycled aggregates where appropriate. Ensure material balance in terms of excavated C&amp;D materials in the design of NENT landfill extension project. (b) The contract specifications should specify no excavated materials should be removed from the landfill extension site, but should be fully reused.</li></ul>					(a) ✓ (b) ✓
		E5	<ul style="list-style-type: none"><li>Careful design, planning and good site management to minimise over-ordering and waste materials such as concrete, mortars and cement grouts. (a)(b) The design of formwork should maximise the use of standard wooden panels so that high reuse levels can be achieved. (c) Alternatives such as steel formwork or plastic fencing should be considered to increase the potential for reuse.</li></ul>					(a) ✓ (b) ✓ (c) ✓
		E6	<ul style="list-style-type: none"><li>(a) The Contractor should recycle as much as possible the C&amp;D waste on-site through proper waste segregation on-site. (b) Concrete and masonry should be used as general fill and steel reinforcement bars can be used by scrap steel mills. (c) Proper areas should be designated for waste segregation and storage wherever site conditions permit. (d) Maximise the use of reusable steel formwork to reduce the amount of C&amp;D material.</li></ul>					(a) ✓ (b) ✓ (c) ✓ (d) ✓

Remarks:

✓ Compliance of mitigation measure

\* Recommendation was made during site audit but improved/rectified by the contractor

# Recommendation was made during site audit but not yet improved/rectified by the contractor.

N/A Not Applicable at this stage were conducted in the reporting period.

@ (Which measure) Alternative measure was made by the contractor.

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
Waste Management (Cont'd)								
S6	WM1	E7	<ul style="list-style-type: none"> <li>(a) Maintain temporary stockpiles and reuse excavated fill material for backfilling and reinstatement. On-site sorting and segregation facility of all type of wastes is considered as one of the best practice in waste management and hence, should be implemented in all projects generating construction waste. (b) The sorted public fill and C&amp;D waste should be properly reused.</li> </ul>	Good site practice to minimise C&D waste generation and reuse/recycle all C&D on-site as far as possible	Contractor	Entire construction site	Waste Disposal Ordinance ETWB TC(W) No. 19/2005  DEVB TC(W) No. 6/2010	(a) ✓ (b) ✓
		E8	<ul style="list-style-type: none"> <li>(a) Excavated slope, stockpiled material and bund walls should be covered by tarpaulin until used in order to prevent wind-blown dust during dry weather, and to reduce muddy runoff during wet weather. (b)(c) Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers</li> </ul>					(a) ✓ (b) ✓ (c) ✓
		E9	<ul style="list-style-type: none"> <li>If any topsoil-like materials need to be stockpiled for any length of time, consideration should be given to hydroseeding of the topsoil on the stockpile to improve its visual appearance and prevent soil erosion.</li> </ul>					✓
		E10	<ul style="list-style-type: none"> <li>Nomination of approved personnel to be responsible for good site practices and making arrangements for collection of all wastes generated on-site and effective disposal.</li> </ul>					✓
		E11	<ul style="list-style-type: none"> <li>Training of site personnel for cleanliness, proper waste management procedures including chemical waste handling, and waste reduction, reuse and recycling concepts.</li> </ul>					✓
		E12	<ul style="list-style-type: none"> <li>Regular cleaning and maintenance programme systems, sumps and oil interceptors.</li> </ul>					✓
		E13	<ul style="list-style-type: none"> <li>(a) Prior to disposal of C&amp;D waste, wood, steel and other metals should be separated for re-use and/or recycling to minimise the quantity of waste to be disposed of to landfill. (b)(c) Proper storage and site practices should be implemented to minimise the potential for damage or contamination of construction materials.</li> </ul>					(a) ✓ (b) ✓ (c) N/A
			<ul style="list-style-type: none"> <li>Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste. Minimise excessive ordering of concrete, mortars and cement grout by doing careful check before ordering.</li> </ul>					✓
S6	WM2	E16 – E23	<u>Chemical Waste</u> <ul style="list-style-type: none"> <li>Chemical waste that is produced, as defined by Schedule 1 of the Waste Disposal (Chemical Waste) (General) Regulation, should be handled in accordance with the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes.</li> </ul>	Ensure proper disposal of chemical waste generated on-site to minimise the associated hazards on human health and environment	Contractor	Entire construction site	Waste Disposal (Chemical Waste) General Regulation  Code of Practice on the Packaging, Labelling and Storage of Chemical Waste	✓
		-	<ul style="list-style-type: none"> <li>Plant/equipment maintenance schedule should be designed to optimise maintenance effectiveness and to minimise the generation of chemical wastes. Where possible, chemical wastes (e.g. waste lube oil) should be recycled by licensed treatment facilities</li> </ul>					✓
		E17 & E18	<ul style="list-style-type: none"> <li>Containers used for storage of chemical wastes should be suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed; have a capacity of less than 450 liters unless the specification has been approved by the EPD. Display a label in English and Chinese in accordance with instructions prescribed in Schedule 2 of the Regulation.</li> </ul>					✓
		E19	<ul style="list-style-type: none"> <li>(a) The storage area for chemical wastes should be clearly labelled and used solely for storage of chemical waste, (b) enclosed with at least 3 sides, having an impermeable floor and bund of sufficient capacity to accommodate 110% of volume of the largest container or 20 % of total volume of waste stored in that area, (c)(d) whichever is the greatest, having adequate ventilation, being covered to prevent rainfall entering, and being arranged so that incompatible materials are adequately separated.</li> </ul>					(a) ✓ (b) N/A (c) N/A (d) N/A
		E20	<ul style="list-style-type: none"> <li>Chemical waste should be collected by licensed waste collectors and disposed of at licensed facility, e.g. Chemical Waste Treatment Centre.</li> </ul>					✓

Remarks:

✓ Compliance of mitigation measure

\* Recommendation was made during site audit but improved/rectified by the contractor

# Recommendation was made during site audit but not yet improved/rectified by the contractor.

N/A Not Applicable at this stage were conducted in the reporting period.

@ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status					
Waste Management (Cont'd)													
S6	WM3	E1	<u>General Refuse</u> <ul style="list-style-type: none"> <li>General refuse generated on-site should be properly stored in enclosed bins or compaction units separately from construction and chemical wastes.</li> </ul>	Minimise generation of general refuse to avoid odour, pest and visual nuisance	Contractor	Entire construction site	Waste Disposal Ordinance	✓					
		E2	<ul style="list-style-type: none"> <li>(a) All recyclable materials (separated from the general waste) should be stored on-site in appropriate containers with cover prior to collection by a local recycler for subsequent reuse and recycling. Residual, non-recyclable, general waste should be stored in appropriate containers to avoid odour. (b)(c)(d) Regular collection should be arranged by an approved waste collector in purpose-built vehicles that minimise environmental impacts during transportation</li> </ul>					(a) ✓ (b) ✓ (c) ✓ (d) ✓					
		-	<ul style="list-style-type: none"> <li>Reputable waste collector should be employed by the Contractor to remove general refuse from the site, separately from construction and chemical wastes, on a daily basis to minimise odour, pest and litter impacts. Burning of refuse on construction sites is prohibited by law.</li> </ul>					✓					
		-	<ul style="list-style-type: none"> <li>Aluminium cans should be separated from general waste stream and collected by recyclers. Proper collection bins should be provided on-site to facilitate the waste sorting.</li> </ul>					✓					
		-	<ul style="list-style-type: none"> <li>Office waste paper should be recycled if the volume warrant collection by recyclers. Participation in community waste paper recycling programme should be considered by the Contractor, including waste paper, aluminium cans, plastic bottles, waste batteries, etc.</li> </ul>					✓					
LFG													
Within NENT Landfill Extension													
S7	LFG1	F1	Special LFG precautions should be taken due to close proximity of NENT landfill extension site to existing landfill to avoid potential hazards of LFG exposure (ignition, explosion, asphyxiation, toxicity).	To minimise the risk of LFG hazards to personnel in construction site	Contractor	Entire construction site	Landfill Gas Hazard Assessment Guidance Note (EPD/TR8/97)  F&IU (Confined Spaces) Regulations  Code of Practice on Safety and Health at Work in Confined Spaces	N/A					
	LFG2	F2	Prominent safety warning signs should be erected on-site to alert all personnel and visitors of LFG hazards during excavation works.					✓					
	LFG3	F3	No smoking or burning should be permitted on-site.					✓					
	LFG4	F4	Prominent 'No smoking' and 'No Naked Flames' signs should be erected on-site.					✓					
	LFG5	F5	No worker should be allowed to work alone at any time in excavated trenches or confined areas on-site.					✓					
	LFG6	F6	Adequate fire fighting equipment should be provided on-site.					✓					
	LFG7	F7	Construction equipment should be equipped with vertical exhaust at least 0.6m above ground installed with spark arrestors.					✓					
	LFG8	F8	Electrical motors and extension cords should be explosion-proof and intrinsically safe for use on-site.					✓					
	LFG9	F9	'Permit to Work' system should be implemented.					✓					
	LFG10	F10	Welding, flame-cutting or other hot works should be conducted only under 'Permit to Work' system following clear safety requirements, gas monitoring procedures and presence of qualified persons to supervise the works.					✓					
	LFG11	F11	(a) For piping assembly or conduit construction, all valves and seals should be closed immediately after installation to avoid accumulation and migration of LFG. (b) If installation of large diameter pipes (diameter >600mm) is required, the pipe ends should be sealed on one side during installation. (c) Forced ventilation is required prior to operation of installed pipeline. (d) Forced ventilation should also be required for works inside trenches deeper than 1m.					(a) N/A (b) N/A (c) N/A (d) N/A					
	LFG12	F12	Frequency and location of LFG monitoring within excavation area should be determined prior to commencement of works. LFG monitoring in excavations should be conducted at no more than 10mm from exposed ground surface.					✓					
	LFG13	F13	For excavation works, LFG monitoring should be conducted (1) at ground surface prior to excavation, (2) immediately before workers entering excavations, (3) at the beginning of each half-day work, and (4) periodically throughout the working day when workers are in the excavation.					✓					
	LFG14	F14	Any cracks on ground level encountered on-site should be monitored for LFG periodically. Appropriate action should be taken in accordance with the action plan in Table 7.6 of EIA Report.					✓					
	LFG15	F15	(a) LFG precautionary measures involved in excavation and piping works should be provided in accordance with LFG Guidance Note and included in Safety Plan of construction phase. (b) Temporary offices or buildings should be located where free LFG has been proven or raised clear of ground at a separation distance of at least 500mm.					(a) N/A (b) N/A					

Remarks:

✓ Compliance of mitigation measure

\* Recommendation was made during site audit but improved/rectified by the contractor

# Recommendation was made during site audit but not yet improved/rectified by the contractor.

N/A Not Applicable at this stage were conducted in the reporting period.

@ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
<b>LFG (Cont'd)</b>								
<b>Within NENT Landfill Extension</b>								
S7	LFG16	F16	For large development such as NENT landfill extension, a Safety Officer trained in the use of gas detection equipment and LFG- related hazards should be present on-site throughout the groundwork phase. The Safety Officer should be provided with an intrinsically safe portable instrument appropriately calibrated and capable of measuring the following gases: •CH <sub>4</sub> : 0-100% and LEL: 0-100%/v •CO <sub>2</sub> : 0-100% •O <sub>2</sub> : 0-21%	To minimise the risk of LFG hazards to personnel in construction site	Contractor	Entire construction site	Landfill Gas Hazard Assessment Guidance Note (EPD/TR8/97)  F&IU (Confined Spaces) Regulations	✓
	LFG17	F17	(a) Periodically during groundwork construction, the works area should be monitored for CH <sub>4</sub> CO <sub>2</sub> and O <sub>2</sub> using appropriately calibrated portable gas detection equipment. The monitoring frequency and areas should be established prior to commencement of groundwork either by Safety Officer or appropriately qualified person. (b) Routine monitoring should be carried out in all excavations, manholes, created by temporary storage of building materials on-site. (c) All measurements in excavations should be made with monitoring tube located not more than 10mm from exposed ground surface.				Code of Practice on Safety and Health at Work in Confined Spaces	(a) N/A (b) N/A (c) N/A
	LFG18	F18	For excavations deeper than 1m, measurements should be conducted: • At ground surface before excavation commences; • Immediately before any worker enters the excavation; • At the beginning of each working day for entire period the excavation remains open; and Periodically throughout the working day whilst workers are in excavation.					✓
	LFG19	F19	For excavations between 300mm and 1m, measurements should be conducted: • Directly after excavation has been completed; and Periodic all whilst excavation remains open.					✓
	LFG20	F20	For excavations less than 300mm, monitoring may be omitted at the discretion of Safety Officer or appropriately qualified person.					✓
<b>Landscape and Visual Phases</b>								
S8	LV1	G4	<u>Advanced screening tree planting</u> • Early planting using fast growing trees and tall shrubs at strategic locations within site to block major view corridors to the site from the VSRs, and to locally screen haul roads, excavation works and site preparation works. • Roadside planter and shrub planting design in front of Cheung Shan Temple.	To minimise the impact on existing vegetation retained by personnel in construction	Contractor	Entire construction site	DEVB TC(W) No. 4/2020 - Tree Preservation  DEVB TC(W) No. 6/2015 - Maintenance of Vegetation and Hard Landscape Features	✓
S8	LV2	G5	<u>Boundary Green Belt planting</u> Considerable planting belts proposed around the site perimeter and the construction of temporary soil bunds will screen the landfill operations to a certain degree. Fast growing and fire resistant plant species will be used.	To provide initiation on permanent landscape and visual mitigation measures				To be implemented during operation phase
S8	LV3	G6	<u>Temporary landscape treatment as green surface cover</u> For certain areas where landfilling operations would have to be suspended temporarily for periods of years, simple temporary landscape treatment such as hydroseeding should be considered. During construction and operational phases, grass hydroseeding or synthetic covering material of green colour should also be used as a temporary slope cover if applicable.				DEVB TC(W) No. 6/2011 - Maintenance of Man-made Slopes and Emergency Repair on Stability of Land	✓
S8	LV4	G7	<u>Existing tree preservation</u> Transplant existing trees and vegetation, which are identified as ecologically significant in Ecological Impact Assessment and as rare tree species recorded in the tree survey, under circumstances where technically feasible. For all affected trees, the principle of avoidance of tree felling and tree transplanting of tree before felling should apply whenever possible. A tree felling application should be submitted to DEVB-GLTMS and be approved before any trees are felled or transplanted.					✓

Remarks:

✓ Compliance of mitigation measure

\* Recommendation was made during site audit but improved/rectified by the contractor

# Recommendation was made during site audit but not yet improved/rectified by the contractor.

N/A Not Applicable at this stage were conducted in the reporting period.

@ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
<b>Ecology</b>								
<b>General Protection Measures:</b>								
S10	E1	-	Restriction of construction activities to the work areas that would be clearly demarcated.	To minimise environmental impacts and therefore potential ecological impacts within and near the construction site	Contractor	Entire construction site	Practice Note for Professional Persons (ProPECC), Construction Site Drainage (PN1/94)	✓
	E2	-	Reinstatement of the work areas immediately after completion of the works.					✓
	E3	-	Only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction programme.				Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes, EPD (1992)	✓
	E4	-	Machines and plant (such as trucks, cranes) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.					✓
	E5	-	Plant known to emit noise strongly in one direction, where possible, be orientated so that the noise is directed away from nearby NSRs.				ETWB TC(W) No. 33/2002 Management of Construction and Demolition Material Including Rock	✓
	E6	-	Silencers or mufflers on construction equipment should be properly fitted and maintained during the construction works.					N/A
	E7	-	Mobile plant should be sited as far away from NSRs as possible and practicable.				DEVB TC(W) No. 6/2010 Trip Ticket System for Disposal of Construction and Demolition Materials	✓
	E8	-	Material stockpiles, site office and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.					✓
	E9	-	Use of "quiet" plant and working methods.				ETWB TC(W) No. 19/2005 Environmental Management on Construction Sites	✓
	E10	-	Construction phase mitigation measures in the Practice Note for Professional Persons on Construction Site Drainage.					✓
	E11	-	Design and set up of the temporary on-site drainage system will be undertaken by the contractor prior to the commencement of construction.					✓
	E12	-	Design and incorporation of silt/sediment traps in the permanent drainage channels to enhance deposition rates and regular removal of deposited silt and grit.					✓
	E13	-	Minimization of surface excavation works during the rainy seasons (April to September), and in particular, control of silty surface runoff during storm events, especially for areas located near steep slopes.					✓
	E14	-	Regular inspection and maintenance of all drainage facilities and erosion and sediment control structures to ensure proper and efficient operation at all times and particularly following rainstorms.					✓
	E15	-	Provision of oil interceptors in the drainage system downstream of any oil/fuel pollution sources					N/A

Remarks:

✓ Compliance of mitigation measure


\* Recommendation was made during site audit but improved/rectified by the contractor

# Recommendation was made during site audit but not yet improved/rectified by the contractor.

N/A Not Applicable at this stage were conducted in the reporting period.

@ (Which measure) Alternative measure was made by the contractor.

## Appendix M Mitigation Measures of Cultural Landscape Features



## Appendix N Cumulative Complaint / Enquiry Log, Summaries of Complaints and Enquiries

## Environmental Complaints Log

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C001_20221220	21 Dec 2022	Veolia (Contractor)	ET	Air Quality (Construction Dust)	5, 12 & 19 Dec 2022	<p>It was noted from Veolia's email to the ET on 20 December 2022 that Veolia received complaint lodged regarding presenting much dusty materials at roundabout at Wo Keng Shan Road &amp; dusty flying problem at Kowloon-bound traffic at Lung Shan Tunnel. No dusty materials and wastes were transported out from the NENTX site during the complaint period. During the regular weekly site inspection on 5, 12 &amp; 19 December 2022, it was observed that the wheel washing facilities with high-pressure water jets have been provided at all site exits of NENTX and cleaned all vehicles before allowing them to leave the construction site to ensure that no mud or debris would be brought to the public area. All site vehicles of NENTX are also required to go through the auto wheel washing facility, which is managed by the operator of the NENT landfill, before entering the public area. The road section between the washing facilities and the exit point was paved with concrete, or bituminous materials were implemented in all site entrances. No mud generated from vehicles under the NENTX project after exiting the site entrance was observed. In conclusion, there is no direct evidence showing that the complaint is likely related to the NENTX project.</p>	5 Jan 2023
C002_20230614	14 Jun 2023	EPD-RNG	ET	Water Quality	16, 21 Jun, 24, 25 Jul & 2 Aug 2023	<p>It was noted from EPD-RNG's email to the ET on 14 Jun 2023 that EPD received complaint lodged regarding the muddy water was observed at Lin MA Hang International Bridge. In summary of the investigation, the pollutant water appeared crimson colour with bubbles at the LMH-OP01 (Monitoring Point from EPD). The colour and pattern of pollutant water is different from the runoff at surface WQM monitoring location WM1. Hence, the project is not the major source causing the pollutant water. To minimise the potential impact of the project, the enhancement of mitigation measures at north boundary were advised to implement by contractor. The related rectified actions had been conducted by the contractor.</p>	29 Jun & 21 Aug 2023

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C003_20230615	15 Jun 2023	EPD-RNG	ET	Water Quality	16, 19, 21 Jun, 18 Jul 2023	<p>It was noted from EPD-RNG's email to the ET on 15 June 2023 that EPD received information regarding the muddy water was observed at River Ganges (GR3) (Water Quality Monitoring Location from EPD). In summary of the investigation, the muddy water caused from multi-potential sources while the runoff from the box culvert under the Wo Keng Shan Road is the major source including runoff from Existing channel near Portion E3-1, discharge water from the silt removal facilities at Portion E3-1 of the project, runoff from branch near the entrance of Portion E3-1, runoff from weighting plaza of NENT Landfill &amp; natural stream near Wo Keng Shan &amp; Shui Ngau Tso etc.. Hence, the project is a part of factor causing the high turbidity muddy water. To minimise the potential impact of construction runoff from the project, the further mitigation measures and enhancement of the temporary surface water drainage system were advised to implement by contractor. The related rectified actions had been conducted by the contractor.</p>	15 Jun, 21 Aug 2023
C004_20230803	3 Aug 2023	EPD-RNG	ET	Water Quality	18 Jul 2023	<p>It was noted from EPD-RNG's email to the ET on 3 Aug 2023 that EPD received information regarding the muddy water was observed at River Ganges (GR3) (Water Quality Monitoring Location from EPD). In summary of the investigation, the muddy water caused from multi-potential sources while the runoff from the box culvert under the Wo Keng Shan Road is the major source including runoff from Existing channel near Portion E3-1, discharge water from the silt removal facilities at Portion E3-1 of the project, runoff from branch near the entrance of Portion E3-1, runoff from weighting plaza of NENT Landfill &amp; natural stream near Wo Keng Shan &amp; Shui Ngau Tso etc.. Hence, the project is a part of factor causing the high turbidity muddy water. To minimise the potential impact of construction runoff from the project, the further mitigation measures and enhancement of the temporary surface water drainage system were advised to implement by contractor. The related rectified actions had been conducted by the contractor.</p>	14 Aug 2023

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C005_20230818	18 Aug 2023	EPD-RNG	ET	Water Quality	18 Sep 2023	It was noted from EPD-RNG's email to the ET on 18 August 2023 that EPD received information regarding the muddy water was observed at River Ganges (GR3) (Water Quality Monitoring Location from EPD) on 14 August 2023. In summary of the investigation, the complaint is project related. It viewed that muddy water arising from wheel washing water from the site entrance at Portion E4 & Runoff from Existing Channel near Portion E3-1 & discharge water from the silt removal facilities at Portion E3-1 eventually flows into the box culvert under Wo Keng Shan Road, WM2 and ultimately to GR3. The related rectified actions had been conducted by the contractor.	13 October 2023
C006_20230914	14 Sep 2023	EPD-RNG	ET	Water Quality	18 Sep 2023	It was noted from EPD-RNG's email to the ET on 14 September 2023 that EPD received information regarding the muddy water was observed at River Ganges (GR3) (Water Quality Monitoring Location from EPD) on 11 September 2023. In summary of the investigation, the complaint is project related. It viewed that muddy water arising from wheel washing water from the site entrance at Portion E4 & Runoff from Existing Channel near Portion E3-1 & discharge water from the silt removal facilities at Portion E3-1 eventually flows into the box culvert under Wo Keng Shan Road, WM2 and ultimately to GR3. The related rectified actions had been conducted by the contractor.	13 October 2023
C007_20240509	9 May 2024	EPD-RNG	ET	Water Quality	13 May 2024	It was noted from EPD-RNG's email to the ET on 9 May 2024 that EPD received a memo from DSD/Mainland North regarding the incident of muddy water observed in Ping Yuen River, at the downstream of NENTX, on 23 April 2024. In summary of the investigation, the muddy water at the complaint location involved multi-potential sources (including the construction runoff of the project and runoff from existing landfill) based on the distance between the outlet of the project discharge point and the complaint location (distance around 1.16 km). The mitigation measures are recommended and reminded to implement and review by the contractor.	16 July 2024

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C008_20241128	28 Nov 2024	EPD-RNG	ET	Water Quality	2 & 5 Dec 2024	<p>It was noted from EPD-RNG's email to the ET on 28 November 2024 regarding the incident of muddy water observed in Ping Yuen River, at the downstream of NENTX, on 13 November 2024.</p> <p>Based on the surface water monitoring results, construction activities &amp; related mitigation measures, weather record, environmental mitigation implementation status, joint weekly site inspections on 11, 18 November &amp; 2 December 2024, additional site investigation / audit on 5 December 2024, the muddy water at the complaint location involved multi-potential sources (including the construction runoff of the project and runoff from existing landfill). While the major source of causing high turbidity level should be Surface runoff from Wo Keng Shan Road between Northing (m): 844604, Easting (m): 835332 and the entrance of Shek Tsai Ha Road in accordance with the actual observation on 13 November 2024 &amp; Surface Runoff from Drainage System of NENT Landfill. The muddy water from drainage system including stormwater channels and drains collected the runoff from rainfall and runoff from dust control measures of existing landfill increase the concentration of runoff at Ping Yuen River.</p> <p>Due to rainfall occurs on 13 November 2024, the severe weather increased the risk of landslips, finally increasing the concentration of suspended solids for surface runoff. Most rivers/streams/channels were affected by high amount of rainfall. Hence, the water quality of runoff at the complaint location would be affected by runoff from Wo Keng Shan, Shui Ngau Tso and other area between Surface WQM Location WM2 and the complaint location.</p> <p>Although the silt removal facilities of the project were functionable normally under the investigation. The mitigation measures are recommended and reminded to implement and review by the contractor.</p>	9 April 2025

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C011_20251027	27 Oct 2025	EPD-LDG	ET	Air Quality & Construction Noise	3 Nov 2025	It was noted from EPD-LDG's email to the ET on 27 October 2025 regarding the air quality and construction noise complaint from Wo Keng Shan Tsuen's villager on 22 October 2025. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project based on the air quality and noise monitoring results, construction activities and related mitigation measures, implementation condition of air quality and noise control measures via joint weekly site inspections in October 2025, additional noise monitoring at NM1a, and additional daytime and night investigations.	19 Nov 2025
C012_20251119	19 Nov 2025	EPD-LDG	ET	Construction Noise	24 Nov 2025	It was noted from EPD-LDG's email to the ET on 19 November 2025 regarding the construction noise complaint from Wo Keng Shan Tsuen's villager on 13 November 2025. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project based on the noise monitoring results, construction activities and related mitigation measures, implementation condition of noise control measures via joint weekly site inspections from 1 to 24 November 2025, and additional daytime and night investigations.	11 Dec 2025

Remarks:

1. "ET" equal to "Environmental Team"
2. "EPD-RNG" equal to "Environmental Protection Department-Regional Office (North)"
3. "TBC" equal to "To Be Confirm"

## Environmental Enquiries Log

Enquiry Ref. No.	Date of Enquiry Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
E009_20250410	10 Apr 2025	EPD-RNG	ET	Water Quality	7 Apr 2025	<p>It was noted from EPD-RNG's email to the ET on 10 April 2025 regarding the incident of muddy water observed in Ping Yuen River, at the downstream of NENTX, on 7 April 2025. In summary of the investigation, the major source of causing high turbidity level should be surface runoff from Wo Keng Shan road between Northing (m): 844604, Easting (m): 835332 and the entrance of Shek Tsai Ha Road &amp; surface runoff from drainage system of NENT Landfill. The muddy water from drainage system including stormwater channels and drains collected the runoff from rainfall and runoff from dust control measures of existing landfill increase the concentration of runoff at Ping Yuen River. Hence, the enquiry is not project related.</p>	14 Jun 2025
E010_20250703	3 Jul 2025	Contractor	ET	Water Quality	3 Jul 2025	<p>It was noted from Contractor's email to the ET on 3 July 2025 regarding the complaint from SZ 涉港事務部 on muddy water on SZ river on 29 May 2025. In summary of the investigation, no exceedance was observed at the water quality monitoring in June &amp; July 2025 and the mitigation measures was considered to be effective to minimise the risk causing muddy water discharge into Ping Yuen River. The discharge of treated runoff at the silt removal facilities of the project site were clear from 28 to 31 May 2025. Moreover, the rainstorm on 29 May 2025 increased the risk of landslides and subsequently raises the concentration of suspended solids in surface runoff (flow into Ping Yuen River and final flow into Shenzhen River). Based on above investigation, there is no direct evidence showing that the complaint is likely related to the Project. Therefore, the case is considered closed. To avoid the potential impact of construction runoff from the project, some mitigation measures are recommended &amp; reminded to implemented &amp; review by the contractor. Besides implementation of above mitigation measures, the desilting works at Ping Yuen River were conducted by the Contractor in July 2025.</p>	13 Sep 2025

Remarks:

1. "ET" equal to "Environmental Team"
2. "EPD-RNG" equal to "Environmental Protection Department-Regional Office (North)"
3. "NA" equal to "Not Applicable"

## Cumulative Statistics on Complaints

Aspects	Cumulative No. Brought Forward	No. of Complaints during reporting period	Cumulative Project-to-Date
Air Quality	2*	0	2*
Noise	1*	1*	2*
Water Quality	7(2*)	0	7(2*)
Waste Management	0	0	0
Total	10(5*)	1*	11(6*)

Remarks:

1. \* Equal to non-project related
2. # Equal to the complaint under the investigation.

**Prepared by:**

Aurecon Hong Kong Limited

Unit 1608, 16/F, Tower B, Manulife Financial Centre,

223 – 231 Wai Yip Street, Kwun Tong,

Kowloon Hong Kong S. A. R.

T: +852 3664 6888

F: +852 3664 6999

E: [hongkong@aurecongroup.com](mailto:hongkong@aurecongroup.com)

**aurecon**

*Bringing ideas  
to life*