

# North East New Territories (NENT) Landfill Extension

Monthly Environmental  
Monitoring and Audit Report  
(No. 38) – January 2026

2026-02-12

Our Ref.: CL/91823/3293-VES  
Date: 12 February 2026

**By Email**

Veolia Hong Kong Holding Limited  
40/F, One Taikoo Place  
979 King's Road  
Quarry Bay  
Hong Kong

Attn.: Mr. Colin Mitchell

**Meinhardt Infrastructure and  
Environment Ltd**  
邁進基建環保工程顧問有限公司

10/F Genesis  
33-35 Wong Chuk Hang Road  
Hong Kong  
香港黃竹坑道33-35號  
創協坊10樓

Tel 電話: +852 2858 0738  
Fax 傳真: +852 2540 1580

mail@meinhardt.com.hk  
www.meinhardt-china.com  
www.meinhardtgroup.com

Dear Sir

Re: Contract No. EP/SP/77/15  
North-East New Territories Landfill Extension (NENTX)  
Monthly Environmental Monitoring and Audit Report (No.38) –  
January 2026

---

I refer to Condition 3.3 under Environmental Permit No. EP-292/2007 and Further Environmental Permit No. FEP-02/292/2007, regarding the submission of a monthly Environmental Monitoring and Audit report. I hereby verify the captioned "Monthly Environmental Monitoring and Audit Report (No.38) – January 2026" dated 12 February 2026.

Should you have any queries, please do not hesitate to contact the undersigned at 2859 5409.

Yours faithfully  
MEINHARDT INFRASTRUCTURE AND ENVIRONMENT LTD



Claudine Lee  
Independent Environmental Checker

**Aurecon Hong Kong Limited**  
Unit 1608, 16/F, Tower B,  
Manulife Financial Centre,  
223 – 231 Wai Yip Street, Kwun Tong  
Hong Kong

**T** +852 3664 6888  
**F** +852 3664 6999  
**E** hongkong@aurecongroup.com  
**W** aurecongroup.com

The Aurecon logo features a green square above the letter 'a' in the word 'aurecon', which is written in a bold, lowercase, sans-serif font.

Ref: P521530-0000-REP-NN-0121

12 February 2026

**By Email**

**Meinhardt Infrastructure & Environment Ltd.**  
**10/F Genesis**  
**33-35 Wong Chuk Hand Road**  
**Hong Kong**

**Attn: Ms. Claudine Lee,**

**Dear Claudine,**

**Re: Contract No. EP/SP/77/15**  
**Northeast New Territories Landfill Extension**  
**Submission of Monthly Environmental Monitoring and Audit Report (No.38) – January**  
**2026 R1**

---

In accordance with the requirement specified in Condition 3.3 of Environmental Permit No. EP-292/2007 and Further Environmental Permit No. FEP-02/292/2007, we are pleased to submit the certified “Monthly Environmental Monitoring and Audit Report (No.38) – January 2026 R1” dated 12 February 2026 for your verification.

Should you require any further information or clarification, please do not hesitate to contact the undersigned or our Mr. Keith Chau on 3664 6788.

Yours faithfully,  
For and on behalf of  
Aurecon Hong Kong Limited

A handwritten signature in blue ink, appearing to read 'Fredrick Leong', is positioned above the printed name and title.

Fredrick Leong  
Environmental Team Leader

Encl.

1. Monthly Environmental Monitoring and Audit Report (No.38) – January 2026 R1

cc.

1. Veolia (Contractor) – Mr. Matt Choy (By email: matt.choy@veolia.com)

# Document Control Record

Document prepared by:

**Aurecon Hong Kong Limited**

Unit 1608, 16/F, Tower B, Manulife Financial Centre,  
223 – 231 Wai Yip Street, Kwun Tong, Kowloon  
Hong Kong S. A. R.

T +852 3664 6888

F +852 3664 6999



E [hongkong@aurecongroup.com](mailto:hongkong@aurecongroup.com)

W aurecongroup.com

A person using Aurecon documents or data accepts the risk of:

- a) Using the documents or data in electronic form without requesting and checking them for accuracy against the original hard copy version.
- b) Using the documents or data for any purpose not agreed to in writing by Aurecon.

Document control		aurecon				
<b>Report title</b>		Monthly Environmental Monitoring and Audit Report (No. 38) – January 2026				
<b>Document ID</b>		<b>Project number</b>		P521531		
<b>File path</b>						
<b>Client</b>		Veolia Hong Kong Holding Ltd.				
<b>Client contact</b>		<b>Client reference</b>				
Rev	Date	Revision details/status	Author	Reviewer	Verifier (if required)	Approver
0	10 Feb 2026	Draft	Jason Man	Keith Chau		Fredrick Leong
1	12 Feb 2026	First Submission	Jason Man	Keith Chau		Fredrick Leong
<b>Current revision</b>		<b>1</b>				

Approval			
<b>Reviewer's signature</b>		<b>Approver's signature</b>	
			
<b>Name</b>	Keith Chau	<b>Name</b>	Fredrick Leong
<b>Title</b>	Associate Director, Environmental	<b>Title</b>	Environmental Team Leader

# Contents

<b>Executive Summary</b> .....	<b>1</b>
<b>1. Introduction</b> .....	<b>4</b>
<b>2. Project Information</b> .....	<b>6</b>
<b>3. Air Quality Monitoring</b> .....	<b>11</b>
<b>4. Noise Monitoring</b> .....	<b>20</b>
<b>5. Water Quality Monitoring</b> .....	<b>25</b>
<b>6. Waste Management</b> .....	<b>34</b>
<b>7. Landfill Gas Monitoring</b> .....	<b>35</b>
<b>8. Landscape and Visual</b> .....	<b>41</b>
<b>9. Cultural Heritage</b> .....	<b>42</b>
<b>10. Ecological Monitoring</b> .....	<b>43</b>
<b>11. Site Inspection and Audit</b> .....	<b>44</b>
<b>12. Environmental Non-conformance</b> .....	<b>45</b>
<b>13. Implementation Status on Environmental Mitigation Measures</b> .....	<b>48</b>
<b>14. Future Key Issues</b> .....	<b>49</b>
<b>15. Conclusion</b> .....	<b>50</b>

## Figure

Figure 1	Location of the Project Site
Figure 2	Impact Air Quality, Noise & Surface Water Monitoring Locations
Figure 3	Landfill Gas Monitoring Locations

## Appendix

Appendix A	Construction Programme & Construction Site Activities
Appendix B	Project Organization Chart & Management Structure
Appendix C	Detail Status of FEP & EP Submission
Appendix D	Monitoring Schedule for Reporting Month & Next Month
Appendix E	Calibration Certificates
Appendix F	Monitoring Results
Appendix G	Graphical Presentations
Appendix H	Notification of Environmental Quality Limits Exceedance
Appendix I	Wind Data
Appendix J	Waste Flow Table
Appendix K	Joint Environmental Site Inspection Records
Appendix L	Environmental Mitigation Implementation Schedule (EMIS)
Appendix M	Mitigation Measures of Cultural Landscape Features
Appendix N	Cumulative Complaint / Enquiry Log, Summaries of Complaints and Enquiries

## Executive Summary

- ES1. Aurecon Hong Kong Limited (Aurecon) was appointed to undertake the role of Environmental Team (ET) and carry out Environmental Monitoring and Audit for the North East New Territories (NENT) Landfill Extension.
- ES2. The construction phase and EM&A programme of the Project commenced on 1 December 2022.
- ES3. This 38<sup>th</sup> Monthly EM&A Report presents the EM&A works conducted from 1 to 31 January 2026 in accordance with the Updated EM&A Manual.

### Summary of Construction Works undertaken during Report Period

- ES4. The major construction works undertaken during the reporting period include:

#### ES Table1 Major Construction Works undertaken during the Reporting Period

-	Material loading and unloading, backfilling of material and site traffic at Portion A, SBA to alternative disposal ground
-	Construction of site buildings at Portion D
-	Site clearance at Portion A, B2/E1, E3-1 & E4
-	Installation of permanent fencing at Portion A, B1 & E4
-	Site formation at Portion A, B2/E1, E3-1 & E4
-	Tree felling at whole site
-	Shotcreting (Permanent and Temporary) at whole site
-	Soil nail installation at Portion A, B2/E1 & E4
-	Construction of RE wall at Portion E3-1
-	Leachate plant installation at Portion A
-	Linear installation at landfill area
-	LFG plant installation at Portion A

### Environmental Monitoring and Audit Progress

- ES5. A summary of the monitoring activities in this reporting period is listed below:

**ES Table2 Summary of the Monitoring Activities during the Reporting Period**

Items	Times	Date
- Air Quality Monitoring during normal weekdays at each monitoring station	5 times	5, 9, 15, 21 & 27 Jan 2026
- Construction Noise Monitoring during normal weekdays at each monitoring station	4 times	5, 15, 21 & 27 Jan 2026
- Surface Water Quality Monitoring during normal weekdays at each monitoring station	1 time	6 Jan 2026
- Landfill Gas Monitoring during normal weekdays for Construction Works	26 times	2 to 3, 5 to 10, 12 to 17, 19 to 24, 26 to 31 Jan 2026
- Joint Environmental Site Inspection	4 times	5, 12, 19 & 26 Jan 2026

### Environmental Exceedance

#### Air Quality, Surface Water Quality & Landfill Gas Monitoring

ES6. No exceedance of the Action and Limit Levels were recorded at designated monitoring stations during the reporting period.

#### Noise Monitoring

ES7. No exceedance of the Action and Limit Levels were recorded at designated monitoring stations during the reporting period.

### Environmental Non-Conformance/Summons and Prosecution

ES8. No non-compliance event and summons/prosecutions were recorded during the reporting period.

### Environmental Complaint

ES9. No environmental complaint was recorded during the reporting period.

### Reporting Change

ES10. There was no reporting change in the reporting period.

### Future Key Issues

ES11. Works to be undertaken in the next month include:

**ES Table3 Major Construction Works undertaken during the Next Reporting Period**

-	Material loading and unloading, backfilling of material and site traffic at Portion A, SBA to alternative disposal ground
-	Construction of site buildings at Portion D
-	Site clearance at Portion A, B2/E1, E3-1 & E4
-	Installation of permanent fencing at Portion A, B1 & E4
-	Site formation at Portion A, B2/E1, E3-1 & E4
-	Tree felling at whole site
-	Shotcreting (Permanent and Temporary) at whole site
-	Soil nail installation at Portion A, B2/E1 & E4
-	Construction of RE wall at Portion E3-1
-	Leachate plant installation at Portion A
-	Linear installation at landfill area
-	LFG plant installation at Portion A

ES12. Potential environmental impacts arising from the above construction activities are mainly associated with air quality, construction noise, water quality, waste management, landfill gas monitoring, landscape and visual, cultural heritage and ecology.

# 1 Introduction

## 1.1 Background

- 1.1.1 The North East New Territories Landfill Extension (the NENTX Project) is located adjacent to the existing North East New Territories (NENT) Landfill at Ta Kwu Ling. The extension site is located in a valley covering mainly the existing NENT Landfill Stockpile and Borrow Area that was formed to the east of the existing landfill as part of the original site development of the landfill, and layout plan shown in **Figure 1**.
- 1.1.2 The NENTX is a designated project. The Environmental Impact Assessment (EIA) Report (AEIAR-111/2007) and an Environmental Monitoring and Audit Manual were approved on 20 September 2007. The project is governed by an Environmental Permit (EP) (EP-292/2007) which was granted on 26 November 2007. A further of EP (FEP) was applied and the FEP (FEP-01/292/2007) was subsequently granted on 28 April 2022. Another further of EP (FEP-02/292/2007) was subsequently granted on 23 August 2023. The Updated EM&A Manual was approved by Director of Environmental Protection (DEP) on 4 January 2024.
- 1.1.3 In accordance with the requirements specified in Section 2.7 to 2.11 and Section 12.3 of the Updated EM&A Manual and Condition 3.3 of EP and FEP, Monthly EM&A report should be submitted to DEP, within 2 weeks after the end of the reporting month. The submissions shall be certified by the Environmental Team (ET) Leader and verified by the Independent Environmental Checker (IEC).
- 1.1.4 The construction phase and EM&A programme of the Project commenced on 1 December 2022.

## 1.2 Nature, Scale and Scope of the captioned Designated Project

- 1.2.1 The Nature, Scale and Scope of the captioned Designated Project are presented in **Table 1-1**.

**Table 1-1 Nature, Scale and Scope of the captioned Designated Project**

Item(s)	Content
Nature of Designated Project	Construction and operation of a landfill for waste as defined in the “Waste Disposal Ordinance” (Cap. 354)
Scale and Scope of Designated Project	The Project mainly consists of the followings: - Construction and operation of a landfill extension of about 70 hectares with a target void space of at least 19 million cubic metres on the eastern side of the existing NENT Landfill, including the followings: - <ol style="list-style-type: none"> <li>i. Site formation and preparation;</li> <li>ii. Installation of liner system;</li> <li>iii. Installation of leachate collection, treatment and disposal facilities;</li> <li>iv. Installation of gas collection, utilization and management facilities;</li> <li>v. Utilities provisions and drainage diversion;</li> <li>vi. Landfilling operation;</li> <li>vii. Restoration and aftercare in subsequent stages; and</li> <li>viii. Measures to mitigate environmental impacts as well as environmental monitoring and auditing to be implemented.</li> </ol>

### **1.3 Purpose of this Report**

- 1.3.1 This is the 38<sup>th</sup> Monthly EM&A Report which summarises the impact monitoring results and audit findings for the EM&A programme during the reporting period from 01 to 31 January 2026.

### **1.4 Structure of the Report**

- 1.4.1 The structure of the report is as follows:

Section 1 – Introduction

- details the background, purpose and structure of the report.

Section 2 – Project Information

- summarises background and scope of the Project, site description, project organization and contact details, construction programme, the construction works undertaken and the status of Environmental Permit(s)/License(s) during the reporting period.

Section 3 – Air Quality Monitoring

- Construction Dust

Section 4 – Noise Monitoring

Section 5 – Water Quality Monitoring

- Groundwater Monitoring
- Surface Water Monitoring

Section 6 – Waste Management

Section 7 – Landfill Gas Monitoring

Section 8 – Landscape and Visual

Section 9 – Cultural Heritage

Section 10 – Ecological Monitoring

Section 11 – Site Inspection and Audit

Section 12 – Environmental Non-Conformance

Section 13 – Implementation Status on Environmental Mitigation Measures

Section 14 – Future Key Issues

Section 15 – Conclusion

## 2 Project Information

### 2.1 Construction Activities

2.1.1 Construction programme and a summary of the major construction activities undertaken in this reporting period is shown in **Appendix A**. The major construction works undertaken during the reporting period is presented in **Table 2-1**.

**Table 2-1 Major Construction Works undertaken during the Reporting Period**

-	Material loading and unloading, backfilling of material and site traffic at Portion A, SBA to alternative disposal ground
-	Construction of site buildings at Portion D
-	Site clearance at Portion A, B2/E1, E3-1 & E4
-	Installation of permanent fencing at Portion A, B1 & E4
-	Site formation at Portion A, B2/E1, E3-1 & E4
-	Tree felling at whole site
-	Shotcreting (Permanent and Temporary) at whole site
-	Soil nail installation at Portion A, B2/E1 & E4
-	Construction of RE wall at Portion E3-1
-	Leachate plant installation at Portion A
-	Linear installation at landfill area
-	LFG plant installation at Portion A

### 2.2 Project Organization & Management Structure

2.2.1 The Project Organization Chart & Management Structure are shown in **Appendix B**. The key personnel contact information is summarized in **Table 2-2**.

**Table 2-2 Contact Information of Key Personnel**

Party	Name	Contact Number
Contractor (Veolia Hong Kong Holding Ltd.)	Mr. Matt Choy	2902 5296
Independent Environmental Checker (IEC) (Meinhardt Infrastructure and Environment Ltd.)	Ms. Claudine Lee	2859 5409
Environmental Team Leader (ETL) (Aurecon Hong Kong Limited)	Mr. Fredrick Leong	3664 6888

## 2.3 Status of Submission required under the EP & FEP during reporting period

2.3.1 The status of statutory environmental compliance with the EP & FEP conditions under the EIAO, submission status under the EP & FEP during reporting period are presented in **Table 2-3**. The detail status of statutory environmental compliance with the EP & FEP conditions under the EIAO, submission status under the EP & FEP for NENTX project are shown in **Appendix C**.

**Table 2-3 Status of Submissions required under the EP & FEP during Reporting Period**

EP Condition	FEP Condition	Submission / Measures	Status
2.3	2.1	Management Organization of Main Construction Companies	Submitted
2.4	2.2	Setting up of Community Liaison Group (CLG)	Community Liaison Group was set up.
2.5	2.3	Submission of EM&A Manual	Submitted
2.6	2.4	Submission of Preservation of Cultural Landscape Features	Submitted
2.7	2.5	Submission of Vegetation Survey (Transplantation Proposal)	Submitted
2.8	2.6	Submission of Translocation Proposal	Submitted
2.9	2.7	Submission of Transplantation Report and Post-Transplantation Monitoring	Submitted
2.10	2.8	Submission of Translocation Report and Post-Translocation Monitoring	Submitted
2.11	2.9	Submission of Detailed Landfill Gas Hazard Assessment Report	Submitted
2.12	2.10	Submission of Waste Management Plan	Submitted
2.13	2.11	Submission of Landscape Plan	Submitted
3.2	3.2	Submission of Baseline Monitoring Report	Submitted
3.3	3.3	Submission of Monthly EM&A Report	Submitted

## 2.4 Status of Environmental Approval Document

2.4.1 A summary of the relevant valid permits, licences, and/or notifications on environmental protection for this Project since the granting of the EP & FEP is presented in **Table 2-4**.

**Table 2-4 Summary of the Relevant Valid Permits, Licences, and/or Notifications on Environmental Protection**

Permit / Licenses / Notification	Reference	Expiry Date	Remark
Environmental Permit (EP)	EP-292/2007	Throughout the Contract	Permit granted on 26 November 2007
Further Environmental Permit (FEP)	FEP-01/292/2007	Throughout the Contract	Permit granted on 28 April 2022
	FEP-02/292/2007	Throughout the Contract	Permit granted on 23 August 2023
Notification of Construction Works as required under Air Pollution Control (Construction Dust) Regulation	479809	Throughout the Construction Phase	Notified on 13 May 2022
Registration of Waste Producer under Waste Disposal Ordinance	7043692	Throughout the Contract	Registered on 13 April 2022
Construction Noise Permit	GW-RN-1469-25	18 March 2026	Permit granted on 15 December 2025
Registration as Chemical Waste Producer	5213-642-V2370-01	Throughout the Contract	Registered on 20 February 2025
Effluent Discharge License under Water Pollution Control Ordinance	WT00047198-2025	30 September 2030	Permit granted on 5 September 2025

## 2.5 Environmental Monitoring and Audit Progress

2.5.1 A summary of the monitoring activities in this reporting period is presented in **Table 2-5**.

**Table 2-5 Summary of the Monitoring Activities in this Reporting Period**

Items	Times	Date
- Air Quality Monitoring during normal weekdays at each monitoring station	5 times	5, 9, 15, 21 & 27 Jan 2026
- Construction Noise Monitoring during normal weekdays at each monitoring station	4 times	5, 15, 21 & 27 Jan 2026
- Surface Water Quality Monitoring during normal weekdays at each monitoring station	1 time	6 Jan 2026
- Landfill Gas Monitoring during normal weekdays for Construction Works	26 times	2 to 3, 5 to 10, 12 to 17, 19 to 24, 26 to 31 Jan 2026
- Joint Environmental Site Inspection	4 times	5, 12, 19 & 26 Jan 2026

### Air Quality

2.5.2 5 sets of 1-hr & 24-hr TSP construction dust measurement were carried out at each monitoring stations during normal weekdays of the reporting period. No Action / Limit Level exceedance for 1-hr & 24-hr TSP impact monitoring was recorded during the period.

### Noise

2.5.3 4 sets of 30-minute construction noise measurement were carried out at each monitoring stations during normal weekdays of the reporting period. No exceedance of the Action and Limit Levels were recorded at each monitoring stations during the reporting period.

### Groundwater

2.5.4 The baseline groundwater monitoring was commenced on 28 March 2025. The details of baseline groundwater monitoring will be presented in the Baseline Monitoring Report.

### Surface Water Quality

2.5.5 1 set of surface water quality measurement were carried out at each monitoring stations during normal weekdays of the reporting period. No exceedance of Action and Limit Level of surface water quality at each monitoring stations was recorded during the reporting period.

### Landfill Gas

2.5.6 26 sets of landfill gas measurement were carried out at the designated monitoring locations during normal weekdays of the reporting period. No exceedance of Action and Limit Levels of landfill gas was recorded during the reporting period.

### Landscape and Visual

2.5.7 All the specified and affected LCAs, LRs and VSRs have been monitored during the reporting period. No exceedance of Action and Limit Levels of landscape and visual was recorded during the reporting period.

### **Cultural Heritage**

- 2.5.8 Implementation of the mitigation measures during construction phase of the Project has been monitored through the regular site inspection/audit.

### **Ecology**

- 2.5.9 Implementation of the mitigation measures during construction phase of the Project has been monitored through the regular site inspection/audit.

### **Environmental Site Inspection**

- 2.5.10 4 weekly environmental site inspections were carried out during the reporting period. A joint environmental site inspection was carried out by the representatives of the Employer's Representative (ER), the Contractor, IEC and the ET on 19 January 2026. The Contractor has generally implemented part of the mitigation measures as recommended. No general site inspection was conducted by Environmental Protection Department-Regional Office (North) (EPD-RNG) during the reporting period.

### 3 Air Quality Monitoring

#### 3.1 Construction Dust

##### 3.1.1 Monitoring Requirement

3.1.1.1 In accordance with the Updated EM&A Manual, 1-hr & 24-hr Total Suspended Particulates (TSP) levels should be measured at the designated air quality monitoring stations in every 6 days to ensure that any deteriorating air quality could be readily detected, and timely action shall be undertaken to rectify such situation. For 1-hr TSP monitoring, the sampling frequency of at least three times in every six-days should be undertaken when the highest dust impact occurs. The specific time to start and stop the 24- hr TSP monitoring shall be clearly defined for each location.

##### 3.1.2 Monitoring Parameters, Frequency and Location

3.1.2.1 According to the Updated EM&A Manual, three monitoring stations namely AM(D)1, AM(D)2 and AM(D)3 are selected for the impact monitoring.

3.1.2.2 A baseline monitoring plan has been submitted to IEC and EPD on 31 May 2022 including the proposal with justification of change of monitoring locations. Due to limited access to the original monitoring locations at AM(D)1, AM(D)2 and AM(D)3, the adjusted stations at AM1, AM2 and AM3 were agreed with IEC prior to the baseline and impact monitoring. The locations of adjusted dust monitoring locations are shown in **Figure 2**.

3.1.2.3 The detailed monitoring schedule is shown in **Appendix D**. The locations of dust monitoring stations are shown in **Table 3-1**. The monitoring parameters, frequency and duration are shown in **Table 3-2**.

**Table 3-1 Locations of Dust Monitoring Stations**

Monitoring Station	Representative For	Monitoring Parameters
AM1	Tung Lo Hang	1-hr and 24-hr TSP
AM2	Heung Yuen Wai	1-hr and 24-hr TSP
AM3	Wo Keng Shan Tsuen	1-hr and 24-hr TSP

**Remarks:**

The contractor passed correspondence including original monitoring locations specified on the Approved EM&A Manual to the village representatives on 26 April 2022. After a meeting with Ta Kwu Ling District Rural Committee (RC) Chairman, representative from the RC and a few villagers on 1 May 2022, all the Village Heads of Wo Keng Shan Tsuen, Heung Yuen Wai and Lin Ma Hang verbally refused to accept our proposal for installation of dust and / or noise monitoring equipment within or next to their villages, for the baseline & impact monitoring.

AM(D)1 Tung Lo Hang, AM(D)2 Heung Yuen Wai, AM(D)3 Wo Keng Shan Tsuen are the air monitoring stations for the construction phase EM&A programme as identified in the approved EM&A Manual for the Project. The access to Tung Lo Hang, Heung Yuen Wai and Wo Keng Shan Tsuen were denied. A search for alternative air monitoring locations (AM1, AM2 & AM3) was carried out during the site visit.

The Baseline Monitoring Plan has been submitted to IEC and EPD including the proposal of change of monitoring locations on 31 May 2022. This arrangement was conducted between baseline and impact monitoring and has been agreed by the Independent Environmental Checker (IEC) and no comment received from EPD.

Due to the adjustment of the location of AM(D)1, AM(D)2 & AM(D)3 to AM1, AM2 & AM3, the measured air quality levels at AM1, AM2 & AM3 would represent the air quality levels at AM(D)1, AM(D)2 & AM(D)3.

**Table 3-2 Dust Impact Monitoring Parameters, Frequency and Duration**

Monitoring Station	Parameter	Frequency and Duration
AM1, AM2, AM3	1-hr TSP	At least 3 times per 6 days
	24-hr TSP	1 time per 6 days

### 3.1.3 Monitoring Equipment

3.1.3.1 High volume samplers (HVSs) were used for carrying out 24-hr TSP monitoring. For 1-hr TSP monitoring, direct reading dust meters were used to measure 1-hr TSP levels.

3.1.3.2 **Table 3-3** summarises the equipment that were used in the dust monitoring programme. The calibration certificates are shown in **Appendix E**.

**Table 3-3 Dust Monitoring Equipment**

Equipment	Model	Expiry Date	Monitoring Station
High Volume Sampler (HVS)	TE-5170X (S/N: 1105)	1 Feb 2026	AM1
	TE-5170X (S/N: 1106)		AM2
	TE-5170X (S/N: 1856)		AM3
Direct Reading Dust Meter	Sibata LD-5R (S/N: 0Z4545)	12 Sep 2026	AM1 to AM3
	Sibata LD-5R (S/N: 882106)		
	Sibata LD-5R (S/N: 942532)		
Calibration Kit (for HVS)	TE-5025A (S/N: 4166)	8 May 2026	AM1 to AM3

**Remarks:**

The Expiry Date of Calibration Kit (for HVS) reflected that the calibration certificate fulfils the bi-monthly calibration interval requirement for the HVS.

### 3.1.4 Monitoring Methodology

#### 1-hr TSP Monitoring

3.1.4.1 The 1-hr TSP impact monitoring was conducted using a portable direct reading dust meter.

#### **Measuring Procedures**

3.1.4.2 The measuring procedures of the 1-hr dust meter has been undertaken in accordance with the Manufacturer's Instruction Manual as follows:

#### Procedure of starting monitoring

- Place the 1-hr dust meter at least 1.3m above ground;
- Turn on the "On/Off" button at the side of instrument. Program will be changed to "BG" mode and leave it for 1 minute.
- Pull out the Suction adaptor and turn the button at the side. Cover with hand at the suction adaptor measure the background for 10 seconds.
- Press "UP" and "DOWN" for choosing "SPAM Mode" for SPAM Measurement.
- Press "Up" and "Down" to select "Measurement Mode" with 60 minutes interval and unit in ug/m3.
- Press "Start/Stop" to start monitoring.

#### Procedure of setting measurement timer

- Press "Up" or "Down" to find "Setting LOG".
- Select "Record Cycle" and change the record time subject to different project requirement. For example, setting the record cycle as 60 minutes for normal operation.
- Press "ESCAPE" back to the main page.
- Press "Up" or "Down" to access "Measurement Timer" and select "Measurement time" to change the time to 3 hours.
- Information such as sampling date, time, count value and site condition will be recorded during the monitoring period.

#### **Calibration & Maintenance**

3.1.4.3 The direct reading dust meters will be verified against calibrated high volume samples (HVSs) annually. A 2-day, three 3-hour measurement results per day from direct reading dust meter will be taken to compare with the sampling results from the HVS. The correlation between the direct reading dust meter and the HVS will then be concluded. By accounting for the correlation factor, the direct reading dust meter will be considered to achieve comparable results as that of the HVS.

3.1.4.4 All digital dust indicator will be calibrated with on-site HVS annually. Calibration certificate will be provided after calibration. The Calibration process shall eyewitness with the representative of ET & IEC.

### Quality Audit

- 3.1.4.5 Checklist of regular checking for digital dust meter will be conducted bi-weekly by environmental technician to ensure the all-digital dust meter are in good condition and submitted to supervisors. All checklists will be kept by supervisors.
- 3.1.4.6 Logbook is provided to environmental technician record the transferal of equipment to other colleagues, reporting to supervisors is required.

### 24-hr TSP Monitoring

- 3.1.4.7 The 24-hr TSP monitoring has been conducted using a High-Volume Sampler (HVS).

### Measuring Procedures

- 3.1.4.8 The HVS has been set-up at the monitoring location with a fixed power supply for operation. The measuring procedures of the 24-hr TSP measurements has been undertaken in accordance with the specifications listed in the EM&A Manual. Each HVS includes a motor, a filter holder, a flow controller and a sampling inlet in accordance with the performance specification of the USEPA Standard Title 40, Code of Federation Regulations Chapter 1 (Part 50), Appendix B. The measuring procedures of the 24-hr dust meter was undertaken in accordance with the Manufacturer's Instruction Manual as follows:
- The power supply will be checked to ensure the HVS works properly;
  - The filter holder and the area surrounding the filter will be cleaned;
  - The filter holder will be removed by loosening the four bolts and a new filter on a supporting screen will be aligned carefully;
  - The filter will be properly aligned on the screen so that the gasket formed an airtight seal on the outer edges of the filter;
  - The swing bolts will be fastened to hold the filter holder down to the frame. The pressure applied should be sufficient to avoid air leakage at the edges;
  - The shelter lid will be closed and secured with the aluminium strip;
  - The HVS will be warmed-up to establish run-temperature conditions;
  - A new flowrate record sheet will be set into the flow recorder;
  - The programmable timer will be set for a sampling period of 24 hour, and the starting time, weather condition and the filter number will be recorded;
  - The initial elapsed time will be recorded;
  - At the end of sampling, the sampled filter will be removed carefully and folded in half-length so that only surfaces with collected particulate matter will be in contact;
  - The sample will be placed in a clean plastic envelope and sealed;
  - All monitoring information will be recorded on a standard data sheet; and
  - The filters will be taken back to HOKLAS accredited laboratory for analysis.
- 3.1.4.9 In addition, site conditions and dust sources were recorded in a standard form for direct input into a database.

### Calibration & Maintenance

3.1.4.10 The high volume motors and their accessories should be properly maintained, including routine motor brushes replacement and electrical wiring checking, to ensure that the equipment and a continuous power supply were in good working condition.

3.1.4.11 Initial calibration of dust monitoring equipment shall be conducted upon installation and thereafter at bi-monthly intervals. The transfer standard shall be traceable to the internationally recognized primary standard and be calibrated annually.

The detail procedure of calibration of HVS is listed below:

1. Make sure the electrical circuit is connected properly. The motor should be directly connected to the power source.
2. Open the top cover and unlock the screws at the four corners.
3. Install the orifice and adapter plate to high volume air sample. Tighten the nut securely. Turn the knob of orifice clock-wise to close the four holes on the bottom open.
4. Hold the water manometer on the cover of mass flow controller vertically. Connect one side of a water manometer to the pressure tap on the side of the orifice with a rubber vacuum tube. Leave opposite side of the manometer open to the atmosphere.
5. Turn on the sampler
6. Five flow rates are achieved by changing the different plates to change the resistance. Record the manometer reading and the reading from continuous flow recorder. At least 5 sets of data should be recorded.

3.1.4.12 The Calibration process shall eyewitness with the representative of ET & IEC.

### 3.1.5 Monitoring Results

3.1.5.1 The impact dust monitoring results are summarized in **Table 3-4** and **Table 3-5**. The monitoring data together with graphical presentations are presented in **Appendix F** and **Appendix G**.

**Table 3-4 Summary of Impact 1-hr TSP Monitoring Results**

Month	Average 1-hr TSP Concentration, $\mu\text{g}/\text{m}^3$ (Range)		
	Dust Monitoring Station		
	AM1	AM2	AM3
Jan 2026	32 (21 – 44)	44 (34 – 56)	52 (41 – 61)
<b>Action Level</b>	<b>&gt;285</b>	<b>&gt;279</b>	<b>&gt;285</b>
<b>Limit Level</b>	<b>&gt;500</b>		

**Table 3-5 Summary of Impact 24-hr TSP Monitoring Results**

Month	Average 24-hr TSP Concentration, µg/m <sup>3</sup> (Range)		
	Dust Monitoring Station		
	AM1	AM2	AM3
Jan 2026	80 (62 – 101)	97 (87 – 109)	117 (98 – 137)
<b>Action Level</b>	<b>&gt;164</b>	<b>&gt;152</b>	<b>&gt;163</b>
<b>Limit Level</b>	<b>&gt;260</b>		

3.1.5.2 The Summary of Impact 1-hr & 24-hr TSP Exceedance during the reporting period are shown in **Table 3-6**. The Notification of Environmental Quality Limits Exceedances are presented in **Appendix H**.

**Table 3-6 Summary of Impact 1-hr & 24-hr TSP Exceedance during the Reporting Period**

Dust Monitoring Station		AM1		AM2		AM3	
Level Exceedance		Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level
Parameters		Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level
1-hr TSP	Exceedance Date	-	-	-	-	-	-
	Exceedance Count	0	0	0	0	0	0
24-hr TSP	Exceedance Date	-	-	-	-	-	-
	Exceedance Count	0	0	0	0	0	0

Remarks: \* equal to non-project related

3.1.5.3 No Action / Limit Level exceedance for 1-hr & 24-hr TSP impact monitoring at AM1, AM2 & AM3 was recorded during the period.

### 3.1.6 Wind Data Monitoring

3.1.6.1 During the monitoring period, wind data from existing weather station in the vicinity of the designated monitoring location, i.e Ta Kwu Ling station operated by Hong Kong Observatory was adopted. It is considered that the wind data obtained from Ta Kwu Ling station are representative of the Project area and could be used for the construction dust monitoring programme for the Project. The results for wind data monitoring are presented in **Appendix I**.

### 3.1.7 Recommended Mitigation Measures

3.1.7.1 The recommended dust mitigation measures from EIA report are listed as followed:

- The contractor shall follow the procedures and requirements given in the Air Pollution Control (Construction Dust) Regulation.
- Dust emission from construction vehicle movement is confined within the worksites area.
- Watering facilities will be provided at every designated vehicular exit point.
- Good site practice is recommended during construction phase.

### 3.1.8 Event and Action Plan

3.1.7.2 Should non-compliance of the criteria occur, action in accordance with the action plan in **Table 3-7** shall be carried out.

**Table 3-7 Event and Action Plan for Dust Impact**

Event	ET	IEC	Contractor
Exceedance of Action Level			
Exceedance for one sample	<ul style="list-style-type: none"> <li>• Identify source</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform IEC and Contractor</li> <li>• Repeat measurement to confirm findings</li> <li>• Increase monitoring frequency to daily if exceedance is due to the Project and continue until the monitoring results reduce to below action level</li> </ul>	<ul style="list-style-type: none"> <li>• Verify the Notification of Exceedance</li> <li>• Check monitoring data submitted by ET and Contractor's working methods</li> <li>• Discuss with ET and Contractor on proposed remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>• Rectify any unacceptable practice</li> <li>• Amend working methods if appropriate</li> </ul>
Exceedance for two or more consecutive samples	<ul style="list-style-type: none"> <li>• Identify source</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform Contractor and IEC</li> <li>• Repeat measurements to confirm findings</li> <li>• Increase monitoring frequency to daily if exceedance is due to the Project and continue until the monitoring results reduce to below action level</li> <li>• Discuss with IEC for remedial action required</li> <li>• Ensure remedial measures are properly implemented</li> <li>• Continue monitoring at daily intervals if exceedance is due to the Project</li> <li>• If no exceedance for 3 consecutive days, cease additional monitoring</li> </ul>	<ul style="list-style-type: none"> <li>• Verify the Notification of Exceedance</li> <li>• Check monitoring data submitted by ET and Contractor's working methods</li> <li>• Discuss with ET and Contractor on proposed remedial measures</li> <li>• Review with analysed results submitted by ET</li> <li>• Review the proposed remedial measures by Contractor</li> <li>• Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>• Submit proposals for remedial actions to IEC within 3 working days of notification</li> <li>• Implement the agreed proposals</li> <li>• Amend proposal if appropriate</li> </ul>

Event	ET	IEC	Contractor
Exceedance of Limit Level			
Exceedance for one sample	<ul style="list-style-type: none"> <li>• Identify source</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform IEC and Contractor</li> <li>• Repeat measurement to confirm findings</li> <li>• Increase monitoring frequency to daily if exceedance is due to the Project and continue until the monitoring results reduce to below limit level</li> <li>• Assess effectiveness of Contractor's remedial actions and keep EPD and IEC informed of the results</li> </ul>	<ul style="list-style-type: none"> <li>• Verify the Notification of Exceedance</li> <li>• Check monitoring data submitted by ET and Contractor's working methods</li> <li>• Discuss with ET and Contractor potential remedial actions</li> <li>• Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>• Take immediate action to avoid further exceedance</li> <li>• Submit proposals for remedial actions to IEC within 3 working days of notification</li> <li>• Implement the agreed proposals</li> <li>• Amend proposal if appropriate</li> </ul>
Exceedance for two or more consecutive samples	<ul style="list-style-type: none"> <li>• Identify source</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform IEC and EPD the causes and actions taken for the exceedances</li> <li>• Discuss with IEC for remedial action required</li> <li>• Ensure remedial measures are properly implemented</li> <li>• Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and informed of the results</li> <li>• Increase monitoring frequency to confirm findings</li> <li>• If exceedance stops, cease additional monitoring</li> </ul>	<ul style="list-style-type: none"> <li>• Verify the Notification of Exceedance</li> <li>• Check monitoring data submitted by ET and Contractor's working methods</li> <li>• Discuss amongst ET and Contractor on the potential remedial actions.</li> <li>• Review Contractor's remedial actions whenever necessary to assure their effectiveness</li> <li>• Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>• Take immediate action to avoid further exceedance</li> <li>• Submit proposals for remedial actions to IEC of notification</li> <li>• Implement the agreed proposals</li> <li>• Resubmit proposals if problem still not under control</li> <li>• Stop the relevant activity of works until the exceedance is abated</li> </ul>

## 4 Noise Monitoring

### 4.1 Monitoring Requirement

4.1.1 In accordance with the Updated EM&A manual, noise impact monitoring shall be carried out at 2 monitoring stations NM1a and NM2a once a week during normal construction working hour (0700-1900 Monday to Saturday). The minimum logging interval shall be 30 minutes with average of 6 consecutive  $L_{Aeq}$  (5 mins),  $L_{10}$  and  $L_{90}$  shall also be measured at 5 mins intervals.

### 4.2 Monitoring Locations, Parameters and Frequency

4.2.1 According to the Updated EM&A Manual, two monitoring stations namely NM1 and NM2 are selected for the impact monitoring.

4.2.2 A baseline monitoring plan has been submitted to IEC and EPD on 31 May 2022 including the proposal with justification of change of monitoring locations. Due to limited access to the original monitoring locations at NM1 and NM2, the adjusted stations at NM1a and NM2a were agreed with IEC prior to the baseline and impact monitoring. The noise monitoring locations are summarized in **Table 4-1** and shown in **Figure 2**.

4.2.3 The detailed monitoring schedule is shown in **Appendix D**. The frequency and duration are shown in **Table 4-2**.

**Table 4-1 Noise Monitoring Locations**

Monitoring Station	Representative for	Type of Measurement
NM1a	Wo Keng Shan Tsuen	Free field
NM2a	Lin Ma Hang	Free field

Remarks:

The contractor passed correspondence including original monitoring locations specified on the Approved EM&A Manual to the village representatives on 26 April 2022. After a meeting with Ta Kwu Ling District Rural Committee (RC) Chairman, representative from the RC and a few villagers on 1 May 2022, all the Village Heads of Wo Keng Shan Tsuen, Heung Yuen Wai and Lin Ma Hang verbally refused to accept our proposal for installation of dust and / or noise monitoring equipment within or next to their villages, for the baseline & impact monitoring.

NM1 Wo Keng Shan Tsuen & NM2 Lin Ma Hang are the noise monitoring stations for the construction phase EM&A programme as identified in the approved EM&A Manual for the Project. The access to Tung Lo Hang, Heung Yuen Wai and Wo Keng Shan Tsuen were denied. A search for alternative noise monitoring locations (NM1a & NM2a) was carried out during the site visit.

The Baseline Monitoring Plan has been submitted to IEC and EPD including the proposal of change of monitoring locations on 31 May 2022. This arrangement was conducted between baseline and impact monitoring and has been agreed by the Independent Environmental Checker (IEC) and no comments received from EPD. Noise measurement at NM1a & NM2a will be considered as free-field and a correction of +3dB(A) would be made to the noise monitoring results.

Due to the adjustment of the location of NM1 & NM2 to NM1a & NM2a, the measured noise levels at NM1 & NM2 would represent the noise levels at NM1 & NM2.

**Table 4-2 Noise Monitoring Parameters, Frequency and Duration**

Monitoring Station	Parameter	Frequency and Duration
NM1a and NM2a	$L_{Aeq}$ (30mins) average of 6 consecutive $L_{Aeq}$ (5min); $L_{A10(5min)}$ & $L_{A90(5min)}$	Once a week during normal construction working hour (0700-1900 Monday to Saturday)

### 4.3 Monitoring Equipment

- 4.3.1 Integrating Sound Level Meter (SLM) was used for noise impact monitoring. The SLM complied with International Electrotechnical Commission Publications 651:1979 (Type 1) and 804:1985 (Type 1) specifications shall be used for carrying out noise monitoring. The accuracy of the SLM was checked using an acoustic calibrator generating a known sound pressure level at a known frequency. Measurements shall be accepted as valid only if the calibration level from prior to and after the noise measurement agrees to within 1.0dB.
- 4.3.2 A portable wind speed meter was used for measuring wind speeds in m/s.
- 4.3.3 **Table 4-3** summarises the equipment that have been used in the impact noise monitoring programme. The calibration certificates are shown in **Appendix E**.

**Table 4-3 Noise Monitoring Equipment**

Equipment	Model	Expiry Date
Sound Level Meter	NTi XL2 (S/N: A2A-13661-E0)	6 Aug 2026
Acoustic Calibrator	Rion NC-75 (S/N: 34724245)	10 Jul 2026
Anemometer	UNI-T UT363 (S/N: C222415356)	17 Feb 2027

### 4.4 Monitoring Methodology

- 4.4.1 The details of noise measurement procedures are described as follows:
- Free-field measurements were made at the monitoring locations.
  - For free field, the Sound Level Meter was set at a height of 1.2 m above the ground. The battery condition was checked to ensure the proper functioning of the meter.
  - Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
  - Frequency weighting: A
  - Time weighting: Fast
  - Measurement time: 5 minutes (Leq (30-min) would be determined for daytime noise by calculating the logarithmic average of six Leq (5min) data.)
  - Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94.0 dB at 1000 Hz. If the difference in the calibration level before and after measurement was more than 1.0 dB, the measurement would be considered invalid and repeat of noise measurement would be required after recalibration or repair of the equipment.
  - Noise measurement should be paused during periods of high intrusive noise if possible and observation shall be recorded when intrusive noise is not avoided.
  - At the end of the monitoring period, the Leq, L10 and L90 shall be recorded. In addition, site conditions and noise sources should be recorded on a standard record sheet.
  - All noise monitoring will be conducted with the wind speed not exceeding 5m/s and no gusts exceeding 10m/s.

## Calibration & Maintenance

- 4.4.2 The sound level meter, sound calibrator, and anemometer should be properly maintained to ensure that the equipment and a continuous power supply were in good working condition. The sound level meter and sound calibrator will be calibrated annually. The anemometer will be calibrated two years interval in accordance with the HOKLAS Supplementary Criteria No.2. Calibration certificate will be provided after calibration.
- 4.4.3 The microphone head of the sound level meter and calibrator should be cleaned with a soft cloth at quarterly intervals.

## 4.5 Monitoring Results

- 4.5.1 The impact noise monitoring results are summarized in **Table 4-4**. The monitoring data together with graphical presentations are presented in **Appendix F** and **Appendix G**.

**Table 4-4 Summary of Noise Monitoring Results during Normal Working Hours (07:00-19:00, Monday to Saturday)**

Month	Average Leq, 30min, dB(A) (Range)	
	Noise Monitoring Station	
	NM1a	NM2a
Jan 2026	58.9 (57.9 – 60.0)	52.1 (47.5 – 54.5)
<b>Action Level</b>	<b>When one documented complaint is received</b>	
<b>Limit Level</b>	<b>&gt;75dB(A)</b>	

Remark:

- (1) \* A correction of +3 dB(A) was made to the free field measurements
- (2) If works are to be carried out during restricted hours, the conditions stipulated in the construction noise permit issued by the Noise Control Authority have to be followed.

- 4.5.2 No exceedance of the Action and Limit Levels was recorded at designated monitoring stations during the reporting period. The record of Notification of Environmental Quality Limits Exceedance is presented in the **Appendix H**.
- 4.5.3 No particular observations are identified near the monitoring stations during the monitoring period.
- 4.5.4 The Summary of Impact Noise Exceedance are shown in **Table 4-5**.

**Table 4-5 Summary of Impact Noise Exceedance during the Reporting Period**

Noise Monitoring Station		NM1a		NM2a	
Parameters	Level Exceedance	Action Level	Limit Level	Action Level	Limit Level
	LA <sub>eq</sub> (30mins)	Exceedance Date	-	-	-
Exceedance Count		0	0	0	0

Remarks:

- (1) \* equal to non-project related after the investigation.
- (2) # equal to the complaint under the investigation.

## 4.6 Recommended Mitigation Measures

4.6.1 The recommended noise mitigation measures from EIA report are listed as followed:

1. Use of good site practices to limit noise emissions by considering the following:
  - Only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction programme;
  - Machines and plant (such as trucks, cranes) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum;
  - Plant known to emit noise strongly in one direction, where possible, be orientated so that the noise is directed away from nearby NSRs;
  - Silencers or mufflers on construction equipment should be properly fitted and maintained during the construction works;
  - Mobile plant should be sited as far away from NSRs as possible and practicable;
  - Material stockpiles, mobile container site officer and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.
2. Select “Quiet plants” which comply with the BS 5228 Part 1 or TM standards.

## 4.7 Event and Action Plan

4.7.1 Should non-compliance of the criteria occurs, action in accordance with the action plan in **Table 4-6** shall be carried out.

**Table 4-6 Event and Action Plan for Construction Noise Monitoring**

Event	ET	IEC	Contractor
Exceedance of Action Level	<ul style="list-style-type: none"> <li>• Identify source, investigate the causes of exceedance</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform IEC and Contractor</li> <li>• Report the results of investigation to IEC, and Contractor</li> <li>• Discuss with Contractor and IEC for formulate remedial measures</li> <li>• Ensure remedial measures are properly implemented</li> <li>• Have additional monitoring if exceedance is due to the Project. If exceedance stops, cease additional monitoring</li> </ul>	<ul style="list-style-type: none"> <li>• Verify the Notification of Exceedance</li> <li>• Review the analysed results submitted by ET</li> <li>• Discuss with ET, and Contractor on the potential remedial actions</li> <li>• Review the proposed remedial measures</li> <li>• Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>• Submit noise mitigation proposals to IEC</li> <li>• Implement the agreed noise mitigation proposals</li> </ul>
Exceedance of Limit Level	<ul style="list-style-type: none"> <li>• Identify source, investigate the causes of exceedance</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform IEC and Contractor</li> <li>• Repeat measurements to confirm findings</li> <li>• Discuss with Contractor and IEC for remedial measures</li> <li>• Ensure remedial measures are properly implemented</li> <li>• Assess effectiveness of Contractor's remedial actions and keep IEC and EPD informed of the results</li> <li>• Have additional monitoring if exceedance is due to the Project. If exceedance stops, cease additional monitoring</li> </ul>	<ul style="list-style-type: none"> <li>• Verify the Notification of Exceedance</li> <li>• Review the analysed results submitted by ET</li> <li>• Discuss with ET, and Contractor on the potential remedial actions</li> <li>• Review the proposed remedial measures</li> <li>• Supervise the implementation of remedial measures</li> </ul>	<ul style="list-style-type: none"> <li>• Take immediate action to avoid further exceedance</li> <li>• Submit proposals for remedial actions to IEC of notification</li> <li>• Implement the agreed proposals</li> <li>• Resubmit proposals if problem still not under control</li> <li>• Stop the relevant portion of works as determined by project proponent until the exceedance is abated.</li> </ul>

## 5 Water Quality Monitoring

### 5.1 Groundwater Monitoring

#### 5.1.1 Monitoring Requirement

5.1.1.1 According to the Updated EM&A Manual, baseline water quality (groundwater) monitoring shall be carried out at the 35 monitoring locations (ED-1 to ED-35), which are subject to changes on the design and modification of the Project. Considering the requirements, objectives and feasibility of conducting the baseline water quality (groundwater) monitoring, a total of 35 monitoring locations (CW-1 to CW-35) are proposed along the waste boundary and access road of the project site. Due to the proposed monitoring locations CW-1 to CW-35 locates along the waste filling boundary of the project site, it can maintain to determine the natural seasonal variation in groundwater levels, effects of any ground water abstraction, identification of hydraulic gradients and variation caused by the construction, operation or aftercare of the project site by Section 5.4.1 of the Updated EM&A Manual. The proposed monitoring locations (CW-1 to CW-35) were approved by IEC on 16 January 2025.

5.1.1.2 The baseline groundwater monitoring was commenced on 28 March 2025. The details of baseline groundwater monitoring will be presented in the Baseline Monitoring Report.

### 5.2 Surface Water Monitoring

#### 5.2.1 Monitoring Requirement

5.2.1.1 In accordance with the Updated EM&A manual, impact surface water quality monitoring was carried out at the two designated surface water discharge points (i.e. WM1 and WM2) for once per month from commencement of construction works of the Project.

#### 5.2.2 Monitoring Locations, Parameters and Frequency

5.2.2.1 Impact surface water monitoring was carried out at WM1 and WM2 during the reporting period. The monitoring locations are indicated in **Table 5-1** and **Figure 2**.

5.2.2.2 The monitoring parameters, frequency and duration of surface water quality monitoring are summarized in **Table 5-2**. Detailed monitoring schedule is presented in **Appendix D**.

**Table 5-1 Surface Water Quality Monitoring Locations**

Monitoring Station	Location	Coordinates (HK Grid)	
		Easting	Northing
WM1	Upstream of Lin Ma Hang River	836665	845020
WM2	Ping Yuen River	835592	844186

**Table 5-2 Surface Water Quality Monitoring Parameters, Frequency and Duration**

Parameter	Frequency
pH, Electrical conductivity, DO, Turbidity, SS, Alkalinity, COD, BOD <sub>5</sub> , TOC, Ammonia-nitrogen, TKN, Nitrate, Sulphate, Sulphite, Phosphate, Chloride, Sodium, Mg, Ca, K, Fe, Ni, Zn, Mn, Cu, Pb, Cd, Coliform Count, Oil and Grease	Once per month

### 5.2.3 Monitoring Equipment

5.2.3.1 The measurements of pH, electrical conductivity (EC), DO, turbidity, water temperature and air temperature were undertaken in situ. In situ monitoring instruments in compliance with the specifications listed under Section 5.5 of the Updated EM&A Manual were used to undertake the surface water quality monitoring for the Project. **Table 5-3** summarises the equipment used in the impact surface water quality monitoring works. Copies of the calibration certificates are attached in **Appendix E**.

**Table 5-3 Surface Water Quality Monitoring Equipment**

Equipment	Model	Expiry Date
Water Quality Meter	YSI ProDSS (S/N: 22C106561)	8 Mar 2026
Water Flow Meter	Global Water FP111 (S/N: 22K100859)	10 Feb 2026

### 5.2.4 Summary of Surface Water Quality Monitoring Procedure

#### Operational/ Analytical Procedures

5.2.4.1 In general, water samples were collected from within 500 mm of the water surface. Water was collected by a small clean open-mouthed bucket with the lip pointing upstream. Usually, water was then transferred to the sample bottles until they were filled to the top with no remaining air space before the lid was securely screwed on. For samples that were preserved with acid or alkalis prior to transport to the laboratory, the samples bottles were filled to the level specified by the analytical laboratory.

5.2.4.2 Analyses shall be carried out in accordance with methods described in ASTM or APHA - AWWA-WEF Standard.

#### Laboratory Analytical Methods

5.2.4.3 The testing of parameters presented in **Table 5-4** for all stations was conducted by ALS Technichem (HK) Pty Ltd. (HOKLAS Registration No. 066). Comprehensive quality assurance and control procedures were in place in order to ensure quality and consistency in results. The detection limits are provided in **Table 5-4**.

**Table 5-4 Surface Water Monitoring Detection Limits and Limit of Reporting**

Parameters	Detection Limit (in Updated EM&A Manual)	Limit of Reporting	Method Reference
pH	0.1	0.1	APHA 4500 H+ B
Electrical conductivity	1 mS/cm	1 mS/cm	APHA 2510 B
Alkalinity	1 mg/L	1 mg/L	APHA 2320 B
COD	10 mg/L	5 mg/L	APHA 5220 C
BOD <sub>5</sub>	3 mg/L	2 mg/L	APHA 5210 B
TOC	1 mg/L	1 mg/L	APHA 5310 B
SS	0.1 mg/L	0.1 mg/L	APHA 2540 D
Ammonia-nitrogen	0.2 mg/L	0.01 mg/L	APHA 4500 NH <sub>3</sub> G
TKN	0.4 mg/L	0.1 mg/L	APHA 4500Norg: D
Nitrate	0.5 mg/L	0.01 mg/L	APHA 4500 NO <sub>3</sub> I
Sulphate	5 mg/L	1 mg/L	USEPA 375.4
Sulphite	2 mg/L	2 mg/L	APHA 4500 SO <sub>3</sub> B
Phosphate	0.01 mg/L	0.01 mg/L	APHA 4500-P B & F
Chloride	0.5 mg/L	0.5 mg/L	USEPA 325.1
Sodium	50 mg/L	50 mg/L	USEPA 6010C
Mg	50 mg/L	50 mg/L	USEPA 6010C
Ca	50 mg/L	50 mg/L	USEPA 6010C
K	50 mg/L	50 mg/L	USEPA 6010C
Fe	50 mg/L	10 mg/L	USEPA 6010C
Ni	1 mg/L	1 mg/L	USEPA 6020A
Zn	10 mg/L	10 mg/L	USEPA 6020A
Mn	1 mg/L	1 mg/L	USEPA 6020A
Cu	1 mg/L	1 mg/L	USEPA 6020A
Pb	1 mg/L	1 mg/L	USEPA 6020A
Cd	0.2 mg/L	0.2 mg/L	USEPA 6020A
Coliform Count	1 cfu/ 100mL	1 cfu/ 100mL	DoE section 7.8, 7.9.4.1 & 3
Oil and Grease	5 mg/L	5 mg/L	APHA 5520 B

### QA/ QC Requirements

5.2.4.4 All in situ monitoring instruments were checked, calibrated and certified by a laboratory accredited under HOKLAS or other international accreditation scheme before use, and subsequently re-calibrated at the intervals according to manufacturer's requirement throughout all stages of the surface water quality monitoring programme. Calibration of temperature, DO, salinity, pH and turbidity is conducted in three-month interval. Calibration of water flow is conducted annually. Responses of sensors and electrodes were checked with certified standard solutions before each use. Calibration for a DO meter was carried out before measurement according to the instruction manual of the equipment model. For the on-site calibration of field equipment, the requirements of the BS 1427:2018, "Guide to on-site test methods for the analysis of waters" was observed.

### Decontamination Procedures

- 5.2.4.5 Water sampling equipment used during the course of the monitoring programme was decontaminated by manual washing and rinsed with clean distilled water after each sampling location.

### Sampling Management and Supervision

- 5.2.4.6 All sampling bottles were labelled with the sample ID (including the indication of sampling station), laboratory number and sampling date. Water samples were dispatched to the testing laboratory for analysis as soon as possible after the sampling. All samples were stored in a cool box and kept at less than 4°C but without frozen. All water samples were handled under chain of custody protocols and relinquished to the laboratory representatives at locations specified by the laboratory. The laboratory determination works started within 24 hours after collection of water samples.

### Quality Control Measures for Sample Testing

- 5.2.4.7 The samples testing was performed by ALS Technichem (HK) Pty Ltd. The following quality control programme was performed by the laboratory:
- One method blank; and
  - One sample duplicate.

## 5.2.5 Monitoring Results

- 5.2.5.1 Impact surface water quality monitoring was conducted at WM1 & WM2 on 6 January 2026. No adverse weather was observed during reporting period. The detailed monitoring schedule is shown in **Appendix D**.
- 5.2.5.2 The summary of monitoring results is presented in **Table 5-5**. Detailed monitoring results at each monitoring station and graphical presentations of surface water quality (DO, SS and Turbidity) at the monitoring stations are given in **Appendix F** and **Appendix G**.
- 5.2.5.3 No particular observations are identified near the monitoring stations during the monitoring period.

**Table 5-5 Summary of Impact Surface Water Monitoring Results**

Monitoring Parameter(s)	Monitoring Station					
	WM1			WM2		
	Monitoring Results	Action Level	Limit Level	Monitoring Results	Action Level	Limit Level
pH	7.6	>7.7	>7.8	7.4	>7.6	>7.7
DO in mg/L	8.2	<7.4	<4	7.2	<5	<4
Turbidity in NTU	8.7	>9.2	>9.5	50.3	>108.3	>108.9
Electrical Conductivity in $\mu\text{S}/\text{cm}$	38	---	---	288	---	---
SS in mg/L	1.1	>9.7	>11.4	55.6	>94.5	>94.7
Alkalinity in mg/L	10	---	---	69	---	---
COD in mg/L	5			17		
BOD <sub>5</sub> in mg/L	<2			2.0		
TOC in mg/L	1			3		
Ammonia-nitrogen in mg/L	0.05			1.66		
TKN in mg/L	0.5			2.1		
Nitrate in mg/L	0.01			0.38		
Sulphate in mg/L	5			33		
Sulphite in mg/L	<2			<2		
Phosphorus in mg/L	<0.01			0.03		
Chloride in mg/L	6			16		
Sodium in $\mu\text{g}/\text{L}$	7640			13100		
Magnesium in $\mu\text{g}/\text{L}$	350			2180		
Calcium in $\mu\text{g}/\text{L}$	2030			28100		
Potassium in $\mu\text{g}/\text{L}$	290			5640		
Iron in $\mu\text{g}/\text{L}$	310			2730		
Nickel in $\mu\text{g}/\text{L}$	<1			2		
Zinc in $\mu\text{g}/\text{L}$	19			75		
Manganese in $\mu\text{g}/\text{L}$	44			1450		
Copper in $\mu\text{g}/\text{L}$	2.0			9		
Lead in $\mu\text{g}/\text{L}$	<1			5		
Cadmium in $\mu\text{g}/\text{L}$	<0.2			<0.2		
Coliform Count in cfu/100mL	18			23000		
Oil and Grease in mg/L	<5	<5				

Remarks:

1. Orange Text equals to exceed the Action Level.
2. Red Text equals to exceed the Limit Level.

5.2.5.4 The Summary of Impact Surface Water Quality Exceedance are shown in **Table 5-6**.

**Table 5-6 Summary of Impact Surface Water Quality Exceedance during the Reporting Period**

Surface Water Quality Monitoring Station		WM1		WM2	
		Action Level	Limit Level	Action Level	Limit Level
Parameters	Level Exceedance				
	pH	Exceedance Date	-	-	-
Exceedance Count		0	0	0	0
DO	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0
Turbidity	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0
SS	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0

Remarks: \* equal to non-project related

5.2.5.5 No exceedance of Action and Limit Level of surface water quality at designated monitoring stations was recorded during the reporting period. The Notification of Environmental Quality Limits Exceedance is presented in **Appendix H**.

## 5.2.6 Recommended Mitigation Measure

5.2.6.1 The recommended surface water mitigation measures from EIA report are listed as followed:

- Channels (both temporary and permanent drainage pipes and culverts), earth bunds or sand bag barriers should be provided on site to direct stormwater to silt removal facilities.
- The overall slope of the site should be kept to a minimum to reduce the erosive potential of surface water flows.
- The design of efficient silt removal facilities should be based on the guidelines in Appendix A1 of ProPECC PN 1/94, which states that the retention time for silts and sediment traps should be 5 minutes under maximum flow conditions.
- All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads.
- Construction solid waste, debris and rubbish on site should be collected, handled and disposed of properly to avoid water quality impacts.
- Measures should be taken to prevent the washing away of construction materials, soil, silt or debris into any drainage system.

## 5.2.7 Implementation of the Temporary Surface Water Drainage System (TSWDS)

5.2.7.1 The site inspection and audits were carried out by ER, IC, ET & Contractor on weekly basis (IEC on monthly basis) to monitor the construction progress, maintenance performance and effectiveness of temporary surface water drainage system in the Project Site to fulfil

the FEP Condition 2.13, EP Condition 2.15 and the Section 5.2.1.1 of the Updated EM&A Manual. The joint environmental site inspection records are shown in **Appendix K**.

- 5.2.7.2 All construction site runoff would be treated by silt removal facilities to fulfil the requirement of WPCO licenses from the project. Construction site runoff from the project after treatment was discharged to Ping Yuen River. The surface water monitoring results at WM2 (after the discharge point of silt removal facilities) can reflect the water quality at Ping Yuen River during the reporting period.
- 5.2.7.3

## **5.2.8 Event and Action Plan**

- 5.2.8.1 Should non-compliance of the criteria occurs, action in accordance with the action plan in **Table 5-7** shall be carried out.

**Table 5-7 Event and Action Plan for Water Quality**

Event	ET	IEC	Contractor
Action level being exceeded by one sampling day	<ul style="list-style-type: none"> <li>• Repeat in situ measurement to confirm findings</li> <li>• Identify source(s) of impact</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform IEC and Contractor</li> <li>• Check monitoring data, all plant, equipment and Contractor's working methods</li> <li>• Repeat measurement on next day of exceedance</li> </ul>	<ul style="list-style-type: none"> <li>• Verify Notification of Exceedance</li> <li>• Check monitoring data and Contractor's working methods</li> </ul>	<ul style="list-style-type: none"> <li>• Rectify unacceptable practice</li> <li>• Amend working methods if appropriate</li> </ul>
Action level being exceeded by two or more consecutive sampling days	<ul style="list-style-type: none"> <li>• Repeat in situ measurement to confirm findings</li> <li>• Identify source(s) of impact</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform IEC and Contractor</li> <li>• Check monitoring data, all plant, equipment and Contractor's working methods</li> <li>• Discuss with Contractor and IEC for remedial measures</li> <li>• Ensure mitigation measures are implemented</li> <li>• Increase the monitoring frequency to daily until no exceedance of Action level</li> <li>• Repeat measurement on next day of exceedance</li> </ul>	<ul style="list-style-type: none"> <li>• Verify Notification of Exceedance</li> <li>• Check monitoring data and Contractor's working method</li> <li>• Discuss with ET and Contractor on possible remedial actions</li> <li>• Review the proposed mitigation measures</li> <li>• Supervise the implementation of mitigation measures</li> </ul>	<ul style="list-style-type: none"> <li>• Submit proposal of additional mitigation measures to IEC of notification</li> <li>• Implement the agreed mitigation measures</li> <li>• Amend proposal if appropriate</li> </ul>

Event	ET	IEC	Contractor
Limit Level being exceeded by one sampling day	<ul style="list-style-type: none"> <li>• Repeat in situ measurement to confirm findings</li> <li>• Identify source(s) of impact</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform IEC and Contractor;</li> <li>• Check monitoring data, all plant, equipment and Contractor's working methods</li> <li>• Discuss mitigation measures with IEC and Contractor</li> <li>• Ensure mitigation measure are implemented</li> </ul>	<ul style="list-style-type: none"> <li>• Verify Notification of Exceedance</li> <li>• Check monitoring data submitted By ET and Contractor's working method</li> <li>• Discuss with ET and Contractor on possible remedial actions</li> <li>• Review the proposed mitigation measures</li> <li>• Supervise the implementation of mitigation measures</li> </ul>	<ul style="list-style-type: none"> <li>• Critically review the working method</li> <li>• Rectify unacceptable practice</li> <li>• Take immediate corrective actions to avoid further exceedance</li> <li>• Submit proposal of mitigation measures to IEC</li> <li>• Implement the agreed mitigation measures</li> <li>•</li> </ul>
Limit level being exceeded by two or more consecutive sampling days	<ul style="list-style-type: none"> <li>• Repeat in situ measurement to confirm findings</li> <li>• Identify source(s) of impact</li> <li>• Prepare Notification of Exceedance</li> <li>• Inform IEC, contractor and EPD</li> <li>• Check monitoring data, all plant, equipment and Contractor's working methods</li> <li>• Discuss mitigation measures with IEC and Contractor</li> <li>• Ensure mitigation measure are implemented</li> </ul>	<ul style="list-style-type: none"> <li>• Verify Notification of Exceedance</li> <li>• Check monitoring data submitted by ET and Contractor's working method</li> <li>• Discuss with ET and Contractor on possible remedial actions</li> <li>• Review the proposed mitigation measures</li> <li>• Supervise the implementation of mitigation measures</li> </ul>	<ul style="list-style-type: none"> <li>• Critically review the working method</li> <li>• Rectify unacceptable practice</li> <li>• Take immediate corrective actions to avoid further exceedance</li> <li>• Submit proposal of mitigation measures to IEC</li> <li>• Implement the agreed mitigation measures</li> <li>• Resubmit proposals if problem still not under control</li> <li>• Slow down or to stop relevant activity until exceedance is abated</li> </ul>

## 6 Waste Management

- 6.1.1 Wastes generated from this Project include inert construction and demolition (C&D) materials and non-inert C&D materials. Non-inert C&D materials were made up of general refuse, steels and paper/cardboard packaging materials. Steel materials generated from the Project were also grouped into non-inert C&D materials as the materials were not disposed of with other inert C&D materials. With reference to relevant handling records and trip tickets of this Project, the quantities of different types of waste generated in the reporting month are summarised in **Appendix J**.
- 6.1.2 A total of 79,880.27 tonnes of C&D materials was reused in the project site during the reporting period. A total of 49,767.14 tonnes of C&D materials was reused at alternative disposal ground (NENT Landfill) during the reporting period. A total of 1,771.96 tonnes of C&D materials were imported fill during the reporting period. No Yard waste (collected to Y-Park) was generated during the reporting period. A total of 200.79 tonnes of general refuse and No non-recyclable yard waste was generated during the reporting period. The general refuse generated from the Project were disposed of at the NENT Landfill.
- 6.1.3 The recommended waste management mitigation measures from EIA report are listed as followed:
- Implement a trip-ticket system to ensure that the movement of C&D materials are properly documented and verified in accordance with DEVB TC(W) No. 6/2010.
  - Concrete and masonry should be used as general fill and steel reinforcement bars can be used by scrap steel mills.
  - Proper areas should be designated for waste segregation and storage wherever site conditions permit.
  - Maximise the use of reusable steel formwork to reduce the amount of C&D material.
  - Maintain temporary stockpiles and reuse excavated fill material for backfilling and reinstatement.
  - On-site sorting and segregation facility of all type of wastes is considered as one of the best practice in waste management and hence, should be implemented in all projects generating construction waste.
  - The sorted public fill and C&D waste should be properly reused.
  - Excavated slope, stockpiled material and bund walls should be covered by tarpaulin until used in order to prevent wind-blown dust during dry weather, and to reduce muddy runoff during wet weather.

## 7 Landfill Gas Monitoring

### 7.1 Monitoring Requirement during Construction

#### **Monitoring for Construction Works**

7.1.1 Intrinsically safe portable gas detectors should be used during or when working in any confined spaces, which have the potential for presence of LFG and risk of explosion or asphyxiation. The monitoring equipment should alarm, both audibly and visually, when the concentrations of the following gases were exceeded:

- CH<sub>4</sub>: >10% Lower Explosion Limit (LEL);
- CO<sub>2</sub>: >0.5%; and
- O<sub>2</sub>: <18% by volume.

### 7.2 Monitoring Locations

7.2.1 During the construction works within the NENT Landfill Extension site with excavation of 1m deep or more, LFG concentrations should be monitored before entry and periodically during the progress of works. If drilling is required, the procedures for safety management and working procedures as stipulated in EPD's Landfill Gas Hazard Assessment – Guidance Note should be strictly adopted.

7.2.2 The monitoring frequency and areas to be monitored should be set down prior to commencement of groundworks by the Safety Officer. All measurements in excavations should be made with the monitoring tube located not more than 10mm from the exposed ground surface. Monitoring of excavations should be undertaken as follows:

7.2.3 For excavation works deeper than 1m, measurements should be made:

- at ground surface prior to excavation;
- immediately before any worker enters the excavation;
- at the beginning of each working day for the entire period the excavation remains open; and
- periodically through the working day whilst workers are in the excavation.

7.2.4 For excavation between 300mm and 1m deep, measurements should be made:

- directly after the excavation has been completed; and
- periodically whilst the excavation remains open.

7.2.5 For excavations less than 300mm deep, monitoring may be omitted, at the discretion of the Safety Officer.

7.2.6 The locations of LFG monitoring locations during reporting period are shown in **Table 7-1**. The Site formation layout plan is shown in **Figure 2** and the Layout of LFG monitoring locations is presented in **Figure 3**.

**Table 7-1 Locations of LFG Monitoring during Reporting Period**

Monitoring Location	Type of works
Portion A	Excavation Works
Portion B2/E1	

## 7.3 Monitoring Equipment

7.3.1.1 Gas Detector was used for carrying out LFG monitoring for Construction Works. **Table 7-2** summarises the equipment that were used in the LFG monitoring programme. The calibration certificates are shown in **Appendix E**. The detection limits are provided in **Table 7-3**.

**Table 7-2 LFG Monitoring Equipment**

Monitoring Parameters	Equipment	Model
CH <sub>4</sub> , CO <sub>2</sub> & O <sub>2</sub>	Gas Analyser	Blackline Safety G7C-EU2 (S/N: 3571220922)

**Table 7-3 Landfill Gas Monitoring Detection Limits**

Parameters	Detection Limit
CH <sub>4</sub>	1% LEL
O <sub>2</sub>	0.1%
CO <sub>2</sub>	0.1%

## 7.4 Event and Action Plan (EAP)

7.4.1 Should non-compliance of the criteria occur, action in accordance with the action plan in **Table 7-4** shall be carried out.

**Table 7-4 Event and Action Plan for the Landfill Gas Monitoring during Construction Phase**

Parameter	Monitoring Result	Action
Oxygen (O <sub>2</sub> )	Action Level <19% O <sub>2</sub>	Ventilate trench/void to restore O <sub>2</sub> to >19%
	Limit Level <18% O <sub>2</sub>	Stop works Evacuate personnel/prohibit entry Increase ventilation to restore O <sub>2</sub> to >19%
Methane (CH <sub>4</sub> )	Action Level >10% LEL *	Prohibit hot works Increase ventilation to restore CH <sub>4</sub> to <10% LEL
	Limit Level >20% LEL *	Stop works Evacuate personnel/prohibit entry Increase ventilation to restore CH <sub>4</sub> to <10% LEL
Carbon dioxide (CO <sub>2</sub> )	Action Level** >0.5%** CO <sub>2</sub>	Ventilate to restore CO <sub>2</sub> to <0.5%
	Limit Level >1.5% CO <sub>2</sub>	Stop works Evacuate personnel / prohibit entry Increase ventilation to restore CO <sub>2</sub> to <0.5%

\* LEL: Lower Explosive Limit - concentrations in air below which there is not enough fuel to continue an explosion.

\*\* This Action Level of CO<sub>2</sub> at 0.5% is set for reference only, assuming no CO<sub>2</sub> emission from a particular location.

Depending on the baseline CO<sub>2</sub> levels, the Action Level at a particular location will be changed.

## 7.5 Monitoring Results

7.5.1 The LFG monitoring was carried out two rounds (at the beginning of works in the morning and after lunch) at the working days. The monitoring period of each round of LFG monitoring is around 5 minutes.

7.5.2 The LFG monitoring was conducted at Portion A +50 mpD to 70 mpD Platform & Portion B2/E1 during the reporting period (Conducted on working days). The LFG monitoring results are summarized in **Table 7-5** & **Table 7-6**.

**Table 7-5 Summary of LFG Monitoring Results**

LFG Monitoring Station	Monitoring Date	Monitoring Parameter(s)			
		CH <sub>4</sub> in %	LEL in %/v	CO <sub>2</sub> in %	O <sub>2</sub> in %
		Average Monitoring Results			
Portion A +50 mpD to 70 mpD Platform	2 Jan 2026	0	0	0	20.1
	3 Jan 2026	0	0	0	20.1
	5 Jan 2026	0	0	0	20.1
	6 Jan 2026	0	0	0	20.1
	7 Jan 2026	0	0	0	20.0
	8 Jan 2026	0	0	0	20.0
	9 Jan 2026	0	0	0	20.1
	10 Jan 2026	0	0	0	20.1
	12 Jan 2026	0	0	0	20.1
	13 Jan 2026	0	0	0	20.1
	14 Jan 2026	0	0	0	20.0
	15 Jan 2026	0	0	0	20.0
	16 Jan 2026	0	0	0	20.0
	17 Jan 2026	0	0	0	20.0
	19 Jan 2026	0	0	0	20.1
	20 Jan 2026	0	0	0	20.1
	21 Jan 2026	0	0	0	20.0
	22 Jan 2026	0	0	0	20.0
	23 Jan 2026	0	0	0	20.0
	24 Jan 2026	0	0	0	20.0
	26 Jan 2026	0	0	0	20.1
27 Jan 2026	0	0	0	20.1	
28 Jan 2026	0	0	0	20.0	
29 Jan 2026	0	0	0	20.0	
30 Jan 2026	0	0	0	20.1	
31 Jan 2026	0	0	0	20.1	
<b>Action Level</b>		>10% LEL	---	>0.5%** CO <sub>2</sub>	<19%
<b>Limit Level</b>		>20% LEL	---	>1.5% CO <sub>2</sub>	<18%

\* LEL: Lower Explosive Limit - concentrations in air below which there is not enough fuel to continue an explosion.

\*\* This Limit Level of CO<sub>2</sub> at 0.5% is set for reference only, assuming no CO<sub>2</sub> emission from a particular location.

**Table 7-6 Summary of LFG Monitoring Results**

LFG Monitoring Station	Monitoring Date	Monitoring Parameter(s)				
		CH <sub>4</sub> in %	LEL in %/v	CO <sub>2</sub> in %	O <sub>2</sub> in %	
		Average Monitoring Results				
Portion B2/E1	2 Jan 2026	0	0	0	20.1	
	3 Jan 2026	0	0	0	20.1	
	5 Jan 2026	0	0	0	20.1	
	6 Jan 2026	0	0	0	20.1	
	7 Jan 2026	0	0	0	20.0	
	8 Jan 2026	0	0	0	20.0	
	9 Jan 2026	0	0	0	20.1	
	10 Jan 2026	0	0	0	20.1	
	12 Jan 2026	0	0	0	20.1	
	13 Jan 2026	0	0	0	20.1	
	14 Jan 2026	0	0	0	20.0	
	15 Jan 2026	0	0	0	20.0	
	16 Jan 2026	0	0	0	20.0	
	17 Jan 2026	0	0	0	20.0	
	19 Jan 2026	0	0	0	20.1	
	20 Jan 2026	0	0	0	20.1	
	21 Jan 2026	0	0	0	20.0	
	22 Jan 2026	0	0	0	20.0	
	23 Jan 2026	0	0	0	20.0	
	24 Jan 2026	0	0	0	20.0	
	26 Jan 2026	0	0	0	20.0	
	27 Jan 2026	0	0	0	20.0	
	28 Jan 2026	0	0	0	20.0	
	29 Jan 2026	0	0	0	20.0	
	30 Jan 2026	0	0	0	20.1	
	31 Jan 2026	0	0	0	20.1	
	<b>Action Level</b>		>10% LEL	---	>0.5%** CO <sub>2</sub>	<19%
	<b>Limit Level</b>		>20% LEL	---	>1.5% CO <sub>2</sub>	<18%

\* LEL: Lower Explosive Limit - concentrations in air below which there is not enough fuel to continue an explosion.

\*\* This Limit Level of CO<sub>2</sub> at 0.5% is set for reference only, assuming no CO<sub>2</sub> emission from a particular location.

7.5.3 The Summary of Landfill Gas Exceedance are shown in **Table 7-7**.

**Table 7-7 Summary of Landfill Gas Exceedance during the Reporting Period**

Landfill Gas Monitoring Station		Portion A +50 mpD to 70 mpD Platform		Portion B2/E1	
		Action Level	Limit Level	Action Level	Limit Level
Level Exceedance					
Parameters					
CH <sub>4</sub>	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0
CO <sub>2</sub>	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0
O <sub>2</sub>	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0

Remarks: \* equal to non-project related

7.5.4 No exceedance of Action and Limit Levels of LFG was recorded during the reporting period. Therefore, there was no record of Notification of Environmental Quality Limits Exceedance in the **Appendix H**.

7.5.5 No effect that arose from the other special phenomena and work progress of the concerned site was noted during the current monitoring month.

## 7.6 Recommended Mitigation Measures

7.6.1 The recommended landfill gas mitigation measures from EIA report are listed as followed:

- Special LFG precautions should be taken due to close proximity of NENT landfill extension site to existing landfill to avoid potential hazards of LFG exposure (ignition, explosion, asphyxiation, toxicity).
- Prominent safety warning signs should be erected on-site to alert all personnel and visitors of LFG hazards during excavation works.
- No smoking or burning should be permitted on-site.
- Prominent 'No smoking' and 'No Naked Flames' signs should be erected on-site.
- No worker should be allowed to work alone at any time in excavated trenches or confined areas on-site.
- Adequate fire fighting equipment should be provided on-site.
- Construction equipment should be equipped with vertical exhaust at least 0.6m above ground installed with spark arrestors.
- Electrical motors and extension cords should be explosion-proof and intrinsically safe for use on-site.
- 'Permit to Work' system should be implemented.

- Welding, flame-cutting or other hot works should be conducted only under 'Permit to Work' system following clear safety requirements, gas monitoring procedures and presence of qualified persons to supervise the works.

## 8 Landscape and Visual

### 8.1 Monitoring Requirement

- 8.1.1 In order to monitor the landscape and visual impact after providing mitigation measures effectively, all the specified and affected LCAs, LRs and VSRs should be monitored. Implementation of the mitigation measures during construction phase of the Project has been monitored through the regular site inspection/audit.
- 8.1.2 All relevant environmental mitigation measures listed in the approved EIA Report and the Updated EM&A Manual and their implementation status are summarised in **Appendix L**.

### 8.2 Result and Observation

- 8.2.1 Measures to mitigate the landscape and visual impacts during the construction phase has been checked to ensure compliance with the intended aims of the measures within the reporting period. The progress of the engineering works are regularly reviewed on site to identify the earliest practical opportunities for the landscape works to be undertaken.
- 8.2.2 In order to monitor the landscape and visual impact after providing mitigation measures effectively, all the specified and affected LCAs, LRs and VSRs should be monitored. Implementation of the mitigation measures during construction phase of the Project has been monitored through the regular site inspection/audit.

## 9 Cultural Heritage

- 9.1.1 The Mitigation measures for preservation of the cultural landscape feature located within the project area was conducted before commencement of construction of the project based on the requirement of Survey Report and Mapping Records for Boulder Paths BP1 & 2 & Conditions of G2, G4, G5 G6, G7, G8, G14, G15, G25, G26 and G27 within NENTX.
- 9.1.2 The survey and mapping works carried out on 23 August 2022 and the verification works carried out on 23 August 2022 confirmed that both 2 boulder paths BP1 and BP2 are fall outside the site boundary and the Project area.
- 9.1.3 All the affected graves within the waste boundary have been removed in accordance with section 119(1) of the Public Health and Municipal Services Ordinance (Cap 132). Removal of the graves as shown on Figure 2 attached to the FEP was proven by the visit of graves on 8 July 2022. All the graves as shown on Figure 2 attached to the FEP were abandoned and removed and no mitigation or preservation measures is necessary.
- 9.1.4 The Survey Report and Mapping Records for Boulder Paths BP1 & 2 was certified by ET on 10 Oct 2022, was verified by IEC and submitted to EPD on 12 Oct 2022. The Conditions of G2, G4, G5 G6, G7, G8, G14, G15, G25, G26 and G27 within NENTX was certified by ET, was verified by IEC and submitted to EPD on 15 Oct 2022. No later than four weeks before commencement of construction of the project in accordance with Condition 2.4 of the FEP-02/292/2007.
- 9.1.5 Implementation of the mitigation measures such as permanent fencing to protect the boulder path and setting up warning notices during construction phase of the Project has been monitored through the regular site inspection/audit. The permanent fencing locations are shown in **Appendix M**. In case of any presence of undiscovered grave during construction phase, AMO will be informed as soon as possible.

## 10 Ecological Monitoring

- 10.1.1 The post-transplantation monitoring had been completed in October 2023. No further post-transplantation monitoring will be conducted in accordance with the requirement of the approved Transplantation Proposal for Plant Species of Conservation Importance (Rev.1).
- 10.1.2 The post-translocation monitoring had been completed in July 2023. No further post-translocation monitoring will be conducted in accordance with the requirements of the Revised Translocation Proposal for the Endemic Freshwater Crab *Somanniathelphusa zanklon*.
- 10.1.3 The details of requirements, monitoring results and site inspection with photos for the post-translocation monitoring and post-transplantation monitoring would be reported separately.
- 10.1.4 The milestone of the ecological monitoring is presented in **Table 10-1**. The softcopies of the submissions are provided in <https://www.nentx-ema.com/ep-submissions/>.

**Table 10-1 Milestone of the Ecological Monitoring**

Type of Monitoring	Monitoring Event No.	Monitoring Date
Post-transplantation Monitoring	1 <sup>st</sup>	24 Nov 2022
	2 <sup>nd</sup>	9 Dec 2022
	3 <sup>rd</sup>	21 Dec 2022
	4 <sup>th</sup>	13 Jan 2023
	5 <sup>th</sup>	26 Jan 2023
	6 <sup>th</sup>	8 Feb 2023
	7 <sup>th</sup>	24 Feb 2023
	8 <sup>th</sup>	20 Mar 2023
	9 <sup>th</sup>	21 Apr 2023
	10 <sup>th</sup>	12 May 2023
	11 <sup>th</sup>	16 Jun 2023
	12 <sup>th</sup>	18 Jul 2023
	13 <sup>th</sup>	11 Aug 2023
	14 <sup>th</sup>	15 Sep 2023
	15 <sup>th</sup>	13 Oct 2023
Post-translocation Monitoring	1 <sup>st</sup> (Aug 2022)	29 Aug 2022
	2 <sup>nd</sup> (Sep 2022)	28 Sep 2022
	3 <sup>rd</sup> (Oct 2022)	28 Oct 2022
	4 <sup>th</sup> (Nov 2022)	22 Nov 2022
	5 <sup>th</sup> (Dec 2022)	29 Dec 2022
	6 <sup>th</sup> (Jan 2023)	30 Jan 2023
	7 <sup>th</sup> (Feb 2023)	24 Feb 2023
	8 <sup>th</sup> (Mar 2023)	20 Mar 2023
	9 <sup>th</sup> (Apr 2023)	19 Apr 2023
	10 <sup>th</sup> (May 2023)	17 May 2023
	11 <sup>th</sup> (Jun 2023)	7 Jun 2023
	12 <sup>th</sup> (Jul 2023)	12 Jul 2023

## 11 Site Inspection and Audit

11.1.1 Site Inspection and audits were carried out by ET on weekly basis to monitor the implementation of proper environmental management practices and mitigation measures in the Project Site.

11.1.2 Weekly ET environmental site inspections were conducted in the reporting period on 05, 12, 19 & 26 January 2026. A joint environmental site inspection was carried out by the representatives of the ER, the Contractor, IEC and the ET on 19 January 2026. The joint environmental site inspection records are shown in **Appendix K**. There was no noncompliance recorded during the site inspections.

11.1.3 Major findings and recommendations are summarized as follows:

### 05 Jan 2026

Observation(s):

1. Food waste without package was found at the waste skip of Portion D. The Contractor was recommended to provide the enclosed rubbish bins for food waste collection.
2. Works areas were dry and dust dispersion was found at Portion D & A. The Contractor was advised to increase frequency of water spraying at unpaved access roads and works area.

Reminder(s):

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

### 12 Jan 2026

Observation(s):

1. Cement bags or dry pulverized fuel ash (PFA) should be covered entirely by impervious sheeting or placed in an area sheltered on the top and 3 sides at Portion D.

### 19 Jan 2026

Observation(s):

1. Accumulated waste was found at Portion A. The Contractor was recommended to remove the accumulated waste.
2. Works Areas and access road was dry and dust dispersion was found at Portion A and B2/E1. The Contractor was advised to increase frequency of water spraying at unpaved access roads and works area.

Reminder(s):

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

### 26 Jan 2026

Observation(s):

1. Access Road at Portion A was dry and dust dispersion was found. The Contractor was advised to increase the frequency of watering at the access roads and unpaved roads.
2. Accumulated waste was found at Portion A. The Contractor was recommended to remove the accumulated waste at Portion A.

Reminder(s):

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

11.1.4 No general site inspection was conducted by Environmental Protection Department-Regional Office (North) (EPD-RNG) during the reporting period.

## 12 Environmental Non-Conformance

### 12.1 Summary of Monitoring Exceedance

#### Air Quality, Noise, Surface Water Quality & Landfill Gas Monitoring

12.1.1 No exceedance of the Action and Limit Levels were recorded at designated monitoring stations during the reporting period. The Notification of Environmental Quality Limits Exceedance is presented in **Appendix H**.

12.1.2 The Summary of Impact 1-hr & 24-hr TSP Exceedance are shown in **Table 12-1**.

**Table 12-1 Summary of Impact 1-hr & 24-hr TSP Exceedance during the Reporting Period**

Dust Monitoring Station		AM1		AM2		AM3	
Level Exceedance		Action Level	Limit Level	Action Level	Limit Level	Action Level	Limit Level
Parameters							
1-hr TSP	Exceedance Date	-	-	-	-	-	-
	Exceedance Count	0	0	0	0	0	0
24-hr TSP	Exceedance Date	-	-	-	-	-	-
	Exceedance Count	0	0	0	0	0	0

Remarks: \* equal to non-project related

12.1.3 The Summary of Impact Noise Exceedance are shown in **Table 12-2**.

**Table 12-2 Summary of Impact Noise Exceedance during the Reporting Period**

Noise Monitoring Station		NM1a		NM2a	
Level Exceedance		Action Level	Limit Level	Action Level	Limit Level
Parameters					
LA <sub>eq</sub> (30mins)	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0

Remarks:

- (1) \* equal to non-project related after the investigation.

(2) # equal to the complaint under the investigation.

12.1.4 The Summary of Impact Surface Water Quality Exceedance are shown in **Table 12-3**.

**Table 12-3 Summary of Impact Surface Water Quality Exceedance during the Reporting Period**

Surface Water Quality Monitoring Station		WM1		WM2	
Level Exceedance		Action Level	Limit Level	Action Level	Limit Level
Parameters					
pH	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0
DO	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0
Turbidity	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0
SS	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0

Remarks: \* equal to non-project related

12.1.5 The Summary of Landfill Gas Exceedance are shown in **Table 12-4**.

**Table 12-4 Summary of Landfill Gas Exceedance during the reporting period**

Landfill Gas Monitoring Station		Portion A +50 mpD to 70 mpD Platform		Portion B2/E1	
Level Exceedance		Action Level	Limit Level	Action Level	Limit Level
Parameters					
CH <sub>4</sub>	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0
CO <sub>2</sub>	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0
O <sub>2</sub>	Exceedance Date	-	-	-	-
	Exceedance Count	0	0	0	0

Remarks: \* equal to non-project related

## 12.2 Summary of Environmental Non-Compliance

12.2.1 No non-compliance event was recorded during the reporting period.

## 12.3 Summary of Environmental Complaint

12.3.1 No environmental complaint was recorded during the reporting period. The cumulative statistics on environmental complaints are presented in **Table 12-5**.

**Table 12-5 Cumulative Statistics on Environmental Complaints**

Reporting Period		Environmental Aspects				
		Air Quality	Noise	Water Quality	Waste	Ecology
Jan 2026	Complaint Date	-	-	-	-	-
	No. of Complaint	0	0	0	0	0
Reporting Period Total		0	0	0	0	0
Accumulate of project		2*	2*	7(2*)	0	0

Remarks:

- \* equal to non-project related after the investigation.

12.3.2 Cumulative complaint / enquiry log, Summaries of complaints and enquiries are presented in **Appendix N**.

## 12.4 Summary of Environmental Summons and Successful Prosecution

12.4.1 No summons and successful prosecution were received during the reporting period.

## 13 Implementation Status on Environmental Mitigation Measures

### 13.1 General

- 13.1.1 The Contractor has generally implemented part of environmental mitigation measures and requirements as stated in the EIA Report, the EP and Updated EM&A Manual and the contract documents. The implementation status during the reporting period is summarized in **Appendix L**.

## 14 Future Key Issues

### 14.1 Key Issues for the Coming Month

14.1.1 Works to be undertaken for the coming monitoring periods are summarized below. Detailed construction activities and locations are summarized in **Appendix A**.

- 
- Material loading and unloading, backfilling of material and site traffic at Portion A, SBA to alternative disposal ground

---

  - Construction of site buildings at Portion D

---

  - Site clearance at Portion A, B2/E1, E3-1 & E4

---

  - Installation of permanent fencing at Portion A, B1 & E4

---

  - Site formation at Portion A, B2/E1, E3-1 & E4

---

  - Tree felling at whole site

---

  - Shotcreting (Permanent and Temporary) at whole site

---

  - Soil nail installation at Portion A, B2/E1 & E4

---

  - Construction of RE wall at Portion E3-1

---

  - Leachate plant installation at Portion A

---

  - Linear installation at landfill area

---

  - LFG plant installation at Portion A
- 

14.1.2 Potential environmental impacts arising from the above construction activities are mainly associated with air quality, construction noise, water quality, waste management, landfill gas monitoring, landscape and visual, cultural heritage and ecology.

### 14.2 Monitoring Schedule for the Next Month

14.2.1 The tentative schedule of environmental monitoring for the next reporting period is presented in **Appendix D**.

### 14.3 Construction Programme for the Next Month

14.3.1 The most updated construction programme for the Project is presented in **Appendix A**.


## 15 Conclusion

- 15.1.1 1-hr & 24-hr TSP impact monitoring was carried out in the reporting month. No Action / Limit Level exceedance for 1-hr & 24-hr TSP impact monitoring was recorded during the reporting period.
- 15.1.2 Construction noise monitoring was carried out in the reporting month. No Action / Limit Level exceedance for noise impact monitoring was recorded during the reporting period.
- 15.1.3 The baseline groundwater monitoring was commenced on 28 March 2025. The details of baseline groundwater monitoring will be presented in the Baseline Monitoring Report.
- 15.1.4 Surface Water Quality Monitoring was carried out in the reporting month. No Action / Limit Level exceedance of surface water quality was recorded at WM1 & WM2 during the reporting period.
- 15.1.5 Landfill Gas Monitoring was carried out in the reporting month. No exceedance of Action / Limit Levels of LFG was recorded during the reporting period.
- 15.1.6 In terms of cultural heritage, implementation of the mitigation measures such as permanent fencing to protect the boulder path and setting up warning notices during construction phase of the Project has been monitored through the regular site inspection/audit in the reporting period. All the mitigation measures are in order.
- 15.1.7 Weekly environmental site inspections were carried out in the reporting month. Recommendations on mitigation measures for Permit/ Licenses were given to the Contractor for remediating the deficiencies identified during the site inspections.
- 15.1.8 No environmental complaint was recorded during the reporting period.
- 15.1.9 No non-compliance event was recorded during the reporting period.
- 15.1.10 No notification of summons and prosecution was received during the reporting period.
- 15.1.11 The ET will keep track on the EM&A programme to ensure compliance of environmental requirements and the proper implementation of all necessary mitigation measures.

## Figure 1 Location of the Project Site



## Figure 2 Impact Air Quality, Noise & Surface Water Quality Monitoring Locations



## Figure 3 Landfill Gas Monitoring Locations

Gas Monitoring Point ●

Monitoring Frequency: 2 times per day





Figure 3 Landfill Gas Monitoring Locations

Gas Monitoring Point ●  
Monitoring Frequency:  
2 times per day



Figure 3 Landfill Gas Monitoring Locations

# Appendix A Construction Programme & Construction Activities

Activity ID	Activity Name	At Completion Duration	Actual Start	Actual Finish	Early Start	Early Finish	Late Start	Late Finish	Predecessors	Successors	Total Float	2022				2023				2024				2025				2026				
												Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	
<b>NENTX_Updated Baseline Programme (Rev.4)</b>																																
<b>DESIGN DEVELOPMENT</b>																																
Portion A - Site Formation																																
Portion A & D Architectural Design																																
Portion A - Leachate Treatment Works & LFG Treatment Plant																																
Portion A - Process Building																																
Portion D Site Formation																																
Portion A and D Preliminary Utilities Arrangement																																
Site services detailed design for Portion A and D																																
Permanent Drainage - Portion A, C & D																																
Sewerage Management Plan - Portion A, C & D																																
Pavement Road and Traffic Design for Portion A & D																																
Accommodation Buildings (Portion D)																																
Existing Structures (Portion C)																																
Landfill Area																																
<b>FS Submission and FSD Consent</b>																																
Preliminary FS Submission																																
Process Building and Fire Services Building Detailed Design FS Submission																																
<b>TECHNICAL SUBMISSION</b>																																
Project Control Plan and Report																																
<b>PROCUREMENT / FABRICATION / DELIVERY</b>																																
General Material																																
LIFT																																
LTW - GFS and GRP Tanks																																
LTW - Lamella Settlers																																
LTW - Sludge Thickening																																
LTW - Ammonia Stripper																																
Process Building(Electrical equipments)																																
LFG Plant																																
<b>EPD REQUIREMENT - GI WORKS</b>																																
PORTION D																																
PORTION A																																
PORTION E3-1																																
PORTION E4																																
PORTION E3-1-A																																
PORTION E1																																
ENVIRONMENTAL MONITORING																																
<b>CONSTRUCTION - INITIAL WORKS PHASE 1</b>																																
PORTION A																																
SITEWIDE Underground UTILITIES (Portion A to Portion D)																																
Waste Reception Area (PORTION C) Construct by Others																																
PORTION D																																
PORTION D - Underground Drainage / UG Utilities and Pipe Laying Works																																
PORTION D - EVA Road Road Pavement Works																																
Landfill Area (Portion E3-1, E4, E1, B1-1 & B2)																																
Landscape Works (Landfill)																																
<b>FS INSPECTION</b>																																
Portion A - Readiness for FS Inspection (Process Building)																																
Portion D : Readiness for FS inspection																																
2nd Inspection																																
FS Inspection Certificate																																
<b>STATUTORY SUBMISSION</b>																																
Obtain Licences & Permits for Construction																																
Obtain Licences & Permits for Operation																																



- Remaining Level of Effort
- Remaining Work
- Critical Remaining Work
- Milestone
- Summary


NORTH EAST NEW TERRITORIES (NENTX) LANDFILL EXTENSION  
**UPDATED BASELINE PROGRAMME (Rev.4)**  
 Ececutive Summary  
**INITIAL WORKS (PHASE 1)**



Date	Revision	Ch...	Appr...
22-Jun-22	GENERAL REVISION		
31-Mar-23	GENERAL REVISION		

Construction Activities	Where	Who	What - ENV Impacts	Mitigation Measures
Material loading and unloading, backfilling of material, site traffic	Portion A, SBA to Alternative Disposal Ground	PCL	Dust, bringing mud to the common haul road	Speed limit, covering of materials and water spraying, lorry washing at the exit of the site
Construction of Site buildings	Portion D	PCL	Washout flowing to site water discharge point, dust emissions	Avoid the spillage of concrete, lorry washing at designated area, operation and maintenance of water treatment facility at discharge point
Site clearance	Portion A, Portion E3-1, Portion E4, Portion E1/B2	PCL	Wash out going to surface water channel and site water discharge point, generation of yard waste	Cover exposed slope by tarpaulin, diversion of surface water, operation and maintenance of water treatment facility at discharge point, implementation of trip ticket system
Installation of permanent fencing	Portion A, Portion B1, Portion E4	PCL	Dust	Covering of cement storage area, enclosure of mixing area
Site formation	Portion A, Portion E3-1, Portion E4, Portion E1/B2	PCL	Generation of C&D waste	Implementation of trip ticket system, waste recycling, internal waste transfer
Tree Felling	Whole site	PCL	Generation of yard waste	Implementation of trip ticket system, waste recycling, internal waste transfer
Shotcreting (permanent and temporary)	Whole site	PCL	Dust	Covering of cement storage area, enclosure of mixing area
Soil Nail Installation	Portion A, E1/B2, E4	PCL	Dust	Covering of cement storage area, enclosure of mixing area, watering during works, install dust screen at work area
Construction of RE Wall	Portion E3-1	PCL	Dust	Regular watering
Leachate Plant installation	Portion A	ATAL	Noise, Waste generation	Noise mitigation when required, implementation of trip ticket system, waste recycling
Liner installation	Landfill area	ESCL	waste generation	implementation of trip ticket system, waste recycling
LFG plant installation	Portion A	REC	Noise, Waste generation	Noise mitigation when required, implementation of trip ticket system, waste recycling

# Appendix B Project Organization Chart & Management Structure



Notes:


EPD - Environmental Protection Department

Arup – Ove Arup & Partners Limited

Veolia - Veolia Environmental Services Hong Kong Limited

Meinhardt - Meinhardt Infrastructure And Environment Limited

Aurecon - Aurecon Hong Kong Limited



# Appendix C Detail Status of FEP & EP Submission

## Detail Status of Submissions required under the FEP & EP

FEP Condition	EP Condition	Submission / Measures	Status
2.1	2.3	Management Organization of Main Construction Companies	Submission Date (12 Oct 2022)
2.2	2.4	Setting up of Community Liaison Group (CLG)	Submission Date (12 Oct 2022) 1 <sup>st</sup> CLG meeting (12 Jan 2023)
2.3	2.5	Submission of EM&A Manual	Submission Date (12 Oct 2022)
2.4	2.6	Submission of Preservation of Cultural Landscape Features	Survey and Preservation of Grave Records: Submission Date (15 Oct 2022) Survey and Preservation of Boulder Paths: Submission Date (12 Oct 2022)
2.5	2.7	Submission of Vegetation Survey (Transplantation Proposal)	Submission Date (2 Sep2022)
2.6	2.8	Submission of translocation proposal	Submission Date (8 Jul 2022)
2.7	2.9	Submission of Transplantation Report and Post-Transplantation Monitoring	Submission Date (19 Jan 2023) 1 <sup>st</sup> monitoring (24 Nov 2022) 2 <sup>nd</sup> monitoring (9 Dec 2022) 3 <sup>rd</sup> monitoring (21 Dec 2022) 4 <sup>th</sup> monitoring (13 Jan 2023) 5 <sup>th</sup> monitoring (26 Jan 2023) 6 <sup>th</sup> monitoring (8 Feb 2023) 7 <sup>th</sup> monitoring (24 Feb 2023) 8 <sup>th</sup> monitoring (20 Mar 2023) 9 <sup>th</sup> monitoring (21 Apr 2023) 10 <sup>th</sup> monitoring (12 May 2023) 11 <sup>th</sup> monitoring (16 Jun 2023) 12 <sup>th</sup> monitoring (18 Jul 2023) 13 <sup>th</sup> monitoring (11 Aug 2023) 14 <sup>th</sup> monitoring (15 Sep 2023) 15 <sup>th</sup> monitoring (13 Oct 2023)

FEP Condition	EP Condition	Submission / Measures	Status
2.8	2.10	Submission of Translocation Report and Post-Translocation Monitoring	<p>Translocation was carried out in July 2022</p> <p>Submission Date (27 Dec 2022)</p> <p>1<sup>st</sup> monitoring (29 Aug 2022)</p> <p>2<sup>nd</sup> monitoring (28 Sep 2022)</p> <p>3<sup>rd</sup> monitoring (28 Oct 2022)</p> <p>4<sup>th</sup> monitoring (22 Nov 2022)</p> <p>5<sup>th</sup> monitoring (29 Dec 2022)</p> <p>6<sup>th</sup> monitoring (30 Jan 2023)</p> <p>7<sup>th</sup> monitoring (24 Feb 2023)</p> <p>8<sup>th</sup> monitoring (20 Mar 2023)</p> <p>9<sup>th</sup> monitoring (19 Apr 2023)</p> <p>10<sup>th</sup> monitoring (17 May 2023)</p> <p>11<sup>th</sup> monitoring (7 Jun 2023)</p> <p>12<sup>th</sup> monitoring (12 Jul 2023)</p>
2.9	2.11	Submission of Detailed Landfill Gas Hazard Assessment Report	Submission Date (6 Oct 2022)
2.10	2.12	Submission of Waste Management Plan	Submission Date (30 Dec 2022)
2.11	2.13	Submission of Landscape Plan	Submission Date (31 May 2023)
3.2	3.2	Submission of Baseline Monitoring Report	Submission Date (30 Nov 2022)

FEP Condition	EP Condition	Submission / Measures	Status
3.3	3.3	Submission of Monthly EM&A Report	1 <sup>st</sup> report (Dec 2022) 2 <sup>nd</sup> report (Jan 2023) 3 <sup>rd</sup> report (Feb 2023) 4 <sup>th</sup> report (Mar 2023) 5 <sup>th</sup> report (Apr 2023) 6 <sup>th</sup> report (May 2023) 7 <sup>th</sup> report (Jun 2023) 8 <sup>th</sup> report (Jul 2023) 9 <sup>th</sup> report (Aug 2023) 10 <sup>th</sup> report (Sep 2023) 11 <sup>th</sup> report (Oct 2023) 12 <sup>th</sup> report (Nov 2023) 13 <sup>th</sup> report (Dec 2023) 14 <sup>th</sup> report (Jan 2024) 15 <sup>th</sup> report (Feb 2024) 16 <sup>th</sup> report (Mar 2024) 17 <sup>th</sup> report (Apr 2024) 18 <sup>th</sup> report (May 2024) 19 <sup>th</sup> report (Jun 2024) 20 <sup>th</sup> report (Jul 2024) 21 <sup>st</sup> report (Aug 2024) 22 <sup>nd</sup> report (Sep 2024) 23 <sup>rd</sup> report (Oct 2024) 24 <sup>th</sup> report (Nov 2024) 25 <sup>th</sup> report (Dec 2024) 26 <sup>th</sup> report (Jan 2025) 27 <sup>th</sup> report (Feb 2025) 28 <sup>th</sup> report (Mar 2025) 29 <sup>th</sup> report (Apr 2025) 30 <sup>th</sup> report (May 2025) 31 <sup>st</sup> report (Jun 2025) 32 <sup>nd</sup> report (Jul 2025) 33 <sup>rd</sup> report (Aug 2025) 34 <sup>th</sup> report (Sep 2025) 35 <sup>th</sup> report (Oct 2025) 36 <sup>th</sup> report (Nov 2025) 37 <sup>th</sup> report (Dec 2025) 38 <sup>th</sup> report (Jan 2026)

---

# Appendix D Monitoring Schedule for Reporting Month & Next Month

**1-2026**

Sun	Mon	Tue	Wed	Thur	Fri	Sat
28	29	30 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	31	1	2	3
4	5 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	6 Surface water quality monitoring at WM1 & WM2	7	8	9 Air quality monitoring at AM1, AM2 and AM3	10
11	12	13	14	15 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	16	17
18	19	20	21 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	22	23	24
25	26	27 Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	28	29	30	31

**Remark:**

1. The schedule is tentative only and would be subject to changes due to unforeseen circumstances.
2. Air quality monitoring includes 1-hour TSP and 24-hour TSP monitoring at AM1, AM2 and AM3 (Ref.: Table 3.1 of the approved EM&A Manual).
3. Noise monitoring includes 30-minute construction noise monitoring at NM1a and NM2a (Ref.: Table 4.1 of the approved EM&A Manual).
4. Surface water quality monitoring includes in-situ measurement and water sampling for laboratory analysis at WM1 and WM2 (Ref.: Table 5.5 and Section 5.5.6 of the approved EM&A Manual).
5. Please arrange a Veolia staff to accompany our staff(s) to each locations for every monitoring.

2-2026						
Sun	Mon	Tue	Wed	Thur	Fri	Sat
<b>1</b>	<b>2</b> Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b> Air quality monitoring at AM1, AM2 and AM3
<b>8</b>	<b>9</b>	<b>10</b> Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a Surface water quality monitoring at WM1 & WM2	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b> Air quality monitoring at AM1, AM2 and AM3
<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b> Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	<b>21</b>
<b>22</b>	<b>23</b>	<b>24</b> Air quality monitoring at AM1, AM2 and AM3 Noise monitoring at NM1a and NM2a	<b>25</b>	<b>26</b>	<b>27</b>	<b>28</b>
Remark: 1. The schedule is tentative only and would be subject to changes due to unforeseen circumstances. 2. Air quality monitoring includes 1-hour TSP and 24-hour TSP monitoring at AM1, AM2 and AM3 (Ref.: Table 3.1 of the approved EM&A Manual). 3. Noise monitoring includes 30-minute construction noise monitoring at NM1a and NM2a (Ref.: Table 4.1 of the approved EM&A Manual). 4. Surface water quality monitoring includes in-situ measurement and water sampling for laboratory analysis at WM1 and WM2 (Ref.: Table 5.5 and Section 5.5.6 of the approved EM&A Manual). 5. Please arrange a Veolia staff to accompany our staff(s) to each locations for every monitoring.						

## Appendix E Calibration Certificates

# Air Quality

**Sibata LD-5R K-Factor Verification Test by Total Suspended Particulates HVS Test Report**

**Information of Calibrated Equipment**

Verification Test Date:	<b>13-Sep-25</b>	to	<b>14-Sep-25</b>	Next Verification Test Date:	<b>12-Sep-26</b>
Unit-under-Test- Model No.:	Sibata LD-5R				
Unit-under-Test Serial No.:	0Z4545				
Our Report Reference No.:	RPT-25-HVS-0091				
Calibration Location:	AM2, location near the Leachate Treatment Works within the NENTX Landfill				

**Standard Equipment Information**


Verification Equipment Type:	Tisch TSP HVS	Tisch HVS Calibrator
Standard Equipment Model No.:	TE-5170X	TE-5025A
Equipment serial no.:	1106	3465
Last Calibration Date:	12-Sep-25	02-Dec-24
Next Calibration Date:	12-Sep-26	02-Dec-25

**Equipment Verification Result**

Verification Test No.	Date	Duration			Results from Calibrated Equipment		Results from Standard Equipment
		Start-time	End-time	Elapsed Time (in min)	Total Counts	Counts/ Minute x-axis	Dust Concentration ( $\mu\text{g}/\text{m}^3$ ) y-axis
1	12/09/25	6021.22	6024.22	180.00	9000	50	55
2	12/09/25	6024.22	6027.22	180.00	13140	73	77
3	12/09/25	6027.22	6030.22	180.00	13680	76	80
4	13/09/25	6030.22	6033.22	180.00	12960	72	75
5	13/09/25	6033.22	6036.22	180.00	12780	71	75
6	13/09/25	6036.22	6039.22	180.00	9540	53	59

**Linear Regression of y on x**

Slope, K factor:	<b>0.9249</b>	Intercept:	<b>9.2765</b>	*Correlation Coefficient, R:	<b>0.9984</b>
Verification Test Result:	<b>Strong Correlation, Results were accepted.</b>			* If the Correlation Coefficient, R is <0.5. Checking and Re-verification are required.	



Operated By:

Andy Li

Project Technician, Environmental

Date:

14-09-2025

Checked By:

Joe Ho

Lead Consultant, Environmental

Date:

14-09-2025

**Sibata LD-5R K-Factor Verification Test by Total Suspended Particulates HVS Test Report**

**Information of Calibrated Equipment**

Verification Test Date:	<b>13-Sep-25</b>	to	<b>14-Sep-25</b>	Next Verification Test Date:	<b>12-Sep-26</b>
Unit-under-Test- Model No.:	Sibata LD-5R				
Unit-under-Test Serial No.:	882106				
Our Report Reference No.:	RPT-25-HVS-0092				
Calibration Location:	AM2, location near the Leachate Treatment Works within the NENTX Landfill				

**Standard Equipment Information**


Verification Equipment Type:	Tisch TSP HVS	Tisch HVS Calibrator
Standard Equipment Model No.:	TE-5170X	TE-5025A
Equipment serial no.:	1106	3465
Last Calibration Date:	12-Sep-25	02-Dec-24
Next Calibration Date:	12-Sep-26	02-Dec-25

**Equipment Verification Result**

Verification Test No.	Date	Duration			Results from Calibrated Equipment		Results from Standard Equipment
		Start-time	End-time	Elapsed Time (in min)	Total Counts	Counts/ Minute x-axis	Dust Concentration ( $\mu\text{g}/\text{m}^3$ ) y-axis
1	12/09/25	6021.22	6024.22	180.00	9360	52	55
2	12/09/25	6024.22	6027.22	180.00	12960	72	77
3	12/09/25	6027.22	6030.22	180.00	14220	79	80
4	13/09/25	6030.22	6033.22	180.00	13140	73	75
5	13/09/25	6033.22	6036.22	180.00	13140	73	75
6	13/09/25	6036.22	6039.22	180.00	9900	55	59

**Linear Regression of y on x**

Slope, K factor:	<b>0.9382</b>	Intercept:	<b>6.9956</b>	*Correlation Coefficient,R:	<b>0.9922</b>
Verification Test Result:	<b>Strong Correlation, Results were accepted.</b>			* If the Correlation Coefficient, R is <0.5. Checking and Re-verification are required.	



Operated By:

Andy Li  
Project Technician, Environmental

Date: 14-09-2025

Checked By:

Joe Ho  
Lead Consultant, Environmental

Date: 14-09-2025

**Sibata LD-5R K-Factor Verification Test by Total Suspended Particulates HVS Test Report**

**Information of Calibrated Equipment**

Verification Test Date:	<b>13-Sep-25</b>	to	<b>14-Sep-25</b>	Next Verification Test Date:	<b>12-Sep-26</b>
Unit-under-Test- Model No.:	Sibata LD-5R				
Unit-under-Test Serial No.:	942532				
Our Report Reference No.:	RPT-25-HVS-0090				
Calibration Location:	AM2, location near the Leachate Treatment Works within the NENTX Landfill				

**Standard Equipment Information**


Verification Equipment Type:	Tisch TSP HVS	Tisch HVS Calibrator
Standard Equipment Model No.:	TE-5170X	TE-5025A
Equipment serial no.:	1106	3465
Last Calibration Date:	12-Sep-25	02-Dec-24
Next Calibration Date:	12-Sep-26	02-Dec-25

**Equipment Verification Result**

Verification Test No.	Date	Duration			Results from Calibrated Equipment		Results from Standard Equipment
		Start-time	End-time	Elapsed Time (in min)	Total Counts	Counts/ Minute x-axis	Dust Concentration ( $\mu\text{g}/\text{m}^3$ ) y-axis
1	12/09/25	6021.22	6024.22	180.00	9720	54	55
2	12/09/25	6024.22	6027.22	180.00	13500	75	77
3	12/09/25	6027.22	6030.22	180.00	13680	76	80
4	13/09/25	6030.22	6033.22	180.00	12600	70	75
5	13/09/25	6033.22	6036.22	180.00	12960	72	75
6	13/09/25	6036.22	6039.22	180.00	10080	56	59

**Linear Regression of y on x**

Slope, K factor:	<b>1.0704</b>	Intercept:	<b>-1.7277</b>	*Correlation Coefficient,R:	<b>0.9929</b>
Verification Test Result:	<b>Strong Correlation, Results were accepted.</b>			* If the Correlation Coefficient, R is <0.5. Checking and Re-verification are required.	



Operated By: Andy Li  
Project Technician, Environmental

Date: 14-09-2025

Checked By: Joe Ho  
Lead Consultant, Environmental

Date: 14-09-2025

## HIVOL SAMPLER CALIBRATION DATA SHEET (TSP)

### Site Information

Location:	Representative For Tung Lo Hang	Site ID:	AM1	Cal Date:	2/12/2025
				Exp Date:	1/02/2026
Serial No.:	1105	Model:	TE-5170X	Operator:	Andy Li

### Ambient Condition

Actual Pressure during Calibration (P <sub>a</sub> ) (mm Hg):	764.7	Actual Temperature during Calibration (T <sub>a</sub> ) (deg K):	290.3
---	-------	--	-------

### Calibration Orifice

Model:	TE-5025A	Slope (m <sub>c</sub> ):	2.07841
Serial No.:	4166	Intercept (b <sub>c</sub> ):	-0.01551
Calibration Due Date:	8-May-26	Corr. Coeff:	0.99992

### Calibration Data

Plate or Test #	ΔH <sub>2</sub> O (in)	Q <sub>a</sub> , X-Axis (m <sup>3</sup> /min)	I, CFM (chart)	IC, Y-Axis (corrected)
18	12.80	1.757	60.0	60.98
13	10.30	1.577	55.0	55.90
10	8.50	1.433	48.0	48.78
7	6.80	1.283	46.0	46.75
5	3.00	0.854	30.0	30.49

#### Sampler Calibration Relationship (Q<sub>a</sub> on x-axis, IC on y-axis)

m = 33.6866                      b = 2.0667                      Corr. Coeff = 0.9950


#### Calculations

$$Q_a = 1/m_c * [\text{Sqrt}(\Delta H_2O * (P_a/P_{Std}) * (T_{Std}/T_a)) - b_c]$$

$$IC = I * (\text{Sqrt}(P_a/P_{Std}) * (T_{Std}/T_a))$$

Q<sub>a</sub> = actual flow rate  
 IC = corrected chart response  
 I = actual chart response  
 m<sub>c</sub> = calibrator slope  
 b<sub>c</sub> = calibrator intercept

m = sampler slope  
 b = sampler intercept  
 T<sub>Std</sub> = 298 deg K  
 P<sub>Std</sub> = 760 mm Hg  
 T<sub>a</sub> = actual temperature during calibration (deg K)  
 P<sub>a</sub> = actual pressure during calibration (mm Hg)



Checked by: F.C Tsang  
 Monitoring Team Leader

Date: 05-Dec-2025

## HIVOL SAMPLER CALIBRATION DATA SHEET (TSP)

### Site Information

Location:	Representative For Heung YuenWai	Site ID:	AM2	Cal Date:	2/12/2025
				Exp Date:	1/02/2026
Serial No.:	1106	Model:	TE-5170X	Operator:	Andy Li

### Ambient Condition

Actual Pressure during Calibration (P <sub>a</sub> ) (mm Hg):	764.7	Actual Temperature during Calibration (T <sub>a</sub> ) (deg K):	290.3
---	-------	--	-------

### Calibration Orifice

Model:	TE-5025A	Slope (m <sub>c</sub> ):	2.07841
Serial No.:	4166	Intercept (b <sub>c</sub> ):	-0.01551
Calibration Due Date:	8-May-26	Corr. Coeff:	0.99992

### Calibration Data

Plate or Test #	ΔH <sub>2</sub> O (in)	Q <sub>a</sub> , X-Axis (m <sup>3</sup> /min)	I, CFM (chart)	IC, Y-Axis (corrected)
18	12.60	1.743	62.0	63.01
13	10.20	1.569	58.0	58.95
10	8.40	1.425	52.0	52.85
7	6.00	1.205	46.0	46.75
5	4.00	0.985	36.0	36.59

#### Sampler Calibration Relationship (Q<sub>a</sub> on x-axis, IC on y-axis)

m = 34.7432                      b = 3.4907                      Corr. Coeff = 0.9940


#### Calculations

$$Q_a = 1/m_c * [\text{Sqrt}(\Delta H_2O * (P_a/P_{Std}) * (T_{Std}/T_a))] - b_c$$

$$IC = I * (\text{Sqrt}(P_a/P_{Std}) * (T_{Std}/T_a))$$

Q<sub>a</sub> = actual flow rate  
 IC = corrected chart response  
 I = actual chart response  
 m<sub>c</sub> = calibrator slope  
 b<sub>c</sub> = calibrator intercept

m = sampler slope  
 b = sampler intercept  
 T<sub>Std</sub> = 298 deg K  
 P<sub>Std</sub> = 760 mm Hg  
 T<sub>a</sub> = actual temperature during calibration (deg K)  
 P<sub>a</sub> = actual pressure during calibration (mm Hg)



Checked by: F.C Tsang  
 Monitoring Team Leader

Date: 05-Dec-2025

## HIVOL SAMPLER CALIBRATION DATA SHEET (TSP)

### Site Information

Location:	Representative For Wo Keng Shan Tsuen	Site ID:	AM3	Cal Date:	2/12/2025
				Exp Date:	1/02/2026
Serial No.:	1856	Model:	TE-5170X	Operator:	Andy Li

### Ambient Condition

Actual Pressure during Calibration ( $P_a$ ) (mm Hg):	764.7	Actual Temperature during Calibration ( $T_a$ ) (deg K):	290.3
---	-------	--	-------

### Calibration Orifice

Model:	TE-5025A	Slope ( $m_c$ ):	2.07841
Serial No.:	4166	Intercept ( $b_c$ ):	-0.01551
Calibration Due Date:	8-May-26	Corr. Coeff:	0.99992

### Calibration Data

Plate or Test #	$\Delta H_2O$ (in)	$Q_a$ , X-Axis ( $m^3/min$ )	I, CFM (chart)	IC, Y-Axis (corrected)
18	14.00	1.837	62.0	63.01
13	10.60	1.599	54.0	54.88
10	8.60	1.441	48.0	48.78
7	6.00	1.205	42.0	42.68
5	3.60	0.935	32.0	32.52

Sampler Calibration Relationship ( $Q_a$  on x-axis, IC on y-axis)

$$m = \underline{\underline{33.2802}}$$

$$b = \underline{\underline{1.6612}}$$

$$\text{Corr. Coeff} = \underline{\underline{0.9985}}$$


### Calculations

$$Q_a = 1/m_c * [\text{Sqrt}(\Delta H_2O * (P_a/P_{Std}) * (T_{Std}/T_a)) - b_c]$$

$$IC = I * (\text{Sqrt}(P_a/P_{Std}) * (T_{Std}/T_a))$$

$Q_a$  = actual flow rate  
 $IC$  = corrected chart response  
 $I$  = actual chart response  
 $m_c$  = calibrator slope  
 $b_c$  = calibrator intercept

$m$  = sampler slope  
 $b$  = sampler intercept  
 $T_{Std}$  = 298 deg K  
 $P_{Std}$  = 760 mm Hg  
 $T_a$  = actual temperature during calibration (deg K)  
 $P_a$  = actual pressure during calibration (mm Hg)



Checked by: F.C Tsang  
Monitoring Team Leader

Date: 05-Dec-2025

# Certificate of Calibration

Calibration Certification Information			
Cal. Date: May 8, 2025	Rootmeter S/N: 438320	Ta: 294	°K
Operator: Jim Tisch		Pa: 750.8	mm Hg
Calibration Model #: TE-5025A	Calibrator S/N: <b>4166</b>		

Run	Vol. Init (m3)	Vol. Final (m3)	ΔVol. (m3)	ΔTime (min)	ΔP (mm Hg)	ΔH (in H2O)
1	1	2	1	1.4520	3.2	2.00
2	3	4	1	1.0200	6.4	4.00
3	5	6	1	0.9110	8.0	5.00
4	7	8	1	0.8740	8.8	5.50
5	9	10	1	0.7190	12.9	8.00

Data Tabulation					
Vstd (m3)	Qstd (x-axis)	$\sqrt{\Delta H \left( \frac{Pa}{Pstd} \right) \left( \frac{Tstd}{Ta} \right)}$ (y-axis)	Va	Qa (x-axis)	$\sqrt{\Delta H \left( \frac{Ta}{Pa} \right)}$ (y-axis)
0.9971	0.6867	1.4152	0.9957	0.6858	0.8850
0.9928	0.9734	2.0014	0.9915	0.9720	1.2515
0.9907	1.0875	2.2376	0.9893	1.0860	1.3992
0.9896	1.1323	2.3468	0.9883	1.1308	1.4675
0.9842	1.3688	2.8304	0.9828	1.3669	1.7699
<b>QSTD</b>	<b>m= 2.07841</b>		<b>QA</b>	<b>m= 1.30146</b>	
	<b>b= -0.01551</b>			<b>b= -0.00970</b>	
	<b>r= 0.99992</b>			<b>r= 0.99992</b>	

Calculations			
Vstd=	$\Delta Vol((Pa-\Delta P)/Pstd)(Tstd/Ta)$	Va=	$\Delta Vol((Pa-\Delta P)/Pa)$
Qstd=	Vstd/ΔTime	Qa=	Va/ΔTime

For subsequent flow rate calculations:	
$Qstd = 1/m \left( \left( \sqrt{\Delta H \left( \frac{Pa}{Pstd} \right) \left( \frac{Tstd}{Ta} \right)} \right) - b \right)$	$Qa = 1/m \left( \left( \sqrt{\Delta H \left( \frac{Ta}{Pa} \right)} \right) - b \right)$

Standard Conditions	
Tstd:	298.15 °K
Pstd:	760 mm Hg
Key	
ΔH: calibrator manometer reading (in H2O)	
ΔP: rootsmeter manometer reading (mm Hg)	
Ta: actual absolute temperature (°K)	
Pa: actual barometric pressure (mm Hg)	
b: intercept	
m: slope	

RECALIBRATION
US EPA recommends annual recalibration per 1998 40 Code of Federal Regulations Part 50 to 51, Appendix B to Part 50, Reference Method for the Determination of Suspended Particulate Matter in the Atmosphere, 9.2.17, page 30

# Noise

# *Certificate of Calibration*

*for*

*Description:*                      *Sound Level Meter*  
*Manufacturer:*                    *NTi Audio*  
*Type No.:*                          *XL2 (Serial No.: A2A-13661-E0)*  
*Microphone:*                      *ACO 7052 (Serial No.:84464)*  
*Preamplifier:*                    *NTi Audio MA220 (M2211) (Serial No.:5287)*

***Submitted by:***

*Customer:*                      *Aurecon Hong Kong Limited*  
*Address:*                        *Unit 1608, 16/F, Tower B, Manulife Financial Centre,*  
*223-231 Wai Yip Street, Kwun Tong,*  
*Kowloon, Hong Kong*

**Upon receipt for calibration, the instrument was found to be:**

- Within (31.5Hz – 8kHz)**  
 **Outside**

**the allowable tolerance.**

The test equipment used for calibration are traceable to National Standards via:

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

**Date of receipt: 6 August 2025**

**Date of calibration: 7 August 2025**

**Date of NEXT calibration: 6 August 2026**

*Calibrated by:* \_\_\_\_\_  
*Calibration Technician*

*Certified by:* \_\_\_\_\_  
*Mr. Ng Yan Wa*  
*Laboratory Manager*

**Date of issue: 7 August 2025**

*Certificate No.: APJ25-046-CC002*



Page 1 of 4

**1. Calibration Precaution:**

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

**2. Calibration Conditions:**

Air Temperature: 24.6 °C  
 Air Pressure: 1006 hPa  
 Relative Humidity: 54.7 %

**3. Calibration Equipment:**

	Type	Serial No.	Calibration Report Number	Traceable to
Multifunction Calibrator	B&K 4226	2288467	AV240081	HOKLAS

**4. Calibration Results**

Sound Pressure Level

Reference Sound Pressure Level

Setting of Unit-under-test (UUT)				Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz			
30-130	dBA SPL	Fast	94	1000	94.1	±0.4	

Linearity

Setting of Unit-under-test (UUT)				Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz			
30-130	dBA SPL	Fast	94	1000	94.0	Ref	
			104		104.1	±0.3	
			114		114.1	±0.3	

Time Weighting

Setting of Unit-under-test (UUT)				Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz			
30-130	dBA SPL	Fast	94	1000	94.0	Ref	
		Slow			94.1	±0.3	

Frequency Response

Linear Response

Setting of Unit-under-test (UUT)			Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB	
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz			
30-130	dB	SPL	Fast	94	31.5	94.1	±2.0
					63	94.2	±1.5
					125	94.1	±1.5
					250	94.1	±1.4
					500	94.2	±1.4
					1000	94.1	Ref
					2000	94.4	±1.6
					4000	95.1	±1.6
				8000	94.6	+2.1; -3.1	

A-weighting

Setting of Unit-under-test (UUT)			Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB	
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz			
30-130	dBA	SPL	Fast	94	31.5	54.7	-39.4±2.0
					63	67.9	-26.2±1.5
					125	78.0	-16.1±1.5
					250	85.4	-8.6±1.4
					500	90.9	-3.2±1.4
					1000	94.1	Ref
					2000	95.6	+1.2±1.6
					4000	96.0	+1.0±1.6
				8000	93.5	-1.1+2.1; -3.1	

C-weighting

Setting of Unit-under-test (UUT)			Applied value		UUT Reading, dB	IEC 61672 Class 1 Specification, dB	
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz			
30-130	dBC	SPL	Fast	94	31.5	91.1	-3.0±2.0
					63	93.3	-0.8±1.5
					125	93.9	-0.2±1.5
					250	94.1	-0.0±1.4
					500	94.2	-0.0±1.4
					1000	94.1	Ref
					2000	94.2	-0.2±1.6
					4000	94.2	-0.8±1.6
				8000	91.6	-3.0 +2.1: -3.1	

## 5. Calibration Results Applied

The results apply to the particular unit-under-test only. All calibration points are within manufacture's specification as IEC 61672 Class 1.

Uncertainties of Applied Value:

94 dB	31.5 Hz	± 0.10
	63 Hz	± 0.10
	125 Hz	± 0.05
	250 Hz	± 0.05
	500 Hz	± 0.05
	1000 Hz	± 0.05
	2000 Hz	± 0.05
	4000 Hz	± 0.05
	8000 Hz	± 0.10
104 dB	1000 Hz	± 0.05
114 dB	1000 Hz	± 0.05

The uncertainties are evaluated for a 95% confidence level.

### Note:

The values given in this certification only related to the values measured at the time of the calibration and any uncertainties quoted will not allow for the equipment long-term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the calibration. (A+A)\*L shall not be liable for any loss or damage resulting from the use of the equipment.

# Certificate of Calibration

*for*

**Description:** *Sound Level Calibrator*  
**Manufacturer:** *RION*  
**Type No.:** *NC-75*  
**Serial No.:** *34724245*

**Submitted by:**

**Customer:** *Aurecon Hong Kong Limited*  
**Address:** *Unit 1608, 16/F, Tower B,  
Manulife Financial Centre,  
223-231 Wai Yip Street, Kwun Tong,  
Kowloon, Hong Kong*

Upon receipt for calibration, the instrument was found to be:

- Within**  
 **Outside**

**the allowable tolerance.**

The test equipments used for calibration are traceable to National Standards via:

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

**Date of receipt:** 10 July 2025

**Date of calibration:** 11 July 2025

**Date of NEXT calibration:** 10 July 2026

**Calibrated by:** \_\_\_\_\_  
*Calibration Technician*

**Certified by:** \_\_\_\_\_  
*Mr. Ng Yan Wa  
Laboratory Manager*

**Date of issue:** 11 July 2025

**Certificate No.:** APJ25-045-CC003



Page 1 of 2

**1. Calibration Precautions:**

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

**2. Calibration Specifications:**

Calibration check

**3. Calibration Conditions:**

Air Temperature: 24.6 °C  
Air Pressure: 1006 hPa  
Relative Humidity: 57.5 %

**4. Calibration Equipment:**

Test Equipment	Type	Serial No.	Calibration Report Number	Traceable to
Multifunction Calibrator	B&K 4226	2288467	AV240081	HOKLAS
Sound Level Meter	RION NA-28	30721812	AV240109	HOKLAS

**5. Calibration Results**

## 5.1 Sound Pressure Level

Nominal value dB	Accept lower level dB	Accept upper level dB	Measured value dB
94.0	93.6	94.4	94.0

Note:

The values given in this certification only related to the values measured at the time of the calibration.



# Cal Lab Limited 校正實驗室有限公司

Room 2103, Technology Plaza, 29-35 Sha Tsui Road,  
Tsuen Wan, NT, Hong Kong

Tel: +852 25680106 Email: info@callab.com.hk  
Fax: +852 30116194 Website: www.callab.com.hk



## Calibration Certificate No.: CC0182502

### Information provided by customer

Customer: Aurecon Hong Kong Limited  
Address: Unit 1608, 16/F, Tower B, Manulife Financial Centre, 222-231 Wai Yip Street, Kwun Tong, Hong Kong

### Equipment identification provided by customer

Equipment Description	Manufacturer	Model No.	Serial No.	Assigned equipment No.
Air Velocity Meter	UNI-T	UT363	C222415356	A-02

### Certificate Information

Date of Receipt:	12 February 2025	Calibration Condition:	22.4°C, 54%RH, 1011hPa
Date of Calibration:	18 February 2025	Adjustment:	N/A
Recommended Next Cal. Date:	N/A	Appearance:	Good
Calibration Procedure:	SOP-112	Remark:	N/A

### Reference Equipment Identification

Equipment Description	Model	Serial No.	Expiration Date
Hot Wire Anemometer	405-V1	41576231	17 July 2026

## Result of Calibration

### Air Velocity

Reference Reading (m/s)	Measured Reading (m/s)	Error (m/s)	Uncertainty (%)	Technical Requirement	Technical Reference Doc.
1.04	1.0	0.0	3.6	± 5 %	Mfr's Spec.
2.02	2.1	0.1	3.6	± 5 %	Mfr's Spec.
4.98	5.1	0.1	3.6	± 5 %	Mfr's Spec.
8.01	8.2	0.2	3.6	± 5 %	Mfr's Spec.

CT-AFR-01

- Note1: The estimated expanded uncertainties have been calculated in "Evaluation and expression of uncertainty in measurement" and give an internal estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.
- Note2: The standard (s) and instrument used in the calibration are traceable to national or international recognized standard and are calibrated on a schedule to maintain the accuracy and good condition.
- Note3: The result reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long term stability of the instrument.
- Note4: The result shows in this calibration certificate relate only to the item calibrated, and the result only applies to the calibration item as received.

Calibrated By:

Wing Cheng

Checked and Approved By:

Warren Yeung

Company Chop:



Certificate Issue Date: 20 February 2025


CT-BEG-04

\*\*\* End of Certificate \*\*\*

- The certificate shall not be reproduced except in full, without written approval of Cal Lab Limited
- The certificate is issued subject to the latest Terms and Conditions, available at our web site

CC0182502  
Page 1 of 1

# Water Quality



專業化驗有限公司  
QUALITY PRO TEST-CONSULT LIMITED

Unit 10, 5/F, Wah Wai Centre, 38-40 Au Pui Wan St., Fotan, Hong Kong  
Email: info@qualityprotest.com; Website: www.qualityprotest.com  
Tel: (852) 3956 8717; Fax: (852) 3956 3928

## REPORT OF EQUIPMENT PERFORMANCE CHECK/ CALIBRATION

Test Report No. : R-BE120036  
Date of Issue : 10 December 2025  
Page No. : 1 of 2

### PART A - CUSTOMER INFORMATION

Acuity Sustainability Consulting Limited  
Unit 1608, 16/F, Tower B, Manulife Fin. Centre 223 - 231 Wai Yip Street, Kwun Tong,  
Kowloon (HK) Hong Kong

### PART B - SAMPLE INFORMATION

Name of Equipment : YSI ProDSS Multi Parameters  
Manufacturer : YSI  
Serial Number : 22C106561  
Date of Received : 08 December 2025  
Date of Calibration : 09 December 2025  
Date of Next Calibration : 08 March 2026  
Request No. : D-BE120036

### PART C - REFERENCE METHODS/ DOCUMENTS FOR THE CALIBRATION

Test Parameter	Reference Method
pH value	APHA 21e 4500-H <sup>+</sup> B
Temperature	Section 6 of international Accreditation New Zealand Technical Guide no. 3 Second edition March 2008: Working Thermometer Calibration Procedure
Salinity	APHA 21e 2520 B
Dissolved oxygen	APHA 23e 4500-O G (Membrane Electrode Method)
Turbidity	APHA 21e 2130 B (Nephelometric Method)
Conductivity	APHA 21e 2510 B

### PART D - CALIBRATION RESULT

#### (1) pH value

Target (pH unit)	Display Reading (pH unit)	Tolerance (pH unit)	Result
4.00	3.95	-0.05	Satisfactory
7.42	7.41	-0.01	Satisfactory
10.01	10.04	0.03	Satisfactory

Tolerance of pH value should be less than  $\pm 0.2$  (pH unit)

#### (2) Temperature

Reading of Ref. thermometer (°C)	Display Reading (°C)	Tolerance (°C)	Result
34.3	33.3	-1.0	Satisfactory
21.9	21.1	-0.8	Satisfactory
14.7	13.7	-1.0	Satisfactory

Tolerance of Temperature should be less than  $\pm 2.0$  (°C)


#### (3) Salinity


Expected Reading (g/L)	Display Reading (g/L)	Tolerance (%)	Result
10	9.81	-1.9	Satisfactory
20	19.78	-1.1	Satisfactory
30	29.14	-2.9	Satisfactory

Tolerance of Salinity should be less than  $\pm 10.0$  (%)

--- CONTINUED ON NEXT PAGE ---

AUTHORIZED  
SIGNATORY:

  
LEE Ngo-fung  
Senior Chemist



## REPORT OF EQUIPMENT PERFORMANCE CHECK/ CALIBRATION

Test Report No. : R-BE120036  
Date of Issue : 10 December 2025  
Page No. : 2 of 2

### (4) Dissolved oxygen

Expected Reading ( mg/L )	Display Reading ( mg/L )	Tolerance ( mg/L )	Result
7.82	8.12	0.30	Satisfactory
5.23	4.98	-0.25	Satisfactory
3.25	3.43	0.18	Satisfactory
0.06	0.36	0.30	Satisfactory

Tolerance of Dissolved oxygen should be less than  $\pm 0.5$  ( mg/L )

### (5) Turbidity

Expected Reading ( NTU )	Display Reading ( NTU )	Tolerance <sup>(a)</sup> ( % )	Result
0	0.28	-	Satisfactory
10	9.21	-7.9	Satisfactory
20	18.74	-6.3	Satisfactory
100	94.21	-5.8	Satisfactory
800	786.18	-1.7	Satisfactory

Tolerance of Turbidity should be less than  $\pm 10.0$  ( % )

### (6) Conductivity

Expected Reading ( $\mu\text{S/cm}$ at 25°C )	Display Reading ( $\mu\text{S/cm}$ at 25°C )	Tolerance ( % )	Result
146.9	151.2	2.9	Satisfactory
1412	1313	-7.0	Satisfactory
12890	12901	0.1	Satisfactory
58670	56340	-4.0	Satisfactory
111900	108918	-2.7	Satisfactory

Tolerance of Conductivity should be less than  $\pm 10.0$  ( % )

<sup>(a)</sup> For 0 NTU, Display Reading should be less than 1 NTU

### Remark(s): -

- The "Date of Next Calibration" is recommended according to best practice principles followed by QPT or relevant international standards.
- The results relate only to the calibrated equipment as received.
- The performance of the equipment stated in this report is checked using independent reference material, with results compared against a calibrated secondary source.
- "Displayed Reading" denotes the figure shown on the item under calibration/checking, regardless of equipment precision or significant figures.
- The "Tolerance Limit" mentioned is the acceptance criteria applicable to similar equipment used by Quality Pro Test-Consult Ltd. or quoted from relevant international standards.

--- END OF REPORT ---



## Cal Lab Limited 校正實驗室有限公司

Room 2103, Technology Plaza, 29-35 Sha Tsui Road,

Tsuen Wan, NT, Hong Kong

Tel: +852 25680106 Email: info@callab.com.hk

Fax: +852 30116194 Website: www.callab.com.hk

### Calibration Certificate No.: CC0172502

#### Information provided by customer

Customer: Acumen Laboratory and Testing Limited

Address: Workshop 04, 7/F, The Whitney, No. 183 Wai Yip Street, Kwun Tong, Kowloon, Hong Kong

#### Equipment Identification provided by customer

Equipment Description	Manufacturer	Model No.	Serial No.	Assigned equipment No.
Flow Probe	Global Water	FP111	22K100859	N/A

#### Certificate Information

Date of Receipt:	10 February 2025	Calibration Condition:	21.7°C, 52%RH, 1008hPa
Date of Calibration:	11 February 2025	Adjustment:	N/A
Due Date of Calibration:	N/A	Appearance:	Good
Calibration Procedure:	JJG 1030-2007	Remark:	N/A

#### Reference Equipment Identification

Equipment Description	Model	Serial No.	Expiration Date
Water Flow Meter	GW8100	20240628GW8100-P165	13 November 2025

### Result of Calibration

#### Water Flow Rate

Reference Reading (m/s)	Measured Reading (m/s)	Error (m/s)	Uncertainty (%)
0.00	0.0	N/A	N/A
1.03	1.1	-0.07	5.8
2.92	3.0	-0.08	5.8
5.06	5.0	0.06	5.8

- Note1: The estimated expanded uncertainties have been calculated in "Evaluation and expression of uncertainty in measurement" and give an internal estimated to have a level of confidence of 95%. A coverage factor of 2 is assumed unless explicitly stated.
- Note2: The standard (s) and instrument used in the calibration are traceable to national or international recognized standard and are calibrated on a schedule to maintain the accuracy and good condition.
- Note3: The result reported in this certificate refer to the condition of the instrument on the date of calibration and carry no implication regarding the long term stability of the instrument.
- Note4: The result shows in this calibration certificate relate only to the item calibrated, and the result only applies to the calibration item as received.
- Note5: Calibration item/ parameter marked with \* is out of scope of Cal Lab Limited (A2LA 3815.01).

Calibrated By:

Wing Cheng

Checked and Approved By:

Warren Yeung

Company Chop:



Certificate Issue Date: 12 February 2025

CT-BEG-04

\*\*\* End of Certificate \*\*\*

- The certificate shall not be reproduced except in full, without written approval of Cal Lab Limited
- The certificate is issued subject to the latest Terms and Conditions, available at our web site

CC0172502

Page 1 of 1

# Landfill Gas

# Asia Pacific Industrial Safety Equipment

Tel: 2592 2100

Fax: 3165 8960

## Calibration Certificate

Cert. Ref. No.: **BLS/G7C/01/1426**

Date: 27/7/2025

Customer: New Concepts Eng Dev Ltd

Attn: Victor                      Tel: 9840 3136                      Fax:  
User Details:

Gas Detector Model: Blackline Safety G7C-EU2      Serial No: 3571220922      CART ID: 334341  
Calibration Record:                      Act. Code: L6R 7HB

Inspection before calibration	Visual inspection	Functional Test
Basic Unit - Case, Clip & Display etc.	OK	OK
Battery and charge etc.	OK	OK
Motorized Pump	OK	OK
Other items	-	-

Type of Sensor	Expiry Date
Oxygen Sensor	
CO Sensor	
H2S Sensor	
Combustible (LEL) Sensor	
Carbon Dioxide (CO2) Sensor	

Type of calibration	Date of calibration	H2S ( ppm )	CO ( ppm )	O2 ( % )	LEL ( % )	CO2 ( ppm )
SENSOR Calibration	9/8/2025	25	100	18	50	5000
		OK	OK	OK	OK	OK

Calibration remarks:



Blackline Safety Recommended Next Calibration Date\*:

**5/2/2026**

\*The calibration Schedule can be configured to match your company's safety policy and Blackline Safety recommends not exceeding 180 days without a calibration

**IMPORTANT NOTES TO Blackline Safety GAS DETECTOR USERS**  
USERS MUST READ THE OPERATOR'S MANUAL THOROUGHLY BEFORE OPERATING THIS EQUIPMENT AND FOLLOW THEIR OWIN SAFETY SUPERVISOR'S INSTRUCTION TO WORK.  
All gas detection instrumentation on the market requires periodic calibration to accurately measure gas. Calibration is only as accurate as the test gas used. Blackline Safety quality test gases are made to the highest accuracy and trace-ability to N.I.S.T. Standard.

Calibration By: **Mind Lau**

Services Hotline : 2592 2100



# Appendix F Monitoring Results

# Air Quality

**1-hour TSP Concentration ( $\mu\text{g}/\text{m}^3$ ) at Location AM1**

Date	Equipment Brand & Model	Equipment Serial No.	K-factor	Weather	Sampling Time (1)	Sampling Time (2)	Sampling Time (3)	Reading (1)	Reading (2)	Reading (3)	Average	Action Level	Limit Level
								$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$
05/01/2026	Sibata LD-5R	882106	0.9382	Fine	8:10	9:10	10:10	23	29	29	27	285	500
09/01/2026	Sibata LD-5R	0Z4545	0.9249	Fine	8:02	9:02	10:02	30	31	26	29		
15/01/2026	Sibata LD-5R	882106	0.9382	Fine	13:00	14:00	15:00	33	39	32	35		
21/01/2026	Sibata LD-5R	0Z4545	0.9249	Fine	13:40	14:40	15:40	43	44	41	43		
27/01/2026	Sibata LD-5R	942532	1.0704	Fine	8:20	9:20	10:20	22	21	36	26		
<b>Average</b>								<b>32</b>					
<b>Max.</b>								<b>44</b>					
<b>Min.</b>								<b>21</b>					

**1-hour TSP Concentration ( $\mu\text{g}/\text{m}^3$ ) at Location AM2**

Date	Equipment Brand & Model	Equipment Serial No.	K-factor	Weather	Sampling Time (1)	Sampling Time (2)	Sampling Time (3)	Reading (1)	Reading (2)	Reading (3)	Average	Action Level	Limit Level
								$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$
05/01/2026	Sibata LD-5R	0Z4545	0.9249	Fine	8:25	9:25	10:25	45	40	41	42	279	500
09/01/2026	Sibata LD-5R	882106	0.9382	Fine	8:19	9:19	10:19	35	34	43	37		
15/01/2026	Sibata LD-5R	942532	1.0704	Fine	13:20	14:20	15:20	49	47	46	47		
21/01/2026	Sibata LD-5R	882106	0.9382	Fine	13:20	14:20	15:20	51	54	56	54		
27/01/2026	Sibata LD-5R	0Z4545	0.9249	Fine	8:35	9:35	10:35	39	40	41	40		
<b>Average</b>								<b>44</b>					
<b>Max.</b>								<b>56</b>					
<b>Min.</b>								<b>34</b>					

**1-hour TSP Concentration ( $\mu\text{g}/\text{m}^3$ ) at Location AM3**

Date	Equipment Brand & Model	Equipment Serial No.	K-factor	Weather	Sampling Time (1)	Sampling Time (2)	Sampling Time (3)	Reading (1)	Reading (2)	Reading (3)	Average	Action Level	Limit Level
								$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$	$\mu\text{g}/\text{m}^3$
05/01/2026	Sibata LD-5R	942532	1.0704	Fine	8:36	9:36	10:36	50	54	50	51	285	500
09/01/2026	Sibata LD-5R	942532	1.0704	Fine	8:06	9:06	10:06	49	48	45	47		
15/01/2026	Sibata LD-5R	0Z4545	0.9249	Fine	13:35	14:35	15:35	56	59	60	58		
21/01/2026	Sibata LD-5R	942532	1.0704	Fine	13:06	14:06	15:06	60	61	59	60		
27/01/2026	Sibata LD-5R	882106	0.9382	Fine	8:10	9:10	10:10	44	41	46	44		
<b>Average</b>								<b>52</b>					
<b>Max.</b>								<b>61</b>					
<b>Min.</b>								<b>41</b>					

The Summary of TSP 24-hour Concentration ( $\mu\text{g}/\text{m}^3$ ) at Location AM1

Start Date	Weather Condition	Avg Air Temp	Avg Atmospheric Pressure	Elapse Time		Sampling Time	Averaged Flow Rate	Flow Rate	Total Flow Volume	Filter Weight (g)		Particulate weight	Concentration	Action Level	Limit Level
		( $^{\circ}\text{C}$ )	(hPa)	Initial	Final	(minutes)	(cfm)	( $\text{m}^3/\text{min}$ )	( $\text{m}^3$ )	Initial	Final	(g)	( $\mu\text{g}/\text{m}^3$ )	( $\mu\text{g}/\text{m}^3$ )	( $\mu\text{g}/\text{m}^3$ )
05/01/2026	Fine	16.2	1022.6	7426.33	7450.33	1440	41	1.2	1685	2.7303	2.9002	0.1699	101	164	260
09/01/2026	Fine	16.4	1021.8	7471.47	7495.47	1440	40	1.2	1661	2.7320	2.8777	0.1457	88		
15/01/2026	Fine	19.6	1015.4	7516.44	7540.44	1440	40	1.1	1641	2.7588	2.8916	0.1328	81		
21/01/2026	Fine	15.0	1023.1	7560.31	7584.31	1440	41	1.2	1690	2.7714	2.8863	0.1149	68		
27/01/2026	Fine	20.0	1020.4	7605.77	7629.77	1440	41	1.2	1670	2.7628	2.8664	0.1036	62		
												Average	80		
												Min	62		
												Max	101		

The Summary of 24-hour TSP Concentration ( $\mu\text{g}/\text{m}^3$ ) at Location AM2

Start Date	Weather Condition	Avg Air Temp	Avg Atmospheric Pressure	Elapse Time		Sampling Time	Averaged Flow Rate	Flow Rate	Total Flow Volume	Filter Weight (g)		Particulate weight	Concentration	Action Level	Limit Level
		( $^{\circ}\text{C}$ )	(hPa)	Initial	Final	(minutes)	(cfm)	( $\text{m}^3/\text{min}$ )	( $\text{m}^3$ )	Initial	Final	(g)	( $\mu\text{g}/\text{m}^3$ )	( $\mu\text{g}/\text{m}^3$ )	( $\mu\text{g}/\text{m}^3$ )
05/01/2026	Fine	16.2	1022.6	7271.23	7295.23	1440	42	1.1	1618	2.7511	2.9194	0.1683	104	152	260
09/01/2026	Fine	16.4	1021.8	7319.17	7343.17	1440	41	1.1	1594	2.7506	2.9243	0.1737	109		
15/01/2026	Fine	19.6	1015.4	7365.04	7389.04	1440	42	1.1	1595	2.7692	2.9228	0.1536	96		
21/01/2026	Fine	15.0	1023.1	7408.31	7432.31	1440	42	1.1	1622	2.7582	2.8991	0.1409	87		
27/01/2026	Fine	20.0	1020.4	7457.47	7481.47	1440	41	1.1	1581	2.7535	2.8955	0.1420	90		
												Average	97		
												Min	87		
												Max	109		

The Summary of 24-hour TSP Concentration ( $\mu\text{g}/\text{m}^3$ ) at Location AM3

Start Date	Weather Condition	Avg Air Temp	Avg Atmospheric Pressure	Elapse Time		Sampling Time	Averaged Flow Rate	Flow Rate	Total Flow Volume	Filter Weight (g)		Particulate weight	Concentration	Action Level	Limit Level
		( $^{\circ}\text{C}$ )	(hPa)	Initial	Final	(minutes)	(cfm)	( $\text{m}^3/\text{min}$ )	( $\text{m}^3$ )	Initial	Final	(g)	( $\mu\text{g}/\text{m}^3$ )	( $\mu\text{g}/\text{m}^3$ )	( $\mu\text{g}/\text{m}^3$ )
05/01/2026	Fine	16.2	1022.6	8045.74	8069.74	1440	42	1.2	1768	2.7457	2.9692	0.2235	126	163	260
09/01/2026	Fine	16.4	1021.8	8092.52	8116.52	1440	42	1.2	1788	2.7599	3.0040	0.2441	137		
15/01/2026	Fine	19.6	1015.4	8137.49	8161.49	1440	42	1.2	1766	2.7670	2.9706	0.2036	115		
21/01/2026	Fine	15.0	1023.1	8183.28	8207.28	1440	42	1.2	1795	2.7643	2.9564	0.1921	107		
27/01/2026	Fine	20.0	1020.4	8232.15	8256.15	1440	42	1.2	1752	2.7573	2.9284	0.1711	98		
												Average	117		
												Min	98		
												Max	137		

Remarks:

1. Orange Text equal to exceed Action Level
2. Red Text equal to exceed Limit Level

# Noise

**Impact Phase Construction Noise Monitoring Data at Location NM1a**

Date	Weather	Wind speed m/s	Start Time	End Time	$L_{eq}$ (dB(A))							$L_{10}$ (dB(A))						$L_{90}$ (dB(A))					
					1st	2nd	3rd	4th	5th	6th	Overall (30min)	1st	2nd	3rd	4th	5th	6th	1st	2nd	3rd	4th	5th	6th
05/01/2026	Fine	1.1	14:10	14:40	60.3	59.3	58.4	57.7	60.4	58.3	59.2	62.3	63.5	61.4	60.3	62.4	60.9	58.4	57.3	56.5	55.5	56.4	56.2
15/01/2026	Fine	1.2	15:01	15:31	58.4	57.4	58.2	59.4	57.3	55.7	57.9	60.4	59.6	60.8	61.5	59.6	58.1	54.4	53.8	54.9	55.2	53.3	55.1
21/01/2026	Fine	1.2	13:00	13:30	59.1	58.6	57.7	56.4	57.4	59.4	58.2	61.2	60.2	60.4	59.4	59.4	61.5	57.2	56.2	55.6	54.6	55.4	56.2
27/01/2026	Fine	1.2	14:00	14:30	58.6	60.2	60.9	59.6	61.4	58.4	60.0	60.2	62.4	62.4	61.5	62.5	59.2	56.4	58.4	58.2	57.6	60.4	55.2
<b>Average</b>											58.9												
<b>Baseline Level</b>											55.4												
<b>Action Level</b>											When one valid documented complaint is received												
<b>Limit Level</b>											75												

**Impact Phase Construction Noise Monitoring Data at Location NM2a**

Date	Weather	Wind speed m/s	Start Time	End Time	$L_{eq}$ (dB(A))							$L_{10}$ (dB(A))						$L_{90}$ (dB(A))					
					1st	2nd	3rd	4th	5th	6th	Overall (30min)	1st	2nd	3rd	4th	5th	6th	1st	2nd	3rd	4th	5th	6th
05/01/2026	Fine	1.2	8:36	9:06	54.3	53.4	52.5	55.3	56.1	54.6	54.5	56.2	55.6	54.3	57.2	58.5	57.1	53.1	51.3	50.4	51.4	52.1	51.6
15/01/2026	Fine	1.2	11:00	11:30	52.2	53.1	52.8	53.4	52.5	53.7	53.0	54.5	56.4	53.5	54.9	53.4	54.7	50.5	50.4	49.5	50.6	51.7	51.1
21/01/2026	Fine	1.1	10:50	11:20	46.2	47.4	46.6	47.1	49.2	47.6	47.5	49.2	50.3	50.4	49.5	51.3	51.5	44.2	45.2	44.9	44.4	45.6	46.2
27/01/2026	Fine	1.0	11:30	12:00	49.2	50.3	51.6	51.4	49.9	51.2	50.7	51.2	51.6	52.4	52.6	51.2	52.4	47.4	49.2	50.5	50.3	48.2	49.2
<b>Average</b>											52.1												
<b>Baseline Level</b>											54.5												
<b>Action Level</b>											When one valid documented complaint is received												
<b>Limit Level</b>											75												

# Water Quality

Monitoring Location: WM1

Date	Time	Weather	Water Depth (m)	Water Flow (L/s)	Water Temperature (°C)	DO (mg/L)			pH			Turbidity (NTU)			SS (mg/L)		
						Value	Action Level	Limit Level	Value	Action Level	Limit Level	Value	Action Level	Limit Level	Value	Action Level	Limit Level
06-Jan-26	11:57	Fine	0.1	0.2	13.5	8.2	<7.4	<4	7.6	>7.7	>7.8	8.7	>9.2	>9.5	1.1	>9.7	>11.4

Monitoring Location: WM2

Date	Time	Weather	Water Depth (m)	Water Flow (L/s)	Water Temperature (°C)	DO (mg/L)			pH			Turbidity (NTU)			SS (mg/L)		
						Value	Action Level	Limit Level	Value	Action Level	Limit Level	Value	Action Level	Limit Level	Value	Action Level	Limit Level
06-Jan-26	8:38	Fine	0.10	0.2	16.4	7.2	<5	<4	7.4	>7.6	>7.7	50.3	>108.3	>108.9	55.6	>94.5	>94.7

Remarks

1. Sample will be grabbed on surface when the water depth is less than 1m.
2. "TBC" equal to "To be confirm"
3. Orange Text equal to exceed Action Level
4. Red Text equal to exceed Limit Level






### CERTIFICATE OF ANALYSIS

Client	: ACUMEN LABORATORY AND TESTING LIMITED	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 9
Contact	: MR. HUNTINGTON HUI	Contact	: Richard Fung	Work Order	: HK2600785
Address	: WORKSHOP 04, 7/F, THE WHITNEY NO.183 WAI YIP STREET, KWUN TONG, KOWLOON	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: Huntington.Hui@arecongroup.com	E-mail	: richard.fung@alsglobal.com		
Telephone	: ---	Telephone	: +852 2610 1044		
Facsimile	: ---	Facsimile	: +852 2610 2021		
Project	: NENTX			Date Samples Received	: 06-Jan-2026
Order number	: ---	Quote	: HKE/1017/2026_V2	Issue Date	: 20-Jan-2026
		number			
C-O-C number	: ---			No. of samples received	: 2
Site	:			No. of samples analysed	: 2

This report shall not be reproduced except in full without the written approval of the laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<i>Signatories</i>	<i>Position</i>	<i>Authorised results for</i>
		
Fung Lim Chee, Richard	Managing Director	Inorganics
		
Fung Lim Chee, Richard	Managing Director	Metals_ENV
		
Ng Sin Kou, May	Laboratory Manager	Microbiology_ENV



## General Comments

This report supersedes any previous report(s) with the same work order number. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 06-Jan-2026 to 20-Jan-2026.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

### Specific Comments for Work Order: HK2600785

Sample information (Project name, Sample ID, Sampling date/time, etc.) is provided by client.

Result(s) of sample(s) is/are reported on as received basis, unless otherwise specified. The result(s) is/are related only to the item(s) tested.

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition.

Microbiological sample(s) was/ were collected in 250mL sterile plastic bottles containing sodium thiosulfate. Sample(s) arrived at the laboratory at 17:30.

NOT DETECTED denotes result(s) is (are) less than the Limit of Report (LOR).

EA025 - The accredited LOR of Total Suspended Solids is 0.5mg/L. Results below this LOR are for reference only.

ED037 - Titration end point for Total Alkalinity is pH 4.5 while end point for Total Alkalinity <20mg/L is pH 4.2.

Water sample(s) digested by in-house method E-3005 prior to the determination of total metals. The in-house method is developed based on USEPA method 3005.

EK058A - Nitrate is the difference of Nitrite + Nitrate and Nitrite.



### Analytical Results

Sub-Matrix: WATER

				Sample ID	WM 1	WM2	---	---	---
				Sampling date / time	06-Jan-2026	06-Jan-2026	---	---	---
Compound	CAS Number	LOR	Unit	HK2600785-001	HK2600785-002	-----	-----	-----	-----
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.1	mg/L	1.1	55.6	---	---	---	---
ED037: Total Alkalinity as CaCO3	----	1	mg/L	10	69	---	---	---	---
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
ED041K: Sulphate as SO4 - Turbidimetric	----	1	mg/L	5	33	---	---	---	---
ED045K: Chloride	16887-00-6	0.5	mg/L	6	16	---	---	---	---
EK055K: Ammonia as N	7664-41-7	0.01	mg/L	0.05	1.66	---	---	---	---
EK058A: Nitrate as N	14797-55-8	0.01	mg/L	0.01	0.38	---	---	---	---
EK061A: Total Kjeldahl Nitrogen as N	----	0.1	mg/L	0.5	2.1	---	---	---	---
EK071K: Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	0.03	---	---	---	---
EK086: Sulphite as SO3 2-	14265-45-3	2	mg/L	<2	<2	---	---	---	---
<b>EP: Aggregate Organics</b>									
EP005: Total Organic Carbon	----	1	mg/L	1	3	---	---	---	---
EP020: Oil & Grease	----	5	mg/L	<5	<5	---	---	---	---
EP026C: Chemical Oxygen Demand	----	5	mg/L	5	17	---	---	---	---
EP030: Biochemical Oxygen Demand	----	2	mg/L	<2	2	---	---	---	---
<b>EG: Metals and Major Cations - Total</b>									
EG020: Cadmium	7440-43-9	0.2	µg/L	<0.2	<0.2	---	---	---	---
EG020: Copper	7440-50-8	1	µg/L	2	9	---	---	---	---
EG020: Lead	7439-92-1	1	µg/L	<1	5	---	---	---	---
EG020: Manganese	7439-96-5	1	µg/L	44	1450	---	---	---	---
EG020: Nickel	7440-02-0	1	µg/L	<1	2	---	---	---	---
EG020: Zinc	7440-66-6	10	µg/L	19	75	---	---	---	---
EG032: Calcium	7440-70-2	50	µg/L	2030	28100	---	---	---	---
EG032: Iron	7439-89-6	10	µg/L	310	2730	---	---	---	---
EG032: Magnesium	7439-95-4	50	µg/L	350	2180	---	---	---	---
EG032: Potassium	7440-09-7	50	µg/L	290	5640	---	---	---	---
EG032: Sodium	7440-23-5	50	µg/L	7640	13100	---	---	---	---
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	14	8100	---	---	---	---



Sub-Matrix: WATER				Sample ID	WM 1	WM2	---	---	---
				Sampling date / time	06-Jan-2026	06-Jan-2026	---	---	---
Compound	CAS Number	LOR	Unit	HK2600785-001	HK2600785-002	-----	-----	-----	
<b>EM: Microbiological Testing - Continued</b>									
EM003: Total Coliforms	----	1	CFU/100mL	18	23000	---	---	---	

----- END OF REPORT -----



### Laboratory Duplicate (DUP) Report

In the Laboratory Duplicate (DUP) report, RPD (%) of sample duplicate reporting "0.0" denotes that the difference between unrounded results of the sample and its duplicate analyses is less than the value of the limit of reporting of the specific testing. The RPD (%) meets the quality control requirement of the corresponding testing procedure.

Matrix: WATER

				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 7120883)</b>								
HK2556382-007	Anonymous	EA025: Suspended Solids (SS)	----	0.5	mg/L	26.9	27.6	2.6
HK2600785-002	WM2	EA025: Suspended Solids (SS)	----	0.5	mg/L	55.6	54.8	1.4
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 7132925)</b>								
HK2601574-004	Anonymous	ED037: Total Alkalinity as CaCO3	----	1	mg/L	5090	5090	0.0
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7119732)</b>								
HK2600785-001	WM 1	ED041K: Sulphate as SO4 - Turbidimetric	----	1	mg/L	5	4	0.0
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7119733)</b>								
HK2600785-001	WM 1	ED045K: Chloride	16887-00-6	1	mg/L	6	6	0.0
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7121889)</b>								
HK2600785-001	WM 1	EK071K: Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	<0.01	0.0
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7131175)</b>								
HK2600687-001	Anonymous	EK061A: Total Kjeldahl Nitrogen as N	----	0.1	mg/L	250	224	10.9
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7134757)</b>								
HK2601455-003	Anonymous	EK055K: Ammonia as N	7664-41-7	0.01	mg/L	57.8	54.6	5.6
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7143430)</b>								
HK2556382-001	Anonymous	EK086: Sulphite as SO3 2-	14265-45-3	2	mg/L	<2	<2	0.0
<b>EP: Aggregate Organics (QC Lot: 7134903)</b>								
HK2601452-002	Anonymous	EP026C: Chemical Oxygen Demand	----	5	mg/L	<5	<5	0.0
<b>EP: Aggregate Organics (QC Lot: 7136480)</b>								
HK2601501-015	Anonymous	EP005: Total Organic Carbon	----	1	mg/L	<1	<1	0.0
<b>EG: Metals and Major Cations - Total (QC Lot: 7119409)</b>								
HK2600778-001	Anonymous	EG032: Iron	7439-89-6	0.01	mg/L	0.58	0.60	2.7
		EG032: Calcium	7440-70-2	0.05	mg/L	6.94	7.14	2.7
		EG032: Magnesium	7439-95-4	0.05	mg/L	0.86	0.88	1.9
		EG032: Potassium	7440-09-7	0.05	mg/L	1.55	1.57	1.1
		EG032: Sodium	7440-23-5	0.05	mg/L	21.3	21.9	2.5
<b>EG: Metals and Major Cations - Total (QC Lot: 7119410)</b>								
HK2600785-001	WM 1	EG020: Cadmium	7440-43-9	0.2	µg/L	<0.2	<0.2	0.0



Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EG: Metals and Major Cations - Total (QC Lot: 7119410) - Continued</b>								
HK2600785-001	WM 1	EG020: Copper	7440-50-8	1	µg/L	2	2	0.0
		EG020: Lead	7439-92-1	1	µg/L	<1	<1	0.0
		EG020: Manganese	7439-96-5	1	µg/L	44	45	2.9
		EG020: Nickel	7440-02-0	1	µg/L	<1	<1	0.0
		EG020: Zinc	7440-66-6	10	µg/L	19	18	0.0

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report		Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report					
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits(%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 7120883)</b>											
EA025: Suspended Solids (SS)	----	0.5	mg/L	<0.5	10 mg/L	89.5	----	85.0	115	----	----
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 7132925)</b>											
ED037: Total Alkalinity as CaCO3	----	1	mg/L	<1	50 mg/L	100	----	95.0	105	----	----
				<1	2000 mg/L	101	----	95.0	105	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7119732)</b>											
ED041K: Sulphate as SO4 - Turbidimetric	----	1	mg/L	<1	5 mg/L	109	----	87.2	117	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7119733)</b>											
ED045K: Chloride	16887-00-6	1	mg/L	<1	10 mg/L	95.1	----	92.2	106	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7121889)</b>											
EK071K: Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	0.5 mg/L	103	----	90.2	107	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7131175)</b>											
EK061A: Total Kjeldahl Nitrogen as N	----	0.1	mg/L	<0.1	0.5 mg/L	104	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7134757)</b>											
EK055K: Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.5 mg/L	101	----	81.9	117	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7143430)</b>											
EK086: Sulphite as SO3 2-	14265-45-3	2	mg/L	<2	----	----	----	----	----	----	----
<b>EP: Aggregate Organics (QC Lot: 7120209)</b>											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	92.6	----	85.0	115	----	----



Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
		LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits(%)		RPD (%)		
Method: Compound	CAS Number					LCS	DCS	Low	High	Value	Control Limit	
<b>EP: Aggregate Organics (QC Lot: 7133071)</b>												
EP020: Oil & Grease	----	2	mg/L	<2	20 mg/L	93.3	----	83.2	106	----	----	
<b>EP: Aggregate Organics (QC Lot: 7134903)</b>												
EP026C: Chemical Oxygen Demand	----	----	mg/L	----	25 mg/L	97.6	----	90.3	111	----	----	
					250 mg/L	103	----	95.0	105	----	----	
<b>EP: Aggregate Organics (QC Lot: 7136480)</b>												
EP005: Total Organic Carbon	----	1	mg/L	<1	5 mg/L	109	----	85.0	115	----	----	
				<1	100 mg/L	101	----	82.6	118	----	----	
<b>EG: Metals and Major Cations - Total (QC Lot: 7119409)</b>												
EG032: Calcium	7440-70-2	0.05	mg/L	<0.05	2 mg/L	95.2	----	85.0	115	----	----	
EG032: Iron	7439-89-6	0.01	mg/L	<0.01	2 mg/L	102	----	85.0	115	----	----	
EG032: Magnesium	7439-95-4	0.05	mg/L	<0.05	2 mg/L	100	----	85.0	115	----	----	
EG032: Potassium	7440-09-7	0.05	mg/L	<0.05	2 mg/L	103	----	85.0	115	----	----	
EG032: Sodium	7440-23-5	0.05	mg/L	<0.05	2 mg/L	103	----	85.0	115	----	----	
<b>EG: Metals and Major Cations - Total (QC Lot: 7119410)</b>												
EG020: Cadmium	7440-43-9	0.2	µg/L	<0.2	5 µg/L	101	----	85.0	109	----	----	
EG020: Copper	7440-50-8	1	µg/L	<1	50 µg/L	100.0	----	90.0	111	----	----	
EG020: Lead	7439-92-1	1	µg/L	<1	50 µg/L	89.4	----	89.0	111	----	----	
EG020: Manganese	7439-96-5	1	µg/L	<1	50 µg/L	105	----	85.0	115	----	----	
EG020: Nickel	7440-02-0	1	µg/L	<1	50 µg/L	99.6	----	87.0	110	----	----	
EG020: Zinc	7440-66-6	10	µg/L	<10	50 µg/L	92.6	----	86.0	114	----	----	



**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

Matrix: WATER					Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
					MS	MSD	Low	High	Value	Control Limit
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7119732)</b>										
HK2600785-001	WM 1	ED041K: Sulphate as SO4 - Turbidimetric	----	5 mg/L	83.6	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7119733)</b>										
HK2600785-001	WM 1	ED045K: Chloride	16887-00-6	5 mg/L	93.5	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7121889)</b>										
HK2600785-001	WM 1	EK071K: Reactive Phosphorus as P	14265-44-2	0.5 mg/L	102	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7131175)</b>										
HK2600687-001	Anonymous	EK061A: Total Kjeldahl Nitrogen as N	----	500 mg/L	123	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 7134757)</b>										
HK2601455-003	Anonymous	EK055K: Ammonia as N	7664-41-7	50 mg/L	99.2	----	75.0	125	----	----
<b>EP: Aggregate Organics (QC Lot: 7134903)</b>										
HK2601452-002	Anonymous	EP026C: Chemical Oxygen Demand	----	10 mg/L	117	----	75.0	125	----	----
<b>EP: Aggregate Organics (QC Lot: 7136480)</b>										
HK2601501-015	Anonymous	EP005: Total Organic Carbon	----	5 mg/L	107	----	75.0	125	----	----
<b>EG: Metals and Major Cations - Total (QC Lot: 7119409)</b>										
HK2600750-001	Anonymous	EG032: Calcium	7440-70-2	2 mg/L	# Not Determined	----	75.0	125	----	----
		EG032: Iron	7439-89-6	2 mg/L	104	----	75.0	125	----	----
		EG032: Magnesium	7439-95-4	2 mg/L	105	----	75.0	125	----	----
		EG032: Potassium	7440-09-7	2 mg/L	110	----	75.0	125	----	----
		EG032: Sodium	7440-23-5	2 mg/L	# Not Determined	----	75.0	125	----	----
<b>EG: Metals and Major Cations - Total (QC Lot: 7119410)</b>										
HK2600750-001	Anonymous	EG020: Cadmium	7440-43-9	5 µg/L	98.5	----	75.0	125	----	----
		EG020: Copper	7440-50-8	50 µg/L	87.3	----	75.0	125	----	----
		EG020: Lead	7439-92-1	50 µg/L	87.5	----	75.0	125	----	----






Matrix: WATER




*Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report*

Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
					MS	MSD	Low	High	Value	Control Limit
<b>EG: Metals and Major Cations - Total (QC Lot: 7119410) - Continued</b>										
HK2600750-001	Anonymous	EG020: Manganese	7439-96-5	50 µg/L	108	----	75.0	125	----	----
		EG020: Nickel	7440-02-0	50 µg/L	118	----	75.0	125	----	----
		EG020: Zinc	7440-66-6	50 µg/L	87.7	----	75.0	125	----	----



# Appendix G Graphical Presentations

# Air Quality







# Noise





# Water Quality



# Surface Water Monitoring Results at WM1





# Surface Water Monitoring Results at WM1



# Surface Water Monitoring Results at WM2



# Surface Water Monitoring Results at WM2



# Appendix H Notification of Environmental Quality Limits Exceedance

## Notification of Environmental Quality Limits Exceedance

### Air Quality Monitoring - Construction Dust

Dust Monitoring Station	Level Exceedance	1-hr TSP Exceedance Count				24-hr TSP Exceedance Count			
		Reporting period		Accumulate project to date		Reporting period		Accumulate project to date	
		Project related	Non-project related	Project related	Non-project related	Project related	Non-project related	Project related	Non-project related
AM1	Action	0	0	0	0	0	0	0	2
	Limit	0	0	0	0	0	0	0	3
AM2	Action	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0
AM3	Action	0	0	0	0	0	0	0	4
	Limit	0	0	0	0	0	0	0	3

### Noise Monitoring

Noise Monitoring Station	Level Exceedance	LAeq (30mins) Exceedance Count			
		Reporting period		Accumulate project to date	
		Project related	Non-project related	Project related	Non-project related
NM1a	Action	0	0	0	2
	Limit	0	0	0	0
NM2a	Action	0	0	0	0
	Limit	0	0	0	0

## Notification of Environmental Quality Limits Exceedance

### Surface Water Monitoring

Surface Water Quality Monitoring Station	Level Exceedance	Exceedance Count															
		Reporting period								Accumulate project to date							
		Project related				Non-project replated				Project related				Non-project replated			
		DO	pH	Turb	SS	DO	pH	Turb	SS	DO	pH	Turb	SS	DO	pH	Turb	SS
WM1	Action	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WM2	Action	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Limit	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0

Remarks:

1. "DO" equal to Dissolved Oxygen
2. "Turb" equal to Turbidity
3. "SS" equal to Suspended Solids



# Appendix I Wind Data

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260101	00:00	2.2	SE
20260101	00:15	1.8	SSE
20260101	00:30	1.8	SE
20260101	00:45	1.3	SE
20260101	01:00	1.8	SE
20260101	01:15	0.9	SE
20260101	01:30	0.9	SE
20260101	01:45	0.4	SE
20260101	02:00	0.9	SSE
20260101	02:15	0.9	SE
20260101	02:30	1.3	SSE
20260101	02:45	0.9	SE
20260101	03:00	0.4	SE
20260101	03:15	0.4	SSE
20260101	03:30	0.4	SSE
20260101	03:45	0.9	SSE
20260101	04:00	0.9	SE
20260101	04:15	0.9	SE
20260101	04:30	0.4	SSE
20260101	04:45	0.0	---
20260101	05:00	0.9	SE
20260101	05:15	0.4	SE
20260101	05:30	0.4	SSE
20260101	05:45	0.9	SE
20260101	06:00	0.9	SE
20260101	06:15	1.3	SE
20260101	06:30	1.3	SE
20260101	06:45	1.3	SE
20260101	07:00	1.3	SE
20260101	07:15	0.4	SE
20260101	07:30	0.4	SSE
20260101	07:45	0.9	SSE
20260101	08:00	1.8	SE
20260101	08:15	1.8	SE
20260101	08:30	1.3	SE
20260101	08:45	1.8	SE
20260101	09:00	2.7	SE
20260101	09:15	2.7	SE
20260101	09:30	1.8	SE
20260101	09:45	1.3	SE
20260101	10:00	1.8	SE
20260101	10:15	0.9	NNE
20260101	10:30	0.9	SSE
20260101	10:45	0.9	SE
20260101	11:00	0.9	NNW
20260101	11:15	0.9	NNW
20260101	11:30	0.4	NW
20260101	11:45	0.4	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260101	12:00	0.4	NNE
20260101	12:15	0.9	ESE
20260101	12:30	0.4	ESE
20260101	12:45	0.9	SE
20260101	13:00	0.4	N
20260101	13:15	0.4	NNW
20260101	13:30	0.4	NW
20260101	13:45	1.3	NW
20260101	14:00	1.3	WNW
20260101	14:15	1.3	NNW
20260101	14:30	0.9	N
20260101	14:45	1.3	NNW
20260101	15:00	1.3	NW
20260101	15:15	1.8	SE
20260101	15:30	0.4	ESE
20260101	15:45	0.4	NNW
20260101	16:00	0.4	SSE
20260101	16:15	1.3	NNW
20260101	16:30	1.8	NNW
20260101	16:45	1.8	NNW
20260101	17:00	2.2	NW
20260101	17:15	1.8	NW
20260101	17:30	2.2	NNW
20260101	17:45	1.8	NW
20260101	18:00	2.2	NNW
20260101	18:15	2.2	NNW
20260101	18:30	2.2	NNW
20260101	18:45	1.3	NNW
20260101	19:00	1.3	NW
20260101	19:15	1.3	NNW
20260101	19:30	1.8	NNW
20260101	19:45	2.2	NW
20260101	20:00	1.3	SE
20260101	20:15	0.9	SE
20260101	20:30	1.8	NNW
20260101	20:45	1.3	N
20260101	21:00	0.9	WNW
20260101	21:15	1.3	N
20260101	21:30	1.3	NNW
20260101	21:45	1.3	NNW
20260101	22:00	1.8	NNW
20260101	22:15	2.7	NNW
20260101	22:30	1.8	NNW
20260101	22:45	1.8	NNW
20260101	23:00	1.8	NNW
20260101	23:15	1.8	NNW
20260101	23:30	1.3	NNW
20260101	23:45	1.3	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260102	00:00	1.8	N
20260102	00:15	2.2	WNW
20260102	00:30	2.2	N
20260102	00:45	1.8	N
20260102	01:00	2.2	NNW
20260102	01:15	2.2	NW
20260102	01:30	2.7	NNW
20260102	01:45	3.1	NNW
20260102	02:00	3.1	NNW
20260102	02:15	3.1	NNW
20260102	02:30	2.2	NNW
20260102	02:45	2.2	NNW
20260102	03:00	3.1	NNW
20260102	03:15	2.2	NNW
20260102	03:30	2.7	NNW
20260102	03:45	3.1	NNW
20260102	04:00	2.7	NNW
20260102	04:15	3.6	NW
20260102	04:30	3.1	WNW
20260102	04:45	3.1	NNW
20260102	05:00	2.7	NNW
20260102	05:15	3.1	NW
20260102	05:30	3.1	NW
20260102	05:45	2.7	NNW
20260102	06:00	2.7	NNW
20260102	06:15	2.7	NNW
20260102	06:30	3.1	NW
20260102	06:45	3.6	NNW
20260102	07:00	3.1	NNW
20260102	07:15	2.7	NNW
20260102	07:30	2.7	NNW
20260102	07:45	3.1	NNW
20260102	08:00	3.1	NNW
20260102	08:15	3.6	NNW
20260102	08:30	3.1	NW
20260102	08:45	3.6	NNW
20260102	09:00	4.0	NW
20260102	09:15	4.0	NW
20260102	09:30	3.1	NW
20260102	09:45	4.0	NW
20260102	10:00	3.6	NW
20260102	10:15	3.6	NW
20260102	10:30	3.6	WNW
20260102	10:45	2.7	NW
20260102	11:00	3.1	NW
20260102	11:15	3.6	NW
20260102	11:30	2.7	NW
20260102	11:45	3.6	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260102	12:00	3.1	NW
20260102	12:15	3.1	NW
20260102	12:30	2.7	NW
20260102	12:45	2.7	NW
20260102	13:00	3.1	NNW
20260102	13:15	3.1	NW
20260102	13:30	2.7	NW
20260102	13:45	2.7	NW
20260102	14:00	2.7	NW
20260102	14:15	2.7	NW
20260102	14:30	2.7	N
20260102	14:45	3.1	NW
20260102	15:00	2.7	NNW
20260102	15:15	2.7	NW
20260102	15:30	2.7	NW
20260102	15:45	2.7	NW
20260102	16:00	2.7	NW
20260102	16:15	2.7	NW
20260102	16:30	3.1	NW
20260102	16:45	2.7	NW
20260102	17:00	2.2	NW
20260102	17:15	1.8	NW
20260102	17:30	2.2	NW
20260102	17:45	1.8	NW
20260102	18:00	2.2	NW
20260102	18:15	1.8	WNW
20260102	18:30	1.3	NNW
20260102	18:45	2.2	NW
20260102	19:00	2.2	NNW
20260102	19:15	1.8	N
20260102	19:30	1.3	N
20260102	19:45	0.9	N
20260102	20:00	1.3	N
20260102	20:15	1.8	NNW
20260102	20:30	1.3	N
20260102	20:45	0.9	NNW
20260102	21:00	1.3	S
20260102	21:15	0.9	NNW
20260102	21:30	1.3	NNW
20260102	21:45	1.3	NNW
20260102	22:00	1.8	NNW
20260102	22:15	1.8	NNW
20260102	22:30	1.8	NNW
20260102	22:45	2.2	NW
20260102	23:00	1.8	NNW
20260102	23:15	1.8	NNW
20260102	23:30	1.3	N
20260102	23:45	1.3	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260103	00:00	1.3	NNW
20260103	00:15	1.8	NNW
20260103	00:30	1.8	NNW
20260103	00:45	1.8	NNW
20260103	01:00	2.2	N
20260103	01:15	1.8	N
20260103	01:30	1.3	N
20260103	01:45	1.3	NNW
20260103	02:00	1.3	NNW
20260103	02:15	1.8	NNW
20260103	02:30	1.8	NNW
20260103	02:45	1.3	N
20260103	03:00	1.8	NNW
20260103	03:15	2.2	N
20260103	03:30	2.2	NNW
20260103	03:45	2.2	NNW
20260103	04:00	2.2	NNW
20260103	04:15	2.2	NNW
20260103	04:30	2.2	NNW
20260103	04:45	1.8	NNW
20260103	05:00	1.8	NNW
20260103	05:15	1.3	N
20260103	05:30	0.9	N
20260103	05:45	0.9	N
20260103	06:00	0.0	NNE
20260103	06:15	0.9	SE
20260103	06:30	0.4	SE
20260103	06:45	0.0	---
20260103	07:00	0.0	---
20260103	07:15	0.4	SE
20260103	07:30	0.4	SE
20260103	07:45	0.0	SE
20260103	08:00	0.0	---
20260103	08:15	0.9	SE
20260103	08:30	0.0	SE
20260103	08:45	0.4	SE
20260103	09:00	0.9	E
20260103	09:15	0.9	N
20260103	09:30	1.3	NNW
20260103	09:45	1.3	N
20260103	10:00	1.3	N
20260103	10:15	0.9	N
20260103	10:30	0.9	N
20260103	10:45	2.2	NNW
20260103	11:00	1.8	NNW
20260103	11:15	2.2	NNW
20260103	11:30	1.3	SSE
20260103	11:45	1.3	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260103	12:00	1.8	SSE
20260103	12:15	1.3	SE
20260103	12:30	0.9	SSE
20260103	12:45	1.3	SE
20260103	13:00	0.9	SE
20260103	13:15	0.9	SE
20260103	13:30	1.3	SE
20260103	13:45	0.9	SE
20260103	14:00	0.9	SE
20260103	14:15	0.4	SE
20260103	14:30	0.9	N
20260103	14:45	0.9	WSW
20260103	15:00	1.3	SSE
20260103	15:15	1.8	SE
20260103	15:30	0.9	SE
20260103	15:45	0.9	SSE
20260103	16:00	1.3	SE
20260103	16:15	1.8	SE
20260103	16:30	1.3	SE
20260103	16:45	1.8	SE
20260103	17:00	1.8	SE
20260103	17:15	2.2	SE
20260103	17:30	2.7	SE
20260103	17:45	2.2	SE
20260103	18:00	2.2	SE
20260103	18:15	1.8	SE
20260103	18:30	2.2	SE
20260103	18:45	1.8	SE
20260103	19:00	2.2	SE
20260103	19:15	2.2	SE
20260103	19:30	1.3	SSE
20260103	19:45	1.3	SE
20260103	20:00	1.3	SE
20260103	20:15	1.8	SE
20260103	20:30	1.8	SE
20260103	20:45	1.8	SE
20260103	21:00	1.8	SE
20260103	21:15	1.3	SE
20260103	21:30	0.4	SE
20260103	21:45	0	---
20260103	22:00	0	---
20260103	22:15	0	---
20260103	22:30	0	---
20260103	22:45	0	---
20260103	23:00	0	---
20260103	23:15	0	---
20260103	23:30	0	---
20260103	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260104	00:00	0.0	---
20260104	00:15	0.0	---
20260104	00:30	0.4	NNE
20260104	00:45	0.4	S
20260104	01:00	0.4	SE
20260104	01:15	0.4	SSE
20260104	01:30	0.0	SSE
20260104	01:45	0.0	E
20260104	02:00	0.0	S
20260104	02:15	0.0	E
20260104	02:30	0.0	NE
20260104	02:45	0.0	NE
20260104	03:00	0.0	---
20260104	03:15	0.0	---
20260104	03:30	0.0	NNE
20260104	03:45	0.0	---
20260104	04:00	0.0	---
20260104	04:15	0.0	---
20260104	04:30	0.0	---
20260104	04:45	0.0	---
20260104	05:00	0.0	---
20260104	05:15	0.0	---
20260104	05:30	0.0	---
20260104	05:45	0.0	---
20260104	06:00	0.0	---
20260104	06:15	0.0	N
20260104	06:30	0.0	NNE
20260104	06:45	0.0	NNE
20260104	07:00	0.0	---
20260104	07:15	0.0	SE
20260104	07:30	0.4	SSE
20260104	07:45	0.0	SSE
20260104	08:00	0.0	---
20260104	08:15	0.0	SSE
20260104	08:30	0.0	N
20260104	08:45	0.0	N
20260104	09:00	0.4	N
20260104	09:15	0.9	N
20260104	09:30	1.3	NNW
20260104	09:45	1.3	NNW
20260104	10:00	1.8	NNW
20260104	10:15	1.3	NNW
20260104	10:30	1.8	NW
20260104	10:45	2.2	NNW
20260104	11:00	2.2	NNW
20260104	11:15	2.7	NW
20260104	11:30	2.2	NW
20260104	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260104	12:00	2.7	NNW
20260104	12:15	2.2	NW
20260104	12:30	2.2	NW
20260104	12:45	2.7	NNW
20260104	13:00	2.2	NW
20260104	13:15	2.7	NNW
20260104	13:30	2.2	NW
20260104	13:45	1.8	WNW
20260104	14:00	1.8	N
20260104	14:15	2.2	NNW
20260104	14:30	2.2	WNW
20260104	14:45	1.3	NW
20260104	15:00	1.3	NNW
20260104	15:15	1.3	NNW
20260104	15:30	1.8	NNW
20260104	15:45	1.3	NNW
20260104	16:00	1.3	NNW
20260104	16:15	1.8	NW
20260104	16:30	1.8	NW
20260104	16:45	1.3	NW
20260104	17:00	0.9	NW
20260104	17:15	0.4	NNW
20260104	17:30	0.0	NNW
20260104	17:45	0.0	NNW
20260104	18:00	0	ESE
20260104	18:15	0.9	SE
20260104	18:30	0.9	SE
20260104	18:45	0.9	SE
20260104	19:00	0	SE
20260104	19:15	0	---
20260104	19:30	0	---
20260104	19:45	0	---
20260104	20:00	0	---
20260104	20:15	0	---
20260104	20:30	0	---
20260104	20:45	0	---
20260104	21:00	0	---
20260104	21:15	0	---
20260104	21:30	0	---
20260104	21:45	0	---
20260104	22:00	0	---
20260104	22:15	0	---
20260104	22:30	0	---
20260104	22:45	0	---
20260104	23:00	0	---
20260104	23:15	0	---
20260104	23:30	0	---
20260104	23:45	0	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260105	00:00	0.0	---
20260105	00:15	0.0	---
20260105	00:30	0.0	---
20260105	00:45	0.0	---
20260105	01:00	0.0	---
20260105	01:15	0.0	---
20260105	01:30	0.0	---
20260105	01:45	0.0	SE
20260105	02:00	0.0	---
20260105	02:15	0.0	---
20260105	02:30	0.0	---
20260105	02:45	0.0	---
20260105	03:00	0.0	---
20260105	03:15	0.0	---
20260105	03:30	0.0	---
20260105	03:45	0.0	---
20260105	04:00	0.0	---
20260105	04:15	0.0	---
20260105	04:30	0.0	---
20260105	04:45	0.0	SE
20260105	05:00	0.0	---
20260105	05:15	0.0	---
20260105	05:30	0.0	---
20260105	05:45	0.0	SE
20260105	06:00	0.0	---
20260105	06:15	0.0	---
20260105	06:30	0.0	---
20260105	06:45	0.0	SE
20260105	07:00	0.0	SE
20260105	07:15	0.0	---
20260105	07:30	0.0	---
20260105	07:45	0.0	---
20260105	08:00	0.0	---
20260105	08:15	0.0	---
20260105	08:30	0.0	---
20260105	08:45	0.0	SE
20260105	09:00	0.0	SE
20260105	09:15	0.9	SE
20260105	09:30	0.9	SE
20260105	09:45	1.8	NNW
20260105	10:00	1.8	NNW
20260105	10:15	2.2	NW
20260105	10:30	2.7	NNW
20260105	10:45	2.2	NW
20260105	11:00	1.8	NW
20260105	11:15	2.2	NW
20260105	11:30	2.7	NW
20260105	11:45	2.7	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260105	12:00	3.1	NNW
20260105	12:15	2.7	NNW
20260105	12:30	2.7	NNW
20260105	12:45	2.7	NNW
20260105	13:00	2.2	NNW
20260105	13:15	2.2	NW
20260105	13:30	1.8	N
20260105	13:45	2.7	N
20260105	14:00	2.2	N
20260105	14:15	2.2	NNW
20260105	14:30	3.1	WNW
20260105	14:45	2.7	NNW
20260105	15:00	2.2	NW
20260105	15:15	2.7	NW
20260105	15:30	2.7	NNW
20260105	15:45	2.7	NNW
20260105	16:00	2.2	NNW
20260105	16:15	1.8	NNW
20260105	16:30	2.2	NW
20260105	16:45	2.2	NW
20260105	17:00	2.2	NNW
20260105	17:15	1.8	NW
20260105	17:30	1.8	NW
20260105	17:45	1.8	NNW
20260105	18:00	0.9	NNW
20260105	18:15	1.3	NNW
20260105	18:30	0.9	NNW
20260105	18:45	0.9	N
20260105	19:00	1.3	NW
20260105	19:15	1.3	NNW
20260105	19:30	1.8	NNW
20260105	19:45	1.8	NNW
20260105	20:00	1.8	NNW
20260105	20:15	1.8	NNW
20260105	20:30	1.3	N
20260105	20:45	1.8	NNW
20260105	21:00	1.8	NNW
20260105	21:15	2.7	NNW
20260105	21:30	2.2	NNW
20260105	21:45	1.8	N
20260105	22:00	1.3	NNW
20260105	22:15	1.8	NNW
20260105	22:30	1.3	N
20260105	22:45	1.3	NNW
20260105	23:00	2.2	NNW
20260105	23:15	2.7	NNW
20260105	23:30	2.2	NNW
20260105	23:45	2.2	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260106	00:00	1.8	N
20260106	00:15	1.8	NNW
20260106	00:30	1.8	NNW
20260106	00:45	2.7	NW
20260106	01:00	2.2	N
20260106	01:15	2.2	N
20260106	01:30	1.8	N
20260106	01:45	2.7	NNW
20260106	02:00	2.7	N
20260106	02:15	2.7	NNW
20260106	02:30	2.7	N
20260106	02:45	2.7	N
20260106	03:00	3.1	NNW
20260106	03:15	3.6	NNW
20260106	03:30	3.1	NNW
20260106	03:45	3.1	NNW
20260106	04:00	3.1	NNW
20260106	04:15	2.7	N
20260106	04:30	2.7	NNW
20260106	04:45	2.2	N
20260106	05:00	2.7	NNW
20260106	05:15	2.7	NNW
20260106	05:30	3.1	NNW
20260106	05:45	3.1	NNW
20260106	06:00	3.1	NNW
20260106	06:15	2.7	NNW
20260106	06:30	2.2	NNW
20260106	06:45	2.2	NW
20260106	07:00	2.7	NNW
20260106	07:15	2.2	NNW
20260106	07:30	2.2	N
20260106	07:45	2.2	NNW
20260106	08:00	2.2	N
20260106	08:15	2.2	N
20260106	08:30	3.1	NNW
20260106	08:45	3.1	N
20260106	09:00	2.7	NNW
20260106	09:15	2.2	NNW
20260106	09:30	2.2	NW
20260106	09:45	2.7	NNW
20260106	10:00	2.7	NW
20260106	10:15	2.7	NW
20260106	10:30	2.2	NW
20260106	10:45	3.1	NNW
20260106	11:00	3.1	NW
20260106	11:15	2.7	NNW
20260106	11:30	3.6	NW
20260106	11:45	3.6	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260106	12:00	3.1	NW
20260106	12:15	3.1	NW
20260106	12:30	3.1	NW
20260106	12:45	3.1	NNW
20260106	13:00	3.1	NNW
20260106	13:15	2.7	NW
20260106	13:30	2.7	WNW
20260106	13:45	2.2	NW
20260106	14:00	2.2	WNW
20260106	14:15	2.7	N
20260106	14:30	2.7	NNW
20260106	14:45	2.7	NW
20260106	15:00	2.7	NW
20260106	15:15	1.8	NW
20260106	15:30	2.7	NNW
20260106	15:45	2.2	NW
20260106	16:00	2.2	NNW
20260106	16:15	2.2	NNW
20260106	16:30	1.8	NW
20260106	16:45	2.7	NNW
20260106	17:00	2.2	NW
20260106	17:15	2.2	NNW
20260106	17:30	1.8	NNW
20260106	17:45	1.8	NNW
20260106	18:00	1.3	NW
20260106	18:15	1.3	NNW
20260106	18:30	1.3	NNW
20260106	18:45	0.4	NNW
20260106	19:00	0	---
20260106	19:15	0.9	NW
20260106	19:30	2.2	N
20260106	19:45	1.8	NNW
20260106	20:00	1.8	NNW
20260106	20:15	2.2	N
20260106	20:30	1.3	N
20260106	20:45	1.3	N
20260106	21:00	1.3	NNW
20260106	21:15	1.3	NNW
20260106	21:30	1.8	NW
20260106	21:45	1.3	NNW
20260106	22:00	1.3	NNW
20260106	22:15	1.8	WNW
20260106	22:30	2.2	NW
20260106	22:45	2.2	NW
20260106	23:00	2.2	NW
20260106	23:15	2.7	NNW
20260106	23:30	2.7	NNW
20260106	23:45	2.7	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260107	00:00	3.6	NNW
20260107	00:15	2.7	NW
20260107	00:30	4.0	NW
20260107	00:45	3.6	NW
20260107	01:00	3.1	NW
20260107	01:15	3.6	NW
20260107	01:30	3.1	NW
20260107	01:45	2.2	WNW
20260107	02:00	2.7	WNW
20260107	02:15	2.7	NW
20260107	02:30	2.7	WNW
20260107	02:45	2.7	NW
20260107	03:00	2.7	WNW
20260107	03:15	1.8	NW
20260107	03:30	1.8	NW
20260107	03:45	2.2	NW
20260107	04:00	2.7	NNW
20260107	04:15	3.1	NNW
20260107	04:30	3.1	NW
20260107	04:45	3.6	NW
20260107	05:00	3.6	NW
20260107	05:15	3.6	NW
20260107	05:30	3.6	NW
20260107	05:45	4.0	NW
20260107	06:00	4.5	WNW
20260107	06:15	4.5	NW
20260107	06:30	4.5	NW
20260107	06:45	4.9	NW
20260107	07:00	4.9	NW
20260107	07:15	4.5	NW
20260107	07:30	4.9	NNW
20260107	07:45	4.0	NW
20260107	08:00	4.5	NNW
20260107	08:15	4.5	NNW
20260107	08:30	4.0	NW
20260107	08:45	4.5	NW
20260107	09:00	4.5	NW
20260107	09:15	4.0	NNW
20260107	09:30	4.5	NW
20260107	09:45	3.6	NNW
20260107	10:00	4.5	NW
20260107	10:15	4.0	NW
20260107	10:30	4.0	NW
20260107	10:45	3.6	NW
20260107	11:00	3.1	NNW
20260107	11:15	3.1	NW
20260107	11:30	2.7	WNW
20260107	11:45	3.1	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260107	12:00	3.1	NW
20260107	12:15	2.2	NW
20260107	12:30	2.7	NNW
20260107	12:45	2.7	NNW
20260107	13:00	3.1	NW
20260107	13:15	2.7	NNW
20260107	13:30	2.7	NW
20260107	13:45	1.8	WNW
20260107	14:00	2.2	NW
20260107	14:15	1.8	NW
20260107	14:30	1.8	NW
20260107	14:45	2.2	NW
20260107	15:00	1.8	NW
20260107	15:15	1.3	NW
20260107	15:30	1.3	NW
20260107	15:45	1.8	NW
20260107	16:00	1.3	NNW
20260107	16:15	0.4	N
20260107	16:30	0.9	SE
20260107	16:45	1.3	NNW
20260107	17:00	1.8	NW
20260107	17:15	0.4	NNW
20260107	17:30	0.9	N
20260107	17:45	0.4	NNE
20260107	18:00	0	N
20260107	18:15	0	N
20260107	18:30	0	---
20260107	18:45	0	NNE
20260107	19:00	0	NNE
20260107	19:15	0	NNW
20260107	19:30	0	NNW
20260107	19:45	0	NNW
20260107	20:00	0.4	NNW
20260107	20:15	0	ESE
20260107	20:30	0.4	SE
20260107	20:45	0	SE
20260107	21:00	0.4	SE
20260107	21:15	0.4	SE
20260107	21:30	0	ESE
20260107	21:45	0.4	ESE
20260107	22:00	0	ESE
20260107	22:15	0.9	NW
20260107	22:30	1.8	NNW
20260107	22:45	2.2	NW
20260107	23:00	2.7	WNW
20260107	23:15	2.7	NW
20260107	23:30	3.1	NW
20260107	23:45	3.1	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260108	00:00	2.2	NNW
20260108	00:15	2.2	NW
20260108	00:30	2.2	NNW
20260108	00:45	1.3	NNW
20260108	01:00	0.4	NNE
20260108	01:15	0.9	ESE
20260108	01:30	0.9	N
20260108	01:45	0.9	NE
20260108	02:00	0.9	N
20260108	02:15	0.9	N
20260108	02:30	0.9	N
20260108	02:45	1.3	N
20260108	03:00	0.4	E
20260108	03:15	0.9	N
20260108	03:30	0.4	NE
20260108	03:45	0.9	N
20260108	04:00	0.4	N
20260108	04:15	0.9	NNW
20260108	04:30	1.8	NNW
20260108	04:45	1.3	NW
20260108	05:00	1.3	N
20260108	05:15	1.8	N
20260108	05:30	1.3	W
20260108	05:45	2.7	NW
20260108	06:00	2.7	NNW
20260108	06:15	1.8	NNW
20260108	06:30	2.2	NW
20260108	06:45	2.7	NNW
20260108	07:00	3.1	NNW
20260108	07:15	2.7	NNW
20260108	07:30	3.1	NNW
20260108	07:45	3.1	NW
20260108	08:00	3.1	N
20260108	08:15	2.2	WNW
20260108	08:30	2.7	N
20260108	08:45	2.2	WNW
20260108	09:00	1.8	NNW
20260108	09:15	3.1	NNW
20260108	09:30	3.1	NW
20260108	09:45	3.1	NW
20260108	10:00	3.1	NW
20260108	10:15	3.6	NW
20260108	10:30	2.7	NW
20260108	10:45	2.2	NNW
20260108	11:00	3.1	NW
20260108	11:15	2.7	NNW
20260108	11:30	2.7	NNW
20260108	11:45	2.7	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260108	12:00	3.1	NNW
20260108	12:15	2.7	NW
20260108	12:30	2.2	NNW
20260108	12:45	2.7	NNW
20260108	13:00	2.7	NW
20260108	13:15	3.1	NNW
20260108	13:30	2.7	NW
20260108	13:45	2.2	NW
20260108	14:00	2.2	NW
20260108	14:15	2.2	NW
20260108	14:30	1.8	NW
20260108	14:45	1.8	NW
20260108	15:00	1.8	NW
20260108	15:15	2.7	NNW
20260108	15:30	1.8	NW
20260108	15:45	1.8	WNW
20260108	16:00	1.3	NW
20260108	16:15	2.2	NW
20260108	16:30	1.8	WNW
20260108	16:45	1.8	NW
20260108	17:00	1.8	NNW
20260108	17:15	1.3	NNW
20260108	17:30	0.9	NNW
20260108	17:45	0.4	NW
20260108	18:00	0.9	NNW
20260108	18:15	1.8	NW
20260108	18:30	1.8	NW
20260108	18:45	1.8	NW
20260108	19:00	1.8	NNW
20260108	19:15	1.3	NNW
20260108	19:30	1.8	NW
20260108	19:45	2.2	NW
20260108	20:00	2.2	NW
20260108	20:15	2.2	NW
20260108	20:30	2.2	NW
20260108	20:45	2.2	NW
20260108	21:00	1.3	W
20260108	21:15	1.8	NW
20260108	21:30	1.8	NW
20260108	21:45	1.3	WNW
20260108	22:00	1.3	NW
20260108	22:15	1.3	WNW
20260108	22:30	1.3	W
20260108	22:45	0.9	WNW
20260108	23:00	0.4	W
20260108	23:15	0.9	NNW
20260108	23:30	0.9	NNW
20260108	23:45	1.8	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260109	00:00	0.9	ENE
20260109	00:15	0.4	ENE
20260109	00:30	0.4	ESE
20260109	00:45	0.4	ESE
20260109	01:00	0.9	SE
20260109	01:15	0.9	SE
20260109	01:30	0.4	SE
20260109	01:45	0.9	SE
20260109	02:00	0.4	SE
20260109	02:15	0.4	SSE
20260109	02:30	0.4	SSE
20260109	02:45	0.4	SSE
20260109	03:00	0.4	SSE
20260109	03:15	0.4	SSE
20260109	03:30	0.4	SSE
20260109	03:45	0.4	SSE
20260109	04:00	0.4	SSE
20260109	04:15	0.0	SSE
20260109	04:30	0.0	---
20260109	04:45	0.4	SSE
20260109	05:00	0.0	SSE
20260109	05:15	0.0	SSE
20260109	05:30	0.0	SSE
20260109	05:45	0.0	SSE
20260109	06:00	0.0	SSE
20260109	06:15	0.0	SSE
20260109	06:30	0.0	SSE
20260109	06:45	0.0	---
20260109	07:00	0.0	SSE
20260109	07:15	0.0	SSE
20260109	07:30	0.0	SSE
20260109	07:45	0.4	SSE
20260109	08:00	0.0	SSE
20260109	08:15	0.0	SSE
20260109	08:30	0.0	---
20260109	08:45	0.9	SE
20260109	09:00	0.9	SE
20260109	09:15	1.3	SE
20260109	09:30	0.4	SE
20260109	09:45	0.4	NNE
20260109	10:00	0.4	NNE
20260109	10:15	1.3	SE
20260109	10:30	1.8	N
20260109	10:45	2.2	NNW
20260109	11:00	1.8	NNW
20260109	11:15	2.2	NNW
20260109	11:30	2.2	NNW
20260109	11:45	2.7	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260109	12:00	2.2	NNW
20260109	12:15	2.2	NW
20260109	12:30	2.2	NNW
20260109	12:45	2.2	NNW
20260109	13:00	2.2	NNW
20260109	13:15	2.2	NW
20260109	13:30	2.2	NW
20260109	13:45	2.2	NNW
20260109	14:00	2.2	N
20260109	14:15	2.2	NW
20260109	14:30	2.2	NNW
20260109	14:45	2.2	NNW
20260109	15:00	1.8	NNW
20260109	15:15	1.8	NNW
20260109	15:30	1.8	NNW
20260109	15:45	1.8	NNW
20260109	16:00	1.8	NW
20260109	16:15	1.3	NNW
20260109	16:30	1.3	NNW
20260109	16:45	1.3	NNW
20260109	17:00	1.3	NW
20260109	17:15	0.4	NW
20260109	17:30	0.0	NW
20260109	17:45	0.0	NW
20260109	18:00	0	NW
20260109	18:15	0	---
20260109	18:30	0	---
20260109	18:45	0	NW
20260109	19:00	0	NW
20260109	19:15	0	NW
20260109	19:30	0	NW
20260109	19:45	0	NW
20260109	20:00	0	---
20260109	20:15	0	NW
20260109	20:30	0	---
20260109	20:45	0	---
20260109	21:00	0	---
20260109	21:15	0	---
20260109	21:30	0	---
20260109	21:45	0	---
20260109	22:00	0	NW
20260109	22:15	0	NW
20260109	22:30	0	ESE
20260109	22:45	0	ESE
20260109	23:00	0	ESE
20260109	23:15	0	---
20260109	23:30	0	---
20260109	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260110	00:00	0.0	---
20260110	00:15	0.0	---
20260110	00:30	0.0	---
20260110	00:45	0.0	---
20260110	01:00	0.0	---
20260110	01:15	0.0	ESE
20260110	01:30	0.0	ESE
20260110	01:45	0.0	ESE
20260110	02:00	0.0	ESE
20260110	02:15	0.0	---
20260110	02:30	0.0	---
20260110	02:45	0.0	---
20260110	03:00	0.0	---
20260110	03:15	0.0	---
20260110	03:30	0.4	ESE
20260110	03:45	0.0	---
20260110	04:00	0.0	ESE
20260110	04:15	0.0	ESE
20260110	04:30	0.0	ESE
20260110	04:45	0.0	---
20260110	05:00	0.0	---
20260110	05:15	0.0	---
20260110	05:30	0.0	---
20260110	05:45	0.0	NNE
20260110	06:00	0.0	NNE
20260110	06:15	0.4	NNE
20260110	06:30	0.0	---
20260110	06:45	0.0	NNE
20260110	07:00	0.0	---
20260110	07:15	0.0	---
20260110	07:30	0.0	---
20260110	07:45	0.0	---
20260110	08:00	0.0	---
20260110	08:15	0.0	---
20260110	08:30	0.4	NNE
20260110	08:45	0.4	NNE
20260110	09:00	0.4	NNE
20260110	09:15	0.9	N
20260110	09:30	0.4	N
20260110	09:45	0.4	N
20260110	10:00	0.4	N
20260110	10:15	1.8	NNW
20260110	10:30	2.7	NW
20260110	10:45	2.7	NW
20260110	11:00	2.7	NW
20260110	11:15	2.2	NNW
20260110	11:30	2.2	NW
20260110	11:45	2.2	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260110	12:00	2.7	NW
20260110	12:15	2.7	NNW
20260110	12:30	2.2	NW
20260110	12:45	2.7	NW
20260110	13:00	2.2	NNW
20260110	13:15	2.7	NW
20260110	13:30	2.2	NNW
20260110	13:45	2.7	N
20260110	14:00	2.7	N
20260110	14:15	2.2	NW
20260110	14:30	1.8	NW
20260110	14:45	1.3	WNW
20260110	15:00	2.2	NW
20260110	15:15	1.8	NNW
20260110	15:30	1.3	NW
20260110	15:45	1.8	NW
20260110	16:00	1.3	NNW
20260110	16:15	1.3	NNW
20260110	16:30	1.3	NNW
20260110	16:45	1.8	NNW
20260110	17:00	1.3	NNW
20260110	17:15	1.3	NNW
20260110	17:30	0.9	NNW
20260110	17:45	0.0	NNW
20260110	18:00	0	NNW
20260110	18:15	0.4	NNW
20260110	18:30	0.4	NE
20260110	18:45	0	NE
20260110	19:00	0	NE
20260110	19:15	0	---
20260110	19:30	0	NE
20260110	19:45	0.4	NE
20260110	20:00	0	NE
20260110	20:15	0	NE
20260110	20:30	0	NE
20260110	20:45	0	NNW
20260110	21:00	0	N
20260110	21:15	0.4	ENE
20260110	21:30	0.4	N
20260110	21:45	0.4	NNE
20260110	22:00	0.4	NNE
20260110	22:15	0.4	W
20260110	22:30	0.4	N
20260110	22:45	0.4	N
20260110	23:00	0.4	E
20260110	23:15	0	ESE
20260110	23:30	0	ESE
20260110	23:45	0.4	ESE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260111	00:00	0.4	ENE
20260111	00:15	0.4	ENE
20260111	00:30	0.0	ENE
20260111	00:45	0.4	SE
20260111	01:00	0.0	SE
20260111	01:15	0.4	SE
20260111	01:30	0.9	SE
20260111	01:45	0.0	SE
20260111	02:00	0.4	SSE
20260111	02:15	0.4	SSE
20260111	02:30	0.0	SSE
20260111	02:45	0.4	SSE
20260111	03:00	0.0	SSW
20260111	03:15	0.4	NNE
20260111	03:30	0.9	N
20260111	03:45	0.4	N
20260111	04:00	0.9	NE
20260111	04:15	1.3	N
20260111	04:30	0.9	N
20260111	04:45	1.3	NNW
20260111	05:00	1.8	N
20260111	05:15	1.3	N
20260111	05:30	1.3	N
20260111	05:45	0.4	N
20260111	06:00	0.9	E
20260111	06:15	0.9	SE
20260111	06:30	0.9	SE
20260111	06:45	0.9	ESE
20260111	07:00	0.9	ESE
20260111	07:15	0.4	ESE
20260111	07:30	0.4	N
20260111	07:45	0.4	ESE
20260111	08:00	0.4	ESE
20260111	08:15	0.4	ESE
20260111	08:30	0.4	ESE
20260111	08:45	0.4	ESE
20260111	09:00	0.9	ESE
20260111	09:15	0.4	NNW
20260111	09:30	1.3	NNW
20260111	09:45	1.8	NNW
20260111	10:00	1.3	NW
20260111	10:15	1.3	NNW
20260111	10:30	1.8	NNW
20260111	10:45	1.8	NNW
20260111	11:00	1.8	NNW
20260111	11:15	1.8	NNW
20260111	11:30	1.8	N
20260111	11:45	2.2	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260111	12:00	1.8	NNW
20260111	12:15	1.8	NNW
20260111	12:30	1.3	E
20260111	12:45	1.3	SE
20260111	13:00	1.3	SSE
20260111	13:15	1.8	SE
20260111	13:30	2.2	SE
20260111	13:45	2.2	SE
20260111	14:00	2.2	SE
20260111	14:15	2.2	SE
20260111	14:30	1.8	SE
20260111	14:45	2.2	SE
20260111	15:00	2.2	SE
20260111	15:15	2.2	SE
20260111	15:30	1.8	SE
20260111	15:45	0.9	SE
20260111	16:00	1.3	SE
20260111	16:15	2.7	SE
20260111	16:30	1.8	SE
20260111	16:45	1.8	SE
20260111	17:00	1.8	SE
20260111	17:15	2.2	SE
20260111	17:30	2.7	SE
20260111	17:45	2.2	SE
20260111	18:00	1.8	SE
20260111	18:15	2.2	SE
20260111	18:30	2.2	SE
20260111	18:45	2.2	SE
20260111	19:00	1.8	SE
20260111	19:15	1.3	SE
20260111	19:30	1.3	SE
20260111	19:45	1.3	SSE
20260111	20:00	1.3	SE
20260111	20:15	0.9	SSE
20260111	20:30	0.9	SE
20260111	20:45	0.9	SSE
20260111	21:00	0.9	SE
20260111	21:15	1.3	SE
20260111	21:30	1.3	SE
20260111	21:45	0.9	SE
20260111	22:00	0.9	SE
20260111	22:15	0.9	SE
20260111	22:30	1.3	SE
20260111	22:45	1.3	E
20260111	23:00	0.9	E
20260111	23:15	0.9	SE
20260111	23:30	0.9	SE
20260111	23:45	0.9	ESE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260112	00:00	0.9	SE
20260112	00:15	0.9	SSE
20260112	00:30	1.3	SSE
20260112	00:45	0.4	ESE
20260112	01:00	1.3	ESE
20260112	01:15	1.3	SE
20260112	01:30	1.8	SE
20260112	01:45	2.7	SE
20260112	02:00	3.6	SE
20260112	02:15	3.6	SE
20260112	02:30	3.1	SE
20260112	02:45	2.7	SE
20260112	03:00	2.7	SE
20260112	03:15	2.7	SE
20260112	03:30	2.7	SE
20260112	03:45	3.1	SE
20260112	04:00	1.3	SE
20260112	04:15	1.3	SE
20260112	04:30	1.3	SE
20260112	04:45	1.8	SE
20260112	05:00	1.8	SE
20260112	05:15	2.2	SE
20260112	05:30	2.2	SE
20260112	05:45	2.2	SE
20260112	06:00	1.3	SE
20260112	06:15	1.3	SE
20260112	06:30	0.4	ESE
20260112	06:45	0.0	ESE
20260112	07:00	0.4	SE
20260112	07:15	0.4	SE
20260112	07:30	0.4	N
20260112	07:45	0.0	N
20260112	08:00	0.4	N
20260112	08:15	0.9	N
20260112	08:30	0.4	N
20260112	08:45	0.4	NNW
20260112	09:00	0.9	NNW
20260112	09:15	0.9	NNW
20260112	09:30	0.9	N
20260112	09:45	0.4	NW
20260112	10:00	0.9	NNW
20260112	10:15	0.4	NNW
20260112	10:30	0.9	NNW
20260112	10:45	0.9	N
20260112	11:00	0.9	NNW
20260112	11:15	0.4	NNW
20260112	11:30	0.9	NNW
20260112	11:45	1.8	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260112	12:00	1.3	NNW
20260112	12:15	1.8	N
20260112	12:30	1.3	NNW
20260112	12:45	1.8	NNW
20260112	13:00	1.3	NNW
20260112	13:15	0.9	NNW
20260112	13:30	1.3	N
20260112	13:45	1.8	WSW
20260112	14:00	1.3	WNW
20260112	14:15	1.3	N
20260112	14:30	0.9	WNW
20260112	14:45	0.9	SE
20260112	15:00	1.3	SE
20260112	15:15	1.3	WSW
20260112	15:30	1.3	SE
20260112	15:45	0.9	N
20260112	16:00	1.8	NNW
20260112	16:15	1.8	WSW
20260112	16:30	1.3	WSW
20260112	16:45	0.9	WSW
20260112	17:00	0.4	SW
20260112	17:15	0.4	SE
20260112	17:30	0.0	SE
20260112	17:45	0.0	---
20260112	18:00	0	---
20260112	18:15	0	---
20260112	18:30	0	---
20260112	18:45	0	---
20260112	19:00	0	---
20260112	19:15	0	---
20260112	19:30	0	---
20260112	19:45	0	---
20260112	20:00	0	---
20260112	20:15	0	---
20260112	20:30	0	---
20260112	20:45	0	---
20260112	21:00	0	---
20260112	21:15	0	---
20260112	21:30	0	---
20260112	21:45	0	---
20260112	22:00	0	---
20260112	22:15	0	---
20260112	22:30	0	---
20260112	22:45	0	---
20260112	23:00	0	---
20260112	23:15	0	---
20260112	23:30	0	---
20260112	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260113	00:00	0.0	---
20260113	00:15	0.0	---
20260113	00:30	0.0	---
20260113	00:45	0.0	---
20260113	01:00	0.0	---
20260113	01:15	0.0	---
20260113	01:30	0.0	---
20260113	01:45	0.0	---
20260113	02:00	0.0	---
20260113	02:15	0.0	---
20260113	02:30	0.0	---
20260113	02:45	0.0	---
20260113	03:00	0.4	SE
20260113	03:15	0.0	SE
20260113	03:30	0.0	SE
20260113	03:45	0.0	SE
20260113	04:00	0.0	---
20260113	04:15	0.4	SE
20260113	04:30	0.9	SE
20260113	04:45	0.0	SE
20260113	05:00	0.0	SE
20260113	05:15	0.0	---
20260113	05:30	0.0	SE
20260113	05:45	0.4	SE
20260113	06:00	0.0	SE
20260113	06:15	0.0	SE
20260113	06:30	0.0	---
20260113	06:45	0.0	---
20260113	07:00	0.0	---
20260113	07:15	0.0	SE
20260113	07:30	0.4	SE
20260113	07:45	0.0	SE
20260113	08:00	0.0	SE
20260113	08:15	0.0	SE
20260113	08:30	0.0	SE
20260113	08:45	0.4	SE
20260113	09:00	0.9	E
20260113	09:15	0.0	---
20260113	09:30	0.4	NNW
20260113	09:45	0.0	NNW
20260113	10:00	0.9	N
20260113	10:15	2.2	NNW
20260113	10:30	1.8	NNW
20260113	10:45	2.2	NW
20260113	11:00	1.8	NNW
20260113	11:15	2.2	NNW
20260113	11:30	2.7	NW
20260113	11:45	3.1	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260113	12:00	2.7	NW
20260113	12:15	3.1	NNW
20260113	12:30	2.7	NW
20260113	12:45	2.7	NNW
20260113	13:00	2.2	NW
20260113	13:15	2.7	WNW
20260113	13:30	1.8	NNW
20260113	13:45	1.8	NW
20260113	14:00	1.8	NW
20260113	14:15	1.8	WNW
20260113	14:30	1.8	N
20260113	14:45	1.8	NW
20260113	15:00	1.8	NW
20260113	15:15	1.8	NNW
20260113	15:30	1.8	NNW
20260113	15:45	1.3	NNW
20260113	16:00	1.3	NW
20260113	16:15	0.9	NNW
20260113	16:30	0.4	SE
20260113	16:45	0.9	SE
20260113	17:00	2.2	SE
20260113	17:15	2.7	SE
20260113	17:30	2.7	SE
20260113	17:45	3.1	SE
20260113	18:00	2.7	SE
20260113	18:15	2.7	SE
20260113	18:30	1.8	SSE
20260113	18:45	0.4	SSE
20260113	19:00	0	SW
20260113	19:15	0	S
20260113	19:30	0.9	SSE
20260113	19:45	0.9	SE
20260113	20:00	0.4	SSE
20260113	20:15	0.4	SE
20260113	20:30	0	SE
20260113	20:45	1.3	SE
20260113	21:00	1.3	SSE
20260113	21:15	0.9	SSE
20260113	21:30	0.4	SE
20260113	21:45	0	SSE
20260113	22:00	0	SSE
20260113	22:15	0	SSE
20260113	22:30	0.4	SSE
20260113	22:45	0	SE
20260113	23:00	0	---
20260113	23:15	0	---
20260113	23:30	0	---
20260113	23:45	0	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260114	00:00	0.0	SE
20260114	00:15	0.0	SE
20260114	00:30	0.0	---
20260114	00:45	0.0	---
20260114	01:00	0.0	SSE
20260114	01:15	0.0	SSE
20260114	01:30	0.0	SSE
20260114	01:45	0.0	---
20260114	02:00	0.0	NNW
20260114	02:15	0.0	---
20260114	02:30	0.0	---
20260114	02:45	0.0	---
20260114	03:00	0.0	---
20260114	03:15	0.0	ENE
20260114	03:30	0.0	ENE
20260114	03:45	0.0	---
20260114	04:00	0.0	---
20260114	04:15	0.0	---
20260114	04:30	0.0	ENE
20260114	04:45	0.0	ENE
20260114	05:00	0.0	ENE
20260114	05:15	0.0	---
20260114	05:30	0.0	---
20260114	05:45	0.0	---
20260114	06:00	0.0	---
20260114	06:15	0.0	---
20260114	06:30	0.0	---
20260114	06:45	0.0	ENE
20260114	07:00	0.0	ESE
20260114	07:15	0.4	WSW
20260114	07:30	0.0	WSW
20260114	07:45	0.4	ENE
20260114	08:00	0.4	ENE
20260114	08:15	0.4	WSW
20260114	08:30	0.9	SE
20260114	08:45	0.4	SSW
20260114	09:00	0.9	SSW
20260114	09:15	1.3	SE
20260114	09:30	0.9	SE
20260114	09:45	1.3	SE
20260114	10:00	0.9	SE
20260114	10:15	0.9	SSE
20260114	10:30	1.3	SE
20260114	10:45	1.3	SE
20260114	11:00	0.9	SSW
20260114	11:15	0.9	SE
20260114	11:30	0.9	SE
20260114	11:45	0.4	SSE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260114	12:00	1.3	S
20260114	12:15	1.3	SE
20260114	12:30	1.3	N
20260114	12:45	0.9	SSW
20260114	13:00	0.9	WSW
20260114	13:15	1.3	WNW
20260114	13:30	0.9	E
20260114	13:45	1.8	SE
20260114	14:00	1.3	SE
20260114	14:15	1.3	SE
20260114	14:30	1.3	SE
20260114	14:45	0.9	SSE
20260114	15:00	1.3	W
20260114	15:15	1.3	NW
20260114	15:30	1.3	SE
20260114	15:45	1.3	ESE
20260114	16:00	1.3	SE
20260114	16:15	2.2	SE
20260114	16:30	2.7	SE
20260114	16:45	2.2	SE
20260114	17:00	1.8	SSE
20260114	17:15	1.3	SE
20260114	17:30	0.4	NE
20260114	17:45	0.4	E
20260114	18:00	0.4	NNE
20260114	18:15	0	NNE
20260114	18:30	0	NE
20260114	18:45	0	NE
20260114	19:00	0	NE
20260114	19:15	0	---
20260114	19:30	0	---
20260114	19:45	0.4	SE
20260114	20:00	0.4	SSE
20260114	20:15	0.4	SSE
20260114	20:30	0.4	SSE
20260114	20:45	0	---
20260114	21:00	0	---
20260114	21:15	0	---
20260114	21:30	0	---
20260114	21:45	0	---
20260114	22:00	0	---
20260114	22:15	0	---
20260114	22:30	0	---
20260114	22:45	0	---
20260114	23:00	0	---
20260114	23:15	0	---
20260114	23:30	0	---
20260114	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260115	00:00	0.0	---
20260115	00:15	0.0	---
20260115	00:30	0.0	---
20260115	00:45	0.0	---
20260115	01:00	0.0	---
20260115	01:15	0.0	---
20260115	01:30	0.0	---
20260115	01:45	0.0	---
20260115	02:00	0.0	---
20260115	02:15	0.0	---
20260115	02:30	0.0	---
20260115	02:45	0.0	---
20260115	03:00	0.0	---
20260115	03:15	0.0	---
20260115	03:30	0.0	---
20260115	03:45	0.0	---
20260115	04:00	0.0	---
20260115	04:15	0.9	SE
20260115	04:30	0.9	SE
20260115	04:45	0.0	SE
20260115	05:00	0.0	SE
20260115	05:15	0.0	SE
20260115	05:30	0.0	---
20260115	05:45	0.9	SE
20260115	06:00	0.4	SE
20260115	06:15	0.0	---
20260115	06:30	0.0	---
20260115	06:45	0.0	---
20260115	07:00	0.0	---
20260115	07:15	0.0	---
20260115	07:30	0.0	---
20260115	07:45	0.0	---
20260115	08:00	0.0	---
20260115	08:15	0.0	---
20260115	08:30	0.0	---
20260115	08:45	0.0	---
20260115	09:00	0.0	---
20260115	09:15	0.4	NNE
20260115	09:30	0.9	NNE
20260115	09:45	0.9	N
20260115	10:00	0.4	N
20260115	10:15	0.9	NNW
20260115	10:30	1.3	N
20260115	10:45	0.9	NNE
20260115	11:00	0.9	NNW
20260115	11:15	0.9	NNW
20260115	11:30	1.8	NNW
20260115	11:45	1.3	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260115	12:00	1.8	NNW
20260115	12:15	2.2	NNW
20260115	12:30	1.8	NNW
20260115	12:45	1.8	NW
20260115	13:00	1.8	NNW
20260115	13:15	1.3	N
20260115	13:30	1.3	NW
20260115	13:45	0.9	WNW
20260115	14:00	1.3	WSW
20260115	14:15	1.3	WSW
20260115	14:30	0.9	N
20260115	14:45	1.3	SE
20260115	15:00	1.3	SE
20260115	15:15	1.3	SE
20260115	15:30	1.3	SE
20260115	15:45	2.2	SE
20260115	16:00	1.8	SE
20260115	16:15	1.8	SE
20260115	16:30	2.7	SE
20260115	16:45	2.2	SE
20260115	17:00	2.2	SE
20260115	17:15	1.3	SE
20260115	17:30	0.4	ESE
20260115	17:45	0.0	---
20260115	18:00	0	---
20260115	18:15	0	---
20260115	18:30	0	---
20260115	18:45	0	---
20260115	19:00	0	---
20260115	19:15	0	---
20260115	19:30	0	---
20260115	19:45	0	---
20260115	20:00	0	---
20260115	20:15	0	---
20260115	20:30	0	---
20260115	20:45	0	---
20260115	21:00	0	---
20260115	21:15	0	---
20260115	21:30	0	---
20260115	21:45	0	---
20260115	22:00	0	---
20260115	22:15	0	---
20260115	22:30	0	---
20260115	22:45	0	---
20260115	23:00	0	---
20260115	23:15	0	---
20260115	23:30	0	---
20260115	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260116	00:00	0.0	---
20260116	00:15	0.0	---
20260116	00:30	0.0	---
20260116	00:45	0.0	---
20260116	01:00	0.0	---
20260116	01:15	0.0	---
20260116	01:30	0.0	---
20260116	01:45	0.0	---
20260116	02:00	0.0	---
20260116	02:15	0.0	---
20260116	02:30	0.0	---
20260116	02:45	0.0	---
20260116	03:00	0.0	---
20260116	03:15	0.0	---
20260116	03:30	0.0	---
20260116	03:45	0.0	---
20260116	04:00	0.0	---
20260116	04:15	0.0	---
20260116	04:30	0.0	---
20260116	04:45	0.0	---
20260116	05:00	0.0	---
20260116	05:15	0.0	---
20260116	05:30	0.0	---
20260116	05:45	0.0	---
20260116	06:00	0.0	---
20260116	06:15	0.0	---
20260116	06:30	0.0	---
20260116	06:45	0.0	---
20260116	07:00	0.0	---
20260116	07:15	0.0	---
20260116	07:30	0.0	---
20260116	07:45	0.0	---
20260116	08:00	0.0	---
20260116	08:15	0.0	---
20260116	08:30	0.0	---
20260116	08:45	0.0	---
20260116	09:00	0.0	---
20260116	09:15	0.0	---
20260116	09:30	0.0	---
20260116	09:45	0.0	---
20260116	10:00	0.0	---
20260116	10:15	0.0	---
20260116	10:30	0.4	NNE
20260116	10:45	0.9	N
20260116	11:00	0.9	NNW
20260116	11:15	0.9	N
20260116	11:30	0.9	NNW
20260116	11:45	0.9	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260116	12:00	1.3	NNW
20260116	12:15	1.3	N
20260116	12:30	1.3	NW
20260116	12:45	1.3	SE
20260116	13:00	1.8	SE
20260116	13:15	1.3	SE
20260116	13:30	0.9	SE
20260116	13:45	0.9	SSE
20260116	14:00	1.3	SE
20260116	14:15	0.9	WSW
20260116	14:30	1.3	SE
20260116	14:45	1.3	SE
20260116	15:00	1.3	SE
20260116	15:15	1.8	SE
20260116	15:30	1.8	SE
20260116	15:45	1.3	SE
20260116	16:00	1.8	SE
20260116	16:15	1.8	SE
20260116	16:30	1.8	SE
20260116	16:45	1.8	SE
20260116	17:00	2.2	SE
20260116	17:15	1.8	SE
20260116	17:30	1.8	SE
20260116	17:45	1.8	SE
20260116	18:00	1.8	SE
20260116	18:15	1.8	SE
20260116	18:30	1.8	SE
20260116	18:45	2.2	SE
20260116	19:00	3.1	SE
20260116	19:15	3.1	SE
20260116	19:30	2.2	SE
20260116	19:45	1.8	SE
20260116	20:00	2.2	SE
20260116	20:15	1.8	SE
20260116	20:30	1.8	SE
20260116	20:45	2.2	SE
20260116	21:00	1.8	SE
20260116	21:15	1.8	SE
20260116	21:30	1.8	SE
20260116	21:45	1.3	SSE
20260116	22:00	1.3	SE
20260116	22:15	1.3	SE
20260116	22:30	1.8	SE
20260116	22:45	1.8	SE
20260116	23:00	1.8	SE
20260116	23:15	1.3	SE
20260116	23:30	1.3	SE
20260116	23:45	0.9	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260117	00:00	1.3	SE
20260117	00:15	1.3	SE
20260117	00:30	1.3	SE
20260117	00:45	1.8	SE
20260117	01:00	1.8	SE
20260117	01:15	0.9	SE
20260117	01:30	0.9	N
20260117	01:45	0.0	NE
20260117	02:00	0.4	E
20260117	02:15	0.0	E
20260117	02:30	0.0	---
20260117	02:45	0.0	---
20260117	03:00	0.0	N
20260117	03:15	0.0	N
20260117	03:30	0.4	NNE
20260117	03:45	0.4	NE
20260117	04:00	0.0	---
20260117	04:15	0.0	NE
20260117	04:30	0.4	NE
20260117	04:45	0.0	---
20260117	05:00	0.0	---
20260117	05:15	0.0	---
20260117	05:30	0.0	---
20260117	05:45	0.0	---
20260117	06:00	0.0	---
20260117	06:15	0.0	NE
20260117	06:30	0.0	---
20260117	06:45	0.0	---
20260117	07:00	0.0	---
20260117	07:15	0.0	---
20260117	07:30	0.0	---
20260117	07:45	0.0	---
20260117	08:00	0.4	N
20260117	08:15	0.0	---
20260117	08:30	0.0	---
20260117	08:45	0.0	SW
20260117	09:00	0.0	---
20260117	09:15	0.0	NNW
20260117	09:30	0.9	NNW
20260117	09:45	0.9	NNW
20260117	10:00	0.9	N
20260117	10:15	0.9	N
20260117	10:30	0.9	NNW
20260117	10:45	0.9	N
20260117	11:00	0.9	WNW
20260117	11:15	1.3	N
20260117	11:30	1.8	N
20260117	11:45	1.8	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260117	12:00	1.3	NW
20260117	12:15	0.9	NNW
20260117	12:30	0.9	NW
20260117	12:45	1.3	SE
20260117	13:00	0.9	NW
20260117	13:15	0.9	ESE
20260117	13:30	1.8	SE
20260117	13:45	1.3	SE
20260117	14:00	1.8	SE
20260117	14:15	2.2	SE
20260117	14:30	1.8	SE
20260117	14:45	1.8	SE
20260117	15:00	1.8	SE
20260117	15:15	1.3	SE
20260117	15:30	0.9	SE
20260117	15:45	0.9	SE
20260117	16:00	1.8	SE
20260117	16:15	2.2	SE
20260117	16:30	2.2	SE
20260117	16:45	2.2	SE
20260117	17:00	3.1	SE
20260117	17:15	3.1	SE
20260117	17:30	3.1	SE
20260117	17:45	2.2	SE
20260117	18:00	2.2	SE
20260117	18:15	3.1	SE
20260117	18:30	3.1	SE
20260117	18:45	3.1	SE
20260117	19:00	1.8	SE
20260117	19:15	1.3	SE
20260117	19:30	1.8	SE
20260117	19:45	1.8	SE
20260117	20:00	2.2	SE
20260117	20:15	2.7	SE
20260117	20:30	2.7	SE
20260117	20:45	1.8	SE
20260117	21:00	1.8	SE
20260117	21:15	1.8	SE
20260117	21:30	1.3	SE
20260117	21:45	0.9	ESE
20260117	22:00	0.9	SE
20260117	22:15	0.4	ESE
20260117	22:30	1.3	SE
20260117	22:45	1.8	SE
20260117	23:00	2.2	SE
20260117	23:15	2.2	SE
20260117	23:30	1.3	SE
20260117	23:45	1.8	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260118	00:00	0.9	SE
20260118	00:15	0.4	SE
20260118	00:30	0.4	SE
20260118	00:45	0.4	SE
20260118	01:00	1.3	SE
20260118	01:15	0.9	SE
20260118	01:30	0.9	S
20260118	01:45	0.9	SSE
20260118	02:00	0.4	SSW
20260118	02:15	0.9	SSE
20260118	02:30	0.4	SE
20260118	02:45	0.9	ESE
20260118	03:00	1.8	SE
20260118	03:15	1.3	WSW
20260118	03:30	1.3	WSW
20260118	03:45	1.3	SE
20260118	04:00	1.8	SE
20260118	04:15	1.8	SE
20260118	04:30	1.8	SE
20260118	04:45	1.3	SE
20260118	05:00	2.2	SSE
20260118	05:15	1.8	SE
20260118	05:30	1.3	WSW
20260118	05:45	1.3	WSW
20260118	06:00	1.3	SE
20260118	06:15	1.3	WNW
20260118	06:30	1.8	NW
20260118	06:45	1.8	NW
20260118	07:00	1.3	NNW
20260118	07:15	1.3	WSW
20260118	07:30	1.3	WSW
20260118	07:45	0.9	SE
20260118	08:00	1.3	WSW
20260118	08:15	1.3	WSW
20260118	08:30	1.3	WSW
20260118	08:45	1.3	NW
20260118	09:00	1.3	SE
20260118	09:15	1.3	SE
20260118	09:30	1.8	SE
20260118	09:45	1.3	WSW
20260118	10:00	1.3	SE
20260118	10:15	0.9	WNW
20260118	10:30	0.9	ESE
20260118	10:45	1.8	SE
20260118	11:00	1.3	SE
20260118	11:15	1.3	SE
20260118	11:30	1.3	SE
20260118	11:45	1.3	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260118	12:00	0.9	NW
20260118	12:15	1.3	ESE
20260118	12:30	1.3	N
20260118	12:45	0.9	SE
20260118	13:00	1.3	ESE
20260118	13:15	1.3	SE
20260118	13:30	1.3	SE
20260118	13:45	1.3	SE
20260118	14:00	0.9	ESE
20260118	14:15	1.3	SE
20260118	14:30	1.3	SE
20260118	14:45	1.3	WSW
20260118	15:00	1.3	SE
20260118	15:15	1.8	SE
20260118	15:30	1.3	SE
20260118	15:45	1.3	SE
20260118	16:00	2.2	SE
20260118	16:15	1.8	SE
20260118	16:30	1.8	SE
20260118	16:45	1.3	SE
20260118	17:00	2.2	SE
20260118	17:15	2.2	SE
20260118	17:30	2.2	SE
20260118	17:45	1.8	SE
20260118	18:00	1.8	SE
20260118	18:15	1.3	SSE
20260118	18:30	0.9	SE
20260118	18:45	0	SE
20260118	19:00	0	---
20260118	19:15	0	SE
20260118	19:30	0	SE
20260118	19:45	0	---
20260118	20:00	0	---
20260118	20:15	0	---
20260118	20:30	0	---
20260118	20:45	0	---
20260118	21:00	0	SE
20260118	21:15	0	---
20260118	21:30	0	SE
20260118	21:45	0	SE
20260118	22:00	0	SE
20260118	22:15	0	---
20260118	22:30	0	---
20260118	22:45	0	---
20260118	23:00	0	---
20260118	23:15	0	---
20260118	23:30	0	---
20260118	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260119	00:00	0.0	---
20260119	00:15	0.0	---
20260119	00:30	0.0	---
20260119	00:45	0.0	---
20260119	01:00	0.0	---
20260119	01:15	0.0	---
20260119	01:30	0.0	---
20260119	01:45	0.0	---
20260119	02:00	0.0	---
20260119	02:15	0.0	---
20260119	02:30	0.0	---
20260119	02:45	0.0	---
20260119	03:00	0.0	---
20260119	03:15	0.0	---
20260119	03:30	0.0	---
20260119	03:45	0.0	---
20260119	04:00	0.0	---
20260119	04:15	0.0	---
20260119	04:30	0.0	---
20260119	04:45	0.0	---
20260119	05:00	0.0	---
20260119	05:15	0.0	---
20260119	05:30	0.0	---
20260119	05:45	0.0	---
20260119	06:00	0.9	SE
20260119	06:15	1.3	SE
20260119	06:30	1.8	SE
20260119	06:45	1.3	SE
20260119	07:00	1.8	SE
20260119	07:15	2.2	SE
20260119	07:30	2.2	SE
20260119	07:45	1.8	SE
20260119	08:00	1.3	SE
20260119	08:15	1.8	SE
20260119	08:30	1.3	SE
20260119	08:45	1.8	SE
20260119	09:00	1.8	SE
20260119	09:15	1.8	SE
20260119	09:30	0.9	SE
20260119	09:45	0.9	SE
20260119	10:00	1.3	SE
20260119	10:15	0.9	SE
20260119	10:30	0.9	SE
20260119	10:45	1.3	SE
20260119	11:00	0.9	SE
20260119	11:15	0.9	SE
20260119	11:30	1.3	SE
20260119	11:45	0.9	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260119	12:00	1.3	SE
20260119	12:15	1.3	SE
20260119	12:30	1.8	SE
20260119	12:45	1.3	SE
20260119	13:00	1.8	SE
20260119	13:15	1.8	SE
20260119	13:30	2.2	SE
20260119	13:45	1.8	SE
20260119	14:00	1.8	SE
20260119	14:15	1.8	SE
20260119	14:30	1.8	SE
20260119	14:45	1.8	SE
20260119	15:00	1.3	SE
20260119	15:15	0.9	SE
20260119	15:30	1.3	SE
20260119	15:45	1.3	SE
20260119	16:00	1.8	SE
20260119	16:15	0.9	SE
20260119	16:30	0.4	ESE
20260119	16:45	1.3	SE
20260119	17:00	0.9	SE
20260119	17:15	0.9	SE
20260119	17:30	0.4	SE
20260119	17:45	0.9	SE
20260119	18:00	1.8	SE
20260119	18:15	1.8	SE
20260119	18:30	2.2	SE
20260119	18:45	0.9	SE
20260119	19:00	1.3	SE
20260119	19:15	0.9	SE
20260119	19:30	0.4	SW
20260119	19:45	0.9	SW
20260119	20:00	0.4	WSW
20260119	20:15	0.9	SE
20260119	20:30	0.9	SE
20260119	20:45	0.9	WSW
20260119	21:00	1.3	N
20260119	21:15	0.9	NNW
20260119	21:30	0.9	NW
20260119	21:45	1.3	WNW
20260119	22:00	0.9	N
20260119	22:15	0.9	W
20260119	22:30	0.4	N
20260119	22:45	0.9	NW
20260119	23:00	0.9	NNE
20260119	23:15	0.9	WNW
20260119	23:30	0.9	NW
20260119	23:45	0.9	WNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260120	00:00	0.4	N
20260120	00:15	0.4	WNW
20260120	00:30	0.4	ESE
20260120	00:45	0.4	E
20260120	01:00	0.4	N
20260120	01:15	0.4	ESE
20260120	01:30	0.4	ENE
20260120	01:45	0.9	SE
20260120	02:00	1.3	SE
20260120	02:15	1.3	SE
20260120	02:30	1.3	SE
20260120	02:45	1.8	SE
20260120	03:00	1.8	SE
20260120	03:15	1.3	SE
20260120	03:30	0.9	SE
20260120	03:45	0.4	NNE
20260120	04:00	0.0	NE
20260120	04:15	0.4	E
20260120	04:30	0.0	SE
20260120	04:45	0.4	SSE
20260120	05:00	1.8	SE
20260120	05:15	3.1	SE
20260120	05:30	2.7	SE
20260120	05:45	2.2	SE
20260120	06:00	1.3	SE
20260120	06:15	1.3	SE
20260120	06:30	1.8	SE
20260120	06:45	2.2	SE
20260120	07:00	2.2	SE
20260120	07:15	1.8	SE
20260120	07:30	2.2	SE
20260120	07:45	1.3	SE
20260120	08:00	1.8	SE
20260120	08:15	1.8	SE
20260120	08:30	1.3	SE
20260120	08:45	1.8	SE
20260120	09:00	2.2	SE
20260120	09:15	2.2	SE
20260120	09:30	2.2	SE
20260120	09:45	1.8	SE
20260120	10:00	1.3	SE
20260120	10:15	0.9	SE
20260120	10:30	1.3	SE
20260120	10:45	1.8	SE
20260120	11:00	1.8	SE
20260120	11:15	1.3	SE
20260120	11:30	0.9	SE
20260120	11:45	0.9	ENE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260120	12:00	1.3	SE
20260120	12:15	1.3	SE
20260120	12:30	2.2	SE
20260120	12:45	2.2	SE
20260120	13:00	0.9	SE
20260120	13:15	1.8	SE
20260120	13:30	1.3	SE
20260120	13:45	1.3	SE
20260120	14:00	1.8	SE
20260120	14:15	2.2	SE
20260120	14:30	1.3	SE
20260120	14:45	1.8	SE
20260120	15:00	1.8	SE
20260120	15:15	1.8	SE
20260120	15:30	1.3	SE
20260120	15:45	2.2	SE
20260120	16:00	2.7	SE
20260120	16:15	2.7	SE
20260120	16:30	2.2	SE
20260120	16:45	1.8	SE
20260120	17:00	1.3	SE
20260120	17:15	1.8	SE
20260120	17:30	1.3	SE
20260120	17:45	1.3	SE
20260120	18:00	0.9	SE
20260120	18:15	1.3	SE
20260120	18:30	1.3	SE
20260120	18:45	0.9	SE
20260120	19:00	0.9	SE
20260120	19:15	0.4	SE
20260120	19:30	0	SE
20260120	19:45	0	---
20260120	20:00	0	---
20260120	20:15	0	---
20260120	20:30	0	---
20260120	20:45	0	---
20260120	21:00	0	---
20260120	21:15	0	---
20260120	21:30	0.4	N
20260120	21:45	0.4	NNW
20260120	22:00	0.9	NNW
20260120	22:15	0.9	N
20260120	22:30	0.9	NNW
20260120	22:45	1.3	NNW
20260120	23:00	0.9	NNW
20260120	23:15	1.8	NNW
20260120	23:30	1.8	NNW
20260120	23:45	0.9	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260121	00:00	0.9	NNW
20260121	00:15	1.3	N
20260121	00:30	0.9	NNW
20260121	00:45	1.3	NNW
20260121	01:00	1.8	NNW
20260121	01:15	1.3	NNW
20260121	01:30	1.8	NNW
20260121	01:45	1.8	NNW
20260121	02:00	2.2	NNW
20260121	02:15	1.8	NNW
20260121	02:30	1.8	NNW
20260121	02:45	1.8	NNW
20260121	03:00	1.3	N
20260121	03:15	1.8	NNW
20260121	03:30	1.8	NNW
20260121	03:45	1.8	NNW
20260121	04:00	1.8	NNW
20260121	04:15	1.3	N
20260121	04:30	1.8	NNW
20260121	04:45	2.2	NNW
20260121	05:00	2.2	NNW
20260121	05:15	2.7	N
20260121	05:30	2.7	NNW
20260121	05:45	2.2	NNW
20260121	06:00	1.8	NNW
20260121	06:15	1.8	NNW
20260121	06:30	1.3	NNW
20260121	06:45	1.3	NNW
20260121	07:00	1.3	N
20260121	07:15	1.3	NNW
20260121	07:30	1.3	NNW
20260121	07:45	1.8	NNW
20260121	08:00	1.3	NNW
20260121	08:15	1.3	N
20260121	08:30	1.3	NNW
20260121	08:45	1.8	NNW
20260121	09:00	1.8	NW
20260121	09:15	2.2	NNW
20260121	09:30	2.2	NNW
20260121	09:45	2.2	NNW
20260121	10:00	2.2	NW
20260121	10:15	2.7	NW
20260121	10:30	2.2	NW
20260121	10:45	2.2	NNW
20260121	11:00	2.7	NNW
20260121	11:15	2.2	NW
20260121	11:30	2.2	NW
20260121	11:45	2.7	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260121	12:00	2.7	NNW
20260121	12:15	1.8	NW
20260121	12:30	1.8	NW
20260121	12:45	2.2	N
20260121	13:00	2.2	NW
20260121	13:15	2.2	NW
20260121	13:30	2.2	NW
20260121	13:45	3.1	NW
20260121	14:00	2.7	NW
20260121	14:15	1.8	NW
20260121	14:30	2.2	NNW
20260121	14:45	2.2	NNW
20260121	15:00	2.7	NW
20260121	15:15	2.2	WNW
20260121	15:30	2.2	NNW
20260121	15:45	2.2	NNW
20260121	16:00	2.2	NNW
20260121	16:15	1.8	NW
20260121	16:30	1.8	NNW
20260121	16:45	1.8	NNW
20260121	17:00	2.2	NNW
20260121	17:15	1.3	NW
20260121	17:30	1.3	NNW
20260121	17:45	1.3	NNW
20260121	18:00	1.3	NNW
20260121	18:15	1.3	NW
20260121	18:30	1.8	NNW
20260121	18:45	1.3	NW
20260121	19:00	1.3	NNW
20260121	19:15	0.4	N
20260121	19:30	1.3	NNW
20260121	19:45	1.3	NW
20260121	20:00	1.3	NNW
20260121	20:15	1.3	NW
20260121	20:30	1.3	NNW
20260121	20:45	1.8	NNW
20260121	21:00	1.8	NNW
20260121	21:15	1.8	NNW
20260121	21:30	1.8	NW
20260121	21:45	0.9	NNW
20260121	22:00	0.9	NNW
20260121	22:15	1.3	NNW
20260121	22:30	1.3	N
20260121	22:45	1.3	NNW
20260121	23:00	1.3	NNW
20260121	23:15	1.3	NNW
20260121	23:30	1.3	NNW
20260121	23:45	1.3	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260122	00:00	1.3	NNW
20260122	00:15	0.9	N
20260122	00:30	0.9	NNW
20260122	00:45	0.9	NNW
20260122	01:00	1.3	NNW
20260122	01:15	1.8	NNW
20260122	01:30	1.3	NNW
20260122	01:45	1.3	NNW
20260122	02:00	1.3	N
20260122	02:15	1.3	N
20260122	02:30	1.3	N
20260122	02:45	1.8	N
20260122	03:00	1.3	NNW
20260122	03:15	1.3	NNW
20260122	03:30	1.3	NW
20260122	03:45	1.3	NNW
20260122	04:00	1.8	NNW
20260122	04:15	1.8	NNW
20260122	04:30	2.2	NNW
20260122	04:45	1.3	NNW
20260122	05:00	1.8	NNW
20260122	05:15	2.2	NNW
20260122	05:30	2.2	NNW
20260122	05:45	1.8	NNW
20260122	06:00	1.8	NNW
20260122	06:15	1.8	NNW
20260122	06:30	1.8	NNW
20260122	06:45	2.2	NNW
20260122	07:00	1.8	NNW
20260122	07:15	1.8	NNW
20260122	07:30	1.8	NNW
20260122	07:45	1.3	N
20260122	08:00	1.3	N
20260122	08:15	1.3	NNW
20260122	08:30	1.3	N
20260122	08:45	1.8	NNW
20260122	09:00	2.2	NNW
20260122	09:15	2.2	NNW
20260122	09:30	2.2	NNW
20260122	09:45	2.7	NW
20260122	10:00	2.7	NNW
20260122	10:15	2.7	NNW
20260122	10:30	2.7	NNW
20260122	10:45	2.7	NNW
20260122	11:00	3.1	NW
20260122	11:15	3.1	NW
20260122	11:30	2.7	NNW
20260122	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260122	12:00	2.7	NNW
20260122	12:15	2.7	NNW
20260122	12:30	2.7	NNW
20260122	12:45	2.7	NW
20260122	13:00	3.1	NNW
20260122	13:15	3.1	NW
20260122	13:30	3.1	NNW
20260122	13:45	2.7	NW
20260122	14:00	2.7	NW
20260122	14:15	2.7	NNW
20260122	14:30	2.7	NNW
20260122	14:45	2.7	NW
20260122	15:00	2.7	NW
20260122	15:15	2.2	NW
20260122	15:30	2.7	NW
20260122	15:45	2.7	NW
20260122	16:00	2.2	NW
20260122	16:15	2.7	NNW
20260122	16:30	2.7	NNW
20260122	16:45	2.2	NNW
20260122	17:00	2.2	NNW
20260122	17:15	2.2	NNW
20260122	17:30	1.8	NW
20260122	17:45	2.2	NNW
20260122	18:00	2.2	NW
20260122	18:15	1.8	NNW
20260122	18:30	2.2	NNW
20260122	18:45	1.8	NNW
20260122	19:00	1.8	NNW
20260122	19:15	1.8	NW
20260122	19:30	2.2	NNW
20260122	19:45	2.2	NNW
20260122	20:00	2.2	NNW
20260122	20:15	2.2	NNW
20260122	20:30	1.8	NW
20260122	20:45	2.2	NW
20260122	21:00	2.2	NW
20260122	21:15	1.8	NNW
20260122	21:30	1.8	NNW
20260122	21:45	1.8	NNW
20260122	22:00	1.8	NNW
20260122	22:15	1.8	NNW
20260122	22:30	1.8	NNW
20260122	22:45	1.3	NNW
20260122	23:00	1.3	NNW
20260122	23:15	1.3	NW
20260122	23:30	1.3	NNW
20260122	23:45	0.9	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260123	00:00	1.3	N
20260123	00:15	1.8	NNW
20260123	00:30	2.2	NNW
20260123	00:45	1.8	NNW
20260123	01:00	1.8	NNW
20260123	01:15	1.8	NNW
20260123	01:30	1.3	NNW
20260123	01:45	1.8	NNW
20260123	02:00	1.8	NNW
20260123	02:15	1.3	NNW
20260123	02:30	1.8	NNW
20260123	02:45	1.8	NNW
20260123	03:00	1.8	NNW
20260123	03:15	1.8	NNW
20260123	03:30	1.8	NNW
20260123	03:45	1.8	NNW
20260123	04:00	1.8	NNW
20260123	04:15	1.8	NW
20260123	04:30	2.2	NNW
20260123	04:45	1.8	NNW
20260123	05:00	1.3	N
20260123	05:15	1.3	NNW
20260123	05:30	1.8	NNW
20260123	05:45	1.8	NNW
20260123	06:00	1.8	NNW
20260123	06:15	1.3	NNW
20260123	06:30	1.3	NNW
20260123	06:45	1.8	NNW
20260123	07:00	0.4	NNW
20260123	07:15	0.0	NNW
20260123	07:30	1.3	N
20260123	07:45	1.3	N
20260123	08:00	1.3	NNW
20260123	08:15	1.8	NNW
20260123	08:30	1.8	NNW
20260123	08:45	1.3	NNW
20260123	09:00	1.3	NNW
20260123	09:15	1.3	NNW
20260123	09:30	1.8	NNW
20260123	09:45	1.3	NNW
20260123	10:00	1.3	NNW
20260123	10:15	1.3	NW
20260123	10:30	1.3	NNW
20260123	10:45	1.3	NNW
20260123	11:00	1.3	N
20260123	11:15	0.9	N
20260123	11:30	1.8	N
20260123	11:45	1.8	NW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260123	12:00	1.8	N
20260123	12:15	2.2	N
20260123	12:30	2.2	NW
20260123	12:45	2.2	NNW
20260123	13:00	2.2	NW
20260123	13:15	2.7	NNW
20260123	13:30	2.2	NW
20260123	13:45	2.2	NNW
20260123	14:00	2.2	NNW
20260123	14:15	1.8	NW
20260123	14:30	1.8	NNW
20260123	14:45	1.8	NNW
20260123	15:00	1.3	NNW
20260123	15:15	1.8	NNW
20260123	15:30	1.8	NNW
20260123	15:45	1.8	NNW
20260123	16:00	2.2	NNW
20260123	16:15	1.8	NW
20260123	16:30	2.2	NW
20260123	16:45	2.2	NW
20260123	17:00	1.3	NNW
20260123	17:15	1.8	NNW
20260123	17:30	0.9	NW
20260123	17:45	1.3	NW
20260123	18:00	0.9	NW
20260123	18:15	0.9	NW
20260123	18:30	0.9	NW
20260123	18:45	0.9	NW
20260123	19:00	1.3	NW
20260123	19:15	1.8	NW
20260123	19:30	1.8	NNW
20260123	19:45	1.3	NNW
20260123	20:00	1.8	NW
20260123	20:15	1.3	NNW
20260123	20:30	0.4	N
20260123	20:45	0	---
20260123	21:00	0	---
20260123	21:15	0	---
20260123	21:30	0	---
20260123	21:45	0	---
20260123	22:00	0	---
20260123	22:15	0	ESE
20260123	22:30	0	ESE
20260123	22:45	0	---
20260123	23:00	0	---
20260123	23:15	0	---
20260123	23:30	0	---
20260123	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260124	00:00	0.0	ESE
20260124	00:15	0.0	E
20260124	00:30	0.0	---
20260124	00:45	0.0	---
20260124	01:00	0.0	---
20260124	01:15	0.0	---
20260124	01:30	0.0	---
20260124	01:45	0.0	---
20260124	02:00	0.0	---
20260124	02:15	0.0	ENE
20260124	02:30	0.0	---
20260124	02:45	0.4	NNW
20260124	03:00	0.9	NNW
20260124	03:15	0.9	NNW
20260124	03:30	0.4	N
20260124	03:45	0.4	N
20260124	04:00	0.4	NNE
20260124	04:15	0.0	NNE
20260124	04:30	0.0	---
20260124	04:45	0.0	---
20260124	05:00	0.0	N
20260124	05:15	0.4	N
20260124	05:30	0.4	N
20260124	05:45	0.0	N
20260124	06:00	0.0	---
20260124	06:15	0.0	---
20260124	06:30	0.0	---
20260124	06:45	0.0	---
20260124	07:00	0.0	---
20260124	07:15	0.0	---
20260124	07:30	0.0	---
20260124	07:45	0.0	---
20260124	08:00	0.0	---
20260124	08:15	0.0	NE
20260124	08:30	0.0	---
20260124	08:45	0.0	---
20260124	09:00	0.0	N
20260124	09:15	0.9	N
20260124	09:30	0.9	N
20260124	09:45	1.3	NNW
20260124	10:00	0.9	NNW
20260124	10:15	0.9	NNW
20260124	10:30	0.9	N
20260124	10:45	0.4	NW
20260124	11:00	0.9	NW
20260124	11:15	1.3	N
20260124	11:30	1.3	NNW
20260124	11:45	0.4	NNE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260124	12:00	1.3	NW
20260124	12:15	1.8	N
20260124	12:30	1.3	N
20260124	12:45	0.9	SE
20260124	13:00	1.3	SE
20260124	13:15	1.3	SE
20260124	13:30	1.3	SE
20260124	13:45	0.9	SE
20260124	14:00	0.9	SE
20260124	14:15	0.9	NNW
20260124	14:30	0.9	ESE
20260124	14:45	0.9	SE
20260124	15:00	0.9	SE
20260124	15:15	1.3	WSW
20260124	15:30	1.8	WSW
20260124	15:45	1.8	WSW
20260124	16:00	1.3	WSW
20260124	16:15	1.3	WSW
20260124	16:30	1.3	WSW
20260124	16:45	1.3	WSW
20260124	17:00	1.3	WSW
20260124	17:15	1.3	WSW
20260124	17:30	1.3	WSW
20260124	17:45	0.9	WSW
20260124	18:00	0	WSW
20260124	18:15	0	WSW
20260124	18:30	0	NE
20260124	18:45	0.9	ESE
20260124	19:00	0.9	S
20260124	19:15	0.4	SSE
20260124	19:30	0.4	SSW
20260124	19:45	0.9	SE
20260124	20:00	1.3	SE
20260124	20:15	1.8	SE
20260124	20:30	2.2	SE
20260124	20:45	1.3	SE
20260124	21:00	0.9	SE
20260124	21:15	1.3	SE
20260124	21:30	0.9	SE
20260124	21:45	0.4	SE
20260124	22:00	0.4	ESE
20260124	22:15	0.4	SSE
20260124	22:30	0	ESE
20260124	22:45	0.4	SE
20260124	23:00	0	SSE
20260124	23:15	0	---
20260124	23:30	0	---
20260124	23:45	0	---

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260125	00:00	0.0	---
20260125	00:15	0.0	SSE
20260125	00:30	0.0	SSE
20260125	00:45	0.0	SSE
20260125	01:00	0.0	SSE
20260125	01:15	0.4	SSE
20260125	01:30	0.4	SE
20260125	01:45	1.3	SE
20260125	02:00	1.3	SE
20260125	02:15	1.3	SE
20260125	02:30	1.3	SSE
20260125	02:45	0.9	SE
20260125	03:00	1.3	SE
20260125	03:15	0.4	ESE
20260125	03:30	0.9	SE
20260125	03:45	0.9	N
20260125	04:00	0.9	SE
20260125	04:15	0.9	SSE
20260125	04:30	0.4	ESE
20260125	04:45	1.3	N
20260125	05:00	0.9	SE
20260125	05:15	0.4	NE
20260125	05:30	0.4	N
20260125	05:45	0.4	SE
20260125	06:00	0.9	SE
20260125	06:15	0.4	NE
20260125	06:30	0.9	NNE
20260125	06:45	0.9	SE
20260125	07:00	0.9	SSE
20260125	07:15	1.3	SE
20260125	07:30	0.4	SE
20260125	07:45	1.3	SE
20260125	08:00	1.3	SE
20260125	08:15	0.9	SE
20260125	08:30	1.3	SE
20260125	08:45	0.9	SE
20260125	09:00	0.9	SE
20260125	09:15	1.3	SE
20260125	09:30	1.8	SE
20260125	09:45	1.3	SE
20260125	10:00	0.9	ESE
20260125	10:15	0.9	SE
20260125	10:30	1.3	SSE
20260125	10:45	1.3	SE
20260125	11:00	1.3	ESE
20260125	11:15	0.9	WNW
20260125	11:30	1.3	SE
20260125	11:45	1.3	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260125	12:00	1.3	SE
20260125	12:15	1.8	SE
20260125	12:30	1.3	SE
20260125	12:45	0.9	SE
20260125	13:00	1.3	NW
20260125	13:15	1.8	SE
20260125	13:30	1.3	SSE
20260125	13:45	1.3	SE
20260125	14:00	1.3	SE
20260125	14:15	1.8	SE
20260125	14:30	1.8	SE
20260125	14:45	1.3	SE
20260125	15:00	0.9	SE
20260125	15:15	1.8	SE
20260125	15:30	1.3	SE
20260125	15:45	1.3	SE
20260125	16:00	1.3	ESE
20260125	16:15	1.3	SE
20260125	16:30	0.9	SE
20260125	16:45	0.9	ESE
20260125	17:00	0.9	WSW
20260125	17:15	0.9	SE
20260125	17:30	0.9	SE
20260125	17:45	0.9	SE
20260125	18:00	0.4	SE
20260125	18:15	1.3	SE
20260125	18:30	0.9	SSE
20260125	18:45	1.3	SE
20260125	19:00	0.9	SE
20260125	19:15	0.4	SE
20260125	19:30	0.9	SE
20260125	19:45	0.4	SE
20260125	20:00	0.4	SSE
20260125	20:15	0.9	SE
20260125	20:30	0.9	SSE
20260125	20:45	0.4	SE
20260125	21:00	0.9	SE
20260125	21:15	0.9	NNE
20260125	21:30	0.4	NNW
20260125	21:45	0.9	SE
20260125	22:00	0.4	WSW
20260125	22:15	0	S
20260125	22:30	0.4	SSE
20260125	22:45	0	SE
20260125	23:00	0	SE
20260125	23:15	0.4	E
20260125	23:30	0.4	ESE
20260125	23:45	0.4	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260126	00:00	0.4	SE
20260126	00:15	0.9	WSW
20260126	00:30	0.9	SE
20260126	00:45	0.4	SE
20260126	01:00	0.4	SE
20260126	01:15	0.0	SSE
20260126	01:30	0.0	SSE
20260126	01:45	0.0	SSE
20260126	02:00	0.0	SSE
20260126	02:15	0.0	SSE
20260126	02:30	0.0	SSE
20260126	02:45	0.0	SSE
20260126	03:00	0.0	SSE
20260126	03:15	0.4	SSE
20260126	03:30	0.9	ESE
20260126	03:45	0.9	SE
20260126	04:00	0.4	SE
20260126	04:15	0.4	NNE
20260126	04:30	0.0	NNE
20260126	04:45	0.0	---
20260126	05:00	0.0	NNE
20260126	05:15	0.0	NNE
20260126	05:30	0.0	---
20260126	05:45	0.0	---
20260126	06:00	0.0	---
20260126	06:15	0.0	---
20260126	06:30	0.0	---
20260126	06:45	0.0	---
20260126	07:00	0.0	---
20260126	07:15	0.0	---
20260126	07:30	0.0	---
20260126	07:45	0.0	---
20260126	08:00	0.0	NNE
20260126	08:15	0.0	NNE
20260126	08:30	0.0	NNE
20260126	08:45	0.4	N
20260126	09:00	0.0	WSW
20260126	09:15	0.4	NW
20260126	09:30	0.4	NNW
20260126	09:45	0.9	NNW
20260126	10:00	0.9	N
20260126	10:15	0.9	NNW
20260126	10:30	0.9	N
20260126	10:45	1.3	N
20260126	11:00	1.3	SE
20260126	11:15	1.3	SE
20260126	11:30	1.3	SSE
20260126	11:45	1.3	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260126	12:00	1.8	SE
20260126	12:15	1.8	SE
20260126	12:30	1.8	SE
20260126	12:45	2.2	SE
20260126	13:00	2.2	SE
20260126	13:15	2.2	SE
20260126	13:30	1.3	SE
20260126	13:45	1.3	SE
20260126	14:00	0.9	SE
20260126	14:15	0.9	SE
20260126	14:30	0.9	SSE
20260126	14:45	1.3	WNW
20260126	15:00	1.3	W
20260126	15:15	1.3	SE
20260126	15:30	1.3	SE
20260126	15:45	2.2	SE
20260126	16:00	1.3	SE
20260126	16:15	1.8	SE
20260126	16:30	1.8	SE
20260126	16:45	1.8	SE
20260126	17:00	1.8	SE
20260126	17:15	2.2	SE
20260126	17:30	2.2	SE
20260126	17:45	2.2	SE
20260126	18:00	2.7	SE
20260126	18:15	1.8	SE
20260126	18:30	1.3	SE
20260126	18:45	2.2	SE
20260126	19:00	2.2	SE
20260126	19:15	0.4	SE
20260126	19:30	0	N
20260126	19:45	0.4	SE
20260126	20:00	0.4	E
20260126	20:15	0	E
20260126	20:30	0.4	SSW
20260126	20:45	0.4	SE
20260126	21:00	1.3	SE
20260126	21:15	1.3	SE
20260126	21:30	0	SE
20260126	21:45	0.4	ESE
20260126	22:00	1.3	SE
20260126	22:15	0.9	SE
20260126	22:30	0	S
20260126	22:45	0.4	S
20260126	23:00	0.9	SE
20260126	23:15	0.4	ESE
20260126	23:30	0.9	SE
20260126	23:45	0.4	WSW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260127	00:00	0.4	SE
20260127	00:15	0.0	ESE
20260127	00:30	0.0	ESE
20260127	00:45	0.0	ENE
20260127	01:00	0.9	SE
20260127	01:15	0.4	SE
20260127	01:30	0.9	SE
20260127	01:45	0.9	ESE
20260127	02:00	0.9	SE
20260127	02:15	0.9	SE
20260127	02:30	0.4	SE
20260127	02:45	0.4	NW
20260127	03:00	0.4	NW
20260127	03:15	0.0	NNE
20260127	03:30	0.0	NNE
20260127	03:45	0.0	NNE
20260127	04:00	0.0	N
20260127	04:15	0.9	N
20260127	04:30	0.4	N
20260127	04:45	0.0	NNW
20260127	05:00	0.4	N
20260127	05:15	0.4	N
20260127	05:30	0.4	NNW
20260127	05:45	1.3	NNW
20260127	06:00	0.9	NW
20260127	06:15	0.9	NW
20260127	06:30	0.4	NNW
20260127	06:45	0.9	NW
20260127	07:00	1.3	WNW
20260127	07:15	1.3	NNW
20260127	07:30	0.9	NNW
20260127	07:45	0.9	NNW
20260127	08:00	1.3	NNW
20260127	08:15	1.3	NNW
20260127	08:30	1.3	NNW
20260127	08:45	1.3	NNW
20260127	09:00	1.3	NNW
20260127	09:15	1.8	NNW
20260127	09:30	1.3	NNW
20260127	09:45	1.3	NNW
20260127	10:00	1.8	NW
20260127	10:15	1.8	NNW
20260127	10:30	1.8	NNW
20260127	10:45	2.2	NNW
20260127	11:00	2.2	NNW
20260127	11:15	2.7	NNW
20260127	11:30	2.7	NNW
20260127	11:45	2.2	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260127	12:00	2.2	WNW
20260127	12:15	2.2	NNW
20260127	12:30	2.7	NNW
20260127	12:45	1.8	NNW
20260127	13:00	1.3	NNW
20260127	13:15	1.3	NNW
20260127	13:30	1.3	WSW
20260127	13:45	0.9	WSW
20260127	14:00	1.3	N
20260127	14:15	1.3	WNW
20260127	14:30	1.3	N
20260127	14:45	1.3	NNW
20260127	15:00	1.3	NNW
20260127	15:15	1.3	NNW
20260127	15:30	1.3	NNW
20260127	15:45	1.3	NW
20260127	16:00	0.9	E
20260127	16:15	0.9	NNW
20260127	16:30	1.8	SE
20260127	16:45	1.3	SE
20260127	17:00	1.3	SE
20260127	17:15	0.9	SE
20260127	17:30	0.4	SSW
20260127	17:45	0.4	WSW
20260127	18:00	0.4	WSW
20260127	18:15	0.9	SE
20260127	18:30	0.4	SE
20260127	18:45	0.4	SE
20260127	19:00	1.3	SE
20260127	19:15	2.2	SE
20260127	19:30	2.2	SE
20260127	19:45	1.8	SE
20260127	20:00	3.1	SE
20260127	20:15	3.6	SE
20260127	20:30	2.7	SE
20260127	20:45	2.7	SE
20260127	21:00	1.8	SE
20260127	21:15	1.3	SE
20260127	21:30	1.8	SE
20260127	21:45	2.7	SE
20260127	22:00	2.7	SE
20260127	22:15	2.7	SE
20260127	22:30	2.2	SE
20260127	22:45	2.2	SE
20260127	23:00	2.7	SE
20260127	23:15	2.2	SE
20260127	23:30	1.8	SE
20260127	23:45	1.8	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260128	00:00	2.2	SE
20260128	00:15	2.7	SE
20260128	00:30	2.7	SE
20260128	00:45	2.7	SE
20260128	01:00	3.1	SE
20260128	01:15	2.2	SE
20260128	01:30	2.2	SE
20260128	01:45	1.8	SE
20260128	02:00	1.8	SE
20260128	02:15	2.2	SE
20260128	02:30	2.2	SE
20260128	02:45	1.3	SE
20260128	03:00	1.8	SE
20260128	03:15	1.8	SE
20260128	03:30	1.3	SE
20260128	03:45	1.3	SE
20260128	04:00	1.8	SE
20260128	04:15	1.8	SE
20260128	04:30	1.8	SE
20260128	04:45	0.9	SE
20260128	05:00	1.8	SSE
20260128	05:15	0.9	SE
20260128	05:30	0.9	SE
20260128	05:45	0.9	SE
20260128	06:00	1.3	SE
20260128	06:15	0.9	SSE
20260128	06:30	0.4	N
20260128	06:45	0.9	N
20260128	07:00	0.9	NNW
20260128	07:15	0.9	N
20260128	07:30	0.9	NNW
20260128	07:45	0.4	NNW
20260128	08:00	0.4	WNW
20260128	08:15	0.9	N
20260128	08:30	0.9	N
20260128	08:45	1.3	NNW
20260128	09:00	1.3	NNW
20260128	09:15	1.3	NNW
20260128	09:30	1.3	NNW
20260128	09:45	1.3	NNW
20260128	10:00	1.3	NNW
20260128	10:15	1.3	NNW
20260128	10:30	1.3	NW
20260128	10:45	1.3	NNW
20260128	11:00	1.3	NNW
20260128	11:15	0.4	NNW
20260128	11:30	0.9	SE
20260128	11:45	0.9	SW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260128	12:00	0.9	NNW
20260128	12:15	1.3	NW
20260128	12:30	0.9	N
20260128	12:45	1.3	WSW
20260128	13:00	0.9	N
20260128	13:15	0.9	NNW
20260128	13:30	0.9	NNW
20260128	13:45	0.9	NNW
20260128	14:00	0.9	NNW
20260128	14:15	0.9	NNW
20260128	14:30	1.3	NW
20260128	14:45	1.3	N
20260128	15:00	1.3	N
20260128	15:15	0.9	N
20260128	15:30	1.3	WSW
20260128	15:45	1.3	WNW
20260128	16:00	0.9	WSW
20260128	16:15	0.9	SE
20260128	16:30	1.3	WSW
20260128	16:45	0.4	WNW
20260128	17:00	0.4	S
20260128	17:15	1.8	SE
20260128	17:30	2.2	SE
20260128	17:45	3.1	SE
20260128	18:00	3.1	SE
20260128	18:15	3.1	SE
20260128	18:30	3.6	SE
20260128	18:45	3.6	SE
20260128	19:00	3.6	SE
20260128	19:15	3.6	SE
20260128	19:30	2.7	SE
20260128	19:45	3.1	SE
20260128	20:00	3.1	SSE
20260128	20:15	2.2	SE
20260128	20:30	2.2	SE
20260128	20:45	1.8	SE
20260128	21:00	2.2	SE
20260128	21:15	1.8	SE
20260128	21:30	2.2	SE
20260128	21:45	1.8	SE
20260128	22:00	1.3	SSE
20260128	22:15	2.2	SE
20260128	22:30	2.2	SE
20260128	22:45	1.8	SE
20260128	23:00	2.2	SE
20260128	23:15	2.2	SE
20260128	23:30	2.2	SE
20260128	23:45	2.7	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260129	00:00	2.7	SE
20260129	00:15	2.2	SE
20260129	00:30	2.2	SE
20260129	00:45	1.8	SE
20260129	01:00	1.8	SE
20260129	01:15	2.2	SE
20260129	01:30	1.8	SE
20260129	01:45	1.8	SE
20260129	02:00	2.2	SE
20260129	02:15	1.8	SE
20260129	02:30	1.8	SE
20260129	02:45	1.3	SE
20260129	03:00	1.8	SE
20260129	03:15	0.9	SE
20260129	03:30	1.3	SE
20260129	03:45	1.8	SE
20260129	04:00	1.3	SE
20260129	04:15	0.9	SSE
20260129	04:30	0.4	NNW
20260129	04:45	0.4	N
20260129	05:00	1.3	N
20260129	05:15	0.9	N
20260129	05:30	0.4	N
20260129	05:45	0.0	ENE
20260129	06:00	0.0	ENE
20260129	06:15	0.4	ENE
20260129	06:30	0.4	E
20260129	06:45	0.9	SE
20260129	07:00	0.9	SSE
20260129	07:15	0.9	NNW
20260129	07:30	0.9	NNE
20260129	07:45	1.8	SE
20260129	08:00	1.8	SSE
20260129	08:15	1.8	SE
20260129	08:30	1.8	SE
20260129	08:45	1.8	SE
20260129	09:00	1.8	SE
20260129	09:15	1.8	SE
20260129	09:30	1.3	SE
20260129	09:45	1.3	SE
20260129	10:00	1.3	SE
20260129	10:15	1.3	SE
20260129	10:30	1.3	SE
20260129	10:45	1.3	SE
20260129	11:00	1.3	SSE
20260129	11:15	0.9	SSE
20260129	11:30	0.9	SE
20260129	11:45	1.3	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260129	12:00	1.3	SE
20260129	12:15	1.8	SE
20260129	12:30	1.3	SE
20260129	12:45	0.9	SSE
20260129	13:00	0.9	WNW
20260129	13:15	0.9	N
20260129	13:30	1.8	SE
20260129	13:45	0.9	W
20260129	14:00	1.3	SSE
20260129	14:15	1.3	SE
20260129	14:30	1.8	SE
20260129	14:45	2.2	SE
20260129	15:00	2.2	SE
20260129	15:15	2.2	SE
20260129	15:30	1.8	SE
20260129	15:45	1.3	SE
20260129	16:00	1.3	SE
20260129	16:15	1.3	SE
20260129	16:30	0.9	S
20260129	16:45	0.9	SSE
20260129	17:00	0.4	SE
20260129	17:15	0.9	SE
20260129	17:30	1.8	SE
20260129	17:45	2.2	SE
20260129	18:00	2.2	SE
20260129	18:15	1.3	SE
20260129	18:30	0.4	ESE
20260129	18:45	0	---
20260129	19:00	0	SE
20260129	19:15	0.4	SE
20260129	19:30	0.4	ESE
20260129	19:45	0	ESE
20260129	20:00	0	SE
20260129	20:15	0	SE
20260129	20:30	0	SE
20260129	20:45	0.4	SSW
20260129	21:00	0.4	SW
20260129	21:15	0.4	N
20260129	21:30	0.9	SE
20260129	21:45	1.3	SE
20260129	22:00	1.8	SE
20260129	22:15	1.3	SE
20260129	22:30	1.8	SE
20260129	22:45	1.8	SE
20260129	23:00	1.8	SE
20260129	23:15	1.3	SE
20260129	23:30	1.8	SE
20260129	23:45	1.3	SE

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260130	00:00	0.9	NNW
20260130	00:15	1.3	E
20260130	00:30	2.2	SE
20260130	00:45	1.3	SE
20260130	01:00	0.4	WNW
20260130	01:15	1.3	SE
20260130	01:30	1.3	SSE
20260130	01:45	0.9	SE
20260130	02:00	1.3	SE
20260130	02:15	0.4	ESE
20260130	02:30	0.9	NE
20260130	02:45	0.4	SE
20260130	03:00	0.9	S
20260130	03:15	1.3	SE
20260130	03:30	0.9	SSE
20260130	03:45	0.4	SE
20260130	04:00	0.4	SE
20260130	04:15	0.0	NE
20260130	04:30	0.9	E
20260130	04:45	0.9	N
20260130	05:00	1.3	SE
20260130	05:15	0.4	NNW
20260130	05:30	0.0	NW
20260130	05:45	0.0	---
20260130	06:00	0.0	WSW
20260130	06:15	0.0	SW
20260130	06:30	0.0	SW
20260130	06:45	0.0	---
20260130	07:00	0.4	WSW
20260130	07:15	0.4	WNW
20260130	07:30	0.4	NNW
20260130	07:45	0.0	---
20260130	08:00	0.0	N
20260130	08:15	0.0	N
20260130	08:30	0.9	N
20260130	08:45	1.3	NNW
20260130	09:00	1.3	NNW
20260130	09:15	0.9	NNW
20260130	09:30	0.9	NNW
20260130	09:45	0.9	NW
20260130	10:00	1.3	NNW
20260130	10:15	1.3	NNW
20260130	10:30	1.3	NNW
20260130	10:45	1.3	NNW
20260130	11:00	1.3	NNW
20260130	11:15	1.8	NNW
20260130	11:30	1.8	NNW
20260130	11:45	1.3	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260130	12:00	1.3	NNW
20260130	12:15	1.3	N
20260130	12:30	1.8	NNW
20260130	12:45	1.3	NNW
20260130	13:00	0.9	N
20260130	13:15	1.8	NNW
20260130	13:30	1.8	N
20260130	13:45	1.3	N
20260130	14:00	1.3	N
20260130	14:15	0.9	N
20260130	14:30	1.3	N
20260130	14:45	1.3	NNW
20260130	15:00	1.3	NNW
20260130	15:15	0.9	NNW
20260130	15:30	0.9	NNW
20260130	15:45	0.9	NNW
20260130	16:00	1.3	NNW
20260130	16:15	1.3	NNW
20260130	16:30	0.4	NNW
20260130	16:45	0.4	NNW
20260130	17:00	0.0	N
20260130	17:15	0.4	N
20260130	17:30	0.4	NNW
20260130	17:45	0.4	NNW
20260130	18:00	0	NNW
20260130	18:15	0	NNW
20260130	18:30	0	---
20260130	18:45	0	ENE
20260130	19:00	0	ESE
20260130	19:15	0	---
20260130	19:30	0	---
20260130	19:45	0	WSW
20260130	20:00	0.4	S
20260130	20:15	0	S
20260130	20:30	0	---
20260130	20:45	0	---
20260130	21:00	0	---
20260130	21:15	0	---
20260130	21:30	0.4	S
20260130	21:45	0.4	NNE
20260130	22:00	0.9	NNW
20260130	22:15	1.3	N
20260130	22:30	0.9	N
20260130	22:45	0.9	NNE
20260130	23:00	0.9	NNE
20260130	23:15	0.4	NE
20260130	23:30	0	NE
20260130	23:45	0.4	N

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260131	00:00	0.4	SSE
20260131	00:15	0.4	SE
20260131	00:30	0.4	SE
20260131	00:45	0.4	SE
20260131	01:00	0.4	SE
20260131	01:15	0.9	SE
20260131	01:30	0.4	ENE
20260131	01:45	0.0	NE
20260131	02:00	0.0	---
20260131	02:15	0.0	NE
20260131	02:30	0.0	NE
20260131	02:45	0.0	---
20260131	03:00	0.0	---
20260131	03:15	0.4	NE
20260131	03:30	0.9	NNW
20260131	03:45	0.9	N
20260131	04:00	0.0	N
20260131	04:15	0.0	---
20260131	04:30	0.0	NNE
20260131	04:45	0.0	NNE
20260131	05:00	0.0	NNE
20260131	05:15	0.0	---
20260131	05:30	0.0	---
20260131	05:45	0.0	---
20260131	06:00	0.4	NNE
20260131	06:15	0.4	ESE
20260131	06:30	0.4	ESE
20260131	06:45	0.4	SE
20260131	07:00	0.0	SE
20260131	07:15	0.0	S
20260131	07:30	0.0	S
20260131	07:45	0.0	---
20260131	08:00	0.0	---
20260131	08:15	0.4	SE
20260131	08:30	0.4	S
20260131	08:45	0.9	NW
20260131	09:00	0.4	NNW
20260131	09:15	0.4	NNW
20260131	09:30	0.9	N
20260131	09:45	1.3	WNW
20260131	10:00	0.9	NNW
20260131	10:15	0.4	NW
20260131	10:30	0.4	WNW
20260131	10:45	0.9	NNW
20260131	11:00	1.8	NNW
20260131	11:15	1.3	NNW
20260131	11:30	1.3	WNW
20260131	11:45	1.3	NNW

Date (YYYYMMDD)	Time (HH:MM)	Wind Speed (m/s)	Wind Direction
20260131	12:00	1.3	NNW
20260131	12:15	1.3	NW
20260131	12:30	2.2	NW
20260131	12:45	0.9	NW
20260131	13:00	0.9	NNW
20260131	13:15	1.3	N
20260131	13:30	1.3	NNW
20260131	13:45	1.3	N
20260131	14:00	1.3	NNW
20260131	14:15	1.8	NNW
20260131	14:30	1.8	NW
20260131	14:45	2.2	WNW
20260131	15:00	1.8	NNW
20260131	15:15	2.2	NW
20260131	15:30	2.2	NNW
20260131	15:45	1.8	NNW
20260131	16:00	2.2	N
20260131	16:15	1.8	N
20260131	16:30	1.8	WNW
20260131	16:45	2.7	NNW
20260131	17:00	2.2	NNW
20260131	17:15	1.8	NNW
20260131	17:30	1.8	NNW
20260131	17:45	1.8	N
20260131	18:00	0.9	N
20260131	18:15	0.9	N
20260131	18:30	1.3	NW
20260131	18:45	1.8	NNW
20260131	19:00	1.8	N
20260131	19:15	1.3	NW
20260131	19:30	0.9	NNW
20260131	19:45	1.8	NNW
20260131	20:00	1.8	NNW
20260131	20:15	2.2	NNW
20260131	20:30	2.2	NNW
20260131	20:45	1.3	NNW
20260131	21:00	2.2	NNW
20260131	21:15	2.2	N
20260131	21:30	2.2	NNW
20260131	21:45	2.2	NNW
20260131	22:00	2.2	NNW
20260131	22:15	1.8	NNW
20260131	22:30	2.2	NW
20260131	22:45	2.2	NNW
20260131	23:00	1.8	NNW
20260131	23:15	1.8	NNW
20260131	23:30	2.2	NNW
20260131	23:45	2.2	NNW

## Appendix J Waste Flow Table

## Waste Flow Table




Month	Total Quantity Generated	Total Quantities of Inert C&D Materials to be Generated from the Contract					Total Quantities of Recyclables Generation				Total Quantities of C&D Materials to be Generated from the Contract		
		Hard Rock and Large Broken Concrete	Reused in the Contract	Reused in Other Projects	Disposed as Public Fill	Imported Fill	Metals	Paper / Cardboard Packaging	Plastics	Yard Waste (to Y-Park)	Chemical Waste	General Refuse	Others, e.g. non-recyclable yard waste
		(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in '000L)	(in tonne)	(in tonne)
Jan-26	131,620.16	0.00	79880.27	49,767.14	0.00	1771.96	0.00	0.00	0.00	0.00	0.00	200.79	0.00
<b>Total</b>	<b>131,620.16</b>	<b>0.00</b>	<b>79,880.27</b>	<b>49,767.14</b>	<b>0.00</b>	<b>1,771.96</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>200.79</b>	<b>0.00</b>

Note:

1. The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.
2. Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging material.

# Appendix K Joint Environmental Site Inspection Records

<b><u>Follow up action for previous Site Inspection:</u></b> Nil
<b><u>Observation(s):</u></b> <ol style="list-style-type: none"><li>1. Food waste without package was found at the waste skip of Portion D.</li><li>2. Works areas were dry and dust dispersion was found at Portion D &amp; A.</li></ol>
<b><u>Reminder(s):</u></b> <ol style="list-style-type: none"><li>1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.</li></ol>
<b><u>Corrective Actions – Mitigation Measures Implemented or Proposed (if any):</u></b> <ol style="list-style-type: none"><li>1. The Contractor was recommended to provide the enclosed rubbish bins for food waste collection.</li><li>2. The Contractor was advised to increase frequency of water spraying at unpaved access roads and works area.</li></ol>

	Environmental Team's Representative:	Independent Environmental Checker's Representative:	Contractor's Representative:	Employee's Representative
Signature:		/		
Name:	Jason Man	/	Matt Choy/ <del>Kirsty Wong</del>	<del>Simon Lee</del> / Kenneth Lam
Date:	05 January 2026	/	05 January 2026	05 January 2026

**Follow up action for previous Site Inspection:**




1. 15 December 2025 Observation 2 – The noise barriers at the retaining wall of Portion A had been covered properly.
2. 22 December 2025 Observation 2 – The chemical container at Portion A was removed by the Contractor.
3. 29 December 2025 Observation 1 – The sandbag barriers was established at the low elevation of exposed sloped at Portion E3-1.

**Observation(s):**





1. Cement bags or dry pulverized fuel ash (PFA) should be covered entirely by impervious sheeting or placed in an area sheltered on the top and 3 sides at Portion D.

**Reminder(s):**

**Corrective Actions – Mitigation Measures Implemented or Proposed (if any):**

	Environmental Team's Representative:	Independent Environmental Checker's Representative:	Contractor's Representative:	Employee's Representative
Signature:		/		
Name:	Edgar Yu	/	Matt Choy/Kristy Wong	Simon Lee/ Kenneth Lam
Date:	12 January 2026	/	12 January 2026	12 January 2026

<b><u>Follow up action for previous Site Inspection:</u></b> Nil
<b><u>Observation(s):</u></b> <ol style="list-style-type: none"><li>1. Accumulated waste was found at Portion A.</li><li>2. Works Areas and access road was dry and dust dispersion was found at Portion A and B2/E1.</li></ol>
<b><u>Reminder(s):</u></b> <ol style="list-style-type: none"><li>1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.</li></ol>
<b><u>Corrective Actions – Mitigation Measures Implemented or Proposed (if any):</u></b> <ol style="list-style-type: none"><li>1. The Contractor was recommended to remove the accumulated waste.</li><li>2. The Contractor was advised to increase frequency of water spraying at unpaved access roads and works area.</li></ol>

	Environmental Team's Representative:	Independent Environmental Checker's Representative:	Contractor's Representative:	Employee's Representative
Signature:				
Name:	Jason Man	Echo Hung	Matt Choy/ <del>Kristy</del> Wong	Simon Lee/ <del>Kenneth</del> <del>Lam</del>
Date:	19 January 2026	19 January 2026	19 January 2026	19 January 2026

**Follow up action for previous Site Inspection:**

1. 5 January 2026 Observation 2 – The water spraying was conducted by the Contractor.
2. 19 January 2026 Observation 1 – The accumulated waste at Portion A was removed by the Contractor.
3. 19 January 2026 Observation 2 – The water spraying was conducted by the Contractor.

**Observation(s):**




1. Access Road at Portion A was dry and dust dispersion was found.
2. Accumulated waste was found at Portion A.

**Reminder(s):**

1. The Contractor was reminded to increase the frequency of watering at the access roads, unpaved roads and works area.

**Corrective Actions – Mitigation Measures Implemented or Proposed (if any):**

1. The Contractor was advised to increase the frequency of watering at the access roads and unpaved roads.
2. The Contractor was recommended to remove the accumulated waste at Portion A.

	Environmental Team's Representative:	Independent Environmental Checker's Representative:	Contractor's Representative:	Employee's Representative
Signature:		/		
Name:	Jason Man	/	Matt Choy/ <del>Kristy Wong</del>	Kenneth Lam
Date:	26 January 2026	/	26 January 2026	26 January 2026

# Appendix L Environmental Mitigation Implementation Schedule (EMIS)

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref.	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
<b>Air Quality</b>								
S3.8.1	S3.1.8	B7 – B36	The contractor shall follow the procedures and requirements given in the Air Pollution Control (Construction Dust) Regulation.	Good construction site practices to control the dust impact at the nearby sensitive receivers to within the relevant criteria.	Contractor	Entire NENT Landfill Extension site	To control the dust impact to within the criteria of EIA Report (Register No. AEIAR-111/2007)	✓
		B4, B15 & B18	<ul style="list-style-type: none"> <li>Dust emission from construction vehicle movement is confined within the worksites area.</li> </ul>					✓
		B11 – B12	<ul style="list-style-type: none"> <li>Watering facilities will be provided at every designated vehicular exit point.</li> </ul>					Vehicle washing facilities provided at vehicular exit point in Portion A, B1-2, D, E3-1 & E4
		-	<ul style="list-style-type: none"> <li>Good site practice is recommended during construction phase.</li> </ul>					✓
<b>Construction Noise</b>								
S4	S4.9	C1	1) Use of good site practices to limit noise emissions by considering the following: (a) Only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction programme;	Control construction airborne noise by means of good site practices	Contractor	Entire construction site	Noise Control Ordinance	✓
		C2	(b) Machines and plant (such as trucks, cranes) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum;					✓
		C3	(c) Plant known to emit noise strongly in one direction, where possible, be orientated so that the noise is directed away from nearby NSRs;					✓
		C4	(d) Silencers or mufflers on construction equipment should be properly fitted and maintained during the construction works;					N/A
		C5	(e) Mobile plant should be sited as far away from NSRs as possible and practicable;					✓
		C6	(f) Material stockpiles, mobile container site office and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.					✓
S4	S4.9	C11 – C13	2) Select "Quiet plants" which comply with the BS 5228 Part 1 or TM standards.	Reduce the noise levels of plant items	Contractor	Entire construction site	Noise Control Ordinance & its TM Annex 5, TM-EIA	✓
<b>Construction Runoff</b>								
S5.8.1	S5.2.1	D1	<u>Construction on Site Runoff</u> <ul style="list-style-type: none"> <li>(a) At the start of site establishment, perimeter cut-off drains to direct off-site water around the site should be constructed with internal drainage works and erosion and sedimentation control facilities implemented. (b) Channels (both temporary and permanent drainage pipes and culverts), earth bunds or sand bag barriers should be provided on site to direct stormwater to silt removal facilities.</li> </ul>	Control construction runoff and erosion from site surface, drainage channel, stockpiles, wheel washing facilities, etc to minimize water quality during construction stage	Contractor	Entire Construction site	ProPECC PN 1/94 Water Pollution Control Ordinance	(a) ✓
		D2	(a) The dikes or embankments for flood protection should be implemented around the boundaries of earthwork areas. (b) Temporary ditches should be provided to facilitate the runoff discharge into an appropriate watercourse, through a silt/sediment trap. (c) The sediment/silt traps should be incorporated in the permanent drainage channels to enhance deposition rates.					(a) ✓ (b) ✓ (c) ✓
		D3	The design of efficient silt removal facilities should be based on the guidelines in Appendix A1 of ProPECC PN 1/94, which states that the retention time for silts and sediment traps should be 5 minutes under maximum flow conditions.					✓
		D4	(a) Construction works should be programmed to minimize surface excavation works during the rainy seasons (April to September). (b) All exposed earth areas should be completed and vegetated as soon as possible after earthworks have been completed, or alternatively, within 14 days of the cessation of earthworks where practicable. (c) If excavation of soil cannot be avoided during the rainy season, or at any time of year when rainstorms are likely, exposed slope surfaces should be covered by tarpaulin or other means.					(a) ✓ (b) ✓ (c) ✓

Remarks:

- ✓ Compliance of mitigation measure
- \* Recommendation was made during site audit but improved/rectified by the contractor
- # Recommendation was made during site audit but not yet improved/rectified by the contractor.
- N/A Not Applicable at this stage were conducted in the reporting period.
- @ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
Construction Runoff (Cont'd)								
S5.8.1	S5.2.1	D5	<ul style="list-style-type: none"> <li>(a) The overall slope of the site should be kept to a minimum to reduce the erosive potential of surface water flows, and (b) all traffic areas and access roads protected by coarse stone ballast. An additional advantage accruing from the use of crushed stone is the positive traction gained during prolonged periods of inclement weather and the reduction of surface sheet flows.</li> </ul>	Control construction runoff and erosion from site surface, drainage channel, stockpiles, wheel washing facilities, etc to minimize water quality during construction stage	Contractor	Entire Construction site	ProPECC PN 1/94  DSD Technical Circular TC01/2017  Water Pollution Control Ordinance	(a) ✓ (b) ✓
		D6	<ul style="list-style-type: none"> <li>(a) All drainage facilities and erosion and sediment control structures should be regularly inspected and (b) maintained to ensure proper and efficient operation at all times and particularly following rainstorms. (c) Deposited silt and grit should be removed regularly and disposed of by spreading evenly over stable, vegetated areas.</li> </ul>					(a) ✓, All drainage facilities and erosion and sediment control structure had been inspected by Contractor regularly and especially after rainstorm. (b) ✓, All drainage facilities and erosion and sediment control structure had been maintained by Contractor regularly and especially after rainstorm. (c) ✓, Deposited silt and grit had been removed regularly and especially after rainstorm.
		D7	<ul style="list-style-type: none"> <li>(a) Measures should be taken to minimise the ingress of site drainage into excavations. If the excavation of trenches in wet periods is necessary, they should be dug and backfilled in short sections wherever practicable. (b) Water pumped out from trenches or foundation excavations should be discharged into storm drains via silt removal facilities.</li> </ul>					(a) ✓ (b) ✓
		D8	<ul style="list-style-type: none"> <li>Open stockpiles of construction materials (for example, aggregates, sand and fill material) of more than 50 m<sup>3</sup> should be covered with tarpaulin or similar fabric during rainstorms. Measures should be taken to prevent the washing away of construction materials, soil, silt or debris into any drainage system.</li> </ul>					✓
		D9	<ul style="list-style-type: none"> <li>(a) Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as (b) to prevent silt, construction materials or debris being washed into the drainage system and storm runoff being directed into foul sewers.</li> </ul>					(a) ✓ (b) ✓
		D10	<ul style="list-style-type: none"> <li>Precautions to be taken at any time of year when rainstorms are likely, actions to be taken when a rainstorm is imminent or forecasted, and actions to be taken during or after rainstorms are summarised in Appendix A2 of ProPECC PN 1/94. Particular attention should be paid to the control of silty surface runoff during storm events, especially for areas located near steep slopes.</li> </ul>					✓
		D11	<ul style="list-style-type: none"> <li>(a) All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads. (b) An adequately designed and sited wheel washing bay should be provided at every construction site exit. (c) Wash-water should have sand and silt settled out and removed at least on a weekly basis (d) to ensure the continued efficiency of the process. (e) The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfall toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains.</li> </ul>					(a) ✓ (b) ✓ (c) ✓ (d) ✓ (e) ✓
		D12	<ul style="list-style-type: none"> <li>(a) Oil interceptors should be provided in the site drainage system downstream of any oil/fuel pollution sources. (b) The oil interceptors should be emptied and cleaned regularly to prevent the release of oil and grease into the storm water drainage system after accidental spillage. (c) A bypass should be provided for the oil interceptors to prevent flushing during heavy rain.</li> </ul>					(a) N/A (b) N/A (c) N/A
		D13	<ul style="list-style-type: none"> <li>Construction solid waste, debris and rubbish on site should be collected, handled and disposed of properly to avoid water quality impacts. Requirements for solid waste management are detailed in Section 6 of this Report.</li> </ul>					✓
		D14	<ul style="list-style-type: none"> <li>All fuel tanks and storage areas should be provided with docks and sited on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank to prevent spilled fuel oils from reaching water sensitive receivers nearby.</li> </ul>					✓
		D15	<ul style="list-style-type: none"> <li>To prevent pollution risks arising from works area (waste reception area) and haul roads, intercepting bund or barrier along the roadside should be constructed.</li> </ul>					✓

Remarks:

- ✓ Compliance of mitigation measure
- \* Recommendation was made during site audit but improved/rectified by the contractor
- # Recommendation was made during site audit but not yet improved/rectified by the contractor.
- N/A Not Applicable at this stage were conducted in the reporting period.
- @ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
<b>Construction Runoff (Cont'd)</b>								
S5.8.1	S5.2.1	D19	<u>Sewage Effluent from Workforce</u> (a) Portable chemical toilets and sewage holding tanks are recommended for handling the construction sewage generated by the workforce. (b) A licensed contractor should be employed to provide appropriate and adequate portable toilets and be responsible for appropriate disposal and maintenance.	Control sewage effluent arising from the sanitary facilities provided for the on-site construction workforce	Contractor	On-site sanitary facilities	ProPECC PN 1/94  DSD Technical Circular TC01/2017  Water Pollution Control Ordinance  Waste Disposal Ordinance	(a) ✓ (b) ✓
		D20	Notices will be posted at conspicuous locations to remind the workers not to discharge any sewage or wastewater into the nearby environment during the construction phase of the Project.					N/A
		-	Regular environmental audit on the construction site can provide an effective control of any malpractices and can achieve continual improvement of environmental performance on site.					✓
S5.8.1	S5.2.1	D21	<u>Accidental Spillage of Chemical</u> • (a) Any service workshop and maintenance facilities shall be located within a bunded area, and sumps and oil interceptors shall be provided. (b) Maintenance of equipment involving activities with potential for leakage and spillage will only be undertaken within the areas.	Control of chemical leakage	Contractor	Service workshop and maintenance facilities	ProPECC PN 1/94  Water Pollution Control Ordinance  Waste Disposal Ordinance	(a) N/A (b) N/A
<b>Erosion Control Measures</b>								
S5.8.2	S5.2.2	-	<u>Erosion Control /Measures</u> a. Preserve Natural Vegetation This Best Management Practices will involve preserving natural vegetation to the greatest extent possible during the construction process. and after construction where appropriate. Maintaining natural vegetation is the most effective and inexpensive form of erosion prevention control.	Erosion control	Contractor	Drainage system	ProPECC PN 1/94  Water Pollution Control Ordinance	✓
		-	b. Provision of Buffer Zone A buffer zone consists of an undisturbed area or strip of natural vegetation or an established suitable planting adjacent to a disturbed area that reduces erosion and runoff. The rooted vegetation holds soils acts as a wind break and filters runoff that may leave the site.					✓
		-	c. Seeding (Temporary/Permanent) A well-established vegetative cover is one of the most effective methods of reducing erosion. Vegetation should be established on construction sites as the slopes are finished, rather than waiting until all the grading is complete. Besides, Hydroseeding will be applied on the surface of stockpiled soil and on temporary soil covers for inactive tipping areas to prevent soil erosion during rainy season.					✓
		-	d. Ground Cover Ground Cover is a protective layer of straw or other suitable material applied to the soil surface. Straw mulch and/or hydromulch are also used in conjunction with seeding of critical areas for the establishment of temporary or permanent vegetation. Ground cover provides immediate temporary protection from erosion. Mulch also enhances plant establishment by conserving moisture, holding fertilizer, seed, and topsoil in place, and moderating soil temperatures.					To be implemented
		-	e. Hydraulic Application Hydraulic application is a mechanical method of applying erosion control materials to bare soil in order to establish erosion-resistant vegetation on disturbed areas and critical slopes. By using hydraulic equipment, soil amendments, mulch, tackifying agents, Bonded Fiber Matrix (BFM) and liquid co-polymers can be uniformly broadcast, as homogenous slurry, onto the soil. These erosion and dust control materials can often be applied in one operation.					To be implemented
		-	f. Sod Establishes permanent turf for immediate erosion protection and stabilizes drainageways.					✓
		-	g. Matting There are numerous erosion control products available that can be described in various ways, such as matting, blankets, fabric and nets. These products are referred as matting. A wide range of materials and combination of materials are used to produce matting including, but not limited to: straw, jute, wood fiber, coir (coconut fiber), plastic netting, and Bonded Fiber Matrix. The selection of matting materials for a site can make a significant difference in the effectiveness of the Best Management Practices.					✓

Remarks:

- ✓ Compliance of mitigation measure
- \* Recommendation was made during site audit but improved/rectified by the contractor
- # Recommendation was made during site audit but not yet improved/rectified by the contractor.
- N/A Not Applicable at this stage were conducted in the reporting period.
- @ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
<b>Erosion Control Measures (Cont'd)</b>								
S5.8.2	S5.2.2		h. Plastic Sheetting Plastic Sheetting will provide immediate protection to slopes and stockpiles. However, it has been known to transfer erosion problems because water will sheet flow off the plastic at high velocity. This is usually attributable to poor application, installation and maintenance.	Erosion control	Contractor	Drainage system	ProPECC PN 1/94  Water Pollution Control Ordinance	✓
		-	i. Dust Control Dust Control is one preventative measure to minimize the wind transport of soil, prevent traffic hazards and reduce sediment transported by wind and deposited in water resources.					✓, Mist Cannons, Water Trucks, Water Sprinklers had been applied for dust control at access roads and exposed area of the project site.
<b>Surface Water Drainage System</b>								
S5.8.2	S5.2.2	D22	<ul style="list-style-type: none"> <li>(a) Temporary surface water drainage system will be provided to manage runoff during construction and operation. (b) This system will consist of channels as constructed around the perimeter of the site area. (c) This system will collect surface water from the areas of higher elevations to those of lower elevations and ultimately to the point of discharge. (d) Erosion will therefore be minimised.</li> </ul>	Surface Water Management/ Control run off	Contractor	Surface water system Construction	Water Pollution Control Ordinance  TM-water	(a) ✓ (b) ✓ (c) ✓ (d) ✓
	D23	<ul style="list-style-type: none"> <li>(a) The temporary surface water drainage system will include the use of a silt fence around the soil stockpile areas to prevent sediment from entering the system. (b) Regular cleaning will be carried out to prevent blockage of the passage of water flow in silt fence.</li> </ul>	(a) ✓ (b) ✓, Regular cleaning at silt fence had been conducted by the contractor, especially, after rainstorm.					
	-	<ul style="list-style-type: none"> <li>Intermediate drainage system will be installed for filled cell/phase. The major purpose of the intermediate drainage system is to prevent the clean surface water run-off from the filled phases coming into contact with the waste mass in active cell and to prevent excessive surface water infiltration through the intermediate cover, thus contribute to increasing volume of leachate. The intermediate drainage system will collect the clean surface water run-off and divert it to the permanent discharge channels connected to the public drainage system.</li> </ul>	N/A					
	-	<ul style="list-style-type: none"> <li>In addition, surface flow from the haul road (especially near the wheel washing facility) will be collected to a dry weather flow interceptor and conveyed to the on-site leachate treatment plant for further treatment.</li> </ul>	N/A					
<b>Waste Management</b>								
S6	WM1	-	<u>C&amp;D Materials</u> <ul style="list-style-type: none"> <li>Implement proper waste management measures during construction phase as stipulated in the Environmental Management Plan (EMP) in accordance with the ETWB TC(W) No. 19/2005 Environmental Management in Construction Sites.</li> </ul>	Good site practice to minimise C&D waste generation and reuse/recycle all C&D on-site as far as possible	Contractor	Entire construction site	Waste Disposal Ordinance  ETWB TC(W) No. 19/2005  DEVB TC(W) No. 6/2010	✓
		-	<ul style="list-style-type: none"> <li>Implement a trip-ticket system to ensure that the movement of C&amp;D materials are properly documented and verified in accordance with DEVB TC(W) No. 6/2010. Copies/counterfoils from trip-tickets (with quantities of C&amp;D Materials off-site) should be kept for record purposes.</li> </ul>					✓
		-	<ul style="list-style-type: none"> <li>Appropriate waste management should be implemented in accordance with the ETWB TC(W) No. 19/2005.</li> </ul>					✓
		E4	<ul style="list-style-type: none"> <li>(a) Make provisions in Contract documents to allow and promote the use of recycled aggregates where appropriate. Ensure material balance in terms of excavated C&amp;D materials in the design of NENT landfill extension project. (b) The contract specifications should specify no excavated materials should be removed from the landfill extension site, but should be fully reused.</li> </ul>					(a) ✓ (b) ✓
		E5	<ul style="list-style-type: none"> <li>Careful design, planning and good site management to minimise over-ordering and waste materials such as concrete, mortars and cement grouts. (a)(b) The design of formwork should maximise the use of standard wooden panels so that high reuse levels can be achieved. (c) Alternatives such as steel formwork or plastic fencing should be considered to increase the potential for reuse.</li> </ul>					(a) ✓ (b) ✓ (c) ✓
		E6	<ul style="list-style-type: none"> <li>(a) The Contractor should recycle as much as possible the C&amp;D waste on-site through proper waste segregation on-site. (b) Concrete and masonry should be used as general fill and steel reinforcement bars can be used by scrap steel mills. (c) Proper areas should be designated for waste segregation and storage wherever site conditions permit. (d) Maximise the use of reusable steel formwork to reduce the amount of C&amp;D material.</li> </ul>					(a) ✓ (b) ✓ (c) ✓ (d) ✓

Remarks:

- ✓ Compliance of mitigation measure
- \* Recommendation was made during site audit but improved/rectified by the contractor
- # Recommendation was made during site audit but not yet improved/rectified by the contractor.
- N/A Not Applicable at this stage were conducted in the reporting period.
- @ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
Waste Management (Cont'd)								
S6	WM1	E7	<ul style="list-style-type: none"> <li>(a) Maintain temporary stockpiles and reuse excavated fill material for backfilling and reinstatement. On-site sorting and segregation facility of all type of wastes is considered as one of the best practice in waste management and hence, should be implemented in all projects generating construction waste. (b) The sorted public fill and C&amp;D waste should be properly reused.</li> </ul>	Good site practice to minimise C&D waste generation and reuse/recycle all C&D on-site as far as possible	Contractor	Entire construction site	Waste Disposal Ordinance ETWB TC(W) No. 19/2005 DEVB TC(W) No. 6/2010	(a) ✓ (b) ✓
		E8	<ul style="list-style-type: none"> <li>(a) Excavated slope, stockpiled material and bund walls should be covered by tarpaulin until used in order to prevent wind-blown dust during dry weather, and to reduce muddy runoff during wet weather. (b)(c) Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers</li> </ul>					(a) ✓ (b) ✓ (c) ✓
		E9	<ul style="list-style-type: none"> <li>If any topsoil-like materials need to be stockpiled for any length of time, consideration should be given to hydroseeding of the topsoil on the stockpile to improve its visual appearance and prevent soil erosion.</li> </ul>					✓
		E10	<ul style="list-style-type: none"> <li>Nomination of approved personnel to be responsible for good site practices and making arrangements for collection of all wastes generated on-site and effective disposal.</li> </ul>					✓
		E11	<ul style="list-style-type: none"> <li>Training of site personnel for cleanliness, proper waste management procedures including chemical waste handling, and waste reduction, reuse and recycling concepts.</li> </ul>					✓
		E12	<ul style="list-style-type: none"> <li>Regular cleaning and maintenance programme systems, sumps and oil interceptors.</li> </ul>					✓
		E13	<ul style="list-style-type: none"> <li>(a) Prior to disposal of C&amp;D waste, wood, steel and other metals should be separated for re-use and/or recycling to minimise the quantity of waste to be disposed of to landfill. (b)(c) Proper storage and site practices should be implemented to minimise the potential for damage or contamination of construction materials.</li> </ul>					(a) ✓ (b) ✓ (c) N/A
			<ul style="list-style-type: none"> <li>Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste. Minimise excessive ordering of concrete, mortars and cement grout by doing careful check before ordering.</li> </ul>					✓
S6	WM2	E16 – E23	<p><u>Chemical Waste</u></p> <ul style="list-style-type: none"> <li>Chemical waste that is produced, as defined by Schedule 1 of the Waste Disposal (Chemical Waste) (General) Regulation, should be handled in accordance with the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes.</li> </ul>	Ensure proper disposal of chemical waste generated on-site to minimise the associated hazards on human health and environment	Contractor	Entire construction site	Waste Disposal (Chemical Waste) General Regulation  Code of Practice on the Packaging, Labelling and Storage of Chemical Waste	✓
		-	<ul style="list-style-type: none"> <li>Plant/equipment maintenance schedule should be designed to optimise maintenance effectiveness and to minimise the generation of chemical wastes. Where possible, chemical wastes (e.g. waste lube oil) should be recycled by licensed treatment facilities</li> </ul>					✓
		E17 & E18	<ul style="list-style-type: none"> <li>Containers used for storage of chemical wastes should be suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed; have a capacity of less than 450 liters unless the specification has been approved by the EPD. Display a label in English and Chinese in accordance with instructions prescribed in Schedule 2 of the Regulation.</li> </ul>					✓
		E19	<ul style="list-style-type: none"> <li>(a) The storage area for chemical wastes should be clearly labelled and used solely for storage of chemical waste, (b) enclosed with at least 3 sides, having an impermeable floor and bund of sufficient capacity to accommodate 110% of volume of the largest container or 20 % of total volume of waste stored in that area, (c)(d) whichever is the greatest, having adequate ventilation, being covered to prevent rainfall entering, and being arranged so that incompatible materials are adequately separated.</li> </ul>					(a) ✓ (b) N/A (c) N/A (d) N/A
		E20	<ul style="list-style-type: none"> <li>Chemical waste should be collected by licensed waste collectors and disposed of at licensed facility, e.g. Chemical Waste Treatment Centre.</li> </ul>					✓

Remarks:

- ✓ Compliance of mitigation measure
- \* Recommendation was made during site audit but improved/rectified by the contractor
- # Recommendation was made during site audit but not yet improved/rectified by the contractor.
- N/A Not Applicable at this stage were conducted in the reporting period.
- @ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
<b>Waste Management (Cont'd)</b>								
S6	WM3	E1	<u>General Refuse</u> • General refuse generated on-site should be properly stored in enclosed bins or compaction units separately from construction and chemical wastes.	Minimise generation of general refuse to avoid odour, pest and visual nuisance	Contractor	Entire construction site	Waste Disposal Ordinance	✓
		E2	• (a) All recyclable materials (separated from the general waste) should be stored on-site in appropriate containers with cover prior to collection by a local recycler for subsequent reuse and recycling. Residual, non-recyclable, general waste should be stored in appropriate containers to avoid odour. (b)(c)(d) Regular collection should be arranged by an approved waste collector in purpose-built vehicles that minimise environmental impacts during transportation					(a) ✓ (b) ✓ (c) ✓ (d) ✓
		-	• Reputable waste collector should be employed by the Contractor to remove general refuse from the site, separately from construction and chemical wastes, on a daily basis to minimise odour, pest and litter impacts. Burning of refuse on construction sites is prohibited by law.					✓
		-	• Aluminium cans should be separated from general waste stream and collected by recyclers. Proper collection bins should be provided on-site to facilitate the waste sorting.					✓
		-	• Office waste paper should be recycled if the volume warrant collection by recyclers. Participation in community waste paper recycling programme should be considered by the Contractor, including waste paper, aluminium cans, plastic bottles, waste batteries, etc.					✓
<b>LFG</b>								
<b>Within NENT Landfill Extension</b>								
S7	LFG1	F1	Special LFG precautions should be taken due to close proximity of NENT landfill extension site to existing landfill to avoid potential hazards of LFG exposure (ignition, explosion, asphyxiation, toxicity).	To minimise the risk of LFG hazards to personnel in construction site	Contractor	Entire construction site	Landfill Gas Hazard Assessment Guidance Note (EPD/TR8/97)  F&IU (Confined Spaces) Regulations  Code of Practice on Safety and Health at Work in Confined Spaces	N/A
	LFG2	F2	Prominent safety warning signs should be erected on-site to alert all personnel and visitors of LFG hazards during excavation works.					✓
	LFG3	F3	No smoking or burning should be permitted on-site.					✓
	LFG4	F4	Prominent 'No smoking' and 'No Naked Flames' signs should be erected on-site.					✓
	LFG5	F5	No worker should be allowed to work alone at any time in excavated trenches or confined areas on-site.					✓
	LFG6	F6	Adequate fire fighting equipment should be provided on-site.					✓
	LFG7	F7	Construction equipment should be equipped with vertical exhaust at least 0.6m above ground installed with spark arrestors.					✓
	LFG8	F8	Electrical motors and extension cords should be explosion-proof and intrinsically safe for use on-site.					✓
	LFG9	F9	'Permit to Work' system should be implemented.					✓
	LFG10	F10	Welding, flame-cutting or other hot works should be conducted only under 'Permit to Work' system following clear safety requirements, gas monitoring procedures and presence of qualified persons to supervise the works.					✓
	LFG11	F11	(a) For piping assembly or conduit construction, all valves and seals should be closed immediately after installation to avoid accumulation and migration of LFG. (b) If installation of large diameter pipes (diameter >600mm) is required, the pipe ends should be sealed on one side during installation. (c) Forced ventilation is required prior to operation of installed pipeline. (d) Forced ventilation should also be required for works inside trenches deeper than 1m.					(a) N/A (b) N/A (c) N/A (d) N/A
	LFG12	F12	Frequency and location of LFG monitoring within excavation area should be determined prior to commencement of works. LFG monitoring in excavations should be conducted at no more than 10mm from exposed ground surface.					✓
	LFG13	F13	For excavation works, LFG monitoring should be conducted (1) at ground surface prior to excavation, (2) immediately before workers entering excavations, (3) at the beginning of each half-day work, and (4) periodically throughout the working day when workers are in the excavation.					✓
	LFG14	F14	Any cracks on ground level encountered on-site should be monitored for LFG periodically. Appropriate action should be taken in accordance with the action plan in Table 7.6 of EIA Report.					✓
	LFG15	F15	(a) LFG precautionary measures involved in excavation and piping works should be provided in accordance with LFG Guidance Note and included in Safety Plan of construction phase. (b) Temporary offices or buildings should be located where free LFG has been proven or raised clear of ground at a separation distance of at least 500mm.					(a) N/A (b) N/A

Remarks:

- ✓ Compliance of mitigation measure
- \* Recommendation was made during site audit but improved/rectified by the contractor
- # Recommendation was made during site audit but not yet improved/rectified by the contractor.
- N/A Not Applicable at this stage were conducted in the reporting period.
- @ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase

EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
LFG (Cont'd)								
Within NENT Landfill Extension								
S7	LFG16	F16	For large development such as NENT landfill extension, a Safety Officer trained in the use of gas detection equipment and LFG- related hazards should be present on-site throughout the groundwork phase. The Safety Officer should be provided with an intrinsically safe portable instrument appropriately calibrated and capable of measuring the following gases: •CH <sub>4</sub> : 0-100% and LEL: 0-100%/v •CO <sub>2</sub> : 0-100% •O <sub>2</sub> : 0-21%	To minimise the risk of LFG hazards to personnel in construction site	Contractor	Entire construction site	Landfill Gas Hazard Assessment Guidance Note (EPD/TR8/97)  F&IU (Confined Spaces) Regulations  Code of Practice on Safety and Health at Work in Confined Spaces	✓
	LFG17	F17	(a) Periodically during groundwork construction, the works area should be monitored for CH <sub>4</sub> CO <sub>2</sub> and O <sub>2</sub> using appropriately calibrated portable gas detection equipment. The monitoring frequency and areas should be established prior to commencement of groundwork either by Safety Officer or appropriately qualified person. (b) Routine monitoring should be carried out in all excavations, manholes, created by temporary storage of building materials on-site. (c) All measurements in excavations should be made with monitoring tube located not more than 10mm from exposed ground surface.					(a) N/A (b) N/A (c) N/A
	LFG18	F18	For excavations deeper than 1m, measurements should be conducted: • At ground surface before excavation commences; • Immediately before any worker enters the excavation; • At the beginning of each working day for entire period the excavation remains open; and Periodically throughout the working day whilst workers are in excavation.					✓
	LFG19	F19	For excavations between 300mm and 1m, measurements should be conducted: • Directly after excavation has been completed; and Periodic all whilst excavation remains open.					✓
	LFG20	F20	For excavations less than 300mm, monitoring may be omitted at the discretion of Safety Officer or appropriately qualified person.					✓
Landscape and Visual Phases								
S8	LV1	G4	<u>Advanced screening tree planting</u> • Early planting using fast growing trees and tall shrubs at strategic locations within site to block major view corridors to the site from the VSRs, and to locally screen haul roads, excavation works and site preparation works. • Roadside planter and shrub planting design in front of Cheung Shan Temple.	To minimise the impact on existing vegetation retained by personnel in construction  To provide initiation on permanent landscape and visual mitigation measures	Contractor	Entire construction site	DEVB TC(W) No. 4/2020 - Tree Preservation  DEVB TC(W) No. 6/2015 - Maintenance of Vegetation and Hard Landscape Features  DEVB TC(W) No. 6/2011 - Maintenance of Man-made Slopes and Emergency Repair on Stability of Land	✓
S8	LV2	G5	<u>Boundary Green Belt planting</u> Considerable planting belts proposed around the site perimeter and the construction of temporary soil bunds will screen the landfill operations to a certain degree. Fast growing and fire resistant plant species will be used.					To be implemented during operation phase
S8	LV3	G6	<u>Temporary landscape treatment as green surface cover</u> For certain areas where landfilling operations would have to be suspended temporarily for periods of years, simple temporary landscape treatment such as hydroseeding should be considered. During construction and operational phases, grass hydroseeding or synthetic covering material of green colour should also be used as a temporary slope cover if applicable.					✓
S8	LV4	G7	<u>Existing tree preservation</u> Transplant existing trees and vegetation, which are identified as ecologically significant in Ecological Impact Assessment and as rare tree species recorded in the tree survey, under circumstances where technically feasible. For all affected trees, the principle of avoidance of tree felling and tree transplanting of tree before felling should apply whenever possible. A tree felling application should be submitted to DEVB-GLTMS and be approved before any trees are felled or transplanted.					✓

Remarks:

- ✓ Compliance of mitigation measure
- \* Recommendation was made during site audit but improved/rectified by the contractor
- # Recommendation was made during site audit but not yet improved/rectified by the contractor.
- N/A Not Applicable at this stage were conducted in the reporting period.
- @ (Which measure) Alternative measure was made by the contractor.

North East New Territories (NENT) Landfill Extension  
Environmental Mitigation Implementation Schedule (EMIS) Construction Phase


EIA Ref.	EM&A Log Ref	Weekly Site Inspection Item	Recommended Precautionary/Mitigation Measures (to be implemented when the trigger level is exceeded, where necessary)	Objectives of the Recommended Measures & Main Concerns to address	Who to implement the measures?	Location of the measures	What requirement or standards for the measures to achieve?	Status
Ecology								
General Protection Measures:								
S10	E1	-	Restriction of construction activities to the work areas that would be clearly demarcated.	To minimise environmental impacts and therefore potential ecological impacts within and near the construction site	Contractor	Entire construction site	Practice Note for Professional Persons (ProPECC), Construction Site Drainage (PN1/94)	✓
	E2	-	Reinstatement of the work areas immediately after completion of the works.				✓	
	E3	-	Only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction programme.				✓	
	E4	-	Machines and plant (such as trucks, cranes) that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.				✓	
	E5	-	Plant known to emit noise strongly in one direction, where possible, be orientated so that the noise is directed away from nearby NSRs.				✓	
	E6	-	Silencers or mufflers on construction equipment should be properly fitted and maintained during the construction works.				N/A	
	E7	-	Mobile plant should be sited as far away from NSRs as possible and practicable.				✓	
	E8	-	Material stockpiles, site office and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.				✓	
	E9	-	Use of "quiet" plant and working methods.				✓	
	E10	-	Construction phase mitigation measures in the Practice Note for Professional Persons on Construction Site Drainage.				✓	
	E11	-	Design and set up of the temporary on-site drainage system will be undertaken by the contractor prior to the commencement of construction.				✓	
	E12	-	Design and incorporation of silt/sediment traps in the permanent drainage channels to enhance deposition rates and regular removal of repositied silt and grit.				✓	
	E13	-	Minimization of surface excavation works during the rainy seasons (April to September), and in particular, control of silty surface runoff during storm events, especially for areas located near steep slopes.				✓	
	E14	-	Regular inspection and maintenance of all drainage facilities and erosion and sediment control structures to ensure proper and efficient operation at all times and particularly following rainstorms.				✓	
	E15	-	Provision of oil interceptors in the drainage system downstream of any oil/fuel pollution sources				N/A	

Remarks:

- ✓ Compliance of mitigation measure
- \* Recommendation was made during site audit but improved/rectified by the contractor
- # Recommendation was made during site audit but not yet improved/rectified by the contractor.
- N/A Not Applicable at this stage were conducted in the reporting period.
- @ (Which measure) Alternative measure was made by the contractor.

# Appendix M Mitigation Measures of Cultural Landscape Features

----- Completed Site Fencing



## Appendix N Cumulative Complaint / Enquiry Log, Summaries of Complaints and Enquiries

## Environmental Complaints Log

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C001_20221220	21 Dec 2022	Veolia (Contractor)	ET	Air Quality (Construction Dust)	5, 12 & 19 Dec 2022	It was noted from Veolia's email to the ET on 20 December 2022 that Veolia received complaint lodged regarding presenting much dusty materials at roundabout at Wo Keng Shan Road & dusty flying problem at Kowloon-bound traffic at Lung Shan Tunnel. No dusty materials and wastes were transported out from the NENTX site during the complaint period. During the regular weekly site inspection on 5, 12 & 19 December 2022, it was observed that the wheel washing facilities with high-pressure water jets have been provided at all site exits of NENTX and cleaned all vehicles before allowing them to leave the construction site to ensure that no mud or debris would be brought to the public area. All site vehicles of NENTX are also required to go through the auto wheel washing facility, which is managed by the operator of the NENT landfill, before entering the public area. The road section between the washing facilities and the exit point was paved with concrete, or bituminous materials were implemented in all site entrances. No mud generated from vehicles under the NENTX project after exiting the site entrance was observed. In conclusion, there is no direct evidence showing that the complaint is likely related to the NENTX project.	5 Jan 2023
C002_20230614	14 Jun 2023	EPD-RNG	ET	Water Quality	16, 21 Jun, 24, 25 Jul & 2 Aug 2023	It was noted from EPD-RNG's email to the ET on 14 Jun 2023 that EPD received complaint lodged regarding the muddy water was observed at Lin MA Hang International Bridge. In summary of the investigation, the pollutant water appeared crimson colour with bubbles at the LMH-OP01 (Monitoring Point from EPD). The colour and pattern of pollutant water is different from the runoff at surface WQM monitoring location WM1. Hence, the project is not the major source causing the pollutant water. To minimise the potential impact of the project, the enhancement of mitigation measures at north boundary were advised to implement by contractor. The related rectified actions had been conducted by the contractor.	29 Jun & 21 Aug 2023

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C003_20230615	15 Jun 2023	EPD-RNG	ET	Water Quality	16, 19, 21 Jun, 18 Jul 2023	It was noted from EPD-RNG's email to the ET on 15 June 2023 that EPD received information regarding the muddy water was observed at River Ganges (GR3) (Water Quality Monitoring Location from EPD). In summary of the investigation, the muddy water caused from multi-potential sources while the runoff from the box culvert under the Wo Keng Shan Road is the major source including runoff from Existing channel near Portion E3-1, discharge water from the silt removal facilities at Portion E3-1 of the project, runoff from branch near the entrance of Portion E3-1, runoff from weighting plaza of NENT Landfill & natural stream near Wo Keng Shan & Shui Ngau Tso etc.. Hence, the project is a part of factor causing the high turbidity muddy water. To minimise the potential impact of construction runoff from the project, the further mitigation measures and enhancement of the temporary surface water drainage system were advised to implement by contractor. The related rectified actions had been conducted by the contractor.	15 Jun, 21 Aug 2023
C004_20230803	3 Aug 2023	EPD-RNG	ET	Water Quality	18 Jul 2023	It was noted from EPD-RNG's email to the ET on 3 Aug 2023 that EPD received information regarding the muddy water was observed at River Ganges (GR3) (Water Quality Monitoring Location from EPD). In summary of the investigation, the muddy water caused from multi-potential sources while the runoff from the box culvert under the Wo Keng Shan Road is the major source including runoff from Existing channel near Portion E3-1, discharge water from the silt removal facilities at Portion E3-1 of the project, runoff from branch near the entrance of Portion E3-1, runoff from weighting plaza of NENT Landfill & natural stream near Wo Keng Shan & Shui Ngau Tso etc.. Hence, the project is a part of factor causing the high turbidity muddy water. To minimise the potential impact of construction runoff from the project, the further mitigation measures and enhancement of the temporary surface water drainage system were advised to implement by contractor. The related rectified actions had been conducted by the contractor.	14 Aug 2023

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C005_20230818	18 Aug 2023	EPD-RNG	ET	Water Quality	18 Sep 2023	It was noted from EPD-RNG's email to the ET on 18 August 2023 that EPD received information regarding the muddy water was observed at River Ganges (GR3) (Water Quality Monitoring Location from EPD) on 14 August 2023. In summary of the investigation, the complaint is project related. It viewed that muddy water arising from wheel washing water from the site entrance at Portion E4 & Runoff from Existing Channel near Portion E3-1 & discharge water from the silt removal facilities at Portion E3-1 eventually flows into the box culvert under Wo Keng Shan Road, WM2 and ultimately to GR3. The related rectified actions had been conducted by the contractor.	13 October 2023
C006_20230914	14 Sep 2023	EPD-RNG	ET	Water Quality	18 Sep 2023	It was noted from EPD-RNG's email to the ET on 14 September 2023 that EPD received information regarding the muddy water was observed at River Ganges (GR3) (Water Quality Monitoring Location from EPD) on 11 September 2023. In summary of the investigation, the complaint is project related. It viewed that muddy water arising from wheel washing water from the site entrance at Portion E4 & Runoff from Existing Channel near Portion E3-1 & discharge water from the silt removal facilities at Portion E3-1 eventually flows into the box culvert under Wo Keng Shan Road, WM2 and ultimately to GR3. The related rectified actions had been conducted by the contractor.	13 October 2023
C007_20240509	9 May 2024	EPD-RNG	ET	Water Quality	13 May 2024	It was noted from EPD-RNG's email to the ET on 9 May 2024 that EPD receipted a memo from DSD/Mainland North regarding the incident of muddy water observed in Ping Yuen River, at the downstream of NENTX, on 23 April 2024. In summary of the investigation, the muddy water at the complaint location involved multi-potential sources (including the construction runoff of the project and runoff from existing landfill) based on the distance between the outlet of the project discharge point and the complaint location (distance around 1.16 km). The mitigation measures are recommended and reminded to implement and review by the contractor.	16 July 2024

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C008_20241128	28 Nov 2024	EPD-RNG	ET	Water Quality	2 & 5 Dec 2024	<p>It was noted from EPD-RNG's email to the ET on 28 November 2024 regarding the incident of muddy water observed in Ping Yuen River, at the downstream of NENTX, on 13 November 2024.</p> <p>Based on the surface water monitoring results, construction activities &amp; related mitigation measures, weather record, environmental mitigation implementation status, joint weekly site inspections on 11, 18 November &amp; 2 December 2024, additional site investigation / audit on 5 December 2024, the muddy water at the complaint location involved multi-potential sources (including the construction runoff of the project and runoff from existing landfill). While the major source of causing high turbidity level should be Surface runoff from Wo Keng Shan Road between Northing (m): 844604, Easting (m): 835332 and the entrance of Shek Tsai Ha Road in accordance with the actual observation on 13 November 2024 &amp; Surface Runoff from Drainage System of NENT Landfill. The muddy water from drainage system including stormwater channels and drains collected the runoff from rainfall and runoff from dust control measures of existing landfill increase the concentration of runoff at Ping Yuen River.</p> <p>Due to rainfall occurs on 13 November 2024, the severe weather increased the risk of landslips, finally increasing the concentration of suspended solids for surface runoff. Most rivers/streams/channels were affected by high amount of rainfall. Hence, the water quality of runoff at the complaint location would be affected by runoff from Wo Keng Shan, Shui Ngau Tso and other area between Surface WQM Location WM2 and the complaint location.</p> <p>Although the silt removal facilities of the project were functionable normally under the investigation. The mitigation measures are recommended and reminded to implement and review by the contractor.</p>	9 April 2025

Complaint Ref. No.	Date of Complaint Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
C011_20251027	27 Oct 2025	EPD-LDG	ET	Air Quality & Construction Noise	3 Nov 2025	It was noted from EPD-LDG's email to the ET on 27 October 2025 regarding the air quality and construction noise complaint from Wo Keng Shan Tsuen's villager on 22 October 2025. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project based on the air quality and noise monitoring results, construction activities and related mitigation measures, implementation condition of air quality and noise control measures via joint weekly site inspections in October 2025, additional noise monitoring at NM1a, and additional daytime and night investigations.	19 Nov 2025
C012_20251119	19 Nov 2025	EPD-LDG	ET	Construction Noise	24 Nov 2025	It was noted from EPD-LDG's email to the ET on 19 November 2025 regarding the construction noise complaint from Wo Keng Shan Tsuen's villager on 13 November 2025. In summary of the investigation, it concluded that the complaint is not likely related to the NENT Landfill Extension project based on the noise monitoring results, construction activities and related mitigation measures, implementation condition of noise control measures via joint weekly site inspections from 1 to 24 November 2025, and additional daytime and night investigations.	11 Dec 2025

Remarks:

1. "ET" equal to "Environmental Team"
2. "EPD-RNG" equal to "Environmental Protection Department-Regional Office (North)"
3. "TBC" equal to "To Be Confirm"

## Environmental Enquiries Log

Enquiry Ref. No.	Date of Enquiry Received	Received from	Received by	Aspect of Complaint	Date of Investigation	Investigation Summary & Conclusion	Date of Reply
E009_20250410	10 Apr 2025	EPD-RNG	ET	Water Quality	7 Apr 2025	It was noted from EPD-RNG's email to the ET on 10 April 2025 regarding the incident of muddy water observed in Ping Yuen River, at the downstream of NENTX, on 7 April 2025. In summary of the investigation, the major source of causing high turbidity level should be surface runoff from Wo Keng Shan road between Northing (m): 844604, Easting (m): 835332 and the entrance of Shek Tsai Ha Road & surface runoff from drainage system of NENT Landfill. The muddy water from drainage system including stormwater channels and drains collected the runoff from rainfall and runoff from dust control measures of existing landfill increase the concentration of runoff at Ping Yuen River. Hence, the enquiry is not project related.	14 Jun 2025
E010_20250703	3 Jul 2025	Contractor	ET	Water Quality	3 Jul 2025	It was noted from Contractor's email to the ET on 3 July 2025 regarding the complaint from SZ 涉港事務部 on muddy water on SZ river on 29 May 2025. In summary of the investigation, no exceedance was observed at the water quality monitoring in June & July 2025 and the mitigation measures was considered to be effective to minimise the risk causing muddy water discharge into Ping Yuen River. The discharge of treated runoff at the silt removal facilities of the project site were clear from 28 to 31 May 2025. Moreover, the rainstorm on 29 May 2025 increased the risk of landslides and subsequently raises the concentration of suspended solids in surface runoff (flow into Ping Yuen River and final flow into Shenzhen River). Based on above investigation, there is no direct evidence showing that the complaint is likely related to the Project. Therefore, the case is considered closed. To avoid the potential impact of construction runoff from the project, some mitigation measures are recommended & reminded to implemented & review by the contractor. Besides implementation of above mitigation measures, the desilting works at Ping Yuen River were conducted by the Contractor in July 2025.	13 Sep 2025

Remarks:

1. "ET" equal to "Environmental Team"
2. "EPD-RNG" equal to "Environmental Protection Department-Regional Office (North)"
3. "NA" equal to "Not Applicable"

## Cumulative Statistics on Complaints

Aspects	Cumulative No. Brought Forward	No. of Complaints during reporting period	Cumulative Project-to-Date
Air Quality	2*	0	2*
Noise	2*	0	2*
Water Quality	7(2*)	0	7(2*)
Waste Management	0	0	0
Total	11(6*)	0	11(6*)

Remarks:

1. \* Equal to non-project related
2. # Equal to the complaint under the investigation.

**Prepared by:**

Aurecon Hong Kong Limited

Unit 1608, 16/F, Tower B, Manulife Financial Centre,

223 – 231 Wai Yip Street, Kwun Tong,

Kowloon Hong Kong S. A. R.

T: +852 3664 6888

F: +852 3664 6999

E: [hongkong@aurecongroup.com](mailto:hongkong@aurecongroup.com)

**aurecon**

*Bringing ideas  
to life*

