









Dragages-Bouygues JV 寶嘉-布依格聯營

# Ocean Park Master Redevelopment Project Contract No. CI05



## PROJECT BASELINE AIR QUALITY AND NOISE MONITORING

Rev.	Date	Prepared	Reviewed	Approved	Comments
B	28 Feb 07	 STa	 YTS/Plp	 DAL	
A	05 Feb 07	STa	YTS/Plp	DAL	

COPYRIGHT RESERVED ©	To be checked by the ICE	YES / NO	OPE/DBJV/PROJ/QSE/0076 Rev B
			Doc. number

## Distribution

Controlled copies of this document are distributed to the holders noted below:

Copy Number	Document Holder	Soft / Hard copy	Remarks
Original	Document Control	Master	
1	DBJV Project Director	Hard	
2	DBJV Project QSE Manager	Hard	
3	Project Manager's Representative	Hard	

Uncontrolled copies of this document are distributed to the holders noted below:

Document Holder	Copy of Full Document	Copy of Submission Cover
Plp		*
STa	** (double side printing)	

## Revision History

Revision	Revisions
A	First Issue
B	Second Issue with the response to comment on Revision A (ref. CI05/549/003/B0244) dated 15 Feb 2007

		<b>Page</b>
<b>TABLE OF CONTENTS</b>		
	<b>EXECUTIVE SUMMARY</b>	E.1 – E.2
<b>1.</b>	<b>INTRODUCTION</b>	1
<b>2.</b>	<b>PROJECT INFORMATION</b>	1 – 2
<b>3.</b>	<b>BASELINE CONSTRUCTION DUST MONITORING</b>	
	3.1 Monitoring Requirement	2
	3.2 Monitoring Equipment	2 – 3
	3.3 Laboratory Measurement / Analysis	3 – 4
	3.4 Monitoring Parameters, Frequency and Duration	4
	3.5 Monitoring Locations and Period	4 – 5
	3.6 Monitoring Methodology	5 – 6
	3.7 Results	6
	3.8 Action and Limit levels	6 – 7
<b>4.</b>	<b>BASELINE NOISE MONITORING</b>	
	4.1 Monitoring Requirement	7
	4.2 Monitoring Equipment	7
	4.3 Monitoring Parameters, Frequency and Duration	8
	4.4 Monitoring Locations and Period	8 – 9
	4.5 Monitoring Methodology	9 – 10
	4.6 Results	10
	4.7 Action and Limit levels	10 – 11
<b>5.</b>	<b>CONCLUSION</b>	
	5.1 General	11
	5.2 Air Quality	11
	5.3 Noise	11 – 12
	5.4 Revisions for inclusion in the EM&A Manual	12

#### **LIST OF APPENDICES**

A1	Calibration Certificates for Baseline Air Quality Monitoring Equipment
A2	Baseline Air Quality Monitoring Results
A3	Graphical Plots of Baseline Air Quality Monitoring Data
B1	Calibration Certificates for Baseline Noise Monitoring Equipment
B2	Baseline Noise Monitoring Results
B3	Graphical Plots of Baseline Noise Monitoring Data

#### **LIST OF FIGURES**

Figure 1-1	Location of Air Quality and Noise Monitoring Stations
------------	---

## LIST OF TABLES

- 3.1 Air Quality Monitoring Equipment
- 3.2 Monitoring Parameters, Duration and Frequency of Baseline Air Quality monitoring
- 3.3 Air Quality Monitoring Locations
- 3.4 Monitoring Periods for Baseline Air Quality Monitoring Stations
- 3.5 Summary of 24-hr and 1-hr TSP Monitoring Results
- 3.6 The Criteria of Action and Limit Levels for Air Quality
- 3.7 Action and Limit levels for 24-hr TSP and 1-hr TSP
- 4.1 Noise Monitoring Equipment
- 4.2 Duration, Frequency and Parameters of Baseline Noise Monitoring
- 4.3 Noise Monitoring Locations
- 4.4 Monitoring Periods for Baseline Noise Monitoring Stations
- 4.5 Summary of Baseline Noise Monitoring Results
- 4.6 Action and Limit levels for Noise Monitoring

## EXECUTIVE SUMMARY

Under the EM&A requirement for the Environmental Monitoring Works of Ocean Park Master Redevelopment Project Contract No. CI05 ("the Project"), baseline air quality and noise monitoring should be conducted before the commencement of major works.

The purpose of the air quality and noise monitoring was to establish the background air quality and noise condition for the Project. Based on the monitoring results, Action and Limit Levels were determined as the criteria for the air quality and noise condition during the construction period.

### Baseline Air Quality Monitoring

The baseline air quality monitoring was conducted in accordance with the requirement for 14 consecutive calendar days for Monitoring Stations AM1, AM2 and AM3, from 02 Jan 2007 to 18 Feb 2007.

The average 24-hr and 1-hr TSP Levels at monitoring stations AM1, AM2 and AM3 were shown as below:

Monitoring Location	Average 24-hr TSP concentration ( $\mu\text{g}/\text{m}^3$ ) [Range]	Average 1-hr TSP concentration ( $\mu\text{g}/\text{m}^3$ ) [Range]
AM1	82 [43 – 120]	292 [163 – 421]
AM2	79 [50 – 108]	445 [352 – 538]
AM3	99 [43 – 154]	432 [339 – 524]

According to the monitoring results, low to medium dust impact was identified and hence the local impact was insignificant. Since local impact was found insignificant near the monitoring locations, dust monitoring data from the monitoring stations can be used as background condition. The baseline air monitoring results were adopted to establish the Action and Limit Levels, which are summarized below:

Monitoring Location	24-hr TSP ( $\mu\text{g}/\text{m}^3$ )		1-hr TSP ( $\mu\text{g}/\text{m}^3$ )	
	Action Level	Limit Level	Action Level	Limit Level
AM1	183	260	440	500
AM2	181	260	500	500
AM3	194	260	500	500

### Baseline Noise Monitoring

The baseline noise monitoring was conducted at four designated locations from 29 Dec 2006 to 19 Feb 2007. The ambient noise levels for the monitoring stations were measured continuously for 24 hours during the monitoring period. The data obtained from the baseline noise monitoring was processed to four periods namely daytime (0700 – 1900), evening (1900 – 2300), nighttime (2300 – 0700 of next day) and holiday (0700 – 1900).

The mean noise levels Leq of four periods were presented as below:

Monitoring Station	Mean Noise Level Leq, dB(A) [Range]			
	Day-time (0700-1900) on normal weekdays	Evening-time (1900-2300)	Night-time (2300-0700) of next day	Holiday (0700-1900)
CN1	60.2 [53.4 – 66.8]	54.0 [42.2 – 62.4]	56.4 [39.0 – 64.9]	59.3 [52.4 – 66.9]
CN2	61.0 [56.0 – 66.4]	55.5 [53.0 – 58.1]	51.6 [45.6 – 60.2]	58.8 [55.2 – 64.4]
CN3	56.3 [42.7 – 62.6]	53.1 [41.7 – 60.5]	49.8 [35.6 – 59.4]	56.7 [44.2 – 64.3]
CN4	56.9 [50.5 – 63.3]	52.8 [49.6 – 57.1]	50.3 [43.9 – 60.4]	54.4 [50.6 – 57.6]

Low local impact was found near the monitoring station during the baseline monitoring period. Therefore, noise-monitoring data from all monitoring stations can be used as background indicator.

The baseline noise monitoring results were adopted to establish the Action and Limit Levels, which are summarized below:

Time Period	Action	Limit
0700-1900 hrs on normal weekdays	When one documented complaint is received from any one of the sensitive receivers	75 dB(A) *
1900-2300 hrs on normal weekdays; and 0700-1900 hrs on holidays		60/65/70 dB(A) **
2300-0700 hrs of next day		45/50/55 dB(A) **

\* reduce to 70dB(A) for school and 65dB(A) during school examination periods, if applicable

\*\* to be selected based on the Area Sensitivity Rating of A/B/C, and the conditions of the CNP(s) must be followed

## 1. INTRODUCTION

Dragages – Bouygues Joint Venture appointed ETS-Testconsult Limited (ETS) to undertake the Baseline Air Quality and Noise Monitoring for “Ocean Park Master Redevelopment Project Contract No. CI05 – Site Formation, Funicular Tunnel and Miscellaneous Works” (the Project) under the requirements of Contractor’s Project EM&A Manual.

The purpose of this baseline report is to set out the baseline levels for air quality and noise at the designated air and noise monitoring locations. Hence, they will be used as a basis for the environmental impact and compliance monitoring. Besides, this report also presents the monitoring locations, equipment, period, methodology, results and observations for noise and air quality during the baseline period.

The Action and Limit (A/L) Levels of the air quality and noise monitoring stations were determined in accordance with the requirement under the Project EM&A Manual.

## 2. PROJECT INFORMATION

The Ocean Park Master Redevelopment Project is to upgrade and expand the existing Ocean Park to meet anticipated visitor demands and to position Ocean Park as a premium tourist attraction and a regional leader in the themed recreational and educational park experience.

The redevelopment works of Ocean Park will involve:

- Civil infrastructure works including road works (including modifying sections of Ocean Park Road, which is a local distributor, around the existing bus terminus as shown in Figure 1.1), drain works, tunnelling and geotechnical works, bulk excavation and slope works, retaining structures, site clearance, decommissioning and demolition works, funicular railway, modify to bus terminus, taxi stands and associated facilities.
- Utilities works including power supply distribution, electrical substations, freshwater and saltwater reservoirs, water supply distribution, gas supply distribution, telecommunications network and distribution, landscape irrigation network, etc.
- Primary life support system works for animal keeping.
- Area development works including service roads, EVAs, external escalators, bridges and elevated walkways, external lighting.
- Parkwide systems works including signage, background music system, toilets facilities, guard sheds, first aid facilities, communications systems, CCTV systems and waste facilities.
- Landscape or theming works including exterior building facade treatment works, themed concrete pavement/ hardscape, soft landscaping, water and faux rockwork features, visual intrusion screens, area props and artwork, etc.

- Works for the attractions venues including animal exhibits, marine animal, terrestrial animal, aviaries, bird exhibits, individual life support systems for animal exhibits; and others non-animal related attractions, e.g. shipwreck play area, bamboo maze, etc.
- Installation of rides including thrill rides, round rides, water rides, kids rides, interactive rides, transportation rides, etc.
- Works for the venues including event halls, outdoor live show area, cinemas and bandstands.
- Works for the merchandise / retail facilities including souvenir stores, novelty stores, games arcade, photo shops, etc.
- Works for the food and beverage facilities including restaurants, bakery, food carts and kiosks.
- Back of house facilities including offices, break areas, warehouses, centralized facilities, operational facilities, etc.

### 3. BASELINE AIR QUALITY MONITORING

#### 3.1 Monitoring Requirement

Baseline air quality monitoring was conducted at the selected and agreed locations for a period of 14 consecutive days, in terms of 24-hour and 1-hour TSP, at three designated monitoring locations.

The sampling of 1-hour TSP was carried out three times (at three consecutive hours) per day when the highest dust impact was predicted. Generally, the highest dust impact should be expected at day-time between 0900-1800 since the most active construction works would be present during impact monitoring period.

General meteorological conditions (wind speed, direction and precipitation) and notes regarding any significant adjacent dust producing sources shall also be recorded throughout the baseline monitoring period.

#### 3.2 Monitoring Equipment

Continuous 24-hour TSP air quality monitoring was performed by using GMWS2310 High Volume Air Samplers (HVSs) located at the designated monitoring stations. Portable dust meters were used to carry out the 1-hour TSP monitoring. Table 3.1 summarizes the equipment used in the baseline air quality monitoring programme. Copies of the calibration certificate for the HVS and portable dust meter are attached in Appendix A1.

**Table 3.1 Air Quality Monitoring Equipment**

Equipment	Model and Make
HVS	Greasby GMWS2310 Accu-vol system
Calibrator	Tisch TE-5025A
1-hour TSP Dust Meter	TSI Model 8520 Dust Trak™ Aerosol Monitor

High volume sampler (HVS) in compliance with the following specifications was used for carrying out the 24-hr TSP monitoring:

- (a) 0.6 - 1.7 m<sup>3</sup>/min (20-60 SCFM) adjustable flow range;
- (b) Equipped with a timing/control device with +/- 5 minutes accuracy for 24 hours operation;
- (c) Installed with elapsed-time meter with +/- 2 minutes accuracy hr24hours operation
- (d) Capable of providing a minimum exposed area of 406 cm<sup>2</sup> (63 in<sup>2</sup>)
- (e) Flow control accuracy: +/- 2.5% deviation over 24-hr sampling period
- (f) Equipped with a shelter to protect the filter and sampler
- (g) Incorporated with an electronic mass now rate controller or other equipment devices;
- (h) Equipped with a now recorder for continuous monitoring
- (I) Provided with a peaked roof inlet
- (j) Incorporated with a manometer
- (k) Able to hold and seal the alter paper to the sampler housing at horizontal position
- (l) Easy to change the filter; and
- (m) Capable of operating continuously for 24-hr period.

The HVSs used were equipped with an electronic mass now controller and calibrated against a traceable standard at regular interval. All the equipment, calibration kit, filter papers, etc. were clearly labelled.

Initial calibration of dust monitoring equipment was conducted by ETS upon installation and thereafter at bi-monthly intervals, if necessary. The transfer standard is traceable to the internationally recognized primary standard and calibrated annually. The calibration certificates were documented and submitted after calibration.

Direct reading dust meters (*TSI Model 8520 Dust Trak<sup>TM</sup> Aerosol Monitor*) were used to measure 1-hr TSP level. All dust meters were calibrated regularly and the 1-hr sampling was determined by HVS to check the validity and accuracy of the results measured by direct reading method. The calibration certificates of dust meters, which were capable of achieving results comparable to a HVS, had been submitted accordingly.

### **3.3 Laboratory Measurement / Analysis**

Environmental Laboratory of ETS-Testconsult which is HOKLAS accredited, carried out the laboratory analysis.

A clean filter paper with no pinholes was used for each time of monitoring. Before sampling, the filter paper of size 8" x 10" was labelled and conditioned in a humidity controlled chamber for over 24 hours and pre-weighed before use for the sampling.

After sampling, the filter paper loaded with dust was kept in a clean and tightly sealed plastic bag. The filter paper then returned to the laboratory for reconditioning in the humidity controlled chamber following by accurate weighing by an electronic balance with readout down to 0.1mg. The balance was calibrated against a traceable standard.

All the analysis results and collected samples were kept in a good condition for 6 months after completion of the monitoring exercise before disposal.

### 3.4 Monitoring Parameters, Frequency and Duration

Table 3.2 summarizes the monitoring parameters, monitoring duration and frequencies of baseline air quality monitoring.

**Table 3.2 Monitoring Parameters, Duration and Frequency of Baseline Air Quality Monitoring**

Parameter	Duration	Frequency
24-hr TSP	24 hr (0000-2400)	Daily (for 14 consecutive days)
1-hr TSP	1 hr (0700-1900)	3 times per day (for 14 consecutive days)

### 3.5 Monitoring Locations and Period

As the requirement in the Project EM&A Manual, three designated air quality monitoring stations were selected. Table 3.3 and Figure 1.1 tabulated and depicted the air quality monitoring locations of this Project respectively.

The locations of AM1, AM2 and AM3 have been changed apart from the original proposal due to the following reasons.

- a. the management of Hong Kong Country Club did not want to give too much disturbance to their members and disagree the proposal to put the HVS at their tennis court as the air quality monitoring location AM1. In addition, there is a 2.5m high brick wall at the side facing the Ocean Park. It may affect the monitoring results as well.
- b. the residents are not willing to share their place and provide power supply for the HVS and there is also no public place for the HVS setting at the Hazelton as the air quality monitoring location AM2.
- c. the residential blocks - Country Villa (i.e. next to Hazelton) has also objected our request since the engine noise of the HVS during the monitoring will cause the disturbance to them.
- d. the Police Training School could not provide the power supply to the monitoring equipment.
- e. the management of Ocean Park commits to minimize the disturbance to their neighbourhoods.

**Table 3.3 Air Quality Monitoring Locations**

Air Quality Monitoring Stations	Description
AM1	Whisker's Theatre, Ocean Park
AM2	San Wai Village, Wong Chuk Hang
AM3	Ocean Park Road, 50m adjacent to Police Training School

The baseline air quality monitoring programme for 24-hr and 1-hr TSP monitoring at designated monitoring locations is summarized in Table 3.4. All TSP monitoring were carried out for a period of 14 consecutive days.

**Table 3.4 Monitoring Periods for Baseline Air Quality Monitoring Stations**

Air Quality Monitoring Stations	Monitoring Period	
	24-hr TSP	1-hr TSP
AM1	04 Jan 2007 to 17 Jan 2007	02 Jan 2007 to 15 Jan 2007
AM2	05 Feb 2007 to 18 Feb 2007	05 Feb 2007 to 18 Feb 2007
AM3	01 Feb 2007 to 15 Feb 2007	01 Feb 2007 to 14 Feb 2007

### 3.6 Monitoring Methodology

#### 3.6.1 24-hour TSP Monitoring

##### Instrumentation

High volume sampler, as HVS, (Greasby GMWS2310) complete with appropriate sampling inlet is employed for 24-hour TSP. The sampler is composed of a motor, a filter holder, a flow controller and a sampling inlet and its performance specification complies with that required by USEPA standard Title 40, Code of Federation Regulations Chapter 1 (Part 50).

##### Operation/Analytical Procedures

Operating/analytical procedures for the operation of HVS are as below:

Prior to the commencement of the dust sampling, the flow rate of the high volume sampler was properly set (between 0.6m<sup>3</sup>/min and 1.7m<sup>3</sup>/min.) in accordance with the manufacturer's instruction to within the range recommended in USEPA Standard Title 40, CFR Part 50.

- For TSP sampling, fiberglass filters (GA-55) were used.
- The power supply was checked to ensure the sampler worked properly.
- On sampling, the sampler was operated 5 minutes to establish thermal equilibrium before placing any filter media at the designated air monitoring station.
- The filter holding frame was then removed by loosening the four nuts and carefully a weighted and conditioned filter was centered with the stamped number upwards, on a supporting screen.
- The filter was aligned on the screen so that the gasket formed an air-tight seal on the outer edges of the filter. Then the filter holder frame was tightened to the filter holder with swing bolts. The applied pressure should be sufficient to avoid air leakage at the edges.
- The timer was then programmed. Information was recorded on the record sheet, which included the starting time, the weather condition, the filter number (the initial weight of the filter paper can be found out by using the filter number.)

- After sampling, the filter was transferred from the filter holder of the HVS to a plastic bag and sent to the laboratory for weighting. The elapsed time was also recoded.
- Before weighting, all filters were equilibrated in a desiccator for 24 hour with the temperature of  $25^{\circ}\text{C} \pm 3^{\circ}\text{C}$  and the relative humidity (RH)  $<50\% \pm 5\%$ .

Maintenance & Calibration

- The HVS and their accessories were maintained in good working condition, such as replacing motor brushes routinely and checking electrical wiring to ensure a continuous power supply.
- HVSs were calibrated at bi-monthly intervals by using the 1-pt scale while a 5-pt calibration would be calibrated at a basis of six months during the impact monitoring period.

**3.6.2 1-hour TSP Monitoring**

Measuring Procedures

The measuring procedures of the 1-hr dust meter are in accordance with the Manufacturer's instruction Manual as follows:

- Set POWER to ON, check the battery indicator to ensure whether the power supply is enough to conduct the TSP monitoring;
- Calibrate the dust meter by zero check;
- Set the time constant of the dust meter;
- Press sample to start the TSP monitoring.

Maintenance & Calibration

- 1-hr dust meter were calibrated at 1-year intervals.

**3.7 Results**

The baseline air quality monitoring results for monitoring stations AM1, AM2 and AM3 are summarized in Table 3.5. All monitoring data and graphical presentation of the 24-hr and 1-hr TSP monitoring results are provided in Appendices A2 and A3 respectively. It should be noted that there is no monitoring result for AM3 on 08 Feb 2007 due to the equipment failure.

**Table 3.5 Summary of 24-hr and 1-hr TSP Monitoring Results**

Monitoring Station	Average 24-hr TSP Concentration ( $\mu\text{g}/\text{m}^3$ ) [Range]	Average 1-hr TSP Concentration ( $\mu\text{g}/\text{m}^3$ ) [Range]
AM1	82 [43 – 120]	292 [163 – 421]
AM2	79 [50 – 108]	445 [352 – 538]
AM3	99 [43 – 154]	432 [339 – 524]

**3.8 Action and Limit Levels**

The criteria for Action and Limit levels have been set out as follows:

**Table 3.6 The Criteria of Action and Limit Levels for Air Quality**

Parameters	Action	Limit
24-hour TSP Level in $\mu\text{g}/\text{m}^3$	For baseline level $\leq 200\mu\text{g}/\text{m}^3$ , Action level = (baseline level * 1.3 + Limit Level) / 2.  For baseline level $>200\mu\text{g}/\text{m}^3$ , Action level = Limit Level.	260 $\mu\text{g}/\text{m}^3$
1-hour TSP Level in $\mu\text{g}/\text{m}^3$	For baseline level $\leq 384\mu\text{g}/\text{m}^3$ , Action level = (baseline level * 1.3 + Limit Level) / 2.  For baseline level $>384\mu\text{g}/\text{m}^3$ , Action level = Limit Level.	500 $\mu\text{g}/\text{m}^3$

Following the criteria shown in Table 3.6, the Action and Limit levels for 24-hr TSP and 1-hr TSP derived as illustrated in Table 3.7.

**Table 3.7 Action and Limit Levels for 24-hr TSP and 1-hr TSP**

Monitoring Location	24-hr TSP ( $\mu\text{g}/\text{m}^3$ )		1-hr TSP ( $\mu\text{g}/\text{m}^3$ )	
	Action Level	Limit Level	Action Level	Limit Level
AM1	183	260	440	500
AM2	181	260	500	500
AM3	194	260	500	500

#### 4. BASELINE NOISE MONITORING

##### 4.1 Monitoring Requirements

As the requirement in the Project EM&A Manual, baseline noise monitoring was conducted for a period of 14 consecutive days at designated monitoring locations.

##### 4.2 Monitoring Equipment

Integrating Sound Level Meters used for baseline noise monitoring were Type 1 sound level meters capable of giving a continuous readout of the noise level reading including equivalent continuous sound pressure level (Leq) and percentile sound pressure level (Lx). They complied with International Electro technical Commission Publications 651:1979 (Type1) and speed in m/s was used to monitor the wind speed. Table 4.1 summarized the noise monitoring equipment model used during the baseline monitoring. Copies of calibration certificates for noise meters and calibrators are attached in Appendix B1.

**Table 4.1 Noise Monitoring Equipment**

Equipment	Model
Precision Integrating Sound Level Meter	Rion NL-31
	Quest 1900
Sound Level Calibrator	Rion NC-73
Portable Wind Speed Indicator	TSI Model 8340-M Air Velocity Meter

### 4.3 Monitoring Parameters, duration and Frequency

Baseline noise monitoring for the A-weighted levels  $L_{eq}$ ,  $L_{10}$  and  $L_{90}$  were recorded. Data obtained from the baseline noise monitoring was processed and presented according to the following periods.

- Daytime: 0700-1900 hrs (30-minute consecutive intervals) on normal weekdays for a period of 2 weeks;
- Evening-time: 1900-2300 hrs (5-minute consecutive intervals) for a period of 2 weeks;
- Night-time: 2300-0700 hrs of next day (5-minute consecutive intervals) for a period of 2 weeks;
- Daytime: 0700-1900 hrs (5-minute consecutive intervals) on holidays for a period of 2 weeks.

Duration, frequencies and parameters of noise measurement are presented in Table 4.2.

**Table 4.2 Duration, Frequency and Parameters of Baseline Noise Monitoring**

Time Period	Duration (min)	Parameters
Day-time: 0700-1900 hrs on normal weekday	30	$L_{eq}$ , $L_{10}$ , $L_{90}$
Evening-time: 1900-2300 hrs	15	$L_{eq}$ , $L_{10}$ , $L_{90}$
Night-time: 2300-0700 hrs of next day	15	$L_{eq}$ , $L_{10}$ , $L_{90}$
Holiday: 0700-1900 hrs	15	$L_{eq}$ , $L_{10}$ , $L_{90}$

### 4.4 Monitoring Locations and Period

In accordance with the requirement of Project EM&A Manual, four locations were selected as the noise monitoring locations for the monitoring. The location of these monitoring stations are described in Table 4.3 and depicted in Figure 1.1.

According to the site visit on 19 December 2006 and the negotiation to the owner(s) of premises, only one out of them, i.e. CN4 will keep in use in the Baseline and Impact Monitoring during the construction phase of Contract CI05.

Alternative noise monitoring locations for CN1, CN2 and CN3 are proposed to replace the original proposed noise monitoring locations due to the following reasons.

- a. the Commander of Police Training School has rejected the proposal as the noise monitoring location CN1 due to the safety reason.
- b. as the best location for the noise measurement of monitoring locations CN2 and CN3 is the roof of the house, however no residents are willing to spare their place for the equipment setting, therefore there is accessibility problem;
- c. according to the site visit on 19 December 2006, the proposed noise monitoring location CN3 has no light-of-sight to the works areas; therefore it is not suitable for the noise monitoring; and

- d. the management of Ocean Park commits to minimize the disturbance to their neighbourhoods.

**Table 4.3 Noise Monitoring Stations**

Noise Monitoring Stations	Description
CN1	Open Area adjacent to Police Training School
CN2	Project Development Office, Ocean Park
CN3	Rinniped House, Ocean Park
CN4	Manly Villa

The baseline noise monitoring programme at designated monitoring station is summarized in Table 4.4. Noise monitoring was carried out for a period of 14 consecutive days.

**Table 4.4 Baseline Monitoring Periods for the noise monitoring stations**

Noise Monitoring Station	Monitoring Period
CN1	02 Feb 2007 to 16 Feb 2007
CN2	05 Feb 2007 to 19 Feb 2007
CN3	29 Dec 2006 to 12 Jan 2007
CN4	12 Jan 2007 to 26 Jan 2007

#### 4.5 Monitoring Methodology

##### Instrumentation

Integrating Sound Level Meters were employed for noise monitoring.

##### Operation/Analysis Procedures

- The Sound Level Meter was set on a tripod at a height of 1.2m above the ground.
- For free field measurement, the meter was positioned away from any nearby reflective surfaces.
- The battery condition was checked to ensure the correct functioning of the meter.
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
  - Frequency weighting : A
  - Time weighting : Fast
  - Time measurement : 5 mins
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94 dB at 1000Hz. If the difference in the calibration level before and after measurement was more than 1 dB(A), the measurement would be considered invalid and repeat measurement would be required after re-calibration or repair of the equipment.
- During the monitoring period, the Leq, L10 and L90 were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.
- (NO attendance, why the meter could exclude the readings itself)

- Noise monitoring would be cancelled in the presence of fog, rain, storm, wind with a steady speed exceeding 5m/s, or wind gusts exceeding 10m/s.

Maintenance and Calibration

- The microphone head of the sound level meter and calibrator are cleaned with soft cloth at quarterly intervals.
- The meters have been sent to a HOKLAS laboratory to check and calibrated at yearly intervals.

**4.6 Results**

Baseline noise monitoring have been conducted at the noise monitoring stations CN1, CN2, CN3 and CN4 between 29 Dec 2006 and 19 Feb 2007.

During baseline noise monitoring, some data were needed to be excluded since intrusive noise was recorded in the presence of rain and storm. The monitoring results are summarized in Table 4.5. Graphical presentation of baseline noise monitoring during baseline monitoring at the monitoring stations is provided in Appendix B3. All detailed baseline noise monitoring data at the location is given in Appendix B2.

**Table 4.5 Summary of Baseline Noise Monitoring Results**

Monitoring Station	Mean Noise Level $L_{eq}$ , dB(A) [Range]			
	Day-time (0700-1900) on normal weekdays	Evening-time (1900-2300)	Night-time (2300-0700) of next day	Holiday (0700-1900)
CN1	60.2 [53.4 – 66.8]	54.0 [42.2 – 62.4]	56.4 [39.0 – 64.9]	59.3 [52.4 – 66.9]
CN2	61.0 [56.0 – 66.4]	55.5 [53.0 – 58.1]	51.6 [45.6 – 60.2]	58.8 [55.2 – 64.4]
CN3	56.3 [42.7 – 62.6]	53.1 [41.7 – 60.5]	49.8 [35.6 – 59.4]	56.7 [44.2 – 64.3]
CN4	56.9 [50.5 – 63.3]	52.8 [49.6 – 57.1]	50.3 [43.9 – 60.4]	54.4 [50.6 – 57.6]

The weather condition during the baseline noise monitoring period varied to be sunny and cloudy days.

Regarding baseline noise monitoring, noise from the activities at Ocean Park and the adjacent construction sites are the major noise sources during daytime. For evening-time of weekdays and holidays, the major noise source is the road traffic.

**4.7 Actions and Limit Levels**

The Action and Limit Levels (AL Levels) were established in accordance to the Contractor’s Project EM&A Manual. Table 4.6 presents the AL levels for noise monitoring.

**Table 4.6 Action and Limit Levels for Noise Monitoring**

Time Period	Action	Limit
0700-1900 hrs on normal weekdays	When one documented complaint is received from any one of the sensitive receivers	75 dB(A) *
1900-2300 hrs on normal weekdays; and 0700-1900 hrs on holidays		60/65/70 dB(A) **
2300-0700 hrs of next day		45/50/55 dB(A) **

\* reduce to 70dB(A) for school and 65dB(A) during school examination periods

\*\* to be selected based on the Area Sensitivity Rating of A/B/C, and the conditions of the CNP(s) must be followed

## 5. CONCLUSION

### 5.1 General

Baseline environmental study regarding the air quality and noise level was conducted for the Project.

According to the Project EM&A Manual, three air monitoring stations and four noise monitoring stations should be required for the baseline dust and noise monitoring.

### 5.2 Air Quality

According to the baseline monitoring data from both weekdays and holidays, low to medium dust impact was identified and hence the local impact was insignificant. Since local impact was found insignificant near the monitoring locations, dust monitoring data from the monitoring stations can be used as background condition. The baseline air monitoring results were adopted to establish the Action and Limit Levels, which are summarized below:

Monitoring Station	24-hr TSP ( $\mu\text{g}/\text{m}^3$ )		1-hr TSP ( $\mu\text{g}/\text{m}^3$ )	
	Action Level	Limit Level	Action Level	Limit Level
AM1	183	260	440	500
AM2	181	260	500	500
AM3	194	260	500	500

### 5.3 Noise

Low local impact was found near the monitoring station during the baseline monitoring period. Therefore, noise-monitoring data from all monitoring stations can be used as background indicator.

The baseline noise monitoring results were adopted to establish the Action and Limit Levels, which are summarized below:

Time Period	Action	Limit
0700-1900 hrs on normal weekdays	When one documented complaint is received	75 dB(A) *
1900-2300 hrs on normal weekdays; and 0700-1900 hrs on holidays		60/65/70 dB(A) **
2300-0700 hrs of next day		45/50/55 dB(A) **

\* reduce to 70dB(A) for school and 65dB(A) during Police School examination periods  
 \*\* to be selected based on the Area Sensitivity Rating of A/B/C, and the conditions of the CNP(s) must be followed

**5.4 Revisions for inclusion in the EM&A Manual**

Any revision would be included in the contract specific EM&A Manual.

**LIST OF FIGURES**

---



**LEGEND:**

- PROPOSED NOISE MONITORING STATION
- ▲ PROPOSED AIR QUALITY MONITORING STATION

深水灣  
DEEP WATER BAY  
(See also SHEK OAK)

REV.	DATE	BY	DESCRIPTION
C	26FEB2007	STa	LOCATION OF AM1, CN2 & CN3 REVISED
B	05FEB2007	STa	GENERAL REVISION
A	06JAN2007	STa	FIRST ISSUE

DESIGNED BY	STa
DRAWN BY	BLa
CHECKED BY	STa
IN CHARGE	YTS
DATE	06JAN2007

MAIN CONTRACTOR :

Dragages-Bouygues JV 寶嘉-布依格聯營

CLIENT :

香港海洋公園  
OCEAN PARK HONG KONG

PROJECT TITLE :

**OCEAN PARK REDEVELOPMENT**  
Contract No. CI05  
Site Formation, Funicular Tunnel  
and Miscellaneous Works

DRAWING TITLE :

**AIR QUALITY AND  
NOISE MONITORING STATIONS  
LOCATION PLAN**

CADD FILENAME :	O3ENV001C.DGN
DATE :	26FEB2007
SCALE :	1 : 2500 @ A3
DRAWING NUMBER :	DBJV/CI05/03/ENV/0001
REV. :	C

**Appendix A1**

---

**Calibration Certificates for  
Baseline Air Quality Monitoring Equipments**





東業德勤測試顧問有限公司  
ETS-TESTCONSULT LIMITED

8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong  
Tel : 2695 8318 E-mail : etl@ets-testconsult.com  
Fax : 2695 3944 Web site : www.ets-testconsult.com

**TEST REPORT**


**Calibration Report**  
of  
**High Volume Air Sampler**

**Manufacturer** : Graseby GMW Date of Calibration : 05 February 2007  
**Serial No.** : 1177 (ET / EA / 003 / 07) Calibration Due Date : 04 April 2007  
**Method** : Based on Operations Manual for the 5-point calibration using standard calibration kit manufactured by Tisch TE-5025 A

**Results** :

Flow recorder reading (cfm)	51	45	40	30	21
Qstd (Actual flow rate, m <sup>3</sup> /min)	1.76	1.57	1.37	1.07	0.86
Pressure :	767.31 mm Hg			Temp. : 291 K	

**Sampler 1177 Calibration Curve**  
Site: Ocean Park (AM2)  
Date of Calibration: 05 February 2007




Acceptance Criteria : Correlation coefficient (r) of the calibration curve greater than 0.990 after a 5-point calibration

The high volume sampler complies \* / ~~does not comply~~ \* with the specified requirements and is deemed acceptable \* / ~~unacceptable~~ \* for use.

Calibrated by : MAK Kei Wai  
MAK Kei Wai  
(Senior Technician)

Approved by : H. T. CHOW  
H. T. CHOW  
(Asst. Environmental Officer)



東業德勤測試顧問有限公司  
ETS-TESTCONSULT LIMITED

8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pul Wan Street, Fotan, Hong Kong  
Tel : 2695 8318 E-mail : etl@ets-testconsult.com  
Fax : 2695 3944 Web site : www.ets-testconsult.com

**TEST REPORT**


**Calibration Report**  
of  
**High Volume Air Sampler**

**Manufacturer** : Graseby GMW Date of Calibration : 01 February 2007  
**Serial No.** : 9998 ( ET / EA / 003 / 12 ) Calibration Due Date : 31 March 2007  
**Method** : Based on Operations Manual for the 5-point calibration using standard calibration kit manufactured by Tisch TE-5025 A

**Results**

Flow recorder reading (cfm)	54	45	39	29	21
Qstd (Actual flow rate, m <sup>3</sup> /min)	1.77	1.59	1.39	1.11	0.87
Pressure :	768.06 mm Hg		Temp. :	291 K	

**Sampler 9998 Calibration Curve**  
Site: Ocean Park (AM-3)  
Date of Calibration: 01 February 2007



Acceptance Criteria : Correlation coefficient (r) of the calibration curve greater than 0.990 after a 5-point calibration

The high volume sampler complies \* / ~~does not comply~~ \* with the specified requirements and is deemed acceptable \* / unacceptable \* for use.

Calibrated by : Kin  
Kenneth CHIU  
(Assistant Technician)

Approved by : H. T. CHOW  
H. T. CHOW  
(Asst. Environmental Officer)



東業德勤測試顧問有限公司  
ETS-TESTCONSULT LIMITED

8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pul Wan Street, Fotan, Hong Kong  
Tel : 2695 8318 E-mail : etl@ets-testconsult.com  
Fax : 2695 3944 Web site : www.ets-testconsult.com


**TEST REPORT**

**Internal Calibration Report**  
of  
**Dust Trak Monitor**

**Manufacturer** : TSI - 8520 Dust Trak      **Date of Calibration** : 16 September 2006  
**Serial No.** : 21672 (ET / EA / 001 / 01)      **Calibration Due Date** : 15 March 2007  
**Method** : Place the Dust Trak Monitor and High Volume Air Samper together at same environment condition for parallel measurement with five point calibration

**Results** :

Dust Trak Monitor ( $\mu\text{g}/\text{m}^3$ )	45	69	73	185	204
High Volume Air Sampler ( $\mu\text{g}/\text{m}^3$ )	40	55	65	168	177
High Volume Air Sampler Serial No.: 1178			Calibration Date: 16 / 09 / 2006		




Acceptance Criteria : Correlation coefficient (r) of the calibration curve greater than 0.990 after a five point calibration

The Dust Trak Monitor complies \* / ~~does not comply~~ \* with the internal calibration procedures and is deemed acceptable \* / ~~unacceptable~~ \* for use.

Calibrated by :   
LEUNG, Ka Chun  
(Technician)

Approved by :   
LAW, Sau Yee  
(Environmental Officer)



東業德勤測試顧問有限公司  
ETS-TESTCONSULT LIMITED

8/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong

Tel : 2695 8318

E-mail : etl@ets-testconsult.com

Fax : 2695 3944

Web site : www.ets-testconsult.com

**TEST REPORT**

**Internal Calibration Report**

of

**Dust Trak Monitor**

Manufacturer : TSI - 8520 Dust Trak Date of Calibration : 21 July 2006


Serial No. : 14230 ( ET / EA / 001 / 04 ) Due Date : 20 January 2007

Method : Conduct parallel measurement (five-point calibration) by placing the Dust Trak Monitor and High Volume Air Samper together under the same environmental condition

Results :

Dust Trak Monitor ( $\mu\text{g}/\text{m}^3$ )	40	58	69	220	254
High Volume Air Sampler ( $\mu\text{g}/\text{m}^3$ )	36	43	62	189	234
High Volume Air Sampler Serial No.: 1178	Calibration Date: 14 / 09 / 2006				

**Calibration of Dust Trak Monitor (Serial No. 14230)**



Acceptance Criteria : Correlation coefficient (r) of the calibration curve greater than 0.990 after a five point calibration

The Dust Trak Monitor complies \* / does not comply \* with the internal calibration procedures and is deemed acceptable \* / unacceptable \* for use.

Calibrated by : MAK Kei Wai  
MAK Kei Wai  
(Technician)

Approved by : LAW Sau Yee  
LAW Sau Yee  
(Environmental Officer)



TISCH ENVIRONMENTAL, INC.  
 145 SOUTH MIAMI AVE.  
 VILLAGE OF CLEVELAND, OH 45002  
 513.467.9000  
 877.263.7610 TOLL FREE  
 513.467.9009 FAX  
 WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT

ORIFICE TRANSFER STANDARD CERTIFICATION WORKSHEET TE-5025A

Date - Jun 16, 2006 Roots-meter S/N 9833620 Ta (K) - 296  
 Operator Tisch Orifice I.D. - 1061 Pa (mm) - 753.11

PLATE OR Run #	VOLUME START (m3)	VOLUME STOP (m3)	DIFF VOLUME (m3)	DIFF TIME (min)	METER DIFF Hg (mm)	ORFICE DIFF H2O (in.)
1	NA	NA	1.00	1.3950	3.1	2.00
2	NA	NA	1.00	0.9820	6.3	4.00
3	NA	NA	1.00	0.8770	7.8	5.00
4	NA	NA	1.00	0.8360	8.6	5.50
5	NA	NA	1.00	0.6910	12.6	8.00

DATA TABULATION

Vstd	(x axis) Qstd	(y axis)	Va	(x axis) Qa	(y axis)
0.9935	0.7122	1.4125	0.9959	0.7139	0.8866
0.9893	1.0074	1.9976	0.9916	1.0098	1.2539
0.9872	1.1256	2.2334	0.9895	1.1283	1.4019
0.9862	1.1797	2.3424	0.9885	1.1825	1.4703
0.9809	1.4195	2.8251	0.9832	1.4229	1.7732
Qstd slope (m) = 1.99638			Qa slope (m) = 1.25010		
intercept (b) = -0.01172			intercept (b) = -0.00736		
coefficient (r) = 0.99998			coefficient (r) = 0.99998		
y axis = $\sqrt{H_2O(Pa/760)(298/Ta)}$			y axis = $\sqrt{H_2O(Ta/Pa)}$		

CALCULATIONS

$V_{std} = \text{Diff. Vol} [(Pa - \text{Diff. Hg}) / 760] (298 / Ta)$   
 $Q_{std} = V_{std} / \text{Time}$

$V_a = \text{Diff Vol} [(Pa - \text{Diff Hg}) / Pa]$   
 $Q_a = V_a / \text{Time}$


For subsequent flow rate calculations:

$Q_{std} = 1/m \{ [\sqrt{H_2O(Pa/760)(298/Ta)}] - b \}$   
 $Q_a = 1/m \{ [\sqrt{H_2O(Ta/Pa)}] - b \}$



TISCH ENVIORNENTAL, INC.  
 145 SOUTH MIAMI AVE.  
 VILLAGE OF CLEVELAND, OH 45002  
 513.467.9000  
 877.263.7610 TOLL FREE  
 513.467.9009 FAX  
 WWW.TISCH-ENV.COM

AIR POLLUTION MONITORING EQUIPMENT



\* y-axis equations:

Qstd series: 
$$\sqrt{\Delta H \left( \frac{P_a}{P_{std}} \right) \left( \frac{T_{std}}{T_a} \right)}$$

Qa series: 
$$\sqrt{\Delta H (T_a / P_a)}$$

#1061

**Appendix A2**

---

**Baseline Air Quality Monitoring Results**

Annex A2 ~ Raw Data on 1-hr TSP Monitoring

Monitoring Location	Date of Monitoring	Monitoring Period		Weather			1hr-TSP ( $\mu\text{g}/\text{m}^3$ )	Average Conc. ( $\text{mg}/\text{m}^3$ )
		From	To	Condition	Temperature ( $^{\circ}\text{C}$ )	Wind Speed (m/s)		
AM1	02-Jan-07	13:15	14:15	Cloudy	16	1.4	174	180
		14:15	15:15			1.1	202	
		15:15	16:15			1.2	163	
	03-Jan-07	09:30	10:30	Rainy	18	0.8	168	187
		10:30	11:30			1.4	185	
		11:30	12:30			1.1	208	
	04-Jan-07	11:05	12:05	Cloudy	21	0.6	215	203
		12:05	13:05			1.1	186	
		13:05	14:05			0.9	207	
	05-Jan-07	11:00	12:00	Sunny	18	0.8	210	217
		13:00	14:00			1.1	224	
		14:00	15:00			1.3	216	
	06-Jan-07	09:00	10:00	Sunny	15	1.9	271	270
		10:02	11:02			1.9	287	
		11:04	12:04			1.8	252	
	07-Jan-07	11:35	12:35	Sunny	13	2.2	285	267
		12:35	13:35			1.8	250	
		13:35	14:35			1.7	266	
	08-Jan-07	10:50	11:50	Sunny	13	1.3	269	269
		11:50	12:50			0.8	253	
		12:50	13:50			1.1	284	
	09-Jan-07	11:00	12:00	Fine	14	1.4	300	290
		12:00	13:00			1.9	277	
		13:00	14:00			1.5	293	
	10-Jan-07	13:00	14:00	Fine	15	0.7	283	272
		14:00	15:00			1.2	241	
		15:00	16:00			0.9	293	
	11-Jan-07	13:15	14:15	Cloudy	18	1.0	274	273
		14:15	15:15			2.2	251	
		15:15	16:15			1.4	294	
12-Jan-07	11:30	12:30	Cloudy	20	0.4	360	376	
	12:30	13:30			0.7	346		
	13:30	14:30			0.6	421		
13-Jan-07	10:00	11:00	Sunny	17	1.5	231	253	
	11:00	12:00			1.5	256		
	12:00	13:00			1.6	271		
14-Jan-07	09:30	10:30	Sunny	17	1.7	288	283	
	10:30	11:30			1.7	298		
	13:00	14:00			1.8	262		
15-Jan-07	12:30	13:30	Sunny	20	0.8	298	317	
	13:30	14:30			0.4	346		
	14:30	15:30			0.7	306		

Annex A2 ~ Raw Data on 1-hr TSP Monitoring

Monitoring Location	Date of Monitoring	Monitoring Period		Weather			1hr-TSP ( $\mu\text{g}/\text{m}^3$ )	Average Conc. ( $\text{mg}/\text{m}^3$ )
		From	To	Condition	Temperature ( $^{\circ}\text{C}$ )	Wind Speed (m/s)		
AM2	05-Feb-07	11:20	12:20	Sunny	18	1.1	485	458
		12:20	13:20			1.1	458	
		13:20	14:20			1.1	430	
	06-Feb-07	10:35	11:35	Sunny	22	1.3	446	436
		11:35	12:35			1.3	461	
		12:35	13:35			1.3	400	
	07-Feb-07	12:45	13:45	Sunny	25	0.7	407	431
		13:45	14:45			0.7	449	
		14:45	15:45			0.7	437	
	08-Feb-07	10:45	11:45	Cloudy	23	0.9	384	412
		11:45	12:45			0.9	437	
		12:45	13:45			0.9	415	
	09-Feb-07	12:30	13:30	Cloudy	24	0.8	417	435
		14:30	15:30			0.8	450	
		15:30	16:30			0.8	437	
	10-Feb-07	09:30	10:30	Sunny	24	0.5	422	450
		10:30	11:30			0.5	473	
		11:30	12:30			0.5	455	
	11-Feb-07	10:30	11:30	Cloudy	23	0.4	364	406
		11:30	12:30			0.4	443	
		12:30	13:30			0.4	412	
	12-Feb-07	09:25	10:25	Cloudy	21	0.5	477	492
		10:25	11:25			0.5	460	
		11:25	12:25			0.5	538	
	13-Feb-07	12:15	13:15	Fine	22	0.6	468	468
		13:15	14:15			0.62	488	
		14:15	15:15			0.6	447	
14-Feb-07	09:15	10:15	Cloudy	22	1.1	352	417	
	10:15	11:15			1.1	456		
	11:15	12:15			1.1	444		
15-Feb-07	10:15	11:15	Cloudy	19	1.2	456	459	
	11:15	12:15			1.2	462		
	12:15	13:15			1.2	460		
16-Feb-07	11:45	12:45	Cloudy	20	0.6	433	424	
	12:45	13:45			0.6	390		
	13:45	14:45			0.6	450		
17-Feb-07	12:45	13:45	Cloudy	22	0.8	424	446	
	13:45	14:45			0.8	476		
	14:45	15:45			0.8	438		
18-Feb-07	10:15	11:15	Fine	23	0.6	421	417	
	11:15	12:15			0.6	437		
	12:15	13:15			0.6	392		

Annex A2 ~ Raw Data on 1-hr TSP Monitoring

Monitoring Location	Date of Monitoring	Monitoring Period		Weather			1hr-TSP ( $\mu\text{g}/\text{m}^3$ )	Average Conc. ( $\text{mg}/\text{m}^3$ )
		From	To	Condition	Temperature ( $^{\circ}\text{C}$ )	Wind Speed (m/s)		
AM3	01-Feb-07	11:00	12:00	Fine	18	0.9	367	391
		12:00	13:00			0.9	412	
		13:00	14:00			0.9	394	
	02-Feb-07	10:20	11:20	Sunny	17	0.7	456	452
		11:20	12:20			0.7	524	
		12:20	13:20			0.7	375	
	03-Feb-07	12:30	13:30	Sunny	19	0.4	364	386
		13:30	14:30			0.4	406	
		14:30	15:30			0.4	388	
	04-Feb-07	10:30	11:30	Sunny	15	0.5	384	408
		11:30	12:30			0.5	414	
		12:30	13:30			0.5	427	
	05-Feb-07	12:45	13:45	Sunny	18	0.6	360	389
		13:45	14:45			0.6	420	
		14:45	15:45			0.6	388	
	06-Feb-07	09:50	10:50	Sunny	22	0.7	405	414
		10:50	11:50			0.7	393	
		11:50	12:50			0.7	445	
	07-Feb-07	10:10	11:10	Sunny	25	0.7	339	382
		11:10	12:10			0.7	430	
		12:10	13:10			0.7	376	
	08-Feb-07	09:40	10:40	Cloudy	23	0.7	395	415
		10:40	11:40			0.7	412	
		11:40	12:40			0.7	438	
	09-Feb-07	12:00	13:00	Cloudy	24	0.9	380	418
		13:00	14:00			0.9	430	
		14:00	15:00			0.9	444	
	10-Feb-07	09:00	10:00	Sunny	24	0.9	381	402
		10:00	11:00			0.9	430	
		11:00	12:00			0.9	394	
11-Feb-07	10:30	11:30	Cloudy	23	1.0	380	400	
	11:30	12:30			1.0	416		
	12:30	13:30			1.0	403		
12-Feb-07	12:00	13:00	Cloudy	21	0.9	405	407	
	13:00	14:00			0.9	374		
	14:00	15:00			0.9	442		
13-Feb-07	12:30	13:30	Fine	22	0.4	390	398	
	13:30	14:30			0.4	409		
	14:30	15:30			0.4	395		
14-Feb-07	10:00	11:00	Cloudy	22	0.6	380	388	
	11:00	12:00			0.6	394		
	12:00	13:00			0.6	390		

Annex A2 ~ Raw Data on 24-hr TSP Monitoring

Monitoring Location ~ AM1

Monitoring Period		Filter Weight (g)		Flow Rate (m <sup>3</sup> /min)		Elapse Time (hour)		Sampling Time (hours)	Concentration (µg/m <sup>3</sup> )	Weather Condition	Particulate weight (g)	Average flow (m <sup>3</sup> /min)	Total volume (m <sup>3</sup> )
		Initial	Final	Initial	Final	Initial	Final						
Date	Time	Date	Time	Initial	Final	Initial	Final	Initial	Final	Initial	Final	Initial	Final
04-Jan-07	15:13	05-Jan-07	15:13	2.7731	2.8720	1.02	1.02	8976.46	9000.46	Cloudy	0.0989	1.02	1462.8
05-Jan-07	14:16	06-Jan-07	14:16	2.7666	2.8939	1.02	1.02	9000.46	9024.46	Sunny	0.1273	1.02	1468.9
06-Jan-07	11:39	07-Jan-07	11:39	2.7527	2.9248	1.02	1.02	9024.46	9048.31	Sunny	0.1721	1.02	1465.9
07-Jan-07	11:59	08-Jan-07	11:59	2.7351	2.8721	1.05	1.05	9048.31	9072.14	Sunny	0.1370	1.05	1496.2
08-Jan-07	11:22	09-Jan-07	11:22	2.7351	2.8755	0.99	0.99	9072.14	9095.98	Sunny	0.1404	0.99	1421.5
09-Jan-07	11:32	10-Jan-07	11:32	2.7128	2.8496	0.99	0.99	9095.98	9119.85	Fine	0.1368	0.99	1423.3
10-Jan-07	14:58	11-Jan-07	14:58	2.7221	2.8584	0.99	0.99	9119.85	9144.34	Fine	0.1363	0.99	1460.2
11-Jan-07	11:28	12-Jan-07	11:28	2.7219	2.8398	0.99	0.99	9144.34	9168.11	Cloudy	0.1179	0.99	1417.3
12-Jan-07	10:24	13-Jan-07	10:24	2.7195	2.8914	0.99	0.99	9168.11	9192.19	Cloudy	0.1719	0.99	1435.8
13-Jan-07	11:08	14-Jan-07	11:08	2.7036	2.8399	0.99	0.99	9192.19	9216.16	Sunny	0.1363	0.99	1429.2
14-Jan-07	11:22	15-Jan-07	11:22	2.7023	2.8161	1.02	1.02	9216.16	9240.13	Sunny	0.1138	1.02	1467.1
15-Jan-07	15:15	16-Jan-07	15:15	2.6912	2.771	0.99	0.99	9240.13	9264.13	Sunny	0.0798	0.99	1431.0
16-Jan-07	15:47	17-Jan-07	15:47	2.6765	2.7538	0.99	0.99	9264.13	9288.84	Cloudy	0.0773	0.99	1473.3
17-Jan-07	12:34	18-Jan-07	12:34	2.6755	2.7398	1.02	1.02	9288.84	9313.09	Fine	0.0643	1.02	1481.2

Annex A2 ~ Raw Data on 24-hr TSP Monitoring

Monitoring Location ~ AM2

Monitoring Period		Filter Weight (g)		Flow Rate (m <sup>3</sup> /min)		Elapse Time (hour)		Sampling Time (hours)	Concentration (µg/m <sup>3</sup> )	Weather Condition	Particulate weight (g)	Average flow (m <sup>3</sup> /min)	Total volume (m <sup>3</sup> )
		Initial	Final	Initial	Final	Initial	Final						
From	To	Initial	Final	Initial	Final	Initial	Final						
05-Feb-07	12:15	06-Feb-07	11:58	2.8996	3.0342	1.07	1.07	8661.49	8685.20	Sunny	0.1346	1.07	1521.1
06-Feb-07	12:30	07-Feb-07	12:35	2.8874	2.9771	1.06	1.06	8685.20	8709.28	Sunny	0.0897	1.06	1500.5
07-Feb-07	12:45	08-Feb-07	12:36	2.9000	3.0444	1.07	1.07	8709.28	8733.13	Sunny	0.1444	1.07	1530.1
08-Feb-07	12:38	09-Feb-07	12:40	2.8889	3.0453	1.07	1.07	8733.13	8757.17	Cloudy	0.1564	1.07	1542.3
09-Feb-07	12:42	10-Feb-07	12:32	2.9027	3.0685	1.07	1.07	8757.17	8781.01	Cloudy	0.1668	1.07	1529.5
10-Feb-07	12:34	11-Feb-07	12:09	2.8985	3.0217	1.07	1.07	8781.01	8804.60	Sunny	0.1232	1.07	1513.4
11-Feb-07	12:11	12-Feb-07	11:51	2.8091	2.9579	1.07	1.07	8804.60	8828.26	Cloudy	0.1488	1.07	1517.9
12-Feb-07	11:53	13-Feb-07	11:53	2.8162	2.9565	1.07	1.07	8828.26	8852.35	Cloudy	0.1403	1.07	1545.5
13-Feb-07	12:00	14-Feb-07	11:55	2.8205	2.9241	1.07	1.07	8852.35	8876.26	Fine	0.1036	1.07	1534.0
14-Feb-07	12:00	15-Feb-07	12:00	2.7970	2.8957	1.04	1.04	8876.26	8900.26	Cloudy	0.0987	1.04	1495.5
15-Feb-07	10:40	16-Feb-07	11:20	2.7950	2.8695	1.01	1.01	8900.26	8924.92	Cloudy	0.0745	1.01	1491.2
16-Feb-07	11:22	17-Feb-07	10:54	2.8065	2.9492	1.07	1.07	8924.92	8948.92	Cloudy	0.1427	1.07	1509.6
17-Feb-07	11:00	18-Feb-07	11:52	2.8225	2.9824	1.13	1.13	8948.92	8973.63	Cloudy	0.1599	1.13	1686.6
18-Feb-07	13:00	19-Feb-07	13:54	2.8230	2.9432	1.12	1.12	8973.63	8997.88	Fine	0.1202	1.12	1689.3

Annex A2 ~ Raw Data on 24-hr TSP Monitoring

Monitoring Location ~ AM3

Monitoring Period		Filter Weight (g)		Flow Rate (m <sup>3</sup> /min)		Elapse Time (hour)		Sampling Time (hours)	Concentration (µg/m <sup>3</sup> )	Weather Condition	Particulate weight (g)	Average flow (m <sup>3</sup> /min)	Total volume (m <sup>3</sup> )
		From	To	Initial	Final	Initial	Final						
01-Feb-07	11:00	02-Feb-07	10:28	2.8677	3.1130	1.13	1.13	11049.17	11072.64	154	Sunny	0.2453	1598.0
02-Feb-07	10:40	03-Feb-07	10:40	2.8999	3.1604	1.50	1.50	11072.64	11096.64	125	Sunny	0.2705	2155.6
03-Feb-07	12:52	04-Feb-07	12:26	2.8693	3.0732	1.39	1.39	11096.64	11120.20	104	Sunny	0.2039	1958.6
04-Feb-07	12:30	05-Feb-07	12:16	2.8888	3.0213	1.39	1.39	11120.20	11143.96	67	Cloudy	0.1325	1975.2
05-Feb-07	12:18	06-Feb-07	12:18	2.8997	3.0139	1.21	1.21	11143.96	11167.96	65	Cloudy	0.1142	1754.4
06-Feb-07	12:35	07-Feb-07	12:06	2.9048	2.9867	1.22	1.22	11167.96	11191.48	48	Sunny	0.0819	1719.4
07-Feb-07	12:10	08-Feb-07	11:52	2.8987	2.9740	1.22	1.22	11191.48	11215.18	43	Cloudy	0.0753	1732.5
08-Feb-07	12:05	-	-	2.8856	-	-	-	-	-	-	Cloudy	-	-
09-Feb-07	12:55	10-Feb-07	12:22	2.8913	2.9831	1.16	1.16	11239.17	11262.62	56	Fine	0.0918	1635.8
10-Feb-07	12:30	11-Feb-07	12:30	2.8930	3.0447	1.19	1.19	11262.62	11286.62	88	Cloudy	0.1517	1714.3
11-Feb-07	12:40	12-Feb-07	12:40	2.8811	3.0599	1.22	1.22	11286.62	11310.62	102	Cloudy	0.1788	1754.4
12-Feb-07	12:43	13-Feb-07	12:35	2.9025	3.0819	1.19	1.19	11310.62	11334.48	105	Cloudy	0.1794	1704.3
13-Feb-07	12:45	14-Feb-07	12:16	2.8589	3.0101	1.19	1.19	11334.48	11358.00	90	Fine	0.1512	1680.0
14-Feb-07	12:20	15-Feb-07	11:56	2.8361	3.0168	1.22	1.22	11358.00	11381.60	105	Cloudy	0.1807	1725.2
15-Feb-07	12:00	16-Feb-07	12:00	2.8180	2.9808	1.30	1.30	11381.60	11405.60	87	Fine	0.1628	1874.8


Notes: - denotes no measurement due to the equipment failure.

## **Appendix A3**


---

### **Graphical Plots of Baseline Air Quality Monitoring Data**


# Baseline 1-hr TSP Monitoring at AM1




# Baseline 1-hr TSP Monitoring at AM2




# Baseline 1-hr TSP Monitoring at AM3




# Baseline 24-hr TSP Monitoring



# Baseline 24-hr TSP Monitoring at AM2



# Baseline 24-hr TSP Monitoring at AM3



Notes: No measurement on 08-Feb-07 due to the equipment failure.

---

**Appendix B1**  
**Calibration Certificates for**  
**Baseline Noise Monitoring Equipments**



# Calibration Certificate

Certificate No. **65868**

Page **1** of **3** Pages

**Customer :** ETS-Testconsult Limited

**Address :** 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

**Order No. :** Q62237

**Date of receipt :** 16-Dec-06

## Item Tested

**Description :** Precision Integrating Sound Level Meter

**Manufacturer :** Rion

**Model :** NL-31

**Serial No. :** 01120826

## Test Conditions

**Date of Test :** 27-Dec-06

**Supply Voltage :** --

**Ambient Temperature :** (23 ± 3)°C

**Relative Humidity :** (50 ± 25) %

## Test Specifications

Calibration check.

Calibration procedure : Z01.

## Test Results

All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.

The results are shown in the attached page(s).

Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Due Date</u>	<u>Traceable to</u>
S017	Function Generator	C051022	21-Mar-07	SCL-HKSAR
S024	Sound Level Calibrator	62691	22-Apr-07	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.


The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

**Calibrated by :**

  
P.F. Wong

**Approved by :**

  
Steve Kwan

**Date:** 27-Dec-06

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8846



# Calibration Certificate

Certificate No. 65868

Page 2 of 3 Pages

Results :

## 1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 – 100	L <sub>A</sub>	Fast	94.07	93.9
		Slow		93.9
	L <sub>C</sub>	Fast		93.9
	L <sub>p</sub>	Fast		94.0
30 – 120	L <sub>A</sub>	Fast	94.07	93.9
		Slow		93.9
	L <sub>C</sub>	Fast		93.9
	L <sub>p</sub>	Fast		93.9
30 – 120	L <sub>A</sub>	Fast	113.95	113.8
		Slow		113.8
	L <sub>C</sub>	Fast		113.8
	L <sub>p</sub>	Fast		113.8

IEC 651 Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

## 2. Level Stability : 0.0 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.01 dB

## 3. Linearity

### 3.1 Level Linearity

UUT Range	Applied Value (dB)	UUT Rdg (dB)	IEC 651 Type 1 Spec. (inside Primary)
140	114.0	114.0	± 0.7 dB
130	104.0	104.0	
120	94.0	93.9	
110	84.0	84.1	
100	74.0	74.1	
90	64.0	64.2	
80	54.0	54.1	

Uncertainty : ± 0.1 dB



# Calibration Certificate

Certificate No. 65868

Page 3 of 3 Pages

## 3.2 Differential level linearity

UUT Range	Applied Value (dB)	UUT Rdg (dB)	IEC 651 Type 1 Spec.
120	84.0	83.9	± 0.4
	94.0	93.9	
	95.0	94.9	± 0.2
	104.0	103.9	± 0.3
	105.0	104.9	± 1.0

Uncertainty : ± 0.1 dB

## 4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	- 39.6	- 39.4 dB, ± 1.5 dB
63 Hz	- 26.2	- 26.2 dB, ± 1.5 dB
125 Hz	- 16.2	- 16.1 dB, ± 1 dB
250 Hz	- 8.7	- 8.6 dB, ± 1 dB
500 Hz	- 3.2	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+ 1.3	+ 1.2 dB, ± 1 dB
4 kHz	+ 1.1	+ 1.0 dB, ± 1 dB
8 kHz	- 1.1	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	- 6.7	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : ± 0.1 dB

## 5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	40.0	± 0.5 dB
1/10 <sup>2</sup>	40.0	40.0	
1/10 <sup>3</sup>	40.0	40.0	± 1.0 dB
1/10 <sup>4</sup>	40.0	40.0	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 009 hPa.

----- END -----



# Calibration Certificate

Certificate No. **65867**

Page 1 of 3 Pages

**Customer :** ETS-Testconsult Limited

**Address :** 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

**Order No. :** Q62237

**Date of receipt :** 16-Dec-06

## Item Tested

**Description :** Precision Integrating Sound Level Meter

**Manufacturer :** Quest

**Model :** 1900

**Serial No. :** CC 4110013

## Test Conditions

**Date of Test :** 27-Dec-06

**Supply Voltage :** --

**Ambient Temperature :** (23 ± 3)°C

**Relative Humidity :** (50 ± 25) %

## Test Specifications

Calibration check.

Calibration procedure : Z01.

## Test Results

All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.

The results are shown in the attached page(s).

Test equipment used:


<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Due Date</u>	<u>Traceable to</u>
S017	Function Generator	C051022	21-Mar-07	SCL-HKSAR
S024	Sound Level Calibrator	62691	22-Apr-07	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

**Calibrated by :**   
P.F. Wong

**Approved by :**   
Steve Kwan

**Date:** 27-Dec-06

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



# Calibration Certificate

Certificate No. **65867**

Page 2 of 3 Pages

Results :

## 1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range	Weight	Time Const.		
40 – 100 dB	A	Fast	94.07	94.0
		Slow		94.0
	C	Fast		93.9
	L	Fast		94.0
60 – 120 dB	A	Fast	94.07	93.9
	C	Fast		93.9
	L	Fast		94.0
	A	Fast	113.95	113.8
		Slow		113.8
	C	Fast	113.8	
	L	Fast	113.8	

IEC 651 Type 1 Spec. :  $\pm 0.7$  dB  
Uncertainty :  $\pm 0.1$  dB

## 2. Level Stability : 0.0 dB

IEC 651 Type 1 Spec. :  $\pm 0.3$  dB  
Uncertainty :  $\pm 0.01$  dB

## 3. Linearity

### 3.1 Level Linearity

UUT Range	Applied Value (dB)	UUT Rdg (dB)	IEC 651 Type 1 Spec. (inside Primary)
140	114.0	113.9	$\pm 0.7$ dB
130	104.0	103.9	
120	94.0	93.9	
110	84.0	83.9	
100	74.0	74.0	
90	64.0	64.0	
80	54.0	54.0	

Uncertainty :  $\pm 0.1$  dB



# Calibration Certificate

Certificate No. 65867

Page 3 of 3 Pages

## 3.2 Differential level linearity

UUT Range	Applied Value (dB)	UUT Rdg (dB)	IEC 651 Type 1 Spec.
120	84.0	83.8	± 0.4
	94.0	93.9	
	95.0	94.9	± 0.2
	104.0	103.9	± 0.3
	105.0	104.9	± 1.0

Uncertainty : ± 0.1 dB

## 4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	- 39.0	- 39.4 dB, ± 1.5 dB
63 Hz	- 25.8	- 26.2 dB, ± 1.5 dB
125 Hz	- 15.9	- 16.1 dB, ± 1 dB
250 Hz	- 8.5	- 8.6 dB, ± 1 dB
500 Hz	- 3.2	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref)	0 dB, ± 1 dB
2 kHz	+ 1.1	+ 1.2 dB, ± 1 dB
4 kHz	+ 1.0	+ 1.0 dB, ± 1 dB
8 kHz	- 1.3	- 1.1 dB, + 1.5 dB ~ -3 dB
16 kHz	- 6.9	- 6.6 dB, + 3 dB ~ - ∞

Uncertainty : ± 0.1 dB

## 5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	39.9	± 0.5 dB
1/10 <sup>2</sup>	40.0	39.9	
1/10 <sup>3</sup>	40.0	39.8	± 1.0 dB
1/10 <sup>4</sup>	40.0	39.1	

Uncertainty : ± 0.1 dB

Remarks : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 009 hPa.

----- END -----



Hong Kong Calibration Ltd.

香港校正有限公司

# Calibration Certificate

Certificate No. **65870**

Page 1 of 2 Pages

**Customer :** ETS-Testconsult Limited

**Address :** 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

**Order No. :** Q62237

**Date of receipt :** 16-Dec-06

## Item Tested

**Description :** Sound Level Calibrator

**Manufacturer :** Rion

**Model :** NC-73

**Serial No. :** 10727835

## Test Conditions

**Date of Test :** 27-Dec-06

**Supply Voltage :** --

**Ambient Temperature :**  $(23 \pm 3)^{\circ}\text{C}$

**Relative Humidity :**  $(50 \pm 25) \%$

## Test Specifications

Calibration check.

Calibration procedure : F21, Z02.

## Test Results

All results were within the manufacturer's specification.

The results are shown in the attached page(s).

Test equipment used:


<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Due Date</u>	<u>Traceable to</u>
S014	Spectrum Analyzer	62914	7-Jul-07	NIM-PRC & SCL-HKSAR
S024	Sound Level Calibrator	62691	22-Apr-07	NIM-PRC & SCL-HKSAR
S041	Universal Counter	63839	22-Aug-07	SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by :   
P.F. Wong

Approved by :   
Steve Kwan

Date: 27-Dec-06

This Certificate is issued by:  
Hong Kong Calibration Ltd.  
Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.  
Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd. It may not be reproduced except in full.



# Calibration Certificate

Certificate No. 65870

Page 2 of 2 Pages

Results :

## 1. Level Accuracy (at 1 kHz)

UUT Nominal Value	Measured Value	Mfr's Spec.
94 dB	93.73 dB	$\pm 1$ dB

Uncertainty :  $\pm 0.1$  dB

## 2. Frequency Accuracy

UUT Nominal Value	Measured Value	Mfr's Spec.
1 kHz	0.998 kHz	$\pm 2$ %

Uncertainty :  $\pm 0.1$  %

## 3. Level Stability : 0.0 dB

Uncertainty :  $\pm 0.01$  dB

## 4. Total Harmonic Distortion : $< 0.2$ %

Mfr's Spec. :  $< 3$  %

Uncertainty :  $\pm 2.3$  % of reading

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. The above measured values are the mean of 3 measurement.

4. Atmospheric Pressure : 1 009 hPa

----- END -----

---

**Appendix B2**  
**Baseline Noise Monitoring Results**

---

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
02-Feb-07	14:30	15:00	60.1	62.6	52.2
02-Feb-07	15:00	15:30	56.5	59.2	48.4
02-Feb-07	15:30	16:00	60.5	62.9	53.0
02-Feb-07	16:00	16:30	62.2	63.6	56.2
02-Feb-07	16:30	17:00	61.3	63.0	55.4
02-Feb-07	17:00	17:30	61.7	63.4	58.0
02-Feb-07	17:30	18:00	59.6	62.0	54.9
02-Feb-07	18:00	18:30	57.9	59.7	49.9
02-Feb-07	18:30	19:00	55.3	57.8	46.9
02-Feb-07	19:00	19:15	53.7	56.4	43.7
02-Feb-07	19:15	19:30	50.7	53.8	42.7
02-Feb-07	19:30	19:45	51.4	54.2	42.9
02-Feb-07	19:45	20:00	51.2	54.5	44.4
02-Feb-07	20:00	20:15	50.5	52.7	42.9
02-Feb-07	20:15	20:30	50.8	52.9	43.4
02-Feb-07	20:30	20:45	49.5	51.9	43.2
02-Feb-07	20:45	21:00	53.0	56.5	43.7
02-Feb-07	21:00	21:15	52.0	55.4	44.7
02-Feb-07	21:15	21:30	48.6	50.9	43.9
02-Feb-07	21:30	21:45	52.0	55.6	43.3
02-Feb-07	21:45	22:00	53.1	57.3	44.7
02-Feb-07	22:00	22:15	54.4	58.3	46.0
02-Feb-07	22:15	22:30	49.8	52.9	44.2
02-Feb-07	22:30	22:45	52.2	53.6	44.0
02-Feb-07	22:45	23:00	49.8	53.1	43.5
02-Feb-07	23:00	23:15	53.4	57.4	43.4
02-Feb-07	23:15	23:30	51.4	52.5	44.3
02-Feb-07	23:30	23:45	56.7	59.2	44.3
02-Feb-07	23:45	00:00	60.7	63.0	55.1
03-Feb-07	00:00	00:15	61.6	67.3	54.6
03-Feb-07	00:15	00:30	60.1	63.7	50.0
03-Feb-07	00:30	00:45	58.2	59.9	52.5
03-Feb-07	00:45	01:00	59.7	63.5	49.5
03-Feb-07	01:00	01:15	56.9	59.3	46.0
03-Feb-07	01:15	01:30	45.7	49.0	39.5
03-Feb-07	01:30	01:45	42.0	44.0	39.2
03-Feb-07	01:45	02:00	40.2	41.3	38.8
03-Feb-07	02:00	02:15	41.9	43.2	37.9
03-Feb-07	02:15	02:30	40.7	43.1	37.6
03-Feb-07	02:30	02:45	40.5	43.2	36.9
03-Feb-07	02:45	03:00	40.0	43.6	36.7
03-Feb-07	03:00	03:15	39.9	42.2	37.7
03-Feb-07	03:15	03:30	48.6	52.8	38.0
03-Feb-07	03:30	03:45	51.8	56.6	38.9
03-Feb-07	03:45	04:00	53.1	56.1	37.1
03-Feb-07	04:00	04:15	49.1	50.1	38.3
03-Feb-07	04:15	04:30	52.1	56.0	39.5
03-Feb-07	04:30	04:45	54.8	58.4	39.3
03-Feb-07	04:45	05:00	54.5	60.3	38.1
03-Feb-07	05:00	05:15	58.8	62.0	39.2
03-Feb-07	05:15	05:30	51.4	55.9	43.7
03-Feb-07	05:30	05:45	52.9	56.9	41.8
03-Feb-07	05:45	06:00	57.1	59.9	44.7

## Monitoring Results of CN1 - Open Area adjacent to Police Training School

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
03-Feb-07	06:00	06:15	55.9	57.0	50.0
03-Feb-07	06:15	06:30	55.2	56.6	49.2
03-Feb-07	06:30	06:45	54.1	57.5	46.5
03-Feb-07	06:45	07:00	52.7	56.1	43.4
03-Feb-07	07:00	07:30	53.9	57.2	46.0
03-Feb-07	07:30	08:00	54.7	57.7	46.4
03-Feb-07	08:00	08:30	55.7	58.8	47.8
03-Feb-07	08:30	09:00	59.6	63.5	47.9
03-Feb-07	09:00	09:30	58.4	60.7	49.5
03-Feb-07	09:30	10:00	58.0	60.9	52.0
03-Feb-07	10:00	10:30	59.8	62.7	52.9
03-Feb-07	10:30	11:00	63.1	65.9	54.7
03-Feb-07	11:00	11:30	62.9	65.7	53.9
03-Feb-07	11:30	12:00	60.6	63.2	52.5
03-Feb-07	12:00	12:30	57.4	59.7	49.6
03-Feb-07	12:30	13:00	56.9	59.0	48.4
03-Feb-07	13:00	13:30	59.9	63.0	50.0
03-Feb-07	13:30	14:00	61.7	64.9	52.0
03-Feb-07	14:00	14:30	61.1	64.3	53.0
03-Feb-07	14:30	15:00	61.9	64.7	53.5
03-Feb-07	15:00	15:30	63.3	66.3	53.7
03-Feb-07	15:30	16:00	61.5	63.8	51.2
03-Feb-07	16:00	16:30	60.4	62.8	52.7
03-Feb-07	16:30	17:00	61.0	63.9	52.2
03-Feb-07	17:00	17:30	61.0	63.1	54.6
03-Feb-07	17:30	18:00	60.6	63.2	53.2
03-Feb-07	18:00	18:30	60.4	63.4	52.6
03-Feb-07	18:30	19:00	58.6	60.6	51.7
03-Feb-07	19:00	19:15	58.5	60.6	49.7
03-Feb-07	19:15	19:30	56.4	58.7	48.3
03-Feb-07	19:30	19:45	56.2	58.1	47.8
03-Feb-07	19:45	20:00	54.4	56.9	46.1
03-Feb-07	20:00	20:15	53.8	55.3	45.6
03-Feb-07	20:15	20:30	52.9	55.8	45.4
03-Feb-07	20:30	20:45	56.8	58.7	46.6
03-Feb-07	20:45	21:00	54.3	57.2	46.3
03-Feb-07	21:00	21:15	52.4	55.6	46.2
03-Feb-07	21:15	21:30	51.2	54.1	45.8
03-Feb-07	21:30	21:45	56.4	58.9	47.0
03-Feb-07	21:45	22:00	54.4	57.7	46.6
03-Feb-07	22:00	22:15	51.1	54.4	45.3
03-Feb-07	22:15	22:30	52.6	56.2	45.5
03-Feb-07	22:30	22:45	53.6	57.2	46.9
03-Feb-07	22:45	23:00	53.7	57.0	46.3
03-Feb-07	23:00	23:15	53.7	57.0	47.9
03-Feb-07	23:15	23:30	54.1	56.0	50.7
03-Feb-07	23:30	23:45	52.5	54.5	48.0
03-Feb-07	23:45	00:00	55.9	58.8	45.1
04-Feb-07	00:00	00:15	59.0	60.6	45.6
04-Feb-07	00:15	00:30	60.4	65.7	55.0
04-Feb-07	00:30	00:45	61.5	64.3	58.0
04-Feb-07	00:45	01:00	60.6	62.9	55.4
04-Feb-07	01:00	01:15	60.4	62.6	54.0

## Monitoring Results of CN1 - Open Area adjacent to Police Training School

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
04-Feb-07	01:15	01:30	56.1	59.0	41.2
04-Feb-07	01:30	01:45	48.0	52.8	40.1
04-Feb-07	01:45	02:00	41.3	42.6	39.2
04-Feb-07	02:00	02:15	40.9	42.9	39.0
04-Feb-07	02:15	02:30	41.0	42.8	39.2
04-Feb-07	02:30	02:45	40.6	42.1	38.8
04-Feb-07	02:45	03:00	40.9	42.3	38.9
04-Feb-07	03:00	03:15	40.6	42.3	38.2
04-Feb-07	03:15	03:30	39.2	40.6	37.6
04-Feb-07	03:30	03:45	39.2	41.1	37.5
04-Feb-07	03:45	04:00	49.5	55.5	37.7
04-Feb-07	04:00	04:15	53.9	59.7	37.5
04-Feb-07	04:15	04:30	55.6	59.7	38.3
04-Feb-07	04:30	04:45	53.9	56.3	37.8
04-Feb-07	04:45	05:00	54.1	57.5	36.9
04-Feb-07	05:00	05:15	56.6	61.5	38.0
04-Feb-07	05:15	05:30	56.5	61.4	39.6
04-Feb-07	05:30	05:45	61.7	65.7	49.0
04-Feb-07	05:45	06:00	62.2	65.9	51.2
04-Feb-07	06:00	06:15	59.1	61.0	52.3
04-Feb-07	06:15	06:30	58.5	61.2	50.8
04-Feb-07	06:30	06:45	49.9	52.8	41.9
04-Feb-07	06:45	07:00	49.2	51.9	40.3
04-Feb-07	07:00	07:15	54.5	58.5	43.0
04-Feb-07	07:15	07:30	55.7	59.4	43.2
04-Feb-07	07:30	07:45	52.4	55.6	41.2
04-Feb-07	07:45	08:00	56.9	60.7	42.3
04-Feb-07	08:00	08:15	60.2	63.3	46.5
04-Feb-07	08:15	08:30	59.5	62.4	46.1
04-Feb-07	08:30	08:45	55.7	59.5	43.7
04-Feb-07	08:45	09:00	55.3	58.7	43.1
04-Feb-07	09:00	09:15	55.8	58.8	43.9
04-Feb-07	09:15	09:30	58.5	62.1	47.2
04-Feb-07	09:30	09:45	62.0	66.5	50.2
04-Feb-07	09:45	10:00	61.7	65.9	51.8
04-Feb-07	10:00	10:15	59.0	62.2	51.8
04-Feb-07	10:15	10:30	58.4	61.5	52.5
04-Feb-07	10:30	10:45	59.4	61.3	53.6
04-Feb-07	10:45	11:00	58.3	60.6	53.5
04-Feb-07	11:00	11:15	59.0	61.5	54.0
04-Feb-07	11:15	11:30	58.4	61.2	51.5
04-Feb-07	11:30	11:45	57.8	61.0	50.3
04-Feb-07	11:45	12:00	56.5	59.3	49.5
04-Feb-07	12:00	12:15	56.9	59.5	49.7
04-Feb-07	12:15	12:30	58.5	61.3	51.1
04-Feb-07	12:30	12:45	58.4	60.6	52.0
04-Feb-07	12:45	13:00	57.0	59.4	50.6
04-Feb-07	13:00	13:15	57.7	60.0	51.4
04-Feb-07	13:15	13:30	59.1	60.7	52.5
04-Feb-07	13:30	13:45	58.6	60.5	54.2
04-Feb-07	13:45	14:00	60.7	62.1	57.3
04-Feb-07	14:00	14:15	60.4	61.8	57.2
04-Feb-07	14:15	14:30	59.4	61.2	54.7

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
04-Feb-07	14:30	14:45	58.9	60.9	52.4
04-Feb-07	14:45	15:00	60.2	61.8	52.3
04-Feb-07	15:00	15:15	58.5	60.5	52.4
04-Feb-07	15:15	15:30	57.9	60.8	50.3
04-Feb-07	15:30	15:45	59.3	62.1	53.3
04-Feb-07	15:45	16:00	59.9	62.4	53.6
04-Feb-07	16:00	16:15	59.0	61.4	52.3
04-Feb-07	16:15	16:30	57.8	59.8	51.1
04-Feb-07	16:30	16:45	59.7	62.5	52.6
04-Feb-07	16:45	17:00	60.9	63.6	50.2
04-Feb-07	17:00	17:15	59.2	61.7	51.3
04-Feb-07	17:15	17:30	58.6	60.4	50.1
04-Feb-07	17:30	17:45	57.3	59.5	49.4
04-Feb-07	17:45	18:00	57.6	59.5	52.4
04-Feb-07	18:00	18:15	58.4	61.1	52.1
04-Feb-07	18:15	18:30	57.9	60.1	50.4
04-Feb-07	18:30	18:45	58.3	60.5	51.3
04-Feb-07	18:45	19:00	57.6	60.7	50.5
04-Feb-07	19:00	19:15	56.7	60.0	49.7
04-Feb-07	19:15	19:30	56.1	59.5	47.9
04-Feb-07	19:30	19:45	57.2	60.3	48.1
04-Feb-07	19:45	20:00	55.7	58.2	46.7
04-Feb-07	20:00	20:15	54.5	57.2	46.4
04-Feb-07	20:15	20:30	52.3	55.2	45.4
04-Feb-07	20:30	20:45	55.9	57.4	44.6
04-Feb-07	20:45	21:00	56.5	58.1	44.1
04-Feb-07	21:00	21:15	52.0	55.7	43.6
04-Feb-07	21:15	21:30	54.0	59.4	42.3
04-Feb-07	21:30	21:45	49.9	52.9	42.6
04-Feb-07	21:45	22:00	48.0	50.7	42.1
04-Feb-07	22:00	22:15	46.4	47.8	42.6
04-Feb-07	22:15	22:30	50.4	52.5	40.7
04-Feb-07	22:30	22:45	51.1	53.9	40.8
04-Feb-07	22:45	23:00	55.4	57.9	43.4
04-Feb-07	23:00	23:15	55.7	58.2	45.3
04-Feb-07	23:15	23:30	48.8	50.5	41.8
04-Feb-07	23:30	23:45	54.5	57.1	43.6
04-Feb-07	23:45	00:00	57.3	60.2	45.0
05-Feb-07	00:00	00:15	56.8	59.9	48.2
05-Feb-07	00:15	00:30	62.3	64.2	55.9
05-Feb-07	00:30	00:45	62.5	63.9	58.6
05-Feb-07	00:45	01:00	62.4	65.2	53.7
05-Feb-07	01:00	01:15	58.7	65.2	44.3
05-Feb-07	01:15	01:30	53.9	62.5	39.6
05-Feb-07	01:30	01:45	43.3	48.2	37.3
05-Feb-07	01:45	02:00	42.1	47.5	36.6
05-Feb-07	02:00	02:15	43.7	48.6	38.8
05-Feb-07	02:15	02:30	40.3	42.3	36.8
05-Feb-07	02:30	02:45	42.0	46.8	38.6
05-Feb-07	02:45	03:00	42.2	46.8	38.6
05-Feb-07	03:00	03:15	46.8	49.7	38.4
05-Feb-07	03:15	03:30	55.3	59.2	38.9
05-Feb-07	03:30	03:45	56.3	61.7	36.8

## Monitoring Results of CN1 - Open Area adjacent to Police Training School

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
05-Feb-07	03:45	04:00	49.6	55.2	36.4
05-Feb-07	04:00	04:15	48.1	52.7	38.8
05-Feb-07	04:15	04:30	57.3	61.1	45.3
05-Feb-07	04:30	04:45	51.0	51.7	40.6
05-Feb-07	04:45	05:00	50.2	51.9	37.7
05-Feb-07	05:00	05:15	52.7	61.7	39.0
05-Feb-07	05:15	05:30	44.7	51.4	40.2
05-Feb-07	05:30	05:45	50.8	53.6	42.2
05-Feb-07	05:45	06:00	53.3	55.5	43.9
05-Feb-07	06:00	06:15	54.8	56.4	46.6
05-Feb-07	06:15	06:30	52.0	55.2	46.5
05-Feb-07	06:30	06:45	51.5	59.0	46.6
05-Feb-07	06:45	07:00	54.6	56.5	46.3
05-Feb-07	07:00	07:30	55.5	57.9	48.9
05-Feb-07	07:30	08:00	54.1	57.3	45.1
05-Feb-07	08:00	08:30	53.7	56.6	47.2
05-Feb-07	08:30	09:00	64.8	68.4	51.4
05-Feb-07	09:00	09:30	66.7	69.8	56.1
05-Feb-07	09:30	10:00	61.3	64.4	51.9
05-Feb-07	10:00	10:30	61.8	64.8	54.2
05-Feb-07	10:30	11:00	60.5	63.4	53.2
05-Feb-07	11:00	11:30	58.5	60.1	52.3
05-Feb-07	11:30	12:00	57.1	58.2	51.7
05-Feb-07	12:00	12:30	57.4	58.9	52.0
05-Feb-07	12:30	13:00	57.6	60.1	49.7
05-Feb-07	13:00	13:30	59.1	61.0	51.0
05-Feb-07	13:30	14:00	60.9	63.7	52.8
05-Feb-07	14:00	14:30	61.0	64.2	53.7
05-Feb-07	14:30	15:00	61.4	64.2	53.9
05-Feb-07	15:00	15:30	61.9	64.4	55.4
05-Feb-07	15:30	16:00	60.8	62.4	55.4
05-Feb-07	16:00	16:30	60.7	64.0	52.6
05-Feb-07	16:30	17:00	60.4	63.0	54.6
05-Feb-07	17:00	17:30	60.3	62.5	55.1
05-Feb-07	17:30	18:00	60.2	61.6	54.5
05-Feb-07	18:00	18:30	58.2	60.5	49.7
05-Feb-07	18:30	19:00	55.5	57.8	45.4
05-Feb-07	19:00	19:15	54.6	58.4	43.2
05-Feb-07	19:15	19:30	53.1	55.2	44.5
05-Feb-07	19:30	19:45	51.4	54.3	44.0
05-Feb-07	19:45	20:00	47.9	53.4	43.3
05-Feb-07	20:00	20:15	50.1	53.0	43.0
05-Feb-07	20:15	20:30	55.4	58.6	43.5
05-Feb-07	20:30	20:45	52.2	55.7	42.7
05-Feb-07	20:45	21:00	46.5	48.8	41.6
05-Feb-07	21:00	21:15	46.5	50.6	40.6
05-Feb-07	21:15	21:30	50.2	54.1	40.6
05-Feb-07	21:30	21:45	49.4	55.0	41.1
05-Feb-07	21:45	22:00	52.7	57.6	42.9
05-Feb-07	22:00	22:15	51.3	55.9	42.6
05-Feb-07	22:15	22:30	48.8	50.7	41.8
05-Feb-07	22:30	22:45	54.8	57.6	43.6
05-Feb-07	22:45	23:00	45.9	48.1	43.7

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
05-Feb-07	23:00	23:15	51.9	52.5	50.7
05-Feb-07	23:15	23:30	54.7	59.2	52.5
05-Feb-07	23:30	23:45	58.0	61.5	54.0
05-Feb-07	23:45	00:00	57.1	58.8	51.2
06-Feb-07	00:00	00:15	60.0	60.7	56.4
06-Feb-07	00:15	00:30	59.8	61.6	56.3
06-Feb-07	00:30	00:45	61.8	63.2	58.1
06-Feb-07	00:45	01:00	61.6	62.9	53.8
06-Feb-07	01:00	01:15	62.6	64.5	58.3
06-Feb-07	01:15	01:30	56.0	57.3	52.9
06-Feb-07	01:30	01:45	45.0	46.3	41.3
06-Feb-07	01:45	02:00	42.1	43.3	39.4
06-Feb-07	02:00	02:15	42.4	45.0	39.5
06-Feb-07	02:15	02:30	39.8	40.9	38.1
06-Feb-07	02:30	02:45	39.3	42.6	37.1
06-Feb-07	02:45	03:00	39.3	42.6	37.7
06-Feb-07	03:00	03:15	39.0	41.0	37.4
06-Feb-07	03:15	03:30	40.3	43.5	37.7
06-Feb-07	03:30	03:45	57.0	61.1	37.3
06-Feb-07	03:45	04:00	56.0	60.9	36.8
06-Feb-07	04:00	04:15	59.8	63.0	38.2
06-Feb-07	04:15	04:30	58.2	61.5	37.3
06-Feb-07	04:30	04:45	57.9	61.6	38.1
06-Feb-07	04:45	05:00	59.6	62.6	48.2
06-Feb-07	05:00	05:15	55.1	57.0	46.7
06-Feb-07	05:15	05:30	53.9	54.5	40.0
06-Feb-07	05:30	05:45	50.4	56.5	40.6
06-Feb-07	05:45	06:00	52.0	55.5	45.4
06-Feb-07	06:00	06:15	55.7	58.1	48.5
06-Feb-07	06:15	06:30	54.3	56.2	50.4
06-Feb-07	06:30	06:45	56.7	58.1	51.8
06-Feb-07	06:45	07:00	55.1	56.6	47.1
06-Feb-07	07:00	07:30	56.5	58.9	48.7
06-Feb-07	07:30	08:00	54.9	57.4	48.1
06-Feb-07	08:00	08:30	54.9	57.6	48.5
06-Feb-07	08:30	09:00	58.0	61.9	47.5
06-Feb-07	09:00	09:30	59.7	63.1	51.3
06-Feb-07	09:30	10:00	57.3	59.8	52.5
06-Feb-07	10:00	10:30	59.0	61.4	54.4
06-Feb-07	10:30	11:00	57.9	60.1	52.2
06-Feb-07	11:00	11:30	58.7	60.5	51.9
06-Feb-07	11:30	12:00	60.1	62.3	56.7
06-Feb-07	12:00	12:30	60.3	62.3	57.2
06-Feb-07	12:30	13:00	60.0	60.8	58.4
06-Feb-07	13:00	13:30	60.4	61.2	58.8
06-Feb-07	13:30	14:00	61.7	62.8	60.0
06-Feb-07	14:00	14:30	62.1	63.0	60.7
06-Feb-07	14:30	15:00	62.7	63.8	60.7
06-Feb-07	15:00	15:30	62.6	64.4	59.6
06-Feb-07	15:30	16:00	61.6	63.9	58.2
06-Feb-07	16:00	16:30	61.7	63.2	58.0
06-Feb-07	16:30	17:00	61.7	63.1	58.4
06-Feb-07	17:00	17:30	62.1	63.7	58.8

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
06-Feb-07	17:30	18:00	59.5	61.6	55.2
06-Feb-07	18:00	18:30	57.8	60.2	49.3
06-Feb-07	18:30	19:00	55.5	57.6	47.3
06-Feb-07	19:00	19:15	54.2	57.7	45.3
06-Feb-07	19:15	19:30	51.0	55.1	44.6
06-Feb-07	19:30	19:45	53.0	54.9	46.2
06-Feb-07	19:45	20:00	48.1	49.7	45.1
06-Feb-07	20:00	20:15	51.7	53.8	45.7
06-Feb-07	20:15	20:30	52.6	55.7	46.0
06-Feb-07	20:30	20:45	51.5	55.0	45.8
06-Feb-07	20:45	21:00	51.8	55.1	46.2
06-Feb-07	21:00	21:15	49.3	51.7	44.4
06-Feb-07	21:15	21:30	49.3	52.1	45.0
06-Feb-07	21:30	21:45	52.3	54.8	45.3
06-Feb-07	21:45	22:00	53.2	56.2	44.4
06-Feb-07	22:00	22:15	55.9	58.1	44.9
06-Feb-07	22:15	22:30	53.5	55.5	43.9
06-Feb-07	22:30	22:45	52.7	59.2	43.0
06-Feb-07	22:45	23:00	52.2	54.7	47.8
06-Feb-07	23:00	23:15	48.5	50.1	42.9
06-Feb-07	23:15	23:30	46.0	48.0	42.9
06-Feb-07	23:30	23:45	47.7	49.8	44.1
06-Feb-07	23:45	00:00	48.7	51.7	44.5
07-Feb-07	00:00	00:15	56.2	58.3	53.3
07-Feb-07	00:15	00:30	56.9	58.4	54.4
07-Feb-07	00:30	00:45	60.4	61.6	49.4
07-Feb-07	00:45	01:00	59.9	62.3	54.4
07-Feb-07	01:00	01:15	55.2	59.0	44.2
07-Feb-07	01:15	01:30	51.7	54.5	41.1
07-Feb-07	01:30	01:45	44.8	47.1	40.7
07-Feb-07	01:45	02:00	46.5	48.9	39.8
07-Feb-07	02:00	02:15	45.4	47.3	39.4
07-Feb-07	02:15	02:30	50.1	50.8	44.0
07-Feb-07	02:30	02:45	55.8	57.7	47.2
07-Feb-07	02:45	03:00	51.4	54.4	42.3
07-Feb-07	03:00	03:15	42.1	43.6	38.9
07-Feb-07	03:15	03:30	40.2	41.2	38.4
07-Feb-07	03:30	03:45	44.1	49.9	38.6
07-Feb-07	03:45	04:00	49.7	54.0	39.0
07-Feb-07	04:00	04:15	50.0	52.4	39.2
07-Feb-07	04:15	04:30	46.4	53.3	38.8
07-Feb-07	04:30	04:45	42.2	51.0	39.3
07-Feb-07	04:45	05:00	51.0	54.0	39.7
07-Feb-07	05:00	05:15	49.9	52.4	41.5
07-Feb-07	05:15	05:30	51.3	54.8	40.9
07-Feb-07	05:30	05:45	53.1	57.4	40.9
07-Feb-07	05:45	06:00	57.1	61.7	43.8
07-Feb-07	06:00	06:15	60.1	64.1	50.1
07-Feb-07	06:15	06:30	59.7	62.7	49.3
07-Feb-07	06:30	06:45	60.4	61.9	50.4
07-Feb-07	06:45	07:00	58.4	60.9	47.9
07-Feb-07	07:00	07:30	55.9	58.2	46.0
07-Feb-07	07:30	08:00	55.1	56.9	44.6

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
07-Feb-07	08:00	08:30	53.4	55.8	43.6
07-Feb-07	08:30	09:00	54.2	57.7	45.7
07-Feb-07	09:00	09:30	60.4	62.0	58.4
07-Feb-07	09:30	10:00	62.4	63.7	60.6
07-Feb-07	10:00	10:30	58.7	61.7	51.6
07-Feb-07	10:30	11:00	57.1	59.8	52.4
07-Feb-07	11:00	11:30	58.3	60.0	53.2
07-Feb-07	11:30	12:00	58.3	60.2	52.9
07-Feb-07	12:00	12:30	57.1	59.0	50.3
07-Feb-07	12:30	13:00	58.5	61.0	53.4
07-Feb-07	13:00	13:30	62.8	66.3	55.7
07-Feb-07	13:30	14:00	62.9	66.1	55.7
07-Feb-07	14:00	14:30	62.5	65.3	55.5
07-Feb-07	14:30	15:00	58.7	59.8	54.2
07-Feb-07	15:00	15:30	58.7	60.5	53.6
07-Feb-07	15:30	16:00	59.4	60.9	54.5
07-Feb-07	16:00	16:30	59.3	61.1	54.3
07-Feb-07	16:30	17:00	59.7	61.4	55.0
07-Feb-07	17:00	17:30	59.9	62.4	53.8
07-Feb-07	17:30	18:00	58.5	60.9	51.9
07-Feb-07	18:00	18:30	58.4	60.7	51.2
07-Feb-07	18:30	19:00	57.5	58.9	48.9
07-Feb-07	19:00	19:15	54.7	56.7	46.2
07-Feb-07	19:15	19:30	52.7	55.3	47.1
07-Feb-07	19:30	19:45	52.4	54.8	46.3
07-Feb-07	19:45	20:00	52.3	54.6	46.1
07-Feb-07	20:00	20:15	54.2	56.7	47.1
07-Feb-07	20:15	20:30	55.7	59.0	46.7
07-Feb-07	20:30	20:45	51.7	54.0	46.1
07-Feb-07	20:45	21:00	50.0	52.6	44.8
07-Feb-07	21:00	21:15	51.7	55.3	43.5
07-Feb-07	21:15	21:30	49.3	52.7	43.7
07-Feb-07	21:30	21:45	53.6	55.5	44.6
07-Feb-07	21:45	22:00	52.6	54.9	44.0
07-Feb-07	22:00	22:15	50.0	53.2	44.8
07-Feb-07	22:15	22:30	49.8	52.5	44.1
07-Feb-07	22:30	22:45	57.8	59.7	55.5
07-Feb-07	22:45	23:00	60.0	63.1	56.1
07-Feb-07	23:00	23:15	55.8	59.0	50.7
07-Feb-07	23:15	23:30	56.4	57.3	52.9
07-Feb-07	23:30	23:45	56.1	58.0	52.6
07-Feb-07	23:45	00:00	59.0	62.0	48.9
08-Feb-07	00:00	00:15	57.3	60.2	47.5
08-Feb-07	00:15	00:30	56.0	57.5	48.0
08-Feb-07	00:30	00:45	58.6	61.6	52.5
08-Feb-07	00:45	01:00	61.9	63.7	58.9
08-Feb-07	01:00	01:15	58.1	58.8	51.4
08-Feb-07	01:15	01:30	55.4	56.2	48.2
08-Feb-07	01:30	01:45	56.0	57.4	51.5
08-Feb-07	01:45	02:00	46.1	48.5	40.1
08-Feb-07	02:00	02:15	42.0	44.7	38.3
08-Feb-07	02:15	02:30	50.0	50.8	42.1
08-Feb-07	02:30	02:45	49.6	50.3	42.0

## Monitoring Results of CN1 - Open Area adjacent to Police Training School

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
08-Feb-07	02:45	03:00	41.7	44.9	39.9
08-Feb-07	03:00	03:15	42.9	44.9	41.8
08-Feb-07	03:15	03:30	46.9	51.1	39.9
08-Feb-07	03:30	03:45	53.1	57.5	40.4
08-Feb-07	03:45	04:00	41.7	43.5	36.3
08-Feb-07	04:00	04:15	41.2	42.6	39.4
08-Feb-07	04:15	04:30	42.0	43.9	35.4
08-Feb-07	04:30	04:45	52.2	56.7	39.8
08-Feb-07	04:45	05:00	56.1	61.2	40.5
08-Feb-07	05:00	05:15	59.7	65.2	39.3
08-Feb-07	05:15	05:30	56.4	59.3	43.2
08-Feb-07	05:30	05:45	57.5	61.3	45.0
08-Feb-07	05:45	06:00	56.7	58.2	45.9
08-Feb-07	06:00	06:15	57.5	60.4	46.3
08-Feb-07	06:15	06:30	53.9	58.1	41.9
08-Feb-07	06:30	06:45	55.8	57.6	51.1
08-Feb-07	06:45	07:00	54.9	56.3	50.5
08-Feb-07	07:00	07:30	56.5	58.7	51.3
08-Feb-07	07:30	08:00	54.7	57.4	46.8
08-Feb-07	08:00	08:30	54.5	57.4	47.8
08-Feb-07	08:30	09:00	60.2	63.6	49.3
08-Feb-07	09:00	09:30	59.5	62.7	49.7
08-Feb-07	09:30	10:00	61.9	64.2	54.3
08-Feb-07	10:00	10:30	61.4	64.2	54.2
08-Feb-07	10:30	11:00	63.3	66.6	52.6
08-Feb-07	11:00	11:30	59.7	63.0	53.3
08-Feb-07	11:30	12:00	58.5	61.1	54.8
08-Feb-07	12:00	12:30	56.6	58.4	53.5
08-Feb-07	12:30	13:00	55.5	57.4	51.1
08-Feb-07	13:00	13:30	62.2	64.9	56.2
08-Feb-07	13:30	14:00	60.3	61.8	56.9
08-Feb-07	14:00	14:30	60.6	62.7	56.0
08-Feb-07	14:30	15:00	62.2	64.3	59.2
08-Feb-07	15:00	15:30	62.8	64.7	60.1
08-Feb-07	15:30	16:00	62.6	64.2	59.8
08-Feb-07	16:00	16:30	63.4	65.4	60.1
08-Feb-07	16:30	17:00	62.7	64.4	58.9
08-Feb-07	17:00	17:30	63.0	64.6	59.6
08-Feb-07	17:30	18:00	60.8	62.3	56.7
08-Feb-07	18:00	18:30	57.9	60.2	51.7
08-Feb-07	18:30	19:00	54.9	57.2	45.3
08-Feb-07	19:00	19:15	52.7	54.7	41.9
08-Feb-07	19:15	19:30	49.3	52.8	42.0
08-Feb-07	19:30	19:45	50.8	53.2	42.3
08-Feb-07	19:45	20:00	49.8	53.4	42.1
08-Feb-07	20:00	20:15	54.6	57.5	43.7
08-Feb-07	20:15	20:30	54.5	58.0	43.9
08-Feb-07	20:30	20:45	50.2	53.1	41.6
08-Feb-07	20:45	21:00	48.2	50.2	40.4
08-Feb-07	21:00	21:15	51.2	54.4	39.4
08-Feb-07	21:15	21:30	49.4	51.7	39.1
08-Feb-07	21:30	21:45	45.7	47.8	38.5
08-Feb-07	21:45	22:00	45.7	48.0	39.1

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
08-Feb-07	22:00	22:15	52.9	55.0	39.8
08-Feb-07	22:15	22:30	51.9	53.4	39.5
08-Feb-07	22:30	22:45	49.8	51.6	39.6
08-Feb-07	22:45	23:00	42.2	44.6	38.2
08-Feb-07	23:00	23:15	54.9	58.0	48.5
08-Feb-07	23:15	23:30	53.6	56.9	50.4
08-Feb-07	23:30	23:45	55.2	57.7	45.5
08-Feb-07	23:45	00:00	60.1	61.8	57.5
09-Feb-07	00:00	00:15	61.9	62.9	60.6
09-Feb-07	00:15	00:30	63.3	63.9	62.3
09-Feb-07	00:30	00:45	63.5	64.3	62.4
09-Feb-07	00:45	01:00	62.7	63.6	61.0
09-Feb-07	01:00	01:15	59.9	61.4	56.6
09-Feb-07	01:15	01:30	59.1	61.7	51.0
09-Feb-07	01:30	01:45	57.6	60.0	53.2
09-Feb-07	01:45	02:00	42.7	45.5	38.7
09-Feb-07	02:00	02:15	52.2	55.9	45.0
09-Feb-07	02:15	02:30	46.7	47.5	45.7
09-Feb-07	02:30	02:45	46.2	47.0	44.2
09-Feb-07	02:45	03:00	40.4	42.2	33.5
09-Feb-07	03:00	03:15	41.1	44.4	34.3
09-Feb-07	03:15	03:30	41.1	45.2	34.3
09-Feb-07	03:30	03:45	41.4	47.4	34.6
09-Feb-07	03:45	04:00	50.7	53.4	35.4
09-Feb-07	04:00	04:15	55.4	57.5	35.3
09-Feb-07	04:15	04:30	58.2	64.0	35.6
09-Feb-07	04:30	04:45	55.9	59.5	36.1
09-Feb-07	04:45	05:00	56.1	61.5	36.4
09-Feb-07	05:00	05:15	58.3	63.1	40.0
09-Feb-07	05:15	05:30	53.9	57.3	37.2
09-Feb-07	05:30	05:45	46.8	51.5	39.1
09-Feb-07	05:45	06:00	54.6	56.2	45.5
09-Feb-07	06:00	06:15	56.4	57.9	47.1
09-Feb-07	06:15	06:30	53.9	55.3	46.2
09-Feb-07	06:30	06:45	55.5	56.4	47.7
09-Feb-07	06:45	07:00	51.5	54.9	47.1
09-Feb-07	07:00	07:30	55.5	57.8	48.8
09-Feb-07	07:30	08:00	55.2	57.5	45.9
09-Feb-07	08:00	08:30	57.1	60.8	49.3
09-Feb-07	08:30	09:00	60.3	64.0	49.9
09-Feb-07	09:00	09:30	58.4	61.5	50.2
09-Feb-07	09:30	10:00	59.7	61.9	53.4
09-Feb-07	10:00	10:30	58.8	60.9	54.3
09-Feb-07	10:30	11:00	61.2	63.9	53.2
09-Feb-07	11:00	11:30	59.5	61.8	52.0
09-Feb-07	11:30	12:00	60.3	62.8	53.7
09-Feb-07	12:00	12:30	59.5	60.4	55.5
09-Feb-07	12:30	13:00	58.3	59.7	53.5
09-Feb-07	13:00	13:30	61.4	64.1	56.2
09-Feb-07	13:30	14:00	61.6	63.6	55.8
09-Feb-07	14:00	14:30	61.4	63.7	56.7
09-Feb-07	14:30	15:00	62.1	64.1	58.3
09-Feb-07	15:00	15:30	61.6	63.4	58.7

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
09-Feb-07	15:30	16:00	63.2	65.4	59.7
09-Feb-07	16:00	16:30	63.8	66.5	58.9
09-Feb-07	16:30	17:00	62.2	64.7	57.9
09-Feb-07	17:00	17:30	62.1	63.9	57.6
09-Feb-07	17:30	18:00	59.6	60.7	56.1
09-Feb-07	18:00	18:30	60.1	61.8	55.0
09-Feb-07	18:30	19:00	54.5	56.7	47.6
09-Feb-07	19:00	19:15	54.5	56.8	46.7
09-Feb-07	19:15	19:30	52.7	55.3	45.9
09-Feb-07	19:30	19:45	50.3	53.0	44.6
09-Feb-07	19:45	20:00	51.3	54.8	44.5
09-Feb-07	20:00	20:15	50.9	53.8	44.8
09-Feb-07	20:15	20:30	51.7	55.5	44.4
09-Feb-07	20:30	20:45	53.3	56.8	44.0
09-Feb-07	20:45	21:00	55.9	59.6	45.3
09-Feb-07	21:00	21:15	53.7	58.3	43.5
09-Feb-07	21:15	21:30	53.8	57.2	43.8
09-Feb-07	21:30	21:45	55.2	58.3	45.2
09-Feb-07	21:45	22:00	54.9	57.8	44.3
09-Feb-07	22:00	22:15	56.2	59.1	45.0
09-Feb-07	22:15	22:30	53.0	56.7	44.0
09-Feb-07	22:30	22:45	54.3	56.9	44.1
09-Feb-07	22:45	23:00	55.0	57.0	43.5
09-Feb-07	23:00	23:15	55.2	56.9	46.6
09-Feb-07	23:15	23:30	54.5	56.4	46.0
09-Feb-07	23:30	23:45	49.4	54.3	42.6
09-Feb-07	23:45	00:00	57.3	59.7	51.7
10-Feb-07	00:00	00:15	57.3	60.0	50.3
10-Feb-07	00:15	00:30	53.7	57.8	46.6
10-Feb-07	00:30	00:45	58.2	60.6	47.2
10-Feb-07	00:45	01:00	57.8	60.7	52.4
10-Feb-07	01:00	01:15	50.1	54.7	41.7
10-Feb-07	01:15	01:30	47.7	52.1	41.1
10-Feb-07	01:30	01:45	51.4	54.6	43.5
10-Feb-07	01:45	02:00	51.2	53.9	41.8
10-Feb-07	02:00	02:15	39.3	40.4	35.5
10-Feb-07	02:15	02:30	48.9	53.3	35.8
10-Feb-07	02:30	02:45	50.1	51.7	38.0
10-Feb-07	02:45	03:00	50.4	52.8	38.1
10-Feb-07	03:00	03:15	40.8	43.7	37.7
10-Feb-07	03:15	03:30	47.9	49.5	37.8
10-Feb-07	03:30	03:45	50.7	53.6	37.9
10-Feb-07	03:45	04:00	51.9	55.6	37.4
10-Feb-07	04:00	04:15	50.3	54.0	37.0
10-Feb-07	04:15	04:30	53.4	57.4	42.7
10-Feb-07	04:30	04:45	58.8	61.2	36.3
10-Feb-07	04:45	05:00	60.3	62.7	38.2
10-Feb-07	05:00	05:15	57.4	64.4	41.1
10-Feb-07	05:15	05:30	55.3	59.0	39.3
10-Feb-07	05:30	05:45	54.3	58.4	41.6
10-Feb-07	05:45	06:00	57.7	60.7	51.2
10-Feb-07	06:00	06:15	55.9	57.1	47.5
10-Feb-07	06:15	06:30	56.6	59.9	44.3

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
10-Feb-07	06:30	06:45	53.9	55.9	46.1
10-Feb-07	06:45	07:00	56.3	59.1	45.6
10-Feb-07	07:00	07:30	57.4	60.0	46.8
10-Feb-07	07:30	08:00	57.8	60.6	47.5
10-Feb-07	08:00	08:30	58.8	61.9	49.8
10-Feb-07	08:30	09:00	57.3	59.9	49.7
10-Feb-07	09:00	09:30	59.0	61.6	50.8
10-Feb-07	09:30	10:00	60.1	63.0	52.9
10-Feb-07	10:00	10:30	59.4	61.8	53.5
10-Feb-07	10:30	11:00	60.6	63.8	53.2
10-Feb-07	11:00	11:30	60.7	63.7	54.0
10-Feb-07	11:30	12:00	58.0	60.3	52.0
10-Feb-07	12:00	12:30	58.5	60.4	53.5
10-Feb-07	12:30	13:00	57.3	59.4	49.2
10-Feb-07	13:00	13:30	57.9	60.1	52.1
10-Feb-07	13:30	14:00	58.6	60.9	52.9
10-Feb-07	14:00	14:30	59.8	61.6	54.5
10-Feb-07	14:30	15:00	61.2	63.1	56.1
10-Feb-07	15:00	15:30	61.0	63.2	55.2
10-Feb-07	15:30	16:00	59.4	61.8	52.8
10-Feb-07	16:00	16:30	60.4	62.2	54.5
10-Feb-07	16:30	17:00	61.0	62.5	54.1
10-Feb-07	17:00	17:30	60.9	63.4	54.1
10-Feb-07	17:30	18:00	60.7	63.1	55.4
10-Feb-07	18:00	18:30	58.5	60.9	50.8
10-Feb-07	18:30	19:00	58.3	60.6	50.5
10-Feb-07	19:00	19:15	56.8	59.4	48.0
10-Feb-07	19:15	19:30	58.1	60.1	47.0
10-Feb-07	19:30	19:45	53.5	57.1	44.2
10-Feb-07	19:45	20:00	55.9	58.8	45.4
10-Feb-07	20:00	20:15	55.9	58.8	44.7
10-Feb-07	20:15	20:30	52.3	55.0	44.7
10-Feb-07	20:30	20:45	53.3	56.5	45.7
10-Feb-07	20:45	21:00	53.0	55.0	45.3
10-Feb-07	21:00	21:15	51.7	54.6	44.7
10-Feb-07	21:15	21:30	49.1	52.0	43.2
10-Feb-07	21:30	21:45	50.5	52.3	43.8
10-Feb-07	21:45	22:00	49.9	52.4	44.0
10-Feb-07	22:00	22:15	49.7	52.3	44.0
10-Feb-07	22:15	22:30	49.7	52.7	43.9
10-Feb-07	22:30	22:45	49.2	52.5	44.1
10-Feb-07	22:45	23:00	52.5	55.5	44.1
10-Feb-07	23:00	23:15	49.4	50.7	42.4
10-Feb-07	23:15	23:30	45.6	50.0	41.6
10-Feb-07	23:30	23:45	55.3	58.3	43.7
10-Feb-07	23:45	00:00	58.4	59.7	52.4
11-Feb-07	00:00	00:15	60.4	63.1	57.4
11-Feb-07	00:15	00:30	61.3	63.8	56.1
11-Feb-07	00:30	00:45	60.0	62.4	55.7
11-Feb-07	00:45	01:00	62.1	62.9	55.7
11-Feb-07	01:00	01:15	60.5	62.2	46.3
11-Feb-07	01:15	01:30	57.2	59.5	44.9
11-Feb-07	01:30	01:45	44.3	47.3	42.0

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
11-Feb-07	01:45	02:00	44.9	48.5	41.1
11-Feb-07	02:00	02:15	53.9	56.0	49.8
11-Feb-07	02:15	02:30	54.4	56.1	40.7
11-Feb-07	02:30	02:45	42.8	45.2	40.2
11-Feb-07	02:45	03:00	42.0	44.1	39.8
11-Feb-07	03:00	03:15	42.3	44.7	40.1
11-Feb-07	03:15	03:30	41.9	43.7	36.5
11-Feb-07	03:30	03:45	49.0	51.7	38.1
11-Feb-07	03:45	04:00	49.4	53.0	38.5
11-Feb-07	04:00	04:15	51.7	54.6	40.4
11-Feb-07	04:15	04:30	54.5	57.4	42.3
11-Feb-07	04:30	04:45	55.5	57.9	41.9
11-Feb-07	04:45	05:00	53.7	57.2	40.1
11-Feb-07	05:00	05:15	56.1	59.6	45.9
11-Feb-07	05:15	05:30	58.5	61.2	54.6
11-Feb-07	05:30	05:45	46.0	51.6	41.3
11-Feb-07	05:45	06:00	54.7	57.5	48.0
11-Feb-07	06:00	06:15	56.4	59.8	46.8
11-Feb-07	06:15	06:30	55.4	57.5	47.3
11-Feb-07	06:30	06:45	56.6	58.8	47.4
11-Feb-07	06:45	07:00	53.8	56.2	45.2
11-Feb-07	07:00	07:15	59.8	63.1	47.1
11-Feb-07	07:15	07:30	59.6	63.7	48.6
11-Feb-07	07:30	07:45	59.2	63.3	46.7
11-Feb-07	07:45	08:00	66.9	71.7	45.0
11-Feb-07	08:00	08:15	65.2	70.1	45.4
11-Feb-07	08:15	08:30	56.0	59.6	46.3
11-Feb-07	08:30	08:45	55.8	59.4	46.9
11-Feb-07	08:45	09:00	54.3	58.1	48.0
11-Feb-07	09:00	09:15	55.5	58.9	48.3
11-Feb-07	09:15	09:30	56.1	59.4	49.6
11-Feb-07	09:30	09:45	58.5	60.6	51.3
11-Feb-07	09:45	10:00	58.6	61.8	52.1
11-Feb-07	10:00	10:15	59.8	62.3	53.6
11-Feb-07	10:15	10:30	59.6	61.5	52.5
11-Feb-07	10:30	10:45	58.6	61.0	50.6
11-Feb-07	10:45	11:00	57.8	60.6	50.1
11-Feb-07	11:00	11:15	58.7	61.5	51.5
11-Feb-07	11:15	11:30	58.3	61.1	51.8
11-Feb-07	11:30	11:45	58.4	61.0	51.7
11-Feb-07	11:45	12:00	58.6	60.7	52.2
11-Feb-07	12:00	12:15	58.6	61.4	51.2
11-Feb-07	12:15	12:30	59.0	62.0	52.9
11-Feb-07	12:30	12:45	59.1	62.1	53.6
11-Feb-07	12:45	13:00	59.3	61.7	53.0
11-Feb-07	13:00	13:15	59.1	62.1	53.8
11-Feb-07	13:15	13:30	58.5	61.3	52.4
11-Feb-07	13:30	13:45	58.4	61.4	51.2
11-Feb-07	13:45	14:00	59.5	62.2	52.1
11-Feb-07	14:00	14:15	58.5	61.1	52.2
11-Feb-07	14:15	14:30	58.9	61.7	51.4
11-Feb-07	14:30	14:45	58.3	60.8	51.4
11-Feb-07	14:45	15:00	59.2	62.0	52.8

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
11-Feb-07	15:00	15:15	58.8	61.4	53.2
11-Feb-07	15:15	15:30	59.7	62.3	52.5
11-Feb-07	15:30	15:45	60.2	63.4	52.3
11-Feb-07	15:45	16:00	59.3	62.6	53.0
11-Feb-07	16:00	16:15	62.1	64.1	54.6
11-Feb-07	16:15	16:30	62.7	65.0	53.3
11-Feb-07	16:30	16:45	59.7	62.3	53.1
11-Feb-07	16:45	17:00	58.4	61.6	51.2
11-Feb-07	17:00	17:15	61.5	64.6	52.6
11-Feb-07	17:15	17:30	59.2	62.3	51.3
11-Feb-07	17:30	17:45	60.3	63.3	51.0
11-Feb-07	17:45	18:00	60.4	63.4	51.1
11-Feb-07	18:00	18:15	59.9	63.1	51.0
11-Feb-07	18:15	18:30	59.5	62.5	50.9
11-Feb-07	18:30	18:45	59.0	61.5	51.2
11-Feb-07	18:45	19:00	58.4	61.2	49.1
11-Feb-07	19:00	19:15	57.2	60.3	48.8
11-Feb-07	19:15	19:30	57.3	60.2	47.2
11-Feb-07	19:30	19:45	57.1	60.2	46.0
11-Feb-07	19:45	20:00	56.4	58.7	45.1
11-Feb-07	20:00	20:15	53.8	57.5	42.9
11-Feb-07	20:15	20:30	56.3	61.8	42.4
11-Feb-07	20:30	20:45	55.2	60.5	41.4
11-Feb-07	20:45	21:00	47.6	49.4	40.8
11-Feb-07	21:00	21:15	45.0	45.6	39.9
11-Feb-07	21:15	21:30	45.6	49.2	40.8
11-Feb-07	21:30	21:45	54.0	56.5	42.0
11-Feb-07	21:45	22:00	46.5	48.7	40.8
11-Feb-07	22:00	22:15	46.8	50.2	42.4
11-Feb-07	22:15	22:30	46.2	48.6	40.7
11-Feb-07	22:30	22:45	52.2	55.8	43.7
11-Feb-07	22:45	23:00	55.5	59.4	42.1
11-Feb-07	23:00	23:15	56.5	59.5	49.5
11-Feb-07	23:15	23:30	56.9	60.9	50.1
11-Feb-07	23:30	23:45	56.3	59.4	49.8
11-Feb-07	23:45	00:00	58.8	64.3	48.8
12-Feb-07	00:00	00:15	51.5	54.5	43.7
12-Feb-07	00:15	00:30	56.4	57.8	50.5
12-Feb-07	00:30	00:45	56.9	59.2	45.6
12-Feb-07	00:45	01:00	52.5	54.7	43.1
12-Feb-07	01:00	01:15	57.0	58.9	46.7
12-Feb-07	01:15	01:30	49.2	54.2	45.6
12-Feb-07	01:30	01:45	52.2	52.3	51.6
12-Feb-07	01:45	02:00	53.6	54.7	52.1
12-Feb-07	02:00	02:15	51.3	51.5	51.0
12-Feb-07	02:15	02:30	45.6	46.4	45.0
12-Feb-07	02:30	02:45	45.6	49.9	37.8
12-Feb-07	02:45	03:00	45.9	50.0	38.3
12-Feb-07	03:00	03:15	42.4	44.8	39.0
12-Feb-07	03:15	03:30	52.0	58.0	37.6
12-Feb-07	03:30	03:45	51.5	56.9	40.7
12-Feb-07	03:45	04:00	57.7	61.5	38.5
12-Feb-07	04:00	04:15	59.3	63.2	36.1

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
12-Feb-07	04:15	04:30	56.8	60.0	39.5
12-Feb-07	04:30	04:45	57.2	61.2	39.9
12-Feb-07	04:45	05:00	55.6	58.3	43.3
12-Feb-07	05:00	05:15	60.6	64.6	45.4
12-Feb-07	05:15	05:30	57.9	60.4	47.4
12-Feb-07	05:30	05:45	56.9	58.8	47.2
12-Feb-07	05:45	06:00	58.4	60.0	46.8
12-Feb-07	06:00	06:15	59.8	62.6	49.8
12-Feb-07	06:15	06:30	57.8	61.3	49.7
12-Feb-07	06:30	06:45	57.0	58.7	50.5
12-Feb-07	06:45	07:00	57.4	58.6	53.4
12-Feb-07	07:00	07:30	58.3	60.6	52.2
12-Feb-07	07:30	08:00	57.4	59.7	49.7
12-Feb-07	08:00	08:30	58.7	61.5	53.0
12-Feb-07	08:30	09:00	60.7	63.3	55.4
12-Feb-07	09:00	09:30	59.8	62.3	54.4
12-Feb-07	09:30	10:00	66.8	70.3	59.1
12-Feb-07	10:00	10:30	63.1	66.3	56.9
12-Feb-07	10:30	11:00	60.7	62.9	54.8
12-Feb-07	11:00	11:30	60.2	62.3	54.2
12-Feb-07	11:30	12:00	58.6	61.0	52.2
12-Feb-07	12:00	12:30	56.3	58.5	50.5
12-Feb-07	12:30	13:00	61.6	65.4	55.1
12-Feb-07	13:00	13:30	63.9	67.2	56.2
12-Feb-07	13:30	14:00	62.5	65.4	55.7
12-Feb-07	14:00	14:30	61.9	64.4	57.1
12-Feb-07	14:30	15:00	61.7	63.5	57.8
12-Feb-07	15:00	15:30	61.1	63.2	55.0
12-Feb-07	15:30	16:00	60.2	62.2	53.9
12-Feb-07	16:00	16:30	60.6	62.6	55.1
12-Feb-07	16:30	17:00	62.1	64.6	58.0
12-Feb-07	17:00	17:30	60.5	62.1	55.9
12-Feb-07	17:30	18:00	60.2	62.8	52.2
12-Feb-07	18:00	18:30	58.1	60.5	50.3
12-Feb-07	18:30	19:00	57.1	59.2	48.3
12-Feb-07	19:00	19:15	55.7	58.4	46.7
12-Feb-07	19:15	19:30	53.6	56.8	44.5
12-Feb-07	19:30	19:45	52.9	56.6	45.2
12-Feb-07	19:45	20:00	52.4	56.0	45.3
12-Feb-07	20:00	20:15	54.8	58.2	46.5
12-Feb-07	20:15	20:30	53.4	56.5	45.1
12-Feb-07	20:30	20:45	51.5	53.3	44.0
12-Feb-07	20:45	21:00	50.0	53.2	43.5
12-Feb-07	21:00	21:15	50.0	53.5	44.0
12-Feb-07	21:15	21:30	55.2	57.7	44.4
12-Feb-07	21:30	21:45	59.3	63.5	43.1
12-Feb-07	21:45	22:00	51.1	54.5	43.6
12-Feb-07	22:00	22:15	52.9	55.1	43.4
12-Feb-07	22:15	22:30	54.8	59.1	44.7
12-Feb-07	22:30	22:45	62.4	63.8	60.8
12-Feb-07	22:45	23:00	61.7	63.0	60.8
12-Feb-07	23:00	23:15	52.0	56.9	45.0
12-Feb-07	23:15	23:30	53.9	56.5	50.7

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
12-Feb-07	23:30	23:45	57.2	60.1	52.4
12-Feb-07	23:45	00:00	61.3	63.8	57.0
13-Feb-07	00:00	00:15	60.8	62.8	55.6
13-Feb-07	00:15	00:30	63.0	65.9	57.2
13-Feb-07	00:30	00:45	64.9	66.6	61.3
13-Feb-07	00:45	01:00	64.7	66.6	62.0
13-Feb-07	01:00	01:15	64.2	66.3	60.3
13-Feb-07	01:15	01:30	55.7	57.0	41.5
13-Feb-07	01:30	01:45	45.1	47.1	40.6
13-Feb-07	01:45	02:00	42.9	46.7	40.2
13-Feb-07	02:00	02:15	41.9	43.9	38.7
13-Feb-07	02:15	02:30	42.2	44.4	37.0
13-Feb-07	02:30	02:45	44.6	49.3	39.1
13-Feb-07	02:45	03:00	45.6	50.9	39.9
13-Feb-07	03:00	03:15	40.9	41.9	39.8
13-Feb-07	03:15	03:30	57.8	59.3	43.6
13-Feb-07	03:30	03:45	59.3	62.7	46.2
13-Feb-07	03:45	04:00	57.1	61.8	44.7
13-Feb-07	04:00	04:15	52.9	56.4	40.4
13-Feb-07	04:15	04:30	51.2	55.4	41.1
13-Feb-07	04:30	04:45	58.9	61.0	41.4
13-Feb-07	04:45	05:00	51.2	56.4	41.9
13-Feb-07	05:00	05:15	59.0	63.3	46.0
13-Feb-07	05:15	05:30	57.3	61.8	41.6
13-Feb-07	05:30	05:45	61.6	64.1	48.2
13-Feb-07	05:45	06:00	61.3	64.0	44.7
13-Feb-07	06:00	06:15	59.3	62.3	44.2
13-Feb-07	06:15	06:30	59.8	62.8	49.5
13-Feb-07	06:30	06:45	57.5	61.8	49.2
13-Feb-07	06:45	07:00	56.6	58.4	51.2
13-Feb-07	07:00	07:30	59.0	61.9	53.2
13-Feb-07	07:30	08:00	55.3	57.8	48.7
13-Feb-07	08:00	08:30	58.1	61.3	51.8
13-Feb-07	08:30	09:00	59.7	62.1	53.7
13-Feb-07	09:00	09:30	59.1	60.9	52.7
13-Feb-07	09:30	10:00	58.8	60.8	53.3
13-Feb-07	10:00	10:30	59.1	61.4	54.2
13-Feb-07	10:30	11:00	59.7	61.7	54.5
13-Feb-07	11:00	11:30	65.6	68.3	58.4
13-Feb-07	11:30	12:00	66.8	69.7	60.1
13-Feb-07	12:00	12:30	57.5	59.6	51.7
13-Feb-07	12:30	13:00	63.9	67.2	54.7
13-Feb-07	13:00	13:30	59.8	61.8	55.8
13-Feb-07	13:30	14:00	61.4	63.7	56.3
13-Feb-07	14:00	14:30	62.5	65.1	57.2
13-Feb-07	14:30	15:00	60.5	62.5	55.8
13-Feb-07	15:00	15:30	61.2	63.2	56.4
13-Feb-07	15:30	16:00	63.1	66.3	57.2
13-Feb-07	16:00	16:30	61.9	63.9	57.0
13-Feb-07	16:30	17:00	61.6	63.8	56.9
13-Feb-07	17:00	17:30	61.1	63.3	54.9
13-Feb-07	17:30	18:00	58.0	60.2	51.5
13-Feb-07	18:00	18:30	57.9	60.4	52.0

## Monitoring Results of CN1 - Open Area adjacent to Police Training School

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
13-Feb-07	18:30	19:00	56.6	59.0	49.0
13-Feb-07	19:00	19:15	53.8	57.3	45.0
13-Feb-07	19:15	19:30	50.9	53.5	44.3
13-Feb-07	19:30	19:45	52.2	54.3	44.5
13-Feb-07	19:45	20:00	50.8	54.7	43.2
13-Feb-07	20:00	20:15	52.5	56.5	43.5
13-Feb-07	20:15	20:30	51.4	54.7	43.8
13-Feb-07	20:30	20:45	52.1	56.1	43.2
13-Feb-07	20:45	21:00	53.4	57.0	43.8
13-Feb-07	21:00	21:15	54.2	58.6	44.1
13-Feb-07	21:15	21:30	49.9	52.7	44.1
13-Feb-07	21:30	21:45	48.4	50.5	41.8
13-Feb-07	21:45	22:00	50.0	52.8	42.4
13-Feb-07	22:00	22:15	49.6	51.4	42.6
13-Feb-07	22:15	22:30	50.8	54.9	41.9
13-Feb-07	22:30	22:45	60.5	65.4	49.6
13-Feb-07	22:45	23:00	55.1	56.2	53.8
13-Feb-07	23:00	23:15	55.6	57.2	53.9
13-Feb-07	23:15	23:30	58.3	59.2	57.1
13-Feb-07	23:30	23:45	57.9	59.1	55.8
13-Feb-07	23:45	00:00	58.7	61.8	53.2
14-Feb-07	00:00	00:15	58.2	60.5	52.0
14-Feb-07	00:15	00:30	58.7	61.9	52.2
14-Feb-07	00:30	00:45	62.8	65.3	56.9
14-Feb-07	00:45	01:00	64.4	66.5	58.9
14-Feb-07	01:00	01:15	62.8	63.7	58.7
14-Feb-07	01:15	01:30	55.0	56.5	44.0
14-Feb-07	01:30	01:45	45.9	47.6	42.4
14-Feb-07	01:45	02:00	44.3	46.0	42.0
14-Feb-07	02:00	02:15	44.4	46.5	41.8
14-Feb-07	02:15	02:30	46.2	50.1	40.1
14-Feb-07	02:30	02:45	46.5	44.6	40.5
14-Feb-07	02:45	03:00	43.2	44.5	41.8
14-Feb-07	03:00	03:15	43.2	44.1	40.2
14-Feb-07	03:15	03:30	46.9	49.8	42.9
14-Feb-07	03:30	03:45	54.0	55.4	43.8
14-Feb-07	03:45	04:00	44.4	48.3	40.4
14-Feb-07	04:00	04:15	44.0	48.5	37.4
14-Feb-07	04:15	04:30	47.0	48.5	37.5
14-Feb-07	04:30	04:45	54.1	55.6	41.5
14-Feb-07	04:45	05:00	56.1	58.1	44.8
14-Feb-07	05:00	05:15	59.5	63.0	46.7
14-Feb-07	05:15	05:30	57.0	60.5	47.5
14-Feb-07	05:30	05:45	61.1	63.7	56.1
14-Feb-07	05:45	06:00	62.1	64.8	56.8
14-Feb-07	06:00	06:15	58.8	61.9	45.9
14-Feb-07	06:15	06:30	55.0	58.8	43.1
14-Feb-07	06:30	06:45	57.2	59.3	44.0
14-Feb-07	06:45	07:00	56.1	58.4	46.9
14-Feb-07	07:00	07:30	56.4	58.8	50.6
14-Feb-07	07:30	08:00	54.3	57.4	48.7
14-Feb-07	08:00	08:30	59.1	61.8	52.4
14-Feb-07	08:30	09:00	58.4	60.5	51.9

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
14-Feb-07	09:00	09:30	58.2	60.3	52.4
14-Feb-07	09:30	10:00	57.5	59.8	52.2
14-Feb-07	10:00	10:30	60.8	63.0	53.5
14-Feb-07	10:30	11:00	58.9	61.5	53.4
14-Feb-07	11:00	11:30	58.7	61.5	51.7
14-Feb-07	11:30	12:00	58.9	60.9	52.6
14-Feb-07	12:00	12:30	57.6	59.4	53.4
14-Feb-07	12:30	13:00	57.8	58.8	52.0
14-Feb-07	13:00	13:30	59.5	62.3	53.7
14-Feb-07	13:30	14:00	59.5	61.7	55.3
14-Feb-07	14:00	14:30	59.1	61.4	54.5
14-Feb-07	14:30	15:00	61.7	64.4	54.6
14-Feb-07	15:00	15:30	61.6	64.6	55.0
14-Feb-07	15:30	16:00	60.9	64.0	53.6
14-Feb-07	16:00	16:30	63.8	67.2	56.3
14-Feb-07	16:30	17:00	63.3	66.3	57.0
14-Feb-07	17:00	17:30	62.1	64.9	55.1
14-Feb-07	17:30	18:00	58.5	60.8	51.5
14-Feb-07	18:00	18:30	59.8	62.9	49.2
14-Feb-07	18:30	19:00	57.2	60.1	47.0
14-Feb-07	19:00	19:15	55.3	58.2	45.9
14-Feb-07	19:15	19:30	53.2	55.8	45.3
14-Feb-07	19:30	19:45	55.3	56.4	45.2
14-Feb-07	19:45	20:00	54.3	56.8	44.0
14-Feb-07	20:00	20:15	52.9	55.8	44.9
14-Feb-07	20:15	20:30	55.2	56.7	44.5
14-Feb-07	20:30	20:45	57.9	59.5	44.2
14-Feb-07	20:45	21:00	59.5	60.6	43.9
14-Feb-07	21:00	21:15	57.3	58.4	44.1
14-Feb-07	21:15	21:30	52.8	55.8	42.2
14-Feb-07	21:30	21:45	52.2	54.7	43.3
14-Feb-07	21:45	22:00	51.1	54.4	44.1
14-Feb-07	22:00	22:15	54.1	55.2	43.2
14-Feb-07	22:15	22:30	59.3	60.8	45.3
14-Feb-07	22:30	22:45	61.4	64.5	52.5
14-Feb-07	22:45	23:00	58.9	60.1	55.9
14-Feb-07	23:00	23:15	58.5	60.0	56.0
14-Feb-07	23:15	23:30	60.1	61.7	56.3
14-Feb-07	23:30	23:45	56.3	59.0	51.1
14-Feb-07	23:45	00:00	54.0	58.3	45.1
15-Feb-07	00:00	00:15	60.8	63.7	55.3
15-Feb-07	00:15	00:30	58.9	62.3	45.2
15-Feb-07	00:30	00:45	60.5	62.8	57.7
15-Feb-07	00:45	01:00	61.0	63.3	53.5
15-Feb-07	01:00	01:15	50.9	56.6	45.7
15-Feb-07	01:15	01:30	48.5	54.9	42.6
15-Feb-07	01:30	01:45	43.5	45.3	40.0
15-Feb-07	01:45	02:00	43.1	45.1	39.1
15-Feb-07	02:00	02:15	45.2	46.9	41.6
15-Feb-07	02:15	02:30	48.2	52.2	44.2
15-Feb-07	02:30	02:45	49.0	50.4	43.4
15-Feb-07	02:45	03:00	50.8	54.0	43.0
15-Feb-07	03:00	03:15	50.8	54.1	43.9

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
15-Feb-07	03:15	03:30	51.3	53.7	44.4
15-Feb-07	03:30	03:45	55.1	58.5	45.3
15-Feb-07	03:45	04:00	57.0	61.0	46.0
15-Feb-07	04:00	04:15	56.3	59.6	46.8
15-Feb-07	04:15	04:30	56.8	59.5	46.6
15-Feb-07	04:30	04:45	55.9	60.4	45.5
15-Feb-07	04:45	05:00	57.1	61.3	45.0
15-Feb-07	05:00	05:15	58.0	62.9	46.5
15-Feb-07	05:15	05:30	59.5	64.1	46.9
15-Feb-07	05:30	05:45	58.2	61.4	48.6
15-Feb-07	05:45	06:00	60.5	62.9	51.2
15-Feb-07	06:00	06:15	59.3	61.0	51.2
15-Feb-07	06:15	06:30	56.6	58.8	48.1
15-Feb-07	06:30	06:45	53.9	55.9	49.1
15-Feb-07	06:45	07:00	57.2	59.9	52.5
15-Feb-07	07:00	07:30	57.6	60.7	51.5
15-Feb-07	07:30	08:00	58.7	61.7	51.1
15-Feb-07	08:00	08:30	63.0	66.6	53.6
15-Feb-07	08:30	09:00	62.3	65.5	54.7
15-Feb-07	09:00	09:30	61.3	64.7	52.9
15-Feb-07	09:30	10:00	59.2	61.6	51.3
15-Feb-07	10:00	10:30	59.0	61.4	52.6
15-Feb-07	10:30	11:00	58.5	61.1	52.5
15-Feb-07	11:00	11:30	58.0	60.9	52.0
15-Feb-07	11:30	12:00	58.4	60.9	51.0
15-Feb-07	12:00	12:30	57.9	60.5	51.5
15-Feb-07	12:30	13:00	57.6	60.5	51.4
15-Feb-07	13:00	13:30	59.7	62.5	54.3
15-Feb-07	13:30	14:00	58.0	60.3	50.8
15-Feb-07	14:00	14:30	57.3	59.6	50.7
15-Feb-07	14:30	15:00	58.4	61.2	50.8
15-Feb-07	15:00	15:30	58.6	61.4	50.8
15-Feb-07	15:30	16:00	59.3	62.2	52.8
15-Feb-07	16:00	16:30	58.7	61.7	51.7
15-Feb-07	16:30	17:00	59.3	61.2	52.3
15-Feb-07	17:00	17:30	60.4	62.4	51.1
15-Feb-07	17:30	18:00	61.8	65.2	51.8
15-Feb-07	18:00	18:30	58.2	60.8	51.8
15-Feb-07	18:30	19:00	57.7	60.3	49.7
15-Feb-07	19:00	19:15	57.1	60.1	49.1
15-Feb-07	19:15	19:30	53.5	56.9	46.4
15-Feb-07	19:30	19:45	53.6	56.5	46.4
15-Feb-07	19:45	20:00	54.8	59.1	46.3
15-Feb-07	20:00	20:15	52.2	55.2	45.6
15-Feb-07	20:15	20:30	55.3	59.2	46.0
15-Feb-07	20:30	20:45	53.8	56.3	45.8
15-Feb-07	20:45	21:00	54.6	57.9	47.4
15-Feb-07	21:00	21:15	54.6	56.9	46.8
15-Feb-07	21:15	21:30	51.0	53.3	45.9
15-Feb-07	21:30	21:45	50.8	54.0	45.2
15-Feb-07	21:45	22:00	58.1	62.2	47.6
15-Feb-07	22:00	22:15	58.5	62.4	47.4
15-Feb-07	22:15	22:30	47.3	49.4	43.7

**Monitoring Results of CN1 - Open Area adjacent to Police Training School**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
15-Feb-07	22:30	22:45	48.4	50.8	43.6
15-Feb-07	22:45	23:00	49.5	52.6	44.1
15-Feb-07	23:00	23:15	49.2	52.0	43.7
15-Feb-07	23:15	23:30	50.1	52.9	44.5
15-Feb-07	23:30	23:45	59.0	62.4	44.9
15-Feb-07	23:45	00:00	61.4	64.0	58.4
16-Feb-07	00:00	00:15	61.2	66.2	50.4
16-Feb-07	00:15	00:30	58.4	62.2	47.8
16-Feb-07	00:30	00:45	63.9	65.7	62.0
16-Feb-07	00:45	01:00	59.8	62.0	54.4
16-Feb-07	01:00	01:15	52.4	56.0	42.1
16-Feb-07	01:15	01:30	49.9	53.6	41.1
16-Feb-07	01:30	01:45	48.9	53.8	39.0
16-Feb-07	01:45	02:00	48.2	54.0	38.4
16-Feb-07	02:00	02:15	42.5	49.6	37.3
16-Feb-07	02:15	02:30	40.2	44.1	36.4
16-Feb-07	02:30	02:45	39.9	41.6	36.8
16-Feb-07	02:45	03:00	40.5	41.8	37.1
16-Feb-07	03:00	03:15	44.4	50.7	37.4
16-Feb-07	03:15	03:30	53.0	58.2	38.5
16-Feb-07	03:30	03:45	55.7	60.7	38.3
16-Feb-07	03:45	04:00	62.4	64.7	58.6
16-Feb-07	04:00	04:15	59.1	61.6	55.5
16-Feb-07	04:15	04:30	57.8	61.8	39.2
16-Feb-07	04:30	04:45	50.9	56.6	39.6
16-Feb-07	04:45	05:00	52.5	56.2	41.4
16-Feb-07	05:00	05:15	54.2	57.9	40.2
16-Feb-07	05:15	05:30	50.6	56.0	38.9
16-Feb-07	05:30	05:45	53.7	55.8	44.7
16-Feb-07	05:45	06:00	54.1	57.3	44.0
16-Feb-07	06:00	06:15	54.0	56.7	45.5
16-Feb-07	06:15	06:30	53.0	54.9	47.6
16-Feb-07	06:30	06:45	52.5	54.3	44.1
16-Feb-07	06:45	07:00	53.2	56.3	46.0
16-Feb-07	07:00	07:30	66.1	70.5	50.3
16-Feb-07	07:30	08:00	64.2	67.9	47.6
16-Feb-07	08:00	08:30	54.5	56.9	47.9
16-Feb-07	08:30	09:00	57.2	60.0	50.8
16-Feb-07	09:00	09:30	56.8	58.9	49.7
16-Feb-07	09:30	10:00	59.3	61.0	55.3
16-Feb-07	10:00	10:30	58.3	60.6	54.2
16-Feb-07	10:30	11:00	56.3	58.9	49.0
16-Feb-07	11:00	11:30	57.4	59.3	48.4
16-Feb-07	11:30	12:00	55.7	58.1	47.2
16-Feb-07	12:00	12:30	54.4	57.4	45.7
16-Feb-07	12:30	13:00	54.6	56.9	47.3
16-Feb-07	13:00	13:30	54.9	57.6	48.2
16-Feb-07	13:30	14:00	57.0	58.4	48.4
16-Feb-07	14:00	14:30	55.8	59.2	48.8
16-Feb-07	14:30	15:00	57.0	59.3	48.3

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
05-Feb-07	12:55	13:00	61.2	62.5	56.7
05-Feb-07	13:00	13:30	63.4	66.3	58.7
05-Feb-07	13:30	14:00	65.0	67.9	59.4
05-Feb-07	14:00	14:30	64.4	67.0	59.7
05-Feb-07	14:30	15:00	65.1	67.7	60.4
05-Feb-07	15:00	15:30	64.3	66.9	59.6
05-Feb-07	15:30	16:00	64.0	66.3	59.7
05-Feb-07	16:00	16:30	61.4	63.7	57.9
05-Feb-07	16:30	17:00	59.4	61.8	56.0
05-Feb-07	17:00	17:30	63.9	66.6	58.4
05-Feb-07	17:30	18:00	61.1	63.4	57.1
05-Feb-07	18:00	18:30	57.8	59.8	55.3
05-Feb-07	18:30	19:00	56.4	58.6	53.4
05-Feb-07	19:00	19:15	55.7	58.0	52.4
05-Feb-07	19:15	19:30	55.8	58.2	52.6
05-Feb-07	19:30	19:45	56.2	58.5	52.9
05-Feb-07	19:45	20:00	56.9	59.5	52.4
05-Feb-07	20:00	20:15	56.6	59.2	52.6
05-Feb-07	20:15	20:30	55.5	58.7	51.6
05-Feb-07	20:30	20:45	56.0	59.1	51.5
05-Feb-07	20:45	21:00	56.3	59.2	51.6
05-Feb-07	21:00	21:15	54.9	57.3	50.8
05-Feb-07	21:15	21:30	54.7	57.1	50.8
05-Feb-07	21:30	21:45	54.7	56.9	51.8
05-Feb-07	21:45	22:00	55.3	57.5	51.8
05-Feb-07	22:00	22:15	55.8	58.3	51.8
05-Feb-07	22:15	22:30	56.8	60.4	51.2
05-Feb-07	22:30	22:45	55.7	58.1	52.0
05-Feb-07	22:45	23:00	55.3	57.7	51.9
05-Feb-07	23:00	23:15	54.3	56.7	50.4
05-Feb-07	23:15	23:30	54.7	57.4	51.2
05-Feb-07	23:30	23:45	53.8	56.2	50.2
05-Feb-07	23:45	00:00	52.9	55.7	48.7
06-Feb-07	00:00	00:15	51.7	54.8	46.8
06-Feb-07	00:15	00:30	51.0	54.2	46.3
06-Feb-07	00:30	00:45	51.5	54.5	46.1
06-Feb-07	00:45	01:00	50.1	52.7	46.1
06-Feb-07	01:00	01:15	49.7	52.2	45.9
06-Feb-07	01:15	01:30	50.0	53.3	46.0
06-Feb-07	01:30	01:45	50.7	54.6	45.0
06-Feb-07	01:45	02:00	49.8	53.4	45.0
06-Feb-07	02:00	02:15	48.3	51.3	44.4
06-Feb-07	02:15	02:30	47.8	50.0	44.8
06-Feb-07	02:30	02:45	47.3	50.1	44.1
06-Feb-07	02:45	03:00	47.3	49.9	44.6
06-Feb-07	03:00	03:15	47.7	50.7	44.4
06-Feb-07	03:15	03:30	47.9	49.8	44.8
06-Feb-07	03:30	03:45	47.1	48.9	44.8
06-Feb-07	03:45	04:00	48.2	50.8	44.5
06-Feb-07	04:00	04:15	49.0	51.6	45.4
06-Feb-07	04:15	04:30	47.9	50.6	44.5
06-Feb-07	04:30	04:45	47.9	49.8	45.2
06-Feb-07	04:45	05:00	48.7	51.2	45.3

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
06-Feb-07	05:00	05:15	49.5	52.2	46.3
06-Feb-07	05:15	05:30	49.3	52.2	45.8
06-Feb-07	05:30	05:45	50.8	53.6	45.1
06-Feb-07	05:45	06:00	52.4	55.3	47.2
06-Feb-07	06:00	06:15	53.0	55.8	48.3
06-Feb-07	06:15	06:30	54.0	56.4	48.9
06-Feb-07	06:30	06:45	55.4	57.8	50.0
06-Feb-07	06:45	07:00	58.6	61.0	52.0
06-Feb-07	07:00	07:30	58.4	60.1	55.0
06-Feb-07	07:30	08:00	58.2	60.0	54.7
06-Feb-07	08:00	08:30	63.3	66.8	56.8
06-Feb-07	08:30	09:00	59.7	61.7	56.3
06-Feb-07	09:00	09:30	63.7	67.0	58.1
06-Feb-07	09:30	10:00	62.6	65.9	57.8
06-Feb-07	10:00	10:30	61.1	63.6	57.0
06-Feb-07	10:30	11:00	61.3	64.1	56.5
06-Feb-07	11:00	11:30	62.5	65.9	57.6
06-Feb-07	11:30	12:00	60.4	63.5	56.2
06-Feb-07	12:00	12:30	57.1	59.1	54.6
06-Feb-07	12:30	13:00	57.3	59.5	54.1
06-Feb-07	13:00	13:30	61.0	64.4	56.0
06-Feb-07	13:30	14:00	61.9	65.2	57.1
06-Feb-07	14:00	14:30	62.8	66.2	57.6
06-Feb-07	14:30	15:00	61.1	63.6	58.0
06-Feb-07	15:00	15:30	61.4	63.3	58.8
06-Feb-07	15:30	16:00	60.2	62.3	57.4
06-Feb-07	16:00	16:30	59.4	61.5	56.8
06-Feb-07	16:30	17:00	59.3	61.4	56.5
06-Feb-07	17:00	17:30	58.6	60.6	56.0
06-Feb-07	17:30	18:00	60.8	63.5	56.5
06-Feb-07	18:00	18:30	62.2	65.2	55.2
06-Feb-07	18:30	19:00	56.5	59.1	53.0
06-Feb-07	19:00	19:15	56.0	58.1	52.4
06-Feb-07	19:15	19:30	55.3	57.6	52.2
06-Feb-07	19:30	19:45	55.1	57.4	51.7
06-Feb-07	19:45	20:00	55.8	57.6	51.7
06-Feb-07	20:00	20:15	57.5	61.3	51.4
06-Feb-07	20:15	20:30	56.8	60.0	51.2
06-Feb-07	20:30	20:45	56.0	58.5	51.2
06-Feb-07	20:45	21:00	54.9	57.4	51.4
06-Feb-07	21:00	21:15	54.5	57.4	50.4
06-Feb-07	21:15	21:30	54.9	57.3	50.9
06-Feb-07	21:30	21:45	55.6	58.1	51.7
06-Feb-07	21:45	22:00	55.0	57.5	50.9
06-Feb-07	22:00	22:15	54.8	57.4	50.5
06-Feb-07	22:15	22:30	54.7	57.1	50.1
06-Feb-07	22:30	22:45	53.8	56.0	49.3
06-Feb-07	22:45	23:00	54.2	56.5	50.3
06-Feb-07	23:00	23:15	54.4	57.1	49.8
06-Feb-07	23:15	23:30	54.2	57.0	49.0
06-Feb-07	23:30	23:45	53.7	56.6	48.3
06-Feb-07	23:45	00:00	53.0	55.9	48.0
07-Feb-07	00:00	00:15	51.8	55.0	46.5

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
07-Feb-07	00:15	00:30	52.1	55.0	47.3
07-Feb-07	00:30	00:45	51.0	53.9	46.8
07-Feb-07	00:45	01:00	50.5	53.1	47.0
07-Feb-07	01:00	01:15	50.3	52.9	46.9
07-Feb-07	01:15	01:30	50.6	53.0	46.2
07-Feb-07	01:30	01:45	50.3	52.8	44.9
07-Feb-07	01:45	02:00	50.7	54.1	45.3
07-Feb-07	02:00	02:15	51.2	53.9	45.4
07-Feb-07	02:15	02:30	49.5	52.4	45.6
07-Feb-07	02:30	02:45	49.0	52.1	44.8
07-Feb-07	02:45	03:00	47.9	50.8	44.1
07-Feb-07	03:00	03:15	47.0	49.8	43.9
07-Feb-07	03:15	03:30	47.1	50.0	43.2
07-Feb-07	03:30	03:45	48.0	50.8	44.2
07-Feb-07	03:45	04:00	48.7	51.8	44.4
07-Feb-07	04:00	04:15	46.8	49.6	43.8
07-Feb-07	04:15	04:30	46.2	49.1	43.2
07-Feb-07	04:30	04:45	46.2	48.7	43.2
07-Feb-07	04:45	05:00	47.3	50.2	44.1
07-Feb-07	05:00	05:15	47.1	50.3	43.3
07-Feb-07	05:15	05:30	49.3	52.4	44.7
07-Feb-07	05:30	05:45	51.7	54.6	44.8
07-Feb-07	05:45	06:00	53.2	56.2	45.8
07-Feb-07	06:00	06:15	51.7	54.7	46.5
07-Feb-07	06:15	06:30	53.9	56.8	48.0
07-Feb-07	06:30	06:45	55.4	58.4	49.7
07-Feb-07	06:45	07:00	55.9	58.1	51.5
07-Feb-07	07:00	07:30	57.8	59.7	54.7
07-Feb-07	07:30	08:00	57.4	59.5	54.8
07-Feb-07	08:00	08:30	60.7	63.4	56.1
07-Feb-07	08:30	09:00	60.8	63.6	57.3
07-Feb-07	09:00	09:30	59.4	61.5	56.4
07-Feb-07	09:30	10:00	59.1	61.2	56.2
07-Feb-07	10:00	10:30	59.8	62.4	56.1
07-Feb-07	10:30	11:00	62.3	65.2	57.5
07-Feb-07	11:00	11:30	63.4	66.8	57.5
07-Feb-07	11:30	12:00	61.7	64.9	56.6
07-Feb-07	12:00	12:30	57.7	59.9	54.6
07-Feb-07	12:30	13:00	57.5	59.9	54.3
07-Feb-07	13:00	13:30	60.3	63.3	55.7
07-Feb-07	13:30	14:00	60.8	63.5	57.0
07-Feb-07	14:00	14:30	61.1	63.7	57.1
07-Feb-07	14:30	15:00	58.7	60.8	56.0
07-Feb-07	15:00	15:30	59.3	61.4	56.6
07-Feb-07	15:30	16:00	59.5	61.4	57.1
07-Feb-07	16:00	16:30	59.9	61.9	57.3
07-Feb-07	16:30	17:00	58.7	60.7	56.1
07-Feb-07	17:00	17:30	59.0	61.2	56.0
07-Feb-07	17:30	18:00	59.3	61.1	55.7
07-Feb-07	18:00	18:30	57.9	59.9	54.7
07-Feb-07	18:30	19:00	57.2	59.6	53.5
07-Feb-07	19:00	19:15	56.3	58.9	52.3
07-Feb-07	19:15	19:30	57.1	60.3	52.7

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
07-Feb-07	19:30	19:45	55.5	57.9	52.2
07-Feb-07	19:45	20:00	55.8	57.9	51.8
07-Feb-07	20:00	20:15	56.8	59.0	51.6
07-Feb-07	20:15	20:30	55.8	58.6	51.6
07-Feb-07	20:30	20:45	55.1	57.2	51.9
07-Feb-07	20:45	21:00	55.6	58.0	51.0
07-Feb-07	21:00	21:15	55.2	57.8	50.8
07-Feb-07	21:15	21:30	54.8	57.0	50.8
07-Feb-07	21:30	21:45	54.3	56.4	50.1
07-Feb-07	21:45	22:00	54.1	56.4	50.1
07-Feb-07	22:00	22:15	54.7	57.3	50.6
07-Feb-07	22:15	22:30	55.2	58.2	50.2
07-Feb-07	22:30	22:45	54.7	57.2	50.0
07-Feb-07	22:45	23:00	54.1	56.6	50.0
07-Feb-07	23:00	23:15	57.6	58.6	49.1
07-Feb-07	23:15	23:30	54.1	57.1	48.8
07-Feb-07	23:30	23:45	53.6	56.6	48.0
07-Feb-07	23:45	00:00	53.1	55.8	48.0
08-Feb-07	00:00	00:15	52.8	55.9	47.3
08-Feb-07	00:15	00:30	51.6	54.1	46.6
08-Feb-07	00:30	00:45	51.7	54.8	45.5
08-Feb-07	00:45	01:00	50.6	53.4	45.3
08-Feb-07	01:00	01:15	49.9	52.6	45.3
08-Feb-07	01:15	01:30	49.8	52.9	45.0
08-Feb-07	01:30	01:45	49.1	52.2	44.2
08-Feb-07	01:45	02:00	48.8	52.2	43.4
08-Feb-07	02:00	02:15	47.5	51.0	43.5
08-Feb-07	02:15	02:30	47.1	50.1	43.8
08-Feb-07	02:30	02:45	47.2	49.6	44.2
08-Feb-07	02:45	03:00	46.7	49.6	43.1
08-Feb-07	03:00	03:15	47.0	49.8	44.3
08-Feb-07	03:15	03:30	46.4	49.0	44.1
08-Feb-07	03:30	03:45	46.8	48.9	44.3
08-Feb-07	03:45	04:00	46.0	47.7	44.1
08-Feb-07	04:00	04:15	46.8	48.8	44.3
08-Feb-07	04:15	04:30	47.8	50.4	44.4
08-Feb-07	04:30	04:45	45.7	47.3	43.3
08-Feb-07	04:45	05:00	47.7	49.7	44.5
08-Feb-07	05:00	05:15	48.4	50.8	44.5
08-Feb-07	05:15	05:30	48.2	51.6	44.1
08-Feb-07	05:30	05:45	50.6	53.7	45.1
08-Feb-07	05:45	06:00	51.3	54.1	45.7
08-Feb-07	06:00	06:15	52.3	55.5	46.6
08-Feb-07	06:15	06:30	53.3	55.5	47.0
08-Feb-07	06:30	06:45	54.4	57.4	48.9
08-Feb-07	06:45	07:00	54.4	57.2	49.6
08-Feb-07	07:00	07:30	57.0	59.0	53.3
08-Feb-07	07:30	08:00	58.2	60.0	54.3
08-Feb-07	08:00	08:30	58.9	61.0	55.4
08-Feb-07	08:30	09:00	59.6	61.9	55.3
08-Feb-07	09:00	09:30	61.5	64.6	55.9
08-Feb-07	09:30	10:00	63.9	67.6	57.2
08-Feb-07	10:00	10:30	60.8	63.7	56.6

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
08-Feb-07	10:30	11:00	60.9	64.1	57.2
08-Feb-07	11:00	11:30	63.2	67.2	56.5
08-Feb-07	11:30	12:00	57.7	59.8	54.8
08-Feb-07	12:00	12:30	56.8	58.8	54.1
08-Feb-07	12:30	13:00	57.9	60.8	53.7
08-Feb-07	13:00	13:30	62.3	66.2	56.2
08-Feb-07	13:30	14:00	62.1	65.5	56.5
08-Feb-07	14:00	14:30	61.0	63.9	56.6
08-Feb-07	14:30	15:00	59.5	62.3	55.9
08-Feb-07	15:00	15:30	59.6	61.9	56.6
08-Feb-07	15:30	16:00	59.8	61.9	57.2
08-Feb-07	16:00	16:30	60.9	63.2	57.0
08-Feb-07	16:30	17:00	63.7	67.2	56.7
08-Feb-07	17:00	17:30	64.8	68.3	57.3
08-Feb-07	17:30	18:00	61.5	64.1	56.1
08-Feb-07	18:00	18:30	57.4	59.3	54.5
08-Feb-07	18:30	19:00	56.2	58.3	53.1
08-Feb-07	19:00	19:15	55.1	57.7	51.7
08-Feb-07	19:15	19:30	55.8	58.4	51.4
08-Feb-07	19:30	19:45	55.8	58.5	51.6
08-Feb-07	19:45	20:00	56.1	59.0	51.2
08-Feb-07	20:00	20:15	57.2	59.6	51.8
08-Feb-07	20:15	20:30	56.8	59.1	51.3
08-Feb-07	20:30	20:45	55.4	57.7	51.1
08-Feb-07	20:45	21:00	55.0	57.2	51.7
08-Feb-07	21:00	21:15	54.5	56.8	50.8
08-Feb-07	21:15	21:30	54.4	56.3	50.3
08-Feb-07	21:30	21:45	55.9	58.6	50.1
08-Feb-07	21:45	22:00	55.7	58.8	50.3
08-Feb-07	22:00	22:15	55.3	57.8	50.3
08-Feb-07	22:15	22:30	55.2	56.9	50.5
08-Feb-07	22:30	22:45	55.9	57.0	50.9
08-Feb-07	22:45	23:00	57.0	58.2	50.3
08-Feb-07	23:00	23:15	56.0	58.2	49.4
08-Feb-07	23:15	23:30	54.9	57.3	50.2
08-Feb-07	23:30	23:45	54.5	57.3	49.0
08-Feb-07	23:45	00:00	52.6	55.3	48.4
09-Feb-07	00:00	00:15	52.7	55.3	48.4
09-Feb-07	00:15	00:30	52.2	55.0	47.3
09-Feb-07	00:30	00:45	51.7	54.4	47.5
09-Feb-07	00:45	01:00	50.3	53.1	46.6
09-Feb-07	01:00	01:15	49.6	52.3	46.4
09-Feb-07	01:15	01:30	49.8	52.2	47.2
09-Feb-07	01:30	01:45	50.2	52.9	46.8
09-Feb-07	01:45	02:00	49.9	52.6	46.5
09-Feb-07	02:00	02:15	49.2	51.9	46.1
09-Feb-07	02:15	02:30	48.3	50.9	46.0
09-Feb-07	02:30	02:45	48.6	50.7	46.5
09-Feb-07	02:45	03:00	48.2	50.1	45.6
09-Feb-07	03:00	03:15	48.8	51.1	46.1
09-Feb-07	03:15	03:30	49.0	51.4	46.3
09-Feb-07	03:30	03:45	48.1	49.8	46.4
09-Feb-07	03:45	04:00	49.3	51.3	46.9

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
09-Feb-07	04:00	04:15	49.1	51.5	46.5
09-Feb-07	04:15	04:30	48.9	51.5	46.0
09-Feb-07	04:30	04:45	48.6	51.1	45.8
09-Feb-07	04:45	05:00	49.6	51.5	47.0
09-Feb-07	05:00	05:15	50.1	52.2	47.1
09-Feb-07	05:15	05:30	50.9	53.5	47.6
09-Feb-07	05:30	05:45	50.9	53.4	47.7
09-Feb-07	05:45	06:00	50.9	53.6	47.4
09-Feb-07	06:00	06:15	52.8	55.4	48.8
09-Feb-07	06:15	06:30	53.4	56.1	49.1
09-Feb-07	06:30	06:45	55.0	56.8	50.2
09-Feb-07	06:45	07:00	55.4	57.8	50.1
09-Feb-07	07:00	07:30	59.0	61.4	53.9
09-Feb-07	07:30	08:00	57.8	60.2	54.3
09-Feb-07	08:00	08:30	64.1	68.6	56.0
09-Feb-07	08:30	09:00	66.4	70.4	56.9
09-Feb-07	09:00	09:30	65.8	69.3	57.7
09-Feb-07	09:30	10:00	66.0	69.2	59.3
09-Feb-07	10:00	10:30	64.9	67.9	59.2
09-Feb-07	10:30	11:00	65.1	68.3	59.2
09-Feb-07	11:00	11:30	64.3	67.2	59.0
09-Feb-07	11:30	12:00	59.9	61.9	56.7
09-Feb-07	12:00	12:30	57.7	59.7	55.2
09-Feb-07	12:30	13:00	57.0	58.9	54.5
09-Feb-07	13:00	13:30	60.6	62.6	57.6
09-Feb-07	13:30	14:00	61.4	63.4	58.5
09-Feb-07	14:00	14:30	61.4	63.4	58.2
09-Feb-07	14:30	15:00	61.5	63.5	58.3
09-Feb-07	15:00	15:30	61.3	63.6	58.0
09-Feb-07	15:30	16:00	60.6	62.7	57.3
09-Feb-07	16:00	16:30	61.2	63.4	58.1
09-Feb-07	16:30	17:00	61.3	63.6	58.0
09-Feb-07	17:00	17:30	60.3	62.3	57.3
09-Feb-07	17:30	18:00	58.2	60.3	55.6
09-Feb-07	18:00	18:30	58.8	61.4	55.1
09-Feb-07	18:30	19:00	56.0	58.3	52.5
09-Feb-07	19:00	19:15	55.5	57.6	52.7
09-Feb-07	19:15	19:30	55.8	58.0	52.5
09-Feb-07	19:30	19:45	55.7	57.9	52.5
09-Feb-07	19:45	20:00	57.2	59.6	53.4
09-Feb-07	20:00	20:15	56.4	58.6	52.8
09-Feb-07	20:15	20:30	56.0	58.2	53.1
09-Feb-07	20:30	20:45	55.9	57.6	53.8
09-Feb-07	20:45	21:00	55.5	57.1	53.3
09-Feb-07	21:00	21:15	55.4	57.8	52.6
09-Feb-07	21:15	21:30	55.1	57.3	52.4
09-Feb-07	21:30	21:45	54.9	56.6	52.1
09-Feb-07	21:45	22:00	55.2	57.7	51.8
09-Feb-07	22:00	22:15	55.2	57.3	52.4
09-Feb-07	22:15	22:30	55.8	57.9	53.1
09-Feb-07	22:30	22:45	56.1	57.6	53.0
09-Feb-07	22:45	23:00	55.2	57.0	52.5
09-Feb-07	23:00	23:15	55.7	58.3	52.8

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
09-Feb-07	23:15	23:30	55.5	57.8	52.5
09-Feb-07	23:30	23:45	54.9	57.0	51.6
09-Feb-07	23:45	00:00	54.4	56.7	51.1
10-Feb-07	00:00	00:15	53.8	55.9	50.7
10-Feb-07	00:15	00:30	53.5	55.8	50.4
10-Feb-07	00:30	00:45	52.9	55.0	50.0
10-Feb-07	00:45	01:00	52.5	54.5	49.6
10-Feb-07	01:00	01:15	52.8	54.7	49.6
10-Feb-07	01:15	01:30	51.9	54.0	49.3
10-Feb-07	01:30	01:45	51.8	54.0	48.7
10-Feb-07	01:45	02:00	52.3	54.3	49.3
10-Feb-07	02:00	02:15	51.2	53.3	48.7
10-Feb-07	02:15	02:30	51.2	53.5	48.2
10-Feb-07	02:30	02:45	50.8	53.1	47.9
10-Feb-07	02:45	03:00	50.6	52.9	48.3
10-Feb-07	03:00	03:15	50.2	52.5	47.7
10-Feb-07	03:15	03:30	50.3	52.4	47.5
10-Feb-07	03:30	03:45	50.5	52.7	47.6
10-Feb-07	03:45	04:00	50.2	52.2	47.6
10-Feb-07	04:00	04:15	49.8	51.7	47.4
10-Feb-07	04:15	04:30	49.3	51.4	46.8
10-Feb-07	04:30	04:45	49.5	51.6	47.1
10-Feb-07	04:45	05:00	49.1	51.2	46.4
10-Feb-07	05:00	05:15	49.7	52.1	46.7
10-Feb-07	05:15	05:30	49.6	52.1	46.8
10-Feb-07	05:30	05:45	50.4	52.7	47.0
10-Feb-07	05:45	06:00	50.9	53.4	47.8
10-Feb-07	06:00	06:15	52.2	54.6	48.9
10-Feb-07	06:15	06:30	53.4	56.0	48.9
10-Feb-07	06:30	06:45	53.7	56.6	48.7
10-Feb-07	06:45	07:00	54.6	56.9	48.7
10-Feb-07	07:00	07:30	56.8	58.8	51.2
10-Feb-07	07:30	08:00	60.7	62.1	52.7
10-Feb-07	08:00	08:30	61.2	62.7	56.1
10-Feb-07	08:30	09:00	61.8	64.8	56.8
10-Feb-07	09:00	09:30	63.1	65.7	58.2
10-Feb-07	09:30	10:00	61.7	63.7	58.7
10-Feb-07	10:00	10:30	62.1	64.0	59.1
10-Feb-07	10:30	11:00	62.2	64.1	59.5
10-Feb-07	11:00	11:30	63.3	64.9	59.9
10-Feb-07	11:30	12:00	60.7	62.7	57.9
10-Feb-07	12:00	12:30	58.8	60.5	56.4
10-Feb-07	12:30	13:00	59.6	61.4	56.6
10-Feb-07	13:00	13:30	61.2	63.0	58.5
10-Feb-07	13:30	14:00	61.8	63.8	58.9
10-Feb-07	14:00	14:30	61.6	63.3	58.9
10-Feb-07	14:30	15:00	61.4	63.4	58.5
10-Feb-07	15:00	15:30	62.6	64.9	59.0
10-Feb-07	15:30	16:00	62.2	64.4	58.5
10-Feb-07	16:00	16:30	65.0	67.6	59.7
10-Feb-07	16:30	17:00	65.0	67.6	59.7
10-Feb-07	17:00	17:30	64.6	67.0	60.0
10-Feb-07	17:30	18:00	60.1	61.9	57.3

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
10-Feb-07	18:00	18:30	58.3	60.0	55.8
10-Feb-07	18:30	19:00	57.9	59.8	55.0
10-Feb-07	19:00	19:15	57.8	60.0	55.4
10-Feb-07	19:15	19:30	58.1	60.4	55.1
10-Feb-07	19:30	19:45	56.4	58.5	53.3
10-Feb-07	19:45	20:00	56.1	58.6	52.6
10-Feb-07	20:00	20:15	55.3	58.0	51.4
10-Feb-07	20:15	20:30	55.1	57.4	51.8
10-Feb-07	20:30	20:45	54.8	57.3	51.4
10-Feb-07	20:45	21:00	54.4	56.6	51.2
10-Feb-07	21:00	21:15	54.2	56.4	51.1
10-Feb-07	21:15	21:30	54.9	57.3	51.3
10-Feb-07	21:30	21:45	54.5	56.8	51.2
10-Feb-07	21:45	22:00	54.8	57.3	51.1
10-Feb-07	22:00	22:15	54.9	57.4	51.5
10-Feb-07	22:15	22:30	54.6	56.6	51.5
10-Feb-07	22:30	22:45	54.4	56.4	51.3
10-Feb-07	22:45	23:00	55.0	57.3	51.7
10-Feb-07	23:00	23:15	55.3	57.6	51.5
10-Feb-07	23:15	23:30	54.5	56.6	51.6
10-Feb-07	23:30	23:45	53.6	56.0	50.3
10-Feb-07	23:45	00:00	54.3	56.5	50.4
11-Feb-07	00:00	00:15	54.3	56.4	50.7
11-Feb-07	00:15	00:30	53.4	55.5	49.6
11-Feb-07	00:30	00:45	52.9	55.1	49.4
11-Feb-07	00:45	01:00	52.7	54.8	49.6
11-Feb-07	01:00	01:15	53.4	55.1	49.9
11-Feb-07	01:15	01:30	52.3	54.4	49.2
11-Feb-07	01:30	01:45	51.6	54.1	47.9
11-Feb-07	01:45	02:00	50.6	53.2	47.1
11-Feb-07	02:00	02:15	49.7	52.4	45.8
11-Feb-07	02:15	02:30	49.1	51.7	45.9
11-Feb-07	02:30	02:45	49.7	52.2	46.4
11-Feb-07	02:45	03:00	49.4	52.0	45.5
11-Feb-07	03:00	03:15	48.9	51.5	45.4
11-Feb-07	03:15	03:30	48.9	51.7	45.3
11-Feb-07	03:30	03:45	49.1	51.7	45.6
11-Feb-07	03:45	04:00	48.3	50.6	44.9
11-Feb-07	04:00	04:15	48.4	50.4	45.9
11-Feb-07	04:15	04:30	48.5	51.0	45.3
11-Feb-07	04:30	04:45	49.0	51.9	45.1
11-Feb-07	04:45	05:00	49.2	51.7	45.3
11-Feb-07	05:00	05:15	48.8	51.7	45.3
11-Feb-07	05:15	05:30	50.5	52.5	45.8
11-Feb-07	05:30	05:45	50.1	52.6	45.5
11-Feb-07	05:45	06:00	51.2	54.2	46.6
11-Feb-07	06:00	06:15	51.5	54.8	47.0
11-Feb-07	06:15	06:30	53.6	56.6	47.3
11-Feb-07	06:30	06:45	55.1	57.4	46.6
11-Feb-07	06:45	07:00	57.4	60.8	48.1
11-Feb-07	07:00	07:15	57.5	59.0	52.1
11-Feb-07	07:15	07:30	56.5	58.5	49.2
11-Feb-07	07:30	07:45	55.8	58.7	49.8

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
11-Feb-07	07:45	08:00	56.4	58.9	51.7
11-Feb-07	08:00	08:15	56.6	58.8	52.1
11-Feb-07	08:15	08:30	57.2	59.3	53.4
11-Feb-07	08:30	08:45	58.5	61.2	53.8
11-Feb-07	08:45	09:00	56.7	59.1	52.7
11-Feb-07	09:00	09:15	58.0	60.2	53.9
11-Feb-07	09:15	09:30	57.7	60.2	54.1
11-Feb-07	09:30	09:45	59.3	62.3	55.2
11-Feb-07	09:45	10:00	60.0	62.5	55.4
11-Feb-07	10:00	10:15	59.6	61.6	55.6
11-Feb-07	10:15	10:30	58.7	61.1	55.6
11-Feb-07	10:30	10:45	58.5	60.8	55.7
11-Feb-07	10:45	11:00	59.1	60.6	56.0
11-Feb-07	11:00	11:15	59.6	61.4	56.5
11-Feb-07	11:15	11:30	59.3	61.1	56.3
11-Feb-07	11:30	11:45	58.8	60.8	56.1
11-Feb-07	11:45	12:00	58.9	61.0	56.0
11-Feb-07	12:00	12:15	58.4	60.5	55.7
11-Feb-07	12:15	12:30	58.2	60.0	55.8
11-Feb-07	12:30	12:45	59.8	61.0	56.5
11-Feb-07	12:45	13:00	59.5	61.4	56.5
11-Feb-07	13:00	13:15	59.5	61.7	56.6
11-Feb-07	13:15	13:30	59.4	61.6	56.3
11-Feb-07	13:30	13:45	59.4	61.5	56.2
11-Feb-07	13:45	14:00	59.6	61.9	56.5
11-Feb-07	14:00	14:15	59.4	61.5	56.5
11-Feb-07	14:15	14:30	59.9	62.1	56.6
11-Feb-07	14:30	14:45	58.8	60.9	56.3
11-Feb-07	14:45	15:00	59.1	61.1	56.7
11-Feb-07	15:00	15:15	59.2	61.2	56.8
11-Feb-07	15:15	15:30	59.0	60.8	57.0
11-Feb-07	15:30	15:45	59.8	61.8	57.3
11-Feb-07	15:45	16:00	60.3	62.4	57.2
11-Feb-07	16:00	16:15	59.6	61.6	56.5
11-Feb-07	16:15	16:30	59.9	61.7	56.5
11-Feb-07	16:30	16:45	59.3	61.1	56.7
11-Feb-07	16:45	17:00	58.6	60.5	56.5
11-Feb-07	17:00	17:15	58.7	60.5	56.5
11-Feb-07	17:15	17:30	59.1	60.8	56.0
11-Feb-07	17:30	17:45	58.2	60.2	55.5
11-Feb-07	17:45	18:00	58.9	61.0	56.1
11-Feb-07	18:00	18:15	58.1	60.1	55.6
11-Feb-07	18:15	18:30	57.9	59.9	55.4
11-Feb-07	18:30	18:45	57.1	58.9	54.6
11-Feb-07	18:45	19:00	56.4	58.5	53.8
11-Feb-07	19:00	19:15	57.2	59.5	54.3
11-Feb-07	19:15	19:30	56.8	59.1	53.4
11-Feb-07	19:30	19:45	55.5	57.9	52.0
11-Feb-07	19:45	20:00	54.7	57.5	50.9
11-Feb-07	20:00	20:15	54.5	57.2	50.9
11-Feb-07	20:15	20:30	54.5	57.4	50.1
11-Feb-07	20:30	20:45	54.1	56.7	48.6
11-Feb-07	20:45	21:00	54.5	57.3	49.9

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
11-Feb-07	21:00	21:15	54.0	56.6	49.8
11-Feb-07	21:15	21:30	53.9	56.3	49.8
11-Feb-07	21:30	21:45	53.5	55.6	50.0
11-Feb-07	21:45	22:00	54.5	56.8	50.4
11-Feb-07	22:00	22:15	53.5	56.1	49.3
11-Feb-07	22:15	22:30	53.9	56.6	49.8
11-Feb-07	22:30	22:45	54.0	56.8	49.4
11-Feb-07	22:45	23:00	54.1	56.7	48.5
11-Feb-07	23:00	23:15	53.2	56.0	48.6
11-Feb-07	23:15	23:30	53.0	55.9	48.3
11-Feb-07	23:30	23:45	52.3	55.4	46.6
11-Feb-07	23:45	00:00	52.2	55.2	46.6
12-Feb-07	00:00	00:15	51.3	54.1	46.1
12-Feb-07	00:15	00:30	49.6	52.6	44.7
12-Feb-07	00:30	00:45	50.2	53.2	44.3
12-Feb-07	00:45	01:00	49.8	52.6	44.7
12-Feb-07	01:00	01:15	48.7	51.8	44.8
12-Feb-07	01:15	01:30	48.1	51.1	44.1
12-Feb-07	01:30	01:45	47.7	50.6	42.8
12-Feb-07	01:45	02:00	47.0	49.8	43.5
12-Feb-07	02:00	02:15	46.8	49.8	42.8
12-Feb-07	02:15	02:30	46.7	49.6	43.0
12-Feb-07	02:30	02:45	46.0	49.0	42.2
12-Feb-07	02:45	03:00	46.3	48.9	43.5
12-Feb-07	03:00	03:15	47.9	49.9	42.5
12-Feb-07	03:15	03:30	45.6	48.3	42.7
12-Feb-07	03:30	03:45	46.5	49.2	43.1
12-Feb-07	03:45	04:00	45.9	48.6	42.8
12-Feb-07	04:00	04:15	47.1	50.1	43.0
12-Feb-07	04:15	04:30	46.5	49.3	42.2
12-Feb-07	04:30	04:45	47.0	49.9	43.4
12-Feb-07	04:45	05:00	47.1	50.0	42.5
12-Feb-07	05:00	05:15	47.3	50.4	43.3
12-Feb-07	05:15	05:30	48.9	52.2	43.7
12-Feb-07	05:30	05:45	49.5	52.6	44.5
12-Feb-07	05:45	06:00	50.8	53.8	45.3
12-Feb-07	06:00	06:15	52.4	55.6	46.6
12-Feb-07	06:15	06:30	54.5	57.6	47.4
12-Feb-07	06:30	06:45	55.6	58.2	48.4
12-Feb-07	06:45	07:00	57.3	58.9	53.0
12-Feb-07	07:00	07:30	60.3	62.2	57.1
12-Feb-07	07:30	08:00	61.4	63.0	57.7
12-Feb-07	08:00	08:30	60.4	62.3	58.1
12-Feb-07	08:30	09:00	64.3	67.1	59.9
12-Feb-07	09:00	09:30	64.2	67.3	58.3
12-Feb-07	09:30	10:00	62.4	65.4	57.6
12-Feb-07	10:00	10:30	64.0	66.8	58.5
12-Feb-07	10:30	11:00	63.1	65.8	58.3
12-Feb-07	11:00	11:30	59.9	62.0	57.1
12-Feb-07	11:30	12:00	59.9	62.3	56.7
12-Feb-07	12:00	12:30	60.8	63.2	55.2
12-Feb-07	12:30	13:00	57.6	59.8	54.9
12-Feb-07	13:00	13:30	60.8	63.5	56.8

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
12-Feb-07	13:30	14:00	59.7	62.1	56.7
12-Feb-07	14:00	14:30	59.9	62.0	57.0
12-Feb-07	14:30	15:00	61.8	64.9	57.2
12-Feb-07	15:00	15:30	61.7	64.5	57.5
12-Feb-07	15:30	16:00	61.2	64.0	57.1
12-Feb-07	16:00	16:30	61.8	65.0	56.8
12-Feb-07	16:30	17:00	63.1	65.8	58.5
12-Feb-07	17:00	17:30	62.4	64.9	58.1
12-Feb-07	17:30	18:00	61.4	63.8	56.9
12-Feb-07	18:00	18:30	57.2	59.2	54.8
12-Feb-07	18:30	19:00	56.2	58.4	53.2
12-Feb-07	19:00	19:15	56.3	58.6	53.2
12-Feb-07	19:15	19:30	56.1	58.4	52.8
12-Feb-07	19:30	19:45	56.0	58.2	53.3
12-Feb-07	19:45	20:00	55.8	58.0	52.9
12-Feb-07	20:00	20:15	56.4	58.4	53.3
12-Feb-07	20:15	20:30	55.7	58.0	51.7
12-Feb-07	20:30	20:45	54.4	56.6	50.7
12-Feb-07	20:45	21:00	54.0	56.2	50.2
12-Feb-07	21:00	21:15	54.0	56.3	50.4
12-Feb-07	21:15	21:30	54.8	57.0	51.1
12-Feb-07	21:30	21:45	54.6	56.6	50.4
12-Feb-07	21:45	22:00	53.8	56.3	50.0
12-Feb-07	22:00	22:15	54.1	56.0	50.4
12-Feb-07	22:15	22:30	54.5	56.9	50.6
12-Feb-07	22:30	22:45	54.5	56.7	50.8
12-Feb-07	22:45	23:00	54.3	56.5	49.5
12-Feb-07	23:00	23:15	53.2	56.0	48.3
12-Feb-07	23:15	23:30	53.3	56.0	48.6
12-Feb-07	23:30	23:45	52.9	55.9	48.3
12-Feb-07	23:45	00:00	52.7	55.5	48.3
13-Feb-07	00:00	00:15	52.6	55.2	47.3
13-Feb-07	00:15	00:30	52.0	55.2	47.0
13-Feb-07	00:30	00:45	51.5	54.5	45.9
13-Feb-07	00:45	01:00	50.1	52.7	45.4
13-Feb-07	01:00	01:15	49.1	52.1	45.0
13-Feb-07	01:15	01:30	49.4	52.1	45.2
13-Feb-07	01:30	01:45	50.0	52.7	44.3
13-Feb-07	01:45	02:00	54.3	57.3	44.9
13-Feb-07	02:00	02:15	52.3	55.3	44.1
13-Feb-07	02:15	02:30	51.4	53.7	44.5
13-Feb-07	02:30	02:45	49.6	52.1	44.3
13-Feb-07	02:45	03:00	48.7	51.9	44.5
13-Feb-07	03:00	03:15	49.5	52.8	44.4
13-Feb-07	03:15	03:30	48.0	50.8	43.9
13-Feb-07	03:30	03:45	47.4	49.9	44.1
13-Feb-07	03:45	04:00	46.4	49.5	42.6
13-Feb-07	04:00	04:15	47.4	50.4	43.2
13-Feb-07	04:15	04:30	46.4	49.1	42.9
13-Feb-07	04:30	04:45	46.7	48.8	43.5
13-Feb-07	04:45	05:00	46.8	50.1	42.4
13-Feb-07	05:00	05:15	46.8	49.8	43.3
13-Feb-07	05:15	05:30	48.3	51.7	43.7

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
13-Feb-07	05:30	05:45	50.8	52.8	43.4
13-Feb-07	05:45	06:00	51.8	54.2	44.7
13-Feb-07	06:00	06:15	52.2	55.3	45.3
13-Feb-07	06:15	06:30	54.2	56.8	46.7
13-Feb-07	06:30	06:45	56.3	58.5	48.4
13-Feb-07	06:45	07:00	60.2	61.1	54.1
13-Feb-07	07:00	07:30	60.1	61.6	57.3
13-Feb-07	07:30	08:00	59.5	61.3	55.3
13-Feb-07	08:00	08:30	60.1	62.9	55.9
13-Feb-07	08:30	09:00	63.1	66.3	57.3
13-Feb-07	09:00	09:30	60.4	63.1	56.2
13-Feb-07	09:30	10:00	61.4	63.8	57.3
13-Feb-07	10:00	10:30	61.2	63.6	56.7
13-Feb-07	10:30	11:00	60.4	62.6	56.8
13-Feb-07	11:00	11:30	62.0	64.7	57.8
13-Feb-07	11:30	12:00	60.9	63.7	56.7
13-Feb-07	12:00	12:30	57.6	59.6	54.8
13-Feb-07	12:30	13:00	57.4	59.6	54.6
13-Feb-07	13:00	13:30	59.7	61.2	56.7
13-Feb-07	13:30	14:00	59.9	61.8	57.2
13-Feb-07	14:00	14:30	60.2	62.3	57.5
13-Feb-07	14:30	15:00	60.1	62.4	57.0
13-Feb-07	15:00	15:30	60.6	62.7	58.0
13-Feb-07	15:30	16:00	60.2	62.1	57.4
13-Feb-07	16:00	16:30	61.5	63.7	58.4
13-Feb-07	16:30	17:00	62.1	64.8	57.7
13-Feb-07	17:00	17:30	59.5	61.5	56.6
13-Feb-07	17:30	18:00	58.8	61.0	55.6
13-Feb-07	18:00	18:30	57.5	59.6	54.5
13-Feb-07	18:30	19:00	56.8	59.2	53.5
13-Feb-07	19:00	19:15	55.8	57.5	53.1
13-Feb-07	19:15	19:30	55.7	57.8	52.2
13-Feb-07	19:30	19:45	55.7	58.0	52.4
13-Feb-07	19:45	20:00	56.5	59.0	52.8
13-Feb-07	20:00	20:15	55.6	58.0	52.0
13-Feb-07	20:15	20:30	56.1	58.9	51.7
13-Feb-07	20:30	20:45	55.0	57.0	51.9
13-Feb-07	20:45	21:00	54.2	56.2	50.7
13-Feb-07	21:00	21:15	54.2	56.4	51.1
13-Feb-07	21:15	21:30	55.1	57.5	51.6
13-Feb-07	21:30	21:45	54.7	57.3	51.1
13-Feb-07	21:45	22:00	54.1	56.5	50.9
13-Feb-07	22:00	22:15	54.9	57.4	50.3
13-Feb-07	22:15	22:30	54.3	57.2	49.8
13-Feb-07	22:30	22:45	54.8	56.5	50.1
13-Feb-07	22:45	23:00	55.5	57.4	50.7
13-Feb-07	23:00	23:15	54.6	56.0	49.5
13-Feb-07	23:15	23:30	53.7	56.1	49.4
13-Feb-07	23:30	23:45	52.7	55.1	48.8
13-Feb-07	23:45	00:00	53.8	56.0	48.1
14-Feb-07	00:00	00:15	52.4	55.3	47.9
14-Feb-07	00:15	00:30	51.8	55.2	46.9
14-Feb-07	00:30	00:45	51.1	54.0	46.5

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
14-Feb-07	00:45	01:00	51.2	53.1	45.5
14-Feb-07	01:00	01:15	50.5	53.3	46.0
14-Feb-07	01:15	01:30	50.2	52.9	46.0
14-Feb-07	01:30	01:45	49.7	52.6	45.8
14-Feb-07	01:45	02:00	48.8	51.8	45.1
14-Feb-07	02:00	02:15	48.6	51.3	45.3
14-Feb-07	02:15	02:30	48.0	51.0	44.6
14-Feb-07	02:30	02:45	47.8	50.9	44.4
14-Feb-07	02:45	03:00	47.1	50.0	43.6
14-Feb-07	03:00	03:15	47.4	50.1	44.6
14-Feb-07	03:15	03:30	46.3	48.3	43.7
14-Feb-07	03:30	03:45	48.1	51.0	44.0
14-Feb-07	03:45	04:00	48.2	51.9	43.8
14-Feb-07	04:00	04:15	48.2	51.8	44.5
14-Feb-07	04:15	04:30	47.3	50.5	44.2
14-Feb-07	04:30	04:45	47.2	50.4	44.1
14-Feb-07	04:45	05:00	47.1	49.4	44.8
14-Feb-07	05:00	05:15	47.7	50.7	44.5
14-Feb-07	05:15	05:30	49.7	52.9	45.3
14-Feb-07	05:30	05:45	49.9	52.8	45.2
14-Feb-07	05:45	06:00	51.2	54.4	46.7
14-Feb-07	06:00	06:15	52.2	55.1	47.5
14-Feb-07	06:15	06:30	53.5	56.0	48.0
14-Feb-07	06:30	06:45	55.0	57.4	49.6
14-Feb-07	06:45	07:00	57.3	58.5	49.9
14-Feb-07	07:00	07:30	59.9	61.6	54.8
14-Feb-07	07:30	08:00	61.2	63.3	55.2
14-Feb-07	08:00	08:30	62.1	64.6	57.2
14-Feb-07	08:30	09:00	62.8	65.2	57.9
14-Feb-07	09:00	09:30	63.2	65.8	58.5
14-Feb-07	09:30	10:00	60.6	63.2	56.9
14-Feb-07	10:00	10:30	59.7	61.3	56.8
14-Feb-07	10:30	11:00	61.5	63.8	58.1
14-Feb-07	11:00	11:30	61.0	63.2	58.3
14-Feb-07	11:30	12:00	61.3	63.7	57.4
14-Feb-07	12:00	12:30	59.2	61.3	55.8
14-Feb-07	12:30	13:00	58.5	60.3	55.5
14-Feb-07	13:00	13:30	60.3	62.2	57.5
14-Feb-07	13:30	14:00	61.0	63.1	58.2
14-Feb-07	14:00	14:30	60.4	62.7	57.2
14-Feb-07	14:30	15:00	60.5	62.9	57.7
14-Feb-07	15:00	15:30	60.5	62.5	58.1
14-Feb-07	15:30	16:00	61.3	63.2	58.6
14-Feb-07	16:00	16:30	60.0	61.8	57.7
14-Feb-07	16:30	17:00	60.2	62.0	58.2
14-Feb-07	17:00	17:30	59.9	61.8	57.4
14-Feb-07	17:30	18:00	59.0	60.6	56.9
14-Feb-07	18:00	18:30	58.2	60.0	56.1
14-Feb-07	18:30	19:00	57.6	59.3	55.3
14-Feb-07	19:00	19:15	57.4	59.3	55.0
14-Feb-07	19:15	19:30	56.8	58.5	54.7
14-Feb-07	19:30	19:45	56.9	58.8	54.6
14-Feb-07	19:45	20:00	57.2	58.9	54.7

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
14-Feb-07	20:00	20:15	57.0	58.8	54.4
14-Feb-07	20:15	20:30	56.4	58.0	54.3
14-Feb-07	20:30	20:45	56.3	58.0	54.1
14-Feb-07	20:45	21:00	56.3	58.2	54.0
14-Feb-07	21:00	21:15	56.5	57.7	54.3
14-Feb-07	21:15	21:30	56.3	57.4	53.8
14-Feb-07	21:30	21:45	55.7	57.3	53.6
14-Feb-07	21:45	22:00	56.0	57.8	53.8
14-Feb-07	22:00	22:15	56.2	57.9	54.0
14-Feb-07	22:15	22:30	56.5	58.2	54.1
14-Feb-07	22:30	22:45	56.1	57.8	53.8
14-Feb-07	22:45	23:00	56.3	58.1	53.8
14-Feb-07	23:00	23:15	55.5	57.2	53.1
14-Feb-07	23:15	23:30	54.1	56.4	51.0
14-Feb-07	23:30	23:45	54.5	56.8	50.7
14-Feb-07	23:45	00:00	53.8	56.4	49.7
15-Feb-07	00:00	00:15	53.4	56.3	48.1
15-Feb-07	00:15	00:30	53.0	55.5	48.5
15-Feb-07	00:30	00:45	51.7	54.5	47.2
15-Feb-07	00:45	01:00	51.1	53.9	46.3
15-Feb-07	01:00	01:15	50.6	53.5	46.4
15-Feb-07	01:15	01:30	49.4	51.9	46.5
15-Feb-07	01:30	01:45	49.3	52.0	45.8
15-Feb-07	01:45	02:00	49.0	51.9	45.0
15-Feb-07	02:00	02:15	49.5	52.4	45.6
15-Feb-07	02:15	02:30	50.2	53.1	45.4
15-Feb-07	02:30	02:45	52.0	54.5	45.8
15-Feb-07	02:45	03:00	51.9	54.2	46.0
15-Feb-07	03:00	03:15	50.2	53.0	45.5
15-Feb-07	03:15	03:30	48.8	51.6	44.7
15-Feb-07	03:30	03:45	51.5	54.7	44.4
15-Feb-07	03:45	04:00	51.8	54.5	45.9
15-Feb-07	04:00	04:15	51.4	54.5	46.1
15-Feb-07	04:15	04:30	52.3	55.4	46.6
15-Feb-07	04:30	04:45	50.3	52.8	45.8
15-Feb-07	04:45	05:00	51.6	54.9	45.8
15-Feb-07	05:00	05:15	51.1	54.1	45.9
15-Feb-07	05:15	05:30	51.5	54.7	45.8
15-Feb-07	05:30	05:45	49.9	53.1	46.0
15-Feb-07	05:45	06:00	54.2	57.6	47.2
15-Feb-07	06:00	06:15	53.9	56.6	48.2
15-Feb-07	06:15	06:30	55.3	58.4	48.8
15-Feb-07	06:30	06:45	56.2	59.1	49.6
15-Feb-07	06:45	07:00	55.9	58.6	50.7
15-Feb-07	07:00	07:30	57.9	59.8	54.1
15-Feb-07	07:30	08:00	57.9	60.1	54.8
15-Feb-07	08:00	08:30	59.8	61.3	55.6
15-Feb-07	08:30	09:00	61.5	64.5	56.7
15-Feb-07	09:00	09:30	61.8	65.0	56.3
15-Feb-07	09:30	10:00	61.6	64.5	56.4
15-Feb-07	10:00	10:30	61.6	64.0	57.3
15-Feb-07	10:30	11:00	60.7	62.7	57.7
15-Feb-07	11:00	11:30	60.9	62.9	58.1

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
15-Feb-07	11:30	12:00	60.4	62.5	57.6
15-Feb-07	12:00	12:30	58.8	61.0	55.6
15-Feb-07	12:30	13:00	59.4	61.5	56.1
15-Feb-07	13:00	13:30	60.0	62.1	57.5
15-Feb-07	13:30	14:00	60.1	62.3	57.2
15-Feb-07	14:00	14:30	60.8	62.8	57.8
15-Feb-07	14:30	15:00	61.1	63.2	57.9
15-Feb-07	15:00	15:30	60.5	62.4	57.8
15-Feb-07	15:30	16:00	60.9	62.9	58.3
15-Feb-07	16:00	16:30	60.2	62.4	57.5
15-Feb-07	16:30	17:00	59.0	61.1	56.3
15-Feb-07	17:00	17:30	60.2	62.3	56.8
15-Feb-07	17:30	18:00	59.1	61.0	56.5
15-Feb-07	18:00	18:30	58.3	60.1	55.8
15-Feb-07	18:30	19:00	57.3	59.7	54.4
15-Feb-07	19:00	19:15	57.4	59.9	54.2
15-Feb-07	19:15	19:30	56.7	58.8	53.5
15-Feb-07	19:30	19:45	57.0	59.1	53.9
15-Feb-07	19:45	20:00	56.7	59.1	53.6
15-Feb-07	20:00	20:15	55.7	58.2	52.0
15-Feb-07	20:15	20:30	56.3	58.8	52.9
15-Feb-07	20:30	20:45	56.3	58.6	52.5
15-Feb-07	20:45	21:00	56.0	58.5	52.6
15-Feb-07	21:00	21:15	55.5	57.9	52.2
15-Feb-07	21:15	21:30	55.4	57.8	52.0
15-Feb-07	21:30	21:45	55.9	58.2	52.3
15-Feb-07	21:45	22:00	55.5	57.9	52.3
15-Feb-07	22:00	22:15	55.4	57.7	51.8
15-Feb-07	22:15	22:30	55.6	58.1	51.6
15-Feb-07	22:30	22:45	55.1	57.2	51.4
15-Feb-07	22:45	23:00	55.9	58.4	52.0
15-Feb-07	23:00	23:15	55.4	57.6	52.3
15-Feb-07	23:15	23:30	55.9	58.3	52.0
15-Feb-07	23:30	23:45	55.2	57.8	51.0
15-Feb-07	23:45	00:00	54.6	57.1	49.5
16-Feb-07	00:00	00:15	53.8	56.5	47.6
16-Feb-07	00:15	00:30	53.2	56.2	48.2
16-Feb-07	00:30	00:45	51.7	54.8	47.2
16-Feb-07	00:45	01:00	51.5	54.3	46.1
16-Feb-07	01:00	01:15	51.2	53.6	46.1
16-Feb-07	01:15	01:30	50.6	53.3	46.4
16-Feb-07	01:30	01:45	50.3	53.6	45.4
16-Feb-07	01:45	02:00	51.2	54.1	45.2
16-Feb-07	02:00	02:15	51.4	54.8	45.7
16-Feb-07	02:15	02:30	50.0	52.9	45.0
16-Feb-07	02:30	02:45	49.7	52.4	45.2
16-Feb-07	02:45	03:00	50.1	53.4	45.4
16-Feb-07	03:00	03:15	50.1	52.9	46.0
16-Feb-07	03:15	03:30	49.1	52.0	44.8
16-Feb-07	03:30	03:45	48.9	51.9	44.8
16-Feb-07	03:45	04:00	49.0	52.0	44.8
16-Feb-07	04:00	04:15	49.3	52.4	45.4
16-Feb-07	04:15	04:30	49.6	52.4	45.1

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
16-Feb-07	04:30	04:45	50.2	52.9	45.5
16-Feb-07	04:45	05:00	48.6	51.6	44.9
16-Feb-07	05:00	05:15	48.4	51.6	44.3
16-Feb-07	05:15	05:30	49.3	52.8	44.6
16-Feb-07	05:30	05:45	49.8	53.0	45.0
16-Feb-07	05:45	06:00	51.2	54.5	45.6
16-Feb-07	06:00	06:15	52.3	55.4	46.6
16-Feb-07	06:15	06:30	52.3	55.2	47.5
16-Feb-07	06:30	06:45	55.7	57.8	48.6
16-Feb-07	06:45	07:00	55.9	57.7	49.8
16-Feb-07	07:00	07:30	57.1	59.4	52.7
16-Feb-07	07:30	08:00	57.6	59.9	54.1
16-Feb-07	08:00	08:30	62.5	65.0	56.6
16-Feb-07	08:30	09:00	63.0	65.7	57.6
16-Feb-07	09:00	09:30	62.6	65.3	57.7
16-Feb-07	09:30	10:00	62.8	65.6	57.9
16-Feb-07	10:00	10:30	58.8	60.9	55.9
16-Feb-07	10:30	11:00	59.2	61.3	56.3
16-Feb-07	11:00	11:30	59.2	61.1	56.4
16-Feb-07	11:30	12:00	58.7	60.6	56.0
16-Feb-07	12:00	12:30	58.5	60.3	55.8
16-Feb-07	12:30	13:00	58.0	60.1	55.3
16-Feb-07	13:00	13:30	58.8	61.0	55.8
16-Feb-07	13:30	14:00	59.5	61.7	56.5
16-Feb-07	14:00	14:30	59.3	61.5	56.5
16-Feb-07	14:30	15:00	59.2	61.2	56.5
16-Feb-07	15:00	15:30	60.6	62.6	57.7
16-Feb-07	15:30	16:00	59.9	62.0	57.0
16-Feb-07	16:00	16:30	58.4	60.1	56.3
16-Feb-07	16:30	17:00	59.0	60.9	56.8
16-Feb-07	17:00	17:30	58.5	60.2	56.4
16-Feb-07	17:30	18:00	58.4	60.1	56.5
16-Feb-07	18:00	18:30	58.7	60.6	56.3
16-Feb-07	18:30	19:00	56.8	58.6	54.5
16-Feb-07	19:00	19:15	56.5	58.6	53.4
16-Feb-07	19:15	19:30	55.9	57.8	53.0
16-Feb-07	19:30	19:45	57.4	60.3	53.0
16-Feb-07	19:45	20:00	56.7	59.0	53.1
16-Feb-07	20:00	20:15	56.2	58.0	52.9
16-Feb-07	20:15	20:30	55.2	57.2	52.0
16-Feb-07	20:30	20:45	55.0	57.0	52.2
16-Feb-07	20:45	21:00	55.4	57.9	50.9
16-Feb-07	21:00	21:15	54.8	57.3	51.2
16-Feb-07	21:15	21:30	54.6	57.0	51.0
16-Feb-07	21:30	21:45	54.4	56.8	51.0
16-Feb-07	21:45	22:00	54.0	56.2	50.9
16-Feb-07	22:00	22:15	53.7	55.8	50.6
16-Feb-07	22:15	22:30	54.1	56.4	51.0
16-Feb-07	22:30	22:45	54.5	56.6	51.5
16-Feb-07	22:45	23:00	54.8	57.0	51.4
16-Feb-07	23:00	23:15	54.1	56.2	50.4
16-Feb-07	23:15	23:30	55.0	57.8	50.0
16-Feb-07	23:30	23:45	53.4	55.7	49.9

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
16-Feb-07	23:45	00:00	53.4	55.9	49.1
17-Feb-07	00:00	00:15	52.7	55.4	48.3
17-Feb-07	00:15	00:30	52.2	55.0	47.9
17-Feb-07	00:30	00:45	51.6	54.4	46.6
17-Feb-07	00:45	01:00	50.8	53.4	45.7
17-Feb-07	01:00	01:15	49.9	52.8	45.8
17-Feb-07	01:15	01:30	50.4	53.0	46.7
17-Feb-07	01:30	01:45	49.4	52.3	45.6
17-Feb-07	01:45	02:00	48.8	52.2	44.6
17-Feb-07	02:00	02:15	50.0	52.6	45.2
17-Feb-07	02:15	02:30	49.5	51.9	45.0
17-Feb-07	02:30	02:45	49.1	52.1	44.9
17-Feb-07	02:45	03:00	48.6	51.9	44.2
17-Feb-07	03:00	03:15	48.1	51.0	44.9
17-Feb-07	03:15	03:30	48.2	51.1	44.3
17-Feb-07	03:30	03:45	47.8	50.8	44.0
17-Feb-07	03:45	04:00	48.7	51.0	45.2
17-Feb-07	04:00	04:15	48.0	51.2	44.3
17-Feb-07	04:15	04:30	48.1	50.7	44.8
17-Feb-07	04:30	04:45	48.7	51.4	44.6
17-Feb-07	04:45	05:00	48.4	51.7	44.8
17-Feb-07	05:00	05:15	47.7	50.7	44.2
17-Feb-07	05:15	05:30	49.9	52.8	44.7
17-Feb-07	05:30	05:45	50.0	52.9	45.6
17-Feb-07	05:45	06:00	50.5	53.3	45.0
17-Feb-07	06:00	06:15	51.6	54.5	45.8
17-Feb-07	06:15	06:30	53.1	56.0	46.9
17-Feb-07	06:30	06:45	54.7	57.5	48.4
17-Feb-07	06:45	07:00	54.6	57.5	48.1
17-Feb-07	07:00	07:15	55.2	58.5	50.9
17-Feb-07	07:15	07:30	55.5	58.3	50.7
17-Feb-07	07:30	07:45	57.1	59.3	50.7
17-Feb-07	07:45	08:00	57.3	59.1	51.3
17-Feb-07	08:00	08:15	57.1	59.6	53.3
17-Feb-07	08:15	08:30	56.6	59.0	51.5
17-Feb-07	08:30	08:45	55.8	58.5	51.6
17-Feb-07	08:45	09:00	57.5	60.0	53.5
17-Feb-07	09:00	09:15	56.7	59.4	52.4
17-Feb-07	09:15	09:30	56.5	59.2	52.7
17-Feb-07	09:30	09:45	57.1	59.5	53.1
17-Feb-07	09:45	10:00	57.6	59.7	54.3
17-Feb-07	10:00	10:15	57.2	59.4	54.3
17-Feb-07	10:15	10:30	58.5	61.0	55.2
17-Feb-07	10:30	10:45	58.4	60.5	55.4
17-Feb-07	10:45	11:00	58.0	59.8	55.8
17-Feb-07	11:00	11:15	58.3	60.2	55.8
17-Feb-07	11:15	11:30	58.4	60.5	55.8
17-Feb-07	11:30	11:45	62.1	65.5	57.2
17-Feb-07	11:45	12:00	61.7	65.1	56.4
17-Feb-07	12:00	12:15	59.1	61.4	56.0
17-Feb-07	12:15	12:30	58.0	60.1	55.7
17-Feb-07	12:30	12:45	58.5	60.6	55.7
17-Feb-07	12:45	13:00	58.7	61.2	55.8

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
17-Feb-07	13:00	13:15	59.3	61.1	57.0
17-Feb-07	13:15	13:30	58.2	60.1	55.9
17-Feb-07	13:30	13:45	58.1	59.9	55.8
17-Feb-07	13:45	14:00	58.4	60.3	55.8
17-Feb-07	14:00	14:15	58.8	60.7	56.3
17-Feb-07	14:15	14:30	58.5	60.4	55.8
17-Feb-07	14:30	14:45	58.3	60.3	55.8
17-Feb-07	14:45	15:00	58.4	60.5	55.8
17-Feb-07	15:00	15:15	59.9	61.9	57.1
17-Feb-07	15:15	15:30	60.0	62.2	56.2
17-Feb-07	15:30	15:45	58.9	60.9	55.9
17-Feb-07	15:45	16:00	58.5	60.5	55.9
17-Feb-07	16:00	16:15	58.5	60.5	56.0
17-Feb-07	16:15	16:30	58.6	60.9	55.8
17-Feb-07	16:30	16:45	60.0	62.1	56.9
17-Feb-07	16:45	17:00	59.8	61.8	56.1
17-Feb-07	17:00	17:15	60.0	62.2	55.9
17-Feb-07	17:15	17:30	59.2	61.1	56.2
17-Feb-07	17:30	17:45	58.1	60.1	55.7
17-Feb-07	17:45	18:00	58.5	60.5	56.2
17-Feb-07	18:00	18:15	59.1	60.9	56.7
17-Feb-07	18:15	18:30	58.0	59.9	55.6
17-Feb-07	18:30	18:45	57.6	59.9	54.5
17-Feb-07	18:45	19:00	56.7	58.8	54.1
17-Feb-07	19:00	19:15	56.7	58.8	53.7
17-Feb-07	19:15	19:30	56.5	58.9	53.3
17-Feb-07	19:30	19:45	55.4	58.3	51.0
17-Feb-07	19:45	20:00	54.9	57.6	50.6
17-Feb-07	20:00	20:15	54.6	57.1	50.5
17-Feb-07	20:15	20:30	55.1	58.2	50.3
17-Feb-07	20:30	20:45	54.8	57.3	49.6
17-Feb-07	20:45	21:00	55.1	57.4	50.3
17-Feb-07	21:00	21:15	53.3	55.7	49.4
17-Feb-07	21:15	21:30	53.8	56.4	49.3
17-Feb-07	21:30	21:45	53.8	56.5	49.6
17-Feb-07	21:45	22:00	53.8	56.1	50.1
17-Feb-07	22:00	22:15	53.9	56.6	49.3
17-Feb-07	22:15	22:30	53.9	57.0	49.4
17-Feb-07	22:30	22:45	53.1	55.7	49.6
17-Feb-07	22:45	23:00	53.3	56.0	48.9
17-Feb-07	23:00	23:15	53.7	56.9	49.3
17-Feb-07	23:15	23:30	53.6	56.8	49.0
17-Feb-07	23:30	23:45	53.5	56.3	49.0
17-Feb-07	23:45	00:00	52.4	55.3	48.4
18-Feb-07	00:00	00:15	52.7	55.3	48.7
18-Feb-07	00:15	00:30	52.4	54.9	48.1
18-Feb-07	00:30	00:45	51.6	54.3	47.2
18-Feb-07	00:45	01:00	51.2	53.7	47.2
18-Feb-07	01:00	01:15	50.7	53.1	47.8
18-Feb-07	01:15	01:30	50.9	53.4	47.6
18-Feb-07	01:30	01:45	50.6	53.5	46.8
18-Feb-07	01:45	02:00	50.0	53.0	46.7
18-Feb-07	02:00	02:15	50.8	53.3	46.9

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
18-Feb-07	02:15	02:30	50.9	53.4	46.1
18-Feb-07	02:30	02:45	50.6	53.4	46.2
18-Feb-07	02:45	03:00	49.6	52.7	46.3
18-Feb-07	03:00	03:15	49.0	51.9	46.2
18-Feb-07	03:15	03:30	49.5	52.5	46.0
18-Feb-07	03:30	03:45	49.7	52.3	45.7
18-Feb-07	03:45	04:00	49.9	52.0	46.0
18-Feb-07	04:00	04:15	50.6	53.5	45.6
18-Feb-07	04:15	04:30	49.1	51.9	46.1
18-Feb-07	04:30	04:45	49.3	52.2	45.7
18-Feb-07	04:45	05:00	48.7	51.8	45.3
18-Feb-07	05:00	05:15	50.8	53.5	46.1
18-Feb-07	05:15	05:30	49.2	52.3	45.4
18-Feb-07	05:30	05:45	50.8	53.9	45.6
18-Feb-07	05:45	06:00	51.2	54.3	45.7
18-Feb-07	06:00	06:15	51.4	54.1	46.7
18-Feb-07	06:15	06:30	51.9	54.9	46.7
18-Feb-07	06:30	06:45	53.0	56.0	46.8
18-Feb-07	06:45	07:00	53.3	56.2	47.4
18-Feb-07	07:00	07:15	57.1	58.9	52.3
18-Feb-07	07:15	07:30	59.6	62.9	54.3
18-Feb-07	07:30	07:45	59.4	63.4	50.6
18-Feb-07	07:45	08:00	57.3	60.0	50.7
18-Feb-07	08:00	08:15	56.6	59.4	50.9
18-Feb-07	08:15	08:30	55.4	57.9	49.7
18-Feb-07	08:30	08:45	56.8	59.1	50.9
18-Feb-07	08:45	09:00	58.8	61.9	50.7
18-Feb-07	09:00	09:15	56.7	59.1	53.0
18-Feb-07	09:15	09:30	57.2	59.7	52.8
18-Feb-07	09:30	09:45	58.1	60.7	53.7
18-Feb-07	09:45	10:00	57.7	59.8	55.0
18-Feb-07	10:00	10:15	58.5	60.4	55.2
18-Feb-07	10:15	10:30	57.6	59.5	54.7
18-Feb-07	10:30	10:45	58.0	60.0	54.9
18-Feb-07	10:45	11:00	57.7	59.5	55.0
18-Feb-07	11:00	11:15	57.8	59.7	55.4
18-Feb-07	11:15	11:30	58.1	60.2	55.5
18-Feb-07	11:30	11:45	59.4	61.3	56.9
18-Feb-07	11:45	12:00	59.2	61.0	56.4
18-Feb-07	12:00	12:15	58.4	60.3	55.9
18-Feb-07	12:15	12:30	58.7	60.9	55.8
18-Feb-07	12:30	12:45	58.7	60.9	56.3
18-Feb-07	12:45	13:00	58.5	60.1	56.2
18-Feb-07	13:00	13:15	59.2	60.7	57.2
18-Feb-07	13:15	13:30	59.1	60.9	56.4
18-Feb-07	13:30	13:45	58.9	60.9	56.1
18-Feb-07	13:45	14:00	58.4	60.4	56.0
18-Feb-07	14:00	14:15	58.5	60.0	56.0
18-Feb-07	14:15	14:30	58.2	60.2	55.9
18-Feb-07	14:30	14:45	57.9	59.8	55.6
18-Feb-07	14:45	15:00	58.5	60.4	56.0
18-Feb-07	15:00	15:15	60.0	61.4	57.5
18-Feb-07	15:15	15:30	59.8	61.5	56.9

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
18-Feb-07	15:30	15:45	59.1	60.9	56.6
18-Feb-07	15:45	16:00	58.7	60.4	56.4
18-Feb-07	16:00	16:15	59.3	60.9	56.6
18-Feb-07	16:15	16:30	60.0	61.9	56.9
18-Feb-07	16:30	16:45	60.3	62.5	57.9
18-Feb-07	16:45	17:00	60.3	62.5	57.1
18-Feb-07	17:00	17:15	60.2	62.6	56.6
18-Feb-07	17:15	17:30	59.8	62.1	56.7
18-Feb-07	17:30	17:45	64.4	67.3	59.4
18-Feb-07	17:45	18:00	60.0	61.8	57.3
18-Feb-07	18:00	18:15	60.1	62.1	57.5
18-Feb-07	18:15	18:30	58.9	60.9	56.5
18-Feb-07	18:30	18:45	58.1	59.9	55.7
18-Feb-07	18:45	19:00	58.3	60.2	55.9
18-Feb-07	19:00	19:15	58.0	59.8	55.9
18-Feb-07	19:15	19:30	57.7	59.6	55.6
18-Feb-07	19:30	19:45	57.3	59.2	55.1
18-Feb-07	19:45	20:00	56.9	59.1	54.4
18-Feb-07	20:00	20:15	56.5	59.1	53.8
18-Feb-07	20:15	20:30	56.1	58.6	53.2
18-Feb-07	20:30	20:45	55.8	57.8	53.3
18-Feb-07	20:45	21:00	55.0	56.7	52.7
18-Feb-07	21:00	21:15	53.6	55.9	50.2
18-Feb-07	21:15	21:30	54.0	56.1	50.4
18-Feb-07	21:30	21:45	54.0	56.5	49.5
18-Feb-07	21:45	22:00	53.6	55.9	48.8
18-Feb-07	22:00	22:15	53.1	55.8	49.1
18-Feb-07	22:15	22:30	54.2	57.2	49.3
18-Feb-07	22:30	22:45	53.5	56.4	49.2
18-Feb-07	22:45	23:00	53.0	55.7	48.7
18-Feb-07	23:00	23:15	52.7	55.5	48.5
18-Feb-07	23:15	23:30	53.2	55.7	49.3
18-Feb-07	23:30	23:45	52.3	55.0	48.5
18-Feb-07	23:45	00:00	52.6	55.1	48.6
19-Feb-07	00:00	00:15	53.3	56.3	48.8
19-Feb-07	00:15	00:30	52.8	55.4	48.5
19-Feb-07	00:30	00:45	51.4	53.8	48.0
19-Feb-07	00:45	01:00	50.5	52.6	47.6
19-Feb-07	01:00	01:15	50.7	53.0	47.4
19-Feb-07	01:15	01:30	51.7	54.8	47.0
19-Feb-07	01:30	01:45	50.5	53.8	46.3
19-Feb-07	01:45	02:00	48.3	50.7	45.6
19-Feb-07	02:00	02:15	49.7	52.1	46.3
19-Feb-07	02:15	02:30	49.5	52.4	45.6
19-Feb-07	02:30	02:45	48.5	51.1	45.2
19-Feb-07	02:45	03:00	48.6	51.5	45.2
19-Feb-07	03:00	03:15	48.9	51.5	45.4
19-Feb-07	03:15	03:30	48.2	50.8	44.8
19-Feb-07	03:30	03:45	47.4	50.1	43.6
19-Feb-07	03:45	04:00	47.9	50.7	44.8
19-Feb-07	04:00	04:15	47.7	50.4	44.6
19-Feb-07	04:15	04:30	48.7	50.5	44.4
19-Feb-07	04:30	04:45	47.6	49.8	44.4

**Monitoring Results of CN2 - Project Development Office, Ocean Park**

<b>Date</b>	<b>Time</b>		<b>Measured Noise Levels, dB(A)</b>		
	<b>From</b>	<b>To</b>	<b>LAeq</b>	<b>LA10</b>	<b>LA90</b>
19-Feb-07	04:45	05:00	46.6	48.8	44.3
19-Feb-07	05:00	05:15	47.7	50.7	44.1
19-Feb-07	05:15	05:30	49.6	52.5	43.9
19-Feb-07	05:30	05:45	51.1	53.3	45.3
19-Feb-07	05:45	06:00	51.7	54.1	44.5
19-Feb-07	06:00	06:15	51.1	54.1	45.3
19-Feb-07	06:15	06:30	53.9	56.0	46.4
19-Feb-07	06:30	06:45	52.2	55.4	46.0
19-Feb-07	06:45	07:00	53.4	56.2	46.2
19-Feb-07	07:00	07:15	59.4	61.7	54.2
19-Feb-07	07:15	07:30	58.1	60.6	52.8
19-Feb-07	07:30	07:45	57.9	61.4	50.5
19-Feb-07	07:45	08:00	58.6	61.9	52.1
19-Feb-07	08:00	08:15	58.7	61.8	52.2
19-Feb-07	08:15	08:30	58.8	62.0	51.5
19-Feb-07	08:30	08:45	59.1	61.5	50.8
19-Feb-07	08:45	09:00	58.2	60.7	51.2
19-Feb-07	09:00	09:15	58.1	60.5	52.9
19-Feb-07	09:15	09:30	58.0	60.4	53.3
19-Feb-07	09:30	09:45	58.5	61.0	54.7
19-Feb-07	09:45	10:00	57.6	60.0	54.4
19-Feb-07	10:00	10:15	57.6	60.0	54.8
19-Feb-07	10:15	10:30	58.1	60.1	55.2
19-Feb-07	10:30	10:45	58.9	60.5	55.7
19-Feb-07	10:45	11:00	58.7	61.0	55.8
19-Feb-07	11:00	11:15	61.6	64.7	57.1
19-Feb-07	11:15	11:30	59.8	62.5	56.4
19-Feb-07	11:30	11:45	59.6	61.5	57.0
19-Feb-07	11:45	12:00	59.5	61.4	57.1
19-Feb-07	12:00	12:15	61.2	63.6	58.2
19-Feb-07	12:15	12:30	59.0	61.2	56.4
19-Feb-07	12:30	12:45	58.9	60.8	56.4
19-Feb-07	12:45	13:00	58.9	60.8	56.1
19-Feb-07	13:00	13:15	59.7	61.7	57.1
19-Feb-07	13:15	13:30	59.3	61.2	56.7
19-Feb-07	13:30	13:45	60.9	63.2	57.3

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
29-Dec-06	11:20	11:30	62.1	63.9	60.1
29-Dec-06	11:30	12:00	62.2	63.8	60.2
29-Dec-06	12:00	12:30	60.9	62.5	59.0
29-Dec-06	12:30	13:00	61.7	63.3	59.4
29-Dec-06	13:00	13:30	61.6	63.2	59.5
29-Dec-06	13:30	14:00	61.2	63.1	58.9
29-Dec-06	14:00	14:30	60.9	62.7	58.7
29-Dec-06	14:30	15:00	60.7	62.4	58.7
29-Dec-06	15:00	15:30	60.9	62.5	58.7
29-Dec-06	15:30	16:00	60.7	62.3	58.8
29-Dec-06	16:00	16:30	62.0	63.7	59.9
29-Dec-06	16:30	17:00	62.3	64.0	60.2
29-Dec-06	17:00	17:30	62.1	63.8	60.0
29-Dec-06	17:30	18:00	61.8	63.4	59.7
29-Dec-06	18:00	18:30	61.1	62.6	59.3
29-Dec-06	18:30	19:00	60.6	62.1	58.7
29-Dec-06	19:00	19:15	60.7	62.1	58.9
29-Dec-06	19:15	19:30	60.6	62.4	58.5
29-Dec-06	19:30	19:45	61.0	62.9	58.7
29-Dec-06	19:45	20:00	61.8	63.9	58.5
29-Dec-06	20:00	20:15	61.0	63.5	57.5
29-Dec-06	20:15	20:30	58.3	60.1	55.4
29-Dec-06	20:30	20:45	57.6	59.5	53.4
29-Dec-06	20:45	21:00	57.2	59.1	53.1
29-Dec-06	21:00	21:15	55.9	57.0	53.5
29-Dec-06	21:15	21:30	56.0	57.9	53.6
29-Dec-06	21:30	21:45	57.8	60.4	53.8
29-Dec-06	21:45	22:00	60.8	64.6	54.2
29-Dec-06	22:00	22:15	55.2	59.5	52.3
29-Dec-06	22:15	22:30	56.1	59.0	52.2
29-Dec-06	22:30	22:45	56.4	59.3	52.7
29-Dec-06	22:45	23:00	55.2	57.6	52.7
29-Dec-06	23:00	23:15	53.8	55.1	52.1
29-Dec-06	23:15	23:30	53.3	54.8	51.7
29-Dec-06	23:30	23:45	52.5	53.6	50.8
29-Dec-06	23:45	00:00	52.3	53.5	50.1
30-Dec-06	00:00	00:15	52.5	53.9	50.3
30-Dec-06	00:15	00:30	54.9	57.5	51.1
30-Dec-06	00:30	00:45	52.8	54.7	50.4
30-Dec-06	00:45	01:00	52.0	53.3	49.7
30-Dec-06	01:00	01:15	51.7	52.8	49.5
30-Dec-06	01:15	01:30	51.1	52.9	49.2
30-Dec-06	01:30	01:45	51.6	53.4	49.3
30-Dec-06	01:45	02:00	49.7	51.1	48.3
30-Dec-06	02:00	02:15	49.0	50.0	47.4
30-Dec-06	02:15	02:30	49.3	50.4	47.7
30-Dec-06	02:30	02:45	48.5	49.3	47.4
30-Dec-06	02:45	03:00	47.2	47.9	46.2
30-Dec-06	03:00	03:15	47.9	48.9	46.8
30-Dec-06	03:15	03:30	48.4	49.5	47.2
30-Dec-06	03:30	03:45	47.8	48.9	46.4
30-Dec-06	03:45	04:00	47.7	48.8	46.7
30-Dec-06	04:00	04:15	48.0	48.7	47.2

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
30-Dec-06	04:15	04:30	47.1	47.9	46.0
30-Dec-06	04:30	04:45	47.8	48.6	46.8
30-Dec-06	04:45	05:00	48.0	48.7	47.1
30-Dec-06	05:00	05:15	47.7	48.5	46.8
30-Dec-06	05:15	05:30	48.0	48.8	47.1
30-Dec-06	05:30	05:45	47.8	48.6	46.9
30-Dec-06	05:45	06:00	46.8	47.8	45.8
30-Dec-06	06:00	06:15	48.1	49.0	47.0
30-Dec-06	06:15	06:30	49.7	50.6	48.7
30-Dec-06	06:30	06:45	51.1	52.3	49.6
30-Dec-06	06:45	07:00	52.0	53.5	50.1
30-Dec-06	07:00	07:30	53.3	54.5	51.5
30-Dec-06	07:30	08:00	52.7	53.9	51.3
30-Dec-06	08:00	08:30	54.8	56.6	52.9
30-Dec-06	08:30	09:00	56.2	58.0	53.8
30-Dec-06	09:00	09:30	57.2	58.6	55.5
30-Dec-06	09:30	10:00	57.8	59.1	55.8
30-Dec-06	10:00	10:30	56.9	58.3	55.1
30-Dec-06	10:30	11:00	57.1	58.6	55.4
30-Dec-06	11:00	11:30	57.1	58.5	55.4
30-Dec-06	11:30	12:00	55.7	57.4	53.6
30-Dec-06	12:00	12:30	55.8	57.4	53.9
30-Dec-06	12:30	13:00	56.6	57.9	55.1
30-Dec-06	13:00	13:30	56.9	58.2	55.3
30-Dec-06	13:30	14:00	56.3	57.8	54.6
30-Dec-06	14:00	14:30	56.9	58.5	55.0
30-Dec-06	14:30	15:00	56.3	57.8	54.5
30-Dec-06	15:00	15:30	58.4	59.7	55.4
30-Dec-06	15:30	16:00	56.8	58.0	54.7
30-Dec-06	16:00	16:30	56.6	58.1	54.8
30-Dec-06	16:30	17:00	57.4	59.0	55.1
30-Dec-06	17:00	17:30	58.3	60.2	55.9
30-Dec-06	17:30	18:00	58.0	59.6	56.0
30-Dec-06	18:00	18:30	57.6	59.3	55.7
30-Dec-06	18:30	19:00	57.4	59.1	55.7
30-Dec-06	19:00	19:15	57.5	58.8	55.9
30-Dec-06	19:15	19:30	57.5	58.8	56.0
30-Dec-06	19:30	19:45	57.6	59.2	55.8
30-Dec-06	19:45	20:00	57.9	59.7	55.8
30-Dec-06	20:00	20:15	57.8	59.2	55.0
30-Dec-06	20:15	20:30	53.8	55.2	52.2
30-Dec-06	20:30	20:45	53.9	55.5	51.5
30-Dec-06	20:45	21:00	53.0	54.4	51.4
30-Dec-06	21:00	21:15	53.0	55.1	51.0
30-Dec-06	21:15	21:30	53.4	55.4	51.4
30-Dec-06	21:30	21:45	52.9	54.4	51.1
30-Dec-06	21:45	22:00	52.3	53.9	50.7
30-Dec-06	22:00	22:15	53.2	55.1	51.1
30-Dec-06	22:15	22:30	53.7	56.0	51.0
30-Dec-06	22:30	22:45	54.5	57.9	51.1
30-Dec-06	22:45	23:00	54.4	57.8	50.9
30-Dec-06	23:00	23:15	52.3	53.9	50.5
30-Dec-06	23:15	23:30	53.0	54.9	50.9

## Monitoring Results of CN3 - Rinniped House, Ocean Park

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
30-Dec-06	23:30	23:45	52.8	55.0	50.5
30-Dec-06	23:45	00:00	52.2	54.2	49.2
31-Dec-06	00:00	00:15	51.9	53.8	49.5
31-Dec-06	00:15	00:30	50.9	52.3	49.4
31-Dec-06	00:30	00:45	49.7	50.7	48.5
31-Dec-06	00:45	01:00	49.4	50.7	48.1
31-Dec-06	01:00	01:15	49.0	50.1	47.8
31-Dec-06	01:15	01:30	48.8	49.7	46.7
31-Dec-06	01:30	01:45	49.8	51.9	47.4
31-Dec-06	01:45	02:00	49.0	50.7	47.4
31-Dec-06	02:00	02:15	47.8	48.7	46.7
31-Dec-06	02:15	02:30	49.1	50.8	47.3
31-Dec-06	02:30	02:45	47.8	48.7	46.7
31-Dec-06	02:45	03:00	47.1	48.0	46.0
31-Dec-06	03:00	03:15	47.6	48.4	46.7
31-Dec-06	03:15	03:30	47.8	48.6	46.8
31-Dec-06	03:30	03:45	47.0	47.9	45.9
31-Dec-06	03:45	04:00	47.5	48.3	46.4
31-Dec-06	04:00	04:15	47.3	48.3	46.3
31-Dec-06	04:15	04:30	47.1	48.4	45.8
31-Dec-06	04:30	04:45	48.2	49.3	46.8
31-Dec-06	04:45	05:00	47.5	48.5	46.4
31-Dec-06	05:00	05:15	47.4	48.3	46.2
31-Dec-06	05:15	05:30	47.7	48.5	46.7
31-Dec-06	05:30	05:44	47.6	48.6	46.1
31-Dec-06	05:44	06:00	47.5	48.8	46.2
31-Dec-06	06:00	06:15	48.8	50.1	47.2
31-Dec-06	06:15	06:30	50.7	52.7	48.4
31-Dec-06	06:30	06:45	49.9	51.1	48.6
31-Dec-06	06:45	07:00	50.4	51.8	49.0
31-Dec-06	07:00	07:30	52.0	53.2	50.6
31-Dec-06	07:30	08:00	52.2	53.8	50.3
31-Dec-06	08:00	08:30	52.8	54.7	50.4
31-Dec-06	08:30	09:00	53.3	54.8	51.4
31-Dec-06	09:00	09:30	52.6	54.0	51.0
31-Dec-06	09:30	10:00	53.8	55.4	51.9
31-Dec-06	10:00	10:30	54.4	56.1	52.1
31-Dec-06	10:30	11:00	55.0	56.4	52.9
31-Dec-06	11:00	11:30	56.7	59.3	53.7
31-Dec-06	11:30	12:00	56.6	58.2	54.6
31-Dec-06	12:00	12:30	58.0	60.2	54.7
31-Dec-06	12:30	13:00	58.9	60.9	54.3
31-Dec-06	13:00	13:30	58.6	60.8	54.3
31-Dec-06	13:30	14:00	58.2	59.9	54.6
31-Dec-06	14:00	14:30	58.7	59.7	55.2
31-Dec-06	14:30	15:00	57.5	58.6	54.8
31-Dec-06	15:00	15:30	57.3	58.7	54.9
31-Dec-06	15:30	16:00	58.1	59.2	55.3
31-Dec-06	16:00	16:30	57.6	58.8	55.1
31-Dec-06	16:30	17:00	57.7	59.0	55.1
31-Dec-06	17:00	17:30	57.9	59.5	55.2
31-Dec-06	17:30	18:00	57.6	59.2	55.1
31-Dec-06	18:00	18:30	57.0	58.6	54.7

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
31-Dec-06	18:30	19:00	56.5	58.1	54.5
31-Dec-06	19:00	19:15	57.3	58.7	54.8
31-Dec-06	19:15	19:30	58.2	59.7	54.7
31-Dec-06	19:30	19:45	57.0	58.6	54.9
31-Dec-06	19:45	20:00	57.0	58.4	54.4
31-Dec-06	20:00	20:15	56.7	58.1	54.2
31-Dec-06	20:15	20:30	54.2	54.9	52.1
31-Dec-06	20:30	20:45	53.7	55.0	51.4
31-Dec-06	20:45	21:00	54.5	56.2	51.6
31-Dec-06	21:00	21:15	53.6	55.0	51.2
31-Dec-06	21:15	21:30	55.5	56.3	51.5
31-Dec-06	21:30	21:45	55.4	56.6	51.9
31-Dec-06	21:45	22:00	57.4	59.5	52.4
31-Dec-06	22:00	22:15	57.5	58.9	52.4
31-Dec-06	22:15	22:30	59.4	60.9	52.3
31-Dec-06	22:30	22:45	59.1	60.5	52.3
31-Dec-06	22:45	23:00	56.1	57.6	51.5
31-Dec-06	23:00	23:15	57.1	58.4	52.2
31-Dec-06	23:15	23:30	58.1	59.4	52.5
31-Dec-06	23:30	23:45	57.8	59.0	52.0
31-Dec-06	23:45	00:00	58.3	60.1	52.2
01-Jan-07	00:00	00:15	59.1	60.6	52.9
01-Jan-07	00:15	00:30	58.1	59.3	52.5
01-Jan-07	00:30	00:45	57.1	58.1	52.1
01-Jan-07	00:45	01:00	56.7	57.6	51.7
01-Jan-07	01:00	01:15	55.5	57.0	51.5
01-Jan-07	01:15	01:30	56.2	57.6	51.2
01-Jan-07	01:30	01:45	56.9	58.3	51.8
01-Jan-07	01:45	02:00	56.5	57.6	51.2
01-Jan-07	02:00	02:15	52.4	53.4	50.0
01-Jan-07	02:15	02:30	50.9	51.7	49.7
01-Jan-07	02:30	02:45	54.0	54.9	50.0
01-Jan-07	02:45	03:00	56.2	57.8	50.9
01-Jan-07	03:00	03:15	52.9	54.6	49.9
01-Jan-07	03:15	03:30	53.6	55.3	49.6
01-Jan-07	03:30	03:45	51.8	53.2	48.4
01-Jan-07	03:45	04:00	50.5	51.3	47.7
01-Jan-07	04:00	04:15	48.9	49.9	47.4
01-Jan-07	04:15	04:30	48.8	49.6	47.1
01-Jan-07	04:30	04:45	49.2	50.0	46.7
01-Jan-07	04:45	05:00	48.4	49.3	46.5
01-Jan-07	05:00	05:15	49.1	50.1	47.3
01-Jan-07	05:15	05:30	50.3	51.6	47.7
01-Jan-07	05:30	05:44	52.0	53.4	48.0
01-Jan-07	05:44	06:00	51.1	52.7	48.6
01-Jan-07	06:00	06:15	50.8	52.0	48.8
01-Jan-07	06:15	06:30	50.9	51.9	49.3
01-Jan-07	06:30	06:45	50.9	52.0	49.3
01-Jan-07	06:45	07:00	49.9	51.6	48.0
01-Jan-07	07:00	07:30	51.0	52.9	49.2
01-Jan-07	07:30	08:00	51.7	53.5	49.8
01-Jan-07	08:00	08:30	53.4	54.7	50.9
01-Jan-07	08:30	09:00	55.2	56.8	51.4

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
01-Jan-07	09:00	09:30	54.6	56.5	51.8
01-Jan-07	09:30	10:00	55.1	56.6	53.0
01-Jan-07	10:00	10:30	55.9	57.5	53.7
01-Jan-07	10:30	11:00	57.7	59.7	54.5
01-Jan-07	11:00	11:30	58.0	60.0	55.1
01-Jan-07	11:30	12:00	58.8	60.5	56.0
01-Jan-07	12:00	12:30	59.1	61.0	55.9
01-Jan-07	12:30	13:00	59.4	61.2	56.1
01-Jan-07	13:00	13:30	59.5	61.0	56.5
01-Jan-07	13:30	14:00	59.1	60.9	56.8
01-Jan-07	14:00	14:30	61.3	63.5	58.0
01-Jan-07	14:30	15:00	63.9	67.0	58.3
01-Jan-07	15:00	15:30	64.2	67.4	57.8
01-Jan-07	15:30	16:00	63.3	66.7	57.0
01-Jan-07	16:00	16:30	58.2	60.2	55.6
01-Jan-07	16:30	17:00	58.0	60.0	55.5
01-Jan-07	17:00	17:30	57.8	59.6	55.6
01-Jan-07	17:30	18:00	58.7	60.8	56.0
01-Jan-07	18:00	18:30	58.3	60.4	55.6
01-Jan-07	18:30	19:00	57.9	59.7	55.6
01-Jan-07	19:00	19:15	58.1	59.6	56.1
01-Jan-07	19:15	19:30	57.6	59.1	55.8
01-Jan-07	19:30	19:45	57.6	59.4	55.2
01-Jan-07	19:45	20:00	56.7	58.4	54.5
01-Jan-07	20:00	20:15	55.6	57.4	53.3
01-Jan-07	20:15	20:30	53.3	54.7	51.8
01-Jan-07	20:30	20:45	52.7	54.5	50.8
01-Jan-07	20:45	21:00	52.1	53.6	50.4
01-Jan-07	21:00	21:15	52.1	53.1	51.0
01-Jan-07	21:15	21:30	51.5	52.2	50.7
01-Jan-07	21:30	21:45	51.8	53.4	50.2
01-Jan-07	21:45	22:00	51.6	52.5	50.7
01-Jan-07	22:00	22:15	50.8	51.5	50.1
01-Jan-07	22:15	22:30	51.3	52.2	50.5
01-Jan-07	22:30	22:45	51.2	52.1	50.3
01-Jan-07	22:45	23:00	50.6	51.2	49.9
01-Jan-07	23:00	23:15	50.5	51.1	49.9
01-Jan-07	23:15	23:30	50.5	51.2	49.8
01-Jan-07	23:30	23:45	49.8	50.7	48.8
01-Jan-07	23:45	00:00	49.5	50.7	47.3
02-Jan-07	00:00	00:15	49.4	50.8	47.0
02-Jan-07	00:15	00:30	48.3	49.3	46.6
02-Jan-07	00:30	00:45	48.0	48.9	47.0
02-Jan-07	00:45	01:00	48.1	49.2	47.0
02-Jan-07	01:00	01:15	47.0	48.3	45.7
02-Jan-07	01:15	01:30	47.9	49.6	45.9
02-Jan-07	01:30	01:45	47.1	48.1	45.8
02-Jan-07	01:45	02:00	48.3	50.7	45.5
02-Jan-07	02:00	02:15	52.9	56.0	46.9
02-Jan-07	02:15	02:30	51.1	54.4	46.1
02-Jan-07	02:30	02:45	56.5	60.6	46.4
02-Jan-07	02:45	03:00	55.9	59.7	47.2
02-Jan-07	03:00	03:15	55.8	59.3	47.5

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
02-Jan-07	03:15	03:30	46.4	47.4	44.9
02-Jan-07	03:30	03:45	46.4	47.2	45.4
02-Jan-07	03:45	04:00	46.5	47.4	45.4
02-Jan-07	04:00	04:15	46.5	47.3	45.2
02-Jan-07	04:15	04:30	47.2	48.2	45.5
02-Jan-07	04:30	04:45	48.3	49.4	45.6
02-Jan-07	04:45	05:00	47.0	48.2	44.8
02-Jan-07	05:00	05:15	48.0	49.2	46.0
02-Jan-07	05:15	05:30	46.8	47.8	45.5
02-Jan-07	05:30	05:44	46.4	47.5	45.0
02-Jan-07	05:44	06:00	46.9	47.9	45.9
02-Jan-07	06:00	06:15	47.8	49.0	46.4
02-Jan-07	06:15	06:30	48.3	50.0	46.6
02-Jan-07	06:30	06:45	48.4	49.8	46.7
02-Jan-07	06:45	07:00	47.5	49.0	45.3
02-Jan-07	07:00	07:30	47.8	49.4	45.7
02-Jan-07	07:30	08:00	47.9	49.2	45.9
02-Jan-07	08:00	08:30	48.1	49.9	46.0
02-Jan-07	08:30	09:00	49.0	50.4	47.2
02-Jan-07	09:00	09:30	50.3	51.7	48.6
02-Jan-07	09:30	10:00	51.1	52.6	49.3
02-Jan-07	10:00	10:30	52.6	53.9	50.9
02-Jan-07	10:30	11:00	54.0	55.3	52.4
02-Jan-07	11:00	11:30	54.0	55.5	52.1
02-Jan-07	11:30	12:00	53.9	55.1	52.1
02-Jan-07	12:00	12:30	56.4	57.9	54.8
02-Jan-07	12:30	13:00	57.3	58.8	55.5
02-Jan-07	13:00	13:30	58.0	59.4	56.2
02-Jan-07	13:30	14:00	58.1	59.6	56.1
02-Jan-07	14:00	14:30	59.5	62.1	55.8
02-Jan-07	14:30	15:00	59.3	61.2	56.5
02-Jan-07	15:00	15:30	59.9	62.1	56.3
02-Jan-07	15:30	16:00	61.1	62.6	56.9
02-Jan-07	16:00	16:30	60.3	62.0	58.3
02-Jan-07	16:30	17:00	60.1	62.3	57.2
02-Jan-07	17:00	17:30	59.2	61.6	56.5
02-Jan-07	17:30	18:00	58.4	60.4	55.7
02-Jan-07	18:00	18:30	56.9	58.8	54.6
02-Jan-07	18:30	19:00	58.3	60.0	54.4
02-Jan-07	19:00	19:15	57.9	60.9	53.1
02-Jan-07	19:15	19:30	55.0	57.3	49.0
02-Jan-07	19:30	19:45	54.8	56.9	49.8
02-Jan-07	19:45	20:00	54.8	57.3	49.3
02-Jan-07	20:00	20:15	55.8	58.5	50.3
02-Jan-07	20:15	20:30	55.1	57.9	50.3
02-Jan-07	20:30	20:45	50.6	52.8	47.4
02-Jan-07	20:45	21:00	47.3	49.1	45.0
02-Jan-07	21:00	21:15	47.4	49.4	45.0
02-Jan-07	21:15	21:30	51.2	54.0	46.8
02-Jan-07	21:30	21:45	51.5	54.4	46.1
02-Jan-07	21:45	22:00	47.5	49.3	45.4
02-Jan-07	22:00	22:15	47.6	49.7	45.2
02-Jan-07	22:15	22:30	48.9	51.5	44.6

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
02-Jan-07	22:30	22:45	49.8	52.7	45.1
02-Jan-07	22:45	23:00	53.5	56.5	48.1
02-Jan-07	23:00	23:15	55.5	58.6	49.4
02-Jan-07	23:15	23:30	55.6	58.3	48.5
02-Jan-07	23:30	23:45	55.7	58.4	47.0
02-Jan-07	23:45	00:00	55.9	59.0	48.0
03-Jan-07	00:00	00:15	52.7	55.9	45.0
03-Jan-07	00:15	00:30	49.8	52.8	43.1
03-Jan-07	00:30	00:45	46.9	48.6	42.6
03-Jan-07	00:45	01:00	49.4	52.2	43.5
03-Jan-07	01:00	01:15	52.2	54.8	44.6
03-Jan-07	01:15	01:30	54.9	57.2	46.2
03-Jan-07	01:30	01:45	54.5	57.0	47.4
03-Jan-07	01:45	02:00	54.4	57.7	46.0
03-Jan-07	02:00	02:15	52.2	55.3	45.5
03-Jan-07	02:15	02:30	46.3	48.5	42.4
03-Jan-07	02:30	02:45	43.5	45.0	40.9
03-Jan-07	02:45	03:00	43.1	45.4	40.5
03-Jan-07	03:00	03:15	45.2	47.6	42.1
03-Jan-07	03:15	03:30	43.9	45.5	40.8
03-Jan-07	03:30	03:45	42.5	43.8	39.3
03-Jan-07	03:45	04:00	41.0	42.4	39.2
03-Jan-07	04:00	04:15	44.6	50.7	40.6
03-Jan-07	04:15	04:30	46.3	51.8	39.8
03-Jan-07	04:30	04:45	47.3	50.0	40.2
03-Jan-07	04:45	05:00	58.7	61.8	52.6
03-Jan-07	05:00	05:15	60.7	63.9	54.5
03-Jan-07	05:15	05:30	53.9	57.5	48.3
03-Jan-07	05:30	05:44	46.1	48.7	42.3
03-Jan-07	05:44	06:00	44.2	46.3	41.8
03-Jan-07	06:00	06:15	44.4	46.4	41.7
03-Jan-07	06:15	06:30	43.2	44.0	42.4
03-Jan-07	06:30	06:45	53.1	55.8	47.0
03-Jan-07	06:45	07:00	46.4	47.9	44.3
03-Jan-07	07:00	07:30	56.9	59.3	53.4
03-Jan-07	07:30	08:00	60.6	63.4	55.9
03-Jan-07	08:00	08:30	50.9	52.5	48.6
03-Jan-07	08:30	09:00	50.1	52.3	47.1
03-Jan-07	09:00	09:30	52.0	54.4	48.0
03-Jan-07	09:30	10:00	52.6	54.7	48.3
03-Jan-07	10:00	10:30	54.9	57.3	50.3
03-Jan-07	10:30	11:00	56.5	58.9	52.5
03-Jan-07	11:00	11:30	58.4	59.7	56.5
03-Jan-07	11:30	12:00	59.4	61.2	56.9
03-Jan-07	12:00	12:30	60.2	61.4	56.7
03-Jan-07	12:30	13:00	58.9	60.3	56.9
03-Jan-07	13:00	13:30	59.0	60.2	57.5
03-Jan-07	13:30	14:00	59.6	60.9	57.4
03-Jan-07	14:00	14:30	59.3	60.5	56.8
03-Jan-07	14:30	15:00	58.6	59.9	57.1
03-Jan-07	15:00	15:30	59.1	60.4	57.6
03-Jan-07	15:30	16:00	59.5	61.0	57.7
03-Jan-07	16:00	16:30	59.4	61.1	57.7

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
03-Jan-07	16:30	17:00	59.0	60.5	57.4
03-Jan-07	17:00	17:30	59.6	61.0	58.0
03-Jan-07	17:30	18:00	58.7	60.3	57.2
03-Jan-07	18:00	18:30	58.3	59.8	56.7
03-Jan-07	18:30	19:00	58.5	60.0	56.9
03-Jan-07	19:00	19:15	57.8	59.0	56.5
03-Jan-07	19:15	19:30	58.4	59.8	56.9
03-Jan-07	19:30	19:45	58.1	59.8	56.3
03-Jan-07	19:45	20:00	57.7	59.3	56.1
03-Jan-07	20:00	20:15	57.1	58.6	55.4
03-Jan-07	20:15	20:30	56.8	58.0	55.3
03-Jan-07	20:30	20:45	56.0	57.0	55.0
03-Jan-07	20:45	21:00	55.8	57.0	54.7
03-Jan-07	21:00	21:15	56.1	57.6	54.6
03-Jan-07	21:15	21:30	55.9	57.0	54.7
03-Jan-07	21:30	21:45	56.3	57.5	54.9
03-Jan-07	21:45	22:00	55.8	57.1	54.6
03-Jan-07	22:00	22:15	56.0	57.2	54.5
03-Jan-07	22:15	22:30	56.7	58.2	55.2
03-Jan-07	22:30	22:45	55.9	57.6	54.0
03-Jan-07	22:45	23:00	55.0	55.9	53.7
03-Jan-07	23:00	23:15	53.4	54.3	52.3
03-Jan-07	23:15	23:30	53.4	54.6	52.0
03-Jan-07	23:30	23:45	53.7	55.1	52.1
03-Jan-07	23:45	00:00	54.0	55.6	52.3
04-Jan-07	00:00	00:15	53.6	54.8	52.1
04-Jan-07	00:15	00:30	52.8	54.1	51.4
04-Jan-07	00:30	00:45	52.7	54.2	50.2
04-Jan-07	00:45	01:00	52.1	53.4	49.8
04-Jan-07	01:00	01:15	51.0	52.2	49.4
04-Jan-07	01:15	01:30	49.6	51.5	47.8
04-Jan-07	01:30	01:45	49.1	50.9	47.5
04-Jan-07	01:45	02:00	50.6	53.1	47.7
04-Jan-07	02:00	02:15	49.6	51.6	47.6
04-Jan-07	02:15	02:30	48.3	49.7	46.6
04-Jan-07	02:30	02:45	48.1	49.8	46.3
04-Jan-07	02:45	03:00	48.4	49.8	46.8
04-Jan-07	03:00	03:15	48.5	50.2	46.4
04-Jan-07	03:15	03:30	48.3	50.0	46.3
04-Jan-07	03:30	03:45	47.5	48.9	45.8
04-Jan-07	03:45	04:00	48.5	49.9	46.5
04-Jan-07	04:00	04:15	48.5	50.0	46.3
04-Jan-07	04:15	04:30	47.9	49.4	46.1
04-Jan-07	04:30	04:45	47.8	49.4	46.2
04-Jan-07	04:45	05:00	48.7	50.6	46.9
04-Jan-07	05:00	05:15	49.1	51.1	46.8
04-Jan-07	05:15	05:30	49.0	50.5	47.3
04-Jan-07	05:30	05:44	49.9	51.5	48.3
04-Jan-07	05:44	06:00	50.8	52.3	48.9
04-Jan-07	06:00	06:15	51.0	52.2	49.3
04-Jan-07	06:15	06:30	51.4	52.8	49.4
04-Jan-07	06:30	06:45	52.1	53.6	50.5
04-Jan-07	06:45	07:00	51.3	52.7	49.5

## Monitoring Results of CN3 - Rinniped House, Ocean Park

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
04-Jan-07	07:00	07:30	53.9	55.1	52.2
04-Jan-07	07:30	08:00	53.9	55.3	52.2
04-Jan-07	08:00	08:30	55.6	57.0	54.1
04-Jan-07	08:30	09:00	57.1	58.6	55.3
04-Jan-07	09:00	09:30	57.3	58.8	55.5
04-Jan-07	09:30	10:00	58.3	59.8	56.4
04-Jan-07	10:00	10:30	58.2	59.7	56.4
04-Jan-07	10:30	11:00	58.1	59.1	56.5
04-Jan-07	11:00	11:30	59.1	60.9	57.1
04-Jan-07	11:30	12:00	58.1	59.4	56.3
04-Jan-07	12:00	12:30	56.3	57.6	54.4
04-Jan-07	12:30	13:00	56.4	57.7	54.6
04-Jan-07	13:00	13:30	58.2	59.5	56.4
04-Jan-07	13:30	14:00	60.3	62.5	56.6
04-Jan-07	14:00	14:30	58.9	60.9	56.1
04-Jan-07	14:30	15:00	59.8	62.3	56.7
04-Jan-07	15:00	15:30	59.8	61.4	56.7
04-Jan-07	15:30	16:00	58.5	59.9	56.7
04-Jan-07	16:00	16:30	58.5	61.1	56.6
04-Jan-07	16:30	17:00	58.9	60.4	57.1
04-Jan-07	17:00	17:30	58.2	59.6	56.5
04-Jan-07	17:30	18:00	58.0	59.6	56.4
04-Jan-07	18:00	18:30	57.3	58.9	55.6
04-Jan-07	18:30	19:00	56.2	57.7	54.4
04-Jan-07	19:00	19:15	56.6	58.0	55.0
04-Jan-07	19:15	19:30	58.6	60.4	56.2
04-Jan-07	19:30	19:45	58.2	60.2	55.3
04-Jan-07	19:45	20:00	56.5	58.6	54.0
04-Jan-07	20:00	20:15	55.7	57.4	53.5
04-Jan-07	20:15	20:30	56.5	58.3	53.9
04-Jan-07	20:30	20:45	56.1	58.5	53.0
04-Jan-07	20:45	21:00	55.0	57.4	51.9
04-Jan-07	21:00	21:15	55.5	57.9	52.4
04-Jan-07	21:15	21:30	54.6	56.7	52.3
04-Jan-07	21:30	21:45	54.1	56.2	51.6
04-Jan-07	21:45	22:00	55.0	57.8	52.1
04-Jan-07	22:00	22:15	55.2	57.6	52.2
04-Jan-07	22:15	22:30	53.6	55.4	51.6
04-Jan-07	22:30	22:45	52.7	54.3	51.1
04-Jan-07	22:45	23:00	53.3	55.1	51.3
04-Jan-07	23:00	23:15	53.4	55.3	50.9
04-Jan-07	23:15	23:30	54.5	56.7	51.6
04-Jan-07	23:30	23:45	55.5	58.5	52.0
04-Jan-07	23:45	00:00	54.4	56.8	51.8
05-Jan-07	00:00	00:15	57.0	59.8	52.5
05-Jan-07	00:15	00:30	55.8	58.7	51.7
05-Jan-07	00:30	00:45	53.8	55.8	51.3
05-Jan-07	00:45	01:00	53.0	54.9	50.8
05-Jan-07	01:00	01:15	55.1	57.9	51.1
05-Jan-07	01:15	01:30	56.1	59.4	51.8
05-Jan-07	01:30	01:45	54.9	58.2	50.4
05-Jan-07	01:45	02:00	53.0	56.0	49.6
05-Jan-07	02:00	02:15	49.4	51.8	47.1

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
05-Jan-07	02:15	02:30	46.2	47.5	44.6
05-Jan-07	02:30	02:45	44.9	46.1	43.8
05-Jan-07	02:45	03:00	44.7	45.8	43.6
05-Jan-07	03:00	03:15	44.6	45.5	44.1
05-Jan-07	03:15	03:30	45.2	46.0	44.3
05-Jan-07	03:30	03:45	46.1	47.6	43.8
05-Jan-07	03:45	04:00	45.9	47.4	44.0
05-Jan-07	04:00	04:15	43.8	45.4	42.1
05-Jan-07	04:15	04:30	43.2	45.4	41.2
05-Jan-07	04:30	04:45	42.7	44.2	40.9
05-Jan-07	04:45	05:00	43.3	45.2	41.2
05-Jan-07	05:00	05:15	43.6	45.6	42.1
05-Jan-07	05:15	05:30	45.3	45.9	44.4
05-Jan-07	05:30	05:44	45.2	46.1	43.8
05-Jan-07	05:44	06:00	44.8	45.4	44.1
05-Jan-07	06:00	06:15	45.3	46.1	44.3
05-Jan-07	06:15	06:30	46.2	47.7	43.9
05-Jan-07	06:30	06:45	45.9	47.5	44.1
05-Jan-07	06:45	07:00	44.1	45.6	42.6
05-Jan-07	07:00	07:30	45.5	47.0	44.0
05-Jan-07	07:30	08:00	47.5	49.2	45.5
05-Jan-07	08:00	08:30	47.6	49.0	45.6
05-Jan-07	08:30	09:00	47.7	49.2	45.8
05-Jan-07	09:00	09:30	47.8	49.5	46.0
05-Jan-07	09:30	10:00	48.6	50.2	46.5
05-Jan-07	10:00	10:30	49.8	51.3	48.0
05-Jan-07	10:30	11:00	50.4	51.8	48.5
05-Jan-07	11:00	11:30	50.8	52.3	49.0
05-Jan-07	11:30	12:00	50.3	52.1	48.3
05-Jan-07	12:00	12:30	50.9	53.2	47.4
05-Jan-07	12:30	13:00	50.7	53.4	47.1
05-Jan-07	13:00	13:30	49.7	52.0	46.7
05-Jan-07	13:30	14:00	50.5	53.3	46.2
05-Jan-07	14:00	14:30	48.5	50.5	45.1
05-Jan-07	14:30	15:00	50.9	54.6	45.8
05-Jan-07	15:00	15:30	51.8	54.6	46.4
05-Jan-07	15:30	16:00	49.1	51.5	45.4
05-Jan-07	16:00	16:30	50.3	53.8	45.6
05-Jan-07	16:30	17:00	48.8	50.7	45.8
05-Jan-07	17:00	17:30	50.1	52.3	46.9
05-Jan-07	17:30	18:00	49.7	53.3	45.6
05-Jan-07	18:00	18:30	45.7	47.2	44.0
05-Jan-07	18:30	19:00	44.0	45.0	42.9
05-Jan-07	19:00	19:15	45.1	46.0	44.1
05-Jan-07	19:15	19:30	45.1	46.0	44.1
05-Jan-07	19:30	19:45	45.8	47.4	43.6
05-Jan-07	19:45	20:00	44.9	45.6	43.9
05-Jan-07	20:00	20:15	44.9	45.7	43.9
05-Jan-07	20:15	20:30	44.5	45.7	43.3
05-Jan-07	20:30	20:45	44.1	44.9	43.4
05-Jan-07	20:45	21:00	44.1	44.8	43.6
05-Jan-07	21:00	21:15	44.0	45.2	43.0
05-Jan-07	21:15	21:30	44.0	44.8	43.2

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
05-Jan-07	21:30	21:45	45.5	46.5	43.6
05-Jan-07	21:45	22:00	44.6	45.2	43.2
05-Jan-07	22:00	22:15	44.2	45.6	42.9
05-Jan-07	22:15	22:30	44.3	45.6	43.2
05-Jan-07	22:30	22:45	44.3	45.6	43.1
05-Jan-07	22:45	23:00	43.5	44.4	42.5
05-Jan-07	23:00	23:15	44.4	46.1	42.7
05-Jan-07	23:15	23:30	44.9	47.1	42.4
05-Jan-07	23:30	23:45	43.4	45.4	41.4
05-Jan-07	23:45	00:00	43.0	45.0	41.0
06-Jan-07	00:00	00:15	43.0	45.3	41.0
06-Jan-07	00:15	00:30	41.9	43.1	40.4
06-Jan-07	00:30	00:45	42.0	44.1	39.5
06-Jan-07	00:45	01:00	42.2	44.3	39.8
06-Jan-07	01:00	01:15	40.8	42.4	39.1
06-Jan-07	01:15	01:30	39.5	41.3	37.7
06-Jan-07	01:30	01:45	40.0	41.6	38.2
06-Jan-07	01:45	02:00	39.9	41.2	38.6
06-Jan-07	02:00	02:15	39.8	41.3	37.9
06-Jan-07	02:15	02:30	38.9	40.2	37.2
06-Jan-07	02:30	02:45	39.9	41.3	38.3
06-Jan-07	02:45	03:00	40.1	41.9	38.4
06-Jan-07	03:00	03:15	40.3	42.6	37.5
06-Jan-07	03:15	03:30	40.3	42.8	37.8
06-Jan-07	03:30	03:45	40.5	42.3	38.4
06-Jan-07	03:45	04:00	40.9	44.5	37.1
06-Jan-07	04:00	04:15	37.8	38.9	36.4
06-Jan-07	04:15	04:30	38.6	39.4	37.8
06-Jan-07	04:30	04:45	38.2	39.1	37.1
06-Jan-07	04:45	05:00	36.8	37.9	35.7
06-Jan-07	05:00	05:15	38.2	39.2	37.1
06-Jan-07	05:15	05:30	39.0	39.8	38.1
06-Jan-07	05:30	05:44	37.9	39.3	36.7
06-Jan-07	05:44	06:00	37.9	39.0	36.4
06-Jan-07	06:00	06:15	39.7	40.8	38.7
06-Jan-07	06:15	06:30	40.6	41.3	39.8
06-Jan-07	06:30	06:45	42.4	43.3	41.1
06-Jan-07	06:45	07:00	43.9	46.1	40.9
06-Jan-07	07:00	07:30	46.6	49.9	41.4
06-Jan-07	07:30	08:00	47.1	49.0	41.7
06-Jan-07	08:00	08:30	57.8	61.8	47.7
06-Jan-07	08:30	09:00	60.2	63.9	47.1
06-Jan-07	09:00	09:30	51.7	55.0	44.5
06-Jan-07	09:30	10:00	51.1	54.0	45.8
06-Jan-07	10:00	10:30	51.6	54.5	45.9
06-Jan-07	10:30	11:00	52.8	55.9	46.3
06-Jan-07	11:00	11:30	53.2	56.2	46.4
06-Jan-07	11:30	12:00	51.2	53.4	46.9
06-Jan-07	12:00	12:30	49.7	52.3	46.2
06-Jan-07	12:30	13:00	49.7	51.6	45.9
06-Jan-07	13:00	13:30	53.1	55.9	46.5
06-Jan-07	13:30	14:00	53.2	55.4	46.8
06-Jan-07	14:00	14:30	52.9	56.0	46.7

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
06-Jan-07	14:30	15:00	55.5	58.2	47.4
06-Jan-07	15:00	15:30	55.1	57.8	47.5
06-Jan-07	15:30	16:00	55.4	59.1	48.6
06-Jan-07	16:00	16:30	55.9	59.3	49.1
06-Jan-07	16:30	17:00	56.3	60.7	48.9
06-Jan-07	17:00	17:30	54.3	56.9	49.0
06-Jan-07	17:30	18:00	54.1	57.7	48.1
06-Jan-07	18:00	18:30	50.1	52.3	46.9
06-Jan-07	18:30	19:00	48.2	50.5	46.2
06-Jan-07	19:00	19:15	47.2	48.8	45.5
06-Jan-07	19:15	19:30	46.4	47.7	44.9
06-Jan-07	19:30	19:45	47.6	49.4	45.4
06-Jan-07	19:45	20:00	46.8	48.1	45.2
06-Jan-07	20:00	20:15	46.5	47.9	44.6
06-Jan-07	20:15	20:30	46.6	47.7	45.1
06-Jan-07	20:30	20:45	46.6	47.9	45.0
06-Jan-07	20:45	21:00	46.9	48.7	44.5
06-Jan-07	21:00	21:15	46.6	48.3	44.7
06-Jan-07	21:15	21:30	47.0	48.3	45.2
06-Jan-07	21:30	21:45	47.6	49.1	45.4
06-Jan-07	21:45	22:00	47.4	48.9	45.1
06-Jan-07	22:00	22:15	46.8	48.2	45.1
06-Jan-07	22:15	22:30	46.3	48.0	44.2
06-Jan-07	22:30	22:45	44.3	45.4	43.1
06-Jan-07	22:45	23:00	45.1	46.8	43.0
06-Jan-07	23:00	23:15	42.8	44.0	41.4
06-Jan-07	23:15	23:30	44.0	45.2	42.3
06-Jan-07	23:30	23:45	44.9	46.8	42.6
06-Jan-07	23:45	00:00	44.6	47.1	41.4
07-Jan-07	00:00	00:15	46.7	50.1	41.0
07-Jan-07	00:15	00:30	45.3	48.2	41.8
07-Jan-07	00:30	00:45	49.2	53.5	39.8
07-Jan-07	00:45	01:00	53.2	57.1	41.0
07-Jan-07	01:00	01:15	53.2	56.7	43.8
07-Jan-07	01:15	01:30	55.4	58.6	42.1
07-Jan-07	01:30	01:45	55.0	57.9	41.9
07-Jan-07	01:45	02:00	56.2	59.5	44.8
07-Jan-07	02:00	02:15	53.8	58.2	40.2
07-Jan-07	02:15	02:30	55.1	59.5	40.6
07-Jan-07	02:30	02:45	54.5	58.4	40.9
07-Jan-07	02:45	03:00	54.0	58.7	39.4
07-Jan-07	03:00	03:15	54.1	58.9	40.5
07-Jan-07	03:15	03:30	52.5	57.1	40.6
07-Jan-07	03:30	03:45	49.3	54.0	39.5
07-Jan-07	03:45	04:00	50.0	54.3	40.5
07-Jan-07	04:00	04:15	51.4	55.8	40.2
07-Jan-07	04:15	04:30	45.8	50.4	37.9
07-Jan-07	04:30	04:45	40.0	41.0	38.5
07-Jan-07	04:45	05:00	40.1	41.1	38.5
07-Jan-07	05:00	05:15	38.7	39.8	37.0
07-Jan-07	05:15	05:30	39.7	40.6	38.4
07-Jan-07	05:30	05:44	39.5	40.4	38.4
07-Jan-07	05:44	06:00	39.7	41.5	37.0

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

<b>Date</b>	<b>Time</b>		<b>Measured Noise Levels, dB(A)</b>		
	<b>From</b>	<b>To</b>	<b>LAeq</b>	<b>LA10</b>	<b>LA90</b>
07-Jan-07	06:00	06:15	40.8	42.0	39.4
07-Jan-07	06:15	06:30	42.8	44.1	41.1
07-Jan-07	06:30	06:45	42.5	43.5	40.8
07-Jan-07	06:45	07:00	44.2	46.7	41.0
07-Jan-07	07:00	07:30	45.0	47.1	42.4
07-Jan-07	07:30	08:00	48.3	51.6	42.8
07-Jan-07	08:00	08:30	45.5	47.1	43.0
07-Jan-07	08:30	09:00	46.5	48.7	43.5
07-Jan-07	09:00	09:30	46.5	48.4	44.3
07-Jan-07	09:30	10:00	48.4	50.7	44.4
07-Jan-07	10:00	10:30	47.4	48.9	45.4
07-Jan-07	10:30	11:00	51.2	54.2	48.0
07-Jan-07	11:00	11:30	55.8	59.2	51.3
07-Jan-07	11:30	12:00	57.8	60.3	54.0
07-Jan-07	12:00	12:30	56.4	58.1	54.4
07-Jan-07	12:30	13:00	55.6	56.8	54.2
07-Jan-07	13:00	13:30	56.1	57.3	54.8
07-Jan-07	13:30	14:00	56.5	57.9	54.7
07-Jan-07	14:00	14:30	55.9	57.2	54.2
07-Jan-07	14:30	15:00	55.5	56.9	53.8
07-Jan-07	15:00	15:30	56.1	57.6	54.0
07-Jan-07	15:30	16:00	57.7	59.6	55.1
07-Jan-07	16:00	16:30	57.6	59.2	55.7
07-Jan-07	16:30	17:00	57.7	59.5	55.5
07-Jan-07	17:00	17:30	58.1	59.9	55.9
07-Jan-07	17:30	18:00	57.3	58.8	55.5
07-Jan-07	18:00	18:30	56.2	57.8	54.3
07-Jan-07	18:30	19:00	56.1	57.7	54.3
07-Jan-07	19:00	19:15	55.6	57.0	54.2
07-Jan-07	19:15	19:30	54.2	55.2	53.2
07-Jan-07	19:30	19:45	54.4	55.6	53.2
07-Jan-07	19:45	20:00	55.6	58.4	52.6
07-Jan-07	20:00	20:15	54.7	56.9	52.5
07-Jan-07	20:15	20:30	54.3	56.0	52.1
07-Jan-07	20:30	20:45	52.9	54.0	51.8
07-Jan-07	20:45	21:00	53.4	54.8	51.7
07-Jan-07	21:00	21:15	53.6	55.0	52.2
07-Jan-07	21:15	21:30	53.1	54.4	51.8
07-Jan-07	21:30	21:45	54.6	56.6	52.4
07-Jan-07	21:45	22:00	52.8	53.7	51.9
07-Jan-07	22:00	22:15	52.9	53.9	51.7
07-Jan-07	22:15	22:30	53.5	54.7	51.6
07-Jan-07	22:30	22:45	54.8	57.0	51.6
07-Jan-07	22:45	23:00	52.0	52.9	51.1
07-Jan-07	23:00	23:15	52.2	52.9	51.2
07-Jan-07	23:15	23:30	52.1	52.9	51.3
07-Jan-07	23:30	23:45	51.3	52.1	50.5
07-Jan-07	23:45	00:00	50.8	51.7	49.8
08-Jan-07	00:00	00:15	51.3	52.6	49.9
08-Jan-07	00:15	00:30	52.1	53.1	50.4
08-Jan-07	00:30	00:45	50.6	51.8	49.4
08-Jan-07	00:45	01:00	49.5	50.8	48.0
08-Jan-07	01:00	01:15	49.1	50.4	47.6

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
08-Jan-07	01:15	01:30	50.5	52.1	48.5
08-Jan-07	01:30	01:45	48.9	50.8	47.5
08-Jan-07	01:45	02:00	47.9	49.2	46.8
08-Jan-07	02:00	02:15	48.9	50.2	47.6
08-Jan-07	02:15	02:30	48.0	48.9	47.1
08-Jan-07	02:30	02:45	48.6	49.7	47.4
08-Jan-07	02:45	03:00	50.0	51.6	48.3
08-Jan-07	03:00	03:15	49.3	50.6	47.8
08-Jan-07	03:15	03:30	48.7	50.0	47.3
08-Jan-07	03:30	03:45	49.7	51.0	48.2
08-Jan-07	03:45	04:00	50.1	51.9	47.9
08-Jan-07	04:00	04:15	49.0	50.9	47.1
08-Jan-07	04:15	04:30	48.2	49.9	46.5
08-Jan-07	04:30	04:45	48.4	49.6	46.8
08-Jan-07	04:45	05:00	48.6	50.2	46.7
08-Jan-07	05:00	05:15	48.6	50.2	46.5
08-Jan-07	05:15	05:30	47.6	48.9	46.0
08-Jan-07	05:30	05:44	48.3	49.9	46.1
08-Jan-07	05:44	06:00	48.9	50.6	46.7
08-Jan-07	06:00	06:15	48.0	49.5	45.9
08-Jan-07	06:15	06:30	49.4	50.8	47.6
08-Jan-07	06:30	06:45	50.6	52.3	48.7
08-Jan-07	06:45	07:00	49.5	50.9	47.8
08-Jan-07	07:00	07:30	51.0	52.4	49.2
08-Jan-07	07:30	08:00	52.7	53.8	51.0
08-Jan-07	08:00	08:30	53.6	55.0	52.1
08-Jan-07	08:30	09:00	53.0	54.2	51.4
08-Jan-07	09:00	09:30	53.9	55.2	52.4
08-Jan-07	09:30	10:00	54.8	56.2	53.2
08-Jan-07	10:00	10:30	56.5	58.0	54.9
08-Jan-07	10:30	11:00	56.9	58.4	55.2
08-Jan-07	11:00	11:30	56.8	58.3	55.1
08-Jan-07	11:30	12:00	56.5	57.9	55.1
08-Jan-07	12:00	12:30	56.9	58.4	55.2
08-Jan-07	12:30	13:00	57.2	58.7	55.5
08-Jan-07	13:00	13:30	58.2	59.5	56.2
08-Jan-07	13:30	14:00	58.2	59.7	56.3
08-Jan-07	14:00	14:30	58.1	59.1	56.5
08-Jan-07	14:30	15:00	58.2	59.6	56.2
08-Jan-07	15:00	15:30	57.4	58.9	55.9
08-Jan-07	15:30	16:00	56.8	58.5	54.8
08-Jan-07	16:00	16:30	56.7	58.3	54.7
08-Jan-07	16:30	17:00	57.6	59.4	54.9
08-Jan-07	17:00	17:30	55.6	57.5	53.2
08-Jan-07	17:30	18:00	55.5	57.8	52.5
08-Jan-07	18:00	18:30	54.8	57.1	51.7
08-Jan-07	18:30	19:00	54.1	56.4	51.4
08-Jan-07	19:00	19:15	55.5	58.0	52.4
08-Jan-07	19:15	19:30	55.0	57.2	51.9
08-Jan-07	19:30	19:45	53.2	55.0	51.2
08-Jan-07	19:45	20:00	52.7	54.4	51.3
08-Jan-07	20:00	20:15	53.3	55.3	51.1
08-Jan-07	20:15	20:30	53.4	55.1	51.2

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
08-Jan-07	20:30	20:45	53.9	55.8	51.9
08-Jan-07	20:45	21:00	54.0	56.2	51.8
08-Jan-07	21:00	21:15	55.1	57.9	52.1
08-Jan-07	21:15	21:30	55.3	57.6	52.2
08-Jan-07	21:30	21:45	53.7	55.4	51.5
08-Jan-07	21:45	22:00	52.8	54.3	51.1
08-Jan-07	22:00	22:15	53.4	55.0	51.3
08-Jan-07	22:15	22:30	53.4	55.3	50.9
08-Jan-07	22:30	22:45	54.3	56.7	51.6
08-Jan-07	22:45	23:00	55.5	58.5	52.0
08-Jan-07	23:00	23:15	54.5	56.8	51.9
08-Jan-07	23:15	23:30	53.4	55.4	50.8
08-Jan-07	23:30	23:45	53.3	55.3	50.9
08-Jan-07	23:45	00:00	55.7	58.6	51.6
09-Jan-07	00:00	00:15	55.5	58.5	51.4
09-Jan-07	00:15	00:30	54.4	57.3	50.1
09-Jan-07	00:30	00:45	51.7	54.1	48.6
09-Jan-07	00:45	01:00	51.8	54.2	47.8
09-Jan-07	01:00	01:15	51.1	53.6	47.5
09-Jan-07	01:15	01:30	51.8	54.6	48.0
09-Jan-07	01:30	01:45	53.9	56.9	49.8
09-Jan-07	01:45	02:00	53.0	56.0	49.6
09-Jan-07	02:00	02:15	52.2	54.8	48.4
09-Jan-07	02:15	02:30	50.1	52.0	47.7
09-Jan-07	02:30	02:45	51.8	54.6	48.2
09-Jan-07	02:45	03:00	50.3	53.1	47.1
09-Jan-07	03:00	03:15	48.6	50.1	47.2
09-Jan-07	03:15	03:30	51.2	53.8	47.2
09-Jan-07	03:30	03:45	52.9	55.7	48.6
09-Jan-07	03:45	04:00	54.0	56.5	50.4
09-Jan-07	04:00	04:15	54.1	56.3	50.4
09-Jan-07	04:15	04:30	55.6	58.6	50.8
09-Jan-07	04:30	04:45	54.8	57.3	50.5
09-Jan-07	04:45	05:00	54.2	56.8	51.7
09-Jan-07	05:00	05:15	55.5	58.5	52.0
09-Jan-07	05:15	05:30	54.3	56.8	51.7
09-Jan-07	05:30	05:44	53.4	55.6	50.7
09-Jan-07	05:44	06:00	53.1	54.9	50.9
09-Jan-07	06:00	06:15	53.2	55.5	50.0
09-Jan-07	06:15	06:30	54.1	56.5	50.5
09-Jan-07	06:30	06:45	55.6	58.7	50.5
09-Jan-07	06:45	07:00	54.9	56.5	52.4
09-Jan-07	07:00	07:30	57.1	58.9	55.0
09-Jan-07	07:30	08:00	57.1	59.0	54.2
09-Jan-07	08:00	08:30	53.8	56.5	49.2
09-Jan-07	08:30	09:00	55.6	58.9	51.5
09-Jan-07	09:00	09:30	57.3	58.8	55.5
09-Jan-07	09:30	10:00	58.3	59.8	56.4
09-Jan-07	10:00	10:30	58.3	59.7	56.6
09-Jan-07	10:30	11:00	58.1	59.2	56.3
09-Jan-07	11:00	11:30	59.4	61.4	55.7
09-Jan-07	11:30	12:00	57.0	59.1	54.5
09-Jan-07	12:00	12:30	53.8	54.8	52.7

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
09-Jan-07	12:30	13:00	54.3	55.5	52.8
09-Jan-07	13:00	13:30	56.6	58.7	53.9
09-Jan-07	13:30	14:00	56.8	59.2	53.9
09-Jan-07	14:00	14:30	56.7	59.0	53.5
09-Jan-07	14:30	15:00	57.0	59.0	54.5
09-Jan-07	15:00	15:30	56.3	58.3	53.9
09-Jan-07	15:30	16:00	56.4	59.1	53.0
09-Jan-07	16:00	16:30	60.1	62.6	56.1
09-Jan-07	16:30	17:00	60.7	63.6	56.2
09-Jan-07	17:00	17:30	57.6	59.3	55.1
09-Jan-07	17:30	18:00	56.6	58.0	54.6
09-Jan-07	18:00	18:30	54.2	55.3	52.8
09-Jan-07	18:30	19:00	53.1	54.2	51.9
09-Jan-07	19:00	19:15	53.9	55.5	52.4
09-Jan-07	19:15	19:30	54.0	55.7	52.3
09-Jan-07	19:30	19:45	56.3	58.5	52.2
09-Jan-07	19:45	20:00	55.0	56.9	51.9
09-Jan-07	20:00	20:15	53.4	55.0	51.8
09-Jan-07	20:15	20:30	53.8	55.1	52.5
09-Jan-07	20:30	20:45	53.6	54.6	52.0
09-Jan-07	20:45	21:00	53.0	54.1	51.7
09-Jan-07	21:00	21:15	53.8	55.2	52.0
09-Jan-07	21:15	21:30	52.7	53.9	51.5
09-Jan-07	21:30	21:45	53.7	56.5	51.5
09-Jan-07	21:45	22:00	52.8	53.9	51.8
09-Jan-07	22:00	22:15	52.6	54.3	51.4
09-Jan-07	22:15	22:30	52.8	54.7	51.3
09-Jan-07	22:30	22:45	52.8	53.7	51.7
09-Jan-07	22:45	23:00	52.4	53.2	51.4
09-Jan-07	23:00	23:15	51.8	52.3	51.1
09-Jan-07	23:15	23:30	51.8	52.5	51.1
09-Jan-07	23:30	23:45	51.9	52.8	51.0
09-Jan-07	23:45	00:00	50.5	51.4	49.5
10-Jan-07	00:00	00:15	49.8	50.6	48.8
10-Jan-07	00:15	00:30	49.8	50.6	49.0
10-Jan-07	00:30	00:45	49.5	50.2	48.7
10-Jan-07	00:45	01:00	49.4	50.0	48.7
10-Jan-07	01:00	01:15	48.8	49.6	47.8
10-Jan-07	01:15	01:30	48.3	49.2	47.3
10-Jan-07	01:30	01:45	48.6	49.3	47.8
10-Jan-07	01:45	02:00	48.2	49.0	47.3
10-Jan-07	02:00	02:15	48.6	49.9	47.0
10-Jan-07	02:15	02:30	48.9	50.0	47.7
10-Jan-07	02:30	02:45	49.3	50.6	47.8
10-Jan-07	02:45	03:00	49.8	51.2	48.0
10-Jan-07	03:00	03:15	49.5	50.7	48.2
10-Jan-07	03:15	03:30	49.9	51.4	47.7
10-Jan-07	03:30	03:45	49.4	50.5	47.3
10-Jan-07	03:45	04:00	50.0	51.4	48.3
10-Jan-07	04:00	04:15	49.1	50.8	47.4
10-Jan-07	04:15	04:30	48.1	49.0	47.0
10-Jan-07	04:30	04:45	48.3	49.1	47.4
10-Jan-07	04:45	05:00	47.7	48.5	46.8

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
10-Jan-07	05:00	05:15	47.9	48.8	46.8
10-Jan-07	05:15	05:30	48.6	49.3	47.8
10-Jan-07	05:30	05:44	47.9	48.8	46.9
10-Jan-07	05:44	06:00	49.2	49.9	48.4
10-Jan-07	06:00	06:15	49.8	50.5	49.1
10-Jan-07	06:15	06:30	50.4	51.1	49.6
10-Jan-07	06:30	06:45	51.4	52.1	50.6
10-Jan-07	06:45	07:00	51.1	52.4	49.6
10-Jan-07	07:00	07:30	53.9	56.2	51.5
10-Jan-07	07:30	08:00	53.7	54.8	52.0
10-Jan-07	08:00	08:30	56.4	58.7	52.9
10-Jan-07	08:30	09:00	59.3	62.4	54.4
10-Jan-07	09:00	09:30	60.3	63.2	56.1
10-Jan-07	09:30	10:00	59.8	62.4	55.6
10-Jan-07	10:00	10:30	59.5	61.2	57.0
10-Jan-07	10:30	11:00	59.2	60.5	57.4
10-Jan-07	11:00	11:30	59.9	61.3	58.0
10-Jan-07	11:30	12:00	54.9	57.1	50.1
10-Jan-07	12:00	12:30	47.0	49.2	43.6
10-Jan-07	12:30	13:00	49.5	52.5	44.5
10-Jan-07	13:00	13:30	52.6	55.8	46.8
10-Jan-07	13:30	14:00	54.0	57.5	47.4
10-Jan-07	14:00	14:30	53.9	57.8	47.0
10-Jan-07	14:30	15:00	54.0	56.9	48.7
10-Jan-07	15:00	15:30	55.7	59.1	48.9
10-Jan-07	15:30	16:00	52.6	56.2	45.4
10-Jan-07	16:00	16:30	51.4	54.2	45.7
10-Jan-07	16:30	17:00	52.8	55.4	47.8
10-Jan-07	17:00	17:30	52.6	56.1	46.9
10-Jan-07	17:30	18:00	47.7	49.6	44.5
10-Jan-07	18:00	18:30	45.0	46.4	43.4
10-Jan-07	18:30	19:00	43.3	44.2	42.0
10-Jan-07	19:00	19:15	43.9	44.6	42.6
10-Jan-07	19:15	19:30	43.0	43.7	42.0
10-Jan-07	19:30	19:45	43.2	44.0	42.0
10-Jan-07	19:45	20:00	44.0	44.8	42.8
10-Jan-07	20:00	20:15	43.4	44.2	42.6
10-Jan-07	20:15	20:30	45.6	47.1	43.5
10-Jan-07	20:30	20:45	44.7	46.0	43.2
10-Jan-07	20:45	21:00	46.9	49.5	43.0
10-Jan-07	21:00	21:15	48.4	51.4	42.9
10-Jan-07	21:15	21:30	47.3	49.4	43.5
10-Jan-07	21:30	21:45	46.7	49.1	43.6
10-Jan-07	21:45	22:00	45.6	47.3	43.5
10-Jan-07	22:00	22:15	45.5	47.7	42.9
10-Jan-07	22:15	22:30	45.7	48.0	43.0
10-Jan-07	22:30	22:45	49.7	53.8	43.3
10-Jan-07	22:45	23:00	49.7	51.6	43.6
10-Jan-07	23:00	23:15	48.3	50.9	43.8
10-Jan-07	23:15	23:30	48.3	50.7	44.1
10-Jan-07	23:30	23:45	52.0	54.6	44.9
10-Jan-07	23:45	00:00	53.9	56.3	45.4
11-Jan-07	00:00	00:15	53.9	56.0	44.1

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
11-Jan-07	00:15	00:30	56.1	58.5	44.5
11-Jan-07	00:30	00:45	56.0	59.0	45.4
11-Jan-07	00:45	01:00	53.9	56.7	44.5
11-Jan-07	01:00	01:15	55.1	58.0	45.1
11-Jan-07	01:15	01:30	54.6	57.5	45.2
11-Jan-07	01:30	01:45	57.1	60.3	46.8
11-Jan-07	01:45	02:00	57.7	61.3	48.0
11-Jan-07	02:00	02:15	56.9	60.4	47.8
11-Jan-07	02:15	02:30	51.4	54.6	43.9
11-Jan-07	02:30	02:45	46.9	49.7	42.0
11-Jan-07	02:45	03:00	43.3	45.8	39.9
11-Jan-07	03:00	03:15	49.0	50.8	40.5
11-Jan-07	03:15	03:30	49.5	52.4	42.4
11-Jan-07	03:30	03:45	47.9	49.4	42.3
11-Jan-07	03:45	04:00	48.1	49.7	41.5
11-Jan-07	04:00	04:15	47.1	50.6	41.6
11-Jan-07	04:15	04:30	53.1	56.5	43.1
11-Jan-07	04:30	04:45	50.1	53.2	41.5
11-Jan-07	04:45	05:00	43.0	45.3	39.4
11-Jan-07	05:00	05:15	42.5	44.7	40.1
11-Jan-07	05:15	05:30	42.5	45.6	39.5
11-Jan-07	05:30	05:44	42.9	45.3	39.9
11-Jan-07	05:44	06:00	44.3	46.5	41.0
11-Jan-07	06:00	06:15	45.8	47.0	41.5
11-Jan-07	06:15	06:30	46.3	47.7	42.7
11-Jan-07	06:30	06:45	49.1	50.6	43.7
11-Jan-07	06:45	07:00	46.6	48.0	43.3
11-Jan-07	07:00	07:30	49.3	51.4	45.3
11-Jan-07	07:30	08:00	49.3	51.7	44.3
11-Jan-07	08:00	08:30	49.6	52.6	45.2
11-Jan-07	08:30	09:00	52.9	55.7	47.5
11-Jan-07	09:00	09:30	52.9	56.3	47.7
11-Jan-07	09:30	10:00	52.0	54.3	47.6
11-Jan-07	10:00	10:30	53.2	55.6	49.7
11-Jan-07	10:30	11:00	55.6	58.4	51.5
11-Jan-07	11:00	11:30	59.4	62.5	54.4
11-Jan-07	11:30	12:00	54.8	57.7	49.9
11-Jan-07	12:00	12:30	58.6	61.7	51.2
11-Jan-07	12:30	13:00	56.9	59.8	51.4
11-Jan-07	13:00	13:30	61.0	64.2	53.4
11-Jan-07	13:30	14:00	60.3	63.2	54.6
11-Jan-07	14:00	14:30	63.3	66.1	58.3
11-Jan-07	14:30	15:00	58.3	61.3	53.4
11-Jan-07	15:00	15:30	57.2	61.1	50.6
11-Jan-07	15:30	16:00	51.7	53.3	48.4
11-Jan-07	16:00	16:30	56.2	59.8	49.0
11-Jan-07	16:30	17:00	55.1	57.3	46.4
11-Jan-07	17:00	17:30	57.5	61.7	48.9
11-Jan-07	17:30	18:00	54.2	57.6	48.0
11-Jan-07	18:00	18:30	49.1	51.5	45.5
11-Jan-07	18:30	19:00	48.1	49.0	46.0
11-Jan-07	19:00	19:15	46.6	52.7	44.4
11-Jan-07	19:15	19:30	45.4	46.7	43.8

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

Date	Time		Measured Noise Levels, dB(A)		
	From	To	LAeq	LA10	LA90
11-Jan-07	19:30	19:45	46.1	47.4	43.9
11-Jan-07	19:45	20:00	46.8	48.4	44.3
11-Jan-07	20:00	20:15	46.1	47.5	44.3
11-Jan-07	20:15	20:30	45.6	47.0	43.8
11-Jan-07	20:30	20:45	45.7	46.8	43.9
11-Jan-07	20:45	21:00	45.4	47.0	43.6
11-Jan-07	21:00	21:15	45.4	46.9	43.2
11-Jan-07	21:15	21:30	46.2	48.0	43.7
11-Jan-07	21:30	21:45	45.8	47.5	43.3
11-Jan-07	21:45	22:00	44.5	45.3	43.2
11-Jan-07	22:00	22:15	45.3	46.1	43.7
11-Jan-07	22:15	22:30	44.3	45.0	43.0
11-Jan-07	22:30	22:45	44.6	46.0	43.0
11-Jan-07	22:45	23:00	45.4	46.3	44.0
11-Jan-07	23:00	23:15	44.5	45.7	42.9
11-Jan-07	23:15	23:30	46.0	47.6	43.7
11-Jan-07	23:30	23:45	48.6	50.0	44.6
11-Jan-07	23:45	00:00	46.7	48.3	42.4
12-Jan-07	00:00	00:15	45.0	46.2	41.5
12-Jan-07	00:15	00:30	44.7	46.0	42.3
12-Jan-07	00:30	00:45	46.8	47.7	41.1
12-Jan-07	00:45	01:00	50.3	53.4	40.7
12-Jan-07	01:00	01:15	45.9	48.6	41.4
12-Jan-07	01:15	01:30	46.0	48.4	40.8
12-Jan-07	01:30	01:45	43.7	45.1	40.0
12-Jan-07	01:45	02:00	44.7	47.2	40.9
12-Jan-07	02:00	02:15	41.0	42.6	38.7
12-Jan-07	02:15	02:30	46.0	49.2	39.2
12-Jan-07	02:30	02:45	46.3	49.4	40.3
12-Jan-07	02:45	03:00	39.3	41.0	37.6
12-Jan-07	03:00	03:15	39.5	40.5	38.4
12-Jan-07	03:15	03:30	40.0	40.9	39.0
12-Jan-07	03:30	03:45	41.9	44.0	37.7
12-Jan-07	03:45	04:00	43.1	44.9	39.1
12-Jan-07	04:00	04:15	40.3	41.3	39.3
12-Jan-07	04:15	04:30	42.7	44.8	37.5
12-Jan-07	04:30	04:45	40.8	42.8	38.6
12-Jan-07	04:45	05:00	39.6	40.6	38.7
12-Jan-07	05:00	05:15	37.8	39.0	36.8
12-Jan-07	05:15	05:30	39.7	40.8	38.0
12-Jan-07	05:30	05:44	39.5	40.3	38.5
12-Jan-07	05:44	06:00	37.1	38.5	35.9
12-Jan-07	06:00	06:15	40.0	41.2	38.7
12-Jan-07	06:15	06:30	42.3	43.1	41.6
12-Jan-07	06:30	06:45	43.4	44.6	41.6
12-Jan-07	06:45	07:00	45.1	46.6	42.1
12-Jan-07	07:00	07:30	46.1	47.9	43.0
12-Jan-07	07:30	08:00	48.2	51.3	43.6
12-Jan-07	08:00	08:30	55.6	59.2	45.8
12-Jan-07	08:30	09:00	53.6	56.8	46.9
12-Jan-07	09:00	09:30	51.9	54.7	46.5
12-Jan-07	09:30	10:00	58.4	61.9	48.9
12-Jan-07	10:00	10:30	61.7	65.0	53.8

**Monitoring Results of CN3 - Rinniped House, Ocean Park**

<b>Date</b>	<b>Time</b>		<b>Measured Noise Levels, dB(A)</b>		
	<b>From</b>	<b>To</b>	<b>LAeq</b>	<b>LA10</b>	<b>LA90</b>
12-Jan-07	10:30	11:00	60.7	63.6	49.5
12-Jan-07	11:00	11:30	55.0	59.1	45.9
12-Jan-07	11:30	11:55	50.2	52.7	44.6

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
12-Jan-07	14:00	14:30	57.1	59.1	54.7
12-Jan-07	14:30	15:00	57.8	59.8	54.8
12-Jan-07	15:00	15:30	56.2	58.0	54.0
12-Jan-07	15:30	16:00	56.2	58.1	54.1
12-Jan-07	16:00	16:30	55.9	57.3	54.3
12-Jan-07	16:30	17:00	55.7	56.8	54.3
12-Jan-07	17:00	17:30	56.3	57.7	54.7
12-Jan-07	17:30	18:00	54.7	56.1	53.3
12-Jan-07	18:00	18:30	53.2	53.9	52.2
12-Jan-07	18:30	19:00	52.9	53.9	51.7
12-Jan-07	19:00	19:15	53.4	54.8	50.3
12-Jan-07	19:15	19:30	53.4	54.7	50.3
12-Jan-07	19:30	19:45	51.9	53.4	50.4
12-Jan-07	19:45	20:00	52.3	53.7	50.6
12-Jan-07	20:00	20:15	52.1	53.5	50.3
12-Jan-07	20:15	20:30	52.1	53.7	50.2
12-Jan-07	20:30	20:45	53.8	55.1	52.4
12-Jan-07	20:45	21:00	54.3	56.1	52.2
12-Jan-07	21:00	21:15	55.7	57.0	52.2
12-Jan-07	21:15	21:30	53.1	54.6	51.4
12-Jan-07	21:30	21:45	53.0	54.4	51.4
12-Jan-07	21:45	22:00	52.8	53.9	51.5
12-Jan-07	22:00	22:15	52.1	53.3	51.0
12-Jan-07	22:15	22:30	51.8	52.8	50.6
12-Jan-07	22:30	22:45	52.2	53.0	51.2
12-Jan-07	22:45	23:00	52.7	53.7	51.3
12-Jan-07	23:00	23:15	47.3	49.0	45.8
12-Jan-07	23:15	23:30	48.1	49.2	46.8
12-Jan-07	23:30	23:45	49.2	50.3	47.8
12-Jan-07	23:45	00:00	49.5	50.6	48.0
13-Jan-07	00:00	00:15	50.5	51.8	49.1
13-Jan-07	00:15	00:30	51.5	52.7	49.5
13-Jan-07	00:30	00:45	52.2	53.4	50.5
13-Jan-07	00:45	01:00	51.7	52.9	50.0
13-Jan-07	01:00	01:15	51.1	52.7	49.3
13-Jan-07	01:15	01:30	50.8	52.4	48.6
13-Jan-07	01:30	01:45	50.9	52.6	48.7
13-Jan-07	01:45	02:00	50.7	52.3	48.7
13-Jan-07	02:00	02:15	50.0	51.8	48.1
13-Jan-07	02:15	02:30	50.7	52.8	47.9
13-Jan-07	02:30	02:45	51.2	52.9	48.0
13-Jan-07	02:45	03:00	51.7	53.9	47.5
13-Jan-07	03:00	03:15	51.5	53.6	47.9
13-Jan-07	03:15	03:30	52.3	54.8	48.3
13-Jan-07	03:30	03:45	51.6	54.2	47.7
13-Jan-07	03:45	04:00	50.6	53.5	46.3
13-Jan-07	04:00	04:15	50.5	53.5	46.2

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
13-Jan-07	04:15	04:30	49.1	52.1	45.0
13-Jan-07	04:30	04:45	48.9	51.5	45.1
13-Jan-07	04:45	05:00	49.4	52.3	45.2
13-Jan-07	05:00	05:15	50.5	53.5	45.9
13-Jan-07	05:15	05:30	49.2	52.1	46.0
13-Jan-07	05:30	05:45	48.6	50.3	45.5
13-Jan-07	05:45	06:00	47.4	49.5	44.6
13-Jan-07	06:00	06:15	46.2	48.1	43.9
13-Jan-07	06:15	06:30	46.1	47.8	44.2
13-Jan-07	06:30	06:45	47.4	49.2	45.3
13-Jan-07	06:45	07:00	46.2	48.0	44.0
13-Jan-07	07:00	07:30	52.5	53.5	51.1
13-Jan-07	07:30	08:00	52.6	53.6	51.2
13-Jan-07	08:00	08:30	55.4	56.7	53.7
13-Jan-07	08:30	09:00	56.7	58.7	54.3
13-Jan-07	09:00	09:30	56.4	58.3	54.1
13-Jan-07	09:30	10:00	58.0	60.0	55.0
13-Jan-07	10:00	10:30	57.3	59.1	55.4
13-Jan-07	10:30	11:00	57.0	58.4	55.3
13-Jan-07	11:00	11:30	56.8	58.3	55.1
13-Jan-07	11:30	12:00	56.3	58.0	54.4
13-Jan-07	12:00	12:30	56.1	57.1	53.3
13-Jan-07	12:30	13:00	56.2	58.3	53.1
13-Jan-07	13:00	13:30	55.1	56.6	53.3
13-Jan-07	13:30	14:00	55.2	56.3	53.9
13-Jan-07	14:00	14:30	55.3	56.5	53.9
13-Jan-07	14:30	15:00	55.1	56.2	53.9
13-Jan-07	15:00	15:30	55.2	56.3	53.9
13-Jan-07	15:30	16:00	56.6	58.2	54.7
13-Jan-07	16:00	16:30	56.0	57.3	54.5
13-Jan-07	16:30	17:00	55.9	56.9	54.4
13-Jan-07	17:00	17:30	55.5	56.6	54.1
13-Jan-07	17:30	18:00	55.3	56.7	53.8
13-Jan-07	18:00	18:30	54.6	55.8	53.3
13-Jan-07	18:30	19:00	54.1	55.2	52.8
13-Jan-07	19:00	19:15	56.8	58.8	53.9
13-Jan-07	19:15	19:30	55.1	57.2	52.6
13-Jan-07	19:30	19:45	54.3	56.0	52.1
13-Jan-07	19:45	20:00	55.0	56.8	52.5
13-Jan-07	20:00	20:15	54.7	57.1	51.6
13-Jan-07	20:15	20:30	53.6	56.0	50.5
13-Jan-07	20:30	20:45	54.1	56.4	51.1
13-Jan-07	20:45	21:00	53.3	55.3	50.9
13-Jan-07	21:00	21:15	52.7	54.8	50.2
13-Jan-07	21:15	21:30	53.7	56.4	50.7
13-Jan-07	21:30	21:45	53.9	56.2	50.8
13-Jan-07	21:45	22:00	52.3	54.0	50.1

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
13-Jan-07	22:00	22:15	51.4	52.9	49.7
13-Jan-07	22:15	22:30	52.0	53.7	50.0
13-Jan-07	22:30	22:45	52.0	52.9	50.5
13-Jan-07	22:45	23:00	52.4	53.8	50.5
13-Jan-07	23:00	23:15	50.1	51.9	48.0
13-Jan-07	23:15	23:30	50.3	51.6	48.3
13-Jan-07	23:30	23:45	50.6	52.3	48.2
13-Jan-07	23:45	00:00	49.8	51.4	47.9
14-Jan-07	00:00	00:15	49.7	51.3	47.5
14-Jan-07	00:15	00:30	49.1	50.8	46.4
14-Jan-07	00:30	00:45	48.5	50.6	45.7
14-Jan-07	00:45	01:00	48.1	50.2	45.7
14-Jan-07	01:00	01:15	48.2	50.5	45.4
14-Jan-07	01:15	01:30	47.9	50.4	44.7
14-Jan-07	01:30	01:45	46.8	48.3	44.7
14-Jan-07	01:45	02:00	46.3	47.9	44.2
14-Jan-07	02:00	02:15	48.3	50.7	45.3
14-Jan-07	02:15	02:30	51.5	54.4	47.3
14-Jan-07	02:30	02:45	50.7	53.7	46.0
14-Jan-07	02:45	03:00	49.9	52.6	46.2
14-Jan-07	03:00	03:15	47.6	50.0	44.7
14-Jan-07	03:15	03:30	47.4	49.3	43.9
14-Jan-07	03:30	03:45	45.9	47.5	43.8
14-Jan-07	03:45	04:00	46.3	48.0	44.0
14-Jan-07	04:00	04:15	47.8	50.4	44.4
14-Jan-07	04:15	04:30	48.3	50.9	44.4
14-Jan-07	04:30	04:45	48.7	51.0	45.9
14-Jan-07	04:45	05:00	49.2	52.0	46.2
14-Jan-07	05:00	05:15	48.1	49.7	46.2
14-Jan-07	05:15	05:30	49.1	50.5	47.4
14-Jan-07	05:30	05:45	49.3	50.6	47.7
14-Jan-07	05:45	06:00	49.9	51.1	48.4
14-Jan-07	06:00	06:15	50.9	52.4	48.9
14-Jan-07	06:15	06:30	51.8	53.0	50.2
14-Jan-07	06:30	06:45	50.3	51.5	48.9
14-Jan-07	06:45	07:00	50.1	51.0	49.0
14-Jan-07	07:00	07:15	51.1	52.5	49.4
14-Jan-07	07:15	07:30	52.7	53.5	49.2
14-Jan-07	07:30	07:45	50.6	52.2	48.8
14-Jan-07	07:45	08:00	51.0	52.1	49.6
14-Jan-07	08:00	08:15	51.6	52.9	50.0
14-Jan-07	08:15	08:30	51.8	53.1	50.3
14-Jan-07	08:30	08:45	52.0	53.5	50.3
14-Jan-07	08:45	09:00	53.0	54.8	51.0
14-Jan-07	09:00	09:15	54.8	57.3	51.8
14-Jan-07	09:15	09:30	54.5	56.6	51.6
14-Jan-07	09:30	09:45	53.9	55.4	51.8

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
14-Jan-07	09:45	10:00	54.1	55.5	52.4
14-Jan-07	10:00	10:15	55.2	56.4	52.9
14-Jan-07	10:15	10:30	55.1	56.6	53.1
14-Jan-07	10:30	10:45	54.0	54.9	52.9
14-Jan-07	10:45	11:00	53.9	54.9	52.9
14-Jan-07	11:00	11:15	54.0	55.3	52.6
14-Jan-07	11:15	11:30	54.2	55.6	52.5
14-Jan-07	11:30	11:45	54.6	56.1	52.9
14-Jan-07	11:45	12:00	54.5	56.0	52.4
14-Jan-07	12:00	12:15	54.1	55.3	52.6
14-Jan-07	12:15	12:30	53.9	55.1	52.6
14-Jan-07	12:30	12:45	54.0	55.1	52.6
14-Jan-07	12:45	13:00	54.5	55.4	52.8
14-Jan-07	13:00	13:15	54.4	55.8	52.9
14-Jan-07	13:15	13:30	54.5	55.9	52.9
14-Jan-07	13:30	13:45	54.6	56.1	53.1
14-Jan-07	13:45	14:00	54.1	55.2	52.7
14-Jan-07	14:00	14:15	54.3	55.4	53.0
14-Jan-07	14:15	14:30	53.9	54.9	52.8
14-Jan-07	14:30	14:45	53.9	55.0	52.7
14-Jan-07	14:45	15:00	54.0	55.1	52.7
14-Jan-07	15:00	15:15	54.0	55.3	52.7
14-Jan-07	15:15	15:30	54.5	55.8	53.1
14-Jan-07	15:30	15:45	55.6	57.9	53.1
14-Jan-07	15:45	16:00	55.5	58.0	53.0
14-Jan-07	16:00	16:15	54.9	57.0	52.9
14-Jan-07	16:15	16:30	54.2	55.3	52.9
14-Jan-07	16:30	16:45	54.8	56.7	52.9
14-Jan-07	16:45	17:00	54.7	56.1	52.9
14-Jan-07	17:00	17:15	54.5	55.8	52.9
14-Jan-07	17:15	17:30	54.3	55.5	52.9
14-Jan-07	17:30	17:45	54.5	55.5	53.1
14-Jan-07	17:45	18:00	54.5	55.9	53.0
14-Jan-07	18:00	18:15	54.2	55.3	53.1
14-Jan-07	18:15	18:30	53.6	54.4	52.7
14-Jan-07	18:30	18:45	53.9	54.9	52.8
14-Jan-07	18:45	19:00	53.7	54.8	52.5
14-Jan-07	19:00	19:15	53.7	54.9	52.4
14-Jan-07	19:15	19:30	53.2	54.2	52.0
14-Jan-07	19:30	19:45	53.1	54.1	51.8
14-Jan-07	19:45	20:00	52.8	53.8	51.7
14-Jan-07	20:00	20:15	51.9	53.1	50.8
14-Jan-07	20:15	20:30	52.3	53.5	50.9
14-Jan-07	20:30	20:45	51.6	52.7	50.4
14-Jan-07	20:45	21:00	53.4	54.4	51.3
14-Jan-07	21:00	21:15	53.5	54.5	51.5
14-Jan-07	21:15	21:30	53.3	55.9	50.8

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
14-Jan-07	21:30	21:45	52.3	54.0	50.3
14-Jan-07	21:45	22:00	52.2	54.0	50.2
14-Jan-07	22:00	22:15	51.5	53.2	49.7
14-Jan-07	22:15	22:30	52.0	53.6	50.1
14-Jan-07	22:30	22:45	53.9	56.0	51.3
14-Jan-07	22:45	23:00	54.3	56.6	51.4
14-Jan-07	23:00	23:15	50.3	52.2	47.8
14-Jan-07	23:15	23:30	48.5	49.8	47.0
14-Jan-07	23:30	23:45	49.6	50.9	48.0
14-Jan-07	23:45	00:00	48.4	50.1	46.5
15-Jan-07	00:00	00:15	47.8	49.4	46.0
15-Jan-07	00:15	00:30	49.3	51.7	46.3
15-Jan-07	00:30	00:45	48.3	50.2	46.2
15-Jan-07	00:45	01:00	46.9	48.4	45.2
15-Jan-07	01:00	01:15	46.8	48.4	44.9
15-Jan-07	01:15	01:30	47.1	48.4	45.4
15-Jan-07	01:30	01:45	47.2	48.7	45.0
15-Jan-07	01:45	02:00	47.0	48.5	44.9
15-Jan-07	02:00	02:15	46.2	47.6	44.4
15-Jan-07	02:15	02:30	47.1	49.4	44.3
15-Jan-07	02:30	02:45	47.8	50.3	44.3
15-Jan-07	02:45	03:00	47.7	50.0	43.5
15-Jan-07	03:00	03:15	47.2	49.9	42.5
15-Jan-07	03:15	03:30	47.1	50.0	41.7
15-Jan-07	03:30	03:45	47.9	51.2	41.9
15-Jan-07	03:45	04:00	47.8	50.8	41.7
15-Jan-07	04:00	04:15	48.6	51.7	42.8
15-Jan-07	04:15	04:30	49.4	52.1	43.6
15-Jan-07	04:30	04:45	50.7	53.5	44.9
15-Jan-07	04:45	05:00	48.7	51.8	43.0
15-Jan-07	05:00	05:15	48.4	51.5	42.7
15-Jan-07	05:15	05:30	49.4	52.0	44.7
15-Jan-07	05:30	05:45	50.1	52.9	45.6
15-Jan-07	05:45	06:00	51.2	53.6	47.8
15-Jan-07	06:00	06:15	51.1	53.1	48.2
15-Jan-07	06:15	06:30	50.6	52.9	47.7
15-Jan-07	06:30	06:45	51.4	52.6	49.9
15-Jan-07	06:45	07:00	51.4	52.6	50.0
15-Jan-07	07:00	07:30	54.2	55.5	52.7
15-Jan-07	07:30	08:00	55.0	56.3	53.5
15-Jan-07	08:00	08:30	56.5	58.1	54.3
15-Jan-07	08:30	09:00	58.0	60.1	55.3
15-Jan-07	09:00	09:30	57.8	59.7	55.4
15-Jan-07	09:30	10:00	57.7	59.4	55.5
15-Jan-07	10:00	10:30	58.3	60.1	56.0
15-Jan-07	10:30	11:00	58.4	60.5	55.7
15-Jan-07	11:00	11:30	58.5	60.4	55.8

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
15-Jan-07	11:30	12:00	56.9	58.4	55.0
15-Jan-07	12:00	12:30	54.7	55.9	53.4
15-Jan-07	12:30	13:00	54.4	55.8	52.7
15-Jan-07	13:00	13:30	57.9	59.9	55.2
15-Jan-07	13:30	14:00	58.2	60.1	56.0
15-Jan-07	14:00	14:30	57.7	59.7	55.0
15-Jan-07	14:30	15:00	57.2	59.1	54.8
15-Jan-07	15:00	15:30	56.6	58.1	54.8
15-Jan-07	15:30	16:00	57.1	59.3	54.4
15-Jan-07	16:00	16:30	57.2	59.4	54.4
15-Jan-07	16:30	17:00	57.4	59.1	55.0
15-Jan-07	17:00	17:30	57.9	59.7	55.2
15-Jan-07	17:30	18:00	56.6	58.8	54.2
15-Jan-07	18:00	18:30	54.1	56.1	52.5
15-Jan-07	18:30	19:00	52.8	54.0	51.5
15-Jan-07	19:00	19:15	51.9	53.0	50.7
15-Jan-07	19:15	19:30	53.1	55.3	50.9
15-Jan-07	19:30	19:45	52.9	55.8	50.4
15-Jan-07	19:45	20:00	51.6	53.4	50.0
15-Jan-07	20:00	20:15	52.2	53.9	50.2
15-Jan-07	20:15	20:30	52.3	54.1	49.6
15-Jan-07	20:30	20:45	51.3	52.7	49.4
15-Jan-07	20:45	21:00	52.3	53.7	49.8
15-Jan-07	21:00	21:15	51.6	53.1	49.7
15-Jan-07	21:15	21:30	52.1	53.5	49.9
15-Jan-07	21:30	21:45	51.6	52.7	49.1
15-Jan-07	21:45	22:00	51.7	52.9	49.2
15-Jan-07	22:00	22:15	54.4	55.0	49.5
15-Jan-07	22:15	22:30	54.6	55.4	49.2
15-Jan-07	22:30	22:45	50.6	52.1	48.9
15-Jan-07	22:45	23:00	50.4	51.5	48.8
15-Jan-07	23:00	23:15	47.2	48.6	45.4
15-Jan-07	23:15	23:30	47.5	48.8	45.8
15-Jan-07	23:30	23:45	47.7	49.1	46.1
15-Jan-07	23:45	00:00	47.8	49.2	45.5
16-Jan-07	00:00	00:15	47.8	49.6	45.6
16-Jan-07	00:15	00:30	47.0	48.5	45.0
16-Jan-07	00:30	00:45	46.7	48.0	44.8
16-Jan-07	00:45	01:00	46.5	48.0	44.4
16-Jan-07	01:00	01:15	46.2	47.9	44.2
16-Jan-07	01:15	01:30	46.4	47.8	45.0
16-Jan-07	01:30	01:45	45.8	47.2	44.4
16-Jan-07	01:45	02:00	46.3	47.6	44.7
16-Jan-07	02:00	02:15	45.9	47.1	44.1
16-Jan-07	02:15	02:30	46.5	48.0	44.4
16-Jan-07	02:30	02:45	47.3	48.9	44.9
16-Jan-07	02:45	03:00	46.7	48.2	44.9

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
16-Jan-07	03:00	03:15	47.7	49.1	45.8
16-Jan-07	03:15	03:30	47.9	49.3	45.8
16-Jan-07	03:30	03:45	47.7	49.2	46.0
16-Jan-07	03:45	04:00	48.0	50.1	46.8
16-Jan-07	04:00	04:15	48.5	50.0	47.1
16-Jan-07	04:15	04:30	48.9	50.1	47.6
16-Jan-07	04:30	04:45	51.2	52.6	49.6
16-Jan-07	04:45	05:00	51.3	52.5	49.1
16-Jan-07	05:00	05:15	51.2	52.7	49.4
16-Jan-07	05:15	05:30	50.6	51.9	48.7
16-Jan-07	05:30	05:45	50.3	51.7	48.4
16-Jan-07	05:45	06:00	49.0	50.3	47.0
16-Jan-07	06:00	06:15	48.5	50.0	46.5
16-Jan-07	06:15	06:30	48.5	50.0	45.9
16-Jan-07	06:30	06:45	48.2	50.2	45.6
16-Jan-07	06:45	07:00	49.2	51.6	45.9
16-Jan-07	07:00	07:30	53.4	54.5	51.9
16-Jan-07	07:30	08:00	56.0	58.5	52.9
16-Jan-07	08:00	08:30	55.6	57.2	53.7
16-Jan-07	08:30	09:00	63.3	67.1	54.4
16-Jan-07	09:00	09:30	56.4	57.7	54.7
16-Jan-07	09:30	10:00	56.5	57.8	55.0
16-Jan-07	10:00	10:30	56.5	57.9	54.9
16-Jan-07	10:30	11:00	56.5	57.9	55.0
16-Jan-07	11:00	11:30	56.8	59.0	54.4
16-Jan-07	11:30	12:00	56.8	59.0	54.2
16-Jan-07	12:00	12:30	54.9	56.4	52.9
16-Jan-07	12:30	13:00	54.6	55.8	52.9
16-Jan-07	13:00	13:30	56.1	57.4	54.5
16-Jan-07	13:30	14:00	57.8	59.2	55.8
16-Jan-07	14:00	14:30	57.5	59.0	55.4
16-Jan-07	14:30	15:00	57.3	59.0	55.3
16-Jan-07	15:00	15:30	57.9	59.5	55.7
16-Jan-07	15:30	16:00	57.5	58.9	55.6
16-Jan-07	16:00	16:30	57.2	58.6	55.3
16-Jan-07	16:30	17:00	56.6	58.0	54.9
16-Jan-07	17:00	17:30	56.3	57.7	54.6
16-Jan-07	17:30	18:00	55.1	56.3	53.8
16-Jan-07	18:00	18:30	54.4	56.1	52.9
16-Jan-07	18:30	19:00	53.3	54.4	51.9
16-Jan-07	19:00	19:15	53.5	54.9	51.6
16-Jan-07	19:15	19:30	55.8	59.6	51.6
16-Jan-07	19:30	19:45	55.6	59.5	51.6
16-Jan-07	19:45	20:00	53.6	55.1	51.5
16-Jan-07	20:00	20:15	52.6	54.0	51.0
16-Jan-07	20:15	20:30	52.9	54.9	50.8
16-Jan-07	20:30	20:45	52.2	53.6	50.7

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
16-Jan-07	20:45	21:00	52.7	53.9	51.2
16-Jan-07	21:00	21:15	53.7	54.9	52.2
16-Jan-07	21:15	21:30	52.7	54.1	51.1
16-Jan-07	21:30	21:45	53.0	54.3	51.4
16-Jan-07	21:45	22:00	52.2	53.5	50.8
16-Jan-07	22:00	22:15	51.8	53.3	50.2
16-Jan-07	22:15	22:30	52.6	55.2	50.3
16-Jan-07	22:30	22:45	50.8	52.6	48.9
16-Jan-07	22:45	23:00	49.9	50.9	48.7
16-Jan-07	23:00	23:15	46.3	47.9	44.3
16-Jan-07	23:15	23:30	46.2	47.6	44.6
16-Jan-07	23:30	23:45	46.1	47.8	44.3
16-Jan-07	23:45	00:00	46.8	48.5	44.8
17-Jan-07	00:00	00:15	47.1	48.7	44.9
17-Jan-07	00:15	00:30	46.5	47.9	44.7
17-Jan-07	00:30	00:45	46.3	47.7	44.8
17-Jan-07	00:45	01:00	46.6	47.9	45.2
17-Jan-07	01:00	01:15	47.3	48.6	45.7
17-Jan-07	01:15	01:30	48.1	49.4	46.4
17-Jan-07	01:30	01:45	48.3	49.8	46.6
17-Jan-07	01:45	02:00	48.6	49.7	47.2
17-Jan-07	02:00	02:15	50.2	52.0	48.6
17-Jan-07	02:15	02:30	51.5	53.0	49.8
17-Jan-07	02:30	02:45	51.6	52.8	50.0
17-Jan-07	02:45	03:00	51.8	53.3	50.0
17-Jan-07	03:00	03:15	51.5	53.1	49.7
17-Jan-07	03:15	03:30	51.9	53.3	50.1
17-Jan-07	03:30	03:45	51.7	53.3	49.8
17-Jan-07	03:45	04:00	51.6	53.4	49.4
17-Jan-07	04:00	04:15	50.6	52.6	48.5
17-Jan-07	04:15	04:30	52.5	54.5	49.3
17-Jan-07	04:30	04:45	53.8	56.1	49.3
17-Jan-07	04:45	05:00	55.7	58.7	49.6
17-Jan-07	05:00	05:15	54.8	57.5	49.6
17-Jan-07	05:15	05:30	51.4	53.8	47.5
17-Jan-07	05:30	05:45	49.9	52.0	47.2
17-Jan-07	05:45	06:00	58.6	61.7	52.6
17-Jan-07	06:00	06:15	57.5	60.7	51.5
17-Jan-07	06:15	06:30	52.8	55.6	47.8
17-Jan-07	06:30	06:45	51.6	54.1	47.1
17-Jan-07	06:45	07:00	49.6	52.1	45.9
17-Jan-07	07:00	07:30	53.1	54.3	51.4
17-Jan-07	07:30	08:00	53.2	54.5	51.4
17-Jan-07	08:00	08:30	54.8	56.1	53.4
17-Jan-07	08:30	09:00	56.3	57.8	54.5
17-Jan-07	09:00	09:30	56.5	58.0	54.7
17-Jan-07	09:30	10:00	57.5	59.0	55.5

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
17-Jan-07	10:00	10:30	57.4	58.9	55.6
17-Jan-07	10:30	11:00	57.3	58.3	55.7
17-Jan-07	11:00	11:30	58.3	60.1	56.3
17-Jan-07	11:30	12:00	57.2	58.6	55.5
17-Jan-07	12:00	12:30	55.5	56.8	53.6
17-Jan-07	12:30	13:00	55.6	56.8	53.8
17-Jan-07	13:00	13:30	57.4	58.8	55.6
17-Jan-07	13:30	14:00	59.2	61.8	55.8
17-Jan-07	14:00	14:30	58.1	60.1	55.4
17-Jan-07	14:30	15:00	59.1	61.5	55.9
17-Jan-07	15:00	15:30	59.0	60.7	55.9
17-Jan-07	15:30	16:00	57.7	59.1	55.9
17-Jan-07	16:00	16:30	57.8	59.8	55.8
17-Jan-07	16:30	17:00	58.1	59.6	56.3
17-Jan-07	17:00	17:30	57.4	58.7	55.7
17-Jan-07	17:30	18:00	57.2	58.7	55.6
17-Jan-07	18:00	18:30	56.5	58.1	54.8
17-Jan-07	18:30	19:00	55.4	56.9	53.6
17-Jan-07	19:00	19:15	55.1	56.6	53.5
17-Jan-07	19:15	19:30	57.1	59.0	54.8
17-Jan-07	19:30	19:45	56.8	58.8	53.9
17-Jan-07	19:45	20:00	55.1	57.2	52.6
17-Jan-07	20:00	20:15	54.3	56.0	52.1
17-Jan-07	20:15	20:30	55.0	56.8	52.5
17-Jan-07	20:30	20:45	54.7	57.1	51.6
17-Jan-07	20:45	21:00	53.6	56.0	50.5
17-Jan-07	21:00	21:15	54.1	56.4	51.1
17-Jan-07	21:15	21:30	53.3	55.3	50.9
17-Jan-07	21:30	21:45	52.7	54.8	50.2
17-Jan-07	21:45	22:00	53.7	56.4	50.7
17-Jan-07	22:00	22:15	53.9	56.2	50.8
17-Jan-07	22:15	22:30	52.3	54.0	50.1
17-Jan-07	22:30	22:45	51.4	52.9	49.7
17-Jan-07	22:45	23:00	52.0	53.7	50.0
17-Jan-07	23:00	23:15	52.0	53.9	49.6
17-Jan-07	23:15	23:30	53.0	55.4	50.2
17-Jan-07	23:30	23:45	54.1	57.0	50.6
17-Jan-07	23:45	00:00	53.0	55.4	50.4
18-Jan-07	00:00	00:15	55.6	58.4	51.1
18-Jan-07	00:15	00:30	54.4	57.3	50.3
18-Jan-07	00:30	00:45	52.4	54.4	49.8
18-Jan-07	00:45	01:00	51.6	53.5	49.4
18-Jan-07	01:00	01:15	53.6	56.4	49.8
18-Jan-07	01:15	01:30	54.7	58.0	50.4
18-Jan-07	01:30	01:45	53.5	56.7	49.0
18-Jan-07	01:45	02:00	51.6	54.5	48.1
18-Jan-07	02:00	02:15	50.9	53.4	46.9

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
18-Jan-07	02:15	02:30	48.7	50.7	46.3
18-Jan-07	02:30	02:45	50.5	53.2	46.8
18-Jan-07	02:45	03:00	49.0	51.7	45.7
18-Jan-07	03:00	03:15	47.2	48.7	45.8
18-Jan-07	03:15	03:30	49.7	52.3	45.9
18-Jan-07	03:30	03:45	51.5	54.2	47.1
18-Jan-07	03:45	04:00	52.7	55.0	49.0
18-Jan-07	04:00	04:15	54.2	57.2	49.2
18-Jan-07	04:15	04:30	56.4	60.0	49.7
18-Jan-07	04:30	04:45	60.4	64.3	52.0
18-Jan-07	04:45	05:00	58.1	61.2	49.7
18-Jan-07	05:00	05:15	58.7	62.0	49.9
18-Jan-07	05:15	05:30	59.6	63.5	50.5
18-Jan-07	05:30	05:45	49.9	52.3	46.5
18-Jan-07	05:45	06:00	52.4	55.4	47.1
18-Jan-07	06:00	06:15	53.7	57.0	48.6
18-Jan-07	06:15	06:30	55.3	59.3	49.8
18-Jan-07	06:30	06:45	54.3	58.6	48.7
18-Jan-07	06:45	07:00	50.7	53.3	47.7
18-Jan-07	07:00	07:30	55.0	57.8	50.1
18-Jan-07	07:30	08:00	54.7	57.7	50.4
18-Jan-07	08:00	08:30	52.6	55.0	49.9
18-Jan-07	08:30	09:00	53.5	56.3	50.0
18-Jan-07	09:00	09:30	59.1	62.9	52.6
18-Jan-07	09:30	10:00	60.1	64.0	53.5
18-Jan-07	10:00	10:30	59.2	62.8	53.4
18-Jan-07	10:30	11:00	59.9	63.7	53.4
18-Jan-07	11:00	11:30	57.8	61.4	52.9
18-Jan-07	11:30	12:00	57.6	60.8	53.3
18-Jan-07	12:00	12:30	57.4	60.1	53.2
18-Jan-07	12:30	13:00	54.2	56.1	52.0
18-Jan-07	13:00	13:30	53.4	55.1	51.8
18-Jan-07	13:30	14:00	53.8	55.1	52.0
18-Jan-07	14:00	14:30	54.4	56.1	52.1
18-Jan-07	14:30	15:00	56.3	58.3	52.7
18-Jan-07	15:00	15:30	54.0	55.9	52.0
18-Jan-07	15:30	16:00	53.7	55.2	52.0
18-Jan-07	16:00	16:30	53.3	54.5	51.7
18-Jan-07	16:30	17:00	54.0	55.5	52.3
18-Jan-07	17:00	17:30	54.3	55.6	52.3
18-Jan-07	17:30	18:00	53.7	55.3	51.8
18-Jan-07	18:00	18:30	53.0	53.9	51.9
18-Jan-07	18:30	19:00	52.2	53.0	51.1
18-Jan-07	19:00	19:15	52.0	52.9	50.5
18-Jan-07	19:15	19:30	52.4	53.8	50.5
18-Jan-07	19:30	19:45	51.4	52.5	50.1
18-Jan-07	19:45	20:00	50.5	51.6	49.4

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
18-Jan-07	20:00	20:15	51.0	52.8	49.2
18-Jan-07	20:15	20:30	50.7	51.7	48.8
18-Jan-07	20:30	20:45	50.6	52.1	48.5
18-Jan-07	20:45	21:00	49.8	51.1	48.1
18-Jan-07	21:00	21:15	49.6	50.6	48.3
18-Jan-07	21:15	21:30	49.9	51.7	48.3
18-Jan-07	21:30	21:45	51.5	53.8	48.8
18-Jan-07	21:45	22:00	53.2	55.5	50.1
18-Jan-07	22:00	22:15	50.7	52.9	48.6
18-Jan-07	22:15	22:30	50.8	53.7	48.1
18-Jan-07	22:30	22:45	51.0	53.7	47.6
18-Jan-07	22:45	23:00	51.1	53.8	47.8
18-Jan-07	23:00	23:15	50.6	53.1	48.0
18-Jan-07	23:15	23:30	52.0	54.0	48.7
18-Jan-07	23:30	23:45	50.3	52.2	47.8
18-Jan-07	23:45	00:00	48.5	49.8	47.0
19-Jan-07	00:00	00:15	49.6	50.9	48.0
19-Jan-07	00:15	00:30	48.4	50.1	46.5
19-Jan-07	00:30	00:45	47.8	49.4	46.0
19-Jan-07	00:45	01:00	49.3	51.7	46.3
19-Jan-07	01:00	01:15	48.3	50.2	46.2
19-Jan-07	01:15	01:30	46.9	48.4	45.2
19-Jan-07	01:30	01:45	46.8	48.4	44.9
19-Jan-07	01:45	02:00	47.1	48.4	45.4
19-Jan-07	02:00	02:15	47.2	48.7	45.0
19-Jan-07	02:15	02:30	47.0	48.5	44.9
19-Jan-07	02:30	02:45	46.2	47.6	44.4
19-Jan-07	02:45	03:00	47.1	49.4	44.3
19-Jan-07	03:00	03:15	47.8	50.3	44.3
19-Jan-07	03:15	03:30	47.7	50.0	43.5
19-Jan-07	03:30	03:45	47.2	49.9	42.5
19-Jan-07	03:45	04:00	47.1	50.0	41.7
19-Jan-07	04:00	04:15	47.9	51.2	41.9
19-Jan-07	04:15	04:30	47.8	50.8	41.7
19-Jan-07	04:30	04:45	48.6	51.7	42.8
19-Jan-07	04:45	05:00	49.4	52.1	43.6
19-Jan-07	05:00	05:15	50.7	53.5	44.9
19-Jan-07	05:15	05:30	48.7	51.8	43.0
19-Jan-07	05:30	05:45	48.4	51.5	42.7
19-Jan-07	05:45	06:00	49.4	52.0	44.7
19-Jan-07	06:00	06:15	50.1	52.9	45.6
19-Jan-07	06:15	06:30	51.2	53.6	47.8
19-Jan-07	06:30	06:45	51.1	53.1	48.2
19-Jan-07	06:45	07:00	50.6	52.9	47.7
19-Jan-07	07:00	07:30	51.2	53.1	48.5
19-Jan-07	07:30	08:00	50.5	53.1	47.2
19-Jan-07	08:00	08:30	51.1	53.7	47.4

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
19-Jan-07	08:30	09:00	51.0	53.8	48.1
19-Jan-07	09:00	09:30	51.3	52.8	49.2
19-Jan-07	09:30	10:00	52.1	53.6	50.4
19-Jan-07	10:00	10:30	52.2	53.4	50.8
19-Jan-07	10:30	11:00	52.8	53.9	51.4
19-Jan-07	11:00	11:30	54.4	55.4	53.0
19-Jan-07	11:30	12:00	55.2	56.7	53.6
19-Jan-07	12:00	12:30	56.0	57.6	54.2
19-Jan-07	12:30	13:00	57.0	58.6	55.2
19-Jan-07	13:00	13:30	57.8	59.3	56.0
19-Jan-07	13:30	14:00	59.4	60.8	57.0
19-Jan-07	14:00	14:30	58.5	59.8	56.0
19-Jan-07	14:30	15:00	57.8	59.1	56.3
19-Jan-07	15:00	15:30	58.3	59.7	56.8
19-Jan-07	15:30	16:00	58.7	60.2	56.8
19-Jan-07	16:00	16:30	57.9	59.5	56.0
19-Jan-07	16:30	17:00	55.9	57.2	54.1
19-Jan-07	17:00	17:30	56.4	58.3	54.3
19-Jan-07	17:30	18:00	55.9	57.6	54.1
19-Jan-07	18:00	18:30	53.8	54.8	52.8
19-Jan-07	18:30	19:00	53.7	54.9	52.2
19-Jan-07	19:00	19:15	53.0	54.0	51.7
19-Jan-07	19:15	19:30	52.7	53.6	51.6
19-Jan-07	19:30	19:45	53.0	53.8	51.7
19-Jan-07	19:45	20:00	52.5	53.5	51.4
19-Jan-07	20:00	20:15	52.2	53.2	51.1
19-Jan-07	20:15	20:30	52.5	54.1	51.1
19-Jan-07	20:30	20:45	52.1	53.8	51.0
19-Jan-07	20:45	21:00	51.7	52.7	50.6
19-Jan-07	21:00	21:15	52.1	53.3	51.0
19-Jan-07	21:15	21:30	52.6	54.2	50.9
19-Jan-07	21:30	21:45	52.3	53.4	51.1
19-Jan-07	21:45	22:00	51.4	52.3	50.5
19-Jan-07	22:00	22:15	53.5	55.7	50.3
19-Jan-07	22:15	22:30	52.3	53.5	50.6
19-Jan-07	22:30	22:45	52.1	53.3	50.6
19-Jan-07	22:45	23:00	51.9	53.2	50.4
19-Jan-07	23:00	23:15	51.4	52.6	49.9
19-Jan-07	23:15	23:30	51.4	52.6	50.0
19-Jan-07	23:30	23:45	51.6	52.8	50.1
19-Jan-07	23:45	00:00	51.7	53.0	49.7
20-Jan-07	00:00	00:15	51.3	52.9	49.3
20-Jan-07	00:15	00:30	50.6	52.2	48.8
20-Jan-07	00:30	00:45	50.4	51.3	48.5
20-Jan-07	00:45	01:00	49.8	51.0	47.9
20-Jan-07	01:00	01:15	49.2	50.4	47.6
20-Jan-07	01:15	01:30	47.8	49.2	46.2

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
20-Jan-07	01:30	01:45	47.4	48.7	45.7
20-Jan-07	01:45	02:00	47.9	49.3	46.1
20-Jan-07	02:00	02:15	47.8	49.0	46.1
20-Jan-07	02:15	02:30	47.4	48.7	45.8
20-Jan-07	02:30	02:45	47.7	49.4	45.8
20-Jan-07	02:45	03:00	46.6	47.7	45.2
20-Jan-07	03:00	03:15	46.5	47.9	44.9
20-Jan-07	03:15	03:30	46.7	47.9	44.6
20-Jan-07	03:30	03:45	47.1	48.6	45.5
20-Jan-07	03:45	04:00	47.6	48.8	46.2
20-Jan-07	04:00	04:15	46.6	48.0	44.8
20-Jan-07	04:15	04:30	46.4	48.0	44.5
20-Jan-07	04:30	04:45	46.5	47.8	44.9
20-Jan-07	04:45	05:00	48.9	50.3	47.0
20-Jan-07	05:00	05:15	48.0	49.2	46.5
20-Jan-07	05:15	05:30	46.8	48.2	45.3
20-Jan-07	05:30	05:45	47.8	49.0	46.2
20-Jan-07	05:45	06:00	51.2	53.1	48.8
20-Jan-07	06:00	06:15	49.5	50.7	48.1
20-Jan-07	06:15	06:30	49.6	51.1	47.8
20-Jan-07	06:30	06:45	50.9	52.5	49.1
20-Jan-07	06:45	07:00	51.5	53.1	49.8
20-Jan-07	07:00	07:30	54.1	56.2	51.7
20-Jan-07	07:30	08:00	54.3	56.0	52.3
20-Jan-07	08:00	08:30	56.2	58.2	53.6
20-Jan-07	08:30	09:00	57.0	59.2	54.3
20-Jan-07	09:00	09:30	57.5	59.7	54.8
20-Jan-07	09:30	10:00	57.6	59.6	55.3
20-Jan-07	10:00	10:30	58.2	60.2	55.8
20-Jan-07	10:30	11:00	58.9	60.8	56.3
20-Jan-07	11:00	11:30	58.2	60.2	55.6
20-Jan-07	11:30	12:00	57.2	59.0	54.8
20-Jan-07	12:00	12:30	55.2	56.1	54.1
20-Jan-07	12:30	13:00	55.9	56.7	53.8
20-Jan-07	13:00	13:30	57.7	59.5	55.5
20-Jan-07	13:30	14:00	58.0	59.7	55.8
20-Jan-07	14:00	14:30	58.4	60.4	56.1
20-Jan-07	14:30	15:00	58.1	59.9	55.7
20-Jan-07	15:00	15:30	58.1	60.1	55.4
20-Jan-07	15:30	16:00	58.5	60.4	56.1
20-Jan-07	16:00	16:30	57.5	59.3	55.4
20-Jan-07	16:30	17:00	57.5	59.5	55.3
20-Jan-07	17:00	17:30	57.3	59.0	55.2
20-Jan-07	17:30	18:00	56.1	57.5	54.3
20-Jan-07	18:00	18:30	54.4	55.2	53.4
20-Jan-07	18:30	19:00	54.4	55.4	53.2
20-Jan-07	19:00	19:15	54.2	55.2	53.0

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
20-Jan-07	19:15	19:30	54.6	55.7	53.2
20-Jan-07	19:30	19:45	55.0	56.7	53.2
20-Jan-07	19:45	20:00	54.6	56.3	52.5
20-Jan-07	20:00	20:15	53.7	55.3	51.9
20-Jan-07	20:15	20:30	52.7	54.0	51.2
20-Jan-07	20:30	20:45	53.9	55.3	51.3
20-Jan-07	20:45	21:00	52.5	53.5	51.4
20-Jan-07	21:00	21:15	53.3	54.3	52.1
20-Jan-07	21:15	21:30	53.1	54.0	52.0
20-Jan-07	21:30	21:45	53.3	54.2	52.1
20-Jan-07	21:45	22:00	53.1	54.1	52.0
20-Jan-07	22:00	22:15	52.8	53.7	51.6
20-Jan-07	22:15	22:30	53.2	54.4	51.7
20-Jan-07	22:30	22:45	52.4	53.6	50.9
20-Jan-07	22:45	23:00	51.7	52.9	50.5
20-Jan-07	23:00	23:15	51.4	52.5	50.1
20-Jan-07	23:15	23:30	52.3	53.6	50.5
20-Jan-07	23:30	23:45	52.5	53.8	50.7
20-Jan-07	23:45	00:00	51.9	53.1	50.2
21-Jan-07	00:00	00:15	51.8	53.1	49.9
21-Jan-07	00:15	00:30	51.3	52.7	49.4
21-Jan-07	00:30	00:45	50.5	51.8	48.9
21-Jan-07	00:45	01:00	49.2	50.6	47.5
21-Jan-07	01:00	01:15	48.8	50.3	47.1
21-Jan-07	01:15	01:30	48.0	49.4	46.3
21-Jan-07	01:30	01:45	47.2	48.6	45.4
21-Jan-07	01:45	02:00	47.5	48.8	45.8
21-Jan-07	02:00	02:15	47.7	49.1	46.1
21-Jan-07	02:15	02:30	47.8	49.2	45.5
21-Jan-07	02:30	02:45	47.8	49.6	45.6
21-Jan-07	02:45	03:00	47.0	48.5	45.0
21-Jan-07	03:00	03:15	46.7	48.0	44.8
21-Jan-07	03:15	03:30	46.5	48.0	44.4
21-Jan-07	03:30	03:45	46.2	47.9	44.2
21-Jan-07	03:45	04:00	46.4	47.8	45.0
21-Jan-07	04:00	04:15	45.8	47.2	44.4
21-Jan-07	04:15	04:30	46.3	47.6	44.7
21-Jan-07	04:30	04:45	45.9	47.1	44.1
21-Jan-07	04:45	05:00	46.5	48.0	44.4
21-Jan-07	05:00	05:15	47.3	48.9	44.9
21-Jan-07	05:15	05:30	46.7	48.2	44.9
21-Jan-07	05:30	05:45	47.7	49.1	45.8
21-Jan-07	05:45	06:00	47.9	49.3	45.8
21-Jan-07	06:00	06:15	47.7	49.2	46.0
21-Jan-07	06:15	06:30	48.0	50.1	46.8
21-Jan-07	06:30	06:45	48.5	50.0	47.1
21-Jan-07	06:45	07:00	48.9	50.1	47.6

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
21-Jan-07	07:00	07:15	52.2	53.6	50.0
21-Jan-07	07:15	07:30	51.5	53.0	48.9
21-Jan-07	07:30	07:45	52.4	55.1	49.1
21-Jan-07	07:45	08:00	52.1	53.5	50.3
21-Jan-07	08:00	08:15	52.1	53.4	50.5
21-Jan-07	08:15	08:30	52.5	53.9	50.5
21-Jan-07	08:30	08:45	52.4	53.8	50.4
21-Jan-07	08:45	09:00	55.2	57.3	52.0
21-Jan-07	09:00	09:15	53.8	55.3	52.3
21-Jan-07	09:15	09:30	53.6	54.8	52.3
21-Jan-07	09:30	09:45	54.1	55.5	52.6
21-Jan-07	09:45	10:00	54.2	55.4	52.8
21-Jan-07	10:00	10:15	54.1	55.0	53.2
21-Jan-07	10:15	10:30	55.2	56.4	53.6
21-Jan-07	10:30	10:45	55.0	56.2	53.6
21-Jan-07	10:45	11:00	54.8	56.0	53.4
21-Jan-07	11:00	11:15	55.2	56.8	53.4
21-Jan-07	11:15	11:30	55.1	56.5	53.5
21-Jan-07	11:30	11:45	54.8	55.9	53.6
21-Jan-07	11:45	12:00	55.9	57.6	53.9
21-Jan-07	12:00	12:15	55.1	56.4	53.7
21-Jan-07	12:15	12:30	54.5	55.6	53.3
21-Jan-07	12:30	12:45	54.6	55.7	53.5
21-Jan-07	12:45	13:00	54.7	55.8	53.3
21-Jan-07	13:00	13:15	55.0	56.1	53.6
21-Jan-07	13:15	13:30	54.8	55.9	53.6
21-Jan-07	13:30	13:45	55.6	56.9	54.0
21-Jan-07	13:45	14:00	55.0	56.1	53.8
21-Jan-07	14:00	14:15	55.4	56.4	54.0
21-Jan-07	14:15	14:30	57.2	59.3	54.3
21-Jan-07	14:30	14:45	57.6	59.8	54.3
21-Jan-07	14:45	15:00	55.1	56.0	54.0
21-Jan-07	15:00	15:15	54.8	55.7	53.7
21-Jan-07	15:15	15:30	54.9	55.9	53.9
21-Jan-07	15:30	15:45	55.9	57.3	54.0
21-Jan-07	15:45	16:00	57.0	59.0	54.4
21-Jan-07	16:00	16:15	56.8	58.8	54.3
21-Jan-07	16:15	16:30	55.2	56.3	54.1
21-Jan-07	16:30	16:45	55.3	56.7	54.0
21-Jan-07	16:45	17:00	55.1	56.4	53.7
21-Jan-07	17:00	17:15	55.0	56.2	53.8
21-Jan-07	17:15	17:30	55.3	56.6	53.9
21-Jan-07	17:30	17:45	55.0	56.2	53.6
21-Jan-07	17:45	18:00	54.8	56.1	53.5
21-Jan-07	18:00	18:15	54.3	55.4	53.2
21-Jan-07	18:15	18:30	54.0	55.0	52.9
21-Jan-07	18:30	18:45	53.8	54.7	52.8

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
21-Jan-07	18:45	19:00	53.9	54.8	52.8
21-Jan-07	19:00	19:15	53.5	54.4	52.5
21-Jan-07	19:15	19:30	52.8	53.8	51.7
21-Jan-07	19:30	19:45	52.4	53.3	51.2
21-Jan-07	19:45	20:00	51.9	53.0	50.7
21-Jan-07	20:00	20:15	51.8	52.8	50.3
21-Jan-07	20:15	20:30	51.9	53.0	50.3
21-Jan-07	20:30	20:45	51.8	53.0	49.8
21-Jan-07	20:45	21:00	52.2	53.3	50.2
21-Jan-07	21:00	21:15	52.3	53.5	50.8
21-Jan-07	21:15	21:30	52.1	53.2	50.9
21-Jan-07	21:30	21:45	51.9	53.0	50.4
21-Jan-07	21:45	22:00	52.3	53.2	50.5
21-Jan-07	22:00	22:15	52.2	53.3	50.4
21-Jan-07	22:15	22:30	52.0	53.3	50.1
21-Jan-07	22:30	22:45	51.5	52.8	50.0
21-Jan-07	22:45	23:00	51.4	52.6	49.6
21-Jan-07	23:00	23:15	51.2	52.6	49.6
21-Jan-07	23:15	23:30	51.3	52.5	49.1
21-Jan-07	23:30	23:45	51.2	52.7	49.4
21-Jan-07	23:45	00:00	50.6	51.9	48.7
22-Jan-07	00:00	00:15	50.3	51.7	48.4
22-Jan-07	00:15	00:30	49.0	50.3	47.0
22-Jan-07	00:30	00:45	48.5	50.0	46.5
22-Jan-07	00:45	01:00	48.5	50.0	45.9
22-Jan-07	01:00	01:15	48.2	50.2	45.6
22-Jan-07	01:15	01:30	49.2	51.6	45.9
22-Jan-07	01:30	01:45	50.0	51.6	45.1
22-Jan-07	01:45	02:00	48.0	50.2	44.4
22-Jan-07	02:00	02:15	51.2	53.4	47.2
22-Jan-07	02:15	02:30	54.1	56.7	49.0
22-Jan-07	02:30	02:45	54.9	57.6	48.2
22-Jan-07	02:45	03:00	52.3	55.2	46.0
22-Jan-07	03:00	03:15	51.6	55.0	45.9
22-Jan-07	03:15	03:30	50.8	53.8	46.0
22-Jan-07	03:30	03:45	50.2	52.4	45.2
22-Jan-07	03:45	04:00	50.0	53.1	45.8
22-Jan-07	04:00	04:15	47.7	49.9	44.9
22-Jan-07	04:15	04:30	49.2	52.5	44.8
22-Jan-07	04:30	04:45	51.5	54.8	46.3
22-Jan-07	04:45	05:00	52.6	56.0	47.2
22-Jan-07	05:00	05:15	53.0	56.3	47.5
22-Jan-07	05:15	05:30	54.6	57.5	48.0
22-Jan-07	05:30	05:45	52.8	55.0	48.1
22-Jan-07	05:45	06:00	52.6	54.2	48.4
22-Jan-07	06:00	06:15	51.3	53.1	48.7
22-Jan-07	06:15	06:30	52.1	53.9	49.5

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
22-Jan-07	06:30	06:45	54.0	55.8	51.4
22-Jan-07	06:45	07:00	53.9	55.6	51.6
22-Jan-07	07:00	07:30	54.3	55.6	52.7
22-Jan-07	07:30	08:00	54.6	55.7	53.0
22-Jan-07	08:00	08:30	57.4	59.4	54.5
22-Jan-07	08:30	09:00	58.6	60.8	55.6
22-Jan-07	09:00	09:30	59.2	61.4	56.3
22-Jan-07	09:30	10:00	59.3	61.3	56.7
22-Jan-07	10:00	10:30	59.2	61.1	56.4
22-Jan-07	10:30	11:00	58.7	60.6	56.1
22-Jan-07	11:00	11:30	59.1	61.0	56.7
22-Jan-07	11:30	12:00	58.8	60.8	56.0
22-Jan-07	12:00	12:30	55.4	57.2	53.4
22-Jan-07	12:30	13:00	55.5	56.9	53.8
22-Jan-07	13:00	13:30	58.2	60.3	55.5
22-Jan-07	13:30	14:00	59.2	61.4	56.4
22-Jan-07	14:00	14:30	59.0	61.1	56.2
22-Jan-07	14:30	15:00	58.7	60.6	56.2
22-Jan-07	15:00	15:30	58.3	60.0	56.2
22-Jan-07	15:30	16:00	58.1	60.0	55.9
22-Jan-07	16:00	16:30	58.5	60.5	55.7
22-Jan-07	16:30	17:00	57.4	59.2	55.1
22-Jan-07	17:00	17:30	56.0	57.5	54.0
22-Jan-07	17:30	18:00	55.4	56.6	54.1
22-Jan-07	18:00	18:30	55.0	56.4	53.0
22-Jan-07	18:30	19:00	53.5	54.8	52.0
22-Jan-07	19:00	19:15	53.5	55.2	51.8
22-Jan-07	19:15	19:30	55.3	57.2	53.1
22-Jan-07	19:30	19:45	53.4	54.7	52.0
22-Jan-07	19:45	20:00	52.6	53.7	51.2
22-Jan-07	20:00	20:15	52.7	54.3	50.9
22-Jan-07	20:15	20:30	52.9	54.6	50.7
22-Jan-07	20:30	20:45	51.7	53.0	50.1
22-Jan-07	20:45	21:00	52.2	53.2	50.3
22-Jan-07	21:00	21:15	51.9	52.9	50.2
22-Jan-07	21:15	21:30	51.9	53.0	50.3
22-Jan-07	21:30	21:45	51.8	53.3	50.1
22-Jan-07	21:45	22:00	51.7	53.1	50.1
22-Jan-07	22:00	22:15	52.5	54.0	50.8
22-Jan-07	22:15	22:30	51.6	53.0	50.1
22-Jan-07	22:30	22:45	51.7	52.8	49.8
22-Jan-07	22:45	23:00	51.7	53.2	49.6
22-Jan-07	23:00	23:15	50.3	51.4	48.4
22-Jan-07	23:15	23:30	50.4	51.6	48.9
22-Jan-07	23:30	23:45	50.3	51.5	48.9
22-Jan-07	23:45	00:00	49.8	51.2	48.3
23-Jan-07	00:00	00:15	49.5	51.0	47.5

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
23-Jan-07	00:15	00:30	49.2	50.6	47.5
23-Jan-07	00:30	00:45	48.9	50.4	47.1
23-Jan-07	00:45	01:00	49.8	51.5	47.1
23-Jan-07	01:00	01:15	49.1	51.3	46.1
23-Jan-07	01:15	01:30	48.8	50.9	45.9
23-Jan-07	01:30	01:45	48.9	50.6	45.4
23-Jan-07	01:45	02:00	47.7	49.8	45.2
23-Jan-07	02:00	02:15	47.8	49.8	45.3
23-Jan-07	02:15	02:30	47.8	50.0	45.3
23-Jan-07	02:30	02:45	46.4	47.9	44.4
23-Jan-07	02:45	03:00	45.6	47.1	43.9
23-Jan-07	03:00	03:15	45.5	47.0	43.8
23-Jan-07	03:15	03:30	47.2	49.0	44.7
23-Jan-07	03:30	03:45	46.3	47.9	44.3
23-Jan-07	03:45	04:00	46.2	47.6	44.6
23-Jan-07	04:00	04:15	46.1	47.8	44.3
23-Jan-07	04:15	04:30	46.8	48.5	44.8
23-Jan-07	04:30	04:45	47.1	48.7	44.9
23-Jan-07	04:45	05:00	46.5	47.9	44.7
23-Jan-07	05:00	05:15	46.3	47.7	44.8
23-Jan-07	05:15	05:30	46.6	47.9	45.2
23-Jan-07	05:30	05:45	47.3	48.6	45.7
23-Jan-07	05:45	06:00	48.1	49.4	46.4
23-Jan-07	06:00	06:15	48.3	49.8	46.6
23-Jan-07	06:15	06:30	48.6	49.7	47.2
23-Jan-07	06:30	06:45	50.2	52.0	48.6
23-Jan-07	06:45	07:00	51.5	53.0	49.8
23-Jan-07	07:00	07:30	53.0	54.0	51.8
23-Jan-07	07:30	08:00	54.9	56.2	52.3
23-Jan-07	08:00	08:30	56.5	58.1	53.2
23-Jan-07	08:30	09:00	56.2	58.4	53.7
23-Jan-07	09:00	09:30	56.3	57.8	53.9
23-Jan-07	09:30	10:00	58.2	60.1	56.0
23-Jan-07	10:00	10:30	59.1	61.1	56.3
23-Jan-07	10:30	11:00	57.4	59.2	55.5
23-Jan-07	11:00	11:30	57.7	59.3	55.8
23-Jan-07	11:30	12:00	56.4	58.0	54.6
23-Jan-07	12:00	12:30	54.4	55.4	53.3
23-Jan-07	12:30	13:00	54.9	55.9	53.4
23-Jan-07	13:00	13:30	57.3	58.9	55.4
23-Jan-07	13:30	14:00	57.7	59.5	55.5
23-Jan-07	14:00	14:30	57.0	58.6	55.2
23-Jan-07	14:30	15:00	56.7	58.3	54.9
23-Jan-07	15:00	15:30	57.5	59.3	55.5
23-Jan-07	15:30	16:00	56.9	58.6	55.1
23-Jan-07	16:00	16:30	57.7	59.6	55.4
23-Jan-07	16:30	17:00	58.6	60.5	55.9

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
23-Jan-07	17:00	17:30	58.1	59.9	55.7
23-Jan-07	17:30	18:00	56.1	57.5	54.6
23-Jan-07	18:00	18:30	54.4	55.7	53.0
23-Jan-07	18:30	19:00	53.6	55.0	52.1
23-Jan-07	19:00	19:15	53.3	54.2	52.2
23-Jan-07	19:15	19:30	54.3	55.4	52.9
23-Jan-07	19:30	19:45	53.7	54.9	52.4
23-Jan-07	19:45	20:00	53.2	54.2	52.0
23-Jan-07	20:00	20:15	53.1	54.1	51.8
23-Jan-07	20:15	20:30	52.8	53.8	51.7
23-Jan-07	20:30	20:45	51.9	53.1	50.8
23-Jan-07	20:45	21:00	52.3	53.5	50.9
23-Jan-07	21:00	21:15	51.6	52.7	50.4
23-Jan-07	21:15	21:30	53.4	54.4	51.3
23-Jan-07	21:30	21:45	53.5	54.5	51.5
23-Jan-07	21:45	22:00	53.3	55.9	50.8
23-Jan-07	22:00	22:15	52.3	54.0	50.3
23-Jan-07	22:15	22:30	52.2	54.0	50.2
23-Jan-07	22:30	22:45	51.5	53.2	49.7
23-Jan-07	22:45	23:00	52.0	53.6	50.1
23-Jan-07	23:00	23:15	51.6	52.8	50.0
23-Jan-07	23:15	23:30	51.8	53.3	50.0
23-Jan-07	23:30	23:45	51.5	53.1	49.7
23-Jan-07	23:45	00:00	51.9	53.3	50.1
24-Jan-07	00:00	00:15	51.7	53.3	49.8
24-Jan-07	00:15	00:30	51.6	53.4	49.4
24-Jan-07	00:30	00:45	50.6	52.6	48.5
24-Jan-07	00:45	01:00	52.5	54.5	49.3
24-Jan-07	01:00	01:15	53.8	56.1	49.3
24-Jan-07	01:15	01:30	55.7	58.7	49.6
24-Jan-07	01:30	01:45	54.8	57.5	49.6
24-Jan-07	01:45	02:00	51.4	53.8	47.5
24-Jan-07	02:00	02:15	49.9	52.0	47.2
24-Jan-07	02:15	02:30	58.6	61.7	52.6
24-Jan-07	02:30	02:45	57.5	60.7	51.5
24-Jan-07	02:45	03:00	52.8	55.6	47.8
24-Jan-07	03:00	03:15	51.6	54.1	47.1
24-Jan-07	03:15	03:30	49.6	52.1	45.9
24-Jan-07	03:30	03:45	52.3	55.0	46.5
24-Jan-07	03:45	04:00	47.4	49.0	45.3
24-Jan-07	04:00	04:15	47.1	49.2	45.1
24-Jan-07	04:15	04:30	47.1	49.4	44.8
24-Jan-07	04:30	04:45	46.6	48.3	44.7
24-Jan-07	04:45	05:00	46.6	48.3	44.6
24-Jan-07	05:00	05:15	46.7	48.2	45.1
24-Jan-07	05:15	05:30	46.6	47.8	45.2
24-Jan-07	05:30	05:45	47.4	48.8	45.7

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
24-Jan-07	05:45	06:00	48.7	50.0	47.0
24-Jan-07	06:00	06:15	49.5	51.0	47.7
24-Jan-07	06:15	06:30	49.9	51.1	48.3
24-Jan-07	06:30	06:45	51.9	53.1	49.8
24-Jan-07	06:45	07:00	52.8	53.9	50.9
24-Jan-07	07:00	07:30	54.2	55.5	52.7
24-Jan-07	07:30	08:00	55.0	56.3	53.5
24-Jan-07	08:00	08:30	56.5	58.1	54.3
24-Jan-07	08:30	09:00	58.0	60.1	55.3
24-Jan-07	09:00	09:30	57.8	59.7	55.4
24-Jan-07	09:30	10:00	57.7	59.4	55.5
24-Jan-07	10:00	10:30	58.3	60.1	56.0
24-Jan-07	10:30	11:00	58.4	60.5	55.7
24-Jan-07	11:00	11:30	58.5	60.4	55.8
24-Jan-07	11:30	12:00	56.9	58.4	55.0
24-Jan-07	12:00	12:30	54.7	55.9	53.4
24-Jan-07	12:30	13:00	54.4	55.8	52.7
24-Jan-07	13:00	13:30	57.9	59.9	55.2
24-Jan-07	13:30	14:00	58.2	60.1	56.0
24-Jan-07	14:00	14:30	57.7	59.7	55.0
24-Jan-07	14:30	15:00	57.2	59.1	54.8
24-Jan-07	15:00	15:30	56.6	58.1	54.8
24-Jan-07	15:30	16:00	57.1	59.3	54.4
24-Jan-07	16:00	16:30	57.2	59.4	54.4
24-Jan-07	16:30	17:00	57.4	59.1	55.0
24-Jan-07	17:00	17:30	57.9	59.7	55.2
24-Jan-07	17:30	18:00	56.6	58.8	54.2
24-Jan-07	18:00	18:30	54.1	56.1	52.5
24-Jan-07	18:30	19:00	52.8	54.0	51.5
24-Jan-07	19:00	19:15	53.9	56.0	51.3
24-Jan-07	19:15	19:30	54.3	56.6	51.4
24-Jan-07	19:30	19:45	53.5	55.2	51.2
24-Jan-07	19:45	20:00	53.4	55.1	51.3
24-Jan-07	20:00	20:15	53.5	54.8	51.5
24-Jan-07	20:15	20:30	52.7	54.1	51.2
24-Jan-07	20:30	20:45	54.6	57.9	51.0
24-Jan-07	20:45	21:00	53.2	54.9	51.2
24-Jan-07	21:00	21:15	53.1	54.4	51.6
24-Jan-07	21:15	21:30	53.4	54.6	51.5
24-Jan-07	21:30	21:45	52.6	53.8	51.2
24-Jan-07	21:45	22:00	56.2	58.0	51.0
24-Jan-07	22:00	22:15	55.9	57.8	50.7
24-Jan-07	22:15	22:30	54.0	56.4	50.7
24-Jan-07	22:30	22:45	52.4	53.9	50.6
24-Jan-07	22:45	23:00	52.3	54.5	50.2
24-Jan-07	23:00	23:15	51.8	53.2	50.0
24-Jan-07	23:15	23:30	51.9	53.2	49.9

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
24-Jan-07	23:30	23:45	51.4	53.1	49.6
24-Jan-07	23:45	00:00	51.2	52.6	49.4
25-Jan-07	00:00	00:15	50.8	52.5	48.6
25-Jan-07	00:15	00:30	50.5	52.1	48.5
25-Jan-07	00:30	00:45	49.5	50.8	48.0
25-Jan-07	00:45	01:00	48.6	49.9	47.1
25-Jan-07	01:00	01:15	47.8	49.0	46.4
25-Jan-07	01:15	01:30	48.3	49.4	46.5
25-Jan-07	01:30	01:45	48.9	50.8	46.3
25-Jan-07	01:45	02:00	48.1	49.8	45.7
25-Jan-07	02:00	02:15	46.4	47.8	44.7
25-Jan-07	02:15	02:30	45.5	47.0	43.9
25-Jan-07	02:30	02:45	45.9	47.3	44.3
25-Jan-07	02:45	03:00	45.7	47.0	44.3
25-Jan-07	03:00	03:15	45.3	46.7	43.5
25-Jan-07	03:15	03:30	45.8	47.3	44.1
25-Jan-07	03:30	03:45	45.9	47.4	44.2
25-Jan-07	03:45	04:00	46.5	47.9	44.9
25-Jan-07	04:00	04:15	45.9	47.2	44.2
25-Jan-07	04:15	04:30	46.4	48.0	44.0
25-Jan-07	04:30	04:45	46.1	47.8	44.1
25-Jan-07	04:45	05:00	47.2	49.4	44.4
25-Jan-07	05:00	05:15	47.3	48.9	45.4
25-Jan-07	05:15	05:30	47.6	49.2	45.7
25-Jan-07	05:30	05:45	48.1	49.6	46.2
25-Jan-07	05:45	06:00	48.9	50.3	47.4
25-Jan-07	06:00	06:15	49.8	51.1	48.2
25-Jan-07	06:15	06:30	50.2	51.6	48.7
25-Jan-07	06:30	06:45	51.4	52.7	49.8
25-Jan-07	06:45	07:00	52.7	53.8	50.8
25-Jan-07	07:00	07:30	53.7	54.8	52.5
25-Jan-07	07:30	08:00	54.7	56.1	53.0
25-Jan-07	08:00	08:30	57.9	60.0	55.4
25-Jan-07	08:30	09:00	58.5	60.3	56.1
25-Jan-07	09:00	09:30	58.5	60.3	56.3
25-Jan-07	09:30	10:00	60.5	62.5	57.7
25-Jan-07	10:00	10:30	60.4	62.5	57.6
25-Jan-07	10:30	11:00	60.4	62.5	56.8
25-Jan-07	11:00	11:30	60.2	62.5	56.5
25-Jan-07	11:30	12:00	60.1	62.3	56.6
25-Jan-07	12:00	12:30	56.7	58.7	53.7
25-Jan-07	12:30	13:00	54.5	55.8	53.0
25-Jan-07	13:00	13:30	57.6	59.5	55.1
25-Jan-07	13:30	14:00	59.7	61.7	56.5
25-Jan-07	14:00	14:30	58.7	60.6	55.4
25-Jan-07	14:30	15:00	59.4	61.5	56.1
25-Jan-07	15:00	15:30	60.6	63.1	56.0

## Noise Monitoring Results of CN4 - Manly Villa

Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
25-Jan-07	15:30	16:00	58.9	61.2	55.7
25-Jan-07	16:00	16:30	58.5	60.4	56.2
25-Jan-07	16:30	17:00	58.0	59.8	55.8
25-Jan-07	17:00	17:30	58.1	59.6	56.2
25-Jan-07	17:30	18:00	56.5	57.7	55.0
25-Jan-07	18:00	18:30	54.8	55.9	53.6
25-Jan-07	18:30	19:00	53.9	55.0	52.5
25-Jan-07	19:00	19:15	53.3	54.6	52.0
25-Jan-07	19:15	19:30	53.8	55.9	51.7
25-Jan-07	19:30	19:45	53.2	54.7	51.6
25-Jan-07	19:45	20:00	53.4	54.6	52.2
25-Jan-07	20:00	20:15	53.3	54.6	52.0
25-Jan-07	20:15	20:30	52.8	53.9	51.4
25-Jan-07	20:30	20:45	53.9	55.9	51.6
25-Jan-07	20:45	21:00	53.7	55.9	51.3
25-Jan-07	21:00	21:15	52.5	53.6	51.1
25-Jan-07	21:15	21:30	54.0	55.6	52.1
25-Jan-07	21:30	21:45	53.5	55.2	51.8
25-Jan-07	21:45	22:00	52.9	54.7	50.8
25-Jan-07	22:00	22:15	52.1	53.7	49.9
25-Jan-07	22:15	22:30	51.8	53.2	50.1
25-Jan-07	22:30	22:45	52.4	53.6	51.0
25-Jan-07	22:45	23:00	52.6	53.8	50.9
25-Jan-07	23:00	23:15	51.7	53.1	49.9
25-Jan-07	23:15	23:30	51.0	52.1	49.7
25-Jan-07	23:30	23:45	51.2	52.2	50.1
25-Jan-07	23:45	00:00	51.3	52.6	49.8
26-Jan-07	00:00	00:15	50.6	52.2	48.8
26-Jan-07	00:15	00:30	51.5	52.7	50.0
26-Jan-07	00:30	00:45	51.6	53.1	50.0
26-Jan-07	00:45	01:00	50.0	51.3	48.2
26-Jan-07	01:00	01:15	50.1	51.4	48.3
26-Jan-07	01:15	01:30	48.7	50.1	46.9
26-Jan-07	01:30	01:45	48.5	50.5	46.1
26-Jan-07	01:45	02:00	46.7	48.3	45.1
26-Jan-07	02:00	02:15	46.3	47.5	44.6
26-Jan-07	02:15	02:30	46.3	47.8	44.3
26-Jan-07	02:30	02:45	46.1	47.7	44.3
26-Jan-07	02:45	03:00	46.7	48.6	44.4
26-Jan-07	03:00	03:15	46.8	48.3	44.6
26-Jan-07	03:15	03:30	46.0	47.5	44.2
26-Jan-07	03:30	03:45	46.9	48.8	44.7
26-Jan-07	03:45	04:00	46.9	48.4	45.3
26-Jan-07	04:00	04:15	46.6	48.2	44.8
26-Jan-07	04:15	04:30	46.1	47.9	44.2
26-Jan-07	04:30	04:45	46.9	49.0	44.2
26-Jan-07	04:45	05:00	47.0	49.3	44.4

## Noise Monitoring Results of CN4 - Manly Villa


Date	Time		Measured Noise Level, dB(A)		
	From	To	LAeq	LA10	LA90
26-Jan-07	05:00	05:15	47.1	48.6	45.2
26-Jan-07	05:15	05:30	47.4	48.9	45.5
26-Jan-07	05:30	05:45	48.3	49.7	46.2
26-Jan-07	05:45	06:00	49.0	50.3	47.3
26-Jan-07	06:00	06:15	54.9	60.1	48.2
26-Jan-07	06:15	06:30	51.4	52.6	49.9
26-Jan-07	06:30	06:45	52.7	54.2	50.7
26-Jan-07	06:45	07:00	53.2	54.4	51.6
26-Jan-07	07:00	07:30	53.9	54.9	52.7
26-Jan-07	07:30	08:00	54.3	55.3	53.2
26-Jan-07	08:00	08:30	56.4	57.6	54.7
26-Jan-07	08:30	09:00	62.6	66.4	55.2
26-Jan-07	09:00	09:30	58.1	59.2	56.1
26-Jan-07	09:30	10:00	57.4	58.8	55.7
26-Jan-07	10:00	10:30	57.9	59.3	56.0
26-Jan-07	10:30	11:00	56.9	58.4	55.1
26-Jan-07	11:00	11:30	58.0	59.6	55.5
26-Jan-07	11:30	12:00	55.7	57.1	54.2
26-Jan-07	12:00	12:30	54.4	55.4	53.3
26-Jan-07	12:30	13:00	57.3	61.0	53.4
26-Jan-07	13:00	13:30	57.2	58.8	55.3
26-Jan-07	13:30	14:00	59.3	62.2	56.1

## **Appendix B3**


---

### **Graphical Plots of Baseline Noise Monitoring Data**

# Baseline Noise Monitoring ~ CN1 (Daytime)




# Baseline Noise Monitoring ~ CN1 (Evening)







# Baseline Noise Monitoring ~ CN1 (Holiday)




# Baseline Noise Monitoring ~ CN2 (Daytime)




# Baseline Noise Monitoring ~ CN2 (Evening)




# Baseline Noise Monitoring ~ CN2 (Night-time)




# Baseline Noise Monitoring ~ CN2 (Holiday)




# Baseline Noise Monitoring ~ CN3 (Daytime)




# Baseline Noise Monitoring ~ CN3 (Evening)




# Baseline Noise Monitoring ~ CN3 (Night-time)




# Baseline Noise Monitoring ~ CN3 (Holiday)




# Baseline Noise Monitoring ~ CN4 (Daytime)



# Baseline Noise Monitoring ~ CN4 (Evening)



# Baseline Noise Monitoring ~ CN4 (Night-time)



Date & Time

# Baseline Noise Monitoring ~ CN4 (Holiday)

