


Traffic ID Index Map (Without Project)




1

604


606

607


2



3



4



607

20

7

501

22

501

503

502

20

7

12

18

504

19

13

Details of road traffic data (KTN)

Predicted traffic flow in year 2044 (KTN, Without Project)

ID	Projected Peak Hour Flow in 2044, veh/h	% Heavy Vehicle	Design Speed (km/h)
1	874	35.2	50
2	2785	36.2	100
3	3652	36.1	100
7	4281	30.9	100
12	1223	33.5	50
13	3089	30.4	100
18	2778	36.2	100
19	1020	36.4	50
20	3759	35.7	100
27	516	18.6	50
28	3253	40.7	100
29	59	100	50
30	2449	45.9	100
31	808	19.6	50
34	2449	45.9	100
165	4218	34	100
166	54	100	50
167	54	100	50
168	125	100	50
170	1019	13.9	50
171	499	23.8	50
172	897	35.6	50
173	146	21.9	50
174	1399	25.1	50
175	1399	25.1	50
176	1350	27.6	50
177	629	42.4	50
178	578	50.9	50
193	39	2.6	50
194	1	100	50
197	289	24.2	50
198	869	24.1	50
199	1626	28.2	50
200	1123	28.9	50
201	808	19.6	50
202	3585	40.7	100

ID	Projected Peak Hour Flow in 2044, veh/h	% Heavy Vehicle	Design Speed (km/h)
207	205	12.7	50
208	670	0.9	50
501	1609	20.4	50
502	511	38.6	50
503	1983	23.8	50
504	2055	19.7	50
505	1861	27.8	50
506	1091	13.3	50
507	1390	36.8	50
508	475	81.9	50
509	1146	31.8	50
510	1186	30.9	50
511	687	61.4	50
512	1123	28.9	50
513	1761	37.5	50
514	1210	28	50
515	94	27.7	50
516	61	23	50
555	1588	27.9	50
601	746	10.3	50
602	310	13.9	50
603	457	12.3	50
604	216	6.9	50
605	238	15.5	50
606	167	19.8	50
607	71	5.6	50
608	1	1	50
609	836	11.7	50
610	1565	13	50
611	321	43	50
612	1025	16.1	50
613	1692	5.4	50
614	927	12.6	50
711	630	13.3	50

Details of road traffic data (KTN)

Predicted traffic flow in year 2043 (KTN, Without Project)

ID	Projected Peak Hour Flow in 2043, veh/h	% Heavy Vehicle	Design Speed (km/h)
1	872	35.3	50
2	2777	36.3	100
3	3640	36.2	100
7	4266	30.9	100
12	1218	33.5	50
13	3078	30.4	100
18	2770	36.3	100
19	1015	36.3	50
20	3745	35.7	100
27	514	18.7	50
28	3241	40.7	100
29	59	100	50
30	2441	45.8	100
31	806	19.6	50
34	2441	45.8	100
165	4204	34	100
166	53	100	50
167	53	100	50
168	124	100	50
170	1015	13.9	50
171	498	23.9	50
172	894	35.6	50
173	146	21.9	50
174	1394	25.1	50
175	1394	25.1	50
176	1347	27.6	50
177	627	42.4	50
178	577	51	50
193	39	2.6	50
194	1	100	50
197	288	24	50
198	866	24	50
199	1622	28.2	50
200	1118	28.9	50
201	806	19.6	50
202	3573	40.7	100

ID	Projected Peak Hour Flow in 2043, veh/h	% Heavy Vehicle	Design Speed (km/h)
207	205	12.7	50
208	667	0.9	50
501	1604	20.4	50
502	508	38.6	50
503	1983	23.8	50
504	2049	19.7	50
505	1856	27.9	50
506	1087	13.3	50
507	1384	36.7	50
508	473	81.8	50
509	1143	31.8	50
510	1183	31	50
511	684	61.4	50
512	1118	28.9	50
513	1756	37.5	50
514	1204	28	50
515	94	27.7	50
516	61	23	50
555	1583	27.9	50
601	744	10.3	50
602	310	13.9	50
603	456	12.3	50
604	216	6.9	50
605	238	15.5	50
606	167	19.8	50
607	71	19.8	50
608	1	1	50
609	833	11.8	50
610	1560	13.1	50
611	320	42.8	50
612	1022	16.1	50
613	1692	5.4	50
614	927	12.6	50
711	630	13.3	50

Details of road traffic data (KTN)

Predicted traffic flow in year 2036 (KTN, Without Project)

ID	Projected Peak Hour Flow in 2036, veh/h	% Heavy Vehicle	Design Speed (km/h)
1	852	35.3	50
2	2712	36.3	100
3	3556	36.2	100
7	4166	30.9	100
12	1191	33.6	50
13	3005	30.4	100
18	2702	36.2	100
19	991	36.3	50
20	3657	35.7	100
27	500	18.4	50
28	3165	40.8	100
29	58	100	50
30	2384	45.9	100
31	786	19.5	50
34	2384	45.9	100
165	4109	34.1	100
166	52	100	50
167	52	100	50
168	121	100	50
170	992	13.9	50
171	487	24	50
172	874	35.6	50
173	143	22.4	50
174	1361	25.1	50
175	1361	25.1	50
176	1315	27.6	50
177	611	42.4	50
178	561	50.8	50
193	38	2.6	50
194	1	100	50
197	281	24.2	50
198	845	23.9	50
199	1582	28.2	50
200	1092	28.8	50
201	786	19.5	50
202	3491	40.7	100

ID	Projected Peak Hour Flow in 2036, veh/h	% Heavy Vehicle	Design Speed (km/h)
207	200	13	50
208	652	0.9	50
501	1567	20.4	50
502	496	38.5	50
503	1936	23.8	50
504	2000	19.7	50
505	1811	27.8	50
506	1063	13.5	50
507	1351	36.7	50
508	462	81.8	50
509	1116	31.8	50
510	1153	31	50
511	668	61.5	50
512	1092	28.8	50
513	1716	37.5	50
514	1178	28	50
515	91	27.5	50
516	60	21.7	50
555	1546	27.9	50
601	725	10.2	50
602	302	13.9	50
603	446	12.6	50
604	210	7.1	50
605	232	15.9	50
606	163	20.2	50
607	68	5.9	50
608	1	1	50
609	812	11.7	50
610	1524	13.1	50
611	314	43	50
612	997	16	50
613	1653	5.4	50
614	905	12.6	50
711	616	13.3	50


Details of road traffic data (KTN)


Predicted traffic flow in year 2016 (KTN, Without Project)

ID	Projected Peak Hour Flow in 2036, veh/h	% Heavy Vehicle	Design Speed (km/h)
1	970	63.3	50
2	1941	43	100
3	2546	43.8	100
7	2865	40.5	100
12	767	35.9	50
13	2131	42.6	100
18	2110	40.8	100
19	605	38.8	50
20	2667	39.9	100
27	185	25.4	50
28	2437	45.1	100
29	353	100	50
30	1752	50.8	100
31	702	5	50
34	1752	50.8	100
165	3035	42.8	100
166	73	100	50
167	65	100	50
168	154	99.8	50
170	948	45.7	50
171	444	34.3	50
172	1091	59	50
173	122	25.4	50
174	350	24.1	50
175	350	24.1	50
176	742	33.8	50
177	649	47.5	50
178	949	43.1	50
193	48	4.2	50
194	3	100	50
197	41	40	50
198	236	60.4	50
199	811	40.4	50
200	915	41.2	50
201	753	5.2	50
202	2679	47.6	100


ID	Projected Peak Hour Flow in 2036, veh/h	% Heavy Vehicle	Design Speed (km/h)
207	284	42.2	50
208	504	2.2	50
501	1124	21.4	50
502	294	28.9	50
503	1341	22.6	50
504	1518	21.1	50
505	1452	51.3	50
506	1148	24.8	50
507	617	31.4	50
508	267	61.4	50
509	264	31.4	50
510	317	27.4	50
511	450	61.6	50
512	915	41.2	50
513	1107	62.9	50
514	899	34.6	50
515	36	16.7	50
516	39	17.9	50
555	1303	37.3	50
601	391	18.2	50
602	171	25.1	50
603	244	20.9	50
604	111	14.4	50
605	133	28.6	50
606	95	32.6	50
607	36	13.9	50
608	1	1	50
609	654	13	50
610	1085	17.2	50
611	167	32.9	50
612	311	17.7	50
613	577	14.4	50
614	271	16.2	50
711	295	18.3	50

Traffic ID Index Map







2




3



4



5



Details of road traffic data (KTN)

Predicted traffic flow in year 2044 (KTN, With Project)

ID	Projected Peak Hour Flow in 2044, veh/h	% Heavy Vehicle	Design Speed (km/h)	ID	Projected Peak Hour Flow in 2044, veh/h	% Heavy Vehicle	Design Speed (km/h)
1	888	36.7	50	48	333	19.5	50
2	3775	29.5	100	49	375	14.7	50
3	4670	31	100	50	231	24.2	50
4	751	14.2	50	51	199	21.6	50
5	3928	32.8	100	52	203	13.8	50
6	494	28.7	50	53	526	20.2	50
7	4410	32.2	100	54	674	14.5	50
8	271	14.4	50	55	1133	29.9	50
9	4143	33.4	100	56	952	36.7	50
10	1057	18.9	50	57	1733	32.3	50
11	5424	29	100	58	1442	39.6	50
12	1408	31.4	50	59	246	22	50
13	4050	28.6	100	60	228	14	50
17	38	100	50	61	290	28.6	50
18	4267	26.3	100	62	290	26.6	50
19	677	33.8	50	63	473	23.7	50
20	4919	27	100	64	468	18.8	50
21	745	31	50	65	219	14.2	50
22	5640	27.3	100	66	219	22.4	50
23	1492	31.8	50	67	22	18.2	50
24	3971	34.7	100	68	15	13.3	50
25	314	37.3	50	69	125	36.8	50
26	4274	34.7	100	70	142	44.4	50
27	466	23.8	50	71	333	16.8	50
28	3816	36.1	100	72	592	17.4	50
29	61	100	50	73	369	22.5	50
30	3423	37.6	100	74	148	38.5	50
31	761	23.5	50	75	397	15.6	50
32	3423	37.6	100	76	315	14.6	50
33	450	21.3	50	77	397	15.6	50
34	3423	37.6	100	78	315	14.6	50
35	247	25.1	50	79	460	25.2	50
36	356	37.9	50	80	429	22.4	50
37	19	15.8	50	81	278	43.9	50
38	90	18.9	50	82	165	35.8	50
39	203	28.6	50	83	515	28.5	50
40	258	42.2	50	84	596	31.7	50
41	669	40.5	50	139	292	23.6	50
42	582	48.3	50	140	94	50.2	50
43	579	13.8	50	141	284	23.8	50
44	633	22.7	50	142	84	51.9	50
45	125	16.8	50	145	823	8.5	50
46	224	21	50	146	324	14.6	50
47	333	17.1	50	147	607	2.7	50

Details of road traffic data (KTN)

ID	Projected Peak Hour Flow in 2044, veh/h	% Heavy Vehicle	Design Speed (km/h)
148	323	7	50
149	36	47.2	50
150	240	27.9	50
151	475	15.2	50
152	342	23.4	50
157	22	13.6	50
158	19	57.9	50
159	14	100	50
160	111	25.2	50
161	22	13.6	50
162	19	57.9	50
163	31	19.4	50
164	47	23.4	50
165	4923	29.3	100
166	52	100	50
167	67	100	50
168	131	100	50
169	926	3.1	50
170	1042	14	50
171	503	23.7	50
172	1269	28.8	50
173	147	22.4	50
174	435	9	50
175	240	42.5	50
176	1081	32.7	50
177	655	35.1	50
178	638	48.4	50
183	241	24.5	50
184	134	56	50
193	127	33.9	50
194	6	100	50
197	18	38.9	50
198	379	50.1	50
199	1307	29.1	50
200	1046	21	50
201	904	26.1	50
202	4375	33.2	100
205	916	31.8	50
206	277	41.5	50
207	302	7.6	50
208	593	1.2	50
249	175	34.9	50

ID	Projected Peak Hour Flow in 2044, veh/h	% Heavy Vehicle	Design Speed (km/h)
254	655	35.1	50
302	638	48.4	50
404	25	16	50
405	231	40.7	50
406	490	14.1	50
407	306	23.9	50
501	1111	30.2	50
502	464	43.3	50
503	1453	33	50
504	1430	27.6	50
505	1705	32.4	50
506	880	15.2	50
507	883	60.1	50
508	731	53.8	50
509	522	61.9	50
510	520	59.2	50
511	828	61.5	50
512	1046	21	50
513	1675	38	50
514	1049	27.5	50
515	139	18	50
516	65	24.6	50
551	887	27.4	50
552	1940	22	50
553	1991	12.3	50
554	1275	10.2	50
555	1191	29.1	50
557	573	22	50
558	35	51.4	50
600	1	1	50
601	851	31.7	50
602	575	27	50
650	90	15.6	50
651	589	10.2	50
652	455	6.4	50
653	138	24.6	50
700	944	25.2	50
701	4246	35.9	100
793	16	12.5	50
794	30	13.3	50
800	1	1	50

Details of road traffic data (KTN)

Predicted traffic flow in year 2043 (KTN, With Project)

ID	Projected Peak Hour Flow in 2043, veh/h	% Heavy Vehicle	Design Speed (km/h)	ID	Projected Peak Hour Flow in 2043, veh/h	% Heavy Vehicle	Design Speed (km/h)
1	885	36.7	50	48	332	19	50
2	3763	29.6	100	49	374	14.2	50
3	4654	31	100	50	230	23.9	50
4	748	13.6	50	51	199	21.1	50
5	3917	32.2	100	52	202	13.4	50
6	492	28.5	50	53	525	19.6	50
7	4395	31.6	100	54	672	14	50
8	271	14	50	55	1130	29.5	50
9	4129	32.8	100	56	948	36.2	50
10	1054	18.5	50	57	1727	31.8	50
11	5408	28.4	100	58	1439	39.3	50
12	1403	31	50	59	245	21.6	50
13	4035	28	100	60	228	13.6	50
17	38	0	50	61	290	28.3	50
18	4251	25.6	100	62	289	26.3	50
19	675	33.3	50	63	472	23.3	50
20	4902	26.4	100	64	467	18.4	50
21	743	30.7	50	65	219	13.7	50
22	5622	26.7	100	66	218	22	50
23	1488	31.4	50	67	22	18.2	50
24	3956	34.1	100	68	15	13.3	50
25	313	37.1	50	69	125	36.8	50
26	4258	34.1	100	70	141	44	50
27	465	23.4	50	71	332	16.3	50
28	3803	35.6	100	72	591	16.9	50
29	61	100	50	73	369	22	50
30	3412	37.6	100	74	147	38.1	50
31	759	22.9	50	75	396	15.2	50
32	3412	37.6	100	76	314	14	50
33	449	20.9	50	77	396	15.2	50
34	3412	37.6	100	78	314	14	50
35	247	24.7	50	79	460	24.8	50
36	354	37.9	50	80	429	21.9	50
37	19	15.8	50	81	278	43.5	50
38	89	19.1	50	82	163	35.6	50
39	203	28.1	50	83	513	28.3	50
40	257	42	50	84	595	31.4	50
41	666	40.1	50	139	291	23.6	50
42	581	48	50	140	94	50.2	50
43	576	13.2	50	141	283	23.8	50
44	630	22.1	50	142	83	51.9	50
45	125	16	50	145	820	8.5	50
46	224	20.5	50	146	323	14.6	50
47	333	16.5	50	147	605	2.7	50

Details of road traffic data (KTN)

ID	Projected Peak Hour Flow in 2043, veh/h	% Heavy Vehicle	Design Speed (km/h)
148	321	7	50
149	36	47.2	50
150	239	27.6	50
151	473	14.8	50
152	342	22.8	50
157	22	13.6	50
158	19	57.9	50
159	14	100	50
160	111	24.8	50
161	22	13.6	50
162	19	57.9	50
163	31	19.4	50
164	47	23.4	50
165	4908	29.3	100
166	52	100	50
167	67	100	50
168	131	100	50
169	923	3.1	50
170	1038	14	50
171	501	23.8	50
172	1264	28.8	50
173	147	21.8	50
174	434	9	50
175	238	42.4	50
176	1078	32.7	50
177	652	35.1	50
178	635	48.3	50
183	241	23.7	50
184	134	55.2	50
193	126	34.1	50
194	6	100	50
197	18	38.9	50
198	378	50	50
199	1302	29	50
200	1041	21	50
201	902	26.2	50
202	4375	33.2	100
205	916	31.8	50
206	276	41.7	50
207	302	7.6	50
208	591	1.2	50
249	175	34.9	50

ID	Projected Peak Hour Flow in 2043, veh/h	% Heavy Vehicle	Design Speed (km/h)
254	652	35.1	50
302	635	48.3	50
404	25	16	50
405	231	40.7	50
406	489	14.1	50
407	306	23.9	50
501	1108	30	50
502	462	42.9	50
503	1447	32.6	50
504	1426	27.2	50
505	1701	32.5	50
506	877	15.2	50
507	879	60.2	50
508	728	53.3	50
509	520	61.7	50
510	518	59.3	50
511	826	61.4	50
512	1041	21	50
513	1668	38.1	50
514	1044	27.4	50
515	138	18.1	50
516	65	24.6	50
551	885	27	50
552	1935	21.6	50
553	1985	11.7	50
554	1271	9.7	50
555	1187	29.1	50
557	572	21.3	50
558	35	51.4	50
600	0	1	50
601	849	31.8	50
602	573	27.1	50
650	90	15.6	50
651	587	10.2	50
652	454	6.4	50
653	137	24.1	50
700	941	24.9	50
701	4230	35.9	100
793	15	13.3	50
794	30	13.3	50
800	1	1	50

Details of road traffic data (KTN)

Predicted traffic flow in year 2036 (KTN, With Project)

ID	Projected Peak Hour Flow in 2036, veh/h	% Heavy Vehicle	Design Speed (km/h)	ID	Projected Peak Hour Flow in 2036, veh/h	% Heavy Vehicle	Design Speed (km/h)
1	864	36.8	50	48	324	18.8	50
2	3679	29.6	100	49	366	14.2	50
3	4545	31	100	50	225	24	50
4	732	13.8	50	51	195	21	50
5	3822	32.2	100	52	198	13.6	50
6	480	28.3	50	53	513	19.9	50
7	4292	31.6	100	54	654	13.9	50
8	263	13.7	50	55	1104	29.5	50
9	4031	32.8	100	56	926	36.2	50
10	1029	18.5	50	57	1687	31.8	50
11	5281	28.4	100	58	1405	39.3	50
12	1370	31	50	59	241	21.6	50
13	3940	28	100	60	222	13.5	50
17	38	0	50	61	283	28.3	50
18	4151	25.6	100	62	282	26.2	50
19	659	33.4	50	63	463	23.5	50
20	4788	26.4	100	64	455	18.2	50
21	725	30.6	50	65	213	13.6	50
22	5489	26.7	100	66	213	21.6	50
23	1451	31.4	50	67	21	19	50
24	3865	34.1	100	68	15	13.3	50
25	306	36.9	50	69	120	36.7	50
26	4156	34.1	100	70	138	44.2	50
27	454	23.3	50	71	323	16.1	50
28	3715	35.6	100	72	578	17	50
29	60	100	50	73	360	21.9	50
30	3337	37.7	100	74	144	38.2	50
31	741	22.9	50	75	387	15.2	50
32	3337	37.7	100	76	308	14.3	50
33	437	20.6	50	77	387	15.2	50
34	3337	37.7	100	78	308	14.3	50
35	242	25.2	50	79	448	24.8	50
36	346	37.6	50	80	419	22	50
37	19	15.8	50	81	271	43.5	50
38	87	18.4	50	82	160	35	50
39	200	28.5	50	83	502	28.3	50
40	252	42.1	50	84	581	31.5	50
41	652	40	50	139	284	23.6	50
42	567	48	50	140	91	50.2	50
43	563	13.3	50	141	276	23.8	50
44	615	22.3	50	142	81	51.9	50
45	121	15.7	50	145	801	8.5	50
46	218	20.2	50	146	316	14.6	50
47	325	16.6	50	147	591	2.7	50

Details of road traffic data (KTN)

ID	Projected Peak Hour Flow in 2036, veh/h	% Heavy Vehicle	Design Speed (km/h)
148	314	7	50
149	36	47.2	50
150	235	27.7	50
151	463	14.9	50
152	335	23	50
157	22	13.6	50
158	19	57.9	50
159	14	100	50
160	108	24.7	50
161	22	13.6	50
162	19	57.9	50
163	30	20	50
164	46	23.9	50
165	4800	29.4	100
166	51	100	50
167	66	100	50
168	127	100	50
169	902	3.2	50
170	1015	14	50
171	489	23.7	50
172	1234	28.8	50
173	143	21.7	50
174	425	9.2	50
175	232	42.7	50
176	1054	32.9	50
177	639	35.2	50
178	623	48.5	50
183	235	24.3	50
184	133	55.6	50
193	124	33.9	50
194	6	100	50
197	18	38.9	50
198	367	49.9	50
199	1273	29.1	50
200	1015	21	50
201	882	26.2	50
202	4366	33.2	100
205	916	31.8	50
206	270	41.5	50
207	295	7.8	50
208	577	1.2	50
249	170	34.7	50

ID	Projected Peak Hour Flow in 2036, veh/h	% Heavy Vehicle	Design Speed (km/h)
254	639	35.2	50
302	623	48.5	50
404	25	16	50
405	225	41.3	50
406	479	14.4	50
407	306	23.9	50
501	1083	30	50
502	452	42.7	50
503	1414	32.6	50
504	1391	27.2	50
505	1665	32.7	50
506	854	15.1	50
507	859	60.2	50
508	712	53.5	50
509	509	61.7	50
510	507	59.2	50
511	806	61.4	50
512	1015	21	50
513	1638	38.4	50
514	1022	27.6	50
515	136	18.4	50
516	65	24.6	50
551	864	27	50
552	1889	21.5	50
553	1937	11.7	50
554	1242	9.7	50
555	1160	29.1	50
557	560	21.4	50
558	35	51.4	50
600	1	1	50
601	830	31.9	50
602	558	27.1	50
650	89	15.7	50
651	575	10.3	50
652	440	5.9	50
653	132	23.5	50
700	917	24.6	50
701	4131	35.9	100
793	15	13.3	50
794	29	13.8	50
800	1	1	50