


Project: 25278 Agreement No. CE61/2007 (CE) North East New Territories New Development Areas Planning and Engineering Study
 Tiltle: Predicted Noise Level from Lo Wu Rifle Range (KTN G1-1)

				Operation Parameter			Correction, dB(A)						Predicted Noise Level, dB(A)	Criteria, dB(A)	Compliance [Y/N]	Exceedance, dB(A)
NSR	AP	Average SWL, dB(A)		No. of people	No. of shoot/ people/ 30mins	Distance, m	People	Shoot	Distance	Impulsiveness	Facade	Barrier				
		Overall	30mins													
A3-3	R2721	119	86.6	10	140	730	10	21	-65	3	3	0	59	60	Y	-
A3-4	R9003	119	86.6	10	140	690	10	21	-65	3	3	-10	49	60	Y	-
D1-11	R2830	119	86.6	10	140	540	10	21	-63	3	3	-10	51	60	Y	-
D1-12	R9004	119	86.6	10	140	295	10	21	-57	3	3	-10	57	54	N	3
D1-13	R9005	119	86.6	10	140	225	10	21	-55	3	3	-10	59	54	N	5
E1-3	R9002	119	86.6	10	140	960	10	21	-68	3	3	0	56	60	Y	-
E1-4	R3721	119	86.6	10	140	890	10	21	-67	3	3	0	57	60	Y	-
F1-3	R9001	119	86.6	10	140	300	10	21	-58	3	3	0	67	54	N	13
F1-3	R2841	119	86.6	10	140	280	10	21	-57	3	3	0	67	54	N	13
F1-3	R2843	119	86.6	10	140	170	10	21	-53	3	3	0	71	54	N	17
F1-4	R9000	119	86.6	10	140	275	10	21	-57	3	3	0	67	54	N	13



Project: 25278 Agreement No. CE61/2007 (CE) North East New Territories New Development Areas Planning and Engineering Study
 Title: Predicted Noise Level from Firing Range (KTN G1-2)

NSR	Average SWL, dB(A)		Operation Parameter			Correction, dB(A)						Predicted Noise Level, dB(A)	Criteria, dB(A)	Compliance [Y/N]	Exceedance, dB(A)
			No. of people	No. of shoot/ people/ 30mins	Distance, m	People	Shoot	Distance	Impulsiveness	Facade	Barrier				
	Overall	30mins													
A3-3	121.3	88.7	1	47	445	0	17	-61	3	3	0	50	60	Y	-
A3-4	121.3	88.7	1	47	440	0	17	-61	3	3	-10	41	60	Y	-
D1-11	121.3	88.7	1	47	540	0	17	-63	3	3	-10	39	60	Y	-
D1-12	121.3	88.7	1	47	460	0	17	-61	3	3	0	50	54	Y	-
D1-13	121.3	88.7	1	47	275	0	17	-57	3	3	0	55	54	N	1
E1-3	121.3	88.7	1	47	625	0	17	-64	3	3	0	48	60	Y	-
E1-4	121.3	88.7	1	47	555	0	17	-63	3	3	0	49	60	Y	-
F1-3	121.3	88.7	1	47	105	0	17	-48	3	3	0	63	54	N	9
F1-3	121.3	88.7	1	47	195	0	17	-54	3	3	0	58	54	N	4
F1-3	121.3	88.7	1	47	225	0	17	-55	3	3	0	56	54	N	2
F1-4	121.3	88.7	1	47	270	0	17	-57	3	3	0	55	54	N	1