

Assessment Point				Locations	WITHOUT PROJECT			WITH PROJECT										Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^(a) (Y/N)
					OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	NEW ROADS OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	C - A dB(A) [D]		D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)	
R1061	Floor	1	19.4	Ho Tung Dispensary	73.9	74.8	36.3	0	31.9	51.2	20.9	63.2	0	63.4	63.5	55	Y	-11.3	N	Y	27.2	Y	Y
R1061	2	24.4	Ho Tung Dispensary	74.1	75.0	38.5	0	34.8	54.3	24.8	65.7	0	66.1	66.1	55	Y	-8.9	N	Y	27.6	Y	Y	
R1085	1	11.6	Valais	56.2	58.3	55.7	0	13.6	37.7	27.7	53.3	0	53.5	57.7	70	N	-0.6	N	N	2.0	Y	N	
R1085	2	15.6	Valais	59.2	60.9	56.6	0	14	42	30.4	57.2	0	57.4	60	70	N	-0.9	N	N	3.4	Y	N	
R1085	3	19.6	Valais	66.1	67.3	57.5	0	14.4	50.1	36.5	63.9	0	64.1	65	70	N	-2.3	N	N	7.5	Y	N	
R1086	1	11.6	Valais	58.4	59.3	29.5	0	0	43.3	30.6	58.2	0	58.3	58.3	70	N	-1.0	N	N	28.8	Y	N	
R1086	2	15.6	Valais	62.2	63.1	31.2	0	0	46.9	33.6	61.9	0	62	62	70	N	-1.1	N	N	30.8	Y	N	
R1086	3	19.6	Valais	67.7	68.6	32.5	0	0	51.1	36.9	67.1	0	67.2	67.2	70	N	-1.4	N	N	34.7	Y	N	
R1087	1	11.6	Valais	55.5	56.8	49.9	0	0	42.1	29.9	55.1	0	55.4	56.4	70	N	-0.4	N	N	6.5	Y	N	
R1087	2	15.6	Valais	58.6	59.8	51.7	0	0	45.5	32.9	58.4	0	58.7	59.5	70	N	-0.3	N	N	7.8	Y	N	
R1087	3	19.6	Valais	63.5	64.6	54.4	0	0	49.7	37.7	63.6	0	63.8	64.3	70	N	-0.3	N	N	9.9	Y	N	
R1102	1	15.6	Europa Garden	72.7	73.7	61	0	48.2	44.8	38.6	58.9	0	59.4	63.3	70	N	-10.4	N	N	2.3	Y	N	
R1102	2	18.6	Europa Garden	74.7	75.9	66.8	0	54.3	47.7	52.1	61.3	0	62.6	68.2	70	N	-7.7	N	N	1.4	Y	N	
R1102	3	21.6	Europa Garden	77.6	78.9	71.3	0	57.5	49.8	52.6	62.6	0	64.2	72.1	70	Y	-6.8	N	N	0.8	N	N	
R1103	1	15.6	Europa Garden	81.7	82.6	48.4	0	50.4	48.5	38.5	63.4	0	63.8	63.9	70	N	-18.7	N	N	15.5	Y	N	
R1103	2	18.6	Europa Garden	81.6	82.6	58.6	0	54.4	50.5	42.3	64.9	0	65.5	66.3	70	N	-16.3	N	N	7.7	Y	N	
R1103	3	21.6	Europa Garden	81.6	82.5	62	0	57.5	52.8	44.3	66.2	0	66.9	68.1	70	N	-14.4	N	N	6.1	Y	N	
R1104	1	15.4	Europa Garden	82	82.9	52.5	0	45.2	48.1	33.8	63.2	0	63.4	63.7	70	N	-19.2	N	N	11.2	Y	N	
R1104	2	18.4	Europa Garden	81.9	82.8	52.5	0	48.1	49.7	34.5	64	0	64.3	64.6	70	N	-18.2	N	N	12.1	Y	N	
R1104	3	21.4	Europa Garden	81.8	82.7	52.4	0	51.4	51.6	35.1	64.7	0	65.1	65.3	70	N	-17.4	N	N	12.9	Y	N	
R1105	1	15.7	Europa Garden	82.2	83.1	21.4	0	41.1	50.6	30.8	65.1	0	65.3	65.3	70	N	-17.8	N	N	43.9	Y	N	
R1105	2	18.7	Europa Garden	82.1	83.0	21.7	0	43.2	53.5	31.3	68.8	0	68.9	68.9	70	N	-14.1	N	N	47.2	Y	N	
R1105 ^(b)	3	21.7	Europa Garden	82	82.9	22	0	45.4	56	31.7	65.6	0	66.1	66.1	70	N	-16.8	N	N	44.1	Y	N	
R1106	1	15.7	Europa Garden	76.2	77.1	52.5	0	0	48.6	25.2	61.7	0	62	62.4	70	N	-14.7	N	N	9.9	Y	N	
R1106	2	18.7	Europa Garden	77.9	78.8	57.7	0	0	52.4	25.5	67.8	0	68	68.4	70	N	-10.4	N	N	10.7	Y	N	
R1106 ^(c)	3	21.7	Europa Garden	78.1	79.0	59.4	0	0	55.5	25.8	65	0	65.5	66.4	70	N	-12.6	N	N	7.0	Y	N	
R1107	1	15.7	Europa Garden	66.7	67.7	51	0	0	44.5	0	57.4	0	57.6	58.4	70	N	-9.3	N	N	7.4	Y	N	
R1107	2	18.7	Europa Garden	71.8	72.7	57.8	0	0	49.8	0	64.3	0	64.4	65.3	70	N	-7.4	N	N	7.5	Y	N	
R1107	3	21.7	Europa Garden	74.9	75.9	61.6	0	0	52.2	0	66.4	0	66.6	67.8	70	N	-6.1	N	N	6.2	Y	N	
R1121	1	20.3	Luen Shen Area	74.2	75.6	69.2	0	58.3	47.4	0	60	0	62.4	70.1	70	N	-5.5	N	N	0.9	N	N	
R1121	2	23.3	Luen Shen Area	74.7	76.1	69.2	0	59.4	48.8	0	60.6	0	63.2	70.2	70	N	-5.9	N	N	1.0	N	N	
R1301	1	9.0	Pak Shek Au	70.1	70.9	55.8	0	55.7	55.6	51.3	65.4	0	66.4	66.7	70	N	-4.2	N	N	10.9	Y	N	
R1301	2	12.0	Pak Shek Au	70.2	71.0	56.5	0	55.8	56.1	53.3	66	0	67	67.3	70	N	-3.7	N	N	10.8	Y	N	
R1503	1	10.1	Ma Tso Lung	43.8	44.9	34.9	0	0	67.9	37.4	0	0	68	68	70	N	23.1	Y	N	33.1	Y	N	
R1503	2	13.1	Ma Tso Lung	43.8	44.9	35.9	0	0	68	37.4	0	0	68	68	70	N	23.1	Y	N	32.1	Y	N	
R1504	1	10.4	Ma Tso Lung	46.9	48.0	47.2	0	0	68.5	0	0	0	68.5	68.6	70	N	20.6	Y	N	21.4	Y	N	
R1505	1	16.9	Ma Tso Lung	63.4	65.0	26.4	0	-21.4	66	23.1	0	0	66	66	70	N	1.0	N	N	39.6	Y	N	
R1506	1	13.9	Ma Tso Lung	60.9	62.0	42.8	0	23.8	67.3	42.7	0	0	67.3	67.3	70	N	5.3	Y	N	24.5	Y	N	
R1507	1	19.0	Ma Tso Lung	65	66.5	0	0	10.5	59.7	28.8	0	0	59.7	59.7	70	N	-6.8	Y	N	59.7	Y	N	
R1508	1	14.0	Ma Tso Lung	59.3	60.4	49.7	0	22.4	66.9	40	0	0	66.9	67	70	N	6.6	Y	N	17.3	Y	N	
R1508	2	17.0	Ma Tso Lung	59.3	60.4	49.8	0	23	66.9	40.1	0	0	66.9	67	70	N	6.6	Y	N	17.2	Y	N	
R1681	1	11.7	Luen Shen Area	77.9	78.0	72.3	47.2	0	42.1	0	63.9	0	63.9	72.9	70	Y	-5.0	N	N	0.6	N	N	
R1681	2	15.7	Luen Shen Area	76.5	78.0	72.2	48.1	0	43.7	0	64.9	0	64.9	73	70	Y	-5.0	N	N	0.8	N	N	
R2141	1	21.0	Fung Kong Garden	49																			

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT										Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^(5A) (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)		C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	
R2501	35	115.3	A1-2	-	-	54.9	0	56.3	65.6	57.5	64.6	0	68.7	68.9	70	N	-	-	-	-	-	-	N
R2502	1	24.5	A1-2	-	-	32.2	0	54	60.5	57.4	43.5	0	62.9	62.9	70	N	-	-	-	-	-	-	N
R2502	2	27.2	A1-2	-	-	33	0	54.7	61.3	57.3	44	0	63.5	63.5	70	N	-	-	-	-	-	-	N
R2502	3	29.9	A1-2	-	-	33.9	0	55.6	62.4	57.2	44.6	0	64.2	64.2	70	N	-	-	-	-	-	-	N
R2502	4	32.6	A1-2	-	-	34.8	0	56.5	63.8	57	45.3	0	65.3	65.3	70	N	-	-	-	-	-	-	N
R2502	5	35.3	A1-2	-	-	35.8	0	57.2	65.6	56.8	45.9	0	66.7	66.7	70	N	-	-	-	-	-	-	N
R2502	6	38.0	A1-2	-	-	36.9	0	57.5	67.5	56.6	46.5	0	68.2	68.2	70	N	-	-	-	-	-	-	N
R2502	7	40.7	A1-2	-	-	38.1	0	57.7	68.2	56.4	47.2	0	68.9	68.9	70	N	-	-	-	-	-	-	N
R2502	8	43.4	A1-2	-	-	39.4	0	57.9	68.5	56.1	47.9	0	69.1	69.1	70	N	-	-	-	-	-	-	N
R2502	9	46.1	A1-2	-	-	40.8	0	58	68.5	55.9	48.7	0	69.1	69.1	70	N	-	-	-	-	-	-	N
R2502	10	48.8	A1-2	-	-	42.3	0	58.1	68.6	55.7	49.5	0	69.2	69.2	70	N	-	-	-	-	-	-	N
R2502	11	51.5	A1-2	-	-	43.7	0	58.2	68.7	55.5	50.2	0	69.3	69.3	70	N	-	-	-	-	-	-	N
R2502	12	54.2	A1-2	-	-	44.8	0	58.2	68.5	55.2	51.1	0	69.2	69.2	70	N	-	-	-	-	-	-	N
R2502	13	56.9	A1-2	-	-	46	0	58.2	68.5	55	51.9	0	69.1	69.2	70	N	-	-	-	-	-	-	N
R2502	14	59.6	A1-2	-	-	47.2	0	58.3	68.4	54.8	52.9	0	69.1	69.1	70	N	-	-	-	-	-	-	N
R2502	15	62.3	A1-2	-	-	48.5	0	58.3	68.2	54.6	53.9	0	68.9	69	70	N	-	-	-	-	-	-	N
R2502	16	65.0	A1-2	-	-	50.1	0	58.4	68	54.4	55.1	0	68.8	68.9	70	N	-	-	-	-	-	-	N
R2502	17	67.7	A1-2	-	-	51.1	0	58.4	67.9	54.2	56.4	0	68.8	68.9	70	N	-	-	-	-	-	-	N
R2502	18	70.4	A1-2	-	-	51.6	0	58.4	67.7	54.1	58	0	68.7	68.8	70	N	-	-	-	-	-	-	N
R2502	19	73.1	A1-2	-	-	51.9	0	58.5	67.5	54	59.4	0	68.8	68.8	70	N	-	-	-	-	-	-	N
R2502	20	75.8	A1-2	-	-	52.4	0	58.6	67.5	54	60.5	0	68.9	69	70	N	-	-	-	-	-	-	N
R2502	21	78.5	A1-2	-	-	53	0	58.7	67.3	54.1	61.1	0	68.8	69	70	N	-	-	-	-	-	-	N
R2502	22	81.2	A1-2	-	-	53.6	0	58.8	67.1	54.2	61.6	0	68.8	69	70	N	-	-	-	-	-	-	N
R2502	23	83.9	A1-2	-	-	54.3	0	59	67	54.2	62	0	68.9	69	70	N	-	-	-	-	-	-	N
R2502	24	86.6	A1-2	-	-	55	0	59.1	66.9	54.1	62.5	0	68.9	69.1	70	N	-	-	-	-	-	-	N
R2502	25	89.3	A1-2	-	-	55.5	0	59.2	66.8	54.1	62.9	0	68.9	69.1	70	N	-	-	-	-	-	-	N
R2502	26	92.0	A1-2	-	-	55.9	0	59.3	66.7	54	63.4	0	69	69.2	70	N	-	-	-	-	-	-	N
R2502	27	94.7	A1-2	-	-	56.4	0	59.3	66.6	53.9	63.6	0	69	69.2	70	N	-	-	-	-	-	-	N
R2502	28	97.4	A1-2	-	-	56.7	0	59.4	66.5	53.8	64	0	69	69.3	70	N	-	-	-	-	-	-	N
R2502	29	100.1	A1-2	-	-	57	0	59.5	66.4	53.7	64.2	0	69.1	69.3	70	N	-	-	-	-	-	-	N
R2502	30	102.8	A1-2	-	-	57.2	0	59.5	66.3	53.6	64.4	0	69.1	69.4	70	N	-	-	-	-	-	-	N
R2502	31	105.5	A1-2	-	-	57.4	0	59.6	66.1	53.5	64.7	0	69.1	69.4	70	N	-	-	-	-	-	-	N
R2502	32	108.2	A1-2	-	-	57.7	0	59.8	66	53.4	64.9	0	69.2	69.5	70	N	-	-	-	-	-	-	N
R2502	33	110.9	A1-2	-	-	57.9	0	59.9	65.9	53.3	65.1	0	69.2	69.5	70	N	-	-	-	-	-	-	N
R2502	34	113.6	A1-2	-	-	58.2	0	60	65.8	53.2	65.3	0	69.3	69.6	70	N	-	-	-	-	-	-	N
R2502	35	116.3	A1-2	-	-	58.3	0	60.2	65.8	53.2	65.5	0	69.3	69.7	70	N	-	-	-	-	-	-	N
R2503	1	25.5	A1-2	-	-	40.6	0	61.1	63.9	52.7	51.7	0	66.1	66.1	70	N	-	-	-	-	-	-	N
R2503	2	28.2	A1-2	-	-	41.8	0	61.5	63.8	52.6	52.5	0	66.2	66.2	70	N	-	-	-	-	-	-	N
R2503	3	30.9	A1-2	-	-	43.1	0	61.9	63.7	52.5	53.2	0	66.3	66.3	70	N	-	-	-	-	-	-	N
R2503	4	33.6	A1-2	-	-	44.6	0	62.2	63.7	52.4	54	0	66.4	66.5	70	N	-	-	-	-	-	-	N
R2503	5	36.3	A1-2	-	-	45.9	0	62.4	63.7	52.3	54.9	0	66.6	66.6	70	N	-	-	-	-	-	-	N
R2503	6	39.0	A1-2	-	-	47.4	0	62.6	63.8	52.4	55.8	0	66.8	66.8	70	N	-	-	-	-	-	-	N
R2503	7	41.7	A1-2	-	-	48.4	0	62.7	63.8	52.3	56.8	0	66.9	67	70	N	-	-	-	-	-	-	N
R2503	8	44.4	A1-2	-	-	49.4	0	62.9	63.8	52.1	57.7	0	67.1	67.1	70	N	-	-	-	-	-	-	N
R2503	9	47.1	A1-2	-	-	50.3	0	62.9	63.7	51.9	58.5	0	67.2	67.2	70	N	-	-	-	-	-	-	N
R2503	10	49.8	A1-2	-	-																		

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT										Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^(a) (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)		C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	
R2521	10	56.8	A1-4	-	-	33.7	0	49.8	61.6	67.4	51.9	0	68.6	68.6	70	N	-	-	-	-	-	N	
R2521	11	59.5	A1-4	-	-	34.6	0	49.8	61.5	67.2	52.5	0	68.4	68.4	70	N	-	-	-	-	-	N	
R2521	12	62.2	A1-4	-	-	35.7	0	49.9	61.3	67	53.2	0	68.2	68.2	70	N	-	-	-	-	-	N	
R2521	13	64.9	A1-4	-	-	37.1	0	50	61.2	66.8	54	0	68.1	68.1	70	N	-	-	-	-	-	N	
R2521	14	67.6	A1-4	-	-	38.8	0	50	61	66.6	55	0	67.9	68	70	N	-	-	-	-	-	N	
R2521	15	70.3	A1-4	-	-	40.9	0	50.2	60.9	66.4	56.1	0	67.8	67.9	70	N	-	-	-	-	-	N	
R2521	16	73.0	A1-4	-	-	42.7	0	50.3	60.8	66.3	56.9	0	67.8	67.8	70	N	-	-	-	-	-	N	
R2521	17	75.7	A1-4	-	-	43.5	0	50.4	60.6	66.1	57.7	0	67.7	67.7	70	N	-	-	-	-	-	N	
R2521	18	78.4	A1-4	-	-	44	0	50.4	60.5	65.9	58.6	0	67.7	67.7	70	N	-	-	-	-	-	N	
R2521	19	81.1	A1-4	-	-	44.5	0	50.5	60.3	65.8	59.3	0	67.6	67.7	70	N	-	-	-	-	-	N	
R2521	20	83.8	A1-4	-	-	45	0	50.7	60.2	65.6	60	0	67.6	67.6	70	N	-	-	-	-	-	N	
R2521	21	86.5	A1-4	-	-	45.7	0	50.9	60.1	65.4	60.5	0	67.6	67.6	70	N	-	-	-	-	-	N	
R2521	22	89.2	A1-4	-	-	46.6	0	51.1	60	65.3	61	0	67.6	67.7	70	N	-	-	-	-	-	N	
R2521	23	91.9	A1-4	-	-	47.4	0	51.3	59.9	65.2	61.4	0	67.6	67.7	70	N	-	-	-	-	-	N	
R2521	24	94.6	A1-4	-	-	48.7	0	51.5	59.7	65	61.9	0	67.6	67.7	70	N	-	-	-	-	-	N	
R2521	25	97.3	A1-4	-	-	49.5	0	51.7	59.7	64.9	62.3	0	67.7	67.7	70	N	-	-	-	-	-	N	
R2521	26	100.0	A1-4	-	-	50.5	0	52	59.6	64.7	62.7	0	67.7	67.8	70	N	-	-	-	-	-	N	
R2521	27	102.7	A1-4	-	-	51.3	0	52.1	59.5	64.6	63.1	0	67.8	67.9	70	N	-	-	-	-	-	N	
R2521	28	105.4	A1-4	-	-	51.7	0	52.2	59.4	64.5	63.4	0	67.8	67.9	70	N	-	-	-	-	-	N	
R2521	29	108.1	A1-4	-	-	52	0	52.3	59.3	64.4	63.7	0	67.9	68	70	N	-	-	-	-	-	N	
R2521	30	110.8	A1-4	-	-	52.3	0	52.3	59.3	64.3	64	0	67.9	68	70	N	-	-	-	-	-	N	
R2522	1	32.5	A1-4	-	-	27.2	0	33.5	60.9	53.1	46.7	0	61.7	61.7	70	N	-	-	-	-	-	N	
R2522	2	35.5	A1-4	-	-	27.9	0	33.8	61.1	57.8	47	0	62.9	62.9	70	N	-	-	-	-	-	N	
R2522	3	38.5	A1-4	-	-	28.7	0	33.9	61.2	60.3	47.3	0	63.9	63.9	70	N	-	-	-	-	-	N	
R2522	4	41.5	A1-4	-	-	29.5	0	34.1	61.3	60.8	47.7	0	64.2	64.2	70	N	-	-	-	-	-	N	
R2522	5	44.5	A1-4	-	-	30.4	0	34.4	61.4	60.9	48	0	64.2	64.2	70	N	-	-	-	-	-	N	
R2522	6	47.5	A1-4	-	-	31.2	0	34.6	61.4	60.7	48.4	0	64.2	64.2	70	N	-	-	-	-	-	N	
R2522	7	50.5	A1-4	-	-	32.2	0	34.9	61.5	60.6	48.8	0	64.2	64.2	70	N	-	-	-	-	-	N	
R2522	8	53.5	A1-4	-	-	33.2	0	35.2	61.7	60.4	49.3	0	64.3	64.3	70	N	-	-	-	-	-	N	
R2522	9	56.5	A1-4	-	-	34.3	0	35.5	61.7	60.3	49.7	0	64.3	64.3	70	N	-	-	-	-	-	N	
R2522	10	59.5	A1-4	-	-	35.5	0	35.9	61.7	60.1	50.3	0	64.2	64.2	70	N	-	-	-	-	-	N	
R2522	11	62.5	A1-4	-	-	36.9	0	36.2	61.7	60	50.9	0	64.2	64.2	70	N	-	-	-	-	-	N	
R2522	12	65.5	A1-4	-	-	38.5	0	36.6	61.6	59.9	51.6	0	64.1	64.1	70	N	-	-	-	-	-	N	
R2522	13	68.5	A1-4	-	-	40.7	0	37	61.5	59.8	52.4	0	64.1	64.1	70	N	-	-	-	-	-	N	
R2522	14	71.5	A1-4	-	-	43.4	0	37.5	61.5	59.6	53.7	0	64.1	64.1	70	N	-	-	-	-	-	N	
R2522	15	74.5	A1-4	-	-	45.9	0	38	61.4	59.6	54.8	0	64.1	64.2	70	N	-	-	-	-	-	N	
R2522	16	77.5	A1-4	-	-	47.2	0	38.6	61.3	59.4	55.7	0	64.1	64.2	70	N	-	-	-	-	-	N	
R2522	17	80.5	A1-4	-	-	47.8	0	39.2	61.3	59.3	56.5	0	64.2	64.3	70	N	-	-	-	-	-	N	
R2522	18	83.5	A1-4	-	-	48.3	0	40.1	61.2	59.2	57.3	0	64.3	64.4	70	N	-	-	-	-	-	N	
R2522	19	86.5	A1-4	-	-	48.6	0	40.6	61.1	59.1	58.1	0	64.4	64.5	70	N	-	-	-	-	-	N	
R2522	20	89.5	A1-4	-	-	48.8	0	41.6	61	59	58.6	0	64.5	64.6	70	N	-	-	-	-	-	N	
R2522	21	92.5	A1-4	-	-	48.9	0	42.5	60.9	58.9	59	0	64.5	64.6	70	N	-	-	-	-	-	N	
R2522	22	95.5	A1-4	-	-	49.1	0	43.8	60.8	58.7	59.3	0	64.5	64.6	70	N	-	-	-	-	-	N	
R2522	23	98.5	A1-4	-	-	49.1	0	44.7	60.7	58.7	59.6	0	64.5	64.7	70	N	-	-	-	-	-	N	
R2522	24	101.5	A1-4	-	-	49.4	0	45.4	60.7	58.6	59.8	0	64.6	64.7	70	N	-	-	-	-	-	N	
R2522	25	104.5	A1-4	-	-	49.8	0	46.1	60.6	58.5	60.1	0	64.7	64.8	70	N	-	-	-	-	-	N	
R2522	26																						

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT										Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^{(5)(d)} (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)		C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	
R2561	5	38.0	A1-6	-	-	13.5	0	18.9	66.7	64.4	51.8	0	68.8	68.8	70	N	-	-	-	-	-	N	
R2561	6	41.0	A1-6	-	-	15	0	19.6	66.5	64.1	52.2	0	68.6	68.6	70	N	-	-	-	-	-	N	
R2561	7	44.0	A1-6	-	-	16.4	0	20.3	66.3	63.9	52.6	0	68.4	68.4	70	N	-	-	-	-	-	N	
R2561	8	47.0	A1-6	-	-	17.9	0	21	66.1	63.7	53.1	0	68.2	68.2	70	N	-	-	-	-	-	N	
R2561	9	50.0	A1-6	-	-	19.7	0	21.7	65.9	63.5	53.6	0	68	68	70	N	-	-	-	-	-	N	
R2561	10	53.0	A1-6	-	-	21.5	0	22.6	65.6	63.2	54.1	0	67.8	67.8	70	N	-	-	-	-	-	N	
R2561	11	56.0	A1-6	-	-	23.8	0	23.2	65.5	63	54.6	0	67.6	67.6	70	N	-	-	-	-	-	N	
R2561	12	59.0	A1-6	-	-	26	0	23.9	65.3	62.8	55.2	0	67.5	67.5	70	N	-	-	-	-	-	N	
R2561	13	62.0	A1-6	-	-	29	0	24.6	65.1	62.7	55.8	0	67.4	67.4	70	N	-	-	-	-	-	N	
R2561	14	65.0	A1-6	-	-	32.8	0	25.3	65	62.5	56.4	0	67.3	67.3	70	N	-	-	-	-	-	N	
R2561	15	68.0	A1-6	-	-	35.6	0	25.9	64.8	62.3	57.1	0	67.2	67.2	70	N	-	-	-	-	-	N	
R2561	16	71.0	A1-6	-	-	36.7	0	26.6	64.7	62.1	57.8	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2561	17	74.0	A1-6	-	-	37	0	27.4	64.5	61.9	58.5	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2561	18	77.0	A1-6	-	-	37.2	0	28.1	64.5	61.8	59.1	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2561	19	80.0	A1-6	-	-	37.1	0	28.9	64.3	61.6	59.7	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2561	20	83.0	A1-6	-	-	37.1	0	29.6	64.2	61.4	60.2	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2561	21	86.0	A1-6	-	-	37.1	0	30.4	64.1	61.3	60.8	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2561	22	89.0	A1-6	-	-	37.1	0	31.4	64	61.1	61.4	0	67.2	67.2	70	N	-	-	-	-	-	N	
R2561	23	92.0	A1-6	-	-	37	0	32.3	64	61	61.9	0	67.2	67.3	70	N	-	-	-	-	-	N	
R2561	24	95.0	A1-6	-	-	37	0	33.4	63.9	60.8	62.3	0	67.3	67.3	70	N	-	-	-	-	-	N	
R2561	25	98.0	A1-6	-	-	37	0	34.3	63.8	60.8	62.6	0	67.4	67.4	70	N	-	-	-	-	-	N	
R2561	26	101.0	A1-6	-	-	37	0	35.5	63.8	60.6	62.9	0	67.4	67.4	70	N	-	-	-	-	-	N	
R2561	27	104.0	A1-6	-	-	36.9	0	36.5	63.7	60.5	63.2	0	67.4	67.4	70	N	-	-	-	-	-	N	
R2561	28	107.0	A1-6	-	-	36.9	0	37.3	63.6	60.4	63.4	0	67.5	67.5	70	N	-	-	-	-	-	N	
R2561	29	110.0	A1-6	-	-	36.9	0	37.9	63.5	60.2	63.6	0	67.5	67.5	70	N	-	-	-	-	-	N	
R2561	30	113.0	A1-6	-	-	36.8	0	38.7	63.5	60.1	63.9	0	67.6	67.6	70	N	-	-	-	-	-	N	
R2581	1	25.0	A1-8	-	-	24	0	16.2	64.3	44.6	50.8	0	64.6	64.6	70	N	-	-	-	-	-	N	
R2581	2	28.0	A1-8	-	-	25.5	0	16.1	65	44.7	51.1	0	65.2	65.2	70	N	-	-	-	-	-	N	
R2581	3	31.0	A1-8	-	-	26.6	0	16.1	65.3	44.8	51.4	0	65.5	65.5	70	N	-	-	-	-	-	N	
R2581	4	34.0	A1-8	-	-	27.5	0	16.1	65.5	44.9	51.6	0	65.7	65.7	70	N	-	-	-	-	-	N	
R2581	5	37.0	A1-8	-	-	28.5	0	16.1	65.4	44.9	51.9	0	65.7	65.7	70	N	-	-	-	-	-	N	
R2581	6	40.0	A1-8	-	-	29.2	0	16.1	65.4	44.9	52.3	0	65.6	65.6	70	N	-	-	-	-	-	N	
R2581	7	43.0	A1-8	-	-	30.3	0	16.1	65.3	45	52.7	0	65.5	65.5	70	N	-	-	-	-	-	N	
R2581	8	46.0	A1-8	-	-	31.3	0	16.4	65.1	45	53.1	0	65.4	65.4	70	N	-	-	-	-	-	N	
R2581	9	49.0	A1-8	-	-	31.8	0	16.4	65	45	53.5	0	65.4	65.4	70	N	-	-	-	-	-	N	
R2581	10	52.0	A1-8	-	-	32.4	0	16.5	64.9	45	54	0	65.3	65.3	70	N	-	-	-	-	-	N	
R2581	11	55.0	A1-8	-	-	32.7	0	16.4	64.8	45	54.6	0	65.3	65.3	70	N	-	-	-	-	-	N	
R2581	12	58.0	A1-8	-	-	33.1	0	17	64.7	45	55.1	0	65.2	65.2	70	N	-	-	-	-	-	N	
R2581	13	61.0	A1-8	-	-	33.8	0	17.1	64.6	45	55.9	0	65.2	65.2	70	N	-	-	-	-	-	N	
R2581	14	64.0	A1-8	-	-	34.8	0	17	64.6	45	56.7	0	65.3	65.3	70	N	-	-	-	-	-	N	
R2581	15	67.0	A1-8	-	-	36.3	0	17.3	64.5	45.1	57.5	0	65.3	65.3	70	N	-	-	-	-	-	N	
R2581	16	70.0	A1-8	-	-	37.9	0	17.2	64.4	45.2	58.4	0	65.4	65.4	70	N	-	-	-	-	-	N	
R2581	17	73.0	A1-8	-	-	38.8	0	17.2	64.4	45.3	59	0	65.5	65.5	70	N	-	-	-	-	-	N	
R2581	18	76.0	A1-8	-	-	39.2	0	17.2	64.3	45.6	59.8	0	65.6	65.7	70	N	-	-	-	-	-	N	
R2581	19	79.0	A1-8	-	-	39.3	0	17.3	64.2	46	60.5	0	65.8	65.8	70	N	-	-	-	-	-	N	
R2581	20	82.0	A1-8	-	-	39.4	0	17.3	64.1	46.3	61.1	0	65.9	66	70	N	-	-	-	-	-	N	
R2581	21	85.0	A1-8	-	-	39.4	0	17.2	64	46.7	61.5	0	66	66	7								

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT										Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^(5,6) (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	NEW ROADS OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)		C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	
R2583	Floor	30	103.3	A1-8	-	-	37.5	0	33.5	66.1	54.6	63.7	0	68.3	68.3	70	N	-	-	-	-	N	
R2621	Floor	1	27.0	A2-2	-	-	30.8	0	66.4	36.4	0	36.9	0	66.4	66.4	70	N	-	-	-	-	N	
R2621	Floor	2	29.7	A2-2	-	-	33	0	66.4	37.5	0	39.9	0	66.4	66.4	70	N	-	-	-	-	N	
R2621	Floor	3	32.4	A2-2	-	-	36.4	0	66.2	38.7	0	42.9	0	66.3	66.3	70	N	-	-	-	-	N	
R2621	Floor	4	35.1	A2-2	-	-	43.6	0	66.1	39.1	0	44.6	0	66.1	66.1	70	N	-	-	-	-	N	
R2621	Floor	5	37.8	A2-2	-	-	45.4	0	65.9	39.8	0	45.1	0	66	66	70	N	-	-	-	-	N	
R2621	Floor	6	40.5	A2-2	-	-	45.5	0	65.8	40.6	0	45.5	0	65.9	65.9	70	N	-	-	-	-	N	
R2621	Floor	7	43.2	A2-2	-	-	45.5	0	65.8	41.2	0	45.9	0	65.9	65.9	70	N	-	-	-	-	N	
R2621	Floor	8	45.9	A2-2	-	-	45.6	0	66.1	41.8	0	46.4	0	66.2	66.2	70	N	-	-	-	-	N	
R2621	Floor	9	48.6	A2-2	-	-	45.7	0	66.6	42.2	0	47	0	66.7	66.7	70	N	-	-	-	-	N	
R2621	Floor	10	51.3	A2-2	-	-	45.9	0	67.5	42.5	0	47.5	0	67.6	67.6	70	N	-	-	-	-	N	
R2621	Floor	11	54.0	A2-2	-	-	46.2	0	68.1	42.8	0	48.1	0	68.1	68.1	70	N	-	-	-	-	N	
R2621	Floor	12	56.7	A2-2	-	-	46.6	0	68.3	43	0	48.5	0	68.3	68.4	70	N	-	-	-	-	N	
R2621	Floor	13	59.4	A2-2	-	-	46.9	0	68.4	43.2	0	49	0	68.4	68.4	70	N	-	-	-	-	N	
R2621	Floor	14	62.1	A2-2	-	-	47.6	0	68.4	43.4	0	49.7	0	68.5	68.5	70	N	-	-	-	-	N	
R2621	Floor	15	64.8	A2-2	-	-	48.1	0	68.3	43.6	0	49.9	0	68.4	68.5	70	N	-	-	-	-	N	
R2621	Floor	16	67.5	A2-2	-	-	48.4	0	68.4	43.8	0	50.2	0	68.4	68.5	70	N	-	-	-	-	N	
R2621	Floor	17	70.2	A2-2	-	-	48.7	0	68.3	44	0	50.6	0	68.4	68.5	70	N	-	-	-	-	N	
R2621	Floor	18	72.9	A2-2	-	-	48.9	0	68.3	44.2	0	51	0	68.4	68.4	70	N	-	-	-	-	N	
R2621	Floor	19	75.6	A2-2	-	-	49.2	0	68.3	44.4	0	51.4	0	68.4	68.4	70	N	-	-	-	-	N	
R2621	Floor	20	78.3	A2-2	-	-	49.5	0	68.3	44.7	0	51.8	0	68.4	68.4	70	N	-	-	-	-	N	
R2621	Floor	21	81.0	A2-2	-	-	49.8	0	68.2	45	0	52.1	0	68.4	68.4	70	N	-	-	-	-	N	
R2621	Floor	22	83.7	A2-2	-	-	50.1	0	68.3	45.3	0	52.4	0	68.4	68.5	70	N	-	-	-	-	N	
R2621	Floor	23	86.4	A2-2	-	-	50.5	0	68.3	45.8	0	52.7	0	68.5	68.5	70	N	-	-	-	-	N	
R2621	Floor	24	89.1	A2-2	-	-	50.8	0	68.4	46.2	0	52.9	0	68.6	68.6	70	N	-	-	-	-	N	
R2621	Floor	25	91.8	A2-2	-	-	51	0	68.3	46.5	0	53.1	0	68.5	68.6	70	N	-	-	-	-	N	
R2621	Floor	26	94.5	A2-2	-	-	51.1	0	68.3	46.8	0	53.3	0	68.5	68.6	70	N	-	-	-	-	N	
R2621	Floor	27	97.2	A2-2	-	-	51.2	0	68.3	47	0	53.6	0	68.5	68.6	70	N	-	-	-	-	N	
R2621	Floor	28	99.9	A2-2	-	-	51.2	0	68.3	47.1	0	53.7	0	68.5	68.6	70	N	-	-	-	-	N	
R2621	Floor	29	102.6	A2-2	-	-	51.3	0	68.4	47.3	0	53.8	0	68.6	68.6	70	N	-	-	-	-	N	
R2621	Floor	30	105.3	A2-2	-	-	51.3	0	68.4	47.4	0	53.9	0	68.6	68.7	70	N	-	-	-	-	N	
R2621	Floor	31	108.0	A2-2	-	-	51.4	0	68.4	47.6	0	54	0	68.6	68.7	70	N	-	-	-	-	N	
R2621	Floor	32	110.7	A2-2	-	-	51.3	0	68.4	47.7	0	54.1	0	68.6	68.6	70	N	-	-	-	-	N	
R2621	Floor	33	113.4	A2-2	-	-	51.3	0	68.3	47.8	0	54.2	0	68.5	68.6	70	N	-	-	-	-	N	
R2621	Floor	34	116.1	A2-2	-	-	51.3	0	68.3	47.9	0	54.3	0	68.5	68.6	70	N	-	-	-	-	N	
R2621	Floor	35	118.8	A2-2	-	-	51.3	0	68.3	48	0	54.4	0	68.5	68.6	70	N	-	-	-	-	N	
R2622	Floor	1	27.0	A2-2	-	-	41.8	0	66.5	47.1	23.9	40	0	66.6	66.6	70	N	-	-	-	-	N	
R2622	Floor	2	29.7	A2-2	-	-	41.8	0	66.6	47.2	23.9	40.5	0	66.6	66.6	70	N	-	-	-	-	N	
R2622	Floor	3	32.4	A2-2	-	-	41.9	0	66.6	47.4	23.9	41	0	66.6	66.6	70	N	-	-	-	-	N	
R2622	Floor	4	35.1	A2-2	-	-	41.9	0	66.5	47.4	23.9	41.4	0	66.6	66.6	70	N	-	-	-	-	N	
R2622	Floor	5	37.8	A2-2	-	-	42	0	66.6	47.6	23.9	41.9	0	66.6	66.7	70	N	-	-	-	-	N	
R2622	Floor	6	40.5	A2-2	-	-	42.1	0	66.5	47.8	23.9	42.4	0	66.6	66.6	70	N	-	-	-	-	N	
R2622	Floor	7	43.2	A2-2	-	-	42.2	0	66.5	48	23.9	43	0	66.6	66.6	70	N	-	-	-	-	N	
R2622	Floor	8	45.9	A2-2	-	-	42.4	0	66.4	48.1	23.9	43.5	0	66.5	66.6	70	N	-	-	-	-	N	
R2622	Floor	9	48.6	A2-2	-	-	42.6	0	66.4	48.2	23.9	44.1	0	66.4	66.5	70	N	-	-	-	-	N	
R2622	Floor	10	51.3	A2-2	-	-	42.9	0	66.3	48.4	23.8	44.7	0	66.4	66.4	70	N	-	-	-	-	N	
R2622	Floor	11	54.0	A2-2	-	-	43.2	0	66.2	48.5	23.8	45.3	0	66.3	66.3	70	N	-					

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT										Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^(5,6) (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)		C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	
R2624	Floor	10	51.8	A2-2	-	-	0	0	65.7	50.2	0	39.7	0	65.8	65.8	70	N	-	-	-	-	-	N
R2624		11	54.5	A2-2	-	-	0	0	66.5	50	0	40.3	0	66.6	66.6	70	N	-	-	-	-	-	N
R2624		12	57.2	A2-2	-	-	0	0	66.9	49.7	0	40.6	0	67	67	70	N	-	-	-	-	-	N
R2624		13	59.9	A2-2	-	-	0	0	67.1	49.5	0	40.8	0	67.2	67.2	70	N	-	-	-	-	-	N
R2624		14	62.6	A2-2	-	-	0	0	67.3	49.3	0	41	0	67.4	67.4	70	N	-	-	-	-	-	N
R2624		15	65.3	A2-2	-	-	0	0	67.5	49	0	41.3	0	67.6	67.6	70	N	-	-	-	-	-	N
R2624		16	68.0	A2-2	-	-	0	0	67.7	48.8	0	41.6	0	67.7	67.7	70	N	-	-	-	-	-	N
R2624		17	70.7	A2-2	-	-	0	0	67.9	48.6	0	41.9	0	67.9	67.9	70	N	-	-	-	-	-	N
R2624		18	73.4	A2-2	-	-	0	0	68.1	48.4	0	42.2	0	68.2	68.2	70	N	-	-	-	-	-	N
R2624		19	76.1	A2-2	-	-	0	0	68.2	48.3	0	42.3	0	68.3	68.3	70	N	-	-	-	-	-	N
R2624		20	78.8	A2-2	-	-	0	0	68.3	48.1	0	42.6	0	68.4	68.4	70	N	-	-	-	-	-	N
R2624		21	81.5	A2-2	-	-	0	0	68.5	47.9	0	42.9	0	68.5	68.5	70	N	-	-	-	-	-	N
R2624		22	84.2	A2-2	-	-	0	0	68.7	47.7	0	43.2	0	68.7	68.7	70	N	-	-	-	-	-	N
R2624		23	86.9	A2-2	-	-	0	0	68.9	47.6	0	43.5	0	68.9	68.9	70	N	-	-	-	-	-	N
R2624		24	89.6	A2-2	-	-	0	0	69.1	47.4	0	44	0	69.1	69.1	70	N	-	-	-	-	-	N
R2624		25	92.3	A2-2	-	-	0	0	69.1	47.3	0	44.5	0	69.2	69.2	70	N	-	-	-	-	-	N
R2624		26	95.0	A2-2	-	-	0	0	69.2	47.1	0	44.7	0	69.3	69.3	70	N	-	-	-	-	-	N
R2624		27	97.7	A2-2	-	-	0	0	69.3	46.9	0	44.7	0	69.3	69.3	70	N	-	-	-	-	-	N
R2624		28	100.4	A2-2	-	-	0	0	69.3	46.8	0	44.7	0	69.3	69.3	70	N	-	-	-	-	-	N
R2624		29	103.1	A2-2	-	-	0	0	69.4	46.7	0	45	0	69.4	69.4	70	N	-	-	-	-	-	N
R2624		30	105.8	A2-2	-	-	0	0	69.4	46.5	0	45.2	0	69.4	69.4	70	N	-	-	-	-	-	N
R2624		31	108.5	A2-2	-	-	0	0	69.4	46.4	0	45.5	0	69.5	69.5	70	N	-	-	-	-	-	N
R2624		32	111.2	A2-2	-	-	0	0	69.4	46.3	0	45.8	0	69.5	69.5	70	N	-	-	-	-	-	N
R2624		33	113.9	A2-2	-	-	0	0	69.4	46.1	0	46.1	0	69.5	69.5	70	N	-	-	-	-	-	N
R2624		34	116.6	A2-2	-	-	0	0	69.4	46	0	46.5	0	69.4	69.4	70	N	-	-	-	-	-	N
R2624		35	119.3	A2-2	-	-	0	0	69.4	45.9	0	46.8	0	69.4	69.4	70	N	-	-	-	-	-	N
R2625		1	27.5	A2-2	-	-	0	0	56.8	67.1	41	0	0	67.5	67.5	70	N	-	-	-	-	-	N
R2625		2	30.2	A2-2	-	-	0	0	57	67.2	42	0	0	67.6	67.6	70	N	-	-	-	-	-	N
R2625		3	32.9	A2-2	-	-	0	0	57.2	67.1	43.3	0	0	67.6	67.6	70	N	-	-	-	-	-	N
R2625		4	35.6	A2-2	-	-	0	0	57.4	67.2	44.9	0	0	67.6	67.6	70	N	-	-	-	-	-	N
R2625		5	38.3	A2-2	-	-	0	0	57.8	67.2	47.2	0	0	67.7	67.7	70	N	-	-	-	-	-	N
R2625		6	41.0	A2-2	-	-	0	0	58.2	67.3	49.5	0	0	67.9	67.9	70	N	-	-	-	-	-	N
R2625		7	43.7	A2-2	-	-	0	0	58.8	67.4	50.5	0	0	68.1	68.1	70	N	-	-	-	-	-	N
R2625		8	46.4	A2-2	-	-	0	0	59.6	67.5	51	0	0	68.2	68.2	70	N	-	-	-	-	-	N
R2625		9	49.1	A2-2	-	-	0	0	61.1	67.6	51.3	0	0	68.5	68.5	70	N	-	-	-	-	-	N
R2625		10	51.8	A2-2	-	-	0	0	62.3	67.6	51.4	0	0	68.8	68.8	70	N	-	-	-	-	-	N
R2625		11	54.5	A2-2	-	-	0	0	63.5	67.7	51.5	0	0	69.1	69.1	70	N	-	-	-	-	-	N
R2625		12	57.2	A2-2	-	-	0	0	63.9	67.7	51.5	0	0	69.3	69.3	70	N	-	-	-	-	-	N
R2625		13	59.9	A2-2	-	-	0	0	64.1	67.7	51.5	0	0	69.3	69.3	70	N	-	-	-	-	-	N
R2625		14	62.6	A2-2	-	-	0	0	64.2	67.6	51.4	0	0	69.3	69.3	70	N	-	-	-	-	-	N
R2625		15	65.3	A2-2	-	-	0	0	64.3	67.5	51.3	0	0	69.3	69.3	70	N	-	-	-	-	-	N
R2625		16	68.0	A2-2	-	-	0	0	64.4	67.5	51.3	0	0	69.3	69.3	70	N	-	-	-	-	-	N
R2625		17	70.7	A2-2	-	-	0	0	64.5	67.4	51.2	0	0	69.2	69.2	70	N	-	-	-	-	-	N
R2625		18	73.4	A2-2	-	-	0	0	64.5	67.3	51.1	0	0	69.2	69.2	70	N	-	-	-	-	-	N
R2625		19	76.1	A2-2	-	-	0	0	64.7	67.2	51.1	0	0	69.2	69.2	70	N	-	-	-	-	-	N
R2625		20	78.8	A2-2	-	-	0	0	64.9	67	51	0	0	69.2	69.2	70	N	-	-	-	-	-	N
R2625		21	81.5	A2-2	-	-	0	0	64.9	66.9	50.9	0	0	69.1	69.1	70	N	-	-	-	-	-	N

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT											Exceedance C > Criteria (Y/N)	Check Project Impact Significance			Check Direct Mitigation		Mitigation Measures Required ^{(5)(d)} (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	C - A dB(A) [D]		D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)		
R2627	20	74.3	A2-2	-	-	19.3	0	50.1	64.8	55.4	19.2	0	65.4	65.4	70	N	-	-	-	-	-	N			
R2627	21	77.0	A2-2	-	-	19.3	0	50.1	64.7	55.3	19.2	0	65.3	65.3	70	N	-	-	-	-	-	N			
R2627	22	79.7	A2-2	-	-	19.3	0	50.1	64.6	55.2	19.2	0	65.2	65.2	70	N	-	-	-	-	-	N			
R2627	23	82.4	A2-2	-	-	19.3	0	50	64.5	55.1	19.2	0	65.1	65.1	70	N	-	-	-	-	-	N			
R2627	24	85.1	A2-2	-	-	19.3	0	50	64.4	55	19.1	0	65	65	70	N	-	-	-	-	-	N			
R2627	25	87.8	A2-2	-	-	19.2	0	50	64.2	54.8	19.1	0	64.9	64.9	70	N	-	-	-	-	-	N			
R2627	26	90.5	A2-2	-	-	19.2	0	50	64.2	54.7	19.1	0	64.8	64.8	70	N	-	-	-	-	-	N			
R2627	27	93.2	A2-2	-	-	19.2	0	49.9	64.1	54.6	19.1	0	64.7	64.7	70	N	-	-	-	-	-	N			
R2627	28	95.9	A2-2	-	-	19.2	0	49.9	63.9	54.5	19.1	0	64.6	64.6	70	N	-	-	-	-	-	N			
R2627	29	98.6	A2-2	-	-	19.2	0	49.9	63.8	54.4	19.1	0	64.4	64.4	70	N	-	-	-	-	-	N			
R2627	30	101.3	A2-2	-	-	19.3	0	50	63.7	54.3	19.1	0	64.3	64.3	70	N	-	-	-	-	-	N			
R2627	31	104.0	A2-2	-	-	19.8	0	49.9	63.6	54.2	19.2	0	64.2	64.2	70	N	-	-	-	-	-	N			
R2627	32	106.7	A2-2	-	-	20.6	0	49.9	63.5	54.1	19.2	0	64.2	64.2	70	N	-	-	-	-	-	N			
R2627	33	109.4	A2-2	-	-	21.9	0	49.9	63.4	54	20.9	0	64.1	64.1	70	N	-	-	-	-	-	N			
R2627	34	112.1	A2-2	-	-	23.4	0	49.9	63.3	53.9	22.7	0	63.9	63.9	70	N	-	-	-	-	-	N			
R2627	35	114.8	A2-2	-	-	25	0	49.9	63.2	53.8	24	0	63.9	63.9	70	N	-	-	-	-	-	N			
R2628	1	23.0	A2-2	-	-	0	0	49.8	65.3	55.6	0	0	65.9	65.9	70	N	-	-	-	-	-	N			
R2628	2	25.7	A2-2	-	-	0	0	49.8	65.6	56.3	0	0	66.2	66.2	70	N	-	-	-	-	-	N			
R2628	3	28.4	A2-2	-	-	0	0	49.8	66	57.9	0	0	66.7	66.7	70	N	-	-	-	-	-	N			
R2628	4	31.1	A2-2	-	-	0	0	49.9	66.9	58.5	0	0	67.5	67.5	70	N	-	-	-	-	-	N			
R2628	5	33.8	A2-2	-	-	0	0	49.9	67.8	58.5	0	0	68.4	68.4	70	N	-	-	-	-	-	N			
R2628	6	36.5	A2-2	-	-	0	0	49.9	68.7	58.5	0	0	69.1	69.1	70	N	-	-	-	-	-	N			
R2628	7	39.2	A2-2	-	-	0	0	49.9	69.1	58.5	0	0	69.5	69.5	70	N	-	-	-	-	-	N			
R2628	8	41.9	A2-2	-	-	0	0	49.8	69.5	58.4	0	0	69.8	69.8	70	N	-	-	-	-	-	N			
R2628	9	44.6	A2-2	-	-	0	0	49.8	69.6	58.4	0	0	70	70	70	N	-	-	-	-	-	N			
R2628	10	47.3	A2-2	-	-	0	0	49.8	69.7	58.3	0	0	70	70	70	N	-	-	-	-	-	N			
R2628	11	50.0	A2-2	-	-	0	0	49.8	69.6	58.2	0	0	69.9	69.9	70	N	-	-	-	-	-	N			
R2628	12	52.7	A2-2	-	-	0	0	49.9	69.4	58.1	0	0	69.8	69.8	70	N	-	-	-	-	-	N			
R2628	13	55.4	A2-2	-	-	0	0	49.9	69.2	58.1	0	0	69.6	69.6	70	N	-	-	-	-	-	N			
R2628	14	58.1	A2-2	-	-	0	0	49.9	69	58	0	0	69.4	69.4	70	N	-	-	-	-	-	N			
R2628	15	60.8	A2-2	-	-	0	0	49.9	68.9	58	0	0	69.3	69.3	70	N	-	-	-	-	-	N			
R2628	16	63.5	A2-2	-	-	0	0	49.9	68.7	57.9	0	0	69.1	69.1	70	N	-	-	-	-	-	N			
R2628	17	66.2	A2-2	-	-	0	0	49.8	68.5	57.9	0	0	68.9	68.9	70	N	-	-	-	-	-	N			
R2628	18	68.9	A2-2	-	-	0	0	49.8	68.4	57.9	0	0	68.8	68.8	70	N	-	-	-	-	-	N			
R2628	19	71.6	A2-2	-	-	0	0	49.8	68.2	57.9	0	0	68.6	68.6	70	N	-	-	-	-	-	N			
R2628	20	74.3	A2-2	-	-	0	0	49.8	68	58	0	0	68.5	68.5	70	N	-	-	-	-	-	N			
R2628	21	77.0	A2-2	-	-	0	0	49.8	67.8	58.1	0	0	68.3	68.3	70	N	-	-	-	-	-	N			
R2628	22	79.7	A2-2	-	-	0	0	49.7	67.7	58.3	0	0	68.2	68.2	70	N	-	-	-	-	-	N			
R2628	23	82.4	A2-2	-	-	0	0	49.7	67.5	58.4	0	0	68.1	68.1	70	N	-	-	-	-	-	N			
R2628	24	85.1	A2-2	-	-	0	0	49.8	67.4	58.5	0	0	68	68	70	N	-	-	-	-	-	N			
R2628	25	87.8	A2-2	-	-	0	0	49.8	67.2	58.5	0	0	67.8	67.8	70	N	-	-	-	-	-	N			
R2628	26	90.5	A2-2	-	-	0	0	49.7	67.1	58.4	0	0	67.7	67.7	70	N	-	-	-	-	-	N			
R2628	27	93.2	A2-2	-	-	0	0	49.7	66.9	58.3	0	0	67.6	67.6	70	N	-	-	-	-	-	N			
R2628	28	95.9	A2-2	-	-	0	0	49.7	66.8	58.3	0	0	67.4	67.4	70	N	-	-	-	-	-	N			
R2628	29	98.6	A2-2	-	-	0	0	49.7	66.7	58.2	0	0	67.3	67.3	70	N	-	-	-	-	-	N			
R2628	30	101.3	A2-2	-	-	0	0	49.7	66.5	58.2	0	0	67.2	67.2	70	N	-	-	-	-	-	N			
R2628	31	104.0	A2-2	-	-	0	0	49.7	66.4	58.1	0	0	67.1	67.1	70	N	-	-	-	-	-	N			
R2628	32	106.7	A2-2	-	-	0	0	49.7	66.3	58	0	0	67	67	70	N	-								

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT										Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^(5A) (Y/N)	
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)		C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]		E > 1dB(A)
R2630	Floor	Floor Level (mPD)				-	-	0	0	47.9	66.4	54.8	0	0	66.8	66.8	70	N	-	-	-	-	-	N
R2630	30	101.3	A2-2			-	-	0	0	48	66.3	55	0	0	66.7	66.7	70	N	-	-	-	-	-	N
R2630	31	104.0	A2-2			-	-	0	0	48	66.2	55.1	0	0	66.6	66.6	70	N	-	-	-	-	-	N
R2630	32	106.7	A2-2			-	-	0	0	47.9	66.1	55.3	0	0	66.5	66.5	70	N	-	-	-	-	-	N
R2630	33	109.4	A2-2			-	-	0	0	47.9	65.9	55.4	0	0	66.4	66.4	70	N	-	-	-	-	-	N
R2630	34	112.1	A2-2			-	-	0	0	47.9	65.8	55.5	0	0	66.3	66.3	70	N	-	-	-	-	-	N
R2630	35	114.8	A2-2			-	-	0	0	37.7	66.4	42.9	0	0	66.4	66.4	70	N	-	-	-	-	-	N
R2631	1	23.0	A2-2			-	-	0	0	37.8	66.5	45.1	0	0	66.5	66.5	70	N	-	-	-	-	-	N
R2631	2	25.7	A2-2			-	-	0	0	37.9	66.9	46.8	0	0	67	67	70	N	-	-	-	-	-	N
R2631	3	28.4	A2-2			-	-	0	0	38.1	67.3	47.8	0	0	67.4	67.4	70	N	-	-	-	-	-	N
R2631	4	31.1	A2-2			-	-	0	0	38.1	67.7	48.3	0	0	67.8	67.8	70	N	-	-	-	-	-	N
R2631	5	33.8	A2-2			-	-	0	0	38.2	68.1	48.5	0	0	68.2	68.2	70	N	-	-	-	-	-	N
R2631	6	36.5	A2-2			-	-	0	0	38.4	68.3	48.6	0	0	68.3	68.3	70	N	-	-	-	-	-	N
R2631	7	39.2	A2-2			-	-	0	0	38.6	68.4	48.7	0	0	68.5	68.5	70	N	-	-	-	-	-	N
R2631	8	41.9	A2-2			-	-	0	0	38.8	68.5	48.7	0	0	68.5	68.5	70	N	-	-	-	-	-	N
R2631	9	44.6	A2-2			-	-	0	0	38.9	68.6	48.6	0	0	68.6	68.6	70	N	-	-	-	-	-	N
R2631	10	47.3	A2-2			-	-	0	0	39	68.6	48.6	0	0	68.6	68.6	70	N	-	-	-	-	-	N
R2631	11	50.0	A2-2			-	-	0	0	39.1	68.5	48.7	0	0	68.6	68.6	70	N	-	-	-	-	-	N
R2631	12	52.7	A2-2			-	-	0	0	39.1	68.4	48.6	0	0	68.4	68.4	70	N	-	-	-	-	-	N
R2631	13	55.4	A2-2			-	-	0	0	39.2	68.3	48.7	0	0	68.3	68.3	70	N	-	-	-	-	-	N
R2631	14	58.1	A2-2			-	-	0	0	39.2	68.1	48.7	0	0	68.2	68.2	70	N	-	-	-	-	-	N
R2631	15	60.8	A2-2			-	-	0	0	39.2	68	48.6	0	0	68.1	68.1	70	N	-	-	-	-	-	N
R2631	16	63.5	A2-2			-	-	0	0	39.2	67.8	48.7	0	0	67.9	67.9	70	N	-	-	-	-	-	N
R2631	17	66.2	A2-2			-	-	0	0	39.2	67.7	48.7	0	0	67.7	67.7	70	N	-	-	-	-	-	N
R2631	18	68.9	A2-2			-	-	0	0	39.2	67.5	48.7	0	0	67.6	67.6	70	N	-	-	-	-	-	N
R2631	19	71.6	A2-2			-	-	0	0	39.2	67.4	48.7	0	0	67.5	67.5	70	N	-	-	-	-	-	N
R2631	20	74.3	A2-2			-	-	0	0	39.3	67.3	48.7	0	0	67.3	67.3	70	N	-	-	-	-	-	N
R2631	21	77.0	A2-2			-	-	0	0	39.3	67.1	48.8	0	0	67.2	67.2	70	N	-	-	-	-	-	N
R2631	22	79.7	A2-2			-	-	0	0	39.3	67	48.9	0	0	67	67	70	N	-	-	-	-	-	N
R2631	23	82.4	A2-2			-	-	0	0	39.3	66.8	49	0	0	66.9	66.9	70	N	-	-	-	-	-	N
R2631	24	85.1	A2-2			-	-	0	0	39.3	66.7	49	0	0	66.8	66.8	70	N	-	-	-	-	-	N
R2631	25	87.8	A2-2			-	-	0	0	39.2	66.6	49.3	0	0	66.7	66.7	70	N	-	-	-	-	-	N
R2631	26	90.5	A2-2			-	-	0	0	39.2	66.5	49.4	0	0	66.6	66.6	70	N	-	-	-	-	-	N
R2631	27	93.2	A2-2			-	-	0	0	39.2	66.3	49.8	0	0	66.4	66.4	70	N	-	-	-	-	-	N
R2631	28	95.9	A2-2			-	-	0	0	39.2	66.2	50	0	0	66.3	66.3	70	N	-	-	-	-	-	N
R2631	29	98.6	A2-2			-	-	0	0	39.2	66.1	50.3	0	0	66.2	66.2	70	N	-	-	-	-	-	N
R2631	30	101.3	A2-2			-	-	0	0	39.2	66	50.6	0	0	66.1	66.1	70	N	-	-	-	-	-	N
R2631	31	104.0	A2-2			-	-	0	0	39.3	65.8	50.8	0	0	66	66	70	N	-	-	-	-	-	N
R2631	32	106.7	A2-2			-	-	0	0	39.2	65.7	51	0	0	65.9	65.9	70	N	-	-	-	-	-	N
R2631	33	109.4	A2-2			-	-	0	0	39.2	65.6	51.1	0	0	65.8	65.8	70	N	-	-	-	-	-	N
R2631	34	112.1	A2-2			-	-	0	0	39.3	65.5	51.2	0	0	65.7	65.7	70	N	-	-	-	-	-	N
R2631	35	114.8	A2-2			-	-	0	0	43.5	69.9	45.4	0	0	70	70	70	N	-	-	-	-	-	N
R2642	1	29.0	A2-4			-	-	0	0	43.7	69.8	45.6	0	0	69.8	69.8	70	N	-	-	-	-	-	N
R2642	2	31.7	A2-4			-	-	0	0	43.7	69.6	45.7	0	0	69.6	69.6	70	N	-	-	-	-	-	N
R2642	3	34.4	A2-4			-	-	0	0	43.8	69.4	45.9	0	0	69.5	69.5	70	N	-	-	-	-	-	N
R2642	4	37.1	A2-4			-	-	0	0	43.9	69.3	46	0	0	69.3	69.3	70	N	-	-	-	-	-	N</

Assessment Point				Locations	WITHOUT PROJECT		WITH PROJECT											Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^(5.4) (Y/N)
					OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	NEW ROADS OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	C - A dB(A) [D]		D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)	
R2681	15	51.8	A2-7		-	-	0	0	0	66.5	56.9	0	0	66.9	66.9	70	N	-	-	-	-	-	N
R2681	16	54.5	A2-7		-	-	0	0	0	66.3	56.9	0	0	66.8	66.8	70	N	-	-	-	-	-	N
R2681	17	57.2	A2-7		-	-	0	0	0	66.1	56.9	0	0	66.6	66.6	70	N	-	-	-	-	-	N
R2681	18	59.9	A2-7		-	-	0	0	0	66	57	0	0	66.5	66.5	70	N	-	-	-	-	-	N
R2681	19	62.6	A2-7		-	-	0	0	0	65.8	57	0	0	66.4	66.4	70	N	-	-	-	-	-	N
R2681	20	65.3	A2-7		-	-	0	0	0	65.7	57	0	0	66.2	66.2	70	N	-	-	-	-	-	N
R2681	21	68.0	A2-7		-	-	0	0	0	65.5	57	0	0	66.1	66.1	70	N	-	-	-	-	-	N
R2681	22	70.7	A2-7		-	-	0	0	0	65.4	57	0	0	66	66	70	N	-	-	-	-	-	N
R2681	23	73.4	A2-7		-	-	0	0	0	65.2	57.1	0	0	65.8	65.8	70	N	-	-	-	-	-	N
R2681	24	76.1	A2-7		-	-	0	0	0	65.1	57.2	0	0	65.7	65.7	70	N	-	-	-	-	-	N
R2681	25	78.8	A2-7		-	-	0	0	0	65	57.2	0	0	65.6	65.6	70	N	-	-	-	-	-	N
R2681	26	81.5	A2-7		-	-	0	0	0	64.8	57.3	0	0	65.5	65.5	70	N	-	-	-	-	-	N
R2681	27	84.2	A2-7		-	-	0	0	0	64.7	57.4	0	0	65.4	65.4	70	N	-	-	-	-	-	N
R2681	28	86.9	A2-7		-	-	0	0	0	64.6	57.5	0	0	65.3	65.3	70	N	-	-	-	-	-	N
R2681	29	89.6	A2-7		-	-	0	0	0	64.4	57.5	0	0	65.2	65.2	70	N	-	-	-	-	-	N
R2681	30	92.3	A2-7		-	-	0	0	0	64.3	57.5	0	0	65.1	65.1	70	N	-	-	-	-	-	N
R2681	31	95.0	A2-7		-	-	0	0	0	64.2	57.6	0	0	65	65	70	N	-	-	-	-	-	N
R2681	32	97.7	A2-7		-	-	0	0	0	64.1	57.6	0	0	65	65	70	N	-	-	-	-	-	N
R2681	33	100.4	A2-7		-	-	0	0	0	63.9	57.6	0	0	64.8	64.8	70	N	-	-	-	-	-	N
R2681	34	103.1	A2-7		-	-	0	0	0	63.8	57.6	0	0	64.8	64.8	70	N	-	-	-	-	-	N
R2681	35	105.8	A2-7		-	-	0	0	0	63.7	57.6	0	0	64.7	64.7	70	N	-	-	-	-	-	N
R2682	1	14.0	A2-7		-	-	8.8	0	0	47.2	62.4	0	0	62.5	62.5	70	N	-	-	-	-	-	N
R2682	2	16.7	A2-7		-	-	8.8	0	0	47.3	62.3	0	0	62.5	62.5	70	N	-	-	-	-	-	N
R2682	3	19.4	A2-7		-	-	8.8	0	0	47.7	62.2	0	0	62.4	62.4	70	N	-	-	-	-	-	N
R2682	4	22.1	A2-7		-	-	8.8	0	0	48.2	62.1	0	0	62.3	62.3	70	N	-	-	-	-	-	N
R2682	5	24.8	A2-7		-	-	8.8	0	0	49.1	62.1	0	0	62.3	62.3	70	N	-	-	-	-	-	N
R2682	6	27.5	A2-7		-	-	8.9	0	0	51.4	62.2	0	0	62.6	62.6	70	N	-	-	-	-	-	N
R2682	7	30.2	A2-7		-	-	8.9	0	0	53.9	62.5	0	0	63.1	63.1	70	N	-	-	-	-	-	N
R2682	8	32.9	A2-7		-	-	8.9	0	0	54.6	62.6	0	0	63.3	63.3	70	N	-	-	-	-	-	N
R2682	9	35.6	A2-7		-	-	8.9	0	0	54.9	62.5	0	0	63.2	63.2	70	N	-	-	-	-	-	N
R2682	10	38.3	A2-7		-	-	8.9	0	0	55.3	62.4	0	0	63.1	63.1	70	N	-	-	-	-	-	N
R2682	11	41.0	A2-7		-	-	8.9	0	0	55.6	62.2	0	0	63.1	63.1	70	N	-	-	-	-	-	N
R2682	12	43.7	A2-7		-	-	9	0	0	56	62	0	0	63	63	70	N	-	-	-	-	-	N
R2682	13	46.4	A2-7		-	-	8.9	0	0	56.3	61.8	0	0	62.9	62.9	70	N	-	-	-	-	-	N
R2682	14	49.1	A2-7		-	-	8.9	0	0	56.6	61.7	0	0	62.9	62.9	70	N	-	-	-	-	-	N
R2682	15	51.8	A2-7		-	-	9	0	0	56.9	61.5	0	0	62.8	62.8	70	N	-	-	-	-	-	N
R2682	16	54.5	A2-7		-	-	9.1	0	0	57.1	61.3	0	0	62.7	62.7	70	N	-	-	-	-	-	N
R2682	17	57.2	A2-7		-	-	9.2	0	0	57.3	61.2	0	0	62.7	62.7	70	N	-	-	-	-	-	N
R2682	18	59.9	A2-7		-	-	9.3	0	0	57.4	61	0	0	62.6	62.6	70	N	-	-	-	-	-	N
R2682	19	62.6	A2-7		-	-	9.4	0	0	57.5	60.9	0	0	62.5	62.5	70	N	-	-	-	-	-	N
R2682	20	65.3	A2-7		-	-	9.5	0	0	57.6	60.7	0	0	62.4	62.4	70	N	-	-	-	-	-	N
R2682	21	68.0	A2-7		-	-	9.7	0	0	57.7	60.6	0	0	62.4	62.4	70	N	-	-	-	-	-	N
R2682	22	70.7	A2-7		-	-	9.9	0	0	57.7	60.4	0	0	62.3	62.3	70	N	-	-	-	-	-	N
R2682	23	73.4	A2-7		-	-	10.2	0	0	57.8	60.3	0	0	62.2	62.2	70	N	-	-	-	-	-	N
R2682	24	76.1	A2-7		-	-	10.4	0	0	57.7	60.2	0	0	62.1	62.1	70	N	-	-	-	-	-	N
R2682	25	78.8	A2-7		-	-	10.6	0	0	57.8	60	0	0	62.1	62.1	70	N	-	-	-	-	-	N
R2682	26	81.5	A2-7		-	-	10.9	0	0	57.9	59.9	0	0	62	62	70	N	-	-	-	-	-	N
R2682	27	84.2	A2-7		-	-	11.2	0	0	58.1	59												

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT										Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^{(5)(d)} (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)		C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	
R2721	25	88.8	A3-3	-	-	38.7	0	25.9	60.1	0	0	0	60.1	60.2	70	N	-	-	-	-	-	N	
R2721	26	91.5	A3-3	-	-	38.7	0	26	60.1	0	0	0	60.1	60.1	70	N	-	-	-	-	-	N	
R2721	27	94.2	A3-3	-	-	38.7	0	26.1	60.1	0	0	0	60.1	60.1	70	N	-	-	-	-	-	N	
R2721	28	96.9	A3-3	-	-	38.7	0	26.2	60.1	0	0	0	60.1	60.1	70	N	-	-	-	-	-	N	
R2721	29	99.6	A3-3	-	-	38.6	0	26.2	60.1	0	0	0	60.1	60.1	70	N	-	-	-	-	-	N	
R2721	30	102.3	A3-3	-	-	38.6	0	26.3	60	0	0	0	60	60.1	70	N	-	-	-	-	-	N	
R2721	31	105.0	A3-3	-	-	38.6	0	26.3	60	0	0	0	60	60.1	70	N	-	-	-	-	-	N	
R2721	32	107.7	A3-3	-	-	38.6	0	26.5	60	0	0	0	60	60	70	N	-	-	-	-	-	N	
R2721	33	110.4	A3-3	-	-	38.6	0	26.6	60	0	0	0	60	60	70	N	-	-	-	-	-	N	
R2721	34	113.1	A3-3	-	-	38.5	0	26.5	60	0	0	0	60	60	70	N	-	-	-	-	-	N	
R2721	35	115.8	A3-3	-	-	38.5	0	26.7	60	0	0	0	60	60	70	N	-	-	-	-	-	N	
R2722	1	21.5	A3-3	-	-	2.2	0	27.7	52.5	64.5	0	0	64.8	64.8	70	N	-	-	-	-	-	N	
R2722	2	24.2	A3-3	-	-	3.1	0	28.1	52.6	65.3	0	0	65.5	65.5	70	N	-	-	-	-	-	N	
R2722	3	26.9	A3-3	-	-	4.1	0	28.6	52.7	66.6	0	0	66.8	66.8	70	N	-	-	-	-	-	N	
R2722	4	29.6	A3-3	-	-	5.3	0	29.2	52.8	67.7	0	0	67.8	67.8	70	N	-	-	-	-	-	N	
R2722	5	32.3	A3-3	-	-	6.5	0	29.9	53	68.1	0	0	68.3	68.3	70	N	-	-	-	-	-	N	
R2722	6	35.0	A3-3	-	-	7.9	0	30.8	53.2	68.6	0	0	68.7	68.7	70	N	-	-	-	-	-	N	
R2722	7	37.7	A3-3	-	-	9.2	0	31	53.3	68.8	0	0	68.9	68.9	70	N	-	-	-	-	-	N	
R2722	8	40.4	A3-3	-	-	10.8	0	31.8	53.4	68.7	0	0	68.8	68.8	70	N	-	-	-	-	-	N	
R2722	9	43.1	A3-3	-	-	12.4	0	32.7	53.5	68.6	0	0	68.7	68.7	70	N	-	-	-	-	-	N	
R2722	10	45.8	A3-3	-	-	14	0	33.3	53.6	68.3	0	0	68.5	68.5	70	N	-	-	-	-	-	N	
R2722	11	48.5	A3-3	-	-	15.7	0	33.7	53.6	68.1	0	0	68.3	68.3	70	N	-	-	-	-	-	N	
R2722	12	51.2	A3-3	-	-	17.7	0	34.1	53.6	67.9	0	0	68.1	68.1	70	N	-	-	-	-	-	N	
R2722	13	53.9	A3-3	-	-	19.7	0	34.4	53.7	67.7	0	0	67.9	67.9	70	N	-	-	-	-	-	N	
R2722	14	56.6	A3-3	-	-	21.8	0	34.6	53.7	67.5	0	0	67.7	67.7	70	N	-	-	-	-	-	N	
R2722	15	59.3	A3-3	-	-	24	0	34.7	53.8	67.3	0	0	67.5	67.5	70	N	-	-	-	-	-	N	
R2722	16	62.0	A3-3	-	-	26.1	0	34.8	53.9	67.1	0	0	67.3	67.3	70	N	-	-	-	-	-	N	
R2722	17	64.7	A3-3	-	-	27.7	0	34.9	53.9	66.9	0	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2722	18	67.4	A3-3	-	-	29.2	0	34.9	54	66.7	0	0	66.9	66.9	70	N	-	-	-	-	-	N	
R2722	19	70.1	A3-3	-	-	30.1	0	35.1	54	66.5	0	0	66.7	66.7	70	N	-	-	-	-	-	N	
R2722	20	72.8	A3-3	-	-	30.5	0	35.1	54	66.3	0	0	66.6	66.6	70	N	-	-	-	-	-	N	
R2722	21	75.5	A3-3	-	-	30.9	0	35.2	54	66.1	0	0	66.4	66.4	70	N	-	-	-	-	-	N	
R2722	22	78.2	A3-3	-	-	31	0	35.3	54	66	0	0	66.3	66.3	70	N	-	-	-	-	-	N	
R2722	23	80.9	A3-3	-	-	31.2	0	35.3	53.9	65.8	0	0	66.1	66.1	70	N	-	-	-	-	-	N	
R2722	24	83.6	A3-3	-	-	31.3	0	35.4	53.9	65.7	0	0	65.9	65.9	70	N	-	-	-	-	-	N	
R2722	25	86.3	A3-3	-	-	31.3	0	35.4	53.9	65.5	0	0	65.8	65.8	70	N	-	-	-	-	-	N	
R2722	26	89.0	A3-3	-	-	31.3	0	35.5	53.9	65.3	0	0	65.7	65.7	70	N	-	-	-	-	-	N	
R2722	27	91.7	A3-3	-	-	31.3	0	35.5	53.9	65.2	0	0	65.5	65.5	70	N	-	-	-	-	-	N	
R2722	28	94.4	A3-3	-	-	31.2	0	35.6	53.9	65.1	0	0	65.4	65.4	70	N	-	-	-	-	-	N	
R2722	29	97.1	A3-3	-	-	31.2	0	35.7	53.9	64.9	0	0	65.2	65.2	70	N	-	-	-	-	-	N	
R2722	30	99.8	A3-3	-	-	31.2	0	35.8	53.9	64.8	0	0	65.1	65.1	70	N	-	-	-	-	-	N	
R2722	31	102.5	A3-3	-	-	31.1	0	35.8	53.8	64.7	0	0	65	65	70	N	-	-	-	-	-	N	
R2722	32	105.2	A3-3	-	-	31.1	0	35.9	53.8	64.5	0	0	64.9	64.9	70	N	-	-	-	-	-	N	
R2722	33	107.9	A3-3	-	-	31.1	0	36	53.8	64.4	0	0	64.8	64.8	70	N	-	-	-	-	-	N	
R2722	34	110.6	A3-3	-	-	31	0	36.1	53.8	64.3	0	0	64.7	64.7	70	N							

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT										Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^{(5)(d)} (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)		C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	
R2724	35	109.3	A3-3	-	-	0	0	30.9	64.3	58.6	0	0	65.3	65.3	70	N	-	-	-	-	-	N	
R2725	1	17.5	A3-3	-	-	0	0	15.1	69.7	28.7	0	0	69.7	69.7	70	N	-	-	-	-	-	N	
R2725	2	20.2	A3-3	-	-	0	0	15.2	69.6	29.2	0	0	69.6	69.6	70	N	-	-	-	-	-	N	
R2725	3	22.9	A3-3	-	-	0	0	15.2	69.5	29.6	0	0	69.5	69.5	70	N	-	-	-	-	-	N	
R2725	4	25.6	A3-3	-	-	0	0	15.3	69.4	30	0	0	69.4	69.4	70	N	-	-	-	-	-	N	
R2725	5	28.3	A3-3	-	-	0	0	15.3	69.2	30.4	0	0	69.2	69.2	70	N	-	-	-	-	-	N	
R2725	6	31.0	A3-3	-	-	0	0	15.3	69	30.9	0	0	69	69	70	N	-	-	-	-	-	N	
R2725	7	33.7	A3-3	-	-	0	0	15.3	68.9	31.3	0	0	68.9	68.9	70	N	-	-	-	-	-	N	
R2725	8	36.4	A3-3	-	-	0	0	15.3	68.7	31.8	0	0	68.7	68.7	70	N	-	-	-	-	-	N	
R2725	9	39.1	A3-3	-	-	0	0	15.3	68.6	32.2	0	0	68.6	68.6	70	N	-	-	-	-	-	N	
R2725	10	41.8	A3-3	-	-	0	0	15.3	68.4	32.8	0	0	68.4	68.4	70	N	-	-	-	-	-	N	
R2725	11	44.5	A3-3	-	-	0	0	15.3	68.3	33.3	0	0	68.3	68.3	70	N	-	-	-	-	-	N	
R2725	12	47.2	A3-3	-	-	0	0	15.4	68.1	34	0	0	68.1	68.1	70	N	-	-	-	-	-	N	
R2725	13	49.9	A3-3	-	-	0	0	15.4	67.9	34.7	0	0	67.9	67.9	70	N	-	-	-	-	-	N	
R2725	14	52.6	A3-3	-	-	0	0	15.4	67.7	35.6	0	0	67.7	67.7	70	N	-	-	-	-	-	N	
R2725	15	55.3	A3-3	-	-	0	0	15.4	67.6	36.6	0	0	67.6	67.6	70	N	-	-	-	-	-	N	
R2725	16	58.0	A3-3	-	-	0	0	15.4	67.4	37.5	0	0	67.4	67.4	70	N	-	-	-	-	-	N	
R2725	17	60.7	A3-3	-	-	0	0	15.4	67.2	38.6	0	0	67.3	67.3	70	N	-	-	-	-	-	N	
R2725	18	63.4	A3-3	-	-	0	0	15.4	67.1	39.4	0	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2725	19	66.1	A3-3	-	-	0	0	15.4	66.9	39.9	0	0	66.9	66.9	70	N	-	-	-	-	-	N	
R2725	20	68.8	A3-3	-	-	0	0	15.4	66.8	40.4	0	0	66.8	66.8	70	N	-	-	-	-	-	N	
R2725	21	71.5	A3-3	-	-	0	0	15.4	66.6	40.8	0	0	66.6	66.6	70	N	-	-	-	-	-	N	
R2725	22	74.2	A3-3	-	-	0	0	15.4	66.5	41	0	0	66.5	66.5	70	N	-	-	-	-	-	N	
R2725	23	76.9	A3-3	-	-	0	0	15.3	66.3	41.4	0	0	66.4	66.4	70	N	-	-	-	-	-	N	
R2725	24	79.6	A3-3	-	-	0	0	15.3	66.2	41.6	0	0	66.3	66.3	70	N	-	-	-	-	-	N	
R2725	25	82.3	A3-3	-	-	0	0	15.3	66.1	41.8	0	0	66.1	66.1	70	N	-	-	-	-	-	N	
R2725	26	85.0	A3-3	-	-	0	0	15.3	66	41.9	0	0	66	66	70	N	-	-	-	-	-	N	
R2725	27	87.7	A3-3	-	-	0	0	15.3	65.8	42	0	0	65.8	65.8	70	N	-	-	-	-	-	N	
R2725	28	90.4	A3-3	-	-	0	0	15.1	65.7	42	0	0	65.7	65.7	70	N	-	-	-	-	-	N	
R2725	29	93.1	A3-3	-	-	0	0	15.8	65.6	42.2	0	0	65.6	65.6	70	N	-	-	-	-	-	N	
R2725	30	95.8	A3-3	-	-	0	0	16.6	65.4	42.2	0	0	65.5	65.5	70	N	-	-	-	-	-	N	
R2725	31	98.5	A3-3	-	-	0	0	17.4	65.3	42.3	0	0	65.4	65.4	70	N	-	-	-	-	-	N	
R2725	32	101.2	A3-3	-	-	0	0	18.2	65.2	42.3	0	0	65.2	65.2	70	N	-	-	-	-	-	N	
R2725	33	103.9	A3-3	-	-	0	0	19.1	65.1	42.4	0	0	65.1	65.1	70	N	-	-	-	-	-	N	
R2725	34	106.6	A3-3	-	-	0	0	20.1	65	42.4	0	0	65	65	70	N	-	-	-	-	-	N	
R2725	35	109.3	A3-3	-	-	0	0	21.1	64.9	42.6	0	0	64.9	64.9	70	N	-	-	-	-	-	N	
R2726	1	17.5	A3-3	-	-	0	0	0	66.5	26.7	0	0	66.5	66.5	70	N	-	-	-	-	-	N	
R2726	2	20.2	A3-3	-	-	0	0	0	66.5	27.3	0	0	66.5	66.5	70	N	-	-	-	-	-	N	
R2726	3	22.9	A3-3	-	-	0	0	0	66.4	28	0	0	66.4	66.4	70	N	-	-	-	-	-	N	
R2726	4	25.6	A3-3	-	-	0	0	0	66.4	28.8	0	0	66.4	66.4	70	N	-	-	-	-	-	N	
R2726	5	28.3	A3-3	-	-	0	0	0	66.3	29.7	0	0	66.3	66.3	70	N	-	-	-	-	-	N	
R2726	6	31.0	A3-3	-	-	0	0	0	66.3	30.6	0	0	66.3	66.3	70	N	-	-	-	-	-	N	
R2726	7	33.7	A3-3	-	-	0	0	0	66.2	31.5	0	0	66.2	66.2	70	N	-	-	-	-	-	N	
R2726	8	36.4	A3-3	-	-	0	0	0	66.2	32.4	0	0	66.2	66.2	70	N	-	-	-	-	-	N	
R2726	9	39.1	A3-3	-	-	0	0	0	66.1	33.4	0	0	66.1	66.1	70	N	-	-	-	-	-	N	
R2726	10	41.8	A3-3	-	-	0	0	0	66	34.5	0	0	66	66	70	N	-	-	-	-	-	N	
R2726	11	44.5	A3-3	-	-	0	0	0	65.9	35.8	0	0	65.9	65.9	70	N	-	-	-	-	-	N	
R2726	12	47.2	A3-3	-	-	0	0	0	65.8	37.4	0	0	65.8	65.8	70	N	-	-	-	-	-	N	
R2726	13	49.9	A3-3	-	-	0	0	0	65.7	39.4	0												

Assessment Point				Locations	WITHOUT PROJECT		WITH PROJECT											Exceedance C > Criteria (Y/N)	Check Project Impact Significance			Check Direct Mitigation		Mitigation Measures Required ^{(5)(d)} (Y/N)
					OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	C - A dB(A) [D]		D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)		
R2728	Floor	10	48.3	A3-3	-	-	25.4	0	28.6	57.5	0	0	0	57.5	57.5	70	N	-	-	-	-	-	N	
R2728		11	51.0	A3-3	-	-	25.5	0	28.7	57.5	0	0	0	57.5	57.5	70	N	-	-	-	-	-	N	
R2728		12	53.7	A3-3	-	-	25.5	0	28.8	57.5	0	0	0	57.5	57.5	70	N	-	-	-	-	-	N	
R2728		13	56.4	A3-3	-	-	25.6	0	28.9	57.6	0	0	0	57.6	57.6	70	N	-	-	-	-	-	N	
R2728		14	59.1	A3-3	-	-	25.7	0	29	57.7	0	0	0	57.7	57.7	70	N	-	-	-	-	-	N	
R2728		15	61.8	A3-3	-	-	25.7	0	29.2	57.8	0	0	0	57.8	57.8	70	N	-	-	-	-	-	N	
R2728		16	64.5	A3-3	-	-	25.8	0	29.4	57.9	0	0	0	57.9	57.9	70	N	-	-	-	-	-	N	
R2728		17	67.2	A3-3	-	-	25.8	0	29.4	58	0	0	0	58	58	70	N	-	-	-	-	-	N	
R2728		18	69.9	A3-3	-	-	25.8	0	29.5	58.1	0	0	0	58.1	58.1	70	N	-	-	-	-	-	N	
R2728		19	72.6	A3-3	-	-	25.9	0	29.6	58.2	0	0	0	58.2	58.2	70	N	-	-	-	-	-	N	
R2728		20	75.3	A3-3	-	-	25.9	0	29.7	58.3	0	0	0	58.3	58.3	70	N	-	-	-	-	-	N	
R2728		21	78.0	A3-3	-	-	25.9	0	29.9	58.3	0	0	0	58.3	58.3	70	N	-	-	-	-	-	N	
R2728		22	80.7	A3-3	-	-	25.9	0	30	58.3	0	0	0	58.3	58.3	70	N	-	-	-	-	-	N	
R2728		23	83.4	A3-3	-	-	26	0	30.2	58.3	0	0	0	58.4	58.4	70	N	-	-	-	-	-	N	
R2728		24	86.1	A3-3	-	-	26	0	30.2	58.3	0	0	0	58.4	58.4	70	N	-	-	-	-	-	N	
R2728		25	88.8	A3-3	-	-	26	0	30.4	58.3	0	0	0	58.4	58.4	70	N	-	-	-	-	-	N	
R2728		26	91.5	A3-3	-	-	26	0	30.4	58.3	0	0	0	58.4	58.4	70	N	-	-	-	-	-	N	
R2728		27	94.2	A3-3	-	-	26	0	30.5	58.4	0	0	0	58.4	58.4	70	N	-	-	-	-	-	N	
R2728		28	96.9	A3-3	-	-	26	0	30.7	58.4	0	0	0	58.4	58.4	70	N	-	-	-	-	-	N	
R2728		29	99.6	A3-3	-	-	26	0	30.8	58.5	0	0	0	58.5	58.5	70	N	-	-	-	-	-	N	
R2728		30	102.3	A3-3	-	-	25.9	0	31	58.5	0	0	0	58.5	58.5	70	N	-	-	-	-	-	N	
R2728		31	105.0	A3-3	-	-	25.9	0	31.1	58.6	0	0	0	58.6	58.6	70	N	-	-	-	-	-	N	
R2728		32	107.7	A3-3	-	-	25.9	0	31.2	58.7	0	0	0	58.7	58.7	70	N	-	-	-	-	-	N	
R2728		33	110.4	A3-3	-	-	25.9	0	31.3	58.8	0	0	0	58.8	58.8	70	N	-	-	-	-	-	N	
R2728		34	113.1	A3-3	-	-	25.9	0	31.5	58.9	0	0	0	58.9	58.9	70	N	-	-	-	-	-	N	
R2728		35	115.8	A3-3	-	-	25.9	0	31.6	58.9	0	0	0	58.9	58.9	70	N	-	-	-	-	-	N	
R2729		1	21.5	A3-3	-	-	0	0	24.2	50.6	69.9	0	0	69.9	69.9	70	N	-	-	-	-	-	N	
R2729		2	24.2	A3-3	-	-	0	0	24.2	51.2	69.8	0	0	69.8	69.8	70	N	-	-	-	-	-	N	
R2729		3	26.9	A3-3	-	-	0	0	24.2	51.7	69.7	0	0	69.8	69.8	70	N	-	-	-	-	-	N	
R2729		4	29.6	A3-3	-	-	0	0	24.2	52.3	69.6	0	0	69.7	69.7	70	N	-	-	-	-	-	N	
R2729		5	32.3	A3-3	-	-	0	0	24.2	52.7	69.5	0	0	69.6	69.6	70	N	-	-	-	-	-	N	
R2729		6	35.0	A3-3	-	-	0	0	24.1	53	69.3	0	0	69.4	69.4	70	N	-	-	-	-	-	N	
R2729		7	37.7	A3-3	-	-	0	0	24.2	53.2	69.1	0	0	69.2	69.2	70	N	-	-	-	-	-	N	
R2729		8	40.4	A3-3	-	-	0	0	24.2	53.2	68.9	0	0	69	69	70	N	-	-	-	-	-	N	
R2729		9	43.1	A3-3	-	-	0	0	24.2	53.3	68.7	0	0	68.8	68.8	70	N	-	-	-	-	-	N	
R2729		10	45.8	A3-3	-	-	0	0	24.3	53.3	68.4	0	0	68.6	68.6	70	N	-	-	-	-	-	N	
R2729		11	48.5	A3-3	-	-	0	0	24.4	53.3	68.2	0	0	68.3	68.3	70	N	-	-	-	-	-	N	
R2729		12	51.2	A3-3	-	-	0	0	24.5	53.3	68	0	0	68.1	68.1	70	N	-	-	-	-	-	N	
R2729		13	53.9	A3-3	-	-	0	0	24.7	53.3	67.8	0	0	67.9	67.9	70	N	-	-	-	-	-	N	
R2729		14	56.6	A3-3	-	-	0	0	24.9	53.4	67.5	0	0	67.7	67.7	70	N	-	-	-	-	-	N	
R2729		15	59.3	A3-3	-	-	0	0	25.1	53.4	67.3	0	0	67.5	67.5	70	N	-	-	-	-	-	N	
R2729		16	62.0	A3-3	-	-	0	0	25.4	53.6	67.2	0	0	67.3	67.3	70	N	-	-	-	-	-	N	
R2729		17	64.7	A3-3	-	-	0	0	25.6	53.7	67	0	0	67.2	67.2	70	N	-	-	-	-	-	N	
R2729		18	67.4	A3-3	-	-	0	0	25.9	53.7	66.8	0	0	67	67	70	N	-	-	-	-	-	N	
R2729</																								

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT											Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^{2,4} (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ¹	PD	DD	NEW ROADS OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	C - A dB(A) [D]		D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)	
R2746		15	57.3	A3-6	-	-	0	0	0	59.1	67	0	0	67.7	67.7	70	N	-	-	-	-	-	N	
R2746		16	60.0	A3-6	-	-	0	0	0	59.2	66.8	0	0	67.5	67.5	70	N	-	-	-	-	-	N	
R2746		17	62.7	A3-6	-	-	0	0	0	59.1	66.6	0	0	67.3	67.3	70	N	-	-	-	-	-	N	
R2746		18	65.4	A3-6	-	-	0	0	0	59.1	66.4	0	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2746		19	68.1	A3-6	-	-	0	0	0	59.1	66.2	0	0	67	67	70	N	-	-	-	-	-	N	
R2746		20	70.8	A3-6	-	-	0	0	0	59	66	0	0	66.8	66.8	70	N	-	-	-	-	-	N	
R2747		1	19.5	A3-6	-	-	0	0	11.2	55.2	65.7	0	0	66	66	70	N	-	-	-	-	-	N	
R2747		2	22.2	A3-6	-	-	0	0	11.2	56	66.8	0	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2747		3	24.9	A3-6	-	-	0	0	11.2	56.7	68.3	0	0	68.6	68.6	70	N	-	-	-	-	-	N	
R2747		4	27.6	A3-6	-	-	0	0	11.2	57	69	0	0	69.3	69.3	70	N	-	-	-	-	-	N	
R2747		5	30.3	A3-6	-	-	0	0	11.2	57.2	69.3	0	0	69.6	69.6	70	N	-	-	-	-	-	N	
R2747		6	33.0	A3-6	-	-	0	0	11.2	57.3	69.4	0	0	69.7	69.7	70	N	-	-	-	-	-	N	
R2747		7	35.7	A3-6	-	-	0	0	11.2	57.2	69.3	0	0	69.5	69.5	70	N	-	-	-	-	-	N	
R2747		8	38.4	A3-6	-	-	0	0	11.2	57.2	69	0	0	69.3	69.3	70	N	-	-	-	-	-	N	
R2747		9	41.1	A3-6	-	-	0	0	11.2	57.2	68.8	0	0	69.1	69.1	70	N	-	-	-	-	-	N	
R2747		10	43.8	A3-6	-	-	0	0	11.2	57.2	68.5	0	0	68.8	68.8	70	N	-	-	-	-	-	N	
R2747		11	46.5	A3-6	-	-	0	0	11.2	57.2	68.2	0	0	68.5	68.5	70	N	-	-	-	-	-	N	
R2747		12	49.2	A3-6	-	-	0	0	11.2	57.1	68	0	0	68.3	68.3	70	N	-	-	-	-	-	N	
R2747		13	51.9	A3-6	-	-	0	0	11.2	57.1	67.8	0	0	68.1	68.1	70	N	-	-	-	-	-	N	
R2747		14	54.6	A3-6	-	-	0	0	11.2	57.1	67.5	0	0	67.9	67.9	70	N	-	-	-	-	-	N	
R2747		15	57.3	A3-6	-	-	0	0	11.2	57.1	67.3	0	0	67.7	67.7	70	N	-	-	-	-	-	N	
R2747		16	60.0	A3-6	-	-	0	0	11.2	57	67	0	0	67.4	67.4	70	N	-	-	-	-	-	N	
R2747		17	62.7	A3-6	-	-	0	0	11.2	57	66.8	0	0	67.3	67.3	70	N	-	-	-	-	-	N	
R2747		18	65.4	A3-6	-	-	0	0	11.2	57	66.6	0	0	67.1	67.1	70	N	-	-	-	-	-	N	
R2747		19	68.1	A3-6	-	-	0	0	11.2	56.9	66.4	0	0	66.9	66.9	70	N	-	-	-	-	-	N	
R2747		20	70.8	A3-6	-	-	0	0	11.2	56.9	66.2	0	0	66.7	66.7	70	N	-	-	-	-	-	N	
R2748		1	23.5	A3-6	-	-	0	0	9.7	45.9	66.9	0	0	66.9	66.9	70	N	-	-	-	-	-	N	
R2748		2	26.2	A3-6	-	-	0	0	9.7	46.4	66.8	0	0	66.8	66.8	70	N	-	-	-	-	-	N	
R2748		3	28.9	A3-6	-	-	0	0	9.7	46.6	66.7	0	0	66.7	66.7	70	N	-	-	-	-	-	N	
R2748		4	31.6	A3-6	-	-	0	0	9.7	46.6	66.6	0	0	66.6	66.6	70	N	-	-	-	-	-	N	
R2748		5	34.3	A3-6	-	-	0	0	9.7	46.6	66.4	0	0	66.5	66.5	70	N	-	-	-	-	-	N	
R2748		6	37.0	A3-6	-	-	0	0	9.7	46.6	66.3	0	0	66.3	66.3	70	N	-	-	-	-	-	N	
R2748		7	39.7	A3-6	-	-	0	0	9.7	46.7	66.1	0	0	66.2	66.2	70	N	-	-	-	-	-	N	
R2748		8	42.4	A3-6	-	-	0	0	9.7	46.7	65.9	0	0	66	66	70	N	-	-	-	-	-	N	
R2748		9	45.1	A3-6	-	-	0	0	9.7	46.7	65.8	0	0	65.8	65.8	70	N	-	-	-	-	-	N	
R2748		10	47.8	A3-6	-	-	0	0	9.7	46.8	65.6	0	0	65.7	65.7	70	N	-	-	-	-	-	N	
R2748		11	50.5	A3-6	-	-	0	0	9.7	47	65.5	0	0	65.5	65.5	70	N	-	-	-	-	-	N	
R2748		12	53.2	A3-6	-	-	0	0	9.7	47.7	65.3	0	0	65.3	65.3	70	N	-	-	-	-	-	N	
R2748		13	55.9	A3-6	-	-	0	0	9.7	48.1	65.1	0	0	65.1	65.1	70	N	-	-	-	-	-	N	
R2748		14	58.6	A3-6	-	-	0	0	9.7	48.6	64.9	0	0	65	65	70	N	-	-	-	-	-	N	
R2748		15	61.3	A3-6	-	-	0	0	9.7	49.2	64.8	0	0	64.9	64.9	70	N	-	-	-	-	-	N	
R2748		16	64.0	A3-6	-	-	0	0	9.7	49.9	64.6	0	0	64.7	64.7	70	N	-	-	-	-	-	N	
R2748		17	66.7	A3-6	-	-	0	0	9.7	50.3	64.4	0	0	64.6	64.6	70	N	-	-	-	-	-	N	
R2748		18	69.4	A3-6	-	-	0	0	9.7	50.5	64.3	0	0	64.4	64.4	70	N	-	-	-	-	-	N	
R2748		19	72.1	A3-6	-	-	0	0	9.7	50.5	64.1	0	0	64.3	64.3	70	N	-	-	-	-	-	N	
R2748		20	74.8	A3-6	-	-	0	0	9.7	50.5	64	0	0	64.2	64.2	70	N	-	-	-	-	-	N	
R2761		1	29.5	B2-10	-	-	0	0	0	60.1	64.1	0	0	65.5	65.5	7								

Assessment Point				Locations		WITHOUT PROJECT		WITH PROJECT											Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^{2/3,4} (Y/N)
						OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ^[1]	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	C - A dB(A) [D]		D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)	
R2764	10	56.5	B2-10	-	-	-	-	40.2	0	36.9	48.8	0	49.5	0	52.3	52.6	70	N	-	-	-	-	-	N
R2764	11	59.5	B2-10	-	-	-	-	41.2	0	38.6	49	0	51.7	0	53.7	53.9	70	N	-	-	-	-	-	N
R2764	12	62.5	B2-10	-	-	-	-	42.1	0	39.2	49.2	0	53.3	0	54.8	55	70	N	-	-	-	-	-	N
R2764	13	65.5	B2-10	-	-	-	-	43.4	0	39.6	49.4	0	54.7	0	56	56.2	70	N	-	-	-	-	-	N
R2764	14	68.5	B2-10	-	-	-	-	45.4	0	39.9	49.7	0	56.4	0	57.3	57.6	70	N	-	-	-	-	-	N
R2764	15	71.5	B2-10	-	-	-	-	48.8	0	40.8	50.2	0	59	0	59.6	59.9	70	N	-	-	-	-	-	N
R2764	16	74.5	B2-10	-	-	-	-	52.8	0	43.1	51.2	0	61.7	0	62.1	62.6	70	N	-	-	-	-	-	N
R2764	17	77.5	B2-10	-	-	-	-	56.3	0	43.9	52.1	0	63.8	0	64.1	64.8	70	N	-	-	-	-	-	N
R2764	18	80.5	B2-10	-	-	-	-	57.2	0	44.4	53.5	0	65.3	0	65.6	66.2	70	N	-	-	-	-	-	N
R2764	19	83.5	B2-10	-	-	-	-	57.4	0	44.7	55.1	0	66.3	0	66.7	67.1	70	N	-	-	-	-	-	N
R2764	20	86.5	B2-10	-	-	-	-	57.6	0	44.9	57.2	0	67.1	0	67.6	68	70	N	-	-	-	-	-	N
R2841	1	17.0	F1-3	-	-	-	-	54	0	0	41.6	0	0	0	41.6	54.3	70	N	-	-	-	-	-	N
R2841	2	21.0	F1-3	-	-	-	-	54	0	0	43.8	0	0	0	43.8	54.4	70	N	-	-	-	-	-	N
R2841	3	25.0	F1-3	-	-	-	-	54.1	0	0	47.1	0	0	0	47.1	54.9	70	N	-	-	-	-	-	N
R2841	4	29.0	F1-3	-	-	-	-	54.2	0	0	50.2	0	0	0	50.2	55.6	70	N	-	-	-	-	-	N
R2841	5	33.0	F1-3	-	-	-	-	54.5	0	0	52.6	0	0	0	52.6	56.7	70	N	-	-	-	-	-	N
R2841	6	37.0	F1-3	-	-	-	-	55	0	0	55.3	0	0	0	55.3	58.2	70	N	-	-	-	-	-	N
R2841	7	41.0	F1-3	-	-	-	-	55.5	0	0	56.5	0	0	0	56.5	59	70	N	-	-	-	-	-	N
R2841	8	45.0	F1-3	-	-	-	-	55.8	0	0	57.1	0	0	0	57.1	59.5	70	N	-	-	-	-	-	N
R2841	9	49.0	F1-3	-	-	-	-	55.8	0	0	57.7	0	0	0	57.7	59.8	70	N	-	-	-	-	-	N
R2841	10	53.0	F1-3	-	-	-	-	55.9	0	0	58.1	0	0	0	58.1	60.1	70	N	-	-	-	-	-	N
R2842	1	17.0	F1-3	-	-	-	-	54.7	32.8	0	50.5	0	0	0	50.5	56.1	70	N	-	-	-	-	-	N
R2842	2	21.0	F1-3	-	-	-	-	54.8	33.9	0	51	0	0	0	51	56.3	70	N	-	-	-	-	-	N
R2842	3	25.0	F1-3	-	-	-	-	54.8	35	0	51.9	0	0	0	51.9	56.6	70	N	-	-	-	-	-	N
R2842	4	29.0	F1-3	-	-	-	-	54.8	36.2	0	53.6	0	0	0	53.6	57.3	70	N	-	-	-	-	-	N
R2842	5	33.0	F1-3	-	-	-	-	54.8	37.6	0	55.2	0	0	0	55.2	58	70	N	-	-	-	-	-	N
R2842	6	37.0	F1-3	-	-	-	-	54.8	39.3	0	56.4	0	0	0	56.4	58.7	70	N	-	-	-	-	-	N
R2842	7	41.0	F1-3	-	-	-	-	54.7	41.2	0	57.6	0	0	0	57.6	59.5	70	N	-	-	-	-	-	N
R2842	8	45.0	F1-3	-	-	-	-	54.8	42.8	0	58.5	0	0	0	58.5	60.1	70	N	-	-	-	-	-	N
R2842	9	49.0	F1-3	-	-	-	-	54.9	44.2	0	59.1	0	0	0	59.1	60.6	70	N	-	-	-	-	-	N
R2842	10	53.0	F1-3	-	-	-	-	54.9	45.7	0	59.7	0	0	0	59.7	61	70	N	-	-	-	-	-	N
R2843	1	17.0	F1-3	-	-	-	-	61.3	0	0	51.6	0	0	0	51.6	61.8	70	N	-	-	-	-	-	N
R2843	2	21.0	F1-3	-	-	-	-	61.5	0	0	51.9	0	0	0	51.9	61.9	70	N	-	-	-	-	-	N
R2843	3	25.0	F1-3	-	-	-	-	61.5	0	0	52.6	0	0	0	52.6	62	70	N	-	-	-	-	-	N
R2843	4	29.0	F1-3	-	-	-	-	61.4	0	0	53.9	0	0	0	53.9	62.1	70	N	-	-	-	-	-	N
R2843	5	33.0	F1-3	-	-	-	-	61.4	0	0	55.1	0	0	0	55.1	62.4	70	N	-	-	-	-	-	N
R2843	6	37.0	F1-3	-	-	-	-	61.4	0	0	55.8	0	0	0	55.8	62.4	70	N	-	-	-	-	-	N
R2843	7	41.0	F1-3	-	-	-	-	61.2	0	0	56.2	0	0	0	56.2	62.4	70	N	-	-	-	-	-	N
R2843	8	45.0	F1-3	-	-	-	-	61	0	0	56.6	0	0	0	56.6	62.3	70	N	-	-	-	-	-	N
R2843	9	49.0	F1-3	-	-	-	-	60.7	0	0	56.7	0	0	0	56.7	62.2	70	N	-	-	-	-	-	N
R2843	10	53.0	F1-3	-	-	-	-	60.4	0	0	56.9	0	0	0	56.9	62	70	N	-	-	-	-	-	N
R2844	1	18.0	F1-3	-	-	-	-	62.9	0	0	59.5	18.5	0	0	59.5	64.6	70	N	-	-	-	-	-	N
R2844	2	22.0	F1-3	-	-	-	-	62.9	0	0	59.6	19.2	0	0	59.6	64.6	70	N	-	-	-	-	-	N
R2844	3	26.0	F1-3	-	-	-	-	62.8	0	0	59.9	19.8	0	0	59.9	64.6	70	N	-	-	-	-	-	N
R2844	4	30.0	F1-3	-	-	-	-	62.5	0	0	60.5	20.6	0	0	60.5	64.6	70	N	-	-	-	-	-	N
R2844	5	34.0	F1-<																					

Assessment Point				Locations	WITHOUT PROJECT		WITH PROJECT											Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation		Mitigation Measures Required ^{(5)(d)} (Y/N)
					OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ⁽¹⁾	PD	DD	NEW ROADS OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	C - A dB(A) [D]		D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)	
R3381	Floor	3	26.0	A3-4	-	-	0	0	22.2	46.8	64.6	0	0	64.6	64.6	65	N	-	-	-	-	-	N
R3381	2	3	30.0	A3-4	-	-	0	0	22.2	46.8	64.3	0	0	64.3	64.3	65	N	-	-	-	-	-	N
R3381	5	3	34.0	A3-4	-	-	0	0	22.2	46.9	63.8	0	0	63.9	63.9	65	N	-	-	-	-	-	N
R3381	6	3	38.0	A3-4	-	-	0	0	22.2	46.9	63.3	0	0	63.4	63.4	65	N	-	-	-	-	-	N
R3381	7	3	42.0	A3-4	-	-	0	0	22.1	47	62.8	0	0	63	63	65	N	-	-	-	-	-	N
R3381	8	3	46.0	A3-4	-	-	0	0	22.1	47.1	62.4	0	0	62.5	62.5	65	N	-	-	-	-	-	N
R3401	1	3	17.0	B2-5	-	-	0	0	24.4	48.9	57.2	0	0	57.8	57.8	65	N	-	-	-	-	-	N
R3401	2	3	21.0	B2-5	-	-	0	0	24.4	50.3	57.5	0	0	58.2	58.2	65	N	-	-	-	-	-	N
R3401	3	3	25.0	B2-5	-	-	0	0	24.6	53.1	57.7	0	0	59	59	65	N	-	-	-	-	-	N
R3401	4	3	29.0	B2-5	-	-	0	0	24.9	58.9	58	0	0	61.4	61.4	65	N	-	-	-	-	-	N
R3401	5	3	33.0	B2-5	-	-	0	0	25.4	60.9	58.3	0	0	62.8	62.8	65	N	-	-	-	-	-	N
R3401	6	3	37.0	B2-5	-	-	0	0	26	61.2	59	0	0	63.2	63.2	65	N	-	-	-	-	-	N
R3401	7	3	41.0	B2-5	-	-	0	0	26.7	61.4	60	0	0	63.8	63.8	65	N	-	-	-	-	-	N
R3401	8	3	45.0	B2-5	-	-	0	0	27.5	61.6	61.5	0	0	64.6	64.6	65	N	-	-	-	-	-	N
R3402	1	3	17.0	B2-5	-	-	43.7	0	43.9	38.8	51.8	0	0	58.7	58.9	65	N	-	-	-	-	-	N
R3402	2	3	21.0	B2-5	-	-	45.4	0	45.3	37.8	52.9	0	0	59.2	59.4	65	N	-	-	-	-	-	N
R3402	3	3	25.0	B2-5	-	-	46.4	0	47.2	59.4	40.7	53.5	0	60.7	60.8	65	N	-	-	-	-	-	N
R3402	4	3	29.0	B2-5	-	-	47	0	48.2	60.9	41.8	54.1	0	62	62.1	65	N	-	-	-	-	-	N
R3402	5	3	33.0	B2-5	-	-	47.7	0	48.9	61.5	43.1	54.7	0	62.6	62.7	65	N	-	-	-	-	-	N
R3402	6	3	37.0	B2-5	-	-	48.4	0	49.5	62.3	44.3	55.3	0	63.4	63.5	65	N	-	-	-	-	-	N
R3402	7	3	41.0	B2-5	-	-	49.4	0	50	62.7	45.7	55.9	0	63.8	63.9	65	N	-	-	-	-	-	N
R3402	8	3	45.0	B2-5	-	-	50.1	0	50.5	62.8	47.2	56.5	0	64	64.2	65	N	-	-	-	-	-	N
R3403	1	3	17.0	B2-5	-	-	42.5	0	38.5	54.2	40.9	50.3	0	55.9	56.1	65	N	-	-	-	-	-	N
R3403	2	3	21.0	B2-5	-	-	43.6	0	39.6	55	42.1	50.9	0	56.6	56.9	65	N	-	-	-	-	-	N
R3403	3	3	25.0	B2-5	-	-	44.3	0	42.1	57.3	43.3	51.4	0	58.5	58.7	65	N	-	-	-	-	-	N
R3403	4	3	29.0	B2-5	-	-	44.9	0	43.1	61.4	44.7	51.7	0	61.9	62	65	N	-	-	-	-	-	N
R3403	5	3	33.0	B2-5	-	-	45.5	0	43.7	62.3	46.1	52.2	0	62.8	62.9	65	N	-	-	-	-	-	N
R3403	6	3	37.0	B2-5	-	-	46.1	0	44.2	63.1	47.7	52.6	0	63.6	63.7	65	N	-	-	-	-	-	N
R3403	7	3	41.0	B2-5	-	-	46.9	0	44.7	63.5	49.5	53	0	64	64.1	65	N	-	-	-	-	-	N
R3403	8	3	45.0	B2-5	-	-	48	0	45.3	63.5	51.6	53.6	0	64.2	64.3	65	N	-	-	-	-	-	N
R3421	1	3	12.5	B2-6	-	-	49.2	0	30.9	56.3	23.3	51.1	0	57.5	58.1	65	N	-	-	-	-	-	N
R3421	2	3	16.5	B2-6	-	-	52	0	33.2	56.3	26	52.3	0	57.8	58.8	65	N	-	-	-	-	-	N
R3421	3	3	20.5	B2-6	-	-	54.9	0	35.5	56.3	29.2	53.8	0	58.3	59.9	65	N	-	-	-	-	-	N
R3421	4	3	24.5	B2-6	-	-	55.9	0	38.1	56.3	32.9	55.3	0	58.9	60.7	65	N	-	-	-	-	-	N
R3421	5	3	28.5	B2-6	-	-	56.7	0	41.1	56.3	36.5	56.9	0	59.7	61.5	65	N	-	-	-	-	-	N
R3421	6	3	32.5	B2-6	-	-	57.6	0	45.1	56.4	38.7	58.8	0	60.9	62.5	65	N	-	-	-	-	-	N
R3421	7	3	36.5	B2-6	-	-	58.3	0	47.6	56.8	39.4	60.6	0	62.2	63.7	65	N	-	-	-	-	-	N
R3421	8	3	40.5	B2-6	-	-	58.9	0	49.5	57	40	61.8	0	63.3	64.6	65	N	-	-	-	-	-	N
R3422	1	3	12.5	B2-6	-	-	48.4	0	29.4	55.7	20.4	50.8	0	56.9	57.5	65	N	-	-	-	-	-	N
R3422	2	3	16.5	B2-6	-	-	50.8	0	32	55.7	23.4	52	0	57.2	58.1	65	N	-	-	-	-	-	N
R3422	3	3	20.5	B2-6	-	-	52.9	0	35.3	55.7	27.1	53.6	0	57.8	59	65	N	-	-	-	-	-	N
R3422	4	3	24.5	B2-6	-	-	54.2	0	39.2	55.7	32.2	55.7	0	58.8	60.1	65	N	-	-	-	-	-	N
R3422	5	3	28.5	B2-6	-	-	55.5	0	43.6	55.8	37.6	57.5	0	59.9	61.2	65	N	-	-	-	-	-	N
R3422	6	3	32.5	B2-6	-	-	57.2	0	47.7	56.1	39.4	59.5	0	61.4	62.8	65	N	-	-	-	-	-	N
R3422	7	3	36.5	B2-6	-	-	58.3	0	50.4	56.6	40	61.1	0	62.7	64.1	65	N	-	-	-	-	-	N
R3422	8	3	40.5	B2-6	-	-	59.1	0	52.2	57.2	40.7	6											

				Locations		WITHOUT PROJECT		WITH PROJECT											Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation New Roads Contribution dB(A) [E]	E > 1dB(A)	Mitigation Measures Required ^[5,6] (Y/N)
ID	Assessment Point			OVERALL NOISE LEVEL at 2016 dB(A) [A]	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ^[1]	PD	DD	NEW ROADS OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	C - A dB(A) [D]	D > 1dB(A)	B > Criteria						
R3703	14	73.5	E1-3	-	-	0	0	64.1	66.9	0	40.8	0	68.7	68.7	70	N	-	-	-	-	-	N		
R3703	15	76.5	E1-3	-	-	0	0	63.9	66.8	0	42.7	0	68.6	68.6	70	N	-	-	-	-	-	N		
R3703	16	79.5	E1-3	-	-	0	0	63.8	66.7	0	44.8	0	68.5	68.5	70	N	-	-	-	-	-	N		
R3703	17	82.5	E1-3	-	-	0	0	63.7	66.7	0	46.2	0	68.5	68.5	70	N	-	-	-	-	-	N		
R3703	18	85.5	E1-3	-	-	0	0	63.5	66.6	0	46.8	0	68.4	68.4	70	N	-	-	-	-	-	N		
R3703	19	88.5	E1-3	-	-	0	0	63.4	66.6	0	47.2	0	68.3	68.3	70	N	-	-	-	-	-	N		
R3703	20	91.5	E1-3	-	-	0	0	63.3	66.4	0	47.4	0	68.2	68.2	70	N	-	-	-	-	-	N		
R3704	1	34.5	E1-3	-	-	0	0	64.7	63.1	46.4	0	0	67	67	70	N	-	-	-	-	-	N		
R3704	2	37.5	E1-3	-	-	0	0	64.2	63.2	46.4	0	0	66.8	66.8	70	N	-	-	-	-	-	N		
R3704	3	40.5	E1-3	-	-	0	0	63.8	63.1	46.4	0	0	66.5	66.5	70	N	-	-	-	-	-	N		
R3704	4	43.5	E1-3	-	-	0	0	63.4	63.1	46.4	0	0	66.3	66.3	70	N	-	-	-	-	-	N		
R3704	5	46.5	E1-3	-	-	0	0	63.1	63	46.4	0	0	66.1	66.1	70	N	-	-	-	-	-	N		
R3704	6	49.5	E1-3	-	-	0	0	62.9	63	46.3	0	0	66	66	70	N	-	-	-	-	-	N		
R3704	7	52.5	E1-3	-	-	0	0	62.7	63	46.4	0	0	65.9	65.9	70	N	-	-	-	-	-	N		
R3704	8	55.5	E1-3	-	-	0	0	62.6	63.1	46.4	0	0	65.9	65.9	70	N	-	-	-	-	-	N		
R3704	9	58.5	E1-3	-	-	0	0	62.4	63.1	46.5	0	0	65.9	65.9	70	N	-	-	-	-	-	N		
R3704	10	61.5	E1-3	-	-	0	0	62.3	63.3	46.5	0	0	65.9	65.9	70	N	-	-	-	-	-	N		
R3704	11	64.5	E1-3	-	-	0	0	62.1	63.5	46.6	0	0	65.9	65.9	70	N	-	-	-	-	-	N		
R3704	12	67.5	E1-3	-	-	0	0	62	63.9	46.7	0	0	66.1	66.1	70	N	-	-	-	-	-	N		
R3704	13	70.5	E1-3	-	-	0	0	61.9	64.2	47	0	0	66.3	66.3	70	N	-	-	-	-	-	N		
R3704	14	73.5	E1-3	-	-	0	0	61.7	64.7	47.4	0	0	66.5	66.5	70	N	-	-	-	-	-	N		
R3704	15	76.5	E1-3	-	-	0	0	61.6	65	48.1	0	0	66.7	66.7	70	N	-	-	-	-	-	N		
R3704	16	79.5	E1-3	-	-	0	0	61.5	65.2	49.3	0	0	66.8	66.8	70	N	-	-	-	-	-	N		
R3704	17	82.5	E1-3	-	-	0	0	61.4	65.4	50	0	0	66.9	66.9	70	N	-	-	-	-	-	N		
R3704	18	85.5	E1-3	-	-	0	0	61.2	65.4	50.4	0	0	66.9	66.9	70	N	-	-	-	-	-	N		
R3704	19	88.5	E1-3	-	-	0	0	61.1	65.4	50.6	0	0	66.9	66.9	70	N	-	-	-	-	-	N		
R3704	20	91.5	E1-3	-	-	0	0	61	65.5	51	0	0	66.9	66.9	70	N	-	-	-	-	-	N		
R3721	1	28.0	E1-4	-	-	34.2	0	0	62.2	0	0	0	62.2	62.2	65	N	-	-	-	-	-	N		
R3721	2	32.0	E1-4	-	-	34.2	0	0	62.2	0	0	0	62.2	62.2	65	N	-	-	-	-	-	N		
R3721	3	36.0	E1-4	-	-	34.2	0	0	62.2	0	0	0	62.2	62.2	65	N	-	-	-	-	-	N		
R3721	4	40.0	E1-4	-	-	34.2	0	0	62.2	0	0	0	62.2	62.2	65	N	-	-	-	-	-	N		
R3721	5	44.0	E1-4	-	-	34.3	0	0	62.2	0	0	0	62.2	62.2	65	N	-	-	-	-	-	N		
R3721	6	48.0	E1-4	-	-	34.9	0	0	62.1	0	0	0	62.1	62.1	65	N	-	-	-	-	-	N		
R3721	7	52.0	E1-4	-	-	35.8	0	0	62.1	0	0	0	62.1	62.1	65	N	-	-	-	-	-	N		
R3721	8	56.0	E1-4	-	-	35.9	0	0	62.3	0	0	0	62.3	62.3	65	N	-	-	-	-	-	N		

[1] Other Roads refer to planned road projects carried out by others such as Development of Lok Ma Chau Loop, Liantang / Heung Yuen Wai Boundary Control Point and Associated Works, Widening of Tolo Highway/Fanling Highway etc.
[2] New Roads refer to the proposed road networks including planned internal roads within PC/TKL NDA and modification of connecting roads to NDA.
[3] For landuse planned under NDA project, mitigation measures are required to mitigate the noise level to within noise criteria.
[4] For existing and planned NSRs outside and within the non-development area of NDA, Direct Mitigation Measures will be required when "With Project Overall Noise Level exceeds Noise Criteria" AND, either "With Project - Without Project Overall Noise Level > 1dB(A)" or "New Roads exceeds Noise Criteria" or "New Roads Contribution > 1 dB(A)".
[5] The view from Level 3 for R1105 and R1106 to Fanling Highway is blocked by the proposed semi enclosure at Fanling Highway, a 5 dB(A) correction is applied to the contribution from "New roads (expressway way).

			Locations	WITHOUT PROJECT	EXISTING ROADS	OTHER ROADS	WITH PROJECT							Noise Criteria dB(A)	Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation			Mitigation Measures Required ^{3,4)} (Y/N)
Assessment Point		OVERALL NOISE LEVEL at 2036 dB(A) [A]		at 2036 dB(A)	at 2036 dB(A) ^[1]	PD	DD	OTHER	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	C - A dB(A) [D]			D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)		
ID	Floor	Floor Level (mPD)																			
R6001	1	20.0	A3-3 Kindergarten	-	6.9	0	17.1	30.6	0	0	0	30.8	30.8	65	N	-	-	-	-	-	N
R6001	2	24.5	A3-3 Kindergarten	-	6.9	0	18.2	31	0	0	0	31.2	31.2	65	N	-	-	-	-	-	N
R6001	3	29.0	A3-3 Kindergarten	-	6.9	0	19.4	31.4	0	0	0	31.7	31.7	65	N	-	-	-	-	-	N
R6001	4	33.5	A3-3 Kindergarten	-	6.9	0	20.5	31.9	0	0	0	32.2	32.2	65	N	-	-	-	-	-	N
R6001	5	38.0	A3-3 Kindergarten	-	6.9	0	21.8	32.5	0	0	0	32.8	32.8	65	N	-	-	-	-	-	N
R6002	1	20.0	A3-3 Kindergarten	-	7.2	0	17.1	29.8	0	0	0	30	30.1	65	N	-	-	-	-	-	N
R6002	2	24.5	A3-3 Kindergarten	-	7.2	0	17.8	29.9	0	0	0	30.2	30.2	65	N	-	-	-	-	-	N
R6002	3	29.0	A3-3 Kindergarten	-	7.2	0	18.8	30	0	0	0	30.4	30.4	65	N	-	-	-	-	-	N
R6002	4	33.5	A3-3 Kindergarten	-	7.2	0	19.8	30.2	0	0	0	30.6	30.6	65	N	-	-	-	-	-	N
R6002	5	38.0	A3-3 Kindergarten	-	7.2	0	20.8	30.3	0	0	0	30.8	30.8	65	N	-	-	-	-	-	N
R6003	1	20.0	A3-3 Kindergarten	-	0	0	18.8	50.2	58.9	0	0	59.5	59.5	65	N	-	-	-	-	-	N
R6003	2	24.5	A3-3 Kindergarten	-	0	0	18.8	50.2	58.9	0	0	59.5	59.5	65	N	-	-	-	-	-	N
R6003	3	29.0	A3-3 Kindergarten	-	0	0	18.8	50.2	58.9	0	0	59.5	59.5	65	N	-	-	-	-	-	N
R6003	4	33.5	A3-3 Kindergarten	-	0	0	18.8	50.2	59.1	0	0	59.6	59.6	65	N	-	-	-	-	-	N
R6003	5	38.0	A3-3 Kindergarten	-	0	0	18.7	50.1	59.1	0	0	59.7	59.7	65	N	-	-	-	-	-	N
R6004	1	20.0	A3-3 Kindergarten	-	0	0	17.5	48	16.7	0	0	48	48	65	N	-	-	-	-	-	N
R6004	2	24.5	A3-3 Kindergarten	-	0	0	17.5	48	16.7	0	0	48	48	65	N	-	-	-	-	-	N
R6004	3	29.0	A3-3 Kindergarten	-	0	0	17.5	48.1	16.6	0	0	48.1	48.1	65	N	-	-	-	-	-	N
R6004	4	33.5	A3-3 Kindergarten	-	0	0	17.5	48.1	16.6	0	0	48.2	48.2	65	N	-	-	-	-	-	N
R6004	5	38.0	A3-3 Kindergarten	-	0	0	17.6	48.2	16.5	0	0	48.2	48.2	65	N	-	-	-	-	-	N
R6005	1	20.0	A3-3 Kindergarten	-	0	0	17.9	48.8	10.7	0	0	48.8	48.8	65	N	-	-	-	-	-	N
R6005	2	24.5	A3-3 Kindergarten	-	0	0	17.9	48.8	10.7	0	0	48.8	48.8	65	N	-	-	-	-	-	N
R6005	3	29.0	A3-3 Kindergarten	-	0	0	17.9	48.8	10.7	0	0	48.8	48.8	65	N	-	-	-	-	-	N
R6005	4	33.5	A3-3 Kindergarten	-	0	0	17.9	48.8	10.6	0	0	48.8	48.8	65	N	-	-	-	-	-	N
R6005	5	38.0	A3-3 Kindergarten	-	0	0	17.9	48.8	10.6	0	0	48.8	48.8	65	N	-	-	-	-	-	N
R6006	1	17.5	A3-3 Kindergarten	-	0	0	0	56.6	53.7	0	0	58.4	58.4	65	N	-	-	-	-	-	N
R6006	2	22.0	A3-3 Kindergarten	-	0	0	0	56.6	53.7	0	0	58.4	58.4	65	N	-	-	-	-	-	N
R6006	3	26.5	A3-3 Kindergarten	-	0	0	0	56.6	53.7	0	0	58.4	58.4	65	N	-	-	-	-	-	N
R6006	4	31.0	A3-3 Kindergarten	-	0	0	0	56.5	53.8	0	0	58.4	58.4	65	N	-	-	-	-	-	N
R6006	5	35.5	A3-3 Kindergarten	-	0	0	0	56.5	53.8	0	0	58.4	58.4	65	N	-	-	-	-	-	N
R6007	1	17.5	A3-3 Kindergarten	-	0	0	0	62.9	51.6	0	0	63.3	63.3	65	N	-	-	-	-	-	N
R6007	2	22.0	A3-3 Kindergarten	-	0	0	0	62.9	51.6	0	0	63.2	63.2	65	N	-	-	-	-	-	N
R6007	3	26.5	A3-3 Kindergarten	-	0	0	0	62.8	51.6	0	0	63.2	63.2	65	N	-	-	-	-	-	N
R6007	4	31.0	A3-3 Kindergarten	-	0	0	0	62.7	51.6	0	0	63.1	63.1	65	N	-	-	-	-	-	N
R6007	5	35.5	A3-3 Kindergarten	-	0	0	0	62.6	51.6	0	0	63	63	65	N	-	-	-	-	-	N
R6008	1	17.5	A3-3 Kindergarten	-	0	0	25.8	65.3	21.3	0	0	65.3	65.3	65	N	-	-	-	-	-	N
R6008	2	22.0	A3-3 Kindergarten	-	0	0	27	65.3	21.7	0	0	65.3	65.3	65	N	-	-	-	-	-	N
R6008	3	26.5	A3-3 Kindergarten	-	0	0	28.2	65.2	22.2	0	0	65.2	65.2	65	N	-	-	-	-	-	N
R6008	4	31.0	A3-3 Kindergarten	-	0	0	29.6	65.2	22.7	0	0	65.2	65.2	65	N	-	-	-	-	-	N
R6008	5	35.5	A3-3 Kindergarten	-	0	0	31	65.1	23.2	0	0	65.1	65.1	65	N	-	-	-	-	-	N
R6009	1	17.5	A3-3 Kindergarten	-	3.5	0	20	37.5	51.1	0	0	51.3	51.3	65	N	-	-	-	-	-	N
R6009	2	22.0	A3-3 Kindergarten	-	3.5	0	20	37.5	51.1	0	0	51.3	51.3	65	N	-	-	-	-	-	N
R6009	3	26.5	A3-3 Kindergarten	-	3.5	0	20	37.5	51.1	0	0	51.3	51.3	65	N	-	-	-	-	-	N
R6009	4	31.0	A3-3 Kindergarten	-	3.6	0	20	37.5	51	0	0	51.2	51.2	65	N	-	-	-	-	-	N
R6009	5	35.5	A3-3 Kindergarten	-	3.6	0	20	37.5	51	0	0	51.2	51.2	65	N	-	-	-	-	-	N
R6010	1	18.0	A3-3 Kindergarten	-	0	0	0	61	23.9	0	0	61	61	65	N	-	-	-	-	-	N
R6010	2	22.5	A3-3 Kindergarten	-	0	0	0	60.9	23.9	0	0	60.9	60.9	65	N	-	-	-	-	-	N
R6010	3	27.0	A3-3 Kindergarten	-	0	0	0	60.9	23.9	0	0	60.9	60.9	65	N	-	-	-	-	-	N
R6010	4	31.5	A3-3 Kindergarten	-	0	0	0	60.8	23.9	0	0	60.8	60.8	65	N	-	-	-	-	-	N
R6010	5	36.0	A3-3 Kindergarten																		

Assessment Point			Locations	WITHOUT PROJECT	WITH PROJECT										Noise Criteria	Exceedance C > Criteria	Check Project Impact Significance		Check Direct Mitigation			Mitigation Measures
				OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ^[1]	NEW ROADS				NEW ROADS at 2036 [2]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	C - A dB(A) [D]	D > 1dB(A)			B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)			
ID	Floor	Floor Level (mPD)					PD	DD	OTHER	EX	TR			dB(A)	(Y/N)							
R6036	1	13.5	A3-3 Kindergarten	-	0.4	0	0	43.2	55.7	0	0	55.9	55.9	65	N	-	-	-	-	-	N	
R6037	1	13.5	A3-3 Kindergarten	-	0	0	0	23.3	60.4	0	0	60.4	60.4	65	N	-	-	-	-	-	N	
R6038	1	18.0	A3-3 Kindergarten	-	0	0	0	66.2	26.8	0	0	66.2	66.2	65	Y	-	-	-	-	-	Y	
R6039	1	18.0	A3-3 Kindergarten	-	0	0	24.3	61.9	23.6	0	0	61.9	61.9	65	N	-	-	-	-	-	N	
R6040	1	18.0	A3-3 Kindergarten	-	0	0	23	29.9	23.9	0	0	31.5	31.5	65	N	-	-	-	-	-	N	
R6041	1	18.0	A3-3 Kindergarten	-	0	0	0	54.5	44.4	0	0	54.9	54.9	65	N	-	-	-	-	-	N	
R6042	1	18.0	A3-3 Kindergarten	-	0	0	15.7	48	26.9	0	0	48	48	65	N	-	-	-	-	-	N	
R6043	1	18.0	A3-3 Kindergarten	-	0	0	24.4	53.3	25.5	0	0	53.3	53.3	65	N	-	-	-	-	-	N	
R6044	1	18.0	A3-3 Kindergarten	-	0	0	26.3	48.2	47.3	0	0	50.8	50.8	65	N	-	-	-	-	-	N	
R6045	1	18.0	A3-3 Kindergarten	-	0	0	0	50.7	28.1	0	0	50.7	50.7	65	N	-	-	-	-	-	N	
R6046	1	18.0	A3-3 Kindergarten	-	0	0	0	54.2	25.3	0	0	54.2	54.2	65	N	-	-	-	-	-	N	
R6047	1	18.0	A3-3 Kindergarten	-	0	0	16.8	35.1	23.3	0	0	35.5	35.5	65	N	-	-	-	-	-	N	
R6048	1	18.0	A3-3 Kindergarten	-	0	0	31.9	52.6	61.8	0	0	62.3	62.3	65	N	-	-	-	-	-	N	
R6049	1	18.0	A3-3 Kindergarten	-	0	0	27.8	44.8	48.6	0	0	50.1	50.1	65	N	-	-	-	-	-	N	
R6050	1	17.5	A3-3 Kindergarten	-	0	0	0	51.4	35.8	0	0	51.6	51.6	65	N	-	-	-	-	-	N	
R6052	1	17.5	A3-3 Kindergarten	-	0	0	22.2	58	20.9	0	0	58	58	65	N	-	-	-	-	-	N	
R6053	1	17.5	A3-3 Kindergarten	-	-1.3	0	20.2	28.4	19.6	0	0	29.5	29.5	65	N	-	-	-	-	-	N	
R6054	1	17.5	A3-3 Kindergarten	-	3.9	0	0	48.9	42.2	0	0	49.7	49.7	65	N	-	-	-	-	-	N	
R6055	1	18.0	A3-3 Kindergarten	-	0	0	14.2	31.2	30.5	0	0	33.9	33.9	65	N	-	-	-	-	-	N	
R6056	1	18.0	A3-3 Kindergarten	-	0	0	24.3	53.7	20.7	0	0	53.7	53.7	65	N	-	-	-	-	-	N	
R6057	1	18.0	A3-3 Kindergarten	-	31.2	0	19.6	47.1	0	0	0	47.1	47.2	65	N	-	-	-	-	-	N	
R6058	1	18.0	A3-3 Kindergarten	-	0.8	0	0	52.5	30.1	0	0	52.6	52.6	65	N	-	-	-	-	-	N	
R6059	1	20.0	A3-3 Kindergarten	-	0	0	14.1	29.6	29.9	0	0	32.8	32.8	65	N	-	-	-	-	-	N	
R6060	1	20.0	A3-3 Kindergarten	-	0	0	21.1	52	20.7	0	0	52	52	65	N	-	-	-	-	-	N	
R6061	1	20.0	A3-3 Kindergarten	-	0	0	27.6	57.3	0	0	0	57.3	57.3	65	N	-	-	-	-	-	N	
R6062	1	20.0	A3-3 Kindergarten	-	33.5	0	0	57.1	28.9	0	0	57.1	57.1	65	N	-	-	-	-	-	N	
R6101	1	10.0	A2-7 Kindergarten	-	7.9	0	27	60.2	69.6	0	0	70.1	70.1	65	Y	-	-	-	-	-	Y	
R6101	2	14.5	A2-7 Kindergarten	-	7.9	0	27	60.2	69.5	0	0	70	70	65	Y	-	-	-	-	-	Y	
R6101	3	19.0	A2-7 Kindergarten	-	8.1	0	27	60.2	69.2	0	0	69.7	69.7	65	Y	-	-	-	-	-	Y	
R6101	4	23.5	A2-7 Kindergarten	-	8.6	0	27	60.2	68.7	0	0	69.3	69.3	65	Y	-	-	-	-	-	Y	
R6101	5	28.0	A2-7 Kindergarten	-	9.4	0	27	60.2	68.2	0	0	68.9	68.9	65	Y	-	-	-	-	-	Y	
R6102	1	10.0	A2-7 Kindergarten	-	3.8	0	34.1	17.8	17.6	0	0	34.3	34.3	65	N	-	-	-	-	-	N	
R6102	2	14.5	A2-7 Kindergarten	-	3.8	0	34.2	17.8	17.5	0	0	34.4	34.4	65	N	-	-	-	-	-	N	
R6102	3	19.0	A2-7 Kindergarten	-	3.8	0	34.3	17.8	17.4	0	0	34.4	34.4	65	N	-	-	-	-	-	N	
R6102	4	23.5	A2-7 Kindergarten	-	3.8	0	34.4	17.8	17.3	0	0	34.5	34.5	65	N	-	-	-	-	-	N	
R6102	5	28.0	A2-7 Kindergarten	-	3.8	0	34.5	17.7	17.2	0	0	34.7	34.7	65	N	-	-	-	-	-	N	
R6103	1	10.0	A2-7 Kindergarten	-	0	0	0	33.1	0	0	0	33.1	33.1	65	N	-	-	-	-	-	N	
R6103	2	14.5	A2-7 Kindergarten	-	0	0	0	35.6	0	0	0	35.6	35.6	65	N	-	-	-	-	-	N	
R6103	3	19.0	A2-7 Kindergarten	-	0	0	0	38.6	0	0	0	38.6	38.6	65	N	-	-	-	-	-	N	
R6103	4	23.5	A2-7 Kindergarten	-	0	0	0	41.3	0	0	0	41.3	41.3	65	N	-	-	-	-	-	N	
R6103	5	28.0	A2-7 Kindergarten	-	0	0	0	45	0	0	0	45	45	65	N	-	-	-	-	-	N	
R6104	1	10.0	A2-7 Kindergarten	-	0	0	13.8	16.1	15.9	0	0	20.2	20.2	65	N	-	-	-	-	-	N	
R6104	2	14.5	A2-7 Kindergarten	-	0	0	13.8	16.1	15.9	0	0	20.2	20.2	65	N	-	-	-	-	-	N	
R6104	3	19.0	A2-7 Kindergarten	-	0	0	13.9	16.6	15.9	0	0	20.4	20.4	65	N	-	-	-	-	-	N	
R6104	4	23.5	A2-7 Kindergarten	-	0	0	13.9	18.3	15.9	0	0	21.1	21.1	65	N	-	-	-	-	-	N	
R6104	5	28.0	A2-7 Kindergarten	-	0	0	13.8	21.7	15.8	0	0	23.2	23.2	65	N	-	-	-	-	-	N	
R6105	1	10.0	A2-7 Kindergarten	-	0	0	0	56.5	28.7	0	0	56.5	56.5	65	N	-	-	-	-	-	N	
R6105	2	14.5	A2-7 Kindergarten	-	0	0	0	56.5	29.3	0	0	56.5	56.5	65	N	-	-	-	-	-	N	
R6105	3	19.0	A2-7 Kindergarten	-	0	0	0	56.5	29.7	0	0	56.5	56.5	65	N	-	-	-	-	-	N	
R6105	4	23.5	A2-7 Kindergarten	-	0	0	0	56.5	30.2	0	0	56.5	56.5	65	N	-	-	-	-	-	N	
R6105	5	28.0	A2-7 Kindergarten	-	0	0	0	56.4	30.5	0	0	56.4	56.4	65								

Assessment Point			Locations	WITHOUT PROJECT	WITH PROJECT										Noise Criteria dB(A)	Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation			Mitigation Measures Required ^[3,4] (Y/N)
				OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ^[1]	NEW ROADS				NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	C - A dB(A) [D]	D > 1dB(A)			B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)			
ID	Floor	Floor Level (mPD)					PD	DD	OTHER	EX	TR											
R6114	1	10.0	A2-7 Kindergarten	-	1.3	0	17.6	33.8	27	0	0	34.7	34.7	65	N	-	-	-	-	-	N	
R6115	1	10.0	A2-7 Kindergarten	-	0	0	0	36.3	30.8	0	0	37.3	37.3	65	N	-	-	-	-	-	N	
R6116	1	10.0	A2-7 Kindergarten	-	8.6	0	0	34.9	61.7	0	0	61.7	61.7	65	N	-	-	-	-	-	N	
R6117	1	10.0	A2-7 Kindergarten	-	7.3	0	11.3	25.5	55.5	0	0	55.5	55.5	65	N	-	-	-	-	-	N	
R6118	1	10.0	A2-7 Kindergarten	-	0	0	16.5	30.9	29.5	0	0	33.4	33.4	65	N	-	-	-	-	-	N	
R6119	1	10.0	A2-7 Kindergarten	-	0	0	0	37.1	33.4	0	0	38.7	38.7	65	N	-	-	-	-	-	N	
R6120	1	10.0	A2-7 Kindergarten	-	7.1	0	0	37.1	32.1	0	0	38.3	38.3	65	N	-	-	-	-	-	N	
R6121	1	10.0	A2-7 Kindergarten	-	1.2	0	9.7	47.2	32.2	0	0	47.4	47.4	65	N	-	-	-	-	-	N	
R6122	1	10.0	A2-7 Kindergarten	-	0	0	0	30.7	25.9	0	0	32	32	65	N	-	-	-	-	-	N	
R6123	1	10.0	A2-7 Kindergarten	-	0	0	0	50.3	46.2	0	0	51.8	51.8	65	N	-	-	-	-	-	N	
R6124	1	10.0	A2-7 Kindergarten	-	2.1	0	0	36.2	32.8	0	0	37.9	37.9	65	N	-	-	-	-	-	N	
R6125	1	10.0	A2-7 Kindergarten	-	0	0	0	0	14.9	0	0	14.9	14.9	65	N	-	-	-	-	-	N	
R6126	1	10.0	A2-7 Kindergarten	-	0	0	17.4	58.9	49.7	0	0	59.4	59.4	65	N	-	-	-	-	-	N	
R6127	1	10.0	A2-7 Kindergarten	-	0	0	12.9	56.7	44.8	0	0	57	57	65	N	-	-	-	-	-	N	
R6128	1	10.0	A2-7 Kindergarten	-	0	0	0	68	54.4	0	0	68.2	68.2	65	Y	-	-	-	-	-	Y	
R6141	1	16.0	A2-4 Kindergarten	-	0	0	0	62.6	42.3	0	0	62.6	62.6	65	N	-	-	-	-	-	N	
R6141	2	20.5	A2-4 Kindergarten	-	0	0	0	62.5	42.6	0	0	62.6	62.6	65	N	-	-	-	-	-	N	
R6142	1	16.0	A2-4 Kindergarten	-	0	0	22.5	17.6	9.7	0	0	23.9	23.9	65	N	-	-	-	-	-	N	
R6142	2	20.5	A2-4 Kindergarten	-	0	0	22.5	17.6	9.7	0	0	23.9	23.9	65	N	-	-	-	-	-	N	
R6143	1	16.0	A2-4 Kindergarten	-	0	0	23.6	19.6	0	0	0	25	25	65	N	-	-	-	-	-	N	
R6143	2	20.5	A2-4 Kindergarten	-	0	0	23.7	21.3	0	0	0	25.7	25.7	65	N	-	-	-	-	-	N	
R6144	1	16.0	A2-4 Kindergarten	-	0	0	28.5	55.4	20.9	0	0	55.4	55.4	65	N	-	-	-	-	-	N	
R6144	2	20.5	A2-4 Kindergarten	-	0	0	29.7	55.4	20.9	0	0	55.4	55.4	65	N	-	-	-	-	-	N	
R6145	1	16.0	A2-4 Kindergarten	-	0	0	24.2	61.7	36.3	0	0	61.7	61.7	65	N	-	-	-	-	-	N	
R6145	2	20.5	A2-4 Kindergarten	-	0	0	24.2	61.8	38.8	0	0	61.8	61.8	65	N	-	-	-	-	-	N	
R6146	1	16.0	A2-4 Kindergarten	-	0	0	43.5	71	43.3	0	0	71	71	65	Y	-	-	-	-	-	Y	
R6146	2	20.5	A2-4 Kindergarten	-	0	0	43.6	70.9	44	0	0	70.9	70.9	65	Y	-	-	-	-	-	Y	
R6147	1	16.0	A2-4 Kindergarten	-	0	0	0	55.5	38.9	0	0	55.6	55.6	65	N	-	-	-	-	-	N	
R6147	2	20.5	A2-4 Kindergarten	-	0	0	0	55.5	39.1	0	0	55.6	55.6	65	N	-	-	-	-	-	N	
R6148	1	16.0	A2-4 Kindergarten	-	0	0	21	27.3	31.5	0	0	33.2	33.2	65	N	-	-	-	-	-	N	
R6148	2	20.5	A2-4 Kindergarten	-	0	0	21.1	27.8	32.2	0	0	33.8	33.8	65	N	-	-	-	-	-	N	
R6149	1	16.0	A2-4 Kindergarten	-	1.2	0	45.3	25.8	33.4	0	0	45.6	45.6	65	N	-	-	-	-	-	N	
R6149	2	20.5	A2-4 Kindergarten	-	1.2	0	45.3	25.8	34.2	0	0	45.6	45.6	65	N	-	-	-	-	-	N	
R6150	1	16.0	A2-4 Kindergarten	-	0	0	31.1	48	24.6	18.9	0	48.1	48.1	65	N	-	-	-	-	-	N	
R6150	2	20.5	A2-4 Kindergarten	-	0	0	32.3	48	24.6	18.9	0	48.1	48.1	65	N	-	-	-	-	-	N	
R6151	1	16.0	A2-4 Kindergarten	-	0	0	24.4	50.1	19.6	0	0	50.2	50.2	65	N	-	-	-	-	-	N	
R6151	2	20.5	A2-4 Kindergarten	-	0	0	24.5	50.2	19.6	0	0	50.2	50.2	65	N	-	-	-	-	-	N	
R6152	1	16.0	A2-4 Kindergarten	-	0	0	0	37.1	21	0	0	37.2	37.2	65	N	-	-	-	-	-	N	
R6152	2	20.5	A2-4 Kindergarten	-	0	0	0	38.5	21	0	0	38.5	38.5	65	N	-	-	-	-	-	N	
R6153	1	16.0	A2-4 Kindergarten	-	0	0	0	39.5	25.4	0	0	39.6	39.6	65	N	-	-	-	-	-	N	
R6153	2	20.5	A2-4 Kindergarten	-	0	0	0	41.6	25.8	0	0	41.7	41.7	65	N	-	-	-	-	-	N	
R6161	1	20.5	A1-2 Kindergarten	-	0	0	61.6	26.7	15.1	0	0	61.6	61.6	65	N	-	-	-	-	-	N	
R6162	1	20.5	A1-2 Kindergarten	-	0	0	0	38.4	43.4	26.4	0	44.7	44.7	65	N	-	-	-	-	-	N	
R6163	1	20.5	A1-2 Kindergarten	-	22	0	38.9	40.4	27.5	31.9	0	43.2	43.2	65	N	-	-	-	-	-	N	
R6164	1	20.5	A1-2 Kindergarten	-	23.3	0	62.4	52	0	29.8	0	62.8	62.8	65	N	-	-	-	-	-	N	
R6165	1	20.0	A1-2 Kindergarten	-	0	0	58.3	27.5	18.1	0	0	58.3	58.3	65	N	-	-	-	-	-	N	
R6166	1	20.0	A1-2 Kindergarten	-	0	0	0	54.5	53.7	26.9	0	57.1	57.1	65	N	-	-	-	-	-	N	
R6167	1	20.0	A1-2 Kindergarten	-	22.2	0	30.6	39.1	53.3	30.6	0	53.5	53.5	65	N	-	-	-	-	-	N	
R6168	1	20.0	A1-2 Kindergarten	-	21.2	0	48.1	39.1	0	28.1	0	48.7	48.7	65	N	-	-	-	-	-	N	
R6169	1	19.5	A1-2 Kindergarten	-	0	0	37.7	12.1	13.1	0	0	37.7	37.7	65	N	-	-	-	-	-	N	
R6170	1	19.5	A1-2 Kindergarten																			

Assessment Point			Locations	WITHOUT PROJECT	EXISTING ROADS	OTHER ROADS	WITH PROJECT					NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation			Mitigation Measures Required ^{3,4)} (Y/N)
				OVERALL NOISE LEVEL at 2036 dB(A) [A]	at 2036 dB(A)	at 2036 dB(A) ¹⁾	PD	DD	OTHER dB(A)	EX	TR					C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)	
ID	Floor	Floor Level (mPD)																			
R6186	2	25.0	A1-2 Kindergarten	-	0	0	67.5	27.7	10.9	0	0	67.5	67.5	65	Y	-	-	-	-	-	Y
R6186	3	29.5	A1-2 Kindergarten	-	0	0	67.6	28.9	10.9	0	0	67.6	67.6	65	Y	-	-	-	-	-	Y
R6186	4	34.0	A1-2 Kindergarten	-	0	0	67.9	30.4	10.9	0	0	67.9	67.9	65	Y	-	-	-	-	-	Y
R6186	5	38.5	A1-2 Kindergarten	-	0	0	68.4	32.3	10.9	0	0	68.4	68.4	65	Y	-	-	-	-	-	Y
R6187	1	20.5	A1-2 Kindergarten	-	21.5	0	28.3	52.6	24.6	24.9	0	52.6	52.6	65	N	-	-	-	-	-	N
R6187	2	25.0	A1-2 Kindergarten	-	21.7	0	28.5	52.6	24.6	25	0	52.6	52.6	65	N	-	-	-	-	-	N
R6187	3	29.5	A1-2 Kindergarten	-	22	0	28.7	52.6	24.6	25.1	0	52.6	52.6	65	N	-	-	-	-	-	N
R6187	4	34.0	A1-2 Kindergarten	-	22.3	0	28.8	52.6	24.6	25.2	0	52.7	52.7	65	N	-	-	-	-	-	N
R6187	5	38.5	A1-2 Kindergarten	-	22.5	0	29.1	52.7	24.5	25.2	0	52.7	52.7	65	N	-	-	-	-	-	N
R6201	1	23.5	A2-2 Kindergarten	-	0	0	57.5	67.5	39.9	0	0	67.9	67.9	65	Y	-	-	-	-	-	Y
R6202	1	23.5	A2-2 Kindergarten	-	0	0	0	56.1	34.5	0	0	56.1	56.1	65	N	-	-	-	-	-	N
R6203	1	23.5	A2-2 Kindergarten	-	20.1	0	45.5	12.6	0	31.2	0	45.7	45.7	65	N	-	-	-	-	-	N
R6204	1	23.5	A2-2 Kindergarten	-	0	0	51.9	0	0	11	0	51.9	51.9	65	N	-	-	-	-	-	N
R6205	1	23.5	A2-2 Kindergarten	-	0	0	55.8	66	40.6	0	0	66.4	66.4	65	Y	-	-	-	-	-	Y
R6206	1	23.5	A2-2 Kindergarten	-	0	0	52.9	65.3	53.3	0	0	65.8	65.8	65	Y	-	-	-	-	-	Y
R6207	1	23.5	A2-2 Kindergarten	-	0	0	0	59.7	56.7	0	0	61.4	61.4	65	N	-	-	-	-	-	N
R6208	1	23.5	A2-2 Kindergarten	-	19.7	0	37.6	14.2	0	24.1	0	37.8	37.9	65	N	-	-	-	-	-	N
R6209	1	23.5	A2-2 Kindergarten	-	20.1	0	39.6	12.4	0	22.4	0	39.7	39.8	65	N	-	-	-	-	-	N
R6210	1	23.5	A2-2 Kindergarten	-	0	0	55.5	62.7	0	32.3	0	63.5	63.5	65	N	-	-	-	-	-	N
R6211	1	19.0	A2-2 Kindergarten	-	0	0	49.6	64.8	54.2	0	0	65.2	65.2	65	N	-	-	-	-	-	N
R6212	1	19.0	A2-2 Kindergarten	-	0	0	47.8	64.6	43.4	0	0	64.7	64.7	65	N	-	-	-	-	-	N
R6213	1	19.0	A2-2 Kindergarten	-	0	0	0	61.4	0	0	0	61.4	61.4	65	N	-	-	-	-	-	N
R6214	1	19.0	A2-2 Kindergarten	-	15.6	0	29.8	14.8	0	18.8	0	30.3	30.4	65	N	-	-	-	-	-	N
R6215	1	19.0	A2-2 Kindergarten	-	17.6	0	33.6	13.3	0	19.1	0	33.8	33.9	65	N	-	-	-	-	-	N
R6216	1	19.0	A2-2 Kindergarten	-	19.3	0	43.2	62.5	56.5	19.3	0	63.5	63.5	65	N	-	-	-	-	-	N
R6217	1	19.0	A2-2 Kindergarten	-	0	0	37.2	66.3	40	0	0	66.3	66.3	65	Y	-	-	-	-	-	Y
R6218	1	19.0	A2-2 Kindergarten	-	0	0	0	59.6	11.5	0	0	59.6	59.6	65	N	-	-	-	-	-	N
R6219	1	19.0	A2-2 Kindergarten	-	0	0	28.3	11.3	0	0	0	28.4	28.4	65	N	-	-	-	-	-	N
R6220	1	19.0	A2-2 Kindergarten	-	0	0	28.2	57.6	27	0	0	57.6	57.6	65	N	-	-	-	-	-	N
R6221	1	19.0	A2-2 Kindergarten	-	0	0	21.2	47.6	23.2	0	0	47.6	47.6	65	N	-	-	-	-	-	N
R6222	1	19.0	A2-2 Kindergarten	-	0	0	0	50.4	31	0	0	50.4	50.4	65	N	-	-	-	-	-	N
R6223	1	19.0	A2-2 Kindergarten	-	0	0	28.4	25.4	31.3	21.8	0	34.1	34.1	65	N	-	-	-	-	-	N
R6224	1	19.0	A2-2 Kindergarten	-	0	0	29.6	50.6	28.3	0	0	50.7	50.7	65	N	-	-	-	-	-	N
R6225	1	20.0	A2-2 Kindergarten	-	0	0	0	41.7	26.3	0	0	41.8	41.8	65	N	-	-	-	-	-	N
R6225	2	24.5	A2-2 Kindergarten	-	0	0	0	42.1	26.5	0	0	42.2	42.2	65	N	-	-	-	-	-	N
R6225	3	29.0	A2-2 Kindergarten	-	0	0	0	42.5	26.6	0	0	42.7	42.7	65	N	-	-	-	-	-	N
R6225	4	33.5	A2-2 Kindergarten	-	0	0	0	43.1	26.9	0	0	43.2	43.2	65	N	-	-	-	-	-	N
R6225	5	38.0	A2-2 Kindergarten	-	0	0	0	43.9	27.1	0	0	44	44	65	N	-	-	-	-	-	N
R6226	1	20.0	A2-2 Kindergarten	-	0	0	0	47.8	31.6	0	0	47.9	47.9	65	N	-	-	-	-	-	N
R6226	2	24.5	A2-2 Kindergarten	-	0	0	0	47.8	32.2	0	0	47.9	47.9	65	N	-	-	-	-	-	N
R6226	3	29.0	A2-2 Kindergarten	-	0	0	0	47.8	32.9	0	0	48	48	65	N	-	-	-	-	-	N
R6226	4	33.5	A2-2 Kindergarten	-	0	0	0	47.8	33.7	0	0	48	48	65	N	-	-	-	-	-	N
R6226	5	38.0	A2-2 Kindergarten	-	0	0	0	47.8	34.5	0	0	48	48	65	N	-	-	-	-	-	N
R6227	1	20.0	A2-2 Kindergarten	-	14.1	0	53.2	33.4	29.2	28.4	0	53.2	53.2	65	N	-	-	-	-	-	N
R6227	2	24.5	A2-2 Kindergarten	-	14.1	0	53.2	34.7	29.7	29.7	0	53.3	53.3	65	N	-	-	-	-	-	N
R6227	3	29.0	A2-2 Kindergarten	-	14.1	0	53.2	36.2	30.2	30.7	0	53.3	53.3	65	N	-	-	-	-	-	N
R6227	4	33.5	A2-2 Kindergarten	-	14.1	0	53.2	38.3	30.8	31.9	0	53.4	53.4	65	N	-	-	-	-	-	N
R6227	5	38.0	A2-2 Kindergarten	-	14.1	0	53.3	41.1	31.5	33.1	0	53.6	53.6	65	N	-	-	-	-	-	N
R6228	1	20.0	A2-2 Kindergarten	-	0	0	35.7	51.9	48.8												

Assessment Point			Locations	WITHOUT PROJECT	EXISTING ROADS	OTHER ROADS	WITH PROJECT					NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation			Mitigation Measures Required ^[3,4] (Y/N)
				OVERALL NOISE LEVEL at 2036 dB(A) [A]	at 2036 dB(A)	at 2036 dB(A) ^[1]	PD	DD	OTHER dB(A)	EX	TR					C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)	
ID	Floor	Floor Level (mPD)																			
R6248	4	36.5	A2-2 Kindergarten	-	27.9	0	57.8	33	44	36	0	58	58	65	N	-	-	-	-	-	N
R6248	5	41.0	A2-2 Kindergarten	-	29.7	0	57.8	33.5	44	37	0	58.1	58.1	65	N	-	-	-	-	-	N
R6249	1	23.0	A2-2 Kindergarten	-	39.5	0	58.7	30.5	0	36.4	0	58.7	58.8	65	N	-	-	-	-	-	N
R6249	2	27.5	A2-2 Kindergarten	-	39.6	0	58.8	30.9	0	37.6	0	58.8	58.9	65	N	-	-	-	-	-	N
R6249	3	32.0	A2-2 Kindergarten	-	39.7	0	59	31.3	0	38.5	0	59	59.1	65	N	-	-	-	-	-	N
R6249	4	36.5	A2-2 Kindergarten	-	39.9	0	59.1	31.9	0	39.4	0	59.1	59.2	65	N	-	-	-	-	-	N
R6249	5	41.0	A2-2 Kindergarten	-	40.2	0	59.2	32.5	0	40.1	0	59.3	59.3	65	N	-	-	-	-	-	N
R6261	1	19.5	A1-4 Kindergarten	-	0	0	55	31.5	21.3	0	0	55.1	55.1	65	N	-	-	-	-	-	N
R6261	2	24.0	A1-4 Kindergarten	-	0	0	55	32.1	22.2	0	0	55.1	55.1	65	N	-	-	-	-	-	N
R6262	1	19.5	A1-4 Kindergarten	-	0	0	51.9	31	19	0	0	51.9	51.9	65	N	-	-	-	-	-	N
R6262	2	24.0	A1-4 Kindergarten	-	0	0	51.9	31.7	19.7	0	0	51.9	51.9	65	N	-	-	-	-	-	N
R6263	1	19.5	A1-4 Kindergarten	-	0	0	0	20.6	44.1	27.8	0	44.2	44.2	65	N	-	-	-	-	-	N
R6263	2	24.0	A1-4 Kindergarten	-	0	0	0	20.6	44.3	27.9	0	44.4	44.4	65	N	-	-	-	-	-	N
R6264	1	19.5	A1-4 Kindergarten	-	20.5	0	20.2	34	37.8	31	0	40	40	65	N	-	-	-	-	-	N
R6264	2	24.0	A1-4 Kindergarten	-	20.5	0	20.3	35.1	40	31	0	41.6	41.7	65	N	-	-	-	-	-	N
R6265	1	19.5	A1-4 Kindergarten	-	11.1	0	26.4	39.5	35.9	30.7	0	41.6	41.6	65	N	-	-	-	-	-	N
R6265	2	24.0	A1-4 Kindergarten	-	11.1	0	26.6	42.5	37.2	30.8	0	43.9	43.9	65	N	-	-	-	-	-	N
R6266	1	19.5	A1-4 Kindergarten	-	19.1	0	49.4	55.4	49.3	25.1	0	57.1	57.1	65	N	-	-	-	-	-	N
R6266	2	24.0	A1-4 Kindergarten	-	19.1	0	49.4	55.3	49.3	25.1	0	57.1	57.1	65	N	-	-	-	-	-	N
R6267	1	19.5	A1-4 Kindergarten	-	0	0	31.9	15.7	9.1	0	0	32	32	65	N	-	-	-	-	-	N
R6267	2	24.0	A1-4 Kindergarten	-	0	0	32.1	15.7	9.1	0	0	32.2	32.2	65	N	-	-	-	-	-	N
R6268	1	19.5	A1-4 Kindergarten	-	0	0	27.9	17.2	6.2	0	0	28.3	28.3	65	N	-	-	-	-	-	N
R6268	2	24.0	A1-4 Kindergarten	-	0	0	28.2	18.3	6.3	0	0	28.6	28.6	65	N	-	-	-	-	-	N
R6269	1	19.5	A1-4 Kindergarten	-	0	0	0	29.9	62.5	37.3	0	62.5	62.5	65	N	-	-	-	-	-	N
R6269	2	24.0	A1-4 Kindergarten	-	0	0	0	30.2	62.4	37.5	0	62.4	62.4	65	N	-	-	-	-	-	N
R6270	1	19.5	A1-4 Kindergarten	-	23.3	0	37	59.4	71	46.1	0	71.3	71.3	65	Y	-	-	-	-	-	Y
R6270	2	24.0	A1-4 Kindergarten	-	24.3	0	40.2	59.3	70.9	47.1	0	71.2	71.2	65	Y	-	-	-	-	-	Y
R6271	1	19.5	A1-4 Kindergarten	-	24.3	0	32.1	62	58.7	44.6	0	63.7	63.7	65	N	-	-	-	-	-	N
R6271	2	24.0	A1-4 Kindergarten	-	25.4	0	32.2	62	58.7	45.1	0	63.7	63.7	65	N	-	-	-	-	-	N
R6301	1	17.5	A1-5 Kindergarten	-	0	0	0	33.3	12.9	0	0	33.3	33.3	65	N	-	-	-	-	-	N
R6301	2	22.0	A1-5 Kindergarten	-	0	0	0	34	12.9	0	0	34.1	34.1	65	N	-	-	-	-	-	N
R6302	1	17.5	A1-5 Kindergarten	-	2.2	0	0	27.5	29	29.6	0	33.5	33.5	65	N	-	-	-	-	-	N
R6302	2	22.0	A1-5 Kindergarten	-	2.3	0	0	27.5	29.7	29.6	0	33.8	33.8	65	N	-	-	-	-	-	N
R6303	1	17.5	A1-5 Kindergarten	-	22.9	0	15.6	37.5	48.5	39.9	0	49.4	49.4	65	N	-	-	-	-	-	N
R6303	2	22.0	A1-5 Kindergarten	-	23.9	0	15.7	38.1	48.8	40.7	0	49.7	49.7	65	N	-	-	-	-	-	N
R6304	1	17.5	A1-5 Kindergarten	-	2.4	0	0	30.1	56.9	39.9	0	56.9	56.9	65	N	-	-	-	-	-	N
R6304	2	22.0	A1-5 Kindergarten	-	2.5	0	0	30.3	56.9	40.3	0	57	57	65	N	-	-	-	-	-	N
R6305	1	17.5	A1-5 Kindergarten	-	23.9	0	33.8	56.2	71	45.6	0	71.2	71.2	65	Y	-	-	-	-	-	Y
R6305	2	22.0	A1-5 Kindergarten	-	25	0	35.8	56.1	70.9	46.2	0	71.1	71.1	65	Y	-	-	-	-	-	Y
R6306	1	17.5	A1-5 Kindergarten	-	20.5	0	21.8	30.9	62.3	42	0	62.4	62.4	65	N	-	-	-	-	-	N
R6306	2	22.0	A1-5 Kindergarten	-	20.6	0	22	31.4	62.3	42.5	0	62.4	62.4	65	N	-	-	-	-	-	N
R6307	1	17.5	A1-5 Kindergarten	-	20.6	0	17.6	31.1	38.7	37.4	0	41.5	41.6	65	N	-	-	-	-	-	N
R6307	2	22.0	A1-5 Kindergarten	-	20.7	0	17.7	31.1	39.9	37.5	0	42.2	42.3	65	N	-	-	-	-	-	N
R6308	1	17.5	A1-5 Kindergarten	-	21.1	0	18.5	31.6	35.7	35.7	0	39.5	39.6	65	N	-	-	-	-	-	N
R6308	2	22.0	A1-5 Kindergarten	-	21.2	0	18.6	31.8	36.5	35.8	0	39.9	40	65	N	-	-	-	-	-	N
R6309	1	17.5	A1-5 Kindergarten	-	10	0	24.9	28.7	33.5	25.1	0	35.6	35.6	65	N	-	-	-	-	-	N
R6309	2	22.0	A1-5 Kindergarten	-	10	0	24.9	29.9	34.6	25.1	0	36.6	36.6	65	N	-	-	-	-	-	N
R6310	1	17.5	A1-5 Kindergarten	-	10.1	0	51.4	40.4	30.7	24	0	51.8	51.8	65	N	-	-	-	-	-	N
R6310	2	22.0	A1-5 Kindergarten	-	10.1	0	51.4	40.5	31.4	24	0	51.8	51.8	65	N	-	-	-	-	-	N
R6311																					

				WITHOUT PROJECT	WITH PROJECT												Check Project Impact Significance		Check Direct Mitigation			Mitigation Measures
Assessment Point			Locations	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) [1]	PD	DD	OTHER dB(A)	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	Exceedance C > Criteria (Y/N)	C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)	Required ^{3,4)} (Y/N)	
ID	Floor	Floor Level (mPD)																				
R6345	1	14.8	A1-6 Kindergarten	-	0	0	0	15.3	0	0	0	15.3	15.3	65	N	-	-	-	-	-	N	
R6345	2	19.3	A1-6 Kindergarten	-	0	0	0	15.3	0	0	0	15.3	15.3	65	N	-	-	-	-	-	N	
R6346	1	14.8	A1-6 Kindergarten	-	25.1	0	13.2	34.8	51.4	31.9	0	51.6	51.6	65	N	-	-	-	-	-	N	
R6346	2	19.3	A1-6 Kindergarten	-	26	0	13.2	36.5	51.5	32	0	51.6	51.6	65	N	-	-	-	-	-	N	
R6347	1	14.8	A1-6 Kindergarten	-	19	0	13.3	33.6	50.5	31.6	0	50.7	50.7	65	N	-	-	-	-	-	N	
R6347	2	19.3	A1-6 Kindergarten	-	19.1	0	13.4	34.2	50.5	31.7	0	50.7	50.7	65	N	-	-	-	-	-	N	
R6348	1	14.8	A1-6 Kindergarten	-	16.8	0	13.5	47.2	31	18.4	0	47.3	47.3	65	N	-	-	-	-	-	N	
R6348	2	19.3	A1-6 Kindergarten	-	16.9	0	13.5	47.2	32.7	19.1	0	47.4	47.4	65	N	-	-	-	-	-	N	
R6349	1	14.8	A1-6 Kindergarten	-	0	0	0	33.5	25.5	0	0	34.2	34.2	65	N	-	-	-	-	-	N	
R6349	2	19.3	A1-6 Kindergarten	-	0	0	0	34.6	25.7	0	0	35.2	35.2	65	N	-	-	-	-	-	N	
R6350	1	14.8	A1-6 Kindergarten	-	5.4	0	0	29.2	42.9	14.3	0	43.1	43.1	65	N	-	-	-	-	-	N	
R6350	2	19.3	A1-6 Kindergarten	-	5.5	0	0	29.2	43.1	14.3	0	43.3	43.3	65	N	-	-	-	-	-	N	
R6351	1	14.8	A1-6 Kindergarten	-	5.7	0	0	31.9	49.7	28.2	0	49.8	49.8	65	N	-	-	-	-	-	N	
R6351	2	19.3	A1-6 Kindergarten	-	5.7	0	0	33.6	49.7	28.3	0	49.8	49.8	65	N	-	-	-	-	-	N	
R6381	1	12.0	A1-8 Kindergarten	-	8.2	0	14.1	55.4	23.3	0	0	55.4	55.4	65	N	-	-	-	-	-	N	
R6381	2	16.5	A1-8 Kindergarten	-	8.5	0	14.1	55.4	23.2	0	0	55.4	55.4	65	N	-	-	-	-	-	N	
R6382	1	12.0	A1-8 Kindergarten	-	8	0	13.7	57.2	41.9	32.9	0	57.4	57.4	65	N	-	-	-	-	-	N	
R6382	2	16.5	A1-8 Kindergarten	-	9	0	13.7	57.2	41.9	33.2	0	57.4	57.4	65	N	-	-	-	-	-	N	
R6383	1	12.0	A1-8 Kindergarten	-	3.9	0	0	47.8	30.9	39.8	0	48.6	48.6	65	N	-	-	-	-	-	N	
R6383	2	16.5	A1-8 Kindergarten	-	3.9	0	0	48.2	31.9	40.3	0	49	49	65	N	-	-	-	-	-	N	
R6384	1	12.0	A1-8 Kindergarten	-	15.7	0	8.7	46.3	30.5	18.8	0	46.4	46.4	65	N	-	-	-	-	-	N	
R6384	2	16.5	A1-8 Kindergarten	-	15.9	0	8.8	46.8	31.2	18.9	0	46.9	46.9	65	N	-	-	-	-	-	N	
R6385	1	12.0	A1-8 Kindergarten	-	16.7	0	8.5	53.1	29.8	0	0	53.1	53.1	65	N	-	-	-	-	-	N	
R6385	2	16.5	A1-8 Kindergarten	-	17.4	0	8.6	53.1	31.3	0	0	53.1	53.1	65	N	-	-	-	-	-	N	
R6386	1	12.0	A1-8 Kindergarten	-	0	0	13.6	29.4	25.4	0	0	30.9	30.9	65	N	-	-	-	-	-	N	
R6386	2	16.5	A1-8 Kindergarten	-	0	0	13.6	29.9	25.4	0	0	31.3	31.3	65	N	-	-	-	-	-	N	
R6387	1	12.0	A1-8 Kindergarten	-	17.3	0	16.3	65.4	43.4	49.2	0	65.5	65.5	65	Y	-	-	-	-	-	Y	
R6387	2	16.5	A1-8 Kindergarten	-	18.5	0	16.3	65.4	43.4	49.5	0	65.5	65.5	65	Y	-	-	-	-	-	Y	
R6388	1	12.0	A1-8 Kindergarten	-	21.5	0	13.2	71.5	55.6	46	0	71.6	71.6	65	Y	-	-	-	-	-	Y	
R6388	2	16.5	A1-8 Kindergarten	-	22.8	0	13.9	71.3	55.4	46.6	0	71.5	71.5	65	Y	-	-	-	-	-	Y	
R6389	1	12.0	A1-8 Kindergarten	-	0	0	12.6	64.2	49.7	45.2	0	64.4	64.4	65	N	-	-	-	-	-	N	
R6389	2	16.5	A1-8 Kindergarten	-	0	0	12.7	64.1	49.9	45.6	0	64.3	64.3	65	N	-	-	-	-	-	N	
R6390	1	12.0	A1-8 Kindergarten	-	0	0	0	20.1	23.4	0	0	25	25	65	N	-	-	-	-	-	N	
R6390	2	16.5	A1-8 Kindergarten	-	0	0	0	20.1	23.4	0	0	25.1	25.1	65	N	-	-	-	-	-	N	
R6391	1	12.0	A1-8 Kindergarten	-	-3.3	0	0	21.2	22.9	0	0	25.1	25.1	65	N	-	-	-	-	-	N	
R6391	2	16.5	A1-8 Kindergarten	-	-3.3	0	0	21.2	22.9	0	0	25.1	25.1	65	N	-	-	-	-	-	N	
R6392	1	12.0	A1-8 Kindergarten	-	1.5	0	17.3	21.6	23.8	0	0	26.4	26.4	65	N	-	-	-	-	-	N	
R6392	2	16.5	A1-8 Kindergarten	-	1.5	0	17.3	21.6	23.8	0	0	26.4	26.4	65	N	-	-	-	-	-	N	
R6501	1	20.0	A3-3 Social welfare	-	6.9	0	17.1	30.6	0	0	0	30.8	30.8	70	N	-	-	-	-	-	N	
R6501	2	24.5	A3-3 Social welfare	-	6.9	0	18.2	31	0	0	0	31.2	31.2	70	N	-	-	-	-	-	N	
R6501	3	29.0	A3-3 Social welfare	-	6.9	0	19.4	31.4	0	0	0	31.7	31.7	70	N	-	-	-	-	-	N	
R6501	4	33.5	A3-3 Social welfare	-	6.9	0	20.5	31.9	0	0	0	32.2	32.2	70	N	-	-	-	-	-	N	
R6501	5	38.0	A3-3 Social welfare	-	6.9	0	21.8	32.5	0	0	0	32.8	32.8	70	N	-	-	-	-	-	N	
R6502	1	20.0	A3-3 Social welfare	-	7.2	0	17.1	29.8	0	0	0	30	30.1	70	N	-	-	-	-	-	N	
R6502	2	24.5	A3-3 Social welfare	-	7.2	0	17.8	29.9	0	0	0	30.2	30.2	70	N	-	-	-	-	-	N	
R6502	3	29.0	A3-3 Social welfare	-	7.2	0	18.8	30	0	0	0	30.4	30.4	70	N	-	-	-	-	-	N	
R6502	4	33.5	A3-3 Social welfare	-	7.2	0	19.8	30.2	0	0	0	30.6	30.6	70	N	-	-	-	-	-	N	
R6502	5	38.0	A3-3 Social welfare	-	7.2	0	20.8	30.3	0	0	0	30.8	30.8	70	N	-	-	-	-	-	N	
R6503	1	20.0	A3-3 Social welfare	-	0	0	18.8	50.2	58.9	0	0	59.5	59.5	70	N	-	-	-	-	-	N	
R6503	2	24.5	A3-3 Social welfare	-	0	0	18.8															

			Locations	WITHOUT PROJECT	EXISTING ROADS	OTHER ROADS	WITH PROJECT						NEW ROADS	OVERALL NOISE LEVEL	Noise Criteria	Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation			Mitigation Measures Required ^[3,4] (Y/N)
Assessment Point				OVERALL NOISE LEVEL at 2036 dB(A) [A]	at 2036 dB(A)	at 2036 dB(A) ^[1]	NEW ROADS	NEW ROADS	NEW ROADS	NEW ROADS	NEW ROADS	at 2036 [2] dB(A) [B]	at 2036 dB(A) [C]	C - A dB(A) [D]			D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)		
ID	Floor	Floor Level (mPD)		PD	DD	OTHER	EX	TR														
R6510	5	36.0	A3-3 Social welfare	-	0	0	0	60.7	23.9	0	0	60.7	60.7	70	N	-	-	-	-	-	N	
R6511	1	18.0	A3-3 Social welfare	-	0	0	36.2	71.3	49.9	0	0	71.3	71.3	70	Y	-	-	-	-	-	Y	
R6511	2	22.5	A3-3 Social welfare	-	0	0	37.2	71.3	49.9	0	0	71.3	71.3	70	Y	-	-	-	-	-	Y	
R6511	3	27.0	A3-3 Social welfare	-	0	0	38.6	71.1	49.9	0	0	71.1	71.1	70	Y	-	-	-	-	-	Y	
R6511	4	31.5	A3-3 Social welfare	-	0	0	40.4	70.8	49.9	0	0	70.9	70.9	70	Y	-	-	-	-	-	Y	
R6511	5	36.0	A3-3 Social welfare	-	0	0	43	70.5	49.8	0	0	70.5	70.5	70	Y	-	-	-	-	-	Y	
R6512	1	18.0	A3-3 Social welfare	-	0	0	0	47	63.4	0	0	63.5	63.5	70	N	-	-	-	-	-	N	
R6512	2	22.5	A3-3 Social welfare	-	0	0	0	47	63.4	0	0	63.5	63.5	70	N	-	-	-	-	-	N	
R6512	3	27.0	A3-3 Social welfare	-	0	0	0	47	63.4	0	0	63.5	63.5	70	N	-	-	-	-	-	N	
R6512	4	31.5	A3-3 Social welfare	-	0	0	0	47	63.2	0	0	63.3	63.3	70	N	-	-	-	-	-	N	
R6512	5	36.0	A3-3 Social welfare	-	0	0	0	47	63	0	0	63.1	63.1	70	N	-	-	-	-	-	N	
R6513	1	18.0	A3-3 Social welfare	-	0	0	0	41.2	57.8	0	0	57.9	57.9	70	N	-	-	-	-	-	N	
R6513	2	22.5	A3-3 Social welfare	-	0	0	0	41.2	57.9	0	0	58	58	70	N	-	-	-	-	-	N	
R6513	3	27.0	A3-3 Social welfare	-	0	0	0	41.3	57.8	0	0	57.9	57.9	70	N	-	-	-	-	-	N	
R6513	4	31.5	A3-3 Social welfare	-	0	0	0	41.3	57.8	0	0	57.9	57.9	70	N	-	-	-	-	-	N	
R6513	5	36.0	A3-3 Social welfare	-	0	0	0	41.3	57.7	0	0	57.8	57.8	70	N	-	-	-	-	-	N	
R6514	1	20.0	A3-3 Social welfare	-	37.7	0	25.2	59.6	0	0	0	59.6	59.7	70	N	-	-	-	-	-	N	
R6515	1	20.0	A3-3 Social welfare	-	37.9	0	24.4	60.1	0	0	0	60.1	60.1	70	N	-	-	-	-	-	N	
R6516	1	20.0	A3-3 Social welfare	-	36.7	0	20.9	56.1	56.5	0	0	59.3	59.3	70	N	-	-	-	-	-	N	
R6517	1	20.0	A3-3 Social welfare	-	2.3	0	21.2	40	52.6	0	0	52.8	52.8	70	N	-	-	-	-	-	N	
R6518	1	20.0	A3-3 Social welfare	-	2.3	0	17.2	38.3	29.4	0	0	38.9	38.9	70	N	-	-	-	-	-	N	
R6519	1	20.0	A3-3 Social welfare	-	0	0	19.8	52.2	16.1	0	0	52.2	52.2	70	N	-	-	-	-	-	N	
R6520	1	17.5	A3-3 Social welfare	-	1.4	0	24.2	52.4	64.2	0	0	64.4	64.4	70	N	-	-	-	-	-	N	
R6521	1	17.5	A3-3 Social welfare	-	0	0	21.6	50.9	61.8	0	0	62.1	62.1	70	N	-	-	-	-	-	N	
R6522	1	17.5	A3-3 Social welfare	-	0	0	17.2	53	15.6	0	0	53	53	70	N	-	-	-	-	-	N	
R6523	1	17.5	A3-3 Social welfare	-	32	0	0	51.6	59.3	0	0	60	60	70	N	-	-	-	-	-	N	
R6524	1	17.5	A3-3 Social welfare	-	0	0	24.2	50	69.9	0	0	70	70	70	N	-	-	-	-	-	N	
R6525	1	17.5	A3-3 Social welfare	-	3.5	0	21.7	54.8	62.9	0	0	63.5	63.5	70	N	-	-	-	-	-	N	
R6526	1	17.5	A3-3 Social welfare	-	0	0	19.4	52.1	15.3	0	0	52.1	52.1	70	N	-	-	-	-	-	N	
R6527	1	17.5	A3-3 Social welfare	-	-1.4	0	18	28.5	56	0	0	56	56	70	N	-	-	-	-	-	N	
R6528	1	13.5	A3-3 Social welfare	-	4.8	0	26.9	61.9	64.7	0	0	66.5	66.5	70	N	-	-	-	-	-	N	
R6529	1	13.5	A3-3 Social welfare	-	0	0	19.3	67.4	62	0	0	68.5	68.5	70	N	-	-	-	-	-	N	
R6530	1	13.5	A3-3 Social welfare	-	0	0	14.7	68.4	13.5	0	0	68.4	68.4	70	N	-	-	-	-	-	N	
R6531	1	13.5	A3-3 Social welfare	-	0	0	10.8	51.5	62.3	0	0	62.6	62.6	70	N	-	-	-	-	-	N	
R6532	1	13.5	A3-3 Social welfare	-	0	0	0	61.4	60	0	0	63.8	63.8	70	N	-	-	-	-	-	N	
R6533	1	13.5	A3-3 Social welfare	-	0	0	15.2	69.7	31.8	0	0	69.7	69.7	70	N	-	-	-	-	-	N	
R6534	1	13.5	A3-3 Social welfare	-	0	0	18.4	69.8	38.6	0	0	69.8	69.8	70	N	-	-	-	-	-	N	
R6535	1	13.5	A3-3 Social welfare	-	30.2	0	19.9	62.8	18.1	0	0	62.8	62.8	70	N	-	-	-	-	-	N	
R6536	1	13.5	A3-3 Social welfare	-	0.4	0	0	43.2	55.7	0	0	55.9	55.9	70	N	-	-	-	-	-	N	
R6537	1	13.5	A3-3 Social welfare	-	0	0	0	23.3	60.4	0	0	60.4	60.4	70	N	-	-	-	-	-	N	
R6538	1	18.0	A3-3 Social welfare	-	0	0	0	66.2	26.8	0	0	66.2	66.2	70	N	-	-	-	-	-	N	
R6539	1	18.0	A3-3 Social welfare	-	0	0	24.3	61.9	23.6	0	0	61.9	61.9	70	N	-	-	-	-	-	N	
R6540	1	18.0	A3-3 Social welfare	-	0	0	23	29.9	23.9	0	0	31.5	31.5	70	N	-	-	-	-	-	N	
R6541	1	18.0	A3-3 Social welfare	-	0	0	0	54.5	44.4	0	0	54.9	54.9	70	N	-	-	-	-	-	N	
R6542	1	18.0	A3-3 Social welfare	-	0	0	15.7	48	26.9	0	0	48	48	70	N	-	-	-	-	-	N	
R6543	1	18.0	A3-3 Social welfare	-	0	0	24.4	53.3	25.5	0	0	53.3	53.3	70	N	-	-	-	-	-	N	
R6544	1	18.0	A3-3 Social welfare	-	0	0	26.3	48.2	47.3	0	0	50.8	50.8	70	N	-	-	-	-	-	N	
R6545	1	18.0	A3-3 Social welfare	-	0	0	0	50.7	28.1	0	0	50.7	50.7	70	N	-	-	-	-	-	N	
R6546	1	18.0	A3-3 Social welfare	-	0	0	0	54.2	25.3</													

Assessment Point			Locations	WITHOUT PROJECT	EXISTING ROADS	OTHER ROADS	WITH PROJECT						NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation			Mitigation Measures Required ^[3,4] (Y/N)
				OVERALL NOISE LEVEL at 2036 dB(A) [A]	at 2036 dB(A)	at 2036 dB(A) ^[1]	PD	DD	OTHER dB(A)	EX	TR	C - A dB(A) [D]					D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)		
ID	Floor	Floor Level (mPD)																				
R6592	2	18.5	A2-5 Social welfare	-	0	0	0	40.7	34.3	0	0	41.6	41.6	70	N	-	-	-	-	-	N	
R6661	1	20.5	A1-2 Social welfare	-	0	0	61.6	26.7	15.1	0	0	61.6	61.6	55	Y	-	-	-	-	-	Y	
R6662	1	20.5	A1-2 Social welfare	-	0	0	0	38.4	43.4	26.4	0	44.7	44.7	55	N	-	-	-	-	-	N	
R6663	1	20.5	A1-2 Social welfare	-	22	0	38.9	40.4	27.5	31.9	0	43.2	43.2	55	N	-	-	-	-	-	N	
R6664	1	20.5	A1-2 Social welfare	-	23.3	0	62.4	52	0	29.8	0	62.8	62.8	55	Y	-	-	-	-	-	Y	
R6665	1	20.0	A1-2 Social welfare	-	0	0	58.3	27.5	18.1	0	0	58.3	58.3	55	Y	-	-	-	-	-	Y	
R6666	1	20.0	A1-2 Social welfare	-	0	0	0	54.5	53.7	26.9	0	57.1	57.1	55	Y	-	-	-	-	-	Y	
R6667	1	20.0	A1-2 Social welfare	-	22.2	0	30.6	39.1	53.3	30.6	0	53.5	53.5	55	N	-	-	-	-	-	N	
R6668	1	20.0	A1-2 Social welfare	-	21.2	0	48.1	39.1	0	28.1	0	48.7	48.7	55	N	-	-	-	-	-	N	
R6669	1	19.5	A1-2 Social welfare	-	0	0	37.7	12.1	13.1	0	0	37.7	37.7	55	N	-	-	-	-	-	N	
R6670	1	19.5	A1-2 Social welfare	-	0	0	0	61.4	61.8	40.3	0	64.6	64.6	55	Y	-	-	-	-	-	Y	
R6671	1	19.5	A1-2 Social welfare	-	26.7	0	48.2	63.3	62.8	42.1	0	66.2	66.2	55	Y	-	-	-	-	-	Y	
R6672	1	19.5	A1-2 Social welfare	-	27.9	0	55.7	47.5	18.6	40.1	0	56.4	56.4	55	Y	-	-	-	-	-	Y	
R6673	1	20.5	A1-2 Social welfare	-	0	0	59.7	8.8	12.4	0	0	59.7	59.7	55	Y	-	-	-	-	-	Y	
R6674	1	20.5	A1-2 Social welfare	-	23.2	0	14.9	55.5	42.3	37.8	0	55.8	55.8	55	Y	-	-	-	-	-	Y	
R6675	1	20.5	A1-2 Social welfare	-	30.7	0	53.1	59.3	57.8	42.6	0	62.3	62.3	55	Y	-	-	-	-	-	Y	
R6676	1	20.5	A1-2 Social welfare	-	35.3	0	59.6	59.9	0	44.3	0	62.8	62.9	55	Y	-	-	-	-	-	Y	
R6677	1	21.5	A1-2 Social welfare	-	0	0	40.3	12.3	10.5	0	0	40.4	40.4	55	N	-	-	-	-	-	N	
R6678	1	21.5	A1-2 Social welfare	-	25.9	0	24.5	58.5	25.4	38.3	0	58.5	58.5	55	Y	-	-	-	-	-	Y	
R6679	1	21.5	A1-2 Social welfare	-	38.8	0	60	63.6	53	49.9	0	65.6	65.6	55	Y	-	-	-	-	-	Y	
R6680	1	21.5	A1-2 Social welfare	-	23.2	0	52.7	60.7	14.1	45.3	0	61.4	61.4	55	Y	-	-	-	-	-	Y	
R6681	1	20.5	A1-2 Social welfare	-	25.3	0	34.8	49.6	23.1	35.8	0	50	50	55	N	-	-	-	-	-	N	
R6681	2	25.0	A1-2 Social welfare	-	26.4	0	35.2	49.6	23.1	36.4	0	50	50	55	N	-	-	-	-	-	N	
R6681	3	29.5	A1-2 Social welfare	-	27.4	0	36.7	49.6	23.1	37	0	50	50.1	55	N	-	-	-	-	-	N	
R6681	4	34.0	A1-2 Social welfare	-	28.4	0	39.6	49.6	23.1	37.6	0	50.2	50.3	55	N	-	-	-	-	-	N	
R6681	5	38.5	A1-2 Social welfare	-	29.5	0	44.2	49.5	23	38.2	0	50.9	50.9	55	N	-	-	-	-	-	N	
R6682	1	20.5	A1-2 Social welfare	-	25.2	0	34.5	54.2	22.5	39.4	0	54.4	54.4	55	N	-	-	-	-	-	N	
R6682	2	25.0	A1-2 Social welfare	-	26	0	35.7	54.1	22.5	40.1	0	54.4	54.4	55	N	-	-	-	-	-	N	
R6682	3	29.5	A1-2 Social welfare	-	27.2	0	37.7	54	22.4	41	0	54.4	54.4	55	N	-	-	-	-	-	N	
R6682	4	34.0	A1-2 Social welfare	-	28.6	0	40.2	53.9	22.3	41.9	0	54.3	54.4	55	N	-	-	-	-	-	N	
R6682	5	38.5	A1-2 Social welfare	-	30	0	43.3	53.8	22.2	42.7	0	54.4	54.5	55	N	-	-	-	-	-	N	
R6683	1	20.5	A1-2 Social welfare	-	38.1	24	67.1	70.5	28.6	54.6	0	72.2	72.2	55	Y	-	-	-	-	-	Y	
R6683	2	25.0	A1-2 Social welfare	-	40.4	26.3	67.7	70.5	30.7	55.5	0	72.4	72.4	55	Y	-	-	-	-	-	Y	
R6683	3	29.5	A1-2 Social welfare	-	43.2	29	68.2	70.2	33.1	56.5	0	72.5	72.5	55	Y	-	-	-	-	-	Y	
R6683	4	34.0	A1-2 Social welfare	-	45.7	32.7	68.4	70	36.4	57.7	0	72.4	72.4	55	Y	-	-	-	-	-	Y	
R6683	5	38.5	A1-2 Social welfare	-	47.9	37.1	68.5	69.7	40	59.3	0	72.4	72.4	55	Y	-	-	-	-	-	Y	
R6684	1	20.5	A1-2 Social welfare	-	36.7	17.5	64.8	40.3	0	47.3	0	64.9	64.9	55	Y	-	-	-	-	-	Y	
R6684	2	25.0	A1-2 Social welfare	-	38.2	19.2	67.7	42.7	0	48.9	0	67.8	67.8	55	Y	-	-	-	-	-	Y	
R6684	3	29.5	A1-2 Social welfare	-	39.9	21.1	71.7	45.6	0	50.6	0	71.7	71.7	55	Y	-	-	-	-	-	Y	
R6684	4	34.0	A1-2 Social welfare	-	41.8	23.1	72.8	47.5	0	52.3	0	72.9	72.9	55	Y	-	-	-	-	-	Y	
R6684	5	38.5	A1-2 Social welfare	-	44.2	25.3	73.7	48.7	0	54	0	73.7	73.7	55	Y	-	-	-	-	-	Y	
R6685	1	20.5	A1-2 Social welfare	-	0	0	61.6	26.3	5.4	0	0	61.6	61.6	55	Y	-	-	-	-	-	Y	
R6685	2	25.0	A1-2 Social welfare	-	0	0	63	27.9	5.4	0	0	63	63	55	Y	-	-	-	-	-	Y	
R6685	3	29.5	A1-2 Social welfare	-	0	0	65.9	29.5	5.4	0	0	65.9	65.9	55	Y	-	-	-	-	-	Y	
R6685	4	34.0	A1-2 Social welfare	-	0	0	68.1	31.4	5.4	0	0	68.1	68.1	55	Y	-	-	-	-	-	Y	
R6685	5	38.5	A1-2 Social welfare	-	0	0	69.2	33.7	5.4	0	0	69.2	69.2	55	Y	-	-	-	-	-	Y	
R6686	1	20.5	A1-2 Social welfare	-	0	0	67.3	26.6	10.9	0	0	67.3	67.3	55	Y	-	-	-	-	-	Y	

Assessment Point			Locations	WITHOUT PROJECT	EXISTING ROADS	OTHER ROADS	WITH PROJECT						NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	Exceedance C > Criteria (Y/N)	Check Project Impact Significance		Check Direct Mitigation			Mitigation Measures Required ^[3,4] (Y/N)
				OVERALL NOISE LEVEL at 2036 dB(A) [A]	at 2036 dB(A)	at 2036 dB(A) ^[1]	PD	DD	OTHER dB(A)	EX	TR	C - A dB(A) [D]					D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)		
ID	Floor	Floor Level (mPD)																				
R6732	1	23.5	A2-2 Social welfare	-	18.9	0	36.4	27.3	26.3	22.7	0	37.4	37.5	70	N	-	-	-	-	-	N	
R6733	1	23.5	A2-2 Social welfare	-	19.8	0	48.2	54.2	0	23.1	0	55.2	55.2	70	N	-	-	-	-	-	N	
R6734	1	23.5	A2-2 Social welfare	-	0	0	0	34	26.8	0	0	34.8	34.8	70	N	-	-	-	-	-	N	
R6735	1	23.5	A2-2 Social welfare	-	20.5	0	40.4	42.7	24.4	25.3	0	44.8	44.9	70	N	-	-	-	-	-	N	
R6736	1	23.5	A2-2 Social welfare	-	20.6	0	54.8	47.5	0	24.9	0	55.6	55.6	70	N	-	-	-	-	-	N	
R6737	1	23.5	A2-2 Social welfare	-	0	0	41.2	57.1	20	0	0	57.3	57.3	70	N	-	-	-	-	-	N	
R6738	1	23.5	A2-2 Social welfare	-	0	0	0	40.9	23.5	0	0	41	41	70	N	-	-	-	-	-	N	
R6739	1	23.5	A2-2 Social welfare	-	27.9	0	54.7	29.8	21.5	33.9	0	54.8	54.8	70	N	-	-	-	-	-	N	
R6740	1	23.5	A2-2 Social welfare	-	26.5	0	52.1	27.5	0	30.5	0	52.2	52.2	70	N	-	-	-	-	-	N	
R6741	1	23.5	A2-2 Social welfare	-	0	0	47.7	47	14	0	0	50.4	50.4	70	N	-	-	-	-	-	N	
R6742	1	23.0	A2-2 Social welfare	-	0	0	43.2	39	16	0	0	44.6	44.6	70	N	-	-	-	-	-	N	
R6743	1	23.0	A2-2 Social welfare	-	0	0	0	35.4	24.8	0	0	35.8	35.8	70	N	-	-	-	-	-	N	
R6744	1	23.0	A2-2 Social welfare	-	41.5	0	66	47	24	38.9	0	66.1	66.1	70	N	-	-	-	-	-	N	
R6745	1	23.0	A2-2 Social welfare	-	27.7	0	65.4	33.1	0	33.2	0	65.4	65.4	70	N	-	-	-	-	-	N	
R6746	1	23.0	A2-2 Social welfare	-	0	0	33.5	52.3	18.9	0	0	52.3	52.3	70	N	-	-	-	-	-	N	
R6746	2	27.5	A2-2 Social welfare	-	0	0	33.6	52.3	19	0	0	52.3	52.3	70	N	-	-	-	-	-	N	
R6746	3	32.0	A2-2 Social welfare	-	0	0	33.6	52.3	19	0	0	52.3	52.3	70	N	-	-	-	-	-	N	
R6746	4	36.5	A2-2 Social welfare	-	0	0	33.7	52.3	19	0	0	52.3	52.3	70	N	-	-	-	-	-	N	
R6746	5	41.0	A2-2 Social welfare	-	0	0	33.8	52.2	19	0	0	52.3	52.3	70	N	-	-	-	-	-	N	
R6747	1	23.0	A2-2 Social welfare	-	0	0	0	49.8	49.3	0	0	52.5	52.5	70	N	-	-	-	-	-	N	
R6747	2	27.5	A2-2 Social welfare	-	0	0	0	49.8	49.3	0	0	52.6	52.6	70	N	-	-	-	-	-	N	
R6747	3	32.0	A2-2 Social welfare	-	0	0	0	49.8	49.3	0	0	52.6	52.6	70	N	-	-	-	-	-	N	
R6747	4	36.5	A2-2 Social welfare	-	0	0	0	49.8	49.4	0	0	52.6	52.6	70	N	-	-	-	-	-	N	
R6747	5	41.0	A2-2 Social welfare	-	0	0	0	49.8	49.4	0	0	52.6	52.6	70	N	-	-	-	-	-	N	
R6748	1	23.0	A2-2 Social welfare	-	22.8	0	57.6	31.9	44	32.8	0	57.8	57.8	70	N	-	-	-	-	-	N	
R6748	2	27.5	A2-2 Social welfare	-	24.6	0	57.6	32.2	44	33.9	0	57.8	57.8	70	N	-	-	-	-	-	N	
R6748	3	32.0	A2-2 Social welfare	-	26.3	0	57.7	32.6	44	35	0	57.9	57.9	70	N	-	-	-	-	-	N	
R6748	4	36.5	A2-2 Social welfare	-	27.9	0	57.8	33	44	36	0	58	58	70	N	-	-	-	-	-	N	
R6748	5	41.0	A2-2 Social welfare	-	29.7	0	57.8	33.5	44	37	0	58.1	58.1	70	N	-	-	-	-	-	N	
R6749	1	23.0	A2-2 Social welfare	-	39.5	0	58.7	30.5	0	36.4	0	58.7	58.8	70	N	-	-	-	-	-	N	
R6749	2	27.5	A2-2 Social welfare	-	39.6	0	58.8	30.9	0	37.6	0	58.8	58.9	70	N	-	-	-	-	-	N	
R6749	3	32.0	A2-2 Social welfare	-	39.7	0	59	31.3	0	38.5	0	59	59.1	70	N	-	-	-	-	-	N	
R6749	4	36.5	A2-2 Social welfare	-	39.9	0	59.1	31.9	0	39.4	0	59.1	59.2	70	N	-	-	-	-	-	N	
R6749	5	41.0	A2-2 Social welfare	-	40.2	0	59.2	32.5	0	40.1	0	59.3	59.3	70	N	-	-	-	-	-	N	
R6781	1	16.5	B2-8 Social welfare	-	0	0	7.9	54.1	66.9	0	0	67.1	67.1	70	N	-	-	-	-	-	N	
R6781	2	20.5	B2-8 Social welfare	-	0	0	8.7	54.1	66.8	0	0	67	67	70	N	-	-	-	-	-	N	
R6781	3	24.5	B2-8 Social welfare	-	0	0	9.5	54.1	66.7	0	0	67	67	70	N	-	-	-	-	-	N	
R6781	4	28.5	B2-8 Social welfare	-	0	0	10.4	54.1	66.7	0	0	67	67	70	N	-	-	-	-	-	N	
R6781	5	32.5	B2-8 Social welfare	-	0	0	11.3	54.2	66.6	0	0	66.8	66.8	70	N	-	-	-	-	-	N	
R6781	6	36.5	B2-8 Social welfare	-	0	0	12.2	54.7	66.6	0	0	66.9	66.9	70	N	-	-	-	-	-	N	
R6781	7	40.5	B2-8 Social welfare	-	0	0	13.2	55.4	66.8	0	0	67.1	67.1	70	N	-	-	-	-	-	N	
R6781	8	44.5	B2-8 Social welfare	-	0	0	14.3	55.7	66.9	0	0	67.2	67.2	70	N	-	-	-	-	-	N	
R6781	9	48.5	B2-8 Social welfare	-	0	0	15.3	55.7	66.8	0	0	67.1	67.1	70	N	-	-	-	-	-	N	
R6781	10	52.5	B2-8 Social welfare	-	0	0	16.5	55.5	66.7	0	0	67	67	70	N	-	-	-	-	-	N	
R6782	1	16.5	B2-8 Social welfare	-	26.1	0	19.9	37.3	0	42.6	0	43.7	43.8	70	N	-	-	-	-	-	N	
R6782	2	20.5	B2-8 Social welfare	-	26.1	0	19.9	37.5	0	42.6	0	43.7	43.8	70	N	-	-	-	-	-	N	
R6782	3	24.5	B2-8 Social welfare	-	26.5	0	20.8	37.6	0	42.7	0	43.9	43.9	70	N	-	-	-	-	-	N	
R6782	4	28.5	B2-8 Social welfare	-	27.1	0	22.3	37.8	0	43.2	0	44.3	44.4	70	N	-	-	-	-	-	N	
R6782	5	32.5	B2-8 Social welfare	-	28.4																	

				WITHOUT PROJECT	WITH PROJECT																			
Assessment Point			Locations	OVERALL NOISE LEVEL at 2036 dB(A) [A]	EXISTING ROADS at 2036 dB(A)	OTHER ROADS at 2036 dB(A) ^[1]																		
ID	Floor	Floor Level (mPD)					PD	DD	OTHER	EX	TR	NEW ROADS at 2036 [2] dB(A) [B]	OVERALL NOISE LEVEL at 2036 dB(A) [C]	Noise Criteria dB(A)	Exceedance C > Criteria (Y/N)	Check Project Impact Significance								
																C - A dB(A) [D]	D > 1dB(A)	B > Criteria	New Roads Contribution dB(A) [E]	E > 1dB(A)	Mitigation Measures Required ^[3,4] (Y/N)			
R6842	2	19.3	A1-6 Social welfare	-	3.6	0	0	56.2	59.8	48.3	0	61.6	61.6	70	N	-	-	-	-	-	N			
R6843	1	14.8	A1-6 Social welfare	-	19.6	0	29.1	61.1	68.6	46.4	0	69.4	69.4	70	N	-	-	-	-	-	N			
R6843	2	19.3	A1-6 Social welfare	-	19.7	0	30.8	61	68.6	47	0	69.3	69.3	70	N	-	-	-	-	-	N			
R6844	1	14.8	A1-6 Social welfare	-	28	0	20.4	37.2	57.8	41.4	0	57.9	57.9	70	N	-	-	-	-	-	N			
R6844	2	19.3	A1-6 Social welfare	-	29.2	0	21.2	37.4	57.8	42.1	0	58	58	70	N	-	-	-	-	-	N			
R6845	1	14.8	A1-6 Social welfare	-	0	0	0	15.3	0	0	0	15.3	15.3	70	N	-	-	-	-	-	N			
R6845	2	19.3	A1-6 Social welfare	-	0	0	0	15.3	0	0	0	15.3	15.3	70	N	-	-	-	-	-	N			
R6846	1	14.8	A1-6 Social welfare	-	25.1	0	13.2	34.8	51.4	31.9	0	51.6	51.6	70	N	-	-	-	-	-	N			
R6846	2	19.3	A1-6 Social welfare	-	26	0	13.2	36.5	51.5	32	0	51.6	51.6	70	N	-	-	-	-	-	N			
R6847	1	14.8	A1-6 Social welfare	-	19	0	13.3	33.6	50.5	31.6	0	50.7	50.7	70	N	-	-	-	-	-	N			
R6847	2	19.3	A1-6 Social welfare	-	19.1	0	13.4	34.2	50.5	31.7	0	50.7	50.7	70	N	-	-	-	-	-	N			
R6848	1	14.8	A1-6 Social welfare	-	16.8	0	13.5	47.2	31	18.4	0	47.3	47.3	70	N	-	-	-	-	-	N			
R6848	2	19.3	A1-6 Social welfare	-	16.9	0	13.5	47.2	32.7	19.1	0	47.4	47.4	70	N	-	-	-	-	-	N			
R6849	1	14.8	A1-6 Social welfare	-	0	0	0	33.5	25.5	0	0	34.2	34.2	70	N	-	-	-	-	-	N			
R6849	2	19.3	A1-6 Social welfare	-	0	0	0	34.6	25.7	0	0	35.2	35.2	70	N	-	-	-	-	-	N			
R6850	1	14.8	A1-6 Social welfare	-	5.4	0	0	29.2	42.9	14.3	0	43.1	43.1	70	N	-	-	-	-	-	N			
R6850	2	19.3	A1-6 Social welfare	-	5.5	0	0	29.2	43.1	14.3	0	43.3	43.3	70	N	-	-	-	-	-	N			
R6851	1	14.8	A1-6 Social welfare	-	5.7	0	0	31.9	49.7	28.2	0	49.8	49.8	70	N	-	-	-	-	-	N			
R6851	2	19.3	A1-6 Social welfare	-	5.7	0	0	33.6	49.7	28.3	0	49.8	49.8	70	N	-	-	-	-	-	N			
R6861	1	16.5	B2-10 Social welfare	-	0	0	0	60.3	64.8	0	0	66.1	66.1	70	N	-	-	-	-	-	N			
R6861	2	21.0	B2-10 Social welfare	-	0	0	0	60.2	64.8	0	0	66.1	66.1	70	N	-	-	-	-	-	N			
R6862	1	16.5	B2-10 Social welfare	-	41.7	0	0	66.4	58.7	53.3	0	67.3	67.3	70	N	-	-	-	-	-	N			
R6862	2	21.0	B2-10 Social welfare	-	42.6	0	0	66.4	58.7	53.8	0	67.3	67.3	70	N	-	-	-	-	-	N			
R6863	1	16.5	B2-10 Social welfare	-	45.3	0	0	66.7	55.1	56.2	0	67.3	67.3	70	N	-	-	-	-	-	N			
R6863	2	21.0	B2-10 Social welfare	-	47	0	0	66.7	55.1	56.9	0	67.4	67.4	70	N	-	-	-	-	-	N			
R6864	1	16.5	B2-10 Social welfare	-	50.8	0	0	66.6	0	59.9	0	67.5	67.5	70	N	-	-	-	-	-	N			
R6864	2	21.0	B2-10 Social welfare	-	53.7	0	0	66.6	0	61.2	0	67.7	67.9	70	N	-	-	-	-	-	N			
R6865	1	16.5	B2-10 Social welfare	-	51.9	0	39.9	67.2	0	60	0	68	68.1	70	N	-	-	-	-	-	N			
R6865	2	21.0	B2-10 Social welfare	-	54.6	0	40.2	67.2	0	61.4	0	68.2	68.4	70	N	-	-	-	-	-	N			
R6866	1	16.5	B2-10 Social welfare	-	48.5	0	17.9	55.1	28	47.1	0	55.8	56.5	70	N	-	-	-	-	-	N			
R6866	2	21.0	B2-10 Social welfare	-	51.5	0	17.9	55.1	28.2	47.6	0	55.8	57.2	70	N	-	-	-	-	-	N			
R6867	1	16.5	B2-10 Social welfare	-	24.2	0	20	50	44.2	44	0	51.8	51.8	70	N	-	-	-	-	-	N			
R6867	2	21.0	B2-10 Social welfare	-	25.7	0	21.3	50	44.2	44.7	0	51.9	51.9	70	N	-	-	-	-	-	N			

[1] Other Roads refer to planned road projects carried out by others such as Development of Lok Ma Chau Loop, Liantang / Heung Yuen Wai Boundary Control Point and Associated Works, Widening of Tolo Highway/Fanling Highway etc.
[2] New Roads refer to the proposed road networks including planned internal roads within PC/TKL NDA and modification of connecting roads to NDA.
[3] For landuse planned under NDA project, mitigation measures are required to mitigate the noise level to within noise criteria.
[4] For existing and planned NSRs outside and within the non-development area of NDA, Direct Mitigation Measures will be required when "With Project Overall Noise Level exceeds Noise Criteria" AND, either "With Project - Without Project Overall Noise Level > 1dB(A)" or "New Roads exceeds Noise Criteria" or "New Roads Contribution > 1 dB(A)".