827000 E
828000 E
829000 E
830000 E
842000 N
841000 N
N

Research & Development in Support of Lok Ma Chau Loop Development
Disused School (Potential Eco-tourism Education Centre, Holiday Camp or Other Recreation Uses)
Proposed Kwu Tung North Flushing Water Service Reservoir
Proposed Kwu Tung North Fresh Water Service Reservoir
Sports Ground/ Sports Complex
Lo Wu Firing Range
Lo Wu Correctional Institution
Government Reserve
Potential Activity Centre
Fire Station and Ambulance Depot
Lo Wu Saddle Club
Standard Swimming Pool & Sports Centre
Former Ma Tso Lung Landfill
District Headquarters, District Headquarters Associated Married Staff Quarters, Divisional Police Station and Reprovisioning of Fan Garden Junior Police Officer's Police Married Quarters
Railway Associated Facilities
Plant for District Cooling System
Hospital, Polyclinic and General Clinic/Health Centre
Commercial, Research & Development
Disused Village School
Visitor Center
OU (Nature Park)
Proposed site for relocation of Kwu Tung Vegetable Market and Credit Co-operative Society
Sports Centre, District Library, Integrated Children and Youth Services Centre and Family Service Centre

MA TSO LUNG
PING HANG
NGAU KOK SHAN
FUNG KONG SHAN
LONG VALLEY
HAU
Tai Tau Leng
Kam Tsin

Key Plan

Legend

- NDA Boundary
- Study Area Boundary
- High Arsenic at -25mPD
- High Arsenic at -5mPD
- High Arsenic at +0mPD
- High Arsenic at +5mPD
- High Arsenic at +10mPD

Confidential

Printed by : 2/8/2013
Filename : I:\25278\arup\Civil\Health Risk Assessment\25278-Fig_7-04.dgn

CEDD 土木工程拓展署 CIVIL ENGINEERING AND DEVELOPMENT DEPARTMENT	規劃署 PLANNING DEPARTMENT	ARUP	Job Title: Agreement No. CE 61/2007 (CE) North East New Territories New Development Areas Planning and Engineering Study - Investigation	Drawing Title: **Deep Foundation Region for High Arsenic in Kwu Tung North NDA**	Drawn: LM; Date: 07/12; Checked: LFM; Approved: DL; Scale: 1:5000 ON A1, 1:10000 ON A3	Drawing No.: **Figure 7.4**; Rev.: -
					- Health Risk Assessment for KTN NDA 07/12 (Rev / Description / Date)	