

Submarine Cable for the Development of the Integrated Waste Management Facilities Phase 1

Environmental Impact Assessment Ordinance (Cap 499)

**Application for Variation of an Environmental Permit
(Application No. VEP-660/2026)**

Record of Consideration

Prepared by:

Virginia WONG
E(TS)52

Signature




Date

2 October 2026

Checked by:

Anthony HO
S(TS)5



2 October 2026

Application No.	Key Proposed Variation(s)	Reason(s) for Variation(s)	With reference to section 6.2 of the EIAO-TM, there is no material change to the environmental impact of the project with the mitigation measures in place	The project complies with the requirements described in the EIAO-TM	The Director agreed to amend the environmental permit without calling for an EIA report under s13(5) of the EIAO in consultation with relevant Authorities (Please check the box below)
VEP-660/2026	• Vary condition 4.2 of the Environmental Permit to align the dedicated website can be terminated after 1 year completion of the construction without updates in the EM&A programme.	• All the construction works were completed on 31 March 2025 with the EM&A programme terminated on 31 March 2025. No further monitoring and audit, and associated EM&A programme are required during the operation of the Project.	• The proposed variation only involves the changes on the dedicated website, which does not involve any environmental impact to the Project. Hence, there is no material change to the environmental impact of the Project.	Yes	☒ EPD/Environmental Assessment ☐ EPD/Air ☐ EPD/Noise ☐ EPD/Water ☐ EPD/Waste ☐ EPD/Sewerage ☐ EPD/Hazard ☐ EPD/Landfill Gas ☐ AFCD ☐ CAD ☐ DoH ☐ DSD ☐ EMSD ☐ FEHD ☐ FSD ☐ AMO ☐ MD ☐ PlanD ☐ TD ☐ WSD ☐ Others: Please specify _____