

Appendix 10.1 Summary of Findings of the Tree Survey

Appendix 10.1 Summary of Findings of the Tree Survey

Table A10-1 Tree Assessment Schedule of Existing Trees within the Project Area

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT001	<i>Bauhinia spp.</i>	羊蹄甲屬	280	4	2	Poor	Poor	Low	No	Retain	-	broken trunk, decay, wounds
MNT002	<i>Bauhinia spp.</i>	羊蹄甲屬	290	5	6	Fair	Poor	Low	No	Retain	-	multi-trunked
MNT003	<i>Bauhinia spp.</i>	羊蹄甲屬	100	6	3	Poor	Poor	Low	No	Retain	-	decay
MNT004	<i>Casuarina equisetifolia</i>	木麻黃	180	10	4	Fair	Poor	Low	No	Retain	-	broken branches
MNT005	<i>Casuarina equisetifolia</i>	木麻黃	300	9	3	Poor	Poor	Low	No	Retain	-	broken branches
MNT006	<i>Casuarina equisetifolia</i>	木麻黃	270	12	4	Fair	Poor	Low	No	Retain	-	broken branches
MNT007	<i>Casuarina equisetifolia</i>	木麻黃	260	11	4	Fair	Poor	Low	No	Retain	-	broken branches
MNT008	<i>Casuarina equisetifolia</i>	木麻黃	190	7	4	Poor	Poor	Low	No	Retain	-	broken trunk
MNT009	<i>Casuarina equisetifolia</i>	木麻黃	210	12	4	Fair	Poor	Low	No	Retain	-	broken branches
MNT010	<i>Casuarina equisetifolia</i>	木麻黃	120	8	3	Fair	Fair	Low	No	Retain	-	vined
MNT011	<i>Casuarina equisetifolia</i>	木麻黃	290	13	5	Fair	Poor	Low	No	Retain	-	vined
MNT012	<i>Casuarina equisetifolia</i>	木麻黃	100	9	2	Fair	Poor	Low	No	Retain	-	bent trunk
MNT013	dead	死樹	170	4	2	-	-	-	No	Retain	-	-
MNT014	<i>Eucalyptus citriodora</i>	檸檬桉	300	14	6	Fair	Poor	Low	No	Retain	-	imbalanced form, hangers, dead branches
MNT015	<i>Casuarina equisetifolia</i>	木麻黃	400	12	8	Fair	Poor	Low	No	Retain	-	imbalanced form, hangers, dead branches, broken trunk, broken branches
MNT016	<i>Casuarina equisetifolia</i>	木麻黃	160	11	5	Fair	Poor	Low	No	Retain	-	imbalanced form, climbers, crooked trunk
MNT017	<i>Casuarina equisetifolia</i>	木麻黃	260	12	5	Fair	Poor	Low	No	Retain	-	climbers, broken trunk, dead branches,

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
												hangers
MNT018	<i>Eucalyptus camaldulensis</i>	赤桉	280	15	6	Fair	Poor	Low	No	Retain	-	dead branches, broken branches, imbalanced form
MNT019	<i>Eucalyptus camaldulensis</i>	赤桉	230	10	3	Fair	Poor	Low	No	Retain	-	hard pruned, included bark, dead branches, broken branches
MNT020	<i>Casuarina equisetifolia</i>	木麻黃	150	10	4	Fair	Poor	Low	No	Retain	-	
MNT021	<i>Eucalyptus citriodora</i>	檸檬桉	200	11	3	Poor	Poor	Low	No	Retain	-	termites
MNT022	<i>Casuarina equisetifolia</i>	木麻黃	190	10	4	Poor	Poor	Low	No	Retain	-	heavy vined, leaning
MNT023	<i>Eucalyptus citriodora</i>	檸檬桉	180	11	5	Fair	Poor	Low	No	Retain	-	leaning, lion tail
MNT024	<i>Eucalyptus citriodora</i>	檸檬桉	100	8	2	Poor	Poor	Low	No	Retain	-	broken trunk, crooked trunk
MNT025	<i>Eucalyptus camaldulensis</i>	赤桉	200	10	4	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT026	<i>Casuarina equisetifolia</i>	木麻黃	290	13	6	Fair	Poor	Low	No	Retain	-	dead branches, broken branches
MNT027	<i>Macaranga tanarius</i>	血桐	270	7	8	Fair	Poor	Low	No	Retain	-	imbalanced form, epicormic growth, broken branches, dead branches, opened wound
MNT028	<i>Casuarina equisetifolia</i>	木麻黃	240	11	6	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form, hangers, broken branches
MNT029	<i>Acacia confusa</i>	台灣相思	580	10	10	Fair	Poor	Low	No	Retain	-	broken branches, hangers, dead branches, multi-trunked, decay, included bark
MNT030	<i>Ficus elastica</i>	印度橡樹	280	3	5	Fair	Poor	Low	No	Retain	-	multi-trunked, vined, broken branches, imbalanced form
MNT031	<i>Acacia confusa</i>	台灣相思	390	10	8	Poor	Poor	Low	No	Retain	-	decay, leaning, dead branches, low leaf density
MNT033	<i>Acacia</i>	台灣相思	100	9	4	Fair	Poor	Low	No	Retain	-	imbalanced form,

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
	<i>confusa</i>											epicormic growth, decay, dead branches, multi-trunked
MNT035	<i>Macaranga tanarius</i>	血桐	220	8	7	Fair	Poor	Low	No	Retain	-	imbalanced form, hangers, broken branches
MNT046	<i>Acacia confusa</i>	台灣相思	100	6	3	Fair	Poor	Low	No	Retain	-	broken branches
MNT047	<i>Acacia confusa</i>	台灣相思	100	5	3	Fair	Poor	Low	No	Retain	-	multi-trunked, imbalanced form, dead branches
MNT048	<i>Acacia confusa</i>	台灣相思	290	9	7	Fair	Poor	Low	No	Retain	-	multi-trunked, vined, dead branches, imbalanced form
MNT049	<i>Acacia confusa</i>	台灣相思	250	8	4	Fair	Poor	Low	No	Retain	-	decay, multi-trunked, vined, epicormic growth
MNT050	<i>Acacia confusa</i>	台灣相思	380	8	6	Fair	Poor	Low	No	Retain	-	multi-trunked, vined, imbalanced form, dead branches
MNT051	<i>Acacia confusa</i>	台灣相思	230	6	4	Fair	Poor	Low	No	Retain	-	imbalanced form
MNT052	<i>Acacia confusa</i>	台灣相思	100	4	2	Poor	Poor	Low	No	Retain	-	broken trunk, epicormic growth, vined, dead branches, decay
MNT053	<i>Acacia confusa</i>	台灣相思	480	10	6	Fair	Poor	Low	No	Retain	-	multi-trunked, cavity, epicormic growth, vined, dead branches, imbalanced form
MNT054	<i>Acacia confusa</i>	台灣相思	250	12	6	Fair	Poor	Low	No	Retain	-	dead branches, epicormic growth, multi-trunked, vined, exposed root, imbalanced form, bird nest
MNT055	<i>Acacia confusa</i>	台灣相思	300	11	5	Fair	Poor	Low	No	Retain	-	exposed root, imbalanced form
MNT056	<i>Acacia confusa</i>	台灣相思	360	11	6	Fair	Poor	Low	No	Retain	-	uprooted, epicormic growth, multi-trunked, broken branches, dead branches

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT057	<i>Acacia confusa</i>	台灣相思	130	7	4	Poor	Poor	Low	No	Retain	-	vined, epicormic growth, leaning, decay
MNT058	<i>Acacia confusa</i>	台灣相思	330	4	3	Poor	Poor	Low	No	Retain	-	uprooted, hard pruned, multi-trunked, epicormic growth, broken trunk, decay
MNT059	<i>Acacia confusa</i>	台灣相思	490	11	6	Fair	Poor	Low	No	Retain	-	multi-trunked, dead branches, broken branches, imbalanced form
MNT060	<i>Acacia confusa</i>	台灣相思	230	8	5	Fair	Poor	Low	No	Retain	-	broken branches, imbalanced form
MNT061	dead	死樹	120	4	2	-	-	-	No	Retain	-	-
MNT062	dead	死樹	320	11	3	-	-	-	No	Retain	-	-
MNT063	dead	死樹	200	7	3	-	-	-	No	Retain	-	-
MNT064	<i>Acacia confusa</i>	台灣相思	30	10	5	Fair	Poor	Low	No	Retain	-	multi-trunked, broken branches, hangers, included bark, vined, epicormic growth, imbalanced form
MNT065	<i>Acacia confusa</i>	台灣相思	600	10	8	Poor	Poor	Low	No	Retain	-	multi-trunked, dead branches, imbalanced form, included bark
MNT066	<i>Phyllanthus acidus</i>	酸果葉下珠	100	4	5	Fair	Poor	Low	No	Retain	-	crooked trunk, broken trunk
MNT067	<i>Syzygium jambos</i>	蒲桃	240	10	7	Poor	Poor	Low	No	Retain	-	uprooted, vined, epicormic growth
MNT068	<i>Syzygium jambos</i>	蒲桃	110	7	6	Fair	Poor	Low	No	Retain	-	vined, imbalanced form
MNT069	dead	死樹	300	11	2	-	-	-	No	Retain	-	-
MNT070	<i>Clausena lansium</i>	黃皮	100	5	4	Fair	Poor	Low	No	Retain	-	included bark, multi-trunked
MNT071	<i>Acacia confusa</i>	台灣相思	500	12	8	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches, epicormic growth
MNT072	<i>Acacia confusa</i>	台灣相思	490	12	9	Fair	Poor	Low	No	Retain	-	multi-trunked, dead branches, epicormic growth, vined, imbalanced form, cavity

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT073	<i>Dimocarpus longan</i>	龍眼	100	5	3	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches, epicormic growth
MNT074	<i>Acacia confusa</i>	台灣相思	470	13	8	Fair	Poor	Low	No	Retain	-	dead branches, epicormic growth, cross branches, imbalanced form, exposed root
MNT075	<i>Acacia auriculiformis</i>	耳果相思	400	10	9	Poor	Poor	Low	No	Retain	-	decay, hangers, vined
MNT076	<i>Acacia confusa</i>	台灣相思	500	11	8	Fair	Poor	Low	No	Retain	-	broken branches, hangers, dead branches, imbalanced form, included bark
MNT077	<i>Ficus microcarpa</i>	細葉榕	260	8	5	Fair	Poor	Low	No	Retain	-	broken branches, hangers, vined, imbalanced form, hangers
MNT078	<i>Acacia confusa</i>	台灣相思	400	12	8	Fair	Poor	Low	No	Retain	-	multi-trunked, vined, dead branches, leaning, imbalanced form
MNT079	<i>Musa paradisiaca L.</i>	大蕉	170	4	3	Fair	Poor	Low	No	Fell	a, c, f, g	dead leaves
MNT081	<i>Musa paradisiaca L.</i>	大蕉	140	4	3	Poor	Poor	Low	No	Fell	a, c, f, g	broken trunk
MNT082	<i>Musa paradisiaca L.</i>	大蕉	100	4	2	Poor	Poor	Low	No	Fell	a, c, f, g	broken trunk
MNT083	<i>Musa paradisiaca L.</i>	大蕉	100	3	3	Fair	Poor	Low	No	Fell	a, c, f, g	dead leaves
MNT084	<i>Musa paradisiaca L.</i>	大蕉	150	4	4	Fair	Poor	Low	No	Fell	a, c, f, g	dead leaves
MNT085	<i>Musa paradisiaca L.</i>	大蕉	100	5	4	Fair	Poor	Low	No	Fell	a, c, f, g	dead leaves
MNT086	<i>Musa paradisiaca L.</i>	大蕉	150	5	3	Fair	Poor	Low	No	Fell	a, c, f, g	dead leaves
MNT087	<i>Musa paradisiaca L.</i>	大蕉	100	4	2	Poor	Poor	Low	No	Fell	a, c, f, g	broken trunk
MNT088	<i>Musa paradisiaca L.</i>	大蕉	190	4	4	Poor	Poor	Low	No	Fell	a, c, f, g	broken trunk
MNT089	<i>Casuarina equisetifolia</i>	木麻黃	100	8	2	Poor	Poor	Low	No	Retain	-	epicormic growth, dead branches, lion tail

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT090	<i>Casuarina equisetifolia</i>	木麻黃	100	8	2	Poor	Poor	Low	No	Retain	-	epicormic growth, dead branches, hangers
MNT091	<i>Eucalyptus camaldulensis</i>	赤桉	290	13	4	Poor	Poor	Low	No	Retain	-	broken trunk, epicormic growth
MNT092	<i>Eucalyptus camaldulensis</i>	赤桉	100	7	2	Poor	Poor	Low	No	Retain	-	broken trunk, vined, epicormic growth
MNT093	<i>Eucalyptus camaldulensis</i>	赤桉	160	12	4	Poor	Poor	Low	No	Retain	-	vined, epicormic growth, dead branches
MNT094	dead	死樹	100	8	2	-	-	-	No	Retain	-	-
MNT095	<i>Casuarina equisetifolia</i>	木麻黃	180	10	2	Poor	Poor	Low	No	Retain	-	exposed root, dead branches, broken branches, epicormic growth, leaning
MNT096	<i>Casuarina equisetifolia</i>	木麻黃	100	9	2	Poor	Poor	Low	No	Retain	-	climbers, low leaf density, dead branches
MNT097	<i>Eucalyptus camaldulensis</i>	赤桉	280	14	2	Fair	Poor	Low	No	Retain	-	lion tail
MNT098	<i>Eucalyptus camaldulensis</i>	赤桉	200	13	2	Fair	Poor	Low	No	Retain	-	bulges, imbalanced form
MNT099	<i>Eucalyptus camaldulensis</i>	赤桉	100	13	3	Fair	Poor	Low	No	Retain	-	leaning, broken branches
MNT101	<i>Casuarina equisetifolia</i>	木麻黃	130	10	4	Poor	Poor	Low	No	Retain	-	forked, leaning
MNT102	<i>Casuarina equisetifolia</i>	木麻黃	180	13	3	Fair	Poor	Low	No	Retain	-	lion tail
MNT103	<i>Casuarina equisetifolia</i>	木麻黃	100	10	2	Poor	Poor	Low	No	Retain	-	heavy vined
MNT104	<i>Casuarina equisetifolia</i>	木麻黃	100	8	2	Poor	Poor	Low	No	Retain	-	broken trunk
MNT105	<i>Casuarina equisetifolia</i>	木麻黃	140	10	2	Fair	Poor	Low	No	Retain	-	broken branches, lion tail
MNT106	<i>Eucalyptus citriodora</i>	檸檬桉	160	10	2	Fair	Fair	Low	No	Retain	-	
MNT107	<i>Casuarina equisetifolia</i>	木麻黃	120	8	2	Poor	Poor	Low	No	Retain	-	broken branches
MNT108	<i>Casuarina equisetifolia</i>	木麻黃	190	6	4	Poor	Poor	Low	No	Retain	-	heavy vined, bulge
MNT109	<i>Casuarina equisetifolia</i>	木麻黃	200	8	4	Fair	Poor	Low	No	Retain	-	vined

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT110	<i>Casuarina equisetifolia</i>	木麻黃	110	6	2	Poor	Poor	Low	No	Retain	-	crooked trunk, leaning
MNT111	<i>Casuarina equisetifolia</i>	木麻黃	100	10	2	Poor	Poor	Low	No	Retain	-	leaning, lion tail
MNT112	<i>Eucalyptus citriodora</i>	檸檬桉	150	12	2	Fair	Poor	Low	No	Retain	-	lion tail
MNT113	<i>Eucalyptus citriodora</i>	檸檬桉	140	12	2	Fair	Poor	Low	No	Retain	-	crooked trunk, lion tail
MNT114	<i>Casuarina equisetifolia</i>	木麻黃	160	8	2	Fair	Poor	Low	No	Retain	-	leaning
MNT115	<i>Casuarina equisetifolia</i>	木麻黃	290	10	4	Fair	Poor	Low	No	Retain	-	broken trunk, imbalanced form
MNT116	<i>Casuarina equisetifolia</i>	木麻黃	150	8	2	Fair	Poor	Low	No	Retain	-	crooked trunk
MNT117	<i>Casuarina equisetifolia</i>	木麻黃	170	10	3	Fair	Poor	Low	No	Retain	-	broken branches
MNT118	<i>Casuarina equisetifolia</i>	木麻黃	160	10	2	Fair	Poor	Low	No	Retain	-	broken branches
MNT119	<i>Casuarina equisetifolia</i>	木麻黃	100	6	2	Fair	Poor	Low	No	Retain	-	leaning
MNT120	<i>Casuarina equisetifolia</i>	木麻黃	180	4	2	Poor	Poor	Low	No	Retain	-	broken trunk
MNT121	<i>Casuarina equisetifolia</i>	木麻黃	390	6	4	Fair	Poor	Low	No	Retain	-	broken trunk
MNT122	<i>Casuarina equisetifolia</i>	木麻黃	140	7	2	Fair	Poor	Low	No	Retain	-	
MNT123	<i>Casuarina equisetifolia</i>	木麻黃	260	7	3	Poor	Poor	Low	No	Retain	-	leaning, vined
MNT124	<i>Eucalyptus citriodora</i>	檸檬桉	260	10	3	Fair	Fair	Low	No	Retain	-	
MNT125	<i>Eucalyptus citriodora</i>	檸檬桉	210	10	3	Fair	Fair	Low	No	Retain	-	
MNT126	<i>Eucalyptus citriodora</i>	檸檬桉	120	10	2	Poor	Poor	Low	No	Retain	-	damaged trunk, termites
MNT127	<i>Casuarina equisetifolia</i>	木麻黃	110	9	2	Poor	Poor	Low	No	Retain	-	leaning, uprooted
MNT128	<i>Casuarina equisetifolia</i>	木麻黃	250	8	3	Poor	Poor	Low	No	Retain	-	leaning
MNT129	<i>Eucalyptus citriodora</i>	檸檬桉	360	12	4	Poor	Poor	Low	No	Retain	-	uprooted, leaning
MNT130	<i>Eucalyptus citriodora</i>	檸檬桉	140	10	3	Poor	Poor	Low	No	Retain	-	broken trunk

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT131	<i>Eucalyptus citriodora</i>	檸檬桉	100	8	2	Fair	Fair	Low	No	Retain	-	
MNT132	<i>Eucalyptus citriodora</i>	檸檬桉	180	12	2	Poor	Poor	Low	No	Retain	-	fallen
MNT133	<i>Casuarina equisetifolia</i>	木麻黃	150	6	2	Poor	Poor	Low	No	Retain	-	crooked trunk, dead branches
MNT134	<i>Casuarina equisetifolia</i>	木麻黃	280	10	3	Fair	Fair	Low	No	Retain	-	
MNT135	<i>Eucalyptus citriodora</i>	檸檬桉	100	4	2	Fair	Poor	Low	No	Retain	-	crooked trunk
MNT136	<i>Casuarina equisetifolia</i>	木麻黃	150	6	2	Poor	Poor	Low	No	Retain	-	heavy vined
MNT137	<i>Acacia auriculiformis</i>	耳果相思	100	4	2	Poor	Poor	Low	No	Retain	-	leaning, uprooted
MNT138	<i>Casuarina equisetifolia</i>	木麻黃	180	10	4	Poor	Poor	Low	No	Retain	-	heavy vined
MNT139	<i>Acacia auriculiformis</i>	耳果相思	160	10	3	Fair	Fair	Low	No	Retain	-	
MNT140	<i>Eucalyptus citriodora</i>	檸檬桉	200	10	3	Fair	Poor	Low	No	Retain	-	leaning
MNT141	<i>Acacia auriculiformis</i>	耳果相思	200	8	3	Poor	Poor	Low	No	Retain	-	included bark, leaning.
MNT142	<i>Acacia auriculiformis</i>	耳果相思	100	4	3	Poor	Poor	Low	No	Retain	-	forked, leaning
MNT143	<i>Casuarina equisetifolia</i>	木麻黃	300	10	4	Poor	Poor	Low	No	Retain	-	leaning
MNT144	<i>Acacia auriculiformis</i>	耳果相思	100	5	2	Poor	Poor	Low	No	Retain	-	broken trunk
MNT145	<i>Casuarina equisetifolia</i>	木麻黃	230	10	2	Fair	Fair	Low	No	Retain	-	vined
MNT146	<i>Casuarina equisetifolia</i>	木麻黃	100	10	2	Fair	Poor	Low	No	Retain	-	crooked trunk
MNT147	<i>Casuarina equisetifolia</i>	木麻黃	190	11	2	Fair	Poor	Low	No	Retain	-	crooked trunk
MNT148	<i>Casuarina equisetifolia</i>	木麻黃	160	9	2	Poor	Poor	Low	No	Retain	-	heavy vined
MNT149	<i>Acacia auriculiformis</i>	耳果相思	130	8	4	Fair	Poor	Low	No	Retain	-	crooked trunk
MNT150	<i>Casuarina equisetifolia</i>	木麻黃	170	4	3	Poor	Poor	Low	No	Retain	-	broken trunk
MNT151	<i>Casuarina equisetifolia</i>	木麻黃	290	9	4	Poor	Poor	Low	No	Retain	-	broken trunk

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT152	<i>Casuarina equisetifolia</i>	木麻黃	250	10	2	Fair	Poor	Low	No	Retain	-	crooked trunk
MNT153	<i>Casuarina equisetifolia</i>	木麻黃	100	6	2	Fair	Poor	Low	No	Retain	-	broken branches
MNT156	<i>Eucalyptus citriodora</i>	檸檬桉	120	8	2	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT157	<i>Eucalyptus citriodora</i>	檸檬桉	100	3	2	Poor	Poor	Low	No	Retain	-	leaning, broken trunk
MNT158	<i>Eucalyptus citriodora</i>	檸檬桉	370	12	3	Poor	Poor	Low	No	Retain	-	broken branches, leaning
MNT159	<i>Casuarina equisetifolia</i>	木麻黃	100	6	2	Poor	Poor	Low	No	Retain	-	leaning
MNT160	<i>Casuarina equisetifolia</i>	木麻黃	140	6	2	Poor	Poor	Low	No	Retain	-	uprooted, crevity
MNT161	<i>Acacia auriculiformis</i>	耳果相思	270	6	3	Poor	Poor	Low	No	Retain	-	leaning, broken trunk
MNT162	<i>Acacia confusa</i>	台灣相思	280	6	4	Fair	Poor	Low	No	Retain	-	leaning
MNT163	<i>Acacia auriculiformis</i>	耳果相思	360	8	4	Poor	Poor	Low	No	Retain	-	forked, decay, broken branches, leaning, pruned
MNT164	<i>Eucalyptus citriodora</i>	檸檬桉	100	6	3	Poor	Poor	Low	No	Retain	-	fallen, heavy vined
MNT165	<i>Rhus succedanea</i>	野漆樹	100	4	2	Poor	Poor	Low	No	Retain	-	forked, leaning, vined
MNT166	<i>Acacia auriculiformis</i>	耳果相思	100	4	2	Fair	Poor	Low	No	Retain	-	
MNT167	<i>Rhus succedanea</i>	野漆樹	100	4	2	Fair	Poor	Low	No	Retain	-	multi-trunk, imbalanced form
MNT168	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	150	5	4	Poor	Poor	Low	No	Retain	-	insect infestation, heavy vined
MNT169	<i>Acacia auriculiformis</i>	耳果相思	100	4	3	Poor	Poor	Low	No	Retain	-	broken trunk, vined
MNT170	<i>Acacia auriculiformis</i>	耳果相思	110	5	4	Fair	Poor	Low	No	Retain	-	dead branches, broken trunk, imbalanced form, vined
MNT171	<i>Acacia auriculiformis</i>	耳果相思	160	6	4	Poor	Poor	Low	No	Retain	-	broken trunk, imbalanced form
MNT172	<i>Acacia auriculiformis</i>	耳果相思	150	5	4	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT173	<i>Rhus</i>	野漆樹	100	3	3	Fair	Poor	Low	No	Retain	-	multi-trunked, vined,

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
	<i>succedanea</i>											dead branches, imbalanced form
MNT174	<i>Trema tomentosa</i>	山黃麻	150	3	4	Poor	Poor	Low	No	Retain	-	multi-trunked, broken trunk, hard pruned, dead branches, epicormic growth
MNT175	<i>Acacia auriculiformis</i>	耳果相思	140	5	3	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches
MNT176	<i>Rhus succedanea</i>	野漆樹	100	6	3	Poor	Poor	Low	No	Retain	-	hard pruned
MNT177	<i>Acacia auriculiformis</i>	耳果相思	100	6	3	Poor	Poor	Low	No	Retain	-	hard pruned, dead branches, lion tail
MNT178	<i>Acacia auriculiformis</i>	耳果相思	130	3	4	Fair	Poor	Low	No	Retain	-	broken trunk
MNT179	<i>Litsea glutinosa</i>	潺槁樹	100	5	4	Fair	Poor	Low	No	Retain	-	dead branches
MNT180	<i>Rhus succedanea</i>	野漆樹	100	5	4	Fair	Poor	Low	No	Retain	-	dead branches, broken branches, epicormic growth
MNT181	<i>Trema tomentosa</i>	山黃麻	100	5	3	Poor	Poor	Low	No	Retain	-	leaning, uprooted, broken branches, dead branches, hangers, vined
MNT182	<i>Rhus succedanea</i>	野漆樹	100	5	3	Poor	Poor	Low	No	Retain	-	broken branches, broken trunk, epicormic growth, imbalanced form
MNT183	<i>Melia azedarach</i>	苦楝	230	7	3	Fair	Poor	Low	No	Retain	-	hard pruned, imbalanced form, dead branches
MNT184	<i>Acacia auriculiformis</i>	耳果相思	480	12	6	Fair	Fair	Low	No	Retain	-	leaning
MNT185	<i>Eucalyptus citriodora</i>	檸檬桉	150	12	2	Fair	Poor	Low	No	Retain	-	
MNT186	<i>Acacia auriculiformis</i>	耳果相思	380	10	5	Fair	Poor	Low	No	Retain	-	forked
MNT187	<i>Acacia auriculiformis</i>	耳果相思	120	4	2	Poor	Poor	Low	No	Retain	-	epicormic growth, broken trunk
MNT188	<i>Eucalyptus citriodora</i>	檸檬桉	300	12	3	Fair	Fair	Low	No	Retain	-	
MNT189	<i>Acacia auriculiformis</i>	耳果相思	140	10	3	Poor	Poor	Low	No	Retain	-	fallen, broken trunk

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT190	<i>Eucalyptus citriodora</i>	檸檬桉	290	14	3	Poor	Fair	Low	No	Retain	-	uprooted
MNT191	<i>Eucalyptus citriodora</i>	檸檬桉	280	12	3	Fair	Fair	Low	No	Retain	-	-
MNT192	<i>Acacia auriculiformis</i>	耳果相思	100	3	2	Poor	Poor	Low	No	Retain	-	fallen, broken trunk
MNT193	<i>Eucalyptus citriodora</i>	檸檬桉	180	13	2	Fair	Poor	Low	No	Retain	-	lion tail
MNT194	<i>Eucalyptus citriodora</i>	檸檬桉	160	11	2	Fair	Poor	Low	No	Retain	-	lion tail
MNT195	<i>Casuarina equisetifolia</i>	木麻黃	130	10	2	Fair	Poor	Low	No	Retain	-	leaning
MNT196	<i>Eucalyptus citriodora</i>	檸檬桉	120	10	2	Poor	Poor	Low	No	Retain	-	leaning, broken trunk
MNT197	<i>Casuarina equisetifolia</i>	木麻黃	150	10	2	Poor	Poor	Low	No	Retain	-	epicormic growth
MNT198	<i>Casuarina equisetifolia</i>	木麻黃	100	7	2	Poor	Poor	Low	No	Retain	-	broken branches, crooked trunk
MNT199	<i>Casuarina equisetifolia</i>	木麻黃	100	7	2	Poor	Poor	Low	No	Retain	-	crooked trunk
MNT200	<i>Casuarina equisetifolia</i>	木麻黃	100	8	2	Poor	Poor	Low	No	Retain	-	epicormic growth, dead branches
MNT201	<i>Casuarina equisetifolia</i>	木麻黃	100	5	2	Poor	Poor	Low	No	Retain	-	dead branches, climbers, imbalanced form
MNT202	<i>Casuarina equisetifolia</i>	木麻黃	100	5	2	Poor	Poor	Low	No	Retain	-	broken branches, hangers, epicormic growth, dead branches, imbalanced form
MNT203	<i>Casuarina equisetifolia</i>	木麻黃	260	8	2	Fair	Poor	Low	No	Retain	-	climbers, dead branches, uprooted, imbalanced form
MNT204	<i>Casuarina equisetifolia</i>	木麻黃	170	10	2	Fair	Poor	Low	No	Retain	-	dead branches, broken branches, lion tail
MNT205	<i>Casuarina equisetifolia</i>	木麻黃	190	8	2	Fair	Poor	Low	No	Retain	-	climbers, dead branches, imbalanced form
MNT206	<i>Casuarina equisetifolia</i>	木麻黃	300	12	4	Fair	Poor	Low	No	Retain	-	climbers, dead branches, forked
MNT207	<i>Eucalyptus camaldulensis</i>	赤桉	100	4	2	Poor	Poor	Low	No	Retain	-	leaning, epicormic growth, broken

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
												branches
MNT208	dead	死樹	100	6	2	-	-	-	No	Retain	-	-
MNT209	<i>Eucalyptus camaldulensis</i>	赤桉	100	12	2	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT210	<i>Casuarina equisetifolia</i>	木麻黃	140	10	2	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form, broken branches, climbers
MNT211	<i>Eucalyptus camaldulensis</i>	赤桉	260	14	4	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form, crooked trunk
MNT215	<i>Zanthoxylum avicennae</i>	籐欖花椒	130	5	4	Fair	Poor	Low	No	Retain	-	imbalanced form, multi-trunk
MNT225	<i>Eucalyptus camaldulensis</i>	赤桉	200	8	2	Fair	Poor	Low	No	Retain	-	crooked trunk, dead branches, imbalanced form
MNT226	<i>Casuarina equisetifolia</i>	木麻黃	390	11	4	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches
MNT227	<i>Casuarina equisetifolia</i>	木麻黃	460	11	6	Fair	Fair	Medium	No	Retain	-	broken branches, climbers, hangers
MNT228	<i>Eucalyptus camaldulensis</i>	赤桉	400	12	2	Fair	Poor	Low	No	Retain	-	lion tail, imbalanced form
MNT229	<i>Eucalyptus camaldulensis</i>	赤桉	120	9	3	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT230	<i>Eucalyptus camaldulensis</i>	赤桉	370	12	4	Fair	Poor	Low	No	Retain	-	crooked trunk, broken branches, dead branches
MNT231	<i>Acacia auriculiformis</i>	耳果相思	300	10	4	Poor	Poor	Low	No	Retain	-	broken trunk, multi-trunk, leaning, epicormic growth, dead branches
MNT232	<i>Casuarina equisetifolia</i>	木麻黃	130	10	2	Poor	Poor	Low	No	Retain	-	broken trunk, decay, hangers, dead branches
MNT233	<i>Eucalyptus camaldulensis</i>	赤桉	130	8	2	Fair	Poor	Low	No	Retain	-	forked, dead branches, hangers, imbalanced form
MNT234	<i>Acacia auriculiformis</i>	耳果相思	200	12	4	Fair	Poor	Low	No	Retain	-	dead branches, lion tail, crooked trunk
MNT235	<i>Eucalyptus camaldulensis</i>	赤桉	350	15	5	Fair	Fair	Medium	No	Retain	-	dead branches

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT236	<i>Casuarina equisetifolia</i>	木麻黃	180	6	2	Fair	Poor	Low	No	Retain	-	forked, dead branches, broken branches
MNT237	<i>Eucalyptus camaldulensis</i>	赤桉	370	12	4	Fair	Fair	Medium	No	Retain	-	dead branches
MNT238	<i>Acacia auriculiformis</i>	耳果相思	240	8	2	Poor	Poor	Low	No	Retain	-	topple, epicormic growth, wilting
MNT239	<i>Casuarina equisetifolia</i>	木麻黃	210	10	3	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT240	<i>Eucalyptus camaldulensis</i>	赤桉	340	12	5	Fair	Poor	Low	No	Retain	-	crooked trunk, dead branches
MNT242	<i>Acacia auriculiformis</i>	耳果相思	230	8	6	Fair	Poor	Low	No	Retain	-	broken branches, crooked trunk, dead branches, epicormic growth
MNT243	<i>Casuarina equisetifolia</i>	木麻黃	250	10	4	Fair	Poor	Low	No	Retain	-	crooked trunk, dead branches, climbers
MNT244	<i>Casuarina equisetifolia</i>	木麻黃	100	2	2	Poor	Poor	Low	No	Retain	-	epicormic growth, hangers, dead branches, broken branches
MNT246	<i>Acacia auriculiformis</i>	耳果相思	150	5	4	Fair	Poor	Low	No	Retain	-	crooked trunk, broken branches, uprooted, imbalanced form
MNT247	<i>Eucalyptus camaldulensis</i>	赤桉	160	11	2	Poor	Poor	Low	No	Retain	-	broken branches, crooked trunk, epicormic growth
MNT248	<i>Casuarina equisetifolia</i>	木麻黃	250	12	4	Fair	Poor	Low	No	Retain	-	climbers, dead branches, imbalanced form
MNT249	<i>Casuarina equisetifolia</i>	木麻黃	100	7	2	Poor	Poor	Low	No	Retain	-	epicormic growth, climbers, imbalanced form
MNT250	<i>Casuarina equisetifolia</i>	木麻黃	230	12	2	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form, lion tail, climbers
MNT258	<i>Eucalyptus camaldulensis</i>	赤桉	240	11	3	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT259	<i>Acacia auriculiformis</i>	耳果相思	190	10	3	Fair	Poor	Low	No	Retain	-	leaning, lion tail, dead branches
MNT262	<i>Acacia auriculiformis</i>	耳果相思	200	4	4	Poor	Poor	Low	No	Retain	-	epicormic growth, uprooted, dead branches, broken

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
												branches, leaning
MNT263	<i>Acacia auriculiformis</i>	耳果相思	100	5	3	Fair	Poor	Low	No	Retain	-	leaning, uprooted, imbalanced form, epicormic growth, dead branches, broken branches
MNT264	<i>Acacia auriculiformis</i>	耳果相思	100	4	3	Fair	Poor	Low	No	Retain	-	included bark, epicormic growth, imbalanced form, forked
MNT265	<i>Eucalyptus citriodora</i>	檸檬桉	160	12	3	Fair	Poor	Low	No	Retain	-	leaning
MNT266	<i>Eucalyptus citriodora</i>	檸檬桉	100	6	3	Fair	Poor	Low	No	Retain	-	leaning
MNT267	<i>Acacia auriculiformis</i>	耳果相思	290	10	4	Poor	Poor	Low	No	Retain	-	uprooted, leaning, forked
MNT268	<i>Acacia auriculiformis</i>	耳果相思	230	7	4	Poor	Poor	Low	No	Retain	-	uprooted, leaning
MNT269	<i>Eucalyptus citriodora</i>	檸檬桉	250	4	3	Poor	Poor	Low	No	Retain	-	leaning, uprooted
MNT270	<i>Eucalyptus citriodora</i>	檸檬桉	100	6	2	Poor	Poor	Low	No	Retain	-	insect infestation
MNT271	<i>Acacia auriculiformis</i>	耳果相思	170	3	4	Poor	Poor	Low	No	Retain	-	fallen, bat
MNT272	<i>Casuarina equisetifolia</i>	木麻黃	140	8	2	Poor	Poor	Low	No	Retain	-	damaged trunk
MNT273	<i>Acacia auriculiformis</i>	耳果相思	130	4	3	Poor	Poor	Low	No	Retain	-	uprooted
MNT274	<i>Acacia auriculiformis</i>	耳果相思	200	4	4	Poor	Poor	Low	No	Retain	-	fallen
MNT275	<i>Casuarina equisetifolia</i>	木麻黃	180	10	3	Fair	Fair	Low	Yes	Retain	-	-
MNT276	<i>Eucalyptus camaldulensis</i>	赤桉	400	13	4	Fair	Poor	Low	No	Retain	-	multi-trunk, broken branches, imbalanced form, dead branches
MNT277	<i>Eucalyptus camaldulensis</i>	赤桉	100	5	2	Fair	Poor	Low	No	Retain	-	broken branches, crooked trunk, dead branches
MNT278	<i>Casuarina equisetifolia</i>	木麻黃	190	10	3	Fair	Poor	Low	No	Retain	-	dead branches, lion tail, imbalanced form, broken branches
MNT279	<i>Acacia</i>	耳果相思	100	7	2	Fair	Poor	Low	No	Retain	-	imbalanced form

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
	<i>auriculiformis</i>											
MNT280	<i>Acacia auriculiformis</i>	耳果相思	280	10	4	Poor	Poor	Low	No	Retain	-	uprooted, topple, epicormic growth, broken branches, hangers, dead branches
MNT281	<i>Casuarina equisetifolia</i>	木麻黃	160	10	2	Poor	Poor	Low	No	Retain	-	climbers, epicormic growth, leaning, lion tail, dead branches
MNT282	<i>Eucalyptus camaldulensis</i>	赤桉	150	10	4	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form, hangers
MNT283	<i>Casuarina equisetifolia</i>	木麻黃	160	7	2	Fair	Poor	Low	No	Retain	-	leaning, lion tail, crooked trunk
MNT284	<i>Casuarina equisetifolia</i>	木麻黃	100	6	2	Fair	Poor	Low	No	Retain	-	epicormic growth, dead branches, leaning, imbalanced form
MNT285	<i>Acacia auriculiformis</i>	耳果相思	290	12	5	Fair	Poor	Low	No	Retain	-	broken branches, imbalanced form
MNT286	<i>Acacia auriculiformis</i>	耳果相思	140	6	4	Fair	Poor	Low	No	Retain	-	leaning, hangers, broken branches, imbalanced form
MNT287	<i>Acacia auriculiformis</i>	耳果相思	160	6	3	Fair	Poor	Low	No	Retain	-	uprooted, leaning, decay
MNT288	<i>Eucalyptus camaldulensis</i>	赤桉	180	6	2	Fair	Poor	Low	No	Retain	-	multi-trunk, epicormic growth, leaning, climbers, broken branches
MNT289	<i>Eucalyptus camaldulensis</i>	赤桉	380	12	3	Poor	Poor	Low	No	Retain	-	topple, uprooted, epicormic growth, leaning
MNT290	<i>Acacia auriculiformis</i>	耳果相思	280	8	8	Fair	Poor	Low	No	Retain	-	uprooted, multi-trunk, included bark, broken branches, hangers
MNT291	dead	死樹	100	4	2	Fair	Poor	Low	No	Retain	-	-
MNT292	<i>Eucalyptus camaldulensis</i>	赤桉	210	12	3	Fair	Poor	Low	No	Retain	-	dead branches
MNT293	<i>Acacia auriculiformis</i>	耳果相思	190	6	2	Fair	Poor	Low	No	Retain	-	decay, included bark, crooked trunk, dead branches
MNT294	<i>Acacia</i>	耳果相思	300	7	2	Fair	Poor	Low	No	Retain	-	multi-trunk,

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
	<i>auriculiformis</i>											imbalanced form, dead branches
MNT295	<i>Acacia auriculiformis</i>	耳果相思	390	8	5	Fair	Poor	Low	No	Retain	-	multi-trunk, dead branches, leaning, imbalanced form
MNT296	<i>Eucalyptus camaldulensis</i>	赤桉	120	10	3	Fair	Poor	Low	No	Retain	-	leaning, dead branches
MNT297	<i>Acacia auriculiformis</i>	耳果相思	290	9	5	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form, broken branches, epicormic growth
MNT298	<i>Eucalyptus camaldulensis</i>	赤桉	200	7	3	Fair	Poor	Low	No	Retain	-	leaning, imbalanced form, epicormic growth, broken branches, multi-trunk
MNT299	<i>Acacia auriculiformis</i>	耳果相思	100	8	4	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT300	<i>Acacia auriculiformis</i>	耳果相思	130	6	3	Fair	Poor	Low	No	Retain	-	dead branches, crooked trunk, imbalanced form, hangers
MNT301	<i>Acacia confusa</i>	台灣相思	360	6	6	Poor	Poor	Low	No	Retain	-	dead branches, broken branches, imbalanced form, decay, included bark
MNT302	<i>Melicope pteleifolia</i>	三桠苦	130	3	4	Fair	Poor	Low	No	Retain	-	multi-trunked, heavy vined, broken branches, imbalanced form
MNT303	<i>Acacia auriculiformis</i>	耳果相思	140	7	4	Fair	Fair	Low	No	Retain	-	dead branches, broken branches, imbalanced form, decay, included bark
MNT304	<i>Rhus succedanea</i>	野漆樹	170	5	5	Fair	Poor	Low	No	Retain	-	dead branches, vined, imbalanced form
MNT305	<i>Macaranga tanarius</i>	血桐	270	5	5	Fair	Poor	Low	No	Retain	-	dead branches, broken branches, vined
MNT306	<i>Rhus succedanea</i>	野漆樹	230	5	5	Fair	Poor	Low	No	Retain	-	multi-trunked, imbalanced form, dead branches, broken branches
MNT307	<i>Acacia</i>	耳果相思	450	7	6	Poor	Poor	Low	No	Retain	-	multi-trunked, broken

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
	<i>auriculiformis</i>											trunk, broken branches, heavy vined
MNT310	<i>Macaranga tanarius</i>	血桐	170	4	5	Fair	Poor	Low	No	Retain	-	dead branches, broken branches, imbalanced form
MNT311	<i>Macaranga tanarius</i>	血桐	130	4	4	Fair	Poor	Low	No	Retain	-	epicormic growth, broken branches, imbalanced form
MNT312	dead	死樹	150	3	2	-	-	-	No	Retain	-	-
MNT313	<i>Rhus succedanea</i>	野漆樹	160	5	4	Fair	Poor	Low	No	Retain	-	leaning, dead branches, imbalanced form
MNT314	<i>Macaranga tanarius</i>	血桐	260	4	5	Poor	Poor	Low	No	Retain	-	decay, vined, dead branches, hangers, heavy vined, crooked trunk, imbalanced form
MNT319	<i>Acacia auriculiformis</i>	耳果相思	160	6	2	Fair	Poor	Low	No	Retain	-	cracked, uprooted, leaning, imbalanced form, dead branches
MNT320	<i>Acacia auriculiformis</i>	耳果相思	250	9	3	Fair	Poor	Low	No	Retain	-	climbers, broken branches, lion tail
MNT321	<i>Eucalyptus camaldulensis</i>	赤桉	140	8	3	Poor	Poor	Low	No	Retain	-	broken trunk, multi-trunk, leaning, epicormic growth, broken branches, dead branches
MNT322	<i>Eucalyptus camaldulensis</i>	赤桉	120	9	3	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches
MNT323	<i>Acacia auriculiformis</i>	耳果相思	130	7	2	Fair	Poor	Low	No	Retain	-	crooked trunk, leaning, broken branches, decay, climbers
MNT326	<i>Acacia auriculiformis</i>	耳果相思	140	7	4	Fair	Poor	Low	No	Retain	-	multi-trunk, crooked trunk, imbalanced form
MNT327	<i>Acacia auriculiformis</i>	耳果相思	210	10	3	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches
MNT330	<i>Acacia auriculiformis</i>	耳果相思	360	8	4	Fair	Poor	Low	No	Retain	-	forked, included bark, dead branches, broken branches, hangers, imbalanced

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
												form
MNT331	<i>Eucalyptus camaldulensis</i>	赤桉	100	7	2	Fair	Poor	Low	No	Retain	-	dead branches, hangers
MNT332	<i>Eucalyptus camaldulensis</i>	赤桉	260	9	3	Fair	Poor	Low	No	Retain	-	broken branches, imbalanced form, dead branches
MNT333	<i>Casuarina equisetifolia</i>	木麻黃	130	4	2	Fair	Poor	Low	No	Retain	-	forked, dead branches, climbers, imbalanced form
MNT334	<i>Rhus succedanea</i>	野漆樹	150	5	3	Fair	Poor	Low	No	Retain	-	climbers, broken branches, imbalanced form
MNT339	<i>Acacia auriculiformis</i>	耳果相思	120	3	4	Fair	Poor	Low	No	Retain	-	broken trunk, epicormic trunk
MNT340	<i>Eucalyptus camaldulensis</i>	赤桉	130	8	3	Fair	Poor	Low	No	Retain	-	climbers, broken branches, hangers, crooked trunk
MNT341	<i>Eucalyptus camaldulensis</i>	赤桉	100	8	3	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT342	<i>Ficus hispida</i>	對葉榕	180	12	5	Fair	Poor	Low	No	Retain	-	forked, imbalanced form
MNT343	<i>Mangifera indica</i>	芒果	230	10	4	Fair	Poor	Low	No	Retain	-	multi-trunk, forked, dead branches, insect infestation
MNT344	<i>Chukrasia tabularia</i>	麻楝	250	9	5	Fair	Poor	Low	No	Retain	-	dead branches
MNT345	<i>Rhus succedanea</i>	野漆樹	190	5	5	Fair	Poor	Low	No	Retain	-	multi-trunk, dead branches, imbalanced form, broken branches
MNT346	dead	死樹	240	9	6	-	-	-	No	Retain	-	-
MNT347	<i>Mangifera indica</i>	芒果	230	9	5	Fair	Poor	Low	No	Retain	-	insect infestation
MNT348	<i>Ligustrum sinense</i>	山指甲	100	4	3	Fair	Poor	Low	No	Retain	-	-
MNT349	<i>Ficus hispida</i>	對葉榕	140	5	6	Fair	Poor	Low	No	Retain	-	imbalanced form, climbers, broken branches, leaning
MNT350	<i>Ficus hispida</i>	對葉榕	100	5	4	Fair	Poor	Low	No	Retain	-	multi-trunk, included bark, climbers, imbalanced form

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT351	<i>Ficus hispida</i>	對葉榕	100	4	4	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT352	<i>Macaranga tanarius</i>	血桐	100	4	5	Fair	Poor	Low	No	Retain	-	leaning, imbalanced form, dead branches, broken branches
MNT353	<i>Acacia auriculiformis</i>	耳果相思	130	4	6	Fair	Poor	Low	No	Retain	-	leaning, dead branches, imbalanced form, climbers, crooked trunk, broken branches, hangers
MNT354	<i>Ligustrum sinense</i>	山指甲	100	3	4	Fair	Fair	Low	No	Retain	-	multi-trunk,
MNT356	<i>Eucalyptus camaldulensis</i>	赤桉	100	6	2	Fair	Poor	Low	No	Retain	-	-
MNT357	<i>Acacia auriculiformis</i>	耳果相思	140	6	3	Fair	Poor	Low	No	Retain	-	dead branches
MNT358	<i>Acacia auriculiformis</i>	耳果相思	150	8	3	Fair	Poor	Low	No	Retain	-	broken branches, dead branches
MNT359	<i>Eucalyptus camaldulensis</i>	赤桉	100	5	2	Fair	Poor	Low	No	Retain	-	opened wound, lion tail, epicormic growth
MNT360	<i>Acacia auriculiformis</i>	耳果相思	100	5	2	Fair	Poor	Low	No	Retain	-	-
MNT361	<i>Acacia auriculiformis</i>	耳果相思	180	6	4	Fair	Poor	Low	No	Retain	-	-
MNT362	<i>Diospyros eriantha</i>	烏柿	100	4	2	Poor	Poor	Low	No	Retain	-	hangers, dead branches
MNT363	<i>Rhus succedanea</i>	野漆樹	120	6	5	Fair	Poor	Low	No	Retain	-	decay, opened wound, sapfool
MNT364	<i>Acacia auriculiformis</i>	耳果相思	100	5	4	Fair	Poor	Low	No	Retain	-	-
MNT365	<i>Acacia auriculiformis</i>	耳果相思	140	6	3	Fair	Poor	Low	No	Retain	-	-
MNT366	<i>Litsea glutinosa</i>	潺槁樹	100	5	4	Fair	Poor	Low	No	Retain	-	forked, leaning
MNT367	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	100	6	3	Fair	Poor	Low	No	Retain	-	insect infestation
MNT368	<i>Acacia confusa</i>	台灣相思	290	10	7	Fair	Poor	Low	No	Fell	a, b, c, d, g	vined, leaning, imbalanced form, dead branches
MNT369	<i>Acacia confusa</i>	台灣相思	360	9	8	Fair	Poor	Low	No	Fell	a, b, c, d, g	broken branches, hangers, leaning, imbalanced form

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT370	<i>Acacia auriculiformis</i>	耳果相思	200	7	4	Poor	Poor	Low	No	Fell	a, b, c, g	decay, dead branches, broken branches
MNT371	<i>Acacia confusa</i>	台灣相思	350	8	7	Poor	Poor	Low	No	Fell	a, b, c, g	imbalanced form, vined, dead branches
MNT372	dead	死樹	280	8	5	-	-	-	No	Remove	-	-
MNT373	dead	死樹	380	7	5	-	-	-	No	Remove	-	-
MNT374	dead	死樹	300	8	4	-	-	-	No	Remove	-	-
MNT375	<i>Acacia auriculiformis</i>	耳果相思	280	8	5	Poor	Poor	Low	No	Fell	a, b, c, g	broken trunk, cankers, dead branches, broken branches, hangers, vined
MNT376	<i>Macaranga tanarius</i>	血桐	100	4	5	Fair	Poor	Low	No	Retain	-	vined, multi-trunked
MNT377	<i>Macaranga tanarius</i>	血桐	100	4	4	Fair	Poor	Low	No	Retain	-	vined, dead branches, imbalanced form
MNT378	<i>Acacia auriculiformis</i>	耳果相思	130	6	4	Fair	Poor	Low	No	Retain	-	vined, leaning, imbalanced form, dead branches
MNT379	<i>Acacia auriculiformis</i>	耳果相思	100	7	4	Fair	Poor	Low	No	Retain	-	leaning, dead branches, imbalanced form
MNT380	<i>Acacia confusa</i>	台灣相思	250	9	7	Fair	Poor	Low	No	Retain	-	dead branches, epicormic growth, leaning, imbalanced form, vined
MNT381	<i>Acacia confusa</i>	台灣相思	240	9	8	Fair	Poor	Low	No	Retain	-	broken branches, imbalanced form
MNT382	<i>Acacia auriculiformis</i>	耳果相思	160	9	5	Poor	Poor	Low	No	Retain	-	dead branches, broken branches, imbalanced form, epicormic growth, broken trunk
MNT383	<i>Rhus succedanea</i>	野漆樹	300	6	4	Fair	Poor	Low	No	Retain	-	multi-trunked, dead branches, imbalanced form
MNT384	<i>Acacia auriculiformis</i>	耳果相思	100	4	2	Poor	Poor	Low	No	Retain	-	broken trunk
MNT385	<i>Acacia auriculiformis</i>	耳果相思	390	8	8	Fair	Poor	Low	No	Retain	-	dead branches, multi-trunked, leaning, broken trunk, hangers, imbalanced

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
												form
MNT386	<i>Acacia confusa</i>	台灣相思	100	6	3	Fair	Poor	Low	No	Retain	-	leaning, imbalanced form, dead branches, vined
MNT387	<i>Acacia auriculiformis</i>	耳果相思	400	7	5	Fair	Poor	Low	No	Retain	-	broken branches, imbalanced form, vined, hangers
MNT388	<i>Acacia auriculiformis</i>	耳果相思	290	6	2	Poor	Poor	Low	No	Retain	-	broken trunk, broken branches
MNT389	<i>Acacia confusa</i>	台灣相思	250	8	5	Fair	Poor	Low	No	Retain	-	leaning, imbalanced form, vined, broken branches
MNT390	<i>Acacia auriculiformis</i>	耳果相思	300	8	7	Fair	Poor	Low	No	Retain	-	broken branches, hangers, imbalanced form, dead branches
MNT391	<i>Acacia auriculiformis</i>	耳果相思	150	5	3	Fair	Poor	Low	No	Retain	-	vined, hangers, imbalanced form, dead branches
MNT392	<i>Acacia auriculiformis</i>	耳果相思	400	9	8	Fair	Poor	Low	No	Retain	-	hangers, vined, dead branches
MNT393	<i>Acacia auriculiformis</i>	耳果相思	170	5	3	Poor	Poor	Low	No	Retain	-	hard pruned, vined, epicormic growth
MNT394	<i>Acacia auriculiformis</i>	耳果相思	190	7	4	Fair	Poor	Low	No	Retain	-	broken trunk, broken branches, imbalanced form, vined
MNT395	<i>Acacia auriculiformis</i>	耳果相思	180	5	4	Poor	Poor	Low	No	Retain	-	leaning, broken trunk, imbalanced form
MNT396	dead	死樹	190	5	3	-	-	-	No	Retain	-	-
MNT397	<i>Acacia auriculiformis</i>	耳果相思	270	10	6	Fair	Poor	Low	No	Retain	-	broken branches, heavy vined, imbalanced form, epicormic growth
MNT398	<i>Acacia confusa</i>	台灣相思	370	9	8	Fair	Poor	Low	No	Retain	-	vined, imbalanced form, dead branches
MNT399	<i>Acacia confusa</i>	台灣相思	200	8	5	Fair	Poor	Low	No	Retain	-	imbalanced form, vined, dead branches
MNT400	<i>Acacia auriculiformis</i>	耳果相思	100	7	4	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches
MNT401	dead	死樹	260	5	4	-	-	-	No	Retain	-	-
MNT402	dead	死樹	280	6	6	-	-	-	No	Retain	-	-
MNT403	<i>Acacia</i>	台灣相思	150	5	3	Poor	Poor	Low	No	Retain	-	crooked trunk, heavy

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
	<i>confusa</i>											vined, leaning
MNT404	<i>Acacia auriculiformis</i>	耳果相思	190	7	3	Poor	Poor	Low	No	Retain	-	hard pruned, uprooted
MNT405	<i>Acacia auriculiformis</i>	耳果相思	290	7	5	Poor	Poor	Low	No	Retain	-	hard pruned, uprooted
MNT406	<i>Acacia auriculiformis</i>	耳果相思	300	6	4	Poor	Poor	Low	No	Retain	-	broken branches, epicormic growth, hard pruned, uprooted
MNT407	dead	死樹	240	10	2	-	-	-	No	Retain	-	-
MNT408	<i>Acacia auriculiformis</i>	耳果相思	160	5	2	Poor	Poor	Low	No	Retain	-	hard pruned, uprooted, vined, imbalanced form
MNT409	dead	死樹	100	8	2	-	-	-	No	Retain	-	hard pruned, uprooted
MNT413	<i>Rhus succedanea</i>	野漆樹	170	7	4	Fair	Poor	Low	No	Retain	-	broken branches, imbalanced form, epicormic growth, vined
MNT414	<i>Acacia auriculiformis</i>	耳果相思	150	7	3	Fair	Poor	Low	No	Retain	-	vined, dead branches, imbalanced form
MNT415	<i>Acacia confusa</i>	台灣相思	100	5	2	Fair	Poor	Low	No	Retain	-	leaning, dead branches, imbalanced form
MNT416	<i>Acacia auriculiformis</i>	耳果相思	140	2	2	Poor	Poor	Low	No	Retain	-	uprooted, multi-trunked
MNT417	<i>Acacia auriculiformis</i>	耳果相思	120	3	2	Poor	Poor	Low	No	Retain	-	leaning, multi-trunked
MNT418	<i>Acacia auriculiformis</i>	耳果相思	130	3	2	Poor	Poor	Low	No	Retain	-	broken trunk, epicormic growth
MNT420	<i>Acacia auriculiformis</i>	耳果相思	160	5	2	Poor	Poor	Low	No	Retain	-	dead branches, broken branches, lion tail, imbalanced form
MNT421	<i>Acacia auriculiformis</i>	耳果相思	270	6	3	Poor	Poor	Low	No	Retain	-	multi-trunked, broken trunk, imbalanced form, dead branches
MNT423	<i>Acacia confusa</i>	台灣相思	100	4	2	Fair	Poor	Low	No	Retain	-	epicormic growth, leaning, imbalanced form, dead branches
MNT424	<i>Acacia auriculiformis</i>	耳果相思	200	6	4	Poor	Poor	Low	No	Retain	-	hard pruned, uprooted
MNT425	<i>Acacia auriculiformis</i>	耳果相思	180	7	3	Poor	Poor	Low	No	Retain	-	hard pruned, uprooted

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT426	<i>Acacia auriculiformis</i>	耳果相思	140	5	3	Poor	Poor	Low	No	Retain	-	hard pruned, uprooted, epicormic growth, multi-trunked
MNT427	<i>Acacia auriculiformis</i>	耳果相思	100	7	2	Poor	Poor	Low	No	Retain	-	hard pruned, uprooted
MNT428	<i>Acacia auriculiformis</i>	耳果相思	190	5	4	Fair	Poor	Low	No	Retain	-	dead branches, broken branches, hangers, imbalanced form, growing into chainlink fence
MNT429	<i>Acacia auriculiformis</i>	耳果相思	210	5	4	Fair	Poor	Low	No	Retain	-	dead branches, broken branches, imbalanced form, growing into chainlink fence
MNT430	<i>Acacia auriculiformis</i>	耳果相思	150	3	2	Poor	Poor	Low	No	Retain	-	broken trunk, epicormic growth
MNT431	<i>Acacia auriculiformis</i>	耳果相思	190	4	2	Poor	Poor	Low	No	Retain	-	broken trunk, imbalanced form
MNT432	<i>Acacia auriculiformis</i>	耳果相思	100	4	2	Poor	Poor	Low	No	Retain	-	broken trunk, epicormic growth
MNT433	<i>Acacia auriculiformis</i>	耳果相思	100	5	3	Fair	Poor	Low	No	Retain	-	vined, leaning, imbalanced form, dead branches
MNT434	<i>Acacia auriculiformis</i>	耳果相思	100	5	3	Fair	Poor	Low	No	Retain	-	leaning, epicormic growth, dead branches
MNT435	<i>Acacia auriculiformis</i>	耳果相思	120	6	3	Poor	Poor	Low	No	Retain	-	multi-trunked, leaning, imbalanced form, dead branches, imbalanced form
MNT436	<i>Acacia auriculiformis</i>	耳果相思	100	6	3	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT437	<i>Rhus succedanea</i>	野漆樹	100	7	4	Fair	Poor	Low	No	Retain	-	dead branches, leaning, imbalanced form
MNT438	<i>Acacia auriculiformis</i>	耳果相思	160	8	4	Fair	Poor	Low	No	Retain	-	broken branches, lion tail
MNT439	<i>Acacia auriculiformis</i>	耳果相思	130	9	4	Fair	Poor	Low	No	Retain	-	broken trunk, epicormic growth
MNT440	<i>Acacia auriculiformis</i>	耳果相思	100	3	2	Poor	Poor	Low	No	Retain	-	

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT442	<i>Acacia auriculiformis</i>	耳果相思	200	8	3	Fair	Fair	Low	No	Retain	-	broken trunk, epicormic growth
MNT443	<i>Acacia auriculiformis</i>	耳果相思	100	4	3	Poor	Poor	Low	No	Retain	-	imbalanced form, broken branches
MNT444	<i>Acacia auriculiformis</i>	耳果相思	230	10	5	Fair	Poor	Low	No	Retain	-	dead branches, crooked trunk
MNT445	<i>Acacia auriculiformis</i>	耳果相思	100	8	3	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches
MNT446	<i>Acacia auriculiformis</i>	耳果相思	180	9	5	Fair	Poor	Low	No	Retain	-	multi-trunked, dead branches, hangers, imbalanced form
MNT447	<i>Acacia auriculiformis</i>	耳果相思	240	10	6	Fair	Poor	Low	No	Retain	-	uprooted, broken trunk
MNT448	<i>Acacia auriculiformis</i>	耳果相思	100	6	2	Poor	Poor	Low	No	Retain	-	
MNT451	<i>Acacia auriculiformis</i>	耳果相思	190	8	4	Fair	Poor	Low	No	Retain	-	multi-trunked, dead branches
MNT453	<i>Acacia auriculiformis</i>	耳果相思	100	6	3	Fair	Poor	Low	No	Retain	-	dead branches, hangers, imbalanced form
MNT454	<i>Acacia auriculiformis</i>	耳果相思	200	8	4	Fair	Poor	Low	No	Retain	-	imbalanced form
MNT455	<i>Acacia auriculiformis</i>	耳果相思	160	6	3	Fair	Poor	Low	No	Retain	-	uprooted, broken trunk, imbalanced form, dead branches
MNT456	<i>Acacia auriculiformis</i>	耳果相思	170	5	5	Fair	Poor	Low	No	Retain	-	crooked trunk, uprooted
MNT457	<i>Acacia auriculiformis</i>	耳果相思	100	7	4	Fair	Poor	Low	No	Retain	-	leaning, dead branches, imbalanced form
MNT458	<i>Acacia auriculiformis</i>	耳果相思	250	8	6	Fair	Poor	Low	No	Retain	-	hangers, imbalanced form
MNT459	<i>Acacia auriculiformis</i>	耳果相思	200	9	4	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT460	<i>Acacia auriculiformis</i>	耳果相思	300	10	6	Fair	Poor	Low	No	Retain	-	broken branches, leaning, imbalanced form
MNT461	<i>Acacia auriculiformis</i>	耳果相思	140	9	3	Fair	Poor	Low	No	Retain	-	broken branches, dead branches, hangers, imbalanced form
MNT462	<i>Acacia auriculiformis</i>	耳果相思	290	9	5	Fair	Poor	Low	No	Retain	-	included bark, dead branches

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT463	<i>Acacia auriculiformis</i>	耳果相思	230	8	4	Fair	Poor	Low	No	Retain	-	leaning, broken branches, dead branches
MNT464	<i>Acacia auriculiformis</i>	耳果相思	140	4	2	Poor	Poor	Low	No	Retain	-	uprooted, vined, broken branches, multi-trunked, dead branches
MNT465	<i>Acacia auriculiformis</i>	耳果相思	190	7	4	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches, included bark, broken branches
MNT466	<i>Acacia confusa</i>	台灣相思	160	5	4	Fair	Poor	Low	No	Retain	-	leaning, dead branches, epicormic growth, multi-trunked, cross branches, imbalanced form
MNT467	<i>Acacia auriculiformis</i>	耳果相思	100	5	3	Fair	Poor	Low	No	Retain	-	hard pruned, imbalanced form, dead branches, growing into chain fence
MNT468	<i>Acacia auriculiformis</i>	耳果相思	250	7	7	Fair	Poor	Low	No	Retain	-	imbalanced form, epicormic growth, dead branches
MNT469	<i>Acacia auriculiformis</i>	耳果相思	100	5	3	Fair	Poor	Low	No	Retain	-	multi-trunked, broken branches, dead branches, imbalanced form, growing into chain fence
MNT470	<i>Acacia auriculiformis</i>	耳果相思	100	8	5	Fair	Poor	Low	No	Retain	-	hangers, vined, broken trunk, imbalanced form, leaning
MNT471	<i>Acacia auriculiformis</i>	耳果相思	200	8	3	Fair	Poor	Low	No	Retain	-	multi-trunked, broken branches, imbalanced form, epicormic growth
MNT474	<i>Acacia auriculiformis</i>	耳果相思	210	9	4	Fair	Poor	Low	No	Retain	-	cross branches, multi-trunked, broken branches, hangers
MNT475	<i>Acacia auriculiformis</i>	耳果相思	100	7	3	Fair	Poor	Low	No	Retain	-	multi-trunked, broken trunk, epicormic growth, dead

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
												branches, imbalanced form
MNT476	<i>Acacia auriculiformis</i>	耳果相思	150	7	3	Fair	Poor	Low	No	Retain	-	leaning, broken branches, lion tail
MNT477	<i>Acacia auriculiformis</i>	耳果相思	100	5	3	Fair	Poor	Low	No	Retain	-	leaning, broken branches, dead branches
MNT478	<i>Acacia auriculiformis</i>	耳果相思	100	6	3	Fair	Poor	Low	No	Retain	-	broken branches, imbalanced form, dead branches
MNT479	<i>Acacia auriculiformis</i>	耳果相思	150	4	2	Fair	Poor	Low	No	Retain	-	multi-trunked, epicormic growth, broken trunk, hangers, imbalanced form
MNT481	<i>Acacia auriculiformis</i>	耳果相思	180	8	5	Fair	Poor	Low	No	Retain	-	leaning, multi-trunked, broken branches, dead branches, imbalanced form
MNT482	<i>Acacia auriculiformis</i>	耳果相思	150	6	3	Fair	Poor	Low	No	Retain	-	uprooted, dead branches, hangers
MNT483	<i>Acacia auriculiformis</i>	耳果相思	190	9	5	Fair	Poor	Low	No	Retain	-	leaning, dead branches, imbalanced form
MNT484	<i>Acacia auriculiformis</i>	耳果相思	100	6	3	Poor	Poor	Low	No	Retain	-	dead branches, imbalanced form, hangers
MNT485	<i>Acacia auriculiformis</i>	耳果相思	200	7	3	Fair	Poor	Low	No	Retain	-	uprooted, epicormic growth, dead branches, imbalanced form
MNT486	<i>Acacia auriculiformis</i>	耳果相思	250	9	4	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT487	<i>Acacia auriculiformis</i>	耳果相思	190	9	4	Fair	Poor	Low	No	Retain	-	dead branches, hangers
MNT488	<i>Acacia auriculiformis</i>	耳果相思	180	9	5	Fair	Poor	Low	No	Retain	-	epicormic growth, dead branches
MNT489	<i>Acacia auriculiformis</i>	耳果相思	280	7	6	Fair	Poor	Low	No	Retain	-	uprooted, epicormic growth, dead branches, broken branches
MNT490	<i>Acacia auriculiformis</i>	耳果相思	400	7	5	Fair	Poor	Low	No	Retain	-	multi-trunked, epicormic growth,

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
												dead branches, hangers
MNT491	<i>Acacia auriculiformis</i>	耳果相思	230	8	5	Fair	Poor	Low	No	Retain	-	multi-trunked, included bark, dead branches, epicormic growth, imbalanced form
MNT492	<i>Acacia auriculiformis</i>	耳果相思	300	9	8	Fair	Poor	Low	No	Retain	-	broken branches, dead branches, imbalanced form, hangers
MNT493	<i>Acacia auriculiformis</i>	耳果相思	100	5	3	Fair	Poor	Low	No	Retain	-	broken branches, dead branches, imbalanced form
MNT494	<i>Litsea cubeba</i>	山蒼樹	110	4	4	Fair	Poor	Low	No	Retain	-	imbalanced form, multi-trunked, included bark, dead branches, vined
MNT495	<i>Macaranga tanarius</i>	血桐	260	6	7	Fair	Poor	Low	No	Retain	-	multi-trunked, vined, broken branches, dead branches, imbalanced form, included bark
MNT496	<i>Macaranga tanarius</i>	血桐	290	6	8	Fair	Poor	Low	No	Retain	-	cavity, dead branches, vined, broken branches, multi-trunked, imbalanced form
MNT497	<i>Macaranga tanarius</i>	血桐	170	5	5	Fair	Poor	Low	No	Retain	-	dead branches, vined, imbalanced form
MNT498	<i>Macaranga tanarius</i>	血桐	390	6	9	Fair	Poor	Low	No	Retain	-	multi-trunked, dead branches, hangers, vined, imbalanced form, crooked trunk
MNT499	<i>Macaranga tanarius</i>	血桐	100	4	4	Fair	Poor	Low	No	Retain	-	imbalanced form, dead branches, heavy vined, epicormic growth
MNT500	<i>Macaranga tanarius</i>	血桐	130	7	5	Poor	Poor	Low	No	Retain	-	vined, imbalanced form
MNT501	<i>Acacia auriculiformis</i>	耳果相思	120	8	3	Fair	Poor	Low	No	Retain	-	vined, imbalanced form, dead branches
MNT502	<i>Acacia</i>	耳果相思	100	7	3	Fair	Poor	Low	No	Retain	-	imbalanced form,

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
	<i>auriculiformis</i>											broken branches
MNT503	<i>Acacia auriculiformis</i>	耳果相思	100	6	3	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form
MNT504	<i>Acacia auriculiformis</i>	耳果相思	100	7	3	Fair	Poor	Low	No	Retain	-	dead branches, imbalanced form, broken branches
MNT505	<i>Acacia auriculiformis</i>	耳果相思	100	7	3	Fair	Poor	Low	No	Retain	-	dead branches, broken branches, imbalanced form, epicormic growth
MNT506	<i>Acacia auriculiformis</i>	耳果相思	160	8	4	Fair	Poor	Low	No	Retain	-	multi-trunked, hangers, dead branches, included bark
MNT507	<i>Acacia auriculiformis</i>	耳果相思	300	8	7	Fair	Poor	Low	No	Retain	-	multi-trunked, broken branches, crooked trunk, broken trunk, vined, hangers, imbalanced form, dead branches
MNT508	<i>Acacia auriculiformis</i>	耳果相思	330	12	8	Fair	Poor	Low	No	Retain	-	vined, imbalanced form, broken branches, hangers, dead branches
MNT509	<i>Rhus succedanea</i>	野漆樹	180	7	3	Poor	Poor	Low	No	Retain	-	broken branches, imbalanced form, vined, dead branches
MNT510	<i>Acacia auriculiformis</i>	耳果相思	280	9	7	Fair	Poor	Low	No	Retain	-	hangers, imbalanced form, vined, dead branches, epicormic growth, broken branches
MNT511	<i>Rhus succedanea</i>	野漆樹	130	7	4	Fair	Poor	Low	No	Retain	-	imbalanced form, leaning, dead branches, vined
MNT513	<i>Acacia auriculiformis</i>	耳果相思	100	7	3	Fair	Poor	Low	No	Retain	-	epicormic growth, hangers, dead branches, broken branches, imbalanced form
MNT514	<i>Acacia auriculiformis</i>	耳果相思	100	7	3	Poor	Poor	Low	No	Retain	-	leaning, dead branches

Tree No.	Botanical Name	Chinese Name	DBH* (mm)	Height (m)	Crown Spread (m)	Health Condition (P/F/G)	Tree Form (P/F/G)	Amenity Value (L/M/H)	Suitability for Transplant	Proposed Treatment	Justification**	Remarks
MNT515	<i>Macaranga tanarius</i>	血桐	190	5	6	Fair	Fair	Low	No	Retain	-	vined, dead branches
MNT516	<i>Rhus succedanea</i>	野漆樹	120	5	5	Fair	Poor	Low	No	Retain	-	vined, dead branches, imbalanced form
MNT517	<i>Rhus succedanea</i>	野漆樹	100	4	3	Fair	Poor	Low	No	Retain	-	broken branches, dead branches, vined, imbalanced form
MNT528	<i>Macaranga tanarius</i>	血桐	140	5	5	Fair	Poor	Low	No	Retain	-	crooked trunk, heavy vined, imbalanced form
MNT529	<i>Celtis sinensis</i>	朴樹	100	5	4	Fair	Poor	Low	No	Retain	-	heavy vined, imbalanced form, broken branches
MNT530	<i>Ficus hispida</i>	對葉榕	190	4	4	Poor	Poor	Low	No	Retain	-	heavy vined, multi-trunked, broken branches, imbalanced form, cavity
MNT531	<i>Ficus hispida</i>	對葉榕	270	4	4	Poor	Poor	Low	No	Retain	-	heavy vined, leaning, crooked trunk
MNT532	<i>Ficus hispida</i>	對葉榕	240	4	4	Poor	Poor	Low	No	Retain	-	multi-trunked, heavy vined, imbalanced form, dead branches
MNT533	<i>Ficus hispida</i>	對葉榕	100	4	3	Poor	Poor	Low	No	Retain	-	vined, imbalanced form, dead branches
MNT534	<i>Ficus hispida</i>	對葉榕	100	4	3	Poor	Poor	Low	No	Retain	-	leaning, heavy vined
MNT535	<i>Ficus hispida</i>	對葉榕	130	4	4	Poor	Poor	Low	No	Retain	-	leaning, heavy vined, multi-trunked, dead branches, crooked trunk, epicormic growth

Note: * DBH = Diameter at Breast Height

**Justification for tree felling:

- The tree has unavoidable conflict with the proposed project.
- Tree species of low survival rate or of low amenity potential after transplanting.
- The tree is located on slope. Transplanting will result in anticipated low survival rate.
- The tree is close to hard structure or concrete paving. Transplanting will result in anticipated low survival rate.
- The tree grows in shallow soil bed. Transplanting will result in anticipated low survival rate.
- The tree is in too close proximity of a neighbouring tree to be transplanted.
- The tree has poor tree form and/or in poor health condition.




FIGURE A10.1a

FIGURE A10.1b

Notes

Key to symbols

WORKS LIMIT

BOUNDARY FOR TREE SURVEY

TREE TO BE RETAINED

TREE TO BE FELLED

TREE TO BE REMOVED

Reference drawings

P1	MAR 13	MING	FIRST ISSUE	PK	AFK
Rev	Date	Drawn	Description	Ch'k'd	App'd

Mott MacDonald

20/F Two Landmark East
100 How Ming Street
Kowloon
Hong Kong
T +852 2828 5757
F +852 2827 1823
W www.mottmac.com.hk

Client

Environmental Protection Department
The Government of the Hong Kong
Special Administrative Region

Project

AGREEMENT NO. CE34/2011(EP)
DEVELOPMENT OF ORGANIC WASTE
TREATMENT FACILITIES PHASE 2 -
FEASIBILITY STUDY

Title

TREE SURVEY PLAN -
KEY PLAN

Designed	PK	Eng check	TL
Drawn	MING	Coordination	FY
Dwg check	PK	Approved	AFK
Scale at A1	Status	Rev	
1:500	PRE	P1	

Drawing Number

FIGURE A10.1


© Mott MacDonald Hong Kong Limited

This document should not be relied on or used in circumstances other than those for which it was originally prepared and for which Mott MacDonald Hong Kong Limited was commissioned. Mott MacDonald Hong Kong Limited accepts no responsibility for this document to any other party other than the person by whom it was commissioned.

DATE: 15/03/2013

TIME: 10:52:20

USER: ym42166



LEGEND:

- WORKS LIMIT
- BOUNDARY FOR TREE SURVEY
- TREE TO BE RETAINED
- TREE TO BE FELLED
- TREE TO BE REMOVED

Reference drawings

P1	MAR 13	MING	FIRST ISSUE	PK	AFK
Rev	Date	Drawn	Description	Ch'kd	App'd



20/F Two Landmark East
100 How Ming Street
Kwun Tong, Kowloon
Hong Kong
T +852 2828 5757
F +852 2827 1823
W www.motimac.com.hk

Client	
--------	--



Environmental Protection Department
The Government of the Hong Kong
Special Administrative Region

Project

**AGREEMENT NO. CE34/2011(EP)
DEVELOPMENT OF ORGANIC WASTE
TREATMENT FACILITIES PHASE 2 -
FEASIBILITY STUDY**



[illegible]

**TREE SURVEY PLAN
(SHEET 1 OF 2)**

Designed	PK		Eng check	TL	
Drawn	MING		Coordination	FY	
Dwg check	PK		Approved	AFK	
Scale at A1 1:250		Status PRE		Rev P1	

Drawing Number

FIGURE A10.1a



KEY PLAN

LEGEND:

- WORKS LIMIT
- BOUNDARY FOR TREE SURVEY
- TREE TO BE RETAINED
- TREE TO BE FELLED
- TREE TO BE REMOVED

Reference drawings

P1	MAR 13	MING	FIRST ISSUE	PK	AFK
Rev	Date	Drawn	Description	Ch'k'd	App'd

Mott MacDonald

20/F Two Landmark East
100 How Ming Street
Kowloon
Hong Kong
T +852 2828 5757
F +852 2827 1823
W www.mottmac.com.hk

Client

Environmental Protection Department
The Government of the Hong Kong
Special Administrative Region

Project

**AGREEMENT NO. CE34/2011(EP)
DEVELOPMENT OF ORGANIC WASTE
TREATMENT FACILITIES PHASE 2 -
FEASIBILITY STUDY**

Title

**TREE SURVEY PLAN
(SHEET 2 OF 2)**

Designed	PK	Eng check	TL
Drawn	MING	Coordination	FY
Dwg check	PK	Approved	AFK
Scale at A1	Status	Rev	
1:250	PRE	P1	
Drawing Number	FIGURE A10.1b		