

Appendix 3.13 Operational Phase results (ASR)

Appendix 3.13 - Operational Phase results (ASR)

ASR			Min	Max	ASR name / number														
Pollutant	Location	Height above ground (m)			A1_1	A2_1	A3_1	A4_1	A5_1	A6_1	A7_1	A8_1	A9_1	A10_1	A11_1	A12_1	A13_1	A14_1	A15_1
		Ground level mPD			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NO2	CHP	1 hour	155.0	187.3	187.3	157.4	155.0	173.0	156.8	155.4	157.3	162.7	158.9	155.0	155.0	180.9	155.8	156.3	157.4
		24 hour	78.4	92.3	92.3	83.2	82.1	83.5	82.1	81.2	82.5	80.8	79.3	80.8	82.2	81.1	83.1	87.8	81.8
		Annual	21.0	29.7	29.7	22.9	21.6	24.6	22.7	21.6	24.1	27.1	22.8	21.4	21.7	21.9	22.3	27.2	22.2
	Flare	1 hour	155.0	187.3	187.3	157.4	155.0	173.0	156.8	155.4	157.3	156.7	158.9	155.0	155.0	155.0	155.8	156.3	160.2
RSP (PM10)	CHP+APU	24 hour	121.0	126.9	122.2	121.3	121.1	121.2	121.2	121.1	121.1	121.2	121.0	121.3	126.9	121.4	121.3	121.5	121.3
		Annual	43.0	43.6	43.6	43.1	43.1	43.3	43.1	43.0	43.2	43.4	43.1	43.1	43.5	43.2	43.1	43.4	43.1
		24 hour	121.0	126.7	122.2	121.3	121.1	121.2	121.2	121.1	121.1	121.2	121.0	121.2	126.7	121.4	121.2	121.5	121.3
	Flare+APU	Annual	43.0	43.6	43.6	43.1	43.1	43.3	43.1	43.0	43.2	43.4	43.1	43.1	43.5	43.2	43.1	43.4	43.1
SO2	CHP	1 hour	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9
		24 hour	27.1	27.2	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.2	27.2	27.2	27.2	27.2
		Annual	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
	Flare	1 hour	65.9	66.7	65.9	65.9	65.9	65.9	66.5	65.9	65.9	65.9	65.9	65.9	65.9	65.9	66.3	65.9	65.9
CO	CHP	24 hour	27.1	27.2	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.2	27.2	27.2	27.2	27.2
		Annual	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
		24 hour	27.1	27.9	27.1	27.1	27.2	27.1	27.2	27.4	27.4	27.1	27.1	27.4	27.3	27.9	27.2	27.7	27.2
	Flare	Annual	6.5	6.6	6.6	6.6	6.5	6.6	6.6	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
TSP (Dust)	CHP	1 hour	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1
		8 hour	1458.7	1461.3	1458.7	1458.7	1458.7	1458.8	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1461.3	1458.7	1458.7
		24 hour	2278.1	2280.4	2279.3	2280.0	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1
	Flare	Annual	1458.7	1461.1	1459.1	1459.2	1458.7	1458.7	1458.7	1460.6	1458.7	1458.7	1458.7	1460.5	1458.7	1458.7	1458.9	1458.7	1458.7
Odour	APU	1 hour	68.0	206.3	74.8	72.2	76.0	94.3	68.5	68.0	76.2	87.0	76.5	76.5	206.3	177.6	86.4	87.6	81.8
		24 hour	68.0	89.0	69.0	68.4	69.3	69.7	68.1	68.0	70.0	68.8	69.0	69.7	88.3	77.7	70.1	70.5	71.9
		Annual	68.0	68.9	68.1	68.0	68.1	68.2	68.0	68.0	68.1	68.0	68.1	68.1	68.8	68.2	68.1	68.1	68.1
	APU	5 second	0.00000	0.00159	0.0001	0.0001	0.0001	0.0003	0.0000	0.0000	0.0001	0.0002	0.0001	0.0001	0.0016	0.0013	0.0002	0.0002	0.0002
VOC	CHP+APU	1 hour	11.0	9423.2	466.9	285.6	546.4	1793.5	37.6	11.0	564.4	1300.9	580.1	581.7	9423.2	7469.3	1255.5	1337.7	939.3
	Flare+APU	1 hour	2.5	9402.5	465.4	283.7	544.1	1787.5	33.0	2.5	558.4	1294.9	577.5	579.6	9402.5	7452.7	1252.4	1330.0	935.7
HCI	CHP	1 hour	0.3	5.8	1.7	1.9	1.9	1.7	1.2	0.7	1.0	1.0	1.2	1.2	5.8	5.0	3.8	1.8	1.8
		Annual	0.0009	0.0194	0.007	0.007	0.008	0.017	0.008	0.001	0.016	0.008	0.005	0.006	0.017	0.010	0.005	0.004	0.011
		24 hour	0.4	3.6	1.0	1.3	1.5	0.9	1.5	1.2	1.4	1.0	0.6	1.6	3.6	1.5	1.3	1.1	1.8
	Flare	Annual	0.0030	0.0305	0.014	0.020	0.009	0.014	0.022	0.006	0.013	0.008	0.005	0.005	0.012	0.007	0.003	0.004	0.008
HF	CHP	1 hour	0.03	0.58	0.17	0.19	0.19	0.17	0.12	0.07	0.10	0.10	0.12	0.12	0.58	0.49	0.37	0.18	0.18
		Annual	0.00009	0.00193	0.0007	0.0007	0.0008	0.0017	0.0008	0.0001	0.0016	0.0008	0.0005	0.0006	0.0017	0.0010	0.0005	0.0004	0.0011
		24 hour	0.0	0.36	0.10	0.13	0.15	0.09	0.15	0.12	0.14	0.10	0.06	0.16	0.36	0.15	0.13	0.11	0.18
	Flare	Annual	0.00030	0.00307	0.0014	0.0021	0.0009	0.0014	0.0022	0.0006	0.0013	0.0009	0.0005	0.0005	0.0012	0.0007	0.0003	0.0004	0.0008

Appendix 3.13 - Operational Phase results (ASR)

ASR			Min	Max	ASR name / number															
Pollutant	Location	Height above ground (m)			A16_1	A17_1	A18_1	A19_1	A1_2	A2_2	A3_2	A4_2	A5_2	A6_2	A7_2	A8_2	A9_2	A10_2	A11_2	A12_2
		Ground level mPD			16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
NO2	CHP	1 hour	155.0	187.3	160.2	181.5	155.0	155.0	186.6	157.3	155.0	172.3	156.8	155.4	157.1	157.1	158.3	155.0	155.0	179.3
		24 hour	78.4	92.3	87.1	88.8	78.5	79.7	90.5	83.1	82.1	83.4	81.9	81.3	82.4	80.4	79.3	80.8	82.2	81.1
		Annual	21.0	29.7	24.6	27.5	27.4	27.4	28.3	22.8	21.6	24.5	22.7	21.6	23.7	24.4	22.8	21.4	21.7	21.8
	Flare	1 hour	155.0	187.3	160.2	181.5	155.0	155.0	186.6	157.3	155.0	172.3	156.8	155.4	157.1	156.7	158.3	155.0	155.0	155.0
		24 hour	78.4	92.3	87.1	88.9	78.5	79.7	90.5	83.2	81.6	83.4	82.5	81.5	82.0	80.4	79.3	80.9	80.9	82.4
		Annual	20.9	29.6	24.5	27.4	27.1	27.4	28.2	22.9	21.4	23.9	22.6	21.6	23.2	24.2	22.6	21.2	21.2	21.6
RSP (PM10)	CHP+APU	24 hour	121.0	126.9	121.6	121.7	121.1	121.1	121.9	121.2	121.1	121.2	121.2	121.1	121.1	121.1	121.0	121.3	126.9	121.4
		Annual	43.0	43.6	43.2	43.4	43.5	43.4	43.5	43.1	43.1	43.3	43.1	43.0	43.2	43.2	43.1	43.1	43.5	43.2
	Flare+APU	24 hour	121.0	126.7	121.6	121.7	121.1	121.1	121.9	121.2	121.1	121.2	121.2	121.1	121.1	121.1	121.0	121.3	126.7	121.4
		Annual	43.0	43.6	43.2	43.4	43.5	43.4	43.5	43.1	43.1	43.3	43.1	43.0	43.2	43.2	43.1	43.1	43.5	43.2
SO2	CHP	1 hour	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9
		24 hour	27.1	27.2	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.2	27.2
		Annual	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
	Flare	1 hour	65.9	66.7	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	66.5	65.9	65.9	65.9	65.9	65.9	65.9
		24 hour	27.1	27.9	27.1	27.2	27.2	27.1	27.1	27.1	27.2	27.1	27.2	27.4	27.4	27.1	27.1	27.4	27.3	27.9
		Annual	6.5	6.6	6.5	6.6	6.5	6.5	6.6	6.6	6.5	6.6	6.6	6.5	6.5	6.5	6.5	6.5	6.5	6.5
CO	CHP	1 hour	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1
		8 hour	1458.7	1461.3	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.8	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7
	Flare	1 hour	2278.1	2280.4	2278.1	2278.1	2278.1	2279.4	2280.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1
		8 hour	1458.7	1461.1	1458.7	1459.3	1459.2	1458.7	1459.1	1459.2	1458.7	1458.7	1458.7	1460.7	1458.7	1458.7	1458.7	1460.5	1458.7	1458.7
TSP (Dust)	APU	1 hour	68.0	206.3	78.9	89.6	102.2	81.7	74.9	72.3	76.1	96.2	69.1	68.0	77.7	88.1	76.6	76.6	204.0	175.4
		24 hour	68.0	89.0	68.5	68.9	70.2	68.7	69.1	68.4	69.3	69.8	68.1	68.0	70.3	68.8	69.0	69.7	88.4	77.6
		Annual	68.0	68.9	68.0	68.1	68.2	68.0	68.1	68.0	68.1	68.2	68.0	68.0	68.1	68.0	68.1	68.1	68.8	68.2
Odour	APU	5 second	0.00000	0.00159	0.0001	0.0003	0.0004	0.0002	0.0001	0.0001	0.0001	0.0003	0.0000	0.0000	0.0001	0.0002	0.0001	0.0001	0.0016	0.0012
VOC	CHP+APU	1 hour	11.0	9423.2	743.7	1474.2	2332.2	934.6	467.6	297.6	552.5	1921.9	78.2	13.9	662.7	1375.0	587.8	586.8	9272.3	7319.4
	Flare+APU	1 hour	2.5	9402.5	742.1	1470.0	2326.8	932.8	466.0	295.7	550.3	1915.8	72.8	2.6	656.6	1369.0	585.2	584.4	9251.9	7303.1
HCI	CHP	1 hour	0.3	5.8	0.6	2.6	1.4	0.3	1.7	2.0	2.0	1.7	1.6	0.9	1.1	1.0	1.2	1.2	5.7	4.9
		Annual	0.0009	0.0194	0.002	0.008	0.010	0.002	0.008	0.007	0.008	0.018	0.010	0.001	0.017	0.008	0.005	0.006	0.018	0.010
	Flare	1 hour	0.4	3.6	0.5	1.2	0.7	0.4	1.0	1.3	1.6	1.0	1.8	1.2	1.4	1.0	0.6	1.6	3.5	1.5
		Annual	0.0030	0.0305	0.004	0.016	0.011	0.003	0.014	0.021	0.009	0.014	0.024	0.006	0.013	0.009	0.005	0.005	0.012	0.007
HF	CHP	1 hour	0.03	0.58	0.06	0.26	0.14	0.03	0.17	0.20	0.20	0.17	0.16	0.09	0.11	0.10	0.12	0.12	0.57	0.48
		Annual	0.00009	0.00193	0.0002	0.0008	0.0010	0.0002	0.0008	0.0007	0.0008	0.0018	0.0010	0.0001	0.0017	0.0008	0.0005	0.0006	0.0018	0.0010
	Flare	1 hour	0.0	0.36	0.05	0.12	0.07	0.04	0.10	0.14	0.16	0.10	0.18	0.13	0.15	0.10	0.06	0.16	0.36	0.15
		Annual	0.00030	0.00307	0.0004	0.0016	0.0011	0.0003	0.0014	0.0021	0.0009	0.0015	0.0024	0.0006	0.0013	0.0009	0.0005	0.0005	0.0012	0.0007

Appendix 3.13 - Operational Phase results (ASR)

ASR			Min	Max	ASR name / number																
Pollutant	Location	Height above ground (m)			A13_2	A14_2	A15_2	A16_2	A17_2	A18_2	A19_2	A1_3	A2_3	A3_3	A4_3	A5_3	A6_3	A7_3	A8_3	A9_3	
		Ground level mPD			32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	
NO2	CHP	1 hour	155.0	187.3	155.6	155.4	157.3	157.9	169.5	155.0	155.0	184.8	157.0	155.0	169.8	156.7	155.4	156.8	156.5	156.4	
		24 hour	78.4	92.3	82.9	83.1	81.8	86.2	86.7	78.5	79.6	86.5	82.9	82.1	83.0	81.5	81.7	82.3	80.0	79.2	
		Annual	21.0	29.7	22.0	22.1	22.0	24.0	26.1	27.1	27.0	25.6	22.7	21.6	24.2	22.7	21.5	23.1	22.8	22.6	
	Flare	1 hour	155.0	187.3	155.6	155.4	160.2	157.9	169.5	155.0	155.0	184.8	157.0	155.0	169.8	156.7	155.4	156.8	156.5	156.4	
		24 hour	78.4	92.3	82.1	83.9	79.9	86.2	86.7	78.5	79.6	86.5	82.9	81.5	83.0	82.3	81.4	81.8	80.0	79.2	
		Annual	20.9	29.6	21.9	22.0	21.7	24.0	26.0	26.8	26.9	25.5	22.8	21.4	23.6	22.4	21.5	22.4	22.6	22.5	
RSP (PM10)	CHP+APU	24 hour	121.0	126.9	121.3	121.2	121.3	121.5	121.4	121.1	121.1	121.4	121.2	121.1	121.2	121.1	121.0	121.1	121.0	121.0	
	Annual	43.0	43.6	43.1	43.1	43.1	43.2	43.3	43.5	43.4	43.3	43.1	43.1	43.3	43.1	43.0	43.2	43.1	43.1		
	Flare+APU	24 hour	121.0	126.7	121.2	121.2	121.3	121.5	121.4	121.1	121.1	121.4	121.2	121.1	121.2	121.1	121.1	121.1	121.0	121.0	
	Annual	43.0	43.6	43.1	43.1	43.1	43.2	43.3	43.5	43.4	43.3	43.1	43.1	43.3	43.1	43.0	43.2	43.1	43.1		
SO2	CHP	1 hour	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	
		24 hour	27.1	27.2	27.2	27.2	27.2	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	
		Annual	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	
	Flare	1 hour	65.9	66.7	66.3	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	66.7	65.9	65.9	65.9	
		24 hour	27.1	27.9	27.2	27.7	27.2	27.2	27.2	27.2	27.1	27.1	27.1	27.2	27.1	27.3	27.4	27.4	27.1	27.1	
		Annual	6.5	6.6	6.5	6.5	6.5	6.5	6.6	6.5	6.5	6.6	6.6	6.5	6.6	6.6	6.5	6.6	6.5	6.5	
CO	CHP	1 hour	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	
		8 hour	1458.7	1461.3	1461.3	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.7	1458.8	1458.8	1458.7	1458.7	1458.7	1458.7	
	Flare	1 hour	2278.1	2280.4	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2279.4	2280.4	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	
		8 hour	1458.7	1461.1	1458.9	1458.7	1458.7	1458.7	1459.4	1459.2	1458.7	1459.1	1459.3	1458.7	1458.7	1458.7	1461.1	1458.7	1458.7	1458.7	
TSP (Dust)	APU	1 hour	68.0	206.3	86.3	89.0	83.0	81.6	90.5	102.2	82.3	74.9	72.9	76.6	101.7	72.1	68.1	82.5	91.6	77.0	
		24 hour	68.0	89.0	70.1	70.6	72.4	68.6	69.0	70.3	68.7	69.2	68.7	69.4	70.0	68.6	68.0	71.3	69.0	69.0	
		Annual	68.0	68.9	68.1	68.1	68.1	68.0	68.1	68.2	68.0	68.1	68.0	68.1	68.2	68.0	68.0	68.1	68.1	68.1	
Odour	APU	5 second	0.00000	0.00159	0.0002	0.0002	0.0002	0.0002	0.0003	0.0004	0.0002	0.0001	0.0001	0.0001	0.0004	0.0001	0.0000	0.0002	0.0003	0.0001	
VOC	CHP+APU	1 hour	11.0	9423.2	1251.5	1436.8	1027.0	927.4	1535.3	2331.1	977.7	469.8	336.9	588.7	2299.1	284.7	23.3	991.0	1609.8	612.8	
	Flare+APU	1 hour	2.5	9402.5	1245.5	1429.1	1019.2	925.7	1531.0	2325.7	975.8	468.3	334.9	581.6	2292.6	276.4	6.2	984.3	1603.6	610.1	
HCI	CHP	1 hour	0.3	5.8	3.8	1.8	2.0	0.6	2.6	1.4	0.3	1.8	2.3	2.3	1.8	2.7	1.6	1.4	1.0	1.3	
		Annual	0.0009	0.0194	0.005	0.004	0.011	0.003	0.009	0.010	0.002	0.009	0.009	0.009	0.019	0.016	0.003	0.019	0.009	0.005	
	Flare	1 hour	0.4	3.6	1.2	1.1	1.8	0.5	1.2	0.7	0.4	1.0	1.5	1.9	1.1	2.5	1.5	1.6	1.0	0.7	
		Annual	0.0030	0.0305	0.003	0.004	0.008	0.005	0.016	0.011	0.003	0.014	0.024	0.010	0.016	0.030	0.007	0.014	0.009	0.005	
HF	CHP	1 hour	0.03	0.58	0.37	0.18	0.19	0.06	0.26	0.14	0.03	0.18	0.23	0.23	0.18	0.27	0.15	0.14	0.10	0.12	
		Annual	0.00009	0.00193	0.0005	0.0004	0.0011	0.0003	0.0009	0.0010	0.0002	0.0009	0.0009	0.0009	0.0019	0.0016	0.0003	0.0019	0.0008	0.0005	
	Flare	1 hour	0.0	0.36	0.13	0.11	0.18	0.05	0.12	0.07	0.04	0.11	0.15	0.19	0.11	0.25	0.15	0.17	0.11	0.07	
		Annual	0.00030	0.00307	0.0003	0.0004	0.0008	0.0005	0.0016	0.0011	0.0003	0.0014	0.0024	0.0010	0.0016	0.0031	0.0007	0.0014	0.0009	0.0005	

Appendix 3.13 - Operational Phase results (ASR)

ASR			Min	Max	ASR name / number													
Pollutant	Location	Height above ground (m)			A10_3	A11_3	A12_3	A13_3	A14_3	A15_3	A16_3	A17_3	A18_3	A19_3	A11_4	A12_4	A13_4	A14_4
		Ground level mPD			48	49	50	51	52	53	54	55	56	57	58	59	60	61
NO2	CHP	1 hour	155.0	187.3	155.0	155.0	174.2	155.3	155.0	157.2	156.8	157.4	155.0	155.0	155.8	166.3	155.2	155.0
		24 hour	78.4	92.3	80.8	82.1	81.0	82.2	81.5	81.7	85.0	84.3	78.4	79.5	81.9	80.8	81.6	81.0
		Annual	21.0	29.7	21.4	21.7	21.6	21.6	21.1	21.9	23.4	24.9	26.2	25.7	21.7	21.4	21.2	21.0
	Flare	1 hour	155.0	187.3	155.0	155.0	155.0	155.3	155.0	160.1	156.8	157.4	155.0	155.0	155.0	155.0	155.2	155.0
		24 hour	78.4	92.3	80.9	80.8	82.3	81.5	82.2	79.9	85.0	84.4	78.4	79.5	80.7	82.2	80.9	81.7
		Annual	20.9	29.6	21.2	21.2	21.4	21.4	21.0	21.6	23.4	24.8	25.9	25.7	21.1	21.2	21.1	20.9
RSP (PM10)	CHP+APU	24 hour	121.0	126.9	121.4	126.8	121.4	121.4	121.1	121.3	121.4	121.3	121.0	121.1	126.6	121.4	121.6	121.1
		Annual	43.0	43.6	43.1	43.5	43.2	43.1	43.1	43.1	43.2	43.3	43.5	43.3	43.6	43.2	43.1	43.1
	Flare+APU	24 hour	121.0	126.7	121.3	126.6	121.4	121.3	121.1	121.3	121.4	121.3	121.0	121.1	126.4	121.3	121.5	121.1
		Annual	43.0	43.6	43.1	43.5	43.2	43.1	43.0	43.1	43.2	43.3	43.4	43.3	43.5	43.2	43.1	43.0
SO2	CHP	1 hour	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9
		24 hour	27.1	27.2	27.1	27.2	27.2	27.2	27.2	27.2	27.1	27.1	27.1	27.1	27.2	27.2	27.2	27.2
		Annual	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
	Flare	1 hour	65.9	66.7	65.9	65.9	65.9	66.3	65.9	65.9	65.9	65.9	65.9	65.9	65.9	65.9	66.3	65.9
		24 hour	27.1	27.9	27.5	27.3	27.9	27.2	27.6	27.2	27.2	27.2	27.2	27.2	27.3	27.8	27.2	27.6
		Annual	6.5	6.6	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.6	6.5	6.5	6.5	6.5	6.5	6.5
CO	CHP	1 hour	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1
		8 hour	1458.7	1461.3	1458.7	1458.7	1458.7	1461.3	1458.7	1458.7	1458.7	1458.7	1458.8	1458.7	1458.7	1458.7	1461.3	1458.7
	Flare	1 hour	2278.1	2280.4	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1	2278.1
		8 hour	1458.7	1461.1	1460.7	1458.7	1458.7	1458.9	1458.7	1458.7	1458.7	1459.4	1459.2	1458.7	1458.7	1458.7	1458.9	1458.7
TSP (Dust)	APU	1 hour	68.0	206.3	80.0	196.3	178.0	90.4	93.5	86.6	85.2	91.6	102.1	84.3	194.2	178.2	96.9	100.1
		24 hour	68.0	89.0	69.8	88.9	77.1	70.4	70.9	73.0	68.8	69.2	70.4	68.7	89.0	76.4	70.9	71.3
		Annual	68.0	68.9	68.1	68.8	68.2	68.1	68.1	68.1	68.0	68.1	68.2	68.0	68.9	68.3	68.1	68.1
Odour	APU	5 second	0.00000	0.00159	0.0001	0.0015	0.0013	0.0003	0.0003	0.0002	0.0002	0.0003	0.0004	0.0002	0.0015	0.0013	0.0003	0.0004
VOC	CHP+APU	1 hour	11.0	9423.2	823.2	8747.2	7502.6	1530.0	1743.3	1271.4	1169.6	1606.2	2325.8	1113.4	8603.4	7509.0	1971.0	2187.5
	Flare+APU	1 hour	2.5	9402.5	816.9	8727.9	7483.1	1522.3	1735.7	1263.5	1167.5	1601.8	2320.3	1111.3	8583.7	7491.1	1962.5	2179.8
HCI	CHP	1 hour	0.3	5.8	1.5	5.3	4.6	3.8	1.9	2.1	0.6	2.6	1.4	0.3	4.7	4.2	3.7	2.1
		Annual	0.0009	0.0194	0.007	0.018	0.009	0.005	0.004	0.011	0.003	0.009	0.011	0.002	0.018	0.009	0.005	0.004
	Flare	1 hour	0.4	3.6	1.7	3.3	1.4	1.2	1.0	1.9	0.5	1.2	0.7	0.4	2.9	1.3	1.1	1.0
		Annual	0.0030	0.0305	0.005	0.012	0.008	0.003	0.003	0.008	0.005	0.017	0.011	0.003	0.010	0.008	0.003	0.003
HF	CHP	1 hour	0.03	0.58	0.14	0.53	0.46	0.37	0.19	0.21	0.06	0.25	0.14	0.03	0.47	0.41	0.37	0.21
		Annual	0.00009	0.00193	0.0007	0.0018	0.0009	0.0005	0.0004	0.0011	0.0003	0.0009	0.0011	0.0002	0.0018	0.0009	0.0005	0.0004
	Flare	1 hour	0.0	0.36	0.17	0.33	0.14	0.12	0.10	0.19	0.06	0.12	0.07	0.04	0.29	0.14	0.11	0.10
		Annual	0.00030	0.00307	0.0005	0.0012	0.0008	0.0003	0.0004	0.0008	0.0005	0.0017	0.0011	0.0003	0.0010	0.0008	0.0003	0.0003