



Incorporated in Japan
with limited liability

UNIT 601, 6/F, KERRY CENTRE,
683 KING'S ROAD, QUARRY BAY,
HONG KONG
TEL: (852) 2833 1088
FAX: (825) 2572 4080

YOUR REF.

OUR REF. ATCL/502/S/3.06/10.08/L/00245

2 April 2026

By Hand

The EIA Ordinance Register Office
27th Floor, South Centre,
130 Hennessy Road,
Wan Chai, Hong Kong

Dear Sir / Madam,

Contract No. C24W08
Airport Tung Chung Link
Submission of Updated Construction Noise Management Plan (CNMP)

On behalf of our client, Airport Authority Hong Kong, we would like to submit herewith 3 hard copies and 1 electronic copy of the Updated Construction Noise Management Plan (CNMP) in accordance with Condition 2.12 of the Environmental Permit (Permit Number: EP-630/2023/A) of the Airport Tung Chung Link Project.

The Updated Construction Noise Management Plan was prepared and checked by a Certified Noise Modelling Professional, recognised by the Hong Kong Institute of Qualified Environmental Professionals Limited (HKIQEP). The Updated Construction Noise Management Plan was also certified by Environmental Team (ET) and verified by Independent Environmental Checker (IEC), in accordance with 2.2 of the Environmental Permit (Permit Number: EP-630/2023/A).

Should you have any queries, please contact our Ms. Iris Ho at 6469 3189

Yours faithfully,
For and on behalf of
Penta-Ocean Construction Co., Ltd



Hiroshi Fujimoto
Project Manager

WL/GC/ih
WL/GC/ih

c.c.

AAHK – Lawrence Tsui (by email – lawrence.tsui@hkairport.com)
Mott MacDonald (ET) – Thomas Chan (by email – thomas.chan@mottmac.com)
AECOM (IEC) – Lemon Lam (by email - lemon.lam@aecom.com)

Your Ref: -
Our Ref: 60743142/C/LLMC2604021

By Email

Capital Works Management Department
Level 6, HKIA Tower 2,
15 Cheong Tat Road,
Hong Kong International Airport,
Lantau, Hong Kong

Mr. Lawrence Tsui (Authority's Representative's Delegate)

2 April 2026

Dear Sir,

**Contract C24C03 – Independent Environmental Checker Consultancy Services for
Airport Tung Chung Link
Construction Noise Management Plan (Ref: RT25358-AC-01E)**

Reference is made to the Contractor's submission of the Construction Noise Management Plan (Ref: RT25358-AC-01E) in accordance with Conditions 2.12 of EP-630/2023/A of the Project, certified by the ET Leader on 2 April 2026.

We would like to inform you that we have verified on the captioned submission in accordance with the requirement stipulated in Condition 1.9 of EP-630/2023/A.

Should you have any queries, please feel free to contact the undersigned at 3856 5680.

Yours faithfully,
AECOM Asia Co. Ltd.



Lemon Lam
Independent Environmental Checker

**This Construction Noise Management Plan for
Airport Tung Chung Link Project (Ref: RT25358-AC-01E)**

dated 1 April 2026

has been reviewed and certified by

the Environmental Team Leader (ETL) in accordance with

Conditions 1.9 and 2.12 of Environmental Permit No. EP-630/2023/A.

Certified by:



Ir Chan, Thomas
Environmental Team Leader (ETL)
Mott MacDonald Hong Kong Limited

Date

2 April 2026

Contract C24W08 – Airport Tung Chung Link

Document Title: Construction Noise Management Plan

	Section	Comments	Responses
1.	Table 7.2	(i) Please revise “Crawler Crane” to “ Mobile Crane ” to tally with the QPME label (ii) Please correct the typo in note to “ Tung Chung Central Station”.	Revised accordingly.
2.	Appendix B	Please revise “Crawler Crane” to “ Mobile Crane ” for CNP048 to tally with the GW-TM.	Revised accordingly.
3.	Appendix F	Please update the column “Period” to tally with the concerned construction period covered by this CNMP.	Revised accordingly.

Contract C24W08 – Airport Tung Chung Link

Document Title: Construction Noise Management Plan

	Section	Comments	Responses
1.	Appendix C – Note 3	Please check the source of the height of the barrier. The stated Appendix 3.7 of Approved EIA of Tung Chung Line Extension is “Hourly Composite Vehicular Emission Factor”.	The referenced EIA is currently considered the best available information on the height of the barrier.
2.	Appendix C – Note 3	Last sentence – Please check if “site A” should be revise as “site A and B”.	Revised accordingly.
3.	Appendix D	Please indicate the source of the first drawings.	The source of the drawing reference to harrier of barrier has been added.
4.	Appendix D	Refer to NCO TM on noise from construction works other than percussive piling, “In cases where the Authority considers that all items of PME to be used on the construction site will be totally screened by a substantial barrier such that none will be visible when viewed from any window, door or other opening in any facade of the NSR, a negative correction of 10 dB(A) shall be applied to the PNL obtained in Step 9.” In Appendix D, the drawings only demonstrate the barrier can screen the PME at notional location. Please review if the existing noise barrier / structure can fully screen the whole site area such that 10dB reduction can be justified. If not, please consider deploying barriers at the location not screened by existing noise barrier / structure.	-5 dB(A) has been adopted for at N03 for Site B.
5.	Appendix D	Drawings for N05 and N06 are not found. Please review.	As mentioned in the revised notes in Appendix C, since there are existing buildings located in front of N05 and N06, and that the building height of these existing buildings are higher than N5 and N06, the direct line-of-sight at N05 and N06 are confirmed to be blocked. Section drawings are considered not necessary.

Contract C24W08 – Airport Tung Chung Link

	Section	Comments	Responses
6.	Table 7.1	Please check the exceedance of N09.	Table 7.1 has been revised.
7.	Appendix D	Please supplement the drawing for N05 and N06 in Appendix D to demonstrate the direct line-of-sight of respective works areas mentioned in Appendix C page 1 Note [4] and page 2 [3].	As mentioned in the revised notes in Appendix C, since there are existing buildings located in front of N05 and N06, and that the building height of these existing buildings are higher than N5 and N06, the direct line-of-sight at N05 and N06 are confirmed to be blocked. Section drawings are considered not necessary.
8.	Appendix D	Please review if Work Area Site B can be totally screened by the stated noise barrier, especially the portion near the Tung Chung waterfront road.	-5 dB(A) has been adopted for at N03 for Site B.
9.	Appendix F page 1 – Note 3	Last sentence – Please check if “site A” should be revise as “site A and B”.	Revised accordingly.
10	Appendix G	Please review if adoption of Quieter type saw still applicable to “TCCS”.	Revised accordingly.

AIRPORT TUNG CHUNG LINK

CONSTRUCTION NOISE MANAGEMENT PLAN

1 April 2026

Ref: RT25358-AC-01E

Prepared by:

BeeXergy Consulting Limited (BXG)
in association with
Penta-Ocean Construction Co., Ltd

Prepared and Checked By:



Chuh Augustine Harmony
Certified Noise Modelling Professional
HKIQEP Membership No.: PM0506

Approved by



FS Cheung
Acoustic Expert, FHKIOA
HKIOA Membership No.: 008

Disclaimer:

-
- This report is prepared and checked by acoustic professional including at least one Certified Noise Modelling Professional as recognised by the Hong Kong Institute of Qualified Environmental Professional Limited or other professional as agreed by the Director. This report is prepared in association with Penta-Ocean Construction Co., Ltd with all reasonable skill to the best of our knowledge, incorporating our Terms and Conditions and taking account of the resources devoted to it by agreement with the client.
 - We disclaim any responsibility to the client and others in respect of any matters outside the project scope.
 - This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies upon the report at their own risk.
-

TABLE OF CONTENT

1.	INTRODUCTION	1
2.	ENVIRONMENTAL LEGISLATION.....	1
3.	NOISE CRITERIA	2
4.	ASSESSMENT METHODOLOGY	2
5.	CONSTRUCTION PROGRAMME.....	2
6.	IDENTIFICATION OF NOISE SENSITIVE RECEIVERS.....	3
7.	CONSTRUCTION NOISE IMPACT ASSESSMENT	3
8.	GOOD SITE PRACTICES	7
9.	CONCLUSION.....	7
	FIGURE 6.1: PROJECT LOCATION.....	8
	FIGURE 6.2: NSR LOCATION.....	9
	APPENDIX A: CONSTRUCTION PROGRAMME	10
	APPENDIX B: PROPOSED CONSTRUCTION PLANT INVENTORY	11
	APPENDIX C: CONSTRUCTION NOISE CALCULATIONS (UNMITIGATED)	12
	APPENDIX D: REFERENCE TO EXISTING NOISE BARRIER AND SECTION DRAWING OF EXISTING STRUCTURES/BARRIERS	13
	APPENDIX E: CATALOGUE AND SECTION DRAWING OF NOISE BARRIER.....	14
	APPENDIX F: CONSTRUCTION NOISE CALCULATIONS (MITIGATED)	15
	APPENDIX G: IMPLEMENTATION SCHEDULE OF PROPOSED MITIGATION MEASURES	16
	APPENDIX H: EXTRACTED CNMP FOR TUNG CHUNG LINE EXTENSION PROJECT SUBMISSIONS UNDER EP-614/2022	17

1. INTRODUCTION

The EIA Report for Airport Tung Chung Link Project (the ATCL Project) (AEIAR-254/2023) was approved on 26 October 2023. The latest Environmental Permit (EP) (EP-630/2023/A) was issued on 1 December 2025. According to Clause 2.12 of the EP, the Permit Holder shall submit a Construction Noise Management Plan (CNMP) for implementing construction noise mitigation measures no later than 2 months before the commencement of construction works of the Project to the Director of Environmental Protection (DEP).

As stipulated in Clause 2.12 of the EP, 3 hard copies and 1 electronic copy of the CNMP shall, no later than 2 months before the commencement of construction works of the Project, be deposited with the DEP. If there is any change to the construction noise mitigation measures and/or plant inventory recommended in the submitted CNMP, 3 hard copies and 1 electronic copy of an updated CNMP shall, no later than 1 month before the implementation of any such change, be deposited with the DEP. The CNMP and updated CNMP shall identify the noise source inventory and assess the effectiveness of construction noise mitigation measures, including the use of quieter powered mechanical equipment, quieter construction methods, noise barriers, enclosures and insulation fabric as recommended in the approved EIA Report (Register No. AEIAR-254/2023) for mitigating the construction noise impact of the Project. The CNMP and updated CNMP shall include an implementation schedule in table form to clearly list out the mitigation measures to be implemented, and the implementation party, location, timing, and environmental performance required for implementation of the mitigation measures. The CNMP and updated CNMP shall be prepared and checked by a Certified Noise Modelling Professional as recognized by the Hong Kong Institute of Qualified Environmental Professionals Limited or other professional as agreed by the Director, certified by the ET Leader and verified by the IEC as conforming to the relevant information and recommendations of the approved EIA Report (Register No. AEIAR-254/2023). All mitigation measures recommended and requirements specified in the CNMP and the updated CNMP shall be fully implemented.

This CNMP will be regularly reviewed and updated to reflect any changes in construction work or site arrangements, ensuring continuous compliance. This CNMP focused on the construction works conducted during Feb 2026 to May 2026 only and the remaining construction period is still under planning and subject to change. The Contractor will submit other CNMP for the remaining construction period once the details become available. If there is any update on the construction works conducted from Feb 2026 to May 2026, a revised CNMP will be submitted to the EPD.

2. ENVIRONMENTAL LEGISLATION

The Noise Control Ordinance (NCO) (Cap. 400) provides the statutory framework for noise control. The Environmental Impact Assessment Ordinance (EIAO) (Cap. 499) provides the framework for assessment of the noise impact for designated projects

Reference to the EIAO and the relevant technical memoranda has been made for the assessment of noise impacts. Annexes 5 and 13 of the Technical Memorandum on Environmental Impact Assessment Process (EIAO-TM) set out the criteria and guidelines for evaluating noise impacts. Assessment procedures and standards are set out in the following technical memoranda and Guidance Note:

- Technical Memorandum on Environmental Impact Assessment Process (EIAO-TM);
- Technical Memorandum on Noise from Construction Work in Designated Areas (DA-TM);
- Technical Memorandum on Noise from Construction Work other than Percussive Piling (GW-TM);
- Technical Memorandum on Noise from Percussive Piling (PP-TM);
- EIAO Guidance Note – Preparation of Construction Noise Impact Assessment under the Environmental Impact Assessment Ordinance (GN9/2023).

3. NOISE CRITERIA

The Technical Memorandum on Environmental Impact Assessment Process (EIAO-TM) stipulates criteria of 65 – 75dB(A) for daytime construction activities, as shown in **Table 3.1**.

Table 3.1 Noise standards for daytime construction activities

Use	Noise Standards, Leq (30min) dB(A)
	0700 – 1900 hours on any day not being a Sunday or general holiday
All domestic premises, Temporary housing accommodation, Hostels, Convalescent homes, and Homes for the aged	75
Places of public worship, Courts of law, and Hospitals and medical clinics	70
Educational institutions (including kindergartens and nurseries)	70 65 (During Examination)

Notes:

[1] The above standards apply to uses which rely on opened windows for ventilation and are assessed at 1m from the external façade.

[2] A Construction Noise Permit shall be required for carrying out relevant construction work during restricted hours under the Noise Control Ordinance. In case the applicant would like to evaluate whether carrying out relevant construction works during restricted hours under the Noise Control Ordinance is feasible or not in the context of programming construction works, reference should be made to relevant technical memoranda issued under the Noise Control Ordinance.

4. ASSESSMENT METHODOLOGY

The assessment of noise impacts from the construction (excluding percussive piling) of the Project has been based on the methodology given in Annex 13 of the EIAO-TM. The typical approach is summarized as follows:

- Formulate construction programme and work sequences;
- Identify representative NSR that may be affected by the construction of the Project;
- Establish the construction plant inventory;
- Assign Sound Power Level (SWL) for each piece of PME based on the GW-TM and the list of Sound Power Level of other commonly used PME;
- Calculate the correction factors based on the distance between the NSR and the notional noise source positions at different construction works areas;
- Apply noise corrections in the calculations for distance, operation time, screening and façade correction, if any;
- Predict the construction noise levels at NSR and compare against the noise criteria; and
- Determine mitigation measures, as necessary, and assess any residual impacts.

5. CONSTRUCTION PROGRAMME

The Contractor has confirmed this scope of work, ensuring the noise assessment is focused and accurate. No construction activities other than specified below are permitted during this specific period. The proposed construction works will be carried out only between 07:00 and 19:00 hours on any day not being a Sunday or general holiday. It is noted that Marine Department Notices (MDN) is required for permission of entering the site portion at sea area which will take usually 3-6 months for the issuance of MDN. Hence, the commencement of construction works at sea area will be subject to change and depend on the progress of obtaining MDN. The Contractor shall submit other CNMP reports for the any changes in construction period. As advised by the Contractor and broadly indicated in the construction programme in **Appendix A**, the major construction works of the Project during Feb 2026 to May 2026 include:

- Bored pile for Bridge Pier 1 - Pier 20
- Sea wall modification and UU diversion
- Tung Chung Central Station (TCCS) Construction (Sheet Pile, UU diversion and piling)

6. IDENTIFICATION OF NOISE SENSITIVE RECEIVERS

The Project site is situated between Tung Chung town centre and Hong Kong Port (HKP) Island. The location of the Project is shown in **Figure 6.1**.

The noise sensitive receivers in the assessment area mainly comprise residential uses and the government, institution or community uses at Tung Chung town centre. The assessment area for noise impact generally include areas within 300m from the boundary of the Project and the works of the Project. Noise Sensitive Receivers (NSRs) within a distance of 300m from the boundary of the Project and the works of the Project have been identified. NSRs located within the first layer from the Project site and having openable windows for ventilation were selected as representative NSRs for assessment.

The identified existing, committed and planned NSRs, if any, within the assessment area are presented in **Table 6.1** and their locations are shown in **Figure 6.2**.

Table 6.1 Noise Sensitive Receivers (NSRs) Identified

NSR ID	Description	Uses	Existing/ Planned
N01	Seaview Crescent	Residential	Existing
N03	Ling Liang Church E Wun Secondary School	School	Existing
N05	Ching Chung Hau Po Woon Primary School	School	Existing
N06	Po On Commercial Association Wan Ho Kan Primary School	School	Existing
N08	Fu Tung Estate	Residential	Existing
N09	Tung Chung Crescent	Residential	Existing
N10 ^[3]	Priests' Quarters of the Planned Visitation Church Development	Residential	Planned

Notes:

[1] The assessment will only include NSRs which rely on opened windows for ventilation.

[2] Only the first layer of NSRs has been selected for assessment.

[3] The tentative occupancy year of the planned NSR (N10) is 2028; therefore, it is not included in the assessment in this CNMP, and will be included in future CNMP as and when appropriate.

7. CONSTRUCTION NOISE IMPACT ASSESSMENT

Prediction and Evaluation of Construction Noise Impact (Unmitigated)

Potential source of noise impact arising from the construction of the Project would be the use of Powered Mechanical Equipment (PME) for various construction activities. The percentage on-time for each PME has been estimated individually for each construction activity to ensure practicality. The proposed construction plant inventory is recommended by the Contractor and provided in **Appendix B**. The proposed construction plant inventory in **Appendix B** is considered technically feasible and confirmed by the Project engineer as workable, and would represent a realistic worst-case scenario for assessment purposes. The unmitigated construction noise impacts at the identified NSRs have been predicted accordingly. Details of unmitigated construction noise assessment are presented in **Appendix C** with the results summarized in **Table 7.1**.

The screening effect due to existing structures/barriers nearby the Project Site such as Novotel Citygate Hong Kong, Fu Tung Plaza, The Silveri and the noise barrier for Airport Express Line have been considered in the prediction of construction noise levels. Where appropriate, -10 dB(A) screening effect has been adopted in the construction noise calculations. Further details can be referred to **Appendix C and D**.

For worst-case scenario, the noise mitigation criteria for schools were set to 65dB(A) for all months. As shown in **Table 7.1**, the construction noise levels at the identified representative construction NSRs would range from 69 to 76dB(A) for residential use and 61 to 69dB(A) for schools under the unmitigated scenario. The predicted construction noise levels would comply the relevant noise criteria except Seaview Crescent (N01), Tung Chung Crescent (N09) and Ling Liang Church E Wun Secondary School (N03) during examination period. Noise mitigation measures are therefore required to alleviate the construction noise impact on the affected NSRs.

Table 7.1 Predicted Construction Noise Levels under Unmitigated Scenario

NSR ID	Description	Uses	Predicted Construction Noise Level, Unmitigated, Leq (30mins), dB(A)	Noise Standards, dB(A)	Noise exceedance, dB(A)
N01	Seaview Crescent	Residential	74-76	75	1
N03	Ling Liang Church E Wun Secondary School	School	65-69	65	4
N05	Ching Chung Hau Po Woon Primary School	School	61-65	65	0
N06	Po On Commercial Association Wan Ho Kan Primary School	School	61-64	65	0
N08	Fu Tung Estate	Residential	69-72	75	0
N09	Tung Chung Crescent	Residential	74-76	75	1

Note:

[1] Cumulative noise level of other concurrent projects had been considered for N09 Tung Chung Crescent.

Concurrent Project and Cumulative Impact

The Railway Development Strategy 2014 (RDS-2014) announced by the Government of the Hong Kong Special Administrative Region included the conceptual scheme of Tung Chung West (TCW) Extension and a possible Tung Chung East (TCE) Station. The works areas and construction programme of Tung Chung Line Extension have been reviewed based on latest available information. The location of the concurrent project is shown in **Figure 6.1**. According to Construction Noise Management Plan (Jan 2026) for Works Contract 1201, their latest works areas and works sites are within of 300m of the one of the NSRs (Tung Chung Crescent) of this Project (**Appendix H** refers). It is noted that the representative NSR at Tung Chung Crescent in this CNMP is facing away from the construction site of Tung Chung Line Extension, a conservative construction noise level from the construction site of Tung Chung Line Extension at Tung Chung Crescent in Construction Noise Management Plan (Jan 2026) for Works Contract 1201 had been adopted in cumulative assessment for conservative approach. The cumulative construction noise impact from construction of Tung Chung Line Extension is presented in calculation **Appendix C**.

It is noted that the sewerage upgrading work of the Three Runway System (3RS) would be constructed near the TCCS and is expected to commence no earlier than June 2026. The relevant information from the 3RS EIA report on the sewerage upgrading work will be incorporated into future versions of the CNMP as and when available.

Use of Quieter PME and Quality Powered Mechanical Equipment (QPME)

Taking into account the latest construction programme and PME inventory provided by the Contractor, quieter PME for mobile crane, air compressor, generator and excavator are proposed as listed in **Table 7.2**. However, if the exact model specified in the references/QPME labels of the listed quieter PME are not available, or the QPME label has expired during the construction period, the model with SWL not higher than the listed SWL shall be adopted.

Table 7.2 Quality PME Proposed for Adoption during Construction Phase

PME	Reference ^[1]	SWL, dB(A)
Mobile Crane	QPME: EPD-12661	108
Air Compressor	QPME: EPD-11726	100
Generator	QPME: EPD-12349	90
Excavator	QPME: EPD-16451	107

Note:

[1] The SWL is prescribed in Quality Powered Mechanical Equipment (QPME) in EPD website.

Quieter Construction Methods

The below quieter construction methods have been considered and assumed to be applied in all construction works areas in the EIA Report (AEIAR-254/2023). As advised by the Contractor, the methods shall be applied construction works whenever applicable.

- Hydraulic concrete crusher can be used for rock breaking activities during site establishment, instead of traditional hydraulic breaker. The operation principle of hydraulic breaker is by percussive striking actions of its chisels, while hydraulic concrete crusher is by clamping action. According to EPD website, the sound pressure level at 7m from the equipment is 67-69 dB(A). The Contractor advised that there are no rock breaking in the construction works of entire construction period, therefore, this method is not applicable. Nevertheless, if there are any updates in the construction works that are relevant to the specific quieter construction method, the method shall be re-considered whenever applicable.
- Non-explosive chemical expansion agent can be used for concrete breaking activities during site establishment, instead of traditional hydraulic breaker. The agent is a slow-acting chemical compound and expand, and cracks the structure. Significant noise, ground vibration, fly rock, gas, dust or any other environmental pollution would not be generated during the process. The Contractor advised that only road surface breaking is involved in the construction works of entire construction period, no concrete breaking activities are anticipated, therefore, this method is not applicable. Nevertheless, if there are any updates in the construction works that are relevant to the specific quieter construction method, the method shall be re-considered whenever applicable.
- Quieter type saw (e.g. diamond wire saw, diamond blade saw) is a flexible sawing technique that can be applied under various situations with excellent cutting performance. It will be used instead of excavator-mounted breaker for site formation and road works as far as practicable, subject to actual site conditions. According to the EPD website, the sound pressure level at 7 meters from the quieter type saw is 76-81 dB(A). As a conservative approach, both quieter type saw and excavator-mounted breaker have been included in the construction noise calculation.
- Self-compacting concrete can be used for concreting works, instead of traditional vibratory poker. Self-compacting concrete is highly fluid and non-segregate, which can spread into place, fill the formwork, and encapsulate the steel bar reinforcement without using vibratory poker or other PME. The Contractor advised that the use of self-compacting concrete in bore piles poses significant challenges in quality control due to the risk of segregation (separation of components) or bleeding (water rising to the surface), therefore, this method is not applicable.
- Silent piling by Press-in Method (Press-in piling) can be used for sheet piling works, instead of traditional massive augering and piling machines (e.g.: Piling, vibrating hammer). Press-in method is a pile penetration method which accurately installs pre-formed piles through static loading piling. The construction work can also be completed in shorter duration so that the noise impact to nearby NSRs can also be further alleviated. According to the EPD website, the sound pressure level at 7 meters from the equipment is 69 dB(A). The Press-in method would be applied during piling works at TCCS.
- Use of pre-casting and prefabrication technology, such as precast concrete blocks will be applied in seawall construction to reduce on-site construction work.

Use of Noise Barrier, Noise Enclosure and Noise Insulating Fabric

Proprietary noise barriers (SilentUp) will be used for screening noise to NSRs and could achieve an insertion loss of 22 dB(A). 3.5m(H) noise barrier shall be provided for the piling, large diameter bored, oscillator at Site G to block the direct line-of-sight to N03. The noise barrier should be placed as close as practicable to the PME intercepting the direct line-of-sight between NSR and PME such that the noise barriers are capable to shield the PME from the NSR completely. The catalogue and schematic drawing of noise barrier is shown in **Appendix E**. Gaps and openings at joints in the barrier material should be avoided. The barrier should also be long enough to minimize the degradation caused by the diffraction along the short edges. With reference to EIAO Guidance Note No.9/2023, noise reduction of 5dB(A) and 10dB(A) can be achieved by noise barriers for movable and stationary plant respectively. Following the assumptions in the Approved ATCL EIA Report, it is anticipated that suitably designed movable barriers/acoustic sheet barriers could achieve at least 5 to 10 dB(A) reduction. For a conservative assessment, only a reduction of 5 dB(A) is assumed.

Other noise mitigations such as noise enclosure and noise insulating fabric shall be considered if necessary.

Use of Soundproof Hammer Bracket for Hydraulic Breaker

Soundproof hammer bracket will be installed to reduce the noise from hydraulic breaker. According to the Best Practice Guide for Environmental Protection on Construction Sites, hammer bracket can achieve 10dB(A) noise reduction. The mitigation will include tuned mass dampers installed on the breaker head; tailored breaker cloth wrapped around the breaker head (minimum 7kg/m² surface density); and noise mitigating plastic skirt wrapped around the chisel tip of the breaker.

Prediction and Evaluation of Construction Noise Impact (Mitigated)

The implementation schedule of proposed mitigation measures is shown in **Appendix G**. With the implementation of noise mitigations, the predicted construction noise levels at representative construction NSRs have been predicted and presented in **Appendix F** with the results summarized in **Table 7.3**. The relevant construction plant inventory could be referred to **Appendix B**.

Table 7.3 Predicted Construction Noise Levels under Mitigated Scenario

NSR ID	Description	Uses	Predicted Construction Noise Level, Mitigated, Leq (30mins), dB(A)	Noise Standards, dB(A)	Noise exceedance, dB(A)
N01	Seaview Crescent	Residential	71-73	75	0
N03	Ling Liang Church E Wun Secondary School	School	63-65	65	0
N05	Ching Chung Hau Po Woon Primary School	School	59-63	65	0
N06	Po On Commercial Association Wan Ho Kan Primary School	School	59-63	65	0
N08	Fu Tung Estate	Residential	66-69	75	0
N09	Tung Chung Crescent	Residential	73-75	75	0

With the implementation of proposed noise mitigations, the predicted construction noise level would comply with the relevant noise criteria, adverse construction noise impact would not be anticipated.

8. GOOD SITE PRACTICES

In addition to the mitigation measures listed above, there are also some good site practices that can further reduce the noise levels at NSRs. However, they are non-quantifiable and thus not included in the assessment. These include:

- Only well-maintained plant should be operated on-site and plants should be serviced regularly during the construction period;
- Mobile plant, if any, should be sited as far from NSRs as possible;
- Plant known to emit noise strongly in one direction should, wherever possible, be properly orientated so that the noise is directed away from the nearby NSRs;
- Use of site hoarding as a noise barrier to screen noise at low level NSRs;
- Machines and plant that may be used intermittently should be shut down between works periods or should be throttled down to a minimum; and
- Any material stockpiles and other structures should be effectively utilized, wherever practicable, to screen the noise from on-site construction activities.

9. CONCLUSION

This CNMP has identified the noise source inventory and assessed the necessity of construction noise mitigation measures, including the use of quality powered mechanical equipment, noise barriers and noise enclosures for works at ATCL project. With the implementation of the proposed noise mitigations and recommended good practices, noise impacts during construction phases are expected to achieve full compliance of relevant noise criteria.

This CNMP focused on the construction works conducted during Feb 2026 to May 2026 only and the remaining construction period is subject to change. The Contractor will submit other CNMP reports for the remaining construction period once the details become available. If there is any update on the construction works conducted from Feb 2026 to May 2026, a revised CNMP will be submitted to the EPD.

FIGURE 6.1: PROJECT LOCATION



LEGEND:

-  Works Area
-  300m Assessment Area
-  Site Area A
-  Site Area B
-  Site Area C
-  Site Area D
-  Site Area E
-  Site Area F
-  Site Area G
-  Site Area H

Concurrent Project:

-  TCW Station and Tunnels Site (Contract No. 1201)

	Prepared	Checked	Approved
Initial	LY	HC	HM
Date	20260212	20260212	20260212


Project Title
 Airport Tung Chung Link

Drawing Title
 Project Location

Drawing No. FIGURE 6.1	Rev. 0
---------------------------	-----------

Scale:
 A4 - 1:19000

FIGURE 6.2: NSR LOCATION



LEGEND:

- Works Area
- 300m Assessment Area
- Representative NSR


	Prepared	Checked	Approved
Initial	LY	HM	HM
Date	20250919	20250919	20250919

Project Title
 Airport Tung Chung Link

Drawing Title
 NSR Location

Drawing No. FIGURE 6.2	Rev. 0
---------------------------	-----------

Scale:
 A4 - 1:3000



LEGEND:

- Works Area
- 300m Assessment Area
- Site Area A
- Representative NSR
- Notional Source Positions


	Prepared	Checked	Approved
Initial	LY	HM	HM
Date	20250919	20250919	20250919

Project Title
 Airport Tung Chung Link

Drawing Title
 NSR Location and Notional Distance

Drawing No. FIGURE 6.2a	Rev. 0
----------------------------	-----------

Scale:
 A4 - 1:3700



- LEGEND:**
- Works Area
 - 300m Assessment Area
 - Site Area B
 - Representative NSR
 - Notional Source Positions

	Prepared	Checked	Approved
Initial	LY	HM	HM
Date	20250919	20250919	20250919

Project Title
 Airport Tung Chung Link

Drawing Title
 NSR Location and Notional Distance

Drawing No. FIGURE 6.2b	Rev. 0
----------------------------	-----------

Scale:
 A4 - 1:3700



LEGEND:

- Works Area
- 300m Assessment Area
- Site Area C
- Representative NSR
- Notional Source Positions


	Prepared	Checked	Approved
Initial	LY	HM	HM
Date	20250919	20250919	20250919

Project Title
 Airport Tung Chung Link

Drawing Title
 NSR Location and Notional Distance

Drawing No. FIGURE 6.2c	Rev. 0
----------------------------	-----------

Scale:
 A4 - 1:5500



LEGEND:

- Works Area
- 300m Assessment Area
- Site Area D
- Representative NSR
- Notional Source Positions

	Prepared	Checked	Approved
Initial	LY	HM	HM
Date	20250919	20250919	20250919

Project Title
 Airport Tung Chung Link

Drawing Title
 NSR Location and Notional Distance

Drawing No. FIGURE 6.2d	Rev. 0
----------------------------	-----------

Scale:
 A4 - 1:17000



LEGEND:

- Works Area
- 300m Assessment Area
- Site Area E
- Representative NSR
- Notional Source Positions

	Prepared	Checked	Approved
Initial	LY	HM	HM
Date	20250919	20250919	20250919

Project Title
 Airport Tung Chung Link

Drawing Title
 NSR Location and Notional Distance

Drawing No. FIGURE 6.2e	Rev. 0
----------------------------	-----------

Scale:
 A4 - 1:5500



LEGEND:

- Works Area
- 300m Assessment Area
- Site Area F
- Representative NSR
- Notional Source Positions


	Prepared	Checked	Approved
Initial	LY	HC	HM
Date	20260212	20260212	20260212

Project Title
 Airport Tung Chung Link

Drawing Title
 NSR Location and Notional Distance

Drawing No. FIGURE 6.2f	Rev. 0
----------------------------	-----------

Scale:
 A4 - 1:12000



LEGEND:

- Works Area
- 300m Assessment Area
- Site Area G
- Representative NSR
- Notional Source Positions

	Prepared	Checked	Approved
Initial	LY	HM	HM
Date	20250919	20250919	20250919

Project Title
 Airport Tung Chung Link

Drawing Title
 NSR Location and Notional Distance

Drawing No. FIGURE 6.2g	Rev. 0
----------------------------	-----------

Scale:
 A4 - 1:3700



LEGEND:

- Works Area
- 300m Assessment Area
- Site Area H
- Representative NSR
- Notional Source Positions

	Prepared	Checked	Approved
Initial	LY	HC	HM
Date	20260212	20260212	20260212

Project Title
Airport Tung Chung Link

Drawing Title
NSR Location and Notional Distance

Drawing No. FIGURE 6.2h	Rev. 0
----------------------------	-----------

Scale:
A4 - 1:12000

APPENDIX A: CONSTRUCTION PROGRAMME

APPENDIX B: PROPOSED CONSTRUCTION PLANT INVENTORY

Airport Tung Chung Link

ID	Group	PME Description	TM or other ref.	No. of PME	SWL (dB(A)/hr)	Icon	Total SWL	Noise Mitigation Measure	SWL (dB(A)/hr)	Screening Effect	Total SWL		
P1A	Construction Works of Bored Pile (Pier 11-12)	Crane, mobile	CNP 048	3	112	50%	114	GPME	108	0	114		
		Piling, large diameter bored, excavator	CNP 165	2	115	50%	115		115	0	115		
		Lorry, with crane/grab, gross vehicle weight > 38 tonne	OUC/NCP	2	112	50%	112		112	0	112		
		Piling, large diameter bored, reverse circulation drill	CNP 166	2	100	70%	101		100	0	101		
		Air compressor, air flow > 10 m³/min and < 30 m³/min	CNP 002	3	102	70%	105	GPME	100	0	103		
		Generator, super silenced, 70 dB(A) at 7 m	CNP 103	2	95	70%	96	GPME	95	0	95		
		Power pack (diesel)	OUC/NCP	2	100	70%	101		100	0	101		
		Bar bender and cutter (electric)	CNP 021	2	90	50%	90		90	0	90		
		Water pump (electric)	CNP 281	6	88	50%	93		88	0	93		
		Concrete lorry mixer	CNP 044	2	109	70%	110		109	0	110		
		Concrete pump, stationary/floor mounted	CNP 047	2	109	70%	110		109	0	110		
		Dump Truck, 5.5 tonne < gross vehicle weight < 38 tonne	OUC/NCP	2	105	50%	105		105	0	105		
		Breaker, electric hand-held, 18kg < mass < 33kg	OUC/NCP	2	108	100%	108		108	0	108		
		Drill, hand-held (battery)	OUC/NCP	2	89	50%	89		89	0	89		
		Welding machine	OUC/NCP	3	80	100%	85		80	0	85		
		Wastewater treatment plant, water flow rate < 80m³/hr	OUC/NCP	2	83	100%	86		83	0	86		
		Lorry, gross vehicle weight > 38 tonne	OUC/NCP	2	112	50%	112		112	0	112		
		Excavator, wheeled/tracked	CNP 081	2	112	100%	115	GPME	107	0	115		
		Breaker, excavator mounted (hydraulic)	CNP 028	1	122	70%	120	Hammer Bracket	122	-10	110		
									Total	124		Total	121
							Max SWL	124		Max SWL	121		
P1B	Construction Works of Bored Pile (Pier 12-20)	Crane, mobile	CNP 048	3	112	50%	114	GPME	108	0	114		
		Piling, vibrating hammer	OUC/NCP	2	115	50%	115		115	0	115		
		Lorry, with crane/grab, gross vehicle weight > 38 tonne	OUC/NCP	2	112	50%	112		112	0	112		
		Piling, large diameter bored, reverse circulation drill	CNP 166	2	100	70%	101		100	0	101		
		Air compressor, air flow > 10 m³/min and < 30 m³/min	CNP 002	3	102	70%	105	GPME	100	0	103		
		Generator, super silenced, 70 dB(A) at 7 m	CNP 103	2	95	70%	96	GPME	95	0	95		
		Power pack (diesel)	OUC/NCP	2	100	70%	101		100	0	101		
		Bar bender and cutter (electric)	CNP 021	2	90	50%	90		90	0	90		
		Water pump (electric)	CNP 281	6	88	50%	93		88	0	93		
		Concrete lorry mixer	CNP 044	2	109	70%	110		109	0	110		
		Concrete pump, stationary/floor mounted	CNP 047	2	109	70%	110		109	0	110		
		Dump Truck, 5.5 tonne < gross vehicle weight < 38 tonne	OUC/NCP	2	105	50%	105		105	0	105		
		Breaker, electric hand-held, 18kg < mass < 33kg	OUC/NCP	2	108	100%	108		108	0	108		
		Drill, hand-held (battery)	OUC/NCP	2	89	50%	89		89	0	89		
		Welding machine	OUC/NCP	3	80	100%	85		80	0	85		
		Wastewater treatment plant, water flow rate < 80m³/hr	OUC/NCP	2	83	100%	86		83	0	86		
		Lorry, gross vehicle weight > 38 tonne	OUC/NCP	2	112	50%	112		112	0	112		
		Excavator, wheeled/tracked	CNP 081	2	112	100%	115	GPME	107	0	115		
		Breaker, excavator mounted (hydraulic)	CNP 028	1	122	70%	120	Hammer Bracket	122	-10	110		
									Total	124		Total	121
							Max SWL	124		Max SWL	121		
P4A	Construction Works of Bored Pile (Pier 12-20)	Crane, mobile	CNP 048	3	112	50%	114		112	0	114		
		Piling, vibrating hammer	OUC/NCP	2	115	50%	115		115	0	115		
		Lorry, with crane/grab, gross vehicle weight > 38 tonne	OUC/NCP	2	112	50%	112		112	0	112		
		Piling, large diameter bored, reverse circulation drill	CNP 166	2	100	70%	101		100	0	101		
		Air compressor, air flow > 10 m³/min and < 30 m³/min	CNP 002	3	102	70%	105		102	0	105		
		Generator, super silenced, 70 dB(A) at 7 m	CNP 103	2	95	70%	96		95	0	96		
		Power pack (diesel)	OUC/NCP	2	100	70%	101		100	0	101		
		Bar bender and cutter (electric)	CNP 021	2	90	50%	90		90	0	90		
		Water pump (electric)	CNP 281	6	88	50%	93		88	0	93		
		Concrete lorry mixer	CNP 044	2	109	70%	110		109	0	110		
		Concrete pump, stationary/floor mounted	CNP 047	2	109	70%	110		109	0	110		
		Dump Truck, 5.5 tonne < gross vehicle weight < 38 tonne	OUC/NCP	2	105	50%	105		105	0	105		
		Breaker, electric hand-held, 18kg < mass < 33kg	OUC/NCP	2	108	100%	111		108	0	111		
		Drill, hand-held (battery)	OUC/NCP	2	89	50%	89		89	0	89		
		Welding machine	OUC/NCP	3	80	100%	85		80	0	85		
		Wastewater treatment plant, water flow rate < 80m³/hr	OUC/NCP	2	83	100%	86		83	0	86		
		Lorry, gross vehicle weight > 38 tonne	OUC/NCP	2	112	50%	112		112	0	112		
		Excavator, wheeled/tracked	CNP 081	2	112	100%	115		112	0	115		
		Breaker, excavator mounted (hydraulic)	CNP 028	1	122	70%	120	Hammer Bracket	122	-10	110		
									Total	125		Total	125
							Max SWL	125		Max SWL	125		
P4B	Construction Works of Bored Pile (Pier 12-20)	Crane, mobile	CNP 048	3	112	50%	114		112	0	114		
		Piling, vibrating hammer	OUC/NCP	2	115	50%	115		115	0	115		
		Lorry, with crane/grab, gross vehicle weight > 38 tonne	OUC/NCP	2	112	50%	112		112	0	112		
		Piling, large diameter bored, reverse circulation drill	CNP 166	2	100	70%	101		100	0	101		
		Air compressor, air flow > 10 m³/min and < 30 m³/min	CNP 002	3	102	70%	105		102	0	105		
		Generator, super silenced, 70 dB(A) at 7 m	CNP 103	2	95	70%	96		95	0	96		
		Power pack (diesel)	OUC/NCP	2	100	70%	101		100	0	101		
		Bar bender and cutter (electric)	CNP 021	2	90	50%	90		90	0	90		
		Water pump (electric)	CNP 281	6	88	50%	93		88	0	93		
		Concrete lorry mixer	CNP 044	2	109	70%	110		109	0	110		
		Concrete pump, stationary/floor mounted	CNP 047	2	109	70%	110		109	0	110		
		Dump Truck, 5.5 tonne < gross vehicle weight < 38 tonne	OUC/NCP	2	105	50%	105		105	0	105		
		Breaker, electric hand-held, 18kg < mass < 33kg	OUC/NCP	2	108	100%	111		108	0	111		
		Drill, hand-held (battery)	OUC/NCP	2	89	50%	89		89	0	89		
		Welding machine	OUC/NCP	3	80	100%	85		80	0	85		
		Wastewater treatment plant, water flow rate < 80m³/hr	OUC/NCP	2	83	100%	86		83	0	86		
		Lorry, gross vehicle weight > 38 tonne	OUC/NCP	2	112	50%	112		112	0	112		
		Excavator, wheeled/tracked	CNP 081	2	112	100%	115		112	0	115		
		Breaker, excavator mounted (hydraulic)	CNP 028	1	122	70%	120	Hammer Bracket	122	-10	110		
									Total	125		Total	125
							Max SWL	125		Max SWL	125		
P2A	Construction Works of Bored Pile (Pier 12)	Crane, mobile	CNP 048	1	112	50%	109		112	0	109		
		Crane, mobile	CNP 048	1	112	20%	105		112	0	105		
		Piling, large diameter bored, excavator	CNP 165	1	115	70%	113		115	0	113		
		Piling, vibrating hammer	OUC/NCP	1	115	50%	113		115	0	113		
		Lorry, with crane/grab, gross vehicle weight > 38 tonne	OUC/NCP	1	112	50%	109		112	0	109		
		Piling, large diameter bored, reverse circulation drill	CNP 166	1	100	70%	98		100	0	98		
		Air compressor, air flow > 10 m³/min and < 30 m³/min	CNP 002	3	102	70%	105		102	0	105		
		Generator, super silenced, 70 dB(A) at 7 m	CNP 103	2	95	70%	96		95	0	96		
		Power pack (diesel)	OUC/NCP	2	100	70%	101		100	0	101		
		Bar bender and cutter (electric)	CNP 021	1	90	50%	87		90	0	87		
		Water pump (electric)	CNP 281	3	88	50%	90		88	0	90		
		Concrete lorry mixer	CNP 044	1	109	70%	109		109	0	109		
		Concrete pump, stationary/floor mounted	CNP 047	1	109	70%	109		109	0	109		
		Dump Truck, 5.5 tonne < gross vehicle weight < 38 tonne	OUC/NCP	1	105	50%	102		105	0	102		
		Breaker, electric hand-held, 18kg < mass < 33kg	OUC/NCP	1	108	100%	108		108	0	108		
		Wastewater treatment plant, water flow rate < 80m³/hr	OUC/NCP	1	83	100%	83		83	0	83		
		Excavator, wheeled/tracked	CNP 081	1	112	100%	112		112	0	112		
		Welding machine	OUC/NCP	1	80	100%	80		80	0	80		
									Total	120		Total	120
									Max SWL	120		Max SWL	120
P2B	Construction Works of Bored Pile (Pier 12)	Crane, mobile	CNP 048	1	112	50%	109		112	0	109		
		Crane, mobile	CNP 048	1	112	20%	105		112	0	105		
		Piling, large diameter bored, excavator	CNP 165	1	115	70%	113		115	0	113		
		Piling, vibrating hammer	OUC/NCP	1	115	50%	113		115	0	113		
		Lorry, with crane/grab, gross vehicle weight > 38 tonne	OUC/NCP	1	112	50%	109		112	0	109		
		Piling, large diameter bored, reverse circulation drill	CNP 166	1	100	70%	98		100	0	98		
		Air compressor, air flow > 10 m³/min and < 30 m³/min	CNP 002	3	102	70%	105		102	0	105		
		Generator, super silenced, 70 dB(A) at 7 m	CNP 103	2	95	70%	96		95	0	96		
		Power pack (diesel)	OUC/NCP	2	100	70%	101		100	0	101		
		Bar bender and cutter (electric)	CNP 021	1	90	50%	87		90	0	87		
		Water pump (electric)	CNP 281	3	88	50%	90		88	0	90		
		Concrete lorry mixer	CNP 044	1	109	70%	109		109	0	109		
		Concrete pump, stationary/floor mounted	CNP 047	1	109	70%	109		109	0	109		
		Dump Truck, 5.5 tonne < gross vehicle weight < 38 tonne	OUC/NCP	1	105	50%	102		105	0	102		
		Breaker, electric hand-held, 18kg < mass < 33kg	OUC/NCP	1	108	100%	108		108	0	108		
		Wastewater treatment plant, water flow rate < 80m³/hr	OUC/NCP	1	83	100%	83		83	0	83		
		Excavator, wheeled/tracked	CNP 081	1	112	100%	112		112	0	112		
		Welding machine	OUC/NCP	1	80	100%	80		80	0	80		
									Total	120		Total	120
									Max SWL	120		Max SWL	120
P3A	Construction Works of Marine Wharf (Pier 8-11)	Crane, mobile	CNP 048	1	112	50%	110		112	0	110		
		Crane, mobile	CNP 048	1	112	20%	105		112	0	105		
		Piling, large diameter bored, excavator	CNP 165	1	115	70%	113		115	0	113		
		Piling, vibrating hammer	OUC/NCP	1	115	50%	113		115	0	113		
		Lorry, with crane/grab, gross vehicle weight > 38 tonne	OUC/NCP	1	112	50%	109		112	0	109		
		Piling, large diameter bored, reverse circulation drill	CNP 166	1	10								

APPENDIX C: CONSTRUCTION NOISE CALCULATIONS (UNMITIGATED)

Airport Tung Chung Link
Predicted Construction Noise Levels for Representative NSRs
Unmitigated Scenario

NSR: N06 Po On Commercial Association Wan Ho Kan Primary School

Site Area	Activities	ID	SWL	Dist.	Screening Corr.	Façade Corr.	SPL	Year		2025					2026								
								Month		10	11	12	1	2	3	4	5	1	2	3	4	5	
								Project Month		3	4	5	6	7	8	9	10	3	4	5	6	7	8
A	Viaduct 2 (Pier 8 - Pier 11)	P3	120	704	-10	3	48											48	48	48			
B	Viaduct 1 (Pier 1 - Pier 7)	P1	124	437	-10	3	57											57	57	57			
C	Viaduct 2 (Pier 12)	P2	120	867	0	3	57											57	57	57			
D	Viaduct 3 (Pier 13 - Pier 20)	P4	125	2781	0	3	51											51	51	51			
E	Sea Wall Modification	E1	119	871	0	3	55												55	55			
	UU Diversion	E2	122	871	0	3	58											58	58	58			
F	Sea Wall Modification	S2	119	1552	0	3	50											50	50	50			
G	Tung Chung Central Station (Sheet Pile)	T1	118	300	-10	3	53											53	53				
	Tung Chung Central Station (UU Diversion)	T2	114	300	-10	3	49											49	49	49			
	Tung Chung Central Station (Piling)	T3	121	300	-10	3	56													56			
H	Sea Wall Modification	S3	117	1053	0	3	52											52	52	52			
Total SPL, dB(A)																		61	63	64	64		
Noise criteria, dB(A)																				65	65	65	65

NSR: N08 Fu Tung Estate

Site Area	Activities	ID	SWL	Dist.	Screening Corr.	Façade Corr.	SPL	Year		2025					2026								
								Month		10	11	12	1	2	3	4	5	1	2	3	4	5	
								Project Month		3	4	5	6	7	8	9	10	3	4	5	6	7	8
A	Viaduct 2 (Pier 8 - Pier 11)	P3	120	636	0	3	59											59	59	59			
B	Viaduct 1 (Pier 1 - Pier 7)	P1	124	395	0	3	67											67	67	67			
C	Viaduct 2 (Pier 12)	P2	120	805	0	3	57											57	57	57			
D	Viaduct 3 (Pier 13 - Pier 20)	P4	125	2826	0	3	51											51	51	51			
E	Sea Wall Modification	E1	119	828	0	3	56												56	56			
	UU Diversion	E2	122	828	0	3	58											58	58	58			
F	Sea Wall Modification	S2	119	1562	0	3	50											50	50	50			
G	Tung Chung Central Station (Sheet Pile)	T1	118	272	0	3	64											64	64				
	Tung Chung Central Station (UU Diversion)	T2	114	272	0	3	60											60	60	60			
	Tung Chung Central Station (Piling)	T3	121	272	0	3	67													67			
H	Sea Wall Modification	S3	117	1014	0	3	52											52	52	52			
Total SPL, dB(A)																		69	71	70	72		
Noise criteria, dB(A)																				75	75	75	75

NSR: N09 Tung Chung Crescent

Site Area	Activities	ID	SWL	Dist.	Screening Corr.	Façade Corr.	SPL	Year		2025					2026								
								Month		10	11	12	1	2	3	4	5	1	2	3	4	5	
								Project Month		3	4	5	6	7	8	9	10	3	4	5	6	7	8
A	Viaduct 2 (Pier 8 - Pier 11)	P3	120	449	0	3	62											62	62	62			
B	Viaduct 1 (Pier 1 - Pier 7)	P1	124	254	-10	3	61											61	61	61			
C	Viaduct 2 (Pier 12)	P2	120	618	0	3	60											60	60	60			
D	Viaduct 3 (Pier 13 - Pier 20)	P4	125	2767	0	3	51											51	51	51			
E	Sea Wall Modification	E1	119	664	0	3	58												58	58			
	UU Diversion	E2	122	664	0	3	60											60	60	60			
F	Sea Wall Modification	S2	119	1456	0	3	51											51	51	51			
G	Tung Chung Central Station (Sheet Pile)	T1	118	196	0	3	67											67	67				
	Tung Chung Central Station (UU Diversion)	T2	114	196	0	3	63											63	63	63			
	Tung Chung Central Station (Piling)	T3	121	196	0	3	70													70			
H	Sea Wall Modification	S3	117	846	0	3	54											54	54	54			
Total SPL, dB(A)																		68	71	69	73		
SPL from TCW Station and Tunnels (1201), dB(A)																				74	74	74	70
Cumulative SPL, dB(A)																				75	76	75	74
Noise criteria, dB(A)																				75	75	75	75

[1] Construction work for Pier 8-11 will not overlap with each other

[2] Max SWL is adopted for activity ID P1, P3, P4 and F1 in the calculation for worst-case scenario


[3] The rooftop level for Po On Commercial Association Wan Ho Kan Primary School (N06) is 27.9mPD while that of Fu Tung Plaza is 28.9mPD. Since Fu Tung Plaza is located in front of N06 relative to the Project Site and that the building height of Fu Tung Plaza is higher than N06, the direct line-of-sight between N06 to Sites A, B and G are blocked by Fu Tung Plaza. Hence, -10 dB(A) screening correction is adopted at N06 for Sites A, B and G.

[4] The direct line-of-sight between Site Area B and N09 is blocked by The Silveri (refer to Appendix D for the section drawing). Hence, -10 dB(A) screening correction is adopted at N09 for Site B.

**APPENDIX D:
REFERENCE TO EXISTING NOISE
BARRIER AND SECTION DRAWING OF
EXISTING STRUCTURES/BARRIERS**

Inset 2

Extracted from Appendix 3.7 of the Approved EIA of Tung Chung Line Extension (AEIAR-235/2022)





Legend


- 123 Segment ID
- Road Segment
- Vertical Noise barrier (aM high)
- Cantilever Noise barrier (gM high + hM cantilever)

* Planned noise barriers as shown in Adopted Tung Chung Town Centre Area Layout Plan (No. L/I-TCTC/1F). These are the best available information at the time of preparing this EIA. The respective project proponent would review the design and implementation programme of these noise barriers.




LEGEND:

-  Works Area Site B
-  Representative NSR



Section Drawing
Site B to N03



	Prepared	Checked	Approved
Initial	DH	HC	HM
Date	20260330	20260330	20260330

Project Title

Airport Tung Chung Link

Figure Title


Section Drawing of Site B to N03

Figure No.	Rev.
Appendix D	0

LEGEND:

 Works Area Site B

 Representative NSR



	Prepared	Checked	Approved
Initial	DH	HC	HM
Date	20260330	20260330	20260330

Project Title

Airport Tung Chung Link

Figure Title

Section Drawing of Site B to N09


Figure No.

Appendix D

Rev.

0

Section Drawing
Site B to N09



APPENDIX E: CATALOGUE AND SECTION DRAWING OF NOISE BARRIER



Acoustics Innovation

SilentUP[®]

Retractable Noise Barrier

PATENTED




Product of Hong Kong
**THE WORLD'S FIRST
RETRACTABLE NOISE BARRIER**
27dB(A) NOISE REDUCTION*

* Tested with white noise source with SilentUP[®] STC24

Happy Valley Race Course



Roadworks



Breaking
Drilling



Piling



Loading
Unloading



Concreting

aihk.hk

info@aihk.hk

(852) 2702-2007

R&D Division of





Product Description

SilentUP® is a patented retractable noise barrier for construction works and outdoor music events. It can be easily installed and mobilized by people without using any machines. No concrete foundation is required and the installation process is quiet enough to be conducted even at night time. The panels are installed upwards from ground level and connected by magnetic gap sealing.

Our product has been widely used in Hong Kong. Visit our website for the job references aihk.hk/SilentUP/reference.

Benefits

- ▶ Minimize noise complaints
- ▶ Quiet and manual installation
- ▶ No concrete foundation required
- ▶ Flexible construction site planning
- ▶ Facilitate Construction Noise Permit (CNP) application process

Technical Information

SilentUP® noise barrier material conforms to the flammability requirement specifications.

BS5867-2:2008 TYPE B
GF8624

Product Specification

STC	18	24
Insertion Loss*	22 dB(A)	27 dB(A)
Modular Weight	5kg	8kg
Maximum Height	7m	5m
Modular Size	1m(H) x1.35m(W)	
Standard Colour	Grey	
Panel Thickness	100mm on edges	

* Tested with white noise source



CITF 建造業
創科基金

CITF Pre-approved Product

Eligible contractors can apply for CITF.

citf.cic.hk

Installation videos available at aihk.hk/youtube

aihk.hk

info@aihk.hk

(852) 2702-2007

R&D Division of



Care has been taken to ensure the provided information is accurate, but Acoustics Innovation Ltd, does not accept responsibility or liability for errors or information which is found to be misleading.

Automatic Wind Load Relief

Open during Occasional Gusts

Cost Effective

70% CITF eligible

Customization

Professionals Team

Portable

Space Efficient

< 1.5 m

Short Set-up Time

~ 10 mins

Excellent Gap Sealing

Efficient

Effective

User-Friendly

SilentUP®
Construction Noise Control Panel

Noise Reduction

↓ 27 dB(A)

Night-time Installation

Efficient

Client Feedback

“Some of our contractors have used the retractable noise barriers to facilitate CNP application. They have found this innovative product useful - lightweight, easy to manoeuvre, and fit for purpose.”

Richard Kwan
Former Environment Manager
MTR Corporation Ltd

“We are impressed by SilentUP’s quick installation and relocation, it is definitely one of the best innovations and practicable “ approaches for the noise mitigation measures for the construction activities.”

Lighting Chan
Environmental Compliance Support Manager,
Leighton Asia Ltd

“We are happy with Acoustics Innovation’s professional service (SilentUP Noise Barrier) in helping us achieve our noise mitigation goals.”

Ronald Fung
Project QA & Environmental Manager
Kier - Laing O’Rourke - Kaden Joint Venture


“SilentUP is definitely a useful tool to minimize the noise pollution. We successfully obtained a CNP and most importantly no complaint has been received from the NSRs.”

Clarence Yeung
Environmental Officer
Chun Wo Construction and Engineering Co. Ltd


LEGEND:

 Works Area Site G

 Representative NSR



Section Drawing
Site G to N03 with adoption of Noise Barrier



	Prepared	Checked	Approved
Initial	DH	HC	HM
Date	20260330	20260330	20260330

Project Title

Airport Tung Chung Link

Figure Title

Section Drawing of Site G to N03 with adoption of Noise Barrier

Figure No.

Appendix E

Rev.

0

APPENDIX F: CONSTRUCTION NOISE CALCULATIONS (MITIGATED)

Airport Tung Chung Link
Predicted Construction Noise Levels for Representative NSRs
Mitigated Scenario

NSR: N06 Po On Commercial Association Wan Ho Kan Primary School

Site Area	Activities	ID	SWL	Dist.	Screening Corr.	Façade Corr.	SPL	Year		2025					2026							
								Month		10	11	12	1	2	3	4	5	1	2	3	4	5
								Project Month		3	4	5	6	7	8	9	10	3	4	5	6	7
A	Viaduct 2 (Pier 8 - Pier 11)	P3	120	704	-10	3	48											48	48	48		
B	Viaduct 1 (Pier 1 - Pier 7)	P1	121	437	-10	3	54											54	54	54		
C	Viaduct 2 (Pier 12)	P2	120	867	0	3	57											57	57	57		
D	Viaduct 3 (Pier 13 - Pier 20)	P4	125	2781	0	3	51											51	51	51		
E	Sea Wall Modification	E1	117	871	0	3	53													53		
	UU Diversion	E2	120	871	0	3	56											56	56	56		
F	Sea Wall Modification	S2	117	1552	0	3	48											48	48	48		
G	Tung Chung Central Station (Sheet Pile)	T1	113	300	-10	3	49											49	49			
	Tung Chung Central Station (UU Diversion)	T2	109	300	-10	3	45											45	45	45		
	Tung Chung Central Station (Piling)	T3	118	300	-10	3	53													53		
H	Sea Wall Modification	S3	115	1053	0	3	49											49	49	49		
Total SPL, dB(A)																	59	62	62	63		
Noise criteria, dB(A)																		65	65	65	65	

NSR: N08 Fu Tung Estate

Site Area	Activities	ID	SWL	Dist.	Screening Corr.	Façade Corr.	SPL	Year		2025					2026							
								Month		10	11	12	1	2	3	4	5	1	2	3	4	5
								Project Month		3	4	5	6	7	8	9	10	3	4	5	6	7
A	Viaduct 2 (Pier 8 - Pier 11)	P3	120	636	0	3	59											59	59	59		
B	Viaduct 1 (Pier 1 - Pier 7)	P1	121	395	0	3	64											64	64	64		
C	Viaduct 2 (Pier 12)	P2	120	805	0	3	57											57	57	57		
D	Viaduct 3 (Pier 13 - Pier 20)	P4	125	2826	0	3	51											51	51	51		
E	Sea Wall Modification	E1	117	828	0	3	53													53		
	UU Diversion	E2	120	828	0	3	57											57	57	57		
F	Sea Wall Modification	S2	117	1562	0	3	48											48	48	48		
G	Tung Chung Central Station (Sheet Pile)	T1	113	272	0	3	60											60	60			
	Tung Chung Central Station (UU Diversion)	T2	109	272	0	3	56											56	56	56		
	Tung Chung Central Station (Piling)	T3	118	272	0	3	64													64		
H	Sea Wall Modification	S3	115	1014	0	3	49											49	49	49		
Total SPL, dB(A)																	66	68	67	69		
Noise criteria, dB(A)																		75	75	75	75	

NSR: N09 Tung Chung Crescent

Site Area	Activities	ID	SWL	Dist.	Screening Corr.	Façade Corr.	SPL	Year		2025					2026							
								Month		10	11	12	1	2	3	4	5	1	2	3	4	5
								Project Month		3	4	5	6	7	8	9	10	3	4	5	6	7
A	Viaduct 2 (Pier 8 - Pier 11)	P3	120	449	0	3	62											62	62	62		
B	Viaduct 1 (Pier 1 - Pier 7)	P1	121	254	-10	3	58											58	58	58		
C	Viaduct 2 (Pier 12)	P2	120	618	0	3	60											60	60	60		
D	Viaduct 3 (Pier 13 - Pier 20)	P4	125	2767	0	3	51											51	51	51		
E	Sea Wall Modification	E1	117	664	0	3	55													55		
	UU Diversion	E2	120	664	0	3	59											59	59	59		
F	Sea Wall Modification	S2	117	1456	0	3	48											48	48	48		
G	Tung Chung Central Station (Sheet Pile)	T1	113	196	0	3	63											63	63			
	Tung Chung Central Station (UU Diversion)	T2	109	196	0	3	59											59	59	59		
	Tung Chung Central Station (Piling)	T3	118	196	0	3	67													67		
H	Sea Wall Modification	S3	115	846	0	3	51											51	51	51		
Total SPL, dB(A)																	66	68	67	70		
SPL from TCW Station and Tunnels (1201), dB(A)																		74	74	74	70	
Cumulative SPL, dB(A)																		75	75	75	73	
Noise criteria, dB(A)																		75	75	75	75	

[1] Construction work for Pier 8-11 will not overlap with each other

[2] Max SWL is adopted for activity ID P1, P3, P4 and F1 in the calculation for worst-case scenario

[3] The rooftop level for Po On Commercial Association Wan Ho Kan Primary School (N06) is 27.9mPD while that of Fu Tung Plaza is 28.9mPD. Since Fu Tung Plaza is located in front of N06 relative to the Project Site and that the building height of Fu Tung Plaza is higher than N06, the direct line-of-sight between N06 to Sites A, B and G are blocked by Fu Tung Plaza. Hence, -10 dB(A) screening correction is adopted at N06 for Sites A, B and G.

[4] The direct line-of-sight between Site Area B and N09 is blocked by The Silveri (refer to Appendix D for the section drawing). Hence, -10 dB(A) screening correction is adopted at N09 for Site B.

APPENDIX G: IMPLEMENTATION SCHEDULE OF PROPOSED MITIGATION MEASURES

Implementation Schedule of Construction Noise Mitigation Measures

CNMP Ref.	Proposed Mitigation Measures	Target PME	Implemented by	Location	Period	Environmental Performance Required
Section 7	Use of quieter PME is considered to be a practicable means to mitigate the construction noise impact. Quieter plant is defined as a PME having actual SWL lower than the value specified in the GW-TM.	Refer to table 7.2 and Appendix B	Main Contractor	Pier 1-7, 8-11, Site E, Site F, Tung Chung Central Station (TCCS), Site H	Feb 2026 – May 2026	Annex 5, EIAO-TM
Section 7	Quieter Construction Method: <ul style="list-style-type: none"> Use of Quieter type saw (e.g. diamond wire saw, diamond blade saw) as far as practicable 	Excavator-mounted breaker	Main Contractor	Pier 1-7, 13-20	Feb 2026 – Mar 2026	Annex 5, EIAO-TM
Section 7	Quieter Construction Method: <ul style="list-style-type: none"> Use of Silent piling by Press-in Method 	Piling machines for sheet piling work	Main Contractor	TCCS	Feb 2026 – Mar 2026, May 2026	Annex 5, EIAO-TM
Section 7	Quieter Construction Method: <ul style="list-style-type: none"> Use of pre-casting and prefabrication technology 	N/A	Main Contractor	Sea Wall Modification Construction	Feb 2026 – May 2026	Annex 5, EIAO-TM
Section 7	Use of SilentUp noise barrier. The barrier material shall be long enough and have no opening or gaps.	Piling, large diameter bored, oscillator	Main Contractor	TCCS	Feb 2026 – May 2026	Annex 5, EIAO-TM
Section 7	Use of Hammer Bracket: Tuned mass dampers, tailored breaker cloth and noise mitigating plastic skirt on the breaker head of Hydraulic Breaker	Breaker, excavator mounted (hydraulic)	Main Contractor	Pier 1-7	Feb 2026 – May 2026	Annex 5, EIAO-TM
Section 8	Good Site Management Practices <ul style="list-style-type: none"> Only well-maintained plant should be operated on-site and plants should be serviced regularly during the construction period; Mobile plant, if any, should be sited as far from NSRs as possible; Plant known to emit noise strongly in one direction should, wherever possible, be properly orientated so that the noise is directed away from the nearby NSRs; Use of site hoarding as a noise barrier to screen noise at low level NSRs; Machines and plant that may be used intermittently should be shut down between works periods or should be throttled down to a minimum; and Any material stockpiles and other structures should be effectively utilized, wherever practicable, to screen the noise from on-site construction activities 	All PME to be operated	Main Contractor	All areas of the Project	Feb 2026 – May 2026	Annex 5, EIAO-TM

**APPENDIX H:
EXTRACTED CNMP FOR TUNG CHUNG
LINE EXTENSION PROJECT
SUBMISSIONS UNDER EP-614/2022**

3 CONSTRUCTION AIRBORNE NOISE (ABN) IMPACT ASSESSMENT

3.1 Construction ABN Impact Assessment Methodology

3.1.1 Construction noise assessment will be conducted based on the following procedures:

- Determine 300m from the boundary of the Project and from any works of the Project;
- Identify and locate representative NSRs that may be affected by the works;
- Obtain the construction method and work sequence for the construction period;
- Obtain the construction plant inventory for each corresponding construction work sequence;
- Determine the Sound Power Levels (SWLs) of the plant items according to the information stated in the GW-TM or other recognised sources of reference, where appropriate;
- Calculate the correction factors based on the distance between the NSRs and the notional noise source positions of the work sites;
- Apply corrections for façade, distance, barrier attenuation, acoustic reflection, where appropriate;
- Predict construction noise levels at the NSRs;
- Quantify the level of impact at the NSRs, in accordance with GW-TM;
- Predict the cumulative noise impacts for any concurrent construction works in the vicinity of the proposed work;
- For any exceedance of noise criteria, all practical mitigation measures such as alternative quieter construction methodology, quiet plant, silencer, enclosure, etc., shall be examined to alleviate the predicted noise impacts as much as practicable.

3.2 Noise Sensitive Receivers (NSRs)

3.2.1 To evaluate the construction noise impacts from the project, representative existing NSRs of the project have been identified and are summarized in **Table 3.1**. Residential premises and educational institutions closest to the construction site areas are identified as the representative NSRs. The locations of the NSRs are shown in **Appendix A**.


Table 3.1: Representative Noise Sensitive Receivers (NSRs)

Site Area	NSR ID	NSR Description	Uses
TCC & EAP/EEP	TCC-01a	Tung Chung Crescent Block 1	Residential
	TCC-03a	Tung Chung Crescent Block 3	
	TCC-05a	Tung Chung Crescent Block 5	
	TCC-07a	Tung Chung Crescent Block 7	Educational Institution
	TCC-09a	Tung Chung Crescent Block 9	
	ESHI-01a	Sunshine House International Pre-school (Tung Chung) #1	
TCW #2	YTE-01a	Yat Tung Estate Fuk Yat House	Residential
	YTE-02a	Yat Tung Estate Luk Yat House	

Appendix A

Site Layout of Construction Site

Figure A2: Site Layout of TCC and EAP/EEP



Appendix G2

Detail Noise Calculation (Mitigated)

TCC and EAP/EEP

