

本署檔號
OUR REF: () in EP 2/N3/A/71 Pt.2
來函檔號
YOUR REF: (005298) in HyD013-011-001-894TH-007-008
電話
TEL. NO.: 2835 1105
圖文傳真
FAX NO.: 2591 0558
電子郵件
E-MAIL: qng@epd.gov.hk
網址
HOMEPAGE: <http://www.epd.gov.hk>

**Environmental Protection Department
Branch Office**

28th Floor, Southorn Centre,
130 Hennessy Road,
Wan Chai, Hong Kong.



環境保護署分處

香港灣仔
軒尼詩道
一百三十號
修頓中心廿八樓

27 November 2025

By Registered Post & Fax

Highways Department

**Environmental Impact Assessment (EIA) Ordinance, Cap.499
Application for Approval of EIA Report**

Project Title: Tsing Yi – Lantau Link
(Application No. EIA-314/2025)

I refer to your above application received on 30 July 2025 for approval of an EIA report under Section 6(2) of the EIA Ordinance and our previous letter of 25 September 2025 advising you to exhibit the EIA report for public inspection in accordance with Section 6(4) of the EIA Ordinance.

Having considered the public comments received during the public inspection period, I now advise you under Section 8(3) of the EIA Ordinance that the above EIA report as exhibited under Section 7(1) of the EIA Ordinance is approved.


It should be noted that the approval of the EIA report shall not relieve you of the responsibility to comply with other legislation or Government requirements for implementing the Project.

Under Section 15 of the EIA Ordinance, the approved EIA report (Register No.: AEIAR - 269/2025) will be placed on the EIA Ordinance Register. The approved EIA report will also be placed on the EIA Ordinance website (<http://www.epd.gov.hk/eia/>).

The approval of the EIA report was based on the assumptions and assessment findings stipulated in the EIA report. Notwithstanding this, should there be any material change to the potential development in the vicinity of the Tsing Yi-Lantau Link project site, you shall review the approved EIA report (Register No.: AEIAR - 269/2025) and confirm the validity of the assessment and overall results and conclusions of the subject EIA report.

Should you have any queries on the above application, please contact my colleague Dr. Karen LEE at 2835 1153.

Yours sincerely,



(Miss Queenie Y. C. NG)
Principal Environmental Protection Officer
for Director of Environmental Protection

Encl.

c.c. (w/o encl.)
ACE EIA Subcommittee Secretariat
(Attn.: Executive Officer(Cross Boundary Division)1)