EP-01/097/2001/C

Provision of EM&A Services at Water Recreation Centre

Monthly EM&A Report No.6 (16 February 2011 to 15 March 2011)

March 2011

	Name	Signature
Prepared & Checked:	Y W Fung	Y
Reviewed & Approved:	Y T Tang	Tarattulis

Version:	0	Date:	30 March 2011	

Disclaimer

This report is prepared for Hong Kong International Theme Parks Limited and is given for its sole benefit in relation to and pursuant to EP-01/097/2001/C and may not be disclosed to, quoted to or relied upon by any person other than Hong Kong International Theme Parks Limited without our prior written consent. No person (other than Hong Kong International Theme Parks Limited) into whose possession a copy of this report comes may rely on this report without our express written consent and Hong Kong International Theme Parks Limited may not rely on it for any purpose other than as described above.

AECOM Asia Co. Ltd.

11/F, Grand Central Plaza, Tower 2, 138 Shatin Rural Committee Road, Shatin, NT, Hong Kong Tel: (852) 3105 8686 Fax: (852) 2317 7609 www.aecom.com

Water Recreation Centre (Monthly EM&A Report No. 67)

Submitted by AECOM Asia Co. Ltd. on 17 March 2011

This is to verify that:

The Water Recreation Centre Monthly EM&A Report No. 67

Submitted by: AECOM Asia Co. Ltd.

On: 17 March 2011

Has been verified by the undersigned.

Signed

Ir Dr Anne Watker-Zeris

Independent Environmental Checker (IECK)

Retained by Hongkong International Theme Parks Ltd

pursuant to EP No. EP-01/97/2001/C

Date

21 March 2011

TABLE OF CONTENTS

			Page
EXE	ECUTIVE SUM	MARY	1
	Implement Environme	ental Monitoring Worksation Status of Environmental Mitigation Measuresental Complaints and Prosecution	l l
1.	INTRODU	CTION	1
	Project Org	ofganisationof the EM&A Requirements	1
2.	ENVIRON	MENTAL AUDIT	2
	Status of E Waste Mar	ation Status of Environmental Mitigation Measures invironmental Licensing and Permitting nagement ation Status of Environmental Complaint Handling Procedures	2 2
3.	CONCLUS	SIONS AND RECOMMENDATIONS	4
		ndations	
List	of Tables		•
	Table 2.1	Summary of Environmental Notification, Licensing and Permit Status	2
List	of Figures		
	Figure 1.1 Figure 1.2	Location of Water Recreation Centre Project Organization	
List	of Appendice	s	
	Appendix A Appendix B Appendix C	Contact of Key Environmental Personnel Summary of Environmental Mitigation Implementation Schedule Complaint Flow Diagram and Complaint Log	

EXECUTIVE SUMMARY

This is the sixty-seventh monthly Environmental Monitoring and Audit (EM&A) report prepared by AECOM Asia Co. Ltd. (integrating the operation of ENSR Asia (HK) Ltd.), the designated Environmental Team (ET), for the project "Provision of EM&A Services at Water Recreation Centre". The Water Recreation Centre (WRC) commenced operation on 16 August 2005.

This report presents the results of environmental audit works conducted between 16 February 2011 and 15 March 2011.

Environmental Monitoring Works

Environmental Licensing and Permitting

Environmental permit (No. EP-01/097/2001/C) was issued to the Hongkong International Theme Parks Limited (HKITP) for the operation of WRC. HKITP has been registered as chemical waste producer (Waste Producer No. 9499-973-H3095-01).

Implementation Status of Environmental Mitigation Measures

Monthly environmental site inspection was carried out on 9 March 2011. Environmental mitigation measures as recommended in the EIA report, Operational EM&A Plan and EP-01/097/2001/C were properly implemented.

Environmental Complaints and Prosecution

No complaint, summons or prosecution related to environmental issues was made against the Project in the reporting period.

Future Key Issues

The operator of WRC is reminded to continue to implement measures as recommended in the EIA Report, Operational EM&A Plan and EP-01/097/2001/C.

ı

1. INTRODUCTION

Background

- 1.1 AECOM Asia Co. Ltd. (integrating the operation of ENSR Asia (HK) Ltd.) (hereinafter referred as the "ET") was appointed by Hongkong International Theme Park Ltd. (HKITP) (hereinafter referred as the "Operator") to carry out operational Environmental Monitoring and Audit at the Water Recreation Centre since its operation on 16 August 2005. Under the requirements of Section 4 of the Environmental Permit EP-01/097/2001/C, EM&A programme is required to be implemented in accordance with the Operational EM&A Plan approved by the Environmental Protection Department (EPD) on 31 August 2005.
- 1.2 The WRC is a portion of the Contract for "Theme Park and Associated Infrastructures at Penny's Bay", which encompasses an area of approximately 12 ha and contains a multi-function artificial lake, water-based and land-based recreational facilities and ancillary facilities. Apart from recreation purpose, the lake water is a source of irrigation water for the entire Penny's Bay. The location of the WRC is given in Figure 1.1.
- 1.3 Following approval of the EIA, an Environmental Permit (EP) was issued to the Civil Engineering Department (CED) (now Civil and Engineering Development Department (CEDD) and the subsequent variation of the permit no. EP-097/2001/B and EP-138/2002/C contain the requirements and obligations on the Environmental Monitoring and Audit (EM&A) during the operation of the WRC. Under the Contract for "Theme Park and Associated Infrastructures at Penny's Bay", the WRC and ancillary facilities were designed and constructed under the supervision of CEDD and the WRC would be turned over from CEDD to HKITP for operation upon completion of construction. Environmental permit no. EP-01/097/2001/C was issued to the HKITP for the operation of WRC.
- 1.4 This report presents the results of environmental audit works conducted between 16 February 2011 and 15 March 2011.

Project Organisation

1.5 The structure of the environmental management team is shown in Figure 1.2. Contacts of key environmental staff of the Project are shown in Appendix A.

Summary of the EM&A Requirements

- 1.6 The latest EM&A programme requires environmental audit at the WRC. The purpose of the audit was to ensure all environmental mitigation measures, as recommended in the EIA report, Operational EM&A Plan and EP-01/097/2001/C, were properly implemented.
- 1.7 Site audit and the status of environmental licensing and permits are described in Section 2.
- 1.8 Summary of the advice on the implementation status of environmental protection and pollution control/mitigation measures is summarised in Section 2 of the Report.

2. ENVIRONMENTAL AUDIT

Implementation Status of Environmental Mitigation Measures

- 2.1 Site audit was carried out on a monthly basis to monitor environmental issues to ensure that all mitigation measures were implemented timely and properly.
- 2.2 Monthly site inspection was carried out on 9 March 2011. Environmental mitigation measures for water quality, waste management, landscape and visual, as recommended in the EIA report, Operational EM&A Plan and EP were properly implemented. There was no specific observation requiring following up action. In general, the condition of the WRC was satisfactory:
 - · No floating refuse was observed.
 - No uncontrolled surface runoff into the lake was observed.
 - No algicide was applied to the WRC.
 - No discharge was made from the WRC into marine water.
 - No improper storage of oil/chemicals was observed.
 - Environmental Permit was kept in the site office and was available for inspection upon request.
- 2.3 A summary of the Environmental Mitigation Implementation Schedule (EMIS) is presented in Appendix B

Status of Environmental Licensing and Permitting

2.4 All permits/licences/notifications obtained as of the reporting period are summarised in Table 2.1

Table 2.1 Summary of Environmental Notification, Licensing and Permit Status

D	Valid Period		Description	Status	
Permit No.	From	То	Description	Sidius	
Environmental Pern	nit				
EP-01/097/2001/C	19 Oct. 05	-	Operation of an approximately 32 ha water recreation centre with a 12 ha multi-function artificial lake, water-based and land-based recreational facilities and ancillary facilities	Valid	
Chemical Waste Re	gistration				
9499-973-H3095-01	29 Jul. 05	-	Theme Park at Penny's Bay	Valid	

Waste Management

- 2.5 Waste management of WRC was implemented as stipulated in the Waste Management Plan.
- As waste management of WRC was undertaken as part of the overall Theme Park Resort waste management scheme, records of waste handling and disposal would be reported in the Theme Park EM&A Report.

Revision 0 2

Implementation Status of Environmental Complaint Handling Procedures

- 2.7 Appendix C presents the environmental complaint flow diagram of the Project.
- 2.8 No complaint, summons or prosecution related to environmental issues was received or made against the Project in the reporting period.

Revision 0 3

3. CONCLUSIONS AND RECOMMENDATIONS

Conclusions


- 3.1 Environmental audit was carried out on 9 March 2011 in accordance with the Operation EM&A Plan. No non-compliance was observed during the inspection. In general, the condition of the WRC was satisfactory.
- 3.2 Environmental mitigation measures as recommended in the EIA Report, Operational EM&A Plan and EP were properly implemented.
- 3.3 No complaint, summons or prosecution related to environmental issues was made against the Project in the reporting period.


Recommendations

3.4 The operator of WRC is reminded to continue to implement measures as recommended in EIA Report and EP.

Revision 0 4

FIGURES





APPENDIX A
CONTACTS OF KEY ENVIRONMENTAL
PERSONNEL

Appendix A: Contacts of Key Environmental Staff

•	<u>Name</u>	<u>Telephone</u>	<u>Fax</u>
IEC Mott MacDonald Independent Environmental Checker	Dr. Anne Watker-Zeris	2828 5757	2827 1823
ET AECOM Asia Co. Ltd. Environmental Team Leader Environmental Scientist	Mr. Y T Tang Mr. Y W Fung	2893 1551 2893 1551	2891 0305 2891 0305

APPENDIX B
SUMMARY OF ENVIRONMENTAL
MITIGATION IMPLEMENTATION SCHEDULE

Appendix B — Summary of Environmental Mitigation Implementation Schedule

Status		sh the	7		hin the N/A		+ . >	+ . >	+ · > = = = = = = = = = = = = = = = = = =	in the short libited, is is wage and STW.
The state of the s		The lake shall be lined with an impermeable liner. However, as such liners may have a limited life span, beyond which the performance may deteriorates, the liner shall be replaced once the manufacturer's specified lifespan is reached.	Stormwater run-off from surrounding hillsides shall pass through silt traps prior to entering the artificial lake to prevent siltation. The silt traps shall be designed to have adequate capacity to retain any silt/sediment contained within the stormwater. The silt traps shall be frequently maintained/cleaned to prevent a deterioration in performance.	Tai Lam Chung Reservoir deteriorate below the present levels an alternate supply of that within the Tai Lam Chung Reservoir, shall be used to 'top up' the water within the		lake. If it becomes necessary to add an algicide to the lake to control algal growth, the algicide shall be biodegradable with a short half life of three days or less. During use of the algicide discharge of the lake water to the marine waters shall be prohibited, until the algicide has decayed. The algicide shall not be used during periods of heavy rainfall when overflow of the lake is possible.	lake. If it becomes necessary to add an algicide to the lake to control algal growth, the algicide shall be biodegradable with a short half life of three days or less. During use of the algicide discharge of the lake water to the marine waters shall be prohibited, until the algicide has decayed. The algicide shall not be used during periods of heavy rainfall when overflow of the lake is possible. Stormwater from any urban/developed areas shall not be allowed to enter the lake as they may contain pollutants. Sewage effluent from the water recreation centre shall be transported to the sewerage mains for conveyance to the Siu Ho Wan STW.	lake. If it becomes necessary to add an algicide to the lake to control algal growth, the algicide shall be biodegradable with a shall life of three days or less. During use of the algicide discharge of the lake water to the marine waters shall be prohib until the algicide has decayed. The algicide shall not be used during periods of heavy rainfall when overflow of the lake in possible. Stormwater from any urban/developed areas shall not be allowed to enter the lake as they may contain pollutants. Sew effluent from the water recreation centre shall be transported to the sewerage mains for conveyance to the Siu Ho Wan Any fuel for motorised water sports vessels shall be stored in bunded areas, of at least 110% capacity of the largest fuel storage container to prevent any accidental spills entering the lake.	lake. If it becomes necessary to add an algicide to the lake to control algal growth, the algicide shall be biodegradable with a short half life of three days or less. During use of the algicide discharge of the lake water to the marine waters shall be prohibited, until the algicide has decayed. The algicide shall not be used during periods of heavy rainfall when overflow of the lake is possible. Stormwater from any urban/developed areas shall not be allowed to enter the lake as they may contain pollutants. Sewage effluent from the water recreation centre shall be transported to the sewerage mains for conveyance to the Siu Ho Wan STW. Any fuel for motorised water sports vessels shall be stored in bunded areas, of at least 110% capacity of the largest fuel storage container to prevent any accidental spills entering the lake. Servicing of any water sports vessels shall be undertaken at suitable facilities away from the artificial lake. In the event that fuel or other petroleum products enter the lake, a suitable clean-up plan shall be implemented. The clean-up plan being devised by the operators of the water recreation centre and approved by EPD prior to the commencement of operations at the water sports centre.	lake. If it becomes necessary to add an algicide to the lake to control algal growth, the algicide shall be blodegradable with a half life of three days or less. During use of the algicide discharge of the lake water to the marine waters shall be prohoutil the algicide has decayed. The algicide shall not be used during periods of heavy rainfall when overflow of the lake possible. Stormwater from any urban/developed areas shall not be allowed to enter the lake as they may contain pollutants. Selefiluent from the water recreation centre shall be transported to the sewerage mains for conveyance to the Siu Ho Wai Any fuel for motorised water sports vessels shall be stored in bunded areas, of at least 110% capacity of the largest furstorage container to prevent any accidental spills entering the lake. Servicing of any water sports vessels shall be undertaken at suitable facilities away from the artificial lake. In the even fuel or other petroleum products enter the lake, a suitable clean-up plan shall be implemented. The clean-up plan bein devised by the operators of the water recreation centre and approved by EPD prior to the commencement of operation water sports centre.
NATU.		, as such liners may have a	ough silt traps prior to entericapacity to retain any silt/se	Tai Lam Chung Reservoir deteriorate below the present levels an alternate supply of that within the Tai Lam Chung Reservoir, shall be used to 'top up' the water within the		trol algal growth, the algicic tharge of the lake water to t d during periods of heavy ra	trol algal growth, the algicic sharge of the lake water to t d during periods of heavy ra owed to enter the lake as the to the sewerage mains for	trol algal growth, the algicic charge of the lake water to the during periods of heavy recoved to enter the lake as the to the sewerage mains for n bunded areas, of at least le lake.	trol algal growth, the algicic charge of the lake water to the during periods of heavy rational periods of heavy rational periods of heavy rational to the sewerage mains for a bunded areas, of at least the lake. I suitable facilities away from the sear-up plan shall be implen approved by EPD prior to the standard st	trol algal growth, the algicic charge of the lake water to the during periods of heavy rational periods of heavy rational periods of heavy rational to the sewerage mains for a bunded areas, of at least ine lake. I suitable facilities away fror ean-up plan shall be implen approved by EPD prior to the state of the st
		rmeable liner. However, iner shall be replaced on	g hillsides shall pass thro gned to have adequate or requently maintained/cle	11		lgicide to the lake to con g use of the algicide disc algicide shall not be used	lgicide to the lake to conguse of the algicide discalgicide shall not be used areas shall not be allestre shall be transported	lgicide to the lake to conguese of the algicide discalgicide shall not be used areas shall not be allowtre shall be transported vessels shall be stored in cidental spills entering the	lgicide to the lake to conguese of the algicide discalgicide shall not be used areas shall not be allighter shall be transported vessels shall be stored in cidental spills entering the shall be undertaken at er the lake, a suitable clear recreation centre and	lgicide to the lake to conguese of the algicide discalgicide shall not be used areas shall not be allowthe shall be transported vessels shall be stored in cidental spills entering the shall be undertaken at er the lake, a suitable clear recreation centre and
asures	- Company of the Comp	The lake shall be lined with an imperiperformance may deteriorates, the lin	Stormwater run-off from surrounding hillsides shall pass through silt traps prior to entering the artificial lake siltation. The silt traps shall be designed to have adequate capacity to retain any silt/sediment contained wistormwater. The silt traps shall be frequently maintained/cleaned to prevent a deterioration in performance.	Should the quality of the water in the water, of a quality at least as good as		lake. If it becomes necessary to add an alghalf life of three days or less. During until the algicide has decayed. The algossible.	comes necessary to add an sof three days or less. During a algicide has decayed. The le. Nater from any urban/develout from the water recreation of	larke. If it becomes necessary to add an algicide to the lake to control alghal life of three days or less. During use of the algicide discharge until the algicide has decayed. The algicide shall not be used durin possible. Stormwater from any urban/developed areas shall not be allowed to effluent from the water recreation centre shall be transported to the Any fuel for motorised water sports vessels shall be stored in bundstorage container to prevent any accidental spills entering the lake.	lit it becomes necessary to add an alghalf life of three days or less. During until the algicide has decayed. The algossible. Stormwater from any urban/develope effluent from the water recreation cental from the water recreation cental for motorised water sports vestorage container to prevent any accistorage container to prevent any accistoral of any water sports vessels fuel or other petroleum products entedevised by the operators of the water water sports centre.	comes necessary to add an e of three days or less. During a algicide has decayed. The le. water from any urban/develout from the water recreation of the motorised water sports ontainer to prevent any action of any water sports vessed the petroleum products ered by the operators of the wasports centre.
MINIGATION MEASURES	Water Quality	 The lak perform 	Stormw siltation stormw	Should water, c	lake.	lake. If it becon half life ountil the possible.	lake. If it becond that life the control the possible stormwell the effluent effluent effluent the control that the control	lake. If it becond that life possible stormwelf. Stormwelf. Any fue storage	lake. If it becond half life until the possible stormwell the possible stormwell the possible storage storage storage devised water storage water storage	lake. If it becond half life until the possible stormwelf liment effluent Any fue storage storage storage devised water storage water storage
Heterence		EIA Report 5.11.2	EIA Report 5.11.2	EIA Report 5.11.2, EP	3.7	3.7 EIA Report 5.11.2, EP 3.8, 3.9	3.7 EIA Report 5.11.2, EP 3.8, 3.9 EIA Report 5.11.2, EP 3.6	3.7 EIA Report 5.11.2, EP 3.8, 3.9 EIA Report 5.11.2, EP 3.6 EIA Report 5.11.2, EP	3.7 EIA Report 3.8, 3.9 3.8, 3.9 EIA Report 5.11.2, EP 3.6 EIA Report 5.11.2, EP 3.10 EIA Report 5.11.2, EP	3.7 EIA Report 5.11.2, EP 3.8, 3.9 EIA Report 5.11.2, EP 3.6 EIA Report 5.11.2, EP 5.11.2, EP

(D)
₽
0
Z

Compliance of mitigation measure Non-compliance of mitigation measures Non-compliance but rectified Not applicable × • Ž

APPENDIX C COMPLAINT FLOW DIAGRAM AND COMPLAINT LOG

