

本署檔號  
OUR REF: ( ) in EP2/G/A/180  
來函檔號  
YOUR REF:  
電話  
TEL. NO.: 2835 1105  
圖文傳真  
FAX NO.: 2591 0558  
電子郵件  
E-MAIL:  
網址  
HOMEPAGE:  
<http://www.epd.gov.hk>

**Environmental Protection Department  
Branch Office**  
28th Floor, Southorn Centre,  
130 Hennessy Road,  
Wan Chai, Hong Kong.



**環境保護署分處**  
香港灣仔  
軒尼詩道  
一百三十號  
修頓中心廿八樓

17 June 2025

**By Registered Post & Fax**

Highways Department

**Environmental Impact Assessment (EIA) Ordinance, Cap.499  
Application for EIA Study Brief**

**Project Title: Smart and Green Mass Transit System in East Kowloon  
(Application No. ESB-374/2025)**

I refer to your above application received on 6 May 2025 for an EIA Study Brief under Section 5(1)(a) of the EIA Ordinance.

In accordance with Section 5(7)(a) of the EIA Ordinance and after public inspection of the project profile, I issue the attached EIA Study Brief (No. ESB-374/2025) for your preparation of an EIA report.

Under Section 15 of the EIA Ordinance, the EIA Study Brief will be placed on the EIA Ordinance Register. It will also be placed on the EIA Ordinance website (<http://www.epd.gov.hk/eia/>).


You may submit an application for approval of the EIA report in accordance with Section 6(2) of the EIA Ordinance after its completion. Upon receipt of your application, this department will decide under Section 6(3) of the EIA Ordinance whether the EIA report meets the requirements of the EIA Study Brief and Technical Memorandum on EIA Process, and accordingly advise you under Section 6(4) of the EIA Ordinance whether a submission to the Advisory Council on the Environment (ACE) or its subcommittee is required. In this connection, you are required to provide a set of soft copy of the Executive Summary of the EIA report to the Secretariat of the EIA Subcommittee of the Council by email at [acesecretariat@eeb.gov.hk](mailto:acesecretariat@eeb.gov.hk) for selection for submission when you submit the EIA report to this department for approval. Should you have questions on the submission, please contact Executive Officer (Cross-Boundary & International Division) 1 of the Secretariat of the EIA Subcommittee of the ACE at 2594 6324.

If the EIA report is selected by ACE for submission and presentation, you are expected to provide ACE with an account of the environmental issues arising from the project, major conclusions and recommendations of the EIA study. In particular, the main environmental concerns of the general public and interest groups who may be affected by the Project should be identified and addressed in the EIA study. As such, you are strongly advised to engage the public and interest groups during the course of the EIA study. Please find attached a copy of the "*Guidance Note on Advertisement and Public Inspection of Documents*" and "*Modus Operandi of the EIA Subcommittee of the Advisory Council on the Environment*" for your reference.

Please note that if you are aggrieved by any of the content of this EIA Study Brief, you may appeal under Section 17 of the EIA Ordinance within 30 days of receipt of this EIA Study Brief.

Should you have any queries on the above application, please contact my colleague Mr. Leo LUK at 2835 1155.

Yours sincerely,



(Queenie Y.C. NG)  
Principal Environmental Protection Officer  
for Director of Environmental Protection

Encl.

c.c. (w/o encl.)  
ACE EIA Subcommittee Secretariat

**ENVIRONMENTAL IMPACT ASSESSMENT ORDINANCE  
(CAP. 499)**

**GUIDANCE NOTE ON ADVERTISEMENT AND  
PUBLIC INSPECTION OF DOCUMENTS**

## CONTENTS

1. Purpose
2. Advertising the Availability of Project Profile and the Arrangement for its Public Inspection
3. Advertising the Availability of Environmental Impact Assessment (EIA) Report and the Arrangement for its Public Inspection
4. Confirmation of Advertisement
5. Further Enquiries

Appendix 1 - Format of Advertisement for Application for EIA Study Brief

Appendix 2 - Format of Advertisement for Application for Permission to Apply Directly for Environmental Permit

Appendix 3 - Format of Advertisement for Application for Approval of EIA Report

Appendix 4 - Confirmation of Advertisement for the Availability of Project Profile

Appendix 5 - Confirmation of Advertisement for the Availability of EIA Report

# ENVIRONMENTAL IMPACT ASSESSMENT ORDINANCE (CAP.499)

## GUIDANCE NOTE ON ADVERTISEMENT AND PUBLIC INSPECTION OF DOCUMENTS

### 1. Purpose

This guidance note sets out the advertisement requirements and the arrangement for public inspection of a project profile or an environmental impact assessment (EIA) report submitted under the Environmental Impact Assessment (EIA) Ordinance (the Ordinance).

This guidance note should be read in conjunction with "A Guide to the EIA Ordinance" which can be obtained from the EIA Ordinance Register Office at 27/F, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong or downloaded from the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

### 2. Advertising the Availability of Project Profile and the Arrangement for its Public Inspection

#### *The Requirement*

Under the Ordinance, an applicant should advertise, at his or her own expense, the availability of a project profile for the following applications:

- (i) an application for EIA study brief under section 5.(1)(a) of the Ordinance; or
- (ii) an application for permission to apply directly for environmental permit under section 5.(1)(b) of the Ordinance.

#### *Timing and Frequency of Advertisement*

An applicant should advertise the availability of the project profile on the day following the submission of the application form and the project profile to the Director of Environmental Protection (the Director).

The applicant would only need to make one advertisement in a Chinese newspaper and an English newspaper, unless further information relating to the project profile is required and the applicant has been advised by the Director to advertise the availability of the additional information.

#### *The Format and Size of Advertisement*

For a project profile submitted for an application for EIA study brief, the format of advertisement should follow Appendix 1.

For a project profile submitted for an application for permission to apply directly for environmental permit, the format of advertisement should follow Appendix 2. The applicant should state clearly whether the application is pursuant to section 5.(9), 5.(10) or 5.(11) of the Ordinance.

### ***Advertising the Availability of Additional Information***

If the Director requires further information concerning the project profile, the applicant may have to advertise the availability of the additional information. The Director will advise the applicant the details of such an advertisement.

### ***Period and Place of Public Inspection of Project Profile***

The Director will place the project profile at the following locations for the public to inspect for 14 days from the day of the advertisement:

- (a) The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays);
- (b) Wan Chai Environmental Resource Centre, 221 Queen's Road East, Wan Chai, Hong Kong (Opening hours: Monday, Wednesday to Sunday Friday 1000 to 1700, closed on Tuesday, Saturday, Sunday and Public Holidays) [Note: Temporarily closed due to renovation.]; and
- (c) the relevant District Offices in those districts where the designated project will be located (Opening hours: normal office hours of District Offices).

The Director will also upload the project profile to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

Before the public inspection period expires, the public may forward written comments to the Director by post or fax or email to the EIA Ordinance Register Office at the following address:

The EIA Ordinance Register Office  
Environmental Protection Department  
27th floor, Southorn Centre,  
130 Hennessy Road,  
Wanchai, Hong Kong  
Fax. no.: 2147 0894  
Email address: [eiaocomment@epd.gov.hk](mailto:eiaocomment@epd.gov.hk)

### **3. Advertising the Availability of EIA Report and the Arrangement for its Public Inspection**

#### ***The Requirement***

Under the Ordinance, an applicant should advertise the availability of the EIA report when the report is considered by the Director as meeting the requirements of the EIA study brief and the Technical Memorandum on EIA Process.

#### ***Delivery of EIA Reports***

The applicant should notify EPD of date of advertisement at least two full working days before the day of first advertisement and submit (no. of EIA report specified in the EIA study brief) with electronic copy to the EIA Ordinance Register Office on the 27th Floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong. If EPD find the electronic copy differs from the hard copy substantially, the applicant would be required to defer the date of advertisement until the defect is rectified.

#### ***Timing and Frequency of Advertisement***

The applicant should advertise the availability of the EIA report once every 10 days of the 30 days public inspection period. The arrangement should be as follows:

- (a) the first advertisement to be placed on the same day of the placing of the report at locations required by the Director;
- (b) the second advertisement to be placed 10 days after the first advertisement; and
- (c) the third advertisement to be placed 10 days after the second advertisement.

#### ***The Format and Size of Advertisement***

The format of the advertisement should follow Appendix 3. If the Director requires any other information relating to the project to be set out in the advertisement, the applicant will be informed of the requirements.

#### ***Re-advertisement***

If the applicant fails to comply with the requirements for advertising the availability of the EIA report, the Director may require the applicant to re-advertise or extend the period of public inspection for up to another 30 days.

#### ***Period and Place of Public Inspection of EIA Report***

The applicant should make available at least two copies of the EIA report at a location in his or her office that is accessible to the public during normal office hours. The advertisement notice should be attached to the EIA report so that the public can know the duration of the public inspection period and the address to which his or her written comments can be sent.

The applicant should provide sufficient copies of the EIA report for the Director to place them at the following locations for the public to inspect for 30 days:

- (a) The EIA Ordinance Register Office, Environmental Protection Department, 27th

floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays);

- (b) Wan Chai Environmental Resource Centre, 221 Queen's Road East, Wan Chai, Hong Kong (Opening hours: Monday, Wednesday to Sunday Friday 1000 to 1700, closed on Tuesday, Saturday, Sunday and Public Holidays) [Note: Temporarily closed due to renovation.]; and
- (c) the relevant District Offices in those districts where the designated project will be located (Opening hours: normal office hours of District Offices).

The Director will also upload the EIA report to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

Before the public inspection period expires, the public may forward written comments to the Director by post or fax or email to the EIA Ordinance Register Office at the address given in this guidance note.

#### **4. Confirmation of Advertisement**

The applicant should confirm that the advertisement have been placed as required by filling in Appendix 4 or 5 and faxing it back on the day of the advertisement to the EIA Ordinance Register Office at fax. no. 21470894, together with copies of the advertisements.

#### **5. Further Enquiries**

Any further enquiries could be made to the EIA Ordinance Register Office.

**END**



## Appendix 1 - Format of Advertisement for Application for EIA Study Brief

### ENVIRONMENTAL IMPACT ASSESSMENT ORDINANCE (CHAPTER 499) Application for Environmental Impact Assessment Study Brief under Section 5.(1)(a)

An application for environmental impact assessment (EIA) study brief to proceed with EIA study for << *title of the proposed designated project* >> has been submitted by << *name of the applicant* >> to the Director of Environmental Protection under section 5.(1)(a) of the EIA Ordinance.

The project profile prepared by the applicant is now available for inspection from << *date of this advertisement* >> to << *date of this advertisement + 13 calendar days* >> at the following locations:

- i. The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays); and
- ii. << *relevant District Office(s)* >> during normal office hours.

The project profile will also be uploaded to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

The public may forward written comments on the project profile to the Director of Environmental Protection on environmental issues covered by the Technical Memorandum on EIA Process within 14 days of this advertisement. The Technical Memorandum can be obtained from the EIA Ordinance Register Office or the EIA Ordinance website. The comments from the public may be forwarded to any relevant parties in processing of the application. Any written comments should be sent to the following address by post or fax or email:

The EIA Ordinance Register Office  
Environmental Protection Department  
27th floor, Southorn Centre,  
130 Hennessy Road,  
Wanchai, Hong Kong.

Fax. no.: 2147 0894  
Email address: [eiaoccomment@epd.gov.hk](mailto:eiaoccomment@epd.gov.hk)

<< *Date of advertisement* >>

## Appendix 2 - Format of Advertisement for Application for Permission to Apply Directly for Environmental Permit

### ENVIRONMENTAL IMPACT ASSESSMENT ORDINANCE (CHAPTER 499)

**Application for Permission to Apply Directly for Environmental Permit under Section 5.(1)(b) and << either Section 5.(9), 5.(10) or 5.(11), use one number only in this box >>**

An application for permission to apply directly for environmental permit has been submitted by << *name of the applicant* >> for the << *title of the proposed designated project* >> to the Director of Environmental Protection under section 5.(1)(b) and << *section 5.(9), 5.(10) or 5.(11), fill in one section number only in this box* >> of the Environmental Impact Assessment (EIA) Ordinance.

The project profile prepared by the applicant is now available for inspection from << *date of this advertisement* >> to << *the date of this advertisement + 13 calendar days* >> at the following locations:

- i. The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays); and
- ii. << *relevant District Office(s)* >> during normal office hours.

The project profile will also be uploaded to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

The public may forward written comments on the project profile to the Director of Environmental Protection on environmental issues covered by the Technical Memorandum on EIA Process within 14 days of this advertisement. The Technical Memorandum can be obtained from the EIA Ordinance Register office or the EIA Ordinance website. The comments from the public may be forwarded to any relevant parties in processing of the application. Any written comments should be sent to the following address by post or fax or email:

The EIA Ordinance Register Office  
Environmental Protection Department  
27th floor, Southorn Centre,  
130 Hennessy Road,  
Wanchai, Hong Kong

Fax. no.: 2147 0894

Email address: [eiaocoment@epd.gov.hk](mailto:eiaocoment@epd.gov.hk)

<< *Date of advertisement* >>

### Appendix 3 - Format of Advertisement for Application for Approval of EIA Report

#### ENVIRONMENTAL IMPACT ASSESSMENT ORDINANCE (CHAPTER 499)

##### Public Inspection of Environmental Impact Assessment Report under Section 7.(1)

An application for approval of environmental impact assessment (EIA) report for the << *title of the proposed designated project* >> has been submitted by << *name of the applicant* >> to the Director of Environmental Protection under section 6.(2) of the EIA Ordinance.

The EIA report prepared by the applicant is now available for the public to inspect under section 7.(1) of the Ordinance from <<*date of the first advertisement*>> to <<*date of the first advertisement* + 29 calendar days>> at the following locations:

- i. The EIA Ordinance Register Office, Environmental Protection Department, 27th floor, Southorn Centre, 130 Hennessy Road, Wan Chai, Hong Kong (Opening hours: Monday to Friday 0900 to 1700, closed on Saturday, Sunday and Public Holidays);
- ii. << *the applicant's office address and opening hours* >>; and
- iii. << *relevant District Office(s)* >> during normal office hours.

The EIA report will also be uploaded to the EIA Ordinance website (<https://www.epd.gov.hk/eia>).

The public may seek clarification or assistance in understanding the EIA report from the << *name of the applicant* >> at <<*telephone numbers*>> during office hours <<*the applicant's office opening hours*>>. The public may forward written comments on the EIA report to the Director of Environmental Protection on environmental issues covered by the Technical Memorandum on EIA Process before the public inspection period expires. The Technical Memorandum can be obtained from the EIA Ordinance Register office or the EIA Ordinance website. The comments from the public may be forwarded to the applicant or any relevant parties in processing of the application. Any written comments should be sent to the following address by post or fax or email:

The EIA Ordinance Register Office  
Environmental Protection Department  
27th floor, Southorn Centre,  
130 Hennessy Road,  
Wanchai, Hong Kong.

Fax. no.: 2147 0894

Email address: [eiaocomment@epd.gov.hk](mailto:eiaocomment@epd.gov.hk)

Date of the first advertisement: << *Date of the first advertisement* >>

Date of this advertisement: << *Date of this advertisement* >>

**Environmental Impact Assessment Ordinance**  
**Confirmation of Advertisement for the Availability of Project Profile**

From: \_\_\_\_\_ To: EIA Ordinance Register Office  
(Fax. no.: 2147 0894)

Date: \_\_\_\_\_

Tel. no.: \_\_\_\_\_

Please complete the following and return it by fax to 21470894, with a copy of the advertisements appeared in the newspapers, on the day the advertisement has been made.

1. Title of the Designated Project:

---

---

---

2. Reference No. of Application:

---

3. The Name of the Chinese Newspaper and the Date of Advertisement:

---

4. The Name of the English Newspaper and the Date of Advertisement:

---

5. Number of pages faxed:

---

**Environmental Impact Assessment Ordinance**  
**Confirmation of Advertisement for the Availability of**  
**Environmental Impact Assessment Report**

From: \_\_\_\_\_ To: EIA Ordinance Register Office  
(Fax. no.: 2147 0894)

Date: \_\_\_\_\_

Tel. no.: \_\_\_\_\_

Please complete the following and return it by fax to 21470894, with a copy of the advertisements appeared in the newspapers, on the day the advertisement has been made.

1. Title of the Designated Project:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

2. Reference No. of Application:

\_\_\_\_\_

3. Please tick one of the following:

- ☐ the first advertisement during the public inspection period  
☐ the second advertisement during the public inspection period  
☐ the third advertisement during the public inspection period

4. The Name of the Chinese Newspaper and the Date of Advertisement:

\_\_\_\_\_

5. The Name of the English Newspaper and the Date of Advertisement:

\_\_\_\_\_

6. Number of pages faxed: \_\_\_\_\_

**MODUS OPERANDI OF THE  
ENVIRONMENTAL IMPACT ASSESSMENT SUBCOMMITTEE OF  
THE ADVISORY COUNCIL ON THE ENVIRONMENT**

**Purpose**

This paper sets out the *modus operandi* of the Environmental Impact Assessment (EIA) Subcommittee of the Advisory Council on the Environment (ACE) so as to facilitate smooth proceedings of subcommittee meetings. The current *modus operandi* was last updated and endorsed by ACE in July 2009.

**Background**

2. ACE is the Government's principal advisory body on matters relating to environmental protection and nature conservation. The terms of reference of ACE are –

- (a) to keep under review the state of the environment in Hong Kong; and
- (b) to advise the Government, through the Secretary for Environment and Ecology, on appropriate measures which might be taken to combat pollution of all kinds, and to protect and sustain the environment.

3. The EIA Subcommittee is set up under ACE to study EIA reports of major development projects. It also comments on strategic environmental assessment reports of major planning projects. The terms of reference of the EIA Subcommittee are –

- (a) to receive and study EIA reports of major development projects; and
- (b) to report on its deliberations and findings and make recommendations to ACE.

## **EIA Process**

4. ACE and the EIA Subcommittee are involved in three main stages of the EIA process, namely commenting on the project profiles for designated projects, selection of EIA reports for submission to ACE and commenting on selected EIA reports. In accordance with ETWB Technical Circular (Works) No. 13/2003, the statutory gazetting of a project under the relevant ordinances can be done in parallel with the EIA process. Separately, consultation with District Councils and other relevant parties may proceed in advance of or in parallel with the submission of EIA reports to the EIA Subcommittee.

## **Project Profiles**

5. Under section 5 of the EIA Ordinance, ACE and members of the public may comment on the project profile of a designated project within 14 days of it being advertised. It is hence not necessary for the EIA Subcommittee to present to the Director of Environmental Protection (DEP) the collective view of the EIA Subcommittee on project profiles. To ensure that comments on project profiles, if any, are given to DEP within the statutory time limit, individual ACE Members would write to DEP directly. Where necessary, the ACE Member may copy his/her comments to the Chairman and Members for information.

## **Selection of EIA Reports**

6. Project proponents of designated projects will have to present their EIA reports to ACE if they are required to submit the reports to the Council. Members of the EIA Subcommittee will be asked to select those projects which they consider should require a presentation to the EIA Subcommittee by the project proponent. The selection outcome is for internal planning of the schedule of the EIA Subcommittee and will not be divulged to the project proponent. Only those projects selected by half or more of EIA Subcommittee Members will be selected. The project proponent concerned will be notified of the selection outcome only after DEP has decided that the EIA report is ready for public inspection and submission to ACE for advice.

7. During the project selection process, if individual EIA Subcommittee Member has special concerns/comments on a certain project, he/she could draw the EIA Subcommittee Chairman's attention to his/her concerns/comments and the Chairman would consider the need to review the decision on selection of the EIA report for submission to ACE.

8. For projects not selected, the project proponent will be required to send the Executive Summary of the EIA report to the EIA Subcommittee. Members would pass their comments, if any, to DEP directly within the prescribed public inspection period and if necessary, copy his/her comments to the Chairman and Members of the EIA Subcommittee for information. At the ACE meeting immediately following the issue of the Executive Summaries of the EIA reports, the EIA Subcommittee Chairman will report to ACE about the submission of these Executive Summaries for information of Members and record as projects not selected for discussion.

### **Meeting Arrangements**

9. The EIA Subcommittee will basically meet on a monthly basis. Meetings will be held when there is submission of EIA report(s) or issue(s) to be discussed.

10. To facilitate focused discussion, the EIA Subcommittee will generally consider no more than two EIA reports in each meeting. EPD will prepare a paper on each EIA report to be submitted to the EIA Subcommittee highlighting the key environmental issues and major findings of the EIA study. Upon expiry of the report inspection period by the general public, EPD will summarize all public comments received during the period for consideration of the EIA Subcommittee. The project proponent, where applicable, will provide the EIA Subcommittee with a report on the site selection process of the project, setting out the alternative sites that have been considered and the reasons of the selection of the particular site when such information is not provided in the EIA report. The paper, the EIA report and the site report, if any, will normally be issued to EIA Subcommittee Members two weeks before the scheduled meeting. The summary of public comments will also be given to Members before the meeting. Members will be asked to indicate whether it is necessary for the project proponent to attend the meeting or the report could be considered by circulation. Project proponents will be informed accordingly before the scheduled meeting.

11. Summary of the public comments will also be provided to non-EIA Subcommittee Members for reference to facilitate their discussion of the EIA Subcommittee's recommendations at the next ACE meeting before the Council tenders its comments to DEP on the EIA report as provided for under the EIA Ordinance.

12. Members of the EIA Subcommittee may raise questions in writing on an EIA report before the scheduled meeting and the project proponent should provide written response to the Secretariat at least three working days before the meeting.



13. Each discussion item on an EIA report would include a Presentation Session by the project proponent, a Question-and-Answer Session and Internal Discussion Sessions. The Presentation Session and the Question-and-Answer Session are open up for broadcasting and members of the public can view the sessions real time in the public viewing room. The EIA Subcommittee would allocate as much time to the Question-and-Answer Session as possible.

14. The presentation by the project proponent should cover, inter alia, the major conclusions and recommendations of the EIA study. In addition, the project proponent should provide a concise and objective account of the main concerns of the general public and interest groups made known during the EIA study and the public inspection stages, and explain how these concerns are addressed in the EIA study.

### **Criteria for Assessing EIA Reports**

15. EIA reports will be assessed by the EIA Subcommittee according to the requirements of the Technical Memorandum on the EIA Process and the study brief of the individual projects issued by DEP.

### **Recommendations to the Full Council**

16. The EIA Subcommittee can make one of the following recommendations to the full Council –

- (i) endorse the EIA report without condition; or
- (ii) endorse the EIA report with condition(s); or
- (iii) reject the EIA report and inform the proponent the right to go to the full Council.

17. If the EIA Subcommittee cannot reach a consensus (i.e. if two or more Members do not agree with the conclusion of the EIA Subcommittee) during the meeting, it may –

- (i) ask for a second submission to the EIA Subcommittee; or
- (ii) defer the decision to the full Council and highlight issues or reasons for not reaching a consensus for the full Council's deliberation.

18. Other than the scenario in paragraph 17 above or the EIA Subcommittee Chairman considers it appropriate, the recommendations of the EIA Subcommittee will not be discussed in detail in the full Council.

### **Other Rules that apply to EIA Subcommittee Meetings**

19. Apart from the procedures mentioned above, the following rules also apply to EIA Subcommittee meetings –

- (i) the quorum for EIA Subcommittee meetings should be half of the number of EIA Subcommittee Members, including the Chairman;
- (ii) ACE Members who are not EIA Subcommittee Members may attend EIA Subcommittee meetings and participate in the discussion of the meetings but they shall not vote when votes are taken;
- (iii) Council Members and EIA Subcommittee Members should declare direct and indirect interest before deliberating on agenda items so that the EIA Subcommittee Chairman could decide whether they should take part in the discussion or in the case of EIA Subcommittee Members to vote;
- (iv) the confirmed minutes of the EIA Subcommittee (with Members' names deleted) are uploaded on the ACE's website for public inspection;
- (v) the Presentation Session and Question-and-Answer Session of a discussion item on an EIA report at the EIA Subcommittee meeting requiring the attendance of the project proponent team will be opened to the public. The opening up of these sessions is an administrative arrangement only. The open meeting arrangements are not applicable to internal discussion sessions of a discussion item on an EIA report and all other sessions of the meetings of the EIA Subcommittee;
- (vi) special meetings may be called to consider urgent items. The EIA Subcommittee will consider each case individually should there be requests for direct submissions to the full Council;
- (vii) there will not be a limit on the number of professionals/experts to be invited to each EIA Subcommittee meeting for items requiring their assistance. In these cases and where votes are taken, these professionals/experts shall not vote; and
- (viii) to facilitate effective deliberation at meetings of the EIA Subcommittee, the EIA Subcommittee may appoint Members to

advise the EIA Subcommittee on specific subject areas of EIA reports. The appointed Members would consider the assigned subjects of an EIA report, and seek advice from the relevant authorities designated under the EIAO as necessary before EIA Subcommittee meetings.

20. The revised *modus operandi* of the EIA Subcommittee has taken effect in April 2013 upon endorsement of ACE.

[Note: Government official title in paragraph 2 is updated as a result of the organisational changes in the Government with effect from 1 July 2022.]

**EIA Subcommittee Secretariat**  
**April 2013**

**Environmental Impact Assessment Ordinance (Cap. 499), Section 5 (7)**

**Environmental Impact Assessment Study Brief No. ESB-374/2025**

**Project Title: Smart and Green Mass Transit System in East Kowloon  
(hereinafter known as the “Project”)**

**Name of Applicant: Highways Department  
(hereinafter known as the “Applicant”)**

**1. BACKGROUND**

- 1.1 An application (No. ESB-374/2025) for an Environmental Impact Assessment (EIA) study brief under section 5(1)(a) of the Environmental Impact Assessment Ordinance (EIAO) was submitted by the captioned Applicant on 6 May 2025 with a project profile (No. PP-684/2025).
- 1.2 The Chief Executive’s 2023 Policy Address announced to implement a Smart and Green Mass Transit System in East Kowloon (EKGTS) (hereinafter known as the “Project”) with an aim to improving the overall transportation of East Kowloon and unleashing development potential. The Project comprises an electrically powered transit system operating on a dedicated corridor from Choi Hung East to Yau Tong East to improve the transport efficiency, safety and convenience. Subject to the findings of the investigation study and design to be conducted by the Applicant, the scope of the Project mainly comprises a smart and green mass transit system of approximately 7 km long (including viaducts of about 6 km long, tunnel of about 1 km long and 9 stations), a depot, and pedestrian linkage facilities connecting the stations and nearby residential areas. The indicative location of the Project is shown in **Appendix A**. The mode of transit system (e.g. road-based and/or rail-based systems) to be adopted in the Project is subject to the findings of the investigation study and design.
- 1.3 Based on the information provided in the Project Profile (No. PP-684/2025), the Project constitutes designated projects (DPs) in Part I, Schedule 2 of the EIAO as set out below.
- (i) Item A.2 “A railway and its associated stations”;
  - (ii) Item A.4 “A railway siding, depot, maintenance workshop, marshalling yard or goods yard” or Item A.6 “A transport depot located less than 100m from the nearest boundary of an existing or planned (a) residential area”; and
  - (iii) Item A.7 “A road or railway tunnel more than 800 m in length between portals”.
- 1.4 Pursuant to section 5(7)(a) of the EIAO, the Director of Environmental Protection (the Director) issues this EIA study brief to the Applicant to carry out an EIA study.
- 1.5 The purpose of the EIA study is to provide information on the nature and extent of environmental impacts arising from the construction and operation of the Project and associated works that will take place concurrently. This information will contribute to decisions by the Director on:
- (i) the overall acceptability of any adverse environmental consequences that are likely to arise as a result of the Project;

- (ii) the conditions and requirements for the detailed design, construction and operation of the Project to mitigate against adverse environmental consequences wherever practicable; and
- (iii) the acceptability of residual impacts after the proposed mitigation measures are implemented.

## **2. OBJECTIVES OF THE EIA STUDY**

### **2.1 The objectives of the EIA study are as follows:**

- (i) to describe the Project and associated works together with the requirements and environmental benefits for carrying out the Project;
- (ii) to identify and describe the elements of the community and environment likely to be affected by the Project and/or likely to cause adverse impacts to the Project, including both the natural and man-made environment and the associated environmental constraints;
- (iii) to identify and quantify emission sources and determine the significance of impacts on sensitive receivers and potential affected uses, and to propose measures to mitigate these impacts;
- (iv) to identify and evaluate any potential impacts from point and non-point pollution sources on the identified water systems and sensitive receivers and to propose measures to mitigate these impacts;
- (v) to identify, evaluate and address any potential ecological impacts arising from the Project and to propose measures to mitigate these impacts;
- (vi) to identify any negative impacts on cultural heritage and to propose measures to mitigate these impacts;
- (vii) to identify and quantify potential waste management issues and impacts and to propose measures to mitigate these impacts;
- (viii) to identify and quantify potential contaminated land within the Project area, and to propose measures to avoid disposal in the first instance;
- (ix) to identify any potential landscape and visual impacts and to propose measures to mitigate these impacts;
- (x) to identify any potential hazard to life impacts and to propose mitigation measures to mitigate these impacts;
- (xi) to identify any potential impacts from landfill gas hazard and to propose measures to mitigate these impacts;
- (xii) to propose the provision of infrastructure or mitigation measures so as to minimise pollution, environmental disturbance and nuisance during construction and operation of the Project;

- (xiii) to investigate the feasibility, practicability, effectiveness and implications of the proposed mitigation measures;
- (xiv) to identify, predict and evaluate the residual environmental impacts (i.e. after practicable mitigation) and the cumulative effects expected to arise during the construction and operation phases of the Project in relation to the sensitive receivers and potential affected uses;
- (xv) to identify, assesses and specify methods, measures and standards, to be included in the detailed design, construction and operation phases of the Project which are necessary to mitigate these residual environmental impacts and cumulative effects and reduce them to acceptable levels;
- (xvi) to investigate the extent of the secondary environmental impacts that may arise from the proposed mitigation measures and to identify constraints associated with the mitigation measures recommended in the EIA study, as well as the provision of any necessary modification; and
- (xvii) to design and specify the environmental monitoring and audit requirements.

### **3. DETAILED REQUIREMENTS OF THE EIA STUDY**

#### **3.1 The Purpose**

- 3.1.1 The purpose of this EIA study brief is to set out the purposes and objectives of the EIA study, the scope of environmental issues which shall be addressed, the requirements that the EIA study shall need to fulfil, and the necessary procedural and reporting requirements. The Applicant shall demonstrate in the EIA report whether the criteria in the relevant sections of the Technical Memorandum on the Environmental Impact Assessment Process of the Environmental Impact Assessment Ordinance (hereinafter referred to as “the TM”), are fully complied with.

#### **3.2 The Scope**

- 3.2.1 The scope of the EIA study shall cover the Project and associated works mentioned in section 1.2 of this EIA study brief. For the purpose of assessing whether the environmental impacts shall comply with the criteria of the TM, the EIA study shall address the issues described below:
  - (i) potential air quality impacts on existing and planned air sensitive receivers (ASRs) due to the construction of the Project;
  - (ii) potential noise impacts on existing and planned noise sensitive receivers (NSRs) due to the construction and operation of the Project;
  - (iii) potential water quality impacts on water sensitive receivers (WSRs) and relevant water system(s) in the vicinity due to construction and operation of the Project;
  - (iv) potential waste management implications arising from the construction and operation of the Project;
  - (v) potential land contamination within the Project area;

- (vi) potential terrestrial ecological impacts arising from the construction and operation of the Project;
- (vii) potential landscape impacts due to the construction and operation of the Project;
- (viii) potential visual impacts due to the operation of the Project;
- (ix) potential hazard to life impact due to the use, transport and overnight storage of explosives during the construction of the Project;
- (x) potential landfill gas hazard due to construction and operation of the Project;
- (xi) potential cultural heritage impacts due to the construction and operation of the Project; and
- (xii) potential cumulative environmental impacts of the Project, through interaction or in combination with other existing, committed and planned projects that may have a bearing on the environmental acceptability of the Project.

### **3.3 Qualified Professionals**

- 3.3.1 The EIA report shall be prepared, checked and signed by qualified professionals listed as either EIA Experts of the Hong Kong Institute of Qualified Environmental Professionals, or Engineering EIA Professionals of the Hong Kong Institution of Engineers.

### **3.4 Description of the Project**

#### **3.4.1 Purpose(s) and Objectives of the Project**

The Applicant shall provide information on the Project, including the purpose(s), objectives and environmental benefits of the Project, and describe the need of the Project and scenarios with and without the Project.

#### **3.4.2 Details of the Project**

The Applicant shall indicate the nature and status of Project for which the EIA study is undertaken. The Applicant shall describe the proposed alignment, mode of transit system, siting, scale/size, layout design, construction methods, sequence of construction works and other major activities involved in the construction and operation of the Project, using diagrams, plans and/or maps as necessary. The estimated duration of the construction phase and operation phase of the Project together with the programme within these phases shall be given. The land to be taken by the Project, construction sites and any associated access arrangements, ancillary facilities and landscaping areas shall be shown on a scaled map.

#### **3.4.3 Background and History of the Project**

The Applicant shall provide information on the site location and site history of the Project, interactions with other projects, and the consideration of different development options. The options might include alignment, mode of transit system, siting, scale/size, layout design, construction methods and sequence of construction works for the Project. An account on the rationale for selecting the preferred development option(s) and the part

environmental factors played in the selection shall be provided. The main environmental impacts of the different development option(s) shall be compared with those of the Project and without the Project.

### **3.5 Technical Requirements**

3.5.1 The Applicant shall conduct the EIA study to address the environmental aspects of the activities as described in the scope as set out above.

3.5.2 The Applicant shall include in the EIA report details of the construction programme and methodologies. The Applicant shall state in the EIA report the time frame, and work programmes of the Project, associated works and other concurrent projects, and qualitatively and/or quantitatively assess as appropriate the cumulative environmental impacts from the Project and the interacting projects as identified in the EIA study. The EIA study shall follow the technical requirements and methodologies specified below and in the Appendices of this EIA study brief.

#### **3.5.3 Air Quality Impact**

3.5.3.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing air quality impact as stated in Section 1 of Annex 4 and Annex 12 of the TM respectively.

3.5.3.2 The assessment area for air quality impact assessment shall include areas within 500 metres from the boundary of the Project and its associated works as identified in the EIA study, which shall include major existing, committed and planned air pollutant emission sources identified to have a bearing on the environmental acceptability of the Project. The assessment shall include the existing, committed and planned ASRs within the assessment area as well as any proposed ASRs within the Project as identified in the EIA study. The assessment shall also take into account the impacts of emission sources from nearby concurrent projects within the assessment area.

3.5.3.3 The assessment of air quality impact arising from the construction of the Project shall follow the requirements and methodologies given in **Appendix B** of this EIA study brief.

#### **3.5.4 Noise Impact**

3.5.4.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing noise impact as stated in Annexes 5 and 13 of the TM respectively. The Applicant shall also take into account the EIAO Guidance Note No. 9/2023 "Preparation of Construction Noise Impact Assessment Under the EIAO" and EIAO Guidance Note No. 16/2023 "Preparation of Fixed Noise Sources Impact Assessment Under the EIAO", as published on the website of the Environmental Protection Department.

3.5.4.2 The assessment area for the noise impact assessment shall include areas within 300 metres from the boundary of the Project and its associated works as identified in the EIA study. The assessment shall cover the potential noise impacts due to the construction and operation of the Project, including construction noise, transit system noise and fixed noise sources on the existing, committed and planned NSRs.

3.5.4.3 The noise impact assessment for the construction and operation of the Project shall follow the requirements and methodologies given in **Appendix C** of this EIA study



brief.

### **3.5.5 Water Quality Impact**

- 3.5.5.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing water pollution as stated in Annexes 6 and 14 of the TM respectively.
- 3.5.5.2 The Project falls within Victoria Harbour (Phase One) Water Control Zone, Junk Bay Water Control Zone as designated under the Water Pollution Control Ordinance (Cap. 358). The assessment area for water quality impact assessment shall include areas within 500 metres from the boundary of the Project and its associated works as identified in the EIA study. .
- 3.5.5.3 The water quality impact assessment for the construction and operation of the Project shall follow the requirements and methodologies given in **Appendix D** of this EIA study brief.

### **3.5.6 Waste Management Implications**

- 3.5.6.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing waste management implications as stated in Annexes 7 and 15 of the TM respectively.
- 3.5.6.2 The assessment of waste management implications arising from construction and operation of the Project shall follow the requirements and methodologies given in **Appendix E** of this EIA study brief.

### **3.5.7 Land Contamination**

- 3.5.7.1 The Applicant shall follow the guidelines for evaluating and assessing potential land contamination issues as stated in Sections 3.1 and 3.2 of Annex 19 of the TM.
- 3.5.7.2 The assessment of the potential land contamination issues shall follow the requirements and methodologies given in **Appendix F** of this EIA study brief.

### **3.5.8 Ecological Impact (Terrestrial)**

- 3.5.8.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing ecological impact as stated in Annexes 8 and 16 of the TM respectively. The Applicant shall also take into account the EIAO Guidance Note No. 10/2023 “Methodologies for Terrestrial and Freshwater Ecological Baseline Surveys”, EIAO Guidance Note No. 7/2023 “Ecological Baseline Survey for Ecological Assessment”, and EIAO Guidance Note No. 6/2010 “Some Observations on Ecological Assessment From the Environmental Impact Assessment Ordinance Perspective” as published on the website of the Environmental Protection Department.
- 3.5.8.2 The assessment area for the purpose of terrestrial ecological impact assessment shall include areas within 500 metres from the boundary of the Project and its associated works as identified in the EIA study. Ecological field surveys with a duration of 6 months covering both wet and dry seasons shall be carried out.
- 3.5.8.3 The ecological impact assessment for construction and operation of the Project shall follow the requirements and methodologies given in **Appendix G** of this EIA study

brief.

### **3.5.9 Landscape and Visual Impact**

- 3.5.9.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing landscape and visual impacts as stated in Section 1 of Annex 10 and Annex 18 of the TM respectively, and the EIAO Guidance Note No. 8/2023 “Preparation of Landscape and Visual Impact Assessment under the EIAO” as published on the website of the Environmental Protection Department.
- 3.5.9.2 The assessment area for the landscape impact assessment shall include areas within 100 metres from the boundary of the Project and its associated works as identified in the EIA study, while the assessment area for the visual impact assessment shall be defined by the visual envelope of the Project. The extent of the defined visual envelope shall be shown on a plan and documented in the EIA report.
- 3.5.9.3 The landscape impact assessment for the construction and operation phases of the Project and the visual impact assessment for the operation phase of the Project shall follow the requirements and methodologies given in **Appendix H** of this EIA study brief.

### **3.5.10 Impact on Cultural Heritage**

- 3.5.10.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing the cultural heritage impact on the site of cultural heritage defined under the EIAO, as stated in Section 2 of Annex 10 and Section 2 of Annex 19 of the TM respectively.
- 3.5.10.2 The assessment area for the cultural heritage impact assessment (CHIA) shall include areas within 300 metres from the boundary of the Project and its associated works as identified in the EIA study.. The CHIA shall include built heritage impact assessment and archaeological impact assessment, and shall cover items as listed in section 1(i)(a)-(e) of Appendix I of this EIA study brief.
- 3.5.10.3 The CHIA for the construction and operation of the Project shall follow the requirements and methodologies given in **Appendix I** of this EIA study brief.

### **3.5.11 Hazard to Life**

- 3.5.11.1 The Applicant shall follow the criteria for evaluating hazard to life as stated in Section 2 of Annex 4 of the TM.
- 3.5.11.2 The hazard to life assessment for construction of the Project shall follow the requirements and methodologies given in **Appendix J** of this EIA study brief.

### **3.5.12 Landfill Gas Hazard**

- 3.5.12.1 The Applicant shall follow the criteria and guidelines for evaluating and assessing landfill gas hazards as stated in Annexes 7 and 19 of the TM respectively. In particular, the landfill gas hazard assessment shall be carried out in accordance with the Report Number - EPD/TR8/97 “Landfill Gas Hazard Assessment Guidance Note” issued by the Director and shall entail two main components, which are qualitative risk assessment and landfill gas precautionary/protection design.

- 3.5.12.2 The landfill gas hazard assessment for construction and operation of the Project shall follow the requirements and methodologies given in **Appendix K** of this EIA study brief.

### **3.6 Environmental Monitoring and Audit (EM&A) Requirements**

- 3.6.1 The Applicant shall identify and justify in the EIA study whether there is any need for EM&A activities during the construction and operation phases of the Project and, if affirmative, to define the scope of the EM&A requirements for the Project in the EIA study.
- 3.6.2 Subject to the confirmation of the EIA study findings, the Applicant shall comply with the requirements as stipulated in Annex 21 of the TM.
- 3.6.3 The Applicant shall prepare a project implementation schedule (in the form of a checklist as shown in **Appendix L**) containing all the EIA study recommendations and mitigation measures with reference to the implementation programme.

### **3.7 Presentation of Summary Information**

#### **3.7.1 Summary of Environmental Outcomes**

The EIA report shall contain a summary of environmental outcomes arising from the EIA study, including estimated population protected from various environmental impacts, environmentally sensitive areas protected, environmentally friendly options considered and incorporated in the preferred option, environmental designs recommended, environmental problems avoided, compensation areas included and the environmental benefits of environmental protection measures recommended.

#### **3.7.2 Summary of Environmental Impacts**

To facilitate effective retrieval of pertinent key information, the EIA report shall contain a summary table of environmental impacts showing the assessment points, results of impact predictions, relevant standards or criteria, extents of exceedances predicted, impact avoidance measures considered, mitigation measures proposed and residual impacts (after mitigation). This summary shall cover each individual impact and shall also form an essential part of the executive summary of the EIA report.

#### **3.7.3 Documentation of Key Assessment Assumptions and Limitation of Assessment Methodologies**

The EIA report shall contain a summary including the assessment methodologies and key assessment assumptions adopted in the EIA study, the limitations and adequacy of these assessment methodologies/assumptions, the validity of the assumptions and the assessment results..

#### **3.7.4 Summary of Alternative Mitigation Measures**

The EIA report shall contain a summary of alternative mitigation measures considered during the course of EIA study, including alignment, mode of transit system, siting, scale/size, layout design, construction methods and sequence of construction works for

the Project, with a view to avoiding, minimising and mitigating adverse environmental impacts. A comparison of the environmental benefits and dis-benefits of applying different mitigation measures shall be made. This summary shall cover the impacts and shall also form an essential part of the executive summary of the EIA report.

### 3.7.5 Documentation of Public Concerns

The EIA report shall contain a summary of the main concerns of the general public, special interest groups and the relevant statutory or advisory bodies received and identified by the Applicant during the course of the EIA study, and describe how the relevant concerns have been taken into account.

## 4. **DURATION OF VALIDITY**

- 4.1 The Applicant shall notify the Director of the commencement of the EIA study. If the EIA study does not commence within 36 months after the date of issue of this EIA study brief, the Applicant shall apply to the Director for a fresh EIA study brief before commencement of the EIA study.

## 5. **REPORTING REQUIREMENTS**

- 5.1 In preparing the EIA report, the Applicant shall refer to Annex 11 of the TM for the contents of an EIA report. The Applicant shall also refer to Annex 20 of the TM, which stipulates the guidelines for the review of an EIA report. When submitting the EIA report to the Director, the Applicant shall provide a summary, pointing out where in the EIA report the respective requirements of this EIA study brief and the TM (in particular Annexes 11 and 20) have been addressed and fulfilled.
- 5.2 To facilitate the updating of the ecological information of the Centralised Environmental Database, the Applicant shall provide the raw data of the ecological habitat maps including the project location and boundary, types and locations of habitats, findings of ecological field surveys and species of conservation interest in the assessment area in shapefile or GeoJSON or other format as agreed with the Director. The data shall be submitted in 3 copies of CD-ROM, DVD±R or other suitable means as agreed with the Director.
- 5.3 The Applicant shall supply the Director with hard and electronic copies of the EIA report and the executive summary in accordance with the requirements given in **Appendix M** of this EIA study brief. The Applicant shall, upon request, make additional copies of the above documents available to the public, subject to payment by the interested parties of full costs of printing.
- 5.4 To facilitate enhanced public engagement in the EIA process, the Applicant shall produce 3-dimensional electronic visualisations of the findings of the EIA report, including baseline environmental information, the environmental situations with or without the Project, associated works, supporting facilities and essential infrastructures, key mitigated and unmitigated environmental impacts, and key recommended environmental mitigation measures so that the public can better understand the Project and the associated environmental issues. The visualisations shall be based on the EIA report findings and shall be developed and constructed such that they can be accessed and viewed by the public through an internet browser and/or other tools of 3-dimensional electronic visualisations (i.e. Virtual Reality, Augmented Reality, Mixed

Reality) at a reasonable speed and without the need for software license requirement at the user's end. The visualisations and the corresponding raw data with necessary setting(s) that enable full migration into EPD's platform shall be submitted in 10 copies of CD-ROM, DVD±R or other suitable means as agreed with the Director.

## **6. OTHER PROCEDURAL REQUIREMENTS**

- 6.1 If there is any change in the name of the Applicant for this EIA study brief during the course of EIA study, the Applicant must notify the Director immediately.
- 6.2 If there is any key change in the scope of the Project mentioned in Section 1.2 of this EIA study brief and in Project Profile (No. PP-684/2025), the Applicant must seek confirmation from the Director in writing on whether or not the scope of issues covered by this EIA study brief can still cover the key changes, and the additional issues, if any, that the EIA study must also address. If the changes to the Project fundamentally alter the key scope of this EIA study brief, the Applicant shall apply to the Director for a fresh EIA study brief.

## **7. LIST OF APPENDICES**


- 7.1 This EIA study brief includes the following appendices:

<b><u>Appendix A</u></b>	– Location Plan of the Project
<b><u>Appendix B</u></b>	– Requirements and Methodologies for Air Quality Impact Assessment
<b><u>Appendix C</u></b>	– Requirements and Methodologies for Noise Impact Assessment
<b><u>Appendix D</u></b>	– Requirements and Methodologies for Water Quality Impact Assessment
<b><u>Appendix E</u></b>	– Requirements and Methodologies for Assessment of Waste Management Implications
<b><u>Appendix F</u></b>	– Requirements and Methodologies for Land Contamination Assessment
<b><u>Appendix G</u></b>	– Requirements and Methodologies for Ecological Impact Assessment (Terrestrial)
<b><u>Appendix H</u></b>	– Requirements and Methodologies for Landscape and Visual Impact Assessment
<b><u>Appendix I</u></b>	– Requirements and Methodologies for Cultural Heritage Impact Assessment
<b><u>Appendix J</u></b>	– Requirements and Methodologies for Hazard to Life Assessment
<b><u>Appendix K</u></b>	– Requirements and Methodologies for Landfill Gas Hazard Assessment
<b><u>Appendix L</u></b>	– Implementation Schedule of Recommended Mitigation Measures
<b><u>Appendix M</u></b>	– Requirements for EIA Report Documents

-- END of EIA STUDY BRIEF --

June 2025  
Environmental Assessment Division  
Environmental Protection Department





## **Appendix B**

### **Requirements and Methodologies for Air Quality Impact Assessment**

#### **1. Construction Air Quality Impact Assessment**

##### **1.1 Identification of Air Sensitive Receivers (ASRs) and Examination of Emission/Dispersion Characteristics**

- (i) Provision of background information relating to air quality issues relevant to the Project, including description of the types of activities of the Project that would affect air quality during construction phase of the Project.
- (ii) Provision of an account of the considerations/measures that have been taken into consideration in the planning of the Project to minimise the air pollution impact.
- (iii) Identification and description of existing, committed and planned ASRs that would be affected by the Project, including those earmarked on the relevant Outline Zoning Plans, Development Permission Area Plans, Outline Development Plans and Layout Plans and land use and development applications approved by the Town Planning Board. The Applicant shall select the assessment points of the identified ASRs that represent the worst impact point of these ASRs. A map showing the location and description including name of buildings, their uses and height of the selected assessment points shall be given. The separation distances of these ASRs from the nearest emission sources shall also be given.
- (iv) Provision of a list of air pollution emission sources, including any nearby emission sources which would have impact related to the Project based on the analysis of the construction activities in Section 1.1(i) above. Confirmation regarding the validity of assumptions and the magnitude of activities shall be obtained from the relevant government departments / authorities, and documented in the EIA report.
- (v) The emissions from the concurrent projects identified shall be taken into account. The impacts at the existing, committed and planned ASRs within the assessment area shall be assessed.

##### **1.2 Construction Air Quality Impact Assessment Methodology**

- (i) The Applicant shall follow the requirements stipulated under the Air Pollution Control (Construction Dust) Regulation and good site practice to ensure that construction air quality impacts are effectively controlled. Construction air quality assessment within the assessment area should be conducted qualitatively.

##### **1.3 Mitigation Measures for Construction Air Quality Impact**

- (i) The Applicant shall consider and evaluate direct mitigation measures for fugitive dust and gaseous emission control. The Applicant shall also consider connecting construction plant and equipment to mains electricity supply and avoid use of diesel generators and diesel-powered equipment to minimise air quality impact arising from the construction machinery. The Applicant shall describe the means of transportation and their trips and routings involved, with a view to addressing potential constructional air quality impact caused by transportation activities. The mitigation measures and good practices recommended for constructional air quality impact shall



be documented in the EIA report.

- (ii) A monitoring and audit programme for the construction phase of the Project shall be devised to verify the effectiveness of the proposed control measures so as to ensure proper control of constructional air quality impact.

## **Appendix C**

### **Requirements and Methodologies for Noise Impact Assessment**

#### **1. Construction Noise Impact Assessment**

##### **1.1 Identification of Construction Noise Impact**

###### **1.1.1 *Identification of Assessment Area and Noise Sensitive Receivers (NSRs)***

- (i) The assessment area for the construction noise impact assessment shall include areas within 300 metres from the boundary of the Project and its associated works as identified in the EIA study.
- (ii) The Applicant shall identify existing, committed and planned NSRs reflected on the relevant Outline Zoning Plans, Development Permission Area Plans, Outline Development Plans, Layout Plans and land use and development applications approved by the Town Planning Board in the assessment area and select assessment points to represent identified NSRs for carrying out construction noise impact assessment.
- (iii) A map showing the location and description including name of building, use, and floor of each and every selected assessment point shall be given. Photographs of existing NSRs shall be appended to the EIA report.

###### **1.1.2 *Inventory of Noise Sources***

The Applicant shall identify an inventory of noise sources for representative construction equipment for the purpose of construction noise impact assessment and document in the EIA report.

##### **1.2 Construction Noise Impact Assessment Methodology**

1.2.1 The Applicant shall carry out construction noise impact assessment (excluding percussive piling) of the Project during daytime, i.e. 7am to 7pm, on weekdays other than general holidays in accordance with methodology in Sections 5.3 and 5.4 of Annex 13 of the TM.

1.2.2 The Applicant shall conduct a qualitative assessment in the EIA to demonstrate no adverse construction noise impact would be associated with the Project by adopting quieter construction method and equipment during the construction phase. The Applicant shall firstly identify the noise sources/activities, then propose the corresponding quiet construction methods and noise mitigation measures, and commit to submitting a Construction Noise Management Plan (CNMP) to the Director.

##### **1.3 Mitigation of Construction Noise Impact**

1.3.1 The Applicant shall consider and evaluate the application of direct mitigation measures in accordance with Section 6.1 of Annex 13 of TM. The feasibility, practicability, programming and effectiveness of the recommended mitigation measures shall be qualitatively assessed. Any direct mitigation measures recommended shall be documented in the report. Specific reasons for not adopting certain direct mitigation

measures to maximise the protection for the NSRs shall be substantiated and documented in the EIA report.

#### 1.4 Construction Noise Management Plan (CNMP)

1.4.1 The Applicant shall commit to submit a CNMP to the Director. The CNMP shall contain the quantitative construction noise impact assessment, the adopted quieter construction method and equipment, noise mitigation measures and the construction noise impact monitoring and audit programme, with reference to the updated and identified noise mitigation measures once available and in any case before the tender invitation if there is any change to the construction noise mitigation measures recommended in the EIA report and before the commencement of construction of the Project. Any technical constraint that would hinder the use of the quieter construction method and equipment shall be evaluated and recorded in the assessment.

1.4.2 The CNMP shall include an implementation schedule listing out the mitigation measures, the implementation party, location and timing of implementation. Mitigation measures recommended and requirements specified in the CNMP shall be fully implemented.

### 2. **Transit System Noise Impact Assessment**

2.1 The Applicant shall carry out transit system noise impact assessment in respect of air-borne and ground-borne noise arising from the planned transit system lines within the assessment area in the course of the EIA study, with respect to the appropriate Acceptable Noise Levels shown in the Technical Memorandum for the Assessment of Noise from Places Other than Domestic Premises, Public Places or Construction Sites.

#### 2.2 Identification of Transit System Noise Impact

##### 2.2.1 *Identification of Assessment Area and Noise Sensitive Receivers (NSRs)*

- (i) The assessment area for the transit system noise impact shall include areas within 300 metres from the boundary of the Project and its associated works as identified in the EIA study.
- (ii) The Applicant shall identify all existing, committed and planned NSRs reflected on the relevant Outline Zoning Plans, Development Permission Area Plans, Outline Development Plans, Layout Plans and land use and development applications approved by the Town Planning Board in the assessment area and select assessment points to represent identified NSRs for carrying out the transit system noise impact assessment.
- (iii) A map showing the location and description including name of building, use, and floor of each and every selected assessment point shall be given. Photographs of existing NSRs shall be appended to the EIA report.
- (iv) For planned noise sensitive land uses without committed site layouts, the Applicant shall use the relevant land use and planning parameters and conditions to work out representative site layouts for transit system noise impact assessment purpose. However, such parameters and conditions and the representative site layouts together with any constraints identified shall be confirmed with the relevant responsible parties including Planning Department and Lands Department.

### 2.2.2 *Inventory of Noise Sources*

The Applicant shall identify and quantify an inventory of noise sources for transit system noise impact assessment taking into consideration transit system traffic data, transit system design, type of rolling stock, allowing for deterioration in transit system and rolling stock condition from brand new to an operating level, and document in the EIA report.

### 2.3 Transit System Noise Impact Assessment Methodology

2.3.1 The Applicant shall quantitatively assess the air-borne transit system noise impact of the Project by using the methods described in HJ2.4-2021 “环境影响评价技术导则声环境 Technical guidelines for noise impact assessment”.

2.3.2 The Applicant shall identify whether there would be ground-borne noise impact from the transit system and propose methodology and computational model for agreement of the Director, with reference to Section 4.4.2 of the TM, prior to the commencement of the ground-borne transit system noise impact assessment if applicable.

2.3.3 The Applicant shall present the potential noise impact in  $Leq(30min)$  during the day and at night at the NSRs at various representative floor levels (in m P.D.) on tables and plans of suitable scale.

### 2.4 Mitigation of Transit System Noise Impact

2.4.1 Based on the above noise assessment result, the Applicant shall define the constraints including assumed configuration of the transit system (e.g. underground, viaduct or at grade), and make recommendations for noise amelioration / direct mitigation measures for existing, committed and planned NSRs which would be subject to predicted noise level in excess of the relevant noise standards in the appropriate design year.

## 3. **Fixed Noise Sources Impact Assessment**

### 3.1 Identification of Fixed Noise Sources Impact

#### 3.1.1 *Identification of Assessment Area and NSRs*

- (i) The assessment area for the fixed noise sources impact shall include areas within 300 metres from the boundary of the Project and its associated works as identified in the EIA study.
- (ii) The Applicant shall identify the existing, committed and planned NSRs reflected on the relevant Outline Zoning Plans, Development Permission Area Plans, Outline Development Plans, Layout Plans and land use and development applications approved by the Town Planning Board in the assessment area and select assessment points to represent identified NSRs for carrying out the fixed noise sources impact assessment.
- (iii) A map showing the location and description including name of building, use, and floor of each and every selected assessment point shall be given. Photographs of existing NSRs shall be appended to the EIA report.

- (iv) For planned noise sensitive land uses without committed site layouts, the Applicant shall use the relevant land use and planning parameters and conditions to work out representative site layouts for fixed noise sources impact assessment purpose. However, such parameters and conditions together with representative site layouts and any constraints identified shall be confirmed with the relevant responsible parties including Planning Department and Lands Department.

### 3.1.2 *Inventory of Noise Sources*

- (i) The Applicant shall identify an inventory of noise sources for fixed noise sources impact assessment. The inventory of noise sources shall include existing noise sources (including both permanent and temporary fixed noise sources) and planned fixed noise sources (including electrical and mechanical equipment to be provided at planned stations, ventilation buildings and depot)..
- (ii) The Applicant shall provide document or certificate, for the sound power level of each type of fixed noise sources and document in the EIA report.

## 3.2 Fixed Noise Sources Impact Assessment Methodology

- 3.2.1 The Applicant shall conduct prevailing background noise surveys to determine the standards for evaluating noise impact from fixed noise sources. The respective noise environment shall be documented in the EIA report.
- 3.2.2 The Applicant shall carry out fixed noise sources impact assessment for the Project in accordance with methodology in Section 5.2 of Annex 13 of the TM.
- 3.2.3 The Applicant shall conduct a qualitative assessment in the EIA to demonstrate no adverse fixed noise sources impact would be associated with the Project by committing to adopt noise mitigation measures during the operation periods. The Applicant shall identify all noise sources/activities, and commit to submitting a Fixed Noise Source Management Plan (FNMP) to the Director.

## 3.3 Mitigation of Fixed Noise Sources Impact

- 3.3.1 The Applicant shall consider and evaluate the application of direct mitigation measures in accordance with Section 6.1 of Annex 13 of the TM. The feasibility, practicability, programming and effectiveness of the recommended mitigation measures shall be qualitatively assessed. Any direct mitigation measures recommended should be documented in the report. Specific reasons for not adopting certain direct mitigation measures to maximise the protection for the NSRs should be substantiated and documented in the EIA report.

## 3.4 Fixed Noise Source Management Plan (FNMP)

- 3.4.1 The Applicant shall commit to submit a FNMP to the Director. The FNMP shall contain the quantitative fixed noise source impact assessment, covering planned and existing fixed noise sources, noise mitigation measures and the fixed noise source impact monitoring and audit programme, with reference to the updated and identified inventories once available and in any case before commencement of construction of the Project.
- 3.4.2 The FNMP shall include an implementation schedule listing out the mitigation measures,

the implementation party, location and timing of implementation. Mitigation measures recommended and requirements specified in the FNMP shall be fully implemented.

#### **4 Submission of Noise Calculation Details and Model Files**

- 4.1 All input and output file(s) of model run(s) shall be submitted to the Director in electronic format together with the submission of the EIA report.

## **Appendix D**

### **Requirements and Methodologies for Water Quality Impact Assessment**

1. The Applicant shall identify and analyse physical, chemical and biological disruptions of the water system(s) arising from the construction and operation of the Project.
2. The Applicant shall predict and assess any water quality impacts arising from the construction and operation of the Project.
3. The assessment shall include the following:
  - (i) collect and review background information on affected existing and planned water systems, their respective catchments and water sensitive receivers which shall be affected by the Project;
  - (ii) characterise water quality of the water systems and water sensitive receivers, which shall be affected by the Project based on prevailing information and through site survey and tests when existing data are insufficient;
  - (iii) identify and analyse relevant existing and planned activities, beneficial uses and water sensitive receivers related to the affected water system(s);
  - (iv) identify pertinent water quality objectives and establish other appropriate water quality criteria or standards for the water system(s) and the water sensitive receivers identified in (i), (ii) & (iii) above;
  - (v) review the specific construction methods, programme and configurations, and the operation of the Project to identify and predict the water quality impacts arising from the Project;
  - (vi) identify any alteration of any watercourses, natural streams, ponds, wetlands, change of water holding/flow regimes of water bodies, change of catchment types or areas, erosion or sedimentation due to the Project in the assessment area;
  - (vii) identify and evaluate existing and future water pollution sources, including point discharges and non-point sources discharges generated from the construction and operation of the Project;
  - (viii) identify existing and future water pollution sources within the assessment area. Field investigation and laboratory test shall be conducted as appropriate to fill relevant information gaps;
  - (ix) predict and evaluate the impacts on the water system(s) and its/their water sensitive receivers due to those alterations and changes identified in (vi) above, and the pollution sources identified in (vii) above. The prediction shall consider both construction and operation of the Project;
  - (x) assess the cumulative water quality impacts due to other related concurrent and planned projects, activities or pollution sources within the assessment area that shall have a bearing on the environmental acceptability of the Project;

- (xi) analyse the provision and adequacy of existing and planned future facilities to reduce water pollution arising from sources identified in (vii) above;
- (xii) develop effective infrastructure upgrading or provision, contingency plan, water pollution prevention and mitigation measures to be implemented during construction and operation phases so as to reduce the water quality impacts to within standards. Requirements to be incorporated in the Project contract document shall also be proposed;
- (xiii) investigate and develop management practices to reduce storm water and non-point source pollution; and
- (xiv) identify and evaluate residual impacts on water system(s) and the water sensitive receivers with regard to the appropriate water quality objectives, criteria, standards or guidelines. If the mitigated water quality impact still exceeds the relevant criteria in Annex 6 of the TM, the Applicant shall identify, predict and evaluate the residual water quality impact in accordance with Section 4.4.3 of the TM and estimate the significance of the residual impact to the water system(s) and the water sensitive receivers.



## **Appendix E**

### **Requirements and Methodologies for Assessment of Waste Management Implications**

The assessment of waste management implications shall cover the following:

1. Analysis of Activities and Waste Generation

- (i) The Applicant shall identify the quantity, quality and timing of the waste arising as a result of the construction and operation activities of the Project, based on the sequence and duration of these activities, methods and process of these activities including construction and demolition (C&D) materials, chemical waste and other wastes which will be generated during construction and operation phases.
- (ii) The Applicant shall adopt appropriate design, construction methods and programme to minimise the generation of public fill/inert C&D materials and maximise the use of public fill/inert C&D materials for other construction works.

2. Proposal for Waste Management

- (i) Prior to considering the disposal options for various types of wastes, opportunities for reducing waste generation, on-site or off-site re-use and recycling shall be evaluated. Measures that can be taken in the planning and design stages and in the construction phase for maximizing waste reduction shall be separately considered.
- (ii) After considering the opportunities for reducing waste generation and maximizing re-use, the types and quantities of the wastes required to be disposed of as a consequence shall be estimated and the disposal methods/options for each type of waste shall be described. The disposal methods/options recommended for each type of wastes shall take into account the result of the assessment in (iv) below.
- (iii) The EIA report shall also state the transportation routings and the frequency of the trucks/vessels involved, the barging point or conveyor system to be used, the stockpiling areas and the disposal outlets for the waste identified.
- (iv) The impact caused by handling (including stockpiling, labelling, packaging and storage), collection, transportation and re-use/disposal of wastes shall be addressed and mitigation measures shall be proposed.
- (v) In addition to the above, the EIA report shall also identify practicable means of avoiding illegal dumping and landfilling, particularly on ecological sensitive areas in the vicinity of the Project.

## **Appendix F**

### **Requirements and Methodologies for Land Contamination Assessment**

1. The Applicant shall identify the potential land contamination site(s) within the scope of the Project site and within the boundaries of associated areas, including the work areas of the Project.
2. The Applicant shall provide a clear and detailed account of the present land use (including description of the activities, chemicals and hazardous substances handled, with clear indication of their storage and location, by reference to a site layout plan) and a complete past land uses history, in chronological order, in relation to possible land contamination (including accident records and change of land use(s)).
3. If contaminated land uses as stated in Sections 3.1 and 3.2 of Annex 19 in the TM are identified, the Applicant shall carry out the land contamination assessment as detailed from sub-sections (i) to (iii) below in accordance with Sections 3.1.1 to 3.1.5 of Annex 19 of the TM, and propose measure(s) to avoid disposal:
  - (i) The Applicant shall conduct a site appraisal to identify the potential contamination sources that would have impacted the Project Site.
  - (ii) If potential land contamination sources are identified within the boundary and works areas of the Project, the Applicant shall plan and conduct site investigation for contamination assessment and prepare a Contamination Assessment Report (CAR). If land contamination is confirmed, a Remediation Action Plan (RAP) to formulate viable remedial measures with supporting documents shall be prepared. The remediation shall only be required for disturbed contaminated soil, and the remediation strategy proposed in the RAP shall follow the "Source-Pathway-Receptor Paradigm". The Applicant shall remediate the contaminated land or site(s) according to the RAP, and a Remediation Report (RR) to demonstrate completion of remediation should be prepared prior to the commencement of any proposed development or redevelopment works within the Project Area. Upon completion of the remediation of the contaminated land, the CAR, RAP and RR shall be documented in the EIA report.
  - (iii) If there are potential contaminated sites which are inaccessible for conducting sampling and analysis during the course of the EIA study, e.g. due to site access problem, the Applicant's site appraisal shall include:
    - (a) a review of the available and relevant information;
    - (b) an initial contamination evaluation of these sites and possible remediation methods;
    - (c) a confirmation of whether the contamination problem at these sites would be surmountable;
    - (d) a sampling and analysis proposal which shall aim at determining the nature and the extent of the contamination of these sites; and
    - (e) a schedule of submission of revised or supplementary site appraisal, CAR, RAP and RR as soon as these sites become accessible.

## **Appendix G**

### **Requirements and Methodologies for Ecological Impact Assessment (Terrestrial)**

#### **Scope of Ecological Survey**

1. Ecological field surveys with a duration of at least 6 months covering both wet and dry seasons shall be conducted within the 500m assessment area. The field surveys shall cover flora, fauna and any other habitats/species of conservation importance. Optimal time of the year, minimum survey frequency and optimal time of the day for conducting the ecological baseline surveys shall be determined in accordance with Appendix B, Annex 16 of the TM.
2. The ecological profile of the assessment area shall be established based on information collected in the ecological field surveys and review of the existing information, with the descriptions of the characteristics of each habitat found. The data set shall be comprehensive and representative to cover the variations of the wet and dry seasons, and is up to date and valid for the purpose of this assessment.
3. The ecological profile shall include investigation and descriptions of the habitats and ecological resources within the assessment area including:
  - (i) woodlands; and
  - (ii) natural streams and associated riparian habitats.
4. The survey and assessment shall be conducted for the following wild faunal and floral groups in accordance with Appendix B, Annex 16 of the TM:

#### **Terrestrial**

- (i) Vegetation and higher plants;
- (ii) Mammals;
- (iii) Birds;
- (iv) Reptiles;
- (v) Amphibians;
- (vi) Butterflies;
- (vii) Odonates;
- (viii) Fireflies;

#### **Freshwater**

- (ix) Fish; and
- (x) Freshwater invertebrates.

#### **Ecological Survey Methodology**

5. The ecological survey shall be conducted by walk-transects, direct observation, active searching and wildlife acoustics.

#### **Habitat Mapping and Vegetation Survey**

- (i) Terrestrial and aquatic habitats within the assessment area shall be identified, sized and mapped. Ecological characteristics of each habitat type, including size, vegetation type, species present, dominant species found, species diversity and

abundance, community structure, ecological value and inter-dependence of the habitats and species, and presence of any features of ecological importance shall be defined and characterised. Representative photographs of the habitat types and/or any important ecological features identified shall be taken. A habitat map of suitable scale (1:1000 to 1:5000) showing types and locations of habitats within the assessment area shall be prepared. The habitat map shall be checked during ground truthing.

- (ii) Vegetation surveys shall be conducted by direct observation to record the diversity and dominance of plant species present in different habitat types. The locations of any plant species of conservation importance shall be recorded.

#### Terrestrial Mammal Survey

- (iii) The surveys shall focus on areas that may be utilised by terrestrial mammals. Field signs including droppings, footprints, diggings or burrows left by larger mammals shall be searched for. Mammal identification shall be made from the field signs encountered. Any mammals directly observed shall be recorded.
- (iv) Bat surveys shall be undertaken by using wildlife acoustics. Attention shall be given to potential foraging and drinking sites. Bat species shall be identified through the detection of echolocation calls and direct observation. The acoustic information shall be recorded for identification.

#### Avifauna Survey

- (v) The presence and abundance of avifauna species in various habitats shall be recorded visually and aurally. Avifauna shall be surveyed quantitatively using the transect count method along the walk-transects during morning, dusk and night times. The location of any avifauna species of conservation importance encountered shall be recorded, along with notable behaviours (e.g. feeding, nesting and breeding).

#### Herpetofauna (Amphibian and Reptile) Survey

- (vi) Herpetofauna shall be surveyed and counted along survey transects by direct observation and active searching. Potential microhabitats (e.g. leaf litter, inside holes, under stones and logs) shall be searched. All reptiles and amphibians sighted and heard shall be recorded.
- (vii) Amphibian survey shall be conducted in night time, focusing on areas suitable for amphibians (including shrublands, grasslands and streams). Auditory detection of species-specific calls shall be used to survey frogs and toads during night surveys. For larvae and tadpoles of amphibians, active searching shall be adopted near suitable microhabitats.
- (viii) During reptile surveys, careful searches shall be conducted at the microhabitats and refugia of reptiles.

### Butterfly and Odonate Survey

- (ix) Butterflies and odonates shall be surveyed and counted along the walk-transects. Relative abundance of butterfly and odonate shall be recorded and presented in the EIA report, along with any larvae and pupae encountered.

### Fireflies

- (x) Fireflies shall be surveyed and counted along the walk-transects. Surveys shall be conducted at dusk (30 minutes after sunset) and during night-time. Where site situation permits (e.g. under safe conditions), lighting devices shall be switched off during survey to allow detection of fireflies before progressing along the transects.
- (xi) During the survey, any adult and larva firefly observed shall be identified. The abundance and distribution of fireflies shall be recorded and presented in the EIA report. Any sighting of mass occurrence and/or breeding behaviour of fireflies, along with the associated locations and habitats, shall be recorded and presented in the EIA report.

### Freshwater Invertebrates and Fish Survey

- (xii) Freshwater invertebrates and fish survey shall be conducted through direct observation and/or active searching at representative sampling points. The sampling points shall be selected based on the likelihood of the impacts on the watercourses.
- (xiii) Freshwater invertebrates survey shall be conducted during daytime; whereas freshwater fish survey shall be conducted during day-time for diurnal species, and night-time for nocturnal species.
- (xiv) To avoid driving organisms away and disturbing the bottom substrate, direct observation from a suitable distance shall be conducted before active searching. Boulders within the watercourses shall be turned over to locate any aquatic animals beneath. Freshwater invertebrates and fish encountered shall be recorded and identified to the lowest possible taxon level, and their relative abundance shall be recorded. The location of any freshwater invertebrates and/or fish of conservation importance encountered shall be recorded, along with notable behaviours.

## **Impact Identification and Evaluation**

- 6. Using the above survey methodologies and considering any works activities from the Project and other projects occur at the same time, identify and evaluate impacts during construction and operation of the Project in accordance with Section 5.2 of Annex 16 of TM, in particular loss of habitats; noise, light and other human disturbance to wildlife; and cumulative impacts due to other planned and committed concurrent development projects at or near the Project area.
- 7. Evaluate the ecological impacts using qualitative and/or quantitative approach covering both construction and operation phases of the Project.

## **Impact Mitigation**

8. The Applicant shall:

- (i) recommend practicable mitigation measures (such as alternative design and configuration of the Project and modification/change of construction methods, etc.) to minimise and/or compensate for the adverse ecological impacts identified during construction and operation of the Project;
- (ii) evaluate feasibility and effectiveness of the recommended mitigation measures and define the scope, type, location, implementation arrangement, resources requirement, subsequent management and maintenance of such measures;
- (iii) determine and quantify the residual ecological impacts after implementation of the proposed mitigation measures;
- (iv) evaluate the significance and acceptability of the residual ecological impacts using well-defined criteria in Annex 8 of the TM and determine if off-site mitigation measures are necessary to mitigate the residual impacts and if affirmative, guidelines and requirements laid down in Annex 16 of the TM shall be followed; and
- (v) review the need for and recommend any ecological monitoring programme required.

## **Appendix H**

### **Requirements and Methodologies for Landscape and Visual Impact Assessment**

1. A system shall be derived for judging the landscape and visual impact significance as required under the Annexes 10 and 18 of the TM and the EIAO Guidance Note 8/2023 “Preparation of Landscape and Visual Impact Assessment under the EIAO” published on the website of the Environmental Protection Department. Landscape impact during construction and operation phase, and visual impact due to the Project during operation phase within the assessment area shall be assessed. Cumulative landscape impacts of the Project with other existing, committed and planned developments in the assessment area shall be assessed.
2. The Applicant shall describe, appraise, analyse and evaluate the existing and planned landscape resources and characters of the assessment area including those landscape design proposed under the Project. Annotated oblique aerial photographs and plans of suitable scale showing the baseline landscape resources and landscape character areas and mapping of impact assessment shall be used to present the findings of impact assessment. Descriptive text shall provide a concise and reasoned judgment from a landscape point of view. The assessment shall be particularly focused on the sensitivity of the landscape character areas and resources and its ability to accommodate change. The Applicant shall identify the degree of compatibility of the Project with the existing and planned landscape setting and scenic spot. The landscape impact assessment shall qualify and quantify the potential landscape impact, so as to illustrate the significance of such impact arising from the Project. Cumulative landscape impacts of the Project with other committed and planned developments shall be assessed.
3. A broad brush tree/vegetation survey including distinctive landscape resources within the assessment area shall be carried out and the impacts on them shall also be assessed. Such broad brush survey could be quantified by estimation supported with on-site survey within the assessment area, rather than detailed survey of individual trees, such that it could assist a brief account of the landscape characters and resources of the assessment area. For the purpose of this EIA study, trees of particular interest shall include:
  - (i) Old and Valuable Trees (OVTs);
  - (ii) Trees of 100 years old or above;
  - (iii) Trees with trunk diameter equal to or exceeding 1.0 m (measured at 1.3m above ground level), or with height/canopy spread equal to or exceeding 25 m;
  - (iv) Stonewall trees or trees of outstanding form (taking account of overall tree sizes, shape and any special features);
  - (v) Rare tree species listed in ‘Rare and Precious Plants of Hong Kong’ published by Agriculture, Fisheries and Conservation Department;
  - (vi) Endangered plant species protected under the Protection of Endangered Species of Animals and Plants Ordinance (Cap 586);
  - (vii) Tree species listed in the Forestry Regulations (Cap 96A) under the Forests and Countryside Ordinance (Cap. 96);
  - (viii) Well-known Fung Shui trees; and
  - (ix) Landmark trees with evidential records to support the historical or cultural significance of the trees.

Where there are site constraints (including inaccessibility of the areas) during the on-site survey of the broad brush tree/vegetation survey, the Applicant shall commit in the EIA

report to conduct further survey and assessment before commencement of construction of the Project.

4. The Applicant shall assess the visual impact due to the Project during operation phase. Clear illustrations including mapping of visual impact is required. The Visual Impact Assessment should take into account existing/planned/approved land uses as the baseline conditions. All direct impacts on existing/planned/approved land uses, and on future outlook of the area should be discussed. The assessment shall include the following:
  - (i) identification and plotting of visual envelope of the Project;
  - (ii) appraisal of existing visual resources and characters as well as future outlook of the visual system of the assessment area;
  - (iii) identification and justification of the key public viewing points within the visual envelope and their views at sea level, ground level and elevated vantage points, and indicate the key public viewing points on a plan of appropriate scale;
  - (iv) evaluation of the magnitude of change in terms of visual composition, visual obstruction and visual change of the Project with the existing and planned visual context, and sensitivity of viewers in terms of types of viewers and value of existing views;
  - (v) the visual impact of the Project with and without mitigation measures during operation phase shall be included and illustrated so as to demonstrate the effectiveness of the proposed mitigation measures; and
  - (vi) evaluation and explanation with supportive arguments of factors considered in arriving the significance thresholds of visual impact. The visual impacts should include presentation of an evaluation matrix derived for judging impact significance.
5. The Applicant shall evaluate the merits of preservation in totality, in parts or total destruction of existing landscape and the establishment of a new landscape character area. In addition, alternative location, layout, development options, alignment, design and construction methods that would avoid or reduce the identified impacts on landscape, and/or visual amenity shall be examined before adopting other mitigation or compensatory measures to alleviate the impacts. The applicant shall recommend mitigation measures which shall not only focus on damage reduction but also potential enhancement of existing landscape and visual quality of the area. The recommendations shall also be illustrated in landscape design and landscape/visual impact mitigation measure plan.
6. The mitigation measures shall include preservation of vegetation and natural landscape resources, provision of buffer planting, re-vegetation of disturbed area, woodland restoration, compensatory planting, erection of decorative screen hoarding compatible with surrounding setting, provisioning/re-provisioning of amenity areas and open spaces, design and layout of structures, façade treatment, creation of interesting landscape or visual features, vertical and rooftop greening and planting and any measures to mitigate the impact on existing and planned land uses and viewers. Parties shall be identified for the ongoing management and maintenance of the proposed mitigation works to ensure their effectiveness throughout the implementation of the Project. Agreement from relevant authorities responsible for funding, implementation, management and maintenance of



proposed mitigation measures have to be obtained before including into the LVIA. A practical programme for the implementation of the recommended measures shall be provided. If any noise barriers/enclosures are proposed, the choice of their colours, design and materials should be compatible with the surrounding buildings and development context and their aesthetic designs should be considered.

7. Annotated illustration materials including coloured perspective drawings, plans and section, oblique aerial photographs, photographs taken at key public viewing points, and computer-generated photomontage shall be adopted to fully illustrate the landscape and visual impacts of the Project. In order to illustrate the landscape and visual impacts and to demonstrate the effectiveness of the proposed landscape and visual mitigation measures, photomontages at selected representative public viewing points shall be prepared to illustrate existing conditions and proposed development with and without mitigation measures at the operation phase. Computer graphics shall be in a common format compatible with desktop computers. The Applicant shall record the technical details in preparing the illustrations, which shall need to be submitted for verification of the accuracy of the illustrations.

## **Appendix I**

### **Requirements and Methodologies for Cultural Heritage Impact Assessment**

#### **1. Baseline Study for Cultural Heritage Impact Assessment (CHIA)**

The CHIA on the site of cultural heritage defined under the EIAO shall include both the built heritage impact assessment and archaeological impact assessment. A baseline study shall be conducted to:

- (i) compile an inventory of on items as listed in (a) to (e) below, as published in the website of Antiquities and Monuments Office (AMO) ([www.amo.gov.hk](http://www.amo.gov.hk)) and are within the assessment area for the CHIA; and
  - (a) List of Declared Monuments and Proposed Monuments (*as at 10 October 2024*);
  - (b) List of Graded Historic Buildings (*as at 13 March 2025*);
  - (c) List of New Items for Grading Assessment (*as at 29 May 2025*);
  - (d) List of Sites of Archaeological Interest in Hong Kong (*as at Nov 2012*) and;
  - (e) List of Government Historic Sites Identified by Antiquities and Monuments Office, “*Government Historic Sites Identified by AMO (as at May 2022)*”
- (ii) Identify impacts on item (a) to (e) arising from the Project.

#### **2. Built Heritage Impact Assessment**

- (i) The Applicant shall conduct a built heritage impact assessment on items as listed in paragraph 1(i)(a), (b), (c) and (e) above within the assessment area, to determine whether the Project will result in impacts on those items. The Applicant shall demonstrate that efforts have been made to avoid or keep the adverse impacts on the items as listed in paragraph 1(i)(a), (b), (c) and (e) above to the minimum. The Applicant shall recommend protective/monitoring/mitigation measures in accordance with the assessment results.
- (ii) A checklist including the affected items, impacts identified, recommended mitigation measures as well as the implementation agent and period shall also be included in the EIA report.

#### **3. Archaeological Impact Assessment**

- (i) The Applicant shall conduct an archaeological impact assessment on items as listed in paragraph 1(i) (d) above within the assessment area to determine whether the Project will result in impacts on those items.
- (ii) The Applicant shall engage archaeologist(s) to conduct an archaeological impact assessment, taking the results of previous studies and other background of the

site into account, to evaluate the archaeological impact imposed by the Project and its associated works.

- (iii) In case the existing information is inadequate or where the assessment area has not been adequately studied before, the archaeologist(s) shall conduct archaeological investigations to assemble data. The archaeologist(s) shall obtain licences from the Antiquities Authority under the Antiquities and Monuments Ordinance (Cap. 53) prior to the commencement of archaeological investigations.
- (iv) Based on existing and collected data, the Applicant shall evaluate whether the proposed developments and works associated with the Project are acceptable from archaeological preservation point of view. In case adverse impact on archaeological heritage cannot be avoided, mitigation measures should be designed and recommended in the EIA report.
- (v) If mitigation measure(s) is/are required, the area and the practical programme for implementation of the mitigation measure(s) shall be recommended in the EIA report.

## **Appendix J**

### **Requirements and Methodologies for Hazard to Life Assessment**

1. The Applicant shall carry out hazard assessment as follows:
  - (i) Identify hazardous scenarios associated with the use, transport and overnight storage (if any) of explosives during construction of the Project with a view to determining a set of relevant scenarios to be included in a Quantitative Risk Assessment (QRA);
  - (ii) Execute a QRA of the set of hazardous scenarios determined in 1(i), expressing population risks in both individual and societal terms;
  - (iii) Compare individual and societal risks with the criteria for evaluating hazard to life stipulated in Annex 4 of the TM; and
  - (iv) Identify and assess practicable and cost-effective risk mitigation measures to demonstrate the compliance with the Risk Guidelines stipulated in Figure 1 of Annex 4 of the TM.
2. The hazard assessment shall also include a cumulative risk assessment of the Project, through interaction or in combination with other existing, committed and planned developments involving hazardous facilities in the vicinity of the Project.
3. The methodology to be used in the hazard assessment should be consistent with other approved EIA reports of Hong Kong projects having similar issues.

**Appendix K**

**Requirements and Methodologies for Landfill Gas Hazard Assessment**

1. If a landfill gas hazard assessment is required, the assessment shall include the following key technical tasks:
  - (i) review of background information (including landfill gas monitoring data) and studies related to the relevant closed landfills such as Ngau Chi Wan Landfill, Jordan Valley Landfill, Ma Yau Tong Central Landfill, Ma Yau Tong West Landfill and Sai Tso Wan Landfill;
  - (ii) identification of the nature and extent of the sources, including the concentrations and/or amounts of hazardous emissions which might have the potential for impacts on the Project and impacts from the Project to the potential receivers;
  - (iii) identification of the possible pathways through the ground, underground cavities, utilities or ground water, and the nature of these pathways through which the hazardous emissions must traverse if they were to reach the Project;
  - (iv) identification of the potential receivers associated with the Project which are sensitive to the impacts of the hazardous emissions;
  - (v) qualitative assessment on the degree of risk which the hazardous emissions may impose on the receivers for each of the source-pathway-receiver combinations;
  - (vi) design and implementation of suitable level of precautionary / protection measures and contingency plan for the Project and the potential receivers, if needed; and
  - (vii) establishment and implementation of a maintenance and monitoring programme for ensuring the continued performance of the implemented precautionary / protection measures.

### Implementation Schedule of Recommended Mitigation Measures

[illegible]

**Appendix M**

**Requirements for EIA Report Documents**

1. The Applicant shall supply the Director with the following number of copies of the EIA report and the executive summary:
  - (i) 30 copies of the EIA report and 30 copies of the executive summary (each bilingual in both English and Chinese) as required under section 6(2) of the EIAO to be supplied at the time of application for approval of the EIA report.
  - (ii) When necessary, addendum to the EIA report and the executive summary submitted in item (i) above as required under section 7(1) of the EIAO, to be supplied upon advice by the Director for public inspection.
  - (iii) 20 copies of the EIA report and 50 copies of the executive summary (each bilingual in both English and Chinese) with or without Addendum as required under section 7(5) of the EIAO, to be supplied upon advice by the Director for consultation with the Advisory Council on the Environment.
2. In addition, to facilitate public inspection of EIA report via EIAO Internet Website, the Applicant shall provide electronic copies of both the EIA report and executive summary prepared in Hyper Text Markup Language (HTML) and in Portable Document Format (PDF), unless otherwise agreed by the Director. For both of the HTML and PDF versions, a content page capable of providing hyperlink to each section and sub-section of the EIA report and executive summary shall be included in the beginning of the document. Hyperlinks to figures, drawings and tables in the EIA report and executive summary shall be provided in the main text from where respective references are made. The EIA report, including drawings, tables, figures and appendices shall be viewable by common web browsers including the latest version of Microsoft Edge, Mozilla Firefox, Safari, Google Chrome or any web browsers as agreed by the Director, and support languages including Traditional Chinese, Simplified Chinese and English.
3. The electronic copies of the EIA report and the executive summary shall be submitted to the Director at the time of application for approval of the EIA report.
4. When the EIA report and the executive summary are made available for public inspection under section 7(1) of the EIAO, the content of the electronic copies of the EIA report and the executive summary must be the same as the hard copies and the Director shall be provided with the most updated electronic copies.
5. To promote environmentally friendly and efficient dissemination of information, both hardcopies and electronic copies of future EM&A reports recommended by the EIA study shall be required and their format shall be agreed by the Director.