

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Monthly EM&A Report August 2020

Client : Drainage Services Department

Project : Contract No. CM 14/2016  
Environmental Team for Operational  
Environmental Monitoring and Audit for Siu  
Ho Wan Sewage Treatment Works

Report No.: : 0041/17/ED/0577A

Prepared by: Andy K. H. Choi

Reviewed by: Cyrus C. Y. Lai

Certified by:

A handwritten signature in black ink, appearing to be "Colin K. L. Yung", written over a horizontal line.

Colin K. L. Yung  
Environmental Team Leader  
Fugro Technical Services Limited

Our Ref. 1458/20-0128



**Drainage Services Department**  
Projects and Development Branch  
Consultants Management Division  
42/F, Revenue Tower,  
5 Gloucester Road  
Wan Chai, Hong Kong

27/F, Overseas Trust Bank Building  
160 Gloucester Road  
Wan Chai  
Hong Kong  
T: +852 2815 7028  
F: +852 2815 5399

[www.asecg.com](http://www.asecg.com)

**Attn: Mr. LAU Ka Kin, Marcus (E/CM16)**

10 September 2020

**By Post and E-mail**

Dear Sir,

**RE: CONTRACT No. CM 13/2016**  
**INDEPENDENT ENVIRONMENTAL CHECKER FOR OPERATIONAL ENVIRONMENTAL MONITORING**  
**AND AUDIT FOR SIU HO WAN SEWAGE TREATMENT WORKS (SHWSTW)**  
**MONTHLY ENVIRONMENTAL MONITORING AND AUDIT (EM&A) REPORT (AUGUST 2020)**

Reference is made to the submission of Monthly Environmental Monitoring and Audit (EM&A) Report for August 2020 (Report No.: 0041/17/ED/0577A) from the Environmental Team (ET), Fugro Technical Services Ltd., received on 10 September 2020 via email.

We would like to inform you that we have no adverse comment on the captioned submission and hereby verify the same in accordance with Condition 4.3 of the Environmental Permit (EP) for the captioned Project (Permit No.: EP-076/2000).

Should you have any queries, please feel free to contact the undersigned, or our Ms. Joanne NG at 2815 7028.

Yours faithfully,

For and on behalf of  
**Allied Environmental Consultants Ltd.**

A handwritten signature in black ink, appearing to be 'Grace M. H. Kwok', written in a cursive style.

Grace M. H. KWOK  
Independent Environmental Checker

GK/jn/cy

c.c. Fugro Technical Service (ET Leader)  
AECOM

Attn: Mr. Colin YUNG  
Attn: Ms. Joanne TSOI

(By E-mail)  
(By E-mail)

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

## TABLE OF CONTENTS

	<b>EXECUTIVE SUMMARY .....</b>	<b>1</b>
<b>1.</b>	<b>INTRODUCTION.....</b>	<b>3</b>
<b>2.</b>	<b>AIR QUALITY MONITORING .....</b>	<b>5</b>
<b>3.</b>	<b>WATER QUALITY MONITORING .....</b>	<b>10</b>
<b>4.</b>	<b>SEDIMENT QUALITY MONITORING AND BENTHIC SURVEY .....</b>	<b>20</b>
<b>5.</b>	<b>CHINESE WHITE DOLPHIN MONITORING .....</b>	<b>27</b>
<b>6.</b>	<b>ADVICE ON IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES .....</b>	<b>28</b>
<b>7.</b>	<b>ADVICE ON THE SOLID AND LIQUID WASTE MANAGEMENT STATUS .....</b>	<b>29</b>
<b>8.</b>	<b>SUMMARY OF EXCEEDANCE OF THE ENVIRONMENTAL QUALITY PERFORMANCE LIMITS .....</b>	<b>30</b>
<b>9.</b>	<b>SUMMARY OF ENVIRONMENTAL COMPLAINTS .....</b>	<b>31</b>
<b>10.</b>	<b>FUTURE KEY ISSUES .....</b>	<b>32</b>
<b>11.</b>	<b>CONCLUSION .....</b>	<b>33</b>

## FIGURE

- Figure 1      Monitoring Stations of Air Sensitive Receivers**
- Figure 2      Odour Patrol Points of Modified Odour Patrol**
- Figure 3      Monitoring Stations of Water Quality Monitoring, Sediment Quality Monitoring and Benthic Survey**
- Figure 4      Location of the Tide Gauge**

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## APPENDICES

- Appendix A** Project Organization Chart
- Appendix B** Monitoring Schedule for Present and Next Reporting Period
- Appendix C** Event and Action Plan for Air Quality Monitoring
- Appendix D** Results and Graphical Presentation of Air Quality Monitoring
- Appendix E** Copy of the Calibration Certificates for Water Quality Monitoring Equipment
- Appendix F** Results and Graphical Presentation of Water Quality Monitoring
- Appendix G** Tidal Data obtained from Ma Wan Marine Traffic Station
- Appendix H** Results and Graphical Presentation of Laboratory Analysis for Sediment Quality Monitoring and Benthic Survey
- Appendix I** Benthic Survey Report
- Appendix J** Photos of Grab Samplers
- Appendix K** Environmental Complaints Log and Incident Report
- Appendix L** Environmental Mitigation Implementation Schedule (EMIS)

**EXECUTIVE SUMMARY**

This Monthly Environmental Monitoring and Audit (EM&A) Report is prepared for Contract No. CM 14/2016 – “Environmental Monitoring and Audit for Operation of Siu Ho Wan Sewage Treatment Works” (hereafter referred to as “the Contract”) for the Drainage Services Department (DSD) of Hong Kong Special Administrative Region. Fugro Technical Services Limited (hereafter referred to as “FTS”) was appointed as the Environmental Team (ET) by DSD, to implement the Environmental Monitoring & Audit (EM&A) programme in accordance with the Operational EM&A Plan of the Contract.

The Contract is part of the “Upgrading of Siu Ho Wan Sewage Treatment Works” (hereinafter referred as “the Project”) which was classified as “Designated Project” under Schedule 2 of the Environmental Impact Assessment Ordinance (EIAO) (Cap 499) and Environmental Impact Assessment (EIA) Report (Register No. EIAR-124BC) was completed in September 1997. The current Environmental Permit (EP) No. EP-076/2000 was issued in August 2000 to DSD.

In accordance with the EP, an approved operational EM&A Plan was submitted. According to the approved EM&A plan, air quality monitoring (i.e. H<sub>2</sub>S concentration monitoring, odour patrol monitoring and olfactometry analysis of H<sub>2</sub>S), in addition, water quality monitoring, sediment quality monitoring, benthic survey, Chinese White Dolphin (CWD) monitoring and waste management are the key environmental concern of the Project.

This is the Thirty-seventh Monthly EM&A Report for the Project which summarizes findings of the EM&A works during the reporting period from 1 August 2020 to 31 August 2020 (the “reporting period”).

**Breaches of Action and Limit Levels**

Odour patrol monitoring was resumed from January 2020 and carried out on 6, 12, 18 and 24 August 2020. The modified odour patrol monitoring plan including updated Event and Action Plan was approved on March 2020, and modified odour patrol monitoring was commenced from 20 March 2020. No exceedances of Action/Limit levels at Air Sensitive Receivers (ASR) and odour patrol points were recorded and no non-compliance of odour monitoring at ASR were recorded in the reporting period.

Water quality monitoring, sediment quality monitoring and benthic survey were carried out on 6 August 2020. No specific Action/Limit level has to be followed since the purpose of the monitoring is to collect data for future purpose.

**Complaint Log**

There were no complaints received in relation to environmental impact during the reporting period.

**Notifications of Summons and Successful Prosecutions**

There were no notifications of summons or prosecutions received during the reporting period.



## Summary of the Environmental Mitigations Measures

Mitigation measures specified in the EP and EIA Report such as aeration, chemical dosing system, covering or enclosing the pressing and sludge thickening facilities and ventilating air to a biological treatment unit prior to stack exhaust were implemented during the reporting period.

## Future Key Issues

The key issues to be considered in the succeeding reporting month include:

Potential environmental impacts arising from the operations of Siu Ho Wan Sewage Treatment Works (SHWSTW) are mainly associated with air quality, water quality, sediment quality, benthic ecology, waste management and distribution and abundance of Chinese White Dolphins (CWDs).

According to the approved EM&A plan, a correlation study has to be carried out to establish the relationship of H<sub>2</sub>S concentration (ppb) with the odour unit (OU/m<sup>3</sup>). H<sub>2</sub>S measurement and olfactometry analysis conducted between August 2017 and May 2018 was considered as unlikely way to establish the relationship of H<sub>2</sub>S concentration (ppb) with the odour unit (OU/m<sup>3</sup>). Since six months air quality monitoring and additional three months air quality monitoring had been conducted according to Section 2.2 of OEM&A Plan without any complaint or non-compliance recorded, air quality monitoring was temporarily suspension on air quality monitoring was approved by EPD's memo dated 14 May 2018. In order to recommence the monitoring, a review on air quality monitoring had been carried out to determine reasonable odour-related criteria and was submitted to EPD for approval on 24 March 2020. Comments from EPD was received on 1 April 2020 and the review is currently under revision for further submission to the EPD.

## 1. INTRODUCTION

### 1.1 Background

1.1.1 The Project "Upgrading of Siu Ho Wan Sewage Treatment Works" is to upgrade SHWSTW from the preliminary treatment level to Chemically Enhanced Primary Treatment (CEPT) level with Ultraviolet (UV) disinfection facilities. The Project is required to comply with the Environmental Permit (EP) in respect of the construction and operation phases of the Plant.

1.1.2 Under the EIAO, the Project was classified as "Designated Project". The Environmental Impact Assessment (EIA) study was completed in September 1997 with the EIA Report of Register No. EIA-124BC, Operational Environmental Monitoring and Audit (EM&A) Plan and the EP of No. EP-076/2000 was issued in August 2000 to Drainage Services Department (DSD).

1.1.3 The CEPT part has been completed and was put into operation in March 2005. The UV disinfection works were substantially completed in December 2006. It is considered that the operation of the Project shall be deemed to start when the UV disinfection facilities have been completely installed and tested.

### 1.2 Project Description

1.2.1 The project proponent was DSD. AECOM was commissioned by DSD as the Engineer for the Project. Allied Environmental Consultants Limited (AEC) was commissioned by DSD as the Independent Environmental Checker (IEC) in the operation phase of the Project. FTS was appointed as the ET by DSD to implement the EM&A programme for the operation phase of the Project including air quality monitoring, water quality monitoring, sediment quality and benthic survey and CWDs monitoring.

### 1.3 Project Organization

1.3.1 The project organization for environmental works is shown in **Appendix A**. The contact person and telephone numbers of key personnel for the captioned project are shown in **Table 1.1**.

**Table 1.1 Contact Persons and Telephone Numbers of Key Personnel**

Organization	Role	Contact Person	Telephone No.	Fax No.
DSD	Project Proponent Representative	Mr. Marcus Lau	2594 7218	3104 6426
AECOM	Engineer Representative (ER)	Ms. Joanne Tsoi	3922 9423	3922 9797
AEC	Independent Environmental Checker (IEC)	Ms. Grace Kwok	2815 7028	2815 5399
FTS	ET Leader (ETL)	Mr. Colin Yung	3565 4114	2450 8032

## FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

Page 4

### 1.4 Works Undertaken during the Reporting Period

1.4.1 During this reporting period, the principal work activities included:

- Perform comprehensive operation and maintenance services for the electrical, mechanical and electronic systems/equipment at SHWSTW.
- Alleviate as far as practicable the impact that the facilities and sewage systems imposed on the environment of Hong Kong.



## 2. AIR QUALITY MONITORING

### 2.1 Methodology of H<sub>2</sub>S Concentration Monitoring

2.1.1 15-min H<sub>2</sub>S concentration was measured using a Jerome 631-X analyzer. This analyzer is capable of measuring H<sub>2</sub>S concentration in the range of 1 ppb to 50 ppm with a resolution of 1 ppb and operates within a temperature range of 0°C to 40°C at an air flow rate of 0.15 L/min. Odour gas samples were drawn by built-in a suction pump of the analyzer and passed through a gold film sensor. The trace level of H<sub>2</sub>S of the samples were determined electrochemically on the gold film sensor. Meteorological conditions including temperature, wind speed, wind direction and relative humidity were also measured at the time of the monitoring. Table 2.1 summarizes the equipment used in H<sub>2</sub>S monitoring.

**Table 2.1 Equipment used for H<sub>2</sub>S Concentration Monitoring**

Equipment	Manufacturer / Model	Serial Number	Sensor Number
Gold Film Hydrogen Sulphide Analyzer	JEROME X631 0003	2966	14-11-23-R2D

### 2.2 Methodology of Modified Odour Patrol Monitoring

2.2.1 Due to the complaint case received on 28 November 2019, a modified version of odour patrol monitoring is proposed and approved on 13 March 2020. According to the approved proposal for odour patrol monitoring plan (0041/17/ED/0524G), a modified version of odour patrol monitoring was commenced on 20 March 2020 to ensure the mitigation measures are effectively implemented. The modified odour patrol conducted once per week by two independent trained personnel/competent persons (the "patrollists") patrolling and sniffing along the SHWSTW boundary and the air sensitive receivers (ASRs).

2.2.2 The odour monitoring should not be undertaken on rainy days. Subject to the prevailing weather forecast condition, odour patrol shall be conducted by two patrollists at the downwind locations. During the patrol, the sequence should start from less odourous locations to stronger odourous locations.

2.2.3 The two patrollists shall be satisfied the below requirements during odour patrol:

- Have their individual odour threshold of n-butanol in nitrogen gas in the range of 20 to 80 ppb/V required by the European Standard method: BS EN13725.
- Be free from any respiratory illnesses.
- Not be allowed to smoke, eat, drink (except water) or use chewing gum or sweets 30min before and during odour patrol.
- Take great care not to cause any interference with their own perception or that of others by lack of personal hygiene or the use of perfumes, deodorants, body lotions or cosmetics.
- Not communicate with each other about the results of their choices.

2.2.4 During the odour patrol monitoring, the meteorological and surrounding information are recorded as follows:

- i. Prevailing Weather Condition;
- ii. Wind Direction;
- iii. Wind Speed;
- iv. Location where Odour is detected;
- v. Source of Odour detected;
- vi. Perceived intensity of Odour detected;
- viii. Duration of Odour detected; and
- ix. Characteristics of Odour detected

2.2.5 The perceived intensity is to be divided into 5 levels which are ranked in a descending order as follows:

**Table 2.2 Categories of Odour Intensity for Modified Odour Patrol Monitoring**

<b>Odour Level</b>	<b>Odour Intensity</b>	<b>Classification Criteria</b>
0	Not detected	No odour perceived or an odour so weak that it cannot be easily characterised or described.
1	Slight	Slight identifiable odour, and slight chance to have odour nuisance.
2	Moderate	Moderate identifiable odour, and moderate chance to have odour nuisance.
3	Strong	Strong identifiable, likely to have odour nuisance.
4	Extreme	Extreme severe odour, and unacceptable odour level.

## 2.3 Methodology of Odour Sampling and Olfactometry Analysis

- 2.3.1 Odour gas samples were collected in a Nalophan sampling bag placed inside a vacuum air-tight sampler using passive sampling technique. Approximately 60 liter of gas sample was collected at each sampling. All samples collected on the sampling day were returned to laboratory for olfactometry analysis within 24 hours and analyzed within 2 hours upon receiving.
- 2.3.2 ALS Technichem (HK) Pty Ltd. (HOKLAS Reg. No. 066), was the appointed laboratory for olfactometry analysis of the gas sample.
- 2.3.3 The odour concentration of the samples were determined by Forced-choice Dynamic Olfactometer in accordance with the European Standard Method: BS EN13725. Testing were also performed by a panel of six members who have been trained to comply with the requirement of European Standard Method: BS EN13725. All testing were completed within 24 hours upon sampling.

## 2.4 Monitoring Location

- 2.4.1 H<sub>2</sub>S concentration monitoring and odour sampling at ASR, Cheung Tung Road near the Bus Depot at the west of the Siu Ho Wan Treatment Plant, were temporarily suspended from 14 May 2018. The location of ASR is shown in **Figure 1**.
- 2.4.2 9 odour patrol points is chosen to conduct the modified odour patrol for collecting more representative data and identify the particular source of odour in the site. The nine odour patrol points is as below:

**Table 2.3 Odour Patrol Point**

Odour Patrol Point	Description
OD1	Eastern Site Boundary
OD2	Southern Site Boundary
OD3	Western Site Boundary
OD4	Northern Site Boundary
OD5	Spur Road near Discovery Bay Tunnel Outlet
OD6	Cheung Tung Road near the Bus Depot
OD7	Cheung Tung Road near O-PARK1
OD8	Sham Shui Kok Dr near MTR Depot
OD9	Discovery Bay Tunnel Toll Plaza

Note:

As access permission from the company of Discovery Bay Tunnel is under requisition progress, OD5 (Spur Road near Discovery Bay Tunnel Outlet) was not covered in odour patrol monitoring in the reporting period temporarily.



2.4.3 The odour patrol points of modified odour patrol is shown in **Figure 2**.

**2.5 Monitoring Frequency and Duration**

2.5.1 The durations and frequencies of H<sub>2</sub>S concentration measurement, odour patrolling and odour sampling are summarized in **Table 2.4** below.

**Table 2.4 Durations and Frequencies of Air Quality Monitoring Programme**

	Duration	Frequency
H <sub>2</sub> S concentration monitoring	15 minutes	<sup>1</sup> Weekly basis for 6 months during the initial operation stage
Odour patrol		<sup>4</sup> Weekly basis
Odour sampling for olfactometry analysis	<sup>3</sup> 15 minutes	<sup>2</sup> First week of the odour patrol monitoring

Remark:

- 1) In case excessive odour nuisance was detected during the odour patrol monitoring or the standard of the 5 odour units cannot be complied with during the odour panel monitoring, the odour patrol monitoring and H<sub>2</sub>S concentration monitoring shall be extended for a period of three months to cater for the warm-up period of the functioning of the additional mitigation measures.
- 2) In case the relationship between H<sub>2</sub>S concentration (ppb) with the odour unit (OU/m<sup>3</sup>) cannot conclude from the correlation study carried out at the first week of the odour patrol monitoring due to invalid data, additional odour sampling for olfactometry analysis shall be carried out for the correlation study.
- 3) Sufficient air samples (approximate 60L) may be collected in less than 15 minutes during odour sampling.
- 4) As advice by EPD on the odour complaint received in November 2019, odour patrol monitoring was resumed on weekly basis from 15 January 2020.

2.5.2 The monitoring schedule for the present and next reporting period is provided in **Appendix B**.

**2.6 Event and Action Plan**

2.6.1 According to the approved proposal for odour patrol monitoring plan (0041/17/ED/0524G), updated Action and limit levels for air quality monitoring are presented in **Table 2.5**.

**Table 2.5 Action and Limit Levels for Air Quality Monitoring**

Parameter	Action	Limit
Odour Nuisance	One complaint received for specific odour event / Odour intensity of 2 or above is measured from odour patrol	Two or more independent complaints received for specific odour event in 3 months / Odour intensity of 3 or above is measured from odour patrol



2.6.2 The event and action plan for air quality monitoring is provided in **Appendix C**.

**2.7 Quality Assurance and Quality Control**

2.7.1 A control sample was collected by purging odour-free nitrogen gas from a certified gas cylinder on site at each sampling.

2.7.2 Calibration of the analyzer is conducted every year at the laboratory of the manufacturer.

2.7.3 In order to ensure the analyzer is functioning properly, manual sensor regeneration and zero adjustment were performed before each set of odour monitoring.

**2.8 Monitoring Results and Observations**

2.8.1 As advice by EPD on the odour complaint received in November 2019, odour patrol monitoring was resumed on weekly basis. The odour patrol monitoring was carried out on 6, 12, 18 and 24 August 2020. As access permission from the company of Discovery Bay Tunnel is under requisition progress, OD5 (Spur Road near Discovery Bay Tunnel Outlet) was not covered in odour patrol monitoring in the reporting period temporarily.

2.8.2 The meteorological data including temperature, wind speed and direction of the reporting period at ASR is summarised in **Table 2.6**.

**Table 2.6 Summary of Meteorological Data in Reporting Period**

Date	Location	Temperature (°C)	Relative Humidity (%)	Wind Direction	Wind Speed (m/s)
6 August 2020	OD1	29.2	83	N	0.3
	OD2			-	0.0
	OD3			NE	0.8
	OD4			N	1.4
	OD6			N	0.2
	OD7			-	0.0
	OD8			-	0.0
	OD9			N	1.2
	12 August 2020			OD1	29.9
OD2		-	0.0		
OD3		SE	0.7		
OD4		SE	2.6		
OD6		-	0.0		
OD7		-	0.0		
OD8		NE	1.1		
OD9		NE	0.2		
18 August 2020		OD1	29.5	72	
	OD2	-			0.0
	OD3	NE			1.0
	OD4	-			0.0
	OD6	-			0.0
	OD7	-			0.0
	OD8	NE			0.9



24 August 2020	OD9	32.7	75	NE	1.5
	OD1			W	0.4
	OD2			-	0.0
	OD3			-	0.0
	OD4			W	0.3
	OD6			W	0.2
	OD7			-	0.0
	OD8			NW	0.4
	OD9			W	0.2

2.8.3 The monitoring results in the reporting period are summarised in **Table 2.7**. Graphical pots of results and details of monitoring data are shown in **Appendix D**.

**Table 2.7 Summary of Air Quality Monitoring Result in Reporting Period**

Monitoring Location	Monitoring Parameter
	Odour Patrol <sup>^</sup> (Odour Level)
	Range
OD1	0 - 0
OD2	0 - 0
OD3	0 - 0
OD4	0 - 0
OD6	0 - 0
OD7	0 - 0
OD8	0 - 0
OD9	0 - 0

Remark:

<sup>^</sup>Odour Level: 0 – Not detected, 1 – Slight, 2 – Moderate, 3 – Strong, 4 – Extreme

2.8.4 According to the approved EM&A plan, a correlation study has to be carried out to establish the relationship of H<sub>2</sub>S concentration (ppb) with the odour unit (OU/m<sup>3</sup>). H<sub>2</sub>S measurement and olfactometry analysis conducted between August 2017 and May 2018 was considered as unlikely way to establish the relationship of H<sub>2</sub>S concentration (ppb) with the odour unit (OU/m<sup>3</sup>). Since six months air quality monitoring and additional three months air quality monitoring had been conducted according to Section 2.2 of OEM&A Plan without any complaint or non-compliance recorded, air quality monitoring was temporarily suspension on air quality monitoring was approved by EPD’s memo dated 14 May 2018. In order to recommence the monitoring, a review on air quality monitoring had been carried out to determine reasonable odour-related criteria and was submitted to EPD for approval on 24 March 2020. Comments from EPD was received on 1 April 2020 and the review is currently under revision for further submission to the EPD.

2.8.5 No exceedances of Action/Limit levels at ASR were recorded as no complaint was received during the reporting period.

2.8.6 Odour mitigation measures such as aeration, chemical dosing system, covering or enclosing the pressing and sludge thickening facilities and ventilating air to a biological treatment unit prior to stack exhaust were implemented during the reporting period.

**3. WATER QUALITY MONITORING**

**3.1 Monitoring Station**

3.1.1 In accordance with Section 5 of the EM&A Plan, water quality monitoring should be carried out at eight designated monitoring stations (two impact stations and six control stations) during the first five years of the operational phase of the Project. The monitoring stations shall be the same monitoring stations that were used for the baseline monitoring programme and have been approved by EPD. The coordinates of the monitoring stations are shown in **Table 3.1** and their locations are shown in **Figure 3**.

**Table 3.1 Location of Water Quality Monitoring**

Sampling Location		Easting	Northing
A	The Brothers, Control Station	816 100	822 500
B	The Brothers, Control Station	816 680	822 440
C	Siu Ho Wan Outfall, Impact Station	816 800	820 180
D	Siu Ho Wan Outfall, Impact Station	817 160	820 360
E	Cheung Sok, Control Station	819 817	821 655
F	Cheung Sok, Control Station	820 158	821 922
G	Tai Ching Chau, Control Station	822 214	822 692
H	Tai Ching Chau, Control Station	822 494	822 939

**3.2 Monitoring Parameter**

3.2.1 The monitoring parameters for water quality monitoring are summarized in **Table 3.2**.

**Table 3.2 Parameters for Water Quality Monitoring**

Monitoring Parameters	
In-situ Measurement	Laboratory Analysis
Dissolved oxygen (mg/L)	<i>E. coli</i> (cfu/100ml)
Temperature (degree Celsius)	5-day BOD (mg/l)
pH value	Suspended Solids (mg/l)
Water depth (m)	Ammonia as N (mg/l)
Salinity (ppt)	Nitrate as N (mg/l)
Turbidity (NTU)	Nitrite as N (mg/l)
Current Speed (m/s)	Total inorganic nitrogen (mg/l)
Current Direction (degree magnetic)	Total phosphorus (soluble and particulate) (mg/l)



3.2.2 Apart from the parameters listed in the **Table 3.2**, other relevant supplementary information such as monitoring location, time, weather conditions and any special phenomena will be also recorded.

3.2.3 The tidal data will be obtained from the tide gauge installed in Ma Wan Marine Traffic Station, managed by the Hydrographic Office of Marine Department. Location of the tide gauge is shown in **Figure 4**.

**3.3 Monitoring Equipment**

3.3.1 A multifunctional meter (YSI 6920 V2/ Aqua TROLL 600) will be used to measure dissolved oxygen (DO), concentration, DO saturation, temperature, salinity, pH and turbidity, simultaneously at the same location and water depth. An Acoustic Doppler Current Profiler (ADCP) integrated with echo sounder function will be used to measure water depth, current velocity (speed and direction). The data measured by ADCP will then be downloaded on site to computer on-board. The water depth data measured by the ADCP shall be electronically logged and available for output. All measurement data from the multiparameter monitoring device and ADCP will be integrated with the GPS data from the DGPS logging device, so that data collected at a specific time and location can be shown. The water sampler will be equipped with a multiparameter monitoring device (with water depth probe to determine the exact sampling depth at which a sample is collected). The equipment employed for the monitoring and sampling and their specifications are presented in **Table 3.3**. **Table 3.4** summarizes the equipment used in water quality monitoring. Copy of the calibration certificates for water quality monitoring equipment are presented in **Appendix E**.

**Table 3.3 Water Quality Monitoring and Sampling Equipment**

Parameter	Equipment	Model	Range	Equipment Accuracy
Temperature, Dissolved Oxygen, salinity, pH, Turbidity, Sampling Depth	Water Quality Monitoring Device	1) YSI 6920V2-2-M Sonde 2) Aqua TROLL 600 Multiparameter Sonde	Temp: -5 to 50°C DO: 0-50mg/L DO%: 0-500% Sal: 0 to 70 ppt pH: 0 to 14 pH units Turb: 0-1000NTU Depth: 0-61 meters	Temp: ±0.15°C DO: ±0.1mg/L or 1% (whichever greater) for 0-20mg/L; ±15% for 20-50mg/L (with correction for salinity and temperature) Sal: ±1% or 0.1ppt (whichever greater) pH: ±0.2 units Turb: ±2% or 0.3NTU (whichever greater) Depth: ±0.12m
Water Depth, Current Speed, Current Direction	Acoustic Doppler Current Profiler	RiverSurveyor M9	Water Depth: 0-80m	Water Depth: 1% Current speed: ±0.25% of measured velocity or ±0.2cm/s Current direction: ±2degree magnetic
Positioning	DGPS	Simrad MX521B Smart Antenna with Simrad MX610 CDU	NA	GPS: ±1m
Water Sampling	Water Sampler	Aquatic Research Transparent PC Vertical Water Sampler 2.2L / 3L / 5L	NA	NA





**Table 3.4 Equipment used for Water Quality Monitoring**

Equipment	Manufacturer / Model	Serial Number
Water Quality Monitoring Device	Aqua TROLL 600 Multiparameter Sonde	525120
Acoustic Doppler Current Profiler	RiverSurveyor M9	5906

3.3.2 Apart from the equipment mentioned in Section 3.3.1, a Class III commercially licensed vessel will be used as survey vessel. DGPS logging device with accuracy of  $\pm 1\text{m}$  at 95% confidence level will be installed on the survey vessel to ascertain that measurement can be made accurately on the specific transects. All GPS data collected during the whole survey will be automatically and electronically logged. Powered winch will be used on-board the Survey Vessel to assist the monitoring. Experienced supervisor will be present all throughout the monitoring activities on-board the survey vessel.

3.3.3 Water samples will be collected by water sampler and stored in high density polythene bottles and sterilized glass bottles (for bacterial analysis), packed in ice (cooled to  $4^{\circ}\text{C}$  without being frozen), and delivered to the laboratory on the same day of collection for analysis. All sampling bottles will be pre-rinsed with the same water samples. The sampling bottles will then be taken to a HOKLAS accredited laboratory for analysis of *E. coli*, BOD<sub>5</sub>, Suspended Solids, NH<sub>3</sub>-N, NO<sub>3</sub>-N, NO<sub>2</sub>-N, Total inorganic nitrogen, Total phosphorus (soluble and particulate).

**3.4 Laboratory Measurement and Analysis**

3.4.1 ALS Technichem (HK) Pty Ltd (HOKLAS Reg. No. 066), is the appointed laboratory for analysis of water samples. The methods adopted by the laboratory and the reporting limits are detailed in **Table 3.5**.

**Table 3.5 Laboratory Measurement/Analysis Methods and Reporting Limits**

Analysis Description	Method	Reporting limits
<i>E. coli</i>	DoE Section 7.8, 7.9.4.2& 7.9.4.4 plus in situ urease test	1 cfu/100mL
5-day Biochemical Oxygen Demand	APHA 5210B	1 mg/L
Total Suspended Solid	APHA 2540D	0.5 mg/L
Ammonia as N	APHA 4500 NH3: G	0.005 mg/L
Nitrate as N	APHA 4500 NO3: I	0.005 mg/L
Nitrite as N	APHA 4500 NO2 B&H	0.005 mg/L
Total Inorganic Nitrogen	By Calculation	0.01 mg/L
Total phosphorus (soluble and particulate)	APHA 4500 P: J	0.01 mg/L



**3.5 Monitoring Frequency and Duration**

- 3.5.1 The water quality monitoring programme will be carried out once per two months for a period of five years of the operational phase of the Project.
- 3.5.2 Water quality monitoring for two tides at eight designated stations will be carried out for each monitoring event. For each station at each tide, duplicate samples for in-situ parameter and laboratory analysis at three designated water depths (1 m below water surface, mid-depth and 1 m above the seabed) will be taken and analyzed.
- 3.5.3 The monitoring schedule for the present and next reporting period is provided in **Appendix B**.

**3.6 Quality Assurance / Quality Control**

- 3.6.1 The equipment is in compliance with the requirements set out in the EM&A Plan. All in-situ monitoring instruments were calibrated by a HOKLAS-accredited laboratory or by standard solutions. Calibration of temperature, DO, salinity, pH and turbidity is conducted in three month interval.
- 3.6.2 During the measurements of DO concentration, DO saturation, salinity, turbidity, pH and temperature, duplicate readings will be taken. If the difference between the first and second readings of DO or turbidity is more than 25% of the value of the first reading, the reading was discarded and further readings will be taken.
- 3.6.3 The laboratory incorporates a variety of QA/QC monitoring programme into their testing system. Where applicable or available, the quality of the analysis will be monitored by conducting the following QC analysis:

For each batch of 20 samples:

- A minimal of 1 laboratory method blank will be analyzed;
- A minimal of 1 sample duplicate will be analyzed;
- A minimal of 1 sample matrix spike will be analyzed.

**3.7 Event and Action Plan**

- 3.7.1 Since the purpose of the water quality monitoring is to collect data for future propose, no specific event and action has to be followed.

**3.8 Monitoring Results and Observations**

- 3.8.1 Water quality monitoring is carried out was 6 August 2020. A summary of the in-situ water quality monitoring results are presented in **Table 3.6** (Mid-ebb) and **Table 3.7** (Mid-flood) respectively. The complete record and graphical presentation of the in-situ water quality monitoring results is given in **Appendix F**.

Table 3.6 Summary of In-situ Monitoring Results (Mid-ebb)

Monitoring Station	Water Depth (m)	Sampling Depth (m)	Dissolved oxygen (mg/L)	Temperature (degree Celsius)	pH	Salinity (ppt)	Turbidity (NTU)	Current speed (m/s)	Current velocity (degree magnetic)
A	17	S 1	5.15	27.55	8.17	25.07	3.7	0.05	48.3

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

Page 15

Monitoring Station	Water Depth (m)	Sampling Depth (m)	Dissolved oxygen (mg/L)	Temperature (degree Celsius)	pH	Salinity (ppt)	Turbidity (NTU)	Current speed (m/s)	Current velocity (degree magnetic)
		S 1	5.13	27.56	8.17	25.01	3.7	0.04	49.3
		M 8.5	5.02	27.46	8.17	25.55	2.6	0.02	99.4
		M 8.5	5.04	27.47	8.17	25.54	2.6	0.01	93.7
		B 16	4.87	27.33	8.17	26.78	4.2	0.02	58.1
		B 16	4.88	27.32	8.17	26.86	4.0	0.04	49.2
B	14	S 1	5.23	27.65	8.17	23.56	3.2	0.04	11.8
		S 1	5.25	27.67	8.16	23.58	3.3	0.06	18.3
		M 7	5.03	27.45	8.16	24.81	2.1	0.09	346.5
		M 7	5.12	27.62	8.17	23.60	2.5	0.09	348.1
		B 13	4.96	27.48	8.17	24.44	2.3	0.03	85.2
		B 13	4.94	27.35	8.17	25.53	2.2	0.04	89.1
C	12	S 1	5.21	27.41	8.18	25.79	2.8	0.13	353.4
		S 1	5.41	27.49	8.20	24.70	2.8	0.16	357.5
		M 6	4.77	27.17	8.18	28.40	2.3	0.20	324.3
		M 6	4.77	27.18	8.18	28.34	2.3	0.19	321.6
		B 11	4.73	27.17	8.18	28.43	2.1	0.10	25.1
		B 11	4.76	27.16	8.18	28.62	2.2	0.11	19.8
D	13	S 1	5.62	27.52	8.20	24.85	2.4	0.04	286.3
		S 1	5.60	27.56	8.19	24.74	2.8	0.06	291.7
		M 6.5	4.68	27.17	8.19	28.32	2.3	0.08	310.9
		M 6.5	4.72	27.17	8.18	28.36	2.3	0.08	291.5
		B 12	4.60	27.12	8.18	29.23	7.3	0.03	340.8
		B 12	4.63	27.12	8.18	29.29	7.5	0.06	345.5
E	16	S 1	5.08	27.29	8.16	25.78	4.1	0.03	53.1
		S 1	5.01	27.27	8.16	25.92	4.0	0.04	54.2
		M 8	4.97	27.27	8.16	26.04	4.3	0.02	84.6
		M 8	4.94	27.26	8.16	26.04	4.2	0.02	93.1
		B 15	4.71	27.16	8.17	27.33	7.3	0.01	79.3
		B 15	4.70	27.16	8.17	27.38	7.0	0.01	84.4
F	23	S 1	5.83	27.48	8.14	24.21	6.2	0.01	305.9
		S 1	6.23	27.53	8.14	24.20	6.6	0.01	310.6
		M 11.5	4.82	27.23	8.17	26.54	5.3	0.04	265.3
		M 11.5	4.81	27.23	8.17	26.53	5.3	0.04	263.8
		B 22	4.67	27.15	8.17	27.48	6.0	0.04	316.2
		B 22	4.71	27.16	8.17	27.40	6.8	0.02	313.9
G	22	S 1	5.16	27.26	8.17	25.97	8.1	0.03	318.6
		S 1	5.13	27.27	8.17	25.65	8.3	0.05	320.5
		M 11	5.00	27.21	8.17	26.52	5.2	0.03	288.1
		M 11	5.01	27.23	8.17	26.28	6.3	0.05	289.5
		B 21	5.04	27.23	8.17	26.24	5.7	0.03	308.2
		B 21	4.98	27.22	8.17	26.48	4.5	0.03	301.8
H	19	S 1	5.57	27.33	8.15	24.92	10.3	0.17	306.9
		S 1	5.45	27.33	8.15	25.00	9.2	0.18	292.6
		M 9.5	5.30	27.28	8.15	25.75	9.5	0.14	330.1
		M 9.5	5.26	27.24	8.15	25.73	9.3	0.15	331.4
		B 18	5.15	27.27	8.15	25.66	8.5	0.27	309.5
		B 18	5.09	27.23	8.16	26.33	7.7	0.26	312.4



**Table 3.7 Summary of In-situ Monitoring Results (Mid-flood)**

Monitoring Station	Water Depth (m)	Sampling Depth (m)	Dissolved oxygen (mg/L)	Temperature (degree Celsius)	pH	Salinity (ppt)	Turbidity (NTU)	Current speed (m/s)	Current velocity (degree magnetic)
A	15	S 1	5.84	27.64	8.17	24.81	4.0	0.02	64.9
		S 1	5.51	27.60	8.17	24.91	3.9	0.02	79.1
		M 7.5	5.35	27.59	8.17	24.94	3.8	0.05	54.2
		M 7.5	5.11	27.50	8.17	25.49	3.9	0.06	59.3
		B 14	5.10	27.48	8.17	25.56	6.2	0.03	85.7
		B 14	5.04	27.36	8.16	26.61	5.6	0.04	84.9
B	14	S 1	5.16	27.56	8.17	24.04	3.1	0.05	19.4
		S 1	5.16	27.55	8.17	24.10	3.2	0.05	17.1
		M 7	5.16	27.56	8.17	24.07	2.8	0.03	346.5
		M 7	5.13	27.46	8.17	24.93	2.3	0.03	341.5
		B 13	5.07	27.41	8.17	25.33	3.2	0.02	264.7
		B 13	4.97	27.30	8.17	26.28	3.0	0.01	262.9
C	12	S 1	5.62	27.53	8.20	24.82	2.8	0.09	325.8
		S 1	5.62	27.53	8.19	24.87	2.8	0.09	335.5
		M 6	5.07	27.21	8.18	28.30	2.4	0.11	288.8
		M 6	4.94	27.21	8.18	28.23	2.3	0.14	293.5
		B 11	4.87	27.20	8.18	28.30	6.2	0.94	310.9
		B 11	4.76	27.13	8.18	29.27	6.9	0.97	302.6
D	14	S 1	5.56	27.55	8.18	24.47	2.9	0.12	322.6
		S 1	5.56	27.55	8.18	24.54	2.8	0.10	320.9
		M 7	5.59	27.52	8.19	24.68	2.8	0.04	8.4
		M 7	5.62	27.51	8.19	24.72	3.0	0.05	9.1
		B 13	4.80	27.17	8.18	28.35	2.3	0.08	338.8
		B 13	4.78	27.17	8.18	28.35	2.4	0.08	336.0
E	14	S 1	5.00	27.30	8.17	25.27	4.9	0.02	295.8
		S 1	5.10	27.35	8.17	24.82	5.6	0.04	286.9
		M 7	4.73	27.15	8.17	27.55	18.2	0.01	276.9
		M 7	4.68	27.15	8.17	27.53	14.5	0.01	273.6
		B 13	4.63	27.15	8.17	27.43	22.6	0.07	310.1
		B 13	4.62	27.14	8.17	27.58	23.3	0.06	306.8
F	18	S 1	5.46	27.36	8.17	24.43	7.2	0.03	301.9
		S 1	5.38	27.34	8.17	24.85	7.4	0.02	307.6
		M 9	5.20	27.31	8.17	25.57	6.6	0.04	277.1
		M 9	4.99	27.23	8.17	26.55	5.6	0.03	280.8
		B 17	4.90	27.22	8.17	26.57	5.5	0.02	296.9
		B 17	4.86	27.23	8.17	26.56	5.5	0.02	292.8
G	13	S 1	5.48	27.31	8.17	24.65	9.0	0.02	286.6
		S 1	5.49	27.31	8.17	24.59	9.0	0.01	290.9
		M 6.5	5.50	27.31	8.17	24.62	8.8	0.02	276.5
		M 6.5	5.47	27.31	8.17	25.40	8.0	0.03	275.7
		B 12	5.30	27.27	8.17	25.80	8.3	0.01	269.9
		B 12	5.03	27.21	8.17	26.57	6.3	0.01	268.7
H	19	S 1	5.24	27.33	8.14	26.18	12.2	0.21	312.8
		S 1	5.22	27.33	8.14	26.18	12.3	0.21	324.8
		M 9.5	5.22	27.33	8.14	26.18	11.5	0.19	321.9
		M 9.5	5.21	27.33	8.14	26.17	12.2	0.24	330.9
		B 18	5.12	27.27	8.16	25.59	8.6	0.25	311.7
		B 18	5.14	27.27	8.16	25.66	8.5	0.23	320.6



3.8.2 Results of laboratory analysis of water quality are presented in **Table 3.8** (Mid-ebb) and **Table 3.9** (Mid-flood) respectively. The complete record and graphical presentation of laboratory analysis results are given in **Appendix F**.

**Table 3.8 Summary of Laboratory Analysis Results (Mid-ebb)**

Monitoring Station	Water Depth (m)	Sampling Depth (m)	TSS (mg/L)	NH <sub>3</sub> as N (mg/L)	NO <sub>2</sub> <sup>-</sup> as N (mg/L)	NO <sub>3</sub> <sup>-</sup> as N (mg/L)	TIN (mg/L)	E.coli (cfu/100mL)	Total P (mg/L)	BOD <sub>5</sub> (mg/L)
A	17	S 1	3.9	0.082	0.065	0.522	0.670	40	0.03	<1.0
		S 1	4.8	0.083	0.073	0.523	0.679	54	0.03	1.2
		M 8.5	3.6	0.090	0.068	0.521	0.678	34	0.03	1.3
		M 8.5	3.8	0.093	0.059	0.517	0.669	44	0.03	<1.0
		B 16	3.2	0.084	0.062	0.526	0.672	55	0.03	<1.0
		B 16	3.2	0.088	0.060	0.518	0.665	42	0.03	<1.0
B	14	S 1	4.6	0.089	0.064	0.538	0.690	42	0.03	<1.0
		S 1	4.3	0.097	0.059	0.538	0.694	35	0.03	<1.0
		M 7	4.0	0.084	0.062	0.539	0.684	30	0.04	<1.0
		M 7	3.4	0.083	0.072	0.541	0.696	39	0.02	<1.0
		B 13	3.0	0.084	0.072	0.542	0.697	35	0.04	<1.0
		B 13	3.2	0.082	0.066	0.541	0.689	45	0.03	<1.0
C	12	S 1	3.9	0.074	0.073	0.567	0.715	21	0.03	<1.0
		S 1	4.4	0.075	0.076	0.573	0.724	26	0.03	<1.0
		M 6	3.8	0.091	0.071	0.574	0.736	30	0.03	<1.0
		M 6	4.9	0.077	0.073	0.572	0.722	35	0.03	<1.0
		B 11	4.8	0.076	0.076	0.579	0.730	21	0.03	<1.0
		B 11	4.6	0.080	0.071	0.580	0.731	26	0.03	<1.0
D	13	S 1	2.8	0.087	0.078	0.563	0.729	22	0.03	1.1
		S 1	3.8	0.082	0.083	0.589	0.753	31	0.03	<1.0
		M 6.5	3.1	0.081	0.070	0.595	0.747	23	0.03	1.3
		M 6.5	2.9	0.085	0.076	0.601	0.761	29	0.03	<1.0
		B 12	3.4	0.079	0.075	0.600	0.754	120	0.03	<1.0
		B 12	3.4	0.074	0.076	0.588	0.738	87	0.03	<1.0
E	16	S 1	3.9	0.075	0.047	0.456	0.578	150	0.03	<1.0
		S 1	3.0	0.075	0.050	0.442	0.567	110	0.03	<1.0
		M 8	4.9	0.090	0.049	0.428	0.567	130	0.03	<1.0
		M 8	3.9	0.085	0.058	0.418	0.561	160	0.03	<1.0
		B 15	7.4	0.082	0.056	0.448	0.587	140	0.03	<1.0
		B 15	6.5	0.081	0.061	0.476	0.618	95	0.03	<1.0
F	23	S 1	3.4	0.075	0.058	0.456	0.588	96	0.02	1.4
		S 1	3.3	0.071	0.059	0.438	0.568	72	0.03	<1.0
		M 11.5	4.3	0.095	0.058	0.430	0.584	160	0.03	<1.0
		M 11.5	4.3	0.092	0.052	0.438	0.582	190	0.03	<1.0
		B 22	5.7	0.079	0.049	0.449	0.577	160	0.03	<1.0
		B 22	5.8	0.066	0.050	0.473	0.589	210	0.03	<1.0
G	22	S 1	7.1	0.126	0.047	0.446	0.619	36	0.03	<1.0
		S 1	7.0	0.135	0.060	0.443	0.638	44	0.03	<1.0
		M 11	7.2	0.108	0.051	0.444	0.603	100	0.03	1.3
		M 11	7.1	0.112	0.060	0.459	0.631	130	0.03	<1.0
		B 21	3.5	0.087	0.064	0.490	0.640	56	0.02	<1.0
		B 21	2.9	0.084	0.056	0.470	0.609	63	0.03	<1.0
H	19	S 1	6.8	0.118	0.066	0.458	0.643	36	0.03	<1.0
		S 1	5.9	0.108	0.058	0.447	0.613	46	0.03	<1.0
		M 9.5	4.3	0.140	0.058	0.468	0.666	28	0.03	<1.0

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

Page 18

Monitoring Station	Water Depth (m)	Sampling Depth (m)	TSS (mg/L)	NH <sub>3</sub> as N (mg/L)	NO <sub>2</sub> <sup>-</sup> as N (mg/L)	NO <sub>3</sub> <sup>-</sup> as N (mg/L)	TIN (mg/L)	E.coli (cfu/100mL)	Total P (mg/L)	BOD <sub>5</sub> (mg/L)
		M 9.5	5.0	0.120	0.058	0.450	0.627	37	0.03	<1.0
		B 18	3.9	0.112	0.064	0.448	0.623	36	0.03	<1.0
		B 18	4.7	0.115	0.054	0.442	0.612	51	0.03	1.5

Table 3.9 Summary of Laboratory Analysis Results (Mid-flood)

Monitoring Station	Water Depth (m)	Sampling Depth (m)	TSS (mg/L)	NH <sub>3</sub> as N (mg/L)	NO <sub>2</sub> <sup>-</sup> as N (mg/L)	NO <sub>3</sub> <sup>-</sup> as N (mg/L)	TIN (mg/L)	E.coli (cfu/100mL)	Total P (mg/L)	BOD <sub>5</sub> (mg/L)
A	15	S 1	4.0	0.098	0.075	0.518	0.690	38	0.03	<1.0
		S 1	4.7	0.106	0.072	0.544	0.722	26	0.03	<1.0
		M 7.5	4.3	0.110	0.066	0.527	0.703	38	0.03	<1.0
		M 7.5	3.7	0.109	0.074	0.536	0.719	44	0.03	<1.0
		B 14	4.1	0.092	0.062	0.542	0.696	26	0.03	<1.0
		B 14	4.0	0.080	0.062	0.527	0.669	35	0.03	<1.0
B	14	S 1	4.3	0.094	0.065	0.543	0.702	45	0.03	<1.0
		S 1	4.1	0.089	0.068	0.538	0.695	61	0.03	<1.0
		M 7	3.6	0.103	0.064	0.545	0.711	64	0.03	<1.0
		M 7	3.5	0.105	0.072	0.536	0.713	78	0.03	<1.0
		B 13	3.2	0.107	0.070	0.542	0.719	32	0.04	<1.0
		B 13	3.3	0.109	0.072	0.544	0.725	36	0.03	<1.0
C	12	S 1	3.2	0.099	0.081	0.592	0.772	20	0.03	<1.0
		S 1	2.7	0.113	0.079	0.594	0.786	31	0.04	<1.0
		M 6	3.5	0.102	0.081	0.595	0.779	31	0.03	<1.0
		M 6	4.3	0.108	0.079	0.594	0.780	39	0.03	<1.0
		B 11	3.6	0.117	0.080	0.578	0.775	21	0.03	<1.0
		B 11	4.6	0.101	0.084	0.592	0.776	28	0.03	<1.0
D	14	S 1	3.0	0.101	0.078	0.582	0.761	30	0.03	<1.0
		S 1	3.5	0.102	0.070	0.590	0.761	45	0.03	<1.0
		M 7	3.4	0.105	0.075	0.583	0.762	30	0.03	<1.0
		M 7	2.8	0.099	0.083	0.574	0.756	42	0.03	<1.0
		B 13	2.6	0.088	0.076	0.576	0.740	31	0.03	<1.0
		B 13	2.9	0.092	0.073	0.575	0.740	39	0.03	<1.0
E	14	S 1	3.6	0.112	0.063	0.479	0.654	110	0.03	<1.0
		S 1	4.4	0.097	0.057	0.468	0.622	160	0.03	<1.0
		M 7	4.6	0.118	0.058	0.456	0.631	110	0.03	<1.0
		M 7	4.6	0.114	0.065	0.470	0.650	74	0.03	<1.0
		B 13	6.5	0.107	0.056	0.476	0.639	140	0.03	<1.0
		B 13	5.6	0.112	0.063	0.466	0.640	190	0.03	<1.0
F	18	S 1	4.7	0.128	0.060	0.464	0.651	100	0.03	<1.0
		S 1	4.1	0.115	0.055	0.470	0.640	140	0.03	<1.0
		M 9	3.9	0.127	0.054	0.474	0.656	130	0.03	<1.0
		M 9	4.2	0.122	0.058	<0.005	0.175	150	0.03	<1.0
		B 17	4.3	0.112	0.064	0.472	0.648	100	0.03	<1.0
		B 17	4.3	0.108	0.064	0.470	0.642	64	0.03	<1.0
G	13	S 1	4.2	0.145	0.058	0.452	0.655	76	0.03	1.7
		S 1	3.2	0.147	0.066	0.448	0.661	92	0.03	1.0
		M 6.5	3.9	0.138	0.058	0.457	0.653	39	0.03	<1.0
		M 6.5	3.0	0.126	0.056	0.464	0.647	52	0.03	<1.0
		B 12	3.7	0.130	0.062	0.459	0.651	56	0.03	<1.0
		B 12	2.9	0.127	0.054	0.458	0.640	68	0.03	<1.0

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

Page 19

Monitoring Station	Water Depth (m)	Sampling Depth (m)	TSS (mg/L)	NH <sub>3</sub> as N (mg/L)	NO <sub>2</sub> <sup>-</sup> as N (mg/L)	NO <sub>3</sub> <sup>-</sup> as N (mg/L)	TIN (mg/L)	E.coli (cfu/100mL)	Total P (mg/L)	BOD <sub>5</sub> (mg/L)	
H	19	S	1	5.6	0.097	0.064	0.456	0.616	220	0.03	<1.0
		S	1	5.7	0.096	0.054	0.467	0.617	140	0.03	<1.0
		M	9.5	4.0	0.100	0.056	0.467	0.623	44	0.02	<1.0
		M	9.5	4.7	0.095	0.058	0.466	0.619	32	0.03	<1.0
		B	18	3.9	0.108	0.057	0.476	0.640	120	0.02	<1.0
		B	18	4.8	0.104	0.061	0.469	0.633	180	0.03	<1.0

3.8.3 The tidal data is obtained from the tide gauge installed in Ma Wan Marine Traffic Station, managed by Hydrographic Office of Marine Department. Tidal data obtained from Ma Wan Marine Traffic Station is present in **Appendix G**.

3.8.4 Heavy marine traffic was observed nearby the Project site and its vicinity and may affect the water quality. The above conditions may affect monitoring results. The weather condition is summarized and presented in **Table 3.10**.

Table 3.10 Weather condition of water quality monitoring

Date	Air Temperature			Mean Relative Humidity (%)	Total Rainfall (mm)
	Maximum (deg. C)	Mean (deg. C)	Minimum (deg. C)		
6 August 2020	33.5	29.1	25.2	85	1.7

Source: Hong Kong Observatory

**4. SEDIMENT QUALITY MONITORING AND BENTHIC SURVEY**

**4.1 Monitoring Station**

4.1.1 In accordance with Section 6 of the EM&A Plan, sediment quality monitoring and benthic survey should be carried out at eight designated monitoring stations (two impact stations and six control stations) during the first five years of the operational phase of the Project. The proposed monitoring stations shall be the same monitoring stations that were used for the baseline monitoring programme and have been approved by EPD. The coordinates of the monitoring stations are shown in **Table 4.1** and their locations are shown in **Figure 3**.

**Table 4.1 Location of Sediment Quality Monitoring and Benthic Survey**

Sampling Location		Easting	Northing
A	The Brothers, Control Station	816 100	822 500
B	The Brothers, Control Station	816 680	822 440
C	Siu Ho Wan Outfall, Impact Station	816 800	820 180
D	Siu Ho Wan Outfall, Impact Station	817 160	820 360
E	Cheung Sok, Control Station	819 817	821 655
F	Cheung Sok, Control Station	820 158	821 922
G	Tai Ching Chau, Control Station	822 214	822 692
H	Tai Ching Chau, Control Station	822 494	822 939

**4.2 Monitoring Parameter**

4.2.1 The monitoring parameters for sediment quality monitoring and benthic survey are summarized in **Table 4.2**.

**Table 4.2 Parameters for Sediment Quality Monitoring and Benthic Survey**

Monitoring Parameters	
Sediment Quality Monitoring	Rinsate Blank for Benthic Survey
Grain size profile* (i.e. Particle Size Distribution) (%)	Cadmium (µg/L)
Total organic carbon* (%)	Chromium (µg/L)
pH value	Copper (µg/L)
Ammonia as N (mg-N/kg)	Lead (µg/L)
Total nitrogen (mg-N/kg)	Mercury ((µg/L)
Total phosphorus (mg-N/kg)	Nickel (µg/L)
Cadmium (mg/kg)	Zinc (µg/L)
Chromium (mg/kg)	Arsenic (µg/L)
Copper (mg/kg)	Silver (µg/L)
Lead (mg/kg)	
Mercury (mg/kg)	
Nickel (mg/kg)	
Zinc (mg/kg)	
Arsenic (mg/kg)	
Silver (mg/kg)	



\*Grain size profile and total organic carbon is determined from the sediment sampled collected for benthic survey.

4.2.2 Apart from the parameters listed in the Table 4.2, other relevant supplementary information such as monitoring location, time, weather conditions and any special phenomena will be also recorded.

4.2.3 The tidal data will be obtained from the tide gauge installed in Ma Wan Marine Traffic Station, managed by the Hydrographic Office of Marine Department. Location of the tide gauge is shown in **Figure 4**.

### 4.3 Sampling Equipment

4.3.1 Ponar grab sampler (capacity of ~ 1 litre) will be used for collection of samples for sediment analysis. The grab will be capable of collecting sufficient amount of surficial (top 5 cm) sediment for the required analysis in a single deployment at each sampling location. The grab will be constructed with non-contaminating material to prevent sample contamination. Photos of ponar grab sampler are shown in **Appendix J**.

4.3.2 A modified Van Veen grab sampler (capacity of ~ 11.3 litres) will be used for collecting sediment samples for benthic survey. The top of the grab will have openings to allow the easy flow of water through the grab as it descends. The openings will be covered with 0.5 mm mesh to prevent the loss of any benthic fauna once sediment samples are taken. In addition the top openings will be sealable by movable flaps which will close when the grab is hauled to surface. Photos of modified Van Veen grab sampler are shown in **Appendix J**.

4.3.3 Class III commercially licensed vessel will be used as survey vessel. DGPS logging device in the ADCP with accuracy of  $\pm 1\text{m}$  at 95% confidence level will be installed on the survey vessel to ascertain that measurement can be made accurately on the specific transects. All GPS data collected during the whole survey will be automatically and electronically logged. Powered winch will be used on-board the survey vessel to assist the monitoring. 4 fixed sieve stations will be equipped on survey vessel. Experienced supervisor will be present all throughout the monitoring activity on-board the survey vessel.

### 4.4 Sampling Procedure

#### Benthic Survey, Particle Size Distribution and TOC Analysis

4.4.1 A modified Van Veen grab sampler (capacity of ~ 11.3 litres) will be deployed using a winch at each of the benthic survey stations to collect single grab sample at each station. The grab sampler will be lowered through the water column slowly at a constant rate (approximately 30 cm/s) to prevent the formation of a pressure wave that may disturb surficial deposits. The grab will then be retrieved and evaluated on board of the survey vessel. Any sample showing uneven penetration or only partially filled with sediment shall be rejected. Samples will be placed in a plastic box with an identification card. Sub-samples (approximately 1 kg) will be splitted up for analysis of particle size distribution and TOC. The remaining sediment samples will be washed gently to separate the benthic organisms and the sediment using a watering hose with marine seawater supply, by a sieve stack (comprising 1 mm and 0.5 mm meshes). Benthic organisms remaining on the sieve will be removed into pre-labeled ziplock plastic bags. A 10% solution of buffered formalin containing Rose Bengal in seawater will be added to the bag to ensure tissue preservation. Samples will be sealed in plastic containers for transport to the laboratory for sorting and identification of benthic organisms.



Sediment Quality Monitoring (Except Particle Size Distribution and TOC Analysis)

4.4.2 Ponar grab sampler (capacity of ~ 1 litres) will be deployed at each of the benthic survey stations to collect single grab sample at each station. The grab sampler should be lowered through the water column slowly at a constant rate (approximately 30 cm/s) to prevent the formation of a pressure wave that may disturb surficial deposits. The grab will then be retrieved and evaluated on board of the survey vessel. Any sample showing uneven penetration or only partially filled with sediment will be rejected. Samples will be placed in a plastic box with an identification card. Sediment samples will be then transferred into brand new soil jars with QA/QC monitoring for laboratory analysis. Samples will be preserved and stored in accordance with approved SOP of HOKLAS accredited laboratory and the recommendations stipulated in ETWB TC (W) No. 34/2002.

4.4.3 Sediment samples shall be collected and packed in ice (cooled to 4°C without being frozen), and delivered to the laboratory on the same day of collection for analysis.

**4.5 Laboratory Measurement and Analysis**

4.5.1 ALS Technichem (HK) Pty Ltd (HOKLAS Reg. No. 066), is the appointed laboratory for analysis of sediment samples. The methods adopted by the laboratory and the reporting limits are detailed in **Table 4.3**.

**Table 4.3 Laboratory Measurement/Analysis Methods and Reporting Limits**

Analysis Description	Method	Reporting limits
Particle Size Distribution	Geospec 3: 2001 Test method 8.1, 8.5 and 8,7 (Wet Sieve and Hydrometer Method)	1%
Total Organic Carbon	APHA 5310B	0.05%
pH value	APHA 4500H: B	0.1 pH unit
Ammonia as N	APHA 4500 NH3: B&G	0.5 mg/kg
Total Nitrogen	APHA 4500 Norg: D & APHA 4500 NO3: I	10 mg/kg
Total Phosphorus	APHA 4500P: B&H	10 mg/kg
Cadmium	USEPA 6020A Digestion method: 3051A	0.1 mg/kg
Chromium		0.5 mg/kg
Copper		0.2 mg/kg
Lead		0.2 mg/kg
Mercury		0.05 mg/kg
Nickel		0.2 mg/kg
Zinc		0.5 mg/kg
Arsenic		0.5 mg/kg
Silver		0.1 mg/kg

**4.6 Taxonomic Identification of Benthic Organism**

4.6.1 Taxonomic identification of benthic organisms will be performed using stereo dissecting and high-power compound microscopes where it is necessary. Benthic organisms will be counted and identified to lower taxonomic levels as far as practicable with biomass (wet weight, to 0.01gram) of each individual recorded. If breakage of soft-bodied organism occurs, only anterior portions of fragments will be counted, although all fragments will be retained and

weighted for biomass determinations (wet weight, to 0.01gram). Data of species abundance and biomass will be recorded.

4.6.2 Data collected during surveys will be presented and summarized in tables and graphics. Species/taxon richness and abundance of marine benthic fauna communities will be analyzed by Shannon-Weiner diversity and Pielou's Evenness.

#### **4.7 Monitoring Frequency and Duration**

4.7.1 The sediment quality monitoring and benthic survey programmed shall be carried out once per two months for a period of five years of the operational phase of the Project. Since the purpose of the sediment quality monitoring and benthic survey is to collect data for future reference, only a single round of sediment quality monitoring and benthic survey at 8 designated locations will be carried out for each monitoring event. For each location, only a single sample will be taken and analyzed.

#### **4.8 Quality Assurance / Quality Control**

4.8.1 A rinsate blank will be collected in each monitoring location before each sediment sampling for benthic survey, so as to monitor the effectiveness of field decontamination procedure.

4.8.2 The laboratory incorporates a variety of QA/QC monitoring programme into their testing system. Where applicable or available, the quality of the analysis will be monitored by conducting the following QC analysis:

For each batch of 20 samples:

- A minimal of 1 laboratory method blank will be analyzed;
- A minimal of 1 sample duplicate will be analyzed;
- A minimal of 1 sample matrix spike will be analyzed.

#### **4.9 Event and Action Plan**

4.9.1 Since the purpose of the sediment quality monitoring and benthic survey is to collect data for future purpose, no specific event and action has to be followed.

#### **4.10 Monitoring Results and Observations**

4.10.1 Sediment quality monitoring and benthic survey is carried out on 6 August 2020. A summary of laboratory analysis results for the sediment quality monitoring and benthic survey are presented in **Table 4.4** and **Table 4.5** respectively. The complete record and graphical presentation of the sediment quality monitoring results is given in **Appendix H**.

**Table 4.4 Summary of laboratory analysis results for sediment monitoring**

Monitoring Station	pH value	NH <sub>3</sub> as N (mg/L)	Total N (mg-N/kg)	Total P (mg-P/kg)	Cd (mg/kg)	Cr (mg/kg)	Cu (mg/kg)	Pb (mg/kg)	Hg (mg/kg)	Ni (mg/kg)	Zn (mg/kg)	As (mg/kg)	Ag (mg/kg)
A	8.5	6.9	960	542	0.13	45.2	34.0	58.0	0.22	27.9	108	17.4	0.23
B	8.5	8.9	82	495	<0.10	35.8	36.6	42.9	0.12	22.3	103	11.8	0.32
C	8.4	6.7	1230	553	<0.10	41.6	38.9	49.2	0.13	25.8	119	12.6	0.31
D	8.5	5.1	1130	529	<0.10	41.1	37.8	48.0	0.12	25.7	114	12.3	0.28
E	8.3	14.3	1150	576	<0.10	41.4	43.3	47.7	0.16	26.1	117	10.7	0.32
F	8.3	32.5	1500	659	<0.10	46.9	45.3	52.1	0.15	29.5	129	12.4	0.37
G	8.6	3.4	780	712	<0.10	32.1	34.4	38.0	0.12	19.5	88.4	10.2	0.23
H	8.7	10.1	1070	472	0.12	45.4	60.4	50.4	0.14	27.9	113	12.6	0.41

**Table 4.5 Summary of laboratory analysis results for benthic survey**

Monitoring Station	Total organic carbon (%)	Grain size profile (%)				Description
		Gravel	Sand	Silt	Clay	
A	0.96	2	19	44	35	Dark grey, slightly sandy SILT/CLAY with shell fragments
B	0.76	1	28	44	27	Dark grey, slightly sandy SILT/CLAY with shell fragments
C	1.02	0	3	57	40	Dark grey, SILT/CLAY with shell fragments
D	1.00	1	13	49	37	Dark grey, slightly sandy SILT/CLAY with shell fragments
E	1.08	0	9	58	33	Dark grey, slightly sandy SILT/CLAY with shell fragments
F	1.15	0	2	60	38	Dark grey, SILT/CLAY
G	0.54	35	39	14	12	Dark grey, clayey, silty, very gravelly SAND with shell fragments
H	0.94	1	4	57	38	Dark grey, SILT/CLAY with shell fragments

4.10.2 Rinsate blank was collected for chemical analysis. The laboratory data results are provided in **Appendix H**.

4.10.3 Construction works from expansion of Hong Kong International Airport was observed nearby the Project site and its vicinity and may affect the sediment quality. The above conditions may affect monitoring results. The weather condition is summarized and presented in **Table 4.6**.

**Table 4.6 Weather condition of water quality monitoring**

Date	Air Temperature			Mean Relative Humidity (%)	Total Rainfall (mm)
	Maximum (deg. C)	Mean (deg. C)	Minimum (deg. C)		
6 August 2020	33.5	29.1	25.2	85	1.7

Source: Hong Kong Observatory

4.10.4 The benthic survey data are summarized and presented in **Table 4.7**.

**Table 4.7** Summary of benthic survey data on 6 August 2020

Monitoring Station	Abundance (ind.)	Total Biomass (g)	Number of Taxa	Diversity (H')	Evenness (J)
A	28	7.75	17	2.72	0.96
B	31	12.88	20	2.67	0.89
C	43	17.55	20	2.81	0.94
D	45	19.31	17	2.64	0.93
E	48	10.51	26	3.10	0.95
F	28	6.31	16	2.64	0.95
G	25	11.02	15	2.40	0.89
H	35	11.56	17	2.43	0.86
<b>TOTAL</b>	<b>283</b>	<b>96.90</b>			

4.10.5 The benthic survey results are analyzed and presented as below:

i) Abundance

A total of 283 macrobenthic organisms was recorded from the eight monitoring stations during August 2020 monitoring period. Current results showed relatively lower abundances compared to both dry (March 2004) and wet (August 2004) seasons baseline data. The decrease was due to the parallel decline in annelida and arthropod abundances recorded during the period. However, relative to the previous monitoring period (June 2020), current results showed an increase in the overall abundance which was due to the abundance increase of arthropods and echinoderms this period. Seasonal variation of the macrobenthic abundances remained to be statistically insignificant (F-value = 1.34; F-crit = 1.73; P-value = 0.18).

The lowest abundance of 25 individuals (ind.) was recorded at Station G while the highest (48 ind.) was noted at Station E, both as reference stations. Abundance in the impact station C remained the same while at D increased by several individuals with respect to June 2020 monitoring results. Additionally, majority of the reference stations were also observed with increased abundance except Stations A, B and G. Similar to the previous monitoring periods, differences in the total abundance across the monitoring stations were statistically significant (F-value = 2.59 ; F-crit = 2.08; P-value = 0.02).

ii) Biomass

The total wet biomass recorded in the eight monitoring stations was 96.90 g with the highest biomass at Station D (19.31 g) while the lowest at Station F (6.31 g). The relatively higher biomass recorded at the impact station Station D was due to the presence of larger organisms such as the molluscan species, *Paphia undulata* in the area. Average biomass at the impact stations was higher compared to that of the reference stations.

iii) Taxonomic Composition

A total of seven phyla comprising of 35 families and 51 genera were identified. Macrobenthic assemblage remained to be dominated by annelida (63.25%), molluscs



(15.90%), and arthropods (13.43%). Similar to the baseline study (August 2004), the most dominant family was the polychaete Capitellidae. Their dominance might indicate unbalanced and organically enriched habitats (Pearson and Rosenberg 1978; Borja et al. 2000). There is no dominant genera (member species > 10) recorded during the current monitoring period.

iv) Diversity

Benthic diversity index ( $H'$ ) ranged from 2.64 to 2.81 in the impact stations while its values ranged from 2.40 to 3.10 among the different reference stations. Impact stations had lower values as compared to reference station E (3.10), however, it was noted that impact stations' results were higher than values of reference stations G and H, thus, were still within the range of typical values in all of the different monitoring stations. Relative to impact stations' diversity index values, the noted evenness index ( $J$ ) values in these areas were also lower than that of Station E in addition to Stations F and A, but were also higher with respect to reference stations B, G and H. Values suggest that benthic faunal diversity is relatively richer at some of reference stations than those at impact stations and vice versa. However, current results indicate an overall increase in diversity and evenness values from the baseline survey condition.

The detailed benthic survey results are provided in **Appendix I**.

## FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

Page 27

### 5. CHINESE WHITE DOLPHIN MONITORING

#### 5.1 Data Interpretation

- 5.1.1 In accordance with Section 4.1 of the EM&A Plan, relevant information on the distribution and abundance of CWDs in Hong Kong should be obtained from the Agriculture, Fisheries and Conservation Department (AFCD), and be reviewed on a bimonthly basis during the operational phase of the Project for a period of 5 years.
- 5.1.2 The latest AFCD's report dated 21 July 2020, "*Monitoring of Marine Mammals in Hong Kong Waters (2019-20)*", in terms of the distribution and abundance of CWDs, was reviewed in the Monthly EM&A report in July 2020. According to the advice from AFCD, the data of distribution and abundance of CWDs would only be available in the annual reports for Monitoring of Marine Mammals In Hong Kong Waters which cover monitoring data from 1 April to 31 March (next year). The updated status of the distribution and abundance of CWDs will be provided once the annual report (2020-21) is uploaded to AFCD's webpage.

## FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

Page 28

### 6. ADVICE ON IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES

#### 6.1 Implementation Status

- 6.1.1 Although no site inspection is prescribed during the operation of the Plant in accordance with the approved EM&A Plan, SHWSTW is reminded to fully and properly implement the mitigation measures specified in the EP and EIA Report. Mitigation measures such as aeration, chemical dosing system, covering or enclosing the pressing and sludge thickening facilities and ventilating air to a biological treatment prior to stack exhaust was implemented in the reporting period. A summary of mitigation measures implementation schedule is provided in **Appendix L**.





## **7. ADVICE ON THE SOLID AND LIQUID WASTE MANAGEMENT STATUS**

7.1.1 SHWSTW is reminded to fully comply with EP conditions. All measures and recommendations in the EP, EIA Report and approved Waste Management Plan (WMP) shall be fully and properly implemented. During the reporting period, following measures in related to solid and liquid waste management were implemented:

- The influent of waste water shall be treated by CEPT with UV disinfection;
- Trip-ticket system shall be implemented for sludge and sediment;
- The acceptance criteria for Landfill disposal should be followed;
- Chemical waste should be properly handled and stored temporarily in designated chemical waste storage area on site in accordance with the Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes.

7.1.2 A summary of mitigation measures implementation schedule is provided in **Appendix L**.

## FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

Page 30

### **8. SUMMARY OF EXCEEDANCE OF THE ENVIRONMENTAL QUALITY PERFORMANCE LIMITS**

- 8.1.1 Odour patrol monitoring was resumed and carried out on 6, 12, 18 and 24 August 2020. No exceedances of Action/Limit levels at ASRs were recorded.
- 8.1.2 Water quality monitoring, sediment quality monitoring and benthic survey were carried out on 6 August 2020. No specific Action/Limit level has to be followed since the purpose of the monitoring is to collect data for future purpose.



**9. SUMMARY OF ENVIRONMENTAL COMPLAINTS**

9.1.1 No complaint (written or verbal), inspection notice, notification of summons or prosecution was received in relation to environmental impact during the report period. Summaries of complaints, notification of summons and successful prosecutions are presented in **Table 9.1** and **Table 9.2**.

**Table 9.1 Cumulative Statistics on Complaints**

Environmental Parameters	Cumulative No. Brought Forward	No. of Complaints This Month	Cumulative Project-to-Date
Air	0	0	1
Noise	0	0	0
Water	0	0	0
Waste	0	0	0
Others	0	0	0
Total	0	0	0

**Table 9.2 Cumulative Statistics on Notification of Summons and Successful Prosecutions**

Environmental Parameters	Cumulative No. Brought Forward	No. of Notification of Summons and Prosecutions This Month	Cumulative Project-to-Date
Air	0	0	0
Noise	0	0	0
Water	0	0	0
Waste	0	0	0
Others	0	0	0
Total	0	0	0

9.1.2 The cumulative complaint log and summaries of complaints are presented in **Appendix K**.



## 10. FUTURE KEY ISSUES

10.1.1 The key issues to be considered in the coming reporting month include:

- i. Potential environmental impacts arising from the operation of SHWSTW are mainly associated with air quality, water quality, sediment quality, benthic ecology, waste management and distribution and abundance of CWDs.
- ii. According to the approved EM&A plan, a correlation study has to be carried out to establish the relationship of H<sub>2</sub>S concentration (ppb) with the odour unit (OU/m<sup>3</sup>). H<sub>2</sub>S measurement and olfactometry analysis conducted between August 2017 and May 2018 was considered as unlikely way to establish the relationship of H<sub>2</sub>S concentration (ppb) with the odour unit (OU/m<sup>3</sup>). Since six months air quality monitoring and additional three months air quality monitoring had been conducted according to Section 2.2 of OEM&A Plan without any complaint or non-compliance recorded, air quality monitoring was temporarily suspension on air quality monitoring was approved by EPD's memo dated 14 May 2018. In order to recommence the monitoring, a review on air quality monitoring had been carried out to determine reasonable odour-related criteria and was submitted to EPD for approval on 24 March 2020. Comments from EPD was received on 1 April 2020 and the review is currently under revision for further submission to the EPD.

## 11. CONCLUSION

- 11.1.1 Odour patrol monitoring was resumed from January 2020 and carried out on 6, 12, 18 and 24 August 2020. The modified odour patrol monitoring plan including updated Event and Action Plan was approved on March 2020, and odour patrol monitoring was commenced from 20 March 2020. No exceedances of Action/Limit levels at Air Sensitive Receivers (ASR) and odour patrol points were recorded and no non-compliance of odour monitoring at odour patrol points were recorded in the reporting period.
- 11.1.2 According to the approved EM&A plan, a correlation study has to be carried out to establish the relationship of H<sub>2</sub>S concentration (ppb) with the odour unit (OU/m<sup>3</sup>). H<sub>2</sub>S measurement and olfactometry analysis conducted between August 2017 and May 2018 was considered as unlikely way to establish the relationship of H<sub>2</sub>S concentration (ppb) with the odour unit (OU/m<sup>3</sup>). Since six months air quality monitoring and additional three months air quality monitoring had been conducted according to Section 2.2 of OEM&A Plan without any complaint or non-compliance recorded, air quality monitoring was temporarily suspension on air quality monitoring was approved by EPD's memo dated 14 May 2018. In order to recommence the monitoring, a review on air quality monitoring had been carried out to determine reasonable odour-related criteria and was submitted to EPD for approval on 24 March 2020. Comments from EPD was received on 1 April 2020 and the review is currently under revision for further submission to the EPD.
- 11.1.3 Water quality monitoring, sediment quality monitoring and benthic survey were conducted on 6 August 2020 to collect data for future reference in accordance with Section 5.5 and 6.5 of the Operational EM&A Plan. The details of methodology and results collected of the monitoring were presented in Section 3 and Section 4. Heavy marine traffic and construction works from expansion of Hong Kong International Airport were observed nearby the Project site and its vicinity and may affect the water and sediment quality The above conditions may affect monitoring results.
- 11.1.4 The latest AFCD's report dated 21 July 2020, "*Monitoring of Marine Mammals in Hong Kong Waters (2019-20)*" in terms of the distribution and abundance of CWDs was reviewed in the Monthly EM&A report in July 2020. According to the advice from AFCD, the data of distribution and abundance of CWDs would only be available in the annual reports for Monitoring of Marine Mammals In Hong Kong Waters which cover monitoring data from 1 April to 31 March (next year). The updated status of the distribution and abundance of CWDs will be provided once the annual report (2020-21) is uploaded to AFCD's webpage.
- 11.1.5 SHWSTW is reminded to fully *comply with EP conditions. All environmental mitigation measures* and recommendations in the EP, EIA Report and approved waste management plan shall be fully and properly implemented.
- 11.1.6 No complaint (written or verbal), inspection notice, notification of summons or prosecution was received in relation to environmental impact during the report period.

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com




---


Report No.: 0041/17/ED/0577A


Figure 1

Monitoring Stations of Air Sensitive Receivers

**圖例**  
**LEGEND :**

-  **MONITORING STATION**
- A1** MTR SIU HO WAN DEPOT
- A2** SIU HO WAN GOVERNMENT DEPOT
- A3** NORTH LANTAU EXPRESSWAY  
(OPPOSITE TO SIU HO WAN STP)
- A4** ADMINISTRATION BUILDING OF  
SIU HO WAN STP
- A5** ACCESS ROAD LENDING TO  
DISCOVERY BAY TUNNEL
- A6** VEHICLE DETENTION CENTRE
- A7** OFFICE OF SIU HO WAN  
WATER TREATMENT WORKS



<p>圖則名稱 drawing title</p> <p><b>UPGRADING OF SIU HO WAN SEWAGE TREATMENT PLANT OPTIONAL ENVIRONMENTAL MONITORING AND AUDIT PLAN ODOUR PATROL MONITORING STATIONS</b></p>	繪畫 drawn	C.W. CHAN	日期 date 16-08-2006	圖則編號 drawing no.	比例 scale	
	核對 checked	C.K. LAM	日期 date 16-08-2006	<b>DCM/2006/063</b>	N.T.S.	
	批核 approved	S.K. WONG	日期 date 16-08-2006	保留版權 COPYRIGHT RESERVED		
	部門 office	顧問工程管理部 CONSULTANTS MANAGEMENT DIVISION			 <p>香港特別行政區政府渠務署 DRAINAGE SERVICES DEPARTMENT GOVERNMENT OF THE HONG KONG SPECIAL ADMINISTRATIVE REGION</p>	

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A


## Figure 2

### Odour Patrol Points of Modified Odour Patrol



圖例  
LEGEND:

- Odour Patrol Points
- OD1 Eastern Site Boundary
- OD2 Southern Site Boundary
- OD3 Western Site Boundary
- OD4 Northern Site Boundary
- OD5 Spur Road near Discovery Bay Tunnel Outlet
- OD6 Cheung Tung Road near the Bus Depot
- OD7 Cheung Tung Road near O-PARK1
- OD8 Sham Shui Kok Dr near MTR Depot
- OD9 Discovery Bay Tunnel Toll Plaza



# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Figure 3

Monitoring Stations of Water Quality Monitoring, Sediment Quality Monitoring and Benthic Survey



816000E

818000E

820000E

822000E

822000N



820000N




## CO-ORDINATES OF CONTROL STATIONS :

CONTROL STATION No.	CO-ORDINATES	
	NORTHING	EASTING
A	822500	816100
B	822440	816680
E	821655	819817
F	821922	820158
G	822692	822214
H	822939	822494

## CO-ORDINATES OF IMPACT STATIONS :

IMPACT STATION No.	CO-ORDINATES	
	NORTHING	EASTING
C	820180	816800
D	820360	817160

圖例  
LEGEND :

-  IMPACT STATION
-  CONTROL STATION
-  SUBMARINE OUTFALL

圖則名稱 drawing title

UPGRADING OF SIU HO WAN SEWAGE TREATMENT PLANT  
BASELINE MONITORING - LOCATION OF MONITORING STATIONS

繪畫 drawn

H.K. LAI

日期 date

06-02-2004

核對 checked

C.K. LAM

日期 date

04-03-2004

批核 approved

S.K. WONG

日期 date

04-03-2004

部門 office

顧問工程管理部

CONSULTANTS MANAGEMENT DIVISION

圖則編號 drawing no.

DCM/2004/002

比例 scale

N.T.S.

保留版權

COPYRIGHT RESERVED

香港特別行政區政府渠務署  
DRAINAGE SERVICES DEPARTMENT  
GOVERNMENT OF THE  
HONG KONG  
SPECIAL ADMINISTRATIVE REGION

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

Figure 4

Location of the Tide Gauge

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Location of the Tide Gauge

Source: Google Maps

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix A Project Organization Chart



# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A



# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix B

### Monitoring Schedule for Present and Next Reporting Period



# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

## Monitoring Schedule for the Present Reporting Period

Sun	Mon	Tue	Wed	Thur	Fri	Sat
						1 August
2	3	4	5	6 Odour Patrol Water Quality Monitoring and Sediment Quality Monitoring and Benthic Survey Mid-Flood (07:30) Mid-Ebb (14:23)	7	8
9	10	11	12 Odour Patrol	13	14	15
16	17	18 Odour Patrol	19	20	21	22
23	24 Odour Patrol	25	26	27	28	29

### Remarks

1. Actual monitoring will be subjected to change due to any safety concern or adverse weather condition.

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

## Monitoring Schedule for the Next Reporting Period

Sun	Mon	Tue	Wed	Thur	Fri	Sat
		1 September	2	3	4 Odour Patrol	5
6	7	8	9	10 Odour Patrol	11	12
13	14	15	16 Odour Patrol	17	18	19
20	21	22 Odour Patrol	23	24	25	26
27	28 Odour Patrol	29	30			

### Remarks

1. Actual monitoring will be subjected to change due to any safety concern or adverse weather condition.

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix C

### Event and Action Plan for Air Quality Monitoring

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

EVENT	ACTION		
	ET	IEC	*Operator
<b>Action Level</b>			
One complaint received for specific odour event / Odour intensity of 2 or above is measured from odour patrol	<ol style="list-style-type: none"> <li>1. Identify source/reason of exceedance or odour complaints;</li> <li>2. Notify the IEC and Operator of exceedance;</li> <li>3. Repeat odour patrol to confirm finding;</li> <li>4. If exceedance continues, notify the IEC and Operator;</li> <li>5. Carry out investigation to identify the source/reason of exceedance or complaints;</li> <li>6. Check Operator's working methods; and</li> <li>7. Discuss with Operator on required remedial actions.</li> </ol>	<ol style="list-style-type: none"> <li>1. Check odour patrol results submitted by ET;</li> <li>2. Discuss with ET and Operator on the possible remedial actions;</li> <li>3. Advise the Operator on the effectiveness of the proposed remedial measures;</li> <li>4. Supervise implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Notify the ET and IEC when receipt of odour complaint;</li> <li>2. Confirm receipt of notification of exceedance in writing;</li> <li>3. Identify/ confirm source with ET;</li> <li>4. Discuss with ET for remedial actions required;</li> <li>5. Ensure remedial actions properly implemented</li> <li>6. Rectify any unacceptable practice; and</li> <li>7. Amend operation methods if appropriate.</li> </ol>
<b>Limit Level</b>			
More than one complaint in 3 months / Odour intensity of 3 or above is measured from odour patrol	<ol style="list-style-type: none"> <li>1. Identify source/reason of exceedance or odour complaints;</li> <li>2. Notify the IEC and Operator of exceedance;</li> <li>3. Repeat odour patrol to confirm finding;</li> <li>4. If exceedance continues, notify the IEC and Operator;</li> <li>5. Carry out investigation to identify the source/reason of exceedance or complaints;</li> <li>6. Check Operator's working methods;</li> <li>7. Carry out analysis of Operator's working procedures to determine possible mitigation to be implemented;</li> <li>8. Arrange meeting with ET and EPD to discuss the remedial actions to be taken;</li> <li>9. Discuss with EPD and the</li> </ol>	<ol style="list-style-type: none"> <li>1. Check odour patrol results submitted by ET;</li> <li>2. Discuss amongst ET and the Operator on the potential remedial actions;</li> <li>3. Review the proposed remedial actions whenever necessary to assure their effectiveness and advise the Operator accordingly;</li> <li>4. Supervise implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Notify the ET and IEC when receipt of odour complaint;</li> <li>2. Confirm receipt of notification of exceedance in writing;</li> <li>3. Identify/ confirm source with ET;</li> <li>4. Inform ET, IEC and EPD;</li> <li>5. Discuss with EPD and ET on the required remedial actions;</li> <li>6. Ensure remedial actions properly implemented;</li> <li>7. Take immediate action to avoid further exceedance;</li> <li>8. Implement the agreed proposals.</li> </ol>

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

	<p>Operator on the required remedial actions;</p> <p>10. Submit proposals for remedial actions within 3 working days of notification;</p> <p>11. Assess effectiveness of Operator's remedial actions and keep EPD informed of the results;</p> <p>12. Amend proposal if appropriate; and</p> <p>13. Resubmit proposal if problem still not under control.</p>		
--	---	--	--

\* The operator who is the constructor responsible for the operation during the maintenance period.

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---


Report No.: 0041/17/ED/0577A

## Appendix D

### Results and Graphical Presentation of Air Quality Monitoring



**Contract No. CM 14/2016**  
**Environmental Team for Operational Environmental Monitoring and Audit for**  
**Siu Ho Wan Sewage Treatment Works**  
**Odour Patrol Record Sheet**



Date	6 August 2020		Weather	Cloudy		Temperature	29.2°C		Humidity	83%	
ID	Location	Time	Wind Direction	Wind Speed (m/s)	Odour intensity	Odour Characteristics					
OD1	Eastern Site Boundary	10:31	N	0.3	0	/					
OD2	Southern Site Boundary	10:34	/	0	0	/					
OD3	Western Site Boundary	10:30	NE	0.8	0	/					
OD4	Northern Site Boundary	10:27	N	1.4	0	/					
OD5	Spur Road near Discovery Bay Tunnel Outlet	/	/	/	/	/					
OD6	Cheung Tung Road near the Bus Depot	10:13	N	0.2	0	/					
OD7	Cheung Tung Road near O-PARK1	10:15	/	0	0	/					
OD8	Sham Shui Kok Dr near MTR Depot	10:05	/	0	0	/					
OD9	Discovery Bay Tunnel Toll Plaza	10:12	N	1.2	0	/					

**\*Classification Criteria:**


- Not detected : No odour perceived or an odour so weak that it cannot be easily characterised or described
- Slight : Slight identifiable odour, and slight chance to have odour nuisance
- Moderate : Moderate identifiable odour, and moderate chance to have odour nuisance
- Strong : Strong identifiable, likely to have odour nuisance
- Extreme : Extreme severe odour, and unacceptable odour level

Recorded by:                       
Name: LAW YEE CHUNG  
Date: 6.8.2020

Checked by:                       
Name: CHOI KAM HO  
Date: 6 August 2020



**Contract No. CM 14/2016**  
**Environmental Team for Operational Environmental Monitoring and Audit for**  
**Siu Ho Wan Sewage Treatment Works**  
**Odour Patrol Record Sheet**



Date	6/8/2020	Weather	Cloudy	Temperature	29.2°C	Humidity	83%
ID	Location	Time	Wind Direction	Wind Speed (m/s)	Odour intensity	Odour Characteristics	
OD1	Eastern Site Boundary	10:31	N	0.3	0	/	
OD2	Southern Site Boundary	10:34	/	0	0	/	
OD3	Western Site Boundary	10:30	NE	0.8	0	/	
OD4	Northern Site Boundary	10:27	N	1.4	0	/	
OD5	Spur Road near Discovery Bay Tunnel Outlet	/	/	/	/	/	
OD6	Cheung Tung Road near the Bus Depot	10:13	N	0.2	0	/	
OD7	Cheung Tung Road near O-PARK1	10:15	/	0	0	/	
OD8	Sham Shui Kok Dr near MTR Depot	10:05	/	0	0	/	
OD9	Discovery Bay Tunnel Toll Plaza	10:12	N	1.2	0	/	

**\*Classification Criteria:**

- Not detected : No odour perceived or an odour so weak that it cannot be easily characterised or described
- Slight : Slight identifiable odour, and slight chance to have odour nuisance
- Moderate : Moderate identifiable odour, and moderate chance to have odour nuisance
- Strong : Strong identifiable, likely to have odour nuisance
- Extreme : Extreme severe odour, and unacceptable odour level


Recorded by: Wan Sin Wei  
Name: Wan Sin Wei  
Date: 6/8/2020

Checked by: [Signature]  
Name: CHOI KAM HO  
Date: 6 August 2020





**Contract No. CM 14/2016**  
**Environmental Team for Operational Environmental Monitoring and Audit for**  
**Siu Ho Wan Sewage Treatment Works**  
**Odour Patrol Record Sheet**



Date	12.8.2020	Weather	Cloudy	Temperature	29.9°C	Humidity	79%
ID	Location	Time	Wind Direction	Wind Speed (m/s)	Odour intensity	Odour Characteristics	
OD1	Eastern Site Boundary	10:30	/	0	0	/	
OD2	Southern Site Boundary	10:33	/	0	0	/	
OD3	Western Site Boundary	10:29	SE	0.7	0	/	
OD4	Northern Site Boundary	10:25	SE	2.6	0	/	
OD5	Spur Road near Discovery Bay Tunnel Outlet	/	/	/	/	/	
OD6	Cheung Tung Road near the Bus Depot	10:06	/	0	0	/	
OD7	Cheung Tung Road near O-PARK1	10:09	/	0	0	/	
OD8	Sham Shui Kok Dr near MTR Depot	09:59	NE	1.1	0	/	
OD9	Discovery Bay Tunnel Toll Plaza	10:04	NE	0.2	0	/	

**\*Classification Criteria:**

- Not detected : No odour perceived or an odour so weak that it cannot be easily characterised or described
- Slight : Slight identifiable odour, and slight chance to have odour nuisance
- Moderate : Moderate identifiable odour, and moderate chance to have odour nuisance
- Strong : Strong identifiable, likely to have odour nuisance
- Extreme : Extreme severe odour, and unacceptable odour level

Recorded by:

Name: LAW YEE CHUNG

Date: 12.8.2020


Checked by:

Name: CHOI KAM HO

Date: 12 August 2020



**Contract No. CM 14/2016**  
**Environmental Team for Operational Environmental Monitoring and Audit for**  
**Siu Ho Wan Sewage Treatment Works**  
**Odour Patrol Record Sheet**



Date	12 August 2020	Weather	Cloudy	Temperature	29.9°C	Humidity	79%
ID	Location	Time	Wind Direction	Wind Speed (m/s)	Odour intensity	Odour Characteristics	
OD1	Eastern Site Boundary	10:30	/	0	0	/	
OD2	Southern Site Boundary	10:33	/	0	0	/	
OD3	Western Site Boundary	10:28	SE	0.7	0	/	
OD4	Northern Site Boundary	10:25	SE	2.6	0	/	
OD5	Spur Road near Discovery Bay Tunnel Outlet	/	/	/	/	/	
OD6	Cheung Tung Road near the Bus Depot	10:06	/	0	0	/	
OD7	Cheung Tung Road near O-PARK1	10:09	/	0	0	/	
OD8	Sham Shui Kok Dr near MTR Depot	09:58	NE	1.1	0	/	
OD9	Discovery Bay Tunnel Toll Plaza	10:04	NE	0.2	0	/	

**\*Classification Criteria:**


- Not detected : No odour perceived or an odour so weak that it cannot be easily characterised or described
- Slight : Slight identifiable odour, and slight chance to have odour nuisance
- Moderate : Moderate identifiable odour, and moderate chance to have odour nuisance
- Strong : Strong identifiable, likely to have odour nuisance
- Extreme : Extreme severe odour, and unacceptable odour level

Recorded by:                       
Name: Chan Ho Cheung  
Date: 12.8.2020

Checked by:                       
Name: CHOI KAM HO  
Date: 12 August 2020



**Contract No. CM 14/2016**  
**Environmental Team for Operational Environmental Monitoring and Audit for**  
**Siu Ho Wan Sewage Treatment Works**  
**Odour Patrol Record Sheet**



Date	18 August 2020		Weather	Cloudy	Temperature	29.5°C	Humidity	72%
ID	Location	Time	Wind Direction	Wind Speed (m/s)	Odour intensity	Odour Characteristics		
OD1	Eastern Site Boundary	10:36	/	0	0	/		
OD2	Southern Site Boundary	10:39	/	0	0	/		
OD3	Western Site Boundary	10:33	NE	1.0	0	/		
OD4	Northern Site Boundary	10:31	/	0	0	/		
OD5	Spur Road near Discovery Bay Tunnel Outlet	/	/	/	/	/		
OD6	Cheung Tung Road near the Bus Depot	10:18	/	0	0	/		
OD7	Cheung Tung Road near O-PARK1	10:19	/	0	0	/		
OD8	Sham Shui Kok Dr near MTR Depot	10:11	NE	0.9	0	/		
OD9	Discovery Bay Tunnel Toll Plaza	10:17	NE	1.5	0	/		

**\*Classification Criteria:**


- Not detected : No odour perceived or an odour so weak that it cannot be easily characterised or described
- Slight : Slight identifiable odour, and slight chance to have odour nuisance
- Moderate : Moderate identifiable odour, and moderate chance to have odour nuisance
- Strong : Strong identifiable, likely to have odour nuisance
- Extreme : Extreme severe odour, and unacceptable odour level

Recorded by: Chan Ho Cheung  
Name: Chan Ho Cheung  
Date: 18/8/20

Checked by: Choi Kam Ho  
Name: CHOI KAM HO  
Date: 18 August 2020



**Contract No. CM 14/2016**  
**Environmental Team for Operational Environmental Monitoring and Audit for**  
**Siu Ho Wan Sewage Treatment Works**  
**Odour Patrol Record Sheet**



Date	18/8/2020	Weather	Cloudy	Temperature	29.5°C	Humidity	72%
ID	Location	Time	Wind Direction	Wind Speed (m/s)	Odour intensity	Odour Characteristics	
OD1	Eastern Site Boundary	10:36	/	0	0	/	
OD2	Southern Site Boundary	10:38	/	0	0	/	
OD3	Western Site Boundary	10:33	NE	1.0	0	/	
OD4	Northern Site Boundary	10:31	/	0	0	/	
OD5	Spur Road near Discovery Bay Tunnel Outlet	/	/	/	/	/	
OD6	Cheung Tung Road near the Bus Depot	10:18	/	0	0	/	
OD7	Cheung Tung Road near O-PARK1	10:19	/	0	0	/	
OD8	Sham Shui Kok Dr near MTR Depot	10:11	NE	0.9	0	/	
OD9	Discovery Bay Tunnel Toll Plaza	10:17	NE	1.5	0	/	

**\*Classification Criteria:**

- Not detected : No odour perceived or an odour so weak that it cannot be easily characterised or described
- Slight : Slight identifiable odour, and slight chance to have odour nuisance
- Moderate : Moderate identifiable odour, and moderate chance to have odour nuisance
- Strong : Strong identifiable, likely to have odour nuisance
- Extreme : Extreme severe odour, and unacceptable odour level

Recorded by: WAN SIU WAI  
Name: WAN SIU WAI  
Date: 18/8/20

Checked by: [Signature]  
Name: CHOI KAM HO  
Date: 18 August 2020


# FUGRO TECHNICAL SERVICES LIMITED

Room 723 - 726, 7/F, Block B,  
Profit Industrial Building,  
1-15 Kwai Fung Crescent, Kwai Fong,  
Hong Kong.

Tel : (852)-24508238  
Fax : (852)-24508032  
Email : mcl@fugro.com.hk



## Contract No. CM 14/2016 Environmental Team for Operational Environmental Monitoring and Audit for Siu Ho Wan Sewage Treatment Works Odour Patrol Record Sheet



Date	24 August 2020	Weather	Sunny	Temperature	32.7°C	Humidity	75%
ID	Location	Time	Wind Direction	Wind Speed (m/s)	Odour intensity	Odour Characteristics	
OD1	Eastern Site Boundary	10:36	W	0.4	0	/	
OD2	Southern Site Boundary	10:38	/	0	0	/	
OD3	Western Site Boundary	10:34	/	0	0	/	
OD4	Northern Site Boundary	10:31	W	0.3	0	/	
OD5	Spur Road near Discovery Bay Tunnel Outlet	/	/	/	/	/	
OD6	Cheung Tung Road near the Bus Depot	10:15	W	0.2	0	/	
OD7	Cheung Tung Road near O-PARK1	10:17	/	0	0	/	
OD8	Sham Shui Kok Dr near MTR Depot	10:06	NW	0.4	0	/	
OD9	Discovery Bay Tunnel Toll Plaza	10:13	W	0.2	0	/	

**\*Classification Criteria:**


- Not detected : No odour perceived or an odour so weak that it cannot be easily characterised or described
- Slight : Slight identifiable odour, and slight chance to have odour nuisance
- Moderate : Moderate identifiable odour, and moderate chance to have odour nuisance
- Strong : Strong identifiable, likely to have odour nuisance
- Extreme : Extreme severe odour, and unacceptable odour level

Recorded by: 方  
Name: FUNG, KAI CHUN  
Date: 24 Aug 2020

Checked by: 何  
Name: CHOI KAM HO  
Date: 24 August 2020



**Contract No. CM 14/2016**  
**Environmental Team for Operational Environmental Monitoring and Audit for**  
**Siu Ho Wan Sewage Treatment Works**  
**Odour Patrol Record Sheet**




Date	24/08/2020	Weather	Sunny	Temperature	32.7°C	Humidity	75%
ID	Location	Time	Wind Direction	Wind Speed (m/s)	Odour intensity	Odour Characteristics	
OD1	Eastern Site Boundary	10:36	W	0.4	0	/	
OD2	Southern Site Boundary	10:38	/	0	0	/	
OD3	Western Site Boundary	10:34	/	0	0	/	
OD4	Northern Site Boundary	10:31	W	0.3	0	/	
OD5	Spur Road near Discovery Bay Tunnel Outlet	/	/	/	/	/	
OD6	Cheung Tung Road near the Bus Depot	10:15	W	0.2	0	/	
OD7	Cheung Tung Road near O-PARK1	10:17	/	0	0	/	
OD8	Sham Shui Kok Dr near MTR Depot	10:06	NW	0.4	0	/	
OD9	Discovery Bay Tunnel Toll Plaza	10:13	W	0.2	0	/	

**\*Classification Criteria:**


- Not detected : No odour perceived or an odour so weak that it cannot be easily characterised or described
- Slight : Slight identifiable odour, and slight chance to have odour nuisance
- Moderate : Moderate identifiable odour, and moderate chance to have odour nuisance
- Strong : Strong identifiable, likely to have odour nuisance
- Extreme : Extreme severe odour, and unacceptable odour level

Recorded by: [Signature]  
Name: [Signature]  
Date: 24/08/2020


Checked by: [Signature]  
Name: CHOI KAM HO  
Date: 24 August 2020




Note:  
Y-axis refers to the Odour Level: 0 - Not Detected; 1- Slight; 2 - Moderate; 3 - Strong; 4 - Extreme




Note:  
Y-axis refers to the Odour Level: 0 - Not Detected; 1- Slight; 2 - Moderate; 3 - Strong; 4 - Extreme




Note:  
Y-axis refers to the Odour Level: 0 - Not Detected; 1- Slight; 2 - Moderate; 3 - Strong; 4 - Extreme



Note:  
Y-axis refers to the Odour Level: 0 - Not Detected; 1- Slight; 2 - Moderate; 3 - Strong; 4 - Extreme




Note:  
Y-axis refers to the Odour Level: 0 - Not Detected; 1- Slight; 2 - Moderate; 3 - Strong; 4 - Extreme




Note:  
Y-axis refers to the Odour Level: 0 - Not Detected; 1- Slight; 2 - Moderate; 3 - Strong; 4 - Extreme





Note:  
Y-axis refers to the Odour Level: 0 - Not Detected; 1- Slight; 2 - Moderate; 3 - Strong; 4 - Extreme



Note:  
Y-axis refers to the Odour Level: 0 - Not Detected; 1- Slight; 2 - Moderate; 3 - Strong; 4 - Extreme

Remark:  
As access permission from the company of Discovery Bay Tunnel is under requisition progress, the odour patrol monitoring will not cover OD5 (Spur Road near Discovery Bay Tunnel Outlet) temporarily.

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix E

### Copy of the Calibration Certificates for Water Quality Monitoring Equipment

Report No. : 142626WA201558



Page 1 of 3

**Report on Calibration of Aqua Troll 600 Multi-parameter Water Quality Meter****Information Supplied by Client**

Client : MaterialLab Consultants Limited

Client's address : Rm. 723-726, 7/F, Profit Industrial Building, No. 1-15,  
Kwai Fung Crescent, Kwai Chung, N.T.

Sample description : One Aqua Troll 600 Multi-parameter Water Quality Meter

Client sample ID : Serial No. 525120

Test required : Calibration of the Aqua Troll 600 Multi-parameter Water Quality  
Meter

**Laboratory Information**

Lab. sample ID : WA201558/1

Date of calibration : 22/06/2020

Next calibration date : 21/09/2020

Test method used : In-house comparison method

*Note : This report refers only to the sample(s) tested.*

Report No. : 142626WA201558

Page 2 of 3

**Results :**
**A. pH calibration**

pH reading at 25°C for Q.C. solution(6.86) and at 25°C for Q.C. solution(9.18)		
Theoretical	Measured	Deviation
9.18	9.17	-0.01
6.86	6.87	+0.01

**B. Salinity calibration**

Salinity, ppt			
Theoretical	Measured	Deviation	Maximum acceptable Deviation
10	10.04	+0.04	± 0.5
20	20.05	+0.05	± 1.0
30	29.84	-0.16	± 1.5
40	39.82	-0.18	± 2.0

**C. Dissolved Oxygen calibration**

Trial No.	Dissolved oxygen content, mg/L	
	By calibrated D.O. meter	By D.O. meter
1	7.38	7.37
2	7.39	7.37
3	7.38	7.37
Average	7.38	7.37

Differences of D.O. Content between calibrated D.O. meter and D.O. meter should be less than 0.4mg/L

Certified by :


 Approved Signatory : HO Kin Man, John  
 Assistant General Manager – Laboratories

Date :

24/8/2020

*Note : This report refers only to the sample(s) tested.*

Report No. : 142626WA201558

Page 3 of 3


**Results :**

**D. Temperature calibration**

Thermometer reading, °C	Meter reading, °C
25.03	25.02

**E. Turbidity calibration**

Turbidity, N.T.U.			
Theoretical	Measured	Deviation	Maximum acceptable Deviation
0	-	-	± 0.5
4	4.07	+0.07	± 0.6
8	8.09	+0.09	± 0.8
40	39.72	-0.28	± 3.0
80	79.53	-0.47	± 4.0

Certified by :   
 Approved Signatory : HO Kin Man, John  
 Assistant General Manager – Laboratories

Date : 24/8/2020  
 \*\* End of Report \*\*

*Note : This report refers only to the sample(s) tested.*



a xylem brand

9940 Summers Ridge Road  
San Diego, CA 92121  
Tel: (858) 546-8327  
support@sontek.com

## Certificate of Calibration

### TEST REPORT

Serial Number	5906
System Type	M9
System Orientation	Down
Compass Type	Sontek
Compass Offset (degrees)	N/A
Communications Output	RS232
Recorder Size (GB)	14.9
Firmware Version	4.02
Date Tested	05/23/2017

### POWER TEST

Command Mode (W):	0.17	Range : 0.00 – 0.30
Sleep Mode (W):	N/A	Range : N/A
Ping Mode - 18V (W):	2.67	Range : 1.50 – 3.50
Power Check		PASS

### NOISE TEST

Beam 1 – 3.0 MHz (counts)	95
Beam 2 – 1.0 MHz (counts)	96
Beam 3 – 3.0 MHz (counts)	95
Beam 4 – 1.0 MHz (counts)	101
Beam 5 – 3.0 MHz (counts)	93
Beam 6 – 1.0 MHz (counts)	95
Beam 7 – 3.0 MHz (counts)	91
Beam 8 – 1.0 MHz (counts)	100
Beam Vertical – 500KHz (counts)	88
Noise Test	PASS

## VERIFICATION

Velocity Check	PASS
Transmit Output	PASS
Sensitivity	PASS
Temperature Sensor	PASS
Compass Heading Check	PASS
Compass Level Check	PASS
Burn-in (24 hrs)	PASS
Load Default Parameters	DONE

## OPTIONS

Bottom Track	Installed
SmartPulse HD <sup>TM</sup>	Enabled
Stationary	Disabled
GPS Compass Integration	Disabled
RiverSurveyor	Enabled
HydroSurveyor	Disabled

Verified by: **ainthasane**

This report was generated on 5/24/2017.

ATTENTION: New Warranty Terms as of March 4, 2013:

This system is covered under a two year limited warranty that extends to all parts and labor for any malfunction due to workmanship or errors in the manufacturing process. The warranty is valid only if you properly maintain and operate this system under normal use as outlined in the User's Manual. The warranty does not cover shortcomings that are due to the design, or any incidental damages as a result of errors in the measurements.

SonTek will repair and/or replace, at its sole option, any product established to be defective with a product of like type. CLAIMS FOR LABOR COSTS AND/OR OTHER CHARGES RESULTING FROM THE USE OF SonTek GOODS AND/OR PRODUCTS ARE NOT COVERED BY THIS LIMITED WARRANTY.

SonTek DISCLAIMS ALL EXPRESS WARRANTIES OTHER THAN THOSE CONTAINED ABOVE AND ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE. SonTek DISCLAIMS AND WILL NOT BE LIABLE, UNDER ANY CIRCUMSTANCE, IN CONTRACT, TORT OR WARRANTY, FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO LOST PROFITS, BUSINESS INTERRUPTION LOSSES, LOSS OF GOODWILL, OR LOSS OF BUSINESS OR CUSTOMER RELATIONSHIPS.

If your system is not functioning properly, first try to identify the source of the problem. If additional support is required, we encourage you to contact us immediately. We will work to resolve the problem as quickly as possible.

If the system needs to be returned to the factory, please contact SonTek to obtain a Service Request (SR) number. We reserve the right to refuse receipt of shipments without SRs. We require the system to be shipped back in the original shipping container using the original packing material with all delivery costs covered by the customer (including all taxes and duties). If the system is returned without appropriate packing, the customer will be required to cover the cost of a new packaging crate and material.

The warranty for repairs performed at an authorized SonTek Service Center is one year.

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix F

### Results and Graphical Presentation of Water Quality Monitoring



Water Quality Monitoring Data

Monitoring Location	Date	Tide Mode	Weather	Sea Condition	Time	Water Depth (m)	Monitoring Level	Monitoring Level (m)	Replicate	In-situ Measurement								Laboratory Analysis							
										pH	Salinity (ppt)	Temperature (degree C)	DO Saturation (%)	DO (mg/L)	Turbidity (NTU)	Current Speed (m/s)	Current Direction (degree magnetic)	Total Suspended Solids (mg/L)	Ammonia Nitrogen (mg/L-N)	Nitrite Nitrogen (mg/L-N)	Nitrate Nitrogen (mg/L-N)	Total Inorganic Nitrogen (mg/L-N)	E.coli (cfu/100mL)	Total phosphorus (soluble and particulate) (mg/L)	BOD <sub>5</sub> (mg/L)
										Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value
A	6/8/2020	Mid-Ebb	Fine	Moderate	13:34	17	S	1	1	8.17	25.07	27.55	77.9	5.15	3.7	0.05	48.3	3.9	0.082	0.065	0.522	0.670	40	0.03	<1.0
A	6/8/2020	Mid-Ebb	Fine	Moderate	13:34	17	S	1	2	8.17	25.01	27.56	77.7	5.13	3.7	0.04	49.3	4.8	0.083	0.073	0.523	0.679	54	0.03	1.2
A	6/8/2020	Mid-Ebb	Fine	Moderate	13:34	17	M	8.5	1	8.17	25.55	27.46	75.9	5.02	2.6	0.02	99.4	3.6	0.090	0.068	0.521	0.678	34	0.03	1.3
A	6/8/2020	Mid-Ebb	Fine	Moderate	13:34	17	M	8.5	2	8.17	25.54	27.47	76.1	5.04	2.6	0.01	93.7	3.8	0.093	0.059	0.517	0.669	44	0.03	<1.0
A	6/8/2020	Mid-Ebb	Fine	Moderate	13:34	17	B	16	1	8.17	26.78	27.33	73.4	4.87	4.2	0.02	58.1	3.2	0.084	0.062	0.526	0.672	55	0.03	<1.0
A	6/8/2020	Mid-Ebb	Fine	Moderate	13:34	17	B	16	2	8.17	26.86	27.32	73.5	4.88	4.0	0.04	49.2	3.2	0.088	0.060	0.518	0.665	42	0.03	<1.0
B	6/8/2020	Mid-Ebb	Fine	Moderate	13:58	14	S	1	1	8.17	23.56	27.65	79.3	5.23	3.2	0.04	11.8	4.6	0.089	0.064	0.538	0.690	42	0.03	<1.0
B	6/8/2020	Mid-Ebb	Fine	Moderate	13:58	14	S	1	2	8.16	23.58	27.67	79.7	5.25	3.3	0.06	18.3	4.3	0.097	0.059	0.538	0.694	35	0.03	<1.0
B	6/8/2020	Mid-Ebb	Fine	Moderate	13:58	14	M	7	1	8.16	24.81	27.45	76.0	5.03	2.1	0.09	346.5	4.0	0.084	0.062	0.539	0.684	30	0.04	<1.0
B	6/8/2020	Mid-Ebb	Fine	Moderate	13:58	14	M	7	2	8.17	23.60	27.62	77.6	5.12	2.5	0.09	348.1	3.4	0.083	0.072	0.541	0.696	39	0.02	<1.0
B	6/8/2020	Mid-Ebb	Fine	Moderate	13:58	14	B	13	1	8.17	24.44	27.48	75.0	4.96	2.3	0.03	85.2	3.0	0.084	0.072	0.542	0.697	35	0.04	<1.0
B	6/8/2020	Mid-Ebb	Fine	Moderate	13:58	14	B	13	2	8.17	25.53	27.35	74.5	4.94	2.2	0.04	89.1	3.2	0.082	0.066	0.541	0.689	45	0.03	<1.0
C	6/8/2020	Mid-Ebb	Fine	Moderate	14:12	12	S	1	1	8.18	25.79	27.41	78.6	5.21	2.8	0.13	353.4	3.9	0.074	0.073	0.567	0.715	21	0.03	<1.0
C	6/8/2020	Mid-Ebb	Fine	Moderate	14:12	12	S	1	2	8.20	24.70	27.49	81.9	5.41	2.8	0.16	357.5	4.4	0.075	0.076	0.573	0.724	26	0.03	<1.0
C	6/8/2020	Mid-Ebb	Fine	Moderate	14:12	12	M	6	1	8.18	28.40	27.17	71.7	4.77	2.3	0.20	324.3	3.8	0.091	0.071	0.574	0.736	30	0.03	<1.0
C	6/8/2020	Mid-Ebb	Fine	Moderate	14:12	12	M	6	2	8.18	28.34	27.18	71.8	4.77	2.3	0.19	321.6	4.9	0.077	0.073	0.572	0.722	35	0.03	<1.0
C	6/8/2020	Mid-Ebb	Fine	Moderate	14:12	12	B	11	1	8.18	28.43	27.17	71.1	4.73	2.1	0.10	25.1	4.8	0.076	0.076	0.579	0.730	21	0.03	<1.0
C	6/8/2020	Mid-Ebb	Fine	Moderate	14:12	12	B	11	2	8.18	28.62	27.16	71.6	4.76	2.2	0.11	19.8	4.6	0.080	0.071	0.580	0.731	26	0.03	<1.0
D	6/8/2020	Mid-Ebb	Fine	Moderate	14:39	13	S	1	1	8.20	24.85	27.52	85.0	5.62	2.4	0.04	286.3	2.8	0.087	0.078	0.563	0.729	22	0.03	1.1
D	6/8/2020	Mid-Ebb	Fine	Moderate	14:39	13	S	1	2	8.19	24.74	27.56	84.7	5.60	2.8	0.06	291.7	3.8	0.082	0.083	0.589	0.753	31	0.03	<1.0
D	6/8/2020	Mid-Ebb	Fine	Moderate	14:39	13	M	6.5	1	8.19	28.32	27.17	70.4	4.68	2.3	0.08	310.9	3.1	0.081	0.070	0.595	0.747	23	0.03	1.3
D	6/8/2020	Mid-Ebb	Fine	Moderate	14:39	13	M	6.5	2	8.18	28.36	27.17	70.9	4.72	2.3	0.08	291.5	2.9	0.085	0.076	0.601	0.761	29	0.03	<1.0
D	6/8/2020	Mid-Ebb	Fine	Moderate	14:39	13	B	12	1	8.18	29.23	27.12	69.1	4.60	7.3	0.03	340.8	3.4	0.079	0.075	0.600	0.754	120	0.03	<1.0
D	6/8/2020	Mid-Ebb	Fine	Moderate	14:39	13	B	12	2	8.18	29.29	27.12	69.5	4.63	7.5	0.06	345.5	3.4	0.074	0.076	0.588	0.738	87	0.03	<1.0
E	6/8/2020	Mid-Ebb	Fine	Moderate	14:49	16	S	1	1	8.16	25.78	27.29	76.6	5.08	4.1	0.03	53.1	3.9	0.075	0.047	0.456	0.578	150	0.03	<1.0
E	6/8/2020	Mid-Ebb	Fine	Moderate	14:49	16	S	1	2	8.16	25.92	27.27	75.5	5.01	4.0	0.04	54.2	3.0	0.075	0.050	0.442	0.567	110	0.03	<1.0
E	6/8/2020	Mid-Ebb	Fine	Moderate	14:49	16	M	8	1	8.16	26.04	27.27	74.8	4.97	4.3	0.02	84.6	4.9	0.090	0.049	0.428	0.567	130	0.03	<1.0
E	6/8/2020	Mid-Ebb	Fine	Moderate	14:49	16	M	8	2	8.16	26.04	27.26	74.4	4.94	4.2	0.02	93.1	3.9	0.085	0.058	0.418	0.561	160	0.03	<1.0
E	6/8/2020	Mid-Ebb	Fine	Moderate	14:49	16	B	15	1	8.17	27.33	27.16	70.8	4.71	7.3	0.01	79.3	7.4	0.082	0.056	0.448	0.587	140	0.03	<1.0
E	6/8/2020	Mid-Ebb	Fine	Moderate	14:49	16	B	15	2	8.17	27.38	27.16	70.6	4.70	7.0	0.01	84.4	6.5	0.081	0.061	0.476	0.618	95	0.03	<1.0
F	6/8/2020	Mid-Ebb	Fine	Moderate	15:01	23	S	1	1	8.14	24.21	27.48	88.2	5.83	6.2	0.01	305.9	3.4	0.075	0.058	0.456	0.588	96	0.02	1.4
F	6/8/2020	Mid-Ebb	Fine	Moderate	15:01	23	S	1	2	8.14	24.20	27.53	94.3	6.23	6.6	0.01	310.6	3.3	0.071	0.059	0.438	0.568	72	0.03	<1.0
F	6/8/2020	Mid-Ebb	Fine	Moderate	15:01	23	M	11.5	1	8.17	26.54	27.23	72.6	4.82	5.3	0.04	265.3	4.3	0.095	0.058	0.430	0.584	160	0.03	<1.0
F	6/8/2020	Mid-Ebb	Fine	Moderate	15:01	23	M	11.5	2	8.17	26.53	27.23	72.4	4.81	5.3	0.04	263.8	4.3	0.092	0.052	0.438	0.582	190	0.03	<1.0
F	6/8/2020	Mid-Ebb	Fine	Moderate	15:01	23	B	22	1	8.17	27.48	27.15	70.2	4.67	6.0	0.04	316.2	5.7	0.079	0.049	0.449	0.577	160	0.03	<1.0
F	6/8/2020	Mid-Ebb	Fine	Moderate	15:01	23	B	22	2	8.17	27.40	27.16	70.8	4.71	6.8	0.02	313.9	5.8	0.066	0.050	0.473	0.589	210	0.03	<1.0
G	6/8/2020	Mid-Ebb	Fine	Moderate	15:16	22	S	1	1	8.17	25.97	27.26	77.8	5.16	8.1	0.03	318.6	7.1	0.126	0.047	0.446	0.619	36	0.03	<1.0
G	6/8/2020	Mid-Ebb	Fine	Moderate	15:16	22	S	1	2	8.17	25.65	27.27	77.3	5.13	8.3	0.05	320.5	7.0	0.135	0.060	0.443	0.638	44	0.03	<1.0
G	6/8/2020	Mid-Ebb	Fine	Moderate	15:16	22	M	11	1	8.17	26.52	27.21	75.2	5.00	5.2	0.03	288.1	7.2	0.108	0.051	0.444	0.603	100	0.03	1.3
G	6/8/2020	Mid-Ebb	Fine	Moderate	15:16	22	M	11	2	8.17	26.28	27.23	75.4	5.01	6.3	0.05	289.5	7.1	0.112	0.060	0.459	0.631	130	0.03	<1.0
G	6/8/2020	Mid-Ebb	Fine	Moderate	15:16	22	B	21	1	8.17	26.24	27.23	75.9	5.04	5.7	0.03	308.2	3.5	0.087	0.064	0.490	0.640	56	0.02	<1.0
G	6/8/2020	Mid-Ebb	Fine	Moderate	15:16	22	B	21	2	8.17	26.48	27.22	74.9	4.98	4.5	0.03	301.8	2.9	0.084	0.056	0.470	0.609	63	0.03	<1.0
H	6/8/2020	Mid-Ebb	Fine	Moderate	15:45	19	S	1	1	8.15	24.92	27.33	84.0	5.57	10.3	0.17	306.9	6.8	0.118	0.066	0.458	0.643	36	0.03	<1.0
H	6/8/2020	Mid-Ebb	Fine	Moderate	15:45	19	S	1	2	8.15	25.00	27.33	82.2	5.45	9.2	0.18	292.6	5.9	0.108	0.058	0.447	0.613	46	0.03	<1.0
H	6/8/2020	Mid-Ebb	Fine	Moderate	15:45	19	M	9.5	1	8.15	25.75	27.28	79.9	5.30	9.5	0.14	330.1	4.3	0.140	0.058	0.468	0.666	28	0.03	<1.0
H	6/8/2020	Mid-Ebb	Fine	Moderate	15:45	19	M	9.5	2	8.15	25.73	27.24	79.1	5.26	9.3	0.15	331.4	5.0	0.120	0.058	0.450	0.627	37	0.03	<1.0
H	6/8/2020	Mid-Ebb	Fine	Moderate	15:45	19	B	18	1	8.15	25.66	27.27	77.6	5.15	8.5	0.27	309.5	3.9	0.112	0.064	0.448	0.623	36	0.03	<1.0
H	6/8/2020	Mid-Ebb	Fine	Moderate	15:45	19	B	18	2	8.16	26.33	27.23	76.6	5.09	7.7	0.26	312.4	4.7	0.115	0.054	0.442	0.612	51	0.03	1.5

Note: 1. ND: Not Detected

Water Quality Monitoring Data

Monitoring Location	Date	Tide Mode	Weather	Sea Condition	Time	Water Depth (m)	Monitoring Level	Monitoring Level (m)	Replicate	In-situ Measurement								Laboratory Analysis							
										pH	Salinity (ppt)	Temperature (degree C)	DO Saturation (%)	DO (mg/L)	Turbidity (NTU)	Current Speed (m/s)	Current Direction (degree magnetic)	Total Suspended Solids (mg/L)	Ammonia Nitrogen (mg/L-N)	Nitrite Nitrogen (mg/L-N)	Nitrate Nitrogen (mg/L-N)	Total Inorganic Nitrogen (mg/L-N)	E.coli (cfu/100mL)	Total phosphorus (soluble and particulate) (mg/L)	BOD <sub>5</sub> (mg/L)
										Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value
A	6/8/2020	Mid-Flood	Fine	Moderate	08:50	15	S	1	1	8.17	24.81	27.64	88.5	5.84	4.0	0.02	64.9	4.0	0.098	0.075	0.518	0.690	38	0.03	<1.0
A	6/8/2020	Mid-Flood	Fine	Moderate	08:50	15	S	1	2	8.17	24.91	27.60	83.4	5.51	3.9	0.02	79.1	4.7	0.106	0.072	0.544	0.722	26	0.03	<1.0
A	6/8/2020	Mid-Flood	Fine	Moderate	08:50	15	M	7.5	1	8.17	24.94	27.59	81.0	5.35	3.8	0.05	54.2	4.3	0.110	0.066	0.527	0.703	38	0.03	<1.0
A	6/8/2020	Mid-Flood	Fine	Moderate	08:50	15	M	7.5	2	8.17	25.49	27.50	77.3	5.11	3.9	0.06	59.3	3.7	0.109	0.074	0.536	0.719	44	0.03	<1.0
A	6/8/2020	Mid-Flood	Fine	Moderate	08:50	15	B	14	1	8.17	25.56	27.48	77.1	5.10	6.2	0.03	85.7	4.1	0.092	0.062	0.542	0.696	26	0.03	<1.0
A	6/8/2020	Mid-Flood	Fine	Moderate	08:50	15	B	14	2	8.16	26.61	27.36	76.0	5.04	5.6	0.04	84.9	4.0	0.080	0.062	0.527	0.669	35	0.03	<1.0
B	6/8/2020	Mid-Flood	Fine	Moderate	08:41	14	S	1	1	8.17	24.04	27.56	78.1	5.16	3.1	0.05	19.4	4.3	0.094	0.065	0.543	0.702	45	0.03	<1.0
B	6/8/2020	Mid-Flood	Fine	Moderate	08:41	14	S	1	2	8.17	24.10	27.55	78.2	5.16	3.2	0.05	17.1	4.1	0.089	0.068	0.538	0.695	61	0.03	<1.0
B	6/8/2020	Mid-Flood	Fine	Moderate	08:41	14	M	7	1	8.17	24.07	27.56	78.1	5.16	2.8	0.03	346.5	3.6	0.103	0.064	0.545	0.711	64	0.03	<1.0
B	6/8/2020	Mid-Flood	Fine	Moderate	08:41	14	M	7	2	8.17	24.93	27.46	77.5	5.13	2.3	0.03	341.5	3.5	0.105	0.072	0.536	0.713	78	0.03	<1.0
B	6/8/2020	Mid-Flood	Fine	Moderate	08:41	14	B	13	1	8.17	25.33	27.41	76.6	5.07	3.2	0.02	264.7	3.2	0.107	0.070	0.542	0.719	32	0.04	<1.0
B	6/8/2020	Mid-Flood	Fine	Moderate	08:41	14	B	13	2	8.17	26.28	27.30	74.9	4.97	3.0	0.01	262.9	3.3	0.109	0.072	0.544	0.725	36	0.03	<1.0
C	6/8/2020	Mid-Flood	Fine	Moderate	08:25	12	S	1	1	8.20	24.82	27.53	85.0	5.62	2.8	0.09	325.8	3.2	0.099	0.081	0.592	0.772	20	0.03	<1.0
C	6/8/2020	Mid-Flood	Fine	Moderate	08:25	12	S	1	2	8.19	24.87	27.53	85.1	5.62	2.8	0.09	335.5	2.7	0.113	0.079	0.594	0.786	31	0.04	<1.0
C	6/8/2020	Mid-Flood	Fine	Moderate	08:25	12	M	6	1	8.18	28.30	27.21	76.4	5.07	2.4	0.11	288.8	3.5	0.102	0.081	0.595	0.779	31	0.03	<1.0
C	6/8/2020	Mid-Flood	Fine	Moderate	08:25	12	M	6	2	8.18	28.23	27.21	74.4	4.94	2.3	0.14	293.5	4.3	0.108	0.079	0.594	0.780	39	0.03	<1.0
C	6/8/2020	Mid-Flood	Fine	Moderate	08:25	12	B	11	1	8.18	28.30	27.20	73.2	4.87	6.2	0.94	310.9	3.6	0.117	0.080	0.578	0.775	21	0.03	<1.0
C	6/8/2020	Mid-Flood	Fine	Moderate	08:25	12	B	11	2	8.18	29.27	27.13	71.6	4.76	6.9	0.97	302.6	4.6	0.101	0.084	0.592	0.776	28	0.03	<1.0
D	6/8/2020	Mid-Flood	Fine	Moderate	08:02	14	S	1	1	8.18	24.47	27.55	84.1	5.56	2.9	0.12	322.6	3.0	0.101	0.078	0.582	0.761	30	0.03	<1.0
D	6/8/2020	Mid-Flood	Fine	Moderate	08:02	14	S	1	2	8.18	24.54	27.55	84.1	5.56	2.8	0.10	320.9	3.5	0.102	0.070	0.590	0.761	45	0.03	<1.0
D	6/8/2020	Mid-Flood	Fine	Moderate	08:02	14	M	7	1	8.19	24.68	27.52	84.5	5.59	2.8	0.04	8.4	3.4	0.105	0.075	0.583	0.762	30	0.03	<1.0
D	6/8/2020	Mid-Flood	Fine	Moderate	08:02	14	M	7	2	8.19	24.72	27.51	85.0	5.62	3.0	0.05	9.1	2.8	0.099	0.083	0.574	0.756	42	0.03	<1.0
D	6/8/2020	Mid-Flood	Fine	Moderate	08:02	14	B	13	1	8.18	28.35	27.17	72.1	4.80	2.3	0.08	338.8	2.6	0.088	0.076	0.576	0.740	31	0.03	<1.0
D	6/8/2020	Mid-Flood	Fine	Moderate	08:02	14	B	13	2	8.18	28.35	27.17	71.9	4.78	2.4	0.08	336.0	2.9	0.092	0.073	0.575	0.740	39	0.03	<1.0
E	6/8/2020	Mid-Flood	Fine	Moderate	07:43	14	S	1	1	8.17	25.27	27.30	75.4	5.00	4.9	0.02	295.8	3.6	0.112	0.063	0.479	0.654	110	0.03	<1.0
E	6/8/2020	Mid-Flood	Fine	Moderate	07:43	14	S	1	2	8.17	24.82	27.35	76.9	5.10	5.6	0.04	286.9	4.4	0.097	0.057	0.468	0.622	160	0.03	<1.0
E	6/8/2020	Mid-Flood	Fine	Moderate	07:43	14	M	7	1	8.17	27.55	27.15	71.1	4.73	18.2	0.01	276.9	4.6	0.118	0.058	0.456	0.631	110	0.03	<1.0
E	6/8/2020	Mid-Flood	Fine	Moderate	07:43	14	M	7	2	8.17	27.53	27.15	70.3	4.68	14.5	0.01	273.6	4.6	0.114	0.065	0.470	0.650	74	0.03	<1.0
E	6/8/2020	Mid-Flood	Fine	Moderate	07:43	14	B	13	1	8.17	27.43	27.15	69.6	4.63	22.6	0.07	310.1	6.5	0.107	0.056	0.476	0.639	140	0.03	<1.0
E	6/8/2020	Mid-Flood	Fine	Moderate	07:43	14	B	13	2	8.17	27.58	27.14	69.5	4.62	23.3	0.06	306.8	5.6	0.112	0.063	0.466	0.640	190	0.03	<1.0
F	6/8/2020	Mid-Flood	Fine	Moderate	07:35	18	S	1	1	8.17	24.43	27.36	82.4	5.46	7.2	0.03	301.9	4.7	0.128	0.060	0.464	0.651	100	0.03	<1.0
F	6/8/2020	Mid-Flood	Fine	Moderate	07:35	18	S	1	2	8.17	24.85	27.34	81.2	5.38	7.4	0.02	307.6	4.1	0.115	0.055	0.470	0.640	140	0.03	<1.0
F	6/8/2020	Mid-Flood	Fine	Moderate	07:35	18	M	9	1	8.17	25.57	27.31	78.4	5.20	6.6	0.04	277.1	3.9	0.127	0.054	0.474	0.656	130	0.03	<1.0
F	6/8/2020	Mid-Flood	Fine	Moderate	07:35	18	M	9	2	8.17	26.55	27.23	75.1	4.99	5.6	0.03	280.8	4.2	0.122	0.058	<0.005	0.175	150	0.03	<1.0
F	6/8/2020	Mid-Flood	Fine	Moderate	07:35	18	B	17	1	8.17	26.57	27.22	73.8	4.90	5.5	0.02	296.9	4.3	0.112	0.064	0.472	0.648	100	0.03	<1.0
F	6/8/2020	Mid-Flood	Fine	Moderate	07:35	18	B	17	2	8.17	26.56	27.23	73.2	4.86	5.5	0.02	292.8	4.3	0.108	0.064	0.470	0.642	64	0.03	<1.0
G	6/8/2020	Mid-Flood	Fine	Moderate	07:23	13	S	1	1	8.17	24.65	27.31	82.6	5.48	9.0	0.02	286.6	4.2	0.145	0.058	0.452	0.655	76	0.03	1.7
G	6/8/2020	Mid-Flood	Fine	Moderate	07:23	13	S	1	2	8.17	24.59	27.31	82.7	5.49	9.0	0.01	290.9	3.2	0.147	0.066	0.448	0.661	92	0.03	1.0
G	6/8/2020	Mid-Flood	Fine	Moderate	07:23	13	M	6.5	1	8.17	24.62	27.31	82.9	5.50	8.8	0.02	276.5	3.9	0.138	0.058	0.457	0.653	39	0.03	<1.0
G	6/8/2020	Mid-Flood	Fine	Moderate	07:23	13	M	6.5	2	8.17	25.40	27.31	82.4	5.47	8.0	0.03	275.7	3.0	0.126	0.056	0.464	0.647	52	0.03	<1.0
G	6/8/2020	Mid-Flood	Fine	Moderate	07:23	13	B	12	1	8.17	25.90	27.27	79.9	5.30	8.3	0.01	269.9	3.7	0.130	0.062	0.459	0.651	56	0.03	<1.0
G	6/8/2020	Mid-Flood	Fine	Moderate	07:23	13	B	12	2	8.17	26.57	27.21	75.7	5.03	6.3	0.01	268.7	2.9	0.127	0.054	0.458	0.640	68	0.03	<1.0
H	6/8/2020	Mid-Flood	Fine	Moderate	07:07	19	S	1	1	8.14	26.18	27.33	79.0	5.24	12.2	0.21	312.8	5.6	0.097	0.064	0.456	0.616	220	0.03	<1.0
H	6/8/2020	Mid-Flood	Fine	Moderate	07:07	19	S	1	2	8.14	26.18	27.33	78.6	5.22	12.3	0.21	324.8	5.7	0.096	0.054	0.467	0.617	140	0.03	<1.0
H	6/8/2020	Mid-Flood	Fine	Moderate	07:07	19	M	9.5	1	8.14	26.18	27.33	78.7	5.22	11.5	0.19	321.9	4.0	0.100	0.056	0.467	0.623	44	0.02	<1.0
H	6/8/2020	Mid-Flood	Fine	Moderate	07:07	19	M	9.5	2	8.14	26.17	27.33	78.5	5.21	12.2	0.24	330.9	4.7	0.095	0.058	0.466	0.619	32	0.03	<1.0
H	6/8/2020	Mid-Flood	Fine	Moderate	07:07	19	B	18	1	8.16	25.59	27.27	77.2	5.12	8.6	0.25	311.7	3.9	0.108	0.057	0.476	0.640	120	0.02	<1.0
H	6/8/2020	Mid-Flood	Fine	Moderate	07:07	19	B	18	2	8.16	25.66	27.27	77.4	5.14	8.5	0.23	320.6	4.8	0.104	0.061	0.469	0.633	180	0.03	<1.0

Note: 1. ND: Not Detected





### CERTIFICATE OF ANALYSIS

Client	: FUGRO TECHNICAL SERVICES LIMITED	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 28
Contact	: MR CYRUS LAI	Contact	: Richard Fung	Work Order	: HK2028854
Address	: ROOM 723 & 725, 7/F, BLOCK B, PROFIT INDUSTRIAL BUILDING, 1-15 KWAI FONG CRESCENT, KWAI FONG, HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: c.lai@fugro.com	E-mail	: richard.fung@alsglobal.com		
Telephone	: +852 3565 4374	Telephone	: +852 2610 1044		
Facsimile	: ---	Facsimile	: +852 2610 2021		
Project	: CONTRACT NO. CM 14/2016 ENVIRONMENTAL TEAM FOR OPERATIONAL ENVIRONMENTAL MONITORING AND AUDIT FOR SIU HO WAN SEWAGE TREATMENT PLANT	Date Samples Received	: 06-Aug-2020		
Order number	: 0041/17	Quote number	: HKE/1654/2017_R1	Issue Date	: 14-Aug-2020
C-O-C number	: ---			No. of samples received	: 96
Site	: ---			No. of samples analysed	: 96

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatories</u>	<u>Position</u>	<u>Authorised results for</u>
		
Fung Lim Chee, Richard	Managing Director	Inorganics
		
Ng Sin Kou, May	Laboratory Manager	Microbiology_ENV



### ***General Comments***

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 06-Aug-2020 to 13-Aug-2020.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

#### **Specific Comments for Work Order: HK2028854**

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc., if any) is provided by client.

Microbiological sample(s) was/ were collected in 125mL sterile plastic bottles containing sodium thiosulfate. Sample(s) arrived at the laboratory at 16:55.

NOT DETECTED denotes result(s) is (are) less than the Limit of Report (LOR).

EK063A - Total Inorganic Nitrogen is the sum of the Total Oxidizable Nitrogen and Ammonical Nitrogen.

EP030 - The accredited LOR of Biochemical Oxygen Demand is 2mg/L. Results reported below 2mg/L and the decimal value of the results were for reference only.



**Analytical Results**

Sub-Matrix: WATER

Client sample ID

Client sampling date / time

				A/S/E	A/S/E/Dup	A/M/E	A/M/E/Dup	A/B/E
				06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-001	HK2028854-002	HK2028854-003	HK2028854-004	HK2028854-005
<b>EA/ED: Physical and Aggregate Properties</b>								
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.9	4.8	3.6	3.8	3.2
<b>ED/EK: Inorganic Nonmetallic Parameters</b>								
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.082	0.083	0.090	0.093	0.084
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.065	0.073	0.068	0.059	0.062
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.522	0.523	0.521	0.517	0.526
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.670	0.679	0.678	0.669	0.672
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.01	0.01	<0.01	<0.01	0.01
<b>EP: Aggregate Organics</b>								
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	1.2	1.3	<1.0	<1.0
<b>EM: Microbiological Testing</b>								
EM002: E. coli	----	1	CFU/100mL	40	54	34	44	55



Sub-Matrix: WATER				Client sample ID	A/B/E/Dup	B/S/E	B/S/E/Dup	B/M/E	B/M/E/Dup
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-006	HK2028854-007	HK2028854-008	HK2028854-009	HK2028854-010	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.2	4.6	4.3	4.0	3.4	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.088	0.089	0.097	0.084	0.083	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.060	0.064	0.059	0.062	0.072	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.518	0.538	0.538	0.539	0.541	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.665	0.690	0.694	0.684	0.696	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.04	0.02	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.01	0.01	0.02	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	42	42	35	30	39	



Sub-Matrix: WATER				Client sample ID	B/B/E	B/B/E/Dup	C/S/E	C/S/E/Dup	C/M/E
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-011	HK2028854-012	HK2028854-013	HK2028854-014	HK2028854-015	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.0	3.2	3.9	4.4	3.8	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.084	0.082	0.074	0.075	0.091	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.072	0.066	0.073	0.076	0.071	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.542	0.541	0.567	0.573	0.574	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.697	0.689	0.715	0.724	0.736	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.04	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.02	0.02	0.01	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	35	45	21	26	30	



Sub-Matrix: WATER				Client sample ID	C/M/E/Dup	C/B/E	C/B/E/Dup	D/S/E	D/S/E/Dup
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-016	HK2028854-017	HK2028854-018	HK2028854-019	HK2028854-020	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	4.9	4.8	4.6	2.8	3.8	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.077	0.076	0.080	0.087	0.082	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.073	0.076	0.071	0.078	0.083	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.572	0.579	0.580	0.563	0.589	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.722	0.730	0.731	0.729	0.753	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.02	0.01	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	1.1	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	35	21	26	22	31	





Sub-Matrix: WATER				Client sample ID	D/M/E	D/M/E/Dup	D/B/E	D/B/E/Dup	E/S/E
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-021	HK2028854-022	HK2028854-023	HK2028854-024	HK2028854-025	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.1	2.9	3.4	3.4	3.9	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.081	0.085	0.079	0.074	0.075	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.070	0.076	0.075	0.076	0.047	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.595	0.601	0.600	0.588	0.456	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.747	0.761	0.754	0.738	0.578	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.01	0.02	0.02	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	1.3	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	23	29	120	87	150	



Sub-Matrix: WATER				Client sample ID	E/S/E/Dup	E/M/E	E/M/E/Dup	E/B/E	E/B/E/Dup
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-026	HK2028854-027	HK2028854-028	HK2028854-029	HK2028854-030	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.0	4.9	3.9	7.4	6.5	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.075	0.090	0.085	0.082	0.081	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.050	0.049	0.058	0.056	0.061	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.442	0.428	0.418	0.448	0.476	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.567	0.567	0.561	0.587	0.618	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.01	0.01	0.02	0.01	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	110	130	160	140	95	



Sub-Matrix: WATER				Client sample ID	F/S/E	F/S/E/Dup	F/M/E	F/M/E/Dup	F/B/E
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-031	HK2028854-032	HK2028854-033	HK2028854-034	HK2028854-035	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.4	3.3	4.3	4.3	5.7	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.075	0.071	0.095	0.092	0.079	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.058	0.059	0.058	0.052	0.049	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.456	0.438	0.430	0.438	0.449	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.588	0.568	0.584	0.582	0.577	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.02	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.01	0.02	0.01	0.01	0.01	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	1.4	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	96	72	160	190	160	



Sub-Matrix: WATER				Client sample ID	F/B/E/Dup	G/S/E	G/S/E/Dup	G/M/E	G/M/E/Dup
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-036	HK2028854-037	HK2028854-038	HK2028854-039	HK2028854-040	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	5.8	7.1	7.0	7.2	7.1	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.066	0.126	0.135	0.108	0.112	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.050	0.047	0.060	0.051	0.060	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.473	0.446	0.443	0.444	0.459	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.589	0.619	0.638	0.603	0.631	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.01	<0.01	<0.01	<0.01	0.01	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	1.3	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	210	36	44	100	130	



Sub-Matrix: WATER				Client sample ID	G/B/E	G/B/E/Dup	H/S/E	H/S/E/Dup	H/M/E
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-041	HK2028854-042	HK2028854-043	HK2028854-044	HK2028854-045	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.5	2.9	6.8	5.9	4.3	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.087	0.084	0.118	0.108	0.140	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.064	0.056	0.066	0.058	0.058	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.490	0.470	0.458	0.447	0.468	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.640	0.609	0.643	0.613	0.666	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.02	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.02	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	56	63	36	46	28	



Sub-Matrix: WATER				Client sample ID	H/M/E/Dup	H/B/E	H/B/E/Dup	A/S/F	A/S/F/Dup
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-046	HK2028854-047	HK2028854-048	HK2028854-049	HK2028854-050	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	5.0	3.9	4.7	4.0	4.7	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.120	0.112	0.115	0.098	0.106	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.058	0.064	0.054	0.075	0.072	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.450	0.448	0.442	0.518	0.544	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.627	0.623	0.612	0.690	0.722	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	<0.01	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	1.5	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	37	36	51	38	26	



Sub-Matrix: WATER				Client sample ID	A/M/F	A/M/F/Dup	A/B/F	A/B/F/Dup	B/S/F
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-051	HK2028854-052	HK2028854-053	HK2028854-054	HK2028854-055	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	4.3	3.7	4.1	4.0	4.3	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.110	0.109	0.092	0.080	0.094	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.066	0.074	0.062	0.062	0.065	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.527	0.536	0.542	0.527	0.543	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.703	0.719	0.696	0.669	0.702	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.02	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	38	44	26	35	45	



Sub-Matrix: WATER				Client sample ID	B/S/F/Dup	B/M/F	B/M/F/Dup	B/B/F	B/B/F/Dup
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-056	HK2028854-057	HK2028854-058	HK2028854-059	HK2028854-060	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	4.1	3.6	3.5	3.2	3.3	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.089	0.103	0.105	0.107	0.109	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.068	0.064	0.072	0.070	0.072	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.538	0.545	0.536	0.542	0.544	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.695	0.711	0.713	0.719	0.725	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.04	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.02	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	61	64	78	32	36	





Sub-Matrix: WATER				Client sample ID	C/S/F	C/S/F/Dup	C/M/F	C/M/F/Dup	C/B/F
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-061	HK2028854-062	HK2028854-063	HK2028854-064	HK2028854-065	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.2	2.7	3.5	4.3	3.6	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.099	0.113	0.102	0.108	0.117	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.081	0.079	0.081	0.079	0.080	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.592	0.594	0.595	0.594	0.578	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.772	0.786	0.779	0.780	0.775	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.04	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.02	0.02	0.01	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	20	31	31	39	21	



Sub-Matrix: WATER				Client sample ID	C/B/F/Dup	D/S/F	D/S/F/Dup	D/M/F	D/M/F/Dup
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-066	HK2028854-067	HK2028854-068	HK2028854-069	HK2028854-070	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	4.6	3.0	3.5	3.4	2.8	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.101	0.101	0.102	0.105	0.099	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.084	0.078	0.070	0.075	0.083	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.592	0.582	0.590	0.583	0.574	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.776	0.761	0.761	0.762	0.756	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.02	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	28	30	45	30	42	



Sub-Matrix: WATER				Client sample ID	D/B/F	D/B/F/Dup	E/S/F	E/S/F/Dup	E/M/F
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-071	HK2028854-072	HK2028854-073	HK2028854-074	HK2028854-075	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	2.6	2.9	3.6	4.4	4.6	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.088	0.092	0.112	0.097	0.118	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.076	0.073	0.063	0.057	0.058	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.576	0.575	0.479	0.468	0.456	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.740	0.740	0.654	0.622	0.631	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.01	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	31	39	110	160	110	



Sub-Matrix: WATER				Client sample ID	E/M/F/Dup	E/B/F	E/B/F/Dup	F/S/F	F/S/F/Dup
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-076	HK2028854-077	HK2028854-078	HK2028854-079	HK2028854-080	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	4.6	6.5	5.6	4.7	4.1	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.114	0.107	0.112	0.128	0.115	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.065	0.056	0.063	0.060	0.055	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.470	0.476	0.466	0.464	0.470	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.650	0.639	0.640	0.651	0.640	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.01	0.02	0.01	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	74	140	190	100	140	



Sub-Matrix: WATER				Client sample ID	F/M/F	F/M/F/Dup	F/B/F	F/B/F/Dup	G/S/F
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-081	HK2028854-082	HK2028854-083	HK2028854-084	HK2028854-085	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.9	4.2	4.3	4.3	4.2	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.127	0.122	0.112	0.108	0.145	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.054	0.058	0.064	0.064	0.058	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.474	<0.005	0.472	0.470	0.452	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.656	0.175	0.648	0.642	0.655	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.02	0.02	<0.01	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	1.7	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	130	150	100	64	76	



Sub-Matrix: WATER				Client sample ID	G/S/F/Dup	G/M/F	G/M/F/Dup	G/B/F	G/B/F/Dup
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-086	HK2028854-087	HK2028854-088	HK2028854-089	HK2028854-090	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	3.2	3.9	3.0	3.7	2.9	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.147	0.138	0.126	0.130	0.127	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.066	0.058	0.056	0.062	0.054	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.448	0.457	0.464	0.459	0.458	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.661	0.653	0.647	0.651	0.640	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.03	0.03	0.03	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.01	0.01	0.02	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	92	39	52	56	68	



Sub-Matrix: WATER				Client sample ID	H/S/F	H/S/F/Dup	H/M/F	H/M/F/Dup	H/B/F
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028854-091	HK2028854-092	HK2028854-093	HK2028854-094	HK2028854-095	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	----	0.5	mg/L	5.6	5.7	4.0	4.7	3.9	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.097	0.096	0.100	0.095	0.108	
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.064	0.054	0.056	0.058	0.057	
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.456	0.467	0.467	0.466	0.476	
EK063A: Inorganic Nitrogen as N	----	0.010	mg/L	0.616	0.617	0.623	0.619	0.640	
EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.02	0.03	0.02	
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	<0.01	0.02	0.02	0.02	0.02	
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	----	1.0	mg/L	<1.0	<1.0	<1.0	<1.0	<1.0	
<b>EM: Microbiological Testing</b>									
EM002: E. coli	----	1	CFU/100mL	220	140	44	32	120	



Sub-Matrix: WATER				Client sample ID	H/B/F/Dup	---	---	---	---
				Client sampling date / time	06-Aug-2020	---	---	---	---
Compound	CAS Number	LOR	Unit	HK2028854-096	---	---	---	---	---
<b>EA/ED: Physical and Aggregate Properties</b>									
EA025: Suspended Solids (SS)	---	0.5	mg/L	4.8	---	---	---	---	---
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.104	---	---	---	---	---
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.061	---	---	---	---	---
EK058A: Nitrate as N	14797-55-8	0.005	mg/L	0.469	---	---	---	---	---
EK063A: Inorganic Nitrogen as N	---	0.010	mg/L	0.633	---	---	---	---	---
EK067P: Total Phosphorus as P	---	0.01	mg/L	0.03	---	---	---	---	---
EK067P: Total Phosphorus - Filtered	---	0.01	mg/L	0.02	---	---	---	---	---
<b>EP: Aggregate Organics</b>									
EP030: Biochemical Oxygen Demand	---	1.0	mg/L	<1.0	---	---	---	---	---
<b>EM: Microbiological Testing</b>									
EM002: E. coli	---	1	CFU/100mL	180	---	---	---	---	---





**Laboratory Duplicate (DUP) Report**

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186189)</b>								
HK2028854-001	A/S/E	EA025: Suspended Solids (SS)	----	0.5	mg/L	3.9	4.0	4.42
HK2028854-011	B/B/E	EA025: Suspended Solids (SS)	----	0.5	mg/L	3.0	3.2	6.40
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186190)</b>								
HK2028854-021	D/M/E	EA025: Suspended Solids (SS)	----	0.5	mg/L	3.1	3.3	4.69
HK2028854-031	F/S/E	EA025: Suspended Solids (SS)	----	0.5	mg/L	3.4	3.6	5.71
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186191)</b>								
HK2028854-041	G/B/E	EA025: Suspended Solids (SS)	----	0.5	mg/L	3.5	3.7	6.23
HK2028854-051	A/M/F	EA025: Suspended Solids (SS)	----	0.5	mg/L	4.3	4.2	2.95
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186192)</b>								
HK2028854-061	C/S/F	EA025: Suspended Solids (SS)	----	0.5	mg/L	3.2	3.3	5.40
HK2028854-071	D/B/F	EA025: Suspended Solids (SS)	----	0.5	mg/L	2.6	2.7	0.00
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186193)</b>								
HK2028854-081	F/M/F	EA025: Suspended Solids (SS)	----	0.5	mg/L	3.9	4.0	2.53
HK2028854-091	H/S/F	EA025: Suspended Solids (SS)	----	0.5	mg/L	5.6	5.4	4.08
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186072)</b>								
HK2028854-020	D/S/E/Dup	EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.083	0.080	2.82
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186074)</b>								
HK2028854-040	G/M/E/Dup	EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.060	0.065	8.01
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186076)</b>								
HK2028854-060	B/B/F/Dup	EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.072	0.067	7.06
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186078)</b>								
HK2028854-080	F/S/F/Dup	EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.055	0.062	11.9
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186080)</b>								
HK2028854-096	H/B/F/Dup	EK057A: Nitrite as N	14797-65-0	0.005	mg/L	0.061	0.063	3.71
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186085)</b>								
HK2028854-020	D/S/E/Dup	EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.082	0.081	1.33
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186086)</b>								
HK2028854-040	G/M/E/Dup	EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.112	0.111	1.72
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186087)</b>								
HK2028854-060	B/B/F/Dup	EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.109	0.103	5.51



Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186088)</b>								
HK2028854-080	F/S/F/Dup	EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.115	0.105	8.77
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186089)</b>								
HK2028854-096	H/B/F/Dup	EK055A: Ammonia as N	7664-41-7	0.005	mg/L	0.104	0.106	2.75
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186674)</b>								
HK2028854-020	D/S/E/Dup	EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186675)</b>								
HK2028854-020	D/S/E/Dup	EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186676)</b>								
HK2028854-040	G/M/E/Dup	EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.01	0.01	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186677)</b>								
HK2028854-040	G/M/E/Dup	EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186678)</b>								
HK2028854-060	B/B/F/Dup	EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186679)</b>								
HK2028854-060	B/B/F/Dup	EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.03	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186680)</b>								
HK2028854-080	F/S/F/Dup	EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186681)</b>								
HK2028854-080	F/S/F/Dup	EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.02	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186682)</b>								
HK2028854-096	H/B/F/Dup	EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	0.02	0.02	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186683)</b>								
HK2028854-096	H/B/F/Dup	EK067P: Total Phosphorus as P	----	0.01	mg/L	0.03	0.02	0.00

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: WATER				Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report				
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits(%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186189)</b>											
EA025: Suspended Solids (SS)	----	0.5	mg/L	<0.5	20 mg/L	95.5	----	85.9	117	----	----
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186190)</b>											



Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
		LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits(%)		RPD (%)	
Method: Compound	CAS Number					LCS	DCS	Low	High	Value	Control Limit
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186190) - Continued</b>											
EA025: Suspended Solids (SS)	----	0.5	mg/L	<0.5	20 mg/L	96.0	----	85.9	117	----	----
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186191)</b>											
EA025: Suspended Solids (SS)	----	0.5	mg/L	<0.5	20 mg/L	94.0	----	85.9	117	----	----
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186192)</b>											
EA025: Suspended Solids (SS)	----	0.5	mg/L	<0.5	20 mg/L	106	----	85.9	117	----	----
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3186193)</b>											
EA025: Suspended Solids (SS)	----	0.5	mg/L	<0.5	20 mg/L	106	----	85.9	117	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186072)</b>											
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	<0.005	0.05 mg/L	105	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186074)</b>											
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	<0.005	0.05 mg/L	91.8	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186076)</b>											
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	<0.005	0.05 mg/L	93.4	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186078)</b>											
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	<0.005	0.05 mg/L	95.4	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186080)</b>											
EK057A: Nitrite as N	14797-65-0	0.005	mg/L	<0.005	0.05 mg/L	111	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186085)</b>											
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	<0.005	0.05 mg/L	89.0	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186086)</b>											
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	<0.005	0.05 mg/L	91.8	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186087)</b>											
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	<0.005	0.05 mg/L	97.0	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186088)</b>											
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	<0.005	0.05 mg/L	94.8	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186089)</b>											
EK055A: Ammonia as N	7664-41-7	0.005	mg/L	<0.005	0.05 mg/L	90.2	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186674)</b>											
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	<0.01	0.5 mg/L	98.1	----	85.0	115	----	----



Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
		LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits(%)		RPD (%)	
Method: Compound	CAS Number					LCS	DCS	Low	High	Value	Control Limit
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186675)</b>											
EK067P: Total Phosphorus as P	----	0.01	mg/L	<0.01	0.5 mg/L	98.6	----	93.6	102	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186676)</b>											
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	<0.01	0.5 mg/L	97.8	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186677)</b>											
EK067P: Total Phosphorus as P	----	0.01	mg/L	<0.01	0.5 mg/L	99.1	----	93.6	102	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186678)</b>											
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	<0.01	0.5 mg/L	98.4	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186679)</b>											
EK067P: Total Phosphorus as P	----	0.01	mg/L	<0.01	0.5 mg/L	98.4	----	93.6	102	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186680)</b>											
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	<0.01	0.5 mg/L	98.6	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186681)</b>											
EK067P: Total Phosphorus as P	----	0.01	mg/L	<0.01	0.5 mg/L	97.8	----	93.6	102	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186682)</b>											
EK067P: Total Phosphorus - Filtered	----	0.01	mg/L	<0.01	0.5 mg/L	98.4	----	85.0	115	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186683)</b>											
EK067P: Total Phosphorus as P	----	0.01	mg/L	<0.01	0.5 mg/L	97.9	----	93.6	102	----	----
<b>EP: Aggregate Organics (QC Lot: 3187210)</b>											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	98.8	----	81.0	115	----	----
<b>EP: Aggregate Organics (QC Lot: 3187211)</b>											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	96.5	----	81.0	115	----	----
<b>EP: Aggregate Organics (QC Lot: 3187212)</b>											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	96.1	----	81.0	115	----	----
<b>EP: Aggregate Organics (QC Lot: 3187213)</b>											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	97.3	----	81.0	115	----	----
<b>EP: Aggregate Organics (QC Lot: 3187214)</b>											
EP030: Biochemical Oxygen Demand	----	----	mg/L	----	198 mg/L	103	----	81.0	115	----	----



**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**





Matrix: WATER

					<b>Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report</b>					
<b>Laboratory sample ID</b>	<b>Client sample ID</b>	<b>Method: Compound</b>	<b>CAS Number</b>	<b>Spike Concentration</b>	<b>Spike Recovery (%)</b>		<b>Recovery Limits (%)</b>		<b>RPD (%)</b>	
					<b>MS</b>	<b>MSD</b>	<b>Low</b>	<b>High</b>	<b>Value</b>	<b>Control Limit</b>
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186072)</b>										
HK2028854-020	D/S/E/Dup	EK057A: Nitrite as N	14797-65-0	0.25 mg/L	100	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186074)</b>										
HK2028854-040	G/M/E/Dup	EK057A: Nitrite as N	14797-65-0	0.25 mg/L	103	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186076)</b>										
HK2028854-060	B/B/F/Dup	EK057A: Nitrite as N	14797-65-0	0.25 mg/L	107	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186078)</b>										
HK2028854-080	F/S/F/Dup	EK057A: Nitrite as N	14797-65-0	0.25 mg/L	110	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186080)</b>										
HK2028854-096	H/B/F/Dup	EK057A: Nitrite as N	14797-65-0	0.25 mg/L	104	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186085)</b>										
HK2028854-020	D/S/E/Dup	EK055A: Ammonia as N	7664-41-7	0.5 mg/L	123	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186086)</b>										
HK2028854-040	G/M/E/Dup	EK055A: Ammonia as N	7664-41-7	0.5 mg/L	97.6	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186087)</b>										
HK2028854-060	B/B/F/Dup	EK055A: Ammonia as N	7664-41-7	0.5 mg/L	109	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186088)</b>										
HK2028854-080	F/S/F/Dup	EK055A: Ammonia as N	7664-41-7	0.5 mg/L	116	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186089)</b>										
HK2028854-096	H/B/F/Dup	EK055A: Ammonia as N	7664-41-7	0.5 mg/L	81.7	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186674)</b>										
HK2028854-020	D/S/E/Dup	EK067P: Total Phosphorus - Filtered	----	0.5 mg/L	87.8	----	75.0	125	----	25
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186675)</b>										







Matrix: WATER				Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report						
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
					MS	MSD	Low	High	Value	Control Limit
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186675) - Continued</b>										
HK2028854-020	D/S/E/Dup	EK067P: Total Phosphorus as P	----	0.5 mg/L	94.7	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186676)</b>										
HK2028854-040	G/M/E/Dup	EK067P: Total Phosphorus - Filtered	----	0.5 mg/L	102	----	75.0	125	----	25
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186677)</b>										
HK2028854-040	G/M/E/Dup	EK067P: Total Phosphorus as P	----	0.5 mg/L	90.5	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186678)</b>										
HK2028854-060	B/B/F/Dup	EK067P: Total Phosphorus - Filtered	----	0.5 mg/L	94.4	----	75.0	125	----	25
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186679)</b>										
HK2028854-060	B/B/F/Dup	EK067P: Total Phosphorus as P	----	0.5 mg/L	92.5	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186680)</b>										
HK2028854-080	F/S/F/Dup	EK067P: Total Phosphorus - Filtered	----	0.5 mg/L	96.3	----	75.0	125	----	25
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186681)</b>										
HK2028854-080	F/S/F/Dup	EK067P: Total Phosphorus as P	----	0.5 mg/L	96.3	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186682)</b>										
HK2028854-096	H/B/F/Dup	EK067P: Total Phosphorus - Filtered	----	0.5 mg/L	93.6	----	75.0	125	----	25
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3186683)</b>										
HK2028854-096	H/B/F/Dup	EK067P: Total Phosphorus as P	----	0.5 mg/L	96.9	----	75.0	125	----	----

pH value







pH value













Salinity (ppt)







Salinity (ppt)







Temperature (degree C)







Temperature (degree C)







# Dissolved oxygen (mg/L)




Dissolved oxygen (mg/L)



## Turbidity (NTU)







# Turbidity (NTU)






Total Suspended Solids (mg/L)







Remark: All below the Limit of Report sample results (<0.5 mg/L) for Total Suspended Solids is regarded as 0.5 mg/L in graphical presentation.

Total Suspended Solids (mg/L)







Remark: All below the Limit of Report sample results (<0.5 mg/L) for Total Suspended Solids is regarded as 0.5 mg/L in graphical presentation.

## Ammonia Nitrogen (mg/L-N)







Remark: All below the Limit of Report sample results (<0.005 mg/L) for Ammonia Nitrogen is regarded as 0.005 mg/L in graphical presentation.

## Ammonia Nitrogen (mg/L-N)







Remark: All below the Limit of Report sample results (<0.005 mg/L) for Ammonia Nitrogen is regarded as 0.005 mg/L in graphical presentation.

Nitrite Nitrogen (mg/L-N)







Remark: All below the Limit of Report sample results (<0.005 mg/L) for Nitrite Nitrogen is regarded as 0.005 mg/L in graphical presentation.

Nitrite Nitrogen (mg/L-N)







Remark: All below the Limit of Report sample results (<0.005 mg/L) for Nitrite Nitrogen is regarded as 0.005 mg/L in graphical presentation.

Nitrate Nitrogen (mg/L-N)



Remark: All below the Limit of Report sample results (<0.005 mg/L) for Nitrate Nitrogen is regarded as 0.005 mg/L in graphical presentation.





## Nitrate Nitrogen (mg/L-N)



Remark: All below the Limit of Report sample results (<0.005 mg/L) for Nitrate Nitrogen is regarded as 0.005 mg/L in graphical presentation.




Total Inorganic Nitrogen (mg/L-N)







Remark: All below the Limit of Report sample results (<0.010 mg/L) for Total Inorganic Nitrogen is regarded as 0.010 mg/L in graphical presentation.

Total Inorganic Nitrogen (mg/L-N)







Remark: All below the Limit of Report sample results (<0.010 mg/L) for Total Inorganic Nitrogen is regarded as 0.010 mg/L in graphical presentation.

E.coli (cfu/100mL)







Remark: All below the Limit of Report sample results (<1 CFU/100mL) for E.coli is regarded as 1 CFU/100mL in graphical presentation.

E.coli (cfu/100mL)







Remark: All below the Limit of Report sample results (<1 CFU/100mL) for E.coli is regarded as 1 CFU/100mL in graphical presentation.

Total Phosphorus (soluble and particulate) (mg/L)




Remark: All below the Limit of Report sample results (<0.01 mg/L) for Total Phosphorus is regarded as 0.01 mg/L in graphical presentation.

Total Phosphorus (soluble and particulate) (mg/L)




Remark: All below the Limit of Report sample results (<0.01 mg/L) for Total Phosphorus is regarded as 0.01 mg/L in graphical presentation.

BOD<sub>5</sub> (mg/L)



Remark: All below the Limit of Report sample results (<1.0 mg/L) for BOD<sub>5</sub> is regarded as 1.0 mg/L in graphical presentation.

BOD<sub>5</sub> (mg/L)



Remark: All below the Limit of Report sample results (<1.0 mg/L) for BOD<sub>5</sub> is regarded as 1.0 mg/L in graphical presentation.



# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix G

Tidal Data obtained from Ma Wan Marine Traffic Station


# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A



# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix H

### Results and Graphical Presentation of Laboratory Analysis for Sediment Quality Monitoring and Benthic Survey

Monitoring Location	Date	Weather	Sea Condition	Time	Sediment Monitoring												
					pH	Ammonia as N (mg-N/kg)	Total Nitrogen (mg-N/kg)	Total Phosphorus (mg-P/kg)	Cadmium (mg/kg)	Chromium (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Mercury (mg/kg)	Nickel (mg/kg)	Zinc (mg/kg)	Arsenic (mg/kg)	Silver (mg/kg)
A	6/8/2020	Fine	Moderate	12:23	8.5	6.9	960	542	0.13	45.2	34.0	58.0	0.22	27.9	108	17.4	0.23
B	6/8/2020	Fine	Moderate	12:08	8.5	8.9	82	495	<0.10	35.8	36.6	42.9	0.12	22.3	103	11.8	0.32
C	6/8/2020	Fine	Moderate	11:51	8.4	6.7	1230	553	<0.10	41.6	38.9	49.2	0.13	25.8	119	12.6	0.31
D	6/8/2020	Fine	Moderate	11:39	8.5	5.1	1130	529	<0.10	41.1	37.8	48.0	0.12	25.7	114	12.3	0.28
E	6/8/2020	Fine	Moderate	11:14	8.3	14.3	1150	576	<0.10	41.4	43.3	47.7	0.16	26.1	117	10.7	0.32
F	6/8/2020	Fine	Moderate	11:02	8.3	32.5	1500	659	<0.10	46.9	45.3	52.1	0.15	29.5	129	12.4	0.37
G	6/8/2020	Fine	Moderate	10:23	8.6	3.4	780	712	<0.10	32.1	34.4	38.0	0.12	19.5	88.4	10.2	0.23
H	6/8/2020	Fine	Moderate	10:07	8.7	10.1	1070	472	0.12	45.4	60.4	50.4	0.14	27.9	113	12.6	0.41

Monitoring Location	Date	Weather	Sea Condition	Time	Benthic Survey				
					Total Organic Carbon (%)	Particle Size Distribution			
						Gravel (%)	Sand (%)	Silt (%)	Clay (%)
A	6/8/2020	Fine	Moderate	12:23	0.96	2	19	44	35
B	6/8/2020	Fine	Moderate	12:08	0.76	1	28	44	27
C	6/8/2020	Fine	Moderate	11:51	1.02	0	3	57	40
D	6/8/2020	Fine	Moderate	11:39	1.00	1	13	49	37
E	6/8/2020	Fine	Moderate	11:14	1.08	0	9	58	33
F	6/8/2020	Fine	Moderate	11:02	1.15	0	2	60	38
G	6/8/2020	Fine	Moderate	10:23	0.54	35	39	14	12
H	6/8/2020	Fine	Moderate	10:07	0.94	1	4	57	38





### CERTIFICATE OF ANALYSIS

Client	: FUGRO TECHNICAL SERVICES LIMITED	Laboratory	: ALS Technichem (HK) Pty Ltd	Page	: 1 of 13
Contact	: MR CYRUS LAI	Contact	: Richard Fung	Work Order	: HK2028729
Address	: ROOM 723 & 725, 7/F, BLOCK B, PROFIT INDUSTRIAL BUILDING, 1-15 KWAI FONG CRESCENT, KWAI FONG, HONG KONG	Address	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
E-mail	: c.lai@fugro.com	E-mail	: richard.fung@alsglobal.com		
Telephone	: +852 3565 4374	Telephone	: +852 2610 1044		
Facsimile	: ---	Facsimile	: +852 2610 2021		
Project	: CONTRACT NO. CM 14/2016 ENVIRONMENTAL TEAM FOR OPERATIONAL ENVIRONMENTAL MONITORING AND AUDIT FOR SIU HO WAN SEWAGE TREATMENT PLANT	Date Samples Received	: 06-Aug-2020		
Order number	: 0041/17	Quote number	: HKE/1654/2017_R1	Issue Date	: 25-Aug-2020
C-O-C number	: ---			No. of samples received	: 24
Site	: ---			No. of samples analysed	: 24

This report may not be reproduced except with prior written approval from the testing laboratory.

This document has been signed by those names that appear on this report and are the authorised signatories.

<u>Signatories</u>	<u>Position</u>	<u>Authorised results for</u>
		
Fung Lim Chee, Richard	Managing Director	Inorganics
		
Fung Lim Chee, Richard	Managing Director	Metals_ENV



### **General Comments**

This report supersedes any previous report(s) with this reference. All pages of this report have been checked and approved for release. When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes. Testing period is from 06-Aug-2020 to 20-Aug-2020.

Key: LOR = Limit of reporting; CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

#### **Specific Comments for Work Order: HK2028729**

Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.

Sample information (Project name, Sample ID, Sampling date/time, etc., if any) is provided by client.

Result(s) of soil/sediment sample(s) was / were reported on dry weight basis.

Particle Size Distribution was subcontracted to and analysed by Gammon Construction Limited.

Sample digested by In-house method E-3005 prior to the determination of total metals. The In-house method is developed based on USEPA method 3005.

EA002SOIL - pH value is reported as at 25°C.

EK055S - Ammoniacal Nitrogen was determined and reported on a 1:5 soil / 1M KCl solution extract.

EK059A - Nitrate and Nitrite were determined and reported on a 1:5 soil / 1M KCl solution extract.

Sample(s) as received, digested by In-house method E-3051A prior to the determination of metals. The In-house method is developed based on USEPA method 3051A.

EA002SOIL - Soil sample(s) analysed on as air-dry weight basis. pH value determined and reported on a 1:5 soil / water extract.

EA002SOIL - Calibration range of pH value is 4.0 - 10.0. Results exceeding this range is for reference only.

EK062A - Total Nitrogen is the sum of Total Oxidizable (NOx) and Total Kjeldahl Nitrogen.



**Analytical Results**

Sub-Matrix: SEDIMENT

Client sample ID

Client sampling date / time

				A/Sediment	B/Sediment	C/Sediment	D/Sediment	E/Sediment
				06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028729-001	HK2028729-002	HK2028729-003	HK2028729-004	HK2028729-005
<b>EA/ED: Physical and Aggregate Properties</b>								
EA002SOIL: pH Value	----	0.1	pH Unit	8.5	8.5	8.4	8.5	8.3
EA055: Moisture Content (dried @ 103°C)	----	0.1	%	55.2	53.1	58.3	57.6	60.1
<b>ED/EK: Inorganic Nonmetallic Parameters</b>								
EK055S: Ammonia as N	7664-41-7	0.5	mg/kg	6.9	8.9	6.7	5.1	14.3
EK062A: Total Nitrogen as N	----	10	mg/kg	960	820	1230	1130	1150
EK067A: Total Phosphorus as P	----	10	mg/kg	542	495	553	529	576
<b>EG: Metals and Major Cations</b>								
EG020: Arsenic	7440-38-2	0.5	mg/kg	17.4	11.8	12.6	12.3	10.7
EG020: Cadmium	7440-43-9	0.10	mg/kg	0.13	<0.10	<0.10	<0.10	<0.10
EG020: Chromium	7440-47-3	0.5	mg/kg	45.2	35.8	41.6	41.1	41.4
EG020: Copper	7440-50-8	0.20	mg/kg	34.0	36.6	38.9	37.8	43.3
EG020: Lead	7439-92-1	0.20	mg/kg	58.0	42.9	49.2	48.0	47.7
EG020: Mercury	7439-97-6	0.05	mg/kg	0.22	0.12	0.13	0.12	0.16
EG020: Nickel	7440-02-0	0.20	mg/kg	27.9	22.3	25.8	25.7	26.1
EG020: Silver	7440-22-4	0.10	mg/kg	0.23	0.32	0.31	0.28	0.32
EG020: Zinc	7440-66-6	0.5	mg/kg	108	103	119	114	117



Sub-Matrix: SEDIMENT				Client sample ID	F/Sediment	G/Sediment	H/Sediment	A/Benthic Survey	B/Benthic Survey
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028729-006	HK2028729-007	HK2028729-008	HK2028729-009	HK2028729-010	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA002SOIL: pH Value	----	0.1	pH Unit	8.3	8.6	8.7	---	---	
EA055: Moisture Content (dried @ 103°C)	----	0.1	%	62.8	44.7	59.1	54.3	50.0	
<b>ED/EK: Inorganic Nonmetallic Parameters</b>									
EK055S: Ammonia as N	7664-41-7	0.5	mg/kg	32.5	3.4	10.1	---	---	
EK062A: Total Nitrogen as N	----	10	mg/kg	1500	780	1070	---	---	
EK067A: Total Phosphorus as P	----	10	mg/kg	659	712	472	---	---	
<b>EG: Metals and Major Cations</b>									
EG020: Arsenic	7440-38-2	0.5	mg/kg	12.4	10.2	12.6	---	---	
EG020: Cadmium	7440-43-9	0.10	mg/kg	<0.10	<0.10	0.12	---	---	
EG020: Chromium	7440-47-3	0.5	mg/kg	46.9	32.1	45.4	---	---	
EG020: Copper	7440-50-8	0.20	mg/kg	45.3	34.4	60.4	---	---	
EG020: Lead	7439-92-1	0.20	mg/kg	52.1	38.0	50.4	---	---	
EG020: Mercury	7439-97-6	0.05	mg/kg	0.15	0.12	0.14	---	---	
EG020: Nickel	7440-02-0	0.20	mg/kg	29.5	19.5	27.9	---	---	
EG020: Silver	7440-22-4	0.10	mg/kg	0.37	0.23	0.41	---	---	
EG020: Zinc	7440-66-6	0.5	mg/kg	129	88.4	113	---	---	
<b>EP: Aggregate Organics</b>									
EP005: Total Organic Carbon	----	0.05	%	---	---	---	0.96	0.76	





Sub-Matrix: SEDIMENT				Client sample ID	C/Benthic Survey	D/Benthic Survey	E/Benthic Survey	F/Benthic Survey	G/Benthic Survey
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020	06-Aug-2020
Compound	CAS Number	LOR	Unit	HK2028729-011	HK2028729-012	HK2028729-013	HK2028729-014	HK2028729-015	
<b>EA/ED: Physical and Aggregate Properties</b>									
EA055: Moisture Content (dried @ 103°C)	----	0.1	%	61.6	59.4	60.7	65.4	42.1	
<b>EP: Aggregate Organics</b>									
EP005: Total Organic Carbon	----	0.05	%	1.02	1.00	1.08	1.15	0.54	



Sub-Matrix: SEDIMENT				Client sample ID	H/Benthic Survey	---	---	---	---
				Client sampling date / time	06-Aug-2020	---	---	---	---
Compound	CAS Number	LOR	Unit	HK2028729-016	---	---	---	---	---
<b>EA/ED: Physical and Aggregate Properties</b>									
EA055: Moisture Content (dried @ 103°C)	---	0.1	%	60.8	---	---	---	---	---
<b>EP: Aggregate Organics</b>									
EP005: Total Organic Carbon	---	0.05	%	0.94	---	---	---	---	---





Sub-Matrix: WATER				Client sample ID	F/Rinsate Blank	G/Rinsate Blank	H/Rinsate Blank	---	---
				Client sampling date / time	06-Aug-2020	06-Aug-2020	06-Aug-2020	----	----
Compound	CAS Number	LOR	Unit	HK2028729-022	HK2028729-023	HK2028729-024	-----	-----	
<b>EG: Metals and Major Cations - Total</b>									
EG020: Arsenic	7440-38-2	10	µg/L	<10	<10	<10	---	---	
EG020: Cadmium	7440-43-9	0.2	µg/L	<0.2	<0.2	<0.2	---	---	
EG020: Chromium	7440-47-3	1	µg/L	<1	<1	<1	---	---	
EG020: Copper	7440-50-8	1	µg/L	<1	<1	<1	---	---	
EG020: Lead	7439-92-1	1	µg/L	<1	<1	<1	---	---	
EG020: Mercury	7439-97-6	0.5	µg/L	<0.5	<0.5	<0.5	---	---	
EG020: Nickel	7440-02-0	1	µg/L	<1	<1	<1	---	---	
EG020: Silver	7440-22-4	1	µg/L	<1	<1	<1	---	---	
EG020: Zinc	7440-66-6	10	µg/L	<10	<10	<10	---	---	



**Laboratory Duplicate (DUP) Report**

Matrix: SOIL				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3191755)</b>								
HK2028729-001	A/Sediment	EA055: Moisture Content (dried @ 103°C)	----	0.1	%	55.2	56.8	2.74
HK2029382-001	Anonymous	EA055: Moisture Content (dried @ 103°C)	----	0.1	%	19.9	20.2	1.50
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3191808)</b>								
HK2028729-001	A/Sediment	EA002SOIL: pH Value	----	0.1	pH Unit	8.5	8.5	0.00
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3197615)</b>								
HK2028729-009	A/Benthic Survey	EA055: Moisture Content (dried @ 103°C)	----	0.1	%	54.3	54.3	0.00
HK2030289-001	Anonymous	EA055: Moisture Content (dried @ 103°C)	----	0.1	%	11.6	11.5	1.30
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3191797)</b>								
HK2028729-001	A/Sediment	EK055S: Ammonia as N	7664-41-7	1	mg/kg	6.9	7	0.00
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3194782)</b>								
HK2028729-008	H/Sediment	EK067A: Total Phosphorus as P	----	10	mg/kg	472	479	1.56
<b>EG: Metals and Major Cations (QC Lot: 3186256)</b>								
HK2028729-002	B/Sediment	EG020: Cadmium	7440-43-9	0.01	mg/kg	<0.10	<0.10	0.00
		EG020: Mercury	7439-97-6	0.02	mg/kg	0.12	0.13	0.00
		EG020: Copper	7440-50-8	0.05	mg/kg	36.6	37.3	2.02
		EG020: Lead	7439-92-1	0.05	mg/kg	42.9	44.4	3.48
		EG020: Nickel	7440-02-0	0.05	mg/kg	22.3	23.8	6.59
		EG020: Silver	7440-22-4	0.05	mg/kg	0.32	0.34	4.73
		EG020: Arsenic	7440-38-2	0.5	mg/kg	11.8	12.1	2.80
		EG020: Chromium	7440-47-3	0.5	mg/kg	35.8	38.1	6.04
EG020: Zinc	7440-66-6	0.5	mg/kg	103	107	3.86		
<b>EP: Aggregate Organics (QC Lot: 3204992)</b>								
HK2028729-009	A/Benthic Survey	EP005: Total Organic Carbon	----	0.05	%	0.96	0.88	8.76

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EG: Metals and Major Cations - Total (QC Lot: 3186346)</b>								
HK2028729-018	B/Rinsate Blank	EG020: Cadmium	7440-43-9	0.2	µg/L	<0.2	<0.2	0.00
		EG020: Mercury	7439-97-6	0.5	µg/L	<0.5	<0.5	0.00
		EG020: Arsenic	7440-38-2	1	µg/L	<10	<10	0.00



Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EG: Metals and Major Cations - Total (QC Lot: 3186346) - Continued</b>								
HK2028729-018	B/Rinsate Blank	EG020: Chromium	7440-47-3	1	µg/L	<1	<1	0.00
		EG020: Copper	7440-50-8	1	µg/L	1	1	0.00
		EG020: Lead	7439-92-1	1	µg/L	<1	<1	0.00
		EG020: Nickel	7440-02-0	1	µg/L	<1	1	0.00
		EG020: Silver	7440-22-4	1	µg/L	<1	<1	0.00
		EG020: Zinc	7440-66-6	10	µg/L	<10	<10	0.00

**Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report**

Matrix: SOIL		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits(%)		RPD (%)		
						LCS	DCS	Low	High	Value	Control Limit	
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3191797)</b>												
EK055S: Ammonia as N	7664-41-7	1	mg/kg	<1	10 mg/kg	94.9	----	85.5	111	----	----	
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3194782)</b>												
EK067A: Total Phosphorus as P	----	10	mg/kg	<10	512 mg/kg	93.6	----	85.0	115	----	----	
<b>EG: Metals and Major Cations (QC Lot: 3186256)</b>												
EG020: Arsenic	7440-38-2	0.5	mg/kg	<0.5	5 mg/kg	98.3	----	85.0	110	----	----	
EG020: Cadmium	7440-43-9	0.01	mg/kg	<0.01	0.25 mg/kg	85.8	----	85.0	115	----	----	
EG020: Chromium	7440-47-3	0.5	mg/kg	<0.5	5 mg/kg	101	----	85.0	115	----	----	
EG020: Copper	7440-50-8	0.05	mg/kg	<0.05	5 mg/kg	107	----	85.0	114	----	----	
EG020: Lead	7439-92-1	0.05	mg/kg	<0.05	5 mg/kg	107	----	87.0	115	----	----	
EG020: Mercury	7439-97-6	0.02	mg/kg	<0.02	0.1 mg/kg	105	----	85.0	115	----	----	
EG020: Nickel	7440-02-0	0.05	mg/kg	<0.05	5 mg/kg	104	----	85.0	115	----	----	
EG020: Silver	7440-22-4	0.05	mg/kg	<0.05	5 mg/kg	97.3	----	85.0	115	----	----	
EG020: Zinc	7440-66-6	0.5	mg/kg	<0.5	5 mg/kg	100	----	85.0	115	----	----	
<b>EP: Aggregate Organics (QC Lot: 3204992)</b>												
EP005: Total Organic Carbon	----	0.05	%	<0.05	40 %	100	----	89.8	107	----	----	

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	Spike Recovery (%)		Recovery Limits(%)		RPD (%)	
						LCS	DCS	Low	High	Value	Control Limit



Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
Method: Compound	CAS Number	LOR	Unit	Result	Spike Concentration	LCSSpike Recovery (%)	DCS	Recovery Limit (%)	Value	RPD (%)	Control Limit
<b>EG: Metals and Major Cations - Total (QC Lot: 3186346)</b>											
EG020: Arsenic	7440-38-2	1	µg/L	<1	50 µg/L	93.7	---	85.0	110	---	---
EG020: Cadmium	7440-43-9	0.2	µg/L	<0.2	5 µg/L	101	---	85.0	109	---	---
EG020: Chromium	7440-47-3	1	µg/L	<1	50 µg/L	95.9	---	86.0	111	---	---
EG020: Copper	7440-50-8	1	µg/L	<1	50 µg/L	92.3	---	90.0	111	---	---
EG020: Lead	7439-92-1	1	µg/L	<1	50 µg/L	97.1	---	89.0	111	---	---
EG020: Mercury	7439-97-6	0.5	µg/L	<0.5	2 µg/L	86.0	---	85.0	115	---	---
EG020: Nickel	7440-02-0	1	µg/L	<1	50 µg/L	91.7	---	87.0	110	---	---
EG020: Silver	7440-22-4	1	µg/L	<1	50 µg/L	94.9	---	85.0	114	---	---
EG020: Zinc	7440-66-6	10	µg/L	<10	50 µg/L	101	---	86.0	114	---	---



**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

Matrix: SOIL					Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
					MS	MSD	Low	High	Value	Control Limit
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3191797)</b>										
HK2028729-001	A/Sediment	EK055S: Ammonia as N	7664-41-7	10 mg/kg	86.0	----	75.0	125	----	----
<b>ED/EK: Inorganic Nonmetallic Parameters (QC Lot: 3194782)</b>										
HK2028729-008	H/Sediment	EK067A: Total Phosphorus as P	----	187.6 mg/kg	105	----	75.0	125	----	----
<b>EG: Metals and Major Cations (QC Lot: 3186256)</b>										
HK2028729-001	A/Sediment	EG020: Arsenic	7440-38-2	5 mg/kg	98.3	----	75.0	125	----	----
		EG020: Cadmium	7440-43-9	0.25 mg/kg	90.5	----	75.0	125	----	----
		EG020: Chromium	7440-47-3	5 mg/kg	# Not Determined	----	75.0	125	----	----
		EG020: Copper	7440-50-8	5 mg/kg	83.4	----	75.0	125	----	----
		EG020: Lead	7439-92-1	5 mg/kg	# Not Determined	----	75.0	125	----	----
		EG020: Mercury	7439-97-6	0.1 mg/kg	100	----	75.0	125	----	----
		EG020: Nickel	7440-02-0	5 mg/kg	89.0	----	75.0	125	----	----
		EG020: Silver	7440-22-4	5 mg/kg	96.6	----	75.0	125	----	----
EG020: Zinc	7440-66-6	5 mg/kg	# Not Determined	----	75.0	125	----	----		
<b>EP: Aggregate Organics (QC Lot: 3204992)</b>										
HK2028729-009	A/Benthic Survey	EP005: Total Organic Carbon	----	40 %	105	----	75.0	125	----	----

Matrix: WATER					Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report					
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
					MS	MSD	Low	High	Value	Control Limit
<b>EG: Metals and Major Cations - Total (QC Lot: 3186346)</b>										
HK2028729-017	A/Rinsate Blank	EG020: Arsenic	7440-38-2	50 µg/L	98.1	----	75.0	125	----	----
		EG020: Cadmium	7440-43-9	5 µg/L	93.8	----	75.0	125	----	----
		EG020: Chromium	7440-47-3	50 µg/L	91.6	----	75.0	125	----	----
		EG020: Copper	7440-50-8	50 µg/L	87.4	----	75.0	125	----	----
		EG020: Lead	7439-92-1	50 µg/L	86.7	----	75.0	125	----	----





Matrix: WATER

**Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report**

Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPD (%)	
					MS	MSD	Low	High	Value	Control Limit
<b>EG: Metals and Major Cations - Total (QC Lot: 3186346) - Continued</b>										
HK2028729-017	A/Rinsate Blank	EG020: Mercury	7439-97-6	2 µg/L	78.0	----	75.0	125	----	----
		EG020: Nickel	7440-02-0	50 µg/L	89.0	----	75.0	125	----	----
		EG020: Silver	7440-22-4	50 µg/L	93.5	----	75.0	125	----	----
		EG020: Zinc	7440-66-6	50 µg/L	89.5	----	75.0	125	----	----



### SUB-CONTRACTING REPORT

CONTACT	: MR CYRUS LAI	WORK ORDER	: <b>HK2028729</b>
CLIENT	: <b>FUGRO TECHNICAL SERVICES LIMITED</b>		
ADDRESS	: ROOM 723 & 725, 7/F, BLOCK B, PROFIT INDUSTRIAL BUILDING, 1-15 KWAI FONG CRESCENT, KWAI FONG, HONG KONG	SUB-BATCH	: 1
		DATE RECEIVED	: 6-AUG-2020
		DATE OF ISSUE	: 25-AUG-2020
PROJECT	: CONTRACT NO. CM 14/2016	NO. OF SAMPLES	: 24
	ENVIRONMENTAL TEAM FOR OPERATIONAL ENVIRONMENTAL MONITORING AND AUDIT FOR SIU HO WAN SEWAGE TREATMENT PLANT	CLIENT ORDER	: 0041/17

#### General Comments

- Sample(s) was/ were submitted by client. Sample(s) arrived laboratory in chilled condition. The result(s) related only to the item(s) tested.
- Sample information (Project name, Sample ID, Sampling date/time, etc., if any) is provided by client.
- Result(s) of soil/sediment sample(s) was / were reported on dry weight basis.
- Particle Size Distribution was subcontracted to and analysed by Gammon Construction Limited.
- Sample digested by In-house method E-3005 prior to the determination of total metals. The In-house method is developed based on USEPA method 3005.
- EA002SOIL - pH value is reported as at 25°C.
- EK055S - Ammoniacal Nitrogen was determined and reported on a 1:5 soil / 1M KCl solution extract.
- EK059A - Nitrate and Nitrite were determined and reported on a 1:5 soil / 1M KCl solution extract.
- Sample(s) as received, digested by In-house method E-3051A prior to the determination of metals. The In-house method is developed based on USEPA method 3051A.
- EA002SOIL - Soil sample(s) analysed on as air-dry weight basis. pH value determined and reported on a 1:5 soil / water extract.
- EA002SOIL - Calibration range of pH value is 4.0 - 10.0. Results exceeding this range is for reference only.
- EK062A - Total Nitrogen is the sum of Total Oxidizable (NOx) and Total Kjeldahl Nitrogen.

#### Signatories

This document has been signed by those names that appear on this report and are the authorised signatories

Signatories

Position

Richard Fung

Managing Director

This is the Final Report and supersedes any preliminary report with this batch number.

All pages of this report have been checked and approved for release.

ALS Technichem (HK) Pty Ltd  
Part of the ALS Laboratory Group

11/F, Chung Shun Knitting Centre 1 - 3 Wing Yip Street Kwai Chung N.T. Hong Kong  
Tel. +852 2610 1044 Fax. +852 2610 2021 www.alsglobal.com

WORK ORDER : HK2028729  
 SUB-BATCH : 1  
 CLIENT : FUGRO TECHNICAL SERVICES LIMITED  
 PROJECT : CONTRACT NO. CM 14/2016 ENVIRONMENTAL TEAM FOR OPERATIONAL  
 ENVIRONMENTAL MONITORING AND AUDIT FOR SIU HO WAN SEWAGE  
 TREATMENT PLANT



ALS Lab ID	Client's Sample ID	Sample Type	Sample Date	External Lab Report No.
HK2028729-001	A/Sediment	SEDIMENT	06-Aug-2020	
HK2028729-002	B/Sediment	SEDIMENT	06-Aug-2020	
HK2028729-003	C/Sediment	SEDIMENT	06-Aug-2020	
HK2028729-004	D/Sediment	SEDIMENT	06-Aug-2020	
HK2028729-005	E/Sediment	SEDIMENT	06-Aug-2020	
HK2028729-006	F/Sediment	SEDIMENT	06-Aug-2020	
HK2028729-007	G/Sediment	SEDIMENT	06-Aug-2020	
HK2028729-008	H/Sediment	SEDIMENT	06-Aug-2020	
HK2028729-009	A/Benthic Survey	SEDIMENT	06-Aug-2020	J2999-272.76
HK2028729-010	B/Benthic Survey	SEDIMENT	06-Aug-2020	J2999-272.76
HK2028729-011	C/Benthic Survey	SEDIMENT	06-Aug-2020	J2999-272.76
HK2028729-012	D/Benthic Survey	SEDIMENT	06-Aug-2020	J2999-272.76
HK2028729-013	E/Benthic Survey	SEDIMENT	06-Aug-2020	J2999-272.76
HK2028729-014	F/Benthic Survey	SEDIMENT	06-Aug-2020	J2999-272.76
HK2028729-015	G/Benthic Survey	SEDIMENT	06-Aug-2020	J2999-272.76
HK2028729-016	H/Benthic Survey	SEDIMENT	06-Aug-2020	J2999-272.76
HK2028729-017	A/Rinsate Blank	WATER	06-Aug-2020	
HK2028729-018	B/Rinsate Blank	WATER	06-Aug-2020	
HK2028729-019	C/Rinsate Blank	WATER	06-Aug-2020	
HK2028729-020	D/Rinsate Blank	WATER	06-Aug-2020	
HK2028729-021	E/Rinsate Blank	WATER	06-Aug-2020	
HK2028729-022	F/Rinsate Blank	WATER	06-Aug-2020	
HK2028729-023	G/Rinsate Blank	WATER	06-Aug-2020	
HK2028729-024	H/Rinsate Blank	WATER	06-Aug-2020	

**TEST CERTIFICATE  
SUMMARY OF SOIL CLASSIFICATION TEST RESULT  
GEOSPEC 3 : 2001**

Report No : J2999-272.76

Works Order No. : 272

Job No. : J2999

Customer : ALS Technichem (HK) Pty Ltd

Date : 07/08/2020

Contract No.:


Project : -

Sample ID No.	Sample		Δ Moisture Content (%)	Test 6.1 Liquid Limit (%)	Test 6.1 Plasticity Index (%)	Test 6.2 Liquidity Index	Passing 425µm Sieve (%)	Preparation Method	Particle Size Distribution			Description	Sample Origin		
	No.	Type							Depth (m)	# Test Method	Gravel (%)			Sand (%)	Silt Clay (%)
HK2028729-009	A/Benthic Survey	D							1,5,7	2	19	44	35	Dark grey, slightly sandy SILT/CLAY with shell fragments	- †
HK2028729-010	B/Benthic Survey	D							1,5,7	1	28	44	27	Dark grey, slightly sandy SILT/CLAY with shell fragments	- †
HK2028729-011	C/Benthic Survey	D							1,5,7	0	3	57	40	Dark grey, SILT/CLAY with shell fragments	- †
HK2028729-012	D/Benthic Survey	D							1,5,7	1	13	49	37	Dark grey, slightly sandy SILT/CLAY with shell fragments	- †
HK2028729-013	E/Benthic Survey	D							1,5,7	0	9	58	33	Dark grey, slightly sandy SILT/CLAY with shell fragments	- †
HK2028729-014	F/Benthic Survey	D							1,5,7	0	2	60	38	Dark grey, SILT/CLAY	- †
HK2028729-015	G/Benthic Survey	D							1,5,7	35	39	14	12	Dark grey, clayey, silty, very gravelly SAND with shell fragments	- †
HK2028729-016	H/Benthic Survey	D							1,5,7	1	4	57	38	Dark grey, SILT/CLAY with shell fragments	- †

Legend : Δ = Test Method in accordance with GEOSPEC 3 : 2001 Test 5.1 Moisture Content at 45°C ± 5°C (A), Test 5.2 Moisture Content at 105°C ± 5°C (B), Test 5.3 Comparative Moisture Content 45/105°C ± 5°C (C)  
# = Test Method in accordance with GEOSPEC3 : 2001 Test 8.1 (1), 8.2 (2), 8.3 (3), 8.4 (4), 8.5 (5), 8.6 (6), 8.7 (7).

Symbols : U - Undisturbed Sample; P - Piston Sample; N.P. - Non Plastic; A.D. - Air Dried;  
 LB - Large Disturbed Sample; M - Mazier Sample; A.R. - As Received; O.D. - Oven Dried;  
 BLK - Block Sample; D - Small Disturbed Sample; H.P. - Hand Picked; W.S. - Wet Sieved;  
 SPTL - SPT Split-Barrel Sample; PT - Portable triple tube Sample; \* - Moisture Content for A.L. Test.

Notes : IS - Insufficient Sample; TF - To Follow on supplementary Report.

Checked by : T K Lam Approved By :  Date : 14/08/2020

Chung Hei Wing  
Quality Manager

HKAS has accredited this laboratory (Reg. No. HOKLAS 055) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. This report shall not be reproduced unless with prior written approval from this laboratory.

Technology Centre  
21 Chun Wang Street, Tseung Kwan O Industrial Estate,  
Tseung Kwan O, N.T. Tel.: 26991980, Fax: 26917547

**TEST REPORT**  
**DETERMINATION OF**  
**PARTICLE SIZE DISTRIBUTION**  
**GEOSPEC 3 : 2001 Test Method 8.1 / 8.2\*, 8.5 / 8.6\* and 8.7**  
**(Wet Sieve and Hydrometer Method)**

Job No. : J2999  
 Customer : ALS Technichem (HK) Pty Ltd  
 Project : -

Contract No. :

Report No. : J2999-272.76

Date Received : 07/08/2020  
 Tested Date : 07/08/2020

Works Order No. : 272  
 Sample ID No. : HK2028729-009  
 Sample No. : A/Benthic Survey  
 Sample Depth (m) :  
 Specimen Depth (m) :  
 Sample Type : Small Disturbed  
 Sample Origin : -<sup>‡</sup>

Description : Dark grey, slightly sandy SILT/CLAY with shell fragments


Sieve Method : Method A

<sup>^</sup> Upon request

\* Delete as appropriate

<sup>‡</sup> Information provided by customer

SIEVE ANALYSIS				SEDIMENTATION ANALYSIS			
Sieve Size	Percent Passing (%)	<sup>^</sup> Expanded Uncertainty of the Percent Passing (%)	<sup>^</sup> Cumulative Percent Passing with Expanded Uncertainty (%)	Specific Gravity (# if assumed) :			
100.0 mm	100	-	-	2.65 #			
75.0 mm	100	-	-	Dispersant Details : Sodium hexametaphosphate, Sodium carbonate			
63.0 mm	100	-	-	Sampling History : As received			
50.0 mm	100	-	-	The presence of any visible organic matter in the soil : None			
37.5 mm	100	-	-	Particle Diameter (mm)	<sup>^</sup> Expanded Uncertainty of the Particle Diameter (mm)	% Finer than D K (%)	<sup>^</sup> Expanded Uncertainty of % finer than D (%)
28.0 mm	100	-	-	0.0660	-	81	-
20.0 mm	100	-	-	0.0471	-	78	-
14.0 mm	100	-	-	0.0336	-	75	-
10.0 mm	99	-	-	0.0240	-	72	-
6.30 mm	99	-	-	0.0171	-	69	-
5.00 mm	98	-	-	0.0090	-	63	-
3.35 mm	98	-	-	0.0047	-	51	-
2.00 mm	98	-	-	0.0024	-	39	-
1.18 mm	97	-	-	0.0014	-	30	-
600 µm	95	-	-	<b>SUMMARY :</b>			
425 µm	94	-	-	Gravel (%) :	2		
300 µm	93	-	-	Sand (%) :	19		
212 µm	89	-	-	Silt (%) :	44		
150 µm	84	-	-	Clay (%) :	35		
63 µm	79	-	-				
0 µm	0	-	-				



Technician : C M Yip

Checked By : TK Lam  
 Name : TK Lam  
 Date : 14/08/2020

Approved By : Chung Hei Wing  
 Signatory : Chung Hei Wing  
 Date : 14/08/2020

Date : 07/08/2020

HKAS has accredited this laboratory (Reg. No. HOKLAS 055) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. This report shall not be reproduced unless with prior written approval from this laboratory.

**TEST REPORT**  
**DETERMINATION OF**  
**PARTICLE SIZE DISTRIBUTION**  
**GEOSPEC 3 : 2001 Test Method 8.1 / 8.2\*, 8.5 / 8.6\* and 8.7**  
**(Wet Sieve and Hydrometer Method)**

Job No. : J2999 Contract No. :  
 Customer : ALS Technichem (HK) Pty Ltd  
 Project : -

Report No. : J2999-272.76

Date Received : 07/08/2020  
 Tested Date : 07/08/2020

Works Order No. : 272  
 Sample ID No. : HK2028729-010  
 Sample No. : B/Benthic Survey  
 Sample Depth (m) :  
 Specimen Depth (m) :  
 Sample Type : Small Disturbed  
 Sample Origin : ‡

Description : Dark grey, slightly sandy SILT/CLAY with shell fragments

Sieve Method : Method A

^ Upon request


\* Delete as appropriate

‡ Information provided by customer

SIEVE ANALYSIS				SEDIMENTATION ANALYSIS			
Sieve Size	Percent Passing (%)	^Expanded Uncertainty of the Percent Passing (%)	^Cumulative Percent Passing with Expanded Uncertainty (%)	Particle Diameter (mm)	^Expanded Uncertainty of the Particle Diameter (mm)	% Finer than D K (%)	^Expanded Uncertainty of % finer than D (%)
100.0 mm	100	-	-				
75.0 mm	100	-	-				
63.0 mm	100	-	-				
50.0 mm	100	-	-				
37.5 mm	100	-	-				
28.0 mm	100	-	-				
20.0 mm	100	-	-	0.0689	-	69	-
14.0 mm	100	-	-	0.0492	-	65	-
10.0 mm	100	-	-	0.0352	-	62	-
6.30 mm	100	-	-	0.0251	-	59	-
5.00 mm	100	-	-	0.0179	-	56	-
3.35 mm	100	-	-	0.0094	-	49	-
2.00 mm	99	-	-	0.0048	-	39	-
1.18 mm	97	-	-	0.0025	-	30	-
600 µm	95	-	-	0.0015	-	24	-
425 µm	94	-	-				
300 µm	93	-	-				
212 µm	90	-	-				
150 µm	81	-	-				
63 µm	71	-	-				
0 µm	0	-	-				

Specific Gravity (# if assumed) : 2.65 #  
 Dispersant Details : Sodium hexametaphosphate, Sodium carbonate  
 Sampling History : As received  
 The presence of any visible organic matter in the soil : None

**SUMMARY :**  
 Gravel (%) : 1  
 Sand (%) : 28  
 Silt (%) : 44  
 Clay (%) : 27



CLAY	FINE	MEDIUM	COARSE	FINE	MEDIUM	COARSE	FINE	MEDIUM	COARSE	COBBLES
	SILT			SAND			GRAVEL			

Technician : C M Yip  
 Date : 07/08/2020

Checked By : TK Lam  
 Date : 14/08/2020

Approved By : Chung Hei Wing  
 Date : 14/08/2020

HKAS has accredited this laboratory (Reg. No. HOKLAS 055) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. This report shall not be reproduced unless with prior written approval from this laboratory.

**TEST REPORT**  
**DETERMINATION OF**  
**PARTICLE SIZE DISTRIBUTION**  
**GEOSPEC 3 : 2001 Test Method 8.1 / 8.2\*, 8.5 / 8.6\* and 8.7**  
**(Wet Sieve and Hydrometer Method)**

Job No. : J2999 Contract No. :  
 Customer : ALS Technichem (HK) Pty Ltd  
 Project : -

Report No. : J2999-272.76

Date Received : 07/08/2020  
 Tested Date : 07/08/2020

Works Order No. : 272  
 Sample ID No. : HK2028729-011  
 Sample No. : C/Benthic Survey  
 Sample Depth (m) :  
 Specimen Depth (m) :  
 Sample Type : Small Disturbed  
 Sample Origin : -<sup>‡</sup>


Description : Dark grey, SILT/CLAY with shell fragments

Sieve Method : Method A      <sup>^</sup>Upon request      \* Delete as appropriate      <sup>‡</sup>Information provided by customer

SIEVE ANALYSIS				SEDIMENTATION ANALYSIS			
Sieve Size	Percent Passing (%)	<sup>^</sup> Expanded Uncertainty of the Percent Passing (%)	<sup>^</sup> Cumulative Percent Passing with Expanded Uncertainty (%)	Particle Diameter (mm)	<sup>^</sup> Expanded Uncertainty of the Particle Diameter (mm)	% Finer than D K (%)	<sup>^</sup> Expanded Uncertainty of % finer than D (%)
100.0 mm	100	-	-				
75.0 mm	100	-	-				
63.0 mm	100	-	-				
50.0 mm	100	-	-				
37.5 mm	100	-	-				
28.0 mm	100	-	-				
20.0 mm	100	-	-	0.0655	-	96	-
14.0 mm	100	-	-	0.0466	-	94	-
10.0 mm	100	-	-	0.0334	-	90	-
6.30 mm	100	-	-	0.0239	-	85	-
5.00 mm	100	-	-	0.0171	-	81	-
3.35 mm	100	-	-	0.0090	-	72	-
2.00 mm	100	-	-	0.0047	-	59	-
1.18 mm	100	-	-	0.0024	-	45	-
600 µm	100	-	-	0.0014	-	34	-
425 µm	100	-	-				
300 µm	100	-	-				
212 µm	99	-	-				
150 µm	99	-	-				
63 µm	97	-	-				
0 µm	0	-	-				

Specific Gravity (# if assumed) : 2.65 #  
 Dispersant Details : Sodium hexametaphosphate, Sodium carbonate  
 Sampling History : As received  
 The presence of any visible organic matter in the soil : None

**SUMMARY :**  
 Gravel (%) : 0  
 Sand (%) : 3  
 Silt (%) : 57  
 Clay (%) : 40



CLAY	FINE	MEDIUM	COARSE	FINE	MEDIUM	COARSE	FINE	MEDIUM	COARSE	COBBLES
	SILT			SAND			GRAVEL			

Technician : C M Yip  
 Date : 07/08/2020

Checked By : TK Lam  
 Date : 14/08/2020

Approved By : Chung Hei Wing  
 Date : 14/08/2020

HKAS has accredited this laboratory (Reg. No. HOKLAS 055) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. This report shall not be reproduced unless with prior written approval from this laboratory.

**TEST REPORT**  
**DETERMINATION OF**  
**PARTICLE SIZE DISTRIBUTION**  
**GEOSPEC 3 : 2001 Test Method 8.1 / 8.2\*, 8.5 / 8.6\* and 8.7**  
**(Wet Sieve and Hydrometer Method)**

Job No. : J2999 Contract No. :  
 Customer : ALS Technichem (HK) Pty Ltd  
 Project : -

Report No. : J2999-272.76

Date Received : 07/08/2020  
 Tested Date : 07/08/2020

Works Order No. : 272  
 Sample ID No. : HK2028729-012  
 Sample No. : D/Benthic Survey  
 Sample Depth (m) :  
 Specimen Depth (m) :  
 Sample Type : Small Disturbed  
 Sample Origin : †


Description : Dark grey, slightly sandy SILT/CLAY with shell fragments

Sieve Method : Method A      † Upon request      \* Delete as appropriate      † Information provided by customer

SIEVE ANALYSIS				SEDIMENTATION ANALYSIS			
Sieve Size	Percent Passing (%)	^Expanded Uncertainty of the Percent Passing (%)	^Cumulative Percent Passing with Expanded Uncertainty (%)	Particle Diameter (mm)	^Expanded Uncertainty of the Particle Diameter (mm)	% Finer than D K (%)	^Expanded Uncertainty of % finer than D (%)
100.0 mm	100	-	-				
75.0 mm	100	-	-				
63.0 mm	100	-	-				
50.0 mm	100	-	-				
37.5 mm	100	-	-				
28.0 mm	100	-	-				
20.0 mm	100	-	-	0.0654	-	87	-
14.0 mm	100	-	-	0.0467	-	84	-
10.0 mm	100	-	-	0.0335	-	80	-
6.30 mm	100	-	-	0.0239	-	76	-
5.00 mm	100	-	-	0.0171	-	72	-
3.35 mm	100	-	-	0.0090	-	65	-
2.00 mm	99	-	-	0.0047	-	53	-
1.18 mm	97	-	-	0.0024	-	41	-
600 µm	95	-	-	0.0014	-	31	-
425 µm	94	-	-				
300 µm	93	-	-				
212 µm	92	-	-				
150 µm	91	-	-				
63 µm	86	-	-				
0 µm	0	-	-				

Specific Gravity (# if assumed) : 2.65 #  
 Dispersant Details : Sodium hexametaphosphate, Sodium carbonate  
 Sampling History : As received  
 The presence of any visible organic matter in the soil : None

**SUMMARY :**  
 Gravel (%) : 1  
 Sand (%) : 13  
 Silt (%) : 49  
 Clay (%) : 37



Technician : C M Yip  
 Date : 07/08/2020

Checked By : TK Lam  
 Name : TK Lam  
 Date : 14/08/2020

Approved By : Chung Hei Wing  
 Signatory : Chung Hei Wing  
 Date : 14/08/2020

HKAS has accredited this laboratory (Reg. No. HOKLAS 055) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. This report shall not be reproduced unless with prior written approval from this laboratory.



**TEST REPORT**  
**DETERMINATION OF**  
**PARTICLE SIZE DISTRIBUTION**  
**GEOSPEC 3 : 2001 Test Method 8.1 / 8.2\*, 8.5 / 8.6\* and 8.7**  
**(Wet Sieve and Hydrometer Method)**

Job No. : J2999 Contract No. :  
 Customer : ALS Technichem (HK) Pty Ltd  
 Project : -

Report No. : J2999-272.76

Date Received : 07/08/2020  
 Tested Date : 07/08/2020

Works Order No. : 272  
 Sample ID No. : HK2028729-013  
 Sample No. : E/Benthic Survey  
 Sample Depth (m) :  
 Specimen Depth (m) :  
 Sample Type : Small Disturbed  
 Sample Origin : ‡


Description : Dark grey, slightly sandy SILT/CLAY with shell fragments

Sieve Method : Method A ^Upon request \*Delete as appropriate ‡Information provided by customer

SIEVE ANALYSIS				SEDIMENTATION ANALYSIS			
Sieve Size	Percent Passing (%)	^Expanded Uncertainty of the Percent Passing (%)	^Cumulative Percent Passing with Expanded Uncertainty (%)	Particle Diameter (mm)	^Expanded Uncertainty of the Particle Diameter (mm)	% Finer than D K (%)	^Expanded Uncertainty of % finer than D (%)
100.0 mm	100	-	-				
75.0 mm	100	-	-				
63.0 mm	100	-	-				
50.0 mm	100	-	-				
37.5 mm	100	-	-				
28.0 mm	100	-	-				
20.0 mm	100	-	-	0.0645	-	91	-
14.0 mm	100	-	-	0.0464	-	87	-
10.0 mm	100	-	-	0.0333	-	82	-
6.30 mm	100	-	-	0.0238	-	78	-
5.00 mm	100	-	-	0.0171	-	74	-
3.35 mm	100	-	-	0.0090	-	65	-
2.00 mm	100	-	-	0.0047	-	51	-
1.18 mm	99	-	-	0.0024	-	36	-
600 µm	98	-	-	0.0014	-	29	-
425 µm	98	-	-				
300 µm	98	-	-				
212 µm	97	-	-				
150 µm	96	-	-				
63 µm	91	-	-				
0 µm	0	-	-				

Specific Gravity (# if assumed) : 2.65 #  
 Dispersant Details : Sodium hexametaphosphate, Sodium carbonate  
 Sampling History : As received  
 The presence of any visible organic matter in the soil : None

**SUMMARY :**  
 Gravel (%) : 0  
 Sand (%) : 9  
 Silt (%) : 58  
 Clay (%) : 33



CLAY	FINE	MEDIUM	COARSE	FINE	MEDIUM	COARSE	FINE	MEDIUM	COARSE	COB- BLES
	SILT			SAND			GRAVEL			

Technician : C M Yip  
 Date : 07/08/2020

Checked By : TK Lam  
 Date : 14/08/2020

Approved By : Chung Hei Wing  
 Date : 14/08/2020

HKAS has accredited this laboratory (Reg. No. HOKLAS 055) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. This report shall not be reproduced unless with prior written approval from this laboratory.

**TEST REPORT**  
**DETERMINATION OF**  
**PARTICLE SIZE DISTRIBUTION**  
**GEOSPEC 3 : 2001 Test Method 8.1 / 8.2\*, 8.5 / 8.6\* and 8.7**  
**(Wet Sieve and Hydrometer Method)**

Job No. : J2999 Contract No. :  
 Customer : ALS Technichem (HK) Pty Ltd  
 Project : -

Report No. : J2999-272.76

Date Received : 07/08/2020  
 Tested Date : 07/08/2020

Works Order No. : 272  
 Sample ID No. : HK2028729-014  
 Sample No. : F/Benthic Survey  
 Sample Depth (m) :  
 Specimen Depth (m) :  
 Sample Type : Small Disturbed  
 Sample Origin : ‡


Description : Dark grey, SILT/CLAY

Sieve Method : Method A      ^ Upon request      \* Delete as appropriate      ‡ Information provided by customer

SIEVE ANALYSIS				SEDIMENTATION ANALYSIS			
Sieve Size	Percent Passing (%)	^Expanded Uncertainty of the Percent Passing (%)	^Cumulative Percent Passing with Expanded Uncertainty (%)	Particle Diameter (mm)	^Expanded Uncertainty of the Particle Diameter (mm)	% Finer than D K (%)	^Expanded Uncertainty of % finer than D (%)
100.0 mm	100	-	-				
75.0 mm	100	-	-				
63.0 mm	100	-	-				
50.0 mm	100	-	-				
37.5 mm	100	-	-				
28.0 mm	100	-	-				
20.0 mm	100	-	-	0.0634	-	98	-
14.0 mm	100	-	-	0.0452	-	96	-
10.0 mm	100	-	-	0.0325	-	91	-
6.30 mm	100	-	-	0.0233	-	86	-
5.00 mm	100	-	-	0.0168	-	81	-
3.35 mm	100	-	-	0.0089	-	71	-
2.00 mm	100	-	-	0.0046	-	57	-
1.18 mm	100	-	-	0.0024	-	42	-
600 µm	100	-	-	0.0014	-	32	-
425 µm	100	-	-				
300 µm	100	-	-				
212 µm	100	-	-				
150 µm	100	-	-				
63 µm	98	-	-				
0 µm	0	-	-				

Specific Gravity (# if assumed) : 2.65 #  
 Dispersant Details : Sodium hexametaphosphate, Sodium carbonate  
 Sampling History : As received  
 The presence of any visible organic matter in the soil : None

**SUMMARY :**  
 Gravel (%) : 0  
 Sand (%) : 2  
 Silt (%) : 60  
 Clay (%) : 38



CLAY	FINE	MEDIUM	COARSE	FINE	MEDIUM	COARSE	FINE	MEDIUM	COARSE	COBBLES
	SILT			SAND			GRAVEL			

Technician : C M Yip  
 Date : 07/08/2020

Checked By : TK Lam  
 Date : 14/08/2020

Approved By : Chung Hei Wing  
 Date : 14/08/2020

HKAS has accredited this laboratory (Reg. No. HOKLAS 055) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. This report shall not be reproduced unless with prior written approval from this laboratory.

**TEST REPORT**  
**DETERMINATION OF**  
**PARTICLE SIZE DISTRIBUTION**  
**GEOSPEC 3 : 2001 Test Method 8.1 / 8.2\*, 8.5 / 8.6\* and 8.7**  
**(Wet Sieve and Hydrometer Method)**

Report No. : J2999-272.76

Job No. : J2999  
 Contract No. :  
 Customer : ALS Technichem (HK) Pty Ltd  
 Project : -

Works Order No. : 272  
 Sample ID No. : HK2028729-015  
 Sample No. : G/Benthic Survey  
 Sample Depth (m) :  
 Specimen Depth (m) :  
 Sample Type : Small Disturbed  
 Sample Origin : -<sup>‡</sup>

Date Received : 07/08/2020  
 Tested Date : 07/08/2020


Description : Dark grey, clayey, silty, very gravelly SAND with shell fragments

Sieve Method : Method A      <sup>^</sup>Upon request      \* Delete as appropriate      <sup>‡</sup>Information provided by customer

SIEVE ANALYSIS				SEDIMENTATION ANALYSIS			
Sieve Size	Percent Passing (%)	<sup>^</sup> Expanded Uncertainty of the Percent Passing (%)	<sup>^</sup> Cumulative Percent Passing with Expanded Uncertainty (%)	Particle Diameter (mm)	<sup>^</sup> Expanded Uncertainty of the Particle Diameter (mm)	% Finer than D K (%)	<sup>^</sup> Expanded Uncertainty of % finer than D (%)
100.0 mm	100	-	-				
75.0 mm	100	-	-				
63.0 mm	100	-	-				
50.0 mm	100	-	-				
37.5 mm	100	-	-				
28.0 mm	100	-	-				
20.0 mm	100	-	-	0.0716	-	27	-
14.0 mm	98	-	-	0.0512	-	25	-
10.0 mm	93	-	-	0.0364	-	24	-
6.30 mm	84	-	-	0.0259	-	23	-
5.00 mm	80	-	-	0.0184	-	22	-
3.35 mm	74	-	-	0.0096	-	20	-
2.00 mm	65	-	-	0.0049	-	17	-
1.18 mm	58	-	-	0.0025	-	14	-
600 μm	50	-	-	0.0015	-	10	-
425 μm	45	-	-				
300 μm	41	-	-				
212 μm	35	-	-				
150 μm	31	-	-				
63 μm	26	-	-				
0 μm	0	-	-				

Specific Gravity (# if assumed) : 2.65 #  
 Dispersant Details : Sodium hexametaphosphate, Sodium carbonate  
 Sampling History : As received  
 The presence of any visible organic matter in the soil : None

**SUMMARY :**  
 Gravel (%) : 35  
 Sand (%) : 39  
 Silt (%) : 14  
 Clay (%) : 12



Form : GESR003.5 / Sept. 14.18 / Issue 1 / Rev 3

Technician : CM Yip  
 Date : 07/08/2020

Checked By : [Signature]  
 Name : TK Lam  
 Date : 14/08/2020

Approved By : [Signature]  
 Signatory : Chung Hei Wing  
 Date : 14/08/2020

HKAS has accredited this laboratory (Reg. No. HOKLAS 055) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. This report shall not be reproduced unless with prior written approval from this laboratory.

**TEST REPORT**  
**DETERMINATION OF**  
**PARTICLE SIZE DISTRIBUTION**  
**GEOSPEC 3 : 2001 Test Method 8.1 / 8.2\*, 8.5 / 8.6\* and 8.7**  
**(Wet Sieve and Hydrometer Method)**

Report No. : J2999-272.76

Job No. : J2999  
 Customer : ALS Technichem (HK) Pty Ltd  
 Project : -

Contract No. :

Works Order No. : 272  
 Sample ID No. : HK2028729-016  
 Sample No. : H/Benthic Survey  
 Sample Depth (m) :  
 Specimen Depth (m) :  
 Sample Type : Small Disturbed  
 Sample Origin : -<sup>‡</sup>

Date Received : 07/08/2020  
 Tested Date : 07/08/2020

Description : Dark grey, SILT/CLAY with shell fragments

Sieve Method : Method A

<sup>^</sup>Upon request

\* Delete as appropriate

<sup>‡</sup>Information provided by customer


SIEVE ANALYSIS				SEDIMENTATION ANALYSIS			
Sieve Size	Percent Passing (%)	<sup>^</sup> Expanded Uncertainty of the Percent Passing (%)	<sup>^</sup> Cumulative Percent Passing with Expanded Uncertainty (%)	Particle Diameter (mm)	<sup>^</sup> Expanded Uncertainty of the Particle Diameter (mm)	% Finer than D K (%)	<sup>^</sup> Expanded Uncertainty of % finer than D (%)
100.0 mm	100	-	-				
75.0 mm	100	-	-				
63.0 mm	100	-	-				
50.0 mm	100	-	-				
37.5 mm	100	-	-				
28.0 mm	100	-	-				
20.0 mm	100	-	-	0.0646	-	95	-
14.0 mm	100	-	-	0.0459	-	93	-
10.0 mm	100	-	-	0.0329	-	89	-
6.30 mm	100	-	-	0.0235	-	86	-
5.00 mm	99	-	-	0.0169	-	81	-
3.35 mm	99	-	-	0.0089	-	72	-
2.00 mm	99	-	-	0.0047	-	57	-
1.18 mm	99	-	-	0.0024	-	42	-
600 µm	99	-	-	0.0014	-	32	-
425 µm	98	-	-				
300 µm	98	-	-				
212 µm	98	-	-				
150 µm	97	-	-				
63 µm	95	-	-				
0 µm	0	-	-				

Specific Gravity (# if assumed) : 2.65 #			
Dispersant Details : Sodium hexametaphosphate, Sodium carbonate			
Sampling History : As received			
The presence of any visible organic matter in the soil : None			

<b>SUMMARY :</b>			
Gravel (%)	:	1	
Sand (%)	:	4	
Silt (%)	:	57	
Clay (%)	:	38	



Form : GESR003.5 / Sept.14.18 / Issue 1 / Rev 3





Technician : C M Yip  
 Date : 07/08/2020

Checked By : TK Lam  
 Name : TK Lam  
 Date : 14/08/2020





Approved By : Chung Hei Wing  
 Signatory : Chung Hei Wing  
 Date : 14/08/2020

HKAS has accredited this laboratory (Reg. No. HOKLAS 055) under HOKLAS for specific laboratory activities as listed in the HOKLAS directory of accredited laboratories. This report shall not be reproduced unless with prior written approval from this laboratory.





pH value







pH value



Ammonia Nitrogen (mg-N/kg)







Ammonia Nitrogen (mg-N/kg)










Total Nitrogen (mg-N/kg)







Total Nitrogen (mg-N/kg)







Total Phosphorus (mg-P/kg)



Total Phosphorus (mg-P/kg)




# Cadmium (mg/kg)







Remark: All below the Limit of Report sample results (<0.1 mg/kg) for Cadmium is regarded as 0.1 mg/kg in graphical presentation.

# Cadmium (mg/kg)







Remark: All below the Limit of Report sample results (<0.1 mg/kg) for Cadmium is regarded as 0.1 mg/kg in graphical presentation.

Chromium (mg/kg)







Chromium (mg/kg)













Copper (mg/kg)




Copper (mg/kg)







Lead (mg/kg)







Lead (mg/kg)







Mercury (mg/kg)







Mercury (mg/kg)



Nickel (mg/kg)







Nickel (mg/kg)













Zinc (mg/kg)







Zinc (mg/kg)







Arsenic (mg/kg)







Arsenic (mg/kg)



Silver (mg/kg)



Silver (mg/kg)



# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix I Benthic Survey Report

## Benthic Faunal Monitoring

### Conducted in August 2020

#### Summary Report

##### Abundance

A total of 283 macrobenthic organisms was recorded from the eight monitoring stations during August 2020 monitoring period. Current results showed relatively lower abundances compared to both dry (March 2004) and wet (August 2004) seasons baseline data (**Figure 1**). The decrease was due to the parallel decline in annelida and arthropod abundances recorded during the period. However, relative to the previous monitoring period (June 2020), current results showed an increase in the overall abundance which was due to the abundance increase of arthropods and echinoderms this period. Seasonal variation of the macrobenthic abundances remained to be statistically insignificant (F-value = 1.34; F-crit = 1.73; P-value = 0.18).



Figure 1. Total abundance (ind.) of benthic organisms across monitoring periods



The lowest abundance of 25 individuals (ind.) was recorded at Station G while the highest (48 ind.) was noted at Station E (Figure 2), both as reference stations. Abundance in the impact station C remained the same while at D increased by several individuals with respect to June 2020 monitoring results. Additionally, majority of the reference stations were also observed with increased abundance except Stations A, B and G. Similar to the previous monitoring periods, differences in the total abundance across the monitoring stations were statistically significant (F-value = 2.59 ; F-crit = 2.08; P-value = 0.02).




Figure 2. Total abundance (ind.) of benthic organisms across monitoring stations

### Biomass

The total wet biomass recorded in the eight monitoring stations was 96.90 g with the highest biomass at Station D (19.31 g) while the lowest at Station F (6.31 g). The relatively higher biomass recorded at the impact station Station D was due to the presence of larger organisms such as the molluscan species, *Paphia undulata* in the area. Average biomass at the impact stations was higher compared to that of the reference stations. The data of all surveys are shown in Figure 3.




Figure 3. Total biomass (g) of benthic organisms

### Taxonomic Composition

A total of seven phyla comprising of 35 families and 51 genera were identified. Macrobenthic assemblage remained to be dominated by annelida (63.25%), molluscs (15.90%), and arthropods (13.43%) (Figure 4). Similar to the baseline study (August 2004), the most dominant family was the polychaete Capitellidae. Their dominance might indicate unbalanced and organically enriched habitats (Pearson and Rosenberg 1978; Borja et al. 2000). There is no dominant genera (member species > 10) recorded during the current monitoring period.




Figure 4. Percent composition of benthic organisms

### Diversity

Benthic diversity index ( $H'$ ) ranged from 2.64 to 2.81 in the impact stations while its values ranged from 2.40 to 3.10 among the different reference stations. Impact stations had lower values as compared to reference station E (3.10), however, it was noted that impact stations' results were higher than values of reference stations G and H, thus, were still within the range of typical values in all of the different monitoring stations. Relative to impact stations' diversity index values, the noted evenness index ( $J'$ ) values in these areas were also lower than that of Station E in addition to Stations F and A, but were also higher with respect to reference stations B, G and H. Values suggest that benthic faunal diversity is relatively richer at some of reference stations than those at impact stations and vice versa. However, current results indicate an overall increase in diversity and evenness values from the baseline survey condition.

Abundance and biomass of macrobenthic organisms are shown in **Tables 1** and **2**, respectively. Data summary for different monitoring periods are presented in **Tables 3** to **7**. Representative photos of specimen are shown in the last page of this benthic survey report.

---

**References:**

Borja, A., Franco, J. and Perez, V. (2000). A marine biotic index to establish the ecological quality of soft-bottom benthos within European estuarine and coastal environments. *Marine Pollution Bulletin*, 40, 1100-1114.

Fauchald K. (1977) *The Polychaete Worms Definitions And Keys To Orders, Families And Genera*. Natural History Museum of Los Angeles County. Science Series 28: 1 – 190.

Huang Z.G. (1994). *Marine Species and Their Distributions in China's Seas*. China Ocean Press, Beijing.

Pearson, T. and Rosenberg, R. (1978). Macrobenthic succession in relation to organic enrichment and pollution of the marine environment. *Oceanography and Marine Biology Annual Review*, 16, 229-311.

Rouse G. W. & Pleijel F. (2001) *Polychaetes*. Oxford University Press. United Kingdom.

Xu F. S. & Zhang S. P. (2008) *An Illustrated Bivalvia Mollusca Fauna of China Seas*. Science Press (China), Beijing.

**Approved by Supervisor**

Name of Consultant : China Hong Kong Ecology Consultants Ltd.

Signature of Supervisor : 

Name and Position of Supervisor: Dr. Mark Shea, Senior Ecology Consultant

Date: August 22, 2020



## Data Summaries

Table 1. Abundance of macrobenthic communities in the eight monitoring stations, August 2020

Phylum	Class	Order	Family	Genus	A	B	C	D	E	F	G	H
Annelida	Polychaeta	Aciculata	Amphinomidae	<i>Chloeia</i>	1	0	0	0	0	0	0	0
Annelida	Polychaeta	Aciculata	Glyceridae	<i>Glycera</i> sp.1	1	0	0	0	0	0	1	1
Annelida	Polychaeta	Aciculata	Glyceridae	<i>Glycera</i> sp.2	1	0	0	0	0	0	0	0
Annelida	Polychaeta	Capitellida	Capitellidae	<i>Capitella</i> ( <i>C. capitata</i> )	0	1	3	3	4	3	0	1
Annelida	Polychaeta	Capitellida	Capitellidae	<i>Capitella</i>	0	1	0	0	3	2	1	1
Annelida	Polychaeta	Capitellida	Capitellidae	<i>Mediomastus</i>	2	1	2	2	1	3	7	7
Annelida	Polychaeta	Capitellida	Capitellidae	<i>Notomastus</i>	2	0	1	0	1	0	0	1
Annelida	Polychaeta	Eunicida	Eunicidae	<i>Eunice</i> ( <i>E. indica</i> )	0	5	3	7	5	2	2	0
Annelida	Polychaeta	Eunicida	Onuphidae	<i>Diopatra</i>	0	0	1	1	0	0	0	0
Annelida	Polychaeta	Eunicida	Onuphidae	UNID sp.1	0	0	0	0	0	0	1	0
Annelida	Polychaeta	Nereidida	Nereidae	<i>Neanthes</i>	0	0	1	2	0	0	0	0
Annelida	Polychaeta	Phyllodocida	Nereidae	<i>Nereis</i> sp.1	0	1	0	0	1	1	1	0
Annelida	Polychaeta	Phyllodocida	Nereidae	<i>Nereis</i> sp.2	1	0	0	0	0	0	0	1
Annelida	Polychaeta	Phyllodocida	Polynoidae	<i>Gattyana</i>	0	0	0	0	1	0	0	0
Annelida	Polychaeta	Nereidida	Nephtyidae	<i>Aglaophamus</i> ( <i>A. dibranchis</i> )	2	1	0	0	1	1	0	0
Annelida	Polychaeta	Nereidida	Nephtyidae	<i>Nephtys</i>	2	1	0	5	3	3	0	9
Annelida	Polychaeta	Scolecida	Maldanidae	<i>Maldane</i>	1	0	0	0	1	0	0	0



Phylum	Class	Order	Family	Genus	A	B	C	D	E	F	G	H
Annelida	Polychaeta	Scolecida	Opheliidae	<i>Ophelia</i>	0	0	0	0	0	1	1	0
Annelida	Polychaeta	Spionida	Poecilochaetidae	<i>Poecilochaetus</i>	1	3	3	0	3	3	1	0
Annelida	Polychaeta	Spionida	Spionidae	<i>Paraprionospio</i>	4	3	3	3	2	3	0	1
Annelida	Polychaeta	Spionida	Spionidae	<i>Prionospio</i>	0	0	0	0	0	0	1	0
Annelida	Polychaeta	Sternaspida	Sternaspidae	<i>Sternaspis (S. scutata)</i>	1	0	5	1	3	0	0	0
Annelida	Polychaeta	Terebellida	Terebellidae	<i>Loimia (L. loimia)</i>	0	1	0	0	1	0	0	0
Annelida	Polychaeta	Terebellida	Trichobranchidae	<i>Terebellides (T. stroemii)</i>	0	0	0	1	0	0	0	0
Annelida	Oligochaeta	Lumbriculida	Lumbriculidae	<i>Lumbriculus</i>	0	0	0	0	2	0	0	3
Sipuncula	Sipunculiformes	Sipunculidea	Sipunculidae	<i>Sipunculus</i>	0	0	0	0	0	0	0	1
Arthropoda	Crustacea	Cumacea	Diastylidae	<i>c.f. Diastylis</i>	0	1	0	0	0	0	0	0
Arthropoda	Crustacea	Decapoda	Macrophthalmidae	<i>Cleistostoma</i>	0	0	0	0	0	0	1	0
Arthropoda	Crustacea	Decapoda	Alpheidae	<i>Alpheus</i>	0	0	0	0	0	0	4	2
Arthropoda	Crustacea	Decapoda	Penaeidae	Shrimp juvenile	3	0	0	0	0	0	0	0
Arthropoda	Crustacea	Decapoda	Pilumnidae	<i>Typhlocarcinus</i>	2	0	0	0	0	0	1	0
Arthropoda	Crustacea	Decapoda	Porcellanidae	<i>Petrolisthes</i>	0	1	0	0	0	0	0	0
Arthropoda	Malacostraca	Amphipoda	Gammaridae	<i>Gammarus sp.1</i>	2	1	4	0	1	1	0	1
Arthropoda	Malacostraca	Amphipoda	Gammaridae	<i>Gammarus sp.2</i>	0	1	3	3	2	1	0	2
Arthropoda	Malacostraca	Stomatopoda	Squillidae	Mantis shrimp	0	0	0	1	0	0	0	0
Echinodermata	Ophiuroidea	Ophiurida	Amphiuridae	<i>Amphioplus</i>	1	4	1	1	1	0	1	1



Phylum	Class	Order	Family	Genus	A	B	C	D	E	F	G	H
Mollusca	Bivalvia	Veneroidea	Dreissenidae	<i>Mytilopsis</i>	0	0	1	4	2	1	0	0
Mollusca	Bivalvia	Veneroidea	Solenidae	<i>Solen</i>	1	1	2	1	0	0	0	0
Mollusca	Bivalvia	Veneroidea	Tellinidae	<i>c.f. Augulus</i>	0	0	1	0	1	1	0	0
Mollusca	Bivalvia	Veneroidea	Veneridae	<i>Cyclina</i>	0	0	0	0	1	1	0	0
Mollusca	Bivalvia	Veneroidea	Veneridae	<i>Paphia (P. undulata)</i>	0	0	5	4	2	1	0	0
Mollusca	Bivalvia	Veneroidea	Veneridae	<i>Placamen (P. isabellina)</i>	0	0	0	0	1	0	0	0
Mollusca	Bivalvia	Veneroidea	Veneridae	<i>c.f. Phylloda foliacea</i>	0	0	1	0	1	0	0	0
Mollusca	Bivalvia	Veneroidea	Veneridae	<i>Ruditapes (R. philippinarum)</i>	0	0	0	0	0	0	1	0
Mollusca	Bivalvia	Veneroidea	Veneridae	Bivalve juvenile	0	1	1	2	0	0	0	0
Mollusca	Bivalvia	Veneroidea	Veneridae	<i>Timoclea (T. scabra)</i>	0	0	0	0	1	0	0	0
Mollusca	Scaphopoda	Dentaliida	Dentaliidae	-	0	1	0	4	0	0	0	1
Chordata	Actinopterygii	Perciformes	Gobiidae	UNID Goby	0	0	1	0	0	0	0	1
Chordata	Actinopterygii	Perciformes	Taenioididae	<i>Trypauchen (T. vagina)</i>	0	1	0	0	0	0	0	0
Chordata	Actinopterygii	Anguilliformes	Muraenesocidae	<i>Muraenesox (M. cinereus)</i>	0	0	0	0	0	0	1	0
Nemertea	Anopla	Heteronemertea	Lineidae	<i>Cerebratulus sp.1</i>	0	1	1	0	3	0	0	1



Table 2. Biomass (g) of macrobenthic communities in the eight monitoring stations, August 2020

Phylum	Class	Order	Family	Genus	A	B	C	D	E	F	G	H
Annelida	Polychaeta	Aciculata	Amphinomidae	<i>Chloeia</i>	0.016	0	0	0	0	0	0	0
Annelida	Polychaeta	Aciculata	Glyceridae	<i>Glycera</i> sp.1	1.209	0	0	0	0	0	0.002	0.008
Annelida	Polychaeta	Aciculata	Glyceridae	<i>Glycera</i> sp.2	0.002	0	0	0	0	0	0	0
Annelida	Polychaeta	Capitellida	Capitellidae	<i>Capitella</i> ( <i>C.capitata</i> )	0	0.001	0.003	0.002	0.002	0.002	0	0.001
Annelida	Polychaeta	Capitellida	Capitellidae	<i>Capitella</i>	0	0.002	0	0	0.002	0.001	0.001	0.002
Annelida	Polychaeta	Capitellida	Capitellidae	<i>Mediomastus</i>	0.002	0.001	0.002	0.001	0.001	0.004	0.009	0.006
Annelida	Polychaeta	Capitellida	Capitellidae	<i>Notomastus</i>	0.002	0	0.001	0	0.002	0	0	0.002
Annelida	Polychaeta	Eunicida	Eunicidae	<i>Eunice</i> ( <i>E. indica</i> )	0	0.009	0.005	0.010	0.011	0.005	0.006	0
Annelida	Polychaeta	Eunicida	Onuphidae	<i>Diopatra</i>	0	0	0.004	3.300	0	0	0	0
Annelida	Polychaeta	Eunicida	Onuphidae	UNID sp.1	0	0	0	0	0	0	0.002	0
Annelida	Polychaeta	Nereidida	Nereidae	<i>Neanthes</i>	0	0	0.004	0.004	0	0	0	0
Annelida	Polychaeta	Phyllodocida	Nereidae	<i>Nereis</i> sp.1	0	0.001	0	0	0.001	0.002	0.002	0
Annelida	Polychaeta	Phyllodocida	Nereidae	<i>Nereis</i> sp.2	0.001	0	0	0	0	0	0	0.002
Annelida	Polychaeta	Phyllodocida	Polynoidae	<i>Gattyana</i>	0	0	0	0	0.007	0	0	0
Annelida	Polychaeta	Nereidida	Nephtyidae	<i>Aglaophamus</i> ( <i>A. dibranchis</i> )	0.003	0	0	0	0.003	0.003	0	0
Annelida	Polychaeta	Nereidida	Nephtyidae	<i>Nephtys</i>	0.003	0.002	0	0.006	0.005	0.006	0	0.012
Annelida	Polychaeta	Scolecida	Maldanidae	<i>Maldane</i>	0.002	0	0	0	0.003	0	0	0
Annelida	Polychaeta	Scolecida	Opheliidae	<i>Ophelia</i>	0	0	0	0	0	0.006	0.001	0





CHKEC

Phylum	Class	Order	Family	Genus	A	B	C	D	E	F	G	H
Annelida	Polychaeta	Spionida	Poecilochaetidae	<i>Poecilochaetus</i>	0.001	0.013	0.011	0	0.008	0.014	0.002	0
Annelida	Polychaeta	Spionida	Spionidae	<i>Paraprionospio</i>	0.004	0.003	0.003	0.002	0.002	0.002	0	0
Annelida	Polychaeta	Spionida	Spionidae	<i>Prionospio</i>	0	0	0	0	0	0	0.001	0
Annelida	Polychaeta	Sternaspida	Sternaspidae	<i>Sternaspis (S. scutata)</i>	0.003	0	0.017	0.003	0.007	0	0	0
Annelida	Polychaeta	Terebellida	Terebellidae	<i>Loimia (L. loimia)</i>	0	0.003	0	0	0.006	0	0	0
Annelida	Polychaeta	Terebellida	Trichobranchidae	<i>Terebellides (T. stroemii)</i>	0	0	0	0.002	0	0	0	0
Annelida	Oligochaeta	Lumbriculida	Lumbriculidae	<i>Lumbriculus</i>	0	0	0	0	0.003	0	0	0.005
Sipuncula	Sipunculiformes	Sipunculidea	Sipunculidae	<i>Sipunculus</i>	0	0	0	0	0	0	0	0.003
Arthropoda	Crustacea	Cumacea	Diastylidae	<i>c.f. Diastylis</i>	0	0.018	0	0	0	0	0	0
Arthropoda	Crustacea	Decapoda	Macrophthalmidae	<i>Cleistostoma</i>	0	0	0	0	0	0	0.755	0
Arthropoda	Crustacea	Decapoda	Alpheidae	<i>Alpheus</i>	0	0	0	0	0	0	3.166	6.623
Arthropoda	Crustacea	Decapoda	Penaeidae	Shrimp juvenile	1.985	0	0	0	0	0	0	0
Arthropoda	Crustacea	Decapoda	Pilumnidae	<i>Typhlocarcinus</i>	4.445	0	0	0	0	0	2.348	0
Arthropoda	Crustacea	Decapoda	Porcellanidae	<i>Petrolisthes</i>	0	0.328	0	0	0	0	0	0
Arthropoda	Malacostraca	Amphipoda	Gammaridae	<i>Gammarus sp.1</i>	0.001	0.001	0.001	0	0.001	0.001	0	0.001
Arthropoda	Malacostraca	Amphipoda	Gammaridae	<i>Gammarus sp.2</i>	0	0.001	0.002	0.001	0.001	0.001	0	0.001
Arthropoda	Malacostraca	Stomatopoda	Squillidae	Mantis shrimp	0	0	0	0.256	0	0	0	0
Echinodermata	Ophiuroidea	Ophiurida	Amphiuridae	<i>Amphioplus</i>	0.056	2.687	0.002	0.175	0.024	0	0.003	0.087
Mollusca	Bivalvia	Veneroida	Dreissenidae	<i>Mytilopsis</i>	0	0	3.300	2.110	0.788	1.011	0	0



Phylum	Class	Order	Family	Genus	A	B	C	D	E	F	G	H
Mollusca	Bivalvia	Veneroida	Solenidae	<i>Solen</i>	0.013	1.102	0.304	0.011	0	0	0	0
Mollusca	Bivalvia	Veneroida	Tellinidae	<i>c.f. Augulus</i>	0	0	0.027	0	0.311	0.955	0	0
Mollusca	Bivalvia	Veneroida	Veneridae	<i>Cyclina</i>	0	0	0	0	0.345	1.100	0	0
Mollusca	Bivalvia	Veneroida	Veneridae	<i>Paphia (P. undulata)</i>	0	0	13.800	12.100	8.300	3.200	0	0
Mollusca	Bivalvia	Veneroida	Veneridae	<i>Placamen (P. isabellina)</i>	0	0	0	0	0.635	0	0	0
Mollusca	Bivalvia	Veneroida	Veneridae	<i>c.f. Phylloda foliacea</i>	0	0	0.019	0	0.023	0	0	0
Mollusca	Bivalvia	Veneroida	Veneridae	<i>Ruditapes (R. philippinarum)</i>	0	0	0	0	0	0	1.200	0
Mollusca	Bivalvia	Veneroida	Veneridae	Bivalve juvenile	0	0.453	0.022	0.009		0	0	0
Mollusca	Bivalvia	Veneroida	Veneridae	<i>Timoclea (T. scabra)</i>	0	0	0	0	0.015	0	0	0
Mollusca	Scaphopoda	Dentaliida	Dentaliidae	-	0	0.047	0	1.322	0	0	0	0.005
Chordata	Actinopterygii	Perciformes	Gobiidae	UNID Goby	0	0	0.018	0	0	0	0	4.800
Chordata	Actinopterygii	Perciformes	Taenioididae	<i>Trypauchen (T. vagina)</i>	0	8.200	0	0	0	0	0	0
Chordata	Actinopterygii	Anguilliformes	Muraenesocidae	<i>Muraenesox (M. cinereus)</i>	0	0	0	0	0	0	3.522	0
Nemertea	Anopla	Heteronemertea	Lineidae	<i>Cerebratulus sp.1</i>	0	0.005	0.002	0	0.006	0	0	0.003



**Table 3. Summary of Benthic Survey Data, August 2020**

Stations	Abundance (ind.)	Total Biomass (g)	Number of Taxa	Diversity (H')	Evenness (J)
A	28	7.75	17	2.72	0.96
B	31	12.88	20	2.67	0.89
C*	43	17.55	20	2.81	0.94
D*	45	19.31	17	2.64	0.93
E	48	10.51	26	3.10	0.95
F	28	6.31	16	2.64	0.95
G	25	11.02	15	2.40	0.89
H	35	11.56	17	2.43	0.86
TOTAL	283	96.90			

\*Impact Sites

**Table 4. Summary of Benthic Survey Baseline Data, August 2004**

Stations	Abundance (ind.)	Total Biomass (g)	Number of Taxa	Diversity (H')	Evenness (J)
A	115	14.56	24	0.93	0.29
B	36	4.76	14	0.89	0.34
C*	22	2.66	13	0.80	0.31
D*	39	5.07	11	0.62	0.26
E	39	48.69	16	0.89	0.32
F	11	8.07	9	0.68	0.31
G	182	4.91	31	1.10	0.32
H	23	0.49	11	0.81	0.34

\*Impact Sites

**Table 5. Summary of Benthic Survey Baseline Data, March 2004**

Stations	Abundance (ind.)	Total Biomass (g)	Number of Taxa	Diversity (H')	Evenness (J)
A	337	17.39	38	0.78	0.21
B	110	0.9	21	0.82	0.27
C*	14	0.7	10	0.69	0.30
D*	37	10.07	20	1.01	0.34
E	28	0.44	11	0.76	0.32
F	67	0.78	16	0.85	0.31
G	25	0.09	9	0.64	0.29
H	23	0.15	11	0.44	0.18

\*impact sites



**Table 6. Taxonomic Composition (%) of Benthic Survey**

% Composition	Mar-04	Aug-04	Aug-18	Oct-18	Dec-18	Feb-19	Apr-19	Jun-19	Aug-19	Oct-19	Dec-19	Feb-20	Apr-20	Jun-20	Aug-20
Annelida	80.19	73.29	65.02	65.35	69.44	54.99	70.28	0.47	64.31	66.14	59.78	60.77	56.44	69.06	63.25
Sipuncula	0.78	0.21	0.45	0.00	0.93	0.00	0.00	0.00	1.57	1.25	0.00	1.29	0.52	1.13	0.35
Arthropoda	11.23	18.80	12.11	13.86	10.19	20.23	10.83	4.65	9.80	19.75	14.53	13.83	28.87	8.30	13.43
Echinodermata	0.62	3.63	5.38	2.97	2.78	3.42	4.72	0.47	5.10	3.13	1.68	1.61	0.77	2.26	3.53
Cnidaria *	1.72	0.43	0.00	0.00	0.93	0.85	0.00	1.86	0.39	0.00	0.84	0.32	0.26	0.75	0.00
Mollusca	5.46	3.42	15.69	16.83	12.96	19.94	13.33	0.47	17.25	8.15	22.35	19.94	11.60	15.85	15.90
Chordata	0.00	0.21	0.45	0.00	0.93	0.28	0.56	0.47	1.18	0.94	0.00	0.32	0.52	1.13	1.41
Nemertea	0.00	0.00	0.90	0.99	1.85	0.28	0.28	98.60	0.39	0.63	0.84	1.93	1.03	1.51	2.12

**Table 7. Taxonomic Composition (abundance) of Benthic Survey**

Abundance	Mar-04	Aug-04	Aug-18	Oct-18	Dec-18	Feb-19	Apr-19	Jun-19	Aug-19	Oct-19	Dec-19	Feb-20	Apr-20	Jun-20	Aug-20
Annelida	514	343	145	132	150	193	253	124	164	211	214	189	219	183	179
Sipuncula	5	1	1	0	2	0	0	0	4	4	0	4	2	3	1
Arthropoda	72	88	27	28	22	71	39	17	25	63	52	43	112	22	38
Echinodermata	4	17	12	6	6	12	17	10	13	10	6	5	3	6	10
Cnidaria *	11	2	0	0	2	3	0	2	1	0	3	1	1	2	0
Mollusca	35	16	35	34	28	70	48	59	44	26	80	62	45	42	45
Chordata	0	1	1	0	2	1	2	2	3	3	0	1	2	3	4
Nemertea	0	0	2	2	4	1	1	1	1	2	3	6	4	4	6

## Photos of Representative Taxa Identified

	
A) The species of Polychaeta, <i>Diopatra sp.</i>	B) The species of Chordata, <i>Trypauchen vagina</i>
	
C) The species of Bivalvia, <i>Placamen isabellina</i>	D) Collected samples before sorting

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix J

### Photos of Grab Samplers

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A




Photo 1. A ponar grab sampler




Photo 2. Grab dimension 1



Photo 3. Grab dimension 2



Photo 4. Grab dimension 3

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A




Photo 1. A modified Van Veen grab sampler



Photo 2. Grab dimension 1



Photo3. Grab dimension 2



Photo4. Grab dimension 3



# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix K Environmental Complaints Log

## FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

### Environmental Complaints Log

Complaint Log No.	Date of Complaint	Received From and Received By	Nature of Complaint	Investigation
1	28 November 2019	EPD	According to EPD, a member of public complained that SHWSTW cause a malodour and was smelled as far as the Discovery Bay tunnel portal.	As advised by DSD, the operation of Siu Ho Wan Sewage Treatment Works was properly functioned and there was no special activity on 28 <sup>th</sup> November 2019. Due to the possibility of having unpleasant gases or odours emitted from these non-DSD premises cannot be precluded, the complaint is considered as non-project related.

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



---

Report No.: 0041/17/ED/0577A

## Appendix L

### Environmental Mitigation Implementation Schedule (EMIS)

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

EP Ref.	EIA Ref.	WMP Ref.	Environmental Protection Measures	Location of the measures	Implementation Status
<b>Air Quality</b>					
NA	4.5	NA	Odour reduction measures like aeration, chemical dosing system shall be implemented to reduce any odour impacts to an acceptable level.	SHWSTW	Implemented
3.4	4.5	NA	Sewage treatment works including sludge thickening tanks, the sludge pump house and sludge press house shall be completely enclosed.	SHWSTW	Implemented
3.4	4.5	NA	Exhaust air shall be ventilated to an odour scrubber prior to discharge. Ventilating air to a biological treatment unit with 95% odour removal efficiency prior to stack exhaust shall be implemented	SHWSTW	Implemented
<b>Water Quality</b>					
3.3	NA	4.01	To avoid impacts on the marine ecology due to effluent discharge, the disinfection facility as in Part B of the EP shall be equipped with an UV disinfection system capable of removing at least 99.9% of E.coli from the sewage	SHWSTW	Implemented
<b>Waste Management</b>					
3.6	NA	NA	Transportation of sludge shall be carried out in fully enclosed containers, or be placed in sludge skips with tarpaulin covers	SHWSTW	Implemented
NA	NA	5.02	Trip-ticket system mentioned shall be implemented. Trip-ticket is required for each truckload delivered to the landfills facilities according to WBTC No. 31/2004.	SHWSTW	Implemented
NA	NA	5.02	The acceptance criteria for Landfill disposal should be followed, i.e. solid content of sludge waste should be more than 30%.	SHWSTW	Implemented
NA	NA	5.02	The disposal of grit & debris (if any) generated during primary screening works should follow the requirement set in the WMP Section 4.05.	SHWSTW	Implemented
NA	NA	5.03	The wet sludge should be temporarily stored at the sludge buffer tank. It should then be transported to the centrifuge building for dewatering and discharged to the container for disposal. The whole process should be managed by the automatic electronic electronic system and monitored by the operators during operation.	SHWSTW	Implemented
NA	NA	5.04	The other solid waste material such as sediment and grit, refuse containers or collection bags should be temporarily stored in slips at designated area. Operators should ensure sufficient space is identified and provided for temporary storage of waste materials to facilitate collection. Storage of waste material on site will be kept to a minimum to avoid nuisance to local residents.	SHWSTW	Implemented
NA	NA	5.05	Chemical wastes which likely to be generated by activities arise from the maintenance, shall followed the Waste Disposal (Chemical Waste) (General) Regulation, includes Schedule 1 of the Regulation.	SHWSTW	Implemented
NA	NA	5.06	In case of unlikely occurred chemical spillage, procedures should be followed as according to the WMP Section 5.06.	SHWSTW	Implemented
NA	NA	5.07	Temporary storage areas should be identify and provided for the temporary storage of general	SHWSTW	Implemented

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.

# FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

EP Ref.	EIA Ref.	WMP Ref.	Environmental Protection Measures	Location of the measures	Implementation Status
			refuse to facilitate collection		
NA	NA	5.07	Domestics wastes refuse generated on-site will be stored in enclosed bins or compaction units separately	SHWSTW	Implemented
NA	NA	5.07	Sufficient dustbins should be provided for domestic waste if required.	SHWSTW	Implemented
NA	NA	5.07	Domestics wastes should be cleared daily and will be disposed off to the nearest licensed landfill or refuse transfer station.	SHWSTW	Implemented
NA	NA	5.07	Separate labeled bins should be provided to segregate the waste generated by workforce. Waste recycle collector should be employed to collect the segregated waste	SHWSTW	Implemented
NA	NA	5.07	Cardboard and paper packaging (for plant, equipment and materials) should be recovered on site, properly stockpiled in dry condition and covered to prevent cross contamination by other materials.	SHWSTW	Implemented
NA	NA	5.07	Office waste should be minimized through using papers on both sides. Communication by electronic means should be used as far as possible.	SHWSTW	Implemented
NA	NA	5.07	The burning of refuse on-site is prohibited by law and shall not be undertaken	SHWSTW	Implemented
NA	NA	5.07	Toilet wastewater shall be transported to the STW for treatment	SHWSTW	Implemented
NA	NA	5.07	Arrangement for collection of recyclable materials by recycling contractors should be followed as according to the WMP Section 5.07.	SHWSTW	Implemented
NA	NA	5.08	All recycling materials removed by the recycling contractors should be properly recorded before the removal. The natures and quantities of the recycling materials, the date of removal and the name of the recycling contractor should be recorded.	SHWSTW	Implemented
NA	NA	5.09	To maintain the site in a clean and tidy condition during the operation, general measures specified in the WMP should be implemented on site at all times. Regular site inspections shall be undertaken by the management team to ensure the measures are implemented.	SHWSTW	Implemented
NA	NA	5.10	Daily cleaning should be performed daily after work within the plant and the public areas immediately next to the site.	SHWSTW	Implemented
NA	NA	5.11	The work officer in charge of the corresponding area should perform daily inspection on the items mentioned in the WMP Section 5.10. If observations were discovered, the work officer should record the result of the inspection on an inspection checklist with photos taken and submitted to the inspectors or Chief Technical Officer for review on the following day. Any deficiency should be rectified promptly.	SHWSTW	Implemented
NA	NA	5.12	Weekly tidying should be performed weekly within the site.	SHWSTW	Implemented
NA	NA	5.13	The inspector should perform Weekly Inspection on the items mentioned in the WMP Section 5.12. If observations were discovered, the work officer should record the result on an inspection checklist and submitted to the Chief Technical Officer for review on the following day. Any deficiency should be rectified promptly.	SHWSTW	Implemented

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.

## FUGRO TECHNICAL SERVICES LIMITED

Fugro Development Centre,  
5 Lok Yi Street, Tai Lam,  
Tuen Mun, N.T.,  
Hong Kong.

Tel : +852 2450 8233  
Fax : +852 2450 6138  
E-mail : matlab@fugro.com  
Website : www.fugro.com



Report No.: 0041/17/ED/0577A

EP Ref.	EIA Ref.	WMP Ref.	Environmental Protection Measures	Location of the measures	Implementation Status
NA	NA	5.14	All wastes generated through the operational phase will be managed in accordance with the protocols set out in the WMP Section 5.14.	SHWSTW	Implemented

The copyright of this document is owned by Fugro Technical Services Limited. It may not be reproduced except with prior written approval from the Company.