



PENTA-OCEAN CONSTRUCTION COMPANY LIMITED

REMAINING ENGINEERING
INFRASTRUCTURE WORKS FOR PAK
SHEK KOK DEVELOPMENT PACKAGE 1
(CONTRACT NO.: TP 35/02)

MONTHLY EM&A REPORT
(JULY 2004)

Prepared by: Linda Law
Linda Law
Environmental Officer

Checked by: C. L. Lau
C. L. Lau
Environmental Team Leader

Approved by: Tony Wong
Tony Wong
Operations Manager

Reporting period: 01 to 31 July 2004

Report No.: ENA 40351



TABLE OF CONTENTS		Page
EXECUTIVE SUMMARY		
1.0	INTRODUCTION	1
2.0	PROJECT INFORMATION	
	2.1 Background	1
	2.2 Site Description	1
	2.3 Construction Programme	1
	2.4 Project Organization and Management Structure	1
	2.5 Contact Details of Key Personnel	1- 2
3.0	CONSTRUCTION PROGRESS IN THIS REPORTING MONTH	2
4.0	AIR QUALITY MONITORING	
	4.1 Monitoring Requirement	3
	4.2 Monitoring Equipment	3
	4.3 Monitoring Parameters, Frequency and duration	3
	4.4 Monitoring Locations and Period	3 – 4
	4.5 Monitoring Methodology	4 – 5
	4.6 Action and Limit levels	5 – 6
	4.7 Event-Action Plans	6
	4.8 Results	6
5.0	NOISE MONITORING	
	5.1 Monitoring Requirement	6
	5.2 Monitoring Equipment	6 – 7
	5.3 Monitoring Parameters, Frequency and duration	7
	5.4 Monitoring Locations and Period	7 – 8
	5.5 Monitoring Methodology	8
	5.6 Action and Limit levels	8
	5.7 Event-Action Plans	8
	5.8 Results	9
6.0	WASTEWATER MONITORING	9
7.0	ENVIRONMENTAL NON-CONFORMANCE	
	7.1 Summary of air quality, noise and wastewater monitoring	9 – 10
	7.2 Summary of environmental complaints	10
	7.3 Summary of notification of summons and prosecutions	10
8.0	SITE INSPECTION	
	8.1 Summary of site inspection findings and Action(s) taken by POC and ET	10 – 11
	8.2 Status of Environmental Licensing and Permitting	11 – 12
	8.3 Recommendation on Site Inspection findings	12
9.0	WASTE MANAGEMENT	
	9.1 Waste Management Audit	12
	9.2 Records of waste quantities	12
10.0	Implementation Status	
	10.1 Implementation Status of Environmental Mitigation Measures	12 – 13
	10.2 Implementation Status of Event and Action Plan	13
	10.3 Implementation Status of Environmental Complaint Handling	13
11.0	CONCLUSION	13
12.0	FUTURE KEY ISSUE	
	12.1 Upcoming EM&A Schedule in coming two months	13 – 14
	12.2 Upcoming Construction Works Schedule in coming month	14



APPENDIX

- A Organization Chart and Lines of Communication
- B1 Calibration Certificates for Impact Air Quality Monitoring Equipment
- B2 Impact Air Quality Monitoring Results
- B3 Graphical Plots of Impact Air Quality Monitoring Data
- C1 Calibration Certificates for Impact Noise Monitoring Equipment
- C2 Impact Noise Monitoring Results
- C3 Graphical Plots of Impact Noise Monitoring Data
- D Weather Condition
- E Event-Action Plans
- F Construction Programme
- G Construction Site Area
- H Summary of the Implementation Status of the Mitigation Measures
- I IEC and RE Comments on Monthly EM&A Report – May 2004
- J Wastewater Monitoring – Testing Report of Wastewater Samples from Discharge Points

Figure

- Figure 1 Location of Noise Monitoring Locations
- Figure 2 Location of Air Monitoring Locations
- Figure 3 Location of Air and Noise Monitoring Stations at HKIB Staff Accommodation
- Figure 4 Location of Noise Monitoring Station at CUHK Residence No. 10
- Figure 5 Location of Air and Noise Monitoring Stations at Cheung Shue Tan Village

Tables

- 2.1 Contact Details of Key Personnel
- 3.1 Major Construction Activities in this reporting month
- 3.2 Implementation of Environmental Mitigation Measures
- 4.1 Air Quality Monitoring Equipment
- 4.2 Monitoring parameters, duration and frequency of air quality monitoring
- 4.3 Air Quality Monitoring Locations
- 4.4 Monitoring Schedule for air quality monitoring stations
- 4.5 Action and Limit levels for 24-hr TSP and 1-hr TSP
- 5.1 Noise Monitoring Equipment
- 5.2 Duration, Frequency and Parameters of noise monitoring
- 5.3 Noise Monitoring Locations
- 5.4 Monitoring Schedule for noise monitoring stations
- 5.5 Action and Limit levels for noise monitoring
- 7.1 A Cumulative Log of Notification of Summons and Prosecution
- 8.1 The summary of the IEC and ET site inspection findings and Action(s) taken by POC and ET
- 8.2 Summary of environmental licensing and permit status
- 9.1 Summary of Quantities of waste for disposal
- 12.1 Upcoming EM&A Schedule in coming two months
- 12.2 Upcoming Construction Works Schedule in coming month



EXECUTIVE SUMMARY

This monthly EM&A report (No.19) has been prepared to document the impact monitoring works conducted for the Contract of the Remaining Engineering Infrastructure Works for Pak Shek Kok Development Package 1 (Contract No: TP 35/02) during the reporting period from 01 to 31 July 2004.

Construction Progress

The major construction works in this reporting month were as below:

- Excavation works for PS1 and PS2
- Drainageworks in Area 7A, Area 15, Zone P and Zone H
- Watermain installation works
- Roadworks for Area 15 and Zone P
- Pile cap construction for road D1 bridge
- Demolition of cyclist bridge at the northern entrance
- Construction of footpath & cycle track along Area 1, 2, 6, 7B, 8A, 9A, 9B and Area 15
- CCTV for drainage pipelines C40 and at Area 8A and 9A
- Subway SBI E&M works
- Sewage works in Area 1, Area 4, Area 15 and Area 6
- Construction of pumping station no.1 and no.2

Environmental Monitoring Progress

The summary of the monitoring activities in this monitoring month is listed below:

- Noise Monitoring (Day-time): 4 Occasions at 3 designated locations;
- Noise Monitoring (Evening-time): 4 Occasions at 3 designated locations;
- Noise Monitoring (Holiday): 4 Occasions at 3 designated locations;
- 24-hour TSP Monitoring: 6 Occasions at 2 designated locations;
- 1-hour TSP Monitoring: 13 Occasions at 2 designated locations;
- Weekly-site inspection: 5 Occasions.

Noise Monitoring

No exceedances of Action and Limit levels for noise monitoring were recorded in the reporting month.

Air Monitoring

No exceedances of Action and Limit levels were recorded for 24-hr TSP and 1-hr TSP monitoring in the reporting month.

Site Inspection

Environmental site inspections conducted in this reporting month are presented as follows:

<u>Concerned Parties</u>	<u>Dates of Audit / Inspection</u>
ET (weekly site inspection)	03, 10, 17, 24, 31
IEC/POC/ET (Monthly site inspection)	15

Three observations were raised during this reporting month. The site inspection findings are presented as follows:

Item	Aspects	Findings	Action(s) taken by POC	ET Verification
1	Air (Obs.)	Some of the stockpiles of C&D and excavated materials were not entirely covered during weekly site inspection. They should be backfilled, entirely covered with impervious tarpaulin sheets or hydroseeded.	The stockpile of C&D and excavated material were covered with tarpaulin sheets, some slope of the stockpile was already hydroseeded.	During the last weekly site inspection in this reporting month, most of the stockpile of C&D and excavated material were covered with tarpaulin sheets or hydroseeded.
2	Air (Obs)	Some dusty ground was observed during weekly and monthly joint site inspections.	The dusty ground was covered and watering was provided frequently.	During the last site inspection in this reporting month, the dusty ground was found watered and no dust was observed.
3	Waste (Obs)	Rubbish was observed near Pumping Station – Science Park Phase 1 during monthly joint site inspection.	Rubbish was removed immediately. More manpower was provided to collect rubbish and more rubbish bins were provided.	During the subsequent weekly site inspection, the rubbish had been collected and rubbish bins were observed.

Remark: "NC" = Non-compliance and "Obs" = Observation



Environmental Complaints

No environmental complaints were received in this monitoring month.

Notification of summons and successful prosecutions

No notification of summons and prosecutions with respect to environmental issues were registered in this reporting month.

Future Key Issues

Base on the site inspections and forecast of engineering works in the coming month, key issues to be considered are as follows:

- Noise and air quality impact due to construction works;
- Maintain wheel washing facilities properly;
- Cleanup the access road regularly;
- Watering, hydro-seeding or covering all stockpiles with tarpaulin to avoid wind and water erosion;
- Diverting the silty runoff to sedimentation trap before discharge;
- Maintain good site practice and waste management to minimize environmental impacts at the site;
- Follow-up improvements on waste management issues.



1.0 INTRODUCTION

Penta-Ocean Construction Co., Ltd. (POC) appointed Environmental Team (ET) of ETS-Testconsult Limited (ETL) to undertake the Environmental Monitoring and Audit for Remaining Engineering Infrastructure Works for Pak Shek Kok Development Package 1 (Contract No.: TP 35/02).

Under the requirements of Section 10 of Environmental Permit to Construct and Operate a Designate Project (EP-108/2001/AEP-108/2001), EM&A programme as set out in the EM&A Manual is required to be implemented. In accordance with the EM&A manual, environmental monitoring of air quality and noise is required for the Project. The EM&A requirement for each parameter are described in details in subsequent sections, including:

- All monitoring parameters;
- Action and Limit levels for all environmental parameters;
- Event-Action Plans;
- Environmental mitigation measures, as recommended in the project EIA study report;
- Environmental requirements in contract documents.

This monthly EM&A report summarizes the impact monitoring results and audit findings of the EM&A program during the reporting period from 01 to 31 July 2004.

2.0 PROJECT INFORMATION

2.1 Background

Remaining Engineering Infrastructure Works for Pak Shek Kok Development Package 1 (Contract No.: TP 35/02) was planned and designed by the Territory Development Department (TDD).

As the main Contractor of the captioned project: contracted by, POC will follow the environmental monitoring recommendation stated at the EM&A Manual that was prepared with reference to the EIA Study for Feasibility Study on the Pak Shek Kok Development Area (PSKDA) Environmental Monitoring and Audit Manual under Agreement No. CE 90/96.

2.2 Site Description

Generally, the construction site is located at Pak Shek Kok development area. Surrounding the construction site, there are two air sensitive receivers: HKIB Staff Accommodation and Cheung Shue Tan Village and three noise sensitive receivers: HKIB Staff Accommodation, CUHK Residence No.10 and Cheung Shue Tan Village.

Figure 1 and 2 show the noise and air monitoring locations of this project.

2.3 Construction Programme

Details of construction programme (from June to September 2004) are shown in Appendix F.

2.4 Project Organization and Management Structure

The organization chart and lines of communication with respect to the on-site environmental management and monitoring program are shown in Appendix A.

2.5 Contact Details of Key Personnel

The key personnel contact names and telephone numbers, and construction programme are shown in table 2.1.



Table 2.1 Contact Details of Key Personnel

Organization	Project Role	Name of Key Staff	Tel. No.	Fax No.
TDD	Employer	Mr. H W Lau	2158 5629	---
Hyder	Engineer	Mr. Herman Fong	2911 2233	2827 2891
Hyder	Independent Environmental Checker	Ir. Coleman Ng	2911 2233	2827 2891
POC	Contractor	Mr. Roger Lau	9870 6390	2691 6012
ETL	Contractor's Environmental Team	Mr C L Lau (Environmental Team Leader)	2946 7792	2695 3944

3.0 CONSTRUCTION PROGRESS IN THIS REPORTING MONTH

The site area of this project is shown in Appendix G.

A summary of the major construction activities undertaken in this monitoring month is shown in Table 3.1. The implementation of corresponding mitigation measures is summarized in Table 3.2.

Table 3.1 Major Construction Activities in this reporting month

Location	Major Construction Activity
Area 7A, Area 15, Zone P and Zone H	Drainage work
Zone P and Area 15	Roadworks
PS1 and PS2	Excavation works
Road D1 bridge	Pile cap construction
Area 1, 2, 6, 7B, 8A, 9A, 9B and Area 15	Construction of footpath & cycle track
C40, Area 8A and 9A	CCTV for drainage pipelines
Area 1, 4, 15 and 6	Sewage works
Northern entrance	Demolition of cyclist bridge
No.1 & No.2	Construction of pump stations
---	Subway SBI E&M works
---	Watermain installation works

Table 3.2 Implementation of Environmental Mitigation Measures

General construction works	<ul style="list-style-type: none"> • Effective water sprays used on the site at potential dust emission sources such as unpaved area; • The heights from which fill materials are dropped should be controlled to a practical height to minimize the fugitive dust arising from unloading; • Minimize of exposed soil areas to reduce the potential for increased siltation and contamination of run-off; • Water, hydro-seed or cover the open stockpile and exposed loose soil areas by using clean tarpaulin sheets; • Provide proper and efficient drainage facilities (e.g. wheel washing facilities) and sedimentation system to ensure that site runoff should be treated before discharged to drains; • Remove the sand/rubbish accumulated in the drain/channel regularly; • Provide good site practice (e.g. selection of quieter plant and working methods and reduction in number of plant operating in critical areas close to NSRs) to limit noise emissions at source; • Remove the construction waste accumulated inside or outside the site regularly; • Keep good waste management.
----------------------------	--

4.0 AIR QUALITY MONITORING

4.1 Monitoring Requirement

1-hour and 24-hour TSP monitoring were required to be conducted to monitor the air quality, at designated monitoring locations:

- HKIB Staff Accommodation (on ground floor near the entrance facing south-east);
- Cheung Shue Tan Village (near the outer building, temple) for 1-hr TSP monitoring;
- Cheung Shue Tan Village (in front of Man Kee Store) for 24-hr TSP monitoring.

4.2 Monitoring Equipment

Continuous 24-hour TSP air quality monitoring was performed using a GMWS2310 High Volume Air Sampler (HVS) located at each of the designated monitoring station. One portable dust meter was used to carry out the 1-hour TSP monitoring. Table 4.1 summarizes the equipment used in the air quality monitoring programme. A copy of the calibration certificate for the HVS and portable dust meter are attached in Appendix B1.

Table 4.1 Air Quality Monitoring Equipment

<i>Equipment</i>	<i>Model and Make</i>
<i>HVS Sampler</i>	<i>Greasby GMWS2310</i>
<i>Calibrator</i>	<i>G25 A</i>
<i>1-hour TSP Dust Meter</i>	<i>TSI Model 8520 Dust Trak™ Aerosol Monitor</i>

4.3 Monitoring Parameters, Frequency and Duration

Table 4.2 summarizes the monitoring parameters, monitoring duration and frequencies of air quality monitoring.

Table 4.2 Monitoring parameters, duration, frequencies of impact air quality monitoring

<i>Parameter</i>	<i>Duration</i>	<i>Frequency</i>
<i>24-hr TSP</i>	<i>24 hr (0000-2400)</i>	<i>Once every six days</i>
<i>1-hr TSP</i>	<i>1 hr (0700-1900)</i>	<i>Three times every six days</i>

4.4 Monitoring Locations and Schedule

Two designated air quality monitoring locations – Cheung Shue Tan Village and HKIB Staff Accommodation were selected. Table 4.3 tabulates the air quality monitoring locations of this project.

Table 4.3 Air quality monitoring locations

<i>Air quality Monitoring stations</i>	<i>Locations</i>
<i>AM1</i>	<i>HKIB Staff Accommodation (on ground floor near the entrance facing south-east) for 1-hr TSP monitoring</i>
<i>AM3</i>	<i>Cheung Shue Tan Village (near the outer building, temple) for 1-hr TSP monitoring</i>
<i>AM3A</i>	<i>Cheung Shue Tan (in front of Man Kee Store) for 24-hr TSP monitoring</i>

The air quality monitoring schedule for 24-hr and 1-hr TSP monitoring at designated monitoring locations is summarized in table 4.4.



Table 4.4 Monitoring Schedule for the air quality monitoring stations

Air quality monitoring stations	Location	Monitoring Period						
		24-hr TSP				1-hr TSP		
		Start		Finish		Date	Start	Finish
		Date	Time	Date	Time			
AM1	HKIB Staff Accommodation	---				02/07/04	09:25	10:25
						03/07/04	10:35	11:35
						06/07/04	10:15	11:15
						08/07/04	13:30	14:30
						10/07/04	08:45	09:45
						13/07/04	09:00	10:00
						15/07/04	10:40	11:40
						17/07/04	08:45	09:45
						20/07/04	09:10	10:10
						22/07/04	09:15	10:15
						24/07/04	08:45	09:45
						27/07/04	09:00	10:00
						29/07/04	09:06	10:06
						31/07/04	09:20	10:20
AM3	Cheung Shue Tan Village (near the outer building, temple)	---				02/07/04	10:45	11:45
						03/07/04	09:10	10:10
						06/07/04	13:00	14:00
						08/07/04	09:25	10:25
						10/07/04	10:00	11:00
						13/07/04	14:10	15:10
						15/07/04	13:00	14:00
						17/07/04	10:05	11:05
						20/07/04	14:45	15:45
						22/07/04	10:35	11:35
						24/07/04	10:00	11:00
						27/07/04	11:00	12:00
						29/07/04	14:00	15:00
						31/07/04	10:35	11:35
AM1	HKIB Staff Accommodation	02/07/04	10:24	03/07/04	10:31	---		
		08/07/04	13:10	09/07/04	12:55			
		14/07/04	09:00	15/07/04	09:03			
		20/07/04	09:15	21/07/04	09:15			
		26/07/04	09:45	27/07/04	09:38			
		31/07/04	09:15	01/08/04	09:12			
AM3A	Cheung Shue Tan (in front of Man Kee Store)	02/07/04	10:41	03/07/04	10:46	---		
		08/07/04	09:20	09/07/04	09:05			
		14/07/04	09:15	15/07/04	09:03			
		20/07/04	14:40	21/07/04	14:25			
		26/07/04	10:03	27/07/04	09:03			
		31/07/04	10:40	01/08/04	10:34			

4.5 Monitoring Methodology

4.5.1 24-hour TSP Monitoring

Instrumentation

High volume sampler, as HVS, (Greasby GMWS2310) complete with appropriate sampling inlets are employed for 24-hour TSP. The sampler is composed of a motor, a filter holder, a flow controller and a sampling inlet and its performance specification complies with that required by USEPA standard Title 40, Code of Federation Regulations Chapter 1 (Part 50).

Installation

The installation of HVS refers to the requirement stated in EM&A Manual.

Operation/Analytical Procedures

Operating/analytical procedures for the operation of HVS are as below:

Prior to the commencement of the dust sampling, the flow rate of the high volume

sampler was properly set (between 0.6m³/min and 1.7m³/min.) in accordance with the manufacturer's instruction to within the range recommended in USEPA Standard Title 40, CFR Part 50.

- For TSP sampling, fiberglass filters (GA-55) were used.
- The power supply was checked to ensure the sampler worked properly.
- On sampling, the sampler was operated 5 minutes to establish thermal equilibrium before placing any filter media at designated air monitoring station.
- The filter holding frame was then removed by loosening the four nuts and carefully a weighted and conditioned filter was centered with the stamped number upwards, on a supporting screen.
- The filter was aligned on the screen so that the gasket formed an air-tight seal on the outer edges of the filter. Then the filter holder frame was tightened to the filter holder with swing bolts. The applied pressure should be sufficient to avoid air leakage at the edges.
- The programmable timer will be set for a sampling period of 24 hours. Information was recorded on the record sheet, which included the starting time, the weather condition and the filter number (the initial weight of the filter paper can be found out by using the filter number.).
- After sampling, the filter was transferred from the filter holder of the HVS to a sealed plastic bag and sent to the laboratory for weighting. The elapsed time was also recorded.
- Before weighting, all filters were equilibrated in a desiccator for 24 hour with the temperature of 25°C ± 3°C and the relative humidity (RH) <50% ±5%.

Maintenance & Calibration

- The HVS and their accessories should be maintained in good working condition, such as replacing motor brushes routinely and checking electrical wiring to ensure a continuous power supply.
- HVS should be calibrated at bi-monthly intervals.

4.5.2 1-hour TSP Monitoring

Measuring Procedures

The measuring procedures of the 1-hr dust meter are in accordance with the Manufacturer's instruction Manual as follows:

- Set POWER to ON, check the battery indicator to ensure whether the power supply is enough to conduct the TSP monitoring;
- Calibrate the dust meter by zero check;
- Set the TIME CONSTANT of the dust meter;
- Press SAMPLE to start the TSP monitoring;
- Record the maximum, minimum and average reading directly from the dust meter by press STATISTICS when monitoring complete.

Maintenance & Calibration

- 1-hr dust meter should be checked at 3-month intervals and calibrated at 1-year intervals throughout all stages of impact air quality monitoring.

4.5.3 Wind Data Monitoring

Wind data (wind speed and wind direction) were directly extracted from Sha Tin Station (located at Sha Tin Race Course) of Hong Kong Observatory. All wind data during this reporting month are shown in Appendix D.

4.6 Action and Limit Levels

Action and Limit levels for 24-hr TSP and 1-hr TSP derived as illustrated in Table 4.5.

Table 4.5 Action and Limit Levels for 24-hr TSP and 1-hr TSP

Monitoring Location	24-hr TSP ($\mu\text{g}/\text{m}^3$)		1-hr TSP ($\mu\text{g}/\text{m}^3$)	
	Action Level	Limit Level	Action Level	Limit Level
AM1	164 *	260 *	325 *	500 *
AM3	---	---	306	500
AM3A	183	260	---	---

* = Reference to the information contained in the Baseline Monitoring Report submitted under the "Advance Engineering Infrastructure Works for Pak Shek Kok Development – Southern Access Road and Sewage Pumping Station No.3

4.7 Event-Action Plans

Please refer to Appendix E for details.

4.8 Results

4.8.1 24-hour TSP Monitoring

All monitoring data of 24-hour TSP monitoring is provided in Appendix B2. Graphical presentation of 24-hour TSP monitoring results for the reporting month is shown in Appendix B3.

No exceedances of Action and Limit Level of 24-hour TSP monitoring results were recorded during the reporting month.

4.8.2 1-hour TSP Monitoring

1-hour TSP monitoring was carried out at monitoring stations, AM1 and AM3 in the reporting month. All monitoring data of 1-hour TSP monitoring is provided in Appendix B2. Graphical presentation of 1-hour TSP monitoring results for the reporting month is shown in Appendix B3.

No exceedances of Action and Limit Level of 1-hour TSP monitoring results were recorded during the reporting month.

5.0 Noise Monitoring

5.1 Monitoring Requirements

As the requirement in EM&A Manual, noise monitoring was conducted at designated monitoring locations:

- HKIB Staff Accommodation (on ground floor near the entrance facing south-east);
- Cheung Shue Tan Village (near the outer building, temple);
- CUHK Residence No.10.

5.2 Monitoring Equipment

Integrating Sound Level Meters were used for noise monitoring. They were Type 1 sound level meters capable of giving a continuous readout of the noise level reading including equivalent continuous sound pressure level (L_{eq}) and percentile sound pressure level (L_x). They comply with International Electro technical Commission Publications 651:1979 (Type1) and 804:1985 (Type1), and speed in m/s was used to monitor the wind speed.

Table 5.1 summarized noise monitoring equipment model being used. A copy of the calibration certificates for noise meters and calibrator are attached in Appendix C1.



Table 5.1 Noise Monitoring Equipment

Equipment	Model
Integrating Sound Level Meter	Rion NL-14 Sound Level Meter
Calibrator	Quest QC-20 Acoustic Calibrator
Portable Wind Speed Indicator	TSI Model 8340-M Air Velocity Meter

5.3 Monitoring Parameters, duration and Frequency

Noise monitoring for the A-weighted levels L_{eq} , L_{10} and L_{90} were recorded. The following guide on the regular monitoring frequency for each monitoring station on a per week basis when noise generating activities are underway:

- One set of measurements between 0700-1900 hours on normal weekdays (6 consecutive $L_{eq(5-min)}$);
- One set of measurements between 1900-2300 hours (3 consecutive $L_{eq(5-min)}$)*;
- One set of measurements between 2300-0700 hours of next day (3 consecutive $L_{eq(5-min)}$)*;
- One set of measurements between 0700-1900 hours on holidays (3 consecutive $L_{eq(5-min)}$)*.

(*): Noise monitoring to be conducted only when there is construction work.

Duration, frequencies and parameters of noise measurement are presented in Table 5.2.

Table 5.2 Duration, Frequencies and Parameters of Noise Monitoring

Time period	Duration/min	Parameters	Frequency
Day-time: 0700-1900 hrs on normal weekday	30	L_{eq} , L_{10} , L_{90}	Once per week
Evening-time: 1900-2300 hrs	15	L_{eq} , L_{10} , L_{90}	Once per week
Night-time: 2300-0700 hrs of next day	15	L_{eq} , L_{10} , L_{90}	Once per week
Holiday: 0700-1900 hrs	15	L_{eq} , L_{10} , L_{90}	Once per week

5.4 Monitoring Locations and Period

In accordance with the EM&A Manual, there are three noise monitoring locations: HKIB Staff Accommodation, Cheung Shue Tan Village and CUHK Residence No.10. The location of the monitoring stations are described in Table 5.3 and depicted in Figure 1.

Table 5.3 Noise Monitoring Locations

Noise Monitoring station	Location
NM1	HKIB Staff Accommodation (on ground floor near the entrance facing south-east)
NM2	CUHK Residence No.10
NM3	Cheung Shue Tan Village (near the outer building, a temple)

The noise monitoring programme of monitoring locations (Day-time, Evening-time, Holiday and Night-time) is summarized in Table 5.4.

Table 5.4 Monitoring Periods for noise monitoring stations

Noise monitoring stations	Monitoring Period							
	Day-time		Evening-time		Holiday		Night-time	
NM1	06/07/04	10:17	06/07/04	19:10	04/07/04	09:40	---	---
	13/07/04	09:05	13/07/04	19:00	11/07/04	14:35	---	---
	20/07/04	09:30	20/07/04	19:00	18/07/04	13:28	---	---
	27/07/04	09:05	27/07/04	19:06	25/07/04	10:45	---	---
NM2	06/07/04	11:30	06/07/04	19:39	04/07/04	10:05	---	---
	13/07/04	13:15	13/07/04	19:25	11/07/04	15:10	---	---
	20/07/04	10:35	20/07/04	19:35	18/07/04	14:52	---	---
	27/07/04	10:13	27/07/04	19:32	25/07/04	09:45	---	---



Noise monitoring stations	Monitoring Period							
	Day-time		Evening-time		Holiday		Night-time	
NM3	06/07/04	13:05	06/07/04	20:13	04/07/04	10:35	---	---
	13/07/04	14:05	13/07/04	19:50	11/07/04	15:45	---	---
	20/07/04	14:50	20/07/04	20:10	18/07/04	15:30	---	---
	27/07/04	11:05	27/07/04	20:10	25/07/04	10:15	---	---

5.5 Monitoring Procedures and Calibration Details

Operation/Analysis Procedures

- The Sound Level Meter was set on a tripod at a height of 1.2m above the ground.
- For free field measurement, the meter was positioned away from any nearby reflective surfaces.
- The battery condition was checked to ensure the correct functioning of the meter.
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
 - Frequency weighting: A
 - Time weighting : Fast
 - Time measurement : 5 mins
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94 dB at 1000HZ. If the difference in the calibration level before and after measurement was more than 1 dB(A), the measurement would be considered invalid and repeat measurement would be required after re-calibration or repair of the equipment.
- The wind speed was frequently checked with a portable wind meter.
- During the monitoring period, the Leq, L10 and L90 were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet.
- Free Field correction to the measurements should be made. Correction factor of +3dB(A) should be made to the free Field measurements.
- Noise monitoring would be cancelled in the presence of fog, rain, wind with a steady speed exceeding 5m/s, or wind gusts exceeding 10m/s.

Maintenance and Calibration

- The microphone head of the sound level meter and calibrator is cleaned with soft cloth at quarterly intervals.
- The meter is sent to be supplier or HOKLAS laboratory to check and calibrated at yearly intervals.

5.6 Action and Limit Levels

The Action and Limit levels for noise levels derived as illustrated in Table 5.5.

Table 5.5 Action and Limit Levels for noise monitoring

Time Period	Time Period	Action	Limit
Normal hours	0700-1900 hrs on normal weekdays	When one documented complaint is received	75 dB(A) *
Holiday	0700-1900 hrs on holidays		70 dB(A) **
Evening-time	1900-2300 hrs on all other days		
Night-time	2300-0700 hrs of next day		55 dB(A) **

* = Reduce to 70 dB(A) for schools and 65 dB(A) during school examination periods.

** = Area Sensitivity Rating (ASR) C is selected from the "Technical Memorandum on Noise from Construction Work Other Than Percussive Piling".

5.7 Event-Action Plans

Please refer to the Appendix E for details.



5.8 Results

Day-time, Evening-time and Holiday noise monitoring were carried out at monitoring stations, NM1, NM2 and NM3 in this reporting month. No night-time noise monitoring were required since no construction works were processed during the night-time period. All noise levels are provided in Appendix C2. Graphical presentation of the monitoring results for the reporting month are shown in Appendix C3.

No day-time, evening-time and holiday noise monitoring results at all monitoring stations exceeded the Action Level since no documented complaints on noise issue were received in this reporting month. Besides, no exceedances in Limit Level were recorded according to the results from day-time, evening-time and holiday noise monitoring.

During the restricted hours, ET found that the PMEs used complied with the requirements stated in the valid CNP and no PMEs other than ones specified in the CNP to be used in the construction site.

6.0 WASTEWATER MONITORING

- 6.1 According to the Discharge of Industrial Trade Effluent Licence (Licence No.: 2946), POC is required to carry out wastewater monitoring of suspended solids quarterly at all effluent discharge points within the site.
- 6.2 POC appointed ET of ETL to sampling the wastewater samples at the effluent discharge points. The collected sample will be transported to the Environmental Laboratory of ETL for suspended solids content analysis. The Environmental Laboratory of ETL is HOKLAS accredited and the test method used for suspended solids analysis is also HOKLAS accredited in accordance with the 2540D of Standard Methods for the Examination of Water and Wastewater (APHA 19th edition).
- 6.3 Under the Wastewater Discharge Licence (No.: 2946), the discharge limit of Suspended Solids content of the effluent at this site should be 30mg/L. It means that the suspended solids of wastewater discharged should be less than 30mg/L or otherwise no wastewater can be discharged under this Licence.
- 6.4 During June 2004, wastewater monitoring was carried out by ET at 05 June 2004 at one discharge point. During this monitoring, one wastewater sample was collected from the effluent discharge point and transported to ETL immediately for analysis. The result of suspended solids content of the wastewater sample was found below 30mg/L and within the discharge limit of the Discharge Licence. The test report for this monitoring was attached in Appendix J.
- 6.5 Since the effluent discharge licence required to carry out wastewater monitoring of suspended solids quarterly at all effluent discharge points within the site, the next wastewater monitoring should be at September 2004.

7.0 ENVIRONMENTAL NON-CONFORMANCE

7.1 Summary of air quality, noise and wastewater monitoring

No exceedances of Action and Limit Level of 24-hour and 1-hour TSP monitoring results were recorded during the reporting month.

No day-time, evening-time and holiday noise levels recorded at all monitoring stations exceeded the Action and Limit Level in the reporting month.



The suspended solids results of wastewater samples from Discharge points were found within the discharge limit during monitoring period.

7.2 Summary of Environmental Complaints

No environmental complaints were received in this monitoring month.

7.3 Summary of Notification of Summons and Prosecution

There were no notification of summons respect to environmental issues registered in this month. Cumulative log of Notification of Summons and Prosecution is tabulated in Table 7.1.

Table 7.1 Cumulative Log of Notification of Summons and Prosecution

Date	Detail of Notice of Summons or Prosecution	Action Taken	Environmental Outcome
16 Oct 2002	The site main haul road was neither paved with any one of concrete, bituminous materials, hard core or metal plates, nor had the entire road surface maintained wet by the spraying of water or dust suppression chemical.	<ul style="list-style-type: none"> POC paved the site main haul road with concrete and bituminous materials; The road surface was wet by the spraying of water regularly by POC. 	It was observed that the problem of dust emission from the site main haul road has been improved. No further complaint or ticket was received during the reporting month.
11 July 2003	Three stockpiles of dusty material namely aggregate, were wither covered entirely by impervious sheeting, nor place in an area sheltered on top and three sites, nor sprayed with water or dust suppression chemical so as to maintain entire surface wet.	The stockpiles of aggregates / excavated materials were covered with tarpaulin sheet / sprayed with water in order to avoid the dust emission.	No further complaints were received during the reporting month.

8.0 SITE INSPECTION

Weekly site inspections were carried out by the ET. Five site inspections were undertaken in this reporting month (03, 10, 17, 24 and 31 July 2004). Monthly joint site inspection at 15 July 2004 was carried out by Engineer's Representative, IEC, POC and ET. A summary of the implementation status of the mitigation measures on site inspections is presented in Appendix H.

8.1 Summary of the site inspection findings and Action(s) taken by POC and ET

Summaries of the site inspection findings in this reporting month are shown in Table 8.1.

Table 8.1 The summary of the site inspection findings and Action(s) taken by POC and ET

Item	Aspects	Findings	Action(s) taken by POC	ET Verification
1	Air (Obs.)	Some of the stockpiles of C&D and excavated materials were not entirely covered during weekly site inspection. They should be backfilled, entirely covered with impervious tarpaulin sheets or hydroseeded.	The stockpile of C&D and excavated material were covered with tarpaulin sheets, some slope of the stockpile was already hydroseeded.	During the last weekly site inspection in this reporting month, most of the stockpile of C&D and excavated material were covered with tarpaulin sheets or hydroseeded.
2	Air (Obs)	Some dusty ground was observed during weekly and monthly joint site inspections.	The dusty ground was covered and watering was provided frequently.	During the last site inspection in this reporting month, the dusty ground was found watered and no dust was observed.

Item	Aspects	Findings	Action(s) taken by POC	ET Verification
3	Waste (Obs)	Rubbish was observed near Pumping Station – Science Park Phase 1 during monthly joint site inspection.	Rubbish was removed immediately. More manpower was provided to collect rubbish and more rubbish bins were provided.	During the subsequent weekly site inspection, the rubbish had been collected and rubbish bins were observed.

8.2 Status of Environmental Licensing and Permitting

All permits/licenses valid in July 2004 are summarized in Table 8.2.

Table 8.2 Summary of environmental licensing and permit status

Description	Permit No.	Valid Period		Section
		From	To	
Environmental Permit	EP-108/2001	05/11/02	---	Whole work site
Construction Noise Permit (General / Prescribed construction works)	GW-TN0095-04	15/03/04	14/09/04	<p><u>Group A (For Area B or C):</u></p> <ul style="list-style-type: none"> • 1 Dump truck (CNP 067) • 2 Excavator, tracked (CNP 081) • 1 Bulldozer (CNP 030) <p><u>Group B (For Area A, D or E):</u></p> <ul style="list-style-type: none"> • 1 Dump trucks (CNP 067) • 1 Excavator, tracked (CNP 081) <p><u>Group C (For Area B, B2 or E):</u></p> <ul style="list-style-type: none"> • 1 Crane, mobile (CNP 048) • 1 Generator (CNP 102) • 1 Vibration Hammer • 1 Power Pack <p><u>Group D (For Area B2 or E):</u></p> <ul style="list-style-type: none"> • 1 Generator (CNP 102) • 1 Crane, mobile (CNP 048) • 1 Oscillator, piling large diameter bored (CNP 165) • 2 Concrete lorry mixers (CNP 044) <p><u>Group E (For Area B2 or E):</u></p> <ul style="list-style-type: none"> • 2 Concrete lorry mixers (CNP 044) • 1 Concrete pump lorry (CNP047) • 1 Poker, handheld (CNP 170) <p><u>Group F (For Area B2 or E):</u></p> <ul style="list-style-type: none"> • 2 Concrete lorry mixers (CNP 044) • 1 Crane, mobile (CNP 048) • 1 Poker, handheld (CNP 170) <p><u>Group G (For Area B, C or D):</u></p> <ul style="list-style-type: none"> • 2 Concrete lorry mixers (CNP 044) • 1 Excavator, tracked (CNP 081) • 1 Poker, handheld (CNP 170) <p><u>Group H (For Area B2 or E):</u></p> <ul style="list-style-type: none"> • 1 Air compressor, air flow >10m³/min and 30m³/min (CNP 002) • 1 Crane, mobile (diesel) (CNP 048) • 1 Generator, silenced, 75 dB(A) at 7m (CNP 102) • 1 piling, large diameter bored crab and chisel (CNP 164) • 1 piling, large diameter bored oscillator (CNP 165) • 1 Piling, large diameter bored, reverse circulation drill (CNP 166) <p><u>Group I (For Area B, C or D):</u></p> <ul style="list-style-type: none"> • 1 Dump truck (CNP 067) • 1 Asphalt Paver (CNP 004) • 1 Roller, vibratory (CNP 186) • 1 Road Roller (CNP 185) <p><u>Group J (For Area A or F):</u></p> <ul style="list-style-type: none"> • 1 Excavator, tracked (CNP 081) • 1 Roller, vibratory (CNP 186)
Construction Noise Permit (General / Prescribed construction works)	GW-TN0287-04	01/07/04	30/09/04	<p><u>Group A</u></p> <ul style="list-style-type: none"> • 1 Crane, mobile (CNP 048) • 1 Generator (CNP 102) <p><u>Group F (For Area B2 or E):</u></p> <ul style="list-style-type: none"> • 1 Lorry with Crane



Description	Permit No.	Valid Period		Section
		From	To	
Construction Noise Permit (General / Prescribed construction works)	GW-TN0287-04	01/07/04	30/09/04	<u>Group A</u> • 1 Crane, mobile (CNP 048) • 1 Generator (CNP 102) <u>Group F (For Area B2 or E):</u> • 1 Lorry with Crane
Waste Producer	5213 729 P2800 11	03/10/02	---	Generating waste at the work site
Wastewater Discharge License	No. 2946	18/12/02	18/12/07	Discharge of trade Effluent, surface run-off and all other wastewater arising from the construction site and sedimentation tank

8.3 Recommendations on site inspection findings in Site Inspections of this month

Based on the site inspection findings, the recommendations are as below:

- All stockpiles with a volume of greater than 50m³ should be covered with clean tarpaulin sheets, watering or hydro-seeding to avoid wind and water erosion;
- Placing enough sand bags or other protection should be applied to prevent the silty surface runoff onto the drains system;
- Checking and maintaining all the site machines to prevent dust emission;
- Providing briefing to the concerned site staff on remedial actions, such as handling method of chemicals and chemical waste;
- Maintain good waste management at the site.

9.0 WASTE MANAGEMENT

9.1 Waste Management Audit

Waste management audit was carried out by the ET on a weekly basis. A summary of the implementation status of the mitigation measures on waste management is presented in Appendix H.

9.2 Records of Waste Quantities

All type of wastes arising from the construction work are classified into the following:

- General refuses;
- Chemical waste;
- Construction & demolition (C&D) material.

The quantities of waste for disposal in this month are summarized in Table 9.1.

Table 9.1 Summary of Quantities of Waste for Disposal in this reporting month

Type of Waste	Quantity	Disposal Location
C&D Material (Inert) (m ³)	0	Nil
C&D material (Non-inert) (m ³)	0	Nil
General Refuse (m ³)	35	Disposed at NENT Landfills
Chemical Waste (L)	872	Collected by licensed waste haulier

10.0 IMPLEMENTATION STATUS

10.1 Implementation Status of Environmental Mitigation Measures

POC has been implementing the required environmental mitigation measures according to Implementation of Mitigation Measures (clause 4.2, 5.2 and 6.2) in Environmental Management Plan for Contract No. TP 35/02 Remaining Engineering Infrastructure Works for Pak Shek Kok Development Package 1 (Revision 2). A summary of the implementation status of the mitigation measures is presented in Appendix H.



Air Quality

The Contractor was reminded to water, hydro-seed or cover all the stockpiles by using clean tarpaulin sheets. The Contractor was also reminded to cleanup the access road regularly to avoid dust emission.

Noise

All mitigation measures stated in Appendix I were implemented properly in this reporting month.

Water Quality

The Contractor was reminded to provide more effort to implement mitigation measures, such as diverting site runoff to suitable treatment processes before discharge, sedimentation system and drainage facilities (e.g. sedimentation trap and U-channels), and remove the sand/rubbish accumulated in the drain / channel regularly.

Waste Management

POC has been implementing most mitigation measures on waste management.

10.2 Implementation Status of Event and Action Plan

There were no exceedances in air quality and noise monitoring parameters recorded in this monitoring month. No further mitigation measures were required.

10.3 Implementation Status of Environmental Complaint Handling

No complaints had been received during this monitoring month.

11.0 CONCLUSION

Impact monitoring of air quality and noise were carried out at designated locations in accordance with the EM&A Manual in this reporting month.

According to the summary of air and noise monitoring results, no exceedances of Action and Limit Level of 24-hour and 1-hour TSP monitoring results were recorded during the reporting month. Besides, no day-time, evening-time and holiday noise levels were recorded at all monitoring stations exceeded the Action and Limit Level in this reporting month. No night-time noise monitoring were required since no construction works were processed during the night-time period.

During the restricted hours, ET found that the PMEs used complied with the requirements stated in the valid CNP and no PMEs other than ones specified in the CNP to be used in the site.

According to the ET weekly site inspections and IEC monthly site audit carried out this month, it indicated that site practices of the POC were generally undertaken in an environmentally acceptable manner and the overall site environmental performance was satisfactory.

12.0 FUTURE KEY ISSUES

12.1 Upcoming EM&A Schedule in coming two months

The Proposed EM&A program in coming two months are presented as following table:



Table 12.1 – Upcoming EM&A Schedule in coming two months

Type of Monitoring	August 2004	September 2004
Noise Monitoring (Day-time)	03, 10, 17, 24, 31	07, 14, 21, 28
Noise Monitoring (Evening-time)	03, 10, 17, 24, 31	07, 14, 21, 28
Noise Monitoring (Holiday)	01, 08, 15, 22, 29	05, 12, 19, 26
1-hour TSP	03, 05, 07, 10, 12, 14, 17, 19, 21, 24, 26, 28, 31	02, 04, 07, 09, 11, 14, 16, 18, 21, 23, 25, 28, 30
24-hour TSP	02, 07, 13, 19, 14, 31	06, 11, 17, 23, 28
Site Inspection	07, 14, 21, 28	04, 11, 18, 25

12.2 Upcoming construction works schedule in the coming month

The major construction works planned to be carried out in next two months and their possible impact is tabulated (Table 12.2) for reference.

Table 12.2 – Construction Plan in the coming month

Month	Works Planned to be Carried Out
Between August and September 2004	▪ Excavation works for PS1 and PS2
	▪ Drainageworks in Area 7A, Area 15, Zone P and Zone H
	▪ Watermain installation works
	▪ Roadworks for Area 15 and Zone P
	▪ Pile cap construction for road D1 bridge
	▪ Demolition of cyclist bridge at the northern entrance
	▪ Construction of footpath & cycle track along Area 1, 2, 6, 7B, 8A, 9A, 9B and Area 15
	▪ CCTV for drainage pipelines C40 and at Area 8A and 9A
	▪ Subway SBI E&M works
	▪ Sewage works in Area 1, Area 4, Area 15 and Area 6
	▪ Construction of pumping station no.1 and no.2




Appendix A

Organization Chart and Lines of Communication


Project Site Organization Chart (with contact details)

Contract No. TP 35/02
 Remaining Engineering Infrastructure Works for
 Pak Shek Kok Development Package 1
 Site Tel: 2602 2895 Fax: 2691 6012





Lines of Communication





Appendix B1

Calibration Certificates for Air Quality Monitoring Equipments



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

8/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong
Tel : 2695 8318 E-mail : etl@ets-testconsult.com
Fax : 2695 3944 Web site : www.ets-testconsult.com

TEST REPORT


Calibration Report
of
High Volume Air Sampler

Manufacturer : Greasby GMW Date of Calibration : 17 May 2004
Serial No. : 1178 (EA/003/01) Calibration Due Date : 16 July 2004
Method : Based on Operations Manual for Graseby Model GS2310 series using calibration kit TE-5025A

Results :

Flow recorder reading (cfm)	57	50	46	38	29
Qstd (Actual flow rate, m ³ /min)	1.76	1.56	1.42	1.19	0.93
Pressure :	759.81 mm Hg		Temp. :	303 K	

Sampler1178 Calibration Curve
Site: Pak Shek Kok Monitoring Station AM1 (24hr.)
Date of Calibration: 17 May 2004



Acceptance Criteria : Correlation coefficient (r) of the calibration curve greater than 0.990 after a 5 point calibration

The high volume sampler complies * / ~~does not comply~~* with the specified requirements and is deemed acceptable * / ~~unacceptable~~* for use.

Calibrated by : Mak Kei Wai
Mak Kei Wai
(Technician)

Approved by : H. T. Chow
H. T. Chow
(Asst. Environmental Officer)



東業德勤測試顧問有限公司

ETS-TESTCONSULT LIMITED

8/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong

Tel : 2695 8318

E-mail : etl@ets-testconsult.com

Fax : 2695 3944

Web site : www.ets-testconsult.com

TEST REPORT

Calibration Report

of

High Volume Air Sampler

Manufacturer : Greasby GMW Date of Calibration : 20 July 2004

Serial No. : 1178 (EA/003/01) Calibration Due Date : 19 September 2004


Method : Based on Operations Manual for Graseby Model GS2310 series using calibration kit TE-5025A

Results	Flow recorder reading (cfm)	52	46	40	32	26
	Qstd (Actual flow rate, m ³ /min)	1.68	1.53	1.38	1.16	0.90
	Pressure :	753.06 mm Hg			Temp. :	303 K

Sampler1178 Calibration Curve

Site: Pak Shek Kok Monitoring Station AM1 (24hr.)

Date of Calibration: 20 July 2004



Acceptance Criteria : Correlation coefficient (r) of the calibration curve greater than 0.990 after a 5 point calibration

The high volume sampler complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use.

Calibrated by : Felix Tin
Felix Tin
(Technician)

Approved by : H. T. Chow
H. T. Chow
(Asst. Environmental Officer)



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

8/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong
Tel : 2695 8318 E-mail : etl@ets-testconsult.com
Fax : 2695 3944 Web site : www.ets-testconsult.com

TEST REPORT


Calibration Report
of
High Volume Air Sampler

Manufacturer : Greasby GMW Date of Calibration : 17 May 2004
Serial No. : 7179 (EA/003/16) Calibration Due Date : 16 July 2004
Method : Based on Operations Manual for Graseby Model GS2310 series using calibration kit G25 A

Results :

Flow recorder reading (cfm)	54	46	41	31	22
Qstd (Actual flow rate, m ³ /min)	1.71	1.52	1.38	1.16	0.91
Pressure : 759.81 mm Hg	Temp. : 303 K				

Sampler 7179 Calibration Curve
Site: Pak Shek Kok (AM3A)
Date of Calibration: 17 May 2004



Acceptance Criteria : Correlation coefficient (r) of the calibration curve greater than 0.990 after a 5 point calibration

The high volume sampler complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use.

Calibrated by : Mak Kei Wai
Mak Kei Wai
(Technician)

Approved by : H. T. Chow
H. T. Chow
(Asst. Environmental Officer)



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

8/F, Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong
Tel : 2695 8318 E-mail : etl@ets-testconsult.com
Fax : 2695 3944 Web site : www.ets-testconsult.com

TEST REPORT


Calibration Report
of
High Volume Air Sampler

Manufacturer : Greasby GMW Date of Calibration : 20 July 2004
Serial No. : 7179 (EA/003/16) Calibration Due Date : 19 September 2004
Method : Based on Operations Manual for Graseby Model GS2310 series using calibration kit TE-5025A

Results :

Flow recorder reading (cfm)	52	46	38	28	18
Qstd (Actual flow rate, m ³ /min)	1.68	1.50	1.35	1.17	0.90
Pressure :	753.06 mm Hg			Temp. :	303 K

Sampler 7179 Calibration Curve
Site: Pak Shek Kok (AM3A)
Date of Calibration: 20 July 2004



Acceptance Criteria : Correlation coefficient (r) of the calibration curve greater than 0.990 after a 5 point calibration

The high volume sampler complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use.

Calibrated by :
Felix Tin
(Technician)

Approved by :
H. T. Chow
(Asst. Environmental Officer)



Appendix B2

Air Quality Monitoring Results

Summary of 24-hr TSP Monitoring Results

Monitoring Station : AM1
Location : HKIB Staff Accommodation

Start		Finish		Elapse Time		Sampling Time (hrs)	Flow Rate (m ³ /min.)		Average (m ³ /min.)	Filter Weight (g)		Conc. (µg/m ³)	Weather Condition
Date	Time	Date	Time	Initial	Final		Initial	Final		Initial	Final		
02/07/04	10:24	03/07/04	10:31	6207.78	6231.90	24.12	0.99	0.99	0.99	2.8057	2.9154	77	Sunny
08/07/04	13:10	09/07/04	12:55	6231.90	6255.66	23.76	0.90	0.90	0.90	2.8242	2.9256	79	Sunny
14/07/04	09:00	15/07/04	09:03	6255.66	6279.70	24.04	0.96	0.96	0.96	2.7738	2.8843	80	Sunny
20/07/04	09:15	21/07/04	09:15	6279.70	6303.61	23.91	0.96	0.96	0.96	2.8062	2.9140	78	Rainy
26/07/04	09:45	27/07/04	09:38	6303.61	6327.49	23.88	0.97	0.97	0.97	2.7904	2.8500	43	Cloudy
31/07/04	09:15	01/08/04	09:12	6327.49	6351.44	23.95	0.99	0.99	0.99	2.8623	2.9676	74	Sunny

Monitoring Station : AM3A
Location : Cheung Shue Tan (in front of Man Kee Store)

Start		Finish		Elapse Time		Sampling Time (hrs)	Flow Rate (m ³ /min.)		Average (m ³ /min.)	Filter Weight (g)		Conc. (µg/m ³)	Weather Condition
Date	Time	Date	Time	Initial	Final		Initial	Final		Initial	Final		
02/07/04	10:41	03/07/04	10:46	11542.65	11566.73	24.08	1.12	1.12	1.12	2.8014	2.9033	63	Sunny
08/07/04	09:20	09/07/04	09:05	11566.73	11590.58	23.85	1.12	1.12	1.12	2.8730	2.9728	63	Sunny
14/07/04	09:15	15/07/04	09:03	11590.58	11614.38	23.80	1.27	1.27	1.27	2.7678	2.8652	54	Sunny
20/07/04	14:40	21/07/04	14:25	11614.38	11638.13	23.75	1.29	1.29	1.29	2.7773	2.8702	51	Rainy
26/07/04	10:03	27/07/04	09:03	11638.13	11661.13	23.00	1.20	1.20	1.20	2.8224	2.9820	42	Cloudy
31/07/04	10:40	01/08/04	10:34	11661.13	11685.03	23.90	1.12	1.12	1.12	2.8750	2.9752	62	Sunny

Summary of 1-hr TSP Monitoring Results

Monitoring Station : AM1
Location : HKIB Staff Accommodation

Date	Monitoring Period		1-hr TSP ($\mu\text{g}/\text{m}^3$)			Weather
	Start	Finish	Minimum	Maximum	Average	
02/07/04	09:25	10:25	62	393	179	Sunny
03/07/04	10:35	11:35	81	376	93	Cloudy
06/07/04	10:15	11:15	73	311	96	Cloudy
08/07/04	13:30	14:30	177	349	241	Sunny
10/07/04	08:45	09:45	162	370	222	Cloudy
13/07/04	09:00	10:00	143	352	172	Cloudy
15/07/04	10:40	11:40	89	321	123	Sunny
17/07/04	08:45	09:45	67	311	84	Rainy
20/07/04	09:10	10:10	64	297	72	Rainy
22/07/04	09:15	10:15	92	390	139	Cloudy
24/07/04	08:45	09:45	97	326	127	Sunny
27/07/04	09:00	10:00	110	521	134	Cloudy
29/07/04	09:06	10:06	59	259	79	Rainy
31/07/04	09:20	10:20	92	349	157	Sunny

Monitoring Station : AM3
Location : Cheung Shue Tan Village (near the outer building, a temple)

Date	Monitoring Period		1-hr TSP ($\mu\text{g}/\text{m}^3$)			Weather
	Start	Finish	Minimum	Maximum	Average	
02/07/04	10:45	11:45	46	288	115	Sunny
03/07/04	09:10	10:10	70	291	85	Cloudy
06/07/04	13:00	14:00	69	276	93	Cloudy
08/07/04	09:25	10:25	160	302	233	Sunny
10/07/04	10:00	11:00	121	320	200	Cloudy
13/07/04	14:10	15:10	87	330	125	Cloudy
15/07/04	13:00	14:00	76	211	94	Sunny
17/07/04	10:05	11:05	59	200	69	Rainy
20/07/04	14:45	15:45	60	198	65	Rainy
22/07/04	10:35	11:35	86	325	95	Cloudy
24/07/04	10:00	11:00	86	296	110	Sunny
27/07/04	11:00	12:00	101	431	105	Cloudy
29/07/04	14:00	15:00	61	213	74	Rainy
31/07/04	10:35	11:35	86	298	119	Sunny




Appendix B3


Graphical Plots of Air Quality Monitoring Data



24-hour TSP level at AM1 (HKIB Staff Accommodation)




24-hour TSP level at AM3A (Cheung Shue Tan in front of Man Kee Store)






1-hour TSP level at AM1, HKIB Staff Accommodation



1-hour TSP level at AM3, Cheung Shue Tan Village (near the outer building, a temple)





Appendix C1

Calibration Certificates for Noise Monitoring Equipments



輝創工程有限公司

Sun Creation Engineering Limited Calibration and Testing Laboratory

Certificate No. : C033320

Certificate of Calibration

This is to certify that the equipment

Description : Sound Level Calibrator (ET/0527/005)

Manufacturer : Rion

Model No. : NC-73

Serial No. : 10865917

has been calibrated for the specific items and ranges.

The results are shown in the Calibration Report No. C033320.

The equipment is supplied by


Co. Name : ETS-TESTCONSULT LIMITED

Address : 8/F., Block B, Veristrong Industrial Centre,

34-36 Au Pui Wan St., Fotan, N.T.

Date of Issue : 19 August 2003

Certified by :


H C Chan

The test equipment used for calibration are traceable to the National Standards as specified in the calibration report.
This certificate may not be reproduced except in full and with prior written approval of the issuing laboratory.

Calibration and Testing Laboratory of Sun Creation Engineering Limited.

c/o G/F, LCK Telephone Exchange Building, 2 Yuei Lun Street, Lai Chi Kok, Kowloon, Hong Kong.

Tel: 2927 2606

Fax: 2744 8986

E-mail: callab@suncreation.com

Website: www.suncreation.com



輝創工程有限公司

Sun Creation Engineering Limited Calibration and Testing Laboratory

Report No. : C033320

Calibration Report

ITEM TESTED

DESCRIPTION : Sound Level Calibrator (ET/0527/005)
MANUFACTURER : Rion
MODEL NO. : NC-73
SERIAL NO. : 10865917

TEST CONDITIONS

AMBIENT TEMPERATURE : $(23 \pm 2)^{\circ}\text{C}$ RELATIVE HUMIDITY : $(55 \pm 15)\%$
LINE VOLTAGE : ---

TEST SPECIFICATIONS

Calibration check

DATE OF TEST : 19 August 2003


JOB NO. : IC03-2344

TEST RESULTS

The results apply to the particular unit-under-test only.
All calibration points are within manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory
- The Brüel & Kjær Calibration Laboratory, DENMARK

Tested by : 
H S Yuen

Date : 19 August 2003

The test equipment used for calibration are traceable to the National Standards as specified in the calibration report.
This certificate may not be reproduced except in full and with prior written approval of the issuing laboratory.

Calibration and Testing Laboratory of Sun Creation Engineering Limited.

c/o G/F LCK Telephone Exchange Building, 2 Yuet Lun Street, Lai Chi Kok, Kowloon, Hong Kong.


Tel: 2927 2606

Fax: 2744 8986

E-mail: callab@suncreation.com

Website: www.suncreation.com

Page 1 of 2



Calibration Report

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours before the commencement of the test.
2. The results presented are the mean of 3 measurements at each calibration point.
3. Test equipment :

<u>Equipment ID</u>	<u>Description</u>	<u>Certificate No.</u>
CL126	Sound Level Meter	C033080
CL129	Universal Counter	C032505
CL281	Multifunction Acoustic Calibrator	11642

4. Test procedure : MA100N & RF005.

5. Results :

- 5.1 Sound Level Accuracy

UUT Nominal Value	Measured Value (dB)	Mfr's Spec. (dB)	Uncertainty of Measured Value (dB)
94 dB, 1 kHz	94.0	± 0.5	± 0.2

- 5.2 Frequency Accuracy

UUT Nominal Value (kHz)	Measured Value (kHz)	Mfr's Spec.	Uncertainty of Measured Value (Hz)
1	0.989 4	1 kHz ± 2 %	± 0.1

Remark : - The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Calibration Report only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the National Standards as specified in the calibration report. This certificate may not be reproduced except in full and with prior written approval of the issuing laboratory.



輝創工程有限公司

Sun Creation Engineering Limited Calibration and Testing Laboratory

Certificate No. : C033321

Certificate of Calibration

This is to certify that the equipment

Description : Precision Integrating Sound Level Meter (ET/0528/005)

Manufacturer : Rion

Model No. : NL-14

Serial No. : 10641288

has been calibrated for the specific items and ranges.


The results are shown in the Calibration Report No. C033321.

The equipment is supplied by

Co. Name : ETS-TESTCONSULT LIMITED

*Address : 8/F., Block B, Veristrong Industrial Centre,
34-36 Au Pui Wan St., Fotan, N.T.*

Date of Issue : 19 August 2003

Certified by : 
H C Chan

The test equipment used for calibration are traceable to the National Standards as specified in the calibration report.
This certificate may not be reproduced except in full and with prior written approval of the issuing laboratory.

Calibration and Testing Laboratory of Sun Creation Engineering Limited.

c/o G/F, LCK Telephone Exchange Building, 2 Yue Lun Street, Lai Chi Kok, Kowloon, Hong Kong.

Tel: 2927 2606

Fax: 2744 8986

E-mail: callab@suncreation.com

Website: www.suncreation.com



輝創工程有限公司

Sun Creation Engineering Limited Calibration and Testing Laboratory

Report No. : C033321

Calibration Report

ITEM TESTED

DESCRIPTION : Precision Integrating Sound Level Meter (ET/0528/005)
MANUFACTURER : Rion
MODEL NO. : NL-14
SERIAL NO. : 10641288

TEST CONDITIONS

AMBIENT TEMPERATURE : $(23 \pm 2)^{\circ}\text{C}$ RELATIVE HUMIDITY : $(55 \pm 15)\%$
LINE VOLTAGE : ---

TEST SPECIFICATIONS

Calibration check

DATE OF TEST : 19 August 2003

JOB NO. : IC03-2344

TEST RESULTS

The results apply to the particular unit-under-test only.
All calibration points are within manufacturer's specification.
The results are detailed in the subsequent page(s).

The test equipment used for calibration are traceable to National Standards via :
- The Brüel & Kjær Calibration Laboratory, DENMARK

Tested by :


H S Yuen

Date : 19 August 2003

The test equipment used for calibration are traceable to the National Standards as specified in the calibration report.
This certificate may not be reproduced except in full and with prior written approval of the issuing laboratory.

Calibration and Testing Laboratory of Sun Creation Engineering Limited.

c/o G/F LCK Telephone Exchange Building, 2 Yuet Lun Street, Lai Chi Kok, Kowloon, Hong Kong.
Tel: 2927 2606 Fax: 2744 8986 E-mail: callab@suncreation.com Website: www.suncreation.com

Page 1 of 3



Calibration Report

1. The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
2. Self-calibration using external calibrator, S/N : 10865917, was performed before the test.
3. The results presented are the mean of 3 measurements at each calibration point.
4. Test equipment :

<u>Equipment ID</u>	<u>Description</u>	<u>Certificate No.</u>
CL281	Multifunction Acoustic Calibrator	11642

5. Test procedure : MA101N.

6. Results :

6.1 Sound Pressure Level

6.1.1 Reference Sound Pressure Level

UUT Setting				Applied Value		UUT Reading (dB)	IEC 651 Type 1 Spec. (dB)
Range (dB)	Mode	Weight	Response	Level (dB)	Freq. (kHz)		
40 - 100	LP	A	Fast	94.00	1	94.0	± 0.7

6.1.2 Linearity

UUT Setting				Applied Value		UUT Reading (dB)
Range (dB)	Mode	Weight	Response	Level (dB)	Freq. (kHz)	
60 - 120	LP	A	Fast	94.00	1	94.0 (Ref.)
				104.00		104.0
				114.00		114.1

IEC 651 Type 1 Spec. : ± 0.4 dB per 10 dB step and ± 0.7 dB for overall different.

The test equipment used for calibration are traceable to the National Standards as specified in the calibration report. This certificate may not be reproduced except in full and with prior written approval of the issuing laboratory.



Calibration Report

6.3 Frequency Weighting

6.3.1 A-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 651 Type 1 Spec. (dB)
Range (dB)	Mode	Weight	Response	Level (dB)	Freq. (Hz)		
40 - 100	LP	A	Fast	94.00	31.5	55.6	-39.4 ± 1.5
					63	68.3	-26.2 ± 1.5
					125	78.3	-16.1 ± 1.0
					500	90.9	-3.2 ± 1.0
					1 k	94.0	Ref.
					2 k	95.0	+1.2 ± 1.0
					4 k	94.0	+1.0 ± 1.0

6.3.2 C-Weighting

UUT Setting				Applied Value		UUT Reading (dB)	IEC 651 Type 1 Spec. (dB)
Range (dB)	Mode	Weight	Response	Level (dB)	Freq. (Hz)		
40 - 100	LP	C	Fast	94.00	31.5	91.6	-3.0 ± 1.5
					63	93.7	-0.8 ± 1.5
					125	94.2	-0.2 ± 1.0
					500	94.3	-0.0 ± 1.0
					1 k	94.1	Ref.
					2 k	93.8	-0.2 ± 1.0
					4 k	92.4	-0.8 ± 1.0

Remarks : - Mfr's Spec. : IEC 651 TYPE 1.

- Uncertainties of Applied Value : 94 dB : 31.5Hz - 125 Hz : ± 0.35 dB
- 500 Hz : ± 0.30 dB
- 1 kHz : ± 0.20 dB
- 2 kHz - 4 kHz : ± 0.35 dB
- 104 dB : 1 kHz : ± 0.30 dB
- 114 dB : 1 kHz : ± 0.30 dB

- The uncertainties are for a confidence probability of not less than 95 %.

Note :

The values given in this Calibration Report only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environment changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Sun Creation Engineering Limited shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to the National Standards as specified in the calibration report. This certificate may not be reproduced except in full and with prior written approval of the issuing laboratory.

Calibration and Testing Laboratory of Sun Creation Engineering Limited.

c/o G/F, LCK Telephone Exchange Building, 2 Yuet Lun Street, Lai Chi Kok, Kowloon, Hong Kong.
Tel: 2927 2606 Fax: 2744 8986 E-mail: callab@suncreation.com Website: www.suncreation.com



Appendix C2

Noise Monitoring Results



Day-time Noise Monitoring

Monitoring Location: NM1 (HKIB Staff Accommodation)

Date	Start Sampling Time (hh:mm)	Noise Level dB (A)			Wind Speed (m/s)	Weather Condition
		L _{eq} (30)	L10	L90		
06/07/04	10:17	58.9	60.8	55.5	2.1	Cloudy
13/07/04	09:05	58.6	61.8	53.5	0.1	Cloudy
20/07/04	09:30	58.2	59.4	54.5	1.2	Cloudy
27/07/04	09:05	58.8	60.7	54.9	1.3	Cloudy

Monitoring Location: NM2 (CUHK Residence No.10)

Date	Start Sampling Time (hh:mm)	Noise Level dB (A)			Wind Speed (m/s)	Weather Condition
		L _{eq} (30)	L10	L90		
06/07/04	11:30	57.5	58.8	53.8	1.4	Cloudy
13/07/04	13:15	57.3	59.9	53.9	0.2	Cloudy
20/07/04	10:35	56.9	58.4	53.7	1.4	Cloudy
27/07/04	10:13	58.2	59.1	54.4	1.2	Cloudy

Monitoring Location: NM3 (Cheung Shue Tan Village)

Date	Start Sampling Time (hh:mm)	Noise Level dB (A)			Wind Speed (m/s)	Weather Condition
		L _{eq} (30)	L10	L90		
06/07/04	13:05	55.4	56.8	52.0	1.0	Cloudy
13/07/04	14:05	55.0	57.4	48.9	0.2	Cloudy
20/07/04	14:50	56.5	58.1	52.2	1.0	Cloudy
27/07/04	11:05	54.8	56.5	53.0	1.0	Cloudy



Evening-time Noise Monitoring

Monitoring Location: NM1 (HKIB Staff Accommodation)

Date	Start Sampling Time	Noise Level dB (A)									Wind Speed (m/s)	Weather Condition
		L _{eq} (5)			L10			L90				
06/07/04	19:10	56.2	56.6	55.8	58.7	59.3	58.3	53.5	54.0	53.1	1.1	Cloudy
13/07/04	19:00	56.1	56.0	56.2	58.2	58.1	58.4	52.0	51.9	51.7	0.1	Fine
20/07/04	19:00	56.7	55.4	54.6	57.9	56.2	55.8	52.7	51.6	51.1	1.3	Cloudy
27/07/04	19:06	62.9	63.4	63.8	65.1	65.6	66.0	59.4	59.9	60.5	1.5	Cloudy

Monitoring Location: NM2 (CUHK Residence No.10)

Date	Start Sampling Time	Noise Level dB (A)									Wind Speed (m/s)	Weather Condition
		L _{eq} (5)			L10			L90				
06/07/04	19:39	53.7	53.4	53.1	55.4	55.2	54.9	51.3	51.0	50.8	1.1	Cloudy
13/07/04	19:25	54.2	55.0	54.9	56.7	57.2	57.0	49.8	49.0	48.9	0.3	Fine
20/07/04	19:35	55.7	53.9	54.6	56.8	55.1	56.0	51.1	50.9	51.4	1.4	Cloudy
27/07/04	19:32	65.0	64.3	64.7	66.8	66.0	66.3	63.5	62.9	63.1	0.9	Cloudy

Monitoring Location: NM3 (Cheung Shue Tan Village)

Date	Start Sampling Time	Noise Level dB (A)									Wind Speed (m/s)	Weather Condition
		L _{eq} (5)			L10			L90				
06/07/04	20:13	49.8	50.2	50.5	51.6	51.9	52.2	46.4	46.8	47.3	0.7	Cloudy
13/07/04	19:50	52.3	52.0	52.2	54.8	54.3	54.8	46.6	46.2	47.0	0.4	Fine
20/07/04	20:10	52.7	53.6	53.2	54.0	54.7	55.9	50.1	49.8	50.4	1.1	Cloudy
27/07/04	20:10	53.5	53.0	52.6	58.0	57.4	56.6	50.2	49.7	49.0	2.3	Cloudy



Holiday Noise Monitoring

Monitoring Location: NM1 (HKIB Staff Accommodation)

Date	Start Sampling Time	Noise Level dB (A)									Wind Speed (m/s)	Weather Condition
		L _{eq} (5)			L10			L90				
04/07/04	09:40	55.3	55.0	55.6	57.8	57.3	58.0	49.2	49.0	50.1	1.1	Cloudy
11/07/04	14:35	57.9	59.2	56.8	59.2	60.7	58.1	55.2	56.8	54.8	1.3	Cloudy
18/07/04	13:28	61.4	62.5	62.8	63.7	64.2	64.9	57.0	57.9	58.4	1.6	Sunny
25/07/04	10:45	57.4	58.0	57.4	59.2	60.2	59.9	54.1	55.7	55.1	0.4	Sunny

Monitoring Location: NM2 (CUHK Residence No.10)

Date	Start Sampling Time	Noise Level dB (A)									Wind Speed (m/s)	Weather Condition
		L _{eq} (5)			L10			L90				
04/07/04	10:05	54.1	54.5	55.2	56.8	57.3	58.1	47.9	58.6	49.9	0.6	Cloudy
11/07/04	15:10	55.9	56.7	57.6	57.2	58.3	59.6	53.2	52.9	54.4	1.2	Cloudy
18/07/04	14:52	59.0	58.3	57.8	61.8	61.2	60.3	54.9	54.2	53.7	1.3	Sunny
25/07/04	09:45	55.8	55.0	55.9	57.9	57.2	58.1	52.1	51.8	52.0	0.3	Sunny

Monitoring Location: NM3 (Cheung Shue Tan Village)

Date	Start Sampling Time	Noise Level dB (A)									Wind Speed (m/s)	Weather Condition
		L _{eq} (5)			L10			L90				
04/07/04	10:35	52.1	52.4	53.0	54.4	54.7	55.1	46.2	46.6	47.2	0.6	Cloudy
11/07/04	15:45	53.7	55.6	54.9	55.2	56.9	56.2	53.0	52.1	51.9	1.0	Cloudy
18/07/04	15:30	52.8	53.5	52.6	57.5	58.0	56.2	51.3	52.0	50.4	0.5	Sunny
25/07/04	10:15	52.7	53.0	52.9	54.6	55.4	55.1	48.2	48.6	48.0	0.34	Sunny




Appendix C3

Graphical Plots of Noise Monitoring Data




Noise Monitoring (Day-time)


Noise level at NM1, HKIB Staff Accommodation



Noise level at NM2, CUHK Residence No.10




Noise level at NM3, Cheung Shue Tan Village






Noise Monitoring (Evening-time)


Noise level at NM1, HKIB Staff Accommodation



Noise level at NM2, CUHK Residence No.10




Noise level at NM3, Cheung Shue Tan Village






Noise Monitoring (Holiday)


Noise level at NM1, HKIB Staff Accommodation



Noise level at NM2, CUHK Residence No.10



Noise level at NM3, Cheung Shue Tan Village





Appendix D

Weather Condition



Weather Condition

Date	Rainfall (mm)	Max. Temp (°C)	Min. Temp. (°C)	Relative Humidity (%)	Wind Direction	Wind Speed (m/s)
01/07/04	Trace	34.6	29.1	76	W	<5
02/07/04	0.1	33.8	29.4	77	SW	<5
03/07/04	8.6	30.5	28.6	85	S	<5
04/07/04	2.0	30.9	26.4	84	SW	<5
05/07/04	1.0	31.5	28.2	78	SW	<5
06/07/04	0.4	30.9	29.3	79	SW	<5
07/07/04	18.3	31.9	26.6	79	SW	<5
08/07/04	-	32.3	28.7	79	SW	<5
09/07/04	Trace	31.7	28.5	75	SW	<5
10/07/04	3.1	31.2	27.4	77	S	<5
11/07/04	1.2	31.0	28.2	77	S	<5
12/07/04	5.3	30.8	27.3	78	SW	<5
13/07/04	8.1	30.5	25.9	80	SW	<5
14/07/04	-	32.1	27.0	74	SW	<5
15/07/04	-	32.8	26.8	74	SW	<5
16/07/04	77.5	28.1	23.5	87	SW	<5
17/07/04	44.4	26.7	22.7	92	S	<5
18/07/04	-	31.3	24.8	82	S	<5
19/07/04	19.1	29.5	25.5	86	SE	<5
20/07/04	6.9	29.1	25.6	87	SE	<5
21/07/04	58.9	27.5	24.9	94	E	<5
22/07/04	27.6	29.7	25.2	85	E	<5
23/07/04	-	30.1	27.3	82	E	<5
24/07/04	-	30.9	26.8	80	N	<5
25/07/04	Trace	30.5	27.2	79	E	<5
26/07/04	1.5	29.6	25.7	81	NE	<5
27/07/04	Trace	31.0	26.6	75	SW	<5
28/07/04	7.9	29.3	26.8	86	SW	<5
29/07/04	94.3	27.7	23.8	96	SE	<5
30/07/04	0.5	27.8	25.9	90	E	<5
31/07/04	Trace	30.5	26.6	82	NE	<5

Remark: Data of wind speed and wind direction were extracted from Hong Kong Observatory (Shatin Station).



Appendix E

Event-Action Plans



Event / Action Plan for Air Quality

EVENT	ACTION				C/CONTRACTOR
	ET Leader	IC(E)	ER		
<p>Action Level</p> <p>1. Exceedance of one sample</p> <p>2. Exceedance for two more consecutive samples</p>	<p>1. Identify source</p> <p>2. Inform IC(E) and ER</p> <p>3. Repeat measurement to confirm finding</p> <p>4. Increase monitoring frequency to daily</p> <p>1. Identify source</p> <p>2. Inform IC(E) and ER</p> <p>3. Repeat measurement to confirm findings</p> <p>4. Increase monitoring frequency to daily</p> <p>5. Discuss with IC(E) and Contractor on remedial actions required</p> <p>6. If exceedance continuous, arrange meeting with IC(E) and ER</p> <p>7. If exceedance stops, cease additional monitoring</p>	<p>1. Check monitoring data submitted by ET</p> <p>2. Check Contractor's working method.</p> <p>1. Checking monitoring data submitted by ET</p> <p>2. Check Contractor's working method</p> <p>3. Discuss with ET and Contractor on possible remedial measures</p> <p>4. Advise the ER on the effectiveness of the proposed remedial measures</p> <p>5. Supervisor implementation of remedial measures</p>	<p>1. Notify Contractor</p> <p>1. Confirm receipt of notification of failure in writing</p> <p>2. Notify Contractor</p> <p>3. Ensure remedial measures properly implemented</p>	<p>1. Rectify any unacceptable practice</p> <p>2. Amend working methods if possible</p> <p>1. Submit proposals for remedial action to IC(E) within 3 working days of notification</p> <p>2. Implement the agreed proposals</p> <p>3. Amend proposal if possible</p>	
<p>Limit Level</p> <p>1. Exceedance of one sample</p>	<p>1. Identify source</p> <p>2. Inform ER and EPD</p> <p>3. Repeat measurement to confirm finding</p> <p>4. Increase monitoring frequency to daily</p> <p>5. Assess effectiveness of Contractor's remedial actions and keep IC(E), EPD and ER informed of the results</p>	<p>1. Check monitoring data submitted by ET</p> <p>2. Check Contractor's working method.</p> <p>3. Discuss with ET and Contractor on possible remedial measures</p> <p>4. Advise the ER on the effectiveness of the proposal remedial measures</p> <p>5. Supervisor implementation of remedial measures</p>	<p>1. Confirm receipt of notification of failure in writing</p> <p>2. Notify Contractor</p> <p>3. Ensure remedial measures properly implemented</p>	<p>1. Take immediate action to avoid further exceedance</p> <p>2. Submit proposal for remedial actions to IC(E) within 3 working days of notification</p> <p>3. Implement the agreed proposals</p> <p>4. Amend proposal if appropriate</p>	
<p>2. Exceedance for two or more consecutive samples</p>	<p>1. Notify IC(E), ER, Contractor and EPD</p> <p>2. Identify source</p> <p>3. Repeat measurement to confirm findings</p> <p>4. Increase monitoring frequency to daily</p> <p>5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented</p> <p>6. Arrange meeting with IC(E) and ER to discuss the remedial actions to be taken</p> <p>7. Assess effectiveness of Contractor's remedial actions and keep IC(E), EPD and ER to discuss the remedial action to be taken</p> <p>8. If exceedance stops, cease additional monitoring</p>	<p>1. Discuss amongst ER, ET, and Contractor on potential remedial actions</p> <p>2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly</p> <p>3. Supervise the implementation of remedial measures</p>	<p>1. Confirm receipt of notification of failure in writing</p> <p>2. Notify Contractor</p> <p>3. In consultation with the IC(E), agreed with the Contractor on the remedial measures to be implemented</p> <p>4. Ensure remedial measures properly implemented</p> <p>5. If exceedance continues, consider what portion of this work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated.</p>	<p>1. Take immediate action to avoid further exceedance</p> <p>2. Submit proposals for remedial actions to IC(E) within 3 working days of notification</p> <p>3. Implement the agreed proposals</p> <p>4. Resubmit proposals if possible still not under control</p> <p>5. Stop the relevant portion of works as determined by the ER until the exceedance is abated.</p>	

Event / Action Plan for Construction Noise

EVENT	ACTION			CNTRACTOR
	ET Leader	IC(E)	ER	
Action Level	<ol style="list-style-type: none"> 1. Notify IC(E) and Contractor 2. Carry out investigation 3. Report the results of investigation to the IC(E) and Contractor 4. Discuss with the Contractor and formulate remedial measures 5. Increase monitoring frequency to check mitigation effectiveness 	<ol style="list-style-type: none"> 1. Review the analyzed results submitted by the ET 2. Review the proposed remedial measures by the Contractor and advise the ER accordingly 3. Supervise the implementation of remedial measures 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing 2. Notify Contractor 3. Require Contractor to propose remedial measures for the analyzed noise problem 4. Ensure remedial measures are properly implemented 	<ol style="list-style-type: none"> 1. Submit noise mitigation proposal to IC(E) 2. Implement noise mitigation proposals
Limit Level	<ol style="list-style-type: none"> 1. Notify IC(E), ER, and Contractor 2. Identify source 3. Repeat measurement to confirm findings 4. Increase monitoring frequency 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented 6. Inform IC(E), ER and EPD the causes & action taken for the exceedances 7. Assess effectiveness of Contractor's remedial action and keep IC(E), EPD and ER informed to the results 8. If exceedance stops, cease additional monitoring 	<ol style="list-style-type: none"> 1. Discuss amongst ER, ET and Contractor on the potential remedial actions 2. Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly 3. Supervise the implementation of remedial measures 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of failure in writing 2. Notify Contractor 3. Require Contractor to propose remedial measures for the analysed noise problem 4. Ensure remedial measures are properly implemented 5. If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance 2. Submit proposals for remedial actions to IC(E) within 3 working days of notification 3. Implement the agreed proposals 4. Resubmit proposals if problem still not under control 5. Stop the relevant portion of works as determined by the ER until the exceedance is abated



Appendix F

Construction Programme

Completion Dates

KD-2040	Section 4. Vibration in Area 3, 4 & 6	0		21JUL04*
KD-2040B	Assumed Extension of Time for KD-2040	0		09JUL04*
KD-2040A	Ashtment Data for KD-2040	0		29JUL04
KD-2160	Section 15. Waterworks in Area 1E	0		21JUL04*
KD-2170B	Assumed Extension of Time for KD-2150	0		21SEP04*
KD-2050	Section 6. Work in Area 7A except P. Sht. 1, 1SR&W	0		25AUG04*
KD-2050A	Ashtment Data for KD-2050	0		08SEP04
KD-2050B	Assumed Ext. of Time for Section 6	0		10SEP04*

Unit Milestone Dates

KD-3000	Completion Electrical Submittal to S. Park (2,3)	0		28AUG04
---------	--	---	--	---------

Submission & Approval

BD-17090	PS1 Approval of RPA Sub-System System	200	28AUG03 A	08JUL04	55
BD-17091	PS2 Approval of RPA Sub-System System	200	29AUG03 A	09JUL04	56
BD-17200	PS1 Approval of RPA Sub-System System	160	16OCT03 A	28JUN04	58

Preliminaries & Procurement


BD-20570	PS1 Fabrication of Delivery-Straps Pump and VSD	334	22OCT03 A	18SEP04	65
BD-20571	PS2 Fabrication of Delivery-Straps Pump and VSD	234	18DEC03 A	13SEP04	70
BD-20572	PS2 Fabrication of Delivery-Straps Pump and VSD	234	18DEC03 A	30AUG04	71
BD-12010	Pumping Station E&M, Pumps, etc.	180	25DEC03 A	20JUL04	68
BD-20574	PS1 Fabrication of Delivery-Straps & Pipework	184	20FEB04 A	18AUG04	72
BD-20580	PS2 Fabrication of Delivery-Straps & Pipework	154	23FEB04 A	16AUG04	72
BD-170710	Fabrication & Delivery - Preliminary	90	24MAR04 A	18JUL04	75
BD-205710	PS1 Fabrication of Delivery-Straps & Pipework	122	14APR04 A	03SEP04	43
BD-205715	PS2 Fabrication of Delivery-Straps & Pipework	154	14APR04 A	18SEP04	44
BD-205820	PS2 Fabrication of Delivery-Straps & Pipework	171	14APR04 A	02SEP04	45
BD-206010	Fabrication & Delivery - Preliminary	50	20APR04 A	27JUL04	63
BD-205780	PS1 Fabrication of Delivery-Straps & Pipework	97	29MAY04 A	18SEP04	27
BD-206015	PS2 Fabrication of Delivery-Straps & Pipework	84	29MAY04 A	04SEP04	28
BD-205750	PS1 Fabrication of Delivery-Straps & Pipework	105	07JUL04	20OCT04	0
BD-206010	PS2 Fabrication of Delivery-Straps & Pipework	81	08JUL04	21OCT04	0

Part 11 Preliminaries

BI-0108E1	Operator maintain Mobile Phones, 40	1070	03SEP02 A	17JUL05	55
BI-0107D0	Upgrade Waste Management Plan	1060	03SEP02 A	20AUG05	61
BI-0107E0	Implement & Monitor Waste Management Plan	1050	03SEP02 A	20AUG05	61
BI-0107B0	Operator maintain 4-wheel drive vehicle, 2 hr	1001	05SEP02 A	31MAY05	68
BI-0101G0	Malina in Area 7A except P. Sht. 1, 1SR&W	1193	10SEP02 A	17OCT05	58
BI-0102D0	Progress Photography, 50r	800	10OCT02 A	22MAR05	70
BI-0106H0	Malina in Area 7A except P. Sht. 1, 1SR&W	1118	09OCT02 A	19OCT05	67
BI-0108K0	Operator maintain Mobile Phones, 3hr	1020	02SEP02 A	17SEP05	64
BI-0101D5	Sanitary Contractor & Site Accommodation	1045	16DEC02 A	19OCT05	54
BI-0101B0	Sanitary Contractor's Site Accommodation	1037	20DEC02 A	19OCT05	54
BI-0107F0	Malina in Area 7A except P. Sht. 1, 1SR&W	320	21MAY03 A	28JUN04	62
BI-0103J1	Malina in Area 7A except P. Sht. 1, 1SR&W	473	10AUG03 A	19OCT04	74
BI-0103J1	Malina in Area 7A except P. Sht. 1, 1SR&W	421	15AUG03 A	18OCT04	70
BI-0103B1	Erect Signboards, 1hr at Zone A	21	28JUN04	18JUL04	0

05H 03H
 270051
 22A Progress bar
 22B Critical bar
 22C Summary bar
 22D Summary bar
 22E Start milestone point
 22F Finish milestone point



Contract No. TP36/02
Remaining Engineering Infrastructure Works for Pak Shek Kok Development Package 1
3 MONTHS ROLLING PROGRAM



AG ID	Description	Only Dur	Start	Early Finish	Percent Complete
BS-120350	Welding, D10H 420-780	40	26AUG04	02JUL04	85
BS-120353	Welding, A1F61	30	10JUL04	08AUG04	0
BS-120355	Rebar Erection, Wisman, CA 520-710	21	10JUL04	31JUL04	0
BS-120358	Rebar Erection, Wisman, CA 520-710	16	10AUG04	15AUG04	0
Section 12: Works of Sewage Pumping Station No. 1					
UT-0500P2	Power (11KV), D10H 420-780	20	26AUG04	13JUL04	30
UT-0500T2A	PCMV, D10H 420-780	26	05JUL04	18JUL04	30
UT-0500P3	Power (11KV) in PSI	17	23SEP04	10OCT04	0
Section 13: Works of Sewage Pumping Station No. 2					
BS-120350	Excavation & Shoring	24	07JUL04	02JUL04	45
BS-120400	Construction of base slab	11	08JUL04	19JUL04	0
BS-120410	Backfill & Waterproofing	4	20JUL04	23JUL04	0
BS-120500	Concrete Voids, Rebar, and Formwork	8	24JUL04	31JUL04	0
BS-120510	Backfilling Works around Base Slab	8	01AUG04	08AUG04	0
BS-120520	Scalting of concrete floor in chamber, 3 days curing	4	08AUG04	12AUG04	0
BS-120550	Waterproofing with Bitumast BBS 3000 in all directions	16	13AUG04	02SEP04	0
BS-120710	Waterproofing test of wall section wall	0	01AUG04	08AUG04	0
BS-120800	Construction of Dry Well to Grade @ 891.2-5	10	02AUG04	18AUG04	0
BS-120850	Scalting of concrete slabs 7 days curing @ G.L. 2-5	4	18AUG04	22AUG04	0
BS-120900	Waterproofing of Walls & Beam Slab with G.L. 2-5	16	23AUG04	11SEP04	0
BS-120950	Waterproofing Test for wet wall	0	23AUG04	21OCT04	0
BS-120980	Finishing & Formwork	18	08SEP04	26SEP04	0
BS-120990	Viewing Windows, Tied Return, wall around wall	20	09SEP04	28SEP04	0
BS-120990	Drainage & Backfill	28	18AUG04	13SEP04	0
BS-120990	Construction of Voids, Columns, Beams & Roof Slab	12	18SEP04	27SEP04	0
Section 14: Electrical & Mechanical Equipment					
BS-120990	Link Application	0	28JUL04	0	0
BS-120990	Water Certification VAV-04 Part II	0	14JUL04	0	0
BS-120990	FS 314 Substation	0	14JUL04	0	0
BS-120990	Electrical Installation - Concealed Conduit	60	08AUG04	07OCT04	0
BS-120990	Valves and Pumps	40	23AUG04	08OCT04	0
Section 13: Works of Sewage Pumping Station No. 2					
BS-130000	Pile Testing Platform Preparation Works	27	15AUG04	28JUL04	80
BS-130050	Excavation & Shoring	18	08JUL04	01JUL04	0
BS-130100	Pile Testing 1 no. old key	6	28JUL04	04JUL04	0
BS-130400	Construction and casting of Base Slab	11	02AUG04	12JUL04	0
BS-130410	Base Slab waterproofing	4	13JUL04	16JUL04	0
BS-130500	Construction of G.L. 4 V&E1	6	17JUL04	24JUL04	0
BS-130520	Construction of G.L. 4 V&E1	6	23JUL04	30JUL04	0
BS-130550	Waterproofing of Wall @ G.L. 4	2	04AUG04	05AUG04	0
BS-130580	Backfilling @ G.L. 4 V&E1	7	08AUG04	12AUG04	0
BS-130600	Construction of 1st floor slab of Transfer Room	1	13AUG04	18AUG04	0
BS-130640	Construction of Transfer Room	20	20AUG04	18SEP04	0
BS-130650	Construction of walls @ other cells	8	17JUL04	23JUL04	0
BS-130680	Construction of various sized ducts	8	25JUL04	01AUG04	0
BS-130670	Scalting of concrete floor, wall for water tank	19	02AUG04	11AUG04	0

Contract No. TP35/02
 Remaining Engineering Infrastructure Works for Pak Shok Kok Development Package 1
 3 MONTHS ROLLING PROGRAM

Drawn by:	Y. S. CHAN
Checked by:	Y. S. CHAN
Scale:	1:1
Project No.:	TP35/02/01/001/01
Revision No.:	01
Company Name:	Y. S. CHAN CONSULTING CO. LTD.
Address:	9, PEARSON BUILDING, 110, WING LOK STREET, HONG KONG



Section 17 - Areas 12, 6, 7A & 7B Landscape Softwork

Section 18 - Remainder of Landscaping Works

Section 19 - Areas 1, 2, 6, 7A & 7B Establishment Work

Section 20 - Remainder of Establishment Works

Part 74 Site Safety

**Contract No. TP56/02
Remaining Engineering Infrastructure Works for Pak Shek Kok Development Package 1
3 MONTHS ROLLING PROGRAM**

ID	Task Description	Start	Finish	Complete
BL-168313	Site prep, DI, FGA, PAD, masonry	25 JUN04	11 JUL04	35
BL-168315	Drainage, DI, SW, SW, 55081, masonry	30 JUN04	21 AUG04	0
BL-168318	Services Rolling Machine, DI, FGA, 1500 masonry	7 JUL04	24 JUL04	0
BL-168335	Installation and Construction of 2.5m Trip, Ch.	60 JUN04	07 JUL04	60
BL-168935	Topsoil Channel, Zone T	60 JUN04	10 JUL04	75
BL-168936	Topsoil Channel, at R 6th S	60 JUN04	10 JUL04	0
BL-168937	Treatment Channel, DI, L4 to Channel C10	50 JUN04	150 JUL04	0
BL-168938	Topsoil Channel, DI, L1, 600-49 to Area 24 bound	50 JUN04	0600 JUL04	0
BL-169011	PCGW, DI, Ch, 1020-1360	35 JUN04	21 JUL04	25
BL-169012	HGC-New Wood, DI, Ch, 1020-1360	35 JUN04	21 JUL04	25
BL-169013	Gas Main, DI, Ch, 1020-1360	35 JUN04	22 AUG04	0
BL-169014	Powers (1)W, DI, Ch, 1020-1360	35 JUN04	14 SEP04	0
BL-169015	Powers (2)W, DI, Ch, 1355-1500	25 JUN04	16 SEP04	0
BL-169016	Gas Main, DI, Ch, 1355-1500	25 JUN04	28 SEP04	0
BL-169017	PCGW, DI, Ch, 1500-1650 masonry	25 JUN04	30 JUL04	60
BL-169018	HGC-New Wood, DI, Ch, 1500-1650	25 JUN04	06 JUL04	60
BL-169019	Powers (1)W, DI, Ch, 1650-2180	40 JUN04	04 AUG04	0
BL-169020	HGC-New Wood, DI, Ch, 1650-2180	40 JUN04	28 AUG04	0
BL-169021	Powers (2)W, DI, Ch, 1650-2180	45 JUN04	05 SEP04	0
BL-169022	PCGW, L&Ch, 314-437	12 JUN04	31 AUG04	0
BL-169023	HGC-New Wood, L&Ch, 314-437 (both sides of rd)	12 JUN04	10 SEP04	0
BL-169024	PCGW, N. end, Promenade	35 JUN04	30 JUL04	0
BL-169025	HGC, N. end, Promenade	12 JUN04	11 AUG04	0
BL-169026	Roadworks, DI, Ch, 1020-1360	35 JUN04	28 SEP04	0
BL-169027	Roadworks, DI, Ch, 1020-1360	75 JUN04	09 NOV04	0
BL-169028	Curb, Trunk & Footway, DI, Ch, 1020-1360	45 JUN04	28 OCT04	0
BL-169029	Roadworks, DI, Ch, 1355-1500	45 JUN04	06 OCT04	0
BL-169030	Roadworks, DI, Ch, 1500-1650	70 JUN04	06 AUG04	40
BL-169031	Footway, DI, Ch, 1500-1650	60 JUN04	15 OCT04	0
BL-169032	Lightings & Roadworks, DI, Ch, 1650-2180	75 JUN04	30 OCT04	0
BL-169033	Footway, DI, Ch, 1650-2180	20 JUN04	04 NOV04	0
BL-169034	Roadworks, L&Ch, 314-437	20 JUN04	27 SEP04	0
BL-169035	Curb, Trunk & Footway, L&Ch, 314-437	35 JUN04	18 OCT04	0
BL-170541	Area 1 - Drain, Dust, Pipework & Preparation Works	40 JUN04	04 AUG04	0
BL-170742	Area 2 to 6 - Paving Works	40 JUN04	04 AUG04	0
BL-170743	Area 7B - Paving Works	40 JUN04	04 AUG04	0
BL-170744	Area 1 - Paving Works	60 JUN04	06 OCT04	0
BL-170545	Area 7A - Drain, Dust, Pipework & Preparation Works	50 JUN04	13 SEP04	0
BL-170745	Area 7A - Paving Works	45 JUN04	18 OCT04	0
BL-181441	Drain, Dust, Pipework & Preparation Work, Remainder	45 JUN04	28 SEP04	0
BL-181442	Paving Works, Remainder	60 JUN04	14 OCT04	0
BL-191641	Establishment Works - Area 1, 2, 6, 7A & 7B	30 JUN04	04 AUG04	0
BL-202241	Establishment Works - Remainder	30 JUN04	15 AUG04	0

ID	Description	Dur	Start	Finish	Complete	2004							37											
						14	21	28	05	12	19	26		02	09	16	23	30	06	13	20	27		
BT-140100	Provide Safety Officer, 2hr.		8/10/21AUG02 A	23/10/04	81																			
BT-140100	Upgrade Safety Plan		8/10/31AUG02 A	28/10/04	81																			
BT-140100	Attend & Attend Weekly Safety Walk		8/03/03SEP02 A	17/10/04	62																			
BT-140100	Provide Safety Training		8/10/10SEP02 A	04DEC04	80																			
BT-140100	Attend SAs Safety Committee & Mgmt Committee		8/10/29OCT02 A	11JAN05	75																			
BT-140100	Participate in safety promotional campaign		8/04/28NOV02 A	04/10/04	81																			

Contract No. TPS5/02
Remaining Engineering Infrastructure Works for Pak Shek Kok Development Package 1
3MONTHS ROLLING PROGRAM


Date GSA: 05/10/04
 File Number: SA
 Page Count: 84
 Number of Pages: 84
 Computer Name: P:\Pak Shek Kok Development Package 1
 of P:\Pak Shek Kok Development Package 1

■ Early bar
 ■ Progress bar
 ■ Critical bar
 ■ Summary bar
 ■ Start milestones point
 ■ Finish milestones point



Appendix G

Construction Site Area



LEGEND :

- LIMIT OF SITE
- - - BOUNDARY LINE BETWEEN AREAS
- - - PROPOSED WHEEL WASHING DAY NO. 1
- WB1 *

1	REVISIONS	DATE	BY	CHKD	APP'D
1	ISSUED FOR TENDERS	10/11/2002	HYDER		

PROJECT INFORMATION

PROJECT NO. : 727/D/H/L/021

DATE : 10/11/2002

SCALE : 1:1000

TERMS AND CONDITIONS OF CONTRACT

CONTRACT NO. TP 35/02

REPAIRING ENGINEERING INFRASTRUCTURE WORKS FOR PAK SHEK KOK DEVELOPMENT PACKAGE 1


Hyder Consulting

AREA OF SITE - POSSESSION

TENDER DRAWING

727/D/H/L/021

8



LIMIT OF ROAD WORKS

MATCH LINE B

FOR CONTINUATION

SEE DWG. NO. 727/D/H/L/021

ZONE 1

ZONE B2

ZONE B1

ZONE B3

ZONE A

ZONE E

ZONE D

ZONE C

SITE 1

SITE 2

CEO CONTRACTOR'S SITE OFFICE

FUTURE PROGRADE (BY OTHERS)

FUTURE FIRE TIG PIER (BY OTHERS)

PROPOSED FIRE STATION (BY OTHERS)

PROPOSED 12KV LESS (BY OTHERS, NOT PART OF THE SITE)

SCHOOL SITE

CONTRACTOR'S OFFICE

BY 15/02 BEYOND CONTRACTOR'S OFFICE

ROAD 1

ROAD 2

ROAD 3

ROAD 4

ROAD 5

ROAD 6

ROAD 7

ROAD 8

ROAD 9

ROAD 10

ROAD 11

ROAD 12

ROAD 13

ROAD 14

ROAD 15

ROAD 16

ROAD 17

ROAD 18

ROAD 19

ROAD 20

ROAD 21

ROAD 22

ROAD 23

ROAD 24

ROAD 25

ROAD 26

ROAD 27

ROAD 28

ROAD 29

ROAD 30

ROAD 31

ROAD 32

ROAD 33

ROAD 34

ROAD 35

ROAD 36

ROAD 37

ROAD 38

ROAD 39

ROAD 40

ROAD 41

ROAD 42

ROAD 43

ROAD 44

ROAD 45

ROAD 46

ROAD 47

ROAD 48

ROAD 49

ROAD 50

ROAD 51

ROAD 52

ROAD 53

ROAD 54

ROAD 55

ROAD 56

ROAD 57

ROAD 58

ROAD 59

ROAD 60

ROAD 61

ROAD 62

ROAD 63

ROAD 64

ROAD 65

ROAD 66

ROAD 67

ROAD 68

ROAD 69

ROAD 70

ROAD 71

ROAD 72

ROAD 73

ROAD 74

ROAD 75

ROAD 76

ROAD 77

ROAD 78

ROAD 79

ROAD 80

ROAD 81

ROAD 82

ROAD 83

ROAD 84

ROAD 85

ROAD 86

ROAD 87

ROAD 88

ROAD 89

ROAD 90

ROAD 91

ROAD 92

ROAD 93

ROAD 94

ROAD 95


ROAD 96

ROAD 97

ROAD 98

ROAD 99

ROAD 100



NOTES :
FOR LEGEND, SEE DRAWING NO.
727/D/H/L/1021

NO.	DESCRIPTION	DATE	BY	CHKD.
1	ISSUED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.
2	REVISED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.
3	REVISED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.
4	REVISED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.
5	REVISED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.
6	REVISED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.
7	REVISED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.
8	REVISED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.
9	REVISED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.
10	REVISED FOR TENDER	15/01/2007	W. H. M. M. M.	W. H. M. M. M.

REPAIRING ENGINEERING INFRASTRUCTURE
WORKS FOR PAK SHEK KOK DEVELOPMENT
PACKAGE 1


CONTRACT NO. TP 35/02


Hyder
Consulting

AREA OF SITE -
POSSESSION

TENDER DRAWING

727/D/H/L/1022





NOTES :
FOR LEGEND, SEE DRAWING NO.
727/D/H/L/1023.

NO.	REVISION	DATE	BY	CHKD.
1	ISSUED	15/01/2023	J. CHAN	J. CHAN
2	REVISED	15/01/2023	D. YIP	J. CHAN
3	REVISED	15/01/2023	D. YIP	J. CHAN
4	REVISED	15/01/2023	D. YIP	J. CHAN
5	REVISED	15/01/2023	D. YIP	J. CHAN
6	REVISED	15/01/2023	D. YIP	J. CHAN
7	REVISED	15/01/2023	D. YIP	J. CHAN
8	REVISED	15/01/2023	D. YIP	J. CHAN
9	REVISED	15/01/2023	D. YIP	J. CHAN
10	REVISED	15/01/2023	D. YIP	J. CHAN


Tender Development Department IS 2
HYDER CONSULTING ENGINEERS
REMAINING ENGINEERING INFRASTRUCTURE
WORKS FOR PAK SHEK KOK DEVELOPMENT
PACKAGE 1

CONTRACT NO. TP 35/02

Hyder
Consulting

AREA OF SITE
POSSESSION

TENDER DRAWING
727/D/H/L/1023



MATCH LINE C
FOR CONTINUATION
SEC. DWG. NO. 727/D/H/L/1023

ACCESS FOR FUTURE WORK
PACKAGE 2 SITE AND LED'S WORK
SITE FOR SURCHARGING OF ROAD
L4 (PART)

EXISTING HAUL ROAD
(TO BE TAKEN OVER
AND IF NECESSARY
WIDENED)


FUTURE PROMENADE (BY OTHERS)

PROPOSED OUTFALL


FUTURE POND
LANDING STEPS
BY OTHERS

MATCH LINE B
FOR CONTINUATION
SEC. DWG. NO. 727/D/H/L/1022

HIGHWAY



NOTES :
FOR LEGEND, SEE DRAWING NO. 727/D/H/L/1021.



ZONE N3
(WORKS AREA FOR CONTRACT TP 35/02 - TO BE POSSESSED WHEN INSTRUCTED BY THE ENGINEER)

HAUL ROUTE OF SCIENCE PARK (CONTRACTOR)

ZONE N2

ZONE R

SCIENCE PARK PHASE 1 SITE

PROPOSED RAMP WALL INSIDE ROAD BOUNDARY

LIMIT OF ROAD WORKS

HK INSTITUTE OF BIO TECHNOLOGY

CHUKYI MARINE SCIENCE LABORATORY

NO.	REVISION	BY				DATE
		NAME	SCALE	STATUS		
1	ISSUED FOR TENDER	[Signature]	[Scale]	REVISED	11/1/02	
2	FOR CONSTRUCTION	[Signature]	[Scale]	REVISED	11/1/02	
3	FOR CONSTRUCTION	[Signature]	[Scale]	REVISED	11/1/02	

Tertiary Development Department 經 批 准
經 批 准
經 批 准
經 批 准

REMAINING ENGINEERING INFRASTRUCTURE WORKS FOR PAK SHEK KOK DEVELOPMENT PACKAGE 1

CONTRACT NO. TP 35/02

Hyder Consulting

AREA OF SITE - POSSESSION

TENDER DRAWING

727/D/H/L/1024



Appendix H

The Summary of Implementation Status of Mitigation Measures during Weekly Site Inspections



The Summary of Implementation status of Mitigation Measures

Aspect	Mitigation Measures	Implementation Status		
		Y	N	N/A
Air	- The height from which fill materials were dropped was controlled to a practical height to minimize the fugitive dust arising from unloading.	√		
	- During transportation by truck, material was loaded to a level higher than the side and tail boards, and should be dampened or covered before transport.	√		
	- All stockpile of aggregate or spoil were enclosed or covered and water applied in dry or windy condition.		√	
	- Effective water sprays were used on the site at potential dust emission sources such as unpaved area.	√		
	- The haul road was either paved or regular watering.	√		
	- Vehicle speed was limited to 20 km/hr.	√		
	- Adequately designed wheel washing facilities including a high pressure water jet were provided at all main entrance of work site.	√		
Noise	- Only well maintained plant was operated on-site and plant should be serviced regularly during the construction works.	√		
	- Machines and plants that were in intermittent use were shut down between work periods or throttled down to a minimum.	√		
	- Plant known to emit noise strongly in one direction, where possible, were orientated so that the noise is directed away from nearby NSRs.	√		
	- Silencers or mufflers on construction equipment were considered.	√		
Water	- Recirculation system was used to reduce SS from the vehicle wheel washing facility.	√		
	- Fuel tanks on site were housed within drainable trays and regularly drained of rainwater.	√		
	- Washing area and road exiting were paved from washing facility.	√		
	- Permanent / Temporary ditches were provided to facilities run-off discharge into the appropriate watercourses, via a sediment trap/sediment retention basin, prior to discharge.	√		
	- Sedimentation tanks with adequate capacity to settle the sand and silt out were provided.			√
	- Sedimentation tanks were regularly cleaned and maintained in order to control their efficiency and to prevent the recycled water overflow to drains.			√
	- All drainage facilities were adequate for the controlled release of storm flows.	√		
	- Exposed soil areas were minimized to reduce the potential for increased siltation and contamination of run-off.	√		
	- All chemical stores were contained (bundled) such that spills are not allowed to gain access to water bodies.		√	
	- Chemical toilets were provided to handle the sewage from the on-site construction workforce.	√		



The Summary of Implementation status of Mitigation Measures

Aspect	Mitigation Measures	Implementation Status		
		Y	N	N/A
Waste	- Wastes were handle and store in a manner, which ensure that they were held securely without loss or leakage, thereby minimizing the potential for pollution.		√	
	- Authorized or licensed waste hauliers were use to collect the specific category of waste.	√		
	- Wastes were removed in a timely manner.	√		
	- The waste storage areas were maintained and cleaned regularly.	√		
	- Windblown litter and dust during transportation by either covering trucks or transporting wastes in enclosed containers were minimized.	√		
	- Waste disposal permits were obtained form the appropriate authorities.	√		
	- Wastes were disposed at licensed sites.	√		
	- Procedures such as a ticketing system were developed to facilitate tracing of loads, particularly for chemical waste, and to ensure that illegal disposal of wastes does not occur.	√		
	- Records of the quantities of wastes generated, recycled and disposal were maintained.	√		
Chemical Waste	- Under the Waste Disposal (Chemical Waste) (General) Regulation, chemical waste producers were registered with EPD.	√		
	- Chemical wastes were transported by a registered chemical waste collector to a facility licensed to receive chemical waste.	√		
	- Containers used for the storage of chemical wastes were:			
	1.Suitable for the substance they are holding, resistant to corrosion, maintained in a good condition, and securely closed;	√		
	2.Enclosed on at least 3 sides;	√		
	3.Have an impermeable floor and bunding, of capacity to accommodate 110% of the volume of the largest container or 20% by volume of the chemical waste stored in that area, whichever is the greatest;	√		
	4.-Have adequate ventilation;	√		
	5.Covered to prevent rainfall entering (water collected within the bund must be tested and disposal as chemical waste if necessary);	√		
6.Arranged so that incompatible materials are adequately separated.	√			



Appendix I

IEC and RE Comments on Monthly EM&A Report

—

June 2004

IEC and RE Comments on Monthly Environmental Monitoring and Audit Report – June 2004

Item No.	Document Reference	Comment	ET Response															
1	ES-table for site inspection & Table 8.1	item 4 & 5 in these tables are incomplete. Please include the completed table in July 04 Report.	<p>The table (for item 4 & 5 only) is shown as below:</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 5%;">Item</th> <th style="width: 25%;">Aspects</th> <th style="width: 30%;">Findings</th> <th style="width: 20%;">Action(s) taken by POC</th> <th style="width: 20%;">ET Verification</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">4</td> <td>Water (Obs)</td> <td>During the monthly site inspection, the back fall of wastewater was ineffective and therefore the wastewater was carried onto the public road by vehicles.</td> <td>The entrance of the wheel washing facility was paved to increase the slope and therefore the wastewater back fall more effectively.</td> <td>During the last weekly site inspection, the entrance of the wheel washing bay had paved to increase the slope of backfall.</td> </tr> <tr> <td style="text-align: center;">5</td> <td>Water (Obs)</td> <td>The capacity of new wheel washing bay and sand trap adjacent to the wheel washing bay at Road L2 was found too small for wastewater treatment during monthly site inspection.</td> <td>The Construction Team reply to increase the efficiency of wheel washing facility rather than increase in the capacity of wheel washing bay due to the technical problem.</td> <td>During the last weekly site inspection, the finding was still observed. Hence, the finding will be verified at the next reporting month.</td> </tr> </tbody> </table>	Item	Aspects	Findings	Action(s) taken by POC	ET Verification	4	Water (Obs)	During the monthly site inspection, the back fall of wastewater was ineffective and therefore the wastewater was carried onto the public road by vehicles.	The entrance of the wheel washing facility was paved to increase the slope and therefore the wastewater back fall more effectively.	During the last weekly site inspection, the entrance of the wheel washing bay had paved to increase the slope of backfall.	5	Water (Obs)	The capacity of new wheel washing bay and sand trap adjacent to the wheel washing bay at Road L2 was found too small for wastewater treatment during monthly site inspection.	The Construction Team reply to increase the efficiency of wheel washing facility rather than increase in the capacity of wheel washing bay due to the technical problem.	During the last weekly site inspection, the finding was still observed. Hence, the finding will be verified at the next reporting month.
Item	Aspects	Findings	Action(s) taken by POC	ET Verification														
4	Water (Obs)	During the monthly site inspection, the back fall of wastewater was ineffective and therefore the wastewater was carried onto the public road by vehicles.	The entrance of the wheel washing facility was paved to increase the slope and therefore the wastewater back fall more effectively.	During the last weekly site inspection, the entrance of the wheel washing bay had paved to increase the slope of backfall.														
5	Water (Obs)	The capacity of new wheel washing bay and sand trap adjacent to the wheel washing bay at Road L2 was found too small for wastewater treatment during monthly site inspection.	The Construction Team reply to increase the efficiency of wheel washing facility rather than increase in the capacity of wheel washing bay due to the technical problem.	During the last weekly site inspection, the finding was still observed. Hence, the finding will be verified at the next reporting month.														



Appendix J

Wastewater Monitoring

—

Test Report of Wastewater Samples from Discharge Points



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong
Tel : 2695 8318 E-mail : etl@ets-testconsult.com
Fax : 2695 3944 Web site : www.ets-testconsult.com



TEST REPORT

Form : E/EN/R/01/Issue 4 (1/1) [08/02]

Environmental Testing of Water & Wastewater

Report No. : ENA40277
Date of issue : 11 June 2004
Page No. : 1 of 1

Information provided by client

Client name : Penta - Ocean Construction Co Ltd.
Client address : 30/F MLC Tower 248 Queen's Road East Wan Chai HK
Sample Source : Remaing Engineering Infrastructure Works for Pak Shek Kok Development.
Package 1 (Contract No. TP35/02)
Sample Type : Wastewater
Date of sampling : 05 June 2004
Sample Description : The sample were collected in 500ml plastic bottles and chilled when received.

Laboratory information

Date Received : 05 June 2004

Result

Client Sample ID	Lab Ref No	Test	Method Used	Result	Expanded Uncertainty*	Date Tested
Sample 1 (Discharge Point at D1 Bridge)	W16970 (01)	Total Suspended Solids	In house method TPE/006/W	29mg/L	N/A	07 June 2004

Remark (if any) : * All uncertainty was calculated at 95% confidence level and sampling uncertainty is not included. Coverage factor is 2.0 (assume that effective degree of freedom is infinity).

Checked by : Linda Law
Linda Law
Chemist

Approved by : C L Lau
C L Lau
Chief Chemist


TPE/001/W

Hong Kong Accreditation Service (HKAS) has accredited this laboratory under the Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories. The results shown in this report were determined by this laboratory in accordance with its terms of accreditation. This report shall not be reproduced unless with prior written approval from this laboratory.



Figures

Updated Noise Monitoring Locations	Description
NM1	HKIB Staff Accommodation (on ground floor near the entrance facing south-east)
NM2	CUHK Residence No.10
NM3	Cheung Shue Tan Village (near the outer building, temple)
NM4 - cancelled	Tsui Hong Village
NM5 - cancelled	Deerhill Bay Development
NM6 - cancelled	Educational Uses in Area 12 (Part 1)
NM7 - cancelled	Residential Development (Low Rise Building) - R1



Scale: ---

Remaining Engineering Works for Pak Shek Kok Development, Package 1
Contract No. TP35/02

Figure 1 Location of Noise Monitoring Stations


Revised Date:

15/11/2002



專業測試顧問有限公司
ETS-TESTCONSULT LIMITED

Updated Air Monitoring Locations	Description
AM1	HKIB Staff Accommodation (on ground floor near the entrance facing south-east)
AM2 - cancelled	Boundary of Site 3
AM3	Cheung Shue Tan Village (near the outer building, temple) for 1-hr TSP monitoring
AM3A	Cheung Shue Tan (in front of Man Kee Store) for 24-hr TSP monitoring



Scale : ---

Revised Date:


15/11/2002

Remaining Engineering Works for Pak Shek Kok Development, Package 1
Contract No. TP35/02

Figure 2 Location of Air Monitoring Stations



東業德動測試顧問有限公司
ETS-TESTCONSULT LIMITED



Remaining Engineering Works for Pak Shek Kok Development, Package 1
 Contract No. TP35/02

Figure 3 Location of Air and Noise Monitoring Stations
 at HKIB Staff Accommodation


Scale : ---

Revised Date:

15/11/2002



東業德勤測試顧問有限公司
 ETS-TESTCONSULT LIMITED



Scale : ---


Remaining Engineering Works for Pak Shek Kok Development, Package 1
 Contract No. TP35/02

Figure 4 Location of Noise Monitoring Station at CUHK Residence No.10



東業德動測試顧問有限公司
 ETS-TESTCONSULT LIMITED

Revised Date: 15/11/2002



Remaining Engineering Works for Pak Shek Kok Development, Package 1
 Contract No. TP35/02

Figure 5 Location of Air and Noise Monitoring Stations
 at Cheung Shue Tan Village

Scale : ---

Revised Date:

15/11/2002



東業德測測試顧問有限公司
 ETS-TESTCONSULT LIMITED