



Stanger Asia

ENVIRONMENTAL MONITORING AND AUDIT REPORT

FOR

CONTRACT No. CV/2002/13

FILL BANK AT TUEN MUN AREA 38

OCTOBER 2004

(Revision No. 0)

Report No.: ET12324

Certified by:

  
Mr. Jeff Tsang  
Environmental Team Leader  
for Stanger Asia Limited

Date: 22/11/04

Verified by:

  
Mr. Joseph T. L. Poon  
Independent Environmental Checker  
for Materielab Consultants Ltd.

Date: 21/11/-04

## **CONTENTS**

	<u>Page</u>
<b>EXECUTIVE SUMMARY</b>	1
<b>1. INTRODUCTION</b>	
1.1 Background	4
1.2 Report Structure	4
<b>2. PROJECT INFORMATION</b>	
2.1 Site Description	5
2.2 Project Organization	5
2.3 Construction Programme	5
<b>3. ENVIRONMENTAL PERMITS AND LICENSES</b>	6
<b>4. SUMMARY OF EM&amp;A REQUIREMENTS</b>	
4.1 Air Quality	6
4.2 Water Quality	8
4.3 Event and Action Plan	10
<b>5. IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES</b>	10
<b>6. MONITORING RESULTS</b>	
6.1 Completed Monitoring Works	11
6.2 Air Quality Monitoring	12
6.3 Water Quality Monitoring	13
<b>7. AUDIT REPORT</b>	
7.1 Air Quality Monitoring	13
7.2 Water Quality Monitoring	13
7.3 Site Inspections	14
7.4 Landscape and Visual	15
<b>8. WASTE MANAGEMENT</b>	15
<b>9. COMPLAINTS, NOTIFICATIONS OF SUMMONS AND SUCCESSFUL PROSECUTIONS</b>	15
<b>10. FUTURE KEY ISSUES</b>	15
<b>11. CONCLUSION</b>	16
<b>LIST OF FIGURES</b>	
2.1 The Site Layout Plan	
4.1 Air Quality Monitoring Stations	
4.2 Water Quality Monitoring Stations	

## **LIST OF FIGURES (Continued)**

- 6.1 Graphical Plot for 24-hour TSP Levels
- 6.2 Graphical Plot for 1-hour TSP Levels
- 6.3 Graphical Plot for Surface and Middle Averaged Dissolved Oxygen – Mid Flood Tide
- 6.4 Graphical Plot for Surface and Middle Averaged Dissolved Oxygen – Mid Ebb Tide
- 6.5 Graphical Plot for Bottom Dissolved Oxygen – Mid Flood Tide
- 6.6 Graphical Plot for Bottom Dissolved Oxygen – Mid Ebb Tide
- 6.7 Graphical Plot for Turbidity – Mid Flood Tide
- 6.8 Graphical Plot for Turbidity – Mid Ebb Tide
- 6.9 Graphical Plot for Suspended Solids – Mid Flood Tide
- 6.10 Graphical Plot for Suspended Solids – Mid Ebb Tide

## **TABLES**

- Table 3.1 Summary of the Environmental Permits and Licenses
- Table 4.1 Co-ordinates of Air Quality Monitoring Stations
- Table 4.2 Air Quality Monitoring Frequency
- Table 4.3 Action and Limit Levels for the project
- Table 4.4 Water Quality Monitoring Frequency
- Table 4.5 Action and Limit Level for Water Quality
- Table 6.1 Completed Monitoring Works for October 2004
- Table 6.2 Results of 24-hour TSP Monitoring
- Table 6.3 Results of 1-hour TSP Monitoring
- Table 6.4 Summary of Water Quality Monitoring Data
- Table 7.1 Summary of Findings, Actions and Outcomes of Site Inspection by ET
- Table 7.2 Summary of Findings, Actions and Outcomes of Site Inspection by IEC
- Table 10.1 Works Programme for November 2004

## **APPENDICES**

- I Organization Chart
- II Calibration Certificates of the Monitoring Equipment
- III Event and Action Plans
- IV Implementation Status of Mitigation Measures
- V Air Quality Monitoring Results
- VI Water Quality Monitoring Results
- VII Complaint Log
- VIII Cumulative Statistics on Complaints, Notifications of Summons and Successful Prosecutions
- IX Master Construction Programme
- X Monitoring Schedule for the following month
- XI Wind Speed and Direction Data

## **EXECUTIVE SUMMARY.**

This is the 16<sup>th</sup> monthly Environmental Monitoring and Audit (EM&A) report for Contract No. CV/2002/13 – Fill Bank at Tuen Mun Area 38. The site has been in operation as a public filling area as part of the reclamation. The site is 24 hours operated except during the Chinese New Year holidays to provide a stable outlet for public fill to serve the construction industry. This report covers the monitoring works conducted during the month of October 2004.

### **Construction Activities for the Reported Period.**

- Public fill operation.
- Operation of tipping hall.
- Installation of CCTV system.
- Construction of drainage system.

### **Air Quality Monitoring.**

Two stations (A1 and A2) have been identified as the locations for the monitoring of 24-hour and 1-hour Total Suspended Particulates (TSP). In this reporting period, the monitoring of 24-hour TSP was carried out on five occasions at A1 and A2. Monitoring of 1-hour TSP was carried out on fifteen occasions at A1 and A2. There was no exceedance to the set action or limit levels for both parameters at both stations.

### **Water Quality Monitoring.**

Water quality in terms of turbidity, dissolved oxygen, suspended solids, temperature, and salinity, was carried out on thirteen occasions during flood tide and ebb tide at FM1, FM2, FC1 and FC2 in this reporting period. There was no exceedance to the set action or limit level for all parameters at all stations.

### **Landscape Audit.**

There was no specific site observation regarding the landscape aspect during the reporting period.

### **Waste Management.**

114,200m<sup>3</sup> public fill was collected to the Fill Bank. 20.95t C&D waste and general refuse were disposed of at WENT Landfill. Chemical waste generated was stored in temporary chemical waste storage area. No chemical waste was disposed of in this reporting period.

### **Complaints and Notifications of Summons and Successful Prosecutions.**

No complaints or notification of summonses was received in this reporting period.

### **Site Inspections.**

Four weekly site inspections were conducted on 7<sup>th</sup>, 14<sup>th</sup>, 21<sup>st</sup> and 28<sup>th</sup> October 2004. Major observations are summarised in the following table.

Observations	Actions by Contractor	Outcome
Water browsers at the reception offices were not operated. (14.10.2004)	Operated the water browser to wet fill materials.	The water browsers were operated. (21.10.2004)
Materials were stockpiled at the seafront. (14.10.2004)	Cleaned up the stockpiles.	Stockpiles were being cleaned up. (21.10.2004)
Dust generation from site traffic on dry haul roads. (07, 14, 21.10.2004)	Increased the frequency of water spraying and delineated haul roads.	Situation improved. (28.10.2004)
Splashing of fill materials into the sea and dust generation at the barging point. (07.10.2004)	Raise nets and repair sheeting to retain materials and wet fill materials prior to transfer.	Situation improved. (14.10.2004)

An Independent Environmental Checker (IEC) audit was conducted on 14<sup>th</sup> October 2004 with the Environmental Team. Major observations are summarized in the following table.

Observations	Actions by Contractor	Outcome
Heavy dust emission on tipping area beside the tipping hall.	Cleaned up the stockpiles and remaining loose soil.	The area was being cleaned up. (21.10.2004)
Dust emission was observed from traffic on minor haul roads and dry areas.	Increased the frequency of water spraying and delineated haul roads.	Situation improved. (28.10.2004)
Trucks were travelling at speed greater than 10 km/hr limit.	To install more speed signposts to remind drivers.	To be observed.
The western side of the fill bank was only partially hydroseeded.	To arrange hydroseeding on that portion upon slope trimming works completed.	To be observed after slope trimming works completed.
The automatic high-pressure water jet at the site exit was not functioning during the time of inspection. No staff was no stand-by to provide washing service.	Deploy stand-by staff to provide manual wheel washing when the automatic machine is not functioning.	The automatic wheel washing facility was operating. (21.10.2004)

### **Future Key Issues.**

The tentative works activities, predicted impacts and areas of environmental concern for the following month are summarised in the following table.

Works Activities	Predicted Impacts	Proposed Mitigation Measures
Public filling operation.	- Dust - Water	- Dampening of fill materials and exposed area. - Avoid stockpiling fill materials near seafront. - Avoid spillage of fill materials into the marine water.
Operation of tipping hall for unloading public fill into barges.	- Dust - Water	- The tipping halls shall be top and 3-sides enclosed. - Avoid spillage of fill materials into the marine water.
Construction of drainage system.	- Dust - Noise - Water	- Apply water spray during excavation and earth moving. - Comply with the conditions of construction noise permit. - Treat all wastewater to acceptable prior to discharge.

## **1. INTRODUCTION.**

### **1.1 Background.**

Stanger Asia Ltd. has been commissioned by the Penta-Ocean Construction Co. Ltd. to provide an Environmental Team (ET) to monitor air and water quality and audit landscape works for Contract No.CV/2002/13. The team is to take a pro-active role in all issues, which may be of environmental concern during the establishment, operation and decommissioning phases of the Fill Bank at Tuen Mun Area 38.

The Independent Environmental Checker (IEC) appointed for this project is Materialab Consultants Ltd.

In this report, the air and water quality monitoring works and landscape audit conducted for the October 2004 will be detailed and reviewed. All monitoring works were carried out in accordance to "*Agreement No, PW 01/2002 Project Profile for Fill Bank at Tuen Mun Area 38, Environmental Monitoring and Audit Manual*".

### **1.2 Report Structure.**

The purpose of this report is to detail and review the air and water quality monitoring works and landscape audit undertaken during October 2004. The impact forecast for the next reporting month and the schedules of monitoring works for the following month is also given.

The report follows the format given below:

- Section 1      Introduction and background information to the content of this report.
- Section 2      This section gives the information of the project.
- Section 3      This section summarises all the environmental permits and licenses.
- Section 4      Summary of the EM&A requirements is presented.
- Section 5      This section details the implemented mitigation measures.
- Section 6      Details monitoring results.
- Section 7      Audit the monitoring results.
- Section 8      The status for solid and liquid waste management for the site is overviewed.
- Section 9      Complaints, notifications of summons and successful prosecutions are summarized.
- Section 10     This section gives the predicted impacts of the construction activities.
- Section 11     This section gives a conclusion in relation to all monitoring activities.

## **2. PROJECT INFORMATION.**

### **2.1 Site Description.**

The works mainly comprise the construction of temporary storm water system, setting up of C&D material loading/unloading facilities, setting up/ refurbishing site facilities, stockpiling of 4.9 million m<sup>3</sup> of public fill, and decommissioning of the temporary fill bank.

The site layout plan is shown in Figure 2.1.

### **2.2 Project Organization.**

Mr. L.M. Chan is the Engineer's Representative for the Civil Engineering and Development Department, Government of the HKSAR. (Tel: 2762 5602, Fax: 2714 0113).

The Independent Environmental Checker (IEC) for this project is headed by Mr. Joseph Poon - Manager of Materialab Consultants Ltd. (Tel: 2450 8238, Fax: 2450 6138).

Mr. Lok Wah Fung is the Site Agent for Penta-Ocean Construction Co., Ltd. (Tel: 2491 1584, Fax: 2496 0433).

The Environmental Team (ET) for the project is Stanger Asia Ltd. The team is headed by Mr Jeff Tsang – Environmental Scientist. (Tel: 2682 1203, Fax: 2682 0046).

The Organization Chart with the key personnel contacts names and telephone numbers is given in Appendix I.

### **2.3 Construction Programme.**

The overall construction programme is given in Appendix IX. Details of the construction activities are listed below.

- Site clearance;
- Construction of storm water drainage system;
- Stockpiling of 4.9 million m<sup>3</sup> of public fill;
- Construction of landscape works; and
- Removal of stockpiled public fill.

### **3. ENVIRONMENTAL PERMITS AND LICENSES.**

The summary of the status of all environmental permits, licenses and notification for this project as at October 2004 is summarized in the following table.

**Table 3.1 Summary of the Environmental Permits and Licenses**

Description	Licence/Permit No.	Date of Issue	Date of Expiry	Status
Environmental Permit	EP-153/2003	13-Feb-03	--	Superseded
Registration of Chemical Waste Producer	WPN5296-421-P2800-03	05-Aug-03	--	Issued
Amended Environmental Permit	EP-153/2003/A	30-Oct-03	--	Issued
Construction Noise Permit	GW-TW0143-04	15-May-04	14-Nov-04	Issued

### **4. SUMMARY OF EM&A REQUIREMENTS.**

#### **4.1 Air Quality.**

##### *Monitoring Location.*

The project has two designated locations (A1 & A2) for the monitoring of air quality. A1 is a fixed location in the vicinity of the site office to monitor the TSP levels at River Trade Terminal and A2 is a movable location to the western boundary of the site that is designed to move as works progress. The air monitoring locations are shown in Figure 4.1.

**Table 4.1 Coordinates of Air Quality Monitoring Stations**

Station	HK Metric Grid – Easting	HK Metric Grid - Northing
A1	811368	825593
A2	810812*	825096*

\* - Coordinates of present location.

##### *Methodology*

Measurement of 24-hour and 1-hour TSP levels were carried out in accordance to the high volume sampling method as set out in the Title 40 of the Code of Federal Regulations, Chapter 1 (Part 50). When positioning the high volume samplers, the following requirements have been observed:

- a horizontal platform with appropriate support to secure the high volume sampler against gusty wind, should be provided;
- horizontal distance between the high volume samplers and an obstacle, such as buildings, must be at least twice the height of the obstacle protruding above the high volume samplers;
- a minimum separation of 2 m should be provided from walls, parapets, and penthouses for rooftop high volume samplers;

- a minimum separation of 2 m should be provided from any supporting structure measured horizontally;
- there should not be any furnace or incinerator flues nearby;
- there should be unrestricted airflow around the high volume samplers;
- a minimum separation of 20 m should be provided from the dripline;
- any wire fence and gate employed to protect the high volume samplers should not cause any obstruction during monitoring.

All relevant data including temperature, pressure, weather conditions, elapsed-timer meter reading for the start and finish of the sampling period, identification and weight of the filter paper, and other special phenomena were recorded.

#### *Monitoring Equipment and Calibration Details.*

Andersen GMW Model GS2310 high volume samplers were used to carry out the monitoring of 24-hour and 1-hour TSP. The high volume sampler is in compliance with the specifications as listed in the Environmental Schedule, given below:

- 0.6 – 1.7 m<sup>3</sup>/min (20-60 SCFM) adjustable flow range;
- equipped with a timing / control device with 5 minutes accuracy over 24 hours operations;
- installed with elapsed-time meter with 2 minutes accuracy over 24 hours operations;
- capable of providing a minimum exposed area of 406 cm<sup>2</sup> (63 in<sup>2</sup>);
- flow control accuracy: 2.5% deviation over 24-hr sampling period;
- equipped with shelter to protect the filter and sampler;
- incorporated with an electronic mass flow rate controller or other equivalent devices;
- equipped with a flow recorder for continuous monitoring;
- provided with peaked roof inlet, incorporated with manometer;
- able to hold and seal the filter paper to the sampler housing at horizontal position;
- easy to change filter; and
- capable of operating continuously for 24-hr period.

The high volume sampler is calibrated at bi-monthly intervals. The calibration kit (Andersen Model G2535) comprising pressure plates and a transfer standard is traceable to the internationally recognized standard. Calibration records for the high volume sampler is given in Appendix II of this report.

#### *Laboratory Measurement.*

Laboratory measurements were carried out in Stanger Asia Ltd. own HOKLAS accredited laboratory with constant temperature and humidity control, and equipped with necessary measuring and conditioning instruments.

Clean filter papers of size 8"x10" with no pinholes were labelled before sampling. They were conditioned in a dessicator with less than 50% relative humidity for over 24 hours and pre-weighed before use for sampling.

After sampling, the filter papers loaded with dust were kept in a clean and tightly sealed plastic bag. The filter papers were then returned to the laboratory for reconditioning in the dessicator with less than 50% relative humidity followed by accurate weighing on an electronic balance regularly calibrated against a traceable standard and readable to 0.1 mg.

Stanger Asia Ltd. operates comprehensive quality assurance and quality control programmes. For QA/AC procedures, all filters were equilibrated and weighed repeatedly until the difference of two consecutive results was less than 0.5 mg.

#### *Monitoring Parameters Frequency.*

**Table 4.2 Air Quality Monitoring Frequency**

Monitoring Locations	Parameter	Frequency
A1 & A2	24-hr TSP	Once in every six days
	1-hr TSP	Three times in every six days

#### *Action and Limit Levels.*

The Action levels for air quality monitoring were established from the impact monitoring data of Contract No. CV/2000/01 prior to the commencement of the fill bank utilising the criteria laid out in *section 4.7* of the EM&A Manual for the project. The Limit levels for air quality monitoring has been set in line with statutory guidelines for air quality in Hong Kong. Action and Limit levels for both 24-hour and 1-hour TSP are given in the following table.

**Table 4.3 Action and Limit Levels for the Project**

Parameter Monitored	Action Level, $\mu\text{g}/\text{m}^3$	Limit Level, $\mu\text{g}/\text{m}^3$
1-hour TSP	344	500
24-hour TSP	192	260

## **4.2 Water Quality.**

#### *Monitoring Locations.*

The EM&A Manual produced for this project has proposed two monitoring stations (FM1 & FM2) and two control stations (FC1 & FC2) for the carrying out of water quality monitoring. Control Station FC1 will act as upstream control station for the mid-ebb tide with control station FC2 acting as upstream control stations for the mid-flood tide.

The designated monitoring stations are shown in Figure 4.2.

#### *Methodology.*

Measurements are taken at three water depths, namely 1m below water surface, mid-water and 1m above seabed at both mid-flood and mid-ebb tides, except where the water depth less than 6m, when the mid-depth station may be omitted. Should the water depth have been less than 3m, only the mid-depth was monitored.

Two measurements of turbidity, dissolved oxygen (mg/L), dissolved oxygen (% saturation) and temperature at each depth of each station is taken. The probes are removed from the water after the first measurement and then redeployed for the second measurement. If the difference in value between the first and second reading of each set is more than 25% of the value of the first reading, the readings are discarded and further readings taken. Replicate samples of suspended solids measurements are taken at each depth and at each water quality monitoring and control station. The samples are kept in a chilled condition during delivery to the laboratory ad before commencement of analysis. For the purpose of evaluating the water quality, all values for suspended solids and turbidity shall be depth-averaged.

During monitoring works the following shall also be recorded:

- monitoring location;
- depth of water;
- time;
- weather conditions including ambient temperature;
- water temperature;

#### *Monitoring Equipment.*

The following equipment was employed for routine water quality monitoring.

- Dissolved Oxygen meter: YSI model 58 with stirrer
- Turbidity meter: Hach 2100P
- Echo sounder: Hummingbird 100SX
- Water sampler: Kahlisco 135WB203
- GPS receiver: Trimble NT2002D
- Thermometer: YSI model 58

#### *Monitoring Equipment Calibration Details.*

All on-site monitoring equipment was calibrated three-monthly at Stanger Asia's HOKLAS accredited laboratory. An on-site calibration check was carried out prior to the taking of measurements in accordance with standard water quality monitoring procedures.

Equipment calibration details were given in Appendix II.

#### *Laboratory Analysis.*

The laboratory measurements of suspended solids were carried out at Stanger Asia Limited, a HOKLAS accredited laboratory in accordance with Method No. 2540D 17<sup>th</sup> Edition of APHA.

Stanger Asia operates a comprehensive quality assurance and quality control programmes for QA/AC procedures in accordance with the requirements of HOKLAS accreditation, all filters were equilibrated and weighted repeatedly until the difference of two consecutive results is less than 0.5 mg.

*Monitoring Parameters and Frequency.*

**Table 4.4 Water Quality Monitoring Frequency**

Monitoring Locations	Monitoring Parameters	Frequency	Requirements
Designated Control Stations: FC1 & FC2. Designated Monitoring Stations: FM1 & FM2.	Temperature, Salinity, Dissolved Oxygen, Turbidity, Suspended Solids.	Three days per week.	At three depths during mid-ebb and mid-flood tides.

*Action and Limit Levels.*

The Action and Limit levels for water quality monitoring were established from the impact monitoring data of Contract No. CV/2000/01 prior to the commencement of the fill bank utilising the criteria laid out in section 6.8 of the EM&A Manual for the project.

**Table 4.5 Action and Limit Level for Water Quality**

Parameter	Action level	Limit level
Dissolved Oxygen in mg/L.		
Surface & Middle Bottom.	<4.78mg/L <4.16mg/L	<4mg/L <2mg/L
Suspended Solids (SS) in mg/L (depth-averaged)	>120% of upstream control station's SS at the same time of the same day.	>130% of upstream control station's SS at the same tide of the same day .
Turbidity (Tby) in NTU	>120% of upstream control station's Tby at the same tide of the same day.	>130% of upstream control station's Tby at the same tide of the same day.

All the figures given in the table are used for reference only and the EPD may amend the figures whenever necessary.

#### **4.3 Event and Action Plans.**

The Event and Action Plans for air and water are attached in Appendix III of this report.

#### **5. IMPLEMENTATION STATUS OF ENVIRONMENTAL MITIGATION MEASURES.**

The contractor implemented various environmental mitigation measures as recommended in the Project Profile and Environmental Permit. The implementation status is attached in Appendix IV and summarised as follows:

- Wheel washing facilities were provided at the exit point of the site and the wheel washing bay was cleared regularly.

- Slopes were compacted as far as practicable.
- Site accesses were covered with concrete.
- Waste collection points were maintained and cleaned on a regular basis.
- Hoarding was erected along Lung Mun Road and near River Trade Terminal.
- Oil drums were placed in drip trays.
- Water bowsers and road sweepers were in operation.
- Buffer trees were planted.
- Speed limit warning signs were posted.
- Sea blocks were placed along the seawall.
- Completed slopes were hydroseeded.

## 6. MONITORING RESULTS.

### 6.1 Completed Monitoring Works.

Table 6.1 gives the completed monitoring works for the reported period.

**Table 6.1 Completed Monitoring Works for October 2004**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
					October 1	2
						WQM (Ebb: 14:58) (Flood: 09:17)
3	4	5	6	7	8	9
	WQM (Ebb: 16:01) (Flood: 11:02) 1 – hr TSP 24 – hr TSP			WQM (Ebb: 06:43) (Flood: 19:35) Site Inspection		WQM (Ebb: 09:26) (Flood: 17:23) 1 – hr TSP 24 – hr TSP
10	11	12	13	14	15	16
		WQM (Ebb: 11:10) (Flood: 17:57)	WQM (Ebb: 12:26) (Flood: 18:38)		WQM (Ebb: 13:39) (Flood: 07:38) 1 – hr TSP 24 – hr TSP	
17	18	19	20	21	22	23
				WQM (Ebb: 06:09) (Flood: 18:56) 1 – hr TSP 24 – hr TSP Site Inspection		WQM (Ebb: 09:04) (Flood: 16:45)
24	25	26	27	28	29	30
			WQM (Ebb: 12:20) (Flood: 18:26) 1 – hr TSP 24 – hr TSP	Site Inspection Landscape Audit	QM (Ebb: 13:29) (Flood: 07:48)	
31						

- Notes:
1. 24 – hr TSP (monitored once every 6 days) at monitoring locations A1 and A2.
  2. 1 hour TSP (monitored three times every six days when highest level of dust generation expected) at monitoring locations A1 and A2.
  3. WQM - water quality monitoring three times per week, on mid-flood and mid-ebb tides. Days of monitoring to be separated by at least 36 hours. Monitoring locations FC1, FM1, FM2 & FC2.
  4. Site inspections to be carried out once per week.
  5. Auditing of landscape works to be carried out once per month.

## 6.2 Air Quality Monitoring.

Impact monitoring of 24-Hour TSP was conducted on five occasions at A1 and A2, with the monitoring of 1-Hour TSP being conducted on fifteen occasions at A1 and A2 in this reported period.

The monitoring records for 24-hour and 1-hour TSP are given in the following table. Details of monitoring results are given in Appendix V. The results are presented graphically in Figures 6.1 and 6.2.

**Table 6.2 Results of 24-hour TSP Monitoring**

Date	A1, $\mu\text{g}/\text{m}^3$	Exceedance (Y/N)	A2, $\mu\text{g}/\text{m}^3$	Exceedance (Y/N)
04/10/2004	151	N	158	N
09/10/2004	131	N	150	N
15/10/2004	139	N	115	N
21/10/2004	130	N	147	N
27/10/2004	131	N	157	N
Action Level			192 $\mu\text{g}/\text{m}^3$	
Limit Level			260 $\mu\text{g}/\text{m}^3$	

**Table 6.3 Results of 1-hour TSP Monitoring**

Date	A1, $\mu\text{g}/\text{m}^3$	Exceedance (Y/N)	A2, $\mu\text{g}/\text{m}^3$	Exceedance (Y/N)
04/10/2004	191	N	292	N
04/10/2004	264	N	224	N
04/10/2004	193	N	209	N
09/10/2004	243	N	276	N
09/10/2004	190	N	258	N
09/10/2004	306	N	265	N
15/10/2004	306	N	193	N
15/10/2004	321	N	143	N
15/10/2004	309	N	230	N
21/10/2004	242	N	282	N
21/10/2004	238	N	277	N
21/10/2004	164	N	169	N
27/10/2004	323	N	194	N
27/10/2004	278	N	221	N
27/10/2004	217	N	255	N
Action Level			344 $\mu\text{g}/\text{m}^3$	
Limit Level			500 $\mu\text{g}/\text{m}^3$	

Wind speed and direction data from the wind station is given in Appendix XI.

### **6.3 Water Quality Monitoring.**

Water quality monitoring was carried out on thirteen occasions during flood tide and ebb tide at FM1, FM2, FC1 and FC2.

Results for water quality monitoring are summarised in the following tables. Details of monitoring results are presented in Appendix VI. Graphical presentations of the results are shown in Figure 6.3 – Figure 6.10.

**Table 6.4 Summary of Water Quality Monitoring Data**

Sample Location	Surface & Middle Averaged Dissolved Oxygen (Range), mg/L	Bottom Averaged Dissolved Oxygen (Range), mg/L	Depth Averaged Turbidity (Range), NTU	Depth Averaged Suspended Solids (Range), mg/L
FM1	6.74 (5.25-7.78)	6.50 (5.11-7.51)	14.27 (8.34-24.42)	31.1 (19.7-49.7)
FM2	6.63 (5.38-7.33)	6.49 (5.25-7.22)	13.90 (6.09-27.62)	31.0 (17.7-52.5)
FC1	6.67 (5.59-7.29)	6.50 (5.35-7.45)	14.39 (7.79-28.25)	31.0 (17.3-50.0)
FC2	6.59 (5.27-7.55)	6.45 (5.11-7.23)	14.44 (7.38-25.60)	30.6 (17.3-47.8)

## **7. AUDIT REPORT.**

### **7.1 Air Quality Monitoring.**

No exceedance to set action or limit levels for either 24 or 1-Hour TSP monitoring was recorded at air monitoring station A1 and A2 in this reported period.

### **7.2 Water Quality Monitoring.**

There was no exceedance to the Action and Limit Level for water quality parameters in this reported period.

### 7.3 Site Inspections.

Four weekly site inspections were conducted on 7<sup>th</sup>, 14<sup>th</sup> 21<sup>st</sup> and 28<sup>th</sup> October 2004. Observations by ET, action by the Contractor and outcome are summarised in the following table.

**Table 7.1 Summary of Findings, Actions and Outcomes of Site Inspection by ET**

Observations	Actions by Contractor	Outcome
Water browsers at the reception offices were not operated. (14.10.2004)	Operated the water browser to wet fill materials.	The water browsers were operated. (21.10.2004)
Materials were stockpiled at the seafront. (14.10.2004)	Cleaned up the stockpiles.	Stockpiles were being cleaned up. (21.10.2004)
Dust generation from site traffic on dry haul roads. (07, 14, 21.10.2004)	Increased the frequency of water spraying and delineated haul roads.	Situation improved. (28.10.2004)
Splashing of fill materials into the sea and dust generation at the barging point. (07.10.2004)	Raise nets and repair sheeting to retain materials and wet fill materials prior to transfer.	Situation improved. (14.10.2004)

The Independent Environmental Checker (IEC) conducted an audit on 14<sup>th</sup> October 2004. The major observations were summarized in the following table.

**Table 7.2 Summary of Findings, Actions and Outcomes of Site Inspection by IEC**

Observations	Actions by Contractor	Outcome
Heavy dust emission on tipping area beside the tipping hall.	Cleaned up the stockpiles and remaining loose soil.	The area was being cleaned up. (21.10.2004)
Dust emission was observed from traffic on minor haul roads and dry areas.	Increased the frequency of water spraying and delineated haul roads.	Situation improved. (28.10.2004)
Trucks were travelling at speed greater than 10 km/hr limit.	To install more speed signposts to remind drivers.	To be observed.
The western side of the fill bank was only partially hydroseeded.	To arrange hydroseeding on that portion upon slope trimming works completed.	To be observed after slope trimming works completed.
The automatic high-pressure water jet at the site exit was not functioning during the time of inspection. No staff was on stand-by to provide washing service.	Deploy stand-by staff to provide manual wheel washing when the automatic machine is not functioning.	The automatic wheel washing facility was operating. (21.10.2004)

#### **7.4 Landscape and Visual.**

A landscape audit was conducted on 28<sup>th</sup> October 2004. There was no specific site observation regarding the landscape aspect during the reporting period.

#### **8. WASTE MANAGEMENT.**

114,200m<sup>3</sup> public fill was collected to the Fill Bank. 20.95t C&D waste and general refuse were disposed of at WENT Landfill. Chemical waste generated was stored in temporary chemical waste storage area. No disposal of chemical waste was carried out in this reporting period.

#### **9. COMPLAINTS, NOTIFICATIONS OF SUMMONSES AND SUCCESSFUL PROSECUTIONS.**

No complaint was received this month. Complaint Log is attached in Appendix VII. Cumulative statistics on complaints, notifications of summonses and successful prosecutions are attached in Appendix VIII.

#### **10. FUTURE KEY ISSUES.**

The following are the scheduled construction activities for the next reported period. Scheduled monitoring activities for the following month are given in Appendix IX.

**Table 10.1 Works Programme for November 2004**

Works Activities	Predicted Impacts	Proposed Mitigation Measures
Public filling operation.	- Dust - Water	- Dampening of fill materials and exposed area. - Avoid stockpiling fill materials near seafront. - Avoid spillage of fill materials into the marine water.
Operation of tipping hall for unloading public fill into barges.	- Dust - Water	- The tipping halls shall be top and 3-sides enclosed. - Avoid spillage of fill materials into the marine water.
Construction of drainage system.	- Dust - Noise - Water	- Apply water spray during excavation and earth moving. - Comply with the conditions of construction noise permit. - Treat all wastewater to acceptable prior to discharge.


## **11. CONCLUSION.**

All results for the air quality monitoring conducted this month were acceptable with no exceedance to set action or limit levels for either 24 or 1-hour TSP.

In relation to the monitoring of water quality, there was no record of exceedance to the set Action and Limit Level during this reporting period.


No specific observation was reported from landscape audit.

## **Figures**



**Figure 2.1 - The Site Layout Plan**

The copyright of this document belongs to Major Books Limited. It may not be reproduced without the prior written approval of Major Books Limited.



**Figure 4.1 – Air Quality Monitoring Stations**






Figure 4-2 – Water Quality Monitoring Stations

45. The recipient of your report is named by Plaintiff as Plaintiff's attorney. A copy of Plaintiff's complaint and the notice of removal was sent to Plaintiff's attorney.

**Figure 6.1 - Graphical Plot for 24-hr TSP**



**Figure 6.2 - Graphical Plot for 1-hr TSP**



**Figure 6.3 - Surface and Middle Averaged Dissolved Oxygen - Mid-Flood**




Figure 6.4 - Surface and Middle Averaged Dissolved Oxygen - Mid-Ebb




Figure 6.5 - Bottom Averaged Dissolved Oxygen - Mid-Flood





Figure 6.6 - Bottom Averaged Dissolved Oxygen - Mid-Ebb



**Figure 6.7 - Depth Averaged Turbidity - Mid-Flood**




Figure 6.8 - Depth Averaged Turbidity - Mid-Ebb




Figure 6.9 - Depth Averaged Suspended Solids - Mid-Flood






Figure 6.10 - Depth Averaged Suspended Solids - Mid-Ebb



**Appendix I**  
**Organization Chart**

**Project Organization (Environmental)**  
**Fill Bank at Tuen Mun Area 38**  
**Contract No. CV/2002/13**



**Appendix II**

**Calibration Certificates of the Monitoring Equipment**



Stanger Asia

## SOMP FMVSS2 - CALIBRATION RECORD OF HIGH VOLUME AIR SAMPLER(LISI)

Date: 16/02/2004  
 Temp.: 29 °C  
 Alt. Press: 754 mmHg  
 Calibrated by: Dennis Tsui  
 Next Calibration Due Date: 15/02/2004


Equipment No.: 2M0252  
 Serial No.:  
 Calibration No.:

Plate	Flow Rate (cm <sup>3</sup> /min)	True L <sub>1</sub> , H <sub>2</sub> O	Corrected Flow (CFM)
98	1.352	30.1	30.71
75	1.495	5.5	47.72
10	1.225	6.0	56.75
7	0.950	2.7	27.64
5	0.781	2.4	21.37

Remarks: The correlation coefficient is larger than 0.99 indicates the calibration is linear.

Slope= 30.32028  
 Intercept= -4.803426

Location: Turn Hall Area 3B-R1



Tester:

Dennis Tsui

Checked By:

Arthur Chang



Stanger Asia

## SOMP ENVOI2 : CALIBRATION RECORD OF HIGH VOLUME AIR SAMPLER (TSF)


Date: 16/10/2019  
 Temp: 25.1°C  
 Alt. Press: 762 mm Hg  
 Calibrated by: Dennis Tiong  
 Next Calibration Due Date: 16/10/2024

Equipment No.: EM3052  
 Serial No.:  
 Calibrator No.:

Rate	Flow Rate cc/min	Time in HOD	Corrected Flow (CFM)
15	1.520	10.1	45.89
13	1.480	9.7	45.89
10	1.225	9.9	33.89
7	0.956	22.0	27.29
8	1.180	2.4	33.89

Remarks: The correlation coefficient is larger than 0.99 indicates the calibration is successful.  
 Tester: Dennis Tiong  
 Inspector: Arthur Cheng

Location: Train Main Area (B - A)



Tester:

Dennis Tiong

Checked By:

Arthur Cheng



Stanger Asia

SOMP ENV 852 : CALIBRATION RECORD OF HIGH VOLUME AIR SAMPLER (TSPI)

Date: 15/09/2014

Equipment No.: EN9003

Temp: 25 °C

Serial No.: 113339006

Alt. Press: 754 mm Hg

Calibration No.:

Calibrated by: Dennis Tsoi


Rate	Flow Rate m³/min	True Flow (m³/min)	Corrected Flow (DTM)
10	1.000	10.1	9.55
13	1.400	13.7	12.59
19	2.000	19.4	17.49
T	0.999	4.0	3.25
8	0.160	8.3	7.72

Remarks: The correlation coefficient is larger than 0.99 indicates the calibration is linear.

Slope: 181.95874

Intercept: -4.351979

Location: Tuen Mun Area 3B - A2



Tester:

Dennis Tsoi

Checked By:

Arthur Cheng



Stanger Asia

## SOMP ENV052 : CALIBRATION RECORD OF HIGH VOLUME AIR SAMPLER (HS2)


Date: 16/12/2004  
 Temp.: 25 °C  
 Alt. Press.: 1021 milli bar  
 Calibrated by: Dennis Tse  
 Next Calibration Due Date: 16/12/2004

Equipment No.: EM5303  
 Serial No.: 1133000309  
 Calibration No.:

Flow	Flow Rate ml/min	Time in HOD	Corrected Flow (GPM)
18	1.982	10.0	51.55
15	1.677	8.0	48.35
10	1.255	6.2	41.65
7	0.985	4.3	31.85
5	0.753	3.3	24.35

Remarks: The nonlinearity coefficient is larger than 2.00 indicates the calibration is linear.  
 Slope= 0.072677  
 Intercept = -0.305422

Location: Train Metre Area 3B-A2




Tested:

Dennis Tse  
 Dennis Tse

Checked By:

DP/R  
 Arthur Liang

SOMP ENV062: CALIBRATION RECORD OF TURBIDIMETER

Date of Calibration: 24/06/2004  
 Due Date of Next Calibration: 24/09/2004  
 Equipment No.: EM 2365  
 Manufacturer: HACH  
 Model: 2100P  
 Serial No.: 970500014289  
 Turbidimeter Calibration standard (HACH): No.1: 20 NTU  
No.2: 100 NTU  
No.3: 600 NTU  
 Stock Calibration standard No.: 804  
 Three-point calibration accepted: Y / N  
 Stock Calibration checking standards No.: OCS 668

Turbidity value - Checking standards (NTU)		
Actual value	Measured value	Accepted*: Y/N
0	0	Y
5	5.3	Y
10	10.4	Y
50	54	Y
100	103	Y
400	410	Y

\*Allowing Deviation: +/- 10%

Tested by: Tanvi Checked by: DR.R



Stanger Asia

SOMP ENV062: CALIBRATION RECORD OF TURBIDIMETERDate of Calibration: 24/09/2004Due Date of Next Calibration: 24/12/2004Equipment No.: EM 2365Manufacturer: HACHModel: 2100PSerial No.: 970500014289Turbidimeter Calibration standard (HACH): No.1: 20 NTUNo.2: 100 NTUNo.3: 800 NTUStock Calibration standard No.: 803Three-point calibration accepted: Y / NStock Calibration checking standards No.: QCS 935

Turbidity value - Checking standards (NTU)		
Actual value	Measured value	Accepted* Y/N
0	0	Y
5	5.2	Y
10	11.0	Y
50	53.2	Y
100	102	Y
400	396	Y

\*Allowing Deviation: +/- 10%

Tested by: Dennis Tsui  
Dennis TsuiChecked by: Jeff Tsang  
Jeff Tsang



Stanger Asia

**SOMF ENV066 : CALIBRATION RECORD OF VSI MODEL 30  
HANDHELD SALINITY, CONDUCTIVITY &  
TEMPERATURE SYSTEM**

Calibration No. 04 / 27.0.2

Equipment No. EM 3644

Serial No. 0010285AA

Date of Calibration: 17/06/2004

Due Date of Next Calibration: 17/09/2004

Stock Calibration Standard Potassium Chloride No. 316


Stock Calibration Check Potassium Chloride No. 648

Volumetric glassware employed: V14, V103, V104, V88, V69, V35

CERTIFIED TRUE COPY

NAME: S.C.F. DAUVY, RANG  
For Stanger Asia Limited

Calibration Check of the Salinity, Conductivity and Temperature System	
Calibration Check Solutions, ppt	Meter reading, ppt
0.0	0.0
10.0	10.5
20.0	20.4
30.0	31.0
40.0	43.0
Allowing deviation : ± 10%	

Tested by: P.W.Checked By: M.J.



Stanger Asia

**SOMP ENV066 : CALIBRATION RECORD OF YSI MODEL 30  
HANDHELD SALINITY, CONDUCTIVITY &  
TEMPERATURE SYSTEM**

Equipment No. FM 3694

Serial No. 00F0285AA

Date of Calibration: 17/09/2004

Due Date of Next Calibration: 17/12/2004

Stock Calibration Standard Potassium Chloride No. 625

Stock Calibration Check Potassium Chloride No. 648


Volumetric glassware employed: V16, V17, V104, V111, V110, V112

Calibration Check of the Salinity, Conductivity and Temperature System	
Calibration Check Solutions, ppt	Meter reading, ppt
0.0	0.0
10.0	10.1
20.0	20.2
30.0	32.0
40.0	42.9

Allowing deviation :  $\pm 10\%$

Tested by: Arthur Cheng

Checked By: Jeff Tsang



**SOMP ENV864 : CALIBRATION RECORD OF DISSOLVED OXYGEN METER**

Dissolved Oxygen Meter Equipment No.: EN 201

Dissolved Oxygen Serial No.: 93M12874

Dissolved Oxygen Probe Serial No.: 96K0145

Date of Calibration.: 24-06-2004

Due Date of Next Calibration.: 24-09-2004

Molarity of sodium thiosulphate solution: 0.0251M

Potassium Bi-iodate No.: 480

Standardisation of Sodium Thiosulphate Solution			
Standard Solution	Initial burette reading B, mL	Final burette reading C, mL	Vol. of Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> used A, mL = (C - B)
Standard 1	0.00	20.10	20.10
Standard 2	0.00	20.05	20.05
Standard 3	0.00	20.10	20.10
Average Value			20.08

Calibration of the Dissolved Oxygen Meter					
Standard Solutions	Initial burette reading B, mL	Final burette reading C, mL	Vol. of Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> used A, mL = (C - B)	D.O. by titration, mg/l	Meter reading, mg/L
A	0.00	1.95	1.95	1.94	2.01
B	0.00	5.35	5.35	5.33	5.45
C	0.00	6.75	6.75	6.72	6.90
D	0.00	7.80	7.80	7.77	7.69

Allowing deviation :  $\pm 10\%$

Tested by: J.M. Checked By: A.L.R.



Stranger Asia

**SOMP ENV064 : CALIBRATION RECORD OF DISSOLVED OXYGEN METER**

Dissolved Oxygen Meter Equipment No.: EM-961

Dissolved Oxygen Serial No.: 93M12874

Dissolved Oxygen Probe Serial No.: 968C01145

Date of Calibration : 24-09-2004

Date Date of Next Calibration:- 24-12-2004

Molarity of sodium thiosulphate solution: 0.0253M

### Potassium Bi-indate No. 480

Standardisation of Sodium Thiosulphate Solution			
Standard Solution	Initial burette reading B, mL	Final burette reading C, mL	Vol. of $\text{Na}_2\text{S}_2\text{O}_3$ used A, mL = (C - B)
Standard 1	0.00	20.20	20.20
Standard 2	0.00	20.20	20.20
Standard 3	0.00	20.20	20.20
Average Value			20.20

Calibration of the Dissolved Oxygen Meter					
Standard Solutions	Initial burette reading B, mL	Final burette reading C, mL	Vol. of $\text{Na}_2\text{S}_2\text{O}_3$ used A, mL = (C - B)	D.O. by titration, mg/L	Meter reading, mg/L
A	0.00	2.05	2.05	2.07	2.04
B	0.00	5.45	5.45	5.50	5.40
C	0.00	6.80	6.80	6.87	6.75
D	0.00	7.95	7.95	8.03	7.95

Tested by : Dennis Tsui

Checked By : M  
Jeff Tamm

**Appendix III**  
**Event and Actions Plans**

Event and Action Plan for Air Quality					
EVENT	ET Leader	ACTION			
		IC (E)	ER	CONTRACTOR	
Action Level Exceedance for one sample	<ol style="list-style-type: none"> <li>Identify source, investigate the causes of exceedance and propose remedial measures.</li> <li>Inform ER, IEC and Contractor.</li> <li>Repeat measurement to confirm findings.</li> <li>Increase monitoring frequency to daily.</li> </ol>	<ol style="list-style-type: none"> <li>Check monitoring data submitted by ET.</li> <li>Check Contractor's working methods.</li> </ol>	<ol style="list-style-type: none"> <li>Notify Contractor.</li> </ol>	<ol style="list-style-type: none"> <li>Rectify unacceptable practice.</li> <li>Amend working methods if appropriate.</li> </ol>	<ol style="list-style-type: none"> <li>Rectify unacceptable practice.</li> <li>Amend working methods if appropriate.</li> </ol>
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> <li>Identify source, investigate the causes of exceedance and propose remedial measures.</li> <li>Inform IEC and Contractor.</li> <li>Repeat measurement to confirm findings.</li> <li>Increase monitoring frequency to daily.</li> <li>Discuss with ET and Contractor on remedial actions.</li> <li>If exceedance continues, arrange meeting with IEC and ER.</li> <li>If exceedance stops, cease additional monitoring.</li> </ol>	<ol style="list-style-type: none"> <li>Check monitoring data submitted by ET.</li> <li>Check Contractor's working method.</li> <li>Discuss with ET and Contractor on possible remedial measures.</li> <li>Advise the ER on the effectiveness of the proposed remedial measures.</li> <li>Supervise implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>Confirm receipt of notification of failure in writing.</li> <li>Notify Contractor.</li> <li>Ensure remedial actions are properly implemented.</li> </ol>	<ol style="list-style-type: none"> <li>Submit proposals for remedial actions to ER within 3 working days of notification.</li> <li>Implement the agreed proposals.</li> <li>Amend proposals if appropriate.</li> </ol>	<ol style="list-style-type: none"> <li>Submit proposals for remedial actions to ER within 3 working days of notification.</li> <li>Implement the agreed proposals.</li> <li>Amend proposals if appropriate.</li> </ol>

**Event and Action Plan for Air Quality (cont'd)**

EVENT	ET Leader	ACTION			CONTRACTOR
		IC (E)	ER		
Limit Level					
Exceedance for one sample	<ol style="list-style-type: none"> <li>Identify source, investigate the causes of exceedance and propose remedial measures.</li> <li>Inform ER, Contractor and EPD.</li> <li>Repeat measurement to confirm findings.</li> <li>Increase monitoring frequency to daily.</li> <li>Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results.</li> <li>Supervisor implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>Check monitoring data submitted by ET.</li> <li>Check Contractor's working method.</li> <li>Discuss with ET and Contractor on possible remedial measures.</li> <li>Advise the ER on the effectiveness of the proposed remedial measures.</li> <li>Supervisor implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>Confirm receipt of notification of failure in writing.</li> <li>Notify Contractor.</li> <li>Ensure remedial actions properly implemented.</li> <li>Implement the agreed proposals.</li> <li>Amend proposal if appropriate.</li> </ol>	<ol style="list-style-type: none"> <li>Take immediate action to avoid further exceedances.</li> <li>Submit proposals for remedial actions to IEC within 3 working days of notification.</li> <li>Implement the agreed proposals.</li> <li>Amend proposal if appropriate.</li> </ol>	
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> <li>Identify source, investigate the causes of exceedance and propose remedial measures.</li> <li>Inform IEC, ER and Contractor and EPD.</li> <li>Repeat measurements to confirm findings.</li> <li>Increase monitoring frequency to daily.</li> <li>Carry out analysis of Contractor's working procedures to determine possible mitigation measure(s) to be implemented.</li> <li>Arrange meeting with IEC and ER to discuss the remedial actions to be taken.</li> <li>Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results.</li> <li>If exceedance stops, cease additional monitoring.</li> </ol>	<ol style="list-style-type: none"> <li>Discuss amongst ER, ET and Contractor on the potential remedial actions.</li> <li>Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly.</li> <li>Supervise the implementation of remedial measures.</li> </ol>	<ol style="list-style-type: none"> <li>Confirm receipt of notification of failure in writing.</li> <li>Notify Contractor.</li> <li>In consultation with the IEC, agree with the Contractor on the remedial measures to be implemented.</li> <li>Ensure remedial measures properly implemented.</li> <li>If exceedance continues, consider what portion of the work is responsible and instruct the Contractor to stop that portion of work until the exceedance is abated.</li> </ol>	<ol style="list-style-type: none"> <li>Take immediate action to avoid further exceedance.</li> <li>Submit proposals for remedial actions to IEC within 3 working days of notification.</li> <li>Implement the agreed proposals.</li> <li>Resubmit proposals if problem still not under control.</li> <li>Stop the relevant portion of works as determined by the ER until the exceedance is abated.</li> </ol>	

**Event and Action Plan for Water Quality**

EVENT	ACTION			
	ET	IEC	ER	CONTRACTOR
Action level				
Action level being exceeded by one sampling day.	<ol style="list-style-type: none"> <li>1. Repeat in-situ measurements to confirm findings;</li> <li>2. Identify source(s) of impacts;</li> <li>3. Inform IEC and Contractor;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with IEC and Contractor;</li> <li>6. Repeat measurements on next day of exceedance.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with ET and Contractor on the mitigation measures;</li> <li>2. Review proposals on mitigation measures submitted by Contractor and advise ER accordingly;</li> <li>3. Assess the effectiveness of implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with IEC on the proposed mitigation measures;</li> <li>2. Make agreement on the mitigation measures to be implemented.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the ER and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment;</li> <li>4. Consider changes of working methods;</li> <li>5. Discuss with ET and IEC and propose mitigation measures to IEC and ER;</li> <li>6. Implement the agreed mitigation measures.</li> </ol>
Action level being exceeded by more than one consecutive sampling day.	<ol style="list-style-type: none"> <li>1. Repeat in-situ measurements to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform contractor and IEC;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with ER and Contractor;</li> <li>6. Ensure mitigation measures are implemented;</li> <li>7. Prepare to increase the monitoring frequency to daily;</li> <li>8. Repeat measurements on next day of exceedance.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with ET and Contractor on the proposed mitigation measures;</li> <li>2. Review proposals on mitigation measures submitted by Contractor and advise ER accordingly;</li> <li>3. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with IEC on the proposed mitigation measures;</li> <li>2. Make agreement on the mitigation measures to be implemented;</li> <li>3. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the Engineer and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment;</li> <li>4. Consider changes of working methods;</li> <li>5. Discuss with the ET and IEC and propose mitigation measures to IEC and ER within 3 working days;</li> <li>6. Implement the agreed mitigation measures.</li> </ol>

**Event and Action Plan for Water Quality (Cont'd)**

EVENT	ACTION			
	ET	IEC	ER	CONTRACTOR
<b>Limit level</b>				
Limit level being exceeded by one sampling day.	<ol style="list-style-type: none"> <li>1. Repeat in-situ measurements to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform contractor and IEC;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with ER and Contractor;</li> <li>6. Ensure mitigation measures are implemented;</li> <li>7. Prepare to increase the monitoring frequency to daily until no exceedance of Limit level.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with ET and Contractor on the mitigation measures;</li> <li>2. Review proposals on mitigation measures submitted by the Contractor and advise the ER accordingly;</li> <li>3. Assess the effectiveness of implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with IEC, ET and Contractor on the proposed mitigation measures;</li> <li>2. Request Contractor to critically review the working methods;</li> <li>3. Make agreement on the mitigation measures to be implemented;</li> <li>3. Assess the effectiveness of the implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the Engineer and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment;</li> <li>4. Consider changes of working methods;</li> <li>5. Discuss with the ET and IEC and propose mitigation measures to IEC and ER within 3 working days;</li> <li>6. Implement the agreed mitigation measures.</li> </ol>
Limit level being exceeded by more than one sampling day.	<ol style="list-style-type: none"> <li>1. Repeat in-situ measurements to confirm findings;</li> <li>2. Identify source(s) of impact;</li> <li>3. Inform contractor and IEC;</li> <li>4. Check monitoring data, all plant, equipment and Contractor's working methods;</li> <li>5. Discuss mitigation measures with ER and Contractor;</li> <li>6. Ensure mitigation measures are implemented;</li> <li>7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with ET and Contractor on the mitigation measures;</li> <li>2. Review proposals on mitigation measures submitted by the Contractor and advise ER accordingly;</li> <li>3. Assess the effectiveness of implemented mitigation measures.</li> </ol>	<ol style="list-style-type: none"> <li>1. Discuss with IEC on the proposed mitigation measures;</li> <li>2. Request Contractor to critically review the working methods;</li> <li>3. Make agreement on the mitigation measures to be implemented;</li> <li>4. Assess the effectiveness of the implemented mitigation measures.</li> <li>5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of works identified as the cause of exceedance until no exceedance of Limit level.</li> </ol>	<ol style="list-style-type: none"> <li>1. Inform the Engineer and confirm notification of the non-compliance in writing;</li> <li>2. Rectify unacceptable practice;</li> <li>3. Check all plant and equipment;</li> <li>4. Consider changes of working methods;</li> <li>5. Discuss with the ET and IEC and propose mitigation measures to IEC and ER within 3 working days;</li> <li>6. Implement the agreed mitigation measures;</li> <li>7. As directed by the Engineer, slow down or stop all or part of the works identified as the cause of exceedance or construction activities.</li> </ol>

**Appendix IV**  
**Implementation Status of Mitigation Measures**

## IMPLEMENTATION STATUS OF MITIGATION MEASURES

<b>Area</b>	<b>Mitigation Measures</b>	<b>Implementation Period</b>	<b>Implementation Status</b>
1. General	Maximum stockpiling height to be limited to a maximum of +35mPD.	Throughout the operation period	Implemented
2. Air Quality	Working areas where excavation or earthmoving operations are taking place shall be sprayed with water or a dusty suppression chemical.  Any stockpiling of excavated material shall be covered by impervious sheeting or sprayed with water or a dust suppression chemical.	Throughout the operation period	Occasionally implemented
	All roads within the site to be covered with concrete, bituminous materials, hardcore or metal plates.  Erect a hoarding of at least 2.4m high along the northern and eastern boundaries of the site except at the site entrance/exit.  Before occupation of the Recovery Park Phase I and II, site hoarding of at least 2.4m high should also be erected along the western boundary of the fill bank.	Throughout the operation period	Implemented
	Install/refurbish vehicle wheel washing facilities including high pressure water jets provided at designated vehicle exit points.  At the barging point, the drop height between the barge and dump trucks shall be minimized.	Throughout the operation period	Implemented
	Tipping halls provided for transfer of public fill from trucks to barges shall be top and 3-sides enclosed.  Water lorries and/or road sweepers shall be provided and used in dust suppression.	Throughout the operation period	Implemented
	The designated main haul roads shall be watered at approximately every 2 hours to ensure that the roads are kept sufficiently dampened.	Throughout the operation period	Implemented

Area	Mitigation Measures	Implementation Period	Implementation Status
2. Air Quality	Truck speed to be controlled to within 10 km/hr.	Throughout the operation period	Implemented
	All dusty fill material shall be sprayed with water or a dust suppression chemical prior to loading, unloading or transfer.	Throughout the operation period	Implemented
	Frequent watering (at least three times per day) of the worksites with active dusty operations is recommended. The frequency shall be increased when the weather is dry.	Throughout the operation period	Implemented
	Loading of public fill delivered to the site shall be sprayed with water at the material landing point to minimize dust emission except when the materials are sufficiently dampened when landing.	Throughout the operation period	Implemented
	Vehicle washing facilities including high pressure water jet at the existing exits shall be maintained and operated by designated staff to ensure that these dust control measures are being used.	Throughout the operation period	Occasionally Implemented
	Before leaving the fill bank site, every vehicle shall be washed to remove any dusty materials from its body and wheels.	Throughout the operation period	Implemented
	Trucks carrying dusty loads entered to the site shall be sprayed with water once the impervious sheeting covering the load is removed.	Throughout the operation period	Implemented
	A minimum buffer distance of 20m shall always be maintained between the edge of public fill stockpiling area and the nearest air sensitive receivers at the River Trade Terminal.	Throughout the operation period	Implemented
	An area of 100m x 100m in the north-eastern corner of the stockpiling area shall be managed by the Contractor as a “truckload control zone”. Number of trucks traveling to the control zone shall be limited to a maximum of 64 vehicles per hour, and a daily maximum of 633 vehicles per day.	Throughout the operation period	Implemented

Area	Mitigation Measures	Implementation Period	Implementation Status
2. Air Quality	A minimum buffer zone of 20m shall be maintained between the edge of the public fill stockpiling area and the nearest air sensitive land use at Recovery Park Phase I and Phase II along the western boundary of the site.	Throughout the operation period	Implemented
	Temporary slope surfaces shall be covered with tarpaulin sheets or other impermeable sheets, or sprayed with water or a dust suppression chemical, or protected by other methods approved by CED.	Throughout the operation period	Partially implemented
	Final slope surfaces shall be treated by compaction, followed by hydroseeding, vegetation planting or other suitable surface stabiliser approved by CED to prevent the washing away of stockpiled material.	Throughout the operation period	Implemented
	Any belt conveyor systems used for transfer of dusty materials shall be enclosed on top and 2 sides.	Throughout the operation period	N/A
	Every transfer point between two conveyors shall be totally enclosed.	Throughout the operation period	N/A
	An effective belt scraper or equivalent device shall be installed at the head pulley of every belt conveyor to dislodge fine particles that may adhere to the belt surface.	Throughout the operation period	N/A
	The belt conveyor shall be equipped with bottom plates or other similar means to prevent falling of material from the return belt.	Throughout the operation period	N/A
	Every stockpiling belt conveyor shall be provided with a mechanism to adjust its level such that the vertical distance between the belt conveyor and the material landing point is maintained at no more than 1m.	Throughout the operation period	N/A
	Dusty materials loaded from a belt conveyor outlet to stockpiles, storage bins, trucks, barges and other open areas shall be sprayed with water or a dust suppression chemical.	Throughout the operation period	N/A

<b>Area</b>	<b>Mitigation Measures</b>	<b>Implementation Period</b>	<b>Implementation Status</b>
2. Air Quality	Frequent mist spraying should be applied on dusty areas. The frequency of spraying required will depend upon local meteorological conditions such as rainfall, temperature, wind speed and humidity. The amount of mist spraying should be just enough to dampen the material without over-watering.	Throughout the operation period	Implemented
3. Noise	No project activities associated with land-based intake of public fill shall be carried out between 20:00 and 08:00 hrs daily.  All construction works should be carried out during the non-restricted hours (i.e. 7:00 a.m. to 7:00 p.m. on weekdays other than General Holidays).  Before the commencement of any works that may generate a significant noise impact, the Contractor should submit to the Engineer for approval the method of working, equipment and sound-reducing measures (e.g. use of silenced type equipment).  The fill bank should not be in operation from 8:00 p.m. to 8:00 a.m. the next day.	Throughout the operation period  Throughout the operation period  Throughout the operation period	Implemented  N/A  N/A
4. Water Quality	Trapezoidal surface channels should be constructed to intercept polluted surface runoff. These channels shall be equipped with sand/de-silting traps such that the effluent discharge from site during the establishment, operation and decommissioning phases will meet the required discharge limits.  Tipping halls at the waterfront provided for transfer of public fill from trucks to barges shall be enclosed design with the top 3-sides enclosed to prevent spillage of material into the marine water.  Before the completion of the surface drainage channels at the commencement of the project, earth bunds and sand bag barriers shall be use at required locations to effectively divert storm water to available drainage channels constructed under the reclamation works.	Throughout the operation period  Throughout the operation period	Implemented  Implemented

Area	Mitigation Measures	Implementation Period	Implementation Status
4. Water Quality	Temporary drainage facilities provided shall allow polluted stormwater to be diverted to existing intercepting channels before stockpiling of public fill should begin.	Throughout the operation period	Implemented
	Intercepting channels shall be equipped with sand/silt removal facilities to allow the stormwater to be treated before discharge at the designated outfalls.	Throughout the operation period	Implemented
	Effluent discharged shall meet the relevant discharge limits.	Throughout the operation period	N/A
	A minimum buffer distance of 50m will be provided between the edge of the stockpiling area of the fill bank and seafront.	Throughout the operation period	Implemented
	Open channels and/or other effective drainage system shall be constructed at the perimeter of the site for intercepting and directing runoff to sand/silt removal facilities prior to discharge.	Throughout the operation period	Implemented
	The unpaved area on the seaward side of the channels shall be covered with gravel and formed with slope so that polluted stormwater will be intercepted by the channels.	Throughout the operation period	Implemented
	Any excavated material generated near the seafront (e.g. from the construction of the barging point) not required to be backfilled immediately should be transported away from the seafront to avoid potential water quality impact especially during the rainy season.	Throughout the operation period	Implemented
	Public fill transported to the stockpiling area for storage should not contain unsuitable material such as peat, vegetation, timber, organic, soluble or perishable material, dangerous or toxic material, floatable materials (such as bottle, plastic bags, foam box), and materials susceptible to combustion.	Throughout the operation period	Implemented

Area	Mitigation Measures	Implementation Period	Implementation Status
4. Water Quality	<p>Temporary slope surfaces shall be covered as far as practicable and as soon as possible with tarpaulin or other impermeable sheets, or protected by other methods approved by CED when rainstorms are likely, especially when a rainstorm is imminent or forecast.</p> <p>Final slope surfaces shall be treated by compaction, followed by hydroseeding, vegetation planting or other suitable stabilizer approved by CED to prevent the washing away of stockpiled material.</p> <p>Adequately designed and constructed catchpits, sand and silt removal facilities and intercepting channels should be maintained, and the deposited silt and grit should be removed weekly and on a as need basis especially during the onset of and after each rainstorm to ensure that these facilities are functioning properly at all times.</p> <p>A wheel washing bay should be provided at the site exit and washwater should have sand and silt settled out or removed before the water is being reused or discharged into storm drains.</p> <p>All vehicles and plant bodies should be cleaned before they leave the fill bank site to ensure that no earth, mud or debris is deposited by them on roads.</p> <p>The section of construction road between the wheel washing bay and the public road should be paved with concrete, bituminous materials or hardcores to reduce vehicle tracking of soil and to prevent site run-off from entering public roads drains.</p>	Throughout the operation period	Implemented

Area	Mitigation Measures	Implementation Period	Implementation Status
4. Water Quality	<p>Sewage from toilets and similar facilities should be discharged into a foul sewer, or chemical toilets should be provided. Should chemical toilets be employed these must be provided by a licensed contractor, who will be responsible for appropriate disposal and maintenance of these facilities.</p> <p>Wastewater collected from canteen kitchens, including that from basins, sinks and floor drains, should be discharged into foul sewers via grease traps.</p>	Throughout the operation period	Implemented
	<p>Drainage systems provided at car parking areas shall be provided with oil interceptors in addition to sand/silt removal facilities.</p>	Throughout the operation period	N/A
	<p>All barges used in the transportation of fill material during the operation/decommissioning stages should be properly licensed under the Shipping and Port Control Ordinance, and of appropriate size such that adequate clearance is maintained between the vessels and the sea bed at all states of the tide.</p>	Throughout the operation period	Implemented
	<p>All vessels used for transportation of fill material should have tight fitting seals to their bottom openings.</p>	Throughout the operation period	Implemented
	<p>When backhoe fixed on an appropriately designed flat-top pontoon is in use, the reach of the backhoe shall be controlled to within the flat-top pontoon of sufficient length to avoid accidental dropping of public fill into the sea.</p>	Throughout the operation period	N/A
	<p>When hopper barges with mobile crane is in use, guardrails or equivalent shall be fixed alongside the berthing faces to guide the movement of the crane to avoid accidental dropping of fill material.</p>	Throughout the operation period	N/A
	<p>When derrick barges with built-in crane are in use, the reach of the jib shall be controlled to within the length of the barge to avoid accidental dropping of public fill into the sea.</p>	Throughout the operation period	Implemented

Area	Mitigation Measures	Implementation Period	Implementation Status
4. Water Quality	<p>The design of the specific transfer methods shall be as such that the pathway of material delivery from barge to the waterfront will not be directly on top of the marine water.</p> <p>Barges should not be filled to a level which may cause overflow of material during loading or transportation.</p> <p>Barge effluents (e.g. muddy water) should be properly collected and treated prior to disposal.</p>	Throughout the operation period	Implemented
5. Landfill Gas	<p>Work activities should not cause any visible foam, oil, grease, scum, litter or other objectionable matters to be present on the water in the vicinity of the barging point.</p> <p>A waste collection vessel shall be deployed to remove floating refuse on the sea near the fill bank for proper disposal.</p>	Throughout the operation period	Implemented
	<p>Main site offices of the fill bank shall be constructed within the site area lying outside the 250m consultation zone of the restored Siu Lang Shui Landfill.</p>	Throughout the operation period	Occasionally Implemented
	<p>The container office(s) to be set up at the site entrance/exit which is situated within the construction zone of the landfill shall be constructed on a raised hollow platform, or equivalent.</p>	Throughout the operation period	Implemented
	<p>No underground structures such as drainage and sewage systems, underground pipelines and chambers shall be constructed at the site area lying within the consultation zone.</p>	Throughout the operation period	Implemented
	<p>In the unlikely event that any sign of leachate-contaminated groundwater be encountered during the establishment, operation or decommissioning phases of the fill bank, the landfill operator should be informed so that this can be collected for proper treatment and disposal.</p>	Throughout the operation period	Implemented

Area	Mitigation Measures	Implementation Period	Implementation Status
6. Landscape and Visual	Hydroscreeding or coloured geo-textile matting (dark green/brown) shall be provided on the slopes of the fill bank along the eastern, northern and western sides of the fill bank as the slopes of each layer of platform are formed.	Throughout the operation period	Implemented
	A buffer tree planting strip should be provided along the northern perimeter of the site where space permits. A row of approximately 3m high native evergreen tree species with a tall habit when fully grown (e.g. Casuarina equisetifolia) shall be planted at the early establishment/ operational phase of the project.	Throughout the operation period	Implemented
	The design, colour and finish of structures at the fill bank should be such that they are visually recessive. Reflectivity should be reduced through selection of material or surface treatment.	Throughout the operation period	Implemented
	The surface colour selected should be of an earthy tone with strong natural qualities (e.g. green/grey/brown). The use of bold colour schemes should be avoided.	Throughout the operation period	Implemented
	The existing 2.4m high site hoarding located along Lung Mun Road should be maintained to help screening of the fill bank.	Throughout the operation period	Implemented

**Appendix V**  
**Air Quality Monitoring Results**

### Report on 24-hour Total Suspended Particulate Monitoring - A1

Sample Number/Code	Location	Date and Time of Sampling	Start Counter Reading	Stop Counter Reading	Temperature, °C	Pressure, mmHg	Weather Conditions	Wind Direction	Weight of Filter, g	Flow rate Q <sub>a</sub> , std. m <sup>3</sup> /min	Total air volume of sample, std. m <sup>3</sup>	Mass Concentration of TSP, µg/std. m <sup>3</sup>
12968 A1		04/10/2004 13:45	2149.63	2174.54	24	762	Sunny	N	2.8462	1.32	1973	151
12975 A1		09/10/2004 15:30	2177.54	2203.62	25	761	Sunny	N	3.1447			
13159 A1		15/10/2004 16:15	2206.62	2230.92	25	762	Sunny	N	2.8410	1.24	1940	131
13186 A1		21/10/2004 17:15	2233.97	2259.08	25	761	CLOUDY	E	3.0944			
13204 A1		27/10/2004 16:20	2262.08	2296.03	24	765	Sunny	E	2.8444	1.36	2049	139
					23	764			3.1297			
									2.8442	1.35	2034	130
									3.1099			
									2.8003	1.32	1897	131
									3.0793			

### Report on 24-hour Total Suspended Particulate Monitoring - A2

Sample Number/Code	Location	Date and Time of Sampling	Start Counter Reading	Stop Counter Reading	Temperature, °C	Pressure, mmHg	Weather Conditions	Wind Direction	Weight of Filter, g	Flow rate Q <sub>a</sub> , std. m <sup>3</sup> /min	Total air volume of sample, std. m <sup>3</sup>	Mass Concentration of TSP, µg/std. m <sup>3</sup>
12960 A2		04/10/2004 14:30	10336.69	10360.69	24	762	Sunny	N	2.8423	1.33	1915	158
12977 A2		09/10/2004 15:50	10363.69	10387.36	25	761	Sunny	N	3.1455			
13161 A2		15/10/2004 16:40	10390.35	10414.33	26	762	Sunny	N	2.8361	1.3	1845	150
13184 A2		21/10/2004 17:00	10417.35	10441.36	25	761	Sunny	E	3.1133			
13202 A2		27/10/2004 16:10	10444.35	10468.36	24	765	Sunny	E	2.8408	1.27	1827	115
					23	764			3.0501			
									2.8361	1.29	1858	147
									3.1098			
									2.8052	1.26	1814	157
									3.1095			

## Report on 1-hour Total Suspended Particulate Monitoring - A1

Sample Number	Location Code	Date and Time	Start Counter Reading	Stop Counter Reading	Temperature, °C	Pressure, mmHg	Weather Conditions	Wind Direction	Weight of Filter, g	Flow rate Q <sub>gas</sub> , std. m <sup>3</sup> /min	Total air volume of sample, std. m <sup>3</sup>	Mass Concentration of TSP, µg/std. m <sup>-3</sup>
		of Sampling					Initial/Final					
12987	A1	04/10/2004 10:10	2146.63	2147.63	24	762	Sunny	N	2.8453	1.32	79	191
12988	A1	04/10/2004 11:15	2147.63	2148.63	24	762	Sunny	N	2.8433	1.32	79	264
12989	A1	04/10/2004 12:20	2148.63	2149.63	24	762	Sunny	N	2.8477	1.32	79	193
12988	A1	03/10/2004 10:40	2174.54	2175.54	26	761	Sunny	N	2.8466	1.24	74	243
12971	A1	09/10/2004 13:15	2175.54	2176.54	26	761	Sunny	N	2.8464	1.24	74	190
12972	A1	09/10/2004 14:25	2176.54	2177.54	26	761	Sunny	N	2.8399	1.24	74	306
12986	A1	15/10/2004 09:15	2202.62	2203.62	25	764	Sunny	E	2.8371	1.35	81	305
13154	A1	15/10/2004 10:25	2203.62	2204.62	25	764	Sunny	E	2.8619	1.35	81	321
13155	A1	15/10/2004 13:00	2204.62	2205.62	25	764	Sunny	E	2.8638	1.35	81	309
13175	A1	21/10/2004 10:05	2231.97	2231.97	25	761	Sunny	E	2.8454	1.35	81	309
13178	A1	21/10/2004 11:15	2231.97	2232.97	25	761	Sunny	E	2.8704	1.32	79	242
13181	A1	21/10/2004 15:00	2232.97	2233.97	25	761	Sunny	E	2.8495	1.32	79	164
13193	A1	27/10/2004 10:20	2269.08	2269.08	24	765	Sunny	E	2.8595	1.35	81	238
13196	A1	27/10/2004 11:25	2261.08	2261.08	24	765	Sunny	E	2.8280	1.35	81	278
13201	A1	27/10/2004 14:10	2261.08	2262.08	24	765	Sunny	E	2.8579	1.32	79	217

## Report on 1-hour Total Suspended Particulate Monitoring - A2

Sample Number Code	Location	Date and Time	Start Counter Reading	Stop Counter Reading	Temperature, °C	Pressure, mmHg	Weather Conditions	Wind Direction Initial/Final	Weight of Filter, g	Flow rate Q <sub>air</sub> , std. m <sup>3</sup> /min	Total air volume of sample, std. m <sup>3</sup>	Mass Concentration of TSP, µg/std. m <sup>3</sup>
12996	A2	04/10/2004 11:00	10333.69	10334.69	24	762	Sunny	N	2.8410	1.33	80	292
13000	A2	04/10/2004 12:10	10334.69	10335.69	24	762	Sunny	N	2.8643	1.33	80	224
13002	A2	04/10/2004 13:15	10335.69	10336.69	24	762	Sunny	N	2.8492	1.33	80	209
12995	A2	03/10/2004 11:00	10360.69	10361.69	25	761	Sunny	N	2.8671	1.33	80	258
12969	A2	03/10/2004 13:40	10361.69	10362.69	26	761	Sunny	N	2.8468	1.33	80	265
12974	A2	03/10/2004 14:45	10362.69	10363.69	26	761	Sunny	N	2.8410	1.3	78	276
13152	A2	15/10/2004 09:35	10387.35	10388.35	25	764	Sunny	E	2.8626	1.3	78	193
13155	A2	15/10/2004 10:50	10390.35	10399.35	25	764	Sunny	E	2.8420	1.3	78	143
13158	A2	15/10/2004 13:20	10389.35	10390.35	25	764	Sunny	E	2.8546	1.27	76	230
13176	A2	21/10/2004 10:21	10414.35	10415.35	25	761	Sunny	E	2.8403	1.27	76	143
13179	A2	21/10/2004 11:25	10416.35	10416.35	25	761	Sunny	E	2.8512	1.27	76	277
13182	A2	21/10/2004 15:05	10416.35	10417.35	25	761	Sunny	E	2.8762	1.29	77	282
13194	A2	27/10/2004 10:35	10441.35	10442.35	24	765	Sunny	E	2.8638	1.32	79	194
13197	A2	27/10/2004 11:40	10442.35	10443.35	24	765	Sunny	E	2.8757	1.26	76	221
13199	A2	27/10/2004 14:25	10443.35	10444.35	24	765	Sunny	E	2.8464	1.26	76	255

**Appendix VI**  
**Water Quality Monitoring Results**

Project Contact No. Cw/2002/13/Fill Bank &amp; Tern Man Area 38

Date of Sampling : 02/10/2004

Client: Permai-Ocean Construction Co., Ltd. Job No.: 4454.1

Station	Time	Sea Condition	Overall Depth, m	Sampling Depth, m	Temperature, °C	Dissolved Oxygen, mg/l	Dissolved Oxygen, %	Salinity, ppt	Turbidity, NTU	Suspended Solids, mg/l	Remarks	Tide Stn#:	Md/Floor#			
												Depth Average				
FH1 S				1.0	26.7	6.26	6.29	37.1	76.3	31.4	20.40	20.20	34.32			
FH1 M	09:45	Small wave	18.0	9.0	26.6	6.25	5.71	5.65	73.4	73.9	32.2	21.4	25.00	23.22		
FH1 B				17.0	26.7	6.26	5.61	5.75	5.68	72.1	72.1	32.2	25.00	24.50		
FH2 S				1.0	27.3	6.34	6.49	69.2	70.9	32.2	32.4	23.80	22.90			
FH2 M	09:35	Small wave	19.0	9.5	26.4	6.26	5.41	5.30	73.1	72.0	32.2	31.9	28.60	30.00	27.62	
FH2 B				18.0	26.4	6.24	5.21	5.30	5.26	71.7	73.1	32.2	31.8	30.60		
FC1 S				1.0	26.9	6.34	6.34	6.46	6.23	77.8	76.6	32.1	31.6	27.60		
FC1 M	10:00	Small wave	23.0	11.5	26.9	6.11	6.00	6.23	74.2	74.1	31.9	31.8	28.10	27.40	28.25	
FC1 B				22.0	27.3	6.20	6.34	6.27	74.9	75.7	31.8	31.7	32.00	28.90	30.50	
FC2 S				1.0	26.4	6.24	6.21	6.40	5.27	68.8	69.9	31.7	31.6	20.40	21.30	30.34
FC2 M	09:20	Small wave	19.0	9.5	25.4	6.25	5.37	5.11	72.1	71.9	31.7	31.7	28.80	28.10	25.03	
FC2 B				18.0	25.6	6.26	5.30	5.35	5.33	73.4	74.7	32.5	32.3	25.40	25.20	30.43

**Bold data with single underline indicates an exceedance to Action Level**  
Data with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter:	EM	961	Calibration Check	Dong Lek	100% ok	Sampled By:
	Turbidity Meter:	EM	2365	Calibration Check	4.53	453	Checked By:
	Salinity Meter:	EM	3694	Calibration Check	50.0	moS	Date:
	Thermometer:	ET	961				

Project: Contract No. CV/2020/13 Fill Bank At Tuan Mun Area 38

Date of Sampling: 07/10/2024

Client: Perma-Ocean Construction Co., Ltd. Job No: 44941

Station	Time	Sea Condition	Weather Condition:			Sampling Temperature, °C			Dissolved Oxygen, mg/L			Salinity, ‰			Turbidity, NTU			Tide State	Site/Ebb	Remarks
			a	b	Average	a	b	Average	a	b	Average	a	b	Average	a	b	Average			
FMI S			1.0	26.9	26.9	6.34	6.39	6.32	79.6	78.1	77.2	31.9	31.3	30.80	20.40	32	36			
FMI M	15:15	Small wave	17.0	8.5	27.1	6.14	6.21	6.27	76.2	75.7	71.7	31.9	31.9	25.80	22.90	24.42	41	42	42.2	
FMI B			16.0	27.0	27.0	6.05	6.11	6.08	74.3	74.9	74.6	31.6	31.6	26.40	30.20	66	47			
FHQ S			1.0	27.1	27.0	6.41	6.49	6.31	80.1	79.4	77.0	31.9	31.8	23.70	22.80	37	38			
FHQ M	15:25	Small wave	17.0	8.5	26.6	6.20	6.14	6.31	73.9	74.5	71.7	31.5	31.5	25.70	26.10	25.85	46	50	46.8	
FHQ B			16.0	26.4	26.5	5.98	5.81	5.90	70.4	71.3	70.9	30.9	31.0	29.50	27.30	50	55			
FC1 S			1.0	27.4	27.4	5.72	5.81	5.61	68.7	71.6	71.9	30.8	31.0	17.60	16.60	30	32			
FC1 M	15:00	Small wave	22.0	11.0	27.0	6.30	6.21	6.01	74.2	72.1	71.4	31.4	31.5	23.40	24.10	23.72	41	42	40.3	
FC1 B			21.0	26.8	26.8	6.34	6.20	6.27	74.0	75.7	74.9	31.2	31.1	28.70	29.70	47	50			
FC2 S			1.0	27.1	27.2	5.05	5.97	6.00	70.7	70.8	71.3	31.2	31.2	23.80	24.70	38	39			
FC2 M	15:45	Small wave	17.0	8.5	27.0	6.00	6.16	6.00	76.7	74.7	73.0	31.5	31.4	26.00	30.00	26.20	46	49	43.7	
FC2 B			16.0	26.7	26.7	5.97	5.98	5.96	74.9	73.1	74.0	31.5	31.5	23.80	22.90	46	45			

Field data with single underline indicates an exceedance to Action Level  
Underline with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter	EM	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:
Turbidity Meter:	EM	2395		Calibration Check: 4.57	45.5	462 NTU Checked By:
Salinity Meter:	EM	3694		Calibration Check: 59.8	mS	Date:
Thermometer:	ET	961				

Project: Contract No. Cy/2002/03 Fil Bank At Tuern Man Area 3d

Date of Sampling: 04/10/2004

Client: Bent-Ocean Construction Co., Ltd. Job No.: 4494.1

Station	Time	Sea Condition	Overall Depth, m	Sampling Temperature, °C			Dissolved Oxygen, mg/L			Salinity, ppt			Turbidity, NTU			Ambient Temperature, °C	29	Tide State:	Mid-Flood	Remarks	
				a	b	Average	a	b	Average	a	b	Average	a	b	Average						
FH1 S			1.0	26.6	26.6	26.6	6.38	6.32	6.30	78.3	78.1	78.1	34.4	34.6	34.6	9.14	52	55			
FH1 M	11:26	Small wave	18.0	9.0	25.6	25.6	6.21	6.26	6.29	74.5	74.1	74.1	33.4	32.9	32.9	14.40	44.00	14.96	43	43	46.0
FH1 B			17.0	26.3	26.3	26.3	5.99	6.01	6.00	72.3	71.9	72.1	34.5	34.6	34.6	20.30	22.50	30	45		
FH2 S			1.0	26.3	26.3	26.3	5.49	5.50	5.49	60.5	60.4	60.4	34.6	34.4	34.4	13.00	15.50	56	52		
FH2 M	11:15	Small wave	18.0	9.0	26.8	26.8	5.37	5.37	5.37	70.1	70.3	70.3	34.7	34.4	34.4	15.10	14.70	14.83	50	48	51.8
FH2 B			17.0	25.6	25.6	25.6	5.20	5.29	5.25	71.1	71.5	71.3	33.9	34.2	34.2	15.10	14.80	52	53		
FO1 S			1.0	26.7	26.7	26.7	5.98	6.40	6.40	69.6	70.1	71.2	34.6	34.2	34.2	9.04	8.88	19	20		
FO1 M	11:40	Small wave	23.0	11.5	26.5	26.5	6.48	6.47	6.48	72.3	72.9	72.9	34.4	34.5	34.5	15.10	14.00	12.70	55	55	40.0
FO1 B			22.0	26.9	26.9	26.9	6.31	6.34	6.33	71.5	71.8	71.7	34.6	34.5	34.5	14.30	14.90	43	48		
FO2 S			1.0	28.1	28.1	28.1	6.36	6.37	6.37	77.4	77.1	76.9	33.1	33.2	33.2	13.50	11.80	43	48		
FO2 M	11:00	Small wave	18.0	9.0	26.9	26.9	6.10	6.12	6.24	76.5	76.7	76.7	34.1	34.1	34.1	17.60	16.20	17.25	33	37	47.8
FO2 B			17.0	26.9	26.9	26.9	5.98	5.96	5.97	72.1	72.5	72.3	33.8	34.0	34.0	22.60	21.80	66	60		

**bold data with single underline** indicates an exceedance to Action Level  
**bold data with double underline** indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter:	EM	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:	
	Turbidity Meter:	EM	2365	Calibration Check: 4.50, 45.2,	451 NTU	Checked By:	
	Salinity Meter:	EM	3694	Calibration Check: 58.8	mS	Date:	
	Thermometer:	ET	961				

Project Contract No. CW200213 Fill Bank At Tuan Mun Area 38

Date of Sampling : 04/10/2004

Station	Time	Sea Condition	Overall Sampling Depth, m	Temperature, °C			Dissolved Oxygen, mg/L	Dissolved Oxygen %	Salinity, ppt	Turbidity, NTU	Ambient Temperature, °C	Tide Status	MDEB
				a	b	c							
Fm1 S			1.0	27.1	27.1	6.54	6.51	6.46	72.1	72.2	71.1	32.9	33.1
Fm1 M	16:15	Small wave	17.0	8.5	26.5	6.38	6.41		70.0	70.1		34.0	34.2
Fm1 B			16.0	26.7	26.7	6.12	6.13	6.13	68.5	68.0	68.3	34.3	34.4
Fm2 S			1.0	26.9	26.9	6.90	6.90	6.90	69.7	69.0	70.7	34.4	34.6
Fm2 M	16:25	Small wave	17.0	8.5	27.5	6.02	6.10		71.2	72.0		34.2	34.3
Fm2 B			16.0	27.1	27.1	6.28	6.40	6.34	70.0	70.4	70.2	33.9	34.0
Fc1 S			1.0	26.6	26.6	6.13	6.02	6.96	77.5	77.0	76.4	34.4	34.2
Fc1 M	16:00	Small wave	22.0	11.0	27.1	5.81	5.89	75.4	75.6	74.1	34.1	34.1	16.00
Fc1 B			21.0	26.2	26.2	6.03	6.06	6.05	72.1	72.5	72.3	34.5	33.9
Fc2 S			1.0	27.6	27.6	6.94	6.84	6.98	76.7	76.8	73.6	34.1	34.0
Fc2 M	16:40	Small wave	17.0	8.5	27.5	6.11	6.03		70.1	70.7		34.6	34.5
Fc2 B			16.0	27.1	27.1	6.25	6.21	6.23	74.2	74.6	74.4	34.6	34.6

**Bold data with single underline indicates an exceedance in Action Level**  
**Italic data with double underline indicates no exceedance to Limit Level**

Equipment used:

Dissolved Oxygen Meter:	EM	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:
Turbidity Meter:	EM	2366	Calibration Check: 4.51 - 45.0,	45.0 NTU	Checked By:
Salinity Meter:	EM	3834	Calibration Check: 58.8 mS		Date:
Thermometer:	ET	961			

Project: Contract No. CV/2000/3 Fill Bank At Tum Mun Area

Date of Sampling: 07/10/2004

Client: Ports-Ocean Construction Co., Ltd. Job No.: 4491.1

Station	Time	Sea Condition	Weather Condition:			Sampling Temperature, °C			Dissolved Oxygen, mg/L			Dissolved Oxygen, %			Salinity, ppt			Turbidity, NTU			Site State			Misc-Field				
			a	b	Average	a	b	Average	a	b	Average	a	b	Average	a	b	Average	a	b	Average	a	b	Average	a	b	Average		
FMI S			1.0	25.6	25.6	7.01	7.16	6.96	88.7	87.0	86.6	32.2	32.1	3.44	3.59	20	22											
FMI M	19:55	Small wave	19.0	9.5	25.0	26.0	6.79	6.56	84.7	86.1	86.6	32.0	31.9	12.50	11.90	9.07	20	22	21.7									
FMI B			18.0	26.0	26.0	6.71	6.70	6.71	86.4	84.9	86.2	32.4	32.2	11.30	11.70		22	24										
FHQ S			1.0	26.6	26.6	6.89	6.75	6.92	86.1	85.4	87.2	32.5	32.4	7.71	7.27		20	19										
FHQ M	20:05	Small wave	18.0	9.0	26.6	26.6	7.01	7.01	88.1	88.2	88.2	32.7	32.7	11.60	10.50	10.00	21	20	21.3									
FHQ B			17.0	25.0	25.0	6.71	6.51	6.61	86.0	84.4	85.2	32.4	32.3	11.20	11.50		25	23										
FC1 S			1.0	26.4	26.4	6.82	6.75	6.75	84.1	85.1	85.3	32.9	32.8	8.04	9.06		19	16										
FC1 M	19:40	Small wave	23.0	11.5	27.0	27.0	6.71	6.74	86.1	85.9	86.9	32.7	32.6	13.20	13.70	11.58	29	25	23.2									
FC1 B			22.0	26.8	26.8	6.32	6.31	6.32	84.7	82.5	83.6	33.0	32.9	12.70	12.80		26	24										
FC2 S			1.0	25.7	25.7	6.54	6.39	6.47	81.4	83.7	83.1	33.0	33.0	8.89	8.89		17	15										
FC2 M	20:45	Small wave	19.0	9.5	26.3	26.3	6.42	6.51	83.2	81.9	82.6	33.0	32.9	11.60	10.60	9.79	19	20	19.2									
FC2 B			18.0	26.3	26.3	6.39	6.41	6.40	84.9	85.1	85.0	32.8	32.6	9.58	8.53		22	22										

Bold data with single underline indicates an exceedance to Action Level

Data with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter	EM	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:
Turbidity Meter:		EM	2366	Calibration Check: 4.57	4.58	Checked By:
Salinity Meter:		EM	3694	Calibration Check: 58.6	mS	Date:
Thermometer:		ET	961			

Project: Contract No. Cy/2002/03 Fil Bank At Tuern Man Area 3d

Date of Sampling: 07/10/2004

Station	Time	Sea Condition	Overall Depth, m	Sampling Temperature, °C			Dissolved Oxygen, mg/L			Salinity, ppt			Turbidity, NTU			Ambient Temperature, °C	26	Tide State:	Mid-Ebb	Remarks
				a	b	Average	a	b	Average	a	b	Average	a	b	Average					
FH1 S			1.0	27.0	27.0	6.27	6.38	6.29	61.9	61.2	61.2	34.2	34.2	5.57	4.63	17	20			
FH1 M	07:00	Small wave	17.0	8.5	26.7	6.17	6.10	60.1	60.2	60.2	34.0	34.0	9.22	8.77	8.92	21	19	22.3		
FH1 B			16.0	26.0	26.0	6.34	6.29	6.32	61.4	62.0	62.0	34.7	34.7	12.40	12.70	30	27			
FH2 S			1.0	26.0	26.0	6.57	6.46	6.46	65.7	63.6	64.1	34.5	34.4	8.95	8.59	17	20			
FH2 M	07:10	Small wave	17.0	8.5	27.1	6.42	6.37	62.7	64.5	64.5	34.0	34.1	8.45	7.75	9.75	12	11	17.7		
FH2 B			16.0	26.1	26.1	6.16	6.30	6.23	60.1	60.9	60.5	34.7	34.7	12.40	12.80	23	23			
FO1 S			1.0	27.0	27.0	5.97	5.86	6.18	78.4	77.1	81.0	34.4	34.2	8.81	9.11	18	21			
FO1 M	06:45	Small wave	22.0	11.0	26.5	6.25	6.46	6.41	63.9	64.5	64.5	34.5	34.5	10.30	11.00	10.62	17	17	20.7	
FO1 B			21.0	27.1	27.1	5.67	5.72	5.70	76.7	75.7	76.2	34.8	34.8	12.10	12.40	25	26			
FO2 S			1.0	26.8	26.8	6.36	6.45	6.30	81.9	82.7	81.7	34.2	34.2	9.55	9.80	16	16			
FO2 M	07:25	Small wave	17.0	8.5	26.2	6.24	6.15	6.01	82.1	81.7	84.8	34.8	34.8	12.00	11.20	11.00	21	24	20.0	
FO2 B			16.0	26.6	26.6	6.09	6.13	6.11	78.1	77.6	77.9	36.1	36.1	11.80	12.20	23	20			

**bold data with single underline** indicates an exceedance to Action Level  
**bold data with double underline** indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter:	EM	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:	
	Turbidity Meter:	EM	2365	Calibration Check: 4.52, 45.2,	455 NTU	Checked By:	
	Salinity Meter:	EM	3694	Calibration Check: 59.6	mS	Date:	
	Thermometer:	ET	961				

Project Contract No. CW200213 Fall Bank At Tuon Muu Area 38

Client: Phuoc Ocean Construction Co., Ltd. Job No.: 4494.1

Date of Sampling: 08/10/2004

Weather Condition: Sunny

Station	Time	Sea Condition	Overall Sampling Depth, m	Temperature, °C			Dissolved Oxygen, mg/L			Salinity, ppt			Turbidity, NTU			Suspended Solids, mg/L	Remarks
				a	b	Average	a	b	Average	a	b	Average	a	b	Average		
Fm1 S			1.0	20.3	20.4	20.2	6.78	6.66	6.73	70.1	70.9	70.9	33.6	33.6	33.6	11.90	11.70
Fm1 M	17:35	Normal	18.0	9.0	28.0	27.8	6.73	6.32	6.52	65.8	65.8	65.8	33.9	33.8	33.8	13.70	14.90
Fm1 B			17.0	27.8	27.6	6.01	6.13	6.07	63.6	62.4	63.0	33.4	33.8	33.8	26.70	26.40	
Fm2 S			1.0	20.1	20.2	6.54	6.54	6.45	60.9	60.1	67.5	33.6	33.0	33.0	10.10	10.10	
Fm2 M	17:45	Normal	20.0	10.0	27.5	27.7	6.37	6.35	65.5	65.6	63.9	33.9	33.8	33.8	15.30	15.90	
Fm2 B			19.0	27.1	27.0	6.28	6.26	6.27	64.8	64.8	64.8	34.0	33.6	33.6	25.60	26.20	
Fc1 S			1.0	27.9	27.7	6.00	6.92	6.09	62.1	62.0	61.3	33.5	33.2	33.2	8.66	8.62	
Fc1 M	17:20	Normal	17.0	8.5	27.8	27.6	5.73	5.84	60.0	60.1	63.4	33.4	33.4	33.4	11.00	10.10	
Fc1 B			16.0	27.9	28.1	6.14	6.20	6.17	63.4	64.0	63.7	33.5	33.4	33.4	25.50	27.30	
Fc2 S			1.0	27.5	27.6	6.25	6.14	6.20	64.7	64.2	64.9	34.3	34.3	34.3	7.47	7.24	
Fc2 M	00:00	Normal	18.0	9.0	27.6	27.9	6.38	6.34	65.3	65.3	64.9	34.0	33.8	33.8	10.90	10.20	
Fc2 B			17.0	27.6	27.6	6.02	6.10	6.06	61.9	61.5	61.7	33.8	33.6	33.6	26.80	26.50	

**Bold data with single underline indicates an exceedance to Action Level**  
**Italic data with double underline indicates no exceedance to Limit Level**

Equipment used:

Dissolved Oxygen Meter:

EMI

951

Calibration Check:

OmgL ok

100% ok

Sampled By

Turbidity Meter:

EMI

2956

Calibration Check:

4.57, 45.3,

450 NTU

Checked By

Salinity Meter:

EMI

3694

Calibration Check:

58.7 mS

Date

Thermometer:

ET

951



Project: Contract No. CW/0000213 Fill Bank At Tuon Mun Area

Date of Sampling : 11/10/2004 Weather Condition: Cloudy

Client: Penta-Ocean Construction Co., Ltd. Job No.: 4454.1

Station	Time	Sea Condition	Overall Depth, m	Sampling Depth, m	Temperature, °C	Dissolved Oxygen, mg/L	Dissolved Oxygen, %	Average	Salinity, ppt	Turbidity, NTU	Depth Average	Suspended Solids, mg/L	Remarks
			a	b	a	b	Average	a	b	a	b		
FM1 S			1.0	27.1	27.1	7.59	7.54	7.24	87.8	86.6	63.2	33.9	33.7
FM1 M	18:30	Normal	19.0	27.2	27.2	6.96	6.75	7.11	79.7	78.5	33.6	33.7	19.73
FM1 B			17.0	26.9	26.9	6.17	6.21	6.19	75.4	74.1	74.8	33.9	34.0
FM2 S			1.0	26.9	26.9	7.24	7.11	7.33	78.3	79.4	79.8	33.6	33.6
FM2 M	18:20	Normal	19.0	9.5	26.9	26.9	7.51	7.47	60.1	81.4	33.6	33.6	19.90
FM2 B			18.0	26.8	26.8	7.04	7.04	7.04	69.7	68.2	69.0	34.0	34.0
FC1 S			1.0	27.0	27.0	7.00	6.86	6.87	78.7	77.2	76.6	33.7	33.7
FC1 M	18:45	Normal	23.0	11.5	27.0	6.89	6.71	6.97	76.2	74.1	74.1	33.6	33.6
FC1 B			22.0	26.9	26.9	5.46	5.24	5.35	60.3	61.4	60.9	34.0	34.0
FC2 S			1.0	26.8	26.8	6.56	6.75	6.42	74.1	73.0	73.8	33.8	33.8
FC2 M	18:00	Normal	19.0	9.5	26.8	6.14	6.21	6.21	75.1	73.1	73.9	33.9	33.9
FC2 B			18.0	26.8	26.8	6.36	6.21	6.29	75.6	76.0	75.0	34.1	34.1

Bold data with single underline indicates an exceedance to Action Level  
 Italic data with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter:	EM	961	Calibration Check:	0 mg/L ok	100% ok	Sampled By:
	Turbidity Meter:	EM	2365	Calibration Check:	4.47, 45.3,	459 NTU	Checked By:
	Salinity Meter:	EM	3694	Calibration Check:	59.7	mS	Date:
	Thermometer:	ET	961				

Project Contract No. CW200213 Fill Bank At Tuan Mun Area 38

Date of Sampling : 16/10/2004

Station	Time	Sea Condition	Overall Sampling Depth, m	Temperature, °C			Dissolved Oxygen, mg/L			Salinity, ppt			Turbidity, NTU			Tide Status	MdBab
				a	b	Average	a	b	Average	a	b	Average	a	b	Average		
Fm1 S			1.0	26.9	26.9	26.9	7.00	6.97	6.97	78.1	77.0	77.1	34.0	6.68	6.30	25	27
Fm1 M	11:20	Normal	17.0	8.5	26.4	26.4	6.81	6.71	6.87	76.5	76.9	77.1	34.2	14.40	12.00	14.25	25
Fm1 B			16.0	26.9	26.9	26.9	6.51	6.21	6.36	76.2	75.5	75.9	34.5	23.10	23.00	41	46
Fm2 S			1.0	26.9	26.9	26.9	7.14	7.29	7.29	77.1	76.2	78.4	34.0	6.08	6.71	25	26
Fm2 M	11:30	Normal	16.0	8.0	26.3	26.3	7.30	7.41		78.9	81.4		34.2	34.1	12.50	12.60	29
Fm2 B			15.0	26.7	26.7	26.7	7.05	7.09	7.07	79.0	78.0	78.5	33.9	33.9	12.60	12.70	25
Fc1 S			1.0	27.4	27.4	27.4	6.97	6.90	7.06	76.1	77.0	77.4	33.6	9.13	9.06	26	22
Fc1 M	11:05	Normal	21.0	10.5	25.6	25.6	7.14	7.21		78.2	79.4		33.1	11.40	12.00	14.65	26
Fc1 B			20.0	27.1	27.1	27.1	6.80	6.76	6.78	76.0	76.0		33.9	22.70	23.60	52	55
Fc2 S			1.0	26.6	26.6	26.6	6.57	6.61	6.60	74.3	75.6	75.8	34.0	10.60	11.00	19	18
Fc2 M	11:45	Normal	17.0	8.5	26.4	26.4	6.72	6.81		76.2	77.1		33.6	9.05	9.00	11.54	33
Fc2 B			16.0	26.7	26.7	26.7	6.36	6.34	6.36	75.1	76.9	76.0	33.9	13.90	14.10	28	32

**Bold data with single underline indicates an exceedance in Action Level**  
**Italic data with double underline indicates no exceedance to Limit Level**

Equipment used:

Dissolved Oxygen Meter: EM 961

Calibration Check: 0mg/L ok 100% ok

Sampled By \_\_\_\_\_

Checked By \_\_\_\_\_

Date \_\_\_\_\_

Turbidity Meter: EM 2366

Calibration Check: 4.51 - 45.7, 450 NTU

Salinity Meter: EM 3834

Calibration Check: 58.7 mS

Thermometer: ET 961

Project: Contract No. CIV/2002/013 Fill Bank At Tuen Mun Area 30										Client: Faro Ocean Construction Co., Ltd. Job No.: 4694.1							
Date of Sampling	13/10/2004	Weather Condition:			Cloudy			Ambient Temperature, °C:			29	Tide State:	Mid-English				
Station	Time	Sea Condition	Sampling Depth, m	Temperature, °C	Dissolved Oxygen, mg/L	Average	a	b	Average	Salinity, ppt	Turbidity, NTU	a	b	Average	Suspended Solids, mg/L	Remarks	
FMI S			1.0	27.1	7.01	7.01			00.6	07.2	84.6	31.9	31.0	7.00	7.91	21	10
FMI M	19:05	Normal	18.0	9.0	26.9	26.9	8.21	7.34	7.76	81.7	80.9	32.3	32.3	8.67	8.91	12.58	17
FMI B			17.0	27.4	7.24	7.46	7.56	7.51	83.1	83.7	83.4	32.3	32.3	21.10	21.00	32	37
FMI S			1.0	26.9	7.34	7.21			83.9	82.1	82.7	32.1	32.1	9.39	9.41	24	23
FMI M	18:50	Normal	18.0	9.0	27.1	7.21	7.36	7.39	7.33	81.7	83.1	32.4	32.4	17.60	18.10	15.42	27
FMI B			17.0	27.0	7.20	7.11	7.16	7.14	78.1	77.7	77.9	32.5	32.5	18.40	19.60	26	32
FC1 S			1.0	27.4	7.24	7.30	7.30	7.22	80.7	81.4	79.4	32.0	32.0	9.19	9.36	25	27
FC1 M	19:20	Normal	23.0	11.5	27.1	7.11	7.17	7.22	77.5	78.1	79.4	32.4	32.4	17.70	15.40	16.36	26
FC1 B			22.0	27.4	7.24	7.40	7.42	7.41	82.4	83.6	83.0	32.5	32.5	22.50	24.00	26	26
FC2 S			1.0	27.1	7.21	7.00	7.09	7.01	75.9	77.5	74.2	31.9	31.9	14.10	15.90	20	21
FC2 M	18:35	Normal	19.0	9.5	27.5	6.93	6.97	7.07	70.7	71.6	70.5	32.5	32.5	12.50	13.60	13.40	30
FC2 B			18.0	27.5	7.25	6.95	6.87	6.87	70.8	70.9	70.9	32.5	32.5	12.70	11.60	31	27

**Bold** data with single underline indicates an exordance to Action 1 level

Project Contract No. Cx02002413 Fil Bank At Tien Mun Area 38

Client: Pante-Ocean Construction Co., Ltd. Job No.: 44224.1

Date of Sampling : 13/10/2004

Weather Condition: Sunny

Station	Time	Sea Condition	Sampling Depth, m	Temperature, °C			Dissolved Oxygen, mg/L			Salinity, ppt			Turbidity, NTU			Suspended Solids, mg/L	Remarks		
				a	b	Average	a	b	Average	a	b	Average	a	b	Average				
FMI S			1.0	27.1	27.1	27.1	7.60	7.55	7.29	86.1	84.0	80.2	32.0	8.89	9.11	17	20		
FMI M	12:36	Normal	17.0	8.5	26.9	26.9	7.01	6.98	7.67	74.1	70.0	32.4	32.4	7.64	7.90	9.79	21	22	
FMI B			16.0	26.8	26.8	26.8	6.86	6.75	6.81	71.1	70.6	32.4	32.4	12.00	13.00		30	34	
FM2 S			1.0	27.1	27.1	27.1	7.34	7.26	7.25	83.9	84.1	79.5	31.9	31.9	7.29	7.31	19	16	
FM2 M	12:45	Normal	16.0	8.0	26.4	26.4	7.00	6.90	75.1	74.9	75.1	32.5	32.5	8.26	8.31	8.75	24	21	
FM2 B			16.0	26.7	26.7	26.7	6.86	6.72	6.84	70.6	69.8	70.2	32.5	32.5	10.30	11.10		22	26
FC1 S			1.0	27.2	27.2	27.2	7.14	7.26	7.20	76.2	75.7	74.7	31.9	31.9	8.61	8.72		25	25
FC1 M	12:20	Normal	22.0	11.0	26.4	26.4	7.21	7.20	72.3	74.6	74.6	32.6	32.6	8.62	8.62	10.84	24	26?	
FC1 B			21.0	26.4	26.4	26.4	5.97	5.98	5.98	68.6	67.2	67.9	32.5	32.5	15.30	15.40		30	31
FC2 S			1.0	26.2	26.2	26.2	7.00	7.09	6.98	76.9	74.1	73.2	32.1	32.1	8.50	8.71		24	21
FC2 M	13:00	Normal	16.0	8.0	27.3	27.3	6.95	6.86	70.4	71.5	71.5	32.3	32.3	8.48	8.47	8.71	23	22	
FC2 B			16.0	26.3	26.3	26.3	7.11	7.16	7.14	74.3	73.8	74.1	32.5	32.5	9.02	9.01		22	20

**Bold data with single underline indicates an exceedance to Action Level**  
**Data with double underline indicates an exceedance to Limit Level**

Equipment used	Described Oxygen Meter:	EM	961	Calibration Check:	0mg/L ok	100% ok	Sampled By:
Turbidity Meter:		EM	2365	Calibration Check:	4.57	45.6	455 NTU
Salinity Meter:		EM	3094	Calibration Check:	58.7	mS	Checked By:
Thermometer:		ET	961				Dated:

Project Contract No. CN/0000013 Fill Bank At Tuan Mun Area 38

Date of Sampling : 15/10/2004

Client: Benth-Ocean Construction Co., Ltd. Job No.: 4694.1									
Weather Condition: Sunny									
Station	Time	Sea Condition	Sampling Depth, m	Temperature, °C	Dissolved Oxygen, mg/L	Dissolved Oxygen, %	Salinity, ppt	Turbidity, NTU	Ambient Temperature, °C
FMI S	08:05	Normal	1.0	26.4	7.01	7.05	82.1	83.6	32.7
FMI M	08:05	Normal	9.0	26.6	7.41	7.59	88.1	87.2	65.3
FMI B	07:45	Normal	17.0	26.9	7.29	7.11	7.27	85.0	82.1
FHQ S	07:45	Normal	1.0	26.4	7.04	6.95	81.4	82.3	86.0
FHQ M	07:45	Normal	9.0	26.4	6.41	6.31	6.64	79.7	82.3
FHQ B	07:45	Normal	17.0	26.8	7.00	6.98	6.95	83.6	82.1
FC1 S	07:55	Normal	1.0	26.3	7.12	7.15	7.11	84.7	85.6
FC1 M	07:55	Normal	11.5	26.6	7.04	7.13	7.08	84.5	83.6
FC1 B	07:55	Normal	22.0	26.5	7.11	7.05	7.09	85.1	84.6
FC2 S	07:30	Normal	1.0	26.6	26.7	6.98	6.96	83.2	84.5
FC2 M	07:30	Normal	9.0	26.4	6.75	6.76	6.84	81.7	82.6
FC2 B	07:30	Normal	17.0	26.4	6.16	6.11	6.14	75.4	74.7

Read data with single underline indicates an exceedance to Action Level  
Data with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter	EM	951	Calibration Check: DmgL ok	100% ok	Sampled By:
	Turbidity Meter	EM	2365	Calibration Check: 4.51	45.9, 466 NTU	Checked By:
	Salinity Meter	EM	3694	Calibration Check: 58.7	mS	Date:
	Thermometer	ET	951			

Suspended Solids, mg/L  
Depth Average

Tide State: Mid-Flood

Remarks

Project: Contract No. CV/2000/3 Fill Bank At Tum Mun Area

Date of Sampling: 15/10/2004

Client: Ports-Ocean Construction Co., Ltd. Job No.: 449.1.1

Station	Time	Sea Condition	Weather Condition:			Sampling Temperature, °C			Dissolved Oxygen, mg/L			Salinity, ‰			Turbidity, NTU			Tide State			Site-Elab	
			a	b	Average	a	b	Average	a	b	Average	a	b	Average	a	b	Average	a	b	Average	Remarks	
FMI S			1.0	27.4	27.4	6.45	6.36	6.34	79.4	78.5	77.6	32.6	32.6	32.6	21.60	22.20	22.20	35	35	35	Depth Average	
FMI M	13:45	Normal	17.0	8.5	27.0	27.7	6.24	6.30	76.0	76.4	76.0	32.7	32.7	32.7	24.10	25.00	25.00	23.05	37	39	37.7	
FMI B			16.0	27.6	27.6	6.14	6.10	6.12	77.6	76.9	77.3	32.7	32.7	32.7	24.60	25.60	25.60	41	41	41		
FHQ S			1.0	27.8	27.8	6.36	6.26	6.26	76.8	76.8	76.5	32.5	32.5	32.5	17.00	19.00	19.00	32	35	35		
FHQ M	14:05	Normal	17.0	8.5	27.6	27.6	6.17	6.31	75.5	76.9	75.5	32.6	32.6	32.6	17.00	18.10	18.10	17.10	30	35	32.3	
FHQ B			16.0	27.5	27.5	6.30	6.27	6.29	77.8	76.9	77.4	32.7	32.7	32.7	15.90	15.60	15.60	29	33	33		
FC1 S			1.0	27.4	27.4	6.24	6.36	6.34	77.3	76.1	78.5	32.6	32.6	32.6	22.10	20.90	20.90	37	42	42		
FC1 M	13:40	Normal	22.0	11.0	27.0	27.0	6.60	6.97	80.7	79.8	80.7	33.0	33.0	33.0	22.10	23.60	23.60	20.65	43	47	38.5	
FC1 B			21.0	27.8	27.8	5.86	5.80	5.83	74.1	73.8	74.0	32.9	32.9	32.9	18.30	16.90	16.90	29	33	33		
FC2 S			1.0	27.1	27.1	6.11	6.20	6.24	74.6	75.0	76.1	32.9	32.9	32.9	16.50	17.00	17.00	27	24	24		
FC2 M	14:20	Normal	17.0	8.5	27.4	27.4	6.34	6.30	76.7	77.9	76.7	32.8	32.8	32.8	22.00	24.10	24.10	25.60	43	41	42.3	
FC2 B			16.0	27.4	27.4	6.21	6.30	6.26	75.6	76.1	75.9	32.9	32.9	32.9	36.60	37.40	37.40	56	63	63		

**Field data with single underline indicates an exceedance to Action Level**  
Data with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter	EM	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:
Turbidity Meter:		EM	2366	Calibration Check: 4.59, 45.2,	461 NTU	Checked By:
Salinity Meter:		EM	3694	Calibration Check: 58.7	msS	Date:
Thermometer:		ET	961			

Project: Contract No. Cy/2002/03 Fil Bank At Tuen Mun Area 3d

Date of Sampling: 10/10/2004

Client: Bent-Ocean Construction Co., Ltd. Job No.: 4494.1

Station	Time	Sea Condition	Overall Depth, m	Sampling Temperature, °C			Dissolved Oxygen, mg/L			Salinity, ppt			Turbidity, NTU			Tide State:	Mid-Flow	Remarks	
				a	b	Average	a	b	Average	a	b	Average	a	b	Average				
FH1 S			1.0	25.1	25.1	25.1	84.3	83.7	83.7	30.1	30.0	30.0	762	762	762	26	25		
FH1 M	10:50	Normal	18.0	9.0	25.8	25.8	60.7	60.7	60.7	31.2	31.5	31.5	10.90	9.72	11.87	30	26	29.5	
FH1 B			17.0	25.3	25.3	25.3	6.96	6.96	6.96	76.9	75.4	76.2	32.2	32.1	32.1	17.40	17.60	34	
FH2 S			1.0	25.3	25.3	25.3	7.12	7.11	7.11	62.1	62.1	62.1	30.3	30.3	30.3	9.12	9.00	27	
FH2 M	10:40	Normal	18.0	9.0	25.4	25.4	6.89	6.72	6.96	80.6	79.3	81.0	30.8	31.2	31.2	14.60	14.80	14.57	
FH2 B			17.0	25.0	25.0	25.0	7.01	6.92	6.92	6.97	81.8	80.5	81.2	30.9	30.7	30.7	19.70	20.20	41
FO1 S			1.0	25.1	25.1	25.1	6.72	6.88	6.78	78.4	78.8	79.2	31.3	31.7	31.7	7.74	7.98	14	
FO1 M	11:05	Normal	23.0	11.5	25.8	25.8	6.85	7.04	6.87	79.5	80.1	80.1	30.1	30.0	30.0	9.33	9.84	12.15	
FO1 B			22.0	25.3	25.3	25.3	6.99	7.21	7.10	80.2	82.2	81.2	32.5	32.6	32.6	19.40	18.60	34	
FO2 S			1.0	25.3	25.3	25.3	7.00	6.76	6.90	81.0	79.0	80.8	32.5	32.1	32.1	6.98	8.33	13	
FO2 M	10:25	Normal	18.0	9.0	25.6	25.6	7.13	6.80	6.92	81.1	80.8	80.5	30.2	17.30	18.60	17.64	36	31	
FO2 B			17.0	25.6	25.6	25.6	6.89	6.89	6.89	79.6	79.5	79.6	31.6	31.8	31.8	27.30	27.30	44	

Bold data with single underline indicates an exceedance to Action Level  
Data with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter:	EM	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:	
	Turbidity Meter:	EM	2365	Calibration Check: 4.50, 45.9,	454 NTU	Checked By:	
	Salinity Meter:	EM	3694	Calibration Check: 58.6	mS	Date:	
	Thermometer:	ET	961				

Project Contact No. Cyy2002H3 Fil Bank At Tien Mun Area 38

Date of Sampling : 10/10/2004

Client: Pante-Ocean Construction Co., Ltd. Job No: 44241

Weather Condition: Sunny

Ambient Temperature, °C: 20

Tide State: Mid-tide

Station	Time	Sea Condition	Sampling Depth, m	Overall Depth, m	Temperature, °C	Dissolved Oxygen, mg/l	Dissolved Oxygen, mg/l	Salinity, ppt	Turbidity, NTU	Suspended Solids, mg/L	Remarks
			a	b	a	b	Average	a	b	Average	Depth Average
FM1 S			1.0	28.4	28.4	6.83	6.74	80.0	79.1	31.4	8.94
FM1 M	16:00	Normal	18.0	9.0	27.5	6.81	6.70	79.4	78.6	30.6	8.89
FM1 B			17.0	26.9	26.9	7.01	6.92	6.97	81.7	32.5	9.43
FM2 S			1.0	26.6	26.6	7.13	7.06	69.9	68.6	30.5	8.94
FM2 M	16:10	Normal	18.0	9.0	26.4	6.99	7.00	7.05	82.2	30.4	7.91
FM2 B			17.0	26.8	26.8	7.01	7.03	7.02	82.0	30.0	8.75
FC1 S			1.0	27.1	27.1	7.21	7.30	84.8	85.1	31.0	11.20
FC1 M	16:45	Normal	22.0	11.0	26.4	6.98	7.09	81.7	82.4	30.9	10.60
FC1 B			21.0	26.5	26.5	7.14	7.20	7.17	83.6	30.4	10.30
FC2 S			1.0	26.6	26.7	6.95	6.71	6.99	81.9	32.1	7.91
FC2 M	16:35	Normal	18.0	9.0	26.4	7.26	7.05	86.5	82.8	30.1	8.09
FC2 B			17.0	26.7	26.7	7.24	6.99	7.12	85.3	31.3	7.53

**Bold data with single underline indicates an exceedance to Action Level.****Data with double underline indicates an exceedance to Limit Level.**

Equipment used

Dissolved Oxygen Meter:

Calibration Check: 0mg/L ok

Sampled By:

Turbidity Meter:

Calibration Check: 4.54 NTU

Checked By:

Salinity Meter:

Calibration Check: 58.7 mS

Done:

Thermometer:

ET 961

Project: Contract No. CW/0000213 Fill Bank At Tuoi Man Area

Date of Sampling : 21/10/2004

Weather Condition:						Ambient Temperature, °C:						Tide State:						
Sunny						27						Mid-Flood						
Station	Time	Sea Condition	Overall Depth, m	Sampling Depth, m	Temperature, °C	Dissolved Oxygen, mg/L	Dissolved Oxygen % Average	a	b	Average	a	Salinity, ppt	Turbidity, NTU	a	b	Average	Suspended Solids, mg/L	Remarks
FM1 S			1.0	24.9	24.9	6.98	7.07	7.06	7.06	7.05	89.8	30.1	7.63	7.31	31	33		
FM1 M	18:25	Normal	17.0	8.5	24.9	7.09	7.09	91.5	90.7	90.6	30.4	8.83	8.48	8.34	33	38	29.2	
FM1 B			16.0	26.4	7.14	7.16	7.16	92.0	92.3	92.2	30.2	32.0	8.34	9.42	24	26		
FM2 S			1.0	24.6	24.6	7.26	7.21	7.17	90.1	92.6	92.4	29.9	29.8	6.41	6.81	25	20	
FM2 M	18:15	Normal	18.0	9.0	25.0	25.1	7.14	7.09	92.1	91.8	90.2	30.1	5.92	5.64	6.09	26	22	23.8
FM2 B			17.0	26.0	7.23	7.20	7.22	92.9	92.7	92.8	30.4	30.5	6.89	6.79	25	26		
FC1 S			1.0	25.9	25.9	7.01	7.16	7.13	90.4	91.9	91.7	30.4	30.4	7.96	7.34	20	24	
FC1 M	18:40	Normal	22.0	11.0	25.9	25.8	7.21	7.15	92.5	92.1	90.3	32.3	7.07	7.72	7.79	24	27	25.7
FC1 B			21.0	25.3	25.4	7.15	7.12	7.14	91.3	91.1	91.2	30.1	30.2	7.85	8.81	28	31	
FC2 S			1.0	25.9	25.8	7.22	7.22	7.22	92.2	92.2	90.0	30.1	7.71	7.98	7.22	25		
FC2 M	18:00	Normal	17.0	8.5	25.8	25.9	7.16	7.13	91.6	91.4	91.9	30.1	7.53	8.10	7.38	23	26	25.3
FC2 B			16.0	26.3	26.3	7.07	7.04	7.06	90.7	90.0	90.4	30.3	30.2	6.96	6.40	31	26	

Bold data with single underline indicates an exceedance to Action Level  
 Italic data with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter:	EM	961	Calibration Check:	0 mg/L ok	100% ok	Sampled By:
	Turbidity Meter:	EM	2365	Calibration Check:	4.59, 456	456 NTU	Checked By:
	Salinity Meter:	EM	3694	Calibration Check:	58.9	mS	Date:
	Thermometer:	ET	961				

Project Contract No. CN/0000013 Fill Bank At Tuan Mun Area 38

Date of Sampling : 21/10/2004

Client: Benth-Ocean Construction Co., Ltd. Job No.: 4694.1										
Weather Condition: Sunny										
Station	Time	Sea Condition	Sampling Depth, m			Dissolved Oxygen, mg/L			Turbidity, NTU	Tide State: Mid-Ebb
			a	b	Average	a	b	Average		
FMI S			1.0	25.8	25.8	6.98	6.98	7.04	90.5	90.2
FMI M	07:15	Normal	17.0	8.5	25.6	7.10	7.10	91.2	91.3	30.1
FMI B			16.0	25.7	25.7	7.24	7.17	7.21	93.5	93.0
FNQ S			1.0	25.1	25.1	7.13	7.12	7.15	91.5	91.4
FNQ M	07:25	Normal	17.0	8.5	25.6	7.15	7.21	91.7	91.7	91.6
FNQ B			16.0	25.3	25.4	7.08	7.01	7.05	90.0	89.8
FC1 S			1.0	26.2	26.2	7.22	7.26	7.21	92.3	92.8
FC1 M	07:00	Normal	22.0	11.0	26.1	7.16	7.19	91.9	92.1	29.9
FC1 B			21.0	26.0	26.0	7.03	7.05	7.05	89.7	90.3
FC2 S			1.0	25.7	25.7	6.87	6.93	87.1	88.2	30.4
FC2 M	07:40	Normal	17.0	8.5	25.4	7.01	7.04	6.96	88.4	90.0
FC2 B			16.0	25.5	25.5	7.12	7.15	7.14	91.6	91.5

Read data with single underline indicates an exceedance to Action Level  
Data with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter	EM	951	Calibration Check: Dmg/L ok	100% ok	Sampled By:
Turbidity Meter	EM	2365	Calibration Check: 4.52	45.4,	459 NTU	Checked By:
Salinity Meter	EM	3694	Calibration Check: 59.8	mS		Date:
Thermometer	ET	951				

Suspended Solids, mg/L  
Depth Average

14.08 30.20  
30.2 21.00 20.20  
30.2 30.1 30.2

30.0 11.40 11.50  
30.0 13.80 14.50  
30.1 13.80 14.50

13.00 32.35 33.5  
32.35 33.5

33.30 37.34 34

37.34 37.34

30.27 33.35

Project Contract No. CN/0000013 Fill Bank At Tuan Mun Area 38

Date of Sampling : 29/10/2004

Client: Benth-Ocean Construction Co., Ltd. Job No.: 4694.1									
Weather Condition: Sunny									
Station	Time	Sea Condition	Sampling Depth, m	Temperature, °C	Dissolved Oxygen, mg/L	Dissolved Oxygen, %	Salinity, ppt	Turbidity, NTU	Ambient Temperature, °C
FMI S			1.0	25.1	7.56	7.48	98.1	97.3	30.0
FMI M	17:10	Normal	17.0	8.5	24.9	7.32	7.25	92.3	92.0
FMI B			16.0	25.2	24.9	6.98	7.05	7.02	87.2
FNQ S			1.0	25.0	25.1	7.34	7.44	91.3	92.5
FNQ M	17:00	Normal	18.0	9.0	25.0	25.2	7.21	7.12	90.7
FNQ B			17.0	24.8	25.0	6.85	6.92	6.89	85.6
FC1 S			1.0	24.6	24.7	7.48	7.41	7.23	97.5
FC1 M	17:25	Normal	22.0	11.0	24.9	25.0	7.00	7.03	88.0
FC1 B			21.0	25.3	25.3	7.23	7.16	7.20	91.0
FC2 S			1.0	25.4	25.4	6.98	6.97	6.98	88.9
FC2 M	16:45	Normal	17.0	8.5	25.5	7.01	7.08	7.01	89.0
FC2 B			16.0	25.5	25.3	6.85	6.90	6.88	86.8
									87.0
									86.9
									30.4
									30.5
									13.90
									14.50
									33
									35

Read data with single underline indicates an exceedance to Action Level  
Data with double underline indicates an exceedance to Limit Level

Equipment used: Dissolved Oxygen Meter: EM 951 Calibration Check: DmgL ok 100% ok

Sampled By:

Turbidity Meter: EM 2365 Calibration Check: 4.47 46.1, 465 NTU

Checked By:

Salinity Meter: EM 3694 Calibration Check: 59.7 mS

Date:

Thermometer: ET 951

Project: Sotroco Ha. CV/2002/2013 Fill Bank At Tuan Nam Area 38

Date of Sampling : 23/10/2004

Client: Florida-Ocean Construction Co., Ltd.

Job No.: 4494.1

Station	Time	Sea Condition	Overall Depth, m	Sampling Depth, m	Temperature, °C	Dissolved Oxygen, mg/L	Dissolved Oxygen, %	Salinity, ppt	Turbidity, NTU	Suspended Solids, mg/L	Remarks		
FH1 S			1.0	25.3	25.3	6.80	6.84	86.0	86.4	30.4	30.5	11.80 26	
FH1 M	(09:15)	Normal	17.0	8.5	25.1	25.0	7.12	7.06	90.4	90.0	30.2	30.0	13.30 25
FH1 B			16.0	25.4	25.2	7.23	7.29	7.25	93.8	94.5	30.1	29.9	15.40 30
FH2 S			1.0	25.2	24.9	7.10	7.23	7.21	91.3	92.1	30.2	30.0	0.90 23
FH2 M	(09:25)	Normal	17.0	8.5	25.0	25.2	7.23	7.20	93.6	93.5	30.2	30.1	11.60 25
FH2 B			16.0	24.8	24.8	7.06	7.00	7.03	90.7	89.9	29.8	30.2	20.10 21
FC1 S			1.0	24.6	24.7	7.16	7.17	7.23	91.0	91.2	30.4	30.5	9.90 24.5
FC1 M	(09:00)	Normal	22.0	11.0	25.0	25.1	7.27	7.31	93.9	94.3	30.3	30.4	15.70 19
FC1 B			21.0	25.3	25.4	7.09	7.65	7.37	90.9	89.8	30.4	30.4	26.10 23
FO2 S			1.0	25.1	25.5	6.94	6.93	6.97	87.1	88.5	30.2	30.3	6.24 47
FO2 M	(09:40)	Normal	17.0	8.5	25.4	25.2	7.01	7.08	89.3	90.9	30.1	30.0	10.80 43
FO2 B			16.0	25.0	25.3	7.24	7.21	7.23	91.5	91.9	30.3	29.9	11.90 23.3

**Bold data with single underline indicates an exceedance to Action Level**  
**Underlined data with double underline indicates an exceedance to Limit Level**

Equipment used:	Dissolved Oxygen Meter	EM	951	Calibration Check	0mg/L	ok	100% ok	Sampled By:
	Turbidity Meter	EM	2395	Calibration Check	4.48	44.9	446 NTU	Checked By:
	Salinity Meter:	EM	3694	Calibration Check	68.7	mS		Date:
	Thermometer:	ET	951					

Project: Contract No. Cyy2002H3 Fil Bank At Tien Mun Area 3B

Client: Blue Ocean Construction Co., Ltd. Job No.: 44241

Date of Sampling: 25/10/2004

Weather Condition: Sunny

Overall Temperature, °C

Dissolved Oxygen, mg/L

Remarks

Station	Time	Sea Condition	Sampling Depth, m	a	b	a	b	a	b	a	b	a	b	Turbidity, NTU	Salinity, ppt	Ambient Temperature, °C.	20/5	Tide State:	Mt. Food
FMI S			1.0	26.8	26.8	7.51	7.46	7.41	86.4	85.1	84.3	31.7	31.7	7.10	7.07	22	21		
FMI M	16:10	Normal	16.0	9.0	27.1	7.31	7.36	83.1	82.7	83.1	31.8	31.8	14.60	15.70	12.06	23	28	28.5	
FMI B			17.0	27.0	27.0	7.48	7.32	7.41	85.1	85.1	85.6	31.8	31.8	16.50	16.30	38	37		
FM2 S			1.0	26.6	26.6	6.90	6.71	6.03	76.3	75.4	77.0	32.0	32.0	12.40	11.60	31	30		
FM2 M	16:00	Normal	19.0	9.5	26.4	7.11	7.20	78.0	79.1	79.1	31.9	31.9	12.60	12.60	12.75	31	29	30.5	
FM2 B			18.0	26.7	26.7	6.99	7.01	7.00	77.6	76.5	77.1	31.8	31.8	13.70	13.60	33	29		
FC1 S			1.0	27.1	27.1	7.12	7.16	7.29	75.4	76.6	79.1	31.9	31.9	6.98	7.06	9	10		
FC1 M	16:26	Normal	23.0	11.5	26.6	7.34	7.52	82.6	81.6	81.6	31.9	31.9	16.70	16.90	12.71	37	34	26.0	
FC1 B			22.0	27.0	27.0	7.30	7.41	7.36	84.2	83.6	83.9	31.9	31.9	14.70	15.90	28	32		
FC2 S			1.0	26.6	26.6	7.37	7.41	7.55	81.4	82.7	82.8	31.8	31.8	10.90	12.10	16	16		
FC2 M	17:45	Normal	18.0	9.0	26.7	7.67	7.76	83.4	83.5	83.4	31.8	31.8	14.50	15.10	14.77	33	37	30.5	
FC2 B			17.0	26.5	26.5	7.11	7.29	7.20	79.1	79.7	79.4	31.9	31.9	10.80	17.20	38	43		

**Bold data with single underline indicates an exceedance to Action Level****Data with double underline indicates an exceedance to Limit Level**

Equipment used	Dissolved Oxygen Meter:	EM	961	Calibration Check:	0mg/L ok	100% ok	Sampled By:	
Turbidity Meter:	EM	2365		Calibration Check:	4.55, 45.4,	45.1 NTU	Checked By:	
Salinity Meter:	EM	3094		Calibration Check:	58.6	mS	Date:	
Thermometer:	ET	961						

Project Contract No. Cyy2002H3 Fil Bank At Tien Mun Area 3B

Date of Sampling : 25/10/2004

Client: Pante-Ocean Construction Co., Ltd. Job No: 4424.1

Weather Condition: Sunny

Ambient Temperature, °C: 29

Tide State: Midebb.

Station	Time	Sea Condition	Sampling Depth, m	Overall Depth, m	Temperature, °C	Dissolved Oxygen, mg/l	Dissolved Oxygen, mg/l	Salinity, ppt	Turbidity, NTU	Suspended Solids, mg/L	Remarks
			a	b	a	b	Average	a	b	Average	Depth Average
FMI S			1.0	25.7	26.7	7.60	7.55	7.39	90.2	88.1	
FMI M	11:05	Normal	17.0	8.5	26.6	7.21	7.20	82.1	81.7	88.5	31.6 20.18
FMI B			16.0	25.9	25.9	7.19	7.17	7.18	80.2	81.0	31.7 21.21 24.7
FM2 S			1.0	27.1	27.1	7.56	7.47	7.26	87.2	86.4	31.6 20.32 36
FM2 M	11:15	Normal	17.0	8.5	26.5	7.00	6.99	80.1	79.8	83.4	31.6 20.17
FM2 B			16.0	26.4	26.4	7.11	7.21	7.16	81.4	82.0	31.7 20.22 22.5
FC1 S			1.0	26.7	26.7	7.32	7.41	7.22	83.7	85.7	31.7 20.17
FC1 M	10:50	Normal	22.0	11.0	26.3	7.00	7.14	78.4	77.8	81.4	31.7 20.26 26
FC1 B			21.0	26.5	26.5	7.34	7.55	7.45	84.4	85.6	31.7 20.17
FC2 S			1.0	27.1	27.1	7.66	7.62	7.28	89.9	90.1	31.9 20.27 27
FC2 M	11:30	Normal	17.0	8.5	26.6	6.97	6.86	80.1	79.8	85.0	31.9 20.30 34
FC2 B			16.0	27.0	27.0	6.71	6.86	6.79	77.4	75.9	31.9 20.31 31

**Bold data with single underline indicates an exceedance to Limit Level****Data with double underline indicates an exceedance to Limit Level**

Equipment used

Dissolved Oxygen Meter:

EM

961

Calibration Check:

0mg/L ok

100%

ok

Sampled By:

Calibration Check:

4.59

45.0

46.3

NTU

checked by:

Done:

Done:

Thermometer:

ET

961

Calibration Check:

58.7

mS

Project Contract No. CW200213 Fall Bank At Tree Mtn Area 38

Date of Sampling: 27/10/2004

Station	Time	Sea Condition	Overall Sampling Depth, m	Temperature, °C			Dissolved Oxygen, mg/L	Dissolved Oxygen %	Salinity, ppt	Turbidity, NTU	Ambient Temperature, °C	Tide Status	M/E/Estd
				a	b	a							
Fm1 S			1.0	26.9	26.9	6.51	6.47	6.18	85.7	30.9	30.9	10.90	11.40
Fm1 M	18:55	Small wave	18.0	9.0	27.2	5.95	5.78		76.8	76.1	31.1	11.30	11.80
Fm1 B			17.0	27.2	27.2	5.80	5.82	5.81	74.5	75.4	31.1	14.00	15.60
Fm2 S			1.0	26.0	26.0	6.31	6.41		84.7	86.0	30.0	30.0	12.30
Fm2 M	18:45	Small wave	18.0	9.0	26.5	26.5	6.00	6.04	80.4	81.4	30.9	30.9	10.60
Fm2 B			17.0	26.7	26.7	5.97	5.86	5.92	76.4	77.7	77.1	30.9	14.90
Fc1 S			1.0	26.6	26.6	6.06	6.78	6.52	84.6	86.7	30.9	30.9	10.10
Fc1 M	19:10	Small wave	23.0	11.5	27.1	6.11	6.34		82.4	83.6	31.1	11.60	11.80
Fc1 B			22.0	26.8	26.8	6.26	6.34	6.30	81.5	81.5	31.1	15.00	15.70
Fc2 S			1.0	26.8	26.8	7.08	6.98	7.01	88.1	82.6	31.0	9.61	9.40
Fc2 M	18:30	Small wave	18.0	9.0	26.9	7.00	6.97		87.8	88.1	31.1	11.90	13.10
Fc2 B			17.0	27.0	27.0	6.86	6.74	6.80	85.7	83.1	31.1	11.10	11.60

**Bold data with single underline indicates an exceedance to Action Level**  
**Italicics with double underline indicates no exceedance to Limit Levels**

Equipment used:	Dissolved Oxygen Meter:	EM1	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:
	Turbidity Meter:	EM1	2366	Calibration Check: 4.64	45.2	Checked By:
	Salinity Meter:	EM	3884	Calibration Check: 58.7	mS	Date:
	Thermometer:	ET	961			

Project: Contract No. Cx/2002/H3 Fil Bank At Tien Mui Area 3B

Date of Sampling : 27/10/2004

Client: Baltic-Ocean Construction Co., Ltd.

Job No:

44254-1

Weather Condition: Sunny

Ambient Temperature, °C: 29

Tide State: Mid-Tide

Suspended Solids, mg/L

Depth, m

Remarks

Station	Time	Sea Condition	Overall Depth, m	Sampling Depth, m	a	b	a	b	Average	a	b	a	b	Average	Turbidity, NTU	Salinity, ppt	Dissolved Oxygen, mg/L	Temperature, °C	Sampling Depth, m
FM1 S				1.0	27.1	27.0	5.98	6.97	6.69	84.8	85.7	83.5	30.7	30.7	9.85	9.99	22	23	
FM1 M	12:45	Small wave	17.0	8.5	26.8	6.46	6.31		81.5	82.0	80.3	30.7	30.7	13.80	13.10	12.74	34	31	
FM1 B			16.0	26.7	26.7	6.21	6.26	6.24	80.6	80.0	80.3	30.8	30.8	14.70	15.00		35	35	
FM2 S			1.0	26.8	26.8	7.11	7.06	7.20	69.4	68.1	69.9	30.8	30.8	13.10	13.00		37	40	
FM2 M	12:55	Small wave	17.0	8.5	26.5	7.23	7.35		90.2	91.7	90.8	30.8	30.8	10.80	11.10	12.93	28	24	
FM2 B			16.0	26.1	26.1	6.77	6.51	6.64	82.3	83.2	82.8	30.9	30.9	14.90	14.70		27	31	
FC1 S			1.0	26.4	26.4	6.80	6.79	6.96	86.7	87.1	86.0	30.9	30.9	12.50	12.10		32	32	
FC1 M	12:30	Small wave	22.0	11.0	26.4	7.06	7.17	80.7	89.3	88.0	30.9	30.9	14.00	13.80	14.35	34	31		
FC1 B			21.0	25.8	25.7	6.42	6.57	6.50	81.6	81.7	81.7	30.9	30.9	16.70	16.80		31	36	
FC2 S			1.0	26.7	26.7	6.01	6.02	6.94	87.2	86.4	88.1	30.7	30.7	12.60	12.60		28	28	
FC2 M	13:10	Small wave	17.0	8.5	25.6	7.08	7.06		89.7	90.1	89.9	30.9	30.9	14.60	14.10	12.77	32	29	
FC2 B			16.0	25.7	25.7	7.00	6.97	6.99	87.5	87.4	87.5	30.9	30.9	11.90	10.80		24	21	

**Bold data with single underline indicates an exceedance to Action Level****Data with double underlining indicates an exceedance to Limit Level**

Equipment used	Dissolved Oxygen Meter:	EM	961	Calibration Check:	0mg/L ok	100% ok	Sampled By:
Turbidity Meter:	EM	2365		Calibration Check:	4.51, 45.1	453 NTU	Checked By:
Salinity Meter:	EM	3694		Calibration Check:	68.6	mS	Date:
Thermometer:	ET	961					

Project: Contract No. Cx02002413 Fil Bank At Tien Mun Area 3B

Date of Sampling : 29/10/2004

Client: Pante-Ocean Construction Co., Ltd. Job No: 44224.1

Weather Condition: Sunny

Ambient Temperature, °C: 29

Tide State: Mid-Flood

Station	Time	Sea Condition	Sampling Depth, m	Overall Depth, m	Temperature, °C	Dissolved Oxygen, mg/l	Dissolved Oxygen, mg/l	Salinity, ppt	Turbidity, NTU	Suspended Solids, mg/L	Remarks
			a	b	a	b	Average	a	b	Average	Depth Average
FM1 S			1.0	27.1	27.1	5.34	5.35	5.25	77.8	11.40	22
FM1 M	06:10	Small wave	16.0	9.0	27.1	5.10	5.21	74.5	74.8	33.0	25
FM1 B			17.0	26.7	26.7	5.11	5.10	5.11	73.6	33.2	26
FM2 S			1.0	27.1	27.1	5.46	5.47	5.38	78.1	33.2	27
FM2 M	08:00	Small wave	18.0	9.0	26.9	5.21	5.38	73.1	73.7	32.9	28
FM2 B			17.0	26.8	26.8	5.38	5.36	5.37	74.0	32.9	29
FC1 S			1.0	27.1	27.1	5.97	5.96	5.79	81.4	33.0	18
FC1 M	08:26	Small wave	23.0	11.5	27.0	6.61	6.71	79.4	78.1	33.0	20
FC1 B			22.0	27.1	27.1	5.42	5.52	5.47	77.2	32.9	21
FC2 S			1.0	26.9	26.9	5.06	5.09	5.08	80.1	32.9	20
FC2 M	07:45	Small wave	19.0	9.5	26.7	5.70	5.65	5.78	81.0	32.9	19.7
FC2 B			18.0	26.8	26.8	5.11	5.11	5.11	72.1	32.9	20

**Bold data with single underline indicates an exceedance to Action Level.****Data with double underline indicates an exceedance to Limit Level.**

Equipment used	Described Oxygen Meter:	EM	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:
Turbidity Meter:		EM	2365	Calibration Check: 4.52, 45.3,	459 NTU	Checked By:
Salinity Meter:		EM	3094	Calibration Check: 50.6	mS	Date:
Thermometer:		ET	961			

Project: Contract No. CV/2000/3 Fill Bank At Tum Mun Area

Date of Sampling: 20/10/2004

Client: Ports-Ocean Construction Co., Ltd. Job No.: 449.1.1

Station	Time	Sea Condition	Weather Condition:			Sampling Temperature, °C			Dissolved Oxygen, mg/L			Salinity, ‰			Turbidity, NTU			Tide State:			Site-Elab	
			a	b	Average	a	b	Average	a	b	Average	a	b	Average	a	b	Average	a	b	Average	Remarks	
FMI S			1.0	25.4	25.4	5.47	5.51	5.52	78.1	77.1	77.9	32.8	32.8	10.80	11.70	16	18					
FMI M	13:45	Small wave	17.0	8.5	26.7	5.51	5.60	78.7	77.5	78.0	32.8	32.8	12.20	12.70	13.30	16	17	19.7				
FMI B			16.0	26.8	26.8	5.41	5.32	5.37	78.2	77.1	78.7	32.9	32.9	16.20	16.70	24	26					
FHQ S			1.0	26.5	26.5	5.61	5.61	5.60	80.1	79.4	77.1	32.8	32.8	10.60	11.70	17	18					
FHQ M	13:55	Small wave	17.0	8.5	26.4	5.41	5.38	75.1	73.8	75.1	32.8	32.8	12.30	12.50	12.73	17	15	18.2				
FHQ B			16.0	26.5	26.5	5.41	5.42	5.42	74.7	73.6	74.2	32.8	32.8	14.60	14.70	20	22					
FC1 S			1.0	26.7	26.7	5.71	5.68	5.59	78.1	77.6	77.4	32.8	32.8	12.00	11.80	19	18					
FC1 M	13:30	Small wave	22.0	11.0	26.8	5.60	5.48	77.8	76.1	72.9	32.8	32.8	10.60	11.20	11.78	18	16	17.3				
FC1 B			21.0	27.1	27.1	5.35	5.41	5.39	74.1	73.8	74.0	32.9	32.9	12.00	13.10	16	17					
FC2 S			1.0	26.5	26.5	5.67	5.76	5.68	79.1	79.4	78.9	32.8	32.8	12.10	13.10	16	17					
FC2 M	14:10	Small wave	17.0	8.5	27.0	5.61	5.68	78.4	76.7	78.9	32.9	32.9	12.40	12.60	13.50	16	16	16.0				
FC2 B			16.0	26.9	26.9	5.51	5.61	5.56	76.7	77.1	76.9	33.0	33.0	15.10	15.70	23	21					

Field data with single underline indicates an exceedance to Action Level  
Data with double underline indicates an exceedance to Limit Level

Equipment used:	Dissolved Oxygen Meter	EM	961	Calibration Check: 0mg/L ok	100% ok	Sampled By:
Turbidity Meter:		EM	2366	Calibration Check: 4.52, 45.6,	451 NTU	Checked By:
Salinity Meter:		EM	3694	Calibration Check: 58.8	msS	Date:
Thermometer:		ET	961			

**Appendix VII**

**Complaint Log**

<b>CONTRACT No. CV/2002/13 – FILL BANK AT TUEN MUN AREA 38 - ENVIRONMENTAL COMPLAINTS LOG.</b>						
Complaint Log No.	Date of Receipt	Received From and Received By	Nature of Complaint	Date Investigated	Outcome	Date of Reply and to Whom
001	07.02.2004	From: Public By: Home Affairs Department	Cleanliness of public roads.	N/A	The situation was rectified.	N/A
002	29.06.2004	From: Public By: EPD	Dust generation in Fill Bank.	N/A	The situation was rectified.	N/A
003	31.07.2004	From: Public By: EPD	Dust generation at Lung Mun Road near Fill Bank.	07.08.2004	The situation was rectified.	N/A
004	13.08.2004	From: Public By: EPD	Dust emission within the site.	18.08.2004	The situation was rectified.	N/A
005	26.08.2004	From: Public By: EPD	Dust emission and debris leakage from dump trucks near Government Depot.	07.09.2004	Not site related.	N/A
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-

## **Appendix VIII**

### **Cumulative Statistics on Complaints, Notifications of Summons and Successful Prosecutions**

**CONTRACT No. CV/2002/13 – FILL BANK AT TUEN MUN AREA 38****Cumulative Statistics on Complaints**

Environmental Parameters	Cumulative No. Brought Forward	No. of Complaints This Month	Cumulative Number to Date
Air	4	---	4
Noise	0	---	0
Water	0	---	0
Waste	1	---	1
Landscape & Visual	0	---	0
Total	0	---	5

**Appendix IX**  
**Master Construction Programme**

**Three month rolling programme (Mar 2004 - May 2004)**

Prepared by [Redacted] (Name No.)  
Reviewed by [Redacted]  
Approved by [Redacted] (Name No.)  
[Redacted] (Name No.)  
[Redacted] (Name No.)

ID	Task Name Dimensional Contract	Deadline	Start Date	Early Finish	Due Date	% Complete	Min. Due	Max. Due	Step	Dist.	Plan	Act.	Var.	Prog.	Spec.	Cust.
1	Contract Completion	04/03/04	03/03/04	03/03/04	03/03/04	100%	03/03/04	03/03/04	881	877						
2	Completion of Section 1	04/03/04	03/03/04	03/03/04	03/03/04	0%										
3	Completion of Section 2	04/03/04	03/03/04	03/03/04	03/03/04	70%										
4	Completion of Section 3	04/03/04	03/03/04	03/03/04	03/03/04	34%										
5	Handover of Portion E and F	04/03/04	03/03/04	03/03/04	03/03/04	100%										
6	Handover of Portion G	04/03/04	03/03/04	03/03/04	03/03/04	100%										
7	Handover of Portion H	04/03/04	03/03/04	03/03/04	03/03/04	100%										
8	Handover of Portion I	04/03/04	03/03/04	03/03/04	03/03/04	100%										
9	Handover of Portion J	04/03/04	03/03/04	03/03/04	03/03/04	100%										
10	Handover of Portion K	04/03/04	03/03/04	03/03/04	03/03/04	100%										
11	Handover of Portion L	04/03/04	03/03/04	03/03/04	03/03/04	100%										

Contract No. CIV/2003/17  
PFI Bank of Tuition Money Area 30  
(date 1 March 2004)

100%  
Billed Up To Date  
Billed Up To Month

Billed Up To Project  
Billed Up To Month

Page 1

Three units of self-organizing memory (Ward 1994 - Mayr 2004)

General No. CHURCHES 13  
FDI Bank of Thailand, Bangkok  
Date: 1 March 2004

Page 1  
Printed Up 1/16/11  
Robert W. Johnson


1

SOCIAL PREFERENCES


11

卷之三

138



**Three month rolling programme (Mac 2004 - May 2004)**



Contact No: 01908 077313  
PFA Bank of West Mercia House 3A  
Date: 1 May 2004

Summary  
Hold Up Task  
Not Started

In Progress  
Delayed

304

Mar '04 Apr '04 May '04 Jun '04 Jul '04

100% 80% 60% 40% 20% 0%

Initial PPN in Each Section

Page 4

| These months milling programme (Mar 2024 - May 2024)

ID	Task Name	Start Date	Early Start	Early Finish	% Complete
45	W&H Quality Standard	03/03/24	03/03/24	03/03/24	20%
46	All Quality Systems Marketing	14/3	03/03/25	03/03/25	100%
47	All Quality Unitario	7/3/24	03/03/25	03/03/25	45%
48	Environment (EHS)	7/3/24	03/03/25	03/03/25	20%
49	Section 1 of the Works	09/3/24	03/03/25	03/03/25	100%
50	Create procurement programme for the latest systems and technology Contractor selection and end of sales (PSC) converted from incoterms base	16/3	03/03/25	03/03/25	100%
51	Takeover of existing data and transfer systems Consideration of re-allocating funds into a CHIO	16/3	03/03/25	03/03/25	100%
52	Intake of new systems in the SPCD Contractor profile (CHIO)	16	20/3/24	20/3/24	100%
53	Contractor profile (CHIO)	16	03/03/24	03/03/24	100%

Contract No. CH12345678  
File Number (Per Man Area No)  
Date: 1 March 2024

Task  
Progress  
Milestone

Stalled Progress  
Overspent  
Takeover Plan Initiation

Proposed by  
Reviewed by  
Approved by

[Redacted]

Three-month rising premium (in 2004 - Jan 2001)

Contract No.: 100000012  
4th Series at Tuern Muun, Aranya 30  
Date: 1 March 2004

Progress  
Literature

1

10

Page 1

Testing multilevel scaling procedures (NBER Working Paper 2004-0847, 2004)

Barcode No. G102022-13  
Library at Tien Muu Library  
Date 1 March 2004

Product Test  
Eileen Ius Williams

Critical Path

Page 7

7

110

Three month roving programme (Mar 2004 - May 2004)

ID	Task Name/Act.	Duration	Start Month	End Month	% Complete	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
79	Public Works operation between +15.00m to +16.50m OD	34d1	01/03/04	04/03/04	94%								
80	Earthwork	117d	03/03/04	03/05/04	65%								
81	Hydroseeding	81d	04/03/04	04/11/04	61%								
82	Public Works operation between +15.00m to +16.50m OD	53d4	05/03/04	09/03/04	44%								
83	Earthwork	27d4	09/03/04	09/04/04	0%								
84	Drainage at +17.00m OD	81d	04/07/04	04/07/04	0%								
85	Hydroseeding	63d	04/07/04	04/13/04	0%								
86	Public Works operation between +15.00m to +16.50m OD	36d1	04/17/04	05/03/04	7%								
87	Earthwork	24d5	04/17/04	05/12/04	0%								
88	Drainage at +17.00m OD	81d	05/20/04	05/20/04	0%								

Contract No: QJU000213  
File Back at Yuen Ma Wan, Kowloon  
Date: 1 March 2004

Task:  
Ploughing  
Material:

Soil Up Progress  
Cultivation Plan  
Succession Plan to Each Section

Page 3

1

Three month rolling programme (Mar 2004 - May 2004)

ID	Task Name	Initial Planning	Breakdown	Estimated Delivery Date	% Complete	Start Date	Actual Start Date	SCB * Del.	Plan	Act.	Diff.	Del.
00	Initial Planning	2004-03-23	000001	2004-03-24	0%	2004-03-24	2004-03-24	0%	2004-03-24	2004-03-24	0	On
01	Management of documents	2004-03-24	000001	2004-03-25	0%	2004-03-25	2004-03-25	0%	2004-03-25	2004-03-25	0	On

Review by Performance Appraisal

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

2004

</div

Three models of the early proteinome during 2004–July 2004

11

10

Received 11/20/2013  
Accepted 1/10/2014  
Published online 1 March 2014

Table 2: Progress

Page 10

1

10

1

1

1


1

11

1









**Three month rolling programme (Year 2004 - May 2004)**

Role	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Role	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Prepared by:  
Shane and  
Aermeddy

2007

2008

2009

2010

2011

2012

Contract No. CNT200115  
File Boxed at York Main House 20  
Date: 1 March 2004

Trunk  
Fridge  
Telephone

Emergency  
Holed Up Tree  
Ridaz Lip Minnows

Packed Up Program  
Canned Fish  
(Inconsequential) File Box Etc

2007

2008

2009

2010

2011

2012



Three month rolling programme (Mar 2004 - May 2004)

Month	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun
2004	2004	2004	2004	2004	2004	2004	2004	2004	2004	2004	2004	2004	2004	2004	2004	2004	2004	2004

Prepared by:  
Reviewed by:  
Approved by:

Contract No.: C00000000000000000000	Date:	Time:	Project:	Summary:	Printed by:
PNB Bank of Tamil Nadu Ltd	2004-03-01	14:05:59	Project 1	Received the Task Completed	Central Park Rebecca Koch for Tamil Software

Page 17



## **Appendix X**

**Monitoring Schedule for the following month**

**Fill Bank at Tuen Mun Area 38**  
**Environmental Monitoring Schedule**  
**November 2004**

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
	<u>November 1</u>  WQM (Ebb: 15:03) (Flood: 10:04)		2	3  WQM (Ebb: 07:30) (Flood: 17:12) Site Inspection	4	5  WQM (Ebb: 07:35) (Flood: 17:00)
7	WQM (Ebb: 09:28) (Flood: 16:35) 1 – hr TSP 24 – hr TSP	8	9	10  WQM (Ebb: 11:09) (Flood: 17:19)	11  Site Inspection	12  WQM (Ebb: 12:35) (Flood: 18:13) 1 – hr TSP 24 – hr TSP
14	WQM (Ebb: 14:51) (Flood: 09:35)	15	16	17  WQM (Ebb: 16:28) (Flood: 11:46)	18  Site Inspection	19  WQM (Ebb: 07:30) (Flood: 14:32) 1 – hr TSP 24 – hr TSP
21	WQM (Ebb: 09:33) (Flood: 16:23)	22	23	24  WQM (Ebb: 11:11) (Flood: 17:13)	25  1 – hr TSP 24 – hr TSP Site Inspection Landscape Audit	26  WQM (Ebb: 12:32) (Flood: 07:08)
28	WQM (Ebb: 14:08) (Flood: 09:19)	29	30			

- Notes :    1. 24 –hr TSP (to be monitored once every 6 days) at monitoring locations A1 & A2.  
           2. 1 hour TSP (to be monitored three times every six days when highest level of dust generation expected) at monitoring locations A1 & A2.  
           3. WQM - water quality monitoring three times per week, on mid-flood and mid-ebb tides. Days of monitoring to be separated by at least 36 hours. Monitoring locations FC1, FM1, FM2 & FC2.  
           4. Site inspections to be carried out once per week.  
           5. Auditing of landscape works to be carried out once per month.

**Appendix XI**  
**Wind Speed and Direction Data**

DATE MON	DATE DAY	TIME HR	TIME MIN	WS:AVG M/S	WS:MAX M/S	WD:AVG DEG	WD:SDV DEG
10	4	0	0	1.8	6	282	64
10	4	1	0	1.6	6	310	65
10	4	2	0	2.1	8	318	60
10	4	3	0	2	7	299	51
10	4	4	0	2.8	10	320	41
10	4	5	0	2.8	10	322	60
10	4	6	0	2.2	8	293	60
10	4	7	0	2.1	8	305	50
10	4	8	0	1.7	7	280	49
10	4	9	0	1.8	7	286	50
10	4	10	0	0	0	0	0
10	4	11	0	1.5	4	220	39
10	4	12	0	2	5	276	35
10	4	13	0	2.4	5	300	22
10	4	14	0	2.7	6	266	25
10	4	15	0	2.8	5	254	20
10	4	16	0	2.6	5	256	22
10	4	17	0	2	4	276	31
10	4	18	0	1.2	3	306	18
10	4	19	0	0.2	1	295	31
10	4	20	0	0.6	2	14	38
10	4	21	0	1.2	4	39	22
10	4	22	0	1.2	4	38	17
10	4	23	0	0.9	2	30	27
10	5	0	0	0.1	1	290	34
10	5	1	0	0.3	1	281	16
10	5	2	0	0.3	3	308	55
10	5	3	0	1.3	7	280	60
10	5	4	0	2.8	9	356	26
10	5	5	0	1.4	6	354	54
10	5	6	0	0.6	4	320	83
10	5	7	0	0.6	2	281	58
10	5	8	0	1.1	4	295	61
10	5	9	0	1.3	6	247	65
10	5	10	0	1.7	6	19	70
10	5	11	0	1.8	7	47	70
10	5	12	0	2.2	8	62	65
10	5	13	0	2.3	9	320	56
10	5	14	0	2.3	7	326	47
10	5	15	0	2.3	7	312	42
10	5	16	0	2.2	7	313	41
10	5	17	0	1.6	5	308	40
10	5	18	0	1	4	342	42
10	5	19	0	0.7	2	349	35
10	5	20	0	0.4	2	355	22
10	5	21	0	0.7	2	5	17
10	5	22	0	0.3	2	298	43
10	5	23	0	0.2	1	304	31
10	9	0	0	0.4	1	285	25
10	9	1	0	0.6	2	355	35
10	9	2	0	1.8	4	359	16
10	9	3	0	2.2	6	13	24
10	9	4	0	3	8	23	33
10	9	5	0	3.4	9	16	27
10	9	6	0	4	10	7	26
10	9	7	0	4.3	10	0	24
10	9	8	0	3.1	9	10	53
10	9	9	0	2.4	9	90	57
10	9	10	0	1.7	7	44	68
10	9	11	0	1.8	7	351	64
10	9	12	0	1.6	6	349	53
10	9	13	0	1.8	6	257	56
10	9	14	0	2.2	7	229	62
10	9	15	0	2.5	6	286	30
10	9	16	0	2	4	304	19
10	9	17	0	1.2	3	236	39
10	9	18	0	1.5	3	243	27
10	9	19	0	1.4	4	204	22
10	9	20	0	1.8	4	112	20
10	9	21	0	1.4	4	69	22
10	9	22	0	1.7	4	49	9
10	9	23	0	1.7	3	45	8
10	10	0	0	1.8	3	40	8
10	10	1	0	1.8	3	38	5
10	10	2	0	0.6	2	24	25
10	10	3	0	0.1	1	325	56
10	10	4	0	1	2	33	12
10	10	5	0	0.4	2	339	43

10	10	6	0	0.2	1	280	12
10	10	7	0	0.1	1	294	19
10	10	8	0	0	1	336	36
10	10	9	0	0.9	3	105	43
10	10	10	0	1.8	4	116	26
10	10	11	0	2	5	249	64
10	10	12	0	2.1	5	226	28
10	10	13	0	2	5	211	41
10	10	14	0	2.5	6	250	22
10	10	15	0	2.4	5	266	22
10	10	16	0	2.3	5	249	23
10	10	17	0	2	5	162	40
10	10	18	0	2.1	5	125	20
10	10	19	0	2	4	88	18
10	10	20	0	2.3	5	86	15
10	10	21	0	1.9	4	92	19
10	10	22	0	1.6	3	52	11
10	10	23	0	1.5	2	47	7
10	15	0	0	1.8	5	62	21
10	15	1	0	1.9	4	69	21
10	15	2	0	1.9	5	67	19
10	15	3	0	2.5	5	68	20
10	15	4	0	2.1	5	80	24
10	15	5	0	2.2	5	75	24
10	15	6	0	2.1	5	77	21
10	15	7	0	1.3	4	63	21
10	15	8	0	1.8	4	73	24
10	15	9	0	2.1	5	87	26
10	15	10	0	2.2	6	98	27
10	15	11	0	1.7	7	5	75
10	15	12	0	2.1	6	107	40
10	15	13	0	3.2	6	111	23
10	15	14	0	3.2	9	114	23
10	15	15	0	3.1	6	110	24
10	15	16	0	3.2	6	118	24
10	15	17	0	3.2	7	127	20
10	15	18	0	2.7	7	110	22
10	15	19	0	1.8	5	74	25
10	15	20	0	1.5	3	54	14
10	15	21	0	1.5	3	58	15
10	15	22	0	1.3	3	57	14
10	15	23	0	1.4	4	55	11
10	16	0	0	1.3	3	55	11
10	16	1	0	1.5	3	48	10
10	16	2	0	0.7	2	23	28
10	16	3	0	0.1	1	287	23
10	16	4	0	0.1	1	280	18
10	16	5	0	0	1	279	19
10	16	6	0	0	1	295	27
10	16	7	0	1.4	3	41	17
10	16	8	0	1	3	65	31
10	16	9	0	1	3	102	27
10	16	10	0	1.8	4	145	31
10	16	11	0	2.2	4	163	19
10	16	12	0	1.7	4	240	39
10	16	13	0	1.3	4	232	47
10	16	14	0	2.2	5	155	33
10	16	15	0	2.1	5	162	43
10	16	16	0	2.4	5	140	23
10	16	17	0	2.9	6	126	21
10	16	18	0	2.5	6	110	24
10	16	19	0	2.6	5	98	17
10	16	20	0	2.5	5	96	17
10	16	21	0	2.3	5	86	21
10	16	22	0	1.8	4	69	16
10	16	23	0	1.6	4	60	15
10	21	0	0	1.6	4	51	8
10	21	1	0	1.3	3	49	11
10	21	2	0	1	3	31	14
10	21	3	0	1	5	12	46
10	21	4	0	1	4	1	37
10	21	5	0	2.1	6	353	23
10	21	6	0	1.9	5	345	25
10	21	7	0	1.3	4	186	97
10	21	8	0	1.1	4	186	81
10	21	9	0	1.4	4	92	46
10	21	10	0	1.2	4	114	54
10	21	11	0	1.3	4	143	43
10	21	12	0	1.5	4	224	48
10	21	13	0	1.9	5	198	32
10	21	14	0	2.6	6	234	31

10	21	15	0	2	5	257	26
10	21	16	0	1.6	4	240	54
10	21	17	0	1.6	4	153	29
10	21	18	0	2	4	98	23
10	21	19	0	1.9	4	100	18
10	21	20	0	2.4	5	101	21
10	21	21	0	2.1	4	75	16
10	21	22	0	2.3	5	73	16
10	21	23	0	2.2	5	71	16
10	22	0	0	1.7	4	73	19
10	22	1	0	1.9	4	74	19
10	22	2	0	1.2	4	54	31
10	22	3	0	1.3	3	37	14
10	22	4	0	1	2	35	21
10	22	5	0	0.9	3	59	36
10	22	6	0	1	3	48	30
10	22	7	0	1.4	5	42	41
10	22	8	0	0.9	3	49	38
10	22	9	0	1.2	6	78	51
10	22	10	0	1.6	5	83	53
10	22	11	0	2.1	5	138	33
10	22	12	0	2.1	5	144	27
10	22	13	0	1.8	4	176	41
10	22	14	0	1.4	4	148	42
10	22	15	0	2.2	7	240	29
10	22	16	0	1.7	4	242	30
10	22	17	0	1.6	4	177	63
10	22	18	0	2.6	6	104	21
10	22	19	0	2.9	6	105	20
10	22	20	0	2.2	6	83	22
10	22	21	0	2.1	5	85	21
10	22	22	0	2.3	5	77	19
10	22	23	0	1.9	5	75	20
10	27	0	0	3.6	9	18	31
10	27	1	0	2.2	9	23	52
10	27	2	0	1.1	5	31	82
10	27	3	0	1.6	7	24	62
10	27	4	0	1.6	6	23	50
10	27	5	0	1.6	6	33	67
10	27	6	0	1.4	5	12	63
10	27	7	0	2.6	7	12	30
10	27	8	0	1.4	7	15	68
10	27	9	0	2	7	11	50
10	27	10	0	2	5	15	34
10	27	11	0	1.4	5	342	81
10	27	12	0	1.5	5	117	64
10	27	13	0	2.3	6	150	34
10	27	14	0	2.2	5	161	21
10	27	15	0	2.6	6	144	25
10	27	16	0	2.4	5	123	23
10	27	17	0	2.5	5	132	23
10	27	18	0	2.5	6	114	23
10	27	19	0	2.3	6	90	26
10	27	20	0	2.3	5	73	17
10	27	21	0	2.2	5	68	19
10	27	22	0	1.5	4	42	26
10	27	23	0	0.8	4	57	48
10	28	0	0	1.4	4	69	35
10	28	1	0	2.3	6	76	21
10	28	2	0	1.7	5	86	26
10	28	3	0	2	5	85	29
10	28	4	0	1.7	5	79	27
10	28	5	0	1.7	5	82	24
10	28	6	0	1.3	3	61	22
10	28	7	0	1.1	3	61	22
10	28	8	0	1.3	4	79	25
10	28	9	0	2.4	6	93	22
10	28	10	0	2.7	5	114	20
10	28	11	0	2.5	5	108	21
10	28	12	0	2	5	128	54
10	28	13	0	1.8	4	173	48
10	28	14	0	1.6	4	136	49
10	28	15	0	1.5	4	160	34
10	28	16	0	2.1	5	251	24
10	28	17	0	1.4	3	231	29
10	28	18	0	1.5	4	121	47
10	28	19	0	1.9	4	91	23
10	28	20	0	2.9	6	108	17
10	28	21	0	2.6	6	79	18
10	28	22	0	2.4	5	85	17
10	28	23	0	2.3	5	76	18