



**The Hongkong Electric Co Ltd**  
香港電燈有限公司



**ENVIRONMENTAL IMPACT ASSESSMENT (EIA) ORDINANCE, CAP. 499**

**ENVIRONMENTAL PERMIT NO. EP-165/2003**

**LAMMA POWER STATION  
NAVIGATION CHANNEL IMPROVEMENT**

Report Title	<u>Monthly EM&amp;A Report (August 2004)</u>
Date	<u>13/9/2004</u>
Certified by	 <u>(Mr. Ip Tat-Yan, Environmental Team Leader)</u>
Verified by	 <u>(Nature &amp; Technologies (HK) Ltd, Independent Environmental Checker)</u>

**TABLE OF CONTENT**

**EXECUTIVE SUMMARY**

- 1. INTRODUCTION..... 1**
  - 1.1 Background 1
  - 1.2 Project Organisation 1
  - 1.3 Construction Works undertaken during the Reporting Month 2
  - 1.4 Summary of EM&A Requirements 3
- 2. WATER QUALITY MONITORING ..... 6**
  - 2.1 Monitoring Requirements 6
  - 2.2 Monitoring Locations 6
  - 2.3 Monitoring Equipment 7
  - 2.4 Monitoring Parameters, Frequency and Duration 7
  - 2.5 Monitoring Procedures and Calibration Details 8
  - 2.6 Results and Observations 10
- 3. ENVIRONMENTAL AUDIT ..... 12**
  - 3.1 Review of Environmental Monitoring Procedures 12
  - 3.2 Assessment of Environmental Monitoring Results 12
  - 3.3 Site Environmental Audit 13
  - 3.4 Status of Environmental Licensing and Permitting 13
  - 3.5 Implementation Status of Environmental Mitigation Measures 14
  - 3.6 Implementation Status of Action/Limit Plans 14
  - 3.7 Implementation Status of Environmental Complaint Handling Procedures 14
- 4. FUTURE KEY ISSUES..... 15**
  - 4.1 Key Issues for the Coming Month 15
  - 4.2 Monitoring Schedules for the Next 3 Months 15
  - 4.3 Construction Program for the Next 3 Months 15
- 5. CONCLUSION..... 16**

## **LIST OF TABLES**

Table 1.1	Construction Activities and Their Corresponding Environmental Mitigation Measures
Table 2.1	Water Quality Monitoring Locations
Table 2.2	Water Quality Monitoring Equipment
Table 2.3	Water Quality Monitoring Parameters and Frequency
Table 2.4	Laboratory Analysis Methodologies of Marine Water Samples
Table 3.1	Summary of AL Level Exceedances on Monitoring Parameters
Table 3.2	Estimated Amounts of Waste Generated in August 2004
Table 3.3	Summary of Environmental Licensing and Permit Status
Table 3.4	Environmental Complaints / Enquiries Received in August 2004
Table 3.5	Outstanding Environmental Complaints / Enquiries Carried Over

## **LIST OF FIGURES**

Figure 1.1	Layout of Work Site
Figure 1.2	Location of Dumping Area
Figure 2.1	Location of Water Quality Monitoring Stations

## **APPENDICES**

Appendix A	Organization Chart
Appendix B	Amount of Dredged and Dumped Marine Sediment
Appendix C	Action and Limit Levels for Water quality Monitoring
Appendix D	Environmental Monitoring Schedule
Appendix E	Water Quality Monitoring Results for August 2004
Appendix F	Calibration Records and Laboratory QA/QC Results
Appendix G	Event/Action Plans
Appendix H	Site Audit Summary
Appendix I	Summary of EMIS
Appendix J	Tentative Construction Programme

## EXECUTIVE SUMMARY

This is the fourteenth monthly Environmental Monitoring and Audit (EM&A) report for the Project “Lamma Navigation Channel Improvement” prepared by the Environmental Team (ET). This report presents the results of impact monitoring on marine water quality for the said project in August 2004.

Marine water quality monitoring was performed. The results were checked against the established Action/Limit (AL) levels. On-site audit was conducted once per week. The implementation status of the environmental mitigation measures, Event/Action Plan and environmental complaint handling procedures were also checked.

### Construction Activities Undertaken

Construction activities for the project during the reporting month was dredging and dumping of dredged mud. The maximum hourly and daily dredging rates actually achieved by the contractors were within the limits specified in the latest dredging schedule.

### Environmental Monitoring Works

Marine water monitoring was conducted as scheduled in the reporting month.

#### *Water Quality*

There was no exceedance of Action and Limit Levels for water quality in the reporting month.

### Site Environmental Audit

Site audits were carried out on a weekly basis to monitor environmental issues on the construction site. The site conditions were generally satisfactory. All required mitigation measures were implemented.

### Environmental Licensing and Permitting

Description	Permit No.	Valid Period		Issued To	Date of Issuance
		From	To		
Environmental Permit	EP-165/2003	08/04/03	-	HEC	08/04/03
Construction Noise Permit	GW-UW0254-04	28/05/04	31/08/04	Contractor	28/05/04
Marine Dumping Permit	EP/MD/05-014	27/05/04	31/08/04	Contractor	25/05/04
Registration of Chemical Waste Producer	WPN5296-912-P2800-17	22/07/03	-	Contractor	22/07/03

## **Implementation Status of Environmental Mitigation Measures**

Environmental mitigation measures for the construction activities as recommended in the EM&A manual were implemented in the reporting month.

## **Environmental Complaints**

No complaint was received in the reporting month.

## **Future Key Issues**

The dredging contractor had temporarily suspended the dredging work from 25<sup>th</sup> August 2004 for the review of survey results. The marine water impact monitoring work and weekly site inspection would be suspended from 1<sup>st</sup> September 2004 until the dredging work is resumed.

The future key issues to be considered in the coming month when the dredging work is resumed are as follows:

- to continue executing the preventive measures for avoiding noise exceedance and monitoring/ reviewing the noise performance;
- to ensure compliance with the CNP already obtained;
- to keep reviewing the monitoring results and to take necessary actions to ensure the seawater quality;
- to carry out routine inspection and necessary maintenance for the cage-type silt curtains;
- to carry out special inspection and maintenance works should there be significant muddy water observed outside the cage-type silt curtains.

## **Concluding Remarks**

The environmental performance of the project was generally satisfactory.

## **1. INTRODUCTION**

### **1.1 Background**

The Environmental Team (hereinafter called the “ET”) was formed within the Hongkong Electric Co. Ltd (HEC) to undertake Environmental Monitoring and Audit for “Lamma Power Station Navigation Channel Improvement” (hereinafter called the “Project”). Under the requirements of Clause 4 of Environmental Permit EP-165/2003, an EM&A programme for impact environmental monitoring is required to be implemented. In accordance with the EM&A Manual, environmental monitoring of water quality and regular environmental audits are required for the Project.

The Project involves restoring the depth of existing channel by dredging to a water depth of -16 mPD approximately with an estimated total dredging volume of 2.98 million m<sup>3</sup>.

The Project Area is illustrated in Figure 1.1. The shaded area shows the region of the Channel where dredging will be required under this Project. According to the latest bathymetric survey of the Channel, there is already sufficient water depth in the remaining section of the Channel in the south (beyond the shaded area in Figure 1.1) and no dredging will be required.

The dredging options for the Project are:

- (1) continuous dredging using grab dredgers with cage-type silt curtains or
- (2) intermittent dredging using one Trailer Suction Hopper Dredger (TSHD).

Only one of these two dredging options will be deployed. The contractor has chosen to adopt the continuous dredging method using grab dredgers with cage-type silt curtains.

This report summarizes the environmental monitoring and audit work for the Project for the month of August 2004.

### **1.2 Project Organisation**

The management structure to oversee the Project includes the following:

- Environmental Protection Department (The Authority);
- Chief Engineer (Projects) (The official contact person between HEC and EPD);
- Engineer;
- Independent Environmental Checker (IEC);
- Environmental Team (ET);
- Contractor.

The project organisation chart for the construction EM&A programme is shown in Appendix A.

### 1.3 Construction Works undertaken during the Reporting Month

Construction activities undertaken during the reporting month for this Project were dredging and dumping of dredged mud. The total volume of dredged materials from 1<sup>st</sup> to 24<sup>th</sup> August 2004 was 58,800 m<sup>3</sup>. Uncontaminated materials were dumped at the designated location within the East Ninepin Disposal Area and the total dumped volume in August 2004 was 58,800 m<sup>3</sup>. Figure 1.2 shows all dumping locations for this project. Daily records of dredged / dumped volume are presented in Appendix B. The maximum hourly and daily dredging rates actually achieved by the contractors were within the limits specified in the latest dredging schedule.

The main construction activities carried out during the reporting month and the corresponding environmental mitigation measures are summarized in Table 1.1. The implementation of major mitigation measures in the month is provided in Appendix I.

Table 1.1 Construction Activities and Their Corresponding Environmental Mitigation Measures

<b>Construction Activities</b>	<b>Environmental Mitigation Measures</b>
Dredging	<p><b>Water Quality</b></p> <ul style="list-style-type: none"> <li>– One number of grab dredger with grab capacity of no less than 8m<sup>3</sup> was operated on site.</li> <li>– Both maximum total hourly and daily dredging rates specified in the latest dredging schedule were strictly followed.</li> <li>– Daily dredging volume was spread as evenly as possible over the 24-hour period.</li> <li>– Cage-type silt curtain was deployed for the grab dredger.</li> <li>– The grab was tightly closed and the hoist speed was suitably low.</li> <li>– All barges for transportation of dredged materials were fitted with tight bottom seals.</li> </ul> <p><b>Noise</b></p> <ul style="list-style-type: none"> <li>– General noise mitigation measures were employed at work site throughout the construction phase.</li> <li>– The number of dredgers and operation conditions as specified in the CNP were strictly followed.</li> </ul> <p><b>Dredging Waste</b></p> <ul style="list-style-type: none"> <li>– All vessels for marine transportation of dredged sediment were fitted with tight fitting seals at the bottom openings to prevent leakage.</li> <li>– All vessels were filled to a level such that dredged materials would not spill over during loading and transportation.</li> </ul>

<b>Construction Activities</b>	<b>Environmental Mitigation Measures</b>
	<ul style="list-style-type: none"><li>- Dredged wastes were disposed of at licensed dumping site – East Ninepin Disposal Area.</li><li>- Records of the quantities of waste generated and disposed of off-site were taken.</li></ul> <p><b>Marine Ecology</b></p> <ul style="list-style-type: none"><li>- All construction related vessels approached the site from the designated route to avoid the Finless Porpoise habitat area.</li><li>- The dumping of chemicals, rubbish, oils etc. into the water was strictly prohibited.</li></ul>

#### **1.4 Summary of EM&A Requirements**

The EM&A program requires environmental monitoring of water quality. Regular environmental site audits for water quality and waste management were carried out. The detailed EM&A monitoring work for water quality are described in Sections 2.

The following environmental audits are summarized in Section 3 of this report:

- Environmental monitoring results;
- Waste Management Records;
- Weekly site audit results;
- The status of environmental licensing and permits for the Project;
- The implementation status of environmental protection and pollution control/mitigation measures.

Future key issues will be reported in Section 4 of this report.






Figure 1.1 Layout of Work Site

Lamma Power Station Navigation Channel Improvement - The Hongkong Electric Co., Ltd.  
 Monthly EM&A Report for August 2004




Figure 1.2 Location of Dumping Area

## 2. WATER QUALITY MONITORING

### 2.1 Monitoring Requirements

Marine water quality monitoring at the monitoring locations adjacent to the project area was carried out. The purpose was to ensure that deterioration of water quality, if any, would immediately be detected and that timely action could be taken to rectify the situation. The impact monitoring data were checked against the AL levels set out in the Baseline Monitoring Report (Revision 1).

### 2.2 Monitoring Locations

A total of 10 water quality monitoring locations were selected. 7 Sensitive Receiver (SR) stations were chosen on the basis of their proximity to the construction site. 3 Marine Control stations (CS) as recommended in the EIA were selected to facilitate comparison of the water quality of the SR stations with ambient water quality conditions. Table 2.1 describes the locations of these monitoring stations. Their locations are shown in Figure 2.1.

Table 2.1 Water Quality Monitoring Locations

Type	Monitoring Location	HK Metric Grid E	HK Metric Grid N
<b>Sensitive Receiver Stations</b>	SR6	830 150	811 500
	SR7	829 004	810 903
	SR10	829 194	808 600
	SR11	830 119	808 650
	SR12	830 386	807 189
	SR14	829 977	805 758
	SR15	829 566	804 545
<b>Marine Control Stations</b>	CS1	828 000	813 492
	CS2	825 000	808 000
	CS3	829 000	802 000

## 2.3 Monitoring Equipment

Table 2.2 summarizes the equipment used in the water-quality monitoring programme.

Table 2.2 Water Quality Monitoring Equipment

Equipment	Detection Limit
YSI 6920 Water Quality Monitor	Temperature: -5 to 45 °C; +/- 0.15 °C Salinity: 0 to 70 ppt; +/- 0.1 ppt Dissolved Oxygen: 0 to 200%; +/- 0.2% 0 to 20 mg/L; +/- 0.2 mg/L Turbidity: 0 to 1000 NTU; +/- 5% of the range pH: 0 to 14 units; +/- 0.2 units
Trimble NT300D GPS	Accuracy better than 3m
Eagle Fisheasy ST Portable Depth Finder	Accuracy better than 0.5m

## 2.4 Monitoring Parameters, Frequency and Duration

Table 2.3 summarizes the monitoring parameters, frequencies and total duration of water quality monitoring. The monitoring schedule for reporting month is shown in Appendix D.

Table 2.3 Water Quality Monitoring Parameters and Frequency

Monitoring Stations	Parameters	Frequency	No. of Depths	No. of Samples
Sensitive Receiver Stations SR6, SR7, SR10, SR11, SR12, SR14 & SR15  Marine Control Stations CS1, CS2, CS3	<ul style="list-style-type: none"> <li>• Depth, m</li> <li>• Temperature, °C</li> <li>• Salinity, ppt</li> <li>• DO, mg/L</li> <li>• DO Saturation, %</li> <li>• Turbidity, NTU</li> <li>• SS, mg/L</li> <li>• pH</li> </ul>	Three times per week	3 Surface, Mid-Depth and Bottom	2 Mid-ebb and Mid-flood

## 2.5 Monitoring Procedures and Calibration Details

### *Monitoring Procedures*

- The monitoring stations were accessed using survey boat to within 3m, guided by Differential Global Positioning System (DGPS).
- The water depth of the monitoring location at sampling time was measured using depth meter. Afterwards, the probes of the in-situ measurement equipment were lowered to the predetermined depths and the measurements taken accordingly.
- A water sampler was lowered into the water to the required sampling depths. Upon reaching the pre-determined depth, a messenger to activate the sampler was released which travel down the wire. The water sample was sealed within the sampler before retrieving.
- All measurements were taken at 3 water depths where appropriate, namely 1m below water surface, mid-depth, and 1 meter from seabed, except where the water depth was less than 6m, whereupon the mid-depth measurement would be omitted. If the water depth was less than 3m, only the mid-depth position was monitored.
- One duplicate in-situ measurement and water sample for laboratory analyses were taken at all sampling locations.
- At each measurement depth, two consecutive measurements were taken. The probe was retrieved out of the water after the first measurement and then redeployed for the second measurement. When the difference in value between the first and second measurement of on-site parameters was more than 25% of the value of the first reading, the reading was discarded and further readings were taken.
- A water sampler, consisting of a transparent PVC or glass cylinder of not less than two litres which could be effectively sealed with cups at both ends, was used. The water sampler had a positive latching system to keep it open and prevent premature closure until released by a messenger when the sampler was at the selected water depth.
- Water samples for SS measurements were transferred directly to high density polythene sample bottles, packed in ice (cooled to 4°C without being frozen), and delivered to a HOKLAS laboratory as soon as possible after collection.
- In addition, field information such as the general meteorological conditions and observations regarding any significant activities in the vicinity of each monitoring location were also recorded.

### *Equipment Calibration*

The equipment deployed for in-situ measurement of marine water quality was calibrated before use. The methodologies for the calibration follow the instruction manuals provided by the corresponding manufacturers. The calibration records are shown in Appendix F.

### *Laboratory Analysis & QA/QC*

The collected marine water samples were analyzed for Suspended Solids with methodologies shown in Table 2.4.

Table 2.4 Laboratory Analysis Methodologies of Marine Water Samples

<b>Parameter</b>	<b>Method</b>	<b>Limit of Reporting (mg/L)</b>
Suspended Solids	APHA 17 ed 2540 D	1.0

In order to ensure that the laboratory analysis works were carried out properly, stringent QA/QC procedures (which include sample preparation as well as subsequent instrumentation analysis) were followed. According to the requirements stipulated in the EM&A Manual, QA/QC requirements for laboratory testing include:

- 1) "Blind" duplicate samples analysis of 10% collected marine water samples; and
- 2) in-house QA/QC procedures of the testing laboratory (this includes the use of blank, batch duplicates and quality control samples).

#### *Blind Duplicate:*

In order to cross check the accuracy of the measurement results by the laboratory analysis, "blind" duplicate samples of 10% of the collected marine water samples were analyzed alongside the normal samples. The sample codes for the "blind" duplicates were determined by the sampling team and are not identifiable by the laboratory. The results of the "blind" duplicate samples are summarized in Appendix F.

#### *Blank:*

A laboratory blank is an analyte free matrix to which all reagents are added in the same volumes or proportions as used in the standard sample preparation to monitor contamination introduced in laboratory. All the laboratory blank values and acceptance criterion of suspended solids are summarized in Appendix F.

#### *Batch Duplicate:*

Batch duplicate is an intra-laboratory split sample randomly selected from the sample batch to monitor the method precision in a given matrix. The acceptance limit of duplicate values of suspended solids and their duplicate results are summarized in Appendix F.

*Quality Control Sample:*

The quality control sample is the analysis of a material with a known concentration of contaminants to determine the accuracy of results in a given matrix. The results of quality control samples for suspended solids are shown in Appendix F.

A total of 1,560 sets of samples for Suspended Solids analysis were received during the marine monitoring period including both ebb and flood tides. At least 5% laboratory blanks, batch duplicates and quality control samples for Suspended Solids were used. The acceptance criteria are outlined in Quality Control data.

The QA/QC results in Appendix F indicated that the laboratory analysis works of the collected marine water samples were properly carried out and the measurement results obtained were valid in accordance with the Hong Kong Laboratory Accreditation Scheme (HOKLAS) requirements. Moreover, the “blind” duplicate measurement results indicated that the precision of the measurements for Suspended Solids complied with HOKLAS requirements.

## **2.6 Results and Observations**

Marine water monitoring was conducted as scheduled in the reporting month. All monitoring data and graphical presentation of the monitoring results are provided in Appendix E.

There was no Action / Limit Level exceedance for water quality in the reporting month.




Figure 2.1 Location of Water Quality Monitoring Stations



### 3. ENVIRONMENTAL AUDIT

#### 3.1 Review of Environmental Monitoring Procedures

The environmental monitoring procedures were regularly reviewed by the Environmental Team. No modification to the existing monitoring procedures was recommended.

#### 3.2 Assessment of Environmental Monitoring Results

##### *Monitoring results for Water Quality*

The environmental monitoring results for Water Quality in the reporting month presented in Sections 2 are summarized in Table 3.1.

Table 3.1 Summary of AL Level Exceedances on Monitoring Parameters

Item	Parameter Monitored	Monitoring Period	No. of Exceedances In		Event/Action Plan Implementation Status and Results
			Action Level	Limit Level	
Water					
1	DO (Surface & Middle)	01/08/04 31/08/04	0	0	
2	DO (Bottom)	01/08/04 31/08/04	0	0	
3	SS	01/08/04 31/08/04	0	0	
4	Turbidity	01/08/04 31/08/04	0	0	

##### *Waste Management Records*

The estimated amounts of different types of waste generated in August 2004 are shown in Table 3.2.

Table 3.2 Estimated Amounts of Waste Generated in August 2004

Waste Type	Examples	Estimated Amount (m <sup>3</sup> )
Dredged Materials	Marine Mud	58,800

The total bulk volume of dredged material was 58,800 m<sup>3</sup>.

### 3.3 Site Environmental Audit

Site audits were carried out by ET on a weekly basis to monitor environmental issues at the project area to ensure that all mitigation measures were implemented timely and properly. The site conditions were generally satisfactory. All required mitigation measures were implemented. The weekly site inspection results are attached in Appendix H.

The weekly site inspection would be suspended after 25<sup>th</sup> August 2004 until the dredging work is resumed.

### 3.4 Status of Environmental Licensing and Permitting

All permits/licenses obtained for the project are summarised in Table 3.3.

Table 3.3 Summary of Environmental Licensing and Permit Status

Description	Permit No.	Valid Period		highlights	Status
		From	To		
Environmental Permit	EP-165/2003	08/04/03	-	The whole construction work site	Valid
Construction Noise Permit	GW-UW0254-04	28/05/04	31/08/04	Operation of PME's (2 grab dredgers and 2 tug boats) allowed during the restricted hours (07:00-07:00 of next day on holidays and 19:00-07:00 of next day on all other days). Not more than one grab dredgers allowed to be operated within each zone (viz. Zone A, B and C) between 2300 and 0700 hrs. Only one tug boat allowed to be operated within Zone A and B combined between 2300 and 0700 hrs.	Valid
Marine Dumping Permit	EP/MD/05-014	27/05/04	31/08/04	Dumping at East Ninepin Disposal Area	Valid
Registration of Chemical Waste Producer	WPN5296-912-P2800-17	22/7/03	-	Major Chemical Waste Type: Waste solvent and waste lubricating oil	Valid

### 3.5 Implementation Status of Environmental Mitigation Measures

Mitigation measures detailed in the permits and the EM&A Manual (Construction Phase) are required to be implemented. An updated summary of the Environmental Mitigation Implementation Schedule (EMIS) is presented in Appendix I.

### 3.6 Implementation Status of Action/Limit Plans

The Action/Event Plans for water quality extracted from the EM&A Manual (Construction Phase) and the review report on marine water quality monitoring are presented in Appendix G.

### 3.7 Implementation Status of Environmental Complaint Handling Procedures

In August 2004, no complaint against the construction activities was received .

Table 3.4 Environmental Complaints / Enquiries Received in August 2004

Case Reference / Date, Time Received / Date, Time Concerned	Descriptions /Actions Taken	Conclusion / Status
N/A	N/A	N/A

Table 3.5 Outstanding Environmental Complaints / Enquiries Carried Over

Case Reference / Date, Time Received / Date, Time Concerned	Descriptions /Actions Taken	Conclusion / Status
Nil	N/A	N/A

## **4. FUTURE KEY ISSUES**

### **4.1 Key Issues for the Coming Month**

Key issues to be considered in the coming month when the dredging work is resumed include:

#### *Noise Impact*

- To continue executing the preventive measures for avoiding noise exceedance and monitoring/ reviewing the noise performance.
- To ensure compliance with the CNP already obtained.

#### *Water Impact*

- To keep reviewing the monitoring results in order to take corresponding action to ensure the seawater quality.
- To carry out routine inspection and necessary maintenance for the cage-type silt curtains.
- To carry out special inspection and maintenance works should there be significant muddy water observed outside the cage-type silt curtains.

### **4.2 Monitoring Schedules for the Next 3 Months**

The dredging contractor had temporarily suspended the dredging work from 25<sup>th</sup> August 2004 for the review of survey results. The marine water impact monitoring work would be suspended from 1<sup>st</sup> September 2004 until the dredging work is resumed.

The tentative impact monitoring schedule for the next 3 months when the dredging work is resumed is shown in Appendix D.

### **4.3 Construction Program for the Next 3 Months**

The tentative construction program for the next 3 months is shown in Appendix J.

## **5. CONCLUSION**


Marine water monitoring was conducted as scheduled in the reporting month. All monitoring results were checked and reviewed. No Action/Limit level exceedance on water quality parameters was recorded in the reporting month.

The maximum hourly and daily dredging rates actually achieved by the contractor were within the limits specified in the latest dredging schedule.

Environmental mitigation measures recommended in the EM&A manual for the Project were implemented in the reporting month. No complaint against the Project was received. No prosecution was received for this Project in the reporting period.

The environmental performance of the Project was generally satisfactory.

Appendix A Organization Chart



## Appendix B

**Table B1 Amount of Dredged and Dumped Marine Sediment**

Date	Dredged Marine Mud (bulk volume m <sup>3</sup> )	Dumped Marine Mud (bulk volume m <sup>3</sup> )	Maximum Hourly Dredging Rate (bulk volume m <sup>3</sup> /hr)
1/8/2004	4,200	4,200	175
2/8/2004	4,200	4,200	175
3/8/2004	4,200	4,200	175
4/8/2004	4,200	4,200	175
5/8/2004	3,500	3,500	146
6/8/2004	3,500	3,500	146
7/8/2004	4,200	4,200	175
8/8/2004	3,500	3,500	146
9/8/2004	4,200	4,200	175
10/8/2004	4,200	4,200	175
11/8/2004	3,500	3,500	146
12/8/2004	4,200	4,200	175
13/8/2004	3,500	3,500	146
14/8/2004	4,200	4,200	175
15/8/2004	2,800	2,800	117
16/8/2004	700	700	29
17/8/2004	4,200	4,200	175
18/8/2004	4,200	4,200	175
19/8/2004	4,200	4,200	175
20/8/2004	4,200	4,200	175
21/8/2004	3,500	3,500	146
22/8/2004	3,500	3,500	146
23/8/2004	4,200	4,200	175
24/8/2004	3,500	3,500	146
25/8/2004	0	0	0
26/8/2004	0	0	0
27/8/2004	0	0	0
28/8/2004	0	0	0
29/8/2004	0	0	0
30/8/2004	0	0	0
31/8/2004	0	0	0

### Summary of dredging rates for the reporting month

1. According to the latest dredging schedule (Table B2), the allowable daily and hourly dredging rates for August 2004 are 21,200m<sup>3</sup>/day and 972m<sup>3</sup>/hour respectively. The unit is in “in-situ” volume.
2. For the reporting month, the largest quantity of dredged mud was 4,200m<sup>3</sup> (bulk volume). The volume of dredged mud equals to (4,200m<sup>3</sup>/1.3) 3,231m<sup>3</sup>/day in in-situ volume, where 1.3 is a bulking factor. Similarly, the largest maximum hourly dredging rate for the reporting month was (175m<sup>3</sup>/1.3) 135m<sup>3</sup>/hour in in-situ volume.
3. Hence, it can be concluded that the maximum hourly and daily dredging rates actually achieved by the contractors were within the limit specified in the latest dredging schedule.

**Table B2 Dredging Schedule for Grab Dredger Option (Revision 5) – Effective from 19 May 2004**

Working Zone*	Construction Programme			
	May 2004	June 2004	July 2004	August 2004
ABn	3 Nos.**	3 Nos.**	3 Nos.**	3 Nos.**
ABs				
BCn				
BCs				
Maximum total daily dredging rate (m <sup>3</sup> /day)	21,200			
Maximum total hourly dredging rate (m <sup>3</sup> /hour)	972			

Remarks:

\*: This table should be read in conjunction with Figure 4 of Environmental Permit No. EP-165/2003

\*\* : A maximum of 3 numbers of grab dredgers, each with a grab capacity of no less than 8 m<sup>3</sup> is allowed.

Note:

The above maximum daily dredging rates are derived based on 24-hour dredging operations. If the daily workings hours are restricted, the maximum daily dredging rates will have to be reduced proportionally based on the allowable working hours.



**Table B3 Dredging Schedule for Grab Dredger Option (Revision 6) – Effective from September 2004**

Working Zone*	Construction Programme	
	September 2004	October – November 2004
ABn	3 Nos.**	3 Nos.**
ABs		
BCn		
BCs		
Maximum total daily dredging rate (m <sup>3</sup> /day)	21,200	33,200
Maximum total hourly dredging rate (m <sup>3</sup> /hour)	972	1,522

Remarks:

\*: This table should be read in conjunction with Figure 4 of Environmental Permit No. EP-165/2003

\*\* : A maximum of 3 numbers of grab dredgers, each with a grab capacity of no less than 8 m<sup>3</sup> is allowed.

Note:

The above maximum daily dredging rates are derived based on 24-hour dredging operations. If the daily workings hours are restricted, the maximum daily dredging rates will have to be reduced proportionally based on the allowable working hours.

## Appendix C Action and Limit Levels for Water Quality Monitoring

Table C1 Action / Limit Levels for Dissolved Oxygen (mg/L)

(a) Surface and Middle – Dry Season (November – March)

	SR6	SR7	SR11	SR12	SR14	SR15
Action Level (5%-ile)	5.2*	5.2*				
1%-ile	4.3**	4.6**				
Limit Level	4.0***					

Note:

- \* - figure 5.2 mg/L represents 5%-ile of baseline monitoring data and Marine Water Quality (MWQ) in Hong Kong from 1997 to 2001
- \*\* - figures 4.3 and 4.6 mg/L represent 1%-ile of baseline monitoring data and MWQ in Hong Kong from 1997 to 2001
- \*\*\* - WQO for DO in non-FCZ
- All the figures may be subjected to review by EPD as and when necessary.

(b) Surface and Middle – Wet Season (April – October)

	SR6	SR7	SR11	SR12	SR14	SR15
Action Level (5%-ile)	4.2*	4.6*				
1%-ile	3.9**	4.3**				
Limit Level	4.0***					

Note:

- \* - figures 4.2 and 4.6 mg/L represent 5%-ile MWQ in Hong Kong from 1997 to 2001
- \*\* - figures 3.9 and 4.3 mg/L represent 1%-ile of MWQ in Hong Kong from 1997 to 2001
- \*\*\* - the WQO for DO in non-FCZ
- All the figures may be subjected to review by EPD as and when necessary.

(c) Bottom – Dry Season (November – March)

	SR6	SR7	SR11	SR12	SR14	SR15
Action Level (5%-ile)	5.5*	5.4*				
1%-ile	4.1**	4.8**				
Limit Level	2.0***					

Note:

- \* - figures 5.5 and 5.4 mg/L represent 5%-ile of baseline monitoring data and MWQ in Hong Kong from 1997 to 2001
- \*\* - figures 4.1 and 4.8 mg/L represent 1%-ile of baseline monitoring data and MWQ in Hong Kong from 1997 to 2001
- \*\*\* - WQO for DO in non-FCZ
- All the figures may be subjected to review by EPD as and when necessary.

(d) Bottom – Wet Season (April – October)

	SR6	SR7	SR11	SR12	SR14	SR15
Action Level (5%-ile)	2.7*	3.5*				
1%-ile	2.3**	2.0**				
Limit Level	2.0***					

Note:

- a. \* - figures 2.7 and 3.5 mg/L represent 5%-ile of MWQ in Hong Kong from 1997 to 2001
- b. \*\* - figures 2.3 and 2.0 mg/L represent 1%-ile of MWQ in Hong Kong from 1997 to 2001
- c. \*\*\* - WQO for DO in non-FCZ
- d. All the figures may be subjected to review by EPD as and when necessary.

Table C2 Action / Limit Levels for Turbidity (NTU)

(depth-average)

	SR6	SR7	SR11	SR12	SR14	SR15
Action Level (95%-ile)	16.4	15.3	13.5	14.2	16.1	16.1
Limit Level (99%-ile)	17.4	16.1	16.2	16.2	16.5	16.8

Note:

1. 95% ile of baseline data is adopted for setting the Action Level for various SRs according to the EM&A Manual.
2. 99% ile of baseline data is adopted for setting the Limit Level for various SRs according to the EM&A Manual.
3. All the figures may be subjected to review by EPD as and when necessary.

Table C3 Action / Limit Levels for Suspended Solids (mg/L)

(depth-average)

	SR6	SR7	SR10	SR11	SR12	SR14	SR15
95%-ile	16.8	16.4	16.0	16.1	16.8	17.9	16.7
Action Level	16.8	16.4	--	16.1	16.8	17.9	16.7
99%-ile	16.9	16.8	16.2	16.4	17.0	18.8	17.8
Limit Level	16.9	16.8	100	16.4	17.0	18.8	17.8

Note:

1. No Action Level is applied to SR10 according to the EM&A Manual
2. Limit Level of SR10 is 100 mg/L according to the EM&A Manual
3. 95% ile of baseline data is adopted for setting the Action Level for various SRs according to the EM&A Manual.
4. 99% ile of baseline data is adopted for setting the Limit Level for various SRs according to the EM&A Manual.
5. All the figures may be subjected to review by EPD as and when necessary.

## Appendix D

### Environmental Monitoring Schedule

**The Hongkong Electric Co., Ltd.**  
**Navigation Channel Improvement - EM&A Marine Water Monitoring Schedule**

**Aug-2004**

No.	Date		Tide	High tide	Low tide	Tentative Start Time
1	2/8/04	Mon	Mid-flood	09:50	03:18	08:30
			Mid-ebb	09:50	17:17	12:30
2	4/8/04	Wed	Mid-flood	11:25	05:00	08:30
			Mid-ebb	11:25	18:24	14:00
3	6/8/04	Fri	Mid-flood	12:51	06:46	08:45
			Mid-ebb	12:51	19:20	15:00
4	10/8/04	Tue	Mid-ebb	04:46	13:01	08:30
			Mid-flood	11/8/04 05:32	10/8/04 13:01	16:00
5	12/8/04	Thu	Mid-ebb	06:15	14:34	09:30
			Mid-flood	13/8/04 06:55	12/8/04 14:34	16:00
6	14/8/04	Sat	Mid-ebb	07:35	15:37	10:30
			Mid-flood	22:27	15:37	16:00
7	16/8/04	Mon	Mid-ebb	08:57	16:32	11:45
			Mid-flood	22:48	16:32	16:00
8	18/8/04	Wed	Mid-flood	10:19	03:55	08:30
			Mid-ebb	10:19	17:26	12:50
9	20/8/04	Fri	Mid-flood	11:37	05:25	08:30
			Mid-ebb	11:37	18:19	14:00
10	24/8/04	Tue	Mid-ebb	02:19	10:20	08:30
			Mid-flood	17:45	10:20	13:00
11	26/8/04	Thu	Mid-ebb	04:47	13:18	08:30
			Mid-flood	21:05	13:18	16:00
12	28/8/04	Sat	Mid-ebb	06:57	14:53	10:00
			Mid-flood	22:02	14:53	16:00
13	30/8/04	Mon	Mid-ebb	08:54	16:07	11:30
			Mid-flood	22:51	16:07	16:00

Notes: 1. The time of high tide and low tide is made reference to tidal information at Chi Ma Wan provided by the HKO.

2. Monitoring works will not be arranged during night time period for safety reasons.
3. Monitoring works should be carried out three days per week at mid-flood and mid-ebb.
4. The interval between two sets of monitoring should not be less than 36 hours.

**The Hongkong Electric Co., Ltd.**  
**Navigation Channel Improvement - EM&A Marine Water Monitoring Schedule**

**Sep-2004**

No.	Date		Tide	High tide	Low tide	Tentative Start Time
1	1/9/2004	Wed	Mid-flood	10:28	04:07	08:30
			Mid-ebb	10:28	17:06	12:45
2	3/9/2004	Fri	Mid-flood	11:52	05:38	08:30
			Mid-ebb	11:52	17:55	14:00
3	7/9/2004	Tue	Mid-ebb	01:57	11:03	08:30
			Mid-flood	8/9/04 03:14	7/9/04 11:03	16:00
4	9/9/2004	Thu	Mid-ebb	04:27	13:27	08:30
			Mid-flood	10/9/04 05:30	9/9/04 13:27	16:00
5	11/9/2004	Sat	Mid-ebb	06:26	14:34	09:30
			Mid-flood	21:40	14:34	16:00
6	13/9/2004	Mon	Mid-flood	15:26	08:04	10:45
			Mid-ebb	15:26	21:45	16:00
7	15/9/2004	Wed	Mid-ebb	09:34	16:15	12:00
			Mid-flood	22:08	16:15	16:00
8	17/9/2004	Fri	Mid-flood	11:04	04:37	08:30
			Mid-ebb	11:04	17:06	13:00
9	20/9/2004	Mon	Mid-flood	14:20	07:07	09:45
			Mid-ebb	14:20	18:21	15:15
10	22/9/2004	Wed	Mid-ebb	01:28	10:20	08:30
			Mid-flood	23/9/04 02:56	22/9/04 10:20	16:00
11	24/9/2004	Fri	Mid-ebb	04:35	13:02	08:30
			Mid-flood	20:45	13:02	15:45
12	28/9/2004	Tue	Mid-ebb	08:54	15:27	11:15
			Mid-flood	21:49	15:27	16:00
13	30/9/2004	Thu	Mid-ebb	10:22	16:18	12:15
			Mid-flood	22:23	16:18	16:00

Notes: 1. The time of high tide and low tide is made reference to tidal information at Chi Ma Wan provided by the HKO.

2. Monitoring works will not be arranged during night time period for safety reasons.
3. Monitoring works should be carried out three days per week at mid-flood and mid-ebb.
4. The interval between two sets of monitoring should not be less than 36 hours.

**The Hongkong Electric Co., Ltd.**  
**Navigation Channel Improvement - EM&A Marine Water Monitoring Schedule**

**Oct-2004**

No.	Date		Tide	High tide	Low tide	Tentative Start Time
1	2/10/2004	Sat	Mid-flood	11:46	05:25	08:30
			Mid-ebb	11:46	16:59	13:15
2	4/10/2004	Mon	Mid-flood	13:25	06:59	09:15
			Mid-ebb	13:25	16:46	14:00
3	6/10/2004	Wed	Mid-ebb	5/10/04 23:46	6/10/04 09:46	08:30
			Mid-flood	7/10/04 00:38	6/10/04 09:46	16:00
4	8/10/2004	Fri	Mid-ebb	02:55	12:31	08:30
			Mid-flood	9/10/04 04:41	8/10/04 12:31	16:00
5	11/10/2004	Mon	Mid-ebb	06:51	14:10	09:30
			Mid-flood	20:42	14:10	16:00
6	13/10/2004	Wed	Mid-ebb	08:40	15:00	10:45
			Mid-flood	20:57	15:00	16:00
7	15/10/2004	Fri	Mid-ebb	10:21	15:52	12:00
			Mid-flood	21:46	15:52	16:00
8	18/10/2004	Mon	Mid-flood	13:24	06:07	08:45
			Mid-ebb	13:24	17:09	14:15
9	21/10/2004	Thu	Mid-ebb	01:11	10:05	08:30
			Mid-ebb	2/10/04 02:42	21/10/04 10:05	16:00
10	23/10/2004	Sat	Mid-ebb	04:24	12:20	08:30
			Mid-flood	19:57	12:20	15:00
11	25/10/2004	Mon	Mid-ebb	07:02	13:40	09:15
			Mid-flood	20:28	13:40	16:00
12	27/10/2004	Wed	Mid-ebb	08:52	14:39	10:45
			Mid-flood	20:56	14:39	16:00
13	29/10/2004	Fri	Mid-ebb	10:18	15:24	11:45
			Mid-flood	21:32	15:24	16:00

Notes: 1. The time of high tide and low tide is made reference to tidal information at Chi Ma Wan provided by the HKO.

2. Monitoring works will not be arranged during night time period for safety reasons.
3. Monitoring works should be carried out three days per week at mid-flood and mid-ebb.
4. The interval between two sets of monitoring should not be less than 36 hours.

**The Hongkong Electric Co., Ltd.**  
**Navigation Channel Improvement - EM&A Marine Water Monitoring Schedule**

**Nov-2004**

No.	Date		Tide	High tide	Low tide	Tentative Start Time
1	1/11/2004	Mon	Mid-flood	12:31	05:55	08:30
			Mid-ebb	12:31	15:46	13:00
2	5/11/2004	Fri	Mid-ebb	4/11/2004 23:47	5/11/2004 09:53	08:30
			Mid-flood	6/11/2004 01:11	5/11/2004 09:53	16:00
3	7/11/2004	Sun	Mid-ebb	03:30	11:47	08:30
			Mid-flood	19:30	11:47	14:30
4	9/11/2004	Tue	Mid-ebb	06:18	13:02	08:30
			Mid-flood	19:28	13:02	15:15
5	11/11/2004	Thu	Mid-ebb	08:31	14:02	10:15
			Mid-flood	20:02	14:02	16:00
6	13/11/2004	Sat	Mid-ebb	10:25	15:01	11:45
			Mid-flood	20:47	15:01	16:00
7	15/11/2004	Mon	Mid-flood	12:33	05:14	08:30
			Mid-ebb	12:33	15:57	13:15
8	17/11/2004	Wed	Mid-flood	15:02	07:16	10:00
			Mid-ebb	15:02	16:24	15:00
9	20/11/2004	Sat	Mid-ebb	02:25	10:31	08:30
			Mid-flood	18:32	10:31	13:30
10	22/11/2004	Mon	Mid-ebb	05:34	12:06	08:30
			Mid-flood	19:14	12:06	14:45
11	24/11/2004	Wed	Mid-ebb	07:52	13:14	09:30
			Mid-flood	19:53	13:14	15:30
12	26/11/2004	Fri	Mid-ebb	09:37	13:57	10:45
			Mid-flood	20:24	13:57	16:00
13	29/11/2004	Mon	Mid-flood	11:46	05:04	08:30
			Mid-ebb	11:46	14:41	12:15

Notes: 1. The time of high tide and low tide is made reference to tidal information at Chi Ma Wan provided by the HKO.

2. Monitoring works will not be arranged during night time period for safety reasons.
3. Monitoring works should be carried out three days per week at mid-flood and mid-ebb.
4. The interval between two sets of monitoring should not be less than 36 hours.



Appendix E  
Water Quality Monitoring Results

Date: 2/8/2004  
Weather: Sunny  
Sea Condition: Calm  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	11:20	Surface	1	27.9	31.9	8.30	89.4	5.83	5.60	6.8	11.3	9.1	10.7
				27.9	31.9	8.31	89.8	5.89		7.6			
		Middle	11	27.2	35.3	8.40	82.5	5.38		11.1			
	Bottom	21	26.8	40.0	8.26	62.3	4.27	15.4	13.9				
Other Observations:				Nil									
SR7	11:01	Surface	1	27.2	31.7	8.39	104.4	6.94	6.01	8.8	12.0	9.4	11.0
				27.2	31.7	8.38	92.2	6.20		8.9			
		Middle	4.5	27.1	34.8	8.44	81.9	5.39		12.6			
	Bottom	8	26.9	35.8	8.44	56.0	3.68	14.5	13.5				
Other Observations:				Nil									
SR10	10:45	Surface	1	28.5	34.3	8.47	100.8	6.45	6.42	7.5	10.1	8.4	9.1
				28.5	34.3	8.46	99.9	6.41		7.6			
		Middle	4	28.1	35.1	8.49	100.0	6.43		9.8			
	Bottom	7	27.1	36.5	8.40	92.3	5.97	12.8	9.0				
Other Observations:				Nil									
SR11	10:30	Surface	1	27.5	36.9	8.49	97.6	6.33	5.83	4.7	9.9	6.3	8.5
				27.5	36.8	8.48	96.8	6.26		4.8			
		Middle	4	26.9	36.8	8.40	84.6	5.46		9.5			
	Bottom	7	27.0	37.1	8.42	73.3	4.75	15.5	13.8				
Other Observations:				Nil									
SR12	10:15	Surface	1	28.1	35.9	8.55	114.5	7.37	6.80	3.7	8.2	6.1	9.1
				28.1	35.9	8.54	110.5	7.10		3.6			
		Middle	4	27.3	36.2	8.48	100.0	6.46		7.8			
	Bottom	7	26.9	37.3	8.41	89.1	5.76	13.1	14.9				
Other Observations:				Nil									
SR14	10:00	Surface	1	27.8	35.3	8.55	105.2	6.79	6.81	2.8	5.9	5.3	5.0
				27.8	35.3	8.55	105.4	6.81		3.0			
		Middle	4.5	27.8	35.3	8.56	105.5	6.82		4.0			
	Bottom	8	27.6	35.9	8.55	104.2	6.72	10.6	4.2				
Other Observations:				Nil									
SR15	09:42	Surface	1	27.6	35.1	8.51	104.5	6.77	6.50	3.8	7.2	7.2	6.6
				27.6	35.1	8.52	102.7	6.66		4.0			
		Middle	10.5	27.1	37.0	8.46	97.3	6.28		5.5			
	Bottom	20	26.8	37.5	8.44	77.2	5.00	12.2	6.1				
Other Observations:				Nil									
CS1	08:55	Surface	1	27.1	30.7	8.28	91.8	6.14	5.32	4.4	8.5	8.8	9.9
				27.1	30.7	8.29	83.0	5.53		4.5			
		Middle	4.5	26.9	32.2	8.34	72.2	4.81		8.8			
	Bottom	8	26.8	34.2	8.36	69.2	4.56	12.2	13.6				
Other Observations:				Nil									
CS2	09:10	Surface	1	27.1	31.0	8.33	101.8	6.83	5.70	5.5	8.3	8.3	7.8
				27.1	31.0	8.34	89.6	6.00		5.6			
		Middle	5.5	27.2	32.9	8.37	77.1	5.09		7.8			
	Bottom	10	26.9	34.4	8.36	81.6	5.28	11.4	8.4				
Other Observations:				Nil									
CS3	09:25	Surface	1	27.9	31.9	8.41	109.6	7.17	6.54	5.7	8.9	8.1	9.0
				27.9	31.9	8.42	106.0	6.93		5.8			
		Middle	11	27.2	38.0	8.49	90.0	5.76		7.5			
	Bottom	20.5	24.3	41.1	8.15	81.2	5.36	13.3	11.3				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 2/8/2004  
Weather: Sunny  
Sea Condition: Calm  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	15:08	Surface	1	28.0	31.2	8.40	97.2	6.40	5.96	3.8	7.0	8.4	8.9
				28.1	31.2	8.41	96.2	6.33		4.0			
		Middle	10.5	26.8	32.4	8.30	87.7	5.82		6.1		10.1	
	Bottom	20	26.9	33.2	8.33	69.2	4.57	11.0	8.3				
Other Observations:				Nil									
SR7	14:50	Surface	1	28.2	31.0	8.36	97.1	6.36	6.02	4.1	7.6	9.2	8.7
				28.2	31.1	8.35	96.5	6.32		4.0			
		Middle	4.5	27.7	31.3	8.31	87.8	5.81		7.5		8.6	
	Bottom	8	27.7	31.3	8.32	84.4	5.58	7.4	8.5				
Other Observations:				Nil									
SR10	14:35	Surface	1	30.5	35.3	8.52	106.8	6.57	7.11	5.4	8.2	9.1	8.2
				30.2	35.3	8.53	109.9	6.78		5.5			
		Middle	4	28.3	35.8	8.70	114.4	7.27		7.8		7.7	
	Bottom	7	28.3	35.8	8.70	122.2	7.83	8.0	7.8				
Other Observations:				Nil									
SR11	14:25	Surface	1	30.0	34.5	8.71	155.7	9.70	9.59	6.6	9.5	5.4	8.2
				30.0	34.5	8.70	154.4	9.64		6.7			
		Middle	4	27.7	35.5	8.61	151.7	9.77		8.5		4.8	
	Bottom	7	27.7	35.5	8.62	142.9	9.23	8.6	14.5				
Other Observations:				Nil									
SR12	14:10	Surface	1	30.0	33.6	8.59	140.8	8.85	8.68	6.9	9.5	5.9	5.5
				30.0	33.6	8.61	139.4	8.75		7.0			
		Middle	4	29.6	34.4	8.59	137.6	8.67		9.8		5.3	
	Bottom	7	29.6	34.4	8.59	133.9	8.43	9.6	5.3				
Other Observations:				Nil									
SR14	14:00	Surface	1	27.8	32.8	8.55	112.2	7.35	7.44	7.8	9.7	5.2	4.9
				27.8	32.8	8.54	113.1	7.41		7.9			
		Middle	4.5	27.8	32.5	8.54	114.8	7.51		10.0		5.4	
	Bottom	8	27.8	32.6	8.54	114.2	7.47	9.9	4.3				
Other Observations:				Nil									
SR15	13:45	Surface	1	27.8	33.1	8.57	99.5	6.51	6.89	10.1	12.4	7.8	10.2
				27.8	33.1	8.57	109.3	7.15		10.0			
		Middle	10	27.5	35.0	8.52	110.5	7.18		11.2		6.7	
	Bottom	19	27.5	35.0	8.52	103.6	6.73	11.1	16.2				
Other Observations:				Nil									
CS1	13:00	Surface	1	27.1	31.9	8.25	95.8	6.34	5.44	8.0	11.3	8.7	9.9
				27.1	31.9	8.25	84.3	5.59		8.1			
		Middle	4.5	26.8	32.6	8.26	75.3	5.02		12.0		7.7	
	Bottom	8	26.8	32.6	8.26	71.9	4.80	11.9	13.3				
Other Observations:				Nil									
CS2	13:15	Surface	1	27.1	32.2	8.38	109.8	7.29	6.46	7.7	11.1	6.9	8.9
				27.1	32.2	8.38	101.6	6.75		7.8			
		Middle	5	26.9	33.3	8.31	93.3	6.18		10.9		6.0	
	Bottom	9	26.8	33.4	8.31	84.8	5.62	11.0	13.9				
Other Observations:				Nil									
CS3	13:30	Surface	1	28.3	31.2	8.83	182.9	11.90	11.12	8.1	10.9	7.2	9.0
				28.3	31.2	8.84	181.6	11.88		8.0			
		Middle	10.5	26.7	34.3	8.30	101.9	10.70		11.7		7.2	
	Bottom	20	26.7	34.3	8.30	102.8	9.98	11.8	12.6				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 4/8/2004  
Weather: Sunny  
Sea Condition: Calm  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	11:20	Surface	1	27.0	34.3	8.41	77.6	5.41	5.00	12.4	14.7	9.0	10.1
				27.0	34.2	8.41	78.1	5.40		12.4			
		Middle	11	25.7	39.4	8.38	65.2	4.69		14.4			
	Bottom	21	24.7	41.0	8.31	47.0	3.20	17.3	12.0				
Other Observations:				Nil									
SR7	11:01	Surface	1	27.4	32.2	8.35	72.7	4.73	4.75	15.0	15.0	11.4	10.7
				27.4	32.2	8.36	73.5	4.86		14.9			
		Middle	4.5	27.2	34.0	8.36	71.1	4.70		14.0			
	Bottom	8	25.6	39.4	8.32	50.4	4.18	16.1	11.1				
Other Observations:				Nil									
SR10	10:45	Surface	1	27.5	38.4	8.45	90.4	5.84	5.17	12.6	13.2	10.6	10.2
				27.4	38.3	8.45	91.3	5.76		12.6			
		Middle	4	26.6	39.0	8.38	67.8	4.62		12.6			
	Bottom	7	26.1	40.0	8.34	60.4	3.98	14.4	9.8				
Other Observations:				Nil									
SR11	10:30	Surface	1	27.3	36.5	8.45	94.1	5.96	5.67	11.9	13.4	9.8	10.6
				27.4	36.6	8.46	94.2	5.97		11.7			
		Middle	4	26.8	38.0	8.42	80.2	5.40		13.0			
	Bottom	7	25.9	39.4	8.32	61.3	4.48	15.3	11.8				
Other Observations:				Nil									
SR12	10:15	Surface	1	26.9	37.3	8.43	82.2	5.43	5.06	13.7	14.1	11.0	11.2
				26.9	37.3	8.41	82.0	5.38		13.8			
		Middle	4	26.0	39.5	8.35	72.7	4.73		12.4			
	Bottom	7	25.6	40.2	8.31	51.2	3.46	16.3	12.1				
Other Observations:				Nil									
SR14	10:00	Surface	1	28.0	32.9	8.59	128.7	8.41	7.33	12.6	14.2	10.4	9.7
				28.0	32.8	8.60	127.4	8.39		12.6			
		Middle	4.5	27.5	34.4	8.45	89.3	6.32		12.8			
	Bottom	8	25.3	40.2	8.28	74.6	5.21	17.4	8.7				
Other Observations:				Nil									
SR15	09:42	Surface	1	27.9	34.4	8.57	101.4	6.55	6.30	12.9	14.4	14.8	13.7
				27.9	34.3	8.56	103.2	6.70		12.8			
		Middle	11	26.1	40.3	8.34	79.8	6.00		11.6			
	Bottom	20.5	24.0	41.4	8.22	57.3	3.98	18.6	16.2				
Other Observations:				Nil									
CS1	08:55	Surface	1	27.0	31.7	8.32	80.4	5.36	4.89	12.3	12.1	11.5	10.8
				27.0	31.7	8.32	78.6	5.20		12.2			
		Middle	4.5	26.8	35.2	8.38	70.1	4.47		12.0			
	Bottom	8	26.6	36.7	8.39	67.2	4.45	12.1	10.5				
Other Observations:				Nil									
CS2	09:10	Surface	1	27.6	33.3	8.42	87.2	6.00	5.87	12.5	11.8	11.1	9.3
				27.6	33.2	8.42	87.3	6.13		12.4			
		Middle	5.5	27.3	36.1	8.43	86.1	5.65		11.6			
	Bottom	10	27.3	37.9	8.43	69.3	4.92	11.2	7.6				
Other Observations:				Nil									
CS3	09:25	Surface	1	27.9	36.9	8.52	97.3	6.33	6.24	10.3	11.9	10.1	10.3
				27.0	36.8	8.53	97.1	6.48		10.3			
		Middle	10.5	27.5	40.7	8.46	91.7	6.10		10.1			
	Bottom	20	24.1	41.4	8.22	49.9	4.03	15.4	10.5				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 4/8/2004  
Weather: Sunny  
Sea Condition: Calm  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	16:00	Surface	1	28.0	32.6	8.38	88.7	5.81	5.89	11.2	13.2	9.5	11.1
				28.0	32.6	8.39	89.7	5.84		11.2			
		Middle	11	27.2	35.0	8.38	89.7	6.01		11.3			
	Bottom	21	25.1	40.4	8.21	40.2	2.80	16.8	13.8				
Other Observations:				Nil									
SR7	15:55	Surface	1	28.2	32.0	8.33	89.3	5.86	5.81	10.8	11.0	9.4	9.5
				28.1	32.0	8.33	89.0	5.84		10.8			
		Middle	4.5	27.4	32.8	8.34	86.2	5.79		11.1			
	Bottom	8	27.4	33.2	8.35	83.8	5.52	11.2	9.9				
Other Observations:				Nil									
SR10	15:40	Surface	1	28.9	36.2	8.47	88.4	5.59	5.64	12.2	12.4	10.8	11.2
				28.9	36.2	8.48	89.3	5.65		12.2			
		Middle	4	28.9	36.1	8.48	89.7	5.63		12.2			
	Bottom	7	27.7	37.0	8.48	88.6	5.65	12.7	11.8				
Other Observations:				Nil									
SR11	15:30	Surface	1	28.7	34.7	8.55	119.4	7.63	7.53	11.9	12.0	9.0	9.5
				28.7	34.7	8.55	116.8	7.62		11.9			
		Middle	4	28.7	34.8	8.55	117.0	7.48		11.9			
	Bottom	7	28.6	34.8	8.56	112.7	7.10	12.4	10.8				
Other Observations:				Nil									
SR12	15:18	Surface	1	29.2	33.1	8.61	109.4	6.97	7.61	12.0	12.2	7.8	8.8
				29.2	33.2	8.61	112.6	7.05		12.0			
		Middle	4	29.4	33.1	8.69	128.3	8.18		11.9			
	Bottom	7	27.8	35.5	8.54	94.8	6.25	12.7	9.7				
Other Observations:				Nil									
SR14	15:05	Surface	1	29.4	32.6	8.63	116.3	7.14	7.74	11.4	11.4	10.7	9.5
				29.4	32.7	8.63	119.7	7.43		11.4			
		Middle	4.5	29.3	33.3	8.64	128.5	8.19		11.4			
	Bottom	8	28.9	33.3	8.64	126.4	8.16	11.4	9.4				
Other Observations:				Nil									
SR15	14:48	Surface	1	27.8	34.2	8.63	117.6	7.64	6.51	11.5	12.7	10.5	10.9
				27.8	34.2	8.62	119.2	7.74		11.4			
		Middle	11	27.2	40.0	8.43	85.9	5.46		10.4			
	Bottom	20.5	24.6	41.0	8.23	60.4	4.15	16.4	12.4				
Other Observations:				Nil									
CS1	14:00	Surface	1	27.4	32.9	8.33	80.5	5.30	5.10	11.4	11.5	6.9	8.3
				27.4	32.9	8.33	78.9	5.18		11.3			
		Middle	4.5	27.0	33.2	8.33	75.6	5.00		11.2			
	Bottom	8	26.8	34.1	8.32	69.4	4.59	11.8	10.9				
Other Observations:				Nil									
CS2	14:15	Surface	1	27.2	31.9	8.41	85.5	5.67	5.49	11.4	11.7	7.2	9.1
				27.1	31.9	8.40	86.3	5.71		11.4			
		Middle	5.5	26.8	34.6	8.31	81.6	5.44		12.6			
	Bottom	10	26.2	39.4	8.28	52.4	3.55	11.1	8.4				
Other Observations:				Nil									
CS3	14:30	Surface	1	27.8	33.4	8.46	159.4	9.88	8.10	11.7	13.2	9.9	8.9
				27.8	33.5	8.50	156.2	9.99		11.6			
		Middle	10.5	27.3	39.4	8.42	93.2	6.31		10.5			
	Bottom	20	24.4	41.2	8.21	39.7	2.66	17.6	7.9				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 6/8/2004  
Weather: Rainy  
Sea Condition: Rough  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	11:19	Surface	1	26.6	33.9	8.26	91.0	6.04	5.10	13.6	12.7	11.6	10.6
				26.6	33.9	8.27	85.5	5.67		13.4			
		Middle	11	25.8	38.6	8.31	67.9	4.42		15.8		10.9	
	Bottom	21	24.4	41.2	8.29	57.8	3.80	8.6	9.5				
Other Observations:				Nil									
SR7	11:00	Surface	1	26.9	33.7	8.33	98.4	6.49	5.52	5.5	9.8	8.0	9.5
				26.9	33.8	8.34	94.2	6.22		5.6			
		Middle	4.5	26.6	34.4	8.33	71.5	4.73		8.2		7.0	
	Bottom	8	26.2	37.1	8.34	61.2	4.01	15.6	13.6				
Other Observations:				Nil									
SR10	10:45	Surface	1	27.5	32.4	8.51	100.8	6.64	6.70	12.5	12.5	8.0	7.9
				27.5	32.4	8.50	101.8	6.70		12.4			
		Middle	4	27.3	35.4	8.43	103.4	6.75		12.1		6.8	
	Bottom	7	26.8	37.0	8.31	68.2	4.44	12.8	9.0				
Other Observations:				Nil									
SR11	10:30	Surface	1	27.5	32.6	8.53	92.5	6.09	6.64	5.1	12.3	5.4	10.1
				27.5	32.6	8.52	98.5	6.52		5.0			
		Middle	4	27.5	33.0	8.49	107.0	7.03		15.3		12.3	
	Bottom	7	27.5	33.0	8.52	100.5	6.60	16.4	12.6				
Other Observations:				Nil									
SR12	10:14	Surface	1	27.3	31.4	8.57	104.1	6.92	6.98	11.0	10.6	6.9	8.9
				27.3	31.5	8.57	105.2	6.99		11.2			
		Middle	4	27.4	35.8	8.44	108.9	7.07		16.3		14.8	
	Bottom	7	27.2	36.6	8.40	83.1	5.38	4.9	4.9				
Other Observations:				Nil									
SR14	09:55	Surface	1	27.6	30.6	8.65	92.0	6.11	6.77	11.0	10.0	6.2	7.6
				27.6	30.7	8.66	98.6	6.55		11.1			
		Middle	4.5	27.4	34.7	8.47	109.6	7.27		12.2		12.1	
	Bottom	8	26.4	39.2	8.35	89.5	5.77	6.7	4.6				
Other Observations:				Nil									
SR15	09:40	Surface	1	27.9	30.5	8.74	98.2	6.54	6.68	10.1	10.7	9.0	9.6
				27.8	30.5	8.74	121.4	8.04		9.9			
		Middle	10.5	26.3	39.7	8.37	97.5	6.29		12.6		11.8	
	Bottom	20	24.5	41.3	8.27	56.4	3.71	9.6	8.0				
Other Observations:				Nil									
CS1	08:55	Surface	1	26.6	33.6	8.30	96.3	6.38	5.37	3.5	7.2	8.9	10.0
				26.6	33.5	8.30	88.0	5.85		3.7			
		Middle	4.5	26.6	34.4	8.32	70.1	4.65		6.0		8.2	
	Bottom	8	26.6	36.1	8.34	69.5	4.56	12.1	13.0				
Other Observations:				Nil									
CS2	09:09	Surface	1	27.4	31.5	8.53	115.9	7.72	6.72	8.9	10.9	9.4	9.4
				27.4	31.4	8.53	103.5	6.89		8.8			
		Middle	5.5	26.8	33.1	8.32	96.3	6.39		11.0		8.9	
	Bottom	10	26.6	36.1	8.30	69.8	4.58	12.7	10.0				
Other Observations:				Nil									
CS3	09:24	Surface	1	27.8	30.2	8.63	99.8	6.63	6.80	11.3	13.5	9.3	11.3
				27.8	30.2	8.64	102.6	6.81		11.2			
		Middle	10.5	27.0	40.3	8.37	116.5	7.38		10.8		9.5	
	Bottom	20	24.5	41.4	8.26	66.4	4.36	18.6	15.1				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 6/8/2004  
Weather: Overcast  
Sea Condition: Moderate  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	17:03	Surface	1	27.4	31.8	8.57	95.7	6.37	6.56	11.1	9.9	8.5	8.4
				27.4	31.9	8.58	100.0	6.63		11.0			
		Middle	10.5	26.7	35.2	8.31	106.1	6.99		12.2			
	Bottom	20	26.7	35.2	8.30	95.0	6.24	12.3	9.7				
Other Observations:				Nil									
SR7	16:50	Surface	1	27.1	33.8	8.36	79.7	5.24	5.17	11.1	11.8	8.7	8.0
				27.1	33.7	8.36	79.4	5.23		11.2			
		Middle	4.5	26.7	34.0	8.30	77.4	5.11		11.8			
	Bottom	7.5	26.5	34.5	8.29	66.9	4.43	12.3	7.9				
Other Observations:				Nil									
SR10	16:35	Surface	1	27.5	32.5	8.56	95.5	6.32	6.85	11.3	12.5	8.9	10.1
				27.5	32.5	8.56	100.8	6.65		11.4			
		Middle	4	27.3	36.3	8.37	116.6	7.47		11.7			
	Bottom	6.5	27.3	36.3	8.37	108.4	6.97	11.8	14.2				
Other Observations:				Nil									
SR11	16:22	Surface	1	27.5	33.8	8.48	105.0	6.88	6.58	15.7	9.9	13.3	8.0
				27.5	33.8	8.48	103.8	6.79		15.8			
		Middle	4	26.9	37.2	8.32	98.5	6.35		5.7			
	Bottom	7	26.9	37.2	8.33	81.6	6.28	5.8	5.4				
Other Observations:				Nil									
SR12	16:10	Surface	1	27.7	31.1	8.68	109.6	7.28	7.53	11.0	11.4	11.1	9.1
				27.7	31.1	8.68	126.1	8.36		10.9			
		Middle	4	27.3	35.9	8.41	121.5	7.87		13.9			
	Bottom	7	27.3	35.9	8.40	101.9	6.61	13.8	5.1				
Other Observations:				Nil									
SR14	15:57	Surface	1	27.4	31.8	8.56	113.5	7.52	7.22	11.4	12.7	10.9	12.0
				27.4	31.8	8.57	109.0	7.22		11.3			
		Middle	4.5	27.5	34.1	8.51	108.1	7.10		11.5			
	Bottom	7.5	27.3	35.6	8.45	104.4	7.04	11.6	14.9				
Other Observations:				Nil									
SR15	15:44	Surface	1	27.6	31.4	8.60	101.8	6.74	6.16	11.0	13.9	8.3	10.5
				27.6	31.4	8.61	103.1	6.82		11.1			
		Middle	10	26.7	40.2	8.37	93.2	5.96		11.8			
	Bottom	19	26.7	40.2	8.38	80.2	5.13	12.0	16.5				
Other Observations:				Nil									
CS1	15:00	Surface	1	26.9	32.5	8.37	106.6	7.09	5.91	11.7	11.7	9.9	8.6
				26.8	32.5	8.36	95.8	6.38		11.7			
		Middle	4.5	26.6	34.3	8.30	78.2	5.19		11.4			
	Bottom	8	26.5	34.3	8.31	75.3	4.99	11.5	7.1				
Other Observations:				Nil									
CS2	15:13	Surface	1	27.6	29.9	8.79	97.1	6.52	7.39	10.5	11.2	9.4	9.0
				27.6	29.9	8.76	118.0	7.88		10.4			
		Middle	5	27.0	33.0	8.32	119.8	7.94		12.2			
	Bottom	9	26.9	33.0	8.33	108.7	7.21	12.1	8.9				
Other Observations:				Nil									
CS3	15:30	Surface	1	27.9	30.1	8.74	99.7	6.66	6.95	10.9	13.3	8.8	10.1
				27.8	30.1	8.75	110.3	7.33		10.8			
		Middle	10.5	26.0	40.3	8.31	110.8	7.13		11.2			
	Bottom	19.5	26.0	40.3	8.31	98.4	6.67	11.1	14.2				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 10/8/2004  
Weather: Sunny  
Sea Condition: Moderate  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	18:01	Surface	1	28.8	28.4	8.65	94.4	6.16	6.97	11.1	10.8	9.3	8.8
				28.8	28.4	8.65	107.5	7.08		11.0			
		Middle	11	25.4	39.7	8.29	118.5	7.80		12.5			
	Bottom	21	23.7	41.6	8.26	50.3	3.35	8.9	8.2				
Other Observations:				Nil									
SR7	17:50	Surface	1	29.0	28.4	8.71	137.6	9.05	8.61	11.2	11.7	8.3	11.2
				29.0	28.4	8.70	140.7	9.26		11.3			
		Middle	4.5	27.6	34.4	8.40	139.6	9.03		7.0			
	Bottom	8	25.8	39.7	8.26	85.1	5.51	16.9	16.4				
Other Observations:				Nil									
SR10	17:35	Surface	1	30.7	31.1	8.89	155.8	9.82	9.32	9.1	10.4	8.6	8.7
				30.7	31.1	8.88	169.7	10.32		9.2			
		Middle	4	27.1	36.7	8.35	140.5	9.09		10.6			
	Bottom	7	26.8	38.4	8.24	65.5	4.23	11.2	8.1				
Other Observations:				Nil									
SR11	17:25	Surface	1	30.8	31.0	8.88	134.0	8.38	8.69	12.2	10.2	14.3	9.3
				30.8	31.0	8.87	146.6	9.17		12.1			
		Middle	4	27.1	36.9	8.23	145.4	9.39		8.3			
	Bottom	7	27.0	37.4	8.19	65.8	3.96	10.1	6.1				
Other Observations:				Nil									
SR12	17:10	Surface	1	29.9	32.4	8.89	161.0	10.05	9.95	10.9	10.9	7.0	7.9
				29.9	32.4	8.88	168.7	10.60		10.8			
		Middle	4	27.9	34.9	8.56	154.5	9.95		11.0			
	Bottom	7	27.0	37.4	8.33	105.2	6.77	10.9	7.3				
Other Observations:				Nil									
SR14	17:00	Surface	1	28.9	32.7	8.80	147.0	9.47	9.51	10.3	10.6	8.1	8.9
				28.9	32.7	8.81	159.9	10.30		10.4			
		Middle	4.5	27.8	34.8	8.56	146.1	9.43		10.1			
	Bottom	8	26.6	36.8	8.27	113.1	7.25	11.5	8.8				
Other Observations:				Nil									
SR15	16:45	Surface	1	29.6	31.6	8.96	187.3	11.96	10.01	10.1	11.9	7.9	10.7
				29.6	31.5	8.95	195.8	12.52		10.2			
		Middle	10.5	26.0	41.0	8.26	130.9	8.42		9.9			
	Bottom	20	24.4	41.6	8.18	68.3	3.96	15.6	15.8				
Other Observations:				Nil									
CS1	16:00	Surface	1	28.1	30.0	8.57	119.1	7.88	7.62	12.6	11.5	11.0	9.3
				28.0	30.0	8.57	120.0	7.94		12.7			
		Middle	4.5	27.3	34.4	8.48	117.4	7.65		11.0			
	Bottom	8	26.9	35.8	8.42	95.2	6.25	10.9	9.3				
Other Observations:				Nil									
CS2	16:13	Surface	1	28.2	31.1	8.66	134.9	8.88	8.94	10.6	12.7	9.5	12.3
				28.1	31.1	8.67	142.7	9.41		10.5			
		Middle	5.5	27.6	35.5	8.44	146.5	9.45		9.9			
	Bottom	10	26.3	39.7	8.18	79.1	5.08	17.9	18.0				
Other Observations:				Nil									
CS3	16:30	Surface	1	31.3	30.3	8.97	209.8	13.48	11.14	9.4	9.4	6.2	6.5
				31.0	30.3	8.97	212.7	13.67		9.3			
		Middle	11	26.9	37.6	8.27	148.2	9.48		9.5			
	Bottom	21	25.4	41.5	8.25	55.4	3.58	9.4	7.2				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.



Date: 10/8/2004  
Weather: Sunny  
Sea Condition: Moderate  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	11:08	Surface	1	28.2	31.3	8.65	115.8	7.58	7.45	12.1	14.3	9.3	11.3
				28.2	31.2	8.66	122.3	8.01		12.3			
		Middle	10.5	26.5	36.9	8.24	120.6	8.05		14.9			
	Bottom	20	24.2	41.4	8.31	45.3	2.99	15.9	12.4				
Other Observations:				Nil									
SR7	10:57	Surface	1	29.2	30.6	8.83	104.2	6.79	8.76	11.3	11.8	10.7	11.4
				29.2	30.6	8.84	124.1	8.04		11.4			
		Middle	4.5	28.7	28.7	8.69	157.8	10.18		12.0			
	Bottom	8	26.9	26.9	8.40	118.9	7.76	12.1	11.1				
Other Observations:				Nil									
SR10	10:37	Surface	1	29.9	29.9	8.87	113.1	7.25	8.73	9.9	10.2	8.1	8.8
				29.9	29.9	8.87	136.9	8.79		10.0			
		Middle	4	27.8	34.5	8.59	152.8	9.85		10.3			
	Bottom	7	27.2	36.2	8.40	113.7	7.35	10.3	9.2				
Other Observations:				Nil									
SR11	10:23	Surface	1	30.2	30.2	8.90	128.1	8.18	8.37	11.2	13.1	8.9	9.6
				30.1	30.3	8.90	148.4	9.48		11.8			
		Middle	4	28.3	33.8	8.56	129.2	8.33		16.6			
	Bottom	7	28.5	33.2	8.70	101.9	6.58	11.1	7.7				
Other Observations:				Nil									
SR12	10:10	Surface	1	29.5	30.9	8.94	131.8	8.47	10.67	10.8	12.5	7.9	11.2
				29.5	30.9	8.94	161.4	10.38		10.9			
		Middle	4	28.8	32.7	8.76	194.8	12.52		13.4			
	Bottom	7	27.8	34.9	8.54	132.5	8.57	13.4	13.3				
Other Observations:				Nil									
SR14	09:55	Surface	1	29.8	30.9	8.91	139.7	8.95	10.51	10.3	10.7	8.1	8.4
				29.8	30.9	8.90	164.4	10.52		10.4			
		Middle	4.5	29.6	31.9	8.83	178.7	11.41		10.7			
	Bottom	8	27.4	35.8	8.47	161.4	10.44	11.0	8.7				
Other Observations:				Nil									
SR15	09:41	Surface	1	28.2	34.2	8.64	114.9	7.41	6.58	11.0	11.8	8.5	10.0
				28.2	34.2	8.64	116.1	7.50		10.9			
		Middle	11	25.9	40.5	8.24	95.7	6.17		14.7			
	Bottom	20.5	24.4	41.6	8.20	52.8	3.76	9.8	8.8				
Other Observations:				Nil									
CS1	08:55	Surface	1	27.9	31.3	8.54	108.4	7.18	7.13	11.3	12.6	10.2	10.9
				27.9	31.2	8.55	111.2	7.33		11.4			
		Middle	4.5	27.2	34.2	8.47	109.2	7.18		12.9			
	Bottom	7.5	26.9	34.9	8.43	90.2	5.91	13.6	13.4				
Other Observations:				Nil									
CS2	09:10	Surface	1	28.5	30.9	8.74	145.7	9.53	9.71	11.2	11.4	8.6	9.6
				28.5	30.9	8.75	151.3	8.89		11.3			
		Middle	5	28.6	32.3	8.68	166.0	10.39		10.7			
	Bottom	9	26.9	34.3	8.31	125.2	8.22	12.2	10.4				
Other Observations:				Nil									
CS3	09:25	Surface	1	29.9	30.7	8.86	104.0	6.62	7.22	10.2	11.5	7.8	9.9
				29.9	30.7	8.87	121.4	8.20		10.1			
		Middle	11	26.8	39.2	8.26	124.7	7.96		10.3			
	Bottom	20.5	25.0	41.3	8.18	44.3	2.89	13.9	13.3				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 12/8/2004  
Weather: Overcast  
Sea Condition: Moderate  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	17:55	Surface	1	27.1	32.7	8.47	102.4	6.78	6.46	10.8	11.2	8.5	8.5
				27.1	32.7	8.47	102.0	6.75		10.2			
		Middle	10.5	26.8	33.7	8.41	93.1	6.16		10.9		11.3	
		Bottom	20	26.5	35.4	8.36	73.7	4.84	4.83	11.9		8.1	
Other Observations:				Nil									
SR7	17:45	Surface	1	27.2	32.2	8.45	105.5	7.00	6.86	10.7	10.9	8.8	8.2
				27.2	32.2	8.45	106.0	7.03		10.6			
		Middle	4.5	27.1	32.3	8.47	101.0	6.70		10.9		11.4	
		Bottom	8	26.8	33.2	8.42	89.6	5.94	5.94	10.9		7.5	
Other Observations:				Nil									
SR10	17:30	Surface	1	28.2	34.9	8.52	107.0	6.87	6.75	12.7	11.1	10.8	9.2
				28.3	34.9	8.52	107.5	6.90		12.6			
		Middle	4.5	28.3	35.1	8.50	103.4	6.62		10.4		10.7	
		Bottom	7.5	28.0	35.8	8.44	87.1	5.58	5.56	9.9		8.6	
Other Observations:				Nil									
SR11	17:20	Surface	1	28.2	34.8	8.55	113.5	7.29	7.26	10.2	10.9	10.2	9.9
				28.2	34.8	8.55	113.4	7.28		10.1			
		Middle	4	28.1	34.9	8.51	113.2	7.27		10.6		10.7	
		Bottom	7	28.0	35.0	8.45	110.0	6.99	6.98	11.7		9.8	
Other Observations:				Nil									
SR12	17:10	Surface	1	27.8	34.1	8.55	124.0	8.05	8.06	10.0	10.2	10.2	9.4
				27.8	34.1	8.55	124.5	8.08		10.0			
		Middle	4	27.8	34.2	8.54	124.0	8.05		10.1		10.2	
		Bottom	7	27.7	34.3	8.59	121.3	7.87	7.85	10.2		9.0	
Other Observations:				Nil									
SR14	17:00	Surface	1	27.7	33.4	8.57	125.1	8.18	8.30	10.5	11.2	8.6	9.1
				27.7	33.4	8.57	126.0	8.21		10.2			
		Middle	4.5	27.7	33.4	8.60	128.7	8.41		10.7		10.8	
		Bottom	8	27.5	35.2	8.50	112.6	7.30	7.28	11.8		9.7	
Other Observations:				Nil									
SR15	16:50	Surface	1	27.7	33.3	8.57	119.9	7.83	6.12	10.3	10.7	10.2	10.8
				27.7	33.3	8.56	121.0	7.91		10.5			
		Middle	11	27.6	37.1	8.40	68.0	4.36		9.5		9.8	
		Bottom	21	27.2	39.4	8.32	58.2	3.79	3.79	11.9		11.2	
Other Observations:				Nil									
CS1	16:00	Surface	1	27.3	30.2	8.52	104.0	6.97	6.25	11.8	12.6	7.3	10.8
				27.3	30.2	8.51	103.1	6.90		11.7			
		Middle	4.5	26.2	34.6	8.40	83.5	5.56		12.5		12.0	
		Bottom	8	26.0	35.4	8.34	64.4	4.28	4.23	13.7		15.3	
Other Observations:				Nil									
CS2	16:20	Surface	1	27.0	32.7	8.45	97.8	6.49	6.33	11.4	11.3	9.4	9.0
				27.0	32.7	8.45	96.4	6.40		11.5			
		Middle	5.5	26.9	32.8	8.47	94.0	6.24		11.3		11.1	
		Bottom	9.5	26.6	33.5	8.45	88.0	5.82	5.80	11.2		9.1	
Other Observations:				Nil									
CS3	16:40	Surface	1	27.8	32.5	8.56	130.3	8.55	6.96	10.5	10.1	7.9	7.1
				27.8	32.4	8.55	131.4	8.62		10.0			
		Middle	11	27.1	34.7	8.40	82.0	5.36		10.1		10.4	
		Bottom	21	26.5	40.5	8.26	52.1	3.33	3.34	9.9		6.0	
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 12/8/2004  
Weather: Overcast  
Sea Condition: Moderate  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	12:00	Surface	1	27.2	33.7	8.47	98.4	6.48	6.01	11.2	12.4	8.8	10.3
				27.2	33.7	8.47	98.2	6.47		11.2			
		Middle	10.5	27.1	34.3	8.46	84.6	5.55		11.3		9.0	
	Bottom	20	26.1	40.6	8.30	46.5	3.00	14.8	13.2				
Other Observations:				Nil									
SR7	11:50	Surface	1	27.2	32.3	8.49	92.3	6.09	5.97	10.5	11.2	11.0	9.9
				27.2	32.3	8.48	92.4	6.10		10.4			
		Middle	4.5	27.2	33.4	8.50	88.8	5.85		11.5		9.5	
	Bottom	7.5	27.2	33.5	8.49	86.6	5.70	11.4	9.3				
Other Observations:				Nil									
SR10	11:40	Surface	1	28.2	33.3	8.49	81.6	5.18	4.51	11.6	10.9	8.5	8.0
				28.3	33.3	8.49	81.8	5.19		11.7			
		Middle	4	28.7	37.3	8.35	60.9	3.83		10.7		8.3	
	Bottom	6.5	28.0	37.5	8.33	52.1	3.45	10.5	7.4				
Other Observations:				Nil									
SR11	11:25	Surface	1	27.7	35.4	8.41	90.9	5.57	4.99	11.5	12.3	10.3	11.3
				27.6	35.3	8.41	90.8	5.57		11.4			
		Middle	4	27.6	36.9	8.36	67.8	4.41		14.0		14.0	
	Bottom	7	27.4	37.6	8.30	58.0	3.70	11.4	9.7				
Other Observations:				Nil									
SR12	11:10	Surface	1	27.8	33.9	8.54	103.7	6.74	6.15	11.2	11.1	9.8	9.1
				27.7	34.1	8.54	103.4	6.70		11.2			
		Middle	4	27.7	35.2	8.49	86.4	5.58		11.0		9.4	
	Bottom	7	27.3	38.2	8.30	58.0	3.79	10.9	8.3				
Other Observations:				Nil									
SR14	10:00	Surface	1	27.9	33.7	8.56	106.4	6.90	6.45	10.6	10.5	8.8	9.2
				27.9	33.7	8.56	106.5	6.91		10.0			
		Middle	4.5	28.2	34.7	8.48	93.2	5.99		10.4		8.3	
	Bottom	7.5	27.5	36.3	8.40	66.6	4.28	10.7	10.5				
Other Observations:				Nil									
SR15	10:50	Surface	1	28.1	33.9	8.48	105.4	6.83	6.36	11.2	10.9	8.3	10.2
				28.1	33.9	8.47	101.3	6.85		11.3			
		Middle	10	28.2	34.4	8.49	91.0	5.88		10.6		11.4	
	Bottom	19	27.6	37.4	8.37	65.3	4.17	10.9	11.0				
Other Observations:				Nil									
CS1	10:00	Surface	1	27.0	34.3	8.43	97.1	6.38	5.76	11.0	11.2	10.9	11.0
				27.1	34.3	8.43	97.2	6.39		10.8			
		Middle	4.5	26.9	35.0	8.41	82.1	5.14		11.2		8.7	
	Bottom	7.5	27.1	36.5	8.36	60.2	3.91	11.2	13.3				
Other Observations:				Nil									
CS2	10:20	Surface	1	27.6	32.1	8.52	107.8	7.11	6.95	11.7	11.6	11.2	11.1
				27.6	32.1	8.52	107.9	7.13		11.4			
		Middle	5	27.5	32.4	8.53	102.9	6.78		11.5		11.8	
	Bottom	9	27.5	32.5	8.52	102.9	6.77	11.3	10.5				
Other Observations:				Nil									
CS3	10:40	Surface	1	27.1	32.5	8.50	106.9	7.08	5.85	10.8	10.5	10.8	9.5
				27.3	32.5	8.50	107.2	7.09		10.3			
		Middle	10.5	27.8	36.3	8.40	71.2	4.60		10.5		9.0	
	Bottom	19.5	27.7	36.3	8.40	71.8	4.64	10.4	8.8				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 14/8/2004  
Weather: Sunny  
Sea Condition: Moderate  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	17:50	Surface	1	27.0	34.5	8.54	125.2	8.22	7.35	11.9	12.7	9.6	10.2
				27.0	34.5	8.54	125.1	8.21		11.7			
		Middle	11	26.5	36.8	8.40	98.5	6.45		12.1			
	Bottom	21	24.6	40.8	8.25	55.3	3.64	14.0	11.2				
Other Observations:				Nil									
SR7	17:40	Surface	1	27.3	32.4	8.51	119.1	7.88	7.77	12.1	12.2	8.4	9.3
				27.3	32.4	8.51	119.0	7.87		11.8			
		Middle	5	26.9	33.6	8.51	116.1	7.67		12.4			
	Bottom	8.5	26.7	34.7	8.48	109.4	7.20	12.1	10.3				
Other Observations:				Nil									
SR10	17:25	Surface	1	29.4	30.5	8.57	162.0	10.47	8.78	11.7	12.5	9.2	12.0
				29.4	30.5	8.58	162.2	10.49		11.2			
		Middle	4.5	27.9	35.0	8.42	109.7	7.07		13.0			
	Bottom	7.5	27.0	39.1	8.28	57.7	3.70	12.7	12.9				
Other Observations:				Nil									
SR11	17:15	Surface	1	29.9	30.3	8.60	161.9	10.39	10.55	11.2	11.2	10.8	9.8
				29.9	30.3	8.60	165.1	10.59		11.7			
		Middle	4	29.0	30.9	8.61	166.6	10.63		10.8			
	Bottom	7	27.0	39.0	8.34	58.3	3.75	11.4	10.0				
Other Observations:				Nil									
SR12	17:05	Surface	1	29.2	32.0	8.58	150.0	9.62	10.15	11.4	11.3	10.2	9.5
				29.2	32.0	8.58	149.2	9.58		11.4			
		Middle	4.5	29.2	32.6	8.60	167.5	10.71		11.0			
	Bottom	7.5	27.0	39.2	8.33	81.6	5.21	11.4	9.4				
Other Observations:				Nil									
SR14	16:55	Surface	1	29.4	33.9	8.60	166.4	10.54	10.08	11.4	12.0	7.9	9.8
				29.4	33.9	8.60	166.6	10.56		11.0			
		Middle	5	28.6	34.8	8.51	150.3	9.60		13.4			
	Bottom	8.5	27.2	39.5	8.40	94.1	6.00	11.3	9.3				
Other Observations:				Nil									
SR15	16:45	Surface	1	28.7	34.7	8.56	145.6	9.31	7.48	11.4	11.9	10.0	9.8
				28.7	34.7	8.56	146.4	9.40		11.5			
		Middle	11	27.9	40.3	8.44	89.4	5.61		9.9			
	Bottom	20.5	24.9	41.5	8.25	54.9	3.58	14.3	10.4				
Other Observations:				Nil									
CS1	16:00	Surface	1	27.6	30.6	8.56	121.4	8.08	8.20	14.1	13.4	12.5	12.2
				27.6	30.6	8.56	121.8	8.10		14.4			
		Middle	4.5	27.7	30.0	8.58	125.9	8.30		12.5			
	Bottom	8	25.8	36.4	8.34	77.7	5.15	13.7	13.2				
Other Observations:				Nil									
CS2	16:15	Surface	1	26.7	34.1	8.48	108.7	7.19	6.72	14.5	16.0	13.0	14.5
				26.7	34.1	8.48	108.9	7.20		14.6			
		Middle	5.5	26.4	35.1	8.45	94.7	6.25		15.8			
	Bottom	9.5	26.5	35.6	8.46	93.9	6.17	18.5	17.0				
Other Observations:				Nil									
CS3	16:35	Surface	1	28.6	34.9	8.58	155.2	9.91	7.84	12.9	11.4	8.1	7.6
				28.6	34.9	8.58	154.3	9.86		12.9			
		Middle	11	28.1	40.5	8.44	92.8	5.79		9.8			
	Bottom	21	25.2	41.4	8.24	54.2	3.53	11.6	7.5				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 14/8/2004  
Weather: Sunny  
Sea Condition: Moderate  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	12:25	Surface	1	27.3	34.7	8.60	126.8	8.23	7.73	12.0	12.9	10.7	11.3
				27.3	34.7	8.58	126.9	8.24		12.0			
		Middle	11	26.9	36.1	8.50	110.3	7.23		12.5			
	Bottom	20.5	25.7	40.2	8.27	62.0	4.90	14.4	14.6	13.7			
Other Observations:				Nil									
SR7	12:15	Surface	1	27.8	34.6	8.54	127.4	8.27	8.26	13.3	13.4	10.2	10.3
				27.8	34.6	8.54	126.8	8.24		13.2			
		Middle	4.5	27.5	34.7	8.57	127.1	8.26		13.0			
	Bottom	8	27.0	35.7	8.49	97.9	6.39	13.4	14.0	11.4			
Other Observations:				Nil									
SR10	12:00	Surface	1	29.1	31.7	8.55	137.5	8.86	9.15	11.8	11.1	8.8	8.8
				29.1	31.7	8.55	137.6	8.87		11.9			
		Middle	4.5	28.4	32.3	8.50	145.5	9.46		11.0			
	Bottom	7.5	27.8	37.8	8.40	79.6	5.07	10.6	10.4	9.9			
Other Observations:				Nil									
SR11	11:50	Surface	1	28.9	31.0	8.58	142.9	9.26	9.51	11.0	11.0	9.9	10.6
				28.9	31.0	8.58	142.8	9.26		11.0			
		Middle	4	28.8	31.8	8.54	150.9	9.78		10.8			
	Bottom	7	28.8	32.0	8.55	146.0	9.44	11.1	11.5	11.4			
Other Observations:				Nil									
SR12	11:40	Surface	1	29.2	29.4	8.55	143.6	9.36	9.07	11.0	11.4	11.6	11.0
				29.2	29.4	8.55	144.3	9.40		11.0			
		Middle	4.5	28.5	30.1	8.60	133.7	8.77		11.1			
	Bottom	7.5	26.9	38.8	8.34	63.1	4.15	12.1	12.3	11.0			
Other Observations:				Nil									
SR14	11:30	Surface	1	28.8	30.3	8.54	135.6	8.84	8.90	11.4	11.3	10.9	10.2
				28.8	30.3	8.54	135.0	8.80		11.4			
		Middle	4.5	28.7	31.0	8.56	138.0	8.99		11.5			
	Bottom	8	26.5	40.2	8.31	73.9	4.74	11.0	10.7	10.2			
Other Observations:				Nil									
SR15	11:20	Surface	1	28.9	30.5	8.51	133.5	8.70	7.25	11.8	11.3	10.5	10.2
				28.9	30.5	8.51	134.0	8.74		11.6			
		Middle	11	27.7	40.7	8.43	92.3	5.79		10.1			
	Bottom	20.5	27.2	41.1	8.39	72.9	4.60	11.4	12.6	11.0			
Other Observations:				Nil									
CS1	10:30	Surface	1	27.2	35.2	8.50	117.8	7.69	7.56	13.0	13.0	11.6	12.0
				27.2	35.2	8.49	116.1	7.60		12.9			
		Middle	4.5	27.0	35.3	8.52	115.0	7.52		12.6			
	Bottom	8	26.8	35.6	8.51	102.8	6.74	13.0	13.7	13.9			
Other Observations:				Nil									
CS2	10:45	Surface	1	28.0	34.4	8.46	141.2	9.13	8.63	12.4	12.1	13.1	10.0
				28.0	34.4	8.46	141.7	9.15		12.4			
		Middle	5	27.6	34.9	8.48	124.3	8.10		12.2			
	Bottom	9	27.2	37.6	8.34	72.4	4.66	11.9	11.7	9.4			
Other Observations:				Nil									
CS3	11:05	Surface	1	29.1	29.7	8.44	135.7	8.86	7.44	11.4	10.3	8.3	7.8
				29.1	29.7	8.44	135.4	8.85		11.5			
		Middle	11	28.3	40.1	8.47	96.5	6.02		9.9			
	Bottom	20.5	27.8	41.3	8.46	88.0	5.47	9.5	9.6	7.4			
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 16/8/2004  
Weather: Sunny  
Sea Condition: Calm  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	17:50	Surface	1	27.5	34.3	8.38	120.8	7.88	7.27	11.1	11.6	6.4	8.1
				27.5	34.3	8.38	130.1	7.89		10.4			
		Middle	11.5	27.0	35.2	8.34	101.4	6.66		11.5			
	Bottom	21.5	26.4	36.2	8.22	81.7	5.36	12.7	13.1				
Other Observations:				Nil									
SR7	17:40	Surface	1	27.4	34.5	8.25	118.7	7.74	7.81	10.5	10.9	10.1	10.0
				27.4	34.5	8.25	119.2	7.78		10.5			
		Middle	5	27.3	34.8	8.26	120.8	7.89		10.5			
	Bottom	8.5	27.4	34.5	8.28	119.7	7.81	11.0	11.8				
Other Observations:				Nil									
SR10	17:25	Surface	1	30.3	30.1	8.46	152.1	9.70	9.49	9.2	9.6	10.0	9.4
				30.3	30.2	8.46	152.3	9.74		9.4			
		Middle	4.5	30.2	30.6	8.44	145.1	9.25		9.3			
	Bottom	7.5	29.3	32.4	8.35	136.8	8.73	10.3	10.6				
Other Observations:				Nil									
SR11	17:10	Surface	1	30.3	30.2	8.44	138.5	8.83	8.88	11.4	12.3	10.5	10.3
				30.4	30.2	8.44	138.5	8.83		11.1			
		Middle	4.5	29.1	33.5	8.36	140.0	8.93		11.2			
	Bottom	7.5	28.9	34.5	8.36	131.6	8.38	14.6	14.0				
Other Observations:				Nil									
SR12	17:05	Surface	1	30.3	30.3	8.42	138.2	8.80	9.08	10.2	12.9	8.8	9.5
				30.3	30.3	8.42	138.3	8.81		11.0			
		Middle	4.5	29.2	31.8	8.40	146.5	9.39		13.3			
	Bottom	7.5	27.8	38.5	8.28	96.3	6.11	14.9	15.0				
Other Observations:				Nil									
SR14	16:55	Surface	1	30.4	30.1	8.45	142.0	9.04	9.20	9.2	10.1	9.3	9.4
				30.4	30.1	8.45	142.1	9.04		9.7			
		Middle	5	30.1	30.5	8.46	146.7	9.35		8.9			
	Bottom	8.5	26.5	40.2	8.30	76.6	4.92	11.8	12.3				
Other Observations:				Nil									
SR15	16:45	Surface	1	29.4	33.3	8.39	131.1	8.49	6.29	10.7	11.9	8.1	9.3
				29.4	33.3	8.39	132.1	8.57		10.7			
		Middle	11	26.3	40.3	8.11	63.4	4.04		11.4			
	Bottom	20.5	24.7	41.3	8.04	58.8	3.74	13.5	13.9				
Other Observations:				Nil									
CS1	16:00	Surface	1	27.7	32.1	8.37	120.1	7.90	7.32	11.8	13.9	7.5	11.1
				27.7	32.1	8.37	120.0	7.88		11.4			
		Middle	5	26.8	34.0	8.31	101.8	6.73		15.1			
	Bottom	8.5	26.3	35.7	8.21	84.2	5.56	15.3	14.9				
Other Observations:				Nil									
CS2	16:15	Surface	1	29.9	31.9	8.48	145.5	9.33	8.20	10.2	13.4	6.7	10.6
				29.9	31.9	8.48	145.6	9.34		10.4			
		Middle	5.5	27.0	35.6	8.33	108.2	7.07		14.7			
	Bottom	10	26.8	36.1	8.26	91.7	6.00	15.3	15.7				
Other Observations:				Nil									
CS3	16:35	Surface	1	30.8	30.4	8.40	140.6	8.88	7.27	8.4	10.2	6.8	8.5
				30.8	30.4	8.40	140.4	8.86		8.0			
		Middle	11.5	26.9	37.7	8.21	88.2	5.68		10.0			
	Bottom	21.5	25.6	41.1	8.08	51.6	3.34	12.1	12.6				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 16/8/2004  
Weather: Sunny  
Sea Condition: Calm  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	13:50	Surface	1	29.0	31.9	8.42	144.6	9.27	8.27	12.3	13.2	12.2	11.6
				29.0	31.9	8.42	144.6	9.26		12.2			
		Middle	11	27.8	34.8	8.30	112.6	7.26		11.4		8.7	
	Bottom	20.5	27.8	34.8	8.30	113.0	7.28	11.2	13.9				
Other Observations:				Nil									
SR7	13:40	Surface	1	29.5	30.8	8.48	140.0	8.99	9.29	10.8	11.2	8.5	8.2
				29.5	30.8	8.48	140.1	9.00		10.4			
		Middle	4.5	28.6	32.6	8.51	148.7	9.59		11.1		8.1	
	Bottom	8	28.6	32.6	8.51	148.8	9.59	11.7	7.9				
Other Observations:				Nil									
SR10	13:25	Surface	1	29.5	30.9	8.46	131.2	8.38	8.55	11.2	11.7	10.0	9.1
				29.5	30.9	8.46	131.3	8.37		11.3			
		Middle	4	29.7	31.5	8.40	136.3	8.71		12.1		8.4	
	Bottom	7	29.7	31.5	8.40	136.5	8.73	12.3	8.9				
Other Observations:				Nil									
SR11	13:15	Surface	1	30.0	30.2	8.42	139.4	8.92	9.00	10.3	10.4	10.1	10.4
				30.0	30.2	8.42	139.5	8.93		10.4			
		Middle	4	29.8	30.6	8.44	141.5	9.07		10.1		10.8	
	Bottom	7	29.8	30.6	8.44	141.4	9.06	10.3	10.3				
Other Observations:				Nil									
SR12	13:05	Surface	1	29.9	29.9	8.43	137.7	8.83	9.12	11.8	10.8	8.2	9.6
				29.9	29.9	8.43	137.4	8.80		12.3			
		Middle	4	29.6	30.1	8.46	146.4	9.43		9.8		10.7	
	Bottom	7	29.6	30.1	8.46	146.1	9.40	9.6	10.0				
Other Observations:				Nil									
SR14	12:55	Surface	1	29.6	30.4	8.40	149.6	9.64	9.84	15.0	12.2	8.9	8.6
				29.6	30.4	8.40	149.8	9.66		14.3			
		Middle	4.5	29.5	31.4	8.44	156.3	10.02		11.3		8.9	
	Bottom	8	29.5	31.4	8.44	156.4	10.03	11.1	8.1				
Other Observations:				Nil									
SR15	12:45	Surface	1	30.2	29.9	8.44	140.5	8.98	7.74	9.4	10.0	8.6	9.3
				30.2	29.9	8.44	140.2	8.96		9.2			
		Middle	10.5	27.8	38.6	8.32	102.8	6.50		10.4		8.3	
	Bottom	19.5	27.8	38.6	8.32	102.8	6.51	10.0	11.0				
Other Observations:				Nil									
CS1	12:00	Surface	1	29.7	30.9	8.49	137.3	8.80	8.33	10.0	11.2	8.6	9.7
				29.7	30.9	8.49	137.5	8.82		10.4			
		Middle	4.5	27.8	33.8	8.27	120.2	7.83		11.2		9.3	
	Bottom	8	27.8	33.8	8.27	120.9	7.88	11.3	11.2				
Other Observations:				Nil									
CS2	12:15	Surface	1	29.8	30.0	8.38	139.3	8.97	8.89	10.4	11.5	11.2	10.1
				29.8	30.0	8.38	139.2	8.96		10.2			
		Middle	5.5	27.5	33.8	8.30	133.1	8.96		11.2		8.7	
	Bottom	9.5	27.5	33.8	8.30	132.3	8.66	11.6	10.3				
Other Observations:				Nil									
CS3	12:35	Surface	1	29.2	30.2	8.44	146.3	9.47	8.35	10.1	10.0	9.1	9.1
				29.2	30.2	8.44	146.2	9.46		10.6			
		Middle	10.5	28.1	39.3	8.26	115.6	7.26		9.5		8.7	
	Bottom	20	28.1	39.3	8.26	114.8	7.20	9.6	9.4				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 18/8/2004  
Weather: Overcast  
Sea Condition: Moderate  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	11:05	Surface	1	26.9	36.2	8.46	91.7	5.98	4.88	12.1	12.6	9.7	10.6
				26.9	36.2	8.45	85.4	5.56		12.2			
		Middle	11	25.3	39.9	8.35	66.4	4.35		14.1			
	Bottom	21	23.7	41.6	8.34	42.5	2.83	12.1	11.0	9.5			
Other Observations:				Nil									
SR7	10:54	Surface	1	27.0	36.0	8.42	94.3	6.14	5.57	10.1	13.5	8.4	10.3
				27.0	36.0	8.43	90.8	5.91		10.2			
		Middle	4.5	27.0	36.8	8.43	80.0	5.20		12.5			
	Bottom	8	25.3	41.1	8.35	77.0	5.02	17.7	17.8	12.2			
Other Observations:				Nil									
SR10	10:35	Surface	1	27.9	37.4	8.47	100.1	6.40	5.63	11.1	13.0	8.2	10.1
				27.8	37.4	8.46	99.5	6.37		11.2			
		Middle	4	26.9	39.6	8.35	82.6	5.27		12.9			
	Bottom	7	25.8	40.9	8.34	56.1	3.61	15.1	15.0	12.7			
Other Observations:				Nil									
SR11	10:22	Surface	1	27.8	36.4	8.56	101.9	6.52	5.93	10.5	11.8	8.2	9.3
				27.8	36.4	8.54	102.2	6.55		10.4			
		Middle	4	26.7	39.6	8.37	87.3	5.58		13.9			
	Bottom	7	26.3	40.4	8.33	54.4	3.59	11.2	11.0	9.3			
Other Observations:				Nil									
SR12	10:10	Surface	1	27.7	36.7	8.42	97.7	6.25	5.95	11.4	13.8	8.2	8.7
				27.6	36.8	8.41	96.2	6.17		11.3			
		Middle	4	27.0	39.0	8.41	94.5	6.05		13.1			
	Bottom	7	26.0	40.9	8.34	61.6	3.96	17.0	17.1	10.3			
Other Observations:				Nil									
SR14	09:55	Surface	1	27.6	36.2	8.55	98.1	6.31	6.43	10.7	11.8	7.9	8.4
				27.6	36.2	8.54	99.8	6.43		10.6			
		Middle	4.5	27.4	37.9	8.50	102.2	6.54		11.2			
	Bottom	8	25.5	41.2	8.33	78.7	5.07	13.6	13.5	9.1			
Other Observations:				Nil									
SR15	09:40	Surface	1	27.6	36.6	8.53	94.5	6.07	5.11	10.9	11.3	8.1	9.5
				27.6	36.6	8.54	93.2	5.99		10.8			
		Middle	10.5	27.2	39.0	8.48	62.9	4.28		12.4			
	Bottom	20	23.5	41.7	8.30	65.6	3.78	10.7	10.9	10.1			
Other Observations:				Nil									
CS1	08:55	Surface	1	26.6	35.4	8.46	82.6	5.43	5.32	11.8	12.0	8.9	10.1
				26.6	35.4	8.47	82.0	5.39		11.7			
		Middle	4.5	26.4	37.9	8.44	80.7	5.25		12.0			
	Bottom	8	26.2	38.7	8.44	68.3	4.44	12.2	12.3	10.5			
Other Observations:				Nil									
CS2	09:10	Surface	1	26.9	35.1	8.44	95.4	6.26	5.74	12.5	12.3	12.9	10.0
				26.9	35.1	8.45	92.3	6.06		12.7			
		Middle	5.5	27.0	37.3	8.44	83.6	5.42		12.4			
	Bottom	9.5	25.1	41.3	8.28	71.2	4.64	12.0	11.9	9.5			
Other Observations:				Nil									
CS3	09:21	Surface	1	27.4	36.3	8.50	94.1	6.01	5.56	10.7	13.1	8.5	10.7
				27.4	36.3	8.51	92.8	6.00		10.6			
		Middle	11	24.8	41.4	8.36	85.2	5.49		12.2			
	Bottom	21	23.5	41.7	8.32	54.0	3.60	16.4	16.3	13.1			
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.



Date: 18/8/2004  
Weather: Overcast  
Sea Condition: Moderate  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	15:05	Surface	1	27.2	35.9	8.46	99.8	6.47	6.16	11.2	13.3	8.1	9.5
				27.2	35.9	8.45	99.6	6.46		11.0			
		Middle	10.5	26.6	36.6	8.42	90.3	5.90		10.9		7.7	
	Bottom	20	25.9	39.7	8.31	81.5	5.26	17.7	12.8				
Other Observations:				Nil									
SR7	14:49	Surface	1	26.9	35.8	8.44	101.9	6.65	6.33	10.8	10.6	9.6	8.9
				26.8	35.8	8.43	100.9	6.59		10.7			
		Middle	4.5	26.9	36.2	8.44	93.4	6.09		10.6		8.7	
	Bottom	7.5	27.0	37.6	8.40	87.0	5.66	10.5	8.4				
Other Observations:				Nil									
SR10	14:36	Surface	1	29.3	37.7	8.40	103.4	6.42	6.25	10.7	11.8	8.7	10.0
				29.4	37.7	8.41	103.5	6.43		10.6			
		Middle	4	28.7	38.2	8.42	97.8	6.12		11.1		8.8	
	Bottom	7	26.1	40.6	8.33	84.8	5.44	13.6	12.4				
Other Observations:				Nil									
SR11	14:24	Surface	1	28.8	36.6	8.40	104.3	6.56	6.72	9.7	12.7	8.6	10.2
				28.9	36.6	8.41	110.9	6.93		9.6			
		Middle	4	27.2	38.9	8.43	109.2	6.96		11.7		8.5	
	Bottom	7	26.4	40.2	8.26	59.5	4.18	16.5	13.5				
Other Observations:				Nil									
SR12	14:10	Surface	1	28.2	36.3	8.54	93.9	5.98	7.36	9.6	10.0	8.1	8.7
				28.1	36.3	8.55	110.9	7.08		9.5			
		Middle	4	27.5	37.2	8.56	128.6	8.22		9.9		8.8	
	Bottom	7	27.3	38.3	8.48	104.8	6.70	10.6	9.3				
Other Observations:				Nil									
SR14	14:00	Surface	1	28.3	36.4	8.45	114.6	7.29	7.16	11.0	10.6	9.4	8.5
				28.3	36.4	8.44	113.2	7.20		10.9			
		Middle	4.5	28.1	36.9	8.42	111.0	7.07		10.6		7.8	
	Bottom	7.5	27.5	37.7	8.42	104.5	6.70	10.2	8.4				
Other Observations:				Nil									
SR15	13:45	Surface	1	27.9	36.6	8.46	101.0	6.45	6.24	10.6	13.1	6.6	9.7
				27.9	36.6	8.45	106.5	6.81		10.5			
		Middle	10	27.0	40.7	8.43	95.5	6.05		9.4		8.2	
	Bottom	19	25.2	41.2	8.31	63.5	4.14	19.1	14.2				
Other Observations:				Nil									
CS1	13:00	Surface	1	27.1	35.0	8.45	91.6	6.00	5.91	11.6	11.6	8.9	9.2
				27.1	35.0	8.44	91.9	6.01		11.5			
		Middle	4.5	26.4	36.6	8.39	90.9	5.95		11.3		9.4	
	Bottom	8	26.2	37.3	8.38	74.0	4.85	12.1	9.4				
Other Observations:				Nil									
CS2	13:13	Surface	1	27.0	35.4	8.48	102.7	6.66	6.49	11.7	11.2	9.1	8.7
				27.1	35.5	8.47	106.6	6.94		11.8			
		Middle	5	26.7	35.7	8.43	95.5	6.25		11.1		7.5	
	Bottom	9	26.6	39.8	8.35	82.3	5.30	10.6	9.7				
Other Observations:				Nil									
CS3	13:30	Surface	1	27.5	35.1	8.46	110.7	7.18	7.30	10.8	13.3	7.9	10.0
				27.5	35.1	8.45	113.8	7.39		10.7			
		Middle	10.5	27.0	37.7	8.42	118.4	7.60		10.2		8.8	
	Bottom	19.5	24.4	41.5	8.25	68.7	4.52	18.9	13.2				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 20/8/2004  
Weather: Overcast  
Sea Condition: Moderate  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	11:05	Surface	1	26.4	37.1	8.42	92.5	6.04	5.66	12.3	14.6	11.1	10.7
				26.4	37.1	8.41	90.8	5.93		12.2			
		Middle	11	25.9	38.6	8.43	83.6	5.46		13.8			
	Bottom	21	23.9	41.4	8.39	65.7	4.37	17.7	17.8	12.4			
Other Observations:				Nil									
SR7	10:51	Surface	1	27.2	26.6	8.43	97.6	6.31	5.98	12.9	14.6	8.9	11.4
				27.2	26.6	8.42	96.8	6.27		12.8			
		Middle	4.5	26.3	38.3	8.42	89.5	5.81		15.1			
	Bottom	8	25.6	39.6	8.40	68.5	4.45	16.0	15.9	14.2			
Other Observations:				Nil									
SR10	10:35	Surface	1	28.4	35.3	8.43	124.5	7.95	8.21	10.0	11.0	8.1	9.1
				28.4	35.3	8.42	128.3	8.19		10.1			
		Middle	4	27.4	36.9	8.45	136.4	8.77		10.8			
	Bottom	7	26.7	38.9	8.42	104.3	6.71	12.1	12.2	12.0			
Other Observations:				Nil									
SR11	10:20	Surface	1	28.1	35.5	8.43	152.4	9.77	9.30	10.3	11.6	9.4	11.4
				28.1	35.6	8.42	150.7	9.65		10.2			
		Middle	4	27.4	36.6	8.52	146.5	9.43		14.6			
	Bottom	7	27.1	37.9	8.41	103.4	6.65	9.7	9.8	10.1			
Other Observations:				Nil									
SR12	10:05	Surface	1	28.1	35.5	8.42	141.9	9.10	9.20	10.4	11.3	8.9	9.7
				28.1	35.4	8.41	142.4	9.14		10.3			
		Middle	4	27.6	35.7	8.46	144.4	9.31		10.7			
	Bottom	7	26.3	31.9	8.40	107.4	6.91	12.5	12.8	10.3			
Other Observations:				Nil									
SR14	09:55	Surface	1	28.5	35.3	8.50	131.0	8.35	8.78	10.3	11.1	8.8	8.9
				28.5	35.3	8.49	135.9	8.66		10.2			
		Middle	4.5	27.7	35.4	8.51	140.3	9.03		10.9			
	Bottom	8	27.1	36.9	8.51	136.8	8.83	11.9	12.0	9.4			
Other Observations:				Nil									
SR15	09:40	Surface	1	28.3	34.0	8.48	141.4	9.12	8.17	10.5	13.3	9.8	10.3
				28.3	34.0	8.47	140.7	9.09		10.6			
		Middle	10.5	26.1	39.6	8.44	118.1	7.64		11.5			
	Bottom	20	23.8	41.6	8.35	74.0	4.91	18.0	17.9	12.0			
Other Observations:				Nil									
CS1	08:55	Surface	1	26.4	37.8	8.44	97.0	6.30	5.88	11.6	12.9	9.8	10.6
				26.4	37.8	8.44	94.9	6.17		11.7			
		Middle	4.5	26.2	38.1	8.45	85.6	5.59		12.0			
	Bottom	8	25.4	39.9	8.40	74.7	4.88	15.0	15.1	11.6			
Other Observations:				Nil									
CS2	09:09	Surface	1	27.6	35.4	8.45	118.5	7.63	6.99	10.1	13.5	8.9	10.5
				27.6	35.4	8.44	119.3	7.70		11.0			
		Middle	5.5	26.3	36.3	8.39	98.7	6.49		12.5			
	Bottom	9.5	25.2	40.6	8.28	74.0	4.82	17.4	17.5	13.2			
Other Observations:				Nil									
CS3	09:21	Surface	1	28.4	34.2	8.47	117.7	7.55	6.98	10.1	13.0	8.4	10.8
				28.4	34.2	8.46	123.4	7.93		10.0			
		Middle	11	25.6	40.9	8.37	101.6	6.59		10.9			
	Bottom	21	23.4	41.7	8.34	59.8	4.00	18.0	18.1	15.9			
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 20/8/2004  
Weather: Rainy  
Sea Condition: Moderate  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	16:05	Surface	1	27.5	36.3	8.49	109.4	7.05	6.63	11.0	14.1	9.7	10.9
				27.5	36.3	8.48	114.0	7.35		11.1			
		Middle	10.5	26.1	39.3	8.38	97.5	6.32		11.3			
	Bottom	20	26.2	39.3	8.37	81.6	5.81	11.4	13.9				
Other Observations:				Nil									
SR7	15:55	Surface	1	27.6	35.8	8.41	132.4	8.55	8.32	10.6	10.9	8.7	9.0
				27.6	35.8	8.40	130.0	8.39		10.5			
		Middle	4.5	27.2	36.9	8.44	130.4	8.41		10.8			
	Bottom	7.5	27.2	36.9	8.45	122.6	7.93	11.0	9.4				
Other Observations:				Nil									
SR10	15:35	Surface	1	28.4	35.5	8.42	152.7	9.74	9.20	10.0	10.8	8.2	7.8
				28.4	35.5	8.43	150.6	9.51		9.9			
		Middle	4	29.1	36.3	8.46	140.5	8.83		10.6			
	Bottom	7	29.1	36.3	8.45	138.5	8.70	10.7	7.0				
Other Observations:				Nil									
SR11	15:22	Surface	1	28.4	35.5	8.48	151.4	9.66	9.93	10.0	12.6	9.3	11.4
				28.4	35.5	8.49	156.0	9.95		10.1			
		Middle	4	28.2	36.0	8.43	159.8	10.20		12.1			
	Bottom	7	28.2	36.0	8.43	155.0	9.90	12.0	14.0				
Other Observations:				Nil									
SR12	15:10	Surface	1	28.4	35.5	8.48	149.4	9.53	10.01	10.2	10.1	10.0	8.9
				28.4	35.5	8.49	155.9	9.95		10.1			
		Middle	4	28.2	35.6	8.47	162.0	10.36		10.3			
	Bottom	7	28.2	35.6	8.48	159.1	10.18	10.2	10.2				
Other Observations:				Nil									
SR14	15:00	Surface	1	28.6	34.8	8.40	140.4	8.97	9.65	9.9	10.2	8.4	9.1
				28.6	34.8	8.41	141.4	9.41		10.0			
		Middle	4.5	28.0	35.5	8.41	158.0	10.15		10.4			
	Bottom	8	28.0	35.4	8.41	156.7	10.07	10.3	9.7				
Other Observations:				Nil									
SR15	14:47	Surface	1	28.6	34.6	8.49	106.6	6.82	6.82	10.1	13.6	7.0	10.8
				28.6	34.6	8.50	106.7	6.81		10.0			
		Middle	10.5	24.8	41.3	8.36	111.6	7.30		12.7			
	Bottom	20	24.8	41.2	8.35	96.8	6.34	13.0	14.4				
Other Observations:				Nil									
CS1	14:00	Surface	1	26.9	36.6	8.47	101.3	6.58	6.47	11.3	10.9	10.6	9.8
				26.9	36.6	8.48	100.5	6.54		11.2			
		Middle	4.5	26.4	37.6	8.45	97.7	6.42		10.0			
	Bottom	8	26.4	37.6	8.44	97.1	6.33	9.9	10.3				
Other Observations:				Nil									
CS2	14:15	Surface	1	27.9	35.7	8.51	140.5	9.01	8.62	10.5	11.5	9.0	9.4
				27.9	35.7	8.50	142.9	9.17		10.4			
		Middle	5	26.3	37.0	8.38	124.7	8.15		11.9			
	Bottom	9	26.3	37.0	8.39	124.6	8.16	11.8	9.3				
Other Observations:				Nil									
CS3	14:32	Surface	1	28.7	34.1	8.47	93.5	6.03	7.78	9.9	11.6	7.0	9.1
				28.7	34.1	8.48	94.8	6.09		9.8			
		Middle	10.5	27.9	35.5	8.43	147.6	9.49		10.3			
	Bottom	20	27.9	35.5	8.44	147.7	9.50	10.4	12.9				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 24/8/2004  
Weather: Rainy  
Sea Condition: Calm  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	15:25	Surface	1	27.9	36.3	8.30	125.2	8.01	7.59	9.9	10.6	9.2	8.3
				27.9	36.3	8.30	125.3	8.02		9.6			
		Middle	11	27.2	36.8	8.25	111.2	7.19		9.9		8.1	
	Bottom	21	24.3	40.4	8.01	64.7	4.29	11.9	7.8				
Other Observations:				Nil									
SR7	15:15	Surface	1	30.3	35.5	8.23	113.2	7.01	7.32	12.9	12.0	9.2	8.6
				30.3	35.5	8.23	113.5	7.05		13.3			
		Middle	5	27.7	35.2	8.20	117.5	7.59		10.8		8.6	
	Bottom	8.5	27.3	36.2	8.18	110.1	7.15	11.6	8.0				
Other Observations:				Nil									
SR10	15:00	Surface	1	27.4	36.6	8.26	100.7	6.46	6.16	10.4	11.0	8.9	8.7
				27.4	36.6	8.26	100.8	6.46		10.4			
		Middle	4	26.7	38.0	8.22	91.0	5.88		10.3		8.5	
	Bottom	7	26.4	38.6	8.16	77.3	5.01	11.8	8.8				
Other Observations:				Nil									
SR11	14:45	Surface	1	29.7	34.0	8.37	102.9	6.48	6.24	11.6	12.8	11.9	11.5
				29.7	34.0	8.37	102.9	6.49		11.5			
		Middle	4	26.9	37.8	8.23	93.0	6.00		12.5		10.5	
	Bottom	7	26.4	38.6	8.11	63.2	4.10	14.3	12.3				
Other Observations:				Nil									
SR12	14:35	Surface	1	29.6	33.7	8.44	112.8	7.13	7.31	9.3	10.0	9.2	9.0
				29.6	33.7	8.44	113.5	7.17		9.0			
		Middle	4	27.8	36.3	8.38	116.4	7.47		9.6		8.3	
	Bottom	7	26.1	39.1	8.15	73.6	4.78	11.2	9.7				
Other Observations:				Nil									
SR14	14:25	Surface	1	28.9	35.3	8.42	120.6	7.65	7.33	11.5	11.0	7.8	8.5
				28.9	35.3	8.42	121.5	7.71		11.4			
		Middle	4.5	27.3	37.3	8.30	109.3	7.04		9.7		9.3	
	Bottom	7.5	24.6	40.8	8.10	62.7	4.13	11.7	8.4				
Other Observations:				Nil									
SR15	14:15	Surface	1	27.8	36.9	8.33	106.8	6.84	5.59	9.4	10.4	7.8	7.8
				27.8	36.9	8.33	106.5	6.82		9.7			
		Middle	11	25.6	40.2	8.20	66.4	4.32		9.9		7.3	
	Bottom	21	24.5	41.2	7.98	64.4	3.92	11.3	8.5				
Other Observations:				Nil									
CS1	13:15	Surface	1	26.7	34.5	8.12	97.5	6.43	6.04	12.4	13.1	10.8	11.3
				26.7	34.5	8.12	96.6	6.37		12.0			
		Middle	5	26.4	35.7	8.09	87.0	5.73		12.6		10.1	
	Bottom	8.5	26.4	36.6	8.08	78.4	5.13	15.0	12.9				
Other Observations:				Nil									
CS2	13:40	Surface	1	27.9	33.5	8.25	123.9	8.06	8.02	12.2	12.2	7.4	7.7
				27.9	33.5	8.25	124.8	8.12		12.0			
		Middle	5.5	27.2	34.6	8.25	121.8	7.95		11.8		8.0	
	Bottom	10	26.9	37.0	8.21	96.6	6.27	12.7	7.8				
Other Observations:				Nil									
CS3	14:00	Surface	1	28.7	36.2	8.39	133.3	8.50	7.08	9.4	9.0	8.7	8.3
				28.7	36.2	8.39	131.8	8.40		9.0			
		Middle	11	26.5	39.0	8.20	88.9	5.74		8.9		8.0	
	Bottom	21	24.9	41.2	8.00	74.6	4.90	9.1	8.3				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 24/8/2004  
Weather: Sunny  
Sea Condition: Calm  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	10:45	Surface	1	27.6	36.2	8.28	103.5	6.71	6.51	11.7	12.6	7.0	9.2
				27.6	36.2	8.28	103.1	6.69		11.9			
		Middle	11	27.0	36.4	8.26	97.6	6.34		11.8			
	Bottom	20.5	26.1	38.0	8.17	71.0	4.64	14.3	13.1				
Other Observations:				Nil									
SR7	10:35	Surface	1	27.9	35.9	8.38	110.6	7.12	6.90	11.7	11.9	9.5	8.2
				27.9	35.9	8.38	110.2	7.09		11.9			
		Middle	4.5	27.2	36.3	8.33	103.8	6.72		11.9			
	Bottom	8	26.8	36.7	8.24	88.4	5.76	12.0	7.6				
Other Observations:				Nil									
SR10	10:20	Surface	1	29.6	33.6	8.47	118.1	7.47	7.28	9.1	11.1	7.1	10.1
				29.6	33.6	8.47	118.7	7.48		9.2			
		Middle	4	28.0	36.3	8.35	110.9	7.11		9.8			
	Bottom	7	26.8	38.1	8.20	84.3	5.45	14.6	15.5				
Other Observations:				Nil									
SR11	10:10	Surface	1	29.8	33.9	8.43	111.1	7.01	6.84	10.0	12.0	8.1	9.3
				29.8	33.9	8.43	111.3	7.03		9.4			
		Middle	4	28.2	35.7	8.33	104.3	6.68		11.4			
	Bottom	6.5	26.9	37.6	8.15	76.4	5.00	15.3	12.4				
Other Observations:				Nil									
SR12	09:55	Surface	1	29.6	33.6	8.46	113.8	7.20	7.31	9.5	9.8	7.2	7.6
				29.6	33.6	8.46	113.7	7.19		9.7			
		Middle	4	28.7	34.6	8.44	116.0	7.41		9.8			
	Bottom	6.5	27.2	37.4	8.27	101.1	6.51	9.8	7.7				
Other Observations:				Nil									
SR14	09:45	Surface	1	29.2	33.7	8.46	119.2	7.58	7.25	9.2	10.0	8.4	8.5
				29.2	33.7	8.46	119.1	7.57		9.3			
		Middle	4	28.0	36.8	8.34	108.5	6.95		9.6			
	Bottom	7	26.0	39.3	8.15	78.6	5.11	11.3	9.2				
Other Observations:				Nil									
SR15	09:35	Surface	1	28.1	36.3	8.35	115.2	7.37	6.27	9.9	11.3	10.5	9.9
				28.1	36.3	8.35	115.0	7.36		9.6			
		Middle	11	26.0	39.5	8.15	80.3	5.22		10.7			
	Bottom	21	24.2	41.4	7.93	54.9	3.54	13.4	11.5				
Other Observations:				Nil									
CS1	08:45	Surface	1	27.1	34.2	8.16	91.2	6.01	5.62	13.6	14.2	8.4	10.0
				27.1	34.2	8.16	89.2	5.89		13.6			
		Middle	4.5	26.5	34.9	8.12	80.6	5.32		13.9			
	Bottom	8	26.3	35.9	8.08	72.9	4.81	14.4	12.9				
Other Observations:				Nil									
CS2	09:00	Surface	1	27.6	35.6	8.35	129.0	8.33	7.78	10.7	11.9	7.4	9.5
				27.6	35.6	8.35	129.4	8.36		10.8			
		Middle	5.5	27.2	36.1	8.20	109.1	7.11		11.1			
	Bottom	9.5	26.4	36.8	8.07	78.4	5.14	13.8	12.6				
Other Observations:				Nil									
CS3	09:20	Surface	1	28.6	34.8	8.41	134.1	8.57	7.15	9.7	9.7	8.2	8.2
				28.6	34.8	8.41	134.2	8.57		9.7			
		Middle	10.5	26.4	38.6	8.19	89.3	5.79		9.5			
	Bottom	20	25.9	40.4	8.02	54.9	3.54	9.7	8.7				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 26/8/2004  
Weather: Rainy  
Sea Condition: Moderate  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	18:10	Surface	1	26.5	35.7	8.40	83.2	5.52	4.90	10.8	11.1	9.1	9.5
				26.5	35.7	8.40	83.2	5.49		11.6			
		Middle	11	25.9	38.4	8.35	65.3	4.27		12.6		11.3	
	Bottom	21	25.4	40.0	8.31	47.3	3.08	9.3	8.3				
Other Observations:				Nil									
SR7	17:58	Surface	1	26.8	35.4	8.41	82.6	5.48	5.44	11.5	11.9	8.8	9.5
				26.8	35.4	8.41	82.3	5.46		11.0			
		Middle	4.5	26.2	36.4	8.40	81.3	5.39		11.4		9.4	
	Bottom	8	26.0	36.9	8.41	79.6	5.29	12.5	10.4				
Other Observations:				Nil									
SR10	17:38	Surface	1	26.7	38.9	8.42	92.8	5.94	5.06	10.8	10.9	9.9	9.1
				26.7	38.9	8.42	91.7	5.86		10.2			
		Middle	4	25.6	40.5	8.32	65.5	4.32		11.2		8.4	
	Bottom	7	25.4	40.5	8.32	64.2	4.12	11.2	8.9				
Other Observations:				Nil									
SR11	17:25	Surface	1	27.4	38.1	8.47	82.3	5.24	5.12	12.3	12.3	10.1	11.2
				27.4	38.0	8.48	83.1	5.32		12.4			
		Middle	4	26.5	39.4	8.38	75.3	4.92		11.7		11.9	
	Bottom	7	26.4	39.8	8.36	59.8	3.80	12.5	11.5				
Other Observations:				Nil									
SR12	17:12	Surface	1	27.3	37.9	8.53	94.7	6.09	5.25	11.6	11.6	10.0	9.7
				27.3	37.9	8.53	94.4	6.05		11.7			
		Middle	4.5	25.4	40.3	8.32	66.7	4.43		11.8		8.9	
	Bottom	7.5	25.2	40.5	8.28	54.3	3.60	11.5	10.3				
Other Observations:				Nil									
SR14	17:00	Surface	1	27.3	37.6	8.52	98.9	6.38	5.38	12.3	12.4	11.4	12.0
				27.2	37.6	8.53	99.0	6.37		13.1			
		Middle	5	26.5	38.7	8.41	68.3	4.40		11.8		10.3	
	Bottom	8.5	25.2	40.4	8.31	54.5	3.60	13.4	14.4				
Other Observations:				Nil									
SR15	16:46	Surface	1	26.5	38.6	8.43	84.0	5.44	4.93	10.7	10.8	9.6	8.8
				26.5	38.6	8.44	83.9	5.43		10.8			
		Middle	11	25.6	40.2	8.36	69.5	4.42		10.6		8.5	
	Bottom	20.5	23.9	41.4	8.29	55.6	3.68	11.6	8.5				
Other Observations:				Nil									
CS1	16:02	Surface	1	26.9	35.7	8.40	74.6	4.88	4.68	11.0	13.0	8.7	10.7
				26.9	35.6	8.39	74.7	4.94		11.9			
		Middle	5	25.7	36.8	8.38	67.0	4.45		13.6		10.2	
	Bottom	8.5	25.2	38.1	8.35	61.3	4.01	14.1	13.1				
Other Observations:				Nil									
CS2	16:16	Surface	1	26.8	35.2	8.41	80.2	5.35	5.14	11.6	13.2	11.6	11.6
				26.8	35.2	8.42	79.7	5.29		10.5			
		Middle	5.5	25.9	38.1	8.36	76.5	4.98		12.6		10.2	
	Bottom	10	25.3	40.6	8.23	56.7	3.71	16.1	13.1				
Other Observations:				Nil									
CS3	16:32	Surface	1	26.2	36.9	8.42	82.0	5.37	4.72	10.3	11.4	10.2	9.9
				26.2	36.9	8.41	82.3	5.39		10.2			
		Middle	11.5	25.3	40.6	8.22	61.5	4.06		13.6		9.5	
	Bottom	22	25.3	40.6	8.12	54.6	3.63	10.4	10.0				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 26/8/2004  
Weather: Overcast  
Sea Condition: Moderate  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	11:06	Surface	1	26.3	36.8	8.47	86.8	5.69	5.56	11.9	12.5	8.2	9.9
				26.3	36.8	8.48	86.2	5.66		11.9			
		Middle	11	26.3	36.9	8.48	83.2	5.46		12.4		9.4	
	Bottom	21	25.2	37.3	8.46	76.7	5.02	13.0	5.02	12.1			
25.1			37.3	8.47	76.5	5.01	13.1						
Other Observations:				Nil									
SR7	10:51	Surface	1	26.4	36.6	8.51	92.5	6.01	5.91	11.2	12.4	9.6	10.6
				26.3	36.6	8.51	90.2	5.93		11.2			
		Middle	4.5	26.3	36.6	8.51	89.3	5.85		12.9		10.8	
	Bottom	8	26.3	37.8	8.50	88.8	5.84	13.1	5.83	11.5			
26.3			37.6	8.50	88.6	5.82	13.1						
Other Observations:				Nil									
SR10	10:35	Surface	1	28.5	38.3	8.47	89.3	5.60	5.22	11.3	12.1	10.6	10.4
				28.5	38.3	8.48	88.6	5.58		11.2			
		Middle	4	27.2	38.9	8.49	76.1	4.86		10.8		8.8	
	Bottom	7	25.4	40.6	8.28	60.9	4.09	14.2	4.09	11.8			
25.4			40.6	8.29	60.6	4.08	14.1						
Other Observations:				Nil									
SR11	10:22	Surface	1	27.7	38.1	8.51	91.5	5.83	5.39	11.4	11.7	8.8	9.8
				27.7	38.2	8.52	89.7	5.77		11.3			
		Middle	4	27.2	38.6	8.49	76.5	5.02		11.8		10.7	
	Bottom	6.5	26.1	40.0	8.36	55.6	3.63	12.3	3.61	10.1			
26.1			40.0	8.36	55.0	3.59	12.3						
Other Observations:				Nil									
SR12	10:06	Surface	1	27.9	37.4	8.62	106.3	6.74	6.43	10.5	10.4	9.5	9.7
				27.9	37.4	8.62	106.5	6.78		10.4			
		Middle	4	27.7	37.8	8.59	95.6	6.16		10.1		9.9	
	Bottom	7	26.6	39.3	8.44	63.6	4.23	10.4	4.13	9.8			
26.6			39.3	8.43	62.2	4.02	10.3						
Other Observations:				Nil									
SR14	09:55	Surface	1	27.7	37.8	8.53	97.9	6.24	5.14	11.5	11.0	8.2	9.4
				27.7	37.8	8.53	97.4	6.21		11.2			
		Middle	4.5	26.6	39.0	8.44	60.6	4.03		10.9		10.6	
	Bottom	8	26.4	39.5	8.40	54.5	3.58	10.6	3.60	9.5			
26.4			39.5	8.39	55.2	3.62	10.2						
Other Observations:				Nil									
SR15	09:36	Surface	1	27.9	37.4	8.51	102.2	6.52	5.81	12.1	11.4	11.5	10.9
				27.9	37.4	8.51	102.1	6.50		12.6			
		Middle	10.5	26.0	39.1	8.31	77.9	5.11		10.8		11.1	
	Bottom	19.5	24.3	41.1	8.30	55.2	3.66	11.1	3.68	10.2			
24.3			41.2	8.29	56.1	3.69	11.7						
Other Observations:				Nil									
CS1	08:50	Surface	1	27.3	35.5	8.50	90.0	5.97	5.86	12.4	12.5	11.3	11.5
				27.3	35.5	8.50	89.7	5.92		12.3			
		Middle	4.5	26.3	35.6	8.49	87.5	5.77		12.5		10.6	
	Bottom	8	26.2	36.2	8.47	83.9	5.53	12.5	5.53	12.7			
26.2			36.2	8.47	84.0	5.53	12.5						
Other Observations:				Nil									
CS2	09:06	Surface	1	27.4	36.4	8.44	78.8	5.19	5.12	14.1	13.9	11.6	10.9
				27.4	36.4	8.43	78.5	5.16		14.1			
		Middle	5.5	26.4	36.4	8.43	77.2	5.07		13.9		11.4	
	Bottom	10	26.4	36.5	8.43	75.4	4.96	13.8	4.95	9.9			
26.4			36.5	8.43	75.2	4.94	13.6						
Other Observations:				Nil									
CS3	09:20	Surface	1	26.8	36.3	8.48	101.7	6.64	5.48	12.3	11.1	11.7	10.4
				26.8	36.3	8.48	101.3	6.61		12.3			
		Middle	11	26.2	37.6	8.34	69.4	4.40		10.8		8.9	
	Bottom	20.5	25.3	40.9	8.36	53.8	3.50	10.9	3.49	10.8			
25.3			40.9	8.36	53.5	3.47	10.3						
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 28/8/2004  
Weather: Rainy  
Sea Condition: Moderate  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	17:50	Surface	1	25.3	37.7	8.28	64.5	4.29	4.95	10.4	12.0	10.3	10.6
				25.3	37.7	8.28	62.7	4.17		10.4			
		Middle	11	24.9	38.4	8.18	85.1	5.66		11.8			
	Bottom	20.5	24.6	38.7	8.02	52.7	3.50	13.9	12.4				
Other Observations:				Nil									
SR7	17:35	Surface	1	25.1	38.2	8.30	62.2	4.13	5.06	11.7	13.5	10.1	10.5
				25.1	38.4	8.30	63.8	4.24		10.8			
		Middle	5	25.1	38.2	8.10	89.2	5.93		13.7			
	Bottom	8.5	25.0	38.4	8.12	57.7	3.83	15.2	12.0				
Other Observations:				Nil									
SR10	17:25	Surface	1	26.8	35.3	8.25	112.5	7.38	7.44	12.3	12.0	8.6	8.1
				26.8	35.3	8.25	112.0	7.34		12.6			
		Middle	4.5	26.7	35.9	8.27	114.9	7.54		11.3			
	Bottom	7.5	26.4	38.4	8.19	116.6	7.63	11.8	8.0				
Other Observations:				Nil									
SR11	17:20	Surface	1	26.9	34.9	8.28	114.4	7.51	7.60	12.9	13.0	11.0	11.1
				26.9	34.9	8.29	114.8	7.54		13.1			
		Middle	4.5	26.9	35.1	8.30	116.7	7.65		13.4			
	Bottom	7.5	26.7	35.4	8.31	119.5	7.83	12.9	10.7				
Other Observations:				Nil									
SR12	17:10	Surface	1	26.9	34.5	8.29	112.5	7.40	7.41	10.6	10.8	8.7	8.5
				26.9	34.5	8.29	112.7	7.41		10.9			
		Middle	4.5	26.9	34.6	8.28	112.8	7.42		10.5			
	Bottom	7.5	26.8	34.9	8.26	108.4	7.13	10.9	8.2				
Other Observations:				Nil									
SR14	17:00	Surface	1	26.9	34.4	8.30	112.6	7.41	7.43	11.0	11.3	9.3	8.6
				26.9	34.4	8.30	112.8	7.42		11.6			
		Middle	4.5	26.9	34.5	8.30	113.0	7.44		10.9			
	Bottom	8	26.6	35.3	8.26	106.6	7.01	11.6	8.4				
Other Observations:				Nil									
SR15	16:50	Surface	1	26.8	34.5	8.28	107.0	7.04	7.13	11.6	12.3	9.8	10.2
				26.8	34.5	8.28	107.8	7.09		11.8			
		Middle	11	26.9	34.9	8.29	109.2	7.18		10.9			
	Bottom	20.5	23.7	41.6	8.07	62.7	4.18	14.2	12.1				
Other Observations:				Nil									
CS1	16:00	Surface	1	25.6	35.9	8.01	75.1	5.00	4.55	11.7	12.5	10.8	10.5
				25.3	35.9	8.01	73.8	4.91		11.6			
		Middle	4.5	25.3	36.9	8.02	62.9	4.19		11.9			
	Bottom	7.5	25.1	37.5	8.01	57.0	3.80	14.4	12.0				
Other Observations:				Nil									
CS2	16:15	Surface	1	25.5	38.3	8.01	74.9	4.95	4.74	10.4	11.7	8.2	10.3
				25.5	38.3	8.01	75.1	4.96		10.2			
		Middle	5.5	25.4	38.3	8.04	68.7	4.53		10.3			
	Bottom	9.5	25.1	38.4	8.05	66.5	4.40	14.2	13.4				
Other Observations:				Nil									
CS3	16:35	Surface	1	26.9	34.3	8.30	110.9	7.30	6.76	10.8	12.4	8.8	9.1
				26.9	34.3	8.30	111.7	7.35		10.9			
		Middle	11	26.1	37.0	8.22	93.7	6.14		11.3			
	Bottom	21	24.2	41.4	8.05	41.7	2.76	14.7	10.6				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.



Date: 28/8/2004  
Weather: Overcast  
Sea Condition: Moderate  
Tide: Mid-Ebb

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	12:00	Surface	1	26.2	38.3	8.05	88.6	5.77	5.56	10.5	11.9	8.8	11.1
				26.2	38.3	8.04	88.3	5.75		10.5			
		Middle	10.5	25.9	39.3	8.06	83.9	5.46		12.0			
	Bottom	20	25.6	39.8	8.07	70.9	4.62	13.0	13.1				
Other Observations:				Nil									
SR7	11:47	Surface	1	26.2	38.1	8.24	113.7	7.41	6.46	11.2	13.3	9.6	11.9
				26.2	38.1	8.23	104.2	6.79		11.3			
		Middle	4.5	25.9	39.0	8.23	91.2	5.94		11.8			
	Bottom	8	25.3	40.5	8.24	77.5	5.04	16.8	17.0				
Other Observations:				Nil									
SR10	11:35	Surface	1	26.7	36.9	8.50	100.3	6.55	7.24	10.4	12.0	7.8	8.6
				26.6	36.9	8.49	109.3	7.12		10.5			
		Middle	4	26.5	37.4	8.54	119.3	7.77		12.0			
	Bottom	7	25.5	39.7	8.37	94.4	6.25	13.3	13.4				
Other Observations:				Nil									
SR11	11:22	Surface	1	26.4	37.1	8.41	120.8	7.89	8.06	10.5	11.2	8.5	8.8
				26.4	37.1	8.40	123.1	8.05		10.4			
		Middle	4	26.4	37.2	8.42	125.8	8.23		10.9			
	Bottom	7	24.8	40.3	8.32	122.0	8.03	12.2	12.3				
Other Observations:				Nil									
SR12	11:10	Surface	1	26.6	36.9	8.45	117.3	7.66	7.73	10.2	13.3	9.6	11.8
				26.6	36.9	8.44	118.2	7.72		10.1			
		Middle	4	26.2	37.4	8.46	120.3	7.86		11.2			
	Bottom	7	24.3	41.3	8.45	103.2	6.82	18.6	18.7				
Other Observations:				Nil									
SR14	11:00	Surface	1	26.8	36.2	8.49	115.2	7.52	7.45	10.0	10.3	9.3	9.2
				26.8	36.2	8.48	113.6	7.41		10.1			
		Middle	4.5	26.6	36.8	8.49	114.6	7.47		10.2			
	Bottom	7.5	26.3	37.7	8.42	110.1	7.19	10.6	10.7				
Other Observations:				Nil									
SR15	10:45	Surface	1	26.7	36.3	8.45	103.9	6.80	6.56	10.1	13.6	8.4	11.3
				26.7	36.3	8.44	103.8	6.79		10.0			
		Middle	10.5	26.2	37.9	8.44	98.1	6.40		10.6			
	Bottom	20	24.4	41.3	8.37	85.2	5.62	20.1	20.2				
Other Observations:				Nil									
CS1	10:00	Surface	1	25.7	37.4	8.40	85.7	5.66	5.24	12.6	14.8	8.2	10.2
				25.7	37.4	8.41	83.5	5.50		12.5			
		Middle	4.5	25.8	38.3	8.40	75.3	4.96		12.8			
	Bottom	7.5	25.5	39.0	8.36	65.9	4.31	18.9	19.0				
Other Observations:				Nil									
CS2	10:16	Surface	1	26.3	37.7	8.45	103.7	6.77	6.33	10.5	10.2	8.6	9.6
				26.3	37.7	8.44	100.4	6.55		10.4			
		Middle	5	26.2	39.1	8.42	94.4	6.15		9.9			
	Bottom	9	26.1	39.1	8.41	90.0	5.85	10.1	10.2				
Other Observations:				Nil									
CS3	10:32	Surface	1	26.9	35.9	8.44	108.0	7.05	6.83	9.8	10.4	9.2	9.5
				26.9	35.9	8.43	107.6	7.02		9.7			
		Middle	10.5	26.3	38.3	8.45	104.2	6.77		10.4			
	Bottom	20	26.2	38.4	8.46	99.8	6.49	10.9	11.0				
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.

Date: 30/8/2004  
Weather: Rainy  
Sea Condition: Rough  
Tide: Mid-Flood

Water Quality Monitoring Result

Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	17:55	Surface	1	26.2	35.1	8.18	86.3	5.73	5.69	14.2	14.6	11.9	11.8
				26.2	35.1	8.18	86.0	5.70		14.1			
		Middle	11	26.1	35.2	8.13	85.6	5.69		14.3			
	Bottom	21	25.5	36.9	8.09	75.6	5.03	5.04	15.6	15.4	12.2		
Other Observations:				Nil									
SR7	17:45	Surface	1	26.1	35.2	8.10	84.6	5.62	5.49	13.8	15.0	9.0	11.5
				26.1	35.2	8.10	84.4	5.60		13.6			
		Middle	4.5	25.9	35.4	8.10	80.4	5.34		15.4			
	Bottom	8	25.7	36.2	8.17	73.2	4.86	4.87	16.2	15.8	13.4		
Other Observations:				Nil									
SR10	17:30	Surface	1	26.7	34.2	8.20	94.1	6.23	6.20	17.2	16.8	12.3	13.6
				26.7	34.3	8.20	94.5	6.26		17.3			
		Middle	4.5	26.5	34.3	8.19	93.1	6.17		6.12			
	Bottom	7.5	27.2	35.0	8.12	85.3	5.57	5.53	16.8	16.2	15.2		
Other Observations:				Nil									
SR11	17:20	Surface	1	26.9	33.9	8.18	96.9	6.39	6.42	10.2	12.7	9.4	11.5
				26.9	33.9	8.18	97.0	6.40		10.0			
		Middle	4	26.5	34.1	8.21	96.8	6.42		6.42			
	Bottom	7	26.5	34.1	8.20	91.5	6.07	6.05	17.2	17.7	15.4		
Other Observations:				Nil									
SR12	17:10	Surface	1	26.5	34.1	8.20	98.5	6.53	6.44	13.2	14.0	10.3	11.3
				26.5	34.1	8.20	98.4	6.52		13.2			
		Middle	4.5	26.6	34.1	8.22	95.5	6.34		6.36			
	Bottom	7.5	26.2	34.3	8.19	91.7	6.09	6.07	14.8	14.9	11.2		
Other Observations:				Nil									
SR14	16:55	Surface	1	26.5	34.1	8.20	95.3	6.33	6.19	13.1	14.2	11.8	11.9
				26.5	34.1	8.20	95.0	6.30		13.7			
		Middle	4.5	26.4	34.2	8.19	91.5	6.08		6.06			
	Bottom	8	26.4	34.4	8.16	88.7	5.89	5.90	14.7	14.9	12.0		
Other Observations:				Nil									
SR15	16:45	Surface	1	26.4	34.3	8.18	91.6	6.08	5.84	13.2	14.9	12.1	13.0
				26.4	34.3	8.18	91.2	6.04		13.6			
		Middle	11	26.2	34.9	8.15	84.4	5.61		5.62			
	Bottom	20.5	24.3	40.6	8.07	59.0	3.89	3.89	17.2	17.1	15.2		
Other Observations:				Nil									
CS1	16:00	Surface	1	26.0	35.6	8.10	84.3	5.60	5.50	15.4	15.1	12.7	12.1
				26.0	35.6	8.10	85.0	5.66		15.8			
		Middle	4.5	25.8	35.7	8.11	80.8	5.37		5.36			
	Bottom	8	25.7	35.9	8.08	76.4	5.08	5.10	15.1	14.9	12.9		
Other Observations:				Nil									
CS2	16:15	Surface	1	26.1	35.5	8.08	89.8	5.96	5.90	16.0	16.1	12.1	13.3
				26.1	35.5	8.08	89.0	5.92		15.6			
		Middle	5.5	26.0	35.5	8.11	88.6	5.88		5.82			
	Bottom	9.5	25.9	35.9	8.09	81.3	5.40	5.42	16.7	16.0	12.6		
Other Observations:				Nil									
CS3	16:35	Surface	1	26.3	34.3	8.11	90.4	6.02	5.98	12.8	13.6	9.1	10.7
				26.3	34.3	8.11	90.0	5.98		12.0			
		Middle	11	26.2	34.3	8.13	89.5	5.96		5.95			
	Bottom	20.5	25.3	38.5	8.11	70.2	4.64	4.62	15.8	15.6	12.3		
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.


Date: 30/8/2004  
Weather: Rainy  
Sea Condition: Rough  
Tide: Mid-Ebb

Water Quality Monitoring Result


Location	Time	Depth (m)		Temp. (°C)	Salinity (ppt)	pH	D.O. Sat. (%)	D.O. (mg/L)		Turbidity (NTU)		S.S. (mg/L)	
								Value	DA	Value	DA	Average	DA
SR6	13:55	Surface	1	26.1	35.1	8.12	86.1	5.72	5.69	14.3	15.2	11.0	11.5
				26.1	35.1	8.12	86.0	5.70		14.3			
		Middle	11.5	26.0	35.2	8.13	85.6	5.68		14.5			
	Bottom	22	25.8	35.9	8.09	75.2	5.00	4.98	17.0	13.7			
25.8			35.9	8.09	74.3	4.96	16.2						
Other Observations:				Nil									
SR7	13:45	Surface	1	26.2	35.1	8.06	86.9	5.77	5.59	14.9	15.2	10.0	11.6
				26.2	35.1	8.06	86.5	5.73		14.0			
		Middle	5	26.0	35.6	8.11	81.3	5.40		15.4			
	Bottom	8.5	26.0	35.6	8.11	81.6	5.44	15.0	12.9				
25.8			36.1	8.10	75.6	5.02	16.2						
Other Observations:				Nil									
SR10	13:25	Surface	1	26.7	34.2	8.16	93.8	6.21	6.15	17.1	16.9	13.6	13.5
				26.7	34.2	8.16	93.0	6.16		17.3			
		Middle	4.5	26.6	34.3	8.20	92.9	6.15		17.0			
	Bottom	8	26.6	34.3	8.20	91.1	6.08	17.1	13.7				
27.1			35.3	8.14	87.9	5.75	16.5						
Other Observations:				Nil									
SR11	13:10	Surface	1	27.0	33.9	8.21	100.1	6.61	6.43	10.1	12.5	9.0	10.2
				27.0	33.9	8.21	100.3	6.62		10.0			
		Middle	4.5	26.7	34.1	8.21	94.7	6.28		10.2			
	Bottom	7.5	26.7	34.1	8.21	94.0	6.22	10.6	12.5				
26.5			34.6	8.20	90.6	6.01	16.8						
Other Observations:				Nil									
SR12	12:55	Surface	1	26.5	34.1	8.18	99.3	6.59	6.52	13.6	13.8	10.7	10.6
				26.5	34.1	8.18	99.8	6.62		13.2			
		Middle	4.5	26.4	34.2	8.21	97.0	6.45		13.7			
	Bottom	8	26.4	34.2	8.21	96.2	6.40	13.8	11.5				
24.4			34.3	8.48	89.7	5.96	14.2						
Other Observations:				Nil									
SR14	12:45	Surface	1	26.4	34.1	8.13	96.7	6.42	6.29	13.4	14.1	10.8	12.8
				26.4	34.1	8.13	97.0	6.46		13.0			
		Middle	5	26.2	34.3	8.16	92.7	6.17		14.1			
	Bottom	9	26.2	34.3	8.16	91.8	6.12	14.6	15.0				
26.4			34.4	8.18	89.1	5.92	14.7						
Other Observations:				Nil									
SR15	12:35	Surface	1	26.4	34.3	8.15	91.1	6.05	5.88	13.1	14.6	11.3	12.8
				26.4	34.3	8.15	90.4	6.00		13.1			
		Middle	11.5	26.2	34.8	8.14	85.9	5.71		14.0			
	Bottom	21.5	26.2	34.8	8.14	86.8	5.77	14.0	14.4				
24.3			40.6	8.07	53.0	3.60	16.8						
Other Observations:				Nil									
CS1	11:45	Surface	1	25.9	35.6	8.05	86.3	5.73	5.59	15.5	14.9	12.5	11.9
				25.9	35.6	8.05	87.2	5.80		15.6			
		Middle	5	25.9	35.7	8.10	81.6	5.42		14.6			
	Bottom	9	25.9	35.7	8.10	81.8	5.40	14.2	12.2				
25.8			35.9	8.09	78.4	5.21	15.0						
Other Observations:				Nil									
CS2	12:00	Surface	1	26.1	35.5	8.02	90.9	6.03	5.97	16.5	16.1	14.6	12.8
				26.1	35.5	8.02	91.5	6.06		16.0			
		Middle	6	26.0	35.5	8.11	88.8	5.89		16.1			
	Bottom	10.5	26.0	35.5	8.11	89.2	5.91	15.6	12.7				
25.9			35.8	8.10	84.3	5.60	16.2						
Other Observations:				Nil									
CS3	12:20	Surface	1	26.3	34.3	8.08	90.9	6.05	5.98	12.9	14.1	9.5	10.7
				26.3	34.3	8.08	90.9	6.02		12.6			
		Middle	11.5	26.2	34.3	8.13	89.3	5.95		12.8			
	Bottom	22	26.2	34.3	8.13	88.6	5.91	12.4	13.4				
25.4			38.1	8.12	68.4	4.52	17.0						
Other Observations:				Nil									

\* Contains sample results < detection limit but assumed to be at the detection limit for the sake of computation.


**Dissolved Oxygen (Surface & Middle) at Location SR6 for Mid-Flood Tide**




**Dissolved Oxygen (Bottom) at Location SR6 for Mid-Flood Tide**




**Turbidity (Depth Averaged) at Location SR6 for Mid-Flood Tide**




### Suspended Solid (Depth Averaged) at Location SR6 for Mid-Flood Tide




**Dissolved Oxygen (Surface & Middle) at Location SR7 for Mid-Flood Tide**




**Dissolved Oxygen (Bottom) at Location SR7 for Mid-Flood Tide**




**Turbidity (Depth Averaged) at Location SR7 for Mid-Flood Tide**



### Suspended Solid (Depth Averaged) at Location SR7 for Mid-Flood Tide




### Suspended Solid (Depth Averaged) at Location SR10 for Mid-Flood Tide




◇ SR10 — Limit Level




**Dissolved Oxygen (Surface & Middle) at Location SR11 for Mid-Flood Tide**




**Dissolved Oxygen (Bottom) at Location SR11 for Mid-Flood Tide**




**Turbidity (Depth Averaged) at Location SR11 for Mid-Flood Tide**




### Suspended Solid (Depth Averaged) at Location SR11 for Mid-Flood Tide




**Dissolved Oxygen (Surface & Middle) at Location SR12 for Mid-Flood Tide**




**Dissolved Oxygen (Bottom) at Location SR12 for Mid-Flood Tide**




**Turbidity (Depth Averaged) at Location SR12 for Mid-Flood Tide**




### Suspended Solid (Depth Averaged) at Location SR12 for Mid-Flood Tide




**Dissolved Oxygen (Surface & Middle) at Location SR14 for Mid-Flood Tide**




**Dissolved Oxygen (Bottom) at Location SR14 for Mid-Flood Tide**




**Turbidity (Depth Averaged) at Location SR14 for Mid-Flood Tide**




### Suspended Solid (Depth Averaged) at Location SR14 for Mid-Flood Tide




### Dissolved Oxygen (Surface & Middle) at Location SR15 for Mid-Flood Tide




### Dissolved Oxygen (Bottom) at Location SR15 for Mid-Flood Tide



### Turbidity (Depth Averaged) at Location SR15 for Mid-Flood Tide




### Suspended Solid (Depth Averaged) at Location SR15 for Mid-Flood Tide







**Dissolved Oxygen (Surface & Middle) from CS1 to CS3 for Mid-Flood Tide**




**Dissolved Oxygen (Bottom) from CS1 to CS3 for Mid-Flood Tide**




**Turbidity (Depth Averaged) from CS1 to CS3 for Mid-Flood Tide**




### Suspended Solid (Depth Averaged) from CS1 to CS3 for Mid-Flood Tide




**Dissolved Oxygen (Surface & Middle) at Location SR6 for Mid-Ebb Tide**




**Dissolved Oxygen (Bottom) at Location SR6 for Mid-Ebb Tide**




**Turbidity (Depth Averaged) at Location SR6 for Mid-Ebb Tide**




### Suspended Solid (Depth Averaged) at Location SR6 for Mid-Ebb Tide




**Dissolved Oxygen (Surface & Middle) at Location SR7 for Mid-Ebb Tide**




**Dissolved Oxygen (Bottom) at Location SR7 for Mid-Ebb Tide**




**Turbidity (Depth Averaged) at Location SR7 for Mid-Ebb Tide**



### Suspended Solid (Depth Averaged) at Location SR7 for Mid-Ebb Tide




### Suspended Solid (Depth Averaged) at Location SR10 for Mid-Ebb Tide




◇ SR10 — Limit Level


**Dissolved Oxygen (Surface & Middle) at Location SR11 for Mid-Ebb Tide**



**Dissolved Oxygen (Bottom) at Location SR11 for Mid-Ebb Tide**




**Turbidity (Depth Averaged) at Location SR11 for Mid-Ebb Tide**







### Suspended Solid (Depth Averaged) at Location SR11 for Mid-Ebb Tide




**Dissolved Oxygen (Surface & Middle) at Location SR12 for Mid-Ebb Tide**




**Dissolved Oxygen (Bottom) at Location SR12 for Mid-Ebb Tide**




**Turbidity (Depth Averaged) at Location SR12 for Mid-Ebb Tide**




### Suspended Solid (Depth Averaged) at Location SR12 for Mid-Ebb Tide




**Dissolved Oxygen (Surface & Middle) at Location SR14 for Mid-Ebb Tide**




**Dissolved Oxygen (Bottom) at Location SR14 for Mid-Ebb Tide**




**Turbidity (Depth Averaged) at Location SR14 for Mid-Ebb Tide**




### Suspended Solid (Depth Averaged) at Location SR14 for Mid-Ebb Tide




**Dissolved Oxygen (Surface & Middle) at Location SR15 for Mid-Ebb Tide**




**Dissolved Oxygen (Bottom) at Location SR15 for Mid-Ebb Tide**




**Turbidity (Depth Averaged) at Location SR15 for Mid-Ebb Tide**




### Suspended Solid (Depth Averaged) at Location SR15 for Mid-Ebb Tide




**Dissolved Oxygen (Surface & Middle) from CS1 to CS3 for Mid-Ebb Tide**



**Dissolved Oxygen (Bottom) from CS1 to CS3 for Mid-Ebb Tide**




**Turbidity (Depth Averaged) from CS1 to CS3 for Mid-Ebb Tide**





### Suspended Solid (Depth Averaged) from CS1 to CS3 for Mid-Ebb Tide



# Appendix F

## Calibration Records and Laboratory QA/QC Results

**Equipment Calibration Record**

Equipment No.	YSI-6P20-1	Equipment Description	YSI-6120 monitor
Calibration method reference	YSI Calibration Manual	Calibration equipment used (if any)	—
	pH	DO	Turbidity
Use of reference material (if any)	pH 7.00 & pH 10.00 Buffer Check Std.	—	0 NTU & 100 NTU Formazin Turbidity Std.
Permissible tolerance of calibration	± 0.12 pH	± 5%	± 5%

**Calibration Result**

Date	Standard	pH		DO	Turbidity		Calibrated by
		7.00	10.00	100%	0	100	
2/8/04	Before	7.02	10.01	99.4	-0.3	99.8	K.C. Yan
	After	6.99	9.99	99.3	0.1	100.3	K.C. Yan
4/8/04	Before	7.00	9.98	99.7	0.1	100.1	M.H. Tsang
	After	7.03	10.02	99.8	-0.2	99.9	M.H. Tsang
6/8/04	Before	6.99	10.00	100.0	-0.1	100.0	M.H. Tsang
	After	6.98	10.01	99.8	0	100.2	M.H. Tsang
10/8/04	Before	6.99	10.03	99.6	0.2	99.7	K.C. Yan
	After	7.01	10.01	99.4	-0.1	99.8	K.C. Yan
12/8/04	Before	7.00	10.00	99.7	0	100.1	M.H. Tsang
	After	7.06	9.98	99.9	-0.3	100.0	M.H. Tsang
14/8/04	Before	6.98	9.99	98.9	0.1	99.9	M.H. Tsang
	After	6.96	9.97	98.8	0.1	100.2	M.H. Tsang
16/8/04	Before	6.99	9.99	99.1	0.2	99.6	M.H. Tsang
	After	7.02	10.02	99.3	-0.1	99.7	M.H. Tsang
18/8/04	Before	7.01	10.01	100.1	-0.3	99.9	M.H. Tsang
	After	7.00	10.03	99.7	0.1	100.4	M.H. Tsang
20/8/04	Before	7.03	9.99	100.0	0	100.2	M.H. Tsang
	After	7.05	10.00	99.9	0.4	99.6	M.H. Tsang
24/8/04	Before	6.96	10.01	98.7	-0.2	100.1	M.H. Tsang
	After	6.97	10.01	98.5	0	100.5	M.H. Tsang
26/8/04	Before	6.99	10.01	99.0	0.2	100.0	K.C. Yan
	After	6.78	9.99	99.2	0.3	99.8	K.C. Yan
28/8/04	Before	7.00	9.99	99.4	0.1	99.9	M.H. Tsang
	After	7.02	10.02	99.8	0	100.2	M.H. Tsang
30/8/04	Before	7.01	10.01	96.7	-0.1	100.0	M.H. Tsang
	After	6.98	9.98	96.5	0.2	99.9	M.H. Tsang
	Before						
	After						

Approved by: *[Signature]*

Date: 3/9/2004

SUMMARY OF QUALITY CONTROL DATA – QC SAMPLES RESULTS

Parameter	Control Limit	QC ID	Measured Value	QC ID	Measured Value	QC ID	Measured Value	QC ID	Measured Value	QC ID	Measured Value	QC ID	Measured Value	QC ID	Measured Value
Suspended Solids mg/L	89 – 103%	P0408A14	94%	P0408A28	93%	P0408A41	93%	P0408A56	92%	P0408A70	94%	P0408A83	91%	P0408B14	95%
		P0408B28	91%	P0408B41	93%	P0408B56	93%	P0408B70	94%	P0408B83	91%	P0408C14	99%	P0408C28	90%
		P0408C41	93%	P0408C56	94%	P0408C70	92%	P0408C83	99%	P0408D14	94%	P0408D28	91%	P0408D41	95%
		P0408D56	94%	P0408D70	91%	P0408D83	92%	P0408E14	100%	P0408E28	92%	P0408E41	91%	P0408E56	97%
		P0408E70	94%	P0408E83	90%	P0408F14	92%	P0408F28	97%	P0408F41	94%	P0408F56	90%	P0408F70	100%
		P0408F83	94%	P0408G14	92%	P0408G28	99%	P0408G41	91%	P0408G56	93%	P0408G70	100%	P0408G83	92%
		P0408H14	92%	P0408H28	101%	P0408H41	95%	P0408H56	91%	P0408H70	94%	P0408H83	94%	P0408I14	91%
		P0408I28	93%	P0408I41	92%	P0408I56	100%	P0408I70	90%	P0408I83	93%	P0408J14	93%	P0408J28	100%
		P0408J41	94%	P0408J56	91%	P0408J70	96%	P0408J83	93%	P0408K14	99%	P0408K28	94%	P0408K41	91%
		P0408K56	98%	P0408K70	100%	P0408K83	91%	P0408L14	93%	P0408L28	92%	P0408L41	91%	P0408L56	99%
		P0408L70	94%	P0408L83	91%	P0408M14	100%	P0408M28	91%	P0408M41	94%	P0408M56	91%	P0408M70	91%
		P0408M83	92%												

Total:78

SUMMARY OF QUALITY CONTROL DATA – BLANK RESULTS

Parameter	Control Limit	Blank ID	Measured Value	Blank ID	Measured Value	Blank ID	Measured Value	Blank ID	Measured Value	Blank ID	Measured Value	Blank ID	Measured Value	Blank ID	Measured Value
Suspended Solids mg/L	<1	P0408A15	<1	P0408A29	<1	P0408A42	<1	P0408A57	<1	P0408A71	<1	P0408A84	<1	P0408B15	<1
		P0408B29	<1	P0408B42	<1	P0408B57	<1	P0408B71	<1	P0408B84	<1	P0408C15	<1	P0408C29	<1
		P0408C42	<1	P0408C57	<1	P0408C71	<1	P0408C84	<1	P0408D15	<1	P0408D29	<1	P0408D42	<1
		P0408D57	<1	P0408D71	<1	P0408D84	<1	P0408E15	<1	P0408E29	<1	P0408E42	<1	P0408E57	<1
		P0408E71	<1	P0408E84	<1	P0408F15	<1	P0408F29	<1	P0408F42	<1	P0408F57	<1	P0408F71	<1
		P0408F84	<1	P0408G15	<1	P0408G29	<1	P0408G42	<1	P0408G57	<1	P0408G71	<1	P0408G84	<1
		P0408H15	<1	P0408H29	<1	P0408H42	<1	P0408H57	<1	P0408H71	<1	P0408H84	<1	P0408I15	<1
		P0408I29	<1	P0408I42	<1	P0408I57	<1	P0408I71	<1	P0408I84	<1	P0408J15	<1	P0408J29	<1
		P0408J42	<1	P0408J57	<1	P0408J71	<1	P0408J84	<1	P0408K15	<1	P0408K29	<1	P0408K42	<1
		P0408K57	<1	P0408K71	<1	P0408K84	<1	P0408L15	<1	P0408L29	<1	P0408L42	<1	P0408L57	<1
		P0408L71	<1	P0408L84	<1	P0408M15	<1	P0408M29	<1	P0408M42	<1	P0408M57	<1	P0408M71	<1
		P0408M84	<1												

Total:78

SUMMARY OF QUALITY CONTROL DATA – DUPLICATE RESULTS

Parameter	Control Limit	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value
Suspended Solids mg/L	Exceed 20%	P0408A13	9.0	P0408A27	14.4	P0408A40	6.5	P0408A55	9.2	P0408A69	14.6	P0408A82	16.4	P0408B13	8.5
			8.3		13.9		6.7		8.0		14.7		16.9		8.2
		P0408B27	12.8	P0408B40	17.7	P0408B55	10.3	P0408B69	10.2	P0408B82	11.2	P0408C13	10.2	P0408C27	13.0
			11.6		16.5		10.2		10.6		12.9		9.6		13.6
		P0408C40	7.5	P0408C55	7.8	P0408C69	5.7	P0408C82	16.8	P0408D13	11.7	P0408D27	8.6	P0408D40	9.7
			6.5		7.6		5.1		17.9		10.2		9.3		9.4
		P0408D55	9.5	P0408D69	6.8	P0408D82	16.3	P0408E13	10.8	P0408E27	9.9	P0408E40	10.7	P0408E55	8.0
			8.0		6.5		15.9		10.2		8.9		10.0		8.8
		P0408E69	9.7	P0408E82	11.5	P0408F13	10.2	P0408F27	11.4	P0408F40	10.3	P0408F55	10.1	P0408F69	10.9
			8.9		10.3		9.7		10.6		10.7		10.9		11.8
		P0408F82	11.6	P0408G13	9.3	P0408G27	9.6	P0408G40	10.1	P0408G55	7.3	P0408G69	11.6	P0408G82	9.8
			10.4		9.8		8.6		11.3		7.3		12.2		10.8
		P0408H13	13.9	P0408H27	8.7	P0408H40	9.4	P0408H55	7.9	P0408H69	13.6	P0408H82	13.6	P0408I13	10.0
			12.5		8.2		9.6		6.8		12.7		13.9		9.2
		P0408I27	10.9	P0408I40	11.5	P0408I55	10.4	P0408I69	14.3	P0408I82	14.8	P0408J13	8.6	P0408J27	11.6
			9.1		11.6		11.5		13.7		13.5		9.1		10.4
		P0408J40	12.9	P0408J55	7.6	P0408J69	13.4	P0408J82	8.7	P0408K13	8.2	P0408K27	10.6	P0408K40	9.8
			11.7		7.3		12.9		7.6		9.7		10.5		10.6
		P0408K55	10.6	P0408K69	11.8	P0408K82	9.0	P0408L13	10.6	P0408L27	9.9	P0408L40	16.9	P0408L55	10.0
			10.9		10.8		9.4		10.7		9.4		18.3		10.3
		P0408L69	9.1	P0408L82	12.3	P0408M13	10.3	P0408M27	12.9	P0408M40	15.2	P0408M55	10.9	P0408M69	15.2
			8.9		12.0		10.6		11.8		15.6		10.0		16.0
		P0408M82	14.5												
			14.9												

Total:78

## SUMMARY OF QUALITY CONTROL DATA – BLIND DUPLICATE RESULTS

Parameter	Control Limit	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	Sample ID	Measured Value	
Suspended Solids mg/L	Exceed 20%	P0408A05	7.2	P0408A11	10.0	P0408A20	9.5	P0408A25	5.5	P0408A33	5.2	P0408A38	6.5	P0408A47	6.7	P0408A53	9.5	P0408A62	8.4	P0408A67	5.3	P0408A75	5.7	P0408A80	6.5	
			7.9		11.5		10.1		5.0		5.9		6.6		7.8		8.8		7.8		4.6		5.0		6.8	
		P0408B05	10.1	P0408B11	10.2	P0408B20	8.5	P0408B25	9.2	P0408B33	9.3	P0408B38	9.6	P0408B47	11.7	P0408B53	9.7	P0408B62	10.3	P0408B67	9.8	P0408B75	11.6	P0408B80	9.7	
			11.0		9.0		7.8		10.8		10.4		10.0		10.4		10.5		10.0		10.2		10.4		10.0	
		P0408C05	9.6	P0408C11	11.0	P0408C20	8.3	P0408C25	12.0	P0408C33	6.6	P0408C38	12.3	P0408C47	9.1	P0408C53	8.9	P0408C62	8.9	P0408C67	5.9	P0408C75	10.7	P0408C80	7.4	
			9.3		9.7		7.4		13.0		5.6		12.7		8.9		8.3		9.8		5.8		9.2		6.3	
		P0408D05	10.6	P0408D11	8.2	P0408D20	7.5	P0408D25	12.3	P0408D33	8.3	P0408D38	13.7	P0408D47	9.1	P0408D53	8.6	P0408D62	8.8	P0408D67	8.3	P0408D75	8.9	P0408D80	7.9	
			10.3		7.1		8.3		11.1		7.9		12.6		9.7		8.1		7.9		8.4		7.8		8.9	
		P0408E05	11.7	P0408E11	8.5	P0408E20	8.8	P0408E25	14.8	P0408E33	8.4	P0408E38	12.0	P0408E47	7.1	P0408E53	8.1	P0408E62	11.5	P0408E67	10.0	P0408E75	8.2	P0408E80	10.6	
			10.5		8.9		7.6		13.8		8.9		11.3		8.4		7.2		11.2		9.5		8.8		10.4	
		P0408F05	8.0	P0408F11	11.3	P0408F20	8.7	P0408F25	10.9	P0408F33	11.5	P0408F38	8.9	P0408F47	14.6	P0408F53	10.2	P0408F62	9.0	P0408F67	9.2	P0408F75	7.6	P0408F80	9.8	
			8.8		10.1		7.5		10.9		11.2		9.6		13.4		11.7		8.3		8.7		8.6		10.3	
		P0408G05	9.3	P0408G11	12.7	P0408G20	9.4	P0408G25	10.1	P0408G33	9.3	P0408G38	8.8	P0408G47	12.6	P0408G53	6.7	P0408G62	9.9	P0408G67	8.2	P0408G75	9.5	P0408G80	8.5	
			9.1		11.5		10.2		11.7		8.2		7.7		12.5		7.1		8.8		9.3		9.1		8.5	
		P0408H05	8.5	P0408H11	9.2	P0408H20	7.7	P0408H25	9.6	P0408H33	8.2	P0408H38	9.6	P0408H47	8.6	P0408H53	8.3	P0408H62	7.9	P0408H67	8.2	P0408H75	9.0	P0408H80	8.1	
			9.4		8.7		6.9		10.1		8.9		10.5		8.7		7.9		8.6		9.1		8.1		7.9	
		P0408I05	9.1	P0408I11	10.3	P0408I20	7.7	P0408I25	15.4	P0408I33	9.2	P0408I38	8.3	P0408I47	7.9	P0408I53	10.1	P0408I62	7.8	P0408I67	10.0	P0408I75	9.0	P0408I80	10.6	
			9.0		10.2		8.7		15.8		10.4		9.4		8.7		10.8		7.2		9.9		8.8		12.0	
		P0408J05	8.7	P0408J11	7.3	P0408J20	7.6	P0408J25	7.3	P0408J33	8.9	P0408J38	8.1	P0408J47	7.7	P0408J53	8.6	P0408J62	7.2	P0408J67	9.4	P0408J75	8.1	P0408J80	7.5	
			9.4		6.9		8.2		7.8		10.0		9.3		7.3		9.2		8.5		9.5		8.8		6.6	
		P0408K05	11.8	P0408K11	8.4	P0408K20	8.0	P0408K25	9.3	P0408K33	8.7	P0408K38	11.0	P0408K47	10.7	P0408K53	9.1	P0408K62	8.5	P0408K67	12.8	P0408K75	10.8	P0408K80	9.9	
			10.7		7.7		9.2		10.9		8.4		11.8		11.1		10.7		9.7		11.5		10.4		9.5	
		P0408L05	9.3	P0408L11	8.2	P0408L20	7.7	P0408L25	10.1	P0408L33	8.7	P0408L38	8.7	P0408L47	10.1	P0408L53	9.5	P0408L62	9.1	P0408L67	10.3	P0408L75	8.3	P0408L80	9.4	
			9.0		9.1		8.9		11.5		8.9		7.7		9.7		9.4		9.3		11.1		7.3		9.3	
		P0408M05	10.6	P0408M11	11.1	P0408M20	14.4	P0408M25	8.4	P0408M33	9.9	P0408M38	11.6	P0408M47	14.2	P0408M53	11.5	P0408M62	13.3	P0408M67	8.7	P0408M75	12.2	P0408M80	12.1	
			10.7		10.7		13.2		8.9		10.4		10.8		15.4		11.0		12.3		9.9		13.1		12.3	

Total:156

## Appendix G Event/Action Plans

<b>Exceedance</b>	<b>ET Leader</b>	<b>IEC</b>	<b>Engineer</b>	<b>Contractor</b>
Action level exceeded on one sampling day	Verbally inform the Contractor, and IEC. Repeat in-situ measurement to confirm findings; Identify source(s) of impact; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measures with IEC, Engineer and Contractor; Repeat measurement on next day of exceedance.	Provide feedback to the Engineer on the remedial actions proposed by the ET / Contractor Advise Engineer on the effectiveness of the proposed remedial measures Verify the implementation of the remedial measures	Discuss with Contractor the proposed mitigation measures; Make agreement on the mitigation measures to be implemented; Assess the effectiveness of the implemented mitigation measures.	Inform the Engineer and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment; Consider changes of working methods; Propose and discuss mitigation measures with Engineer; Implement the agreed mitigation measures.
Action level exceeded on more than one consecutive sampling day	Repeat in-situ measurements to confirm findings; Identify source(s) of impact; Inform Contractor and IEC; Check monitoring data, all plant, equipment and Contractor's working methods; Discuss mitigation measure with IEC, Engineer and Contractor; Ensure mitigation measures are implemented; Prepare to increase the monitoring frequency to daily; Repeat measurement on next day of exceedance.	Provide feedback to the Engineer on the remedial actions proposed by the ET / Contractor Advise Engineer on the effectiveness of the proposed remedial measures Verify the implementation of the remedial measures	Discuss with ET and Contractor on the proposed mitigation measures; Make agreement on the mitigation measures to be implemented; Assess the effectiveness of the implemented mitigation measures.	Inform the Engineer and confirm notification of the non-compliance in writing; Rectify unacceptable practice; Check all plant and equipment; Consider changes of working methods; Propose mitigation measures to Engineer within 3 working days and discuss with ET and Engineer; Implement the agreed mitigation measures.



<b>Exceedance</b>	<b>ET Leader</b>	<b>IEC</b>	<b>Engineer</b>	<b>Contractor</b>
Limit level exceeded on one sampling day	<p>Verbally inform the Contractor, IEC and the EPD of the exceedance;</p> <p>Repeat in-situ measurement to confirm findings;</p> <p>Identify source(s) of impact;</p> <p>Check monitoring data, all plant, equipment and Contractor's working methods;</p> <p>Discuss mitigation measure with IEC, Engineer and Contractor;</p> <p>Ensure mitigation measures are implemented;</p> <p>Increase the monitoring frequency to daily until no exceedance of Limit level.</p>	<p>Provide feedback to the Engineer on the remedial actions proposed by the ET / Contractor</p> <p>Advise Engineer on the effectiveness of the proposed remedial measures</p> <p>Verify the implementation of the remedial measures</p>	<p>Discuss with Contractor on the proposed mitigation measures;</p> <p>Request Contractor to critically review the working methods;</p> <p>Make agreement on the mitigation measures to be implemented;</p> <p>Assess the effectiveness of the implemented mitigation measures.</p>	<p>Inform the Engineer and confirm notification of the non-compliance in writing;</p> <p>Rectify unacceptable practice;</p> <p>Check all plant and equipment; Consider changes of working methods;</p> <p>Propose mitigation measures to Engineer within 3 working days and discuss with Engineer;</p> <p>Implement the agreed mitigation measures.</p>
Limit level exceeded by more than one consecutive sampling day	<p>Repeat in-situ measurement to confirm findings;</p> <p>Identify source(s) of impact;</p> <p>Inform Contractor, IEC and EPD;</p> <p>Check monitoring data, all plant, equipment and Contractor's working methods;</p> <p>Discuss mitigation measure with IEC, Engineer and Contractor;</p> <p>Ensure mitigation measures are implemented;</p> <p>Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days.</p>	<p>Provide feedback to the Engineer on the remedial actions proposed by the ET / Contractor</p> <p>Advise Engineer on the effectiveness of the proposed remedial measures</p> <p>Verify the implementation of the remedial measures</p>	<p>Discuss with Contractor on the proposed mitigation measures;</p> <p>Request Contractor to critically review the working methods;</p> <p>Make agreement on the mitigation measures to be implemented;</p> <p>Assess the effectiveness of the implemented mitigation measures;</p> <p>Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the marine works until no exceedance of the Limit Level.</p>	<p>Inform the Engineer and confirm notification of the non-compliance in writing;</p> <p>Rectify unacceptable practice;</p> <p>Check all plant and equipment; Consider changes of working methods;</p> <p>Propose mitigation measures to Engineer within 3 working days and discuss with Engineer;</p> <p>Implement the agreed mitigation measures..</p> <p>As directed by the Engineer, to slow down or to stop all or part of the marine work</p>

# Appendix H

## Site Audit Summary

The Hongkong Electric Co. Ltd.  
Lamma Power Station Navigation Channel Improvement Project  
Weekly Site Inspection Checklist

Inspection date 3/8/04 Time 15:00 Inspected By ET: Larry Wong  
Contractor: Stanley Leung  
 Site LPS - Navigation Channel Improvement.

**Weather**

Condition  Sunny  Fine  Overcast  Hazy  Drizzle  Rain  Storm  
 Temperature 33 °C Humidity  High  Moderate  Low  
 Wind  Calm  Light  Breeze  Strong

**GENERAL**

Ref.	Checklist Condition	N/A	Yes	No	Unk	Remarks
EP 1.3	Is a copy of Environmental Permit together with all documents referred to in the permit kept in Engineers' and Contractors' offices for inspection at all sites/offices covered in the permit?		/			
EP 1.5	Is a copy of the most up-to-date Environmental Permit displayed at on the construction site at a convenient location for public information?		/			

**WASTE MANAGEMENT**

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
	<b>Dredged Materials</b>					
EM&A: 5.4	Does the contractor possess valid dumping permits for dredged marine mud and have them available for inspection?		/			
EM&A: 5.4	Has the contractor kept a complete set of dumping records/ticketing system and made them available for inspection?		/			
EM&A: 3.2.5	Are wastes disposed of at designated marine dumping sites approved by the Marine Fill Committee of the Civil Engineering Department?		/			

**WATER QUALITY & MARINE ECOLOGY**

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
EP: 3.2 EM&A: A1	Is dredging work prohibited at Working Zone BCs from February to April to protect Finless Porpoise during calving seasons?		/			

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
EP: 3.3 EM&A: A2	Do marine vessels avoid the Finless Porpoise habitat area when moving from and to disposal sites?		/			
EM&A: A2	Is marine vessel speed subject to a maximum limit of 10 knots in southern Lamma waters?		/			
EP: 3.4 EM&A: A4	Are grab dredger option and TSHD option prohibited to operate concurrently?		/			
EP: 3.5 EM&A: C1	Is dredging work carried out in phases in accordance with the latest dredging schedule?		/			
EP:3.5 EM&A: C2	Does each of the deployed grab dredgers have a grab capacity of no less than 8m <sup>3</sup> ?		/			
EP:3.5 EM&A: C3	Are cage-type silt curtains deployed for grab dredgers?		/			
EP:3.5 EM&A: C3	Are the silt curtains maintained properly throughout the dredging operation?		/			
EP: 3.5 EM&A: C4	Is it prohibited to operate more than 5 grab dredgers concurrently at anytime?		/			
EM&A: D1	Is daily dredging volume spread as evenly as possible over the 24 hour period whenever practical?		/			
EM&A: D1	Is special care taken during lowering and lifting grabs to minimize unnecessary disturbance to the seabed?		/			
EM&A: D1	Do vessels have adequate clearance to the seabed?		/			
EM&A: D1	Are barges fitted with tight fitting seals to their bottom openings to prevent leakage of material during loading and transportation?		/			
EM&A: D1	Are grabs closed tightly to minimize loss of sediment during dredging		/			
EM&A: D1	Is the descent speed of hoist controlled suitably low?		/			
EM&A: D1	Are barges filled to a level, which ensures that materials do not spill over during loading and transportation?		/			
EM&A: D1	Are large objects removed from the grab to avoid losses from partially closed grabs?	/				
EM&A: D2	Have the vessel operators been fully briefed on the following: a) Possible presence of dolphins and porpoises in the vicinity of the Study Area and along routes to the Project Area; b) Rules for safe vessel operation around cetaceans; c) Slowing to 10 knots in the presence of cetaceans within the area marked on Figure B3 (Annex B of EM&A Manual); and d) The dumping of chemicals, rubbish, oils etc into the waters is strictly prohibited and enforced.		/			

**NOISE**

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
NCO	Are valid construction noise permits, if required, available for inspection?		/			
EM&A: A3	Is the number of dredgers and operation conditions strictly followed as specified in the CNP.		/			
NCO	Are conditions of construction noise permits, if any, for the relevant part(s) of the works implemented accordingly?		/			

**Abbreviation**

EP: Environmental Permit (Environmental Permit No. EP-165/2003)  
 EM&A: EM&A Manual (Construction Phase)  
 NCO: Noise Control Ordinance  
 Unk: Unknown


**Remark**


Nil.

**Signatures**

ET Member

Contractor's Representative

  
 (Name in Block letters)  
 Larry Wong

  
 (Name in Block letters)  
 STANLEY LEUNG

**The Hongkong Electric Co. Ltd.**  
**Lamma Power Station Navigation Channel Improvement Project**  
**Weekly Site Inspection Checklist**

Inspection date  Time  Inspected By   
 Contractor:   
 Site

**Weather**

Condition  Sunny  Fine  Overcast  Hazy  Drizzle  Rain  Storm  
 Temperature  °C Humidity  High  Moderate  Low  
 Wind  Calm  Light  Breeze  Strong

**GENERAL**

Ref.	Checklist Condition	N/A	Yes	No	Unk	Remarks
EP 1.3	Is a copy of Environmental Permit together with all documents referred to in the permit kept in Engineers' and Contractors' offices for inspection at all sites/offices covered in the permit?		/			
EP 1.5	Is a copy of the most up-to-date Environmental Permit displayed at on the construction site at a convenient location for public information?		/			

**WASTE MANAGEMENT**

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
<b>Dredged Materials</b>						
EM&A: 5.4	Does the contractor possess valid dumping permits for dredged marine mud and have them available for inspection?		/			
EM&A: 5.4	Has the contractor kept a complete set of dumping records/ticketing system and made them available for inspection?		/			
EM&A: 3.2.5	Are wastes disposed of at designated marine dumping sites approved by the Marine Fill Committee of the Civil Engineering Department?		/			

**WATER QUALITY & MARINE ECOLOGY**

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
EP: 3.2 EM&A: A1	Is dredging work prohibited at Working Zone BCs from February to April to protect Finless Porpoise during calving seasons?		/			

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
EP: 3.3 EM&A: A2	Do marine vessels avoid the Finless Porpoise habitat area when moving from and to disposal sites?		/			
EM&A: A2	Is marine vessel speed subject to a maximum limit of 10 knots in southern Lamma waters?		/			
EP: 3.4 EM&A: A4	Are grab dredger option and TSHD option prohibited to operate concurrently?		/			
EP: 3.5 EM&A: C1	Is dredging work carried out in phases in accordance with the latest dredging schedule?		/			
EP:3.5 EM&A: C2	Does each of the deployed grab dredgers have a grab capacity of no less than 8m <sup>3</sup> ?		/			
EP:3.5 EM&A: C3	Are cage-type silt curtains deployed for grab dredgers?		/			
EP:3.5 EM&A: C3	Are the silt curtains maintained properly throughout the dredging operation?		/			
EP: 3.5 EM&A: C4	Is it prohibited to operate more than 5 grab dredgers concurrently at anytime?		/			
EM&A: D1	Is daily dredging volume spread as evenly as possible over the 24 hour period whenever practical?		/			
EM&A: D1	Is special care taken during lowering and lifting grabs to minimize unnecessary disturbance to the seabed?		/			
EM&A: D1	Do vessels have adequate clearance to the seabed?		/			
EM&A: D1	Are barges fitted with tight fitting seals to their bottom openings to prevent leakage of material during loading and transportation?		/			
EM&A: D1	Are grabs closed tightly to minimize loss of sediment during dredging		/			
EM&A: D1	Is the descent speed of hoist controlled suitably low?		/			
EM&A: D1	Are barges filled to a level, which ensures that materials do not spill over during loading and transportation?		/			
EM&A: D1	Are large objects removed from the grab to avoid losses from partially closed grabs?		/			
EM&A: D2	Have the vessel operators been fully briefed on the following: a) Possible presence of dolphins and porpoises in the vicinity of the Study Area and along routes to the Project Area; b) Rules for safe vessel operation around cetaceans; c) Slowing to 10 knots in the presence of cetaceans within the area marked on Figure B3 (Annex B of EM&A Manual); and d) The dumping of chemicals, rubbish, oils etc into the waters is strictly prohibited and enforced.		/			

**NOISE**

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
NCO	Are valid construction noise permits, if required, available for inspection?		/			
EM&A: A3	Is the number of dredgers and operation conditions strictly followed as specified in the CNP.		/			
NCO	Are conditions of construction noise permits, if any, for the relevant part(s) of the works implemented accordingly?		/			

**Abbreviation**

EP: Environmental Permit (Environmental Permit No. EP-165/2003)  
 EM&A: EM&A Manual (Construction Phase)  
 NCO: Noise Control Ordinance  
 Unk: Unknown

**Remark**

*Nil.*

---



---



---



---



---



---



---





---

**Signatures**

ET Member

Contractor's Representative

  
 \_\_\_\_\_  
 (Name in Block letters)  
 Larry Wong

  
 \_\_\_\_\_  
 (Name in Block letters)  
 STANLEY LEUNG



The Hongkong Electric Co. Ltd.  
Lamma Power Station Navigation Channel Improvement Project  
Weekly Site Inspection Checklist

Inspection date 17/8/04 Time 15:30 Inspected By ET: Lemmy Wong  
Contractor: Stanley Leung  
 Site LPS - Navigation Channel Improvement.

**Weather**

Condition  Sunny  Fine  Overcast  Hazy  Drizzle  Rain  Storm  
 Temperature 31 °C Humidity  High  Moderate  Low  
 Wind  Calm  Light  Breeze  Strong

**GENERAL**

Ref.	Checklist Condition	N/A	Yes	No	Unk	Remarks
EP 1.3	Is a copy of Environmental Permit together with all documents referred to in the permit kept in Engineers' and Contractors' offices for inspection at all sites/offices covered in the permit?		/			
EP 1.5	Is a copy of the most up-to-date Environmental Permit displayed at on the construction site at a convenient location for public information?		/			

**WASTE MANAGEMENT**

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
<b>Dredged Materials</b>						
EM&A: 5.4	Does the contractor possess valid dumping permits for dredged marine mud and have them available for inspection?		/			
EM&A: 5.4	Has the contractor kept a complete set of dumping records/ticketing system and made them available for inspection?		/			
EM&A: 3.2.5	Are wastes disposed of at designated marine dumping sites approved by the Marine Fill Committee of the Civil Engineering Department?		/			

**WATER QUALITY & MARINE ECOLOGY**

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
EP: 3.2 EM&A: A1	Is dredging work prohibited at Working Zone BCs from February to April to protect Finless Porpoise during calving seasons?		/			

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
EP: 3.3 EM&A: A2	Do marine vessels avoid the Finless Porpoise habitat area when moving from and to disposal sites?		/			
EM&A: A2	Is marine vessel speed subject to a maximum limit of 10 knots in southern Lamma waters?		/			
EP: 3.4 EM&A: A4	Are grab dredger option and TSHD option prohibited to operate concurrently?		/			
EP: 3.5 EM&A: C1	Is dredging work carried out in phases in accordance with the latest dredging schedule?		/			
EP:3.5 EM&A: C2	Does each of the deployed grab dredgers have a grab capacity of no less than 8m <sup>3</sup> ?		/			
EP:3.5 EM&A: C3	Are cage-type silt curtains deployed for grab dredgers?		/			
EP:3.5 EM&A: C3	Are the silt curtains maintained properly throughout the dredging operation?		/			
EP: 3.5 EM&A: C4	Is it prohibited to operate more than 5 grab dredgers concurrently at anytime?		/			
EM&A: D1	Is daily dredging volume spread as evenly as possible over the 24 hour period whenever practical?		/			
EM&A: D1	Is special care taken during lowering and lifting grabs to minimize unnecessary disturbance to the seabed?		/			
EM&A: D1	Do vessels have adequate clearance to the seabed?		/			
EM&A: D1	Are barges fitted with tight fitting seals to their bottom openings to prevent leakage of material during loading and transportation?		/			
EM&A: D1	Are grabs closed tightly to minimize loss of sediment during dredging		/			
EM&A: D1	Is the descent speed of hoist controlled suitably low?		/			
EM&A: D1	Are barges filled to a level, which ensures that materials do not spill over during loading and transportation?		/			
EM&A: D1	Are large objects removed from the grab to avoid losses from partially closed grabs?		/			
EM&A: D2	Have the vessel operators been fully briefed on the following: a) Possible presence of dolphins and porpoises in the vicinity of the Study Area and along routes to the Project Area; b) Rules for safe vessel operation around cetaceans; c) Slowing to 10 knots in the presence of cetaceans within the area marked on Figure B3 (Annex B of EM&A Manual); and d) The dumping of chemicals, rubbish, oils etc into the waters is strictly prohibited and enforced.		/			

**NOISE**

Ref	Checklist Condition	N/A	Yes	No	Unk	Remarks
NCO	Are valid construction noise permits, if required, available for inspection?		/			
EM&A: A3	Is the number of dredgers and operation conditions strictly followed as specified in the CNP.		/			
NCO	Are conditions of construction noise permits, if any, for the relevant part(s) of the works implemented accordingly?		/			

**Abbreviation**

EP: Environmental Permit (Environmental Permit No. EP-165/2003)  
 EM&A: EM&A Manual (Construction Phase)  
 NCO: Noise Control Ordinance  
 Unk: Unknown


**Remark**


Nil.

**Signatures**

ET Member

Contractor's Representative

  
 \_\_\_\_\_  
 (Name in Block letters)  
 Larry Wong

  
 \_\_\_\_\_  
 (Name in Block letters)  
 STANLEY LEUNG

## Appendix I: Summary of EMIS

### Mitigation Measures and their Implementation

EM&A Log Ref.	Mitigation Measures	Implementation Status
	<b>MITIGATION MEASURES FOR BOTH GRAB DREDGER AND TSHD OPTIONS</b>	
A1	No dredging should be carried out at Working Zone BCs from February to April.	C
A2	Vessel route between the dredging site and the disposal sites should avoid the Finless Porpoise habitat area and be subject to a maximum speed limit of 10 knots in southern Lamma waters as indicated in Figure B3 (Annex B of EM&A Manual).	C
A3	The number of dredgers and operation conditions specified in the applicable CNPs should be strictly followed. In applying for the CNPs, it should be ensured that the number of dredgers and operation conditions are compatible with the recommendations of this EIA.	C
A4	The grab dredger option and TSHD option should not be operated concurrently.	C
	<b>MITIGATION MEASURES FOR TSHD OPTION ONLY</b>	
B1	Dredging works should be carried out in phases in accordance with the programme, number of dredgers and maximum dredging rates specified in Table B4 (Annex B of EM&A Manual).	C
B2	There should not be more than one TSHD operating concurrently at any time.	N/A
	<b>MITIGATION MEASURES FOR GRAB DREDGER OPTION ONLY</b>	
C1	Dredging works should be carried out in phases in accordance with the programme, number of dredgers and maximum dredging rates specified in the latest dredging schedule.	C
C2	Each grab dredger to be deployed should have a grab capacity of no less than 8 m <sup>3</sup> .	C
C3	Cage-type silt curtains as illustrated in Figure B1 (Annex B of EM&A Manual) should be deployed for grab dredgers. The silt curtains should be properly maintained during the dredging period.	C
C4	There should be no more than 5 grab dredgers operating concurrently at any time.	C
	<b>GOOD SITE PRACTICE</b>	
D1	Daily dredging volume should be spread as evenly as possible over the 24 hour period whenever practical. Special care should be taken during lowering and lifting grabs to minimize unnecessary disturbance to the seabed.	C
	Vessels used should have adequate clearance of the seabed.	C
	Barges should be fitted with tight fitting seals to their bottom openings to prevent leakage of material.	C
	Grabs should be tightly closed and hoist speed is suitably low.	C
	Barges should not be filled to a level which will cause overflow of materials during loading and transportation.	C

EM&A Log Ref.	Mitigation Measures	Implementation Status
D2	<p>The vessel operators should be fully briefed on the following:</p> <ul style="list-style-type: none"> <li>• Possible presence of dolphins and porpoises in the vicinity of the Study Area and along routes to the Project Area;</li> <li>• Rules for safe vessel operation around cetaceans;</li> <li>• Slowing to 10 knots in the presence of cetaceans within the area marked on Figure B3 (Annex B of EM&amp;A Manual); and</li> <li>• The dumping of chemicals, rubbish, oils etc into the waters</li> </ul>	C

Remarks:

- C - Compliance with mitigation measure  
NC - Non-compliance with mitigation measure  
N/A - Not Applicable

# Appendix J

## Tentative Construction Programme

**HONG KONG ELECTRIC CO., LTD.**  
**Lamma Power Station Navigation Channel Improvement**

Construction Programme (up to -16mPD)

Description	SEP-04		OCT-04		NOV-04	
	10	20	10	20	10	20
Dredging	██████████					