Name of site:

Ting Kok Road Pumping Station No.5 1-Dec-06

Smapling equipment used:	Dates calibrated
	į.
GA 2000	22/08/2006

		· ·			Perimeter or	n-site and/or off-site	monitoring holes)	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation_		Time	condition		(methane %)	(%)			
Portion 5	1-Dec-06	8:15	Fine	79.3	0	0	20.6	20.6	Ground
Portion 5	1-Dec-06	8:16	Fine	79.2	0	0	20.7	20.6	3m depth
Poriton 5	1-Dec-06	8:17	Fine	79.2	0	0	20.7	20.6	6m depth
Portion 4	1-Dec-06	8:18	Fine	79.2	0	0	20.7	20.6	5m depth
Portion 4	1-Dec-06	8:19	Fine	79.1	0	0	20.8	20.6	10m depth
Portion 7	1-Dec-06	8:20	Fine	79.2	0	0	20.7	20.6	4m depth
Portion 7	1-Dec-06	8:21	Fine	79.2	0	0	20.7	20.6	3m depth
Portion 7	1-Dec-06	8:22	Fine	79.2	0	0	20.7	20.6	2.5m depth
Portion 7	1-Dec-06	8:23	Fine	79.2	0	0	20.7	20.6	4m depth
Portion 7	1-Dec-06	8:24	Fine	79.3	0	0	20.6	20.6	4m depth
Portion 7	1-Dec-06	8:25	Fine	79.3	0	0	20.6	20.6	2m depth
Portion 6	1-Dec-06	8:26	Fine	79.3	0	0	20.6	20.6	2m depth
									<u> </u>
			<u> </u>						
	ļ								
	<u> </u>	L	<u> </u>						

Field Technician:	{		C	Checked by:	$\sim \lambda$	NA)
	(Sub-Age	ent / Supervis or)			(R	<u>\$ 0)</u>

Name of site:

Ting Kok Road Pumping Station No.5 1-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes							
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark	
ocation	Measurement	Time	condition		(methane %)	(%)				
Portion 5	1-Dec-06	12:21	Fine	79.3	0	0	20.6	24.8	Ground	
Portion 5	1-Dec-06	12:22	Fine	79.2	0	0	20.7	24.8	3m depth	
Poriton 5	1-Dec-06	12:23	Fine	79.2	0	0	20.7	24.8	6m depth	
Portion 4	1-Dec-06	12:24	Fine	79.2	0	0	20.7	24.8	5m depth	
Portion 4	1-Dec-06	12:25	Fine	79.3	0	0	20.6	24.8	10m depth	
Portion 7	1-Dec-06	12:26	Fine	79.2	0	0	20.7	24.8	4m depth	
Portion 7	1-Dec-06	12:27	Fine	79.2	0	0	20.7	24.8	3m depth	
Portion 7	1-Dec-06	12:28	Fine	79.2	0	0	20.7	24.8	2.5m depth	
Portion 7	1-Dec-06	12:29	Fine	79.2	0	0	20.7	24.8	4m depth	
Portion 7	1-Dec-06	12:30	Fine	79.2	0	0	20.7	24.8	4m depth	
Portion 7	1-Dec-06	12:31	Fine	79.1	0	0	20.8	24.8	2m depth	
Portion 6	1-Dec-06	12:32	Fine	79.2	0	0	20.7	24.8	2m depth	
								······································		
		<u> </u>								
· · · · · · · · · · · · · · · · · · ·										
					0					

Field Technician:		Checked by:	No	
	(Sub/Agent / Supervis or)		(RSO)	

Name of site:

Ting Kok Road Pumping Station No.5 2-Dec-06

Date of Measurement: 2-De

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-sit	e monitoring holes	3	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location	Measurement	Time	condition		(methane %)	(%)			
Portion 5	2-Dec-06	8:15	Fine	79.2	0	0	20.7	18.4	Ground
Portion 5	2-Dec-06	8:16	Fine	79.2	0	0	20.7	18.4	3m depth
Poriton 5	2-Dec-06	8:17	Fine	79.2	0	0	20.7	18.4	6m depth
Portion 4	2-Dec-06	8:18	Fine	79.2	0	0	20.7	18.4	5m depth
Portion 4	2-Dec-06	8:19	Fine	79.3	0	0	20.6	18.4	10m depth
Portion 7	2-Dec-06	8:20	Fine	79.2	0	0	20.7	18.4	4m depth
Portion 7	2-Dec-06	8:21	Fine	79.2	0	0	20.7	18.4	3m depth
Portion 7	2-Dec-06	8:22	Fine	79.2	0	0	20.7	18.4	2.5m depth
Portion 7	2-Dec-06	8:23	Fine	79.1	0	0	20.8	18.4	4m depth
Portion 7	2-Dec-06	8:24	Fine	79.2	0	0	20.7	18.4	4m depth
Portion 7	2-Dec-06	8:25	Fine	79.3	0	0	20.6	18.4	2m depth
Portion 6	2-Dec-06	8:26	Fine	79.3	0	0	20.6	18.4	2m depth
						9			
		<u> </u>							
									·

Field Technician:	<u></u>	Checked by:	Na
	(Sub-Agent / Supervisor)		(RSD)

Name of site:

Ting Kok Road Pumping Station No.5 2-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation	Measurement		condition		(methane %)	(%)			
Portion 5	2-Dec-06	12:21	Fine	79.2	0	0	20.7	23.8	Ground
Portion 5	2-Dec-06	12:22	Fine	79.2	0	0	20.7	23.8	3m depth
Poriton 5	2-Dec-06	12:23	Fine	79.3	0	0	20.6	23.8	6m depth
Portion 4	2-Dec-06	12:24	Fine	79.2	0	0	20.7	23.8	5m depth
Portion 4	2-Dec-06	12:25	Fine	79.3	0	0	20.6	23.8	10m depth
Portion 7	2-Dec-06	12:26	Fine	79.1	0	0	20.8	23.8	4m depth
Portion 7	2-Dec-06	12:27	Fine	79.1	0	0	20.8	23.8	3m depth
Portion 7	2-Dec-06	12:28	Fine	79.2	0	0	20.7	23.8	2.5m depth
Portion 7	2-Dec-06	12:29	Fine	79.2	0	0	20.7	23.8	4m depth
Portion 7	2-Dec-06	12:30	Fine	79.2	0	0	20.7	23.8	4m depth
Portion 7	2-Dec-06	12:31	Fine	79.3	0	0	20.6	23.8	2m depth
Portion 6	2-Dec-06	12:32	Fine	79.1	0	0	20.8	23.8	2m depth
		ļ							
· .			<u> </u>						
· · · · · · · · · · · · · · · · · · ·									
								7. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	

	(/)		· · · · · · · · · · · · · · · · · · ·
Field Technician:	 *	Checked by:	
	(Sub-Agent /-Supervisor)		(RSO)

Name of site:
Date of Measurement:

Ting Kok Road Pumping Station No.5 3-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

				Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas		Oxygen (%)	Temp (°C)	Remark			
Location	Measurement	Time	condition		(methane %)	(%)						
Portion 5	3-Dec-06	8:15	Fine	79.3	0	0	20.6	18.6	Ground			
Portion 5	3-Dec-06	8:16	Fine	79.2	0	0	20.7	18.6	3m depth			
Poriton 5	3-Dec-06	8:17	Fine	79.3	0 /	0	20.6	18.6	6m depth			
Portion 4	3-Dec-06	8:18	Fine	79.2	0	0	20.7	18.6	5m depth			
Portion 4	3-Dec-06	8:19	Fine	79.3	0	0	20.6	18.6	10m depth			
Portion 7	3-Dec-06	8:20	Fine	79.1	0	0	20.8	18.6	4m depth			
Portion 7	3-Dec-06	8:21	Fine	79.1	0	0	20.8	18.6	3m depth			
Portion 7	3-Dec-06	8:22	Fine	79.3	0	0	20.6	18.6	2.5m depth			
Portion 7	3-Dec-06	8:23	Fine	79.1	0	0	20.8	18.6	4m depth			
Portion 7	3-Dec-06	8:24	Fine	79.2	0	0	20.7	18.6	4m depth			
Portion 7	3-Dec-06	8:25	Fine	79.2	0	0	20.7	18.6	2m depth			
Portion 6	3-Dec-06	8:26	Fine	79.2	0	0	20.7	18.6	2m depth			
:												
···												
								·				
	<u> </u>								 			
					and the second							
								Maria de la companya				

	11			
Field Technician:	 */		Checked by:	$\sim \sim \sim$
	(Sub-Agent / S	upervisor)		(RSQ))

Name of site:

Ting Kok Road Pumping Station No.5 3-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	e monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation	Measurement		condition		(methane %)	(%)			
Portion 5	3-Dec-06	12:21	Fine	79.3	0	0	20.6	22.9	Ground
Portion 5	3-Dec-06	12:22	Fine	79.2	0	0	20.7	22.9	3m depth
Poriton 5	3-Dec-06	12:23	Fine	79.2	0	0	20.7	22.9	6m depth
Portion 4	3-Dec-06	12:24	Fine	79.2	0	0	20.7	22.9	5m depth
Portion 4	3-Dec-06	12:25	Fine	79.3	0	0	20.6	22.9	10m depth
Portion 7	3-Dec-06	12:26	Fine	79.2	0	0	20.7	22.9	4m depth
Portion 7	3-Dec-06	12:27	Fine	79.1	0	0	20.8	22.9	3m depth
Portion 7	3-Dec-06	12:28	Fine	79.2	0	0	20.7	22.9	2.5m depth
Portion 7	3-Dec-06	12:29	Fine	79.2	0	0	20.7	22.9	4m depth
Portion 7	3-Dec-06	12:30	Fine	79.2	0	0	20.7	22.9	4m depth
Portion 7	3-Dec-06	12:31	Fine	79.3	0	0	20.6	22.9	2m depth
Portion 6	3-Dec-06	12:32	Fine	79.2	0	0	20.7	22.9	2m depth
								· · · · · · · · · · · · · · · · · · ·	
					<u> </u>				
		·							

				T.
Field Technician:	<u> </u>		Checked by:	$\propto \sim \sim$
	(Sub-Agent / Superv isor	<u>r)</u>		(R\$Q)

Name of site:

Ting Kok Road Pumping Station No.5 4-Dec-06

	Smapling equipment used:	Dates calibrated
	GA 2000	22/08/2006
ſ		

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
_ocation	Measurement	Time	condition		(methane %)	(%)					
Portion 5	4-Dec-06	8:15	Fine	79.1	0	0	20.8	18.8	Ground		
Portion 5	4-Dec-06	8:16	Fine	79.1	0	0	20.8	18.8	3m depth		
Poriton 5	4-Dec-06	8:17	Fine	79.2	0	0	20.7	18.8	6m depth		
Portion 4	4-Dec-06	8:18	Fine	79.2	0	0	20.7	18.8	5m depth		
Portion 4	4-Dec-06	8:19	Fine	79.3	0	0	20.6	18.8	10m depth		
Portion 7	4-Dec-06	8:20	Fine	79.1	0	0	20.8	18.8	4m depth		
Portion 7	4-Dec-06	8:21	Fine	79.3	0	0	20.6	18.8	3m depth		
Portion 7	4-Dec-06	8:22	Fine	79.3	0	0	20.6	18.8	2.5m depth		
Portion 7	4-Dec-06	8:23	Fine	79.3	0	0	20.6	18.8	4m depth		
Portion 7	4-Dec-06	8:24	Fine	79.2	0	0	20.7	18.8	4m depth		
Portion 7	4-Dec-06	8:25	Fine	79.2	0	0	20.7	18.8	2m depth		
Portion 6	4-Dec-06	8:26	Fine	79.2	0	0	20.7	18.8	2m depth		
<u></u>											
<u> </u>											

		ļ				A STATE OF THE STA					
		ļ									
		<u> </u>		ļ							
5 .											

Field Technician:		Checked by:	 Au	
	(Sub-Agent / Superv isor)		(快 SO)	

Name of site:

Ting Kok Road Pumping Station No.5 4-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

		T T			Perimeter or	-site and/or off-sit	e monitoring hole:	3	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
_ocation	Measurement		condition		(methane %)	(%)			
Portion 5	4-Dec-06	12:21	Fine	79.2	0	0	20.7	23.5	Ground
Portion 5	4-Dec-06	12:22	Fine	79.3	0	0	20.6	23.5	3m depth
Poriton 5	4-Dec-06	12:23	Fine	79.1	0	0	20.8	23.5	6m depth
Portion 4	4-Dec-06	12:24	Fine	79.2	0	0	20.7	23.5	5m depth
Portion 4	4-Dec-06	12:25	Fine	79.2	0	0	20.7	23.5	10m depth
Portion 7	4-Dec-06	12:26	Fine	79.2	0	0	20.7	23.5	4m depth
Portion 7	4-Dec-06	12:27	Fine	79.1	0	0	20.8	23.5	3m depth
Portion 7	4-Dec-06	12:28	Fine	79.3	0	0	20.6	23.5	2.5m depth
Portion 7	4-Dec-06	12:29	Fine	79.2	0	0	20.7	23.5	4m depth
Portion 7	4-Dec-06	12:30	Fine	79.2	0	0	20.7	23.5	4m depth
Portion 7	4-Dec-06	12:31	Fine	79.1	0	0	20.8	23.5	2m depth
Portion 6	4-Dec-06	12:32	Fine	79.2	0	0	20.7	23.5	2m depth
				·					

Field Technician:			Checked by:	- Xu
	(Sub-Agent / S up e	ervisor)		(P(\$0)

Name of site:

Ting Kok Road Pumping Station No.5 5-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	monitoring holes	3	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation	Measurement	Time	condition		(methane %)	(%)			
Portion 5	5-Dec-06	8:15	Fine	79.2	0	0	20.7	20.2	Ground
Portion 5	5-Dec-06	8:16	Fine	79.2	0	0	20.7	20.2	3m depth
Poriton 5	5-Dec-06	8:17	Fine	79.4	0	0	20.5	20.2	6m depth
Portion 4	5-Dec-06	8:18	Fine	79.3	0	0	20.6	20.2	5m depth
Portion 4	5-Dec-06	8:19	Fine	79.3	0	0	20.6	20.2	10m depth
Portion 7	5-Dec-06	8:20	Fine	79.2	0	0	20.7	20.2	4m depth
Portion 7	5-Dec-06	8:21	Fine	79.2	0	0	20.7	20.2	3m depth
Portion 7	5-Dec-06	8:22	Fine	79.3	0	0	20.6	20.2	2.5m depth
Portion 7	5-Dec-06	8:23	Fine	79.2	0	0	20.7	20.2	4m depth
Portion 7	5-Dec-06	8:24	Fine	79.2	0	0	20.7	20.2	4m depth
Portion 7	5-Dec-06	8:25	Fine	79.1	0	0	20.8	20.2	2m depth
Portion 6	5-Dec-06	8:26	Fine	79.2	0	0	20.7	20.2	2m depth
w									
			* **						
······································	<u> </u>								
			<u> </u>						
<u> </u>									

					\wedge	
Field Technician:		1.14		Checked by:	1 XV	V
	(Sub-Age	nt / S upervi	sor)		 TRSO	

Name of site:

Ting Kok Road Pumping Station No.5 5-Dec-06

Date of Measurement: 5-Dec-

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	monitoring holes	3	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location	Measurement	Time	condition		(methane %)	(%)			
Portion 5	5-Dec-06	12:21	Fine	79.6	0	0	20.3	22.8	Ground
Portion 5	5-Dec-06	12:22	Fine	79.5	0	0	20.4	22.8	3m depth
Poriton 5	5-Dec-06	12:23	Fine	79.5	0	0	20.4	22.8	6m depth
Portion 4	5-Dec-06	12:24	Fine	79.5	0	0	20.4	22.8	5m depth
Portion 4	5-Dec-06	12:25	Fine	79.5	0	0	20.4	22.8	10m depth
Portion 7	5-Dec-06	12:26	Fine	79.5	0	0	20.4	22.8	4m depth
Portion 7	5-Dec-06	12:27	Fine	79.6	0	0	20.3	22.8	3m depth
Portion 7	5-Dec-06	12:28	Fine	79.5	0	0	20.4	22.8	2.5m depth
Portion 7	5-Dec-06	12:29	Fine	79.5	0	0	20.4	22.8	4m depth
Portion 7	5-Dec-06	12:30	Fine	79.5	0	0	20.4	22.8	4m depth
Portion 7	5-Dec-06	12:31	Fine	79.5	* / 0 / .	0	20.4	22.8	2m depth
Portion 6	5-Dec-06	12:32	Fine	79.6	0	0	20.3	22.8	2m depth
								·	
· · · · · · · · · · · · · · · · · · ·								2	
···									
· · · · · · · · · · · · · · · · · · ·		ļ							

		(//\			1,
Field Technician:	-			Checked by:	
		Sub-Agent / S	Supervisor)		(RSO)

Name of site:

Ting Kok Road Pumping Station No.5 6-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

	1.				Perimeter or	n-site and/or off-site	monitoring holes	3	···
ample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation	Measurement	Time	condition		(methane %)	(%)			
Portion 5	6-Dec-06	8:15	Fine	79.4	0)O	20.5	17.8	Ground
Portion 5	6-Dec-06	8:16	Fine	79.4	0	0	20.5	17.8	3m depth
Poriton 5	6-Dec-06	8:17	Fine	79.4	0	0	20.5	17.8	6m depth
Portion 4	6-Dec-06	8:18	Fine	79.3	0	0	20.6	17.8	5m depth
Portion 4	6-Dec-06	8:19	Fine	79.3	0	0	20.6	17.8	10m depth
Portion 7	6-Dec-06	8:20	Fine	79.3	0	0	20.6	17.8	4m depth
Portion 7	6-Dec-06	8:21	Fine	79.3	0	0	20.6	17.8	3m depth
Portion 7	6-Dec-06	8:22	Fine	79.3	0	0	20.6	17.8	2.5m depth
Portion 7	6-Dec-06	8:23	Fine	79.4	0	0	20.5	17.8	4m depth
Portion 7	6-Dec-06	8:24	Fine	79.3	0	0	20.6	17.8	4m depth
Portion 7	6-Dec-06	8:25	Fine	79.3	0	0	20.6	17.8	2m depth
Portion 6	6-Dec-06	8:26	Fine	79.4	0	0	20.5	17.8	2m depth
		a terminal and a							Zin dopar

				, A					

· · · · · · · · · · · · · · · · · · ·									
									

Field Technician:		Checked by:	Ahn	
	(Syb-Agent / Supervisor)		(RSO)	

Ting Kok Road Pumping Station No.5 6-Dec-06

Name of site: Date of Measurement:

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006
	* .

				Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark			
_ocation	Measurement		condition		(methane %)	(%)						
Portion 5	6-Dec-06	12:21	Fine	79.6	0	0	20.3	25.3	Ground			
Portion 5	6-Dec-06	12:22	Fine	79.5	0	0	20.4	25.3	3m depth			
Poriton 5	6-Dec-06	12:23	Fine	79.5	0	0	20.4	25.3	6m depth			
Portion 4	6-Dec-06	12:24	Fine	79.5	0	0	20.4	25.3	5m depth			
Portion 4	6-Dec-06	12:25	Fine	79.5	0	0	20.4	25.3	10m depth			
Portion 7	6-Dec-06	12:26	Fine	79.5	0	0	20.4	25.3	4m depth			
Portion 7	6-Dec-06	12:27	Fine	79.5	0	0	20.4	25.3	3m depth			
Portion 7	6-Dec-06	12:28	Fine	79.5	0	0	20.4	25.3	2.5m depth			
Portion 7	6-Dec-06	12:29	Fine	79.5	0	0	20.4	25.3	4m depth			
Portion 7	6-Dec-06	12:30	Fine	79.5	0	0	20.4	25.3	4m depth			
Portion 7	6-Dec-06	12:31	Fine	79.5	0	0	20.4	25.3	2m depth			
Portion 6	6-Dec-06	12:32	Fine	79.5	0	0	20.4	25.3	2m depth			
												
		<u> </u>					· · · · · · · · · · · · · · · · · · ·					
			<u> </u>									
		<u> </u>										
							. <u> </u>					
		 										
		<u> </u>	<u> </u>									
	<u> </u>	<u> </u>		<u> </u>	<u> </u>							

	:01				l,	
Field Technician:	X-			Checked by:	Otro	
	(Sub-Ag	ent / Supervisor)	-		(R\$O)	

Ting Kok Road Pumping Station No.5 7-Dec-06

Name of site: Date of Measurement:

	Smapling equipment used:	Dates calibrated
Ì		
	GA 2000	22/08/2006
1		

					Perimeter or	n-site and/or off-site	e monitorina holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation		Time	condition		(methane %)	(%)			
Portion 5	7-Dec-06	8:15	Fine	79.3	0	O I	20.6	16.5	Ground
Portion 5	7-Dec-06	8:16	Fine	79.3	0	0	20.6	16.5	3m depth
Poriton 5	7-Dec-06	8:17	Fine	79.4	0	0	20.5	16.5	6m depth
Portion 4	7-Dec-06	8:18	Fine	79.4	0	0	20.5	16.5	5m depth
Portion 4	7-Dec-06	8:19	Fine	79.4	0	0	20.5	16.5	10m depth
Portion 7	7-Dec-06	8:20	Fine	79.4	0	0	20.5	16.5	4m depth
Portion 7	7-Dec-06	8:21	Fine	79.3	0	0	20.6	16.5	3m depth
Portion 7	7-Dec-06	8:22	Fine	79.3	0	0	20.6	16.5	2.5m depth
Portion 7	7-Dec-06	8:23	Fine	79.4	0	0	20.5	16.5	4m depth
Portion 7	7-Dec-06	8:24	Fine	79.4	0	0	20.5	16.5	4m depth
Portion 7	7-Dec-06	8:25	Fine	79.4	0	0	20.5	16.5	2m depth
Portion 6	7-Dec-06	8:26	Fine	79.4	0	0	20.5	16.5	2m depth
								10.0	Ziii deptii
Y									
									
	· · · · · · · · · · · · · · · · · · ·								
			7						
									

Field Technician: Checked by:	
(Sub-Agent / Supervisor)	
(r_0)	

Name of site:

Ting Kok Road Pumping Station No.5 7-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes							
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark	
Location	Measurement		condition		(methane %)	(%)				
Portion 5	7-Dec-06	12:21	Fine	79.5	0	0	20.4	25.9	Ground	
Portion 5	7-Dec-06	12:22	Fine	79.6	0	0	20.3	25.9	3m depth	
Poriton 5	7-Dec-06	12:23	Fine	79.6	0	0	20.3	25.9	6m depth	
Portion 4	7-Dec-06	12:24	Fine	79.6	0	0	20.3	25.9	5m depth	
Portion 4	7-Dec-06	12:25	Fine	79.6	0	0	20.3	25.9	10m depth	
Portion 7	7-Dec-06	12:26	Fine	79.5	0	0	20.4	25.9	4m depth	
Portion 7	7-Dec-06	12:27	Fine	79.6	0	0	20.3	25.9	3m depth	
Portion 7	7-Dec-06	12:28	Fine	79.5	0	0	20.4	25.9	2.5m depth	
Portion 7	7-Dec-06	12:29	Fine	79.6	0	0	20.3	25.9	4m depth	
Portion 7	7-Dec-06	12:30	Fine	79.5	0	0	20.4	25.9	4m depth	
Portion 7	7-Dec-06	12:31	Fine	79.5	0	0	20.4	25.9	2m depth	
Portion 6	7-Dec-06	12:32	Fine	79.5	0	0	20.4	25.9	2m depth	
							. A setting			

				\sim λ	
Field Technician:		<u> </u>	Checked by:		terx
	(Sub-Agent / Supervise r)			(RS)O	·}

Name of site:

Date of Measurement:

Ting Kok Road Pumping Station No.5 8-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	monitoring holes	3	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
_ocation	Measurement		condition		(methane %)	(%)			
Portion 5	8-Dec-06	8:15	Fine	79.4	0	0	20.5	17.6	Ground
Portion 5	8-Dec-06	8:16	Fine	79.4	0	0	20.5	17.6	3m depth
Poriton 5	8-Dec-06	8:17	Fine	79.4	0	0	20.5	17.6	6m depth
Portion 4	8-Dec-06	8:18	Fine	79.4	0	0	20.5	17.6	5m depth
Portion 4	8-Dec-06	8:19	Fine	79.4	0	0	20.5	17.6	10m depth
Portion 7	8-Dec-06	8:20	Fine	79.4	0	0	20.5	17.6	4m depth
Portion 7	8-Dec-06	8:21	Fine	79.4	0	0	20.5	17.6	3m depth
Portion 7	8-Dec-06	8:22	Fine	79.3	0	0	20.6	17.6	2.5m depth
Portion 7	8-Dec-06	8:23	Fine	79.4	0	0	20.5	17.6	4m depth
Portion 7	8-Dec-06	8:24	Fine	79.3	0	0	20.6	17.6	4m depth
Portion 7	8-Dec-06	8:25	Fine	79.3	0	0	20.6	17.6	2m depth
Portion 6	8-Dec-06	8:26	Fine	79.3	0	0	20.6	17.6	2m depth
	1								
·									
· · · · · · · · · · · · · · · · · · ·									
			ļ						
	 	 	<u> </u>				y y		
<u> </u>		<u> </u>							
	<u> </u>					<u> </u>			

	(//	\		and the same of th
Field Technician:	<u> </u>		Checked by:	_ (X4w
	(Sub [#] Ag	gent / Supervis er)		(R\$O)

Name of site: Date of Measurement:

Ting Kok Road Pumping Station No.5 8-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
ocation	Measurement		condition		(methane %)	(%)					
Portion 5	8-Dec-06	12:21	Fine	79.5	0	0	20.4	26.8	Ground		
Portion 5	8-Dec-06	12:22	Fine	79.5	0	0	20.4	26.8	3m depth		
Poriton 5	8-Dec-06	12:23	Fine	79.5	0	0	20.4	26.8	6m depth		
Portion 4	8-Dec-06	12:24	Fine	79.5	0	0	20.4	26.8	5m depth		
Portion 4	8-Dec-06	12:25	Fine	79.6	0	0	20.3	26.8	10m depth		
Portion 7	8-Dec-06	12:26	Fine	79.5	0	0	20.4	26.8	4m depth		
Portion 7	8-Dec-06	12:27	Fine	79.6	0	0	20.3	26.8	3m depth		
Portion 7	8-Dec-06	12:28	Fine	79.5	0	0	20.4	26.8	2.5m depth		
Portion 7	8-Dec-06	12:29	Fine	79.6	0	0	20.3	26.8	4m depth		
Portion 7	8-Dec-06	12:30	Fine	79.6	0	0	20.3	26.8	4m depth		
Portion 7	8-Dec-06	12:31	Fine	79.5	0	0	20.4	26.8	2m depth		
Portion 6	8-Dec-06	12:32	Fine	79.5	0	0	20.4	26.8	2m depth		
<u> </u>											
	1										
			1				<u> </u>				
			1								

	(\sim \sim \sim
Field Technician:			Checked by:	Ma
	(Sub-Age	nt / Superviso r)		(RSD)

Name of site:

Ting Kok Road Pumping Station No.5 9-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

	1		Perimeter on-site and/or off-site monitoring holes							
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark	
Location	Measurement	Time	condition		(methane %)	(%)				
Portion 5	9-Dec-06	8:15	Fine	79.3	0	0	20.6	18.1	Ground	
Portion 5	9-Dec-06	8:16	Fine	79.4	0	0	20.5	18.1	3m depth	
Poriton 5	9-Dec-06	8:17	Fine	79.4	0	0	20.5	18.1	6m depth	
Portion 4	9-Dec-06	8:18	Fine	79.4	0	0	20.5	18.1	5m depth	
Portion 4	9-Dec-06	8:19	Fine	79.4	0	0 1 9	20.5	18.1	10m depth	
Portion 7	9-Dec-06	8:20	Fine	79.3	0	0	20.6	18.1	4m depth	
Portion 7	9-Dec-06	8:21	Fine	79.4	0	0	20.5	18.1	3m depth	
Portion 7	9-Dec-06	8:22	Fine	79.3	0	0	20.6	18.1	2.5m depth	
Portion 7	9-Dec-06	8:23	Fine	79.4	0	0	20.5	18.1	4m depth	
Portion 7	9-Dec-06	8:24	Fine	79.4	0	0	20.5	18.1	4m depth	
Portion 7	9-Dec-06	8:25	Fine	79.3	0	0	20.6	18.1	2m depth	
Portion 6	9-Dec-06	8:26	Fine	79.3	0	0	20.6	18.1	2m depth	

Field Technician:			Checked by:	Ala
	· ·	\$ub-Agent / -Supervis or)		(RSO)

Name of site:

Ting Kok Road Pumping Station No.5 9-Dec-06

Date of Measurement: 9-Dec-

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

		T	,		Derivedes	it /ff -it			
				r ==		n-site and/or off-site			
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location	Measurement		condition		(methane %)	(%)			
Portion 5	9-Dec-06	12:21	Fine	79.6	0	0	20.3	25.6	Ground
Portion 5	9-Dec-06	12:22	Fine	79.5	0	0	20.4	25.6	3m depth
Poriton 5	9-Dec-06	12:23	Fine	79.5	0	0	20.4	25.6	6m depth
Portion 4	9-Dec-06	12:24	Fine	79.5	0	0	20.4	25.6	5m depth
Portion 4	9-Dec-06	12:25	Fine	79.6	0	0	20.3	25.6	10m depth
Portion 7	9-Dec-06	12:26	Fine	79.5	0	0	20.4	25.6	4m depth
Portion 7	9-Dec-06	12:27	Fine	79.5	0	0 :	20.4	25.6	3m depth
Portion 7	9-Dec-06	12:28	Fine	79.5	0	0	20.4	25.6	2.5m depth
Portion 7	9-Dec-06	12:29	Fine	79.6	0	0	20.3	25.6	4m depth
Portion 7	9-Dec-06	12:30	Fine	79.5	0	0	20.4	25.6	4m depth
Portion 7	9-Dec-06	12:31	Fine	79.5	0	0	20.4	25.6	2m depth
Portion 6	9-Dec-06	12:32	Fine	79.5	0	0	20.4	25.6	2m depth
					1 1 1				
* * * * * * * * * * * * * * * * * * *									

Field Technician:	***	Checked by:	Oliv
()	Sub-Agent / Supervis or)		(R \$ P)

Name of site:

Ting Kok Road Pumping Station No.5 10-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006
	a la company

			Perimeter on-site and/or off-site monitoring holes						
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location	Measurement	Time	condition		(methane %)	(%)			
Portion 5	10-Dec-06	8:15	Fine	79.6	0	0	20.3	18.1	Ground
Portion 5	10-Dec-06	8:16	Fine	79.5	0	0	20.4	18.1	3m depth
Poriton 5	10-Dec-06	8:17	Fine	79.5	0	0	20.4	18.1	6m depth
Portion 4	10-Dec-06	8:18	Fine	79.5	0	0	20.4	18.1	5m depth
Portion 4	10-Dec-06	8:19	Fine	79.5	0	0	20.4	18.1	10m depth
Portion 7	10-Dec-06	8:20	Fine	79.5	0	0	20.4	18.1	4m depth
Portion 7	10-Dec-06	8:21	Fine	79.6	0	0	20.3	18.1	3m depth
Portion 7	10-Dec-06	8:22	Fine	79.5	0	0	20.4	18.1	2.5m depth
Portion 7	10-Dec-06	8:23	Fine	79.6	0	0	20.3	18.1	4m depth
Portion 7	10-Dec-06	8:24	Fine	79.5	0	0	20.4	18.1	4m depth
Portion 7	10-Dec-06	8:25	Fine	79.5	0	0	20.4	18.1	2m depth
Portion 6	10-Dec-06	8:26	Fine	79.5	0	0	20.4	18.1	2m depth

	-		 						
	1		 						
<u></u>	<u> </u>	 							_
									-

	///			$\sim V$
Field Technician:			Checked by:	(Xquo
	(Sub-Agent / S	upervisor)		(RBO)

Name of site:

Ting Kok Road Pumping Station No.5 10-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes							
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark	
Location	Measurement		condition		(methane %)	(%)				
Portion 5	10-Dec-06	12:21	Fine	79.5	0	0	20.4	26.8	Ground	
Portion 5	10-Dec-06	12:22	Fine	79.6	0	0	20.3	26.8	3m depth	
Poriton 5	10-Dec-06	12:23	Fine	79.6	0	0	20.3	26.8	6m depth	
Portion 4	10-Dec-06	12:24	Fine	79.5	0	0	20.4	26.8	5m depth	
Portion 4	10-Dec-06	12:25	Fine	79.6	0	0	20.3	26.8	10m depth	
Portion 7	10-Dec-06	12:26	Fine	79.5	0	0	20.4	26.8	4m depth	
Portion 7	10-Dec-06	12:27	Fine	79.5	0	0	20.4	26.8	3m depth	
Portion 7	10-Dec-06	12:28	Fine	79.6	0	0	20.3	26.8	2.5m depth	
Portion 7	10-Dec-06	12:29	Fine	79.6	0	0	20.3	26.8	4m depth	
Portion 7	10-Dec-06	12:30	Fine	79.5	0	0	20.4	26.8	4m depth	
Portion 7	10-Dec-06	12:31	Fine	79.6	0	0	20.3	26.8	2m depth	
Portion 6	10-Dec-06	12:32	Fine	79.5	0	0	20.4	26.8	2m depth	
								A STATE OF THE STA		
		1	<u> </u>							
	:									

	1		
Field Technician:	4	Checked by:	Olio
	(Sub-Agent / S upervis or)		(RSO)

Name of site:

Ting Kok Road Pumping Station No.5 11-Dec-06

Smapling equipment used:	Dates calibrated		
	A Company		
GA 2000	22/08/2006		

			Perimeter on-site and/or off-site monitoring holes								
ample	1	Samping	Weather	Balance gas (%)	Flammable gas (methane %)	Carbon Dioxide (%)	Oxygen (%)	Temp (°C)	Remark		
ocation	Measurement	Time	condition	70 -	(memane 76) 0	0	20.4	17.9	Ground		
Portion 5	11-Dec-06	8:15	Fine	79.5		0	20.3	17.9	3m depth		
Portion 5	11-Dec-06	8:16	Fine	79.6	0	0	20.4	17.9	6m depth		
Poriton 5	11-Dec-06	8:17	Fine	79.5	0	 _ _ 	20.4	17.9	5m depth		
Portion 4	11-Dec-06	8:18	Fine	79.5	0	0		17.9	10m depth		
Portion 4	11-Dec-06	8:19	Fine	79.5	0	0	20.4				
Portion 7	11-Dec-06	8:20	Fine	79.5	0	0	20.4	17.9	4m depth		
Portion 7	11-Dec-06	8:21	Fine	79.5	0	0	20.4	17.9	3m depth		
Portion 7	11-Dec-06	8:22	Fine	79.5	0	0	20.4	17.9	2.5m depth		
Portion 7	11-Dec-06	8:23	Fine	79.5	0	0	20.4	17.9	4m depth		
Portion 7	11-Dec-06	8:24	Fine	79.5	0	0	20.4	17.9	4m depth		
Portion 7	11-Dec-06	8:25	Fine	79.5	0	0	20.4	17.9	2m depth		
Portion 6	11-Dec-06	8:26	Fine	79.5	0	0	20.4	17.9	2m depth		
·	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										
		<u> </u>									
			 								
		 	1								
		1						4			
								3.5			
	+	1									
		+	-		1						

						A)	
Field Technician:		*		Checked by:	X	tuo	_
Ticia Teominolani.	-	(Sub-Agen	t /-Supervisor)		(À	(\$0)	_
						Ų	

Name of site: Date of Measurement:

Ting Kok Road Pumping Station No.5 11-Dec-06

Smapling equipment used:	Dates calibrated			
GA 2000	22/08/2006			
9.00 mm				

					Perimeter or	n-site and/or off-site	e monitoring holes	3	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
_ocation	Measurement	Time	condition		(methane %)	(%)			1,11,4
Portion 5	11-Dec-06	12:21	Fine	79.6	0	0	20.3	24.6	Ground
Portion 5	11-Dec-06	12:22	Fine	79.5	0	0	20.4	24.6	3m depth
Poriton 5	11-Dec-06	12:23	Fine	79.5	0	0	20.4	24.6	6m depth
Portion 4	11-Dec-06	12:24	Fine	79.5	0	0	20.4	24.6	5m depth
Portion 4	11-Dec-06	12:25	Fine	79.5	0	0	20.4	24.6	10m depth
Portion 7	11-Dec-06	12:26	Fine	79.5	0	0	20.4	24.6	4m depth
Portion 7	11-Dec-06	12:27	Fine	79.5	0	0	20.4	24.6	3m depth
Portion 7	11-Dec-06	12:28	Fine	79.5	0	0	20.4	24.6	2.5m depth
Portion 7	11-Dec-06	12:29	Fine	79.5	0	0	20.4	24.6	4m depth
Portion 7	11-Dec-06	12:30	Fine	79.5	0	0	20.4	24.6	4m depth
Portion 7	11-Dec-06	12:31	Fine	79.5	0	0	20.4	24.6	2m depth
Portion 6	11-Dec-06	12:32	Fine	79.5	0	0	20.4	24.6	2m depth

-									

		$A\Lambda$			\sim λ
Field Technician:		*		Checked by:	<u> </u>
		(Sub-Agent / Supervise	r)-		(R\$O)

Name of site:

Ting Kok Road Pumping Station No.5 12-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

<u></u>	, 	1	1		Derimeter er	site and/or off pite	manitaring halas		
						n-site and/or off-site			
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
_ocation	Measurement	Time	condition		(methane %)	(%)			
Portion 5	12-Dec-06	8:15	Fine	79.6	0	0	20.3	17.9	Ground
Portion 5	12-Dec-06	8:16	Fine	79.6	0	0	20.3	17.9	3m depth
Poriton 5	12-Dec-06	8:17	Fine	79.5	0	0	20.4	17.9	6m depth
Portion 4	12-Dec-06	8:18	Fine	79.5	0	0	20.4	17.9	5m depth
Portion 4	12-Dec-06	8:19	Fine	79.5	0	0	20.4	17.9	10m depth
Portion 7	12-Dec-06	8:20	Fine	79.5	0	0	20.4	17.9	4m depth
Portion 7	12-Dec-06	8:21	Fine	79.5	0	0	20.4	17.9	3m depth
Portion 7	12-Dec-06	8:22	Fine	79.5	0	0	20.4	17.9	2.5m depth
Portion 7	12-Dec-06	8:23	Fine	79.5	0	0	20.4	17.9	4m depth
Portion 7	12-Dec-06	8:24	Fine	79.6	0	0	20.3	17.9	4m depth
Portion 7	12-Dec-06	8:25	Fine	79.5	0	0	20.4	17.9	2m depth
Portion 6	12-Dec-06	8:26	Fine	79.5	0	0	20.4	17.9	2m depth
				1.					
		1.		1					

Field Technician:		Checked by:	New
	(Sub-Agent / Supervisor)		(R\$O)

Name of site:

Ting Kok Road Pumping Station No.5 12-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			÷		Perimeter or	n-site and/or off-site	e monitoring holes	3	
ample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation	Measurement		condition		(methane %)	(%)			
Portion 5	12-Dec-06	12:21	Fine	79.5	0	0	20.4	25.6	Ground
Portion 5	12-Dec-06	12:22	Fine	79.5	0	0	20.4	25.6	3m depth
Poriton 5	12-Dec-06	12:23	Fine	79.5	0	0	20.4	25.6	6m depth
Portion 4	12-Dec-06	12:24	Fine	79.5	0	0	20.4	25.6	5m depth
Portion 4	12-Dec-06	12:25	Fine	79.5	0	0	20.4	25.6	10m depth
Portion 7	12-Dec-06	12:26	Fine	79.5	0	0	20.4	25.6	4m depth
Portion 7	12-Dec-06	12:27	Fine	79.5	0	0	20.4	25.6	3m depth
Portion 7	12-Dec-06	12:28	Fine	79.5	0	0	20.4	25.6	2.5m depth
Portion 7	12-Dec-06	12:29	Fine	79.6	0	0	20.3	25.6	4m depth
Portion 7	12-Dec-06	12:30	Fine	79.5	0	0	20.4	25.6	4m depth
Portion 7	12-Dec-06	12:31	Fine	79.6	0	0	20.3	25.6	2m depth
Portion 6	12-Dec-06	12:32	Fine	79.5	0	0	20.4	25.6	2m depth
:			<u> </u>						<u> </u>
						N. I			
			1.						

		11				$\sim \lambda$	
Field Technician:		4		1 1	Checked by:	Caro	
	(5	Sulo-Agent	/ Supervis	sor)		(RSO)	

Name of site:

Ting Kok Road Pumping Station No.5 13-Dec-06

Smapling equipment used:	Dates calibrated			
GA 2000	22/08/2006			

		<u> </u>			Perimeter or	n-site and/or off-site	monitoring holes		
ample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation	Measurement	Time	condition		(methane %)	(%)			
Portion 5	13-Dec-06	8:15	Fine	79.6	0	0	20.3	18.9	Ground
Portion 5	13-Dec-06	8:16	Fine	79.6	0	0	20.3	18.9	3m depth
Poriton 5	13-Dec-06	8:17	Fine	79.5	0	0	20.4	18.9	6m depth
Portion 4	13-Dec-06	8:18	Fine	79.5	0	0	20.4	18.9	5m depth
Portion 4	13-Dec-06	8:19	Fine	79.5	0	0	20.4	18.9	10m depth
Portion 7	13-Dec-06	8:20	Fine	79.5	0	0	20.4	18.9	4m depth
Portion 7	13-Dec-06	8:21	Fine	79.5	0	0	20.4	18.9	3m depth
Portion 7	13-Dec-06	8:22	Fine	79.5	0	0	20.4	18.9	2.5m depth
Portion 7	13-Dec-06	8:23	Fine	79.5	0	0	20.4	18.9	4m depth
Portion 7	13-Dec-06	8:24	Fine	79.6	0	0	20.3	18.9	4m depth
Portion 7	13-Dec-06	8:25	Fine	79.5	0	0	20.4	18.9	2m depth
Portion 6	13-Dec-06	8:26	Fine	79.5	0	0	20.4	18.9	2m depth
		4.4							
	 								
	1								
	<u> </u>								
	1								
		†							

Field Technician:				Checked by:	Olic
Tield Technician.	· ·	(Sub-Agent / Su	pervisor)		(R\$O)

Name of site:

Ting Kok Road Pumping Station No.5 13-Dec-06

Smapling equipment used:	Dates calibrated			
GA 2000	22/08/2006			

	T	1	1		Perimeter or	n-site and/or off-site	e monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location	Measurement	Time	condition		(methane %)	(%)			
Portion 5	13-Dec-06	12:21	Fine	79.5	0	0	20.4	21.3	Ground
Portion 5	13-Dec-06	12:22	Fine	79.6	0	0	20.3	21.3	3m depth
Poriton 5	13-Dec-06	12:23	Fine	79.5	0	0	20.4	21.3	6m depth
Portion 4	13-Dec-06	12:24	Fine	79.5	0	0	20.4	21.3	5m depth
Portion 4	13-Dec-06	12:25	Fine	79.5	0	0	20.4	21.3	10m depth
Portion 7	13-Dec-06	12:26	Fine	79.5	0	0	20.4	21.3	4m depth
Portion 7	13-Dec-06	12:27	Fine	79.5	0	0	20.4	21.3	3m depth
Portion 7	13-Dec-06	12:28	Fine	79.5	0	0	20.4	21.3	2.5m depth
Portion 7	13-Dec-06	12:29	Fine	79.6	0	0	20.3	21.3	4m depth
Portion 7	13-Dec-06	12:30	Fine	79.5	0	0	20.4	21.3	4m depth
Portion 7	13-Dec-06	12:31	Fine	79.4	0	0	20.5	21.3	2m depth
Portion 6	13-Dec-06	12:32	Fine	79.5	0	0	20.4	21.3	2m depth
:									
	and the second								
÷						as III			
, , , , , , , , , , , , , , , , , , ,									

		1.			1	
		$\mathcal{L}\Lambda$				
Field Technician:		*+-	<u>, , , , , , , , , , , , , , , , , , , </u>	Checked by:	 111	<u> </u>
		(Sub-Agent / Sup	ervisor)		(RSQ)	
					, //	

Name of site:

Date of Measurement:

Ting Kok Road Pumping Station No.5 14-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	monitoring holes	}	·
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas		Oxygen (%)	Temp (°C)	Remark
ocation	Measurement	Time	condition		(methane %)	(%)			
Portion 5	14-Dec-06	8:15	Fine	79.5	0	0	20.4	14.1	Ground
Portion 5	14-Dec-06	8:16	Fine	79.6	0	0	20.3	14.1	3m depth
Poriton 5	14-Dec-06	8:17	Fine	79.6	0	0	20.3	14.1	6m depth
Portion 4	14-Dec-06	8:18	Fine	79.6	0	0	20.3	14.1	5m depth
Portion 4	14-Dec-06	8:19	Fine	79.6	0	0	20.3	14.1	10m depth
Portion 7	14-Dec-06	8:20	Fine	79.5	0	0	20.4	14.1	4m depth
Portion 7	14-Dec-06	8:21	Fine	79.5	0	0	20.4	14.1	3m depth
Portion 7	14-Dec-06	8:22	Fine	79.5	0	0	20.4	14.1	2.5m depth
Portion 7	14-Dec-06	8:23	Fine	79.5	0	0	20.4	14.1	4m depth
Portion 7	14-Dec-06	8:24	Fine	79.6	0	0	20.3	14.1	4m depth
Portion 7	14-Dec-06	8:25	Fine	79.5	0	0	20.4	14.1	2m depth
Portion 6	14-Dec-06	8:26	Fine	79.5	0	0	20.4	14.1	2m depth
							***	-	
·		<u> </u>							
<u> </u>			-						

Field Technician:		Checked by:	O V 2
	(Sub-Agent / Supervisor)		(RBO)

Name of site:

Ting Kok Road Pumping Station No.5 14-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

· · · · · · · · · · · · · · · · · · ·					Perimeter or	n-site and/or off-site	monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location		Time	condition		(methane %)	(%)			
Portion 5	14-Dec-06	12:21	Fine	79.6	0	0	20.3	16.8	Ground
Portion 5	14-Dec-06	12:22	Fine	79.6	0	0	20.3	16.8	3m depth
Poriton 5	14-Dec-06	12:23	Fine	79.5	0	0	20.4	16.8	6m depth
Portion 4	14-Dec-06	12:24	Fine	79.5	0	0	20.4	16.8	5m depth
Portion 4	14-Dec-06	12:25	Fine	79.5	0	0	20.4	16.8	10m depth
Portion 7	14-Dec-06	12:26	Fine	79.6	0	0	20.3	16.8	4m depth
Portion 7	14-Dec-06	12:27	Fine	79.6	0	0	20.3	16.8	3m depth
Portion 7	14-Dec-06	12:28	Fine	79.6	0	0	20.3	16.8	2.5m depth
Portion 7	14-Dec-06	12:29	Fine	79.6	0	0	20.3	16.8	4m depth
Portion 7	14-Dec-06	12:30	Fine	/ 79.5	0	0	20.4	16.8	4m depth
Portion 7	14-Dec-06	12:31	Fine	79.6	0	0	20.3	16.8	2m depth
Portion 6	14-Dec-06	12:32	Fine	79.5	0	0	20.4	16.8	2m depth
							e la		
· · · · · · · · · · · · · · · · · · ·									
:									
									1.0
		<u> </u>							

Field	Technician:			Checked by:	· · · · · · · · · · · · · · · · · · ·	100	
		(Sub-Ager	it /-Supervisor)			(RSD)	

Name of site:

Date of Measurement:

Ting Kok Road Pumping Station No.5 15-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas		Oxygen (%)	Temp (°C)	Remark		
ocation	Measurement	Time	condition		(methane %)	(%)					
Portion 5	15-Dec-06	8:15	Fine	79.5	0	0	20.4	13.8	Ground		
Portion 5	15-Dec-06	8:16	Fine	79.6	0	0	20.3	13.8	3m depth		
Poriton 5	15-Dec-06	8:17	Fine	79.6	0	0	20.3	13.8	6m depth		
Portion 4	15-Dec-06	8:18	Fine	79.6	0	0	20.3	13.8	5m depth		
Portion 4	15-Dec-06	8:19	Fine	79.6	0	0	20.3	13.8	10m depth		
Portion 7	15-Dec-06	8:20	Fine	79.6	0	0	20.3	13.8	4m depth		
Portion 7	15-Dec-06	8:21	Fine	79.6	0	0	20.3	13.8	3m depth		
Portion 7	15-Dec-06	8:22	Fine	79.5	0	0	20.4	13.8	2.5m depth		
Portion 7	15-Dec-06	8:23	Fine	79.5	0	0	20.4	13.8	4m depth		
Portion 7	15-Dec-06	8:24	Fine	79.6	0	0	20.3	13.8	4m depth		
Portion 7	15-Dec-06	8:25	Fine	79.6	0	0	20.3	13.8	2m depth		
Portion 6	15-Dec-06	8:26	Fine	79.5	0	0	20.4	13.8	2m depth		
		<u> </u>									
									<u> </u>		

Field Technician:		Checked by:	- Alio
	(Sµb-Agent / Supervisor)		(RSO)
			VI -

Name of site:

Ting Kok Road Pumping Station No.5 15-Dec-06

Smap	ling equipment used:	Dates calibrated
	GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
Location	Measurement	Time	condition		(methane %)	(%)					
Portion 5	15-Dec-06	12:21	Fine	79.5	0	0	20.4	17.2	Ground		
Portion 5	15-Dec-06	12:22	Fine	79.5	0	0	20.4	17.2	3m depth		
Poriton 5	15-Dec-06	12:23	Fine	79.5	0	0	20.4	17.2	6m depth		
Portion 4	15-Dec-06	12:24	Fine	79.5	0	0	20.4	17.2	5m depth		
Portion 4	15-Dec-06	12:25	Fine	79.6	0	0	20.3	17.2	10m depth		
Portion 7	15-Dec-06	12:26	Fine	79.6	0	0	20.3	17.2	4m depth		
Portion 7	15-Dec-06	12:27	Fine	79.6	0	0	20.3	17.2	3m depth		
Portion 7	15-Dec-06	12:28	Fine	79.6	0	0	20.3	17.2	2.5m depth		
Portion 7	15-Dec-06	12:29	Fine	79.6	0	0	20.3	17.2	4m depth		
Portion 7	15-Dec-06	12:30	Fine	79.5	0	0	20.4	17.2	4m depth		
Portion 7	15-Dec-06	12:31	Fine	79.6	0	0	20.3	17.2	2m depth		
Portion 6	15-Dec-06	12:32	Fine	79.5	0	0	20.4	17.2	2m depth		
· · · · · · · · · · · · · · · · · · ·											
			<u> </u>								
								el.			
		1									
		<u> </u>									
	1										

Field Technician:		Checked by:	Wo.
	(Sub-Agent / Supervisor)		(R\$O)

Name of site:

Ting Kok Road Pumping Station No.5 16-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
ocation	Measurement	Time	condition		(methane %)	(%)		1000			
Portion 5	16-Dec-06	8:15	Fine	79.6	0	0	20.3	13.9	Ground		
Portion 5	16-Dec-06	8:16	Fine	79.6	0	0	20.3	13.9	3m depth		
Poriton 5	16-Dec-06	8:17	Fine	79.6	0	0	20.3	13.9	6m depth		
Portion 4	16-Dec-06	8:18	Fine	79.6	0	0	20.3	13.9	5m depth		
Portion 4	16-Dec-06	8:19	Fine	79.6	0	0	20.3	13.9	10m depth		
Portion 7	16-Dec-06	8:20	Fine	79.6	0	0	20.3	13.9	4m depth		
Portion 7	16-Dec-06	8:21	Fine	79.6	0	0	20.3	13.9	3m depth		
Portion 7	16-Dec-06	8:22	Fine	79.5	0	0	20.4	13.9	2.5m depth		
Portion 7	16-Dec-06	8:23	Fine	79.5	0	0	20.4	13.9	4m depth		
Portion 7	16-Dec-06	8:24	Fine	79.6	0	0	20.3	13.9	4m depth		
Portion 7	16-Dec-06	8:25	Fine	79.6	0	0	20.3	13.9	2m depth		
Portion 6	16-Dec-06	8:26	Fine	79.5	0	0	20.4	13.9	2m depth		

Field Technician:			Checked by:		- The	
	(Sub ^l Agent	/ Supervis or)		· · · · · · · · · · · · · · · · · · ·	(RSO)	

Name of site:

Ting Kok Road Pumping Station No.5 16-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	-site and/or off-site			
Samuela.	Date of	 Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Sample .ocation	Measurement	1	condition		(methane %)	(%)		er e	
Portion 5	16-Dec-06	12:21	Fine	79.6	0	0	20.3	16.3	Ground
Portion 5	16-Dec-06	12:22	Fine	79.5	Ó	0	20.4	16.3	3m depth
Poriton 5	16-Dec-06	12:23	Fine	79.5	0	0	20.4	16.3	6m depth
Portion 4	16-Dec-06	12:24	Fine	79.6	0	0	20.3	16.3	5m depth
Portion 4	16-Dec-06	12:25	Fine	79.6	0	0	20.3	16.3	10m depth
Portion 7	16-Dec-06	12:26	Fine	79.6	0	0	20.3	16.3	4m depth
Portion 7	16-Dec-06	12:27	Fine	79.6	0	0	20.3	16.3	3m depth
Portion 7	16-Dec-06	12:28	Fine	79.6	0	0	20.3	16.3	2.5m depth
Portion 7	16-Dec-06	12:29	Fine	79.6	0	0	20.3	16.3	4m depth
Portion 7	16-Dec-06	12:30	Fine	79.6	0	0	20.3	16.3	4m depth
Portion 7	16-Dec-06	12:31	Fine	79.6	0	0	20.3	16.3	2m depth
Portion 6	16-Dec-06	12:32	Fine	79.5	0	0	20.4	16.3	2m depth
T ORIGIN O	10 000 00	1 .2	1						
			 						
	-								
		 							
	+	+							
	 	+	-	1					
		1							
			+						i i i i i i i i i i i i i i i i i i i

	\mathcal{M}		
Field Technician:		Checked by:	Mu
red recrimolari.	(Sub-Agent / S uperviso r)		ř(ŘŠD)

Name of site:

Ting Kok Road Pumping Station No.5 17-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes							
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark	
ocation	Measurement	Time	condition		(methane %)	(%)				
Portion 5	17-Dec-06	8:15	Fine	79.5	0	0	20.4	13.2	Ground	
Portion 5	17-Dec-06	8:16	Fine	79.6	0	0	20.3	13.2	3m depth	
Poriton 5	17-Dec-06	8:17	Fine	79.6	0	0	20.3	13.2	6m depth	
Portion 4	17-Dec-06	8:18	Fine	79.6	0	0	20.3	13.2	5m depth	
Portion 4	17-Dec-06	8:19	Fine	79.5	0	0	20.4	13.2	10m depth	
Portion 7	17-Dec-06	8:20	Fine	79.6	0	0	20.3	13.2	4m depth	
Portion 7	17-Dec-06	8:21	Fine	79.5	0	0	20.4	13.2	3m depth	
Portion 7	17-Dec-06	8:22	Fine	79.5	0	0	20.4	13.2	2.5m depth	
Portion 7	17-Dec-06	8:23	Fine	79.5	0	0	20.4	13.2	4m depth	
Portion 7	17-Dec-06	8:24	Fine	79.6	0	0	20.3	13.2	4m depth	
Portion 7	17-Dec-06	8:25	Fine	79.6	0	0	20.3	13.2	2m depth	
Portion 6	17-Dec-06	8:26	Fine	79.6	0	0	20.3	13.2	2m depth	
		1.0						· · · · · · · · · · · · · · · · · · ·		
· · · · · · · · · · · · · · · · · · ·										
		l	<u></u>						·	

Field Technician:			Checked by:	
	(Suld-A	gent / S upervis or)		(RSQ)

Name of site:

Ting Kok Road Pumping Station No.5 17-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	e monitoring holes	S	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
_ocation	Measurement	Time	condition		(methane %)	(%)	·		
Portion 5	17-Dec-06	12:21	Fine	79.6	0	0	20.3	15.7	Ground
Portion 5	17-Dec-06	12:22	Fine	79.6	0	0	20.3	15.7	3m depth
Poriton 5	17-Dec-06	12:23	Fine	79.6	0	0	20.3	15.7	6m depth
Portion 4	17-Dec-06	12:24	Fine	79.6	0	0	20.3	15.7	5m depth
Portion 4	17-Dec-06	12:25	Fine	79.6	0	0	20.3	15.7	10m depth
Portion 7	17-Dec-06	12:26	Fine	79.6	0	0	20.3	15.7	4m depth
Portion 7	17-Dec-06	12:27	Fine	79.5	0	0	20.4	15.7	3m depth
Portion 7	17-Dec-06	12:28	Fine	79.6	0	0	20.3	15.7	2.5m depth
Portion 7	17-Dec-06	12:29	Fine	79.6	0	0	20.3	15.7	4m depth
Portion 7	17-Dec-06	12:30	Fine	79.6	0	0	20.3	15.7	4m depth
Portion 7	17-Dec-06	12:31	Fine	79.6	0	0	20.3	15.7	2m depth
Portion 6	17-Dec-06	12:32	Fine	79.5	0	0	20.4	15.7	2m depth
					<u> </u>		, 		
									<u> </u>
		<u> </u>							
									
				<u> </u>					
					<u> </u>				
		ļ		ļ			<u> </u>		
		J							

				μ
Field Technician:	X		Checked by:	W Vo
	(Sub-Agent / S	Supervisor)		(R\$O)

Name of site:

Ting Kok Road Pumping Station No.5 18-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
_ocation	Measurement	Time	condition		(methane %)	(%)		<i>a</i>			
Portion 5	18-Dec-06	8:15	Fine	79.6	0	0	20.3	13.6	Ground		
Portion 5	18-Dec-06	8:16	Fine	79.5	0	0	20.4	13.6	3m depth		
Poriton 5	18-Dec-06	8:17	Fine	79.5	0	0	20.4	13.6	6m depth		
Portion 4	18-Dec-06	8:18	Fine	79.6	0	0	20.3	13.6	5m depth		
Portion 4	18-Dec-06	8:19	Fine	79.5	0	0	20.4	13.6	10m depth		
Portion 7	18-Dec-06	8:20	Fine	79.6	0	0	20.3	13,6	4m depth		
Portion 7	18-Dec-06	8:21	Fine	79.5	0	0	20.4	13.6	3m depth		
Portion 7	18-Dec-06	8:22	Fine	79.6	0	0	20.3	13.6	2.5m depth		
Portion 7	18-Dec-06	8:23	Fine	79.6	0	0	20.3	13.6	4m depth		
Portion 7	18-Dec-06	8:24	Fine	79.6	0	0	20.3	13.6	4m depth		
Portion 7	18-Dec-06	8:25	Fine	79.6	0	0	20.3	13.6	2m depth		
Portion 6	18-Dec-06	8:26	Fine	79.6	0	0	20.3	13.6	2m depth		
			1.								

		$\mathcal{O}\Lambda$		
Field Technician:	<u> </u>	<u> </u>	Checked by:	1 400
		(Sup/Agent / Supervis er)		(RŠQ)

Name of site:

Ting Kok Road Pumping Station No.5 18-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
_ocation		Time	condition		(methane %)	(%)					
Portion 5	18-Dec-06	12:21	Fine	79.5	0	0	20.4	15.4	Ground		
Portion 5	18-Dec-06	12:22	Fine	79.5	0	0	20.4	15.4	3m depth		
Poriton 5	18-Dec-06	12:23	Fine	79.6	0	0	20.3	15.4	6m depth		
Portion 4	18-Dec-06	12:24	Fine	79.6	0	0	20.3	15.4	5m depth		
Portion 4	18-Dec-06	12:25	Fine	79.6	0	0	20.3	15.4	10m depth		
Portion 7	18-Dec-06	12:26	Fine	79.5	0	0	20.4	15.4	4m depth		
Portion 7	18-Dec-06	12:27	Fine	79.5	0	0	20.4	15.4	3m depth		
Portion 7	18-Dec-06	12:28	Fine	79.6	0	0	20.3	15.4	2.5m depth		
Portion 7	18-Dec-06	12:29	Fine	79.6	0	0	20.3	15.4	4m depth		
Portion 7	18-Dec-06	12:30	Fine	79.5	0	0	20.4	15.4	4m depth		
Portion 7	18-Dec-06	12:31	Fine	79.6	0	0	20.3	15.4	2m depth		
Portion 6	18-Dec-06	12:32	Fine	79.5	0	0	20.4	15.4	2m depth		
		**									
								97.5			
							_				

					$\wedge b$
Field Technician:	·	 ★ -		Checked by:	1XXX
		(Syb-Agent / S uper	viso r)		(ŘSQ)

Name of site:

Ting Kok Road Pumping Station No.5 19-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	monitoring holes	3	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation	Measurement	Time	condition		(methane %)	(%)			
Portion 5	19-Dec-06	8:15	Fine	79.6	0	0	20.3	14.2	Ground
Portion 5	19-Dec-06	8:16	Fine	79.6	0	0	20.3	14.2	3m depth
Poriton 5	19-Dec-06	8:17	Fine	79.6	0	0	20.3	14.2	6m depth
Portion 4	19-Dec-06	8:18	Fine	79.6	0	0	20.3	14.2	5m depth
Portion 4	19-Dec-06	8:19	Fine	79.6	0	0	20.3	14.2	10m depth
Portion 7	19-Dec-06	8:20	Fine	79.6	0	0	20.3	14.2	4m depth
Portion 7	19-Dec-06	8:21	Fine	79.5	0	0	20.4	14.2	3m depth
Portion 7	19-Dec-06	8:22	Fine	79.6	0	0	20.3	14.2	2.5m depth
Portion 7	19-Dec-06	8:23	Fine	79.6	0	0	20.3	14.2	4m depth
Portion 7	19-Dec-06	8:24	Fine	79.6	0	0	20.3	14.2	4m depth
Portion 7	19-Dec-06	8:25	Fine	79.6	0	0	20.3	14.2	2m depth
Portion 6	19-Dec-06	8:26	Fine	79.6	0	0	20.3	14.2	2m depth
								.1	

	1	1		D	
Field Technician:	\mathcal{A}		Checked by:	Ma	
	 (Sub∮A	gent / Supervis er)		V(RSD)	

Name of site:

Ting Kok Road Pumping Station No.5 19-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

		N			Perimeter or	n-site and/or off-site	e monitoring holes	S	
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location	Measurement		condition		(methane %)	(%)			
Portion 5	19-Dec-06	12:21	Fine	79.6	0	0	20.3	15.8	Ground
Portion 5	19-Dec-06	12:22	Fine	79.6	0		20.3	15.8	3m depth
Poriton 5	19-Dec-06	12:23	Fine	79.6	0	0	20.3	15.8	6m depth
Portion 4	19-Dec-06	12:24	Fine	79.6	0	0	20.3	15.8	5m depth
Portion 4	19-Dec-06	12:25	Fine	79.6	0	0	20.3	15.8	10m depth
Portion 7	19-Dec-06	12:26	Fine	79.5	0	0	20.4	15.8	4m depth
Portion 7	19-Dec-06	12:27	Fine	79.6	0	0	20.3	15.8	3m depth
Portion 7	19-Dec-06	12:28	Fine	79.6	0	0	20.3	15.8	2.5m depth
Portion 7	19-Dec-06	12:29	Fine	79.6	0	0	20.3	15.8	4m depth
Portion 7	19-Dec-06	12:30	Fine	79.5	0	0	20.4	15.8	4m depth
Portion 7	19-Dec-06	12:31	Fine	79.6	0	0	20.3	15.8	2m depth
Portion 6	19-Dec-06	12:32	Fine	79.6	0	0	20.3	15.8	2m depth
en e			<u> </u>						

Field Technician:	A		Checked by:		200
	(Su∯-Agent / Supervis or	<u>r) </u>		/ (RS	(O)

Name of site:

Ting Kok Road Pumping Station No.5 20-Dec-06

Smapling equipment used:	Dates calibrated
v	
GA 2000	22/08/2006

		Ī	Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
Location	Measurement	Time	condition		(methane %)	(%)					
Portion 5	20-Dec-06	8:15	Fine	79.5	0	0	20.4	14.8	Ground		
Portion 5	20-Dec-06	8:16	Fine	79.6	0	0	20.3	14.8	3m depth		
Poriton 5	20-Dec-06	8:17	Fine	79.6	0	0	20.3	14.8	6m depth		
Portion 4	20-Dec-06	8:18	Fine	79.6	0	0	20.3	14.8	5m depth		
Portion 4	20-Dec-06	8:19	Fine	79.5	0	0	20.4	14.8	10m depth		
Portion 7	20-Dec-06	8:20	Fine	79.6	0	0	20.3	14.8	4m depth		
Portion 7	20-Dec-06	8:21	Fine	79.5	0	0	20.4	14.8	3m depth		
Portion 7	20-Dec-06	8:22	Fine	79.6	0	0	20.3	14.8	2.5m depth		
Portion 7	20-Dec-06	8:23	Fine	79.5	0	0	20.4	14.8	4m depth		
Portion 7	20-Dec-06	8:24	Fine	79.6	0	0	20.3	14.8	4m depth		
Portion 7	20-Dec-06	8:25	Fine	79.6	0	0	20.3	14.8	2m depth		
Portion 6	20-Dec-06	8:26	Fine	79.6	0	0	20.3	14.8	2m depth		
-											

Field Technician:	*	Checked by:	- Ma
	(Sub-Agent / Supervisor)		(RSD)

Name of site:

Ting Kok Road Pumping Station No.5 20-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

	т	<u> </u>	Perimeter on-site and/or off-site monitoring holes									
	·	ŀ	Weather	Polonoo goo (%)	Flammable gas	Carbon Dioxide		······································	T Demois			
Sample	Date of	Samping	vveatilei balance gas	Balance gas (%)	Fiammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark			
_ocation	Measurement	Time	condition		(methane %)	(%)						
Portion 5	20-Dec-06	12:21	Fine	79.5	0	0	20.4	18.5	Ground			
Portion 5	20-Dec-06	12:22	Fine	79.6	0	0	20.3	18.5	3m depth			
Poriton 5	20-Dec-06	12:23	Fine	79.6	0	0	20.3	18.5	6m depth			
Portion 4	20-Dec-06	12:24	Fine	79.6	0	0	20.3	18.5	5m depth			
Portion 4	20-Dec-06	12:25	Fine	79.6	0	0	20.3	18.5	10m depth			
Portion 7	20-Dec-06	12:26	Fine	79.6	0	0	20.3	18.5	4m depth			
Portion 7	20-Dec-06	12:27	Fine	79.6	0	0	20.3	18.5	3m depth			
Portion 7	20-Dec-06	12:28	Fine	79.6	0	0	20.3	18.5	2.5m depth			
Portion 7	20-Dec-06	12:29	Fine	79.6	0	0	20,3	18.5	4m depth			
Portion 7	20-Dec-06	12:30	Fine	79.5	0	0	20.4	18.5	4m depth			
Portion 7	20-Dec-06	12:31	Fine	79.6	0	0	20.3	18.5	2m depth			
Portion 6	20-Dec-06	12:32	Fine	79.6	0	0	20.3	18.5	2m depth			
		1				*						
		<u> </u>	<u> </u>									
		·										
		1										

Field Technician:			<u> </u>			Checked by:		Ma	
		(Sub/A	gent / Su	perviso r)				(R\$\(\phi\))	

Name of site:

Ting Kok Road Pumping Station No.5 21-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes						
Sample	I.	Samping	Weather	Balance gas (%)	Flammable gas		Oxygen (%)	Temp (°C)	Remark
Location		Time	condition		(methane %)	(%)			
Portion 5	21-Dec-06	8:15	Fine	79.6	0	0	20.3	14.5	Ground
Portion 5	21-Dec-06	8:16	Fine	79.6	0	0	20.3	14.5	3m depth
Poriton 5	21-Dec-06	8:17	Fine	79.6	0	0	20.3	14.5	6m depth
Portion 4	21-Dec-06	8:18	Fine	79.6	0	0	20.3	14.5	5m depth
Portion 4	21-Dec-06	8:19	Fine	79.6	0	.0	20.3	14.5	10m depth
Portion 7	21-Dec-06	8:20	Fine	79.6	0	0	20.3	14.5	4m depth
Portion 7	21-Dec-06	8:21	Fine	79.6	0	0	20.3	14.5	3m depth
Portion 7	21-Dec-06	8:22	Fine	79.5	0	0	20.4	14.5	2.5m depth
Portion 7	21-Dec-06	8:23	Fine	79.5	0	0	20.4	14.5	4m depth
Portion 7	21-Dec-06	8:24	Fine	79.6	0	0	20.3	14.5	4m depth
Portion 7	21-Dec-06	8:25	Fine	79.6	0	0	20.3	14.5	2m depth
Portion 6	21-Dec-06	8:26	Fine	79.6	0	0	20.3	14.5	2m depth
	ļ								
		<u> </u>	 						
									
									
·		<u> </u>	<u> </u>						
		ļ	 						
		-	ļ	ļ			···		
· · · · · · · · · · · · · · · · · · ·					<u> </u>		· · · · · · · · · · · · · · · · · · ·		
1.									

Field Technician:	A	Checked by:	An
	(Sub-Agent / Supervisor)		(RSD)

Name of site:

Ting Kok Road Pumping Station No.5 21-Dec-06

Date of Measurement:

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes							
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark	
ocation	Measurement	Time	condition		(methane %)	(%)			7 N	
Portion 5	21-Dec-06	12:21	Fine	79.6	0	Ô	20.3	17.8	Ground	
Portion 5	21-Dec-06	12:22	Fine	79.6	0	0	20.3	17.8	3m depth	
Poriton 5	21-Dec-06	12:23	Fine	79.6	0	0	20.3	17.8	6m depth	
Portion 4	21-Dec-06	12:24	Fine	79.6	0	0	20.3	17.8	5m depth	
Portion 4	21-Dec-06	12:25	Fine	79.6	0	0	20.3	17.8	10m depth	
Portion 7	21-Dec-06	12:26	Fine	79.6	0	0	20.3	17.8	4m depth	
Portion 7	21-Dec-06	12:27	Fine	79.6	0	0	20.3	17.8	3m depth	
Portion 7	21-Dec-06	12:28	Fine	79.6	0	0	20.3	17.8	2.5m depth	
Portion 7	21-Dec-06	12:29	Fine	79.5	0	0	20.4	17.8	4m depth	
Portion 7	21-Dec-06	12:30	Fine	79.5	0	0	20.4	17.8	4m depth	
Portion 7	21-Dec-06	12:31	Fine	79.6	0	0	20.3	17.8	2m depth	
Portion 6	21-Dec-06	12:32	Fine	79.6	0	0	20.3	17.8	2m depth	
						to the second				
<u> </u>			1							
·										

Field Technician:

(Sub-Agent / Supervisor)

Name of site:

Ting Kok Road Pumping Station No.5 22-Dec-06

Date of Measurement:

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	e monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location	Measurement	Time	condition		(methane %)	(%)			
Portion 5	22-Dec-06	8:15	Fine	79.5	0	0	20.4	13.4	Ground
Portion 5	22-Dec-06	8:16	Fine	79.6	0	0	20.3	13.4	3m depth
Poriton 5	22-Dec-06	8:17	Fine	79.6	0	0	20.3	13.4	6m depth
Portion 4	22-Dec-06	8:18	Fine	79.5	0	0	20.4	13.4	5m depth
Portion 4	22-Dec-06	8:19	Fine	79.6	0	0	20.3	13.4	10m depth
Portion 7	22-Dec-06	8:20	Fine	79.6	0	0	20.3	13.4	4m depth
Portion 7	22-Dec-06	8:21	Fine	79.6	0	0	20.3	13.4	3m depth
Portion 7	22-Dec-06	8:22	Fine	79.6	0	0	20.3	13.4	2.5m depth
Portion 7	22-Dec-06	8:23	Fine	79.6	0	0	20.3	13.4	4m depth
Portion 7	22-Dec-06	8:24	Fine	79.6	0	0	20.3	13.4	4m depth
Portion 7	22-Dec-06	8:25	Fine	79.6	0	0	20.3	13.4	2m depth
Portion 6	22-Dec-06	8:26	Fine	79.6	0	0	20.3	13.4	2m depth
								and the second	T
								¥ 1.	
								· · · · · · · · · · · · · · · · · · ·	
						:			
		1						· · · · · · · · · · · · · · · · · · ·	

Field Technician:

(Sub-Agent / Supervisor)

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

22-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
ocation	Measurement		condition		(methane %)	(%)					
Portion 5	22-Dec-06	12:21	Fine	79.6	0	0	20.3	19.3	Ground		
Portion 5	22-Dec-06	12:22	Fine	79.6	0	0	20.3	19.3	3m depth		
Poriton 5	22-Dec-06	12:23	Fine	79.6	0	0	20.3	19.3	6m depth		
Portion 4	22-Dec-06	12:24	Fine	79.6	0	0	20.3	19.3	5m depth		
Portion 4	22-Dec-06	12:25	Fine	79.6 s	0	0	20.3	19.3	10m depth		
Portion 7	22-Dec-06	12:26	Fine	79.5	0	0	20.4	19.3	4m depth		
Portion 7	22-Dec-06	12:27	Fine	79.5	0	0	20.4	19.3	3m depth		
Portion 7	22-Dec-06	12:28	Fine	79.5	0	0	20.4	19.3	2.5m depth		
Portion 7	22-Dec-06	12:29	Fine	79.6	0	0	20.3	19.3	4m depth		
Portion 7	22-Dec-06	12:30	Fine	79.6	0	0	20.3	19.3	4m depth		
Portion 7	22-Dec-06	12:31	Fine	79.6	0	0	20.3	19.3	2m depth		
Portion 6	22-Dec-06	12:32	Fine	79.6	0	0	20.3	19.3	2m depth		
						-					
	1 1										
<u> </u>		*									
			1 1								
<u> </u>	·		<u></u>								

Field Technician:

(Sub-Agent (Supervisor)

Checked by:

(R\$0)

Name of site:

Ting Kok Road Pumping Station No.5 23-Dec-06

Date of Measurement:

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

	Γ.		Perimeter on-site and/or off-site monitoring holes									
			Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark			
ample	Date of	Samping		Dalance gas (vs)	la de la Target	(0/)			The State of			
ocation	Measurement		condition		(methane %)	(%)	20.3	14.8	Ground			
Portion 5	23-Dec-06	8:15	Fine	79.6	0	0	20.3	14.8	3m depth			
Portion 5	23-Dec-06	8:16	Fine	79.6	0	0		14.8	6m depth			
Poriton 5	23-Dec-06	8:17	Fine	79.6	0	0	20.3	14.8	5m depth			
Portion 4	23-Dec-06	8:18	Fine	79.6	0	0	20.3		10m depth			
Portion 4	23-Dec-06	8:19	Fine	79.6	0	0	20.3	14.8				
Portion 7	23-Dec-06	8:20	Fine	79.6	0	0	20.3	14.8	4m depth			
Portion 7	23-Dec-06	8:21	Fine	79.6	0	0	20.3	14.8	3m depth			
Portion 7	23-Dec-06	8:22	Fine	79.6	0	0	20.3	14.8	2.5m depth			
Portion 7	23-Dec-06	8:23	Fine	79.6	0	0	20.3	14.8	4m depth			
Portion 7	23-Dec-06	8:24	Fine	79.6	0	0	20.3	14.8	4m depth			
Portion 7	23-Dec-06	8:25	Fine	79.6	0	0	20.3	14.8	2m depth			
Portion 6	23-Dec-06	8:26	Fine	79.6	0	0	20.3	14.8	2m depth			
TOLIGITO												
									<u> </u>			
 												
		1										
		1										
		1										
· · · · · · · · · · · · · · · · · · ·		+		 								

Fi	eld ⁻	Γech	micia	an:

(Sub-Agent (Supervisor))

Name of site:

Ting Kok Road Pumping Station No.5 23-Dec-06

Date of Measurement:

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
Location	Measurement	Time	condition		(methane %)	(%)					
Portion 5	23-Dec-06	12:21	Fine	79.6	0	0	20.3	20.3	Ground		
Portion 5	23-Dec-06	12:22	Fine	79.6	0	0	20.3	20.3	3m depth		
Poriton 5	23-Dec-06	12:23	Fine	79.6	0	0	20.3	20.3	6m depth		
Portion 4	23-Dec-06	12:24	Fine	79.5	0	0	20.4	20.3	5m depth		
Portion 4	23-Dec-06	12:25	Fine	79.5	0	0	20.4	20.3	10m depth		
Portion 7	23-Dec-06	12:26	Fine	79.6	0	0	20.3	20.3	4m depth		
Portion 7	23-Dec-06	12:27	Fine	79.6	0	0	20.3	20.3	3m depth		
Portion 7	23-Dec-06	12:28	Fine	79.6	0	0	20.3	20.3	2.5m depth		
Portion 7	23-Dec-06	12:29	Fine	79.6	0	0	20.3	20.3	4m depth		
Portion 7	23-Dec-06	12:30	Fine	79.6	0	0	20.3	20.3	4m depth		
Portion 7	23-Dec-06	12:31	Fine	79.6	0	0	20.3	20.3	2m depth		
Portion 6	23-Dec-06	12:32	Fine	79.5	0	0	20.4	20.3	2m depth		
			1								
							4		:		

Field Technician:

(Sub-Agent Supervisor)

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

24-Dec-06

Γ	Smapling equipment used:	Dates calibrated
Γ		
	GA 2000	22/08/2006
F		

	T			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark			
_ocation	Measurement	Time	condition		(methane %)	(%)						
Portion 5	24-Dec-06	8:15	Fine	79.5	0	0	20.4	14.5	Ground			
Portion 5	24-Dec-06	8:16	Fine	79.6	0	0	20.3	14.5	3m depth			
Poriton 5	24-Dec-06	8:17	Fine	79.6	0	0	20.3	14.5	6m depth			
Portion 4	24-Dec-06	8:18	Fine	79.6	0	0	20.3	14.5	5m depth			
Portion 4	24-Dec-06	8:19	Fine	79.6	0	0	20.3	14.5	10m depth			
Portion 7	24-Dec-06	8:20	Fine	79.5	0	0	20.4	14.5	4m depth			
Portion 7	24-Dec-06	8:21	Fine	79.5	0	0	20.4	14.5	3m depth			
Portion 7	24-Dec-06	8:22	Fine	79.5	0	0	20.4	14.5	2.5m depth			
Portion 7	24-Dec-06	8:23	Fine	79.6	0	0	20.3	14.5	4m depth			
Portion 7	24-Dec-06	8:24	Fine	79.6	0	0	20.3	14.5	4m depth			
Portion 7	24-Dec-06	8:25	Fine	79.6	0	0	20.3	14.5	2m depth			
Portion 6	24-Dec-06	8:26	Fine	79.6	0	0	20.3	14.5	2m depth			
1 0.11011 0	1			4.14								
	-											
								4.1				
		† · · · · · · · ·						- 10 m				
		1										
		- 										
· · · · · · · · · · · · · · · · · · ·												
	<u> </u>		 		The second second							

Field Technician:

(Sub-Agent / Supervisor)

Checked by:

(RSD)

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

24-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
Location	Measurement	Time	condition		(methane %)	(%)					
Portion 5	24-Dec-06	12:21	Fine	79.6	0	0	20.3	21.2	Ground		
Portion 5	24-Dec-06	12:22	Fine	79.6	0	0	20.3	21.2	3m depth		
Poriton 5	24-Dec-06	12:23	Fine	79.6	0	0	20.3	21.2	6m depth		
Portion 4	24-Dec-06	12:24	Fine	79.6	0	0	20.3	21.2	5m depth		
Portion 4	24-Dec-06	12:25	Fine	79.6	0	0	20.3	21.2	10m depth		
Portion 7	24-Dec-06	12:26	Fine	79.6	0	0	20.3	21.2	4m depth		
Portion 7	24-Dec-06	12:27	Fine	79.6	0	0	20.3	21.2	3m depth		
Portion 7	24-Dec-06	12:28	Fine	79.5	0	0	20.4	21.2	2.5m depth		
Portion 7	24-Dec-06	12:29	Fine	79.5	0	0	20.4	21.2	4m depth		
Portion 7	24-Dec-06	12:30	Fine	79.4	0	0	20.5	21.2	4m depth		
Portion 7	24-Dec-06	12:31	Fine	79.6	0	0	20.3	21.2	2m depth		
Portion 6	24-Dec-06	12:32	Fine	79.5	0	0	20.4	21.2	2m depth		
	1					*					
		1	1.0								
				eta jaron e		F		7.4 E			

Field Technician:

(Sub-Agent / Supervisor)

Checked by:

(R\$D)

Name of site:

Date of Measurement:

Ting Kok Road Pumping Station No.5 25-Dec-06

Smapling equipment used:	Dates calibrated
	(A)
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation	Measurement	Time	condition		(methane %)	(%)		er en	
Portion 5	25-Dec-06	8:15	Fine	79.6	0	0	20.3	15.2	Ground
Portion 5	25-Dec-06	8:16	Fine	79.6	0	0	20.3	15.2	3m depth
Poriton 5	25-Dec-06	8:17	Fine	79.6	0	0	20.3	15.2	6m depth
Portion 4	25-Dec-06	8:18	Fine	79.6	0	0	20.3	15.2	5m depth
Portion 4	25-Dec-06	8:19	Fine	79.5	0	0	20.4	15.2	10m depth
Portion 7	25-Dec-06	8:20	Fine	79.6	0	0	20.3	15.2	4m depth
Portion 7	25-Dec-06	8:21	Fine	79.6	0	0	20.3	15.2	3m depth
Portion 7	25-Dec-06	8:22	Fine	79.5	0	0 :	20.4	15.2	2.5m depth
Portion 7	25-Dec-06	8:23	Fine	79.5	0	0	20.4	15.2	4m depth
Portion 7	25-Dec-06	8:24	Fine	79.6	0	0	20.3	15.2	4m depth
Portion 7	25-Dec-06	8:25	Fine	79.6	0	0	20.3	15.2	2m depth
Portion 6	25-Dec-06	8:26	Fine	79.6	0	0	20.3	15.2	2m depth
		†							
						the second second second			
:									
			1						
				4.3					
		·							The state of the s

Field Technician:

(Sub-Agent / Supervisor)

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

25-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

	T	T			Perimeter or	n-site and/or off-sit	e monitoring holes		
0	Data	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Sample Location	Date of Measurement	Time	condition		(methane %)	(%)			
Portion 5	25-Dec-06	12:21	Fine	79.6	0)O	20.3	21.2	Ground
Portion 5	25-Dec-06	12:22	Fine	79.6	0	0	20.3	21.2	3m depth
Poriton 5	25-Dec-06	12:23	Fine	79.6	0	0	20.3	21.2	6m depth
Portion 4	25-Dec-06	12:24	Fine	79.6	0	0	20.3	21.2	5m depth
Portion 4	25-Dec-06	12:25	Fine	79.5	0	0	20.4	21.2	10m depth
Portion 7	25-Dec-06	12:26	Fine	79.6	0	0	20.3	21.2	4m depth
Portion 7	25-Dec-06	12:27	Fine	79.6	0	0	20.3	21.2	3m depth
Portion 7	25-Dec-06	12:28	Fine	79.6	0	0	20.3	21.2	2.5m depth
Portion 7	25-Dec-06	12:29	Fine	79.6	0	0	20.3	21.2	4m depth
Portion 7	25-Dec-06	12:30	Fine	79.5	0	0	20.4	21.2	4m depth
Portion 7	25-Dec-06	12:31	Fine	79.6	0	0	20.3	21.2	2m depth
Portion 6	25-Dec-06	12:32	Fine	79.5	0	0	20.4	21.2	2m depth
									ļ.:
								ļ	<u> </u>
-				*			<u> </u>		

Field Technician:

(Sub-Agent Supervisor)

Checked by:

(R\$O)

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

26-Dec-06

	Smapling equipment used:	Dates calibrated
Т	GA 2000	22/08/2006
Γ		

					Perimeter or	n-site and/or off-site			
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location			condition		(methane %)	(%)			
Portion 5	26-Dec-06	8:15	Fine	79.5	0	0	20.4	16.3	Ground
Portion 5	26-Dec-06	8:16	Fine	79.6	0	0	20.3	16.3	3m depth
Poriton 5	26-Dec-06	8:17	Fine	79.6	0	0	20.3	16.3	6m depth
Portion 4	26-Dec-06	8:18	Fine	79.6	0	0	20.3	16.3	5m depth
Portion 4	26-Dec-06	8:19	Fine	79.5	0	0	20.4	16.3	10m depth
Portion 7	26-Dec-06	8:20	Fine	79.4	0	0	20.5	16.3	4m depth
Portion 7	26-Dec-06	8:21	Fine	79.6	0	0	20.3	16.3	3m depth
Portion 7	26-Dec-06	8:22	Fine	79.6	0	0	20.3	16.3	2.5m depth
Portion 7	26-Dec-06	8:23	Fine	79.6	0	0	20.3	16.3	4m depth
Portion 7	26-Dec-06	8:24	Fine	79.6	0	0	20.3	16.3	4m depth
Portion 7	26-Dec-06	8:25	Fine	79.6	0	0	20.3	16.3	2m depth
Portion 6	26-Dec-06	8:26	Fine	79.6	0	0	20.3	16.3	2m depth
7				1.					
			1						
					,				
-			1.0						•
1									

Field Technician:

(Sub-Agent/ Supervisor)

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

26-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

				-	Perimeter or	n-site and/or off-sit	e monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
_ocation	Measurement	Time	condition		(methane %)	(%)		<u> </u>	
Portion 5	26-Dec-06	12:21	Fine	79.5	0	0	20.4	21.2	Ground
Portion 5	26-Dec-06	12:22	Fine	79.6	0	0	20.3	21.2	3m depth
Poriton 5	26-Dec-06	12:23	Fine	79.6	0	0	20.3	21.2	6m depth
Portion 4	26-Dec-06	12:24	Fine	79.6	0	0	20.3	21.2	5m depth
Portion 4	26-Dec-06	12:25	Fine	79.4	0	0	20.5	21.2	10m depth
Portion 7	26-Dec-06	12:26	Fine	79.5	0	0	20.4	21.2	4m depth
Portion 7	26-Dec-06	12:27	Fine	79.6	0	0	20.3	21.2	3m depth
Portion 7	26-Dec-06	12:28	Fine	79.6	0	0	20.3	21.2	2.5m depth
Portion 7	26-Dec-06	12:29	Fine	79.6	0	0	20.3	21.2	4m depth
Portion 7	26-Dec-06	12:30	Fine	79.5	0	0	20.4	21.2	4m depth
Portion 7	26-Dec-06	12:31	Fine	79.6	0	0	20.3	21.2	2m depth
Portion 6	26-Dec-06	12:32	Fine	79.6	0	0	20.3	21.2	2m depth
			10		and the second				
		1							
			11						
-									
100									
			1				5 Table 1		
							<u> </u>		
							The second secon	1000	

Field Technician:

(Sub-Agent Supervisor)

Checked by:

(30)

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

27-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	e monitoring holes		
Sample	Date of	 Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
_ocation	Measurement		condition		(methane %)	(%)			
Portion 5	27-Dec-06	8:15	Fine	79.6	0	0	20.3	15.9	Ground
Portion 5	27-Dec-06	8:16	Fine	79.6	0	0	20.3	15.9	3m depth
Poriton 5	27-Dec-06	8:17	Fine	79.6	0	0	20.3	15.9	6m depth
Portion 4	27-Dec-06	8:18	Fine	79.6	0	0	20.3	15.9	5m depth
Portion 4	27-Dec-06	8:19	Fine	79.6	0	0	20.3	15.9	10m depth
Portion 7	27-Dec-06	8:20	Fine	79.4	0	0	20.5	15.9	4m depth
Portion 7	27-Dec-06	8:21	Fine	79.6	0 .	0	20.3	15.9	3m depth
Portion 7	27-Dec-06	8:22	Fine	79.6	0	0	20.3	15.9	2.5m depth
Portion 7	27-Dec-06	8:23	Fine	79.5	0	0	20.4	15.9	4m depth
Portion 7	27-Dec-06	8:24	Fine	79.6	0	0	20.3	15.9	4m depth
Portion 7	27-Dec-06	8:25	Fine	79.6	0	0	20.3	15.9	2m depth
Portion 6	27-Dec-06	8:26	Fine	79.6	0	0	20.3	15.9	2m depth
							V. L. C. C.		
			1						
	-								

Field Technician:

(Sub-Agent (Supervisor)

Checked by:

सर्वे ।

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

27-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-site	e monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation	Measurement	Time	condition		(methane %)	(%)			
Portion 5	27-Dec-06	12:21	Fine	79.6	0	0	20.3	22.3	Ground
Portion 5	27-Dec-06	12:22	Fine	79.6	0	0	20.3	22.3	3m depth
Poriton 5	27-Dec-06	12:23	Fine	79.6	0	0	20.3	22.3	6m depth
Portion 4	27-Dec-06	12:24	Fine	79.6	0	0	20.3	22.3	5m depth
Portion 4	27-Dec-06	12:25	Fine	79.5	0	0	20.4	22.3	10m depth
Portion 7	27-Dec-06	12:26	Fine	79.5	0	0	20.4	22.3	4m depth
Portion 7	27-Dec-06	12:27	Fine	79.5	0	0	20.4	22.3	3m depth
Portion 7	27-Dec-06	12:28	Fine	79.6	0	0	20.3	22.3	2.5m depth
Portion 7	27-Dec-06	12:29	Fine	79.6	0	0	20.3	22.3	4m depth
Portion 7	27-Dec-06	12:30	Fine	79.5	0	0	20.4	22.3	4m depth
Portion 7	27-Dec-06	12:31	Fine	79.6	0	0	20.3	22.3	2m depth
Portion 6	27-Dec-06	12:32	Fine	79.6	0 -	0	20.3	22.3	2m depth
			<u> </u>						
			<u> </u>					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
					1				
			11.						
	<u> </u>						est to the second	1. 1. 1. 1. 1.	
			<u> </u>						April 1985

Field Technician:

(Sub-Agent Supervisor)

-46
10 45
الكناب المسا
KE WALL
Vi.
E . 3
₩
•

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

28-Dec-06

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2005
G/(2000	

To: Gigi Ho (Hyder) From: Ediplay (Maeda)

					Daringter o	site and/or off-site	e monitoring holes			
	Data of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Ожудел (%)	Temp (°C)	Remark	
Sample	Date of Measurement	Time	condition		(methane %)	(%)	20.4	21,9		
Location	28-Dec-06	13:40	Fine	79,5			20.4	21.9		
M1 M3	28-Dec-06		Fine	79.5	0		20.7			
			<u> </u>		,					
		<u> </u>	<u>}</u>		 				{	
		 	-							
						<u> </u>				
		<u> </u>	 		<u> </u>					
<u> </u>		<u> </u>	 							
										<u> </u>
						 				
			 		 	1				
		 								1
							 			1 .
 							 		100	
			<u>-</u>						Hyder Con	sulting Limite
	-								Date	DEC 2006
			 -				<u> </u>	<u> </u>	Reg no.	1006-6FT
<u> </u>								\searrow_2	Div/Dep	006-650

Field Technician:

Sub Agent / Supervisor)

Checked by:

Manager Date received in Div/Dep For For Sign Action Info 44 Copy c

P.Ø1

Reig Jake

Name of site:

Ting Kok Road Pumping Station No.5 28-Dec-07

Date of Measurement:

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes							
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark	
_ocation	Measurement	Time	condition		(methane %)	(%)				
Portion 5	28-Dec-07	8:15	Fine	79.6	0	0	20.3	15.9	Ground	
Portion 5	28-Dec-07	8:16	Fine	79.6	0	0	20.3	15.9	3m depth	
Poriton 5	28-Dec-07	8:17	Fine	79.6	0	0	20.3	15.9	6m depth	
Portion 4	28-Dec-07	8:18	Fine	79.6	0	0	20.3	15.9	5m depth	
Portion 4	28-Dec-07	8:19	Fine	79.6	0	0	20.3	15.9	6m depth	
Portion 7	28-Dec-07	8:20	Fine	79.4	0	. 0	20.5	15.9	4m depth	
Portion 7	28-Dec-07	8:21	Fine	79.6	0	0	20.3	15.9	3m depth	
Portion 7	28-Dec-07	8:22	Fine	79.6	0	0	20.3	15.9	2.5m depth	
Portion 7	28-Dec-07	8:23	Fine	79.5	0	0	20.4	15.9	4m depth	
Portion 7	28-Dec-07	8:24	Fine	79.6	0	0	20.3	15.9	4m depth	
Portion 7	28-Dec-07	8:25	Fine	79.6	0	0	20.3	15.9	2m depth	
Portion 6	28-Dec-07	8:26	Fine	79.6	0	0	20.3	15.9	2m depth	
· · · · · · · · · · · · · · · · · · ·									† · · · · · · · · · · · · · · · · · · ·	
· ·									 	
·										
· · · · · · · · · · · · · · · · · · ·										
									· · · · · · · · · · · · · · · · · · ·	

	Technician:	
	Lachniniani	
i iciu	i commonan.	

(Sup-Agent / Supervisor)

Name of site:

Ting Kok Road Pumping Station No.5 28-Dec-07

Smapling equipment used:	Dates calibrated
	The second second
GA 2000	22/08/2006

		2 4			Perimeter of	n-site and/or off-site	e monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
_ocation	Measurement	Time	condition		(methane %)	(%)			•
Portion 5	28-Dec-07	12:21	Fine	79.5	0	0	20.4	25.6	Ground
Portion 5	28-Dec-07	12:22	Fine	79.6	0	0	20.3	25.6	3m depth
Poriton 5	28-Dec-07	12:23	Fine	79.6	0	0	20.3	25.6	6m depth
Portion 4	28-Dec-07	12:24	Fine	79.6	0	0	20.3	25.6	5m depth
Portion 4	28-Dec-07	12:25	Fine	79.5	0	0	20.4	25.6	6m depth
Portion 7	28-Dec-07	12:26	Fine	79.5	0	0	20.4	25.6	4m depth
Portion 7	28-Dec-07	12:27	Fine	79.5	0	0	20.4	25.6	3m depth
Portion 7	28-Dec-07	12:28	Fine	79.6	0	0	20.3	25.6	2.5m depth
Portion 7	28-Dec-07	12:29	Fine	79.4	0	0	20.5	25.6	4m depth
Portion 7	28-Dec-07	12:30	Fine	79.5	0	0	20.4	25.6	4m depth
Portion 7	28-Dec-07	12:31	Fine	79.6	0	0	20.3	25.6	2m depth
Portion 6	28-Dec-07	12:32	Fine	79.6	0	0	20.3	25.6	2m depth
	1.0								
. <u></u>									
<u> </u>									
· · ·									
		ļ <u></u>	:						
		<u> </u>							

Field Technician:		0/		\wedge	V
rieu recinician.			 Checked by:		1/1
		(Sylb-Agent / Supervisor)		VRS	0)

Name of site:

Ting Kok Road Pumping Station No.5 29-Dec-07

Date of Measurement:

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes								
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark		
_ocation		Time	condition		(methane %)	(%)					
Portion 5	29-Dec-07	8:15	Fine	79.6	0	0	20.3	18	Ground		
Portion 5	29-Dec-07	8:16	Fine	79.6	0	0	20.3	18	3m depth		
Poriton 5	29-Dec-07	8:17	Fine	79.6	0	0	20.3	18	6m depth		
Portion 4	29-Dec-07	8:18	Fine	79.6	0	0	20.3	18	5m depth		
Portion 4	29-Dec-07	8:19	Fine	79.6	0	0	20.3	18	6m depth		
Portion 7	29-Dec-07	8:20	Fine	79.6	0	0	20.3	18	4m depth		
Portion 7	29-Dec-07	8:21	Fine	79.6	0	0	20.3	18	3m depth		
Portion 7	29-Dec-07	8:22	Fine	79.6	0	0	20.3	18	2.5m depth		
Portion 7	29-Dec-07	8:23	Fine	79.5	0	0	20.4	18	4m depth		
Portion 7	29-Dec-07	8:24	Fine	79.5	0	0	20.4	18	4m depth		
Portion 7	29-Dec-07	8:25	Fine	79.5	0	0	20.4	18	2m depth		
Portion 6	29-Dec-07	8:26	Fine	79.5	0	0	20.4	18	2m depth		
· · · · · · · · · · · · · · · · · · ·		1.5									
		·	et e								
									1.0		

Field	Toobn	ioion
rielu	Techn	ncian.

(Sup-Agent / Supervisor)

Name of site:

Ting Kok Road Pumping Station No.5

Date of Measurement:

29-Dec-07

Smapling equipment used:	Dates calibrated
	1.
GA 2000	22/08/2006

			Perimeter on-site and/or off-site monitoring holes							
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark	
Location	Measurement	Time	condition		(methane %)	(%)				
Portion 5	29-Dec-07	12:21	Fine	79.6	0	0	20.3	26.1	Ground	
Portion 5	29-Dec-07	12:22	Fine	79.6	0	0	20.3	26.1	3m depth	
Poriton 5	29-Dec-07	12:23	Fine	79.6	0	0	20.3	26.1	6m depth	
Portion 4	29-Dec-07	12:24	Fine	79.6	0	0	20.3	26.1	5m depth	
Portion 4	29-Dec-07	12:25	Fine	79.5	0	0	20.4	26.1	6m depth	
Portion 7	29-Dec-07	12:26	Fine	79.6	0	0	20.3	26.1	4m depth	
Portion 7	29-Dec-07	12:27	Fine	79.5	0	0	20.4	26.1	3m depth	
Portion 7	29-Dec-07	12:28	Fine	79.6	0	0	20.3	26.1	2.5m depth	
Portion 7	29-Dec-07	12:29	Fine	79.6	0	0	20.3	26.1	4m depth	
Portion 7	29-Dec-07	12:30	Fine	79.6	0	0	20.3	26.1	4m depth	
Portion 7	29-Dec-07	12:31	Fine	79.6	0	0	20.3	26.1	2m depth	
Portion 6	29-Dec-07	12:32	Fine	79.6	0	0	20.3	26.1	2m depth	
<u> </u>										
							1.			
· · · · · · · · · · · · · · · · · · ·										
		A series								

· -	21212	ahr	1 ^	-	-10
	111:12	1 21 11	, ,	4 E E	- 1
ın:	nicia	chr	Iе	la	rie

(Sub-Agent / Supervisor)

Checked by:

122

Name of site:

Ting Kok Road Pumping Station No.5 30-Dec-07

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

-						4 34			
					Perimeter or	n-site and/or off-sit	e monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location	Measurement	Time	condition		(methane %)	(%)			
Portion 5	30-Dec-07	8:15	Fine	79.6	0	0	20.3	17.6	Ground
Portion 5	30-Dec-07	8:16	Fine	79.6	0	0	20.3	17.6	3m depth
Poriton 5	30-Dec-07	8:17	Fine	79.5	0	0	20.4	17.6	6m depth
Portion 4	30-Dec-07	8:18	Fine	79.6	0	0	20.3	17.6	5m depth
Portion 4	30-Dec-07	8:19	Fine	79.6	0	0	20.3	17.6	6m depth
Portion 7	30-Dec-07	8:20	Fine	79.6	0	0	20.3	17.6	4m depth
Portion 7	30-Dec-07	8:21	Fine	79.5	0	0	20.4	17.6	3m depth
Portion 7	30-Dec-07	8:22	Fine	79.6	0	0	20.3	17.6	2.5m depth
Portion 7	30-Dec-07	8:23	Fine	79.5	0	0	20.4	17.6	4m depth
Portion 7	30-Dec-07	8:24	Fine	79.5	0	0	20.4	17.6	4m depth
Portion 7	30-Dec-07	8:25	Fine	79.5	0	0	20.4	17.6	2m depth
Portion 6	30-Dec-07	8:26	Fine	79.5	0	0	20.4	17.6	2m depth
									•
		L							
		1 1 1 1 1 1 1							
		<u> </u>							
e de la companya della companya della companya de la companya della companya dell									
		1.00	-		the second of the second				

	<i>7</i> 1				· · · · · · · · · · · · · · · · · · ·
Field Technician:			Ch	necked by:	Oliv
	(Sub-Agent	Su pervisor)			(RSD)

Name of site:

Ting Kok Road Pumping Station No.5 30-Dec-07

Γ	Smapling equipment used:	Dates calibrated		
Ĺ				
L	GA 2000	22/08/2006		
L				

						n-site and/or off-site	e monitoring holes		
Sample		Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
ocation.	Measurement	Time	condition		(methane %)	(%)			T.
Portion 5	30-Dec-07	12:21	Fine	79.6	0	0	20.3	25.4	Ground
Portion 5	30-Dec-07	12:22	Fine	79.5	0	0	20.4	25.4	3m depth
Poriton 5	30-Dec-07	12:23	Fine	79.6	0	0	20.3	25.4	6m depth
Portion 4	30-Dec-07	12:24	Fine	79.6	0	0	20.3	25.4	5m depth
Portion 4	30-Dec-07	12:25	Fine	79.6	0	0	20.3	25.4	6m depth
Portion 7	30-Dec-07	12:26	Fine	79.6	0	0	20.3	25.4	4m depth
Portion 7	30-Dec-07	12:27	Fine	79.6	0	0	20.3	25.4	3m depth
Portion 7	30-Dec-07	12:28	Fine	79.6	0	0	20.3	25.4	2.5m depth
Portion 7	30-Dec-07	12:29	Fine	79.6	0	0	20.3	25.4	4m depth
Portion 7	30-Dec-07	12:30	Fine	79.6	0	0	20.3	25.4	4m depth
Portion 7	30-Dec-07	12:31	Fine	79.6	0	0	20.3	25.4	2m depth
Portion 6	30-Dec-07	12:32	Fine	79.6	0	0	20.3	25.4	2m depth
									
· · · · · · · · · · · · · · · · · · ·									
			<u> </u>						
		-	* * * .						
	L								

Field Technician:			Checked by:	12-
	(Sub-Agent / Superviso	<u>rī)</u>		(RSO)

Ting Kok Road Pumping Station No.5 31-Dec-07

Name of site: Date of Measurement:

Smapling equipment used:	Dates calibrated
GA 2000	22/08/2006

					Perimeter or	n-site and/or off-sit	e monitoring holes		
Sample	Date of	Samping	Weather	Balance gas (%)	Flammable gas	Carbon Dioxide	Oxygen (%)	Temp (°C)	Remark
Location	Measurement	Time	condition		(methane %)	(%)			
Portion 5	31-Dec-07	8:15	Fine	79.6	0	0	20.3	18.5	Ground
Portion 5	31-Dec-07	8:16	Fine	79.6	0	0	20.3	18.5	3m depth
Poriton 5	31-Dec-07	8:17	Fine	79.6	0	0	20.3	18.5	6m depth
Portion 4	31-Dec-07	8:18	Fine	79.6	0	0	20.3	18.5	5m depth
Portion 4	31-Dec-07	8:19	Fine	79.4	0	0	20.5	18.5	6m depth
Portion 7	31-Dec-07	8:20	Fine	79.5	0	0	20.4	18.5	4m depth
Portion 7	31-Dec-07	8:21	Fine	79.6	0	0	20.3	18.5	3m depth
Portion 7	31-Dec-07	8:22	Fine	79.6	0	0	20.3	18.5	2.5m depth
Portion 7	31-Dec-07	8:23	Fine	79.5	0	0	20.4	18.5	4m depth
Portion 7	31-Dec-07	8:24	Fine	79.6	0	0	20.3	18.5	4m depth
Portion 7	31-Dec-07	8:25	Fine	79.5	0	0	20.4	18.5	2m depth
Portion 6	31-Dec-07	8:26	Fine	79.5	0	0	20.4	18.5	2m depth
									
			. :						
									
									41.
· · · · · · · · · · · · · · · · · · ·								the second	
									1
<u>. 11 - 12 - 12 11 11 11 11 11 11 11 11 11 11 11 11 </u>		<u> </u>							
					er de d'			 	<u> </u>

P:-14 = 1 · ·					N.
Field Technician:	 		Checked by:		17 00
	(Sub)-Agent / Su per	visor)		ŔŔ)	<u>d)</u>
					\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\