

**FUGRO TECHNICAL SERVICES LIMITED**

MateriaLab Division,  
Fugro Development Centre,  
5 Lok Yi Street, 17 M.S. Castle Peak Road,  
Tai Lam, Tuen Mun, N.T., Hong Kong.

Tel : +852-2450 8233  
Fax : +852-2450 6138  
E-mail : matlab@fugro.com.hk  
Website : www.fugro.com


**MateriaLab**



**Drainage Services Department, Contract No. DC/2006/01  
Drainage Improvement Works in Sai Kung**

**Baseline Environmental Monitoring and Audit Report  
for  
May and June 2007**

Our Ref. No. : 075117EN70402

Prepared by :   
Clarence Chu

Checked by :   
John Ho

## **CONTENT**

1. [INTRODUCTION](#)
  - 1.1 Purpose of the Report
  - 1.2 Background
2. [EXECUTIVE SUMMARY](#)
  - 2.1 Air Quality
  - 2.2 Noise Level
  - 2.3 Water Quality
3. [MONITORING METHODOLOGY](#)
  - 3.1 Air Quality
  - 3.2 Noise Level
  - 3.3 Water Quality
4. [REVIEW OF BASELINE MONITORING PROGRAMME](#)
  - 4.1 Monitoring Location
  - 4.2 Monitoring Schedule
5. [BASELINE MONITORING DATA](#)
  - 5.1 Air Quality
  - 5.2 Noise Level
  - 5.3 Water Quality
6. [DERIVATION OF ACTION AND LIMIT \(AL\) LEVELS](#)
  - 6.1 Air Quality
  - 6.2 Noise Level
  - 6.3 Water Quality
7. [CONCLUSION](#)

TABLES:

- 3.1 [Air Quality Monitoring Equipment](#)
- 3.2 [Frequency and Parameters of Air Monitoring](#)
- 3.3 [Noise Level Monitoring Equipment](#)
- 3.4 [Frequency and Parameters of Noise Monitoring](#)
- 3.5 [Water Quality Monitoring Equipment](#)
- 4.1 [Air Quality Monitoring Locations](#)
- 4.2 [Noise level Monitoring Locations](#)
- 4.3 [Water Quality Monitoring Locations](#)
- 4.4 [Baseline Air Quality Monitoring Schedule](#)
- 4.5 [Baseline Noise Level Monitoring Schedule](#)
- 4.6 [Baseline Water Quality Monitoring Schedule](#)
- 5.1 [Summary of 1-hr and 24-hr TSP Air Quality Monitoring Results](#)
- 5.2 [Summary of 0700-1900hrs on Normal Weekdays Noise Monitoring Results](#)
- 5.3 [Summary of Water Quality Monitoring Results](#)
  
- 6.1 [Action and Limit Levels for Air Quality](#)
- 6.2 [Action and Limit Levels for Noise Level](#)
- 6.3 [Calculated Action and Limit Levels for Water Quality](#)

FIGURES:

- Figure 1.1 Location of Project Site
- Figure 2.2 Locations of Air Monitoring Station (Pak Kong River)
- Figure 3.2 Locations of Noise Monitoring Stations (Pak Kong River)
- Figure 4.1 Air, Noise and Water Monitoring Locations at Ho Chung River
- Figure 4.2 Air, Noise and Water Monitoring Locations at Sha Ha and Sai Kung River
- Figure 4.3 Water Monitoring Locations at Pak Kong River

APPENDICES:

- Appendix 1: [Air Quality Monitoring Data](#)
- Appendix 2: [24-hrs on Any Day Noise Level Monitoring Data](#)
- Appendix 3: [Water Quality Monitoring Data](#)
- Appendix 4: [Graphical Presentation of Air Quality Monitoring Data](#)
- Appendix 5: [Graphical Presentation of Noise Level Monitoring Data](#)
- Appendix 6: [Graphical Presentation of Water Quality Monitoring Data](#)
- Appendix 7: [Equipment Calibration Details](#)
- Appendix 8: [Figures](#)

## 1. INTRODUCTION

### 1.1 Purpose of the Report

This Baseline Environmental Monitoring Report has been prepared for the project, Drainage Services Department Contract No. DC/2006/01 Drainage Improvement Works in Sai kung. The Report is to establish the baseline air quality, noise levels and water quality at specified locations in accordance with the EM&A Manual. The baseline data will be used as the basis for environmental impact and compliance monitoring during construction.

### 1.2 Background

The Drainage Services Department (DSD) of the Hong Kong Special Administrative Region Government has commissioned the drainage improvement works in Sai Kung under Contract No. DC/2006/01.

The location of the project site is shown in Figure 1.1 of Appendix 8.

The project is to commence in July 2007 with the duration of the contract for the civil works approximately 36 months and scheduled for completion in July 2009.

The major items of works are summarised below:

#### (A) Sai Kung River and Sha Ha Culvert :

- (i) Construction of approximately 150m long of trapezoidal using gabion lining with planting pits and natural substrates and rip-rap bedding; and
- (ii) Construction of approximately 280m long three cells 3m x 3m culvert to connect sai Kung River to the downstream box culvert.

#### (B) Ho Chung Channel :

- (i) Construction of approximately 300m long of trapezoidal using gabion lining with planting pits and natural substrates and rip-rap bedding; and
- (ii) Construction of approximately 350m long of rectangular channel by bored pile with natural substrates and rip-rap bedding; and
- (iii) Reprovision of three pedestrian crossing;
- (iv) Reconstruction of existing vehicular crossing and weir arrangement adjacent to WSD to Ho Chung Lowland Pumping Station.

#### (C) Pak Kong River :

- (i) Reprovision of one pedestrian and one vehicular crossing to 3-cell box culvert.
- (ii) Construction of approximately 100m long retaining walls to stabilize an existing river slope adjacent to the Hiram's Highway.

The Contract for the construction works under Contract No. DC/2006/01 was awarded to Sum Kee Construction Limited.

MaterialLab division of Fugro Technical Services Limited was requested by Sum Kee Construction Limited to carry out the environmental monitoring and audit (EM&A) in connection with the project works.

The EM&A programme requires a baseline study monitoring of air quality, noise level water quality at the pre-agreed monitoring stations prior to the commencement of construction to establish the existing environmental conditions in the vicinity of the project. During the course of construction, impact monitoring of air quality, noise levels and water quality are to be undertaken at the same monitoring locations.

Environmental auditing on the monitoring data obtained during the constructional phase is to be performed via the establishment of standards known as Action/Limit (AL) levels formulated from the baseline monitoring data for the parameters in concern. Should the monitoring results indicate any non-compliance of AL levels, actions according to the action plan are to be followed and appropriate environmental mitigation measures are to be implemented to rectify the situation.

## 2. EXECUTIVE SUMMARY

The construction activity under Drainage Services Department Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung has been put forward for implementation. This involves construction works which may cause potential impact on the surrounding environment. Hence, it is of main concern to ascertain any undesirable effect on the environmental parameters in concern. Prior to the commencement of the construction works for this project contract a baseline environmental monitoring programme is conducted to establish the background environmental activities in the vicinity of the project site. The baseline programme consisted of air quality, noise level and water quality monitoring.

### 2.1 Air Quality

The air quality baseline monitoring comprising of three 1-hour and one 24-hour Total Suspended Particulates (TSP) air monitoring was conducted at the one location for 14 consecutive days from 3 May to 14 June 2007.

The weather conditions during the monitoring period ranged from generally fine and sunny to cloudier conditions interspersed with bouts of rainfall in between. Consequently, this weather pattern experienced yielded air quality results around the project site to be of significantly lower range and variation.

As the monitoring stations PKAM and HCAM are located near prominent road areas the major dust sources were mainly road dust and vehicle emissions stemming from road traffic.

### 2.2 Noise Level

The noise level baseline monitoring comprising of monitoring of  $L_{Aeq}$ ,  $L_{10}$  and  $L_{90}$  was conducted at the six designated monitoring position for 5-minute intervals over full continuous 24 hour periods for two weeks from 3 May to 29 June 2007.

The weather conditions were of variable nature during the monitoring period changing from fine to cloudy with low to light breezy winds throughout. Since the monitoring location was located at a prominent road area, the major noise sources identified stemmed from busy vehicular traffic traversing the surrounding road areas.

In this respect, the noise levels attained around the project site were of low levels and of similar range during the monitoring periods of the day. For daytime noise (0700 to 1900 hrs), the noise levels were below the 75dB(A) limit. During weekday evening time and Sunday, the noise levels were lower than the 65dB(A) limit, while night time noise levels were significantly lower than 60dB(A) limit on both weekdays and Sundays.

### 2.3 Water Quality

The baseline water quality monitoring comprising monitoring of dissolved oxygen level, dissolved oxygen saturation, water temperature, turbidity, suspended solids and pH value were conducted on three days per week for five consecutive weeks at five upstream control stations and four downstream monitoring stations from 9 May to 11 June 2007..

Regarding turbidity and suspended solids (SS) levels, it was found that the levels fluctuated substantially among the monitoring stations and the water quality was revealed to be turbid when there is a rainy day.

For dissolved oxygen (DO), it varied among the sampling locations but the DO levels in the downstream were revealed little lower than the upstream control stations. The in-situ level of dissolved oxygen depends slightly on the quality of the nearby discharge and runoff.

In sight of the prevailing air, noise and water environment, potential impact may be induced by the proposed construction activity and it is recommended that the contractor adopt quiet working practices, maintain site cleanliness and ensure the site is kept clear of dusty materials that may contribute to potential fugitive dust emissions. Additionally, environmental mitigation measures should be implemented as necessary to minimise potential impact on the surrounding environment during the construction phase of the captioned project.

### 3. MONITORING METHODOLOGY

The baseline environmental monitoring comprises measurement of air quality, noise level and water quality in accordance with the EM&A Manual.

#### 3.1 Air Quality

The baseline air quality monitoring is undertaken for 14 consecutive days at the designated monitoring location prior to the commissioning of the construction works.

3x1-hour and one 24-hour Total Suspended Particulate (TSP) levels are measured daily to indicate the background air quality. The 24-hour TSP levels are measured by following the standard high volume sampling method as set out in the Title 40 of the Code of Federal Regulations, USA, Chapter 1 (Part 50), Appendix B.

The TSP is sampled by drawing air through a piece of conditioned and pre-weighed filter paper inside the high volume sampler at controlled flowrate of about 40-60 c.f.m. After sampling, the filter paper with the retained particulate is then placed properly in a plastic bag and transported back to the laboratory for further conditioning and weighing. The TSP level is calculated from the ratio of the mass of particulate retained on the filter to the total volume of air sampled.

The equipment used and their respective calibration frequency for the noise monitoring are shown in Table 3.1. A copy of the calibration certificates for the respective equipment is presented in Appendix 7.

Table 3.1 Air Quality Monitoring Equipment

EQUIPMENT LIST	MODEL	CALIBRATION FREQUENCY
High volume sampler with flow controller, including : - motor/blower assembly - filter holder - G901 ET1 Elapsed time indicator - G310 Flow controller - G105 Flow recorder with cartridge and charts - G70 Seven-day mechanical timer - Aluminum shelter	GMW SA2310-105	One point calibration : every 600 hours of sampling or after replacement of motor/motor brushes
Variable Resistance Calibrator Orifice	Andersen G3357K S/N : 74N/42J	Annually
Anemometer	Hishimatsu TN-24	-

The frequencies and parameters of air measurement are presented in Table 3.2.

Table 3.2 Frequency and Parameters of Air Monitoring

Parameter	Period	Frequency
24-hour TSP	24 hours	Daily
1-hour TSP	0700-1900 hours	Three times daily



### 3.2 Noise Level

The baseline noise monitoring is carried out over 5-minute periods for a full continuous 24-hour period for two weeks at the six designated monitoring station prior to the commencement of the construction works comprising the measurement of  $L_{Aeq}$ ,  $L_{A90}$ ,  $L_{A10}$  noise levels.

The equipment used and their respective calibration frequency for the noise monitoring are shown in Table 3.3. A copy of the calibration certificate for the respective equipment is presented in Appendix 7.

Table 3.3 Noise Level Monitoring Equipment

EQUIPMENT LIST	MODEL	CALIBRATION FREQUENCY
Precision integrating sound level meter	B&K 2238	Annually
Sound level calibrator	B&K 4231	Annually
Microphone extension cable (3m)	B&K A00027	-
Portable Combination Anemometer	-	-

The frequency and parameter of noise measurement is presented in Table 3.4.

Table 3.4 Frequency and Parameters of Noise Monitoring

Time Period	Duration, min	Parameters
24-hours on any weekdays	$L_{eq}$ (5 min.)	$L_{eq}$

Noise measurement should be made in terms of the A-weighted equivalent continuous sound pressure level ( $L_{eq}$ ) measured with an integrating sound level meter complying with International Electrotechnical Commission Publications 651:1979 (Type 1) and 804:1985 (Type 1) specifications.

Where a measurement is to be carried out at a building, the assessment point shall normally be at a position 1 metre from the exterior of the building facade. The assessment point shall be at a position 1.2 metre above the ground at a place other than a building.

Immediately prior to and following each noise measurement, the accuracy of the sound level meter is checked using an acoustic calibrator generating a known sound pressure level at a known frequency. Measurements may be accepted as valid only if the calibration levels from before and after the noise measurements agree to within 1.0dB. Measurements are recorded to the nearest 0.1dB with values of 0.05 rounded up.

Noise measurements should not be made in the presence of fog, rain, wind with a steady speed exceeding  $5\text{ms}^{-1}$ , or wind with gusts exceeding  $10\text{ms}^{-1}$ .

### 3.3 Water Quality

Baseline water quality monitoring is carried out three times a week for five weeks at five upstream control stations (W1a/W1b, W4, W6a/W6b) and four downstream monitoring stations (W2, W3, W5 and W7) as shown in Figure 4.1, 4.2 and 4.3. Dissolved oxygen level, dissolved oxygen saturation, water temperature, pH value and turbidity (NTU) are measured in-situ at the monitoring stations, while the suspended solids level is ascertained by laboratory analysis.

The parameters of in-situ measurements include water depth, dissolved oxygen (DO), dissolved oxygen saturation (DOS), turbidity level, pH value and water temperature. Water samples is collected by the water sampler and filled into HDPE bottles for laboratory determination of suspended solids. Bottles are filled up to the rim, capped tightly and labeled immediately. The samples are delivered to the laboratory as soon as possible for subsequent analysis. The equipment used and their respective calibration frequency for the noise monitoring are shown in Table 3.5.

Table 3.5 Water Quality Monitoring Equipment

EQUIPMENT LIST	MODEL	CALIBRATION FREQUENCY
Turbidity meter	HACH 2100P	3 months
Dissolved oxygen meter	YSI DO 200 with stirrer	3 months
Thermometer	Standard calibrated thermometer	6 months
PH meter	Hanna HI9024	3 months

#### 4. REVIEW OF THE BASELINE MONITORING PROGRAMME

##### 4.1 Monitoring Location

As stipulated in the EM&A Manual, three air quality monitoring locations, six noise level monitoring locations and nine water quality monitoring locations were designated for the performance of the environmental baseline monitoring.

For the conduction of the baseline monitoring, the air monitoring stations are listed in Table 4.1, the noise level monitoring station are listed in Table 4.2 while the water quality monitoring stations stated in Table 4.3. The locations of the environmental monitoring stations are shown in Figure 2.2, 3.2, 4.1, 4.2 and 4.3.

Table 4.1 Air Quality Monitoring Station Locations

Designation	Air Quality Monitoring Locations
HCAM	At the side of Ho Chung Store on Ho Chung Road roadside
PKAM	At the side of door No. 14 at Fung On Village, Tai Chung Hau
SKAM	At the side of door No. 17 at Wang Kong Village

Table 4.2 Noise Level Monitoring Station Locations

Designation	Noise Level Monitoring Locations
HCM1	In front of door No. 5B, 1 <sup>st</sup> Lane at Ho Chung Village
HCM2	In front of door No. 107 at Ho Chung New Village
PKM1	At the side of door No. 14 at Fung On Village, Tai Chung Hau
PKM2	In front of Green House Nursery at Pak Kong Riverside
SKM1	In front of door No. 13 at Muk Min Shan
SKM2	In front of Waste Recycling Site at Muk Min Shan

Table 4.3 Water Quality Monitoring Station Locations

Designation	Water Quality Monitoring Locations
W6a	Upstream monitoring station of Ho Chung River
W6b	Upstream monitoring station of Ho Chung River
W7	Downstream monitoring station (near Sai Kung Roadside)
W4	Upstream monitoring station of Pak Kong River
W5	Downstream monitoring station (near Parking Area at Sai Kung Roadside)
W1a	Upstream monitoring station of Sai Kung River
W1b	Upstream monitoring station of Sai Kung River
W2	Downstream monitoring station of Sai Kung River (near SKAM)
W3	Downstream monitoring station of Sai Kung River (outlet of existing)

## 4.2 Monitoring Schedule

The schedule of the baseline air quality, noise level and water quality monitoring programme is shown in Table 4.4 and Table 4.5 and 4.6 respectively.

Table 4.4 Baseline Air Quality Monitoring Schedule

Monitoring Location	Monitoring Period
HCAM	03/05/2007 - 16/05/2007
PKAM	17/05/2007 - 30/05/2007
SKAM	01/06/2007 - 14/06/2007

Table 4.5 Baseline Noise Level Monitoring Schedule

Monitoring Location	Noise Monitoring Period	Measurement Position	Equipment Model/ Serial Number
HCM1	15/05/2007-28/05/2007	Facade	B&K 2238 S/N:2125029
HCM2	03/05/2007-16/05/2007	Facade	B&K 2238 S/N:2125132
PKAM1	16/06/2007-29/06/2007	Facade	B&K 2238 S/N:2125029
PKAM2	16/06/2007-29/06/2007	Facade	B&K 2238 S/N:2125132
SKM1	20/05/2007-02/06/2007	Facade	B&K 2238 S/N:2125132
SKM2	01/06/2007-14/06/2007	Facade	B&K 2238 S/N:2125029

Table 4.6 Baseline Water Quality Monitoring Schedule

Monitoring Location	Monitoring Period
W6a	09/05/2007 - 04/06/2007
W6b	09/05/2007 - 04/06/2007
W7	09/05/2007 - 04/06/2007
W4	09/05/2007 - 04/06/2007
W5	09/05/2007 - 04/06/2007
W1a	16/05/2007 - 11/06/2007
W1b	16/05/2007 - 11/06/2007
W2	16/05/2007 - 11/06/2007
W3	16/05/2007 - 11/06/2007

## 5. BASELINE MONITORING DATA

### 5.1 Air Quality

The air quality monitoring data is presented in [Appendix 1](#). The graphical presentation is shown in [Appendix 4](#). The monitoring data is summarised in Table 5.1.

During the conduction of the baseline monitoring, the air quality surrounding the designated project work site area was found to be of low TSP levels, considered subject to spells of rainy weather conditions alleviating the suspension of particulates in the atmosphere.

Table 5.1 Summary of Air Quality Monitoring Results

Monitoring Location	1-hr TSP ( $\mu\text{g}/\text{m}^3$ )			24-hr TSP ( $\mu\text{g}/\text{m}^3$ )		
	Mean	Min	Max	Mean	Min	Max
HCAM	147	45	281	100	45	169
PKAM	67	16	185	46	22	103
SKAM	63	15	119	29	21	55

### 5.2 Noise Level

Data obtained from the baseline noise monitoring was processed and presented according to the following period:

- $L_{eq}(30\text{min})$  from average of six consecutive  $L_{eq}(5\text{min.})$  measurements during 0700-1900hrs on normal weekdays. Though, the raw data for this time period is submitted in 5-minute interval format.

The 24-hrs noise level monitoring data are presented in [Appendix 2](#). The graphical presentation is shown in [Appendix 5](#). The summary of the noise monitoring data is shown in Table 5.2.

Noise from vehicular traffic traversing their respective road areas was the main contribution on noise levels during the baseline monitoring period.

Table 5.2 Summary of 0700-1900hrs on Normal Weekdays Noise Monitoring Results

Monitoring Location		Noise Level		
		L <sub>eq</sub> dB(A) (30min.)	L <sub>90</sub> dB(A)	L <sub>10</sub> dB(A)
HCM1	Min	48.5	42.2	51.2
	Max	67.4	64.7	73.3
	90%ile	60.1	54.9	61.7
HCM2	Min	52.9	47.3	54.2
	Max	65.3	55.0	69.3
	90%ile	60.2	51.7	61.4
PKM1	Min	52.1	44.1	54.3
	Max	69.6	67.6	70.9
	90%ile	60.5	58.2	61.8
PKM2	Min	57.6	54.0	59.5
	Max	69.7	65.3	71.8
	90%ile	62.3	58.9	63.6
SKM1	Min	54.9	50.7	56.4
	Max	75.2	71.5	77.5
	90%ile	69.6	64.3	72.3
SKM2	Min	55.8	48.2	58.8
	Max	73.0	66.1	76.0
	90%ile	66.9	59.9	70.0

### 5.3 Water Quality

The water quality monitoring data are presented in [Appendix 3](#) while the graphical presentation is shown in [Appendix 6](#). The statistical analysis of the data is shown as follows:

Table 5.3 Summary of Water Quality Monitoring Results

Parameter	Monitoring Station	Mean	Max	Min
Dissolved Oxygen (mg/L)	W6a	7.51	8.92	3.79
	W6b	7.56	9.32	2.64
	W7	6.66	8.05	5.38
	W4	6.82	7.62	4.05
	W5	6.97	7.89	5.46
	W1a	6.92	8.55	5.42
	W1b	6.44	8.09	3.68
	W2	7.14	8.23	4.04
	W3	6.75	7.50	5.71
Turbidity (NTU)	W6a	4.06	19.80	1.19
	W6b	3.22	14.50	1.10
	W7	4.49	10.20	2.39
	W4	4.12	7.76	1.59
	W5	6.86	14.80	2.72
	W1a	12.39	65.50	3.26
	W1b	10.98	51.10	1.73
	W2	14.14	59.10	1.43
	W3	7.24	18.70	2.59
Suspended Solids (mg/L)	W6a	2	10	1
	W6b	2	8	1
	W7	4	7	2
	W4	6	23	1
	W5	7	12	3
	W1a	4	11	1
	W1b	8	39	1
	W2	7	39	1
	W3	7	16	2

## 6. DERIVATION OF ACTION AND LIMIT (AL) LEVELS

### 6.1 Air Quality

The Action and Limit (AL) levels for Total Suspended particulate (TSP) are formulated based on the baseline monitoring data in accordance with the EM&A Manual. The established AL levels are shown in Table 6.1.

Table 6.1 Action and Limit Level for Air Quality

Monitoring Location	1-hr TSP ( $\mu\text{g}/\text{m}^3$ )			24-hr TSP ( $\mu\text{g}/\text{m}^3$ )		
	Baseline Level	Action Level	Limit Level	Baseline Level	Action Level	Limit Level
HCAM	147	346	500	100	195	260
PKAM	67	293	500	46	160	260
SKAM	63	291	500	29	149	260

### 6.2 Noise Level

The Action and Limit (AL) levels for noise level are based on the number of complaints received during construction and the specified noise limit. The AL levels are shown in Table 6.2.

Table 6.2 Action and Limit Levels for Noise Level

Time Period	Action Level	Limit Level
07:00 - 19:00 hours on normal weekdays	When one documented complaint is received	75* dB(A)

\* Reduce to 70dB(A) for schools and 65dB(A) during school examination periods.



### 6.3 Water Quality

Following the criteria as mentioned in EM&A Manual, the Action and Limit levels for the respective water quality parameters are formulated as follows:

Table 6.3 Calculated Action and Limit Levels

Parameter	Station	Action	Limit
DO in mg/L (mid-depth)	W2	5	4
	W3	5	
	W5	6	
	W7	5	
SS in mg/L (mid-depth)	W2	27	39
	W3	27	39
	W5	12	21
	W7	7	9
Turbidity in NTU (mid-depth)	W2	50	63
	W3	50	63
	W5	9	14
	W7	11	18

Remark:

1. For DO, Non-compliance occurs when monitoring result is lower than the limits.
2. For SS and turbidity, non-compliance occurs when monitoring result is higher than the limits.

## **7. CONCLUSION**

The background environmental condition around the project site for the Contract Number DC/2006/01 Drainage Improvement Works in Sai Kung was established prior to the commencement of the requisite construction works.

From the attained baseline monitoring results the formulation of the respective Action and Limit (AL) levels for air quality, noise level and water quality are to be established for the impact monitoring stage for this project in hand.

The air quality surrounding the project areas indicated that low to moderate levels of dust were prevalent in the surrounding environment. Major dust sources identified stemmed from road dust and vehicular emissions.

The baseline noise level has determined that the existing noise environment was of low levels around the potential site areas throughout all sampling days. With the locations located at road areas, the main noise sources were identified stemming from vehicular traffic.

Moreover, the Contractor is reminded to maintain site cleanliness and ensure the site is kept clear of dusty materials that may contribute to potential fugitive dust emissions.

For water quality, the DO data is varied in different sampling points. The DO levels in the downstream were revealed little lower than the upstream control stations. The in-situ level of dissolved oxygen depends slightly on the quality of the nearby discharge and runoff. Regarding turbidity and suspended solids (SS) levels, water quality of the three rivers was revealed to be turbid in rainy day.

Our Ref. No. 075117EN70402

**Appendix 1**  
**Air Quality Monitoring Data**

Ref. No. : 075117EN70401  
 Client : Sum Kee Construction Limited  
 Project : Contract No. DC/2006/01 Drainage Improvement Works In Sai Kung

### Summary of Baseline Air Monitoring Results

Location	HCAM - At the side of Ho Chung Store on Ho Chung Road roadside				
Date	Weather Condition	3x1-hr TSP Monitoring		24-hr TSP Monitoring	
		Sampling Time	Level ( $\mu\text{g}/\text{m}^3$ )	Sampling Time	Level ( $\mu\text{g}/\text{m}^3$ )
5/3/2007	Fine	08:00 - 09:00	134	08:00 - 08:00 ( 03/05 )( 04/05 )	89
		13:16 - 14:16	213		
		14:18 - 15:18	176		
5/4/2007	Hazy & Rainy	08:00 - 09:00	248	10:05 - 09:47 ( 04/05 )( 05/05 )	45
		10:12 - 11:12	145		
		11:15 - 12:15	106		
5/5/2007	Rainy	08:00 - 09:00	48	09:51 - 09:51 ( 05/05 )( 06/05 )	53
		09:46 - 10:46	45		
		10:49 - 11:49	55		
5/6/2007	Fine	08:00 - 09:00	90	10:57 - 10:57 ( 06/05 )( 07/05 )	77
		09:40 - 10:40	89		
		10:42 - 11:42	107		
5/7/2007	Fine	08:00 - 09:00	140	10:01 - 09:57 ( 07/05 )( 08/05 )	94
		09:59 - 10:59	104		
		11:02 - 12:02	123		
5/8/2007	Fine	08:00 - 09:00	152	10:01 - 10:01 ( 08/05 )( 09/05 )	127
		09:56 - 10:56	214		
		11:00 - 12:00	169		
5/9/2007	Fine	08:00 - 09:00	125	10:26 - 10:26 ( 09/05 )( 10/05 )	95
		10:30 - 11:30	140		
		11:34 - 12:34	120		
5/10/2007	Cloudy	08:00 - 09:00	134	10:28 - 10:28 ( 10/05 )( 11/05 )	117
		10:24 - 11:24	281		
		11:26 - 12:26	142		
5/11/2007	Fine	08:00 - 09:00	144	10:32 - 10:32 ( 11/05 )( 12/05 )	107
		10:06 - 11:06	144		
		11:08 - 12:08	164		
5/12/2007	Fine	08:00 - 09:00	175	10:35 - 10:35 ( 12/05 )( 13/05 )	105
		09:24 - 10:24	149		
		10:27 - 11:27	164		
5/13/2007	Fine	08:00 - 09:00	152	10:39 - 10:39 ( 13/05 )( 14/05 )	129
		09:29 - 10:29	190		
		10:32 - 11:32	183		
5/14/2007	Fine	08:00 - 09:00	221	10:42 - 10:42 ( 14/05 )( 15/05 )	96
		10:14 - 11:14	185		
		11:20 - 12:20	155		
5/15/2007	Fine	08:00 - 09:00	123	10:49 - 10:49 ( 15/05 )( 16/05 )	169
		10:29 - 11:29	149		
		12:03 - 13:03	185		
5/16/2007	Fine	08:00 - 09:00	85	12:35 - 12:35 ( 16/05 )( 17/05 )	90
		10:16 - 11:16	138		
		11:20 - 12:20	168		

Ref. No. : 075117EN70401  
 Client : Sum Kee Construction Limited  
 Project : Contract No. DC/2006/01 Drainage Improvement Works In Sai Kung

**Summary of Baseline Air Monitoring Results**

Location	PKAM - At the side of door No. 14, Fung On Village at Tai Chung Hau				
Date	Weather Condition	3x1-hr TSP Monitoring		24-hr TSP Monitoring	
		Sampling Time	Level ( $\mu\text{g}/\text{m}^3$ )	Sampling Time	Level ( $\mu\text{g}/\text{m}^3$ )
5/17/2007	Fine	08:00 - 09:00	141	08:00 - 08:00 ( 17/05 )( 18/05 )	103
		10:44 - 11:44	178		
		11:56 - 12:56	171		
5/18/2007	Cloudy	08:00 - 09:00	57	10:09 - 10:09 ( 18/05 )( 19/05 )	85
		10:12 - 11:12	64		
		11:14 - 12:14	64		
5/19/2007	Cloudy	08:00 - 09:00	94	10:11 - 10:11 ( 19/05 )( 20/05 )	59
		09:02 - 10:02	74		
		10:04 - 11:04	49		
5/20/2007	Rainy	08:00 - 09:00	77	10:21 - 10:21 ( 20/05 )( 21/05 )	52
		09:23 - 10:23	45		
		10:25 - 11:25	47		
5/21/2007	Rainy	08:00 - 09:00	74	10:36 - 10:36 ( 21/05 )( 22/05 )	54
		10:36 - 11:36	37		
		11:38 - 12:38	185		
5/22/2007	Rainy	08:00 - 09:00	156	10:45 - 10:45 ( 22/05 )( 23/05 )	40
		10:35 - 11:35	29		
		11:37 - 12:37	16		
5/23/2007	Cloudy	08:00 - 09:00	105	10:48 - 10:48 ( 23/05 )( 24/05 )	45
		10:33 - 11:33	62		
		11:40 - 12:40	60		
5/24/2007	Fine	08:00 - 09:00	86	10:51 - 10:51 ( 24/05 )( 25/05 )	33
		09:20 - 10:20	55		
		10:23 - 11:23	75		
5/25/2007	Fine	08:00 - 09:00	52	10:53 - 10:53 ( 25/05 )( 26/05 )	33
		10:22 - 11:22	56		
		11:24 - 12:24	53		
5/26/2007	Fine	08:00 - 09:00	52	10:55 - 10:55 ( 26/05 )( 27/05 )	34
		09:35 - 10:35	55		
		10:37 - 11:37	59		
5/27/2007	Cloudy	08:00 - 09:00	44	10:39 - 10:39 ( 27/05 )( 28/05 )	34
		09:23 - 10:23	59		
		10:25 - 11:25	56		
5/28/2007	Cloudy	08:00 - 09:00	57	11:03 - 11:03 ( 28/05 )( 29/05 )	33
		10:20 - 11:20	59		
		11:23 - 12:23	41		
5/29/2007	Fine	08:00 - 09:00	34	11:14 - 11:14 ( 29/05 )( 30/05 )	23
		10:28 - 11:28	31		
		11:30 - 12:30	26		
5/30/2007	Fine	08:00 - 09:00	25	11:21 - 11:22 ( 30/05 )( 31/05 )	22
		10:04 - 11:04	25		
		11:07 - 12:07	19		

Ref. No. : 075117EN70401  
 Client : Sum Kee Construction Limited  
 Project : Contract No. DC/2006/01 Drainage Improvement Works In Sai Kung

**Summary of Baseline Air Monitoring Results**

Location	SKAM - At the side of door No. 17, Wang Kong Village				
Date	Weather Condition	3x1-hr TSP Monitoring		24-hr TSP Monitoring	
		Sampling Time	Level ( $\mu\text{g}/\text{m}^3$ )	Sampling Time	Level ( $\mu\text{g}/\text{m}^3$ )
6/1/2007	Fine	08:00 - 09:00	66	08:00 - 08:00 ( 01/06 )( 02/06 )	27
		10:46 - 11:46	55		
		11:48 - 12:48	74		
6/2/2007	Cloudy	08:00 - 09:00	64	09:03 - 09:03 ( 02/06 )( 03/06 )	31
		09:05 - 10:05	41		
		10:07 - 11:07	33		
6/3/2007	Fine	08:00 - 09:00	77	09:23 - 09:23 ( 03/06 )( 04/06 )	26
		09:21 - 10:21	64		
		10:25 - 11:25	34		
6/4/2007	Fine	08:00 - 09:00	83	10:51 - 10:51 ( 04/06 )( 05/06 )	24
		10:46 - 11:46	72		
		11:48 - 12:48	45		
6/5/2007	Fine	08:00 - 09:00	56	11:08 - 11:08 ( 05/06 )( 06/06 )	21
		11:13 - 12:13	33		
		12:16 - 13:16	15		
6/6/2007	Cloudy	08:00 - 09:00	81	11:10 - 11:10 ( 06/06 )( 07/06 )	23
		10:33 - 11:33	64		
		11:37 - 12:37	37		
6/7/2007	Rainy	08:00 - 09:00	62	11:12 - 11:12 ( 07/06 )( 08/06 )	28
		10:59 - 11:59	52		
		12:04 - 13:04	55		
6/8/2007	Rainy	08:00 - 09:00	74	11:14 - 11:14 ( 08/06 )( 09/06 )	32
		10:27 - 11:27	77		
		11:30 - 12:30	77		
6/9/2007	Cloudy	08:00 - 09:00	115	11:17 - 11:17 ( 09/06 )( 10/06 )	21
		09:15 - 10:15	72		
		10:18 - 11:18	64		
6/10/2007	Rainy	08:00 - 09:00	26	11:30 - 11:30 ( 10/06 )( 11/06 )	32
		09:15 - 10:15	109		
		10:18 - 11:18	103		
6/11/2007	Rainy	08:00 - 09:00	119	11:34 - 11:34 ( 11/06 )( 12/06 )	55
		10:23 - 11:23	75		
		11:25 - 12:25	85		
6/12/2007	Rainy	08:00 - 09:00	100	11:36 - 11:36 ( 12/06 )( 13/06 )	36
		10:49 - 11:49	75		
		11:51 - 12:51	98		
6/13/2007	Rainy	10:21 - 11:21	19	12:05 - 12:05 ( 13/06 )( 14/06 )	21
		12:01 - 13:01	51		
		13:21 - 14:21	52		
6/14/2007	Rainy	08:00 - 09:00	36	12:19 - 12:19 ( 14/06 )( 15/06 )	26
		11:21 - 12:21	27		
		12:24 - 13:24	16		

Our Ref. No. 075117EN70402

## **Appendix 2**

### **24-hrs on any days Noise Level Monitoring Data**

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/3/2007	0:05:00	53.4	48.5	55.0
	0:10:00	53.2	48.5	54.5
	0:15:00	54.0	49.0	55.0
	0:20:00	54.0	49.5	55.0
	0:25:00	56.3	50.5	56.5
	0:30:00	53.7	48.5	55.0
	0:35:00	53.4	49.0	55.0
	0:40:00	53.6	49.0	55.0
	0:45:00	53.4	48.5	54.5
	0:50:00	53.8	49.0	55.0
	0:55:00	53.4	48.0	54.5
	1:00:00	53.3	48.5	54.5
	1:05:00	53.3	48.5	54.5
	1:10:00	53.3	48.0	54.5
	1:15:00	53.8	48.5	55.5
	1:20:00	53.4	48.5	55.0
	1:25:00	53.5	48.5	54.5
	1:30:00	53.8	48.5	55.5
	1:35:00	54.0	48.5	55.5
	1:40:00	52.8	47.5	54.0
	1:45:00	55.4	48.0	55.5
	1:50:00	53.2	48.0	54.5
	1:55:00	53.2	48.0	54.5
	2:00:00	52.8	47.5	54.0
	2:05:00	53.4	48.0	54.5
	2:10:00	53.0	47.5	54.0
	2:15:00	52.8	47.5	54.0
	2:20:00	54.1	49.0	56.0
	2:25:00	53.0	48.0	54.5
	2:30:00	53.1	48.0	54.5
	2:35:00	53.3	48.0	54.5
	2:40:00	53.7	48.5	55.0
	2:45:00	53.5	48.5	55.0
	2:50:00	53.6	49.0	55.0
	2:55:00	53.6	48.5	54.5
	3:00:00	59.0	48.5	54.5
	3:05:00	53.0	48.0	54.5
	3:10:00	53.0	47.5	54.5
	3:15:00	52.9	47.5	54.0
	3:20:00	52.8	47.5	54.0
	3:25:00	52.9	47.5	54.5
	3:30:00	53.2	48.0	54.5
	3:35:00	53.1	48.0	54.5
	3:40:00	53.2	48.0	54.5
	3:45:00	53.0	48.0	54.5
	3:50:00	53.5	48.5	55.0
	3:55:00	53.1	48.0	54.5
	4:00:00	53.7	48.5	55.5
	4:05:00	53.0	47.5	54.0
	4:10:00	53.0	47.5	54.5
	4:15:00	52.8	47.5	54.0
	4:20:00	53.9	48.5	55.0
	4:25:00	53.8	49.0	55.5
	4:30:00	53.9	49.0	55.5
	4:35:00	54.0	49.0	56.0
	4:40:00	53.8	49.5	55.5
	4:45:00	54.0	49.5	55.5
	4:50:00	53.7	49.0	55.5
	4:55:00	53.8	49.5	55.5
	5:00:00	53.7	49.0	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/3/2007	5:05:00	54.8	49.5	56.0
	5:10:00	53.7	49.0	55.0
	5:15:00	53.7	49.0	55.5
	5:20:00	54.7	49.5	56.5
	5:25:00	55.7	51.0	57.5
	5:30:00	55.3	50.5	57.0
	5:35:00	54.8	50.0	57.0
	5:40:00	55.4	50.0	58.0
	5:45:00	54.2	49.0	55.5
	5:50:00	55.2	49.5	56.0
	5:55:00	54.3	49.5	56.0
	6:00:00	54.3	50.0	56.0
	6:05:00	55.8	50.0	57.5
	6:10:00	56.0	50.5	58.5
	6:15:00	55.1	50.5	56.0
	6:20:00	56.2	50.5	58.5
	6:25:00	56.1	51.0	58.5
	6:30:00	55.1	50.0	57.5
	6:35:00	56.6	51.5	59.5
	6:40:00	57.1	51.5	58.5
	6:45:00	55.9	50.5	59.0
	6:50:00	59.8	52.0	61.0
	6:55:00	55.6	50.0	57.5
	7:00:00	61.8	51.5	61.5
	7:05:00	57.0	52.0	59.5
	7:10:00	57.2	50.0	57.5
	7:15:00	56.0	49.0	56.5
	7:20:00	57.5	50.5	58.5
	7:25:00	69.0	54.5	67.5
	7:30:00	63.1	55.5	67.0
	7:35:00	63.5	53.0	65.5
	7:40:00	56.4	51.0	58.5
	7:45:00	60.9	52.5	61.5
	7:50:00	57.2	51.5	60.0
	7:55:00	57.8	50.0	59.5
	8:00:00	58.2	52.5	60.5
	8:05:00	56.5	51.0	59.0
	8:10:00	56.7	50.5	60.0
	8:15:00	56.4	51.0	59.0
	8:20:00	56.2	51.0	59.0
	8:25:00	57.7	51.0	60.0
	8:30:00	57.7	50.5	59.0
	8:35:00	57.0	51.5	59.5
	8:40:00	58.2	50.5	61.0
	8:45:00	57.3	53.0	60.0
	8:50:00	59.2	54.5	61.5
	8:55:00	57.0	51.5	59.0
	9:00:00	54.6	50.0	56.5
	9:05:00	56.7	51.5	59.0
	9:10:00	59.4	52.0	61.5
	9:15:00	57.5	50.5	60.0
	9:20:00	55.8	51.0	58.0
	9:25:00	55.6	51.0	57.5
	9:30:00	55.8	50.0	58.0
	9:35:00	56.5	49.5	57.5
	9:40:00	55.5	50.0	57.5
	9:45:00	54.7	49.5	57.0
	9:50:00	56.9	51.5	59.0
	9:55:00	56.7	50.0	59.5
	10:00:00	54.1	49.0	56.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/3/2007	10:05:00	56.5	50.5	58.5
	10:10:00	56.4	51.0	58.5
	10:15:00	56.2	51.5	58.5
	10:20:00	56.4	52.0	59.0
	10:25:00	56.9	50.0	58.5
	10:30:00	56.1	51.0	58.0
	10:35:00	57.1	51.0	59.5
	10:40:00	57.4	52.0	59.0
	10:45:00	57.3	53.0	59.5
	10:50:00	56.4	52.0	59.0
	10:55:00	56.9	52.0	58.0
	11:00:00	55.2	50.5	57.0
	11:05:00	56.1	51.0	57.5
	11:10:00	55.5	49.5	58.0
	11:15:00	56.5	50.0	58.0
	11:20:00	56.5	51.0	59.0
	11:25:00	55.3	49.5	58.0
	11:30:00	56.8	50.0	58.5
	11:35:00	56.9	49.5	58.5
	11:40:00	64.9	51.0	68.0
	11:45:00	58.9	51.5	61.0
	11:50:00	57.3	51.0	60.0
	11:55:00	58.1	50.5	60.0
	12:00:00	60.4	51.0	62.0
	12:05:00	57.1	49.5	59.5
	12:10:00	56.4	50.0	58.5
	12:15:00	55.9	50.5	58.0
	12:20:00	57.0	52.0	59.0
	12:25:00	55.8	50.5	58.5
	12:30:00	56.7	50.5	60.0
	12:35:00	55.9	50.0	60.0
	12:40:00	53.8	49.0	55.0
	12:45:00	57.4	51.0	60.0
	12:50:00	55.5	50.5	57.5
	12:55:00	56.0	51.0	58.5
	13:00:00	57.5	51.5	60.5
	13:05:00	57.3	50.0	58.5
	13:10:00	61.9	51.0	62.5
	13:15:00	57.6	51.0	61.0
	13:20:00	55.7	50.5	58.5
	13:25:00	58.0	51.5	61.0
	13:30:00	56.3	51.0	59.0
	13:35:00	59.6	53.5	62.5
	13:40:00	59.9	54.5	63.0
	13:45:00	58.4	53.0	61.0
	13:50:00	57.2	50.5	58.0
	13:55:00	56.0	50.5	58.5
	14:00:00	56.1	51.5	58.5
	14:05:00	56.6	51.0	59.0
	14:10:00	55.7	50.5	58.5
	14:15:00	55.9	50.5	58.0
	14:20:00	61.3	51.5	61.0
	14:25:00	56.9	50.5	60.0
	14:30:00	54.0	49.0	55.5
	14:35:00	58.6	52.5	62.0
	14:40:00	55.6	51.0	58.0
	14:45:00	56.9	50.5	59.0
	14:50:00	57.6	51.5	60.0
	14:55:00	57.9	50.5	61.0
	15:00:00	55.9	51.0	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/3/2007	15:05:00	56.2	50.5	58.5
	15:10:00	60.7	52.5	60.5
	15:15:00	60.9	51.0	61.5
	15:20:00	57.1	50.5	60.5
	15:25:00	61.4	51.0	62.0
	15:30:00	56.7	51.0	59.5
	15:35:00	57.8	50.0	60.0
	15:40:00	54.7	49.5	56.0
	15:45:00	57.5	51.0	59.0
	15:50:00	60.0	51.5	60.0
	15:55:00	57.8	51.5	60.5
	16:00:00	57.5	52.0	59.5
	16:05:00	58.3	52.5	61.0
	16:10:00	58.9	52.5	61.0
	16:15:00	58.2	53.5	60.5
	16:20:00	56.7	50.5	59.0
	16:25:00	64.4	49.5	60.5
	16:30:00	58.2	50.5	58.0
	16:35:00	56.3	51.5	58.5
	16:40:00	57.3	52.0	60.0
	16:45:00	58.3	52.5	61.0
	16:50:00	56.5	50.5	58.0
	16:55:00	56.6	51.0	59.0
	17:00:00	61.8	52.0	61.0
	17:05:00	56.9	51.5	59.0
	17:10:00	55.8	51.0	58.5
	17:15:00	55.8	51.0	58.5
	17:20:00	54.8	49.5	56.5
	17:25:00	70.4	51.5	73.0
	17:30:00	56.8	52.0	59.5
	17:35:00	57.0	51.0	59.5
	17:40:00	54.9	49.5	57.0
	17:45:00	55.7	50.0	58.0
	17:50:00	57.8	53.5	60.0
	17:55:00	57.3	50.0	60.0
	18:00:00	57.0	50.5	59.5
	18:05:00	55.7	50.5	58.0
	18:10:00	55.6	50.0	57.5
	18:15:00	57.9	50.0	59.0
	18:20:00	55.5	50.0	57.5
	18:25:00	59.6	49.5	62.0
	18:30:00	57.0	50.0	58.0
	18:35:00	54.4	48.5	56.0
	18:40:00	56.3	49.5	58.5
	18:45:00	57.0	51.0	60.0
	18:50:00	55.5	50.5	57.5
	18:55:00	55.7	50.0	57.5
	19:00:00	55.5	50.5	57.5
	19:05:00	56.3	50.5	59.0
	19:10:00	56.4	51.0	59.5
	19:15:00	54.9	50.5	56.5
	19:20:00	57.2	51.0	59.0
	19:25:00	55.8	50.5	56.5
	19:30:00	55.6	50.0	57.0
	19:35:00	55.9	50.5	58.5
	19:40:00	54.2	49.5	56.0
	19:45:00	55.3	51.0	57.0
	19:50:00	54.9	50.0	57.0
	19:55:00	54.8	49.5	57.0
	20:00:00	55.1	49.0	56.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/3/2007	20:05:00	55.4	50.5	58.0
	20:10:00	54.3	49.5	56.0
	20:15:00	55.1	50.5	56.5
	20:20:00	55.0	49.5	56.0
	20:25:00	54.4	50.0	56.5
	20:30:00	54.1	49.5	55.5
	20:35:00	54.5	50.0	56.5
	20:40:00	54.7	49.0	56.5
	20:45:00	54.5	49.0	56.5
	20:50:00	53.7	49.0	55.5
	20:55:00	55.3	50.5	57.5
	21:00:00	53.3	48.5	54.5
	21:05:00	54.5	49.5	56.0
	21:10:00	56.2	49.0	59.5
	21:15:00	55.7	49.0	58.0
	21:20:00	54.1	49.0	56.0
	21:25:00	54.1	48.5	56.5
	21:30:00	54.2	49.5	56.0
	21:35:00	54.2	49.0	56.0
	21:40:00	55.2	49.0	56.0
	21:45:00	61.4	51.0	60.5
	21:50:00	54.1	49.5	55.5
	21:55:00	54.2	49.5	56.0
	22:00:00	54.2	49.5	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/3/2007	22:05:00	61.7	49.5	57.0
	22:10:00	57.1	49.5	57.0
	22:15:00	54.7	50.0	56.5
	22:20:00	54.5	49.5	56.5
	22:25:00	54.8	49.0	55.5
	22:30:00	55.8	49.5	57.5
	22:35:00	54.3	49.5	56.0
	22:40:00	53.7	49.0	55.0
	22:45:00	54.0	48.5	55.5
	22:50:00	54.3	49.0	56.0
	22:55:00	54.2	49.0	56.0
	23:00:00	53.4	48.0	54.5
	23:05:00	53.3	48.0	54.5
	23:10:00	54.1	49.0	56.0
	23:15:00	53.7	49.0	55.0
	23:20:00	54.7	48.5	57.0
	23:25:00	55.0	48.5	56.0
	23:30:00	54.5	49.5	56.5
	23:35:00	54.0	48.5	55.5
	23:40:00	54.0	48.5	55.5
	23:45:00	54.5	49.5	56.5
	23:50:00	53.8	49.0	55.0
	23:55:00	54.5	49.5	56.5
	0:00:00	53.5	49.0	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/4/2007	0:05:00	54.5	49.5	56.0
	0:10:00	54.0	49.0	55.5
	0:15:00	53.6	48.5	55.0
	0:20:00	53.7	48.0	55.0
	0:25:00	54.1	48.5	56.5
	0:30:00	55.4	49.5	58.5
	0:35:00	54.3	49.5	56.0
	0:40:00	54.0	48.5	55.0
	0:45:00	53.2	48.0	54.5
	0:50:00	53.5	48.5	55.0
	0:55:00	53.1	48.0	54.5
	1:00:00	54.5	49.5	56.0
	1:05:00	54.4	49.5	56.0
	1:10:00	53.5	48.5	55.0
	1:15:00	54.5	50.0	56.5
	1:20:00	53.8	49.5	55.0
	1:25:00	53.1	48.0	54.5
	1:30:00	53.3	48.5	54.5
	1:35:00	53.5	48.0	54.5
	1:40:00	53.1	48.0	54.5
	1:45:00	53.5	49.0	54.5
	1:50:00	53.1	48.0	54.5
	1:55:00	53.4	48.5	54.5
	2:00:00	53.9	48.5	55.0
	2:05:00	54.9	49.0	57.5
	2:10:00	53.3	48.0	54.5
	2:15:00	53.3	48.0	55.0
	2:20:00	53.4	48.5	54.5
	2:25:00	53.7	48.5	55.0
	2:30:00	53.4	48.0	54.5
	2:35:00	53.1	48.0	54.5
	2:40:00	53.2	48.5	54.5
	2:45:00	53.1	48.0	54.5
	2:50:00	53.4	48.0	54.5
	2:55:00	53.7	48.5	55.0
	3:00:00	53.0	48.0	54.5
	3:05:00	53.1	48.5	54.5
	3:10:00	53.3	48.5	54.5
	3:15:00	53.7	48.5	54.5
	3:20:00	53.1	48.0	54.5
	3:25:00	53.7	49.5	55.0
	3:30:00	53.6	49.0	55.0
	3:35:00	53.5	49.0	54.5
	3:40:00	53.3	49.0	54.5
	3:45:00	53.5	48.5	54.5
	3:50:00	53.2	48.5	54.5
	3:55:00	53.1	48.0	54.5
	4:00:00	53.2	48.0	54.5
	4:05:00	53.3	48.0	54.5
	4:10:00	53.2	48.5	54.5
	4:15:00	53.0	48.0	54.5
	4:20:00	54.9	50.0	57.0
	4:25:00	54.7	50.0	57.0
	4:30:00	54.8	50.5	56.5
	4:35:00	54.1	49.5	56.0
	4:40:00	54.9	49.5	57.0
	4:45:00	54.7	49.5	56.5
	4:50:00	55.2	50.5	57.0
	4:55:00	54.2	50.0	56.0
	5:00:00	55.1	50.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/4/2007	5:05:00	54.6	50.0	56.5
	5:10:00	54.5	50.0	56.5
	5:15:00	53.8	49.0	55.5
	5:20:00	55.4	50.0	57.0
	5:25:00	55.0	51.0	57.0
	5:30:00	56.0	51.5	58.5
	5:35:00	57.0	51.0	58.0
	5:40:00	56.0	51.5	58.5
	5:45:00	55.5	51.5	57.0
	5:50:00	54.5	50.0	56.0
	5:55:00	54.5	50.0	56.0
	6:00:00	54.7	49.5	57.0
	6:05:00	56.6	50.5	59.0
	6:10:00	55.1	49.5	57.0
	6:15:00	54.2	49.0	55.0
	6:20:00	55.2	49.5	57.5
	6:25:00	58.2	50.0	58.0
	6:30:00	55.1	49.5	57.5
	6:35:00	55.6	51.5	57.5
	6:40:00	55.9	51.0	58.5
	6:45:00	54.8	49.5	57.0
	6:50:00	54.9	50.0	57.0
	6:55:00	56.2	51.0	58.5
	7:00:00	55.4	50.0	57.5
	7:05:00	57.9	52.0	60.5
	7:10:00	57.8	50.0	59.0
	7:15:00	54.8	50.5	56.5
	7:20:00	55.9	50.5	58.0
	7:25:00	63.1	51.0	61.0
	7:30:00	71.6	52.0	76.5
	7:35:00	64.6	53.0	65.0
	7:40:00	55.1	50.0	57.5
	7:45:00	56.7	53.0	58.5
	7:50:00	55.7	51.0	58.0
	7:55:00	55.6	51.0	57.5
	8:00:00	57.3	51.5	59.0
	8:05:00	57.8	52.5	61.0
	8:10:00	56.1	51.0	58.0
	8:15:00	55.5	50.5	58.0
	8:20:00	56.5	51.5	59.5
	8:25:00	56.4	50.5	58.5
	8:30:00	57.0	52.0	59.5
	8:35:00	56.7	52.5	58.5
	8:40:00	58.1	50.5	60.0
	8:45:00	56.2	52.0	58.5
	8:50:00	57.0	51.0	58.5
	8:55:00	57.3	50.0	58.0
	9:00:00	55.8	50.5	57.5
	9:05:00	55.1	50.5	57.5
	9:10:00	56.9	52.0	58.5
	9:15:00	57.5	52.5	59.5
	9:20:00	57.5	52.5	60.0
	9:25:00	56.3	51.5	58.0
	9:30:00	57.0	50.0	59.5
	9:35:00	57.7	52.5	59.5
	9:40:00	58.0	51.0	60.0
	9:45:00	56.0	51.0	58.0
	9:50:00	58.1	52.5	61.0
	9:55:00	56.8	52.0	59.5
	10:00:00	56.6	52.0	59.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/4/2007	10:05:00	56.0	51.0	58.0
	10:10:00	56.5	50.5	58.5
	10:15:00	58.4	51.0	61.5
	10:20:00	56.2	50.5	58.5
	10:25:00	55.5	50.0	58.0
	10:30:00	58.0	52.0	60.0
	10:35:00	57.1	52.0	60.0
	10:40:00	56.4	50.5	58.5
	10:45:00	59.1	52.5	61.5
	10:50:00	56.6	51.5	59.5
	10:55:00	57.0	51.5	60.0
	11:00:00	56.2	51.5	57.0
	11:05:00	56.6	53.0	58.5
	11:10:00	57.3	52.5	60.5
	11:15:00	55.5	51.5	57.5
	11:20:00	58.4	54.0	59.5
	11:25:00	57.5	53.0	59.5
	11:30:00	55.9	51.0	57.5
	11:35:00	57.1	51.5	58.5
	11:40:00	56.5	50.5	59.0
	11:45:00	57.4	51.5	58.5
	11:50:00	57.5	53.0	60.0
	11:55:00	57.0	52.0	60.0
	12:00:00	59.4	52.0	62.0
	12:05:00	61.7	56.0	63.5
	12:10:00	62.3	56.5	64.5
	12:15:00	63.3	56.0	65.0
	12:20:00	60.0	53.5	63.5
	12:25:00	57.5	53.0	60.5
	12:30:00	57.6	53.0	60.5
	12:35:00	59.0	54.5	62.0
	12:40:00	61.2	54.0	65.0
	12:45:00	58.9	53.5	62.5
	12:50:00	59.6	54.0	63.5
	12:55:00	57.2	51.5	59.5
	13:00:00	55.3	50.0	57.5
	13:05:00	54.7	50.0	56.5
	13:10:00	61.3	53.0	62.5
	13:15:00	59.1	51.0	61.5
	13:20:00	56.0	51.0	58.5
	13:25:00	54.9	50.5	56.5
	13:30:00	55.7	52.0	57.0
	13:35:00	55.6	51.0	58.0
	13:40:00	55.9	50.5	58.0
	13:45:00	56.2	50.5	58.5
	13:50:00	56.4	50.5	57.5
	13:55:00	55.4	51.5	57.5
	14:00:00	55.1	50.5	57.0
	14:05:00	55.0	51.0	56.5
	14:10:00	60.9	55.0	63.0
	14:15:00	60.8	54.5	63.0
	14:20:00	57.1	52.0	60.0
	14:25:00	58.2	52.0	61.5
	14:30:00	58.0	54.5	60.0
	14:35:00	59.2	54.0	62.0
	14:40:00	59.0	54.0	61.5
	14:45:00	58.9	53.0	62.0
	14:50:00	61.3	55.0	63.5
	14:55:00	59.3	53.0	62.5
	15:00:00	58.2	53.0	62.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/4/2007	15:05:00	59.7	53.5	63.0
	15:10:00	58.2	53.0	61.5
	15:15:00	59.6	53.0	62.5
	15:20:00	60.5	55.0	63.0
	15:25:00	64.1	57.0	66.0
	15:30:00	57.2	52.0	60.5
	15:35:00	55.7	51.0	58.0
	15:40:00	57.5	50.0	60.0
	15:45:00	55.9	50.0	58.0
	15:50:00	57.6	52.0	60.0
	15:55:00	55.9	50.5	58.5
	16:00:00	56.4	51.0	59.0
	16:05:00	55.9	51.0	58.0
	16:10:00	57.6	52.5	59.5
	16:15:00	57.5	50.5	60.0
	16:20:00	55.2	50.0	57.5
	16:25:00	55.3	49.5	57.0
	16:30:00	59.6	51.5	60.5
	16:35:00	55.8	50.5	58.0
	16:40:00	57.8	50.5	60.5
	16:45:00	57.2	53.5	59.0
	16:50:00	56.4	52.5	58.5
	16:55:00	55.7	51.0	58.0
	17:00:00	56.8	51.0	59.5
	17:05:00	55.6	50.5	57.5
	17:10:00	59.6	52.0	62.5
	17:15:00	56.4	50.5	58.5
	17:20:00	55.5	50.0	58.0
	17:25:00	58.6	51.5	59.5
	17:30:00	55.5	50.5	58.0
	17:35:00	57.7	52.0	61.0
	17:40:00	56.9	51.0	57.5
	17:45:00	56.7	52.0	59.5
	17:50:00	54.6	50.0	56.0
	17:55:00	54.5	50.0	56.5
	18:00:00	55.4	50.5	57.5
	18:05:00	56.5	51.5	58.5
	18:10:00	57.4	52.5	59.0
	18:15:00	58.7	52.0	59.5
	18:20:00	55.9	51.0	58.0
	18:25:00	54.6	50.0	56.0
	18:30:00	56.2	50.0	58.0
	18:35:00	55.9	49.5	57.5
	18:40:00	55.6	51.0	57.5
	18:45:00	56.8	51.5	59.0
	18:50:00	54.2	49.0	56.0
	18:55:00	55.2	50.5	57.0
	19:00:00	54.4	49.5	56.0
	19:05:00	54.8	50.0	57.0
	19:10:00	56.2	50.5	58.0
	19:15:00	55.0	49.0	56.5
	19:20:00	55.3	50.0	57.0
	19:25:00	55.5	49.5	56.5
	19:30:00	54.3	49.5	56.0
	19:35:00	54.5	49.5	56.5
	19:40:00	55.8	50.0	57.0
	19:45:00	56.1	49.5	56.5
	19:50:00	54.5	49.0	56.5
	19:55:00	56.9	50.5	60.5
	20:00:00	53.9	49.5	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/4/2007	20:05:00	54.3	49.0	56.0
	20:10:00	54.7	49.0	56.5
	20:15:00	54.2	49.0	56.0
	20:20:00	54.6	48.5	56.5
	20:25:00	54.7	49.0	56.5
	20:30:00	54.7	50.5	56.5
	20:35:00	55.0	50.0	57.0
	20:40:00	54.5	49.5	56.5
	20:45:00	54.2	49.5	56.0
	20:50:00	53.5	48.5	55.0
	20:55:00	53.7	49.0	55.0
	21:00:00	53.6	48.0	55.0
	21:05:00	54.4	48.5	56.5
	21:10:00	53.8	48.5	55.5
	21:15:00	54.3	49.5	56.0
	21:20:00	54.6	49.0	57.0
	21:25:00	54.0	49.5	55.5
	21:30:00	53.6	48.0	55.0
	21:35:00	53.3	48.0	54.5
	21:40:00	53.6	48.5	55.0
	21:45:00	54.8	49.5	56.5
	21:50:00	53.6	48.5	55.0
	21:55:00	54.1	49.0	56.0
	22:00:00	54.3	49.5	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/4/2007	22:05:00	54.1	49.0	56.0
	22:10:00	53.5	48.5	55.0
	22:15:00	53.6	48.5	55.0
	22:20:00	53.7	48.5	55.0
	22:25:00	54.7	50.5	56.0
	22:30:00	55.6	52.0	57.0
	22:35:00	53.1	48.0	54.5
	22:40:00	54.2	49.5	56.0
	22:45:00	54.4	50.0	56.0
	22:50:00	54.8	49.5	58.0
	22:55:00	53.4	48.0	54.5
	23:00:00	54.6	49.5	57.0
	23:05:00	55.6	50.0	57.5
	23:10:00	54.1	49.0	56.0
	23:15:00	53.7	48.5	55.5
	23:20:00	54.1	49.5	56.0
	23:25:00	54.1	49.0	56.0
	23:30:00	53.9	49.0	55.5
	23:35:00	54.5	49.0	56.5
	23:40:00	53.6	48.5	55.0
	23:45:00	53.8	49.0	55.5
	23:50:00	53.2	48.0	54.5
	23:55:00	53.2	48.0	54.5
	0:00:00	53.2	48.0	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/5/2007	0:05:00	53.4	48.0	55.0
	0:10:00	53.4	48.0	55.0
	0:15:00	53.5	48.5	55.0
	0:20:00	54.1	48.5	56.0
	0:25:00	53.2	48.0	54.5
	0:30:00	53.8	48.5	56.0
	0:35:00	53.4	48.0	54.5
	0:40:00	53.8	48.5	55.0
	0:45:00	53.3	47.5	54.5
	0:50:00	53.0	47.5	54.5
	0:55:00	55.1	48.0	55.0
	1:00:00	53.3	47.5	54.5
	1:05:00	53.2	48.0	54.5
	1:10:00	53.3	48.0	55.0
	1:15:00	53.4	47.5	54.5
	1:20:00	55.4	48.5	56.5
	1:25:00	52.9	47.0	54.0
	1:30:00	54.2	48.5	56.5
	1:35:00	53.6	47.5	54.5
	1:40:00	53.4	47.5	54.5
	1:45:00	53.8	48.0	55.0
	1:50:00	53.7	48.0	55.0
	1:55:00	53.1	47.5	54.5
	2:00:00	53.0	47.5	54.5
	2:05:00	53.0	47.5	54.5
	2:10:00	53.2	48.0	54.5
	2:15:00	53.3	48.0	54.5
	2:20:00	53.1	48.0	54.5
	2:25:00	53.4	47.5	54.5
	2:30:00	53.3	47.5	54.5
	2:35:00	54.5	48.0	55.5
	2:40:00	52.8	47.5	54.0
	2:45:00	53.3	48.0	54.5
	2:50:00	53.1	48.0	54.5
	2:55:00	53.4	48.0	55.0
	3:00:00	53.0	48.0	54.5
	3:05:00	53.6	48.0	54.5
	3:10:00	53.9	48.0	55.0
	3:15:00	53.1	48.0	54.5
	3:20:00	53.8	49.0	55.5
	3:25:00	53.4	48.0	54.5
	3:30:00	53.2	47.5	54.0
	3:35:00	53.1	47.5	54.5
	3:40:00	52.9	47.5	54.5
	3:45:00	53.2	49.0	54.5
	3:50:00	53.2	48.5	54.5
	3:55:00	53.0	47.5	54.5
	4:00:00	52.8	47.5	54.0
	4:05:00	53.0	47.5	54.5
	4:10:00	52.9	47.5	54.5
	4:15:00	53.2	47.5	54.5
	4:20:00	53.0	47.5	54.5
	4:25:00	54.0	49.0	55.5
	4:30:00	54.3	49.0	56.5
	4:35:00	53.6	49.0	55.0
	4:40:00	53.6	49.0	55.0
	4:45:00	53.7	49.0	55.0
	4:50:00	53.9	49.0	55.5
	4:55:00	54.7	49.5	57.0
	5:00:00	54.5	49.5	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/5/2007	5:05:00	54.4	49.5	56.5
	5:10:00	54.6	50.0	57.0
	5:15:00	54.9	49.5	57.5
	5:20:00	53.6	49.0	54.5
	5:25:00	54.2	49.0	55.0
	5:30:00	54.9	50.0	57.0
	5:35:00	54.9	51.0	56.5
	5:40:00	55.5	52.0	57.5
	5:45:00	58.0	52.0	59.0
	5:50:00	61.0	51.0	60.0
	5:55:00	62.4	51.5	64.0
	6:00:00	59.0	51.5	59.0
	6:05:00	55.1	51.0	57.0
	6:10:00	55.0	51.0	56.5
	6:15:00	54.8	51.0	56.5
	6:20:00	54.8	51.0	56.0
	6:25:00	55.1	51.0	57.0
	6:30:00	54.1	50.0	55.5
	6:35:00	54.3	49.0	55.5
	6:40:00	54.5	49.5	55.5
	6:45:00	54.9	49.5	55.5
	6:50:00	54.2	49.0	55.5
	6:55:00	54.3	49.5	56.5
	7:00:00	54.6	50.0	56.5
	7:05:00	55.8	50.0	58.5
	7:10:00	55.9	49.5	58.0
	7:15:00	54.5	50.0	56.5
	7:20:00	55.1	51.0	56.5
	7:25:00	54.7	50.5	56.0
	7:30:00	55.3	50.5	57.0
	7:35:00	55.6	50.5	58.0
	7:40:00	54.2	48.5	56.0
	7:45:00	54.2	49.0	56.0
	7:50:00	54.2	49.0	56.0
	7:55:00	55.4	51.0	57.0
	8:00:00	56.7	52.5	59.0
	8:05:00	57.9	52.0	60.0
	8:10:00	55.7	50.0	58.0
	8:15:00	58.8	50.0	60.5
	8:20:00	57.0	51.0	60.5
	8:25:00	56.9	51.0	59.5
	8:30:00	56.2	52.0	58.5
	8:35:00	55.3	51.0	57.5
	8:40:00	55.4	50.5	57.5
	8:45:00	54.9	50.0	56.0
	8:50:00	56.5	51.0	59.0
	8:55:00	56.9	52.0	59.5
	9:00:00	55.6	50.0	58.0
	9:05:00	57.4	50.5	61.0
	9:10:00	56.0	50.0	58.5
	9:15:00	54.5	50.0	56.0
	9:20:00	55.8	50.0	58.5
	9:25:00	55.4	50.0	58.0
	9:30:00	55.2	50.5	57.0
	9:35:00	55.8	50.5	58.5
	9:40:00	56.0	49.5	57.0
	9:45:00	58.1	51.0	61.0
	9:50:00	54.8	50.0	57.0
	9:55:00	55.4	50.5	57.0
	10:00:00	55.4	50.5	57.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/5/2007	10:05:00	55.2	50.5	57.0
	10:10:00	58.4	51.5	61.5
	10:15:00	56.0	51.5	58.0
	10:20:00	54.8	49.5	56.5
	10:25:00	54.9	50.5	57.0
	10:30:00	57.6	51.5	59.0
	10:35:00	63.7	51.5	61.0
	10:40:00	58.7	52.0	59.0
	10:45:00	54.4	50.0	56.0
	10:50:00	55.0	51.0	56.5
	10:55:00	57.2	50.5	60.0
	11:00:00	57.9	53.5	60.5
	11:05:00	55.1	50.5	56.5
	11:10:00	55.8	51.0	58.0
	11:15:00	55.2	50.5	56.0
	11:20:00	59.0	51.0	62.0
	11:25:00	56.4	50.5	59.5
	11:30:00	56.4	51.5	57.0
	11:35:00	58.0	53.5	59.5
	11:40:00	60.1	55.5	63.5
	11:45:00	60.6	57.0	63.0
	11:50:00	61.0	56.5	63.5
	11:55:00	64.7	57.5	67.5
	12:00:00	59.1	56.5	60.5
	12:05:00	56.9	52.5	59.5
	12:10:00	57.2	52.0	60.5
	12:15:00	54.5	50.5	56.0
	12:20:00	56.8	51.0	60.0
	12:25:00	56.0	51.0	59.0
	12:30:00	55.6	51.0	57.5
	12:35:00	54.9	49.0	56.5
	12:40:00	55.2	49.5	57.0
	12:45:00	55.4	50.0	57.0
	12:50:00	55.3	50.5	57.5
	12:55:00	54.6	49.5	56.5
	13:00:00	60.8	49.0	57.5
	13:05:00	55.3	50.0	57.5
	13:10:00	55.8	50.5	58.0
	13:15:00	56.4	50.5	59.5
	13:20:00	56.3	50.5	58.0
	13:25:00	55.2	50.0	57.0
	13:30:00	55.8	50.0	57.5
	13:35:00	55.7	49.5	57.5
	13:40:00	55.2	50.5	57.0
	13:45:00	56.7	50.5	58.0
	13:50:00	57.0	52.0	59.0
	13:55:00	56.5	51.0	58.5
	14:00:00	57.5	51.0	58.5
	14:05:00	58.9	52.0	59.0
	14:10:00	57.0	51.5	58.0
	14:15:00	55.4	50.5	57.0
	14:20:00	57.0	49.5	58.0
	14:25:00	55.4	50.5	57.5
	14:30:00	56.6	51.5	59.0
	14:35:00	58.5	50.0	57.5
	14:40:00	57.5	50.5	58.0
	14:45:00	54.5	50.0	56.0
	14:50:00	55.2	49.5	57.0
	14:55:00	57.7	51.5	61.0
	15:00:00	56.3	50.5	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/5/2007	15:05:00	55.9	50.0	58.5
	15:10:00	55.4	50.0	56.5
	15:15:00	55.5	50.5	57.5
	15:20:00	55.6	50.5	57.5
	15:25:00	56.1	51.0	59.0
	15:30:00	63.1	51.5	61.0
	15:35:00	55.1	49.5	56.5
	15:40:00	61.3	50.5	59.5
	15:45:00	56.0	50.0	58.5
	15:50:00	55.3	50.5	57.5
	15:55:00	65.4	51.0	65.0
	16:00:00	62.3	51.0	57.5
	16:05:00	55.6	51.0	58.0
	16:10:00	55.6	51.0	57.5
	16:15:00	56.0	50.0	57.5
	16:20:00	56.6	50.5	59.5
	16:25:00	56.1	50.5	58.0
	16:30:00	56.0	51.5	58.0
	16:35:00	56.9	51.5	60.0
	16:40:00	56.6	51.0	59.0
	16:45:00	55.9	51.0	58.5
	16:50:00	61.5	50.5	59.5
	16:55:00	55.9	50.0	56.5
	17:00:00	55.0	50.0	57.0
	17:05:00	59.1	52.0	62.0
	17:10:00	56.6	51.0	58.0
	17:15:00	55.7	50.5	58.0
	17:20:00	55.0	50.5	57.0
	17:25:00	54.8	49.5	56.5
	17:30:00	55.1	50.5	57.0
	17:35:00	57.6	52.5	60.5
	17:40:00	55.1	50.0	57.0
	17:45:00	55.6	50.0	58.0
	17:50:00	55.8	49.5	57.5
	17:55:00	56.2	51.0	58.5
	18:00:00	56.5	51.0	58.0
	18:05:00	57.4	52.0	60.0
	18:10:00	56.1	51.0	59.0
	18:15:00	57.2	52.0	59.5
	18:20:00	55.7	51.5	58.0
	18:25:00	56.9	51.5	60.0
	18:30:00	59.6	51.5	62.0
	18:35:00	57.4	52.0	60.0
	18:40:00	57.7	52.0	61.0
	18:45:00	56.4	51.0	59.0
	18:50:00	56.2	50.0	57.0
	18:55:00	55.8	51.0	58.0
	19:00:00	54.9	50.5	57.0
	19:05:00	53.9	49.0	55.5
	19:10:00	55.9	51.0	57.5
	19:15:00	63.6	51.0	63.0
	19:20:00	58.9	50.5	57.0
	19:25:00	54.6	50.0	56.0
	19:30:00	63.3	50.0	60.5
	19:35:00	58.5	52.0	59.0
	19:40:00	57.6	53.0	60.5
	19:45:00	56.3	52.0	58.5
	19:50:00	56.5	51.5	59.0
	19:55:00	54.0	49.5	55.0
	20:00:00	55.4	50.0	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/5/2007	20:05:00	55.3	50.0	57.5
	20:10:00	55.1	50.5	57.0
	20:15:00	56.6	50.0	60.5
	20:20:00	53.9	48.5	55.0
	20:25:00	53.8	48.5	55.5
	20:30:00	55.9	50.0	59.0
	20:35:00	57.0	50.5	60.0
	20:40:00	53.4	48.5	54.5
	20:45:00	55.9	50.0	58.0
	20:50:00	54.1	49.0	55.5
	20:55:00	54.1	49.5	56.0
	21:00:00	54.0	49.0	55.5
	21:05:00	59.6	49.5	59.0
	21:10:00	55.4	49.5	57.0
	21:15:00	55.6	50.0	58.5
	21:20:00	53.8	48.5	55.5
	21:25:00	55.8	49.5	58.0
	21:30:00	54.2	49.5	56.0
	21:35:00	56.1	51.0	58.0
	21:40:00	53.8	49.0	55.5
	21:45:00	54.7	49.5	56.0
	21:50:00	56.5	49.5	60.0
	21:55:00	54.4	48.5	56.5
	22:00:00	54.0	49.0	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/5/2007	22:05:00	53.3	48.0	54.5
	22:10:00	54.5	50.0	56.0
	22:15:00	54.2	50.5	55.5
	22:20:00	54.3	50.5	55.5
	22:25:00	54.6	50.5	56.0
	22:30:00	55.4	50.0	56.5
	22:35:00	55.8	49.5	56.5
	22:40:00	54.1	49.0	55.5
	22:45:00	53.7	49.0	55.0
	22:50:00	57.7	49.0	56.5
	22:55:00	54.4	49.5	56.5
	23:00:00	55.4	49.0	55.5
	23:05:00	53.9	49.0	55.5
	23:10:00	55.6	49.0	56.5
	23:15:00	53.6	48.5	55.0
	23:20:00	54.8	48.5	56.0
	23:25:00	53.8	48.5	55.5
	23:30:00	52.9	48.0	54.5
	23:35:00	53.6	48.5	55.5
	23:40:00	57.6	48.0	55.0
	23:45:00	53.6	48.0	55.0
	23:50:00	53.3	48.5	54.5
	23:55:00	53.9	49.0	55.0
	0:00:00	53.8	49.5	55.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/6/2007	0:05:00	54.3	50.0	56.0
	0:10:00	54.9	50.0	56.5
	0:15:00	54.8	49.5	56.5
	0:20:00	53.9	49.5	55.0
	0:25:00	53.9	49.0	55.5
	0:30:00	53.5	48.5	55.0
	0:35:00	53.6	49.0	55.0
	0:40:00	53.8	48.0	55.5
	0:45:00	53.2	48.0	54.5
	0:50:00	53.8	48.5	55.5
	0:55:00	53.6	48.0	55.5
	1:00:00	54.1	49.0	56.0
	1:05:00	53.3	48.0	55.0
	1:10:00	55.2	48.5	56.5
	1:15:00	54.6	49.0	56.5
	1:20:00	53.5	47.5	54.5
	1:25:00	54.1	48.5	56.5
	1:30:00	53.3	47.5	54.5
	1:35:00	53.4	48.0	55.0
	1:40:00	53.5	48.0	55.0
	1:45:00	53.3	47.5	54.5
	1:50:00	54.8	48.0	56.5
	1:55:00	53.7	48.0	54.5
	2:00:00	53.6	48.5	55.5
	2:05:00	53.3	48.0	54.5
	2:10:00	53.4	48.5	55.0
	2:15:00	53.2	48.0	54.5
	2:20:00	53.4	48.0	54.5
	2:25:00	53.7	48.0	54.5
	2:30:00	53.1	47.5	54.5
	2:35:00	53.1	47.5	54.0
	2:40:00	52.9	47.0	54.0
	2:45:00	53.0	47.5	54.0
	2:50:00	52.9	47.5	54.0
	2:55:00	55.0	47.5	54.0
	3:00:00	52.7	47.0	54.0
	3:05:00	52.8	47.5	54.0
	3:10:00	52.7	47.5	54.0
	3:15:00	52.8	47.5	54.0
	3:20:00	53.4	48.5	55.0
	3:25:00	52.8	47.5	54.0
	3:30:00	53.4	48.0	54.5
	3:35:00	53.2	47.5	54.5
	3:40:00	52.9	47.5	54.0
	3:45:00	52.8	47.5	54.0
	3:50:00	53.1	47.5	54.0
	3:55:00	53.4	48.5	55.0
	4:00:00	53.0	48.0	54.5
	4:05:00	58.9	48.0	55.0
	4:10:00	52.8	47.5	54.0
	4:15:00	54.2	48.0	54.5
	4:20:00	54.4	49.0	57.0
	4:25:00	54.6	50.0	56.5
	4:30:00	54.5	49.5	56.5
	4:35:00	55.0	50.5	57.5
	4:40:00	54.4	49.5	56.5
	4:45:00	54.0	49.0	56.0
	4:50:00	53.5	49.0	55.0
	4:55:00	53.3	49.0	54.5
	5:00:00	53.7	49.5	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/6/2007	5:05:00	53.8	49.0	55.5
	5:10:00	54.4	50.0	56.5
	5:15:00	54.0	49.5	56.0
	5:20:00	53.5	48.5	55.0
	5:25:00	54.6	50.0	56.5
	5:30:00	55.0	50.0	57.0
	5:35:00	55.3	50.5	57.5
	5:40:00	57.3	51.5	60.0
	5:45:00	56.9	50.5	59.5
	5:50:00	56.6	50.0	59.0
	5:55:00	55.8	49.0	56.0
	6:00:00	53.9	49.0	55.5
	6:05:00	53.9	49.5	55.0
	6:10:00	54.3	49.5	56.0
	6:15:00	54.3	49.0	56.0
	6:20:00	55.4	49.0	58.0
	6:25:00	54.0	49.0	56.0
	6:30:00	53.2	48.0	54.5
	6:35:00	53.8	48.5	55.0
	6:40:00	54.4	49.5	56.5
	6:45:00	53.7	49.0	55.5
	6:50:00	55.3	49.5	56.5
	6:55:00	53.6	48.5	55.0
	7:00:00	56.4	50.0	58.0
	7:05:00	54.5	49.5	56.5
	7:10:00	54.8	48.5	55.0
	7:15:00	59.9	50.0	62.0
	7:20:00	55.8	48.5	57.0
	7:25:00	58.7	49.0	57.0
	7:30:00	53.4	48.0	55.0
	7:35:00	55.1	49.5	57.5
	7:40:00	58.3	51.5	61.5
	7:45:00	55.9	50.0	57.5
	7:50:00	53.5	48.0	55.0
	7:55:00	53.7	48.5	55.5
	8:00:00	54.9	49.0	57.5
	8:05:00	54.8	49.5	57.0
	8:10:00	55.3	50.0	58.0
	8:15:00	55.2	50.0	57.5
	8:20:00	55.2	50.0	57.5
	8:25:00	55.0	49.5	56.5
	8:30:00	56.9	50.0	60.5
	8:35:00	55.8	50.0	57.5
	8:40:00	59.1	50.5	60.0
	8:45:00	55.5	49.5	56.0
	8:50:00	55.5	49.5	57.0
	8:55:00	55.5	50.0	57.0
	9:00:00	55.2	49.5	56.5
	9:05:00	55.1	49.0	56.5
	9:10:00	53.1	48.5	54.5
	9:15:00	59.4	51.0	58.5
	9:20:00	55.3	50.0	57.0
	9:25:00	55.6	49.5	58.0
	9:30:00	56.0	50.0	57.0
	9:35:00	55.0	50.0	57.5
	9:40:00	57.0	51.0	60.0
	9:45:00	56.2	49.5	59.5
	9:50:00	55.3	49.5	57.0
	9:55:00	56.4	50.0	60.0
	10:00:00	55.4	49.5	57.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/6/2007	10:05:00	56.9	50.0	60.0
	10:10:00	54.7	49.5	57.0
	10:15:00	57.2	52.0	60.0
	10:20:00	53.9	49.0	55.5
	10:25:00	54.0	49.0	55.5
	10:30:00	55.5	50.5	57.5
	10:35:00	54.4	50.0	56.5
	10:40:00	56.8	51.0	58.5
	10:45:00	56.4	51.5	59.0
	10:50:00	56.5	52.5	58.5
	10:55:00	57.8	52.0	61.0
	11:00:00	56.7	50.5	58.0
	11:05:00	56.3	51.0	57.5
	11:10:00	59.4	50.0	60.0
	11:15:00	56.5	50.5	58.0
	11:20:00	59.8	50.0	58.5
	11:25:00	59.1	51.5	59.5
	11:30:00	55.2	50.0	57.5
	11:35:00	54.8	49.0	57.0
	11:40:00	54.3	49.0	56.5
	11:45:00	55.2	49.5	57.5
	11:50:00	54.8	50.0	57.0
	11:55:00	61.2	51.5	60.0
	12:00:00	54.7	50.0	56.5
	12:05:00	57.8	51.5	60.5
	12:10:00	55.0	50.0	57.0
	12:15:00	54.4	49.5	56.0
	12:20:00	60.7	51.5	60.5
	12:25:00	54.5	49.5	56.5
	12:30:00	55.2	50.5	57.0
	12:35:00	55.5	50.5	57.5
	12:40:00	55.4	49.5	58.0
	12:45:00	55.4	50.5	57.5
	12:50:00	59.3	50.0	59.0
	12:55:00	63.4	51.0	68.0
	13:00:00	57.1	51.0	59.0
	13:05:00	61.2	51.5	62.0
	13:10:00	60.7	52.5	61.0
	13:15:00	54.3	49.0	56.0
	13:20:00	55.1	50.5	57.0
	13:25:00	56.4	50.0	58.0
	13:30:00	55.0	50.5	57.0
	13:35:00	55.3	50.5	57.5
	13:40:00	55.0	49.5	56.0
	13:45:00	54.8	49.5	56.0
	13:50:00	59.8	50.5	61.5
	13:55:00	55.0	50.0	57.0
	14:00:00	54.7	50.0	56.0
	14:05:00	55.7	51.0	57.5
	14:10:00	61.7	50.5	63.5
	14:15:00	54.9	50.0	57.0
	14:20:00	55.4	51.0	57.5
	14:25:00	55.8	52.5	57.5
	14:30:00	55.5	50.5	58.0
	14:35:00	54.5	49.5	56.0
	14:40:00	54.8	50.5	56.5
	14:45:00	56.4	49.5	58.0
	14:50:00	58.6	50.0	60.5
	14:55:00	57.1	50.0	58.0
	15:00:00	55.1	49.0	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/6/2007	15:05:00	55.1	49.0	57.0
	15:10:00	55.0	50.0	57.0
	15:15:00	57.5	50.5	59.0
	15:20:00	57.0	50.5	57.5
	15:25:00	60.0	50.5	59.5
	15:30:00	55.0	50.0	57.0
	15:35:00	54.3	48.5	55.5
	15:40:00	54.4	49.5	56.0
	15:45:00	53.5	48.0	55.0
	15:50:00	62.8	50.0	61.0
	15:55:00	55.9	51.0	57.0
	16:00:00	54.8	49.5	56.5
	16:05:00	56.0	50.5	58.0
	16:10:00	54.4	49.5	56.5
	16:15:00	56.9	50.5	58.0
	16:20:00	56.0	50.5	57.0
	16:25:00	57.0	50.0	59.5
	16:30:00	63.5	50.5	60.0
	16:35:00	54.7	50.0	56.5
	16:40:00	54.3	50.0	55.5
	16:45:00	56.4	51.5	59.0
	16:50:00	55.3	51.0	57.5
	16:55:00	56.2	50.5	57.5
	17:00:00	56.1	51.5	58.0
	17:05:00	57.7	50.5	60.5
	17:10:00	54.5	49.5	56.0
	17:15:00	55.9	51.0	58.0
	17:20:00	54.9	50.0	56.5
	17:25:00	56.8	50.5	58.5
	17:30:00	54.6	49.5	56.5
	17:35:00	54.8	49.5	57.0
	17:40:00	54.4	49.5	56.5
	17:45:00	55.0	50.0	56.5
	17:50:00	55.3	50.5	57.5
	17:55:00	56.0	50.5	58.5
	18:00:00	55.8	49.5	57.5
	18:05:00	54.9	50.5	57.0
	18:10:00	55.8	51.0	58.0
	18:15:00	54.0	49.5	55.5
	18:20:00	58.3	51.5	57.5
	18:25:00	54.5	50.0	56.5
	18:30:00	56.0	51.0	58.5
	18:35:00	57.0	52.0	59.5
	18:40:00	55.0	50.5	57.0
	18:45:00	54.9	50.0	57.0
	18:50:00	56.2	50.5	58.5
	18:55:00	56.2	51.0	58.5
	19:00:00	55.2	51.0	57.0
	19:05:00	55.6	50.5	57.5
	19:10:00	54.3	50.0	56.0
	19:15:00	56.1	51.0	58.5
	19:20:00	55.4	50.5	57.5
	19:25:00	54.2	50.5	55.5
	19:30:00	54.5	50.0	55.5
	19:35:00	54.4	50.0	56.0
	19:40:00	54.8	50.5	56.5
	19:45:00	54.2	50.0	55.5
	19:50:00	54.8	50.0	56.5
	19:55:00	56.4	50.5	58.0
	20:00:00	53.7	48.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/6/2007	20:05:00	54.1	49.0	55.5
	20:10:00	54.3	49.5	56.0
	20:15:00	54.2	49.0	56.0
	20:20:00	54.8	51.0	56.5
	20:25:00	55.3	49.5	57.5
	20:30:00	54.7	49.5	56.0
	20:35:00	54.2	49.5	56.0
	20:40:00	54.4	50.0	56.0
	20:45:00	54.3	49.5	56.0
	20:50:00	56.7	50.5	60.0
	20:55:00	54.7	49.5	56.5
	21:00:00	54.4	49.0	56.5
	21:05:00	54.1	49.5	56.0
	21:10:00	56.3	49.0	56.5
	21:15:00	56.0	49.5	57.5
	21:20:00	55.3	50.0	57.5
	21:25:00	53.8	49.5	55.5
	21:30:00	55.6	49.5	57.0
	21:35:00	54.1	49.5	56.0
	21:40:00	54.6	49.0	57.0
	21:45:00	54.3	49.0	56.0
	21:50:00	53.7	48.5	55.5
	21:55:00	58.6	49.0	58.0
	22:00:00	56.6	49.5	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/6/2007	22:05:00	54.4	49.0	55.5
	22:10:00	57.8	49.5	59.5
	22:15:00	54.3	49.0	56.0
	22:20:00	53.1	48.0	54.5
	22:25:00	54.5	48.5	56.0
	22:30:00	53.8	48.5	55.5
	22:35:00	54.4	49.5	56.0
	22:40:00	53.6	48.5	55.5
	22:45:00	57.4	48.5	59.0
	22:50:00	54.1	48.0	55.0
	22:55:00	56.1	49.0	57.5
	23:00:00	53.2	48.0	54.5
	23:05:00	54.5	48.5	55.0
	23:10:00	54.0	49.0	55.5
	23:15:00	53.2	48.0	55.0
	23:20:00	53.8	48.0	55.5
	23:25:00	53.4	48.5	55.0
	23:30:00	54.3	48.0	54.5
	23:35:00	53.8	47.5	55.0
	23:40:00	53.5	47.5	54.5
	23:45:00	53.1	47.5	55.0
	23:50:00	52.4	47.0	54.0
	23:55:00	57.5	49.0	58.5
	0:00:00	53.1	47.5	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/7/2007	0:05:00	52.4	47.0	54.0
	0:10:00	54.8	48.0	56.0
	0:15:00	52.7	47.5	54.0
	0:20:00	53.1	47.5	54.5
	0:25:00	52.6	47.5	54.0
	0:30:00	52.8	47.5	54.0
	0:35:00	53.0	47.5	54.0
	0:40:00	53.1	47.5	54.5
	0:45:00	52.8	47.0	53.5
	0:50:00	53.1	47.0	54.0
	0:55:00	53.3	47.0	54.5
	1:00:00	53.0	47.0	54.0
	1:05:00	52.3	47.0	53.5
	1:10:00	52.3	47.0	53.5
	1:15:00	53.4	47.5	54.5
	1:20:00	52.2	47.0	53.5
	1:25:00	52.8	47.5	54.0
	1:30:00	52.6	47.0	54.0
	1:35:00	53.2	47.5	54.5
	1:40:00	52.3	47.0	53.5
	1:45:00	52.8	47.5	54.0
	1:50:00	52.8	47.0	54.0
	1:55:00	52.4	46.5	53.5
	2:00:00	52.0	46.5	53.5
	2:05:00	52.2	46.5	53.5
	2:10:00	52.6	46.5	53.5
	2:15:00	52.1	47.0	53.5
	2:20:00	52.8	47.5	54.0
	2:25:00	53.7	47.0	54.5
	2:30:00	52.0	46.5	53.5
	2:35:00	52.0	46.5	53.5
	2:40:00	52.0	46.5	53.5
	2:45:00	52.3	46.5	53.5
	2:50:00	52.5	46.5	53.5
	2:55:00	52.2	46.5	53.5
	3:00:00	51.9	46.0	53.5
	3:05:00	51.9	46.0	53.5
	3:10:00	52.7	47.0	54.0
	3:15:00	52.2	46.5	53.5
	3:20:00	52.3	46.5	53.5
	3:25:00	54.7	48.0	57.0
	3:30:00	53.2	47.0	54.5
	3:35:00	52.7	47.5	54.0
	3:40:00	52.4	47.0	53.5
	3:45:00	52.1	46.5	53.5
	3:50:00	52.2	46.5	53.5
	3:55:00	51.9	46.5	53.5
	4:00:00	52.3	47.0	53.5
	4:05:00	52.2	46.5	53.5
	4:10:00	52.2	46.5	53.5
	4:15:00	52.3	46.5	53.5
	4:20:00	53.1	47.5	55.0
	4:25:00	53.7	48.5	56.0
	4:30:00	53.5	48.0	55.5
	4:35:00	53.7	47.5	55.5
	4:40:00	53.9	48.0	56.5
	4:45:00	53.7	48.5	56.0
	4:50:00	54.2	48.0	56.5
	4:55:00	53.7	48.0	56.0
	5:00:00	54.1	48.0	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/7/2007	5:05:00	53.8	48.0	56.5
	5:10:00	54.9	48.5	57.5
	5:15:00	52.8	47.5	54.0
	5:20:00	55.5	50.5	58.0
	5:25:00	56.4	51.5	59.0
	5:30:00	56.9	52.0	60.0
	5:35:00	55.2	50.0	58.0
	5:40:00	53.8	49.0	56.0
	5:45:00	54.8	49.0	55.0
	5:50:00	55.2	49.0	55.0
	5:55:00	53.7	49.0	55.5
	6:00:00	52.8	48.0	54.0
	6:05:00	60.8	49.5	59.5
	6:10:00	54.6	49.5	56.5
	6:15:00	56.7	48.5	54.5
	6:20:00	55.0	49.5	57.5
	6:25:00	56.6	49.0	59.0
	6:30:00	53.9	49.0	56.0
	6:35:00	55.2	50.5	57.0
	6:40:00	56.1	51.0	57.0
	6:45:00	55.1	50.0	57.0
	6:50:00	56.2	49.5	58.5
	6:55:00	56.6	51.0	59.0
	7:00:00	55.6	51.5	57.0
	7:05:00	58.9	51.5	60.0
	7:10:00	55.4	51.5	57.5
	7:15:00	56.8	52.0	58.0
	7:20:00	55.6	49.5	58.5
	7:25:00	66.2	50.0	61.0
	7:30:00	61.0	52.5	60.0
	7:35:00	62.7	51.5	60.5
	7:40:00	57.9	50.0	58.5
	7:45:00	55.1	49.5	57.5
	7:50:00	58.2	52.0	61.5
	7:55:00	56.3	51.0	59.0
	8:00:00	58.5	50.0	59.5
	8:05:00	56.4	52.0	59.0
	8:10:00	56.4	51.0	59.0
	8:15:00	55.0	49.5	57.5
	8:20:00	57.7	52.0	61.0
	8:25:00	55.1	48.5	57.5
	8:30:00	56.2	50.0	58.0
	8:35:00	57.5	51.5	60.5
	8:40:00	54.9	48.5	57.5
	8:45:00	55.3	50.5	57.5
	8:50:00	56.2	49.0	58.5
	8:55:00	56.1	50.0	59.0
	9:00:00	56.7	49.5	59.0
	9:05:00	56.3	51.5	59.0
	9:10:00	53.8	48.5	55.5
	9:15:00	53.5	49.0	55.0
	9:20:00	57.2	51.5	60.5
	9:25:00	55.7	50.0	58.5
	9:30:00	53.7	48.5	55.5
	9:35:00	54.7	49.5	57.0
	9:40:00	54.1	49.0	55.5
	9:45:00	55.8	50.0	58.0
	9:50:00	55.3	49.5	58.0
	9:55:00	55.5	49.5	57.0
	10:00:00	54.8	49.0	56.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/7/2007	10:05:00	55.6	49.5	58.0
	10:10:00	54.5	49.0	57.0
	10:15:00	55.7	50.0	58.5
	10:20:00	54.8	49.5	57.0
	10:25:00	55.6	50.0	57.5
	10:30:00	54.6	50.0	56.5
	10:35:00	55.8	51.5	58.5
	10:40:00	57.1	51.0	59.5
	10:45:00	55.7	51.0	58.5
	10:50:00	54.6	49.5	56.5
	10:55:00	54.9	50.0	57.0
	11:00:00	57.3	51.0	59.5
	11:05:00	55.9	50.5	58.0
	11:10:00	56.1	50.5	58.5
	11:15:00	56.7	49.5	58.0
	11:20:00	56.8	50.0	59.0
	11:25:00	56.5	50.5	59.5
	11:30:00	56.5	50.5	59.5
	11:35:00	53.7	48.5	56.0
	11:40:00	55.1	51.0	57.5
	11:45:00	54.1	49.0	56.0
	11:50:00	54.7	49.0	56.0
	11:55:00	55.8	50.0	58.5
	12:00:00	56.4	50.5	59.5
	12:05:00	55.6	49.0	57.0
	12:10:00	54.6	49.5	57.0
	12:15:00	54.0	49.0	56.0
	12:20:00	55.5	50.5	58.0
	12:25:00	55.6	49.5	58.0
	12:30:00	55.6	49.5	58.5
	12:35:00	54.7	49.5	57.0
	12:40:00	54.5	49.0	56.5
	12:45:00	56.6	52.0	58.0
	12:50:00	59.0	52.5	60.0
	12:55:00	55.7	50.0	58.0
	13:00:00	56.9	50.5	58.5
	13:05:00	54.4	49.0	56.0
	13:10:00	56.3	49.0	57.0
	13:15:00	54.7	49.0	56.5
	13:20:00	56.0	50.0	58.0
	13:25:00	55.9	50.5	57.5
	13:30:00	56.0	50.0	59.0
	13:35:00	56.6	51.0	59.5
	13:40:00	55.0	50.5	56.5
	13:45:00	54.8	49.0	56.5
	13:50:00	55.4	50.0	58.0
	13:55:00	54.4	49.5	56.0
	14:00:00	57.9	51.0	61.0
	14:05:00	55.7	51.5	58.0
	14:10:00	54.3	49.5	56.0
	14:15:00	54.8	49.5	57.0
	14:20:00	54.9	49.5	57.5
	14:25:00	54.6	50.0	56.5
	14:30:00	60.4	50.0	60.5
	14:35:00	54.8	50.0	56.5
	14:40:00	54.7	50.0	56.5
	14:45:00	55.2	50.0	58.0
	14:50:00	54.4	49.0	56.0
	14:55:00	56.8	51.0	59.5
	15:00:00	55.6	51.5	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/7/2007	15:05:00	56.0	51.0	58.0
	15:10:00	58.1	51.5	60.5
	15:15:00	55.6	51.5	57.5
	15:20:00	55.7	50.5	57.5
	15:25:00	55.9	51.0	58.5
	15:30:00	56.1	50.0	58.0
	15:35:00	55.5	50.0	57.5
	15:40:00	55.6	50.0	57.5
	15:45:00	57.8	51.0	61.0
	15:50:00	55.2	49.0	57.0
	15:55:00	55.9	49.5	58.0
	16:00:00	55.1	50.0	57.5
	16:05:00	56.3	50.0	59.0
	16:10:00	58.0	51.0	60.0
	16:15:00	55.9	50.5	58.5
	16:20:00	55.3	50.0	57.5
	16:25:00	60.9	50.0	59.0
	16:30:00	60.8	50.5	59.5
	16:35:00	55.6	49.5	58.0
	16:40:00	55.3	50.0	57.0
	16:45:00	57.0	50.5	60.0
	16:50:00	56.0	51.0	58.5
	16:55:00	55.8	50.5	58.5
	17:00:00	55.8	50.0	56.5
	17:05:00	54.7	50.0	56.5
	17:10:00	58.6	52.0	61.5
	17:15:00	57.4	52.0	60.5
	17:20:00	62.4	50.0	60.0
	17:25:00	57.5	49.0	57.5
	17:30:00	56.0	50.5	58.5
	17:35:00	55.0	49.5	57.0
	17:40:00	60.8	50.0	58.5
	17:45:00	57.3	50.5	59.5
	17:50:00	56.7	51.5	59.5
	17:55:00	56.3	50.5	58.5
	18:00:00	56.1	51.0	58.5
	18:05:00	55.3	50.5	57.5
	18:10:00	55.4	50.0	57.5
	18:15:00	61.7	51.0	59.0
	18:20:00	59.8	52.5	61.0
	18:25:00	55.2	50.5	57.5
	18:30:00	56.7	52.0	59.0
	18:35:00	55.3	50.0	57.5
	18:40:00	60.2	51.0	64.0
	18:45:00	56.1	50.5	58.5
	18:50:00	56.5	50.0	59.5
	18:55:00	56.4	50.0	58.0
	19:00:00	56.3	50.0	58.5
	19:05:00	55.8	51.0	57.5
	19:10:00	56.6	50.5	57.0
	19:15:00	55.8	50.0	57.5
	19:20:00	55.2	50.5	57.0
	19:25:00	54.9	49.5	57.0
	19:30:00	55.6	50.5	56.5
	19:35:00	54.5	50.0	56.0
	19:40:00	56.5	50.5	57.5
	19:45:00	54.2	49.5	55.5
	19:50:00	54.4	50.0	56.0
	19:55:00	54.9	49.5	56.0
	20:00:00	54.1	49.5	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/7/2007	20:05:00	54.6	50.0	56.0
	20:10:00	53.6	48.5	55.0
	20:15:00	53.7	48.5	55.0
	20:20:00	54.6	48.5	56.0
	20:25:00	54.0	49.0	55.5
	20:30:00	54.7	49.5	56.0
	20:35:00	60.8	50.5	60.5
	20:40:00	54.1	49.5	55.5
	20:45:00	55.5	49.0	55.5
	20:50:00	58.1	50.5	60.5
	20:55:00	55.4	50.5	57.5
	21:00:00	60.4	50.0	63.5
	21:05:00	56.5	49.0	59.5
	21:10:00	55.3	48.5	56.5
	21:15:00	54.6	50.0	56.0
	21:20:00	57.5	49.5	57.0
	21:25:00	54.8	49.5	56.5
	21:30:00	54.6	49.5	56.5
	21:35:00	65.4	50.0	60.0
	21:40:00	54.6	49.0	55.5
	21:45:00	53.7	48.5	55.5
	21:50:00	54.7	49.5	56.0
	21:55:00	54.5	49.5	56.5
	22:00:00	53.8	48.5	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/7/2007	22:05:00	53.0	47.5	54.5
	22:10:00	54.0	49.0	55.5
	22:15:00	53.8	49.0	55.5
	22:20:00	55.2	50.0	57.0
	22:25:00	53.9	49.5	55.5
	22:30:00	54.9	49.0	56.0
	22:35:00	53.4	47.5	54.5
	22:40:00	54.2	49.0	55.5
	22:45:00	53.5	48.5	55.0
	22:50:00	53.1	48.0	54.5
	22:55:00	55.4	49.0	57.5
	23:00:00	54.3	49.0	55.5
	23:05:00	54.2	49.0	56.0
	23:10:00	54.3	49.5	56.0
	23:15:00	54.2	50.0	55.5
	23:20:00	55.3	50.0	56.5
	23:25:00	53.9	49.0	55.5
	23:30:00	54.9	48.5	57.0
	23:35:00	53.5	48.5	55.0
	23:40:00	53.3	48.0	54.5
	23:45:00	54.0	48.5	55.5
	23:50:00	53.3	48.0	54.5
	23:55:00	54.2	49.5	56.0
	0:00:00	53.5	48.5	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/8/2007	0:05:00	54.4	48.5	54.5
	0:10:00	53.4	48.5	54.5
	0:15:00	53.5	48.5	55.0
	0:20:00	53.3	48.0	54.5
	0:25:00	53.5	48.5	55.0
	0:30:00	53.1	47.5	54.5
	0:35:00	52.7	47.0	54.0
	0:40:00	53.4	48.0	55.0
	0:45:00	53.1	47.5	54.5
	0:50:00	53.2	47.5	54.5
	0:55:00	53.6	48.5	55.5
	1:00:00	52.8	47.0	54.0
	1:05:00	52.8	47.0	54.0
	1:10:00	52.7	47.0	54.0
	1:15:00	52.9	47.5	54.5
	1:20:00	52.7	47.0	54.0
	1:25:00	53.0	47.0	54.0
	1:30:00	53.0	47.5	54.5
	1:35:00	53.2	48.0	54.5
	1:40:00	53.5	48.0	54.5
	1:45:00	53.1	47.5	54.5
	1:50:00	52.8	47.0	54.0
	1:55:00	53.0	47.5	54.5
	2:00:00	52.7	47.0	54.0
	2:05:00	52.6	46.5	54.0
	2:10:00	53.1	47.5	54.5
	2:15:00	52.9	47.0	54.5
	2:20:00	52.6	47.0	54.0
	2:25:00	53.1	47.5	54.5
	2:30:00	53.2	47.5	54.5
	2:35:00	52.8	47.0	54.0
	2:40:00	52.8	47.0	54.0
	2:45:00	52.9	47.0	54.0
	2:50:00	52.9	47.0	54.0
	2:55:00	52.7	47.0	54.0
	3:00:00	53.2	48.0	54.5
	3:05:00	53.4	47.5	54.5
	3:10:00	52.8	47.0	54.0
	3:15:00	52.7	47.0	54.0
	3:20:00	52.6	47.0	54.0
	3:25:00	52.9	47.0	54.0
	3:30:00	52.6	47.0	54.0
	3:35:00	53.0	47.0	54.0
	3:40:00	52.5	46.5	54.0
	3:45:00	52.8	47.0	54.0
	3:50:00	53.0	47.5	54.5
	3:55:00	52.9	47.5	54.0
	4:00:00	52.8	47.5	54.0
	4:05:00	53.0	47.5	54.5
	4:10:00	53.4	47.5	54.5
	4:15:00	53.8	48.5	55.5
	4:20:00	54.5	49.5	56.0
	4:25:00	53.8	49.0	55.5
	4:30:00	53.7	49.0	55.5
	4:35:00	54.0	49.0	55.5
	4:40:00	54.8	50.0	56.5
	4:45:00	54.2	49.5	56.0
	4:50:00	54.8	50.0	56.5
	4:55:00	54.4	50.0	56.5
	5:00:00	56.3	49.0	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/8/2007	5:05:00	54.0	48.5	56.0
	5:10:00	53.8	48.0	54.5
	5:15:00	54.2	48.5	56.5
	5:20:00	54.1	49.0	56.0
	5:25:00	53.9	49.0	55.5
	5:30:00	53.9	48.5	55.0
	5:35:00	54.4	49.0	56.0
	5:40:00	53.6	49.0	55.0
	5:45:00	55.8	49.0	56.5
	5:50:00	54.5	49.0	56.5
	5:55:00	54.6	48.5	56.0
	6:00:00	54.1	49.0	55.5
	6:05:00	54.9	49.5	57.0
	6:10:00	60.7	49.5	59.0
	6:15:00	57.5	49.5	58.5
	6:20:00	54.6	49.0	56.5
	6:25:00	54.9	49.5	57.0
	6:30:00	54.7	49.5	56.5
	6:35:00	57.3	51.0	57.5
	6:40:00	59.0	52.5	60.5
	6:45:00	66.6	51.0	63.0
	6:50:00	56.7	50.5	59.0
	6:55:00	56.1	50.0	58.0
	7:00:00	58.2	52.5	61.0
	7:05:00	56.5	50.5	59.5
	7:10:00	56.3	52.5	58.5
	7:15:00	57.3	53.0	60.0
	7:20:00	55.6	50.0	58.0
	7:25:00	63.0	52.0	61.0
	7:30:00	66.3	52.5	63.5
	7:35:00	61.1	51.0	59.5
	7:40:00	55.6	50.0	58.0
	7:45:00	57.8	51.5	61.0
	7:50:00	57.0	52.5	59.0
	7:55:00	56.6	51.5	59.0
	8:00:00	57.0	51.0	58.5
	8:05:00	55.0	50.0	57.0
	8:10:00	57.4	50.0	58.5
	8:15:00	62.8	49.5	58.0
	8:20:00	57.0	52.5	59.5
	8:25:00	56.9	51.0	60.0
	8:30:00	58.0	51.0	61.0
	8:35:00	57.0	51.0	58.0
	8:40:00	57.5	50.5	60.5
	8:45:00	56.5	50.5	59.5
	8:50:00	57.7	51.5	60.0
	8:55:00	56.7	50.0	59.5
	9:00:00	56.9	50.5	58.5
	9:05:00	56.7	51.5	59.0
	9:10:00	56.3	50.0	58.5
	9:15:00	54.7	49.0	56.5
	9:20:00	56.8	50.0	59.0
	9:25:00	57.2	52.0	59.5
	9:30:00	55.1	49.5	57.5
	9:35:00	57.1	50.5	58.5
	9:40:00	56.7	49.5	57.5
	9:45:00	55.7	50.5	58.0
	9:50:00	55.9	51.0	58.0
	9:55:00	58.5	51.5	60.5
	10:00:00	55.9	51.0	58.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/8/2007	10:05:00	56.1	51.0	59.0
	10:10:00	55.4	50.5	58.0
	10:15:00	56.7	50.5	57.5
	10:20:00	58.0	50.5	61.0
	10:25:00	56.9	51.5	58.5
	10:30:00	55.5	51.5	57.5
	10:35:00	56.0	51.0	57.0
	10:40:00	57.8	52.5	60.0
	10:45:00	59.0	53.0	62.5
	10:50:00	59.0	53.0	61.5
	10:55:00	55.2	50.5	56.5
	11:00:00	56.3	50.5	58.5
	11:05:00	56.7	50.0	58.5
	11:10:00	56.4	51.0	59.0
	11:15:00	58.8	51.5	62.5
	11:20:00	55.5	51.0	57.5
	11:25:00	54.4	49.5	55.5
	11:30:00	56.4	50.5	58.0
	11:35:00	58.3	50.5	59.0
	11:40:00	57.3	50.5	59.5
	11:45:00	57.3	51.0	60.0
	11:50:00	55.5	50.0	58.0
	11:55:00	54.4	49.5	56.0
	12:00:00	55.5	50.0	58.0
	12:05:00	59.3	50.5	61.0
	12:10:00	56.7	50.5	59.0
	12:15:00	56.1	51.0	59.0
	12:20:00	54.6	49.5	56.0
	12:25:00	53.9	49.0	55.5
	12:30:00	57.7	50.5	57.5
	12:35:00	56.4	49.0	58.5
	12:40:00	58.7	49.5	59.5
	12:45:00	57.8	50.5	58.0
	12:50:00	57.9	52.0	60.5
	12:55:00	56.8	49.0	59.0
	13:00:00	54.8	49.5	56.5
	13:05:00	55.4	49.5	57.5
	13:10:00	56.9	50.0	59.0
	13:15:00	57.5	50.5	60.0
	13:20:00	57.1	51.0	60.0
	13:25:00	58.4	51.0	61.5
	13:30:00	58.0	51.5	60.5
	13:35:00	55.9	51.0	58.5
	13:40:00	57.5	50.5	60.5
	13:45:00	56.4	50.5	59.0
	13:50:00	59.9	51.5	61.5
	13:55:00	58.5	51.0	60.0
	14:00:00	57.0	51.0	60.0
	14:05:00	55.7	50.0	58.0
	14:10:00	56.7	50.5	59.5
	14:15:00	56.9	51.0	58.5
	14:20:00	56.7	50.0	59.5
	14:25:00	55.8	50.0	58.0
	14:30:00	56.6	51.0	59.5
	14:35:00	56.2	51.0	58.5
	14:40:00	57.0	51.5	59.0
	14:45:00	57.2	51.5	59.5
	14:50:00	56.4	52.0	59.0
	14:55:00	55.1	50.5	57.0
	15:00:00	56.7	51.0	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/8/2007	15:05:00	56.3	50.5	59.0
	15:10:00	56.5	50.0	57.5
	15:15:00	57.0	49.0	56.0
	15:20:00	56.3	50.0	58.0
	15:25:00	56.6	49.0	58.0
	15:30:00	55.0	50.0	57.0
	15:35:00	56.8	51.0	59.5
	15:40:00	57.0	50.5	59.0
	15:45:00	55.3	49.5	57.5
	15:50:00	56.3	50.5	59.0
	15:55:00	58.2	50.5	60.5
	16:00:00	56.4	51.0	58.5
	16:05:00	56.9	51.5	60.0
	16:10:00	58.3	53.0	61.5
	16:15:00	55.0	50.5	57.0
	16:20:00	56.9	51.5	59.5
	16:25:00	55.9	51.0	58.0
	16:30:00	64.8	50.0	60.0
	16:35:00	54.9	49.5	56.5
	16:40:00	56.0	50.0	59.0
	16:45:00	64.9	50.0	61.0
	16:50:00	57.7	50.5	62.0
	16:55:00	57.5	51.0	61.5
	17:00:00	56.5	50.0	59.5
	17:05:00	66.7	52.0	64.5
	17:10:00	64.4	52.5	62.0
	17:15:00	57.7	51.5	60.0
	17:20:00	59.8	52.5	62.5
	17:25:00	69.8	52.0	74.5
	17:30:00	57.4	51.0	60.5
	17:35:00	55.5	48.5	57.5
	17:40:00	56.9	51.0	60.0
	17:45:00	57.2	51.0	60.0
	17:50:00	57.3	50.5	60.5
	17:55:00	56.0	51.0	59.0
	18:00:00	56.3	51.0	58.5
	18:05:00	55.2	51.0	57.0
	18:10:00	55.4	50.0	57.5
	18:15:00	56.1	50.5	58.0
	18:20:00	58.1	50.0	59.0
	18:25:00	56.2	50.5	58.0
	18:30:00	56.2	51.0	58.5
	18:35:00	57.5	51.5	60.5
	18:40:00	59.8	50.5	59.5
	18:45:00	57.4	50.0	58.0
	18:50:00	56.6	50.0	59.5
	18:55:00	58.1	52.0	57.0
	19:00:00	55.3	51.0	56.5
	19:05:00	54.4	50.0	56.5
	19:10:00	54.3	50.0	56.0
	19:15:00	54.7	50.0	56.5
	19:20:00	57.0	51.0	58.0
	19:25:00	68.8	51.5	74.0
	19:30:00	54.9	50.0	57.0
	19:35:00	65.8	50.5	63.0
	19:40:00	56.1	49.5	56.5
	19:45:00	54.1	50.0	55.5
	19:50:00	54.9	50.5	57.0
	19:55:00	54.5	50.0	56.0
	20:00:00	54.4	50.0	56.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/8/2007	20:05:00	55.7	49.5	56.5
	20:10:00	56.0	49.0	57.0
	20:15:00	56.1	49.5	57.5
	20:20:00	54.4	49.5	56.5
	20:25:00	54.3	49.5	56.0
	20:30:00	54.3	49.0	56.5
	20:35:00	60.6	50.5	62.0
	20:40:00	58.0	49.5	62.5
	20:45:00	54.7	49.0	55.5
	20:50:00	56.1	49.0	58.0
	20:55:00	54.1	49.5	55.5
	21:00:00	62.9	50.5	60.0
	21:05:00	55.5	50.0	56.0
	21:10:00	53.9	49.0	55.5
	21:15:00	53.8	49.0	55.0
	21:20:00	53.8	49.0	55.5
	21:25:00	55.6	49.0	55.5
	21:30:00	61.4	50.0	57.0
	21:35:00	54.6	49.5	56.5
	21:40:00	53.9	49.0	55.5
	21:45:00	55.1	49.0	57.5
	21:50:00	53.5	49.0	55.0
	21:55:00	54.0	48.5	55.5
	22:00:00	56.4	49.5	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/8/2007	22:05:00	54.9	50.0	56.5
	22:10:00	53.8	49.5	55.0
	22:15:00	54.0	49.5	55.5
	22:20:00	53.9	49.5	55.5
	22:25:00	54.8	49.0	56.0
	22:30:00	53.8	49.0	55.5
	22:35:00	54.9	50.0	56.5
	22:40:00	53.8	49.0	55.0
	22:45:00	54.5	50.0	56.5
	22:50:00	54.0	49.0	55.5
	22:55:00	54.0	49.5	55.0
	23:00:00	54.8	49.5	57.0
	23:05:00	54.6	50.0	56.0
	23:10:00	54.2	49.0	56.0
	23:15:00	55.4	50.0	57.0
	23:20:00	53.7	49.0	55.0
	23:25:00	53.3	48.5	54.5
	23:30:00	54.3	49.0	56.0
	23:35:00	54.1	49.5	55.5
	23:40:00	53.1	48.0	54.5
	23:45:00	53.4	48.5	54.5
	23:50:00	53.9	48.5	55.0
	23:55:00	53.4	48.5	54.5
	0:00:00	59.6	48.5	56.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/9/2007	0:05:00	53.9	48.0	54.5
	0:10:00	59.0	49.0	61.5
	0:15:00	55.5	48.5	55.5
	0:20:00	53.6	48.5	55.0
	0:25:00	53.1	48.0	54.5
	0:30:00	53.5	48.5	55.0
	0:35:00	53.7	49.0	55.0
	0:40:00	54.2	49.0	55.5
	0:45:00	53.6	49.0	55.0
	0:50:00	53.5	48.5	54.5
	0:55:00	53.0	48.0	54.5
	1:00:00	53.5	48.5	55.0
	1:05:00	54.3	48.5	56.0
	1:10:00	53.4	48.0	54.5
	1:15:00	53.4	48.5	54.5
	1:20:00	53.3	48.0	54.5
	1:25:00	53.7	48.5	55.5
	1:30:00	53.4	48.0	54.5
	1:35:00	53.2	48.0	54.5
	1:40:00	53.1	48.0	54.5
	1:45:00	52.8	47.5	54.5
	1:50:00	53.0	47.5	54.5
	1:55:00	53.0	47.5	54.5
	2:00:00	53.1	47.5	54.5
	2:05:00	52.8	47.0	54.0
	2:10:00	53.4	47.5	54.5
	2:15:00	52.8	47.5	54.5
	2:20:00	52.9	47.0	54.0
	2:25:00	53.5	47.5	55.0
	2:30:00	52.8	47.0	54.0
	2:35:00	53.1	47.0	54.5
	2:40:00	52.8	47.0	54.0
	2:45:00	53.7	48.0	54.5
	2:50:00	53.0	48.0	54.5
	2:55:00	53.1	48.0	54.5
	3:00:00	53.9	48.5	54.5
	3:05:00	53.0	48.0	54.5
	3:10:00	53.0	48.0	54.5
	3:15:00	53.1	48.0	54.5
	3:20:00	52.9	47.5	54.5
	3:25:00	52.9	47.5	54.5
	3:30:00	53.5	48.0	54.5
	3:35:00	53.5	48.0	55.0
	3:40:00	52.8	47.5	54.5
	3:45:00	52.9	47.5	54.5
	3:50:00	53.1	48.0	54.5
	3:55:00	52.9	47.5	54.5
	4:00:00	53.2	47.5	54.5
	4:05:00	53.8	48.0	54.5
	4:10:00	55.0	49.0	57.0
	4:15:00	54.6	49.5	57.0
	4:20:00	54.7	49.5	57.0
	4:25:00	54.9	50.0	57.0
	4:30:00	55.6	50.0	57.5
	4:35:00	54.4	49.5	56.5
	4:40:00	54.3	49.5	56.5
	4:45:00	54.3	49.5	56.5
	4:50:00	54.6	50.0	56.5
	4:55:00	54.1	49.0	56.0
	5:00:00	54.1	49.0	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/9/2007	5:05:00	54.0	49.0	56.0
	5:10:00	53.9	48.5	56.0
	5:15:00	53.9	48.5	56.0
	5:20:00	54.7	49.5	57.0
	5:25:00	54.1	49.5	56.0
	5:30:00	56.1	51.5	58.5
	5:35:00	56.3	51.5	59.0
	5:40:00	54.2	50.0	55.5
	5:45:00	53.7	49.0	55.0
	5:50:00	54.2	49.0	55.5
	5:55:00	55.8	50.0	59.0
	6:00:00	55.1	50.0	57.5
	6:05:00	55.7	50.5	58.0
	6:10:00	54.6	49.0	56.5
	6:15:00	54.2	49.0	55.5
	6:20:00	54.0	48.5	55.5
	6:25:00	54.8	49.5	57.5
	6:30:00	54.1	48.5	56.0
	6:35:00	55.9	51.0	58.5
	6:40:00	55.8	52.0	56.5
	6:45:00	60.0	51.5	60.5
	6:50:00	60.9	51.0	60.0
	6:55:00	57.7	51.0	60.5
	7:00:00	56.8	52.0	59.5
	7:05:00	56.4	50.5	58.0
	7:10:00	55.8	52.0	57.0
	7:15:00	57.1	52.5	59.5
	7:20:00	56.7	52.5	59.0
	7:25:00	69.7	53.5	64.0
	7:30:00	60.7	51.5	60.0
	7:35:00	66.9	52.5	61.0
	7:40:00	56.1	51.0	58.0
	7:45:00	55.5	50.5	58.0
	7:50:00	57.4	52.0	60.0
	7:55:00	56.8	51.0	59.5
	8:00:00	57.6	51.5	60.0
	8:05:00	58.3	52.0	61.5
	8:10:00	56.3	50.5	58.5
	8:15:00	55.4	50.5	58.0
	8:20:00	57.3	53.0	60.0
	8:25:00	57.4	51.0	60.0
	8:30:00	56.3	51.0	59.5
	8:35:00	60.8	53.0	63.0
	8:40:00	57.4	51.5	60.0
	8:45:00	54.8	49.0	56.5
	8:50:00	58.9	51.0	58.5
	8:55:00	56.1	50.5	58.5
	9:00:00	56.4	51.0	59.0
	9:05:00	55.1	50.5	57.0
	9:10:00	55.7	50.0	57.0
	9:15:00	55.6	50.5	57.0
	9:20:00	57.9	51.5	60.0
	9:25:00	57.2	51.5	59.0
	9:30:00	56.9	50.0	58.0
	9:35:00	56.6	51.0	58.5
	9:40:00	60.1	52.0	58.5
	9:45:00	56.6	51.0	59.5
	9:50:00	58.4	50.5	58.5
	9:55:00	59.7	51.0	59.5
	10:00:00	58.6	51.0	59.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/9/2007	10:05:00	56.6	50.5	58.0
	10:10:00	56.6	50.5	57.5
	10:15:00	56.9	50.5	59.0
	10:20:00	57.5	50.5	59.0
	10:25:00	55.3	51.0	57.0
	10:30:00	54.7	50.5	56.5
	10:35:00	55.4	50.5	57.0
	10:40:00	55.0	50.5	56.5
	10:45:00	55.3	50.5	57.0
	10:50:00	55.6	51.5	57.5
	10:55:00	57.2	51.5	59.0
	11:00:00	55.6	50.5	58.0
	11:05:00	57.1	51.5	59.5
	11:10:00	55.2	51.0	57.5
	11:15:00	58.5	51.0	61.0
	11:20:00	57.1	51.5	59.5
	11:25:00	55.2	50.5	57.0
	11:30:00	58.4	51.0	60.5
	11:35:00	55.8	50.0	57.5
	11:40:00	56.4	50.5	58.5
	11:45:00	56.2	51.5	58.0
	11:50:00	54.3	50.0	56.0
	11:55:00	55.5	51.0	58.0
	12:00:00	57.2	51.5	58.5
	12:05:00	56.1	51.5	58.0
	12:10:00	56.7	51.5	59.5
	12:15:00	57.7	51.5	59.5
	12:20:00	56.0	50.0	57.0
	12:25:00	56.4	50.5	59.0
	12:30:00	54.2	49.0	56.0
	12:35:00	54.9	49.5	57.0
	12:40:00	57.0	50.0	59.5
	12:45:00	55.5	50.5	57.5
	12:50:00	57.0	51.0	60.5
	12:55:00	55.8	49.0	56.5
	13:00:00	55.7	50.5	58.0
	13:05:00	57.5	51.0	60.0
	13:10:00	55.3	50.0	57.5
	13:15:00	55.9	50.5	57.5
	13:20:00	57.8	52.5	60.5
	13:25:00	55.4	50.5	57.5
	13:30:00	54.7	49.5	56.5
	13:35:00	55.8	50.0	58.0
	13:40:00	54.6	49.5	56.5
	13:45:00	56.0	51.5	57.5
	13:50:00	57.5	50.5	59.0
	13:55:00	54.4	50.0	56.0
	14:00:00	57.1	51.0	58.0
	14:05:00	58.2	52.0	60.0
	14:10:00	55.8	50.5	58.5
	14:15:00	56.8	51.5	59.0
	14:20:00	57.6	52.5	60.0
	14:25:00	55.1	50.0	57.5
	14:30:00	56.4	50.5	59.0
	14:35:00	57.4	51.5	60.0
	14:40:00	56.0	49.5	59.0
	14:45:00	56.0	50.0	58.0
	14:50:00	57.7	52.5	59.5
	14:55:00	56.5	52.0	58.5
	15:00:00	55.6	51.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/9/2007	15:05:00	58.2	50.5	61.5
	15:10:00	56.7	50.5	58.5
	15:15:00	55.1	49.5	57.0
	15:20:00	57.2	50.0	60.0
	15:25:00	56.4	51.0	59.0
	15:30:00	56.2	50.5	58.0
	15:35:00	56.0	50.5	58.5
	15:40:00	55.2	50.0	57.5
	15:45:00	56.4	50.5	59.0
	15:50:00	56.2	50.5	59.0
	15:55:00	56.8	51.0	59.5
	16:00:00	55.8	50.0	58.5
	16:05:00	58.2	52.0	61.0
	16:10:00	58.1	51.5	61.5
	16:15:00	55.3	50.5	57.5
	16:20:00	56.4	50.0	59.0
	16:25:00	56.6	50.0	58.0
	16:30:00	55.0	49.5	57.0
	16:35:00	56.0	51.0	58.5
	16:40:00	55.7	51.0	57.5
	16:45:00	54.5	49.5	56.0
	16:50:00	58.2	51.5	60.5
	16:55:00	55.9	50.5	58.5
	17:00:00	55.8	49.5	58.0
	17:05:00	55.6	51.0	57.5
	17:10:00	63.2	51.5	61.0
	17:15:00	57.1	52.0	60.0
	17:20:00	62.5	52.0	60.0
	17:25:00	59.0	51.0	58.5
	17:30:00	54.4	49.5	56.0
	17:35:00	56.1	50.5	58.5
	17:40:00	58.4	52.0	60.5
	17:45:00	55.9	50.5	58.0
	17:50:00	56.7	50.5	58.5
	17:55:00	57.9	51.5	61.0
	18:00:00	55.6	50.0	57.0
	18:05:00	57.2	49.5	58.0
	18:10:00	56.8	50.0	59.0
	18:15:00	61.0	50.0	60.0
	18:20:00	55.6	49.5	57.0
	18:25:00	55.9	50.0	58.5
	18:30:00	56.0	50.0	58.0
	18:35:00	60.7	52.5	62.5
	18:40:00	59.5	51.5	60.0
	18:45:00	55.9	50.0	58.5
	18:50:00	55.5	50.0	58.0
	18:55:00	61.4	51.0	63.5
	19:00:00	58.6	50.0	57.5
	19:05:00	55.4	49.5	57.0
	19:10:00	55.0	50.0	56.5
	19:15:00	57.3	50.5	57.0
	19:20:00	55.0	50.5	56.5
	19:25:00	54.6	50.0	56.0
	19:30:00	55.7	50.5	56.5
	19:35:00	56.2	51.0	58.5
	19:40:00	56.3	51.5	57.5
	19:45:00	53.6	49.0	55.0
	19:50:00	58.1	49.5	58.0
	19:55:00	54.4	50.0	56.0
	20:00:00	55.8	50.0	57.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/9/2007	20:05:00	58.9	50.0	56.0
	20:10:00	53.6	49.0	55.0
	20:15:00	54.0	49.0	55.5
	20:20:00	54.9	49.5	56.0
	20:25:00	55.1	50.0	57.5
	20:30:00	55.4	49.5	57.0
	20:35:00	55.1	49.0	57.0
	20:40:00	57.1	49.0	56.5
	20:45:00	57.8	49.0	57.5
	20:50:00	54.2	49.0	55.5
	20:55:00	56.0	50.0	56.5
	21:00:00	57.2	49.0	58.0
	21:05:00	54.1	49.0	56.0
	21:10:00	54.8	49.5	56.5
	21:15:00	54.1	49.0	55.5
	21:20:00	64.6	48.5	60.0
	21:25:00	54.7	50.5	56.0
	21:30:00	54.5	49.0	56.5
	21:35:00	55.0	49.5	57.0
	21:40:00	53.7	48.5	55.0
	21:45:00	53.7	49.0	55.0
	21:50:00	53.7	48.5	55.0
	21:55:00	55.2	49.0	57.0
	22:00:00	53.8	49.0	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/9/2007	22:05:00	55.4	49.5	57.0
	22:10:00	63.2	49.5	61.5
	22:15:00	56.0	49.0	57.0
	22:20:00	53.8	49.0	55.0
	22:25:00	54.1	49.0	56.0
	22:30:00	53.9	49.0	55.5
	22:35:00	54.8	51.0	56.0
	22:40:00	54.7	50.0	57.0
	22:45:00	55.5	49.5	57.5
	22:50:00	53.6	48.5	55.0
	22:55:00	53.1	48.0	54.5
	23:00:00	53.8	48.5	55.5
	23:05:00	53.6	48.0	54.5
	23:10:00	53.3	48.0	54.5
	23:15:00	53.4	48.5	55.0
	23:20:00	53.7	48.0	55.0
	23:25:00	53.6	49.0	55.0
	23:30:00	54.4	48.5	55.5
	23:35:00	53.7	48.5	55.0
	23:40:00	54.0	48.5	55.0
	23:45:00	54.2	49.5	56.0
	23:50:00	54.7	49.0	56.5
	23:55:00	53.5	49.0	55.0
	0:00:00	53.3	48.0	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/10/2007	0:05:00	53.2	48.0	54.5
	0:10:00	53.0	47.5	54.5
	0:15:00	53.1	47.5	54.5
	0:20:00	53.0	47.5	54.5
	0:25:00	53.1	47.5	54.5
	0:30:00	52.9	47.5	54.5
	0:35:00	53.9	48.0	55.0
	0:40:00	53.4	48.0	54.5
	0:45:00	53.3	48.0	54.5
	0:50:00	55.7	49.0	56.5
	0:55:00	53.4	48.0	55.0
	1:00:00	53.0	47.5	54.5
	1:05:00	53.0	47.5	54.5
	1:10:00	53.6	48.0	55.0
	1:15:00	53.3	48.0	54.5
	1:20:00	54.6	48.5	55.5
	1:25:00	53.0	47.5	54.5
	1:30:00	52.8	47.5	54.5
	1:35:00	53.7	49.0	55.5
	1:40:00	55.9	49.0	56.5
	1:45:00	54.1	49.0	56.0
	1:50:00	54.0	48.5	56.0
	1:55:00	53.5	48.0	55.0
	2:00:00	54.1	48.5	56.5
	2:05:00	53.7	48.0	55.5
	2:10:00	53.7	48.0	56.0
	2:15:00	53.6	48.0	55.5
	2:20:00	54.1	48.0	56.5
	2:25:00	53.7	48.0	55.5
	2:30:00	53.6	48.0	55.0
	2:35:00	53.1	47.5	54.5
	2:40:00	53.9	48.5	56.0
	2:45:00	54.4	49.0	57.0
	2:50:00	54.7	49.0	57.0
	2:55:00	54.1	48.5	56.0
	3:00:00	53.6	48.5	55.0
	3:05:00	54.2	48.5	56.0
	3:10:00	53.0	47.5	54.5
	3:15:00	53.7	48.0	55.5
	3:20:00	54.0	48.5	56.5
	3:25:00	53.5	48.0	55.0
	3:30:00	53.0	47.5	54.5
	3:35:00	53.6	48.0	55.5
	3:40:00	53.0	47.5	54.5
	3:45:00	52.9	47.0	54.5
	3:50:00	53.3	48.0	55.0
	3:55:00	53.1	47.5	54.5
	4:00:00	53.9	48.5	55.5
	4:05:00	54.4	48.5	57.0
	4:10:00	52.9	47.5	54.5
	4:15:00	53.3	48.5	54.5
	4:20:00	53.0	47.5	54.5
	4:25:00	52.8	47.5	54.5
	4:30:00	53.9	48.0	56.0
	4:35:00	52.9	47.5	54.5
	4:40:00	53.1	48.0	54.5
	4:45:00	53.2	48.0	54.5
	4:50:00	53.1	48.0	54.5
	4:55:00	53.2	48.0	54.5
	5:00:00	53.1	48.0	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/10/2007	5:05:00	53.6	48.5	55.0
	5:10:00	53.8	49.0	55.0
	5:15:00	53.0	48.0	54.5
	5:20:00	54.0	49.0	56.0
	5:25:00	54.5	49.5	56.5
	5:30:00	55.9	51.0	58.5
	5:35:00	55.5	50.5	58.0
	5:40:00	55.4	50.0	58.0
	5:45:00	54.2	49.5	55.5
	5:50:00	60.2	49.0	55.0
	5:55:00	55.7	50.5	58.0
	6:00:00	56.0	50.0	59.0
	6:05:00	55.4	50.5	57.5
	6:10:00	55.1	49.5	57.0
	6:15:00	55.7	49.0	56.0
	6:20:00	54.9	49.5	56.5
	6:25:00	57.3	50.5	59.5
	6:30:00	55.2	49.0	57.5
	6:35:00	56.6	52.5	58.5
	6:40:00	66.8	54.0	63.5
	6:45:00	56.1	50.5	59.0
	6:50:00	56.4	50.0	59.0
	6:55:00	56.5	50.0	59.5
	7:00:00	57.0	51.5	59.5
	7:05:00	57.4	51.0	60.0
	7:10:00	55.8	52.0	57.5
	7:15:00	57.4	53.0	59.5
	7:20:00	55.7	50.5	58.0
	7:25:00	68.6	51.0	70.5
	7:30:00	68.2	53.0	73.0
	7:35:00	65.0	51.5	60.5
	7:40:00	55.4	50.0	57.5
	7:45:00	56.4	52.0	58.5
	7:50:00	57.2	52.0	60.5
	7:55:00	57.3	52.0	59.5
	8:00:00	56.9	51.5	59.0
	8:05:00	56.6	52.0	59.0
	8:10:00	55.8	50.0	58.5
	8:15:00	55.2	50.5	57.0
	8:20:00	56.6	51.5	59.0
	8:25:00	56.4	50.0	59.0
	8:30:00	55.7	49.5	58.0
	8:35:00	57.4	51.5	60.5
	8:40:00	55.8	50.5	58.0
	8:45:00	57.8	51.0	61.0
	8:50:00	59.6	50.5	59.0
	8:55:00	56.1	50.5	59.0
	9:00:00	56.5	51.0	59.0
	9:05:00	54.5	49.5	56.5
	9:10:00	54.9	50.0	57.0
	9:15:00	58.2	50.5	60.5
	9:20:00	58.2	50.5	60.0
	9:25:00	57.7	51.5	61.0
	9:30:00	56.0	51.0	58.0
	9:35:00	56.3	51.5	59.0
	9:40:00	56.4	51.0	59.0
	9:45:00	58.3	52.5	61.0
	9:50:00	56.8	52.0	59.0
	9:55:00	56.8	53.5	58.0
	10:00:00	59.7	54.5	60.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/10/2007	10:05:00	56.9	52.0	59.5
	10:10:00	55.5	51.0	57.5
	10:15:00	60.2	51.5	62.0
	10:20:00	56.7	51.5	59.0
	10:25:00	56.5	50.5	59.0
	10:30:00	54.7	49.0	56.5
	10:35:00	55.5	50.0	57.0
	10:40:00	56.0	50.0	58.5
	10:45:00	56.8	50.5	58.0
	10:50:00	59.4	51.5	60.0
	10:55:00	59.1	53.0	61.0
	11:00:00	56.1	52.0	58.0
	11:05:00	57.6	52.0	60.0
	11:10:00	55.1	50.5	57.0
	11:15:00	55.1	50.0	57.5
	11:20:00	55.6	50.0	57.5
	11:25:00	55.1	50.0	56.5
	11:30:00	55.7	51.5	57.5
	11:35:00	57.0	52.5	59.0
	11:40:00	56.3	51.5	58.5
	11:45:00	56.6	51.0	59.5
	11:50:00	58.2	52.0	61.0
	11:55:00	57.3	50.5	58.0
	12:00:00	56.2	50.5	59.0
	12:05:00	57.0	51.5	59.5
	12:10:00	54.1	49.5	55.5
	12:15:00	56.3	52.0	58.5
	12:20:00	57.1	50.5	59.0
	12:25:00	56.9	52.0	60.0
	12:30:00	55.1	51.0	57.0
	12:35:00	55.8	51.0	58.0
	12:40:00	59.1	51.5	62.5
	12:45:00	57.0	50.0	60.0
	12:50:00	55.7	50.0	57.5
	12:55:00	55.1	50.0	57.5
	13:00:00	56.9	50.0	59.5
	13:05:00	56.0	50.0	56.5
	13:10:00	58.4	51.0	60.0
	13:15:00	59.3	51.5	60.5
	13:20:00	56.0	50.5	57.5
	13:25:00	56.0	52.0	58.0
	13:30:00	55.5	50.5	56.5
	13:35:00	54.6	50.0	56.5
	13:40:00	54.9	50.5	56.5
	13:45:00	55.8	51.0	57.0
	13:50:00	56.6	52.0	59.0
	13:55:00	55.0	50.5	57.0
	14:00:00	55.0	50.5	57.0
	14:05:00	55.7	51.0	57.5
	14:10:00	57.3	50.5	58.5
	14:15:00	56.8	51.5	59.5
	14:20:00	57.1	51.0	59.5
	14:25:00	56.2	50.5	59.0
	14:30:00	55.2	51.0	57.0
	14:35:00	57.3	52.0	58.5
	14:40:00	59.4	51.0	63.0
	14:45:00	55.5	50.5	56.5
	14:50:00	57.6	52.0	60.5
	14:55:00	54.8	50.0	56.5
	15:00:00	55.3	50.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/10/2007	15:05:00	55.7	50.5	57.5
	15:10:00	54.9	50.0	56.5
	15:15:00	57.3	51.5	60.0
	15:20:00	55.6	50.5	58.0
	15:25:00	55.3	50.5	57.5
	15:30:00	57.1	51.0	59.5
	15:35:00	55.7	50.0	57.5
	15:40:00	54.7	49.0	57.0
	15:45:00	56.6	50.5	59.0
	15:50:00	56.2	52.0	58.5
	15:55:00	56.4	51.0	59.0
	16:00:00	60.9	51.5	61.5
	16:05:00	55.4	51.0	58.0
	16:10:00	59.9	51.0	61.0
	16:15:00	58.9	51.5	61.0
	16:20:00	59.5	51.5	60.5
	16:25:00	61.1	52.0	61.0
	16:30:00	57.0	51.0	60.0
	16:35:00	56.0	51.0	58.0
	16:40:00	65.0	52.0	60.5
	16:45:00	56.2	51.0	59.0
	16:50:00	55.5	51.0	58.0
	16:55:00	54.9	50.0	56.5
	17:00:00	57.6	51.5	58.0
	17:05:00	57.1	50.5	58.5
	17:10:00	57.6	51.0	59.5
	17:15:00	56.3	51.5	59.0
	17:20:00	57.5	51.5	61.0
	17:25:00	55.7	49.0	58.0
	17:30:00	55.8	49.5	58.5
	17:35:00	55.6	50.5	58.0
	17:40:00	56.1	51.0	58.0
	17:45:00	56.1	51.0	58.5
	17:50:00	56.8	50.5	60.0
	17:55:00	54.8	50.0	57.0
	18:00:00	58.0	50.5	59.5
	18:05:00	54.9	50.0	57.0
	18:10:00	55.1	49.5	56.5
	18:15:00	56.0	50.0	58.5
	18:20:00	55.6	50.0	58.0
	18:25:00	56.3	50.0	59.5
	18:30:00	58.4	51.5	61.0
	18:35:00	57.4	51.0	59.0
	18:40:00	54.4	50.0	56.0
	18:45:00	57.1	51.5	59.5
	18:50:00	55.2	51.5	57.0
	18:55:00	55.6	52.0	57.5
	19:00:00	65.5	51.5	61.5
	19:05:00	56.0	51.0	57.5
	19:10:00	55.4	51.0	57.5
	19:15:00	55.6	50.5	57.0
	19:20:00	54.9	50.5	56.5
	19:25:00	58.7	51.5	58.5
	19:30:00	54.6	50.5	56.0
	19:35:00	55.7	51.0	57.5
	19:40:00	55.6	50.0	58.0
	19:45:00	54.5	50.0	55.5
	19:50:00	54.7	50.5	56.5
	19:55:00	64.5	51.5	61.0
	20:00:00	57.4	52.0	60.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/10/2007	20:05:00	55.7	50.0	57.5
	20:10:00	56.4	50.5	58.0
	20:15:00	56.3	51.0	58.0
	20:20:00	54.8	50.5	57.0
	20:25:00	58.2	50.0	56.5
	20:30:00	54.0	49.5	55.5
	20:35:00	59.0	49.5	60.0
	20:40:00	55.2	49.0	56.0
	20:45:00	55.8	49.5	57.0
	20:50:00	53.4	48.5	55.0
	20:55:00	54.7	48.5	55.5
	21:00:00	64.2	50.5	60.5
	21:05:00	54.7	50.0	56.5
	21:10:00	54.8	49.0	56.0
	21:15:00	53.7	48.0	54.5
	21:20:00	53.5	48.0	54.5
	21:25:00	56.3	50.0	57.0
	21:30:00	53.3	48.0	54.5
	21:35:00	54.7	49.5	57.0
	21:40:00	53.5	48.5	55.0
	21:45:00	54.7	49.5	56.5
	21:50:00	54.5	50.0	56.0
	21:55:00	53.8	49.0	55.5
	22:00:00	53.6	49.0	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/10/2007	22:05:00	58.9	49.5	57.0
	22:10:00	54.1	49.5	56.0
	22:15:00	54.0	49.0	55.5
	22:20:00	53.7	49.0	55.0
	22:25:00	53.5	48.0	55.0
	22:30:00	53.7	48.5	55.5
	22:35:00	54.0	48.5	55.5
	22:40:00	53.7	48.5	55.0
	22:45:00	53.5	48.5	55.0
	22:50:00	54.2	49.0	55.5
	22:55:00	53.6	48.5	55.0
	23:00:00	53.6	48.5	55.0
	23:05:00	54.1	48.5	55.5
	23:10:00	53.5	48.5	55.0
	23:15:00	53.9	49.0	55.5
	23:20:00	53.5	48.0	55.0
	23:25:00	54.3	48.5	55.5
	23:30:00	53.6	48.5	55.0
	23:35:00	53.2	48.0	54.5
	23:40:00	53.1	48.0	54.5
	23:45:00	53.4	48.5	55.0
	23:50:00	53.9	49.0	55.5
	23:55:00	53.4	48.0	54.5
	0:00:00	53.2	48.0	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/11/2007	0:05:00	53.5	48.5	55.0
	0:10:00	53.6	48.5	55.0
	0:15:00	54.5	49.0	56.5
	0:20:00	54.6	48.5	55.0
	0:25:00	53.6	48.5	55.5
	0:30:00	55.5	49.0	58.0
	0:35:00	53.6	48.0	55.0
	0:40:00	53.6	48.0	54.5
	0:45:00	53.4	48.0	55.0
	0:50:00	53.5	48.5	55.0
	0:55:00	53.8	48.5	55.5
	1:00:00	54.0	49.0	55.5
	1:05:00	54.5	50.0	56.0
	1:10:00	54.0	48.0	55.0
	1:15:00	53.9	49.0	56.0
	1:20:00	53.8	48.5	55.5
	1:25:00	53.8	48.5	55.5
	1:30:00	53.1	47.5	54.5
	1:35:00	53.0	47.5	54.5
	1:40:00	52.9	47.5	54.5
	1:45:00	53.0	47.5	54.5
	1:50:00	52.9	47.5	54.5
	1:55:00	53.0	47.5	54.5
	2:00:00	52.9	47.5	54.0
	2:05:00	53.3	47.5	54.5
	2:10:00	54.1	48.5	56.5
	2:15:00	53.3	47.0	54.5
	2:20:00	52.9	47.0	54.0
	2:25:00	53.3	47.5	54.5
	2:30:00	53.4	47.0	54.5
	2:35:00	53.1	47.5	54.5
	2:40:00	52.7	47.0	54.0
	2:45:00	53.0	47.0	54.5
	2:50:00	52.7	47.0	54.0
	2:55:00	52.8	47.0	54.0
	3:00:00	52.8	47.0	54.0
	3:05:00	53.3	47.5	54.5
	3:10:00	53.1	47.0	54.0
	3:15:00	53.0	47.5	54.5
	3:20:00	52.7	47.0	54.0
	3:25:00	53.7	47.5	55.5
	3:30:00	52.8	47.0	54.0
	3:35:00	52.7	47.0	54.0
	3:40:00	53.1	47.5	54.5
	3:45:00	52.8	47.0	54.0
	3:50:00	52.7	47.0	54.0
	3:55:00	53.3	47.0	54.5
	4:00:00	52.9	47.0	54.0
	4:05:00	52.7	47.0	54.0
	4:10:00	52.7	47.0	54.0
	4:15:00	52.8	47.0	54.0
	4:20:00	52.8	47.5	54.0
	4:25:00	54.0	49.0	56.0
	4:30:00	53.0	47.5	54.5
	4:35:00	53.3	48.0	55.0
	4:40:00	52.8	47.5	54.5
	4:45:00	52.8	47.0	54.0
	4:50:00	53.0	48.0	54.5
	4:55:00	53.0	47.5	54.5
	5:00:00	52.8	47.0	54.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/11/2007	5:05:00	52.9	47.0	54.0
	5:10:00	53.3	47.5	54.5
	5:15:00	53.1	47.5	54.5
	5:20:00	54.5	49.0	57.0
	5:25:00	55.7	50.0	58.0
	5:30:00	54.8	49.5	56.0
	5:35:00	53.7	49.0	55.0
	5:40:00	54.3	50.0	56.0
	5:45:00	54.3	49.5	55.5
	5:50:00	53.5	48.5	55.0
	5:55:00	55.0	50.5	57.0
	6:00:00	54.8	50.0	57.0
	6:05:00	54.3	49.0	56.5
	6:10:00	54.5	49.0	56.0
	6:15:00	56.6	50.0	58.5
	6:20:00	57.3	49.0	57.0
	6:25:00	58.2	49.5	58.0
	6:30:00	55.6	49.0	57.5
	6:35:00	55.0	49.0	57.0
	6:40:00	57.1	51.5	59.0
	6:45:00	56.3	51.5	58.5
	6:50:00	57.0	50.0	58.5
	6:55:00	57.4	51.5	60.5
	7:00:00	56.6	52.0	59.0
	7:05:00	58.1	52.0	60.5
	7:10:00	57.5	52.0	60.5
	7:15:00	56.9	53.0	59.0
	7:20:00	64.4	53.5	62.0
	7:25:00	56.3	51.0	59.0
	7:30:00	63.7	52.0	60.5
	7:35:00	59.9	52.0	60.0
	7:40:00	55.7	50.5	58.0
	7:45:00	56.1	51.5	58.5
	7:50:00	56.9	51.5	59.0
	7:55:00	58.6	50.5	61.5
	8:00:00	56.3	51.5	58.5
	8:05:00	56.6	51.5	59.5
	8:10:00	56.8	51.0	59.5
	8:15:00	56.8	51.5	60.0
	8:20:00	57.8	52.5	61.0
	8:25:00	55.3	50.5	57.0
	8:30:00	57.4	51.0	59.0
	8:35:00	55.3	51.5	57.0
	8:40:00	55.6	50.0	58.0
	8:45:00	55.3	50.0	57.5
	8:50:00	59.7	51.5	61.5
	8:55:00	55.8	50.0	56.5
	9:00:00	59.8	51.0	62.0
	9:05:00	62.0	51.5	65.0
	9:10:00	57.9	50.0	57.5
	9:15:00	56.0	50.0	57.5
	9:20:00	56.0	51.0	58.0
	9:25:00	55.2	50.5	57.0
	9:30:00	56.5	50.5	58.5
	9:35:00	53.9	49.5	55.5
	9:40:00	55.3	50.5	57.0
	9:45:00	58.1	50.0	58.0
	9:50:00	62.2	51.0	63.5
	9:55:00	60.5	49.5	60.5
	10:00:00	63.2	50.5	63.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/11/2007	10:05:00	57.4	50.5	60.0
	10:10:00	58.8	50.5	60.5
	10:15:00	59.6	50.5	59.0
	10:20:00	55.7	49.5	57.5
	10:25:00	54.9	50.0	57.0
	10:30:00	55.5	50.0	56.5
	10:35:00	58.0	52.0	58.5
	10:40:00	56.3	51.0	59.0
	10:45:00	56.6	51.5	59.5
	10:50:00	58.3	52.5	61.5
	10:55:00	56.0	50.5	58.0
	11:00:00	57.4	53.5	59.5
	11:05:00	56.5	52.5	57.0
	11:10:00	57.1	53.5	59.0
	11:15:00	55.9	52.5	57.5
	11:20:00	57.1	51.5	60.0
	11:25:00	57.3	51.0	59.0
	11:30:00	57.0	50.5	58.5
	11:35:00	55.9	50.0	58.5
	11:40:00	54.8	49.0	57.0
	11:45:00	56.0	50.0	58.0
	11:50:00	54.5	50.0	56.5
	11:55:00	55.2	49.0	57.5
	12:00:00	58.2	50.0	58.5
	12:05:00	59.3	50.5	59.5
	12:10:00	55.8	50.5	58.0
	12:15:00	55.9	50.0	57.5
	12:20:00	55.0	49.5	57.0
	12:25:00	55.3	50.5	57.0
	12:30:00	55.0	50.0	57.0
	12:35:00	55.4	50.5	57.0
	12:40:00	56.5	51.5	58.0
	12:45:00	56.3	49.5	58.0
	12:50:00	56.1	49.5	58.0
	12:55:00	58.3	51.5	61.5
	13:00:00	54.7	49.5	56.5
	13:05:00	55.7	50.0	57.0
	13:10:00	56.0	50.5	58.5
	13:15:00	56.0	51.5	58.0
	13:20:00	55.3	51.5	57.0
	13:25:00	56.6	52.0	58.0
	13:30:00	57.9	51.5	58.0
	13:35:00	56.6	52.0	56.5
	13:40:00	56.4	52.5	58.0
	13:45:00	56.6	52.0	58.5
	13:50:00	55.3	49.5	57.0
	13:55:00	54.9	50.0	56.0
	14:00:00	55.4	49.5	57.0
	14:05:00	54.6	49.0	56.5
	14:10:00	55.9	51.5	57.5
	14:15:00	56.3	50.5	58.0
	14:20:00	56.6	51.0	58.5
	14:25:00	54.7	49.5	55.5
	14:30:00	54.8	49.0	56.5
	14:35:00	57.6	51.0	60.5
	14:40:00	57.8	50.5	61.0
	14:45:00	58.2	50.5	59.5
	14:50:00	57.3	50.0	59.5
	14:55:00	55.5	51.5	57.0
	15:00:00	55.8	50.0	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/11/2007	15:05:00	54.6	49.5	56.5
	15:10:00	55.8	50.5	58.5
	15:15:00	55.7	50.5	58.0
	15:20:00	59.1	51.5	59.5
	15:25:00	55.9	50.5	58.0
	15:30:00	56.2	51.5	58.5
	15:35:00	56.5	49.0	58.0
	15:40:00	54.5	48.5	57.0
	15:45:00	56.5	50.0	58.5
	15:50:00	57.6	52.5	59.5
	15:55:00	56.0	50.0	58.5
	16:00:00	57.1	50.5	60.0
	16:05:00	55.3	50.0	58.0
	16:10:00	61.4	51.0	64.0
	16:15:00	57.2	50.5	60.0
	16:20:00	55.5	50.0	57.5
	16:25:00	55.5	49.5	57.5
	16:30:00	56.4	50.5	58.5
	16:35:00	57.3	50.5	60.0
	16:40:00	56.8	50.0	58.0
	16:45:00	55.8	50.0	58.0
	16:50:00	63.9	50.0	61.5
	16:55:00	56.7	51.0	58.0
	17:00:00	56.1	51.0	58.5
	17:05:00	55.9	50.5	58.5
	17:10:00	55.4	49.5	57.5
	17:15:00	54.1	49.0	55.5
	17:20:00	65.8	52.0	68.0
	17:25:00	57.1	51.0	59.5
	17:30:00	55.8	51.0	58.0
	17:35:00	57.9	50.0	57.0
	17:40:00	56.1	50.5	58.5
	17:45:00	58.3	50.5	58.0
	17:50:00	56.5	49.5	58.0
	17:55:00	54.5	49.5	56.5
	18:00:00	55.8	49.5	58.0
	18:05:00	57.1	51.0	59.5
	18:10:00	57.8	51.5	61.0
	18:15:00	63.0	52.5	64.0
	18:20:00	64.8	50.5	66.5
	18:25:00	56.8	50.5	59.5
	18:30:00	56.7	51.0	59.5
	18:35:00	62.2	51.5	63.5
	18:40:00	62.2	50.0	62.0
	18:45:00	62.3	51.5	61.5
	18:50:00	54.5	49.5	56.0
	18:55:00	56.0	49.5	58.0
	19:00:00	55.3	49.5	57.5
	19:05:00	56.1	51.0	58.5
	19:10:00	54.2	49.5	56.0
	19:15:00	56.2	50.5	58.5
	19:20:00	54.6	50.0	56.5
	19:25:00	55.8	50.5	57.5
	19:30:00	55.3	50.5	56.5
	19:35:00	54.7	50.5	56.5
	19:40:00	57.1	50.5	56.0
	19:45:00	59.1	52.0	58.0
	19:50:00	66.3	51.0	69.5
	19:55:00	63.7	50.5	58.5
	20:00:00	55.8	51.0	57.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/11/2007	20:05:00	54.4	49.5	56.0
	20:10:00	54.2	49.0	56.0
	20:15:00	55.1	50.0	57.0
	20:20:00	56.9	49.0	57.5
	20:25:00	53.8	48.5	55.5
	20:30:00	54.4	49.0	55.5
	20:35:00	63.6	50.0	64.5
	20:40:00	55.1	49.0	56.0
	20:45:00	53.3	48.0	54.5
	20:50:00	54.5	48.5	56.0
	20:55:00	54.2	49.0	55.5
	21:00:00	55.9	50.0	58.5
	21:05:00	54.3	49.5	56.0
	21:10:00	54.4	49.5	55.5
	21:15:00	55.2	50.0	57.0
	21:20:00	54.4	49.0	56.0
	21:25:00	54.4	49.5	56.5
	21:30:00	55.2	49.0	56.5
	21:35:00	53.8	48.5	55.0
	21:40:00	54.3	48.5	55.5
	21:45:00	54.2	48.0	55.5
	21:50:00	56.5	50.0	59.0
	21:55:00	55.2	50.0	57.0
	22:00:00	53.0	47.5	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/11/2007	22:05:00	53.3	48.0	54.5
	22:10:00	53.2	47.5	54.5
	22:15:00	53.9	48.0	55.0
	22:20:00	65.2	49.0	60.0
	22:25:00	53.2	48.0	55.0
	22:30:00	53.7	48.0	55.5
	22:35:00	53.5	48.0	55.0
	22:40:00	53.6	49.0	55.0
	22:45:00	54.2	48.5	56.5
	22:50:00	54.0	48.5	55.5
	22:55:00	53.1	48.0	54.5
	23:00:00	53.5	49.0	55.0
	23:05:00	54.6	48.5	56.5
	23:10:00	53.9	49.0	56.0
	23:15:00	54.4	49.0	56.5
	23:20:00	53.9	49.0	56.0
	23:25:00	53.9	49.0	55.5
	23:30:00	54.2	49.0	56.0
	23:35:00	55.2	49.5	57.0
	23:40:00	53.3	48.0	55.0
	23:45:00	53.5	48.5	55.0
	23:50:00	53.2	48.0	54.5
	23:55:00	53.2	48.0	54.5
	0:00:00	53.8	49.0	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/12/2007	0:05:00	53.4	48.5	55.0
	0:10:00	53.1	47.5	54.5
	0:15:00	53.9	48.5	55.5
	0:20:00	53.9	48.5	56.0
	0:25:00	54.1	48.0	55.0
	0:30:00	53.3	48.0	54.5
	0:35:00	53.3	48.0	54.5
	0:40:00	53.9	49.0	55.5
	0:45:00	52.9	47.5	54.5
	0:50:00	53.2	47.5	54.5
	0:55:00	53.2	47.5	54.5
	1:00:00	53.3	48.0	54.5
	1:05:00	53.6	48.0	55.0
	1:10:00	53.5	48.0	55.0
	1:15:00	53.3	48.0	54.5
	1:20:00	54.1	49.0	56.0
	1:25:00	52.8	47.0	54.0
	1:30:00	53.3	47.5	54.5
	1:35:00	53.6	48.0	55.0
	1:40:00	52.7	47.0	54.0
	1:45:00	53.0	47.0	54.0
	1:50:00	53.3	47.5	55.0
	1:55:00	52.7	47.0	54.0
	2:00:00	53.0	47.0	54.0
	2:05:00	52.7	47.0	54.0
	2:10:00	52.7	47.0	54.0
	2:15:00	53.0	47.5	54.5
	2:20:00	52.9	47.0	54.0
	2:25:00	53.2	47.5	54.5
	2:30:00	53.1	47.5	54.5
	2:35:00	53.1	47.0	54.0
	2:40:00	53.4	47.0	54.0
	2:45:00	52.8	47.0	54.0
	2:50:00	52.6	47.0	54.0
	2:55:00	52.9	47.5	54.0
	3:00:00	53.0	47.5	54.0
	3:05:00	52.7	47.0	54.0
	3:10:00	52.7	47.0	54.0
	3:15:00	53.2	47.5	54.5
	3:20:00	52.9	47.0	54.0
	3:25:00	52.8	47.0	54.0
	3:30:00	53.2	47.5	54.5
	3:35:00	52.6	47.0	54.0
	3:40:00	53.1	47.5	54.5
	3:45:00	53.1	47.5	54.5
	3:50:00	52.9	47.5	54.0
	3:55:00	53.0	47.5	54.0
	4:00:00	53.0	47.5	54.0
	4:05:00	52.8	47.0	54.0
	4:10:00	53.0	47.5	54.5
	4:15:00	52.7	47.5	54.0
	4:20:00	52.9	47.5	54.0
	4:25:00	52.8	47.5	54.0
	4:30:00	53.1	47.5	54.5
	4:35:00	52.6	47.0	54.0
	4:40:00	52.8	47.0	54.0
	4:45:00	53.2	47.5	54.5
	4:50:00	55.0	49.0	57.5
	4:55:00	52.7	47.0	54.0
	5:00:00	53.0	47.5	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/12/2007	5:05:00	52.8	47.5	54.0
	5:10:00	53.2	48.0	54.5
	5:15:00	53.7	48.5	55.5
	5:20:00	54.8	49.5	57.0
	5:25:00	53.9	49.5	55.5
	5:30:00	55.1	50.5	57.5
	5:35:00	54.5	50.0	56.0
	5:40:00	55.8	50.5	58.0
	5:45:00	54.0	49.0	55.5
	5:50:00	56.1	50.0	56.5
	5:55:00	55.5	50.0	57.5
	6:00:00	54.1	49.0	56.0
	6:05:00	54.9	49.0	57.5
	6:10:00	54.3	49.0	56.0
	6:15:00	59.3	49.0	58.5
	6:20:00	55.2	50.0	57.0
	6:25:00	55.3	48.5	55.5
	6:30:00	60.8	49.0	66.0
	6:35:00	55.2	49.0	56.5
	6:40:00	54.0	49.0	56.0
	6:45:00	59.1	49.0	62.0
	6:50:00	56.1	48.5	57.0
	6:55:00	60.4	49.0	58.5
	7:00:00	55.3	48.5	57.0
	7:05:00	57.3	49.0	59.5
	7:10:00	59.0	49.5	59.5
	7:15:00	62.5	51.0	59.5
	7:20:00	54.8	49.5	57.5
	7:25:00	57.3	52.5	59.5
	7:30:00	60.0	52.0	63.5
	7:35:00	56.2	50.5	59.0
	7:40:00	57.0	50.0	57.5
	7:45:00	56.8	48.5	57.0
	7:50:00	55.5	50.0	58.0
	7:55:00	63.9	50.5	60.0
	8:00:00	59.6	53.5	61.5
	8:05:00	61.3	49.0	59.5
	8:10:00	56.1	50.0	57.5
	8:15:00	54.9	49.0	57.5
	8:20:00	55.4	49.5	57.5
	8:25:00	56.0	50.0	58.5
	8:30:00	56.0	51.5	58.5
	8:35:00	54.4	49.5	56.5
	8:40:00	57.4	49.0	60.5
	8:45:00	55.3	50.0	57.5
	8:50:00	57.7	50.5	58.5
	8:55:00	54.0	48.0	55.5
	9:00:00	54.8	49.5	57.0
	9:05:00	57.0	51.0	59.5
	9:10:00	61.2	52.0	65.5
	9:15:00	56.5	50.5	58.0
	9:20:00	57.1	50.0	58.5
	9:25:00	56.7	49.5	58.0
	9:30:00	55.2	49.0	57.0
	9:35:00	56.3	50.5	59.0
	9:40:00	55.5	49.0	57.0
	9:45:00	58.4	50.5	60.0
	9:50:00	56.5	49.5	58.0
	9:55:00	60.6	49.0	59.5
	10:00:00	59.9	50.0	62.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/12/2007	10:05:00	61.4	51.5	65.5
	10:10:00	60.0	50.5	61.5
	10:15:00	56.3	48.5	57.5
	10:20:00	55.5	49.5	58.5
	10:25:00	56.6	49.5	57.0
	10:30:00	65.7	50.0	65.5
	10:35:00	56.9	49.5	58.0
	10:40:00	57.0	50.5	59.5
	10:45:00	59.4	52.5	61.5
	10:50:00	58.0	52.0	61.5
	10:55:00	55.5	51.0	57.0
	11:00:00	59.2	52.0	63.5
	11:05:00	60.8	51.0	60.5
	11:10:00	64.5	51.0	66.0
	11:15:00	59.5	51.0	61.0
	11:20:00	56.3	50.5	58.0
	11:25:00	55.0	50.0	57.0
	11:30:00	57.1	50.5	59.5
	11:35:00	62.7	50.5	59.5
	11:40:00	57.8	51.0	60.0
	11:45:00	56.7	51.0	59.0
	11:50:00	57.2	51.0	60.5
	11:55:00	55.7	51.5	58.0
	12:00:00	57.3	52.5	59.5
	12:05:00	54.7	51.0	56.0
	12:10:00	59.8	51.0	61.0
	12:15:00	56.2	50.5	58.5
	12:20:00	56.2	51.0	57.5
	12:25:00	57.5	50.0	57.0
	12:30:00	60.6	50.5	64.0
	12:35:00	56.9	51.0	59.0
	12:40:00	55.7	49.0	57.0
	12:45:00	56.7	50.5	59.5
	12:50:00	55.0	50.0	57.5
	12:55:00	59.5	51.0	58.0
	13:00:00	55.5	50.5	57.5
	13:05:00	56.7	51.5	59.5
	13:10:00	56.7	52.5	59.0
	13:15:00	56.0	50.5	58.0
	13:20:00	55.8	51.5	58.0
	13:25:00	54.3	50.0	56.0
	13:30:00	55.4	50.5	57.5
	13:35:00	56.9	50.5	59.0
	13:40:00	55.7	50.5	58.0
	13:45:00	55.5	51.5	57.5
	13:50:00	57.3	51.0	60.5
	13:55:00	56.2	51.5	58.5
	14:00:00	55.8	51.5	57.5
	14:05:00	58.0	50.5	60.5
	14:10:00	57.7	52.5	60.5
	14:15:00	55.7	50.5	57.5
	14:20:00	56.6	52.0	58.5
	14:25:00	55.3	50.5	57.0
	14:30:00	56.3	50.5	58.0
	14:35:00	55.1	50.5	57.0
	14:40:00	56.4	51.0	58.5
	14:45:00	59.4	51.5	62.5
	14:50:00	57.9	50.5	59.0
	14:55:00	62.0	51.0	63.5
	15:00:00	55.6	51.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/12/2007	15:05:00	56.7	50.5	60.0
	15:10:00	57.0	51.0	60.0
	15:15:00	56.8	50.0	57.5
	15:20:00	60.1	51.5	61.5
	15:25:00	56.9	50.5	59.0
	15:30:00	58.8	51.0	60.0
	15:35:00	56.3	50.5	58.5
	15:40:00	55.4	50.0	57.5
	15:45:00	57.1	51.0	59.5
	15:50:00	56.8	50.5	57.5
	15:55:00	56.0	51.0	58.0
	16:00:00	55.3	50.0	56.5
	16:05:00	61.3	53.0	63.5
	16:10:00	61.0	53.0	63.5
	16:15:00	58.9	51.0	61.5
	16:20:00	60.6	54.0	64.0
	16:25:00	59.4	52.0	63.0
	16:30:00	61.7	54.5	63.5
	16:35:00	68.1	53.0	70.5
	16:40:00	65.2	54.0	64.5
	16:45:00	60.8	49.0	59.5
	16:50:00	57.9	51.0	61.0
	16:55:00	59.6	52.0	63.5
	17:00:00	59.8	50.5	64.5
	17:05:00	61.0	51.5	65.0
	17:10:00	57.4	49.5	59.5
	17:15:00	63.6	51.5	64.5
	17:20:00	62.0	52.5	62.0
	17:25:00	65.5	52.0	66.5
	17:30:00	55.0	50.5	57.0
	17:35:00	62.4	51.5	61.5
	17:40:00	56.1	50.0	56.5
	17:45:00	57.3	51.5	60.0
	17:50:00	59.1	52.5	62.0
	17:55:00	65.3	52.5	64.0
	18:00:00	65.8	52.0	67.5
	18:05:00	57.7	52.0	60.0
	18:10:00	60.4	53.5	63.0
	18:15:00	60.6	51.0	64.0
	18:20:00	56.8	51.0	58.5
	18:25:00	58.0	52.0	60.5
	18:30:00	58.4	51.5	59.5
	18:35:00	55.2	50.5	57.0
	18:40:00	57.2	50.5	58.0
	18:45:00	62.9	51.5	60.0
	18:50:00	64.6	51.0	62.5
	18:55:00	56.8	51.0	59.0
	19:00:00	57.1	50.5	59.0
	19:05:00	55.7	50.0	57.5
	19:10:00	56.0	51.0	58.5
	19:15:00	54.5	50.5	56.5
	19:20:00	56.2	51.5	58.5
	19:25:00	55.9	51.0	57.5
	19:30:00	55.8	51.5	58.0
	19:35:00	55.5	51.5	57.5
	19:40:00	55.4	51.0	57.0
	19:45:00	55.8	51.5	58.0
	19:50:00	54.9	51.0	56.5
	19:55:00	54.4	50.5	55.5
	20:00:00	57.2	51.0	58.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/12/2007	20:05:00	56.6	51.5	59.5
	20:10:00	55.4	50.0	57.5
	20:15:00	53.9	49.5	55.0
	20:20:00	55.3	50.0	56.0
	20:25:00	55.1	50.0	57.5
	20:30:00	55.1	49.5	56.5
	20:35:00	54.3	49.5	56.0
	20:40:00	53.9	48.5	55.5
	20:45:00	54.6	50.0	56.5
	20:50:00	54.5	49.0	57.0
	20:55:00	53.8	48.5	55.5
	21:00:00	55.9	50.0	58.0
	21:05:00	55.1	50.5	57.5
	21:10:00	64.5	50.0	57.5
	21:15:00	61.3	50.5	60.0
	21:20:00	54.8	50.0	57.0
	21:25:00	53.5	48.5	55.0
	21:30:00	54.7	49.0	57.0
	21:35:00	54.2	49.5	56.0
	21:40:00	54.7	49.5	56.0
	21:45:00	55.9	49.0	57.5
	21:50:00	54.5	49.5	56.0
	21:55:00	54.1	48.5	55.5
	22:00:00	54.4	49.0	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/12/2007	22:05:00	54.2	49.0	56.0
	22:10:00	53.3	48.5	55.0
	22:15:00	53.8	48.5	55.5
	22:20:00	54.0	48.5	55.0
	22:25:00	55.7	49.0	57.0
	22:30:00	53.9	48.5	55.5
	22:35:00	55.4	50.0	57.5
	22:40:00	54.6	49.5	56.5
	22:45:00	53.5	48.5	55.0
	22:50:00	53.9	48.5	55.0
	22:55:00	54.5	48.5	55.5
	23:00:00	53.5	48.5	55.0
	23:05:00	54.7	49.0	56.0
	23:10:00	54.3	49.0	56.5
	23:15:00	53.2	48.0	54.5
	23:20:00	54.4	49.0	56.5
	23:25:00	54.5	48.5	56.5
	23:30:00	55.3	48.5	55.5
	23:35:00	53.5	48.0	55.0
	23:40:00	53.9	49.0	55.5
	23:45:00	54.1	49.0	56.0
	23:50:00	53.4	48.0	55.0
	23:55:00	54.9	50.0	56.5
	0:00:00	54.0	49.0	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/13/2007	0:05:00	54.0	48.5	55.5
	0:10:00	53.3	48.0	54.5
	0:15:00	53.7	48.5	55.0
	0:20:00	54.0	48.5	56.0
	0:25:00	53.8	48.5	55.5
	0:30:00	53.2	47.5	54.5
	0:35:00	59.2	49.0	57.0
	0:40:00	64.4	50.5	68.5
	0:45:00	52.9	47.5	54.5
	0:50:00	53.7	48.0	54.5
	0:55:00	53.2	48.0	54.5
	1:00:00	53.5	48.0	55.0
	1:05:00	53.8	48.5	55.5
	1:10:00	53.5	48.0	55.0
	1:15:00	53.1	47.0	54.0
	1:20:00	54.4	48.5	57.0
	1:25:00	53.4	47.5	54.5
	1:30:00	53.1	47.5	54.5
	1:35:00	53.1	47.5	54.5
	1:40:00	53.0	47.0	54.5
	1:45:00	52.8	47.0	54.0
	1:50:00	53.3	47.5	54.5
	1:55:00	52.6	47.0	54.0
	2:00:00	52.6	46.5	54.0
	2:05:00	52.8	47.0	54.0
	2:10:00	53.0	47.5	54.5
	2:15:00	53.1	47.0	54.5
	2:20:00	53.2	47.5	54.5
	2:25:00	55.1	47.5	55.0
	2:30:00	52.8	47.5	54.0
	2:35:00	53.4	47.5	54.5
	2:40:00	53.3	48.0	54.5
	2:45:00	53.6	47.5	54.5
	2:50:00	53.0	47.5	54.5
	2:55:00	53.9	47.5	54.5
	3:00:00	52.9	47.0	54.0
	3:05:00	53.2	47.5	54.5
	3:10:00	53.1	47.0	54.5
	3:15:00	52.9	47.0	54.0
	3:20:00	52.9	47.5	54.5
	3:25:00	53.2	47.5	54.5
	3:30:00	53.4	48.0	55.0
	3:35:00	52.8	47.0	54.0
	3:40:00	53.1	48.0	54.5
	3:45:00	53.3	47.5	54.5
	3:50:00	52.9	47.5	54.5
	3:55:00	52.7	47.0	54.0
	4:00:00	52.9	47.5	54.5
	4:05:00	53.5	48.0	54.5
	4:10:00	53.8	47.5	55.0
	4:15:00	53.3	47.5	54.5
	4:20:00	53.1	47.5	54.5
	4:25:00	53.1	48.0	54.5
	4:30:00	53.0	47.5	54.5
	4:35:00	53.6	48.0	55.5
	4:40:00	55.8	49.0	57.0
	4:45:00	53.5	48.0	55.0
	4:50:00	53.7	48.5	55.0
	4:55:00	53.6	48.5	55.5
	5:00:00	53.4	48.0	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/13/2007	5:05:00	53.3	48.0	55.0
	5:10:00	54.1	48.5	56.0
	5:15:00	54.4	49.5	56.5
	5:20:00	54.4	49.0	56.5
	5:25:00	56.3	52.0	58.5
	5:30:00	55.1	51.0	57.5
	5:35:00	56.0	50.0	58.5
	5:40:00	57.6	50.0	57.0
	5:45:00	53.9	48.5	55.0
	5:50:00	54.9	49.5	57.0
	5:55:00	56.6	50.0	58.0
	6:00:00	54.9	50.0	57.0
	6:05:00	55.2	49.5	58.0
	6:10:00	54.6	49.0	56.0
	6:15:00	54.6	49.0	55.5
	6:20:00	53.9	48.0	55.0
	6:25:00	59.7	48.5	59.0
	6:30:00	56.1	49.5	58.0
	6:35:00	58.0	51.0	61.5
	6:40:00	56.3	49.0	57.5
	6:45:00	54.3	48.5	56.5
	6:50:00	60.4	49.5	58.0
	6:55:00	58.8	49.0	57.0
	7:00:00	57.9	49.0	56.5
	7:05:00	61.1	48.5	59.0
	7:10:00	54.9	48.0	54.5
	7:15:00	56.8	49.5	58.5
	7:20:00	58.8	48.5	58.0
	7:25:00	60.6	49.5	64.0
	7:30:00	59.4	49.0	58.5
	7:35:00	62.2	49.5	66.0
	7:40:00	54.7	48.5	56.5
	7:45:00	55.9	49.0	57.0
	7:50:00	57.0	50.0	58.0
	7:55:00	56.3	49.5	59.0
	8:00:00	58.4	49.0	59.5
	8:05:00	64.9	51.5	68.5
	8:10:00	55.1	49.0	58.0
	8:15:00	56.9	50.0	59.5
	8:20:00	63.4	49.5	60.0
	8:25:00	59.3	50.5	60.0
	8:30:00	61.1	49.0	59.0
	8:35:00	61.0	49.5	60.5
	8:40:00	60.0	49.5	60.5
	8:45:00	65.1	49.5	60.5
	8:50:00	60.6	51.0	61.0
	8:55:00	57.2	50.0	57.5
	9:00:00	64.6	50.0	59.5
	9:05:00	56.4	49.0	56.5
	9:10:00	54.0	49.0	55.5
	9:15:00	54.6	49.5	57.0
	9:20:00	55.0	49.5	56.5
	9:25:00	54.8	49.5	56.5
	9:30:00	58.6	48.5	56.5
	9:35:00	59.1	50.0	61.0
	9:40:00	59.3	50.5	60.0
	9:45:00	60.0	49.0	60.5
	9:50:00	55.5	49.5	57.5
	9:55:00	55.3	49.5	57.5
	10:00:00	53.9	49.0	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/13/2007	10:05:00	57.5	50.0	59.0
	10:10:00	61.1	50.0	57.5
	10:15:00	61.7	50.0	60.0
	10:20:00	63.9	50.5	64.0
	10:25:00	58.4	50.0	61.5
	10:30:00	63.2	51.5	67.5
	10:35:00	64.9	52.0	69.5
	10:40:00	63.7	51.0	66.5
	10:45:00	58.7	50.0	59.0
	10:50:00	58.1	52.0	60.5
	10:55:00	55.0	50.0	57.5
	11:00:00	61.1	50.5	62.5
	11:05:00	58.4	49.5	56.5
	11:10:00	54.8	49.5	56.5
	11:15:00	55.1	50.0	57.0
	11:20:00	56.3	50.5	59.0
	11:25:00	56.2	50.5	58.0
	11:30:00	56.8	51.0	59.5
	11:35:00	54.8	50.0	57.0
	11:40:00	55.3	50.0	57.5
	11:45:00	56.8	50.5	59.5
	11:50:00	57.9	52.0	61.0
	11:55:00	58.6	50.5	59.0
	12:00:00	59.2	50.0	59.0
	12:05:00	61.1	50.0	61.5
	12:10:00	54.1	49.0	56.0
	12:15:00	59.3	49.5	58.5
	12:20:00	56.4	49.5	57.0
	12:25:00	59.5	50.0	59.5
	12:30:00	53.9	48.5	55.5
	12:35:00	55.4	50.0	57.5
	12:40:00	54.1	48.5	56.0
	12:45:00	53.8	48.5	55.5
	12:50:00	55.0	49.5	57.5
	12:55:00	55.5	50.5	57.0
	13:00:00	62.9	50.5	67.5
	13:05:00	61.0	51.5	65.0
	13:10:00	57.3	51.0	58.0
	13:15:00	55.6	50.5	57.5
	13:20:00	55.3	49.5	57.0
	13:25:00	54.3	49.0	55.5
	13:30:00	54.8	50.0	56.5
	13:35:00	54.0	49.0	55.5
	13:40:00	55.6	50.5	57.0
	13:45:00	61.8	50.0	60.0
	13:50:00	64.3	51.0	60.5
	13:55:00	55.1	50.0	57.5
	14:00:00	54.5	49.5	55.5
	14:05:00	55.3	50.5	57.0
	14:10:00	55.1	51.0	56.5
	14:15:00	62.2	50.0	59.0
	14:20:00	66.5	52.5	66.5
	14:25:00	56.3	50.0	59.0
	14:30:00	58.0	49.0	57.5
	14:35:00	65.9	50.5	71.5
	14:40:00	63.3	49.5	69.5
	14:45:00	56.0	50.5	58.0
	14:50:00	57.3	51.0	59.5
	14:55:00	55.5	49.5	56.5
	15:00:00	56.2	51.0	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/13/2007	15:05:00	54.8	49.5	56.5
	15:10:00	56.6	49.5	57.5
	15:15:00	61.9	51.0	65.5
	15:20:00	65.8	51.0	60.0
	15:25:00	54.6	49.5	56.5
	15:30:00	55.7	50.0	59.0
	15:35:00	63.1	49.5	60.0
	15:40:00	55.4	49.5	58.0
	15:45:00	55.0	49.5	57.0
	15:50:00	54.0	50.5	56.5
	15:55:00	54.0	49.0	55.0
	16:00:00	55.0	49.5	56.5
	16:05:00	64.9	50.0	59.5
	16:10:00	66.0	54.0	65.0
	16:15:00	62.7	52.0	60.5
	16:20:00	56.6	50.0	58.0
	16:25:00	54.1	49.0	56.0
	16:30:00	56.8	49.5	59.5
	16:35:00	64.8	50.0	68.5
	16:40:00	59.1	49.5	60.0
	16:45:00	54.3	49.0	56.0
	16:50:00	56.4	50.5	59.0
	16:55:00	55.2	49.5	57.0
	17:00:00	58.0	49.5	57.0
	17:05:00	59.4	49.5	58.5
	17:10:00	57.3	49.5	59.0
	17:15:00	58.9	50.5	59.5
	17:20:00	54.9	49.5	56.5
	17:25:00	55.4	50.5	57.5
	17:30:00	57.1	51.0	59.5
	17:35:00	55.6	50.0	58.0
	17:40:00	57.6	50.0	58.5
	17:45:00	57.3	50.0	57.5
	17:50:00	54.5	49.0	56.5
	17:55:00	55.0	49.5	57.0
	18:00:00	55.8	49.5	57.5
	18:05:00	54.6	49.0	56.5
	18:10:00	60.1	50.0	60.0
	18:15:00	60.4	50.0	59.0
	18:20:00	55.4	50.5	57.0
	18:25:00	58.5	50.0	59.0
	18:30:00	60.7	50.5	60.0
	18:35:00	61.3	50.5	65.0
	18:40:00	57.8	50.5	58.5
	18:45:00	56.0	50.0	58.5
	18:50:00	54.9	49.5	57.5
	18:55:00	55.1	50.0	57.5
	19:00:00	56.7	50.5	58.5
	19:05:00	56.8	51.0	58.0
	19:10:00	54.2	49.5	56.0
	19:15:00	54.5	49.5	56.0
	19:20:00	56.0	50.5	57.5
	19:25:00	55.5	51.0	57.5
	19:30:00	54.6	50.5	56.5
	19:35:00	54.8	50.5	56.5
	19:40:00	55.7	51.0	56.5
	19:45:00	64.9	51.0	69.0
	19:50:00	56.0	51.0	57.5
	19:55:00	62.4	51.0	66.0
	20:00:00	60.6	50.0	58.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/13/2007	20:05:00	65.7	51.0	64.0
	20:10:00	54.1	49.5	55.5
	20:15:00	54.0	49.5	55.5
	20:20:00	54.7	49.5	56.5
	20:25:00	54.6	50.5	56.0
	20:30:00	54.0	49.0	55.0
	20:35:00	54.4	48.5	55.5
	20:40:00	53.8	49.5	55.0
	20:45:00	54.4	50.0	55.5
	20:50:00	55.2	50.5	57.5
	20:55:00	56.9	51.0	58.0
	21:00:00	54.5	50.5	56.0
	21:05:00	54.2	49.5	56.0
	21:10:00	54.9	49.5	57.5
	21:15:00	55.2	50.0	56.5
	21:20:00	58.8	51.0	61.5
	21:25:00	55.1	50.0	57.0
	21:30:00	55.8	50.0	58.5
	21:35:00	56.2	50.5	58.5
	21:40:00	53.6	49.0	55.0
	21:45:00	54.3	49.5	56.0
	21:50:00	54.9	50.0	57.0
	21:55:00	55.4	49.5	55.5
	22:00:00	57.5	51.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/13/2007	22:05:00	56.0	50.0	58.0
	22:10:00	55.8	50.0	57.0
	22:15:00	54.5	50.0	56.5
	22:20:00	53.7	48.5	55.5
	22:25:00	53.7	48.5	55.0
	22:30:00	53.7	48.5	55.0
	22:35:00	54.0	49.0	55.5
	22:40:00	53.8	48.0	55.0
	22:45:00	53.4	48.5	54.5
	22:50:00	54.3	49.0	56.0
	22:55:00	54.1	48.0	55.0
	23:00:00	54.0	49.0	55.5
	23:05:00	53.8	49.0	55.5
	23:10:00	53.6	48.5	55.5
	23:15:00	54.6	49.5	56.5
	23:20:00	53.4	48.0	55.0
	23:25:00	53.5	48.0	55.0
	23:30:00	53.2	48.0	54.5
	23:35:00	53.2	48.0	54.5
	23:40:00	53.7	48.5	55.0
	23:45:00	53.9	48.0	56.0
	23:50:00	54.0	50.0	55.5
	23:55:00	54.1	50.5	55.5
	0:00:00	57.0	52.0	57.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/14/2007	0:05:00	53.5	49.0	54.5
	0:10:00	54.6	51.0	56.0
	0:15:00	53.8	49.5	55.0
	0:20:00	53.9	50.0	55.5
	0:25:00	53.8	49.0	55.0
	0:30:00	53.3	48.0	55.0
	0:35:00	53.3	47.5	54.5
	0:40:00	54.1	48.0	55.5
	0:45:00	52.9	47.5	54.0
	0:50:00	53.2	47.5	54.5
	0:55:00	52.6	47.0	54.0
	1:00:00	53.5	48.0	55.5
	1:05:00	53.0	47.5	54.5
	1:10:00	54.5	48.0	56.5
	1:15:00	52.7	47.0	54.0
	1:20:00	52.7	47.0	54.0
	1:25:00	52.7	47.0	54.0
	1:30:00	53.0	47.5	54.5
	1:35:00	52.7	47.5	54.0
	1:40:00	52.9	47.5	54.0
	1:45:00	52.8	47.0	54.0
	1:50:00	52.7	47.0	54.0
	1:55:00	53.1	48.0	54.5
	2:00:00	53.1	47.5	54.5
	2:05:00	52.6	47.0	54.0
	2:10:00	52.9	47.5	54.0
	2:15:00	52.9	47.0	54.0
	2:20:00	52.9	47.5	54.0
	2:25:00	52.7	47.0	54.0
	2:30:00	52.7	47.0	54.0
	2:35:00	53.5	48.0	55.0
	2:40:00	53.0	47.0	54.0
	2:45:00	52.5	46.5	54.0
	2:50:00	53.3	48.0	54.5
	2:55:00	52.6	47.0	54.0
	3:00:00	52.8	47.0	54.0
	3:05:00	52.5	46.5	54.0
	3:10:00	52.4	46.5	54.0
	3:15:00	52.5	46.5	54.0
	3:20:00	52.6	47.0	54.0
	3:25:00	52.5	46.5	54.0
	3:30:00	55.0	47.5	57.5
	3:35:00	53.6	47.5	54.5
	3:40:00	52.6	47.0	54.0
	3:45:00	52.7	47.0	54.0
	3:50:00	52.4	46.5	54.0
	3:55:00	52.6	46.5	54.0
	4:00:00	52.4	46.5	54.0
	4:05:00	52.5	46.5	54.0
	4:10:00	52.5	47.0	54.0
	4:15:00	53.2	47.0	54.0
	4:20:00	53.4	48.0	55.0
	4:25:00	53.7	48.0	55.5
	4:30:00	53.7	48.5	55.0
	4:35:00	52.8	47.5	54.0
	4:40:00	52.9	47.5	54.5
	4:45:00	53.0	47.5	54.5
	4:50:00	52.9	47.5	54.5
	4:55:00	52.9	47.5	54.5
	5:00:00	53.0	47.5	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/14/2007	5:05:00	53.7	48.5	55.5
	5:10:00	61.2	49.0	57.5
	5:15:00	55.2	49.5	57.0
	5:20:00	55.6	50.5	58.0
	5:25:00	55.2	50.5	57.5
	5:30:00	54.7	50.5	56.5
	5:35:00	56.7	52.0	59.0
	5:40:00	53.8	49.0	55.5
	5:45:00	55.2	49.5	57.0
	5:50:00	55.7	50.5	58.0
	5:55:00	56.1	49.5	59.0
	6:00:00	57.3	51.0	60.5
	6:05:00	56.4	50.5	59.0
	6:10:00	62.0	50.0	64.0
	6:15:00	57.6	49.0	59.5
	6:20:00	58.7	48.5	57.5
	6:25:00	57.0	49.0	57.0
	6:30:00	59.3	50.5	60.0
	6:35:00	57.4	52.5	58.5
	6:40:00	56.1	52.5	57.5
	6:45:00	59.3	50.5	59.0
	6:50:00	63.4	50.5	61.5
	6:55:00	58.1	51.0	58.5
	7:00:00	60.2	52.5	59.0
	7:05:00	61.6	51.0	63.0
	7:10:00	56.3	53.0	58.0
	7:15:00	57.7	53.0	58.0
	7:20:00	61.7	52.0	63.0
	7:25:00	59.1	51.5	61.0
	7:30:00	63.3	52.5	61.5
	7:35:00	67.0	52.0	62.5
	7:40:00	57.2	50.0	60.0
	7:45:00	56.9	50.5	58.5
	7:50:00	60.8	51.5	62.5
	7:55:00	59.6	52.5	61.0
	8:00:00	59.2	52.5	62.5
	8:05:00	59.2	52.0	61.0
	8:10:00	59.7	50.5	60.5
	8:15:00	60.4	50.5	59.0
	8:20:00	56.2	51.5	58.5
	8:25:00	56.7	51.0	59.5
	8:30:00	55.7	49.5	58.0
	8:35:00	57.0	52.0	60.0
	8:40:00	57.9	50.5	59.0
	8:45:00	58.6	51.0	60.0
	8:50:00	55.2	50.5	57.5
	8:55:00	57.6	50.5	59.0
	9:00:00	60.6	51.5	60.0
	9:05:00	55.6	50.5	57.5
	9:10:00	56.3	50.0	56.5
	9:15:00	55.7	50.0	58.0
	9:20:00	56.5	50.0	59.0
	9:25:00	58.3	50.5	58.5
	9:30:00	56.6	49.0	56.5
	9:35:00	60.7	50.5	60.0
	9:40:00	57.5	50.5	60.0
	9:45:00	54.4	49.0	56.0
	9:50:00	56.7	51.0	59.5
	9:55:00	59.4	52.5	62.5
	10:00:00	58.2	50.0	62.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/14/2007	10:05:00	56.9	51.0	60.0
	10:10:00	55.8	50.0	58.0
	10:15:00	55.0	49.5	57.0
	10:20:00	54.7	49.5	56.5
	10:25:00	55.2	49.5	57.5
	10:30:00	56.5	50.5	58.0
	10:35:00	56.3	51.0	56.5
	10:40:00	56.6	52.0	58.5
	10:45:00	55.6	51.5	58.0
	10:50:00	58.1	51.0	60.5
	10:55:00	55.5	50.0	58.0
	11:00:00	58.2	52.5	60.5
	11:05:00	56.2	50.0	59.0
	11:10:00	54.3	49.5	56.0
	11:15:00	54.8	49.0	57.5
	11:20:00	55.6	49.5	58.0
	11:25:00	59.3	49.0	58.0
	11:30:00	61.8	50.5	61.0
	11:35:00	57.8	50.0	60.5
	11:40:00	58.4	50.0	62.0
	11:45:00	57.0	50.5	59.0
	11:50:00	55.2	50.0	57.5
	11:55:00	56.7	50.5	58.5
	12:00:00	58.1	50.0	60.5
	12:05:00	59.1	49.5	61.0
	12:10:00	57.0	52.0	60.0
	12:15:00	57.3	51.0	59.0
	12:20:00	65.2	53.0	69.5
	12:25:00	56.2	50.5	58.5
	12:30:00	61.8	51.5	66.5
	12:35:00	57.3	51.5	60.0
	12:40:00	58.8	49.5	58.0
	12:45:00	55.3	51.0	57.0
	12:50:00	56.9	52.0	59.5
	12:55:00	56.1	51.0	59.0
	13:00:00	56.2	50.0	58.5
	13:05:00	55.8	51.0	58.0
	13:10:00	56.9	53.0	59.5
	13:15:00	57.0	51.5	59.5
	13:20:00	56.8	51.5	59.5
	13:25:00	56.9	51.5	59.5
	13:30:00	56.0	49.5	59.5
	13:35:00	55.6	51.0	57.5
	13:40:00	57.6	53.0	60.5
	13:45:00	63.7	52.0	61.0
	13:50:00	56.6	50.0	58.0
	13:55:00	54.8	50.0	57.0
	14:00:00	55.7	50.5	58.0
	14:05:00	56.0	51.0	58.5
	14:10:00	56.7	51.5	59.5
	14:15:00	57.5	50.5	60.5
	14:20:00	57.2	51.5	59.5
	14:25:00	67.3	51.5	69.5
	14:30:00	56.5	52.0	58.5
	14:35:00	56.0	52.0	58.0
	14:40:00	58.4	52.5	61.5
	14:45:00	55.6	51.5	57.0
	14:50:00	57.1	50.5	60.0
	14:55:00	56.7	51.5	59.0
	15:00:00	57.1	50.5	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/14/2007	15:05:00	57.8	53.0	60.5
	15:10:00	55.7	51.0	58.0
	15:15:00	55.1	50.0	57.0
	15:20:00	57.2	52.0	60.0
	15:25:00	57.4	53.5	59.0
	15:30:00	56.7	54.0	58.5
	15:35:00	56.1	51.0	58.0
	15:40:00	56.8	50.5	59.0
	15:45:00	56.8	52.5	59.5
	15:50:00	56.5	51.5	58.5
	15:55:00	55.8	50.5	58.5
	16:00:00	58.0	51.5	61.0
	16:05:00	55.4	50.0	57.5
	16:10:00	58.1	52.0	60.5
	16:15:00	56.8	51.0	59.0
	16:20:00	58.4	52.0	61.5
	16:25:00	56.3	51.0	58.5
	16:30:00	55.4	50.5	57.5
	16:35:00	61.6	52.0	65.5
	16:40:00	68.1	52.5	71.5
	16:45:00	59.1	49.5	60.5
	16:50:00	58.3	51.5	60.0
	16:55:00	58.8	51.5	61.5
	17:00:00	58.4	53.0	60.5
	17:05:00	57.0	51.0	59.5
	17:10:00	55.3	49.5	57.0
	17:15:00	56.3	50.0	58.0
	17:20:00	56.8	50.5	59.5
	17:25:00	56.7	51.5	59.0
	17:30:00	56.5	52.0	59.0
	17:35:00	55.4	51.0	57.5
	17:40:00	55.5	51.0	57.0
	17:45:00	55.1	50.0	57.0
	17:50:00	56.6	51.5	59.0
	17:55:00	54.0	49.0	56.0
	18:00:00	57.2	49.5	60.0
	18:05:00	60.7	52.0	64.0
	18:10:00	56.6	51.0	59.0
	18:15:00	56.5	51.0	59.5
	18:20:00	57.2	50.0	60.5
	18:25:00	56.3	50.5	59.0
	18:30:00	60.4	51.0	61.5
	18:35:00	55.8	50.0	57.5
	18:40:00	60.5	50.5	62.5
	18:45:00	56.7	50.0	58.5
	18:50:00	55.5	50.5	57.0
	18:55:00	59.3	51.5	61.5
	19:00:00	57.0	51.5	60.0
	19:05:00	56.5	51.0	59.0
	19:10:00	56.5	50.5	60.0
	19:15:00	55.8	50.0	58.0
	19:20:00	54.9	50.0	56.5
	19:25:00	56.4	51.5	58.5
	19:30:00	60.5	52.5	60.5
	19:35:00	55.6	52.0	57.5
	19:40:00	55.5	50.5	56.0
	19:45:00	55.1	51.0	57.0
	19:50:00	57.0	51.0	59.0
	19:55:00	54.9	50.5	56.5
	20:00:00	54.3	50.0	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/14/2007	20:05:00	54.4	50.5	56.0
	20:10:00	54.1	49.5	55.5
	20:15:00	56.8	51.0	58.5
	20:20:00	56.5	50.5	59.5
	20:25:00	55.5	50.0	57.5
	20:30:00	59.1	51.0	61.0
	20:35:00	55.9	50.5	57.5
	20:40:00	55.8	50.5	58.5
	20:45:00	54.7	49.5	57.0
	20:50:00	54.1	49.0	55.5
	20:55:00	54.4	49.5	55.5
	21:00:00	54.8	50.0	57.0
	21:05:00	54.7	50.0	56.5
	21:10:00	55.9	49.0	59.5
	21:15:00	54.4	49.0	56.0
	21:20:00	56.0	50.5	56.5
	21:25:00	54.3	49.0	56.0
	21:30:00	53.8	49.0	55.0
	21:35:00	54.3	48.5	57.0
	21:40:00	55.1	49.5	57.0
	21:45:00	57.4	50.5	61.0
	21:50:00	54.6	49.5	56.5
	21:55:00	54.0	48.5	55.0
	22:00:00	56.2	50.0	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/14/2007	22:05:00	56.7	50.0	60.5
	22:10:00	53.4	48.5	55.0
	22:15:00	54.0	48.5	55.5
	22:20:00	54.4	48.5	56.5
	22:25:00	54.6	49.5	56.5
	22:30:00	53.5	48.0	55.0
	22:35:00	54.3	49.0	56.0
	22:40:00	55.5	49.0	57.5
	22:45:00	55.9	49.5	58.5
	22:50:00	53.7	48.5	55.0
	22:55:00	53.6	48.0	54.5
	23:00:00	54.5	48.0	54.5
	23:05:00	54.4	48.5	55.5
	23:10:00	53.8	48.5	55.5
	23:15:00	53.4	48.5	55.0
	23:20:00	53.4	48.0	54.5
	23:25:00	53.7	48.0	55.0
	23:30:00	53.1	47.5	54.5
	23:35:00	52.9	47.5	54.0
	23:40:00	54.1	47.5	55.0
	23:45:00	53.7	48.5	55.5
	23:50:00	54.2	49.5	55.5
	23:55:00	53.5	48.0	55.0
	0:00:00	53.3	48.0	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	0:05:00	53.5	48.0	54.5
	0:10:00	54.4	48.5	56.0
	0:15:00	53.0	47.5	54.5
	0:20:00	53.2	47.5	54.5
	0:25:00	53.3	48.0	55.0
	0:30:00	53.9	49.0	55.5
	0:35:00	53.0	47.0	54.0
	0:40:00	53.2	47.5	54.5
	0:45:00	53.8	48.0	55.5
	0:50:00	52.8	47.0	54.0
	0:55:00	53.0	47.5	54.5
	1:00:00	52.5	46.5	54.0
	1:05:00	53.0	47.5	54.5
	1:10:00	53.7	47.5	54.5
	1:15:00	53.1	47.5	54.5
	1:20:00	52.6	47.0	54.0
	1:25:00	53.7	48.0	56.0
	1:30:00	53.0	47.0	54.5
	1:35:00	53.4	47.5	54.5
	1:40:00	52.9	47.0	54.0
	1:45:00	53.0	47.0	54.0
	1:50:00	52.8	47.0	54.0
	1:55:00	52.5	47.0	54.0
	2:00:00	52.5	46.5	54.0
	2:05:00	52.5	46.5	54.0
	2:10:00	52.6	47.0	54.0
	2:15:00	52.5	46.5	54.0
	2:20:00	52.5	46.5	54.0
	2:25:00	53.1	47.0	54.0
	2:30:00	52.6	47.0	54.0
	2:35:00	52.6	47.0	54.0
	2:40:00	52.4	46.5	54.0
	2:45:00	52.8	47.0	54.0
	2:50:00	53.0	47.0	54.0
	2:55:00	52.7	46.5	54.0
	3:00:00	52.6	47.0	54.0
	3:05:00	52.6	47.0	54.0
	3:10:00	52.6	47.0	54.0
	3:15:00	53.7	47.5	56.0
	3:20:00	52.5	47.0	54.0
	3:25:00	53.1	47.0	54.0
	3:30:00	52.7	47.0	54.0
	3:35:00	53.2	47.5	54.0
	3:40:00	52.7	47.0	54.0
	3:45:00	53.5	47.5	55.5
	3:50:00	53.7	48.5	55.5
	3:55:00	53.5	48.0	55.5
	4:00:00	53.4	47.5	54.5
	4:05:00	52.7	47.0	54.0
	4:10:00	53.2	47.5	55.0
	4:15:00	52.8	47.5	54.0
	4:20:00	52.8	47.0	54.0
	4:25:00	53.0	47.5	54.5
	4:30:00	53.2	48.0	54.5
	4:35:00	53.2	47.5	55.0
	4:40:00	53.3	47.5	55.0
	4:45:00	54.0	47.5	55.0
	4:50:00	53.0	48.0	54.5
	4:55:00	52.8	47.5	54.0
	5:00:00	52.8	47.0	54.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	5:05:00	53.4	47.5	54.5
	5:10:00	54.3	49.0	56.0
	5:15:00	54.9	49.5	57.0
	5:20:00	56.2	51.0	58.0
	5:25:00	55.8	51.0	57.5
	5:30:00	54.2	49.5	55.5
	5:35:00	54.9	49.5	56.5
	5:40:00	54.2	49.0	55.5
	5:45:00	53.7	48.5	55.0
	5:50:00	53.6	48.5	55.0
	5:55:00	61.2	50.5	63.0
	6:00:00	54.7	49.0	56.0
	6:05:00	55.8	49.5	59.0
	6:10:00	56.4	49.5	58.0
	6:15:00	57.3	52.0	58.5
	6:20:00	56.0	49.5	57.5
	6:25:00	60.6	51.0	60.5
	6:30:00	59.6	50.5	60.0
	6:35:00	58.0	50.0	59.0
	6:40:00	59.4	53.0	59.5
	6:45:00	58.0	50.0	59.5
	6:50:00	60.1	50.5	62.5
	6:55:00	57.3	50.5	60.5
	7:00:00	56.8	52.5	59.5
	7:05:00	60.6	51.0	61.0
	7:10:00	58.9	51.5	59.5
	7:15:00	57.6	53.5	59.0
	7:20:00	55.8	51.0	58.0
	7:25:00	62.3	51.5	61.5
	7:30:00	57.8	50.5	57.5
	7:35:00	58.3	51.5	60.5
	7:40:00	55.9	49.5	57.5
	7:45:00	59.2	52.0	60.0
	7:50:00	57.2	51.0	58.5
	7:55:00	56.2	51.5	58.5
	8:00:00	61.2	50.0	62.5
	8:05:00	59.3	51.5	60.0
	8:10:00	55.9	50.0	58.5
	8:15:00	56.8	51.0	60.0
	8:20:00	57.5	51.0	59.5
	8:25:00	56.2	50.5	59.0
	8:30:00	55.4	50.0	57.5
	8:35:00	54.9	50.0	56.5
	8:40:00	63.1	52.5	65.0
	8:45:00	57.9	51.0	61.0
	8:50:00	57.6	51.0	59.0
	8:55:00	62.2	52.0	65.0
	9:00:00	55.4	50.0	57.5
	9:05:00	54.6	49.5	56.5
	9:10:00	56.0	50.5	58.5
	9:15:00	60.4	51.0	62.5
	9:20:00	56.6	50.5	59.0
	9:25:00	57.7	51.0	59.5
	9:30:00	55.9	50.0	57.5
	9:35:00	56.9	51.5	59.0
	9:40:00	55.2	50.0	57.0
	9:45:00	55.0	50.0	57.5
	9:50:00	55.5	50.5	58.0
	9:55:00	54.9	50.0	57.0
	10:00:00	54.7	50.0	56.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	10:05:00	54.0	49.0	56.0
	10:10:00	56.7	51.5	59.0
	10:15:00	54.6	49.5	56.5
	10:20:00	56.4	50.5	58.5
	10:25:00	55.6	50.0	57.5
	10:30:00	61.9	50.0	65.5
	10:35:00	61.0	51.0	63.5
	10:40:00	55.2	50.0	57.0
	10:45:00	58.5	51.5	57.5
	10:50:00	55.8	50.5	57.5
	10:55:00	54.6	49.5	56.5
	11:00:00	58.9	50.0	57.0
	11:05:00	54.6	49.5	56.5
	11:10:00	56.2	50.0	58.0
	11:15:00	57.0	51.0	59.5
	11:20:00	57.3	51.0	59.5
	11:25:00	55.2	50.0	57.5
	11:30:00	55.7	50.0	58.5
	11:35:00	57.1	50.5	58.5
	11:40:00	56.6	51.5	59.0
	11:45:00	55.7	51.5	58.0
	11:50:00	55.1	50.0	57.0
	11:55:00	57.4	50.5	61.0
	12:00:00	55.2	50.0	58.0
	12:05:00	58.3	52.0	62.0
	12:10:00	55.1	50.0	57.0
	12:15:00	56.5	51.5	57.5
	12:20:00	58.4	50.5	61.0
	12:25:00	55.6	50.0	57.5
	12:30:00	55.2	50.5	57.0
	12:35:00	55.7	49.5	56.5
	12:40:00	54.9	49.5	56.5
	12:45:00	55.6	49.5	57.5
	12:50:00	55.1	49.5	57.0
	12:55:00	54.5	49.0	56.5
	13:00:00	55.3	49.5	56.5
	13:05:00	55.0	50.0	57.0
	13:10:00	55.6	51.0	57.5
	13:15:00	55.5	50.0	56.5
	13:20:00	56.1	51.5	58.0
	13:25:00	54.2	49.0	56.0
	13:30:00	56.3	50.0	58.5
	13:35:00	56.2	50.0	59.5
	13:40:00	55.2	50.0	57.5
	13:45:00	55.1	50.5	57.0
	13:50:00	56.4	51.0	59.0
	13:55:00	54.1	49.0	55.5
	14:00:00	56.2	50.0	57.0
	14:05:00	55.5	49.5	57.5
	14:10:00	54.5	49.5	56.5
	14:15:00	54.8	49.0	57.0
	14:20:00	57.4	50.5	61.0
	14:25:00	56.5	49.5	57.5
	14:30:00	58.2	50.0	59.5
	14:35:00	56.0	49.5	58.0
	14:40:00	60.6	50.5	62.5
	14:45:00	59.1	51.5	61.0
	14:50:00	59.0	51.0	61.5
	14:55:00	56.6	50.5	59.0
	15:00:00	57.5	51.0	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	15:05:00	56.0	49.5	58.5
	15:10:00	55.9	49.0	57.0
	15:15:00	58.3	51.0	61.5
	15:20:00	53.4	48.0	54.5
	15:25:00	55.4	50.0	58.0
	15:30:00	56.1	50.5	58.5
	15:35:00	55.5	49.5	57.5
	15:40:00	56.6	49.0	56.5
	15:45:00	58.8	50.0	59.0
	15:50:00	56.3	49.5	58.0
	15:55:00	55.6	49.0	57.5
	16:00:00	58.2	49.5	57.5
	16:05:00	62.6	50.5	64.5
	16:10:00	64.8	52.5	69.5
	16:15:00	63.8	50.5	65.5
	16:20:00	59.5	51.0	60.0
	16:25:00	55.7	50.0	58.0
	16:30:00	56.1	51.5	58.0
	16:35:00	56.5	50.0	59.5
	16:40:00	56.4	52.0	58.5
	16:45:00	62.7	51.0	64.5
	16:50:00	55.5	51.0	58.0
	16:55:00	55.2	50.0	57.5
	17:00:00	63.9	51.5	63.0
	17:05:00	56.3	49.5	57.0
	17:10:00	56.3	50.5	59.0
	17:15:00	58.9	50.0	61.0
	17:20:00	56.9	49.0	57.5
	17:25:00	55.1	49.5	57.0
	17:30:00	60.1	50.5	61.0
	17:35:00	59.3	50.5	61.0
	17:40:00	56.8	50.0	58.0
	17:45:00	55.5	51.0	57.5
	17:50:00	59.7	49.5	58.0
	17:55:00	56.2	50.0	59.5
	18:00:00	56.6	51.0	58.5
	18:05:00	55.3	50.5	57.5
	18:10:00	61.5	51.5	61.0
	18:15:00	56.6	51.5	59.0
	18:20:00	61.2	51.5	62.5
	18:25:00	56.5	50.5	58.5
	18:30:00	56.2	50.5	58.5
	18:35:00	56.2	50.0	58.0
	18:40:00	62.1	51.0	59.0
	18:45:00	56.3	50.0	58.5
	18:50:00	55.7	50.5	57.5
	18:55:00	54.5	50.0	56.5
	19:00:00	54.4	50.5	55.5
	19:05:00	54.5	50.0	56.5
	19:10:00	55.1	50.0	57.0
	19:15:00	57.2	51.0	60.5
	19:20:00	54.6	49.5	56.5
	19:25:00	56.3	51.5	58.0
	19:30:00	54.2	51.0	55.5
	19:35:00	54.2	50.5	55.5
	19:40:00	54.7	51.5	56.0
	19:45:00	54.7	50.5	56.5
	19:50:00	54.7	50.5	56.5
	19:55:00	63.5	50.5	60.0
	20:00:00	56.9	51.0	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	20:05:00	53.8	50.0	55.0
	20:10:00	54.6	50.5	56.5
	20:15:00	55.4	50.5	57.0
	20:20:00	54.1	49.5	56.0
	20:25:00	54.6	50.5	56.0
	20:30:00	54.6	51.5	56.0
	20:35:00	55.1	51.5	56.5
	20:40:00	54.1	50.5	56.0
	20:45:00	54.9	50.5	56.5
	20:50:00	54.8	49.5	56.0
	20:55:00	54.5	49.5	55.5
	21:00:00	54.3	50.0	55.5
	21:05:00	53.6	49.5	55.5
	21:10:00	54.1	50.0	55.5
	21:15:00	53.3	49.5	54.5
	21:20:00	54.8	50.5	56.5
	21:25:00	53.8	49.0	55.0
	21:30:00	54.2	49.0	56.0
	21:35:00	54.4	50.0	55.5
	21:40:00	54.2	50.5	56.0
	21:45:00	54.2	51.0	55.5
	21:50:00	55.6	50.0	58.5
	21:55:00	53.3	49.5	54.5
	22:00:00	55.4	49.0	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	22:05:00	56.4	49.5	57.0
	22:10:00	54.6	49.0	56.0
	22:15:00	53.5	48.5	55.0
	22:20:00	53.7	49.5	55.5
	22:25:00	53.5	49.0	55.0
	22:30:00	54.0	49.0	55.5
	22:35:00	53.3	48.5	55.0
	22:40:00	53.9	49.0	56.0
	22:45:00	52.8	48.0	54.0
	22:50:00	53.7	49.0	55.5
	22:55:00	53.0	48.5	54.0
	23:00:00	54.1	50.0	56.0
	23:05:00	54.6	50.0	56.0
	23:10:00	54.2	49.0	56.0
	23:15:00	53.3	48.0	54.5
	23:20:00	52.2	47.0	53.5
	23:25:00	53.7	48.5	55.5
	23:30:00	53.0	48.0	54.0
	23:35:00	53.5	48.5	55.0
	23:40:00	53.7	48.5	55.5
	23:45:00	54.1	48.5	56.0
	23:50:00	53.4	47.0	54.0
	23:55:00	52.4	47.0	53.5
	0:00:00	52.6	47.5	54.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	0:05:00	52.6	47.5	54.0
	0:10:00	52.4	47.0	53.5
	0:15:00	53.1	48.0	54.5
	0:20:00	52.8	47.5	55.0
	0:25:00	52.9	47.5	54.5
	0:30:00	52.5	47.5	54.0
	0:35:00	52.5	47.5	53.5
	0:40:00	52.9	47.5	54.5
	0:45:00	52.3	47.0	53.5
	0:50:00	53.0	47.5	54.5
	0:55:00	51.8	46.0	53.5
	1:00:00	52.7	47.5	54.0
	1:05:00	53.6	48.0	56.0
	1:10:00	55.4	47.5	58.5
	1:15:00	52.4	46.5	53.5
	1:20:00	51.8	46.0	53.5
	1:25:00	52.5	46.5	53.5
	1:30:00	52.0	46.5	53.5
	1:35:00	53.6	47.5	56.0
	1:40:00	52.5	47.0	54.0
	1:45:00	52.3	46.5	53.5
	1:50:00	51.8	46.0	53.5
	1:55:00	52.2	46.5	53.5
	2:00:00	52.0	46.5	53.5
	2:05:00	52.0	46.0	53.5
	2:10:00	51.9	46.5	53.5
	2:15:00	53.0	47.5	55.0
	2:20:00	52.3	47.0	53.5
	2:25:00	52.3	47.0	53.5
	2:30:00	52.1	46.5	53.5
	2:35:00	51.9	46.5	53.5
	2:40:00	52.1	46.5	53.5
	2:45:00	52.7	47.0	54.0
	2:50:00	52.4	47.0	53.5
	2:55:00	52.3	47.0	53.5
	3:00:00	53.7	48.5	56.0
	3:05:00	52.8	48.0	54.0
	3:10:00	53.7	47.0	53.5
	3:15:00	52.7	47.5	54.0
	3:20:00	52.4	47.5	53.5
	3:25:00	52.2	47.5	53.5
	3:30:00	52.2	47.5	53.5
	3:35:00	51.8	46.5	53.0
	3:40:00	51.7	46.0	53.0
	3:45:00	51.9	46.5	53.5
	3:50:00	51.9	46.5	53.5
	3:55:00	51.9	46.5	53.5
	4:00:00	51.9	46.5	53.5
	4:05:00	51.8	46.5	53.0
	4:10:00	51.8	46.5	53.0
	4:15:00	52.4	47.0	54.0
	4:20:00	53.2	47.0	55.5
	4:25:00	52.3	47.0	54.0
	4:30:00	51.6	46.0	53.0
	4:35:00	52.1	47.0	53.5
	4:40:00	52.7	46.5	54.0
	4:45:00	52.2	47.0	53.5
	4:50:00	52.2	46.5	53.5
	4:55:00	52.6	47.5	54.0
	5:00:00	52.8	47.5	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	5:05:00	52.8	48.0	54.5
	5:10:00	53.9	48.0	56.0
	5:15:00	52.6	47.5	54.5
	5:20:00	54.0	49.5	56.0
	5:25:00	55.0	50.0	56.5
	5:30:00	53.3	49.0	55.0
	5:35:00	53.9	49.0	55.5
	5:40:00	53.7	48.0	55.0
	5:45:00	53.4	48.0	55.0
	5:50:00	54.7	48.5	57.5
	5:55:00	54.7	49.5	56.5
	6:00:00	56.2	50.5	57.5
	6:05:00	54.7	50.0	56.0
	6:10:00	55.5	50.5	58.0
	6:15:00	54.9	49.5	56.0
	6:20:00	54.9	50.0	56.5
	6:25:00	58.1	50.5	59.0
	6:30:00	54.7	50.0	56.5
	6:35:00	54.5	49.5	56.5
	6:40:00	56.8	50.5	59.5
	6:45:00	53.9	49.0	55.5
	6:50:00	55.4	50.5	57.5
	6:55:00	54.7	49.5	56.5
	7:00:00	56.7	51.5	59.0
	7:05:00	57.3	51.0	60.5
	7:10:00	56.8	50.5	60.0
	7:15:00	59.3	51.0	60.0
	7:20:00	54.5	50.0	56.0
	7:25:00	58.0	51.5	59.5
	7:30:00	55.9	50.5	58.5
	7:35:00	55.5	51.0	58.0
	7:40:00	55.7	50.5	58.0
	7:45:00	62.9	50.0	59.5
	7:50:00	55.2	50.0	57.5
	7:55:00	56.3	50.0	58.0
	8:00:00	57.0	51.0	60.0
	8:05:00	57.6	51.5	58.5
	8:10:00	57.7	53.5	59.5
	8:15:00	60.3	51.5	63.0
	8:20:00	59.3	51.5	62.0
	8:25:00	59.2	51.0	61.5
	8:30:00	59.3	51.0	63.0
	8:35:00	57.5	50.0	61.5
	8:40:00	57.4	50.0	59.0
	8:45:00	55.9	49.5	56.0
	8:50:00	55.2	50.0	57.0
	8:55:00	62.6	50.5	63.5
	9:00:00	56.4	50.5	59.0
	9:05:00	55.1	50.0	56.0
	9:10:00	56.2	51.0	58.5
	9:15:00	63.6	52.0	60.5
	9:20:00	56.3	50.5	57.5
	9:25:00	54.9	50.0	57.0
	9:30:00	56.8	51.0	59.5
	9:35:00	59.7	51.0	59.5
	9:40:00	57.7	51.5	60.5
	9:45:00	55.7	50.5	58.0
	9:50:00	55.5	50.5	57.5
	9:55:00	56.9	51.5	59.5
	10:00:00	55.4	50.5	57.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	10:05:00	56.5	52.0	58.5
	10:10:00	54.7	50.0	56.5
	10:15:00	56.6	50.0	59.5
	10:20:00	54.8	50.0	56.5
	10:25:00	62.8	51.5	60.5
	10:30:00	63.2	52.0	61.0
	10:35:00	55.1	51.5	57.0
	10:40:00	55.2	51.5	56.5
	10:45:00	58.6	51.5	58.5
	10:50:00	56.2	51.0	58.5
	10:55:00	54.7	51.0	56.0
	11:00:00	59.5	51.5	59.0
	11:05:00	63.3	51.0	64.5
	11:10:00	55.0	51.0	56.5
	11:15:00	58.7	51.0	58.0
	11:20:00	54.6	50.5	56.0
	11:25:00	55.4	50.5	57.5
	11:30:00	54.7	50.5	56.5
	11:35:00	54.3	50.0	55.5
	11:40:00	54.6	50.5	56.0
	11:45:00	54.7	50.5	56.0
	11:50:00	56.2	51.0	58.0
	11:55:00	54.5	50.5	56.0
	12:00:00	55.3	50.5	57.5
	12:05:00	54.0	50.0	55.0
	12:10:00	55.4	50.5	57.0
	12:15:00	54.4	50.0	55.5
	12:20:00	54.8	51.0	56.5
	12:25:00	54.5	50.5	56.0
	12:30:00	55.1	50.5	56.5
	12:35:00	57.4	51.5	60.5
	12:40:00	56.1	52.0	58.5
	12:45:00	56.2	50.0	55.5
	12:50:00	54.9	50.5	57.0
	12:55:00	55.5	51.0	57.5
	13:00:00	55.2	51.0	57.0
	13:05:00	54.3	50.5	55.5
	13:10:00	54.4	50.0	56.0
	13:15:00	55.3	51.0	57.5
	13:20:00	57.0	51.5	58.5
	13:25:00	55.0	51.0	57.0
	13:30:00	54.5	50.0	56.5
	13:35:00	54.2	49.5	55.5
	13:40:00	54.3	50.0	56.0
	13:45:00	54.6	50.0	56.5
	13:50:00	54.5	49.5	56.5
	13:55:00	54.3	50.0	56.0
	14:00:00	56.3	50.5	57.0
	14:05:00	55.5	50.0	57.0
	14:10:00	55.1	51.0	57.0
	14:15:00	54.5	50.0	56.5
	14:20:00	56.0	51.0	58.5
	14:25:00	54.4	49.5	56.0
	14:30:00	55.8	50.5	58.5
	14:35:00	55.3	49.5	57.0
	14:40:00	54.0	49.5	55.5
	14:45:00	55.4	49.0	56.5
	14:50:00	54.0	49.0	55.5
	14:55:00	54.0	49.0	55.5
	15:00:00	54.1	49.0	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	15:05:00	53.7	48.5	55.0
	15:10:00	54.1	49.0	55.0
	15:15:00	54.1	48.5	55.0
	15:20:00	53.7	48.5	54.5
	15:25:00	53.5	48.5	54.5
	15:30:00	53.7	49.0	55.0
	15:35:00	53.9	49.5	55.5
	15:40:00	54.9	49.5	56.5
	15:45:00	53.5	48.5	55.0
	15:50:00	53.7	48.5	55.5
	15:55:00	54.4	49.0	56.0
	16:00:00	52.9	47.5	54.5
	16:05:00	53.8	49.0	55.5
	16:10:00	53.1	47.5	54.5
	16:15:00	53.3	48.0	54.5
	16:20:00	53.0	47.5	54.5
	16:25:00	54.6	49.5	57.5
	16:30:00	52.8	47.5	54.0
	16:35:00	52.7	47.0	54.0
	16:40:00	53.1	47.5	54.5
	16:45:00	52.8	47.5	54.0
	16:50:00	53.0	47.5	54.0
	16:55:00	53.3	47.5	54.5
	17:00:00	52.7	47.0	54.0
	17:05:00	53.6	47.5	54.5
	17:10:00	53.2	48.0	54.5
	17:15:00	53.0	47.0	54.0
	17:20:00	52.7	47.0	54.0
	17:25:00	53.3	48.0	54.5
	17:30:00	53.7	48.0	55.5
	17:35:00	52.9	47.5	54.5
	17:40:00	52.8	47.5	54.0
	17:45:00	53.3	48.0	54.5
	17:50:00	53.1	48.0	54.5
	17:55:00	52.7	47.0	54.0
	18:00:00	52.7	47.5	54.0
	18:05:00	53.6	48.0	54.5
	18:10:00	53.1	47.5	54.5
	18:15:00	52.8	47.5	54.0
	18:20:00	52.9	47.5	54.0
	18:25:00	52.9	47.5	54.0
	18:30:00	53.0	47.5	54.5
	18:35:00	53.1	47.5	54.5
	18:40:00	52.9	47.5	54.0
	18:45:00	52.9	47.5	54.5
	18:50:00	53.6	48.5	55.5
	18:55:00	53.2	47.5	54.0
	19:00:00	52.7	47.0	54.0
	19:05:00	53.3	47.5	54.5
	19:10:00	53.3	47.5	54.0
	19:15:00	52.9	48.0	54.5
	19:20:00	53.5	49.0	55.0
	19:25:00	53.5	48.5	54.5
	19:30:00	53.1	48.0	54.5
	19:35:00	53.8	48.5	56.0
	19:40:00	53.6	48.0	55.5
	19:45:00	55.0	49.0	58.0
	19:50:00	56.1	50.0	59.0
	19:55:00	55.7	50.0	59.0
	20:00:00	54.4	48.5	57.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	20:05:00	53.5	48.0	55.0
	20:10:00	54.0	49.5	55.5
	20:15:00	54.2	49.5	56.0
	20:20:00	54.0	49.5	56.0
	20:25:00	55.2	50.0	57.5
	20:30:00	55.1	50.5	57.5
	20:35:00	63.4	52.0	64.0
	20:40:00	55.0	51.0	56.5
	20:45:00	56.7	50.0	59.0
	20:50:00	55.4	49.5	57.0
	20:55:00	57.7	50.0	60.0
	21:00:00	55.9	49.0	56.0
	21:05:00	54.4	49.0	55.5
	21:10:00	60.1	50.0	62.5
	21:15:00	55.6	48.0	55.0
	21:20:00	56.0	48.5	55.5
	21:25:00	54.9	49.0	57.0
	21:30:00	58.1	51.5	60.0
	21:35:00	61.0	50.5	61.0
	21:40:00	55.7	49.5	57.5
	21:45:00	57.2	51.5	58.0
	21:50:00	60.2	51.5	61.5
	21:55:00	58.4	49.5	59.5
	22:00:00	55.7	49.5	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	22:05:00	58.6	52.0	61.5
	22:10:00	56.4	51.5	59.0
	22:15:00	64.6	50.5	60.0
	22:20:00	58.2	53.5	58.5
	22:25:00	56.3	52.5	58.0
	22:30:00	57.7	50.0	57.5
	22:35:00	57.7	52.0	60.0
	22:40:00	57.2	51.5	59.5
	22:45:00	56.0	51.0	58.0
	22:50:00	57.2	51.0	58.5
	22:55:00	58.8	52.0	60.0
	23:00:00	56.4	50.0	59.5
	23:05:00	57.3	51.5	60.5
	23:10:00	57.2	52.0	60.5
	23:15:00	57.1	51.0	60.0
	23:20:00	55.7	50.5	58.0
	23:25:00	57.9	53.5	60.5
	23:30:00	56.5	51.0	59.5
	23:35:00	61.8	51.5	66.0
	23:40:00	60.0	52.5	62.0
	23:45:00	57.9	51.5	60.0
	23:50:00	56.5	51.5	59.0
	23:55:00	58.1	52.5	59.0
	0:00:00	57.5	54.0	59.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	0:05:00	41.4	40.0	42.0
	0:10:00	41.7	40.0	43.0
	0:15:00	41.1	40.0	42.0
	0:20:00	40.7	40.0	41.0
	0:25:00	41.7	40.0	42.0
	0:30:00	41.2	40.0	42.0
	0:35:00	45.4	40.5	45.5
	0:40:00	47.7	40.0	43.5
	0:45:00	41.3	40.0	42.0
	0:50:00	40.9	40.0	41.0
	0:55:00	41.5	40.5	41.5
	1:00:00	42.8	40.5	45.0
	1:05:00	40.9	40.5	41.5
	1:10:00	44.5	40.5	47.5
	1:15:00	41.1	40.0	41.5
	1:20:00	40.8	40.0	41.0
	1:25:00	41.3	40.0	42.0
	1:30:00	41.7	40.5	42.5
	1:35:00	40.9	40.0	41.5
	1:40:00	41.3	40.5	42.0
	1:45:00	44.3	40.0	41.0
	1:50:00	42.4	40.0	44.5
	1:55:00	40.9	39.5	42.0
	2:00:00	42.1	40.0	42.0
	2:05:00	42.0	39.5	42.5
	2:10:00	47.8	40.0	51.5
	2:15:00	41.9	40.0	42.5
	2:20:00	40.9	40.0	41.5
	2:25:00	42.7	40.5	44.0
	2:30:00	41.5	40.0	41.5
	2:35:00	44.7	40.5	44.5
	2:40:00	41.1	40.0	41.5
	2:45:00	42.8	40.5	41.0
	2:50:00	41.8	40.0	42.5
	2:55:00	41.4	40.5	41.5
	3:00:00	40.7	40.0	41.0
	3:05:00	41.3	40.5	41.5
	3:10:00	43.5	40.0	44.0
	3:15:00	44.8	40.5	46.0
	3:20:00	43.2	40.0	43.5
	3:25:00	40.8	40.0	41.0
	3:30:00	43.5	40.0	44.5
	3:35:00	43.8	42.5	45.0
	3:40:00	45.2	43.0	46.0
	3:45:00	44.2	43.0	45.0
	3:50:00	44.8	43.0	45.5
	3:55:00	47.0	45.0	47.5
	4:00:00	47.7	41.0	48.0
	4:05:00	46.2	40.5	47.5
	4:10:00	43.9	40.5	45.0
	4:15:00	43.4	40.5	44.5
	4:20:00	43.5	40.5	45.5
	4:25:00	47.2	42.0	48.5
	4:30:00	47.1	42.0	50.5
	4:35:00	48.8	43.0	52.0
	4:40:00	53.0	42.5	53.5
	4:45:00	52.2	44.5	56.0
	4:50:00	49.2	41.5	51.5
	4:55:00	50.8	41.5	51.0
	5:00:00	45.4	41.5	47.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	5:05:00	46.0	40.5	48.0
	5:10:00	49.9	41.0	54.0
	5:15:00	46.1	41.0	49.0
	5:20:00	46.9	40.0	49.5
	5:25:00	49.7	41.0	52.5
	5:30:00	50.7	39.5	53.0
	5:35:00	50.6	40.5	52.0
	5:40:00	46.4	40.0	49.5
	5:45:00	53.5	46.0	55.5
	5:50:00	52.0	42.0	55.0
	5:55:00	49.9	41.0	52.5
	6:00:00	57.4	41.5	62.0
	6:05:00	49.1	41.0	52.0
	6:10:00	55.2	41.5	58.5
	6:15:00	51.8	41.5	55.5
	6:20:00	48.3	42.5	51.5
	6:25:00	51.2	44.0	55.0
	6:30:00	46.8	41.0	49.5
	6:35:00	53.9	40.0	56.5
	6:40:00	48.0	41.5	51.5
	6:45:00	51.3	44.0	53.0
	6:50:00	49.0	41.5	53.0
	6:55:00	48.1	42.5	51.0
	7:00:00	48.9	43.0	51.0
	7:05:00	52.4	43.5	55.0
	7:10:00	49.4	44.0	53.0
	7:15:00	48.9	44.5	51.5
	7:20:00	49.1	45.5	51.0
	7:25:00	49.4	44.0	52.5
	7:30:00	51.9	45.0	55.0
	7:35:00	50.2	44.0	52.5
	7:40:00	51.2	43.0	53.0
	7:45:00	50.0	45.0	52.5
	7:50:00	52.4	45.0	55.0
	7:55:00	51.3	43.0	54.5
	8:00:00	49.6	43.0	51.5
	8:05:00	51.3	43.5	54.0
	8:10:00	49.7	41.5	53.0
	8:15:00	48.8	42.0	52.0
	8:20:00	49.3	44.0	52.5
	8:25:00	49.6	43.5	53.0
	8:30:00	49.4	43.0	52.5
	8:35:00	50.8	45.0	53.0
	8:40:00	48.9	43.0	50.5
	8:45:00	50.6	41.5	54.5
	8:50:00	54.6	44.5	58.5
	8:55:00	60.5	43.5	65.5
	9:00:00	55.3	45.0	59.5
	9:05:00	60.5	50.5	64.0
	9:10:00	54.8	44.5	59.0
	9:15:00	50.4	43.0	54.0
	9:20:00	53.8	44.5	59.0
	9:25:00	53.4	46.0	57.0
	9:30:00	49.9	43.0	53.5
	9:35:00	57.0	42.5	61.5
	9:40:00	54.3	44.0	56.5
	9:45:00	54.0	46.5	57.0
	9:50:00	54.0	45.5	58.5
	9:55:00	47.5	41.5	49.0
	10:00:00	48.2	42.0	50.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	10:05:00	49.1	42.0	51.5
	10:10:00	55.4	42.5	58.5
	10:15:00	60.3	53.0	65.0
	10:20:00	60.4	43.0	64.5
	10:25:00	52.2	43.0	55.0
	10:30:00	54.2	43.0	58.5
	10:35:00	59.6	44.5	64.0
	10:40:00	58.1	52.0	60.5
	10:45:00	58.6	50.0	61.0
	10:50:00	54.9	44.5	58.5
	10:55:00	59.9	47.0	60.0
	11:00:00	61.7	56.5	65.5
	11:05:00	60.1	42.0	65.5
	11:10:00	60.1	43.0	66.0
	11:15:00	52.9	44.5	57.0
	11:20:00	57.3	55.5	59.0
	11:25:00	56.5	47.5	58.5
	11:30:00	54.6	46.5	58.0
	11:35:00	57.7	55.5	59.5
	11:40:00	60.3	56.0	64.0
	11:45:00	56.5	46.5	58.5
	11:50:00	55.9	44.5	59.5
	11:55:00	57.2	47.0	59.0
	12:00:00	59.2	46.0	64.0
	12:05:00	55.7	44.0	56.5
	12:10:00	48.6	43.5	51.5
	12:15:00	51.8	45.5	55.0
	12:20:00	51.3	46.0	52.5
	12:25:00	48.1	45.5	50.0
	12:30:00	52.3	45.0	52.0
	12:35:00	48.7	43.5	50.0
	12:40:00	51.1	43.0	53.5
	12:45:00	49.6	42.5	52.0
	12:50:00	49.9	43.5	51.5
	12:55:00	49.2	43.0	52.0
	13:00:00	55.6	43.5	60.5
	13:05:00	71.5	44.0	61.5
	13:10:00	67.7	56.0	64.5
	13:15:00	54.6	44.5	60.0
	13:20:00	53.6	44.5	57.0
	13:25:00	50.1	44.0	51.5
	13:30:00	53.6	45.0	55.0
	13:35:00	53.5	44.0	57.5
	13:40:00	47.8	43.0	51.0
	13:45:00	55.8	45.5	58.5
	13:50:00	67.7	46.0	54.5
	13:55:00	53.5	45.5	54.0
	14:00:00	52.5	43.5	54.5
	14:05:00	51.8	42.5	54.5
	14:10:00	54.1	44.5	54.5
	14:15:00	64.1	43.5	62.5
	14:20:00	53.4	42.5	57.0
	14:25:00	50.8	43.5	54.0
	14:30:00	52.4	44.0	55.0
	14:35:00	49.4	43.0	53.0
	14:40:00	65.0	44.5	60.5
	14:45:00	52.0	42.5	56.5
	14:50:00	56.8	44.0	61.0
	14:55:00	54.9	43.5	56.5
	15:00:00	51.8	42.0	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	15:05:00	54.9	42.5	52.5
	15:10:00	51.4	43.0	54.0
	15:15:00	56.4	43.0	56.5
	15:20:00	48.8	42.5	51.5
	15:25:00	49.8	44.0	53.0
	15:30:00	49.8	44.0	53.5
	15:35:00	48.9	43.5	52.0
	15:40:00	50.4	43.5	53.0
	15:45:00	48.7	46.0	51.0
	15:50:00	49.0	46.0	51.0
	15:55:00	49.9	45.5	53.0
	16:00:00	50.5	45.5	52.5
	16:05:00	51.9	45.5	55.5
	16:10:00	51.0	46.0	52.5
	16:15:00	53.3	45.5	56.5
	16:20:00	65.0	48.0	62.5
	16:25:00	53.4	46.0	57.0
	16:30:00	54.4	45.5	56.5
	16:35:00	55.9	46.5	59.5
	16:40:00	55.0	47.5	59.0
	16:45:00	54.4	47.0	58.5
	16:50:00	52.5	46.5	56.0
	16:55:00	54.5	46.5	57.0
	17:00:00	56.5	47.5	60.0
	17:05:00	54.1	47.0	57.0
	17:10:00	56.4	46.0	59.5
	17:15:00	55.4	45.5	56.0
	17:20:00	51.5	45.5	54.5
	17:25:00	53.4	45.5	56.0
	17:30:00	54.0	46.5	57.0
	17:35:00	53.9	46.0	55.0
	17:40:00	51.5	46.0	53.5
	17:45:00	51.3	45.0	53.0
	17:50:00	58.0	46.0	62.0
	17:55:00	60.5	47.5	64.5
	18:00:00	57.2	47.0	58.0
	18:05:00	53.5	46.5	56.0
	18:10:00	55.8	48.0	59.5
	18:15:00	54.1	47.5	58.0
	18:20:00	53.1	46.0	55.5
	18:25:00	53.6	46.5	56.0
	18:30:00	61.6	47.0	64.5
	18:35:00	59.8	51.0	61.0
	18:40:00	52.4	47.0	55.5
	18:45:00	48.4	46.0	50.0
	18:50:00	48.9	46.0	51.0
	18:55:00	51.7	47.0	52.5
	19:00:00	50.1	46.5	51.0
	19:05:00	50.7	46.5	53.5
	19:10:00	53.0	47.0	56.0
	19:15:00	56.7	47.5	61.0
	19:20:00	55.0	48.5	58.0
	19:25:00	51.3	48.5	52.5
	19:30:00	49.3	47.5	50.5
	19:35:00	50.6	47.0	52.5
	19:40:00	51.0	47.0	53.5
	19:45:00	47.4	46.5	48.0
	19:50:00	50.4	46.5	52.5
	19:55:00	48.4	46.0	49.5
	20:00:00	48.7	46.0	51.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	20:05:00	48.0	46.0	49.5
	20:10:00	53.5	46.5	56.0
	20:15:00	49.1	46.0	50.0
	20:20:00	48.9	46.0	50.5
	20:25:00	50.8	46.0	53.0
	20:30:00	51.7	46.0	54.0
	20:35:00	50.3	46.5	52.5
	20:40:00	51.0	46.5	54.0
	20:45:00	50.2	46.5	52.5
	20:50:00	59.1	45.5	58.0
	20:55:00	48.9	45.5	51.5
	21:00:00	54.9	47.0	57.0
	21:05:00	48.4	45.5	50.5
	21:10:00	53.0	45.5	55.0
	21:15:00	56.8	45.0	52.0
	21:20:00	54.2	45.5	57.0
	21:25:00	48.0	45.5	50.0
	21:30:00	52.7	45.5	54.5
	21:35:00	48.1	45.5	49.0
	21:40:00	47.4	45.0	49.0
	21:45:00	53.2	45.5	55.0
	21:50:00	48.0	44.0	49.5
	21:55:00	51.4	46.0	54.5
	22:00:00	50.0	45.0	52.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/15/2007	22:05:00	49.1	45.0	51.0
	22:10:00	47.1	43.5	49.0
	22:15:00	46.1	43.0	48.5
	22:20:00	47.6	43.5	49.5
	22:25:00	48.1	44.0	49.5
	22:30:00	46.4	43.5	48.5
	22:35:00	46.2	43.0	48.5
	22:40:00	49.8	42.5	50.0
	22:45:00	48.1	44.0	50.0
	22:50:00	46.6	43.5	48.5
	22:55:00	48.1	43.5	51.5
	23:00:00	53.3	43.5	56.0
	23:05:00	50.8	43.0	49.0
	23:10:00	51.7	43.0	51.0
	23:15:00	43.9	42.5	45.0
	23:20:00	44.1	42.5	46.0
	23:25:00	44.7	42.0	46.0
	23:30:00	44.3	41.5	45.0
	23:35:00	47.7	42.0	51.5
	23:40:00	44.1	41.5	46.0
	23:45:00	45.3	41.5	47.0
	23:50:00	46.4	43.0	48.5
	23:55:00	43.9	42.5	44.5
	0:00:00	47.2	42.5	51.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	0:05:00	43.5	42.5	44.5
	0:10:00	43.6	42.0	44.0
	0:15:00	46.8	42.0	50.5
	0:20:00	47.6	42.0	52.0
	0:25:00	48.1	42.0	51.5
	0:30:00	44.7	42.0	47.0
	0:35:00	44.7	42.0	47.5
	0:40:00	43.9	42.0	45.5
	0:45:00	43.9	42.0	45.5
	0:50:00	44.5	42.0	46.0
	0:55:00	43.0	42.0	44.0
	1:00:00	54.1	42.5	54.5
	1:05:00	54.8	42.5	60.0
	1:10:00	52.2	42.0	54.5
	1:15:00	42.7	41.5	43.5
	1:20:00	43.8	42.0	44.0
	1:25:00	43.0	42.0	43.5
	1:30:00	45.0	42.0	45.0
	1:35:00	49.3	42.0	52.0
	1:40:00	43.5	42.0	44.5
	1:45:00	43.9	42.0	45.5
	1:50:00	44.5	42.0	46.5
	1:55:00	43.1	40.5	44.5
	2:00:00	43.8	41.0	45.0
	2:05:00	42.4	40.5	44.5
	2:10:00	43.1	40.5	46.0
	2:15:00	49.6	40.5	54.0
	2:20:00	42.0	40.0	42.5
	2:25:00	42.4	40.0	43.5
	2:30:00	42.3	40.0	44.0
	2:35:00	42.4	40.0	45.0
	2:40:00	45.0	40.5	47.5
	2:45:00	42.8	40.0	44.5
	2:50:00	42.7	40.0	45.0
	2:55:00	41.5	40.0	43.0
	3:00:00	41.6	40.0	43.0
	3:05:00	44.1	40.0	46.0
	3:10:00	45.6	42.5	46.5
	3:15:00	43.9	42.0	45.5
	3:20:00	43.4	42.5	44.0
	3:25:00	42.8	42.0	43.0
	3:30:00	42.8	42.5	43.0
	3:35:00	42.7	42.0	43.0
	3:40:00	42.6	42.0	42.5
	3:45:00	42.9	42.0	43.5
	3:50:00	43.3	42.0	43.5
	3:55:00	43.3	42.5	44.0
	4:00:00	43.1	42.5	43.5
	4:05:00	43.0	42.5	43.0
	4:10:00	43.3	42.5	43.5
	4:15:00	47.8	42.5	51.0
	4:20:00	43.3	42.5	44.0
	4:25:00	43.4	42.5	44.0
	4:30:00	43.5	42.5	44.5
	4:35:00	44.1	43.0	45.5
	4:40:00	45.3	42.5	47.0
	4:45:00	43.9	42.5	45.0
	4:50:00	44.5	42.5	46.5
	4:55:00	44.6	42.5	46.5
	5:00:00	44.3	43.0	46.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	5:05:00	45.3	43.0	47.0
	5:10:00	46.6	43.0	47.5
	5:15:00	44.9	43.0	46.5
	5:20:00	49.9	44.5	52.5
	5:25:00	50.4	44.5	54.0
	5:30:00	51.2	45.0	54.5
	5:35:00	54.7	45.5	56.5
	5:40:00	48.4	44.0	51.0
	5:45:00	46.5	43.5	48.5
	5:50:00	52.6	43.5	55.5
	5:55:00	50.5	43.5	53.0
	6:00:00	47.8	43.5	50.0
	6:05:00	54.1	43.5	56.5
	6:10:00	49.1	43.5	52.5
	6:15:00	48.3	43.0	50.5
	6:20:00	47.5	43.0	50.5
	6:25:00	47.5	43.0	50.0
	6:30:00	51.8	43.0	53.0
	6:35:00	49.8	43.5	53.0
	6:40:00	49.7	43.5	51.5
	6:45:00	51.1	44.0	54.0
	6:50:00	53.4	44.0	54.0
	6:55:00	51.7	45.5	54.0
	7:00:00	52.8	44.0	54.5
	7:05:00	48.5	43.5	51.0
	7:10:00	49.5	43.0	51.0
	7:15:00	55.5	44.0	59.0
	7:20:00	55.3	45.0	57.5
	7:25:00	49.4	44.0	52.5
	7:30:00	52.6	43.5	57.5
	7:35:00	53.6	45.5	57.5
	7:40:00	51.2	45.0	54.5
	7:45:00	49.9	43.5	51.5
	7:50:00	51.4	44.5	54.5
	7:55:00	50.4	43.5	53.5
	8:00:00	48.8	44.5	51.0
	8:05:00	49.1	44.5	52.5
	8:10:00	47.4	43.5	49.5
	8:15:00	53.6	43.0	54.5
	8:20:00	54.2	44.5	56.5
	8:25:00	53.6	47.5	55.5
	8:30:00	55.8	48.0	61.0
	8:35:00	53.1	48.0	55.5
	8:40:00	57.4	44.0	62.5
	8:45:00	54.0	45.5	56.0
	8:50:00	49.0	43.5	52.0
	8:55:00	52.5	44.5	53.5
	9:00:00	51.4	43.0	55.0
	9:05:00	59.6	40.5	60.0
	9:10:00	49.8	41.5	52.0
	9:15:00	54.0	42.0	58.0
	9:20:00	48.6	44.0	51.0
	9:25:00	48.2	43.5	50.5
	9:30:00	50.4	42.5	50.5
	9:35:00	53.6	42.5	56.5
	9:40:00	61.2	44.0	57.0
	9:45:00	50.6	43.5	53.0
	9:50:00	49.4	40.0	52.5
	9:55:00	48.8	42.5	50.5
	10:00:00	52.6	44.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	10:05:00	50.3	44.5	53.0
	10:10:00	49.2	42.5	50.0
	10:15:00	49.0	44.5	51.5
	10:20:00	56.6	44.0	61.0
	10:25:00	57.0	45.0	61.5
	10:30:00	53.3	45.0	55.5
	10:35:00	51.2	45.0	54.0
	10:40:00	51.7	45.5	55.0
	10:45:00	51.4	42.5	55.5
	10:50:00	51.4	44.0	55.0
	10:55:00	52.3	44.5	55.0
	11:00:00	52.9	43.0	53.5
	11:05:00	55.7	47.5	58.5
	11:10:00	54.1	46.0	57.0
	11:15:00	50.0	43.5	52.5
	11:20:00	54.9	45.5	55.0
	11:25:00	56.9	44.5	56.5
	11:30:00	59.4	49.0	61.5
	11:35:00	59.5	46.5	63.5
	11:40:00	59.6	48.5	63.5
	11:45:00	56.0	46.5	57.0
	11:50:00	54.7	44.5	57.0
	11:55:00	57.0	46.0	58.0
	12:00:00	57.0	46.5	58.5
	12:05:00	55.1	44.5	57.5
	12:10:00	48.1	41.5	51.5
	12:15:00	51.7	44.0	54.5
	12:20:00	48.9	43.0	51.5
	12:25:00	51.6	42.0	54.0
	12:30:00	52.1	43.0	53.5
	12:35:00	55.4	47.0	58.0
	12:40:00	53.7	45.0	56.5
	12:45:00	55.3	48.0	59.0
	12:50:00	55.8	43.0	59.0
	12:55:00	56.4	44.5	59.5
	13:00:00	50.1	44.5	52.5
	13:05:00	50.6	43.0	52.0
	13:10:00	52.7	43.5	55.0
	13:15:00	48.8	42.5	52.0
	13:20:00	51.6	44.0	53.0
	13:25:00	53.6	43.5	58.0
	13:30:00	51.7	44.0	56.0
	13:35:00	57.0	46.0	60.5
	13:40:00	53.4	45.0	57.0
	13:45:00	54.2	43.5	54.0
	13:50:00	53.8	45.0	57.5
	13:55:00	54.2	44.5	57.0
	14:00:00	55.3	45.5	59.5
	14:05:00	54.0	43.5	57.5
	14:10:00	50.3	43.0	59.0
	14:15:00	50.2	42.0	53.5
	14:20:00	52.1	43.0	56.5
	14:25:00	50.9	42.5	54.5
	14:30:00	53.0	43.5	55.0
	14:35:00	52.3	43.5	54.5
	14:40:00	52.3	43.0	56.0
	14:45:00	48.6	42.0	50.0
	14:50:00	49.4	43.5	51.5
	14:55:00	53.2	43.5	55.0
	15:00:00	51.7	42.0	52.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	15:05:00	52.2	44.5	56.0
	15:10:00	51.4	43.5	51.5
	15:15:00	54.9	44.5	58.0
	15:20:00	62.5	55.5	65.0
	15:25:00	59.7	55.5	61.5
	15:30:00	53.7	43.5	58.0
	15:35:00	52.7	43.5	56.5
	15:40:00	52.5	44.5	56.0
	15:45:00	54.5	44.0	58.0
	15:50:00	55.1	44.0	58.0
	15:55:00	58.4	44.0	61.0
	16:00:00	55.8	45.0	58.0
	16:05:00	55.3	44.5	59.0
	16:10:00	52.6	42.0	53.0
	16:15:00	54.8	46.0	57.5
	16:20:00	52.5	43.5	53.5
	16:25:00	54.0	43.5	57.0
	16:30:00	56.0	44.0	59.0
	16:35:00	56.4	44.5	59.0
	16:40:00	53.8	43.5	58.0
	16:45:00	55.6	43.0	54.5
	16:50:00	58.8	45.5	56.5
	16:55:00	49.7	43.0	54.0
	17:00:00	51.5	44.5	55.5
	17:05:00	52.3	43.5	56.0
	17:10:00	55.6	43.0	56.5
	17:15:00	58.4	42.5	58.5
	17:20:00	54.6	43.5	55.5
	17:25:00	52.7	43.5	56.5
	17:30:00	65.2	45.0	66.5
	17:35:00	56.2	41.5	61.0
	17:40:00	49.6	41.0	51.0
	17:45:00	51.9	43.0	52.0
	17:50:00	47.3	42.5	49.0
	17:55:00	54.7	43.0	58.0
	18:00:00	51.8	42.0	53.5
	18:05:00	55.9	43.0	60.5
	18:10:00	57.7	43.5	62.0
	18:15:00	55.3	43.5	58.5
	18:20:00	50.1	42.5	53.0
	18:25:00	50.3	42.0	52.5
	18:30:00	46.7	41.5	48.5
	18:35:00	51.0	43.0	53.0
	18:40:00	50.8	43.5	53.0
	18:45:00	51.9	42.5	53.0
	18:50:00	49.6	42.5	51.0
	18:55:00	48.0	43.0	50.0
	19:00:00	51.6	44.5	54.5
	19:05:00	51.6	44.5	53.5
	19:10:00	50.8	45.0	53.5
	19:15:00	51.6	46.0	53.5
	19:20:00	49.5	46.5	51.0
	19:25:00	49.7	46.0	51.5
	19:30:00	50.1	46.5	52.0
	19:35:00	52.8	46.5	55.0
	19:40:00	50.7	45.5	53.5
	19:45:00	49.0	46.0	51.5
	19:50:00	48.9	45.5	50.0
	19:55:00	49.3	44.5	51.0
	20:00:00	47.3	44.0	49.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	20:05:00	50.5	44.5	54.0
	20:10:00	48.4	44.5	50.0
	20:15:00	49.5	44.5	52.0
	20:20:00	50.2	44.5	51.5
	20:25:00	47.3	44.0	49.5
	20:30:00	46.6	44.5	48.0
	20:35:00	46.2	44.0	48.0
	20:40:00	50.4	43.5	54.0
	20:45:00	49.3	43.5	51.5
	20:50:00	47.8	43.5	51.5
	20:55:00	47.5	44.0	50.0
	21:00:00	47.9	44.0	51.0
	21:05:00	55.9	44.5	59.5
	21:10:00	63.8	60.5	65.5
	21:15:00	58.0	44.5	62.5
	21:20:00	46.2	43.5	47.5
	21:25:00	49.6	44.0	52.0
	21:30:00	46.2	43.5	48.0
	21:35:00	48.0	43.5	51.0
	21:40:00	47.9	44.0	50.5
	21:45:00	46.3	43.5	49.0
	21:50:00	45.6	43.0	47.0
	21:55:00	46.7	44.0	48.0
	22:00:00	50.5	44.0	50.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/16/2007	22:05:00	48.0	44.0	49.5
	22:10:00	45.5	44.0	46.5
	22:15:00	46.1	43.5	47.5
	22:20:00	48.3	43.5	50.5
	22:25:00	47.0	43.5	49.5
	22:30:00	47.2	44.0	48.5
	22:35:00	45.6	43.5	46.5
	22:40:00	54.1	44.5	57.5
	22:45:00	48.0	44.0	49.0
	22:50:00	49.1	44.0	50.5
	22:55:00	52.4	44.0	53.0
	23:00:00	45.2	43.0	46.5
	23:05:00	45.7	43.5	47.5
	23:10:00	47.4	43.0	47.5
	23:15:00	47.9	44.0	50.0
	23:20:00	51.3	44.0	52.0
	23:25:00	45.4	43.0	47.5
	23:30:00	44.9	43.0	46.0
	23:35:00	45.1	43.5	46.5
	23:40:00	48.0	43.5	49.5
	23:45:00	56.5	43.5	54.5
	23:50:00	48.2	42.5	51.5
	23:55:00	45.1	42.0	46.5
	0:00:00	47.6	41.5	51.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/17/2007	0:05:00	44.6	42.0	46.0
	0:10:00	44.5	41.5	45.5
	0:15:00	47.5	42.5	51.5
	0:20:00	47.0	43.5	47.0
	0:25:00	48.1	43.0	52.5
	0:30:00	45.7	43.0	48.5
	0:35:00	54.6	44.0	56.0
	0:40:00	50.7	43.5	55.5
	0:45:00	45.6	43.0	46.0
	0:50:00	44.7	43.0	45.0
	0:55:00	55.3	43.5	56.5
	1:00:00	45.9	43.5	47.5
	1:05:00	52.4	43.5	55.5
	1:10:00	44.7	43.0	45.5
	1:15:00	46.0	45.0	46.5
	1:20:00	47.7	45.5	50.0
	1:25:00	45.6	45.0	46.0
	1:30:00	45.9	45.0	46.5
	1:35:00	45.5	44.5	46.0
	1:40:00	46.2	43.5	46.0
	1:45:00	45.1	43.0	45.5
	1:50:00	44.4	43.0	45.5
	1:55:00	44.1	43.0	44.5
	2:00:00	45.0	43.0	45.5
	2:05:00	45.4	44.5	45.5
	2:10:00	45.9	44.0	47.5
	2:15:00	45.0	44.0	45.5
	2:20:00	45.1	44.0	45.5
	2:25:00	47.1	44.5	50.0
	2:30:00	49.3	44.5	53.0
	2:35:00	46.7	44.5	47.5
	2:40:00	46.6	45.0	47.0
	2:45:00	46.2	44.5	47.5
	2:50:00	44.6	44.0	45.0
	2:55:00	45.2	44.0	45.0
	3:00:00	44.9	44.0	45.0
	3:05:00	44.7	44.0	44.5
	3:10:00	44.9	44.0	45.0
	3:15:00	44.7	44.0	45.0
	3:20:00	45.1	44.0	46.5
	3:25:00	45.1	44.0	45.5
	3:30:00	45.7	44.0	47.0
	3:35:00	44.5	44.0	45.0
	3:40:00	45.3	44.0	45.0
	3:45:00	44.8	44.0	45.0
	3:50:00	44.6	44.0	45.0
	3:55:00	44.8	44.0	45.0
	4:00:00	48.1	44.0	50.0
	4:05:00	44.5	44.0	44.5
	4:10:00	45.9	44.0	46.0
	4:15:00	46.0	44.0	46.0
	4:20:00	46.4	44.0	47.5
	4:25:00	52.8	44.0	55.0
	4:30:00	45.0	44.0	45.0
	4:35:00	45.5	44.5	45.5
	4:40:00	45.5	44.5	45.5
	4:45:00	44.9	44.0	45.0
	4:50:00	46.7	44.5	48.5
	4:55:00	45.0	44.0	45.5
	5:00:00	45.6	44.0	46.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/17/2007	5:05:00	49.7	44.5	52.5
	5:10:00	54.6	46.0	57.0
	5:15:00	53.1	45.5	55.5
	5:20:00	52.2	47.0	55.0
	5:25:00	52.2	47.5	55.0
	5:30:00	56.0	46.5	58.5
	5:35:00	50.3	46.0	53.0
	5:40:00	48.4	45.5	50.5
	5:45:00	49.1	45.0	52.0
	5:50:00	51.8	45.0	56.0
	5:55:00	51.3	45.0	55.0
	6:00:00	53.5	44.5	56.5
	6:05:00	52.3	45.0	56.5
	6:10:00	50.3	44.5	53.0
	6:15:00	52.7	45.0	57.0
	6:20:00	49.0	45.0	51.0
	6:25:00	47.2	44.5	48.5
	6:30:00	48.9	45.0	51.5
	6:35:00	50.8	47.5	53.0
	6:40:00	54.5	46.0	58.0
	6:45:00	55.7	45.5	59.5
	6:50:00	53.9	45.5	57.0
	6:55:00	53.3	46.0	57.5
	7:00:00	50.5	45.0	53.0
	7:05:00	50.2	45.5	52.5
	7:10:00	50.8	45.5	54.0
	7:15:00	51.6	46.0	55.0
	7:20:00	50.9	46.5	54.0
	7:25:00	55.7	47.0	57.0
	7:30:00	54.1	46.5	57.5
	7:35:00	51.6	46.5	54.5
	7:40:00	51.0	46.5	53.5
	7:45:00	50.5	46.0	53.0
	7:50:00	51.6	46.0	52.5
	7:55:00	50.1	46.5	52.5
	8:00:00	53.3	46.0	55.0
	8:05:00	50.5	45.5	53.0
	8:10:00	49.4	46.5	52.0
	8:15:00	49.1	45.5	50.5
	8:20:00	56.9	47.0	62.5
	8:25:00	56.6	49.0	62.5
	8:30:00	56.5	49.0	61.5
	8:35:00	57.7	50.0	63.0
	8:40:00	55.9	45.5	61.5
	8:45:00	51.2	46.0	52.5
	8:50:00	58.2	46.0	61.0
	8:55:00	65.3	45.5	61.5
	9:00:00	57.5	45.0	63.5
	9:05:00	57.6	45.0	62.5
	9:10:00	48.5	43.5	50.5
	9:15:00	54.9	44.0	61.0
	9:20:00	54.6	45.0	56.5
	9:25:00	54.4	45.0	54.5
	9:30:00	54.1	45.0	56.5
	9:35:00	56.8	46.0	62.5
	9:40:00	55.4	45.0	62.0
	9:45:00	49.6	43.5	53.0
	9:50:00	54.2	45.0	56.5
	9:55:00	53.2	44.0	57.0
	10:00:00	50.7	44.0	53.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/17/2007	10:05:00	59.4	47.0	61.0
	10:10:00	57.9	44.0	63.5
	10:15:00	51.3	44.0	53.0
	10:20:00	52.2	44.0	54.0
	10:25:00	54.8	45.0	60.5
	10:30:00	50.5	43.5	51.5
	10:35:00	49.8	45.0	51.5
	10:40:00	54.4	44.0	55.5
	10:45:00	55.0	45.0	57.0
	10:50:00	52.7	45.5	55.5
	10:55:00	55.2	45.5	59.0
	11:00:00	57.3	47.0	60.5
	11:05:00	55.3	50.0	57.0
	11:10:00	52.8	45.5	55.5
	11:15:00	53.7	44.0	57.0
	11:20:00	53.8	47.0	55.5
	11:25:00	52.3	44.0	55.5
	11:30:00	54.7	44.0	62.0
	11:35:00	53.5	45.0	54.0
	11:40:00	56.2	49.5	59.0
	11:45:00	57.0	43.5	59.5
	11:50:00	52.4	42.0	55.5
	11:55:00	57.5	49.5	58.5
	12:00:00	50.0	44.5	52.5
	12:05:00	58.8	45.5	60.5
	12:10:00	52.5	46.0	55.5
	12:15:00	52.1	43.5	55.5
	12:20:00	48.6	43.5	51.5
	12:25:00	49.9	44.0	52.5
	12:30:00	58.1	45.0	62.5
	12:35:00	48.3	42.5	51.5
	12:40:00	49.6	44.5	52.0
	12:45:00	56.8	45.0	61.0
	12:50:00	52.3	43.5	56.0
	12:55:00	50.8	44.5	54.5
	13:00:00	47.8	43.5	50.5
	13:05:00	57.3	45.5	56.0
	13:10:00	57.1	50.0	59.5
	13:15:00	53.7	42.5	59.5
	13:20:00	52.4	45.0	55.0
	13:25:00	51.0	44.5	53.5
	13:30:00	57.3	44.0	63.5
	13:35:00	53.6	46.0	56.5
	13:40:00	51.9	44.5	55.5
	13:45:00	58.1	44.0	62.5
	13:50:00	54.8	44.0	60.0
	13:55:00	51.5	44.0	56.0
	14:00:00	50.2	43.5	53.5
	14:05:00	51.6	43.5	54.5
	14:10:00	49.9	44.0	53.0
	14:15:00	50.7	43.5	52.5
	14:20:00	53.5	44.5	57.5
	14:25:00	51.8	43.0	55.5
	14:30:00	52.6	45.0	54.0
	14:35:00	55.9	47.0	60.0
	14:40:00	54.5	47.0	58.5
	14:45:00	55.5	45.0	62.0
	14:50:00	55.0	49.0	57.0
	14:55:00	54.9	45.0	59.5
	15:00:00	55.1	46.5	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/17/2007	15:05:00	57.6	48.0	62.5
	15:10:00	54.7	47.0	58.0
	15:15:00	55.3	44.0	60.0
	15:20:00	51.0	44.5	54.0
	15:25:00	52.4	45.5	56.0
	15:30:00	51.5	46.5	54.5
	15:35:00	54.9	46.0	56.5
	15:40:00	52.0	45.5	54.5
	15:45:00	52.9	46.0	55.5
	15:50:00	58.4	47.0	61.0
	15:55:00	57.8	48.0	60.0
	16:00:00	50.2	45.5	52.0
	16:05:00	49.9	45.5	52.5
	16:10:00	52.7	46.0	56.0
	16:15:00	52.4	47.0	54.5
	16:20:00	57.4	48.0	60.5
	16:25:00	49.9	45.5	52.0
	16:30:00	51.8	45.0	53.5
	16:35:00	54.4	47.0	56.0
	16:40:00	54.0	48.0	56.0
	16:45:00	53.9	47.5	55.5
	16:50:00	52.5	47.0	55.0
	16:55:00	53.7	47.0	57.0
	17:00:00	52.7	46.5	54.5
	17:05:00	59.8	48.5	60.0
	17:10:00	58.4	49.5	61.5
	17:15:00	54.7	47.5	56.5
	17:20:00	56.5	49.0	59.0
	17:25:00	53.0	47.0	55.5
	17:30:00	57.8	47.5	60.0
	17:35:00	53.8	46.0	56.0
	17:40:00	53.9	45.0	58.0
	17:45:00	63.6	50.5	66.0
	17:50:00	69.5	65.5	71.5
	17:55:00	71.0	66.5	72.5
	18:00:00	65.9	60.0	69.0
	18:05:00	64.9	63.0	66.5
	18:10:00	62.8	60.5	63.5
	18:15:00	63.7	56.5	67.5
	18:20:00	61.9	54.5	65.0
	18:25:00	63.0	59.5	65.0
	18:30:00	56.0	51.0	59.0
	18:35:00	54.5	49.0	57.5
	18:40:00	52.9	47.0	56.0
	18:45:00	53.2	46.0	57.0
	18:50:00	51.5	45.0	55.5
	18:55:00	51.7	45.5	55.5
	19:00:00	56.8	45.5	54.5
	19:05:00	53.4	45.0	55.5
	19:10:00	48.5	45.0	50.5
	19:15:00	49.0	45.5	51.5
	19:20:00	54.5	45.0	56.0
	19:25:00	47.3	45.0	49.0
	19:30:00	53.5	45.5	57.0
	19:35:00	50.0	45.5	51.5
	19:40:00	53.7	45.5	58.0
	19:45:00	50.4	45.5	54.0
	19:50:00	47.7	45.0	50.0
	19:55:00	51.1	45.5	54.5
	20:00:00	50.9	46.5	53.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/17/2007	20:05:00	49.2	44.5	52.0
	20:10:00	56.4	44.5	60.5
	20:15:00	46.5	43.0	48.0
	20:20:00	47.3	42.5	50.5
	20:25:00	49.4	43.0	52.5
	20:30:00	48.9	43.0	51.0
	20:35:00	49.2	43.0	53.0
	20:40:00	47.4	42.5	48.0
	20:45:00	51.1	45.0	53.5
	20:50:00	52.4	47.5	56.0
	20:55:00	48.2	42.5	51.0
	21:00:00	51.6	45.0	54.0
	21:05:00	52.8	49.0	55.0
	21:10:00	50.6	48.5	51.5
	21:15:00	51.8	49.5	53.5
	21:20:00	51.9	50.5	53.0
	21:25:00	53.7	50.5	56.5
	21:30:00	51.7	50.0	52.5
	21:35:00	54.2	52.0	55.0
	21:40:00	51.2	48.5	53.0
	21:45:00	49.6	46.0	52.5
	21:50:00	50.4	47.5	51.5
	21:55:00	51.0	49.0	52.0
	22:00:00	53.1	50.5	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/17/2007	22:05:00	51.6	49.0	53.5
	22:10:00	49.0	47.0	50.5
	22:15:00	49.0	46.5	51.0
	22:20:00	47.7	45.5	49.0
	22:25:00	48.6	45.0	52.0
	22:30:00	51.0	45.0	53.5
	22:35:00	51.8	44.0	54.5
	22:40:00	53.6	43.5	58.0
	22:45:00	52.9	43.0	57.5
	22:50:00	45.7	43.0	48.0
	22:55:00	49.4	42.5	53.5
	23:00:00	45.7	42.5	48.0
	23:05:00	45.4	43.0	46.5
	23:10:00	48.3	43.5	51.5
	23:15:00	45.3	43.5	46.5
	23:20:00	45.2	42.5	47.0
	23:25:00	48.1	43.0	50.0
	23:30:00	48.1	43.0	51.0
	23:35:00	46.0	42.5	48.0
	23:40:00	48.2	42.5	52.0
	23:45:00	53.1	42.5	58.0
	23:50:00	45.9	42.5	46.5
	23:55:00	50.5	42.5	52.0
	0:00:00	47.2	42.5	51.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/18/2007	0:05:00	46.0	42.5	48.5
	0:10:00	52.9	42.5	57.0
	0:15:00	45.6	42.0	48.5
	0:20:00	43.2	42.0	43.5
	0:25:00	47.3	42.5	52.5
	0:30:00	44.6	42.5	46.5
	0:35:00	42.8	42.0	43.0
	0:40:00	44.0	42.0	44.5
	0:45:00	43.2	42.0	44.0
	0:50:00	43.6	42.0	44.5
	0:55:00	46.6	42.0	49.5
	1:00:00	44.7	42.0	46.0
	1:05:00	43.6	43.0	44.0
	1:10:00	45.4	43.0	46.0
	1:15:00	46.4	44.5	48.0
	1:20:00	45.9	44.5	46.0
	1:25:00	46.3	44.5	47.0
	1:30:00	46.5	45.5	48.0
	1:35:00	46.6	45.5	47.5
	1:40:00	46.8	45.0	46.5
	1:45:00	46.7	45.0	47.5
	1:50:00	46.0	45.5	46.0
	1:55:00	45.9	45.5	46.0
	2:00:00	50.9	45.5	54.5
	2:05:00	45.6	44.5	46.0
	2:10:00	44.0	42.0	45.0
	2:15:00	42.0	41.5	42.0
	2:20:00	44.1	41.5	45.0
	2:25:00	50.7	44.5	54.0
	2:30:00	44.9	44.5	45.0
	2:35:00	44.1	41.5	45.0
	2:40:00	44.1	42.0	46.0
	2:45:00	42.6	41.5	43.5
	2:50:00	43.7	42.0	45.5
	2:55:00	43.0	41.5	44.5
	3:00:00	42.4	42.0	42.5
	3:05:00	42.8	41.5	43.5
	3:10:00	42.7	41.5	42.5
	3:15:00	42.1	41.5	42.5
	3:20:00	41.9	41.5	42.0
	3:25:00	43.4	41.5	43.5
	3:30:00	42.3	41.5	43.0
	3:35:00	42.3	41.5	42.5
	3:40:00	41.9	41.5	42.0
	3:45:00	42.1	41.5	42.0
	3:50:00	42.1	41.5	42.0
	3:55:00	41.9	41.5	42.0
	4:00:00	45.3	41.5	43.0
	4:05:00	42.7	41.5	43.5
	4:10:00	42.1	41.5	42.5
	4:15:00	42.3	41.5	42.5
	4:20:00	43.6	41.5	45.5
	4:25:00	43.8	42.0	44.5
	4:30:00	42.6	41.5	43.5
	4:35:00	42.9	41.5	44.0
	4:40:00	43.9	42.0	45.0
	4:45:00	48.4	42.0	52.5
	4:50:00	44.1	42.0	45.5
	4:55:00	44.2	42.0	46.5
	5:00:00	45.3	42.0	47.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/18/2007	5:05:00	44.3	42.0	46.0
	5:10:00	50.2	43.0	50.0
	5:15:00	47.0	42.5	50.0
	5:20:00	50.1	44.5	53.5
	5:25:00	53.8	44.5	57.5
	5:30:00	52.8	45.5	56.0
	5:35:00	48.9	43.0	52.0
	5:40:00	52.5	43.0	53.5
	5:45:00	49.9	43.0	52.5
	5:50:00	55.3	43.5	57.0
	5:55:00	48.4	42.0	48.5
	6:00:00	50.1	45.0	52.0
	6:05:00	49.8	43.5	53.0
	6:10:00	49.7	42.0	53.5
	6:15:00	49.3	42.5	53.5
	6:20:00	47.4	42.0	50.0
	6:25:00	46.3	41.0	47.0
	6:30:00	45.9	41.0	47.5
	6:35:00	48.8	41.5	51.5
	6:40:00	50.4	43.0	54.0
	6:45:00	49.0	42.5	53.0
	6:50:00	51.5	42.0	55.0
	6:55:00	47.2	41.5	50.5
	7:00:00	48.9	42.5	52.5
	7:05:00	49.2	43.5	52.5
	7:10:00	49.1	44.5	51.5
	7:15:00	50.2	43.5	52.0
	7:20:00	50.4	44.0	54.0
	7:25:00	49.9	43.0	53.5
	7:30:00	53.3	45.0	55.0
	7:35:00	59.2	45.0	64.5
	7:40:00	53.8	45.5	57.0
	7:45:00	50.4	45.5	53.5
	7:50:00	55.3	46.5	57.5
	7:55:00	50.4	45.5	52.5
	8:00:00	49.9	46.0	51.5
	8:05:00	51.5	46.0	55.0
	8:10:00	48.9	45.5	50.5
	8:15:00	50.2	45.5	53.0
	8:20:00	54.7	47.5	57.0
	8:25:00	52.4	46.5	55.5
	8:30:00	50.9	46.0	53.0
	8:35:00	52.7	47.0	56.5
	8:40:00	52.7	47.0	55.0
	8:45:00	58.8	46.5	60.5
	8:50:00	48.9	46.0	50.5
	8:55:00	49.9	46.5	51.5
	9:00:00	51.8	45.5	55.0
	9:05:00	58.6	48.5	61.0
	9:10:00	51.7	46.0	53.5
	9:15:00	52.7	46.0	55.0
	9:20:00	51.5	44.5	53.0
	9:25:00	52.6	44.5	51.5
	9:30:00	53.1	46.0	56.5
	9:35:00	49.6	44.0	51.5
	9:40:00	47.2	44.5	49.0
	9:45:00	51.6	45.5	54.0
	9:50:00	49.5	44.5	51.5
	9:55:00	51.6	45.0	55.0
	10:00:00	57.3	45.5	58.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/18/2007	10:05:00	51.3	46.0	53.0
	10:10:00	60.3	45.5	67.0
	10:15:00	51.8	44.0	55.5
	10:20:00	49.2	44.0	51.5
	10:25:00	53.1	45.0	56.5
	10:30:00	54.0	46.5	57.5
	10:35:00	49.0	44.5	51.5
	10:40:00	50.3	44.0	52.5
	10:45:00	49.8	44.5	51.5
	10:50:00	54.7	45.0	57.0
	10:55:00	52.8	46.0	55.0
	11:00:00	51.8	45.0	54.5
	11:05:00	49.1	44.0	52.0
	11:10:00	51.2	45.0	54.5
	11:15:00	49.5	44.5	51.5
	11:20:00	52.3	45.5	54.5
	11:25:00	52.8	46.0	55.0
	11:30:00	52.7	46.5	55.5
	11:35:00	51.9	46.0	55.0
	11:40:00	56.4	47.0	59.5
	11:45:00	59.0	46.5	61.0
	11:50:00	50.8	47.0	53.0
	11:55:00	48.5	45.0	51.0
	12:00:00	52.1	45.5	55.0
	12:05:00	51.9	45.0	53.5
	12:10:00	50.6	45.5	53.0
	12:15:00	52.4	46.5	54.5
	12:20:00	53.2	45.5	57.0
	12:25:00	52.1	46.0	53.0
	12:30:00	58.1	48.5	62.0
	12:35:00	61.6	46.5	65.5
	12:40:00	50.4	47.0	52.0
	12:45:00	48.9	44.5	51.0
	12:50:00	52.3	45.5	56.0
	12:55:00	53.5	46.0	57.0
	13:00:00	51.9	46.0	55.5
	13:05:00	51.7	46.0	55.0
	13:10:00	58.3	47.0	58.5
	13:15:00	57.1	47.5	59.0
	13:20:00	56.9	46.5	61.5
	13:25:00	53.9	48.0	58.0
	13:30:00	55.3	48.0	59.5
	13:35:00	60.3	47.0	60.5
	13:40:00	51.0	46.0	53.0
	13:45:00	53.0	46.5	56.5
	13:50:00	52.1	47.5	55.0
	13:55:00	57.2	47.0	57.0
	14:00:00	55.5	47.5	58.5
	14:05:00	51.3	47.0	54.0
	14:10:00	48.7	44.5	51.0
	14:15:00	51.5	45.5	54.5
	14:20:00	54.4	48.5	56.5
	14:25:00	55.1	49.0	58.0
	14:30:00	55.9	48.5	59.5
	14:35:00	56.6	48.5	59.5
	14:40:00	59.2	46.0	61.5
	14:45:00	55.8	46.5	58.0
	14:50:00	57.1	47.5	61.0
	14:55:00	61.1	58.0	62.5
	15:00:00	57.6	54.5	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/18/2007	15:05:00	55.5	49.5	58.5
	15:10:00	55.5	47.5	58.0
	15:15:00	57.0	48.5	60.5
	15:20:00	57.1	48.5	60.5
	15:25:00	55.2	50.5	56.0
	15:30:00	56.1	49.5	59.0
	15:35:00	59.0	49.0	61.5
	15:40:00	54.1	47.5	57.0
	15:45:00	59.8	55.5	62.0
	15:50:00	59.1	56.5	61.0
	15:55:00	62.4	59.5	64.0
	16:00:00	58.4	55.0	60.0
	16:05:00	62.8	54.5	66.0
	16:10:00	70.1	68.0	71.5
	16:15:00	70.5	68.0	72.0
	16:20:00	68.0	65.5	69.5
	16:25:00	65.9	63.0	67.5
	16:30:00	65.6	64.0	66.5
	16:35:00	61.8	59.5	63.5
	16:40:00	60.5	59.0	61.5
	16:45:00	58.8	56.0	60.5
	16:50:00	58.4	55.5	59.5
	16:55:00	58.2	56.0	60.0
	17:00:00	59.8	56.5	62.0
	17:05:00	66.8	63.5	69.0
	17:10:00	65.3	64.0	67.0
	17:15:00	69.3	64.0	71.0
	17:20:00	70.2	69.5	70.5
	17:25:00	68.3	65.5	69.0
	17:30:00	64.0	62.0	65.0
	17:35:00	61.9	57.5	62.0
	17:40:00	59.5	57.5	61.0
	17:45:00	59.7	58.5	60.5
	17:50:00	59.6	59.0	60.0
	17:55:00	60.0	59.0	60.5
	18:00:00	60.5	59.5	61.0
	18:05:00	60.3	58.0	61.5
	18:10:00	59.7	57.0	60.5
	18:15:00	58.4	57.0	59.5
	18:20:00	59.9	56.5	62.0
	18:25:00	56.7	55.0	57.5
	18:30:00	56.5	54.5	57.5
	18:35:00	56.6	54.0	59.0
	18:40:00	56.2	53.0	58.5
	18:45:00	56.0	52.0	58.5
	18:50:00	66.9	52.5	60.0
	18:55:00	56.3	55.0	57.0
	19:00:00	56.5	54.5	57.0
	19:05:00	55.5	54.0	56.5
	19:10:00	58.1	55.0	58.5
	19:15:00	61.6	57.0	61.5
	19:20:00	58.7	56.5	60.0
	19:25:00	59.4	56.0	61.0
	19:30:00	56.1	54.5	57.0
	19:35:00	56.1	55.0	56.5
	19:40:00	54.8	53.0	55.5
	19:45:00	53.2	51.5	54.0
	19:50:00	52.9	51.0	54.5
	19:55:00	53.9	51.0	56.0
	20:00:00	52.5	51.0	54.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/18/2007	20:05:00	52.6	51.0	53.5
	20:10:00	52.4	51.0	53.5
	20:15:00	52.5	50.5	53.5
	20:20:00	53.2	51.0	55.0
	20:25:00	52.8	50.5	55.0
	20:30:00	52.3	50.0	54.5
	20:35:00	51.3	50.0	52.0
	20:40:00	53.1	51.0	54.5
	20:45:00	53.9	51.5	56.0
	20:50:00	54.3	52.0	56.0
	20:55:00	52.6	50.5	54.0
	21:00:00	52.5	49.5	55.0
	21:05:00	51.9	48.5	51.5
	21:10:00	51.7	48.0	52.0
	21:15:00	50.5	47.5	51.5
	21:20:00	49.9	47.5	51.0
	21:25:00	52.1	47.5	53.0
	21:30:00	52.0	48.0	55.0
	21:35:00	50.6	47.5	52.5
	21:40:00	58.1	48.0	56.0
	21:45:00	62.5	54.5	59.0
	21:50:00	56.7	48.5	59.0
	21:55:00	50.1	47.0	52.0
	22:00:00	50.0	47.0	51.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/18/2007	22:05:00	48.2	46.5	49.5
	22:10:00	48.5	46.0	50.0
	22:15:00	48.2	46.5	49.5
	22:20:00	49.6	46.5	49.5
	22:25:00	52.0	46.0	52.0
	22:30:00	56.0	46.5	60.5
	22:35:00	49.4	46.5	52.0
	22:40:00	50.5	46.0	53.0
	22:45:00	48.7	46.5	50.0
	22:50:00	51.7	46.0	55.0
	22:55:00	48.4	46.0	49.0
	23:00:00	47.8	46.0	48.5
	23:05:00	49.0	45.5	50.0
	23:10:00	46.5	45.5	47.0
	23:15:00	47.9	45.5	48.5
	23:20:00	46.9	45.5	47.5
	23:25:00	47.5	45.5	48.5
	23:30:00	47.8	46.0	48.5
	23:35:00	48.1	47.0	49.0
	23:40:00	51.4	48.5	53.5
	23:45:00	49.7	48.0	51.0
	23:50:00	49.0	47.5	50.0
	23:55:00	49.4	47.0	51.5
	0:00:00	48.5	46.5	49.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/19/2007	0:05:00	52.3	46.0	56.0
	0:10:00	48.4	45.5	50.5
	0:15:00	48.3	45.5	50.0
	0:20:00	50.2	48.0	51.0
	0:25:00	48.0	46.0	49.0
	0:30:00	49.4	47.0	51.0
	0:35:00	48.6	47.0	49.0
	0:40:00	49.2	46.0	51.5
	0:45:00	50.2	48.5	51.0
	0:50:00	48.9	47.0	49.5
	0:55:00	50.7	46.5	53.5
	1:00:00	49.2	46.5	50.0
	1:05:00	47.3	46.0	47.5
	1:10:00	47.6	46.0	48.5
	1:15:00	46.8	45.5	47.0
	1:20:00	48.0	45.5	48.5
	1:25:00	46.6	45.5	47.0
	1:30:00	47.5	45.5	48.0
	1:35:00	47.1	45.5	47.5
	1:40:00	45.6	45.0	46.0
	1:45:00	46.9	45.0	47.0
	1:50:00	45.0	44.5	45.5
	1:55:00	46.2	44.5	48.0
	2:00:00	49.9	45.0	50.5
	2:05:00	46.4	45.0	47.0
	2:10:00	46.0	45.0	46.5
	2:15:00	45.6	45.0	46.0
	2:20:00	46.7	45.0	47.0
	2:25:00	48.2	45.0	51.5
	2:30:00	46.2	45.0	47.0
	2:35:00	45.3	44.5	46.0
	2:40:00	46.5	44.5	48.0
	2:45:00	45.3	44.5	46.0
	2:50:00	45.2	44.5	45.5
	2:55:00	47.1	46.0	47.5
	3:00:00	46.4	45.5	46.5
	3:05:00	47.0	46.0	47.5
	3:10:00	47.1	46.5	47.5
	3:15:00	47.5	46.0	47.5
	3:20:00	46.7	46.0	47.0
	3:25:00	58.4	47.0	61.0
	3:30:00	52.1	48.0	54.5
	3:35:00	47.7	47.0	48.0
	3:40:00	47.6	46.5	48.0
	3:45:00	47.9	47.0	48.5
	3:50:00	48.0	47.0	48.5
	3:55:00	54.7	51.5	56.0
	4:00:00	51.8	49.0	54.0
	4:05:00	48.4	47.0	49.0
	4:10:00	49.1	47.0	50.0
	4:15:00	56.3	51.5	58.5
	4:20:00	52.3	51.0	53.0
	4:25:00	53.0	51.5	54.0
	4:30:00	53.7	52.0	55.0
	4:35:00	50.5	49.0	51.0
	4:40:00	49.5	48.5	50.5
	4:45:00	49.0	47.5	50.5
	4:50:00	48.8	47.5	49.5
	4:55:00	48.4	47.0	49.0
	5:00:00	50.9	49.0	52.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/19/2007	5:05:00	48.9	48.0	49.5
	5:10:00	48.3	47.5	49.0
	5:15:00	54.5	48.0	59.0
	5:20:00	59.0	57.0	60.5
	5:25:00	62.0	59.5	64.5
	5:30:00	62.8	58.5	64.5
	5:35:00	55.9	53.5	57.5
	5:40:00	54.6	51.0	56.5
	5:45:00	56.0	50.5	56.0
	5:50:00	56.3	53.5	57.5
	5:55:00	59.5	56.5	62.5
	6:00:00	61.3	59.0	62.5
	6:05:00	57.7	56.5	58.5
	6:10:00	56.6	54.5	57.5
	6:15:00	64.0	57.5	66.5
	6:20:00	68.3	66.5	69.0
	6:25:00	65.2	63.5	66.5
	6:30:00	63.0	61.5	64.0
	6:35:00	63.1	59.0	65.0
	6:40:00	64.4	63.0	66.0
	6:45:00	64.5	63.5	65.5
	6:50:00	64.7	63.0	65.5
	6:55:00	60.8	59.5	62.0
	7:00:00	57.2	54.0	59.0
	7:05:00	55.7	54.0	57.0
	7:10:00	53.7	51.5	55.0
	7:15:00	52.3	50.5	53.5
	7:20:00	53.4	50.5	55.0
	7:25:00	63.9	57.0	67.0
	7:30:00	64.9	62.5	67.0
	7:35:00	64.3	62.0	65.5
	7:40:00	67.2	66.0	68.0
	7:45:00	66.3	63.0	68.0
	7:50:00	63.2	62.5	64.0
	7:55:00	66.6	64.0	68.0
	8:00:00	62.8	61.5	63.5
	8:05:00	59.9	56.0	62.0
	8:10:00	57.1	56.0	58.0
	8:15:00	58.8	57.0	60.0
	8:20:00	58.7	57.0	59.5
	8:25:00	58.5	57.0	59.5
	8:30:00	57.5	56.0	58.5
	8:35:00	59.4	54.5	62.5
	8:40:00	61.3	60.0	62.5
	8:45:00	60.0	58.5	61.0
	8:50:00	59.0	58.0	60.0
	8:55:00	58.9	58.0	59.5
	9:00:00	56.7	54.5	58.0
	9:05:00	57.4	55.5	58.5
	9:10:00	58.0	56.0	59.5
	9:15:00	56.7	55.0	58.0
	9:20:00	57.4	55.0	59.0
	9:25:00	59.0	57.0	60.5
	9:30:00	59.0	57.5	60.5
	9:35:00	58.7	56.0	60.5
	9:40:00	60.8	60.0	61.5
	9:45:00	60.5	58.5	61.5
	9:50:00	61.1	58.0	61.0
	9:55:00	58.7	57.0	59.5
	10:00:00	60.0	58.5	61.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/19/2007	10:05:00	60.1	59.0	61.0
	10:10:00	58.5	56.5	59.5
	10:15:00	60.3	58.0	61.0
	10:20:00	59.1	56.5	60.5
	10:25:00	56.1	53.0	57.5
	10:30:00	62.4	56.5	64.0
	10:35:00	61.2	59.0	63.0
	10:40:00	61.0	59.5	61.5
	10:45:00	59.9	57.0	62.5
	10:50:00	63.7	62.0	65.5
	10:55:00	62.8	61.0	64.0
	11:00:00	60.7	59.5	61.5
	11:05:00	58.3	57.0	59.0
	11:10:00	59.6	58.0	60.5
	11:15:00	61.2	59.5	62.0
	11:20:00	60.6	59.0	61.5
	11:25:00	59.6	58.0	60.5
	11:30:00	60.2	58.5	61.5
	11:35:00	60.2	59.0	61.0
	11:40:00	59.3	58.0	60.0
	11:45:00	59.2	58.0	60.0
	11:50:00	58.1	57.0	59.0
	11:55:00	57.1	55.5	58.0
	12:00:00	56.1	53.5	57.5
	12:05:00	53.6	51.5	54.5
	12:10:00	54.2	51.0	56.0
	12:15:00	55.4	52.0	56.5
	12:20:00	53.4	49.5	55.5
	12:25:00	52.1	49.0	54.0
	12:30:00	52.0	48.0	54.0
	12:35:00	50.4	47.5	52.0
	12:40:00	53.0	47.5	54.5
	12:45:00	53.9	49.0	57.5
	12:50:00	53.7	51.0	56.5
	12:55:00	54.2	51.5	57.0
	13:00:00	54.4	52.0	56.5
	13:05:00	54.3	52.0	56.0
	13:10:00	59.0	54.0	59.5
	13:15:00	56.0	53.0	57.5
	13:20:00	54.3	51.0	56.5
	13:25:00	52.2	49.5	53.5
	13:30:00	53.7	49.0	57.0
	13:35:00	58.3	51.5	61.0
	13:40:00	61.0	59.5	62.0
	13:45:00	61.8	61.0	62.5
	13:50:00	59.4	57.5	61.0
	13:55:00	58.5	55.0	60.0
	14:00:00	60.4	58.0	61.0
	14:05:00	58.3	57.0	59.5
	14:10:00	58.7	57.5	59.5
	14:15:00	57.2	56.0	58.0
	14:20:00	56.0	54.0	57.5
	14:25:00	54.3	52.0	56.5
	14:30:00	55.4	52.0	58.0
	14:35:00	56.7	54.0	58.5
	14:40:00	56.1	52.0	59.0
	14:45:00	53.5	51.5	55.0
	14:50:00	53.7	51.0	55.5
	14:55:00	58.3	51.0	56.5
	15:00:00	52.3	50.0	54.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/19/2007	15:05:00	52.7	50.0	55.0
	15:10:00	52.2	49.5	54.0
	15:15:00	52.4	49.0	54.5
	15:20:00	51.8	48.5	54.5
	15:25:00	53.1	48.5	55.0
	15:30:00	52.0	48.5	54.0
	15:35:00	56.2	48.5	56.0
	15:40:00	56.0	49.0	59.5
	15:45:00	51.3	48.0	53.5
	15:50:00	57.2	47.5	60.5
	15:55:00	52.3	48.5	55.0
	16:00:00	52.9	49.0	55.0
	16:05:00	51.9	48.5	54.5
	16:10:00	51.8	49.0	53.5
	16:15:00	53.2	49.0	54.5
	16:20:00	51.8	48.0	54.0
	16:25:00	56.0	48.5	59.5
	16:30:00	54.6	48.0	56.0
	16:35:00	50.7	48.0	52.0
	16:40:00	51.5	48.0	54.0
	16:45:00	53.1	47.5	56.0
	16:50:00	50.8	48.0	52.5
	16:55:00	55.1	48.0	56.5
	17:00:00	52.8	48.5	55.0
	17:05:00	51.7	48.0	54.0
	17:10:00	52.0	48.5	54.0
	17:15:00	55.7	50.5	58.5
	17:20:00	57.0	50.5	58.0
	17:25:00	53.2	49.0	55.5
	17:30:00	52.3	48.5	54.5
	17:35:00	52.5	49.0	55.0
	17:40:00	54.2	49.0	56.0
	17:45:00	54.1	49.5	55.0
	17:50:00	51.9	48.5	54.0
	17:55:00	50.9	48.5	52.5
	18:00:00	51.2	48.0	53.5
	18:05:00	52.1	48.5	55.0
	18:10:00	51.0	47.5	53.0
	18:15:00	50.4	48.0	52.0
	18:20:00	53.5	49.5	56.0
	18:25:00	51.5	49.0	53.0
	18:30:00	52.4	49.0	54.5
	18:35:00	51.7	48.5	54.0
	18:40:00	52.4	48.0	55.0
	18:45:00	53.0	48.0	56.0
	18:50:00	49.9	47.0	52.0
	18:55:00	49.7	47.0	51.5
	19:00:00	49.4	47.0	50.0
	19:05:00	53.3	49.5	55.5
	19:10:00	53.5	51.5	54.5
	19:15:00	52.9	49.5	55.5
	19:20:00	51.1	49.0	52.5
	19:25:00	54.2	50.0	57.0
	19:30:00	53.9	51.5	55.5
	19:35:00	60.1	57.0	62.5
	19:40:00	59.0	54.5	60.5
	19:45:00	54.5	50.5	56.5
	19:50:00	51.9	49.5	53.5
	19:55:00	50.6	49.0	51.5
	20:00:00	50.4	48.5	51.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/19/2007	20:05:00	55.7	49.5	56.5
	20:10:00	52.4	50.0	54.0
	20:15:00	50.4	49.0	51.5
	20:20:00	50.7	49.0	52.0
	20:25:00	50.7	48.5	52.5
	20:30:00	51.1	48.0	52.5
	20:35:00	51.1	47.5	51.5
	20:40:00	54.0	47.5	57.0
	20:45:00	49.4	47.0	51.0
	20:50:00	52.4	46.5	56.0
	20:55:00	52.0	47.5	54.0
	21:00:00	53.6	47.5	56.0
	21:05:00	48.0	46.5	49.5
	21:10:00	51.5	46.0	54.0
	21:15:00	46.8	46.0	47.0
	21:20:00	53.3	48.0	54.5
	21:25:00	52.9	51.0	54.0
	21:30:00	56.8	54.0	58.5
	21:35:00	56.7	52.0	57.5
	21:40:00	53.6	51.5	55.0
	21:45:00	54.1	52.5	55.5
	21:50:00	53.2	52.0	54.0
	21:55:00	53.5	51.5	54.5
	22:00:00	54.4	53.0	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/19/2007	22:05:00	53.7	52.0	54.5
	22:10:00	51.9	50.0	53.0
	22:15:00	52.2	50.5	53.0
	22:20:00	51.7	49.5	52.5
	22:25:00	50.2	48.0	51.0
	22:30:00	51.0	48.5	52.5
	22:35:00	50.2	47.5	52.0
	22:40:00	48.6	47.0	49.5
	22:45:00	49.0	47.5	50.0
	22:50:00	51.5	49.0	53.0
	22:55:00	48.4	46.5	49.5
	23:00:00	48.1	46.5	49.5
	23:05:00	47.6	46.0	48.5
	23:10:00	47.4	46.0	48.0
	23:15:00	48.4	46.5	50.0
	23:20:00	49.9	46.5	52.5
	23:25:00	48.9	46.0	51.0
	23:30:00	46.9	46.0	47.5
	23:35:00	47.7	45.5	49.5
	23:40:00	47.3	45.5	48.0
	23:45:00	47.0	45.5	48.0
	23:50:00	47.1	46.0	48.0
	23:55:00	48.6	45.5	48.5
	0:00:00	47.1	45.5	48.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	0:05:00	49.2	46.5	51.0
	0:10:00	49.6	47.0	51.5
	0:15:00	47.7	46.5	48.5
	0:20:00	47.4	46.0	48.0
	0:25:00	49.1	46.5	50.5
	0:30:00	49.6	48.0	50.5
	0:35:00	49.5	48.0	50.0
	0:40:00	50.3	48.5	51.0
	0:45:00	48.5	47.0	49.5
	0:50:00	48.9	46.5	50.5
	0:55:00	47.8	46.0	50.0
	1:00:00	47.8	45.5	49.5
	1:05:00	49.4	48.0	50.0
	1:10:00	46.8	45.0	49.0
	1:15:00	45.5	44.5	46.0
	1:20:00	45.9	44.5	47.0
	1:25:00	45.6	44.5	46.0
	1:30:00	46.1	45.0	46.5
	1:35:00	45.3	44.5	45.5
	1:40:00	45.3	44.5	45.5
	1:45:00	45.1	44.5	45.5
	1:50:00	44.9	44.5	45.0
	1:55:00	44.8	44.5	45.0
	2:00:00	45.5	44.5	46.5
	2:05:00	50.6	44.5	52.0
	2:10:00	45.8	44.5	46.0
	2:15:00	44.8	44.5	45.0
	2:20:00	45.0	44.5	45.0
	2:25:00	45.1	44.0	45.5
	2:30:00	45.1	44.5	45.5
	2:35:00	44.5	44.0	44.5
	2:40:00	44.4	44.0	44.5
	2:45:00	44.4	44.0	44.5
	2:50:00	44.4	44.0	44.5
	2:55:00	44.4	43.5	44.5
	3:00:00	45.6	44.0	45.5
	3:05:00	44.2	43.5	44.5
	3:10:00	44.2	44.0	44.5
	3:15:00	44.5	44.0	45.0
	3:20:00	44.7	44.0	45.0
	3:25:00	44.2	44.0	44.5
	3:30:00	44.2	43.5	44.5
	3:35:00	44.1	43.5	44.0
	3:40:00	44.3	43.5	44.5
	3:45:00	44.0	43.5	44.0
	3:50:00	43.9	43.5	44.0
	3:55:00	43.8	43.5	44.0
	4:00:00	44.1	43.5	44.0
	4:05:00	44.7	43.5	45.5
	4:10:00	44.2	43.5	44.0
	4:15:00	44.0	43.5	44.0
	4:20:00	43.9	43.5	44.0
	4:25:00	43.9	43.5	44.0
	4:30:00	44.0	43.5	44.0
	4:35:00	44.3	43.5	44.5
	4:40:00	44.8	43.5	45.0
	4:45:00	44.8	43.5	46.0
	4:50:00	45.0	43.5	46.5
	4:55:00	44.8	43.5	46.0
	5:00:00	45.7	43.5	47.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	5:05:00	45.5	44.0	46.5
	5:10:00	45.4	43.5	47.0
	5:15:00	45.7	44.0	47.5
	5:20:00	47.9	44.0	51.0
	5:25:00	49.9	44.5	53.0
	5:30:00	51.0	46.5	53.5
	5:35:00	52.6	46.5	55.5
	5:40:00	51.8	48.0	53.5
	5:45:00	50.3	46.5	52.5
	5:50:00	55.7	46.5	57.0
	5:55:00	54.5	46.0	59.0
	6:00:00	49.3	45.5	51.0
	6:05:00	53.1	48.5	55.0
	6:10:00	52.8	50.0	54.5
	6:15:00	50.8	48.5	52.0
	6:20:00	53.8	49.5	56.0
	6:25:00	52.9	49.0	53.5
	6:30:00	50.3	46.5	51.0
	6:35:00	48.6	46.0	50.0
	6:40:00	49.4	45.5	52.5
	6:45:00	50.2	45.0	53.5
	6:50:00	49.2	44.5	51.5
	6:55:00	56.8	45.0	59.0
	7:00:00	49.4	44.5	52.5
	7:05:00	50.4	45.5	53.0
	7:10:00	50.1	44.5	53.5
	7:15:00	49.1	45.0	52.0
	7:20:00	49.5	45.0	52.0
	7:25:00	49.4	44.5	51.5
	7:30:00	52.6	45.5	55.5
	7:35:00	52.6	46.0	55.0
	7:40:00	50.7	46.0	53.0
	7:45:00	51.2	45.5	54.5
	7:50:00	50.1	45.0	52.5
	7:55:00	49.3	45.5	51.5
	8:00:00	49.8	45.5	53.0
	8:05:00	51.2	45.0	54.5
	8:10:00	49.2	44.0	50.5
	8:15:00	49.8	45.0	51.5
	8:20:00	52.5	45.5	54.5
	8:25:00	52.8	48.0	56.0
	8:30:00	53.6	50.5	56.5
	8:35:00	52.4	50.0	55.0
	8:40:00	61.7	51.0	61.5
	8:45:00	58.6	44.5	60.5
	8:50:00	55.6	45.5	55.5
	8:55:00	54.8	45.5	55.5
	9:00:00	53.8	45.0	59.0
	9:05:00	60.9	47.5	64.5
	9:10:00	57.8	47.0	61.5
	9:15:00	56.0	47.0	60.5
	9:20:00	60.2	46.5	63.5
	9:25:00	59.8	47.5	63.5
	9:30:00	58.8	45.0	63.5
	9:35:00	59.1	46.5	63.5
	9:40:00	56.3	46.0	59.0
	9:45:00	59.0	47.5	63.5
	9:50:00	55.5	46.0	59.0
	9:55:00	58.4	47.5	62.5
	10:00:00	55.6	48.0	58.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	10:05:00	53.8	45.5	57.0
	10:10:00	54.2	47.0	58.5
	10:15:00	52.4	46.0	54.5
	10:20:00	51.6	46.0	55.0
	10:25:00	54.1	45.5	56.5
	10:30:00	63.0	46.0	64.5
	10:35:00	61.1	47.0	64.0
	10:40:00	56.5	46.0	60.0
	10:45:00	55.8	47.0	60.0
	10:50:00	56.0	47.0	59.0
	10:55:00	59.5	55.0	62.5
	11:00:00	57.1	46.5	60.5
	11:05:00	54.9	45.5	60.0
	11:10:00	55.3	45.5	60.0
	11:15:00	56.4	47.0	61.0
	11:20:00	59.4	48.5	63.0
	11:25:00	56.4	47.5	60.0
	11:30:00	56.7	49.0	60.5
	11:35:00	56.1	47.0	60.0
	11:40:00	55.9	46.0	60.0
	11:45:00	56.4	47.5	60.0
	11:50:00	54.0	45.0	58.0
	11:55:00	55.5	46.5	58.5
	12:00:00	57.7	45.5	59.5
	12:05:00	51.8	45.0	55.5
	12:10:00	50.6	44.0	54.5
	12:15:00	62.6	54.0	67.0
	12:20:00	55.3	48.5	60.0
	12:25:00	56.2	48.0	60.0
	12:30:00	54.9	51.0	56.0
	12:35:00	53.8	47.0	53.5
	12:40:00	54.8	45.5	55.5
	12:45:00	51.7	44.5	55.5
	12:50:00	61.5	46.5	62.0
	12:55:00	57.6	45.0	57.5
	13:00:00	54.8	51.5	57.0
	13:05:00	56.3	51.5	59.0
	13:10:00	57.0	52.0	59.5
	13:15:00	51.2	44.5	54.5
	13:20:00	57.5	45.0	60.5
	13:25:00	56.0	46.0	59.5
	13:30:00	57.8	46.5	61.5
	13:35:00	53.5	48.5	57.5
	13:40:00	53.0	47.0	56.5
	13:45:00	61.3	57.5	63.5
	13:50:00	58.5	54.5	61.0
	13:55:00	64.1	59.0	66.5
	14:00:00	60.1	55.5	62.5
	14:05:00	60.4	56.5	62.0
	14:10:00	63.3	61.0	65.0
	14:15:00	67.3	66.0	68.0
	14:20:00	64.2	62.0	65.5
	14:25:00	60.9	59.5	62.0
	14:30:00	61.8	57.5	62.0
	14:35:00	59.9	57.5	62.0
	14:40:00	62.0	59.0	63.5
	14:45:00	60.7	56.0	63.5
	14:50:00	58.8	54.0	61.5
	14:55:00	58.1	56.0	60.0
	15:00:00	53.7	49.5	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	15:05:00	61.5	49.0	56.0
	15:10:00	59.2	48.5	62.5
	15:15:00	52.2	48.0	55.0
	15:20:00	53.3	47.5	55.5
	15:25:00	54.6	49.0	59.0
	15:30:00	55.2	48.5	59.5
	15:35:00	55.3	50.5	59.0
	15:40:00	61.4	51.5	64.0
	15:45:00	55.7	51.0	58.0
	15:50:00	56.0	52.0	58.5
	15:55:00	55.9	52.0	59.0
	16:00:00	62.8	52.5	66.5
	16:05:00	57.6	50.5	61.5
	16:10:00	54.5	50.5	57.5
	16:15:00	56.5	52.5	59.0
	16:20:00	58.0	52.5	61.5
	16:25:00	57.2	52.0	60.5
	16:30:00	58.8	53.5	62.0
	16:35:00	62.6	58.5	64.5
	16:40:00	60.6	58.5	62.5
	16:45:00	60.9	57.0	62.5
	16:50:00	57.5	56.5	58.5
	16:55:00	58.7	57.0	60.0
	17:00:00	58.2	56.0	59.5
	17:05:00	60.2	57.0	62.0
	17:10:00	62.8	56.0	60.5
	17:15:00	56.5	54.5	58.0
	17:20:00	57.7	52.0	61.5
	17:25:00	57.8	51.0	61.5
	17:30:00	56.9	51.0	59.0
	17:35:00	54.2	51.5	55.5
	17:40:00	52.7	49.5	55.5
	17:45:00	54.4	49.0	55.5
	17:50:00	58.3	49.5	58.5
	17:55:00	52.3	47.5	51.5
	18:00:00	55.0	48.5	58.0
	18:05:00	53.8	48.5	57.5
	18:10:00	51.9	49.5	53.5
	18:15:00	53.9	50.5	56.0
	18:20:00	53.8	51.0	55.5
	18:25:00	51.5	48.5	53.5
	18:30:00	54.6	48.5	57.0
	18:35:00	53.1	48.5	56.5
	18:40:00	51.3	48.5	53.5
	18:45:00	57.3	47.5	56.5
	18:50:00	50.4	47.5	52.5
	18:55:00	49.4	47.5	50.5
	19:00:00	53.7	48.5	56.0
	19:05:00	50.5	48.5	51.5
	19:10:00	50.1	48.5	51.0
	19:15:00	49.4	48.0	50.5
	19:20:00	50.6	48.0	52.0
	19:25:00	49.9	47.5	51.5
	19:30:00	51.3	48.5	53.5
	19:35:00	50.2	48.0	52.0
	19:40:00	51.1	48.0	53.0
	19:45:00	50.6	47.5	53.5
	19:50:00	50.3	48.0	52.0
	19:55:00	50.6	47.5	52.0
	20:00:00	51.9	47.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	20:05:00	51.5	47.5	53.5
	20:10:00	48.5	47.0	49.5
	20:15:00	48.7	46.5	50.0
	20:20:00	49.4	46.5	51.5
	20:25:00	50.6	46.5	50.0
	20:30:00	50.2	47.0	51.5
	20:35:00	49.3	46.5	49.5
	20:40:00	48.5	46.5	49.5
	20:45:00	48.0	46.5	49.5
	20:50:00	49.8	48.5	50.5
	20:55:00	49.2	46.5	49.5
	21:00:00	47.9	46.0	49.0
	21:05:00	47.5	46.0	48.0
	21:10:00	48.9	46.0	50.0
	21:15:00	48.6	46.0	50.5
	21:20:00	48.3	46.5	49.5
	21:25:00	48.9	46.5	50.0
	21:30:00	49.0	46.5	51.0
	21:35:00	47.7	46.0	49.0
	21:40:00	49.0	46.0	50.5
	21:45:00	49.1	46.0	49.5
	21:50:00	49.1	46.5	50.0
	21:55:00	47.9	46.5	48.5
	22:00:00	49.0	46.5	51.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	22:05:00	48.4	46.0	48.5
	22:10:00	49.4	46.0	51.5
	22:15:00	50.8	46.0	53.5
	22:20:00	50.6	48.5	52.0
	22:25:00	53.1	51.0	54.5
	22:30:00	54.3	51.5	55.5
	22:35:00	51.7	50.5	52.0
	22:40:00	54.6	52.5	55.5
	22:45:00	52.1	50.5	52.5
	22:50:00	52.6	51.0	53.0
	22:55:00	52.2	50.5	53.0
	23:00:00	52.5	50.5	53.0
	23:05:00	51.4	49.5	52.5
	23:10:00	51.0	50.0	51.5
	23:15:00	52.0	50.0	53.0
	23:20:00	51.8	50.5	52.0
	23:25:00	51.4	50.0	52.0
	23:30:00	51.2	49.0	52.5
	23:35:00	50.9	48.5	52.5
	23:40:00	51.6	48.5	54.0
	23:45:00	50.4	48.5	51.5
	23:50:00	50.2	48.5	51.5
	23:55:00	50.0	48.5	50.5
	0:00:00	52.4	49.5	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	0:05:00	50.3	49.0	51.0
	0:10:00	51.2	49.5	52.5
	0:15:00	50.3	49.0	51.0
	0:20:00	50.3	49.0	51.0
	0:25:00	51.5	50.0	52.5
	0:30:00	56.5	50.0	59.0
	0:35:00	56.7	50.5	61.0
	0:40:00	52.0	50.5	52.5
	0:45:00	52.7	50.5	53.0
	0:50:00	52.9	50.5	52.0
	0:55:00	50.8	49.5	51.5
	1:00:00	50.4	48.5	51.0
	1:05:00	49.9	48.5	50.5
	1:10:00	49.8	48.0	51.0
	1:15:00	49.4	47.5	50.5
	1:20:00	49.4	48.0	50.0
	1:25:00	49.5	48.0	50.5
	1:30:00	49.4	48.0	50.0
	1:35:00	50.2	48.5	51.5
	1:40:00	48.4	47.0	49.0
	1:45:00	47.5	46.5	48.0
	1:50:00	47.3	46.5	48.0
	1:55:00	46.9	46.0	47.5
	2:00:00	46.6	46.0	47.0
	2:05:00	47.6	45.5	47.5
	2:10:00	47.4	46.0	48.5
	2:15:00	47.3	46.5	47.5
	2:20:00	47.3	46.5	47.5
	2:25:00	47.3	46.5	47.5
	2:30:00	47.3	46.5	47.5
	2:35:00	46.8	46.0	47.0
	2:40:00	47.0	46.5	47.5
	2:45:00	46.8	46.0	47.0
	2:50:00	46.8	46.0	47.0
	2:55:00	46.4	46.0	46.5
	3:00:00	46.4	46.0	46.5
	3:05:00	46.3	46.0	46.5
	3:10:00	46.6	46.0	47.0
	3:15:00	46.4	46.0	46.5
	3:20:00	46.3	45.5	46.5
	3:25:00	46.4	46.0	46.5
	3:30:00	46.4	46.0	47.0
	3:35:00	46.7	46.0	47.0
	3:40:00	46.9	46.0	47.5
	3:45:00	48.4	46.5	49.5
	3:50:00	47.0	46.0	47.5
	3:55:00	48.4	46.0	47.5
	4:00:00	46.7	46.0	47.0
	4:05:00	46.4	46.0	46.5
	4:10:00	47.2	46.0	48.0
	4:15:00	46.2	45.5	46.5
	4:20:00	46.2	45.5	46.5
	4:25:00	46.4	45.5	46.5
	4:30:00	46.2	45.5	46.5
	4:35:00	47.8	45.5	50.5
	4:40:00	45.9	45.0	46.0
	4:45:00	45.8	45.5	46.0
	4:50:00	46.5	45.5	47.5
	4:55:00	47.1	45.5	48.5
	5:00:00	46.5	46.0	47.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	5:05:00	47.5	46.0	48.0
	5:10:00	48.9	46.5	48.0
	5:15:00	51.1	46.5	56.0
	5:20:00	49.7	46.5	52.5
	5:25:00	52.9	46.5	57.5
	5:30:00	53.6	46.5	55.5
	5:35:00	51.9	47.0	54.0
	5:40:00	49.7	46.5	51.5
	5:45:00	48.8	46.0	50.5
	5:50:00	49.5	46.5	52.0
	5:55:00	50.5	46.5	53.0
	6:00:00	54.4	51.5	56.0
	6:05:00	56.2	52.0	59.0
	6:10:00	51.6	49.5	53.0
	6:15:00	51.7	49.5	53.0
	6:20:00	51.4	49.0	53.0
	6:25:00	53.5	48.0	56.5
	6:30:00	49.3	46.5	51.5
	6:35:00	50.4	46.5	54.0
	6:40:00	50.8	46.0	54.0
	6:45:00	51.3	47.0	54.0
	6:50:00	50.4	47.5	52.5
	6:55:00	57.8	48.5	59.0
	7:00:00	53.9	52.0	55.5
	7:05:00	52.3	50.0	53.5
	7:10:00	56.4	49.0	59.0
	7:15:00	54.7	49.5	57.0
	7:20:00	55.2	52.5	57.0
	7:25:00	54.0	52.0	55.5
	7:30:00	54.1	52.5	55.0
	7:35:00	55.4	53.5	57.0
	7:40:00	54.7	53.0	56.0
	7:45:00	53.2	51.5	54.5
	7:50:00	54.4	51.0	57.0
	7:55:00	53.3	50.0	56.0
	8:00:00	53.7	51.0	55.5
	8:05:00	55.4	53.5	57.0
	8:10:00	56.0	54.5	56.5
	8:15:00	57.9	55.5	59.0
	8:20:00	59.2	57.5	60.5
	8:25:00	58.2	56.5	60.0
	8:30:00	58.0	55.5	59.5
	8:35:00	59.2	57.5	60.5
	8:40:00	57.6	55.0	58.5
	8:45:00	55.7	54.0	57.0
	8:50:00	55.1	53.5	56.0
	8:55:00	60.5	58.0	62.0
	9:00:00	59.1	55.5	59.5
	9:05:00	68.8	58.0	65.5
	9:10:00	63.2	57.5	65.5
	9:15:00	55.0	53.0	56.0
	9:20:00	57.5	52.0	60.5
	9:25:00	63.6	52.5	59.0
	9:30:00	61.2	53.0	61.5
	9:35:00	58.2	52.5	60.5
	9:40:00	62.0	55.0	66.5
	9:45:00	66.0	52.0	72.5
	9:50:00	59.9	51.5	58.5
	9:55:00	57.8	54.5	60.5
	10:00:00	65.0	56.5	71.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	10:05:00	60.2	56.0	64.0
	10:10:00	60.8	57.5	61.0
	10:15:00	59.0	55.5	61.0
	10:20:00	57.1	54.5	59.0
	10:25:00	59.8	57.0	61.5
	10:30:00	59.5	57.5	60.0
	10:35:00	59.2	55.0	61.5
	10:40:00	62.4	60.0	63.5
	10:45:00	66.1	56.5	72.5
	10:50:00	63.9	55.0	66.0
	10:55:00	63.9	55.5	66.0
	11:00:00	68.2	66.0	70.0
	11:05:00	62.0	58.5	64.5
	11:10:00	58.5	57.0	60.0
	11:15:00	59.7	56.0	60.5
	11:20:00	68.2	62.0	71.0
	11:25:00	63.6	61.0	66.0
	11:30:00	58.3	56.0	60.0
	11:35:00	56.8	54.0	59.0
	11:40:00	58.0	55.5	59.5
	11:45:00	59.7	54.0	58.0
	11:50:00	57.0	53.5	60.0
	11:55:00	63.8	62.0	65.0
	12:00:00	60.9	56.0	64.0
	12:05:00	64.9	56.5	67.5
	12:10:00	69.4	68.0	70.5
	12:15:00	65.8	63.5	68.0
	12:20:00	62.4	60.0	63.5
	12:25:00	62.4	60.0	63.5
	12:30:00	62.1	60.0	63.5
	12:35:00	57.6	55.5	59.0
	12:40:00	55.9	53.5	57.0
	12:45:00	53.5	51.0	55.5
	12:50:00	54.7	50.5	55.5
	12:55:00	55.0	52.5	56.0
	13:00:00	55.2	52.0	57.5
	13:05:00	62.4	49.5	69.0
	13:10:00	69.8	49.5	73.5
	13:15:00	69.9	55.0	73.0
	13:20:00	65.8	48.0	71.0
	13:25:00	53.3	47.0	56.5
	13:30:00	60.4	48.0	64.5
	13:35:00	59.7	56.0	62.0
	13:40:00	62.7	57.5	63.5
	13:45:00	58.1	54.0	60.0
	13:50:00	53.7	49.0	55.5
	13:55:00	54.7	51.0	56.5
	14:00:00	57.6	50.5	58.5
	14:05:00	57.7	57.0	58.0
	14:10:00	55.8	50.0	58.0
	14:15:00	55.4	48.5	58.5
	14:20:00	57.3	49.5	59.5
	14:25:00	55.6	48.0	58.5
	14:30:00	52.3	50.0	53.5
	14:35:00	52.7	48.5	55.0
	14:40:00	58.8	51.0	61.5
	14:45:00	55.2	48.5	58.0
	14:50:00	51.7	48.0	54.0
	14:55:00	55.9	48.5	59.0
	15:00:00	57.5	48.5	63.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	15:05:00	59.2	48.5	64.5
	15:10:00	57.6	48.5	61.0
	15:15:00	54.0	47.5	59.0
	15:20:00	56.3	50.0	59.0
	15:25:00	55.7	48.5	59.0
	15:30:00	59.4	50.0	62.5
	15:35:00	55.4	48.0	58.5
	15:40:00	51.1	48.0	53.0
	15:45:00	51.5	48.0	53.5
	15:50:00	53.2	49.5	55.0
	15:55:00	53.8	50.5	56.0
	16:00:00	57.1	49.5	62.5
	16:05:00	59.5	48.5	64.5
	16:10:00	53.1	49.0	55.0
	16:15:00	54.9	49.0	57.5
	16:20:00	56.5	48.0	56.0
	16:25:00	50.4	48.0	52.0
	16:30:00	53.9	48.5	58.0
	16:35:00	53.8	52.0	55.0
	16:40:00	50.8	47.5	54.5
	16:45:00	62.5	48.0	68.5
	16:50:00	57.1	47.5	58.0
	16:55:00	52.2	47.5	56.0
	17:00:00	51.7	47.5	53.5
	17:05:00	55.3	49.5	59.5
	17:10:00	54.1	49.0	56.5
	17:15:00	63.2	52.5	69.0
	17:20:00	56.5	48.0	60.0
	17:25:00	55.5	48.0	58.5
	17:30:00	52.0	48.0	54.5
	17:35:00	54.3	49.0	56.0
	17:40:00	56.0	48.5	56.5
	17:45:00	52.5	48.0	55.0
	17:50:00	60.8	48.5	63.0
	17:55:00	59.1	47.5	63.0
	18:00:00	54.4	48.0	56.5
	18:05:00	57.0	48.5	59.5
	18:10:00	50.5	46.5	53.0
	18:15:00	50.2	47.0	52.5
	18:20:00	50.3	46.5	52.5
	18:25:00	52.1	47.0	54.0
	18:30:00	59.2	46.5	61.5
	18:35:00	50.9	47.5	53.0
	18:40:00	54.7	46.5	54.5
	18:45:00	53.5	46.5	56.0
	18:50:00	51.8	46.5	55.5
	18:55:00	49.5	46.5	52.0
	19:00:00	48.9	46.5	50.5
	19:05:00	50.1	47.0	52.5
	19:10:00	53.2	49.0	55.0
	19:15:00	49.7	47.5	51.5
	19:20:00	51.5	47.5	54.0
	19:25:00	50.9	48.0	53.5
	19:30:00	50.5	48.0	52.0
	19:35:00	51.7	47.5	55.5
	19:40:00	51.4	48.5	53.0
	19:45:00	49.4	47.0	51.0
	19:50:00	49.0	46.5	50.5
	19:55:00	54.6	48.0	57.0
	20:00:00	49.6	47.0	51.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	20:05:00	50.8	46.5	54.0
	20:10:00	49.9	47.0	52.5
	20:15:00	48.6	46.5	49.5
	20:20:00	48.9	46.5	49.5
	20:25:00	48.4	46.5	49.5
	20:30:00	49.2	47.0	51.0
	20:35:00	51.1	47.0	53.0
	20:40:00	47.7	46.5	48.5
	20:45:00	50.2	46.5	52.0
	20:50:00	55.3	46.5	58.0
	20:55:00	52.0	47.0	55.0
	21:00:00	51.4	46.5	55.5
	21:05:00	50.0	46.5	51.5
	21:10:00	48.4	46.5	49.5
	21:15:00	49.2	46.5	51.5
	21:20:00	47.8	46.0	48.0
	21:25:00	47.9	46.0	48.5
	21:30:00	48.5	46.5	50.0
	21:35:00	49.7	47.0	52.0
	21:40:00	48.9	47.0	49.5
	21:45:00	48.6	47.0	50.0
	21:50:00	49.1	47.0	50.5
	21:55:00	50.6	47.0	51.5
	22:00:00	48.0	46.5	49.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	22:05:00	49.7	46.5	53.0
	22:10:00	50.0	46.5	52.0
	22:15:00	48.4	46.0	50.0
	22:20:00	47.6	46.0	48.5
	22:25:00	48.6	46.0	51.0
	22:30:00	49.7	46.0	52.5
	22:35:00	49.1	46.0	51.0
	22:40:00	54.4	46.5	56.5
	22:45:00	47.9	46.5	49.0
	22:50:00	48.0	46.0	49.5
	22:55:00	47.5	46.0	48.0
	23:00:00	48.3	46.0	49.5
	23:05:00	48.0	46.5	49.0
	23:10:00	47.7	46.0	49.0
	23:15:00	47.2	46.0	48.5
	23:20:00	46.5	45.5	46.5
	23:25:00	46.6	45.5	47.0
	23:30:00	47.0	45.5	48.0
	23:35:00	48.0	45.5	49.5
	23:40:00	49.0	45.5	51.5
	23:45:00	49.2	45.5	48.5
	23:50:00	46.2	45.0	46.5
	23:55:00	46.7	45.5	47.5
	0:00:00	46.0	45.0	46.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	0:05:00	46.6	45.0	48.0
	0:10:00	45.7	45.0	46.0
	0:15:00	47.6	45.0	49.5
	0:20:00	45.8	45.0	46.5
	0:25:00	53.2	45.5	52.5
	0:30:00	55.4	47.0	58.5
	0:35:00	51.5	47.0	54.5
	0:40:00	47.6	46.5	48.0
	0:45:00	49.5	46.5	51.0
	0:50:00	48.3	46.5	48.5
	0:55:00	47.5	46.5	47.5
	1:00:00	48.3	47.0	48.5
	1:05:00	48.5	47.0	48.5
	1:10:00	47.2	46.0	47.5
	1:15:00	46.6	45.5	47.0
	1:20:00	47.3	46.5	47.5
	1:25:00	47.4	47.0	47.5
	1:30:00	47.7	47.0	48.0
	1:35:00	47.5	46.5	48.0
	1:40:00	49.1	47.0	50.5
	1:45:00	47.9	46.5	49.0
	1:50:00	47.0	46.5	47.0
	1:55:00	46.5	46.0	46.5
	2:00:00	46.5	46.0	46.5
	2:05:00	46.7	46.5	47.0
	2:10:00	46.8	46.0	47.0
	2:15:00	46.7	46.0	47.0
	2:20:00	46.6	46.0	47.0
	2:25:00	46.7	46.0	47.0
	2:30:00	46.6	46.0	46.5
	2:35:00	46.5	46.0	47.0
	2:40:00	46.3	46.0	46.5
	2:45:00	46.2	45.5	46.0
	2:50:00	46.0	45.5	46.0
	2:55:00	46.4	46.0	46.5
	3:00:00	46.7	46.0	46.5
	3:05:00	47.1	46.0	48.0
	3:10:00	46.5	46.0	46.5
	3:15:00	46.6	46.0	47.0
	3:20:00	46.7	46.0	47.0
	3:25:00	46.9	46.0	46.5
	3:30:00	46.7	46.0	48.0
	3:35:00	46.1	45.5	46.0
	3:40:00	46.2	45.5	46.5
	3:45:00	46.6	46.0	47.0
	3:50:00	47.1	46.0	47.0
	3:55:00	46.5	46.0	46.5
	4:00:00	46.7	46.0	46.5
	4:05:00	48.1	46.5	50.0
	4:10:00	46.1	45.5	46.5
	4:15:00	46.0	45.5	46.0
	4:20:00	46.1	45.5	46.0
	4:25:00	47.0	45.5	48.5
	4:30:00	46.2	45.5	46.5
	4:35:00	46.5	46.0	46.5
	4:40:00	46.7	46.0	47.0
	4:45:00	46.7	46.0	47.5
	4:50:00	46.8	46.0	47.5
	4:55:00	47.5	45.5	47.5
	5:00:00	46.3	45.5	46.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	5:05:00	46.4	45.5	46.5
	5:10:00	48.7	46.0	48.0
	5:15:00	49.9	46.0	55.0
	5:20:00	50.3	46.5	53.5
	5:25:00	49.9	47.0	52.5
	5:30:00	52.1	47.0	54.0
	5:35:00	52.2	48.0	54.5
	5:40:00	53.4	47.5	54.0
	5:45:00	48.6	46.0	51.0
	5:50:00	51.3	46.5	52.0
	5:55:00	50.1	45.5	52.0
	6:00:00	48.6	45.5	50.5
	6:05:00	56.3	46.5	61.5
	6:10:00	50.5	46.5	54.0
	6:15:00	49.2	46.5	51.0
	6:20:00	50.1	46.5	53.0
	6:25:00	49.7	46.5	52.0
	6:30:00	51.0	47.0	54.0
	6:35:00	50.2	47.0	53.5
	6:40:00	50.0	46.5	52.5
	6:45:00	50.3	46.0	53.0
	6:50:00	50.0	46.0	52.5
	6:55:00	56.4	46.0	59.0
	7:00:00	49.9	45.5	52.5
	7:05:00	48.2	45.5	50.5
	7:10:00	50.6	46.0	53.5
	7:15:00	49.9	46.0	53.0
	7:20:00	50.2	45.5	52.0
	7:25:00	52.3	47.0	55.0
	7:30:00	50.9	46.0	53.5
	7:35:00	50.6	46.0	53.0
	7:40:00	54.1	46.5	58.0
	7:45:00	49.2	46.5	51.5
	7:50:00	51.8	46.5	55.0
	7:55:00	50.5	47.0	53.0
	8:00:00	50.0	46.0	52.5
	8:05:00	51.5	46.0	54.5
	8:10:00	51.6	47.0	53.5
	8:15:00	51.3	47.5	53.5
	8:20:00	49.7	45.5	52.5
	8:25:00	49.5	46.0	51.5
	8:30:00	53.6	47.5	57.0
	8:35:00	61.4	50.0	56.5
	8:40:00	53.1	51.0	54.5
	8:45:00	54.1	50.5	56.0
	8:50:00	52.3	46.5	55.0
	8:55:00	55.5	46.5	56.5
	9:00:00	59.4	45.5	52.0
	9:05:00	52.6	45.5	53.5
	9:10:00	63.8	46.0	57.5
	9:15:00	72.4	48.0	70.5
	9:20:00	55.4	47.5	55.5
	9:25:00	69.1	47.0	61.5
	9:30:00	62.2	47.0	57.0
	9:35:00	51.8	47.5	54.0
	9:40:00	53.5	45.5	54.5
	9:45:00	58.5	46.0	57.5
	9:50:00	53.9	46.5	56.5
	9:55:00	54.5	45.5	55.5
	10:00:00	52.7	48.0	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	10:05:00	50.1	45.0	52.5
	10:10:00	52.1	46.0	54.5
	10:15:00	53.2	45.0	55.5
	10:20:00	51.8	46.5	54.0
	10:25:00	50.7	45.5	53.0
	10:30:00	53.5	48.0	55.5
	10:35:00	53.4	46.0	56.5
	10:40:00	54.0	45.0	54.5
	10:45:00	52.0	44.5	54.5
	10:50:00	52.1	46.5	54.0
	10:55:00	58.2	46.5	60.0
	11:00:00	56.7	47.5	59.5
	11:05:00	51.7	46.0	55.0
	11:10:00	52.0	45.5	55.0
	11:15:00	53.2	48.0	56.0
	11:20:00	60.3	51.5	61.0
	11:25:00	59.6	47.0	63.5
	11:30:00	55.9	46.0	60.0
	11:35:00	57.9	48.5	61.5
	11:40:00	54.2	46.0	58.5
	11:45:00	57.9	46.5	61.0
	11:50:00	52.7	46.0	54.5
	11:55:00	53.0	45.5	55.0
	12:00:00	55.6	46.0	59.0
	12:05:00	53.0	45.0	56.0
	12:10:00	55.0	46.5	58.0
	12:15:00	59.5	45.0	61.5
	12:20:00	51.8	44.0	51.5
	12:25:00	58.0	45.5	56.0
	12:30:00	61.0	46.5	68.0
	12:35:00	55.8	44.5	52.5
	12:40:00	51.8	46.0	53.5
	12:45:00	53.1	46.5	55.0
	12:50:00	54.3	46.0	57.0
	12:55:00	60.7	49.0	63.5
	13:00:00	63.1	57.5	66.0
	13:05:00	62.8	50.5	67.5
	13:10:00	56.5	48.5	59.5
	13:15:00	55.2	48.0	58.0
	13:20:00	51.1	46.0	54.0
	13:25:00	50.1	46.0	52.5
	13:30:00	54.5	46.5	56.5
	13:35:00	53.7	49.0	55.5
	13:40:00	59.6	46.0	62.0
	13:45:00	57.4	47.5	59.0
	13:50:00	51.2	46.5	53.0
	13:55:00	54.3	46.5	56.0
	14:00:00	53.6	49.0	56.5
	14:05:00	60.8	47.5	58.5
	14:10:00	57.1	46.5	61.0
	14:15:00	51.4	47.0	53.5
	14:20:00	51.2	46.5	54.0
	14:25:00	50.0	46.0	51.5
	14:30:00	57.8	46.0	61.5
	14:35:00	55.3	47.0	58.5
	14:40:00	57.7	48.5	60.5
	14:45:00	54.9	47.0	58.0
	14:50:00	54.5	45.5	57.5
	14:55:00	58.5	47.5	62.5
	15:00:00	51.7	45.5	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	15:05:00	51.8	46.0	55.0
	15:10:00	49.6	45.0	52.0
	15:15:00	51.6	46.0	54.5
	15:20:00	56.8	46.5	60.5
	15:25:00	51.8	45.0	53.5
	15:30:00	56.1	44.5	54.0
	15:35:00	55.3	45.0	57.5
	15:40:00	63.2	58.5	65.5
	15:45:00	61.8	46.0	61.0
	15:50:00	57.5	44.5	61.0
	15:55:00	50.3	45.0	53.0
	16:00:00	53.7	46.0	55.5
	16:05:00	50.2	44.5	54.0
	16:10:00	48.9	44.5	49.0
	16:15:00	50.4	45.5	52.5
	16:20:00	54.5	46.5	56.0
	16:25:00	51.2	45.0	54.0
	16:30:00	65.3	58.5	67.0
	16:35:00	59.5	48.0	61.0
	16:40:00	51.1	44.5	53.0
	16:45:00	51.2	44.5	54.5
	16:50:00	52.4	44.5	53.5
	16:55:00	51.4	44.0	54.5
	17:00:00	53.1	45.0	57.5
	17:05:00	51.3	45.5	54.5
	17:10:00	56.2	46.0	60.5
	17:15:00	49.7	45.5	52.5
	17:20:00	50.9	45.5	51.5
	17:25:00	55.4	45.5	59.0
	17:30:00	58.9	46.5	60.0
	17:35:00	52.1	46.0	55.5
	17:40:00	53.1	46.0	56.0
	17:45:00	53.2	46.0	56.0
	17:50:00	55.0	46.0	56.5
	17:55:00	52.2	46.0	54.0
	18:00:00	49.2	44.5	51.5
	18:05:00	53.7	44.5	56.5
	18:10:00	51.9	45.5	54.0
	18:15:00	58.4	45.5	62.5
	18:20:00	50.3	45.5	53.0
	18:25:00	49.4	46.5	51.5
	18:30:00	48.9	46.0	50.5
	18:35:00	50.7	46.5	51.5
	18:40:00	53.1	47.5	55.0
	18:45:00	58.1	47.5	61.5
	18:50:00	49.9	46.5	52.5
	18:55:00	61.0	50.0	65.0
	19:00:00	49.6	46.5	51.5
	19:05:00	53.3	50.0	54.5
	19:10:00	53.4	47.0	55.5
	19:15:00	57.3	46.0	60.5
	19:20:00	52.9	47.0	53.0
	19:25:00	49.3	47.0	51.0
	19:30:00	50.0	47.0	52.0
	19:35:00	50.1	46.5	52.0
	19:40:00	48.8	46.0	50.5
	19:45:00	48.4	46.0	50.0
	19:50:00	49.5	46.0	52.0
	19:55:00	53.5	45.5	57.5
	20:00:00	49.0	46.5	51.0



Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	20:05:00	49.8	46.0	52.0
	20:10:00	49.8	46.0	51.5
	20:15:00	51.9	45.5	55.0
	20:20:00	50.4	45.5	53.0
	20:25:00	47.6	45.5	49.0
	20:30:00	55.6	45.5	59.0
	20:35:00	57.9	46.5	62.5
	20:40:00	47.9	45.5	50.0
	20:45:00	50.4	45.5	53.5
	20:50:00	52.4	45.0	55.5
	20:55:00	46.8	45.0	47.5
	21:00:00	52.4	45.0	57.0
	21:05:00	53.6	44.5	57.0
	21:10:00	49.8	45.0	53.5
	21:15:00	50.0	45.5	53.0
	21:20:00	50.8	45.5	52.5
	21:25:00	48.1	45.5	49.5
	21:30:00	48.6	45.5	51.0
	21:35:00	46.8	45.0	47.5
	21:40:00	47.7	45.0	48.5
	21:45:00	48.8	45.5	51.5
	21:50:00	48.0	45.0	50.5
	21:55:00	46.9	45.0	47.5
	22:00:00	47.8	45.5	49.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	22:05:00	46.4	45.0	47.0
	22:10:00	48.3	45.0	51.0
	22:15:00	48.4	45.0	51.0
	22:20:00	48.0	45.0	50.5
	22:25:00	49.6	45.0	53.5
	22:30:00	46.7	44.5	47.5
	22:35:00	47.8	45.0	50.0
	22:40:00	48.6	45.0	51.5
	22:45:00	46.1	44.5	47.5
	22:50:00	54.8	45.0	59.5
	22:55:00	46.5	44.0	48.0
	23:00:00	48.3	44.5	50.5
	23:05:00	46.4	45.0	47.0
	23:10:00	47.4	45.0	47.5
	23:15:00	48.9	45.5	50.5
	23:20:00	50.0	45.0	50.5
	23:25:00	50.6	46.0	53.5
	23:30:00	53.0	47.0	56.0
	23:35:00	50.4	46.5	53.0
	23:40:00	47.6	46.5	48.5
	23:45:00	49.8	46.0	52.5
	23:50:00	53.2	46.5	56.5
	23:55:00	48.5	46.0	50.0
	0:00:00	49.3	46.0	50.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	0:05:00	48.6	46.0	49.5
	0:10:00	47.3	46.0	48.0
	0:15:00	47.6	46.0	50.0
	0:20:00	47.7	46.5	48.5
	0:25:00	50.7	46.5	55.0
	0:30:00	52.9	46.5	54.5
	0:35:00	49.6	46.0	50.0
	0:40:00	47.8	46.0	49.5
	0:45:00	53.9	46.0	57.0
	0:50:00	45.7	44.5	46.0
	0:55:00	45.9	44.5	47.0
	1:00:00	47.8	44.5	51.0
	1:05:00	49.0	44.5	51.5
	1:10:00	45.5	44.5	46.0
	1:15:00	45.4	44.5	45.5
	1:20:00	46.4	44.5	48.5
	1:25:00	46.6	44.5	48.0
	1:30:00	46.2	44.5	48.0
	1:35:00	44.9	44.0	45.0
	1:40:00	47.1	44.0	49.5
	1:45:00	46.4	44.5	47.5
	1:50:00	45.1	44.0	46.0
	1:55:00	49.0	45.0	51.0
	2:00:00	48.4	46.0	49.0
	2:05:00	45.2	44.0	45.0
	2:10:00	44.8	44.0	45.0
	2:15:00	45.3	44.5	46.0
	2:20:00	44.7	44.0	45.0
	2:25:00	45.5	44.0	45.5
	2:30:00	45.7	44.0	47.0
	2:35:00	46.2	44.0	47.0
	2:40:00	46.3	44.0	46.5
	2:45:00	45.3	44.5	45.5
	2:50:00	46.4	44.5	47.0
	2:55:00	46.7	45.0	47.5
	3:00:00	48.2	45.5	50.0
	3:05:00	45.7	45.0	46.0
	3:10:00	45.5	45.0	46.0
	3:15:00	46.5	45.0	48.0
	3:20:00	45.8	45.0	46.0
	3:25:00	46.1	45.0	46.5
	3:30:00	45.9	45.0	46.0
	3:35:00	45.8	45.0	46.0
	3:40:00	46.5	45.5	47.0
	3:45:00	45.8	45.5	46.0
	3:50:00	46.5	45.0	46.0
	3:55:00	47.3	45.0	47.0
	4:00:00	45.7	45.0	46.0
	4:05:00	46.2	45.0	46.0
	4:10:00	49.7	45.0	53.5
	4:15:00	47.4	45.5	48.5
	4:20:00	46.7	45.0	46.5
	4:25:00	47.1	45.0	46.5
	4:30:00	47.0	45.5	48.5
	4:35:00	46.5	45.0	48.0
	4:40:00	47.2	45.0	48.5
	4:45:00	50.3	45.0	50.0
	4:50:00	47.4	45.0	49.0
	4:55:00	46.7	45.5	48.0
	5:00:00	48.5	46.0	50.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	5:05:00	49.2	46.5	50.0
	5:10:00	49.4	47.0	50.0
	5:15:00	51.6	46.5	54.5
	5:20:00	54.1	47.0	57.5
	5:25:00	52.8	47.5	56.0
	5:30:00	52.6	47.5	55.5
	5:35:00	52.5	47.0	55.0
	5:40:00	51.9	47.0	55.0
	5:45:00	51.4	47.0	54.5
	5:50:00	49.0	46.0	51.0
	5:55:00	51.5	46.5	53.5
	6:00:00	49.7	47.0	52.0
	6:05:00	48.5	45.5	50.5
	6:10:00	50.1	46.0	53.5
	6:15:00	51.4	46.5	54.5
	6:20:00	50.9	47.0	53.5
	6:25:00	47.8	45.5	49.0
	6:30:00	49.4	46.0	52.5
	6:35:00	49.3	45.5	52.0
	6:40:00	48.9	46.0	51.0
	6:45:00	49.7	45.0	53.0
	6:50:00	50.0	45.0	52.5
	6:55:00	51.2	45.5	53.0
	7:00:00	50.0	46.0	53.0
	7:05:00	50.6	44.5	54.5
	7:10:00	57.9	45.5	62.0
	7:15:00	48.4	45.0	51.0
	7:20:00	52.0	46.0	55.5
	7:25:00	53.0	47.0	56.5
	7:30:00	52.8	48.0	56.0
	7:35:00	51.5	45.5	54.5
	7:40:00	50.7	45.5	54.5
	7:45:00	51.4	45.5	55.5
	7:50:00	53.0	46.5	56.0
	7:55:00	54.6	45.0	57.5
	8:00:00	52.6	45.5	56.0
	8:05:00	49.2	45.0	51.5
	8:10:00	47.8	44.5	49.5
	8:15:00	53.1	45.0	56.5
	8:20:00	49.0	45.0	51.5
	8:25:00	54.3	45.0	55.0
	8:30:00	57.1	54.5	59.5
	8:35:00	52.2	44.5	54.5
	8:40:00	49.3	45.0	51.0
	8:45:00	48.8	45.0	50.0
	8:50:00	50.4	44.5	54.0
	8:55:00	49.3	45.0	52.5
	9:00:00	48.2	45.0	50.5
	9:05:00	51.5	45.5	54.5
	9:10:00	53.0	44.5	55.5
	9:15:00	49.3	45.5	51.5
	9:20:00	50.2	44.5	51.5
	9:25:00	50.0	43.5	52.5
	9:30:00	49.2	44.0	51.5
	9:35:00	53.4	45.5	55.0
	9:40:00	50.0	45.5	52.0
	9:45:00	50.0	44.5	52.5
	9:50:00	53.0	44.0	54.0
	9:55:00	53.4	47.5	56.5
	10:00:00	53.8	46.5	57.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	10:05:00	64.6	47.5	69.0
	10:10:00	51.3	45.5	54.5
	10:15:00	54.0	44.5	53.5
	10:20:00	52.8	45.0	54.5
	10:25:00	54.2	46.5	55.5
	10:30:00	55.4	52.0	57.0
	10:35:00	57.1	53.5	58.5
	10:40:00	53.7	47.5	56.0
	10:45:00	54.4	44.5	53.5
	10:50:00	54.0	45.5	56.0
	10:55:00	51.9	45.0	54.5
	11:00:00	55.9	45.5	58.0
	11:05:00	55.1	46.0	57.5
	11:10:00	50.5	45.0	52.5
	11:15:00	56.2	46.0	55.5
	11:20:00	52.9	46.0	56.5
	11:25:00	63.6	46.0	61.5
	11:30:00	56.5	46.0	57.5
	11:35:00	57.4	48.5	60.0
	11:40:00	57.8	50.0	59.5
	11:45:00	58.3	50.5	58.5
	11:50:00	53.7	48.0	54.5
	11:55:00	51.6	47.5	54.5
	12:00:00	52.9	46.0	56.5
	12:05:00	51.9	46.5	55.0
	12:10:00	50.0	46.0	52.0
	12:15:00	50.7	46.0	54.0
	12:20:00	51.5	47.0	54.5
	12:25:00	52.5	46.5	55.0
	12:30:00	49.5	46.0	52.0
	12:35:00	51.4	47.0	53.0
	12:40:00	51.3	46.5	55.0
	12:45:00	55.8	46.5	59.0
	12:50:00	52.7	46.5	56.5
	12:55:00	51.1	46.5	51.5
	13:00:00	49.9	46.0	52.0
	13:05:00	52.9	47.0	56.5
	13:10:00	50.8	45.5	53.5
	13:15:00	50.2	45.5	53.0
	13:20:00	48.6	45.5	51.0
	13:25:00	50.7	45.0	53.0
	13:30:00	47.4	43.5	49.5
	13:35:00	49.5	44.0	52.0
	13:40:00	46.1	43.0	48.0
	13:45:00	49.5	43.5	53.0
	13:50:00	53.2	44.0	55.0
	13:55:00	54.1	44.0	56.5
	14:00:00	49.6	43.5	52.5
	14:05:00	50.5	44.5	52.5
	14:10:00	51.7	45.5	55.5
	14:15:00	49.8	44.0	52.0
	14:20:00	46.5	43.0	49.0
	14:25:00	49.2	43.5	52.5
	14:30:00	56.6	46.0	60.5
	14:35:00	51.9	45.5	55.0
	14:40:00	55.8	45.5	56.0
	14:45:00	51.2	44.5	52.0
	14:50:00	60.2	45.5	61.5
	14:55:00	53.7	44.0	56.5
	15:00:00	51.3	46.0	53.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	15:05:00	50.1	45.5	53.0
	15:10:00	50.8	45.0	53.5
	15:15:00	51.6	44.5	54.0
	15:20:00	61.6	44.5	63.0
	15:25:00	53.0	44.5	56.5
	15:30:00	60.3	44.5	53.5
	15:35:00	50.6	43.5	53.5
	15:40:00	55.3	43.5	58.5
	15:45:00	50.3	44.5	53.0
	15:50:00	47.6	44.0	50.0
	15:55:00	47.0	43.5	49.0
	16:00:00	59.7	44.5	58.5
	16:05:00	50.6	43.5	53.0
	16:10:00	51.4	45.5	53.5
	16:15:00	50.2	45.0	53.0
	16:20:00	63.4	45.0	54.5
	16:25:00	55.5	45.5	54.5
	16:30:00	52.9	44.5	52.5
	16:35:00	50.9	44.0	54.0
	16:40:00	56.3	44.5	58.5
	16:45:00	54.4	45.5	58.0
	16:50:00	54.3	45.0	58.5
	16:55:00	54.8	45.5	55.5
	17:00:00	56.3	45.5	59.0
	17:05:00	50.4	44.0	52.5
	17:10:00	56.8	45.0	61.0
	17:15:00	51.4	45.0	54.0
	17:20:00	51.5	44.0	53.0
	17:25:00	53.0	45.5	56.5
	17:30:00	48.0	44.5	50.0
	17:35:00	53.6	45.5	57.0
	17:40:00	51.2	44.0	54.5
	17:45:00	55.9	44.0	56.5
	17:50:00	55.4	46.0	58.5
	17:55:00	53.2	44.0	57.0
	18:00:00	51.7	44.5	54.0
	18:05:00	51.7	44.0	54.0
	18:10:00	51.1	45.5	53.5
	18:15:00	53.3	43.0	48.5
	18:20:00	48.0	44.5	50.0
	18:25:00	54.3	45.0	58.0
	18:30:00	51.6	44.5	55.0
	18:35:00	54.5	47.5	56.5
	18:40:00	53.5	45.0	54.0
	18:45:00	56.4	47.0	57.5
	18:50:00	56.1	44.5	53.0
	18:55:00	53.0	45.5	52.0
	19:00:00	54.9	45.0	57.5
	19:05:00	51.2	46.0	54.0
	19:10:00	49.1	45.5	52.0
	19:15:00	53.0	45.5	55.5
	19:20:00	55.1	46.5	56.0
	19:25:00	51.5	46.5	52.5
	19:30:00	52.9	46.0	54.5
	19:35:00	51.1	46.5	53.0
	19:40:00	52.8	46.5	56.0
	19:45:00	50.5	46.5	52.0
	19:50:00	53.3	46.5	55.5
	19:55:00	49.2	46.0	51.5
	20:00:00	52.1	47.0	55.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	20:05:00	52.1	46.0	56.0
	20:10:00	54.3	46.0	57.0
	20:15:00	50.7	46.0	54.5
	20:20:00	52.3	45.0	56.5
	20:25:00	50.6	44.5	51.5
	20:30:00	52.2	45.0	54.5
	20:35:00	53.3	45.0	57.5
	20:40:00	50.4	45.5	52.5
	20:45:00	48.2	45.0	50.0
	20:50:00	52.8	45.0	58.5
	20:55:00	51.2	44.5	53.5
	21:00:00	63.2	46.0	68.0
	21:05:00	55.6	45.5	55.5
	21:10:00	52.4	45.5	55.0
	21:15:00	58.6	46.5	61.0
	21:20:00	58.2	46.0	60.0
	21:25:00	56.8	46.0	59.0
	21:30:00	60.6	46.5	55.5
	21:35:00	58.6	47.5	62.0
	21:40:00	52.1	45.0	54.0
	21:45:00	48.2	45.0	50.5
	21:50:00	48.1	45.0	49.5
	21:55:00	47.0	45.0	48.0
	22:00:00	49.7	45.0	51.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	22:05:00	46.1	44.5	47.0
	22:10:00	47.4	44.0	49.5
	22:15:00	48.1	44.5	49.0
	22:20:00	47.7	44.5	49.0
	22:25:00	49.3	44.5	51.5
	22:30:00	46.8	44.5	48.5
	22:35:00	47.1	44.5	48.5
	22:40:00	47.7	44.5	49.0
	22:45:00	48.1	44.5	49.5
	22:50:00	48.7	45.0	51.0
	22:55:00	46.7	45.0	48.0
	23:00:00	47.2	44.0	49.0
	23:05:00	49.0	44.5	50.5
	23:10:00	47.0	44.0	48.0
	23:15:00	48.6	44.5	50.0
	23:20:00	50.7	44.5	52.0
	23:25:00	46.7	44.0	49.0
	23:30:00	45.2	44.0	46.0
	23:35:00	56.0	44.0	57.0
	23:40:00	51.9	45.5	55.0
	23:45:00	50.8	44.5	48.5
	23:50:00	47.7	46.0	48.0
	23:55:00	47.3	46.0	48.5
	0:00:00	47.1	45.5	48.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	0:05:00	46.3	45.0	47.0
	0:10:00	46.9	45.5	48.0
	0:15:00	51.1	45.5	52.0
	0:20:00	46.6	45.5	47.5
	0:25:00	46.6	45.5	47.0
	0:30:00	48.9	45.5	51.0
	0:35:00	46.2	45.5	47.0
	0:40:00	46.5	45.5	47.0
	0:45:00	46.3	45.0	47.0
	0:50:00	46.3	45.0	47.0
	0:55:00	47.2	45.5	48.0
	1:00:00	48.5	45.5	50.0
	1:05:00	46.6	44.5	48.5
	1:10:00	45.3	44.5	46.0
	1:15:00	46.6	45.5	47.0
	1:20:00	46.2	45.5	46.5
	1:25:00	45.9	45.0	46.5
	1:30:00	45.9	45.0	46.0
	1:35:00	45.9	45.5	46.0
	1:40:00	45.9	45.5	46.0
	1:45:00	46.0	45.5	46.5
	1:50:00	46.1	45.5	46.5
	1:55:00	47.1	46.0	47.5
	2:00:00	47.3	45.5	49.0
	2:05:00	46.8	45.5	47.5
	2:10:00	45.9	45.5	46.0
	2:15:00	46.3	45.5	47.0
	2:20:00	45.7	45.0	46.0
	2:25:00	46.1	45.5	46.5
	2:30:00	47.6	45.5	49.0
	2:35:00	46.9	45.0	47.0
	2:40:00	45.6	45.0	46.0
	2:45:00	45.6	45.0	46.0
	2:50:00	45.8	45.0	46.0
	2:55:00	45.7	45.0	46.0
	3:00:00	46.1	45.5	46.5
	3:05:00	45.7	45.0	46.0
	3:10:00	45.7	45.0	46.0
	3:15:00	45.9	45.0	46.0
	3:20:00	45.7	45.0	46.0
	3:25:00	46.7	45.5	47.0
	3:30:00	46.6	45.5	47.5
	3:35:00	48.8	45.5	48.5
	3:40:00	47.1	46.0	47.5
	3:45:00	47.9	46.0	48.5
	3:50:00	46.5	46.0	46.5
	3:55:00	46.6	46.0	47.0
	4:00:00	46.6	46.0	47.0
	4:05:00	46.6	46.0	46.5
	4:10:00	46.7	46.0	47.0
	4:15:00	46.4	46.0	46.5
	4:20:00	46.8	46.0	47.0
	4:25:00	46.4	46.0	46.5
	4:30:00	46.5	46.0	47.0
	4:35:00	46.8	46.0	48.0
	4:40:00	46.5	45.5	47.5
	4:45:00	46.4	45.5	46.5
	4:50:00	47.1	46.0	48.5
	4:55:00	47.5	46.0	48.5
	5:00:00	52.9	46.0	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	5:05:00	49.7	46.5	51.5
	5:10:00	50.3	46.5	53.0
	5:15:00	52.7	47.5	56.0
	5:20:00	55.9	49.5	58.5
	5:25:00	58.9	50.0	62.0
	5:30:00	52.8	47.5	56.0
	5:35:00	53.2	47.5	56.0
	5:40:00	53.6	48.0	55.5
	5:45:00	51.1	46.5	53.0
	5:50:00	51.8	46.5	55.0
	5:55:00	53.8	48.5	57.0
	6:00:00	50.9	46.5	53.5
	6:05:00	51.2	47.0	54.0
	6:10:00	51.1	47.5	52.5
	6:15:00	55.1	48.0	57.5
	6:20:00	52.1	47.0	54.5
	6:25:00	55.1	48.0	56.0
	6:30:00	55.0	47.5	58.5
	6:35:00	52.4	48.0	55.0
	6:40:00	49.5	47.0	51.5
	6:45:00	51.0	46.5	54.0
	6:50:00	52.3	47.5	54.5
	6:55:00	55.4	48.5	58.0
	7:00:00	53.8	48.0	56.5
	7:05:00	50.4	47.5	52.5
	7:10:00	54.9	48.0	58.0
	7:15:00	53.8	47.5	54.5
	7:20:00	52.9	47.5	56.5
	7:25:00	51.1	47.0	54.0
	7:30:00	51.9	47.5	54.5
	7:35:00	52.2	47.5	55.5
	7:40:00	50.2	47.0	52.5
	7:45:00	51.1	47.0	53.0
	7:50:00	54.0	47.5	55.0
	7:55:00	52.0	48.5	54.5
	8:00:00	52.3	47.5	56.5
	8:05:00	51.0	46.5	53.0
	8:10:00	54.2	47.5	54.5
	8:15:00	51.0	47.5	53.5
	8:20:00	51.8	46.5	53.0
	8:25:00	55.2	50.0	58.0
	8:30:00	57.9	50.5	61.0
	8:35:00	55.6	47.5	59.0
	8:40:00	49.5	47.0	52.0
	8:45:00	54.3	47.5	57.0
	8:50:00	54.5	47.0	59.0
	8:55:00	49.5	46.5	51.5
	9:00:00	53.2	47.5	56.0
	9:05:00	54.6	48.0	57.0
	9:10:00	51.8	47.0	53.5
	9:15:00	53.1	47.5	56.0
	9:20:00	56.4	47.0	59.5
	9:25:00	57.1	47.0	59.5
	9:30:00	50.6	46.5	53.0
	9:35:00	51.2	46.0	52.5
	9:40:00	52.9	46.5	55.0
	9:45:00	49.8	46.0	52.0
	9:50:00	58.2	46.0	61.0
	9:55:00	53.4	46.0	57.5
	10:00:00	54.4	46.5	58.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	10:05:00	55.8	46.0	61.0
	10:10:00	57.4	47.0	61.5
	10:15:00	57.5	47.5	60.5
	10:20:00	57.0	49.0	60.0
	10:25:00	56.6	46.5	60.0
	10:30:00	51.1	45.5	50.5
	10:35:00	57.2	46.0	58.0
	10:40:00	57.4	47.0	61.5
	10:45:00	52.6	46.0	55.5
	10:50:00	55.2	47.0	57.5
	10:55:00	59.6	50.5	61.0
	11:00:00	49.7	46.0	51.5
	11:05:00	51.8	45.5	55.0
	11:10:00	51.0	44.5	54.0
	11:15:00	52.5	45.5	55.0
	11:20:00	53.8	48.5	56.0
	11:25:00	54.9	49.0	57.5
	11:30:00	56.1	47.5	60.0
	11:35:00	54.2	45.5	58.0
	11:40:00	53.4	45.0	58.0
	11:45:00	53.3	46.5	56.5
	11:50:00	54.2	45.5	52.5
	11:55:00	53.1	45.0	55.0
	12:00:00	54.5	46.0	59.0
	12:05:00	50.2	46.0	52.5
	12:10:00	49.9	45.0	52.5
	12:15:00	53.4	46.0	56.0
	12:20:00	52.8	46.5	56.0
	12:25:00	51.9	46.0	54.5
	12:30:00	51.0	46.0	54.0
	12:35:00	54.9	45.0	56.5
	12:40:00	52.5	45.0	55.5
	12:45:00	50.1	44.5	52.5
	12:50:00	50.7	45.0	54.0
	12:55:00	54.2	45.5	57.0
	13:00:00	53.9	43.0	57.0
	13:05:00	56.9	47.0	60.5
	13:10:00	53.0	46.5	56.5
	13:15:00	52.3	43.5	55.5
	13:20:00	55.3	45.5	57.0
	13:25:00	53.8	46.0	57.5
	13:30:00	52.5	44.5	56.0
	13:35:00	55.4	44.5	60.0
	13:40:00	50.7	43.5	54.5
	13:45:00	54.9	44.5	56.5
	13:50:00	52.1	45.5	54.5
	13:55:00	50.7	44.0	54.0
	14:00:00	51.3	43.5	55.5
	14:05:00	52.2	41.5	55.0
	14:10:00	56.9	45.5	59.5
	14:15:00	53.6	44.5	58.0
	14:20:00	57.4	45.0	61.0
	14:25:00	53.7	44.5	57.5
	14:30:00	51.5	44.5	55.0
	14:35:00	51.7	44.0	54.5
	14:40:00	57.4	44.5	59.0
	14:45:00	58.5	45.0	62.0
	14:50:00	62.0	50.0	63.5
	14:55:00	60.2	48.5	63.5
	15:00:00	55.1	46.5	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	15:05:00	59.3	49.0	63.0
	15:10:00	58.1	49.5	60.5
	15:15:00	56.1	47.5	59.5
	15:20:00	65.1	59.5	66.0
	15:25:00	62.0	50.0	65.0
	15:30:00	54.5	49.0	57.5
	15:35:00	60.6	49.5	63.5
	15:40:00	62.9	55.5	65.0
	15:45:00	65.5	47.5	68.5
	15:50:00	72.9	45.5	60.0
	15:55:00	52.8	46.0	55.5
	16:00:00	51.8	45.0	55.0
	16:05:00	60.7	45.5	64.0
	16:10:00	56.7	49.0	60.0
	16:15:00	59.0	46.5	63.0
	16:20:00	50.7	45.5	53.0
	16:25:00	55.2	45.0	59.5
	16:30:00	63.0	45.0	62.0
	16:35:00	54.9	43.5	57.0
	16:40:00	49.2	42.0	50.5
	16:45:00	48.0	43.0	49.5
	16:50:00	54.0	44.0	56.5
	16:55:00	51.3	44.0	54.5
	17:00:00	58.8	45.5	62.5
	17:05:00	51.9	43.5	55.0
	17:10:00	54.3	42.5	57.5
	17:15:00	50.9	43.0	53.5
	17:20:00	51.2	42.0	53.5
	17:25:00	47.4	41.0	49.5
	17:30:00	47.9	41.5	49.5
	17:35:00	50.0	40.5	53.5
	17:40:00	58.4	42.0	61.5
	17:45:00	55.6	42.5	60.0
	17:50:00	51.1	42.5	53.0
	17:55:00	64.3	44.5	60.5
	18:00:00	64.7	45.0	65.5
	18:05:00	53.6	42.5	56.5
	18:10:00	50.8	42.5	52.5
	18:15:00	49.7	43.0	51.5
	18:20:00	51.9	44.5	54.5
	18:25:00	51.3	45.0	54.0
	18:30:00	52.8	43.0	55.0
	18:35:00	52.9	45.0	54.5
	18:40:00	48.8	44.0	52.0
	18:45:00	49.8	44.5	52.5
	18:50:00	50.5	45.0	53.5
	18:55:00	50.8	44.0	53.5
	19:00:00	51.2	45.0	54.0
	19:05:00	50.7	45.5	53.5
	19:10:00	49.6	44.5	52.0
	19:15:00	51.4	44.0	54.5
	19:20:00	48.3	42.5	49.5
	19:25:00	48.3	43.0	51.0
	19:30:00	47.0	43.0	49.5
	19:35:00	50.4	43.5	53.5
	19:40:00	49.9	43.0	52.0
	19:45:00	49.3	42.0	52.5
	19:50:00	48.4	45.5	50.0
	19:55:00	51.3	46.0	55.0
	20:00:00	47.8	45.0	49.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	20:05:00	52.1	46.0	54.0
	20:10:00	55.1	45.0	58.0
	20:15:00	55.3	45.0	58.0
	20:20:00	50.9	45.5	53.0
	20:25:00	48.7	45.5	50.5
	20:30:00	48.7	46.0	50.0
	20:35:00	51.2	46.5	53.0
	20:40:00	50.2	46.5	52.5
	20:45:00	50.5	46.5	52.5
	20:50:00	49.1	46.0	51.0
	20:55:00	51.1	46.0	54.0
	21:00:00	51.9	45.5	50.5
	21:05:00	48.2	45.5	50.0
	21:10:00	49.9	46.0	52.5
	21:15:00	48.9	45.5	51.0
	21:20:00	49.0	46.0	51.0
	21:25:00	48.9	45.5	51.0
	21:30:00	51.9	45.0	53.5
	21:35:00	47.8	45.0	49.0
	21:40:00	46.6	44.5	48.0
	21:45:00	53.7	44.5	55.5
	21:50:00	47.6	45.0	49.0
	21:55:00	47.5	45.0	49.0
	22:00:00	48.3	44.5	50.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	22:05:00	47.3	44.5	50.5
	22:10:00	47.5	44.5	49.5
	22:15:00	47.0	44.5	48.5
	22:20:00	47.3	39.0	48.5
	22:25:00	48.2	41.0	51.0
	22:30:00	51.3	46.5	55.0
	22:35:00	48.7	46.0	50.0
	22:40:00	48.8	42.0	53.0
	22:45:00	49.4	44.0	53.5
	22:50:00	45.7	43.5	47.0
	22:55:00	46.8	41.0	48.0
	23:00:00	43.6	40.5	45.0
	23:05:00	48.0	41.0	51.0
	23:10:00	47.4	41.0	49.0
	23:15:00	44.5	40.5	47.5
	23:20:00	42.5	40.0	44.0
	23:25:00	48.5	40.5	52.5
	23:30:00	51.3	41.0	55.5
	23:35:00	48.0	41.0	52.0
	23:40:00	43.6	40.5	44.5
	23:45:00	41.4	40.0	42.0
	23:50:00	42.0	40.0	42.5
	23:55:00	42.1	40.0	42.5
	0:00:00	45.4	40.0	48.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	0:05:00	44.2	40.0	48.0
	0:10:00	53.2	40.5	55.0
	0:15:00	54.2	42.0	57.0
	0:20:00	45.4	40.0	49.5
	0:25:00	43.3	40.0	46.0
	0:30:00	42.9	40.0	42.5
	0:35:00	42.0	40.0	43.0
	0:40:00	40.8	39.5	41.5
	0:45:00	41.8	40.0	43.0
	0:50:00	42.1	40.0	43.0
	0:55:00	42.1	40.5	43.0
	1:00:00	44.7	40.5	48.0
	1:05:00	46.6	40.5	51.5
	1:10:00	42.4	40.0	43.0
	1:15:00	41.5	40.0	41.5
	1:20:00	43.2	40.0	46.0
	1:25:00	43.5	40.0	46.0
	1:30:00	42.1	40.0	43.0
	1:35:00	43.0	40.5	46.5
	1:40:00	44.2	39.5	48.0
	1:45:00	41.0	39.5	42.0
	1:50:00	42.9	40.0	45.0
	1:55:00	43.1	40.0	43.5
	2:00:00	40.3	39.5	41.0
	2:05:00	40.8	40.0	41.5
	2:10:00	41.0	39.5	41.0
	2:15:00	41.6	40.0	42.0
	2:20:00	41.3	40.0	41.0
	2:25:00	46.2	40.0	46.5
	2:30:00	43.9	40.0	44.0
	2:35:00	40.4	39.5	41.0
	2:40:00	40.4	39.5	41.0
	2:45:00	43.0	39.5	44.0
	2:50:00	44.5	39.5	49.0
	2:55:00	41.5	39.5	42.5
	3:00:00	40.6	39.5	41.0
	3:05:00	41.8	39.5	42.0
	3:10:00	41.7	39.5	42.5
	3:15:00	40.8	39.5	41.5
	3:20:00	48.0	39.5	49.5
	3:25:00	42.4	40.0	43.0
	3:30:00	47.0	40.0	51.5
	3:35:00	41.3	40.0	42.0
	3:40:00	42.5	40.0	42.0
	3:45:00	43.3	40.5	44.0
	3:50:00	50.3	40.5	52.5
	3:55:00	44.3	42.0	46.0
	4:00:00	46.6	40.0	48.5
	4:05:00	42.4	40.0	44.0
	4:10:00	43.1	40.5	45.0
	4:15:00	44.3	40.5	46.0
	4:20:00	45.3	40.5	46.5
	4:25:00	45.1	42.5	47.0
	4:30:00	45.0	41.0	47.0
	4:35:00	52.7	44.0	55.5
	4:40:00	54.0	46.5	57.0
	4:45:00	55.3	48.5	58.0
	4:50:00	53.3	47.0	56.0
	4:55:00	54.3	46.5	57.0
	5:00:00	57.4	45.5	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	5:05:00	51.5	43.0	53.5
	5:10:00	52.3	42.5	56.0
	5:15:00	48.6	40.5	50.5
	5:20:00	46.5	41.5	49.5
	5:25:00	48.5	42.0	51.5
	5:30:00	50.0	40.5	54.0
	5:35:00	46.5	40.0	50.5
	5:40:00	49.7	41.5	53.0
	5:45:00	54.8	40.5	49.5
	5:50:00	48.8	41.5	51.5
	5:55:00	48.8	41.5	52.0
	6:00:00	50.3	40.5	53.5
	6:05:00	48.8	42.5	51.5
	6:10:00	49.0	40.5	52.5
	6:15:00	48.9	40.5	52.0
	6:20:00	47.5	40.5	51.0
	6:25:00	50.1	42.0	54.0
	6:30:00	48.9	42.0	52.0
	6:35:00	55.0	43.5	58.5
	6:40:00	49.0	42.0	52.0
	6:45:00	54.3	42.5	54.5
	6:50:00	49.6	43.0	52.5
	6:55:00	48.5	43.0	51.5
	7:00:00	49.4	42.5	52.5
	7:05:00	50.8	44.0	54.5
	7:10:00	49.2	43.5	52.5
	7:15:00	49.4	42.5	53.0
	7:20:00	50.7	43.0	53.5
	7:25:00	49.6	43.5	53.0
	7:30:00	52.7	44.0	56.5
	7:35:00	49.8	47.5	51.5
	7:40:00	52.9	48.5	54.5
	7:45:00	54.8	50.5	57.5
	7:50:00	49.4	43.0	52.0
	7:55:00	47.6	42.5	50.5
	8:00:00	48.2	44.0	50.5
	8:05:00	47.8	43.0	50.0
	8:10:00	48.7	43.5	51.5
	8:15:00	50.4	44.0	53.5
	8:20:00	52.6	46.0	55.5
	8:25:00	48.7	45.0	50.0
	8:30:00	54.9	45.5	60.5
	8:35:00	51.6	45.5	54.0
	8:40:00	53.0	46.0	56.0
	8:45:00	51.4	46.0	54.0
	8:50:00	57.1	48.0	60.5
	8:55:00	57.8	47.5	61.0
	9:00:00	57.2	46.5	60.0
	9:05:00	56.7	46.0	60.5
	9:10:00	58.1	46.5	61.5
	9:15:00	57.0	46.5	61.0
	9:20:00	53.4	46.0	56.5
	9:25:00	54.8	45.5	57.5
	9:30:00	55.3	47.0	59.0
	9:35:00	66.9	50.5	61.5
	9:40:00	52.1	46.0	53.5
	9:45:00	59.9	48.0	62.5
	9:50:00	57.4	48.5	61.5
	9:55:00	53.1	48.5	55.0
	10:00:00	56.8	50.0	60.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	10:05:00	55.8	51.5	59.5
	10:10:00	54.8	51.5	57.0
	10:15:00	57.8	51.5	61.0
	10:20:00	55.5	50.0	59.5
	10:25:00	55.8	50.0	58.5
	10:30:00	54.7	48.0	55.5
	10:35:00	55.7	53.5	56.5
	10:40:00	54.5	49.5	57.5
	10:45:00	55.2	50.5	57.0
	10:50:00	57.1	52.0	59.0
	10:55:00	55.4	50.5	57.5
	11:00:00	54.0	49.5	54.5
	11:05:00	52.9	48.5	55.5
	11:10:00	53.8	48.0	54.5
	11:15:00	57.4	50.5	62.5
	11:20:00	59.0	48.0	62.5
	11:25:00	61.8	49.5	63.0
	11:30:00	62.8	61.5	63.5
	11:35:00	57.7	54.0	61.0
	11:40:00	54.7	52.0	55.5
	11:45:00	54.7	51.0	56.5
	11:50:00	53.3	49.0	56.0
	11:55:00	54.4	48.0	57.0
	12:00:00	51.1	46.5	53.5
	12:05:00	51.1	44.5	53.5
	12:10:00	56.5	48.0	58.5
	12:15:00	51.1	45.5	53.5
	12:20:00	56.4	46.0	60.5
	12:25:00	54.6	47.0	56.5
	12:30:00	57.9	51.0	61.0
	12:35:00	54.7	50.0	58.5
	12:40:00	54.2	48.5	57.0
	12:45:00	54.0	46.5	57.5
	12:50:00	53.6	46.5	57.0
	12:55:00	52.6	49.5	54.5
	13:00:00	53.7	48.0	54.5
	13:05:00	53.6	48.5	55.0
	13:10:00	53.8	49.5	56.0
	13:15:00	54.1	48.0	58.5
	13:20:00	52.5	49.5	54.5
	13:25:00	56.8	49.5	60.5
	13:30:00	54.9	51.0	57.0
	13:35:00	58.2	53.0	60.5
	13:40:00	56.6	50.0	60.5
	13:45:00	54.7	48.5	59.0
	13:50:00	52.4	48.0	54.5
	13:55:00	56.4	49.0	60.0
	14:00:00	59.4	49.5	62.5
	14:05:00	60.2	56.0	62.0
	14:10:00	56.7	49.0	60.0
	14:15:00	57.2	49.0	60.0
	14:20:00	58.8	50.0	61.5
	14:25:00	54.5	50.0	57.5
	14:30:00	53.5	50.0	54.5
	14:35:00	52.5	49.0	54.5
	14:40:00	51.9	47.5	53.5
	14:45:00	52.4	46.5	54.5
	14:50:00	56.2	47.5	60.0
	14:55:00	57.4	46.0	61.5
	15:00:00	55.9	47.0	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	15:05:00	57.5	47.5	60.5
	15:10:00	67.6	51.5	72.0
	15:15:00	66.0	46.0	56.5
	15:20:00	57.6	50.0	59.5
	15:25:00	59.6	57.0	62.0
	15:30:00	61.2	57.0	64.0
	15:35:00	54.7	48.0	57.5
	15:40:00	54.3	47.0	58.0
	15:45:00	62.2	48.0	64.5
	15:50:00	64.1	47.5	61.0
	15:55:00	55.4	47.5	59.5
	16:00:00	54.9	49.0	59.5
	16:05:00	50.7	47.5	53.0
	16:10:00	53.9	48.5	56.0
	16:15:00	53.5	47.5	55.5
	16:20:00	53.5	46.5	56.0
	16:25:00	52.7	47.0	56.0
	16:30:00	55.0	47.5	58.5
	16:35:00	56.2	48.0	56.5
	16:40:00	50.7	47.5	53.0
	16:45:00	54.5	49.5	54.0
	16:50:00	52.9	50.5	54.0
	16:55:00	51.1	47.5	53.5
	17:00:00	58.8	47.5	58.0
	17:05:00	49.8	46.0	52.5
	17:10:00	57.8	46.0	62.0
	17:15:00	51.7	46.0	54.5
	17:20:00	52.3	44.5	54.5
	17:25:00	48.8	44.0	51.0
	17:30:00	50.7	44.0	54.0
	17:35:00	47.3	42.5	49.5
	17:40:00	49.4	44.0	52.0
	17:45:00	51.9	44.5	55.5
	17:50:00	48.6	44.5	51.0
	17:55:00	48.2	43.5	50.5
	18:00:00	49.0	43.5	50.5
	18:05:00	47.0	43.5	49.5
	18:10:00	52.7	45.0	56.0
	18:15:00	46.9	43.0	48.0
	18:20:00	50.0	43.5	53.5
	18:25:00	48.3	43.0	50.5
	18:30:00	47.0	43.0	49.5
	18:35:00	49.0	44.0	51.0
	18:40:00	48.7	44.0	51.5
	18:45:00	47.5	44.0	50.0
	18:50:00	49.3	44.5	53.0
	18:55:00	47.7	44.0	50.0
	19:00:00	46.9	43.5	48.5
	19:05:00	47.8	42.0	51.0
	19:10:00	46.1	42.0	48.5
	19:15:00	46.7	43.5	49.0
	19:20:00	47.3	43.5	50.5
	19:25:00	47.5	42.5	49.5
	19:30:00	52.1	44.0	55.0
	19:35:00	49.8	44.0	53.5
	19:40:00	48.9	43.5	51.5
	19:45:00	48.6	43.5	50.5
	19:50:00	53.1	44.0	53.0
	19:55:00	50.5	43.5	53.0
	20:00:00	44.6	41.0	46.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	20:05:00	51.3	41.5	53.5
	20:10:00	45.6	40.5	47.5
	20:15:00	46.9	41.5	49.0
	20:20:00	46.5	40.5	49.0
	20:25:00	46.1	41.0	48.0
	20:30:00	45.1	41.5	47.0
	20:35:00	43.9	41.0	44.5
	20:40:00	46.0	43.0	47.5
	20:45:00	49.0	43.5	49.5
	20:50:00	46.3	43.0	47.5
	20:55:00	46.0	43.0	47.5
	21:00:00	48.0	43.5	50.5
	21:05:00	46.1	42.5	48.0
	21:10:00	49.2	42.5	52.5
	21:15:00	46.0	42.0	48.0
	21:20:00	45.4	42.5	46.5
	21:25:00	52.3	47.0	55.5
	21:30:00	54.4	49.0	57.0
	21:35:00	48.1	46.0	49.5
	21:40:00	48.2	45.0	50.0
	21:45:00	48.1	45.0	50.0
	21:50:00	49.4	45.0	51.0
	21:55:00	47.6	45.5	49.0
	22:00:00	50.3	47.0	52.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	22:05:00	50.0	45.0	52.5
	22:10:00	49.0	44.5	51.0
	22:15:00	47.0	43.5	49.5
	22:20:00	46.2	42.5	48.0
	22:25:00	46.3	42.0	48.5
	22:30:00	45.2	41.5	47.0
	22:35:00	46.8	42.5	48.5
	22:40:00	46.4	42.5	49.5
	22:45:00	46.1	42.0	49.0
	22:50:00	43.9	42.0	45.0
	22:55:00	45.9	41.5	49.0
	23:00:00	48.6	42.0	51.5
	23:05:00	49.4	42.0	51.0
	23:10:00	46.2	43.0	47.5
	23:15:00	46.6	43.0	47.5
	23:20:00	47.8	43.0	51.5
	23:25:00	44.9	42.5	47.0
	23:30:00	49.8	43.0	55.0
	23:35:00	44.9	42.0	45.5
	23:40:00	46.9	43.0	50.5
	23:45:00	44.0	42.0	45.0
	23:50:00	43.0	41.5	43.5
	23:55:00	45.6	41.5	47.5
	0:00:00	51.2	41.0	48.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	0:05:00	55.1	42.0	60.0
	0:10:00	48.7	41.0	52.5
	0:15:00	45.5	41.5	48.0
	0:20:00	46.7	43.0	48.0
	0:25:00	44.1	43.0	44.5
	0:30:00	49.4	43.0	52.0
	0:35:00	45.1	43.0	47.0
	0:40:00	45.0	43.5	46.0
	0:45:00	51.1	44.0	54.5
	0:50:00	48.0	43.0	51.5
	0:55:00	44.8	43.0	46.0
	1:00:00	45.1	43.5	46.0
	1:05:00	45.2	44.0	46.0
	1:10:00	44.9	43.5	46.0
	1:15:00	44.9	43.0	46.0
	1:20:00	44.3	42.5	45.0
	1:25:00	44.1	42.0	45.0
	1:30:00	44.3	41.5	45.5
	1:35:00	44.9	41.0	47.0
	1:40:00	42.8	41.0	43.5
	1:45:00	43.0	41.0	44.0
	1:50:00	45.2	41.0	48.5
	1:55:00	45.3	40.5	48.0
	2:00:00	41.6	40.5	42.0
	2:05:00	41.8	40.5	42.0
	2:10:00	45.1	40.5	45.0
	2:15:00	43.2	41.5	44.0
	2:20:00	50.3	46.0	52.0
	2:25:00	46.5	43.5	48.5
	2:30:00	44.2	42.5	45.5
	2:35:00	43.3	41.5	44.0
	2:40:00	45.1	42.5	46.5
	2:45:00	48.8	46.5	50.0
	2:50:00	48.1	46.0	49.5
	2:55:00	45.5	43.5	47.0
	3:00:00	44.0	42.5	45.0
	3:05:00	42.9	41.5	43.5
	3:10:00	42.3	41.0	42.5
	3:15:00	45.5	41.0	47.0
	3:20:00	44.6	41.5	46.5
	3:25:00	48.0	42.0	51.5
	3:30:00	44.6	41.5	47.0
	3:35:00	46.5	44.5	48.0
	3:40:00	48.1	45.0	49.5
	3:45:00	49.3	47.5	51.0
	3:50:00	47.7	45.5	49.0
	3:55:00	47.3	44.0	48.5
	4:00:00	47.1	43.0	49.5
	4:05:00	50.2	43.0	53.0
	4:10:00	45.0	42.0	47.0
	4:15:00	45.1	42.0	47.5
	4:20:00	46.6	43.0	48.0
	4:25:00	47.6	45.0	49.0
	4:30:00	47.8	44.0	50.0
	4:35:00	50.4	47.0	52.0
	4:40:00	50.8	47.5	52.5
	4:45:00	52.9	49.5	55.0
	4:50:00	53.3	49.0	56.0
	4:55:00	52.3	48.5	55.0
	5:00:00	52.0	48.5	54.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	5:05:00	52.2	48.5	54.5
	5:10:00	52.2	49.5	54.0
	5:15:00	52.2	49.0	54.0
	5:20:00	52.1	50.0	53.5
	5:25:00	52.1	47.5	54.0
	5:30:00	54.5	45.0	57.5
	5:35:00	47.3	44.0	49.5
	5:40:00	50.5	44.5	51.5
	5:45:00	49.9	46.0	52.0
	5:50:00	48.5	45.5	50.0
	5:55:00	48.8	44.0	52.0
	6:00:00	47.7	43.0	50.0
	6:05:00	65.7	42.0	53.5
	6:10:00	56.1	43.5	59.0
	6:15:00	46.5	41.5	49.5
	6:20:00	47.0	42.0	50.0
	6:25:00	47.8	41.5	51.0
	6:30:00	51.7	41.0	53.0
	6:35:00	51.6	42.0	55.5
	6:40:00	47.7	41.5	51.0
	6:45:00	50.6	44.0	53.5
	6:50:00	48.5	43.5	50.5
	6:55:00	51.6	42.0	56.0
	7:00:00	48.4	42.0	51.5
	7:05:00	52.6	43.5	53.5
	7:10:00	47.2	42.5	49.5
	7:15:00	49.1	43.0	53.0
	7:20:00	48.8	42.5	51.5
	7:25:00	50.7	43.5	54.5
	7:30:00	48.9	42.5	51.5
	7:35:00	52.1	42.0	58.0
	7:40:00	58.4	44.5	60.5
	7:45:00	58.1	43.0	60.0
	7:50:00	51.5	42.5	54.5
	7:55:00	51.1	45.5	54.0
	8:00:00	50.6	45.0	53.5
	8:05:00	50.1	45.5	52.5
	8:10:00	50.1	43.5	53.5
	8:15:00	50.4	45.0	53.0
	8:20:00	48.6	44.5	50.0
	8:25:00	49.4	43.0	52.0
	8:30:00	49.8	43.0	52.5
	8:35:00	51.1	41.5	54.0
	8:40:00	51.4	42.5	54.0
	8:45:00	57.2	43.5	60.5
	8:50:00	54.5	42.0	59.5
	8:55:00	56.0	43.0	59.5
	9:00:00	57.2	44.0	60.0
	9:05:00	50.9	42.5	55.5
	9:10:00	55.9	46.0	59.5
	9:15:00	52.4	43.5	56.5
	9:20:00	48.5	42.5	51.0
	9:25:00	54.4	43.5	58.0
	9:30:00	55.8	43.5	59.0
	9:35:00	55.3	43.0	60.5
	9:40:00	52.7	46.0	55.5
	9:45:00	50.1	44.0	53.0
	9:50:00	55.7	45.5	59.5
	9:55:00	56.9	45.0	60.5
	10:00:00	56.2	47.5	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	10:05:00	55.6	43.0	60.0
	10:10:00	53.9	43.5	58.0
	10:15:00	52.6	45.5	57.0
	10:20:00	52.9	44.0	56.5
	10:25:00	50.5	43.0	54.0
	10:30:00	51.5	43.5	51.0
	10:35:00	55.6	48.5	59.0
	10:40:00	59.7	52.0	63.5
	10:45:00	60.3	55.5	63.5
	10:50:00	60.4	55.0	64.5
	10:55:00	64.6	55.0	67.5
	11:00:00	58.2	53.5	60.0
	11:05:00	54.8	49.0	58.0
	11:10:00	50.7	45.5	52.0
	11:15:00	50.5	45.0	51.5
	11:20:00	61.8	45.5	64.0
	11:25:00	56.3	47.0	60.0
	11:30:00	50.5	44.5	54.0
	11:35:00	47.5	43.5	49.5
	11:40:00	51.5	42.5	55.0
	11:45:00	49.7	43.0	52.0
	11:50:00	50.9	43.5	54.0
	11:55:00	47.1	43.0	50.0
	12:00:00	48.8	43.5	48.5
	12:05:00	57.9	44.0	63.0
	12:10:00	50.2	44.0	52.0
	12:15:00	52.2	45.5	54.5
	12:20:00	51.9	49.0	54.0
	12:25:00	50.3	43.5	52.5
	12:30:00	50.6	43.5	53.0
	12:35:00	47.7	43.0	50.0
	12:40:00	56.2	44.0	61.0
	12:45:00	51.9	43.5	53.5
	12:50:00	56.3	44.5	60.0
	12:55:00	55.7	43.5	58.0
	13:00:00	55.1	54.0	56.0
	13:05:00	57.7	54.0	60.5
	13:10:00	57.0	54.5	59.0
	13:15:00	56.3	47.0	58.5
	13:20:00	52.1	41.5	55.5
	13:25:00	54.4	43.5	55.5
	13:30:00	52.6	42.5	58.0
	13:35:00	51.4	42.0	54.5
	13:40:00	52.5	44.0	57.5
	13:45:00	51.5	43.0	55.0
	13:50:00	55.7	42.0	60.0
	13:55:00	58.7	43.5	63.0
	14:00:00	52.6	43.5	55.5
	14:05:00	52.5	43.5	56.0
	14:10:00	53.5	42.5	58.0
	14:15:00	52.6	44.0	54.5
	14:20:00	55.7	45.0	60.0
	14:25:00	57.3	44.0	61.0
	14:30:00	55.5	42.0	60.0
	14:35:00	52.7	42.0	59.0
	14:40:00	57.7	44.5	58.5
	14:45:00	54.4	43.0	58.5
	14:50:00	56.2	45.5	57.0
	14:55:00	53.1	45.0	56.5
	15:00:00	74.2	46.0	81.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	15:05:00	52.6	45.0	55.5
	15:10:00	50.5	44.0	52.5
	15:15:00	54.6	43.5	54.0
	15:20:00	53.0	44.0	54.5
	15:25:00	53.2	44.0	57.5
	15:30:00	57.1	46.0	61.0
	15:35:00	55.1	45.0	58.0
	15:40:00	56.3	43.5	61.0
	15:45:00	55.0	44.5	59.0
	15:50:00	58.4	45.0	63.5
	15:55:00	51.5	42.5	54.0
	16:00:00	50.4	43.0	52.0
	16:05:00	60.0	43.0	65.0
	16:10:00	57.9	44.5	61.5
	16:15:00	54.8	43.0	57.0
	16:20:00	54.5	45.0	55.5
	16:25:00	55.9	45.0	60.5
	16:30:00	57.0	46.0	60.0
	16:35:00	58.8	46.5	62.5
	16:40:00	50.7	42.0	54.0
	16:45:00	50.1	44.0	52.0
	16:50:00	53.0	42.5	56.0
	16:55:00	51.5	42.5	55.0
	17:00:00	49.6	42.5	52.0
	17:05:00	49.2	43.5	52.0
	17:10:00	53.5	42.5	57.5
	17:15:00	52.0	44.0	54.5
	17:20:00	52.2	42.0	54.5
	17:25:00	52.2	40.5	55.5
	17:30:00	49.3	42.0	52.0
	17:35:00	53.5	42.5	57.0
	17:40:00	55.5	43.0	60.5
	17:45:00	52.5	42.0	55.0
	17:50:00	59.0	44.0	62.5
	17:55:00	51.0	42.5	54.5
	18:00:00	45.7	40.5	48.5
	18:05:00	45.6	41.0	47.0
	18:10:00	55.3	42.5	60.0
	18:15:00	49.4	43.0	52.0
	18:20:00	52.5	47.5	56.5
	18:25:00	50.3	43.5	53.0
	18:30:00	51.3	42.5	55.0
	18:35:00	52.2	43.5	55.0
	18:40:00	57.1	43.5	62.0
	18:45:00	56.0	47.0	59.5
	18:50:00	52.5	44.0	56.0
	18:55:00	46.3	42.0	48.0
	19:00:00	47.5	42.0	48.5
	19:05:00	51.6	43.0	52.5
	19:10:00	58.1	43.5	60.5
	19:15:00	59.5	43.5	63.0
	19:20:00	48.9	41.5	48.5
	19:25:00	45.0	41.5	47.0
	19:30:00	54.9	42.0	58.0
	19:35:00	56.4	43.0	59.0
	19:40:00	47.0	41.5	50.5
	19:45:00	54.6	42.5	55.5
	19:50:00	47.4	42.0	50.5
	19:55:00	46.8	42.5	48.5
	20:00:00	50.1	43.0	53.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	20:05:00	57.5	44.0	55.5
	20:10:00	63.8	44.0	65.5
	20:15:00	59.1	42.5	61.5
	20:20:00	54.9	43.0	56.0
	20:25:00	57.3	43.5	60.0
	20:30:00	61.6	44.0	59.0
	20:35:00	63.9	45.5	63.0
	20:40:00	58.1	43.5	60.5
	20:45:00	63.2	43.5	63.5
	20:50:00	58.9	45.5	63.5
	20:55:00	54.2	45.0	56.5
	21:00:00	47.1	42.0	49.0
	21:05:00	45.3	42.0	46.5
	21:10:00	49.5	43.0	52.5
	21:15:00	48.2	43.0	50.0
	21:20:00	46.8	42.0	50.0
	21:25:00	45.6	42.0	47.0
	21:30:00	47.2	43.0	50.0
	21:35:00	48.6	42.0	50.0
	21:40:00	52.4	42.5	54.0
	21:45:00	46.3	41.5	47.5
	21:50:00	48.0	42.0	50.5
	21:55:00	46.3	41.5	49.0
	22:00:00	46.9	41.5	48.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	22:05:00	47.5	41.5	51.0
	22:10:00	49.0	42.5	49.0
	22:15:00	45.7	42.0	47.5
	22:20:00	47.6	41.5	48.5
	22:25:00	48.1	42.0	51.5
	22:30:00	44.2	41.0	46.5
	22:35:00	44.9	41.5	46.0
	22:40:00	52.5	42.0	50.5
	22:45:00	45.2	42.0	46.5
	22:50:00	45.0	42.0	46.5
	22:55:00	44.8	42.0	46.5
	23:00:00	45.8	41.5	49.0
	23:05:00	47.3	42.0	50.0
	23:10:00	48.7	42.0	52.5
	23:15:00	45.7	41.5	46.5
	23:20:00	44.7	42.0	46.0
	23:25:00	45.8	42.0	49.5
	23:30:00	46.2	42.0	49.5
	23:35:00	53.6	42.0	57.0
	23:40:00	49.7	41.5	51.0
	23:45:00	44.6	41.5	47.5
	23:50:00	44.3	42.5	45.0
	23:55:00	45.4	42.5	47.5
	0:00:00	47.5	42.5	51.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	0:05:00	46.5	42.0	50.5
	0:10:00	46.9	42.5	50.5
	0:15:00	47.3	42.0	50.0
	0:20:00	45.2	42.0	48.0
	0:25:00	45.6	43.0	47.0
	0:30:00	45.4	43.5	46.5
	0:35:00	44.1	42.5	44.5
	0:40:00	46.3	42.5	48.5
	0:45:00	43.9	42.5	44.5
	0:50:00	46.2	42.5	47.0
	0:55:00	46.5	41.5	48.0
	1:00:00	46.9	41.0	49.0
	1:05:00	44.1	41.0	46.5
	1:10:00	45.8	41.0	48.0
	1:15:00	45.7	41.0	49.5
	1:20:00	43.1	41.0	44.0
	1:25:00	44.2	41.5	45.5
	1:30:00	42.5	41.0	42.5
	1:35:00	42.8	41.0	43.0
	1:40:00	42.2	41.0	42.5
	1:45:00	43.8	41.0	44.5
	1:50:00	44.3	41.0	45.0
	1:55:00	48.9	41.5	52.5
	2:00:00	42.0	41.0	42.5
	2:05:00	42.3	41.5	42.5
	2:10:00	41.5	40.5	42.5
	2:15:00	41.6	40.5	42.0
	2:20:00	45.7	41.0	48.0
	2:25:00	43.4	41.0	45.0
	2:30:00	43.5	40.5	46.5
	2:35:00	42.8	41.0	43.5
	2:40:00	42.8	40.5	43.5
	2:45:00	41.8	41.0	42.5
	2:50:00	42.4	40.5	43.0
	2:55:00	43.8	41.0	46.0
	3:00:00	43.5	41.0	44.0
	3:05:00	49.9	40.5	47.0
	3:10:00	41.8	41.0	42.5
	3:15:00	44.8	41.0	46.5
	3:20:00	46.3	41.0	44.5
	3:25:00	44.2	41.0	45.5
	3:30:00	43.3	41.0	44.5
	3:35:00	47.2	40.5	51.5
	3:40:00	42.4	41.0	43.5
	3:45:00	42.9	41.0	44.5
	3:50:00	42.6	41.0	44.0
	3:55:00	43.2	41.0	45.0
	4:00:00	45.3	41.5	46.5
	4:05:00	43.4	41.0	45.0
	4:10:00	43.7	41.0	45.0
	4:15:00	44.5	41.0	46.0
	4:20:00	44.2	41.0	46.0
	4:25:00	44.2	42.0	45.5
	4:30:00	44.5	42.0	45.5
	4:35:00	48.1	43.0	51.0
	4:40:00	51.2	44.0	54.5
	4:45:00	48.8	43.0	52.0
	4:50:00	52.5	44.0	56.0
	4:55:00	51.8	42.5	52.0
	5:00:00	50.9	42.0	52.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	5:05:00	48.3	42.0	49.5
	5:10:00	51.9	43.0	56.5
	5:15:00	48.8	42.5	50.5
	5:20:00	47.7	41.5	48.0
	5:25:00	50.6	41.5	55.0
	5:30:00	49.6	41.5	48.5
	5:35:00	47.0	41.5	49.0
	5:40:00	48.8	42.0	52.5
	5:45:00	48.0	42.0	50.0
	5:50:00	53.6	43.5	57.5
	5:55:00	47.7	42.5	50.5
	6:00:00	57.3	42.5	63.0
	6:05:00	51.2	44.5	54.0
	6:10:00	53.6	42.5	56.0
	6:15:00	50.2	43.5	53.5
	6:20:00	47.6	44.0	50.5
	6:25:00	46.1	43.5	47.5
	6:30:00	55.9	43.5	60.5
	6:35:00	51.0	44.0	53.5
	6:40:00	58.3	45.5	63.0
	6:45:00	55.4	44.0	57.0
	6:50:00	47.0	43.0	48.5
	6:55:00	46.3	42.5	47.5
	7:00:00	51.2	43.0	53.5
	7:05:00	51.6	43.0	52.0
	7:10:00	52.9	44.0	57.0
	7:15:00	50.0	44.0	52.0
	7:20:00	49.9	44.0	53.5
	7:25:00	49.3	44.0	52.0
	7:30:00	54.2	44.0	56.5
	7:35:00	49.3	43.0	53.0
	7:40:00	49.2	43.5	51.5
	7:45:00	46.9	43.0	49.0
	7:50:00	51.1	43.5	55.0
	7:55:00	48.0	43.5	51.0
	8:00:00	51.2	44.5	52.0
	8:05:00	47.9	45.0	49.5
	8:10:00	48.1	43.5	50.0
	8:15:00	51.6	45.0	54.5
	8:20:00	48.6	44.5	51.0
	8:25:00	52.3	44.5	54.5
	8:30:00	49.6	43.5	50.0
	8:35:00	48.5	43.5	51.0
	8:40:00	56.4	43.5	59.5
	8:45:00	52.4	43.5	54.5
	8:50:00	49.6	43.0	52.0
	8:55:00	54.7	43.5	58.5
	9:00:00	51.4	44.0	54.5
	9:05:00	56.2	43.5	60.0
	9:10:00	46.3	43.0	48.5
	9:15:00	55.9	45.5	59.0
	9:20:00	55.0	44.0	56.0
	9:25:00	52.6	43.0	51.5
	9:30:00	54.9	43.0	57.0
	9:35:00	54.2	43.5	59.0
	9:40:00	52.9	47.0	56.0
	9:45:00	56.0	52.0	59.0
	9:50:00	57.4	52.5	59.0
	9:55:00	58.1	51.5	62.0
	10:00:00	54.7	51.5	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	10:05:00	54.7	48.0	55.5
	10:10:00	53.2	47.0	56.5
	10:15:00	54.6	47.5	58.5
	10:20:00	51.5	45.5	54.5
	10:25:00	55.6	48.0	59.0
	10:30:00	57.6	45.0	56.0
	10:35:00	50.7	43.0	54.0
	10:40:00	50.2	44.5	53.5
	10:45:00	51.2	44.5	54.5
	10:50:00	52.7	43.5	54.0
	10:55:00	48.6	43.5	51.0
	11:00:00	52.4	43.5	54.0
	11:05:00	55.7	44.5	59.5
	11:10:00	52.3	45.5	54.0
	11:15:00	52.9	45.0	57.0
	11:20:00	53.3	45.0	56.5
	11:25:00	49.8	45.5	52.5
	11:30:00	50.8	44.5	54.5
	11:35:00	47.9	43.0	50.5
	11:40:00	46.4	42.5	48.5
	11:45:00	50.9	42.5	54.5
	11:50:00	52.3	43.0	53.0
	11:55:00	51.9	43.0	55.5
	12:00:00	50.2	43.0	52.0
	12:05:00	49.3	43.0	50.5
	12:10:00	48.3	43.5	51.5
	12:15:00	47.0	43.0	49.5
	12:20:00	48.6	41.5	52.0
	12:25:00	48.5	43.0	51.0
	12:30:00	48.4	43.0	50.5
	12:35:00	47.6	43.0	50.5
	12:40:00	50.2	43.5	53.0
	12:45:00	50.2	43.0	52.0
	12:50:00	59.1	43.5	61.0
	12:55:00	48.7	44.0	51.5
	13:00:00	52.3	44.0	57.0
	13:05:00	54.5	44.0	59.0
	13:10:00	49.3	44.5	51.5
	13:15:00	48.0	43.0	51.0
	13:20:00	51.9	43.5	54.5
	13:25:00	52.5	44.5	55.5
	13:30:00	50.6	42.5	50.0
	13:35:00	49.8	41.0	51.0
	13:40:00	53.7	44.0	57.5
	13:45:00	47.7	42.0	49.5
	13:50:00	47.1	42.0	50.0
	13:55:00	50.2	43.0	52.0
	14:00:00	47.4	42.0	51.0
	14:05:00	49.8	42.0	51.5
	14:10:00	48.9	42.5	51.5
	14:15:00	49.1	42.5	52.5
	14:20:00	50.8	42.0	55.0
	14:25:00	48.2	42.0	50.0
	14:30:00	51.0	42.5	52.5
	14:35:00	50.0	42.0	53.5
	14:40:00	46.8	42.5	49.0
	14:45:00	45.5	42.5	47.0
	14:50:00	48.8	42.0	52.0
	14:55:00	49.5	42.5	52.5
	15:00:00	47.7	42.5	50.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	15:05:00	49.9	43.5	52.5
	15:10:00	47.4	43.0	50.0
	15:15:00	49.3	43.0	51.5
	15:20:00	51.2	42.5	51.5
	15:25:00	50.2	40.5	51.5
	15:30:00	52.1	41.5	55.0
	15:35:00	47.4	40.5	49.5
	15:40:00	52.4	40.0	53.5
	15:45:00	53.7	43.5	54.5
	15:50:00	46.8	41.0	50.0
	15:55:00	48.5	42.0	51.5
	16:00:00	50.8	46.0	53.0
	16:05:00	50.7	43.5	53.0
	16:10:00	49.5	44.5	52.5
	16:15:00	57.5	46.5	57.0
	16:20:00	48.1	44.0	51.0
	16:25:00	52.2	44.5	55.5
	16:30:00	49.2	44.0	51.0
	16:35:00	47.3	43.5	49.5
	16:40:00	48.0	43.5	51.0
	16:45:00	55.7	44.5	58.0
	16:50:00	56.3	45.5	59.5
	16:55:00	52.6	45.0	52.5
	17:00:00	53.4	45.5	57.0
	17:05:00	53.6	45.0	54.5
	17:10:00	52.7	46.5	55.5
	17:15:00	48.3	44.0	51.0
	17:20:00	55.3	44.5	56.5
	17:25:00	52.5	45.5	55.0
	17:30:00	50.6	45.0	53.5
	17:35:00	51.9	45.0	55.0
	17:40:00	53.6	45.5	54.5
	17:45:00	52.1	46.0	55.0
	17:50:00	61.0	45.0	58.5
	17:55:00	55.7	45.0	58.5
	18:00:00	48.8	45.0	51.0
	18:05:00	55.1	44.0	56.5
	18:10:00	47.0	44.0	49.0
	18:15:00	54.1	46.0	57.0
	18:20:00	52.6	45.5	55.5
	18:25:00	50.2	44.5	53.5
	18:30:00	53.7	44.5	49.5
	18:35:00	48.7	44.5	51.5
	18:40:00	48.6	44.5	50.5
	18:45:00	47.3	44.5	49.0
	18:50:00	48.3	44.5	50.5
	18:55:00	46.6	44.5	48.0
	19:00:00	47.2	44.5	49.0
	19:05:00	51.2	44.5	51.0
	19:10:00	55.8	43.0	57.5
	19:15:00	49.9	41.5	53.0
	19:20:00	53.0	45.0	55.0
	19:25:00	51.6	42.0	55.5
	19:30:00	49.4	41.0	49.5
	19:35:00	49.0	41.5	50.5
	19:40:00	48.6	42.5	51.5
	19:45:00	47.3	42.5	50.0
	19:50:00	55.6	42.5	59.0
	19:55:00	48.3	41.5	49.5
	20:00:00	52.1	42.0	56.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	20:05:00	46.8	42.0	50.0
	20:10:00	45.7	41.5	48.5
	20:15:00	50.6	42.0	51.5
	20:20:00	51.2	42.5	52.5
	20:25:00	48.3	42.0	52.0
	20:30:00	47.0	42.5	48.5
	20:35:00	47.0	42.0	49.5
	20:40:00	51.4	41.5	56.0
	20:45:00	46.7	42.5	48.5
	20:50:00	46.2	42.0	48.5
	20:55:00	50.9	42.0	53.0
	21:00:00	52.1	42.5	53.0
	21:05:00	46.5	42.0	49.5
	21:10:00	49.0	42.0	51.0
	21:15:00	46.1	41.5	47.0
	21:20:00	44.1	41.5	46.0
	21:25:00	45.3	41.5	48.0
	21:30:00	52.6	42.0	56.5
	21:35:00	46.0	42.0	48.0
	21:40:00	47.0	42.0	49.5
	21:45:00	45.8	41.0	48.0
	21:50:00	45.4	41.0	45.5
	21:55:00	47.3	39.5	50.5
	22:00:00	44.4	41.0	46.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	22:05:00	49.9	43.0	52.5
	22:10:00	46.7	41.5	50.5
	22:15:00	45.3	40.5	47.0
	22:20:00	44.6	40.5	46.5
	22:25:00	43.9	40.5	45.0
	22:30:00	44.6	40.5	47.0
	22:35:00	46.7	41.0	50.0
	22:40:00	46.6	41.0	49.5
	22:45:00	42.8	41.0	44.5
	22:50:00	43.1	41.0	44.0
	22:55:00	47.8	41.5	51.5
	23:00:00	46.5	41.0	49.5
	23:05:00	45.6	42.0	47.5
	23:10:00	45.3	41.5	46.0
	23:15:00	45.7	40.5	47.5
	23:20:00	42.5	40.5	43.0
	23:25:00	42.9	41.0	44.5
	23:30:00	44.8	41.0	46.5
	23:35:00	43.8	40.5	43.5
	23:40:00	43.1	40.5	44.5
	23:45:00	42.3	40.5	42.5
	23:50:00	43.9	40.5	45.5
	23:55:00	48.2	41.0	47.5
	0:00:00	42.7	40.5	44.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	0:05:00	41.3	40.5	41.5
	0:10:00	43.7	40.5	43.0
	0:15:00	43.3	40.5	44.0
	0:20:00	41.6	41.0	42.0
	0:25:00	42.4	40.5	43.0
	0:30:00	42.8	41.0	43.5
	0:35:00	42.6	40.5	43.5
	0:40:00	42.2	41.0	43.5
	0:45:00	42.8	40.5	45.0
	0:50:00	42.9	40.5	44.0
	0:55:00	41.8	40.5	41.5
	1:00:00	41.2	40.5	41.5
	1:05:00	41.6	40.5	41.5
	1:10:00	42.2	41.0	43.0
	1:15:00	41.4	41.0	42.0
	1:20:00	42.2	41.0	43.0
	1:25:00	41.8	40.5	42.5
	1:30:00	41.9	41.0	42.5
	1:35:00	41.5	40.5	42.0
	1:40:00	40.6	40.0	41.0
	1:45:00	42.0	39.5	43.0
	1:50:00	41.6	39.5	42.0
	1:55:00	40.8	39.5	41.5
	2:00:00	39.7	39.0	40.0
	2:05:00	39.8	39.0	40.0
	2:10:00	41.4	39.5	42.5
	2:15:00	41.0	39.5	41.5
	2:20:00	44.9	39.5	42.5
	2:25:00	48.6	40.0	52.0
	2:30:00	43.2	39.0	46.0
	2:35:00	42.3	39.5	44.5
	2:40:00	40.2	39.0	41.0
	2:45:00	40.2	39.0	41.0
	2:50:00	40.3	39.0	41.5
	2:55:00	39.7	39.0	40.0
	3:00:00	40.7	39.0	42.5
	3:05:00	46.0	39.0	46.0
	3:10:00	44.2	39.0	42.5
	3:15:00	41.0	39.0	41.0
	3:20:00	42.5	39.5	43.0
	3:25:00	42.6	39.0	44.5
	3:30:00	41.3	39.0	42.0
	3:35:00	43.0	39.0	44.5
	3:40:00	44.4	39.0	47.0
	3:45:00	42.6	39.0	44.0
	3:50:00	43.7	39.0	45.0
	3:55:00	42.7	39.5	44.0
	4:00:00	42.5	39.5	44.0
	4:05:00	41.8	40.0	43.0
	4:10:00	44.1	39.0	46.0
	4:15:00	43.5	39.5	46.0
	4:20:00	45.1	41.0	47.0
	4:25:00	47.0	41.5	48.0
	4:30:00	51.6	43.5	55.0
	4:35:00	53.6	44.0	57.5
	4:40:00	54.6	43.5	55.5
	4:45:00	50.0	43.0	51.0
	4:50:00	56.7	43.5	55.5
	4:55:00	49.6	43.0	52.0
	5:00:00	49.5	42.5	51.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	5:05:00	48.8	41.0	50.5
	5:10:00	49.1	42.0	52.0
	5:15:00	51.5	42.5	56.0
	5:20:00	48.8	42.0	52.5
	5:25:00	50.0	42.5	52.0
	5:30:00	49.0	41.5	52.0
	5:35:00	45.4	41.5	47.5
	5:40:00	46.7	42.0	49.0
	5:45:00	48.0	42.0	51.0
	5:50:00	47.6	42.5	50.0
	5:55:00	48.3	43.5	51.5
	6:00:00	49.8	43.5	53.0
	6:05:00	51.2	44.0	54.5
	6:10:00	47.0	42.0	49.5
	6:15:00	50.6	43.0	54.5
	6:20:00	48.3	41.5	52.0
	6:25:00	50.2	44.0	53.5
	6:30:00	54.2	42.5	59.5
	6:35:00	64.6	45.5	65.0
	6:40:00	51.5	43.0	56.0
	6:45:00	48.4	42.5	51.5
	6:50:00	54.6	42.5	58.5
	6:55:00	47.8	42.5	51.0
	7:00:00	48.8	42.5	51.5
	7:05:00	55.4	44.0	59.0
	7:10:00	54.6	46.5	58.0
	7:15:00	48.4	42.0	50.0
	7:20:00	54.5	44.0	55.0
	7:25:00	48.5	42.5	51.5
	7:30:00	51.1	44.0	55.0
	7:35:00	51.6	44.0	54.5
	7:40:00	51.1	47.0	54.5
	7:45:00	52.8	48.5	55.5
	7:50:00	54.9	48.0	55.5
	7:55:00	52.2	45.5	55.0
	8:00:00	49.3	43.5	52.0
	8:05:00	54.3	44.5	56.5
	8:10:00	45.8	43.0	48.0
	8:15:00	49.8	44.0	53.0
	8:20:00	55.0	46.0	59.5
	8:25:00	56.6	43.0	61.5
	8:30:00	51.4	42.5	54.0
	8:35:00	49.3	43.0	53.0
	8:40:00	53.0	44.0	56.0
	8:45:00	52.4	44.0	55.0
	8:50:00	50.5	42.5	54.0
	8:55:00	56.6	44.5	60.5
	9:00:00	52.4	43.5	56.0
	9:05:00	54.2	47.5	58.0
	9:10:00	51.1	43.0	55.0
	9:15:00	58.6	46.0	62.5
	9:20:00	50.9	45.0	54.0
	9:25:00	51.9	45.5	55.5
	9:30:00	51.2	46.0	53.5
	9:35:00	54.4	50.5	57.5
	9:40:00	53.5	46.5	56.5
	9:45:00	51.8	46.0	55.0
	9:50:00	52.9	45.5	55.5
	9:55:00	59.4	46.0	60.5
	10:00:00	54.2	48.0	57.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	10:05:00	50.5	45.5	53.5
	10:10:00	54.4	45.5	58.0
	10:15:00	52.5	46.5	55.5
	10:20:00	55.7	47.0	58.5
	10:25:00	56.4	48.5	59.5
	10:30:00	55.0	45.0	58.5
	10:35:00	52.0	45.0	55.0
	10:40:00	53.0	46.5	56.0
	10:45:00	53.6	47.0	57.0
	10:50:00	54.4	47.5	57.5
	10:55:00	52.8	46.0	56.0
	11:00:00	55.0	48.0	58.0
	11:05:00	50.5	45.0	54.0
	11:10:00	52.0	47.0	55.0
	11:15:00	49.5	45.0	52.0
	11:20:00	51.3	45.5	54.0
	11:25:00	54.5	47.5	57.5
	11:30:00	56.1	47.5	60.0
	11:35:00	63.6	47.5	66.5
	11:40:00	53.6	47.0	55.5
	11:45:00	55.8	47.0	59.5
	11:50:00	52.9	45.5	54.5
	11:55:00	51.2	44.5	55.0
	12:00:00	51.0	44.5	54.0
	12:05:00	52.2	45.0	55.5
	12:10:00	55.1	44.5	59.5
	12:15:00	51.5	43.5	53.5
	12:20:00	55.6	44.0	59.5
	12:25:00	55.7	45.5	59.0
	12:30:00	54.6	44.5	59.0
	12:35:00	52.7	45.5	56.0
	12:40:00	53.6	45.0	58.0
	12:45:00	49.8	44.0	52.5
	12:50:00	53.0	44.5	55.0
	12:55:00	48.2	43.0	50.0
	13:00:00	56.7	45.5	61.0
	13:05:00	52.5	44.0	57.0
	13:10:00	52.9	44.0	57.0
	13:15:00	49.9	43.5	53.0
	13:20:00	51.5	42.0	55.5
	13:25:00	49.5	43.0	52.0
	13:30:00	51.7	43.5	55.0
	13:35:00	60.7	45.5	63.0
	13:40:00	58.3	44.5	63.5
	13:45:00	59.2	48.0	62.0
	13:50:00	61.4	45.5	63.5
	13:55:00	61.8	51.5	64.0
	14:00:00	60.1	45.0	63.0
	14:05:00	61.0	45.5	63.5
	14:10:00	61.0	45.5	63.5
	14:15:00	60.1	45.5	62.0
	14:20:00	60.8	48.0	63.0
	14:25:00	57.8	45.0	63.0
	14:30:00	56.9	43.5	61.0
	14:35:00	48.6	43.0	50.5
	14:40:00	53.5	43.5	58.0
	14:45:00	52.2	43.5	55.5
	14:50:00	56.4	43.5	59.5
	14:55:00	56.2	45.0	60.0
	15:00:00	58.6	44.5	61.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	15:05:00	56.2	44.5	60.0
	15:10:00	60.6	51.5	63.5
	15:15:00	58.5	44.5	61.5
	15:20:00	57.3	45.0	61.5
	15:25:00	51.7	43.5	53.5
	15:30:00	57.0	46.5	60.0
	15:35:00	59.8	49.5	61.0
	15:40:00	55.2	43.0	59.0
	15:45:00	58.4	46.5	61.0
	15:50:00	60.1	56.0	61.5
	15:55:00	58.2	55.0	61.0
	16:00:00	58.5	55.0	60.5
	16:05:00	57.2	46.5	59.5
	16:10:00	56.1	44.5	59.5
	16:15:00	55.0	44.5	58.0
	16:20:00	61.1	42.5	62.0
	16:25:00	55.4	43.5	59.5
	16:30:00	55.8	43.5	60.0
	16:35:00	56.2	44.0	60.0
	16:40:00	48.9	41.0	52.0
	16:45:00	49.3	41.0	52.5
	16:50:00	50.3	44.0	53.0
	16:55:00	50.5	43.0	52.5
	17:00:00	47.6	42.5	50.5
	17:05:00	57.2	43.0	58.5
	17:10:00	52.6	43.5	55.0
	17:15:00	48.1	43.0	51.0
	17:20:00	57.4	45.0	61.5
	17:25:00	48.7	43.5	51.5
	17:30:00	53.7	45.5	57.0
	17:35:00	50.4	42.5	53.5
	17:40:00	50.1	43.5	53.0
	17:45:00	50.5	43.5	52.0
	17:50:00	55.3	43.5	58.5
	17:55:00	52.3	45.0	54.0
	18:00:00	52.5	43.5	54.0
	18:05:00	59.3	42.5	62.0
	18:10:00	51.0	43.5	52.0
	18:15:00	58.1	43.0	63.0
	18:20:00	50.3	42.5	53.0
	18:25:00	51.6	42.5	54.0
	18:30:00	58.7	46.0	59.0
	18:35:00	60.8	49.5	63.0
	18:40:00	53.5	43.5	58.0
	18:45:00	48.5	42.5	51.0
	18:50:00	48.2	42.5	51.0
	18:55:00	47.1	41.5	47.0
	19:00:00	50.2	43.5	54.0
	19:05:00	47.6	41.5	51.0
	19:10:00	47.2	41.0	49.5
	19:15:00	45.1	41.0	47.5
	19:20:00	46.6	41.0	49.0
	19:25:00	46.1	40.0	49.5
	19:30:00	53.1	42.5	56.0
	19:35:00	49.4	42.0	53.0
	19:40:00	49.7	40.5	54.0
	19:45:00	47.9	40.5	50.5
	19:50:00	56.7	41.0	61.5
	19:55:00	52.2	41.0	55.0
	20:00:00	62.4	43.5	64.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : HCM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	20:05:00	56.4	40.0	60.0
	20:10:00	53.3	40.5	50.0
	20:15:00	47.8	40.5	51.0
	20:20:00	45.8	41.0	48.0
	20:25:00	48.6	41.0	52.5
	20:30:00	50.0	41.0	54.0
	20:35:00	45.6	39.0	48.5
	20:40:00	44.3	39.0	48.0
	20:45:00	44.9	39.0	48.0
	20:50:00	47.6	39.5	51.5
	20:55:00	45.6	39.5	48.5
	21:00:00	44.0	39.0	45.5
	21:05:00	43.2	39.5	45.0
	21:10:00	48.7	39.5	47.0
	21:15:00	46.9	39.5	49.5
	21:20:00	51.4	41.5	52.5
	21:25:00	46.6	40.0	50.0
	21:30:00	49.4	39.0	53.0
	21:35:00	45.4	39.0	45.0
	21:40:00	50.4	39.5	53.0
	21:45:00	45.0	40.0	48.5
	21:50:00	41.2	39.0	42.5
	21:55:00	53.8	39.5	57.5
	22:00:00	51.0	40.0	49.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	22:05:00	53.5	40.0	58.0
	22:10:00	52.3	40.0	53.5
	22:15:00	44.0	40.5	45.0
	22:20:00	48.8	41.0	52.0
	22:25:00	47.4	40.5	51.5
	22:30:00	50.3	40.5	51.5
	22:35:00	43.0	41.0	44.0
	22:40:00	45.9	40.5	45.5
	22:45:00	44.7	41.0	45.0
	22:50:00	44.4	41.0	46.0
	22:55:00	46.9	41.0	50.0
	23:00:00	43.4	40.5	43.5
	23:05:00	45.6	41.0	44.5
	23:10:00	42.3	40.5	43.0
	23:15:00	45.0	41.0	48.0
	23:20:00	42.1	40.5	42.0
	23:25:00	45.7	41.0	47.5
	23:30:00	42.4	41.0	43.0
	23:35:00	41.3	40.5	41.5
	23:40:00	51.1	40.5	48.5
	23:45:00	53.3	40.5	56.5
	23:50:00	44.0	40.5	47.0
	23:55:00	46.0	40.5	48.0
	0:00:00	42.1	40.0	43.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	0:05:00	54.1	50.5	55.5
	0:10:00	54.1	51.0	55.0
	0:15:00	54.0	50.5	55.0
	0:20:00	54.2	51.0	55.5
	0:25:00	54.3	51.0	55.5
	0:30:00	54.9	52.0	56.0
	0:35:00	56.0	54.0	57.0
	0:40:00	55.8	53.0	56.5
	0:45:00	54.5	51.5	55.5
	0:50:00	54.1	51.0	55.0
	0:55:00	55.4	53.0	56.5
	1:00:00	55.5	53.0	56.5
	1:05:00	54.9	52.0	56.0
	1:10:00	54.2	51.0	55.5
	1:15:00	54.4	51.0	55.5
	1:20:00	54.3	51.0	55.5
	1:25:00	54.0	50.5	55.0
	1:30:00	53.9	50.5	55.0
	1:35:00	54.0	50.5	55.0
	1:40:00	53.8	50.0	55.0
	1:45:00	53.6	50.0	55.0
	1:50:00	53.9	50.0	55.0
	1:55:00	53.7	50.0	55.0
	2:00:00	53.7	50.0	55.0
	2:05:00	53.4	49.5	54.5
	2:10:00	53.4	49.5	54.5
	2:15:00	53.8	49.5	55.0
	2:20:00	53.4	49.5	54.5
	2:25:00	53.4	49.0	54.5
	2:30:00	53.3	49.0	54.5
	2:35:00	53.6	49.5	55.0
	2:40:00	53.2	49.0	54.5
	2:45:00	53.3	49.0	54.5
	2:50:00	53.4	49.0	54.5
	2:55:00	53.3	49.0	54.5
	3:00:00	53.6	50.0	55.0
	3:05:00	54.3	51.0	55.5
	3:10:00	54.2	51.0	55.5
	3:15:00	53.3	49.0	54.5
	3:20:00	53.2	48.5	54.5
	3:25:00	53.1	48.5	54.5
	3:30:00	53.2	48.5	54.5
	3:35:00	57.2	50.5	60.5
	3:40:00	57.8	53.5	61.0
	3:45:00	54.6	51.5	56.0
	3:50:00	53.6	49.5	55.0
	3:55:00	54.9	51.0	56.5
	4:00:00	55.4	52.5	57.0
	4:05:00	60.0	58.5	61.0
	4:10:00	60.1	56.0	62.0
	4:15:00	55.4	52.5	57.0
	4:20:00	53.7	50.0	55.0
	4:25:00	56.2	52.0	58.5
	4:30:00	56.0	53.5	57.5
	4:35:00	58.5	57.0	59.5
	4:40:00	55.8	53.5	57.0
	4:45:00	56.2	54.0	57.5
	4:50:00	54.2	51.0	55.5
	4:55:00	53.9	50.0	55.0
	5:00:00	53.8	49.5	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	5:05:00	53.5	49.5	55.0
	5:10:00	56.7	54.0	58.0
	5:15:00	54.2	51.0	55.5
	5:20:00	54.8	51.5	56.0
	5:25:00	56.5	54.0	58.0
	5:30:00	58.2	56.5	59.0
	5:35:00	62.7	59.5	65.5
	5:40:00	65.3	63.0	66.0
	5:45:00	60.9	59.0	62.0
	5:50:00	59.1	56.5	61.0
	5:55:00	58.2	56.5	59.0
	6:00:00	59.6	58.0	60.5
	6:05:00	62.5	60.0	64.0
	6:10:00	64.9	63.5	66.0
	6:15:00	62.3	60.0	64.0
	6:20:00	60.5	58.5	62.0
	6:25:00	59.9	58.5	61.0
	6:30:00	68.0	65.5	69.0
	6:35:00	67.6	64.0	69.5
	6:40:00	64.6	62.0	66.0
	6:45:00	64.3	62.5	65.5
	6:50:00	65.4	64.5	66.0
	6:55:00	65.5	64.0	66.5
	7:00:00	63.3	61.0	65.5
	7:05:00	65.2	62.5	66.5
	7:10:00	61.3	59.5	62.0
	7:15:00	59.2	56.5	61.5
	7:20:00	58.7	56.0	60.5
	7:25:00	56.9	55.0	58.0
	7:30:00	55.8	53.0	57.0
	7:35:00	61.0	56.0	63.5
	7:40:00	66.2	64.0	67.5
	7:45:00	68.1	65.5	70.0
	7:50:00	68.9	67.0	70.5
	7:55:00	68.9	67.0	70.0
	8:00:00	66.1	65.5	66.5
	8:05:00	66.7	63.0	69.5
	8:10:00	69.1	67.0	70.0
	8:15:00	64.3	59.0	66.5
	8:20:00	58.3	56.5	59.0
	8:25:00	59.3	57.5	60.5
	8:30:00	59.4	58.0	60.0
	8:35:00	59.3	57.5	60.5
	8:40:00	59.2	58.0	60.0
	8:45:00	58.8	57.5	59.5
	8:50:00	59.8	58.5	60.5
	8:55:00	63.0	60.0	64.5
	9:00:00	61.6	60.0	63.0
	9:05:00	61.1	59.0	62.0
	9:10:00	59.7	58.5	60.5
	9:15:00	59.4	58.0	60.0
	9:20:00	59.8	58.5	60.5
	9:25:00	59.0	57.0	60.0
	9:30:00	59.6	58.0	60.5
	9:35:00	59.0	58.0	59.5
	9:40:00	59.4	58.5	60.0
	9:45:00	60.7	58.5	61.0
	9:50:00	62.5	59.0	63.5
	9:55:00	62.5	61.5	63.0
	10:00:00	60.5	59.0	61.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	10:05:00	60.8	59.5	61.5
	10:10:00	62.5	60.5	63.5
	10:15:00	62.0	61.0	62.5
	10:20:00	60.9	59.5	62.0
	10:25:00	61.1	60.0	62.0
	10:30:00	61.8	60.5	62.5
	10:35:00	59.5	58.0	60.0
	10:40:00	60.9	57.5	64.0
	10:45:00	63.7	62.0	65.0
	10:50:00	62.7	58.5	66.5
	10:55:00	64.4	59.5	67.5
	11:00:00	61.2	57.5	64.0
	11:05:00	64.4	62.5	65.5
	11:10:00	61.8	60.5	63.5
	11:15:00	60.0	58.5	60.5
	11:20:00	61.5	60.0	62.0
	11:25:00	61.6	60.0	62.5
	11:30:00	63.0	62.0	63.5
	11:35:00	62.1	61.5	62.5
	11:40:00	61.4	60.0	62.5
	11:45:00	62.0	59.5	63.0
	11:50:00	61.0	60.0	61.5
	11:55:00	60.5	59.5	61.0
	12:00:00	61.1	60.5	61.5
	12:05:00	59.9	58.5	60.5
	12:10:00	58.7	57.0	59.5
	12:15:00	56.8	54.5	58.0
	12:20:00	56.7	53.5	58.5
	12:25:00	55.6	52.5	57.0
	12:30:00	55.2	52.0	56.5
	12:35:00	55.2	52.0	56.5
	12:40:00	57.8	52.5	57.5
	12:45:00	55.4	51.5	56.5
	12:50:00	58.1	52.5	60.5
	12:55:00	57.8	52.5	60.0
	13:00:00	56.6	52.5	57.0
	13:05:00	55.6	52.5	57.0
	13:10:00	57.4	54.0	60.0
	13:15:00	57.3	55.0	58.5
	13:20:00	56.4	54.0	57.5
	13:25:00	55.7	52.5	57.0
	13:30:00	54.8	51.5	56.0
	13:35:00	54.6	51.0	56.0
	13:40:00	55.5	51.5	57.0
	13:45:00	55.4	52.5	56.5
	13:50:00	57.4	55.0	58.5
	13:55:00	59.8	58.0	60.5
	14:00:00	60.9	60.0	61.5
	14:05:00	60.2	59.0	61.0
	14:10:00	58.9	57.5	59.5
	14:15:00	59.0	57.0	60.0
	14:20:00	57.0	55.5	58.0
	14:25:00	58.4	56.5	59.5
	14:30:00	58.4	57.0	59.0
	14:35:00	57.0	55.0	58.0
	14:40:00	57.8	56.0	58.5
	14:45:00	57.2	54.5	58.5
	14:50:00	55.8	52.5	57.0
	14:55:00	55.2	52.0	56.5
	15:00:00	55.0	51.5	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	15:05:00	54.6	51.0	56.0
	15:10:00	54.5	50.5	56.0
	15:15:00	54.6	50.5	55.5
	15:20:00	54.8	51.0	56.5
	15:25:00	54.5	50.5	56.0
	15:30:00	54.1	50.0	55.5
	15:35:00	54.4	50.0	56.0
	15:40:00	54.6	50.5	56.0
	15:45:00	56.4	50.5	57.0
	15:50:00	55.5	50.5	56.5
	15:55:00	55.3	51.0	57.0
	16:00:00	54.0	50.0	55.0
	16:05:00	54.2	50.5	55.5
	16:10:00	55.0	51.0	56.5
	16:15:00	54.4	50.5	56.0
	16:20:00	54.5	50.5	56.0
	16:25:00	55.6	50.5	57.0
	16:30:00	60.8	52.0	65.0
	16:35:00	60.2	51.0	64.5
	16:40:00	56.5	51.0	59.5
	16:45:00	55.5	51.0	57.5
	16:50:00	54.9	50.0	56.5
	16:55:00	54.3	50.0	56.0
	17:00:00	54.6	50.0	56.5
	17:05:00	58.3	50.5	59.5
	17:10:00	54.2	50.0	56.0
	17:15:00	55.5	50.0	55.5
	17:20:00	54.6	50.5	56.5
	17:25:00	55.0	50.5	56.5
	17:30:00	56.7	51.0	58.0
	17:35:00	55.9	49.5	56.0
	17:40:00	54.5	51.0	56.0
	17:45:00	54.5	51.0	56.0
	17:50:00	54.4	50.5	56.0
	17:55:00	54.4	50.5	55.5
	18:00:00	54.7	50.5	56.0
	18:05:00	63.6	50.5	64.5
	18:10:00	55.2	51.0	57.0
	18:15:00	54.2	50.0	56.0
	18:20:00	58.2	51.5	63.5
	18:25:00	54.4	50.0	56.0
	18:30:00	54.3	50.5	55.5
	18:35:00	54.6	50.5	56.0
	18:40:00	57.0	51.0	59.5
	18:45:00	59.9	52.5	63.0
	18:50:00	61.6	52.5	64.0
	18:55:00	56.2	51.5	58.0
	19:00:00	59.7	51.5	65.5
	19:05:00	54.4	50.5	55.5
	19:10:00	54.7	51.5	56.0
	19:15:00	54.7	51.5	56.0
	19:20:00	54.7	52.0	55.5
	19:25:00	54.9	52.0	56.0
	19:30:00	54.9	52.0	56.0
	19:35:00	54.7	52.0	55.5
	19:40:00	55.1	52.0	56.0
	19:45:00	54.7	51.5	55.5
	19:50:00	55.0	52.0	56.0
	19:55:00	54.4	51.5	55.5
	20:00:00	54.7	51.5	56.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	20:05:00	54.7	51.5	56.0
	20:10:00	54.6	51.0	55.5
	20:15:00	54.4	51.0	55.5
	20:20:00	54.3	51.0	55.5
	20:25:00	55.0	52.0	56.0
	20:30:00	54.7	51.5	56.0
	20:35:00	54.4	51.0	55.5
	20:40:00	54.4	51.5	55.5
	20:45:00	54.3	51.0	55.5
	20:50:00	54.4	51.0	55.5
	20:55:00	56.4	51.5	57.0
	21:00:00	54.5	51.0	55.5
	21:05:00	54.3	51.0	55.5
	21:10:00	54.4	51.5	55.5
	21:15:00	54.9	51.5	56.0
	21:20:00	55.1	52.0	56.0
	21:25:00	55.1	52.0	56.0
	21:30:00	54.8	51.5	55.5
	21:35:00	54.7	52.0	56.0
	21:40:00	54.7	52.0	56.0
	21:45:00	54.9	52.0	56.0
	21:50:00	56.1	53.5	57.0
	21:55:00	57.0	55.5	58.0
	22:00:00	57.4	55.5	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/20/2007	22:05:00	57.8	56.0	58.5
	22:10:00	57.4	55.5	58.0
	22:15:00	56.0	54.0	57.0
	22:20:00	55.6	53.5	56.5
	22:25:00	55.3	53.0	56.5
	22:30:00	55.0	52.5	56.0
	22:35:00	54.8	52.0	56.0
	22:40:00	54.8	51.5	56.0
	22:45:00	54.4	51.5	55.5
	22:50:00	54.4	51.0	55.5
	22:55:00	54.7	52.0	56.0
	23:00:00	54.8	52.0	56.0
	23:05:00	54.8	52.0	56.0
	23:10:00	54.7	52.0	56.0
	23:15:00	54.5	51.5	55.5
	23:20:00	54.1	51.0	55.5
	23:25:00	54.4	51.5	55.5
	23:30:00	54.2	51.0	55.5
	23:35:00	54.1	50.5	55.5
	23:40:00	54.0	50.5	55.0
	23:45:00	54.2	51.0	55.5
	23:50:00	54.0	50.5	55.0
	23:55:00	54.0	50.5	55.0
	0:00:00	54.1	50.5	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	0:05:00	53.9	50.0	55.0
	0:10:00	53.7	50.0	55.0
	0:15:00	53.8	50.0	55.0
	0:20:00	54.3	50.5	55.5
	0:25:00	54.0	50.5	55.0
	0:30:00	54.4	50.5	55.5
	0:35:00	55.0	51.0	56.5
	0:40:00	55.2	51.5	56.5
	0:45:00	54.4	51.0	55.5
	0:50:00	53.9	50.5	55.0
	0:55:00	53.7	50.0	55.0
	1:00:00	53.6	49.5	55.0
	1:05:00	53.5	49.5	55.0
	1:10:00	53.4	49.0	54.5
	1:15:00	54.1	49.5	55.0
	1:20:00	54.4	50.5	55.5
	1:25:00	54.0	50.0	55.0
	1:30:00	53.5	49.5	55.0
	1:35:00	53.7	50.0	55.0
	1:40:00	53.8	50.0	55.0
	1:45:00	54.5	50.0	55.0
	1:50:00	53.7	50.0	55.0
	1:55:00	53.6	49.5	55.0
	2:00:00	53.4	49.5	54.5
	2:05:00	53.5	49.5	54.5
	2:10:00	53.3	49.0	54.5
	2:15:00	53.3	49.0	54.5
	2:20:00	53.3	48.5	54.5
	2:25:00	53.3	49.0	54.5
	2:30:00	53.3	48.5	54.5
	2:35:00	53.2	49.0	54.5
	2:40:00	53.3	49.0	54.5
	2:45:00	53.3	48.5	54.5
	2:50:00	53.1	48.5	54.5
	2:55:00	53.2	48.5	54.5
	3:00:00	53.4	49.0	54.5
	3:05:00	53.1	48.5	54.5
	3:10:00	53.1	48.5	54.5
	3:15:00	53.0	48.0	54.5
	3:20:00	53.0	48.0	54.5
	3:25:00	53.1	48.5	54.5
	3:30:00	54.2	48.5	54.5
	3:35:00	53.2	48.5	54.5
	3:40:00	55.8	48.5	54.5
	3:45:00	53.1	48.5	54.5
	3:50:00	53.2	48.5	54.5
	3:55:00	53.1	48.5	54.5
	4:00:00	53.1	48.5	54.5
	4:05:00	53.0	48.0	54.5
	4:10:00	53.0	48.0	54.5
	4:15:00	53.1	48.0	54.5
	4:20:00	53.3	48.5	54.5
	4:25:00	53.0	48.0	54.5
	4:30:00	53.0	48.0	54.5
	4:35:00	53.0	48.0	54.5
	4:40:00	53.0	48.0	54.5
	4:45:00	53.6	48.5	54.5
	4:50:00	55.8	49.0	56.5
	4:55:00	54.3	49.0	57.0
	5:00:00	53.0	48.0	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	5:05:00	53.0	48.0	54.5
	5:10:00	54.1	49.0	56.0
	5:15:00	54.7	49.5	57.5
	5:20:00	53.8	49.0	55.0
	5:25:00	56.5	51.0	59.5
	5:30:00	57.6	52.0	60.5
	5:35:00	60.3	54.5	63.5
	5:40:00	59.5	53.5	63.0
	5:45:00	58.4	53.0	62.0
	5:50:00	56.0	52.0	58.0
	5:55:00	54.8	50.5	56.5
	6:00:00	56.5	51.0	59.5
	6:05:00	60.9	50.5	61.0
	6:10:00	58.3	50.0	58.0
	6:15:00	56.4	52.5	56.5
	6:20:00	56.6	52.5	56.5
	6:25:00	55.9	53.5	57.0
	6:30:00	58.0	54.0	57.5
	6:35:00	55.7	53.0	57.0
	6:40:00	56.0	51.0	56.0
	6:45:00	57.0	50.5	56.0
	6:50:00	58.2	50.5	58.5
	6:55:00	55.4	51.0	56.5
	7:00:00	59.0	50.5	57.0
	7:05:00	55.8	50.5	57.0
	7:10:00	54.5	50.5	56.5
	7:15:00	56.7	51.0	58.5
	7:20:00	56.1	50.0	57.5
	7:25:00	56.4	52.0	58.5
	7:30:00	56.0	50.5	59.0
	7:35:00	54.5	50.5	56.5
	7:40:00	56.2	51.5	58.0
	7:45:00	56.5	50.0	58.5
	7:50:00	61.0	52.0	65.5
	7:55:00	54.3	50.0	55.5
	8:00:00	55.2	51.5	57.0
	8:05:00	55.7	51.5	57.0
	8:10:00	54.8	51.0	56.0
	8:15:00	54.8	51.0	56.5
	8:20:00	55.0	51.0	57.0
	8:25:00	53.9	50.0	55.0
	8:30:00	56.9	51.5	58.5
	8:35:00	54.3	50.5	55.5
	8:40:00	55.2	51.0	57.5
	8:45:00	58.0	52.5	61.5
	8:50:00	60.0	54.5	63.5
	8:55:00	61.1	56.0	64.5
	9:00:00	63.1	54.5	68.0
	9:05:00	63.0	55.5	68.0
	9:10:00	65.6	59.5	68.0
	9:15:00	67.0	60.5	69.0
	9:20:00	66.7	57.5	69.5
	9:25:00	64.2	58.0	68.0
	9:30:00	65.1	57.0	69.5
	9:35:00	60.9	55.0	64.0
	9:40:00	56.3	52.5	58.0
	9:45:00	65.0	55.5	68.0
	9:50:00	59.9	56.5	62.5
	9:55:00	60.3	55.5	64.5
	10:00:00	57.5	55.0	59.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	10:05:00	58.4	55.0	60.5
	10:10:00	61.4	55.5	64.0
	10:15:00	63.8	59.0	66.5
	10:20:00	60.8	55.5	62.5
	10:25:00	56.5	53.5	57.5
	10:30:00	56.6	53.0	58.0
	10:35:00	56.4	53.5	58.0
	10:40:00	59.4	54.5	63.5
	10:45:00	59.4	55.5	61.5
	10:50:00	55.3	52.0	57.0
	10:55:00	55.7	51.5	57.5
	11:00:00	55.0	51.0	56.5
	11:05:00	54.8	50.5	56.5
	11:10:00	55.9	50.5	56.5
	11:15:00	55.9	52.0	57.5
	11:20:00	56.2	52.0	58.5
	11:25:00	55.2	51.5	57.0
	11:30:00	55.8	51.0	56.0
	11:35:00	54.6	51.0	56.0
	11:40:00	55.4	51.5	57.0
	11:45:00	55.3	51.5	57.0
	11:50:00	55.1	51.0	57.0
	11:55:00	54.7	50.5	56.0
	12:00:00	54.5	50.5	56.0
	12:05:00	55.0	50.5	56.5
	12:10:00	55.7	51.0	57.5
	12:15:00	54.9	51.0	56.5
	12:20:00	55.4	50.5	58.0
	12:25:00	55.0	50.5	56.5
	12:30:00	54.6	50.0	56.0
	12:35:00	64.7	54.0	68.0
	12:40:00	57.5	54.0	59.5
	12:45:00	55.6	52.0	57.0
	12:50:00	55.2	52.0	56.5
	12:55:00	55.1	52.0	56.5
	13:00:00	55.0	51.5	56.5
	13:05:00	54.8	50.0	56.0
	13:10:00	55.1	51.5	56.5
	13:15:00	57.2	50.5	59.5
	13:20:00	53.9	50.0	55.5
	13:25:00	54.7	50.5	56.5
	13:30:00	54.3	50.0	56.0
	13:35:00	57.0	51.5	60.0
	13:40:00	54.7	51.5	56.0
	13:45:00	58.0	54.5	60.5
	13:50:00	61.5	59.0	63.5
	13:55:00	63.3	61.0	65.5
	14:00:00	64.8	62.5	66.0
	14:05:00	63.7	60.5	66.5
	14:10:00	62.1	61.0	63.0
	14:15:00	61.4	60.0	63.0
	14:20:00	64.9	61.0	67.5
	14:25:00	66.3	65.5	67.0
	14:30:00	67.7	64.5	68.5
	14:35:00	63.7	62.0	65.0
	14:40:00	63.4	61.0	65.5
	14:45:00	60.2	58.5	61.5
	14:50:00	59.4	58.0	60.0
	14:55:00	60.0	58.0	61.5
	15:00:00	62.0	60.5	63.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	15:05:00	63.3	62.5	63.5
	15:10:00	62.6	61.0	63.5
	15:15:00	61.8	60.5	63.0
	15:20:00	57.7	54.5	60.0
	15:25:00	55.4	52.5	56.5
	15:30:00	55.4	52.0	57.0
	15:35:00	54.6	51.0	56.0
	15:40:00	55.4	51.5	57.0
	15:45:00	56.4	53.0	58.0
	15:50:00	58.0	56.0	59.0
	15:55:00	58.0	56.5	59.0
	16:00:00	57.7	56.0	59.0
	16:05:00	57.3	55.5	58.5
	16:10:00	58.5	55.5	60.5
	16:15:00	61.2	57.0	64.0
	16:20:00	56.7	54.5	58.0
	16:25:00	56.4	54.0	57.5
	16:30:00	55.6	52.5	57.0
	16:35:00	55.2	51.5	56.5
	16:40:00	55.2	52.0	56.5
	16:45:00	60.4	57.0	62.5
	16:50:00	58.7	57.5	59.5
	16:55:00	58.2	56.0	59.0
	17:00:00	57.0	54.5	58.5
	17:05:00	59.8	58.5	60.5
	17:10:00	60.3	59.5	61.0
	17:15:00	59.0	57.5	60.0
	17:20:00	58.7	56.5	59.5
	17:25:00	56.6	54.5	58.0
	17:30:00	56.8	54.5	58.0
	17:35:00	56.1	54.0	57.0
	17:40:00	55.6	53.0	56.5
	17:45:00	55.4	52.5	56.5
	17:50:00	56.6	53.5	57.5
	17:55:00	59.3	53.5	58.5
	18:00:00	55.7	52.5	57.0
	18:05:00	58.0	52.5	63.0
	18:10:00	56.0	52.5	57.0
	18:15:00	55.1	52.0	56.0
	18:20:00	55.0	51.5	56.5
	18:25:00	54.9	51.5	56.0
	18:30:00	55.0	51.5	56.0
	18:35:00	58.7	52.5	63.5
	18:40:00	54.8	51.5	56.0
	18:45:00	55.8	52.5	57.5
	18:50:00	55.6	52.5	57.0
	18:55:00	60.8	53.0	66.0
	19:00:00	55.7	52.5	57.0
	19:05:00	58.9	52.5	64.0
	19:10:00	54.8	52.0	56.0
	19:15:00	55.8	53.0	57.0
	19:20:00	56.0	53.0	56.5
	19:25:00	55.4	53.0	56.5
	19:30:00	55.5	53.0	56.5
	19:35:00	55.7	53.0	57.0
	19:40:00	55.5	52.5	56.5
	19:45:00	54.9	52.0	56.0
	19:50:00	55.6	52.5	57.0
	19:55:00	55.5	52.0	56.0
	20:00:00	54.8	51.5	56.0



Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	20:05:00	54.9	52.0	56.0
	20:10:00	54.6	51.5	56.0
	20:15:00	54.8	51.5	56.0
	20:20:00	55.2	51.5	56.0
	20:25:00	56.1	52.0	56.5
	20:30:00	54.6	51.5	56.0
	20:35:00	54.6	51.5	55.5
	20:40:00	54.7	51.5	56.0
	20:45:00	54.6	51.5	55.5
	20:50:00	54.7	51.5	55.5
	20:55:00	56.9	52.0	57.0
	21:00:00	54.7	52.0	55.5
	21:05:00	54.7	51.5	55.5
	21:10:00	54.8	51.5	56.0
	21:15:00	55.4	52.0	57.0
	21:20:00	55.1	52.0	56.5
	21:25:00	54.9	51.5	56.0
	21:30:00	54.4	51.5	55.5
	21:35:00	54.6	51.5	55.5
	21:40:00	54.5	51.0	55.5
	21:45:00	54.4	51.0	55.5
	21:50:00	54.2	51.0	55.5
	21:55:00	54.6	51.5	55.5
	22:00:00	59.3	52.5	62.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/21/2007	22:05:00	54.5	51.5	55.5
	22:10:00	54.3	51.0	55.5
	22:15:00	56.4	51.5	58.0
	22:20:00	54.4	51.0	55.5
	22:25:00	54.1	50.5	55.5
	22:30:00	54.1	50.5	55.0
	22:35:00	56.1	51.0	56.5
	22:40:00	54.3	51.0	55.5
	22:45:00	54.2	50.5	55.5
	22:50:00	55.4	52.5	57.0
	22:55:00	56.6	54.5	57.5
	23:00:00	57.4	55.0	58.0
	23:05:00	55.6	53.0	56.5
	23:10:00	55.4	53.0	56.5
	23:15:00	55.2	52.5	56.0
	23:20:00	55.1	52.5	56.0
	23:25:00	54.9	52.0	56.0
	23:30:00	54.8	52.0	56.0
	23:35:00	55.0	52.5	56.0
	23:40:00	56.4	54.5	57.5
	23:45:00	56.4	54.5	57.5
	23:50:00	55.5	53.0	56.5
	23:55:00	55.5	53.0	56.5
	0:00:00	55.1	52.5	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	0:05:00	56.2	54.0	57.5
	0:10:00	55.6	53.0	56.5
	0:15:00	55.8	53.5	57.0
	0:20:00	55.2	52.5	56.5
	0:25:00	54.9	52.0	56.0
	0:30:00	55.2	52.5	56.5
	0:35:00	54.7	52.0	56.0
	0:40:00	54.3	51.0	55.5
	0:45:00	54.2	51.0	55.5
	0:50:00	55.1	52.5	56.0
	0:55:00	55.4	53.0	56.5
	1:00:00	55.2	52.5	56.5
	1:05:00	55.0	52.5	56.0
	1:10:00	54.4	51.5	55.5
	1:15:00	54.2	51.0	55.5
	1:20:00	54.1	50.5	55.0
	1:25:00	53.8	50.0	55.0
	1:30:00	53.8	50.0	55.0
	1:35:00	53.9	50.5	55.0
	1:40:00	54.2	50.5	55.5
	1:45:00	54.1	51.0	55.5
	1:50:00	54.3	51.0	55.5
	1:55:00	55.0	52.5	56.0
	2:00:00	54.4	51.0	55.5
	2:05:00	54.1	50.5	55.0
	2:10:00	53.8	50.0	55.0
	2:15:00	54.0	50.0	55.0
	2:20:00	53.7	49.5	55.0
	2:25:00	53.4	49.0	54.5
	2:30:00	59.4	50.5	64.0
	2:35:00	54.8	49.0	55.5
	2:40:00	54.4	49.0	55.0
	2:45:00	55.4	49.0	55.0
	2:50:00	53.8	48.5	54.5
	2:55:00	53.3	48.5	54.5
	3:00:00	53.3	49.0	54.5
	3:05:00	53.3	49.0	54.5
	3:10:00	53.3	49.0	54.5
	3:15:00	53.2	48.5	54.5
	3:20:00	53.2	48.5	54.5
	3:25:00	53.3	49.0	54.5
	3:30:00	53.5	49.5	55.0
	3:35:00	54.2	51.0	55.5
	3:40:00	54.8	52.0	56.0
	3:45:00	54.4	51.0	55.5
	3:50:00	53.9	50.5	55.0
	3:55:00	53.8	50.0	55.0
	4:00:00	53.6	49.5	55.0
	4:05:00	53.4	49.0	54.5
	4:10:00	53.4	49.0	54.5
	4:15:00	53.4	49.0	54.5
	4:20:00	53.2	48.5	54.5
	4:25:00	53.2	48.5	54.5
	4:30:00	53.3	48.5	54.5
	4:35:00	53.3	48.5	54.5
	4:40:00	54.0	49.5	56.0
	4:45:00	53.3	48.5	54.5
	4:50:00	53.2	48.5	54.5
	4:55:00	53.1	48.5	54.5
	5:00:00	54.5	49.5	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	5:05:00	55.9	50.5	58.5
	5:10:00	54.1	49.5	55.5
	5:15:00	54.2	50.5	55.5
	5:20:00	57.6	51.5	61.0
	5:25:00	57.4	52.5	60.0
	5:30:00	57.2	53.0	59.5
	5:35:00	57.0	53.0	59.5
	5:40:00	62.4	57.5	64.5
	5:45:00	62.4	57.0	62.5
	5:50:00	60.8	55.5	62.5
	5:55:00	61.6	54.0	66.5
	6:00:00	58.3	52.5	61.5
	6:05:00	61.2	53.0	60.0
	6:10:00	56.4	51.5	58.5
	6:15:00	56.9	54.0	57.0
	6:20:00	55.6	53.0	57.0
	6:25:00	55.8	53.0	57.0
	6:30:00	55.6	52.0	57.0
	6:35:00	54.9	51.0	56.5
	6:40:00	54.8	51.5	56.5
	6:45:00	54.5	51.0	56.0
	6:50:00	54.3	50.0	55.5
	6:55:00	54.7	50.5	56.5
	7:00:00	54.2	50.5	55.5
	7:05:00	55.0	51.5	56.5
	7:10:00	55.6	52.0	57.0
	7:15:00	55.2	52.0	56.0
	7:20:00	55.1	52.0	56.5
	7:25:00	55.9	53.0	57.5
	7:30:00	54.6	51.5	56.0
	7:35:00	55.9	53.0	57.5
	7:40:00	55.8	52.5	57.5
	7:45:00	56.3	53.5	57.5
	7:50:00	56.5	53.0	58.5
	7:55:00	56.3	53.5	57.5
	8:00:00	56.8	53.5	58.5
	8:05:00	57.7	55.5	59.0
	8:10:00	56.1	53.5	57.5
	8:15:00	59.6	58.0	60.5
	8:20:00	57.2	55.0	58.5
	8:25:00	58.4	56.0	59.5
	8:30:00	60.1	58.0	62.0
	8:35:00	60.3	58.5	62.0
	8:40:00	59.8	58.0	61.5
	8:45:00	59.2	58.0	60.0
	8:50:00	58.7	57.0	59.5
	8:55:00	57.7	56.0	58.5
	9:00:00	58.2	56.5	59.5
	9:05:00	58.4	56.0	60.0
	9:10:00	59.1	56.5	60.0
	9:15:00	60.1	56.5	60.5
	9:20:00	56.4	54.0	57.5
	9:25:00	57.6	55.5	58.5
	9:30:00	58.5	56.5	59.5
	9:35:00	59.6	58.5	60.0
	9:40:00	59.7	58.5	60.5
	9:45:00	60.0	58.5	61.0
	9:50:00	60.9	59.5	61.5
	9:55:00	61.2	59.5	62.0
	10:00:00	58.0	56.0	59.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	10:05:00	57.6	56.0	58.5
	10:10:00	60.2	59.0	61.0
	10:15:00	64.4	60.5	63.0
	10:20:00	61.2	59.0	62.5
	10:25:00	59.7	58.0	60.5
	10:30:00	61.0	57.5	61.5
	10:35:00	67.1	65.0	68.5
	10:40:00	65.3	62.0	67.0
	10:45:00	62.7	61.5	63.5
	10:50:00	61.3	60.0	62.0
	10:55:00	61.3	59.5	62.0
	11:00:00	58.6	56.5	59.5
	11:05:00	59.1	57.5	59.5
	11:10:00	63.5	58.0	69.0
	11:15:00	66.3	63.5	68.0
	11:20:00	60.9	59.0	62.5
	11:25:00	57.7	56.0	58.5
	11:30:00	60.4	55.5	62.0
	11:35:00	67.9	64.0	70.0
	11:40:00	59.1	56.5	61.0
	11:45:00	62.1	58.5	63.5
	11:50:00	63.7	62.0	65.0
	11:55:00	61.2	59.0	62.5
	12:00:00	59.2	57.5	60.5
	12:05:00	57.6	55.5	59.0
	12:10:00	57.9	56.0	59.0
	12:15:00	62.9	59.0	66.5
	12:20:00	65.0	63.5	66.5
	12:25:00	66.4	63.0	67.5
	12:30:00	60.9	58.5	63.0
	12:35:00	62.8	60.5	64.0
	12:40:00	65.3	61.0	69.0
	12:45:00	61.8	60.0	62.5
	12:50:00	57.5	55.5	59.0
	12:55:00	56.2	54.0	57.5
	13:00:00	57.7	54.5	59.0
	13:05:00	57.7	56.0	58.5
	13:10:00	58.0	55.5	59.5
	13:15:00	56.5	53.5	58.0
	13:20:00	55.2	52.0	56.5
	13:25:00	58.3	53.0	60.0
	13:30:00	57.4	52.0	57.5
	13:35:00	56.4	52.0	57.5
	13:40:00	55.1	51.5	56.5
	13:45:00	58.4	53.5	61.5
	13:50:00	59.3	55.0	61.5
	13:55:00	56.8	54.0	58.5
	14:00:00	55.8	53.5	57.0
	14:05:00	57.0	55.0	58.0
	14:10:00	62.5	57.0	65.5
	14:15:00	57.5	55.5	58.5
	14:20:00	56.1	53.5	57.5
	14:25:00	57.5	55.0	58.5
	14:30:00	57.0	54.0	58.0
	14:35:00	55.3	52.5	56.5
	14:40:00	55.0	51.5	56.5
	14:45:00	55.7	53.0	57.0
	14:50:00	60.3	53.0	63.0
	14:55:00	61.3	54.5	64.5
	15:00:00	61.0	54.5	65.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	15:05:00	57.4	54.0	58.5
	15:10:00	57.3	54.5	58.5
	15:15:00	58.2	53.5	59.0
	15:20:00	57.1	53.0	58.0
	15:25:00	57.2	53.0	59.5
	15:30:00	58.8	52.5	63.0
	15:35:00	57.2	51.5	60.0
	15:40:00	56.9	52.5	59.5
	15:45:00	56.4	51.5	59.0
	15:50:00	60.5	52.5	64.5
	15:55:00	55.0	51.5	56.5
	16:00:00	54.8	51.0	56.5
	16:05:00	54.8	51.0	56.5
	16:10:00	54.5	50.5	56.0
	16:15:00	56.7	50.5	59.5
	16:20:00	57.6	51.5	57.5
	16:25:00	58.7	52.5	59.5
	16:30:00	55.5	52.0	57.0
	16:35:00	55.7	52.0	57.5
	16:40:00	56.6	53.0	59.0
	16:45:00	58.9	53.5	61.0
	16:50:00	69.0	51.5	76.5
	16:55:00	56.8	52.0	58.0
	17:00:00	56.4	52.5	57.5
	17:05:00	56.4	52.0	57.5
	17:10:00	57.6	51.5	60.5
	17:15:00	56.2	53.5	58.0
	17:20:00	55.9	52.5	57.5
	17:25:00	56.3	52.5	58.5
	17:30:00	56.1	52.0	58.5
	17:35:00	61.3	53.0	65.5
	17:40:00	55.0	51.5	56.5
	17:45:00	56.4	52.0	58.0
	17:50:00	55.6	51.5	56.5
	17:55:00	54.8	51.5	56.0
	18:00:00	64.7	52.0	71.0
	18:05:00	56.2	52.5	58.0
	18:10:00	55.3	52.5	56.5
	18:15:00	55.7	52.5	57.0
	18:20:00	63.7	53.5	70.0
	18:25:00	55.7	52.5	57.0
	18:30:00	56.5	53.0	57.5
	18:35:00	55.8	52.5	57.0
	18:40:00	65.4	53.0	71.5
	18:45:00	66.1	54.0	71.5
	18:50:00	64.7	54.0	70.5
	18:55:00	56.0	52.5	57.0
	19:00:00	67.2	53.0	72.5
	19:05:00	54.9	51.5	56.5
	19:10:00	54.5	51.5	55.5
	19:15:00	66.2	52.5	73.0
	19:20:00	55.0	52.5	56.0
	19:25:00	60.5	52.0	56.5
	19:30:00	55.0	52.0	56.0
	19:35:00	54.7	51.5	55.5
	19:40:00	54.8	51.5	56.0
	19:45:00	54.6	51.5	55.5
	19:50:00	54.9	52.0	56.0
	19:55:00	55.7	51.5	56.5
	20:00:00	55.0	52.0	56.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	20:05:00	54.4	51.0	55.5
	20:10:00	54.2	51.0	55.5
	20:15:00	54.3	50.5	55.5
	20:20:00	54.2	51.0	55.5
	20:25:00	55.0	51.5	56.5
	20:30:00	55.2	51.5	56.0
	20:35:00	54.5	50.5	55.5
	20:40:00	54.1	50.5	55.5
	20:45:00	54.1	50.5	55.5
	20:50:00	54.2	50.5	55.5
	20:55:00	54.0	50.0	55.0
	21:00:00	55.2	51.0	56.0
	21:05:00	54.2	51.0	55.5
	21:10:00	54.4	50.5	55.5
	21:15:00	54.3	51.0	55.5
	21:20:00	54.0	50.5	55.0
	21:25:00	55.2	50.5	55.5
	21:30:00	54.1	50.5	55.5
	21:35:00	54.4	51.0	55.5
	21:40:00	54.3	50.5	55.5
	21:45:00	53.9	50.5	55.0
	21:50:00	54.1	50.5	55.5
	21:55:00	54.6	50.5	55.5
	22:00:00	54.2	50.5	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/22/2007	22:05:00	54.6	51.0	55.5
	22:10:00	54.8	51.0	55.5
	22:15:00	54.4	51.0	55.5
	22:20:00	54.6	51.5	56.0
	22:25:00	54.8	51.5	56.0
	22:30:00	54.4	51.0	55.5
	22:35:00	54.5	51.0	55.5
	22:40:00	54.3	51.0	55.5
	22:45:00	54.1	50.5	55.5
	22:50:00	54.1	51.0	55.5
	22:55:00	54.5	51.0	55.5
	23:00:00	54.4	51.0	55.5
	23:05:00	54.5	51.5	55.5
	23:10:00	54.6	51.0	55.5
	23:15:00	54.2	51.0	55.5
	23:20:00	54.1	50.5	55.0
	23:25:00	54.0	50.5	55.0
	23:30:00	54.0	50.5	55.0
	23:35:00	54.0	50.5	55.0
	23:40:00	53.8	50.0	55.0
	23:45:00	54.2	50.5	55.5
	23:50:00	53.7	50.0	55.0
	23:55:00	54.1	50.0	55.5
	0:00:00	53.6	49.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	0:05:00	53.9	49.5	55.0
	0:10:00	53.6	49.5	55.0
	0:15:00	53.7	50.0	55.0
	0:20:00	53.7	49.5	55.0
	0:25:00	53.5	49.5	55.0
	0:30:00	53.7	49.5	55.0
	0:35:00	53.5	49.0	54.5
	0:40:00	53.3	49.0	54.5
	0:45:00	53.4	49.0	54.5
	0:50:00	53.3	49.0	54.5
	0:55:00	53.3	48.5	54.5
	1:00:00	53.2	48.5	54.5
	1:05:00	53.2	48.5	54.5
	1:10:00	53.2	48.5	54.5
	1:15:00	53.2	48.5	54.5
	1:20:00	53.2	48.5	54.5
	1:25:00	53.3	49.0	54.5
	1:30:00	53.3	49.0	54.5
	1:35:00	53.4	49.0	54.5
	1:40:00	53.3	48.5	54.5
	1:45:00	53.2	48.5	54.5
	1:50:00	53.2	48.5	54.5
	1:55:00	53.3	49.0	54.5
	2:00:00	53.3	49.0	54.5
	2:05:00	53.5	49.5	54.5
	2:10:00	53.7	50.0	55.0
	2:15:00	53.6	49.5	55.0
	2:20:00	53.6	49.5	55.0
	2:25:00	53.7	50.0	55.0
	2:30:00	53.7	50.0	55.0
	2:35:00	53.5	49.5	54.5
	2:40:00	53.4	49.0	54.5
	2:45:00	53.6	49.5	55.0
	2:50:00	53.3	49.0	54.5
	2:55:00	53.1	48.5	54.5
	3:00:00	53.2	48.5	54.5
	3:05:00	53.1	48.5	54.5
	3:10:00	53.1	48.0	54.5
	3:15:00	53.2	48.5	54.5
	3:20:00	53.1	48.0	54.5
	3:25:00	53.7	49.0	54.5
	3:30:00	53.2	48.5	54.5
	3:35:00	53.2	48.5	54.5
	3:40:00	53.3	48.5	54.5
	3:45:00	53.1	48.5	54.5
	3:50:00	53.1	48.5	54.5
	3:55:00	53.1	48.0	54.5
	4:00:00	53.0	48.0	54.5
	4:05:00	53.0	48.0	54.5
	4:10:00	53.0	48.0	54.5
	4:15:00	53.2	48.5	54.5
	4:20:00	53.1	48.0	54.5
	4:25:00	53.0	48.0	54.5
	4:30:00	53.0	48.0	54.5
	4:35:00	53.2	48.5	54.5
	4:40:00	53.3	48.5	54.5
	4:45:00	53.3	48.5	54.5
	4:50:00	53.4	49.0	54.5
	4:55:00	53.5	49.5	55.0
	5:00:00	53.7	50.0	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	5:05:00	57.3	51.0	59.0
	5:10:00	54.3	50.5	55.5
	5:15:00	55.3	52.0	56.5
	5:20:00	58.9	53.5	62.5
	5:25:00	59.0	54.5	62.0
	5:30:00	68.3	58.5	74.5
	5:35:00	67.1	60.5	71.0
	5:40:00	65.1	60.0	67.0
	5:45:00	65.9	59.5	69.0
	5:50:00	63.6	58.0	67.5
	5:55:00	62.5	57.0	66.5
	6:00:00	60.7	56.5	64.0
	6:05:00	58.3	56.0	60.0
	6:10:00	57.6	54.5	58.5
	6:15:00	56.6	54.0	57.5
	6:20:00	57.8	54.0	60.0
	6:25:00	55.8	53.5	57.0
	6:30:00	55.9	53.0	57.0
	6:35:00	57.1	53.0	59.5
	6:40:00	56.4	53.5	58.0
	6:45:00	55.2	51.5	57.0
	6:50:00	55.6	51.5	57.5
	6:55:00	55.8	51.0	57.0
	7:00:00	56.0	52.0	58.0
	7:05:00	54.8	50.5	56.5
	7:10:00	54.2	50.0	55.0
	7:15:00	57.8	51.5	61.5
	7:20:00	55.0	51.0	56.0
	7:25:00	62.2	53.5	63.0
	7:30:00	60.7	55.5	64.0
	7:35:00	61.2	57.0	64.5
	7:40:00	58.9	55.5	60.0
	7:45:00	57.6	55.0	58.5
	7:50:00	59.5	57.0	61.5
	7:55:00	63.6	57.5	68.0
	8:00:00	68.5	58.0	72.5
	8:05:00	69.2	63.5	72.0
	8:10:00	65.5	58.5	69.0
	8:15:00	64.6	58.5	67.5
	8:20:00	65.1	57.5	69.5
	8:25:00	64.6	56.5	68.5
	8:30:00	64.8	56.5	69.0
	8:35:00	61.4	54.5	66.0
	8:40:00	61.8	55.5	64.0
	8:45:00	68.4	58.0	71.0
	8:50:00	63.5	57.0	67.5
	8:55:00	56.5	53.5	58.0
	9:00:00	56.5	53.0	58.0
	9:05:00	55.3	51.5	56.5
	9:10:00	55.8	52.5	57.5
	9:15:00	54.8	51.5	56.0
	9:20:00	56.5	51.5	58.5
	9:25:00	55.3	51.0	56.5
	9:30:00	54.9	51.5	56.5
	9:35:00	55.8	53.0	57.0
	9:40:00	64.0	56.5	70.5
	9:45:00	62.2	57.0	66.0
	9:50:00	63.0	57.0	66.5
	9:55:00	62.6	58.0	66.0
	10:00:00	61.2	55.5	65.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	10:05:00	64.9	54.0	72.5
	10:10:00	61.2	56.5	63.0
	10:15:00	59.4	56.5	61.5
	10:20:00	57.8	55.5	59.0
	10:25:00	60.6	56.5	61.0
	10:30:00	61.5	56.0	63.0
	10:35:00	59.6	56.0	61.5
	10:40:00	58.7	58.1	59.5
	10:45:00	60.1	57.5	62.0
	10:50:00	60.0	57.5	62.5
	10:55:00	67.4	57.0	73.0
	11:00:00	59.0	56.0	60.5
	11:05:00	59.4	55.0	61.0
	11:10:00	65.8	56.5	70.5
	11:15:00	64.3	57.0	65.0
	11:20:00	66.3	56.0	71.5
	11:25:00	62.3	56.5	65.0
	11:30:00	66.1	56.5	73.0
	11:35:00	57.2	55.0	58.5
	11:40:00	58.4	55.5	60.0
	11:45:00	57.8	54.0	60.0
	11:50:00	66.4	54.5	74.0
	11:55:00	58.0	53.5	60.5
	12:00:00	57.7	54.0	59.5
	12:05:00	57.4	53.5	59.5
	12:10:00	55.2	52.0	56.5
	12:15:00	55.9	52.5	57.0
	12:20:00	56.1	52.0	57.0
	12:25:00	57.0	52.0	58.5
	12:30:00	60.7	54.0	65.5
	12:35:00	64.8	54.5	71.5
	12:40:00	56.1	52.5	58.0
	12:45:00	63.2	53.0	70.5
	12:50:00	61.4	52.5	58.5
	12:55:00	58.4	52.5	61.5
	13:00:00	58.0	54.0	58.5
	13:05:00	64.0	55.0	71.0
	13:10:00	58.6	56.0	60.0
	13:15:00	56.3	53.5	57.5
	13:20:00	65.0	55.5	71.0
	13:25:00	61.4	54.0	66.5
	13:30:00	59.4	53.5	62.0
	13:35:00	61.9	56.0	65.0
	13:40:00	65.3	60.5	71.0
	13:45:00	58.6	54.0	61.5
	13:50:00	59.1	54.0	62.5
	13:55:00	63.7	53.5	70.5
	14:00:00	63.1	53.5	69.0
	14:05:00	57.6	53.0	59.0
	14:10:00	60.5	54.5	62.0
	14:15:00	61.9	54.5	59.5
	14:20:00	63.9	56.0	69.0
	14:25:00	65.5	58.5	68.0
	14:30:00	66.3	58.0	71.0
	14:35:00	62.3	57.5	64.5
	14:40:00	63.9	57.5	67.0
	14:45:00	64.3	56.0	67.0
	14:50:00	62.8	55.0	67.0
	14:55:00	63.4	55.0	66.0
	15:00:00	62.6	54.5	67.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	15:05:00	59.5	53.5	62.0
	15:10:00	60.0	54.0	60.5
	15:15:00	57.2	54.5	58.0
	15:20:00	58.4	53.5	61.0
	15:25:00	57.3	53.5	59.0
	15:30:00	63.6	54.5	67.5
	15:35:00	57.5	54.5	59.0
	15:40:00	57.2	54.0	59.0
	15:45:00	57.1	54.0	58.5
	15:50:00	61.4	55.0	67.0
	15:55:00	59.2	56.0	61.0
	16:00:00	59.8	55.0	62.5
	16:05:00	56.4	53.0	58.0
	16:10:00	56.5	53.0	58.0
	16:15:00	58.2	52.5	62.0
	16:20:00	58.2	53.5	60.5
	16:25:00	61.5	55.0	66.0
	16:30:00	57.5	53.5	59.5
	16:35:00	63.2	54.5	67.5
	16:40:00	63.0	56.5	66.5
	16:45:00	60.3	54.0	63.0
	16:50:00	61.9	55.0	65.5
	16:55:00	62.0	57.5	64.5
	17:00:00	62.8	57.0	64.5
	17:05:00	55.6	52.5	57.0
	17:10:00	61.4	53.5	67.5
	17:15:00	63.7	56.0	68.0
	17:20:00	59.0	53.5	61.0
	17:25:00	56.3	52.5	58.5
	17:30:00	58.7	53.5	61.0
	17:35:00	57.5	53.0	59.5
	17:40:00	60.8	54.5	65.0
	17:45:00	55.8	52.5	57.5
	17:50:00	56.3	52.5	58.0
	17:55:00	57.4	53.0	60.0
	18:00:00	61.3	54.0	66.0
	18:05:00	59.8	52.5	59.0
	18:10:00	57.0	52.5	58.0
	18:15:00	55.9	52.0	57.0
	18:20:00	60.1	53.0	65.5
	18:25:00	56.2	52.5	58.0
	18:30:00	56.3	53.0	58.0
	18:35:00	63.4	55.0	67.0
	18:40:00	60.2	54.0	64.5
	18:45:00	58.5	52.0	64.0
	18:50:00	55.3	51.5	57.5
	18:55:00	61.0	52.5	66.5
	19:00:00	57.5	51.5	61.5
	19:05:00	60.8	52.5	66.0
	19:10:00	59.7	52.0	65.5
	19:15:00	57.8	51.5	62.0
	19:20:00	55.7	51.5	56.5
	19:25:00	56.9	52.5	59.0
	19:30:00	57.1	53.0	60.0
	19:35:00	56.3	53.5	58.0
	19:40:00	55.6	53.0	56.5
	19:45:00	55.1	52.5	56.0
	19:50:00	55.3	52.0	56.5
	19:55:00	57.5	52.0	57.5
	20:00:00	56.4	52.0	56.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	20:05:00	54.9	51.5	56.0
	20:10:00	56.6	51.5	58.5
	20:15:00	55.0	51.5	56.5
	20:20:00	55.1	52.0	56.5
	20:25:00	55.8	52.0	58.0
	20:30:00	55.2	51.0	57.0
	20:35:00	55.1	51.5	56.5
	20:40:00	55.3	51.5	57.0
	20:45:00	54.5	51.0	55.5
	20:50:00	56.0	51.0	57.0
	20:55:00	56.1	51.0	58.5
	21:00:00	56.7	51.5	59.5
	21:05:00	55.8	51.0	57.5
	21:10:00	55.1	51.0	56.0
	21:15:00	57.5	51.5	61.0
	21:20:00	54.1	50.0	55.0
	21:25:00	56.7	51.0	60.0
	21:30:00	58.2	51.5	62.0
	21:35:00	55.1	51.0	57.0
	21:40:00	55.4	50.5	56.5
	21:45:00	54.3	51.0	55.5
	21:50:00	54.4	50.5	55.5
	21:55:00	54.5	50.5	56.0
	22:00:00	56.6	51.5	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/23/2007	22:05:00	54.1	50.5	55.5
	22:10:00	54.1	50.5	55.5
	22:15:00	54.1	50.0	55.0
	22:20:00	53.8	50.0	55.0
	22:25:00	54.0	50.0	55.0
	22:30:00	54.6	50.5	56.0
	22:35:00	54.1	50.0	55.0
	22:40:00	54.2	50.5	55.5
	22:45:00	54.3	50.5	55.5
	22:50:00	54.0	50.5	55.0
	22:55:00	54.2	50.5	55.5
	23:00:00	53.7	49.5	55.0
	23:05:00	57.4	51.0	59.0
	23:10:00	54.0	50.0	55.5
	23:15:00	54.1	49.5	55.5
	23:20:00	53.9	50.0	55.0
	23:25:00	54.0	50.0	55.0
	23:30:00	53.8	49.5	55.0
	23:35:00	53.6	49.5	55.0
	23:40:00	54.0	50.0	55.5
	23:45:00	55.5	50.0	56.0
	23:50:00	55.0	50.5	56.5
	23:55:00	53.9	50.0	55.0
	0:00:00	53.6	49.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	0:05:00	54.2	50.0	55.5
	0:10:00	55.3	50.5	57.5
	0:15:00	54.1	49.5	55.0
	0:20:00	53.6	49.5	55.0
	0:25:00	54.0	49.5	55.0
	0:30:00	54.6	50.0	56.5
	0:35:00	53.7	49.5	55.0
	0:40:00	53.8	49.5	55.0
	0:45:00	53.7	49.5	55.0
	0:50:00	53.6	49.5	55.0
	0:55:00	53.5	49.5	55.0
	1:00:00	53.6	49.5	55.0
	1:05:00	54.6	50.0	55.5
	1:10:00	54.1	49.5	55.0
	1:15:00	53.9	49.0	55.0
	1:20:00	53.4	49.0	54.5
	1:25:00	53.3	48.5	54.5
	1:30:00	56.4	49.5	55.0
	1:35:00	56.4	51.0	58.0
	1:40:00	53.6	49.0	55.0
	1:45:00	53.3	48.5	54.5
	1:50:00	53.6	48.5	55.0
	1:55:00	53.1	48.5	54.5
	2:00:00	53.6	48.5	54.5
	2:05:00	53.2	48.5	54.5
	2:10:00	53.2	48.5	54.5
	2:15:00	53.3	48.5	54.5
	2:20:00	53.2	48.5	54.5
	2:25:00	53.2	48.5	54.5
	2:30:00	53.3	48.5	54.5
	2:35:00	53.6	48.5	54.5
	2:40:00	53.2	48.5	54.5
	2:45:00	53.7	48.5	54.5
	2:50:00	53.1	48.5	54.5
	2:55:00	53.6	48.5	54.5
	3:00:00	53.2	48.5	54.5
	3:05:00	53.4	48.5	54.5
	3:10:00	53.1	48.5	54.5
	3:15:00	53.2	48.5	54.5
	3:20:00	53.6	48.5	54.5
	3:25:00	53.1	48.0	54.5
	3:30:00	53.1	48.5	54.5
	3:35:00	53.0	48.0	54.5
	3:40:00	54.3	49.0	55.0
	3:45:00	53.3	48.5	54.5
	3:50:00	53.3	48.5	54.5
	3:55:00	53.2	48.0	54.5
	4:00:00	53.1	48.5	54.5
	4:05:00	53.1	48.0	54.5
	4:10:00	53.1	48.0	54.5
	4:15:00	53.2	48.0	54.5
	4:20:00	53.3	48.5	54.5
	4:25:00	53.0	48.0	54.5
	4:30:00	53.0	48.0	54.5
	4:35:00	53.0	48.0	54.5
	4:40:00	53.7	48.5	54.5
	4:45:00	53.5	49.5	55.0
	4:50:00	54.3	50.0	55.5
	4:55:00	53.8	50.0	55.0
	5:00:00	58.2	51.5	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	5:05:00	54.1	50.5	55.5
	5:10:00	54.9	51.0	56.5
	5:15:00	57.9	52.0	61.0
	5:20:00	59.3	55.0	62.5
	5:25:00	63.9	59.0	67.0
	5:30:00	64.8	60.0	68.0
	5:35:00	68.8	62.0	71.5
	5:40:00	68.7	62.0	71.5
	5:45:00	68.4	63.0	71.0
	5:50:00	68.5	60.0	71.5
	5:55:00	65.8	60.0	68.0
	6:00:00	68.1	62.5	71.0
	6:05:00	66.1	60.0	69.0
	6:10:00	63.8	58.0	67.0
	6:15:00	63.3	57.0	67.0
	6:20:00	64.7	58.0	69.0
	6:25:00	62.8	58.0	66.0
	6:30:00	59.3	56.0	61.5
	6:35:00	62.2	56.0	66.5
	6:40:00	65.8	59.0	68.5
	6:45:00	65.7	59.0	69.5
	6:50:00	70.2	65.0	73.0
	6:55:00	69.0	62.5	71.5
	7:00:00	69.0	61.0	72.5
	7:05:00	62.1	57.0	65.5
	7:10:00	61.9	57.0	66.0
	7:15:00	64.9	57.0	69.5
	7:20:00	59.7	55.5	60.5
	7:25:00	65.4	59.0	70.5
	7:30:00	60.9	57.5	64.0
	7:35:00	59.0	56.5	60.5
	7:40:00	67.1	60.0	70.5
	7:45:00	67.2	60.0	70.0
	7:50:00	64.8	60.5	67.5
	7:55:00	65.6	59.5	68.5
	8:00:00	66.9	61.5	70.5
	8:05:00	65.8	60.5	68.5
	8:10:00	68.8	63.0	71.0
	8:15:00	67.7	62.5	72.0
	8:20:00	70.2	65.0	72.5
	8:25:00	69.0	64.0	72.0
	8:30:00	69.3	65.0	71.5
	8:35:00	69.2	65.0	72.0
	8:40:00	64.4	60.5	66.5
	8:45:00	67.2	62.5	69.5
	8:50:00	64.1	57.5	66.5
	8:55:00	63.5	57.5	67.0
	9:00:00	66.3	61.5	68.5
	9:05:00	65.1	61.5	67.0
	9:10:00	65.2	58.5	69.0
	9:15:00	59.6	57.0	61.5
	9:20:00	59.5	56.0	62.0
	9:25:00	61.6	56.5	64.5
	9:30:00	59.4	55.5	62.5
	9:35:00	56.9	53.5	59.0
	9:40:00	56.7	54.5	58.0
	9:45:00	57.3	54.5	59.0
	9:50:00	60.5	55.5	64.5
	9:55:00	58.6	56.0	60.0
	10:00:00	61.6	57.0	65.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	10:05:00	61.8	55.5	66.5
	10:10:00	62.5	55.5	63.5
	10:15:00	62.8	54.5	60.5
	10:20:00	62.4	55.5	67.0
	10:25:00	59.5	54.5	62.5
	10:30:00	58.0	53.5	61.0
	10:35:00	61.9	55.5	65.0
	10:40:00	61.5	56.0	63.5
	10:45:00	61.5	56.5	64.0
	10:50:00	61.2	56.5	63.5
	10:55:00	60.9	56.5	63.5
	11:00:00	62.1	56.0	65.0
	11:05:00	64.0	55.5	68.0
	11:10:00	60.7	55.5	63.5
	11:15:00	60.3	53.0	64.0
	11:20:00	64.1	55.5	68.0
	11:25:00	65.1	59.0	69.0
	11:30:00	63.1	58.0	65.5
	11:35:00	63.7	57.0	66.0
	11:40:00	61.5	55.0	65.5
	11:45:00	61.7	55.5	66.0
	11:50:00	56.8	53.5	58.5
	11:55:00	58.2	54.0	60.5
	12:00:00	59.5	53.5	62.5
	12:05:00	61.9	55.0	67.5
	12:10:00	61.7	55.5	63.0
	12:15:00	61.0	55.5	62.0
	12:20:00	61.6	55.0	64.0
	12:25:00	58.7	55.0	60.0
	12:30:00	61.0	54.5	66.5
	12:35:00	65.9	56.0	70.5
	12:40:00	59.4	54.0	62.5
	12:45:00	60.3	55.0	63.5
	12:50:00	58.3	54.5	60.5
	12:55:00	59.9	55.5	62.5
	13:00:00	60.2	55.5	63.0
	13:05:00	62.0	56.0	65.5
	13:10:00	58.2	55.0	60.5
	13:15:00	60.8	56.5	63.0
	13:20:00	57.6	54.5	59.5
	13:25:00	57.9	54.5	60.0
	13:30:00	59.8	54.5	64.0
	13:35:00	62.9	56.0	66.5
	13:40:00	61.3	56.0	63.0
	13:45:00	68.7	56.5	73.5
	13:50:00	67.2	58.0	71.5
	13:55:00	65.4	58.0	69.0
	14:00:00	65.9	57.5	68.5
	14:05:00	57.8	55.5	59.5
	14:10:00	59.6	56.0	62.0
	14:15:00	63.6	58.0	67.0
	14:20:00	64.1	57.5	67.0
	14:25:00	63.4	57.0	66.0
	14:30:00	62.8	55.0	67.5
	14:35:00	59.2	54.0	62.0
	14:40:00	56.7	54.0	58.5
	14:45:00	57.5	54.5	59.5
	14:50:00	58.2	54.0	62.0
	14:55:00	60.0	53.5	65.5
	15:00:00	61.8	55.0	66.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	15:05:00	59.8	54.0	62.5
	15:10:00	61.4	55.5	65.0
	15:15:00	62.3	55.5	66.5
	15:20:00	58.4	55.0	60.0
	15:25:00	61.6	54.5	63.5
	15:30:00	61.2	56.0	64.0
	15:35:00	60.0	54.0	66.0
	15:40:00	61.5	55.0	64.0
	15:45:00	58.8	55.0	61.0
	15:50:00	59.6	54.0	63.0
	15:55:00	62.7	55.5	67.0
	16:00:00	61.6	55.0	65.0
	16:05:00	60.6	53.5	61.5
	16:10:00	60.7	54.5	64.0
	16:15:00	65.1	56.0	69.0
	16:20:00	61.8	55.0	65.5
	16:25:00	59.2	54.5	61.0
	16:30:00	57.1	54.0	59.0
	16:35:00	61.6	54.5	62.0
	16:40:00	63.2	55.5	66.0
	16:45:00	67.2	57.0	71.0
	16:50:00	57.5	53.5	59.0
	16:55:00	56.3	52.5	57.0
	17:00:00	58.6	53.0	62.0
	17:05:00	60.9	54.5	65.0
	17:10:00	59.8	54.0	63.5
	17:15:00	57.1	53.0	59.0
	17:20:00	56.6	53.0	58.5
	17:25:00	56.8	53.5	58.5
	17:30:00	56.1	52.5	57.5
	17:35:00	57.4	53.0	59.5
	17:40:00	58.8	54.0	61.5
	17:45:00	61.5	54.0	65.0
	17:50:00	57.2	53.0	59.0
	17:55:00	58.4	54.5	61.0
	18:00:00	57.9	53.0	60.5
	18:05:00	58.0	53.5	60.5
	18:10:00	57.5	53.5	59.5
	18:15:00	59.6	53.0	63.5
	18:20:00	57.8	53.5	61.0
	18:25:00	56.3	52.5	58.5
	18:30:00	60.1	54.0	63.5
	18:35:00	56.0	53.0	57.5
	18:40:00	56.2	52.5	57.5
	18:45:00	56.5	53.0	58.5
	18:50:00	60.4	52.5	66.5
	18:55:00	59.1	52.5	64.5
	19:00:00	60.0	52.5	66.0
	19:05:00	60.8	52.5	66.0
	19:10:00	55.8	51.5	57.0
	19:15:00	61.3	53.0	68.0
	19:20:00	54.8	51.5	56.0
	19:25:00	55.0	52.0	56.0
	19:30:00	58.6	52.5	58.5
	19:35:00	55.2	52.0	56.5
	19:40:00	56.6	52.5	58.5
	19:45:00	59.6	52.0	60.0
	19:50:00	55.3	52.0	56.5
	19:55:00	57.7	52.5	61.5
	20:00:00	55.9	51.5	58.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	20:05:00	56.0	51.5	58.5
	20:10:00	54.7	51.0	56.0
	20:15:00	54.8	51.0	56.5
	20:20:00	55.8	51.5	56.5
	20:25:00	54.9	51.0	56.0
	20:30:00	54.3	50.5	55.5
	20:35:00	57.5	51.5	59.0
	20:40:00	57.9	51.5	59.0
	20:45:00	54.3	51.0	55.5
	20:50:00	55.2	50.5	56.0
	20:55:00	55.2	50.5	56.5
	21:00:00	55.7	50.5	58.0
	21:05:00	57.5	51.5	58.5
	21:10:00	54.7	50.5	56.5
	21:15:00	57.3	52.0	60.0
	21:20:00	55.4	51.0	57.5
	21:25:00	56.3	51.0	58.0
	21:30:00	54.8	50.5	56.5
	21:35:00	55.0	51.0	56.5
	21:40:00	54.3	50.5	55.5
	21:45:00	54.7	51.0	56.0
	21:50:00	54.3	50.5	55.5
	21:55:00	54.2	50.5	55.5
	22:00:00	55.2	50.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/24/2007	22:05:00	54.9	50.5	56.5
	22:10:00	54.2	50.0	55.5
	22:15:00	53.9	50.0	55.0
	22:20:00	54.1	50.0	55.5
	22:25:00	54.1	50.0	55.5
	22:30:00	53.7	49.5	55.0
	22:35:00	54.7	50.0	56.5
	22:40:00	54.4	50.5	56.0
	22:45:00	54.1	50.5	55.5
	22:50:00	54.1	50.0	55.5
	22:55:00	53.7	49.5	55.0
	23:00:00	53.9	50.0	55.0
	23:05:00	54.3	49.5	55.5
	23:10:00	53.7	49.5	55.0
	23:15:00	53.7	49.5	55.0
	23:20:00	55.0	50.0	56.0
	23:25:00	54.4	50.0	56.0
	23:30:00	53.6	49.5	55.0
	23:35:00	53.5	49.5	55.0
	23:40:00	54.0	49.5	55.5
	23:45:00	54.0	50.0	55.5
	23:50:00	53.5	49.0	55.0
	23:55:00	54.3	50.0	56.0
	0:00:00	54.3	49.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	0:05:00	54.4	50.0	56.0
	0:10:00	54.6	50.0	56.5
	0:15:00	55.2	49.5	56.0
	0:20:00	54.0	50.0	55.5
	0:25:00	53.7	49.5	55.0
	0:30:00	53.4	49.0	54.5
	0:35:00	54.6	49.5	56.0
	0:40:00	53.7	49.0	55.0
	0:45:00	53.6	49.0	55.0
	0:50:00	54.3	49.5	56.0
	0:55:00	53.6	49.0	55.0
	1:00:00	53.3	48.5	54.5
	1:05:00	53.7	49.0	55.0
	1:10:00	53.9	49.0	55.5
	1:15:00	53.3	49.0	54.5
	1:20:00	53.4	48.5	54.5
	1:25:00	54.5	49.5	56.5
	1:30:00	53.4	49.0	54.5
	1:35:00	53.3	48.5	54.5
	1:40:00	53.3	49.0	54.5
	1:45:00	53.4	49.0	54.5
	1:50:00	53.2	48.5	54.5
	1:55:00	54.4	48.5	54.5
	2:00:00	53.8	48.5	54.5
	2:05:00	53.3	48.5	54.5
	2:10:00	53.2	48.5	54.5
	2:15:00	53.2	48.5	54.5
	2:20:00	53.2	48.5	54.5
	2:25:00	53.2	48.5	54.5
	2:30:00	53.3	48.0	54.5
	2:35:00	53.1	48.5	54.5
	2:40:00	54.9	49.0	57.0
	2:45:00	53.1	48.0	54.5
	2:50:00	53.1	48.5	54.5
	2:55:00	53.1	48.0	54.5
	3:00:00	53.2	48.5	54.5
	3:05:00	53.1	48.0	54.5
	3:10:00	53.2	48.5	54.5
	3:15:00	54.3	49.0	56.0
	3:20:00	53.0	48.0	54.5
	3:25:00	53.1	48.0	54.5
	3:30:00	53.1	48.0	54.5
	3:35:00	53.2	48.0	54.5
	3:40:00	53.7	48.5	55.0
	3:45:00	53.5	48.5	55.0
	3:50:00	53.1	48.0	54.5
	3:55:00	53.1	48.0	54.5
	4:00:00	53.1	48.0	54.5
	4:05:00	53.1	48.0	54.5
	4:10:00	53.2	48.5	54.5
	4:15:00	53.2	48.5	54.5
	4:20:00	53.2	48.5	54.5
	4:25:00	53.3	48.5	54.5
	4:30:00	53.4	49.0	54.5
	4:35:00	54.0	49.5	55.5
	4:40:00	53.8	49.5	55.0
	4:45:00	53.5	49.5	54.5
	4:50:00	53.6	49.5	55.0
	4:55:00	53.9	50.0	55.0
	5:00:00	55.8	50.5	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	5:05:00	54.5	50.0	55.0
	5:10:00	55.5	51.5	57.5
	5:15:00	64.5	54.0	66.0
	5:20:00	68.8	61.0	71.5
	5:25:00	69.4	64.5	72.0
	5:30:00	69.7	66.0	72.0
	5:35:00	68.4	65.0	70.5
	5:40:00	71.1	66.5	74.0
	5:45:00	69.4	64.5	72.5
	5:50:00	61.8	58.0	64.0
	5:55:00	65.2	58.0	70.0
	6:00:00	65.7	58.0	70.5
	6:05:00	68.1	59.0	70.5
	6:10:00	68.2	64.0	71.0
	6:15:00	70.1	66.0	72.5
	6:20:00	71.4	68.5	73.0
	6:25:00	69.6	66.0	72.0
	6:30:00	72.5	68.0	75.5
	6:35:00	71.8	66.0	75.0
	6:40:00	73.5	68.5	77.0
	6:45:00	71.9	67.5	75.0
	6:50:00	72.0	68.5	74.0
	6:55:00	72.3	68.5	74.0
	7:00:00	72.6	70.0	74.0
	7:05:00	72.0	69.0	74.0
	7:10:00	72.2	69.5	74.0
	7:15:00	71.3	66.5	73.5
	7:20:00	72.2	68.5	74.5
	7:25:00	70.2	67.0	72.0
	7:30:00	71.6	67.0	74.0
	7:35:00	71.3	66.0	73.5
	7:40:00	71.0	64.0	73.5
	7:45:00	72.3	66.5	75.5
	7:50:00	68.4	64.0	71.0
	7:55:00	71.3	62.5	75.5
	8:00:00	69.9	62.0	74.0
	8:05:00	67.3	60.5	70.0
	8:10:00	68.4	62.0	71.5
	8:15:00	69.9	64.0	73.0
	8:20:00	70.4	64.5	73.0
	8:25:00	67.2	60.0	70.5
	8:30:00	66.1	59.0	69.5
	8:35:00	61.3	57.5	64.0
	8:40:00	64.8	58.0	68.5
	8:45:00	68.3	62.5	71.0
	8:50:00	66.2	61.0	69.0
	8:55:00	63.5	58.5	66.5
	9:00:00	63.2	57.0	67.0
	9:05:00	64.6	58.0	67.5
	9:10:00	65.3	59.0	68.0
	9:15:00	63.2	58.5	66.0
	9:20:00	65.7	60.0	69.0
	9:25:00	65.3	57.5	70.0
	9:30:00	63.0	57.0	66.5
	9:35:00	67.8	63.0	70.0
	9:40:00	70.3	63.0	74.0
	9:45:00	67.8	59.5	71.0
	9:50:00	65.9	56.5	68.5
	9:55:00	62.8	57.0	66.5
	10:00:00	61.8	55.5	64.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	10:05:00	63.6	55.5	66.0
	10:10:00	58.8	55.0	60.5
	10:15:00	60.6	56.0	65.0
	10:20:00	58.6	55.5	60.0
	10:25:00	58.2	55.5	60.0
	10:30:00	62.4	55.5	65.0
	10:35:00	58.2	54.0	59.5
	10:40:00	58.6	55.0	61.0
	10:45:00	59.3	54.5	61.5
	10:50:00	57.3	54.5	59.0
	10:55:00	62.3	55.5	64.5
	11:00:00	56.3	53.0	58.0
	11:05:00	58.9	53.5	62.0
	11:10:00	60.4	54.5	64.0
	11:15:00	60.8	55.0	64.5
	11:20:00	56.0	53.0	57.5
	11:25:00	56.9	54.0	58.5
	11:30:00	56.8	53.5	58.5
	11:35:00	62.7	54.5	66.5
	11:40:00	55.9	53.0	57.5
	11:45:00	55.4	52.0	57.0
	11:50:00	64.4	54.0	71.5
	11:55:00	57.6	54.0	59.5
	12:00:00	60.8	54.0	65.0
	12:05:00	55.9	52.5	57.5
	12:10:00	62.7	54.5	67.5
	12:15:00	60.2	54.0	64.0
	12:20:00	56.5	52.0	58.0
	12:25:00	59.8	53.0	63.5
	12:30:00	61.7	54.0	65.0
	12:35:00	56.3	53.0	57.5
	12:40:00	61.5	53.5	65.5
	12:45:00	62.7	54.5	65.0
	12:50:00	60.4	52.0	63.0
	12:55:00	57.9	52.5	60.5
	13:00:00	58.7	53.5	61.5
	13:05:00	66.1	56.0	70.5
	13:10:00	65.3	55.5	66.5
	13:15:00	60.3	53.5	63.5
	13:20:00	63.5	54.5	67.0
	13:25:00	67.9	59.0	71.5
	13:30:00	56.9	54.0	59.0
	13:35:00	63.7	54.5	69.0
	13:40:00	63.5	55.0	66.5
	13:45:00	58.2	55.0	60.5
	13:50:00	56.9	53.5	58.5
	13:55:00	65.9	55.0	72.0
	14:00:00	66.6	58.0	71.0
	14:05:00	65.5	56.0	69.5
	14:10:00	60.4	55.5	63.0
	14:15:00	64.0	55.5	70.0
	14:20:00	60.9	55.5	63.5
	14:25:00	58.4	55.0	60.5
	14:30:00	62.3	55.5	67.0
	14:35:00	60.5	55.0	64.5
	14:40:00	58.1	54.5	60.5
	14:45:00	58.5	55.0	61.0
	14:50:00	65.5	54.5	72.0
	14:55:00	61.7	54.0	65.5
	15:00:00	64.7	55.0	69.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	15:05:00	58.5	53.5	59.5
	15:10:00	55.9	52.5	57.5
	15:15:00	61.8	54.5	66.5
	15:20:00	55.9	52.5	57.5
	15:25:00	57.2	52.5	60.0
	15:30:00	65.0	54.0	69.5
	15:35:00	56.6	52.5	58.0
	15:40:00	57.4	52.5	60.5
	15:45:00	60.0	52.0	65.5
	15:50:00	58.1	54.0	61.0
	15:55:00	58.1	54.0	61.0
	16:00:00	58.7	54.0	61.0
	16:05:00	60.4	54.0	64.0
	16:10:00	56.6	53.0	59.0
	16:15:00	59.6	53.5	63.5
	16:20:00	55.9	52.5	57.5
	16:25:00	58.1	52.5	61.5
	16:30:00	56.5	53.0	58.5
	16:35:00	56.4	52.5	58.5
	16:40:00	59.9	53.0	65.0
	16:45:00	56.5	52.0	58.5
	16:50:00	56.9	52.5	59.5
	16:55:00	61.0	53.5	65.5
	17:00:00	57.7	53.5	60.5
	17:05:00	56.4	52.5	57.5
	17:10:00	62.0	53.5	68.0
	17:15:00	57.6	52.5	60.0
	17:20:00	57.0	52.5	59.0
	17:25:00	58.0	53.5	61.0
	17:30:00	56.6	53.0	58.5
	17:35:00	59.3	54.0	62.5
	17:40:00	60.8	53.5	66.0
	17:45:00	55.9	52.0	57.5
	17:50:00	58.0	51.5	61.0
	17:55:00	56.9	52.0	58.5
	18:00:00	55.9	52.0	58.0
	18:05:00	58.0	52.0	59.0
	18:10:00	58.9	52.5	63.5
	18:15:00	57.5	53.0	59.5
	18:20:00	55.7	52.0	57.5
	18:25:00	55.6	51.5	58.0
	18:30:00	59.1	52.0	64.0
	18:35:00	56.5	52.0	58.0
	18:40:00	65.2	54.0	69.5
	18:45:00	61.1	54.0	65.0
	18:50:00	59.7	53.5	61.0
	18:55:00	60.2	52.5	66.5
	19:00:00	60.1	52.0	66.0
	19:05:00	58.1	52.0	62.0
	19:10:00	62.0	51.0	69.5
	19:15:00	58.9	51.0	59.0
	19:20:00	58.0	51.5	61.0
	19:25:00	56.2	52.0	58.5
	19:30:00	55.9	52.5	57.5
	19:35:00	56.3	52.5	59.0
	19:40:00	56.0	52.0	58.0
	19:45:00	55.2	51.5	56.5
	19:50:00	57.2	52.0	59.5
	19:55:00	57.0	52.5	57.5
	20:00:00	56.2	51.5	59.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	20:05:00	55.6	52.0	57.5
	20:10:00	55.6	52.5	57.0
	20:15:00	55.1	52.0	56.5
	20:20:00	56.7	52.5	59.0
	20:25:00	60.2	53.0	61.0
	20:30:00	54.8	51.0	56.5
	20:35:00	54.5	51.0	56.0
	20:40:00	55.7	51.5	57.5
	20:45:00	56.6	53.0	58.5
	20:50:00	56.0	52.0	57.5
	20:55:00	59.4	52.5	61.0
	21:00:00	55.4	51.0	56.5
	21:05:00	56.6	52.0	59.0
	21:10:00	57.2	51.5	60.0
	21:15:00	56.1	51.5	57.0
	21:20:00	54.9	50.5	56.0
	21:25:00	54.4	50.5	55.5
	21:30:00	56.5	51.5	58.0
	21:35:00	54.6	50.5	56.0
	21:40:00	54.5	51.0	56.0
	21:45:00	54.4	50.5	55.5
	21:50:00	55.2	51.0	56.5
	21:55:00	54.3	50.5	56.0
	22:00:00	56.4	51.5	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/25/2007	22:05:00	55.5	50.0	55.0
	22:10:00	56.8	51.0	58.0
	22:15:00	55.4	51.0	57.0
	22:20:00	59.2	51.0	59.5
	22:25:00	55.4	51.0	58.0
	22:30:00	55.1	50.5	57.0
	22:35:00	53.9	50.0	55.0
	22:40:00	60.8	50.5	61.5
	22:45:00	54.5	50.5	56.0
	22:50:00	54.1	50.5	55.5
	22:55:00	55.0	51.5	56.0
	23:00:00	57.0	52.0	59.5
	23:05:00	54.5	50.5	56.0
	23:10:00	55.1	50.0	55.5
	23:15:00	54.8	50.5	56.5
	23:20:00	53.7	49.5	55.0
	23:25:00	53.6	49.5	55.0
	23:30:00	55.2	50.0	56.5
	23:35:00	53.6	49.5	55.0
	23:40:00	54.3	50.0	55.0
	23:45:00	53.8	49.5	55.0
	23:50:00	53.5	49.0	55.0
	23:55:00	54.2	50.0	55.5
	0:00:00	53.9	50.0	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	0:05:00	53.9	50.0	55.0
	0:10:00	53.5	49.5	55.0
	0:15:00	53.4	49.0	54.5
	0:20:00	53.7	50.0	55.0
	0:25:00	54.4	50.5	56.0
	0:30:00	53.7	49.5	55.0
	0:35:00	54.0	50.0	55.0
	0:40:00	56.9	49.5	55.0
	0:45:00	53.5	49.0	55.0
	0:50:00	53.2	48.5	54.5
	0:55:00	53.5	49.5	55.0
	1:00:00	53.5	49.5	55.0
	1:05:00	53.4	49.0	54.5
	1:10:00	53.6	49.0	55.0
	1:15:00	55.3	49.5	57.5
	1:20:00	53.5	49.0	55.0
	1:25:00	53.4	49.0	54.5
	1:30:00	54.2	49.0	55.0
	1:35:00	53.4	49.0	54.5
	1:40:00	53.3	49.0	54.5
	1:45:00	53.4	49.0	54.5
	1:50:00	53.3	48.5	54.5
	1:55:00	53.3	49.0	54.5
	2:00:00	53.4	49.0	54.5
	2:05:00	53.3	49.0	54.5
	2:10:00	53.5	49.0	54.5
	2:15:00	53.3	49.0	54.5
	2:20:00	53.4	49.0	54.5
	2:25:00	55.0	49.5	57.0
	2:30:00	53.3	48.5	54.5
	2:35:00	54.4	49.0	55.5
	2:40:00	53.5	49.0	55.0
	2:45:00	53.3	48.5	54.5
	2:50:00	53.3	48.5	54.5
	2:55:00	53.4	49.0	54.5
	3:00:00	53.3	48.5	54.5
	3:05:00	53.4	48.5	54.5
	3:10:00	53.2	48.5	54.5
	3:15:00	53.3	49.0	54.5
	3:20:00	54.5	49.5	56.0
	3:25:00	53.5	48.5	54.5
	3:30:00	54.7	49.0	56.5
	3:35:00	53.1	48.0	54.5
	3:40:00	53.6	48.5	54.5
	3:45:00	53.2	48.5	54.5
	3:50:00	53.4	49.0	54.5
	3:55:00	53.3	48.5	54.5
	4:00:00	53.2	48.5	54.5
	4:05:00	53.2	48.5	54.5
	4:10:00	53.2	48.5	54.5
	4:15:00	53.2	48.5	54.5
	4:20:00	54.9	49.0	56.5
	4:25:00	53.3	48.5	54.5
	4:30:00	53.2	48.5	54.5
	4:35:00	53.3	49.0	54.5
	4:40:00	55.6	49.0	57.0
	4:45:00	53.4	48.5	54.5
	4:50:00	53.5	49.0	55.0
	4:55:00	53.4	49.0	54.5
	5:00:00	54.1	49.5	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	5:05:00	55.2	49.5	58.0
	5:10:00	58.1	51.0	61.5
	5:15:00	57.7	53.0	60.5
	5:20:00	66.6	56.0	70.0
	5:25:00	69.6	64.5	72.5
	5:30:00	69.9	66.5	72.5
	5:35:00	70.2	66.0	73.0
	5:40:00	70.1	65.5	72.5
	5:45:00	70.1	65.5	72.5
	5:50:00	68.2	60.0	71.0
	5:55:00	66.6	60.0	69.0
	6:00:00	65.6	59.5	69.0
	6:05:00	67.0	60.0	70.5
	6:10:00	68.0	61.5	71.0
	6:15:00	69.0	62.5	72.5
	6:20:00	67.1	61.5	70.0
	6:25:00	69.1	61.0	72.0
	6:30:00	69.7	62.5	72.5
	6:35:00	72.8	67.0	75.5
	6:40:00	71.5	66.0	73.5
	6:45:00	72.4	69.0	75.0
	6:50:00	70.0	66.0	72.0
	6:55:00	69.4	65.0	72.0
	7:00:00	68.1	64.0	70.0
	7:05:00	70.7	66.0	73.0
	7:10:00	69.7	65.5	72.0
	7:15:00	70.5	65.0	72.5
	7:20:00	68.3	64.5	71.0
	7:25:00	67.8	64.0	71.0
	7:30:00	70.5	65.0	73.5
	7:35:00	71.4	66.0	74.0
	7:40:00	67.1	62.0	70.0
	7:45:00	67.3	62.0	70.5
	7:50:00	68.0	62.5	70.5
	7:55:00	68.7	63.5	71.0
	8:00:00	70.5	63.5	74.5
	8:05:00	70.3	66.0	72.5
	8:10:00	69.6	63.5	73.0
	8:15:00	70.1	66.0	72.5
	8:20:00	69.5	63.0	73.0
	8:25:00	68.5	63.0	72.5
	8:30:00	68.8	63.5	72.0
	8:35:00	68.6	64.5	70.5
	8:40:00	70.8	66.0	73.5
	8:45:00	71.8	67.0	74.5
	8:50:00	69.9	64.0	72.5
	8:55:00	67.7	61.5	71.0
	9:00:00	63.3	58.5	66.0
	9:05:00	67.3	61.0	70.0
	9:10:00	64.5	58.0	68.0
	9:15:00	65.2	59.0	68.0
	9:20:00	64.9	59.5	68.0
	9:25:00	66.9	61.5	69.0
	9:30:00	66.3	58.0	69.5
	9:35:00	61.3	55.0	65.5
	9:40:00	65.5	59.0	68.0
	9:45:00	66.5	59.0	69.5
	9:50:00	65.1	58.0	68.0
	9:55:00	62.4	57.0	66.5
	10:00:00	58.5	55.5	60.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	10:05:00	61.6	56.0	65.5
	10:10:00	58.7	56.5	60.0
	10:15:00	58.6	55.5	61.0
	10:20:00	58.3	55.0	60.5
	10:25:00	57.0	54.5	58.5
	10:30:00	63.0	54.5	68.5
	10:35:00	58.3	55.0	60.0
	10:40:00	59.1	55.0	62.0
	10:45:00	59.7	55.5	62.5
	10:50:00	60.2	55.0	63.5
	10:55:00	59.3	55.0	60.0
	11:00:00	61.5	55.5	65.0
	11:05:00	59.8	55.0	62.5
	11:10:00	57.5	53.5	59.0
	11:15:00	60.5	55.0	64.0
	11:20:00	59.8	55.5	63.5
	11:25:00	59.0	55.5	61.5
	11:30:00	57.8	55.0	59.5
	11:35:00	62.6	55.5	65.0
	11:40:00	56.5	53.5	58.0
	11:45:00	57.4	53.5	60.0
	11:50:00	57.0	53.5	58.5
	11:55:00	61.2	55.0	67.0
	12:00:00	64.3	58.0	67.5
	12:05:00	58.2	54.0	61.5
	12:10:00	64.7	54.0	69.5
	12:15:00	62.2	54.0	66.5
	12:20:00	57.3	53.0	59.5
	12:25:00	61.6	55.0	65.0
	12:30:00	59.7	54.5	60.5
	12:35:00	64.1	56.5	69.0
	12:40:00	59.1	53.5	61.5
	12:45:00	58.5	51.5	59.0
	12:50:00	57.4	54.0	59.5
	12:55:00	59.5	54.5	60.5
	13:00:00	59.9	54.5	63.0
	13:05:00	60.1	54.5	64.0
	13:10:00	60.6	56.0	63.5
	13:15:00	56.5	53.0	58.5
	13:20:00	58.1	52.5	61.0
	13:25:00	59.1	54.0	62.0
	13:30:00	56.9	54.0	59.0
	13:35:00	59.8	55.5	63.0
	13:40:00	63.0	56.5	67.0
	13:45:00	57.5	55.5	58.5
	13:50:00	56.8	53.5	58.5
	13:55:00	58.7	54.0	62.0
	14:00:00	57.1	53.5	58.5
	14:05:00	59.9	53.5	65.5
	14:10:00	60.0	54.0	63.5
	14:15:00	57.4	53.5	59.5
	14:20:00	57.6	54.0	60.0
	14:25:00	59.9	54.0	63.5
	14:30:00	62.1	57.5	65.0
	14:35:00	59.6	57.5	61.0
	14:40:00	57.8	55.5	59.0
	14:45:00	56.9	54.0	58.5
	14:50:00	58.4	55.0	60.5
	14:55:00	56.8	53.0	58.5
	15:00:00	56.3	53.0	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	15:05:00	58.1	53.5	60.0
	15:10:00	61.6	54.5	65.5
	15:15:00	62.1	55.0	66.0
	15:20:00	65.9	53.5	70.0
	15:25:00	57.4	53.5	59.0
	15:30:00	59.0	54.5	61.5
	15:35:00	58.2	54.0	61.0
	15:40:00	62.2	54.5	65.5
	15:45:00	58.7	54.0	61.5
	15:50:00	56.2	52.0	58.5
	15:55:00	55.9	53.0	57.5
	16:00:00	57.2	54.5	59.0
	16:05:00	60.5	55.0	65.5
	16:10:00	57.8	54.0	60.0
	16:15:00	58.8	54.0	62.5
	16:20:00	59.4	54.0	63.5
	16:25:00	58.2	53.5	61.0
	16:30:00	58.8	54.0	62.5
	16:35:00	58.4	54.5	61.5
	16:40:00	58.9	54.0	62.0
	16:45:00	56.5	53.0	58.5
	16:50:00	55.8	53.0	57.0
	16:55:00	56.3	52.5	58.5
	17:00:00	61.2	55.0	65.0
	17:05:00	57.9	53.5	60.5
	17:10:00	57.0	52.5	58.5
	17:15:00	59.8	54.5	64.0
	17:20:00	57.8	53.0	59.0
	17:25:00	57.5	53.5	60.5
	17:30:00	62.5	54.0	67.5
	17:35:00	57.0	53.0	58.0
	17:40:00	56.1	52.5	57.5
	17:45:00	55.5	52.0	57.0
	17:50:00	66.1	54.5	71.0
	17:55:00	64.4	55.5	68.5
	18:00:00	56.6	53.5	58.0
	18:05:00	55.7	52.5	57.0
	18:10:00	57.2	54.5	58.5
	18:15:00	59.0	51.5	65.0
	18:20:00	54.6	51.0	56.0
	18:25:00	59.7	53.0	64.5
	18:30:00	56.2	52.0	58.5
	18:35:00	56.2	52.0	57.5
	18:40:00	59.0	52.5	64.0
	18:45:00	56.9	52.0	59.5
	18:50:00	61.0	51.5	66.5
	18:55:00	57.3	51.0	58.5
	19:00:00	61.0	51.5	67.0
	19:05:00	56.6	51.5	59.0
	19:10:00	55.7	51.5	57.0
	19:15:00	58.5	52.0	62.0
	19:20:00	55.6	51.5	57.5
	19:25:00	54.7	51.5	56.0
	19:30:00	57.3	52.0	59.0
	19:35:00	56.7	51.5	56.0
	19:40:00	58.1	52.0	60.0
	19:45:00	56.3	52.0	58.0
	19:50:00	59.6	53.0	62.5
	19:55:00	56.2	51.0	56.5
	20:00:00	56.2	52.0	58.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	20:05:00	58.1	51.5	58.5
	20:10:00	55.7	51.0	57.0
	20:15:00	56.4	51.5	58.5
	20:20:00	56.5	51.5	57.5
	20:25:00	55.9	51.5	58.0
	20:30:00	55.1	51.0	56.5
	20:35:00	54.5	51.0	55.5
	20:40:00	54.4	50.5	55.5
	20:45:00	54.6	51.0	56.0
	20:50:00	56.1	50.5	57.5
	20:55:00	55.0	50.5	56.0
	21:00:00	54.6	50.5	55.5
	21:05:00	53.9	50.0	55.0
	21:10:00	55.6	50.5	57.0
	21:15:00	56.8	50.5	57.0
	21:20:00	55.0	50.0	56.0
	21:25:00	55.1	50.5	57.0
	21:30:00	54.4	50.5	56.0
	21:35:00	54.6	50.5	56.0
	21:40:00	56.8	51.0	58.0
	21:45:00	59.0	51.0	61.5
	21:50:00	54.6	50.5	56.0
	21:55:00	55.9	51.5	58.0
	22:00:00	54.9	50.5	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/26/2007	22:05:00	55.3	51.0	57.5
	22:10:00	54.6	51.0	56.0
	22:15:00	54.1	50.5	55.5
	22:20:00	53.7	49.5	55.0
	22:25:00	57.3	51.0	58.5
	22:30:00	55.4	51.0	56.5
	22:35:00	54.3	50.5	55.5
	22:40:00	54.5	50.5	56.0
	22:45:00	53.8	50.0	55.0
	22:50:00	54.0	50.0	55.5
	22:55:00	54.1	49.5	55.0
	23:00:00	54.0	50.0	55.0
	23:05:00	54.0	50.0	55.0
	23:10:00	54.9	50.5	55.5
	23:15:00	53.7	49.5	55.0
	23:20:00	53.8	49.5	55.0
	23:25:00	55.1	50.0	56.0
	23:30:00	53.8	49.5	55.0
	23:35:00	53.6	49.5	55.0
	23:40:00	54.0	49.5	55.5
	23:45:00	54.8	49.5	55.0
	23:50:00	53.8	49.5	55.0
	23:55:00	53.7	49.5	55.0
	0:00:00	54.0	50.0	55.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	0:05:00	54.0	50.0	55.5
	0:10:00	53.5	49.5	55.0
	0:15:00	53.7	49.5	55.0
	0:20:00	53.7	49.5	55.0
	0:25:00	53.5	49.0	55.0
	0:30:00	53.6	49.5	55.0
	0:35:00	53.6	49.5	55.0
	0:40:00	54.3	50.0	55.5
	0:45:00	53.7	49.0	55.0
	0:50:00	55.4	49.5	55.0
	0:55:00	53.5	49.0	55.0
	1:00:00	53.7	49.0	55.0
	1:05:00	53.4	49.0	54.5
	1:10:00	53.8	49.5	55.0
	1:15:00	53.4	49.0	54.5
	1:20:00	56.3	49.5	55.5
	1:25:00	54.0	49.5	55.0
	1:30:00	53.6	49.5	55.0
	1:35:00	53.5	49.0	55.0
	1:40:00	53.9	50.0	55.5
	1:45:00	55.5	49.5	55.5
	1:50:00	54.1	49.5	55.0
	1:55:00	53.4	49.0	54.5
	2:00:00	53.4	49.0	54.5
	2:05:00	53.6	49.5	55.0
	2:10:00	53.6	49.5	55.0
	2:15:00	53.7	49.5	55.0
	2:20:00	53.4	49.0	54.5
	2:25:00	53.7	49.5	55.0
	2:30:00	56.5	49.5	57.0
	2:35:00	53.4	49.0	54.5
	2:40:00	53.3	49.0	54.5
	2:45:00	54.3	49.0	55.0
	2:50:00	53.3	49.0	54.5
	2:55:00	53.4	49.0	54.5
	3:00:00	53.4	49.0	54.5
	3:05:00	53.4	49.0	54.5
	3:10:00	54.0	49.0	55.0
	3:15:00	53.3	49.0	54.5
	3:20:00	53.4	49.0	54.5
	3:25:00	53.3	48.5	54.5
	3:30:00	53.3	48.5	54.5
	3:35:00	53.3	48.5	54.5
	3:40:00	53.2	48.5	54.5
	3:45:00	53.4	48.5	54.5
	3:50:00	57.8	49.5	60.0
	3:55:00	55.1	50.0	57.5
	4:00:00	60.4	53.0	63.5
	4:05:00	63.7	58.5	66.5
	4:10:00	62.7	60.0	64.5
	4:15:00	60.7	57.5	63.0
	4:20:00	63.9	58.0	67.0
	4:25:00	64.8	58.5	63.5
	4:30:00	66.5	62.0	67.5
	4:35:00	71.4	59.0	69.0
	4:40:00	63.9	58.0	62.5
	4:45:00	57.9	55.5	59.5
	4:50:00	72.3	54.5	64.0
	4:55:00	68.8	57.5	67.0
	5:00:00	64.6	56.0	67.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	5:05:00	66.4	62.0	69.0
	5:10:00	67.7	59.5	69.0
	5:15:00	70.7	65.0	71.0
	5:20:00	68.9	58.0	68.5
	5:25:00	64.0	56.5	65.5
	5:30:00	63.4	55.5	65.0
	5:35:00	61.8	55.0	64.0
	5:40:00	61.7	55.5	62.5
	5:45:00	60.0	55.0	63.0
	5:50:00	60.4	56.5	63.0
	5:55:00	59.8	56.5	62.5
	6:00:00	59.5	56.5	61.0
	6:05:00	58.7	56.0	60.0
	6:10:00	59.0	57.5	60.0
	6:15:00	58.9	57.0	59.5
	6:20:00	59.8	57.5	60.5
	6:25:00	59.9	58.0	61.0
	6:30:00	60.1	59.0	61.0
	6:35:00	59.5	58.0	60.5
	6:40:00	59.2	57.5	60.5
	6:45:00	60.5	58.5	61.5
	6:50:00	59.3	58.0	60.0
	6:55:00	57.9	56.5	59.0
	7:00:00	57.2	55.5	58.0
	7:05:00	57.7	56.0	58.5
	7:10:00	57.2	55.5	58.0
	7:15:00	56.9	54.5	58.0
	7:20:00	56.0	53.5	57.0
	7:25:00	56.0	53.5	57.0
	7:30:00	55.7	53.0	56.5
	7:35:00	57.2	53.5	59.0
	7:40:00	55.4	53.0	56.5
	7:45:00	55.3	52.0	56.5
	7:50:00	56.5	52.0	59.0
	7:55:00	55.0	51.5	56.0
	8:00:00	55.2	51.5	56.5
	8:05:00	55.5	51.0	57.0
	8:10:00	58.8	50.5	63.0
	8:15:00	54.0	50.0	55.5
	8:20:00	55.3	51.0	57.5
	8:25:00	58.5	52.5	62.0
	8:30:00	64.1	56.5	68.0
	8:35:00	66.4	61.5	69.0
	8:40:00	70.3	62.5	73.5
	8:45:00	71.4	66.0	73.5
	8:50:00	72.1	69.0	74.0
	8:55:00	72.0	67.5	74.5
	9:00:00	71.4	67.5	73.5
	9:05:00	72.0	67.5	74.0
	9:10:00	71.7	68.5	73.5
	9:15:00	71.0	67.0	73.0
	9:20:00	72.7	68.5	75.0
	9:25:00	70.1	66.0	73.0
	9:30:00	67.5	63.0	71.0
	9:35:00	68.6	64.0	70.5
	9:40:00	69.8	65.0	72.0
	9:45:00	68.7	65.5	71.0
	9:50:00	69.4	64.0	72.0
	9:55:00	69.3	65.0	71.0
	10:00:00	72.0	68.0	74.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	10:05:00	69.7	64.5	73.0
	10:10:00	70.3	65.0	74.0
	10:15:00	67.0	64.0	69.5
	10:20:00	68.3	64.0	71.0
	10:25:00	67.6	63.0	69.5
	10:30:00	65.5	62.0	67.5
	10:35:00	68.7	65.0	70.5
	10:40:00	66.9	62.0	70.5
	10:45:00	69.6	65.0	72.0
	10:50:00	67.5	64.0	69.5
	10:55:00	66.3	62.0	69.0
	11:00:00	65.7	61.0	69.0
	11:05:00	66.4	61.0	69.5
	11:10:00	63.1	59.0	66.0
	11:15:00	63.2	58.5	66.0
	11:20:00	60.7	55.0	65.0
	11:25:00	69.0	61.5	71.0
	11:30:00	69.6	62.5	71.5
	11:35:00	67.6	62.5	70.0
	11:40:00	64.0	57.0	67.5
	11:45:00	61.6	55.5	65.0
	11:50:00	61.4	55.0	64.5
	11:55:00	56.8	55.0	58.0
	12:00:00	56.0	52.0	58.0
	12:05:00	55.9	51.5	58.0
	12:10:00	57.9	53.5	59.5
	12:15:00	57.6	53.5	58.5
	12:20:00	56.4	52.0	57.0
	12:25:00	55.1	51.5	57.0
	12:30:00	63.7	53.5	68.5
	12:35:00	61.0	53.0	64.5
	12:40:00	61.6	52.5	66.0
	12:45:00	59.0	51.0	60.0
	12:50:00	54.1	50.0	55.5
	12:55:00	54.5	50.0	56.5
	13:00:00	60.7	53.0	64.5
	13:05:00	58.4	53.0	59.5
	13:10:00	57.0	52.5	59.5
	13:15:00	60.0	52.5	63.5
	13:20:00	57.5	53.0	60.0
	13:25:00	59.2	56.0	61.5
	13:30:00	57.0	55.0	58.0
	13:35:00	57.9	55.5	59.0
	13:40:00	56.0	53.5	57.0
	13:45:00	55.6	52.0	57.0
	13:50:00	56.7	52.5	59.0
	13:55:00	57.4	53.0	60.0
	14:00:00	60.1	53.0	63.5
	14:05:00	55.4	51.0	57.0
	14:10:00	61.7	54.5	65.0
	14:15:00	55.1	51.0	56.5
	14:20:00	58.0	52.5	58.5
	14:25:00	56.4	52.5	58.5
	14:30:00	59.7	52.5	64.0
	14:35:00	69.9	59.5	73.0
	14:40:00	74.4	58.5	66.0
	14:45:00	71.2	58.0	74.0
	14:50:00	72.9	61.5	74.5
	14:55:00	75.3	68.5	76.0
	15:00:00	76.9	68.0	74.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	15:05:00	69.0	63.0	70.5
	15:10:00	66.3	60.0	67.5
	15:15:00	62.1	59.5	64.0
	15:20:00	61.1	58.0	63.0
	15:25:00	60.5	57.0	62.5
	15:30:00	59.0	56.0	61.0
	15:35:00	58.2	55.0	60.0
	15:40:00	57.9	54.0	59.5
	15:45:00	57.5	54.0	59.0
	15:50:00	57.2	54.5	58.5
	15:55:00	58.0	56.0	59.0
	16:00:00	57.9	56.0	59.0
	16:05:00	59.3	56.5	61.0
	16:10:00	59.1	57.0	60.5
	16:15:00	59.7	57.5	61.5
	16:20:00	59.6	57.5	61.0
	16:25:00	60.9	59.0	62.0
	16:30:00	60.7	59.0	61.5
	16:35:00	59.1	57.5	60.0
	16:40:00	59.6	57.0	62.0
	16:45:00	58.5	56.5	60.0
	16:50:00	58.7	57.0	60.0
	16:55:00	58.8	56.0	60.0
	17:00:00	59.7	55.5	59.0
	17:05:00	58.4	55.5	60.0
	17:10:00	58.2	56.0	60.0
	17:15:00	59.1	57.0	60.0
	17:20:00	58.0	56.0	59.0
	17:25:00	56.4	54.0	57.5
	17:30:00	56.7	54.0	58.5
	17:35:00	56.4	54.0	58.0
	17:40:00	55.7	53.0	57.0
	17:45:00	58.4	52.5	58.5
	17:50:00	55.3	52.5	56.5
	17:55:00	55.0	52.0	56.0
	18:00:00	55.0	51.5	56.5
	18:05:00	56.6	52.5	58.0
	18:10:00	56.6	52.5	58.0
	18:15:00	54.9	51.0	56.5
	18:20:00	56.7	51.5	58.0
	18:25:00	54.3	50.5	55.5
	18:30:00	57.0	52.0	58.5
	18:35:00	54.3	50.5	55.5
	18:40:00	55.2	51.5	57.0
	18:45:00	59.8	52.0	65.5
	18:50:00	54.3	50.0	56.0
	18:55:00	55.2	51.0	57.5
	19:00:00	61.5	50.5	67.5
	19:05:00	54.2	50.0	55.5
	19:10:00	63.4	51.5	65.0
	19:15:00	55.5	51.5	57.0
	19:20:00	55.1	51.5	56.5
	19:25:00	54.5	51.5	55.5
	19:30:00	56.5	52.0	58.0
	19:35:00	56.2	52.0	57.5
	19:40:00	54.7	51.5	55.5
	19:45:00	54.7	51.0	55.5
	19:50:00	55.7	52.0	57.0
	19:55:00	54.4	51.0	55.5
	20:00:00	57.1	51.0	59.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	20:05:00	55.1	51.0	55.5
	20:10:00	54.5	51.0	55.5
	20:15:00	54.5	51.0	56.0
	20:20:00	54.3	51.0	55.5
	20:25:00	54.4	51.0	55.5
	20:30:00	55.1	50.5	56.0
	20:35:00	56.2	50.5	56.5
	20:40:00	56.7	51.5	57.0
	20:45:00	54.7	51.5	56.0
	20:50:00	54.5	51.0	55.5
	20:55:00	55.3	51.0	57.0
	21:00:00	56.3	52.5	58.5
	21:05:00	55.4	52.0	57.0
	21:10:00	54.4	50.5	55.5
	21:15:00	57.5	51.0	59.0
	21:20:00	58.0	50.5	59.5
	21:25:00	54.4	50.0	55.5
	21:30:00	54.1	50.5	55.0
	21:35:00	53.9	50.0	55.0
	21:40:00	53.9	50.0	55.0
	21:45:00	53.8	50.0	55.0
	21:50:00	53.8	49.5	55.0
	21:55:00	54.0	50.0	55.0
	22:00:00	54.6	50.0	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/27/2007	22:05:00	55.2	50.0	56.0
	22:10:00	55.3	50.0	56.0
	22:15:00	53.9	50.5	55.0
	22:20:00	55.7	50.0	55.5
	22:25:00	54.1	50.0	55.5
	22:30:00	55.4	50.0	55.5
	22:35:00	56.7	50.0	55.5
	22:40:00	53.6	49.5	55.0
	22:45:00	53.8	50.0	55.0
	22:50:00	53.6	49.5	55.0
	22:55:00	54.5	50.0	55.5
	23:00:00	54.3	50.0	55.0
	23:05:00	55.3	50.0	55.5
	23:10:00	53.9	50.0	55.0
	23:15:00	53.7	49.5	55.0
	23:20:00	53.9	50.0	55.0
	23:25:00	53.7	49.5	55.0
	23:30:00	53.7	50.0	55.0
	23:35:00	53.7	49.5	55.0
	23:40:00	53.7	49.5	55.0
	23:45:00	54.0	49.5	55.0
	23:50:00	53.6	49.5	55.0
	23:55:00	53.4	49.0	54.5
	0:00:00	53.8	49.5	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	0:05:00	53.5	49.5	54.5
	0:10:00	54.2	50.5	56.0
	0:15:00	53.8	49.5	55.0
	0:20:00	54.2	49.5	55.0
	0:25:00	53.7	49.5	55.0
	0:30:00	53.3	49.0	54.5
	0:35:00	53.4	49.0	54.5
	0:40:00	53.6	49.0	54.5
	0:45:00	53.3	49.0	54.5
	0:50:00	53.2	48.5	54.5
	0:55:00	53.2	48.5	54.5
	1:00:00	53.2	48.5	54.5
	1:05:00	53.2	49.0	54.5
	1:10:00	53.2	48.5	54.5
	1:15:00	54.1	50.0	55.5
	1:20:00	53.2	48.5	54.5
	1:25:00	53.4	49.0	54.5
	1:30:00	53.7	49.0	54.5
	1:35:00	53.4	49.0	54.5
	1:40:00	53.9	49.0	54.5
	1:45:00	54.6	49.0	54.5
	1:50:00	54.5	49.0	55.0
	1:55:00	53.5	48.5	54.5
	2:00:00	53.1	48.5	54.5
	2:05:00	53.2	48.5	54.5
	2:10:00	53.2	48.5	54.5
	2:15:00	53.2	49.0	54.5
	2:20:00	53.2	48.5	54.5
	2:25:00	60.6	49.5	65.0
	2:30:00	55.9	49.0	55.5
	2:35:00	59.0	49.5	63.5
	2:40:00	53.4	49.0	54.5
	2:45:00	53.3	49.0	54.5
	2:50:00	53.1	48.5	54.5
	2:55:00	53.1	48.5	54.5
	3:00:00	53.2	48.5	54.5
	3:05:00	53.4	48.5	54.5
	3:10:00	53.1	48.5	54.5
	3:15:00	53.1	48.5	54.5
	3:20:00	53.3	48.5	54.5
	3:25:00	53.5	49.0	54.5
	3:30:00	53.6	48.5	54.5
	3:35:00	53.0	48.0	54.5
	3:40:00	53.1	48.5	54.5
	3:45:00	53.0	48.0	54.5
	3:50:00	53.1	48.5	54.5
	3:55:00	53.1	48.5	54.5
	4:00:00	53.0	48.5	54.5
	4:05:00	53.0	48.0	54.5
	4:10:00	53.2	48.5	54.5
	4:15:00	53.7	49.0	54.5
	4:20:00	53.4	49.0	54.5
	4:25:00	53.2	48.5	54.5
	4:30:00	53.4	48.5	54.5
	4:35:00	53.3	49.0	54.5
	4:40:00	53.1	48.5	54.5
	4:45:00	53.2	48.5	54.5
	4:50:00	53.8	49.0	54.5
	4:55:00	53.3	49.0	54.5
	5:00:00	54.0	49.0	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	5:05:00	54.4	49.0	56.0
	5:10:00	58.3	50.5	61.0
	5:15:00	57.6	52.5	60.5
	5:20:00	58.8	53.5	61.5
	5:25:00	60.6	54.0	63.5
	5:30:00	60.2	54.0	63.5
	5:35:00	60.7	54.5	64.0
	5:40:00	61.8	54.0	66.0
	5:45:00	56.6	52.5	58.5
	5:50:00	58.6	52.5	62.5
	5:55:00	61.1	52.0	65.0
	6:00:00	57.8	52.5	60.5
	6:05:00	57.7	54.5	59.5
	6:10:00	59.3	56.0	61.0
	6:15:00	59.7	57.5	61.5
	6:20:00	60.8	58.0	64.5
	6:25:00	59.9	58.0	61.0
	6:30:00	65.8	59.5	69.5
	6:35:00	61.9	58.5	65.0
	6:40:00	65.9	58.5	69.5
	6:45:00	68.0	60.0	72.0
	6:50:00	67.8	61.0	71.5
	6:55:00	65.2	58.0	68.0
	7:00:00	66.1	57.5	70.5
	7:05:00	67.1	62.5	70.0
	7:10:00	70.9	65.0	74.5
	7:15:00	69.1	63.0	72.5
	7:20:00	71.2	68.0	73.5
	7:25:00	72.3	69.5	74.5
	7:30:00	72.7	68.5	75.0
	7:35:00	70.4	65.5	74.0
	7:40:00	72.1	66.5	74.5
	7:45:00	71.1	67.5	73.0
	7:50:00	70.9	66.5	73.0
	7:55:00	73.0	67.0	77.5
	8:00:00	70.5	64.0	74.5
	8:05:00	67.4	62.0	70.0
	8:10:00	68.8	62.5	71.5
	8:15:00	71.8	65.5	75.0
	8:20:00	70.0	65.5	72.5
	8:25:00	68.9	65.5	71.0
	8:30:00	70.1	64.0	73.0
	8:35:00	68.8	64.5	72.0
	8:40:00	71.0	65.5	75.5
	8:45:00	70.7	67.5	72.5
	8:50:00	71.7	67.0	73.5
	8:55:00	72.3	68.0	74.5
	9:00:00	69.8	62.5	73.0
	9:05:00	67.4	62.0	70.5
	9:10:00	65.4	59.0	69.0
	9:15:00	58.0	55.5	59.5
	9:20:00	60.3	56.0	62.5
	9:25:00	60.4	57.5	62.0
	9:30:00	61.3	57.5	64.0
	9:35:00	62.8	60.5	64.5
	9:40:00	64.6	58.5	70.0
	9:45:00	58.8	57.0	60.0
	9:50:00	57.2	54.5	58.5
	9:55:00	55.6	51.5	57.5
	10:00:00	58.5	52.0	62.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	10:05:00	57.9	51.5	58.5
	10:10:00	55.8	51.5	57.0
	10:15:00	55.2	51.0	57.0
	10:20:00	56.2	51.5	58.0
	10:25:00	59.8	54.5	63.5
	10:30:00	57.0	53.0	59.5
	10:35:00	58.8	54.0	62.0
	10:40:00	61.0	55.5	64.0
	10:45:00	58.1	56.0	59.0
	10:50:00	61.8	56.5	67.0
	10:55:00	60.6	57.0	62.5
	11:00:00	60.7	56.0	64.0
	11:05:00	58.2	55.0	61.0
	11:10:00	58.3	55.0	60.5
	11:15:00	62.2	55.5	68.5
	11:20:00	57.2	54.5	58.0
	11:25:00	58.8	55.0	61.5
	11:30:00	61.0	55.5	60.0
	11:35:00	59.7	55.0	60.0
	11:40:00	61.0	54.5	65.0
	11:45:00	56.1	52.5	57.5
	11:50:00	55.4	52.5	56.5
	11:55:00	56.9	52.0	59.0
	12:00:00	60.9	52.5	65.0
	12:05:00	59.3	52.5	63.5
	12:10:00	59.0	53.0	62.5
	12:15:00	55.0	51.0	56.5
	12:20:00	58.3	52.5	60.5
	12:25:00	55.8	52.0	57.5
	12:30:00	58.4	53.5	60.0
	12:35:00	57.2	54.0	58.5
	12:40:00	75.0	55.0	66.0
	12:45:00	65.6	62.0	66.0
	12:50:00	62.7	59.5	63.5
	12:55:00	59.0	56.5	60.5
	13:00:00	59.6	56.0	60.0
	13:05:00	57.4	53.5	59.0
	13:10:00	58.0	54.5	60.5
	13:15:00	55.6	52.0	57.0
	13:20:00	55.9	51.5	58.0
	13:25:00	55.0	51.5	56.5
	13:30:00	61.1	54.5	64.5
	13:35:00	56.0	52.5	57.0
	13:40:00	56.9	51.5	57.5
	13:45:00	55.2	51.5	56.5
	13:50:00	71.4	60.0	74.0
	13:55:00	74.5	70.0	73.5
	14:00:00	78.7	57.5	71.0
	14:05:00	66.5	54.0	64.0
	14:10:00	58.6	53.0	58.0
	14:15:00	59.1	52.5	58.0
	14:20:00	60.8	53.0	65.0
	14:25:00	55.9	52.0	57.0
	14:30:00	62.4	52.5	67.0
	14:35:00	54.3	50.5	56.0
	14:40:00	55.8	51.5	58.0
	14:45:00	54.9	50.5	56.0
	14:50:00	55.1	50.5	57.0
	14:55:00	56.3	52.0	58.0
	15:00:00	57.7	52.0	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	15:05:00	54.8	50.5	56.5
	15:10:00	55.9	52.0	58.0
	15:15:00	56.0	52.5	57.0
	15:20:00	58.0	54.0	60.5
	15:25:00	58.9	53.0	62.0
	15:30:00	58.2	52.0	61.5
	15:35:00	57.6	52.5	60.0
	15:40:00	55.6	52.0	57.0
	15:45:00	56.1	52.5	58.0
	15:50:00	56.8	53.5	58.5
	15:55:00	57.2	54.0	58.5
	16:00:00	56.3	53.5	57.0
	16:05:00	55.2	51.5	57.0
	16:10:00	55.6	51.0	57.0
	16:15:00	59.2	52.0	63.0
	16:20:00	59.9	53.5	63.0
	16:25:00	56.8	53.0	59.0
	16:30:00	57.1	52.0	60.0
	16:35:00	54.8	50.5	56.0
	16:40:00	55.3	50.5	57.5
	16:45:00	57.6	53.5	60.0
	16:50:00	56.9	52.0	58.5
	16:55:00	58.3	54.0	61.0
	17:00:00	58.4	53.5	61.5
	17:05:00	56.2	51.5	58.5
	17:10:00	58.0	52.5	61.0
	17:15:00	64.1	53.5	68.5
	17:20:00	59.7	52.0	64.0
	17:25:00	55.2	51.0	56.0
	17:30:00	55.1	51.0	56.5
	17:35:00	56.0	51.5	57.5
	17:40:00	60.1	53.0	63.5
	17:45:00	58.6	53.0	61.0
	17:50:00	55.8	52.0	57.5
	17:55:00	54.8	51.0	56.5
	18:00:00	55.8	51.0	58.0
	18:05:00	55.1	51.5	56.5
	18:10:00	56.7	52.0	59.5
	18:15:00	60.5	52.5	62.5
	18:20:00	58.0	52.0	60.5
	18:25:00	56.3	51.5	59.5
	18:30:00	55.1	52.0	56.5
	18:35:00	56.1	52.5	57.0
	18:40:00	61.8	51.5	68.5
	18:45:00	60.5	51.5	67.0
	18:50:00	61.6	51.0	68.0
	18:55:00	61.9	51.5	69.0
	19:00:00	58.4	50.5	58.5
	19:05:00	61.2	52.5	67.0
	19:10:00	56.7	54.0	58.0
	19:15:00	64.6	54.5	69.0
	19:20:00	63.6	52.0	68.0
	19:25:00	54.8	52.0	56.0
	19:30:00	56.9	52.5	60.0
	19:35:00	56.0	52.5	57.5
	19:40:00	55.5	52.5	57.0
	19:45:00	57.4	53.5	59.0
	19:50:00	55.6	52.5	57.0
	19:55:00	55.4	53.0	56.5
	20:00:00	55.5	52.5	56.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	20:05:00	55.5	52.5	56.5
	20:10:00	55.1	52.0	56.0
	20:15:00	54.9	52.0	56.0
	20:20:00	56.4	52.0	57.5
	20:25:00	55.8	53.0	57.0
	20:30:00	56.3	53.0	57.5
	20:35:00	55.5	52.5	56.5
	20:40:00	56.3	53.0	58.0
	20:45:00	55.9	52.5	57.5
	20:50:00	55.7	52.5	57.0
	20:55:00	55.4	52.0	57.0
	21:00:00	54.6	51.5	55.5
	21:05:00	55.4	51.0	56.0
	21:10:00	54.2	51.0	55.5
	21:15:00	54.4	50.5	56.0
	21:20:00	54.0	50.5	55.0
	21:25:00	56.8	50.5	60.0
	21:30:00	57.3	50.5	58.0
	21:35:00	56.8	50.5	59.0
	21:40:00	55.3	51.0	57.0
	21:45:00	57.3	51.5	60.5
	21:50:00	55.8	51.0	58.0
	21:55:00	55.6	51.5	58.5
	22:00:00	54.9	51.5	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/28/2007	22:05:00	54.1	51.0	55.5
	22:10:00	54.3	51.0	55.5
	22:15:00	54.1	50.5	55.5
	22:20:00	54.1	50.5	55.0
	22:25:00	53.9	50.0	55.0
	22:30:00	55.8	50.5	58.0
	22:35:00	54.5	50.5	55.5
	22:40:00	54.5	50.0	55.5
	22:45:00	55.0	50.0	55.5
	22:50:00	54.3	50.5	55.5
	22:55:00	53.9	50.0	55.0
	23:00:00	54.6	50.0	55.5
	23:05:00	53.9	50.0	55.0
	23:10:00	53.9	49.5	55.0
	23:15:00	56.4	50.0	55.5
	23:20:00	53.8	50.0	55.0
	23:25:00	53.6	49.5	55.0
	23:30:00	55.0	50.0	55.0
	23:35:00	53.7	50.0	55.0
	23:40:00	54.2	50.5	55.5
	23:45:00	53.9	50.0	55.0
	23:50:00	54.1	50.0	55.5
	23:55:00	53.7	50.0	55.0
	0:00:00	53.8	50.0	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/29/2007	0:05:00	53.9	50.0	55.0
	0:10:00	54.1	50.5	55.5
	0:15:00	53.9	50.0	55.0
	0:20:00	54.2	50.5	55.5
	0:25:00	54.1	50.0	55.5
	0:30:00	54.3	50.5	55.5
	0:35:00	53.9	50.0	55.0
	0:40:00	54.3	50.5	55.5
	0:45:00	53.7	49.5	55.0
	0:50:00	56.2	49.5	57.5
	0:55:00	54.2	49.5	55.0
	1:00:00	54.1	50.0	55.0
	1:05:00	53.4	49.0	54.5
	1:10:00	53.5	49.5	54.5
	1:15:00	53.5	49.5	55.0
	1:20:00	53.5	49.5	55.0
	1:25:00	53.3	49.0	54.5
	1:30:00	53.3	49.0	54.5
	1:35:00	54.3	49.0	54.5
	1:40:00	53.4	49.0	54.5
	1:45:00	53.5	49.0	54.5
	1:50:00	53.5	49.0	54.5
	1:55:00	53.4	49.0	54.5
	2:00:00	53.6	49.5	55.0
	2:05:00	53.4	49.0	54.5
	2:10:00	53.3	49.0	54.5
	2:15:00	53.4	49.0	54.5
	2:20:00	53.4	49.0	54.5
	2:25:00	53.4	49.5	54.5
	2:30:00	54.0	49.0	55.0
	2:35:00	53.4	49.0	54.5
	2:40:00	53.4	49.0	54.5
	2:45:00	53.3	49.0	54.5
	2:50:00	53.4	49.0	54.5
	2:55:00	53.4	49.0	54.5
	3:00:00	53.2	49.0	54.5
	3:05:00	53.6	49.0	54.5
	3:10:00	53.3	48.5	54.5
	3:15:00	53.3	49.0	54.5
	3:20:00	53.9	49.0	54.5
	3:25:00	53.3	49.0	54.5
	3:30:00	53.3	49.0	54.5
	3:35:00	53.3	49.0	54.5
	3:40:00	53.4	49.0	54.5
	3:45:00	53.3	49.0	54.5
	3:50:00	53.6	49.5	55.0
	3:55:00	53.6	49.5	55.0
	4:00:00	53.3	49.0	54.5
	4:05:00	53.3	49.0	54.5
	4:10:00	53.3	49.0	54.5
	4:15:00	53.3	49.0	54.5
	4:20:00	53.3	49.0	54.5
	4:25:00	53.3	49.0	54.5
	4:30:00	53.4	49.0	54.5
	4:35:00	53.5	49.0	54.5
	4:40:00	54.2	49.5	56.0
	4:45:00	53.5	49.0	54.5
	4:50:00	53.7	49.5	55.0
	4:55:00	53.4	49.0	54.5
	5:00:00	54.8	49.5	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/29/2007	5:05:00	57.0	50.0	61.0
	5:10:00	56.5	50.0	60.0
	5:15:00	58.8	51.5	61.5
	5:20:00	60.0	53.5	62.5
	5:25:00	65.5	57.5	70.0
	5:30:00	69.5	63.5	72.0
	5:35:00	64.4	60.0	67.5
	5:40:00	64.1	58.5	67.0
	5:45:00	61.4	56.5	64.0
	5:50:00	58.9	55.5	61.5
	5:55:00	58.2	55.0	60.5
	6:00:00	57.7	55.5	58.5
	6:05:00	58.0	56.5	59.0
	6:10:00	58.4	57.0	59.0
	6:15:00	59.6	58.0	60.5
	6:20:00	65.5	59.5	69.0
	6:25:00	68.6	60.5	71.5
	6:30:00	69.6	64.5	71.5
	6:35:00	70.9	66.0	74.0
	6:40:00	70.4	65.5	73.0
	6:45:00	68.9	64.0	71.0
	6:50:00	69.8	65.0	72.0
	6:55:00	69.8	65.0	72.5
	7:00:00	71.1	65.5	73.5
	7:05:00	69.9	65.5	72.0
	7:10:00	70.5	66.5	72.5
	7:15:00	70.9	65.5	74.0
	7:20:00	71.3	64.5	75.5
	7:25:00	71.9	65.5	75.5
	7:30:00	71.9	68.5	74.0
	7:35:00	71.0	67.0	73.0
	7:40:00	72.9	68.0	75.5
	7:45:00	72.9	69.5	75.0
	7:50:00	69.8	64.5	72.5
	7:55:00	66.2	62.0	68.5
	8:00:00	67.1	62.0	70.0
	8:05:00	70.4	65.0	74.0
	8:10:00	68.7	63.0	72.0
	8:15:00	68.1	63.0	70.5
	8:20:00	70.5	63.5	74.0
	8:25:00	67.9	61.5	71.5
	8:30:00	70.1	64.5	73.5
	8:35:00	68.1	61.0	71.5
	8:40:00	65.4	61.0	69.5
	8:45:00	70.3	64.0	73.5
	8:50:00	67.5	60.5	70.5
	8:55:00	67.0	60.5	71.0
	9:00:00	62.0	59.0	64.5
	9:05:00	63.8	58.5	67.5
	9:10:00	60.3	57.5	61.5
	9:15:00	64.3	57.5	69.0
	9:20:00	62.6	57.5	66.5
	9:25:00	59.5	56.5	61.5
	9:30:00	57.4	55.5	58.0
	9:35:00	65.0	57.5	70.5
	9:40:00	63.3	56.5	66.5
	9:45:00	65.1	57.0	69.0
	9:50:00	61.4	55.5	65.0
	9:55:00	63.0	56.5	67.5
	10:00:00	57.8	55.0	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/29/2007	10:05:00	58.8	55.0	60.5
	10:10:00	58.4	55.5	60.5
	10:15:00	62.6	55.5	69.0
	10:20:00	57.3	55.0	58.5
	10:25:00	59.0	55.0	62.0
	10:30:00	58.3	55.0	60.5
	10:35:00	63.0	54.0	70.0
	10:40:00	59.3	54.5	62.0
	10:45:00	59.3	55.0	62.0
	10:50:00	62.4	54.0	67.5
	10:55:00	61.1	55.5	65.0
	11:00:00	64.4	56.5	66.5
	11:05:00	58.1	54.5	60.0
	11:10:00	62.8	54.5	70.0
	11:15:00	58.9	54.5	61.0
	11:20:00	58.0	54.0	60.0
	11:25:00	56.6	54.0	58.0
	11:30:00	62.6	56.0	66.5
	11:35:00	63.1	56.0	67.5
	11:40:00	60.1	56.0	63.5
	11:45:00	62.3	56.0	65.5
	11:50:00	63.1	57.0	67.0
	11:55:00	65.2	57.5	68.0
	12:00:00	60.2	57.0	61.5
	12:05:00	59.7	57.0	60.5
	12:10:00	67.1	58.0	71.5
	12:15:00	70.5	65.0	73.5
	12:20:00	67.7	58.5	72.0
	12:25:00	67.4	59.5	71.5
	12:30:00	66.7	60.0	69.5
	12:35:00	67.0	60.5	70.0
	12:40:00	65.6	56.0	69.5
	12:45:00	64.9	56.5	69.0
	12:50:00	64.8	57.0	68.5
	12:55:00	65.9	58.0	69.0
	13:00:00	68.6	63.0	71.5
	13:05:00	64.4	56.5	68.5
	13:10:00	66.5	61.0	69.0
	13:15:00	67.1	57.5	70.0
	13:20:00	60.0	55.5	63.0
	13:25:00	64.9	58.0	68.5
	13:30:00	65.1	57.5	69.0
	13:35:00	63.1	56.5	67.0
	13:40:00	58.4	54.5	60.5
	13:45:00	63.2	57.5	67.0
	13:50:00	68.6	63.5	71.0
	13:55:00	63.0	57.5	66.5
	14:00:00	64.9	56.5	70.0
	14:05:00	62.7	56.0	66.5
	14:10:00	62.1	56.0	66.5
	14:15:00	61.5	56.5	65.0
	14:20:00	59.0	56.5	60.5
	14:25:00	65.4	58.5	69.5
	14:30:00	65.6	59.0	69.0
	14:35:00	63.8	58.5	67.5
	14:40:00	68.3	60.0	72.0
	14:45:00	71.3	65.5	73.5
	14:50:00	70.8	64.5	73.0
	14:55:00	71.9	65.5	74.5
	15:00:00	71.0	65.5	73.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/29/2007	15:05:00	69.9	60.5	73.5
	15:10:00	69.2	65.0	71.5
	15:15:00	70.6	67.0	73.0
	15:20:00	71.9	66.5	75.0
	15:25:00	69.8	63.5	72.0
	15:30:00	63.9	56.5	67.0
	15:35:00	66.8	60.0	70.0
	15:40:00	63.1	57.0	66.0
	15:45:00	58.1	55.0	60.0
	15:50:00	59.2	54.5	61.5
	15:55:00	65.0	55.0	70.5
	16:00:00	63.1	56.0	67.0
	16:05:00	65.6	56.5	68.5
	16:10:00	67.1	61.0	70.0
	16:15:00	64.3	56.0	68.0
	16:20:00	56.6	54.0	58.0
	16:25:00	63.4	55.5	68.5
	16:30:00	59.5	55.5	62.0
	16:35:00	56.7	53.5	58.5
	16:40:00	60.9	54.5	65.5
	16:45:00	60.2	53.5	62.0
	16:50:00	55.5	52.5	57.0
	16:55:00	61.9	54.0	67.0
	17:00:00	58.3	53.0	60.0
	17:05:00	58.9	53.0	60.5
	17:10:00	57.4	53.5	59.0
	17:15:00	64.9	57.5	67.5
	17:20:00	65.7	53.5	70.0
	17:25:00	55.3	52.0	56.5
	17:30:00	70.7	53.5	74.5
	17:35:00	57.5	53.0	58.5
	17:40:00	60.0	52.5	61.0
	17:45:00	59.8	52.5	63.5
	17:50:00	55.0	51.5	56.5
	17:55:00	57.6	52.0	59.5
	18:00:00	58.6	52.5	62.0
	18:05:00	55.4	51.5	57.0
	18:10:00	63.2	51.5	68.5
	18:15:00	56.5	51.5	58.5
	18:20:00	58.9	52.0	62.5
	18:25:00	57.0	52.0	59.5
	18:30:00	57.9	52.0	60.0
	18:35:00	59.3	51.0	64.0
	18:40:00	55.5	51.5	57.0
	18:45:00	56.7	51.5	58.5
	18:50:00	61.4	51.5	68.0
	18:55:00	64.7	52.5	69.0
	19:00:00	65.3	55.0	68.5
	19:05:00	62.8	53.0	67.0
	19:10:00	63.0	52.0	69.0
	19:15:00	54.7	50.5	56.0
	19:20:00	57.6	51.0	60.0
	19:25:00	54.6	50.5	55.5
	19:30:00	54.8	51.5	56.0
	19:35:00	54.8	52.0	56.0
	19:40:00	55.2	52.0	56.0
	19:45:00	55.3	52.5	56.5
	19:50:00	55.2	52.5	56.5
	19:55:00	55.3	52.5	56.5
	20:00:00	56.0	52.0	57.0



Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/29/2007	20:05:00	54.9	52.0	56.0
	20:10:00	54.9	52.0	56.0
	20:15:00	57.8	52.5	59.5
	20:20:00	55.2	52.0	56.0
	20:25:00	55.2	52.0	56.5
	20:30:00	54.8	52.0	56.0
	20:35:00	54.9	51.5	56.0
	20:40:00	54.8	51.5	56.0
	20:45:00	55.6	51.5	56.5
	20:50:00	55.8	51.0	56.0
	20:55:00	55.3	51.0	56.5
	21:00:00	54.4	50.5	55.5
	21:05:00	54.7	51.0	56.0
	21:10:00	54.8	50.5	55.5
	21:15:00	55.2	51.0	57.0
	21:20:00	54.8	51.0	56.0
	21:25:00	54.6	50.5	56.0
	21:30:00	55.3	50.5	57.5
	21:35:00	54.3	50.0	55.5
	21:40:00	54.5	50.5	55.5
	21:45:00	53.8	50.0	55.0
	21:50:00	54.0	50.0	55.0
	21:55:00	54.0	50.0	55.0
	22:00:00	54.6	51.0	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/29/2007	22:05:00	54.2	50.5	55.5
	22:10:00	54.2	50.5	55.5
	22:15:00	54.0	50.0	55.0
	22:20:00	53.8	50.0	55.0
	22:25:00	54.0	50.5	55.0
	22:30:00	53.8	50.0	55.0
	22:35:00	54.0	50.0	55.0
	22:40:00	54.3	50.0	55.5
	22:45:00	54.1	50.5	55.5
	22:50:00	53.8	50.0	55.0
	22:55:00	54.2	50.5	55.5
	23:00:00	54.0	50.0	55.0
	23:05:00	54.1	50.5	55.5
	23:10:00	53.8	50.0	55.0
	23:15:00	53.8	50.0	55.0
	23:20:00	53.9	50.0	55.0
	23:25:00	54.9	50.5	55.5
	23:30:00	55.7	50.0	55.0
	23:35:00	53.9	50.0	55.0
	23:40:00	57.8	50.5	57.0
	23:45:00	55.0	51.0	56.0
	23:50:00	54.4	50.5	55.5
	23:55:00	56.0	51.0	56.5
	0:00:00	53.9	49.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/30/2007	0:05:00	54.0	50.0	55.0
	0:10:00	53.8	50.0	55.0
	0:15:00	54.0	50.0	55.0
	0:20:00	54.0	50.0	55.5
	0:25:00	54.1	50.0	55.5
	0:30:00	55.0	50.0	55.0
	0:35:00	53.9	49.5	55.0
	0:40:00	53.6	49.5	55.0
	0:45:00	53.8	50.0	55.0
	0:50:00	55.3	50.0	55.0
	0:55:00	55.2	50.0	55.0
	1:00:00	54.1	50.0	55.5
	1:05:00	54.1	50.0	55.0
	1:10:00	53.9	50.5	55.0
	1:15:00	54.2	50.0	55.0
	1:20:00	53.9	49.5	55.0
	1:25:00	53.7	50.0	55.0
	1:30:00	53.6	49.5	55.0
	1:35:00	53.7	49.5	55.0
	1:40:00	53.7	50.0	55.0
	1:45:00	54.2	50.5	55.5
	1:50:00	53.8	50.0	55.0
	1:55:00	56.8	50.0	55.0
	2:00:00	57.0	50.5	56.5
	2:05:00	55.0	50.5	55.5
	2:10:00	54.9	50.0	55.5
	2:15:00	54.2	49.5	55.0
	2:20:00	53.6	49.5	55.0
	2:25:00	53.6	49.5	55.0
	2:30:00	53.6	49.5	55.0
	2:35:00	54.4	50.0	55.5
	2:40:00	53.8	49.5	55.0
	2:45:00	53.5	49.5	54.5
	2:50:00	53.7	49.5	55.0
	2:55:00	53.6	49.5	55.0
	3:00:00	53.5	49.5	54.5
	3:05:00	53.7	49.5	55.0
	3:10:00	53.3	49.0	54.5
	3:15:00	53.4	49.0	54.5
	3:20:00	53.5	49.0	54.5
	3:25:00	53.6	49.5	55.0
	3:30:00	53.3	49.0	54.5
	3:35:00	53.5	49.0	54.5
	3:40:00	53.5	49.0	54.5
	3:45:00	53.3	49.0	54.5
	3:50:00	53.4	49.0	54.5
	3:55:00	53.5	49.5	55.0
	4:00:00	53.4	49.0	54.5
	4:05:00	53.5	49.5	54.5
	4:10:00	53.5	49.5	55.0
	4:15:00	53.6	49.5	55.0
	4:20:00	53.4	49.0	54.5
	4:25:00	53.4	49.0	54.5
	4:30:00	53.4	49.0	54.5
	4:35:00	53.4	49.0	54.5
	4:40:00	53.3	48.5	54.5
	4:45:00	53.2	48.5	54.5
	4:50:00	53.5	49.0	54.5
	4:55:00	53.6	49.5	55.0
	5:00:00	53.4	49.0	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/30/2007	5:05:00	54.3	50.0	56.0
	5:10:00	57.6	50.5	61.5
	5:15:00	58.6	51.5	62.0
	5:20:00	57.1	53.5	59.5
	5:25:00	69.1	58.5	72.0
	5:30:00	71.9	69.0	73.5
	5:35:00	72.1	68.5	75.0
	5:40:00	71.8	68.0	74.0
	5:45:00	70.6	65.0	72.5
	5:50:00	68.6	64.0	71.5
	5:55:00	64.0	58.0	67.5
	6:00:00	66.7	58.0	70.5
	6:05:00	70.7	66.5	73.0
	6:10:00	71.5	69.0	73.5
	6:15:00	71.0	68.0	73.5
	6:20:00	70.7	68.5	72.5
	6:25:00	69.3	66.0	71.5
	6:30:00	69.6	66.5	71.0
	6:35:00	72.7	67.5	75.0
	6:40:00	71.6	68.5	73.0
	6:45:00	71.7	68.0	73.5
	6:50:00	73.0	70.0	74.5
	6:55:00	73.3	70.0	75.0
	7:00:00	74.1	71.0	75.5
	7:05:00	73.8	71.5	75.5
	7:10:00	74.2	70.5	76.5
	7:15:00	73.3	70.5	75.0
	7:20:00	74.3	71.0	77.0
	7:25:00	72.8	68.5	75.5
	7:30:00	73.3	70.0	76.0
	7:35:00	71.9	66.0	74.5
	7:40:00	69.9	63.5	72.5
	7:45:00	72.7	68.5	75.5
	7:50:00	72.9	68.5	75.5
	7:55:00	71.4	68.0	73.0
	8:00:00	72.7	69.5	74.5
	8:05:00	72.3	69.0	74.0
	8:10:00	73.4	70.0	75.5
	8:15:00	72.9	69.5	74.5
	8:20:00	72.8	70.0	74.5
	8:25:00	71.8	69.0	73.0
	8:30:00	73.1	67.0	76.5
	8:35:00	69.6	64.5	72.0
	8:40:00	66.9	63.0	69.5
	8:45:00	68.7	62.0	71.5
	8:50:00	70.1	64.0	72.5
	8:55:00	68.8	63.0	73.0
	9:00:00	68.3	63.0	71.0
	9:05:00	67.4	61.5	71.0
	9:10:00	68.4	62.5	71.5
	9:15:00	68.6	62.5	71.5
	9:20:00	67.8	62.5	70.5
	9:25:00	68.5	61.5	71.5
	9:30:00	65.2	58.5	70.0
	9:35:00	58.5	57.0	59.5
	9:40:00	64.5	59.0	68.5
	9:45:00	65.1	59.5	67.0
	9:50:00	61.3	56.5	65.0
	9:55:00	59.0	56.5	60.0
	10:00:00	63.9	58.0	66.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/30/2007	10:05:00	64.0	57.0	69.0
	10:10:00	61.1	56.0	65.5
	10:15:00	59.4	55.5	62.0
	10:20:00	59.2	55.0	61.5
	10:25:00	59.1	55.0	62.0
	10:30:00	60.4	54.5	65.0
	10:35:00	61.6	55.0	63.5
	10:40:00	58.5	55.0	60.0
	10:45:00	58.2	55.5	60.0
	10:50:00	57.3	54.5	59.0
	10:55:00	57.7	54.5	59.5
	11:00:00	60.5	53.5	64.5
	11:05:00	61.0	54.0	67.0
	11:10:00	60.4	54.0	65.0
	11:15:00	62.0	55.5	66.5
	11:20:00	60.1	55.0	62.0
	11:25:00	58.2	55.0	61.0
	11:30:00	58.1	56.0	59.0
	11:35:00	57.4	55.0	59.0
	11:40:00	56.7	53.0	58.5
	11:45:00	61.5	53.0	68.0
	11:50:00	61.1	54.0	59.5
	11:55:00	65.2	55.0	69.5
	12:00:00	66.7	55.0	70.5
	12:05:00	56.4	53.5	58.0
	12:10:00	58.0	53.5	60.0
	12:15:00	57.7	54.0	59.0
	12:20:00	57.4	54.5	59.5
	12:25:00	62.5	57.0	65.5
	12:30:00	63.1	54.5	69.0
	12:35:00	67.5	57.0	71.5
	12:40:00	68.8	62.0	72.5
	12:45:00	70.5	66.0	73.0
	12:50:00	67.5	63.0	70.0
	12:55:00	61.5	55.5	65.0
	13:00:00	61.3	55.5	65.5
	13:05:00	58.5	56.0	60.5
	13:10:00	65.0	56.5	69.5
	13:15:00	61.6	56.5	65.0
	13:20:00	69.6	62.5	73.0
	13:25:00	71.2	65.0	74.0
	13:30:00	68.0	64.5	70.0
	13:35:00	68.5	62.5	71.5
	13:40:00	69.7	65.5	72.0
	13:45:00	65.3	57.5	69.0
	13:50:00	65.2	59.5	68.0
	13:55:00	68.4	60.5	71.0
	14:00:00	60.3	57.0	62.5
	14:05:00	62.1	57.0	65.0
	14:10:00	60.7	56.5	62.5
	14:15:00	59.6	55.5	62.0
	14:20:00	58.3	54.5	61.0
	14:25:00	58.8	54.5	61.5
	14:30:00	60.6	56.0	63.5
	14:35:00	60.5	55.5	63.5
	14:40:00	64.5	56.0	69.0
	14:45:00	63.3	57.5	66.5
	14:50:00	65.9	57.0	71.5
	14:55:00	63.7	57.5	68.5
	15:00:00	62.5	57.0	65.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/30/2007	15:05:00	61.6	54.5	67.0
	15:10:00	56.9	53.0	59.5
	15:15:00	57.0	53.5	58.5
	15:20:00	61.4	54.0	66.5
	15:25:00	55.7	52.5	57.0
	15:30:00	55.9	53.5	57.0
	15:35:00	55.7	52.0	57.5
	15:40:00	55.8	52.0	57.5
	15:45:00	56.2	52.0	58.0
	15:50:00	55.8	52.5	57.0
	15:55:00	57.7	53.5	60.5
	16:00:00	57.4	54.0	59.5
	16:05:00	56.9	54.0	58.0
	16:10:00	58.9	54.0	59.0
	16:15:00	56.8	53.0	58.5
	16:20:00	55.9	53.0	57.5
	16:25:00	56.5	53.5	58.0
	16:30:00	56.1	53.0	57.5
	16:35:00	57.0	55.0	58.5
	16:40:00	58.9	56.5	59.5
	16:45:00	57.5	53.0	58.0
	16:50:00	58.5	55.0	59.5
	16:55:00	61.3	56.5	63.0
	17:00:00	59.1	54.0	62.0
	17:05:00	56.0	52.0	58.0
	17:10:00	58.7	53.0	61.5
	17:15:00	56.3	52.5	58.0
	17:20:00	57.1	52.0	59.0
	17:25:00	56.0	52.0	57.5
	17:30:00	55.5	51.5	57.0
	17:35:00	55.9	52.0	58.5
	17:40:00	55.8	52.5	56.5
	17:45:00	56.0	53.0	57.0
	17:50:00	55.4	52.0	56.5
	17:55:00	55.3	52.5	56.5
	18:00:00	56.2	52.5	57.0
	18:05:00	55.7	52.5	57.0
	18:10:00	55.9	52.0	57.0
	18:15:00	60.4	53.0	66.5
	18:20:00	57.1	51.5	58.5
	18:25:00	55.0	51.0	56.0
	18:30:00	55.1	51.0	56.5
	18:35:00	54.4	50.5	56.0
	18:40:00	61.7	51.0	68.0
	18:45:00	56.9	51.5	60.5
	18:50:00	61.0	53.0	66.0
	18:55:00	60.0	53.0	63.5
	19:00:00	61.2	52.5	67.0
	19:05:00	63.4	52.5	68.5
	19:10:00	62.2	53.5	68.0
	19:15:00	55.7	53.0	56.5
	19:20:00	55.2	52.5	56.5
	19:25:00	54.4	51.0	55.5
	19:30:00	54.9	51.5	56.0
	19:35:00	54.6	51.5	55.5
	19:40:00	55.0	52.0	56.0
	19:45:00	54.6	51.5	55.5
	19:50:00	54.9	51.5	56.0
	19:55:00	54.6	51.5	55.5
	20:00:00	55.4	51.5	56.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/30/2007	20:05:00	55.1	52.0	56.5
	20:10:00	55.5	52.5	56.5
	20:15:00	54.4	51.0	55.5
	20:20:00	55.0	51.0	56.0
	20:25:00	56.2	51.5	56.0
	20:30:00	54.6	50.5	55.5
	20:35:00	55.6	54.9	56.0
	20:40:00	56.3	52.0	58.0
	20:45:00	55.2	51.0	57.0
	20:50:00	55.0	51.0	57.0
	20:55:00	54.7	50.5	56.0
	21:00:00	54.5	50.5	56.0
	21:05:00	54.3	50.5	55.5
	21:10:00	54.2	50.0	55.5
	21:15:00	53.8	50.0	55.0
	21:20:00	53.9	50.0	55.0
	21:25:00	54.4	50.5	55.5
	21:30:00	54.3	50.5	55.5
	21:35:00	53.9	50.0	55.0
	21:40:00	54.4	50.0	55.5
	21:45:00	54.2	50.0	55.0
	21:50:00	53.8	50.0	55.0
	21:55:00	54.2	50.5	55.5
	22:00:00	53.9	50.0	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/30/2007	22:05:00	56.4	50.5	55.5
	22:10:00	53.9	50.0	55.0
	22:15:00	53.7	50.0	55.0
	22:20:00	53.8	50.0	55.0
	22:25:00	54.4	50.5	55.5
	22:30:00	56.0	50.5	56.0
	22:35:00	54.0	50.5	55.0
	22:40:00	60.5	51.0	61.5
	22:45:00	53.9	50.0	55.0
	22:50:00	53.8	50.0	55.0
	22:55:00	53.7	49.5	55.0
	23:00:00	53.9	50.0	55.0
	23:05:00	53.7	49.5	55.0
	23:10:00	54.0	50.0	55.0
	23:15:00	53.7	50.0	55.0
	23:20:00	53.6	49.5	55.0
	23:25:00	53.9	50.0	55.0
	23:30:00	54.0	50.0	55.0
	23:35:00	63.4	52.5	68.0
	23:40:00	61.3	55.5	65.5
	23:45:00	56.8	54.0	59.0
	23:50:00	64.5	59.5	66.5
	23:55:00	55.8	53.0	57.0
	0:00:00	54.5	51.5	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/31/2007	0:05:00	54.0	50.5	55.5
	0:10:00	53.9	50.0	55.0
	0:15:00	53.6	49.5	55.0
	0:20:00	53.6	49.5	55.0
	0:25:00	53.9	50.0	55.5
	0:30:00	53.5	49.0	54.5
	0:35:00	53.7	49.5	55.0
	0:40:00	53.5	49.5	54.5
	0:45:00	53.6	49.5	55.0
	0:50:00	53.5	49.5	55.0
	0:55:00	53.5	49.5	55.0
	1:00:00	53.5	49.5	54.5
	1:05:00	53.5	49.5	55.0
	1:10:00	53.4	49.0	54.5
	1:15:00	53.5	49.5	55.0
	1:20:00	53.4	49.0	54.5
	1:25:00	53.4	49.0	54.5
	1:30:00	53.4	49.0	54.5
	1:35:00	53.5	49.5	54.5
	1:40:00	53.4	49.0	54.5
	1:45:00	53.4	49.0	54.5
	1:50:00	53.4	49.0	54.5
	1:55:00	53.4	49.0	54.5
	2:00:00	53.4	49.0	54.5
	2:05:00	54.3	49.0	54.5
	2:10:00	53.6	49.5	55.0
	2:15:00	53.4	49.5	54.5
	2:20:00	53.4	49.0	54.5
	2:25:00	53.5	49.5	54.5
	2:30:00	53.4	49.0	54.5
	2:35:00	53.6	49.5	55.0
	2:40:00	53.4	49.5	54.5
	2:45:00	53.4	49.5	54.5
	2:50:00	53.4	49.0	54.5
	2:55:00	53.4	49.0	54.5
	3:00:00	53.5	49.5	54.5
	3:05:00	53.8	50.0	55.0
	3:10:00	57.4	53.5	60.5
	3:15:00	55.6	53.0	56.5
	3:20:00	54.5	51.5	55.5
	3:25:00	53.9	50.5	55.0
	3:30:00	53.8	50.0	55.0
	3:35:00	53.5	49.5	55.0
	3:40:00	56.5	51.5	59.5
	3:45:00	59.8	57.5	61.5
	3:50:00	62.6	57.0	65.0
	3:55:00	55.0	52.0	56.0
	4:00:00	54.1	50.5	55.0
	4:05:00	53.7	50.0	55.0
	4:10:00	53.9	50.0	55.0
	4:15:00	71.8	56.0	74.0
	4:20:00	71.9	63.5	74.0
	4:25:00	57.9	54.5	60.5
	4:30:00	54.4	51.5	55.5
	4:35:00	53.9	50.5	55.0
	4:40:00	53.8	50.0	55.0
	4:45:00	53.7	50.0	55.0
	4:50:00	53.8	50.0	55.0
	4:55:00	53.8	50.0	55.0
	5:00:00	53.6	49.5	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/31/2007	5:05:00	53.7	50.0	55.0
	5:10:00	54.4	50.5	56.0
	5:15:00	57.3	51.5	60.0
	5:20:00	60.3	54.0	64.0
	5:25:00	57.7	53.5	60.5
	5:30:00	57.8	54.0	60.0
	5:35:00	55.5	53.0	57.0
	5:40:00	56.0	53.0	57.5
	5:45:00	56.7	53.0	57.5
	5:50:00	57.9	53.0	58.5
	5:55:00	55.7	52.5	57.0
	6:00:00	56.2	51.5	57.0
	6:05:00	56.2	52.5	57.5
	6:10:00	57.4	53.0	60.0
	6:15:00	57.2	54.5	58.5
	6:20:00	57.7	55.5	58.5
	6:25:00	58.3	56.5	59.5
	6:30:00	66.7	59.5	69.5
	6:35:00	68.6	61.5	71.5
	6:40:00	70.1	63.5	73.0
	6:45:00	69.4	62.5	72.0
	6:50:00	70.9	63.0	75.5
	6:55:00	71.0	64.5	73.5
	7:00:00	69.2	62.5	72.0
	7:05:00	69.7	64.5	72.0
	7:10:00	68.1	62.0	70.5
	7:15:00	68.9	63.0	72.0
	7:20:00	67.3	63.0	70.0
	7:25:00	69.2	65.0	72.0
	7:30:00	68.7	64.0	71.0
	7:35:00	69.9	65.5	72.5
	7:40:00	66.0	60.0	69.0
	7:45:00	67.4	60.0	70.5
	7:50:00	66.6	59.0	70.5
	7:55:00	69.7	61.5	73.0
	8:00:00	67.8	56.0	71.0
	8:05:00	61.7	53.5	66.0
	8:10:00	57.3	54.0	59.0
	8:15:00	57.0	55.0	58.0
	8:20:00	57.9	55.5	59.0
	8:25:00	59.8	56.5	62.5
	8:30:00	58.4	57.0	59.0
	8:35:00	58.7	56.5	60.5
	8:40:00	57.7	56.0	58.5
	8:45:00	57.0	55.0	58.0
	8:50:00	57.1	55.0	58.0
	8:55:00	59.5	57.5	60.5
	9:00:00	60.6	58.0	62.0
	9:05:00	67.1	61.5	70.5
	9:10:00	68.6	62.0	71.0
	9:15:00	69.0	63.5	72.0
	9:20:00	67.7	63.0	71.0
	9:25:00	68.3	63.5	71.0
	9:30:00	69.1	65.5	71.5
	9:35:00	71.5	66.0	75.0
	9:40:00	68.6	63.5	71.5
	9:45:00	69.9	66.0	72.0
	9:50:00	68.1	64.5	70.0
	9:55:00	68.5	63.5	70.5
	10:00:00	70.0	65.5	72.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/31/2007	10:05:00	68.6	65.0	71.0
	10:10:00	67.8	64.5	69.5
	10:15:00	68.3	63.5	71.0
	10:20:00	67.3	62.5	69.5
	10:25:00	69.3	65.5	72.0
	10:30:00	70.2	67.0	72.5
	10:35:00	70.8	67.0	73.0
	10:40:00	70.7	67.5	72.5
	10:45:00	70.8	65.5	74.0
	10:50:00	69.3	63.5	72.0
	10:55:00	66.9	60.0	70.0
	11:00:00	61.7	58.0	65.5
	11:05:00	61.9	57.5	63.5
	11:10:00	62.1	57.0	64.0
	11:15:00	62.7	58.0	65.5
	11:20:00	60.0	57.0	61.5
	11:25:00	58.3	56.0	59.5
	11:30:00	60.9	55.5	63.0
	11:35:00	61.4	55.5	65.5
	11:40:00	62.0	56.0	65.0
	11:45:00	58.0	55.0	60.5
	11:50:00	63.5	56.5	67.5
	11:55:00	63.4	57.0	66.5
	12:00:00	62.3	58.5	64.5
	12:05:00	63.7	59.0	66.0
	12:10:00	61.8	56.5	64.0
	12:15:00	61.0	56.5	63.5
	12:20:00	57.9	53.5	59.0
	12:25:00	58.7	54.5	62.0
	12:30:00	63.5	55.5	67.5
	12:35:00	60.6	54.5	65.5
	12:40:00	61.1	56.0	64.5
	12:45:00	57.8	54.5	59.5
	12:50:00	59.9	55.0	63.0
	12:55:00	60.6	55.0	64.0
	13:00:00	58.2	54.0	60.0
	13:05:00	58.4	55.0	62.0
	13:10:00	57.1	55.0	58.5
	13:15:00	61.8	56.0	66.0
	13:20:00	59.6	56.0	60.5
	13:25:00	58.4	55.0	60.5
	13:30:00	57.8	54.5	60.0
	13:35:00	58.4	54.0	62.0
	13:40:00	56.6	53.5	57.5
	13:45:00	57.6	53.5	60.0
	13:50:00	62.8	56.0	66.0
	13:55:00	60.0	56.0	63.0
	14:00:00	57.7	55.0	59.5
	14:05:00	67.9	55.5	66.5
	14:10:00	58.4	55.5	60.5
	14:15:00	57.0	54.0	59.0
	14:20:00	62.0	55.5	67.0
	14:25:00	60.3	55.0	64.0
	14:30:00	59.5	54.5	61.5
	14:35:00	61.1	55.5	64.0
	14:40:00	58.4	55.0	60.5
	14:45:00	56.8	53.5	58.5
	14:50:00	56.3	52.0	58.0
	14:55:00	58.8	53.0	61.5
	15:00:00	67.3	55.0	70.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/31/2007	15:05:00	70.9	62.0	75.0
	15:10:00	64.2	55.5	68.0
	15:15:00	56.3	52.5	59.0
	15:20:00	61.3	54.0	66.0
	15:25:00	60.5	53.0	61.0
	15:30:00	63.6	54.0	69.0
	15:35:00	65.2	57.0	68.5
	15:40:00	60.5	54.5	61.0
	15:45:00	58.7	53.5	61.0
	15:50:00	61.6	54.0	67.0
	15:55:00	55.7	52.5	57.0
	16:00:00	55.3	52.0	57.0
	16:05:00	57.8	53.0	60.0
	16:10:00	64.4	55.0	68.5
	16:15:00	59.3	54.0	63.0
	16:20:00	63.7	56.0	67.5
	16:25:00	58.7	54.0	60.5
	16:30:00	56.2	53.0	58.0
	16:35:00	56.6	53.5	58.0
	16:40:00	58.8	52.0	58.5
	16:45:00	64.0	53.5	68.0
	16:50:00	57.3	52.0	61.5
	16:55:00	56.5	52.0	59.0
	17:00:00	61.9	53.5	67.0
	17:05:00	57.8	53.0	60.0
	17:10:00	55.5	52.0	57.0
	17:15:00	56.6	52.5	58.5
	17:20:00	61.0	52.5	66.5
	17:25:00	59.1	54.0	61.0
	17:30:00	57.9	52.0	62.0
	17:35:00	56.2	52.0	58.0
	17:40:00	55.7	51.5	56.5
	17:45:00	56.7	52.0	58.5
	17:50:00	59.4	51.5	64.0
	17:55:00	55.6	52.0	57.0
	18:00:00	56.6	53.0	58.5
	18:05:00	55.7	52.0	57.5
	18:10:00	57.0	53.5	59.0
	18:15:00	56.0	52.0	58.0
	18:20:00	57.0	52.5	57.5
	18:25:00	57.1	53.0	57.5
	18:30:00	57.2	52.5	60.0
	18:35:00	63.0	54.0	67.0
	18:40:00	55.6	52.5	56.5
	18:45:00	63.5	53.5	68.0
	18:50:00	57.7	52.5	61.5
	18:55:00	59.9	52.5	65.0
	19:00:00	56.8	53.0	58.5
	19:05:00	56.4	52.5	58.0
	19:10:00	59.3	52.0	65.0
	19:15:00	56.0	52.5	57.5
	19:20:00	56.4	52.5	58.5
	19:25:00	55.9	52.0	58.0
	19:30:00	55.6	52.5	57.0
	19:35:00	55.4	53.0	56.5
	19:40:00	58.5	53.5	61.0
	19:45:00	56.6	52.0	58.5
	19:50:00	57.5	53.5	59.0
	19:55:00	58.9	53.5	62.0
	20:00:00	56.8	52.5	60.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/31/2007	20:05:00	54.4	51.0	55.5
	20:10:00	55.6	51.5	56.5
	20:15:00	55.7	51.5	57.5
	20:20:00	54.3	51.0	55.5
	20:25:00	56.2	51.5	58.0
	20:30:00	54.9	51.5	56.5
	20:35:00	54.9	51.5	56.0
	20:40:00	55.7	51.0	57.5
	20:45:00	55.4	51.5	57.5
	20:50:00	54.7	50.5	56.0
	20:55:00	57.0	52.0	60.0
	21:00:00	54.9	51.0	56.5
	21:05:00	55.4	50.5	57.0
	21:10:00	55.2	50.5	56.5
	21:15:00	54.2	50.5	55.5
	21:20:00	54.1	50.5	55.5
	21:25:00	55.2	50.5	57.5
	21:30:00	55.5	50.5	56.0
	21:35:00	58.2	52.0	61.5
	21:40:00	58.6	51.5	60.5
	21:45:00	54.1	50.0	55.5
	21:50:00	57.5	51.0	58.0
	21:55:00	54.7	51.0	56.0
	22:00:00	54.5	50.5	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
5/31/2007	22:05:00	54.3	50.5	55.5
	22:10:00	53.8	50.0	55.0
	22:15:00	54.1	50.0	55.5
	22:20:00	60.5	54.5	63.0
	22:25:00	65.7	60.0	68.0
	22:30:00	56.3	54.0	57.5
	22:35:00	59.6	55.0	62.0
	22:40:00	55.1	52.5	56.5
	22:45:00	54.6	51.5	56.0
	22:50:00	54.2	51.0	55.5
	22:55:00	54.2	50.5	55.5
	23:00:00	54.1	50.5	55.5
	23:05:00	54.0	50.5	55.0
	23:10:00	54.0	50.0	55.5
	23:15:00	53.8	50.0	55.0
	23:20:00	53.8	50.0	55.0
	23:25:00	53.7	50.0	55.0
	23:30:00	54.0	50.0	55.5
	23:35:00	54.0	50.5	55.0
	23:40:00	54.3	51.0	55.5
	23:45:00	54.3	50.5	55.5
	23:50:00	54.4	50.5	55.5
	23:55:00	54.0	50.5	55.5
	0:00:00	54.3	50.5	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	0:05:00	54.0	50.0	55.0
	0:10:00	53.7	50.0	55.0
	0:15:00	59.1	51.0	63.0
	0:20:00	53.9	50.0	55.0
	0:25:00	53.8	50.0	55.0
	0:30:00	53.7	50.0	55.0
	0:35:00	54.7	50.0	55.0
	0:40:00	53.6	49.5	55.0
	0:45:00	53.7	50.0	55.0
	0:50:00	54.1	50.0	55.0
	0:55:00	54.1	50.0	55.0
	1:00:00	55.5	51.0	57.5
	1:05:00	53.9	50.0	55.0
	1:10:00	54.2	50.0	55.5
	1:15:00	57.2	51.0	61.5
	1:20:00	54.2	50.0	55.5
	1:25:00	54.8	50.0	55.5
	1:30:00	54.6	50.0	56.5
	1:35:00	54.1	50.0	55.5
	1:40:00	53.6	49.5	55.0
	1:45:00	53.7	50.0	55.0
	1:50:00	54.6	50.0	55.5
	1:55:00	53.6	49.5	55.0
	2:00:00	54.4	51.0	56.0
	2:05:00	53.8	50.0	55.0
	2:10:00	53.8	50.0	55.0
	2:15:00	63.2	52.0	68.0
	2:20:00	63.7	61.5	65.0
	2:25:00	59.9	55.5	62.5
	2:30:00	55.1	52.5	56.0
	2:35:00	54.5	51.5	55.5
	2:40:00	54.3	51.0	55.5
	2:45:00	54.1	50.5	55.0
	2:50:00	54.0	50.5	55.0
	2:55:00	54.6	50.0	55.0
	3:00:00	54.0	50.5	55.0
	3:05:00	53.7	50.0	55.0
	3:10:00	53.8	50.0	55.0
	3:15:00	53.8	50.0	55.0
	3:20:00	53.7	50.0	55.0
	3:25:00	55.2	50.5	57.5
	3:30:00	53.7	50.0	55.0
	3:35:00	54.4	49.5	55.0
	3:40:00	53.5	49.5	54.5
	3:45:00	53.4	49.0	54.5
	3:50:00	53.6	49.5	55.0
	3:55:00	53.6	49.5	54.5
	4:00:00	53.4	49.0	54.5
	4:05:00	53.4	49.0	54.5
	4:10:00	53.6	49.5	55.0
	4:15:00	53.4	49.0	54.5
	4:20:00	53.5	49.5	54.5
	4:25:00	53.4	49.0	54.5
	4:30:00	53.4	49.0	54.5
	4:35:00	54.1	50.0	55.5
	4:40:00	53.6	49.5	55.0
	4:45:00	56.0	53.0	58.0
	4:50:00	55.2	51.5	57.5
	4:55:00	53.7	50.0	55.0
	5:00:00	54.0	50.0	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	5:05:00	54.4	50.5	56.0
	5:10:00	53.8	50.0	55.0
	5:15:00	53.8	50.0	55.0
	5:20:00	55.8	52.0	58.0
	5:25:00	59.0	54.5	60.5
	5:30:00	68.3	64.0	70.0
	5:35:00	70.4	65.0	73.0
	5:40:00	68.5	62.0	72.0
	5:45:00	67.2	61.5	69.5
	5:50:00	65.7	58.0	69.0
	5:55:00	62.2	55.5	65.0
	6:00:00	63.6	56.5	69.0
	6:05:00	60.2	56.5	60.5
	6:10:00	65.1	57.5	69.5
	6:15:00	69.0	58.5	72.5
	6:20:00	69.3	59.5	74.0
	6:25:00	67.9	59.0	73.5
	6:30:00	64.2	59.5	68.0
	6:35:00	66.6	61.0	69.5
	6:40:00	68.8	61.0	71.0
	6:45:00	66.9	59.5	70.0
	6:50:00	67.1	60.5	70.5
	6:55:00	65.9	60.5	69.0
	7:00:00	71.6	67.0	74.5
	7:05:00	69.9	65.0	72.5
	7:10:00	71.4	66.5	73.5
	7:15:00	73.1	68.5	76.0
	7:20:00	73.6	70.5	75.5
	7:25:00	74.9	71.0	77.5
	7:30:00	76.4	72.0	79.0
	7:35:00	76.2	72.5	78.0
	7:40:00	75.8	73.0	77.5
	7:45:00	75.3	66.5	78.0
	7:50:00	59.2	53.0	63.5
	7:55:00	55.2	52.0	56.5
	8:00:00	63.2	54.0	68.0
	8:05:00	63.3	55.5	67.0
	8:10:00	71.8	65.0	75.0
	8:15:00	74.6	68.5	77.5
	8:20:00	74.4	70.5	77.0
	8:25:00	76.2	73.0	78.0
	8:30:00	76.7	71.5	79.0
	8:35:00	75.2	71.0	77.0
	8:40:00	73.5	70.5	75.5
	8:45:00	72.9	68.5	75.0
	8:50:00	73.8	69.5	75.5
	8:55:00	72.3	66.5	75.5
	9:00:00	74.3	69.5	77.5
	9:05:00	73.5	67.0	76.5
	9:10:00	72.3	68.0	75.5
	9:15:00	72.1	68.5	74.5
	9:20:00	72.8	66.0	75.5
	9:25:00	71.6	65.0	74.5
	9:30:00	73.9	69.5	76.0
	9:35:00	72.3	67.5	75.5
	9:40:00	73.7	68.0	76.0
	9:45:00	75.0	71.5	76.5
	9:50:00	74.3	64.5	79.0
	9:55:00	71.4	66.5	74.0
	10:00:00	63.2	57.0	67.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	10:05:00	64.6	56.0	69.0
	10:10:00	55.8	52.5	57.5
	10:15:00	62.7	55.0	67.0
	10:20:00	69.1	62.0	72.0
	10:25:00	65.3	58.0	69.5
	10:30:00	65.0	60.0	68.0
	10:35:00	64.4	58.0	68.0
	10:40:00	60.0	55.0	63.0
	10:45:00	59.8	54.5	63.0
	10:50:00	57.2	53.0	59.0
	10:55:00	60.9	53.0	64.0
	11:00:00	59.6	54.0	62.5
	11:05:00	55.1	52.0	56.5
	11:10:00	57.3	53.0	60.0
	11:15:00	58.5	53.0	61.0
	11:20:00	58.0	54.0	60.5
	11:25:00	64.9	55.5	69.0
	11:30:00	68.6	62.0	71.5
	11:35:00	69.3	63.0	71.5
	11:40:00	64.4	54.5	68.0
	11:45:00	56.3	52.5	58.0
	11:50:00	60.9	53.0	65.5
	11:55:00	65.7	59.5	68.5
	12:00:00	67.3	62.0	70.0
	12:05:00	65.9	58.5	69.0
	12:10:00	63.2	55.0	67.0
	12:15:00	59.0	53.5	62.0
	12:20:00	63.5	55.0	67.5
	12:25:00	57.0	54.0	58.5
	12:30:00	61.9	53.5	65.5
	12:35:00	60.4	54.0	64.5
	12:40:00	64.9	54.0	70.0
	12:45:00	61.3	53.5	66.0
	12:50:00	62.4	54.5	66.5
	12:55:00	65.0	57.0	68.5
	13:00:00	65.9	58.5	69.0
	13:05:00	67.8	64.0	70.5
	13:10:00	65.8	55.0	69.0
	13:15:00	58.3	53.0	59.0
	13:20:00	58.3	53.5	60.5
	13:25:00	66.7	58.0	70.5
	13:30:00	68.6	63.0	71.0
	13:35:00	65.8	58.5	68.5
	13:40:00	69.2	61.0	74.0
	13:45:00	72.3	66.0	76.0
	13:50:00	68.3	64.5	70.0
	13:55:00	67.6	58.5	70.5
	14:00:00	70.0	65.5	72.5
	14:05:00	71.6	66.0	75.0
	14:10:00	70.0	62.0	73.5
	14:15:00	68.0	59.0	71.5
	14:20:00	69.2	59.5	74.0
	14:25:00	64.3	59.0	67.5
	14:30:00	67.2	61.5	69.5
	14:35:00	57.6	54.5	59.5
	14:40:00	60.9	55.5	65.0
	14:45:00	66.6	62.0	69.5
	14:50:00	66.2	57.5	70.0
	14:55:00	67.3	61.5	71.0
	15:00:00	66.8	60.5	69.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	15:05:00	64.6	55.5	69.0
	15:10:00	56.1	52.5	58.5
	15:15:00	55.5	52.0	57.0
	15:20:00	55.6	52.5	57.0
	15:25:00	58.6	53.0	61.0
	15:30:00	58.5	52.5	61.5
	15:35:00	65.5	54.5	70.0
	15:40:00	57.9	54.0	60.5
	15:45:00	58.8	53.5	61.5
	15:50:00	57.9	53.0	59.5
	15:55:00	64.8	56.0	68.5
	16:00:00	58.7	52.5	60.0
	16:05:00	58.1	52.5	60.0
	16:10:00	56.9	52.0	59.5
	16:15:00	58.4	52.5	62.0
	16:20:00	56.2	51.5	58.0
	16:25:00	59.4	52.5	64.0
	16:30:00	57.5	54.0	59.5
	16:35:00	63.0	53.5	68.0
	16:40:00	62.6	53.5	68.5
	16:45:00	64.6	54.5	69.0
	16:50:00	64.0	56.0	67.0
	16:55:00	59.4	52.0	64.0
	17:00:00	59.7	53.0	64.0
	17:05:00	60.8	53.0	64.0
	17:10:00	57.2	53.0	59.5
	17:15:00	60.3	53.5	65.0
	17:20:00	60.9	55.0	64.5
	17:25:00	58.6	53.0	61.5
	17:30:00	56.8	53.0	59.0
	17:35:00	57.2	53.0	59.5
	17:40:00	63.8	52.5	69.0
	17:45:00	62.7	57.0	65.5
	17:50:00	62.3	54.5	66.5
	17:55:00	58.1	52.0	59.5
	18:00:00	56.9	52.0	59.0
	18:05:00	55.4	52.0	57.0
	18:10:00	55.7	52.5	57.5
	18:15:00	56.4	52.5	59.0
	18:20:00	64.1	54.5	68.5
	18:25:00	59.5	52.0	63.5
	18:30:00	59.9	52.5	64.5
	18:35:00	55.2	52.0	56.5
	18:40:00	54.5	51.0	56.0
	18:45:00	59.0	52.0	65.0
	18:50:00	56.0	52.0	57.5
	18:55:00	58.7	52.5	63.5
	19:00:00	65.9	56.5	69.5
	19:05:00	66.8	57.5	70.0
	19:10:00	60.0	52.5	65.0
	19:15:00	55.6	53.0	56.5
	19:20:00	55.7	53.5	57.0
	19:25:00	56.0	53.0	57.5
	19:30:00	54.8	51.5	56.0
	19:35:00	55.8	52.0	58.0
	19:40:00	55.9	53.0	57.0
	19:45:00	56.2	53.0	58.0
	19:50:00	56.1	53.0	58.0
	19:55:00	55.8	53.0	57.0
	20:00:00	55.0	52.0	56.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	20:05:00	55.2	52.0	56.5
	20:10:00	54.9	51.5	56.0
	20:15:00	56.4	52.0	58.5
	20:20:00	54.8	51.5	56.0
	20:25:00	55.2	51.5	56.5
	20:30:00	54.8	51.0	55.5
	20:35:00	55.2	51.5	56.5
	20:40:00	55.5	50.5	56.0
	20:45:00	55.5	51.0	58.0
	20:50:00	54.7	51.0	56.0
	20:55:00	56.4	51.5	59.0
	21:00:00	55.3	51.0	57.5
	21:05:00	55.6	51.0	58.0
	21:10:00	54.4	50.5	55.5
	21:15:00	54.3	50.5	55.5
	21:20:00	54.9	51.0	56.5
	21:25:00	56.8	50.5	59.0
	21:30:00	58.2	51.5	61.0
	21:35:00	55.2	51.0	56.5
	21:40:00	54.8	51.0	56.5
	21:45:00	54.5	51.0	55.5
	21:50:00	54.5	50.0	55.0
	21:55:00	54.6	51.0	56.0
	22:00:00	54.6	51.0	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	22:05:00	54.5	51.0	56.0
	22:10:00	56.4	50.5	58.0
	22:15:00	54.7	51.0	55.5
	22:20:00	54.0	50.5	55.5
	22:25:00	54.6	50.5	55.5
	22:30:00	55.5	51.5	57.5
	22:35:00	54.9	50.5	55.5
	22:40:00	54.9	51.0	56.0
	22:45:00	54.5	51.0	55.5
	22:50:00	54.7	51.5	56.0
	22:55:00	55.2	51.0	57.0
	23:00:00	54.9	51.0	56.5
	23:05:00	54.0	50.5	55.0
	23:10:00	55.2	51.0	56.0
	23:15:00	54.2	51.0	55.5
	23:20:00	55.7	51.0	58.0
	23:25:00	54.5	51.0	55.5
	23:30:00	54.5	51.0	55.5
	23:35:00	55.3	51.0	56.0
	23:40:00	54.3	51.0	55.5
	23:45:00	55.5	51.5	56.0
	23:50:00	54.5	51.0	55.5
	23:55:00	54.4	51.0	55.5
	0:00:00	54.1	51.0	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	0:05:00	54.3	51.0	55.5
	0:10:00	54.1	50.5	55.0
	0:15:00	54.1	50.5	55.0
	0:20:00	54.1	50.0	55.0
	0:25:00	54.1	50.5	55.5
	0:30:00	53.9	50.0	55.0
	0:35:00	54.2	50.5	55.5
	0:40:00	54.3	50.5	55.5
	0:45:00	54.0	50.5	55.0
	0:50:00	53.9	50.0	55.0
	0:55:00	53.8	50.0	55.0
	1:00:00	54.1	50.5	55.0
	1:05:00	53.9	50.5	55.0
	1:10:00	54.3	50.5	55.0
	1:15:00	54.6	50.0	55.0
	1:20:00	53.9	50.0	55.0
	1:25:00	55.9	51.0	58.5
	1:30:00	55.7	50.0	55.0
	1:35:00	53.9	50.0	55.0
	1:40:00	54.1	50.5	55.0
	1:45:00	54.3	50.5	55.5
	1:50:00	53.9	50.0	55.0
	1:55:00	54.1	50.0	55.0
	2:00:00	53.7	50.0	55.0
	2:05:00	54.0	50.0	55.0
	2:10:00	55.5	51.5	57.5
	2:15:00	54.0	50.5	55.0
	2:20:00	53.6	49.5	55.0
	2:25:00	53.8	49.5	55.0
	2:30:00	58.8	49.5	55.0
	2:35:00	54.2	49.0	55.0
	2:40:00	55.5	50.0	59.5
	2:45:00	65.3	59.0	69.5
	2:50:00	57.5	54.0	58.5
	2:55:00	56.1	53.0	57.5
	3:00:00	59.9	54.0	58.0
	3:05:00	54.3	51.0	55.5
	3:10:00	54.0	50.0	55.0
	3:15:00	54.5	50.0	56.0
	3:20:00	53.7	49.5	55.0
	3:25:00	53.5	49.5	54.5
	3:30:00	53.5	49.5	55.0
	3:35:00	53.5	49.5	54.5
	3:40:00	53.6	49.5	55.0
	3:45:00	64.6	55.0	68.5
	3:50:00	60.4	56.5	62.5
	3:55:00	56.5	52.5	56.5
	4:00:00	54.5	51.0	55.5
	4:05:00	54.4	50.5	55.5
	4:10:00	54.7	50.5	55.5
	4:15:00	54.2	50.5	55.0
	4:20:00	53.6	49.5	55.0
	4:25:00	53.7	50.0	55.0
	4:30:00	55.9	50.0	58.0
	4:35:00	53.8	50.0	55.0
	4:40:00	53.5	49.5	55.0
	4:45:00	54.6	50.0	55.0
	4:50:00	54.1	49.5	55.0
	4:55:00	53.8	50.0	55.0
	5:00:00	53.6	49.5	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	5:05:00	53.5	49.5	55.0
	5:10:00	59.4	53.0	61.5
	5:15:00	57.3	54.5	59.5
	5:20:00	56.1	53.0	57.5
	5:25:00	56.9	54.0	58.5
	5:30:00	57.0	54.5	58.5
	5:35:00	69.3	58.5	73.0
	5:40:00	70.1	67.0	72.0
	5:45:00	69.4	65.5	71.5
	5:50:00	71.3	66.5	74.0
	5:55:00	70.0	66.0	72.0
	6:00:00	68.6	59.0	72.0
	6:05:00	64.2	57.0	68.0
	6:10:00	63.9	57.5	67.0
	6:15:00	63.4	56.0	66.5
	6:20:00	63.2	57.0	66.5
	6:25:00	67.9	58.0	72.0
	6:30:00	69.5	64.5	72.0
	6:35:00	71.1	66.5	74.0
	6:40:00	73.8	69.5	75.5
	6:45:00	72.8	69.0	74.5
	6:50:00	73.8	70.5	76.5
	6:55:00	73.1	69.5	75.0
	7:00:00	72.6	68.0	75.0
	7:05:00	72.9	69.0	75.0
	7:10:00	72.4	69.0	74.5
	7:15:00	73.3	70.0	75.0
	7:20:00	74.8	70.0	78.0
	7:25:00	71.0	68.0	73.0
	7:30:00	71.9	67.5	75.0
	7:35:00	73.4	70.0	75.5
	7:40:00	72.7	69.0	75.0
	7:45:00	72.6	68.5	74.5
	7:50:00	73.8	69.0	76.5
	7:55:00	73.0	69.0	75.5
	8:00:00	72.4	69.5	75.0
	8:05:00	72.4	68.0	74.5
	8:10:00	73.2	70.0	75.0
	8:15:00	71.6	68.5	74.0
	8:20:00	73.2	70.0	75.0
	8:25:00	72.6	69.0	75.0
	8:30:00	72.1	68.0	74.0
	8:35:00	71.9	67.0	74.5
	8:40:00	70.8	67.5	73.0
	8:45:00	70.6	65.5	73.5
	8:50:00	72.0	67.5	74.0
	8:55:00	72.7	69.0	74.0
	9:00:00	69.9	66.0	72.5
	9:05:00	68.6	65.0	71.0
	9:10:00	70.4	65.0	73.0
	9:15:00	69.7	62.5	72.0
	9:20:00	68.4	62.5	71.5
	9:25:00	70.7	65.5	73.0
	9:30:00	59.1	54.5	63.0
	9:35:00	56.4	53.0	58.0
	9:40:00	58.2	52.5	61.0
	9:45:00	60.8	55.0	64.5
	9:50:00	67.1	59.5	70.5
	9:55:00	67.3	62.0	70.5
	10:00:00	67.1	61.5	70.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	10:05:00	65.7	61.0	68.5
	10:10:00	66.2	60.0	69.5
	10:15:00	61.7	57.0	64.5
	10:20:00	60.7	57.0	63.5
	10:25:00	59.8	55.5	63.0
	10:30:00	59.4	55.0	62.5
	10:35:00	59.6	54.5	64.5
	10:40:00	57.8	54.0	59.5
	10:45:00	58.4	54.0	60.5
	10:50:00	58.7	53.0	61.5
	10:55:00	61.8	53.5	63.0
	11:00:00	59.8	53.5	59.5
	11:05:00	56.3	53.0	58.0
	11:10:00	63.8	52.5	67.0
	11:15:00	58.5	53.0	62.0
	11:20:00	64.2	54.5	66.5
	11:25:00	59.4	54.0	63.0
	11:30:00	61.6	54.0	65.5
	11:35:00	58.6	54.0	62.0
	11:40:00	57.4	52.5	60.0
	11:45:00	57.7	53.0	60.0
	11:50:00	56.9	52.5	59.5
	11:55:00	57.0	53.0	58.5
	12:00:00	56.2	51.5	57.5
	12:05:00	62.1	54.0	66.0
	12:10:00	62.6	55.5	66.0
	12:15:00	57.9	52.5	60.0
	12:20:00	55.6	52.0	57.0
	12:25:00	60.5	52.5	65.0
	12:30:00	56.7	52.5	58.0
	12:35:00	55.3	52.0	57.0
	12:40:00	58.5	53.5	62.5
	12:45:00	56.3	53.0	58.0
	12:50:00	57.3	53.5	60.0
	12:55:00	58.9	54.5	61.0
	13:00:00	57.3	53.5	59.0
	13:05:00	64.2	53.5	70.5
	13:10:00	59.8	54.5	61.5
	13:15:00	59.6	53.0	59.0
	13:20:00	57.4	54.0	60.0
	13:25:00	61.5	52.5	66.0
	13:30:00	63.6	55.5	67.5
	13:35:00	59.0	55.0	61.0
	13:40:00	67.4	57.5	70.5
	13:45:00	63.1	57.5	67.5
	13:50:00	57.5	53.5	59.0
	13:55:00	55.8	51.0	58.0
	14:00:00	62.2	54.0	63.0
	14:05:00	63.1	56.0	66.0
	14:10:00	60.8	55.5	61.5
	14:15:00	64.7	56.0	69.5
	14:20:00	62.5	56.5	66.5
	14:25:00	61.2	55.5	65.5
	14:30:00	64.8	55.5	68.5
	14:35:00	62.7	55.0	67.5
	14:40:00	56.0	53.0	57.0
	14:45:00	59.3	55.0	62.0
	14:50:00	58.6	55.5	61.5
	14:55:00	65.1	56.5	70.0
	15:00:00	57.6	54.5	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	15:05:00	56.3	53.5	58.0
	15:10:00	62.0	54.0	66.0
	15:15:00	58.1	53.5	60.5
	15:20:00	57.8	52.5	57.5
	15:25:00	58.4	53.5	58.5
	15:30:00	56.3	53.0	58.0
	15:35:00	60.7	53.5	62.0
	15:40:00	60.2	54.0	64.5
	15:45:00	67.9	56.5	72.0
	15:50:00	67.5	56.5	71.5
	15:55:00	62.8	54.5	67.0
	16:00:00	55.1	51.5	56.5
	16:05:00	61.4	52.0	58.0
	16:10:00	56.0	52.0	57.5
	16:15:00	55.4	52.0	57.0
	16:20:00	61.9	52.5	65.5
	16:25:00	60.7	55.5	64.0
	16:30:00	59.3	54.5	62.0
	16:35:00	64.8	56.5	69.0
	16:40:00	61.2	55.0	66.0
	16:45:00	57.5	53.5	59.0
	16:50:00	61.3	53.0	66.0
	16:55:00	59.1	53.0	60.0
	17:00:00	56.3	51.5	58.0
	17:05:00	58.0	52.0	58.5
	17:10:00	60.5	52.5	59.5
	17:15:00	58.3	53.0	60.0
	17:20:00	57.8	52.5	60.0
	17:25:00	58.4	52.5	62.0
	17:30:00	60.5	54.0	64.0
	17:35:00	63.2	53.0	67.5
	17:40:00	62.2	53.5	66.5
	17:45:00	60.3	54.0	63.5
	17:50:00	60.2	54.0	63.5
	17:55:00	62.4	53.5	67.0
	18:00:00	63.5	56.0	67.5
	18:05:00	57.9	54.0	59.5
	18:10:00	59.5	53.5	61.0
	18:15:00	59.4	53.0	64.0
	18:20:00	58.7	53.5	61.0
	18:25:00	65.7	54.0	70.5
	18:30:00	65.1	57.0	68.0
	18:35:00	62.5	54.0	65.5
	18:40:00	59.3	52.5	61.5
	18:45:00	55.8	52.5	57.0
	18:50:00	58.6	54.0	60.5
	18:55:00	63.0	56.5	67.5
	19:00:00	65.2	53.5	70.0
	19:05:00	63.4	55.0	67.0
	19:10:00	58.5	55.5	61.0
	19:15:00	60.7	54.0	66.5
	19:20:00	56.5	53.5	58.0
	19:25:00	56.3	52.5	57.5
	19:30:00	55.4	52.0	57.0
	19:35:00	58.6	53.5	59.5
	19:40:00	56.7	53.5	58.0
	19:45:00	56.8	54.5	58.0
	19:50:00	57.6	54.0	60.0
	19:55:00	57.6	54.0	58.5
	20:00:00	57.0	53.5	57.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	20:05:00	56.4	53.5	58.0
	20:10:00	56.8	53.5	58.5
	20:15:00	55.7	52.5	57.5
	20:20:00	59.5	52.5	61.0
	20:25:00	55.1	52.0	56.5
	20:30:00	55.4	51.5	57.0
	20:35:00	54.6	51.0	56.0
	20:40:00	55.9	51.0	57.0
	20:45:00	54.3	50.5	55.5
	20:50:00	54.3	50.5	55.5
	20:55:00	55.9	51.5	58.5
	21:00:00	56.0	51.5	58.0
	21:05:00	54.7	51.0	56.0
	21:10:00	55.2	51.0	56.0
	21:15:00	55.3	51.0	57.0
	21:20:00	56.7	52.0	59.5
	21:25:00	57.4	51.0	56.0
	21:30:00	55.3	51.5	57.0
	21:35:00	55.5	52.0	57.0
	21:40:00	54.6	51.0	55.5
	21:45:00	56.3	51.5	57.0
	21:50:00	54.8	51.0	56.0
	21:55:00	60.0	51.5	60.5
	22:00:00	57.7	52.0	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	22:05:00	55.4	51.5	57.0
	22:10:00	55.4	52.0	57.0
	22:15:00	54.9	51.5	56.0
	22:20:00	55.3	52.0	57.0
	22:25:00	55.0	51.0	55.5
	22:30:00	54.6	51.0	55.5
	22:35:00	55.2	51.5	57.0
	22:40:00	54.9	51.5	56.5
	22:45:00	54.3	51.0	55.5
	22:50:00	54.1	50.5	55.5
	22:55:00	54.0	50.5	55.0
	23:00:00	57.0	51.5	57.5
	23:05:00	57.8	51.5	59.5
	23:10:00	54.4	50.5	55.5
	23:15:00	54.1	50.5	55.5
	23:20:00	54.6	51.5	56.0
	23:25:00	54.6	51.0	56.0
	23:30:00	54.4	51.0	55.5
	23:35:00	54.1	50.5	55.5
	23:40:00	54.9	50.5	55.5
	23:45:00	54.6	50.5	56.0
	23:50:00	54.4	51.0	55.5
	23:55:00	55.0	51.5	56.0
	0:00:00	54.1	50.5	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	0:05:00	52.8	47.0	55.0
	0:10:00	51.3	46.5	53.5
	0:15:00	58.3	47.5	59.0
	0:20:00	51.6	46.5	54.5
	0:25:00	52.0	47.0	54.5
	0:30:00	51.0	46.5	53.5
	0:35:00	51.3	46.5	53.5
	0:40:00	49.3	46.0	51.5
	0:45:00	49.6	46.0	52.0
	0:50:00	58.9	47.0	61.0
	0:55:00	52.5	46.5	55.5
	1:00:00	53.1	47.0	56.5
	1:05:00	50.9	46.5	54.0
	1:10:00	53.8	47.0	55.0
	1:15:00	56.3	47.0	59.0
	1:20:00	50.2	47.5	52.5
	1:25:00	55.6	47.5	54.5
	1:30:00	52.3	48.0	55.5
	1:35:00	52.0	48.0	53.5
	1:40:00	50.0	48.0	52.0
	1:45:00	50.5	48.0	53.5
	1:50:00	61.0	47.5	56.5
	1:55:00	50.3	47.5	52.5
	2:00:00	53.3	48.0	56.5
	2:05:00	49.2	47.5	51.0
	2:10:00	49.9	48.0	52.0
	2:15:00	68.5	48.0	74.5
	2:20:00	66.7	63.5	68.5
	2:25:00	61.4	51.5	65.5
	2:30:00	51.8	49.5	54.0
	2:35:00	50.4	48.5	52.0
	2:40:00	50.9	48.5	53.0
	2:45:00	50.8	48.0	53.5
	2:50:00	50.4	48.0	52.5
	2:55:00	50.5	47.5	52.5
	3:00:00	50.7	47.5	53.5
	3:05:00	48.9	47.5	50.5
	3:10:00	48.8	47.0	50.5
	3:15:00	48.8	47.0	50.5
	3:20:00	49.4	47.5	51.5
	3:25:00	53.6	47.5	56.5
	3:30:00	49.6	47.5	51.5
	3:35:00	48.8	47.5	50.5
	3:40:00	48.6	47.5	48.5
	3:45:00	48.7	47.0	50.0
	3:50:00	49.8	47.5	52.0
	3:55:00	50.0	47.5	51.5
	4:00:00	49.2	48.0	51.0
	4:05:00	49.6	48.0	51.0
	4:10:00	49.1	48.0	49.5
	4:15:00	49.0	48.0	49.5
	4:20:00	49.8	48.0	51.5
	4:25:00	49.4	48.0	51.0
	4:30:00	49.9	48.0	52.0
	4:35:00	50.8	48.0	53.0
	4:40:00	51.9	48.0	55.0
	4:45:00	58.8	53.0	61.5
	4:50:00	54.3	49.5	58.5
	4:55:00	49.3	48.0	50.0
	5:00:00	50.3	48.0	52.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	5:05:00	51.0	48.0	53.5
	5:10:00	50.0	48.0	52.5
	5:15:00	49.4	47.5	51.5
	5:20:00	52.0	48.0	55.0
	5:25:00	61.3	49.5	66.5
	5:30:00	67.7	57.0	71.5
	5:35:00	65.7	57.5	69.0
	5:40:00	63.9	57.5	66.5
	5:45:00	65.8	56.5	70.0
	5:50:00	60.2	53.5	64.0
	5:55:00	55.1	53.0	55.0
	6:00:00	62.5	53.0	66.0
	6:05:00	63.1	53.5	66.5
	6:10:00	58.7	53.0	63.5
	6:15:00	60.7	54.5	64.5
	6:20:00	65.4	57.0	69.0
	6:25:00	65.6	58.0	69.5
	6:30:00	64.7	57.5	68.0
	6:35:00	60.4	56.0	64.0
	6:40:00	61.9	56.0	66.0
	6:45:00	59.4	56.0	61.5
	6:50:00	64.4	57.0	67.5
	6:55:00	64.1	58.5	68.0
	7:00:00	67.4	60.0	70.5
	7:05:00	65.9	62.5	68.5
	7:10:00	66.2	62.5	69.0
	7:15:00	72.6	68.5	75.0
	7:20:00	70.9	64.5	74.0
	7:25:00	71.1	64.5	74.0
	7:30:00	70.1	64.5	73.0
	7:35:00	68.6	60.5	72.5
	7:40:00	64.7	60.0	68.0
	7:45:00	66.6	62.5	69.5
	7:50:00	59.8	54.0	63.0
	7:55:00	57.5	52.5	60.0
	8:00:00	58.3	52.0	61.5
	8:05:00	61.4	53.5	64.0
	8:10:00	62.5	56.5	66.5
	8:15:00	68.6	62.5	71.5
	8:20:00	66.9	62.0	70.0
	8:25:00	66.8	62.0	69.5
	8:30:00	68.6	63.5	71.0
	8:35:00	72.6	69.0	75.0
	8:40:00	70.4	66.0	73.0
	8:45:00	69.6	63.5	72.5
	8:50:00	70.9	66.0	73.5
	8:55:00	69.9	64.5	72.0
	9:00:00	68.4	60.0	72.5
	9:05:00	67.5	62.0	70.0
	9:10:00	63.7	57.0	68.0
	9:15:00	64.0	59.0	68.0
	9:20:00	65.5	56.5	69.0
	9:25:00	61.1	57.5	63.0
	9:30:00	62.8	58.5	64.5
	9:35:00	63.8	56.5	68.5
	9:40:00	68.1	57.5	72.5
	9:45:00	66.0	57.5	69.5
	9:50:00	61.7	53.0	65.5
	9:55:00	67.9	62.5	73.0
	10:00:00	63.6	57.5	67.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	10:05:00	63.4	56.5	67.5
	10:10:00	61.2	54.0	61.0
	10:15:00	62.1	55.0	66.0
	10:20:00	65.9	59.0	69.0
	10:25:00	64.3	58.5	67.5
	10:30:00	61.8	55.5	66.0
	10:35:00	60.9	56.0	62.5
	10:40:00	64.3	56.0	64.5
	10:45:00	59.6	55.0	62.5
	10:50:00	62.3	54.5	65.0
	10:55:00	64.8	55.0	66.0
	11:00:00	55.5	51.0	58.5
	11:05:00	55.1	49.5	58.0
	11:10:00	56.8	50.5	60.0
	11:15:00	57.9	50.5	62.0
	11:20:00	56.7	49.0	59.5
	11:25:00	58.3	51.0	60.5
	11:30:00	57.8	53.0	61.0
	11:35:00	57.7	53.5	60.5
	11:40:00	57.0	52.5	60.5
	11:45:00	58.5	52.0	60.5
	11:50:00	57.5	50.5	59.5
	11:55:00	63.7	58.0	66.5
	12:00:00	60.9	51.0	65.5
	12:05:00	56.6	50.5	60.0
	12:10:00	54.5	50.0	57.0
	12:15:00	56.3	49.5	58.0
	12:20:00	58.3	54.0	61.0
	12:25:00	58.6	54.5	61.0
	12:30:00	56.8	51.0	59.5
	12:35:00	60.1	53.0	63.5
	12:40:00	60.5	51.5	65.5
	12:45:00	55.4	50.0	58.0
	12:50:00	57.8	50.0	62.0
	12:55:00	57.7	53.5	60.0
	13:00:00	60.4	54.0	62.5
	13:05:00	58.9	52.0	62.5
	13:10:00	58.7	52.5	60.5
	13:15:00	57.8	54.0	59.5
	13:20:00	57.2	53.0	59.5
	13:25:00	60.9	56.5	63.5
	13:30:00	61.7	54.0	66.0
	13:35:00	62.9	57.0	66.0
	13:40:00	61.1	54.0	65.5
	13:45:00	59.6	54.5	63.0
	13:50:00	62.5	57.5	63.5
	13:55:00	60.6	56.5	62.5
	14:00:00	62.7	56.5	65.5
	14:05:00	60.2	55.0	63.0
	14:10:00	60.8	52.0	64.0
	14:15:00	64.5	54.5	69.0
	14:20:00	64.9	53.0	68.0
	14:25:00	65.4	58.0	66.5
	14:30:00	64.8	57.0	68.5
	14:35:00	60.9	49.0	64.0
	14:40:00	56.8	50.5	59.0
	14:45:00	61.3	52.5	66.5
	14:50:00	54.5	49.5	58.0
	14:55:00	58.2	52.0	61.0
	15:00:00	64.0	51.5	70.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	15:05:00	58.9	50.5	63.0
	15:10:00	56.2	48.0	58.5
	15:15:00	60.5	51.5	64.5
	15:20:00	57.3	51.5	60.5
	15:25:00	64.3	52.5	69.0
	15:30:00	55.8	52.0	57.5
	15:35:00	60.4	54.0	63.0
	15:40:00	65.6	54.5	73.0
	15:45:00	66.8	53.0	64.5
	15:50:00	61.5	52.0	65.0
	15:55:00	61.7	52.0	66.5
	16:00:00	60.7	50.5	65.5
	16:05:00	57.9	51.0	60.0
	16:10:00	56.4	49.5	60.0
	16:15:00	57.2	50.0	61.0
	16:20:00	56.6	48.0	59.5
	16:25:00	57.9	50.0	61.5
	16:30:00	56.4	51.0	60.0
	16:35:00	56.5	50.5	59.0
	16:40:00	56.3	50.5	59.5
	16:45:00	57.0	52.0	59.5
	16:50:00	56.4	51.5	59.0
	16:55:00	55.7	50.0	59.0
	17:00:00	55.5	50.0	58.5
	17:05:00	56.5	49.5	60.0
	17:10:00	55.3	47.0	59.0
	17:15:00	55.8	50.0	59.0
	17:20:00	59.1	51.5	63.0
	17:25:00	56.7	50.0	60.0
	17:30:00	57.1	50.0	58.5
	17:35:00	69.1	54.0	71.0
	17:40:00	63.8	51.0	66.0
	17:45:00	64.1	53.5	65.0
	17:50:00	62.6	52.5	64.5
	17:55:00	59.6	51.0	61.5
	18:00:00	59.7	52.0	63.0
	18:05:00	59.2	51.5	61.0
	18:10:00	60.9	53.0	64.0
	18:15:00	61.0	53.5	63.0
	18:20:00	63.3	54.0	66.5
	18:25:00	59.6	52.5	62.5
	18:30:00	58.0	50.5	61.5
	18:35:00	57.2	50.5	60.0
	18:40:00	55.4	50.0	58.0
	18:45:00	58.1	51.5	62.0
	18:50:00	58.0	51.5	61.5
	18:55:00	60.2	51.0	64.0
	19:00:00	62.6	55.0	66.0
	19:05:00	62.3	54.5	65.5
	19:10:00	61.8	52.0	64.0
	19:15:00	58.3	50.5	60.0
	19:20:00	58.2	51.5	61.5
	19:25:00	55.2	48.5	59.0
	19:30:00	53.8	50.0	56.0
	19:35:00	58.1	49.5	60.5
	19:40:00	62.9	50.5	65.0
	19:45:00	59.9	51.0	63.0
	19:50:00	63.5	52.0	66.5
	19:55:00	62.8	52.0	65.5
	20:00:00	57.8	49.0	58.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	20:05:00	54.4	49.5	56.5
	20:10:00	58.8	50.0	60.0
	20:15:00	57.2	51.0	60.0
	20:20:00	55.5	49.0	57.5
	20:25:00	60.8	51.5	60.5
	20:30:00	65.9	52.5	61.5
	20:35:00	62.9	51.0	60.0
	20:40:00	69.0	49.5	65.0
	20:45:00	61.6	50.0	61.0
	20:50:00	64.5	51.5	64.0
	20:55:00	60.5	52.0	61.0
	21:00:00	55.0	49.0	57.5
	21:05:00	54.6	49.5	57.0
	21:10:00	54.1	49.0	55.5
	21:15:00	58.7	50.5	58.0
	21:20:00	61.5	51.0	64.0
	21:25:00	63.9	48.0	66.5
	21:30:00	57.5	49.5	58.0
	21:35:00	54.5	50.5	57.0
	21:40:00	58.5	50.0	56.5
	21:45:00	53.0	48.5	55.0
	21:50:00	55.3	48.5	54.0
	21:55:00	52.9	48.5	55.0
	22:00:00	55.2	47.5	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/1/2007	22:05:00	53.6	49.0	56.0
	22:10:00	54.9	47.5	58.5
	22:15:00	55.8	48.5	54.5
	22:20:00	51.6	48.0	54.0
	22:25:00	60.9	48.5	55.5
	22:30:00	61.8	48.5	59.0
	22:35:00	56.7	48.0	54.0
	22:40:00	55.8	49.0	56.0
	22:45:00	53.6	48.0	55.0
	22:50:00	53.9	48.5	56.5
	22:55:00	54.6	48.5	58.0
	23:00:00	52.8	48.0	55.0
	23:05:00	52.0	47.5	54.0
	23:10:00	52.9	49.0	55.0
	23:15:00	51.5	46.5	54.0
	23:20:00	55.8	48.5	59.0
	23:25:00	52.0	47.5	54.0
	23:30:00	61.5	47.0	57.0
	23:35:00	58.0	47.5	54.5
	23:40:00	52.5	47.5	55.0
	23:45:00	56.1	49.0	56.5
	23:50:00	52.5	48.0	55.0
	23:55:00	53.5	48.5	56.0
	0:00:00	51.2	47.5	53.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	0:05:00	52.4	48.0	55.0
	0:10:00	51.7	47.5	54.0
	0:15:00	51.4	47.5	53.5
	0:20:00	52.6	47.5	54.0
	0:25:00	51.3	47.5	53.5
	0:30:00	51.1	47.0	53.0
	0:35:00	52.2	47.5	54.5
	0:40:00	54.3	47.0	57.0
	0:45:00	51.3	47.0	53.5
	0:50:00	50.5	47.5	53.0
	0:55:00	49.8	47.0	52.0
	1:00:00	52.4	47.0	54.5
	1:05:00	50.8	47.0	52.5
	1:10:00	54.1	47.5	52.5
	1:15:00	50.5	47.5	52.5
	1:20:00	51.9	46.5	53.0
	1:25:00	56.8	46.5	58.0
	1:30:00	55.1	47.0	53.0
	1:35:00	49.2	47.0	51.0
	1:40:00	51.6	47.5	54.0
	1:45:00	51.4	47.5	54.0
	1:50:00	55.6	47.0	53.0
	1:55:00	51.2	47.0	54.5
	2:00:00	49.8	47.0	52.0
	2:05:00	51.2	47.5	53.5
	2:10:00	54.5	50.5	57.5
	2:15:00	52.8	50.0	54.5
	2:20:00	49.4	47.5	51.5
	2:25:00	51.0	47.0	51.5
	2:30:00	55.7	46.5	53.5
	2:35:00	52.0	46.0	50.0
	2:40:00	58.8	46.5	65.0
	2:45:00	70.8	58.0	75.5
	2:50:00	56.9	50.5	60.0
	2:55:00	55.6	51.0	58.5
	3:00:00	58.1	50.5	57.5
	3:05:00	49.1	47.0	51.0
	3:10:00	49.6	46.5	52.5
	3:15:00	51.6	46.5	55.5
	3:20:00	49.1	46.5	51.0
	3:25:00	48.1	46.5	48.5
	3:30:00	48.6	46.5	51.0
	3:35:00	47.9	46.5	50.0
	3:40:00	49.2	46.5	51.5
	3:45:00	68.9	54.0	74.0
	3:50:00	62.1	52.0	65.0
	3:55:00	54.3	48.0	53.0
	4:00:00	50.4	47.0	52.0
	4:05:00	50.9	47.5	53.5
	4:10:00	50.3	47.5	52.0
	4:15:00	50.5	47.0	53.0
	4:20:00	48.3	47.0	49.5
	4:25:00	50.9	48.0	53.0
	4:30:00	55.1	47.5	57.0
	4:35:00	51.2	46.5	54.5
	4:40:00	47.9	46.5	49.0
	4:45:00	53.6	47.0	56.0
	4:50:00	49.1	46.5	51.5
	4:55:00	49.4	46.0	52.5
	5:00:00	48.6	46.5	51.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	5:05:00	48.7	46.5	51.0
	5:10:00	62.4	49.5	65.0
	5:15:00	55.5	52.0	58.0
	5:20:00	50.7	48.0	53.5
	5:25:00	51.8	48.5	53.0
	5:30:00	52.2	49.0	54.5
	5:35:00	63.8	55.5	68.0
	5:40:00	65.4	58.5	68.5
	5:45:00	66.5	55.0	70.0
	5:50:00	57.2	52.5	59.0
	5:55:00	55.4	52.0	57.5
	6:00:00	62.4	52.5	64.5
	6:05:00	65.7	54.5	69.5
	6:10:00	64.3	55.0	68.5
	6:15:00	58.8	50.5	62.5
	6:20:00	57.8	52.5	61.0
	6:25:00	60.2	53.5	65.0
	6:30:00	63.5	54.5	68.5
	6:35:00	65.6	56.0	69.5
	6:40:00	64.6	58.0	69.0
	6:45:00	66.5	59.5	70.0
	6:50:00	64.2	58.5	67.5
	6:55:00	67.7	63.5	70.0
	7:00:00	70.9	66.5	73.5
	7:05:00	71.3	66.5	74.0
	7:10:00	69.0	62.5	72.0
	7:15:00	67.5	61.0	71.0
	7:20:00	67.6	60.0	72.0
	7:25:00	70.0	65.0	72.5
	7:30:00	70.3	63.5	73.0
	7:35:00	67.2	61.5	70.5
	7:40:00	70.1	65.5	72.5
	7:45:00	70.2	63.5	72.5
	7:50:00	67.9	63.5	70.0
	7:55:00	68.2	62.5	71.0
	8:00:00	69.7	62.5	72.5
	8:05:00	71.5	66.0	74.0
	8:10:00	71.6	67.5	73.5
	8:15:00	71.1	67.5	73.0
	8:20:00	70.6	65.0	73.5
	8:25:00	68.4	63.0	71.5
	8:30:00	69.9	63.5	72.5
	8:35:00	67.9	61.0	71.0
	8:40:00	66.3	60.5	69.5
	8:45:00	65.7	60.0	69.0
	8:50:00	66.5	61.0	70.0
	8:55:00	67.6	60.0	70.0
	9:00:00	69.9	62.0	73.5
	9:05:00	68.9	61.5	71.5
	9:10:00	65.9	58.0	69.5
	9:15:00	68.4	63.0	71.0
	9:20:00	65.9	58.0	69.0
	9:25:00	67.9	60.5	70.5
	9:30:00	59.4	52.5	62.5
	9:35:00	56.9	50.5	60.5
	9:40:00	57.1	51.0	59.5
	9:45:00	57.2	52.0	58.5
	9:50:00	57.8	55.0	60.0
	9:55:00	62.8	56.5	64.5
	10:00:00	63.8	57.5	69.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	10:05:00	64.8	56.5	69.5
	10:10:00	59.3	56.5	61.5
	10:15:00	65.4	56.5	69.0
	10:20:00	65.8	55.0	70.0
	10:25:00	63.2	55.5	67.5
	10:30:00	58.3	55.0	60.0
	10:35:00	63.6	54.5	70.5
	10:40:00	58.1	54.0	61.0
	10:45:00	66.5	57.0	67.5
	10:50:00	68.1	63.5	68.5
	10:55:00	59.6	54.0	61.0
	11:00:00	59.3	54.5	62.0
	11:05:00	57.5	54.0	59.5
	11:10:00	57.0	53.5	59.5
	11:15:00	60.7	54.5	65.0
	11:20:00	58.9	54.0	60.5
	11:25:00	58.8	55.0	61.5
	11:30:00	59.8	54.0	65.0
	11:35:00	59.4	54.5	63.0
	11:40:00	57.9	54.5	59.5
	11:45:00	57.7	54.5	59.5
	11:50:00	57.5	53.0	60.0
	11:55:00	58.1	54.5	60.5
	12:00:00	56.5	53.0	59.0
	12:05:00	57.2	54.5	59.0
	12:10:00	58.0	54.5	60.0
	12:15:00	56.9	54.0	59.0
	12:20:00	57.3	54.5	59.5
	12:25:00	59.7	53.5	61.5
	12:30:00	61.3	54.5	62.5
	12:35:00	56.5	53.5	58.0
	12:40:00	59.9	55.0	62.5
	12:45:00	57.4	54.0	60.0
	12:50:00	58.0	54.5	60.5
	12:55:00	63.0	56.5	66.0
	13:00:00	67.9	57.0	69.5
	13:05:00	57.6	54.5	59.0
	13:10:00	58.8	55.5	61.0
	13:15:00	58.3	55.0	60.5
	13:20:00	58.7	55.0	61.0
	13:25:00	61.9	54.5	62.0
	13:30:00	58.5	52.0	62.0
	13:35:00	57.4	52.0	60.5
	13:40:00	57.6	53.5	60.0
	13:45:00	59.5	52.5	61.0
	13:50:00	57.0	53.0	59.5
	13:55:00	56.4	49.5	59.5
	14:00:00	60.7	54.5	63.0
	14:05:00	61.9	55.0	65.5
	14:10:00	64.6	55.0	67.5
	14:15:00	65.8	58.5	69.0
	14:20:00	67.9	61.0	70.0
	14:25:00	63.6	55.0	66.5
	14:30:00	60.0	55.0	63.0
	14:35:00	56.9	53.5	60.0
	14:40:00	62.8	52.0	60.5
	14:45:00	57.7	52.5	60.0
	14:50:00	59.4	52.5	61.5
	14:55:00	64.2	54.0	68.5
	15:00:00	57.1	51.5	61.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	15:05:00	67.1	51.5	66.5
	15:10:00	57.4	51.0	61.0
	15:15:00	56.1	51.0	59.0
	15:20:00	56.9	51.0	60.0
	15:25:00	60.2	52.0	63.0
	15:30:00	55.0	48.5	58.0
	15:35:00	57.2	51.0	60.5
	15:40:00	61.9	53.0	66.0
	15:45:00	55.7	51.5	58.0
	15:50:00	58.9	52.0	60.5
	15:55:00	57.4	51.5	60.0
	16:00:00	60.8	50.5	64.5
	16:05:00	56.5	51.5	59.5
	16:10:00	57.0	51.5	60.0
	16:15:00	62.3	53.0	60.5
	16:20:00	60.4	54.0	65.0
	16:25:00	60.6	55.0	62.5
	16:30:00	60.8	55.0	64.5
	16:35:00	62.3	55.5	65.5
	16:40:00	66.1	55.0	66.0
	16:45:00	61.3	55.5	62.5
	16:50:00	64.8	55.0	63.5
	16:55:00	61.5	50.5	63.5
	17:00:00	56.2	50.0	60.0
	17:05:00	60.8	52.0	63.5
	17:10:00	56.3	49.5	59.0
	17:15:00	69.6	52.5	70.5
	17:20:00	65.0	53.0	62.0
	17:25:00	56.3	50.5	57.0
	17:30:00	64.7	54.0	67.0
	17:35:00	56.9	51.5	59.0
	17:40:00	59.7	52.5	65.0
	17:45:00	68.9	54.5	70.0
	17:50:00	68.4	54.5	70.5
	17:55:00	67.9	54.0	70.5
	18:00:00	66.8	52.5	70.5
	18:05:00	71.0	69.5	72.5
	18:10:00	67.3	56.0	69.5
	18:15:00	62.0	52.5	68.5
	18:20:00	68.6	54.0	71.5
	18:25:00	70.1	68.0	72.0
	18:30:00	65.1	50.0	71.0
	18:35:00	55.1	49.0	58.0
	18:40:00	58.7	49.0	64.0
	18:45:00	56.1	52.0	58.0
	18:50:00	63.9	50.5	68.5
	18:55:00	69.5	67.5	70.5
	19:00:00	67.0	50.5	71.0
	19:05:00	69.9	67.5	71.5
	19:10:00	69.9	68.0	71.0
	19:15:00	68.8	62.0	70.0
	19:20:00	68.2	61.0	69.5
	19:25:00	69.4	68.0	70.5
	19:30:00	68.7	67.5	69.5
	19:35:00	70.2	68.0	71.0
	19:40:00	67.0	50.0	70.0
	19:45:00	67.6	66.5	68.5
	19:50:00	63.3	52.0	68.0
	19:55:00	67.4	52.5	71.0
	20:00:00	55.2	50.0	57.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	20:05:00	68.4	61.5	70.5
	20:10:00	69.6	53.5	68.5
	20:15:00	55.7	49.5	59.0
	20:20:00	55.8	49.0	58.5
	20:25:00	59.2	48.5	61.0
	20:30:00	55.6	47.5	59.0
	20:35:00	53.8	47.0	56.0
	20:40:00	53.8	46.5	56.5
	20:45:00	52.6	47.5	55.5
	20:50:00	53.3	48.5	55.5
	20:55:00	57.2	49.5	60.5
	21:00:00	56.1	46.5	58.5
	21:05:00	52.2	46.5	54.5
	21:10:00	54.4	48.5	57.5
	21:15:00	56.8	48.0	57.0
	21:20:00	54.1	48.5	57.0
	21:25:00	59.2	50.0	64.0
	21:30:00	66.6	65.5	67.0
	21:35:00	66.9	65.5	67.5
	21:40:00	67.1	65.0	66.0
	21:45:00	61.3	49.0	65.5
	21:50:00	53.5	48.5	56.5
	21:55:00	52.8	48.5	55.0
	22:00:00	54.1	49.5	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/2/2007	22:05:00	59.3	49.0	58.0
	22:10:00	63.8	52.5	66.0
	22:15:00	62.7	50.0	60.0
	22:20:00	67.6	52.5	65.5
	22:25:00	69.9	50.0	65.0
	22:30:00	68.6	50.5	70.0
	22:35:00	60.9	51.0	60.0
	22:40:00	53.3	49.5	55.0
	22:45:00	54.0	50.0	55.5
	22:50:00	53.2	49.5	55.0
	22:55:00	52.8	48.0	55.5
	23:00:00	69.8	50.0	72.0
	23:05:00	55.3	49.0	57.5
	23:10:00	54.6	48.0	55.5
	23:15:00	53.2	49.5	55.5
	23:20:00	53.8	49.0	56.5
	23:25:00	53.7	48.5	56.0
	23:30:00	53.1	49.0	55.5
	23:35:00	51.8	47.5	54.0
	23:40:00	53.4	48.0	55.5
	23:45:00	54.1	48.0	57.0
	23:50:00	52.8	49.0	54.5
	23:55:00	55.2	48.5	58.5
	0:00:00	51.6	46.5	54.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/3/2007	0:05:00	57.1	48.5	59.0
	0:10:00	53.3	46.5	56.5
	0:15:00	53.5	48.5	56.5
	0:20:00	53.3	49.0	56.0
	0:25:00	51.8	48.0	54.0
	0:30:00	51.3	46.5	53.5
	0:35:00	51.8	47.0	54.0
	0:40:00	52.8	47.0	54.5
	0:45:00	54.2	47.5	57.0
	0:50:00	52.9	47.0	55.5
	0:55:00	52.2	47.0	54.5
	1:00:00	51.8	47.0	53.5
	1:05:00	51.0	47.5	53.5
	1:10:00	60.3	47.0	58.0
	1:15:00	52.8	47.5	55.0
	1:20:00	49.6	46.5	52.0
	1:25:00	50.7	46.5	53.5
	1:30:00	49.4	46.5	52.0
	1:35:00	50.6	46.5	53.0
	1:40:00	50.4	46.5	53.0
	1:45:00	52.0	47.5	55.0
	1:50:00	51.1	47.0	53.5
	1:55:00	53.1	47.0	53.0
	2:00:00	51.8	47.0	55.0
	2:05:00	50.5	47.0	53.0
	2:10:00	50.5	46.5	53.0
	2:15:00	50.4	46.5	53.5
	2:20:00	52.4	47.0	53.0
	2:25:00	50.0	46.5	52.5
	2:30:00	50.4	46.5	53.0
	2:35:00	61.6	47.0	57.5
	2:40:00	50.0	46.5	52.5
	2:45:00	54.6	46.5	56.0
	2:50:00	60.7	46.5	60.0
	2:55:00	59.2	47.0	61.0
	3:00:00	50.3	46.5	53.5
	3:05:00	49.6	46.0	52.5
	3:10:00	50.0	46.0	53.5
	3:15:00	48.7	46.0	51.0
	3:20:00	49.7	46.0	52.5
	3:25:00	48.1	46.0	50.0
	3:30:00	48.8	46.5	51.0
	3:35:00	48.4	46.5	50.5
	3:40:00	50.4	46.5	51.5
	3:45:00	49.6	47.0	51.0
	3:50:00	49.1	46.0	51.5
	3:55:00	48.3	46.0	50.5
	4:00:00	48.4	46.0	50.0
	4:05:00	50.4	47.0	52.5
	4:10:00	49.4	46.0	52.0
	4:15:00	48.1	46.0	50.0
	4:20:00	48.1	46.0	50.0
	4:25:00	49.1	46.5	51.5
	4:30:00	51.0	46.0	54.5
	4:35:00	48.8	46.0	51.5
	4:40:00	51.1	46.5	54.5
	4:45:00	51.2	46.5	55.0
	4:50:00	48.1	46.0	50.5
	4:55:00	48.6	46.0	50.5
	5:00:00	49.3	46.5	52.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/3/2007	5:05:00	48.9	46.0	50.0
	5:10:00	51.2	46.0	51.5
	5:15:00	54.2	47.5	58.0
	5:20:00	63.6	51.0	68.5
	5:25:00	68.2	62.0	71.5
	5:30:00	69.5	65.0	72.5
	5:35:00	70.1	64.0	73.0
	5:40:00	72.4	67.5	75.0
	5:45:00	70.6	60.5	73.5
	5:50:00	66.2	55.5	71.0
	5:55:00	64.9	56.0	68.5
	6:00:00	69.7	62.0	73.0
	6:05:00	66.1	58.0	69.0
	6:10:00	66.0	57.5	69.5
	6:15:00	67.2	58.5	71.0
	6:20:00	71.1	67.0	73.0
	6:25:00	72.5	66.5	75.0
	6:30:00	71.0	65.5	73.5
	6:35:00	70.6	66.5	73.5
	6:40:00	69.7	64.0	73.0
	6:45:00	71.6	66.5	74.0
	6:50:00	68.4	61.0	71.5
	6:55:00	69.7	62.0	73.5
	7:00:00	69.0	64.5	71.0
	7:05:00	67.9	61.5	71.0
	7:10:00	68.6	63.0	72.0
	7:15:00	70.4	67.0	72.5
	7:20:00	69.7	63.5	71.0
	7:25:00	69.9	65.0	72.5
	7:30:00	68.3	63.0	71.0
	7:35:00	70.9	64.5	74.0
	7:40:00	70.5	65.5	73.5
	7:45:00	63.0	57.0	67.5
	7:50:00	68.5	58.0	72.0
	7:55:00	72.1	65.0	75.0
	8:00:00	68.4	62.0	71.5
	8:05:00	65.3	58.5	69.0
	8:10:00	68.0	61.5	71.0
	8:15:00	67.4	57.5	71.0
	8:20:00	63.1	55.0	66.5
	8:25:00	64.1	54.0	68.5
	8:30:00	66.7	60.0	70.0
	8:35:00	65.9	59.5	69.0
	8:40:00	63.8	59.0	67.0
	8:45:00	63.7	57.0	67.5
	8:50:00	66.5	60.5	69.0
	8:55:00	65.1	58.5	69.0
	9:00:00	60.6	55.0	64.0
	9:05:00	60.8	55.5	64.0
	9:10:00	65.3	59.0	69.0
	9:15:00	61.7	55.5	65.5
	9:20:00	63.8	58.0	67.5
	9:25:00	67.3	60.0	70.0
	9:30:00	66.2	60.5	69.0
	9:35:00	64.0	57.0	67.0
	9:40:00	63.8	55.5	68.0
	9:45:00	60.1	50.5	62.0
	9:50:00	59.2	52.5	64.5
	9:55:00	64.8	53.5	69.0
	10:00:00	61.9	50.5	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/3/2007	10:05:00	62.1	51.5	66.5
	10:10:00	58.7	52.0	61.5
	10:15:00	60.3	56.0	62.0
	10:20:00	60.4	56.0	62.5
	10:25:00	57.0	51.0	60.0
	10:30:00	56.9	53.0	59.0
	10:35:00	57.9	52.0	62.5
	10:40:00	57.0	50.5	60.0
	10:45:00	58.6	52.5	62.0
	10:50:00	60.6	50.0	64.5
	10:55:00	59.0	49.5	62.0
	11:00:00	58.8	52.0	63.0
	11:05:00	62.7	49.5	65.0
	11:10:00	58.6	52.0	62.0
	11:15:00	60.5	52.0	64.5
	11:20:00	57.3	52.0	60.5
	11:25:00	55.6	49.5	57.5
	11:30:00	56.6	51.0	60.5
	11:35:00	60.3	51.0	65.0
	11:40:00	56.2	50.5	59.0
	11:45:00	56.9	49.5	61.0
	11:50:00	56.9	50.5	59.5
	11:55:00	57.7	52.0	60.5
	12:00:00	61.2	52.0	66.0
	12:05:00	55.6	50.5	58.5
	12:10:00	55.8	51.5	58.5
	12:15:00	57.0	52.0	59.5
	12:20:00	54.4	50.0	56.5
	12:25:00	56.7	51.0	61.5
	12:30:00	57.5	52.0	60.5
	12:35:00	56.8	50.0	60.0
	12:40:00	54.8	49.0	57.0
	12:45:00	57.6	51.0	60.5
	12:50:00	57.9	53.5	61.0
	12:55:00	64.1	53.0	69.5
	13:00:00	58.9	52.0	61.5
	13:05:00	57.1	52.0	60.0
	13:10:00	61.1	52.5	65.0
	13:15:00	65.0	51.5	69.5
	13:20:00	64.9	52.0	69.0
	13:25:00	60.9	50.5	66.0
	13:30:00	58.8	52.0	63.0
	13:35:00	63.7	52.5	68.5
	13:40:00	63.4	53.0	67.5
	13:45:00	59.8	51.5	63.0
	13:50:00	64.9	54.5	68.5
	13:55:00	64.8	53.5	68.5
	14:00:00	65.6	53.5	70.5
	14:05:00	59.4	53.5	62.0
	14:10:00	57.9	51.0	61.0
	14:15:00	58.5	51.5	63.5
	14:20:00	56.3	50.5	59.5
	14:25:00	59.9	51.5	61.5
	14:30:00	61.4	54.0	64.5
	14:35:00	56.4	49.5	60.5
	14:40:00	56.3	51.0	59.0
	14:45:00	61.5	52.5	63.0
	14:50:00	57.4	52.5	60.0
	14:55:00	56.9	51.5	59.5
	15:00:00	56.9	53.0	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/3/2007	15:05:00	58.6	51.5	62.0
	15:10:00	57.4	52.5	61.0
	15:15:00	61.1	54.5	65.5
	15:20:00	58.1	54.0	60.5
	15:25:00	58.9	52.0	63.5
	15:30:00	58.5	52.5	62.0
	15:35:00	56.8	51.0	58.5
	15:40:00	61.9	54.0	65.5
	15:45:00	59.0	51.5	64.0
	15:50:00	56.7	52.0	60.0
	15:55:00	58.3	51.5	61.5
	16:00:00	57.2	51.0	61.0
	16:05:00	58.3	52.0	62.0
	16:10:00	58.4	52.0	62.0
	16:15:00	56.7	51.0	59.5
	16:20:00	58.7	52.0	61.0
	16:25:00	54.6	50.0	57.0
	16:30:00	56.9	52.0	59.5
	16:35:00	57.0	51.0	60.5
	16:40:00	56.2	50.5	59.0
	16:45:00	60.2	51.5	61.5
	16:50:00	69.5	53.5	63.5
	16:55:00	64.7	51.5	67.5
	17:00:00	66.5	53.0	67.5
	17:05:00	59.1	51.0	62.0
	17:10:00	63.3	52.0	65.0
	17:15:00	66.5	52.0	67.5
	17:20:00	63.0	52.5	67.5
	17:25:00	60.2	51.0	65.5
	17:30:00	60.7	52.5	66.0
	17:35:00	59.1	51.0	63.5
	17:40:00	59.6	50.0	65.5
	17:45:00	59.5	52.0	62.5
	17:50:00	56.8	52.0	60.5
	17:55:00	64.8	54.0	68.0
	18:00:00	63.6	54.0	67.0
	18:05:00	63.1	54.0	67.5
	18:10:00	63.0	54.0	67.0
	18:15:00	60.8	52.0	66.5
	18:20:00	66.3	52.5	67.0
	18:25:00	64.6	54.0	68.0
	18:30:00	64.1	52.0	67.5
	18:35:00	64.2	54.0	68.5
	18:40:00	68.3	51.0	72.5
	18:45:00	62.8	53.5	63.5
	18:50:00	55.7	50.5	58.5
	18:55:00	69.8	52.5	72.5
	19:00:00	68.0	51.5	73.0
	19:05:00	68.4	52.5	72.5
	19:10:00	68.3	52.0	72.5
	19:15:00	66.3	52.5	73.0
	19:20:00	66.5	52.5	69.0
	19:25:00	67.9	52.0	69.0
	19:30:00	72.4	51.5	72.0
	19:35:00	65.0	51.0	69.0
	19:40:00	65.6	51.0	69.5
	19:45:00	65.4	51.0	69.5
	19:50:00	65.3	52.5	69.5
	19:55:00	65.1	53.5	69.5
	20:00:00	65.0	51.0	69.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/3/2007	20:05:00	55.6	49.5	56.5
	20:10:00	64.0	50.5	69.0
	20:15:00	58.9	50.5	60.5
	20:20:00	57.5	51.0	60.5
	20:25:00	58.7	50.5	59.5
	20:30:00	56.9	50.5	60.0
	20:35:00	56.9	49.5	57.5
	20:40:00	59.0	50.5	61.0
	20:45:00	55.3	48.0	57.0
	20:50:00	54.5	48.5	57.0
	20:55:00	55.9	49.5	59.0
	21:00:00	66.5	50.0	64.0
	21:05:00	53.6	49.5	56.0
	21:10:00	53.2	49.0	55.0
	21:15:00	53.0	48.5	55.0
	21:20:00	57.0	51.0	59.0
	21:25:00	64.5	53.5	66.5
	21:30:00	65.5	54.5	67.0
	21:35:00	53.4	47.5	56.0
	21:40:00	56.7	50.0	60.0
	21:45:00	56.8	51.5	59.0
	21:50:00	56.1	50.0	59.5
	21:55:00	54.3	50.5	56.5
	22:00:00	56.9	49.5	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/3/2007	22:05:00	59.4	50.0	56.0
	22:10:00	54.8	50.0	57.5
	22:15:00	57.5	52.0	59.5
	22:20:00	56.0	49.5	59.5
	22:25:00	54.1	49.0	57.0
	22:30:00	53.9	50.0	56.5
	22:35:00	55.2	50.5	58.0
	22:40:00	53.4	50.0	55.5
	22:45:00	54.8	49.0	58.0
	22:50:00	56.0	49.5	55.5
	22:55:00	64.4	48.5	61.0
	23:00:00	54.2	49.5	55.0
	23:05:00	53.0	49.5	55.0
	23:10:00	53.5	49.0	56.0
	23:15:00	52.1	49.0	54.0
	23:20:00	52.8	48.5	55.0
	23:25:00	54.8	49.0	55.0
	23:30:00	52.0	48.5	54.0
	23:35:00	65.7	48.5	58.5
	23:40:00	55.9	47.5	54.5
	23:45:00	52.8	47.0	55.5
	23:50:00	51.9	47.5	54.5
	23:55:00	51.1	47.0	53.5
	0:00:00	52.0	47.0	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/4/2007	0:05:00	51.0	46.5	53.5
	0:10:00	51.9	46.5	54.0
	0:15:00	51.3	46.5	53.5
	0:20:00	51.3	46.0	54.5
	0:25:00	50.6	46.5	53.0
	0:30:00	52.6	47.5	55.0
	0:35:00	50.9	46.5	53.5
	0:40:00	50.4	46.5	52.5
	0:45:00	50.6	46.5	52.5
	0:50:00	50.2	46.0	53.0
	0:55:00	49.1	46.0	52.0
	1:00:00	48.9	46.5	51.0
	1:05:00	49.5	46.5	52.5
	1:10:00	50.3	47.0	53.0
	1:15:00	49.0	46.5	51.5
	1:20:00	49.6	47.0	52.0
	1:25:00	50.1	47.0	52.5
	1:30:00	50.2	47.0	53.0
	1:35:00	51.6	47.0	54.0
	1:40:00	50.5	47.0	52.0
	1:45:00	49.7	46.5	52.0
	1:50:00	49.0	46.5	51.0
	1:55:00	51.2	47.0	54.0
	2:00:00	49.0	47.0	51.5
	2:05:00	51.8	46.5	55.0
	2:10:00	49.0	46.5	51.5
	2:15:00	47.6	46.5	49.0
	2:20:00	48.8	46.5	51.0
	2:25:00	48.6	46.5	50.5
	2:30:00	48.4	46.5	50.5
	2:35:00	48.6	46.5	50.5
	2:40:00	48.4	47.0	50.0
	2:45:00	49.2	46.5	51.5
	2:50:00	48.3	46.5	49.5
	2:55:00	48.7	47.0	50.5
	3:00:00	49.0	46.5	49.5
	3:05:00	48.0	46.5	50.0
	3:10:00	56.6	46.5	50.0
	3:15:00	48.6	46.0	51.5
	3:20:00	48.8	46.5	51.0
	3:25:00	47.8	46.0	49.5
	3:30:00	48.5	46.0	51.0
	3:35:00	48.6	46.5	50.0
	3:40:00	49.0	47.0	50.5
	3:45:00	48.5	46.5	50.0
	3:50:00	48.2	46.5	50.0
	3:55:00	47.6	46.0	49.5
	4:00:00	47.9	45.5	50.5
	4:05:00	48.4	46.5	51.0
	4:10:00	48.6	46.5	50.5
	4:15:00	49.3	46.5	51.0
	4:20:00	50.2	46.5	52.0
	4:25:00	48.5	46.5	50.5
	4:30:00	47.2	45.5	49.0
	4:35:00	52.5	46.0	56.5
	4:40:00	48.6	46.5	51.0
	4:45:00	48.9	47.0	50.5
	4:50:00	48.7	47.0	49.5
	4:55:00	48.1	46.5	49.5
	5:00:00	51.8	46.5	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/4/2007	5:05:00	48.7	47.0	50.5
	5:10:00	49.5	47.0	52.0
	5:15:00	51.3	48.0	52.0
	5:20:00	57.4	53.5	60.0
	5:25:00	64.8	58.0	68.0
	5:30:00	68.0	59.0	72.5
	5:35:00	67.5	63.0	70.0
	5:40:00	65.9	57.0	71.0
	5:45:00	63.5	57.0	68.0
	5:50:00	64.4	56.5	68.5
	5:55:00	61.8	54.0	65.0
	6:00:00	65.1	54.0	65.5
	6:05:00	64.1	53.0	68.5
	6:10:00	61.2	56.0	64.5
	6:15:00	59.9	55.0	62.5
	6:20:00	66.7	57.5	71.0
	6:25:00	68.0	62.5	70.5
	6:30:00	63.8	58.5	67.0
	6:35:00	68.3	61.0	71.5
	6:40:00	71.2	66.5	73.5
	6:45:00	69.8	62.5	73.0
	6:50:00	72.1	64.5	75.5
	6:55:00	67.5	61.0	71.0
	7:00:00	71.6	66.5	74.0
	7:05:00	70.8	66.5	73.0
	7:10:00	69.3	62.0	71.5
	7:15:00	69.3	63.0	72.5
	7:20:00	68.5	60.5	72.5
	7:25:00	65.1	57.5	70.0
	7:30:00	64.7	57.5	68.0
	7:35:00	69.3	61.0	72.0
	7:40:00	69.8	63.5	72.0
	7:45:00	68.2	62.5	71.0
	7:50:00	69.5	62.0	72.5
	7:55:00	67.2	57.5	71.0
	8:00:00	64.5	56.5	69.0
	8:05:00	64.9	58.5	68.0
	8:10:00	63.9	57.5	67.5
	8:15:00	66.6	59.5	70.0
	8:20:00	65.2	57.5	68.5
	8:25:00	64.8	57.0	69.0
	8:30:00	65.3	56.0	69.5
	8:35:00	62.1	56.5	64.5
	8:40:00	66.4	58.0	70.0
	8:45:00	62.7	53.0	68.0
	8:50:00	61.6	55.5	65.0
	8:55:00	62.9	56.5	66.0
	9:00:00	58.9	53.0	63.0
	9:05:00	57.0	51.5	60.0
	9:10:00	57.4	52.5	60.5
	9:15:00	57.9	54.0	60.0
	9:20:00	59.9	53.5	63.0
	9:25:00	61.0	53.5	63.5
	9:30:00	58.8	53.5	61.0
	9:35:00	62.5	54.0	66.5
	9:40:00	68.6	58.0	73.0
	9:45:00	66.6	57.5	69.5
	9:50:00	66.0	54.0	71.0
	9:55:00	58.3	53.0	60.5
	10:00:00	61.5	53.5	64.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/4/2007	10:05:00	61.1	53.0	65.5
	10:10:00	60.4	52.5	64.5
	10:15:00	63.1	53.0	68.0
	10:20:00	57.0	51.5	60.5
	10:25:00	57.0	52.0	60.5
	10:30:00	55.9	51.0	59.0
	10:35:00	59.2	52.5	62.0
	10:40:00	56.8	51.5	59.0
	10:45:00	55.8	51.5	58.0
	10:50:00	56.3	49.0	60.0
	10:55:00	57.2	50.0	59.0
	11:00:00	58.0	50.5	61.0
	11:05:00	56.6	50.5	59.5
	11:10:00	59.8	54.0	63.5
	11:15:00	55.6	49.5	58.5
	11:20:00	57.9	51.0	60.5
	11:25:00	56.6	49.5	60.0
	11:30:00	65.1	52.0	70.0
	11:35:00	56.8	49.5	59.5
	11:40:00	55.3	50.0	58.0
	11:45:00	54.3	49.5	57.5
	11:50:00	56.5	52.0	59.0
	11:55:00	59.4	53.0	63.0
	12:00:00	60.0	52.0	62.0
	12:05:00	64.1	53.0	67.5
	12:10:00	59.3	50.5	61.5
	12:15:00	56.7	49.5	60.0
	12:20:00	60.0	50.5	65.0
	12:25:00	57.6	50.0	60.5
	12:30:00	57.9	49.5	61.5
	12:35:00	59.0	51.0	63.0
	12:40:00	61.2	50.0	61.5
	12:45:00	60.3	51.0	63.0
	12:50:00	63.6	50.5	67.0
	12:55:00	65.3	55.0	67.5
	13:00:00	66.6	59.5	69.0
	13:05:00	65.3	57.0	68.0
	13:10:00	65.6	60.0	68.5
	13:15:00	61.8	50.5	60.0
	13:20:00	54.1	48.5	57.0
	13:25:00	61.8	51.0	65.0
	13:30:00	61.8	54.5	62.5
	13:35:00	64.4	52.0	66.5
	13:40:00	63.1	53.0	66.0
	13:45:00	57.1	51.0	60.0
	13:50:00	58.3	49.0	63.5
	13:55:00	57.2	50.5	60.0
	14:00:00	55.6	49.5	59.5
	14:05:00	56.5	49.5	59.0
	14:10:00	60.6	53.5	63.0
	14:15:00	56.0	51.0	58.5
	14:20:00	59.1	49.5	64.0
	14:25:00	54.4	49.0	57.5
	14:30:00	54.4	48.0	57.5
	14:35:00	53.3	48.5	56.0
	14:40:00	56.2	49.0	59.5
	14:45:00	54.9	46.0	59.0
	14:50:00	57.5	46.5	61.5
	14:55:00	55.5	46.0	58.5
	15:00:00	59.9	52.5	63.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/4/2007	15:05:00	57.5	50.5	61.0
	15:10:00	55.1	48.5	58.0
	15:15:00	57.0	49.0	60.0
	15:20:00	57.5	50.5	60.5
	15:25:00	57.5	50.0	60.5
	15:30:00	55.3	47.5	58.0
	15:35:00	56.1	51.5	59.0
	15:40:00	54.7	47.5	58.0
	15:45:00	67.1	64.0	67.0
	15:50:00	66.5	65.0	67.0
	15:55:00	66.5	65.0	67.5
	16:00:00	71.6	64.5	71.0
	16:05:00	67.8	64.5	67.5
	16:10:00	69.0	64.5	70.0
	16:15:00	63.1	51.0	65.5
	16:20:00	55.7	48.5	58.5
	16:25:00	57.1	51.0	59.5
	16:30:00	61.1	51.5	65.0
	16:35:00	63.7	49.0	69.5
	16:40:00	56.3	46.0	60.5
	16:45:00	55.5	49.0	58.5
	16:50:00	61.8	57.0	62.0
	16:55:00	60.9	58.5	62.0
	17:00:00	60.3	52.5	63.0
	17:05:00	62.9	50.5	66.0
	17:10:00	56.1	50.5	59.0
	17:15:00	58.0	49.0	61.5
	17:20:00	55.4	49.5	58.0
	17:25:00	55.9	50.0	59.0
	17:30:00	55.5	50.5	59.0
	17:35:00	57.1	48.5	60.5
	17:40:00	57.6	51.0	60.5
	17:45:00	56.4	50.5	59.0
	17:50:00	57.6	48.0	61.0
	17:55:00	56.7	49.5	60.0
	18:00:00	56.4	48.5	59.0
	18:05:00	56.2	48.5	58.5
	18:10:00	66.5	52.0	67.5
	18:15:00	70.3	64.5	73.0
	18:20:00	56.5	51.0	59.0
	18:25:00	58.6	47.5	64.0
	18:30:00	64.3	51.0	68.5
	18:35:00	61.2	48.0	62.5
	18:40:00	62.5	49.0	68.5
	18:45:00	69.6	58.0	71.5
	18:50:00	69.9	56.5	72.0
	18:55:00	68.9	56.5	70.5
	19:00:00	69.4	60.0	71.0
	19:05:00	71.2	58.0	71.0
	19:10:00	67.2	54.0	70.0
	19:15:00	70.4	53.0	70.0
	19:20:00	67.7	55.0	69.0
	19:25:00	67.5	57.5	69.0
	19:30:00	67.7	56.5	69.5
	19:35:00	67.2	56.5	69.5
	19:40:00	67.5	54.0	69.5
	19:45:00	64.9	54.5	69.0
	19:50:00	54.6	48.5	57.5
	19:55:00	66.3	52.0	68.5
	20:00:00	63.5	51.5	68.5



Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/4/2007	20:05:00	54.8	48.5	57.5
	20:10:00	54.3	49.5	57.0
	20:15:00	56.4	50.0	57.5
	20:20:00	56.2	50.5	59.5
	20:25:00	54.5	50.0	56.5
	20:30:00	55.9	49.5	58.5
	20:35:00	64.3	63.0	65.0
	20:40:00	68.7	63.0	68.5
	20:45:00	68.8	63.0	66.0
	20:50:00	67.6	63.5	67.0
	20:55:00	66.9	63.5	67.5
	21:00:00	66.1	63.5	67.0
	21:05:00	58.6	50.0	63.5
	21:10:00	54.0	49.5	57.0
	21:15:00	55.2	48.5	57.0
	21:20:00	55.2	48.5	57.5
	21:25:00	68.1	49.5	68.0
	21:30:00	60.0	49.5	63.5
	21:35:00	54.5	47.5	57.5
	21:40:00	64.5	51.5	67.0
	21:45:00	63.4	50.0	67.0
	21:50:00	64.4	50.5	66.5
	21:55:00	61.4	51.5	64.5
	22:00:00	61.0	50.0	64.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/4/2007	22:05:00	60.0	51.0	63.0
	22:10:00	59.9	49.5	63.0
	22:15:00	57.7	49.5	60.5
	22:20:00	71.0	49.5	65.0
	22:25:00	66.4	48.0	64.5
	22:30:00	52.1	47.0	54.5
	22:35:00	51.7	47.0	54.0
	22:40:00	51.8	46.5	54.0
	22:45:00	52.9	48.0	55.0
	22:50:00	52.9	47.5	55.5
	22:55:00	52.6	46.5	55.5
	23:00:00	50.8	47.0	53.5
	23:05:00	50.6	47.0	53.0
	23:10:00	52.4	48.0	55.0
	23:15:00	53.4	47.5	56.0
	23:20:00	51.3	47.5	53.5
	23:25:00	51.9	47.0	55.0
	23:30:00	50.7	47.0	53.0
	23:35:00	51.3	47.0	53.0
	23:40:00	50.7	46.5	54.0
	23:45:00	53.4	47.5	54.5
	23:50:00	61.8	46.5	54.0
	23:55:00	58.9	47.0	57.0
	0:00:00	52.2	46.5	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/5/2007	0:05:00	51.6	46.5	54.5
	0:10:00	51.2	46.0	53.0
	0:15:00	50.2	46.5	53.0
	0:20:00	55.7	48.0	60.0
	0:25:00	53.4	47.0	56.5
	0:30:00	51.0	46.5	53.5
	0:35:00	53.9	47.0	57.0
	0:40:00	49.7	46.5	52.0
	0:45:00	50.0	46.5	52.5
	0:50:00	49.5	46.0	52.0
	0:55:00	49.2	46.0	52.0
	1:00:00	50.9	46.5	53.5
	1:05:00	53.3	46.5	56.5
	1:10:00	50.9	46.5	54.0
	1:15:00	52.2	46.5	52.5
	1:20:00	47.9	46.0	49.5
	1:25:00	50.3	47.0	53.0
	1:30:00	49.6	46.5	52.0
	1:35:00	50.5	46.5	53.0
	1:40:00	48.9	46.0	51.5
	1:45:00	49.5	46.0	52.0
	1:50:00	48.8	46.5	51.0
	1:55:00	49.3	46.5	51.5
	2:00:00	48.4	46.0	50.5
	2:05:00	54.4	47.0	53.0
	2:10:00	48.5	46.5	50.5
	2:15:00	48.7	46.5	51.5
	2:20:00	50.2	46.5	53.5
	2:25:00	48.8	46.0	51.0
	2:30:00	50.1	46.0	53.0
	2:35:00	48.7	46.0	51.5
	2:40:00	51.0	46.0	54.0
	2:45:00	48.8	46.5	51.0
	2:50:00	48.4	46.5	50.5
	2:55:00	59.3	46.5	51.0
	3:00:00	48.7	46.5	51.0
	3:05:00	51.6	46.0	52.0
	3:10:00	48.7	46.0	51.0
	3:15:00	49.5	46.5	52.0
	3:20:00	49.0	46.5	51.5
	3:25:00	49.1	46.5	51.0
	3:30:00	49.8	47.0	51.5
	3:35:00	50.3	47.0	51.5
	3:40:00	48.9	47.0	50.5
	3:45:00	51.1	47.0	54.0
	3:50:00	60.8	46.5	56.5
	3:55:00	48.2	46.0	50.5
	4:00:00	48.7	46.5	50.5
	4:05:00	48.4	46.0	50.5
	4:10:00	48.4	46.5	50.0
	4:15:00	48.8	46.5	51.0
	4:20:00	48.2	46.5	49.5
	4:25:00	49.4	46.5	52.0
	4:30:00	48.2	45.0	50.5
	4:35:00	46.6	45.0	47.0
	4:40:00	47.5	45.0	50.0
	4:45:00	47.0	45.0	49.5
	4:50:00	53.8	45.0	54.5
	4:55:00	55.2	45.5	59.0
	5:00:00	49.7	45.0	53.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/5/2007	5:05:00	47.4	45.0	50.0
	5:10:00	51.8	45.0	52.0
	5:15:00	60.1	47.0	66.0
	5:20:00	63.6	54.0	67.5
	5:25:00	65.4	56.5	69.5
	5:30:00	64.0	56.5	67.5
	5:35:00	61.3	55.0	64.0
	5:40:00	64.7	56.5	68.0
	5:45:00	68.9	59.0	72.0
	5:50:00	65.4	54.5	70.0
	5:55:00	63.7	54.5	68.0
	6:00:00	61.2	53.5	66.0
	6:05:00	73.4	58.0	77.5
	6:10:00	64.4	55.5	67.5
	6:15:00	61.9	53.5	66.0
	6:20:00	65.5	57.5	70.5
	6:25:00	68.0	59.5	71.5
	6:30:00	68.8	58.5	72.5
	6:35:00	65.9	57.5	70.0
	6:40:00	68.2	59.5	72.5
	6:45:00	70.3	64.5	73.0
	6:50:00	70.1	64.0	72.5
	6:55:00	67.3	58.5	71.0
	7:00:00	68.3	58.5	72.0
	7:05:00	69.1	60.5	72.5
	7:10:00	67.8	56.0	73.5
	7:15:00	65.4	57.5	69.0
	7:20:00	68.8	61.0	72.0
	7:25:00	69.0	63.5	71.5
	7:30:00	65.4	57.0	69.0
	7:35:00	70.8	66.0	73.0
	7:40:00	70.3	66.5	72.0
	7:45:00	69.2	63.0	71.5
	7:50:00	63.3	58.0	66.5
	7:55:00	66.7	55.5	71.0
	8:00:00	65.8	59.0	70.5
	8:05:00	60.7	53.5	64.0
	8:10:00	57.5	53.0	59.5
	8:15:00	57.5	52.0	60.5
	8:20:00	63.6	55.5	66.5
	8:25:00	62.6	56.5	66.0
	8:30:00	65.8	57.5	69.5
	8:35:00	67.5	57.5	71.0
	8:40:00	61.1	54.5	65.5
	8:45:00	63.6	54.5	67.0
	8:50:00	63.8	57.5	67.0
	8:55:00	68.3	62.0	71.5
	9:00:00	62.1	54.5	65.5
	9:05:00	63.6	54.5	69.0
	9:10:00	68.2	60.0	71.0
	9:15:00	63.9	54.5	68.5
	9:20:00	60.4	54.0	65.0
	9:25:00	57.1	52.5	60.5
	9:30:00	61.1	52.5	65.5
	9:35:00	55.8	50.5	58.5
	9:40:00	59.6	51.0	62.5
	9:45:00	55.1	51.0	58.0
	9:50:00	55.1	49.5	58.0
	9:55:00	56.3	50.0	59.5
	10:00:00	59.1	50.5	62.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/5/2007	10:05:00	63.2	54.5	67.5
	10:10:00	56.2	49.5	60.0
	10:15:00	57.1	49.5	61.0
	10:20:00	55.9	50.0	59.0
	10:25:00	57.6	50.0	61.0
	10:30:00	56.6	50.5	59.5
	10:35:00	57.0	51.0	60.5
	10:40:00	56.3	50.0	59.0
	10:45:00	56.7	49.5	59.5
	10:50:00	55.4	49.5	58.5
	10:55:00	61.1	52.5	60.5
	11:00:00	69.7	56.5	64.5
	11:05:00	62.1	54.0	60.5
	11:10:00	58.0	53.0	61.0
	11:15:00	60.3	56.0	62.5
	11:20:00	64.9	57.5	64.5
	11:25:00	59.9	54.0	63.0
	11:30:00	58.3	54.0	60.0
	11:35:00	62.2	56.0	62.0
	11:40:00	66.1	53.5	61.0
	11:45:00	59.7	53.0	62.0
	11:50:00	58.7	54.0	61.5
	11:55:00	59.9	54.5	63.0
	12:00:00	58.0	54.0	61.0
	12:05:00	57.8	53.0	61.0
	12:10:00	58.2	53.5	61.5
	12:15:00	58.4	53.5	61.5
	12:20:00	58.0	53.5	61.0
	12:25:00	58.0	53.0	60.5
	12:30:00	62.5	55.0	66.0
	12:35:00	58.9	54.5	61.5
	12:40:00	58.8	54.0	62.0
	12:45:00	57.3	54.0	60.0
	12:50:00	56.4	53.5	58.0
	12:55:00	58.0	53.5	60.5
	13:00:00	58.5	54.5	61.0
	13:05:00	58.1	53.5	61.0
	13:10:00	57.1	54.5	59.0
	13:15:00	60.0	54.5	64.0
	13:20:00	56.4	53.5	58.0
	13:25:00	64.4	55.5	68.0
	13:30:00	64.4	57.5	67.5
	13:35:00	66.9	55.0	70.5
	13:40:00	68.1	61.5	70.5
	13:45:00	65.0	50.5	70.0
	13:50:00	65.6	50.0	61.0
	13:55:00	57.4	50.0	61.0
	14:00:00	65.1	56.0	64.0
	14:05:00	56.5	49.5	60.5
	14:10:00	55.6	49.5	58.5
	14:15:00	60.8	51.0	66.5
	14:20:00	57.9	49.0	60.0
	14:25:00	62.9	50.0	65.0
	14:30:00	56.8	50.0	59.5
	14:35:00	64.0	49.5	67.0
	14:40:00	58.5	51.0	61.0
	14:45:00	61.4	51.5	63.0
	14:50:00	57.5	50.5	59.0
	14:55:00	64.0	50.0	66.5
	15:00:00	60.3	50.5	66.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/5/2007	15:05:00	58.4	51.5	60.5
	15:10:00	59.7	50.5	61.0
	15:15:00	57.1	50.0	60.0
	15:20:00	60.0	50.5	61.0
	15:25:00	58.2	50.0	62.0
	15:30:00	62.0	51.0	62.5
	15:35:00	63.5	50.5	67.0
	15:40:00	59.8	49.0	64.0
	15:45:00	57.4	50.5	61.0
	15:50:00	62.2	52.5	62.0
	15:55:00	59.0	53.5	62.0
	16:00:00	64.7	53.5	64.5
	16:05:00	59.4	52.0	60.5
	16:10:00	61.6	52.0	65.0
	16:15:00	70.1	49.0	61.5
	16:20:00	55.4	50.0	58.0
	16:25:00	57.8	49.5	61.0
	16:30:00	57.1	50.0	60.0
	16:35:00	55.5	51.0	57.5
	16:40:00	56.4	51.0	59.5
	16:45:00	54.8	50.0	58.0
	16:50:00	57.8	50.5	61.0
	16:55:00	61.8	51.5	65.0
	17:00:00	60.8	51.5	64.0
	17:05:00	63.7	54.0	66.0
	17:10:00	58.6	54.5	61.0
	17:15:00	69.1	55.0	66.0
	17:20:00	56.6	50.5	60.0
	17:25:00	56.1	51.0	59.0
	17:30:00	55.4	50.5	58.0
	17:35:00	59.5	50.0	61.0
	17:40:00	58.4	51.0	61.5
	17:45:00	56.7	50.0	59.5
	17:50:00	56.5	49.5	59.0
	17:55:00	59.3	50.5	63.5
	18:00:00	56.2	49.5	59.5
	18:05:00	58.2	51.0	60.5
	18:10:00	56.8	51.0	59.5
	18:15:00	55.2	50.0	58.0
	18:20:00	59.4	51.5	63.0
	18:25:00	53.8	48.5	56.0
	18:30:00	57.4	50.5	60.0
	18:35:00	55.9	49.5	58.5
	18:40:00	60.1	49.0	65.5
	18:45:00	61.3	51.5	64.5
	18:50:00	62.1	52.0	66.5
	18:55:00	63.5	52.5	64.5
	19:00:00	67.2	51.5	67.5
	19:05:00	59.3	51.0	64.0
	19:10:00	56.7	52.0	59.0
	19:15:00	59.8	53.5	61.5
	19:20:00	61.7	53.0	64.0
	19:25:00	62.6	51.5	63.0
	19:30:00	59.1	51.5	62.0
	19:35:00	62.6	52.0	65.5
	19:40:00	71.4	53.0	66.5
	19:45:00	59.0	49.5	56.5
	19:50:00	58.0	50.5	61.5
	19:55:00	56.9	49.5	60.0
	20:00:00	56.8	50.5	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/5/2007	20:05:00	57.9	51.0	61.0
	20:10:00	57.1	52.0	58.5
	20:15:00	59.4	52.0	61.5
	20:20:00	54.2	49.5	56.5
	20:25:00	55.8	49.5	59.0
	20:30:00	55.5	50.0	58.0
	20:35:00	56.9	51.5	58.5
	20:40:00	54.2	48.5	55.0
	20:45:00	55.9	50.0	59.0
	20:50:00	55.5	50.0	57.0
	20:55:00	55.9	50.0	58.0
	21:00:00	56.1	49.0	59.5
	21:05:00	55.2	49.0	58.0
	21:10:00	57.1	49.5	59.5
	21:15:00	53.6	47.5	55.0
	21:20:00	53.6	48.0	56.5
	21:25:00	63.9	47.5	65.0
	21:30:00	56.9	49.5	58.5
	21:35:00	56.7	48.5	57.5
	21:40:00	53.5	49.0	56.5
	21:45:00	54.5	49.5	58.0
	21:50:00	53.9	49.0	56.5
	21:55:00	57.2	49.5	60.0
	22:00:00	55.2	48.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/5/2007	22:05:00	55.5	50.0	58.5
	22:10:00	52.5	47.0	55.0
	22:15:00	54.1	48.0	57.5
	22:20:00	53.7	48.5	55.5
	22:25:00	54.1	48.0	57.0
	22:30:00	53.3	49.0	55.5
	22:35:00	51.8	47.5	54.0
	22:40:00	55.0	49.5	58.5
	22:45:00	53.0	48.5	56.0
	22:50:00	60.9	49.0	61.5
	22:55:00	53.3	47.5	56.5
	23:00:00	51.0	46.0	53.5
	23:05:00	56.3	46.0	60.5
	23:10:00	52.9	46.0	56.5
	23:15:00	52.4	47.0	55.0
	23:20:00	52.1	46.5	55.0
	23:25:00	59.1	47.0	55.0
	23:30:00	52.0	47.5	54.5
	23:35:00	54.0	47.0	53.5
	23:40:00	53.2	47.0	55.0
	23:45:00	52.7	47.0	56.0
	23:50:00	50.1	46.5	52.0
	23:55:00	51.2	46.5	53.5
	0:00:00	50.7	46.5	53.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/6/2007	0:05:00	53.6	46.5	57.5
	0:10:00	50.1	46.5	52.5
	0:15:00	51.2	46.5	53.5
	0:20:00	54.5	47.5	56.0
	0:25:00	50.0	46.0	52.5
	0:30:00	48.6	45.5	51.0
	0:35:00	50.8	45.5	54.0
	0:40:00	54.4	46.5	58.0
	0:45:00	51.1	46.5	54.0
	0:50:00	50.8	47.0	53.5
	0:55:00	54.2	47.5	55.5
	1:00:00	50.2	46.0	53.0
	1:05:00	51.9	46.0	54.5
	1:10:00	49.1	46.5	51.0
	1:15:00	50.6	48.0	52.5
	1:20:00	51.5	48.0	53.5
	1:25:00	50.0	47.0	52.0
	1:30:00	49.9	47.0	52.0
	1:35:00	52.0	47.5	54.0
	1:40:00	50.9	47.5	53.0
	1:45:00	52.0	48.0	54.5
	1:50:00	51.7	48.0	54.0
	1:55:00	51.2	48.0	53.5
	2:00:00	50.2	47.5	52.5
	2:05:00	50.4	47.0	52.5
	2:10:00	50.0	47.0	52.5
	2:15:00	48.7	46.5	51.0
	2:20:00	51.4	47.0	53.0
	2:25:00	54.8	46.0	50.5
	2:30:00	50.4	46.0	53.0
	2:35:00	62.0	46.0	57.0
	2:40:00	47.9	46.0	50.5
	2:45:00	47.7	45.5	50.0
	2:50:00	62.0	45.5	61.0
	2:55:00	48.3	45.5	50.0
	3:00:00	57.7	45.5	50.5
	3:05:00	47.6	46.0	49.5
	3:10:00	49.6	46.0	52.0
	3:15:00	61.4	46.0	51.0
	3:20:00	48.1	46.0	50.0
	3:25:00	53.5	46.0	52.5
	3:30:00	48.5	46.5	50.5
	3:35:00	48.0	46.5	50.0
	3:40:00	48.1	46.0	50.0
	3:45:00	48.9	46.5	51.0
	3:50:00	48.6	46.5	50.5
	3:55:00	50.0	47.5	51.5
	4:00:00	63.5	47.5	65.0
	4:05:00	49.1	47.0	50.5
	4:10:00	50.8	48.0	52.5
	4:15:00	48.6	46.5	50.5
	4:20:00	48.2	46.5	50.5
	4:25:00	50.5	46.5	53.5
	4:30:00	48.7	46.0	50.5
	4:35:00	48.4	46.0	50.0
	4:40:00	48.3	46.0	50.5
	4:45:00	47.1	45.5	49.0
	4:50:00	49.3	45.5	51.0
	4:55:00	50.5	45.5	53.5
	5:00:00	53.8	45.5	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/6/2007	5:05:00	49.0	45.5	51.5
	5:10:00	53.9	47.5	58.5
	5:15:00	62.9	51.0	69.5
	5:20:00	67.8	61.0	71.5
	5:25:00	68.4	61.0	71.5
	5:30:00	69.1	62.0	72.0
	5:35:00	64.6	56.5	69.0
	5:40:00	65.9	57.0	70.5
	5:45:00	64.4	57.5	67.5
	5:50:00	66.8	55.0	72.0
	5:55:00	61.5	53.0	66.5
	6:00:00	63.4	53.0	67.5
	6:05:00	65.6	54.0	69.5
	6:10:00	66.8	57.0	70.5
	6:15:00	65.1	54.5	69.0
	6:20:00	60.0	53.0	65.0
	6:25:00	59.5	53.5	64.0
	6:30:00	57.1	52.5	61.0
	6:35:00	60.6	54.0	63.5
	6:40:00	65.3	58.0	69.0
	6:45:00	65.7	57.0	70.0
	6:50:00	65.0	54.5	69.0
	6:55:00	60.9	54.0	65.0
	7:00:00	58.8	54.5	60.5
	7:05:00	59.6	55.0	62.0
	7:10:00	64.1	57.0	67.0
	7:15:00	67.3	57.0	71.0
	7:20:00	62.7	57.5	65.5
	7:25:00	62.5	57.5	66.0
	7:30:00	62.2	57.5	65.5
	7:35:00	66.1	59.5	69.0
	7:40:00	66.4	60.0	68.5
	7:45:00	63.8	58.0	66.5
	7:50:00	65.5	59.5	68.5
	7:55:00	63.2	58.5	66.5
	8:00:00	64.8	59.5	67.5
	8:05:00	65.2	59.5	68.5
	8:10:00	68.8	62.5	71.5
	8:15:00	70.1	63.5	72.5
	8:20:00	68.8	63.5	72.0
	8:25:00	68.8	62.5	71.5
	8:30:00	70.1	64.0	72.5
	8:35:00	69.8	61.0	73.0
	8:40:00	63.3	55.0	67.5
	8:45:00	63.0	53.0	68.0
	8:50:00	66.7	60.0	70.0
	8:55:00	62.8	56.5	67.0
	9:00:00	61.6	55.5	65.0
	9:05:00	63.3	57.0	67.5
	9:10:00	59.4	54.0	60.0
	9:15:00	56.8	52.0	59.5
	9:20:00	62.0	51.5	69.5
	9:25:00	57.2	51.5	60.0
	9:30:00	57.9	51.5	61.5
	9:35:00	59.2	50.5	59.5
	9:40:00	57.5	52.0	61.0
	9:45:00	57.0	50.0	61.0
	9:50:00	55.9	48.5	59.0
	9:55:00	57.3	49.5	61.0
	10:00:00	61.9	51.5	62.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/6/2007	10:05:00	58.5	52.5	61.0
	10:10:00	57.4	51.0	61.0
	10:15:00	57.3	49.0	61.0
	10:20:00	60.1	51.5	64.0
	10:25:00	59.5	46.5	62.0
	10:30:00	56.4	50.0	59.5
	10:35:00	59.8	49.5	61.5
	10:40:00	58.8	45.0	63.5
	10:45:00	61.7	54.0	61.0
	10:50:00	56.9	54.5	58.5
	10:55:00	58.6	55.0	60.5
	11:00:00	62.5	55.0	61.5
	11:05:00	57.7	53.0	60.0
	11:10:00	59.3	56.0	61.0
	11:15:00	59.3	55.0	62.0
	11:20:00	58.4	55.0	60.5
	11:25:00	61.1	57.5	63.0
	11:30:00	61.7	59.0	63.5
	11:35:00	64.8	54.0	65.0
	11:40:00	57.4	52.5	60.5
	11:45:00	57.3	49.0	60.5
	11:50:00	56.9	48.5	60.0
	11:55:00	57.6	49.0	60.5
	12:00:00	55.8	46.0	58.5
	12:05:00	56.7	49.0	60.5
	12:10:00	56.4	46.0	60.0
	12:15:00	55.0	47.5	58.5
	12:20:00	55.7	48.0	59.5
	12:25:00	55.8	48.5	59.0
	12:30:00	59.2	50.5	63.5
	12:35:00	56.0	52.0	58.5
	12:40:00	56.4	52.0	58.5
	12:45:00	57.6	52.5	60.5
	12:50:00	56.5	52.5	59.0
	12:55:00	57.5	51.5	60.5
	13:00:00	61.3	52.0	66.0
	13:05:00	55.8	50.0	59.0
	13:10:00	61.5	50.5	67.5
	13:15:00	64.6	50.5	64.0
	13:20:00	62.4	49.0	61.5
	13:25:00	55.5	48.0	59.5
	13:30:00	55.2	47.5	58.0
	13:35:00	55.5	48.0	59.5
	13:40:00	58.5	52.5	62.0
	13:45:00	57.6	49.5	61.5
	13:50:00	54.3	49.0	57.5
	13:55:00	58.4	48.5	63.5
	14:00:00	58.8	47.5	61.5
	14:05:00	58.7	50.5	63.5
	14:10:00	56.7	48.5	60.0
	14:15:00	57.5	49.0	61.5
	14:20:00	54.2	48.0	58.0
	14:25:00	55.1	49.5	57.5
	14:30:00	56.7	49.5	60.5
	14:35:00	61.1	49.5	65.5
	14:40:00	59.5	49.0	64.0
	14:45:00	60.3	52.5	63.5
	14:50:00	57.1	50.0	60.5
	14:55:00	58.1	51.0	61.0
	15:00:00	56.5	47.5	60.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/6/2007	15:05:00	57.9	50.0	60.5
	15:10:00	60.1	55.5	63.0
	15:15:00	57.8	49.5	61.0
	15:20:00	55.3	47.5	59.0
	15:25:00	57.7	44.0	61.0
	15:30:00	55.5	47.5	59.5
	15:35:00	57.2	48.0	60.5
	15:40:00	57.1	50.0	60.5
	15:45:00	55.2	47.0	58.5
	15:50:00	54.3	47.0	56.0
	15:55:00	57.5	48.0	61.5
	16:00:00	56.7	48.0	60.5
	16:05:00	56.7	48.5	60.5
	16:10:00	54.1	46.5	57.5
	16:15:00	54.5	47.5	57.5
	16:20:00	56.5	48.5	59.5
	16:25:00	64.6	49.0	65.0
	16:30:00	59.3	46.0	61.5
	16:35:00	67.3	52.0	68.5
	16:40:00	56.8	48.0	59.5
	16:45:00	54.4	49.0	57.0
	16:50:00	57.0	51.5	60.0
	16:55:00	61.1	52.0	61.0
	17:00:00	67.4	53.0	64.5
	17:05:00	65.0	52.0	67.0
	17:10:00	68.2	62.0	69.5
	17:15:00	68.7	62.0	70.0
	17:20:00	67.9	62.0	67.5
	17:25:00	74.7	62.0	77.5
	17:30:00	63.0	51.0	66.0
	17:35:00	63.0	51.0	65.5
	17:40:00	62.0	51.5	64.5
	17:45:00	56.4	51.5	59.0
	17:50:00	61.0	50.5	62.5
	17:55:00	56.2	51.0	58.5
	18:00:00	59.1	50.5	62.5
	18:05:00	59.0	51.0	62.5
	18:10:00	59.0	50.5	60.0
	18:15:00	54.5	49.0	57.0
	18:20:00	57.9	48.5	61.5
	18:25:00	60.8	51.0	66.5
	18:30:00	56.2	49.0	59.0
	18:35:00	56.6	46.5	59.5
	18:40:00	55.4	49.0	59.0
	18:45:00	57.9	49.5	61.0
	18:50:00	60.9	48.5	62.0
	18:55:00	59.6	51.5	61.5
	19:00:00	57.9	48.5	61.0
	19:05:00	67.9	50.0	61.5
	19:10:00	58.2	52.5	62.0
	19:15:00	59.8	54.0	61.0
	19:20:00	62.4	54.0	61.5
	19:25:00	62.2	52.5	63.0
	19:30:00	57.4	50.5	57.5
	19:35:00	59.4	49.5	59.5
	19:40:00	55.8	48.5	59.5
	19:45:00	57.3	50.5	59.5
	19:50:00	59.5	51.0	60.5
	19:55:00	57.4	52.0	60.0
	20:00:00	57.0	52.5	59.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/6/2007	20:05:00	56.2	51.5	60.0
	20:10:00	57.6	50.0	59.5
	20:15:00	61.9	51.0	63.5
	20:20:00	55.5	49.5	59.0
	20:25:00	56.2	50.5	59.5
	20:30:00	56.9	50.0	58.0
	20:35:00	60.1	50.5	62.0
	20:40:00	68.6	51.5	67.0
	20:45:00	60.6	50.0	63.0
	20:50:00	62.2	49.5	59.5
	20:55:00	60.8	48.5	63.5
	21:00:00	60.6	49.0	61.0
	21:05:00	58.2	49.0	58.0
	21:10:00	57.2	48.0	58.5
	21:15:00	62.2	47.5	63.5
	21:20:00	68.4	49.5	70.5
	21:25:00	70.1	51.5	69.5
	21:30:00	63.1	51.0	65.0
	21:35:00	70.2	50.5	61.5
	21:40:00	69.7	49.0	69.0
	21:45:00	54.8	49.5	57.0
	21:50:00	53.3	50.0	55.0
	21:55:00	54.4	49.5	56.0
	22:00:00	53.0	50.0	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/6/2007	22:05:00	55.4	49.5	55.0
	22:10:00	55.9	50.0	58.5
	22:15:00	52.7	49.5	55.0
	22:20:00	53.0	49.5	54.5
	22:25:00	53.3	50.5	55.0
	22:30:00	52.8	49.5	54.5
	22:35:00	52.8	49.5	55.0
	22:40:00	54.2	49.5	57.0
	22:45:00	53.4	49.5	55.0
	22:50:00	52.8	49.5	54.5
	22:55:00	51.7	48.0	54.0
	23:00:00	53.1	48.0	55.0
	23:05:00	53.9	48.0	56.5
	23:10:00	52.7	48.5	55.5
	23:15:00	51.3	48.0	53.5
	23:20:00	54.9	48.5	59.0
	23:25:00	53.5	49.0	56.0
	23:30:00	51.0	48.5	53.0
	23:35:00	52.5	49.0	54.0
	23:40:00	53.2	48.5	55.5
	23:45:00	53.5	50.5	55.0
	23:50:00	53.4	49.5	56.5
	23:55:00	71.0	55.5	75.0
	0:00:00	64.2	53.0	69.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/7/2007	0:05:00	52.7	49.5	54.5
	0:10:00	52.1	49.0	54.0
	0:15:00	51.8	48.5	54.5
	0:20:00	53.7	49.0	54.5
	0:25:00	52.4	45.5	54.0
	0:30:00	52.2	48.5	54.0
	0:35:00	55.5	49.5	60.0
	0:40:00	52.0	49.0	54.0
	0:45:00	50.9	49.0	52.5
	0:50:00	51.2	49.0	53.0
	0:55:00	51.9	49.0	54.5
	1:00:00	50.3	45.5	52.0
	1:05:00	53.3	47.5	56.0
	1:10:00	51.7	49.5	53.0
	1:15:00	51.1	49.0	53.0
	1:20:00	51.1	49.0	52.5
	1:25:00	50.9	49.0	52.5
	1:30:00	49.6	47.5	51.0
	1:35:00	47.7	45.5	50.0
	1:40:00	47.6	45.5	49.5
	1:45:00	48.3	45.5	51.0
	1:50:00	49.0	46.0	51.0
	1:55:00	50.4	48.5	51.5
	2:00:00	53.0	49.0	55.5
	2:05:00	50.7	49.0	52.0
	2:10:00	51.7	47.5	53.5
	2:15:00	56.5	46.5	61.5
	2:20:00	50.0	45.5	53.0
	2:25:00	63.4	45.5	66.0
	2:30:00	48.7	45.5	51.0
	2:35:00	47.1	45.5	49.5
	2:40:00	48.6	46.0	50.0
	2:45:00	49.3	45.5	51.0
	2:50:00	59.9	51.0	61.0
	2:55:00	74.9	65.5	77.0
	3:00:00	73.6	61.5	76.5
	3:05:00	66.9	54.0	72.0
	3:10:00	68.2	63.5	73.0
	3:15:00	76.5	72.5	79.0
	3:20:00	73.1	62.0	76.0
	3:25:00	60.2	53.0	62.5
	3:30:00	67.5	56.5	70.5
	3:35:00	66.6	56.5	70.5
	3:40:00	61.5	53.5	66.0
	3:45:00	72.5	56.0	76.5
	3:50:00	72.4	59.0	76.5
	3:55:00	53.3	51.0	55.0
	4:00:00	52.6	50.5	54.0
	4:05:00	51.3	50.5	52.0
	4:10:00	51.9	50.5	53.0
	4:15:00	52.0	50.5	53.5
	4:20:00	51.6	48.0	53.0
	4:25:00	51.7	50.5	52.5
	4:30:00	52.5	51.0	53.5
	4:35:00	50.9	47.0	52.5
	4:40:00	50.8	47.0	54.0
	4:45:00	48.2	46.5	50.5
	4:50:00	47.9	46.5	49.0
	4:55:00	51.8	46.0	54.5
	5:00:00	49.1	45.5	50.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/7/2007	5:05:00	47.8	46.0	50.0
	5:10:00	61.5	48.0	67.5
	5:15:00	56.1	50.5	57.5
	5:20:00	48.6	46.5	50.0
	5:25:00	60.2	46.5	52.5
	5:30:00	50.1	47.0	52.5
	5:35:00	53.3	50.5	53.5
	5:40:00	52.0	50.0	53.5
	5:45:00	51.3	49.0	53.5
	5:50:00	62.3	48.0	63.5
	5:55:00	57.2	47.0	61.0
	6:00:00	62.1	48.0	62.5
	6:05:00	63.0	47.0	65.0
	6:10:00	52.7	49.0	55.0
	6:15:00	55.2	49.0	58.0
	6:20:00	60.5	50.0	66.5
	6:25:00	64.5	56.5	67.5
	6:30:00	63.9	53.0	67.5
	6:35:00	62.2	54.5	66.5
	6:40:00	61.6	54.5	65.0
	6:45:00	61.5	54.0	66.5
	6:50:00	63.4	54.5	68.0
	6:55:00	64.3	56.5	68.0
	7:00:00	61.7	55.5	66.0
	7:05:00	64.3	55.0	68.5
	7:10:00	65.9	57.0	70.5
	7:15:00	67.5	59.0	71.0
	7:20:00	68.9	62.5	72.5
	7:25:00	67.7	60.5	71.0
	7:30:00	62.6	57.5	65.5
	7:35:00	65.6	60.0	68.5
	7:40:00	68.1	63.5	71.5
	7:45:00	68.4	63.0	71.0
	7:50:00	66.0	62.0	68.0
	7:55:00	66.6	62.0	69.0
	8:00:00	63.4	56.5	63.5
	8:05:00	61.1	55.5	64.5
	8:10:00	55.0	48.5	58.5
	8:15:00	57.6	51.0	60.5
	8:20:00	55.9	48.5	59.0
	8:25:00	56.9	50.5	60.0
	8:30:00	57.2	50.5	60.5
	8:35:00	59.2	52.5	61.5
	8:40:00	62.2	55.5	65.0
	8:45:00	67.3	61.0	70.0
	8:50:00	69.7	62.0	73.0
	8:55:00	62.4	58.5	65.0
	9:00:00	64.1	58.0	67.5
	9:05:00	63.6	56.5	68.5
	9:10:00	65.5	57.0	71.0
	9:15:00	63.9	58.0	67.0
	9:20:00	67.2	60.0	70.5
	9:25:00	65.4	62.5	67.0
	9:30:00	60.1	52.0	63.5
	9:35:00	57.6	49.0	61.0
	9:40:00	56.6	48.0	60.0
	9:45:00	57.7	50.0	61.0
	9:50:00	62.2	56.5	64.5
	9:55:00	65.5	57.5	68.5
	10:00:00	67.9	59.0	71.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/7/2007	10:05:00	66.1	59.5	69.0
	10:10:00	63.5	59.0	68.0
	10:15:00	65.3	57.5	70.0
	10:20:00	63.1	57.5	66.0
	10:25:00	72.3	58.0	77.0
	10:30:00	70.4	62.5	73.5
	10:35:00	62.9	56.5	67.0
	10:40:00	58.6	55.0	60.5
	10:45:00	60.4	55.5	62.5
	10:50:00	59.3	55.0	61.5
	10:55:00	68.2	55.0	62.0
	11:00:00	61.9	55.0	61.0
	11:05:00	57.5	54.5	59.5
	11:10:00	58.4	54.5	61.5
	11:15:00	58.6	54.5	60.5
	11:20:00	58.0	54.0	60.5
	11:25:00	58.6	54.5	61.0
	11:30:00	63.4	56.0	68.5
	11:35:00	60.3	56.0	64.0
	11:40:00	63.2	57.0	66.0
	11:45:00	72.9	62.5	77.0
	11:50:00	63.2	58.0	66.0
	11:55:00	62.6	57.5	64.0
	12:00:00	59.4	55.5	61.0
	12:05:00	58.9	55.0	61.0
	12:10:00	62.6	51.0	66.0
	12:15:00	57.0	49.0	59.5
	12:20:00	56.4	49.5	58.0
	12:25:00	57.8	50.0	61.0
	12:30:00	57.7	50.5	60.0
	12:35:00	55.2	46.5	58.5
	12:40:00	57.6	50.5	61.5
	12:45:00	55.9	49.0	59.0
	12:50:00	57.0	48.0	61.0
	12:55:00	55.0	46.0	58.5
	13:00:00	75.1	55.5	77.5
	13:05:00	72.0	56.0	71.0
	13:10:00	59.1	52.0	61.5
	13:15:00	61.8	51.5	64.0
	13:20:00	61.1	49.5	59.5
	13:25:00	55.6	48.5	59.0
	13:30:00	57.3	50.5	60.0
	13:35:00	55.2	49.0	59.0
	13:40:00	57.0	51.5	59.5
	13:45:00	62.3	51.5	61.5
	13:50:00	71.9	63.0	75.0
	13:55:00	64.6	60.5	66.5
	14:00:00	58.7	54.0	61.5
	14:05:00	58.0	54.0	60.5
	14:10:00	59.4	54.0	61.5
	14:15:00	57.4	53.5	60.0
	14:20:00	57.8	54.0	60.5
	14:25:00	59.6	54.0	63.5
	14:30:00	57.6	54.0	59.5
	14:35:00	56.7	52.5	59.0
	14:40:00	56.6	53.0	59.0
	14:45:00	56.8	53.5	58.5
	14:50:00	57.8	54.0	60.0
	14:55:00	61.2	56.0	63.0
	15:00:00	61.9	56.5	66.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/7/2007	15:05:00	61.7	55.5	66.5
	15:10:00	59.1	54.5	62.0
	15:15:00	58.6	55.5	60.5
	15:20:00	70.2	57.0	63.0
	15:25:00	66.9	57.0	69.5
	15:30:00	58.5	51.5	62.0
	15:35:00	56.2	50.5	59.5
	15:40:00	67.3	52.0	64.0
	15:45:00	57.7	54.0	61.0
	15:50:00	57.8	53.5	60.0
	15:55:00	58.2	54.5	61.5
	16:00:00	57.1	54.0	59.0
	16:05:00	58.2	54.5	60.5
	16:10:00	58.2	55.0	60.0
	16:15:00	61.2	54.5	62.5
	16:20:00	59.3	54.5	62.0
	16:25:00	57.9	54.0	61.0
	16:30:00	59.2	54.0	60.5
	16:35:00	63.2	55.0	65.0
	16:40:00	59.3	55.5	60.5
	16:45:00	59.6	57.0	61.5
	16:50:00	60.2	56.0	62.0
	16:55:00	58.7	54.5	61.0
	17:00:00	59.6	53.5	60.5
	17:05:00	58.2	53.5	61.0
	17:10:00	59.2	55.0	60.5
	17:15:00	58.9	55.0	61.5
	17:20:00	63.6	50.0	62.0
	17:25:00	58.7	47.0	62.5
	17:30:00	62.2	51.5	63.0
	17:35:00	67.7	52.0	67.5
	17:40:00	62.0	52.0	64.5
	17:45:00	58.4	51.0	60.5
	17:50:00	64.3	51.5	65.0
	17:55:00	59.7	50.5	60.5
	18:00:00	60.4	51.5	63.0
	18:05:00	59.5	51.5	62.5
	18:10:00	60.5	50.0	62.5
	18:15:00	57.2	51.0	61.0
	18:20:00	56.4	49.0	60.0
	18:25:00	56.9	49.5	61.5
	18:30:00	57.6	50.5	60.0
	18:35:00	57.5	48.5	62.0
	18:40:00	59.4	50.5	58.5
	18:45:00	59.5	53.5	63.0
	18:50:00	57.2	51.0	61.5
	18:55:00	56.0	50.0	58.5
	19:00:00	60.4	54.5	61.5
	19:05:00	60.3	54.5	62.5
	19:10:00	66.4	54.5	67.5
	19:15:00	58.1	51.5	60.5
	19:20:00	57.2	49.0	60.0
	19:25:00	62.2	49.5	60.5
	19:30:00	65.2	50.5	65.5
	19:35:00	65.7	52.0	65.0
	19:40:00	57.3	50.5	60.0
	19:45:00	56.6	49.5	60.0
	19:50:00	55.6	51.5	58.0
	19:55:00	56.9	52.0	59.5
	20:00:00	56.7	52.5	59.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/7/2007	20:05:00	56.4	53.0	58.5
	20:10:00	56.4	52.0	60.0
	20:15:00	59.0	52.5	61.5
	20:20:00	58.9	52.5	62.5
	20:25:00	57.7	51.5	60.0
	20:30:00	55.8	52.0	59.5
	20:35:00	54.3	51.5	56.5
	20:40:00	56.7	52.0	60.0
	20:45:00	56.0	52.0	59.5
	20:50:00	53.3	47.0	56.5
	20:55:00	57.9	51.0	61.0
	21:00:00	55.3	52.0	57.5
	21:05:00	56.2	51.5	60.0
	21:10:00	57.4	52.0	60.0
	21:15:00	55.4	51.0	58.0
	21:20:00	54.9	51.0	56.5
	21:25:00	56.0	52.0	58.5
	21:30:00	62.6	55.0	62.5
	21:35:00	68.8	52.5	62.5
	21:40:00	54.2	50.5	56.5
	21:45:00	54.2	51.0	56.0
	21:50:00	54.0	50.5	56.5
	21:55:00	54.4	51.5	56.0
	22:00:00	56.8	51.0	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/7/2007	22:05:00	54.4	52.0	56.0
	22:10:00	54.4	51.5	56.0
	22:15:00	54.2	50.5	56.5
	22:20:00	55.2	51.0	57.5
	22:25:00	53.9	51.0	56.0
	22:30:00	53.1	50.5	55.0
	22:35:00	53.7	51.0	55.5
	22:40:00	55.7	51.0	60.0
	22:45:00	54.6	50.5	57.0
	22:50:00	53.4	50.0	55.5
	22:55:00	55.4	51.0	58.5
	23:00:00	53.7	51.0	55.5
	23:05:00	52.3	50.0	53.5
	23:10:00	52.8	50.0	54.0
	23:15:00	53.3	50.5	55.5
	23:20:00	53.2	50.5	55.0
	23:25:00	53.0	50.5	54.5
	23:30:00	55.0	51.5	57.0
	23:35:00	53.2	50.5	55.0
	23:40:00	53.1	50.0	55.0
	23:45:00	54.5	50.5	57.0
	23:50:00	53.1	51.0	55.0
	23:55:00	53.1	50.5	55.0
	0:00:00	53.1	50.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/8/2007	0:05:00	53.3	50.5	55.5
	0:10:00	53.3	50.5	55.0
	0:15:00	53.9	50.0	54.5
	0:20:00	53.5	50.0	56.0
	0:25:00	53.5	49.5	55.5
	0:30:00	74.8	54.5	81.0
	0:35:00	59.2	51.5	62.5
	0:40:00	51.9	49.5	53.5
	0:45:00	51.6	49.0	53.5
	0:50:00	52.3	49.5	54.5
	0:55:00	53.2	50.0	55.5
	1:00:00	54.5	50.0	55.5
	1:05:00	52.5	49.5	55.0
	1:10:00	51.2	47.5	53.5
	1:15:00	52.9	47.5	56.0
	1:20:00	50.8	48.0	53.0
	1:25:00	49.9	47.5	52.0
	1:30:00	49.1	47.0	51.5
	1:35:00	50.1	47.5	51.5
	1:40:00	50.2	47.5	52.0
	1:45:00	51.9	47.0	54.5
	1:50:00	48.6	47.0	49.5
	1:55:00	50.1	47.0	52.5
	2:00:00	49.6	47.0	51.5
	2:05:00	49.6	47.5	52.0
	2:10:00	53.6	47.5	53.5
	2:15:00	49.2	47.5	51.0
	2:20:00	49.8	47.0	53.0
	2:25:00	49.7	47.0	52.0
	2:30:00	48.1	47.0	49.0
	2:35:00	56.5	47.0	54.0
	2:40:00	48.5	47.0	49.5
	2:45:00	48.9	47.0	51.5
	2:50:00	52.1	47.0	55.0
	2:55:00	54.3	47.0	51.0
	3:00:00	51.0	47.0	53.0
	3:05:00	48.8	46.5	49.5
	3:10:00	49.2	46.5	51.5
	3:15:00	49.0	46.5	52.0
	3:20:00	47.8	46.5	49.5
	3:25:00	49.4	46.5	52.5
	3:30:00	53.0	46.5	55.0
	3:35:00	48.7	46.5	50.5
	3:40:00	48.4	46.5	50.5
	3:45:00	49.6	46.5	52.0
	3:50:00	47.7	46.0	50.0
	3:55:00	50.8	46.0	48.0
	4:00:00	60.4	46.5	64.0
	4:05:00	48.1	46.0	50.0
	4:10:00	52.1	45.5	54.5
	4:15:00	48.7	46.5	50.5
	4:20:00	49.7	47.0	51.0
	4:25:00	49.9	46.5	52.0
	4:30:00	48.6	45.5	51.0
	4:35:00	50.3	46.5	51.5
	4:40:00	51.3	49.5	52.0
	4:45:00	48.5	46.0	51.0
	4:50:00	51.6	50.0	52.5
	4:55:00	53.2	50.5	55.0
	5:00:00	52.8	48.0	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/8/2007	5:05:00	53.2	49.5	57.0
	5:10:00	50.6	45.5	50.5
	5:15:00	51.0	48.5	53.0
	5:20:00	63.6	56.0	68.5
	5:25:00	61.4	57.0	65.0
	5:30:00	63.0	57.5	66.5
	5:35:00	66.9	56.5	71.5
	5:40:00	60.2	55.0	64.0
	5:45:00	62.7	55.0	66.5
	5:50:00	62.7	54.5	66.5
	5:55:00	65.1	54.0	68.5
	6:00:00	60.8	53.0	63.0
	6:05:00	62.4	53.0	66.0
	6:10:00	59.5	51.5	61.5
	6:15:00	56.1	52.0	58.5
	6:20:00	59.0	51.5	63.0
	6:25:00	54.3	51.5	56.5
	6:30:00	57.8	53.0	60.5
	6:35:00	59.1	53.5	61.5
	6:40:00	60.4	53.0	63.5
	6:45:00	63.5	55.0	68.0
	6:50:00	64.9	55.5	69.0
	6:55:00	65.1	57.0	68.0
	7:00:00	67.1	59.0	71.5
	7:05:00	65.6	58.5	69.0
	7:10:00	65.8	57.5	70.0
	7:15:00	69.7	62.0	73.0
	7:20:00	66.1	58.0	70.0
	7:25:00	65.5	54.5	69.5
	7:30:00	58.5	54.0	61.5
	7:35:00	64.8	55.5	69.0
	7:40:00	64.0	55.0	69.0
	7:45:00	61.6	55.5	65.0
	7:50:00	64.9	56.0	70.0
	7:55:00	62.0	54.5	67.0
	8:00:00	60.2	53.0	64.0
	8:05:00	59.3	52.0	62.5
	8:10:00	56.1	50.0	59.0
	8:15:00	56.9	52.5	59.5
	8:20:00	59.4	53.5	63.0
	8:25:00	57.6	53.0	60.5
	8:30:00	57.9	50.5	59.0
	8:35:00	68.8	49.5	73.5
	8:40:00	64.3	54.0	70.0
	8:45:00	65.1	59.5	68.0
	8:50:00	73.3	66.0	77.0
	8:55:00	71.7	60.5	75.5
	9:00:00	75.4	67.0	78.5
	9:05:00	71.0	61.5	73.0
	9:10:00	64.7	58.0	67.5
	9:15:00	62.6	56.0	64.5
	9:20:00	60.0	56.5	62.0
	9:25:00	63.6	53.5	68.0
	9:30:00	60.9	55.0	65.0
	9:35:00	58.7	54.0	61.0
	9:40:00	56.0	51.0	58.0
	9:45:00	58.1	51.5	60.5
	9:50:00	56.8	49.0	59.5
	9:55:00	56.5	52.5	58.5
	10:00:00	58.8	52.0	62.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/8/2007	10:05:00	56.5	52.0	58.5
	10:10:00	58.5	50.5	61.5
	10:15:00	74.3	57.0	77.0
	10:20:00	76.0	72.0	78.0
	10:25:00	75.6	69.0	77.5
	10:30:00	65.8	61.5	68.5
	10:35:00	60.6	57.5	62.5
	10:40:00	60.7	56.5	62.5
	10:45:00	62.5	56.0	62.5
	10:50:00	62.2	57.0	63.0
	10:55:00	60.4	57.5	62.0
	11:00:00	62.5	60.5	64.0
	11:05:00	62.9	61.0	64.0
	11:10:00	64.1	59.0	65.5
	11:15:00	59.7	57.0	61.5
	11:20:00	60.5	58.0	62.5
	11:25:00	61.1	58.0	63.0
	11:30:00	60.8	59.0	62.0
	11:35:00	61.1	58.0	63.0
	11:40:00	59.8	57.5	61.5
	11:45:00	59.9	57.5	62.0
	11:50:00	66.6	56.5	63.0
	11:55:00	58.4	56.0	60.0
	12:00:00	57.5	53.0	60.0
	12:05:00	58.1	54.0	61.0
	12:10:00	58.6	52.5	62.0
	12:15:00	58.8	53.0	62.0
	12:20:00	56.6	52.0	58.5
	12:25:00	55.9	49.5	60.0
	12:30:00	58.4	51.0	61.5
	12:35:00	55.5	49.5	58.5
	12:40:00	56.0	50.5	58.5
	12:45:00	56.0	49.0	57.5
	12:50:00	55.6	47.5	59.0
	12:55:00	54.8	47.5	58.5
	13:00:00	55.2	50.0	58.0
	13:05:00	55.9	49.5	59.0
	13:10:00	56.2	49.5	59.0
	13:15:00	57.2	51.0	62.0
	13:20:00	56.3	50.0	59.0
	13:25:00	57.8	52.0	61.0
	13:30:00	57.0	51.5	59.5
	13:35:00	59.3	53.5	63.0
	13:40:00	57.5	54.0	59.5
	13:45:00	59.5	56.5	61.0
	13:50:00	60.3	54.0	63.5
	13:55:00	57.8	50.0	61.0
	14:00:00	54.6	51.0	57.0
	14:05:00	58.3	52.0	61.0
	14:10:00	58.7	54.0	60.5
	14:15:00	55.6	51.0	58.0
	14:20:00	56.0	52.5	57.5
	14:25:00	55.7	52.8	61.0
	14:30:00	58.7	50.5	63.5
	14:35:00	56.8	50.5	60.0
	14:40:00	56.3	51.0	59.0
	14:45:00	58.6	50.5	65.0
	14:50:00	55.8	49.0	59.0
	14:55:00	62.5	52.5	65.0
	15:00:00	64.7	56.5	65.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/8/2007	15:05:00	61.2	55.0	62.0
	15:10:00	57.9	54.5	60.0
	15:15:00	56.7	53.5	58.5
	15:20:00	57.2	53.5	58.0
	15:25:00	57.2	54.0	59.0
	15:30:00	62.9	50.0	63.5
	15:35:00	58.3	50.0	60.5
	15:40:00	61.7	49.5	61.5
	15:45:00	78.6	58.0	82.5
	15:50:00	76.1	60.5	77.0
	15:55:00	65.0	56.5	66.5
	16:00:00	60.9	57.5	62.5
	16:05:00	60.4	56.5	62.5
	16:10:00	60.9	58.5	62.0
	16:15:00	60.8	58.5	62.5
	16:20:00	60.0	58.5	61.5
	16:25:00	61.1	58.5	62.5
	16:30:00	61.1	59.0	62.5
	16:35:00	60.0	58.0	61.5
	16:40:00	60.9	58.5	62.5
	16:45:00	59.9	57.5	61.5
	16:50:00	62.4	56.0	64.5
	16:55:00	64.2	59.0	65.5
	17:00:00	70.4	64.5	67.5
	17:05:00	67.1	60.0	68.0
	17:10:00	61.0	55.0	63.0
	17:15:00	62.0	55.0	63.5
	17:20:00	60.1	55.5	62.0
	17:25:00	67.1	54.5	62.0
	17:30:00	58.3	49.5	60.5
	17:35:00	57.8	49.5	61.0
	17:40:00	57.9	51.5	60.5
	17:45:00	56.9	50.5	60.5
	17:50:00	64.3	52.5	61.5
	17:55:00	57.8	52.5	61.0
	18:00:00	57.5	52.0	58.5
	18:05:00	59.1	51.0	62.0
	18:10:00	58.3	51.0	61.0
	18:15:00	60.0	51.5	60.0
	18:20:00	57.0	50.5	59.5
	18:25:00	66.6	52.0	71.0
	18:30:00	58.9	51.0	62.0
	18:35:00	56.6	50.0	59.5
	18:40:00	56.0	50.0	59.0
	18:45:00	56.3	50.5	59.5
	18:50:00	60.4	50.0	65.5
	18:55:00	57.2	50.5	60.5
	19:00:00	61.6	52.5	64.0
	19:05:00	57.2	53.5	59.0
	19:10:00	59.3	55.0	60.0
	19:15:00	58.7	54.0	61.0
	19:20:00	58.6	53.5	59.5
	19:25:00	66.8	51.5	71.0
	19:30:00	61.8	52.0	63.5
	19:35:00	69.4	52.0	72.0
	19:40:00	69.1	52.5	69.5
	19:45:00	67.8	51.5	70.5
	19:50:00	72.0	53.0	75.0
	19:55:00	63.1	52.0	63.0
	20:00:00	57.6	53.0	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/8/2007	20:05:00	57.0	53.5	59.5
	20:10:00	61.5	52.0	60.5
	20:15:00	66.2	52.5	63.0
	20:20:00	63.4	53.0	61.0
	20:25:00	58.0	53.0	60.5
	20:30:00	56.4	51.0	59.5
	20:35:00	56.2	52.0	59.0
	20:40:00	56.9	52.5	60.0
	20:45:00	56.9	53.0	59.5
	20:50:00	57.2	52.5	60.0
	20:55:00	56.6	52.5	59.0
	21:00:00	56.8	51.0	60.0
	21:05:00	65.3	52.0	62.0
	21:10:00	56.2	51.5	57.5
	21:15:00	56.1	52.5	58.0
	21:20:00	56.6	52.5	59.0
	21:25:00	55.7	53.0	57.5
	21:30:00	57.6	52.5	60.0
	21:35:00	56.9	52.5	60.0
	21:40:00	57.5	53.0	59.5
	21:45:00	55.9	52.5	58.0
	21:50:00	57.4	52.0	60.5
	21:55:00	55.9	52.0	57.5
	22:00:00	58.9	52.0	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/8/2007	22:05:00	55.3	52.5	57.5
	22:10:00	58.1	53.0	61.5
	22:15:00	57.3	52.5	61.0
	22:20:00	55.0	52.0	57.0
	22:25:00	55.2	52.0	57.5
	22:30:00	55.2	52.5	57.0
	22:35:00	55.1	51.5	56.5
	22:40:00	55.9	51.0	58.5
	22:45:00	55.2	52.0	57.0
	22:50:00	58.4	52.0	59.0
	22:55:00	56.2	52.0	58.5
	23:00:00	55.5	52.0	57.5
	23:05:00	58.6	51.5	56.5
	23:10:00	54.6	51.0	56.5
	23:15:00	54.4	51.5	56.5
	23:20:00	55.2	52.5	57.0
	23:25:00	55.3	52.0	56.5
	23:30:00	54.6	50.0	57.0
	23:35:00	53.0	49.5	54.5
	23:40:00	56.4	49.5	59.5
	23:45:00	54.2	49.0	57.0
	23:50:00	55.2	49.5	57.0
	23:55:00	53.0	48.5	55.5
	0:00:00	53.2	48.5	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/9/2007	0:05:00	53.3	49.0	55.0
	0:10:00	52.4	48.5	55.0
	0:15:00	52.7	48.5	55.0
	0:20:00	52.5	48.5	55.0
	0:25:00	52.0	48.0	54.5
	0:30:00	52.7	48.0	56.0
	0:35:00	52.1	48.0	54.0
	0:40:00	52.9	47.0	56.5
	0:45:00	53.1	48.0	55.5
	0:50:00	51.4	47.0	54.0
	0:55:00	52.3	47.0	55.0
	1:00:00	52.3	47.5	54.5
	1:05:00	50.8	47.0	53.0
	1:10:00	59.1	47.5	56.0
	1:15:00	50.7	47.0	53.0
	1:20:00	52.0	47.0	54.5
	1:25:00	53.4	47.5	55.5
	1:30:00	51.5	47.0	54.0
	1:35:00	49.4	46.5	51.5
	1:40:00	50.2	46.5	52.5
	1:45:00	50.6	47.0	53.0
	1:50:00	50.6	46.5	52.5
	1:55:00	52.3	46.5	56.0
	2:00:00	51.6	46.5	54.5
	2:05:00	51.4	45.5	55.5
	2:10:00	49.6	45.5	52.5
	2:15:00	51.8	46.0	54.0
	2:20:00	48.9	45.5	51.5
	2:25:00	48.4	45.5	51.5
	2:30:00	48.4	46.0	51.0
	2:35:00	51.7	46.0	55.5
	2:40:00	48.7	46.0	51.0
	2:45:00	48.9	46.0	51.0
	2:50:00	50.9	45.5	52.5
	2:55:00	48.9	45.5	51.0
	3:00:00	49.2	45.5	52.0
	3:05:00	48.3	45.0	51.0
	3:10:00	48.4	45.0	52.0
	3:15:00	47.8	45.0	50.5
	3:20:00	48.8	45.5	51.5
	3:25:00	48.5	45.5	50.5
	3:30:00	47.4	45.0	50.0
	3:35:00	47.8	45.5	50.0
	3:40:00	49.2	45.5	52.5
	3:45:00	48.7	45.5	51.5
	3:50:00	49.1	45.5	51.0
	3:55:00	47.1	45.5	48.5
	4:00:00	51.6	46.0	54.5
	4:05:00	49.1	46.0	52.0
	4:10:00	50.6	46.0	51.0
	4:15:00	48.1	45.5	50.5
	4:20:00	49.6	45.0	53.0
	4:25:00	49.8	45.0	49.5
	4:30:00	47.6	44.5	50.5
	4:35:00	48.3	44.5	49.5
	4:40:00	47.7	45.0	50.0
	4:45:00	48.4	44.5	52.0
	4:50:00	57.2	45.5	56.5
	4:55:00	49.5	45.0	53.0
	5:00:00	49.0	44.5	52.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/9/2007	5:05:00	48.7	44.5	51.5
	5:10:00	49.1	45.0	51.0
	5:15:00	53.7	48.5	56.0
	5:20:00	59.9	56.5	62.0
	5:25:00	60.9	57.5	62.5
	5:30:00	65.5	59.0	69.0
	5:35:00	64.9	57.5	69.5
	5:40:00	60.4	55.0	62.5
	5:45:00	61.2	53.0	66.5
	5:50:00	54.8	52.0	56.0
	5:55:00	59.9	53.0	64.5
	6:00:00	63.6	51.5	59.5
	6:05:00	62.7	51.5	65.5
	6:10:00	63.9	51.5	65.0
	6:15:00	55.5	50.0	58.5
	6:20:00	54.9	52.0	57.0
	6:25:00	59.0	52.5	63.5
	6:30:00	64.9	55.0	69.5
	6:35:00	64.1	56.0	68.0
	6:40:00	63.2	56.5	66.5
	6:45:00	64.3	57.5	68.0
	6:50:00	67.1	59.5	71.0
	6:55:00	68.4	59.5	71.5
	7:00:00	66.3	56.5	69.5
	7:05:00	65.8	56.5	70.0
	7:10:00	63.4	54.0	67.5
	7:15:00	60.5	54.0	63.0
	7:20:00	59.2	53.0	61.0
	7:25:00	64.9	54.0	69.5
	7:30:00	58.3	51.5	62.5
	7:35:00	58.7	52.5	62.5
	7:40:00	61.6	55.0	65.0
	7:45:00	57.1	53.0	60.0
	7:50:00	64.8	55.5	67.5
	7:55:00	65.2	56.5	69.5
	8:00:00	62.3	56.0	65.5
	8:05:00	69.2	59.5	73.0
	8:10:00	65.7	56.5	70.5
	8:15:00	65.5	57.0	68.5
	8:20:00	58.6	54.5	61.0
	8:25:00	58.0	54.5	61.0
	8:30:00	58.9	54.5	61.0
	8:35:00	57.9	52.0	62.0
	8:40:00	61.7	55.0	65.5
	8:45:00	65.0	56.5	68.0
	8:50:00	64.9	54.0	68.5
	8:55:00	62.0	53.5	67.5
	9:00:00	58.1	52.5	60.5
	9:05:00	60.4	52.0	63.5
	9:10:00	64.1	54.5	65.5
	9:15:00	64.7	54.5	70.0
	9:20:00	59.3	53.0	62.5
	9:25:00	58.5	53.0	61.5
	9:30:00	57.3	51.5	60.5
	9:35:00	58.3	50.5	61.5
	9:40:00	55.5	50.0	58.0
	9:45:00	57.9	51.5	61.0
	9:50:00	58.9	50.0	58.0
	9:55:00	58.5	51.5	62.0
	10:00:00	61.2	51.0	66.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/9/2007	10:05:00	56.3	50.5	59.0
	10:10:00	58.7	49.5	61.5
	10:15:00	59.6	52.5	63.5
	10:20:00	55.5	49.0	59.0
	10:25:00	57.2	48.5	61.5
	10:30:00	59.9	50.0	61.5
	10:35:00	66.0	51.5	62.5
	10:40:00	56.8	49.0	60.5
	10:45:00	61.1	52.5	62.5
	10:50:00	62.7	54.0	60.5
	10:55:00	57.0	50.5	59.5
	11:00:00	58.7	51.5	61.5
	11:05:00	56.4	52.0	58.5
	11:10:00	57.0	52.0	59.0
	11:15:00	56.0	51.5	59.0
	11:20:00	56.5	51.0	59.0
	11:25:00	59.0	52.0	63.5
	11:30:00	55.6	50.5	58.0
	11:35:00	59.4	50.0	63.5
	11:40:00	59.7	50.0	60.5
	11:45:00	56.0	51.0	58.5
	11:50:00	54.5	49.5	56.0
	11:55:00	59.2	53.0	62.0
	12:00:00	56.7	49.0	60.0
	12:05:00	60.9	51.5	62.0
	12:10:00	66.6	52.0	66.5
	12:15:00	56.1	52.0	58.5
	12:20:00	60.7	53.0	63.5
	12:25:00	56.9	50.5	60.0
	12:30:00	55.5	49.5	59.0
	12:35:00	56.6	49.5	59.5
	12:40:00	57.8	51.0	60.0
	12:45:00	55.9	50.5	58.0
	12:50:00	60.9	51.0	61.5
	12:55:00	57.1	53.0	59.5
	13:00:00	56.3	53.0	58.5
	13:05:00	60.8	52.5	62.5
	13:10:00	61.1	56.0	62.5
	13:15:00	57.0	51.5	60.0
	13:20:00	55.5	50.0	57.5
	13:25:00	56.3	51.0	59.0
	13:30:00	68.1	58.5	69.0
	13:35:00	70.7	62.0	70.0
	13:40:00	58.8	52.5	61.5
	13:45:00	56.8	52.5	59.5
	13:50:00	56.1	51.5	60.0
	13:55:00	55.9	49.5	59.0
	14:00:00	58.9	52.0	62.5
	14:05:00	55.6	50.0	58.0
	14:10:00	57.3	50.0	60.5
	14:15:00	55.9	50.0	59.0
	14:20:00	55.9	49.0	59.0
	14:25:00	57.4	51.5	60.5
	14:30:00	55.2	51.0	58.0
	14:35:00	55.0	49.5	58.0
	14:40:00	56.1	50.0	60.0
	14:45:00	54.6	50.5	57.0
	14:50:00	55.7	50.5	59.0
	14:55:00	54.9	48.5	57.5
	15:00:00	56.4	50.0	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/9/2007	15:05:00	55.1	48.5	58.5
	15:10:00	54.9	49.5	58.0
	15:15:00	61.9	51.0	61.0
	15:20:00	71.0	62.5	69.5
	15:25:00	59.8	50.0	63.0
	15:30:00	56.5	50.5	59.5
	15:35:00	57.4	50.5	59.5
	15:40:00	57.6	51.0	61.5
	15:45:00	56.3	52.5	59.0
	15:50:00	57.0	51.0	57.5
	15:55:00	58.0	50.5	59.0
	16:00:00	57.2	51.0	60.0
	16:05:00	54.7	50.0	57.5
	16:10:00	60.6	51.0	63.0
	16:15:00	61.1	50.5	64.0
	16:20:00	56.1	50.5	59.5
	16:25:00	54.2	50.5	57.0
	16:30:00	54.2	49.0	57.0
	16:35:00	55.1	49.0	56.5
	16:40:00	54.9	50.5	57.5
	16:45:00	54.9	49.0	57.5
	16:50:00	62.0	51.5	63.0
	16:55:00	56.8	52.0	59.5
	17:00:00	64.0	63.0	64.5
	17:05:00	64.8	63.0	65.5
	17:10:00	65.7	63.5	66.5
	17:15:00	59.8	48.5	64.0
	17:20:00	59.9	50.0	60.0
	17:25:00	56.7	49.0	58.5
	17:30:00	55.2	51.0	57.5
	17:35:00	70.0	63.0	72.5
	17:40:00	67.5	59.0	71.0
	17:45:00	60.1	52.5	61.0
	17:50:00	55.7	51.5	58.5
	17:55:00	60.4	50.5	65.0
	18:00:00	67.9	59.0	72.0
	18:05:00	65.0	53.5	70.0
	18:10:00	63.3	55.0	63.0
	18:15:00	66.1	57.0	69.5
	18:20:00	61.7	55.5	65.5
	18:25:00	57.3	50.5	60.5
	18:30:00	55.1	50.5	57.5
	18:35:00	55.9	50.0	59.5
	18:40:00	56.0	50.5	59.5
	18:45:00	56.8	50.0	58.5
	18:50:00	55.6	49.5	58.5
	18:55:00	56.2	50.5	59.0
	19:00:00	57.0	50.5	59.0
	19:05:00	63.1	51.5	62.0
	19:10:00	59.5	55.5	60.5
	19:15:00	59.0	55.5	60.0
	19:20:00	57.7	55.5	59.5
	19:25:00	60.5	55.5	64.0
	19:30:00	58.9	53.5	61.5
	19:35:00	57.9	52.5	60.0
	19:40:00	57.7	50.0	59.0
	19:45:00	56.1	51.0	58.5
	19:50:00	61.4	52.0	60.0
	19:55:00	58.1	52.5	60.5
	20:00:00	56.3	51.0	60.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/9/2007	20:05:00	54.3	50.0	56.5
	20:10:00	57.8	51.5	60.5
	20:15:00	55.3	50.0	58.0
	20:20:00	53.5	48.5	56.0
	20:25:00	57.0	49.0	57.0
	20:30:00	64.5	46.5	60.0
	20:35:00	53.7	49.0	56.5
	20:40:00	53.0	48.0	55.5
	20:45:00	53.2	48.5	56.0
	20:50:00	59.0	50.5	63.0
	20:55:00	54.3	49.0	57.0
	21:00:00	63.1	53.0	64.5
	21:05:00	72.7	56.5	77.5
	21:10:00	55.1	50.5	58.0
	21:15:00	52.3	47.5	54.5
	21:20:00	53.2	48.0	56.0
	21:25:00	53.8	49.0	56.0
	21:30:00	54.9	49.5	57.0
	21:35:00	52.4	47.5	54.5
	21:40:00	53.5	49.5	55.5
	21:45:00	53.0	49.0	55.5
	21:50:00	53.6	49.0	55.5
	21:55:00	57.6	47.0	55.5
	22:00:00	54.6	48.5	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/9/2007	22:05:00	53.1	47.0	54.5
	22:10:00	53.0	48.5	54.5
	22:15:00	53.0	47.5	55.5
	22:20:00	52.3	47.5	54.5
	22:25:00	52.3	47.5	55.0
	22:30:00	52.8	48.5	54.5
	22:35:00	53.7	48.0	56.0
	22:40:00	53.9	49.5	56.0
	22:45:00	51.4	45.5	54.5
	22:50:00	56.8	48.0	56.5
	22:55:00	53.1	49.0	55.5
	23:00:00	53.9	48.0	55.5
	23:05:00	53.2	48.5	55.5
	23:10:00	52.1	48.0	54.0
	23:15:00	53.7	47.5	56.5
	23:20:00	51.9	47.0	54.5
	23:25:00	52.8	48.0	55.0
	23:30:00	53.7	49.0	56.0
	23:35:00	54.2	49.0	57.5
	23:40:00	56.8	48.5	58.0
	23:45:00	54.8	48.5	55.5
	23:50:00	51.4	48.0	53.5
	23:55:00	55.9	49.5	59.0
	0:00:00	52.8	49.0	55.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/10/2007	0:05:00	52.6	48.0	55.0
	0:10:00	52.7	47.5	55.5
	0:15:00	53.6	49.0	55.0
	0:20:00	53.1	49.0	55.5
	0:25:00	53.5	50.5	55.0
	0:30:00	54.9	49.0	56.5
	0:35:00	51.2	48.5	53.5
	0:40:00	53.0	49.5	55.0
	0:45:00	52.9	48.0	56.0
	0:50:00	52.6	49.0	55.0
	0:55:00	52.2	48.5	54.5
	1:00:00	51.2	48.0	53.5
	1:05:00	52.9	48.0	56.5
	1:10:00	50.9	47.0	53.0
	1:15:00	53.0	47.5	53.5
	1:20:00	51.7	48.0	54.0
	1:25:00	51.7	47.0	54.0
	1:30:00	50.6	46.5	52.5
	1:35:00	52.9	47.0	55.5
	1:40:00	50.1	46.5	53.0
	1:45:00	54.7	46.5	53.5
	1:50:00	51.0	47.0	53.5
	1:55:00	50.3	47.0	53.0
	2:00:00	52.5	46.5	55.0
	2:05:00	51.1	47.0	54.0
	2:10:00	49.2	47.0	51.5
	2:15:00	51.3	47.5	53.5
	2:20:00	49.4	47.0	51.5
	2:25:00	49.1	47.0	51.0
	2:30:00	53.1	47.0	54.0
	2:35:00	52.1	47.0	55.5
	2:40:00	53.0	47.0	55.5
	2:45:00	52.8	47.0	56.5
	2:50:00	57.5	47.0	57.0
	2:55:00	55.8	47.5	58.5
	3:00:00	67.6	58.0	71.0
	3:05:00	66.4	60.5	69.5
	3:10:00	66.5	61.5	70.5
	3:15:00	68.0	57.0	72.5
	3:20:00	73.8	62.0	77.5
	3:25:00	76.6	73.5	78.5
	3:30:00	78.8	75.5	80.0
	3:35:00	76.7	69.5	78.0
	3:40:00	68.3	64.0	70.5
	3:45:00	65.8	63.0	67.5
	3:50:00	64.5	59.0	66.0
	3:55:00	61.8	57.0	64.0
	4:00:00	64.1	55.0	61.5
	4:05:00	62.4	53.0	62.5
	4:10:00	59.6	55.0	61.5
	4:15:00	61.6	58.5	63.0
	4:20:00	58.9	55.5	59.5
	4:25:00	58.4	55.0	61.0
	4:30:00	58.1	55.5	59.0
	4:35:00	57.1	54.5	59.0
	4:40:00	57.7	55.0	59.0
	4:45:00	57.6	56.5	59.0
	4:50:00	57.0	55.0	58.0
	4:55:00	57.4	55.5	59.0
	5:00:00	60.0	58.5	60.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/10/2007	5:05:00	61.2	60.0	62.0
	5:10:00	63.5	61.0	66.0
	5:15:00	66.5	61.5	71.0
	5:20:00	59.2	58.0	60.5
	5:25:00	60.0	58.0	61.5
	5:30:00	63.7	61.5	65.0
	5:35:00	59.5	58.0	61.0
	5:40:00	58.4	57.0	59.5
	5:45:00	59.3	58.5	60.0
	5:50:00	60.2	59.0	61.0
	5:55:00	60.9	59.5	62.0
	6:00:00	64.6	59.0	65.0
	6:05:00	64.3	58.0	67.0
	6:10:00	59.4	58.0	60.0
	6:15:00	63.4	59.5	65.0
	6:20:00	64.1	62.0	66.5
	6:25:00	62.6	58.0	65.0
	6:30:00	64.2	58.5	68.0
	6:35:00	68.9	66.5	71.0
	6:40:00	65.1	60.5	67.0
	6:45:00	61.7	52.5	65.0
	6:50:00	54.2	50.0	57.0
	6:55:00	54.5	50.0	57.0
	7:00:00	57.5	49.0	59.0
	7:05:00	52.2	47.5	55.5
	7:10:00	52.6	46.5	56.5
	7:15:00	52.4	47.5	55.0
	7:20:00	61.7	53.0	66.0
	7:25:00	74.7	66.5	76.0
	7:30:00	71.0	66.0	73.0
	7:35:00	74.2	70.0	76.5
	7:40:00	66.6	64.5	68.0
	7:45:00	69.7	66.0	69.5
	7:50:00	70.6	69.0	71.5
	7:55:00	65.0	62.0	67.0
	8:00:00	62.2	61.0	63.5
	8:05:00	61.4	59.0	62.5
	8:10:00	58.1	55.5	59.5
	8:15:00	57.4	55.0	59.0
	8:20:00	57.7	54.0	60.0
	8:25:00	58.2	54.5	61.0
	8:30:00	57.6	53.5	60.0
	8:35:00	56.7	52.5	59.5
	8:40:00	58.1	52.5	60.5
	8:45:00	57.6	54.5	59.5
	8:50:00	60.0	55.5	63.0
	8:55:00	62.7	59.0	64.0
	9:00:00	58.4	54.0	60.5
	9:05:00	59.8	55.0	61.5
	9:10:00	59.0	56.0	61.0
	9:15:00	58.3	54.5	61.0
	9:20:00	57.9	55.0	60.0
	9:25:00	59.4	54.5	62.0
	9:30:00	59.6	55.0	62.0
	9:35:00	58.2	56.0	59.5
	9:40:00	60.1	56.5	62.5
	9:45:00	59.9	56.5	62.0
	9:50:00	58.2	53.0	60.5
	9:55:00	58.6	53.0	61.0
	10:00:00	57.5	54.5	59.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/10/2007	10:05:00	58.4	52.0	61.0
	10:10:00	57.8	52.5	61.0
	10:15:00	55.7	51.5	58.0
	10:20:00	58.3	54.5	60.5
	10:25:00	61.8	57.0	66.0
	10:30:00	66.2	65.5	67.0
	10:35:00	63.3	57.5	65.5
	10:40:00	66.0	55.5	70.0
	10:45:00	68.3	61.0	71.0
	10:50:00	63.2	60.5	66.0
	10:55:00	63.6	60.0	66.0
	11:00:00	66.7	64.0	68.0
	11:05:00	67.9	66.0	70.0
	11:10:00	69.0	67.0	70.5
	11:15:00	69.2	67.0	70.5
	11:20:00	66.5	63.5	68.0
	11:25:00	62.4	60.0	63.5
	11:30:00	63.1	61.5	64.5
	11:35:00	61.5	59.5	63.0
	11:40:00	60.9	59.5	62.0
	11:45:00	62.8	60.0	64.5
	11:50:00	63.7	61.5	65.5
	11:55:00	70.3	67.0	72.0
	12:00:00	69.6	66.5	71.5
	12:05:00	63.4	60.5	65.5
	12:10:00	65.7	61.5	67.5
	12:15:00	63.3	56.5	65.5
	12:20:00	60.0	56.0	62.5
	12:25:00	63.7	59.5	65.5
	12:30:00	61.7	59.0	63.5
	12:35:00	63.3	60.5	66.0
	12:40:00	60.7	57.5	63.0
	12:45:00	62.4	59.5	64.0
	12:50:00	60.9	59.0	62.5
	12:55:00	61.1	57.0	62.5
	13:00:00	59.4	55.5	62.0
	13:05:00	60.5	57.5	62.5
	13:10:00	63.9	61.5	65.5
	13:15:00	60.7	57.0	63.0
	13:20:00	56.0	52.5	58.0
	13:25:00	59.6	55.0	62.0
	13:30:00	66.4	60.5	70.0
	13:35:00	68.8	65.0	70.5
	13:40:00	64.8	62.5	65.5
	13:45:00	61.7	58.0	64.0
	13:50:00	59.0	55.0	61.0
	13:55:00	60.1	56.5	62.5
	14:00:00	61.4	56.0	64.5
	14:05:00	63.3	57.5	66.0
	14:10:00	59.6	54.0	60.5
	14:15:00	59.0	54.5	62.5
	14:20:00	62.1	55.5	62.0
	14:25:00	57.8	54.5	59.5
	14:30:00	59.4	55.0	62.5
	14:35:00	59.8	56.0	62.0
	14:40:00	61.8	57.0	63.5
	14:45:00	60.7	55.5	63.5
	14:50:00	59.0	55.0	61.5
	14:55:00	63.2	56.5	65.0
	15:00:00	70.7	64.0	67.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/10/2007	15:05:00	63.8	54.0	65.5
	15:10:00	60.7	50.0	60.0
	15:15:00	57.2	50.5	60.5
	15:20:00	59.6	50.5	62.5
	15:25:00	55.6	48.0	59.5
	15:30:00	55.2	47.5	57.5
	15:35:00	56.3	51.0	58.5
	15:40:00	55.2	49.0	58.0
	15:45:00	55.9	50.0	59.5
	15:50:00	54.5	49.5	57.0
	15:55:00	54.0	50.5	56.5
	16:00:00	56.3	49.0	59.5
	16:05:00	56.9	52.5	59.5
	16:10:00	54.0	49.5	56.0
	16:15:00	56.1	52.5	58.5
	16:20:00	57.9	51.5	60.5
	16:25:00	56.5	49.0	59.5
	16:30:00	56.9	51.0	59.5
	16:35:00	63.8	52.5	61.0
	16:40:00	58.5	50.5	60.0
	16:45:00	55.2	50.0	58.5
	16:50:00	55.8	48.0	59.5
	16:55:00	57.6	50.5	60.5
	17:00:00	57.7	49.0	61.5
	17:05:00	56.5	48.5	60.5
	17:10:00	56.4	48.0	58.0
	17:15:00	59.4	48.5	61.0
	17:20:00	64.5	52.5	62.5
	17:25:00	55.1	50.5	57.5
	17:30:00	63.0	48.0	65.5
	17:35:00	62.6	50.5	62.5
	17:40:00	69.2	52.0	74.0
	17:45:00	71.4	53.5	76.0
	17:50:00	69.7	53.5	74.5
	17:55:00	64.6	53.5	65.0
	18:00:00	64.1	51.5	65.0
	18:05:00	64.6	51.0	63.5
	18:10:00	62.6	50.5	64.0
	18:15:00	65.5	51.5	68.0
	18:20:00	65.0	50.5	67.5
	18:25:00	60.2	46.0	59.0
	18:30:00	53.6	49.0	56.5
	18:35:00	54.6	48.5	58.5
	18:40:00	55.5	50.5	56.5
	18:45:00	54.7	48.5	56.0
	18:50:00	54.3	51.0	56.5
	18:55:00	57.0	50.5	60.0
	19:00:00	59.1	51.0	61.0
	19:05:00	63.1	55.5	64.0
	19:10:00	60.3	55.0	61.5
	19:15:00	62.8	55.0	65.5
	19:20:00	58.1	53.5	60.0
	19:25:00	62.9	51.0	62.0
	19:30:00	71.8	49.0	75.5
	19:35:00	61.9	49.5	61.5
	19:40:00	62.2	52.0	60.0
	19:45:00	56.3	51.5	60.5
	19:50:00	59.7	52.0	62.0
	19:55:00	57.8	52.0	61.0
	20:00:00	57.1	52.0	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/10/2007	20:05:00	56.6	52.0	60.5
	20:10:00	56.5	52.0	59.5
	20:15:00	61.1	53.0	62.0
	20:20:00	58.1	52.5	61.0
	20:25:00	57.5	51.0	61.0
	20:30:00	56.3	51.5	60.0
	20:35:00	58.6	52.0	60.5
	20:40:00	64.3	51.5	59.5
	20:45:00	57.0	52.0	58.5
	20:50:00	58.3	50.5	60.0
	20:55:00	60.7	52.5	63.0
	21:00:00	56.6	52.0	58.5
	21:05:00	66.3	52.5	62.0
	21:10:00	55.0	50.0	58.0
	21:15:00	54.9	50.0	57.5
	21:20:00	56.2	51.5	59.0
	21:25:00	55.4	50.5	57.0
	21:30:00	57.2	50.0	57.5
	21:35:00	55.8	51.5	56.5
	21:40:00	57.1	51.0	58.5
	21:45:00	57.0	51.5	60.0
	21:50:00	54.9	52.0	56.0
	21:55:00	56.3	52.0	57.0
	22:00:00	55.7	52.0	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/10/2007	22:05:00	55.4	52.0	57.5
	22:10:00	52.8	48.5	55.0
	22:15:00	54.1	49.5	55.5
	22:20:00	62.0	50.5	65.0
	22:25:00	65.6	50.5	66.5
	22:30:00	61.1	51.0	60.0
	22:35:00	59.1	50.0	61.0
	22:40:00	57.0	50.5	60.5
	22:45:00	56.6	50.5	59.5
	22:50:00	58.1	52.0	61.0
	22:55:00	57.4	50.5	60.0
	23:00:00	55.6	49.5	58.5
	23:05:00	62.6	51.0	67.0
	23:10:00	58.1	50.0	62.0
	23:15:00	52.9	49.0	55.0
	23:20:00	56.4	48.5	56.0
	23:25:00	62.3	49.0	58.5
	23:30:00	54.1	47.5	57.5
	23:35:00	55.2	48.5	56.5
	23:40:00	51.7	48.0	54.0
	23:45:00	52.8	47.5	55.5
	23:50:00	52.5	48.0	55.0
	23:55:00	52.2	47.0	54.5
	0:00:00	52.9	47.0	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/11/2007	0:05:00	54.6	48.0	57.0
	0:10:00	52.4	47.0	55.0
	0:15:00	52.5	48.0	55.0
	0:20:00	52.8	48.5	55.0
	0:25:00	55.4	47.0	58.5
	0:30:00	52.8	46.5	54.0
	0:35:00	52.1	47.5	54.5
	0:40:00	52.4	48.0	55.0
	0:45:00	52.8	47.5	54.5
	0:50:00	50.9	47.5	53.0
	0:55:00	49.9	46.5	52.0
	1:00:00	50.4	46.5	53.0
	1:05:00	49.8	46.5	52.0
	1:10:00	49.9	46.5	52.0
	1:15:00	49.4	46.0	51.5
	1:20:00	49.4	46.0	52.0
	1:25:00	49.2	45.5	51.5
	1:30:00	49.7	46.5	52.0
	1:35:00	50.3	47.0	53.0
	1:40:00	51.0	47.5	53.0
	1:45:00	50.6	47.5	53.0
	1:50:00	50.7	47.5	52.5
	1:55:00	49.1	47.0	51.0
	2:00:00	48.9	47.0	51.0
	2:05:00	49.4	46.5	51.5
	2:10:00	50.4	46.5	53.5
	2:15:00	51.1	46.5	51.5
	2:20:00	48.6	46.5	51.5
	2:25:00	49.2	46.5	52.0
	2:30:00	50.4	46.0	51.0
	2:35:00	50.3	46.5	52.0
	2:40:00	49.2	46.5	51.0
	2:45:00	48.7	46.5	50.0
	2:50:00	49.5	47.0	51.5
	2:55:00	50.2	47.0	52.5
	3:00:00	49.9	46.5	52.5
	3:05:00	49.0	47.0	51.0
	3:10:00	49.4	47.0	51.5
	3:15:00	48.5	46.5	50.0
	3:20:00	47.8	46.5	49.0
	3:25:00	51.4	46.5	53.5
	3:30:00	49.7	46.5	52.5
	3:35:00	51.1	47.0	52.0
	3:40:00	48.0	46.0	50.0
	3:45:00	48.0	45.5	50.5
	3:50:00	47.6	46.0	49.0
	3:55:00	48.6	46.0	51.0
	4:00:00	47.2	45.5	48.5
	4:05:00	48.2	46.0	50.5
	4:10:00	47.6	46.0	50.0
	4:15:00	47.3	45.5	48.5
	4:20:00	46.9	46.0	48.0
	4:25:00	49.2	45.5	49.5
	4:30:00	47.7	46.0	49.0
	4:35:00	49.0	46.0	51.0
	4:40:00	47.3	45.5	49.0
	4:45:00	47.4	45.5	49.0
	4:50:00	48.5	45.5	51.5
	4:55:00	48.7	46.0	51.5
	5:00:00	48.8	45.5	51.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/11/2007	5:05:00	47.7	45.0	50.0
	5:10:00	47.9	45.0	49.5
	5:15:00	49.2	45.5	52.5
	5:20:00	51.5	46.5	53.5
	5:25:00	59.9	53.5	64.5
	5:30:00	62.8	57.0	64.5
	5:35:00	64.1	57.0	68.5
	5:40:00	63.1	55.5	67.0
	5:45:00	62.2	54.0	66.5
	5:50:00	61.6	52.5	66.5
	5:55:00	55.6	51.0	56.0
	6:00:00	63.1	51.5	65.0
	6:05:00	62.2	53.5	65.5
	6:10:00	61.1	50.5	66.0
	6:15:00	60.4	52.5	65.5
	6:20:00	58.7	52.0	60.5
	6:25:00	56.2	52.5	58.5
	6:30:00	60.9	54.5	65.0
	6:35:00	55.6	52.5	57.5
	6:40:00	54.5	51.5	57.0
	6:45:00	64.0	55.0	67.5
	6:50:00	62.6	57.5	66.0
	6:55:00	62.2	56.0	65.0
	7:00:00	64.2	56.0	69.0
	7:05:00	64.2	56.0	69.5
	7:10:00	63.3	55.5	67.5
	7:15:00	62.5	55.0	66.0
	7:20:00	62.8	55.5	65.5
	7:25:00	65.5	56.0	71.0
	7:30:00	69.1	62.5	71.5
	7:35:00	66.2	56.0	70.0
	7:40:00	62.0	55.5	65.5
	7:45:00	64.9	57.5	69.0
	7:50:00	64.5	57.0	67.5
	7:55:00	65.0	55.0	69.5
	8:00:00	66.6	58.5	70.0
	8:05:00	63.0	55.0	68.0
	8:10:00	59.6	55.0	62.5
	8:15:00	58.8	55.0	61.0
	8:20:00	60.4	54.5	62.5
	8:25:00	59.4	53.0	60.5
	8:30:00	56.1	50.5	59.5
	8:35:00	63.4	52.5	68.5
	8:40:00	57.5	53.0	60.5
	8:45:00	61.4	54.5	64.5
	8:50:00	56.9	52.5	59.5
	8:55:00	58.7	53.0	61.0
	9:00:00	60.5	55.0	62.5
	9:05:00	56.3	49.0	59.0
	9:10:00	56.0	48.5	59.5
	9:15:00	55.8	49.5	58.5
	9:20:00	57.2	48.0	60.5
	9:25:00	57.0	50.5	60.5
	9:30:00	56.8	50.0	60.0
	9:35:00	58.3	50.5	60.5
	9:40:00	58.2	51.5	62.5
	9:45:00	59.1	51.5	62.5
	9:50:00	56.3	50.0	59.5
	9:55:00	57.6	51.5	61.0
	10:00:00	56.7	50.0	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/11/2007	10:05:00	56.4	49.5	59.5
	10:10:00	59.3	51.5	62.5
	10:15:00	57.1	50.5	60.5
	10:20:00	58.2	49.5	62.5
	10:25:00	58.1	53.5	60.5
	10:30:00	64.6	55.5	67.0
	10:35:00	63.6	58.0	67.0
	10:40:00	60.9	55.0	65.0
	10:45:00	57.9	54.0	59.5
	10:50:00	60.8	54.5	64.0
	10:55:00	67.2	59.5	73.5
	11:00:00	62.2	60.0	63.0
	11:05:00	65.8	59.5	63.0
	11:10:00	61.6	55.5	63.5
	11:15:00	57.0	54.0	60.0
	11:20:00	61.5	53.5	63.0
	11:25:00	58.8	55.0	61.5
	11:30:00	57.0	54.5	58.5
	11:35:00	57.5	54.0	60.0
	11:40:00	60.9	55.5	65.0
	11:45:00	58.9	55.5	60.5
	11:50:00	60.8	55.0	62.0
	11:55:00	60.2	55.5	64.5
	12:00:00	58.5	54.5	61.0
	12:05:00	58.0	53.5	60.5
	12:10:00	57.1	53.5	59.5
	12:15:00	56.5	54.0	58.0
	12:20:00	56.8	54.0	59.0
	12:25:00	58.8	54.5	61.5
	12:30:00	57.6	54.0	60.0
	12:35:00	58.0	54.0	61.0
	12:40:00	59.8	54.5	64.5
	12:45:00	59.1	54.5	62.0
	12:50:00	57.9	54.0	61.0
	12:55:00	57.5	54.0	60.0
	13:00:00	69.0	54.5	74.5
	13:05:00	62.6	56.5	65.5
	13:10:00	71.3	62.5	75.0
	13:15:00	71.2	60.5	75.5
	13:20:00	64.4	60.5	65.5
	13:25:00	71.3	67.5	74.5
	13:30:00	74.0	67.5	76.5
	13:35:00	64.6	60.0	65.5
	13:40:00	69.7	63.5	71.5
	13:45:00	72.4	69.0	74.0
	13:50:00	66.1	58.0	69.5
	13:55:00	58.5	54.5	61.5
	14:00:00	59.4	54.0	62.5
	14:05:00	57.4	51.0	60.0
	14:10:00	58.0	50.5	61.0
	14:15:00	56.2	51.0	59.0
	14:20:00	54.8	47.5	58.0
	14:25:00	60.5	51.0	64.0
	14:30:00	60.2	49.0	63.0
	14:35:00	60.0	53.0	60.5
	14:40:00	59.1	49.0	61.0
	14:45:00	60.5	49.5	60.5
	14:50:00	59.3	50.5	59.5
	14:55:00	63.5	52.0	62.0
	15:00:00	61.3	52.5	61.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/11/2007	15:05:00	58.4	52.5	60.5
	15:10:00	66.6	51.5	65.5
	15:15:00	58.5	51.0	60.0
	15:20:00	59.5	50.0	59.5
	15:25:00	58.2	51.5	60.5
	15:30:00	55.9	49.0	58.5
	15:35:00	59.1	51.5	60.5
	15:40:00	60.0	51.5	62.0
	15:45:00	65.5	52.5	68.5
	15:50:00	61.6	52.5	64.5
	15:55:00	58.9	55.0	61.5
	16:00:00	60.7	56.0	62.5
	16:05:00	64.4	56.0	71.5
	16:10:00	60.2	56.5	62.0
	16:15:00	61.5	56.0	64.5
	16:20:00	64.4	53.5	61.0
	16:25:00	57.3	52.0	60.5
	16:30:00	55.5	49.5	58.5
	16:35:00	56.3	46.5	59.5
	16:40:00	56.7	50.0	60.0
	16:45:00	54.6	48.0	57.5
	16:50:00	58.8	48.5	63.5
	16:55:00	64.9	50.5	64.0
	17:00:00	59.8	50.5	62.5
	17:05:00	57.2	48.0	58.5
	17:10:00	54.5	49.5	57.5
	17:15:00	55.2	48.5	58.0
	17:20:00	55.5	49.0	58.5
	17:25:00	57.5	50.0	61.5
	17:30:00	59.7	50.5	64.5
	17:35:00	60.5	48.0	63.0
	17:40:00	59.4	50.5	60.5
	17:45:00	57.0	48.5	59.0
	17:50:00	55.7	48.0	58.0
	17:55:00	54.8	50.0	57.5
	18:00:00	53.5	47.5	56.0
	18:05:00	60.2	51.0	63.5
	18:10:00	60.1	50.0	63.0
	18:15:00	60.0	51.5	64.0
	18:20:00	69.3	58.5	66.5
	18:25:00	61.4	50.5	64.0
	18:30:00	59.8	52.0	64.0
	18:35:00	55.2	51.5	57.0
	18:40:00	56.7	49.5	57.5
	18:45:00	57.3	48.5	62.0
	18:50:00	53.8	46.5	56.0
	18:55:00	56.8	47.0	61.0
	19:00:00	54.8	49.5	57.0
	19:05:00	56.0	47.5	61.0
	19:10:00	58.1	51.5	62.0
	19:15:00	58.2	53.5	62.0
	19:20:00	59.0	54.0	60.5
	19:25:00	59.8	51.0	61.5
	19:30:00	56.5	50.5	58.0
	19:35:00	54.5	50.0	56.0
	19:40:00	56.6	50.5	59.0
	19:45:00	56.3	51.0	58.5
	19:50:00	56.8	51.5	59.5
	19:55:00	56.9	50.5	57.0
	20:00:00	60.0	49.5	61.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/11/2007	20:05:00	63.4	49.5	60.5
	20:10:00	59.5	49.5	59.5
	20:15:00	57.9	51.0	60.0
	20:20:00	55.2	50.5	57.5
	20:25:00	55.3	50.0	58.5
	20:30:00	54.8	49.5	58.0
	20:35:00	53.3	48.5	56.0
	20:40:00	54.6	49.5	56.5
	20:45:00	56.1	47.0	56.0
	20:50:00	58.1	49.0	60.5
	20:55:00	55.1	49.5	58.0
	21:00:00	54.1	49.5	57.0
	21:05:00	52.4	48.5	54.5
	21:10:00	54.3	47.5	56.0
	21:15:00	55.0	50.0	57.5
	21:20:00	55.5	48.0	57.5
	21:25:00	68.1	48.0	65.5
	21:30:00	59.8	47.0	55.0
	21:35:00	53.1	48.0	56.0
	21:40:00	54.5	49.5	55.5
	21:45:00	55.4	48.5	59.0
	21:50:00	53.8	49.0	56.0
	21:55:00	54.0	49.0	56.5
	22:00:00	56.7	49.0	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/11/2007	22:05:00	53.7	48.5	56.5
	22:10:00	54.8	48.5	57.0
	22:15:00	53.5	47.5	56.5
	22:20:00	52.1	48.0	54.5
	22:25:00	51.7	47.0	54.5
	22:30:00	53.1	48.0	56.0
	22:35:00	51.3	47.5	53.0
	22:40:00	52.7	47.5	55.0
	22:45:00	53.6	48.0	54.5
	22:50:00	52.8	48.0	55.0
	22:55:00	53.8	46.0	56.5
	23:00:00	52.5	47.5	54.5
	23:05:00	53.2	46.5	55.0
	23:10:00	53.5	47.0	56.5
	23:15:00	54.9	48.5	57.0
	23:20:00	54.2	48.0	57.0
	23:25:00	54.5	48.0	57.0
	23:30:00	52.0	47.0	54.5
	23:35:00	52.8	47.5	55.0
	23:40:00	51.3	46.5	53.0
	23:45:00	50.8	46.5	53.0
	23:50:00	50.5	46.0	53.5
	23:55:00	52.6	48.0	55.5
	0:00:00	53.2	48.5	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/12/2007	0:05:00	53.1	48.0	56.0
	0:10:00	51.2	47.0	54.0
	0:15:00	51.2	46.5	52.5
	0:20:00	64.0	47.0	57.5
	0:25:00	50.9	46.5	53.5
	0:30:00	50.7	46.0	52.5
	0:35:00	51.5	46.0	56.5
	0:40:00	53.4	46.5	57.0
	0:45:00	51.3	46.5	54.5
	0:50:00	49.0	46.0	51.0
	0:55:00	49.4	46.5	52.0
	1:00:00	49.4	46.5	52.0
	1:05:00	50.5	47.0	53.0
	1:10:00	50.8	47.5	53.0
	1:15:00	49.8	47.0	52.0
	1:20:00	50.5	48.0	52.5
	1:25:00	50.4	48.5	52.0
	1:30:00	51.1	48.5	53.0
	1:35:00	52.2	48.5	55.0
	1:40:00	50.4	48.5	52.5
	1:45:00	50.3	48.5	52.5
	1:50:00	50.0	48.0	52.0
	1:55:00	50.7	47.0	54.0
	2:00:00	50.7	47.5	52.5
	2:05:00	49.6	47.5	51.5
	2:10:00	50.3	47.5	52.0
	2:15:00	48.8	47.5	50.0
	2:20:00	49.2	47.0	51.5
	2:25:00	48.9	47.5	50.0
	2:30:00	50.6	47.5	53.0
	2:35:00	49.9	47.5	52.0
	2:40:00	49.1	47.5	51.0
	2:45:00	49.1	47.5	50.5
	2:50:00	50.2	47.0	52.0
	2:55:00	49.6	47.0	52.0
	3:00:00	48.1	47.0	48.5
	3:05:00	51.5	47.5	54.0
	3:10:00	48.7	47.0	50.0
	3:15:00	50.3	47.5	53.0
	3:20:00	49.8	47.0	49.0
	3:25:00	52.7	47.0	54.0
	3:30:00	53.6	47.0	53.0
	3:35:00	48.3	47.0	49.5
	3:40:00	50.0	47.0	52.5
	3:45:00	49.2	46.5	51.5
	3:50:00	48.6	47.0	50.0
	3:55:00	48.9	47.0	49.5
	4:00:00	48.2	47.0	48.5
	4:05:00	48.7	47.0	50.5
	4:10:00	48.5	47.0	50.5
	4:15:00	49.0	47.0	51.5
	4:20:00	49.6	47.0	52.0
	4:25:00	49.0	47.0	51.0
	4:30:00	49.2	47.0	51.0
	4:35:00	48.2	46.5	50.0
	4:40:00	48.8	46.5	51.0
	4:45:00	48.4	46.5	50.5
	4:50:00	49.2	47.0	52.0
	4:55:00	51.2	47.0	53.5
	5:00:00	51.1	47.0	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/12/2007	5:05:00	49.6	47.0	52.0
	5:10:00	48.4	47.0	50.0
	5:15:00	49.5	47.0	52.0
	5:20:00	54.7	48.0	57.5
	5:25:00	61.0	57.5	63.5
	5:30:00	64.1	57.5	68.5
	5:35:00	64.6	56.0	68.0
	5:40:00	60.6	53.0	62.5
	5:45:00	57.4	53.5	60.0
	5:50:00	64.8	56.0	69.5
	5:55:00	59.2	51.5	60.5
	6:00:00	66.7	53.0	65.5
	6:05:00	63.9	53.0	68.0
	6:10:00	59.9	53.0	64.0
	6:15:00	59.6	54.0	62.5
	6:20:00	64.8	53.0	68.0
	6:25:00	62.3	53.0	67.5
	6:30:00	59.0	53.0	61.0
	6:35:00	60.9	54.5	64.5
	6:40:00	61.1	53.5	64.0
	6:45:00	59.4	53.5	63.0
	6:50:00	65.8	55.0	70.5
	6:55:00	65.3	56.0	70.0
	7:00:00	65.7	56.5	69.5
	7:05:00	62.2	55.0	67.0
	7:10:00	59.2	54.5	62.0
	7:15:00	62.8	56.0	67.0
	7:20:00	62.5	56.0	66.5
	7:25:00	58.0	54.0	61.0
	7:30:00	64.3	55.5	69.0
	7:35:00	59.5	55.5	62.5
	7:40:00	63.9	58.5	67.0
	7:45:00	64.6	57.0	67.5
	7:50:00	64.4	58.0	68.0
	7:55:00	61.4	58.0	64.0
	8:00:00	60.4	55.0	63.5
	8:05:00	64.8	55.0	69.0
	8:10:00	61.1	52.5	63.0
	8:15:00	57.0	52.0	61.0
	8:20:00	56.3	52.0	58.5
	8:25:00	57.8	52.5	61.0
	8:30:00	57.7	54.5	59.5
	8:35:00	60.7	53.5	62.0
	8:40:00	58.8	52.5	60.5
	8:45:00	62.8	51.5	67.5
	8:50:00	63.3	52.5	67.5
	8:55:00	57.7	52.5	60.5
	9:00:00	57.2	53.0	60.0
	9:05:00	57.3	51.5	60.5
	9:10:00	55.9	50.5	59.0
	9:15:00	57.6	51.0	61.5
	9:20:00	57.2	51.5	60.5
	9:25:00	54.0	47.5	56.5
	9:30:00	56.7	49.5	60.0
	9:35:00	54.2	44.5	58.0
	9:40:00	56.3	50.0	60.0
	9:45:00	56.2	50.0	59.5
	9:50:00	59.6	50.5	60.0
	9:55:00	57.5	53.5	60.0
	10:00:00	59.7	54.5	63.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/12/2007	10:05:00	60.2	56.0	62.5
	10:10:00	58.1	56.0	59.5
	10:15:00	57.9	55.0	59.5
	10:20:00	59.0	55.5	61.0
	10:25:00	58.7	56.0	60.5
	10:30:00	59.5	56.0	62.0
	10:35:00	58.1	54.0	60.0
	10:40:00	58.8	55.5	61.0
	10:45:00	59.0	55.5	60.0
	10:50:00	67.4	55.5	64.0
	10:55:00	59.6	56.0	61.5
	11:00:00	59.3	56.5	61.0
	11:05:00	58.2	54.5	60.5
	11:10:00	58.3	54.5	59.5
	11:15:00	58.3	55.5	59.5
	11:20:00	59.5	55.5	61.0
	11:25:00	60.5	58.5	61.5
	11:30:00	64.0	56.5	60.5
	11:35:00	57.7	54.0	60.0
	11:40:00	59.9	55.5	62.5
	11:45:00	67.4	55.0	72.5
	11:50:00	60.2	55.5	63.0
	11:55:00	59.0	55.0	61.5
	12:00:00	59.0	55.5	60.0
	12:05:00	59.4	53.5	58.5
	12:10:00	60.0	55.0	62.0
	12:15:00	57.0	53.5	58.5
	12:20:00	57.8	53.5	60.0
	12:25:00	59.6	54.0	60.5
	12:30:00	58.9	54.0	58.5
	12:35:00	55.4	51.5	58.0
	12:40:00	64.5	55.0	72.5
	12:45:00	61.6	55.0	63.5
	12:50:00	57.9	53.5	59.5
	12:55:00	58.1	55.0	60.0
	13:00:00	58.5	55.5	61.0
	13:05:00	58.2	55.0	61.0
	13:10:00	62.3	52.5	61.5
	13:15:00	56.3	52.0	59.0
	13:20:00	61.0	55.0	64.5
	13:25:00	57.5	50.0	60.5
	13:30:00	53.9	46.0	57.0
	13:35:00	55.0	47.0	58.5
	13:40:00	56.8	51.5	59.5
	13:45:00	58.0	51.5	61.0
	13:50:00	59.7	53.0	62.5
	13:55:00	58.2	50.5	62.5
	14:00:00	58.2	50.0	62.0
	14:05:00	56.9	50.0	60.0
	14:10:00	54.7	49.0	58.5
	14:15:00	58.2	50.5	64.0
	14:20:00	56.0	49.0	58.5
	14:25:00	57.1	51.5	60.5
	14:30:00	61.8	50.5	66.5
	14:35:00	55.8	49.5	58.5
	14:40:00	56.4	49.0	60.0
	14:45:00	55.8	48.0	60.0
	14:50:00	56.9	51.0	59.5
	14:55:00	58.5	47.5	64.5
	15:00:00	54.5	48.5	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/12/2007	15:05:00	56.2	50.0	60.0
	15:10:00	55.9	51.5	58.5
	15:15:00	54.9	48.5	58.5
	15:20:00	55.5	48.5	58.5
	15:25:00	57.0	48.0	60.0
	15:30:00	62.6	52.0	64.0
	15:35:00	65.9	55.0	67.5
	15:40:00	66.9	55.0	65.0
	15:45:00	62.0	54.0	63.0
	15:50:00	59.9	54.5	61.5
	15:55:00	60.7	54.5	63.5
	16:00:00	64.9	54.0	72.0
	16:05:00	57.8	53.5	60.0
	16:10:00	59.8	55.0	61.0
	16:15:00	59.5	55.5	62.0
	16:20:00	66.1	55.0	73.5
	16:25:00	61.8	54.5	64.5
	16:30:00	57.6	54.5	60.0
	16:35:00	59.8	54.0	64.0
	16:40:00	65.9	53.0	74.0
	16:45:00	57.1	54.0	58.5
	16:50:00	61.8	54.5	64.0
	16:55:00	64.6	63.5	66.0
	17:00:00	65.7	63.5	65.0
	17:05:00	65.2	63.5	66.0
	17:10:00	65.2	63.5	66.0
	17:15:00	65.7	63.5	66.5
	17:20:00	66.1	64.0	67.0
	17:25:00	65.4	63.5	66.5
	17:30:00	66.7	63.5	69.0
	17:35:00	65.1	63.5	66.0
	17:40:00	65.0	63.5	66.5
	17:45:00	64.7	63.5	66.0
	17:50:00	62.6	55.5	64.5
	17:55:00	58.1	54.5	60.5
	18:00:00	61.1	55.0	61.0
	18:05:00	67.1	54.5	73.5
	18:10:00	66.6	55.5	73.0
	18:15:00	57.8	54.5	60.0
	18:20:00	56.5	53.0	58.5
	18:25:00	60.4	54.0	64.0
	18:30:00	65.8	60.5	67.0
	18:35:00	66.9	61.0	68.5
	18:40:00	70.0	62.5	73.5
	18:45:00	61.7	58.0	64.5
	18:50:00	72.4	57.5	75.5
	18:55:00	62.6	53.0	65.0
	19:00:00	57.8	53.5	60.0
	19:05:00	62.3	52.5	62.5
	19:10:00	59.1	52.0	65.0
	19:15:00	59.0	55.5	59.5
	19:20:00	55.2	51.5	57.5
	19:25:00	57.6	51.5	58.5
	19:30:00	57.8	52.0	61.5
	19:35:00	59.0	51.0	59.0
	19:40:00	58.5	52.5	61.5
	19:45:00	57.2	52.5	59.0
	19:50:00	60.1	53.5	61.5
	19:55:00	64.6	54.0	67.0
	20:00:00	61.4	52.5	63.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/12/2007	20:05:00	60.9	51.5	64.0
	20:10:00	72.6	61.0	70.5
	20:15:00	70.2	61.0	71.0
	20:20:00	66.2	60.5	63.5
	20:25:00	61.3	53.0	62.0
	20:30:00	52.6	49.0	55.0
	20:35:00	54.2	49.5	56.5
	20:40:00	54.7	48.5	57.0
	20:45:00	59.2	49.5	61.5
	20:50:00	64.3	50.5	65.5
	20:55:00	68.7	52.0	65.5
	21:00:00	60.3	49.5	61.5
	21:05:00	60.3	48.0	59.0
	21:10:00	51.8	48.0	54.0
	21:15:00	63.0	49.0	58.5
	21:20:00	61.3	48.0	61.5
	21:25:00	54.1	47.5	57.0
	21:30:00	54.5	50.5	57.5
	21:35:00	53.2	49.0	55.0
	21:40:00	53.0	49.5	54.0
	21:45:00	52.8	49.0	55.0
	21:50:00	55.5	50.0	58.0
	21:55:00	52.7	49.0	54.5
	22:00:00	54.8	50.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/12/2007	22:05:00	56.1	49.5	59.0
	22:10:00	54.4	49.0	57.5
	22:15:00	53.2	48.5	56.0
	22:20:00	53.8	51.0	55.5
	22:25:00	54.0	51.0	56.0
	22:30:00	53.8	51.5	55.0
	22:35:00	63.8	50.5	64.5
	22:40:00	60.1	50.5	58.0
	22:45:00	66.0	53.0	61.5
	22:50:00	65.7	53.0	65.0
	22:55:00	65.6	54.5	63.5
	23:00:00	54.5	51.5	56.0
	23:05:00	58.3	51.0	56.0
	23:10:00	52.9	48.5	56.0
	23:15:00	52.0	48.5	54.0
	23:20:00	51.8	49.0	53.5
	23:25:00	52.3	48.0	54.5
	23:30:00	51.8	48.0	53.5
	23:35:00	52.0	48.0	54.0
	23:40:00	51.9	48.0	54.5
	23:45:00	51.5	47.5	54.0
	23:50:00	50.5	48.0	52.5
	23:55:00	52.4	47.5	55.5
	0:00:00	52.4	48.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/13/2007	0:05:00	53.3	48.5	56.0
	0:10:00	52.5	47.5	55.5
	0:15:00	52.5	48.0	55.0
	0:20:00	52.0	48.5	54.5
	0:25:00	54.3	48.5	58.5
	0:30:00	52.3	47.0	54.0
	0:35:00	51.0	48.5	53.0
	0:40:00	53.5	48.5	57.0
	0:45:00	51.2	48.5	53.0
	0:50:00	52.4	48.5	55.0
	0:55:00	51.6	48.5	54.0
	1:00:00	51.6	49.0	53.5
	1:05:00	55.0	51.0	56.5
	1:10:00	51.1	49.0	53.0
	1:15:00	52.3	49.0	55.0
	1:20:00	50.3	48.5	52.0
	1:25:00	53.4	48.5	55.5
	1:30:00	51.9	48.5	54.5
	1:35:00	51.9	48.0	54.0
	1:40:00	51.3	48.0	53.0
	1:45:00	50.1	48.5	52.0
	1:50:00	50.1	48.5	52.0
	1:55:00	50.1	48.0	52.0
	2:00:00	50.5	48.5	53.0
	2:05:00	50.2	48.0	52.0
	2:10:00	51.0	48.0	53.0
	2:15:00	48.6	46.5	50.5
	2:20:00	49.0	46.5	52.0
	2:25:00	50.3	46.5	52.5
	2:30:00	48.5	46.5	51.0
	2:35:00	48.6	46.5	51.0
	2:40:00	49.0	47.0	51.5
	2:45:00	48.9	47.0	51.5
	2:50:00	48.7	46.5	49.5
	2:55:00	59.1	46.5	54.5
	3:00:00	50.1	46.5	51.5
	3:05:00	49.7	46.5	52.5
	3:10:00	54.7	46.5	59.0
	3:15:00	48.9	46.5	50.5
	3:20:00	49.4	47.0	51.5
	3:25:00	49.6	47.5	52.0
	3:30:00	49.3	47.5	51.0
	3:35:00	50.5	47.5	52.0
	3:40:00	50.8	49.0	52.5
	3:45:00	52.0	49.5	54.5
	3:50:00	52.0	50.0	53.0
	3:55:00	51.4	48.5	53.5
	4:00:00	49.4	48.0	50.5
	4:05:00	52.2	50.0	54.0
	4:10:00	51.0	49.0	52.0
	4:15:00	49.0	47.5	50.0
	4:20:00	49.1	47.0	52.0
	4:25:00	48.3	47.0	49.5
	4:30:00	50.3	48.5	52.5
	4:35:00	49.6	48.5	50.5
	4:40:00	51.9	48.0	54.5
	4:45:00	50.1	47.5	52.5
	4:50:00	49.6	47.5	51.5
	4:55:00	55.8	48.5	61.0
	5:00:00	57.3	52.5	61.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/13/2007	5:05:00	52.0	49.5	53.5
	5:10:00	50.2	47.0	52.0
	5:15:00	51.9	47.5	54.0
	5:20:00	52.7	47.5	55.5
	5:25:00	52.5	47.0	55.0
	5:30:00	56.1	50.5	58.0
	5:35:00	58.4	57.0	59.5
	5:40:00	62.3	53.5	67.5
	5:45:00	56.8	52.0	60.0
	5:50:00	60.7	51.0	64.5
	5:55:00	61.0	50.0	58.0
	6:00:00	63.5	50.0	58.0
	6:05:00	60.4	51.0	62.5
	6:10:00	56.9	50.0	60.0
	6:15:00	73.4	50.0	77.0
	6:20:00	70.1	51.5	75.5
	6:25:00	54.0	47.0	57.0
	6:30:00	55.8	48.0	59.0
	6:35:00	65.3	48.0	70.5
	6:40:00	55.6	50.0	58.5
	6:45:00	54.0	47.5	57.5
	6:50:00	56.0	49.5	59.0
	6:55:00	54.7	51.5	57.0
	7:00:00	57.6	52.0	59.0
	7:05:00	57.2	53.0	60.0
	7:10:00	59.9	55.0	62.5
	7:15:00	75.5	58.5	80.5
	7:20:00	60.6	54.0	63.5
	7:25:00	60.1	56.0	62.0
	7:30:00	63.0	55.0	67.0
	7:35:00	60.9	56.0	63.5
	7:40:00	61.7	55.0	64.5
	7:45:00	67.8	59.0	73.0
	7:50:00	69.8	60.5	72.5
	7:55:00	67.9	59.5	71.0
	8:00:00	69.6	65.0	72.0
	8:05:00	69.3	65.5	72.0
	8:10:00	68.5	62.5	71.0
	8:15:00	69.7	66.0	71.5
	8:20:00	67.7	62.0	71.0
	8:25:00	63.6	57.5	66.5
	8:30:00	63.3	56.5	66.5
	8:35:00	64.3	60.0	66.5
	8:40:00	67.8	59.5	71.5
	8:45:00	64.7	59.5	67.5
	8:50:00	64.7	58.0	69.5
	8:55:00	62.0	56.0	65.0
	9:00:00	61.9	59.5	63.5
	9:05:00	61.9	57.5	64.5
	9:10:00	64.0	56.5	68.0
	9:15:00	59.6	53.5	63.5
	9:20:00	56.9	52.0	60.0
	9:25:00	60.3	50.5	62.0
	9:30:00	64.6	54.5	71.0
	9:35:00	58.6	53.0	60.5
	9:40:00	57.9	50.5	61.0
	9:45:00	62.0	54.5	65.5
	9:50:00	62.0	56.0	63.0
	9:55:00	61.4	56.5	64.0
	10:00:00	59.9	56.5	62.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/13/2007	10:05:00	58.7	55.5	61.0
	10:10:00	58.0	55.5	60.0
	10:15:00	58.3	55.5	60.5
	10:20:00	61.1	56.0	63.0
	10:25:00	62.8	56.5	65.0
	10:30:00	61.0	58.5	62.5
	10:35:00	61.5	55.5	61.0
	10:40:00	64.4	55.0	65.0
	10:45:00	58.4	52.5	60.5
	10:50:00	58.7	48.0	62.5
	10:55:00	60.9	50.5	65.0
	11:00:00	57.5	51.0	60.5
	11:05:00	56.0	50.5	58.5
	11:10:00	59.6	50.5	60.5
	11:15:00	56.5	50.5	60.0
	11:20:00	55.9	50.5	58.5
	11:25:00	58.2	52.0	61.0
	11:30:00	64.4	50.0	70.5
	11:35:00	61.9	52.5	64.5
	11:40:00	69.1	53.5	73.5
	11:45:00	68.1	60.0	72.5
	11:50:00	59.8	52.5	62.0
	11:55:00	63.8	51.0	67.5
	12:00:00	64.0	53.0	68.0
	12:05:00	56.8	50.5	60.5
	12:10:00	55.3	49.5	58.0
	12:15:00	56.2	49.0	59.0
	12:20:00	54.3	48.0	57.5
	12:25:00	54.9	49.5	57.5
	12:30:00	60.2	50.5	65.0
	12:35:00	55.0	49.0	58.0
	12:40:00	58.2	47.0	63.0
	12:45:00	55.4	47.5	59.0
	12:50:00	54.6	49.0	56.5
	12:55:00	56.6	50.0	60.0
	13:00:00	56.5	51.0	59.0
	13:05:00	56.1	50.5	59.0
	13:10:00	55.9	49.0	58.5
	13:15:00	54.9	50.0	57.5
	13:20:00	57.2	50.5	60.0
	13:25:00	58.5	50.0	62.0
	13:30:00	59.9	50.5	63.5
	13:35:00	57.5	49.5	60.5
	13:40:00	58.8	52.0	61.5
	13:45:00	55.5	49.5	59.5
	13:50:00	57.0	51.5	60.0
	13:55:00	58.3	52.0	62.0
	14:00:00	55.4	47.5	59.0
	14:05:00	57.4	52.5	60.0
	14:10:00	61.5	51.5	61.5
	14:15:00	64.0	57.0	68.0
	14:20:00	66.1	56.0	71.0
	14:25:00	66.8	57.5	63.0
	14:30:00	62.4	54.5	65.5
	14:35:00	58.0	51.5	60.5
	14:40:00	64.9	51.0	66.0
	14:45:00	64.7	53.0	69.0
	14:50:00	63.7	52.5	69.0
	14:55:00	59.5	51.0	62.5
	15:00:00	58.3	51.0	61.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/13/2007	15:05:00	56.6	50.0	60.0
	15:10:00	58.0	51.5	62.0
	15:15:00	56.0	51.0	58.5
	15:20:00	58.0	50.0	61.0
	15:25:00	56.6	51.0	59.0
	15:30:00	57.8	50.0	60.5
	15:35:00	58.6	51.5	61.0
	15:40:00	58.3	51.5	61.0
	15:45:00	65.8	52.5	63.0
	15:50:00	58.1	50.0	59.0
	15:55:00	64.4	53.5	67.0
	16:00:00	70.7	63.5	74.0
	16:05:00	63.4	52.5	64.5
	16:10:00	67.7	61.5	68.5
	16:15:00	65.7	61.5	67.0
	16:20:00	62.9	54.5	66.5
	16:25:00	65.5	63.5	66.5
	16:30:00	66.1	64.0	66.5
	16:35:00	71.5	64.5	74.5
	16:40:00	73.7	65.0	77.0
	16:45:00	70.9	64.0	69.5
	16:50:00	65.5	63.5	66.5
	16:55:00	57.8	52.0	60.5
	17:00:00	69.1	58.0	73.5
	17:05:00	60.3	53.5	63.0
	17:10:00	68.8	54.5	73.0
	17:15:00	63.5	52.5	68.5
	17:20:00	59.5	54.0	62.5
	17:25:00	63.8	55.5	68.5
	17:30:00	62.7	53.5	67.5
	17:35:00	59.9	54.0	63.5
	17:40:00	56.9	52.5	59.5
	17:45:00	65.6	56.0	70.5
	17:50:00	57.8	53.5	61.0
	17:55:00	57.5	53.0	60.0
	18:00:00	56.1	50.0	59.0
	18:05:00	61.3	51.5	64.0
	18:10:00	56.8	53.0	59.0
	18:15:00	63.0	54.5	67.5
	18:20:00	65.5	55.5	69.5
	18:25:00	56.8	52.5	59.5
	18:30:00	58.2	53.0	60.5
	18:35:00	62.2	52.5	63.5
	18:40:00	58.7	53.0	62.5
	18:45:00	56.5	50.0	59.5
	18:50:00	59.4	52.0	62.5
	18:55:00	59.9	52.5	65.0
	19:00:00	59.9	52.0	63.5
	19:05:00	59.0	54.0	61.5
	19:10:00	59.1	56.0	61.5
	19:15:00	64.5	56.5	62.5
	19:20:00	58.9	55.0	62.0
	19:25:00	59.2	52.5	61.0
	19:30:00	63.6	51.5	65.5
	19:35:00	61.5	51.5	64.5
	19:40:00	62.7	53.5	66.0
	19:45:00	57.3	52.5	61.0
	19:50:00	57.3	52.0	61.0
	19:55:00	58.7	51.5	61.5
	20:00:00	56.3	52.0	59.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/13/2007	20:05:00	61.1	52.5	62.0
	20:10:00	63.3	52.0	60.0
	20:15:00	56.6	51.5	58.5
	20:20:00	58.8	50.0	63.0
	20:25:00	60.2	50.5	60.5
	20:30:00	58.9	50.0	58.0
	20:35:00	57.1	49.5	57.0
	20:40:00	71.9	51.0	67.5
	20:45:00	66.3	50.5	69.5
	20:50:00	66.6	50.5	72.0
	20:55:00	67.3	57.5	71.0
	21:00:00	73.9	63.5	72.5
	21:05:00	74.6	67.0	77.5
	21:10:00	75.1	66.0	78.5
	21:15:00	73.3	67.0	75.5
	21:20:00	75.6	72.5	77.5
	21:25:00	72.6	67.0	74.5
	21:30:00	66.0	63.0	67.0
	21:35:00	61.5	57.5	63.5
	21:40:00	60.6	58.0	62.0
	21:45:00	60.1	56.5	62.5
	21:50:00	57.7	53.0	60.0
	21:55:00	56.4	51.5	59.5
	22:00:00	58.4	51.5	61.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/13/2007	22:05:00	56.6	51.5	58.0
	22:10:00	58.4	56.0	60.5
	22:15:00	59.3	57.5	60.5
	22:20:00	58.9	56.0	61.5
	22:25:00	59.4	58.0	60.5
	22:30:00	60.4	58.0	62.0
	22:35:00	56.8	52.5	59.0
	22:40:00	57.7	55.5	59.0
	22:45:00	56.9	54.0	59.0
	22:50:00	55.2	52.0	57.0
	22:55:00	58.6	53.0	61.5
	23:00:00	59.7	57.5	61.0
	23:05:00	59.5	58.0	60.5
	23:10:00	57.2	54.5	58.5
	23:15:00	56.9	55.0	58.0
	23:20:00	57.7	55.5	58.5
	23:25:00	56.9	54.5	58.5
	23:30:00	57.6	55.5	59.0
	23:35:00	57.4	54.5	59.0
	23:40:00	55.4	52.0	57.5
	23:45:00	54.8	51.5	57.0
	23:50:00	52.7	49.5	55.0
	23:55:00	54.1	50.0	57.0
	0:00:00	53.2	50.5	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/14/2007	0:05:00	54.2	49.5	57.0
	0:10:00	52.9	48.5	55.5
	0:15:00	53.8	48.5	56.0
	0:20:00	54.8	48.5	57.5
	0:25:00	55.7	48.0	54.5
	0:30:00	53.3	48.5	54.5
	0:35:00	51.7	48.5	54.0
	0:40:00	53.5	48.5	56.5
	0:45:00	52.0	48.5	54.0
	0:50:00	51.7	48.5	54.5
	0:55:00	51.0	47.5	54.0
	1:00:00	51.2	49.0	53.0
	1:05:00	51.6	48.5	54.5
	1:10:00	50.9	48.5	53.0
	1:15:00	52.0	48.5	54.0
	1:20:00	50.4	48.5	52.5
	1:25:00	50.7	48.0	53.5
	1:30:00	52.6	48.5	54.0
	1:35:00	51.0	48.0	53.5
	1:40:00	51.6	48.5	54.0
	1:45:00	50.2	48.5	52.0
	1:50:00	53.6	48.0	56.0
	1:55:00	49.4	48.0	51.0
	2:00:00	50.6	48.0	53.5
	2:05:00	51.5	48.0	55.0
	2:10:00	50.2	48.0	52.5
	2:15:00	52.7	48.0	56.0
	2:20:00	50.2	48.0	52.5
	2:25:00	50.1	48.0	53.0
	2:30:00	49.2	48.0	51.0
	2:35:00	50.3	48.0	53.0
	2:40:00	49.0	47.5	50.5
	2:45:00	49.0	47.0	51.5
	2:50:00	49.0	48.0	50.0
	2:55:00	50.1	48.0	52.0
	3:00:00	49.3	48.0	51.0
	3:05:00	49.4	48.0	51.5
	3:10:00	48.7	48.0	49.0
	3:15:00	51.0	47.5	52.5
	3:20:00	48.5	47.5	48.5
	3:25:00	50.9	48.0	54.0
	3:30:00	53.0	47.5	56.0
	3:35:00	48.5	47.5	49.0
	3:40:00	49.6	47.5	52.0
	3:45:00	50.6	47.5	49.5
	3:50:00	48.2	46.5	48.5
	3:55:00	48.3	47.5	49.0
	4:00:00	48.6	47.5	50.0
	4:05:00	53.7	47.0	55.0
	4:10:00	63.9	55.0	67.5
	4:15:00	67.7	60.5	70.0
	4:20:00	60.5	54.5	65.0
	4:25:00	58.7	55.5	60.5
	4:30:00	60.8	57.0	62.5
	4:35:00	56.4	55.0	57.5
	4:40:00	55.7	53.5	57.0
	4:45:00	54.2	52.0	54.5
	4:50:00	53.5	51.0	54.5
	4:55:00	55.9	51.5	59.0
	5:00:00	57.5	55.5	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/14/2007	5:05:00	58.8	55.0	61.5
	5:10:00	56.3	55.0	57.5
	5:15:00	56.1	52.0	57.5
	5:20:00	63.8	60.0	66.0
	5:25:00	65.0	63.0	66.0
	5:30:00	61.8	59.5	63.0
	5:35:00	60.7	59.0	61.5
	5:40:00	59.1	57.5	60.5
	5:45:00	61.4	59.0	63.5
	5:50:00	61.8	60.0	63.0
	5:55:00	59.7	58.5	60.0
	6:00:00	60.1	59.0	60.5
	6:05:00	61.3	58.0	63.0
	6:10:00	67.3	57.5	69.0
	6:15:00	61.7	60.0	63.0
	6:20:00	63.1	62.0	64.0
	6:25:00	64.7	63.0	64.5
	6:30:00	62.0	61.0	62.5
	6:35:00	63.5	62.0	64.5
	6:40:00	63.8	62.5	64.5
	6:45:00	62.4	61.0	63.5
	6:50:00	62.0	60.5	63.0
	6:55:00	60.6	59.5	61.5
	7:00:00	60.5	58.0	62.0
	7:05:00	57.8	56.0	59.0
	7:10:00	59.0	54.5	61.5
	7:15:00	57.9	54.0	60.0
	7:20:00	56.9	53.0	59.0
	7:25:00	56.5	49.0	59.5
	7:30:00	56.5	50.0	59.0
	7:35:00	56.2	47.0	59.0
	7:40:00	58.1	52.0	60.5
	7:45:00	54.6	50.0	56.5
	7:50:00	56.8	49.5	60.5
	7:55:00	54.2	50.0	56.5
	8:00:00	56.8	50.5	59.5
	8:05:00	57.5	50.0	61.0
	8:10:00	56.9	50.0	59.0
	8:15:00	58.0	50.5	61.0
	8:20:00	61.4	52.0	63.5
	8:25:00	63.1	56.0	66.5
	8:30:00	65.2	57.0	69.5
	8:35:00	58.3	53.5	60.5
	8:40:00	57.1	51.5	60.0
	8:45:00	60.4	53.0	63.5
	8:50:00	59.1	54.0	61.0
	8:55:00	56.0	50.0	59.5
	9:00:00	57.6	52.5	61.0
	9:05:00	58.3	54.0	60.5
	9:10:00	58.1	55.0	60.5
	9:15:00	57.3	54.0	59.5
	9:20:00	58.7	53.0	59.5
	9:25:00	56.8	52.5	59.5
	9:30:00	57.1	52.0	59.0
	9:35:00	58.1	51.5	61.0
	9:40:00	56.4	50.5	59.5
	9:45:00	55.1	49.0	58.0
	9:50:00	57.5	54.0	60.0
	9:55:00	57.1	52.0	60.0
	10:00:00	59.0	52.0	61.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/14/2007	10:05:00	55.9	51.0	59.0
	10:10:00	55.5	49.0	58.0
	10:15:00	55.2	49.0	58.0
	10:20:00	55.5	50.0	58.0
	10:25:00	56.6	48.0	59.5
	10:30:00	57.5	50.5	61.0
	10:35:00	61.5	52.5	61.0
	10:40:00	58.4	53.5	61.5
	10:45:00	59.6	54.5	62.5
	10:50:00	58.2	54.0	60.0
	10:55:00	58.1	54.5	61.0
	11:00:00	61.5	54.5	66.5
	11:05:00	62.8	56.0	64.5
	11:10:00	58.5	51.5	61.5
	11:15:00	61.6	52.5	66.0
	11:20:00	58.5	52.5	62.0
	11:25:00	57.0	51.5	60.0
	11:30:00	64.5	50.0	61.5
	11:35:00	62.2	53.5	61.5
	11:40:00	57.3	52.0	60.5
	11:45:00	56.9	51.0	59.0
	11:50:00	58.1	52.5	59.5
	11:55:00	58.3	53.0	61.0
	12:00:00	58.8	52.5	62.0
	12:05:00	59.1	53.0	62.0
	12:10:00	58.6	53.0	62.0
	12:15:00	59.2	54.5	61.0
	12:20:00	58.5	52.0	62.0
	12:25:00	57.8	50.5	61.5
	12:30:00	61.0	52.0	64.5
	12:35:00	61.7	51.0	66.0
	12:40:00	56.0	50.5	60.0
	12:45:00	61.9	52.0	67.5
	12:50:00	69.0	59.0	72.5
	12:55:00	68.6	59.0	71.5
	13:00:00	67.1	58.0	71.5
	13:05:00	56.6	49.5	61.0
	13:10:00	57.0	51.5	60.0
	13:15:00	56.5	49.5	60.0
	13:20:00	56.0	50.0	59.5
	13:25:00	57.2	50.5	60.5
	13:30:00	56.4	50.0	59.0
	13:35:00	55.5	48.5	59.5
	13:40:00	59.0	51.0	61.0
	13:45:00	58.2	48.0	60.5
	13:50:00	61.8	52.5	67.0
	13:55:00	56.9	51.5	60.0
	14:00:00	56.8	52.5	59.0
	14:05:00	59.3	55.5	62.0
	14:10:00	57.8	55.5	59.0
	14:15:00	57.1	53.0	59.0
	14:20:00	57.2	53.5	60.0
	14:25:00	55.4	51.0	58.0
	14:30:00	55.8	49.5	59.0
	14:35:00	56.4	48.5	60.0
	14:40:00	57.5	46.0	61.0
	14:45:00	60.6	51.5	66.0
	14:50:00	63.7	55.0	67.5
	14:55:00	66.5	58.0	69.5
	15:00:00	67.3	62.5	69.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/14/2007	15:05:00	67.4	59.5	70.5
	15:10:00	63.7	54.0	68.0
	15:15:00	64.8	51.5	67.0
	15:20:00	56.7	53.5	58.5
	15:25:00	67.0	54.0	68.5
	15:30:00	64.3	54.5	72.0
	15:35:00	62.4	56.0	62.5
	15:40:00	58.7	55.0	60.5
	15:45:00	62.0	56.5	64.0
	15:50:00	68.9	58.0	68.5
	15:55:00	66.6	52.5	67.0
	16:00:00	57.9	51.5	59.5
	16:05:00	58.1	52.5	60.5
	16:10:00	57.8	51.5	60.5
	16:15:00	58.7	52.0	60.5
	16:20:00	56.3	48.0	58.0
	16:25:00	64.5	51.5	66.0
	16:30:00	58.4	51.5	58.0
	16:35:00	57.9	50.5	61.0
	16:40:00	58.5	50.5	61.5
	16:45:00	56.0	48.5	60.0
	16:50:00	58.7	50.5	61.5
	16:55:00	59.8	50.5	63.5
	17:00:00	63.8	53.0	68.0
	17:05:00	60.6	49.0	62.5
	17:10:00	58.5	51.0	59.5
	17:15:00	62.7	52.5	64.0
	17:20:00	64.3	53.5	67.0
	17:25:00	63.6	55.0	65.5
	17:30:00	55.7	50.5	58.5
	17:35:00	57.7	51.0	60.5
	17:40:00	56.3	50.0	59.5
	17:45:00	59.2	51.5	61.5
	17:50:00	59.3	55.0	61.5
	17:55:00	58.0	54.5	60.0
	18:00:00	60.2	54.0	65.0
	18:05:00	56.7	53.0	58.5
	18:10:00	64.3	59.0	66.0
	18:15:00	62.8	61.0	64.0
	18:20:00	60.7	58.0	62.0
	18:25:00	62.7	56.0	65.5
	18:30:00	62.7	60.5	64.0
	18:35:00	62.6	58.0	65.0
	18:40:00	66.4	62.5	69.0
	18:45:00	72.7	62.5	77.0
	18:50:00	73.2	62.5	76.0
	18:55:00	60.2	58.0	61.5
	19:00:00	61.6	57.0	64.5
	19:05:00	63.4	62.0	64.5
	19:10:00	62.0	60.5	63.0
	19:15:00	60.1	57.5	61.5
	19:20:00	59.6	56.5	61.5
	19:25:00	64.7	52.5	63.5
	19:30:00	61.2	49.5	61.5
	19:35:00	54.3	49.5	56.5
	19:40:00	54.5	50.5	57.0
	19:45:00	57.4	51.5	59.0
	19:50:00	56.4	51.0	57.5
	19:55:00	56.0	51.5	58.5
	20:00:00	56.0	51.5	59.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : SKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/14/2007	20:05:00	54.1	51.0	56.0
	20:10:00	53.3	49.0	55.0
	20:15:00	55.8	49.0	59.0
	20:20:00	53.1	48.5	55.5
	20:25:00	54.9	49.0	58.0
	20:30:00	52.6	46.5	55.5
	20:35:00	52.9	44.5	56.5
	20:40:00	53.7	46.5	57.0
	20:45:00	55.5	46.5	59.0
	20:50:00	53.1	46.5	56.0
	20:55:00	53.8	46.0	57.5
	21:00:00	55.6	45.5	58.5
	21:05:00	62.1	47.0	64.0
	21:10:00	62.8	49.5	65.5
	21:15:00	57.6	48.5	61.0
	21:20:00	66.3	48.5	67.0
	21:25:00	60.9	46.0	64.5
	21:30:00	53.7	45.0	56.5
	21:35:00	54.1	47.5	57.5
	21:40:00	55.5	47.5	58.5
	21:45:00	51.3	46.5	53.0
	21:50:00	51.0	46.5	53.0
	21:55:00	53.8	47.0	56.0
	22:00:00	53.2	47.0	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/14/2007	22:05:00	52.0	46.5	54.5
	22:10:00	51.8	47.0	54.0
	22:15:00	52.6	46.5	54.5
	22:20:00	52.2	48.0	54.5
	22:25:00	52.8	47.0	56.0
	22:30:00	53.3	47.0	55.5
	22:35:00	52.6	47.5	55.0
	22:40:00	52.8	47.0	55.5
	22:45:00	55.1	47.0	54.5
	22:50:00	52.8	48.0	55.5
	22:55:00	53.0	48.0	55.5
	23:00:00	51.9	47.0	54.0
	23:05:00	57.5	51.0	60.5
	23:10:00	62.5	52.0	65.5
	23:15:00	55.9	48.0	59.5
	23:20:00	57.4	52.5	58.5
	23:25:00	53.3	47.0	55.5
	23:30:00	51.3	46.5	55.0
	23:35:00	52.0	47.0	54.5
	23:40:00	51.6	45.5	53.0
	23:45:00	51.7	46.0	53.5
	23:50:00	52.5	47.0	55.0
	23:55:00	53.4	47.5	56.0
	0:00:00	52.4	46.0	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	0:05:00	54.5	53.0	55.5
	0:10:00	54.5	53.5	55.0
	0:15:00	54.7	53.5	55.5
	0:20:00	54.7	53.5	55.5
	0:25:00	55.0	53.5	56.0
	0:30:00	55.1	54.0	56.0
	0:35:00	54.8	53.5	55.5
	0:40:00	54.2	53.0	55.0
	0:45:00	54.1	53.0	55.0
	0:50:00	54.9	53.0	56.5
	0:55:00	54.4	53.0	56.0
	1:00:00	53.3	52.5	54.0
	1:05:00	53.6	52.5	54.5
	1:10:00	53.5	52.5	54.5
	1:15:00	53.7	52.5	54.5
	1:20:00	54.0	53.0	55.0
	1:25:00	53.7	53.0	54.5
	1:30:00	54.6	53.0	55.5
	1:35:00	53.8	53.0	54.5
	1:40:00	54.0	53.0	54.5
	1:45:00	54.2	53.5	55.0
	1:50:00	53.7	52.5	54.5
	1:55:00	53.8	52.5	55.0
	2:00:00	53.7	52.5	54.5
	2:05:00	53.5	53.0	54.0
	2:10:00	54.4	53.0	55.5
	2:15:00	53.7	53.0	54.5
	2:20:00	53.8	53.0	54.0
	2:25:00	54.1	53.0	55.0
	2:30:00	53.5	52.5	54.5
	2:35:00	54.7	53.5	55.5
	2:40:00	54.9	53.5	56.0
	2:45:00	54.8	53.5	55.5
	2:50:00	54.8	53.5	55.5
	2:55:00	54.4	53.5	55.0
	3:00:00	54.3	53.5	55.0
	3:05:00	54.1	53.0	54.5
	3:10:00	54.5	53.0	55.0
	3:15:00	53.7	53.0	54.5
	3:20:00	54.1	53.0	55.0
	3:25:00	53.6	52.5	54.0
	3:30:00	53.5	52.5	54.0
	3:35:00	53.4	52.5	54.0
	3:40:00	54.4	52.5	54.5
	3:45:00	53.3	52.5	54.0
	3:50:00	54.3	53.0	55.0
	3:55:00	53.5	52.5	54.0
	4:00:00	54.3	53.0	54.5
	4:05:00	54.4	53.5	55.0
	4:10:00	54.3	53.5	55.0
	4:15:00	54.0	53.0	54.5
	4:20:00	53.6	52.5	54.5
	4:25:00	54.0	53.0	54.5
	4:30:00	53.1	52.0	53.5
	4:35:00	52.6	51.5	53.0
	4:40:00	52.1	51.0	53.0
	4:45:00	52.4	51.0	53.0
	4:50:00	54.3	51.5	57.0
	4:55:00	51.7	50.5	52.5
	5:00:00	50.9	49.5	52.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	5:05:00	50.4	49.0	51.5
	5:10:00	52.4	49.0	55.0
	5:15:00	51.6	49.0	53.5
	5:20:00	51.9	49.5	53.5
	5:25:00	56.3	50.0	58.5
	5:30:00	60.1	59.0	60.5
	5:35:00	56.3	53.0	57.5
	5:40:00	53.8	50.5	56.0
	5:45:00	53.1	50.0	55.5
	5:50:00	53.3	47.0	57.0
	5:55:00	51.1	46.0	54.0
	6:00:00	52.8	46.0	55.0
	6:05:00	53.5	47.0	56.5
	6:10:00	56.8	45.5	58.5
	6:15:00	52.3	44.5	55.0
	6:20:00	51.8	44.5	55.0
	6:25:00	51.1	43.0	54.0
	6:30:00	51.5	45.0	54.5
	6:35:00	55.3	48.0	60.0
	6:40:00	53.8	46.5	56.5
	6:45:00	56.0	49.5	58.0
	6:50:00	54.3	50.0	56.5
	6:55:00	61.3	53.5	65.5
	7:00:00	56.1	51.0	59.0
	7:05:00	59.5	50.0	63.5
	7:10:00	57.4	47.0	61.0
	7:15:00	59.4	49.5	64.0
	7:20:00	60.5	49.0	64.0
	7:25:00	63.5	55.0	66.5
	7:30:00	59.9	53.0	64.0
	7:35:00	57.9	53.0	60.5
	7:40:00	63.0	56.5	67.0
	7:45:00	61.8	59.0	63.5
	7:50:00	62.7	58.0	65.5
	7:55:00	56.6	53.5	59.0
	8:00:00	54.5	50.5	57.0
	8:05:00	53.7	50.0	55.5
	8:10:00	55.2	50.0	57.5
	8:15:00	56.7	50.5	58.0
	8:20:00	53.2	47.0	55.5
	8:25:00	55.9	50.0	60.0
	8:30:00	55.3	51.5	57.0
	8:35:00	58.8	55.0	61.0
	8:40:00	61.8	58.5	64.0
	8:45:00	58.3	54.5	60.0
	8:50:00	53.6	49.5	55.0
	8:55:00	53.3	49.0	55.0
	9:00:00	54.5	47.5	58.5
	9:05:00	53.3	48.5	55.0
	9:10:00	52.6	47.5	55.0
	9:15:00	54.0	49.0	56.0
	9:20:00	53.7	49.5	55.5
	9:25:00	54.0	50.0	57.0
	9:30:00	56.3	48.5	62.0
	9:35:00	53.5	47.5	56.0
	9:40:00	54.3	49.5	57.0
	9:45:00	56.9	51.0	60.5
	9:50:00	54.9	52.0	56.5
	9:55:00	56.7	54.0	58.5
	10:00:00	58.3	56.0	60.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	10:05:00	55.9	52.0	57.5
	10:10:00	54.4	50.0	57.0
	10:15:00	55.7	49.5	59.5
	10:20:00	54.7	51.0	57.0
	10:25:00	52.7	47.0	55.5
	10:30:00	54.6	46.5	59.5
	10:35:00	53.3	48.0	56.5
	10:40:00	53.8	49.0	57.0
	10:45:00	54.2	49.0	56.5
	10:50:00	54.3	50.0	58.0
	10:55:00	56.3	51.5	58.5
	11:00:00	56.0	51.0	58.0
	11:05:00	53.4	49.5	55.5
	11:10:00	53.4	48.5	56.5
	11:15:00	52.0	48.5	54.0
	11:20:00	53.5	48.5	57.5
	11:25:00	52.5	48.5	55.0
	11:30:00	55.2	50.5	58.5
	11:35:00	53.8	50.0	56.0
	11:40:00	53.7	48.5	56.0
	11:45:00	53.4	49.5	56.0
	11:50:00	53.5	48.5	55.5
	11:55:00	55.3	48.5	58.0
	12:00:00	53.7	48.5	56.5
	12:05:00	52.8	49.0	55.5
	12:10:00	53.8	48.0	56.5
	12:15:00	56.1	48.5	59.5
	12:20:00	50.9	47.0	53.0
	12:25:00	53.3	48.0	56.0
	12:30:00	53.2	49.5	56.0
	12:35:00	52.4	48.5	55.0
	12:40:00	51.9	47.5	54.0
	12:45:00	54.3	50.0	57.0
	12:50:00	54.6	51.0	57.5
	12:55:00	56.7	50.5	59.5
	13:00:00	57.8	53.5	61.0
	13:05:00	54.7	52.5	56.0
	13:10:00	54.6	52.0	56.5
	13:15:00	57.5	52.5	59.5
	13:20:00	58.8	56.5	60.0
	13:25:00	56.9	53.0	60.0
	13:30:00	57.5	51.5	61.0
	13:35:00	55.9	51.5	57.5
	13:40:00	57.6	52.0	60.5
	13:45:00	54.3	51.5	56.0
	13:50:00	53.9	51.0	56.0
	13:55:00	54.5	51.5	56.5
	14:00:00	56.5	52.5	60.0
	14:05:00	55.8	52.0	58.0
	14:10:00	57.2	52.0	59.5
	14:15:00	56.5	52.5	59.0
	14:20:00	55.5	52.0	57.5
	14:25:00	54.9	52.0	57.0
	14:30:00	56.3	52.0	58.0
	14:35:00	62.6	53.0	65.5
	14:40:00	56.6	53.0	58.5
	14:45:00	55.2	51.5	58.0
	14:50:00	57.9	52.5	61.5
	14:55:00	58.0	52.0	58.0
	15:00:00	54.7	51.5	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	15:05:00	55.1	52.0	57.0
	15:10:00	54.4	52.0	56.0
	15:15:00	54.0	51.5	56.0
	15:20:00	54.7	52.5	56.5
	15:25:00	55.3	52.0	57.5
	15:30:00	56.5	53.0	58.5
	15:35:00	54.7	52.0	56.5
	15:40:00	54.1	51.0	56.0
	15:45:00	54.9	51.5	57.5
	15:50:00	53.8	51.0	55.5
	15:55:00	57.3	52.0	61.0
	16:00:00	54.5	52.0	56.0
	16:05:00	55.1	51.0	57.0
	16:10:00	56.8	52.0	60.5
	16:15:00	54.5	52.5	56.0
	16:20:00	55.4	52.5	57.5
	16:25:00	55.4	53.5	56.5
	16:30:00	56.2	54.5	57.5
	16:35:00	55.9	54.0	57.0
	16:40:00	55.2	52.5	56.5
	16:45:00	55.1	51.5	57.0
	16:50:00	53.9	51.5	55.5
	16:55:00	54.2	52.0	55.5
	17:00:00	54.2	52.0	55.5
	17:05:00	53.7	51.5	55.5
	17:10:00	53.5	51.0	55.0
	17:15:00	53.4	50.5	55.0
	17:20:00	54.1	50.0	57.0
	17:25:00	56.2	51.0	59.0
	17:30:00	54.9	51.5	58.0
	17:35:00	54.8	51.0	58.0
	17:40:00	53.8	51.5	55.5
	17:45:00	55.1	51.5	59.0
	17:50:00	54.0	51.0	55.5
	17:55:00	54.7	50.5	58.0
	18:00:00	54.6	51.0	56.0
	18:05:00	56.9	51.0	58.0
	18:10:00	55.3	51.0	55.5
	18:15:00	54.4	51.5	58.0
	18:20:00	52.4	50.5	53.5
	18:25:00	55.8	51.0	59.5
	18:30:00	52.8	51.0	54.0
	18:35:00	53.8	51.0	56.0
	18:40:00	54.5	50.5	59.0
	18:45:00	53.2	51.0	54.0
	18:50:00	54.3	50.5	58.5
	18:55:00	53.8	51.0	55.5
	19:00:00	56.4	51.5	55.5
	19:05:00	55.8	53.5	57.0
	19:10:00	60.6	57.5	62.0
	19:15:00	57.4	56.0	57.5
	19:20:00	55.2	53.0	56.5
	19:25:00	57.2	53.0	60.0
	19:30:00	54.3	52.5	55.0
	19:35:00	55.0	53.5	56.0
	19:40:00	55.7	54.5	56.5
	19:45:00	57.2	54.5	59.0
	19:50:00	55.6	54.5	56.5
	19:55:00	55.7	54.5	56.5
	20:00:00	57.0	54.5	59.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	20:05:00	54.8	53.5	55.5
	20:10:00	56.7	54.5	58.0
	20:15:00	57.5	54.0	59.0
	20:20:00	55.2	54.0	56.0
	20:25:00	56.3	54.0	58.5
	20:30:00	56.7	54.0	59.0
	20:35:00	56.0	53.0	58.5
	20:40:00	54.9	53.0	56.0
	20:45:00	54.4	53.0	55.5
	20:50:00	55.1	53.5	56.5
	20:55:00	58.5	53.5	60.0
	21:00:00	55.3	53.5	56.0
	21:05:00	55.0	53.5	56.0
	21:10:00	54.5	53.5	55.0
	21:15:00	55.3	53.5	56.5
	21:20:00	55.0	54.0	55.5
	21:25:00	55.4	54.0	56.5
	21:30:00	55.9	54.5	56.5
	21:35:00	55.5	54.5	56.5
	21:40:00	55.2	54.0	56.0
	21:45:00	57.4	54.5	57.5
	21:50:00	55.8	54.5	57.0
	21:55:00	56.3	54.0	57.5
	22:00:00	56.5	54.5	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	22:05:00	56.8	55.0	58.5
	22:10:00	56.5	55.0	57.5
	22:15:00	56.3	55.0	57.0
	22:20:00	55.8	54.5	56.5
	22:25:00	55.5	53.5	57.0
	22:30:00	55.1	53.5	56.0
	22:35:00	56.0	54.0	57.5
	22:40:00	55.5	54.0	56.5
	22:45:00	55.2	54.0	56.0
	22:50:00	55.4	54.0	56.5
	22:55:00	55.3	54.0	56.5
	23:00:00	55.1	54.0	56.0
	23:05:00	54.9	53.5	55.5
	23:10:00	55.1	54.0	56.0
	23:15:00	54.8	53.5	55.5
	23:20:00	55.2	54.0	56.0
	23:25:00	54.9	53.5	56.0
	23:30:00	54.7	53.5	55.5
	23:35:00	54.6	53.5	55.5
	23:40:00	54.4	53.0	55.5
	23:45:00	54.1	53.0	55.0
	23:50:00	54.7	52.5	56.0
	23:55:00	53.8	52.5	54.5
	0:00:00	54.0	53.0	55.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	0:05:00	54.3	53.0	55.5
	0:10:00	54.2	53.0	55.0
	0:15:00	54.3	52.5	55.5
	0:20:00	54.3	52.5	56.0
	0:25:00	53.9	52.5	55.0
	0:30:00	54.4	52.5	55.5
	0:35:00	54.9	52.5	56.5
	0:40:00	53.4	52.5	54.0
	0:45:00	53.8	53.0	54.5
	0:50:00	54.1	53.0	54.5
	0:55:00	54.2	53.0	55.0
	1:00:00	53.7	52.5	54.5
	1:05:00	54.4	52.5	56.0
	1:10:00	53.9	53.0	54.5
	1:15:00	54.4	53.0	55.5
	1:20:00	54.6	52.5	56.0
	1:25:00	54.2	52.5	55.5
	1:30:00	53.5	52.5	54.5
	1:35:00	53.7	52.5	54.5
	1:40:00	55.6	52.0	55.5
	1:45:00	57.2	52.5	56.5
	1:50:00	53.4	52.0	54.5
	1:55:00	52.8	51.5	53.5
	2:00:00	52.9	52.0	53.5
	2:05:00	53.3	52.0	54.5
	2:10:00	53.8	53.0	54.5
	2:15:00	56.5	53.0	57.5
	2:20:00	59.3	53.0	60.5
	2:25:00	53.7	53.0	54.5
	2:30:00	53.1	52.0	54.0
	2:35:00	53.5	52.5	54.0
	2:40:00	53.4	52.5	54.0
	2:45:00	53.4	52.5	54.0
	2:50:00	53.7	52.5	54.5
	2:55:00	54.2	53.5	55.0
	3:00:00	54.0	53.0	55.0
	3:05:00	53.5	52.5	54.0
	3:10:00	53.9	53.0	54.5
	3:15:00	53.0	52.0	53.5
	3:20:00	52.2	51.0	53.0
	3:25:00	52.5	51.5	53.0
	3:30:00	54.0	51.5	53.0
	3:35:00	53.3	51.5	54.0
	3:40:00	52.6	52.0	53.0
	3:45:00	52.3	51.5	53.0
	3:50:00	52.2	51.5	53.0
	3:55:00	52.4	51.5	52.5
	4:00:00	54.7	51.5	58.0
	4:05:00	52.6	51.5	53.5
	4:10:00	52.6	51.5	53.5
	4:15:00	52.4	51.5	53.0
	4:20:00	52.6	52.0	53.0
	4:25:00	52.7	51.5	53.0
	4:30:00	52.5	51.5	53.0
	4:35:00	53.3	52.0	54.0
	4:40:00	53.8	52.5	54.5
	4:45:00	53.8	53.0	54.5
	4:50:00	52.8	51.5	54.0
	4:55:00	52.4	51.5	53.0
	5:00:00	52.0	50.5	53.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	5:05:00	51.5	50.0	52.5
	5:10:00	51.7	50.0	53.0
	5:15:00	50.6	48.5	52.0
	5:20:00	51.8	49.5	53.5
	5:25:00	55.1	50.5	57.5
	5:30:00	58.5	58.0	59.0
	5:35:00	59.0	57.0	60.5
	5:40:00	55.6	53.5	57.0
	5:45:00	54.8	50.5	58.0
	5:50:00	55.5	47.0	59.5
	5:55:00	55.1	45.5	57.0
	6:00:00	51.2	45.5	54.5
	6:05:00	52.8	45.0	57.0
	6:10:00	57.2	47.5	61.0
	6:15:00	59.1	47.5	62.5
	6:20:00	55.6	47.0	60.5
	6:25:00	51.6	47.0	54.0
	6:30:00	53.2	45.5	55.0
	6:35:00	52.8	45.0	56.5
	6:40:00	50.9	45.0	54.0
	6:45:00	51.7	44.5	55.0
	6:50:00	50.6	46.0	53.0
	6:55:00	57.4	48.5	62.0
	7:00:00	50.9	47.0	53.5
	7:05:00	52.6	47.0	56.5
	7:10:00	54.8	47.0	58.0
	7:15:00	54.8	48.5	57.5
	7:20:00	52.2	47.0	55.0
	7:25:00	51.4	46.5	54.0
	7:30:00	57.7	47.0	62.5
	7:35:00	55.7	45.0	59.0
	7:40:00	51.1	45.5	54.0
	7:45:00	54.7	46.5	58.0
	7:50:00	54.4	48.5	57.5
	7:55:00	50.9	46.0	53.5
	8:00:00	59.7	50.0	63.0
	8:05:00	59.2	52.0	63.0
	8:10:00	55.9	48.0	59.0
	8:15:00	53.1	47.0	55.0
	8:20:00	53.9	48.5	56.5
	8:25:00	52.4	48.5	55.0
	8:30:00	51.7	47.5	54.0
	8:35:00	55.2	49.0	58.5
	8:40:00	52.9	48.0	55.5
	8:45:00	52.5	48.5	54.5
	8:50:00	52.9	48.0	55.0
	8:55:00	56.8	50.0	60.0
	9:00:00	56.7	52.5	59.5
	9:05:00	56.1	53.0	57.5
	9:10:00	59.2	57.0	60.5
	9:15:00	59.9	57.5	61.5
	9:20:00	58.9	55.5	59.5
	9:25:00	57.3	53.0	60.0
	9:30:00	55.6	52.5	56.5
	9:35:00	53.9	49.5	55.5
	9:40:00	54.0	49.0	56.5
	9:45:00	53.6	50.0	56.0
	9:50:00	55.3	51.5	57.5
	9:55:00	57.2	54.5	59.5
	10:00:00	59.6	56.0	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	10:05:00	52.7	48.0	54.5
	10:10:00	53.1	49.0	55.5
	10:15:00	52.7	48.0	54.5
	10:20:00	52.9	48.0	55.5
	10:25:00	53.5	48.0	56.0
	10:30:00	52.6	47.5	55.0
	10:35:00	55.3	49.0	56.0
	10:40:00	54.0	48.5	56.5
	10:45:00	52.0	47.5	55.0
	10:50:00	54.2	49.0	56.5
	10:55:00	56.7	50.0	61.0
	11:00:00	53.7	48.0	55.0
	11:05:00	53.6	48.0	56.0
	11:10:00	53.3	48.5	55.0
	11:15:00	55.1	48.0	57.5
	11:20:00	52.7	48.0	54.5
	11:25:00	54.0	48.5	56.0
	11:30:00	54.2	46.5	56.0
	11:35:00	54.9	48.0	56.0
	11:40:00	52.9	49.0	55.5
	11:45:00	54.0	47.5	57.5
	11:50:00	53.1	48.5	55.0
	11:55:00	52.1	47.0	55.0
	12:00:00	54.6	46.5	57.5
	12:05:00	55.0	49.0	55.5
	12:10:00	52.9	48.5	55.5
	12:15:00	52.3	47.5	55.0
	12:20:00	51.0	47.0	53.0
	12:25:00	51.5	47.5	54.0
	12:30:00	54.5	48.5	58.0
	12:35:00	52.0	48.0	55.0
	12:40:00	53.3	48.5	55.0
	12:45:00	55.0	48.0	59.5
	12:50:00	53.8	49.5	56.5
	12:55:00	52.9	46.5	56.0
	13:00:00	51.8	47.0	53.5
	13:05:00	54.6	46.5	58.5
	13:10:00	53.5	48.5	56.5
	13:15:00	54.8	48.0	59.0
	13:20:00	56.4	51.5	58.0
	13:25:00	57.9	57.0	58.5
	13:30:00	55.0	51.0	56.5
	13:35:00	52.2	49.0	54.5
	13:40:00	52.5	49.5	55.0
	13:45:00	55.0	50.5	59.0
	13:50:00	52.9	50.0	54.5
	13:55:00	53.6	51.0	55.5
	14:00:00	54.0	51.0	56.0
	14:05:00	55.2	51.5	58.0
	14:10:00	53.8	51.0	55.5
	14:15:00	53.2	49.5	55.5
	14:20:00	53.4	50.5	55.0
	14:25:00	53.9	50.5	56.0
	14:30:00	53.3	50.5	55.5
	14:35:00	56.1	51.5	60.5
	14:40:00	54.1	51.0	56.0
	14:45:00	58.4	51.0	59.5
	14:50:00	54.5	51.0	55.5
	14:55:00	55.3	51.5	57.0
	15:00:00	56.7	53.0	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	15:05:00	56.8	55.0	58.0
	15:10:00	55.6	53.5	57.0
	15:15:00	56.8	52.0	60.0
	15:20:00	56.2	52.0	57.0
	15:25:00	55.8	50.5	59.5
	15:30:00	56.6	51.0	59.5
	15:35:00	54.1	51.0	57.5
	15:40:00	53.5	50.5	55.5
	15:45:00	52.8	50.5	54.5
	15:50:00	55.9	50.5	60.0
	15:55:00	52.6	50.0	54.5
	16:00:00	55.5	50.5	57.5
	16:05:00	52.6	50.0	54.0
	16:10:00	52.9	50.0	54.5
	16:15:00	53.1	51.0	55.0
	16:20:00	55.9	50.5	60.0
	16:25:00	54.7	50.0	55.5
	16:30:00	55.5	50.5	58.0
	16:35:00	53.7	51.0	55.0
	16:40:00	53.7	50.5	56.0
	16:45:00	53.6	51.0	55.5
	16:50:00	54.0	51.0	56.5
	16:55:00	53.4	50.5	55.0
	17:00:00	53.1	50.5	55.0
	17:05:00	65.2	51.0	56.5
	17:10:00	53.5	50.5	55.5
	17:15:00	56.3	50.5	61.0
	17:20:00	56.6	50.5	60.0
	17:25:00	55.1	51.5	57.5
	17:30:00	52.6	49.5	54.5
	17:35:00	55.1	49.5	59.5
	17:40:00	55.5	51.5	58.0
	17:45:00	53.7	51.0	55.5
	17:50:00	53.2	51.0	54.5
	17:55:00	55.4	50.5	59.5
	18:00:00	55.2	51.0	58.5
	18:05:00	52.6	50.0	54.0
	18:10:00	53.6	51.0	56.0
	18:15:00	54.4	50.5	57.5
	18:20:00	53.9	50.5	56.5
	18:25:00	53.5	50.0	55.5
	18:30:00	55.7	50.5	57.5
	18:35:00	53.1	51.0	55.0
	18:40:00	52.1	50.5	53.5
	18:45:00	51.5	50.0	52.5
	18:50:00	56.4	50.5	62.0
	18:55:00	55.9	51.0	61.0
	19:00:00	53.3	50.5	55.5
	19:05:00	56.6	51.0	61.5
	19:10:00	56.2	52.0	59.0
	19:15:00	58.3	57.5	59.0
	19:20:00	58.8	57.5	60.0
	19:25:00	56.9	53.5	58.0
	19:30:00	54.7	52.5	56.5
	19:35:00	55.3	52.5	57.5
	19:40:00	55.2	53.5	56.5
	19:45:00	56.3	54.5	58.0
	19:50:00	55.6	54.5	56.5
	19:55:00	55.7	54.5	56.5
	20:00:00	56.0	54.5	56.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	20:05:00	55.2	54.0	56.0
	20:10:00	55.2	54.0	56.0
	20:15:00	54.9	53.5	55.5
	20:20:00	54.8	53.5	55.5
	20:25:00	54.5	53.5	55.5
	20:30:00	54.3	53.0	55.5
	20:35:00	53.7	52.0	54.5
	20:40:00	54.2	52.5	55.0
	20:45:00	53.7	52.0	55.0
	20:50:00	54.0	52.5	55.0
	20:55:00	53.7	52.0	55.0
	21:00:00	53.7	52.5	54.5
	21:05:00	54.3	52.5	55.5
	21:10:00	54.0	53.0	55.0
	21:15:00	54.6	53.5	55.5
	21:20:00	54.2	53.0	55.0
	21:25:00	54.1	53.0	55.0
	21:30:00	54.5	53.0	55.5
	21:35:00	54.8	53.5	56.0
	21:40:00	54.4	53.5	55.0
	21:45:00	54.2	53.0	55.0
	21:50:00	54.0	53.0	55.0
	21:55:00	54.7	53.0	55.5
	22:00:00	54.9	54.0	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	22:05:00	55.3	54.0	56.0
	22:10:00	56.0	53.5	56.5
	22:15:00	55.0	54.0	55.5
	22:20:00	54.7	53.5	55.5
	22:25:00	54.9	53.5	55.5
	22:30:00	54.7	53.5	55.5
	22:35:00	54.8	53.5	55.5
	22:40:00	54.7	53.5	55.5
	22:45:00	54.7	53.5	55.5
	22:50:00	54.9	54.0	55.5
	22:55:00	55.1	54.0	56.0
	23:00:00	55.3	54.0	56.0
	23:05:00	54.8	54.0	55.5
	23:10:00	55.2	53.5	56.0
	23:15:00	55.6	54.0	56.0
	23:20:00	54.8	54.0	55.5
	23:25:00	54.4	53.0	55.5
	23:30:00	53.9	52.5	54.5
	23:35:00	54.1	53.0	55.0
	23:40:00	53.6	52.5	54.5
	23:45:00	53.6	52.0	54.5
	23:50:00	54.0	52.5	55.0
	23:55:00	54.1	53.0	55.0
	0:00:00	53.7	52.5	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	0:05:00	53.4	52.5	54.0
	0:10:00	53.6	52.5	54.5
	0:15:00	53.6	52.0	54.5
	0:20:00	53.6	52.5	54.5
	0:25:00	54.2	52.5	56.0
	0:30:00	53.2	52.0	54.0
	0:35:00	54.0	52.5	55.5
	0:40:00	53.5	52.5	54.5
	0:45:00	53.1	52.0	54.0
	0:50:00	53.6	52.0	54.5
	0:55:00	53.0	52.0	53.5
	1:00:00	52.8	52.0	53.5
	1:05:00	53.6	52.0	55.0
	1:10:00	53.4	52.5	54.0
	1:15:00	53.9	52.5	54.5
	1:20:00	53.5	52.5	54.0
	1:25:00	54.1	52.5	55.0
	1:30:00	55.0	52.5	56.5
	1:35:00	53.8	52.5	54.5
	1:40:00	54.0	52.0	55.5
	1:45:00	53.5	52.5	54.0
	1:50:00	53.7	53.0	54.0
	1:55:00	53.7	53.0	54.0
	2:00:00	53.8	53.0	54.5
	2:05:00	53.7	52.5	54.5
	2:10:00	53.2	52.5	53.5
	2:15:00	53.7	52.5	54.5
	2:20:00	53.6	52.5	54.0
	2:25:00	53.1	52.0	53.5
	2:30:00	53.7	52.5	54.5
	2:35:00	53.1	52.0	53.5
	2:40:00	53.3	52.5	54.0
	2:45:00	53.6	52.5	54.0
	2:50:00	53.6	52.5	54.0
	2:55:00	53.4	52.5	54.0
	3:00:00	53.4	52.5	54.0
	3:05:00	53.3	52.5	54.0
	3:10:00	53.4	52.5	54.0
	3:15:00	53.6	52.5	54.0
	3:20:00	54.9	52.0	57.5
	3:25:00	52.5	51.5	53.0
	3:30:00	53.7	52.0	54.5
	3:35:00	53.3	52.5	54.0
	3:40:00	53.3	52.0	54.0
	3:45:00	52.8	52.0	53.5
	3:50:00	52.5	52.0	53.0
	3:55:00	52.7	51.5	53.0
	4:00:00	52.1	51.5	52.5
	4:05:00	52.0	51.5	52.5
	4:10:00	52.2	51.5	52.5
	4:15:00	52.2	51.5	52.5
	4:20:00	52.0	51.5	52.5
	4:25:00	52.2	51.5	53.0
	4:30:00	52.7	51.5	53.5
	4:35:00	52.1	51.5	52.5
	4:40:00	52.1	51.0	52.5
	4:45:00	53.2	52.0	54.5
	4:50:00	52.7	51.5	53.0
	4:55:00	53.2	52.0	54.0
	5:00:00	53.0	51.5	54.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	5:05:00	52.9	51.5	54.0
	5:10:00	52.7	51.5	53.5
	5:15:00	52.4	50.5	53.5
	5:20:00	52.3	50.5	53.5
	5:25:00	60.2	51.0	59.5
	5:30:00	56.6	51.5	59.5
	5:35:00	60.9	59.5	61.5
	5:40:00	60.5	58.5	61.5
	5:45:00	56.3	54.0	58.0
	5:50:00	54.2	48.5	57.0
	5:55:00	52.2	47.0	55.0
	6:00:00	51.2	45.0	54.5
	6:05:00	50.5	45.0	53.5
	6:10:00	51.7	46.5	54.5
	6:15:00	52.9	47.0	54.5
	6:20:00	52.2	46.5	54.5
	6:25:00	51.9	45.5	54.5
	6:30:00	52.9	44.0	55.5
	6:35:00	55.3	46.5	56.0
	6:40:00	52.2	46.0	54.5
	6:45:00	52.8	47.5	56.0
	6:50:00	58.4	49.5	62.5
	6:55:00	53.3	48.5	56.0
	7:00:00	52.6	46.5	56.0
	7:05:00	53.7	49.5	56.0
	7:10:00	55.8	50.0	59.5
	7:15:00	59.2	49.5	63.0
	7:20:00	56.1	50.0	59.0
	7:25:00	57.4	49.5	57.5
	7:30:00	55.9	50.0	57.5
	7:35:00	54.9	50.5	57.0
	7:40:00	56.0	51.0	59.0
	7:45:00	54.8	49.0	56.5
	7:50:00	54.8	50.5	57.0
	7:55:00	58.8	52.5	62.0
	8:00:00	56.4	50.5	59.0
	8:05:00	57.9	51.0	59.5
	8:10:00	59.0	54.0	61.5
	8:15:00	59.2	58.0	60.5
	8:20:00	58.5	57.5	59.0
	8:25:00	57.1	55.0	58.0
	8:30:00	56.5	53.5	59.0
	8:35:00	56.5	53.5	58.0
	8:40:00	58.8	53.0	62.5
	8:45:00	59.8	50.5	63.5
	8:50:00	53.4	50.0	55.5
	8:55:00	54.1	50.0	56.0
	9:00:00	53.7	49.0	56.0
	9:05:00	54.6	49.5	56.5
	9:10:00	56.7	52.5	59.5
	9:15:00	57.6	53.0	61.0
	9:20:00	60.2	54.5	63.0
	9:25:00	57.6	52.5	61.5
	9:30:00	59.1	54.0	62.0
	9:35:00	59.1	56.5	61.0
	9:40:00	59.5	54.0	61.5
	9:45:00	55.6	52.5	58.0
	9:50:00	58.4	54.5	61.0
	9:55:00	56.1	52.0	58.0
	10:00:00	53.7	50.0	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	10:05:00	52.2	47.5	54.5
	10:10:00	52.0	46.5	54.5
	10:15:00	51.5	43.5	54.0
	10:20:00	56.5	46.5	55.5
	10:25:00	58.2	43.5	64.0
	10:30:00	55.0	45.5	57.5
	10:35:00	51.4	47.5	54.0
	10:40:00	53.4	43.5	56.0
	10:45:00	52.1	45.5	54.5
	10:50:00	53.4	48.0	55.0
	10:55:00	52.7	45.0	55.0
	11:00:00	55.5	44.0	56.0
	11:05:00	51.9	42.0	55.0
	11:10:00	51.5	40.0	54.5
	11:15:00	52.7	47.0	55.5
	11:20:00	53.7	49.0	56.5
	11:25:00	52.0	45.5	55.0
	11:30:00	53.3	46.5	55.0
	11:35:00	54.7	43.0	56.5
	11:40:00	54.4	47.5	55.5
	11:45:00	52.5	46.5	55.5
	11:50:00	56.8	47.5	61.0
	11:55:00	52.4	46.0	55.0
	12:00:00	52.7	44.0	56.0
	12:05:00	51.4	45.5	54.0
	12:10:00	52.0	46.0	54.5
	12:15:00	51.5	42.0	54.5
	12:20:00	52.4	48.5	54.5
	12:25:00	51.2	40.0	54.5
	12:30:00	50.3	44.5	53.0
	12:35:00	55.2	46.0	60.0
	12:40:00	51.3	46.0	53.5
	12:45:00	52.3	40.0	55.0
	12:50:00	50.7	44.0	53.5
	12:55:00	57.0	49.0	62.5
	13:00:00	51.9	47.0	54.0
	13:05:00	57.9	55.5	59.0
	13:10:00	59.5	57.5	60.5
	13:15:00	57.8	55.5	59.5
	13:20:00	52.1	46.0	54.5
	13:25:00	51.7	44.5	54.5
	13:30:00	50.8	43.5	53.0
	13:35:00	56.3	44.5	62.0
	13:40:00	53.6	47.5	55.5
	13:45:00	55.0	49.0	58.0
	13:50:00	55.7	47.5	59.0
	13:55:00	52.3	43.5	55.0
	14:00:00	55.6	44.5	59.0
	14:05:00	52.7	46.5	55.5
	14:10:00	57.0	48.0	62.5
	14:15:00	57.5	48.0	64.0
	14:20:00	58.6	46.0	64.0
	14:25:00	54.6	47.0	56.0
	14:30:00	55.6	48.0	59.5
	14:35:00	55.1	50.5	57.0
	14:40:00	54.3	50.5	56.5
	14:45:00	56.3	49.5	59.0
	14:50:00	52.7	50.0	54.5
	14:55:00	52.9	50.0	55.0
	15:00:00	60.2	48.5	67.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	15:05:00	55.0	48.5	58.0
	15:10:00	55.2	48.0	56.0
	15:15:00	52.4	47.5	54.5
	15:20:00	59.0	49.5	64.0
	15:25:00	54.8	47.5	56.5
	15:30:00	53.9	49.0	55.5
	15:35:00	59.3	50.5	65.5
	15:40:00	57.8	51.0	60.5
	15:45:00	56.2	53.0	59.0
	15:50:00	57.7	55.5	58.5
	15:55:00	56.0	53.0	57.5
	16:00:00	52.5	49.5	55.0
	16:05:00	52.8	49.0	55.0
	16:10:00	52.8	49.5	55.0
	16:15:00	52.2	49.0	54.0
	16:20:00	52.3	49.5	54.5
	16:25:00	52.3	50.0	54.0
	16:30:00	53.4	50.0	56.0
	16:35:00	54.8	50.5	57.0
	16:40:00	54.3	50.0	56.5
	16:45:00	53.0	49.0	55.0
	16:50:00	56.4	50.0	56.0
	16:55:00	52.8	50.0	54.0
	17:00:00	54.0	50.0	55.0
	17:05:00	53.3	50.5	55.5
	17:10:00	53.9	50.5	55.5
	17:15:00	52.8	50.0	54.5
	17:20:00	53.4	50.5	55.5
	17:25:00	54.2	51.0	56.5
	17:30:00	54.2	50.5	56.5
	17:35:00	52.5	50.5	54.0
	17:40:00	56.4	50.5	60.5
	17:45:00	53.6	49.0	56.0
	17:50:00	54.2	51.0	56.0
	17:55:00	53.1	50.0	54.5
	18:00:00	53.2	50.0	55.5
	18:05:00	53.0	49.5	55.0
	18:10:00	55.5	50.5	57.5
	18:15:00	53.5	50.5	55.5
	18:20:00	54.5	50.5	57.0
	18:25:00	53.1	50.5	54.5
	18:30:00	53.2	49.0	55.0
	18:35:00	53.1	50.5	54.5
	18:40:00	57.4	52.0	62.5
	18:45:00	55.9	50.0	55.5
	18:50:00	54.3	51.0	56.0
	18:55:00	56.7	50.5	61.5
	19:00:00	57.4	52.5	59.5
	19:05:00	56.5	51.0	62.0
	19:10:00	56.5	51.0	60.5
	19:15:00	55.4	51.5	58.5
	19:20:00	59.5	59.0	60.0
	19:25:00	57.3	55.5	59.0
	19:30:00	53.9	52.0	55.5
	19:35:00	54.3	52.5	55.5
	19:40:00	54.5	53.0	55.5
	19:45:00	55.6	54.5	56.5
	19:50:00	55.9	54.5	57.0
	19:55:00	55.7	54.5	56.5
	20:00:00	55.4	54.0	57.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	20:05:00	55.3	54.5	56.0
	20:10:00	54.8	53.5	56.0
	20:15:00	54.0	52.5	55.0
	20:20:00	53.8	52.5	54.5
	20:25:00	53.6	52.5	54.5
	20:30:00	54.2	52.5	55.0
	20:35:00	54.3	51.5	55.0
	20:40:00	53.0	51.5	54.0
	20:45:00	53.5	51.5	55.0
	20:50:00	54.0	52.5	55.5
	20:55:00	54.9	52.5	55.5
	21:00:00	54.2	53.0	55.0
	21:05:00	54.1	53.0	55.0
	21:10:00	54.2	52.5	55.5
	21:15:00	53.9	52.5	55.0
	21:20:00	54.0	52.5	55.0
	21:25:00	54.5	53.5	55.5
	21:30:00	54.4	53.5	55.0
	21:35:00	54.9	53.5	55.5
	21:40:00	56.2	53.5	57.0
	21:45:00	55.0	53.5	56.0
	21:50:00	54.8	54.0	55.5
	21:55:00	55.3	54.0	56.0
	22:00:00	55.0	54.0	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	22:05:00	55.1	54.0	56.0
	22:10:00	55.4	54.5	56.0
	22:15:00	55.6	54.5	56.5
	22:20:00	55.1	54.0	56.0
	22:25:00	55.0	53.5	56.0
	22:30:00	54.7	53.5	55.5
	22:35:00	55.3	54.0	56.0
	22:40:00	54.5	52.5	55.0
	22:45:00	54.1	52.5	55.0
	22:50:00	54.2	53.0	55.0
	22:55:00	54.8	53.5	55.5
	23:00:00	54.9	53.5	56.0
	23:05:00	54.8	53.5	55.5
	23:10:00	54.8	54.0	55.5
	23:15:00	54.7	53.5	55.5
	23:20:00	54.9	53.5	56.0
	23:25:00	55.1	53.0	56.5
	23:30:00	54.4	53.0	55.5
	23:35:00	54.1	53.0	55.0
	23:40:00	53.9	52.5	55.0
	23:45:00	53.9	53.0	54.5
	23:50:00	54.2	52.5	55.5
	23:55:00	53.8	52.5	54.5
	0:00:00	53.8	52.5	54.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	0:05:00	54.0	52.5	55.0
	0:10:00	54.0	52.5	55.5
	0:15:00	54.0	52.5	55.0
	0:20:00	54.4	53.0	55.0
	0:25:00	53.7	52.5	54.5
	0:30:00	53.7	52.5	54.5
	0:35:00	54.0	52.5	55.5
	0:40:00	54.2	53.0	55.0
	0:45:00	54.0	53.0	55.0
	0:50:00	54.1	53.0	55.0
	0:55:00	54.0	53.0	55.0
	1:00:00	54.0	53.0	54.5
	1:05:00	54.7	53.5	56.0
	1:10:00	55.0	53.5	56.5
	1:15:00	53.7	52.5	55.0
	1:20:00	53.6	52.0	54.5
	1:25:00	53.4	52.0	54.5
	1:30:00	52.7	51.5	53.5
	1:35:00	53.4	52.0	54.0
	1:40:00	53.5	52.0	54.0
	1:45:00	53.5	52.5	54.5
	1:50:00	53.3	52.5	54.0
	1:55:00	53.2	52.0	54.0
	2:00:00	53.7	52.5	54.5
	2:05:00	53.7	52.5	54.5
	2:10:00	54.0	52.5	54.5
	2:15:00	53.8	52.5	55.0
	2:20:00	53.3	52.0	54.5
	2:25:00	53.5	52.5	54.0
	2:30:00	53.2	52.0	54.0
	2:35:00	53.1	52.5	53.5
	2:40:00	53.3	52.5	54.0
	2:45:00	53.7	53.0	54.0
	2:50:00	53.7	53.0	54.0
	2:55:00	53.6	52.5	54.0
	3:00:00	53.4	52.5	54.0
	3:05:00	53.8	52.5	54.5
	3:10:00	53.2	52.0	54.0
	3:15:00	53.0	52.0	53.5
	3:20:00	53.3	52.5	54.0
	3:25:00	53.1	52.0	54.0
	3:30:00	52.7	51.5	53.5
	3:35:00	53.2	52.0	54.0
	3:40:00	54.3	52.5	56.0
	3:45:00	53.8	51.5	55.5
	3:50:00	52.8	51.5	54.0
	3:55:00	52.5	51.0	53.0
	4:00:00	56.1	51.5	60.0
	4:05:00	52.4	51.5	53.0
	4:10:00	52.3	51.5	53.0
	4:15:00	52.4	51.5	53.0
	4:20:00	52.5	51.5	53.5
	4:25:00	52.3	51.5	52.5
	4:30:00	52.3	51.0	53.0
	4:35:00	52.1	51.0	52.5
	4:40:00	52.4	51.5	53.0
	4:45:00	52.5	51.5	53.0
	4:50:00	52.6	51.5	53.0
	4:55:00	52.3	51.5	53.0
	5:00:00	52.2	51.0	53.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	5:05:00	51.8	51.0	52.5
	5:10:00	52.5	51.0	54.0
	5:15:00	52.0	50.5	53.5
	5:20:00	53.5	51.5	55.0
	5:25:00	57.1	52.5	59.5
	5:30:00	60.7	60.0	61.0
	5:35:00	60.5	59.5	61.0
	5:40:00	60.5	55.5	62.0
	5:45:00	61.4	52.0	64.5
	5:50:00	57.3	49.0	58.0
	5:55:00	59.4	49.5	63.0
	6:00:00	58.1	49.0	60.5
	6:05:00	58.3	48.5	62.0
	6:10:00	53.6	48.0	55.0
	6:15:00	54.7	48.5	56.5
	6:20:00	54.2	48.5	57.0
	6:25:00	58.2	48.5	61.5
	6:30:00	59.3	48.0	61.5
	6:35:00	59.3	47.0	63.5
	6:40:00	57.1	48.5	58.0
	6:45:00	56.8	50.0	60.0
	6:50:00	54.8	49.0	57.5
	6:55:00	57.4	48.5	61.5
	7:00:00	58.1	47.5	59.5
	7:05:00	55.0	45.5	58.5
	7:10:00	55.4	48.5	59.0
	7:15:00	56.2	47.5	58.5
	7:20:00	56.2	49.0	59.5
	7:25:00	61.0	56.0	62.5
	7:30:00	60.4	59.0	61.0
	7:35:00	60.1	58.5	61.0
	7:40:00	61.5	58.0	63.0
	7:45:00	62.2	57.0	66.0
	7:50:00	59.0	57.0	60.5
	7:55:00	60.2	57.0	62.5
	8:00:00	59.7	55.0	61.5
	8:05:00	58.5	54.0	61.0
	8:10:00	58.1	54.0	60.0
	8:15:00	59.7	56.0	61.0
	8:20:00	57.6	54.5	59.5
	8:25:00	55.5	50.0	57.0
	8:30:00	54.6	49.0	56.0
	8:35:00	58.8	50.5	64.0
	8:40:00	52.7	49.0	54.5
	8:45:00	57.2	50.0	58.5
	8:50:00	56.9	48.5	60.5
	8:55:00	54.6	47.5	57.0
	9:00:00	59.2	51.0	64.0
	9:05:00	54.5	49.5	56.5
	9:10:00	55.7	48.0	58.0
	9:15:00	53.2	48.0	56.0
	9:20:00	57.0	48.5	59.5
	9:25:00	56.2	47.0	59.0
	9:30:00	55.7	49.0	59.5
	9:35:00	57.9	48.0	60.5
	9:40:00	55.0	50.0	57.5
	9:45:00	59.6	58.0	60.5
	9:50:00	60.7	58.5	62.0
	9:55:00	57.4	56.0	58.5
	10:00:00	57.0	55.5	58.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	10:05:00	54.8	50.0	58.5
	10:10:00	53.8	49.0	56.0
	10:15:00	54.6	50.0	56.5
	10:20:00	55.4	49.5	57.5
	10:25:00	55.2	50.0	57.5
	10:30:00	55.9	47.5	61.5
	10:35:00	51.2	47.5	53.0
	10:40:00	51.5	47.0	54.0
	10:45:00	53.3	49.0	56.5
	10:50:00	52.0	48.5	54.5
	10:55:00	54.3	48.5	57.5
	11:00:00	55.0	51.5	56.5
	11:05:00	54.0	49.0	55.5
	11:10:00	52.5	48.5	54.5
	11:15:00	53.3	49.0	56.0
	11:20:00	53.3	49.5	55.5
	11:25:00	52.0	49.0	54.0
	11:30:00	54.0	47.5	56.5
	11:35:00	56.2	48.5	62.0
	11:40:00	57.7	49.0	62.0
	11:45:00	55.6	50.0	59.5
	11:50:00	53.5	48.0	57.0
	11:55:00	53.5	48.0	56.0
	12:00:00	53.4	48.5	56.0
	12:05:00	54.4	48.0	57.5
	12:10:00	52.9	47.0	55.5
	12:15:00	52.9	48.5	55.0
	12:20:00	53.8	49.0	56.5
	12:25:00	55.7	50.0	59.0
	12:30:00	52.4	48.5	54.5
	12:35:00	54.1	50.0	56.5
	12:40:00	52.1	48.5	54.5
	12:45:00	52.6	48.5	55.0
	12:50:00	54.5	49.5	58.0
	12:55:00	56.9	49.5	61.0
	13:00:00	53.5	50.0	56.0
	13:05:00	52.4	49.5	54.5
	13:10:00	55.4	51.0	58.5
	13:15:00	55.2	49.0	57.0
	13:20:00	54.3	48.5	57.5
	13:25:00	53.0	50.0	55.0
	13:30:00	52.9	47.0	55.5
	13:35:00	53.4	48.0	56.0
	13:40:00	54.0	49.0	55.0
	13:45:00	58.0	51.5	63.0
	13:50:00	60.3	53.5	63.5
	13:55:00	61.4	55.5	63.5
	14:00:00	54.5	50.5	56.5
	14:05:00	54.0	47.0	57.0
	14:10:00	54.2	49.5	57.0
	14:15:00	54.1	48.5	57.0
	14:20:00	54.3	48.5	56.5
	14:25:00	55.4	48.0	61.0
	14:30:00	50.5	45.0	54.0
	14:35:00	54.7	46.5	59.0
	14:40:00	53.2	47.5	56.0
	14:45:00	50.3	46.5	52.5
	14:50:00	52.1	47.0	55.5
	14:55:00	53.1	45.5	56.0
	15:00:00	52.2	47.0	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	15:05:00	51.6	48.0	54.5
	15:10:00	54.7	47.5	56.0
	15:15:00	52.6	49.0	55.0
	15:20:00	60.5	49.5	58.0
	15:25:00	65.2	50.0	63.0
	15:30:00	63.3	49.5	57.5
	15:35:00	62.4	50.0	57.5
	15:40:00	58.5	52.0	60.5
	15:45:00	62.1	57.0	64.0
	15:50:00	60.9	52.0	65.0
	15:55:00	53.3	50.0	55.0
	16:00:00	53.9	50.0	56.0
	16:05:00	55.4	50.5	58.5
	16:10:00	52.4	49.5	54.0
	16:15:00	52.2	49.0	54.5
	16:20:00	53.4	50.0	55.5
	16:25:00	56.9	50.0	61.5
	16:30:00	53.2	50.0	55.5
	16:35:00	52.6	50.0	54.0
	16:40:00	52.3	49.0	54.0
	16:45:00	53.8	50.5	55.5
	16:50:00	55.7	50.0	56.5
	16:55:00	56.4	51.0	59.5
	17:00:00	53.2	49.5	55.5
	17:05:00	54.3	50.0	56.0
	17:10:00	54.0	50.0	56.5
	17:15:00	53.2	50.5	55.0
	17:20:00	54.8	50.0	58.0
	17:25:00	52.8	50.0	55.0
	17:30:00	53.8	50.5	56.0
	17:35:00	54.7	50.0	58.5
	17:40:00	52.3	48.5	55.0
	17:45:00	52.5	49.5	54.5
	17:50:00	51.9	49.5	53.5
	17:55:00	65.3	49.5	68.5
	18:00:00	55.3	51.0	59.0
	18:05:00	52.7	49.5	55.0
	18:10:00	52.8	49.0	55.0
	18:15:00	54.3	48.5	59.5
	18:20:00	57.0	50.0	55.5
	18:25:00	57.8	50.0	60.0
	18:30:00	55.0	50.0	57.0
	18:35:00	55.6	50.0	56.5
	18:40:00	53.1	49.5	56.5
	18:45:00	52.4	49.5	55.0
	18:50:00	57.4	50.5	61.5
	18:55:00	55.0	49.5	57.5
	19:00:00	57.5	49.5	59.0
	19:05:00	56.4	50.0	59.5
	19:10:00	55.7	50.5	59.5
	19:15:00	59.6	57.5	60.5
	19:20:00	61.3	60.5	61.5
	19:25:00	59.8	57.0	61.0
	19:30:00	55.6	51.0	59.0
	19:35:00	55.5	52.0	57.5
	19:40:00	54.6	52.0	56.0
	19:45:00	55.0	53.0	57.0
	19:50:00	55.0	54.0	56.0
	19:55:00	57.0	54.0	57.5
	20:00:00	54.8	54.0	55.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	20:05:00	54.9	54.0	55.5
	20:10:00	55.3	53.0	56.5
	20:15:00	54.7	52.5	56.5
	20:20:00	53.6	52.0	54.5
	20:25:00	55.1	52.0	57.5
	20:30:00	54.1	51.5	55.5
	20:35:00	52.5	50.5	53.5
	20:40:00	52.8	51.5	54.0
	20:45:00	53.5	51.0	55.0
	20:50:00	52.8	51.0	54.0
	20:55:00	52.9	51.5	54.0
	21:00:00	53.2	52.0	54.0
	21:05:00	53.4	52.0	54.5
	21:10:00	53.6	52.0	54.5
	21:15:00	53.4	52.0	54.5
	21:20:00	53.9	52.0	54.5
	21:25:00	53.7	52.0	55.0
	21:30:00	54.0	52.5	55.0
	21:35:00	53.5	52.0	54.5
	21:40:00	53.6	52.5	54.5
	21:45:00	53.8	52.0	55.5
	21:50:00	53.6	52.0	54.5
	21:55:00	53.8	52.5	55.0
	22:00:00	54.0	52.5	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	22:05:00	53.7	52.5	54.5
	22:10:00	54.0	52.5	55.0
	22:15:00	54.2	53.0	55.0
	22:20:00	54.0	52.5	55.0
	22:25:00	54.0	52.5	55.0
	22:30:00	53.4	52.0	54.0
	22:35:00	54.0	53.0	55.0
	22:40:00	54.4	52.5	55.5
	22:45:00	53.7	52.5	54.5
	22:50:00	54.1	53.0	55.0
	22:55:00	54.2	53.0	55.0
	23:00:00	54.2	53.0	55.0
	23:05:00	54.0	53.0	54.5
	23:10:00	54.2	53.0	55.0
	23:15:00	53.2	52.0	54.0
	23:20:00	53.6	52.5	54.5
	23:25:00	53.6	52.5	54.5
	23:30:00	54.1	52.5	55.0
	23:35:00	54.5	52.5	56.5
	23:40:00	53.5	52.5	54.5
	23:45:00	53.2	52.0	54.0
	23:50:00	53.7	52.0	55.0
	23:55:00	53.3	52.5	54.0
	0:00:00	53.5	52.5	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	0:05:00	53.7	52.5	54.5
	0:10:00	53.8	52.5	55.0
	0:15:00	53.8	53.0	54.5
	0:20:00	54.1	52.5	55.5
	0:25:00	54.9	52.5	56.5
	0:30:00	53.5	52.0	54.0
	0:35:00	53.6	52.0	55.0
	0:40:00	54.3	52.0	54.0
	0:45:00	53.1	52.0	54.0
	0:50:00	53.1	52.0	54.0
	0:55:00	53.1	52.0	54.0
	1:00:00	52.9	52.0	53.5
	1:05:00	53.5	52.5	54.0
	1:10:00	53.4	52.5	54.0
	1:15:00	53.5	52.5	54.5
	1:20:00	53.0	52.0	53.5
	1:25:00	53.5	52.0	54.5
	1:30:00	53.3	52.0	54.0
	1:35:00	53.0	52.0	54.0
	1:40:00	52.8	52.0	53.5
	1:45:00	52.5	51.5	53.0
	1:50:00	52.8	52.0	53.5
	1:55:00	52.4	51.5	53.0
	2:00:00	52.0	51.0	52.5
	2:05:00	52.3	51.5	53.0
	2:10:00	52.6	52.0	53.0
	2:15:00	52.6	52.0	53.0
	2:20:00	52.5	51.5	53.0
	2:25:00	52.6	52.0	53.0
	2:30:00	52.7	51.5	53.5
	2:35:00	52.8	52.0	53.5
	2:40:00	52.8	52.0	53.5
	2:45:00	52.9	52.0	53.5
	2:50:00	52.7	52.0	53.5
	2:55:00	52.6	52.0	53.0
	3:00:00	53.2	52.0	54.0
	3:05:00	52.7	52.0	53.5
	3:10:00	52.2	51.5	53.0
	3:15:00	52.5	51.5	53.0
	3:20:00	52.0	51.5	52.5
	3:25:00	52.4	51.5	53.0
	3:30:00	52.3	51.5	52.5
	3:35:00	52.4	51.5	53.0
	3:40:00	52.8	51.5	53.0
	3:45:00	52.9	52.0	53.5
	3:50:00	52.6	51.5	53.0
	3:55:00	52.5	51.5	53.0
	4:00:00	53.0	51.5	54.5
	4:05:00	51.9	51.0	52.5
	4:10:00	52.0	51.0	52.5
	4:15:00	52.0	51.0	52.5
	4:20:00	51.9	51.5	52.5
	4:25:00	51.9	51.0	52.5
	4:30:00	51.8	51.0	52.0
	4:35:00	52.4	51.5	53.5
	4:40:00	52.2	51.5	52.5
	4:45:00	51.8	51.0	52.5
	4:50:00	51.9	51.0	52.5
	4:55:00	51.9	51.0	52.5
	5:00:00	52.2	51.0	53.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	5:05:00	52.2	51.0	53.5
	5:10:00	53.3	51.0	55.0
	5:15:00	52.4	50.5	54.0
	5:20:00	53.6	52.0	55.0
	5:25:00	60.6	56.0	62.5
	5:30:00	62.8	62.0	63.0
	5:35:00	62.0	61.0	63.0
	5:40:00	56.9	52.5	59.5
	5:45:00	52.6	49.5	54.5
	5:50:00	55.3	49.5	58.5
	5:55:00	55.6	49.5	58.0
	6:00:00	56.2	48.0	57.5
	6:05:00	57.1	48.5	61.0
	6:10:00	61.4	49.0	61.5
	6:15:00	56.2	48.0	55.0
	6:20:00	54.1	49.0	55.5
	6:25:00	53.9	49.5	55.5
	6:30:00	56.7	49.5	58.5
	6:35:00	56.4	50.0	59.5
	6:40:00	55.3	50.0	57.5
	6:45:00	57.7	50.5	62.0
	6:50:00	54.3	50.5	56.0
	6:55:00	55.3	49.5	57.5
	7:00:00	58.8	50.0	61.5
	7:05:00	53.7	49.0	56.0
	7:10:00	53.2	49.0	54.5
	7:15:00	57.4	51.0	59.5
	7:20:00	58.5	55.5	59.0
	7:25:00	61.3	59.5	62.5
	7:30:00	62.7	61.5	63.0
	7:35:00	61.8	60.5	62.0
	7:40:00	61.6	60.0	63.0
	7:45:00	58.3	53.0	60.0
	7:50:00	55.9	54.0	57.5
	7:55:00	58.8	56.0	60.5
	8:00:00	60.6	58.5	61.5
	8:05:00	61.1	60.5	61.5
	8:10:00	61.4	60.5	62.0
	8:15:00	57.6	55.0	59.5
	8:20:00	56.7	53.5	58.0
	8:25:00	56.3	54.5	57.5
	8:30:00	55.7	53.0	57.5
	8:35:00	56.4	53.5	58.5
	8:40:00	60.5	56.0	62.5
	8:45:00	61.9	60.0	62.5
	8:50:00	60.2	56.0	62.5
	8:55:00	61.9	61.0	62.5
	9:00:00	61.3	60.0	62.0
	9:05:00	56.2	52.0	60.0
	9:10:00	55.8	51.5	57.0
	9:15:00	55.0	51.5	57.5
	9:20:00	55.3	50.5	59.5
	9:25:00	55.8	52.0	57.5
	9:30:00	54.9	50.0	57.0
	9:35:00	53.4	49.5	56.0
	9:40:00	55.4	50.5	58.0
	9:45:00	56.1	51.5	58.5
	9:50:00	56.1	51.5	58.5
	9:55:00	53.4	49.5	55.5
	10:00:00	56.3	48.0	59.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	10:05:00	53.9	49.0	56.0
	10:10:00	56.9	50.0	59.0
	10:15:00	55.6	50.5	57.5
	10:20:00	57.3	49.0	61.5
	10:25:00	57.2	48.0	60.0
	10:30:00	55.7	49.5	60.5
	10:35:00	53.5	48.0	57.0
	10:40:00	51.5	47.0	53.5
	10:45:00	50.7	46.0	51.5
	10:50:00	53.1	47.0	56.5
	10:55:00	53.1	46.5	57.0
	11:00:00	53.3	48.0	55.5
	11:05:00	52.8	45.5	55.0
	11:10:00	55.1	48.5	57.5
	11:15:00	52.8	48.0	55.5
	11:20:00	51.1	46.5	53.0
	11:25:00	54.7	47.5	58.5
	11:30:00	50.9	47.5	52.5
	11:35:00	52.7	47.0	55.5
	11:40:00	53.6	47.0	55.5
	11:45:00	53.2	47.5	55.0
	11:50:00	54.3	46.0	57.0
	11:55:00	57.5	49.0	59.0
	12:00:00	52.1	47.0	55.0
	12:05:00	61.8	53.0	63.0
	12:10:00	61.3	59.0	62.5
	12:15:00	58.1	52.5	60.0
	12:20:00	55.8	48.5	57.0
	12:25:00	51.7	47.0	54.5
	12:30:00	51.7	47.5	54.0
	12:35:00	50.5	45.0	53.5
	12:40:00	54.5	48.0	57.0
	12:45:00	52.1	46.0	55.0
	12:50:00	56.7	46.5	59.5
	12:55:00	57.3	49.0	60.0
	13:00:00	56.1	48.0	62.0
	13:05:00	54.7	47.5	58.0
	13:10:00	52.9	48.0	56.0
	13:15:00	53.3	46.5	56.0
	13:20:00	56.5	47.5	61.0
	13:25:00	54.0	47.0	58.0
	13:30:00	52.7	46.5	54.5
	13:35:00	53.7	47.5	56.5
	13:40:00	52.9	47.0	56.0
	13:45:00	51.9	46.5	54.5
	13:50:00	51.6	44.0	55.0
	13:55:00	53.5	45.5	58.0
	14:00:00	54.8	48.5	57.5
	14:05:00	54.2	45.5	56.5
	14:10:00	52.7	47.5	55.5
	14:15:00	55.5	50.5	57.5
	14:20:00	61.1	57.0	62.5
	14:25:00	60.5	58.0	63.0
	14:30:00	56.5	51.0	58.5
	14:35:00	50.9	45.5	53.5
	14:40:00	56.7	47.5	59.5
	14:45:00	54.7	48.0	57.0
	14:50:00	53.9	45.5	56.5
	14:55:00	54.7	48.0	55.0
	15:00:00	51.0	47.0	53.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	15:05:00	51.7	46.5	54.0
	15:10:00	52.5	47.5	55.0
	15:15:00	54.8	50.0	57.5
	15:20:00	52.3	45.5	55.0
	15:25:00	52.9	45.0	55.5
	15:30:00	53.1	49.0	56.0
	15:35:00	51.1	47.5	53.5
	15:40:00	51.8	45.5	54.0
	15:45:00	55.7	48.0	60.5
	15:50:00	54.3	48.5	55.0
	15:55:00	51.8	48.0	54.0
	16:00:00	54.5	50.0	56.5
	16:05:00	56.2	50.0	59.0
	16:10:00	52.9	49.5	55.0
	16:15:00	55.0	50.0	58.0
	16:20:00	53.2	49.0	55.5
	16:25:00	54.6	49.0	56.0
	16:30:00	56.5	50.0	58.0
	16:35:00	54.5	51.0	57.0
	16:40:00	54.7	52.5	56.0
	16:45:00	62.1	54.0	60.5
	16:50:00	58.4	55.0	58.5
	16:55:00	56.5	50.5	57.0
	17:00:00	56.6	49.5	54.5
	17:05:00	58.0	50.0	61.0
	17:10:00	56.6	50.5	60.5
	17:15:00	54.9	49.5	57.0
	17:20:00	54.9	49.5	58.5
	17:25:00	55.8	49.5	58.5
	17:30:00	54.2	49.5	56.5
	17:35:00	53.3	49.0	55.0
	17:40:00	60.1	50.5	62.0
	17:45:00	62.3	51.0	61.0
	17:50:00	57.8	49.5	61.0
	17:55:00	62.2	50.0	66.0
	18:00:00	55.7	50.5	59.5
	18:05:00	55.4	50.0	57.5
	18:10:00	58.0	50.0	61.0
	18:15:00	53.9	50.0	55.5
	18:20:00	54.3	50.0	56.0
	18:25:00	56.4	50.5	60.0
	18:30:00	53.7	50.5	55.5
	18:35:00	52.7	49.0	54.5
	18:40:00	56.3	49.5	61.5
	18:45:00	53.9	50.0	56.0
	18:50:00	55.3	51.0	58.5
	18:55:00	53.0	50.0	55.5
	19:00:00	54.4	50.0	56.5
	19:05:00	56.9	50.5	61.5
	19:10:00	51.8	49.5	53.0
	19:15:00	55.1	49.0	60.0
	19:20:00	57.1	53.5	60.0
	19:25:00	61.3	60.5	61.5
	19:30:00	60.5	58.5	61.5
	19:35:00	55.1	51.5	57.5
	19:40:00	54.3	52.5	55.5
	19:45:00	54.0	53.0	55.0
	19:50:00	55.1	54.0	56.0
	19:55:00	55.1	53.5	56.0
	20:00:00	54.4	53.5	55.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	20:05:00	56.0	53.5	57.0
	20:10:00	55.2	53.5	56.0
	20:15:00	56.0	53.5	58.0
	20:20:00	60.4	53.0	62.5
	20:25:00	68.8	53.0	70.5
	20:30:00	84.6	58.0	88.5
	20:35:00	74.8	55.5	77.0
	20:40:00	68.3	53.0	70.5
	20:45:00	65.0	52.0	68.0
	20:50:00	59.2	52.0	63.0
	20:55:00	67.3	53.0	71.0
	21:00:00	75.1	54.0	80.5
	21:05:00	70.8	52.5	72.0
	21:10:00	53.9	50.5	54.5
	21:15:00	53.6	51.0	54.5
	21:20:00	53.8	52.0	55.0
	21:25:00	53.4	52.0	54.5
	21:30:00	52.7	51.5	53.5
	21:35:00	53.3	52.0	54.5
	21:40:00	53.7	52.0	54.5
	21:45:00	53.0	51.5	54.0
	21:50:00	53.3	52.0	54.5
	21:55:00	53.5	52.0	54.5
	22:00:00	53.8	52.0	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	22:05:00	54.4	53.0	55.5
	22:10:00	54.0	52.5	55.0
	22:15:00	53.8	53.0	54.5
	22:20:00	53.6	52.5	54.5
	22:25:00	53.8	52.5	55.0
	22:30:00	54.3	53.0	55.0
	22:35:00	54.2	52.5	55.5
	22:40:00	54.1	52.0	55.0
	22:45:00	53.3	52.5	54.0
	22:50:00	53.2	52.0	54.0
	22:55:00	53.9	52.5	55.0
	23:00:00	53.7	52.5	54.5
	23:05:00	54.4	52.5	56.0
	23:10:00	53.9	52.5	55.0
	23:15:00	54.1	52.5	55.0
	23:20:00	54.1	53.0	55.0
	23:25:00	54.5	53.0	55.5
	23:30:00	54.0	53.0	55.0
	23:35:00	54.1	53.0	55.0
	23:40:00	54.3	52.5	55.5
	23:45:00	53.2	52.0	54.0
	23:50:00	54.6	53.0	56.0
	23:55:00	53.4	51.5	54.5
	0:00:00	53.6	52.5	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	0:05:00	53.3	52.0	54.0
	0:10:00	53.2	52.0	54.0
	0:15:00	53.6	52.0	54.5
	0:20:00	53.0	52.0	54.0
	0:25:00	53.6	52.0	55.0
	0:30:00	52.7	51.5	53.5
	0:35:00	52.6	51.5	53.5
	0:40:00	53.4	52.0	54.5
	0:45:00	53.1	52.0	54.0
	0:50:00	53.1	51.5	54.0
	0:55:00	52.2	51.0	53.0
	1:00:00	52.2	51.0	53.0
	1:05:00	52.5	51.5	53.5
	1:10:00	53.1	51.5	54.5
	1:15:00	52.8	51.5	53.5
	1:20:00	53.1	52.0	54.0
	1:25:00	52.5	51.5	53.0
	1:30:00	52.6	51.5	53.0
	1:35:00	52.9	51.5	53.5
	1:40:00	52.8	51.5	54.0
	1:45:00	52.7	51.5	53.5
	1:50:00	52.5	51.5	53.0
	1:55:00	52.6	51.5	53.5
	2:00:00	52.8	51.0	53.0
	2:05:00	52.1	51.0	52.5
	2:10:00	53.1	51.0	53.0
	2:15:00	52.3	51.0	53.0
	2:20:00	52.3	51.5	53.0
	2:25:00	52.1	51.5	52.5
	2:30:00	52.2	51.0	53.0
	2:35:00	52.0	51.0	52.5
	2:40:00	52.5	51.5	53.0
	2:45:00	52.5	51.5	53.0
	2:50:00	52.4	51.5	53.0
	2:55:00	52.4	51.5	53.0
	3:00:00	52.1	51.0	52.5
	3:05:00	52.0	51.0	52.5
	3:10:00	52.1	51.0	53.0
	3:15:00	52.3	51.0	53.0
	3:20:00	52.1	51.0	52.5
	3:25:00	51.8	51.0	52.0
	3:30:00	51.7	51.0	52.0
	3:35:00	52.0	51.0	52.5
	3:40:00	51.9	51.0	52.5
	3:45:00	51.6	51.0	52.0
	3:50:00	51.8	51.0	52.5
	3:55:00	51.9	51.0	52.5
	4:00:00	51.7	51.0	52.5
	4:05:00	51.8	51.0	52.0
	4:10:00	51.6	51.0	52.0
	4:15:00	52.2	51.0	52.5
	4:20:00	51.8	51.0	52.5
	4:25:00	51.7	51.0	52.0
	4:30:00	51.8	51.0	52.5
	4:35:00	51.3	50.5	51.5
	4:40:00	51.6	50.5	52.5
	4:45:00	51.1	50.5	51.5
	4:50:00	51.2	50.0	52.0
	4:55:00	51.3	50.0	52.0
	5:00:00	51.2	50.0	52.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	5:05:00	51.6	50.5	52.0
	5:10:00	52.1	50.5	53.0
	5:15:00	52.4	51.0	53.5
	5:20:00	54.5	51.5	56.0
	5:25:00	59.3	55.0	62.0
	5:30:00	62.5	62.0	62.5
	5:35:00	62.3	61.5	62.5
	5:40:00	60.5	56.5	62.0
	5:45:00	58.8	53.5	62.0
	5:50:00	52.5	49.5	54.5
	5:55:00	58.2	49.0	60.0
	6:00:00	54.4	49.0	56.0
	6:05:00	56.1	48.0	55.5
	6:10:00	54.3	48.0	56.5
	6:15:00	54.1	48.5	55.5
	6:20:00	54.9	48.0	56.5
	6:25:00	54.2	48.0	56.5
	6:30:00	51.8	47.5	54.0
	6:35:00	54.0	48.0	57.0
	6:40:00	54.7	48.5	57.0
	6:45:00	53.7	49.0	55.5
	6:50:00	55.0	49.0	57.0
	6:55:00	60.1	49.0	60.5
	7:00:00	54.8	50.0	56.0
	7:05:00	56.6	49.5	58.0
	7:10:00	58.9	49.5	60.5
	7:15:00	54.6	50.0	57.0
	7:20:00	54.3	51.0	55.0
	7:25:00	57.6	52.5	60.0
	7:30:00	62.1	61.0	62.5
	7:35:00	64.1	62.0	64.0
	7:40:00	63.1	61.5	64.5
	7:45:00	60.5	58.5	61.5
	7:50:00	59.4	57.0	61.0
	7:55:00	58.9	57.0	59.5
	8:00:00	61.0	59.0	62.5
	8:05:00	62.1	60.5	63.0
	8:10:00	60.8	58.5	62.0
	8:15:00	61.3	58.0	63.0
	8:20:00	58.5	55.5	61.5
	8:25:00	56.3	55.0	57.0
	8:30:00	58.5	56.0	61.0
	8:35:00	61.6	60.0	62.0
	8:40:00	61.4	60.0	62.0
	8:45:00	61.1	60.0	62.0
	8:50:00	61.3	59.0	62.5
	8:55:00	60.1	58.0	61.0
	9:00:00	60.7	57.0	61.0
	9:05:00	57.7	53.5	57.5
	9:10:00	57.8	55.0	60.5
	9:15:00	60.9	59.5	62.0
	9:20:00	60.1	58.5	61.0
	9:25:00	60.2	58.5	61.0
	9:30:00	60.6	57.5	62.0
	9:35:00	54.5	50.5	57.0
	9:40:00	53.9	51.0	55.5
	9:45:00	57.4	53.0	60.5
	9:50:00	56.8	53.0	58.5
	9:55:00	56.5	51.0	58.0
	10:00:00	53.3	49.0	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	10:05:00	58.0	46.0	58.5
	10:10:00	55.8	48.5	59.0
	10:15:00	55.9	49.5	58.5
	10:20:00	54.1	48.0	57.0
	10:25:00	56.9	48.0	61.5
	10:30:00	54.9	49.5	57.5
	10:35:00	53.0	46.0	55.5
	10:40:00	53.2	43.5	55.5
	10:45:00	51.8	45.5	54.5
	10:50:00	57.7	48.5	59.5
	10:55:00	53.1	47.0	55.5
	11:00:00	53.0	45.0	56.0
	11:05:00	55.9	48.0	60.5
	11:10:00	50.8	45.0	53.0
	11:15:00	53.0	46.5	55.5
	11:20:00	53.4	47.0	56.0
	11:25:00	52.7	47.5	55.5
	11:30:00	54.2	47.5	56.5
	11:35:00	53.0	48.0	55.5
	11:40:00	51.2	44.0	54.0
	11:45:00	53.5	46.5	57.5
	11:50:00	51.5	46.5	53.5
	11:55:00	56.2	50.5	59.5
	12:00:00	56.7	48.5	59.0
	12:05:00	54.3	48.5	57.0
	12:10:00	52.7	47.0	54.0
	12:15:00	53.6	48.0	56.5
	12:20:00	50.8	45.0	53.5
	12:25:00	54.0	47.0	57.0
	12:30:00	51.9	45.0	54.5
	12:35:00	52.2	47.0	54.0
	12:40:00	56.0	50.5	60.0
	12:45:00	55.5	45.5	60.0
	12:50:00	52.2	47.0	55.0
	12:55:00	51.9	46.5	54.0
	13:00:00	50.3	43.5	53.0
	13:05:00	50.1	41.0	53.5
	13:10:00	54.7	46.0	58.5
	13:15:00	53.8	45.0	54.0
	13:20:00	51.8	46.5	54.5
	13:25:00	56.0	48.0	62.0
	13:30:00	54.4	46.5	56.0
	13:35:00	59.3	57.5	60.0
	13:40:00	59.0	57.0	60.0
	13:45:00	56.8	50.0	60.0
	13:50:00	53.9	48.0	56.5
	13:55:00	56.4	47.5	61.5
	14:00:00	52.3	47.5	54.5
	14:05:00	53.9	46.5	57.5
	14:10:00	53.4	48.0	56.5
	14:15:00	56.1	44.0	60.5
	14:20:00	52.9	44.0	56.0
	14:25:00	50.6	46.5	52.5
	14:30:00	50.3	44.5	53.5
	14:35:00	53.5	48.0	56.0
	14:40:00	54.3	46.0	58.5
	14:45:00	50.2	45.5	53.0
	14:50:00	55.9	47.5	60.5
	14:55:00	51.1	45.0	54.5
	15:00:00	52.8	47.0	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	15:05:00	57.0	48.5	61.0
	15:10:00	59.2	57.0	61.0
	15:15:00	57.3	55.0	59.0
	15:20:00	54.5	47.0	58.0
	15:25:00	54.4	46.0	58.5
	15:30:00	51.8	47.0	54.0
	15:35:00	52.9	45.0	55.5
	15:40:00	52.8	48.0	55.5
	15:45:00	54.7	45.5	57.5
	15:50:00	51.5	46.5	54.0
	15:55:00	55.7	47.5	58.5
	16:00:00	50.5	47.5	52.5
	16:05:00	52.5	45.0	53.0
	16:10:00	53.4	48.0	56.0
	16:15:00	52.0	48.5	54.0
	16:20:00	55.8	50.5	58.0
	16:25:00	52.9	49.0	55.5
	16:30:00	57.2	49.5	62.5
	16:35:00	53.3	49.0	56.0
	16:40:00	54.2	50.0	57.0
	16:45:00	52.9	49.5	55.0
	16:50:00	53.7	50.5	56.5
	16:55:00	56.7	49.5	61.5
	17:00:00	53.9	49.5	56.0
	17:05:00	56.4	48.5	59.0
	17:10:00	53.9	49.0	56.0
	17:15:00	53.4	48.5	55.0
	17:20:00	52.6	49.0	55.0
	17:25:00	53.2	50.0	55.5
	17:30:00	53.1	50.0	55.5
	17:35:00	53.6	50.0	55.5
	17:40:00	54.8	49.5	57.5
	17:45:00	58.5	50.5	64.0
	17:50:00	55.3	49.5	58.5
	17:55:00	52.6	49.0	54.5
	18:00:00	52.7	49.5	54.5
	18:05:00	51.6	49.0	53.0
	18:10:00	56.7	51.0	61.0
	18:15:00	55.1	50.5	57.5
	18:20:00	57.8	51.0	61.5
	18:25:00	54.8	50.5	56.5
	18:30:00	52.9	50.0	55.0
	18:35:00	53.0	49.5	55.0
	18:40:00	54.3	50.5	56.5
	18:45:00	58.3	51.0	64.0
	18:50:00	55.7	51.0	58.5
	18:55:00	56.5	50.5	60.5
	19:00:00	55.0	51.0	58.5
	19:05:00	52.9	49.5	54.5
	19:10:00	55.5	50.5	59.5
	19:15:00	54.2	49.5	58.0
	19:20:00	56.5	50.5	59.0
	19:25:00	61.7	60.5	62.5
	19:30:00	60.8	59.5	61.5
	19:35:00	56.1	52.0	59.5
	19:40:00	53.7	52.0	54.5
	19:45:00	56.3	53.0	59.5
	19:50:00	55.1	53.5	56.0
	19:55:00	56.3	53.5	58.0
	20:00:00	55.0	53.5	56.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	20:05:00	54.7	53.0	56.0
	20:10:00	55.0	53.0	56.5
	20:15:00	55.9	52.0	58.0
	20:20:00	55.7	51.5	58.0
	20:25:00	55.7	51.5	57.5
	20:30:00	52.8	51.5	53.5
	20:35:00	53.2	51.0	54.5
	20:40:00	56.2	52.0	59.0
	20:45:00	53.7	51.0	55.5
	20:50:00	53.5	51.5	55.5
	20:55:00	55.0	51.5	56.5
	21:00:00	53.9	51.5	55.5
	21:05:00	52.7	51.0	54.0
	21:10:00	54.9	51.5	58.0
	21:15:00	53.3	51.5	55.0
	21:20:00	53.8	51.5	55.5
	21:25:00	54.1	52.0	56.0
	21:30:00	54.0	51.0	56.0
	21:35:00	55.1	52.0	58.5
	21:40:00	55.2	51.5	57.0
	21:45:00	53.8	51.5	55.5
	21:50:00	53.4	52.0	54.5
	21:55:00	55.3	52.0	58.0
	22:00:00	53.7	52.0	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	22:05:00	53.7	52.5	54.5
	22:10:00	55.3	52.5	55.5
	22:15:00	55.6	52.5	55.5
	22:20:00	53.9	52.0	55.5
	22:25:00	54.3	52.0	56.5
	22:30:00	53.7	52.0	55.0
	22:35:00	53.4	52.0	54.5
	22:40:00	53.7	52.0	55.0
	22:45:00	53.6	52.5	54.5
	22:50:00	53.5	52.5	54.5
	22:55:00	53.8	52.5	55.0
	23:00:00	53.1	52.0	54.0
	23:05:00	55.5	52.5	57.0
	23:10:00	57.6	52.5	61.5
	23:15:00	54.3	52.5	55.0
	23:20:00	53.4	52.0	54.5
	23:25:00	53.4	52.0	54.5
	23:30:00	53.5	52.0	54.5
	23:35:00	53.3	51.5	55.0
	23:40:00	53.1	51.5	54.0
	23:45:00	52.9	51.0	54.0
	23:50:00	53.5	51.5	55.0
	23:55:00	52.7	51.5	54.0
	0:00:00	52.6	51.5	53.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	0:05:00	55.1	52.0	55.0
	0:10:00	52.9	51.5	53.5
	0:15:00	55.1	51.5	56.0
	0:20:00	54.3	52.5	56.0
	0:25:00	53.0	51.5	54.0
	0:30:00	53.5	52.0	54.5
	0:35:00	54.1	52.5	55.5
	0:40:00	53.4	52.5	54.0
	0:45:00	54.0	52.5	55.0
	0:50:00	54.7	52.5	56.5
	0:55:00	53.0	52.0	53.5
	1:00:00	53.6	52.0	55.0
	1:05:00	52.9	51.5	54.0
	1:10:00	53.4	51.5	54.5
	1:15:00	52.7	51.0	53.5
	1:20:00	52.8	51.5	53.5
	1:25:00	52.8	51.5	53.5
	1:30:00	53.8	51.5	55.5
	1:35:00	52.4	51.0	53.5
	1:40:00	51.6	50.5	52.0
	1:45:00	52.1	51.0	53.0
	1:50:00	52.2	51.0	53.5
	1:55:00	51.5	50.5	52.0
	2:00:00	51.6	50.5	52.5
	2:05:00	51.7	50.5	52.0
	2:10:00	52.2	51.0	53.0
	2:15:00	52.4	51.0	53.5
	2:20:00	51.8	51.0	52.5
	2:25:00	51.8	51.0	52.5
	2:30:00	52.4	51.0	53.5
	2:35:00	52.5	50.5	53.5
	2:40:00	53.0	51.5	54.0
	2:45:00	53.2	51.5	54.0
	2:50:00	54.1	53.0	55.0
	2:55:00	54.0	52.5	54.5
	3:00:00	54.0	53.0	54.5
	3:05:00	53.2	51.5	54.5
	3:10:00	53.6	52.0	54.5
	3:15:00	54.0	53.0	54.5
	3:20:00	54.1	52.5	55.0
	3:25:00	53.8	52.5	54.5
	3:30:00	53.6	52.5	54.0
	3:35:00	53.7	52.5	54.5
	3:40:00	53.7	53.0	54.5
	3:45:00	53.9	53.0	54.5
	3:50:00	53.7	52.5	54.5
	3:55:00	54.0	53.0	54.5
	4:00:00	54.0	53.0	54.5
	4:05:00	53.8	52.5	54.5
	4:10:00	53.7	53.0	54.5
	4:15:00	53.4	52.5	54.0
	4:20:00	53.6	52.5	54.0
	4:25:00	54.2	53.0	55.0
	4:30:00	54.5	53.5	55.0
	4:35:00	54.2	53.0	55.0
	4:40:00	54.1	53.0	54.5
	4:45:00	55.7	53.0	57.5
	4:50:00	54.0	52.5	54.5
	4:55:00	53.3	52.0	54.0
	5:00:00	52.8	51.5	53.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	5:05:00	52.6	52.0	53.0
	5:10:00	52.8	52.0	53.5
	5:15:00	53.3	52.0	54.0
	5:20:00	54.6	52.5	56.0
	5:25:00	57.0	54.0	59.0
	5:30:00	63.3	61.5	64.0
	5:35:00	63.8	63.0	64.0
	5:40:00	61.9	57.0	63.5
	5:45:00	58.2	54.0	61.0
	5:50:00	55.6	50.0	57.5
	5:55:00	56.4	48.5	60.5
	6:00:00	53.8	48.0	55.5
	6:05:00	54.0	47.0	56.5
	6:10:00	53.0	47.0	54.5
	6:15:00	54.5	47.5	56.0
	6:20:00	53.1	48.5	55.5
	6:25:00	53.1	48.5	55.5
	6:30:00	53.2	50.5	55.0
	6:35:00	57.9	53.0	60.5
	6:40:00	58.1	53.5	60.5
	6:45:00	58.2	53.0	60.5
	6:50:00	55.2	51.5	57.0
	6:55:00	60.6	53.5	63.5
	7:00:00	63.8	62.5	65.0
	7:05:00	64.6	63.0	66.0
	7:10:00	62.1	60.5	64.0
	7:15:00	62.7	62.0	63.5
	7:20:00	62.6	61.5	63.5
	7:25:00	62.2	60.0	64.5
	7:30:00	60.5	57.0	62.0
	7:35:00	59.3	57.0	60.5
	7:40:00	60.4	57.5	61.5
	7:45:00	59.3	58.0	61.0
	7:50:00	57.1	54.5	59.0
	7:55:00	57.2	54.5	59.0
	8:00:00	61.2	57.5	62.0
	8:05:00	59.6	57.0	61.5
	8:10:00	59.8	57.5	61.0
	8:15:00	59.9	58.0	61.0
	8:20:00	61.0	60.0	61.5
	8:25:00	60.4	58.5	61.5
	8:30:00	61.3	57.5	64.5
	8:35:00	57.5	56.0	58.5
	8:40:00	60.5	56.0	64.0
	8:45:00	60.0	56.5	62.0
	8:50:00	63.0	61.5	64.0
	8:55:00	62.7	60.5	64.5
	9:00:00	60.5	59.0	61.0
	9:05:00	58.3	55.0	59.5
	9:10:00	55.8	53.0	58.0
	9:15:00	58.7	56.0	60.0
	9:20:00	60.2	57.0	61.0
	9:25:00	60.2	58.5	61.0
	9:30:00	57.9	57.0	58.5
	9:35:00	58.8	56.5	59.5
	9:40:00	58.7	56.5	60.0
	9:45:00	59.3	58.0	60.5
	9:50:00	58.1	56.0	60.0
	9:55:00	54.7	50.0	57.0
	10:00:00	52.0	47.5	54.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	10:05:00	51.9	48.0	54.0
	10:10:00	54.9	47.5	58.5
	10:15:00	55.2	50.0	58.0
	10:20:00	50.7	44.0	54.0
	10:25:00	51.7	45.0	54.5
	10:30:00	52.9	47.0	56.0
	10:35:00	55.8	49.0	59.0
	10:40:00	55.0	49.5	57.5
	10:45:00	55.2	53.0	56.0
	10:50:00	56.5	54.5	58.0
	10:55:00	55.0	48.0	57.5
	11:00:00	55.1	46.5	59.0
	11:05:00	51.2	44.5	53.5
	11:10:00	53.1	48.0	55.5
	11:15:00	51.5	45.0	54.0
	11:20:00	53.5	49.0	56.0
	11:25:00	52.7	46.5	55.5
	11:30:00	52.6	46.5	56.0
	11:35:00	51.1	46.5	53.5
	11:40:00	50.7	44.0	54.0
	11:45:00	51.4	46.5	54.0
	11:50:00	51.8	47.0	54.0
	11:55:00	51.5	47.0	53.5
	12:00:00	53.8	46.5	58.5
	12:05:00	54.3	47.5	56.0
	12:10:00	51.3	47.0	53.5
	12:15:00	52.7	46.5	56.0
	12:20:00	53.3	46.5	56.0
	12:25:00	51.3	47.5	53.5
	12:30:00	51.1	46.0	53.0
	12:35:00	53.6	48.0	57.0
	12:40:00	53.3	44.5	56.0
	12:45:00	51.9	44.5	53.5
	12:50:00	54.1	46.5	58.0
	12:55:00	51.6	45.5	54.5
	13:00:00	50.6	45.5	53.0
	13:05:00	54.2	46.5	59.0
	13:10:00	53.7	48.0	56.5
	13:15:00	59.9	54.5	61.5
	13:20:00	57.1	54.0	60.5
	13:25:00	57.3	53.5	58.5
	13:30:00	56.6	55.5	57.5
	13:35:00	54.4	52.0	56.0
	13:40:00	52.1	46.5	54.5
	13:45:00	50.8	46.5	53.5
	13:50:00	50.6	45.0	53.0
	13:55:00	54.7	42.5	60.5
	14:00:00	53.5	46.0	56.5
	14:05:00	58.0	46.0	55.0
	14:10:00	59.2	47.0	56.5
	14:15:00	51.5	47.0	54.5
	14:20:00	50.6	46.0	53.0
	14:25:00	52.4	44.5	56.0
	14:30:00	52.2	45.0	55.5
	14:35:00	53.6	46.0	57.5
	14:40:00	54.1	45.5	56.5
	14:45:00	53.9	50.5	56.0
	14:50:00	52.6	49.0	54.0
	14:55:00	51.6	46.0	54.5
	15:00:00	50.3	44.0	53.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	15:05:00	49.6	44.5	52.0
	15:10:00	51.6	45.0	54.5
	15:15:00	53.5	46.0	57.0
	15:20:00	51.0	45.0	53.0
	15:25:00	51.4	45.5	53.5
	15:30:00	54.0	47.5	59.0
	15:35:00	59.2	52.0	62.0
	15:40:00	59.1	56.0	61.5
	15:45:00	57.1	55.5	58.5
	15:50:00	53.3	50.0	55.5
	15:55:00	51.7	47.5	54.5
	16:00:00	52.4	48.0	55.0
	16:05:00	53.7	48.0	55.5
	16:10:00	55.2	49.0	58.0
	16:15:00	51.9	47.5	53.5
	16:20:00	54.0	49.5	56.5
	16:25:00	53.6	48.5	56.0
	16:30:00	59.3	52.5	60.5
	16:35:00	55.4	53.5	56.5
	16:40:00	55.9	52.5	59.0
	16:45:00	52.7	48.5	54.5
	16:50:00	60.2	49.5	63.0
	16:55:00	55.7	49.5	58.0
	17:00:00	54.5	49.5	58.5
	17:05:00	51.7	49.0	53.5
	17:10:00	51.8	48.5	54.0
	17:15:00	53.1	49.5	54.5
	17:20:00	52.2	48.5	54.0
	17:25:00	52.0	48.5	54.0
	17:30:00	52.8	50.5	54.5
	17:35:00	52.5	49.5	55.0
	17:40:00	55.6	50.0	58.5
	17:45:00	52.3	50.0	54.0
	17:50:00	53.4	49.5	55.5
	17:55:00	52.6	49.0	54.5
	18:00:00	52.7	50.0	54.5
	18:05:00	53.0	49.5	55.5
	18:10:00	64.6	51.0	67.5
	18:15:00	54.9	50.0	59.0
	18:20:00	54.4	50.5	57.0
	18:25:00	54.0	50.5	55.5
	18:30:00	52.0	49.0	53.5
	18:35:00	54.6	50.5	58.0
	18:40:00	53.2	51.0	54.5
	18:45:00	54.8	50.0	58.0
	18:50:00	52.7	50.5	54.0
	18:55:00	55.0	51.5	58.0
	19:00:00	54.0	50.0	56.5
	19:05:00	54.8	49.5	57.5
	19:10:00	52.7	50.0	54.5
	19:15:00	56.4	50.5	61.5
	19:20:00	55.0	49.5	59.5
	19:25:00	64.2	57.5	65.5
	19:30:00	65.8	65.5	66.0
	19:35:00	58.4	53.5	61.0
	19:40:00	54.9	52.0	57.0
	19:45:00	56.2	53.0	59.0
	19:50:00	56.3	53.5	58.5
	19:55:00	55.8	53.5	57.0
	20:00:00	54.8	53.0	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	20:05:00	54.5	53.0	55.0
	20:10:00	55.5	52.5	58.0
	20:15:00	56.4	51.5	59.0
	20:20:00	53.7	51.0	56.0
	20:25:00	52.0	50.5	53.5
	20:30:00	53.9	51.0	56.0
	20:35:00	52.8	50.0	54.5
	20:40:00	56.3	50.5	60.0
	20:45:00	58.9	52.0	60.5
	20:50:00	56.8	51.0	57.5
	20:55:00	54.3	50.5	57.5
	21:00:00	53.0	50.0	54.5
	21:05:00	52.3	50.0	54.0
	21:10:00	53.4	51.5	55.0
	21:15:00	53.4	51.0	54.5
	21:20:00	53.3	51.5	54.5
	21:25:00	53.5	51.5	54.5
	21:30:00	53.3	51.5	54.5
	21:35:00	52.5	50.5	53.5
	21:40:00	52.4	51.0	54.0
	21:45:00	53.2	51.0	54.0
	21:50:00	54.0	52.5	55.0
	21:55:00	55.8	52.0	58.0
	22:00:00	54.2	52.0	55.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	22:05:00	55.4	52.0	58.5
	22:10:00	52.9	51.0	54.0
	22:15:00	54.2	51.5	56.0
	22:20:00	53.7	51.5	55.0
	22:25:00	54.7	52.5	57.0
	22:30:00	54.4	52.0	56.0
	22:35:00	54.6	52.5	56.0
	22:40:00	57.0	52.5	59.5
	22:45:00	53.7	52.5	54.5
	22:50:00	53.7	52.0	55.0
	22:55:00	53.4	51.5	54.5
	23:00:00	54.0	51.5	55.5
	23:05:00	53.5	52.0	54.5
	23:10:00	53.7	51.5	54.5
	23:15:00	53.3	51.5	54.5
	23:20:00	53.4	52.0	54.5
	23:25:00	52.7	51.5	53.5
	23:30:00	53.4	51.5	54.5
	23:35:00	52.7	51.5	54.0
	23:40:00	53.2	51.5	54.5
	23:45:00	53.5	52.0	55.0
	23:50:00	53.2	51.5	54.5
	23:55:00	53.3	51.5	54.5
	0:00:00	53.1	51.5	54.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	0:05:00	53.1	51.5	54.0
	0:10:00	53.0	51.5	54.0
	0:15:00	52.8	51.0	54.5
	0:20:00	52.6	51.0	53.5
	0:25:00	53.3	51.5	55.5
	0:30:00	53.2	51.5	54.5
	0:35:00	52.1	50.5	53.5
	0:40:00	53.2	51.5	55.0
	0:45:00	52.9	51.5	54.0
	0:50:00	52.7	51.5	53.5
	0:55:00	52.6	51.5	53.5
	1:00:00	52.3	51.0	53.0
	1:05:00	52.6	51.0	53.5
	1:10:00	52.7	51.0	53.5
	1:15:00	51.6	50.5	52.5
	1:20:00	51.9	50.5	53.0
	1:25:00	52.4	50.5	54.0
	1:30:00	56.7	51.0	60.5
	1:35:00	58.8	51.5	60.5
	1:40:00	51.6	50.5	52.5
	1:45:00	51.6	50.5	52.5
	1:50:00	51.3	50.5	52.0
	1:55:00	51.8	50.5	52.5
	2:00:00	56.7	52.0	57.5
	2:05:00	57.8	57.0	58.0
	2:10:00	58.3	57.0	59.0
	2:15:00	58.3	52.0	59.5
	2:20:00	52.3	51.0	53.0
	2:25:00	51.9	51.0	53.0
	2:30:00	52.6	51.0	53.5
	2:35:00	51.6	50.5	52.5
	2:40:00	51.2	50.0	52.0
	2:45:00	50.9	49.5	51.5
	2:50:00	51.1	50.0	52.0
	2:55:00	50.9	50.0	52.0
	3:00:00	51.2	50.0	52.0
	3:05:00	51.0	50.0	51.5
	3:10:00	51.3	50.0	52.5
	3:15:00	51.2	50.0	52.0
	3:20:00	50.7	49.5	51.5
	3:25:00	50.9	50.0	51.5
	3:30:00	50.9	50.0	51.5
	3:35:00	51.5	50.0	52.5
	3:40:00	50.9	50.0	51.5
	3:45:00	51.0	50.0	51.5
	3:50:00	51.5	50.5	52.0
	3:55:00	51.4	50.0	52.0
	4:00:00	51.2	50.0	52.0
	4:05:00	50.9	50.0	51.5
	4:10:00	51.4	50.0	52.5
	4:15:00	51.0	49.5	52.0
	4:20:00	50.1	49.0	51.0
	4:25:00	50.0	49.0	51.0
	4:30:00	59.8	56.5	61.0
	4:35:00	60.8	60.0	61.0
	4:40:00	59.0	58.0	59.5
	4:45:00	51.5	49.5	51.5
	4:50:00	52.6	49.5	56.5
	4:55:00	50.7	49.5	51.5
	5:00:00	50.3	48.5	51.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	5:05:00	50.0	49.0	51.0
	5:10:00	50.4	48.5	52.0
	5:15:00	54.0	47.5	58.0
	5:20:00	56.6	51.5	59.5
	5:25:00	61.1	56.5	62.5
	5:30:00	63.6	62.5	64.0
	5:35:00	62.9	62.0	63.5
	5:40:00	57.4	52.5	60.0
	5:45:00	51.3	48.5	53.0
	5:50:00	55.6	47.5	57.0
	5:55:00	55.9	47.0	57.5
	6:00:00	55.3	46.5	59.5
	6:05:00	56.5	47.5	59.0
	6:10:00	54.9	46.5	58.0
	6:15:00	49.6	45.5	52.5
	6:20:00	51.2	47.0	53.5
	6:25:00	50.0	46.0	52.5
	6:30:00	51.8	47.0	53.5
	6:35:00	51.5	46.5	54.5
	6:40:00	51.7	47.0	54.0
	6:45:00	51.1	47.5	53.0
	6:50:00	56.6	48.0	56.5
	6:55:00	51.4	47.5	53.5
	7:00:00	51.9	48.5	54.0
	7:05:00	51.4	48.0	54.0
	7:10:00	51.8	48.0	54.0
	7:15:00	51.7	48.0	54.0
	7:20:00	55.7	51.0	59.0
	7:25:00	60.8	59.5	61.5
	7:30:00	61.5	59.5	62.5
	7:35:00	61.6	60.5	62.0
	7:40:00	60.7	59.5	61.5
	7:45:00	61.2	59.5	62.0
	7:50:00	61.1	58.5	62.5
	7:55:00	60.4	58.0	61.0
	8:00:00	61.3	60.5	62.0
	8:05:00	62.4	61.5	63.0
	8:10:00	62.2	61.0	62.5
	8:15:00	61.5	59.5	62.5
	8:20:00	61.3	60.5	62.0
	8:25:00	60.1	59.0	61.0
	8:30:00	60.5	59.5	61.0
	8:35:00	58.5	56.5	60.0
	8:40:00	55.4	54.0	56.5
	8:45:00	57.2	54.0	61.0
	8:50:00	55.3	53.5	56.5
	8:55:00	54.5	52.5	56.0
	9:00:00	54.9	53.5	56.0
	9:05:00	56.8	55.5	57.5
	9:10:00	56.8	55.0	58.0
	9:15:00	55.7	53.5	58.0
	9:20:00	55.3	53.0	57.0
	9:25:00	53.9	51.0	56.0
	9:30:00	53.0	50.5	55.0
	9:35:00	53.3	50.5	55.0
	9:40:00	55.9	51.5	60.5
	9:45:00	54.4	50.5	57.0
	9:50:00	55.1	50.5	59.0
	9:55:00	55.0	50.0	57.5
	10:00:00	55.9	50.5	58.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	10:05:00	54.1	50.0	55.5
	10:10:00	59.0	50.5	62.0
	10:15:00	57.0	49.5	60.5
	10:20:00	57.3	50.5	61.0
	10:25:00	54.5	49.5	57.5
	10:30:00	55.0	49.5	58.5
	10:35:00	58.4	51.5	61.5
	10:40:00	57.1	52.5	60.0
	10:45:00	55.5	54.5	56.5
	10:50:00	58.3	57.0	59.0
	10:55:00	57.9	55.0	59.0
	11:00:00	52.8	49.5	54.5
	11:05:00	54.4	49.5	57.0
	11:10:00	53.7	49.0	56.0
	11:15:00	54.4	50.0	57.0
	11:20:00	55.6	52.5	59.0
	11:25:00	58.8	56.0	59.5
	11:30:00	59.5	58.5	60.0
	11:35:00	58.8	56.5	61.0
	11:40:00	56.1	54.0	58.0
	11:45:00	54.2	49.5	56.0
	11:50:00	54.7	48.5	56.5
	11:55:00	52.8	48.0	55.0
	12:00:00	55.4	48.0	59.0
	12:05:00	51.8	48.5	54.0
	12:10:00	53.4	50.0	55.5
	12:15:00	52.1	48.0	54.5
	12:20:00	54.1	49.0	58.0
	12:25:00	51.9	48.5	54.0
	12:30:00	54.2	49.5	56.5
	12:35:00	52.6	48.5	55.0
	12:40:00	52.5	49.0	55.0
	12:45:00	52.2	48.5	54.0
	12:50:00	54.8	51.0	56.5
	12:55:00	59.3	56.5	60.0
	13:00:00	57.8	53.5	59.5
	13:05:00	54.0	51.5	55.5
	13:10:00	56.6	51.0	58.5
	13:15:00	53.8	50.0	56.0
	13:20:00	53.4	49.5	56.0
	13:25:00	52.3	49.5	54.5
	13:30:00	52.5	49.5	55.0
	13:35:00	52.1	48.5	54.0
	13:40:00	52.0	48.5	53.5
	13:45:00	54.7	50.0	59.0
	13:50:00	52.2	48.0	54.0
	13:55:00	53.3	48.5	56.0
	14:00:00	52.6	47.5	54.5
	14:05:00	54.6	48.0	57.5
	14:10:00	52.4	49.0	54.0
	14:15:00	52.2	49.0	54.0
	14:20:00	52.1	49.5	53.5
	14:25:00	54.7	50.5	58.5
	14:30:00	53.0	50.5	54.5
	14:35:00	52.3	48.0	54.5
	14:40:00	53.3	49.0	55.0
	14:45:00	52.8	50.0	55.0
	14:50:00	52.1	49.0	54.0
	14:55:00	52.8	49.0	55.0
	15:00:00	51.9	49.5	53.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	15:05:00	51.9	48.5	54.5
	15:10:00	53.0	49.0	55.5
	15:15:00	53.0	50.0	55.0
	15:20:00	53.8	50.0	55.5
	15:25:00	54.2	50.0	55.5
	15:30:00	53.8	49.0	57.0
	15:35:00	52.0	49.0	54.0
	15:40:00	53.2	49.0	55.5
	15:45:00	51.7	49.0	53.5
	15:50:00	52.6	49.5	54.5
	15:55:00	53.9	48.0	55.5
	16:00:00	53.0	49.0	55.5
	16:05:00	52.9	50.0	55.0
	16:10:00	54.9	50.0	57.5
	16:15:00	63.4	49.5	57.5
	16:20:00	66.2	50.0	59.5
	16:25:00	54.6	49.0	56.5
	16:30:00	53.4	51.0	55.0
	16:35:00	53.6	50.0	56.5
	16:40:00	54.2	50.5	57.5
	16:45:00	59.3	55.0	62.0
	16:50:00	64.4	61.0	66.5
	16:55:00	58.2	53.0	60.5
	17:00:00	54.1	51.5	55.5
	17:05:00	52.1	49.0	54.0
	17:10:00	56.0	48.0	59.0
	17:15:00	58.0	50.0	62.0
	17:20:00	54.2	49.5	57.0
	17:25:00	55.8	49.0	59.0
	17:30:00	54.4	50.0	56.0
	17:35:00	55.0	50.5	55.0
	17:40:00	67.8	50.5	61.5
	17:45:00	53.9	51.0	55.5
	17:50:00	54.1	50.0	56.5
	17:55:00	54.3	50.5	56.0
	18:00:00	54.0	50.5	56.0
	18:05:00	53.5	50.0	55.5
	18:10:00	52.1	49.0	54.0
	18:15:00	51.5	48.5	53.5
	18:20:00	56.2	49.0	55.5
	18:25:00	53.7	49.0	56.5
	18:30:00	50.2	47.0	52.0
	18:35:00	51.0	48.0	52.5
	18:40:00	53.3	48.0	56.5
	18:45:00	56.8	49.0	58.5
	18:50:00	55.3	48.5	61.5
	18:55:00	52.8	48.5	54.0
	19:00:00	51.2	49.0	52.5
	19:05:00	57.5	50.0	62.5
	19:10:00	56.7	48.5	62.0
	19:15:00	56.0	49.5	62.0
	19:20:00	58.5	52.0	62.0
	19:25:00	64.9	63.0	65.5
	19:30:00	62.6	60.0	65.5
	19:35:00	54.2	50.5	57.5
	19:40:00	53.5	50.5	55.5
	19:45:00	55.1	53.0	57.0
	19:50:00	57.2	53.0	59.5
	19:55:00	54.5	53.5	55.0
	20:00:00	55.1	53.0	56.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	20:05:00	55.6	53.0	57.0
	20:10:00	54.5	53.5	55.0
	20:15:00	53.8	52.0	55.0
	20:20:00	55.1	51.5	57.0
	20:25:00	54.2	51.0	56.5
	20:30:00	52.4	50.5	54.0
	20:35:00	52.3	50.5	53.5
	20:40:00	53.0	50.5	54.5
	20:45:00	53.0	50.0	54.5
	20:50:00	53.1	50.5	54.5
	20:55:00	54.6	50.5	56.0
	21:00:00	51.6	49.5	53.0
	21:05:00	52.1	49.0	54.0
	21:10:00	52.0	49.5	53.5
	21:15:00	52.7	50.5	54.5
	21:20:00	52.2	50.5	53.5
	21:25:00	53.3	50.5	55.0
	21:30:00	55.7	51.0	57.5
	21:35:00	52.7	50.5	54.5
	21:40:00	52.4	50.5	54.0
	21:45:00	52.5	50.5	54.0
	21:50:00	52.9	51.0	54.0
	21:55:00	56.1	51.0	58.5
	22:00:00	54.3	50.5	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	22:05:00	52.9	51.0	54.5
	22:10:00	52.7	51.0	54.0
	22:15:00	53.0	51.0	54.5
	22:20:00	55.4	52.5	58.0
	22:25:00	55.4	51.5	58.5
	22:30:00	53.6	52.0	54.5
	22:35:00	54.1	52.0	55.5
	22:40:00	53.5	52.5	54.5
	22:45:00	54.7	52.0	56.0
	22:50:00	53.6	52.0	55.0
	22:55:00	53.1	51.0	54.0
	23:00:00	53.4	52.0	54.5
	23:05:00	55.1	51.5	57.5
	23:10:00	53.0	51.5	54.0
	23:15:00	54.1	51.5	55.5
	23:20:00	54.8	52.0	57.0
	23:25:00	53.3	51.5	54.5
	23:30:00	53.3	52.0	54.5
	23:35:00	55.3	51.5	58.0
	23:40:00	53.7	52.0	55.0
	23:45:00	53.9	52.0	55.5
	23:50:00	53.1	50.5	54.0
	23:55:00	53.6	51.5	55.0
	0:00:00	55.3	51.5	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	0:05:00	55.1	51.5	56.5
	0:10:00	52.8	50.5	54.5
	0:15:00	53.9	51.0	55.5
	0:20:00	53.1	51.0	54.0
	0:25:00	53.4	51.5	54.5
	0:30:00	53.5	51.0	55.5
	0:35:00	52.9	51.5	54.5
	0:40:00	54.0	51.0	56.5
	0:45:00	52.1	50.5	53.0
	0:50:00	51.9	50.0	53.5
	0:55:00	52.1	50.5	53.5
	1:00:00	54.5	51.0	54.0
	1:05:00	52.7	50.5	54.0
	1:10:00	53.0	50.5	55.0
	1:15:00	52.4	51.0	53.5
	1:20:00	51.4	50.0	52.5
	1:25:00	51.0	49.5	52.0
	1:30:00	52.0	50.5	53.0
	1:35:00	52.2	50.0	54.0
	1:40:00	52.2	50.0	53.5
	1:45:00	51.9	50.0	53.0
	1:50:00	51.7	50.5	53.0
	1:55:00	51.6	50.5	52.5
	2:00:00	55.2	50.5	55.0
	2:05:00	53.5	50.5	55.0
	2:10:00	51.4	50.5	52.5
	2:15:00	52.8	50.5	55.0
	2:20:00	51.9	50.5	52.5
	2:25:00	52.3	51.0	53.5
	2:30:00	52.9	51.5	53.5
	2:35:00	56.5	51.5	57.5
	2:40:00	52.5	51.0	53.5
	2:45:00	51.6	50.0	52.5
	2:50:00	51.6	50.5	52.5
	2:55:00	52.1	50.5	53.0
	3:00:00	51.8	50.5	52.5
	3:05:00	52.3	51.0	53.0
	3:10:00	56.9	50.0	60.5
	3:15:00	52.1	50.5	53.0
	3:20:00	52.3	50.5	53.5
	3:25:00	51.6	50.0	52.5
	3:30:00	51.4	50.0	52.5
	3:35:00	51.4	50.0	52.5
	3:40:00	51.9	50.0	53.0
	3:45:00	51.9	50.0	53.0
	3:50:00	51.3	49.5	52.5
	3:55:00	51.3	49.5	52.5
	4:00:00	51.4	49.5	52.5
	4:05:00	50.0	48.5	51.5
	4:10:00	50.0	48.5	51.0
	4:15:00	49.7	48.5	50.5
	4:20:00	49.9	48.5	51.0
	4:25:00	49.9	49.0	51.0
	4:30:00	49.6	48.0	51.0
	4:35:00	51.1	48.5	53.0
	4:40:00	49.7	48.5	51.0
	4:45:00	49.6	48.0	50.5
	4:50:00	49.5	48.5	50.5
	4:55:00	51.1	49.0	53.0
	5:00:00	49.9	48.5	51.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	5:05:00	49.6	48.5	51.0
	5:10:00	49.7	48.5	51.0
	5:15:00	50.3	48.5	52.0
	5:20:00	52.9	49.5	55.0
	5:25:00	62.5	52.5	66.5
	5:30:00	67.3	66.5	68.0
	5:35:00	67.0	66.0	67.5
	5:40:00	63.1	58.5	65.0
	5:45:00	55.9	48.0	57.5
	5:50:00	53.1	48.0	55.0
	5:55:00	50.9	46.0	53.0
	6:00:00	52.2	46.5	55.0
	6:05:00	56.9	46.5	59.0
	6:10:00	53.6	46.0	55.0
	6:15:00	51.7	44.0	54.0
	6:20:00	50.7	46.5	53.0
	6:25:00	51.9	46.5	54.5
	6:30:00	51.3	46.5	54.0
	6:35:00	50.3	47.0	53.0
	6:40:00	49.7	46.5	52.0
	6:45:00	52.5	47.0	54.5
	6:50:00	50.2	46.0	52.5
	6:55:00	51.5	47.0	53.5
	7:00:00	55.7	48.0	59.0
	7:05:00	50.4	46.5	52.5
	7:10:00	53.5	48.0	55.5
	7:15:00	51.3	47.5	53.5
	7:20:00	52.1	48.0	54.0
	7:25:00	59.4	54.0	62.5
	7:30:00	65.7	63.0	66.5
	7:35:00	64.6	62.0	65.5
	7:40:00	64.7	64.0	65.5
	7:45:00	63.1	62.0	63.5
	7:50:00	64.3	63.5	64.5
	7:55:00	63.5	62.0	65.0
	8:00:00	62.1	57.5	63.0
	8:05:00	55.3	53.0	57.5
	8:10:00	61.7	55.0	65.0
	8:15:00	64.0	63.0	65.0
	8:20:00	61.9	61.0	62.5
	8:25:00	62.6	60.0	64.0
	8:30:00	59.4	56.0	61.0
	8:35:00	52.9	50.0	54.5
	8:40:00	54.7	50.0	57.0
	8:45:00	55.9	53.5	57.5
	8:50:00	60.7	57.5	62.5
	8:55:00	58.5	56.5	60.0
	9:00:00	55.5	52.0	58.0
	9:05:00	53.2	50.0	55.0
	9:10:00	52.2	49.0	54.0
	9:15:00	54.1	51.0	56.0
	9:20:00	52.3	49.5	54.0
	9:25:00	54.2	51.0	56.0
	9:30:00	64.5	54.5	66.5
	9:35:00	66.9	66.0	67.5
	9:40:00	63.6	60.0	66.5
	9:45:00	57.2	51.5	60.0
	9:50:00	55.6	49.5	59.0
	9:55:00	52.2	50.0	53.5
	10:00:00	54.2	49.0	58.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	10:05:00	52.4	49.0	54.0
	10:10:00	53.4	50.0	56.0
	10:15:00	55.9	49.5	60.5
	10:20:00	52.8	48.5	55.0
	10:25:00	51.5	47.5	54.0
	10:30:00	55.1	49.5	60.0
	10:35:00	56.3	51.0	57.0
	10:40:00	55.6	48.0	58.0
	10:45:00	52.4	48.0	54.5
	10:50:00	52.7	48.0	55.5
	10:55:00	52.6	48.5	55.0
	11:00:00	51.3	48.5	52.5
	11:05:00	57.2	48.5	56.0
	11:10:00	55.8	48.5	60.5
	11:15:00	57.4	49.5	61.5
	11:20:00	54.4	49.5	57.5
	11:25:00	51.7	47.5	54.0
	11:30:00	51.2	46.5	53.5
	11:35:00	52.7	48.5	55.5
	11:40:00	51.8	48.5	54.0
	11:45:00	50.6	48.0	52.5
	11:50:00	56.2	49.0	55.5
	11:55:00	51.0	48.0	53.0
	12:00:00	50.9	47.0	53.0
	12:05:00	53.7	49.5	56.5
	12:10:00	53.0	48.0	55.5
	12:15:00	52.2	49.0	54.5
	12:20:00	52.0	48.0	54.5
	12:25:00	54.2	49.0	58.0
	12:30:00	53.0	48.5	54.5
	12:35:00	53.2	48.0	55.5
	12:40:00	51.0	48.0	53.0
	12:45:00	51.1	48.0	53.0
	12:50:00	67.9	57.5	69.5
	12:55:00	65.7	63.0	68.5
	13:00:00	58.4	49.0	63.0
	13:05:00	50.1	47.0	52.0
	13:10:00	50.4	47.5	52.0
	13:15:00	53.3	48.5	57.0
	13:20:00	51.2	47.5	53.5
	13:25:00	50.9	48.0	52.5
	13:30:00	50.9	46.0	53.0
	13:35:00	50.4	47.0	53.0
	13:40:00	50.7	48.5	52.0
	13:45:00	50.8	48.0	52.5
	13:50:00	51.9	49.0	53.5
	13:55:00	52.8	49.0	56.5
	14:00:00	57.9	51.5	60.5
	14:05:00	65.4	61.5	66.5
	14:10:00	62.1	52.5	65.5
	14:15:00	54.0	49.5	56.0
	14:20:00	53.2	48.5	56.0
	14:25:00	54.1	49.5	57.0
	14:30:00	55.1	49.0	58.0
	14:35:00	54.2	49.5	56.5
	14:40:00	56.0	49.0	59.0
	14:45:00	56.8	49.5	61.0
	14:50:00	55.3	49.5	59.0
	14:55:00	53.9	48.5	56.5
	15:00:00	57.3	54.0	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	15:05:00	58.4	57.5	59.0
	15:10:00	57.0	55.0	58.5
	15:15:00	57.7	55.5	59.0
	15:20:00	57.1	51.5	58.0
	15:25:00	54.9	49.5	56.5
	15:30:00	51.8	48.5	54.0
	15:35:00	51.4	48.5	53.0
	15:40:00	53.7	49.0	55.0
	15:45:00	63.4	50.5	64.0
	15:50:00	57.4	50.0	60.0
	15:55:00	52.5	49.0	54.0
	16:00:00	53.7	49.0	56.5
	16:05:00	52.5	49.0	54.5
	16:10:00	53.2	49.0	55.5
	16:15:00	52.9	49.0	55.0
	16:20:00	53.0	49.0	55.5
	16:25:00	54.9	49.0	58.5
	16:30:00	54.9	50.0	56.0
	16:35:00	53.9	50.0	56.0
	16:40:00	52.4	49.0	54.5
	16:45:00	52.8	48.5	55.0
	16:50:00	53.5	48.5	55.5
	16:55:00	53.3	49.5	55.0
	17:00:00	53.4	49.0	56.0
	17:05:00	52.1	49.5	54.0
	17:10:00	52.8	49.5	54.5
	17:15:00	52.1	49.0	54.5
	17:20:00	52.0	49.0	54.5
	17:25:00	52.6	50.0	54.5
	17:30:00	53.1	49.5	55.0
	17:35:00	51.8	48.5	53.5
	17:40:00	54.3	50.0	56.5
	17:45:00	51.8	49.5	53.0
	17:50:00	50.9	48.5	52.5
	17:55:00	57.2	49.5	58.5
	18:00:00	54.3	49.0	56.5
	18:05:00	52.6	49.5	54.0
	18:10:00	52.6	49.0	54.5
	18:15:00	51.5	48.0	54.5
	18:20:00	51.5	49.5	52.5
	18:25:00	57.8	49.0	62.0
	18:30:00	52.9	49.0	55.0
	18:35:00	55.7	49.5	60.0
	18:40:00	50.8	48.0	52.0
	18:45:00	50.7	48.5	52.5
	18:50:00	54.7	49.5	59.0
	18:55:00	52.3	49.5	54.0
	19:00:00	54.6	50.0	57.0
	19:05:00	52.9	51.0	54.5
	19:10:00	55.0	49.5	59.5
	19:15:00	55.2	51.0	57.0
	19:20:00	61.1	57.5	63.5
	19:25:00	64.1	63.5	64.5
	19:30:00	61.0	58.5	62.0
	19:35:00	55.0	51.5	56.5
	19:40:00	56.7	51.0	60.5
	19:45:00	53.1	52.0	53.5
	19:50:00	54.9	53.0	57.0
	19:55:00	55.0	53.0	55.5
	20:00:00	53.9	53.0	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	20:05:00	55.1	52.5	57.0
	20:10:00	53.1	52.0	53.5
	20:15:00	53.2	51.5	54.5
	20:20:00	54.0	51.5	55.5
	20:25:00	53.0	50.5	54.5
	20:30:00	54.1	51.0	56.5
	20:35:00	55.8	54.5	56.5
	20:40:00	55.4	52.5	57.0
	20:45:00	58.2	55.0	60.5
	20:50:00	57.3	56.0	58.0
	20:55:00	57.5	52.0	60.0
	21:00:00	58.0	55.5	59.0
	21:05:00	52.4	50.5	53.5
	21:10:00	55.2	50.5	57.5
	21:15:00	54.9	50.5	58.0
	21:20:00	53.4	51.0	55.0
	21:25:00	54.4	51.0	56.0
	21:30:00	54.4	51.0	55.5
	21:35:00	54.3	51.5	56.5
	21:40:00	55.8	51.5	58.5
	21:45:00	56.1	52.0	59.0
	21:50:00	53.2	51.0	54.5
	21:55:00	53.4	51.5	54.5
	22:00:00	56.2	52.0	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	22:05:00	52.8	51.5	53.5
	22:10:00	53.8	51.5	55.5
	22:15:00	53.9	52.0	55.5
	22:20:00	54.8	52.0	57.0
	22:25:00	54.0	52.0	55.5
	22:30:00	53.3	51.0	55.0
	22:35:00	54.1	52.0	55.5
	22:40:00	54.1	52.0	55.5
	22:45:00	54.1	52.0	56.0
	22:50:00	55.0	51.5	56.0
	22:55:00	52.6	50.5	54.0
	23:00:00	52.9	51.5	54.0
	23:05:00	53.0	51.5	54.0
	23:10:00	53.5	51.5	55.0
	23:15:00	53.2	52.0	54.0
	23:20:00	54.3	52.5	56.0
	23:25:00	53.0	51.5	54.0
	23:30:00	56.0	52.0	57.5
	23:35:00	53.9	51.0	55.5
	23:40:00	53.6	51.0	55.5
	23:45:00	52.8	51.0	54.0
	23:50:00	52.7	51.0	54.0
	23:55:00	52.1	50.0	53.5
	0:00:00	53.8	51.0	55.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	0:05:00	53.1	51.0	54.5
	0:10:00	52.5	50.5	53.5
	0:15:00	56.1	50.0	60.0
	0:20:00	52.8	50.5	54.5
	0:25:00	53.5	51.0	55.5
	0:30:00	51.7	50.5	53.0
	0:35:00	52.0	50.5	53.0
	0:40:00	54.2	50.5	56.5
	0:45:00	51.9	50.5	53.0
	0:50:00	51.4	50.5	52.5
	0:55:00	51.3	50.0	52.0
	1:00:00	51.5	50.0	52.5
	1:05:00	51.4	50.0	52.5
	1:10:00	51.1	50.0	52.0
	1:15:00	51.0	49.5	52.0
	1:20:00	50.6	49.5	51.5
	1:25:00	51.2	50.0	52.0
	1:30:00	51.8	49.0	54.0
	1:35:00	50.5	49.0	52.0
	1:40:00	50.6	49.0	52.0
	1:45:00	50.5	49.0	51.5
	1:50:00	50.5	49.5	51.5
	1:55:00	50.1	49.0	51.0
	2:00:00	50.1	49.0	51.0
	2:05:00	52.2	49.5	52.5
	2:10:00	53.4	50.0	54.0
	2:15:00	50.9	50.0	52.0
	2:20:00	50.6	49.5	51.5
	2:25:00	50.5	49.5	51.0
	2:30:00	50.5	49.5	51.0
	2:35:00	50.3	49.5	51.0
	2:40:00	51.3	49.5	52.0
	2:45:00	51.3	50.0	52.0
	2:50:00	50.7	49.5	51.5
	2:55:00	50.0	49.0	50.5
	3:00:00	50.2	49.0	51.0
	3:05:00	50.2	49.0	51.0
	3:10:00	51.1	48.5	52.0
	3:15:00	50.2	49.0	51.5
	3:20:00	50.4	49.0	51.5
	3:25:00	49.7	49.0	50.0
	3:30:00	50.0	49.0	50.5
	3:35:00	50.1	49.0	51.0
	3:40:00	49.5	48.5	50.0
	3:45:00	49.3	48.0	50.0
	3:50:00	49.1	48.0	50.0
	3:55:00	48.8	47.5	50.0
	4:00:00	49.1	47.5	50.0
	4:05:00	49.0	47.5	50.0
	4:10:00	48.0	46.5	49.0
	4:15:00	47.9	46.5	49.0
	4:20:00	47.5	46.0	48.5
	4:25:00	48.1	46.5	49.0
	4:30:00	48.9	47.0	50.5
	4:35:00	48.7	47.0	50.0
	4:40:00	48.5	47.0	49.5
	4:45:00	48.6	47.0	49.5
	4:50:00	48.1	46.0	49.5
	4:55:00	50.1	45.0	53.0
	5:00:00	46.4	44.0	48.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	5:05:00	45.6	43.5	47.5
	5:10:00	52.2	44.5	54.5
	5:15:00	49.2	45.5	51.0
	5:20:00	53.0	47.5	55.5
	5:25:00	59.8	49.0	64.5
	5:30:00	66.7	66.0	67.0
	5:35:00	66.3	63.5	67.0
	5:40:00	62.1	55.0	63.5
	5:45:00	55.7	48.5	59.0
	5:50:00	54.8	47.0	56.0
	5:55:00	55.4	44.5	55.5
	6:00:00	52.7	45.0	56.0
	6:05:00	54.2	44.0	56.0
	6:10:00	50.1	42.0	53.5
	6:15:00	49.3	42.0	52.0
	6:20:00	59.1	44.5	58.0
	6:25:00	52.8	45.0	55.5
	6:30:00	52.3	45.0	54.5
	6:35:00	55.1	47.0	59.0
	6:40:00	53.8	47.5	57.0
	6:45:00	53.7	45.5	56.5
	6:50:00	52.0	47.5	54.5
	6:55:00	52.5	47.5	55.0
	7:00:00	54.5	48.5	57.5
	7:05:00	55.3	47.5	59.0
	7:10:00	53.5	47.5	55.5
	7:15:00	56.0	49.5	60.0
	7:20:00	51.9	48.0	53.5
	7:25:00	53.5	48.5	56.0
	7:30:00	54.6	50.0	57.5
	7:35:00	55.3	51.5	56.5
	7:40:00	55.3	53.0	56.5
	7:45:00	60.2	53.5	65.0
	7:50:00	63.9	56.0	67.5
	7:55:00	56.7	52.0	58.5
	8:00:00	59.3	52.5	60.5
	8:05:00	56.8	52.0	59.0
	8:10:00	55.5	51.0	57.0
	8:15:00	53.7	50.5	55.5
	8:20:00	55.7	50.5	57.5
	8:25:00	54.8	51.0	57.0
	8:30:00	56.7	51.0	60.5
	8:35:00	54.1	50.0	56.5
	8:40:00	54.5	50.5	56.5
	8:45:00	57.9	50.5	57.5
	8:50:00	54.3	50.5	56.5
	8:55:00	53.7	50.5	55.5
	9:00:00	54.8	49.0	56.0
	9:05:00	53.0	49.5	54.5
	9:10:00	53.3	50.0	55.0
	9:15:00	55.2	51.0	58.0
	9:20:00	53.2	50.0	55.5
	9:25:00	53.7	50.5	56.0
	9:30:00	52.4	50.0	54.0
	9:35:00	53.3	49.0	55.5
	9:40:00	54.2	50.0	56.5
	9:45:00	56.1	50.5	59.5
	9:50:00	55.6	50.5	58.0
	9:55:00	55.9	51.0	58.5
	10:00:00	53.2	48.0	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	10:05:00	53.6	50.0	56.0
	10:10:00	53.8	49.5	56.0
	10:15:00	54.6	48.0	57.0
	10:20:00	53.0	48.5	55.5
	10:25:00	51.6	49.0	53.5
	10:30:00	65.6	51.5	68.5
	10:35:00	69.8	68.5	70.5
	10:40:00	70.2	69.5	70.5
	10:45:00	68.6	68.0	69.5
	10:50:00	68.4	68.0	69.0
	10:55:00	68.5	67.5	69.0
	11:00:00	66.4	56.5	67.5
	11:05:00	57.1	53.0	58.0
	11:10:00	55.4	52.0	57.5
	11:15:00	56.6	54.0	59.0
	11:20:00	55.5	52.5	57.5
	11:25:00	55.6	52.5	57.5
	11:30:00	56.3	53.0	58.5
	11:35:00	53.1	49.5	55.0
	11:40:00	53.9	48.5	56.0
	11:45:00	50.9	45.5	54.0
	11:50:00	53.0	49.0	55.5
	11:55:00	53.3	47.5	56.0
	12:00:00	53.0	48.5	55.0
	12:05:00	53.3	47.5	56.0
	12:10:00	53.0	46.0	55.0
	12:15:00	60.7	50.5	60.5
	12:20:00	55.1	50.0	57.0
	12:25:00	55.7	48.0	57.5
	12:30:00	55.2	47.5	58.5
	12:35:00	54.5	49.0	56.5
	12:40:00	54.7	50.5	56.5
	12:45:00	55.1	50.0	57.5
	12:50:00	55.5	49.5	59.0
	12:55:00	60.5	50.0	64.5
	13:00:00	56.5	49.5	60.0
	13:05:00	53.2	49.0	55.5
	13:10:00	53.6	46.5	57.0
	13:15:00	54.6	51.0	57.0
	13:20:00	54.4	49.5	55.5
	13:25:00	54.3	49.0	56.5
	13:30:00	53.9	48.0	56.0
	13:35:00	53.9	48.5	55.5
	13:40:00	55.6	49.0	58.5
	13:45:00	55.6	45.0	61.0
	13:50:00	55.3	50.0	57.0
	13:55:00	55.2	49.5	58.0
	14:00:00	54.6	46.5	55.5
	14:05:00	52.0	47.5	54.0
	14:10:00	54.6	46.5	57.5
	14:15:00	51.4	46.0	54.0
	14:20:00	52.9	49.0	54.5
	14:25:00	53.9	46.5	57.5
	14:30:00	56.3	48.5	59.5
	14:35:00	53.5	50.0	55.5
	14:40:00	54.1	48.0	56.0
	14:45:00	53.2	47.5	55.0
	14:50:00	55.0	48.5	57.0
	14:55:00	56.0	50.0	59.5
	15:00:00	64.5	55.0	66.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	15:05:00	65.0	56.5	66.5
	15:10:00	55.0	52.0	56.5
	15:15:00	55.3	51.0	57.5
	15:20:00	53.4	49.0	55.0
	15:25:00	53.8	50.0	56.0
	15:30:00	59.0	49.0	62.0
	15:35:00	55.5	50.0	58.5
	15:40:00	56.6	50.5	60.5
	15:45:00	54.7	49.5	55.5
	15:50:00	57.2	49.0	57.5
	15:55:00	54.9	50.5	57.5
	16:00:00	53.8	50.0	56.0
	16:05:00	53.1	50.0	55.0
	16:10:00	52.6	49.0	55.0
	16:15:00	54.3	50.0	57.0
	16:20:00	55.0	50.5	59.0
	16:25:00	55.9	49.0	58.0
	16:30:00	53.1	49.0	55.0
	16:35:00	53.0	49.5	55.0
	16:40:00	52.3	49.0	54.5
	16:45:00	53.8	49.0	56.0
	16:50:00	54.1	50.0	56.5
	16:55:00	52.5	49.5	54.0
	17:00:00	53.1	49.0	55.5
	17:05:00	54.1	49.0	55.0
	17:10:00	53.7	49.5	55.5
	17:15:00	58.0	48.5	62.5
	17:20:00	53.6	48.5	56.0
	17:25:00	54.0	50.0	56.5
	17:30:00	53.4	48.5	56.0
	17:35:00	51.8	48.5	54.0
	17:40:00	51.8	49.5	53.0
	17:45:00	52.2	48.0	54.5
	17:50:00	53.5	50.0	55.0
	17:55:00	52.7	49.0	55.0
	18:00:00	54.2	49.0	55.5
	18:05:00	55.1	48.5	60.5
	18:10:00	55.6	50.0	55.5
	18:15:00	55.6	49.0	55.0
	18:20:00	54.5	50.0	57.0
	18:25:00	55.3	51.0	58.5
	18:30:00	53.2	49.5	55.0
	18:35:00	55.6	50.0	57.0
	18:40:00	56.2	50.0	59.0
	18:45:00	54.6	49.5	56.0
	18:50:00	55.6	51.5	58.0
	18:55:00	53.3	50.0	55.5
	19:00:00	58.7	49.0	65.5
	19:05:00	55.5	51.0	59.5
	19:10:00	55.2	51.0	58.5
	19:15:00	56.3	50.0	61.5
	19:20:00	58.7	51.5	59.5
	19:25:00	61.4	60.5	62.0
	19:30:00	58.6	53.5	61.5
	19:35:00	52.6	50.5	54.0
	19:40:00	53.7	51.0	55.0
	19:45:00	56.2	52.0	56.5
	19:50:00	54.1	52.0	56.5
	19:55:00	56.8	52.5	60.5
	20:00:00	54.2	52.5	55.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	20:05:00	54.0	52.5	55.0
	20:10:00	54.1	52.0	55.5
	20:15:00	53.2	51.5	54.0
	20:20:00	53.7	51.0	54.5
	20:25:00	52.3	49.5	53.5
	20:30:00	53.6	50.0	55.5
	20:35:00	55.4	49.0	58.5
	20:40:00	50.9	48.5	52.5
	20:45:00	54.9	49.0	56.0
	20:50:00	54.2	49.0	56.0
	20:55:00	52.5	49.0	54.0
	21:00:00	52.1	49.5	53.5
	21:05:00	53.8	50.5	56.0
	21:10:00	56.1	49.5	57.5
	21:15:00	52.2	50.0	53.5
	21:20:00	52.9	50.5	55.0
	21:25:00	52.8	50.0	54.5
	21:30:00	52.1	50.5	53.5
	21:35:00	54.5	50.5	57.0
	21:40:00	55.3	50.5	58.5
	21:45:00	53.7	50.0	56.0
	21:50:00	54.4	51.0	56.5
	21:55:00	54.1	50.5	55.0
	22:00:00	54.2	49.5	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	22:05:00	52.2	50.0	54.0
	22:10:00	55.8	49.5	58.0
	22:15:00	52.7	50.5	54.5
	22:20:00	52.7	50.0	54.5
	22:25:00	55.7	50.5	59.0
	22:30:00	54.6	50.5	56.5
	22:35:00	52.4	50.0	54.0
	22:40:00	53.1	50.5	55.0
	22:45:00	54.6	50.0	57.0
	22:50:00	53.7	50.5	55.5
	22:55:00	53.6	51.0	55.0
	23:00:00	51.9	50.5	53.0
	23:05:00	52.6	50.5	54.0
	23:10:00	52.7	50.5	54.5
	23:15:00	52.1	50.5	53.5
	23:20:00	53.1	50.5	54.5
	23:25:00	53.0	51.0	54.5
	23:30:00	53.6	51.0	55.0
	23:35:00	53.3	50.5	55.0
	23:40:00	52.2	50.0	53.5
	23:45:00	51.4	48.5	53.5
	23:50:00	51.1	49.0	53.0
	23:55:00	51.9	50.0	53.0
	0:00:00	52.6	50.5	54.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	0:05:00	52.7	50.0	55.0
	0:10:00	51.0	49.5	52.0
	0:15:00	51.2	49.5	52.5
	0:20:00	52.4	49.0	54.5
	0:25:00	53.8	49.5	57.0
	0:30:00	51.3	49.5	52.5
	0:35:00	52.3	50.0	53.5
	0:40:00	50.9	49.0	52.5
	0:45:00	52.0	49.5	53.5
	0:50:00	50.2	49.0	51.5
	0:55:00	50.6	49.5	51.5
	1:00:00	51.7	49.5	53.5
	1:05:00	51.1	50.0	52.0
	1:10:00	51.6	49.5	53.0
	1:15:00	51.8	49.5	54.0
	1:20:00	51.5	49.5	53.0
	1:25:00	53.5	50.0	55.0
	1:30:00	50.6	49.5	51.5
	1:35:00	53.4	49.0	57.0
	1:40:00	50.3	49.0	51.5
	1:45:00	51.1	49.5	52.5
	1:50:00	52.9	50.0	55.0
	1:55:00	50.9	49.5	52.0
	2:00:00	51.2	49.5	52.5
	2:05:00	51.9	50.0	53.5
	2:10:00	50.8	49.5	51.5
	2:15:00	51.2	49.5	52.5
	2:20:00	50.4	49.5	51.0
	2:25:00	50.4	49.0	51.5
	2:30:00	50.4	49.5	51.5
	2:35:00	50.9	49.5	52.0
	2:40:00	49.9	49.0	50.5
	2:45:00	49.5	48.5	50.0
	2:50:00	50.0	48.5	51.0
	2:55:00	49.7	48.5	51.0
	3:00:00	59.9	47.0	63.5
	3:05:00	66.2	63.5	67.5
	3:10:00	61.7	56.0	63.0
	3:15:00	59.0	53.0	62.0
	3:20:00	58.2	53.5	60.5
	3:25:00	51.1	49.0	52.5
	3:30:00	48.9	47.5	50.0
	3:35:00	48.3	47.0	49.5
	3:40:00	48.4	47.0	49.0
	3:45:00	48.8	47.5	50.0
	3:50:00	49.5	48.0	50.5
	3:55:00	49.4	47.5	50.5
	4:00:00	51.5	48.0	53.5
	4:05:00	55.2	53.0	56.5
	4:10:00	49.5	47.0	51.0
	4:15:00	49.0	47.5	50.0
	4:20:00	50.0	49.0	51.0
	4:25:00	49.9	49.0	50.5
	4:30:00	50.0	49.0	51.0
	4:35:00	50.0	49.0	51.0
	4:40:00	50.1	49.0	51.0
	4:45:00	50.4	49.0	51.5
	4:50:00	49.9	49.0	50.5
	4:55:00	52.1	49.0	54.0
	5:00:00	50.9	49.0	53.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	5:05:00	49.9	48.5	51.0
	5:10:00	50.2	48.5	51.5
	5:15:00	51.3	49.0	53.0
	5:20:00	56.3	50.5	57.5
	5:25:00	54.2	51.0	56.0
	5:30:00	55.3	52.5	56.5
	5:35:00	55.6	53.0	57.0
	5:40:00	55.5	52.0	58.5
	5:45:00	57.6	51.0	61.5
	5:50:00	55.6	48.5	59.0
	5:55:00	54.5	48.0	57.0
	6:00:00	54.6	48.0	58.0
	6:05:00	53.4	47.5	56.0
	6:10:00	53.3	48.0	56.0
	6:15:00	53.8	48.0	56.0
	6:20:00	54.7	49.0	58.0
	6:25:00	56.1	49.0	59.5
	6:30:00	51.7	47.0	54.0
	6:35:00	55.4	46.5	58.5
	6:40:00	53.7	49.0	56.0
	6:45:00	52.6	46.5	55.5
	6:50:00	52.9	47.5	55.5
	6:55:00	53.3	47.5	56.0
	7:00:00	54.9	46.0	55.5
	7:05:00	52.8	46.5	55.5
	7:10:00	52.0	47.5	54.5
	7:15:00	53.8	50.0	56.5
	7:20:00	52.5	49.0	54.0
	7:25:00	53.9	49.5	56.5
	7:30:00	54.2	47.0	56.5
	7:35:00	55.1	49.5	59.0
	7:40:00	59.1	56.0	61.0
	7:45:00	59.6	58.0	60.5
	7:50:00	58.7	57.0	60.0
	7:55:00	58.9	57.0	60.0
	8:00:00	59.7	57.0	62.5
	8:05:00	58.8	57.0	60.0
	8:10:00	57.3	55.0	58.0
	8:15:00	57.4	55.5	58.5
	8:20:00	60.9	57.0	65.0
	8:25:00	59.1	57.5	60.0
	8:30:00	58.7	56.5	59.5
	8:35:00	57.9	55.5	59.5
	8:40:00	56.2	54.5	57.5
	8:45:00	54.9	53.5	56.5
	8:50:00	54.4	51.0	55.0
	8:55:00	56.2	52.5	58.0
	9:00:00	57.7	55.5	59.0
	9:05:00	56.2	53.0	58.5
	9:10:00	53.5	51.0	55.5
	9:15:00	52.4	50.0	54.5
	9:20:00	58.7	54.5	62.5
	9:25:00	56.8	55.5	58.0
	9:30:00	57.4	54.5	59.5
	9:35:00	55.9	54.0	57.5
	9:40:00	55.1	53.0	57.0
	9:45:00	56.4	50.5	57.5
	9:50:00	57.2	51.5	59.0
	9:55:00	53.7	49.5	56.0
	10:00:00	53.5	48.5	54.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	10:05:00	56.7	51.0	57.5
	10:10:00	52.9	49.0	55.0
	10:15:00	53.6	50.0	56.0
	10:20:00	54.9	48.5	58.0
	10:25:00	53.5	48.5	56.0
	10:30:00	55.5	50.0	57.5
	10:35:00	55.7	49.0	59.5
	10:40:00	51.8	47.0	54.5
	10:45:00	53.2	48.0	56.0
	10:50:00	53.2	48.5	55.5
	10:55:00	54.0	51.0	56.5
	11:00:00	51.2	46.0	53.5
	11:05:00	53.6	47.5	55.5
	11:10:00	57.3	51.0	60.0
	11:15:00	52.3	49.0	54.5
	11:20:00	62.1	57.0	65.0
	11:25:00	65.7	59.0	68.5
	11:30:00	65.1	60.5	68.0
	11:35:00	65.3	60.5	67.5
	11:40:00	61.9	57.0	64.5
	11:45:00	59.1	55.5	62.0
	11:50:00	64.8	58.0	67.0
	11:55:00	65.1	61.0	67.0
	12:00:00	63.5	61.5	65.5
	12:05:00	65.7	61.5	68.0
	12:10:00	68.4	65.5	69.5
	12:15:00	69.8	69.0	70.0
	12:20:00	69.3	65.5	71.5
	12:25:00	64.5	61.5	67.0
	12:30:00	60.7	59.5	61.5
	12:35:00	59.8	58.5	60.5
	12:40:00	59.2	58.0	60.0
	12:45:00	58.7	57.0	60.0
	12:50:00	58.2	56.5	59.0
	12:55:00	58.1	56.5	59.0
	13:00:00	58.8	57.0	60.0
	13:05:00	58.1	57.0	59.0
	13:10:00	57.3	56.0	58.0
	13:15:00	57.3	55.5	58.5
	13:20:00	57.3	54.5	59.5
	13:25:00	55.7	54.0	57.0
	13:30:00	55.0	53.0	56.5
	13:35:00	55.4	53.0	57.5
	13:40:00	55.4	52.0	57.5
	13:45:00	54.9	52.5	56.5
	13:50:00	55.6	52.0	57.0
	13:55:00	55.0	52.0	57.0
	14:00:00	53.9	51.0	55.5
	14:05:00	54.8	51.5	57.0
	14:10:00	54.2	51.5	56.0
	14:15:00	55.0	53.0	56.5
	14:20:00	54.8	52.5	57.0
	14:25:00	56.0	52.5	57.5
	14:30:00	55.7	52.5	57.5
	14:35:00	54.5	52.0	56.0
	14:40:00	56.0	52.0	59.5
	14:45:00	54.6	52.0	56.0
	14:50:00	54.6	51.5	56.0
	14:55:00	55.0	51.0	58.0
	15:00:00	55.1	51.5	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	15:05:00	54.5	51.5	56.5
	15:10:00	56.7	50.5	56.5
	15:15:00	56.3	51.5	57.0
	15:20:00	53.7	51.0	55.5
	15:25:00	54.0	51.5	55.5
	15:30:00	58.3	53.5	59.5
	15:35:00	54.5	52.5	56.0
	15:40:00	54.6	53.0	56.0
	15:45:00	55.2	52.0	57.0
	15:50:00	56.1	53.0	57.5
	15:55:00	55.3	52.0	56.5
	16:00:00	54.8	52.5	56.0
	16:05:00	56.0	52.5	59.0
	16:10:00	53.9	51.5	55.5
	16:15:00	58.8	50.5	63.5
	16:20:00	54.4	51.5	56.0
	16:25:00	55.4	52.0	57.5
	16:30:00	55.0	52.0	57.0
	16:35:00	55.2	52.5	57.0
	16:40:00	56.5	53.0	58.5
	16:45:00	55.6	51.5	58.0
	16:50:00	57.5	51.0	57.5
	16:55:00	54.9	51.0	57.0
	17:00:00	53.8	51.5	55.5
	17:05:00	59.8	51.0	61.0
	17:10:00	56.5	51.0	56.5
	17:15:00	54.6	50.0	56.5
	17:20:00	56.9	50.5	60.0
	17:25:00	54.4	51.0	57.0
	17:30:00	54.5	52.0	56.0
	17:35:00	54.9	52.0	56.5
	17:40:00	54.2	51.0	56.0
	17:45:00	54.0	51.0	55.5
	17:50:00	55.5	51.0	58.5
	17:55:00	53.7	51.0	55.5
	18:00:00	53.4	51.0	55.0
	18:05:00	55.1	51.5	57.0
	18:10:00	53.9	51.5	55.5
	18:15:00	53.7	51.5	55.5
	18:20:00	55.9	51.0	59.5
	18:25:00	54.4	50.5	56.0
	18:30:00	54.1	51.0	55.5
	18:35:00	57.1	51.5	61.0
	18:40:00	59.9	51.5	62.0
	18:45:00	55.5	51.5	58.0
	18:50:00	54.8	52.0	57.0
	18:55:00	55.8	53.0	58.5
	19:00:00	65.6	56.5	70.0
	19:05:00	55.9	54.0	57.5
	19:10:00	56.7	53.0	60.5
	19:15:00	53.1	51.5	54.5
	19:20:00	53.3	51.0	55.5
	19:25:00	52.9	51.0	54.5
	19:30:00	53.1	51.0	55.0
	19:35:00	53.6	51.0	55.5
	19:40:00	55.3	52.0	58.0
	19:45:00	55.4	53.5	57.0
	19:50:00	55.5	54.5	56.0
	19:55:00	56.0	55.0	57.0
	20:00:00	55.6	54.5	56.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	20:05:00	55.3	53.5	56.5
	20:10:00	54.3	53.0	55.0
	20:15:00	54.7	53.0	55.5
	20:20:00	53.5	52.0	54.5
	20:25:00	57.6	52.5	58.5
	20:30:00	53.7	52.0	54.5
	20:35:00	56.6	51.5	60.0
	20:40:00	53.1	51.5	54.5
	20:45:00	55.7	51.0	58.5
	20:50:00	53.6	51.0	55.0
	20:55:00	53.6	51.0	54.5
	21:00:00	55.1	51.5	56.0
	21:05:00	54.8	52.5	56.5
	21:10:00	53.0	51.0	54.5
	21:15:00	54.9	51.5	58.0
	21:20:00	55.2	51.0	56.5
	21:25:00	55.4	51.5	58.5
	21:30:00	53.4	51.5	54.5
	21:35:00	56.5	52.5	59.0
	21:40:00	53.9	52.5	55.0
	21:45:00	54.1	52.5	55.0
	21:50:00	54.4	52.0	56.0
	21:55:00	55.6	52.5	59.0
	22:00:00	55.7	52.5	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	22:05:00	55.2	52.5	56.5
	22:10:00	54.9	52.5	56.0
	22:15:00	54.7	52.5	56.0
	22:20:00	55.4	52.5	56.5
	22:25:00	55.6	53.0	58.0
	22:30:00	53.9	52.5	54.5
	22:35:00	54.1	52.5	55.0
	22:40:00	53.9	52.5	55.0
	22:45:00	53.7	52.5	54.5
	22:50:00	54.1	52.5	55.5
	22:55:00	54.2	52.5	55.0
	23:00:00	53.8	52.5	55.0
	23:05:00	53.8	52.5	55.0
	23:10:00	53.6	52.5	54.5
	23:15:00	53.6	52.0	55.0
	23:20:00	53.1	51.5	54.0
	23:25:00	52.9	51.5	54.0
	23:30:00	53.6	52.0	55.0
	23:35:00	53.5	51.5	55.0
	23:40:00	53.9	52.5	55.5
	23:45:00	53.3	52.0	54.0
	23:50:00	54.0	52.0	55.5
	23:55:00	53.8	52.0	55.5
	0:00:00	53.4	51.5	55.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	0:05:00	52.7	51.5	53.5
	0:10:00	52.4	51.0	53.5
	0:15:00	52.2	50.5	53.5
	0:20:00	51.9	50.5	53.0
	0:25:00	52.3	50.5	54.0
	0:30:00	53.2	51.0	55.0
	0:35:00	53.1	51.0	55.0
	0:40:00	52.5	51.0	54.0
	0:45:00	52.4	51.0	53.5
	0:50:00	53.0	51.0	54.5
	0:55:00	51.8	50.5	52.5
	1:00:00	51.7	50.5	52.5
	1:05:00	52.1	50.5	53.5
	1:10:00	52.5	51.0	54.0
	1:15:00	52.0	51.0	52.5
	1:20:00	52.1	51.0	53.5
	1:25:00	51.8	50.5	52.5
	1:30:00	51.1	50.0	52.0
	1:35:00	51.7	50.5	53.0
	1:40:00	51.8	50.5	52.5
	1:45:00	51.9	50.5	53.0
	1:50:00	51.6	50.5	52.5
	1:55:00	52.1	50.5	53.5
	2:00:00	53.3	50.5	56.0
	2:05:00	51.8	50.5	53.0
	2:10:00	51.7	50.5	52.5
	2:15:00	51.9	51.0	52.5
	2:20:00	51.7	51.0	52.5
	2:25:00	52.1	51.0	52.5
	2:30:00	52.6	51.5	53.0
	2:35:00	52.0	51.0	52.5
	2:40:00	51.5	50.5	52.0
	2:45:00	51.7	50.0	52.5
	2:50:00	51.0	49.0	52.5
	2:55:00	50.0	49.0	50.5
	3:00:00	49.4	48.5	50.0
	3:05:00	49.7	48.0	50.5
	3:10:00	50.7	49.0	51.5
	3:15:00	50.9	49.0	52.0
	3:20:00	50.3	48.5	51.5
	3:25:00	50.0	48.5	51.0
	3:30:00	49.5	48.5	50.5
	3:35:00	49.6	48.5	50.5
	3:40:00	49.5	48.5	50.5
	3:45:00	49.4	48.0	50.5
	3:50:00	50.1	48.5	51.0
	3:55:00	49.5	48.0	50.5
	4:00:00	49.4	48.0	50.5
	4:05:00	49.1	47.5	50.5
	4:10:00	49.8	48.0	52.0
	4:15:00	48.9	48.0	49.5
	4:20:00	49.0	47.5	50.0
	4:25:00	49.0	48.0	50.0
	4:30:00	48.7	47.5	49.5
	4:35:00	49.1	47.5	50.0
	4:40:00	49.7	47.5	51.0
	4:45:00	48.6	47.0	50.0
	4:50:00	47.6	46.0	49.0
	4:55:00	47.5	45.5	49.0
	5:00:00	47.8	46.5	49.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	5:05:00	48.8	46.5	51.0
	5:10:00	48.5	46.5	50.0
	5:15:00	50.5	48.0	52.5
	5:20:00	52.9	48.0	55.0
	5:25:00	56.8	49.5	60.0
	5:30:00	62.4	61.5	62.5
	5:35:00	61.6	60.0	62.5
	5:40:00	57.2	55.0	58.5
	5:45:00	57.8	51.5	63.0
	5:50:00	58.5	51.5	61.0
	5:55:00	54.0	48.0	56.0
	6:00:00	55.5	47.0	58.5
	6:05:00	51.4	46.0	54.5
	6:10:00	53.1	46.5	56.5
	6:15:00	51.2	45.5	53.5
	6:20:00	51.1	45.5	53.5
	6:25:00	51.9	45.0	54.0
	6:30:00	50.6	44.0	53.5
	6:35:00	51.8	47.0	54.0
	6:40:00	52.4	47.0	55.0
	6:45:00	55.5	46.5	56.5
	6:50:00	52.6	48.0	54.5
	6:55:00	52.9	46.5	53.5
	7:00:00	52.0	46.5	54.0
	7:05:00	52.5	47.5	55.0
	7:10:00	51.0	46.5	53.0
	7:15:00	53.6	50.0	56.0
	7:20:00	53.0	48.5	55.0
	7:25:00	52.1	48.5	54.0
	7:30:00	52.9	49.5	55.0
	7:35:00	52.0	47.5	54.0
	7:40:00	54.5	51.0	56.0
	7:45:00	54.9	52.0	56.5
	7:50:00	58.8	56.0	60.5
	7:55:00	57.0	55.5	58.0
	8:00:00	58.1	56.5	59.0
	8:05:00	56.2	55.0	57.0
	8:10:00	56.1	54.5	57.0
	8:15:00	56.0	54.0	57.0
	8:20:00	55.2	53.0	57.0
	8:25:00	55.8	54.0	57.0
	8:30:00	55.5	52.5	57.5
	8:35:00	55.4	53.5	57.0
	8:40:00	56.2	53.5	57.5
	8:45:00	54.0	50.0	56.0
	8:50:00	54.4	50.5	55.5
	8:55:00	53.7	50.5	55.5
	9:00:00	59.1	57.5	60.0
	9:05:00	56.7	53.5	58.0
	9:10:00	55.1	53.0	56.0
	9:15:00	56.3	53.5	58.0
	9:20:00	55.7	54.0	57.0
	9:25:00	54.4	52.0	56.0
	9:30:00	56.9	51.0	62.0
	9:35:00	70.7	65.5	72.5
	9:40:00	68.5	65.0	70.5
	9:45:00	71.9	67.5	73.0
	9:50:00	70.3	63.5	70.5
	9:55:00	70.6	62.0	72.0
	10:00:00	73.5	61.5	75.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	10:05:00	68.5	59.5	71.0
	10:10:00	61.2	58.5	62.5
	10:15:00	60.5	58.5	61.5
	10:20:00	60.3	58.0	61.0
	10:25:00	59.1	58.0	60.0
	10:30:00	58.7	57.5	59.5
	10:35:00	57.6	56.5	58.5
	10:40:00	59.5	57.0	60.5
	10:45:00	58.7	57.0	60.0
	10:50:00	59.2	57.0	61.0
	10:55:00	58.8	57.5	59.5
	11:00:00	58.6	57.0	60.0
	11:05:00	58.4	56.5	60.0
	11:10:00	57.8	56.5	58.5
	11:15:00	58.9	57.0	60.5
	11:20:00	57.9	56.0	59.0
	11:25:00	58.3	56.0	60.0
	11:30:00	57.6	56.0	59.0
	11:35:00	57.3	55.5	58.5
	11:40:00	57.3	55.0	58.0
	11:45:00	58.5	55.5	61.0
	11:50:00	56.9	55.0	58.5
	11:55:00	56.2	54.0	57.5
	12:00:00	56.0	54.5	57.5
	12:05:00	55.4	53.5	56.5
	12:10:00	56.8	53.5	57.0
	12:15:00	65.5	55.0	68.0
	12:20:00	71.5	68.0	73.0
	12:25:00	67.0	64.5	67.5
	12:30:00	64.4	61.5	64.5
	12:35:00	61.6	60.0	62.5
	12:40:00	61.2	59.5	62.5
	12:45:00	60.6	59.5	61.5
	12:50:00	59.4	58.0	60.0
	12:55:00	58.9	58.0	59.5
	13:00:00	57.9	57.0	58.5
	13:05:00	57.8	57.0	58.5
	13:10:00	58.3	57.0	59.0
	13:15:00	58.1	57.0	59.0
	13:20:00	60.1	57.0	62.5
	13:25:00	58.6	57.5	60.0
	13:30:00	59.6	57.0	61.0
	13:35:00	58.8	57.0	60.0
	13:40:00	58.6	57.0	59.5
	13:45:00	59.7	58.0	61.0
	13:50:00	59.7	57.5	61.0
	13:55:00	58.9	57.0	60.0
	14:00:00	58.6	57.0	60.0
	14:05:00	58.6	57.0	59.5
	14:10:00	58.8	57.5	59.5
	14:15:00	59.1	58.0	60.0
	14:20:00	58.7	57.5	59.5
	14:25:00	57.8	57.0	58.5
	14:30:00	58.0	57.0	58.5
	14:35:00	58.4	57.0	59.0
	14:40:00	57.7	56.5	58.5
	14:45:00	58.0	56.5	59.5
	14:50:00	57.9	56.0	59.0
	14:55:00	57.3	56.5	58.0
	15:00:00	57.4	56.0	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	15:05:00	57.1	55.5	58.0
	15:10:00	57.2	55.5	59.0
	15:15:00	56.1	55.0	57.0
	15:20:00	56.1	54.5	56.5
	15:25:00	63.5	54.5	65.5
	15:30:00	58.1	57.0	59.0
	15:35:00	55.9	54.0	57.0
	15:40:00	54.9	53.5	55.5
	15:45:00	55.9	54.0	57.0
	15:50:00	55.1	53.5	56.5
	15:55:00	55.1	53.5	56.0
	16:00:00	54.8	53.0	56.0
	16:05:00	55.4	53.5	56.5
	16:10:00	55.6	53.5	56.5
	16:15:00	56.6	53.0	58.0
	16:20:00	54.8	53.0	56.5
	16:25:00	55.0	52.5	56.0
	16:30:00	59.7	52.5	63.0
	16:35:00	54.8	52.5	56.5
	16:40:00	55.1	52.5	57.0
	16:45:00	55.4	52.0	58.5
	16:50:00	54.6	52.5	56.0
	16:55:00	55.5	52.5	57.5
	17:00:00	54.8	52.5	56.5
	17:05:00	55.1	52.0	56.5
	17:10:00	54.8	52.5	56.5
	17:15:00	54.2	51.5	55.0
	17:20:00	55.0	52.5	56.5
	17:25:00	56.0	52.0	57.0
	17:30:00	55.8	52.0	57.0
	17:35:00	53.9	51.5	55.5
	17:40:00	55.0	52.5	56.5
	17:45:00	55.3	52.5	57.0
	17:50:00	54.9	52.5	56.5
	17:55:00	55.0	52.0	56.0
	18:00:00	58.9	53.0	62.0
	18:05:00	57.1	52.5	57.0
	18:10:00	56.0	52.0	57.0
	18:15:00	54.6	53.0	55.5
	18:20:00	55.4	53.0	57.0
	18:25:00	56.5	52.5	58.0
	18:30:00	54.5	51.0	56.0
	18:35:00	55.1	52.0	56.5
	18:40:00	55.4	52.5	57.0
	18:45:00	56.8	52.5	57.5
	18:50:00	57.0	53.0	59.5
	18:55:00	55.4	53.0	57.0
	19:00:00	53.6	52.5	55.0
	19:05:00	56.3	52.5	60.5
	19:10:00	54.3	52.0	55.5
	19:15:00	56.5	52.5	59.5
	19:20:00	59.2	58.0	59.5
	19:25:00	57.0	54.5	57.5
	19:30:00	54.1	52.5	55.5
	19:35:00	54.5	52.5	56.0
	19:40:00	54.8	53.5	55.5
	19:45:00	55.3	54.0	56.5
	19:50:00	55.4	54.5	56.0
	19:55:00	55.3	54.5	56.0
	20:00:00	55.3	54.0	56.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	20:05:00	55.4	54.5	56.0
	20:10:00	55.0	54.0	56.0
	20:15:00	54.3	53.0	55.5
	20:20:00	54.2	53.0	55.0
	20:25:00	53.9	52.5	55.0
	20:30:00	54.5	53.0	55.5
	20:35:00	54.0	52.5	55.0
	20:40:00	54.1	52.5	55.0
	20:45:00	53.7	52.5	55.0
	20:50:00	54.9	52.5	57.0
	20:55:00	54.0	52.5	55.0
	21:00:00	54.0	52.5	55.0
	21:05:00	53.4	52.0	54.5
	21:10:00	53.8	52.0	55.0
	21:15:00	53.3	51.5	54.5
	21:20:00	53.6	52.0	55.0
	21:25:00	53.9	52.5	54.5
	21:30:00	53.6	52.0	54.5
	21:35:00	54.3	52.5	56.0
	21:40:00	54.1	53.0	55.0
	21:45:00	53.7	52.5	54.5
	21:50:00	53.6	52.5	54.5
	21:55:00	53.9	52.5	55.0
	22:00:00	53.4	52.5	54.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	22:05:00	54.0	52.0	55.5
	22:10:00	53.5	52.0	54.5
	22:15:00	53.6	52.0	55.0
	22:20:00	53.6	52.5	54.5
	22:25:00	54.3	53.0	55.5
	22:30:00	53.7	52.0	54.5
	22:35:00	53.9	52.0	55.0
	22:40:00	54.1	52.0	55.5
	22:45:00	53.1	51.5	54.5
	22:50:00	53.4	52.0	54.5
	22:55:00	54.1	52.5	55.5
	23:00:00	54.4	53.0	55.0
	23:05:00	54.8	53.0	56.0
	23:10:00	54.1	53.0	55.0
	23:15:00	54.6	53.0	56.0
	23:20:00	54.0	52.5	55.0
	23:25:00	53.4	52.0	54.5
	23:30:00	53.7	51.0	55.0
	23:35:00	52.2	51.0	53.0
	23:40:00	54.3	52.5	55.5
	23:45:00	53.4	52.5	54.5
	23:50:00	53.1	52.0	54.0
	23:55:00	52.9	51.0	54.0
	0:00:00	51.3	50.0	52.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	0:05:00	51.8	49.5	53.0
	0:10:00	51.8	50.0	53.5
	0:15:00	60.9	50.5	66.0
	0:20:00	64.0	61.0	66.5
	0:25:00	67.0	62.0	69.5
	0:30:00	64.5	61.0	67.5
	0:35:00	59.0	57.5	61.0
	0:40:00	59.4	57.5	61.0
	0:45:00	61.8	57.5	66.0
	0:50:00	58.0	56.5	59.0
	0:55:00	57.1	56.5	57.5
	1:00:00	56.6	56.0	57.0
	1:05:00	56.1	55.5	56.5
	1:10:00	55.4	54.5	56.0
	1:15:00	55.3	53.5	56.5
	1:20:00	54.9	53.0	56.0
	1:25:00	54.5	53.0	56.0
	1:30:00	53.4	52.5	54.0
	1:35:00	54.5	53.0	54.5
	1:40:00	56.0	53.0	57.0
	1:45:00	54.9	53.0	56.5
	1:50:00	53.6	53.0	54.0
	1:55:00	53.4	52.5	54.0
	2:00:00	53.5	52.5	54.0
	2:05:00	53.0	52.0	53.5
	2:10:00	53.1	52.5	53.5
	2:15:00	52.9	52.0	53.5
	2:20:00	54.7	52.0	53.5
	2:25:00	53.0	52.0	53.5
	2:30:00	53.4	52.5	54.0
	2:35:00	53.5	52.5	54.0
	2:40:00	53.5	52.5	54.0
	2:45:00	52.6	51.0	53.5
	2:50:00	53.1	51.0	54.5
	2:55:00	53.9	53.0	54.5
	3:00:00	54.3	53.0	55.0
	3:05:00	53.5	51.5	54.5
	3:10:00	51.8	50.5	52.5
	3:15:00	52.5	50.0	53.5
	3:20:00	50.5	49.0	51.5
	3:25:00	50.5	48.5	51.5
	3:30:00	49.5	47.5	50.5
	3:35:00	52.7	50.0	55.5
	3:40:00	52.9	50.0	53.5
	3:45:00	58.5	55.0	61.0
	3:50:00	62.2	59.5	62.5
	3:55:00	68.8	66.0	70.5
	4:00:00	71.0	70.0	71.5
	4:05:00	66.7	64.0	69.5
	4:10:00	66.6	63.0	65.5
	4:15:00	66.0	62.5	67.0
	4:20:00	65.2	60.0	65.0
	4:25:00	60.1	57.0	59.5
	4:30:00	59.1	56.0	58.0
	4:35:00	56.9	54.5	58.0
	4:40:00	55.9	53.5	56.5
	4:45:00	55.0	52.5	54.5
	4:50:00	57.6	53.0	56.0
	4:55:00	53.7	52.0	54.5
	5:00:00	52.9	51.5	53.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	5:05:00	51.6	50.5	52.5
	5:10:00	51.8	50.5	52.5
	5:15:00	52.7	50.5	54.0
	5:20:00	53.8	51.5	56.0
	5:25:00	55.8	54.5	56.5
	5:30:00	56.6	54.5	58.0
	5:35:00	58.0	54.0	61.5
	5:40:00	56.6	54.5	57.5
	5:45:00	56.3	54.0	57.5
	5:50:00	57.5	54.0	60.5
	5:55:00	55.6	52.0	57.5
	6:00:00	58.8	52.5	62.5
	6:05:00	54.7	52.5	55.5
	6:10:00	55.4	53.0	57.0
	6:15:00	55.3	52.5	57.0
	6:20:00	55.8	53.0	57.5
	6:25:00	56.8	53.0	58.5
	6:30:00	55.7	53.0	57.0
	6:35:00	55.5	53.0	57.0
	6:40:00	56.7	53.5	58.0
	6:45:00	56.0	52.0	58.0
	6:50:00	57.0	53.0	59.0
	6:55:00	55.9	52.0	58.0
	7:00:00	56.6	52.0	58.5
	7:05:00	56.3	52.5	58.5
	7:10:00	56.1	53.0	58.0
	7:15:00	56.2	53.0	58.0
	7:20:00	56.6	53.0	58.5
	7:25:00	55.7	52.0	57.0
	7:30:00	54.0	52.0	55.5
	7:35:00	54.0	50.5	56.0
	7:40:00	55.1	52.5	56.5
	7:45:00	56.1	53.0	57.5
	7:50:00	56.4	52.5	58.0
	7:55:00	56.4	53.0	58.0
	8:00:00	54.6	51.5	56.0
	8:05:00	54.2	52.0	56.0
	8:10:00	54.4	51.0	56.5
	8:15:00	57.5	51.5	56.5
	8:20:00	57.8	53.0	57.0
	8:25:00	59.6	58.0	61.0
	8:30:00	64.6	58.5	66.5
	8:35:00	65.6	64.5	66.0
	8:40:00	65.4	64.0	66.5
	8:45:00	63.1	62.0	64.0
	8:50:00	63.0	61.5	63.5
	8:55:00	62.7	62.0	63.5
	9:00:00	64.7	62.5	66.0
	9:05:00	67.1	62.0	69.5
	9:10:00	69.4	67.5	70.5
	9:15:00	69.5	67.5	70.5
	9:20:00	66.6	66.0	67.0
	9:25:00	66.0	65.5	66.0
	9:30:00	66.3	65.5	66.5
	9:35:00	66.2	65.0	66.5
	9:40:00	64.8	64.0	65.0
	9:45:00	64.6	63.5	65.0
	9:50:00	65.7	63.5	67.0
	9:55:00	63.9	63.5	64.5
	10:00:00	64.1	62.5	65.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	10:05:00	63.7	62.5	64.0
	10:10:00	63.7	63.0	64.5
	10:15:00	63.0	62.0	63.5
	10:20:00	61.9	61.0	62.5
	10:25:00	62.3	61.0	63.5
	10:30:00	61.0	60.0	61.5
	10:35:00	61.0	60.0	61.5
	10:40:00	60.9	60.0	61.5
	10:45:00	60.9	60.0	61.5
	10:50:00	61.3	60.5	62.0
	10:55:00	60.9	60.0	61.5
	11:00:00	60.5	59.5	61.5
	11:05:00	60.4	59.5	61.0
	11:10:00	59.9	59.0	60.5
	11:15:00	59.6	58.5	60.5
	11:20:00	60.1	58.5	61.5
	11:25:00	59.3	58.5	60.0
	11:30:00	59.2	58.0	60.5
	11:35:00	59.0	57.5	60.0
	11:40:00	59.5	58.0	60.5
	11:45:00	58.8	57.5	59.5
	11:50:00	59.0	57.5	60.0
	11:55:00	59.2	58.0	60.0
	12:00:00	59.3	58.5	60.0
	12:05:00	59.3	58.0	60.0
	12:10:00	59.7	58.5	60.5
	12:15:00	59.3	58.5	60.0
	12:20:00	59.4	58.0	60.0
	12:25:00	59.4	58.0	60.5
	12:30:00	59.8	58.5	60.5
	12:35:00	59.5	58.5	60.5
	12:40:00	60.2	58.5	62.0
	12:45:00	59.7	58.0	61.5
	12:50:00	60.9	59.0	63.0
	12:55:00	60.7	59.0	62.0
	13:00:00	60.7	59.5	61.5
	13:05:00	60.5	59.5	61.0
	13:10:00	60.0	59.0	60.5
	13:15:00	60.4	59.5	61.0
	13:20:00	60.5	59.5	61.5
	13:25:00	60.4	59.5	61.0
	13:30:00	60.1	59.0	60.5
	13:35:00	60.1	59.0	61.0
	13:40:00	60.5	59.5	61.0
	13:45:00	60.4	59.5	61.0
	13:50:00	60.4	59.5	61.0
	13:55:00	59.4	58.5	60.0
	14:00:00	59.7	58.5	60.5
	14:05:00	58.6	58.0	59.0
	14:10:00	59.0	58.0	59.5
	14:15:00	58.5	57.5	59.0
	14:20:00	58.5	57.5	59.0
	14:25:00	57.6	57.0	58.0
	14:30:00	57.4	56.5	58.0
	14:35:00	57.3	56.5	58.0
	14:40:00	57.4	56.5	58.0
	14:45:00	57.1	56.0	58.0
	14:50:00	57.3	56.5	58.0
	14:55:00	57.4	56.5	58.0
	15:00:00	57.3	56.5	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	15:05:00	57.3	56.5	58.0
	15:10:00	57.8	56.5	59.0
	15:15:00	57.5	56.5	58.0
	15:20:00	57.6	57.0	58.0
	15:25:00	57.9	56.5	58.5
	15:30:00	57.7	56.5	58.5
	15:35:00	57.3	56.5	58.0
	15:40:00	57.6	56.5	58.5
	15:45:00	57.4	56.5	58.0
	15:50:00	57.8	56.5	58.5
	15:55:00	58.6	56.5	58.5
	16:00:00	57.6	56.5	58.5
	16:05:00	57.4	56.5	58.0
	16:10:00	57.0	56.0	57.5
	16:15:00	56.9	56.0	57.5
	16:20:00	57.1	56.0	58.0
	16:25:00	57.0	56.0	57.5
	16:30:00	56.9	56.0	57.5
	16:35:00	57.2	56.0	58.0
	16:40:00	57.5	56.0	58.5
	16:45:00	57.4	56.0	58.5
	16:50:00	57.4	56.0	58.5
	16:55:00	56.7	55.5	57.5
	17:00:00	57.1	56.0	57.5
	17:05:00	57.1	55.5	58.0
	17:10:00	56.8	56.0	57.5
	17:15:00	57.0	56.0	58.0
	17:20:00	56.9	55.5	58.0
	17:25:00	57.2	55.5	58.0
	17:30:00	57.1	55.5	58.0
	17:35:00	58.4	55.5	60.0
	17:40:00	56.7	55.5	57.5
	17:45:00	56.5	55.0	57.5
	17:50:00	56.5	55.0	57.5
	17:55:00	56.7	55.5	57.5
	18:00:00	57.4	55.5	58.0
	18:05:00	57.2	55.5	58.0
	18:10:00	57.8	56.0	59.0
	18:15:00	57.0	55.5	58.0
	18:20:00	58.2	56.0	59.5
	18:25:00	65.7	56.0	67.5
	18:30:00	59.6	55.0	62.5
	18:35:00	57.2	55.5	59.0
	18:40:00	56.2	55.0	57.0
	18:45:00	57.6	55.0	60.0
	18:50:00	56.3	55.0	57.0
	18:55:00	56.7	55.0	58.5
	19:00:00	57.6	55.5	59.5
	19:05:00	59.1	58.0	59.5
	19:10:00	60.3	59.5	61.0
	19:15:00	60.6	60.0	61.0
	19:20:00	59.2	58.0	60.0
	19:25:00	55.7	54.5	56.5
	19:30:00	56.2	54.5	57.0
	19:35:00	56.5	55.0	57.0
	19:40:00	55.7	55.0	56.0
	19:45:00	56.1	55.0	56.5
	19:50:00	56.8	56.0	57.5
	19:55:00	56.8	56.0	57.5
	20:00:00	56.3	55.0	57.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	20:05:00	55.6	54.5	56.5
	20:10:00	55.7	54.5	56.5
	20:15:00	55.5	54.5	56.5
	20:20:00	57.4	55.0	58.5
	20:25:00	55.1	54.5	55.5
	20:30:00	55.6	54.5	56.5
	20:35:00	55.5	54.5	56.0
	20:40:00	55.6	54.5	56.0
	20:45:00	55.5	54.5	56.0
	20:50:00	55.4	54.5	56.5
	20:55:00	55.2	54.0	56.0
	21:00:00	55.5	54.5	56.0
	21:05:00	55.4	54.5	56.0
	21:10:00	55.3	54.5	56.0
	21:15:00	56.0	54.5	57.5
	21:20:00	55.4	54.5	56.0
	21:25:00	55.5	54.5	56.5
	21:30:00	55.3	54.5	56.0
	21:35:00	55.4	54.5	56.5
	21:40:00	55.2	54.5	56.0
	21:45:00	55.5	54.5	56.5
	21:50:00	55.4	54.5	56.0
	21:55:00	55.3	54.5	56.0
	22:00:00	55.2	54.5	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	22:05:00	55.4	54.5	56.0
	22:10:00	55.4	54.5	56.0
	22:15:00	55.4	54.5	56.0
	22:20:00	55.4	54.5	56.0
	22:25:00	55.6	54.5	56.5
	22:30:00	55.5	54.5	56.0
	22:35:00	55.4	54.5	56.0
	22:40:00	55.2	54.0	56.0
	22:45:00	55.3	54.5	56.0
	22:50:00	55.6	54.5	56.5
	22:55:00	55.7	54.5	56.5
	23:00:00	54.3	53.0	55.0
	23:05:00	54.6	53.5	55.5
	23:10:00	54.8	54.0	55.5
	23:15:00	55.3	54.0	56.5
	23:20:00	55.0	54.0	56.0
	23:25:00	55.0	54.0	55.5
	23:30:00	55.5	54.0	57.0
	23:35:00	55.1	54.5	55.5
	23:40:00	55.2	54.5	56.0
	23:45:00	55.3	54.0	56.5
	23:50:00	55.2	54.0	56.0
	23:55:00	55.3	54.5	56.0
	0:00:00	55.1	54.0	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	0:05:00	55.0	54.0	55.5
	0:10:00	54.9	54.0	55.5
	0:15:00	55.0	54.0	55.5
	0:20:00	55.3	54.0	56.0
	0:25:00	55.0	54.0	55.5
	0:30:00	55.0	54.0	56.0
	0:35:00	54.7	53.5	55.5
	0:40:00	55.2	54.0	56.0
	0:45:00	55.4	54.5	56.0
	0:50:00	54.9	54.0	55.5
	0:55:00	55.5	54.0	56.0
	1:00:00	54.5	53.5	55.0
	1:05:00	54.6	53.5	55.5
	1:10:00	54.2	53.0	55.0
	1:15:00	54.3	53.0	55.0
	1:20:00	54.3	53.0	55.0
	1:25:00	53.9	53.0	54.5
	1:30:00	54.1	53.0	54.5
	1:35:00	54.6	53.5	55.5
	1:40:00	54.7	53.5	55.5
	1:45:00	54.7	52.5	55.5
	1:50:00	53.1	52.5	53.5
	1:55:00	54.0	53.0	54.5
	2:00:00	53.8	53.0	54.5
	2:05:00	53.5	53.0	54.0
	2:10:00	54.1	53.5	55.0
	2:15:00	54.3	53.5	55.0
	2:20:00	54.6	53.5	55.0
	2:25:00	54.1	53.5	54.5
	2:30:00	54.8	53.5	55.5
	2:35:00	54.5	53.5	55.0
	2:40:00	55.0	54.0	56.0
	2:45:00	55.3	54.0	56.0
	2:50:00	53.9	53.5	54.0
	2:55:00	53.9	53.5	54.5
	3:00:00	54.1	53.5	54.5
	3:05:00	53.6	53.0	54.0
	3:10:00	53.8	53.5	54.0
	3:15:00	53.9	53.0	54.5
	3:20:00	53.6	53.0	54.0
	3:25:00	53.9	53.0	55.0
	3:30:00	53.1	52.5	53.5
	3:35:00	53.9	53.0	54.5
	3:40:00	53.0	51.0	54.0
	3:45:00	51.3	49.5	52.5
	3:50:00	50.9	49.0	52.5
	3:55:00	55.4	49.5	59.0
	4:00:00	59.1	55.0	61.5
	4:05:00	59.7	58.0	61.0
	4:10:00	65.3	58.0	68.5
	4:15:00	58.1	57.5	58.5
	4:20:00	61.0	57.5	63.0
	4:25:00	56.1	54.5	57.0
	4:30:00	55.8	55.0	56.5
	4:35:00	55.0	54.0	56.0
	4:40:00	54.9	53.5	55.5
	4:45:00	58.6	57.0	60.0
	4:50:00	62.1	60.0	63.5
	4:55:00	62.0	59.5	63.0
	5:00:00	63.4	59.0	65.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	5:05:00	64.9	61.0	66.0
	5:10:00	58.7	56.5	60.5
	5:15:00	61.5	59.0	63.5
	5:20:00	56.6	54.0	58.5
	5:25:00	54.3	53.0	55.0
	5:30:00	60.8	52.5	65.5
	5:35:00	66.5	62.0	69.5
	5:40:00	68.0	64.0	70.5
	5:45:00	67.9	65.5	69.5
	5:50:00	66.0	61.0	69.5
	5:55:00	60.3	58.5	61.5
	6:00:00	59.7	58.0	61.5
	6:05:00	60.1	58.5	61.5
	6:10:00	59.4	58.0	60.5
	6:15:00	59.4	58.0	60.5
	6:20:00	59.4	58.0	60.5
	6:25:00	59.0	58.0	60.0
	6:30:00	59.1	58.0	60.0
	6:35:00	58.7	57.5	59.5
	6:40:00	59.0	56.5	60.5
	6:45:00	57.8	55.5	59.0
	6:50:00	56.5	55.0	57.5
	6:55:00	55.6	53.0	57.0
	7:00:00	54.6	52.5	56.5
	7:05:00	54.1	52.0	56.0
	7:10:00	53.4	51.0	55.0
	7:15:00	55.3	51.0	56.5
	7:20:00	53.3	49.5	55.0
	7:25:00	54.1	51.0	55.5
	7:30:00	53.3	50.5	55.0
	7:35:00	53.9	50.5	55.5
	7:40:00	53.2	50.0	55.0
	7:45:00	53.0	49.5	55.0
	7:50:00	52.7	49.0	54.5
	7:55:00	53.1	49.0	55.0
	8:00:00	54.1	50.0	56.5
	8:05:00	52.9	50.5	54.5
	8:10:00	53.0	50.0	55.0
	8:15:00	51.7	46.0	54.0
	8:20:00	54.7	50.0	57.0
	8:25:00	51.9	47.5	53.5
	8:30:00	53.5	49.5	55.5
	8:35:00	53.8	50.5	55.5
	8:40:00	58.0	56.5	59.0
	8:45:00	57.8	56.5	58.5
	8:50:00	56.9	53.5	58.5
	8:55:00	56.2	54.5	57.0
	9:00:00	54.7	51.0	56.5
	9:05:00	52.6	49.5	54.5
	9:10:00	53.8	50.5	56.0
	9:15:00	52.3	49.0	54.0
	9:20:00	54.7	51.5	56.5
	9:25:00	55.6	51.5	57.5
	9:30:00	55.1	51.5	57.5
	9:35:00	54.7	52.0	56.5
	9:40:00	54.3	51.5	56.0
	9:45:00	57.1	54.0	58.5
	9:50:00	58.7	57.0	59.5
	9:55:00	56.2	54.5	57.5
	10:00:00	54.9	53.0	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	10:05:00	55.9	51.5	58.5
	10:10:00	53.9	51.0	56.0
	10:15:00	54.6	51.5	56.5
	10:20:00	54.6	52.5	56.0
	10:25:00	55.9	53.5	57.5
	10:30:00	57.2	54.0	58.0
	10:35:00	56.4	54.5	57.5
	10:40:00	55.3	54.0	56.5
	10:45:00	56.0	54.5	57.0
	10:50:00	58.1	55.5	58.0
	10:55:00	57.5	55.5	58.5
	11:00:00	59.8	56.0	59.5
	11:05:00	58.3	56.0	59.5
	11:10:00	58.9	55.5	60.5
	11:15:00	57.6	55.5	59.0
	11:20:00	57.2	55.5	58.0
	11:25:00	56.5	55.0	57.5
	11:30:00	58.0	55.5	60.5
	11:35:00	62.7	59.0	65.5
	11:40:00	58.3	56.0	60.0
	11:45:00	58.2	56.0	59.5
	11:50:00	57.5	55.5	59.0
	11:55:00	56.6	55.0	58.0
	12:00:00	57.2	55.0	59.0
	12:05:00	56.6	55.0	57.5
	12:10:00	58.8	55.5	60.0
	12:15:00	59.8	57.0	60.5
	12:20:00	56.8	54.5	58.0
	12:25:00	56.2	55.0	57.0
	12:30:00	57.4	55.5	58.5
	12:35:00	55.8	54.5	57.0
	12:40:00	56.8	54.5	58.5
	12:45:00	56.6	55.5	57.5
	12:50:00	55.8	54.0	57.0
	12:55:00	56.1	54.5	57.0
	13:00:00	56.5	54.5	58.0
	13:05:00	57.1	54.0	60.0
	13:10:00	70.0	65.0	72.5
	13:15:00	68.7	65.0	71.0
	13:20:00	67.4	65.0	68.5
	13:25:00	63.8	62.0	65.0
	13:30:00	62.0	60.5	62.5
	13:35:00	60.2	59.0	61.0
	13:40:00	60.3	58.5	61.0
	13:45:00	59.3	58.0	60.0
	13:50:00	59.1	58.0	60.0
	13:55:00	59.3	58.0	61.0
	14:00:00	59.6	58.0	61.0
	14:05:00	59.2	58.5	60.0
	14:10:00	59.3	57.5	60.5
	14:15:00	58.4	57.5	59.0
	14:20:00	58.3	57.5	59.0
	14:25:00	58.1	57.0	59.0
	14:30:00	57.5	56.5	58.5
	14:35:00	57.6	56.5	58.5
	14:40:00	59.0	57.0	60.0
	14:45:00	58.0	56.5	59.0
	14:50:00	57.7	56.5	58.5
	14:55:00	57.8	56.5	58.5
	15:00:00	61.5	59.5	62.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	15:05:00	59.3	58.0	60.0
	15:10:00	59.6	58.5	60.5
	15:15:00	58.5	57.5	59.5
	15:20:00	59.1	57.0	60.5
	15:25:00	57.8	56.5	58.5
	15:30:00	57.4	56.5	58.0
	15:35:00	58.5	56.5	59.5
	15:40:00	57.8	56.5	59.0
	15:45:00	57.7	56.5	59.0
	15:50:00	57.6	56.5	58.5
	15:55:00	58.5	56.5	59.5
	16:00:00	57.6	56.5	58.5
	16:05:00	57.4	56.5	58.0
	16:10:00	58.0	56.5	59.0
	16:15:00	60.6	56.5	62.0
	16:20:00	59.6	56.5	62.0
	16:25:00	58.2	56.5	59.0
	16:30:00	59.3	56.5	60.5
	16:35:00	57.8	56.5	58.5
	16:40:00	58.3	57.0	59.0
	16:45:00	58.7	56.5	60.0
	16:50:00	58.7	56.5	59.5
	16:55:00	58.0	56.5	58.5
	17:00:00	57.8	56.5	58.5
	17:05:00	57.9	56.5	59.0
	17:10:00	58.6	56.0	60.5
	17:15:00	58.4	56.0	60.0
	17:20:00	59.0	56.5	60.5
	17:25:00	57.5	56.0	58.5
	17:30:00	58.0	56.5	59.0
	17:35:00	59.6	57.0	61.0
	17:40:00	57.8	56.5	58.5
	17:45:00	58.1	56.5	59.0
	17:50:00	57.4	56.0	58.5
	17:55:00	56.7	55.5	57.5
	18:00:00	57.5	55.5	58.5
	18:05:00	58.1	56.0	59.0
	18:10:00	57.2	56.0	58.0
	18:15:00	57.3	56.0	58.0
	18:20:00	57.1	55.5	58.0
	18:25:00	56.9	55.5	58.0
	18:30:00	57.3	55.5	58.0
	18:35:00	57.9	55.5	59.0
	18:40:00	58.6	55.5	60.0
	18:45:00	56.7	55.5	57.5
	18:50:00	57.2	55.5	58.0
	18:55:00	57.0	55.0	58.0
	19:00:00	56.9	55.5	58.0
	19:05:00	57.3	55.5	59.0
	19:10:00	57.5	55.5	59.5
	19:15:00	57.8	55.5	59.0
	19:20:00	58.4	56.0	60.0
	19:25:00	58.1	56.5	59.0
	19:30:00	57.3	55.0	58.0
	19:35:00	56.3	55.0	57.0
	19:40:00	57.8	56.0	59.5
	19:45:00	57.7	56.5	58.5
	19:50:00	57.6	57.0	58.0
	19:55:00	58.0	57.0	59.0
	20:00:00	56.7	55.5	57.0



Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM1

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	20:05:00	56.3	55.5	57.0
	20:10:00	56.6	55.5	57.5
	20:15:00	56.8	56.0	57.5
	20:20:00	57.1	56.0	58.0
	20:25:00	57.0	56.0	58.0
	20:30:00	56.4	55.5	57.0
	20:35:00	56.6	55.5	57.5
	20:40:00	56.7	55.5	58.0
	20:45:00	57.1	55.5	58.0
	20:50:00	56.6	56.0	57.0
	20:55:00	56.9	56.0	57.5
	21:00:00	57.5	56.0	58.5
	21:05:00	57.6	55.5	58.5
	21:10:00	55.9	54.5	57.0
	21:15:00	55.7	54.5	56.5
	21:20:00	55.7	54.5	56.5
	21:25:00	55.4	54.5	56.0
	21:30:00	57.0	55.5	58.0
	21:35:00	56.2	54.5	57.5
	21:40:00	56.1	55.0	57.0
	21:45:00	56.1	55.0	57.0
	21:50:00	55.7	54.5	56.5
	21:55:00	56.0	55.0	56.5
	22:00:00	55.7	54.5	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	22:05:00	55.9	55.0	57.0
	22:10:00	55.8	55.0	56.5
	22:15:00	55.7	54.5	56.5
	22:20:00	54.9	53.5	55.5
	22:25:00	54.9	53.5	56.0
	22:30:00	54.8	54.0	55.5
	22:35:00	55.2	54.0	56.5
	22:40:00	55.4	54.0	56.5
	22:45:00	55.7	54.5	56.5
	22:50:00	55.9	55.0	56.5
	22:55:00	55.7	54.5	56.5
	23:00:00	55.8	55.0	56.5
	23:05:00	55.8	55.0	56.5
	23:10:00	55.9	54.5	57.0
	23:15:00	55.7	54.5	56.5
	23:20:00	56.1	55.0	57.0
	23:25:00	55.8	54.5	56.5
	23:30:00	56.2	55.0	57.0
	23:35:00	55.6	54.5	56.0
	23:40:00	56.1	54.5	57.5
	23:45:00	55.3	54.5	56.0
	23:50:00	55.5	54.5	56.0
	23:55:00	55.7	54.5	57.0
	0:00:00	55.2	54.5	56.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	0:05:00	57.6	54.5	59.0
	0:10:00	57.3	54.0	58.5
	0:15:00	57.8	54.5	59.5
	0:20:00	57.6	54.5	59.0
	0:25:00	57.6	54.5	59.5
	0:30:00	57.9	54.5	60.0
	0:35:00	57.3	54.5	59.0
	0:40:00	57.2	54.0	59.5
	0:45:00	56.8	54.0	58.5
	0:50:00	57.4	54.5	59.0
	0:55:00	57.3	54.5	59.0
	1:00:00	56.4	53.5	57.5
	1:05:00	56.6	53.5	58.0
	1:10:00	56.7	54.0	58.0
	1:15:00	56.6	53.5	58.0
	1:20:00	56.7	54.0	58.5
	1:25:00	56.3	53.5	58.0
	1:30:00	57.3	53.5	58.0
	1:35:00	56.0	53.0	57.5
	1:40:00	56.0	53.0	57.5
	1:45:00	56.1	53.5	57.5
	1:50:00	55.9	53.0	57.5
	1:55:00	56.3	53.0	58.0
	2:00:00	56.2	53.0	57.5
	2:05:00	55.3	52.5	56.5
	2:10:00	56.5	53.5	58.0
	2:15:00	55.7	53.0	57.0
	2:20:00	55.5	53.0	56.5
	2:25:00	55.9	53.0	57.0
	2:30:00	55.9	53.0	57.0
	2:35:00	57.9	53.5	57.5
	2:40:00	56.5	53.0	58.0
	2:45:00	56.0	53.0	57.5
	2:50:00	56.0	53.0	57.5
	2:55:00	55.6	52.5	56.5
	3:00:00	55.9	53.0	57.5
	3:05:00	55.7	53.0	57.0
	3:10:00	56.5	53.0	57.5
	3:15:00	55.1	52.5	56.0
	3:20:00	55.9	53.0	57.5
	3:25:00	56.1	52.5	57.0
	3:30:00	55.9	53.0	57.5
	3:35:00	55.4	52.5	56.5
	3:40:00	55.4	52.5	56.5
	3:45:00	55.8	53.0	57.5
	3:50:00	60.2	53.5	60.5
	3:55:00	55.2	52.5	56.0
	4:00:00	55.5	52.5	56.5
	4:05:00	55.3	52.5	56.0
	4:10:00	55.7	53.0	57.0
	4:15:00	55.7	53.0	57.0
	4:20:00	55.5	52.5	56.5
	4:25:00	55.1	52.5	56.0
	4:30:00	55.4	52.5	56.5
	4:35:00	55.2	52.5	56.0
	4:40:00	55.5	53.0	57.0
	4:45:00	55.4	52.5	56.5
	4:50:00	56.5	53.5	58.5
	4:55:00	55.7	53.0	57.0
	5:00:00	56.7	53.0	58.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	5:05:00	55.5	52.5	57.0
	5:10:00	56.5	53.5	58.5
	5:15:00	56.5	53.0	58.0
	5:20:00	57.9	54.0	60.0
	5:25:00	60.8	56.0	63.0
	5:30:00	61.5	60.0	62.0
	5:35:00	60.6	58.5	61.5
	5:40:00	58.9	55.0	61.0
	5:45:00	56.9	54.0	58.5
	5:50:00	57.0	53.5	59.5
	5:55:00	57.4	54.0	59.5
	6:00:00	56.5	53.0	58.5
	6:05:00	57.0	54.0	58.5
	6:10:00	57.2	53.0	59.5
	6:15:00	56.7	52.5	59.0
	6:20:00	57.2	53.0	60.0
	6:25:00	57.1	53.0	59.0
	6:30:00	57.4	53.5	59.5
	6:35:00	57.9	54.0	60.5
	6:40:00	57.3	53.5	59.5
	6:45:00	57.5	54.0	59.5
	6:50:00	59.0	55.0	61.0
	6:55:00	58.2	54.5	59.5
	7:00:00	58.3	54.5	61.0
	7:05:00	57.1	54.0	59.0
	7:10:00	57.7	53.5	60.0
	7:15:00	58.0	54.0	60.5
	7:20:00	58.5	54.5	61.0
	7:25:00	58.0	54.0	60.0
	7:30:00	58.4	55.0	60.5
	7:35:00	59.0	55.5	61.5
	7:40:00	59.4	55.5	61.5
	7:45:00	65.5	57.5	62.5
	7:50:00	67.5	59.5	65.5
	7:55:00	62.6	59.0	62.0
	8:00:00	68.8	58.5	64.5
	8:05:00	64.3	57.0	62.5
	8:10:00	59.1	56.0	61.0
	8:15:00	58.9	56.0	61.0
	8:20:00	58.4	55.0	60.5
	8:25:00	58.7	55.5	61.0
	8:30:00	58.9	56.0	61.0
	8:35:00	60.0	56.5	62.5
	8:40:00	59.6	57.0	61.5
	8:45:00	60.9	58.0	63.0
	8:50:00	59.4	56.5	61.5
	8:55:00	59.1	56.0	61.5
	9:00:00	59.0	56.0	61.0
	9:05:00	58.9	55.5	60.5
	9:10:00	59.5	56.0	61.5
	9:15:00	59.5	56.0	62.0
	9:20:00	59.2	56.5	60.5
	9:25:00	60.2	57.0	62.0
	9:30:00	59.4	57.0	61.0
	9:35:00	60.3	57.0	62.5
	9:40:00	60.4	58.0	62.0
	9:45:00	60.6	57.5	62.5
	9:50:00	59.9	56.5	62.0
	9:55:00	59.7	56.5	61.5
	10:00:00	61.2	59.0	62.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	10:05:00	60.7	58.5	62.0
	10:10:00	59.7	56.5	62.0
	10:15:00	59.3	56.5	61.0
	10:20:00	59.7	56.5	62.0
	10:25:00	59.5	56.5	61.5
	10:30:00	59.5	56.5	61.5
	10:35:00	60.2	57.0	62.0
	10:40:00	60.0	57.0	62.0
	10:45:00	59.6	56.0	62.0
	10:50:00	59.8	56.5	61.5
	10:55:00	60.1	56.0	61.0
	11:00:00	60.1	56.5	61.0
	11:05:00	59.3	56.5	61.0
	11:10:00	59.0	56.0	61.0
	11:15:00	58.9	55.5	60.5
	11:20:00	58.9	55.5	61.0
	11:25:00	58.5	55.5	60.5
	11:30:00	59.6	57.0	61.0
	11:35:00	59.6	56.0	61.0
	11:40:00	59.6	56.5	61.5
	11:45:00	59.4	56.5	61.5
	11:50:00	59.6	56.5	61.5
	11:55:00	59.7	56.5	61.5
	12:00:00	59.5	56.5	61.5
	12:05:00	60.0	57.0	62.0
	12:10:00	60.0	56.5	62.0
	12:15:00	60.8	57.0	63.5
	12:20:00	58.5	55.5	60.0
	12:25:00	59.6	56.5	61.5
	12:30:00	59.4	56.5	61.5
	12:35:00	59.4	56.5	61.5
	12:40:00	59.3	57.0	61.0
	12:45:00	60.4	57.5	62.5
	12:50:00	60.1	57.0	61.5
	12:55:00	59.9	56.0	63.0
	13:00:00	59.5	56.0	62.0
	13:05:00	59.3	56.5	61.5
	13:10:00	59.0	56.0	61.0
	13:15:00	58.3	55.5	60.0
	13:20:00	60.1	57.0	62.0
	13:25:00	61.8	59.5	63.0
	13:30:00	60.3	57.0	63.0
	13:35:00	59.7	56.0	62.5
	13:40:00	59.9	56.5	62.5
	13:45:00	59.0	56.5	60.5
	13:50:00	58.6	55.5	60.5
	13:55:00	59.1	56.5	61.0
	14:00:00	59.4	56.0	61.5
	14:05:00	58.8	55.5	61.0
	14:10:00	59.8	56.0	62.5
	14:15:00	59.6	56.0	61.5
	14:20:00	59.2	56.0	61.5
	14:25:00	58.9	56.0	61.0
	14:30:00	59.1	56.0	61.0
	14:35:00	59.0	56.5	60.5
	14:40:00	60.9	57.0	63.0
	14:45:00	60.8	58.5	62.5
	14:50:00	62.1	59.0	64.5
	14:55:00	61.0	58.5	63.0
	15:00:00	60.9	58.5	62.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	15:05:00	60.8	58.0	62.5
	15:10:00	61.2	58.0	63.5
	15:15:00	60.9	58.0	62.5
	15:20:00	61.2	58.5	63.0
	15:25:00	61.2	58.0	63.0
	15:30:00	61.2	58.0	63.0
	15:35:00	60.9	58.5	62.5
	15:40:00	59.8	57.0	61.5
	15:45:00	60.4	57.5	62.0
	15:50:00	60.7	58.0	62.5
	15:55:00	61.4	57.5	64.0
	16:00:00	59.6	56.5	61.0
	16:05:00	59.5	56.0	61.0
	16:10:00	59.0	56.5	60.5
	16:15:00	58.9	56.0	60.5
	16:20:00	59.6	56.5	61.5
	16:25:00	58.8	56.0	60.0
	16:30:00	59.5	56.5	61.5
	16:35:00	58.7	56.0	60.0
	16:40:00	59.3	56.5	61.0
	16:45:00	59.0	56.0	60.5
	16:50:00	58.9	55.5	60.5
	16:55:00	59.3	56.5	60.5
	17:00:00	58.9	56.0	60.5
	17:05:00	60.0	56.5	62.0
	17:10:00	58.8	56.5	60.0
	17:15:00	58.2	54.5	60.0
	17:20:00	59.0	55.0	61.0
	17:25:00	59.1	56.0	61.0
	17:30:00	59.2	55.5	61.5
	17:35:00	59.9	56.0	61.5
	17:40:00	58.6	55.5	60.5
	17:45:00	58.6	55.5	60.5
	17:50:00	58.4	55.0	60.0
	17:55:00	68.1	55.5	65.0
	18:00:00	58.9	56.0	60.0
	18:05:00	59.8	56.0	61.5
	18:10:00	59.8	57.5	61.5
	18:15:00	60.1	57.0	61.0
	18:20:00	60.9	57.0	61.0
	18:25:00	60.5	57.5	62.0
	18:30:00	59.5	57.0	61.0
	18:35:00	60.9	58.5	63.0
	18:40:00	76.8	57.5	78.0
	18:45:00	60.0	57.0	61.5
	18:50:00	61.1	57.0	63.0
	18:55:00	65.8	57.0	63.0
	19:00:00	70.1	57.5	67.5
	19:05:00	63.6	57.5	62.0
	19:10:00	78.1	60.5	77.0
	19:15:00	71.9	59.0	64.5
	19:20:00	61.6	57.5	63.5
	19:25:00	60.6	58.0	62.0
	19:30:00	62.1	58.5	63.0
	19:35:00	62.7	58.5	64.5
	19:40:00	63.0	58.5	65.0
	19:45:00	62.9	59.0	65.0
	19:50:00	62.7	59.0	64.5
	19:55:00	62.5	58.5	64.0
	20:00:00	62.7	59.0	64.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	20:05:00	62.2	58.5	64.0
	20:10:00	63.3	59.0	65.5
	20:15:00	63.1	59.5	65.5
	20:20:00	61.9	58.5	63.5
	20:25:00	61.7	59.0	63.5
	20:30:00	61.8	59.0	64.0
	20:35:00	60.6	58.0	62.5
	20:40:00	61.4	59.0	63.0
	20:45:00	61.4	58.5	63.5
	20:50:00	61.9	59.0	63.5
	20:55:00	60.4	56.0	62.5
	21:00:00	58.6	56.0	59.5
	21:05:00	58.2	55.5	59.5
	21:10:00	58.6	55.5	60.0
	21:15:00	58.4	55.5	60.0
	21:20:00	58.8	55.5	61.0
	21:25:00	58.8	55.5	60.5
	21:30:00	59.4	56.0	60.5
	21:35:00	58.4	56.0	59.5
	21:40:00	59.5	55.5	61.5
	21:45:00	59.5	56.0	61.5
	21:50:00	59.2	56.0	60.0
	21:55:00	59.6	56.5	61.0
	22:00:00	59.6	57.0	61.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/16/2007	22:05:00	60.8	56.0	64.0
	22:10:00	60.3	56.5	63.0
	22:15:00	59.7	56.0	62.0
	22:20:00	60.7	56.0	64.0
	22:25:00	61.2	55.5	65.0
	22:30:00	60.2	55.5	63.0
	22:35:00	60.2	55.5	62.5
	22:40:00	60.6	56.0	63.5
	22:45:00	59.8	55.5	62.0
	22:50:00	60.1	55.5	62.5
	22:55:00	62.2	56.0	66.5
	23:00:00	60.6	56.0	63.5
	23:05:00	61.7	56.0	65.5
	23:10:00	61.7	56.0	65.5
	23:15:00	59.8	55.0	62.0
	23:20:00	59.5	55.5	61.5
	23:25:00	57.5	54.5	59.0
	23:30:00	58.2	55.0	60.0
	23:35:00	58.1	54.5	60.0
	23:40:00	57.9	54.5	60.0
	23:45:00	57.8	55.0	59.0
	23:50:00	59.2	55.5	61.5
	23:55:00	58.7	55.0	60.5
	0:00:00	59.3	55.5	61.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	0:05:00	57.9	55.0	60.0
	0:10:00	57.7	55.0	58.5
	0:15:00	58.2	54.5	59.5
	0:20:00	59.2	55.5	61.0
	0:25:00	57.9	54.5	59.5
	0:30:00	58.6	54.5	60.5
	0:35:00	60.6	54.5	62.5
	0:40:00	56.8	54.0	58.5
	0:45:00	56.9	54.0	58.5
	0:50:00	57.2	54.0	59.0
	0:55:00	57.1	54.0	59.0
	1:00:00	56.6	53.5	58.5
	1:05:00	58.0	55.0	59.0
	1:10:00	59.8	54.0	59.0
	1:15:00	60.8	54.0	60.0
	1:20:00	57.0	54.0	59.0
	1:25:00	57.7	54.0	60.0
	1:30:00	56.6	53.5	58.0
	1:35:00	56.8	53.5	58.5
	1:40:00	60.5	53.5	60.0
	1:45:00	64.1	55.0	64.5
	1:50:00	57.1	54.0	59.0
	1:55:00	57.4	53.5	58.5
	2:00:00	57.5	54.0	58.0
	2:05:00	56.6	53.5	58.0
	2:10:00	56.5	53.0	58.0
	2:15:00	61.7	54.0	64.0
	2:20:00	65.3	54.0	66.0
	2:25:00	58.2	53.5	58.5
	2:30:00	57.8	52.5	58.0
	2:35:00	58.1	52.5	58.0
	2:40:00	57.2	52.5	57.0
	2:45:00	57.1	52.5	58.0
	2:50:00	56.9	52.5	58.0
	2:55:00	56.9	53.0	58.5
	3:00:00	56.4	53.0	58.0
	3:05:00	55.6	53.0	57.0
	3:10:00	56.1	53.0	57.0
	3:15:00	55.7	53.0	57.0
	3:20:00	55.7	52.5	56.5
	3:25:00	56.6	53.0	57.5
	3:30:00	63.3	52.5	56.5
	3:35:00	59.2	52.5	57.5
	3:40:00	55.5	53.0	56.5
	3:45:00	55.5	53.0	56.5
	3:50:00	55.7	53.0	57.0
	3:55:00	55.4	52.5	56.5
	4:00:00	55.3	52.5	56.5
	4:05:00	55.8	53.0	57.0
	4:10:00	55.9	52.5	57.5
	4:15:00	55.6	53.0	57.0
	4:20:00	55.8	53.0	57.0
	4:25:00	56.0	52.5	57.0
	4:30:00	55.5	52.5	57.0
	4:35:00	55.9	53.0	57.5
	4:40:00	56.4	53.0	58.0
	4:45:00	55.6	52.5	57.0
	4:50:00	55.7	53.0	57.0
	4:55:00	55.8	53.0	57.5
	5:00:00	56.0	53.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	5:05:00	55.9	53.0	57.5
	5:10:00	56.2	53.0	58.0
	5:15:00	56.5	53.5	58.0
	5:20:00	57.7	54.5	59.5
	5:25:00	58.1	55.0	59.5
	5:30:00	59.7	58.0	60.5
	5:35:00	59.4	58.0	60.5
	5:40:00	58.6	57.0	59.5
	5:45:00	57.8	55.5	59.0
	5:50:00	57.2	54.5	58.5
	5:55:00	58.3	54.0	61.0
	6:00:00	57.0	53.5	59.0
	6:05:00	58.1	53.5	60.0
	6:10:00	59.0	53.5	61.5
	6:15:00	57.2	53.0	59.5
	6:20:00	56.8	53.0	59.0
	6:25:00	56.5	53.0	58.5
	6:30:00	56.5	53.0	58.5
	6:35:00	57.3	52.5	60.0
	6:40:00	56.6	53.0	59.0
	6:45:00	57.7	53.5	60.0
	6:50:00	57.7	54.0	60.0
	6:55:00	57.5	53.5	60.5
	7:00:00	57.3	53.5	59.5
	7:05:00	57.4	54.0	59.5
	7:10:00	56.7	53.5	58.5
	7:15:00	57.3	53.0	59.0
	7:20:00	56.6	53.5	58.5
	7:25:00	57.5	53.5	59.5
	7:30:00	56.6	53.0	58.5
	7:35:00	56.8	54.0	58.5
	7:40:00	57.8	54.5	59.5
	7:45:00	57.2	53.0	59.0
	7:50:00	57.5	54.5	59.0
	7:55:00	57.8	54.5	60.0
	8:00:00	59.7	55.0	62.0
	8:05:00	57.3	54.0	59.0
	8:10:00	57.7	54.5	59.5
	8:15:00	57.8	54.0	60.0
	8:20:00	58.0	54.5	60.0
	8:25:00	58.3	55.0	61.0
	8:30:00	58.1	55.5	59.5
	8:35:00	60.0	55.5	62.0
	8:40:00	59.8	55.0	62.5
	8:45:00	57.3	54.5	59.0
	8:50:00	59.8	55.0	61.0
	8:55:00	59.1	56.0	61.5
	9:00:00	59.2	55.5	61.0
	9:05:00	58.0	55.5	59.5
	9:10:00	60.0	58.0	61.5
	9:15:00	59.4	57.5	60.5
	9:20:00	59.7	57.5	61.5
	9:25:00	59.4	56.5	61.0
	9:30:00	58.5	55.5	60.5
	9:35:00	58.7	55.5	61.0
	9:40:00	58.8	55.5	60.5
	9:45:00	58.9	55.5	61.0
	9:50:00	59.2	56.0	61.0
	9:55:00	59.1	57.0	60.5
	10:00:00	59.1	57.0	60.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	10:05:00	57.6	55.0	59.0
	10:10:00	58.0	55.0	59.5
	10:15:00	59.2	55.0	61.0
	10:20:00	57.8	55.0	59.5
	10:25:00	58.1	55.0	60.0
	10:30:00	57.6	54.5	59.5
	10:35:00	58.6	55.0	60.5
	10:40:00	58.6	55.0	61.5
	10:45:00	57.4	54.5	59.5
	10:50:00	58.4	55.0	60.5
	10:55:00	58.8	55.5	61.0
	11:00:00	58.7	55.0	60.5
	11:05:00	58.6	55.0	61.0
	11:10:00	58.3	55.0	60.0
	11:15:00	57.8	54.5	59.5
	11:20:00	57.9	54.5	60.5
	11:25:00	58.2	55.0	59.5
	11:30:00	58.2	54.0	61.0
	11:35:00	58.1	55.0	60.0
	11:40:00	57.9	54.5	59.5
	11:45:00	58.8	55.0	61.0
	11:50:00	58.0	54.5	60.0
	11:55:00	58.0	54.5	60.0
	12:00:00	59.9	55.0	59.5
	12:05:00	57.5	55.0	59.0
	12:10:00	58.4	55.0	60.5
	12:15:00	59.9	57.0	62.0
	12:20:00	59.3	57.0	60.5
	12:25:00	59.3	56.5	61.0
	12:30:00	59.5	57.0	61.0
	12:35:00	59.7	57.0	61.5
	12:40:00	60.0	57.0	62.0
	12:45:00	60.1	57.0	62.0
	12:50:00	60.2	57.0	62.0
	12:55:00	60.6	57.5	62.5
	13:00:00	59.5	57.5	61.0
	13:05:00	59.8	57.0	62.0
	13:10:00	59.8	57.5	61.0
	13:15:00	60.4	57.5	62.0
	13:20:00	61.0	58.5	62.0
	13:25:00	60.3	58.0	62.0
	13:30:00	59.8	58.0	61.0
	13:35:00	60.0	57.0	61.5
	13:40:00	60.1	57.0	62.5
	13:45:00	60.0	57.5	61.5
	13:50:00	59.8	57.0	61.5
	13:55:00	59.4	56.5	61.0
	14:00:00	59.3	56.5	61.0
	14:05:00	58.6	56.5	60.0
	14:10:00	59.8	56.5	61.5
	14:15:00	62.7	57.0	62.5
	14:20:00	59.5	57.0	61.0
	14:25:00	59.6	57.0	61.5
	14:30:00	59.5	57.0	61.0
	14:35:00	59.2	56.0	61.5
	14:40:00	58.6	55.5	60.5
	14:45:00	60.2	56.0	62.5
	14:50:00	58.5	56.0	60.0
	14:55:00	59.6	57.0	61.0
	15:00:00	59.9	56.5	62.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	15:05:00	58.5	55.5	60.0
	15:10:00	58.7	56.0	60.5
	15:15:00	58.1	55.5	60.0
	15:20:00	60.4	56.0	62.5
	15:25:00	59.2	55.5	61.5
	15:30:00	60.1	56.0	63.0
	15:35:00	59.1	56.0	61.5
	15:40:00	58.7	55.5	60.0
	15:45:00	58.3	55.5	60.0
	15:50:00	57.9	55.0	60.0
	15:55:00	58.0	55.0	60.0
	16:00:00	59.6	55.5	62.0
	16:05:00	57.9	55.0	59.5
	16:10:00	59.3	55.5	61.5
	16:15:00	58.5	56.0	60.0
	16:20:00	59.7	56.0	62.0
	16:25:00	59.0	55.5	61.0
	16:30:00	58.8	55.5	61.5
	16:35:00	59.0	56.5	61.0
	16:40:00	58.6	56.0	60.0
	16:45:00	58.8	56.0	60.5
	16:50:00	61.6	56.5	65.5
	16:55:00	62.1	56.5	65.5
	17:00:00	59.0	56.0	61.0
	17:05:00	58.8	56.0	60.5
	17:10:00	58.7	55.5	60.5
	17:15:00	59.2	56.0	61.0
	17:20:00	59.9	56.0	62.5
	17:25:00	59.1	56.5	61.0
	17:30:00	58.2	55.0	59.5
	17:35:00	58.2	55.0	60.0
	17:40:00	59.1	56.5	61.0
	17:45:00	59.1	56.0	61.0
	17:50:00	58.8	56.0	60.5
	17:55:00	59.3	56.0	61.0
	18:00:00	59.6	55.5	62.0
	18:05:00	58.2	55.0	60.0
	18:10:00	58.1	55.5	59.5
	18:15:00	58.3	55.5	60.0
	18:20:00	58.1	55.5	59.0
	18:25:00	59.2	55.5	60.5
	18:30:00	59.2	55.5	60.5
	18:35:00	58.7	55.5	60.5
	18:40:00	57.9	55.0	59.5
	18:45:00	58.5	55.0	59.5
	18:50:00	59.2	55.5	60.5
	18:55:00	59.8	56.0	61.5
	19:00:00	59.4	55.5	61.5
	19:05:00	58.9	55.5	60.5
	19:10:00	58.8	55.5	61.0
	19:15:00	58.7	56.5	60.0
	19:20:00	60.0	58.0	61.5
	19:25:00	58.9	56.5	60.0
	19:30:00	59.8	56.5	61.5
	19:35:00	60.4	57.0	62.0
	19:40:00	61.2	56.5	63.0
	19:45:00	61.5	57.5	62.5
	19:50:00	62.0	58.5	63.0
	19:55:00	62.3	59.0	63.5
	20:00:00	61.4	58.5	62.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	20:05:00	61.0	58.0	61.5
	20:10:00	61.3	58.0	62.5
	20:15:00	59.2	56.5	60.5
	20:20:00	59.1	56.0	60.5
	20:25:00	64.4	56.5	69.0
	20:30:00	58.7	55.5	60.0
	20:35:00	58.1	55.0	59.5
	20:40:00	65.1	55.5	62.5
	20:45:00	57.9	55.5	59.5
	20:50:00	63.2	56.0	61.5
	20:55:00	59.3	55.5	60.0
	21:00:00	63.4	55.0	60.0
	21:05:00	64.2	56.5	62.0
	21:10:00	59.0	56.5	60.0
	21:15:00	59.4	56.0	61.0
	21:20:00	58.5	55.5	60.0
	21:25:00	58.6	55.5	59.5
	21:30:00	59.3	56.0	61.0
	21:35:00	59.1	55.5	61.0
	21:40:00	59.4	56.0	60.5
	21:45:00	58.1	55.0	59.5
	21:50:00	57.9	55.0	59.5
	21:55:00	57.9	54.5	59.5
	22:00:00	58.9	55.0	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/17/2007	22:05:00	59.7	56.0	61.5
	22:10:00	61.0	57.5	63.0
	22:15:00	60.4	57.5	62.0
	22:20:00	60.0	57.0	61.5
	22:25:00	61.2	57.0	63.0
	22:30:00	59.8	56.5	61.0
	22:35:00	59.6	57.0	61.0
	22:40:00	59.9	57.0	61.0
	22:45:00	59.8	57.0	61.0
	22:50:00	59.7	56.5	61.0
	22:55:00	59.6	56.5	61.5
	23:00:00	60.0	57.0	62.0
	23:05:00	59.3	56.5	60.5
	23:10:00	60.2	57.0	62.5
	23:15:00	61.3	57.0	63.5
	23:20:00	61.0	57.0	63.5
	23:25:00	60.0	56.0	62.0
	23:30:00	61.0	56.5	63.5
	23:35:00	59.9	56.0	61.5
	23:40:00	60.9	56.0	63.0
	23:45:00	61.6	57.0	64.0
	23:50:00	60.6	56.0	63.5
	23:55:00	61.3	56.0	64.0
	0:00:00	60.8	57.0	63.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	0:05:00	58.6	55.5	60.0
	0:10:00	59.9	56.5	61.5
	0:15:00	59.4	56.0	61.0
	0:20:00	59.5	56.5	61.0
	0:25:00	58.5	54.5	60.0
	0:30:00	57.8	54.0	59.0
	0:35:00	58.4	54.5	60.0
	0:40:00	57.0	53.0	59.0
	0:45:00	57.3	53.0	58.5
	0:50:00	57.2	53.5	59.0
	0:55:00	56.5	52.5	58.0
	1:00:00	56.3	53.0	58.0
	1:05:00	56.9	53.0	58.5
	1:10:00	56.0	52.5	57.0
	1:15:00	56.5	52.5	58.5
	1:20:00	55.5	52.0	57.0
	1:25:00	56.1	52.5	57.5
	1:30:00	56.9	53.0	59.5
	1:35:00	55.8	53.0	57.5
	1:40:00	56.0	52.5	58.0
	1:45:00	55.2	52.0	56.5
	1:50:00	55.5	52.0	57.0
	1:55:00	55.6	52.5	57.0
	2:00:00	55.6	52.5	57.0
	2:05:00	56.1	52.5	57.5
	2:10:00	55.4	52.0	56.0
	2:15:00	55.8	52.5	57.5
	2:20:00	55.6	52.5	57.0
	2:25:00	55.1	52.0	56.0
	2:30:00	56.0	52.0	58.0
	2:35:00	55.7	52.0	56.5
	2:40:00	55.8	52.0	56.5
	2:45:00	55.6	52.0	57.0
	2:50:00	55.7	52.0	57.0
	2:55:00	55.9	52.0	56.5
	3:00:00	55.8	52.0	56.5
	3:05:00	55.1	52.0	56.0
	3:10:00	55.4	52.0	56.5
	3:15:00	55.7	52.0	56.5
	3:20:00	55.4	52.0	56.0
	3:25:00	55.8	52.0	57.0
	3:30:00	55.7	52.0	57.0
	3:35:00	55.1	52.0	56.0
	3:40:00	55.3	52.0	56.0
	3:45:00	56.0	52.0	57.5
	3:50:00	56.8	52.5	57.0
	3:55:00	56.9	52.5	58.5
	4:00:00	56.5	53.0	57.5
	4:05:00	55.8	52.5	56.5
	4:10:00	56.0	52.0	57.0
	4:15:00	55.9	52.5	57.0
	4:20:00	55.7	52.0	56.5
	4:25:00	55.6	52.5	56.5
	4:30:00	55.6	52.5	56.5
	4:35:00	55.9	52.5	57.0
	4:40:00	55.9	52.5	57.0
	4:45:00	56.5	52.5	57.5
	4:50:00	56.1	52.5	57.0
	4:55:00	56.7	53.0	57.5
	5:00:00	56.6	53.0	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	5:05:00	57.3	53.0	58.0
	5:10:00	56.6	53.0	58.0
	5:15:00	57.5	53.5	60.0
	5:20:00	57.4	54.0	59.0
	5:25:00	63.9	54.0	62.0
	5:30:00	58.2	54.5	59.5
	5:35:00	60.5	59.0	62.0
	5:40:00	60.0	58.5	61.0
	5:45:00	59.1	57.5	60.5
	5:50:00	59.3	55.5	61.5
	5:55:00	59.4	54.5	60.5
	6:00:00	59.5	54.0	61.0
	6:05:00	58.2	53.0	60.5
	6:10:00	58.0	54.0	60.0
	6:15:00	57.5	54.5	59.0
	6:20:00	57.3	54.0	59.5
	6:25:00	57.5	54.0	59.5
	6:30:00	57.9	54.0	60.0
	6:35:00	58.8	54.5	61.0
	6:40:00	58.2	55.0	60.5
	6:45:00	57.7	54.0	59.5
	6:50:00	58.4	54.5	60.5
	6:55:00	59.0	55.0	61.0
	7:00:00	58.1	54.5	60.0
	7:05:00	57.7	54.0	59.5
	7:10:00	58.8	55.5	61.0
	7:15:00	60.6	55.5	63.0
	7:20:00	59.3	55.5	62.0
	7:25:00	58.0	55.5	59.5
	7:30:00	58.4	55.5	60.0
	7:35:00	58.5	55.5	60.5
	7:40:00	60.0	56.5	62.0
	7:45:00	59.2	56.0	61.0
	7:50:00	60.3	55.5	62.5
	7:55:00	61.0	56.0	63.5
	8:00:00	62.6	56.0	65.0
	8:05:00	59.6	56.5	61.5
	8:10:00	76.3	56.5	62.0
	8:15:00	58.9	56.0	61.0
	8:20:00	60.6	58.0	62.5
	8:25:00	60.7	58.5	62.5
	8:30:00	60.4	58.0	62.0
	8:35:00	61.0	57.5	63.0
	8:40:00	60.6	58.5	62.0
	8:45:00	60.2	58.0	61.5
	8:50:00	59.7	57.0	61.5
	8:55:00	59.9	56.5	62.0
	9:00:00	58.6	55.5	60.5
	9:05:00	61.2	55.0	64.0
	9:10:00	59.9	56.5	62.0
	9:15:00	60.1	55.5	62.5
	9:20:00	58.8	56.0	61.0
	9:25:00	59.3	56.0	61.5
	9:30:00	58.9	55.5	60.5
	9:35:00	61.6	57.0	62.5
	9:40:00	60.2	57.5	62.5
	9:45:00	59.8	56.5	62.0
	9:50:00	59.7	57.0	61.5
	9:55:00	60.1	57.0	62.0
	10:00:00	59.4	56.5	61.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	10:05:00	58.7	55.5	61.0
	10:10:00	62.6	55.5	63.0
	10:15:00	60.1	56.0	62.0
	10:20:00	60.1	56.0	62.0
	10:25:00	58.4	54.5	60.5
	10:30:00	60.6	54.0	63.5
	10:35:00	58.3	55.0	60.5
	10:40:00	59.4	55.0	62.0
	10:45:00	58.0	54.0	60.5
	10:50:00	58.0	54.5	60.0
	10:55:00	58.0	54.0	60.5
	11:00:00	58.3	53.5	60.5
	11:05:00	58.0	54.0	60.5
	11:10:00	58.1	53.5	60.0
	11:15:00	58.0	54.5	60.0
	11:20:00	57.9	54.5	60.0
	11:25:00	57.9	54.5	60.0
	11:30:00	57.2	53.5	59.5
	11:35:00	58.2	53.5	60.5
	11:40:00	57.4	54.5	59.0
	11:45:00	58.0	55.0	60.0
	11:50:00	57.9	54.0	60.5
	11:55:00	57.6	53.5	60.5
	12:00:00	58.6	54.5	61.0
	12:05:00	57.9	54.0	59.5
	12:10:00	58.1	54.5	60.0
	12:15:00	58.1	53.5	61.0
	12:20:00	58.6	56.0	60.0
	12:25:00	57.7	54.0	60.0
	12:30:00	57.6	54.5	59.5
	12:35:00	57.8	54.0	59.5
	12:40:00	57.5	53.5	59.5
	12:45:00	58.2	54.0	61.0
	12:50:00	61.5	54.0	63.5
	12:55:00	58.5	55.0	61.0
	13:00:00	59.3	56.0	61.5
	13:05:00	60.3	58.0	62.0
	13:10:00	59.3	55.5	61.5
	13:15:00	59.1	56.0	61.0
	13:20:00	58.5	55.0	61.0
	13:25:00	58.2	54.0	60.5
	13:30:00	58.1	54.5	60.0
	13:35:00	57.2	52.5	60.0
	13:40:00	58.0	54.5	60.5
	13:45:00	57.4	54.0	59.0
	13:50:00	57.3	54.5	59.0
	13:55:00	58.6	55.0	60.5
	14:00:00	57.4	54.5	59.0
	14:05:00	58.9	55.0	61.5
	14:10:00	58.4	54.5	60.5
	14:15:00	58.6	55.0	60.5
	14:20:00	59.8	56.0	62.5
	14:25:00	59.5	57.0	61.0
	14:30:00	58.3	55.5	60.0
	14:35:00	58.2	55.0	60.5
	14:40:00	58.3	55.0	60.0
	14:45:00	58.2	55.5	60.0
	14:50:00	59.7	57.0	61.5
	14:55:00	59.3	57.0	61.0
	15:00:00	59.1	55.5	61.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	15:05:00	59.1	56.0	61.0
	15:10:00	59.6	56.0	62.0
	15:15:00	59.6	56.0	61.5
	15:20:00	60.0	56.0	62.5
	15:25:00	60.1	56.5	62.5
	15:30:00	59.6	56.5	61.5
	15:35:00	60.0	57.0	61.5
	15:40:00	59.2	56.5	61.0
	15:45:00	59.4	57.0	61.0
	15:50:00	59.8	57.0	61.5
	15:55:00	59.6	57.0	61.0
	16:00:00	59.5	57.0	61.0
	16:05:00	59.9	57.0	61.5
	16:10:00	59.7	57.0	61.0
	16:15:00	59.3	56.5	60.5
	16:20:00	59.2	57.0	61.0
	16:25:00	59.5	57.0	61.5
	16:30:00	59.5	57.0	61.0
	16:35:00	60.2	57.5	61.5
	16:40:00	59.8	56.5	62.0
	16:45:00	59.1	56.0	61.0
	16:50:00	59.4	57.0	61.0
	16:55:00	60.1	57.5	61.5
	17:00:00	59.5	57.0	61.0
	17:05:00	59.9	57.0	61.5
	17:10:00	60.3	57.5	62.0
	17:15:00	61.5	58.0	63.5
	17:20:00	62.3	59.5	64.0
	17:25:00	62.4	59.5	64.0
	17:30:00	62.5	59.5	64.5
	17:35:00	61.7	59.0	63.5
	17:40:00	61.6	58.5	63.5
	17:45:00	61.6	58.5	63.5
	17:50:00	62.3	59.0	64.0
	17:55:00	63.6	60.0	65.0
	18:00:00	62.6	58.5	64.5
	18:05:00	59.2	55.0	61.0
	18:10:00	62.9	56.0	62.5
	18:15:00	58.9	56.0	60.5
	18:20:00	64.2	56.5	66.0
	18:25:00	61.2	57.5	63.5
	18:30:00	60.1	55.5	62.0
	18:35:00	59.0	56.0	60.5
	18:40:00	59.1	56.5	61.0
	18:45:00	60.3	56.5	62.0
	18:50:00	62.0	57.0	64.5
	18:55:00	59.5	56.0	61.0
	19:00:00	59.5	56.5	61.5
	19:05:00	60.3	56.0	62.0
	19:10:00	59.7	55.5	61.5
	19:15:00	60.8	56.5	62.5
	19:20:00	62.1	59.0	63.0
	19:25:00	62.8	59.0	65.0
	19:30:00	60.7	56.5	63.0
	19:35:00	60.8	56.0	63.5
	19:40:00	59.8	56.0	62.0
	19:45:00	60.6	56.5	63.5
	19:50:00	60.2	56.5	62.5
	19:55:00	59.6	56.5	60.5
	20:00:00	59.3	56.5	61.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	20:05:00	59.4	56.5	61.0
	20:10:00	59.0	56.0	60.5
	20:15:00	58.8	56.0	60.0
	20:20:00	58.4	55.5	60.0
	20:25:00	60.6	56.0	63.5
	20:30:00	63.5	56.5	67.0
	20:35:00	61.0	56.0	64.0
	20:40:00	57.6	54.5	59.0
	20:45:00	59.8	54.5	62.0
	20:50:00	59.2	55.5	61.0
	20:55:00	59.4	55.0	61.0
	21:00:00	59.0	55.5	61.5
	21:05:00	57.6	54.5	59.5
	21:10:00	58.3	55.0	60.0
	21:15:00	63.8	55.5	67.5
	21:20:00	65.5	56.0	69.5
	21:25:00	65.0	56.0	69.0
	21:30:00	63.7	56.0	68.0
	21:35:00	63.6	55.5	68.0
	21:40:00	62.3	56.0	66.0
	21:45:00	62.5	55.5	66.5
	21:50:00	61.3	55.0	65.0
	21:55:00	58.9	55.0	59.5
	22:00:00	58.0	54.5	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/18/2007	22:05:00	58.9	54.5	60.0
	22:10:00	60.2	55.0	63.0
	22:15:00	59.2	55.0	61.0
	22:20:00	58.0	55.0	60.0
	22:25:00	60.7	55.0	63.5
	22:30:00	61.5	55.5	65.0
	22:35:00	60.1	55.0	62.0
	22:40:00	59.8	54.5	62.0
	22:45:00	61.8	54.5	65.5
	22:50:00	57.7	54.5	59.0
	22:55:00	57.8	55.0	59.5
	23:00:00	58.9	55.5	61.0
	23:05:00	57.4	54.0	59.5
	23:10:00	57.3	54.5	59.0
	23:15:00	57.8	54.5	59.5
	23:20:00	59.1	55.0	60.5
	23:25:00	60.0	56.0	62.0
	23:30:00	58.9	56.5	61.0
	23:35:00	60.0	56.5	61.0
	23:40:00	58.6	55.5	60.5
	23:45:00	58.6	55.5	60.5
	23:50:00	58.9	56.0	61.0
	23:55:00	59.0	56.0	60.5
	0:00:00	58.2	55.0	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	0:05:00	58.3	54.5	59.5
	0:10:00	58.0	54.5	59.5
	0:15:00	57.7	54.0	59.5
	0:20:00	58.6	55.0	60.5
	0:25:00	58.4	55.0	60.0
	0:30:00	57.3	54.0	58.5
	0:35:00	57.2	54.0	59.0
	0:40:00	57.7	54.5	59.5
	0:45:00	61.9	54.5	66.0
	0:50:00	61.7	54.5	66.0
	0:55:00	58.7	54.0	61.0
	1:00:00	58.8	53.5	61.5
	1:05:00	61.6	54.0	60.0
	1:10:00	59.6	54.5	61.5
	1:15:00	58.7	53.5	60.5
	1:20:00	59.1	54.0	62.0
	1:25:00	58.1	53.5	60.0
	1:30:00	56.2	52.5	57.5
	1:35:00	56.8	53.0	58.5
	1:40:00	56.7	52.5	57.5
	1:45:00	56.5	53.0	58.5
	1:50:00	56.8	53.0	58.0
	1:55:00	56.2	52.5	58.0
	2:00:00	56.7	53.5	58.5
	2:05:00	56.2	52.5	57.5
	2:10:00	56.7	53.0	58.0
	2:15:00	56.8	53.0	59.0
	2:20:00	56.6	53.0	59.0
	2:25:00	59.3	53.0	59.0
	2:30:00	56.3	52.5	58.5
	2:35:00	56.0	52.5	57.5
	2:40:00	56.1	53.0	57.5
	2:45:00	55.5	52.5	56.5
	2:50:00	55.5	52.5	57.0
	2:55:00	55.4	52.5	56.5
	3:00:00	55.7	52.5	57.0
	3:05:00	61.1	53.0	59.5
	3:10:00	58.9	52.5	57.0
	3:15:00	55.5	52.5	56.5
	3:20:00	56.3	53.5	58.0
	3:25:00	55.9	53.0	57.0
	3:30:00	55.6	52.5	56.5
	3:35:00	55.9	53.0	57.5
	3:40:00	55.9	53.0	57.5
	3:45:00	55.7	52.5	57.0
	3:50:00	56.0	52.5	58.0
	3:55:00	56.1	53.0	58.0
	4:00:00	56.1	53.0	58.0
	4:05:00	55.8	53.0	57.5
	4:10:00	56.0	53.0	57.5
	4:15:00	57.9	52.5	57.0
	4:20:00	55.9	52.5	57.5
	4:25:00	55.4	52.5	56.5
	4:30:00	56.1	53.0	58.0
	4:35:00	55.9	53.0	57.5
	4:40:00	55.9	52.5	57.5
	4:45:00	55.7	52.5	57.0
	4:50:00	55.7	52.5	57.0
	4:55:00	55.7	52.5	57.0
	5:00:00	56.7	52.5	57.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	5:05:00	56.8	52.5	57.0
	5:10:00	58.3	53.5	58.5
	5:15:00	56.8	53.5	58.0
	5:20:00	58.3	54.5	59.0
	5:25:00	59.4	56.0	61.0
	5:30:00	60.4	59.5	61.0
	5:35:00	59.9	58.5	60.5
	5:40:00	59.7	57.5	60.5
	5:45:00	64.8	55.5	61.5
	5:50:00	61.1	54.0	61.5
	5:55:00	57.1	54.0	59.0
	6:00:00	57.0	53.5	59.0
	6:05:00	58.2	54.0	60.5
	6:10:00	57.8	53.5	60.5
	6:15:00	57.4	54.0	59.5
	6:20:00	60.7	54.5	62.5
	6:25:00	58.8	53.5	59.0
	6:30:00	65.9	54.0	59.5
	6:35:00	57.4	53.5	59.5
	6:40:00	59.4	54.0	60.0
	6:45:00	58.0	54.5	60.5
	6:50:00	58.2	54.5	60.5
	6:55:00	56.5	53.5	58.5
	7:00:00	58.1	54.5	60.5
	7:05:00	60.1	55.0	62.5
	7:10:00	61.5	55.5	65.0
	7:15:00	58.0	55.0	60.0
	7:20:00	57.3	54.0	59.0
	7:25:00	60.6	56.0	62.5
	7:30:00	60.7	58.5	62.0
	7:35:00	60.4	58.5	61.5
	7:40:00	60.4	58.5	62.0
	7:45:00	59.2	56.5	60.5
	7:50:00	60.7	57.5	62.0
	7:55:00	60.1	58.5	61.0
	8:00:00	60.4	57.5	61.5
	8:05:00	61.3	58.5	62.0
	8:10:00	60.6	58.5	62.0
	8:15:00	60.8	58.0	62.5
	8:20:00	59.9	56.0	62.0
	8:25:00	59.0	56.0	61.0
	8:30:00	60.4	55.5	61.5
	8:35:00	58.2	55.0	60.0
	8:40:00	58.8	56.0	60.5
	8:45:00	58.5	55.0	60.5
	8:50:00	58.2	54.5	60.5
	8:55:00	58.8	55.5	60.5
	9:00:00	58.4	54.5	60.0
	9:05:00	58.7	55.5	60.5
	9:10:00	58.2	55.0	60.5
	9:15:00	57.8	54.5	59.5
	9:20:00	57.9	55.0	59.5
	9:25:00	57.8	54.5	59.5
	9:30:00	58.0	55.0	60.0
	9:35:00	58.4	55.0	60.5
	9:40:00	58.1	55.5	60.0
	9:45:00	58.6	55.0	61.0
	9:50:00	59.0	55.5	61.0
	9:55:00	60.4	59.0	61.5
	10:00:00	59.9	58.5	61.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	10:05:00	59.5	57.5	60.5
	10:10:00	59.2	57.0	60.5
	10:15:00	58.5	56.0	60.0
	10:20:00	60.9	55.5	61.5
	10:25:00	58.3	55.5	60.0
	10:30:00	57.8	55.0	59.5
	10:35:00	57.6	54.5	59.5
	10:40:00	57.8	54.5	60.0
	10:45:00	58.3	55.0	60.0
	10:50:00	58.3	55.0	60.0
	10:55:00	57.7	55.0	59.5
	11:00:00	57.2	54.5	58.5
	11:05:00	58.2	55.5	60.0
	11:10:00	58.1	55.5	60.0
	11:15:00	60.2	55.5	61.5
	11:20:00	58.1	55.0	60.0
	11:25:00	58.3	55.5	60.0
	11:30:00	59.2	55.0	60.5
	11:35:00	57.7	55.0	59.0
	11:40:00	59.5	55.5	62.5
	11:45:00	60.1	56.5	63.5
	11:50:00	58.4	55.0	61.0
	11:55:00	57.6	55.0	59.0
	12:00:00	57.6	55.0	59.0
	12:05:00	58.0	55.0	60.0
	12:10:00	58.0	55.0	60.0
	12:15:00	60.5	56.5	63.0
	12:20:00	61.7	57.5	63.0
	12:25:00	58.8	56.0	60.5
	12:30:00	58.0	54.5	60.0
	12:35:00	58.5	56.0	60.5
	12:40:00	57.7	55.0	59.5
	12:45:00	59.2	55.5	61.0
	12:50:00	58.3	55.0	60.5
	12:55:00	58.1	55.5	60.0
	13:00:00	58.0	55.5	60.0
	13:05:00	59.8	55.5	60.5
	13:10:00	59.3	55.5	60.0
	13:15:00	57.2	54.5	58.5
	13:20:00	58.5	55.0	60.5
	13:25:00	58.4	55.5	60.0
	13:30:00	57.2	54.5	59.0
	13:35:00	59.4	54.5	58.5
	13:40:00	58.5	55.0	61.0
	13:45:00	58.2	55.0	60.5
	13:50:00	58.4	55.0	60.5
	13:55:00	60.1	58.5	61.5
	14:00:00	60.2	58.5	61.5
	14:05:00	59.8	57.5	61.5
	14:10:00	59.2	56.5	61.0
	14:15:00	58.3	55.5	60.5
	14:20:00	58.5	55.0	60.0
	14:25:00	58.3	55.5	60.0
	14:30:00	58.1	54.0	60.0
	14:35:00	58.4	55.0	61.0
	14:40:00	57.5	54.5	59.5
	14:45:00	57.5	54.5	59.5
	14:50:00	58.3	55.0	60.5
	14:55:00	57.6	54.5	59.5
	15:00:00	57.8	55.0	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	15:05:00	57.6	55.0	59.0
	15:10:00	58.0	54.5	60.0
	15:15:00	57.6	55.0	59.0
	15:20:00	57.1	54.5	58.5
	15:25:00	57.8	55.0	60.0
	15:30:00	61.0	56.0	64.0
	15:35:00	59.1	56.5	60.5
	15:40:00	59.9	56.5	62.0
	15:45:00	60.3	57.5	62.0
	15:50:00	64.5	59.0	66.5
	15:55:00	58.9	56.0	60.5
	16:00:00	58.8	55.5	61.0
	16:05:00	58.8	55.5	61.0
	16:10:00	58.3	55.5	60.0
	16:15:00	58.4	55.0	60.5
	16:20:00	58.4	55.5	60.5
	16:25:00	59.4	55.5	62.0
	16:30:00	58.6	55.5	60.5
	16:35:00	59.2	55.5	61.5
	16:40:00	58.4	55.0	61.0
	16:45:00	58.8	56.0	60.5
	16:50:00	59.7	55.5	62.5
	16:55:00	59.5	56.0	61.5
	17:00:00	59.8	55.5	61.5
	17:05:00	58.8	56.0	60.5
	17:10:00	58.5	55.5	60.5
	17:15:00	58.6	56.0	60.5
	17:20:00	59.1	55.5	61.5
	17:25:00	58.9	55.0	61.0
	17:30:00	58.1	55.0	60.0
	17:35:00	57.8	55.0	59.5
	17:40:00	58.2	55.0	60.0
	17:45:00	59.0	54.0	60.5
	17:50:00	59.0	55.0	60.0
	17:55:00	69.6	56.0	74.0
	18:00:00	59.8	56.0	62.5
	18:05:00	59.7	55.5	62.5
	18:10:00	62.2	56.0	62.0
	18:15:00	57.6	55.0	59.0
	18:20:00	58.6	55.5	60.0
	18:25:00	57.4	54.5	59.0
	18:30:00	58.7	55.0	61.0
	18:35:00	59.8	55.0	62.5
	18:40:00	58.0	54.5	60.5
	18:45:00	57.8	55.0	59.5
	18:50:00	58.9	54.5	62.0
	18:55:00	58.7	55.0	61.0
	19:00:00	57.9	54.5	60.0
	19:05:00	57.8	55.5	59.0
	19:10:00	57.3	55.0	58.5
	19:15:00	58.4	55.5	60.0
	19:20:00	61.7	58.5	64.0
	19:25:00	61.4	58.5	63.5
	19:30:00	60.2	56.5	62.5
	19:35:00	60.2	55.5	62.5
	19:40:00	59.8	55.5	62.0
	19:45:00	62.3	56.5	66.0
	19:50:00	61.7	57.0	65.0
	19:55:00	64.4	56.5	68.5
	20:00:00	66.5	58.0	70.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	20:05:00	64.2	57.0	68.5
	20:10:00	63.0	56.5	67.0
	20:15:00	59.6	56.5	61.5
	20:20:00	58.9	55.5	60.5
	20:25:00	64.1	56.5	68.5
	20:30:00	59.9	56.5	61.0
	20:35:00	60.9	58.5	62.0
	20:40:00	62.5	59.0	65.0
	20:45:00	61.3	58.5	63.0
	20:50:00	60.3	59.0	61.0
	20:55:00	59.4	58.0	60.0
	21:00:00	62.8	57.0	62.0
	21:05:00	59.5	56.5	60.5
	21:10:00	59.3	56.0	61.0
	21:15:00	59.3	56.5	60.5
	21:20:00	59.5	56.5	60.5
	21:25:00	59.1	56.0	61.0
	21:30:00	59.6	57.0	61.0
	21:35:00	59.1	56.0	60.5
	21:40:00	58.5	55.0	60.0
	21:45:00	58.4	55.0	60.0
	21:50:00	58.1	55.0	59.5
	21:55:00	59.4	55.5	61.5
	22:00:00	58.4	55.0	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/19/2007	22:05:00	58.7	55.0	60.0
	22:10:00	58.5	54.5	61.0
	22:15:00	58.6	55.0	60.5
	22:20:00	58.0	54.5	59.5
	22:25:00	57.2	54.5	58.5
	22:30:00	58.4	54.5	58.5
	22:35:00	58.5	55.5	60.0
	22:40:00	58.8	55.5	60.5
	22:45:00	60.0	54.5	60.0
	22:50:00	57.3	54.5	59.0
	22:55:00	57.1	54.0	58.5
	23:00:00	57.3	54.0	59.0
	23:05:00	56.8	54.0	58.5
	23:10:00	58.0	54.5	60.0
	23:15:00	56.7	53.5	58.5
	23:20:00	60.4	54.0	59.0
	23:25:00	56.9	53.5	58.5
	23:30:00	57.2	54.0	59.5
	23:35:00	57.6	54.0	59.5
	23:40:00	57.0	53.5	59.0
	23:45:00	56.9	53.5	58.5
	23:50:00	57.8	53.5	59.5
	23:55:00	56.9	53.0	58.0
	0:00:00	57.2	53.0	58.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	0:05:00	57.1	53.0	58.5
	0:10:00	56.9	53.0	58.5
	0:15:00	57.4	53.5	59.0
	0:20:00	57.3	53.0	59.0
	0:25:00	57.4	53.5	59.0
	0:30:00	57.0	53.0	59.5
	0:35:00	57.9	53.5	59.5
	0:40:00	59.7	55.0	60.5
	0:45:00	57.2	54.0	58.5
	0:50:00	57.7	54.5	59.0
	0:55:00	57.8	54.5	60.0
	1:00:00	57.6	54.5	59.0
	1:05:00	56.3	53.0	57.5
	1:10:00	56.1	52.5	58.0
	1:15:00	56.3	52.5	58.0
	1:20:00	56.0	53.0	57.5
	1:25:00	56.2	53.5	57.5
	1:30:00	56.9	53.5	58.0
	1:35:00	56.6	54.0	58.0
	1:40:00	56.1	53.5	57.5
	1:45:00	55.7	52.5	57.5
	1:50:00	55.6	52.5	57.5
	1:55:00	55.2	52.0	56.5
	2:00:00	64.3	51.5	58.5
	2:05:00	68.0	52.5	67.0
	2:10:00	64.4	52.0	59.0
	2:15:00	67.7	53.0	67.5
	2:20:00	61.7	52.0	56.5
	2:25:00	55.1	52.0	56.5
	2:30:00	62.8	52.5	58.5
	2:35:00	65.9	52.0	61.0
	2:40:00	67.4	52.5	69.0
	2:45:00	67.7	52.0	68.0
	2:50:00	60.2	52.0	57.5
	2:55:00	65.6	52.0	59.0
	3:00:00	63.9	52.0	57.5
	3:05:00	55.3	52.0	56.5
	3:10:00	54.8	52.0	56.0
	3:15:00	55.2	52.0	56.5
	3:20:00	55.5	51.5	56.0
	3:25:00	55.6	52.0	56.5
	3:30:00	55.6	52.0	57.0
	3:35:00	55.9	51.5	56.5
	3:40:00	55.4	52.0	56.5
	3:45:00	55.8	52.0	57.0
	3:50:00	55.8	52.0	57.0
	3:55:00	55.9	52.0	56.5
	4:00:00	55.8	52.5	57.0
	4:05:00	55.4	52.0	56.5
	4:10:00	55.5	52.0	56.5
	4:15:00	55.4	52.0	56.0
	4:20:00	54.8	51.5	56.0
	4:25:00	54.8	51.5	55.5
	4:30:00	54.7	51.5	56.0
	4:35:00	55.3	52.0	56.5
	4:40:00	54.9	51.5	56.0
	4:45:00	55.1	52.0	56.0
	4:50:00	55.4	52.0	57.0
	4:55:00	55.1	52.0	56.5
	5:00:00	55.5	52.0	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	5:05:00	55.2	52.0	56.5
	5:10:00	56.5	53.0	58.5
	5:15:00	64.2	53.5	61.0
	5:20:00	56.9	53.5	58.0
	5:25:00	58.6	56.5	60.0
	5:30:00	60.5	59.5	61.5
	5:35:00	59.9	58.5	61.0
	5:40:00	58.8	56.5	60.5
	5:45:00	58.0	55.0	59.5
	5:50:00	57.5	54.5	59.5
	5:55:00	56.9	53.0	58.5
	6:00:00	57.2	53.0	59.0
	6:05:00	57.5	53.5	59.5
	6:10:00	58.7	54.0	61.0
	6:15:00	56.8	53.0	59.0
	6:20:00	57.4	53.5	59.5
	6:25:00	57.0	53.5	59.0
	6:30:00	57.1	53.5	59.0
	6:35:00	60.3	54.5	63.0
	6:40:00	59.5	55.0	62.0
	6:45:00	58.9	55.0	61.0
	6:50:00	59.7	55.5	62.5
	6:55:00	58.6	55.5	60.5
	7:00:00	58.4	55.0	60.0
	7:05:00	59.3	56.0	61.5
	7:10:00	59.2	57.5	60.5
	7:15:00	60.4	58.0	62.0
	7:20:00	60.9	59.0	62.5
	7:25:00	61.2	59.5	62.0
	7:30:00	60.9	59.0	62.5
	7:35:00	60.7	59.5	61.5
	7:40:00	60.6	59.0	62.0
	7:45:00	59.2	57.5	60.0
	7:50:00	59.4	56.5	60.5
	7:55:00	60.4	56.0	60.5
	8:00:00	66.0	57.0	69.0
	8:05:00	62.5	57.5	63.5
	8:10:00	64.6	58.0	65.5
	8:15:00	66.4	58.5	71.0
	8:20:00	61.2	57.5	62.0
	8:25:00	60.0	58.0	61.0
	8:30:00	60.5	58.5	62.0
	8:35:00	60.0	58.0	61.5
	8:40:00	60.3	58.0	61.5
	8:45:00	59.4	57.0	61.0
	8:50:00	59.4	56.5	61.5
	8:55:00	59.1	55.5	61.0
	9:00:00	59.2	56.5	61.0
	9:05:00	59.3	56.5	61.0
	9:10:00	60.3	58.0	62.0
	9:15:00	59.9	57.0	62.0
	9:20:00	58.8	55.5	60.0
	9:25:00	60.7	57.0	62.5
	9:30:00	59.7	57.0	61.5
	9:35:00	59.0	56.0	61.0
	9:40:00	58.9	55.5	61.0
	9:45:00	60.3	56.5	62.0
	9:50:00	59.2	56.0	61.5
	9:55:00	58.8	55.5	60.5
	10:00:00	60.4	57.5	62.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	10:05:00	58.6	55.5	60.5
	10:10:00	59.7	55.5	61.5
	10:15:00	63.6	56.0	66.5
	10:20:00	58.7	54.5	60.5
	10:25:00	57.2	54.0	59.5
	10:30:00	58.2	55.5	60.0
	10:35:00	57.8	55.0	59.5
	10:40:00	57.6	54.0	59.5
	10:45:00	55.4	52.0	57.0
	10:50:00	57.7	54.0	59.5
	10:55:00	57.5	54.5	59.5
	11:00:00	57.3	54.5	59.0
	11:05:00	58.0	54.5	60.0
	11:10:00	58.4	55.5	60.5
	11:15:00	58.5	55.5	60.0
	11:20:00	57.3	54.5	58.5
	11:25:00	59.3	54.5	60.5
	11:30:00	59.4	55.0	60.5
	11:35:00	62.4	56.5	62.0
	11:40:00	60.4	57.5	62.0
	11:45:00	64.1	59.0	65.5
	11:50:00	62.7	59.0	65.0
	11:55:00	61.5	59.0	63.0
	12:00:00	62.7	59.5	64.0
	12:05:00	60.8	58.0	62.0
	12:10:00	59.6	57.0	61.5
	12:15:00	58.5	55.0	61.0
	12:20:00	57.8	55.0	59.5
	12:25:00	57.4	54.5	59.0
	12:30:00	58.5	54.5	60.5
	12:35:00	56.7	53.5	58.0
	12:40:00	58.0	54.5	59.5
	12:45:00	57.8	55.0	60.0
	12:50:00	58.6	54.5	61.5
	12:55:00	60.2	56.0	62.5
	13:00:00	58.3	54.5	60.0
	13:05:00	59.3	54.5	62.0
	13:10:00	59.4	55.5	61.5
	13:15:00	60.4	57.5	62.5
	13:20:00	60.7	58.0	62.5
	13:25:00	61.6	58.0	63.5
	13:30:00	60.3	57.0	62.0
	13:35:00	60.6	58.5	62.0
	13:40:00	60.5	58.5	62.0
	13:45:00	60.3	58.0	62.0
	13:50:00	59.7	56.5	61.5
	13:55:00	58.6	54.5	61.0
	14:00:00	59.0	55.5	61.0
	14:05:00	58.6	54.5	60.5
	14:10:00	57.9	53.5	60.5
	14:15:00	58.9	55.5	61.0
	14:20:00	57.2	53.5	59.5
	14:25:00	58.0	55.0	60.0
	14:30:00	57.8	55.0	60.0
	14:35:00	57.6	54.0	59.5
	14:40:00	62.6	54.5	62.5
	14:45:00	58.6	54.0	60.5
	14:50:00	57.8	54.5	60.0
	14:55:00	58.3	55.0	60.5
	15:00:00	58.0	55.0	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	15:05:00	58.5	55.0	61.0
	15:10:00	57.9	54.5	60.0
	15:15:00	59.4	54.5	60.5
	15:20:00	57.2	54.0	59.0
	15:25:00	58.1	54.5	60.0
	15:30:00	60.3	55.5	61.0
	15:35:00	57.9	54.5	60.0
	15:40:00	58.7	54.0	60.5
	15:45:00	58.2	54.5	60.5
	15:50:00	59.3	56.5	61.0
	15:55:00	59.6	56.5	62.0
	16:00:00	60.1	57.5	62.0
	16:05:00	60.5	57.0	62.5
	16:10:00	60.3	57.0	62.5
	16:15:00	60.7	57.5	63.0
	16:20:00	60.0	57.0	62.0
	16:25:00	59.7	56.5	61.5
	16:30:00	61.2	59.5	62.5
	16:35:00	61.2	58.0	63.0
	16:40:00	60.2	57.5	62.0
	16:45:00	60.9	58.5	62.5
	16:50:00	60.4	58.0	62.0
	16:55:00	59.9	57.0	62.0
	17:00:00	59.4	56.0	61.5
	17:05:00	60.8	57.5	63.0
	17:10:00	61.4	58.0	64.0
	17:15:00	61.3	58.0	63.5
	17:20:00	60.7	57.5	62.5
	17:25:00	61.0	57.0	63.5
	17:30:00	61.3	58.0	63.5
	17:35:00	60.6	57.0	62.5
	17:40:00	61.2	58.0	63.5
	17:45:00	61.3	58.0	63.5
	17:50:00	60.5	56.5	62.5
	17:55:00	61.3	57.0	63.0
	18:00:00	59.1	56.0	61.0
	18:05:00	59.8	56.0	62.0
	18:10:00	59.9	57.0	62.0
	18:15:00	59.3	56.5	61.0
	18:20:00	60.3	56.5	62.5
	18:25:00	58.5	56.0	60.5
	18:30:00	58.3	55.5	60.0
	18:35:00	58.2	55.5	60.0
	18:40:00	59.6	56.0	60.5
	18:45:00	58.7	55.5	60.0
	18:50:00	61.0	56.5	61.0
	18:55:00	58.7	56.0	60.0
	19:00:00	59.1	56.0	61.0
	19:05:00	61.1	57.5	63.0
	19:10:00	61.1	57.5	63.0
	19:15:00	59.4	57.0	60.5
	19:20:00	60.4	59.0	61.5
	19:25:00	61.3	60.0	62.0
	19:30:00	60.4	57.5	62.5
	19:35:00	58.3	55.5	60.0
	19:40:00	58.7	56.0	60.5
	19:45:00	58.0	55.5	59.5
	19:50:00	58.8	56.5	60.0
	19:55:00	58.9	56.5	60.5
	20:00:00	59.6	57.0	61.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	20:05:00	60.9	58.0	62.5
	20:10:00	61.2	58.5	63.0
	20:15:00	61.5	57.5	63.5
	20:20:00	58.5	56.0	60.0
	20:25:00	57.6	55.0	59.0
	20:30:00	61.4	55.5	64.5
	20:35:00	59.1	55.0	60.0
	20:40:00	58.0	55.0	59.0
	20:45:00	57.4	54.5	59.0
	20:50:00	56.8	54.0	58.5
	20:55:00	57.6	54.5	59.5
	21:00:00	67.7	54.5	59.5
	21:05:00	59.6	54.5	60.0
	21:10:00	57.6	54.5	59.5
	21:15:00	57.4	54.5	59.5
	21:20:00	62.4	55.0	60.0
	21:25:00	57.3	55.0	59.0
	21:30:00	56.8	54.0	58.0
	21:35:00	57.4	54.5	59.5
	21:40:00	57.0	54.5	58.5
	21:45:00	57.2	54.0	59.0
	21:50:00	57.1	54.5	59.0
	21:55:00	56.7	53.5	58.5
	22:00:00	57.4	54.0	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/20/2007	22:05:00	57.7	54.0	59.0
	22:10:00	57.1	54.0	58.5
	22:15:00	56.8	54.0	58.5
	22:20:00	56.9	53.5	58.5
	22:25:00	56.7	53.0	59.0
	22:30:00	57.7	54.5	59.0
	22:35:00	58.6	54.0	60.5
	22:40:00	58.8	54.5	61.0
	22:45:00	57.6	54.0	59.0
	22:50:00	57.8	53.5	59.0
	22:55:00	58.4	54.0	60.5
	23:00:00	58.2	54.5	59.5
	23:05:00	58.9	54.0	61.5
	23:10:00	57.3	53.0	59.0
	23:15:00	58.6	54.0	60.0
	23:20:00	58.3	53.5	59.5
	23:25:00	58.4	53.5	60.5
	23:30:00	58.1	54.0	59.5
	23:35:00	57.5	54.0	59.0
	23:40:00	58.0	54.5	59.5
	23:45:00	57.5	53.5	59.0
	23:50:00	61.3	55.0	61.5
	23:55:00	57.8	52.5	60.5
	0:00:00	60.0	53.0	60.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	0:05:00	57.9	52.5	58.5
	0:10:00	58.1	52.5	59.0
	0:15:00	66.6	53.5	65.0
	0:20:00	57.2	53.0	58.0
	0:25:00	58.1	53.5	60.0
	0:30:00	57.2	52.5	58.0
	0:35:00	57.7	52.5	58.0
	0:40:00	57.5	52.5	59.0
	0:45:00	58.4	53.0	59.0
	0:50:00	58.3	53.0	60.0
	0:55:00	57.6	52.5	58.0
	1:00:00	57.6	53.0	58.5
	1:05:00	57.5	52.5	58.5
	1:10:00	58.0	53.0	60.5
	1:15:00	57.2	52.5	57.0
	1:20:00	57.5	53.0	58.5
	1:25:00	57.2	52.0	58.5
	1:30:00	56.8	52.0	58.0
	1:35:00	57.5	52.5	59.5
	1:40:00	57.4	52.5	59.0
	1:45:00	57.5	52.5	59.5
	1:50:00	57.2	52.5	59.5
	1:55:00	58.3	52.5	61.5
	2:00:00	56.0	51.5	57.0
	2:05:00	55.3	52.0	57.0
	2:10:00	56.3	51.5	57.0
	2:15:00	55.6	52.0	57.5
	2:20:00	55.7	52.0	57.5
	2:25:00	55.7	52.0	57.0
	2:30:00	55.5	52.0	56.5
	2:35:00	55.7	52.0	57.0
	2:40:00	55.5	52.0	57.0
	2:45:00	55.7	52.0	57.0
	2:50:00	55.4	52.0	56.5
	2:55:00	55.6	52.0	57.0
	3:00:00	55.4	52.0	56.5
	3:05:00	55.4	52.0	56.5
	3:10:00	55.0	51.5	56.0
	3:15:00	56.0	52.0	57.0
	3:20:00	55.1	51.5	56.5
	3:25:00	55.2	51.5	56.5
	3:30:00	55.1	51.5	56.0
	3:35:00	55.3	52.0	56.5
	3:40:00	55.2	52.0	56.5
	3:45:00	55.2	52.0	56.5
	3:50:00	55.4	52.0	56.5
	3:55:00	55.0	51.5	56.0
	4:00:00	55.4	52.0	57.0
	4:05:00	55.0	51.5	56.0
	4:10:00	55.2	52.0	56.5
	4:15:00	55.0	52.0	56.0
	4:20:00	55.1	51.5	56.5
	4:25:00	55.2	51.5	56.0
	4:30:00	55.4	52.0	56.5
	4:35:00	55.1	51.5	56.0
	4:40:00	56.3	52.0	56.5
	4:45:00	57.3	52.5	57.5
	4:50:00	59.6	52.0	58.0
	4:55:00	57.2	51.5	57.0
	5:00:00	55.7	52.0	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	5:05:00	55.5	51.5	56.0
	5:10:00	56.0	52.0	57.5
	5:15:00	56.4	53.0	58.5
	5:20:00	56.6	53.5	58.5
	5:25:00	58.7	56.5	60.0
	5:30:00	61.1	60.0	61.5
	5:35:00	61.2	60.5	62.0
	5:40:00	60.9	59.0	61.5
	5:45:00	59.1	56.0	60.0
	5:50:00	60.1	54.5	61.5
	5:55:00	57.5	53.5	59.0
	6:00:00	60.1	53.5	59.0
	6:05:00	56.6	52.5	58.5
	6:10:00	57.6	52.5	59.5
	6:15:00	57.2	53.0	59.5
	6:20:00	56.8	53.0	59.0
	6:25:00	56.8	53.0	59.0
	6:30:00	58.3	53.5	60.5
	6:35:00	58.1	54.0	60.5
	6:40:00	59.9	54.5	62.0
	6:45:00	57.2	53.5	59.0
	6:50:00	58.0	54.0	60.0
	6:55:00	63.4	54.5	61.5
	7:00:00	57.8	54.0	60.0
	7:05:00	57.9	54.5	60.0
	7:10:00	58.3	55.0	60.5
	7:15:00	58.7	54.5	61.5
	7:20:00	58.2	55.5	60.0
	7:25:00	59.3	57.0	61.0
	7:30:00	60.0	58.0	61.0
	7:35:00	64.1	61.5	64.5
	7:40:00	70.1	62.0	65.5
	7:45:00	61.2	59.0	62.5
	7:50:00	60.9	59.0	62.0
	7:55:00	61.6	59.0	63.0
	8:00:00	62.5	59.5	64.5
	8:05:00	61.9	59.0	63.5
	8:10:00	62.6	59.0	64.5
	8:15:00	62.1	60.5	63.5
	8:20:00	61.9	60.0	63.0
	8:25:00	61.1	59.5	62.5
	8:30:00	62.0	60.0	63.0
	8:35:00	60.4	57.5	61.5
	8:40:00	58.7	55.5	61.0
	8:45:00	58.8	55.5	61.0
	8:50:00	59.2	56.5	60.5
	8:55:00	59.0	55.5	60.5
	9:00:00	58.9	56.0	60.5
	9:05:00	58.0	54.5	60.0
	9:10:00	59.1	56.0	61.5
	9:15:00	58.8	56.5	60.5
	9:20:00	59.5	57.0	61.5
	9:25:00	61.2	59.0	63.0
	9:30:00	61.1	58.5	63.0
	9:35:00	59.9	57.5	61.5
	9:40:00	60.9	57.5	63.5
	9:45:00	61.2	57.0	63.5
	9:50:00	60.9	57.5	63.0
	9:55:00	60.5	57.0	62.5
	10:00:00	60.1	57.0	62.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	10:05:00	60.5	56.5	63.0
	10:10:00	61.6	58.5	63.5
	10:15:00	60.2	57.0	62.0
	10:20:00	60.3	57.0	62.0
	10:25:00	61.7	58.0	64.0
	10:30:00	60.9	58.0	62.5
	10:35:00	59.9	56.5	61.5
	10:40:00	60.2	56.5	63.0
	10:45:00	59.6	56.0	62.0
	10:50:00	61.2	57.5	63.0
	10:55:00	60.7	58.0	62.5
	11:00:00	60.8	58.0	62.5
	11:05:00	59.7	56.5	61.5
	11:10:00	59.4	56.0	61.0
	11:15:00	59.9	57.0	61.5
	11:20:00	60.3	57.5	62.0
	11:25:00	60.4	57.5	62.5
	11:30:00	59.5	56.0	61.5
	11:35:00	60.7	57.5	62.5
	11:40:00	61.6	59.5	63.0
	11:45:00	61.8	59.5	63.5
	11:50:00	60.5	57.0	63.0
	11:55:00	60.6	57.5	62.5
	12:00:00	61.1	57.0	63.5
	12:05:00	61.0	57.0	63.0
	12:10:00	61.8	57.5	64.0
	12:15:00	60.7	58.0	62.5
	12:20:00	60.2	57.0	62.0
	12:25:00	60.7	57.5	62.5
	12:30:00	61.4	58.0	63.5
	12:35:00	60.0	57.0	62.0
	12:40:00	61.1	57.5	63.0
	12:45:00	60.7	57.5	62.5
	12:50:00	60.7	57.5	62.5
	12:55:00	59.8	57.0	61.5
	13:00:00	57.7	55.5	59.0
	13:05:00	57.4	53.0	60.0
	13:10:00	57.8	54.0	60.0
	13:15:00	57.5	54.0	59.5
	13:20:00	57.7	54.0	60.0
	13:25:00	57.7	55.0	59.5
	13:30:00	57.7	54.0	60.0
	13:35:00	58.3	55.0	60.0
	13:40:00	58.7	55.5	60.5
	13:45:00	61.1	58.0	63.5
	13:50:00	59.8	56.5	61.5
	13:55:00	59.0	55.5	60.5
	14:00:00	57.6	54.5	59.5
	14:05:00	58.6	54.5	61.5
	14:10:00	58.0	54.5	60.0
	14:15:00	58.5	53.5	61.5
	14:20:00	59.2	54.0	62.0
	14:25:00	57.2	54.0	59.0
	14:30:00	58.0	53.5	60.0
	14:35:00	59.7	55.0	62.0
	14:40:00	58.0	54.5	60.0
	14:45:00	56.8	54.5	58.0
	14:50:00	59.0	56.0	61.0
	14:55:00	58.4	56.0	60.0
	15:00:00	58.9	55.5	61.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	15:05:00	60.0	56.5	62.5
	15:10:00	58.8	55.5	60.5
	15:15:00	59.9	56.5	62.0
	15:20:00	59.6	56.0	61.5
	15:25:00	61.4	56.5	62.0
	15:30:00	62.3	56.0	62.5
	15:35:00	64.6	56.0	66.0
	15:40:00	61.7	55.5	60.5
	15:45:00	59.8	56.0	62.0
	15:50:00	59.2	56.0	61.5
	15:55:00	61.7	57.0	64.0
	16:00:00	61.5	56.0	62.5
	16:05:00	57.5	55.0	59.0
	16:10:00	59.4	57.0	61.0
	16:15:00	59.2	56.0	61.0
	16:20:00	59.8	57.0	61.5
	16:25:00	59.3	56.0	61.5
	16:30:00	60.8	56.0	64.0
	16:35:00	59.5	56.5	61.5
	16:40:00	60.7	57.0	61.5
	16:45:00	59.8	57.0	61.5
	16:50:00	60.5	57.5	62.5
	16:55:00	59.8	57.0	61.5
	17:00:00	60.0	57.0	61.5
	17:05:00	60.3	56.5	62.0
	17:10:00	60.3	57.5	62.0
	17:15:00	60.2	57.0	62.0
	17:20:00	59.5	56.5	61.5
	17:25:00	59.3	56.5	61.0
	17:30:00	59.8	57.0	61.5
	17:35:00	60.0	57.0	62.0
	17:40:00	60.3	57.0	62.0
	17:45:00	60.5	57.0	63.0
	17:50:00	62.6	57.0	63.0
	17:55:00	62.0	55.5	61.0
	18:00:00	58.8	56.0	60.5
	18:05:00	58.2	55.0	60.0
	18:10:00	59.8	56.5	62.0
	18:15:00	59.2	56.0	61.5
	18:20:00	59.6	56.5	61.5
	18:25:00	59.0	56.0	60.5
	18:30:00	58.6	56.0	60.5
	18:35:00	58.3	55.0	60.0
	18:40:00	59.4	56.0	61.5
	18:45:00	58.7	55.5	61.0
	18:50:00	59.7	56.0	62.0
	18:55:00	60.1	56.0	62.0
	19:00:00	58.8	55.0	61.0
	19:05:00	58.5	55.5	60.5
	19:10:00	58.0	55.5	59.5
	19:15:00	58.3	55.5	59.5
	19:20:00	58.4	55.5	60.5
	19:25:00	61.1	57.5	62.5
	19:30:00	62.2	60.5	63.5
	19:35:00	60.9	57.0	63.0
	19:40:00	59.3	55.5	60.5
	19:45:00	60.1	56.0	62.0
	19:50:00	59.7	56.0	62.5
	19:55:00	60.2	56.0	61.5
	20:00:00	61.0	56.0	62.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	20:05:00	60.4	55.5	62.0
	20:10:00	59.5	56.0	60.5
	20:15:00	63.9	57.5	65.5
	20:20:00	63.3	56.5	66.0
	20:25:00	62.4	60.0	64.5
	20:30:00	62.1	60.0	63.0
	20:35:00	62.2	60.0	63.5
	20:40:00	61.9	59.5	64.0
	20:45:00	61.6	59.0	63.0
	20:50:00	61.5	60.0	62.0
	20:55:00	61.8	59.5	63.5
	21:00:00	60.9	56.0	62.5
	21:05:00	59.1	54.0	59.5
	21:10:00	58.3	54.5	60.5
	21:15:00	58.2	55.0	60.0
	21:20:00	59.5	55.0	62.5
	21:25:00	63.9	63.0	64.5
	21:30:00	64.1	63.0	64.5
	21:35:00	64.0	63.0	64.5
	21:40:00	63.5	61.5	64.5
	21:45:00	63.3	62.5	64.0
	21:50:00	64.1	63.0	64.5
	21:55:00	64.2	63.0	65.0
	22:00:00	62.1	55.5	64.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/21/2007	22:05:00	58.2	54.0	59.0
	22:10:00	57.9	54.0	59.5
	22:15:00	58.7	54.5	61.0
	22:20:00	57.6	54.5	59.5
	22:25:00	58.7	54.5	61.5
	22:30:00	58.1	54.5	59.5
	22:35:00	56.9	54.5	58.0
	22:40:00	58.4	55.0	60.0
	22:45:00	59.0	55.0	60.5
	22:50:00	57.1	54.0	58.5
	22:55:00	58.2	54.5	60.0
	23:00:00	57.3	54.0	58.5
	23:05:00	58.3	55.0	60.0
	23:10:00	60.4	58.5	61.0
	23:15:00	60.1	58.5	61.0
	23:20:00	57.7	54.0	60.0
	23:25:00	57.3	53.5	59.5
	23:30:00	57.9	54.5	59.5
	23:35:00	56.8	53.5	59.0
	23:40:00	57.0	53.5	59.0
	23:45:00	67.9	52.5	59.0
	23:50:00	57.2	53.5	59.0
	23:55:00	56.5	53.5	58.5
	0:00:00	58.1	54.5	60.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	0:05:00	61.5	56.0	61.5
	0:10:00	61.4	56.5	62.5
	0:15:00	59.8	54.0	62.5
	0:20:00	56.9	53.5	59.0
	0:25:00	56.2	52.5	57.5
	0:30:00	56.3	52.5	58.0
	0:35:00	57.9	53.0	58.5
	0:40:00	59.9	54.5	62.0
	0:45:00	62.8	61.5	63.0
	0:50:00	62.5	61.5	63.0
	0:55:00	62.0	61.0	62.5
	1:00:00	62.1	61.5	62.5
	1:05:00	61.9	61.0	62.5
	1:10:00	62.0	61.0	62.5
	1:15:00	61.7	61.0	62.0
	1:20:00	61.7	61.0	62.0
	1:25:00	61.8	61.0	62.0
	1:30:00	62.1	61.5	62.5
	1:35:00	61.9	61.0	62.5
	1:40:00	60.6	54.5	62.0
	1:45:00	56.3	52.0	58.5
	1:50:00	55.5	52.0	57.0
	1:55:00	54.8	51.0	56.0
	2:00:00	55.4	51.5	57.0
	2:05:00	55.2	51.5	56.5
	2:10:00	55.5	51.5	56.5
	2:15:00	55.7	52.0	57.5
	2:20:00	55.7	51.5	56.5
	2:25:00	56.3	51.5	56.5
	2:30:00	54.9	51.5	56.0
	2:35:00	55.6	51.5	57.5
	2:40:00	55.1	51.5	56.5
	2:45:00	55.4	51.5	57.0
	2:50:00	54.9	51.5	56.0
	2:55:00	55.2	51.5	56.5
	3:00:00	54.9	51.0	56.0
	3:05:00	55.2	51.5	56.5
	3:10:00	54.8	51.0	56.0
	3:15:00	54.7	51.0	56.0
	3:20:00	54.9	51.5	56.0
	3:25:00	57.0	51.0	56.5
	3:30:00	55.5	51.5	56.5
	3:35:00	56.1	51.5	57.5
	3:40:00	54.8	51.0	56.0
	3:45:00	54.8	51.5	56.0
	3:50:00	54.8	51.0	56.0
	3:55:00	55.2	51.5	57.0
	4:00:00	54.7	51.5	56.0
	4:05:00	55.5	51.5	56.5
	4:10:00	54.5	51.0	55.5
	4:15:00	54.7	51.0	55.5
	4:20:00	54.5	51.0	55.5
	4:25:00	54.5	51.0	55.5
	4:30:00	54.7	51.0	55.5
	4:35:00	54.7	51.5	56.0
	4:40:00	54.6	51.0	55.5
	4:45:00	55.8	52.0	58.0
	4:50:00	55.1	51.5	56.0
	4:55:00	55.1	51.5	57.0
	5:00:00	54.7	51.5	56.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	5:05:00	54.8	51.5	56.0
	5:10:00	55.3	51.5	56.5
	5:15:00	55.9	52.0	57.5
	5:20:00	57.1	53.0	59.0
	5:25:00	63.3	57.0	63.5
	5:30:00	68.2	59.5	73.5
	5:35:00	60.7	59.5	61.5
	5:40:00	60.1	58.5	61.0
	5:45:00	59.8	57.0	61.5
	5:50:00	59.0	56.5	61.0
	5:55:00	57.2	54.0	59.0
	6:00:00	56.5	53.5	58.0
	6:05:00	57.3	53.0	59.0
	6:10:00	57.4	53.5	59.5
	6:15:00	56.7	53.0	58.5
	6:20:00	58.3	54.0	60.5
	6:25:00	56.3	53.0	58.0
	6:30:00	56.6	53.0	59.0
	6:35:00	58.5	54.5	60.5
	6:40:00	60.0	56.0	62.5
	6:45:00	58.8	56.0	61.0
	6:50:00	60.2	58.0	61.5
	6:55:00	61.0	58.0	63.0
	7:00:00	61.4	58.5	63.5
	7:05:00	61.2	59.5	62.5
	7:10:00	62.5	59.0	64.5
	7:15:00	60.7	58.5	62.0
	7:20:00	60.6	58.5	62.0
	7:25:00	61.4	58.5	63.5
	7:30:00	61.9	59.5	63.5
	7:35:00	60.6	58.5	62.5
	7:40:00	60.9	59.0	62.0
	7:45:00	60.1	58.0	61.5
	7:50:00	60.1	56.5	62.0
	7:55:00	59.2	56.0	61.0
	8:00:00	61.2	57.0	62.5
	8:05:00	64.5	58.0	67.0
	8:10:00	61.7	57.5	64.5
	8:15:00	64.4	56.5	65.5
	8:20:00	64.5	55.5	64.5
	8:25:00	61.5	55.5	62.5
	8:30:00	59.1	56.0	61.0
	8:35:00	59.5	56.0	61.5
	8:40:00	58.9	55.0	61.0
	8:45:00	58.9	56.0	61.0
	8:50:00	58.6	56.0	60.5
	8:55:00	61.3	59.0	62.0
	9:00:00	60.6	58.5	62.0
	9:05:00	60.8	59.0	62.0
	9:10:00	60.8	58.5	62.5
	9:15:00	60.9	58.5	62.5
	9:20:00	62.9	58.5	65.5
	9:25:00	60.6	57.0	62.5
	9:30:00	59.9	57.5	61.5
	9:35:00	59.3	56.5	61.0
	9:40:00	60.3	57.0	63.0
	9:45:00	59.9	57.0	61.5
	9:50:00	59.5	57.0	61.0
	9:55:00	58.9	56.0	60.5
	10:00:00	58.5	55.5	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	10:05:00	58.6	55.5	60.5
	10:10:00	58.6	55.0	61.0
	10:15:00	58.9	55.5	61.0
	10:20:00	58.2	54.0	60.5
	10:25:00	57.9	54.0	60.0
	10:30:00	58.3	55.0	60.0
	10:35:00	59.7	55.5	62.5
	10:40:00	58.5	55.0	61.0
	10:45:00	58.3	55.0	59.5
	10:50:00	57.6	54.5	59.5
	10:55:00	58.7	54.5	61.5
	11:00:00	58.1	54.5	60.5
	11:05:00	58.1	54.0	60.0
	11:10:00	58.9	55.0	61.0
	11:15:00	57.6	54.5	59.5
	11:20:00	59.2	55.0	61.5
	11:25:00	58.3	54.5	61.0
	11:30:00	58.8	54.5	61.5
	11:35:00	58.2	54.5	60.5
	11:40:00	57.2	54.0	59.0
	11:45:00	58.6	54.0	61.5
	11:50:00	58.2	54.5	60.5
	11:55:00	58.3	54.5	61.0
	12:00:00	57.6	54.5	59.5
	12:05:00	58.9	54.0	61.5
	12:10:00	57.7	54.5	59.5
	12:15:00	57.9	54.5	60.0
	12:20:00	58.0	54.0	60.0
	12:25:00	57.6	54.5	59.0
	12:30:00	57.5	54.0	59.0
	12:35:00	58.5	54.5	61.0
	12:40:00	57.9	54.0	60.5
	12:45:00	58.3	54.0	61.0
	12:50:00	58.9	55.0	61.0
	12:55:00	57.7	54.0	60.0
	13:00:00	57.9	54.5	60.0
	13:05:00	60.2	55.0	63.0
	13:10:00	58.6	54.5	61.0
	13:15:00	58.0	54.5	59.5
	13:20:00	57.8	54.0	60.0
	13:25:00	57.4	53.5	59.5
	13:30:00	59.8	55.5	62.0
	13:35:00	61.0	59.5	62.0
	13:40:00	59.9	57.0	61.5
	13:45:00	58.2	55.5	60.0
	13:50:00	57.8	55.0	59.5
	13:55:00	58.1	54.0	59.5
	14:00:00	58.9	54.5	61.5
	14:05:00	58.1	54.5	60.0
	14:10:00	61.9	55.0	63.0
	14:15:00	58.2	55.0	60.5
	14:20:00	57.6	54.0	60.0
	14:25:00	57.7	54.5	60.0
	14:30:00	57.9	54.5	60.5
	14:35:00	58.3	55.0	60.0
	14:40:00	58.4	54.5	60.5
	14:45:00	58.4	55.0	60.5
	14:50:00	58.2	55.0	60.5
	14:55:00	57.9	54.5	60.0
	15:00:00	57.0	54.0	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	15:05:00	58.8	54.5	60.0
	15:10:00	57.7	55.0	59.5
	15:15:00	58.1	55.0	60.0
	15:20:00	58.2	55.5	60.0
	15:25:00	58.3	55.5	59.5
	15:30:00	58.9	56.5	60.5
	15:35:00	59.5	56.5	61.5
	15:40:00	58.0	55.0	59.5
	15:45:00	62.9	58.5	64.5
	15:50:00	58.8	55.5	60.5
	15:55:00	62.8	57.5	63.0
	16:00:00	59.6	55.5	62.0
	16:05:00	60.5	56.5	62.5
	16:10:00	61.8	57.5	64.0
	16:15:00	60.8	56.5	62.5
	16:20:00	65.1	57.5	68.5
	16:25:00	61.5	57.0	64.0
	16:30:00	64.4	61.0	66.5
	16:35:00	64.9	62.0	67.0
	16:40:00	65.1	61.5	67.0
	16:45:00	64.6	61.0	66.5
	16:50:00	65.3	61.5	67.5
	16:55:00	64.9	61.5	67.0
	17:00:00	64.7	60.5	67.0
	17:05:00	64.2	61.0	66.0
	17:10:00	62.3	58.0	65.0
	17:15:00	61.3	58.5	63.0
	17:20:00	61.7	58.0	63.5
	17:25:00	60.2	56.5	62.5
	17:30:00	61.8	56.0	62.5
	17:35:00	57.6	55.0	59.5
	17:40:00	61.2	56.0	63.0
	17:45:00	58.1	55.5	60.0
	17:50:00	62.2	55.5	62.5
	17:55:00	57.9	55.0	59.5
	18:00:00	58.7	55.0	60.0
	18:05:00	58.3	55.0	59.5
	18:10:00	58.4	55.5	60.0
	18:15:00	61.7	55.5	61.0
	18:20:00	58.8	55.5	61.0
	18:25:00	58.9	56.0	60.5
	18:30:00	57.5	55.0	59.0
	18:35:00	58.7	56.0	60.5
	18:40:00	58.6	55.0	60.5
	18:45:00	58.4	55.5	60.0
	18:50:00	58.3	56.0	60.0
	18:55:00	59.5	55.5	61.5
	19:00:00	58.2	55.0	60.0
	19:05:00	58.0	55.0	60.0
	19:10:00	58.6	55.5	60.5
	19:15:00	58.3	56.0	59.5
	19:20:00	57.9	55.0	59.5
	19:25:00	61.0	57.5	63.0
	19:30:00	61.5	59.0	62.5
	19:35:00	58.5	55.5	60.0
	19:40:00	58.7	55.5	60.5
	19:45:00	58.8	56.0	61.0
	19:50:00	59.5	56.5	61.5
	19:55:00	59.6	56.0	62.0
	20:00:00	59.2	55.5	61.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	20:05:00	60.1	56.0	61.0
	20:10:00	58.7	55.5	61.0
	20:15:00	60.3	55.5	62.5
	20:20:00	58.7	55.5	60.5
	20:25:00	58.7	54.5	60.5
	20:30:00	58.9	55.5	61.0
	20:35:00	58.1	55.0	60.0
	20:40:00	57.7	54.5	59.5
	20:45:00	57.7	54.5	59.5
	20:50:00	58.8	54.5	61.0
	20:55:00	58.2	54.5	60.5
	21:00:00	58.7	54.0	61.0
	21:05:00	57.6	54.5	59.5
	21:10:00	58.6	55.0	61.0
	21:15:00	57.8	54.0	60.0
	21:20:00	57.8	54.0	59.5
	21:25:00	58.3	54.0	61.0
	21:30:00	57.5	54.0	59.5
	21:35:00	58.7	54.0	59.0
	21:40:00	57.3	54.0	59.0
	21:45:00	57.6	54.0	59.0
	21:50:00	58.2	55.0	60.0
	21:55:00	58.6	54.5	61.5
	22:00:00	57.5	54.0	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/22/2007	22:05:00	59.7	55.5	62.0
	22:10:00	57.8	54.0	59.5
	22:15:00	58.7	54.5	61.0
	22:20:00	57.8	54.0	59.5
	22:25:00	58.9	55.5	61.0
	22:30:00	57.8	54.5	59.5
	22:35:00	58.4	55.0	60.5
	22:40:00	59.4	55.0	62.0
	22:45:00	64.8	54.5	59.5
	22:50:00	57.9	54.0	60.5
	22:55:00	57.1	54.0	58.5
	23:00:00	58.4	55.0	60.5
	23:05:00	58.1	55.0	60.0
	23:10:00	58.4	54.5	59.5
	23:15:00	57.9	54.5	59.5
	23:20:00	57.3	54.0	59.5
	23:25:00	57.0	54.0	58.5
	23:30:00	57.5	54.0	59.5
	23:35:00	56.8	53.0	58.5
	23:40:00	56.9	53.5	59.0
	23:45:00	57.5	54.0	59.0
	23:50:00	57.9	55.0	59.5
	23:55:00	57.8	55.5	59.5
	0:00:00	57.4	54.5	59.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	0:05:00	57.4	54.5	59.5
	0:10:00	57.4	54.0	59.5
	0:15:00	59.5	54.0	60.0
	0:20:00	57.3	53.5	58.5
	0:25:00	57.0	54.0	58.5
	0:30:00	57.1	54.5	58.5
	0:35:00	56.6	53.0	58.0
	0:40:00	56.8	53.5	58.5
	0:45:00	56.6	53.0	58.5
	0:50:00	56.2	53.0	57.5
	0:55:00	56.2	52.5	58.0
	1:00:00	56.2	52.5	57.5
	1:05:00	56.5	53.0	58.5
	1:10:00	56.7	52.5	58.5
	1:15:00	55.5	52.5	57.0
	1:20:00	55.5	52.0	57.5
	1:25:00	56.7	53.0	59.0
	1:30:00	57.0	53.5	59.0
	1:35:00	56.6	53.5	58.0
	1:40:00	56.0	52.0	57.5
	1:45:00	56.3	52.5	58.0
	1:50:00	55.7	52.5	57.0
	1:55:00	56.3	52.5	58.0
	2:00:00	55.6	52.0	57.5
	2:05:00	55.7	52.5	57.0
	2:10:00	57.3	52.0	59.5
	2:15:00	55.6	52.0	57.0
	2:20:00	55.6	52.0	57.5
	2:25:00	55.4	51.5	57.5
	2:30:00	56.0	51.5	58.0
	2:35:00	55.3	51.5	57.0
	2:40:00	55.5	52.0	56.5
	2:45:00	55.1	51.5	56.5
	2:50:00	55.8	52.0	57.0
	2:55:00	55.2	52.0	56.5
	3:00:00	55.2	52.0	57.0
	3:05:00	54.9	51.5	56.5
	3:10:00	55.2	52.0	56.5
	3:15:00	54.9	51.5	56.5
	3:20:00	54.4	51.0	55.5
	3:25:00	54.5	51.0	55.5
	3:30:00	54.4	51.0	55.5
	3:35:00	55.1	51.0	57.0
	3:40:00	54.4	51.0	55.5
	3:45:00	54.3	50.5	55.5
	3:50:00	54.6	51.0	56.0
	3:55:00	54.9	51.0	56.5
	4:00:00	54.8	51.0	56.0
	4:05:00	54.6	51.0	56.0
	4:10:00	54.7	51.0	56.0
	4:15:00	54.8	51.0	56.0
	4:20:00	54.7	51.0	56.0
	4:25:00	54.6	51.0	56.0
	4:30:00	54.5	51.0	56.0
	4:35:00	54.5	51.0	55.5
	4:40:00	54.5	51.0	56.0
	4:45:00	54.7	51.5	56.0
	4:50:00	55.4	51.5	58.0
	4:55:00	54.8	51.0	56.0
	5:00:00	55.1	51.0	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	5:05:00	55.2	51.5	57.0
	5:10:00	56.0	52.5	58.0
	5:15:00	55.6	52.5	57.0
	5:20:00	56.9	53.5	58.5
	5:25:00	57.6	55.5	59.0
	5:30:00	60.4	59.0	61.5
	5:35:00	61.1	59.5	62.0
	5:40:00	60.5	58.5	61.5
	5:45:00	59.5	57.0	61.0
	5:50:00	58.1	55.5	59.5
	5:55:00	58.8	54.0	60.5
	6:00:00	56.4	52.5	58.5
	6:05:00	57.0	53.0	59.0
	6:10:00	57.0	53.0	59.5
	6:15:00	56.2	52.0	58.5
	6:20:00	57.1	53.0	59.5
	6:25:00	56.0	52.0	58.0
	6:30:00	56.8	53.0	59.0
	6:35:00	56.6	52.5	59.0
	6:40:00	57.4	52.5	60.5
	6:45:00	58.0	53.5	60.5
	6:50:00	58.9	53.5	62.0
	6:55:00	56.8	53.0	59.0
	7:00:00	57.3	53.5	59.0
	7:05:00	57.1	53.0	59.5
	7:10:00	58.4	54.0	60.5
	7:15:00	56.8	53.0	58.5
	7:20:00	58.5	53.5	60.0
	7:25:00	58.1	55.5	59.5
	7:30:00	61.8	59.0	63.0
	7:35:00	62.0	61.0	63.0
	7:40:00	61.6	60.5	62.5
	7:45:00	62.1	60.5	63.0
	7:50:00	61.7	60.0	63.0
	7:55:00	59.8	57.5	61.0
	8:00:00	59.6	57.0	61.0
	8:05:00	59.7	57.0	62.0
	8:10:00	61.9	57.0	61.0
	8:15:00	59.4	56.5	61.0
	8:20:00	59.7	56.5	61.5
	8:25:00	60.7	58.0	62.5
	8:30:00	60.7	58.5	62.0
	8:35:00	61.5	59.5	63.0
	8:40:00	62.1	61.0	64.0
	8:45:00	62.6	59.0	63.5
	8:50:00	60.2	58.0	61.5
	8:55:00	60.5	58.5	61.5
	9:00:00	59.2	57.0	61.0
	9:05:00	59.0	56.5	60.5
	9:10:00	59.1	56.5	61.0
	9:15:00	59.5	56.5	61.0
	9:20:00	59.5	56.5	61.0
	9:25:00	59.9	57.0	61.5
	9:30:00	61.0	58.0	62.5
	9:35:00	61.5	59.5	62.5
	9:40:00	61.5	60.0	62.5
	9:45:00	60.2	57.5	61.5
	9:50:00	58.5	55.5	60.5
	9:55:00	57.7	54.0	60.0
	10:00:00	59.9	56.0	62.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	10:05:00	58.8	56.0	60.5
	10:10:00	67.1	56.5	67.5
	10:15:00	60.4	57.5	62.5
	10:20:00	60.6	58.0	62.5
	10:25:00	60.2	57.0	61.5
	10:30:00	60.0	57.5	62.0
	10:35:00	60.4	58.0	61.5
	10:40:00	60.0	56.5	62.0
	10:45:00	57.7	54.5	60.0
	10:50:00	58.4	55.5	60.5
	10:55:00	59.4	56.5	61.0
	11:00:00	59.3	57.0	60.5
	11:05:00	59.6	56.5	61.5
	11:10:00	68.5	59.0	74.0
	11:15:00	69.4	61.5	72.5
	11:20:00	59.2	56.0	61.5
	11:25:00	58.4	55.5	60.0
	11:30:00	58.0	54.5	60.0
	11:35:00	59.7	57.5	61.0
	11:40:00	61.8	59.5	63.0
	11:45:00	61.2	59.5	62.5
	11:50:00	59.4	55.5	61.5
	11:55:00	57.6	55.0	59.5
	12:00:00	58.8	54.5	61.5
	12:05:00	57.5	54.5	59.5
	12:10:00	58.1	55.0	60.0
	12:15:00	57.6	54.5	59.5
	12:20:00	58.3	54.5	60.5
	12:25:00	58.1	55.0	60.0
	12:30:00	58.6	55.0	61.5
	12:35:00	57.9	54.5	60.0
	12:40:00	58.2	55.0	60.0
	12:45:00	56.9	54.0	58.5
	12:50:00	59.4	56.0	61.5
	12:55:00	57.3	55.0	58.5
	13:00:00	58.6	56.0	60.5
	13:05:00	60.0	57.5	61.5
	13:10:00	62.9	61.0	64.5
	13:15:00	60.9	57.0	62.5
	13:20:00	58.7	56.0	60.5
	13:25:00	58.9	56.0	60.5
	13:30:00	58.6	55.5	60.5
	13:35:00	58.5	54.5	61.0
	13:40:00	57.7	55.0	59.5
	13:45:00	59.1	56.0	61.0
	13:50:00	58.4	55.0	60.5
	13:55:00	58.8	55.0	61.0
	14:00:00	58.8	55.0	61.0
	14:05:00	58.7	55.0	61.5
	14:10:00	59.1	55.5	61.0
	14:15:00	59.0	55.5	61.5
	14:20:00	58.7	55.5	60.5
	14:25:00	58.5	55.5	60.5
	14:30:00	59.1	56.0	61.0
	14:35:00	58.8	55.5	61.0
	14:40:00	58.2	55.5	60.0
	14:45:00	59.1	55.5	61.5
	14:50:00	58.9	56.0	60.5
	14:55:00	58.3	55.5	60.0
	15:00:00	58.2	55.5	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	15:05:00	58.6	55.5	60.5
	15:10:00	58.8	56.0	60.5
	15:15:00	58.8	55.5	60.5
	15:20:00	61.0	56.5	62.5
	15:25:00	58.7	56.0	60.5
	15:30:00	58.0	55.0	59.5
	15:35:00	58.2	55.5	60.0
	15:40:00	58.8	56.0	61.0
	15:45:00	57.8	55.0	59.5
	15:50:00	58.1	55.5	59.5
	15:55:00	57.6	55.0	59.5
	16:00:00	59.8	58.0	61.0
	16:05:00	58.9	56.5	60.0
	16:10:00	58.5	55.5	60.5
	16:15:00	58.9	56.0	61.0
	16:20:00	58.5	55.5	60.0
	16:25:00	59.9	55.5	62.0
	16:30:00	58.6	55.5	60.5
	16:35:00	58.5	55.5	60.5
	16:40:00	64.8	57.5	68.5
	16:45:00	62.8	56.0	64.5
	16:50:00	62.8	57.5	62.0
	16:55:00	63.1	58.0	62.0
	17:00:00	61.0	56.0	62.0
	17:05:00	61.1	56.0	61.5
	17:10:00	59.5	55.5	62.0
	17:15:00	60.9	56.0	64.0
	17:20:00	58.5	55.5	60.5
	17:25:00	58.2	55.0	60.0
	17:30:00	58.8	55.5	61.0
	17:35:00	58.8	55.5	61.0
	17:40:00	59.4	56.0	61.5
	17:45:00	58.2	55.5	59.5
	17:50:00	61.3	56.5	62.0
	17:55:00	59.1	56.5	61.0
	18:00:00	60.6	56.5	62.0
	18:05:00	61.0	57.0	63.0
	18:10:00	61.7	56.0	64.0
	18:15:00	58.4	55.0	60.5
	18:20:00	63.0	54.5	60.5
	18:25:00	57.4	54.5	59.5
	18:30:00	58.9	55.0	61.5
	18:35:00	60.3	57.0	62.0
	18:40:00	61.5	57.0	62.0
	18:45:00	59.9	57.5	61.5
	18:50:00	60.0	57.0	61.5
	18:55:00	59.3	57.0	61.0
	19:00:00	59.1	56.5	60.5
	19:05:00	58.9	56.0	60.5
	19:10:00	59.4	56.0	62.0
	19:15:00	59.2	56.5	60.5
	19:20:00	58.3	56.0	60.0
	19:25:00	60.7	59.0	61.5
	19:30:00	60.1	57.5	61.0
	19:35:00	58.2	56.0	60.0
	19:40:00	58.1	55.5	60.0
	19:45:00	59.2	56.5	61.0
	19:50:00	59.7	56.5	62.5
	19:55:00	60.3	56.5	61.5
	20:00:00	60.1	56.0	61.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	20:05:00	60.8	57.0	62.5
	20:10:00	60.1	57.0	61.0
	20:15:00	59.9	57.0	61.5
	20:20:00	59.9	56.5	62.5
	20:25:00	58.8	55.5	60.5
	20:30:00	58.4	55.0	60.0
	20:35:00	58.3	55.5	60.0
	20:40:00	57.9	55.5	59.5
	20:45:00	58.0	55.0	60.0
	20:50:00	58.4	55.5	60.0
	20:55:00	59.0	56.0	61.0
	21:00:00	57.8	55.0	59.0
	21:05:00	57.4	54.5	59.0
	21:10:00	58.1	54.0	60.0
	21:15:00	58.6	55.0	60.5
	21:20:00	58.0	54.5	59.5
	21:25:00	58.6	54.5	60.5
	21:30:00	58.6	55.5	61.0
	21:35:00	57.4	54.0	58.5
	21:40:00	57.2	54.5	59.0
	21:45:00	57.3	54.0	59.0
	21:50:00	57.4	54.5	59.0
	21:55:00	59.3	54.5	62.0
	22:00:00	58.0	54.5	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/23/2007	22:05:00	57.8	54.5	59.5
	22:10:00	57.4	54.5	59.0
	22:15:00	56.8	54.0	58.5
	22:20:00	58.2	55.5	60.0
	22:25:00	58.4	55.0	60.5
	22:30:00	57.1	54.5	58.5
	22:35:00	57.4	55.0	58.5
	22:40:00	57.3	55.0	58.5
	22:45:00	58.2	55.5	60.5
	22:50:00	58.0	55.0	59.5
	22:55:00	57.1	54.0	58.5
	23:00:00	57.3	54.5	59.0
	23:05:00	58.5	55.0	60.0
	23:10:00	67.2	54.5	60.0
	23:15:00	57.1	54.5	59.0
	23:20:00	58.8	55.0	61.0
	23:25:00	57.6	55.0	59.5
	23:30:00	57.3	55.0	58.5
	23:35:00	57.7	54.5	60.0
	23:40:00	58.3	54.5	60.5
	23:45:00	58.0	55.0	59.5
	23:50:00	57.5	53.5	59.0
	23:55:00	58.4	55.0	60.0
	0:00:00	57.9	55.0	59.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	0:05:00	57.4	54.0	58.5
	0:10:00	56.7	53.5	58.5
	0:15:00	57.8	54.0	59.5
	0:20:00	57.2	53.5	59.0
	0:25:00	56.6	53.5	58.0
	0:30:00	63.1	53.5	60.5
	0:35:00	56.7	53.5	58.5
	0:40:00	57.0	54.0	59.0
	0:45:00	55.8	52.5	57.5
	0:50:00	55.9	52.5	57.5
	0:55:00	56.0	52.5	57.5
	1:00:00	61.4	53.0	58.5
	1:05:00	56.6	52.5	59.0
	1:10:00	56.7	53.0	58.5
	1:15:00	56.3	52.5	58.0
	1:20:00	55.3	52.0	57.0
	1:25:00	55.2	51.5	57.0
	1:30:00	55.8	52.0	57.0
	1:35:00	55.9	52.0	58.0
	1:40:00	56.2	52.5	58.0
	1:45:00	56.2	52.5	58.0
	1:50:00	55.3	51.5	57.0
	1:55:00	55.1	51.5	56.5
	2:00:00	56.2	51.5	57.5
	2:05:00	57.4	52.0	59.5
	2:10:00	54.8	51.0	56.5
	2:15:00	57.0	52.5	59.5
	2:20:00	55.4	52.0	57.0
	2:25:00	55.6	52.0	57.0
	2:30:00	55.4	52.0	57.0
	2:35:00	60.8	52.0	61.0
	2:40:00	55.2	52.0	56.5
	2:45:00	55.2	51.5	56.5
	2:50:00	54.7	51.0	56.0
	2:55:00	55.6	51.5	57.0
	3:00:00	55.3	51.5	57.0
	3:05:00	55.3	52.0	57.0
	3:10:00	61.4	52.5	62.5
	3:15:00	55.0	51.5	56.5
	3:20:00	55.8	52.0	57.0
	3:25:00	54.9	51.5	56.0
	3:30:00	54.9	52.0	56.0
	3:35:00	55.0	51.5	56.5
	3:40:00	54.7	51.0	56.0
	3:45:00	55.2	51.5	56.5
	3:50:00	54.7	51.5	56.0
	3:55:00	54.9	51.0	56.5
	4:00:00	54.5	51.0	55.5
	4:05:00	54.4	50.5	55.5
	4:10:00	54.7	51.0	56.0
	4:15:00	55.0	51.0	56.0
	4:20:00	54.9	51.0	56.5
	4:25:00	54.9	51.5	56.5
	4:30:00	55.0	51.0	56.5
	4:35:00	55.8	51.5	58.0
	4:40:00	55.1	51.5	56.5
	4:45:00	54.6	51.0	56.0
	4:50:00	54.8	51.0	56.5
	4:55:00	56.7	52.0	58.5
	5:00:00	55.2	52.0	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	5:05:00	55.3	51.5	57.0
	5:10:00	55.3	51.5	57.0
	5:15:00	55.6	52.5	57.5
	5:20:00	56.6	53.5	58.5
	5:25:00	58.5	56.0	60.0
	5:30:00	60.7	59.0	62.0
	5:35:00	61.3	59.0	63.0
	5:40:00	59.7	58.0	60.5
	5:45:00	58.9	57.0	60.0
	5:50:00	58.3	56.0	60.0
	5:55:00	57.2	53.5	59.0
	6:00:00	57.1	53.5	59.0
	6:05:00	60.2	54.0	60.5
	6:10:00	57.3	53.0	59.5
	6:15:00	57.0	52.0	59.5
	6:20:00	59.5	53.5	63.0
	6:25:00	57.2	53.0	59.5
	6:30:00	61.0	53.5	62.0
	6:35:00	57.0	53.0	59.5
	6:40:00	56.1	52.5	58.0
	6:45:00	57.1	53.0	59.5
	6:50:00	57.6	52.5	58.5
	6:55:00	56.9	53.5	59.0
	7:00:00	60.1	55.0	63.0
	7:05:00	56.2	52.0	58.5
	7:10:00	58.8	54.0	61.0
	7:15:00	57.2	53.5	59.0
	7:20:00	58.0	54.0	59.5
	7:25:00	58.8	56.0	60.5
	7:30:00	57.9	54.5	60.0
	7:35:00	59.4	57.5	60.5
	7:40:00	61.1	58.0	63.5
	7:45:00	59.9	58.0	61.0
	7:50:00	60.6	57.5	61.5
	7:55:00	59.3	56.5	61.0
	8:00:00	59.3	57.0	60.5
	8:05:00	60.6	57.5	62.0
	8:10:00	60.1	58.0	61.5
	8:15:00	61.0	57.5	62.0
	8:20:00	59.2	57.0	61.0
	8:25:00	60.2	57.5	61.5
	8:30:00	60.5	58.5	62.5
	8:35:00	58.9	56.5	60.5
	8:40:00	58.8	56.0	60.5
	8:45:00	59.3	57.0	60.5
	8:50:00	59.5	57.5	61.0
	8:55:00	59.9	57.5	61.5
	9:00:00	59.9	58.0	61.0
	9:05:00	59.1	57.0	60.5
	9:10:00	57.9	55.0	59.5
	9:15:00	58.5	56.0	60.0
	9:20:00	57.0	54.0	58.5
	9:25:00	59.6	55.5	61.5
	9:30:00	59.4	56.5	61.5
	9:35:00	59.0	56.5	60.5
	9:40:00	59.6	57.0	61.5
	9:45:00	58.5	56.0	60.0
	9:50:00	58.4	55.0	60.5
	9:55:00	57.2	54.0	59.0
	10:00:00	57.9	54.5	60.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	10:05:00	58.2	55.0	60.0
	10:10:00	58.6	56.0	60.5
	10:15:00	58.4	55.0	60.0
	10:20:00	57.7	54.5	59.5
	10:25:00	57.5	54.0	59.5
	10:30:00	58.1	55.0	60.0
	10:35:00	59.8	56.0	62.0
	10:40:00	58.7	55.0	60.5
	10:45:00	57.4	54.0	59.5
	10:50:00	57.8	54.5	60.0
	10:55:00	57.9	54.5	60.0
	11:00:00	57.2	54.0	59.0
	11:05:00	58.3	54.5	60.5
	11:10:00	58.6	55.0	61.0
	11:15:00	59.3	55.5	62.0
	11:20:00	58.7	55.5	60.5
	11:25:00	57.9	54.0	59.5
	11:30:00	57.1	53.5	59.0
	11:35:00	57.7	54.5	59.5
	11:40:00	58.5	54.5	61.0
	11:45:00	57.3	54.5	59.0
	11:50:00	57.3	54.0	59.5
	11:55:00	57.6	54.5	59.5
	12:00:00	57.0	54.0	58.5
	12:05:00	58.3	55.0	60.5
	12:10:00	57.9	54.5	60.0
	12:15:00	57.8	55.0	60.0
	12:20:00	57.6	54.5	59.5
	12:25:00	57.5	54.5	59.5
	12:30:00	57.4	54.5	59.0
	12:35:00	58.1	55.0	60.0
	12:40:00	57.4	54.0	59.5
	12:45:00	58.1	55.0	59.5
	12:50:00	59.7	58.0	61.0
	12:55:00	59.4	57.5	60.5
	13:00:00	58.7	56.0	60.5
	13:05:00	56.7	53.5	58.5
	13:10:00	57.3	54.0	59.0
	13:15:00	57.3	54.0	59.5
	13:20:00	57.6	54.0	59.5
	13:25:00	56.6	53.5	58.0
	13:30:00	56.8	53.0	58.5
	13:35:00	57.6	53.5	59.5
	13:40:00	57.5	54.5	59.5
	13:45:00	57.4	54.5	59.0
	13:50:00	57.8	55.0	59.5
	13:55:00	57.0	54.0	59.0
	14:00:00	57.6	54.5	59.5
	14:05:00	57.6	54.5	59.0
	14:10:00	57.6	55.0	59.5
	14:15:00	58.4	55.0	60.5
	14:20:00	58.0	55.0	60.0
	14:25:00	58.9	56.0	60.5
	14:30:00	59.6	56.0	61.5
	14:35:00	58.6	55.5	61.0
	14:40:00	59.2	55.0	61.5
	14:45:00	59.7	55.0	62.5
	14:50:00	58.8	55.5	61.0
	14:55:00	59.0	56.0	60.5
	15:00:00	60.4	58.5	61.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	15:05:00	59.8	58.0	61.0
	15:10:00	58.1	55.0	60.0
	15:15:00	57.7	55.0	59.5
	15:20:00	58.9	55.0	60.0
	15:25:00	58.6	55.0	60.5
	15:30:00	58.2	55.0	60.0
	15:35:00	57.7	54.5	59.0
	15:40:00	58.1	54.5	60.0
	15:45:00	59.8	55.5	63.0
	15:50:00	57.1	54.5	59.0
	15:55:00	58.4	55.5	59.5
	16:00:00	58.3	55.5	60.0
	16:05:00	57.9	55.5	59.5
	16:10:00	58.3	55.0	61.0
	16:15:00	58.1	55.0	60.0
	16:20:00	57.9	55.5	59.5
	16:25:00	57.9	54.5	59.5
	16:30:00	58.2	55.5	60.0
	16:35:00	57.7	55.0	59.5
	16:40:00	57.5	55.0	59.0
	16:45:00	58.1	55.5	60.0
	16:50:00	59.4	55.5	60.0
	16:55:00	59.0	57.0	60.5
	17:00:00	58.7	56.0	60.5
	17:05:00	60.2	56.5	62.0
	17:10:00	61.7	57.0	63.5
	17:15:00	61.2	56.5	63.0
	17:20:00	59.2	56.5	61.0
	17:25:00	59.3	56.5	61.5
	17:30:00	57.7	55.0	59.5
	17:35:00	57.9	55.0	59.5
	17:40:00	58.6	55.5	60.5
	17:45:00	58.2	55.5	60.0
	17:50:00	57.3	54.5	59.0
	17:55:00	59.4	55.0	62.0
	18:00:00	58.5	55.0	61.0
	18:05:00	57.8	55.0	59.0
	18:10:00	56.8	54.0	58.5
	18:15:00	57.5	54.0	59.0
	18:20:00	57.3	54.5	58.5
	18:25:00	58.9	54.5	61.5
	18:30:00	57.7	55.0	59.5
	18:35:00	58.6	55.0	60.5
	18:40:00	56.6	54.0	58.0
	18:45:00	57.9	54.0	58.5
	18:50:00	58.3	55.0	60.0
	18:55:00	58.2	55.0	60.0
	19:00:00	57.7	54.5	59.5
	19:05:00	58.4	56.0	60.0
	19:10:00	57.1	54.5	58.5
	19:15:00	59.0	56.0	61.0
	19:20:00	57.9	55.5	59.5
	19:25:00	63.4	59.5	67.5
	19:30:00	68.2	67.5	69.0
	19:35:00	59.4	56.5	61.0
	19:40:00	59.2	54.0	62.5
	19:45:00	57.2	54.0	58.5
	19:50:00	58.0	55.0	59.5
	19:55:00	58.1	55.0	60.5
	20:00:00	57.5	54.0	59.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	20:05:00	57.9	55.0	60.0
	20:10:00	57.6	54.5	58.5
	20:15:00	58.3	54.5	60.5
	20:20:00	58.3	55.0	60.0
	20:25:00	58.2	54.5	59.5
	20:30:00	59.0	55.0	61.0
	20:35:00	58.8	55.0	60.5
	20:40:00	58.5	55.0	60.5
	20:45:00	60.2	55.0	62.0
	20:50:00	58.1	54.0	59.5
	20:55:00	59.5	55.0	62.0
	21:00:00	59.2	55.0	61.5
	21:05:00	57.7	55.0	59.0
	21:10:00	58.8	55.0	61.0
	21:15:00	58.7	54.5	61.0
	21:20:00	61.3	54.5	60.0
	21:25:00	58.5	55.0	61.0
	21:30:00	57.7	54.0	60.0
	21:35:00	58.1	54.5	60.0
	21:40:00	59.2	55.5	61.5
	21:45:00	59.2	55.5	62.0
	21:50:00	61.5	54.5	59.5
	21:55:00	57.3	54.5	59.0
	22:00:00	59.1	55.5	61.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/24/2007	22:05:00	56.9	53.5	58.5
	22:10:00	58.2	54.5	60.0
	22:15:00	57.5	54.5	59.0
	22:20:00	59.1	55.0	61.5
	22:25:00	59.3	55.0	60.5
	22:30:00	57.3	54.0	59.0
	22:35:00	57.9	54.5	59.5
	22:40:00	61.3	55.0	64.0
	22:45:00	60.1	54.0	62.0
	22:50:00	62.9	53.5	62.5
	22:55:00	58.3	53.5	60.0
	23:00:00	58.1	53.5	58.5
	23:05:00	56.4	53.0	58.0
	23:10:00	57.0	53.5	59.0
	23:15:00	56.7	53.5	58.5
	23:20:00	62.2	55.0	62.5
	23:25:00	56.3	53.0	58.0
	23:30:00	57.6	54.0	59.5
	23:35:00	57.2	53.0	59.5
	23:40:00	56.4	52.5	58.5
	23:45:00	56.6	52.5	59.0
	23:50:00	56.6	52.5	58.5
	23:55:00	56.1	52.5	58.0
	0:00:00	56.5	53.0	58.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	0:05:00	56.0	52.5	57.5
	0:10:00	56.0	52.5	58.0
	0:15:00	57.7	52.0	60.5
	0:20:00	56.1	52.5	58.0
	0:25:00	56.1	52.0	58.5
	0:30:00	66.1	52.0	62.5
	0:35:00	59.8	52.0	58.0
	0:40:00	57.1	52.5	59.5
	0:45:00	55.4	51.5	57.0
	0:50:00	54.9	51.0	56.5
	0:55:00	55.0	51.0	56.5
	1:00:00	55.4	51.0	57.5
	1:05:00	55.8	51.5	58.0
	1:10:00	57.2	51.0	56.5
	1:15:00	58.9	52.5	62.5
	1:20:00	54.8	51.0	56.5
	1:25:00	54.7	51.0	56.5
	1:30:00	55.3	50.5	57.5
	1:35:00	54.8	50.5	56.5
	1:40:00	55.0	51.0	57.0
	1:45:00	55.1	50.5	56.5
	1:50:00	54.2	50.5	55.5
	1:55:00	54.6	50.5	56.0
	2:00:00	55.2	50.5	56.0
	2:05:00	56.2	51.5	57.5
	2:10:00	58.2	52.0	60.0
	2:15:00	56.0	51.5	57.0
	2:20:00	56.0	51.5	56.5
	2:25:00	55.8	51.0	56.5
	2:30:00	55.8	51.0	56.5
	2:35:00	55.9	51.0	56.5
	2:40:00	55.8	51.0	56.0
	2:45:00	56.4	51.0	57.0
	2:50:00	56.2	50.5	56.5
	2:55:00	55.7	51.0	56.5
	3:00:00	55.8	50.5	56.5
	3:05:00	55.8	50.5	57.0
	3:10:00	57.3	50.5	58.5
	3:15:00	55.4	50.5	57.0
	3:20:00	55.7	50.5	57.0
	3:25:00	55.2	50.0	55.5
	3:30:00	55.5	50.0	56.5
	3:35:00	55.4	50.5	56.5
	3:40:00	54.8	50.0	55.5
	3:45:00	55.0	50.0	56.5
	3:50:00	55.5	50.0	56.0
	3:55:00	55.1	50.0	56.0
	4:00:00	54.7	49.5	55.5
	4:05:00	54.9	50.0	56.0
	4:10:00	54.8	50.0	56.0
	4:15:00	54.7	50.0	56.0
	4:20:00	54.2	50.0	55.5
	4:25:00	54.4	49.5	55.5
	4:30:00	55.0	50.0	57.0
	4:35:00	54.8	50.5	56.5
	4:40:00	54.8	50.0	56.0
	4:45:00	55.3	50.0	55.5
	4:50:00	59.2	50.5	57.5
	4:55:00	56.8	50.5	58.0
	5:00:00	55.6	50.5	56.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	5:05:00	54.6	50.5	56.0
	5:10:00	55.8	52.0	58.0
	5:15:00	56.8	52.0	58.0
	5:20:00	56.7	53.5	58.5
	5:25:00	60.1	57.0	61.5
	5:30:00	61.7	60.5	62.5
	5:35:00	61.7	60.5	62.5
	5:40:00	61.0	59.5	62.0
	5:45:00	59.8	57.0	61.5
	5:50:00	61.9	54.5	62.5
	5:55:00	56.4	53.0	58.5
	6:00:00	56.3	53.0	58.5
	6:05:00	57.6	53.0	60.0
	6:10:00	58.3	53.5	60.5
	6:15:00	56.3	52.5	58.5
	6:20:00	57.1	53.5	59.0
	6:25:00	57.0	53.0	59.0
	6:30:00	56.9	53.5	59.0
	6:35:00	60.0	54.5	62.5
	6:40:00	59.5	54.5	60.5
	6:45:00	58.1	53.0	61.0
	6:50:00	57.9	54.5	60.0
	6:55:00	57.0	54.0	59.0
	7:00:00	59.2	54.5	61.5
	7:05:00	58.7	54.5	60.5
	7:10:00	58.3	55.0	60.0
	7:15:00	58.6	55.0	60.5
	7:20:00	57.7	54.5	59.5
	7:25:00	57.9	55.0	59.5
	7:30:00	58.4	55.5	60.0
	7:35:00	59.4	55.5	62.0
	7:40:00	59.1	55.5	61.0
	7:45:00	62.1	56.0	65.5
	7:50:00	67.7	61.0	70.0
	7:55:00	62.2	57.5	64.5
	8:00:00	62.4	58.0	65.0
	8:05:00	63.2	57.5	65.0
	8:10:00	60.1	56.0	62.5
	8:15:00	58.3	55.0	60.0
	8:20:00	60.9	57.0	63.0
	8:25:00	60.2	56.5	61.0
	8:30:00	59.6	56.0	61.5
	8:35:00	58.2	55.0	60.0
	8:40:00	58.1	55.0	60.0
	8:45:00	59.0	55.5	61.5
	8:50:00	57.7	55.0	59.5
	8:55:00	58.5	55.5	60.5
	9:00:00	58.9	55.5	61.0
	9:05:00	58.5	55.5	60.5
	9:10:00	58.3	55.0	60.5
	9:15:00	58.5	55.5	60.5
	9:20:00	58.5	55.0	60.0
	9:25:00	58.7	55.0	61.0
	9:30:00	58.0	55.5	59.5
	9:35:00	58.5	55.0	61.0
	9:40:00	58.5	55.5	60.0
	9:45:00	59.1	55.5	61.5
	9:50:00	60.2	55.5	62.5
	9:55:00	60.0	55.5	62.5
	10:00:00	58.3	54.5	60.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	10:05:00	58.8	55.0	61.0
	10:10:00	59.3	55.0	61.5
	10:15:00	58.0	54.0	60.0
	10:20:00	58.9	55.0	61.0
	10:25:00	57.4	55.0	59.0
	10:30:00	60.3	58.0	61.5
	10:35:00	60.3	57.0	62.5
	10:40:00	60.4	58.0	62.0
	10:45:00	61.2	59.0	62.5
	10:50:00	61.2	59.5	62.5
	10:55:00	60.7	58.5	62.0
	11:00:00	61.7	58.5	63.5
	11:05:00	59.8	57.5	61.5
	11:10:00	59.4	56.0	61.5
	11:15:00	60.8	57.5	61.5
	11:20:00	60.7	58.5	62.5
	11:25:00	61.1	59.0	63.0
	11:30:00	60.7	58.0	62.5
	11:35:00	58.9	56.0	60.5
	11:40:00	60.0	56.5	61.5
	11:45:00	58.8	56.0	60.5
	11:50:00	59.6	56.5	61.5
	11:55:00	59.6	57.0	61.5
	12:00:00	59.6	56.0	61.5
	12:05:00	58.3	55.0	60.5
	12:10:00	59.7	53.5	60.5
	12:15:00	58.3	55.0	60.5
	12:20:00	58.5	53.5	61.0
	12:25:00	59.0	56.0	61.0
	12:30:00	59.3	55.5	61.5
	12:35:00	58.9	55.5	60.5
	12:40:00	59.4	56.5	61.5
	12:45:00	59.4	56.0	62.0
	12:50:00	59.7	56.5	61.5
	12:55:00	59.3	56.0	61.0
	13:00:00	59.7	57.0	61.5
	13:05:00	59.2	56.0	61.0
	13:10:00	59.9	56.5	62.0
	13:15:00	60.2	57.5	62.0
	13:20:00	60.1	57.5	62.0
	13:25:00	59.7	57.0	61.5
	13:30:00	59.2	56.0	61.0
	13:35:00	59.3	56.0	61.5
	13:40:00	59.1	56.5	61.0
	13:45:00	59.2	55.0	61.5
	13:50:00	59.8	56.0	62.0
	13:55:00	60.1	56.5	62.0
	14:00:00	59.4	55.0	62.0
	14:05:00	60.0	56.5	62.0
	14:10:00	60.7	55.0	63.0
	14:15:00	59.1	56.5	60.5
	14:20:00	59.6	56.5	61.5
	14:25:00	58.7	55.0	61.0
	14:30:00	58.7	56.0	59.5
	14:35:00	59.5	56.5	61.0
	14:40:00	58.9	55.5	61.0
	14:45:00	58.8	56.0	60.5
	14:50:00	59.1	56.0	61.0
	14:55:00	59.3	56.5	61.5
	15:00:00	58.8	55.5	60.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	15:05:00	59.4	57.0	61.0
	15:10:00	59.8	57.5	61.5
	15:15:00	59.6	56.5	61.5
	15:20:00	59.2	56.0	61.0
	15:25:00	59.3	56.5	61.5
	15:30:00	59.1	56.5	61.0
	15:35:00	60.0	56.5	62.0
	15:40:00	62.0	57.5	64.0
	15:45:00	60.0	56.5	62.0
	15:50:00	59.3	56.5	61.0
	15:55:00	58.5	55.0	60.5
	16:00:00	59.0	55.0	61.0
	16:05:00	58.4	55.0	60.5
	16:10:00	58.9	55.5	61.0
	16:15:00	58.6	55.5	60.5
	16:20:00	58.8	56.0	60.5
	16:25:00	59.5	55.0	63.0
	16:30:00	58.7	55.0	61.0
	16:35:00	66.5	56.5	65.5
	16:40:00	61.8	56.0	62.5
	16:45:00	58.3	55.0	60.0
	16:50:00	58.9	55.5	61.5
	16:55:00	58.0	54.5	60.0
	17:00:00	58.5	55.0	60.5
	17:05:00	57.7	54.5	60.0
	17:10:00	58.6	55.5	60.5
	17:15:00	60.0	55.0	62.5
	17:20:00	59.2	56.0	61.0
	17:25:00	59.5	56.0	61.0
	17:30:00	64.2	55.5	64.5
	17:35:00	64.6	55.5	65.5
	17:40:00	63.2	55.5	66.0
	17:45:00	58.2	54.5	60.5
	17:50:00	58.4	55.5	60.5
	17:55:00	58.9	55.5	61.5
	18:00:00	59.0	54.5	60.5
	18:05:00	58.4	55.0	60.5
	18:10:00	59.0	56.0	61.0
	18:15:00	58.8	55.5	60.0
	18:20:00	59.2	55.5	61.0
	18:25:00	58.8	56.0	60.5
	18:30:00	58.1	55.0	60.0
	18:35:00	57.9	55.0	59.5
	18:40:00	58.1	54.5	60.0
	18:45:00	58.5	55.5	61.0
	18:50:00	60.2	56.5	61.5
	18:55:00	58.1	55.5	59.5
	19:00:00	59.6	55.5	62.0
	19:05:00	60.4	57.0	62.0
	19:10:00	58.3	55.0	60.0
	19:15:00	57.9	55.5	59.5
	19:20:00	59.4	56.0	61.0
	19:25:00	61.0	59.0	62.0
	19:30:00	61.1	57.5	63.0
	19:35:00	59.2	55.0	60.5
	19:40:00	59.1	55.0	61.5
	19:45:00	59.3	55.5	61.5
	19:50:00	58.6	55.0	61.0
	19:55:00	59.3	55.0	62.0
	20:00:00	58.0	55.0	59.5

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	20:05:00	57.6	55.0	59.5
	20:10:00	57.9	55.0	59.5
	20:15:00	57.5	54.5	59.0
	20:20:00	58.1	54.5	60.0
	20:25:00	57.7	55.0	59.5
	20:30:00	57.7	54.5	59.5
	20:35:00	58.4	54.5	60.5
	20:40:00	62.0	58.5	64.0
	20:45:00	62.4	58.0	64.5
	20:50:00	62.2	59.5	64.0
	20:55:00	62.7	59.5	64.5
	21:00:00	60.4	57.0	63.0
	21:05:00	59.8	56.5	62.0
	21:10:00	59.8	56.0	62.0
	21:15:00	57.6	55.0	59.0
	21:20:00	58.2	55.0	60.0
	21:25:00	57.0	53.5	59.0
	21:30:00	57.1	53.5	59.0
	21:35:00	60.1	54.0	60.5
	21:40:00	58.1	54.0	60.5
	21:45:00	57.7	53.0	60.5
	21:50:00	58.4	54.0	60.5
	21:55:00	58.5	54.0	59.0
	22:00:00	60.7	54.5	63.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/25/2007	22:05:00	62.9	62.0	63.5
	22:10:00	63.3	60.0	64.5
	22:15:00	58.6	56.0	60.0
	22:20:00	58.9	56.0	60.0
	22:25:00	60.1	56.5	62.5
	22:30:00	60.6	56.5	63.0
	22:35:00	62.4	61.5	63.0
	22:40:00	59.5	56.0	62.0
	22:45:00	59.0	56.5	61.0
	22:50:00	59.1	56.5	61.0
	22:55:00	59.0	57.0	60.0
	23:00:00	57.5	55.0	59.0
	23:05:00	57.4	53.5	59.0
	23:10:00	56.7	52.5	58.5
	23:15:00	56.3	52.5	58.5
	23:20:00	58.4	54.5	59.5
	23:25:00	58.2	55.0	60.0
	23:30:00	58.5	55.0	60.5
	23:35:00	57.1	53.0	59.5
	23:40:00	56.8	52.5	59.0
	23:45:00	57.9	54.0	60.0
	23:50:00	56.6	52.0	58.5
	23:55:00	56.4	52.5	58.5
	0:00:00	56.2	52.5	58.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	0:05:00	56.6	52.5	59.0
	0:10:00	55.5	52.0	57.0
	0:15:00	57.3	52.0	57.5
	0:20:00	56.9	53.0	59.5
	0:25:00	56.9	53.0	59.0
	0:30:00	56.3	52.5	58.0
	0:35:00	56.7	52.5	58.5
	0:40:00	55.6	51.5	57.5
	0:45:00	56.5	51.5	58.0
	0:50:00	55.8	51.0	57.0
	0:55:00	55.4	50.5	56.5
	1:00:00	56.4	51.5	59.0
	1:05:00	55.5	51.5	57.5
	1:10:00	56.2	51.0	58.0
	1:15:00	55.8	51.5	58.0
	1:20:00	56.0	51.5	58.0
	1:25:00	56.3	51.5	59.0
	1:30:00	54.7	51.0	56.5
	1:35:00	57.1	51.0	60.0
	1:40:00	54.6	50.5	56.0
	1:45:00	55.2	51.5	57.0
	1:50:00	55.9	51.5	58.0
	1:55:00	55.6	50.5	56.5
	2:00:00	55.9	50.5	57.0
	2:05:00	56.6	51.5	59.0
	2:10:00	54.9	50.5	56.0
	2:15:00	55.5	51.0	57.5
	2:20:00	54.6	50.5	56.0
	2:25:00	55.0	50.5	56.5
	2:30:00	55.7	50.5	56.5
	2:35:00	55.6	50.5	57.5
	2:40:00	55.2	50.5	56.0
	2:45:00	55.2	50.0	55.5
	2:50:00	55.4	50.5	56.5
	2:55:00	54.8	50.5	56.5
	3:00:00	60.8	51.5	64.5
	3:05:00	67.9	64.5	69.5
	3:10:00	64.0	56.5	67.5
	3:15:00	62.3	57.0	65.0
	3:20:00	59.3	55.5	61.5
	3:25:00	55.1	52.0	56.0
	3:30:00	55.1	52.0	56.5
	3:35:00	54.9	52.0	56.0
	3:40:00	54.6	51.5	55.5
	3:45:00	54.6	51.0	55.5
	3:50:00	54.7	51.0	56.0
	3:55:00	54.7	51.5	56.0
	4:00:00	56.6	54.0	58.0
	4:05:00	57.4	55.5	58.5
	4:10:00	55.2	52.0	56.5
	4:15:00	55.0	52.0	56.0
	4:20:00	54.9	51.5	56.5
	4:25:00	54.7	51.5	56.0
	4:30:00	54.7	51.0	56.0
	4:35:00	54.8	51.5	56.0
	4:40:00	54.9	51.5	56.5
	4:45:00	54.7	51.0	56.0
	4:50:00	54.7	51.0	56.0
	4:55:00	56.0	52.0	58.0
	5:00:00	55.6	52.0	57.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	5:05:00	56.0	52.0	57.5
	5:10:00	56.9	52.0	58.5
	5:15:00	56.9	53.0	58.5
	5:20:00	58.0	55.0	60.0
	5:25:00	57.7	55.0	59.5
	5:30:00	57.1	55.0	58.5
	5:35:00	59.4	56.0	62.0
	5:40:00	57.7	54.5	59.5
	5:45:00	62.3	54.5	62.0
	5:50:00	57.7	54.0	60.0
	5:55:00	56.9	53.0	59.0
	6:00:00	59.8	53.5	62.5
	6:05:00	57.6	53.0	60.0
	6:10:00	58.6	52.5	59.5
	6:15:00	56.8	52.5	59.0
	6:20:00	56.5	52.5	58.5
	6:25:00	58.6	53.0	61.5
	6:30:00	57.0	53.5	59.0
	6:35:00	58.7	53.5	61.0
	6:40:00	57.8	54.5	60.0
	6:45:00	58.7	54.0	59.5
	6:50:00	57.4	54.0	59.5
	6:55:00	57.7	54.5	59.5
	7:00:00	57.9	54.0	60.0
	7:05:00	57.2	54.0	59.0
	7:10:00	57.5	54.0	59.5
	7:15:00	58.5	55.0	60.5
	7:20:00	57.8	55.0	59.5
	7:25:00	59.4	56.0	60.5
	7:30:00	58.5	55.0	61.0
	7:35:00	60.0	57.5	62.0
	7:40:00	61.1	57.5	63.0
	7:45:00	60.4	58.0	62.0
	7:50:00	60.7	58.5	62.5
	7:55:00	62.6	60.0	64.0
	8:00:00	62.6	61.0	64.0
	8:05:00	60.2	57.5	62.0
	8:10:00	60.6	58.5	62.0
	8:15:00	62.8	60.5	64.0
	8:20:00	61.6	59.0	62.5
	8:25:00	60.7	58.5	62.0
	8:30:00	61.5	59.5	63.0
	8:35:00	61.3	59.0	62.5
	8:40:00	59.9	57.5	61.5
	8:45:00	60.0	58.0	61.5
	8:50:00	59.2	57.5	60.5
	8:55:00	59.5	57.0	61.5
	9:00:00	61.4	59.0	63.5
	9:05:00	59.8	58.0	61.0
	9:10:00	59.3	56.5	61.5
	9:15:00	58.4	56.0	60.0
	9:20:00	60.1	57.5	62.0
	9:25:00	59.4	57.0	61.0
	9:30:00	59.1	56.0	61.5
	9:35:00	59.7	56.5	62.0
	9:40:00	58.7	55.5	60.5
	9:45:00	58.6	55.5	61.0
	9:50:00	59.6	56.5	61.5
	9:55:00	59.4	55.5	61.5
	10:00:00	58.2	55.0	60.5



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	10:05:00	60.0	55.0	62.5
	10:10:00	58.4	55.0	60.5
	10:15:00	58.6	55.5	60.5
	10:20:00	58.8	55.0	61.5
	10:25:00	58.7	55.0	61.0
	10:30:00	59.4	55.0	62.0
	10:35:00	57.7	54.5	59.5
	10:40:00	57.3	53.5	59.5
	10:45:00	57.9	54.0	60.5
	10:50:00	58.3	54.5	60.5
	10:55:00	58.2	54.5	60.5
	11:00:00	59.2	53.0	63.0
	11:05:00	63.2	60.5	65.0
	11:10:00	63.1	58.5	65.5
	11:15:00	62.5	59.0	64.0
	11:20:00	66.6	61.0	69.0
	11:25:00	69.0	64.5	71.5
	11:30:00	69.0	64.5	71.0
	11:35:00	68.6	62.5	72.0
	11:40:00	67.1	58.5	70.5
	11:45:00	59.6	57.0	61.0
	11:50:00	66.4	61.0	68.5
	11:55:00	67.2	60.5	72.0
	12:00:00	65.0	61.0	68.0
	12:05:00	66.1	61.0	70.0
	12:10:00	69.1	66.0	70.5
	12:15:00	70.2	69.0	71.0
	12:20:00	69.7	66.0	71.5
	12:25:00	64.6	61.0	67.0
	12:30:00	60.6	58.5	62.0
	12:35:00	60.5	57.5	63.0
	12:40:00	59.5	56.5	61.5
	12:45:00	59.3	56.0	61.5
	12:50:00	61.4	56.5	63.5
	12:55:00	61.8	56.0	63.5
	13:00:00	58.7	56.0	60.0
	13:05:00	58.7	56.0	60.5
	13:10:00	58.7	55.5	61.0
	13:15:00	59.4	56.5	61.5
	13:20:00	59.2	55.5	62.0
	13:25:00	58.5	55.5	60.5
	13:30:00	58.4	55.0	60.5
	13:35:00	58.4	55.0	60.5
	13:40:00	58.9	55.0	61.5
	13:45:00	60.3	55.5	62.5
	13:50:00	60.6	56.0	62.5
	13:55:00	60.0	55.5	62.5
	14:00:00	59.7	56.0	62.0
	14:05:00	60.7	56.0	63.0
	14:10:00	58.8	55.0	61.0
	14:15:00	59.3	56.0	61.0
	14:20:00	58.9	55.5	61.0
	14:25:00	60.4	55.5	62.0
	14:30:00	59.2	56.5	61.0
	14:35:00	58.5	55.5	60.5
	14:40:00	59.4	55.5	61.5
	14:45:00	58.9	55.5	61.0
	14:50:00	59.2	55.5	61.5
	14:55:00	59.2	55.5	62.0
	15:00:00	59.0	55.0	61.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	15:05:00	58.1	54.5	60.0
	15:10:00	58.2	54.5	60.5
	15:15:00	58.6	55.0	60.5
	15:20:00	57.9	55.0	60.0
	15:25:00	58.1	54.5	60.0
	15:30:00	60.2	56.0	63.0
	15:35:00	59.0	55.0	61.0
	15:40:00	58.6	55.5	60.5
	15:45:00	58.4	55.0	60.5
	15:50:00	58.8	55.5	61.0
	15:55:00	58.6	55.5	60.5
	16:00:00	58.4	55.5	60.0
	16:05:00	59.0	55.5	61.5
	16:10:00	59.1	56.0	61.0
	16:15:00	60.7	55.5	64.0
	16:20:00	58.5	55.0	60.5
	16:25:00	60.0	56.5	62.0
	16:30:00	59.0	56.0	60.5
	16:35:00	59.2	56.5	61.0
	16:40:00	59.4	56.0	61.5
	16:45:00	58.6	55.5	60.0
	16:50:00	59.2	56.0	61.5
	16:55:00	59.0	55.5	61.0
	17:00:00	58.5	55.5	60.0
	17:05:00	58.7	55.5	60.5
	17:10:00	59.0	55.5	61.0
	17:15:00	58.8	55.0	61.0
	17:20:00	59.8	55.5	63.0
	17:25:00	58.8	55.5	61.0
	17:30:00	59.9	56.0	62.0
	17:35:00	59.1	56.0	61.0
	17:40:00	58.6	55.5	60.5
	17:45:00	60.8	56.5	63.5
	17:50:00	61.0	55.5	63.0
	17:55:00	60.0	56.0	62.0
	18:00:00	59.7	55.5	62.0
	18:05:00	59.3	56.5	61.0
	18:10:00	59.3	56.0	61.0
	18:15:00	59.0	56.5	60.5
	18:20:00	59.5	56.0	61.5
	18:25:00	61.5	55.5	61.0
	18:30:00	59.2	56.0	61.0
	18:35:00	59.9	56.0	62.0
	18:40:00	58.2	55.0	60.0
	18:45:00	58.9	56.0	60.5
	18:50:00	60.1	56.5	61.5
	18:55:00	58.8	56.0	60.5
	19:00:00	68.4	58.5	73.5
	19:05:00	59.8	57.0	61.5
	19:10:00	60.7	57.0	62.0
	19:15:00	59.1	56.5	60.0
	19:20:00	59.6	56.0	60.5
	19:25:00	59.8	56.0	61.0
	19:30:00	59.4	55.5	61.0
	19:35:00	59.0	55.0	60.0
	19:40:00	61.3	56.0	64.0
	19:45:00	59.3	56.0	60.0
	19:50:00	59.1	56.0	60.0
	19:55:00	59.0	55.5	60.5
	20:00:00	58.4	56.0	59.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	20:05:00	59.1	56.0	61.0
	20:10:00	57.8	55.0	59.0
	20:15:00	58.4	55.5	60.0
	20:20:00	58.1	55.0	59.5
	20:25:00	59.8	56.0	62.0
	20:30:00	58.1	55.0	59.5
	20:35:00	59.9	55.0	63.0
	20:40:00	75.6	56.0	74.0
	20:45:00	62.0	55.5	61.5
	20:50:00	57.6	55.0	59.0
	20:55:00	64.4	55.0	62.0
	21:00:00	57.7	54.0	60.0
	21:05:00	57.5	54.0	59.5
	21:10:00	56.9	54.0	58.5
	21:15:00	57.7	54.5	59.5
	21:20:00	58.3	55.0	60.5
	21:25:00	57.7	54.5	60.0
	21:30:00	57.7	55.0	59.0
	21:35:00	59.6	56.5	61.5
	21:40:00	57.8	55.5	59.0
	21:45:00	58.1	56.0	59.5
	21:50:00	58.3	56.0	60.0
	21:55:00	59.1	56.0	60.5
	22:00:00	61.5	56.5	64.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/26/2007	22:05:00	62.6	56.5	61.0
	22:10:00	61.2	56.5	63.0
	22:15:00	61.8	57.0	65.5
	22:20:00	60.8	57.0	63.5
	22:25:00	61.3	57.0	64.5
	22:30:00	59.2	56.5	60.5
	22:35:00	58.3	56.0	59.5
	22:40:00	58.2	56.0	59.5
	22:45:00	58.8	56.0	60.5
	22:50:00	58.5	56.0	60.0
	22:55:00	59.2	56.0	61.0
	23:00:00	57.7	55.5	59.5
	23:05:00	57.9	55.5	59.0
	23:10:00	59.0	56.0	59.5
	23:15:00	59.6	56.0	60.5
	23:20:00	57.7	55.5	59.0
	23:25:00	57.4	55.0	59.0
	23:30:00	56.9	53.0	59.0
	23:35:00	56.2	52.5	58.0
	23:40:00	56.7	53.0	58.5
	23:45:00	55.8	52.0	57.5
	23:50:00	56.7	52.5	58.5
	23:55:00	56.5	53.0	58.5
	0:00:00	56.3	52.5	58.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	0:05:00	55.6	52.0	57.5
	0:10:00	55.5	51.5	57.5
	0:15:00	55.5	51.5	57.5
	0:20:00	54.9	51.0	57.0
	0:25:00	56.0	51.5	58.0
	0:30:00	58.4	51.5	58.5
	0:35:00	55.9	51.5	58.0
	0:40:00	55.0	51.0	57.0
	0:45:00	55.5	51.5	57.5
	0:50:00	56.3	52.0	58.5
	0:55:00	54.9	51.0	56.5
	1:00:00	54.9	50.5	56.5
	1:05:00	55.6	52.0	57.5
	1:10:00	55.5	51.0	57.5
	1:15:00	54.9	51.0	56.5
	1:20:00	55.2	51.5	57.0
	1:25:00	54.7	51.0	56.0
	1:30:00	56.7	50.5	56.5
	1:35:00	55.1	51.0	57.0
	1:40:00	55.0	51.0	56.5
	1:45:00	55.3	51.0	57.5
	1:50:00	54.5	50.5	56.0
	1:55:00	55.2	51.0	57.0
	2:00:00	55.3	51.0	57.0
	2:05:00	55.1	51.0	57.0
	2:10:00	54.5	50.5	56.0
	2:15:00	54.7	51.0	56.0
	2:20:00	54.0	50.0	55.0
	2:25:00	54.2	50.0	55.5
	2:30:00	54.6	50.5	56.0
	2:35:00	54.2	50.5	55.5
	2:40:00	54.0	50.5	55.0
	2:45:00	54.6	50.5	56.0
	2:50:00	54.7	50.5	56.0
	2:55:00	55.7	51.0	56.5
	3:00:00	55.8	50.5	56.5
	3:05:00	54.7	51.0	56.0
	3:10:00	55.9	50.5	56.0
	3:15:00	55.8	52.0	57.5
	3:20:00	54.6	51.0	56.5
	3:25:00	55.3	50.5	56.5
	3:30:00	72.9	54.5	77.0
	3:35:00	63.9	51.0	59.5
	3:40:00	56.7	50.5	56.5
	3:45:00	68.8	51.0	63.0
	3:50:00	54.9	50.5	56.5
	3:55:00	55.1	50.0	56.0
	4:00:00	54.7	50.0	56.5
	4:05:00	60.1	50.0	56.0
	4:10:00	54.2	50.0	55.5
	4:15:00	54.9	51.0	56.0
	4:20:00	55.3	52.0	57.0
	4:25:00	56.9	51.0	56.5
	4:30:00	56.6	49.5	56.5
	4:35:00	54.3	50.0	56.0
	4:40:00	53.8	49.5	55.0
	4:45:00	54.0	50.0	55.5
	4:50:00	54.2	49.5	55.5
	4:55:00	53.9	49.5	55.0
	5:00:00	53.7	49.0	55.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	5:05:00	54.5	50.5	56.0
	5:10:00	54.8	50.5	57.0
	5:15:00	56.1	52.5	58.0
	5:20:00	59.0	53.0	60.0
	5:25:00	60.3	56.0	62.0
	5:30:00	62.3	60.0	63.5
	5:35:00	60.8	58.0	62.5
	5:40:00	58.6	56.0	60.0
	5:45:00	58.9	54.5	60.0
	5:50:00	60.9	55.5	64.0
	5:55:00	58.6	53.5	60.5
	6:00:00	56.5	52.5	59.0
	6:05:00	56.4	52.5	58.5
	6:10:00	56.3	52.0	58.0
	6:15:00	59.5	53.0	62.0
	6:20:00	59.7	52.5	60.0
	6:25:00	56.6	51.5	59.5
	6:30:00	56.2	51.5	59.0
	6:35:00	57.3	53.5	59.5
	6:40:00	57.9	54.0	60.0
	6:45:00	57.3	53.5	59.0
	6:50:00	57.8	54.0	60.0
	6:55:00	56.7	52.5	59.0
	7:00:00	58.0	53.5	60.0
	7:05:00	58.1	54.5	60.0
	7:10:00	56.9	53.5	59.0
	7:15:00	58.6	55.5	60.5
	7:20:00	57.9	55.0	60.0
	7:25:00	57.8	54.5	59.5
	7:30:00	58.7	55.0	60.5
	7:35:00	58.8	54.5	60.0
	7:40:00	57.7	55.0	59.5
	7:45:00	61.3	55.5	63.0
	7:50:00	59.7	58.0	61.0
	7:55:00	62.5	59.0	64.0
	8:00:00	65.0	62.0	65.5
	8:05:00	63.1	62.0	64.0
	8:10:00	62.4	61.0	63.0
	8:15:00	62.0	61.0	62.5
	8:20:00	61.0	58.0	62.0
	8:25:00	60.5	58.5	62.0
	8:30:00	62.1	59.5	64.0
	8:35:00	60.5	58.5	62.0
	8:40:00	60.1	57.0	61.5
	8:45:00	59.6	57.5	61.0
	8:50:00	61.7	59.0	63.5
	8:55:00	60.3	58.5	61.5
	9:00:00	60.1	57.5	61.5
	9:05:00	59.5	57.5	60.5
	9:10:00	60.4	57.5	61.5
	9:15:00	60.9	58.0	63.0
	9:20:00	59.3	56.0	61.0
	9:25:00	59.6	56.5	61.5
	9:30:00	59.2	55.5	61.5
	9:35:00	73.5	65.0	76.0
	9:40:00	71.8	67.5	74.0
	9:45:00	72.0	70.0	73.5
	9:50:00	69.4	65.0	70.5
	9:55:00	68.1	60.5	69.0
	10:00:00	70.8	60.0	72.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	10:05:00	66.1	58.5	68.5
	10:10:00	61.3	57.0	63.5
	10:15:00	60.6	57.5	62.5
	10:20:00	59.7	57.0	61.5
	10:25:00	58.9	56.5	60.5
	10:30:00	59.7	57.0	61.5
	10:35:00	58.4	55.0	60.5
	10:40:00	65.7	56.0	66.5
	10:45:00	62.3	56.0	62.5
	10:50:00	59.7	56.0	62.0
	10:55:00	58.5	55.5	60.5
	11:00:00	58.6	55.5	60.5
	11:05:00	58.3	55.0	60.5
	11:10:00	59.8	55.0	60.5
	11:15:00	59.2	56.0	61.0
	11:20:00	58.4	55.0	60.5
	11:25:00	58.8	55.5	61.0
	11:30:00	60.3	55.0	62.0
	11:35:00	58.3	55.0	60.5
	11:40:00	58.1	54.5	60.0
	11:45:00	61.0	56.0	63.0
	11:50:00	59.2	55.0	61.5
	11:55:00	58.1	54.5	60.5
	12:00:00	58.5	55.0	60.0
	12:05:00	60.1	58.0	61.5
	12:10:00	59.5	55.5	61.5
	12:15:00	66.1	57.0	69.0
	12:20:00	72.8	71.5	74.0
	12:25:00	67.9	64.5	70.5
	12:30:00	64.1	60.5	64.5
	12:35:00	61.3	58.5	63.0
	12:40:00	60.6	58.0	62.5
	12:45:00	59.9	57.0	62.0
	12:50:00	59.6	56.0	61.0
	12:55:00	59.4	56.5	61.5
	13:00:00	58.6	55.5	60.0
	13:05:00	58.4	55.5	60.5
	13:10:00	58.7	56.5	60.0
	13:15:00	59.5	56.0	61.5
	13:20:00	59.9	55.5	63.0
	13:25:00	59.4	56.0	61.5
	13:30:00	59.9	55.5	63.0
	13:35:00	58.9	55.5	61.0
	13:40:00	58.7	55.5	61.0
	13:45:00	58.5	55.0	60.5
	13:50:00	59.0	55.5	61.0
	13:55:00	59.0	55.0	61.5
	14:00:00	57.9	54.5	60.0
	14:05:00	58.3	55.0	60.5
	14:10:00	59.5	57.0	61.5
	14:15:00	59.8	57.0	61.5
	14:20:00	60.2	57.0	62.0
	14:25:00	58.9	56.0	61.0
	14:30:00	58.8	56.0	60.5
	14:35:00	60.2	57.0	62.0
	14:40:00	58.6	56.0	60.0
	14:45:00	58.8	55.5	61.0
	14:50:00	58.5	55.0	60.5
	14:55:00	58.1	55.5	60.0
	15:00:00	58.4	55.0	60.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	15:05:00	57.9	55.0	59.5
	15:10:00	58.4	55.0	60.5
	15:15:00	58.3	55.5	60.0
	15:20:00	58.8	54.5	60.5
	15:25:00	59.8	55.5	62.0
	15:30:00	65.0	55.5	61.0
	15:35:00	61.9	56.5	64.0
	15:40:00	59.3	54.5	61.0
	15:45:00	59.0	55.5	61.0
	15:50:00	58.8	55.5	60.5
	15:55:00	58.4	55.5	60.0
	16:00:00	58.9	55.5	61.0
	16:05:00	58.8	55.5	60.5
	16:10:00	58.2	55.5	60.0
	16:15:00	58.7	55.0	61.0
	16:20:00	58.8	55.5	61.0
	16:25:00	59.2	56.0	61.5
	16:30:00	59.5	56.0	61.5
	16:35:00	58.6	55.5	60.5
	16:40:00	59.0	55.5	61.0
	16:45:00	58.9	55.0	61.5
	16:50:00	59.9	57.0	61.5
	16:55:00	60.4	57.5	62.5
	17:00:00	59.6	57.0	61.0
	17:05:00	59.0	56.0	61.0
	17:10:00	59.7	56.5	61.5
	17:15:00	59.4	56.5	61.0
	17:20:00	59.7	57.5	61.0
	17:25:00	60.1	57.0	61.5
	17:30:00	60.3	57.5	62.5
	17:35:00	59.0	56.0	61.0
	17:40:00	59.9	57.0	61.5
	17:45:00	60.9	58.0	62.5
	17:50:00	60.5	57.5	62.0
	17:55:00	60.2	57.5	62.0
	18:00:00	59.9	57.5	61.5
	18:05:00	59.6	56.5	61.5
	18:10:00	59.8	57.0	61.5
	18:15:00	59.6	57.0	61.0
	18:20:00	59.8	56.5	62.0
	18:25:00	64.0	56.5	64.0
	18:30:00	59.2	55.5	61.0
	18:35:00	58.9	56.5	60.5
	18:40:00	60.3	56.5	61.5
	18:45:00	60.2	56.0	62.5
	18:50:00	59.1	55.5	61.5
	18:55:00	60.1	56.5	62.0
	19:00:00	58.0	55.5	59.5
	19:05:00	58.1	55.5	59.5
	19:10:00	60.2	55.5	61.0
	19:15:00	59.8	57.0	61.5
	19:20:00	60.9	60.0	61.5
	19:25:00	60.5	58.0	61.5
	19:30:00	58.7	56.0	60.5
	19:35:00	58.4	56.0	60.0
	19:40:00	63.4	55.5	59.5
	19:45:00	64.7	56.0	60.0
	19:50:00	58.3	56.0	60.0
	19:55:00	57.7	56.0	59.0
	20:00:00	58.2	55.5	60.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	20:05:00	58.2	56.0	59.5
	20:10:00	57.9	55.5	59.5
	20:15:00	57.5	55.0	59.0
	20:20:00	57.7	55.5	59.0
	20:25:00	57.8	55.0	59.5
	20:30:00	58.3	56.0	60.0
	20:35:00	57.7	55.0	59.5
	20:40:00	60.1	56.0	61.5
	20:45:00	60.0	55.0	59.5
	20:50:00	60.4	54.5	60.0
	20:55:00	57.3	54.0	59.0
	21:00:00	57.1	54.5	58.5
	21:05:00	58.3	54.5	59.5
	21:10:00	57.3	55.0	58.5
	21:15:00	57.0	54.0	58.5
	21:20:00	58.4	55.0	60.0
	21:25:00	58.2	55.5	60.0
	21:30:00	59.5	55.5	61.5
	21:35:00	58.8	55.5	61.0
	21:40:00	60.4	56.0	62.0
	21:45:00	58.4	55.5	59.5
	21:50:00	58.9	55.5	60.0
	21:55:00	58.0	55.5	59.5
	22:00:00	57.9	55.5	59.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/27/2007	22:05:00	58.8	55.5	60.5
	22:10:00	70.8	55.5	61.0
	22:15:00	57.9	55.5	59.5
	22:20:00	58.2	55.5	59.5
	22:25:00	58.6	56.0	60.0
	22:30:00	57.8	55.5	59.5
	22:35:00	58.0	55.5	59.5
	22:40:00	58.4	55.0	60.5
	22:45:00	57.4	54.5	59.5
	22:50:00	57.6	55.0	59.0
	22:55:00	57.8	55.0	59.5
	23:00:00	57.7	55.5	59.0
	23:05:00	58.5	55.5	60.0
	23:10:00	58.2	55.0	59.5
	23:15:00	58.2	55.5	60.5
	23:20:00	57.5	54.5	59.5
	23:25:00	57.7	55.0	59.5
	23:30:00	59.0	55.0	61.0
	23:35:00	56.7	54.0	58.0
	23:40:00	57.5	53.5	60.0
	23:45:00	56.6	53.5	58.0
	23:50:00	56.5	53.0	58.0
	23:55:00	56.1	52.5	58.0
	0:00:00	55.9	52.5	57.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	0:05:00	56.4	53.0	58.0
	0:10:00	56.4	52.5	57.5
	0:15:00	62.9	54.5	67.5
	0:20:00	68.4	63.0	71.5
	0:25:00	69.0	64.0	71.5
	0:30:00	66.8	62.5	69.5
	0:35:00	61.7	58.0	65.0
	0:40:00	61.6	58.5	63.5
	0:45:00	63.9	58.5	68.0
	0:50:00	58.4	55.5	60.5
	0:55:00	56.7	54.0	58.0
	1:00:00	56.4	54.0	57.5
	1:05:00	56.3	54.0	57.5
	1:10:00	56.0	53.5	57.0
	1:15:00	56.7	53.5	58.5
	1:20:00	56.5	53.0	58.5
	1:25:00	56.1	53.5	57.5
	1:30:00	55.4	52.5	56.5
	1:35:00	56.2	53.5	57.5
	1:40:00	58.1	53.0	60.5
	1:45:00	56.1	53.0	58.0
	1:50:00	55.6	52.5	57.0
	1:55:00	55.3	52.0	56.5
	2:00:00	55.9	52.5	57.5
	2:05:00	55.2	52.0	56.5
	2:10:00	55.1	52.0	56.5
	2:15:00	55.1	52.0	56.0
	2:20:00	56.4	52.0	57.0
	2:25:00	55.1	52.0	56.5
	2:30:00	55.5	52.0	57.0
	2:35:00	54.9	52.0	56.0
	2:40:00	54.9	52.0	56.0
	2:45:00	55.3	52.0	57.0
	2:50:00	55.1	52.0	56.5
	2:55:00	54.9	52.0	56.0
	3:00:00	55.1	52.0	56.5
	3:05:00	54.9	51.5	56.0
	3:10:00	55.4	52.5	56.5
	3:15:00	56.3	53.0	57.0
	3:20:00	55.7	53.0	57.0
	3:25:00	55.9	53.0	57.0
	3:30:00	56.0	53.0	57.0
	3:35:00	57.9	55.0	60.0
	3:40:00	58.8	54.5	58.0
	3:45:00	61.0	58.0	64.0
	3:50:00	63.6	61.5	64.5
	3:55:00	70.7	65.0	72.5
	4:00:00	72.9	71.5	73.5
	4:05:00	68.4	65.0	71.5
	4:10:00	67.9	64.5	67.0
	4:15:00	67.1	64.0	68.0
	4:20:00	65.5	61.0	66.0
	4:25:00	60.4	58.0	60.0
	4:30:00	61.1	58.0	60.5
	4:35:00	58.9	57.0	60.0
	4:40:00	58.7	57.0	59.0
	4:45:00	58.4	56.5	59.0
	4:50:00	59.7	56.5	60.0
	4:55:00	57.9	56.5	58.5
	5:00:00	57.7	56.0	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	5:05:00	57.3	55.5	58.5
	5:10:00	57.3	55.5	58.0
	5:15:00	57.7	55.5	59.0
	5:20:00	58.7	56.5	60.0
	5:25:00	59.9	58.5	61.0
	5:30:00	59.8	58.5	60.5
	5:35:00	61.1	58.0	62.5
	5:40:00	61.9	58.5	64.5
	5:45:00	60.8	58.0	62.0
	5:50:00	60.6	58.5	62.5
	5:55:00	60.2	58.0	61.5
	6:00:00	59.9	57.5	61.5
	6:05:00	59.2	57.5	60.5
	6:10:00	59.3	57.0	61.0
	6:15:00	59.0	57.0	60.5
	6:20:00	59.9	57.5	61.5
	6:25:00	59.2	57.0	60.5
	6:30:00	59.3	57.0	61.0
	6:35:00	59.5	57.5	61.0
	6:40:00	60.2	58.0	62.0
	6:45:00	59.3	57.0	61.0
	6:50:00	60.2	57.5	62.0
	6:55:00	59.0	56.5	60.5
	7:00:00	59.3	57.0	61.0
	7:05:00	59.7	57.0	61.0
	7:10:00	60.7	57.0	61.5
	7:15:00	59.7	57.5	61.5
	7:20:00	59.7	57.5	61.0
	7:25:00	59.4	57.0	60.5
	7:30:00	59.3	57.5	60.5
	7:35:00	59.6	56.5	61.5
	7:40:00	59.5	57.5	61.0
	7:45:00	59.7	57.5	61.0
	7:50:00	59.6	57.5	61.0
	7:55:00	61.8	58.0	64.5
	8:00:00	59.6	57.0	61.0
	8:05:00	59.6	57.5	61.0
	8:10:00	59.0	57.0	60.5
	8:15:00	59.3	57.0	61.0
	8:20:00	59.8	57.5	61.5
	8:25:00	62.7	60.5	64.0
	8:30:00	65.5	61.5	67.5
	8:35:00	67.0	65.5	68.0
	8:40:00	66.6	65.0	68.0
	8:45:00	64.5	63.0	65.5
	8:50:00	64.4	63.0	65.0
	8:55:00	64.4	63.0	65.0
	9:00:00	65.1	63.0	67.0
	9:05:00	69.1	63.5	71.5
	9:10:00	72.0	70.0	73.0
	9:15:00	70.7	68.0	72.0
	9:20:00	67.1	65.5	68.0
	9:25:00	66.0	65.0	67.0
	9:30:00	65.7	64.5	66.5
	9:35:00	65.8	64.0	66.5
	9:40:00	64.4	62.5	65.5
	9:45:00	62.9	61.5	64.0
	9:50:00	65.8	61.0	66.0
	9:55:00	61.9	60.0	63.0
	10:00:00	61.9	59.5	63.5

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	10:05:00	62.7	60.0	62.5
	10:10:00	63.1	61.5	64.0
	10:15:00	62.0	60.0	63.5
	10:20:00	61.1	59.0	62.5
	10:25:00	61.2	59.0	63.0
	10:30:00	60.4	58.5	61.5
	10:35:00	61.3	58.5	62.5
	10:40:00	61.2	59.5	63.0
	10:45:00	62.0	60.0	62.5
	10:50:00	62.4	61.0	63.5
	10:55:00	62.2	60.0	63.5
	11:00:00	61.5	59.5	63.0
	11:05:00	61.3	59.5	62.5
	11:10:00	60.7	59.0	62.0
	11:15:00	60.5	58.0	62.0
	11:20:00	61.0	58.0	63.0
	11:25:00	60.6	58.5	61.5
	11:30:00	60.0	58.0	61.5
	11:35:00	59.7	57.0	61.5
	11:40:00	59.9	57.5	61.5
	11:45:00	60.4	56.5	61.5
	11:50:00	59.6	57.0	61.5
	11:55:00	60.0	57.5	62.0
	12:00:00	60.2	58.0	61.0
	12:05:00	60.1	58.0	61.5
	12:10:00	60.6	58.5	62.0
	12:15:00	60.0	58.0	61.5
	12:20:00	59.7	57.5	61.0
	12:25:00	60.1	57.0	62.0
	12:30:00	60.1	58.5	61.5
	12:35:00	60.2	58.0	61.5
	12:40:00	60.2	58.0	62.0
	12:45:00	59.2	57.0	61.0
	12:50:00	61.0	59.0	62.5
	12:55:00	60.9	58.5	62.5
	13:00:00	61.6	60.0	62.5
	13:05:00	62.2	60.5	63.0
	13:10:00	61.7	59.5	63.0
	13:15:00	62.2	60.5	63.5
	13:20:00	62.1	60.5	63.0
	13:25:00	61.8	60.5	63.0
	13:30:00	61.6	60.0	63.0
	13:35:00	61.5	59.5	62.5
	13:40:00	62.0	60.5	63.0
	13:45:00	61.7	60.0	63.0
	13:50:00	62.0	60.5	63.0
	13:55:00	60.7	59.0	61.5
	14:00:00	60.7	59.0	61.5
	14:05:00	59.8	58.0	61.0
	14:10:00	60.4	58.0	62.0
	14:15:00	59.6	58.0	60.5
	14:20:00	59.6	57.0	60.5
	14:25:00	58.0	56.5	59.0
	14:30:00	57.7	56.0	58.5
	14:35:00	58.8	55.5	59.5
	14:40:00	60.5	55.5	63.0
	14:45:00	58.0	54.5	60.0
	14:50:00	58.0	55.5	59.0
	14:55:00	58.3	56.0	60.0
	15:00:00	59.4	55.5	60.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	15:05:00	58.2	56.0	59.5
	15:10:00	59.0	55.5	61.5
	15:15:00	58.4	56.0	60.0
	15:20:00	59.5	57.0	61.0
	15:25:00	59.6	57.0	61.5
	15:30:00	59.2	57.0	60.5
	15:35:00	59.3	57.0	61.0
	15:40:00	60.0	57.5	61.5
	15:45:00	59.3	57.0	61.0
	15:50:00	60.0	57.5	62.0
	15:55:00	59.5	57.5	61.0
	16:00:00	59.8	57.5	61.0
	16:05:00	59.7	57.0	61.0
	16:10:00	59.2	56.5	60.5
	16:15:00	58.7	56.0	60.5
	16:20:00	58.8	56.5	60.5
	16:25:00	58.9	56.0	60.5
	16:30:00	59.3	56.5	61.0
	16:35:00	59.4	56.5	61.0
	16:40:00	59.6	57.0	61.5
	16:45:00	59.1	56.0	60.5
	16:50:00	61.0	57.0	63.0
	16:55:00	59.4	56.0	61.0
	17:00:00	59.3	57.0	61.0
	17:05:00	59.9	56.5	61.5
	17:10:00	61.6	57.5	63.5
	17:15:00	61.1	57.5	62.5
	17:20:00	60.2	57.5	62.0
	17:25:00	60.5	58.0	62.0
	17:30:00	61.1	58.5	63.0
	17:35:00	60.2	57.5	61.5
	17:40:00	61.3	58.0	62.5
	17:45:00	60.5	57.5	62.0
	17:50:00	60.8	58.0	62.5
	17:55:00	58.1	55.5	60.0
	18:00:00	59.2	56.0	60.5
	18:05:00	58.7	55.5	60.5
	18:10:00	58.3	56.0	60.0
	18:15:00	58.4	55.5	60.0
	18:20:00	59.4	56.0	61.0
	18:25:00	59.3	55.5	60.5
	18:30:00	58.7	55.5	60.5
	18:35:00	59.1	56.0	61.0
	18:40:00	59.1	56.0	61.0
	18:45:00	59.1	56.0	61.0
	18:50:00	58.3	56.0	59.5
	18:55:00	58.6	56.0	60.5
	19:00:00	60.6	58.5	62.0
	19:05:00	61.9	61.0	62.5
	19:10:00	62.3	61.5	63.0
	19:15:00	61.7	60.5	62.5
	19:20:00	59.7	56.5	61.5
	19:25:00	57.8	54.5	59.5
	19:30:00	58.3	55.0	60.5
	19:35:00	58.2	55.5	60.0
	19:40:00	57.5	54.5	59.0
	19:45:00	57.9	55.0	59.5
	19:50:00	58.1	55.0	59.5
	19:55:00	57.6	55.0	59.0
	20:00:00	57.5	55.0	59.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	20:05:00	57.6	55.0	59.0
	20:10:00	57.4	55.0	58.5
	20:15:00	57.2	54.5	59.0
	20:20:00	57.4	55.0	59.0
	20:25:00	56.7	54.5	58.0
	20:30:00	57.3	54.5	59.0
	20:35:00	57.5	54.5	59.5
	20:40:00	57.4	54.5	59.0
	20:45:00	57.2	54.5	58.5
	20:50:00	57.3	54.0	59.5
	20:55:00	56.6	54.0	58.5
	21:00:00	57.3	54.5	58.5
	21:05:00	57.0	54.5	58.5
	21:10:00	56.8	54.0	58.5
	21:15:00	57.0	54.0	59.0
	21:20:00	57.1	54.0	59.0
	21:25:00	57.2	54.0	59.0
	21:30:00	57.0	54.0	59.0
	21:35:00	57.0	54.0	59.0
	21:40:00	57.2	54.0	58.5
	21:45:00	57.4	54.5	59.0
	21:50:00	57.3	54.5	59.0
	21:55:00	56.9	54.5	58.0
	22:00:00	56.8	54.0	58.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/28/2007	22:05:00	57.6	54.0	58.5
	22:10:00	56.9	53.5	58.5
	22:15:00	56.9	54.0	59.0
	22:20:00	57.0	54.0	58.5
	22:25:00	57.4	54.0	59.5
	22:30:00	57.0	53.5	58.5
	22:35:00	56.8	54.0	58.5
	22:40:00	57.0	54.5	58.5
	22:45:00	56.8	54.5	58.5
	22:50:00	57.6	54.5	59.5
	22:55:00	57.3	54.5	59.0
	23:00:00	57.3	54.5	58.5
	23:05:00	58.3	55.5	60.0
	23:10:00	59.0	56.5	60.5
	23:15:00	58.7	55.5	60.5
	23:20:00	58.3	55.5	60.0
	23:25:00	58.4	56.0	60.0
	23:30:00	59.7	56.5	61.5
	23:35:00	58.8	56.0	60.5
	23:40:00	58.8	55.5	61.0
	23:45:00	58.3	55.5	60.0
	23:50:00	58.8	55.5	61.0
	23:55:00	58.8	56.0	60.5
	0:00:00	58.0	55.0	60.0



Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	0:05:00	57.9	55.0	59.5
	0:10:00	58.0	55.5	59.5
	0:15:00	57.3	55.0	58.5
	0:20:00	58.8	55.5	60.5
	0:25:00	59.1	56.5	60.5
	0:30:00	58.5	56.0	60.5
	0:35:00	58.7	56.0	60.5
	0:40:00	59.1	56.5	61.0
	0:45:00	58.4	56.0	60.0
	0:50:00	58.6	56.0	60.0
	0:55:00	59.6	56.0	60.5
	1:00:00	59.1	56.0	61.0
	1:05:00	59.0	56.0	60.5
	1:10:00	58.4	55.5	60.5
	1:15:00	58.2	56.0	59.5
	1:20:00	58.8	56.0	60.5
	1:25:00	58.2	56.0	59.5
	1:30:00	58.2	56.0	59.5
	1:35:00	58.4	56.0	60.0
	1:40:00	59.2	56.5	61.0
	1:45:00	60.5	56.5	61.0
	1:50:00	58.4	56.0	60.0
	1:55:00	58.6	56.0	60.0
	2:00:00	58.7	56.0	60.5
	2:05:00	58.1	55.5	59.5
	2:10:00	58.3	56.0	60.0
	2:15:00	58.8	56.5	60.5
	2:20:00	58.7	56.0	60.0
	2:25:00	58.5	56.0	60.0
	2:30:00	58.8	55.5	60.5
	2:35:00	58.2	55.0	60.0
	2:40:00	55.7	52.5	57.0
	2:45:00	56.1	53.0	57.5
	2:50:00	55.2	52.5	56.5
	2:55:00	55.2	52.5	56.5
	3:00:00	55.7	52.5	57.0
	3:05:00	55.2	52.5	56.5
	3:10:00	55.3	52.5	56.5
	3:15:00	56.1	52.5	57.0
	3:20:00	55.1	52.5	56.0
	3:25:00	55.5	52.5	57.0
	3:30:00	55.3	52.5	56.5
	3:35:00	55.5	52.5	56.5
	3:40:00	55.2	52.5	56.5
	3:45:00	56.0	53.5	57.0
	3:50:00	55.9	53.0	57.5
	3:55:00	58.8	53.0	62.0
	4:00:00	62.2	58.0	65.0
	4:05:00	62.4	60.5	63.5
	4:10:00	67.1	58.5	70.5
	4:15:00	59.5	58.0	60.5
	4:20:00	63.1	59.5	65.5
	4:25:00	59.0	56.5	60.5
	4:30:00	59.0	57.5	59.5
	4:35:00	58.7	57.0	59.5
	4:40:00	58.5	57.0	59.5
	4:45:00	61.2	59.0	63.0
	4:50:00	64.1	62.0	65.5
	4:55:00	63.8	61.5	65.0
	5:00:00	64.2	59.5	66.5

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	5:05:00	66.4	62.0	67.5
	5:10:00	60.7	58.0	63.0
	5:15:00	63.3	59.5	66.0
	5:20:00	59.1	57.0	61.0
	5:25:00	58.6	57.0	59.5
	5:30:00	63.3	57.5	67.0
	5:35:00	68.2	63.0	71.5
	5:40:00	69.6	65.0	72.0
	5:45:00	68.7	66.5	70.5
	5:50:00	68.6	62.5	72.0
	5:55:00	62.2	60.0	64.0
	6:00:00	60.7	58.5	62.0
	6:05:00	60.5	58.0	62.0
	6:10:00	60.0	57.5	62.0
	6:15:00	59.5	57.5	61.0
	6:20:00	59.4	57.5	61.0
	6:25:00	59.2	57.0	60.5
	6:30:00	59.8	57.5	61.0
	6:35:00	59.6	57.0	61.0
	6:40:00	64.3	57.0	66.5
	6:45:00	60.2	56.5	61.0
	6:50:00	59.6	57.0	61.5
	6:55:00	58.5	56.5	60.0
	7:00:00	59.1	56.5	60.5
	7:05:00	58.8	56.5	60.5
	7:10:00	58.7	56.5	60.0
	7:15:00	59.3	57.0	60.5
	7:20:00	59.3	56.5	61.0
	7:25:00	59.1	56.5	60.5
	7:30:00	59.9	56.5	61.5
	7:35:00	59.3	57.0	60.5
	7:40:00	59.7	57.0	61.0
	7:45:00	59.4	56.5	60.5
	7:50:00	59.3	57.0	60.5
	7:55:00	59.2	56.5	61.0
	8:00:00	62.4	56.5	63.5
	8:05:00	62.5	57.0	64.0
	8:10:00	60.6	57.0	61.5
	8:15:00	58.7	55.5	60.5
	8:20:00	58.9	56.5	60.5
	8:25:00	58.6	56.0	60.0
	8:30:00	59.4	56.0	61.5
	8:35:00	59.4	57.0	61.5
	8:40:00	58.6	56.0	60.0
	8:45:00	60.5	57.5	62.5
	8:50:00	63.7	62.5	64.5
	8:55:00	63.7	62.5	65.0
	9:00:00	63.2	62.0	64.0
	9:05:00	61.7	60.0	63.0
	9:10:00	60.3	57.5	62.5
	9:15:00	61.6	56.5	62.0
	9:20:00	63.1	57.0	65.5
	9:25:00	60.7	58.0	62.5
	9:30:00	62.8	61.0	64.0
	9:35:00	62.8	61.0	64.0
	9:40:00	60.9	59.5	62.0
	9:45:00	60.3	58.0	61.5
	9:50:00	60.6	58.0	62.5
	9:55:00	60.8	58.0	62.5
	10:00:00	59.3	56.5	61.0

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	10:05:00	58.5	55.0	61.0
	10:10:00	58.1	55.0	60.0
	10:15:00	59.2	56.0	61.5
	10:20:00	58.0	55.5	59.5
	10:25:00	59.6	56.0	61.5
	10:30:00	58.7	55.5	60.5
	10:35:00	58.6	55.5	60.5
	10:40:00	59.7	54.5	62.0
	10:45:00	60.1	55.0	62.0
	10:50:00	59.2	55.0	61.5
	10:55:00	59.5	56.0	62.0
	11:00:00	62.1	58.5	64.0
	11:05:00	61.5	58.5	63.5
	11:10:00	61.6	57.5	63.5
	11:15:00	61.2	58.0	63.0
	11:20:00	61.4	58.5	63.0
	11:25:00	61.3	58.5	63.0
	11:30:00	61.5	58.5	63.5
	11:35:00	65.4	60.5	68.5
	11:40:00	61.4	58.5	63.5
	11:45:00	61.5	59.0	63.0
	11:50:00	61.6	58.0	63.5
	11:55:00	58.1	55.5	59.5
	12:00:00	58.4	55.0	61.0
	12:05:00	58.4	55.0	60.0
	12:10:00	59.0	55.5	61.0
	12:15:00	58.1	54.0	60.0
	12:20:00	58.0	54.0	60.0
	12:25:00	58.1	55.5	59.5
	12:30:00	58.6	56.0	60.5
	12:35:00	57.3	54.5	59.0
	12:40:00	58.9	55.0	61.5
	12:45:00	58.3	55.0	60.0
	12:50:00	57.7	53.5	59.5
	12:55:00	58.6	54.5	61.5
	13:00:00	58.5	55.0	60.5
	13:05:00	59.2	55.0	61.5
	13:10:00	72.4	66.0	75.0
	13:15:00	70.8	65.5	74.5
	13:20:00	68.5	66.0	70.0
	13:25:00	64.1	62.5	65.5
	13:30:00	61.5	59.5	62.5
	13:35:00	59.6	57.5	61.0
	13:40:00	60.5	57.5	62.5
	13:45:00	59.4	56.0	61.5
	13:50:00	59.7	57.0	61.5
	13:55:00	59.7	56.5	62.5
	14:00:00	59.4	56.5	61.5
	14:05:00	59.5	57.5	61.0
	14:10:00	59.0	55.5	61.5
	14:15:00	58.7	56.0	60.5
	14:20:00	58.6	56.5	60.0
	14:25:00	59.1	56.0	60.5
	14:30:00	58.8	55.0	60.5
	14:35:00	58.6	55.0	60.5
	14:40:00	59.0	55.5	61.5
	14:45:00	59.1	56.0	61.0
	14:50:00	58.3	56.0	60.0
	14:55:00	58.5	55.5	60.0
	15:00:00	63.1	60.5	64.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	15:05:00	59.9	57.5	61.5
	15:10:00	60.8	59.0	62.0
	15:15:00	59.6	56.5	61.0
	15:20:00	58.8	56.0	61.0
	15:25:00	58.6	56.0	60.5
	15:30:00	61.9	56.0	64.5
	15:35:00	60.7	56.5	61.0
	15:40:00	58.8	56.0	60.5
	15:45:00	58.6	56.0	60.5
	15:50:00	59.0	56.0	61.5
	15:55:00	59.6	56.0	62.0
	16:00:00	58.8	55.5	60.5
	16:05:00	58.4	55.5	60.0
	16:10:00	59.1	56.0	61.0
	16:15:00	59.2	55.5	61.5
	16:20:00	60.4	56.5	62.5
	16:25:00	57.6	55.0	59.0
	16:30:00	59.5	56.0	61.0
	16:35:00	59.3	56.0	60.5
	16:40:00	59.9	57.5	61.5
	16:45:00	59.7	57.0	61.5
	16:50:00	59.5	56.5	61.5
	16:55:00	63.8	56.5	63.0
	17:00:00	58.6	56.0	60.0
	17:05:00	59.3	56.5	61.0
	17:10:00	60.4	56.0	62.5
	17:15:00	59.6	55.5	61.5
	17:20:00	60.5	57.0	62.5
	17:25:00	60.1	57.0	62.0
	17:30:00	60.5	57.5	62.0
	17:35:00	60.6	57.5	62.5
	17:40:00	60.7	58.0	62.0
	17:45:00	60.4	58.0	62.0
	17:50:00	60.0	57.0	62.0
	17:55:00	59.7	57.0	61.5
	18:00:00	60.6	58.0	62.0
	18:05:00	60.5	57.5	62.5
	18:10:00	60.4	58.0	62.0
	18:15:00	60.2	58.0	62.0
	18:20:00	60.0	57.5	61.5
	18:25:00	59.9	57.5	61.5
	18:30:00	60.0	57.0	61.5
	18:35:00	60.3	57.5	62.0
	18:40:00	60.4	57.5	62.5
	18:45:00	60.0	57.0	62.0
	18:50:00	60.0	57.5	61.5
	18:55:00	60.2	57.5	62.0
	19:00:00	60.5	58.0	62.0
	19:05:00	60.0	57.5	61.5
	19:10:00	60.3	57.5	62.0
	19:15:00	60.9	58.0	62.5
	19:20:00	60.7	58.0	62.5
	19:25:00	61.5	59.5	63.5
	19:30:00	61.9	56.5	64.0
	19:35:00	58.1	55.5	59.5
	19:40:00	58.2	55.5	60.0
	19:45:00	57.8	55.0	59.5
	19:50:00	58.4	56.5	60.0
	19:55:00	59.2	57.0	60.5
	20:00:00	58.0	56.0	59.0

Our Ref. No. 075117EN70402

Our Ref. : 075117EN70401  
 No.  
 Client : Sum Kee Construction Limited  
 Project : Drainage Services Department, Contract No. DC/2006/01 Drainage Improvement Works in Sai Kung  
 Location : PKM2

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	20:05:00	57.8	56.0	59.0
	20:10:00	58.1	56.0	59.5
	20:15:00	57.5	55.0	59.0
	20:20:00	57.9	55.5	59.5
	20:25:00	58.5	56.0	60.0
	20:30:00	57.7	55.0	59.0
	20:35:00	57.6	55.0	59.0
	20:40:00	57.5	55.0	59.0
	20:45:00	57.7	55.0	59.5
	20:50:00	56.9	54.5	58.5
	20:55:00	57.1	54.5	58.5
	21:00:00	58.6	55.5	61.0
	21:05:00	58.6	55.5	60.5
	21:10:00	57.5	55.0	59.0
	21:15:00	57.3	54.5	59.0
	21:20:00	58.0	54.5	59.0
	21:25:00	56.7	53.5	58.5
	21:30:00	57.8	55.0	59.5
	21:35:00	57.2	54.0	59.0
	21:40:00	57.5	55.0	59.0
	21:45:00	57.5	55.0	59.0
	21:50:00	57.4	55.0	59.0
	21:55:00	57.5	55.0	59.0
	22:00:00	57.1	54.0	59.0

Date	Time	Noise Level (Leq 5min.), dBA		
		Leq	L90	L10
6/29/2007	22:05:00	57.7	54.5	59.5
	22:10:00	57.4	54.5	59.0
	22:15:00	57.3	55.0	59.0
	22:20:00	57.0	54.5	58.5
	22:25:00	57.3	54.0	59.0
	22:30:00	57.0	54.5	58.5
	22:35:00	57.5	54.5	59.0
	22:40:00	57.6	55.0	59.0
	22:45:00	57.4	54.5	59.0
	22:50:00	57.6	55.0	59.0
	22:55:00	57.0	54.5	58.5
	23:00:00	57.8	54.5	59.5
	23:05:00	60.6	54.5	59.5
	23:10:00	57.5	54.5	59.0
	23:15:00	57.1	54.5	58.5
	23:20:00	58.0	55.0	60.5
	23:25:00	57.4	54.5	59.0
	23:30:00	58.2	55.0	60.0
	23:35:00	56.9	54.0	58.5
	23:40:00	57.9	54.5	60.0
	23:45:00	56.8	54.0	58.5
	23:50:00	56.9	54.0	58.5
	23:55:00	57.3	54.0	59.5
	0:00:00	56.4	53.5	58.0

Our Ref. No. 075117EN70402

**Appendix 3**  
**Water Quality Monitoring Data**

Our Ref. No. 075117EN70402

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

Baseline Water Quality Monitoring Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	pH (unit)	SS (mg/L)	Remarks and Observation
09/05/2007 ( Fine )	W4	14:55	0.19	26.5	7.20	90.4	2.67	7.12	3	-
09/05/2007 ( Fine )	W5	15:11	0.95	27.2	7.15	89.8	4.25	7.02	3	-
09/05/2007 ( Fine )	W6a	16:10	0.66	25.9	8.02	96.9	1.59	6.97	1	-
09/05/2007 ( Fine )	W6b	16:25	0.23	24.5	8.23	98.7	1.85	7.00	2	-
09/05/2007 ( Fine )	W7	15:38	1.25	27.0	7.04	88.6	3.45	7.04	3	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	pH (unit)	SS (mg/L)	Remarks and Observation
11/05/2007 ( Fine )	W4	16:50	0.21	25.9	7.12	87.5	2.98	7.14	4	-
11/05/2007 ( Fine )	W5	16:32	0.99	27.6	7.89	100.0	4.89	7.33	3	-
11/05/2007 ( Fine )	W6a	16:00	0.67	26.6	8.41	103.8	1.80	6.94	1	-
11/05/2007 ( Fine )	W6b	15:45	0.27	25.4	8.23	102.0	1.27	6.96	1	-
11/05/2007 ( Fine )	W7	16:16	1.91	28.4	6.37	81.9	4.33	7.15	4	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	pH (unit)	SS (mg/L)	Remarks and Observation
14/05/2007 ( Fine )	W4	14:08	0.25	27.1	6.90	90.0	1.59	7.07	<1	-
14/05/2007 ( Fine )	W5	12:40	0.40	29.3	6.85	89.5	6.45	7.20	12	-
14/05/2007 ( Fine )	W6a	11:06	0.67	26.6	8.92	110.8	1.70	6.90	1	-
14/05/2007 ( Fine )	W6b	10:50	0.26	25.5	8.56	103.1	1.10	6.87	<1	-
14/05/2007 ( Fine )	W7	11:27	1.25	28.5	6.44	83.0	3.79	7.08	5	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	pH (unit)	SS (mg/L)	Remarks and Observation
16/05/2007 ( Fine )	W1a	15:40	0.23	28.0	6.67	85.2	3.26	7.02	4	-
16/05/2007 ( Fine )	W1b	15:10	0.17	28.4	7.25	92.7	1.83	7.10	3	-
16/05/2007 ( Fine )	W2	15:23	1.10	28.9	8.23	107.4	1.60	7.05	<1	-
16/05/2007 ( Fine )	W3	15:55	0.10	26.7	7.25	92.5	3.59	7.35	4	-
16/05/2007 ( Fine )	W4	13:00	0.23	26.2	7.62	94.1	2.46	7.00	4	-
16/05/2007 ( Fine )	W5	12:40	0.43	28.9	6.60	85.6	5.86	7.14	10	-
16/05/2007 ( Fine )	W6a	11:41	0.66	27.6	8.92	113.9	1.30	6.95	<1	-
16/05/2007 ( Fine )	W6b	11:57	0.24	26.6	9.32	115.7	1.10	7.02	1	-
16/05/2007 ( Fine )	W7	12:15	1.20	30.2	6.93	90.3	3.41	7.31	3	-



Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
18/05/2007 ( Cloudy )	W1a	15:30	0.19	28.5	6.60	85.1	3.43	6.92	6	-
18/05/2007 ( Cloudy )	W1b	14:58	0.17	28.4	6.83	88.5	1.73	6.89	4	-
18/05/2007 ( Cloudy )	W2	15:15	1.03	29.8	8.19	103.0	1.43	6.98	1	-
18/05/2007 ( Cloudy )	W3	15:48	0.10	27.5	7.30	91.4	3.83	7.25	6	-
18/05/2007 ( Cloudy )	W4	11:20	0.25	26.5	7.22	90.0	4.95	7.03	12	-
18/05/2007 ( Cloudy )	W5	11:42	1.20	29.0	6.09	78.9	2.72	7.31	3	-
18/05/2007 ( Cloudy )	W6a	12:37	0.66	27.4	8.60	107.5	1.19	6.94	<1	-
18/05/2007 ( Cloudy )	W6b	12:23	0.24	26.7	8.80	110.3	1.26	7.00	1	-
18/05/2007 ( Cloudy )	W7	12:04	1.66	29.4	5.38	71.0	2.39	7.32	2	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
21/05/2007 ( Rainy )	W1a	15:40	0.40	22.8	8.55	99.3	65.5	7.12	11	-
21/05/2007 ( Rainy )	W1b	15:55	0.30	23.3	8.09	94.8	20.5	6.95	39	-
21/05/2007 ( Rainy )	W2	15:35	1.03	22.9	8.22	95.7	59.1	7.36	39	-
21/05/2007 ( Rainy )	W3	13:45	0.70	24.3	7.39	88.7	6.47	7.42	5	-
21/05/2007 ( Rainy )	W4	13:20	0.30	23.1	7.44	86.9	7.76	7.10	4	-
21/05/2007 ( Rainy )	W5	13:55	1.35	23.6	7.68	90.4	6.58	7.05	5	-
21/05/2007 ( Rainy )	W6a	12:00	0.40	22.9	8.05	94.0	4.75	7.05	1	-
21/05/2007 ( Rainy )	W6b	12:13	0.21	22.8	8.45	98.1	4.25	6.92	1	-
21/05/2007 ( Rainy )	W7	12:40	2.00	23.3	7.83	91.8	5.11	6.92	3	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
23/05/2007 ( Cloudy )	W1a	15:17	0.29	25.5	7.22	88.7	6.34	7.04	2	-
23/05/2007 ( Cloudy )	W1b	14:41	0.22	25.9	5.65	69.3	7.26	7.07	3	-
23/05/2007 ( Cloudy )	W2	15:00	1.02	25.5	7.01	85.0	6.39	7.19	2	-
23/05/2007 ( Cloudy )	W3	15:40	0.37	25.9	7.50	92.0	18.7	7.25	16	-
23/05/2007 ( Cloudy )	W4	11:40	0.33	24.3	7.35	87.8	6.21	7.03	2	-
23/05/2007 ( Cloudy )	W5	11:56	1.14	25.1	7.78	94.3	6.09	7.07	5	-
23/05/2007 ( Cloudy )	W6a	12:15	0.69	25.3	8.02	97.2	3.86	7.08	<1	-
23/05/2007 ( Cloudy )	W6b	12:28	0.29	24.4	8.06	98.5	3.70	7.04	1	-
23/05/2007 ( Cloudy )	W7	12:45	1.35	25.5	8.05	97.6	4.70	7.14	3	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
25/05/2007 ( Fine )	W1a	15:17	0.27	27.6	5.42	70.9	4.13	7.10	2	-
25/05/2007 ( Fine )	W1b	14:47	0.24	28.3	4.47	57.3	3.81	6.97	2	-
25/05/2007 ( Fine )	W2	15:03	1.18	28.0	5.61	72.6	3.67	6.98	1	-
25/05/2007 ( Fine )	W3	15:38	0.45	28.5	7.19	92.8	4.89	7.20	5	-
25/05/2007 ( Fine )	W4	11:30	0.27	27.2	4.05	51.2	4.43	7.04	23	-
25/05/2007 ( Fine )	W5	12:47	0.47	28.2	5.46	71.4	8.21	7.10	7	-
25/05/2007 ( Fine )	W6a	13:24	0.68	28.4	5.62	72.8	4.34	6.96	2	-
25/05/2007 ( Fine )	W6b	13:10	0.23	27.3	6.39	80.5	2.17	6.93	<1	-
25/05/2007 ( Fine )	W7	13:49	1.25	29.2	6.85	90.2	3.50	7.13	4	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
28/05/2007 ( Rainy )	W1a	15:19	0.35	25.0	5.43	66.4	19.8	6.96	9	-
28/05/2007 ( Rainy )	W1b	15:35	0.26	25.0	3.68	44.8	51.1	6.95	27	-
28/05/2007 ( Rainy )	W2	15:03	1.10	24.9	4.04	48.3	48.5	7.06	27	-
28/05/2007 ( Rainy )	W3	11:37	0.19	26.8	6.00	75.0	8.25	6.93	11	-
28/05/2007 ( Rainy )	W4	10:34	0.32	25.2	7.25	88.3	5.41	7.15	3	-
28/05/2007 ( Rainy )	W5	10:54	0.40	26.3	7.75	95.8	6.27	6.97	4	-
28/05/2007 ( Rainy )	W6a	14:12	0.72	25.1	3.79	46.0	19.8	6.97	10	-
28/05/2007 ( Rainy )	W6b	13:55	0.35	25.0	2.64	36.0	14.5	6.92	8	-
28/05/2007 ( Rainy )	W7	14:30	0.98	25.3	5.54	67.6	10.2	6.98	7	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
30/05/2007 ( Fine )	W1a	14:35	0.24	28.5	6.64	87.4	37.5	7.10	1	-
30/05/2007 ( Fine )	W1b	14:05	0.19	6.38	83.4	83.4	4.01	7.07	2	-
30/05/2007 ( Fine )	W2	14:19	1.02	28.4	6.67	87.9	3.96	7.02	1	-
30/05/2007 ( Fine )	W3	11:48	0.17	27.4	6.89	87.0	5.95	7.12	7	-
30/05/2007 ( Fine )	W4	11:30	0.30	27.4	6.74	85.0	3.91	6.92	5	-
30/05/2007 ( Fine )	W5	13:40	0.22	30.5	7.03	94.4	14.8	7.20	7	-
30/05/2007 ( Fine )	W6a	15:21	0.68	28.2	7.16	90.3	2.57	7.05	<1	-
30/05/2007 ( Fine )	W6b	15:35	0.23	27.8	7.22	91.7	2.16	7.02	1	-
30/05/2007 ( Fine )	W7	15:05	0.86	30.5	6.57	86.5	4.50	7.20	5	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
01/06/2007 ( Fine )	W1a	11:12	0.24	26.8	7.10	88.8	3.92	7.05	1	-
01/06/2007 ( Fine )	W1b	11:36	0.20	26.5	6.89	86.3	4.24	7.10	1	-
01/06/2007 ( Fine )	W2	10:50	1.20	26.3	7.34	91.0	4.19	6.95	1	-
01/06/2007 ( Fine )	W3	14:30	0.14	28.0	6.32	81.2	3.78	7.18	4	-
01/06/2007 ( Fine )	W4	15:48	0.27	27.7	6.21	79.4	3.10	7.06	5	-
01/06/2007 ( Fine )	W5	14:46	0.35	29.5	6.85	85.5	7.72	7.20	7	-
01/06/2007 ( Fine )	W6a	15:22	0.70	28.2	7.14	90.0	2.47	7.03	<1	-
01/06/2007 ( Fine )	W6b	15:32	0.26	27.2	7.06	88.3	2.50	7.14	2	-
01/06/2007 ( Fine )	W7	15:07	0.90	29.8	6.50	83.8	5.38	7.24	5	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
04/06/2007 ( Fine )	W1a	11:10	0.25	26.9	7.47	93.6	3.27	6.66	2	-
04/06/2007 ( Fine )	W1b	11:20	0.35	27.9	6.82	87.0	2.36	6.66	<1	-
04/06/2007 ( Fine )	W2	11:00	0.82	27.4	7.54	95.5	2.94	6.80	<1	-
04/06/2007 ( Fine )	W3	14:20	0.35	28.7	5.71	73.7	2.94	7.51	3	-
04/06/2007 ( Fine )	W4	15:00	0.22	28.6	6.72	86.9	3.96	7.21	4	-
04/06/2007 ( Fine )	W5	15:15	0.57	31.0	6.49	87.5	8.52	7.50	12	-
04/06/2007 ( Fine )	W6a	15:35	0.32	30.2	7.49	98.7	3.34	7.55	<1	-
04/06/2007 ( Fine )	W6b	15:45	0.15	28.3	7.72	99.1	2.73	7.07	<1	-
04/06/2007 ( Fine )	W7	16:05	0.82	31.1	6.36	85.9	3.14	7.50	3	-



Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
06/06/2007 ( Cloudy )	W1a	14:40	0.24	27.5	6.73	85.7	3.43	7.07	2	-
06/06/2007 ( Cloudy )	W1b	13:58	0.20	27.8	6.62	84.6	2.49	7.11	2	-
06/06/2007 ( Cloudy )	W2	14:21	1.05	27.5	7.65	96.9	3.4	7.08	1	-
06/06/2007 ( Cloudy )	W3	15:13	0.35	28.5	6.43	82.5	2.59	7.38	2	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
08/06/2007 ( Rainy )	W1a	14:01	0.32	25.4	7.65	93.0	26.0	6.79	9	-
08/06/2007 ( Rainy )	W1b	13:23	0.30	25.2	7.39	90.0	25.4	6.90	9	-
08/06/2007 ( Rainy )	W2	13:47	1.15	25.3	7.42	90.4	28.0	6.91	11	-
08/06/2007 ( Rainy )	W3	14:22	0.48	27.7	6.29	80.1	14.3	7.54	7	-

Our Ref. No.: 075117WA70520

Client : Sum Kee Construction Limited

Project : DC/2006/01 Drainage Improvement Works in Sai Kung

## Baseline Water Quality Monitoring Field Data Record

Equipment : YSI model DO 200 dissolved oxygen meter

Hanna HI9024 pH meter

HACH 2100P Turbidimeter

Date (Weather)	Location	Time	Water Depth	Water Temp. (°C)	DO level (mg/L)	DOS (%)	Turbidity (NTU)	PH (unit)	SS (mg/L)	Remarks and Observation
11/06/2007 ( Rainy )	W1a	13:48	0.24	25.0	7.55	91.8	5.86	6.93	3	-
11/06/2007 ( Rainy )	W1b	14:21	0.27	24.9	7.26	89.2	6.97	6.96	2	-
11/06/2007 ( Rainy )	W2	14:07	1.10	24.8	7.70	93.0	6.75	7.02	3	-
11/06/2007 ( Rainy )	W3	10:53	0.20	26.3	6.70	83.5	11.6	7.13	10	-

Our Ref. No. 075117EN70402

## **Appendix 4**

### **Graphical Presentation of Air Monitoring Data**