

東業德勤測試顧問有限公司

ETS-TESTCONSULT LIMITED

8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong

Tel : 2695 8318

E-mail : etl@ets-testconsult.com

Fax : 2695 3944

Web site : www.ets-testconsult.com

TEST REPORT

WO HING – PENTA-OCEAN JOINT VENTURE

**CONTRACT NO. 9/WSD/08
LAYING OF WESTERN CROSS
HARBOUR MAIN AND ASSOCIATED
LAND MAINS FROM WEST
KOWLOON TO SAI YING PUN**

**MONTHLY EM&A REPORT
NO.8**

(DECEMBER 2010)

Prepared by:

LAW, Sau Yee
Senior Environmental Officer

Checked by:

LAU, Chi Leung
Environmental Team Leader

Issued Date: 07 January 2011

Report No. ENA10012

ENVIRON

Ref.: WSDWHCMSEI00_0_0123L.11

11th Jan 2011

Water Supplies Department
Sha Tin Office
6/F Sha Tin Government Offices
1 Sheung Wo Che Road
Sha Tin, NT

By Post

Attention: Ms. Candy Wong

Dear Ms. Wong


**Re: Contact No. 9/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains from West
Kowloon to Sai Ying Pun
Monthly Environmental Monitoring and Audit Report No. 8**

Reference is made to Environment Team's submission of the Environmental Monitoring and Audit Report No. 8 by Email on 7th Jan 2011 (entitled "9/WSD/08 - Draft Monthly Report (December 10)") and the subsequent revision of the report by Email on 11th Jan 2011.

We are pleased to inform you that we have no comment on the revised captioned report.

Thank you very much for your kind attention and please do not hesitate to contact the undersigned should you have any queries.

Yours sincerely,



David Yeung
Independent Environmental Checker

c.c.	Mott MacDonald Hong Kong Limited	Mr. Kelvin Ho	Fax: 2377 2900
	Wo Hing – Penta-Ocean Joint Venture	Mr. Danny Ho	Fax: 2572 4080
	ETS-TESTCONSULT LIMITED	Mr. C.L. Lau	Fax: 2695 3944

Q:\Projects\WSDWHCMSEI00\Corr\Out\WSDWHCMSEI00_0_0123L.11.doc



TABLE OF CONTENTS		Page
EXECUTIVE SUMMARY		
1.0	INTRODUCTION	1
2.0	PROJECT INFORMATION	
	2.1 Scope of the Project	1
	2.2 Work Programme	1
	2.3 Project Organization and Management Structure	1
	2.4 Contact Details of Key Personnel	1
3.0	WORK PROGRESS IN THIS REPORTING MONTH	1 – 2
4.0	NOISE MONITORING	
	4.1 Monitoring Requirements	2
	4.2 Monitoring Equipment	2
	4.3 Monitoring Parameters, Duration and Frequency	2
	4.4 Monitoring Locations	2 – 3
	4.5 Monitoring Methodology	3 – 4
	4.6 Action and Limit levels	4
	4.7 Event-Action Plans	4
	4.8 Results	4 – 7
5.0	WATER QUALITY MONITORING	
	5.1 Monitoring Requirements	7
	5.2 Monitoring Locations	7
	5.3 Monitoring Parameters	7 – 8
	5.4 Monitoring Frequency	8
	5.5 Monitoring Methodology and Equipment Used	8 – 9
	5.6 Details of site Equipment used for In-situ Measurement	9
	5.7 Quality Assurance (QA) / Quality Control (QC) results and Determination Limits	9
	5.8 Action and Limit Level	10
	5.9 Event and Action Plan	10
	5.10 Monitoring Duration and Period In this reporting month	10
	5.11 Results	10 – 11
6.0	SITE INSPECTION	11
	6.1 Summary of the ET weekly site inspection findings	11
	6.2 Recommendations on site inspection findings in Site Inspections of this month	11
7.0	STATUS OF ENVIRONMENTAL PERMITS	11 – 12
8.0	WASTE MANAGEMENT	
	8.1 Monthly Waste Summary	12
	8.2 Advice on the Solid and Liquid Waste Management Status	12 – 13
9.0	ENVIRONMENTAL NON-CONFORMANCE	
	9.1 Summary of Noise and Water Quality	13
	9.2 Summary of Environmental Complaints	13
	9.3 Summary of Notification of Summons and Prosecution	13
10.0	IMPLEMENTATION STATUS	
	10.1 Implementation Status of Environmental Mitigation Measures	13
	10.2 Implementation Status of Event and Action Plan	13
	10.3 Implementation Status of Environmental Complaint, Notifications of Summons and Successful Prosecutions Handling	13
11.0	CONCLUSION AND RECOMMENDATIONS	14
12.0	FUTURE KEY ISSUE	
	12.1 Work Programme for the Coming Month	14 – 15
	12.2 Key Issues for the Coming Month	15
	12.3 Monitoring Schedule for the Coming Month	15



APPENDIX

A	Organization Chart and Lines of Communication
B1	Calibration Certificates for Impact Noise Monitoring Equipment
B2	Impact Noise Monitoring Results
B3	Graphical Plots of Impact Noise Monitoring Data
C1	Calibration Certificates for Impact Water Quality Monitoring Equipment
C2	Impact Water Quality Monitoring Results
C3	Graphical Plots of Impact Water Quality Monitoring Data
C4	QA/QC Results of Laboratory Analysis for Water Samples
D	Event-Action Plans
E	Work Programme
F	ET Weekly Site Inspection Records
G	Implementation Schedule of Mitigation Measures
H	Site General Layout Plan
I	Monitoring Schedule for this month and Coming Month
J	Daily dredging Summary

Figures

Figure 1	Location of Noise Monitoring Station at West Kowloon
Figure 2	Location of Noise Monitoring Stations at Sai Yung Pun
Figure 3	Locations of Water Quality Monitoring Stations
Figure 1.2a	Locations of Water Sensitive Receivers and stormwater outfalls at Western Harbour
Figure 1.2b	Locations of Noise Sensitive Receivers at Sai Ying Pun
Figure 1.2c	Locations of Noise Sensitive Receivers at West Kowloon

Tables

2.1	Contact Details of Key Personnel
4.1	Noise Monitoring Equipment
4.2	Duration, Frequency and Parameters of Noise Monitoring
4.3	Noise Monitoring Stations
4.4	Action and Limit levels for Noise Monitoring
4.5	Summary of Noise Daytime Monitoring Results
5.1	Water Quality Monitoring Stations
5.2	Water Quality Monitoring Parameters
5.3	Other relevant water quality parameters
5.4	Monitoring Frequency of Impact Water Quality Monitoring
5.5	Details of Monitoring Equipment (In-situ measurement)
5.6	Summary of test method
5.7	Water Quality Action and Limit Levels
5.8	Schedule for Impact Water Quality Monitoring
5.9	Summary of Impact Marine Water Quality Exceedances in this reporting month
6.1	Summary of Site Inspection Findings
7.1	Summary of Environmental Licensing and Permit valid in this reporting month
8.1	Summary of Quantities of Waste for Disposal in this reporting month
10.1	Summary of Environmental Complaints and Prosecutions



EXECUTIVE SUMMARY

Under the requirements of "Environmental Monitoring & Audit Manual – Agreement No. CE42/2005(W) Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the EM&A Manual), impact noise monitoring and water quality monitoring is required to be implemented for the "Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the Project).

This monthly Environmental Monitoring and Audit (EM&A) report No.8 was prepared by ETS-Testconsult Ltd (ET) for the Project. This report documented the findings of EM&A Works conducted during the Project in December 2010.

Site Activities

As informed by the Contractor, the site activities in this reporting month were as below:

- Dredging of Type 1 marine sediment (between CH330 and CH1200 & CH1560 and CH1950 at Portion I);
- Drilling of pipe piles (Portion J);
- Excavation inside the cofferdam (Portion J);
- Installation of the strutting system of the cofferdam (Portion J);
- Outfitting of the launching barge (Portion H1 & H2); and
- Take down existing armouring rock from the sloping seawall at the sea front (Portion H1).

Environmental Monitoring Progress

The summary of the monitoring activities in this monitoring month is listed below:

- Day-time Noise Monitoring (0700-1900 on normal weekday): 5 Occasions at KS6 and 4 Occasions at CGa, RWM and KY3
- Evening-time Noise Monitoring (1900-2300): 4 Occasions at KS6, CGa, RWM and KY3
- Night-time Noise Monitoring (2300-0700 of next day): 0 Occasions at KS6, CGa, RWM and KY3
- Holiday-time Noise Monitoring (0700-1900 on Holiday): 3 Occasions at KS6, CGa, RWM and KY3
- Marine Water Quality Monitoring: 12 Occasions at 9 monitoring stations and 4 control stations
- Weekly-site inspection: 4 Occasions

Noise Monitoring

No exceedance in Limit Level was recorded in this reporting month. Beside, no exceedances of Action Level of noise monitoring were recorded in this reporting month since no complaint on noise issue was received.

Water Quality Monitoring

No exceedances of Action and Limit levels were recorded for water quality monitoring in the reporting month.

Site Inspection

Environmental site inspections conducted in this reporting month are presented as follows:

<u>Concerned Parties</u>	<u>Dates of Audit / Inspection</u>
ET Weekly site inspection	07, 14, 24 and 28 December 2010
Monthly Joint site inspection	28 December 2010

In general, performance on environmental mitigation measures implemented was found to be satisfactory in this reporting month. The major findings observed during site inspections are presented in the Section 6.0.

Environmental Complaints, Notification of summons and successful prosecutions

No complaints, notification of summons and prosecutions with respect to environmental issues were received in this reporting month.

Change in Environmental Aspect in this Reporting Month

No change on environmental aspect was reported in this reporting month.



Future Key Issues

Based on the forecast of engineering works in the coming month, key issues to be considered are as follows:

- *Noise and dust impact due to construction works;*
- *Use and maintain silt curtain and silt screen properly;*
- *Clean up the fill material along the barge frequently;*
- *Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste; and*
- *Maintain good site practice to minimize environmental impacts at the site.*



1.0 INTRODUCTION

Wo Hing – Penta-Ocean Joint Venture (WHPOJV) appointed Environmental Team of ETS-Testconsult Limited (ETL) to undertake the Environmental Impact Monitoring for "Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the Project) under the requirements of "Environmental Monitoring & Audit Manual – Agreement No. CE42/2005(W) Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the EM&A Manual).

This report documented the findings of EM&A Works conducted in December 2010.

2.0 PROJECT INFORMATION

2.1 Scope of the Project

The construction works of the Project are located in West Kowloon, across the Victoria Harbour and in Sai Ying Pun.

The construction works under this Project are briefly described, without limitation, as follow:

- Laying of about 1.5km of 1200mm diameter steel fresh water mains at West Kowloon;
- Laying of about 2.1km of 1200mm diameter steel submarine pipeline from West Kowloon to Sai Ying Pun including dredging, cathodic protection system and other associated works;
- Laying of about 0.4km of 1200mm diameter steel fresh water main at Sai Ying Pun;
- Laying of about 0.5km of 800mm diameter steel salt water main at West Kowloon;
- Construction of motorized butterfly valve (MBV) and the associated facilities in the vicinity of Sun Yat Sen Memorial Park at Sai Ying Pun;
- Construction of all chambers associated with pipeworks;
- Making service connections;
- Ancillary works including but not limited to reinstatement of roads, landscaping works.

Areas of the Project present in Appendix H. Locations of environmental monitoring stations and sensitive receivers are shown in Figures 1, 2, 3, 1.2a, 1.2b and 1.2c

2.2 Work Programme

Details of work programme are shown in Appendix E.

2.3 Project Organization and Management Structure

The organization chart and lines of communication with respect to the on-site environmental management and monitoring program are shown in Appendix A.

2.4 Contact Details of Key Personnel

The key personnel contact names and telephone numbers are shown in Table 2.1.

Table 2.1 Contact Details of Key Personnel

Project Role	Organization	Name of Key Staff	Tel. No.	Fax No.
Engineer's Representative	Mott MacDonald	Mr. Kelvin HO	2377 2823	2377 2900
IEC	Environ	Mr David Yeung	3743 0788	3548 6988
Contractor's Agent	WHPOJV	Mr. Danny HO	2695 8318	2957 8213
ET Leader	ET (ETL)	Mr C. L. Lau	2946 7791	2695 3944

3.0 WORK PROGRESS IN THIS REPORTING MONTH

As informed by the Contractor, the activities in the reporting month include:

- Dredging of Type 1 marine sediment (between CH330 and CH1200 & CH1560 and CH1950 at Portion I);
- Drilling of pipe piles (Portion J);
- Excavation inside the cofferdam (Portion J);
- Installation of the strutting system of the cofferdam (Portion J);
- Outfitting of the launching barge (Portion H1 & H2); and
- Take down existing armouring rock from the sloping seawall at the sea front (Portion H1).



Appendix J shows the details of works daily dredging of this reporting month.

4.0 IMPACT NOISE MONITORING

4.1 Monitoring Requirements

As the requirement in the EM&A Manual, impact noise monitoring was conducted for a weekly basis at designated monitoring locations.

4.2 Monitoring Equipment

Integrating Sound Level Meters used for impact noise monitoring were Type 1 sound level meters capable of giving a continuous readout of the noise level reading including equivalent continuous sound pressure level (L_{eq}) and percentile sound pressure level (L_x). They complied with International Electro technical Commission Publications 651:1979 (Type1) and speed in m/s was used to monitor the wind speed. Table 4.1 summarized the noise monitoring equipment model used during the impact monitoring. Copies of calibration certificates and Calibration Summary for noise meters and calibrators used are attached in Appendix B1.

Table 4.1 Noise Monitoring Equipment

Equipment	Model	Equipment No.	Serial No.	Calibration Date.	Expired Date
Sound Level Meter	Rion NL-31 Sound Level Meter	ET/EN/003/13	00593620	14/09/10	13/09/11
		ET/EN/003/10	00531142	09/06/10	08/06/11
Sound Level Calibrator	Castle GA607	ET/EN/002/07	038641	22/04/10	21/04/11
Anemometer	AZ Instrument AZ 8908	EN/001/04	9101231	10/11/10	09/11/11

4.3 Monitoring Parameters, Duration and Frequency

Impact noise monitoring for the A-weighted levels L_{eq} , L_{10} and L_{90} were recorded once per week. Data obtained from impact noise monitoring was processed and presented as below:

- Daytime: three sets of 30-minute noise level monitored between 0700-1900 hrs on normal weekdays;
- Evening-time*: three sets of 5-minute noise level monitored between 1900-2300 hrs ;
- Night-time*: three sets of 5-minute noise level monitored between 2300-0700 hrs of next day; and
- Holiday*: three sets of 5-minute noise level monitored between 0700-1900 hrs on holiday.

(*): Noise monitoring to be conducted only when there is construction work.

Duration, frequencies and parameters of noise measurement are presented in Table 4.2.

Table 4.2 Duration, Frequencies and Parameters of Noise Monitoring

Time period	Duration/min	No. of Set(s)	Parameters
Day-time: 0700-1900 hrs on normal weekday	30	1	L_{eq} , L_{10} , L_{90}
Evening-time: 1900-2300 hrs	5	3	L_{eq} , L_{10} , L_{90}
Night-time: 2300-0700 hrs of next day	5	3	L_{eq} , L_{10} , L_{90}
Holiday-time: 0700-1900 hrs on holiday	5	3	L_{eq} , L_{10} , L_{90}

4.4 Monitoring Locations

In accordance with the EM&A Manual, the proposed noise monitoring station at the Harbourside (KS4) was cancelled since the owner of the Harbourside and nearby NSRs rejected to perform baseline and impact noise monitoring at their property. As a result, there was one noise monitoring location KS6 (The Cullinan) selected at West Kowloon to conduct impact environmental monitoring.



At Sai Yung Pun, the location at the noise station CG (Connaught Garden) was unavailable for impact noise measurement because the building repairing and maintenance works was carrying out in the Connaught Garden and will be finished in May 2011. Hence, noise monitoring at noise station CG was moved to another noise station CGa (pavement in front of Connaught Garden) temporarily until the completion of repairing and maintenance works at Connaught Garden since CGa locates close to the major site activities which are likely to have noise impacts and low disturbance to the occupants was observed during the noise monitoring. As a result, there were three noise monitoring locations, CGa (Pavement in front of Connaught Garden), RWM (Roof at Richwealth Mansion) and KY3 (Roof at Kwan Yik Building Phase 3) selected to conduct impact environmental monitoring.

Beside, the locations at the noise stations, RWM (Roof at Richwealth Mansion) and KY3 (Roof at Kwan Yik Building Phase 3), were unavailable for impact evening-time and night-time noise measurement because the building owners reject ET to carry out noise monitoring during such two periods due to security. Hence, evening-time and night-time noise monitoring at noise stations, RWM and KY3 were moved to pavement in front of Richwealth Mansion and Kwan Yik Building Phase 3. The details of noise monitoring stations are summarized in Table 4.3.

Table 4.3 Noise Monitoring Stations

<i>Daytime and Holiday-time Noise monitoring station</i>	<i>Description of location</i>	<i>Type of Measurement</i>
KS6	Podium at the Culliman	Façade
CGa	Pavement in front of Connaught Garden	Façade
RWM	Roof at Richwealth Mansion	Free Field
KY3	Roof at Kwan Yik Building Phase 3	Free Field
<i>Evening-time and Night-time Noise monitoring station</i>	<i>Description of location</i>	<i>Type of Measurement</i>
KS6	Podium at the Culliman	Façade
CGa	Pavement in front of Connaught Garden	Façade
RWM	Pavement at Richwealth Mansion	Façade
KY3	Pavement at Kwan Yik Building Phase 3	Façade

4.5 Monitoring Methodology

Instrumentation

Integrating Sound Level Meters were employed for noise monitoring.

Operation/Analysis Procedures

- Sound Level Meter was set on a tripod at a height of 1.2m above the ground;
- For free field measurement, the meter was positioned away from any nearby reflective surfaces.
- The battery condition was checked to ensure the correct functioning of the meter;
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
 - Frequency weighting : A
 - Time weighting : Fast
 - Time measurement : 30 mins
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94 dB at 1000HZ. If the difference in the calibration level before and after measurement was more than 1.0 dB(A), the measurement would be considered invalid and repeat measurement would be required after re-calibration or repair of the equipment;
- During the monitoring period, the L_{eq} , L_{10} and L_{90} were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet;
- 3dB(A) correction had been added to the results if noise measurements were free-field;
- Noise measurement may be paused during periods of high intrusive noise (e.g. dog barking directly towards the receiver of noise level meter). If noise measurement was paused during high intrusive noise, the noise level meter would be resumed and continued the noise measurement and the observations would also be recorded. Any pause intervals were not included in the measurement time; and



- Noise monitoring would be cancelled in the presence of fog, rain, storm, wind with a steady speed exceeding 5m/s, or wind gusts exceeding 10m/s.

Maintenance and Calibration

- The microphone head of the sound level meter and calibrator are cleaned with soft cloth at quarterly intervals; and
- The meters are sent to supplier or HOKLAS laboratory to check and calibrated at yearly intervals.

4.6 Actions and Limit Levels

The Action and Limit Levels (AL Levels) were established in accordance to the Table 4.2 of the EM&A Manual. Table 4.4 presents the AL levels for noise monitoring.

Table 4.4 Action and Limit Levels for Noise Monitoring

<i>Time Period</i>	<i>Action</i>	<i>Limit</i>
<i>0700 –1900 hrs on normal weekday (Day-time)</i>	<i>When one documented complaint is received</i>	<i>75 dB(A) *</i>
<i>1900-2300 hrs (Evening-time)</i>		<i>70 dB(A)</i>
<i>0700-1900 hrs on Holiday (Holiday-time)</i>		<i>70 dB(A)</i>
<i>Restricted hours (2300-0700 hrs of next day) (Night-time)</i>		<i>55 dB(A)</i>

* reduce to 70dB(A) for school and 65dB(A) during school examination periods

4.7 Event-Action Plans

Should the results of the monitoring parameters at any designated monitoring stations indicate that the noise level criteria are exceeded, the actions in accordance with the Event and Action Plan that summarized in Appendix D should be carried out.

4.8 Results

Totally 5 occasions at KS6 and 4 occasions at CGa, RWM and KY3 of day-time noise monitoring, 4 occasions of evening-time noise monitoring, 0 occasion of night-time noise monitoring and 3 occasions of holiday-time noise monitoring at all four noise monitoring stations (KS6, CGa, RWM and KY3) were carried out in this reporting month.

No exceedances of Action Level of noise monitoring were recorded in this reporting month since no complaint on noise issue was received.

No exceedance in Limit Level was recorded in reporting month.

Table 4.5 summaries the noise daytime monitoring results in the reporting period.



Table 4.5 Summary of Noise Daytime Monitoring Results

Monitoring Parameter	Date	KS6			
		Time	Result	Exceed*	
Daytime	03/12/10	15:00	63.8	X	
	10/12/10	15:14	65.5	X	
	17/12/10	15:43	64.2	X	
	24/12/10	17:05	62.8	X	
	31/12/10	15:15	61.6	X	
Evening-time	04/12/10	19:45	60.4	X	
	04/12/10	19:50	61.4	X	
	04/12/10	19:55	60.7	X	
	11/12/10	22:10	64.2	X	
	11/12/10	22:15	62.1	X	
	11/12/10	22:20	62.8	X	
	24/12/10	21:10	62.9	X	
	24/12/10	21:15	64.1	X	
	24/12/10	21:20	63.3	X	
	31/12/10	19:45	60.4	X	
	31/12/10	19:50	60.1	X	
Holiday-time	05/12/10	08:50	60.4	X	
	05/12/10	08:55	60.2	X	
	05/12/10	09:00	60.0	X	
	12/12/10	15:05	64.5	X	
	12/12/10	15:10	64.8	X	
	12/12/10	15:15	64.6	X	
	25/12/10	17:05	62.2	X	
	25/12/10	17:10	61.6	X	
Monitoring Parameter	Date	CGa			
		Time	Result	Exceed*	
	Daytime	08/12/10	11:55	74.3	X
		15/12/10	11:10	74.6	X
		22/12/10	09:15	71.1	X
		29/12/10	11:00	74.6	X
	Evening-time	04/12/10	20:35	67.9	X
		04/12/10	20:40	68.2	X
		04/12/10	20:45	68.1	X
		11/12/10	20:30	70.0	X
		11/12/10	20:35	69.7	X
		11/12/10	20:40	69.9	X
		24/12/10	21:50	70.0	X
		24/12/10	21:55	69.5	X
		24/12/10	22:00	69.8	X
		31/12/10	21:00	69.4	X
31/12/10		21:05	68.9	X	
Holiday-time	05/12/10	09:40	69.2	X	
	05/12/10	09:45	69.5	X	
	05/12/10	09:50	69.8	X	
	12/12/10	12:55	69.3	X	
	12/12/10	13:00	69.7	X	
	12/12/10	13:05	69.6	X	
	25/12/10	14:55	70.0	X	
	25/12/10	15:00	70.0	X	
25/12/10	15:05	70.0	X		



Monitoring Parameter	Date	RWM		
		Time	Result	Exceed*
Daytime	08/12/10	12:30	64.2	X
	15/12/10	10:35	68.2	X
	22/12/10	09:50	62.1	X
	29/12/10	11:35	63.1	X
Evening-time	04/12/10	20:55	66.7	X
	04/12/10	21:00	67.2	X
	04/12/10	21:05	67.5	X
	11/12/10	20:50	69.8	X
	11/12/10	20:55	70.0	X
	11/12/10	21:00	69.8	X
	24/12/10	22:10	69.9	X
	24/12/10	22:15	69.7	X
	24/12/10	22:20	70.0	X
	31/12/10	21:20	67.9	X
	31/12/10	21:25	68.2	X
Holiday-time	05/12/10	10:00	60.4	X
	05/12/10	10:05	61.0	X
	05/12/10	10:10	61.1	X
	12/12/10	13:15	65.6	X
	12/12/10	13:20	65.1	X
	12/12/10	13:25	64.7	X
	25/12/10	15:15	60.5	X
	25/12/10	15:20	60.8	X
	25/12/10	15:25	61.1	X
Monitoring Parameter	Date	KY3		
		Time	Result	Exceed*
Daytime	08/12/10	11:20	63.4	X
	15/12/10	10:00	67.3	X
	22/12/10	10:25	61.7	X
	29/12/10	13:10	61.8	X
Evening-time	04/12/10	21:15	68.1	X
	04/12/10	21:20	68.4	X
	04/12/10	21:25	68.6	X
	11/12/10	21:10	69.1	X
	11/12/10	21:15	67.5	X
	11/12/10	21:20	67.0	X
	24/12/10	22:30	69.8	X
	24/12/10	22:35	67.3	X
	24/12/10	22:40	65.8	X
	31/12/10	21:40	67.4	X
	31/12/10	21:45	68.6	X
Holiday-time	05/12/10	10:20	61.6	X
	05/12/10	10:25	61.5	X
	05/12/10	10:30	61.0	X
	12/12/10	13:40	63.8	X
	12/12/10	13:45	63.3	X
	12/12/10	13:50	63.5	X
	25/12/10	15:40	60.0	X
	25/12/10	15:45	59.8	X
	25/12/10	15:50	59.8	X

Remark (*): L = Limit Level exceedance, A = Action Level exceedance and X = not an Exceedance
 (†): Since daytime and holiday-time noise measurements at monitoring stations RWM and KY3 were free-field, 3dB(A) correction had been added to the results.



The summary of noise exceedances is shown in Table 4.6.

Table 4.6 Summary of Impact Noise Exceedances in this reporting month

Exceedance Level	Daytime	Evening-time	Night-time	Holiday-time
Action	0	0	0	0
Cumulative	0	0	0	0
Limit	0	0	0	0
Cumulative	0	0	119	0

5.0 WATER QUALITY MONITORING

5.1 Monitoring Requirements

In accordance with the EM&A Manual, impact water quality monitoring was conducted three days per week during the course of the marine construction works.

5.2 Monitoring Locations

In accordance with the EM&A Manual, the proposed water quality monitoring station R8 – Macau Ferry Terminal was cancelled since it is located inside the restricted area. Another monitoring location R8a was proposed to replace R8 for impact water quality monitoring. As a result, totally four control stations and nine impact stations were selected to conduct impact water quality monitoring for the Project. Table 5.1 shows the water quality monitoring stations of the Project.

Table 5.1 Water Quality Monitoring Stations

ID	Station	Easting	Northing
R5	Green Island	830 175.979	816 179.217
R6	Prince Philip Dental Hospital	833 437.625	816 747.640
R7	Tsan Yuk Hospital	833 461.092	816 744.773
R8a	Macau Ferry Terminal	833 573	816 885
R15 *	Kowloon South Pumping Station	833 982.630	818 282.101
R16	Kowloon Government Offices Building	834 335.800	817 769.145
R17	Canton Road Government Offices Building	834 364.658	817 802.847
R28	WSD Kennedy Town Salt Water Pumping Station	830 707	815 983
R29	WSD Sheung Wan Salt Water Pumping Station	833 414	816 745
C1	Control Station	830 797.729	819 163.377
C2	Control Station	836 350.628	817 135.218
C3	Control Station	829 495.126	817 228.312
C4	Control Station	836 638.773	816 686.030

Remark (*): Station R15 = WSD Seawater Intake

Control stations, C2 and C4, should be the upstream control station for all impact monitoring stations at mid-flood and Control Stations, C1 and C3, should be the upstream control station for all monitoring stations at mid-ebb.

5.3 Monitoring Parameters

Monitoring parameters listed in Table 5.2 shall be monitored by the ET to ensure that any deteriorating water quality could be readily detected and timely action be taken to rectify the situation. Table 5.3 shows the other relevant water quality data recorded during the impact water quality monitoring.

Table 5.2 Water Quality Monitoring Parameters

In-situ measurement	Laboratory analysis
Dissolved Oxygen (DO) (mg/L)	Suspended solids (SS) (mg/L)
Turbidity (NTU)	



Table 5.3 Other relevant water quality parameters

<i>Water Quality Parameters</i>	
<i>Tidal stages</i>	<i>Water depth (m)</i>
<i>Dissolved Oxygen saturation (%)</i>	<i>Salinity (ppt)</i>
<i>Temperature (°C)</i>	<i>Weather Condition</i>

5.4 Monitoring Frequency

The frequency of impact water quality monitoring of water quality is summarized in Table 5.4.

Table 5.4 Monitoring Frequency of Impact Water Quality Monitoring

<i>Frequency</i>	<i>Monitoring Depth</i>
3 days/week, 2 tides/day	For water depth greater than 6m: Three water depths (1m below Surface, mid-depth and 1m above bottom). For water depth less than 6m but greater than 3m: Two water depths: (1m below Surface and 1m above bottom). For water depth less than 3m: One water depth (Mid-depth)

5.5 Monitoring Methodology and Equipment Used

Refer to the requirement in Appendix D2 "General Technical Requirements of Environmental Monitoring" (TM) in the Environmental Monitoring and Audit Guidelines for Development Projects in Hong Kong published by EPD, water samples for all monitoring parameter were collected, stored, preserved and analysed according to the Standard Method APHA 19ed.. In-situ measurements at monitoring locations including DO, turbidity, salinity and water depth were collected by equipment with the characteristic and functions listed as below:

Location of the monitoring stations

A hand-held digital Global Positioning System (GPS) was used to identify the designated monitoring stations prior to water sampling.

Water Depth measurement

A portable, battery-operated echo sounder was used for the determination of water depth at each designated monitoring station.

In-situ Water Quality Monitoring Equipment

All in-situ monitoring instruments shall be checked, calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme before use, and subsequently re-calibrated at 3 monthly intervals or sometimes longer throughout all stages of the water quality monitoring. Responses of sensors and electrodes should be checked with certified standard solutions before each use. Wet bulb calibration for a DO meter shall be carried out before measurement at each monitoring location.

Dissolved Oxygen, salinity and temperature measuring equipment

A portable, weatherproof dissolved oxygen & salinity measuring instrument, which complete with cable, sensor and DC power source (e.g. YSI 85 or equivalent) was used for measuring:

- a dissolved oxygen level in the range of 0-20 mg/L and 0-200 % saturation;
- a salinity in range 0-40 ppt; and
- a temperature of 0-45 degree Celsius

A membrane electrode with automatic temperature compensation complete with a cable was installed.

Turbidity Measurement Instrument

A portable, weatherproof turbidity-measuring instrument with DC power source was used. It has a photoelectric sensor capable of measuring turbidity between 0-1000 NTU and be complete with a cable (e.g. HACH model 2100P or equivalent)



Water Sampling and Sample Analysis

In-situ monitoring was carried out at three depths: 1 meter below water surface, at mid-depth and 1 meter above the seabed. If the water depth is less than 6 m, the mid-depth station shall be omitted and if the water depth is below 3 m, only the mid depth station shall be monitored.

A water sampler comprising a transparent PVC cylinder, with a capacity of not less than 2 litres, was lowered into the water body at the predetermined depth. The opening ends of the sampler were then closed accordingly and water samples were collected.

The sample container, made by high-density polythene, was rinsed with a portion of the water sample. The water sample was then transferred to the container, labelled with a unique sample ID and sealed with a screw cap. The water samples were stored in a cool box maintained at 4°C. The water samples were then delivered to Environmental Laboratory of ETS-Testconsult Ltd (HOKLAS Registration No. 022) on the same day for analysis.

5.6 Details of site Equipment used for In-situ Measurement

All in-situ monitoring instruments were checked, calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme before use, and subsequently re-calibrated at 3 monthly intervals or sometimes longer throughout all stages of the water quality monitoring. Wet bulb calibration for a DO meter was carried out before measurement at each monitoring location.

Table 5.5 shows the equipment used for in-situ monitoring of water quality. The calibration certificates are attached in Appendix C1.

Table 5.5 Details of Monitoring Equipment (In-site measurement)

Parameter	Model	Date of Calibration	Due Date	Equipment No.	Serial No.
Coordinate of Monitoring stations	Magellan GPS Navigator	----	----	ET/EW/005/03	211836B
Dissolved Oxygen (Saturation), Temperature and Salinity	YSI Dissolved Oxygen, Salinity & Temperature Meter, YSI 85	23/11/10	22/02/11	ET/EW/008/002*	06C1998AD
Turbidity	HACH Model 2100P Turbid Meter	15/10/10	14/01/11	ET/0505/007*	08060C030281
Water Depth	Speedtech Instrument SM-5A	----	----	ET/EW/002/04	56657

Remark: (*) indicates the instrument should be calibrated on use.

5.7 Quality Assurance (QA) / Quality Control (QC) results and Determination Limits

At each measurement/sampling depth, two consecutive measurements of dissolved oxygen (DO), dissolved oxygen saturation (DOS), turbidity and salinity were taken. The probes were retrieved out of the water after the first measurement and then re-deployed for the second measurement. If the difference between the first and second measurement is greater than 25% the reading was discarded and the measurements were repeated.

At the laboratory analysis of water sample, test method of test parameter as required by the EM&A Manual, with the QA/QC results in accordance with the requirement of HOKLAS or international accredited scheme is shown in Table 5.6. For the QA/QC procedures, one QC sample, one duplicate sample and one sample spike of every batch of 20 samples were analysis. The QA/QC results are summarized in Appendix C4

Table 5.6 Summary of test method

Laboratory Analysis	Testing Procedure	Method Detection Limit
Total suspended solids	In house method based on APHA 19 th ed 2540D	1.0 mg/L



5.8 Action and Limit Level

The water quality criteria, namely Action and Limit (A/L) levels are presented in the table below.

Table 5.7 Water Quality Action and Limit Levels

Parameter	Action Level	Limit Level
DO (mg/L) (Surface, Middle & Bottom)	<u>Surface, Middle & Bottom</u> WSD Seawater Intakes 2 mg/L (For R15) Other Impact Monitoring Stations 5.65 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)	<u>Surface & Middle</u> WSD Seawater Intakes 2 mg/L (For R15) Other Impact Monitoring Stations 5.51 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29) <u>Bottom</u> 5.11 mg/L (For R15, R5, R6, R7, R8a, R16, R17, R28 and R29)
SS (mg/L) (Depth-averaged)	WSD Seawater Intakes 10 mg/L (For R15) Other Impact Monitoring Stations 12.7 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)	WSD Seawater Intakes 10 mg/L (For R15) Other Impact Monitoring Stations 12.7 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)
Turbidity (NTU) (Depth-averaged)	WSD Seawater Intakes 10 NTU Other Impact Monitoring Stations 6.48 NTU (For R5, R6, R7, R8a, R16, R17, R28 and R29)	WSD Seawater Intakes 10 NTU Other Impact Monitoring Stations 6.82 NTU (For R5, R6, R7, R8a, R16, R17, R28 and R29)

- Notes: 1. "depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
2. For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
3. For turbidity and SS, non-compliance of water quality limits occurs when monitoring result is higher than the limits.
4. All the figures given in the table are used for reference only and the EPD may amend the figures whenever it is considered as necessary.

5.9 Event and Action Plan

Please refer to the Appendix D for details.

5.10 Monitoring Duration and Period In this reporting month

Daily water quality monitoring duration are detailed in Appendix C2. Below is the time schedule for the water quality monitoring conducted in this reporting month:

Table 5.8 Schedule for Impact Water Quality Monitoring

December 2010						
Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

Remarks: (▼) = Marine water quality monitoring carried out by ET.

5.11 Results

The impact water quality measurement results are detailed in Appendix C2. Appendix C3 presents the water quality monitoring data and graphical presentations of monitoring results respectively.

The summary of marine water quality exceedances is shown in Table 5.9.



Table 5.9 Summary of Impact Marine Water Quality Exceedances in this reporting month

Exceedance Level	DO		Turbidity		SS		Cumulative	
	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb
Action	0	0	0	0	0	0	0	0
Limit	0	0	0	0	0	0	0	0

According to the summary of marine water monitoring results, no exceedances of Action and Limit levels were recorded for this reporting month.

6.0 ENVIRONMENTAL SITE INSPECTION

During this reporting month, weekly site inspections were undertaken on 07, 14, 24 and 28 December 2010 by ET. Monthly joint site inspection at 28 December 2010 was carried out by Engineer's Representative, IEC, WHPOJV and ET. A summary of implementation status of mitigation measures on site inspections is presented in Appendix G.

6.1 Summary of the ET weekly site inspection findings

According to the summary of the ET weekly site inspections carried out in December 2010, it indicated that site practices of the Contractor were generally undertaken in an environmentally acceptable manner and the overall site environmental performance was satisfactory. Summary of the site inspection findings in this reporting month is shown in Table 6.1.

Table 6.1 Summary of Site Inspection Findings

Item	Aspect	Finding	Action(s) taken by the Contractor	ET Verification	Status of the finding
1	Water	Silt screen at the sea water intake at Kowloon South Salt Water Pumping Station was found broken during the weekly site inspection on 28/12/10. (Photo 101228_001)	The Contractor have arranged workers to repair the damaged part on the same inspection day. (Photo 101228_002)	No further ET verification was required since the finding was rectified immediately on the date of inspection.	Closed

6.2 Recommendations on site inspection findings in Site Inspections of this month

Based on the site inspection findings, the recommendations are as below:

- Minimize noise and dust impact due to construction works;
- Use and maintain silt curtain and silt screen properly;
- Adequate environmental control measures shall be provided to prevent / avoid dropping of dredged materials into the sea during the transfer;
- Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste; and
- Checking and maintaining all the site machines to prevent black smoke emission;
- Providing briefing to the concerned site staff on remedial actions, such as handling method of chemicals and chemical waste;
- Remove all stagnant water;
- Apply proper treatment facilities to wastewater before discharge; and
- Maintain good waste management at the site.

7.0 STATUS OF ENVIRONMENTAL PERMITS

Permits/licenses valid in this reporting month are summarized in Table 7.1.

Table 7.1 Summary of Environmental Licensing and Permit valid in this reporting month

Description	Permit No.	Valid Period		Remarks
		From	To	
Environmental Permit	EP-273/2007	31/07/07	End of Project	Whole Project
Water Discharge Licence (West Kowloon)	WT00005347-2009	07/01/10	31/01/15	Effluent and all other wastewater arising from the construction site through Screen & Sedimentation Tank
Water Discharge Licence (Sai Yung Pun)	WT00005800-2010	14/01/10	31/01/15	Effluent arising from the construction site through Sedimentation Tank
Chemical Waste Producer	5213-217-W3086-01	13/10/09	End of Project	Spent oil, surplus flammable liquid, surplus paint, soil, rags & containers contaminated with lubricating oil, diesel, flammable liquid & paint, & used batteries
Construction Noise Permit (West Kowloon)	GW-RE0502-10	21/10/10	20/04/11	One Dredger, grab (CNP 063) Two Guard boat One Tug boat (CNP 221) One Generator, standard (CNP 101)
Construction Noise Permit (Sai Ying Pun)	GW-RS0756-10	12/09/10	11/03/11	One dredger, grab (CNP 063) Two Guard boat One Tug boat (CNP 221) Hopper barge
Construction Noise Permit (Sai Ying Pun)	GW-RS1143-10	23/12/10	19/06/11	One Crane, mobile(diesel) (CNP 048) One Air compressor with Noise Emission Label showing a sound power level of $\leq 98\text{dB(A)}$ One Generator, silenced, 71dB(A) at 7m
Dumping Licence	EP/MD/11-069	01/10/10	31/03/11	Bulk quantity of material approved for dumping at the South Cheung Chau Spoil Disposal Area denoted "LWCHMALM" within permit validity period: 130000 cu.m. (for Type 1 – Open Sea Disposal)
Notification under APCO	Application had been submitted to EPD on 25/09/09 and approved from 29/09/09.			

8.0 WASTE MANAGEMENT

8.1 Monthly Waste Summary

The quantities of waste generated from the Project in this month are summarized in Table 8.1.

Table 8.1 Summary of Quantities of Waste for Disposal in this reporting month

Type of Waste		Quantity	Disposal Location	Cumulative Quantity
Inert C&D Materials	Total Quantity Generated (in m ³)	1034.71		7611.66
	Broken Concrete (in m ³)	0	---	0
	Reused in the Contract (in m ³)	0	---	0
	Reused in other Projects (in m ³)	0	---	0
	Disposal as Public Fill (in m ³)	1034.71	SENT Landfill	7611.66
C&D Waste	Metals (in kg)	0	---	0
	Paper/Cardboard Packaging (in kg)	13	Collected by recycling company	78
	Plastics (in kg)	0	---	0
	Chemical Waste (in kg)	0	---	0
	Other, e.g. General Refuse (in m ³)	3.37	SENT Landfill	55.11
Dredged Materials*	Type 1 (in m ³)	16500	East Ninepin Mud Disposal Ground	157000
	Type 2 (in m ³)	0	The East Sha Chau	104990

Remark (*): Daily Dredging Summary for this reporting month presents in Appendix J

8.2 Advice on the Solid and Liquid Waste Management Status

The Contractor should provide sufficient preventive measures during equipment maintenance works so as to avoid oil leakage on the ground. In the event of any oil leakage, the Contractor should clean up the polluted soil and handle all the materials used for this cleaning works as chemical waste.



Besides, pre-cast drip trays were provided for oil drums at several areas, such as barge and chemical storage area. The Contractor should collect and dispose of any stagnant water accumulated in the drip trays and handle them as chemical waste.

The Contractor should use suitable containers with proper labels to store chemical wastes in accordance with Code of Practice on the Packaging, Labeling and Storage of Chemical Waste. The Contractor should also advise their workers of the proper procedures in handling the chemical waste.

All the trip tickets for chemical waste disposal were properly kept in the site office. No chemical waste disposal was undertaken in the reporting month.

The Contractor was reminded to increase the frequency of inspection and cleaning of the site drainage system, including desilting facilities. Moreover, the Contractor should apply approved pesticides in the stagnant water.

9.0 ENVIRONMENTAL NON-CONFORMANCE

9.1 Summary of Noise and Water Quality

No exceedances of Action and Limit Level of marine water quality monitoring results were recorded during the reporting month.

No exceedances of Action and Limit Level of noise monitoring were recorded in this reporting month

9.2 Summary of Environmental Complaints

There was no complaint received in this reporting month.

9.3 Summary of Notification of Summons and Prosecution

There was no notification of summons respect to environmental issues registered in this reporting month.

10.0 IMPLEMENTATION STATUS

10.1 Implementation Status of Environmental Mitigation Measures

An updated summary of the Environmental Mitigation Implementation Schedule (EMIS) is presented in Appendix G. Most of the necessary mitigation measures were implemented properly. Any deficiencies were noted in the remarks of the schedule.

10.2 Implementation Status of Event and Action Plan

Since no exceedances of Action and Limit Level of noise and water quality monitoring were recorded during the reporting month, no further action was required.

10.3 Implementation Status of Environmental Complaint, Notifications of Summons and Successful Prosecutions Handling

No complaints, notifications of summons and successful prosecutions were received in this reporting month. A summary of environmental complaints, notifications of summons and successful prosecutions was given in Table 10.1.

Table 10.1 Summary of Environmental Complaints and Prosecutions

Complaints logged		Summons served		Successful prosecution received	
December 2010	Cumulative	December 2010	Cumulative	December 2010	Cumulative
0	0	0	0	0	0



11.0 CONCLUSIONS AND RECOMMENDATIONS

Conclusions

Impact monitoring of noise and water quality were carried out at designated locations in accordance with the EM&A Manual in this reporting month.

No exceedances of Action and Limit Level of water quality monitoring results were recorded during the reporting month.

No exceedances of Action and Limit Level of noise monitoring were recorded in this reporting month.

According to the ET weekly site inspections carried out in this reporting month, the Contractor generally implemented sufficient environmental mitigation measures.

No complaints, prosecutions or notifications of summons were received in this reporting month.

Recommendations

According to the environmental site inspections performed in the reporting month, the following recommendations were provided:

Air Quality

- Ensure the frequency of water spraying on unloading areas and stockpiles to be sufficient to suppress the dust sources;
- Provide proper maintenance for the powered mechanical equipment and barges to avoid emission of dark smoke; and
- Implement the dust mitigation measures for the site activities.

Noise

- Conduct noisy activities at a farther location from the NSRs.

Water Quality

- Maintain the drainage system regularly;
- Operate and maintain the silt curtains and silt screen regularly;
- Operate the cleaning vessel regularly;
- Provide proper treatment for the wastewater discharge;
- Clean up the fill material on the barge frequently; and
- Remove the stagnant water or provide approved pesticides for the stagnant water, if any.

Chemical and Waste Management

- Remove waste materials from the site to avoid accumulation regularly;
- Handle and store chemical wastes properly;
- Remove unwanted material in the existing stockpiles and avoid further dumping of such material;
- Provide and maintain sufficient drip trays for diesel drums, chemical containers, chemical waste storage drums and diesel operated generator set;
- Maintain good housekeeping at the works area;
- Avoid soil being polluted during oil filling and equipment maintenance; hence, properly remove and store the contaminated soil, if any.

12.0 FUTURE KEY ISSUES

12.1 Work Programme for the Coming Month

As informed by the Contractor, the activities to be conducted by them in the next month included:

- *Outfitting of the launching barge (Portion H1 & H2);*
- *Pipe piles installation at Land and Seawall Portion (Portion H1);*
- *Take down existing armouring rock from the sloping seawall at the sea front (Portion H1);*
- *Pipe piles installation at Marine and Seawall Portion (Portion J);*
- *Excavation inside the cofferdam (Portion J);*
- *Installation of the strutting system for the cofferdam (Portion J);*
- *Trimming of high spot of Type 1 marine sediment between CH0 and CH1960 (Portion I);*



- *Placing granular material as bedding layer to the over dredged area (Portion I);*
- *Drilling of pipe pile (construction of cofferdam) in West Kowloon (Portion I).*

12.2 Key Issues for the Coming Month

Key issues to be considered in the coming month include:

- *Noise and dust impact due to construction works;*
- *Use and maintain silt curtain and silt screen properly;*
- *Adequate environmental control measures shall be provided to prevent / avoid dropping of dredged materials into the sea during the transfer;*
- *Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste; and*
- *Maintain good site practice to minimize environmental impacts at the site.*

Mitigation measures to be required in the coming month:

Air Quality Impact

- *To ensure implementation of the dust mitigation measures for the site activities;*
- *To provide proper maintenance for vehicles and machines on site; and*
- *To investigate any other dust sources around the air sensitive receivers*

Noise

- *To switch off equipment if not in use;*
- *To operate silent equipment;*
- *To identify the noise sources inside and outside of the site; and*
- *To re-schedule the work activities in the event of valid noise exceedance.*

Water Quality Impact

- *To maintain the drainage system;*
- *To repair, inspect and maintain the silt curtains and site screen regularly;*
- *To provide covers for the drip trays to avoid stagnant water due to rainfall;*
- *To provide proper treatment for wastewater from the area;*
- *To deploy a cleaning vessel to remove floating rubbish;*
- *To avoid dredged materials on the barge from being washed into the sea; and*
- *To avoid any stagnant water or provide insecticide to avoid mosquito breeding.*

Chemical and Waste Management

- *To remove waste from the site regularly;*
- *To properly store and handle chemical wastes on site;*
- *To implement trip ticket system for all the imported public fill and general refuse disposal;*
- *To provide and manage sufficiently sized drip trays for diesel drums or chemical containers;*
- *To maintain proper housekeeping;*
- *To remove the oil stains in the event of leakage and handle all materials using for this cleaning works as chemical waste; and*
- *To identify C&D material by packaging, labeling, storage, transportation and disposal in accordance with statutory regulations.*


12.3 Monitoring Schedule for the Coming Month


The proposed EM&A program of the coming month is attached in Appendix I.



Appendix A

Organization Chart and Lines of Communication





Project Laying of Western Cross Harbour Main and Associated Land Mains From West Kowloon to Sai Ying Pun - Investigation

Title Project Organization and Line of Communication

Date Dec 2009

Figure 1.3a



Appendix B1

Calibration Certificates for Impact Noise Monitoring Equipment



Calibration Certificate

Certificate No. **02909A**

Page 1 of 4 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q01152

Date of receipt : 31-May-10

Item Tested

Description : Precision Integrating Sound Level Meter (ET/ EN/ 003/ 10)

Manufacturer : Rion

Model : NL-31

Serial No. : 00531142

Test Conditions

Date of Test : 9-Jun-10

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.

The results are shown in the attached page(s).


Main Test equipment used:


<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Due Date</u>	<u>Traceable to</u>
S017	Multi-Function Generator	C101623	25-Mar-11	SCL-HKSAR
S024	Sound Level Calibrator	93758	16-Jul-10	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by : 
Dorothy Cheuk

Approved by : 
Alan Chu

Date: 15-Jun-10

This Certificate is issued by:
Hong Kong Calibration Ltd.
Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.
Tel: 2425 8801 Fax: 2425 8646



Calibration Certificate

Certificate No. 02909A

Page 2 of 4 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 - 100	L _A	Fast	94.03	93.7
		Slow		93.7
	L _C L _p	Fast		93.7
		Fast		93.7
30 - 120	L _A	Fast	94.03	93.7
		Slow		93.6
	L _C L _p	Fast		93.7
		Fast		93.7
30 - 120	L _A	Fast	113.97	113.6
		Slow		113.6
	L _C L _p	Fast		113.6
		Fast		113.6


IEC Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

2. Level Stability : 0.0 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 02909A

Page 3 of 4 Pages

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	113.9	+0.2	± 0.7 dB
130	104.0	103.9	+0.2	
120	94.0	93.7 (Ref.)	--	
110	84.0	84.1	+0.4	
100	74.0	73.7	0.0	
90	64.0	63.7	0.0	
80	54.0	53.7	0.0	

Uncertainty : ± 0.1 dB

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	83.5	-0.2	± 0.4 dB
	94.0	93.7 (Ref.)	--	
	95.0	94.7	0.0	± 0.2 dB
	104.0	103.8	+0.1	± 0.3 dB
	105.0	104.8	0.0	± 1.0 dB

Uncertainty : ± 0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-40.2	- 39.4 dB, ± 1.5 dB
63 Hz	-26.7	- 26.2 dB, ± 1.5 dB
125 Hz	-16.7	- 16.1 dB, ± 1 dB
250 Hz	-9.1	- 8.6 dB, ± 1 dB
500 Hz	-3.6	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+1.6	+ 1.2 dB, ± 1 dB
4 kHz	+1.6	+ 1.0 dB, ± 1 dB
8 kHz	-0.5	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	-6.0	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 02909A

Page 4 of 4 Pages

4. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	39.9	± 0.5 dB
1/10 ²	40.0	40.0	
1/10 ³	40.0	40.0	± 1.0 dB
1/10 ⁴	40.0	39.9	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.
3. Atmospheric Pressure : 1 002 hPa.
4. This certificate is to supersede our former certificate no. 02909.

----- END -----



Calibration Certificate

Certificate No. **05083**

Page 1 of 3 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q02020

Date of receipt : 8-Sep-10

Item Tested

Description : Precision Integrating Sound Level Meter (ET/EN/003/13)

Manufacturer : Rion

Model : NL-31

Serial No. : 00593620

Test Conditions

Date of Test : 14-Sep-10

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.

The results are shown in the attached page(s).

Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017A	Multi-Function Generator	00804	SCL-HKSAR
S024	Sound Level Calibrator	04062	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by : 

P. F. Wong

Approved by : 

Dorothy Cheuk

Date: 14-Sep-10


This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



Calibration Certificate

Certificate No. **05083**

Page 2 of 3 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 - 100	L _A	Fast	94.0	93.7
		Slow		93.7
	L _C	Fast		93.7
		L _p		Fast
30 - 120	L _A	Fast	94.0	93.7
		Slow		93.7
	L _C	Fast		93.7
	L _p	Fast		93.7
30 - 120	L _A	Fast	114.0	113.5
		Slow		113.5
	L _C	Fast		113.5
	L _p	Fast		113.5

IEC 651 Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

2. Level Stability : 0.1 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.1 dB

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	113.9	+0.2	± 0.7 dB
130	104.0	103.9	+0.2	
120	94.0	93.7(Ref.)	--	
110	84.0	83.6	-0.1	
100	74.0	73.7	0.0	
90	64.0	63.7	0.0	
80	54.0	53.7	0.0	

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 05083

Page 3 of 3 Pages

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	83.6	-0.1	± 0.4 dB
	94.0	93.7 (Ref.)	--	
	95.0	94.7	0.0	± 0.2 dB

Uncertainty : ± 0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-40.2	- 39.4 dB, ± 1.5 dB
63 Hz	-26.8	- 26.2 dB, ± 1.5 dB
125 Hz	-16.7	- 16.1 dB, ± 1 dB
250 Hz	-9.2	- 8.6 dB, ± 1 dB
500 Hz	-3.6	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+1.5	+ 1.2 dB, ± 1 dB
4 kHz	+1.5	+ 1.0 dB, ± 1 dB
8 kHz	-0.6	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	-0.6	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : ± 0.1 dB

5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	40.0	± 0.5 dB
1/10 ²	40.0	40.1	
1/10 ³	40.0	40.2	± 1.0 dB
1/10 ⁴	40.0	40.2	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 004 hPa.

4. The internal calibration reference of UUT was drifted from 94.0 dB to 94.5 dB

----- END -----



Calibration Certificate

Certificate No. 01767

Page 1 of 2 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q00732

Date of receipt : 15-Apr-10

Item Tested

Description : Acoustic Calibrator (ET/ EN/ 002/ 07)

Manufacturer : Castle

Model : GA607

Serial No. : 038641

Test Conditions

Date of Test : 22-Apr-10

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : F06, F20, Z02.

Test Results

All results were within the IEC 942 Class 1 specification.

The results are shown in the attached page(s).


Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Due Date</u>	<u>Traceable to</u>
S014	Spectrum Analyzer	93091	18-Jun-10	NIM-PRC & SCL-HKSAR
S024	Sound Level Calibrator	93758	16-Jul-10	NIM-PRC & SCL-HKSAR
S041	Universal Counter	94005	6-Aug-10	SCL-HKSAR
S206	Sound Level Meter	93966	5-Aug-10	SCL-HKSAR


The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).
The test results apply to the above Unit-Under-Test only

Calibrated by :


P.F. Wong

Approved by :


Alan Chu

Date: 23-Apr-10

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8846



Calibration Certificate

Certificate No. 01767

Page 2 of 2 Pages

Results :

1. Level Accuracy

UUT Setting (dB)	Measured Value (dB)	IEC 942 Class 1 Spec.
94	93.88	± 0.3 dB

Uncertainty : ± 0.2 dB

2. Frequency Accuracy

UUT Nominal Value (kHz)	Measured Value (kHz)	IEC 942 Class 1 Spec.
1	1.000	± 2 %

Uncertainty : $\pm 3.6 \times 10^{-6}$

3. Level Stability : 0.0 dB

IEC 942 Class 1 Spec.: ± 1 dB

Uncertainty : ± 0.01 dB

4. Total Harmonic Distortion : < 2.5 %

IEC 942 Class 1 Spec. : < 3 %

Uncertainty : ± 2.3 % of rdg.

Remark : 1. UUT : Unit-Under-Test

2. The above measured values were the mean of 3 measurements.

3. The uncertainty claimed is for a confidence probability of not less than 95%.

4. Atmospheric Pressure : 1 003 hPa.

----- END -----



Calibration Certificate

Certificate No. **06466**

Page 1 of 2 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q02516

Date of receipt : 8-Nov-10

Item Tested

Description : Anemometer (EN/001/04)

Manufacturer : AZ Instrument

Model : AZ 8908

Serial No. : 9101231

Test Conditions

Date of Test : 10-Nov-10

Ambient Temperature : (23 ± 3)°C

Supply Voltage : --

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure: T03, Z04.

Test Results

All results were within the manufacturer's specification.
The results are shown in the attached page(s).

Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S223	Std. Thermometer	01631	NIM-PRC
S155	Std. Anemometer	NSC20104025	NIM-PRC

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).
The test results apply to the above Unit-Under-Test only

Calibrated by :


S. K. Tang

Approved by :


Alan Chu

Date: 10-Nov-10

This Certificate is issued by:
Hong Kong Calibration Ltd.
Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.
Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



Calibration Certificate

Certificate No. 06466

Page 2 of 2 Pages

Results :

1. Velocity

Applied Value (m/s)	UUT Reading (m/s)	Mfr's Spec.
2.50	2.5	± 3 % f.s. (f.s. = 35 m/s)
5.00	4.9	
10.00	9.5	
15.00	14.3	
20.00	19.1	

2. Temperature

Applied Value (°C)	UUT Reading (°C)	Mfr's Spec.
3.10	3.0	± 1 °C
23.98	24.0	
48.20	47.8	

Remark : 1. UUT: Unit-Under-Test

2. Uncertainty : ± 1.3 % or ± 0.05 m/s, whichever is greater for Velocity, ± 0.25 °C for Temperature, for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 011 hPa

----- END -----



Appendix B2

Impact Noise Monitoring Results



Day-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Cullinan)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/12/10	Fine	15:00	15:30	63.8	65.3	61.7	0.6
10/12/10	Fine	15:14	15:44	65.5	67.8	62.6	0.7
17/12/10	Fine	15:43	16:13	64.2	65.3	62.7	0.8
24/12/10	Cloudy	17:05	17:35	62.8	65.7	57.6	1.4
31/12/10	Sunny	15:15	15:45	61.6	62.6	60.4	1.5

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
08/12/10	Fine	11:55	12:25	74.3	76.1	67.8	0.5
15/12/10	Cloudy	11:10	11:40	74.6	76.5	69.7	0.9
22/12/10	Fine	09:15	09:45	71.1	73.5	67.9	0.8
29/12/10	Fine	11:00	11:30	74.6	76.3	68.1	0.2

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
08/12/10	Fine	12:30	13:00	64.2	65.9	60.2	0.8
15/12/10	Cloudy	10:35	11:05	68.2	69.8	65.1	1.2
22/12/10	Fine	09:50	10:20	62.1	64.3	58.6	1.4
29/12/10	Fine	11:35	12:05	63.1	65.2	59.8	0.5

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
08/12/10	Fine	11:20	11:50	63.4	65.2	59.8	1.0
15/12/10	Cloudy	10:00	10:30	67.3	68.5	63.8	1.4
22/12/10	Fine	10:25	10:55	61.7	63.4	58.0	1.2
29/12/10	Fine	13:10	13:40	61.8	64.3	58.9	0.7



Evening-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Culliman)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (5min)	L10	L90	
04/12/10	Fine	19:45	19:50	60.4	61.4	59.3	1.6
04/12/10	Fine	19:50	19:55	61.4	62.6	59.4	1.5
04/12/10	Fine	19:55	20:00	60.7	62.4	59.0	1.7
11/12/10	Fine	22:10	22:15	64.2	67.3	59.7	1.4
11/12/10	Fine	22:15	22:20	62.1	65.2	56.7	1.4
11/12/10	Fine	22:20	22:25	62.8	65.9	57.0	1.4
24/12/10	Cloudy	21:10	21:15	62.9	65.4	59.2	1.5
24/12/10	Cloudy	21:15	21:20	64.1	66.8	60.1	1.5
24/12/10	Cloudy	21:20	21:25	63.3	65.5	59.7	1.5
31/12/10	Fine	19:45	19:50	60.4	61.2	57.3	1.5
31/12/10	Fine	19:50	19:55	60.1	61.0	56.9	1.3
31/12/10	Fine	19:55	20:00	60.6	61.5	57.8	1.4

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (5min)	L10	L90	
04/12/10	Fine	20:35	20:40	67.9	69.8	63.7	1.2
04/12/10	Fine	20:40	20:45	68.2	70.4	64.0	1.3
04/12/10	Fine	20:45	20:50	68.1	70.2	63.9	1.1
11/12/10	Fine	20:30	20:35	70.0	71.2	63.5	0.5
11/12/10	Fine	20:35	20:40	69.7	70.8	62.8	0.5
11/12/10	Fine	20:40	20:45	69.9	71.0	63.9	0.5
24/12/10	Cloudy	21:50	21:55	70.0	73.1	63.5	0.8
24/12/10	Cloudy	21:55	22:00	69.5	72.6	62.3	0.8
24/12/10	Cloudy	22:00	22:05	69.8	72.7	62.5	0.8
31/12/10	Fine	21:00	21:05	69.4	71.2	66.1	1.3
31/12/10	Fine	21:05	21:10	68.9	70.8	65.7	1.4
31/12/10	Fine	21:10	21:15	68.5	70.3	65.4	1.2

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (5min)	L10	L90	
04/12/10	Fine	20:55	21:00	66.7	69.2	62.8	1.4
04/12/10	Fine	21:00	21:05	67.2	69.7	63.1	1.2
04/12/10	Fine	21:05	21:10	67.5	69.9	63.4	1.5
11/12/10	Fine	20:50	20:55	69.8	70.9	63.2	0.4
11/12/10	Fine	20:55	21:00	70.0	71.5	63.8	0.4
11/12/10	Fine	21:00	21:05	69.8	70.8	62.9	0.4
24/12/10	Cloudy	22:10	22:15	69.9	72.9	63.3	0.6
24/12/10	Cloudy	22:15	22:20	69.7	72.6	62.5	0.6
24/12/10	Cloudy	22:20	22:25	70.0	73.0	63.3	0.6
31/12/10	Fine	21:20	21:25	67.9	69.8	65.2	1.6
31/12/10	Fine	21:25	21:30	68.2	70.4	65.5	1.4
31/12/10	Fine	21:30	21:35	68.1	70.1	65.2	1.3



Evening-time Noise Monitoring

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (5min)	L10	L90	
04/12/10	Fine	21:15	21:20	68.1	70.4	64.2	1.6
04/12/10	Fine	21:20	21:25	68.4	70.7	64.6	1.5
04/12/10	Fine	21:25	21:30	68.6	70.9	64.7	1.3
11/12/10	Fine	21:10	21:15	69.1	70.0	61.8	0.5
11/12/10	Fine	21:15	21:20	67.5	69.8	61.5	0.5
11/12/10	Fine	21:20	21:25	67.0	68.8	61.0	0.5
24/12/10	Cloudy	22:30	22:35	69.8	71.6	66.8	0.8
24/12/10	Cloudy	22:35	22:40	67.3	70.7	60.8	0.8
24/12/10	Cloudy	22:40	22:45	65.8	69.4	58.8	0.8
31/12/10	Fine	21:40	21:45	67.4	68.6	64.6	1.2
31/12/10	Fine	21:45	21:50	68.6	69.5	65.8	1.5
31/12/10	Fine	21:50	21:55	68.4	69.3	65.6	1.3



Holiday-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Cullinan)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (5min)	L10	L90	
05/12/10	Fine	08:50	08:55	60.4	61.8	58.7	1.1
05/12/10	Fine	08:55	09:00	60.2	61.3	58.8	1.3
05/12/10	Fine	09:00	09:05	60.0	61.3	58.5	1.2
12/12/10	Cloudy	15:05	15:10	64.5	67.2	60.7	1.5
12/12/10	Cloudy	15:10	15:15	64.8	67.9	60.6	1.5
12/12/10	Cloudy	15:15	15:20	64.6	67.3	60.5	1.5
25/12/10	Cloudy	17:05	17:10	62.2	63.5	60.6	0.9
25/12/10	Cloudy	17:10	17:15	61.6	62.9	60.3	0.9
25/12/10	Cloudy	17:15	17:20	61.2	62.3	60.0	0.9

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (5min)	L10	L90	
05/12/10	Fine	09:40	09:45	69.2	71.4	65.3	0.8
05/12/10	Fine	09:45	09:50	69.5	71.7	65.7	0.9
05/12/10	Fine	09:50	09:55	69.8	72.0	66.0	0.7
12/12/10	Cloudy	12:55	13:00	69.3	72.2	63.4	0.6
12/12/10	Cloudy	13:00	13:05	69.7	72.7	63.8	0.6
12/12/10	Cloudy	13:05	13:10	69.6	73.1	62.1	0.6
25/12/10	Cloudy	14:55	15:00	70.0	73.1	65.2	0.2
25/12/10	Cloudy	15:00	15:05	70.0	73.8	64.0	0.2
25/12/10	Cloudy	15:05	15:10	70.0	73.5	64.3	0.2

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (5min)	L10	L90	
05/12/10	Fine	10:00	10:05	60.4	61.9	57.3	1.1
05/12/10	Fine	10:05	10:10	61.0	62.2	58.0	1.2
05/12/10	Fine	10:10	10:15	61.1	62.4	58.2	1.0
12/12/10	Cloudy	13:15	13:20	65.6	66.8	61.9	0.8
12/12/10	Cloudy	13:20	13:25	65.1	66.3	60.5	0.8
12/12/10	Cloudy	13:25	13:25	64.7	65.5	60.5	0.8
25/12/10	Cloudy	15:15	15:20	60.5	61.6	59.8	0.4
25/12/10	Cloudy	15:20	15:25	60.8	62.1	59.5	0.4
25/12/10	Cloudy	15:25	15:30	61.1	61.1	59.8	0.4

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (5min)	L10	L90	
05/12/10	Fine	10:20	10:25	61.6	62.8	58.8	1.3
05/12/10	Fine	10:25	10:30	61.5	62.4	58.5	1.2
05/12/10	Fine	10:30	10:35	61.0	62.1	57.9	1.1
12/12/10	Cloudy	13:40	13:45	63.8	65.1	60.8	1.0
12/12/10	Cloudy	13:45	13:50	63.3	64.8	61.0	1.0
12/12/10	Cloudy	13:50	13:55	63.5	65.0	61.2	1.0
25/12/10	Cloudy	15:40	15:45	60.0	61.0	58.9	0.5
25/12/10	Cloudy	15:45	15:50	59.8	60.8	58.8	0.5
25/12/10	Cloudy	15:50	15:55	59.8	60.9	58.9	0.5




Appendix B3

Graphical Plots of Impact Noise Monitoring Data




Noise Monitoring (Day-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Evening-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Holiday-time)


Noise level at KS6 - Podium at the Cullinan




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion



Noise level at KY3 - Roof of Kwan Yik Building Phase 3





Appendix C1

Calibration Certificates for Impact Water Quality Monitoring Equipments



Performance Check of Turbidimeter

Equipment Ref. No. : ET105051007 Manufacturer : HACH
Model No. : 2100P Serial No. : 0806.000 30281
Date of Calibration : 15/10/10 Due Date : 14/1/11

Gelex Vial Std	Theoretical Value (NTU)	Measured Value (NTU)	Difference %
0-10 NTU	5.34	5.49	2.77%
10-100 NTU	52.5	52.1	0.76%
100-1000 NTU	543	529	2.61%

Acceptance Criteria

Difference : <5 %

The salinity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by : Zu Approved by : Wade Law



Internal Calibration Report of Dissolved Oxygen Meter

Equipment Ref. No. :	<u>ET/EW/0081002</u>	Manufacturer :	<u>YSI</u>
Model No. :	<u>85</u>	Serial No. :	<u>06C 1998 AD</u>
Date of Calibration :	<u>23/11/10</u>	Calibration Due Date :	<u>22/2/11</u>

Temperature Verification

Ref. No. of Reference Thermometer : ET105211001
 Ref. No. of Water Bath : ET105331001

		Temperature (°C)		
Reference Thermometer reading	Measured		Corrected	
DO Meter reading	Measured		Difference	

Standardization of sodium thiosulphate (Na₂S₂O₃) solution

Reagent No. of Na ₂ S ₂ O ₃ titrant		Reagent No. of 0.025N K ₂ Cr ₂ O ₇	
	Trial 1	Trial 2	
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0	0	
Final Vol. of Na ₂ S ₂ O ₃ (ml)	40.0	40.5	
Vol. of Na ₂ S ₂ O ₃ used (ml)	40.0	40.5	
Normality of Na ₂ S ₂ O ₃ solution (N)	0.025	0.02467	
Average Normality (N) of Na ₂ S ₂ O ₃ solution (N)	0.02485		
Acceptance criteria, Deviation	Less than ± 0.001N		
Calculation:	Normality of Na ₂ S ₂ O ₃ , N = 1 / ml Na ₂ S ₂ O ₃ used		

Linearity Checking

Determination of dissolved oxygen content by Winkler Titration *

Purging Time (min)	2		5		10	
	1	2	1	2	1	2
Trial						
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0	11.80	0	9.75	0	6.50
Final Vol. of Na ₂ S ₂ O ₃ (ml)	11.80	23.80	9.75	19.45	6.50	13.00
Vol. (V) of Na ₂ S ₂ O ₃ used (ml)	11.80	11.80	9.75	9.70	6.50	6.50
Dissolved Oxygen (DO), mg/L	7.87	7.87	6.50	6.47	4.34	4.34
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L		Less than + 0.3mg/L	
Calculation:	DO (mg/L) = V x N x 8000/298					

Purging time, min	DO meter reading, mg/L			Winkler Titration result *, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
2	7.85	7.75	7.80	7.87	7.87	7.87	0.89
5	6.42	6.42	6.42	6.50	6.47	6.49	1.08
10	4.38	4.46	4.42	4.34	4.34	4.34	1.83
Linear regression coefficient				0.9996			



Internal Calibration Report of Dissolved Oxygen Meter

Zero Point Checking

DO meter reading, mg/L	0.00
------------------------	------

Salinity Checking

Reagent No. of NaCl (10ppt)		Reagent No. of NaCl (30ppt)	
-----------------------------	--	-----------------------------	--

Determination of dissolved oxygen content by Winkler Titration **

Salinity (ppt)	10		30	
	1	2	1	2
Trial				
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0	11.60	0	11.00
Final Vol. of Na ₂ S ₂ O ₃ (ml)	11.60	23.15	11.00	22.00
Vol. (V) of Na ₂ S ₂ O ₃ used (ml)	11.60	11.55	11.00	11.00
Dissolved Oxygen (DO), mg/L	7.74	7.71	7.34	7.34
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L	

Calculation: $DO\ (mg/L) = V \times N \times 8000/298$

Salinity (ppt)	DO meter reading, mg/L			Winkler Titration result**, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
10	8.00	7.60	7.7 7.78	7.74	7.71	7.73	0.90
30	7.40	7.40	7.40	7.34	7.34	7.34	0.81

Acceptance Criteria

- (1) Differenc between temperature readings from temperature sensor of DO probe and reference thermometer : < 0.5 °C
- (2) Linear regression coefficient : >0.99
- (3) Zero checking: 0.0mg/L
- (4) Difference (%) of DO content from the meter reading and by winkler titration : within ± 5%

The equipment complies # / does not comply # with the specified requirements and is deemed acceptable # / unacceptable # for use.

* Delete as appropriate

Calibrated by

: *Z*

Approved by :



Performance Check of Salinity Meter

Equipment Ref. No. : ET/EW/008/002 Manufacturer : YSI
Model No. : 83 Serial No. : 0601998 AD
Date of Calibration : 23/11/10 Due Date : 22/2/11

Ref. No. of Salinity Standard used (30ppt)

J410

Salinity Standard (ppt)	Measured Salinity (ppt)	Difference %
30	29.9	0.33%

Acceptance Criteria

Difference : <10 %

The salinity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by : Zu

Approved by : [Signature]



Appendix C2

Impact Water Quality Monitoring Results

Mid-Flood Tide

Monitoring Station : C2

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1910-1922	24/Sunny	Surface	1.0	23.2	31.0	31.1	5.97	5.96	82.9	82.7	4.79	4.81	5.02	7.8	7.9	8.1		
						31.1		5.94		82.5		4.82			8.0				
			Middle	8.4	22.8	31.8	31.9	5.73	5.72	79.0	78.8	5.03	5.06		5.03	5.06		8.1	8.1
						31.9		5.70		78.6		5.09			8.0				
			Bottom	15.8	22.8	32.1	32.2	5.66	5.67	78.2	78.3	5.21	5.19		5.21	5.19		8.4	8.3
						32.2		5.67		78.4		5.17			8.2				
04/12/10	1810-1822	24/Sunny	Surface	1.0	23.5	31.1	31.1	5.96	5.95	82.8	82.6	5.18	5.22	5.26	8.2	8.3	8.4		
						31.0		5.93		82.4		5.26			8.4				
			Middle	8.4	23.0	31.9	31.9	5.83	5.82	80.4	80.2	5.27	5.24		5.27	5.24		8.3	8.5
						31.9		5.80		80.0		5.21			8.6				
			Bottom	15.8	22.8	32.0	32.1	5.75	5.77	79.3	79.6	5.33	5.31		5.33	5.31		8.5	8.4
						32.1		5.79		79.9		5.28			8.3				
07/12/10	1115-1128	20/Cloudy	Surface	1.0	22.8	30.2	30.3	5.94	5.96	82.6	82.9	5.27	5.26	5.37	8.2	8.3	8.5		
						30.3		5.98		83.1		5.24			8.4				
			Middle	8.4	22.5	31.2	31.2	5.83	5.82	81.0	80.9	5.39	5.38		5.39	5.38		8.5	8.4
						31.1		5.81		80.8		5.36			8.2				
			Bottom	15.8	21.5	31.9	32.0	5.76	5.75	80.1	79.9	5.49	5.47		5.49	5.47		8.6	8.8
						32.0		5.73		79.6		5.45			8.9				
09/12/10	1213-1230	19/Fine	Surface	1.0	21.0	30.6	3.0	6.03	6.01	83.8	83.5	4.15	4.18	4.34	6.5	6.7	6.8		
						30.6		5.98		83.1		4.20			6.8				
			Middle	8.4	20.3	31.0	31.0	5.90	5.89	82.0	81.8	4.28	4.31		4.28	4.31		6.5	6.5
						31.0		5.87		81.5		4.34			6.4				
			Bottom	15.8	19.5	31.9	31.9	5.78	5.75	80.3	79.9	4.50	4.53		4.50	4.53		7.4	7.3
						31.9		5.72		79.5		4.56			7.2				
11/12/10	1327-1340	19/Cloudy	Surface	1.0	20.7	30.6	30.6	6.03	6.00	83.8	83.4	4.20	4.23	4.40	6.5	6.7	7.0		
						30.6		5.97		82.9		4.25			6.8				
			Middle	8.4	20.2	31.2	31.2	5.90	5.88	82.0	81.7	4.38	4.41		4.38	4.41		7.0	6.9
						31.2		5.86		81.4		4.43			6.8				
			Bottom	15.8	19.5	31.8	31.8	5.78	5.75	80.3	79.9	4.57	4.56		4.57	4.56		7.4	7.3
						31.7		5.72		79.5		4.54			7.2				
14/12/10	1443-1456	22/Cloudy	Surface	1.0	22.0	30.2	30.2	6.44	6.44	89.4	94.4	5.62	5.63	5.74	9.0	9.0	9.2		
						30.1		6.43		99.3		5.63			9.0				
			Middle	7.8	21.8	30.4	30.5	6.30	6.31	87.6	87.7	5.71	5.71		5.71	5.71		9.3	9.3
						30.5		6.31		87.7		5.70			9.2				
			Bottom	15.7	21.5	30.9	31.0	6.24	6.24	86.8	86.8	5.88	5.88		5.88	5.88		9.4	9.3
						31.0		6.24		86.8		5.87			9.1				
16/12/10	1610-1622	13/Cloudy	Surface	1.0	21.0	31.0	31.1	6.01	6.03	83.5	83.8	5.24	5.28	5.09	8.5	8.4	8.1		
						31.1		6.05		84.0		5.32			8.3				
			Middle	8.4	22.6	31.7	31.7	5.96	5.95	82.8	82.6	4.99	4.95		4.99	4.95		8.0	7.9
						31.6		5.93		82.4		4.91			7.8				
			Bottom	15.8	22.6	32.0	32.0	5.89	5.88	81.8	81.6	5.06	5.05		5.06	5.05		8.0	8.1
						32.0		5.86		81.4		5.04			8.1				
18/12/10	1710-1722	16/Sunny	Surface	1.0	20.4	31.5	31.5	5.99	5.97	83.2	83.0	4.87	4.92	4.97	7.7	7.9	7.9		
						31.4		5.95		82.7		4.96			8.0				
			Middle	8.4	22.1	32.0	32.0	5.86	5.87	80.8	81.0	4.95	4.93		4.95	4.93		8.1	8.0
						32.0		5.88		81.1		4.91			7.8				
			Bottom	15.8	22.1	32.2	32.2	5.77	5.76	79.6	79.4	5.01	5.05		5.01	5.05		8.0	8.0
						32.1		5.74		79.2		5.09			8.0				
21/12/10	1058-1118	20/Cloudy	Surface	1.0	19.8	30.3	30.4	6.05	6.07	83.5	83.6	4.89	4.87	4.95	7.5	7.7	7.8		
						30.4		6.09		83.6		4.85			7.8				
			Middle	8.3	20.8	31.4	31.4	5.94	5.93	81.9	81.8	4.98	4.96		4.98	4.96		8.0	7.8
						31.3		5.92		81.7		4.94			7.6				
			Bottom	15.6	21.9	31.9	32.0	5.87	5.88	81.0	81.2	5.03	5.02		5.03	5.02		8.0	8.0
						32.0		5.89		81.3		5.01			8.0				
23/12/10	1147-1157	17/Fine	Surface	1.0	20.4	31.1	31.1	6.06	6.04	84.2	83.9	4.98	5.02	5.14	8.0	8.1	8.1		
						31.0		6.02		83.6		5.05			8.2				
			Middle	8.4	21.2	31.8	31.9	5.87	5.86	81.5	81.3	5.25	5.23		5.25	5.23		8.3	8.2
						31.9		5.84		81.1		5.20			8.0				
			Bottom	15.8	21.5	32.0	32.1	5.90	5.92	82.0	82.3	5.15	5.19		5.15	5.19		8.1	8.1
						32.1		5.94		82.5		5.22			8.1				
28/12/10	1401-1416	16/Sunny	Surface	1.0	19.5	30.5	30.6	6.04	6.05	83.4	83.5	5.46	5.48	5.67	8.5	8.7	9.1		
						30.6		6.06		83.6		5.50			8.8				
			Middle	8.3	20.6	31.4	31.5	5.95	5.96	82.1	82.0	5.64	5.66		5.64	5.66		9.0	9.2
						31.5		5.96		81.8		5.68			9.3				
			Bottom	15.6	21.9	32.2	32.4	5.84	5.83	80.6	80.5	5.86	5.86		5.86	5.86		9.5	9.4
						32.6		5.82		80.3		5.89			9.2				
30/12/10	1540-1552	18/Fine	Surface	1.0	20.9	31.2	31.3	5.97	5.96	83.0	82.8	5.09	5.12	5.21	8.0	8.2	8.2		
						31.3		5.94		82.6		5.14			8.3				
			Middle	8.3	21.2	31.7	31.7	5.84	5.82	81.2	80.9	5.36	5.33		5.36	5.33		8.5	8.4
						31.6		5.79		80.5		5.30			8.3				
			Bottom	15.6	21.4	31.9	31.9	5.89	5.91	81.9	82.2	5.21	5.19		5.21	5.19		8.1	8.1
						31.8		5.93		82.4		5.17			8.1				

Mid-Flood Tide

Monitoring Station : C4

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)		Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1851-1902	24/Sunny	Surface	1.0	23.3	31.0	31.1	5.95	5.97	82.7	82.9	4.98	5.02	5.24	8.1	8.1	8.3		
						31.1		5.98		83.1		5.05			8.0				
			Middle	8.4	22.9	31.7	31.8	5.79	5.77	79.9	79.6	5.40	5.36		5.32	5.36		8.6	8.7
						31.8		5.75		79.3		5.32			8.8				
			Bottom	15.8	22.8	32.1	32.1	5.64	5.65	77.8	78.0	5.37	5.36		5.37	5.36		8.2	8.2
						32.0		5.66		78.2		5.34			8.2				
04/12/10	1751-1802	24/Sunny	Surface	1.0	23.6	31.0	31.1	5.98	5.96	83.1	82.8	5.23	5.26	5.28	8.5	8.6	8.5		
						31.1		5.94		82.5		5.29			8.6				
			Middle	8.4	23.0	31.8	31.9	5.90	5.89	82.0	81.8	5.15	5.13		5.15	5.13		8.2	8.1
						31.9		5.87		81.5		5.11			8.0				
			Bottom	15.8	22.8	32.1	32.1	5.84	5.82	80.5	80.3	5.44	5.46		5.44	5.46		9.0	8.9
						32.1		5.80		80.0		5.48			8.8				
07/12/10	1054-1107	20/Cloudy	Surface	1.0	22.9	30.3	30.4	5.97	5.96	82.9	82.8	5.05	5.07	5.15	8.3	8.3	8.4		
						30.4		5.95		82.7		5.09			8.2				
			Middle	8.5	22.4	31.3	31.3	5.76	5.78	80.1	80.3	5.12	5.11		5.12	5.11		8.4	8.3
						31.2		5.79		80.5		5.10			8.2				
			Bottom	16.0	21.5	32.0	32.0	5.81	5.82	80.8	80.9	5.28	5.26		5.28	5.26		8.6	8.6
						32.0		5.83		81.0		5.24			8.5				
09/12/10	1151-1206	19/Fine	Surface	1.0	21.0	30.5	30.6	6.07	6.05	84.3	84.0	4.16	4.16	4.29	6.8	6.7	7.1		
						30.6		6.02		83.6		4.16			6.5				
			Middle	8.2	20.3	31.0	31.0	5.97	5.95	82.9	82.7	4.22	4.25		4.22	4.25		7.0	7.1
						31.0		5.93		82.4		4.27			7.2				
			Bottom	15.4	19.6	31.9	31.9	5.80	5.78	80.6	80.3	4.42	4.45		4.42	4.45		7.5	7.5
						31.9		5.76		80.0		4.48			7.5				
11/12/10	1307-1322	19/Cloudy	Surface	1.0	20.6	30.5	30.6	5.92	5.94	82.2	82.5	4.18	4.21	4.41	6.2	6.3	6.9		
						30.6		5.95		82.7		4.24			6.4				
			Middle	8.2	20.0	31.1	31.2	5.89	5.88	81.8	81.7	4.31	4.34		4.31	4.34		7.0	7.0
						31.2		5.87		81.5		4.36			6.9				
			Bottom	15.4	19.5	31.6	31.7	5.70	5.69	79.2	79.1	4.65	4.67		4.65	4.67		7.5	7.5
						31.7		5.68		78.9		4.69			7.5				
14/12/10	1421-1434	22/Cloudy	Surface	1.0	21.8	30.3	30.4	6.43	6.44	89.3	89.4	5.65	5.63	5.73	9.2	9.1	9.3		
						30.5		6.45		89.5		5.61			9.0				
			Middle	7.7	21.5	30.6	30.7	6.30	6.31	87.6	87.7	5.71	5.71		5.71	5.71		9.4	9.4
						30.7		6.31		87.7		5.70			9.3				
			Bottom	15.3	21.2	31.0	31.0	6.22	6.22	86.6	86.6	5.84	5.85		5.84	5.85		9.6	9.5
						31.0		6.21		86.5		5.85			9.3				
16/12/10	1551-1602	13/Cloudy	Surface	1.0	20.9	31.0	31.0	5.96	5.94	82.8	82.5	5.17	5.20	5.13	8.1	8.3	8.1		
						30.9		5.92		82.2		5.23			8.4				
			Middle	8.4	22.6	31.6	31.6	5.90	5.92	82.0	82.3	5.09	5.12		5.09	5.12		8.0	8.0
						31.6		5.94		82.5		5.14			8.0				
			Bottom	15.8	22.7	32.0	32.0	5.74	5.72	79.2	78.9	5.11	5.09		5.11	5.09		8.1	8.2
						31.9		5.70		78.6		5.06			8.2				
18/12/10	1651-1702	16/Sunny	Surface	1.0	20.3	31.4	31.4	5.96	5.95	82.8	82.6	4.96	4.94	4.82	7.9	7.8	7.7		
						31.3		5.93		82.4		4.91			7.6				
			Middle	8.4	22.0	31.9	32.0	5.90	5.92	82.0	82.3	4.82	4.85		4.82	4.85		7.8	7.8
						32.0		5.94		82.5		4.87			7.8				
			Bottom	15.8	22.2	32.2	32.2	5.82	5.84	80.3	80.5	4.71	4.69		4.71	4.69		7.5	7.5
						32.2		5.85		80.7		4.67			7.5				
21/12/10	1035-1050	20/Cloudy	Surface	1.0	19.8	30.4	30.4	6.13	6.13	84.6	84.6	4.83	4.85	4.95	7.8	7.9	7.9		
						30.3		6.12		84.5		4.86			8.0				
			Middle	8.5	20.8	31.5	31.5	5.98	5.96	82.5	82.2	4.97	4.95		4.97	4.95		7.6	7.7
						31.4		5.94		81.9		4.93			7.7				
			Bottom	16.0	21.9	31.8	31.9	5.86	5.87	80.9	81.0	5.07	5.06		5.07	5.06		8.0	8.0
						31.9		5.88		81.1		5.04			8.0				
23/12/10	1129-1139	17/Fine	Surface	1.0	20.4	31.2	31.2	6.05	6.07	84.0	84.3	4.95	4.98	5.13	7.6	7.7	8.1		
						31.2		6.08		84.5		5.01			7.8				
			Middle	8.4	21.2	31.8	31.8	5.90	5.92	82.0	82.2	5.09	5.12		5.09	5.12		8.2	8.1
						31.7		5.93		82.4		5.15			8.0				
			Bottom	15.8	21.4	32.1	32.1	5.79	5.78	79.9	79.7	5.30	5.28		5.30	5.28		8.7	8.6
						32.1		5.76		79.4		5.25			8.5				
28/12/10	1340-1352	16/Sunny	Surface	1.0	19.7	30.2	30.4	5.99	5.99	82.7	82.6	5.53	5.54	5.71	9.0	8.9	9.1		
						30.5		5.98		82.5		5.54			8.8				
			Middle	8.4	20.7	31.5	31.6	5.84	5.86	80.6	80.8	5.63	5.64		5.63	5.64		9.2	9.0
						31.6		5.87		81.0		5.65			8.8				
			Bottom	15.8	21.7	32.1	32.2	5.75	5.76	79.4	79.5	5.94	5.95		5.94	5.95		9.6	9.5
						32.2		5.77		79.6		5.96			9.3				
30/12/10	1521-1532	18/Fine	Surface	1.0	20.8	31.1	31.2	6.11	6.13	84.3	84.5	4.91	4.95	5.10	7.8	7.7	8.0		
						31.2		6.14		84.7		4.99			7.6				
			Middle	8.2	21.0	31.5	31.6	5.95	5.93	82.7	82.4	5.19	5.16		5.19	5.16		8.4	8.2
						31.6		5.91		82.1		5.13			8.0				
			Bottom	15.4	21.3	32.0	32.1	5.86	5.85	81.5	81.3	5.21	5.19		5.21	5.19		8.3	8.2
						32.1		5.83		81.0		5.16			8.0				

Mid-Flood Tide

Monitoring Station : R5

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
02/12/10	1652-1704	24/Sunny	Surface	1.0	23.6	31.1	31.2	6.02	6.04	83.6	83.8	5.57	5.56	5.19	9.0	8.9	8.3
						31.2		6.05		84.0		5.54			8.7		
			Middle	8.7	23.1	31.9	31.9	5.86	5.88	80.8	81.0	4.98	4.95		8.0	7.9	
						31.8		5.89		81.2		4.91			7.8		
			Bottom	16.4	22.8	31.9	32.0	5.84	5.82	80.5	80.3	5.04	5.07		8.2	8.1	
						32.0		5.80		80.0		5.10			8.0		
04/12/10	1552-1604	24/Sunny	Surface	1.0	23.8	31.2	31.2	5.98	5.97	83.1	82.9	4.93	4.90	5.22	8.0	7.8	8.2
						31.2		5.95		82.7		4.87			7.6		
			Middle	8.7	23.2	31.6	31.6	5.74	5.72	79.2	78.9	5.43	5.47		8.6	8.6	
						31.6		5.70		78.6		5.50			8.5		
			Bottom	16.4	22.9	32.1	32.1	5.69	5.71	78.5	78.8	5.27	5.32		8.2	8.3	
						32.0		5.73		79.0		5.32			8.4		
07/12/10	0859-0912	20/Cloudy	Surface	1.0	23.0	30.3	30.4	5.97	5.98	82.9	83.0	5.14	5.15	5.31	8.0	8.2	8.4
						30.4		5.98		83.1		5.16			8.4		
			Middle	8.9	22.4	31.3	31.3	5.93	5.92	82.4	82.2	5.32	5.34		8.6	8.5	
						31.2		5.90		82.0		5.36			8.3		
			Bottom	16.8	21.7	32.0	32.0	5.86	5.87	81.5	81.6	5.41	5.43		8.8	8.7	
						31.9		5.88		81.7		5.44			8.5		
09/12/10	0951-1005	19/Fine	Surface	1.0	20.9	30.4	30.4	5.88	5.86	81.7	81.4	4.20	4.23	4.38	6.8	6.9	7.2
						30.3		5.83		81.0		4.25			7.0		
			Middle	8.7	20.3	30.9	31.0	5.80	5.79	80.6	80.4	4.33	4.36		7.3	7.2	
						31.0		5.77		80.2		4.38			7.0		
			Bottom	16.4	19.6	31.6	31.7	5.69	5.72	79.0	79.4	4.52	4.55		7.5	7.6	
						31.7		5.74		79.7		4.57			7.6		
11/12/10	1055-1110	18/Cloudy	Surface	1.0	20.7	30.5	30.6	5.85	5.83	81.3	81.0	4.28	4.32	4.54	6.8	6.7	7.3
						30.6		5.80		80.6		4.35			6.5		
			Middle	8.7	20.1	31.0	31.0	5.75	5.73	79.9	79.6	4.51	4.55		7.4	7.5	
						31.0		5.70		79.2		4.58			7.6		
			Bottom	16.4	19.7	31.7	31.7	5.67	5.68	78.8	78.9	4.73	4.76		8.0	7.8	
						31.7		5.69		79.0		4.79			7.6		
14/12/10	1404-1417	22/Cloudy	Surface	1.0	21.9	30.4	30.5	6.40	6.41	89.0	89.1	5.62	5.63	5.73	9.3	9.2	9.3
						30.6		6.41		89.1		5.63			9.0		
			Middle	8.2	21.6	31.0	31.0	6.31	6.32	87.7	87.8	5.74	5.75		9.4	9.3	
						31.0		6.32		87.8		5.75			9.1		
			Bottom	16.4	21.3	31.2	31.3	6.27	6.27	87.3	87.3	5.82	5.82		9.6	9.5	
						31.3		6.26		87.2		5.81			9.4		
16/12/10	1352-1404	13/Cloudy	Surface	1.0	21.0	30.9	31.0	5.99	5.97	83.2	83.0	4.96	4.94	4.91	8.0	7.9	7.9
						31.0		5.95		82.7		4.91			7.8		
			Middle	8.7	22.4	31.6	31.6	5.87	5.89	81.5	81.8	4.88	4.85		7.6	7.7	
						31.6		5.90		82.0		4.81			7.8		
			Bottom	16.4	22.8	31.9	32.0	5.91	5.89	82.1	81.8	4.93	4.96		8.0	8.0	
						32.0		5.87		81.5		4.98			7.9		
18/12/10	1453-1504	16/Sunny	Surface	1.0	20.2	31.3	31.4	6.02	6.04	83.6	83.8	4.67	4.70	4.95	7.5	7.7	7.9
						31.4		6.05		84.0		4.72			7.8		
			Middle	8.7	21.9	31.8	31.9	5.93	5.92	82.4	82.2	5.14	5.11		8.2	8.1	
						31.9		5.90		82.0		5.07			8.0		
			Bottom	16.4	22.2	32.1	32.2	5.88	5.91	81.7	82.1	5.08	5.05		7.9	8.0	
						32.2		5.93		82.4		5.01			8.0		
21/12/10	0840-0855	20/Cloudy	Surface	1.0	19.6	30.3	30.4	6.14	6.15	84.7	84.9	4.71	4.72	4.85	7.5	7.7	8.0
						30.4		6.16		85.0		4.73			7.9		
			Middle	9.0	20.8	31.3	31.3	6.02	6.04	83.1	83.3	4.89	4.88		8.2	8.1	
						31.2		6.05		83.5		4.86			8.0		
			Bottom	17.0	21.9	31.8	31.8	5.94	5.92	82.0	81.7	4.93	4.94		8.1	8.1	
						31.7		5.90		81.4		4.95			8.0		
23/12/10	0920-0931	17/Fine	Surface	1.0	20.2	31.0	31.0	6.05	6.07	84.0	84.3	5.34	5.32	5.27	8.5	8.4	8.5
						31.0		6.08		84.5		5.29			8.3		
			Middle	8.7	20.9	31.4	31.5	5.91	5.89	82.1	81.8	5.06	5.10		8.0	8.1	
						31.5		5.87		81.5		5.14			8.1		
			Bottom	16.4	21.2	31.9	32.0	5.77	5.79	79.6	79.9	5.41	5.39		9.0	8.9	
						32.0		5.81		80.1		5.37			8.8		
28/12/10	1157-1209	15/Sunny	Surface	1.0	19.7	30.4	30.5	6.03	6.04	83.2	83.4	5.25	5.27	5.55	8.5	8.4	8.9
						30.6		6.05		83.5		5.28			8.3		
			Middle	8.8	20.7	31.4	31.6	5.94	5.93	82.0	81.9	5.54	5.55		8.8	8.9	
						31.8		5.92		81.7		5.56			9.0		
			Bottom	16.6	22.0	31.9	32.1	5.84	5.85	80.6	80.8	5.84	5.84		9.4	9.3	
						32.2		5.86		80.9		5.83			9.2		
30/12/10	1322-1334	18/Fine	Surface	1.0	20.9	31.4	31.4	6.04	6.03	83.4	83.2	4.91	4.89	5.05	7.7	7.7	8.0
						31.4		6.01		82.9		4.87			7.7		
			Middle	8.3	21.1	31.6	31.7	5.79	5.81	80.5	80.7	5.07	5.05		8.1	8.1	
						31.7		5.82		80.9		5.02			8.0		
			Bottom	15.6	21.4	32.0	32.1	5.88	5.86	81.7	81.4	5.19	5.21		8.2	8.1	
						32.1		5.83		81.0		5.22			8.0		

Mid-Flood Tide

Monitoring Station : R6

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1750-1802	24/Sunny	Surface	1.0	23.5	31.2	31.2	6.07	6.06	84.3	84.1	5.20	5.19	5.07	8.4	8.4	8.0		
						31.2		6.04		83.9		5.17			8.3				
			Middle	8.3	23.0	31.8	31.8	5.92	5.94	82.2	82.5	4.94	4.99		4.94	4.99		7.6	7.8
						31.7		5.95		82.7		5.03			7.9				
			Bottom	15.6	22.9	32.1	32.1	5.73	5.75	79.0	79.3	5.06	5.04		5.06	5.04		8.0	8.0
						32.0		5.77		79.6		5.01			8.0				
04/12/10	1650-1702	24/Sunny	Surface	1.0	23.7	31.2	31.2	6.01	5.99	83.5	83.2	4.94	4.91	5.12	8.0	7.9	8.1		
						31.1		5.96		82.8		4.87			7.8				
			Middle	8.4	23.1	31.7	31.7	5.87	5.86	81.5	81.4	5.12	5.16		5.12	5.16		8.1	8.1
						31.7		5.85		81.3		5.20			8.0				
			Bottom	17.8	22.9	32.1	32.1	5.77	5.76	79.6	79.4	5.27	5.30		5.27	5.30		8.3	8.4
						32.1		5.74		79.2		5.33			8.4				
07/12/10	0950-1003	20/Cloudy	Surface	1.0	22.7	30.2	30.3	6.02	6.03	83.7	83.8	5.17	5.18	5.26	8.2	8.2	8.4		
						30.3		6.04		83.9		5.19			8.2				
			Middle	8.5	22.5	31.4	31.4	5.95	5.94	82.7	82.5	5.23	5.25		5.23	5.25		8.4	8.4
						31.3		5.92		82.3		5.27			8.2				
			Bottom	16.0	21.6	32.2	32.2	5.86	5.85	81.5	81.3	5.35	5.34		5.35	5.34		8.6	8.6
						32.1		5.83		81.0		5.32			8.6				
09/12/10	1050-1105	19/Fine	Surface	1.0	20.9	30.6	30.6	6.03	6.01	83.8	83.5	4.01	4.04	4.22	6.4	6.5	6.7		
						30.6		5.98		83.1		4.07			6.6				
			Middle	8.2	20.3	31.0	31.0	5.90	5.88	82.0	81.7	4.16	4.18		4.16	4.18		6.8	6.6
						31.0		5.86		81.4		4.20			6.4				
			Bottom	15.4	19.6	31.8	31.8	5.78	5.76	80.3	80.0	4.41	4.44		4.41	4.44		7.2	7.1
						31.8		5.73		79.6		4.46			7.0				
11/12/10	1200-1215	18/Cloudy	Surface	1.0	20.7	30.5	30.6	5.98	5.95	83.1	82.7	4.29	4.27	4.47	6.6	6.5	7.1		
						30.6		5.92		82.2		4.25			6.4				
			Middle	8.3	20.3	31.1	31.1	5.89	5.90	81.8	82.1	4.40	4.44		4.40	4.44		7.2	7.2
						31.1		5.91		82.4		4.47			7.2				
			Bottom	15.6	19.7	31.7	31.7	5.78	5.76	80.3	80.0	4.68	4.70		4.68	4.70		7.5	7.5
						31.7		5.73		79.6		4.72			7.4				
14/12/10	1456-1406	22/Cloudy	Surface	1.0	22.1	30.5	30.6	6.43	6.44	89.3	89.4	5.69	5.70	5.76	9.5	9.5	9.6		
						30.6		6.45		89.5		5.70			9.5				
			Middle	7.8	21.8	30.7	30.8	6.32	6.34	88.0	88.1	5.72	5.73		5.72	5.73		9.8	9.6
						30.9		6.36		88.2		5.73			9.4				
			Bottom	15.6	21.5	31.4	31.4	6.21	6.21	86.6	86.6	5.85	5.85		5.85	5.85		9.6	9.6
						31.3		6.20		86.5		5.85			9.6				
16/12/10	1450-1502	13/Cloudy	Surface	1.0	21.1	31.0	31.1	6.07	6.06	84.3	84.1	5.17	5.20	5.23	8.4	8.3	8.3		
						31.1		6.04		83.9		5.23			8.1				
			Middle	8.4	22.6	31.6	31.7	5.82	5.80	80.3	80.0	5.27	5.29		5.27	5.29		8.4	8.5
						31.7		5.78		79.7		5.31			8.5				
			Bottom	15.8	22.7	31.9	32.0	5.87	5.86	81.0	80.8	5.18	5.21		5.18	5.21		8.1	8.2
						32.0		5.84		80.5		5.24			8.2				
18/12/10	1550-1602	16/Sunny	Surface	1.0	20.2	31.3	31.3	6.04	6.03	83.9	83.7	5.12	5.10	5.07	8.3	8.2	8.1		
						31.2		6.01		83.5		5.07			8.1				
			Middle	8.4	21.9	32.0	32.0	5.97	5.98	82.9	83.1	5.03	5.07		5.03	5.07		8.0	8.0
						32.0		5.99		83.2		5.10			8.0				
			Bottom	15.8	22.2	32.2	32.2	5.94	5.93	82.5	82.3	5.09	5.06		5.09	5.06		8.2	8.1
						32.1		5.91		82.1		5.03			8.0				
21/12/10	0932-0944	20/Cloudy	Surface	1.0	19.6	30.4	30.5	6.07	6.04	83.8	83.4	4.82	4.81	4.92	8.2	8.3	8.1		
						30.5		6.01		82.9		4.80			8.3				
			Middle	7.9	20.4	31.3	31.3	6.08	6.06	83.9	83.7	4.92	4.94		4.92	4.94		8.0	8.0
						31.2		6.04		83.4		4.95			7.9				
			Bottom	14.8	21.9	31.9	31.9	5.94	5.95	81.9	82.0	5.01	5.03		5.01	5.03		8.2	8.2
						31.8		5.95		82.1		5.04			8.2				
23/12/10	1021-1032	17/Fine	Surface	1.0	20.2	31.2	31.2	6.12	6.10	85.0	84.7	5.10	5.12	5.13	8.2	8.2	8.1		
						31.1		6.07		84.3		5.14			8.1				
			Middle	8.4	21.1	31.8	31.9	5.98	5.97	83.1	82.9	5.21	5.19		5.21	5.19		8.4	8.3
						31.9		5.95		82.7		5.17			8.2				
			Bottom	15.8	21.2	32.0	32.1	5.81	5.79	80.1	79.8	5.03	5.07		5.03	5.07		8.0	8.0
						32.1		5.76		79.4		5.10			7.9				
28/12/10	1245-1256	15/Sunny	Surface	1.0	19.5	30.6	30.6	6.14	6.12	84.7	84.5	5.26	5.28	5.51	8.5	8.5	8.9		
						30.5		6.10		84.2		5.29			8.4				
			Middle	8.3	20.7	31.4	31.5	6.02	6.03	83.1	83.2	5.48	5.47		5.48	5.47		8.9	9.0
						31.6		6.03		83.2		5.46			9.0				
			Bottom	15.6	21.9	32.6	32.4	5.86	5.87	80.9	81.0	5.75	5.78		5.75	5.78		9.2	9.2
						32.2		5.88		81.1		5.80			9.2				
30/12/10	1420-1432	18/Fine	Surface	1.0	20.8	31.4	31.5	6.03	6.05	83.2	83.4	4.88	4.92	5.08	7.6	7.7	8.0		
						31.5		6.06		83.6		4.96			7.8				
			Middle	8.4	21.0	31.7	31.7	5.87	5.86	81.6	81.4	5.11	5.09		5.11	5.09		8.2	8.1
						31.7		5.84		81.2		5.06			8.0				
			Bottom	15.8	21.3	31.9	32.0	5.87	5.90	81.6	82.0	5.20	5.23		5.20	5.23		8.3	8.2
						32.0		5.92		82.3		5.25			8.1				

Mid-Flood Tide



Monitoring Station : R7

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
02/12/10	1805-1817	24/Sunny	Surface	1.0	23.5	31.2	31.2	5.98	5.96	83.1	82.8	5.17	5.20	5.10	8.2	8.4	8.1
						31.1		5.94		82.5		5.22			8.5		
			Middle	9.3	22.9	31.8	31.9	5.95	5.97	82.7	82.9	5.01	5.05		8.0	8.0	
04/12/10	1705-1717	24/Sunny	Surface	1.0	23.6	31.2	31.2	5.98	5.97	83.1	82.9	5.14	5.18	5.20	8.2	8.4	8.3
						31.2		5.95		82.7		5.21			8.5		
			Middle	9.3	23.0	31.8	31.8	5.81	5.79	80.1	79.9	5.24	5.21		8.3	8.3	
07/12/10	1006-1019	20/Cloudy	Surface	1.0	22.8	30.1	30.2	5.96	5.96	81.1	81.9	5.09	5.11	5.24	8.0	8.1	8.3
						30.2		5.95		82.7		5.12			8.2		
			Middle	9.3	22.4	31.4	31.4	5.82	5.83	80.9	81.1	5.28	5.26		8.4	8.3	
09/12/10	1111-1125	19/Fine	Surface	1.0	20.8	30.5	30.6	6.00	5.97	83.9	83.2	4.06	4.09	4.26	6.5	6.4	6.7
						30.6		5.94		82.5		4.11			6.2		
			Middle	9.3	20.2	31.1	31.1	5.89	5.86	81.8	81.3	4.21	4.24		6.6	6.5	
11/12/10	1220-1235	18/Cloudy	Surface	1.0	20.6	30.6	30.7	5.95	5.93	82.7	82.4	4.27	4.30	4.50	6.9	7.1	7.4
						30.7		5.90		82.0		4.32			7.2		
			Middle	9.3	20.2	31.3	31.4	5.81	5.82	80.7	80.9	4.45	4.47		7.5	7.6	
14/12/10	1414-1427	22/Cloudy	Surface	1.0	22.8	30.7	30.7	6.42	6.44	89.2	89.4	5.70	5.71	5.78	9.2	9.4	9.5
						30.7		6.45		89.5		5.72			9.5		
			Middle	8.8	22.5	30.9	31.0	6.33	6.32	88.1	87.9	5.79	5.80		9.7	9.6	
16/12/10	1505-1517	13/Cloudy	Surface	1.0	21.0	31.1	31.1	6.03	6.05	83.8	84.1	5.15	5.17	5.18	8.3	8.3	8.3
						31.0		6.07		84.3		5.19			8.2		
			Middle	9.4	22.6	31.7	31.7	5.94	5.96	82.5	82.8	5.02	5.07		8.0	8.1	
18/12/10	1605-1617	16/Sunny	Surface	1.0	20.3	31.3	31.4	6.01	6.00	83.5	83.3	5.06	5.04	5.09	8.1	8.1	8.1
						31.4		5.98		83.1		5.01			8.0		
			Middle	9.3	22.1	32.0	32.0	5.90	5.92	82.0	82.2	5.15	5.13		8.3	8.3	
21/12/10	0947-0959	20/Cloudy	Surface	1.0	19.6	30.4	30.4	6.06	6.05	83.6	83.5	4.89	4.89	4.96	8.0	8.0	8.1
						30.4		6.04		83.4		4.88			8.0		
			Middle	8.9	20.5	31.3	31.3	6.16	6.14	85.0	84.7	4.91	4.93		8.2	8.3	
23/12/10	1045-1056	17/Fine	Surface	1.0	20.2	31.2	31.2	6.09	6.08	84.6	84.4	4.99	4.96	5.14	7.8	7.9	8.1
						31.2		6.06		84.2		4.92			8.0		
			Middle	9.1	21.1	31.8	31.8	5.86	5.88	80.8	81.1	5.19	5.17		8.2	8.1	
28/12/10	1259-1310	15/Sunny	Surface	1.0	19.5	30.2	30.4	6.08	6.10	83.9	84.1	5.34	5.33	5.57	8.6	8.4	8.8
						30.6		6.11		84.3		5.32			8.2		
			Middle	9.3	20.7	31.4	31.7	6.00	6.01	82.8	83.0	5.51	5.54		9.0	8.9	
30/12/10	1435-1447	18/Fine	Surface	1.0	20.7	31.2	31.3	6.05	6.04	83.5	83.3	5.14	5.12	5.16	8.2	8.2	8.3
						31.3		6.02		83.1		5.09			8.1		
			Middle	9.1	20.9	31.6	31.7	5.92	5.90	82.3	82.0	5.20	5.22		8.5	8.5	
30/12/10	1435-1447	18/Fine	Bottom	17.2	21.2	31.8	31.9	5.81	5.83	80.8	81.1	5.19	5.16	5.16	8.0	8.2	8.3
						31.9		5.85		81.3		5.12			8.3		
			Bottom	17.2	21.2	31.9	31.9	5.85	5.83	81.3	81.1	5.12	5.16		8.3	8.2	

Mid-Flood Tide

Monitoring Station : R8a

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1824-1836	24/Sunny	Surface	1.0	23.4	31.2	31.2	5.89	5.88	81.8	81.6	5.03	5.07	5.15	8.2	8.1	8.4		
						31.1		5.86		81.4		5.11			8.0				
						31.8		5.73		79.0		5.23			8.5				
			Middle	6.9	22.9	31.7	31.8	5.70	5.72	78.6	78.8	5.17	5.20		5.15	5.19		8.6	8.6
						32.1		5.67		78.2		5.15			8.4				
						32.1		5.68		78.3		5.22			8.5				
			Bottom	12.8	22.9	31.1	31.2	6.04	6.06	83.9	84.1	5.09	5.12		5.09	5.12		8.2	8.4
						31.2		6.07		84.3		5.15			8.5				
						31.7		5.91		82.1		5.46			9.0				
04/12/10	1724-1736	24/Sunny	Surface	1.0	23.6	31.7	31.8	5.94	5.93	82.5	82.3	5.54	5.50	5.31	9.0	9.1	8.7		
						31.8		5.94		82.5		5.54			9.2				
						32.0		5.83		81.0		5.27			8.5				
			Middle	6.8	23.1	32.1	32.1	5.80	5.82	80.6	80.8	5.32	5.30		5.32	5.30		8.5	8.5
						32.1		5.80		80.6		5.32			8.5				
						32.1		5.80		80.6		5.32			8.5				
			Bottom	12.6	22.8	30.3	30.3	6.06	6.05	84.2	84.0	5.02	5.05		5.02	5.05		8.0	8.0
						30.2		6.03		83.8		5.08			8.0				
						31.2		5.98		83.1		5.18			8.2				
07/12/10	1026-1039	20/Cloudy	Surface	1.0	23.0	31.3	31.3	5.97	5.98	82.9	83.0	5.15	5.17	5.17	8.2	8.2	8.2		
						31.3		5.97		82.9		5.15			8.2				
						32.0		5.91		82.1		5.29			8.5				
			Middle	6.9	22.5	32.1	32.1	5.93	5.92	82.4	82.3	5.28	5.29		5.29	5.29		8.4	8.5
						32.1		5.93		82.4		5.28			8.4				
						32.1		5.93		82.4		5.28			8.4				
			Bottom	12.8	21.6	30.4	30.5	6.04	6.01	83.9	83.4	4.12	4.15		4.12	4.15		6.4	6.5
						30.5		5.97		82.9		4.18			6.5				
						30.9		5.91		82.1		4.26			7.0				
09/12/10	1130-1145	19/Fine	Surface	1.0	21.0	31.0	31.0	5.86	5.89	81.4	81.8	4.31	4.29	4.34	7.4	7.2	7.0		
						31.7		5.79		80.4		4.55			7.5				
						31.7		5.74		79.7		4.60			7.3				
			Middle	6.7	20.6	30.6	30.6	5.99	5.98	83.2	83.0	4.11	4.09		4.11	4.09		6.4	6.5
						30.6		5.96		82.8		4.07			6.5				
						30.9		5.90		82.0		4.22			7.0				
			Bottom	12.4	19.8	31.4	31.5	5.72	5.74	79.5	79.7	4.61	4.60		4.61	4.60		7.7	7.6
						31.5		5.75		79.9		4.58			7.4				
						31.4		5.72		79.5		4.61			7.7				
11/12/10	1244-1300	19/Cloudy	Surface	1.0	20.5	30.4	30.5	6.42	6.41	89.2	89.1	5.62	5.63	4.31	9.0	9.0	7.0		
						30.5		6.40		89.0		5.63			9.0				
						30.6		6.32		87.8		5.70			9.2				
			Middle	6.8	20.2	30.7	31.0	6.35	6.34	88.1	88.0	5.71	5.71		5.71	5.71		9.0	9.1
						30.7		6.35		88.1		5.71			9.0				
						31.0		6.24		86.8		5.82			9.3				
			Bottom	12.6	19.7	31.0	31.0	6.23	6.24	86.7	86.8	5.83	5.83		5.83	5.83		9.6	9.5
						31.0		6.23		86.7		5.83			9.6				
						31.0		6.23		86.7		5.83			9.6				
14/12/10	1353-1407	22/Cloudy	Surface	1.0	22.1	31.0	31.0	5.93	5.91	82.4	82.1	5.21	5.25	5.25	8.3	8.3	8.5		
						31.0		5.89		81.8		5.28			8.3				
						31.6		5.81		80.1		5.08			8.2				
			Middle	6.8	22.5	31.5	31.6	5.77	5.79	79.6	79.9	5.12	5.10		5.12	5.10		8.4	8.3
						31.5		5.77		79.6		5.12			8.4				
						31.9		5.77		79.6		5.43			9.0				
			Bottom	12.6	22.7	31.8	31.9	5.74	5.76	79.2	79.4	5.38	5.41		5.38	5.41		8.8	8.9
						31.8		5.74		79.2		5.38			8.8				
						31.8		5.74		79.2		5.38			8.8				
16/12/10	1524-1536	13/Cloudy	Surface	1.0	21.0	31.4	31.5	6.05	6.06	84.0	84.2	5.02	5.06	4.93	7.9	8.0	7.9		
						31.5		6.07		84.3		5.09			8.0				
						31.7		5.81		80.1		4.79			7.5				
			Middle	6.9	22.0	31.8	31.8	5.78	5.80	79.7	79.9	4.75	4.77		4.75	4.77		7.8	7.7
						31.8		5.78		79.7		4.75			7.8				
						32.1		5.75		79.3		4.93			8.0				
			Bottom	12.8	22.2	32.0	32.1	5.78	5.77	79.7	79.5	4.98	4.96		4.98	4.96		7.9	8.0
						32.0		5.78		79.7		4.98			7.9				
						32.0		5.78		79.7		4.98			7.9				
18/12/10	1624-1636	16/Sunny	Surface	1.0	20.4	30.4	30.5	6.02	6.03	83.1	83.3	4.80	4.82	4.94	7.8	7.9	7.9		
						30.5		6.04		83.4		4.84			8.0				
						31.4		5.87		81.0		4.91			7.7				
			Middle	6.9	20.7	31.3	31.4	5.89	5.88	81.3	81.2	4.94	4.93		4.94	4.93		8.0	7.9
						31.3		5.89		81.3		4.94			8.0				
						31.9		5.71		78.8		5.09			8.0				
			Bottom	12.8	21.9	31.8	31.9	5.76	5.74	79.5	79.2	5.06	5.08		5.06	5.08		7.9	8.0
						31.8		5.76		79.5		5.06			7.9				
						31.8		5.76		79.5		5.06			7.9				
21/12/10	1008-1020	20/Cloudy	Surface	1.0	19.8	31.1	31.2	6.10	6.08	84.7	84.4	5.02	5.05	5.15	8.0	8.0	8.2		
						31.2		6.05		84.0		5.07			8.0				
						31.6		5.99		83.2		5.17			8.0				
			Middle	6.8	21.1	31.7	31.7	5.95	5.97	82.7	83.0	5.22	5.20		5.22	5.20		8.4	8.2
						31.7		5.95		82.7		5.22			8.4				
						32.1		5.86		80.8		5.22			8.2				
			Bottom	12.6	32.2	32.2	32.2	5.84	5.85	80.5	80.7	5.17	5.20		5.17	5.20		8.5	8.4
						32.2		5.84		80.5		5.17			8.5				
						32.2		5.84		80.5		5.17			8.5				
23/12/10	1104-1114	17/Fine	Surface	1.0	19.4	30.3	30.5	6.10	6.09	84.2	84.1	5.64	5.65	5.76	9.2	9.1	9.3		
						30.6		6.08		83.9		5.66			9.0				
						31.2		6.01		82.9		5.75			9.5				
			Middle	6.8	20.7	31.4	31.3	6.02	6.02	83.1	83.0	5.78	5.77		5.78	5.77		9.3	9.4
						31.4		6.02		83.1		5.78			9.3				
						31.8		5.94		82.0		5.84			9.5				
			Bottom	12.6	21.5	31.9	31.9	5.90	5.92	81.4	81.7	5.86	5.85		5.86	5.85		9.2	9.4
						31.9		5.90		81.4		5.86			9.2				
						31.9		5.90		81.4		5.86			9.2				
28/12/10	1317-1327	16/Sunny	Surface	1.0	20.8	31.3	31.3	6.05	6.05	83.5	83.5	5.05	5.09	5.13	8.1	8.1	8.0		
						31.3		6.04		83.4		5.12			8.0				
						31.7		5.84		81.2		4.64			7.5				
			Middle	6.6	21.2	31.6	31.7	5.81	5.83	80.8	81.0	4.58	4.61		4.58	4.61		7.3	7.4
						31.6		5.81		80.8		4.58			7.3				
						31.9		5.80		80.6		5.71			8.5				
			Bottom	12.2	21.4	32.0	32.0	5.76	5.78	80.1	80.4	5.66	5.69		5.66	5.69		8.7	8.6
						32.0		5.76		80.1		5.66			8.7				
						32.0		5.76		80.1		5.66			8.7				

Mid-Flood Tide

Monitoring Station : R15

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
02/12/10	1534-1545	24/Sunny	Surface	1.0	23.5	31.0	31.1	5.90	5.92	82.0	82.3	4.49	4.78	4.99	7.8	7.9	8.2
						31.1		5.94		82.5		5.06			7.9		
			Middle	5.8	23.0	31.7	31.7	5.87	5.85	81.0	80.9	4.89	4.87		8.0	8.0	
						31.6		5.82		80.8		4.84			7.8		
			Bottom	10.6	22.9	32.1	32.1	5.90	5.92	82.0	82.2	5.34	5.32		8.6	8.7	
						32.1		5.93		82.4		5.29			8.8		
04/12/10	1434-1445	24/Sunny	Surface	1.0	23.7	31.0	31.1	5.97	5.96	82.9	82.7	5.09	5.12	5.15	8.2	8.1	8.2
						31.1		5.94		82.5		5.15			8.0		
			Middle	5.9	23.1	31.6	31.7	5.71	5.69	78.7	78.5	5.17	5.20		8.3	8.4	
						31.7		5.67		78.2		5.23			8.4		
			Bottom	10.8	22.8	31.9	32.0	5.68	5.70	77.8	78.1	5.09	5.12		8.0	8.1	
						32.0		5.72		78.3		5.15			8.2		
07/12/10	0739-0752	19/Cloudy	Surface	1.0	22.8	30.3	30.4	5.97	5.96	82.9	82.8	5.32	5.33	5.47	8.6	8.6	8.9
						30.4		5.95		82.7		5.34			8.6		
			Middle	5.8	22.4	31.3	31.3	5.80	5.81	80.6	80.8	5.45	5.47		9.0	8.9	
						31.2		5.82		80.9		5.49			8.8		
			Bottom	10.6	21.4	32.1	32.1	5.78	5.77	80.3	80.2	5.61	5.61		9.2	9.1	
						32.0		5.76		80.1		5.60			9.0		
09/12/10	0840-0855	17/Fine	Surface	1.0	21.0	30.3	30.3	5.72	5.75	79.5	79.9	4.21	4.24	4.42	6.5	6.5	6.8
						30.3		5.77		80.2		4.27			6.5		
			Middle	5.6	20.6	30.9	30.9	5.70	5.68	79.2	78.9	4.35	4.38		6.8	6.7	
						30.8		5.66		78.6		4.40			6.6		
			Bottom	10.2	19.9	31.2	31.2	5.31	5.34	73.8	74.2	4.61	4.65		7.2	7.1	
						31.2		5.37		74.6		4.68			7.0		
11/12/10	0942-0957	18/Cloudy	Surface	1.0	20.5	30.5	30.5	5.86	5.83	81.4	81.0	4.48	4.51	4.78	7.4	7.4	7.7
						30.5		5.80		80.6		4.53			7.4		
			Middle	5.7	20.4	31.0	31.0	5.74	5.72	79.7	79.5	4.81	4.85		7.9	7.8	
						31.0		5.70		79.2		4.89			7.6		
			Bottom	10.4	19.9	31.8	31.8	5.58	5.55	77.5	77.0	5.01	5.00		8.0	8.1	
						31.8		5.51		76.5		4.98			8.1		
14/12/10	1243-1256	22/Cloudy	Surface	1.0	21.9	30.6	30.7	6.40	6.40	89.0	89.0	5.66	5.67	5.74	8.9	9.1	9.3
						30.7		6.40		89.0		5.67			9.2		
			Middle	5.1	21.6	30.9	31.0	6.32	6.32	87.8	87.8	5.75	5.76		9.4	9.3	
						31.0		6.31		87.7		5.76			9.2		
			Bottom	10.1	21.4	31.4	31.5	6.21	6.21	86.3	86.3	5.81	5.81		9.6	9.6	
						31.5		6.20		86.2		5.80			9.5		
16/12/10	1234-1245	13/Cloudy	Surface	1.0	21.0	30.8	30.8	6.02	6.04	83.6	83.8	5.04	5.07	5.03	8.0	8.1	8.0
						30.7		6.05		84.0		5.09			8.1		
			Middle	5.9	22.4	31.5	31.5	5.76	5.78	79.4	79.7	4.98	4.96		7.8	7.9	
						31.4		5.80		80.0		4.93			8.0		
			Bottom	10.8	22.4	31.9	31.9	5.80	5.82	80.0	80.3	5.10	5.06		8.0	8.0	
						31.8		5.84		80.5		5.01			8.0		
18/12/10	1334-1345	16/Sunny	Surface	1.0	20.1	31.2	31.2	6.14	6.12	85.3	85.0	4.54	4.56	4.63	7.4	7.5	7.6
						31.2		6.10		84.7		4.58			7.5		
			Middle	5.8	21.9	31.8	31.9	5.98	5.97	83.1	82.9	4.34	4.36		7.2	7.4	
						31.9		5.95		82.7		4.38			7.5		
			Bottom	10.6	22.0	32.1	32.1	5.84	5.86	81.1	81.3	4.95	4.97		8.0	8.0	
						32.0		5.87		81.5		4.99			8.0		
21/12/10	0724-0736	19/Cloudy	Surface	1.0	19.4	30.4	30.5	6.04	6.06	83.4	83.6	4.83	4.82	4.94	7.4	7.5	7.7
						30.5		6.07		83.8		4.81			7.5		
			Middle	5.9	20.6	31.2	31.2	5.93	5.95	81.8	82.0	4.96	4.96		7.8	7.7	
						31.1		5.96		82.2		4.95			7.5		
			Bottom	10.8	21.8	31.7	31.8	5.93	5.96	82.4	82.5	5.06	5.05		8.0	7.9	
						31.8		5.98		82.5		5.04			7.7		
23/12/10	0803-0814	17/Fine	Surface	1.0	19.9	31.1	31.1	6.02	6.04	83.6	83.8	4.88	4.91	5.15	7.7	7.8	8.2
						31.0		6.05		84.0		4.93			7.8		
			Middle	5.4	20.9	31.8	31.8	5.88	5.86	81.7	81.4	5.17	5.20		8.0	8.2	
						31.8		5.84		81.1		5.22			8.4		
			Bottom	10.8	21.1	32.0	32.1	5.92	5.90	82.2	81.9	5.36	5.34		8.5	8.5	
						32.1		5.87		81.5		5.31			8.5		
28/12/10	1038-1050	14/Sunny	Surface	1.0	19.7	30.4	30.5	6.02	6.04	83.1	83.3	5.30	5.32	5.42	8.3	8.3	8.5
						30.6		6.05		83.5		5.33			8.3		
			Middle	5.8	20.7	31.6	31.9	5.93	5.94	81.8	82.0	5.39	5.41		8.5	8.4	
						32.1		5.95		82.1		5.42			8.3		
			Bottom	10.5	22.6	32.8	33.0	5.86	5.85	80.9	80.8	5.53	5.55		8.8	8.9	
						33.2		5.84		80.6		5.56			9.0		
30/12/10	1204-1215	18/Fine	Surface	1.0	20.7	31.2	31.2	6.14	6.10	84.7	84.2	4.94	4.92	5.06	7.8	7.8	8.1
						31.1		6.06		83.6		4.90			7.8		
			Middle	5.9	20.9	31.5	31.5	5.96	5.97	82.8	83.0	5.03	5.06		8.0	8.1	
						31.4		5.98		83.1		5.08			8.2		
			Bottom	10.8	21.1	31.8	31.9	5.85	5.83	81.3	81.1	5.18	5.21		8.3	8.4	
						31.9		5.81		80.8		5.24			8.5		

Mid-Flood Tide

Monitoring Station : R16

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1515-1526	24/Sunny	Surface	1.0	23.4	30.9	31.0	5.86	5.85	80.8	80.6	4.88	4.92	5.17	7.9	7.8	8.2		
						31.0		5.83		80.4		4.95			7.6				
			Middle	6.6	22.9	31.6	31.7	5.77	5.76	79.6	79.4	5.07	5.04		5.01	5.04		8.1	8.1
						31.8		5.74		79.2		5.01			8.0				
			Bottom	12.2	22.8	32.0	32.1	5.82	5.84	80.3	80.5	5.50	5.55		5.59	5.55		9.0	8.9
						31.8		5.85		80.7		5.59			8.8				
04/12/10	1415-1426	24/Sunny	Surface	1.0	23.7	30.9	30.9	5.90	5.92	82.0	82.2	5.27	5.30	5.30	8.3	8.4	8.5		
						30.8		5.93		82.4		5.32			8.4				
			Middle	6.7	23.0	31.6	31.6	5.84	5.82	80.5	80.3	5.44	5.42		5.39	5.42		9.0	9.0
						31.5		5.80		80.0		5.39			8.9				
			Bottom	12.4	22.8	31.9	31.9	5.88	5.86	81.1	80.8	5.17	5.20		5.23	5.20		8.2	8.3
						31.8		5.84		80.5		5.23			8.4				
07/12/10	0716-0729	19/Cloudy	Surface	1.0	22.8	30.3	30.3	6.02	6.04	83.7	83.9	5.11	5.14	5.26	8.1	8.2	8.3		
						30.2		6.05		84.1		5.16			8.2				
			Middle	6.4	22.3	31.0	31.1	5.94	5.93	80.8	81.5	5.24	5.27		5.30	5.27		8.5	8.4
						31.1		5.91		82.1		5.30			8.2				
			Bottom	11.8	21.4	32.0	32.0	5.86	5.87	81.5	81.6	5.36	5.37		5.38	5.37		8.6	8.5
						31.9		5.88		81.7		5.38			8.4				
09/12/10	0819-0834	17/Fine	Surface	1.0	20.9	30.2	30.2	5.95	5.93	82.7	82.4	4.01	4.04	4.22	6.4	6.5	6.7		
						30.2		5.91		82.1		4.07			6.6				
			Middle	6.5	20.4	30.9	30.9	5.93	5.91	82.4	82.1	4.19	4.22		4.25	4.22		6.8	6.7
						30.9		5.88		81.7		4.25			6.5				
			Bottom	12.0	19.6	31.3	31.3	5.79	5.77	80.4	80.2	4.36	4.39		4.41	4.39		7.0	6.9
						31.3		5.75		79.9		4.41			6.8				
11/12/10	0919-0935	18/Cloudy	Surface	1.0	20.6	30.4	30.5	6.08	6.06	84.5	84.2	4.26	4.25	4.56	6.8	6.7	7.3		
						30.5		6.03		83.8		4.24			6.5				
			Middle	6.5	20.4	31.0	31.0	5.99	5.97	83.2	83.0	4.49	4.53		4.56	4.53		7.3	7.4
						31.0		5.95		82.7		4.56			7.5				
			Bottom	12.0	19.7	31.8	31.8	5.83	5.81	81.0	80.7	4.89	4.92		4.94	4.92		7.8	7.9
						31.8		5.78		80.3		4.94			8.0				
14/12/10	1216-1229	22/Cloudy	Surface	1.0	22.0	30.7	30.6	6.42	6.42	89.2	89.2	5.67	5.68	5.75	9.0	9.0	9.2		
						30.5		6.42		89.2		5.68			9.0				
			Middle	6.1	21.8	30.9	31.0	6.37	6.37	88.5	88.5	5.75	5.76		5.76	5.76		9.2	9.1
						31.0		6.36		88.4		5.76			9.0				
			Bottom	12.1	21.7	31.4	31.4	6.21	6.21	86.3	86.3	5.82	5.82		5.81	5.82		9.5	9.4
						31.4		6.20		86.2		5.81			9.3				
16/12/10	1215-1226	13/Cloudy	Surface	1.0	21.0	30.6	30.7	6.04	6.06	83.9	84.1	5.15	5.18	5.16	8.1	8.3	8.2		
						30.7		6.07		84.3		5.21			8.4				
			Middle	6.7	22.4	31.3	31.4	5.88	5.90	81.7	82.0	5.20	5.18		5.15	5.18		8.4	8.5
						31.4		5.92		82.2		5.15			8.5				
			Bottom	12.4	22.4	31.9	32.0	5.82	5.81	80.3	80.1	5.07	5.11		5.15	5.11		8.0	8.0
						32.0		5.79		79.9		5.15			8.0				
18/12/10	1315-1326	16/Sunny	Surface	1.0	20.2	31.1	31.2	6.08	6.07	84.5	84.3	4.26	4.30	4.65	6.9	7.0	7.6		
						31.2		6.05		84.0		4.34			7.1				
			Middle	6.6	21.9	31.8	31.8	5.94	5.92	82.5	82.3	4.76	4.79		4.82	4.79		7.8	7.9
						31.8		5.90		82.0		4.82			8.0				
			Bottom	12.2	22.0	32.0	32.1	5.90	5.92	82.0	82.2	4.84	4.87		4.90	4.87		8.0	7.8
						32.1		5.93		82.4		4.90			7.6				
21/12/10	0701-0714	19/Cloudy	Surface	1.0	19.4	30.3	30.4	6.13	6.12	84.6	84.5	4.73	4.72	4.85	7.8	7.8	7.8		
						30.4		6.11		84.3		4.70			7.8				
			Middle	6.5	20.5	31.3	31.3	6.08	6.09	83.9	84.0	4.88	4.86		4.84	4.86		7.9	7.8
						31.2		6.09		84.0		4.84			7.6				
			Bottom	12.0	21.7	31.9	31.9	5.95	5.97	82.1	82.4	4.99	4.98		4.97	4.98		8.0	8.0
						31.8		5.99		82.7		4.97			7.9				
23/12/10	0744-0755	17/Fine	Surface	1.0	19.7	31.0	31.0	6.03	6.05	83.8	84.1	5.01	5.05	5.04	8.0	7.9	8.1		
						30.9		6.07		84.3		5.09			7.6				
			Middle	6.2	21.0	31.8	31.8	5.97	5.96	82.9	82.7	5.12	5.10		5.07	5.10		8.4	8.4
						31.8		5.94		82.5		5.07			8.3				
			Bottom	12.4	21.0	32.0	32.0	5.82	5.84	80.3	80.5	4.98	4.97		4.95	4.97		7.9	8.0
						32.0		5.85		80.7		4.95			8.0				
28/12/10	1016-1028	14/Sunny	Surface	1.0	19.9	30.6	30.7	6.08	6.07	83.9	83.8	5.26	5.28	5.43	8.1	8.2	8.6		
						30.8		6.06		83.6		5.29			8.3				
			Middle	6.5	20.9	31.6	31.8	5.92	5.93	81.7	81.9	5.42	5.43		5.44	5.43		8.6	8.8
						32.0		5.94		82.0		5.44			8.9				
			Bottom	11.9	22.2	33.2	33.3	5.86	5.85	80.9	80.8	5.56	5.58		5.59	5.58		9.0	8.9
						33.4		5.84		80.6		5.59			8.8				
30/12/10	1145-1156	18/Fine	Surface	1.0	20.9	31.3	31.4	6.02	6.00	83.1	82.8	5.31	5.29	5.14	8.4	8.3	8.0		
						31.4		5.97		82.4		5.27			8.2				
			Middle	6.7	21.1	31.6	31.6	5.90	5.89	81.4	81.2	5.17	5.13		5.09	5.13		8.0	8.0
						31.6		5.87		81.0		5.09			8.0				
			Bottom	12.4	21.4	31.7	31.8	5.77	5.79	80.2	80.4	4.97	5.01		5.05	5.01		7.7	7.8
						31.8		5.80		80.6		5.05			7.9				

Mid-Flood Tide

Monitoring Station : R17

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average			
02/12/10	1500-1512	24/Sunny	Surface	1.0	23.3	30.8	30.9	5.94	5.92	82.5	82.3	4.96	4.94	5.19	7.7	7.9	8.2			
						30.9		5.90		82.0		4.91			8.0					
			Middle	6.3	23.0	31.6	31.7	5.78	5.76	79.7	79.5	5.15	5.17		5.19	5.17		8.2	8.1	8.2
						31.7		5.74		79.2		5.19			8.0					
			Bottom	11.6	22.9	31.9	32.0	5.81	5.80	80.1	80.0	5.42	5.45		5.48	5.45		8.8	8.7	8.7
						32.0		5.79		80.0		5.48			8.6					
04/12/10	1400-1412	24/Sunny	Surface	1.0	23.6	30.8	30.8	5.85	5.87	80.7	80.9	5.12	5.10	5.33	8.1	8.1	8.5			
						30.8		5.88		81.1		5.07			8.0					
			Middle	6.4	23.1	31.4	31.4	5.72	5.70	78.9	78.6	5.39	5.41		5.43	5.41		8.5	8.5	8.5
						31.3		5.68		78.3		5.43			8.5					
			Bottom	11.8	22.8	31.8	31.9	5.69	5.67	78.5	78.2	5.51	5.49		5.47	5.49		9.0	8.8	8.8
						31.9		5.65		77.9		5.47			8.6					
07/12/10	0700-0713	19/Cloudy	Surface	1.0	22.9	30.2	30.3	5.99	5.97	83.3	83.0	5.02	5.03	5.17	8.0	8.0	8.3			
						30.3		5.94		82.6		5.04			8.0					
			Middle	6.2	22.2	31.2	31.2	5.86	5.85	81.5	81.4	5.16	5.14		5.12	5.14		8.2	8.4	8.3
						31.1		5.84		81.2		5.12			8.5					
			Bottom	11.4	21.5	31.9	31.9	5.77	5.76	80.2	80.1	5.33	5.33		5.32	5.33		8.5	8.6	8.6
						31.8		5.75		79.9		5.32			8.6					
09/12/10	0800-0815	17/Fine	Surface	1.0	21.0	30.2	30.3	5.98	5.96	83.1	82.8	4.06	4.08	4.21	6.3	6.4	6.5			
						30.3		5.94		82.5		4.10			6.4					
			Middle	6.1	20.5	30.9	30.9	5.81	5.84	80.7	81.1	4.17	4.20		4.17	4.20		6.2	6.4	6.5
						30.9		5.86		81.4		4.22			6.5					
			Bottom	11.2	19.7	31.2	31.3	5.77	5.79	80.2	80.4	4.34	4.37		4.39	4.37		7.0	6.8	6.8
						31.3		5.80		80.6		4.39			6.5					
11/12/10	0900-0915	18/Cloudy	Surface	1.0	20.5	30.4	30.4	6.06	6.04	84.2	83.9	4.16	4.19	4.50	6.7	6.6	7.3			
						30.4		6.01		83.5		4.21			6.4					
			Middle	6.2	20.3	30.9	31.0	5.97	5.95	82.9	82.7	4.51	4.49		4.51	4.49		7.5	7.5	7.3
						31.0		5.93		82.4		4.46			7.5					
			Bottom	11.4	19.8	31.8	31.9	5.85	5.86	81.3	81.0	4.81	4.84		4.86	4.84		7.8	7.7	7.7
						31.9		5.86		80.6		4.86			7.6					
14/12/10	1158-1210	22/Cloudy	Surface	1.0	22.0	30.7	30.6	6.52	6.52	90.6	90.6	5.61	5.61	5.75	9.2	9.1	9.4			
						30.5		6.52		90.6		5.61			9.0					
			Middle	5.8	21.7	30.9	31.0	6.41	6.41	89.1	89.1	5.74	5.75		5.74	5.75		9.4	9.5	9.4
						31.0		6.40		89.0		5.75			9.5					
			Bottom	11.6	21.5	31.1	31.1	6.32	6.32	87.8	87.8	5.90	5.90		5.90	5.90		9.5	9.6	9.6
						31.1		6.31		87.7		5.90			9.6					
16/12/10	1200-1212	13/Cloudy	Surface	1.0	21.2	30.4	30.5	6.09	6.08	84.6	84.4	5.07	5.11	5.23	8.1	8.2	8.5			
						30.5		6.06		84.2		5.14			8.2					
			Middle	6.3	22.4	31.2	31.2	5.94	5.92	82.5	82.3	5.43	5.40		5.43	5.40		9.0	8.9	8.5
						31.1		5.90		82.0		5.37			8.8					
			Bottom	11.6	22.5	31.9	31.9	5.88	5.87	81.7	81.5	5.21	5.19		5.21	5.19		8.5	8.4	8.4
						31.8		5.85		81.3		5.17			8.3					
18/12/10	1300-1312	16/Sunny	Surface	1.0	20.3	30.9	31.0	6.10	6.08	84.7	84.5	4.37	4.40	4.75	7.1	7.2	7.7			
						31.0		6.06		84.2		4.42			7.3					
			Middle	6.3	21.9	31.8	31.8	5.87	5.86	81.0	80.8	4.88	4.91		4.88	4.91		7.8	7.9	7.7
						31.7		5.84		80.5		4.93			8.0					
			Bottom	11.6	22.0	32.0	32.0	5.91	5.93	82.1	82.4	4.90	4.96		4.90	4.96		7.8	7.9	7.9
						31.9		5.95		82.7		5.01			7.9					
21/12/10	0645-0658	19/Cloudy	Surface	1.0	19.5	30.4	30.5	6.12	6.11	84.5	84.4	4.78	4.77	4.87	8.0	7.9	8.0			
						30.5		6.10		84.2		4.75			7.8					
			Middle	6.4	20.6	31.2	31.3	6.03	6.05	83.2	83.4	4.89	4.88		4.89	4.88		7.8	7.9	8.0
						31.3		6.06		83.6		4.86			8.0					
			Bottom	11.8	21.8	31.8	31.9	5.91	5.93	81.6	81.8	4.96	4.96		4.96	4.96		8.0	8.1	8.1
						31.9		5.94		81.9		4.95			8.1					
23/12/10	0730-0741	17/Fine	Surface	1.0	19.8	30.9	31.0	6.10	6.09	84.7	84.5	4.87	4.91	4.99	7.9	7.9	8.0			
						31.0		6.07		84.3		4.94			7.9					
			Middle	6.4	20.9	31.6	31.7	6.01	6.03	83.5	83.8	5.03	5.08		5.03	5.08		8.0	8.1	8.0
						31.7		6.05		84.0		5.12			8.2					
			Bottom	11.8	21.2	31.9	31.9	5.94	5.92	82.5	82.3	4.94	4.98		4.94	4.98		7.7	7.9	7.9
						31.8		5.90		82.0		5.02			8.1					
28/12/10	1000-1013	14/Sunny	Surface	1.0	19.4	30.3	30.4	6.02	6.03	83.0	83.2	5.31	5.33	5.44	8.4	8.5	8.8			
						30.5		6.04		83.4		5.34			8.6					
			Middle	6.3	20.5	31.2	31.3	5.96	5.96	82.2	82.2	5.46	5.47		5.46	5.47		8.9	8.7	8.8
						31.4		5.95		82.1		5.48			8.5					
			Bottom	11.5	21.5	32.1	32.2	5.87	5.87	81.0	81.0	5.51	5.53		5.51	5.53		9.0	9.1	9.1
						32.2		5.86		80.9		5.54			9.1					
30/12/10	1130-1142	18/Fine	Surface	1.0	20.8	31.2	31.2	6.06	6.05	83.6	83.4	5.22	5.20	5.14	8.3	8.2	8.2			
						31.1		6.03		83.2		5.17			8.1					
			Middle	6.4	21.0	31.4	31.5	5.84	5.82	81.2	80.9	5.05	5.09		5.05	5.09		8.0	8.1	8.2
						31.5		5.80		80.6		5.13			8.2					
			Bottom	11.8	21.3	31.7	31.7	5.83	5.85	81.0	81.3	5.16	5.14		5.16	5.14		8.2	8.2	8.2
						31.7		5.86		81.5		5.11			8.1					

Mid-Flood Tide

Monitoring Station : R28

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)		Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1711-1722	24/Sunny	Surface	1.0	23.6	31.1	31.1	5.95	5.93	82.7	82.4	5.43	5.46	5.25	8.9	8.9	8.4		
						31.0		5.90		82.0		5.48			8.4				
			Middle	5.9	23.0	31.8	31.9	5.78	5.77	79.7	79.5	5.21	5.19		5.17	5.19		8.4	8.3
						31.9		5.75		79.3		5.17			8.2				
			Bottom	10.8	22.9	32.0	32.0	5.69	5.71	78.5	78.8	5.12	5.09		5.12	5.09		8.0	8.1
						32.0		5.73		79.0		5.06			8.2				
04/12/10	1611-1622	24/Sunny	Surface	1.0	23.8	31.2	31.2	6.03	6.05	83.8	84.0	4.87	4.90	5.35	7.8	7.8	8.8		
						31.1		6.06		84.2		4.92			7.8				
			Middle	5.9	23.1	31.6	31.7	5.84	5.82	81.1	80.9	5.50	5.53		5.55	5.53		9.0	9.1
						31.7		5.80		80.6		5.55			9.2				
			Bottom	10.8	23.0	32.1	32.1	5.77	5.76	79.6	79.4	5.67	5.64		5.61	5.64		9.5	9.4
						32.1		5.74		79.2		5.61			9.2				
07/12/10	0919-0932	20/Cloudy	Surface	1.0	22.9	30.3	30.3	5.98	5.96	83.1	82.8	5.05	5.07	5.19	8.0	8.0	8.2		
						30.2		5.93		82.4		5.08			8.0				
			Middle	6.1	22.5	31.3	31.3	5.88	5.87	81.7	81.5	5.13	5.14		5.14	5.14		8.2	8.1
						31.3		5.85		81.3		5.14			8.0				
			Bottom	11.2	21.8	32.0	32.1	5.79	5.78	80.5	80.3	5.38	5.36		5.34	5.36		8.5	8.4
						32.1		5.76		80.1		5.34			8.2				
09/12/10	1010-1025	19/Fine	Surface	1.0	20.8	30.4	30.5	6.05	6.03	84.0	83.8	4.08	4.11	4.24	6.4	6.5	6.5		
						30.5		6.01		83.5		4.13			6.6				
			Middle	5.9	20.5	30.9	30.9	5.96	5.93	82.8	82.4	4.19	4.22		4.24	4.22		6.2	6.4
						30.9		5.90		82.0		4.24			6.5				
			Bottom	10.8	19.9	31.2	31.3	5.83	5.81	81.0	80.7	4.36	4.39		4.41	4.39		6.8	6.7
						31.3		5.78		80.3		4.41			6.6				
11/12/10	1114-1130	18/Cloudy	Surface	1.0	20.6	30.5	30.5	5.98	5.96	83.1	82.8	4.21	4.24	4.40	6.6	6.6	7.2		
						30.5		5.93		82.4		4.26			6.5				
			Middle	6.0	20.4	30.9	30.9	5.88	5.86	81.7	81.4	4.38	4.40		4.41	4.40		7.2	7.3
						30.9		5.83		81.0		4.41			7.4				
			Bottom	11.0	20.0	31.3	31.4	5.79	5.80	80.4	80.6	4.60	4.58		4.56	4.58		7.7	7.6
						31.4		5.81		80.7		4.56			7.5				
14/12/10	1421-1434	22/Cloudy	Surface	1.0	22.2	30.5	30.6	6.43	6.43	89.3	89.3	5.67	5.67	5.74	9.2	9.1	9.3		
						30.6		6.42		89.2		5.66			9.0				
			Middle	5.3	21.7	31.0	31.0	6.33	6.35	87.9	88.1	5.74	5.74		5.73	5.74		9.4	9.3
						31.0		6.36		88.3		5.73			9.1				
			Bottom	10.5	21.5	31.2	31.3	6.32	6.31	87.8	87.7	5.82	5.83		5.83	5.83		9.5	9.4
						31.4		6.30		87.6		5.83			9.3				
16/12/10	1411-1422	13/Cloudy	Surface	1.0	21.0	31.0	31.0	5.94	5.92	82.5	82.3	5.01	5.06	4.97	7.9	8.1	7.9		
						31.0		5.90		82.0		5.10			8.2				
			Middle	5.9	22.5	31.6	31.6	5.83	5.81	81.0	80.7	4.97	4.95		4.92	4.95		7.8	7.7
						31.5		5.79		80.4		4.92			7.6				
			Bottom	10.8	22.8	32.0	32.0	5.75	5.73	79.3	79.0	4.89	4.92		4.94	4.92		8.0	8.0
						32.0		5.70		78.6		4.94			7.9				
18/12/10	1511-1522	16/Sunny	Surface	1.0	20.2	31.4	31.4	5.98	5.96	83.1	82.8	4.79	4.76	4.87	7.8	7.7	7.7		
						31.3		5.94		82.5		4.72			7.6				
			Middle	6.1	22.0	31.9	31.9	5.87	5.89	81.5	81.8	4.98	4.95		4.92	4.95		8.0	7.9
						31.9		5.90		82.0		4.92			7.8				
			Bottom	11.2	22.1	32.1	32.1	5.81	5.79	80.1	79.9	4.86	4.90		4.93	4.90		7.5	7.6
						32.1		5.77		79.6		4.93			7.7				
21/12/10	0902-0914	20/Cloudy	Surface	1.0	19.7	30.4	30.5	6.09	6.08	84.0	83.8	4.74	4.76	4.83	7.7	7.7	7.8		
						30.5		6.06		83.6		4.77			7.6				
			Middle	6.2	20.9	31.4	31.4	6.04	6.06	83.4	83.7	4.79	4.81		4.82	4.81		8.0	7.9
						31.3		6.08		83.9		4.82			7.8				
			Bottom	11.4	21.9	31.8	31.9	5.96	5.97	82.2	82.3	4.90	4.92		4.94	4.92		8.0	8.0
						31.9		5.97		82.4		4.94			7.9				
23/12/10	0934-0946	17/Fine	Surface	1.0	20.1	31.0	31.1	6.01	6.03	83.5	83.8	5.15	5.11	5.16	8.1	8.1	8.2		
						31.1		6.05		84.0		5.07			8.1				
			Middle	5.9	21.0	31.6	31.7	5.87	5.89	81.5	81.8	5.17	5.19		5.21	5.19		8.3	8.2
						31.7		5.91		82.1		5.21			8.0				
			Bottom	10.8	21.2	31.9	31.9	5.90	5.92	82.0	82.3	5.20	5.18		5.15	5.18		8.4	8.5
						31.8		5.94		82.5		5.15			8.5				
28/12/10	1216-1227	15/Sunny	Surface	1.0	19.5	30.6	30.7	6.09	6.09	84.0	84.0	5.20	5.22	5.48	8.1	8.1	8.7		
						30.8		6.09		84.0		5.24			8.1				
			Middle	6.1	20.7	31.8	32.0	5.96	5.97	82.2	82.4	5.48	5.50		5.52	5.50		8.6	8.8
						32.1		5.98		82.5		5.52			9.0				
			Bottom	11.2	21.7	32.4	32.5	5.86	5.84	80.9	80.6	5.69	5.72		5.74	5.72		9.2	9.1
						32.6		5.82		80.3		5.74			8.9				
30/12/10	1341-1352	18/Fine	Surface	1.0	20.7	31.3	31.3	6.08	6.09	83.9	84.1	5.13	5.11	5.22	8.3	8.3	8.3		
						31.2		6.10		84.2		5.08			8.2				
			Middle	5.8	20.9	31.6	31.6	5.90	5.93	82.0	82.4	5.30	5.26		5.22	5.26		8.6	8.5
						31.5		5.95		82.7		5.22			8.4				
			Bottom	10.6	21.2	31.8	31.9	5.85	5.87	81.3	81.5	5.32	5.30		5.28	5.30		8.2	8.2
						31.9		5.88		81.7		5.28			8.2				

Mid-Flood Tide

Monitoring Station : R29

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
02/12/10	1736-1747	24/Sunny	Surface	1.0	23.5	31.2	31.2	5.99	5.97	83.2	83.0	5.39	5.41	5.09	8.6	8.5	8.0
						31.1		5.95		82.7		5.43			8.4		
			Middle	8.8	22.9	31.9	31.9	5.87	5.84	81.5	81.1	4.98	4.95		8.0	7.9	
						31.8		5.80		80.6		4.91			7.8		
			Bottom	16.6	23.0	32.0	32.1	5.71	5.70	78.7	78.6	4.87	4.90		7.6	7.7	
						32.1		5.69		78.4		4.93			7.8		
04/12/10	1636-1647	24/Sunny	Surface	1.0	23.7	31.1	31.1	6.07	6.05	84.3	84.0	5.01	5.06	5.37	8.0	8.3	8.7
						31.0		6.02		83.6		5.10			8.5		
			Middle	8.9	23.2	31.7	31.8	5.93	5.95	82.4	82.7	5.43	5.46		9.0	8.8	
						31.8		5.97		82.9		5.49			8.6		
			Bottom	16.8	22.9	32.0	32.1	5.82	5.84	80.3	80.5	5.58	5.61		9.2	9.1	
						32.1		5.85		80.7		5.63			8.9		
07/12/10	0935-0947	20/Cloudy	Surface	1.0	22.8	30.2	30.2	5.97	5.96	82.9	82.8	5.23	5.22	5.37	8.3	8.3	8.6
						30.1		5.95		82.7		5.20			8.2		
			Middle	8.9	22.4	31.2	31.3	5.89	5.87	81.9	81.6	5.34	5.36		8.5	8.5	
						31.3		5.84		81.2		5.38			8.4		
			Bottom	16.8	21.5	32.1	32.1	5.80	5.81	80.6	80.8	5.56	5.54		9.2	9.1	
						32.0		5.82		80.9		5.52			8.9		
09/12/10	1031-1046	19/Fine	Surface	1.0	20.9	30.5	30.6	5.87	5.84	81.5	81.1	4.24	4.27	4.42	7.0	6.9	7.0
						30.6		5.81		80.7		4.30			6.8		
			Middle	8.9	20.2	31.0	31.0	5.79	5.77	80.4	80.2	4.39	4.41		6.6	6.7	
						31.0		5.75		79.9		4.42			6.8		
			Bottom	16.8	19.5	31.8	31.9	5.68	5.70	78.9	79.2	4.55	4.58		7.5	7.4	
						31.9		5.72		79.5		4.60			7.3		
11/12/10	1136-1151	18/Cloudy	Surface	1.0	20.6	30.6	30.6	5.87	5.85	81.5	81.3	4.35	4.38	4.62	7.2	7.1	7.5
						30.6		5.83		81.0		4.41			7.0		
			Middle	8.9	20.1	31.1	31.1	5.78	5.77	80.3	80.1	4.62	4.65		7.6	7.6	
						31.0		5.75		79.9		4.68			7.5		
			Bottom	16.8	19.6	31.6	31.7	5.68	5.69	78.9	79.1	4.80	4.83		8.0	7.9	
						31.7		5.70		79.2		4.86			7.8		
14/12/10	1439-1453	22/Cloudy	Surface	1.0	22.0	30.6	30.7	6.44	6.44	89.4	89.4	5.68	5.69	5.75	9.0	9.0	9.3
						30.7		6.43		89.3		5.69			8.9		
			Middle	8.2	21.4	30.6	30.8	6.33	6.33	87.9	87.9	5.71	5.73		9.2	9.4	
						30.9		6.32		87.8		5.75			9.6		
			Bottom	16.9	21.2	31.0	31.0	6.24	6.25	86.9	86.9	5.84	5.84		9.4	9.4	
						31.0		6.25		86.9		5.83			9.4		
16/12/10	1436-1447	13/Cloudy	Surface	1.0	21.1	31.0	31.0	6.02	6.04	83.6	83.8	5.06	5.04	5.04	7.8	7.8	7.8
						30.9		6.05		84.0		5.01			7.8		
			Middle	8.8	22.5	31.6	31.6	5.96	5.95	82.8	82.7	5.01	5.06		7.6	7.8	
						31.6		5.94		82.5		5.10			7.9		
			Bottom	16.6	22.8	32.0	32.0	5.92	5.94	82.2	82.5	4.98	5.02		8.0	8.0	
						31.9		5.95		82.7		5.06			7.9		
18/12/10	1536-1547	16/Sunny	Surface	1.0	20.1	31.4	31.4	5.94	5.92	82.5	82.3	5.01	5.04	5.03	8.0	8.1	8.1
						31.4		5.90		82.0		5.07			8.2		
			Middle	8.9	22.0	32.0	32.0	5.90	5.93	82.0	82.4	5.10	5.08		8.4	8.3	
						31.9		5.95		82.7		5.06			8.2		
			Bottom	16.8	22.2	32.1	32.1	5.92	5.91	82.2	82.0	4.98	4.96		8.0	7.9	
						32.0		5.89		81.8		4.94			7.8		
21/12/10	0917-0929	20/Cloudy	Surface	1.0	19.6	30.3	30.4	6.05	6.04	83.5	83.4	4.75	4.76	4.89	8.1	8.1	8.0
						30.4		6.03		83.2		4.76			8.0		
			Middle	9.0	20.3	31.3	31.4	6.06	6.08	83.6	83.8	4.87	4.87		8.2	8.2	
						31.4		6.09		84.0		4.86			8.2		
			Bottom	17.0	21.8	31.8	31.9	5.93	5.95	81.8	82.0	5.02	5.04		7.8	7.8	
						31.9		5.96		82.2		5.05			7.8		
23/12/10	0954-1006	17/Fine	Surface	1.0	20.0	31.1	31.2	6.07	6.06	84.3	84.1	5.27	5.24	5.10	8.3	8.2	8.1
						31.2		6.04		83.9		5.21			8.1		
			Middle	8.4	21.1	31.7	31.7	5.92	5.91	82.2	82.0	5.07	5.10		8.0	8.0	
						31.6		5.89		81.8		5.12			8.0		
			Bottom	16.8	21.2	31.9	32.0	5.87	5.89	81.5	81.8	4.98	4.97		7.8	8.0	
						32.0		5.90		82.0		4.95			8.1		
28/12/10	1230-1242	15/Sunny	Surface	1.0	19.6	30.8	30.6	6.12	6.11	84.5	84.4	5.40	5.42	5.60		#DIV/0!	#DIV/0!
						30.4		6.10		84.2		5.44					
			Middle	8.8	20.8	31.6	31.6	5.94	5.95	82.0	82.1	5.59	5.61			#DIV/0!	
						31.5		5.96		82.2		5.62					
			Bottom	16.6	21.7	32.6	32.8	5.87	5.86	81.0	80.8	5.77	5.78			#DIV/0!	
						32.9		5.84		80.6		5.78					
30/12/10	1406-1417	18/Fine	Surface	1.0	20.9	31.3	31.4	5.97	5.99	82.4	82.7	4.99	5.02	5.05	8.0	7.9	8.0
						31.4		6.01		82.9		5.05			7.8		
			Middle	8.7	21.1	31.7	31.8	5.82	5.84	80.9	81.1	4.91	4.94		7.7	7.9	
						31.8		5.85		81.3		4.97			8.0		
			Bottom	16.4	21.4	32.0	32.0	5.78	5.80	80.3	80.6	5.21	5.18		8.4	8.3	
						32.0		5.82		80.9		5.15			8.2		

Mid-Flood Tide

Monitoring Station : C1

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
02/12/10	1600-1612	24/Sunny	Surface	1.0	28.0	31.1	31.2	6.01	6.03	83.5	83.7	5.12	5.14	5.25	8.2	8.1	8.3
				7.4	23.1	31.2		6.04		80.4		5.15			8.0		
			Middle	7.4	23.1	31.7	5.94	5.92	82.5	5.03	8.0						
				13.8	22.9	31.7	5.90	5.77	82.0	5.08	7.9						
			Bottom	13.8	22.9	32.0	5.78	5.77	79.7	5.58	8.8						
				13.8	22.9	32.1	5.75	5.77	79.3	5.54	9.0						
04/12/10	1500-1512	24/Sunny	Surface	1.0	23.8	31.1	31.1	5.83	5.85	80.4	80.7	5.53	5.58	5.45	9.0	9.1	9.0
				7.4	23.0	31.1		5.87		81.0		5.62			9.2		
			Middle	7.4	23.0	31.7	5.74	5.72	79.2	5.23	8.4						
				13.8	22.9	31.6	5.70	5.67	78.6	5.17	9.2						
			Bottom	13.8	22.9	32.0	5.68	5.67	77.6	5.60	9.0						
				13.8	22.9	32.0	5.66	5.67	77.2	5.53	9.0						
07/12/10	0809-0821	19/Cloudy	Surface	1.0	22.9	30.2	30.3	5.94	5.96	82.6	82.9	5.24	5.22	5.37	8.2	8.2	8.5
				7.7	22.3	30.3		5.98		83.1		5.20			8.2		
			Middle	7.7	22.3	31.4	6.01	6.03	83.5	5.36	8.4						
				14.4	21.4	31.3	6.04	6.03	82.1	5.31	8.3						
			Bottom	14.4	21.4	32.0	5.73	5.74	79.6	5.56	8.9						
				14.4	21.4	32.1	5.75	5.74	79.9	5.55	8.8						
09/12/10	0902-0918	17/Fine	Surface	1.0	20.9	30.3	30.4	5.99	6.01	83.2	83.5	4.02	4.04	4.20	6.4	6.4	6.6
				7.3	20.4	30.4		6.03		83.8		4.06			6.4		
			Middle	7.3	20.4	30.9	5.92	5.90	82.2	4.18	6.6						
				13.6	19.7	31.0	5.87	5.76	81.5	4.22	6.5						
			Bottom	13.6	19.7	31.4	5.78	5.76	80.3	4.38	6.9						
				13.6	19.7	31.4	5.74	5.76	79.7	4.33	7.0						
11/12/10	1004-1020	18/Cloudy	Surface	1.0	20.6	30.5	30.5	6.01	5.99	80.3	81.6	4.28	4.31	4.60	6.6	6.6	7.2
				7.3	20.0	31.1		5.87		81.5		4.55			7.3		
			Middle	7.3	20.0	31.1	5.83	5.85	81.0	4.59	7.5						
				13.6	19.6	31.9	5.77	5.75	80.2	4.91	7.9						
			Bottom	13.6	19.6	31.9	5.72	5.75	79.5	4.95	7.5						
				13.6	19.6	31.9	5.72	5.75	79.5	4.95	7.5						
14/12/10	1308-1321	22/Cloudy	Surface	1.0	21.8	30.7	30.7	6.42	6.42	89.2	89.2	5.67	5.67	5.75	8.8	8.9	9.1
				6.3	21.4	30.6		6.41		89.1		5.67			9.0		
			Middle	6.3	21.4	30.9	6.31	6.31	87.7	5.74	9.2						
				12.5	21.2	31.0	6.30	6.28	87.6	5.76	9.0						
			Bottom	12.5	21.2	31.4	6.29	6.28	87.5	5.82	9.3						
				12.5	21.2	31.3	6.27	6.28	87.3	5.81	9.3						
16/12/10	1300-1312	13/Cloudy	Surface	1.0	21.0	30.8	30.9	5.97	5.96	82.9	82.7	5.53	5.58	5.31	9.2	9.1	8.5
				7.4	22.4	30.9		5.94		5.92		82.5			5.17		
			Middle	7.4	22.4	31.5	5.90	5.92	82.0	5.21	8.2						
				13.8	22.3	31.5	5.94	5.90	82.5	5.17	8.5						
			Bottom	13.8	22.3	32.0	5.81	5.80	80.1	5.19	8.1						
				13.8	22.3	31.9	5.79	5.80	79.9	5.12	8.2						
18/12/10	1400-1412	16/Sunny	Surface	1.0	20.0	31.2	31.2	6.09	6.08	84.6	84.4	4.97	4.94	4.94	7.7	7.8	7.8
				7.4	22.0	31.1		6.06		84.2		4.91			7.9		
			Middle	7.4	22.0	31.9	5.86	5.88	80.8	4.79	7.5						
				13.8	22.0	31.8	5.90	5.88	81.4	4.85	7.8						
			Bottom	13.8	22.0	32.1	5.75	5.77	79.3	5.03	8.1						
				13.8	22.0	32.1	5.78	5.77	79.7	5.11	8.0						
21/12/10	0750-0802	19/Cloudy	Surface	1.0	19.5	30.5	30.5	6.08	6.08	83.9	83.9	4.70	4.73	4.85	7.7	7.8	7.8
				7.9	20.6	30.4		6.07		83.8		4.75			7.8		
			Middle	7.9	20.6	31.4	5.98	5.98	82.5	4.89	7.5						
				14.8	21.7	31.3	5.97	5.98	82.4	4.86	7.8						
			Bottom	14.8	21.7	31.7	5.86	5.85	80.9	4.95	8.2						
				14.8	21.7	31.8	5.84	5.85	80.6	4.93	8.0						
23/12/10	0829-0840	17/Fine	Surface	1.0	20.0	31.1	31.1	6.15	6.17	85.4	85.7	5.15	5.17	5.14	8.3	8.3	8.2
				6.9	21.0	31.1		6.19		86.0		5.19			8.3		
			Middle	6.9	21.0	31.9	5.95	5.97	82.7	5.09	8.0						
				13.8	21.1	31.9	5.98	5.97	83.1	5.01	7.8						
			Bottom	13.8	21.1	32.1	5.91	5.93	82.1	5.21	8.5						
				13.8	21.1	32.1	5.95	5.93	82.7	5.17	8.2						
28/12/10	1105-1117	14/Sunny	Surface	1.0	19.7	30.6	30.7	6.06	6.05	83.6	83.5	5.34	5.35	5.45	8.6	8.5	8.7
				7.7	20.5	30.8		6.04		83.4		5.36			8.3		
			Middle	7.7	20.5	32.0	6.00	5.98	82.8	5.41	8.7						
				14.3	22.0	32.6	5.96	5.98	82.2	5.43	8.9						
			Bottom	14.3	22.0	33.1	5.84	5.85	80.6	5.57	8.8						
				14.3	22.0	33.4	5.86	5.85	80.9	5.59	8.8						
30/12/10	1230-1242	18/Fine	Surface	1.0	20.6	31.3	31.3	6.08	6.07	83.9	83.7	5.03	5.08	5.07	8.0	8.1	8.1
				6.8	21.1	31.2		6.05		83.5		5.12			8.2		
			Middle	6.8	21.1	31.7	5.81	5.79	80.8	4.97	7.7						
				12.6	21.4	31.6	5.77	5.79	80.2	5.04	8.1						
			Bottom	12.6	21.4	31.9	5.87	5.89	81.0	5.14	8.2						
				12.6	21.4	32.0	5.91	5.89	81.6	5.10	8.2						

Mid-Flood Tide

Monitoring Station : C3

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
02/12/10	1625-1637	24/Sunny	Surface	1.0	23.5	31.2	31.2	6.03	6.05	83.8	83.9	5.03	5.06	5.06	8.0	7.9	8.0
						31.2		6.06		84.0		5.09			7.8		
			Middle	6.8	23.0	31.8	31.9	5.88	5.90	81.1	81.3	4.97	4.96		8.0	8.0	
						31.9		5.91		81.5		4.94			8.0		
			Bottom	12.6	22.8	32.0	32.0	5.81	5.80	80.1	79.9	5.19	5.15		8.2	8.2	
						31.9		5.78		79.7		5.11			8.2		
04/12/10	1525-1537	24/Sunny	Surface	1.0	23.8	31.2	31.2	5.99	5.97	83.2	83.0	5.42	5.48	5.26	9.0	8.9	8.4
						31.1		5.95		82.7		5.54			8.8		
			Middle	6.7	23.0	31.6	31.7	5.82	5.81	80.3	80.2	5.03	5.07		8.0	8.0	
						31.7		5.80		80.0		5.10			7.9		
			Bottom	12.4	22.9	32.0	32.1	5.77	5.76	79.6	79.4	5.26	5.24		8.2	8.2	
						32.1		5.74		79.2		5.21			8.2		
07/12/10	0833-0846	19/Cloudy	Surface	1.0	22.8	30.3	30.4	6.02	6.05	83.7	84.1	5.31	5.31	5.36	8.4	8.3	8.5
						30.4		6.08		84.5		5.30			8.2		
			Middle	6.9	22.4	31.2	31.3	5.96	5.95	82.8	82.6	5.27	5.28		8.1	8.2	
						31.3		5.93		82.4		5.29			8.2		
			Bottom	12.8	21.3	32.1	32.1	5.82	5.82	80.9	80.9	5.49	5.48		8.8	8.9	
						32.1		5.81		80.8		5.47			9.0		
09/12/10	0927-0943	17/Fine	Surface	1.0	20.9	30.4	30.4	6.01	5.99	83.5	83.2	4.03	4.06	4.17	6.5	6.6	6.7
						30.4		5.97		82.9		4.08			6.6		
			Middle	6.8	20.4	31.0	31.0	5.93	5.91	82.4	82.1	4.12	4.16		6.4	6.6	
						31.0		5.89		81.8		4.19			6.7		
			Bottom	12.6	19.7	31.5	31.5	5.81	5.80	80.7	80.6	4.28	4.30		7.0	7.1	
						31.4		5.79		80.4		4.32			7.2		
11/12/10	1028-1043	18/Cloudy	Surface	1.0	20.6	30.5	30.6	6.04	6.02	83.9	83.6	4.36	4.39	4.70	7.0	7.2	7.5
						30.6		5.99		83.2		4.41			7.4		
			Middle	6.9	20.2	31.0	31.0	5.91	5.88	82.1	81.7	4.73	4.75		7.6	7.6	
						31.0		5.85		81.3		4.77			7.6		
			Bottom	12.8	19.7	31.9	32.0	5.75	5.73	79.9	79.6	4.93	4.96		7.9	7.7	
						32.0		5.70		79.2		4.98			7.5		
14/12/10	1333-1347	22/Cloudy	Surface	1.0	21.9	30.4	30.5	6.43	6.44	89.3	89.4	5.69	5.69	5.75	9.1	9.1	9.1
						30.5		6.44		89.4		5.68			9.1		
			Middle	6.2	21.5	31.0	30.9	6.32	6.32	87.8	87.8	5.72	5.73		9.4	9.2	
						30.8		6.31		87.7		5.74			9.0		
			Bottom	12.3	21.1	31.1	31.2	6.24	6.23	86.6	86.5	5.82	5.83		9.0	9.1	
						31.2		6.22		86.4		5.83			9.2		
16/12/10	1325-1337	13/Cloudy	Surface	1.0	20.9	30.9	30.9	6.03	6.02	83.8	83.7	5.47	5.50	5.29	9.0	9.0	8.5
						30.8		6.01		83.5		5.52			9.0		
			Middle	6.8	22.4	31.5	31.5	5.85	5.87	80.7	80.9	5.23	5.25		8.4	8.3	
						31.5		5.88		81.1		5.27			8.2		
			Bottom	12.6	22.3	32.0	32.0	5.79	5.81	79.9	80.1	5.17	5.14		8.0	8.1	
						32.0		5.82		80.3		5.10			8.2		
18/12/10	1425-1437	16/Sunny	Surface	1.0	20.1	31.2	31.2	6.03	6.05	83.8	84.1	5.01	5.05	4.97	7.9	8.0	7.9
						31.2		6.07		84.3		5.09			8.1		
			Middle	6.7	22.1	31.9	31.9	5.75	5.73	79.3	79.0	4.88	4.92		7.8	7.9	
						31.9		5.71		78.7		4.95			7.9		
			Bottom	12.4	22.0	32.1	32.1	5.69	5.68	78.5	78.3	4.97	4.96		8.0	7.9	
						32.1		5.66		78.1		4.92			7.7		
21/12/10	0814-0826	19/Cloudy	Surface	1.0	19.4	30.4	30.4	6.05	6.07	83.5	83.6	4.88	4.85	4.95	7.9	8.1	8.0
						30.4		6.09		83.6		4.82			8.2		
			Middle	7.0	20.5	31.3	31.3	5.84	5.82	80.6	80.3	4.97	4.96		7.8	7.8	
						31.2		5.80		80.0		4.94			7.7		
			Bottom	13.0	21.6	31.8	31.9	5.81	5.83	80.2	80.5	5.08	5.05		8.0	8.1	
						31.9		5.85		80.7		5.02			8.2		
23/12/10	0853-0905	17/Fine	Surface	1.0	20.1	31.2	31.2	6.09	6.07	84.6	84.3	5.21	5.19	5.21	8.4	8.3	8.3
						31.1		6.05		84.0		5.16			8.2		
			Middle	6.3	21.0	31.8	31.8	5.99	5.97	83.2	83.0	5.17	5.14		8.1	8.1	
						31.8		5.95		82.7		5.10			8.0		
			Bottom	12.6	21.1	32.1	32.1	5.78	5.76	79.7	79.5	5.33	5.30		8.5	8.6	
						32.0		5.74		79.2		5.27			8.6		
28/12/10	1129-1142	14/Sunny	Surface	1.0	19.7	30.4	30.5	6.03	6.05	83.2	83.4	5.26	5.28	5.44	8.4	8.4	8.5
						30.6		6.06		83.6		5.29			8.4		
			Middle	6.9	20.7	31.8	32.0	5.89	5.87	81.3	81.0	5.39	5.42		8.5	8.4	
						32.1		5.84		80.6		5.44			8.3		
			Bottom	12.7	22.5	33.5	33.7	5.80	5.78	80.0	79.7	5.63	5.64		8.7	8.6	
						33.8		5.75		79.4		5.65			8.5		
30/12/10	1255-1307	18/Fine	Surface	1.0	20.7	31.1	31.2	5.94	5.93	82.6	82.4	5.11	5.14	5.19	8.0	8.0	8.3
						31.2		5.91		82.1		5.17			8.0		
			Middle	6.6	20.9	31.8	31.8	5.87	5.89	81.6	81.8	5.33	5.31		8.7	8.6	
						31.7		5.90		82.0		5.28			8.5		
			Bottom	12.2	21.2	32.0	32.0	5.99	5.97	82.7	82.4	5.16	5.13		8.3	8.4	
						32.0		5.95		82.1		5.09			8.4		

Mid-Ebb Tide

Monitoring Station : C2

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1157-1206	23/Fine	Surface	1.0	23.1	30.5	30.7	5.95	5.96	82.7	82.8	5.02	5.02	5.16	8.0	8.0	8.3		
						30.9		5.96		82.8		5.02			8.0				
			Middle	7.1	22.5	31.4	31.5	5.84	5.84	81.2	81.2	5.19	5.20		5.19	5.20		8.3	8.3
						31.5		5.84		81.2		5.20			8.2				
			Bottom	14.1	22.4	31.5	31.6	5.71	5.72	79.5	79.5	5.24	5.26		5.24	5.26		8.5	8.5
						31.7		5.72		79.4		5.28			8.5				
04/12/10	1218-1231	23/Fine	Surface	1.0	23.0	30.5	30.6	5.80	5.81	80.6	80.7	5.51	5.51	5.66	9.0	9.0	9.1		
						30.6		5.81		80.8		5.50			8.9				
			Middle	6.8	22.1	31.0	31.0	5.74	5.73	79.8	79.7	5.61	5.62		5.61	5.62		9.0	9.1
						31.0		5.72		79.5		5.62			9.0				
			Bottom	13.5	22.0	31.2	31.2	5.71	5.72	76.6	76.7	5.84	5.85		5.84	5.85		9.4	9.3
						31.2		5.72		76.7		5.85			9.1				
07/12/10	1707-1720	22/Fine	Surface	1.0	21.9	30.3	30.4	5.94	5.94	82.6	82.6	5.62	5.62	5.73	9.3	9.3	9.3		
						30.4		5.94		82.6		5.62			9.3				
			Middle	6.8	21.6	30.6	30.8	5.82	5.82	80.9	80.9	5.71	5.72		5.71	5.72		9.4	9.3
						31.0		5.81		80.8		5.72			9.2				
			Bottom	13.5	21.4	31.1	31.1	5.71	5.71	79.4	79.4	5.84	5.85		5.84	5.85		9.5	9.4
						31.1		5.71		79.4		5.85			9.2				
09/12/10	1728-1738	18/Sunny	Surface	1.0	22.3	31.3	31.3	5.96	5.95	82.8	82.6	4.99	4.95	5.12	8.0	8.1	8.2		
						31.3		5.93		82.4		4.91			8.2				
			Middle	8.3	21.9	32.0	32.0	5.81	5.83	80.7	80.9	5.15	5.18		5.15	5.18		8.0	8.2
						32.0		5.84		81.1		5.21			8.4				
			Bottom	15.6	22.0	32.2	32.2	5.87	5.86	81.5	81.3	5.21	5.24		5.21	5.24		8.3	8.2
						32.1		5.84		81.1		5.26			8.1				
11/12/10	1919-1934	19/Cloudy	Surface	1.0	22.5	30.5	30.5	5.96	5.94	82.2	82.0	5.08	5.07	5.19	8.0	8.1	8.3		
						30.4		5.92		81.7		5.06			8.2				
			Middle	8.4	21.5	31.3	31.4	5.84	5.86	80.6	80.8	5.17	5.17		5.17	5.17		8.4	8.3
						31.4		5.87		81.0		5.16			8.2				
			Bottom	15.8	20.8	32.2	32.2	5.80	5.81	80.0	80.2	5.31	5.33		5.31	5.33		8.5	8.5
						32.1		5.82		80.3		5.34			8.5				
14/12/10	2122-2130	20/Cloudy	Surface	1.0	22.8	30.6	30.7	5.91	5.92	82.1	82.3	5.19	5.23	5.35	8.2	8.2	8.5		
						30.7		5.93		82.4		5.26			8.2				
			Middle	7.4	22.5	31.2	31.2	5.85	5.87	81.3	81.2	5.32	5.34		5.32	5.34		8.6	8.5
						31.1		5.88		81.1		5.36			8.4				
			Bottom	13.8	21.6	31.9	31.9	5.78	5.77	80.3	80.1	5.48	5.49		5.48	5.49		8.8	8.9
						31.8		5.75		79.9		5.49			9.0				
16/12/10	1135-1148	13/Cloudy	Surface	1.0	21.0	30.6	30.6	6.02	6.01	83.6	83.5	5.11	5.12	5.19	8.0	8.0	8.2		
						30.5		6.00		83.4		5.12			8.0				
			Middle	7.3	21.8	31.1	31.1	5.97	5.97	83.1	83.1	5.20	5.21		5.20	5.21		8.3	8.2
						31.0		5.96		83.0		5.21			8.1				
			Bottom	14.5	22.0	31.7	31.8	5.84	5.86	82.8	82.3	5.23	5.24		5.23	5.24		8.5	8.4
						31.8		5.88		81.7		5.24			8.2				
18/12/10	1142-1155	11/Cloudy	Surface	1.0	20.0	31.4	31.4	6.01	6.02	82.9	83.1	5.43	5.42	5.50	7.8	7.9	7.9		
						31.3		6.03		83.2		5.40			7.9				
			Middle	7.5	20.6	31.7	31.7	5.88	5.88	81.1	81.1	5.49	5.51		5.49	5.51		7.6	7.7
						31.6		5.87		81.0		5.52			7.7				
			Bottom	14.0	21.8	32.0	32.1	5.74	5.72	79.2	79.0	5.59	5.59		5.59	5.59		8.2	8.2
						32.1		5.70		78.7		5.58			8.2				
21/12/10	1601-1620	22/Fine	Surface	1.0	20.8	30.8	30.8	6.00	6.03	82.8	83.2	5.15	5.17	5.34	8.5	8.4	8.6		
						30.8		6.06		83.6		5.19			8.2				
			Middle	7.3	20.3	31.3	31.3	5.88	5.85	81.4	80.9	5.29	5.31		5.29	5.31		8.3	8.2
						31.3		5.82		80.3		5.32			8.0				
			Bottom	13.6	19.6	31.9	31.9	5.75	5.72	79.3	78.9	5.51	5.53		5.51	5.53		9.2	9.3
						31.9		5.69		78.5		5.55			9.3				
23/12/10	1710-1722	19/Fine	Surface	1.0	21.5	31.1	31.2	5.98	5.97	83.1	82.9	5.07	5.10	5.20	8.0	8.2	8.3		
						31.2		5.95		82.7		5.12			8.3				
			Middle	7.6	21.7	31.8	31.8	5.86	5.84	81.5	81.2	5.35	5.32		5.35	5.32		8.6	8.4
						31.7		5.81		80.8		5.29			8.2				
			Bottom	15.2	21.9	32.0	32.0	5.90	5.92	82.0	82.3	5.20	5.18		5.20	5.18		8.3	8.4
						31.9		5.94		82.6		5.16			8.4				
28/12/10	2000-2015	17/Fine	Surface	1.0	20.3	30.3	30.4	6.06	6.06	83.6	83.6	5.43	5.42	5.53	9.0	9.1	9.0		
						30.4		6.05		83.5		5.40			9.1				
			Middle	7.4	21.4	31.4	31.4	5.92	5.95	81.7	82.1	5.51	5.54		5.51	5.54		9.2	9.1
						31.3		5.97		82.4		5.56			9.0				
			Bottom	13.8	21.8	32.0	32.1	5.86	5.85	80.9	80.8	5.63	5.64		5.63	5.64		8.8	8.8
						32.1		5.84		80.6		5.64			8.8				
30/12/10	2027-2038	14/Cloudy	Surface	1.0	20.7	30.4	30.4	6.01	6.00	82.9	82.8	5.50	5.53	5.58	8.8	8.8	8.9		
						30.3		5.99		82.7		5.55			8.8				
			Middle	7.5	20.8	31.1	31.1	5.84	5.83	80.6	80.4	5.56	5.58		5.56	5.58		8.9	8.8
						31.0		5.81		80.2		5.59			8.6				
			Bottom	14.0	20.3	32.1	32.1	5.78	5.76	79.8	79.5	5.62	5.64		5.62	5.64		9.1	9.1
						32.0		5.73		79.1		5.65			9.0				

Mid-Ebb Tide

Monitoring Station : C4

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1136-1148	23/Fine	Surface	1.0	23.2	30.4	30.4	5.94	5.95	82.6	82.7	5.04	5.03	5.14	8.2	8.1	8.3		
						30.3		5.95		82.7		5.02			8.0				
			Middle	7.6	23.5	30.9	31.0	5.82	5.82	80.9	80.9	5.17	5.18		5.17	5.18		8.3	8.3
						31.1		5.81		80.8		5.19			8.3				
			Bottom	15.2	22.9	31.6	31.6	5.77	5.76	80.2	80.1	5.22	5.22		5.22	5.22		8.5	8.4
						31.5		5.75		79.9		5.21			8.2				
04/12/10	1158-1210	23/Fine	Surface	1.0	22.9	30.4	30.5	5.81	5.81	80.8	80.7	5.52	5.51	5.64	9.0	9.0	9.2		
						30.6		5.80		80.6		5.50			9.0				
			Middle	7.5	22.5	31.0	31.1	5.72	5.74	79.5	79.7	5.59	5.60		5.59	5.60		8.8	9.0
						31.1		5.75		79.9		5.60			9.2				
			Bottom	14.9	22.1	31.4	31.5	5.74	5.75	77.0	77.1	5.81	5.80		5.81	5.80		9.5	9.5
						31.6		5.75		77.1		5.79			9.5				
07/12/10	1646-1658	22/Fine	Surface	1.0	21.9	30.3	30.4	5.93	5.94	82.4	82.5	5.61	5.62	5.72	9.0	9.0	9.3		
						30.4		5.94		82.6		5.62			9.0				
			Middle	7.4	21.8	31.0	31.0	5.81	5.82	80.8	80.9	5.70	5.71		5.70	5.71		9.4	9.2
						31.0		5.82		80.9		5.71			9.0				
			Bottom	14.7	21.4	31.2	31.3	5.70	5.71	79.2	79.3	5.83	5.83		5.83	5.83		9.5	9.6
						31.3		5.71		79.4		5.82			9.7				
09/12/10	1711-1721	18/Sunny	Surface	1.0	22.2	31.3	31.3	5.95	5.97	82.7	82.9	5.01	5.04	5.10	7.9	8.0	8.1		
						31.2		5.98		83.1		5.06			8.0				
			Middle	8.3	21.9	32.0	32.0	5.89	5.87	81.8	81.5	5.18	5.15		5.18	5.15		8.4	8.3
						31.9		5.84		81.1		5.11			8.2				
			Bottom	15.6	21.9	32.2	32.2	5.82	5.81	80.3	80.1	5.09	5.12		5.09	5.12		8.1	8.1
						32.2		5.79		79.9		5.15			8.0				
11/12/10	1858-1911	19/Cloudy	Surface	1.0	22.4	30.4	30.4	6.07	6.07	83.8	83.7	5.23	5.25	5.36	8.2	8.2	8.6		
						30.4		6.06		83.6		5.26			8.1				
			Middle	8.5	21.5	31.5	31.5	5.97	5.96	82.4	82.3	5.34	5.36		5.34	5.36		8.5	8.6
						31.4		5.95		82.1		5.38			8.7				
			Bottom	16.0	20.7	32.1	32.2	5.82	5.81	80.3	80.2	5.49	5.46		5.49	5.46		8.9	9.0
						32.2		5.80		80.0		5.43			9.0				
14/12/10	2108-2118	20/Cloudy	Surface	1.0	22.9	30.5	30.6	5.83	5.82	81.0	80.8	5.28	5.30	5.32	8.0	8.2	8.3		
						30.6		5.80		80.6		5.31			8.3				
			Middle	8.3	22.6	31.0	31.1	5.76	5.77	80.1	80.2	5.38	5.37		5.38	5.37		8.4	8.3
						31.1		5.78		80.3		5.35			8.2				
			Bottom	15.6	21.8	32.0	32.0	5.79	5.79	80.5	80.4	5.30	5.31		5.30	5.31		8.5	8.4
						31.9		5.78		80.3		5.32			8.2				
16/12/10	1115-1127	13/Cloudy	Surface	1.0	20.9	30.7	30.8	6.12	6.11	85.1	85.0	5.20	5.19	5.22	8.6	8.4	8.3		
						30.8		6.10		84.9		5.18			8.2				
			Middle	7.4	22.4	31.4	31.5	6.02	6.01	83.6	83.5	5.21	5.22		5.21	5.22		8.2	8.3
						31.5		6.00		83.4		5.22			8.3				
			Bottom	14.7	22.0	31.9	31.9	6.99	5.98	83.3	83.3	5.24	5.25		5.24	5.25		8.4	8.2
						31.8		5.97		83.2		5.26			8.0				
18/12/10	1125-1135	11/Cloudy	Surface	1.0	19.9	31.3	31.4	6.07	6.06	83.8	83.7	5.44	5.46	5.56	8.0	8.0	7.8		
						31.4		6.05		83.5		5.47			8.0				
			Middle	8.1	20.5	31.7	31.8	5.98	5.97	82.7	82.5	5.68	5.65		5.68	5.65		7.7	7.8
						31.8		5.96		82.2		5.61			7.9				
			Bottom	15.2	21.8	32.2	32.2	5.86	5.84	80.9	80.6	5.59	5.58		5.59	5.58		7.6	7.7
						32.1		5.81		80.2		5.57			7.8				
21/12/10	1537-1553	22/Fine	Surface	1.0	20.8	30.8	30.8	6.09	6.06	84.0	83.5	5.12	5.15	5.34	8.4	8.4	8.6		
						30.8		6.02		83.0		5.17			8.4				
			Middle	8.0	20.2	31.2	31.2	5.91	5.89	81.5	81.2	5.31	5.33		5.31	5.33		8.7	8.6
						31.2		5.86		80.8		5.35			8.5				
			Bottom	15.0	19.5	31.9	32.0	5.70	5.72	78.6	78.8	5.53	5.56		5.53	5.56		8.7	8.9
						32.0		5.73		79.0		5.58			9.0				
23/12/10	1651-1702	19/Fine	Surface	1.0	21.4	31.0	31.0	6.12	6.14	84.5	84.7	4.90	4.94	5.09	7.7	7.9	8.1		
						31.0		6.15		84.9		4.98			8.0				
			Middle	7.6	21.7	31.6	31.7	5.97	5.95	83.0	82.7	5.17	5.14		5.17	5.14		8.2	8.1
						31.7		5.93		82.4		5.11			8.0				
			Bottom	15.2	21.9	32.3	32.1	5.87	5.86	81.0	80.8	5.20	5.18		5.20	5.18		8.5	8.4
						31.8		5.84		80.6		5.15			8.3				
28/12/10	1937-1950	17/Fine	Surface	1.0	20.4	30.4	30.4	5.99	5.96	82.7	82.3	5.49	5.45	5.55	9.0	8.9	8.9		
						30.3		5.93		81.8		5.41			8.7				
			Middle	8.1	21.3	31.5	31.5	5.84	5.85	80.6	80.8	5.58	5.58		5.58	5.58		9.1	9.1
						31.4		5.86		80.9		5.57			9.0				
			Bottom	15.2	21.7	32.0	32.0	5.70	5.72	78.7	78.9	5.61	5.62		5.61	5.62		8.5	8.7
						32.0		5.73		79.1		5.63			8.8				
30/12/10		14/Cloudy	Surface	1.0	20.8	30.4	30.5	5.94	5.96	81.9	82.2	5.36	5.38	5.54	8.3	8.2	8.7		
						30.5		5.98		82.5		5.40			8.1				
			Middle	8.2	20.8	31.0	31.1	5.83	5.84	80.5	80.6	5.52	5.55		5.52	5.55		9.0	8.9
						31.1		5.85		80.7		5.58			8.7				
			Bottom	15.4	20.4	32.2	32.2	5.72	5.74	78.9	79.2	5.68	5.68		5.68	5.68		9.0	8.9
						32.2		5.75		79.4		5.67			8.8				

Monitoring Station : R5

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	0933-0946	23/Fine	Surface	1.0	23.1	30.5	30.6	5.94	5.95	82.6	82.7	5.01	5.01	5.13	7.7	7.9	8.2		
						30.6		5.96		82.8		5.00			8.0				
			Middle	7.9	22.8	30.9	30.9	5.85	5.86	81.3	81.4	5.14	5.14		5.13	5.14		8.4	8.4
						30.8		5.86		81.5		5.13			8.3				
			Bottom	15.7	22.5	31.0	31.1	5.80	5.79	80.6	80.5	5.24	5.25		5.25	5.25		8.6	8.4
						31.1		5.78		80.3		5.25			8.2				
04/12/10	0949-1001	23/Fine	Surface	1.0	22.8	30.9	30.9	5.94	5.95	79.8	79.9	5.88	5.91	6.19	9.3	9.4	9.4		
						30.9		5.95		79.9		5.93			9.4				
			Middle	7.9	22.4	30.8	30.9	5.82	5.82	78.1	78.1	6.12	6.15		6.15	6.15		9.5	9.4
						30.9		5.81		78.0		6.18			9.2				
			Bottom	15.7	22.0	31.4	31.5	5.85	5.85	77.1	77.1	6.47	6.50		6.50	6.50		9.6	9.6
						31.5		5.84		77.0		6.53			9.6				
07/12/10	1435-1448	22/Fine	Surface	1.0	22.1	30.2	30.3	5.91	5.92	82.1	82.2	5.60	5.61	5.72	9.3	9.2	9.3		
						30.4		5.92		82.3		5.62			9.0				
			Middle	8.0	21.8	30.9	31.0	5.84	5.85	81.2	81.3	5.71	5.71		5.71	5.71		9.4	9.3
						31.1		5.85		81.3		5.71			9.2				
			Bottom	16.0	21.4	31.4	31.5	5.71	5.72	79.4	79.5	5.84	5.84		5.84	5.84		9.6	9.5
						31.5		5.72		79.5		5.83			9.3				
09/12/10	1518-1529	18/Sunny	Surface	1.0	22.1	31.2	31.2	6.02	6.04	83.6	83.8	5.29	5.31	5.12	8.5	8.5	8.2		
						31.2		6.05		84.0		5.33			8.4				
			Middle	8.4	21.9	31.8	31.9	5.75	5.77	79.3	79.6	4.94	4.98		4.98	4.98		8.0	8.0
						31.9		5.79		79.9		5.01			8.0				
			Bottom	15.8	22.0	32.2	32.2	5.81	5.80	80.1	79.9	5.03	5.07		5.07	5.07		8.1	8.2
						32.1		5.78		79.7		5.10			8.2				
11/12/10	1702-1715	19/Cloudy	Surface	1.0	22.3	30.3	30.3	5.96	5.98	82.2	82.5	5.31	5.32	5.33	8.5	8.5	8.5		
						30.2		5.99		82.7		5.33			8.5				
			Middle	8.9	21.5	31.3	31.4	5.76	5.75	79.5	79.3	5.24	5.22		5.22	5.22		8.2	8.1
						31.4		5.73		79.1		5.20			8.0				
			Bottom	16.8	20.2	32.0	32.0	5.86	5.84	80.9	80.6	5.48	5.46		5.46	5.46		9.0	8.9
						32.0		5.82		80.3		5.43			8.7				
14/12/10	1934-1944	22/Cloudy	Surface	1.0	23.0	30.5	30.5	5.96	5.94	82.8	82.6	5.12	5.11	5.23	8.2	8.1	8.2		
						30.4		5.92		82.3		5.10			8.0				
			Middle	8.4	22.9	30.9	30.9	5.86	5.85	81.5	80.4	5.31	5.33		5.33	5.33		8.6	8.5
						30.8		5.83		79.3		5.34			8.4				
			Bottom	15.8	22.2	31.7	31.7	5.73	5.72	79.6	79.5	5.27	5.26		5.26	5.26		8.2	8.1
						31.6		5.71		79.4		5.24			8.0				
16/12/10	0911-0923	13/Cloudy	Surface	1.0	20.6	30.2	30.4	6.02	6.01	83.6	83.5	5.22	5.23	5.16	8.2	8.3	8.1		
						30.5		6.00		83.4		5.23			8.4				
			Middle	7.7	21.3	31.0	31.1	5.99	5.99	83.3	83.3	5.16	5.16		5.16	5.16		7.9	8.0
						31.1		5.98		83.2		5.15			8.0				
			Bottom	15.3	22.0	31.2	31.3	5.82	5.84	81.0	81.2	5.10	5.09		5.09	5.09		8.2	8.1
						31.3		5.86		81.4		5.07			8.0				
18/12/10	0930-0943	10/Fine	Surface	1.0	19.8	31.3	31.4	5.93	5.92	81.8	81.7	5.41	5.41	5.51	8.8	8.9	9.0		
						31.4		5.91		81.6		5.40			8.9				
			Middle	8.1	20.4	31.7	31.7	5.99	5.97	82.7	82.4	5.47	5.48		5.48	5.48		9.0	8.9
						31.6		5.95		82.1		5.48			8.8				
			Bottom	15.2	21.8	32.0	32.0	5.87	5.86	81.0	80.8	5.68	5.64		5.64	5.64		9.3	9.3
						32.0		5.84		80.6		5.60			9.2				
21/12/10	1346-1400	21/Fine	Surface	1.0	20.9	30.6	30.7	5.96	5.93	82.2	81.8	5.12	5.14	5.38	8.0	8.3	8.7		
						30.7		5.90		81.4		5.16			8.6				
			Middle	8.3	20.4	31.2	31.2	5.83	5.81	80.4	80.2	5.31	5.35		5.35	5.35		8.3	8.4
						31.2		5.79		79.9		5.38			8.5				
			Bottom	15.6	19.5	31.9	32.0	5.70	5.69	78.6	78.4	5.62	5.65		5.65	5.65		9.5	9.3
						32.0		5.67		78.2		5.68			9.1				
23/12/10	1452-1504	19/Fine	Surface	1.0	21.7	31.2	31.2	6.02	6.00	83.1	82.8	4.89	4.87	5.03	7.8	7.9	8.1		
						31.2		5.98		82.5		4.85			8.0				
			Middle	8.4	22.1	31.7	31.7	5.77	5.79	80.2	80.4	5.06	5.04		5.04	5.04		8.1	8.1
						31.7		5.80		80.6		5.01			8.0				
			Bottom	15.8	22.2	31.9	32.0	5.91	5.89	81.6	81.3	5.17	5.19		5.19	5.19		8.2	8.2
						32.0		5.86		80.9		5.20			8.2				
28/12/10	1750-1805	16/Fine	Surface	1.0	20.3	30.5	30.5	6.02	6.03	83.1	83.3	5.47	5.48	5.56	9.0	8.9	9.0		
						30.4		6.04		83.4		5.49			8.8				
			Middle	8.4	21.3	31.5	31.6	5.94	5.95	81.9	82.1	5.55	5.56		5.56	5.56		9.0	9.1
						31.6		5.96		82.2		5.56			9.2				
			Bottom	15.8	21.8	32.0	32.1	5.84	5.83	80.6	80.5	5.67	5.65		5.65	5.65		8.8	8.9
						32.1		5.82		80.3		5.63			9.0				
30/12/10	1912-1925	16/Cloudy	Surface	1.0	21.1	30.4	30.5	5.87	5.85	81.0	80.7	5.56	5.58	5.65	9.0	9.1	9.2		
						30.5		5.83		80.4		5.59			9.1				
			Middle	8.5	20.8	31.0	31.1	5.79	5.78	79.9	77.6	5.62	5.65		5.65	5.65		9.2	9.1
						31.1		5.76		75.3		5.68			9.0				
			Bottom	16.0	20.2	32.0	32.0	5.70	5.72	78.7	79.0	5.76	5.73		5.73	5.73		9.4	9.3
						32.0		5.74		79.2		5.70			9.2				

Monitoring Station : R6

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1035-1045	23/Fine	Surface	1.0	23.1	30.1	30.2	5.94	5.95	82.6	82.7	4.99	5.00	5.14	8.0	8.1	8.3		
						30.2		5.95		82.7		5.01			8.2				
			Middle	7.3	22.7	30.6	30.7	5.85	5.86	81.3	81.4	5.15	5.16		5.16	5.16		8.4	8.5
						30.7		5.86		81.5		5.16			8.5				
			Bottom	14.5	22.4	30.9	31.0	5.72	5.73	79.5	79.6	5.27	5.28		5.28	5.28		8.2	8.2
						31.1		5.73		79.6		5.28			8.2				
04/12/10	1050-1103	23/Fine	Surface	1.0	22.5	30.4	30.5	5.81	5.81	80.8	80.8	5.50	5.52	5.66	9.0	8.9	9.0		
						30.6		5.80		80.7		5.54			8.8				
			Middle	7.3	22.5	30.7	30.8	5.71	5.70	79.4	79.3	5.62	5.67		5.65	5.65		9.2	9.1
						30.9		5.69		79.1		5.67			9.0				
			Bottom	14.5	22.2	31.4	31.5	5.74	5.76	77.0	77.2	5.79	5.82		5.81	5.81		9.1	9.1
						31.6		5.77		77.4		5.82			9.1				
07/12/10	1538-1550	22/Fine	Surface	1.0	21.8	30.4	30.5	5.98	5.98	83.1	83.1	5.62	5.63	5.75	9.1	9.1	9.1		
						30.6		5.97		83.0		5.63			9.0				
			Middle	7.3	21.4	30.9	31.0	5.84	5.85	81.2	81.3	5.74	5.75		5.75	5.75		8.9	9.0
						31.1		5.85		81.3		5.75			9.1				
			Bottom	14.5	21.3	31.4	31.4	5.72	5.73	79.5	79.6	5.88	5.89		5.89	5.89		9.3	9.3
						31.3		5.73		79.6		5.89			9.2				
09/12/10	1614-1624	18/Sunny	Surface	1.0	22.2	31.3	31.3	5.97	5.96	82.9	82.8	5.06	5.08	5.19	8.1	8.1	8.3		
						31.3		5.95		82.7		5.10			8.0				
			Middle	8.1	21.9	31.9	31.9	5.85	5.86	81.3	81.4	5.15	5.19		5.19	5.19		8.3	8.5
						31.8		5.87		81.5		5.22			8.7				
			Bottom	15.2	21.7	32.1	32.1	5.87	5.86	81.1	81.3	5.33	5.32		5.32	5.32		8.5	8.5
						32.1		5.84		81.1		5.30			8.4				
11/12/10	1754-1807	19/Cloudy	Surface	1.0	22.3	30.1	30.2	5.93	5.94	81.8	82.0	5.06	5.06	5.14	8.0	8.0	8.2		
						30.2		5.95		82.1		5.05			8.0				
			Middle	8.5	21.5	31.3	31.4	5.92	5.91	81.7	81.6	5.16	5.14		5.14	5.14		8.4	8.3
						31.4		5.90		81.4		5.12			8.2				
			Bottom	16.0	20.4	32.0	32.1	5.89	5.88	81.3	81.1	5.23	5.22		5.22	5.22		8.5	8.4
						32.1		5.86		80.9		5.20			8.2				
14/12/10	2015-2026	22/Cloudy	Surface	1.0	23.2	30.4	30.5	5.97	5.96	82.9	82.8	5.30	5.32	5.34	8.5	8.5	8.5		
						30.5		5.94		82.6		5.34			8.4				
			Middle	8.0	22.7	30.9	30.9	5.78	5.78	80.3	80.3	5.23	5.23		5.23	5.23		8.2	8.1
						30.8		5.77		80.2		5.23			8.0				
			Bottom	15.0	22.3	31.6	31.6	5.81	5.84	80.8	81.2	5.44	5.46		5.46	5.46		9.0	8.9
						31.6		5.86		81.5		5.48			8.8				
16/12/10	1013-1025	13/Cloudy	Surface	1.0	20.2	30.4	30.5	6.02	6.01	83.6	83.5	5.17	5.16	5.17	8.3	8.2	8.3		
						30.5		6.00		83.4		5.15			8.0				
			Middle	7.4	20.3	31.0	31.1	5.98	5.98	83.2	83.2	5.10	5.09		5.09	5.09		8.2	8.2
						31.2		5.97		83.1		5.07			8.2				
			Bottom	14.7	21.0	31.3	31.3	5.92	5.91	82.4	82.3	5.24	5.27		5.27	5.27		8.5	8.6
						31.3		5.90		82.2		5.30			8.6				
18/12/10	1022-1035	10/Fine	Surface	1.0	19.6	31.6	31.6	5.92	5.91	81.7	81.6	5.44	5.43	5.46	8.9	8.8	8.7		
						31.5		5.90		81.4		5.41			8.6				
			Middle	7.9	20.4	31.7	31.8	5.94	5.93	81.9	81.8	5.39	5.41		5.41	5.41		8.3	8.4
						31.8		5.91		81.6		5.43			8.5				
			Bottom	14.8	21.7	32.0	32.0	5.79	5.81	79.9	80.1	5.56	5.55		5.55	5.55		9.0	8.9
						32.0		5.82		80.3		5.53			8.7				
21/12/10	1442-1455	21/Fine	Surface	1.0	20.7	30.6	30.7	6.01	6.03	82.9	83.2	5.13	5.11	5.28	8.2	8.1	8.5		
						30.7		6.05		83.4		5.08			8.0				
			Middle	7.8	20.2	31.2	31.3	5.93	5.96	81.8	82.2	5.25	5.27		5.27	5.27		8.2	8.3
						31.3		5.98		82.5		5.29			8.4				
			Bottom	14.6	19.5	32.0	32.0	5.77	5.80	79.6	80.0	5.44	5.46		5.46	5.46		9.0	9.0
						31.9		5.82		80.3		5.48			8.9				
23/12/10	1550-1602	19/Fine	Surface	1.0	21.7	31.2	31.2	6.02	6.04	83.1	83.3	4.90	4.94	5.09	7.9	8.0	8.2		
						31.2		6.05		83.5		4.98			8.0				
			Middle	8.1	21.9	31.9	31.9	5.85	5.84	81.3	81.1	5.12	5.10		5.10	5.10		8.2	8.1
						31.9		5.82		80.9		5.07			8.0				
			Bottom	15.2	22.1	32.0	32.1	5.89	5.92	81.9	82.3	5.21	5.24		5.24	5.24		8.4	8.5
						32.1		5.94		82.6		5.26			8.5				
28/12/10	1843-1856	16/Fine	Surface	1.0	20.4	30.3	30.4	6.05	6.03	83.5	83.2	5.46	5.43	5.55	8.7	8.6	8.9		
						30.4		6.01		82.9		5.40			8.5				
			Middle	7.9	21.3	31.5	31.5	5.90	5.93	81.4	81.8	5.52	5.55		5.55	5.55		9.0	8.9
						31.4		5.96		82.2		5.57			8.8				
			Bottom	14.8	21.7	32.1	32.2	5.89	5.87	81.3	81.0	5.69	5.67		5.67	5.67		9.3	9.2
						32.2		5.84		80.6		5.64			9.0				
30/12/10	2005-2017	16/Cloudy	Surface	1.0	20.9	30.3	30.4	5.96	5.97	82.2	82.4	5.82	5.83	5.83	9.5	9.4	9.3		
						30.4		5.98		82.5		5.83			9.3				
			Middle	7.9	20.6	31.0	31.0	5.83	5.83	80.5	80.4	5.89	5.85		5.85	5.85		9.1	9.2
						31.0		5.82		80.3		5.80			9.2				
			Bottom	14.8	20.3	32.1	32.2	5.85	5.85	80.7	80.7	5.83	5.83		5.83	5.83		9.4	9.4
						32.2		5.84		80.6		5.82			9.4				

Monitoring Station : R7

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1051-1104	23/Fine	Surface	1.0	23.2	30.5	30.5	5.98	5.98	83.1	83.1	5.00	4.99	5.13	7.9	8.0	8.3		
						30.4		5.82		80.9		5.14			8.3				
			Middle	8.3	22.8	30.6	15.7	5.81	5.82	80.8	80.9	5.17	5.16		5.16	5.16		8.3	8.3
						31.2		5.70		79.2		5.26			8.5				
			Bottom	16.6	22.4	31.3	31.3	5.71	5.71	79.4	79.3	5.25	5.26		5.26	5.26		8.6	8.6
						31.3		5.71		79.4		5.25			8.6				
04/12/10	1114-1127	23/Fine	Surface	1.0	23.1	30.1	30.1	5.82	5.83	80.9	81.0	5.56	5.55	5.66	9.0	9.0	9.2		
						30.1		5.83		81.0		5.54			9.0				
			Middle	8.3	22.5	30.9	30.9	5.70	5.70	79.2	79.2	5.63	5.63		5.63	5.63		9.4	9.3
						30.8		5.69		79.1		5.62			9.2				
			Bottom	16.5	22.1	31.4	31.4	5.72	5.72	76.7	76.7	5.79	5.79		5.79	5.79		9.3	9.3
						31.4		5.71		76.6		5.79			9.2				
07/12/10	1601-1614	22/Fine	Surface	1.0	22.2	30.4	30.5	5.99	5.99	83.3	83.2	5.62	5.63	5.73	8.9	9.0	9.1		
						30.5		5.98		83.1		5.63			9.0				
			Middle	8.3	21.7	31.0	31.0	5.82	5.82	80.9	80.9	5.74	5.75		5.74	5.75		9.2	9.2
						31.0		5.81		80.8		5.76			9.2				
			Bottom	16.5	21.6	31.2	31.3	5.74	5.75	79.8	80.0	5.82	5.83		5.82	5.83		9.4	9.3
						31.4		5.76		80.1		5.83			9.1				
09/12/10	1627-1638	18/Sunny	Surface	1.0	22.2	31.3	31.3	5.99	5.98	83.2	83.0	5.12	5.15	5.10	8.3	8.3	8.2		
						31.2		5.96		82.8		5.17			8.3				
			Middle	8.9	22.0	31.9	32.0	5.90	5.89	82.0	81.8	5.06	5.09		5.06	5.09		8.1	8.1
						32.0		5.87		81.5		5.11			8.0				
			Bottom	16.8	21.9	32.0	32.1	5.82	5.84	80.8	81.0	5.10	5.06		5.10	5.06		8.2	8.1
						32.1		5.85		81.2		5.02			8.0				
11/12/10	1810-1813	19/Cloudy	Surface	1.0	22.4	30.2	30.2	5.90	5.91	81.4	81.6	5.21	5.23	5.35	8.3	8.4	8.6		
						30.1		5.92		81.7		5.24			8.4				
			Middle	9.3	21.6	31.2	31.3	5.74	5.77	79.2	79.6	5.47	5.47		5.47	5.47		9.0	8.9
						31.3		5.79		79.9		5.46			8.8				
			Bottom	17.6	20.4	32.2	32.2	5.84	5.86	80.6	80.9	5.39	5.37		5.39	5.37		8.5	8.6
						32.1		5.88		81.1		5.35			8.6				
14/12/10	2029-2041	22/Cloudy	Surface	1.0	23.0	30.5	30.6	5.98	5.95	83.1	82.6	5.26	5.28	5.36	8.3	8.3	8.5		
						30.6		5.91		82.1		5.29			8.3				
			Middle	8.9	22.7	30.9	31.0	5.89	5.91	81.9	82.2	5.31	5.31		5.31	5.31		8.5	8.4
						31.0		5.93		82.4		5.30			8.2				
			Bottom	16.8	22.3	31.7	31.8	5.73	5.72	79.6	79.4	5.50	5.50		5.50	5.50		9.0	9.0
						31.8		5.70		79.2		5.49			8.9				
16/12/10	1028-1040	13/Cloudy	Surface	1.0	20.4	30.6	30.7	6.01	6.00	83.5	83.4	5.12	5.14	5.23	8.2	8.1	8.4		
						30.7		5.99		83.3		5.15			8.0				
			Middle	8.4	21.0	31.0	31.0	5.98	5.98	83.2	83.2	5.27	5.25		5.27	5.25		8.4	8.5
						31.0		5.97		83.1		5.22			8.5				
			Bottom	16.7	21.1	31.2	31.3	5.92	5.91	82.4	82.3	5.30	5.30		5.30	5.30		8.8	8.7
						31.3		5.90		82.2		5.30			8.5				
18/12/10	1038-1050	10/Fine	Surface	1.0	19.7	31.5	31.5	5.94	5.93	82.0	81.9	5.19	6.23	5.39	8.2	8.3	8.6		
						31.4		5.92		81.7		5.26			8.4				
			Middle	8.9	20.5	31.7	31.7	5.84	5.86	80.6	80.9	5.39	5.38		5.39	5.38		8.6	8.5
						31.7		5.88		81.1		5.37			8.4				
			Bottom	16.8	21.8	32.1	32.1	5.80	5.82	80.0	80.3	5.58	5.57		5.58	5.57		9.0	8.9
						32.0		5.84		80.6		5.55			8.8				
21/12/10	1459-1505	21/Fine	Surface	1.0	20.8	30.7	30.8	6.12	6.10	84.4	84.2	5.11	5.13	5.30	8.2	8.3	8.5		
						30.8		6.08		83.9		5.15			8.4				
			Middle	8.8	20.2	31.3	31.3	5.91	5.93	81.5	81.7	5.27	5.30		5.27	5.30		8.5	8.4
						31.3		5.94		81.9		5.32			8.2				
			Bottom	16.6	19.4	32.0	32.0	5.72	5.74	78.9	79.1	5.46	5.49		5.46	5.49		9.0	9.0
						32.0		5.75		79.3		5.51			8.9				
23/12/10	1605-1617	19/Fine	Surface	1.0	21.6	31.1	31.2	6.06	6.04	83.6	83.3	5.12	5.10	5.15	8.3	8.2	8.1		
						31.2		6.01		82.9		5.07			8.0				
			Middle	8.9	21.9	31.7	31.8	5.94	5.92	82.6	82.3	5.19	5.21		5.19	5.21		8.2	8.2
						31.8		5.90		82.0		5.23			8.2				
			Bottom	16.8	22.0	31.9	32.0	5.82	5.84	80.3	80.6	5.18	5.15		5.18	5.15		8.0	8.1
						32.0		5.86		80.9		5.11			8.1				
28/12/10	1859-1902	16/Fine	Surface	1.0	20.2	30.4	30.4	5.94	5.92	81.9	81.7	5.39	5.37	5.46	8.2	8.3	8.7		
						30.4		5.90		81.4		5.34			8.4				
			Middle	8.9	21.3	31.4	31.5	5.89	5.87	81.3	81.0	5.49	5.47		5.49	5.47		8.7	8.9
						31.5		5.84		80.6		5.45			9.0				
			Bottom	16.8	21.6	32.2	32.2	5.83	5.83	80.5	80.4	5.56	5.55		5.56	5.55		9.1	9.0
						32.1		5.82		80.3		5.53			8.8				
30/12/10	2020-2033	16/Cloudy	Surface	1.0	20.9	30.4	30.5	5.94	5.93	82.0	81.8	5.89	5.88	5.83	9.6	9.5	9.4		
						30.5		5.91		81.6		5.87			9.3				
			Middle	9.0	20.8	30.9	31.0	5.86	5.87	80.9	81.0	5.78	5.77		5.78	5.77		9.2	9.4
						31.0		5.88		81.1		5.75			9.5				
			Bottom	17.0	20.2	32.2	32.2	5.79	5.81	78.2	79.3	5.82	5.86		5.82	5.86		9.3	9.4
						32.1		5.82		80.3		5.89			9.4				

Monitoring Station : R8a

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
02/12/10	1112-1125	23/Fine	Surface	1.0	23.2	30.7	30.8	5.94	5.95	82.6	82.7	5.01	5.02	5.14	7.8	7.8	8.2	
						30.9		5.96		82.8		5.02			7.7			
			Middle	6.2	23.5	31.1	31.2	5.82	5.81	80.9	80.8	5.14	5.15		5.15	8.3		8.3
						31.2		5.80		80.6		5.15			8.2			
			Bottom	12.4	22.9	31.7	31.7	5.80	5.79	80.6	80.4	5.25	5.24		5.25	8.5		8.6
						31.7		5.77		80.2		5.24			8.6			
04/12/10	1134-1146	23/Fine	Surface	1.0	22.9	30.7	30.7	5.82	5.83	80.9	81.1	5.40	5.43	5.58	8.6	8.6	8.9	
						30.6		5.84		81.2		5.45			8.5			
			Middle	5.8	22.5	31.0	31.0	5.71	5.72	79.4	79.5	5.59	5.60		5.60	9.3		9.2
						31.0		5.72		79.5		5.60			9.0			
			Bottom	11.5	22.0	31.5	31.5	5.70	5.70	77.8	77.8	5.71	5.72		5.72	8.8		8.9
						31.4		5.70		77.8		5.72			9.0			
07/12/10	1621-1634	22/Fine	Surface	1.0	21.9	30.4	30.5	5.94	5.94	82.6	82.5	5.62	5.63	5.72	8.8	8.9	9.1	
						30.5		5.93		82.4		5.63			9.0			
			Middle	5.8	21.5	31.0	31.0	5.82	5.82	80.9	80.9	5.71	5.72		5.72	9.2		9.1
						31.0		5.81		80.8		5.73			9.0			
			Bottom	11.5	21.2	31.4	31.4	5.71	5.71	79.4	79.4	5.81	5.82		5.82	9.4		9.4
						31.4		5.71		79.4		5.82			9.4			
09/12/10	1645-1656	18/Sunny	Surface	1.0	22.2	31.3	31.3	5.87	5.86	81.0	80.8	5.12	5.15	5.26	8.4	8.3	8.4	
						31.3		5.84		80.5		5.17			8.2			
			Middle	6.6	21.8	31.9	31.9	5.73	5.71	79.0	78.8	5.27	5.29		5.29	8.5		8.4
						31.8		5.69		78.5		5.31			8.2			
			Bottom	12.2	21.7	32.2	32.2	5.70	5.69	78.6	78.5	5.30	5.34		5.34	8.6		8.6
						32.1		5.68		78.3		5.37			8.6			
11/12/10	1830-1843	19/Cloudy	Surface	1.0	22.5	30.3	30.4	5.98	5.96	82.5	82.2	5.21	5.21	5.35	8.3	8.3	8.6	
						30.4		5.93		81.8		5.20			8.3			
			Middle	6.9	21.7	31.6	31.6	6.04	6.06	83.4	83.6	5.32	5.31		5.31	8.5		8.5
						31.5		6.07		83.8		5.30			8.5			
			Bottom	12.8	20.8	32.0	32.1	5.92	5.91	81.7	81.6	5.51	5.52		5.52	9.0		8.9
						32.1		5.90		81.4		5.53			8.8			
14/12/10	2048-2058	20/Cloudy	Surface	1.0	22.8	30.6	30.6	5.86	5.85	81.5	81.4	5.36	5.36	5.43	8.6	8.6	8.8	
						30.5		5.84		81.2		5.35			8.5			
			Middle	6.3	22.5	31.2	31.2	5.79	5.78	80.5	80.4	5.47	5.46		5.46	9.0		8.8
						31.1		5.77		80.2		5.45			8.6			
			Bottom	11.6	21.7	31.9	31.9	5.72	5.71	79.5	79.4	5.49	5.48		5.48	8.9		9.1
						31.8		5.70		79.2		5.46			9.2			
16/12/10	1046-1059	13/Cloudy	Surface	1.0	21.0	30.7	30.8	5.99	5.99	83.3	83.3	5.19	5.20	5.19	8.3	8.4	8.3	
						30.8		5.98		83.2		5.20			8.5			
			Middle	5.8	22.0	31.0	31.2	5.85	5.86	81.3	81.4	5.11	5.16		5.16	8.2		8.1
						31.4		5.86		81.4		5.20			8.0			
			Bottom	11.5	21.9	31.9	31.9	5.79	5.80	80.7	80.8	5.24	5.23		5.23	8.4		8.3
						31.8		5.80		80.8		5.22			8.2			
18/12/10	1057-1110	11/Cloudy	Surface	1.0	19.9	31.4	31.5	5.95	5.93	82.1	81.8	5.38	5.36	5.47	8.5	8.4	8.8	
						31.5		5.90		81.4		5.34			8.2			
			Middle	6.3	20.6	31.8	31.8	5.76	5.78	79.5	79.7	5.48	5.48		5.48	9.0		8.9
						31.7		5.79		79.9		5.47			8.8			
			Bottom	11.6	21.9	32.1	32.1	5.74	5.74	79.2	79.2	5.59	5.58		5.58	9.2		9.2
						32.0		5.73		79.1		5.56			9.1			
21/12/10	1512-1528	22/Fine	Surface	1.0	20.8	30.7	30.8	6.10	6.08	84.1	83.9	5.06	5.08	5.24	8.3	8.3	8.2	
						30.8		6.06		83.6		5.10			8.2			
			Middle	6.1	20.3	31.0	31.1	5.95	5.93	82.1	81.8	5.22	5.24		5.24	8.0		8.1
						31.1		5.90		81.4		5.26			8.1			
			Bottom	11.2	19.8	31.5	31.6	5.88	5.85	81.1	80.7	5.38	5.40		5.40	8.1		8.3
						31.6		5.82		80.3		5.41			8.5			
23/12/10	1624-1636	19/Fine	Surface	1.0	21.5	31.1	31.1	6.06	6.06	84.2	84.1	5.03	5.07	5.12	7.8	7.9	8.1	
						31.1		6.05		84.0		5.10			8.0			
			Middle	5.9	21.8	31.8	31.8	5.83	5.82	81.0	80.8	4.63	4.60		4.60	7.5		7.8
						31.7		5.80		80.6		4.57			8.0			
			Bottom	11.8	22.0	32.0	32.1	5.79	5.77	79.9	79.6	5.72	5.70		5.70	8.6		8.5
						32.1		5.75		79.3		5.67			8.4			
28/12/10	1909-1922	17/Fine	Surface	1.0	20.3	30.3	30.3	5.98	5.96	82.5	82.2	5.36	5.37	5.49	8.5	8.4	8.8	
						30.2		5.94		81.9		5.37			8.2			
			Middle	6.4	21.3	31.5	31.5	5.88	5.85	81.1	80.7	5.56	5.54		5.54	9.0		9.0
						31.4		5.82		80.3		5.51			9.0			
			Bottom	11.8	21.8	32.3	32.3	5.75	5.75	79.4	79.3	5.59	5.57		5.57	9.2		9.0
						32.2		5.74		79.2		5.54			8.8			
30/12/10	2040-2052	14/Cloudy	Surface	1.0	20.8	30.3	30.4	5.97	5.97	82.4	82.3	5.49	5.47	5.55	8.8	8.7	8.8	
						30.4		5.96		82.2		5.45			8.5			
			Middle	6.4	20.9	30.9	30.9	5.87	5.86	81.0	80.8	5.56	5.55		5.55	8.8		8.9
						30.8		5.84		80.6		5.54			8.9			
			Bottom	11.8	20.3	32.2	32.3	5.86	5.84	80.9	80.6	5.64	5.63		5.63	9.0		8.9
						32.3		5.82		80.3		5.62			8.8			

Mid-Ebb Tide

Monitoring Station : R15

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	0819-0834	23/Fine	Surface	1.0	23.0	30.6	30.7	5.95	5.96	82.7	82.8	4.96	4.97	5.11	7.9	7.9	8.1		
						30.7		5.96		82.8		4.97			7.8				
			Middle	4.9	22.8	30.9	31.0	5.84	5.85	81.2	81.3	5.10	5.11		5.10	5.11		8.2	8.1
						31.1		5.85		81.3		5.11			8.0				
			Bottom	9.7	22.5	31.2	31.2	5.72	5.72	79.5	79.7	5.24	5.25		5.24	5.25		8.4	8.5
						31.2		5.71		79.8		5.25			8.5				
04/12/10	0837-0849	23/Fine	Surface	1.0	23.0	30.4	30.5	5.94	5.95	79.8	80.0	5.52	5.54	5.69	8.9	8.8	9.0		
						30.6		5.96		80.1		5.54			8.6				
			Middle	4.9	22.5	30.9	31.0	5.79	5.81	80.5	80.7	5.69	5.70		5.69	5.70		9.0	9.0
						31.0		5.82		80.9		5.70			9.0				
			Bottom	9.7	22.1	31.4	31.5	5.69	5.69	79.1	79.1	5.84	5.85		5.84	5.85		9.4	9.2
						31.5		5.68		79.0		5.86			9.0				
07/12/10	1314-1325	22/Fine	Surface	1.0	22.4	30.2	30.3	5.84	5.85	81.2	81.3	5.60	5.62	5.73	9.1	9.2	9.2		
						30.4		5.85		81.3		5.62			9.2				
			Middle	5.0	21.7	31.0	31.1	5.73	5.74	79.6	79.7	5.69	5.70		5.69	5.70		9.0	9.1
						31.1		5.74		79.8		5.71			9.2				
			Bottom	9.9	21.3	31.4	31.4	5.70	5.70	79.2	79.2	5.88	5.89		5.88	5.89		9.4	9.3
						31.4		5.70		79.2		5.90			9.2				
09/12/10	1402-1413	18/Sunny	Surface	1.0	21.9	31.2	31.2	6.01	6.03	83.5	83.7	5.02	5.07	5.00	8.0	8.0	8.0		
						31.1		6.04		83.9		5.07			8.0				
			Middle	5.6	21.6	31.9	31.9	5.94	5.92	82.5	82.3	4.87	4.89		4.87	4.89		7.8	7.9
						31.8		5.90		82.0		4.91			8.0				
			Bottom	10.2	21.5	32.0	32.1	5.81	5.80	80.1	79.9	5.04	5.08		5.04	5.08		8.1	8.1
						32.1		5.78		79.7		5.11			8.0				
11/12/10	1539-1552	18/Cloudy	Surface	1.0	22.1	30.3	30.4	5.94	5.94	81.9	81.9	5.02	5.08	5.32	9.0	9.0	8.8		
						30.4		5.93		81.8		5.08			9.0				
			Middle	5.9	21.4	31.2	31.3	5.86	5.85	80.9	80.8	5.39	5.39		5.39	5.39		8.6	8.6
						31.3		5.84		80.6		5.38			8.5				
			Bottom	10.8	20.4	32.1	32.2	5.76	5.77	79.5	79.7	5.52	5.52		5.52	5.52		8.9	9.0
						32.2		5.78		79.8		5.51			9.0				
14/12/10	1809-1822	23/Cloudy	Surface	1.0	23.2	30.4	30.4	6.01	5.99	83.5	83.2	5.17	5.19	5.33	8.1	8.2	8.5		
						30.4		5.96		82.8		5.19			8.2				
			Middle	5.4	22.4	30.8	30.9	5.94	5.93	82.6	82.5	5.36	5.37		5.36	5.37		8.4	8.3
						30.9		5.92		82.3		5.38			8.2				
			Bottom	9.8	22.1	31.6	31.7	5.76	5.77	80.1	80.2	5.44	5.43		5.44	5.43		9.0	8.9
						31.7		5.77		80.2		5.42			8.8				
16/12/10	0750-0803	13/Cloudy	Surface	1.0	20.6	30.3	30.4	6.01	6.02	83.5	83.6	5.08	5.07	5.14	8.1	8.1	8.2		
						30.4		6.02		83.6		5.07			8.0				
			Middle	4.9	22.2	30.9	31.0	6.00	5.99	83.4	83.3	5.12	5.11		5.12	5.11		8.2	8.2
						31.0		5.97		83.1		5.10			8.2				
			Bottom	9.7	22.4	31.4	31.4	5.89	5.89	81.7	81.7	5.22	5.23		5.22	5.23		8.4	8.5
						31.3		5.88		81.6		5.23			8.5				
18/12/10	0809-0822	10/Fine	Surface	1.0	19.5	31.0	31.1	5.95	5.94	82.1	81.0	5.39	5.37	5.46	8.5	8.4	8.7		
						31.1		5.92		79.9		5.37			8.3				
			Middle	5.2	20.4	31.8	31.8	5.83	5.83	80.5	80.4	5.48	5.46		5.48	5.46		8.7	8.7
						31.7		5.82		80.3		5.44			8.6				
			Bottom	9.4	21.7	32.1	32.1	5.72	5.71	79.6	79.1	5.57	5.54		5.57	5.54		9.0	8.9
						32.0		5.70		78.6		5.51			8.8				
21/12/10	1238-1252	21/Cloudy	Surface	1.0	20.8	30.7	30.7	5.85	5.83	80.7	80.4	5.26	5.28	5.47	8.7	8.6	8.7		
						30.7		5.81		80.1		5.30			8.5				
			Middle	5.3	20.7	30.7	30.8	5.94	5.91	79.6	79.3	5.36	5.38		5.36	5.38		8.5	8.5
						30.8		5.88		78.9		5.39			8.5				
			Bottom	9.6	20.0	31.4	31.5	5.76	5.74	77.9	77.6	5.71	5.75		5.71	5.75		9.0	9.1
						31.5		5.71		77.2		5.78			9.2				
23/12/10	1334-1345	19/Fine	Surface	1.0	21.3	31.1	31.1	6.12	6.10	84.5	84.2	4.92	4.90	5.06	7.7	7.8	8.0		
						31.0		6.08		83.9		4.88			7.8				
			Middle	5.6	21.9	31.6	31.6	5.97	5.98	82.4	82.6	5.05	5.08		5.05	5.08		8.2	8.1
						31.6		5.99		82.7		5.10			8.0				
			Bottom	10.2	22.0	31.9	32.0	5.84	5.82	81.2	80.9	5.17	5.20		5.17	5.20		8.3	8.3
						32.0		5.80		80.6		5.23			8.2				
28/12/10	1639-1641	15/Fine	Surface	1.0	20.4	30.4	30.3	5.93	5.95	81.8	82.0	5.45	5.44	5.55	8.7	8.6	9.0		
						30.2		5.96		82.2		5.43			8.5				
			Middle	5.4	21.3	31.5	31.5	5.86	5.88	80.9	81.1	5.59	5.58		5.59	5.58		9.2	9.1
						31.4		5.89		81.3		5.56			9.0				
			Bottom	9.8	21.9	32.2	32.2	5.81	5.83	80.2	80.4	5.64	5.63		5.64	5.63		9.3	9.2
						32.1		5.84		80.6		5.62			9.1				
30/12/10	1751-1804	18/Fine	Surface	1.0	21.3	30.3	30.4	5.86	5.83	80.9	80.5	5.48	5.45	5.55	8.7	8.8	8.8		
						30.4		5.80		80.0		5.42			8.9				
			Middle	5.4	20.7	31.3	31.3	5.74	5.75	79.2	79.4	5.56	5.54		5.56	5.54		9.0	8.8
						31.2		5.76		79.5		5.52			8.6				
			Bottom	9.8	20.3	32.0	32.1	5.72	5.76	78.9	79.4	5.67	5.66		5.67	5.66		8.7	8.7
						32.1		5.79		79.9		5.64			8.7				

Mid-Ebb Tide

Monitoring Station : R16

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
02/12/10	0757-0810	23/Fine	Surface	1.0	23.1	30.5	30.3	5.97	5.97	83.0	83.0	4.98	4.98	5.12	8.0	8.0	8.2	
						30.1		5.84		81.2		5.13			8.4			
			Middle	5.8	22.8	30.9	31.0	5.82	5.83	80.9	81.1	5.12	5.13		5.13	8.4		8.4
						31.0		5.84		81.2		5.13			8.3			
			Bottom	11.5	22.5	31.2	31.2	5.79	5.78	80.5	80.3	5.26	5.27		5.27	8.4		8.4
						31.2		5.76		80.1		5.27			8.2			
04/12/10	0812-0824	23/Fine	Surface	1.0	23.0	30.5	31.0	5.87	5.88	81.6	81.7	5.51	5.52	5.68	8.8	8.9	9.3	
						30.5		5.88		81.7		5.52			9.0			
			Middle	5.7	22.7	30.9	31.0	5.80	5.80	80.6	80.6	5.68	5.70		5.69	9.4		9.4
						31.0		5.79		80.5		5.70			9.6			
			Bottom	11.3	22.4	31.6	31.6	5.72	5.72	78.1	78.1	5.84	5.85		5.85	9.5		9.5
						31.6		5.71		78.0		5.85			9.5			
07/12/10	1250-1302	22/Fine	Surface	1.0	22.1	30.1	30.2	5.84	5.85	81.2	81.3	5.60	5.61	5.74	9.0	9.0	9.3	
						30.2		5.85		81.3		5.62			9.0			
			Middle	5.8	21.8	30.6	30.8	5.72	5.73	79.5	79.7	5.69	5.70		5.70	9.2		9.2
						30.9		5.74		79.8		5.70			9.1			
			Bottom	11.5	21.5	31.2	31.3	5.69	5.70	79.1	79.2	5.91	5.91		5.91	9.6		9.6
						31.3		5.70		79.2		5.90			9.6			
09/12/10	1343-1354	18/Sunny	Surface	1.0	21.8	31.1	31.2	5.97	5.96	82.9	82.7	4.93	4.96	4.96	7.9	7.9	7.9	
						31.2		5.94		82.5		4.96			7.8			
			Middle	6.4	21.5	31.8	31.9	5.81	5.79	80.7	80.5	4.98	4.95		4.97	8.0		8.0
						31.9		5.77		80.2		4.95			8.0			
			Bottom	11.8	21.6	31.9	32.0	5.85	5.83	81.3	81.0	4.93	4.96		4.96	7.7		7.7
						32.0		5.81		80.7		4.98			7.6			
11/12/10	1516-1529	18/Cloudy	Surface	1.0	22.1	30.5	30.5	5.98	5.97	82.5	82.3	5.26	5.27	5.29	8.3	8.3	8.2	
						30.5		5.95		82.1		5.28			8.3			
			Middle	6.4	21.4	31.3	31.4	5.81	5.84	80.2	80.6	5.21	5.22		5.22	8.1		8.1
						31.4		5.86		80.9		5.23			8.0			
			Bottom	11.8	20.3	32.0	32.1	5.84	5.82	80.6	80.3	5.36	5.38		5.38	8.4		8.4
						32.1		5.80		80.0		5.39			8.2			
14/12/10	1746-1759	23/Cloudy	Surface	1.0	22.9	30.3	30.4	5.99	5.97	83.3	83.0	5.04	5.06	5.18	8.0	8.0	8.3	
						30.4		5.95		82.7		5.07			7.9			
			Middle	6.1	22.5	30.9	30.9	5.87	5.86	81.6	81.5	5.18	5.19		5.19	8.3		8.3
						30.9		5.85		81.3		5.19			8.3			
			Bottom	11.2	22.0	31.7	31.8	5.77	5.78	80.2	80.4	5.30	5.31		5.31	8.6		8.6
						31.8		5.79		80.5		5.32			8.7			
16/12/10	0729-0742	13/Cloudy	Surface	1.0	21.2	30.3	30.4	6.10	6.10	84.8	84.8	5.09	5.08	5.14	8.0	8.2	8.3	
						30.4		6.09		84.7		5.06			8.3			
			Middle	5.6	22.3	30.6	30.6	6.00	6.00	83.4	83.4	5.11	5.12		5.12	8.4		8.4
						30.5		5.99		83.3		5.13			8.2			
			Bottom	11.2	22.3	31.0	31.1	5.82	5.84	81.0	81.2	5.24	5.23		5.23	8.5		8.5
						31.2		5.85		81.3		5.22			8.3			
18/12/10	0746-0759	10/Fine	Surface	1.0	19.7	31.2	31.2	5.98	5.97	82.5	82.3	5.17	5.18	5.29	8.1	8.2	8.4	
						31.1		5.95		82.1		5.19			8.2			
			Middle	6.1	20.5	31.7	31.7	5.90	5.91	87.4	84.6	5.26	5.28		5.28	8.3		8.3
						31.6		5.92		81.7		5.29			8.1			
			Bottom	11.2	21.6	32.0	32.0	5.88	5.86	81.1	80.6	5.40	5.42		5.42	8.9		8.9
						32.0		5.84		80.1		5.43			9.0			
21/12/10	1217-1231	21/Cloudy	Surface	1.0	20.7	30.7	30.7	6.10	6.08	84.1	83.9	5.01	5.04	5.27	8.2	8.1	8.5	
						30.7		6.06		83.6		5.07			8.0			
			Middle	6.2	20.6	31.0	31.0	5.96	5.94	82.2	81.9	5.18	5.20		5.20	8.3		8.3
						31.0		5.91		81.5		5.22			8.2			
			Bottom	11.4	19.9	31.7	31.8	5.85	5.82	80.7	80.3	5.54	5.56		5.56	9.0		9.0
						31.8		5.79		79.9		5.58			9.0			
23/12/10	1315-1326	19/Fine	Surface	1.0	21.1	31.2	31.2	6.01	5.99	82.9	82.6	5.33	5.31	5.15	8.6	8.5	8.2	
						31.2		5.96		82.2		5.29			8.4			
			Middle	6.4	21.9	31.5	31.6	5.92	5.91	82.3	82.1	5.15	5.11		5.11	8.1		8.1
						31.6		5.89		81.9		5.07			8.0			
			Bottom	11.8	22.1	31.8	31.9	5.75	5.77	79.9	80.1	4.98	5.02		5.02	7.9		7.9
						31.9		5.78		80.3		5.06			8.0			
28/12/10	1616-1629	15/Fine	Surface	1.0	20.3	30.3	30.3	5.92	5.94	81.7	81.9	5.39	5.37	5.47	8.2	8.2	8.7	
						30.2		5.95		82.1		5.35			8.2			
			Middle	6.1	21.4	31.6	31.6	5.80	5.82	80.0	80.3	5.45	5.47		5.47	8.7		8.7
						31.5		5.84		80.6		5.48			8.8			
			Bottom	11.2	21.8	32.0	32.1	5.83	5.83	80.5	80.4	5.58	5.57		5.57	9.1		9.1
						32.1		5.82		80.3		5.55			9.1			
30/12/10	1729-1742	18/Fine	Surface	1.0	21.3	30.4	30.4	5.87	5.88	81.0	81.2	5.30	5.31	5.42	8.2	8.3	8.5	
						30.4		5.89		81.3		5.32			8.4			
			Middle	6.3	20.8	31.3	31.4	5.80	5.82	80.0	80.3	5.36	5.35		5.35	8.3		8.3
						31.4		5.84		80.6		5.34			8.3			
			Bottom	11.6	20.4	32.1	32.1	5.79	5.77	79.9	79.7	5.56	5.60		5.60	8.8		8.8
						32.1		5.75		79.4		5.63			8.6			

Mid-Ebb Tide

Monitoring Station : R17

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	0740-0752	23/Fine	Surface	1.0	23.0	30.4	30.4	5.95	5.95	82.7	82.7	4.97	4.97	5.11	8.0	8.0	8.2		
						30.4		5.95		82.7		4.97			8.0				
			Middle	5.2	22.8	30.7	30.8	5.84	5.82	81.2	80.9	5.10	5.11		5.11	5.11		8.2	8.1
						30.8		5.80		80.6		5.12			8.0				
			Bottom	10.3	22.5	31.0	31.1	5.80	5.80	80.6	80.6	5.24	5.25		5.25	5.25		8.5	8.5
						31.1		5.79		80.5		5.25			8.4				
04/12/10	0754-0806	23/Fine	Surface	1.0	23.1	30.6	30.6	5.87	5.88	81.6	81.7	5.59	5.60	5.69	9.3	9.3	9.5		
						30.5		5.88		81.7		5.60			9.2				
			Middle	5.2	22.9	30.8	30.8	5.80	5.80	80.6	80.6	5.68	5.69		5.69	5.69		9.5	9.5
						30.7		5.79		80.5		5.69			9.5				
			Bottom	10.4	22.5	31.3	31.3	5.71	5.75	78.0	77.9	5.79	5.80		5.80	5.80		9.7	9.7
						31.3		5.79		77.7		5.80			9.6				
07/12/10	1227-1239	22/Fine	Surface	1.0	22.0	30.1	30.3	5.84	5.83	81.2	81.1	5.59	5.60	5.74	9.0	9.1	9.4		
						30.4		5.82		80.9		5.60			9.2				
			Middle	5.2	21.7	30.9	31.0	5.76	5.76	80.1	80.0	5.68	5.69		5.69	5.69		9.4	9.4
						31.0		5.75		79.9		5.70			9.3				
			Bottom	10.4	21.4	31.1	31.3	5.68	5.69	79.0	79.1	5.92	5.93		5.93	5.93		9.8	9.7
						31.4		5.70		79.2		5.93			9.5				
09/12/10	1330-1340	18/Sunny	Surface	1.0	21.9	30.9	31.0	5.95	5.97	82.7	82.9	4.84	4.82	5.03	7.8	7.9	8.1		
						31.0		5.98		83.1		4.80			8.0				
			Middle	6.1	21.6	31.7	31.8	5.84	5.86	81.1	81.3	5.21	5.19		5.19	5.19		8.2	8.3
						31.8		5.87		81.5		5.17			8.3				
			Bottom	11.2	21.7	31.9	31.9	5.79	5.77	79.9	79.6	5.06	5.09		5.09	5.09		#DIV/0!	#DIV/0!
						31.9		5.75		79.3		5.11			#DIV/0!				
11/12/10	1500-1513	18/Cloudy	Surface	1.0	22.1	30.4	30.5	6.02	6.03	83.1	83.3	5.17	5.18	5.27	8.1	8.3	8.4		
						30.5		6.04		83.4		5.19			8.4				
			Middle	6.5	21.3	31.2	31.3	5.96	5.98	82.2	82.5	5.26	5.25		5.25	5.25		8.5	8.4
						31.3		5.99		82.7		5.24			8.2				
			Bottom	12.0	20.2	32.0	32.1	5.87	5.86	81.0	80.8	5.39	5.38		5.38	5.38		8.8	8.7
						32.1		5.84		80.6		5.37			8.5				
14/12/10	1730-1743	23/Cloudy	Surface	1.0	23.2	30.4	30.4	5.97	5.96	82.9	82.8	4.98	4.99	5.12	8.0	8.0	8.2		
						30.3		5.94		82.6		4.99			8.0				
			Middle	5.8	22.8	30.8	30.9	5.89	5.89	81.9	81.8	5.01	5.04		5.04	5.04		8.2	8.1
						30.9		5.88		81.7		5.06			8.0				
			Bottom	10.6	22.1	31.0	31.3	5.78	5.75	80.1	80.0	5.31	5.33		5.33	5.33		8.5	8.4
						31.5		5.74		79.8		5.35			8.3				
16/12/10	0715-0726	13/Cloudy	Surface	1.0	21.2	30.2	30.2	6.09	6.09	84.7	84.7	5.08	5.07	5.13	8.0	8.0	8.2		
						30.1		6.08		84.6		5.06			8.0				
			Middle	5.3	22.1	30.5	30.6	6.00	5.99	83.4	83.3	5.12	5.13		5.13	5.13		8.2	8.4
						30.6		5.98		83.2		5.13			8.5				
			Bottom	10.5	22.2	31.0	31.1	5.84	5.85	81.2	81.3	5.20	5.21		5.21	5.21		8.5	8.4
						31.1		5.86		81.4		5.21			8.2				
18/12/10	0730-0743	10/Fine	Surface	1.0	19.8	31.2	31.3	6.07	6.08	83.8	83.9	5.21	5.23	5.38	8.2	8.3	8.5		
						31.3		6.09		84.0		5.24			8.3				
			Middle	5.5	20.5	31.8	31.8	5.98	5.98	82.5	82.5	5.36	5.38		5.38	5.38		8.5	8.4
						31.7		5.97		82.4		5.39			8.2				
			Bottom	10.0	21.7	32.0	32.1	5.85	5.83	80.7	80.4	5.54	5.53		5.53	5.53		9.0	9.0
						32.1		5.80		80.0		5.51			9.0				
21/12/10	1200-1213	21/Cloudy	Surface	1.0	20.8	30.6	30.7	6.08	6.07	83.9	83.7	5.05	5.07	5.25	8.3	8.3	8.6		
						30.7		6.05		83.4		5.09			8.2				
			Middle	5.6	20.7	30.8	30.8	5.98	5.97	82.5	82.3	5.16	5.18		5.18	5.18		8.5	8.4
						30.8		5.95		82.1		5.20			8.3				
			Bottom	10.2	20.0	31.6	31.7	5.87	5.84	81.0	80.6	5.51	5.49		5.49	5.49		9.0	9.1
						31.7		5.81		80.1		5.47			9.1				
23/12/10	1300-1312	19/Fine	Surface	1.0	21.2	31.0	31.0	6.05	6.03	83.5	83.2	5.20	5.18	5.14	8.4	8.3	8.1		
						30.9		6.01		82.9		5.15			8.1				
			Middle	6.1	21.7	31.3	31.4	5.82	5.81	80.3	80.4	5.03	5.07		5.07	5.07		7.8	7.8
						31.4		5.79		80.5		5.11			7.7				
			Bottom	11.2	22.0	31.8	31.8	5.84	5.86	81.2	81.5	5.19	5.17		5.17	5.17		8.2	8.2
						31.8		5.88		81.7		5.14			8.2				
28/12/10	1600-1613	15/Fine	Surface	1.0	20.2	30.4	30.4	5.94	5.92	81.9	81.7	5.32	5.31	5.42	8.5	8.4	8.6		
						30.3		5.90		81.4		5.30			8.3				
			Middle	5.7	21.4	31.5	31.6	5.88	5.86	81.1	80.8	5.40	5.41		5.41	5.41		9.0	8.9
						31.6		5.83		80.5		5.42			8.8				
			Bottom	10.4	21.9	32.2	32.2	5.80	5.81	80.0	80.2	5.54	5.55		5.55	5.55		8.8	8.6
						32.1		5.82		80.3		5.55			8.4				
30/12/10	1730-1743	18/Fine	Surface	1.0	21.4	30.3	30.4	5.98	6.00	82.5	82.9	5.46	5.47	5.58	8.9	8.9	9.0		
						30.4		6.02		83.3		5.48			8.9				
			Middle	5.9	20.8	31.2	31.3	5.82	5.84	80.3	80.5	5.56	5.58		5.58	5.58		9.2	9.1
						31.3		5.85		80.7		5.59			9.0				
			Bottom	10.8	20.3	32.1	32.2	5.74	5.76	79.2	79.4	5.68	5.69		5.69	5.69		9.0	9.1
						32.2		5.77		79.6		5.69			9.1				

Monitoring Station : R28

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average			
02/12/10	0951-1003	23/Fine	Surface	1.0	23.1	30.4	30.5	5.95	5.96	82.7	82.9	4.97	4.97	5.13	8.0	7.9	8.1			
						30.5		5.97		83.0		4.96			7.7					
			Middle	4.9	22.7	30.8	30.9	5.84	5.85	81.2	81.4	5.11	5.12		5.12	5.12		8.2	8.1	8.1
						30.9		5.86		81.5		5.12			8.0					
			Bottom	9.7	22.2	31.2	31.3	5.74	5.73	79.8	79.7	5.29	5.30		5.30	5.30		8.4	8.5	8.5
						31.4		5.72		79.5		5.30			8.5					
04/12/10	1006-1018	23/Fine	Surface	1.0	23.1	30.7	30.8	5.92	5.94	79.5	79.7	5.73	5.76	5.89	9.0	9.1	9.3			
						30.8		5.95		79.9		5.78			9.2					
			Middle	4.8	22.7	31.2	31.3	5.84	5.84	78.4	78.4	5.92	5.93		5.93	5.93		9.5	9.5	9.5
						31.3		5.83		78.3		5.93			9.4					
			Bottom	9.5	22.2	31.6	31.6	5.70	5.71	76.5	76.6	5.97	5.99		5.98	5.98		9.6	9.5	9.5
						31.5		5.72		76.7		5.99			9.3					
07/12/10	1453-1505	22/Fine	Surface	1.0	22.1	30.4	30.5	5.94	5.95	82.6	82.7	5.61	5.62	5.74	9.0	9.0	9.2			
						30.5		5.95		82.7		5.62			8.9					
			Middle	4.9	21.9	31.0	31.1	5.83	5.83	81.0	81.0	5.72	5.72		5.72	5.72		9.2	9.3	9.3
						31.1		5.82		80.9		5.72			9.4					
			Bottom	9.7	21.6	31.6	31.7	5.70	5.70	79.2	79.2	5.89	5.90		5.90	5.90		9.5	9.4	9.4
						31.7		5.70		79.2		5.90			9.3					
09/12/10	1536-1548	18/Sunny	Surface	1.0	22.2	31.2	31.2	5.99	5.97	83.2	83.0	5.37	5.36	5.30	8.6	8.5	8.4			
						31.1		5.95		82.7		5.34			8.4					
			Middle	5.7	21.9	31.9	31.9	5.90	5.89	82.0	81.8	5.17	5.19		5.19	5.19		8.0	8.1	8.1
						31.8		5.87		81.5		5.21			8.2					
			Bottom	10.4	22.0	32.2	32.2	5.84	5.82	81.1	80.9	5.38	5.35		5.35	5.35		8.8	8.7	8.7
						32.1		5.80		80.6		5.31			8.5					
11/12/10	1722-1735	19/Cloudy	Surface	1.0	22.3	30.4	30.4	5.81	5.82	80.2	80.4	5.20	5.22	5.34	8.4	8.3	8.7			
						30.3		5.83		80.5		5.23			8.2					
			Middle	6.5	21.4	31.5	31.5	5.97	5.95	82.4	82.1	5.36	5.37		5.37	5.37		8.6	8.6	8.6
						31.4		5.92		81.7		5.38			8.5					
			Bottom	12.0	20.3	32.1	32.1	5.76	5.75	79.5	79.4	5.45	5.44		5.44	5.44		9.0	9.1	9.1
						32.0		5.74		79.2		5.42			9.2					
14/12/10	1949-1959	22/Cloudy	Surface	1.0	23.1	30.6	30.6	5.98	5.96	83.1	82.9	5.30	5.31	5.35	8.7	8.6	8.6			
						30.5		5.94		82.6		5.32			8.4					
			Middle	5.4	22.7	30.8	30.8	5.81	5.82	80.8	80.9	5.29	5.27		5.27	5.27		8.2	8.4	8.4
						30.7		5.82		80.9		5.24			8.5					
			Bottom	9.8	22.4	31.6	31.7	5.70	5.72	79.2	79.5	5.47	5.48		5.48	5.48		9.0	9.0	9.0
						31.7		5.74		79.8		5.48			9.0					
16/12/10	0931-0943	13/Cloudy	Surface	1.0	20.5	30.4	30.5	6.03	6.03	83.7	83.7	5.21	5.21	5.16	8.5	8.5	8.3			
						30.5		6.03		83.7		5.20			8.5					
			Middle	4.9	21.2	31.0	31.1	6.00	6.00	83.4	83.4	5.17	5.17		5.17	5.17		8.2	8.3	8.3
						31.1		5.99		83.3		5.16			8.3					
			Bottom	9.7	22.9	31.2	31.3	5.98	5.97	83.2	83.0	5.10	5.10		5.10	5.10		8.2	8.1	8.1
						31.3		5.95		82.7		5.09			8.0					
18/12/10	0950-1003	10/Fine	Surface	1.0	19.7	31.4	31.5	5.87	5.86	81.0	80.9	5.49	5.50	5.61	8.8	8.8	8.2			
						31.5		5.85		80.7		5.51			8.7					
			Middle	5.3	20.4	31.8	31.8	5.80	5.82	80.0	80.3	5.63	5.65		5.65	5.65		8.0	8.0	8.0
						31.7		5.83		80.5		5.66			7.9					
			Bottom	9.6	21.7	32.0	32.1	5.70	5.71	78.7	78.8	5.69	5.69		5.69	5.69		7.9	7.8	7.8
						32.1		5.72		78.9		5.68			7.6					
21/12/10	1405-1420	21/Fine	Surface	1.0	20.8	30.7	30.7	6.02	6.04	83.0	83.3	5.06	5.09	5.28	8.1	8.1	8.4			
						30.7		6.06		83.6		5.11			8.0					
			Middle	5.2	20.5	30.9	30.9	5.94	5.96	81.9	82.1	5.21	5.24		5.24	5.24		8.2	8.1	8.1
						30.9		5.97		82.3		5.26			7.9					
			Bottom	9.4	19.9	31.5	31.5	5.81	5.83	80.1	80.3	5.48	5.51		5.51	5.51		9.0	9.1	9.1
						31.5		5.84		80.5		5.54			9.1					
23/12/10	1511-1522	19/Fine	Surface	1.0	21.6	31.2	31.2	6.09	6.10	84.0	84.2	5.11	5.09	5.21	8.3	8.2	8.4			
						31.1		6.11		84.3		5.06			8.0					
			Middle	5.7	22.0	31.8	31.8	5.93	5.96	81.8	82.2	5.29	5.25		5.25	5.25		8.4	8.5	8.5
						31.7		5.98		82.5		5.21			8.5					
			Bottom	10.4	22.2	32.0	32.1	5.87	5.89	81.0	81.2	5.30	5.28		5.28	5.28		8.8	8.7	8.7
						32.1		5.90		81.4		5.26			8.5					
28/12/10	1812-1825	16/Fine	Surface	1.0	20.3	30.3	30.4	6.06	6.04	83.6	83.4	5.56	5.55	5.61	9.0	9.0	8.8			
						30.4		6.02		83.1		5.54			9.0					
			Middle	5.3	21.4	31.6	31.6	5.95	5.97	80.3	81.4	5.63	5.62		5.62	5.62		9.1	9.0	9.0
						31.5		5.98		82.5		5.60			8.8					
			Bottom	9.6	21.8	32.1	32.2	5.83	5.82	80.5	80.3	5.68	5.67		5.67	5.67		8.4	8.6	8.6
						32.2		5.80		80.0		5.65			8.7					
30/12/10	1933-1946	16/Cloudy	Surface	1.0	21.2	30.4	30.4	5.80	5.81	80.0	80.1	5.50	5.55	5.65	9.0	9.1	9.0			
						30.3		5.81		80.2		5.59			9.1					
			Middle	5.5	20.7	31.2	31.2	5.74	5.76	79.2	79.5	5.63	5.65		5.65	5.65		9.2	9.0	9.0
						31.1		5.78		79.8		5.67			8.8					
			Bottom	10.0	20.3	31.9	32.0	5.70	5.72	78.7	78.9	5.76	5.74		5.74	5.74		8.9	9.0	9.0
						32.0		5.73		79.1		5.72			9.0					

Mid-Ebb Tide

Monitoring Station : R29

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
02/12/10	1012-1025	23/Fine	Surface	1.0	23.2	30.2	30.2	5.94	5.95	82.6	82.7	4.97	4.98	5.12	7.9	8.0	8.3		
						30.1		5.96		81.2		4.98			8.0				
			Middle	7.9	22.7	30.7	30.8	5.84	5.84	81.0	81.1	5.12	5.13		5.14	5.13		8.4	8.4
						30.9		5.83		81.0		5.14			8.4				
			Bottom	15.7	22.3	31.4	31.5	5.71	5.71	79.4	79.3	5.26	5.27		5.27	5.27		8.5	8.4
						31.5		5.70		79.2		5.27			8.3				
04/12/10	1026-1039	23/Fine	Surface	1.0	22.8	30.7	30.8	5.82	5.83	80.9	81.0	5.52	5.54	5.66	8.8	8.9	7.6		
						30.9		5.83		81.0		5.54			9.0				
			Middle	7.7	22.5	31.4	31.5	5.74	5.77	79.8	80.2	5.60	5.61		5.62	5.61		0.2	4.6
						31.5		5.79		80.5		5.62			9.0				
			Bottom	15.3	22.1	31.4	31.4	5.72	5.71	78.1	78.0	5.84	5.85		5.85	5.85		9.4	9.3
						31.4		5.70		77.8		5.85			9.1				
07/12/10	1513-1526	22/Fine	Surface	1.0	22.0	30.5	30.5	5.93	5.93	82.4	82.4	5.64	5.65	5.76	9.0	9.0	9.1		
						30.4		5.93		82.4		5.65			9.0				
			Middle	8.0	21.5	30.9	30.9	5.82	5.82	80.9	80.9	5.73	5.74		5.74	5.74		9.1	9.1
						30.9		5.81		80.8		5.74			9.0				
			Bottom	15.9	21.2	31.4	31.4	5.70	5.71	79.2	79.3	5.89	5.90		5.90	5.90		9.3	9.3
						31.4		5.71		79.4		5.90			9.2				
09/12/10	1601-1611	18/Sunny	Surface	1.0	22.1	31.3	31.3	6.01	6.03	83.5	83.7	5.15	5.13	5.18	8.4	8.3	8.3		
						31.2		6.04		83.9		5.10			8.2				
			Middle	8.6	21.8	31.9	31.9	5.82	5.81	80.3	80.1	5.19	5.21		5.21	5.21		8.0	8.1
						31.9		5.79		79.9		5.23			8.2				
			Bottom	16.2	22.0	32.2	32.2	5.77	5.76	79.6	79.4	5.21	5.19		5.19	5.19		8.5	8.4
						32.1		5.74		79.2		5.17			8.3				
11/12/10	1738-1751	19/Cloudy	Surface	1.0	23.4	30.2	30.3	6.04	6.03	83.4	83.2	5.13	5.12	5.19	8.1	8.1	8.2		
						30.3		6.01		82.9		5.10			8.0				
			Middle	9.0	21.3	31.4	31.5	5.96	5.95	82.2	82.0	5.17	5.18		5.18	5.18		8.0	8.1
						31.5		5.93		81.8		5.19			8.2				
			Bottom	17.0	20.4	32.2	32.2	5.74	5.76	79.2	79.4	5.26	5.28		5.28	5.28		8.5	8.4
						32.1		5.77		79.6		5.30			8.2				
14/12/10	2002-2012	22/Cloudy	Surface	1.0	23.2	30.5	30.5	6.03	6.02	83.8	83.7	5.26	5.25	5.33	8.3	8.2	8.4		
						30.4		6.01		83.5		5.23			8.0				
			Middle	8.6	22.6	30.7	30.8	5.97	5.98	82.9	83.1	5.36	5.35		5.35	5.35		8.7	8.6
						30.8		5.99		83.3		5.33			8.4				
			Bottom	16.2	22.3	31.5	31.6	5.77	5.76	80.7	80.3	5.39	5.41		5.41	5.41		8.5	8.6
						31.6		5.75		79.9		5.42			8.6				
16/12/10	0957-1010	13/Cloudy	Surface	1.0	20.3	30.4	30.4	6.02	6.03	83.6	83.7	5.20	5.19	5.12	8.4	8.3	8.1		
						30.3		6.03		83.7		5.17			8.2				
			Middle	7.8	21.0	31.0	31.1	6.00	5.99	83.4	83.3	5.10	5.10		5.10	5.10		8.0	8.1
						31.1		5.97		83.1		5.09			8.1				
			Bottom	15.5	21.3	31.2	31.3	5.89	5.89	81.7	81.7	5.08	5.08		5.08	5.08		8.1	8.1
						31.3		5.88		81.6		5.08			8.0				
18/12/10	1006-1019	10/Fine	Surface	1.0	19.7	31.5	31.5	5.93	5.95	81.8	82.0	5.39	5.38	5.47	8.0	8.1	8.1		
						31.5		5.96		82.2		5.36			8.1				
			Middle	8.6	20.5	31.8	31.9	5.85	5.87	80.7	80.9	5.48	5.47		5.48	5.47		8.3	8.3
						31.9		5.88		81.1		5.45			8.2				
			Bottom	16.2	21.8	32.1	32.2	5.76	5.75	79.5	79.3	5.58	5.57		5.58	5.57		8.0	8.0
						32.2		5.73		79.1		5.55			7.9				
21/12/10	1424-1437	21/Fine	Surface	1.0	20.8	30.7	30.7	6.09	6.06	84.0	83.6	5.10	5.14	5.40	8.4	8.4	8.8		
						30.7		6.03		83.2		5.18			8.4				
			Middle	8.4	20.3	31.3	31.3	5.87	5.85	81.0	80.7	5.34	5.37		5.37	5.37		8.9	8.9
						31.3		5.82		80.3		5.40			8.8				
			Bottom	15.8	19.5	32.0	32.0	5.73	5.71	79.0	78.8	5.66	5.68		5.66	5.68		9.0	9.1
						32.0		5.69		78.5		5.70			9.1				
23/12/10	1536-1547	19/Fine	Surface	1.0	21.7	31.1	31.2	5.95	5.97	82.1	82.3	5.01	5.04	5.06	8.0	8.0	7.9		
						31.2		5.98		82.5		5.07			8.0				
			Middle	8.6	21.9	31.9	32.0	5.81	5.83	80.8	81.0	4.93	4.96		4.96	4.96		7.6	7.7
						32.0		5.84		81.2		4.99			7.8				
			Bottom	16.2	22.2	32.1	32.1	5.76	5.78	80.0	80.3	5.20	5.17		5.20	5.17		8.2	8.1
						32.1		5.80		80.6		5.14			8.0				
28/12/10	1828-1840	16/Fine	Surface	1.0	20.3	30.3	30.3	6.04	6.05	83.4	83.5	5.53	5.52	5.57	9.0	8.9	9.1		
						30.2		6.05		83.5		5.50			8.8				
			Middle	8.6	21.4	31.6	31.6	5.94	5.96	81.9	82.2	5.54	5.55		5.55	5.55		9.1	9.1
						31.5		5.98		82.5		5.56			9.1				
			Bottom	16.2	21.7	32.2	32.2	5.81	5.83	80.2	80.5	5.64	5.63		5.63	5.63		9.3	9.2
						32.1		5.85		80.7		5.62			9.0				
30/12/10	1949-2002	16/Cloudy	Surface	1.0	21.1	30.3	30.3	5.89	5.91	81.3	81.6	5.79	5.79	5.87	9.3	9.2	9.3		
						30.2		5.93		81.8		5.78			9.0				
			Middle	8.6	20.8	31.1	31.1	5.89	5.87	79.5	80.1	5.88	5.86		5.88	5.86		9.2	9.2
						31.1		5.84		80.6		5.84			9.1				
			Bottom	16.2	20.2	32.1	32.2	5.80	5.80	80.0	80.0	5.94	5.95		5.94	5.95		9.6	9.7
						32.2		5.79		79.9		5.96			9.7				

Mid-Ebb Tide

Monitoring Station : C1

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
02/12/10	0845-0857	23/Fine	Surface	1.0	23.2	30.6	30.7	5.96	5.97	82.8	82.9	4.98	4.99	5.13	7.9	8.0	8.2
						30.7		5.97		83.0		5.00			8.0		
			Middle	6.3	22.9	30.9	30.9	5.85	5.87	81.3	81.5	5.14	5.15		8.2	8.1	
						30.9		5.87		81.6		5.15			8.0		
			Bottom	12.6	22.5	31.1	31.2	5.71	5.71	79.4	79.4	5.26	5.26		8.5	8.5	
						31.2		5.71		79.4		5.25			8.5		
04/12/10	0859-0911	23/Fine	Surface	1.0	22.8	30.4	30.5	5.94	5.97	79.8	80.2	5.44	5.45	5.62	8.6	8.7	8.9
						30.6		5.99		80.5		5.45			8.8		
			Middle	6.5	22.6	31.0	31.0	5.82	5.81	78.1	78.0	5.60	5.61		9.0	9.0	
						31.0		5.80		77.8		5.62			9.0		
			Bottom	12.9	22.1	31.4	31.4	5.79	5.79	77.7	77.7	5.79	5.79		9.2	9.1	
						31.3		5.78		77.6		5.79			9.0		
07/12/10	1336-1355	22/Fine	Surface	1.0	22.1	30.1	30.2	5.94	5.94	82.6	82.5	5.62	5.63	5.74	8.9	8.9	9.1
						30.3		5.93		82.4		5.63			8.9		
			Middle	6.4	21.9	30.9	31.0	5.82	5.83	80.9	81.0	5.71	5.72		9.1	9.1	
						31.1		5.83		81.0		5.73			9.0		
			Bottom	12.8	21.4	31.2	31.3	5.71	5.72	79.4	79.5	5.88	5.88		9.4	9.4	
						31.3		5.73		79.6		5.88			9.3		
09/12/10	1428-1438	18/Sunny	Surface	1.0	22.0	31.2	31.2	6.02	6.04	83.6	83.8	5.17	5.14	5.16	8.1	8.2	8.2
						31.2		6.05		84.0		5.11			8.2		
			Middle	7.1	21.5	31.9	31.9	5.95	5.97	82.7	82.9	5.23	5.20		8.4	8.4	
						31.9		5.98		83.1		5.17			8.4		
			Bottom	13.2	21.7	32.0	32.1	5.74	5.72	79.2	78.9	5.17	5.15		8.2	8.1	
						32.1		5.70		78.6		5.12			8.0		
11/12/10	1609-1622	18/Cloudy	Surface	1.0	22.2	30.5	30.5	5.96	5.95	82.2	82.1	5.17	5.15	5.37	8.1	8.1	8.4
						30.4		5.94		81.9		5.12			8.1		
			Middle	7.9	21.5	31.3	31.4	5.91	5.91	82.1	81.8	5.35	5.35		8.4	8.5	
						31.4		5.90		81.4		5.34			8.5		
			Bottom	14.8	20.2	32.2	32.2	5.89	5.88	81.3	81.2	5.61	5.62		8.6	8.6	
						32.2		5.87		81.0		5.63			8.5		
14/12/10	1839-1852	23/Cloudy	Surface	1.0	23.1	30.5	30.5	5.94	5.93	82.6	82.5	5.20	5.21	5.33	8.1	8.1	8.6
						30.4		5.92		82.3		5.21			8.1		
			Middle	7.4	22.5	30.9	30.9	5.87	5.87	81.6	81.6	5.32	5.31		8.7	8.8	
						30.9		5.86		81.5		5.30			8.9		
			Bottom	13.8	22.0	31.7	31.8	5.78	5.79	80.3	80.5	5.47	5.46		9.0	8.9	
						31.8		5.80		80.6		5.45			8.8		
16/12/10	0818-0830	13/Cloudy	Surface	1.0	20.2	30.5	30.6	6.00	5.99	83.4	83.3	5.04	5.05	5.12	8.0	8.1	8.3
						30.6		5.98		83.2		5.06			8.2		
			Middle	6.3	21.3	31.0	31.0	5.86	5.87	81.4	81.5	5.13	5.12		8.4	8.4	
						31.0		5.87		81.5		5.10			8.3		
			Bottom	12.6	21.2	31.2	31.3	5.85	5.85	81.3	81.3	5.20	5.21		8.5	8.4	
						31.3		5.84		81.2		5.21			8.2		
18/12/10	0839-0852	10/Fine	Surface	1.0	19.6	31.2	31.2	5.99	5.98	82.7	82.5	5.28	5.30	5.39	7.9	7.9	7.8
						31.1		5.96		82.2		5.31			7.8		
			Middle	7.1	20.3	31.7	31.8	5.89	5.86	81.3	80.8	5.34	5.36		7.6	7.6	
						31.8		5.82		80.3		5.38			7.5		
			Bottom	13.2	21.8	32.1	32.2	5.87	5.86	81.0	80.9	5.51	5.52		8.1	8.1	
						32.2		5.85		80.7		5.53			8.0		
21/12/10	1300-1314	21/Cloudy	Surface	1.0	20.8	30.5	30.6	6.09	6.07	84.0	83.7	5.05	5.08	5.30	8.1	8.3	8.5
						30.6		6.04		83.3		5.11			8.4		
			Middle	6.9	20.5	31.0	31.0	5.94	5.91	81.9	81.5	5.20	5.23		8.5	8.5	
						31.0		5.88		81.1		5.26			8.4		
			Bottom	12.8	19.8	31.8	31.8	5.73	5.74	79.4	79.1	5.55	5.58		9.0	8.9	
						31.7		5.75		78.7		5.60			8.8		
23/12/10	1400-1412	19/Fine	Surface	1.0	21.4	31.2	31.2	6.06	6.05	83.6	83.4	5.01	5.06	5.06	7.9	8.1	8.0
						31.1		6.03		83.2		5.10			8.2		
			Middle	7.0	22.0	31.8	31.8	5.83	5.81	81.0	80.8	4.96	5.00		7.7	7.8	
						31.7		5.79		80.5		5.03			7.9		
			Bottom	13.0	22.1	32.0	32.1	5.86	5.88	81.5	81.8	5.15	5.13		8.3	8.3	
						32.1		5.90		82.0		5.11			8.2		
28/12/10	1658-1710	15/Fine	Surface	1.0	20.2	30.3	30.4	5.90	5.93	81.4	81.8	5.37	5.36	5.44	8.1	8.3	8.7
						30.4		5.96		82.2		5.35			8.4		
			Middle	7.1	21.4	31.6	31.7	5.92	5.92	81.7	81.7	5.40	5.42		8.6	8.7	
						31.7		5.91		81.6		5.44			8.8		
			Bottom	13.2	21.8	32.2	32.2	5.83	5.85	80.5	80.7	5.55	5.55		9.0	9.0	
						32.1		5.86		80.9		5.54			9.0		
30/12/10	1821-1833	18/Fine	Surface	1.0	21.2	30.3	30.4	5.88	5.86	81.1	80.9	5.54	5.56	5.67	9.0	8.9	9.0
						30.4		5.84		80.6		5.58			8.8		
			Middle	7.3	20.7	31.2	31.3	5.79	5.77	79.9	79.7	5.69	5.67		8.8	9.0	
						31.3		5.75		79.4		5.64			9.1		
			Bottom	13.6	20.4	32.1	32.1	5.76	5.74	79.5	79.2	5.78	5.78		9.2	9.1	
						32.0		5.72		78.9		5.77			9.0		

Mid-Ebb Tide

Monitoring Station : C3


Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
02/12/10	0906-0920	23/Fine	Surface	1.0	23.2	30.4	30.5	5.97	5.97	83.0	82.9	5.00	5.01	5.15	8.0	8.0	8.1
						30.5		5.96		82.8		5.01			8.0		
			Middle	5.8	22.9	30.9	30.9	5.84	5.84	81.2	81.1	5.15	5.16		8.2	8.1	
						30.8		5.83		81.0		5.16			8.0		
			Bottom	11.5	22.5	31.1	31.2	5.72	5.72	79.5	79.5	5.27	5.28		8.4	8.2	
						31.2		5.71		79.4		5.28			8.0		
04/12/10	0921-0933	23/Fine	Surface	1.0	23.1	30.9	30.8	5.99	5.99	80.5	80.4	5.49	5.50	5.61	8.8	8.9	9.1
						30.7		5.98		80.3		5.50			8.9		
			Middle	5.8	22.8	31.0	31.0	5.84	5.85	78.4	78.5	5.60	5.60		9.2	9.1	
						31.0		5.85		78.5		5.60			9.0		
			Bottom	11.6	22.5	31.4	31.4	5.74	5.74	77.0	77.0	5.74	5.75		9.3	9.3	
						31.4		5.74		77.0		5.75			9.2		
07/12/10	1406-1419	22/Fine	Surface	1.0	21.8	30.2	30.3	5.99	5.99	83.3	83.2	5.62	5.63	5.72	8.8	8.9	9.2
						30.4		5.98		83.1		5.64			9.0		
			Middle	5.9	21.5	30.9	31.0	5.81	5.82	80.8	80.9	5.70	5.71		9.2	9.1	
						31.1		5.83		81.0		5.72			9.0		
			Bottom	11.7	21.4	31.6	31.7	5.72	5.72	79.5	79.4	5.81	5.82		9.6	9.7	
						31.7		5.71		79.2		5.82			9.8		
09/12/10	1451-1503	18/Sunny	Surface	1.0	22.1	31.2	31.2	6.05	6.03	84.0	83.8	5.03	5.09	5.13	8.0	8.0	8.1
						31.2		6.01		83.5		5.15			8.0		
			Middle	6.4	21.8	31.9	31.9	5.88	5.86	81.7	81.4	5.12	5.11		8.1	8.1	
						31.8		5.84		81.1		5.09			8.0		
			Bottom	11.8	21.6	32.1	32.1	5.76	5.75	79.4	79.2	5.21	5.20		8.4	8.3	
						32.1		5.73		79.0		5.18			8.2		
11/12/10	1634-1647	18/Cloudy	Surface	1.0	22.0	30.2	30.3	5.86	5.84	80.9	80.6	5.20	5.22	5.37	8.4	8.3	8.6
						30.3		5.82		80.3		5.24			8.2		
			Middle	6.8	21.4	31.3	31.3	5.94	5.92	81.9	81.7	5.36	5.34		8.6	8.6	
						31.2		5.90		81.4		5.31			8.6		
			Bottom	12.6	20.4	32.1	32.2	5.74	5.73	79.2	79.1	5.57	5.55		8.9	8.9	
						32.2		5.72		78.9		5.53			8.8		
14/12/10	1906-1919	23/Cloudy	Surface	1.0	23.1	30.4	30.4	5.98	5.97	83.1	83.0	5.14	5.12	5.26	8.4	8.3	8.5
						30.3		5.96		82.8		5.10			8.2		
			Middle	6.4	22.5	30.8	30.9	5.89	5.89	81.9	81.8	5.38	5.37		8.8	8.7	
						30.9		5.88		81.7		5.35			8.6		
			Bottom	11.8	22.2	31.8	31.9	5.74	5.74	79.8	79.7	5.28	5.29		8.3	8.4	
						31.9		5.73		79.6		5.30			8.4		
16/12/10	0843-0855	13/Cloudy	Surface	1.0	20.1	30.5	30.5	6.02	6.02	83.6	83.6	5.02	5.03	5.12	7.9	8.0	8.2
						30.4		6.01		83.5		5.03			8.0		
			Middle	5.8	21.4	30.6	30.7	5.97	5.97	82.9	83.0	5.11	5.12		8.3	8.2	
						30.7		5.96		83.0		5.12			8.1		
			Bottom	11.5	21.9	31.0	31.0	5.84	5.84	81.1	81.1	5.20	5.21		8.4	8.5	
						30.9		5.83		81.0		5.22			8.5		
18/12/10	0904-0916	10/Fine	Surface	1.0	19.7	31.3	31.3	5.94	5.93	81.9	81.7	5.13	5.14	5.29	8.0	8.1	7.9
						31.2		5.91		81.5		5.15			8.2		
			Middle	6.5	20.4	31.8	31.8	5.82	5.83	80.3	80.4	5.27	5.25		7.8	7.7	
						31.7		5.84		80.5		5.23			7.5		
			Bottom	12.0	21.8	32.2	32.2	5.80	5.80	80.0	80.0	5.46	5.48		8.0	7.9	
						32.1		5.79		79.9		5.49			7.7		
21/12/10	1321-1336	21/Cloudy	Surface	1.0	20.8	30.6	30.6	6.02	6.00	83.0	82.7	5.01	5.04	5.24	8.1	8.2	8.5
						30.6		5.97		82.3		5.07			8.2		
			Middle	6.4	20.5	31.0	31.0	5.90	5.88	81.4	81.0	5.15	5.18		8.4	8.3	
						31.0		5.86		80.6		5.20			8.2		
			Bottom	11.8	19.8	31.7	31.7	5.73	5.74	79.0	79.2	5.53	5.51		8.8	8.9	
						31.7		5.75		79.3		5.48			9.0		
23/12/10	1425-1437	19/Fine	Surface	1.0	21.5	31.3	31.4	5.96	5.95	82.2	82.0	5.09	5.12	5.19	8.1	8.3	8.3
						31.4		5.93		81.8		5.15			8.4		
			Middle	6.4	22.0	31.9	31.9	5.88	5.90	81.7	82.0	5.34	5.32		8.6	8.5	
						31.8		5.92		82.3		5.29			8.4		
			Bottom	11.8	22.1	32.1	32.1	5.97	5.95	82.4	82.1	5.18	5.15		8.0	8.1	
						32.1		5.93		81.8		5.11			8.2		
28/12/10	1722-1735	15/Fine	Surface	1.0	20.3	30.4	30.4	5.92	5.96	81.7	82.2	5.38	5.36	5.46	8.2	8.2	8.6
						30.4		5.99		82.7		5.34			8.2		
			Middle	6.5	21.4	31.5	31.6	5.83	5.85	80.5	80.7	5.46	5.46		8.9	8.7	
						31.6		5.86		80.9		5.45			8.5		
			Bottom	12.0	21.7	32.1	32.1	5.74	5.73	79.2	79.0	5.56	5.58		9.0	8.9	
						32.0		5.71		78.8		5.59			8.8		
30/12/10	1845-1857	18/Fine	Surface	1.0	21.2	30.4	30.5	5.91	5.93	81.6	81.8	5.43	5.44	5.52	8.7	8.7	8.9
						30.5		5.94		82.0		5.44			8.7		
			Middle	6.3	20.8	31.4	31.4	5.74	5.74	79.2	79.2	5.49	5.50		9.0	8.9	
						31.3		5.73		79.1		5.50			8.8		
			Bottom	11.6	20.4	32.0	32.1	5.73	5.74	79.1	79.3	5.60	5.62		9.2	9.1	
						32.1		5.75		79.4		5.63			9.0		

Appendix C3

Graphical Plots of Impact Water Quality Monitoring Data




Dissolved Oxygen (Surface) at Mid-Flood Tide



▲ R15

— Action and Limit Level

Dissolved Oxygen (Surface) at Mid-Ebb Tide




▲ R15


— Action and Limit Level



Dissolved Oxygen (Middle) at Mid-Flood Tide




Dissolved Oxygen (Middle) at Mid-Ebb Tide






Dissolved Oxygen (Middle) at Mid-Flood Tide




Dissolved Oxygen (Middle) at Mid-Ebb Tide






Dissolved Oxygen (Bottom) at Mid-Flood Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide






Turbidity (Depth-average) at Mid-Flood Tide




Turbidity (Depth-average) at Mid-Ebb Tide






Turbidity (Depth-average) of R15 at Mid-Flood Tide




Turbidity(Depth-average) of R15 at Mid-Ebb Tide






Suspended solids (Depth-average) at Mid-Flood Tide




Suspended Solids (Depth-average) at Mid-Ebb Tide






Suspended solids (Depth-average) of R15 at Mid-Flood Tide



Suspended Solids (Depth-average) of R15 at Mid-Ebb Tide





Appendix C4

QA/QC Results of Laboratory Analysis for Water Samples



QA/QC Results of Laboratory Analysis of Total Suspended Solids

Sampling Date	QC Sample	Sample Duplicate		Sample Spike	
	% Recovery *	Sample ID	% Error #	Sample ID	% Recovery @
02/12/10	103.7	R5FS	2.20	R8FS	95.8
	102.9	R8FM	3.59	R17FM	107.8
	102.5	R17FB	2.82	C1FB	100.0
	96.1	C2FS	3.17	C4FB	101.9
	99.4	R5ES	3.17	R8ES	105.9
	93.8	R8EM	3.08	R17EM	96.0
	100.0	R17EB	6.06	C1EB	102.1
	105.4	C2ES	5.13	C4EB	104.2
04/12/10	106.5	R5FS	0.00	R8FS	93.9
	96.2	R8FM	2.20	R17FM	104.1
	101.4	R17FB	5.71	C1FB	98.0
	101.7	C2FS	3.08	C4FB	93.9
	101.6	R5ES	2.74	R8ES	94.2
	100.4	R8EM	3.28	R17EM	92.0
	106.5	R17EB	2.60	C1EB	100.0
	95.6	C2ES	5.71	C4EB	98.0
07/12/10	105.6	R5FS	2.47	R8FS	100.0
	99.8	R8FM	2.99	R17FM	102.1
	101.2	R17FB	3.59	C1FB	104.0
	102.5	C2FS	0.60	C4FB	100.0
	97.3	R5ES	2.74	R8ES	95.9
	96.8	R8EM	3.21	R17EM	96.1
	94.5	R17EB	3.11	C1EB	100.0
	107.7	C2ES	2.74	C4EB	106.4
09/12/10	94.7	R5FS	3.64	R8FS	110.2
	92.4	R8FM	6.90	R17FM	100.0
	105.1	R17FB	2.90	C1FB	94.1
	94.7	C2FS	7.41	C4FB	105.7
	98.6	R5ES	0.00	R8ES	100.0
	98.0	R8EM	5.71	R17EM	106.4
	94.8	R17EB	2.47	C1EB	100.0
	95.8	C2ES	3.17	C4EB	102.0
11/12/10	94.8	R5FS	3.64	R8FS	108.0
	102.2	R8FM	7.41	R17FM	106.1
	105.0	R17FB	3.28	C1FB	106.4
	102.6	C2FS	3.92	C4FB	91.8
	100.0	R5ES	5.71	R8ES	117.0
	107.7	R8EM	2.99	R17EM	100.0
	98.0	R17EB	2.90	C1EB	96.1
	98.3	C2ES	3.08	C4EB	93.7
14/12/10	96.2	R5FS	2.74	R8FS	89.8
	98.8	R8FM	2.67	R17FM	95.8
	93.2	R17FB	0.00	C1FB	100.0
	92.4	C2FS	2.82	C4FB	98.1
	102.2	R5ES	3.08	R8ES	103.8
	106.0	R8EM	5.71	R17EM	100.0
	102.2	R17EB	2.99	C1EB	94.2
	95.7	C2ES	2.99	C4EB	98.0

Note: (*) % Recovery of QC sample should be between 80% to 120%.
 (#) % Error of Sample Duplicate should be between -10% to 10%.
 (®) % Recovery of Sample Spike should be between 80% to 120%.



QA/QC Results of Laboratory Analysis of Total Suspended Solids

Sampling Date	QC Sample	Sample Duplicate		Sample Spike	
	% Recovery *	Sample ID	% Error #	Sample ID	% Recovery @
16/12/10	101.4	R5FS	3.08	R8FS	97.9
	102.7	R8FM	2.99	R17FM	104.3
	92.1	R17FB	3.59	C1FB	98.1
	101.8	C2FS	0.00	C4FB	104.1
	97.1	R5ES	5.88	R8ES	105.7
	104.9	R8EM	3.08	R17EM	92.2
	100.2	R17EB	3.59	C1EB	103.8
	94.0	C2ES	6.45	C4EB	100.0
18/12/10	98.6	R5FS	3.28	R8FS	102.1
	94.0	R8FM	6.45	R17FM	98.0
	101.0	R17FB	3.17	C1FB	101.9
	101.8	C2FS	3.28	C4FB	102.0
	95.3	R5ES	2.82	R8ES	96.0
	95.0	R8EM	2.82	R17EM	97.9
	107.7	R17EB	2.74	C1EB	102.0
	104.2	C2ES	0.00	C4EB	97.9
21/12/10	105.8	R5FS	6.45	R8FS	92.3
	104.5	R8FM	3.28	R17FM	104.1
	101.9	R17FB	2.47	C1FB	91.8
	97.9	C2FS	3.28	C4FB	106.1
	95.5	R5ES	5.71	R8ES	100.0
	100.2	R8EM	2.47	R17EM	102.0
	99.2	R17EB	2.74	C1EB	105.8
	105.1	C2ES	0.00	C4EB	105.9
23/12/10	101.9	R5FS	2.99	R8FS	90.6
	93.0	R8FM	3.08	R17FM	96.0
	95.7	R17FB	5.64	C1FB	100.0
	98.6	C2FS	0.00	C4FB	96.2
	103.3	R5ES	6.25	R8ES	104.0
	104.5	R8EM	3.28	R17EM	94.3
	107.6	R17EB	2.99	C1EB	101.9
	94.9	C2ES	0.00	C4EB	98.0
28/12/10	94.5	R5FS	2.99	R8FS	91.7
	96.7	R8FM	5.41	R17FM	106.0
	95.4	R17FB	2.74	C1FB	106.4
	104.7	C2FS	2.90	C4FB	98.1
	96.7	R5ES	5.71	R8ES	93.6
	94.6	R8EM	2.82	R17EM	95.9
	99.0	R17EB	5.88	C1EB	98.0
	96.5	C2ES	0.00	C4EB	103.9
30/12/10	96.9	R5FS	3.17	R8FS	94.1
	105.1	R8FM	6.45	R17FM	96.2
	94.8	R17FB	2.99	C1FB	94.1
	94.5	C2FS	3.08	C4FB	106.1
	103.7	R5ES	2.74	R8ES	98.0
	103.1	R8EM	2.90	R17EM	100.0
	92.4	R17EB	2.82	C1EB	102.0
	98.6	C2ES	2.82	C4EB	101.9

Note: (*) % Recovery of QC sample should be between 80% to 120%.
 (#) % Error of Sample Duplicate should be between -10% to 10%.
 (@) % Recovery of Sample Spike should be between 80% to 120%.



Appendix D

Event-Action Plans



Event and Action Plan for Construction Noise

Event	Action			
	ET Leader	IEC	ER	Contractor
Action Level	<ol style="list-style-type: none"> 1. Notify IEC and the Contractor. 2. Carry out investigation. 3. Report the results of investigation to IEC and the Contractor. 4. Discuss with the Contractor and formulate remedial measures. 5. Increase monitoring frequency to check mitigation measures. 	<ol style="list-style-type: none"> 1. Review with analysed results submitted by ET. 2. Review the proposed remedial measures by the Contractor and advise ER accordingly. 3. Supervise the implement of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of exceedance in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 	<ol style="list-style-type: none"> 1. Submit noise mitigation proposals to IEC. 2. Implement noise mitigation proposals.
Limit Level	<ol style="list-style-type: none"> 1. Identify the source. 2. Notify IEC, ER, EPD and the Contractor. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency. 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented. 6. Inform IEC, ER, and EPD the causes & actions taken for the exceedances. 7. Assess effectiveness of the Contractor's remedial actions and keep IEC, EPD and ER informed of the results. 8. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Discuss amongst ER, ET Leader and the Contractor on the potential remedial actions. 2. Review the Contractor's remedial actions whenever necessary to assure their effectiveness and advise ER accordingly. 3. Supervise the implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of exceedance in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 5. If exceedance continues, consider what activity of the work is responsible and instruct the Contractor to stop that activity of work until the exceedance is abated. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance. 2. Submit proposals for remedial actions to IEC within 3 working days of notification. 3. Implement the agreed proposals. 4. Resubmit proposals if problem still not under control. 5. Stop the relevant activity of works as determined by the ER until the exceedance is abated.



Event and Action Plan for Water Quality for Construction Phase

Event	Action			
	ET Leader	IEC	ER	Contractor
Action Level				
Exceedance for one sample	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC and Contractor; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC and Contractor; and 6. Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures; and 2. Make agreement on the mitigation measures to be implemented. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and propose mitigation measures to IEC and ER; and 6. Implement the agreed mitigation measures.
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC and Contractor; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC and Contractor; 6. Ensure mitigation measures are implemented; 7. Prepare to increase the monitoring frequency to daily; and 8. Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures; 2. Make agreement on the mitigation measures to be implemented; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the Engineer and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and propose mitigation measures to IEC and ER within 3 working days; and 6. Implement the agreed mitigation measures.



Event and Action Plan for Water Quality for Construction Phase

Event	Action			
	ET Leader	IEC	ER	Contractor
Limit Level				
Exceedance for one sample	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC, Contractor and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor; 6. Ensure mitigation measures are implemented; and 7. Increase the monitoring frequency to daily until no exceedance of Limit level. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; and 2. Request Contractor to critically review the working methods; 3. Make agreement on the mitigation measures to be implemented; and 4. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the Engineer and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and ER and propose mitigation measures to IEC and ER within 3 working days; and 6. Implement the agreed mitigation measures.
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC, Contractor and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor; 6. Ensure mitigation measures are implemented; and 7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; and 2. Request Contractor to critically review the working methods; 3. Make agreement on the mitigation measures to be implemented; 4. Assess the effectiveness of the implemented mitigation measures; and 5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the marine work until no exceedance of Limit Level. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and ER and propose mitigation measures to IEC and ER within 3 working days; 6. Implement the agreed mitigation measures; and 7. As directed by the Engineer, to slow down or to stop all or part of the marine work or construction activities.



Appendix E

Work Programme

Act ID	Description	Orig Dur	Early Start	Early Finish	Latest Start	Latest Finish	Total Float	Free Float
1158	07SEP09 A	05NOV12	07SEP09 A	05NOV12	0	0		
1159	07SEP09 A	05NOV12	07SEP09 A	05NOV12	0	0		

Key Dates	Commencement Date	Work Period of Section 2 Works (428Days)	Work Period of Section 4 Works (5490 Days)
KD-1010	07SEP09 A	05NOV12	
KD-1020	07SEP09 A	05NOV12	
KD-1030	07SEP09 A	05NOV12	
KD-1040	07SEP09 A	05NOV12	
KD-1050	07SEP09 A	05NOV12	
KD-1060	07SEP09 A	05NOV12	

Section 1	Start	Finish
1155	07SEP09 A	05NOV12
781	07SEP09 A	05NOV11

Land Works

General	Description	Orig Dur	Early Start	Early Finish	Latest Start	Latest Finish	Total Float	Free Float
S1-1010	Approval & Consent - XP, TTA, MS & Temp Works	180	07SEP09 A	05MAR10	07SEP09 A	18MAR10	134	11d
S1-1020	Trial Pit & Utilities Detection (Except E2 & K)	120	07DEC09 A	18MAR10	01DEC09 A	17MAR10	1d	0
S1-1030	Portion H2 Cycle Track & Footpath Proposal	40	07SEP09 A	08OCT09 A	07SEP09 A	08OCT09 A		
S1-1040	Portion H2 Diversion Route For Cycle Track	60	07OCT09 A	28NOV09 A	07OCT09 A	28NOV09 A		
S1-1050	Portion H2 Submission For Hoarding Mural Design	30	07SEP09 A	17FEB10	07SEP09 A	08NOV10	262d	0
S1-1060	Portion H2 Set Up For Hoarding Approved Design	30	18FEB10	19MAR10	07NOV10	06DEC10	262d	262d
S1-1080	Initial & Utilities Survey (Except E2 & K)	120	08OCT09 A	04MAR10	07NOV10	08MAR10	24d	0
S1-2010	Final Pipe Testing & Reinstatement	45	23SEP11	05NOV11	23SEP11	05NOV11	1d	1d
S1-2020	Completion of Section 1 Works	0	06NOV11	06NOV11	06NOV11	06NOV11	0	0
Partition C1	MTRCL Consent For Works Commencement	180	07SEP09 A	05MAR10	07SEP09 A	05MAR10	1d	0
S1-3010	MTRCL Structure Stability Monitoring	270	19MAY10	08SEP11	19DEC10	08SEP11	212d	0
S1-3020	Portion C1 Pipe Works CH195.0-237.5(C)	80	24JUN10	21SEP11	21SEP11	24JUN11	242d	70d
S1-3030	Preparation & Submission of Risk Assessment	40	22FEB10	15NOV10	22FEB10	15NOV10	227d	0
S1-3040	Preparation & Submission of Method Statement	40	22FEB10	07OCT10	22FEB10	07OCT10	227d	0
S1-3050	Preparation & Submission of Temp. Design	40	22FEB10	15NOV10	22FEB10	15NOV10	227d	0
S1-3060	Excavation & Shoring	80	28MAY10	03FEB11	16NOV10	03FEB11	172d	0
S1-3070	Pipe Laying & Welding	50	12JUL10	04SEP11	05JAN11	23FEB11	172d	0
S1-3080	Backfilling & Reinstatement	10	03SEP10	24FEB11	14SEP10	05MAR11	172d	0
S1-3090	Portion C1 Trough Construction CH237.5-290.0	60	08MAR10	07MAY10	07MAY10	18MAR11	215d	0
S1-3040	Preparation & Submission of Risk Assessment	28	17JUL10	13AUG10	17FEB11	18MAR11	215d	0
S1-3040	Preparation & Submission of Method Statement	28	17JUL10	13AUG10	17FEB11	18MAR11	215d	0
S1-3040	Preparation & Submission of Temp. Works	28	17JUL10	13AUG10	17FEB11	18MAR11	215d	0
S1-3040	Installation of Settlement Marker	3	31JUL10	02AUG10	03MAR11	05MAR11	215d	43d
S1-3040	Excavation & Shoring For Pipe Trough (Stage 1)	15	15SEP10	28SEP10	05MAR11	20MAR11	172d	0
S1-3040	Formwork & Reinforcement For Trough	3	30SEP10	02OCT10	21MAR11	20MAR11	172d	0
S1-3040	Concrete of Pipe Trough	3	13OCT10	16OCT10	03APR11	05APR11	172d	0
S1-3040	Excavation & Shoring For Watermain	15	16OCT10	30OCT10	03APR11	20APR11	172d	0
S1-3050	Portion C1 Pipe Works CH237.5-290.0 (PT)	60	03MAY10	13NOV10	13NOV10	01JAN11	192d	0
S1-3050	Pipe Laying & Connection (Welding)	10	13OCT10	06NOV10	21APR11	30APR11	172d	0
S1-3050	Concrete Surround for Installed Watermain	6	18NOV10	20NOV10	01MAY11	05MAY11	172d	0
S1-3050	Backfilling of Pipe Trough	5	18NOV10	20NOV10	01MAY11	05MAY11	172d	0
S1-3050	Backfilling & Reinstatement	10	21NOV10	30NOV10	21MAY11	21MAY11	172d	0
S1-3050	Portion C1 Pipe Works CH290.0-325.5 (C)	70	07DEC10	08FEB11	22MAY11	30JUL11	172d	0
S1-3070	Area C1 Portional Pipe Testing	14	09FEB11	25SEP11	05SEP11	25SEP11	212d	21d




Contract No. 9N5ND08
Laying of Western Cross Harbour Main & Associated Land Mains from West Lookout to Sai Ying Pan

Act ID	Description	Orig Dur	Early Start	Early Finish	Late Start	Late Finish	Total Float	Free Float
S1-440620	DN800A Diversion Main Connect To Existing	2	20FEB11	21FEB11	21FEB11	22FEB11	1d	0
S1-440630	Removal Of Existing DN600 SWM	8	22FEB11	01MAR11	23FEB11	02MAR11	1d	0
S1-4445	Portion E1B Trough Construction Under Planter	60	24JUN10	22AUG10	02JAN11	02JAN11	192d	49d
S1-4445B2	Excavation & Shoring For Pipe Trough (Stage 2)	40	23DEC10	31JAN11	02APR11	11MAY11	100d	0
S1-4445B2B	Work & Reinforcement For Pipe Trough	15	01FEB11	15FEB11	20MAY11	20MAY11	100d	0
S1-4450	Portion E1B Pipe Works CH1620.5-877.4 (PT)	60	11OCT10	09DEC10	03MAR11	01MAY11	143d	0
S1-4450B10	Pipe Laying & Support Casting	25	16FEB11	12MAR11	27MAY11	20JUN11	100d	0
S1-4450B20	Backfilling & Reinstatement	20	13MAR11	01APR11	21JUN11	10JUL11	100d	0
S1-4450B30	Portion E1B Pipe Works CH1677.4-695.9 (O)	40	09FEB11	31MAY11	10AUG11	08SEP11	172d	0
S1-4450B40	Portion E1B Pipe Works CH1677.4-695.9 (UC)	30	02MAY11	29DEC10	02MAY11	21MAY11	143d	41d
S1-4470	Portion E1B Pipe Works CH1685.5-698.5 (UC)	20	10DEC10	01AUG11	02JAN11	09AUG11	100d	0
S1-4470B10	Portion E1B DN6200 SWM Works CH1685.5-698.5 (UC)	30	23JUL10	21AUG11	02JAN11	31JAN11	163d	20d
S1-4480	Portion E1B DN6200 SWM Works CH1620.5-877.4 (O)	30	21APR11	20MAY11	10AUG11	08SEP11	114d	11d
S1-4480B10	Portion E1B DN6200 SWM Works CH1620.5-877.4 (UC)	50	23JUL10	10SEP10	13DEC10	31JAN11	143d	0
S1-4490	Portion E2 DN6200 SWM Works CH71.6-637 (UC)	50	02MAR11	20APR11	03MAR11	02APR11	1d	0
S1-4490B10	Portion E2 DN6200 SWM Works CH71.6-637 (UC)	30	11SEP10	10OCT10	01FEB11	02MAR11	143d	0
S1-4500	Portion E2 DN6200 SWM Works CH71.6-637 (O)	20	21APR11	20MAY11	08SEP11	23SEP11	172d	17d
S1-4500B10	Area E1B-E2 SWM Portional Pipe Testing	14	21MAR11	03APR11	08SEP11	23SEP11	172d	17d
S1-4510	Area E1B-E2 SWM Portional Pipe Testing	14	21MAR11	03APR11	08SEP11	23SEP11	172d	17d
S1-4510B10	Area E1B-E2 SWM Portional Pipe Testing	14	01JUN11	14JUN11	08SEP11	23SEP11	100d	99d
Portion E1C - E1D								
S1-4710	Portion E1C DN300 FWM Works CH100-50.0 (UC)	50	05MAR10	23APR10	26SEP10	16NOV10	207d	0
S1-4710B10	Submission & Approval Of Risk Assessment	20	19FEB10	18MAR10	14SEP10	11OCT10	207d	0
S1-4710B20	Submission & Approval Of Method Statement	28	19FEB10	18MAR10	14SEP10	11OCT10	207d	59d
S1-4710B30	Submission & Approval Of Temp. Work	28	19FEB10	18MAR10	14SEP10	11OCT10	207d	59d
S1-4710B40	Installation & Connection Of DN300 FWM	50	17MAY10	05JUL10	13OCT10	30NOV10	148d	0
S1-4710B50	Support & Filing Of DN300 FWM	40	06JUL10	14AUG10	01DEC10	09JAN11	148d	0
S1-4720	ETC DN300 FWM Diversion Main Testing	8	24APR10	01MAY10	23FEB11	02MAR11	305d	0
S1-4720B10	ETC E441 DN300 FWM Diversion & Demolition	8	15AUG10	22AUG10	10JAN11	07JAN11	148d	0
S1-4730	ETC E441 DN300 FWM Diversion & Demolition	30	02MAY10	31MAY10	01APR11	01APR11	305d	157d
S1-4730A10	Issuance Of Temp. Water Supply Suspension Notice	14	23SEP10	05OCT10	17FEB11	02MAR11	148d	0
S1-4730A20	Shut Off Existing DN300 FWM	2	06OCT10	07OCT10	03MAR11	04MAR11	148d	0
S1-4730A30	DN300 Diversion Main Connect To Existing	28	06OCT10	04NOV10	05MAR11	01APR11	148d	0
S1-4730A40	Removal Of Existing DN300 FWM	80	06NOV10	23JAN11	02APR11	20JUN11	148d	8d
S1-4740B10	Portion E1C DN600 SWM Works CH100-50.0 (UC)	80	06NOV10	23JAN11	02APR11	20JUN11	148d	0
S1-4750	Portion E1C DN600 SWM Works CH1620.5-877.4 (O)	80	01FEB11	21APR11	21JUN11	08SEP11	140d	0
S1-4750B10	Portion E1C DN600 SWM Works CH1620.5-877.4 (UC)	80	24JAN11	13APR11	21JUN11	08SEP11	148d	0
S1-4760	Area E1C Portional Pipe Testing	14	22APR11	05MAY11	08SEP11	23SEP11	140d	139d
S1-4760B10	Area E1C Portional Pipe Testing	14	14APR11	27APR11	08SEP11	23SEP11	148d	147d
Portion E2								
S1-5910	Portion E2 Marine Dept Advance Notice	80	07OCT09A	20FEB10	07OCT09A	12MAR10	20d	0
S1-5920	WHITCL Consent For Works Within Tunnel Area	120	07SEP09A	20FEB10	07SEP09A	12MAR10	20d	0
S1-5930	Chamber Modification - 180 Days of Portion E2	65	07JAN10A	14MAR10A	07JAN10A	14MAR10A	14NOV09A	0
S1-5940	Portion E2 Trial Run	60	08NOV09A	14NOV09A	08NOV09A	14NOV09A	0	0
S1-5950	Portion E2 Trial Pit & Utilities Detection	15	21FEB10	07MAR10	13MAR10	27MAR10	20d	0
S1-5960	Portion E2 Initial & Utilities Survey	15	21FEB10	07MAR10	13MAR10	27MAR10	20d	0
S1-5970	Portion E2 Pipe Works CH1685.5-752.5 (UC)	80	27MAR11	14JUN11	20MAY11	09AUG11	56d	31d
S1-5970B10	Portion E2 Pipe Works CH1685.5-752.5 (UC)	80	27MAR11	14JUN11	20MAY11	09AUG11	56d	31d
D1-6000	Portion E2 Pipe Works CH1722.5-790.5 (O)	30	16JUL11	14AUG11	10AUG11	09OCT11	25d	24d
S1-5980A	Portion E2 Pipe Works CH1752.5-790.5 (O)	30	09AUG11	07SEP11	10AUG11	08SEP11	1d	0
S1-5980B	TLC FWM Sleeve Jacking CH1790.5-977.7 (A1-A3)	70	26JUL10	03OCT10	20AUG10	28OCT10	25d	0
S1-5990A10	Preparation & Submission of Risk Assessment	60	08FEB10	06APR10	26JUL10	23SEP10	172d	0
S1-5990A20	Preparation & Submission of Method Statement	60	06FEB10	06APR10	26JUL10	23SEP10	172d	0

3 Months Rolling Program (December 2010)

Start date: 01SEP10
Finish date: 03NOV10
Run date: 04JAN10
Run date: 13DEC10
Page number: 3A
c Primavera Systems, Inc.

Legend:
 - Early bar
 - Progress bar
 - Critical bar
 - Summary bar
 - Start milestone point
 - Finish milestone point




Act ID	Description	Orig Dur	Early Start	Early Finish	Late Start	Late Finish	Total From	Total To
S1-5000A30	Preparation & Submission of Temp. Design	60	06FEB10	06SEP10	26JUL10	23SEP10	1704	0
S1-5000B10	Excavation & Shoring for Jacking Pit (A3)	40	07APR10	16MAY10	24SEP10	02NOV10	1704	940
S1-5000C20	Jacking Pit Set-up (TL-C)	10	18AUG10	28AUG10	09NOV10	12AUG10	768	0
S1-5000C10	Sleeve Pipe Installation by Jacking	20	29MAY10	17SEP10	13NOV10	02DEC10	768	0
S1-5005	TL-C FWM Pipe Installation CH790.5-977.7	40	12MAY11	20JUN11	20JUN11	15JUL11	254	0
S1-5005B10	Pipe Laying & Connection	50	02DEC10	20JAN11	27JAN11	17MAR11	564	0
S1-5005B20	Sleeve Pipe Grouting	30	21JAN11	30JAN11	10MAR11	27MAR11	564	0
S1-5005B30	Backfilling & Reinstatement	30	31JAN11	01MAR11	28MAR11	26APR11	564	0
S1-5100	Portion E2 Pipe Works CH977.7-985.5 (C)	25	21JUN11	15JUL11	08AUG11	21MAY11	254	0
S1-5100A	Portion E2 Pipe Works CH977.7-985.5 (C)	25	02MAR11	28MAR11	27APR11	08MAY11	564	0
S1-5110	TL-E SVM Sleeve Jacking CH90.0-295.5 (A1-A4)	120	06OCT10	31JAN11	29OCT10	25FEB11	254	0
S1-5110A10	Preparation & Submission of Risk Assessment	60	08FEB10	06APR10	03APR10	01JUN10	564	0
S1-5110A20	Preparation & Submission of Method Statement	60	08FEB10	06APR10	03APR10	01JUN10	564	0
S1-5110B10	Excavation & Shoring for Jacking Pit (A4)	60	08FEB10	06APR10	03APR10	01JUN10	564	0
S1-5110B20	Jacking Pit Set-up (TL-E)	30	30MAY10	28JUN10	02JUN10	21JUL10	564	0
S1-5110B30	Excavation & Shoring for Receiving Pit (A1)	42	28JUN10	08AUG10	24AUG10	04OCT10	564	0
S1-5110C10	Sleeve Pipe Installation by Jacking	0	10AUG10	18AUG10	09OCT10	19OCT10	664	0
S1-5115	TL-E DN800 SVM Pipe Installation CH90.0-225.5	25	23MAR11	16APR11	17APR11	11MAY11	254	0
S1-5115B10	Pipe Laying & Connection	30	08OCT10	06NOV10	03DEC10	01JAN11	564	0
S1-5115B20	Sleeve Pipe Grouting	10	07NOV10	18NOV10	21FEB11	02MAR11	1060	0
S1-5115B30	Backfilling & Reinstatement of Jacking Pit	30	17NOV10	16DEC10	03MAR11	01APR11	1060	0
S1-5120	Portion E2 DN800 SVM Works CH225.5-252.0 (C)	25	17APR11	12MAY11	05JUN11	26APR11	254	0
S1-5120A	Portion E2 DN800 SVM Works CH225.5-252.0 (C)	25	17APR11	12MAY11	05JUN11	26APR11	254	0
S1-5130	TL-F SVM Sleeve Jacking CH252.0-432.0 (A1-A3)	142	06MAR10	25JUL10	26MAR10	14AUG10	204	0
S1-5130A10	Preparation & Submission of Risk Assessment	60	08FEB10	06APR10	03OCT10	28DEC10	2664	1544
S1-5130A20	Preparation & Submission of Method Statement	60	08FEB10	06APR10	03OCT10	28DEC10	2664	1544
S1-5130B10	Excavation & Shoring for Jacking Pit (A3)	60	08FEB10	06APR10	03OCT10	28DEC10	2664	1544
S1-5130C10	Jacking Pit (A3) Modification & Set-up (TL-F)	14	18SEP10	10OCT10	28DEC10	11JAN11	1024	264
S1-5130D10	Sleeve Pipe Installation by Jacking	30	08SEP10	07NOV10	03DEC10	01JAN11	768	204
S1-5135	TL-F DN800 SVM Pipe Installation CH252.0-432.0	50	01FEB11	22MAR11	26FEB11	16APR11	254	0
S1-5135B10	Pipe Laying & Connection	25	07NOV10	01DEC10	02JAN11	10JUL11	216	0
S1-5135B20	Sleeve Pipe Grouting	10	02DEC10	11DEC10	01JUL11	10JUL11	216	0
S1-5135B30	Backfilling & Reinstatement	30	12DEC10	10JAN11	11JUL11	09AUG11	216	504
S1-5140	Area E2 Portional Pipe Testing	14	08SEP11	21SEP11	09SEP11	23SEP11	14	0
S1-5140B10	Area E2 Portional Pipe Testing	14	01APR11	14APR11	09SEP11	23SEP11	1616	1064
Portion F								
S1-6010	Portion F Pipe Works CH985.5-1240.5 (C)	180	23NOV10	21MAY11	13DEC10	10JUN11	204	0
S1-6010B10	Stage 1 Excavation & Shoring CH1060-1240.5	100	20MAR10*	01JUL10	22JAN11	01MAY11	3048	0
S1-6010B20	Formation Trimming	10	02JUL10	11JUL10	02MAY11	11MAY11	3048	0
S1-6010B30	Pipe Laying & Connection (Welding)	30	12JUL10	10AUG10	12MAY11	10JUN11	3048	0
S1-6010B40	Backfilling & Reinstatement	50	14AUG10	29SEP10	11JUN11	30JUL11	3048	632
S1-6010C10	Portion F DN800 SVM Works CH985.5-1060	40	02DEC10	10JAN11	31JUL11	08SEP11	2416	1316
S1-6020	Portion F DN800 SVM Works CH432.0-494.7 (C)	120	26JUL10	22NOV10	15AUG10	12DEC10	204	0
S1-6020A10	Portion F DN800 SVM Works CH432.0-494.7	120	23NOV10	11MAR11	12MAY11	08SEP11	1816	716
S1-6030	Area F Portional Pipe Testing	14	22MAY11	04JUN11	09SEP11	23SEP11	1160	1096
Portion H1								
S1-7010	Portion H1 Temporary Assess Road	80	28DEC09A	31JAN10	28DEC09A	05MAR10	334	26
S1-7020	Portion H1 Pipe Works CH1466.5-1516.5 (C)	40	22MAY11	30JUN11	11JUN11	20JUL11	204	0
S1-7030	Portion H1 Pipe Works CH1516.5-1544.7 (C-D wall)	50	09JUL11	19AUG11	21JUL11	06OCT11	204	0
S1-7040	Area H1 Portional Pipe Testing	14	21AUG11	02SEP11	08SEP11	23SEP11	204	196
Portion J								
S1-8010	Portion J Pipe Works CH100.0-46.0 (C-S Wall)	40	28JUL11	08SEP11	31JUL11	08SEP11	24	0
S1-8020	Portion J Pipe Works CH46.0-339.0 (C)	300	02OCT10	23JUL11	04OCT10	30JUL11	24	0

3 Months Rolling Program (December 2010)

Wo Hing - Penta-Ocean Joint Venture

Contract No. GWSD/08
Laying of Western Cross Harbour Main, and Associated Land Mains from West Kowloon to Sai Ying Pun




3 Months Rolling Program (December 2010)

Legend:

- Early bar
- Progress bar
- Critical bar
- Summary bar
- Start milestone point
- Finish milestone point

Start date: 03NOV10
Finish date: 04JAN10
Run date: 13DEC10
Page number: 5A
c Printwara Systems, Inc.




Act ID	Description	Only Dur	Early Start	Early Finish	Late Start	Late Finish	Total Float	Task Finish
M1050	EM&A - Monitoring & Update	640	06DEC09 A	23AUG11	06DEC09 A	07OCT11	45d	26d
M1060	Portion H1 Coating Yard Set-up	60	06MAR10	04MAY10	16APR10	14JUN10	41d	0
M1060A10	Portion H1 Coating Yard Set-up	34	07APR10*	04MAY10	12MAY10	14JUN10	41d	0
M1070	Portion H1 Pipe Material On-site Coating	90	09MAY10	02AUG10	15JUN10	23SEP10	41d	33d
M1080	West Kowloon Cofferdam for Landfill (H1)	180	21FEB10	19AUG10	02MAR10	28AUG10	9d	0
M1080A10	Set-up for Cofferdam at Landfill (H1 & J)	10	02APR10	11APR10	03APR10	12APR10	1d	0
M1080B20	Solder Pipe Wall Construction	260	12APR10	27DEC10	13APR10	28DEC10	1d	0
M1090	Excavation of Cofferdam	60	21FEB10	25FEB11	23DEC10	28FEB11	1d	0
M1090A10	Sai Ying Pun Cofferdam for Landfill (J)	180	21FEB10	19AUG10	02MAR10	28AUG10	9d	0
M2060A20	Set-up For Pipe Pulling	60	07JUL11	18SEP10	30JUL10	27SEP10	9d	0
M2070	Mobilization of Plants & Machines	45	15JAN11	28FEB11	16JAN11	01MAR11	1d	0
M2080	Set-up For Pipe Pulling	150	22APR10	18SEP10	01MAY10	27SEP10	9d	0
M2080B10	Portion I Submarine Pipe Pulling	120	18SEP10	28JAN11	28SEP10	04FEB11	9d	0
M2090	Portion I Submarine Pipe Line	30	21JAN11	25FEB11	02MAR11	23JUN11	1d	0
M2090A10	Portion H181 Tie-in With Submarine Pipe Line	20	23JUN11	18JUL11	30JUN11	18JUL11	1d	0
M2100	Portion I Submarine Pipe Pressure Testing & CCTV	30	26FEB11	27MAR11	07MAR11	06APR11	9d	0
M2100A10	Portion I Submarine Pipe Pressure Testing & CCTV	20	19JUL11	07AUG11	20JUL11	08AUG11	1d	0
M2110	Portion H181 Seawall Reinforcement	120	28MAR11	25JUL11	20APR11	17AUG11	23d	3d
M2120	Portion I Submarine Pipeline Backfilling	165	28MAR11	28SEP11	09AUG11	07OCT11	9d	0
M2120A10	Portion I Submarine Pipeline Backfilling	150	30APR11	26SEP11	10JUN11	06NOV11	41d	41d
M2130	CIP Test Box Installation (On Land)	60	28MAR11	29MAY11	23JUL11	23SEP11	119d	119d
M2140	CIP Test (Close Interval Potential Survey)	30	28SEP11	29OCT11	08OCT11	08NOV11	9d	9d
M2140A10	CIP Test (Close Interval Potential Survey)	30	07OCT11	08NOV11	08OCT11	08NOV11	1d	1d
M2150	Completion of Section 1 Works	0	08NOV11*	08NOV11*	08NOV11*	08NOV11*	0	0
Section 2		426	07SEP09 A	06NOV10	07SEP09 A	06NOV10	0	0
Land Works								
S2-1010	Submission & Approval - XP, MS & Temp Works	180	07SEP09 A	26FEB10	07SEP09 A	05MAR10	7d	0
S2-1020	Initial & Utilities Survey	90	02JAN10 A	12JAN10 A	02JAN10 A	02JAN10 A	0	0
S2-1030	Utilities Detection & Trial Pit	30	06DEC09 A	17JAN10	06DEC09 A	16FEB10	17d	0
S2-1040	Within 90 Days Commencement of Portion A	90	07SEP09 A	09DEC09 A	07SEP09 A	09DEC09 A	0	0
S2-2010	Portion A Pipe Works CH200-88.5 (C)	180	27FEB10	26JUL10	08MAR10	02AUG10	7d	0
S2-2010B10	Excavation & Shoring	40	23FEB10*	03APR10	17MAR10	25APR10	22d	0
S2-2010B20	Formwork Trimming	10	04APR10	13APR10	05MAY10	05MAY10	0	0
S2-2010B30	Pipe Laying & Connection (Welding)	15	14APR10	23APR10	05MAY10	20MAY10	22d	0
S2-2010B40	Construction of Chamber	75	29APR10	12JUL10	21MAY10	08AUG10	22d	0
S2-2010B50	Backfilling	5	13JUL10	17JUL10	09AUG10	09AUG10	0	0
S2-2020	Portion A Kiosk For RTU & Connect To SCADA	30	27JUL10	23AUG10	09AUG10	07SEP10	13d	0
S2-2020A10	Portion A Kiosk For RTU & Connect To SCADA	30	18JUL10	18AUG10	09AUG10	07SEP10	22d	0
S2-2030	Portion A Pipe Trench Construction CH88.5-102	30	18JAN10*	16FEB10	04FEB10	05MAR10	17d	0
S2-2030B10	Excavation & Shoring For Pipe Trough	28	20JAN10*	28FEB10	05JUN10	14JUL10	136d	0
S2-2030B20	Pipe Trough Concreting & Associated Works	10	01MAR10	10MAR10	13JUL10	24JUL10	136d	0
S2-2040	Portion A Pipe Works CH88.5-102 (PT)	30	17FEB10	18MAR10	10JUN10	08JUL10	113d	0
S2-2040B10	Pipe Laying & Connection (Welding)	5	14APR10	18APR10	25JUL10	23JUL10	102d	0
S2-2040B20	Construction of Seabed	5	19APR10	23APR10	30JUL10	29JUL10	102d	0
S2-2040B30	Backfilling	5	24APR10	28APR10	09AUG10	08AUG10	102d	80d
S2-2050	Portion A Pipe Works CH102.0-105.0 (C)	30	28APR10	17MAY10	09AUG10	07SEP10	115d	100d
S2-2050B10	Pipe Testing & Reinstatement	60	28AUG10	24OCT10	08NOV10	08NOV10	15d	13d
S2-2050A10	Pipe Testing & Reinstatement	60	17AUG10	15OCT10	08NOV10	08NOV10	22d	22d

3 Months Rolling Program (December 2010)

Wo Hing - Penta-Ocean Joint Venture

Printed on 13/05/10
Page number - 6A
© Primavera Systems, Inc.

Contract No. 9W6SD/08
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun



3 Months Rolling Program (December 2010)

Start date	07SEP09
Finish date	05NOV12
Data date	04JAN10
Run date	13DEC10
Page number	7A
© Primavera Systems, Inc.	



Appendix F

ET Weekly Site Inspection Records



Contract No. 9/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	07/12/10	Inspected by	RE [Signature]	IEC	Contractor	ET
Time	09:30	Name	Peter Wang KIM		ing yidun	Eda Cida lam

Weather Condition Wind : Sunny / Fine / Cloudy / Drizzle / Rain / Storm / Hazy
: Calm / Light / Breeze / Strong
Temperature : 20 °C
Humidity : High / Moderate / Low

Environmental Checklist

Fugitive Dust Emission

Implementation Stages*	Remark		
	Yes	No	Not Obs
<ul style="list-style-type: none"> Dust control / mitigation measures shall be provided to prevent dust nuisance. 	✓		
<ul style="list-style-type: none"> Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading. 	✓		
<ul style="list-style-type: none"> The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet. 	✓		
<ul style="list-style-type: none"> The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle 	✓		
<ul style="list-style-type: none"> Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit. 	✓		
<ul style="list-style-type: none"> The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcore. 			✓
<ul style="list-style-type: none"> Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet. 	✓		
<ul style="list-style-type: none"> The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials. 	✓		
<ul style="list-style-type: none"> All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet. 	✓		
<ul style="list-style-type: none"> Vehicle speed should be limited to 10 kph except on completed access roads. 	✓		
<ul style="list-style-type: none"> Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites. 			✓
<ul style="list-style-type: none"> The public road around the site entrance should be kept clean and free from dust. 	✓		
<ul style="list-style-type: none"> Vehicle and equipment should be switched off while not in use. 	✓		
<ul style="list-style-type: none"> All plant and equipment should be well maintained e.g. without black smoke emission. 	✓		
<ul style="list-style-type: none"> Open burning should be prohibited. 	✓		

Contract No. 9/WSD/08
 Laying of Western Cross Harbour Main and Associated Land Mains
 From West Kowloon to Sai Ying Pun

Environmental Checklist	Implementation Stages*			Remark	
	Yes	No	Not Obs / N/A		
Water Quality					
Mitigation Measures for other Construction Activities					
<ul style="list-style-type: none"> Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads. An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS. Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. 	<ul style="list-style-type: none"> ✓ ✓ ✓ ✓ ✓ ✓ ✓ 				
Waste Management					
C&D Materials					
<ul style="list-style-type: none"> Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 					
Chemical Waste					
<ul style="list-style-type: none"> Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 	<ul style="list-style-type: none"> ✓ ✓ ✓ 				

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Waste Management				
General Refuse				
▪ General refuse should be stored in enclosed bins or compaction units separate from C&D material.	✓			
▪ A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	✓			
▪ An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	✓			
Marine Dredged Sediment (During transportation and disposal)				
▪ Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved	✓			
▪ Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD	✓			
▪ Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.	✓			
Site Practices				
▪ Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	✓			
▪ Training of site personnel in proper waste management and chemical handling procedures	✓			
▪ Provision of sufficient waste disposal points and regular collection of waste	✓			
▪ Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	✓			
▪ Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	✓			
Waste Reduction Measures				
▪ Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	✓			
▪ Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	✓			
▪ Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	✓			
▪ Proper storage and site practices to minimise the potential for damage or contamination of construction materials	✓			
▪ Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	✓			

Implementation Stages*	Remark		
	Yes	No	Not Obs
Environmental Checklist			
Marine Ecology			
Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.	✓		
Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.	✓		
Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	✓		
Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	✓		
Good Site Practices			
The Environmental Permit should be displaced conspicuously on site.	✓		
Construction noise permits should be posted at site entrance or available for site inspection.	✓		
Chemical storage area provided with lock and located on sealed areas.	✓		
All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	✓		
Any unused chemicals or those with remaining functional capacity should be recycled.	✓		
All generators, fuel and oil storage are within bundle areas.	✓		
Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	✓		
A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be banded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	✓		

Summary of the Weekly Site Inspection:


Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date
---	---	---	---	---	---

Remark

No defective observation was noted during the weekly site inspection.

Name	Signature	Date
Inspected by Linda Law	<i>Linda Law</i>	07 December 2010

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	14/12/2010	Inspected by	RE 	IEC	Contractor	ET
Time	10:00	Name	Peter Kwok		Sing Fook Lam	Linda Lam

Weather : Sunny / Fine / ~~Cloudy~~ Drizzle / Rain / Storm / Hazy
 Condition : ~~Calm~~ / ~~Light~~ Breeze / Strong
 Wind :
 Temperature : 22 °C
 Humidity : High / Moderate / Low

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs	
Fugitive Dust Emission				
▪ Dust control / mitigation measures shall be provided to prevent dust nuisance.	✓			
▪ Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.	✓			
▪ The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.	✓			
▪ The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle	✓			
▪ Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.	✓			
▪ The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores.			✓	
▪ Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.	✓			
▪ The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.	✓			
▪ All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.	✓			
▪ Vehicle speed should be limited to 10 kph except on completed access roads.	✓			
▪ Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.			✓	
▪ The public road around the site entrance should be kept clean and free from dust.	✓			
▪ Vehicle and equipment should be switched off while not in use.	✓			
▪ All plant and equipment should be well maintained e.g. without black smoke emission.	✓			
▪ Open burning should be prohibited.	✓			

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Noise Impact				
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	✓			
▪ The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	✓			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.	✓			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	✓			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	✓			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	✓			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.	✓			
▪ Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	✓			
▪ Air compressors and hand held breakers should have noise labels.	✓			
▪ Compressors and generators should operate with door closed.	✓			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	✓			
Water Quality				
Mitigation Measures for Dredging				
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.	✓			
▪ Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.			✓	Maintenance work in progress
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	✓			
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	✓			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	✓			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	✓			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	✓			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	✓			
▪ Construction activities should not cause foam, oil, grease, scurm, litter or other objectionable matter to be present in the water within the site or dumping grounds	✓			
▪ Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	✓			
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	✓			

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Water Quality				
Mitigation Measures for other Construction Activities				
<ul style="list-style-type: none"> Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads. An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCCZs Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCCZ under the TM-DSS. Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. 	√			
Waste Management				
C&D Materials				
<ul style="list-style-type: none"> Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 			√	
Chemical Waste				
<ul style="list-style-type: none"> Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 	√			
	√			
	√			
	√			

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs	
Waste Management				
General Refuse				
▪ General refuse should be stored in enclosed bins or compaction units separate from C&D material.	√			
▪ A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	√			
▪ An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	√			
Marine Dredged Sediment (During transportation and disposal)				
▪ Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved	√			
▪ Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD	√			
▪ Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.	√			
Site Practices				
▪ Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	√			
▪ Training of site personnel in proper waste management and chemical handling procedures	√			
▪ Provision of sufficient waste disposal points and regular collection of waste	√			
▪ Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	√			
▪ Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	√			
Waste Reduction Measures				
▪ Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	√			
▪ Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	√			
▪ Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	√			
▪ Proper storage and site practices to minimise the potential for damage or contamination of construction materials	√			
▪ Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	√			

Implementation Stages*	Remark		
	Yes	No	Not Obs
Environmental Checklist			
Marine Ecology			
Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.	√		
Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			√
Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	√		
Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√		
Good Site Practices			
The Environmental Permit should be displaced conspicuously on site.	√		
Construction noise permits should be posted at site entrance or available for site inspection.	√		
Chemical storage area provided with lock and located on sealed areas.	√		
All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	√		
Any unused chemicals or those with remaining functional capacity should be recycled.	√		
All generators, fuel and oil storage are within bundle areas.	√		
Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√		
A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√		

Summary of the Weekly Site Inspection:

Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date
---	---	---	---	---	---

Remark

No defective observation was noted during the weekly site inspection.

Inspected by	Name	Signature	Date
	Linda Law	<i>Linda Law</i>	14 December 2010

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	27/12/10	Inspected by	RE ARE	IEC	Contractor	ET
Time	10:00	Name	Edwin TSE		JOSANE NG	Linda Lam

Weather : Sunny / Fine / cloudy / Drizzle / Rain / Storm / Hazy
 Condition : Calm / Light / Breeze / Strong
 Wind : Temperature : 24 °C
 Humidity : High / Moderate / Low

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs	
Fugitive Dust Emission				
▪ Dust control / mitigation measures shall be provided to prevent dust nuisance.	✓			
▪ Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.	✓			
▪ The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.	✓			
▪ The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle	✓			
▪ Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.	✓			
▪ The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores.			✓	
▪ Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.	✓			
▪ The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.	✓			
▪ All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.	✓			
▪ Vehicle speed should be limited to 10 kph except on completed access roads.	✓			
▪ Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.	✓		✓	
▪ The public road around the site entrance should be kept clean and free from dust.	✓			
▪ Vehicle and equipment should be switched off while not in use.	✓			
▪ All plant and equipment should be well maintained e.g. without black smoke emission.	✓			
▪ Open burning should be prohibited.	✓			

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs N/A	
Water Quality					
Mitigation Measures for other Construction Activities					
▪	Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped	✓			
▪	Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers	✓			
▪	All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads.			✓	
▪	An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.			✓	
▪	The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains			✓	
▪	Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WQZs	✓			
▪	Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices.	✓			
▪	Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WQZ under the TM-DSS.	✓			
▪	Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding.	✓			
Waste Management					
C&D Materials					
▪	Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable.			✓	
▪	C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses.			✓	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed			✓	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods.			✓	
Chemical Waste					
▪	Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately.	✓			
▪	Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc.	✓			
▪	The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility.	✓			



Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Waste Management				
General Refuse				
<ul style="list-style-type: none"> ▪ General refuse should be stored in enclosed bins or compaction units separate from C&D material. ▪ A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material. ▪ An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material. 	√			
Marine Dredged Sediment (During transportation and disposal)				
<ul style="list-style-type: none"> ▪ Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved ▪ Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD ▪ Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. 	√			
Site Practices				
<ul style="list-style-type: none"> ▪ Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site ▪ Training of site personnel in proper waste management and chemical handling procedures ▪ Provision of sufficient waste disposal points and regular collection of waste ▪ Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment. ▪ Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers 	√			
Waste Reduction Measures				
<ul style="list-style-type: none"> ▪ Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals ▪ Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal ▪ Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force ▪ Proper storage and site practices to minimise the potential for damage or contamination of construction materials ▪ Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste 	√			


Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Marine Ecology				
Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.	√			
Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			√	Maintenance work in progress
Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	√			
Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√			
Good Site Practices				
The Environmental Permit should be displaced conspicuously on site.	√			
Construction noise permits should be posted at site entrance or available for site inspection.	√			
Chemical storage area provided with lock and located on sealed areas.	√			
All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	√			
Any unused chemicals or those with remaining functional capacity should be recycled.	√			
All generators, fuel and oil storage are within bundle areas.	√			
Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√			
A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√			

Summary of the Weekly Site Inspection:

Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date
---	---	---	---	---	---

Remark

No defective observation was noted during the weekly site inspection.

Inspected by	Name	Signature	Date
	Linda Law		24 December 2010

Contract No. 9/WSD/08
 Laying of Western Cross Harbour Main and Associated Land Mains
 From West Kowloon to Sai Ying Pun

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	28/12/2010	Inspected by	IEC	Contractor	ET
Time	13:15	Name	Edwin Yip Dorothy Li	JEANNE NG Gardner	Linda Lam

Weather Condition Wind : Sunny / Fine / cloudy / Drizzle / Rain / Storm / Hazy
 : Calm / Light / Breeze / Strong
 Temperature : 19 °C
 Humidity : High / Moderate / Low

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs / N/A	
Fugitive Dust Emission				
▪ Dust control / mitigation measures shall be provided to prevent dust nuisance.	✓			
▪ Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.	✓			
▪ The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.	✓			
▪ The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle	✓			
▪ Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.	✓			
▪ The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores.			✓	
▪ Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.	✓			
▪ The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.	✓			
▪ All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.	✓			
▪ Vehicle speed should be limited to 10 kph except on completed access roads.	✓			
▪ Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.	✓		✓	
▪ The public road around the site entrance should be kept clean and free from dust.	✓			
▪ Vehicle and equipment should be switched off while not in use.	✓			
▪ All plant and equipment should be well maintained e.g. without black smoke emission.	✓			
▪ Open burning should be prohibited.	✓			

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs	
Noise Impact				
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	√			
▪ The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	√			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.	√			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	√			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	√			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	√			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.	√			
▪ Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	√			
▪ Air compressors and hand held breakers should have noise labels.	√			
▪ Compressors and generators should operate with door closed.	√			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	√			
Water Quality				
Mitigation Measures for Dredging				
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.	√			
▪ Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.	√			
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress		√		Item 1
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	√			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	√			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	√			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	√			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	√			
▪ Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds	√			
▪ Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	√			
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	√			

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Water Quality					
Mitigation Measures for other Construction Activities					
▪	Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped	√			
▪	Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers	√			
▪	All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads.			√	
▪	An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.			√	
▪	The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains			√	
▪	Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCCs	√			
▪	Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices.	√			
▪	Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS.	√			
▪	Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding.	√			
Waste Management					
C&D Materials					
▪	Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable.			√	
▪	C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses.			√	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed			√	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods.			√	
Chemical Waste					
▪	Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately.	√			
▪	Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc.	√			
▪	The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility.	√			




Implementation Stages*	Remark		
	Yes	No	Not Obs N/A
Environmental Checklist			
Waste Management			
General Refuse			
✓			General refuse should be stored in enclosed bins or compaction units separate from C&D material.
✓			A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.
✓			An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.
Marine Dredged Sediment (During transportation and disposal)			
✓			Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved
✓			Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD
✓			Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.
Site Practices			
✓			Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site
✓			Training of site personnel in proper waste management and chemical handling procedures
✓			Provision of sufficient waste disposal points and regular collection of waste
✓			Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.
✓			Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers
Waste Reduction Measures			
✓			Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals
✓			Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal
✓			Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force
✓			Proper storage and site practices to minimise the potential for damage or contamination of construction materials
✓			Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Marine Ecology				
Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.	√			
Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.	√			
Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.		√		Item 1
Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√			
Good Site Practices				
The Environmental Permit should be displaced conspicuously on site.	√			
Construction noise permits should be posted at site entrance or available for site inspection.	√			
Chemical storage area provided with lock and located on sealed areas.	√			
All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	√			
Any unused chemicals or those with remaining functional capacity should be recycled.	√			
All generators, fuel and oil storage are within bundle areas.	√			
Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√			
A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√			

Summary of the Weekly Site Inspection:

Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date
1	Silt screen at the sea water intake at Kowloon South Salt Water Pumping Station was found broken. After the event, the Contractor have arranged workers to repair the damaged part on the same inspection day.	Closed	--	101228_001 101228_002	--

Remark

		Signature	Date
Inspected by	Linda Law		28 December 2010

Photos




Photo 101228_001



Photo 101228_002





Appendix G

Implementation Schedule of Mitigation Measures



	Location	Implementation Status			
		Implemented	Partially implemented	Not implemented	Not Applicable
Environmental Protection Measures					
Noise Impact					
Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	All areas	√			
Air compressors and hand held breakers should have noise labels.	All areas	√			
Compressors and generators should operate with door closed.	All areas	√			
Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	All areas	√			
Water Quality					
Mitigation Measures for Dredging					
Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.	Marine	√			
Deployment of frame type silt curtain should be fully enclose the grab while dredging works are in progress.	Marine	√			
Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	Marine		√		
Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	Marine	√			
All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	Marine	√			
The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	Marine	√			
Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	Marine	√			
All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	Marine	√			
Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds	Marine	√			
Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	Marine	√			
The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	Marine	√			
Mitigation Measures for other Construction Activities					
Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped	All areas	√			
Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers	All areas	√			
All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads.	All areas				√
An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.	All areas				√
The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains	All areas				√
Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs	All areas	√			




	Location	Implementation Status		
		Implemented	Partially implemented	Not implemented
Environmental Protection Measures				
Water Quality				
Mitigation Measures for other Construction Activities				
<ul style="list-style-type: none"> Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS. Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. 	All areas	√		
Waste Management				
C&D Materials				
<ul style="list-style-type: none"> Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 	All areas			√
Chemical Waste				
<ul style="list-style-type: none"> Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 	All areas	√		
General Refuse				
<ul style="list-style-type: none"> General refuse should be stored in enclosed bins or compaction units separate from C&D material. A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material. An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material. 	All areas	√		
Marine Dredged Sediment (During transportation and disposal)				
<ul style="list-style-type: none"> Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved. Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. 	Marine	√		
Good Site Practices				
<ul style="list-style-type: none"> Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site Training of site personnel in proper waste management and chemical handling procedures Provision of sufficient waste disposal points and regular collection of waste 	All areas	√		
	All areas	√		
	All areas	√		



Appendix H

Site General Layout plan

公眾貨物裝卸區
 Public Cargo
 Working Area



NOTES:
 1. THE DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NOS. S1319/07/2011 TO 2021.

LEGEND:
 PROPOSED FRESH WATER MAIN
 PROPOSED SALT WATER MAIN
 PROPOSED SEWER MAIN
 CU / STI
 PARTION A (Section 1)
 PARTION B (Section 2)
 PARTION C (Section 3)
 PARTION D (Section 4)
 PARTION E (Section 5)
 PARTION F (Section 6)
 PARTION G (Section 7)
 PARTION H (Section 8)
 PARTION I (Section 9)
 PARTION J (Section 10)
 PARTION K (Section 11)
 PARTION L (Section 12)
 PARTION M (Section 13)
 PARTION N (Section 14)
 PARTION O (Section 15)
 PARTION P (Section 16)
 PARTION Q (Section 17)
 PARTION R (Section 18)
 PARTION S (Section 19)
 PARTION T (Section 20)
 PARTION U (Section 21)
 PARTION V (Section 22)
 PARTION W (Section 23)
 PARTION X (Section 24)
 PARTION Y (Section 25)
 PARTION Z (Section 26)

Section 1
 Section 2
 Section 3
 Section 4
 Section 5
 Section 6
 Section 7
 Section 8
 Section 9
 Section 10
 Section 11
 Section 12
 Section 13
 Section 14
 Section 15
 Section 16
 Section 17
 Section 18
 Section 19
 Section 20
 Section 21
 Section 22
 Section 23
 Section 24
 Section 25
 Section 26

NO.	REVISION	DATE	BY	CHECKED	SCALE
01	ISSUE FOR TENDER	15/03/2011	MM	MM	1:1000
02	REVISED DRAWING	24/03/2011	MM	MM	1:1000
03	REVISED DRAWING	24/03/2011	MM	MM	1:1000
04	REVISED DRAWING	24/03/2011	MM	MM	1:1000
05	REVISED DRAWING	24/03/2011	MM	MM	1:1000
06	REVISED DRAWING	24/03/2011	MM	MM	1:1000
07	REVISED DRAWING	24/03/2011	MM	MM	1:1000
08	REVISED DRAWING	24/03/2011	MM	MM	1:1000
09	REVISED DRAWING	24/03/2011	MM	MM	1:1000
10	REVISED DRAWING	24/03/2011	MM	MM	1:1000
11	REVISED DRAWING	24/03/2011	MM	MM	1:1000
12	REVISED DRAWING	24/03/2011	MM	MM	1:1000
13	REVISED DRAWING	24/03/2011	MM	MM	1:1000
14	REVISED DRAWING	24/03/2011	MM	MM	1:1000
15	REVISED DRAWING	24/03/2011	MM	MM	1:1000
16	REVISED DRAWING	24/03/2011	MM	MM	1:1000
17	REVISED DRAWING	24/03/2011	MM	MM	1:1000
18	REVISED DRAWING	24/03/2011	MM	MM	1:1000
19	REVISED DRAWING	24/03/2011	MM	MM	1:1000
20	REVISED DRAWING	24/03/2011	MM	MM	1:1000
21	REVISED DRAWING	24/03/2011	MM	MM	1:1000
22	REVISED DRAWING	24/03/2011	MM	MM	1:1000
23	REVISED DRAWING	24/03/2011	MM	MM	1:1000
24	REVISED DRAWING	24/03/2011	MM	MM	1:1000
25	REVISED DRAWING	24/03/2011	MM	MM	1:1000
26	REVISED DRAWING	24/03/2011	MM	MM	1:1000

MM Mott
 MacDonald


THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

9/MSD/08

LAINING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SA YING PUN

POSSESSION OF SITE
 (SHEET 1 OF 5)

NO.	REVISION	DATE	BY	CHECKED	SCALE
01	ISSUE FOR TENDER	15/03/2011	MM	MM	1:1000
02	REVISED DRAWING	24/03/2011	MM	MM	1:1000
03	REVISED DRAWING	24/03/2011	MM	MM	1:1000
04	REVISED DRAWING	24/03/2011	MM	MM	1:1000
05	REVISED DRAWING	24/03/2011	MM	MM	1:1000



NOTES
 1. THE GRADING SHALL BE MADE IN CONFORMANCE WITH DRAWING SET S41239/G/0301 AND SHALL BE 0.00%
 2. THE UTILITY SHALL BE SET TO DRAWING NO. S41239/G/0301

02 part of 1
 01 part of 1
 0 DEC 08
 0 DEC 08

Mort MacDonald
 241239/G/0302
 241239/G/0301


THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

9 WEST/08
 LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SHI YING PUN

POSSESSION OF SITE
 (SHEET 2 OF 5)

Station	Code	Remarks	By	Check
1	A	Set out	JK	JK
2	B	Set out	JK	JK
3	C	Set out	JK	JK
4	D	Set out	JK	JK
5	E	Set out	JK	JK
6	F	Set out	JK	JK
7	G	Set out	JK	JK
8	H	Set out	JK	JK
9	I	Set out	JK	JK
10	J	Set out	JK	JK
11	K	Set out	JK	JK
12	L	Set out	JK	JK
13	M	Set out	JK	JK
14	N	Set out	JK	JK
15	O	Set out	JK	JK
16	P	Set out	JK	JK
17	Q	Set out	JK	JK
18	R	Set out	JK	JK
19	S	Set out	JK	JK
20	T	Set out	JK	JK
21	U	Set out	JK	JK
22	V	Set out	JK	JK
23	W	Set out	JK	JK
24	X	Set out	JK	JK
25	Y	Set out	JK	JK
26	Z	Set out	JK	JK

1:1000 041
 241239/G/0302



NOTES:
 1. THIS DRAWING SHALL BE READ IN CONNECTION WITH DRAWING NOS. 241238/0/001 TO 004 AND 2004 TO 005.
 2. THE LETTERS SHALL REFER TO DRAWING NO. 241238/0/001.

01	DATE OF ISSUE	21/12/07
02	DATE OF REVISION	14/02/08
03	DATE OF REVISION	14/02/08
04	DATE OF REVISION	14/02/08
05	DATE OF REVISION	14/02/08


Mott MacDonald
 Mott MacDonald (Hong Kong) Limited
 14/F, 200, Queen's Road Central
 Hong Kong
 Tel: +852 2137 1171
 Fax: +852 2137 1172
 www.mottmac.com

THE GOVERNMENT OF THE HONG KONG SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

Project No. 9/WSU/08
 LAYING OF WESTERN CROSS HARBOUR MAIN AND ASSOCIATED LAND MAINS FROM WEST KOWLOON TO SAI YUNG PUN

POSSESSION OF SITE
 (SHEET 3 OF 5)

Design	Scale	Author	Check	Drawn	Scale	Author	Check	Drawn
Checked	1:1000	241238	241238	241238	241238	241238	241238	241238
1:1000	241	241238	241238	241238	241238	241238	241238	241238
1:1000	241	241238	241238	241238	241238	241238	241238	241238



- NOTES:
- 1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NOS 241239/2/001 TO 003 AND 004.
 - 2. THE DESIGN SHALL REFER TO DRAWING NO. 241239/2/001.

02	Part 02	Tilted	As shown on sheet no. 4	2-1/2
01	Part 01	FL	ITR006 (AS SHOWN ON SHEET NO. 3)	02
00	Part 00	FL	ISB01 (FOR ITR006)	02
	Part			02

M M
Molt
Macdonald

1000
14 4123 1212
14 4123 1212
14 4123 1212


THE GOVERNMENT OF THE HONG KONG
SPECIAL ADMINISTRATIVE REGION
WATER SUPPLIES DEPARTMENT

9/MSD/08

LAYING OF WESTERN CROSS HARBOUR MAIN
AND ASSOCIATED LAND MAINS FROM WEST
KOHLOON TO SA YING PUN

POSSESSION OF SITE
(SHEET 4 OF 5)

Project No.	241239	Scale	1:1000
Project Name	AS SHOWN ON SHEET NO. 4	Sheet No.	02
Drawn By	...	Checked By	...
Approved By	...	Issue Date	...



NOTES
 1. THIS DRAWING SHALL BE READ IN CONNECTION WITH DRAWING NO. S/1129/G/0201 TO 0204.
 2. THE USER SHALL REFER TO DRAWING NO. S/1129/G/0201.

02	REV 01	✓	TRIGGER APPROVAL NO. 2	21	21
01	REV 00	✓	TRIGGER APPROVAL NO. 1	21	21
00	REV 00	✓	ISSUE FOR TENDER	21	21
00	REV 00	✓	ISSUE FOR TENDER	21	21
00	REV 00	✓	ISSUE FOR TENDER	21	21

M M
MacDonald
 14/F, 1101-1102
 1101-1103
 1101-1104
 1101-1105
 1101-1106
 1101-1107
 1101-1108
 1101-1109
 1101-1110
 1101-1111
 1101-1112
 1101-1113
 1101-1114
 1101-1115
 1101-1116
 1101-1117
 1101-1118
 1101-1119
 1101-1120
 1101-1121
 1101-1122
 1101-1123
 1101-1124
 1101-1125
 1101-1126
 1101-1127
 1101-1128
 1101-1129
 1101-1130
 1101-1131
 1101-1132
 1101-1133
 1101-1134
 1101-1135
 1101-1136
 1101-1137
 1101-1138
 1101-1139
 1101-1140
 1101-1141
 1101-1142
 1101-1143
 1101-1144
 1101-1145
 1101-1146
 1101-1147
 1101-1148
 1101-1149
 1101-1150
 1101-1151
 1101-1152
 1101-1153
 1101-1154
 1101-1155
 1101-1156
 1101-1157
 1101-1158
 1101-1159
 1101-1160
 1101-1161
 1101-1162
 1101-1163
 1101-1164
 1101-1165
 1101-1166
 1101-1167
 1101-1168
 1101-1169
 1101-1170
 1101-1171
 1101-1172
 1101-1173
 1101-1174
 1101-1175
 1101-1176
 1101-1177
 1101-1178
 1101-1179
 1101-1180
 1101-1181
 1101-1182
 1101-1183
 1101-1184
 1101-1185
 1101-1186
 1101-1187
 1101-1188
 1101-1189
 1101-1190
 1101-1191
 1101-1192
 1101-1193
 1101-1194
 1101-1195
 1101-1196
 1101-1197
 1101-1198
 1101-1199
 1101-1200

**THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT**

9/MSD/08

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SHI YING PUN

POSSESSION OF SITE
 (SHEET 5 OF 5)

NO.	DATE	BY	CHKD.	APP'D.	REMARKS
1	1/25/01	QA1			
2	21/12/01	QA1			
3	21/12/01	QA1			
4	21/12/01	QA1			
5	21/12/01	QA1			
6	21/12/01	QA1			
7	21/12/01	QA1			
8	21/12/01	QA1			
9	21/12/01	QA1			
10	21/12/01	QA1			
11	21/12/01	QA1			
12	21/12/01	QA1			
13	21/12/01	QA1			
14	21/12/01	QA1			
15	21/12/01	QA1			
16	21/12/01	QA1			
17	21/12/01	QA1			
18	21/12/01	QA1			
19	21/12/01	QA1			
20	21/12/01	QA1			
21	21/12/01	QA1			
22	21/12/01	QA1			
23	21/12/01	QA1			
24	21/12/01	QA1			
25	21/12/01	QA1			
26	21/12/01	QA1			
27	21/12/01	QA1			
28	21/12/01	QA1			
29	21/12/01	QA1			
30	21/12/01	QA1			
31	21/12/01	QA1			
32	21/12/01	QA1			
33	21/12/01	QA1			
34	21/12/01	QA1			
35	21/12/01	QA1			
36	21/12/01	QA1			
37	21/12/01	QA1			
38	21/12/01	QA1			
39	21/12/01	QA1			
40	21/12/01	QA1			
41	21/12/01	QA1			
42	21/12/01	QA1			
43	21/12/01	QA1			
44	21/12/01	QA1			
45	21/12/01	QA1			
46	21/12/01	QA1			
47	21/12/01	QA1			
48	21/12/01	QA1			
49	21/12/01	QA1			
50	21/12/01	QA1			
51	21/12/01	QA1			
52	21/12/01	QA1			
53	21/12/01	QA1			
54	21/12/01	QA1			
55	21/12/01	QA1			
56	21/12/01	QA1			
57	21/12/01	QA1			
58	21/12/01	QA1			
59	21/12/01	QA1			
60	21/12/01	QA1			
61	21/12/01	QA1			
62	21/12/01	QA1			
63	21/12/01	QA1			
64	21/12/01	QA1			
65	21/12/01	QA1			
66	21/12/01	QA1			
67	21/12/01	QA1			
68	21/12/01	QA1			
69	21/12/01	QA1			
70	21/12/01	QA1			
71	21/12/01	QA1			
72	21/12/01	QA1			
73	21/12/01	QA1			
74	21/12/01	QA1			
75	21/12/01	QA1			
76	21/12/01	QA1			
77	21/12/01	QA1			
78	21/12/01	QA1			
79	21/12/01	QA1			
80	21/12/01	QA1			
81	21/12/01	QA1			
82	21/12/01	QA1			
83	21/12/01	QA1			
84	21/12/01	QA1			
85	21/12/01	QA1			
86	21/12/01	QA1			
87	21/12/01	QA1			
88	21/12/01	QA1			
89	21/12/01	QA1			
90	21/12/01	QA1			
91	21/12/01	QA1			
92	21/12/01	QA1			
93	21/12/01	QA1			
94	21/12/01	QA1			
95	21/12/01	QA1			
96	21/12/01	QA1			
97	21/12/01	QA1			
98	21/12/01	QA1			
99	21/12/01	QA1			
100	21/12/01	QA1			
101	21/12/01	QA1			
102	21/12/01	QA1			
103	21/12/01	QA1			
104	21/12/01	QA1			
105	21/12/01	QA1			
106	21/12/01	QA1			
107	21/12/01	QA1			
108	21/12/01	QA1			
109	21/12/01	QA1			
110	21/12/01	QA1			
111	21/12/01	QA1			
112	21/12/01	QA1			
113	21/12/01	QA1			
114	21/12/01	QA1			
115	21/12/01	QA1			
116	21/12/01	QA1			
117	21/12/01	QA1			
118	21/12/01	QA1			
119	21/12/01	QA1			
120	21/12/01	QA1			

Copyright © 2001
 241239/G/0305



Appendix I

Monitoring Schedule for this Month and Coming Month

Contract No. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
 Time Schedule for Impact Marine Water Quality Monitoring (WQM), Noise Monitoring (NM) and Weekly Site Inspection (SI)
 December 2010

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			01-Dec	02-Dec	03-Dec	04-Dec
				WQM Mid-Ebb 07:00 - 11:30 Mid-Flood 15:00 - 19:30	NM (WK-Daytime)	WQM Mid-Ebb 08:00 - 12:30 Mid-Flood 14:00 - 18:30 NM Evening-time (West Kowloon) (Sai Ying Pun)
05-Dec	06-Dec	07-Dec	08-Dec	09-Dec	10-Dec	11-Dec
NM Holiday (West Kowloon) (Sai Ying Pun)		WQM Mid-Flood 07:00 - 11:30 Mid-Ebb 12:30 - 17:00 SI	NM (SYP-Daytime)	WQM Mid-Flood 08:00 - 12:30 Mid-Ebb 13:30 - 17:30	NM (WK-Daytime)	WQM Mid-Flood 09:00 - 13:30 Mid-Ebb 15:00 - 19:30 NM Evening-time (West Kowloon) (Sai Ying Pun)
12-Dec	13-Dec	14-Dec	15-Dec	16-Dec	17-Dec	18-Dec
NM Holiday (West Kowloon) (Sai Ying Pun)		WQM Mid-Flood 12:00 - 16:30 Mid-Ebb 17:30 - 21:30 SI	NM (SYP-Daytime)	WQM Mid-Ebb 06:30 - 10:30 Mid-Flood 12:00 - 16:30	NM (WK-Daytime)	WQM Mid-Ebb 07:30 - 11:30 Mid-Flood 13:00 - 17:30
19-Dec	20-Dec	21-Dec	22-Dec	23-Dec	24-Dec	25-Dec
		WQM Mid-Flood 06:30 - 10:30 Mid-Ebb 12:00 - 16:30	NM (SYP-Daytime)	WQM Mid-Flood 07:15 - 11:45 Mid-Ebb 13:00 - 17:30	NM (WK-Daytime) SI NM Evening-time (West Kowloon) (Sai Ying Pun)	NM Holiday (West Kowloon) (Sai Ying Pun)
26-Dec	27-Dec	28-Dec	29-Dec	30-Dec	31-Dec	01-Jan
		WQM Mid-Flood 10:00 - 14:30 Mid-Ebb 16:00 - 20:30 SI	NM (SYP-Daytime)	WQM Mid-Ebb 11:30 - 16:00 Mid-Flood 17:30 - 21:30	NM (WK-Daytime) NM Evening-time (West Kowloon) (Sai Ying Pun)	

Contract No. 9/WSD/08
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
Time Schedule for Impact Marine Water Quality Monitoring (WQM), Noise Monitoring (NM) and Weekly Site Inspection (SI)
January 2011

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
02-Jan	03-Jan	04-Jan	05-Jan	06-Jan	07-Jan	08-Jan
	WQM Mid-Ebb 11:00 - 15:00 Mid-Flood 16:00 - 20:00 SI	NM (WK-Daytime) NM (SYP-Daytime)	WQM Mid-Flood 07:30 - 11:30 Mid-Ebb 12:00 - 16:00	WQM Mid-Flood 08:00 - 12:00 Mid-Ebb 13:30 - 17:30		
09-Jan	10-Jan	11-Jan	12-Jan	13-Jan	14-Jan	15-Jan
	WQM Mid-Flood 09:00 - 13:30 Mid-Ebb 15:00 - 19:30 SI	NM (WK-Daytime) NM (SYP-Daytime)	WQM Mid-Flood 09:15 - 13:45 Mid-Ebb 16:30 - 21:00	WQM Mid-Flood 09:15 - 13:45 Mid-Ebb 17:45 - 21:15		
16-Jan	17-Jan	18-Jan	19-Jan	20-Jan	21-Jan	22-Jan
	WQM Mid-Ebb 10:00 - 14:00 Mid-Flood 15:00 - 19:00 SI	NM (WK-Daytime) NM (SYP-Daytime)	WQM Mid-Ebb 10:45 - 14:45 Mid-Flood 15:30 - 20:00	WQM Mid-Ebb 12:00 - 16:00 Mid-Flood 17:00 - 21:00		
23-Jan	24-Jan	25-Jan	26-Jan	27-Jan	28-Jan	29-Jan
	WQM Mid-Flood 08:00 - 12:30 Mid-Ebb 14:30 - 19:00 SI	NM (WK-Daytime) NM (SYP-Daytime)	WQM Mid-Flood 08:30 - 13:00 Mid-Ebb 16:00 - 20:00	WQM Mid-Ebb 09:30 - 12:30 Mid-Flood 14:00 - 18:00		
30-Jan	31-Jan					



Appendix J

Daily Dredging Summary

Wo Hing - Penta-Ocean Joint Venture					
Contract no. 9/WSD/08					
Laying of Western Cross Harbour Main & Associated Land Mains from					
West Kowloon to Sai Ying Pun					
Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground / South Cheung Chau)					
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Permit No.	Mud Disposal Ground
	(bulk volume)		(bulk volume)		
30-Apr-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
01-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
02-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
03-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
04-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
05-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
06-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
07-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
08-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
09-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
10-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
11-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
12-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
13-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
14-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
15-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
16-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
17-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
18-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
19-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
20-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
21-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
22-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
23-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
24-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
25-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
26-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
27-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
28-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
29-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
30-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
31-May-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
01-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
02-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
03-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
04-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
05-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
06-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
07-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
08-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
09-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
10-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
11-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
12-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
13-Jun-2010	0	0	0	EP/MD/10-085	East Ninepin Mud Disposal Ground
14-Jun-2010	1,400	2	1,400	EP/MD/10-085	East Ninepin Mud Disposal Ground
15-Jun-2010	1,400	2	2,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
16-Jun-2010	2,100	3	4,900	EP/MD/10-085	East Ninepin Mud Disposal Ground
17-Jun-2010	2,800	4	7,700	EP/MD/10-085	East Ninepin Mud Disposal Ground
18-Jun-2010	2,100	3	9,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
19-Jun-2010	2,700	4	12,500	EP/MD/10-085	East Ninepin Mud Disposal Ground
20-Jun-2010	2,800	4	15,300	EP/MD/10-085	East Ninepin Mud Disposal Ground
21-Jun-2010	2,100	3	17,400	EP/MD/10-085	East Ninepin Mud Disposal Ground
22-Jun-2010	2,800	4	20,200	EP/MD/10-085	East Ninepin Mud Disposal Ground
23-Jun-2010	2,100	3	22,300	EP/MD/10-085	East Ninepin Mud Disposal Ground
24-Jun-2010	2,100	3	24,400	EP/MD/10-085	East Ninepin Mud Disposal Ground
25-Jun-2010	2,100	3	26,500	EP/MD/10-085	East Ninepin Mud Disposal Ground
26-Jun-2010	2,100	3	28,600	EP/MD/10-085	East Ninepin Mud Disposal Ground

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground / South Cheung Chau)

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Permit No.	Mud Disposal Ground
	(bulk volume)		(bulk volume)		
27-Jun-2010	700	1	29,300	EP/MD/10-085	East Ninepin Mud Disposal Ground
28-Jun-2010	2,100	3	31,400	EP/MD/10-085	East Ninepin Mud Disposal Ground
29-Jun-2010	1,400	2	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
30-Jun-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
01-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
02-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
03-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
04-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
05-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
06-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
07-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
08-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
09-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
10-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
11-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
12-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
13-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
14-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
15-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
16-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
17-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
18-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
19-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
20-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
21-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
22-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
23-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
24-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
25-Jul-2010	0	0	32,800	EP/MD/10-085	East Ninepin Mud Disposal Ground
26-Jul-2010	0	0	32,800	EP/MD/11-039	East Ninepin Mud Disposal Ground
27-Jul-2010	0	0	32,800	EP/MD/11-039	East Ninepin Mud Disposal Ground
28-Jul-2010	0	0	32,800	EP/MD/11-039	East Ninepin Mud Disposal Ground
29-Jul-2010	0	0	32,800	EP/MD/11-039	East Ninepin Mud Disposal Ground
30-Jul-2010	700	1	33,500	EP/MD/11-039	East Ninepin Mud Disposal Ground
31-Jul-2010	1,400	2	34,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
01-Aug-2010	2,100	3	37,000	EP/MD/11-039	East Ninepin Mud Disposal Ground
02-Aug-2010	1,400	2	38,400	EP/MD/11-039	East Ninepin Mud Disposal Ground
03-Aug-2010	700	1	39,100	EP/MD/11-039	East Ninepin Mud Disposal Ground
04-Aug-2010	700	1	39,800	EP/MD/11-039	East Ninepin Mud Disposal Ground
05-Aug-2010	700	1	40,500	EP/MD/11-039	East Ninepin Mud Disposal Ground
06-Aug-2010	0	0	40,500	EP/MD/11-039	East Ninepin Mud Disposal Ground
07-Aug-2010	0	0	40,500	EP/MD/11-039	East Ninepin Mud Disposal Ground
08-Aug-2010	0	0	40,500	EP/MD/11-039	East Ninepin Mud Disposal Ground
09-Aug-2010	0	0	40,500	EP/MD/11-039	East Ninepin Mud Disposal Ground
10-Aug-2010	0	0	40,500	EP/MD/11-039	East Ninepin Mud Disposal Ground
11-Aug-2010	0	0	40,500	EP/MD/11-039	East Ninepin Mud Disposal Ground
12-Aug-2010	1,400	2	41,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
13-Aug-2010	1,400	2	43,300	EP/MD/11-039	East Ninepin Mud Disposal Ground
14-Aug-2010	2,100	3	45,400	EP/MD/11-039	East Ninepin Mud Disposal Ground
15-Aug-2010	2,100	3	47,500	EP/MD/11-039	East Ninepin Mud Disposal Ground
16-Aug-2010	2,100	3	49,600	EP/MD/11-039	East Ninepin Mud Disposal Ground
17-Aug-2010	700	1	50,300	EP/MD/11-039	East Ninepin Mud Disposal Ground
18-Aug-2010	1,400	2	51,700	EP/MD/11-039	East Ninepin Mud Disposal Ground
19-Aug-2010	1,400	2	53,100	EP/MD/11-039	East Ninepin Mud Disposal Ground
20-Aug-2010	2,100	3	55,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
21-Aug-2010	1,400	2	56,600	EP/MD/11-039	East Ninepin Mud Disposal Ground

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground / South Cheung Chau)

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Permit No.	Mud Disposal Ground
	(bulk volume)		(bulk volume)		
22-Aug-2010	700	1	57,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
23-Aug-2010	0	0	57,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
24-Aug-2010	1,400	2	58,700	EP/MD/11-039	East Ninepin Mud Disposal Ground
25-Aug-2010	1,400	2	60,100	EP/MD/11-039	East Ninepin Mud Disposal Ground
26-Aug-2010	2,100	3	62,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
27-Aug-2010	2,100	3	64,300	EP/MD/11-039	East Ninepin Mud Disposal Ground
28-Aug-2010	0	0	64,300	EP/MD/11-039	East Ninepin Mud Disposal Ground
29-Aug-2010	1,400	2	65,700	EP/MD/11-039	East Ninepin Mud Disposal Ground
30-Aug-2010	1,400	2	67,100	EP/MD/11-039	East Ninepin Mud Disposal Ground
31-Aug-2010	2,100	3	69,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
01-Sep-2010	1,400	2	70,600	EP/MD/11-039	East Ninepin Mud Disposal Ground
02-Sep-2010	2,100	3	72,700	EP/MD/11-039	East Ninepin Mud Disposal Ground
03-Sep-2010	2,100	3	74,800	EP/MD/11-039	East Ninepin Mud Disposal Ground
04-Sep-2010	2,800	4	77,600	EP/MD/11-039	East Ninepin Mud Disposal Ground
05-Sep-2010	2,100	3	79,700	EP/MD/11-039	East Ninepin Mud Disposal Ground
06-Sep-2010	1,400	2	81,100	EP/MD/11-039	East Ninepin Mud Disposal Ground
07-Sep-2010	0	0	81,100	EP/MD/11-039	East Ninepin Mud Disposal Ground
08-Sep-2010	700	1	81,800	EP/MD/11-039	East Ninepin Mud Disposal Ground
09-Sep-2010	1,400	2	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
10-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
11-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
12-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
13-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
14-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
15-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
16-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
17-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
18-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
19-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
20-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
21-Sep-2010	0	0	83,200	EP/MD/11-039	East Ninepin Mud Disposal Ground
22-Sep-2010	700	1	83,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
23-Sep-2010	0	0	83,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
24-Sep-2010	0	0	83,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
25-Sep-2010	0	0	83,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
26-Sep-2010	0	0	83,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
27-Sep-2010	0	0	83,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
28-Sep-2010	0	0	83,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
29-Sep-2010	0	0	83,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
30-Sep-2010	0	0	83,900	EP/MD/11-039	East Ninepin Mud Disposal Ground
01-Oct-2010	500	1	84,400	EP/MD/11-069	South Cheung Chau
02-Oct-2010	500	1	84,900	EP/MD/11-069	South Cheung Chau
03-Oct-2010	1,000	2	85,900	EP/MD/11-069	South Cheung Chau
04-Oct-2010	1,000	2	86,900	EP/MD/11-069	South Cheung Chau
05-Oct-2010	500	1	87,400	EP/MD/11-069	South Cheung Chau
06-Oct-2010	1,000	2	88,400	EP/MD/11-069	South Cheung Chau
07-Oct-2010	1,500	3	89,900	EP/MD/11-069	South Cheung Chau
08-Oct-2010	1,000	2	90,900	EP/MD/11-069	South Cheung Chau
09-Oct-2010	500	1	91,400	EP/MD/11-069	South Cheung Chau
10-Oct-2010	0	0	91,400	EP/MD/11-069	South Cheung Chau
11-Oct-2010	1,500	3	92,900	EP/MD/11-069	South Cheung Chau
12-Oct-2010	1,000	2	93,900	EP/MD/11-069	South Cheung Chau
13-Oct-2010	2,000	4	95,900	EP/MD/11-069	South Cheung Chau
14-Oct-2010	2,000	4	97,900	EP/MD/11-069	South Cheung Chau
15-Oct-2010	1,500	3	99,400	EP/MD/11-069	South Cheung Chau
16-Oct-2010	2,000	4	101,400	EP/MD/11-069	South Cheung Chau

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground / South Cheung Chau)

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Permit No.	Mud Disposal Ground
	(bulk volume)		(bulk volume)		
10-Oct-2010	0	0	91,400	EP/MD/11-069	South Cheung Chau
11-Oct-2010	1,500	3	92,900	EP/MD/11-069	South Cheung Chau
12-Oct-2010	1,000	2	93,900	EP/MD/11-069	South Cheung Chau
13-Oct-2010	2,000	4	95,900	EP/MD/11-069	South Cheung Chau
14-Oct-2010	2,000	4	97,900	EP/MD/11-069	South Cheung Chau
15-Oct-2010	1,500	3	99,400	EP/MD/11-069	South Cheung Chau
16-Oct-2010	2,000	4	101,400	EP/MD/11-069	South Cheung Chau
17-Oct-2010	2,000	4	103,400	EP/MD/11-069	South Cheung Chau
18-Oct-2010	2,000	4	105,400	EP/MD/11-069	South Cheung Chau
19-Oct-2010	1,500	3	106,900	EP/MD/11-069	South Cheung Chau
20-Oct-2010	1,000	2	107,900	EP/MD/11-069	South Cheung Chau
21-Oct-2010	0	0	107,900	EP/MD/11-069	South Cheung Chau
22-Oct-2010	0	0	107,900	EP/MD/11-069	South Cheung Chau
23-Oct-2010	500	1	108,400	EP/MD/11-069	South Cheung Chau
24-Oct-2010	2,000	4	110,400	EP/MD/11-069	South Cheung Chau
25-Oct-2010	1,500	3	111,900	EP/MD/11-069	South Cheung Chau
26-Oct-2010	1,000	2	112,900	EP/MD/11-069	South Cheung Chau
27-Oct-2010	1,000	2	113,900	EP/MD/11-069	South Cheung Chau
28-Oct-2010	0	0	113,900	EP/MD/11-069	South Cheung Chau
29-Oct-2010	1,000	2	114,900	EP/MD/11-069	South Cheung Chau
30-Oct-2010	500	1	115,400	EP/MD/11-069	South Cheung Chau
31-Oct-2010	1,000	2	116,400	EP/MD/11-069	South Cheung Chau
01-Nov-2010	1,000	2	117,400	EP/MD/11-069	South Cheung Chau
02-Nov-2010	500	1	117,900	EP/MD/11-069	South Cheung Chau
03-Nov-2010	1,000	2	118,900	EP/MD/11-069	South Cheung Chau
04-Nov-2010	1,000	2	119,900	EP/MD/11-069	South Cheung Chau
05-Nov-2010	500	1	120,400	EP/MD/11-069	South Cheung Chau
06-Nov-2010	500	1	120,900	EP/MD/11-069	South Cheung Chau
07-Nov-2010	500	1	121,400	EP/MD/11-069	South Cheung Chau
08-Nov-2010	0	0	121,400	EP/MD/11-069	South Cheung Chau
09-Nov-2010	500	1	121,900	EP/MD/11-069	South Cheung Chau
10-Nov-2010	300	1	122,200	EP/MD/11-069	South Cheung Chau
11-Nov-2010	0	0	122,200	EP/MD/11-069	South Cheung Chau
12-Nov-2010	0	0	122,200	EP/MD/11-069	South Cheung Chau
13-Nov-2010	0	0	122,200	EP/MD/11-069	South Cheung Chau
14-Nov-2010	0	0	122,200	EP/MD/11-069	South Cheung Chau
15-Nov-2010	0	0	122,200	EP/MD/11-069	South Cheung Chau
16-Nov-2010	0	0	122,200	EP/MD/11-069	South Cheung Chau
17-Nov-2010	0	0	122,200	EP/MD/11-069	South Cheung Chau
18-Nov-2010	1,500	3	123,700	EP/MD/11-069	South Cheung Chau
19-Nov-2010	1,000	2	124,700	EP/MD/11-069	South Cheung Chau
20-Nov-2010	1,500	3	126,200	EP/MD/11-069	South Cheung Chau
21-Nov-2010	1,000	2	127,200	EP/MD/11-069	South Cheung Chau
22-Nov-2010	1,500	3	128,700	EP/MD/11-069	South Cheung Chau
23-Nov-2010	1,000	2	129,700	EP/MD/11-069	South Cheung Chau
24-Nov-2010	2,000	4	131,700	EP/MD/11-069	South Cheung Chau
25-Nov-2010	1,000	2	132,700	EP/MD/11-069	South Cheung Chau
26-Nov-2010	1,800	4	134,500	EP/MD/11-069	South Cheung Chau
27-Nov-2010	1,000	2	135,500	EP/MD/11-069	South Cheung Chau
28-Nov-2010	1,500	3	137,000	EP/MD/11-069	South Cheung Chau
29-Nov-2010	2,000	4	139,000	EP/MD/11-069	South Cheung Chau
30-Nov-2010	1,500	3	140,500	EP/MD/11-069	South Cheung Chau
01-Dec-2010	1,000	2	141,500	EP/MD/11-069	South Cheung Chau
02-Dec-2010	1,500	3	143,000	EP/MD/11-069	South Cheung Chau
03-Dec-2010	1,000	2	144,000	EP/MD/11-069	South Cheung Chau
04-Dec-2010	1,500	3	145,500	EP/MD/11-069	South Cheung Chau

Wo Hing - Penta-Ocean Joint Venture					
Contract no. 9/WSD/08					
Laying of Western Cross Harbour Main & Associated Land Mains from					
West Kowloon to Sai Ying Pun					
Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground / South Cheung Chau)					
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Permit No.	Mud Disposal Ground
	(bulk volume)		(bulk volume)		
05-Dec-2010	1,000	2	146,500	EP/MD/11-069	South Cheung Chau
06-Dec-2010	500	1	147,000	EP/MD/11-069	South Cheung Chau
07-Dec-2010	1,500	3	148,500	EP/MD/11-069	South Cheung Chau
08-Dec-2010	1,000	2	149,500	EP/MD/11-069	South Cheung Chau
09-Dec-2010	1,000	2	150,500	EP/MD/11-069	South Cheung Chau
10-Dec-2010	1,500	3	152,000	EP/MD/11-069	South Cheung Chau
11-Dec-2010	500	1	152,500	EP/MD/11-069	South Cheung Chau
12-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
13-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
14-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
15-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
16-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
17-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
18-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
19-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
20-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
21-Dec-2010	0	0	153,500	EP/MD/11-069	South Cheung Chau
22-Dec-2010	500	1	154,000	EP/MD/11-069	South Cheung Chau
23-Dec-2010	0	0	154,000	EP/MD/11-069	South Cheung Chau
24-Dec-2010	0	0	154,000	EP/MD/11-069	South Cheung Chau
25-Dec-2010	500	1	154,500	EP/MD/11-069	South Cheung Chau
26-Dec-2010	0	0	154,500	EP/MD/11-069	South Cheung Chau
27-Dec-2010	500	1	155,000	EP/MD/11-069	South Cheung Chau
28-Dec-2010	500	1	155,500	EP/MD/11-069	South Cheung Chau
29-Dec-2010	500	1	156,000	EP/MD/11-069	South Cheung Chau
30-Dec-2010	500	1	156,500	EP/MD/11-069	South Cheung Chau
31-Dec-2010	500	1	157,000	EP/MD/11-069	South Cheung Chau
TOTAL =	157,000	185			

Wo Hing - Penta-Ocean Joint Venture				
Contract no. 9/WSD/08				
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun				
Summary of Dumping Qty. of Type 2 Marine Sediment				
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Permit No.
	(bulk volume)		(bulk volume)	
05-May-2010	440	1	440	EP/MD/10-086
06-May-2010	1,280	3	1,720	EP/MD/10-086
07-May-2010	0	0	1,720	EP/MD/10-086
08-May-2010	0	0	1,720	EP/MD/10-086
09-May-2010	1,400	2	3,120	EP/MD/10-086
10-May-2010	1,400	2	4,520	EP/MD/10-086
11-May-2010	1,300	2	5,820	EP/MD/10-086
12-May-2010	1,800	3	7,620	EP/MD/10-086
13-May-2010	1,200	2	8,820	EP/MD/10-086
14-May-2010	0	0	8,820	EP/MD/10-086
15-May-2010	0	0	8,820	EP/MD/10-086
16-May-2010	600	1	9,420	EP/MD/10-086
17-May-2010	1,200	2	10,620	EP/MD/10-086
18-May-2010	700	1	11,320	EP/MD/10-086
19-May-2010	2,000	3	13,320	EP/MD/10-086
20-May-2010	1,400	2	14,720	EP/MD/10-086
21-May-2010	1,400	2	16,120	EP/MD/10-086
22-May-2010	2,100	3	18,220	EP/MD/10-086
23-May-2010	1,400	2	19,620	EP/MD/10-086
24-May-2010	1,400	2	21,020	EP/MD/10-086
25-May-2010	1,300	2	22,320	EP/MD/10-086
26-May-2010	1,400	2	23,720	EP/MD/10-086
27-May-2010	1,300	2	25,020	EP/MD/10-086
28-May-2010	1,400	2	26,420	EP/MD/10-086
29-May-2010	600	1	27,020	EP/MD/10-086
30-May-2010	2,100	3	29,120	EP/MD/11-012
31-May-2010	700	1	29,820	EP/MD/11-012
01-Jun-2010	1,900	3	31,720	EP/MD/11-012
02-Jun-2010	1,220	2	32,940	EP/MD/11-012
03-Jun-2010	1,300	2	34,240	EP/MD/11-012
04-Jun-2010	1,200	2	35,440	EP/MD/11-012
05-Jun-2010	1,400	2	36,840	EP/MD/11-012
06-Jun-2010	600	1	37,440	EP/MD/11-012
07-Jun-2010	0	0	37,440	EP/MD/11-012
08-Jun-2010	500	1	37,940	EP/MD/11-012
09-Jun-2010	0	0	37,940	EP/MD/11-012
10-Jun-2010	600	1	38,540	EP/MD/11-012
11-Jun-2010	1,200	2	39,740	EP/MD/11-012
12-Jun-2010	1,400	2	41,140	EP/MD/11-012
13-Jun-2010	1,400	2	42,540	EP/MD/11-012
14-Jun-2010	0	0	42,540	EP/MD/11-012
15-Jun-2010	0	0	42,540	EP/MD/11-012
16-Jun-2010	0	0	42,540	EP/MD/11-012
17-Jun-2010	0	0	42,540	EP/MD/11-012
18-Jun-2010	0	0	42,540	EP/MD/11-012
19-Jun-2010	0	0	42,540	EP/MD/11-012

Wo Hing - Penta-Ocean Joint Venture				
Contract no. 9/WSD/08				
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun				
Summary of Dumping Qty. of Type 2 Marine Sediment				
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Permit No.
	(bulk volume)		(bulk volume)	
20-Jun-2010	0	0	42,540	EP/MD/11-012
21-Jun-2010	0	0	42,540	EP/MD/11-012
22-Jun-2010	0	0	42,540	EP/MD/11-012
23-Jun-2010	0	0	42,540	EP/MD/11-012
24-Jun-2010	0	0	42,540	EP/MD/11-012
25-Jun-2010	0	0	42,540	EP/MD/11-012
26-Jun-2010	0	0	42,540	EP/MD/11-012
27-Jun-2010	0	0	42,540	EP/MD/11-012
28-Jun-2010	0	0	42,540	EP/MD/11-012
29-Jun-2010	0	0	42,540	EP/MD/11-012
30-Jun-2010	1,200	2	43,740	EP/MD/11-024
01-Jul-2010	2,600	4	46,340	EP/MD/11-024
02-Jul-2010	2,800	4	49,140	EP/MD/11-024
03-Jul-2010	1,400	2	50,540	EP/MD/11-024
04-Jul-2010	2,100	3	52,640	EP/MD/11-024
05-Jul-2010	2,850	4	55,490	EP/MD/11-024
06-Jul-2010	1,400	2	56,890	EP/MD/11-024
07-Jul-2010	1,400	2	58,290	EP/MD/11-024
08-Jul-2010	2,700	4	60,990	EP/MD/11-024
09-Jul-2010	2,100	3	63,090	EP/MD/11-024
10-Jul-2010	2,100	3	65,190	EP/MD/11-024
11-Jul-2010	1,400	2	66,590	EP/MD/11-024
12-Jul-2010	2,150	3	68,740	EP/MD/11-024
13-Jul-2010	2,100	3	70,840	EP/MD/11-024
14-Jul-2010	700	1	71,540	EP/MD/11-024
15-Jul-2010	2,100	3	73,640	EP/MD/11-024
16-Jul-2010	2,100	3	75,740	EP/MD/11-024
17-Jul-2010	700	1	76,440	EP/MD/11-024
18-Jul-2010	700	1	77,140	EP/MD/11-024
19-Jul-2010	2,100	3	79,240	EP/MD/11-024
20-Jul-2010	2,100	3	81,340	EP/MD/11-024
(18 July 2010)				
21-Jul-2010	700	1	82,040	EP/MD/11-024
22-Jul-2010	600	1	82,640	EP/MD/11-024
23-Jul-2010	1,400	2	84,040	EP/MD/11-024
24-Jul-2010	1,400	2	85,440	EP/MD/11-024
25-Jul-2010	1,400	2	86,840	EP/MD/11-024
26-Jul-2010	1,450	2	88,290	EP/MD/11-024
27-Jul-2010	2,200	3	90,490	EP/MD/11-024
28-Jul-2010	1,450	2	91,940	EP/MD/11-024
29-Jul-2010	1,500	2	93,440	EP/MD/11-024
30-Jul-2010	0	0	93,440	--
31-Jul-2010	0	0	93,440	--
01-Aug-2010	0	0	93,440	--
02-Aug-2010	0	0	93,440	--

Wo Hing - Penta-Ocean Joint Venture				
Contract no. 9/WSD/08				
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun				
Summary of Dumping Qty. of Type 2 Marine Sediment				
Date	Dumping qty (m³)	Barge Load per day	Accumulated Dumping Qty.	Permit No.
	(bulk volume)		(bulk volume)	
03-Aug-2010	0	0	98,440	
04-Aug-2010	0	0	98,440	
05-Aug-2010	700	1	99,140	
(dump on 06-Aug-10)				
06-Aug-2010	1,500	2	95,640	EP/MD/11-053
07-Aug-2010	700	1	96,340	EP/MD/11-053
08-Aug-2010	2,100	3	98,440	EP/MD/11-053
09-Aug-2010	1,500	2	99,940	EP/MD/11-053
10-Aug-2010	1,500	2	101,440	EP/MD/11-053
11-Aug-2010	700	1	102,140	EP/MD/11-053
12-Aug-2010	0	0	102,140	EP/MD/11-053
13-Aug-2010	0	0	102,140	EP/MD/11-053
14-Aug-2010	0	0	102,140	EP/MD/11-053
15-Aug-2010	0	0	102,140	EP/MD/11-053
16-Aug-2010	0	0	102,140	EP/MD/11-053
17-Aug-2010	0	0	102,140	EP/MD/11-053
18-Aug-2010	0	0	102,140	EP/MD/11-053
19-Aug-2010	0	0	102,140	EP/MD/11-053
20-Aug-2010	0	0	102,140	EP/MD/11-053
21-Aug-2010	0	0	102,140	EP/MD/11-053
22-Aug-2010	0	0	102,140	EP/MD/11-053
23-Aug-2010	0	0	102,140	EP/MD/11-053
24-Aug-2010	0	0	102,140	EP/MD/11-053
25-Aug-2010	0	0	102,140	EP/MD/11-053
26-Aug-2010	0	0	102,140	EP/MD/11-053
27-Aug-2010	0	0	102,140	EP/MD/11-053
28-Aug-2010	1,400	2	103,540	EP/MD/11-053
29-Aug-2010	700	1	104,240	EP/MD/11-053
30-Aug-2010	0	0	104,240	EP/MD/11-053
31-Aug-2010	750	1	104,990	EP/MD/11-053
01-Sep-2010	0	0	104,990	EP/MD/11-053
02-Sep-2010	0	0	104,990	EP/MD/11-053
03-Sep-2010	0	0	104,990	EP/MD/11-053
04-Sep-2010	0	0	104,990	EP/MD/11-053
05-Sep-2010	0	0	104,990	EP/MD/11-053
TOTAL =	104,990	155		

Wo Hing – Penta-Ocean Joint Venture

Contract No. 9/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

Dredging Location of GD "Shun Tat 20" during Overtime Hours 19:00 - 07:00 (next day)

Date	Working Hour fm 07:00 to 23:00 or 07:00 to 07:00 (next day)						Working Hour for overtime fm 19:00 to 23:00 or 19:00 to 07:00 (next day)					
	W Hours fm	W Hours to	Chainage fm	Chainage to	Offset fm	Offset to	OT Hours fm	OT Hours to	Chainage fm	Chainage to	Offset fm	Offset to
03-05-2010	-	-	-	-	-	-	-	-	-	-	-	-
04-05-2010	7:00	23:00	1238	1244	0	+17	22:00	23:00	1238	1244	0	+17
05-05-2010	7:00	23:00	1244	1276	0	+17	19:00	23:00	1264	1276	0	+17
06-05-2010	7:00	23:00	1276	1280	0	-17	19:00	23:00	1252	1264	0	-17
07-05-2010	7:00	19:00	1238	1264	0	-17	19:00	19:00	-	-	-	-
08-05-2010	7:00	19:00	1264	1276	0	+17	19:00	19:00	-	-	-	-
09-05-2010	7:00	23:00	1276	1304	0	-17	19:00	23:00	1284	1304	0	-17
10-05-2010	7:00	23:00	1304	1316	0	-17	19:00	23:00	1304	1316	0	-17
11-05-2010	7:00	23:00	1280	1316	0	+17	-	-	-	-	-	-
12-05-2010	7:00	23:00	1316	1368	0	+17	19:00	23:00	1348	1368	0	+17
13-05-2010	7:00	23:00	1368	1380	0	-17	19:00	23:00	1348	1368	0	-17
14-05-2010	-	-	-	-	-	-	-	-	-	-	-	-
15-05-2010	7:00	23:00	1368	1376	0	+17	19:00	23:00	1368	1376	0	+17
16-05-2010	7:00	23:00	1376	1392	0	+17	19:00	23:00	1380	1392	0	+17
17-05-2010	7:00	23:00	1392	1416	0	+15.5	19:00	23:00	1416	1432	0	-15.5
18-05-2010	7:00	23:00	1416	1432	0	-15.5	-	-	-	-	-	-
19-05-2010	7:00	23:00	1432	1468	0	+15	19:00	23:00	1452	1468	0	+15
20-05-2010	7:00	23:00	1468	1484	0	-15	19:00	23:00	1476	1484	0	-15
21-05-2010	7:00	23:00	1484	1500	0	+12.7	19:00	22:00	1480	1496	0	+14.1
22-05-2010	7:00	23:00	1472	1496	0	+14.1	-	-	-	-	-	-
23-05-2010	7:00	23:00	1496	1536	0	+12.9	19:00	23:00	1496	1516	0	-12.9
24-05-2010	7:00	23:00	1496	1516	0	-12.9	-	-	-	-	-	-
25-05-2010	7:00	23:00	1516	1572	0	-14.0	19:00	23:00	1564	1572	0	-14.0
26-05-2010	7:00	23:00	1536	1540	0	+13.1	-	-	-	-	-	-
27-05-2010	7:00	23:00	1540	1592	0	+16.6	19:00	23:00	1580	1592	0	+16.6
28-05-2010	7:00	23:00	1572	1620	0	-17	19:00	23:00	1592	1620	0	-17
29-05-2010	7:00	23:00	1620	1656	0	+17	19:00	23:00	1608	1636	0	+17
30-05-2010	7:00	23:00	1608	1636	0	-17	-	-	-	-	-	-
31-05-2010	7:00	23:00	1636	1660	0	-17	19:00	23:00	1654	1680	0	+17
01-06-2010	7:00	23:00	1656	1680	0	+17	-	-	-	-	-	-
02-06-2010	7:00	23:00	1660	1708	0	-17	19:00	23:00	1680	1692	0	+16.8
03-06-2010	7:00	23:00	1680	1692	0	+16.8	-	-	-	-	-	-
04-06-2010	7:00	23:00	1692	1712	0	+17	19:00	23:00	1716	1736	0	-16
05-06-2010	7:00	23:00	1708	1736	0	-16	-	-	-	-	-	-
06-06-2010	7:00	23:00	1712	1752	0	+16	19:00	23:00	1748	1752	0	+16
07-06-2010	7:00	23:00	1736	1756	0	-16	-	-	-	-	-	-
08-06-2010	7:00	23:00	1656	1800	0	-15	19:00	23:00	1752	1780	0	+16
09-06-2010	7:00	23:00	1752	1780	0	+16	-	-	-	-	-	-
10-06-2010	7:00	23:00	1780	1820	0	+15	19:00	23:00	1800	1824	0	-15
11-06-2010	7:00	23:00	1800	1824	0	-15	-	-	-	-	-	-
12-06-2010	7:00	23:00	1824	1848	0	-14	19:00	23:00	1820	1844	0	+14
13-06-2010	7:00	23:00	1820	1844	0	+14	-	-	-	-	-	-
14-06-2010	7:00	23:00	1844	1876	0	+14	19:00	23:00	1848	1864	0	-14
15-06-2010	7:00	23:00	1848	1864	0	-14	-	-	-	-	-	-
16-06-2010	7:00	23:00	1864	1908	0	+13	19:00	19:45	1864	1868	0	-13
17-06-2010	7:00	23:00	1868	1876	0	-13	-	-	-	-	-	-
18-06-2010	7:00	23:00	1876	1932	0	-13	19:00	23:00	1868	1932	0	-13
19-06-2010	7:00	23:00	1932	1960	0	+12	19:00	23:00	1944	1960	0	+12
20-06-2010	7:00	23:00	1960	1970	0	-12	19:00	21:00	1960	1970	0	+12
21-06-2010	7:00	23:00	1970	1970	0	+12	-	-	-	-	-	-
22-06-2010	7:00	23:00	1970	1980	0	+12	19:00	20:00	1974	1980	0	+12
23-06-2010	7:00	14:40	1250	1300	0	+19	-	-	-	-	-	-
24-06-2010	7:00	23:00	-	-	-	-	-	-	-	-	-	-
25-06-2010	7:00	23:00	1300	1390	+19	-19	19:00	23:00	1300	1390	+4	+19
26-06-2010	7:00	23:00	1390	1530	+16	-16	19:00	23:00	1490	1530	+16	-16
27-06-2010	7:00	23:00	1530	1665	+18	-18	19:00	23:00	1630	1665	+18	-18
28-06-2010	7:00	23:00	1665	1780	+18	-18	19:00	23:00	1750	1780	+18	-18
29-06-2010	7:00	7:00	1130	1142	-4	-21	23:00	7:00	1130	1142	-4	-21
30-06-2010	7:00	7:00	1142	1174	-4.7	-20.7	19:00	7:00	1162	1174	-4.7	-20.7
31-06-2010	7:00	7:00	1174	1162	+4.7	+20.7	19:00	7:00	1142	1162	+4.7	+20.7
01-07-2010	7:00	7:00	1162	1214	+4.7	+20.7	19:00	7:00	1182	1214	+4.7	+20.7
02-07-2010	7:00	7:00	1214	1222	+4.7	+20.7	-	-	-	-	-	-
03-07-2010	7:00	7:00	1222	1210	-4.7	-20.7	19:00	7:00	1186	1210	-4.7	-20.7
04-07-2010	7:00	7:00	1210	1190	+8	-8	19:00	7:00	1158	1190	+8	-8
05-07-2010	7:00	7:00	1190	1238	+8.5	-8.5	19:00	7:00	1214	1238	+8.5	-8.5
06-07-2010	7:00	7:00	1238	1210	-4.5	-20.5	19:00	7:00	1222	1210	-4.5	-20.5
07-07-2010	7:00	7:00	1210	1250	+4.5	+20.5	-	-	-	-	-	-
08-07-2010	7:00	7:00	1250	1282	+5.5	+20.5	19:00	7:00	1262	1250	+4.5	+20.5
09-07-2010	7:00	7:00	1282	1150	+8.5	-8.5	19:00	7:00	1262	1150	+8.5	-8.5
10-07-2010	7:00	7:00	1150	1302	-5.5	-20.5	19:00	7:00	1266	1302	-5.5	-20.5
11-07-2010	7:00	7:00	1302	1298	+8.5	-8.5	-	-	-	-	-	-
12-07-2010	7:00	7:00	1298	1150	+8.5	-8.5	19:00	7:00	1150	1162	+8.5	-8.5
13-07-2010	7:00	7:00	1150	1282	+5.5	+20.5	-	-	-	-	-	-
14-07-2010	7:00	7:00	1282	1338	+8.5	-8.5	19:00	7:00	1324	1338	+8.5	-8.5
15-07-2010	7:00	7:00	1338	1162	+8.5	-8.5	-	-	-	-	-	-
16-07-2010	7:00	7:00	1162	1346	-5.5	-20.5	19:00	7:00	1162	1188	+8.5	-8.5
17-07-2010	7:00	7:00	1346	1358	-5.5	-20.5	-	-	-	-	-	-
18-07-2010	7:00	7:00	1358	1364	+7.5	-7.5	19:00	7:00	1350	1364	+7.5	-7.5
19-07-2010	7:00	7:00	1364	1188	+8.5	-8.5	-	-	-	-	-	-

Wo Hing – Penta-Ocean Joint Venture

Contract No. 9/WS/D/08
Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

Dredging Location of GD "Shun Tai 20" during Overtime Hours 19:00 – 07:00 (next day)

Date	Working Hour fm 07:00 to 23:00 or 07:00 to 07:00 (next day)						Working Hour for overtime fm 19:00 to 23:00 or 19:00 to 07:00 (next day)					
	W Hours fm	W Hours to	Chainage fm	Chainage to	Offset fm	Offset to	OT Hours fm	OT Hours to	Chainage fm	Chainage to	Offset fm	Offset to
25-06-2010	7:00	7:00	1364	1412	+7.5	-7.5	19:00	7:00	1392	1412	+7.5	-7.5
			1206	1250	+8.5	-8.5			1206	1250	+8.5	-8.5
26-06-2010	7:00	23:00	1306	1400	-7.5	-20.5	19:00	23:00	1380	1400	-7.5	-20.5
			1412	1444	+7.5	-7.5			1412	1444	+7.5	-7.5
			1362	1366	+5	+20			1362	1366	+5	+20
27-06-2010	7:00	23:00	1326	1448	+7.5	+20.5	19:00	23:00	1400	1448	+7.5	+20.5
			1400	1436	-7.5	-20.5			1400	1436	-7.5	-20.5
28-06-2010	7:00	23:00	1448	1480	+7.5	+20						
			1444	1468	+7.5	-7.5	19:00	23:00	1448	1468	+7.5	-7.5
			1436	1456	-7.5	-20			1436	1456	-7.5	-20
29-06-2010	7:00	23:00	1456	1500	-7.5	-20						
			1468	1500	+7.5	-7.5	19:00	20:00	1496	1500	+7.5	-7.5
	23:00	7:00	1076	1100	0	-16	23:00	7:00	1076	1100	0	-16
30-06-2010	7:00	7:00	1048	1076	0	-16						
			1064	1100	0	+16	19:00	7:00	1064	1100	0	+16
01-07-2010	7:00	7:00	1020	1064	0	+16	19:00	7:00	1020	1048	0	+16
			1032	1048	0	-16			1032	1036	0	-16
02-07-2010	7:00	7:00	1000	1032	0	16	19:00	7:00	1000	1008	0	16
			992	1020	0	+16			992	1020	0	+16
03-07-2010	7:00	18:00	968	992	0	+16						
04-07-2010	7:00	7:00	944	968	0	+16						
			956	1000	0	-16	19:00	7:00	956	1000	0	-16
05-07-2010	7:00	7:00	944	976	0	-16						
			798	850	0	+17	19:00	7:00	798	832	0	+17
			838	850	0	-17			836	850	0	-17
06-07-2010	7:00	7:00	782	838	0	-17	20:50	7:00	782	826	0	-17
07-07-2010	7:00	7:00	758	782	0	-16	19:00	7:00	758	774	0	-16
			774	798	0	+16			774	798	0	+16
08-07-2010	7:00	7:00	728	774	0	+17						
			696	750	0	-17	19:00	7:00	696	750	0	-17
09-07-2010	7:00	7:00	666	710	0	+17	19:00	7:00	666	670	0	+17
			682	710	0	-17			682	710	0	-17
10-07-2010	7:00	7:00	654	682	0	-17	19:00	7:00	654	662	0	-17
			634	666	0	+17			634	666	0	+17
11-07-2010	7:00	7:00	622	654	0	-17	20:55	1:10	622	642	0	-17
12-07-2010	7:00	7:00	602	622	0	-17						
			602	634	0	+17	19:00	7:00	602	626	0	+17
13-07-2010	7:00	7:00	570	602	0	+17	19:00	7:00	570	598	0	+17
			574	602	0	-17			574	582	0	-17
14-07-2010	7:00	7:00	558	570	0	+17	21:00	7:00	558	570	0	+17
			562	574	0	-17			562	574	0	-17
15-07-2010	7:00	7:00	546	562	0	-17						
			530	558	0	+17	21:15	7:00	530	558	0	+17
16-07-2010	7:00	7:00	526	546	0	-17	19:00	7:00	526	538	0	-17
			526	536	0	+17			526	530	0	+17
17-07-2010	7:00	19:00	-	-								
18-07-2010	7:00	23:00	260	300	0	-17	19:00	23:00	260	276	0	-17
19-07-2010	7:00	23:00	248	300	0	+17	19:00	21:15	248	266	0	+17
20-07-2010	7:00	23:00	232	260	0	-15						
			224	248	0	+15	19:00	23:00	224	236	0	+15
21-07-2010	7:00	19:00	216	232	0	-15						
22-07-2010	7:00	19:00	-	-								
23-07-2010	07:00	23:00	200	216	0	-15						
			208	224	0	+15						
			204	224	0	+15	19:00	23:00	204	224	0	+15
24-07-2010	07:00	23:00	176	200	0	-15						
			176	184	0	-15	19:00	20:50	176	184	0	-15
			172	176	0	-15	21:00	23:00	172	176	0	-15
			200	204	0	+15	21:00	23:00	200	204	0	+15
25-07-2010	07:00	23:00	172	200	0	+15						
			172	192	0	+15	19:00	22:40	172	192	0	+15
26-07-2010	07:00	23:00	168	172	0	+15						
			148	172	0	-15						
			162	168	0	+15	19:20	23:00	162	168	0	+15
27-07-2010	07:00	23:00	128	152	0	+15						
			128	136	0	+15	19:00	21:00	128	136	0	+15
			124	128	0	+15	21:45	23:00	124	128	0	+15
28-07-2010	07:00	23:00	124	148	0	-15						
			124	136	0	-15	19:00	20:20	124	136	0	-15
			116	124	0	-15	20:30	23:00	116	124	0	-15
29-07-2010	07:00	23:00	88	116	0	-15						
			88	100	0	-15	19:00	20:45	88	100	0	-15
30-07-2010	07:00	23:00	1480	1528	+5	+20.5						
			1480	1528	+5	+20.5	19:00	22:45	1480	1528	+5	+20.5
			1500	1508	+7.5	-7.5	19:00	22:45	1500	1508	+7.5	-7.5
31-07-2010	7:00	23:00	1500	1548	-6	-20.5						
			1508	1516	+7.5	-7.5						
			1516	1540	+7.5	-7.5						
			1516	1540	+7.5	-7.5	19:00	20:45	1516	1540	+7.5	-7.5
			1540	1548	+7.5	-7.5	20:30	23:00	1540	1548	7.5	-7.5

Wo Hing – Penta-Ocean Joint Venture

Contract No. S/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

Dredging Location of GD "Shun Tat 20" during Overtime Hours 19:00 – 07:00 (next day)

Date	Working Hour fm 07:00 to 23:00 or 07:00 to 07:00 (next day)						Working Hour for overtime fm 19:00 to 23:00 or 19:00 to 07:00 (next day)					
	W Hours fm	W Hours to	Chainage fm	Chainage to	Offset fm	Offset to	OT Hours fm	OT Hours to	Chainage fm	Chainage to	Offset fm	Offset to
01-08-2010	7:00	23:00	1528	1572	+5	+20.5						
			1548	1568	-5	-20.5						
			1548	1556	+7.5	-7.5						
			1556	1576	7.5	-7.5						
			1556	1576	7.5	-7.5						
02-08-2010	7:00	19:00	1572	1608	+5	+20.5	19:00	23:00	1556	1576	7.5	-7.5
			1576	1596	+7.5	-7.5						
			1568	1620	-5	-20.5						
03-08-2010	7:00	23:00	1596	1604	-7.5	+7.5	21:10	23:00	1596	1604	-7.5	+7.5
04-08-2010	7:00	23:00	1604	1612	-7.5	+7.5	19:00	21:40	1604	1612	-7.5	+7.5
05-08-2010	7:00	19:00	1608	1636	+7.5	+20.5						
06-08-2010	7:00	23:00	112	124	0	+15						
			84	112	0	+15						
			76	84	0	+15						
			68	76	0	+15						
			60	68	0	+15						
07-08-2010	7:00	23:00	72	88	0	-15						
			56	72	0	-15						
			52	56	0	-15						
			36	52	0	-15						
			20	36	0	-15						
08-08-2010	7:00	23:00	56	60	0	+15						
			32	49	0	+15						
			0	32	0	+15						
			0	20	0	-15						
			1118	1130	-5	-20						
09-08-2010	7:00	23:00	1110	1118	-5	-20	19:00	23:00	56	72	0	-15
			1122	1130	+7.5	-7.5						
			1110	1122	+7.5	-7.5						
			1122	1130	+5	+20						
			36	52	0	-15						
10-08-2010	7:00	19:00	20	36	0	-15	19:00	23:00	20	36	0	-15
			56	60	0	+15						
			54	56	0	+15						
			32	49	0	+15						
			0	20	0	-15						
11-08-2010	7:00	7:00	0	32	0	+15	19:00	22:55	0	32	0	+15
			0	20	0	-15						
			1118	1130	-5	-20						
			1110	1118	-5	-20						
			1122	1130	+7.5	-7.5						
12-08-2010	7:00	7:00	1110	1122	+7.5	-7.5	19:00	7:00	1110	1122	+7.5	-7.5
			1122	1130	+5	+20						
			1114	1122	+5	+20						
			1086	1114	+5	+20						
			1102	1110	+7.5	-7.5						
13-08-2010	7:00	7:00	1098	1110	-5	-20	19:00	21:30	1098	1110	-5	-20
			1078	1086	-5	-20						
			1078	1102	+7.5	-7.5						
			1078	1102	+7.5	-7.5						
			1070	1078	+7.5	-7.5						
14-08-2010	7:00	7:00	1070	1098	-5	-20	19:00	7:00	1086	1114	+5	+20
			1066	1078	+5	+20						
			1066	1070	+7.5	-7.5						
			1066	1070	+7.5	-7.5						
			1058	1066	+7.5	-7.5						
15-08-2010	7:00	7:00	1026	1070	-5	-17.5	19:00	20:10	1070	1098	-5	-20
			1046	1058	+7.5	-7.5						
			1030	1046	-7.5	+7.5						
			1026	1036	-7.5	+7.5						
			1038	1056	+5	+17.5						
16-08-2010	7:00	7:00	1018	1038	+5	+17.5	19:00	23:05	1038	1056	+5	+17.5
			1018	1026	-5	-17.5						
			1018	1026	-5	-17.5						
			1010	1018	-7.5	+7.5						
			1002	1010	-7.5	+7.5						
17-08-2010	7:00	7:00	994	1002	+7.5	-7.5	19:00	7:00	978	994	+7.5	-7.5
			978	994	+7.5	-7.5						
			966	1006	-5	-17.5						
			958	986	+5	+17.5						
			970	978	+7.5	-7.5						
18-08-2010	7:00	7:00	950	970	+7.5	-7.5	19:00	7:00	950	970	+7.5	-7.5
			942	950	+7.5	-7.5						
			938	942	+7.5	-7.5						
			942	966	-5	-17.5						
			938	958	+5	+17.5						
19-08-2010	7:00	7:00	938	958	+5	+17.5	19:00	1:35	942	966	-5	-17.5
			938	958	+5	+17.5						
			938	958	+5	+17.5						
			938	958	+5	+17.5						
			938	958	+5	+17.5						
20-08-2010	7:00	7:00	938	958	+5	+17.5	19:00	1:35	938	958	+5	+17.5
			938	958	+5	+17.5						
			938	958	+5	+17.5						
			938	958	+5	+17.5						
			938	958	+5	+17.5						
21-08-2010	7:00	7:00	938	958	+5	+17.5	19:00	1:35	938	958	+5	+17.5
			938	958	+5	+17.5						
			938	958	+5	+17.5						
			938	958	+5	+17.5						
			938	958	+5	+17.5						
22-08-2010	7:00	7:00	938	958	+5	+17.5	19:00	1:35	938	958	+5	+17.5
			938	958	+5	+17.5						
			938	958	+5	+17.5						
			938	958	+5	+17.5						
			938	958	+5	+17.5						
23-08-2010	7:00	19:00	-	-	-	-						
			628	640	+7.5	-7.5						
			612	628	+7.5	-7.5						
			596	620	+7.5	-7.5						
			580	596	+7.5	-7.5						
24-08-2010	7:00	7:00	572	580	+7.5	-7.5	22:10	3:15	572	596	+7.5	-7.5
			552	572	+7.5	-7.5						
			536	552	+7.5	-7.5						
			528	536	+7.5	-7.5						
			520	528	+7.5	-7.5						
25-08-2010	7:00	7:00	584	572	-20	-5	19:00	7:00	950	970	+7.5	-7.5
			588	620	+7.5	-7.5						
			564	588	+7.5	-7.5						
			540	564	+7.5	-7.5						
			552	564	-5	-20						
26-08-2010	7:00	7:00	520	552	-5	-20	19:00	0:50	588	620	+7.5	-7.5
			564	588	+7.5	-7.5						
			540	564	+7.5	-7.5						
			552	564	-5	-20						
			520	552	-5	-20						
27-08-2010	7:00	7:00	564	580	+5	+20	19:00	22:20	520	564	+5	+20
			520	564	+5	+20						
			512	520	-7	+7						
			508	512	-7	+7						
			508	512	-7	+7						

Wo Hing – Penta-Ocean Joint Venture

Contract No. 9/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

Dredging Location of GD "Shun Tat 20" during Overtime Hours 19:00 – 07:00 (next day)

Date	Working Hour fm 07:00 to 23:00 or 07:00 to 07:00 (next day)						Working Hour for overtime fm 19:00 to 23:00 or 19:00 to 07:00 (next day)					
	W Hours fm	W Hours to	Chainage fm	Chainage to	Offset fm	Offset to	OT Hours fm	OT Hours to	Chainage fm	Chainage to	Offset fm	Offset to
30-08-2010	7:00	7:00	500	508	-7	-5	19:00	0:50	850	870	0	+17.5
			850	870	0	+17.5			850	870	0	-17.5
			914	922	+7.5	-7.5	1:00	6:00	914	922	+7.5	-7.5
31-08-2010	7:00	7:00	914	938	+5	+17.5	19:00	7:00	914	938	+5	+17.5
			910	914	+5	+17.5			910	914	+5	+17.5
			918	938	+7.5	-7.5			918	938	+7.5	-7.5
			926	938	-6	-17.5			926	938	-6	-17.5
01-09-2010	7:00	7:00	910	926	-5	-17.5	19:00	21:15	910	926	-5	-17.5
			902	918	+7.5	-7.5	22:35	3:45	902	918	+7.5	-7.5
			902	914	+5	-17.5	5:05	7:00	902	914	+5	-17.5
02-09-2010	7:00	7:00	878	902	+5	+17.5						
			902	910	-6	-17.5						
			882	902	-5	-17.5	19:35	1:15	882	902	-5	-17.5
			884	902	+7.5	-7.5	4:25	7:00	884	902	+7.5	-7.5
03-09-2010	7:00	7:00	870	894	+7.5	-7.5						
			850	878	+5	+17.5	19:35	7:00	850	878	+5	+17.5
			858	882	-5	-17.5			858	882	-5	-17.5
04-09-2010	7:00	7:00	846	858	-5	-17.5						
			854	870	+7.5	-7.5	19:00	7:00	854	870	+7.5	-7.5
			822	846	-5	-17.5			822	846	-5	-17.5
			834	850	+5	+17.5			834	850	+5	+17.5
05-09-2010	7:00	6:00	822	834	+5	+17.5						
			834	854	+7.5	-7.5	19:00	6:00	834	854	+7.5	-7.5
			814	834	+7.5	-7.5			814	834	+7.5	-7.5
			798	822	-5	-17.5			798	822	-5	-17.5
06-09-2010	7:00	7:00	810	822	+5	+17.5						
			810	814	+5	+17.5	19:00	7:00	810	814	+5	+17.5
			794	814	+7.5	-7.5			794	814	+7.5	-7.5
			778	794	+7.5	-7.5			778	794	+7.5	-7.5
			778	798	-5	-17.5			778	798	-5	-17.5
07-09-2010	7:00	23:00	766	778	+7.5	-7.5						
			778	798	+5	+17.5	19:00	20:55	778	798	+5	+17.5
08-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
09-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
10-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
11-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
12-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
13-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
14-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
15-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
16-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
17-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
18-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
19-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
20-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
21-09-2010	7:00	7:00	444	452	+7.5	-7.5	20:30	4:30	444	452	+7.5	-7.5
22-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
23-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
24-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
25-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
26-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
27-09-2010	7:00	23:00	440	444	+7.5	-7.5	20:35	21:00	440	444	+7.5	-7.5
28-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
29-09-2010	7:00	23:00	432	444	+7.5	-7.5	19:00	23:00	432	444	+7.5	-7.5
30-09-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
01-10-2010	7:00	23:00	429	432	+7.5	-7.5	19:00	23:00	429	432	+7.5	-7.5
02-10-2010	7:00	7:00	440	452	+7.5	-7.5						
			754	778	+17.5	+5	19:00	23:30	754	778	+17.5	+5
			770	778	-17.5	-5	4:35	7:00	770	778	-17.5	-5
03-10-2010	7:00	7:00	746	770	-5	-17.5						
			734	754	+7.5	-7.5	19:00	22:55	734	754	+7.5	-7.5
			742	754	+5	+17.5	4:25	7:00	742	754	+5	+17.5
04-10-2010	7:00	7:00	728	742	+5	+17.5						
			722	734	+7.5	-7.5	0:15	7:00	722	734	+7.5	-7.5
05-10-2010	7:00	7:00	718	722	+7.5	-7.5						
			710	746	-5	-17.5	19:00	7:00	710	746	-5	-17.5
			702	726	+6	+17.5			702	726	+6	+17.5
06-10-2010	7:00	7:00	706	718	+7.5	-7.5						
			698	710	-5	-17.5	19:00	7:00	698	710	-5	-17.5
			690	706	+7.5	-7.5			690	706	+7.5	-7.5
			682	690	+7.5	-7.5			682	690	+7.5	-7.5
			666	702	+17.5	+5			666	702	+17.5	+5
			682	698	-5	-17.5			682	698	-5	-17.5
07-10-2010	7:00	7:00	662	682	-5	-17.5						
			654	682	+7.5	-7.5	19:00	7:00	654	682	+7.5	-7.5
			638	662	-5	-17.5			638	662	-5	-17.5
			646	654	+7.5	-7.5			646	654	+7.5	-7.5
			650	666	+5	+17.5			650	666	+5	+17.5
08-10-2010	7:00	23:00	606	650	+5	+17.5	19:00	21:55	606	650	+5	+17.5
09-10-2010	7:00	7:00	632	650	+7.5	-7.5	19:00	19:15	632	650	+7.5	-7.5
10-10-2010	7:00	7:00	572	638	-5	-17.5	19:00	6:00	572	638	-5	-17.5
			602	606	+5	+17.5			602	606	+5	+17.5
11-10-2010	7:00	7:00	580	602	+5	+17.5						
			640	646	+7.5	-7.5						
			512	520	+5	+20						
			496	512	+5	+20	19:00	7:00	496	512	+5	+20
			508	520	-5	-20			508	520	-5	-20
12-10-2010	7:00	7:00	500	508	-5	-20						
			492	500	-5	-20	19:00	20:50	492	500	-5	-20
			492	500	+7.5	-7.5			492	500	+7.5	-7.5
			480	492	+7.5	-7.5	21:15	4:00	480	492	+7.5	-7.5
			472	480	-5	-20	4:00	7:00	472	480	-5	-20
13-10-2010	7:00	7:00	472	496	+5	+20						

Wo Hing – Penta-Ocean Joint Venture

Contract No. S/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

Dredging Location of GD "Shun Tat 20" during Overtime Hours 19:00 - 07:00 (next day)

Date	Working Hour fm 07:00 to 23:00 or 07:00 to 07:00 (next day)						Working Hour for overtime fm 19:00 to 23:00 or 19:00 to 07:00 (next day)						
	W Hours fm	W Hours to	Chainage fm	Chainage to	Offset fm	Offset to	OT Hours fm	OT Hours to	Chainage fm	Chainage to	Offset fm	Offset to	
14-10-2010	7:00	7:00	476	480	+7.5	-7.5	19:00	7:00	476	480	+7.5	-7.5	
			460	472	-5	-20			460	472	-5	-20	
			456	460	-5	-20			456	460	-5	-20	
			468	472	+5	+20							
			472	476	+7.5	-7.5							
			448	456	-5	-20	19:00	20:50	448	456	-5	-20	
			462	468	+5	+20			462	468	+5	+20	
15-10-2010	7:00	7:00	452	462	+5	+20	20:55	1:50	452	462	+5	+20	
			448	452	+5	+20	6:30	7:00	448	452	+5	+20	
			436	472	+7.5	-7.5							
			424	436	+7.5	-7.5	19:00	23:10	424	436	+7.5	-7.5	
			436	448	-5	-20	23:15	4:15	436	448	-5	-20	
			444	452	+5	+20	4:20	7:00	444	452	+5	+20	
			420	436	-5	-20							
16-10-2010	7:00	7:00	420	432	+20	+5							
			412	420	-5	-20	19:00	6:30	412	420	-5	-20	
			416	424	+7.5	-7.5			416	424	+7.5	-7.5	
			436	444	+20	+5			436	444	+20	+5	
			432	436	+20	+5			432	436	+20	+5	
			400	412	+7.5	-7.5							
			404	420	+5	+20							
17-10-2010	7:00	7:00	392	404	+5	+20	19:00	0:00	392	404	+5	+20	
			404	436	-5	-20			404	436	-5	-20	
			440	460	+7.5	-7.5	0:45	5:15	440	460	+7.5	-7.5	
			436	440	+7.5	-7.5	5:25	6:30	436	440	+7.5	-7.5	
			396	400	+7.5	-7.5	7:00	7:00	396	400	+7.5	-7.5	
			376	396	+7.5	-7.5							
			368	392	+20	+5							
18-10-2010	7:00	7:00	376	404	-5	-20	19:00	23:30	376	404	-5	-20	
			436	460	+5	+20	0:10	5:00	436	460	+5	+20	
			372	376	-5	-20	5:30	7:00	372	376	-5	-20	
			360	376	+7.5	-7.5							
			348	360	+7.5	-7.5							
			356	372	-5	-20	19:00	20:05	356	372	-5	-20	
			360	368	+5	+20	21:20	2:45	360	368	+5	+20	
19-10-2010	7:00	7:00	456	480	-5	-20			456	480	-5	-20	
			436	456	-5	-20	2:50	7:00	436	456	-5	-20	
			356	360	+5	+20			356	360	+5	+20	
			340	348	+7.5	-7.5							
			336	340	+7.5	-7.5	19:00	21:10	336	340	+7.5	-7.5	
			348	356	+5	+20			348	356	+5	+20	
			340	348	+5	+20	21:20	23:00	340	348	+5	+20	
21-10-2010	7:00	19:00	-	-	-	-	-	-	-	-	-		
22-10-2010	7:00	19:00	-	-	-	-	-	-	-	-	-		
23-10-2010	7:00	7:00	336	356	-5	-20	19:00	22:40	336	356	-5	-20	
24-10-2010	7:00	7:00	430	460	+7.5	-7.5	23:30	3:20	430	460	+7.5	-7.5	
			320	334	+5	+20							
			328	336	+7.5	-7.5							
			296	320	+20	+6							
			316	336	-5	-17.5	19:00	23:00	316	336	-5	-17.5	
			480	500	-5	-20	0:00	2:00	480	500	-5	-20	
			460	500	+5	+20	2:05	7:00	460	500	+5	+20	
25-10-2010	7:00	23:00	320	328	+7.5	-7.5			320	328	+7.5	-7.5	
			284	316	-5	-17.5							
			284	304	+7.5	-7.5	19:00	23:00	284	304	+7.5	-7.5	
			280	284	+7.5	-7.5			280	284	+7.5	-7.5	
			260	296	+5	+17.5							
			276	280	+7.5	-7.5							
			264	276	+7.5	-7.5	19:00	23:00	264	276	+7.5	-7.5	
26-10-2010	7:00	23:00	260	284	-5	-17.5			260	284	-5	-17.5	
			252	264	+7.5	-7.5			252	264	+7.5	-7.5	
			248	252	+7.5	-7.5			248	252	+7.5	-7.5	
			188	260	+5	+17.5							
			240	248	+7.5	-7.5							
			256	260	-5	-17.5							
			240	256	-5	-17.5	19:00	22:00	240	256	-5	-17.5	
27-10-2010	7:00	19:00	216	240	0	-12.5			216	240	0	-12.5	
			236	240	+12.5	0	22:45	23:00	236	240	+12.5	0	
			204	236	0	+12.5							
			180	216	0	-12.5	19:00	22:55	180	216	0	-12.5	
			176	204	+12.5	0	19:00	21:50	176	204	+12.5	0	
			172	180	0	-12.5			172	180	0	-12.5	
			168	172	0	-12.5	22:05	23:00	168	172	0	-12.5	
31-10-2010	7:00	23:00	140	168	0	-12.5	19:00	23:00	140	168	0	-12.5	
			136	176	0	+12.5			136	176	0	+12.5	
			128	136	0	+12.5			128	136	0	+12.5	
			104	128	+12.5	0							
			116	140	0	-12.5	19:00	23:00	116	140	0	-12.5	
			112	116	0	-12.5			112	116	0	-12.5	
			80	112	0	-12.5							
02-11-2010	7:00	23:00	80	112	0	-12.5							
			84	104	0	+12.5	19:00	21:55	84	104	0	+12.5	

Wo Hing – Penta-Ocean Joint Venture

Contract No. 9/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

Dredging Location of GD "Shun Tai 20" during Overtime Hours 19:00 - 07:00 (next day)

Date	Working Hour fm 07:00 to 23:00 or 07:00 to 07:00 (next day)						Working Hour for overtime fm 19:00 to 23:00 or 19:00 to 07:00 (next day)					
	W Hours fm	W Hours to	Chainage fm	Chainage to	Offset fm	Offset to	OT Hours fm	OT Hours to	Chainage fm	Chainage to	Offset fm	Offset to
03-11-2010	7:00	20:30	60	84	+12.5	0						
			60	80	+17.5	+15						
			48	80	0	-12.5	19:00	20:30	48	80	0	-12.5
04-11-2010	7:00	23:00	24	48	0	-12.5	19:00	23:00	24	48	0	-12.5
			48	60	0	+12.5			48	60	0	+12.5
05-11-2010	7:00	23:00	24	48	0	+12.5	19:00	22:45	24	48	0	+12.5
			4	24	0	+12.5			4	24	0	+12.5
06-11-2010	7:00	23:00	6	24	0	-12.5	19:00	23:00	6	24	0	-12.5
			0	4	0	+12.5			0	4	0	+12.5
07-11-2010	7:00	20:00	0	-12	0	+16						
			-12	-18.5	0	+16	19:00	20:00	-12	-18.5	0	+16
08-11-2010	7:00	23:00	240	256	+5	-5	19:00	23:00	240	256	+5	-5
09-11-2010	7:00	23:00	256	280	+5	-5						
			280	308	+5	-5	19:00	23:00	280	308	+5	-5
10-11-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
11-11-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
12-11-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
13-11-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
14-11-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
15-11-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
16-11-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-
17-11-2010	7:00	7:00	504	536	+5	-5	18:30	22:20	504	536	+5	-5
			500	504	+5	-5	0:25	6:30	500	504	+5	-5
			470	500	+15	+5			470	500	+15	+5
			476	500	+5	-5			476	500	+5	-5
18-11-2010	7:00	7:00	444	476	+5	-5						
			396	444	+5	-5	19:00	23:40	396	444	+5	-5
			430	470	+15	+5	0:10	4:30	430	470	+15	+5
			392	396	+5	-5	5:55	8:00	392	396	+5	-5
19-11-2010	7:00	7:00	364	392	+5	-5						
			320	364	+5	-5	19:00	22:10	320	364	+5	-5
			460	520	-5	-15	23:20	3:15	460	520	-5	-15
			304	320	+5	-5	5:00	7:00	304	320	+5	-5
20-11-2010	7:00	7:00	620	636	+5	-5						
			636	668	+5	-5	19:00	0:40	636	668	+5	-5
			668	688	+5	-5	2:55	7:00	668	688	+5	-5
21-11-2010	7:00	7:00	688	700	+5	-5						
			700	732	+5	-5	19:00	21:00	700	732	+5	-5
			732	760	+5	-5	21:50	3:00	732	760	+5	-5
			760	780	+5	-5	3:35	7:00	760	780	+5	-5
22-11-2010	7:00	7:00	780	788	+5	-5						
			788	824	+5	-5	19:00	21:40	788	824	+5	-5
			824	832	+5	-5	2:35	7:00	824	832	+5	-5
			808	832	+7.5	+15			808	832	+7.5	+15
23-11-2010	7:00	7:00	832	848	+12.5	-5						
			848	888	+12.5	-7.5	19:00	20:50	848	888	+12.5	-7.5
			888	920	+12.5	-7.5	21:30	2:00	888	920	+12.5	-7.5
			920	952	+7.5	-7.5	2:30	6:30	920	952	+7.5	-7.5
24-11-2010	7:00	7:00	952	988	-5	+15						
			988	1012	-7.5	+7.5	19:00	22:25	988	1012	-7.5	+7.5
			1012	1044	-7.5	+5	22:50	2:50	1012	1044	-7.5	+5
25-11-2010	7:00	7:00	1044	1084	+7.5	-7.5						
			1084	1128	+7.5	-5	21:20	2:55	1084	1128	+7.5	-5
			1128	1152	+7.5	-5	3:15	7:00	1128	1152	+7.5	-5
26-11-2010	7:00	7:00	1152	1156	+5	-12.5						
			1156	1180	+5	-12.5	19:00	20:05	1156	1180	+5	-12.5
			1180	1204	+10	-10	20:40	0:45	1180	1204	+10	-10
			1204	1224	+10	-10	1:30	7:00	1204	1224	+10	-10
27-11-2010	7:00	7:00	1224	1244	+10	0						
			1244	1328	-12.5	+7.5	19:00	23:35	1244	1328	-12.5	+7.5
			1200	1244	-12.5	-5	2:00	6:00	1200	1244	-12.5	-5
			1328	1340	-12.5	-5	6:45	8:00	1328	1340	-12.5	-5
28-11-2010	7:00	7:00	1324	1360	+5	-5						
			1360	1388	0	-12.5	19:00	21:00	1360	1388	0	-12.5
			1388	1400	0	-12.5	21:50	2:00	1388	1400	0	-12.5
			1150	1200	-10	0			1150	1200	-10	0
			1150	1200	+10	0	2:40	7:00	1150	1200	+10	0
29-11-2010	7:00	7:00	1412	1420	0	+7.5						
			1420	1432	+7.5	0	19:00	7:00	1420	1432	+7.5	0
			1432	1452	+5	-5			1432	1452	+5	-5
			1452	1492	+5	-5			1452	1492	+5	-5
			1492	1500	+5	-5			1492	1500	+5	-5
30-11-2010	7:00	7:00	1492	1516	+5	-5						
			1516	1548	+5	-10	19:00	7:00	1516	1548	+5	-10
			1548	1564	+5	-10			1548	1564	+5	-10
			1564	1568	+5	-10			1564	1568	+5	-10
01-12-2010	7:00	7:00	1564	1576	-10	+5						
			1576	1620	-10	+5						
			1620	1640	-12.5	-5	19:00	7:00	1620	1640	-12.5	-5
			1620	1640	0	+7.5			1620	1640	0	+7.5
			1620	1632	+5	-5			1620	1632	+5	-5
			1632	1636	+5	-5			1632	1636	+5	-5
02-12-2010	7:00	7:00	1636	1640	+5	-5						
			1640	1644	+5	-5	19:00	7:00	1640	1644	+5	-5
			1640	1654	+5	+12.5			1640	1654	+5	+12.5
			1640	1644	-5	-12.5			1640	1644	-5	-12.5
03-12-2010	7:00	7:00	1644	1654	-5	-12.5						
			1644	1656	+5	-5						
			1656	1664	+5	-5						
			1664	1680	-15	-2.5						
			1664	1680	+2.5	+15	19:00	7:00	1664	1680	+2.5	+15
			1644	1680	-5	+5			1644	1680	-5	+5
			1680	1688	+15	+2.5			1680	1688	+15	+2.5
04-12-2010	7:00	7:00	1688	1700	+2.5	+12.5						

Wo Hing – Penta-Ocean Joint Venture

Contract No. 9/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

Dredging Location of GD "Shun Tai 20" during Overtime Hours 19:00 – 07:00 (next day)


Date	Working Hour fm 07:00 to 23:00 or 07:00 to 07:00 (next day)						Working Hour for overtime fm 19:00 to 23:00 or 19:00 to 07:00 (next day)									
	W Hours fm	W Hours to	Chalnage fm	Chalnage to	Offset fm	Offset to	OT Hours fm	OT Hours to	Chalnage fm	Chalnage to	Offset fm	Offset to				
05-12-2010	7:00	7:00	1680	1692	-2.5	-12.5	19:00	7:00	1692	1700	-2.5	-12.5				
			1692	1700	-2.5	-12.5			1680	1696	+5	-5				
			1696	1700	+5	-5			1696	1700	+5	-5				
			1700	1716	+2.5	+12.5			1700	1716	+2.5	+12.5				
			1700	1708	-2.5	-12.5			1700	1708	-2.5	-12.5				
			1708	1720	-2.5	-12.5										
			1700	1704	-5	+5										
			1704	1720	+5	-5										
			1720	1736	+2.5	+12.5										
			1736	1744	+2.5	+12.5					19:00	7:00	1736	1744	+2.5	+12.5
06-12-2010	7:00	7:00	1720	1744	-12.5	-2.5	19:00	7:00	1720	1744	-12.5	-2.5				
			1720	1732	-5	-5			1720	1732	+5	-5				
			1732	1740	+5	-5			1732	1740	+5	-5				
			1740	1744	+5	-5			1740	1744	+5	-5				
			1744	1752	0	+12.5			1744	1752	0	+12.5				
			1752	1756	0	+12.5			1752	1756	0	+12.5				
			1744	1748	0	-12.5			1744	1748	0	-12.5				
			1748	1776	-12.5	0										
			1756	1796	0	+12.5					19:00	7:00	1756	1796	0	+12.5
			1776	1792	-12.5	0							1776	1792	-12.5	0
07-12-2010	7:00	7:00	1792	1796	-12.5	0	19:00	7:00	1792	1796	-12.5	0				
			1796	1808	0	-12.5										
			1808	1828	0	-12.5										
			1808	1840	0	+12.5					19:00	23:00	1808	1840	0	+12.5
			1828	1836	0	-12.5					23:00	7:00	1828	1836	0	-12.5
			1836	1860	-12.5	0										
			1840	1850	0	+12.5										
			1860	1900	0	-12.5					19:00	21:25	1860	1900	0	-12.5
			1860	1868	0	+12.5					22:00	23:00	1860	1868	0	+12.5
			1868	1872	0	-12.5					23:00	7:00	1868	1872	0	+12.5
10-12-2010	7:00	7:00	1872	1900	0	+12.5	19:00	7:00	1872	1900	0	+12.5				
			1900	1920	0	-12.5					19:00	7:00	1900	1920	0	+12.5
			1900	1916	0	-12.5							1900	1916	0	-12.5
			1914	1932	0	-12.5							1914	1932	0	-12.5
			1920	1924	0	+12.5							1920	1924	0	+12.5
			1924	1956	0	-12.5										
			1932	1940	-12.5	0					19:00	7:00	1932	1940	-12.5	0
			1900	1940	-12.5	0							1900	1940	-12.5	0
			1900	1924	0	+12.5							1900	1924	0	+12.5
			1924	1932	0	+12.5							1924	1932	0	+12.5
12-12-2010	7:00	19:00	1932	1944	0	+12.5	-	-	1932	1944	0	+12.5				
			1900	1872	0	+12.5										
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			7:00	7:00	330	380			+15	-15	19:00	7:00	330	380	+15	-15
			7:00	7:00	380	575			+10	-10	19:00	7:00	380	575	+10	-10
23-12-2010	7:00	7:00	575	610	+10	-10	19:00	7:00	575	610	+10	-10				
			610	930	+10	-10					19:00	7:00	610	930	+10	-10
			930	1200	+10	-10					19:00	7:00	930	1200	+10	-10
			1200	1250	+10	-10										
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			7:00	7:00	1670	1680			+5	-10						
			7:00	7:00	1680	1720			+10	-10	19:00	7:00	1680	1720	+10	-10
			7:00	7:00	1744	1780			0	-12.5			1744	1780	0	-12.5
7:00	7:00	1744	1752	0	+12.5			1744	1752	0	+12.5					
28-12-2010	7:00	19:00	-	-	-	-	-	-	-	-	-	-				
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			-	-	-	-										
			7:00	7:00	1812	1832			-12.5	0	19:00	7:00	1812	1832	-12.5	0
			7:00	7:00	1832	1844			-12.5	0			1832	1844	-12.5	0
7:00	7:00	1816	1828	0	+12.5			1816	1828	0			+12.5			
7:00	7:00	1836	1852	0	+12.5											
7:00	7:00	1844	1852	0	-12.5											
7:00	7:00	1852	1872	0	+12.5											
7:00	7:00	1852	1856	0	-12.5			19:00	7:00	1852			1872	0	+12.5	
7:00	7:00	1852	1856	0	-12.5			1852	1856	0			-12.5			

NOTE:

LOGISTIC OF DREDGING


- STAGE 1 - TYPE 2 MARINE SEDIMENT
① → ② → ③ → ④ → ⑤ → ⑥ → ⑦ → ⑧
- STAGE 2 - TYPE 1 MARINE SEDIMENT
③ → ④ → ⑤ → ⑥ → ⑦ → ⑧
- STAGE 3 - TYPE 1 MARINE SEDIMENT
④ → ⑤ → ⑥ → ⑦ → ⑧
- STAGE 4 - TYPE 10 MARINE SEDIMENT
④ → ⑤ → ⑥ → ⑦ → ⑧
- STAGE 5 - TYPE 1 MARINE SEDIMENT
④ → ⑤ → ⑥ → ⑦ → ⑧

IF SIMILAR DISPOSAL SITE IS DEDICATED FOR TYPE 10 AND TYPE 1 MARINE SEDIMENT DREDGING LOGISTIC AT ② WILL BE DELETED AND INCLUDED IN ⑬ AND ⑭



West Kowloon

LONGITUDINAL SECTION OF DREDGING TRENCH




- LEGEND:
- TYPE 1 - OPEN SEA DISPOSAL
 - TYPE 10 - OPEN SEA DISPOSAL (DEDICATED SITES)
 - TYPE 2 - CONFINED MARINE DISPOSAL
 - TYPE 1 - CONFINED MARINE DISPOSAL


THE NUMBER INDICATE THE SEQUENCE OF DREDGING

CONTRACTOR	WONG-PENTACON JOINT VENTURE 和興五洋聯合	CONTRACT NO. 91/WSD/08	Laying of Western Cross Harbour Main and Associated Land Mains from West Kowloon to Sai Ying Pun	DRAWN BY	TONY TANG	SCALE	NTS
				CHECKED BY	STANLEY LING	DWG No.	SK-D-002
		INWARD TITLE	DREDGING LOGISTIC	DATE	08 Apr 2010	REVISION	D

NOTES :




No.	Drawn By	Checked By	Date	Scale	Sheet No.	Total Sheets


THE GOVERNMENT OF THE HONG KONG SPECIAL ADMINISTRATIVE REGION WATER SUPPLIES DEPARTMENT

CONTRACT TITLE :
 TUNING OF WESTER CROSS WATERBURY DAM AND PROVISION OF WATER MAINS FROM WLS1 KOWLOON TO SA AND PAP
 (CONTRACT NO. WMS2008)

CLIENT :
 THE HONG KONG GOVERNMENT
 WATER SUPPLIES DEPARTMENT


CONTRACTOR :

Mott MacDonald
 Mott MacDonald Hong Kong Limited
 Main Contractor

PROJECT :
 GRID PLAN OF THE EXTENT AND LEVEL OF TYPE 2 SEDIMENT TO BE DREDGED

Date : 17 June 2010
 Drawn By : [Signature]
 Checked By : [Signature]
 Scale : 1:1000
 Sheet No. : SK-D-011



Figures




Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun

Figure 1

Location of Noise Monitoring Station at West Kowloon



東業建築測試顧問有限公司
ETS-TESTCONSULT LIMITED



Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun

Figure 2

Locations of Noise Monitoring Stations at Sai Ying Pun



Assessment Point	Type	LOCATION
R1	Option Satisfy	Shek Tin Tin Tin Tipson
R2	Sensitive Receiver of Marine Ecology	Green Island
R3	Sensitive Receiver of Marine Ecology	Green Island
R4	Sensitive Receiver of Marine Ecology	Green Island
R5	Sensitive Receiver of Marine Ecology	Green Island
R6	Sensitive Receiver of Marine Ecology	Green Island
R7	Sensitive Receiver of Marine Ecology	Green Island
R8	Sensitive Receiver of Marine Ecology	Green Island
R9	Sensitive Receiver of Marine Ecology	Green Island
R10	Sensitive Receiver of Marine Ecology	Green Island
R11	Sensitive Receiver of Marine Ecology	Green Island
R12	Sensitive Receiver of Marine Ecology	Green Island
R13	Sensitive Receiver of Marine Ecology	Green Island
R14	Sensitive Receiver of Marine Ecology	Green Island
R15	Sensitive Receiver of Marine Ecology	Green Island
R16	Sensitive Receiver of Marine Ecology	Green Island
R17	Sensitive Receiver of Marine Ecology	Green Island
R18	Sensitive Receiver of Marine Ecology	Green Island
R19	Sensitive Receiver of Marine Ecology	Green Island
R20	Sensitive Receiver of Marine Ecology	Green Island
R21	Sensitive Receiver of Marine Ecology	Green Island
R22	Sensitive Receiver of Marine Ecology	Green Island
R23	Sensitive Receiver of Marine Ecology	Green Island
R24	Sensitive Receiver of Marine Ecology	Green Island
R25	Sensitive Receiver of Marine Ecology	Green Island
R26	Sensitive Receiver of Marine Ecology	Green Island
R27	Sensitive Receiver of Marine Ecology	Green Island
R28	Sensitive Receiver of Marine Ecology	Green Island
R29	Sensitive Receiver of Marine Ecology	Green Island

Assessment Point	Type	LOCATION
R1	Option Satisfy	Shek Tin Tin Tin Tipson
R2	Sensitive Receiver of Marine Ecology	Green Island
R3	Sensitive Receiver of Marine Ecology	Green Island
R4	Sensitive Receiver of Marine Ecology	Green Island
R5	Sensitive Receiver of Marine Ecology	Green Island
R6	Sensitive Receiver of Marine Ecology	Green Island
R7	Sensitive Receiver of Marine Ecology	Green Island
R8	Sensitive Receiver of Marine Ecology	Green Island
R9	Sensitive Receiver of Marine Ecology	Green Island
R10	Sensitive Receiver of Marine Ecology	Green Island
R11	Sensitive Receiver of Marine Ecology	Green Island
R12	Sensitive Receiver of Marine Ecology	Green Island
R13	Sensitive Receiver of Marine Ecology	Green Island
R14	Sensitive Receiver of Marine Ecology	Green Island
R15	Sensitive Receiver of Marine Ecology	Green Island
R16	Sensitive Receiver of Marine Ecology	Green Island
R17	Sensitive Receiver of Marine Ecology	Green Island
R18	Sensitive Receiver of Marine Ecology	Green Island
R19	Sensitive Receiver of Marine Ecology	Green Island
R20	Sensitive Receiver of Marine Ecology	Green Island
R21	Sensitive Receiver of Marine Ecology	Green Island
R22	Sensitive Receiver of Marine Ecology	Green Island
R23	Sensitive Receiver of Marine Ecology	Green Island
R24	Sensitive Receiver of Marine Ecology	Green Island
R25	Sensitive Receiver of Marine Ecology	Green Island
R26	Sensitive Receiver of Marine Ecology	Green Island
R27	Sensitive Receiver of Marine Ecology	Green Island
R28	Sensitive Receiver of Marine Ecology	Green Island
R29	Sensitive Receiver of Marine Ecology	Green Island

**Mott
Macdonald**
 Mott MacDonald Limited
 407th Maxwell Centre
 100th Street, Suite 1000
 Hong Kong
 Tel: 852 2507 9387
 Fax: 852 2507 1888
 Web: www.mottmac.com

**THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT**


Project No: CE42/2005(W5)
 Project: LAYING OF WESTERN CROSS HARBOUR MAIN AND ASSOCIATED LAND MAINS FROM WEST KOWLOON TO SAI YING PUN - INVESTIGATION
 Title: LOCATIONS OF WATER SENSITIVE RECEIVERS AND STORMWATER OUTFALLS AT WESTERN HARBOUR

No.	REV	DATE	DESCRIPTION
1	1	15/05/06	PRELIMINARY

Drawing No.	Scale	Project No.	Title
CE42/2005(W5)	1:25000(0A1)	CE42/2005(W5)	LOCATIONS OF WATER SENSITIVE RECEIVERS AND STORMWATER OUTFALLS AT WESTERN HARBOUR

Drawing No. CE42/2005(W5)
 Scale: 1:25000(0A1)
 Project No. CE42/2005(W5)
 Title: LOCATIONS OF WATER SENSITIVE RECEIVERS AND STORMWATER OUTFALLS AT WESTERN HARBOUR

© COPYRIGHT RESERVED
 FIGURE 1.20
 A



Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun

Figure 3

Locations of Water Quality Monitoring Stations



東業儀器測試顧問有限公司
ETS-TESTCONSULT LIMITED



LEGEND:

- PROPOSED ROUTE OF 1200MM FRESH WATER MAIN
- NOISE SENSITIVE RECEIVERS
- 50% NOISE ASSESSMENT BOUNDARY
- WORKS AREA BOUNDARY

A. 10/05	1/01	PRELIMINARY	2/2/2004
Rev	Date	Issue	Description

**Mott
Connell**

Mott Connell Limited
1201 Century Road East
Hong Kong
Tel: 8522 0567
Fax: 8522 1824
www.mottconnell.com

**THE GOVERNMENT OF THE HONG KONG
SPECIAL ADMINISTRATIVE REGION
WATER SUPPLIES DEPARTMENT**


DE42/2003(VS)
LAYING OF WESTERN CROSS HARBOUR MAIN
AND ASSOCIATED LAND MAINS FROM WEST
KOWLOON TO SAI YING PUN - INVESTIGATION

LOCATIONS OF NOISE SENSITIVE
RECEIVERS IN SAI YING PUN

Checked	Per. Date	Checked	Per. Date
Drawn	1/01	Approved	
Project No.	1 : 2000(A1)	Project	
Scale	1 : 2000(A1)	Scale	
Sheet No.		Sheet	A

LEGEND:

- PROPOSED ROUTE OF FRESH WATER MAIN
- NOISE SENSITIVE RECEIVERS
- TEMPORARY PLATFORM
- 300m NOISE ASSESSMENT BOUNDARY
- WORKS AREA BOUNDARY



A. 03/05 L.V. PRELIMINARY
 Date: 03/05
 Scale: 1:5000
 Drawn by: [Name]
 Checked by: [Name]

m Mott
Connell
 Mott Connell Limited
 100 Queen's Road West
 Hong Kong
 Tel: 8522 0057
 Fax: 8522 0058
 Web: www.mottconnell.com

THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

Project No.: CE42/2005 (WS)

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SAU YING PUN - INVESTIGATION

LOCATION OF NOISE SENSITIVE
 RECEIVERS IN WEST KOWLOON

Project	Phase	LVK	Completion	Approved
1: 40006A1	Site Plan			
Drawing No. 1: 40006A1				
Scale: 1:5000				
Drawing Date: 03/05				

© COPYRIGHT RESERVED

FIGURE 1.2c

A

This document should not be relied on or used for any other purpose without the prior written consent of the Mott Connell Limited. The design and construction of the project is subject to the approval of the relevant government departments.