

東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong

Tel : 2695 8318

E-mail : etl@ets-testconsult.com

Fax : 2695 3944

Web site : www.ets-testconsult.com

TEST REPORT

WO HING – PENTA-OCEAN JOINT VENTURE

**CONTRACT NO. 9/WSD/08
LAYING OF WESTERN CROSS
HARBOUR MAIN AND ASSOCIATED
LAND MAINS FROM WEST
KOWLOON TO SAI YING PUN**

**MONTHLY EM&A REPORT
NO.21**

(JANUARY 2012)

Prepared by:

LAW, Sau Yee
Senior Environmental Officer

Checked by:

LAU, Chi Leung
Environmental Team Leader

Issued Date: 04 February 2012

Report No.: ENA20101

Ref.: WSDWHCMSEI00_0_0226L.12

6th Feb 2012

Water Supplies Department
Sha Tin Office
6/F Sha Tin Government Offices
1 Sheung Wo Che Road
Sha Tin, NT

By Post

Attention: Mr. Johnny Ho

Dear Sir,


Re: Contact No. 9/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains from West Kowloon to Sai Ying Pun
Monthly Environmental Monitoring and Audit Report No. 21

Reference is made to Environment Team's submission of the Environmental Monitoring and Audit Report No. 21 by Email on 4th Feb 2012 (entitled "9/WSD/08 - Draft Monthly Report (Jan 12)") and the subsequent revision of the report by Email on 6th Feb 2012.

We are pleased to inform you that we have no comment on the captioned revised report.

Thank you very much for your kind attention and please do not hesitate to contact the undersigned should you have any queries.

Yours sincerely,



David Yeung
Independent Environmental Checker

c.c.	Mott MacDonald Hong Kong Limited	Mr. Kelvin Ho	Fax: 2377 2900
	Wo Hing – Penta-Ocean Joint Venture	Mr. Danny Ho	Fax: 2572 4080
	ETS-TESTCONSULT LIMITED	Mr. C.L. Lau	Fax: 2695 3944

Q:\Projects\WSDWHCMSEI00\Corr\Out\WSDWHCMSEI00_0_0226L.12.doc



TABLE OF CONTENTS		Page
EXECUTIVE SUMMARY		
1.0	INTRODUCTION	1
2.0	PROJECT INFORMATION	
	2.1 Scope of the Project	1
	2.2 Work Programme	1
	2.3 Project Organization and Management Structure	1
	2.4 Contact Details of Key Personnel	1
3.0	WORK PROGRESS IN THIS REPORTING MONTH	1 – 2
4.0	NOISE MONITORING	
	4.1 Monitoring Requirements	2
	4.2 Monitoring Equipment	2
	4.3 Monitoring Parameters, Duration and Frequency	2
	4.4 Monitoring Locations	3
	4.5 Monitoring Methodology	3 – 4
	4.6 Action and Limit levels	4
	4.7 Event-Action Plans	4
	4.8 Results	4 – 7
5.0	WATER QUALITY MONITORING	
	5.1 Monitoring Requirements	7
	5.2 Monitoring Locations	7 – 8
	5.3 Monitoring Parameters	8
	5.4 Monitoring Frequency	8
	5.5 Monitoring Methodology and Equipment Used	8 – 9
	5.6 Details of site Equipment used for In-situ Measurement	9
	5.7 Quality Assurance (QA) / Quality Control (QC) results and Determination Limits	10
	5.8 Action and Limit Level	10
	5.9 Event and Action Plan	10
	5.10 Monitoring Duration and Period In this reporting month	10 – 11
	5.11 Results	11
6.0	SITE INSPECTION	11
	6.1 Summary of the ET weekly site inspection findings	11
	6.2 Recommendations on site inspection findings in Site Inspections of this month	11
7.0	STATUS OF ENVIRONMENTAL PERMITS	12
8.0	WASTE MANAGEMENT	
	8.1 Monthly Waste Summary	13
	8.2 Advice on the Solid and Liquid Waste Management Status	13
9.0	ENVIRONMENTAL NON-CONFORMANCE	
	9.1 Summary of Noise and Water Quality	13
	9.2 Summary of Environmental Complaints	13
	9.3 Summary of Notification of Summons and Prosecution	14
10.0	IMPLEMENTATION STATUS	
	10.1 Implementation Status of Environmental Mitigation Measures	14
	10.2 Implementation Status of Event and Action Plan	14
	10.3 Implementation Status of Environmental Complaint, Notifications of Summons and Successful Prosecutions Handling	14
11.0	CONCLUSION AND RECOMMENDATIONS	14 – 15
12.0	FUTURE KEY ISSUE	
	12.1 Work Programme for the Coming Month	15
	12.2 Key Issues for the Coming Month	15 – 16
	12.3 Monitoring Schedule for the Coming Month	16



APPENDIX

A	Organization Chart and Lines of Communication
B1	Calibration Certificates for Impact Noise Monitoring Equipment
B2	Impact Noise Monitoring Results
B3	Graphical Plots of Impact Noise Monitoring Data
C1	Calibration Certificates for Impact Water Quality Monitoring Equipment
C2	Impact Water Quality Monitoring Results
C3	Graphical Plots of Impact Water Quality Monitoring Data
C4	QA/QC Results of Laboratory Analysis for Water Samples
D	Event-Action Plans
E	Work Programme
F	ET Weekly Site Inspection Records
G	Implementation Schedule of Mitigation Measures
H	Site General Layout Plan
I	Monitoring Schedule for this month and Coming Month
J	Daily dredging Summary
K	Complaint Log
L	Details of Interim Notifications of Exceedance (NOEs) in this reporting month

Figures

Figure 1	Location of Noise Monitoring Station at West Kowloon
Figure 2	Location of Noise Monitoring Stations at Sai Yung Pun
Figure 3	Locations of Water Quality Monitoring Stations
Figure 1.2a	Locations of Water Sensitive Receivers and stormwater outfalls at Western Harbour
Figure 1.2b	Locations of Noise Sensitive Receivers at Sai Ying Pun
Figure 1.2c	Locations of Noise Sensitive Receivers at West Kowloon

Tables

2.1	Contact Details of Key Personnel
4.1	Noise Monitoring Equipment
4.2	Duration, Frequency and Parameters of Noise Monitoring
4.3	Noise Monitoring Stations
4.4	Action and Limit levels for Noise Monitoring
4.5	Summary of Noise Daytime Monitoring Results
5.1	Water Quality Monitoring Stations
5.2	Water Quality Monitoring Parameters
5.3	Other relevant water quality parameters
5.4	Monitoring Frequency of Impact Water Quality Monitoring
5.5	Details of Monitoring Equipment (In-situ measurement)
5.6	Summary of test method
5.7	Water Quality Action and Limit Levels
5.8	Schedule for Impact Water Quality Monitoring
5.9	Summary of Impact Marine Water Quality Exceedances in this reporting month
7.1	Summary of Environmental Licensing and Permit valid in this reporting month
8.1	Summary of Quantities of Waste for Disposal in this reporting month
10.1	Summary of Environmental Complaints and Prosecutions



EXECUTIVE SUMMARY

Under the requirements of "Environmental Monitoring & Audit Manual – Agreement No. CE42/2005(W/S) Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the EM&A Manual), impact noise monitoring and water quality monitoring is required to be implemented for the "Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the Project).

This monthly Environmental Monitoring and Audit (EM&A) report No.21 was prepared by ETS-Testconsult Ltd (ET) for the Project. This report documented the findings of EM&A Works conducted during the Project in January 2012.

Site Activities

As informed by the Contractor, the site activities in this reporting month were as below:

- Re-installation of the vertical seawall (Portion J);
- Connection of the land portion of the submarine pipeline (Portion J); and
- Placing of Rock Armour (Type 2) to the submarine main (Portion I).

Environmental Monitoring Progress

The summary of the monitoring activities in this monitoring month is listed below:

- Day-time Noise Monitoring (0700-1900 on normal weekday): 4 Occasions at KS6, 4 Occasions at KY3, CGa and RWM
- Evening-time Noise Monitoring (1900-2300): 4 Occasions at KS6, CGa, RWM and KY3
- Night-time Noise Monitoring (2300-0700 of next day): 1 Occasion at KS6, CGa, RWM and KY3
- Holiday-time Noise Monitoring (0700-1900 on Holiday): 5 Occasions at KS6, CGa, RWM and KY3
- Marine Water Quality Monitoring: 11 Occasions at 9 monitoring stations and 4 control stations
- Weekly-site inspection: 4 Occasions

Noise Monitoring

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Twelve exceedances in Limit Level were recorded according to the results from night-time noise monitoring on 14 January 2012 (2300-2400) at KY3, RWM and CGa and 15 January 2012 (0000-0100) at KS6. However, all of the exceedances were considered to be invalid (not project related) and no further actions were required.

Water Quality Monitoring

No exceedance of Action and Limit levels was recorded for water quality monitoring in the reporting month.

Site Inspection

Environmental site inspections conducted in this reporting month are presented as follows:

<u>Concerned Parties</u>	<u>Dates of Audit / Inspection</u>
ET Weekly site inspection	05, 11, 17 and 27 January 2012
Monthly Joint site inspection	11 January 2012

In general, performance on environmental mitigation measures implemented was found to be satisfactory in this reporting month. The major findings observed during site inspections are presented in the Section 6.0.

Environmental Complaints, Notification of summons and successful prosecutions

No complaint, notification of summons and prosecution with respect to environmental issues was received in this reporting month.

Change in Environmental Aspect in this Reporting Month

No change on environmental aspect was reported in this reporting month.



Future Key Issues

Based on the forecast of engineering works in the coming month, key issues to be considered are as follows:

- *Noise and dust impact due to construction works;*
- *Use and maintain silt curtain and silt screen properly;*
- *Clean up the fill material along the barge frequently;*
- *Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste; and*
- *Maintain good site practice to minimize environmental impacts at the site.*



1.0 INTRODUCTION

Wo Hing – Penta-Ocean Joint Venture (WHPOJV) appointed Environmental Team of ETS-Testconsult Limited (ETL) to undertake the Environmental Impact Monitoring for “Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun” (the Project) under the requirements of “Environmental Monitoring & Audit Manual – Agreement No. CE42/2005(W.S) Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun” (the EM&A Manual).

This report documented the findings of EM&A Works conducted in January 2012.

2.0 PROJECT INFORMATION

2.1 Scope of the Project

The construction works of the Project are located in West Kowloon, across the Victoria Harbour and in Sai Ying Pun.

The construction works under this Project are briefly described, without limitation, as follow:

- Laying of about 1.5km of 1200mm diameter steel fresh water mains at West Kowloon;
- Laying of about 2.1km of 1200mm diameter steel submarine pipeline from West Kowloon to Sai Ying Pun including dredging, cathodic protection system and other associated works;
- Laying of about 0.4km of 1200mm diameter steel fresh water main at Sai Ying Pun;
- Laying of about 0.5km of 800mm diameter steel salt water main at West Kowloon;
- Construction of motorized butterfly valve (MBV) and the associated facilities in the vicinity of Sun Yat Sen Memorial Park at Sai Ying Pun;
- Construction of all chambers associated with pipeworks;
- Making service connections;
- Ancillary works including but not limited to reinstatement of roads, landscaping works.

Areas of the Project present in Appendix H. Locations of environmental monitoring stations and sensitive receivers are shown in Figures 1, 2, 3, 1.2a, 1.2b and 1.2c

2.2 Work Programme

Details of work programme are shown in Appendix E.

2.3 Project Organization and Management Structure

The organization chart and lines of communication with respect to the on-site environmental management and monitoring program are shown in Appendix A.

2.4 Contact Details of Key Personnel

The key personnel contact names and telephone numbers are shown in Table 2.1.

Table 2.1 Contact Details of Key Personnel

<i>Project Role</i>	<i>Organization</i>	<i>Name of Key Staff</i>	<i>Tel. No.</i>	<i>Fax No.</i>
<i>Engineer's Representative</i>	<i>Mott MacDonald</i>	<i>Mr. Kelvin Ho</i>	<i>2377 2823</i>	<i>2377 2900</i>
<i>IEC</i>	<i>Environ</i>	<i>Mr David Yeung</i>	<i>3743 0788</i>	<i>3548 6988</i>
<i>Contractor's Agent</i>	<i>WHPOJV</i>	<i>Mr. Danny Ho</i>	<i>2695 8318</i>	<i>2957 8213</i>
<i>ET Leader</i>	<i>ET (ETL)</i>	<i>Mr C. L. Lau</i>	<i>2946 7791</i>	<i>2695 3944</i>

3.0 WORK PROGRESS IN THIS REPORTING MONTH

As informed by the Contractor, the activities in the reporting month include:

- *Re-installation of the vertical seawall (Portion J);*
- *Connection of the land portion of the submarine pipeline (Portion J); and*
- *Placing of Rock Armour (Type 2) to the submarine main (Portion I).*



4.0 IMPACT NOISE MONITORING

4.1 Monitoring Requirements

As the requirement in the EM&A Manual, impact noise monitoring was conducted for a weekly basis at designated monitoring locations.

4.2 Monitoring Equipment

Integrating Sound Level Meters used for impact noise monitoring were Type 1 sound level meters capable of giving a continuous readout of the noise level reading including equivalent continuous sound pressure level (L_{eq}) and percentile sound pressure level (L_x). They complied with International Electro technical Commission Publications 651:1979 (Type1) and speed in m/s was used to monitor the wind speed. Table 4.1 summarized the noise monitoring equipment model used during the impact monitoring. Copies of calibration certificates and Calibration Summary for noise meters and calibrators used are attached in Appendix B1.

Table 4.1 Noise Monitoring Equipment

Equipment	Model	Equipment No.	Serial No.	Calibration Date.	Expired Date
Sound Level Meter	Rion NL-31 Sound Level Meter	ET/EN/003/06	00110024	15/04/11	14/04/12
		ET/EN/003/10	00531142	24/05/11	23/05/12
		ET/EN/003/13	00593620	08/09/11	07/09/12
Sound Level Calibrator	Rion NC-73 Sound Level Calibrator	ET/EN/002/01	10196943	07/11/11	06/11/12
Anemometer	AZ Instrument AZ 8908	ET/EN/001/03	9101259	10/11/11	09/11/12

4.3 Monitoring Parameters, Duration and Frequency

Impact noise monitoring for the A-weighted levels L_{eq} , L_{10} and L_{90} were recorded once per week. Data obtained from impact noise monitoring was processed and presented as below:

- Daytime: three sets of 30-minute noise level monitored between 0700-1900 hrs on normal weekdays;
- Evening-time*: three sets of 5-minute noise level monitored between 1900-2300 hrs ;
- Night-time*: three sets of 5-minute noise level monitored between 2300-0700 hrs of next day; and
- Holiday*: three sets of 5-minute noise level monitored between 0700-1900 hrs on holiday.

(*): Noise monitoring to be conducted only when there is construction work.

Duration, frequencies and parameters of noise measurement are presented in Table 4.2.

Table 4.2 Duration, Frequencies and Parameters of Noise Monitoring

Time period	Duration/min	No. of Set(s)	Parameters
Day-time: 0700-1900 hrs on normal weekday	30	1	L_{eq} , L_{10} , L_{90}
Evening-time: 1900-2300 hrs	5	3	L_{eq} , L_{10} , L_{90}
Night-time: 2300-0700 hrs of next day	5	3	L_{eq} , L_{10} , L_{90}
Holiday-time: 0700-1900 hrs on holiday	5	3	L_{eq} , L_{10} , L_{90}



4.4 Monitoring Locations

In accordance with the EM&A Manual, the proposed noise monitoring station at the Harbourside (KS4) was cancelled since the owner of the Harbourside and nearby NSRs rejected to perform baseline and impact noise monitoring at their property. As a result, there was one noise monitoring location KS6 (The Cullinan) selected at West Kowloon to conduct impact environmental monitoring. At Sai Yung Pun, the location at the noise station CG (Connaught Garden) was unavailable for impact noise measurement because the building repairing and maintenance works was carrying out in the Connaught Garden and will be finished in June 2011. Hence, noise monitoring at noise station CG was moved to another noise station CGa (pavement in front of Connaught Garden) temporarily until the completion of repairing and maintenance works at Connaught Garden since CGa locates close to the major site activities which are likely to have noise impacts and low disturbance to the occupants was observed during the noise monitoring. As a result, there were three noise monitoring locations, CGa (Pavement in front of Connaught Garden), RWM (Roof at Richwealth Mansion) and KY3 (Roof at Kwan Yik Building Phase 3) selected to conduct impact environmental monitoring.

Beside, the locations at the noise stations, RWM (Roof at Richwealth Mansion) and KY3 (Roof at Kwan Yik Building Phase 3), were unavailable for impact evening-time and night-time noise measurement because the building owners reject ET to carry out noise monitoring during such two periods due to security. Hence, evening-time and night-time noise monitoring at noise stations, RWM and KY3 were moved to pavement in front of Richwealth Mansion and Kwan Yik Building Phase 3. The details of noise monitoring stations are summarized in Table 4.3.

Table 4.3 Noise Monitoring Stations

<i>Daytime and Holiday-time Noise monitoring station</i>	<i>Description of location</i>	<i>Type of Measurement</i>
KS6	Podium at the Culliman	Façade
CGa	Pavement in front of Connaught Garden	Façade
RWM	Roof at Richwealth Mansion	Free Field
KY3	Roof at Kwan Yik Building Phase 3	Free Field
<i>Evening-time and Night-time Noise monitoring station</i>	<i>Description of location</i>	<i>Type of Measurement</i>
KS6	Podium at the Culliman	Façade
CGa	Pavement in front of Connaught Garden	Façade
RWM	Pavement at Richwealth Mansion	Façade
KY3	Pavement at Kwan Yik Building Phase 3	Façade

4.5 Monitoring Methodology

Instrumentation

Integrating Sound Level Meters were employed for noise monitoring.

Operation/Analysis Procedures

- Sound Level Meter was set on a tripod at a height of 1.2m above the ground;
- For free field measurement, the meter was positioned away from any nearby reflective surfaces.
- The battery condition was checked to ensure the correct functioning of the meter.
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
 - Frequency weighting : A
 - Time weighting : Fast
 - Time measurement : 30 mins
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94 dB at 1000HZ. If the difference in the calibration level before and after measurement was more than 1.0 dB(A), the measurement would be considered invalid and repeat measurement would be required after re-calibration or repair of the equipment;
- During the monitoring period, the L_{eq} , L_{10} and L_{90} were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet;
- 3dB(A) correction had been added to the results if noise measurements were free-field;

- Noise measurement may be paused during periods of high intrusive noise (e.g. dog barking directly towards the receiver of noise level meter). If noise measurement was paused during high intrusive noise, the noise level meter would be resumed and continued the noise measurement and the observations would also be recorded. Any pause intervals were not included in the measurement time; and
- Noise monitoring would be cancelled in the presence of fog, rain, storm, wind with a steady speed exceeding 5m/s, or wind gusts exceeding 10m/s.

Maintenance and Calibration

- The microphone head of the sound level meter and calibrator are cleaned with soft cloth at quarterly intervals; and
- The meters are sent to supplier or HOKLAS laboratory to check and calibrated at yearly intervals.

4.6 Actions and Limit Levels

The Action and Limit Levels (AL Levels) were established in accordance to the Table 4.2 of the EM&A Manual. Table 4.4 presents the AL levels for noise monitoring.

Table 4.4 Action and Limit Levels for Noise Monitoring

Time Period	Action	Limit
0700 –1900 hrs on normal weekday (Day-time)	When one documented complaint is received	75 dB(A) *
1900-2300 hrs (Evening-time)		70 dB(A)
0700-1900 hrs on Holiday (Holiday-time)		70 dB(A)
Restricted hours (2300-0700 hrs of next day) (Night-time)		55 dB(A)

* reduce to 70dB(A) for school and 65dB(A) during school examination periods

4.7 Event-Action Plans

Should the results of the monitoring parameters at any designated monitoring stations indicate that the noise level criteria are exceeded, the actions in accordance with the Event and Action Plan that summarized in Appendix D should be carried out.

4.8 Results

Totally 4 occasions at KS6 and 4 occasions at CGa, RWM and KY3 of day-time noise monitoring, 4 occasion of evening-time noise monitoring at KS6, CGa, RWM and KY3, 1 occasion of night-time noise monitoring and 5 occasions of holiday-time noise monitoring at KS6, CGa, RWM and KY3 were carried out in this reporting month.

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Twelve exceedances in Limit Level were recorded according to the results from night-time noise monitoring on 14 January 2012 (2300-2400) at KY3, RWM and CGa and 15 January 2012 (0000-0100) at KS6. However, all of the exceedances were considered to be invalid (not project related) and no further actions were required. Interim notifications of exceedance (NOEs) for all exceedances were issued to EPD, ER, IEC and the Contractor by ET. The details of NOEs present in Appendix L.

Table 4.5 summaries the noise daytime monitoring results in the reporting period.

Table 4.5 Summary of Noise Daytime Monitoring Results

Monitoring Parameter	Date	KS6		
		Time	Result	Exceed*
Day-time	06/01/12	16:00	64.0	X
	13/01/12	16:05	63.8	X
	18/01/12	15:30	64.1	X
	28/01/12	13:40	61.9	X
Evening-time	07/01/12	19:00	62.4	X
	07/01/12	19:05	63.0	X
	07/01/12	19:10	62.2	X
	14/01/12	20:10	62.3	X
	14/01/12	20:15	62.0	X
	14/01/12	20:20	62.1	X



Monitoring Parameter	Date	KS6			
		Time	Result	Exceed*	
Evening-time	21/01/12	20:30	63.7	X	
	21/01/12	20:35	62.8	X	
	21/01/12	20:40	63.6	X	
	28/01/12	20:40	59.1	X	
	28/01/12	20:45	59.6	X	
Night-time	28/01/12	20:50	59.2	X	
	15/01/12	00:25	58.9	L	
	15/01/12	00:30	58.6	L	
Holiday-time	15/01/12	00:35	58.0	L	
	01/01/12	16:05	65.3	X	
	01/01/12	16:10	65.7	X	
	01/01/12	16:15	64.9	X	
	08/01/12	09:20	61.0	X	
	08/01/12	09:25	62.1	X	
	08/01/12	09:30	62.5	X	
	15/01/12	14:35	63.1	X	
	15/01/12	14:40	63.6	X	
	15/01/12	14:45	63.3	X	
	22/01/12	10:55	63.2	X	
	22/01/12	11:00	62.7	X	
	22/01/12	11:05	63.5	X	
Day-time	29/01/12	09:00	59.0	X	
	29/01/12	09:05	59.3	X	
	29/01/12	09:10	59.6	X	
	Day-time	04/01/12	16:55	72.6	X
		11/01/12	10:30	74.6	X
		18/01/12	15:55	74.1	X
		27/01/12	11:10	72.0	X
	Evening-time	07/01/12	20:10	67.7	X
		07/01/12	20:15	67.9	X
		07/01/12	20:20	67.5	X
		14/01/12	21:20	69.6	X
		14/01/12	21:25	69.4	X
		14/01/12	21:30	68.5	X
21/01/12		21:15	69.9	X	
21/01/12		21:20	69.6	X	
21/01/12		21:25	69.2	X	
28/01/12		21:45	67.7	X	
Night-time	28/01/12	21:50	68.0	X	
	28/01/12	21:55	67.9	X	
	14/01/12	23:40	64.8	L	
	14/01/12	23:45	64.8	L	
Holiday-time	14/01/12	23:50	64.5	L	
	01/01/12	16:50	69.1	X	
	01/01/12	16:55	69.7	X	
	01/01/12	17:00	69.5	X	
	08/01/12	10:30	68.7	X	
	08/01/12	10:35	68.0	X	
	08/01/12	10:40	68.1	X	
	15/01/12	13:00	69.8	X	
	15/01/12	13:05	70.0	X	
	15/01/12	13:10	69.9	X	
	22/01/12	09:00	66.4	X	
	22/01/12	09:05	66.8	X	
	22/01/12	09:10	66.3	X	
Day-time	29/01/12	10:00	68.6	X	
	29/01/12	10:05	68.2	X	
	29/01/12	10:10	68.5	X	



Monitoring Parameter	Date	RWM		
		Time	Result	Exceed*
Day-time	04/01/12	16:20	63.1	X
	11/01/12	11:05	62.1	X
	18/01/12	15:20	64.5	X
	27/01/12	10:40	65.8	X
Evening-time	07/01/12	20:30	68.0	X
	07/01/12	20:35	68.3	X
	07/01/12	20:40	67.8	X
	14/01/12	21:40	68.5	X
	14/01/12	21:45	68.1	X
	14/01/12	21:50	68.8	X
	21/01/12	21:40	63.4	X
	21/01/12	21:45	62.9	X
	21/01/12	21:50	63.2	X
	28/01/12	22:05	65.7	X
	28/01/12	22:10	66.0	X
	28/01/12	22:15	66.4	X
Night-time	14/01/12	23:20	64.0	L
	14/01/12	23:25	63.8	L
	14/01/12	23:30	63.7	L
Holiday-time	01/01/12	17:10	62.7	X
	01/01/12	17:15	63.1	X
	01/01/12	17:20	62.8	X
	08/01/12	10:50	63.0	X
	08/01/12	10:55	62.4	X
	08/01/12	11:05	62.7	X
	15/01/12	13:20	65.1	X
	15/01/12	13:25	64.8	X
	15/01/12	13:30	64.3	X
	22/01/12	09:25	62.1	X
	22/01/12	09:30	61.9	X
	22/01/12	09:35	62.4	X
	29/01/12	10:20	63.4	X
29/01/12	10:25	64.0	X	
29/01/12	10:30	63.9	X	
Monitoring Parameter	Date	KY3		
		Time	Result	Exceed*
Day-time	04/01/12	15:45	61.8	X
	11/01/12	11:40	60.6	X
	18/01/12	14:45	62.4	X
	27/01/12	10:10	62.3	X
Evening-time	07/01/12	20:50	66.7	X
	07/01/12	20:55	67.4	X
	07/01/12	21:00	67.8	X
	14/01/12	22:00	64.7	X
	14/01/12	22:05	64.5	X
	14/01/12	22:10	64.3	X
	21/01/12	22:05	62.0	X
	21/01/12	22:10	61.5	X
	21/01/12	22:15	61.7	X
	28/01/12	22:25	64.9	X
	28/01/12	22:30	65.3	X
	28/01/12	22:35	65.6	X
Night-time	14/01/12	23:00	61.9	L
	14/01/12	23:05	62.0	L
	14/01/12	23:10	61.4	L
Holiday-time	01/01/12	17:35	62.0	X
	01/01/12	17:40	61.4	X
	01/01/12	17:45	61.8	X
	08/01/12	11:10	62.9	X
	08/01/12	11:15	63.3	X
08/01/12	11:20	63.1	X	

Monitoring Parameter	Date	KY3		
		Time	Result	Exceed*
Holiday-time	15/01/12	13:40	61.8	X
	15/01/12	13:45	61.5	X
	15/01/12	13:50	61.9	X
	22/01/12	09:50	60.7	X
	22/01/12	09:55	61.0	X
	22/01/12	10:00	60.5	X
	29/01/12	10:40	62.7	X
	29/01/12	10:45	63.3	X
	29/01/12	10:50	63.5	X

Remark (*): L = Limit Level exceedance, A = Action Level exceedance and X = not an Exceedance

(†): Since daytime and holiday-time noise measurements at monitoring stations RWM and KY3 were free-field, 3dB(A) correction had been added to the results

The summary of noise exceedances is shown in Table 4.6.

Table 4.6 Summary of Impact Noise Exceedances in this reporting month

Exceedance Level	Daytime	Evening-time	Night-time	Holiday-time
Action	0	0	0	0
Cumulative	0	0	0	0
Limit	0	0	12	0
Cumulative	0	0	179	0

5.0 WATER QUALITY MONITORING

5.1 Monitoring Requirements

In accordance with the EM&A Manual, impact water quality monitoring was conducted three days per week during the course of the marine construction works.

5.2 Monitoring Locations

In accordance with the EM&A Manual, the proposed water quality monitoring station R8 – Macau Ferry Terminal was cancelled since it is located inside the restricted area. Another monitoring location R8a was proposed to replace R8 for impact water quality monitoring. As a result, totally four control stations and nine impaction stations were selected to conduct impact water quality monitoring for the Project. Table 5.1 shows the water quality monitoring stations of the Project.

Table 5.1 Water Quality Monitoring Stations

ID	Station	Easting	Northing
R5	Green Island	830 175.979	816 179.217
R6	Prince Philip Dental Hospital	833 437.625	816 747.640
R7	Tsan Yuk Hospital	833 461.092	816 744.773
R8a	Macau Ferry Terminal	833 573	816 885
R15 *	Kowloon South Pumping Station	833 982.630	818 282.101
R16	Kowloon Government Offices Building	834 335.800	817 769.145
R17	Canton Road Government Offices Building	834 364.658	817 802.847
R28	WSD Kennedy Town Salt Water Pumping Station	830 707	815 983
R29	WSD Sheung Wan Salt Water Pumping Station	833 414	816 745
C1	Control Station	830 797.729	819 163.377
C2	Control Station	836 350.628	817 135.218
C3	Control Station	829 495.126	817 228.312
C4	Control Station	836 638.773	816 686.030

Remark (*): Station R15 = WSD Seawater Intake

Control stations, C2 and C4, should be the upstream control station for all impact monitoring stations at mid-flood and Control Stations, C1 and C3, should be the upstream control station for all monitoring stations at mid-ebb.

5.3 Monitoring Parameters

Monitoring parameters listed in Table 5.2 shall be monitored by the ET to ensure that any deteriorating water quality could be readily detected and timely action be taken to rectify the situation. Table 5.3 shows the other relevant water quality data recorded during the impact water quality monitoring.

Table 5.2 Water Quality Monitoring Parameters

<i>In-situ measurement</i>	<i>Laboratory analysis</i>
<i>Dissolved Oxygen (DO) (mg/L)</i>	<i>Suspended solids (SS) (mg/L)</i>
<i>Turbidity (NTU)</i>	

Table 5.3 Other relevant water quality parameters

<i>Water Quality Parameters</i>	
<i>Tidal stages</i>	<i>Water depth (m)</i>
<i>Dissolved Oxygen saturation (%)</i>	<i>Salinity (ppt)</i>
<i>Temperature (°C)</i>	<i>Weather Condition</i>

5.4 Monitoring Frequency

The frequency of impact water quality monitoring of water quality is summarized in Table 5.4.

Table 5.4 Monitoring Frequency of Impact Water Quality Monitoring

<i>Frequency</i>	<i>Monitoring Depth</i>
<i>3 days/week, 2 tides/day</i>	<i>For water depth greater than 6m: Three water depths (1m below Surface, mid-depth and 1m above bottom). For water depth less than 6m but greater than 3m: Two water depths: (1m below Surface and 1m above bottom). For water depth less than 3m: One water depth (Mid-depth)</i>

5.5 Monitoring Methodology and Equipment Used

Refer to the requirement in Appendix D2 "General Technical Requirements of Environmental Monitoring" (TM) in the Environmental Monitoring and Audit Guidelines for Development Projects in Hong Kong published by EPD, water samples for all monitoring parameter were collected, stored, preserved and analysed according to the Standard Method APHA 19ed.. In-situ measurements at monitoring locations including DO, turbidity, salinity and water depth were collected by equipment with the characteristic and functions listed as below:

Location of the monitoring stations

A hand-held digital Global Positioning System (GPS) was used to identify the designated monitoring stations prior to water sampling.

Water Depth measurement

A portable, battery-operated echo sounder was used for the determination of water depth at each designated monitoring station.

In-situ Water Quality Monitoring Equipment

All in-situ monitoring instruments shall be checked, calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme before use, and subsequently re-calibrated at 3 monthly intervals or sometimes longer throughout all stages of the water quality monitoring. Responses of sensors and electrodes should be checked with certified standard solutions before each use. Wet bulb calibration for a DO meter shall be carried out before measurement at each monitoring location.

Dissolved Oxygen, salinity and temperature measuring equipment

A portable, weatherproof dissolved oxygen & salinity measuring instrument, which complete with cable, sensor and DC power source (e.g. YSI 85 or equivalent) was used for measuring:

- a dissolved oxygen level in the range of 0-20 mg/L and 0-200 % saturation;
- a salinity in range 0-40 ppt; and
- a temperature of 0-45 degree Celsius

A membrane electrode with automatic temperature compensation complete with a cable was installed.

Turbidity Measurement Instrument

A portable, weatherproof turbidity-measuring instrument with DC power source was used. It has a photoelectric sensor capable of measuring turbidity between 0-1000 NTU and be complete with a cable (e.g. HACH model 2100P or equivalent)

Water Sampling and Sample Analysis

In-situ monitoring was carried out at three depths: 1 meter below water surface, at mid-depth and 1 meter above the seabed. If the water depth is less than 6 m, the mid-depth station shall be omitted and if the water depth is below 3 m, only the mid depth station shall be monitored.

A water sampler comprising a transparent PVC cylinder, with a capacity of not less than 2 litres, was lowered into the water body at the predetermined depth. The opening ends of the sampler were then closed accordingly and water samples were collected.

The sample container, made by high-density polythene, was rinsed with a portion of the water sample. The water sample was then transferred to the container, labelled with a unique sample ID and sealed with a screw cap. The water samples were stored in a cool box maintained at 4°C. The water samples were then delivered to Environmental Laboratory of ETS-Testconsult Ltd (HOKLAS Registration No. 022) on the same day for analysis.

5.6 Details of site Equipment used for In-situ Measurement

All in-situ monitoring instruments were checked, calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme before use, and subsequently re-calibrated at 3 monthly intervals or sometimes longer throughout all stages of the water quality monitoring. Wet bulb calibration for a DO meter was carried out before measurement at each monitoring location.

Table 5.5 shows the equipment used for in-situ monitoring of water quality. The calibration certificates are attached in Appendix C1.

Table 5.5 Details of Monitoring Equipment (In-site measurement)

<i>Parameter</i>	<i>Model</i>	<i>Date of Calibration</i>	<i>Due Date</i>	<i>Equipment No.</i>	<i>Serial No.</i>
<i>Coordinate of Monitoring stations</i>	<i>Magellan GPS Navigator</i>	----	----	<i>ET/EW/005/03</i>	<i>211836B</i>
<i>Dissolved Oxygen (Saturation), Temperature and Salinity</i>	<i>YSI Dissolved Oxygen, Salinity & Temperature Meter, YSI 85D</i>	<i>24/12/11</i>	<i>23/03/12</i>	<i>ET/EW/008/003*</i>	<i>08L100716</i>
<i>Turbidity</i>	<i>HACH Model 2100P Turbid Meter</i>	<i>13/10/11 13/01/12</i>	<i>12/01/12 12/04/12</i>	<i>ET/0505/007*</i>	<i>08060C030281</i>
<i>Water Depth</i>	<i>Speedtech Instrument SM-5A</i>	----	----	<i>ET/EW/002/04</i>	<i>56657</i>

Remark:(*) indicates the instrument should be calibrated on use.

5.7 Quality Assurance (QA) / Quality Control (QC) results and Determination Limits

At each measurement/sampling depth, two consecutive measurements of dissolved oxygen (DO), dissolved oxygen saturation (DOS), turbidity and salinity were taken. The probes were retrieved out of the water after the first measurement and then re-deployed for the second measurement. If the difference between the first and second measurement is greater than 25% the reading was discarded and the measurements were repeated.

At the laboratory analysis of water sample, test method of test parameter as required by the EM&A Manual, with the QA/QC results in accordance with the requirement of HOKLAS or international accredited scheme is shown in Table 5.6. For the QA/QC procedures, one QC sample, one duplicate sample and one sample spike of every batch of 20 samples were analysis. The QA/QC results are summarized in Appendix C4

Table 5.6 Summary of test method

Laboratory Analysis	Testing Procedure	Method Detection Limit
Total suspended solids	In house method based on APHA 19 th ed 2540D	1.0 mg/L

5.8 Action and Limit Level

The water quality criteria, namely Action and Limit (A/L) levels are presented in the table below.

Table 5.7 Water Quality Action and Limit Levels

Parameter	Action Level	Limit Level
DO (mg/L) (Surface, Middle & Bottom)	<u>Surface, Middle & Bottom</u> WSD Seawater Intakes 2 mg/L (For R15) Other Impact Monitoring Stations 5.65 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)	<u>Surface & Middle</u> WSD Seawater Intakes 2 mg/L (For R15) Other Impact Monitoring Stations 5.51 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29) <u>Bottom</u> 5.11 mg/L (For R15, R5, R6, R7, R8a, R16, R17, R28 and R29)
SS (mg/L) (Depth-averaged)	WSD Seawater Intakes 10 mg/L (For R15) Other Impact Monitoring Stations 12.7 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)	WSD Seawater Intakes 10 mg/L (For R15) Other Impact Monitoring Stations 12.7 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)
Turbidity (NTU) (Depth-averaged)	WSD Seawater Intakes 10 NTU Other Impact Monitoring Stations 6.48 NTU (For R5, R6, R7, R8a, R16, R17, R28 and R29)	WSD Seawater Intakes 10 NTU Other Impact Monitoring Stations 6.82 NTU (For R5, R6, R7, R8a, R16, R17, R28 and R29)

- Notes: 1. "depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
2. For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
3. For turbidity and SS, non-compliance of water quality limits occurs when monitoring result is higher than the limits.
4. All the figures given in the table are used for reference only and the EPD may amend the figures whenever it is considered as necessary.

5.9 Event and Action Plan

Please refer to the Appendix D for details.

5.10 Monitoring Duration and Period In this reporting month

Daily water quality monitoring duration are detailed in Appendix C2. Below is the time schedule for the water quality monitoring conducted in this reporting month.



Table 5.8 Schedule for Impact Water Quality Monitoring

January 2012						
Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

Remarks: (▼) = Marine water quality monitoring carried out by ET.

5.11 Results

The impact water quality measurement results are detailed in Appendix C2. Appendix C3 presents the water quality monitoring data and graphical presentations of monitoring results respectively. The summary of marine water quality exceedances is shown in Table 5.9.

Table 5.9 Summary of Impact Marine Water Quality Exceedances in this reporting month

Exceedance Level	DO		Turbidity		SS		Cumulative	
	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb
Action	0	0	0	0	0	0	0	0
Limit	0	0	0	0	0	0	0	0

According to the summary of marine water monitoring results, no exceedances of Action and Limit levels were recorded for this reporting month.

6.0 ENVIRONMENTAL SITE INSPECTION

During this reporting month, weekly site inspections were undertaken on 05, 11, 17 and 27 January 2012 by ET. Monthly joint site inspection at 11 January 2012 was carried out by Engineer's Representative, IEC, WHPOJV and ET. A summary of implementation status of mitigation measures on site inspections is presented in Appendix G.

6.1 Summary of the ET weekly site inspection finding

According to the summary of the ET weekly site inspections carried out in January 2012, it indicated that site practices of the Contractor were generally undertaken in an environmentally acceptable manner and the overall site environmental performance was satisfactory. Summary of the site inspection findings in this reporting month is shown in Table 6.1.

Table 6.1 Summary of Site Inspection Findings

Item	Aspect	Finding	Action(s) taken by the Contractor	ET Verification	Status of finding
1	Water	Standing water was noted in Portion J during the weekly site inspection on 17/01/2012.	Standing water was cleared immediately during the same weekly site inspection.	Since the finding was noted improved, no further verification was required.	Closed

6.2 Recommendations on site inspection findings in Site Inspections of this month

Based on the site inspection findings, the recommendations are as below:

- Minimize noise and dust impact due to construction works;
- Use and maintain silt curtain and silt screen properly;
- Adequate environmental control measures shall be provided to prevent / avoid dropping of dredged materials into the sea during the transfer;



- Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste;
- Checking and maintaining all the site machines to prevent black smoke emission;
- Providing briefing to the concerned site staff on remedial actions, such as handling method of chemicals and chemical waste;
- Remove all stagnant water;
- Apply proper treatment facilities to wastewater before discharge; and
- Maintain good waste management at the site.

7.0 STATUS OF ENVIRONMENTAL PERMITS

Permits/licenses valid in this reporting month are summarized in Table 7.1.

Table 7.1 Summary of Environmental Licensing and Permit valid in this reporting month

Description	Permit No.	Valid Period		Remarks
		From	To	
Environmental Permit	EP-273/2007	31/07/07	End of Project	Whole Project
Construction Noise Permit (Sai Ying Pun)	GW-RS0877-11	26/09/11	25/03/12	<p>Group A One Crane, mobile (diesel) (CNP 048) One Air compressor with Noise Emission Label showing a sound power level of $\leq 98\text{dB(A)}$ One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101)</p> <p>Group B One Air compressor with Noise Emission Label showing a sound power level of $\leq 98\text{dB(A)}$ One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101)</p> <p>Group C One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101) One Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221)</p> <p>Group D One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101) One Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221)</p>
Construction Noise Permit (West Kowloon)	GW-RE0754-11	12/10/11	11/04/12	<p>Group A One Generator, standard (CNP 101) One Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221)</p> <p>Group B Two Generator, standard (CNP 101) Two Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221)</p> <p>Group C One Crane, mobile (diesel) (CNP 048) One Air compressor with Noise Emission Label showing a sound power level of $\leq 100\text{dB(A)}$ One Generator, standard (CNP 101)</p>
Water Discharge Licence (West Kowloon)	WT00005347-2009	07/01/10	31/01/15	Effluent and all other wastewater arising from the construction site through Screen & Sedimentation Tank
Chemical Waste Producer	5213-217-W3086-01	13/10/09	End of Project	Spent oil, surplus flammable liquid, surplus paint, soil, rags & containers contaminated with lubricating oil, diesel, flammable liquid & paint, & used batteries
Notification under APCO	Application had been submitted to EPD on 25/09/09 and approved from 29/09/09.			



8.0 WASTE MANAGEMENT

8.1 Monthly Waste Summary

The quantities of waste generated from the Project in this month are summarized in Table 8.1.

Table 8.1 Summary of Quantities of Waste for Disposal in this reporting month

Type of Waste		Quantity	Disposal Location	Cumulative Quantity
Inert C&D Materials	Total Quantity Generated (in m ³)	96.74		16478.02
	Broken Concrete (in m ³)	0	---	0
	Reused in the Contract (in m ³)	0	---	0
	Reused in other Projects (in m ³)	0	---	0
	Disposal as Public Fill (in m ³)	96.74	SENT Landfill	16478.02
C&D Waste	Metals (in kg)	0	---	0
	Paper/Cardboard Packaging (in kg)	0	Collected by recycling company	156
	Plastics (in kg)	0	---	0
	Chemical Waste (in kg)	0	---	3578
	Other, e.g. General Refuse (in m ³)	2.30	SENT Landfill	109.21
Dredged Materials	Type 1 (in m ³)	0	East Ninepin Mud Disposal Ground	160500
	Type 2 (in m ³)	0	The East Sha Chau	104990

8.2 Advice on the Solid and Liquid Waste Management Status

The Contractor should provide sufficient preventive measures during equipment maintenance works so as to avoid oil leakage on the ground. In the event of any oil leakage, the Contractor should clean up the polluted soil and handle all the materials used for this cleaning works as chemical waste.

Besides, pre-cast drip trays were provided for oil drums at several areas, such as barge and chemical storage area. The Contractor should collect and dispose of any stagnant water accumulated in the drip trays and handle them as chemical waste.

The Contractor should use suitable containers with proper labels to store chemical wastes in accordance with Code of Practice on the Packaging, Labeling and Storage of Chemical Waste. The Contractor should also advise their workers of the proper procedures in handling the chemical waste.

All the trip tickets for chemical waste disposal were properly kept in the site office. No chemical waste disposal was undertaken in the reporting month.

The Contractor was reminded to increase the frequency of inspection and cleaning of the site drainage system, including desilting facilities. Moreover, the Contractor should apply approved pesticides in the stagnant water.

9.0 ENVIRONMENTAL NON-CONFORMANCE

9.1 Summary of Noise and Water Quality

No exceedance of Action and Limit Level of marine water quality monitoring results was recorded during the reporting month.

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Twelve exceedances in Limit Level were recorded according to the results from night-time noise monitoring on 14 January 2012 (2300-2400) at KY3, RWM and CGa and 15 January 2012 (0000-0100) at KS6. However, all of the exceedances were considered to be invalid (not project related) and no further action was required.

9.2 Summary of Environmental Complaints

No complaint was received in this reporting month.



9.3 Summary of Notification of Summons and Prosecution

There was no notification of summons respect to environmental issues registered in this reporting month.

10.0 IMPLEMENTATION STATUS

10.1 Implementation Status of Environmental Mitigation Measures

An updated summary of the Environmental Mitigation Implementation Schedule (EMIS) is presented in Appendix G. Most of the necessary mitigation measures were implemented properly. Any deficiencies were noted in the remarks of the schedule.

10.2 Implementation Status of Event and Action Plan

Since no exceedance of Action and Limit Level of water quality monitoring results was recorded in this reporting month, no further action was required to be taken.

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Twelve exceedances in Limit Level were recorded according to the results from night-time noise monitoring on 14 January 2012 (2300-2400) at KY3, RWM and CGa and 15 January 2012 (0000-0100) at KS6. However, all of the exceedances were considered to be invalid (not project related) and no further action was required.

10.3 Implementation Status of Environmental Complaint, Notifications of Summons and Successful Prosecutions Handling

No complaint, notification of summons and successful prosecution were received in this reporting month. A summary of environmental complaints, notifications of summons and successful prosecutions was given in Table 10.1.

Table 10.1 Summary of Environmental Complaints and Prosecutions

<i>Complaints logged</i>		<i>Summons served</i>		<i>Successful prosecution received</i>	
<i>January 2012</i>	<i>Cumulative</i>	<i>January 2012</i>	<i>Cumulative</i>	<i>January 2012</i>	<i>Cumulative</i>
0	1	0	0	0	0

11.0 CONCLUSIONS AND RECOMMENDATIONS

Conclusions

Impact monitoring of noise and water quality were carried out at designated locations in accordance with the EM&A Manual in this reporting month.

No exceedance of Action and Limit Level of water quality monitoring results was recorded during the reporting month.

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Twelve exceedances in Limit Level were recorded according to the results from night-time noise monitoring. However, all of the exceedances were considered to be invalid (not project related) and no further actions were required.

According to the ET weekly site inspections carried out in this reporting month, the Contractor generally implemented sufficient environmental mitigation measures.

No complaint, prosecution or notification of summon were received in this reporting month.

Recommendations

According to the environmental site inspections performed in the reporting month, the following recommendations were provided:



Air Quality

- Ensure the frequency of water spraying on unloading areas and stockpiles to be sufficient to suppress the dust sources;
- Provide proper maintenance for the powered mechanical equipment and barges to avoid emission of dark smoke; and
- Implement the dust mitigation measures for the site activities.

Noise

- Conduct noisy activities at a farther location from the NSRs.

Water Quality

- Maintain the drainage system regularly;
- Operate and maintain the silt curtains and silt screen regularly;
- Operate the cleaning vessel regularly;
- Provide proper treatment for the wastewater discharge;
- Clean up the fill material on the barge frequently; and
- Remove the stagnant water or provide approved pesticides for the stagnant water, if any.

Chemical and Waste Management

- Remove waste materials from the site to avoid accumulation regularly;
- Handle and store chemical wastes properly;
- Remove unwanted material in the existing stockpiles and avoid further dumping of such material;
- Provide and maintain sufficient drip trays for diesel drums, chemical containers, chemical waste storage drums and diesel operated generator set;
- Maintain good housekeeping at the works area; and
- Avoid soil being polluted during oil filling and equipment maintenance; hence, properly remove and store the contaminated soil, if any.

12.0 FUTURE KEY ISSUES

12.1 Work Programme for the Coming Month

As informed by the Contractor, the activities to be conducted by them in the next month included:

- *Re-instatement of the vertical seawall (Portion J); and*
- *Placing backfilling and armouring material (Portion I).*

12.2 Key Issues for the Coming Month

Key issues to be considered in the coming month include:

- *Noise and dust impact due to construction works;*
- *Use and maintain silt curtain and silt screen properly;*
- *Adequate environmental control measures shall be provided to prevent / avoid dropping of dredged materials into the sea during the transfer;*
- *Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste; and*
- *Maintain good site practice to minimize environmental impacts at the site.*

Mitigation measures to be required in the coming month:

Air Quality Impact

- To ensure implementation of the dust mitigation measures for the site activities;
- To provide proper maintenance for vehicles and machines on site; and
- To investigate any other dust sources around the air sensitive receivers

Noise

- To switch off equipment if not in use;
- To operate silent equipment; and
- To re-schedule the work activities in the event of valid noise exceedance.



Water Quality Impact

- To maintain the drainage system;
- To repair, inspect and maintain the silt curtains and site screen regularly;
- To provide covers for the drip trays to avoid stagnant water due to rainfall;
- To provide proper treatment for wastewater from the area;
- To deploy a cleaning vessel to remove floating rubbish;
- To avoid dredged materials on the barge from being washed into the sea; and
- To avoid any stagnant water or provide insecticide to avoid mosquito breeding.

Chemical and Waste Management

- To remove waste from the site regularly;
- To properly store and handle chemical wastes on site;
- To implement trip ticket system for all the imported public fill and general refuse disposal;
- To provide and manage sufficiently sized drip trays for diesel drums or chemical containers;
- To maintain proper housekeeping;
- To remove the oil stains in the event of leakage and handle all materials using for this cleaning works as chemical waste; and
- To identify C&D material by packaging, labeling, storage, transportation and disposal in accordance with statutory regulations.

12.3 Monitoring Schedule for the Coming Month


The proposed EM&A program of the coming month is attached in Appendix I.

- END OF REPORT -




Appendix A

Organization Chart and Lines of Communication



* New Staff



Project Laying of Western Cross Harbour Main and Associated Land Mains From West Kowloon to Sai Ying Pun - Investigation

Title Project Organization and Line of Communication

Date Dec 2009

Figure 1.3a



Appendix B1

Calibration Certificates for Impact Noise Monitoring Equipment



Calibration Certificate

Certificate No. **12016**

Page 1 of 3 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q10853

Date of receipt : 11-Apr-11

Item Tested

Description : Precision Integrating Sound Level Meter

Manufacturer : Rion

Model : NL-31

Serial No. : 00110024

Test Conditions

Date of Test : 15-Apr-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results


All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.
The results are shown in the attached page(s).


Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017	Multi-Function Generator	C101623	SCL-HKSAR
S024	Sound Level Calibrator	04062	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).
The test results apply to the above Unit-Under-Test only

Calibrated by : 
P. F. Wong

Approved by : 
Dorothy Cheuk

Date: 18-Apr-11



Calibration Certificate

Certificate No. 12016

Page 2 of 3 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 - 100	L _A	Fast	94.0	94.2
		Slow		94.2
	L _C	Fast		94.2
		L _p		Fast
30 - 120	L _A	Fast	94.0	94.1
		Slow		94.1
	L _C	Fast		94.1
	L _p	Fast		94.2
30 - 120	L _A	Fast	114.0	114.0
		Slow		114.0
	L _C	Fast		114.0
	L _p	Fast		114.1

IEC 651 Type 1 Spec. : ± 0.7 dB
Uncertainty : ± 0.2 dB

2. Level Stability : 0.0 dB

IEC 651 Type 1 Spec. : ± 0.3 dB
Uncertainty : ± 0.1 dB

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	114.2	+0.1	± 0.7 dB
130	104.0	104.2	+0.1	
120	94.0	94.1(Ref.)	--	
110	84.0	84.0	-0.1	
100	74.0	74.2	+0.1	
90	64.0	64.1	0.0	
80	54.0	53.9	-0.1	

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 12016

Page 3 of 3 Pages

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	84.1	0.0	± 0.4 dB
	94.0	94.1 (Ref.)	--	
	95.0	95.1	0.0	± 0.2 dB

Uncertainty : ± 0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-40.0	- 39.4 dB, ± 1.5 dB
63 Hz	-26.6	- 26.2 dB, ± 1.5 dB
125 Hz	-16.5	- 16.1 dB, ± 1 dB
250 Hz	-8.9	- 8.6 dB, ± 1 dB
500 Hz	-3.4	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+1.6	+ 1.2 dB, ± 1 dB
4 kHz	+1.5	+ 1.0 dB, ± 1 dB
8 kHz	-0.7	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	-6.3	- 6.6 dB, + 3 dB ~ - ∞

Uncertainty : ± 0.1 dB

5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	40.0	± 0.5 dB
1/10 ²	40.0	39.9	
1/10 ³	40.0	40.0	± 1.0 dB
1/10 ⁴	40.0	39.9	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 010 hPa.

----- END -----



Calibration Certificate

Certificate No. **12737**

Page **1** of **4** Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q11169

Date of receipt : 20-May-11

Item Tested

Description : Precision Integrating Sound Level Meter

Manufacturer : Rion

Model : NL-31

Serial No. : 00531142

Test Conditions

Date of Test : 24-May-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.

The results are shown in the attached page(s).

Main Test equipment used:


<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017	Multi-Function Generator	C101623	SCL-HKSAR
S024	Sound Level Calibrator	04062	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by : 
P.F. Wong

Approved by : 
Dorothy Cheuk

Date: 25-May-11

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



Calibration Certificate

Certificate No. 12737

Page 2 of 4 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 - 100	L _A	Fast	94.0	94.0
		Slow		93.9
	L _C	Fast		94.0
	L _p	Fast		94.0
30 - 120	L _A	Fast	94.0	94.0
		Slow		93.9
	L _C	Fast		94.0
	L _p	Fast		94.0
30 - 120	L _A	Fast	114.0	114.0
		Slow		113.9
	L _C	Fast		114.0
	L _p	Fast		114.0

IEC Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

2. Level Stability : 0.0 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 12737

Page 3 of 4 Pages

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	114.0	0.0	± 0.7 dB
130	104.0	104.0	0.0	
120	94.0	94.0 (Ref.)	--	
110	84.0	84.0	0.0	
100	74.0	74.0	0.0	
90	64.0	64.1	+0.1	
80	54.0	54.1	+0.1	

Uncertainty : ± 0.1 dB

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	84.0	0.0	± 0.4 dB
	94.0	94.0 (Ref.)	--	
	95.0	95.0	0.0	± 0.2 dB

Uncertainty : ± 0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-39.6	- 39.4 dB, ± 1.5 dB
63 Hz	-26.2	- 26.2 dB, ± 1.5 dB
125 Hz	-16.2	- 16.1 dB, ± 1 dB
250 Hz	-8.7	- 8.6 dB, ± 1 dB
500 Hz	-3.2	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+1.3	+ 1.2 dB, ± 1 dB
4 kHz	+1.1	+ 1.0 dB, ± 1 dB
8 kHz	-1.1	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	-6.7	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 12737

Page 4 of 4 Pages

4. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	39.9	± 0.5 dB
1/10 ²	40.0	39.9	
1/10 ³	40.0	39.9	± 1.0 dB
1/10 ⁴	40.0	39.8	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 003 hPa.

4. The internal cal. Reference of UUT was drifted from 94.0 dB to 93.0 dB

----- END -----



Calibration Certificate

Certificate No. **15347**

Page 1 of 3 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q12215

Date of receipt : 7-Sep-11

Item Tested

Description : Precision Integrating Sound Level Meter (ET/EN/003/13)

Manufacturer : Rion

Model : NL-31

Serial No. : 00593620

Test Conditions

Date of Test : 8-Sep-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type1 and IEC 804 Type2 specification.

The results are shown in the attached page(s).


Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017A	Multi-Function Generator	07279	SCL-HKSAR
S024	Sound Level Calibrator	04062	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).
The test results apply to the above Unit-Under-Test only

Calibrated by : 
P. F. Wong

Approved by : 
Dorothy Cheuk

Date: 8-Sep-11

This Certificate is issued by:
Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.
Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



Calibration Certificate

Certificate No. **15347**

Page 2 of 3 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 - 100	L _A	Fast	94.0	93.7
		Slow		93.7
	L _C	Fast		93.9
	L _p	Fast		93.9
30 - 120	L _A	Fast	94.0	93.7
		Slow		93.7
	L _C	Fast		93.8
	L _p	Fast		93.8
30 - 120	L _A	Fast	114.0	113.6
		Slow		113.6
	L _C	Fast		113.7
	L _p	Fast		113.7

IEC 651 Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

2. Level Stability : 0.1 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.1 dB

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	113.7	0.0	± 0.7 dB
130	104.0	103.7	0.0	
120	94.0	93.7(Ref.)	--	
110	84.0	83.7	0.0	
100	74.0	73.8	+0.1	
90	64.0	63.8	+0.1	
80	54.0	53.5	-0.2	

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. **15347**

Page 3 of 3 Pages

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	83.7	0.0	± 0.4 dB
	94.0	93.7 (Ref.)	--	
	95.0	94.7	0.0	± 0.2 dB

Uncertainty : ± 0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-39.5	- 39.4 dB, ± 1.5 dB
63 Hz	-26.3	- 26.2 dB, ± 1.5 dB
125 Hz	-16.2	- 16.1 dB, ± 1 dB
250 Hz	-8.6	- 8.6 dB, ± 1 dB
500 Hz	-3.2	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+1.4	+ 1.2 dB, ± 1 dB
4 kHz	+1.2	+ 1.0 dB, ± 1 dB
8 kHz	-1.1	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	-6.6	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : ± 0.1 dB

5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	39.9	± 0.5 dB
1/10 ²	40.0	39.9	
1/10 ³	40.0	39.9	± 1.0 dB
1/10 ⁴	40.0	40.0	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 000 hPa.

4. The internal calibration reference of UUT was drifted from 94.0 dB to 94.5 dB



Calibration Certificate

Certificate No. 16578

Page 1 of 2 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q12677

Date of receipt : 2-Nov-11

Item Tested

Description : Sound Level Calibrator

Manufacturer : Rion

Model : NC-73

Serial No. : 10196943

Test Conditions

Date of Test : 7-Nov-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : F21, Z02.

Test Results

All results were within the manufacturer's specification.

The results are shown in the attached page(s).

Main Test equipment used:


<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S014	Spectrum Analyzer	13535	NIM-PRC & SCL-HKSAR
S024	Sound Level Calibrator	15136	NIM-PRC & SCL-HKSAR
S041	Universal Counter	15610	SCL-HKSAR
S206	Sound Level Meter	04462	SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by : 
P. F. Wong

Approved by : 
Dorothy Cheuk

Date: 7-Nov-11



Calibration Certificate

Certificate No. 16578

Page 2 of 2 Pages

Results :

1. Level Accuracy (at 1 kHz)

UUT Nominal Value	Measured Value	Mfr's Spec.
94 dB	94.21 dB	± 1 dB

Uncertainty : ± 0.2 dB

2. Frequency Accuracy

UUT Nominal Value	Measured Value	Mfr's Spec.
1 kHz	0.989 kHz	± 2 %

Uncertainty : ± 0.1 %

3. Level Stability : 0.0 dB

Uncertainty : ± 0.01 dB

4. Total Harmonic Distortion : < 0.4 %

Mfr's Spec. : < 3 %

Uncertainty : ± 2.3 % of reading

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. The above measured values were the mean of 3 measurements.

4. Atmospheric Pressure : 1 005 hPa

----- END -----



Calibration Certificate

Certificate No. **16576**

Page 1 of 2 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q12677

Date of receipt : 2-Nov-11

Item Tested

Description : Anemometer

Manufacturer : AZ Instrument

Model : AZ 8908

Serial No. : 9101259

Test Conditions

Date of Test : 10-Nov-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure: T03, Z04.

Test Results

A correction factor of x 1.1 applied to velocity function is required to bring the meter reading to within the manufacturer's specification.

The results are shown in the attached page(s).

Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S223A	Std. Thermometer	13173	NIM-PRC
S155	Std. Anemometer	NSC20113098	NIM-PRC

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by :

S. K. Tang

Approved by :

Steve Kwan

Date: 10-Nov-11

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8646



Calibration Certificate

Certificate No. 16576

Page 2 of 2 Pages

Results :

1. Velocity

Applied Value (m/s)	UUT Reading (m/s)	Corrected Reading (UUT Reading x 1.1) (m/s)	Mfr's Spec.
2.50	2.3	2.5	± (3 % of reading + 1 dgt)
5.00	4.6	5.1	
10.00	9.4	10.3	
15.00	14.0	15.4	
20.00	18.8	20.7	

2. Temperature

Applied Value (°C)	UUT Reading (°C)	Mfr's Spec.
5.68	5.7	± 1 °C
25.98	25.7	
47.80	47.1	

Remark : 1. UUT: Unit-Under-Test

2. Uncertainty : ± (0.9% + 0.16 m/s) for Velocity, ± 0.25 °C for Temperature, for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 002 hPa

----- END -----

Appendix B2

Impact Noise Monitoring Results



Day-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Culliman)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
06/01/12	Cloudy	16:00	16:30	64.0	65.2	62.7	1.3
13/01/12	Cloudy	16:05	16:35	63.8	65.7	62.2	0.3
18/01/12	Sunny	15:30	16:00	64.1	65.5	62.1	1.3
28/01/12	Cloudy	13:40	14:10	61.9	63.4	59.6	1.5

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
04/01/12	Fine	16:55	17:25	72.6	76.1	61.6	0.2
11/01/12	Cloudy	10:30	11:00	74.6	76.5	67.9	0.4
18/01/12	Fine	15:55	16:25	74.1	76.4	68.2	0.1
27/01/12	Cloudy	11:10	11:40	72.0	75.5	64.7	0.2

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
04/01/12	Fine	16:20	16:50	63.1	65.3	60.1	0.4
11/01/12	Cloudy	11:05	11:35	62.1	64.4	59.6	0.6
18/01/12	Fine	15:20	15:50	64.5	67.3	62.1	0.4
27/01/12	Cloudy	10:40	11:10	65.8	66.7	63.4	0.4

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
04/01/12	Fine	15:45	16:15	61.8	64.0	59.8	0.6
11/01/12	Cloudy	11:40	12:10	60.6	62.0	59.1	0.5
18/01/12	Fine	14:45	15:15	62.4	64.3	59.8	0.5
27/01/12	Cloudy	10:10	10:40	62.3	65.5	61.4	0.5

Evening-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Culliman)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
07/01/12	Fine	19:00	19:05	62.4	63.3	61.1	1.3
07/01/12	Fine	19:05	19:10	63.0	64.0	61.5	1.2
07/01/12	Fine	19:10	19:15	62.2	62.9	61.4	1.4
14/01/12	Cloudy	20:10	20:15	62.3	64.0	57.8	0.4
14/01/12	Cloudy	20:15	20:20	62.0	63.8	57.5	0.4
14/01/12	Cloudy	20:20	20:25	62.1	64.0	58.0	0.4
21/01/12	Drizzle	20:30	20:35	63.7	65.1	60.4	0.7
21/01/12	Drizzle	20:35	20:40	62.8	64.0	59.6	0.7
21/01/12	Drizzle	20:40	20:45	63.6	64.8	59.9	0.8
28/01/12	Fine	20:40	20:45	59.1	60.2	57.7	1.6
28/01/12	Fine	20:45	20:50	59.6	60.8	58.2	1.5
28/01/12	Fine	20:50	20:55	59.2	60.5	57.6	1.4

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
07/01/12	Fine	20:10	20:15	67.7	69.8	62.9	1.3
07/01/12	Fine	20:15	20:20	67.9	69.9	63.3	1.4
07/01/12	Fine	20:20	20:25	67.5	69.6	62.7	1.2
14/01/12	Cloudy	21:20	21:25	69.6	72.3	64.4	0.2
14/01/12	Cloudy	21:25	21:30	69.4	71.9	61.9	0.2
14/01/12	Cloudy	21:30	21:35	68.5	71.7	63.1	0.2
21/01/12	Cloudy	21:15	21:20	69.9	73.5	63.1	0.3
21/01/12	Cloudy	21:20	21:25	69.6	73.4	62.7	0.4
21/01/12	Cloudy	21:25	21:30	69.2	73.1	62.5	0.4
28/01/12	Fine	21:45	21:50	67.7	69.3	63.4	1.4
28/01/12	Fine	21:50	21:55	68.0	69.7	64.5	1.5
28/01/12	Fine	21:55	22:00	67.9	69.6	63.8	1.1

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
07/01/12	Fine	20:30	20:35	68.0	69.9	64.1	1.5
07/01/12	Fine	20:35	20:40	68.3	70.2	64.4	1.4
07/01/12	Fine	20:40	20:45	67.8	69.6	63.8	1.2
14/01/12	Cloudy	21:40	21:45	68.5	71.6	62.8	0.2
14/01/12	Cloudy	21:45	21:50	68.1	71.1	62.4	0.2
14/01/12	Cloudy	21:50	21:55	68.8	71.0	62.9	0.2
21/01/12	Cloudy	21:40	21:45	63.4	65.3	60.2	0.4
21/01/12	Cloudy	21:45	21:50	62.9	64.7	59.7	0.4
21/01/12	Cloudy	21:50	21:55	63.2	65.1	60.1	0.4
28/01/12	Fine	22:05	22:10	65.7	67.7	60.9	1.3
28/01/12	Fine	22:10	22:15	66.0	67.9	61.3	1.2
28/01/12	Fine	22:15	22:20	66.4	68.2	62.0	1.5



Evening-time Noise Monitoring

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
07/01/12	Fine	20:50	20:55	66.7	68.8	62.2	1.4
07/01/12	Fine	20:55	21:00	67.4	69.3	62.8	1.3
07/01/12	Fine	21:00	21:05	67.8	69.6	63.1	1.3
14/01/12	Cloudy	22:00	22:05	64.7	68.3	60.5	0.2
14/01/12	Cloudy	22:05	22:10	64.5	67.8	60.1	0.2
14/01/12	Cloudy	22:10	22:15	64.3	68.0	60.3	0.2
21/01/12	Cloudy	22:05	22:10	62.0	63.8	59.8	0.4
21/01/12	Cloudy	22:10	22:15	61.5	63.2	59.3	0.5
21/01/12	Cloudy	22:15	22:20	61.7	63.4	59.7	0.4
28/01/12	Fine	22:25	22:30	64.9	66.4	60.2	1.3
28/01/12	Fine	22:30	22:35	65.3	67.0	60.6	1.2
28/01/12	Fine	22:35	22:40	65.6	67.4	61.1	1.2

Night-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Culliman)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
15/01/12	Cloudy	00:25	00:30	58.9	61.1	55.2	0.3
15/01/12	Cloudy	00:30	00:35	58.6	60.8	54.9	0.3
15/01/12	Cloudy	00:35	00:40	58.0	60.2	54.6	0.3

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
14/01/12	Cloudy	23:40	23:45	64.8	67.8	58.1	0.2
14/01/12	Cloudy	23:45	23:50	64.8	68.5	57.9	0.2
14/01/12	Cloudy	23:50	23:55	64.5	67.3	57.8	0.2

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
14/01/12	Cloudy	23:20	23:25	64.0	67.0	57.4	0.2
14/01/12	Cloudy	23:25	23:30	63.8	66.8	57.1	0.2
14/01/12	Cloudy	23:30	23:35	63.7	66.9	57.2	0.2

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
14/01/12	Cloudy	23:00	23:05	61.9	66.2	56.9	0.2
14/01/12	Cloudy	23:05	23:10	62.0	66.5	57.0	0.2
14/01/12	Cloudy	23:10	23:15	61.4	65.8	56.7	0.2

Holiday-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Culliman)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
01/01/12	Sunny	16:05	16:10	65.3	67.1	60.8	0.3
01/01/12	Sunny	16:10	16:15	65.7	67.4	61.2	0.4
01/01/12	Sunny	16:15	16:20	64.9	66.8	60.4	0.4
08/01/12	Cloudy	09:20	09:25	61.0	62.2	59.5	1.2
08/01/12	Cloudy	09:25	09:30	62.1	64.2	59.7	1.1
08/01/12	Cloudy	09:30	09:35	62.5	65.1	59.8	1.4
15/01/12	Cloudy	14:35	14:40	63.1	65.3	61.8	0.4
15/01/12	Cloudy	14:40	14:45	63.6	65.7	62.1	0.4
15/01/12	Cloudy	14:45	14:50	63.3	65.1	61.8	0.4
22/01/12	Cloudy	10:55	11:00	63.2	65.3	60.8	0.5
22/01/12	Cloudy	11:00	11:05	62.7	64.8	60.4	0.5
22/01/12	Cloudy	11:05	11:10	63.5	65.8	61.0	0.5
29/01/12	Cloudy	09:00	09:05	59.0	60.0	57.7	1.5
29/01/12	Cloudy	09:05	09:10	59.3	60.5	57.7	1.7
29/01/12	Cloudy	09:10	09:15	59.6	61.0	58.0	1.5

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
01/01/12	Sunny	16:50	16:55	69.1	72.9	61.9	0.2
01/01/12	Sunny	16:55	17:00	69.7	73.4	62.8	0.2
01/01/12	Sunny	17:00	17:05	69.5	73.1	62.4	0.2
08/01/12	Cloudy	10:30	10:35	68.7	70.2	63.6	0.9
08/01/12	Cloudy	10:35	10:40	68.0	69.4	62.9	1.0
08/01/12	Cloudy	10:40	10:45	68.1	69.8	63.2	1.2
15/01/12	Cloudy	13:00	13:05	69.8	72.3	65.2	0.3
15/01/12	Cloudy	13:05	13:10	70.0	72.8	65.5	0.3
15/01/12	Cloudy	13:10	13:15	69.9	72.5	65.3	0.3
22/01/12	Cloudy	09:00	09:05	66.4	70.5	59.2	0.3
22/01/12	Cloudy	09:05	09:10	66.8	70.8	59.4	0.3
22/01/12	Cloudy	09:10	09:15	66.3	70.3	58.9	0.3
29/01/12	Cloudy	10:00	10:05	68.6	69.9	64.2	1.2
29/01/12	Cloudy	10:05	10:10	68.2	69.4	63.6	1.3
29/01/12	Cloudy	10:10	10:15	68.5	69.7	64.0	1.2

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
01/01/12	Sunny	17:10	17:15	62.7	65.0	60.2	0.3
01/01/12	Sunny	17:15	17:20	63.1	65.6	60.7	0.2
01/01/12	Sunny	17:20	17:25	62.8	65.2	60.4	0.3
08/01/12	Cloudy	10:50	10:55	63.0	64.7	59.8	1.4
08/01/12	Cloudy	10:55	11:00	62.4	64.1	59.3	1.5
08/01/12	Cloudy	11:05	11:10	62.7	64.6	59.6	1.4
15/01/12	Cloudy	13:20	13:25	65.1	67.5	61.9	0.5
15/01/12	Cloudy	13:25	13:30	64.8	67.1	61.6	0.5
15/01/12	Cloudy	13:30	13:35	64.3	66.9	61.5	0.5
22/01/12	Cloudy	09:25	09:30	62.1	64.2	58.5	0.4
22/01/12	Cloudy	09:30	09:35	61.9	63.8	58.2	0.5
22/01/12	Cloudy	09:35	09:40	62.4	64.5	58.8	0.4
29/01/12	Cloudy	10:20	10:25	63.4	65.7	58.8	1.4
29/01/12	Cloudy	10:25	10:30	64.0	66.1	59.2	1.6
29/01/12	Cloudy	10:30	10:35	63.9	66.0	59.0	1.6



Holiday-time Noise Monitoring

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
01/01/12	Sunny	17:35	17:40	62.0	64.0	60.6	0.3
01/01/12	Sunny	17:40	17:45	61.4	63.2	59.7	0.3
01/01/12	Sunny	17:45	17:50	61.8	63.6	60.3	0.3
08/01/12	Cloudy	11:10	11:15	62.9	64.5	60.2	1.6
08/01/12	Cloudy	11:15	11:20	63.3	65.0	60.7	1.5
08/01/12	Cloudy	11:20	11:25	63.1	64.8	60.5	1.4
15/01/12	Cloudy	13:40	13:45	61.8	64.1	59.7	0.6
15/01/12	Cloudy	13:45	13:50	61.5	64.0	59.9	0.6
15/01/12	Cloudy	13:50	13:55	61.9	64.3	60.1	0.6
22/01/12	Cloudy	09:50	09:55	60.7	62.1	57.4	0.3
22/01/12	Cloudy	09:55	10:00	61.0	62.5	57.8	0.4
22/01/12	Cloudy	10:00	10:05	60.5	62.0	57.1	0.4
29/01/12	Cloudy	10:40	10:45	62.7	64.9	57.9	1.5
29/01/12	Cloudy	10:45	10:50	63.3	65.2	58.5	1.7
29/01/12	Cloudy	10:50	10:55	63.5	65.6	58.8	1.7


Appendix B3

Graphical Plots of Impact Noise Monitoring Data




Noise Monitoring (Day-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Evening-time)


Noise level at KS6 - Podium at the Cullinan




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Night-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Holiday-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion



Noise level at KY3 - Roof of Kwan Yik Building Phase 3



Appendix C1

Calibration Certificates for Impact Water Quality Monitoring Equipments



Performance Check of Turbidimeter

Equipment Ref. No. : ET/0505/007 Manufacturer : HACH
Model No. : 2100P Serial No. : 08060 C 030281
Date of Calibration : 13/10/2011 Due Date : 12/01/2012

Gelex Vial Std	Theoretical Value (NTU)	Measured Value (NTU)	Difference %
0-10 NTU	5.34	5.28	1.12
10-100 NTU	52.5	52.9	0.76
100-1000 NTU	543	530	2.34

Acceptance Criteria

Difference : <5 %

The salinity meter complies * / does not comply * with the specified requirements and is deemed acceptable * / unacceptable * for use. Measurements are traceable to national standards.

Checked by : 

Approved by : 



Performance Check of Turbidimeter



Equipment Ref. No. : ET/0505/007 Manufacturer : HACH
Model No. : 2100P Serial No. : 08060 C 030281
Date of Calibration : 13/01/2012 Due Date : 12/04/2012

Gelex Vial Std	Theoretical Value (NTU)	Measured Value (NTU)	Difference %
0-10 NTU	5.34	5.26	1.50
10-100 NTU	52.5	53.1	1.14
100-1000 NTU	543	538	0.92

Acceptance Criteria

Difference : <5 %

The salinity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by :  Approved by : 



Internal Calibration Report of Dissolved Oxygen Meter

Equipment Ref. No. :	<u>ET/EW/008/003</u>	Manufacturer :	<u>YSI</u>
Model No. :	<u>85D</u>	Serial No. :	<u>08L 100716</u>
Date of Calibration :	<u>24/12/2011</u>	Calibration Due Date :	<u>23/03/2012</u>

Temperature Verification

Ref. No. of Reference Thermometer : ET/0521/001
Ref. No. of Water Bath : ---

		Temperature (°C)		
Reference Thermometer reading	Measured	20.5	Corrected	20.2
DO Meter reading	Measured	20.0	Difference	0.2

Standardization of sodium thiosulphate ($\text{Na}_2\text{S}_2\text{O}_3$) solution

Reagent No. of $\text{Na}_2\text{S}_2\text{O}_3$ titrant	<u>CPE/012/4.5/001/4</u>	Reagent No. of 0.025N $\text{K}_2\text{Cr}_2\text{O}_7$	<u>CPE/012/4.4/001/6</u>
		Trial 1	Trial 2
Initial Vol. of $\text{Na}_2\text{S}_2\text{O}_3$ (ml)		0.00	0.00
Final Vol. of $\text{Na}_2\text{S}_2\text{O}_3$ (ml)		40.00	39.90
Vol. of $\text{Na}_2\text{S}_2\text{O}_3$ used (ml)		40.00	39.90
Normality of $\text{Na}_2\text{S}_2\text{O}_3$ solution (N)		0.02500	0.02506
Average Normality (N) of $\text{Na}_2\text{S}_2\text{O}_3$ solution (N)		0.02503	
Acceptance criteria, Deviation		Less than $\pm 0.001\text{N}$	

Calculation: Normality of $\text{Na}_2\text{S}_2\text{O}_3$, $N = 1 / \text{ml } \text{Na}_2\text{S}_2\text{O}_3 \text{ used}$

Linearity Checking

Determination of dissolved oxygen content by Winkler Titration *

Purging Time (min)	2		5		10	
Trial	1	2	1	2	1	2
Initial Vol. of $\text{Na}_2\text{S}_2\text{O}_3$ (ml)	0.00	11.00	22.10	0.00	7.80	12.50
Final Vol. of $\text{Na}_2\text{S}_2\text{O}_3$ (ml)	11.00	22.10	30.00	7.80	12.50	17.10
Vol. (V) of $\text{Na}_2\text{S}_2\text{O}_3$ used (ml)	11.00	11.10	7.90	7.80	4.70	4.60
Dissolved Oxygen (DO), mg/L	7.39	7.46	5.31	5.24	3.16	3.09
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L		Less than + 0.3mg/L	

Calculation: $\text{DO (mg/L)} = V \times N \times 8000/298$

Purging time, min	DO meter reading, mg/L			Winkler Titration result *, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
2	7.28	7.32	7.30	7.39	7.46	7.43	1.77
5	5.36	5.32	5.34	5.31	5.24	5.28	1.13
10	3.06	3.04	3.05	3.16	3.09	3.13	2.59
Linear regression coefficient				0.99799			

Appendix C2

Impact Water Quality Monitoring Results

Mid-Flood Tide

Monitoring Station : C2

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1603-1618	17/Cloudy	Surface	1.0	19.4	30.2	30.3	6.12	6.16	85.7	86.2	4.55	4.52	4.66	7.5	7.5	7.6
						30.3		6.19		86.7		4.49			7.4		
			Middle	8.3	18.7	30.7	30.7	5.93	5.94	83.0	83.2	4.62	4.65		7.6	7.6	
						30.7		5.95		83.3		4.67			7.6		
			Bottom	15.6	18.1	31.6	31.6	5.75	5.76	80.5	80.7	4.79	4.82		7.8	7.8	
						31.6		5.77		80.8		4.84			7.8		
05/01/12	1722-1740	12/Cloudy	Surface	1.0	18.0	29.8	29.8	6.28	6.30	87.8	85.5	4.20	4.23	4.39	7.0	7.1	7.3
						29.8		6.31		83.2		4.26			7.2		
			Middle	8.4	18.4	30.7	30.7	6.01	5.99	79.3	79.0	4.33	4.36		7.2	7.3	
						30.7		5.96		78.6		4.39			7.4		
			Bottom	15.8	18.5	31.7	31.8	5.82	5.80	76.8	76.5	4.60	4.58		7.6	7.6	
						31.8		5.78		76.2		4.56			7.6		
07/01/12	1810-1820	14/Cloudy	Surface	1.0	19.5	31.3	31.3	6.22	6.20	88.3	88.0	4.90	4.94	5.06	8.0	7.9	8.0
						31.2		6.18		87.7		4.98			7.8		
			Middle	8.7	20.1	32.1	32.1	6.04	6.06	85.7	86.0	5.17	5.14		8.2	8.1	
						32.0		6.08		86.3		5.10			8.0		
			Bottom	16.4	20.2	32.3	32.3	5.98	5.97	84.9	84.7	5.11	5.09		8.0	7.9	
						32.3		5.95		84.4		5.07			7.8		
10/01/12	1121-1134	15/Cloudy	Surface	1.0	18.4	30.1	30.1	6.21	6.18	86.9	86.5	4.31	4.35	4.51	7.0	7.2	7.5
						30.1		6.14		86.0		4.38			7.4		
			Middle	8.4	18.0	30.7	30.7	5.98	6.01	83.7	84.1	4.53	4.49		7.4	7.5	
						30.7		6.03		84.4		4.45			7.6		
			Bottom	15.8	17.5	31.6	31.6	5.88	5.87	82.3	82.1	4.71	4.68		7.8	7.7	
						31.6		5.85		81.9		4.65			7.6		
12/01/12	1110-1125	17/Drizzle	Surface	1.0	19.4	30.5	30.6	6.09	6.11	85.3	85.6	4.93	4.92	4.83	8.0	7.9	7.8
						30.6		6.13		85.8		4.91			7.8		
			Middle	8.4	20.3	31.7	31.8	6.04	6.06	84.6	84.9	4.69	4.71		7.6	7.6	
						31.8		6.08		85.1		4.73			7.6		
			Bottom	15.8	20.5	32.1	32.2	5.82	5.84	81.5	81.7	4.82	4.85		7.8	7.8	
						32.2		5.85		81.9		4.88			7.8		
14/01/12	1237-1251	16/Cloudy	Surface	1.0	17.3	29.5	29.5	6.75	6.77	88.4	88.7	4.06	4.09	4.35	7.0	7.0	7.3
						29.5		6.79		88.9		4.12			7.0		
			Middle	8.5	17.4	30.0	30.0	6.40	6.44	83.8	84.4	4.41	4.39		7.4	7.3	
						30.0		6.48		84.9		4.36			7.2		
			Bottom	16.0	17.6	30.3	30.4	6.16	6.20	80.7	81.2	4.62	4.58		7.6	7.5	
						30.4		6.23		81.6		4.54			7.4		
17/01/12	1507-1521	17/Fine	Surface	1.0	18.3	30.6	30.6	6.32	6.30	89.1	88.8	4.17	4.19	4.39	7.0	7.1	7.4
						30.6		6.28		88.5		4.21			7.2		
			Middle	8.5	19.5	31.8	31.8	6.14	6.11	86.6	86.1	4.35	4.38		7.4	7.4	
						31.8		6.07		85.6		4.41			7.4		
			Bottom	16.0	19.8	32.2	32.2	5.86	5.85	82.6	82.5	4.57	4.59		7.6	7.6	
						32.1		5.84		82.3		4.60			7.6		
19/01/12	1704-1719	20/Fine	Surface	1.0	18.0	29.9	30.0	6.48	6.46	86.6	86.4	4.44	4.45	4.63	7.5	7.5	7.6
						30.0		6.44		86.1		4.46			7.4		
			Middle	8.1	18.2	30.6	30.6	6.29	6.27	84.2	83.9	4.61	4.63		7.6	7.6	
						30.5		6.24		83.5		4.65			7.6		
			Bottom	15.2	18.5	31.4	31.4	6.05	6.07	80.8	81.1	4.83	4.82		7.8	7.8	
						31.4		6.09		81.3		4.80			7.8		
21/01/12	1803-1816	16/Cloudy	Surface	1.0	18.3	30.0	30.0	6.31	6.30	83.9	83.8	5.04	5.05	5.14	8.0	7.9	8.1
						29.9		6.29		83.7		5.06			7.8		
			Middle	8.2	18.6	30.6	30.6	6.20	6.22	82.5	82.7	5.12	5.14		8.0	8.1	
						30.6		6.23		82.9		5.15			8.2		
			Bottom	15.2	19.1	31.5	31.5	6.07	6.10	80.7	81.1	5.23	5.22		8.2	8.2	
						31.5		6.12		81.4		5.21			8.2		
27/01/12	1153-1210	15/Cloudy	Surface	1.0	15.6	29.6	29.7	6.15	6.18	83.6	84.0	4.63	4.66	4.95	7.5	7.6	7.9
						29.7		6.20		84.3		4.69			7.6		
			Middle	8.4	15.9	30.7	30.7	6.11	6.08	83.1	82.7	4.98	5.01		7.8	7.9	
						30.7		6.05		82.3		5.04			8.0		
			Bottom	15.8	16.5	31.4	31.5	5.84	5.86	79.4	79.7	5.16	5.18		8.2	8.2	
						31.5		5.88		79.9		5.19			8.2		
31/01/12	1405-1423	14/Cloudy	Surface	1.0	17.2	29.9	29.9	6.53	6.55	84.9	84.5	4.26	4.23	4.49	7.0	7.1	7.4
						29.9		6.56		84.0		4.20			7.2		
			Middle	8.4	17.3	30.3	30.3	6.14	6.17	79.8	80.2	4.46	4.50		7.4	7.4	
						30.3		6.19		80.5		4.54			7.4		
			Bottom	15.8	17.6	30.9	31.0	5.94	5.90	77.2	76.7	4.78	4.75		7.8	7.7	
						31.0		5.86		76.2		4.72			7.6		

Mid-Flood Tide



東業德動測試顧問有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : C4

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
03/01/12	1543-1555	17/Cloudy	Surface	1.0	19.5	30.4	32.0	6.29	6.32	88.1	88.5	4.72	4.74	4.85	7.8	7.8	7.8		
						30.4		6.34		88.8		4.75			7.8				
			Middle	8.4	18.6	30.9	30.9	6.20	6.18	86.8	86.5	4.89	4.87		4.85			4.85	7.8
						30.9		6.15		86.1		4.85			7.8				
			Bottom	15.8	18.1	31.5	31.6	5.98	5.95	83.7	83.3	4.92	4.95		4.92			4.95	7.8
						31.6		5.92		82.9		4.98			8.0				
05/01/12	1701-1717	12/Cloudy	Surface	1.0	18.0	29.7	29.8	6.30	6.25	83.1	82.9	4.19	4.22	4.44	7.2	7.2	7.4		
						29.8		6.20		82.6		4.24			7.2				
			Middle	8.2	18.4	30.6	30.7	5.97	5.95	78.8	78.5	4.40	4.43		4.40			4.43	7.4
						30.7		5.93		78.2		4.46			7.4				
			Bottom	15.4	18.5	31.6	31.7	5.85	5.83	77.2	76.9	4.65	4.68		4.65			4.68	7.6
						31.7		5.80		76.5		4.70			7.5				
07/01/12	1751-1802	14/Cloudy	Surface	1.0	19.5	31.2	31.3	6.19	6.17	87.8	87.6	4.82	4.86	5.06	7.8	7.8	8.0		
						31.3		6.15		87.3		4.90			7.8				
			Middle	8.7	20.2	32.1	32.1	6.01	6.03	85.3	85.5	5.21	5.19		5.21			5.19	8.2
						32.1		6.04		85.7		5.17			8.2				
			Bottom	16.4	20.3	32.3	32.3	5.86	5.88	82.6	82.8	5.16	5.13		5.16			5.13	8.2
						32.2		5.89		83.0		5.10			8.0				
10/01/12	1101-1113	15/Cloudy	Surface	1.0	18.4	30.2	30.2	6.09	6.12	85.9	86.3	4.34	4.30	4.48	7.4	7.4	7.4		
						30.2		6.15		86.7		4.25			7.2				
			Middle	8.4	18.0	30.8	30.8	5.97	5.95	84.2	83.9	4.48	4.50		4.48			4.50	7.4
						30.7		5.93		83.6		4.52			7.4				
			Bottom	15.8	17.5	31.6	31.7	5.77	5.79	81.4	81.7	4.61	4.65		4.61			4.65	7.6
						31.7		5.81		81.9		4.69			7.5				
12/01/12	1042-1058	17/Drizzle	Surface	1.0	19.4	30.5	30.5	5.88	5.89	82.3	82.4	4.52	4.54	4.69	7.4	7.5	7.7		
						30.5		5.89		82.5		4.55			7.6				
			Middle	8.5	20.3	31.7	31.7	5.96	5.95	83.4	83.2	4.69	4.67		4.69			4.67	7.6
						31.6		5.93		83.0		4.65			7.6				
			Bottom	16.0	20.5	32.0	32.0	6.09	6.06	85.3	84.9	4.82	4.86		4.82			4.86	7.8
						32.0		6.03		84.4		4.89			8.0				
14/01/12	1216-1229	16/Cloudy	Surface	1.0	17.3	29.5	29.6	6.77	6.74	88.7	88.3	4.04	4.07	4.30	7.0	7.0	7.2		
						29.6		6.70		87.8		4.10			7.0				
			Middle	8.6	17.4	29.9	30.0	6.43	6.41	84.2	83.9	4.33	4.29		4.33			4.29	7.2
						30.0		6.38		83.6		4.25			7.2				
			Bottom	16.2	17.7	30.3	30.3	6.18	6.17	81.0	80.9	4.50	4.53		4.50			4.53	7.4
						30.3		6.16		80.7		4.56			7.5				
17/01/12	1446-1459	17/Fine	Surface	1.0	18.3	30.6	30.7	6.26	6.22	88.3	87.7	4.23	4.25	4.43	7.2	7.2	7.4		
						30.7		6.18		87.1		4.26			7.2				
			Middle	8.4	19.4	31.8	31.9	5.99	6.02	84.5	84.9	4.43	4.40		4.43			4.40	7.4
						31.9		6.05		85.3		4.37			7.4				
			Bottom	15.8	19.8	32.1	32.2	5.78	5.80	81.5	81.7	4.67	4.65		4.67			4.65	7.6
						32.2		5.81		81.9		4.63			7.5				
19/01/12	1638-1654	20/Fine	Surface	1.0	18.0	30.0	30.0	6.51	6.49	87.0	86.8	6.56	5.58	5.09	7.6	7.6	7.7		
						29.9		6.47		86.5		4.60			7.6				
			Middle	8.1	18.3	30.5	30.5	6.25	6.24	83.7	83.5	4.78	4.76		4.78			4.76	7.7
						30.5		6.22		83.3		4.73			7.6				
			Bottom	15.2	18.5	31.4	31.4	6.03	6.05	80.5	80.8	4.95	4.94		4.95			4.94	7.9
						31.3		6.07		81.1		4.92			8.0				
21/01/12	1736-1752	16/Cloudy	Surface	1.0	18.3	30.0	30.0	6.34	6.35	84.3	84.5	4.99	5.01	5.09	7.8	7.8	8.0		
						30.0		6.36		84.6		5.03			7.8				
			Middle	8.1	18.6	30.6	30.6	6.26	6.27	83.3	83.4	5.10	5.09		5.10			5.09	8.0
						30.5		6.28		83.5		5.08			8.0				
			Bottom	15.1	19.1	31.6	31.6	6.18	6.16	82.2	82.0	5.15	5.17		5.15			5.17	8.1
						31.5		6.14		81.7		5.18			8.0				
27/01/12	1132-1145	15/Cloudy	Surface	1.0	15.5	29.7	29.7	6.19	6.19	84.2	84.1	4.72	4.76	4.96	7.6	7.7	7.8		
						29.7		6.18		84.0		4.79			7.8				
			Middle	8.6	15.8	30.6	30.7	6.05	6.03	82.3	82.0	4.96	4.98		4.96			4.98	7.8
						30.7		6.01		81.7		4.99			7.8				
			Bottom	16.2	16.4	31.5	31.5	5.98	5.97	81.3	81.1	5.12	5.14		5.12			5.14	8.0
						30.9		5.95		80.9		5.15			8.0				
31/01/12	1345-1401	14/Cloudy	Surface	1.0	17.2	29.8	29.9	6.48	6.45	84.2	83.8	4.25	4.27	4.53	7.2	7.2	7.5		
						29.9		6.41		83.3		4.28			7.2				
			Middle	8.3	17.3	30.4	30.4	6.07	6.09	78.9	79.2	4.57	4.54		4.57			4.54	7.5
						30.3		6.11		79.4		4.50			7.4				
			Bottom	15.6	17.7	30.9	30.9	5.84	5.87	75.9	76.3	4.77	4.78		4.77			4.78	7.8
						30.9		5.89		76.6		4.79			8.0				

Mid-Flood Tide



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R5

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1351-1402	17/Cloudy	Surface	1.0	19.5	30.5	30.5	6.17	6.22	86.4	87.0	4.89	4.87	4.96	8.0	7.9	7.9
						30.4		6.26		87.6		4.84			7.8		
			Middle	8.9	18.5	30.9	30.9	5.96	5.98	83.4	83.7	4.99	4.98		7.8	7.8	
						30.8		5.99		83.9		4.96			7.8		
			Bottom	16.8	18.1	31.8	31.8	5.74	5.75	80.4	80.5	5.02	5.04		8.0	8.0	
						31.7		5.76		80.6		5.05			8.0		
05/01/12	1453-1507	12/Cloudy	Surface	1.0	17.9	29.6	29.7	6.12	6.14	80.7	81.0	4.34	4.32	4.59	7.0	7.1	7.5
						29.7		6.16		81.3		4.30			7.2		
			Middle	8.8	18.3	30.4	30.5	5.93	5.90	78.2	77.8	4.57	4.60		7.6	7.6	
						30.5		5.87		77.4		4.63			7.6		
			Bottom	16.6	18.4	31.8	31.9	5.69	5.71	75.1	75.3	4.82	4.84		7.8	7.8	
						31.9		5.72		75.5		4.86			7.8		
07/01/12	1552-1604	14/Cloudy	Surface	1.0	19.5	31.1	31.2	6.30	6.32	89.4	89.7	4.34	4.37	4.81	7.0	7.2	7.7
						31.2		6.34		90.0		4.40			7.4		
			Middle	8.8	19.9	31.8	31.9	6.04	6.06	85.7	85.9	4.94	4.96		7.8	7.8	
						31.9		6.07		86.1		4.98			7.8		
			Bottom	16.6	20.2	32.1	32.2	5.81	5.80	81.9	81.7	5.11	5.09		8.0	8.0	
						32.2		5.78		81.4		5.07			8.0		
10/01/12	0909-0922	15/Cloudy	Surface	1.0	18.4	30.2	30.2	6.05	6.09	85.3	85.9	4.57	4.55	4.72	7.5	7.5	7.7
						30.1		6.13		86.4		4.52			7.4		
			Middle	8.8	18.0	30.8	30.8	5.96	5.94	84.0	83.7	4.70	4.74		7.6	7.7	
						30.8		5.91		83.3		4.78			7.8		
			Bottom	16.6	17.5	31.6	31.7	5.72	5.75	80.7	81.1	4.91	4.89		7.8	7.8	
						31.7		5.78		81.5		4.86			7.8		
12/01/12	0844-0858	16/Drizzle	Surface	1.0	19.1	30.4	30.4	6.18	6.20	86.5	86.8	4.90	4.89	4.83	8.0	7.9	7.8
						30.3		6.22		87.1		4.88			7.8		
			Middle	9.0	20.1	31.9	31.9	6.06	6.08	84.8	85.1	4.59	4.62		7.6	7.6	
						31.8		6.09		85.3		4.64			7.6		
			Bottom	17.0	20.4	32.0	32.1	5.94	5.92	83.2	82.9	4.96	4.98		7.8	7.8	
						32.1		5.90		82.6		4.99			7.8		
14/01/12	1014-1029	16/Cloudy	Surface	1.0	17.3	29.6	29.6	6.51	6.53	85.9	86.1	4.21	4.19	4.36	7.0	7.1	7.3
						29.5		6.54		86.3		4.17			7.2		
			Middle	8.9	17.4	30.0	30.0	6.32	6.36	83.4	83.9	4.34	4.36		7.2	7.3	
						30.0		6.39		84.3		4.37			7.4		
			Bottom	16.8	17.6	30.4	30.4	6.02	6.06	79.5	80.0	4.56	4.54		7.6	7.5	
						30.3		6.09		80.4		4.52			7.4		
17/01/12	1244-1259	17/Fine	Surface	1.0	18.4	30.4	30.4	6.11	6.10	86.8	86.6	4.73	4.71	4.91	7.5	7.6	7.8
						30.4		6.08		86.3		4.68			7.6		
			Middle	8.9	19.3	31.6	31.6	5.92	5.94	84.1	84.4	4.85	4.87		7.8	7.8	
						31.5		5.96		84.6		4.89			7.8		
			Bottom	16.8	19.6	31.8	31.9	5.74	5.72	81.5	81.2	5.17	5.15		8.2	8.1	
						31.9		5.70		80.9		5.12			8.0		
19/01/12	1436-1449	22/Fine	Surface	1.0	17.9	29.9	30.0	6.46	6.48	86.4	86.7	4.61	4.63	4.80	7.5	7.6	7.8
						30.0		6.50		86.9		4.64			7.6		
			Middle	8.8	18.2	30.6	30.6	6.23	6.22	83.4	83.2	4.77	4.79		7.8	7.8	
						30.6		6.20		83.0		4.81			7.8		
			Bottom	16.6	18.5	31.4	31.4	6.09	6.07	81.3	81.0	4.96	4.98		7.8	7.9	
						31.3		6.04		80.7		4.99			8.0		
21/01/12	1537-1550	17/Cloudy	Surface	1.0	18.4	30.0	30.0	6.12	6.11	81.4	81.2	5.08	5.10	5.19	8.0	8.0	8.1
						29.9		6.09		80.9		5.12			8.0		
			Middle	8.8	18.6	30.5	30.6	6.02	6.01	80.1	79.9	5.17	5.19		8.2	8.2	
						30.6		5.99		79.7		5.20			8.2		
			Bottom	16.6	19.1	31.6	31.6	5.90	5.89	78.5	78.3	5.27	5.28		8.2	8.2	
						31.6		5.87		78.1		5.29			8.2		
27/01/12	0942-0957	15/Cloudy	Surface	1.0	15.4	29.9	29.9	6.11	6.13	84.3	84.5	5.14	5.17	5.18	8.0	8.1	8.1
						29.9		6.14		84.7		5.20			8.2		
			Middle	9.0	15.8	30.5	30.5	6.04	6.06	83.4	83.6	5.15	5.14		8.2	8.1	
						30.4		6.07		83.8		5.12			8.0		
			Bottom	17.0	16.3	31.5	31.5	5.80	5.82	80.0	80.3	5.24	5.24		8.2	8.2	
						31.4		5.84		80.6		5.23			8.2		
31/01/12	1145-1201	14/Cloudy	Surface	1.0	17.2	29.9	29.9	6.36	6.40	83.3	83.9	4.38	4.41	4.59	7.5	aa	7.6
						29.9		6.44		84.4		4.43			7.4		
			Middle	8.7	17.3	30.4	30.4	6.16	6.14	80.7	80.4	4.55	4.59		7.6	7.6	
						30.3		6.11		80.0		4.62			7.6		
			Bottom	16.4	17.6	30.9	30.9	5.90	5.93	77.3	77.7	4.81	4.78		7.8	7.8	
						30.9		5.96		78.1		4.74			7.8		

Mid-Flood Tide



Monitoring Station : R6

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1444-1456	17/Cloudy	Surface	1.0	19.4	30.3	30.3	6.13	6.12	85.8	85.6	4.42	4.41	4.56	7.4	7.4	7.5
						30.3		6.10		85.4		4.40			7.4		
			Middle	8.5	18.5	30.8	30.8	5.82	5.83	81.5	81.7	4.50	4.50		7.4		
						30.8		5.77		81.8		4.49			7.4		
			Bottom	16.0	18.1	31.7	31.7	5.77	5.78	80.8	81.0	4.78	4.77		7.6		
						31.7		5.79		81.1		4.75			7.6		
05/01/12	1550-1607	12/Cloudy	Surface	1.0	18.0	29.8	29.8	6.31	6.33	83.2	83.5	4.13	4.15	4.42	7.0	7.0	7.3
						29.8		6.35		83.8		4.17			7.0		
			Middle	8.2	18.2	30.4	30.5	6.08	6.06	80.2	80.0	4.39	4.41		7.2		
						30.5		6.04		79.7		4.43			7.4		
			Bottom	15.4	18.4	31.6	31.7	5.78	5.80	76.2	76.4	4.68	4.71		7.6		
						31.7		5.81		76.6		4.73			7.6		
07/01/12	1650-1702	14/Cloudy	Surface	1.0	19.5	31.2	31.2	6.18	6.17	87.7	87.5	4.21	4.26	4.78	7.2	7.2	7.7
						31.1		6.15		87.3		4.30			7.2		
			Middle	8.7	20.0	32.0	32.0	5.97	5.96	84.7	84.5	5.01	5.04		8.0		
						31.9		5.94		84.3		5.07			8.0		
			Bottom	16.4	20.2	32.3	32.3	6.01	6.03	85.3	85.5	5.07	5.04		8.0		
						32.2		6.04		85.7		5.01			7.8		
10/01/12	1004-1017	15/Cloudy	Surface	1.0	18.4	30.2	30.2	6.19	6.18	86.7	86.5	4.43	4.42	4.58	7.4	7.4	7.6
						30.2		6.16		86.2		4.40			7.4		
			Middle	8.4	18.0	30.7	30.7	6.09	6.07	85.3	85.0	4.56	4.59		7.6		
						30.7		6.04		84.6		4.61			7.6		
			Bottom	15.8	17.5	31.7	31.7	5.89	5.93	82.5	83.0	4.77	4.74		7.8		
						31.6		5.96		83.4		4.71			7.6		
12/01/12	0945-0956	16/Drizzle	Surface	1.0	19.1	30.4	30.4	6.06	6.06	84.8	84.8	5.07	5.04	5.08	8.0	8.0	8.0
						30.3		6.05		84.7		5.01			8.0		
			Middle	8.5	20.2	31.4	31.4	6.01	5.97	84.1	83.6	5.17	5.14		8.2		
						31.4		5.93		83.0		5.10			8.0		
			Bottom	16.0	20.4	31.9	31.9	5.89	5.91	82.5	82.7	5.08	5.06		8.0		
						31.9		5.92		82.9		5.03			7.8		
14/01/12	1114-1128	16/Cloudy	Surface	1.0	17.2	29.5	29.6	6.67	6.69	87.4	87.7	4.17	4.14	4.34	7.2	7.1	7.3
						29.6		6.71		87.9		4.11			7.0		
			Middle	8.6	17.3	30.0	30.0	6.42	6.46	84.1	84.6	4.35	4.38		7.2		
						29.9		6.49		85.0		4.40			7.4		
			Bottom	16.2	17.7	30.3	30.3	6.16	6.13	80.7	80.3	4.54	4.51		7.4		
						30.3		6.09		79.8		4.47			7.4		
17/01/12	1344-1358	17/Fine	Surface	1.0	18.6	30.7	30.7	6.22	6.18	87.7	87.2	4.42	4.45	4.65	7.4	7.4	7.6
						30.6		6.14		86.6		4.48			7.4		
			Middle	8.4	19.5	31.0	31.4	5.97	6.00	84.2	84.6	4.61	4.64		7.6		
						31.8		6.03		85.0		4.67			7.6		
			Bottom	15.8	19.7	32.2	32.2	5.85	5.83	82.5	82.2	4.89	4.87		7.8		
						32.1		5.81		81.9		4.85			7.8		
19/01/12	1530-1543	22/Fine	Surface	1.0	18.0	29.9	30.0	6.47	6.50	86.5	86.9	4.46	4.48	4.65	7.4	7.4	7.6
						30.0		6.52		87.2		4.49			7.4		
			Middle	8.6	18.2	30.7	30.7	6.35	6.37	85.0	85.2	4.62	4.64		7.6		
						30.6		6.38		85.4		4.65			7.6		
			Bottom	16.2	18.4	31.3	31.3	6.09	6.11	81.3	81.6	4.82	4.85		7.8		
						31.2		6.13		81.9		4.87			7.8		
21/01/12	1632-1645	17/Cloudy	Surface	1.0	18.3	29.9	30.0	6.37	6.36	84.7	84.5	4.98	4.99	5.07	7.8	7.8	8.0
						30.0		6.34		84.3		5.00			7.8		
			Middle	8.6	18.6	30.6	30.6	6.25	6.26	83.1	83.3	5.08	5.07		8.0		
						30.6		6.27		83.4		5.05			8.0		
			Bottom	16.2	19.0	31.6	31.6	6.13	6.15	81.5	81.7	5.14	5.16		8.0		
						31.5		6.16		81.9		5.17			8.2		
27/01/12	1037-1049	15/Cloudy	Surface	1.0	15.4	29.8	29.8	6.14	6.15	84.7	85.1	4.88	4.89	4.97	7.8	7.8	7.9
						29.7		6.16		85.5		4.89			7.8		
			Middle	8.6	15.9	30.4	30.5	6.09	6.11	84.0	84.3	4.92	4.96		7.8		
						30.5		6.12		84.6		4.99			7.8		
			Bottom	16.2	16.4	31.6	31.7	5.94	5.95	81.8	81.9	5.08	5.06		8.0		
						31.7		5.96		82.0		5.04			8.0		
31/01/12	1242-1258	14/Cloudy	Surface	1.0	17.2	29.8	29.9	6.34	6.39	82.4	83.0	4.31	4.33	4.53	7.2	7.3	7.4
						29.9		6.43		83.6		4.35			7.4		
			Middle	8.4	17.2	30.3	30.4	6.18	6.15	80.3	80.0	4.52	4.54		7.4		
						30.4		6.12		79.6		4.56			7.6		
			Bottom	15.8	17.6	31.0	31.0	5.91	5.93	76.8	77.1	4.71	4.73		7.6		
						30.9		5.95		77.4		4.75			7.2		

Mid-Flood Tide

Monitoring Station : R7

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1500-1513	17/Cloudy	Surface	1.0	19.4	30.4	30.4	6.07	6.04	84.9	84.5	4.62	4.65	4.80	7.6	7.6	7.7
				30.4	6.01	84.1		4.68		7.6							
			Middle	9.3	18.3	30.7	30.8	5.88	5.89	82.3	82.4	4.82	4.85		7.8	7.8	
				30.8	5.89	82.5		4.88		7.8							
			Bottom	17.6	18.0	31.7	31.7	5.86	5.83	82.0	81.6	4.90	4.89		7.8	7.8	
				31.6	5.80	81.2		4.87		7.8							
05/01/12	1613-1630	12/Cloudy	Surface	1.0	18.0	29.8	29.8	6.32	6.30	83.4	83.1	4.20	4.23	4.44	7.2	7.2	7.4
				29.8	6.27	82.7		4.25		7.2							
			Middle	9.3	18.2	30.5	30.6	6.02	5.99	79.4	79.0	4.40	4.43		7.4	7.4	
				30.6	5.96	78.6		4.46		7.4							
			Bottom	17.6	18.5	31.7	31.8	5.70	5.72	75.2	75.5	4.70	4.68		7.8	7.7	
				31.8	5.74	75.7		4.65		7.6							
07/01/12	1705-1717	14/Cloudy	Surface	1.0	19.5	31.2	31.2	6.24	6.22	88.6	88.2	4.45	4.49	4.85	7.4	7.5	7.8
				31.2	6.19	87.8		4.52		7.6							
			Middle	9.3	20.1	31.9	32.0	5.98	5.97	84.9	84.7	4.96	4.93		7.8	7.8	
				32.0	5.95	84.4		4.89		7.8							
			Bottom	17.6	20.1	32.3	32.3	5.94	5.92	83.7	83.4	5.12	5.15		8.0	8.1	
				32.3	5.90	83.1		5.18		8.2							
10/01/12	1020-1033	15/Cloudy	Surface	1.0	18.4	30.0	30.1	6.11	6.10	85.5	85.3	4.47	4.50	4.71	7.4	7.4	7.6
				30.1	6.08	85.1		4.53		7.4							
			Middle	9.4	17.9	30.8	30.8	5.92	5.96	82.9	83.4	4.76	4.73		7.8	7.7	
				30.8	5.99	83.9		4.69		7.6							
			Bottom	17.8	17.4	31.7	31.7	5.82	5.79	81.5	81.1	4.89	4.91		7.8	7.8	
				31.7	5.76	80.6		4.93		7.8							
12/01/12	1000-1013	16/Drizzle	Surface	1.0	19.1	30.2	30.3	6.17	6.16	86.4	86.3	4.56	4.53	4.67	7.6	7.5	7.6
				30.3	6.15	86.1		4.49		7.4							
			Middle	9.3	20.2	31.5	31.5	6.09	6.11	85.3	85.5	4.62	4.68		7.6	7.6	
				31.5	6.12	85.7		4.73		7.6							
			Bottom	17.6	20.4	31.8	31.8	5.99	6.01	83.9	84.2	4.79	4.81		7.8	7.8	
				31.8	6.03	84.4		4.83		7.8							
14/01/12	1131-1146	16/Cloudy	Surface	1.0	17.2	29.4	29.4	6.69	6.66	87.6	87.3	4.07	4.11	4.38	7.0	7.1	7.4
				29.4	6.63	86.9		4.15		7.2							
			Middle	9.5	17.4	30.0	30.0	6.34	6.36	83.1	83.3	4.46	4.43		7.4	7.4	
				30.0	6.37	83.4		4.39		7.4							
			Bottom	18.0	17.7	30.4	30.4	6.13	6.10	80.3	79.9	4.58	4.61		7.6	7.6	
				30.4	6.07	79.5		4.63		7.6							
17/01/12	1401-1416	17/Fine	Surface	1.0	18.5	30.6	30.6	6.17	6.14	87.0	86.5	4.46	4.51	4.77	7.4	7.4	7.7
				30.6	6.10	86.0		4.55		7.4							
			Middle	9.4	19.4	31.9	31.9	5.95	5.94	83.9	83.7	4.78	4.75		7.8	7.7	
				31.9	5.92	83.5		4.72		7.6							
			Bottom	17.8	19.8	32.2	32.2	5.68	5.72	80.1	80.6	5.02	5.06		8.0	8.0	
				32.2	5.75	81.1		5.10		8.0							
19/01/12	1549-1604	22/Fine	Surface	1.0	18.0	29.8	29.9	6.50	6.53	86.9	87.3	4.45	4.48	4.68	7.4	7.4	7.6
				29.9	6.55	87.6		4.50		7.4							
			Middle	9.0	18.2	30.6	30.7	6.32	6.34	84.6	84.9	4.64	4.66		7.6	7.6	
				30.7	6.36	85.1		4.67		7.6							
			Bottom	17.0	18.5	31.6	31.6	6.02	6.04	80.4	80.7	4.94	4.92		7.8	7.8	
				31.5	6.06	80.9		4.90		7.8							
21/01/12	1651-1704	17/Cloudy	Surface	1.0	18.3	30.0	30.0	6.34	6.33	84.3	84.1	4.97	4.96	5.05	7.8	7.4	7.8
				29.9	6.31	83.9		4.94		7.0							
			Middle	9.1	18.7	30.5	30.6	6.20	6.22	82.5	82.7	5.02	5.04		8.0	8.0	
				30.6	6.23	82.9		5.05		8.0							
			Bottom	17.2	19.1	31.6	31.7	6.07	6.09	80.7	80.9	5.16	5.15		8.2	8.1	
				31.7	6.10	81.1		5.13		8.0							
27/01/12	1052-1104	15/Cloudy	Surface	1.0	15.6	29.8	29.9	6.08	6.13	83.9	84.8	4.92	4.97	5.00	7.8	7.9	7.9
				29.9	6.18	85.7		5.02		8.0							
			Middle	9.2	15.8	30.4	30.4	6.22	6.26	85.8	86.4	4.94	4.93		7.8	7.8	
				30.3	6.30	86.9		4.91		7.8							
			Bottom	17.4	16.4	31.8	31.8	5.99	5.97	82.6	82.5	5.11	5.09		8.0	8.0	
				31.7	5.95	82.4		5.07		8.0							
31/01/12	1301-1317	14/Cloudy	Surface	1.0	17.1	29.7	29.7	6.52	6.49	84.8	84.4	4.33	4.29	4.58	7.2	7.2	7.5
				29.7	6.46	84.0		4.24		7.2							
			Middle	9.3	17.3	30.4	30.4	6.16	6.20	80.1	80.6	4.68	4.64		7.6	7.6	
				30.4	6.23	81.0		4.59		7.6							
			Bottom	17.6	17.7	31.0	31.0	5.82	5.84	75.7	75.9	4.86	4.83		7.8	7.8	
				31.0	5.85	76.1		4.80		7.8							

Mid-Flood Tide

Monitoring Station : R8a

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1523-1535	17/Cloudy	Surface	1.0	19.4	30.3	30.4	6.13	6.12	85.8	85.7	4.56	4.58	4.72	7.6	7.6	7.7
				7.0	18.6	30.4		6.11		85.5		4.59			7.5		
			Middle	7.0	18.6	30.8	30.8	6.02	6.05	84.3	84.6	4.72	4.76		7.5	7.7	
				13.0	18.2	30.7		6.07		84.9		4.79			7.8		
			Bottom	13.0	18.2	31.7	31.7	5.74	5.75	80.4	80.5	4.82	4.84		7.8	7.8	
				13.0	18.2	31.6		5.76		80.6		4.86			7.8		
05/01/12	1637-1652	12/Cloudy	Surface	1.0	18.0	29.7	29.7	6.34	6.36	86.3	85.3	4.13	4.15	4.40	7.0	7.0	7.4
				6.7	18.2	30.4		30.5		6.08		6.10			84.2		
			Middle	6.7	18.2	30.5	30.5		6.11	6.10	80.6		80.4		4.43	4.41	
				12.4	18.3	31.2		31.3	5.83		5.85	76.9			77.1		
			Bottom	12.4	18.3	31.3	31.3		5.86	5.85		77.3	77.1			4.66	
				12.4	18.3	31.2		31.3	5.83		5.85	76.9			77.1	4.62	
07/01/12	1724-1736	14/Cloudy	Surface	1.0	19.5	31.2	31.2		6.15	6.14		87.3	87.2	4.74		4.78	4.92
				6.8	20.2	32.1		32.1	5.97		5.96	84.7		84.6	4.93		
			Middle	6.8	20.2	32.1	32.1		5.95	5.96		84.4	84.6		4.87	4.90	
				12.6	20.3	32.3		32.3	5.90		5.92	83.1		83.4	5.04		
			Bottom	12.6	20.3	32.3	32.3		5.94	5.92		83.7	83.4		5.10	5.07	
				12.6	20.3	32.3		32.3	5.94		5.92	83.7		83.4	5.10		
10/01/12	1040-1053	15/Cloudy	Surface	1.0	18.3	30.2	30.2		6.18	6.21		86.5	87.0		4.42	4.43	4.54
				6.9	18.1	30.6		30.7	6.12		6.13	85.7		85.9	4.50		
			Middle	6.9	18.1	30.7	30.7		6.14	6.13		86.0	85.9		4.56	4.53	
				12.8	17.6	31.5		31.5	6.03		6.04	84.4		84.6	4.67		
			Bottom	12.8	17.6	31.5	31.5		6.05	6.04		84.7	84.6		4.63	4.65	
				12.8	17.6	31.5		31.5	6.05		6.04	84.7		84.6	4.63		
12/01/12	1023-1035	17/Drizzle	Surface	1.0	19.5	30.6	30.6		5.92	5.96		82.9	83.4		4.29	4.33	4.56
				6.2	20.2	31.6		31.6	6.02		6.04	83.3		84.5	4.50		
			Middle	6.2	20.2	31.6	31.6		6.05	6.04		84.7	84.5		4.59	4.55	
				12.4	20.4	31.9		31.9	5.94		5.96	83.2		83.5	4.81		
			Bottom	12.4	20.4	31.9	31.9		5.98	5.96		83.7	83.5		4.83	4.82	
				12.4	20.4	31.9		31.9	5.98		5.96	83.7		83.5	4.83		
14/01/12	1153-1208	16/Cloudy	Surface	1.0	17.3	29.6	29.6		6.67	6.70		87.4	87.8		4.13	4.52	4.41
				7.0	17.2	29.6		29.7	6.51		6.48	85.3		84.9	4.23		
			Middle	7.0	17.2	29.7	29.7		6.45	6.48		84.5	84.9		4.27	4.25	
				13.0	17.5	30.0		30.0	6.14		6.17	80.4		80.8	4.47		
			Bottom	13.0	17.5	29.9	30.0		6.20	6.17		81.2	80.8		4.43	4.45	
				13.0	17.5	29.9		30.0	6.20		6.17	81.2		80.8	4.43		
17/01/12	1423-1438	17/Fine	Surface	1.0	18.3	30.7	30.7		6.09	6.12		86.5	86.9		4.58	4.54	4.67
				6.9	19.4	31.8		31.9	6.00		6.01	85.2		85.4	4.66		
			Middle	6.9	19.4	31.9	31.9		6.02	6.01		85.5	85.4		4.69	4.68	
				12.8	19.7	32.1		32.1	5.93		5.91	84.2		83.9	4.75		
			Bottom	12.8	19.7	32.1	32.1		5.88	5.91		83.5	83.9		4.81	4.78	
				12.8	19.7	32.1		32.1	5.88		5.91	83.5		83.9	4.81		
19/01/12	1615-1628	20/Fine	Surface	1.0	18.1	30.0	30.0		6.42	6.44		85.8	86.1		4.53	4.54	4.70
				7.1	18.3	30.6		30.6	6.30		6.28	84.3		84.1	4.70		
			Middle	7.1	18.3	30.5	30.6		6.26	6.28		83.8	84.1		4.67	4.69	
				13.2	18.5	31.3		31.3	6.12		6.10	81.7		81.5	4.84		
			Bottom	13.2	18.5	31.3	31.3		6.08	6.10		81.2	81.5		4.88	4.86	
				13.2	18.5	31.3		31.3	6.08		6.10	81.2		81.5	4.88		
21/01/12	1714-1727	16/Cloudy	Surface	1.0	18.2	29.9	30.0		6.27	6.30		83.4	83.8		4.94	4.96	5.04
				7.0	18.6	30.5		30.5	6.21		6.20	82.6		82.5	5.02		
			Middle	7.0	18.6	30.4	30.5		6.19	6.20		82.3	82.5		5.05	5.04	
				13.0	19.0	31.4		31.4	6.12		6.11	81.4		81.2	5.11		
			Bottom	13.0	19.0	31.4	31.4		6.09	6.11		81.0	81.2		5.13	5.12	
				13.0	19.0	31.4		31.4	6.09		6.11	81.0		81.2	5.13		
27/01/12	1109-1122	15/Cloudy	Surface	1.0	15.6	29.8	29.8		6.08	6.09		82.7	82.8		4.56	4.59	4.83
				7.0	15.8	30.6		30.6	6.04		6.09	82.1		82.8	4.78		
			Middle	7.0	15.8	30.6	30.6		6.13	6.09		83.4	82.8		4.86	4.82	
				13.0	16.4	31.4		31.4	5.94		5.93	80.8		80.7	5.05		
			Bottom	13.0	16.4	31.4	31.4		5.92	5.93		80.5	80.7		5.08	5.07	
				13.0	16.4	31.4		31.4	5.92		5.93	80.5		80.7	5.08		
31/01/12	1320-1338	14/Cloudy	Surface	1.0	17.2	29.8	29.8		6.51	6.53		84.6	84.9		4.37	4.40	4.51
				6.9	17.2	30.3		30.3	6.44		6.41	83.7		83.3	4.49		
			Middle	6.9	17.2	30.3	30.3		6.37	6.41		82.8	83.3		4.52	4.51	
				12.8	17.6	30.8		30.9	6.11		6.15	79.4		80.0	4.64		
			Bottom	12.8	17.6	30.8	30.9		6.11	6.15		79.4	80.0		4.64	4.62	
				12.8	17.6	30.9		30.9	6.19		6.15	80.5		80.0	4.59		

Mid-Flood Tide

Monitoring Station : R15

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
03/01/12	1251-1303	17/Cloudy	Surface	1.0	19.3	30.3	30.3	6.02	6.05	84.9	85.0	4.32	4.30	4.58	7.2	7.2	7.5	
						30.2		6.07		85.1		4.28			7.2			
			Middle	5.7	18.7	30.7	30.7	6.11	6.10	86.9	86.5	4.91	4.88		4.90	7.8		7.8
						30.7		6.09		86.1		4.58			7.6			
			Bottom	10.4	18.2	31.4	31.5	5.88	5.90	82.3	82.6	4.52	4.58		4.55	7.4		7.5
						31.5		5.92		82.9		4.58			7.4			
05/01/12	1345-1400	11/Cloudy	Surface	1.0	17.9	29.6	29.7	6.08	6.11	80.2	80.6	4.35	4.38	4.59	7.4	7.4	7.6	
						29.7		6.13		80.9		4.40			7.4			
			Middle	5.2	18.1	30.1	30.1	5.93	5.91	78.2	77.9	4.58	4.63		4.61	7.6		7.6
						30.0		5.88		77.6		4.63			7.6			
			Bottom	10.4	18.1	31.4	31.5	5.70	5.72	75.2	75.5	4.76	4.79		4.79	7.6		7.7
						31.5		5.74		75.7		4.81			7.8			
07/01/12	1434-1445	14/Cloudy	Surface	1.0	19.3	30.9	31.0	6.23	6.22	88.4	88.2	4.21	4.20	4.58	7.2	7.2	7.5	
						31.0		6.20		88.0		4.18			7.2			
			Middle	6.1	19.9	31.8	31.8	6.04	6.06	85.7	86.0	4.58	4.64		4.61	7.6		7.6
						31.7		6.08		86.3		4.64			7.6			
			Bottom	11.2	20.0	32.1	32.1	5.94	5.92	83.7	83.4	4.92	4.97		4.95	7.8		7.8
						32.1		5.90		83.1		4.97			7.8			
10/01/12	0806-0818	15/Cloudy	Surface	1.0	18.3	30.1	30.1	6.06	6.09	85.4	85.8	4.41	4.44	4.57	7.4	7.4	7.6	
						30.1		6.11		86.2		4.46			7.4			
			Middle	6.0	18.1	30.6	30.7	6.00	5.99	84.6	84.5	4.53	4.57		4.55	7.4		7.5
						30.7		5.98		84.3		4.57			7.6			
			Bottom	11.0	17.6	31.6	31.6	5.86	5.84	82.6	82.3	4.75	4.74		4.74	7.8		7.8
						31.5		5.81		81.9		4.72			7.8			
12/01/12	0745-0754	16/Drizzle	Surface	1.0	19.1	30.3	30.3	6.23	6.21	87.2	87.0	4.87	4.90	5.08	7.8	7.8	8.0	
						30.3		6.19		86.7		4.93			7.8			
			Middle	5.8	20.2	31.4	31.4	6.02	6.03	84.3	84.5	5.17	5.12		5.15	8.2		8.1
						31.4		6.04		84.6		5.12			8.0			
			Bottom	10.6	20.4	32.0	32.0	5.93	5.94	83.0	83.1	5.18	5.20		5.19	8.2		8.2
						32.0		5.94		83.2		5.20			8.2			
14/01/12	0908-0921	16/Cloudy	Surface	1.0	17.2	29.5	29.5	6.55	6.58	86.5	86.9	4.11	4.14	4.31	7.0	7.1	7.3	
						29.4		6.61		87.3		4.17			7.2			
			Middle	6.1	17.3	29.6	29.6	6.36	6.39	84.0	84.4	4.30	4.26		4.28	7.2		7.2
						29.6		6.42		84.7		4.26			7.2			
			Bottom	11.2	17.6	30.0	30.0	6.17	6.15	81.4	81.1	4.53	4.47		4.50	7.4		7.5
						29.9		6.12		80.8		4.47			7.6			
17/01/12	1138-1151	17/Fine	Surface	1.0	18.7	30.3	30.3	6.13	6.10	87.0	86.6	4.48	4.44	4.56	7.4	7.4	7.5	
						30.3		6.07		86.2		4.40			7.4			
			Middle	5.9	19.4	31.6	31.6	6.17	6.15	87.6	87.3	4.52	4.59		4.56	7.4		7.5
						31.5		6.13		87.0		4.59			7.6			
			Bottom	10.8	19.7	31.9	31.9	5.83	5.81	82.8	82.5	4.65	4.72		4.69	7.6		7.6
						31.8		5.78		82.1		4.72			7.6			
19/01/12	1337-1349	22/Fine	Surface	1.0	17.8	29.8	29.9	6.39	6.38	85.4	85.3	4.54	4.52	4.72	7.4	7.4	7.6	
						29.9		6.37		85.2		4.50			7.4			
			Middle	6.2	18.0	30.2	30.3	6.25	6.23	83.7	83.4	4.71	4.73		4.72	7.6		7.6
						30.3		6.21		83.1		4.73			7.6			
			Bottom	11.4	18.3	30.6	30.7	6.07	6.04	81.1	80.7	4.91	4.95		4.93	7.8		7.8
						30.7		6.01		80.3		4.95			7.8			
21/01/12	1438-1451	17/Cloudy	Surface	1.0	18.4	30.0	30.0	6.15	6.14	81.8	81.7	5.11	5.13	5.21	8.0	8.0	8.1	
						29.9		6.13		81.5		5.14			8.0			
			Middle	6.2	18.6	30.4	30.4	6.03	6.05	80.2	80.4	5.22	5.19		5.21	8.2		8.2
						30.4		6.06		80.6		5.19			8.2			
			Bottom	11.4	19.0	31.5	31.5	5.97	5.96	79.4	79.2	5.27	5.30		5.29	8.2		8.2
						31.5		5.94		79.0		5.30			8.2			
27/01/12	0840-0854	14/Cloudy	Surface	1.0	15.3	29.9	29.9	6.23	6.25	85.9	86.2	4.72	4.73	5.05	7.6	7.6	8.0	
						29.9		6.26		86.4		4.73			7.6			
			Middle	5.7	15.8	30.3	30.3	6.14	6.14	84.0	83.9	5.08	5.01		5.05	8.0		8.0
						30.3		6.13		83.8		5.01			8.0			
			Bottom	10.4	16.3	31.4	31.4	5.94	5.96	81.9	82.4	5.39	5.36		5.38	8.4		8.4
						31.4		5.97		82.8		5.36			8.4			
31/01/12	1038-1052	14/Cloudy	Surface	1.0	17.1	29.7	29.7	6.33	6.36	82.9	83.3	4.37	4.40	4.55	7.4	7.4	7.5	
						29.7		6.38		83.6		4.42			7.4			
			Middle	5.8	17.2	30.2	30.3	6.35	6.34	83.2	83.1	4.53	4.58		4.56	7.4		7.5
						30.3		6.33		82.9		4.58			7.6			
			Bottom	10.6	17.5	30.8	30.8	6.06	6.10	79.4	79.9	4.68	4.73		4.71	7.6		7.7
						30.8		6.13		80.3		4.73			7.8			

Mid-Flood Tide

Monitoring Station : R16

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
03/01/12	1226-1240	17/Cloudy	Surface	1.0	19.3	30.3	30.3	6.17	6.20	86.5	86.9	4.39	4.43	4.75	7.4	7.4	7.7		
						30.2		6.23		87.2		4.46			7.4				
			Middle	6.4	18.6	30.8	30.8	6.03	6.03	84.9	84.7	4.76	4.79		4.82	4.79		7.6	7.7
						30.7		6.02		84.5		4.82			7.8				
			Bottom	11.8	18.2	31.5	31.5	5.84	5.85	82.5	82.6	5.02	5.04		5.02	5.04		7.8	7.9
						31.5		5.86		82.7		5.05			8.0				
05/01/12	1322-1338	11/Cloudy	Surface	1.0	17.9	29.6	29.6	6.25	6.23	82.5	82.2	4.21	4.23	4.48	7.2	7.2	7.4		
						29.6		6.21		81.9		4.25			7.2				
			Middle	6.6	18.1	30.1	30.1	6.01	5.99	79.3	79.1	4.47	4.49		4.47	4.49		7.4	7.4
						30.1		5.97		78.8		4.51			7.4				
			Bottom	12.2	18.3	31.7	31.7	5.83	5.81	76.9	76.6	4.75	4.73		4.75	4.73		7.8	7.7
						31.7		5.78		76.2		4.70			7.6				
07/01/12	1415-1426	14/Cloudy	Surface	1.0	19.4	30.9	30.9	6.17	6.16	87.6	87.4	4.04	4.07	4.37	7.0	7.0	7.3		
						30.8		6.14		87.1		4.10			7.0				
			Middle	6.7	19.6	31.8	31.8	6.01	6.03	85.3	85.5	4.21	4.19		4.21	4.19		7.2	7.2
						31.8		6.04		85.7		4.17			7.2				
			Bottom	12.4	20.1	32.0	32.1	5.90	5.89	83.1	82.9	4.82	4.86		4.82	4.86		7.8	7.8
						32.1		5.87		82.7		4.90			7.8				
10/01/12	0746-0758	15/Cloudy	Surface	1.0	18.2	30.0	30.1	6.14	6.16	86.0	86.3	4.29	4.26	4.38	7.2	7.2	7.3		
						30.1		6.18		86.5		4.22			7.2				
			Middle	6.8	18.1	30.6	30.6	6.20	6.17	86.8	86.3	4.34	4.37		4.34	4.37		7.4	7.3
						30.6		6.13		85.8		4.40			7.4				
			Bottom	12.6	17.6	31.5	31.5	6.01	6.00	84.1	84.0	4.56	4.53		4.56	4.53		7.6	7.5
						31.5		5.99		83.9		4.49			7.4				
12/01/12	0724-0738	16/Drizzle	Surface	1.0	19.0	30.4	30.4	6.12	6.15	85.7	86.1	4.97	4.95	4.94	7.8	7.8	7.9		
						30.4		6.18		86.5		4.92			7.8				
			Middle	6.6	20.1	31.3	31.3	6.17	6.14	86.4	85.9	4.82	4.84		4.82	4.84		7.8	7.8
						31.3		6.10		85.4		4.85			7.8				
			Bottom	12.2	20.3	31.9	31.9	6.02	6.02	84.3	84.2	5.07	5.05		5.07	5.05		8.0	8.0
						31.9		6.01		84.1		5.03			8.0				
14/01/12	0847-0900	16/Cloudy	Surface	1.0	17.1	29.5	29.5	6.68	6.70	87.5	87.8	4.14	4.10	4.24	7.0	7.0	7.2		
						29.5		6.72		88.0		4.06			7.0				
			Middle	6.9	17.3	29.6	29.6	6.48	6.45	84.9	84.5	4.18	4.20		4.18	4.20		7.2	7.2
						29.6		6.41		84.0		4.21			7.2				
			Bottom	12.8	17.5	29.9	29.9	6.08	6.10	79.6	79.9	4.38	4.42		4.38	4.42		7.4	7.4
						29.9		6.12		80.2		4.45			7.4				
17/01/12	1117-1130	17/Fine	Surface	1.0	18.6	30.4	30.4	6.18	6.22	87.1	87.6	4.24	4.22	4.33	7.2	7.2	7.3		
						30.4		6.25		88.1		4.19			7.2				
			Middle	6.8	19.5	31.5	31.6	6.15	6.12	86.7	86.3	4.29	4.31		4.29	4.31		7.2	7.2
						31.6		6.09		85.9		4.32			7.2				
			Bottom	12.6	19.6	31.8	31.8	5.86	5.89	82.6	83.1	4.45	4.48		4.45	4.48		7.4	7.4
						31.8		5.92		83.5		4.50			7.4				
19/01/12	1317-1330	22/Fine	Surface	1.0	17.8	29.9	29.9	6.61	6.62	88.4	88.6	4.43	4.46	4.64	7.4	7.4	7.6		
						29.9		6.63		88.7		4.48			7.4				
			Middle	6.9	18.0	30.3	30.3	6.42	6.44	85.9	86.1	4.60	4.62		4.60	4.62		7.6	7.6
						30.2		6.45		86.3		4.63			7.6				
			Bottom	12.8	18.2	30.7	30.7	6.18	6.19	82.5	82.7	4.80	4.84		4.80	4.84		7.8	7.8
						30.7		6.20		82.9		4.88			7.8				
21/01/12	1417-1430	17/Cloudy	Surface	1.0	18.3	30.0	30.0	6.23	6.25	82.9	83.2	5.02	5.04	5.12	7.8	7.8	8.0		
						29.9		6.27		83.4		5.05			7.8				
			Middle	6.9	18.5	30.4	30.5	6.16	6.15	81.9	81.7	5.14	5.13		5.14	5.13		8.0	8.0
						30.5		6.13		81.5		5.11			8.0				
			Bottom	12.8	19.0	31.5	31.6	6.07	6.05	80.7	80.5	5.19	5.20		5.19	5.20		8.2	8.2
						31.6		6.03		80.2		5.21			8.2				
27/01/12	0823-0835	14/Cloudy	Surface	1.0	15.4	29.9	29.9	6.09	6.11	83.6	83.8	4.56	4.58	5.06	7.6	7.6	8.0		
						29.8		6.12		83.9		4.60			7.6				
			Middle	6.6	15.8	30.4	30.4	6.11	6.09	84.3	84.0	5.23	5.26		5.23	5.26		8.2	8.2
						30.4		6.06		83.6		5.28			8.2				
			Bottom	12.2	16.2	31.5	31.5	5.87	5.89	81.0	81.2	5.34	5.35		5.34	5.35		8.2	8.3
						31.4		5.90		81.4		5.36			8.4				
31/01/12	1019-1033	14/Cloudy	Surface	1.0	17.0	29.7	29.7	6.46	6.48	84.0	84.3	4.31	4.28	4.47	7.2	7.2	7.4		
						29.7		6.50		84.5		4.25			7.2				
			Middle	6.7	17.2	30.3	30.3	6.40	6.44	83.2	83.7	4.47	4.44		4.47	4.44		7.4	7.4
						30.2		6.48		84.2		4.41			7.4				
			Bottom	12.4	17.5	30.9	30.9	6.21	6.20	80.7	80.6	4.71	4.68		4.71	4.68		7.6	7.6
						30.9		6.19		80.5		4.65			7.6				

Mid-Flood Tide

Monitoring Station : R17

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1200-1214	17/Cloudy	Surface	1.0	19.4	30.2	30.2	6.04	6.03	84.1	84.4	4.12	4.11	4.37	7.2	7.1	7.3
				6.5	18.7	30.2		6.02		84.6		4.10			7.0		
			Middle	6.5	18.7	30.8	30.8	5.93	5.92	83.2	83.5	4.36	4.35		7.2	7.1	
				12.0	18.2	30.8		5.90		83.7		4.33			7.0		
			Bottom	12.0	18.2	31.6	31.6	5.78	5.80	81.6	81.5	4.62	4.66		7.5	7.6	
				12.0	18.2	31.5		5.82		81.4		4.69			7.6		
05/01/12	1300-1317	11/Cloudy	Surface	1.0	17.9	29.6	29.6	6.28	6.30	82.8	83.1	4.28	4.31	4.53	7.2	7.2	7.5
				6.2	18.1	29.6		6.32		83.4		4.33			7.2		
			Middle	6.2	18.1	30.1	30.2	6.02	6.04	79.4	79.6	4.50	4.52		7.4	7.5	
				11.4	18.2	30.2		6.05		79.8		4.54			7.5		
			Bottom	11.4	18.2	31.7	31.8	5.82	5.84	76.8	77.1	4.73	4.75		8.0	7.9	
				11.4	18.2	31.8		5.86		77.3		4.77			7.8		
07/01/12	1400-1412	14/Cloudy	Surface	1.0	19.4	30.8	30.8	6.11	6.10	86.7	86.5	3.97	3.95	4.36	6.8	6.8	7.2
				6.3	19.7	30.7		6.08		86.3		3.92			6.8		
			Middle	6.3	19.7	31.6	31.7	5.92	5.94	83.4	83.6	4.43	4.41		7.4	7.2	
				11.6	20.2	31.7		5.95		83.8		4.39			7.0		
			Bottom	11.6	20.2	31.9	32.0	5.88	5.87	82.9	82.7	4.70	4.74		7.5	7.7	
				11.6	20.2	32.0		5.85		82.4		4.77			7.8		
10/01/12	0730-0743	15/Cloudy	Surface	1.0	18.3	30.0	30.0	6.23	6.20	87.2	86.7	4.32	4.29	4.42	7.2	7.2	7.3
				6.4	18.1	30.0		6.16		86.2		4.26			7.2		
			Middle	6.4	18.1	30.6	30.7	6.09	6.11	85.3	85.5	4.43	4.41		7.4	7.2	
				11.8	17.5	30.7		6.12		85.7		4.38			7.0		
			Bottom	11.8	17.5	31.6	31.6	5.93	5.94	83.0	83.2	4.59	4.57		7.5	7.6	
				11.8	17.5	31.6		5.95		83.3		4.55			7.6		
12/01/12	0700-0715	16/Drizzle	Surface	1.0	19.0	30.3	30.4	6.09	6.12	85.3	85.6	4.82	4.83	4.97	7.8	7.8	7.9
				6.5	20.1	30.4		6.14		85.9		4.84			7.8		
			Middle	6.5	20.1	31.3	31.3	6.02	6.07	84.3	84.9	4.95	4.94		7.8	7.9	
				12.0	20.3	31.3		6.11		85.5		4.93			8.0		
			Bottom	12.0	20.3	31.9	31.9	5.92	5.94	82.9	83.1	5.12	5.15		8.0	8.1	
				12.0	20.3	31.8		5.95		83.3		5.17			8.2		
14/01/12	0830-0844	16/Cloudy	Surface	1.0	17.2	29.4	29.5	6.65	6.63	87.1	86.9	4.09	4.07	4.27	7.0	7.0	7.2
				6.6	17.2	29.5		6.61		86.6		4.04			7.0		
			Middle	6.6	17.2	29.7	29.7	6.43	6.44	84.2	84.4	4.24	4.28		7.2	7.1	
				12.2	17.6	29.6		6.45		84.5		4.32			7.0		
			Bottom	12.2	17.6	29.9	29.9	6.10	6.13	79.9	80.3	4.48	4.45		7.5	7.5	
				12.2	17.6	29.9		6.15		80.6		4.42			7.4		
17/01/12	1100-1114	17/Fine	Surface	1.0	18.7	30.4	30.4	6.13	6.17	86.4	86.9	4.22	4.25	4.39	7.2	7.2	7.3
				6.4	19.3	30.3		6.20		87.4		4.27			7.2		
			Middle	6.4	19.3	31.5	31.5	6.07	6.09	85.6	85.9	4.40	4.37		7.4	7.2	
				11.8	19.7	31.5		6.11		86.2		4.34			7.0		
			Bottom	11.8	19.7	31.8	31.8	5.88	5.87	82.9	82.7	4.57	4.55		7.5	7.5	
				11.8	19.7	31.8		5.85		82.5		4.52			7.4		
19/01/12	1300-1313	22/Fine	Surface	1.0	17.8	29.9	29.9	6.64	6.66	88.8	89.0	4.41	4.43	4.63	7.4	7.4	7.5
				6.4	18.0	29.8		6.67		89.1		4.44			7.4		
			Middle	6.4	18.0	30.2	30.2	6.33	6.32	84.7	84.6	4.61	4.63		7.6	7.6	
				11.8	18.2	30.2		6.31		84.5		4.65			7.5		
			Bottom	11.8	18.2	30.8	30.8	6.06	6.08	80.9	81.1	4.83	4.85		7.5	7.7	
				11.8	18.2	30.7		6.09		81.3		4.86			7.8		
21/01/12	1400-1413	17/Cloudy	Surface	1.0	18.2	29.8	29.8	6.26	6.28	83.3	83.6	5.03	5.05	5.14	7.8	7.8	8.1
				6.4	18.5	29.8		6.30		83.8		5.07			7.8		
			Middle	6.4	18.5	30.4	30.4	6.19	6.17	82.3	82.1	5.13	5.15		8.0	8.0	
				11.8	19.0	30.4		6.15		81.8		5.16			8.0		
			Bottom	11.8	19.0	31.5	31.5	6.08	6.07	80.9	80.7	5.20	5.22		8.5	8.4	
				11.8	19.0	31.5		6.05		80.5		5.23			8.2		
27/01/12	0800-0814	14/Cloudy	Surface	1.0	15.4	29.8	29.8	6.17	6.15	84.5	84.2	4.88	4.89	5.10	7.8	7.8	8.0
				6.5	15.8	29.8		6.12		83.8		4.90			7.8		
			Middle	6.5	15.8	30.4	30.4	6.06	6.04	83.6	80.3	5.17	5.14		8.2	8.1	
				12.0	16.2	30.4		6.01		76.9		5.11			8.0		
			Bottom	12.0	16.2	31.5	31.5	5.97	5.94	82.4	81.9	5.23	5.27		8.0	8.1	
				12.0	16.2	31.5		5.90		81.4		5.30			8.2		
31/01/12	1000-1016	14/Cloudy	Surface	1.0	17.1	29.8	29.8	6.42	6.39	83.5	83.1	4.28	4.25	4.46	7.2	7.2	7.4
				6.3	17.1	29.7		6.35		82.6		4.21			7.2		
			Middle	6.3	17.1	30.2	30.2	6.39	6.42	83.1	83.4	4.46	4.48		7.4	7.5	
				11.6	17.6	30.2		6.44		83.7		4.49			7.5		
			Bottom	11.6	17.6	30.8	30.8	6.11	6.14	79.4	79.8	4.64	4.66		7.5	7.5	
				11.6	17.6	30.8		6.17		80.2		4.67			7.4		

Mid-Flood Tide



Monitoring Station : R28

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1408-1421	17/Cloudy	Surface	1.0	19.6	30.3	30.4	6.33	6.29	88.6	88.1	4.56	4.53	4.79	7.6	7.5	7.8
			Middle	6.5	18.5	30.4		6.25		87.5		4.50			7.4		
			Bottom	12.0	18.2	30.8	6.08	85.1	4.72	7.8							
05/01/12	1511-1525	12/Cloudy	Surface	1.0	17.9	30.7	29.7	6.32	6.30	84.6	83.1	4.79	4.64	4.39	7.8	7.2	7.4
			Middle	5.9	18.0	31.5		6.04		84.6		4.79			7.8		
			Bottom	10.8	18.2	30.8	6.08	80.7	4.30	7.4							
07/01/12	1611-1622	14/Cloudy	Surface	1.0	19.4	29.7	29.7	6.27	6.10	82.7	80.5	4.22	4.33	4.66	7.2	7.2	7.6
			Middle	6.2	20.0	31.2		6.12		80.2		4.35			7.4		
			Bottom	11.4	20.2	31.2	6.28	84.9	5.06	8.0							
10/01/12	0929-0940	15/Cloudy	Surface	1.0	18.4	31.2	31.2	5.98	5.97	88.7	88.9	4.17	4.14	4.49	7.2	7.3	7.4
			Middle	6.1	18.1	30.6		6.11		85.5		4.49			7.4		
			Bottom	11.2	17.6	30.2	6.18	84.7	4.46	7.6							
12/01/12	0906-0920	16/Drizzle	Surface	1.0	19.1	30.6	30.6	5.95	5.97	83.3	83.5	4.62	4.64	4.77	7.4	7.6	7.7
			Middle	6.4	20.2	31.5		5.98		83.7		4.65			7.6		
			Bottom	11.8	20.4	30.3	6.12	85.7	4.56	7.8							
14/01/12	1036-1049	16/Cloudy	Surface	1.0	17.3	30.3	30.3	6.15	6.14	86.1	85.9	4.61	4.59	4.31	7.6	7.1	7.2
			Middle	6.2	17.3	31.3		6.10		85.4		4.74			7.2		
			Bottom	11.4	17.6	30.4	6.19	84.7	4.79	7.4							
17/01/12	1306-1319	17/Fine	Surface	1.0	18.5	29.5	29.5	6.69	6.66	87.6	87.2	4.14	4.17	4.47	7.0	7.3	7.4
			Middle	6.1	19.4	30.3		6.13		86.4		4.38			7.4		
			Bottom	11.2	19.6	30.4	6.19	87.3	4.31	7.2							
19/01/12	1454-1507	22/Fine	Surface	1.0	17.9	31.6	31.6	6.06	6.03	85.4	85.0	4.43	4.46	4.67	7.4	7.4	7.6
			Middle	5.9	18.1	31.6		6.06		84.5		4.48			7.4		
			Bottom	10.8	18.4	31.8	5.87	82.8	4.58	7.6							
21/01/12	1555-1608	17/Cloudy	Surface	1.0	18.3	29.8	29.9	6.54	6.56	87.4	87.6	4.47	4.49	5.05	7.4	7.4	7.9
			Middle	5.9	18.6	30.1		6.37		85.3		4.61			7.6		
			Bottom	10.8	18.9	30.1	6.41	85.8	4.64	7.6							
27/01/12	1002-1017	15/Cloudy	Surface	1.0	15.4	30.7	30.7	6.17	6.16	82.4	82.2	4.87	4.89	5.23	8.2	8.2	8.2
			Middle	6.3	15.9	30.0		6.24		82.0		4.91			8.2		
			Bottom	11.6	16.5	30.4	6.17	83.0	5.04	8.0							
31/01/12	1205-1219	14/Cloudy	Surface	1.0	17.2	31.4	31.5	6.12	6.10	81.4	81.2	5.11	5.12	4.48	7.4	7.3	7.4
			Middle	6.0	17.3	31.5		6.08		80.9		5.13			7.2		
			Bottom	11.0	17.7	30.2	6.35	82.6	4.47	7.4							

Mid-Flood Tide

Monitoring Station : R29

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1428-1441	17/Cloudy	Surface	1.0	19.4	30.4	30.4	6.20	6.21	86.8	86.9	4.42	4.45	4.61	7.4	7.4	7.6
						30.3		6.21		86.9		4.47			7.4		
			Middle	8.9	18.6	30.7	30.7	6.02	6.06	84.3	84.8	4.52	4.52		7.6	7.5	
						30.7		6.09		85.3		4.52			7.4		
			Bottom	16.8	18.0	31.8	31.8	5.89	5.91	82.5	82.8	4.82	4.86		7.8	7.8	
						31.8		5.93		83.0		4.89			7.8		
05/01/12	1530-1546	12/Cloudy	Surface	1.0	17.9	29.7	29.8	6.15	6.18	81.1	81.5	4.27	4.29	4.58	7.2	7.3	7.6
						29.8		6.20		81.8		4.31			7.4		
			Middle	8.9	18.2	30.4	30.4	5.91	5.93	78.0	78.2	4.60	4.63		7.6	7.6	
						30.4		5.94		78.4		4.66			7.6		
			Bottom	16.8	18.4	31.8	31.8	5.70	5.73	75.2	75.6	4.83	4.81		7.8	7.8	
						31.8		5.75		75.9		4.78			7.8		
07/01/12	1636-1647	14/Cloudy	Surface	1.0	19.5	31.2	31.2	6.29	6.28	89.3	89.1	3.92	3.97	4.47	6.8	6.9	7.4
						31.1		6.26		88.8		4.01			7.0		
			Middle	8.9	20.1	32.0	32.0	6.05	6.03	85.9	85.6	4.48	4.51		7.4	7.4	
						32.0		6.01		85.3		4.54			7.4		
			Bottom	16.8	20.2	32.1	32.2	6.02	6.04	85.4	85.7	4.95	4.93		7.8	7.8	
						32.2		6.05		85.9		4.91			7.8		
10/01/12	0949-1001	15/Cloudy	Surface	1.0	18.4	30.1	30.1	6.03	6.05	85.0	85.3	4.66	4.70	4.87	7.6	7.7	7.8
						30.1		6.07		85.6		4.74			7.8		
			Middle	8.9	18.0	30.7	30.8	5.89	5.91	83.0	83.3	4.84	4.86		7.8	7.8	
						30.8		5.93		83.6		4.88			7.8		
			Bottom	16.8	17.5	31.6	31.6	5.75	5.73	81.1	80.8	5.02	5.06		8.0	8.0	
						31.6		5.70		80.4		5.09			8.0		
12/01/12	0926-0938	16/Drizzle	Surface	1.0	19.1	30.3	30.3	6.19	6.22	86.7	87.1	4.68	4.70	4.86	7.6	7.6	7.8
						30.3		6.24		87.4		4.72			7.6		
			Middle	8.9	20.1	31.4	31.5	6.12	6.14	85.7	85.9	4.92	4.95		7.8	7.8	
						31.5		6.15		86.1		4.98			7.8		
			Bottom	16.8	20.3	31.8	31.9	5.88	5.86	82.3	82.1	4.90	4.93		7.8	7.9	
						31.9		5.84		81.8		4.96			8.0		
14/01/12	1058-1111	16/Cloudy	Surface	1.0	17.3	29.5	29.5	6.65	6.62	87.8	87.4	4.24	4.26	4.45	7.2	7.2	7.4
						29.4		6.58		86.9		4.28			7.2		
			Middle	9.1	17.4	29.9	29.9	6.46	6.44	85.3	85.0	4.43	4.46		7.4	7.4	
						29.9		6.41		84.6		4.48			7.4		
			Bottom	17.2	17.6	30.3	30.4	6.07	6.09	80.1	80.4	4.66	4.64		7.6	7.6	
						30.4		6.11		80.7		4.61			7.6		
17/01/12	1328-1341	17/Fine	Surface	1.0	18.3	30.6	30.7	6.01	6.04	85.3	85.7	4.69	4.67	4.88	7.6	7.6	7.8
						30.7		6.06		86.1		4.64			7.6		
			Middle	9.0	19.5	31.8	31.9	5.94	5.93	84.3	84.1	4.90	4.86		7.8	7.8	
						31.9		5.91		83.9		4.82			7.8		
			Bottom	17.0	19.7	32.1	32.1	5.72	5.75	81.2	81.7	5.06	5.10		8.0	8.0	
						32.1		5.78		82.1		5.14			8.0		
19/01/12	1512-1525	22/Fine	Surface	1.0	17.9	30.0	30.0	6.43	6.45	86.0	86.3	4.57	4.59	4.82	7.6	7.6	7.8
						29.9		6.47		86.5		4.60			7.6		
			Middle	8.9	18.2	30.6	30.6	6.30	6.29	84.3	84.1	4.85	4.84		7.8	7.8	
						30.5		6.27		83.9		4.82			7.8		
			Bottom	16.8	18.5	31.3	31.3	6.11	6.09	81.6	81.3	5.00	5.03		8.0	8.0	
						31.3		6.06		80.9		5.05			8.0		
21/01/12	1614-1627	17/Cloudy	Surface	1.0	18.4	29.8	29.9	6.29	6.31	83.7	83.9	5.04	5.03	5.11	7.8	7.8	8.0
						29.9		6.32		84.1		5.02			7.8		
			Middle	8.8	18.7	30.5	30.5	6.20	6.22	82.5	82.7	5.10	5.11		8.0	8.0	
						30.4		6.23		82.9		5.12			8.0		
			Bottom	16.6	19.1	31.6	31.6	6.11	6.09	81.3	81.0	5.21	5.20		8.2	8.2	
						31.5		6.07		80.7		5.18			8.2		
27/01/12	1021-1034	15/Cloudy	Surface	1.0	15.3	29.8	29.8	6.10	6.09	84.2	84.1	4.76	4.79	4.92	7.8	7.8	7.9
						29.8		6.08		83.9		4.81			7.8		
			Middle	8.9	15.9	30.5	30.5	6.04	6.03	83.4	83.8	4.96	4.94		7.8	7.8	
						30.4		6.01		84.1		4.92			7.8		
			Bottom	16.8	16.5	31.5	31.6	5.99	5.97	82.7	82.3	5.01	5.05		8.0	8.0	
						31.6		5.94		81.9		5.08			8.0		
31/01/12	1226-1240	14/Cloudy	Surface	1.0	17.1	29.8	29.8	6.39	6.36	83.7	83.3	4.40	4.43	4.61	7.4	7.4	7.6
						29.7		6.32		82.8		4.45			7.4		
			Middle	8.8	17.3	30.4	30.4	6.08	6.11	79.6	80.0	4.66	4.62		7.6	7.6	
						30.4		6.14		80.4		4.58			7.6		
			Bottom	16.6	17.7	30.9	31.0	5.92	5.90	77.6	77.3	4.83	4.80		7.8	7.8	
						31.0		5.88		77.0		4.76			7.8		

Mid-Flood Tide

Monitoring Station : C1

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1309-1322	17/Cloudy	Surface	1.0	19.3	30.3	30.3	6.29	6.28	88.1	87.9	4.56	4.58	4.75	7.6	7.6	7.7
				7.7	18.6	30.2		6.26		87.6		4.59			7.6		
			Middle	7.7	18.6	30.6	30.6	5.93	5.95	83.1	83.4	4.72	4.75		7.6		
				14.4	18.1	30.6		5.97		83.6		4.77			7.8		
			Bottom	14.4	18.1	31.6	31.6	5.90	5.92	82.6	82.9	4.92	4.93		7.8		
				14.4	18.1	31.6		5.94		83.2		4.94			8.0		
05/01/12	1408-1423	11/Cloudy	Surface	1.0	17.9	29.7	29.7	6.23	6.25	82.2	82.4	4.18	4.20	4.45	7.2	7.2	7.4
				7.3	18.2	30.3		5.99		79.0		4.43			7.2		
			Middle	7.3	18.2	30.4	30.4	5.95	5.97	78.5	78.8	4.48	4.46		7.4		
				13.6	18.3	31.8		5.80		76.5		4.68			7.6		
			Bottom	13.6	18.3	31.7	31.8	5.77	5.79	76.1	76.3	4.72	4.70		7.5		
				13.6	18.3	31.7		5.77		76.1		4.72			7.5		
07/01/12	1500-1512	14/Cloudy	Surface	1.0	19.3	31.0	31.1	6.29	6.27	89.3	89.0	4.34	4.31	4.69	7.2	7.2	7.6
				7.2	20.0	31.1		6.25		88.7		4.27			7.2		
			Middle	7.2	20.0	31.8	31.9	6.10	6.08	86.6	86.3	4.67	4.70		7.6		
				13.4	20.2	31.9		6.05		85.9		4.73			7.6		
			Bottom	13.4	20.2	32.1	32.2	5.87	5.89	82.7	82.9	5.02	5.06		8.0		
				13.4	20.2	32.2		5.90		83.1		5.10			8.0		
10/01/12	0827-0840	15/Cloudy	Surface	1.0	18.3	30.1	30.1	6.27	6.25	87.8	87.5	4.18	4.19	4.32	7.2	7.2	7.3
				7.5	18.0	30.1		6.22		87.1		4.20			7.2		
			Middle	7.5	18.0	30.7	30.7	6.07	6.10	85.0	85.4	4.35	4.32		7.4		
				14.0	17.6	30.7		6.13		85.8		4.28			7.2		
			Bottom	14.0	17.6	31.6	31.6	5.90	5.94	82.6	83.1	4.43	4.46		7.4		
				14.0	17.6	31.5		5.97		83.6		4.48			7.5		
12/01/12	0759-0813	16/Drizzle	Surface	1.0	19.0	30.2	30.3	6.32	6.35	88.5	88.9	4.94	4.97	5.02	7.8	7.8	7.9
				7.7	20.1	30.3		6.37		89.2		4.99			7.8		
			Middle	7.7	20.1	31.4	31.4	6.09	6.11	85.3	85.5	5.06	5.07		8.0		
				14.4	20.3	31.3		6.12		85.7		5.07			8.0		
			Bottom	14.4	20.3	31.9	31.9	5.87	5.86	82.2	82.1	5.01	5.02		8.0		
				14.4	20.3	31.8		5.85		81.9		5.03			8.0		
14/01/12	0930-0944	16/Cloudy	Surface	1.0	17.2	29.4	29.5	6.70	6.73	87.8	88.2	4.01	4.04	4.25	7.0	7.0	7.2
				7.6	17.3	29.5		6.76		88.6		4.06			7.0		
			Middle	7.6	17.3	29.7	29.7	6.46	6.45	84.6	84.4	4.23	4.26		7.2		
				14.2	17.6	29.7		6.43		84.2		4.28			7.2		
			Bottom	14.2	17.6	30.0	30.0	6.21	6.18	81.4	80.9	4.43	4.47		7.4		
				14.2	17.6	30.0		6.14		80.4		4.50			7.5		
17/01/12	1200-1214	17/Fine	Surface	1.0	18.8	30.4	30.4	6.24	6.26	88.0	88.3	4.13	4.16	4.34	7.0	7.1	7.3
				7.6	19.6	30.3		6.28		88.5		4.19			7.2		
			Middle	7.6	19.6	31.5	31.5	6.15	6.17	86.7	87.0	4.36	4.34		7.4		
				14.2	19.8	31.5		6.19		87.3		4.32			7.2		
			Bottom	14.2	19.8	31.9	31.9	5.98	5.95	84.3	83.8	4.55	4.52		7.6		
				14.2	19.8	31.9		5.91		83.3		4.49			7.5		
19/01/12	1357-1410	22/Fine	Surface	1.0	17.9	30.0	30.0	6.44	6.45	86.1	86.3	4.41	4.39	4.55	7.4	7.4	7.5
				7.1	18.1	29.9		6.46		86.4		4.37			7.4		
			Middle	7.1	18.1	30.4	30.5	6.30	6.31	84.3	84.5	4.53	4.55		7.4		
				13.2	18.4	30.5		6.32		84.6		4.57			7.6		
			Bottom	13.2	18.4	31.2	31.2	6.05	6.07	80.8	81.1	4.70	4.71		7.6		
				13.2	18.4	31.2		6.09		81.3		4.71			7.5		
21/01/12	1458-1510	17/Cloudy	Surface	1.0	18.3	29.8	29.8	6.24	6.22	83.0	82.7	5.06	5.08	5.18	7.8	7.9	8.1
				7.1	18.6	29.8		6.20		82.4		5.10			8.0		
			Middle	7.1	18.6	30.5	30.5	6.10	6.09	81.1	80.9	5.20	5.19		8.2		
				13.2	19.1	30.5		6.07		80.7		5.17			8.2		
			Bottom	13.2	19.1	31.6	31.6	5.98	5.96	79.5	79.3	5.26	5.28		8.2		
				13.2	19.1	31.5		5.94		79.0		5.29			8.0		
27/01/12	0902-0915	14/Cloudy	Surface	1.0	15.3	29.8	29.9	6.30	6.30	86.9	86.8	4.96	4.94	5.02	7.8	7.8	7.9
				7.7	15.9	29.9		6.29		86.7		4.91			7.8		
			Middle	7.7	15.9	30.5	30.5	6.20	6.18	85.6	85.0	5.14	5.16		8.0		
				14.4	16.3	30.5		6.16		84.3		5.17			8.2		
			Bottom	14.4	16.3	31.5	31.5	5.90	5.89	81.4	81.2	4.92	4.96		7.8		
				14.4	16.3	31.5		5.88		81.0		4.99			8.0		
31/01/12	1100-1115	14/Cloudy	Surface	1.0	17.1	29.7	29.8	6.56	6.54	85.3	85.1	4.26	4.25	4.46	7.2	7.2	7.4
				7.4	17.1	29.8		6.52		84.8		4.23			7.2		
			Middle	7.4	17.1	30.2	30.2	6.37	6.41	82.8	83.4	4.44	4.46		7.4		
				13.8	17.6	30.2		6.45		83.9		4.48			7.4		
			Bottom	13.8	17.6	30.9	30.9	6.10	6.13	79.3	79.7	4.69	4.66		7.6		
				13.8	17.6	30.8		6.16		80.1		4.63			7.5		

Mid-Flood Tide

Monitoring Station : C3

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1330-1342	17/Cloudy	Surface	1.0	19.3	30.3	30.3	6.15	6.16	86.1	86.3	4.46	4.44	4.58	7.4	7.4	7.6
						30.3		6.17		86.4		4.41			7.4		
			Middle	7.0	18.6	30.5	30.6	6.06	6.05	84.8	84.6	4.56	4.56		7.6	7.6	
						30.6		6.03		84.4		4.55			7.6		
			Bottom	13.0	18.1	31.5	31.5	5.82	5.84	81.5	81.7	4.77	4.75		7.8	7.8	
						31.5		5.85		81.8		4.72			7.8		
05/01/12	1428-1445	11/Cloudy	Surface	1.0	17.9	29.7	29.8	6.30	6.32	83.1	83.4	4.15	4.17	4.41	7.2	7.2	7.4
						29.8		6.34		83.6		4.19			7.2		
			Middle	6.9	18.2	30.3	30.3	6.00	6.03	79.2	79.5	4.40	4.42		7.4	7.4	
						30.3		6.05		79.8		4.44			7.4		
			Bottom	12.8	18.4	31.7	31.7	5.82	5.84	76.8	77.0	4.63	4.65		7.6	7.6	
						31.7		5.85		77.2		4.67			7.6		
07/01/12	1525-1537	14/Cloudy	Surface	1.0	19.4	31.0	31.1	6.20	6.22	88.0	88.3	4.19	4.15	4.84	7.2	7.1	7.8
						31.1		6.24		88.6		4.11			7.0		
			Middle	6.8	20.0	31.9	31.9	6.01	6.03	85.3	85.6	5.21	5.24		8.2	8.2	
						31.9		6.05		85.9		5.27			8.2		
			Bottom	12.6	20.2	32.2	32.2	5.92	5.94	83.4	83.6	5.17	5.14		8.2	8.1	
						32.2		5.95		83.8		5.11			8.0		
10/01/12	0848-0901	15/Cloudy	Surface	1.0	18.3	30.1	30.1	6.19	6.18	86.7	86.5	4.13	4.18	4.31	7.0	7.1	7.2
						30.0		6.16		86.2		4.22			7.2		
			Middle	6.8	18.1	30.6	30.6	6.10	6.11	85.4	85.9	4.26	4.30		7.2	7.2	
						30.6		6.11		86.4		4.34			7.2		
			Bottom	12.6	17.6	31.5	31.5	6.02	6.03	84.3	84.5	4.47	4.44		7.4	7.4	
						31.5		6.04		84.6		4.41			7.4		
12/01/12	0821-0834	16/Drizzle	Surface	1.0	19.1	30.3	30.3	6.19	6.18	86.7	86.5	5.02	5.05	5.10	8.0	8.0	8.1
						30.2		6.16		86.2		5.07			8.0		
			Middle	6.9	20.2	31.5	31.5	6.05	6.07	84.8	85.0	5.15	5.17		8.2	8.2	
						31.4		6.09		85.2		5.19			8.2		
			Bottom	12.8	20.4	31.7	31.8	5.90	5.92	82.6	82.9	5.10	5.10		8.0	8.0	
						31.8		5.94		83.2		5.09			8.0		
14/01/12	0952-1006	16/Cloudy	Surface	1.0	17.2	29.4	29.4	6.73	6.70	88.2	87.7	4.03	4.08	4.25	7.0	7.0	7.2
						29.4		6.66		87.2		4.12			7.0		
			Middle	7.0	17.2	29.7	29.7	6.50	6.47	85.2	84.8	4.26	4.23		7.2	7.2	
						29.6		6.44		84.4		4.19			7.2		
			Bottom	13.0	17.5	29.9	30.0	6.18	6.21	81.0	81.4	4.41	4.45		7.4	7.4	
						30.0		6.24		81.7		4.48			7.4		
17/01/12	1222-1236	17/Fine	Surface	1.0	18.6	30.4	30.4	6.21	6.19	87.6	87.3	4.15	4.18	4.34	7.2	7.2	7.3
						30.4		6.16		86.9		4.21			7.2		
			Middle	6.8	19.5	31.6	31.6	6.17	6.14	87.0	86.5	4.38	4.34		7.4	7.3	
						31.6		6.10		86.0		4.30			7.2		
			Bottom	12.6	19.7	31.8	31.9	5.89	5.92	83.0	83.4	4.46	4.50		7.4	7.4	
						31.9		5.94		83.8		4.53			7.4		
19/01/12	1417-1430	22/Fine	Surface	1.0	17.8	29.8	29.8	6.45	6.43	86.2	86.0	4.30	4.32	4.53	7.2	7.2	7.5
						29.8		6.41		85.7		4.33			7.2		
			Middle	6.8	18.1	30.4	30.4	6.29	6.31	84.2	84.5	4.48	4.50		7.4	7.4	
						30.4		6.33		84.7		4.52			7.4		
			Bottom	12.6	18.4	30.8	30.9	6.10	6.09	81.5	81.3	4.76	4.78		7.8	7.8	
						30.9		6.07		81.1		4.79			7.8		
21/01/12	1516-1529	17/Cloudy	Surface	1.0	18.3	29.9	29.9	6.28	6.27	83.5	83.3	5.08	5.10	5.19	7.8	7.9	8.1
						29.9		6.25		83.1		5.11			8.0		
			Middle	6.9	18.6	30.6	30.6	6.14	6.16	81.7	82.0	5.18	5.19		8.2	8.2	
						30.5		6.18		82.2		5.20			8.2		
			Bottom	12.8	19.0	31.6	31.6	6.04	6.06	80.3	80.5	5.28	5.27		8.2	8.2	
						31.6		6.07		80.7		5.26			8.2		
27/01/12	0923-0936	14/Cloudy	Surface	1.0	15.3	29.8	29.8	6.23	6.22	85.9	85.8	5.90	5.49	5.27	8.0	7.9	8.0
						29.8		6.20		85.6		5.08			7.8		
			Middle	6.9	15.7	30.4	30.5	6.02	6.05	83.1	83.3	5.12	5.13		8.0	8.0	
						30.5		6.07		83.4		5.14			8.0		
			Bottom	12.8	16.2	31.4	31.5	5.93	5.95	81.8	82.3	5.17	5.18		8.2	8.2	
						31.5		5.96		82.7		5.19			8.2		
31/01/12	1122-1137	14/Cloudy	Surface	1.0	17.1	29.8	29.8	6.47	6.44	84.1	83.7	4.24	4.21	4.42	7.2	7.2	7.4
						29.8		6.41		83.3		4.18			7.2		
			Middle	6.8	17.2	30.3	30.3	6.43	6.42	83.6	83.4	4.46	4.43		7.4	7.4	
						30.3		6.40		83.2		4.39			7.4		
			Bottom	12.6	17.6	30.8	30.9	6.22	6.20	80.9	80.6	4.61	4.63		7.6	7.6	
						30.9		6.18		80.3		4.65			7.6		

Monitoring Station : C2

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	2157-2207	18/Fine	Surface	1.0	19.2	31.5	31.5	6.23	6.22	88.4	88.2	4.90	4.94	5.05	8.0	7.9	8.0
						31.4		6.20		88.0		4.98			7.8		
			Middle	8.4	18.8	32.0	32.0	6.04	6.03	85.7	85.5	4.99	5.02		7.9	7.9	
						32.0		6.01		85.3		5.04			8.0		
			Bottom	15.8	18.9	32.2	32.2	5.90	5.89	83.1	82.9	5.21	5.19		8.2	8.2	
						32.1		5.87		82.7		5.16			8.2		
05/01/12	1137-1151	10/Cloudy	Surface	1.0	17.8	29.5	29.5	6.00	6.04	79.2	79.7	4.54	4.50	4.70	7.5	7.5	7.6
						29.5		6.07		80.1		4.46			7.4		
			Middle	8.0	17.8	30.5	30.5	5.89	5.86	77.7	77.4	4.74	4.66		7.6	7.6	
						30.4		5.83		77.0		4.66			7.6		
			Bottom	15.0	18.0	31.7	31.7	5.72	5.73	75.5	75.7	4.87	4.90		7.8	7.8	
						31.6		5.74		75.8		4.92			7.8		
07/01/12	1313-1328	12/Cloudy	Surface	1.0	18.8	30.6	30.6	6.30	6.28	88.2	87.9	4.52	4.50	4.67	7.5	7.5	7.6
						30.6		6.25		87.5		4.48			7.4		
			Middle	7.2	18.7	30.7	30.7	5.87	5.85	82.2	81.9	4.67	4.65		7.6	7.6	
						30.7		5.82		81.5		4.62			7.6		
			Bottom	13.4	18.2	31.6	31.7	5.77	5.75	80.8	80.5	4.84	4.86		7.8	7.8	
						31.7		5.73		80.2		4.88			7.8		
10/01/12	1603-1617	19/Fine	Surface	1.0	18.6	30.3	30.3	6.29	6.31	88.1	88.4	4.97	4.99	5.07	8.0	7.9	8.0
						30.3		6.33		88.6		5.01			7.8		
			Middle	7.8	18.1	30.8	30.8	6.22	6.24	87.1	87.4	5.08	5.07		8.0	8.0	
						30.7		6.26		87.6		5.06			8.0		
			Bottom	14.6	17.5	31.7	31.7	6.12	6.14	85.7	85.9	5.14	5.16		8.2	8.2	
						31.6		6.15		86.1		5.17			8.2		
12/01/12	1640-1652	17/Drizzle	Surface	1.0	19.6	30.9	30.9	6.20	6.19	88.0	87.8	5.02	5.06	5.04	8.0	8.0	8.0
						30.8		6.17		87.6		5.10			8.0		
			Middle	8.4	20.4	31.5	31.5	6.04	6.06	85.7	85.9	4.94	4.93		7.8	7.8	
						31.4		6.07		86.1		4.91			7.8		
			Bottom	15.8	20.6	32.1	32.1	5.87	5.88	82.7	82.9	5.19	5.15		8.2	8.1	
						32.0		5.89		83.0		5.10			8.0		
14/01/12	1815-1830	17/Cloudy	Surface	1.0	17.2	29.5	29.5	6.43	6.40	83.5	83.2	4.07	4.09	4.33	7.0	7.0	7.3
						29.5		6.37		82.8		4.11			7.0		
			Middle	7.3	17.5	29.9	29.9	6.15	6.18	79.9	80.3	4.40	4.38		7.4	7.4	
						29.9		6.20		80.6		4.36			7.4		
			Bottom	13.6	17.7	30.5	30.5	5.91	5.94	76.8	77.1	4.48	4.51		7.4	7.5	
						30.5		5.96		77.4		4.53			7.6		
17/01/12	2039-2049	17/Cloudy	Surface	1.0	18.3	30.6	30.6	6.17	6.16	87.6	87.4	4.98	5.02	5.02	7.5	7.8	7.9
						30.6		6.14		87.1		5.05			8.0		
			Middle	8.4	19.5	32.0	32.0	6.04	6.06	85.7	85.9	4.89	4.92		7.8	7.8	
						32.0		6.07		86.1		4.94			7.8		
			Bottom	15.8	19.7	32.1	32.1	5.85	5.87	82.4	82.7	5.15	5.13		8.2	8.1	
						32.1		5.88		82.9		5.10			8.0		
19/01/12	1207-1220	18/Cloudy	Surface	1.0	17.9	29.9	29.9	6.55	6.53	87.7	87.1	4.45	4.48	4.72	7.5	7.5	7.7
						29.8		6.50		86.4		4.50			7.4		
			Middle	7.9	18.2	30.5	30.6	6.22	6.24	82.7	83.0	4.70	4.73		7.6	7.7	
						30.6		6.26		83.2		4.75			7.8		
			Bottom	14.8	18.3	31.1	31.2	5.92	5.94	78.7	78.9	4.99	4.96		7.8	7.8	
						31.2		5.95		79.1		4.93			7.8		
21/01/12	1245-1300	18/Cloudy	Surface	1.0	18.5	29.8	29.8	6.09	6.11	79.2	79.5	4.87	4.85	4.96	8.0	7.9	7.9
						29.8		6.13		79.7		4.82			7.8		
			Middle	7.4	18.7	30.4	30.4	6.04	6.03	78.5	78.3	4.96	4.95		7.8	7.9	
						30.4		6.01		78.1		4.94			8.0		
			Bottom	13.8	19.4	31.8	31.9	6.08	6.09	79.0	79.1	5.06	5.08		8.0	8.0	
						31.9		6.09		79.2		5.09			8.0		
27/01/12	1725-1740	16/Cloudy	Surface	1.0	15.5	29.9	30.0	6.34	6.35	86.2	86.4	5.03	5.05	5.12	8.0	8.0	8.1
						30.0		6.36		86.5		5.06			8.0		
			Middle	8.1	15.9	30.6	30.6	6.27	6.26	85.7	85.5	5.11	5.12		8.0	8.0	
						30.5		6.25		85.3		5.13			8.0		
			Bottom	15.2	16.4	31.5	31.5	6.14	6.17	83.8	84.2	5.20	5.19		8.2	8.2	
						31.5		6.19		84.5		5.17			8.2		
31/01/12	1922-1937	16/Fine	Surface	1.0	17.5	29.9	30.0	6.38	6.36	82.9	82.6	4.48	4.50	4.72	7.5	7.5	7.7
						30.0		6.33		82.2		4.51			7.4		
			Middle	8.1	17.7	30.7	30.7	6.11	6.10	79.4	79.2	4.72	4.74		7.6	7.7	
						30.7		6.08		79.0		4.75			7.8		
			Bottom	15.2	17.8	31.4	31.4	5.82	5.83	75.6	75.8	4.91	4.94		7.8	7.8	
						31.3		5.84		75.9		4.96			7.8		

Mid-Ebb Tide

Monitoring Station : C4

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	2140-2150	18/Fine	Surface	1.0	19.2	31.5	31.5	6.19	6.17	87.8	87.6	4.71	4.74	5.04	7.6	7.6	7.9
						31.5		6.15		87.3		4.76			7.6		
			Middle	8.4	8.9	32.0	32.0	6.01	6.03	85.3	85.5	5.04	5.07		8.0	8.0	
						31.9		6.04		85.7		5.09			8.0		
			Bottom	15.8	19.0	32.2	32.2	5.84	5.82	82.3	82.0	5.34	5.31		8.4	8.2	
						32.2		5.79		81.6		5.27			8.0		
05/01/12	1116-1129	10/Cloudy	Surface	1.0	17.7	29.5	29.6	6.05	6.07	79.9	80.2	4.44	4.46	4.64	7.4	7.4	7.6
						29.6		6.09		80.4		4.48			7.4		
			Middle	8.1	18.9	30.4	30.4	5.95	5.94	78.5	78.4	4.63	4.66		7.6	7.6	
						30.4		5.93		78.3		4.68			7.6		
			Bottom	15.2	18.0	31.7	31.7	5.86	5.83	77.4	77.0	4.84	4.82		7.8	7.9	
						31.6		5.80		76.6		4.79			8.0		
07/01/12	1250-1303	12/Cloudy	Surface	1.0	18.8	30.6	30.6	6.21	6.25	86.9	87.4	4.93	4.95	4.94	7.8	7.8	7.9
						30.5		6.28		87.9		4.96			7.8		
			Middle	8.1	18.6	30.7	30.8	6.02	6.00	84.3	84.0	4.88	4.86		7.8	7.8	
						30.8		5.98		83.7		4.84			7.8		
			Bottom	15.2	18.2	31.4	31.5	5.89	5.87	82.5	82.2	4.99	5.01		8.0	8.0	
						31.5		5.85		81.9		5.02			8.0		
10/01/12	1538-1555	19/Fine	Surface	1.0	18.5	30.2	30.2	6.24	6.27	87.4	87.8	5.02	5.04	5.14	7.8	7.8	8.0
						30.2		6.29		88.1		5.06			7.8		
			Middle	8.1	18.0	30.7	30.8	6.17	6.16	86.4	86.3	5.15	5.14		8.2	8.1	
						30.8		6.15		86.1		5.13			8.0		
			Bottom	15.2	17.5	31.6	31.6	6.05	6.07	84.7	84.9	5.26	5.24		8.2	8.1	
						31.6		6.08		85.1		5.22			8.0		
12/01/12	1621-1632	17/Drizzle	Surface	1.0	19.6	30.8	30.8	6.29	6.28	89.3	89.1	4.98	5.03	5.31	7.8	7.8	8.3
						30.8		6.26		88.8		5.07			7.8		
			Middle	8.4	20.4	31.6	31.6	6.01	6.00	85.3	85.2	5.47	5.44		8.4	8.4	
						31.5		5.99		85.0		5.41			8.4		
			Bottom	15.8	20.6	32.1	32.1	5.94	5.96	83.7	83.9	5.50	5.47		8.6	8.6	
						32.1		5.97		84.1		5.43			8.5		
14/01/12	1758-1810	17/Cloudy	Surface	1.0	17.3	29.5	29.5	6.44	6.42	83.7	83.5	4.12	4.14	4.38	7.0	7.1	7.4
						29.4		6.40		83.2		4.16			7.2		
			Middle	7.9	17.5	29.9	30.0	6.12	6.10	79.5	79.2	4.37	4.40		7.4	7.4	
						30.0		6.07		78.9		4.42			7.4		
			Bottom	14.8	17.8	30.5	30.5	5.88	5.90	76.4	76.7	4.57	4.59		7.6	7.6	
						30.5		5.92		76.9		4.61			7.5		
17/01/12	2021-2031	17/Cloudy	Surface	1.0	18.3	30.7	30.7	6.09	6.07	86.4	86.2	4.92	4.96	5.04	7.8	7.8	7.9
						30.7		6.05		85.9		4.99			7.8		
			Middle	8.4	19.4	31.9	31.9	5.97	5.96	84.7	84.5	5.01	5.04		8.0	7.9	
						31.9		5.94		84.3		5.07			8.0		
			Bottom	15.8	19.8	32.2	32.2	5.99	5.97	85.0	84.7	5.08	5.11		8.0	8.0	
						32.1		5.95		84.4		5.14			8.0		
19/01/12	1147-1202	18/Cloudy	Surface	1.0	17.9	29.9	29.9	6.51	6.49	86.5	86.3	4.43	4.45	4.72	7.4	7.4	7.6
						29.9		6.47		86.0		4.47			7.4		
			Middle	7.8	18.1	30.6	30.6	6.23	6.21	82.8	82.5	4.68	4.71		7.6	7.6	
						30.6		6.18		82.1		4.73			7.6		
			Bottom	14.6	18.2	31.2	31.2	6.00	5.97	79.8	79.4	4.98	5.00		7.8	7.9	
						31.2		5.94		79.0		5.01			8.0		
21/01/12	1223-1238	18/Cloudy	Surface	1.0	18.4	29.7	29.8	6.23	6.26	80.9	81.2	4.93	4.94	5.10	7.8	7.8	8.0
						29.8		6.28		81.4		4.95			7.8		
			Middle	8.0	18.7	30.3	30.4	6.11	6.10	79.4	79.2	5.02	5.04		8.0	8.0	
						30.4		6.08		79.0		5.05			8.0		
			Bottom	15.0	19.5	31.8	31.8	5.83	5.85	75.8	76.0	5.29	5.31		8.2	8.1	
						31.8		5.86		76.2		5.33			8.0		
27/01/12	1701-1715	16/Cloudy	Surface	1.0	15.5	29.9	29.9	6.31	6.29	85.8	85.6	5.04	5.02	5.11	7.8	7.8	8.0
						29.8		6.27		85.3		5.00			7.8		
			Middle	8.2	15.9	30.6	30.6	6.22	6.21	85.0	84.8	5.12	5.11		8.0	8.0	
						30.6		6.20		84.6		5.10			8.0		
			Bottom	15.4	16.4	31.5	31.5	6.13	6.12	83.6	83.4	5.17	5.19		8.2	8.1	
						31.4		6.10		83.2		5.21			8.0		
31/01/12	1900-1916	16/Fine	Surface	1.0	17.5	29.9	30.0	6.37	6.36	82.8	82.6	4.41	4.44	4.68	7.4	7.4	7.6
						30.0		6.34		82.4		4.46			7.4		
			Middle	8.2	17.7	30.7	30.8	6.16	6.14	80.0	79.8	4.66	4.68		7.6	7.6	
						30.8		6.12		79.5		4.70			7.6		
			Bottom	15.4	17.9	31.4	31.5	5.83	5.85	75.7	75.9	4.89	4.92		7.8	7.9	
						31.5		5.86		76.1		4.94			8.0		

Mid-Ebb Tide

Monitoring Station : R5

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
03/01/12	1952-2004	18/Fine	Surface	1.0	19.3	31.3	31.3	6.30	6.32	89.4	89.7	4.21	4.26	4.73	7.0	7.1	7.6		
						31.2		6.34		90.0		4.30			7.2				
			Middle	8.4	19.0	31.9	31.9	6.07	6.06	86.1	85.9	4.87	4.89		4.87	4.89		7.8	7.8
						31.9		6.04		85.7		4.90			7.8				
			Bottom	15.8	19.0	32.1	32.2	5.99	5.97	85.0	84.7	5.04	5.06		5.04	5.06		8.0	8.0
						32.2		5.95		84.4		5.08			8.0				
05/01/12	0914-0929	10/Cloudy	Surface	1.0	17.8	29.6	29.6	6.02	6.00	80.1	79.8	4.72	4.74	4.93	7.5	7.6	7.8		
						29.6		5.97		79.4		4.76			7.6				
			Middle	8.4	17.9	30.4	30.5	5.84	5.87	77.7	78.0	4.97	4.94		4.97	4.94		7.8	7.8
						30.5		5.89		78.3		4.90			7.8				
			Bottom	15.8	18.0	31.7	31.7	5.71	5.74	75.9	76.3	5.09	5.12		5.09	5.12		8.0	8.1
						31.7		5.76		76.6		5.15			8.2				
07/01/12	1059-1111	12/Cloudy	Surface	1.0	18.8	30.4	30.4	6.32	6.31	88.5	88.4	4.57	4.59	4.76	7.5	7.6	7.7		
						30.4		6.30		88.2		4.60			7.6				
			Middle	8.2	18.5	30.8	30.8	6.22	6.24	87.1	87.4	4.76	4.74		4.76	4.74		7.7	7.7
						30.7		6.26		87.6		4.72			7.6				
			Bottom	15.4	18.2	31.7	31.7	6.03	6.02	84.4	84.3	4.93	4.94		4.93	4.94		7.8	7.8
						31.6		6.01		84.1		4.95			7.8				
10/01/12	1335-1348	19/Fine	Surface	1.0	18.5	30.2	30.2	6.08	6.10	85.1	85.3	5.10	5.12	5.22	8.0	8.0	8.1		
						30.1		6.11		85.5		5.14			8.0				
			Middle	8.3	17.9	30.7	30.8	6.00	5.99	84.0	83.8	5.21	5.23		5.21	5.23		8.2	8.2
						30.8		5.97		83.6		5.25			8.2				
			Bottom	15.6	17.5	31.6	31.6	5.91	5.90	82.7	82.5	5.30	5.31		5.30	5.31		8.2	8.2
						31.6		5.88		82.3		5.32			8.2				
12/01/12	1422-1434	17/Drizzle	Surface	1.0	19.5	30.6	30.6	6.26	6.25	88.8	88.6	5.12	5.10	5.23	8.0	8.0	8.2		
						30.6		6.23		88.4		5.07			8.0				
			Middle	8.4	20.3	31.4	31.4	6.04	6.06	85.7	85.9	5.27	5.24		5.27	5.24		8.2	8.2
						31.4		6.07		86.1		5.20			8.2				
			Bottom	15.8	20.5	32.0	32.1	5.88	5.86	82.9	82.6	5.38	5.35		5.38	5.35		8.4	8.3
						32.1		5.84		82.3		5.31			8.2				
14/01/12	1555-1610	18/Cloudy	Surface	1.0	17.3	29.4	29.4	6.19	6.21	80.4	80.7	4.25	4.27	4.46	7.0	7.1	7.4		
						29.4		6.23		80.9		4.29			7.2				
			Middle	8.3	17.5	29.8	29.9	5.94	5.96	77.2	77.4	4.40	4.43		4.40	4.43		7.4	7.4
						29.9		5.97		77.6		4.45			7.4				
			Bottom	15.6	17.8	30.5	30.5	5.76	5.78	74.8	75.1	4.66	4.68		4.66	4.68		7.6	7.6
						30.5		5.80		75.4		4.70			7.6				
17/01/12	1822-1834	17/Cloudy	Surface	1.0	18.6	30.4	30.4	6.30	6.29	89.4	89.2	5.01	5.04	5.13	8.0	8.0	8.1		
						30.4		6.27		89.0		5.07			8.0				
			Middle	8.4	19.5	31.6	31.6	6.12	6.11	86.9	86.7	5.17	5.20		5.17	5.20		8.2	8.2
						31.6		6.09		86.4		5.22			8.2				
			Bottom	15.8	19.7	31.9	31.9	5.92	5.90	83.4	83.2	5.12	5.16		5.12	5.16		8.0	8.1
						31.9		5.88		82.9		5.19			8.2				
19/01/12	0945-1000	18/Cloudy	Surface	1.0	17.7	29.8	29.9	6.42	6.45	85.3	85.7	4.58	4.61	4.83	7.5	7.6	7.8		
						29.9		6.48		86.1		4.63			7.6				
			Middle	8.4	18.0	30.6	30.7	6.16	6.18	81.9	82.2	4.80	4.84		4.80	4.84		7.8	7.8
						30.7		6.20		82.4		4.88			7.8				
			Bottom	15.8	18.3	31.2	31.3	5.96	5.98	79.2	79.4	5.02	5.04		5.02	5.04		8.0	8.0
						31.3		5.99		79.6		5.05			8.0				
21/01/12	1018-1032	18/Cloudy	Surface	1.0	18.5	29.9	29.9	6.20	6.19	80.6	80.5	5.24	5.27	5.24	8.0	8.1	8.1		
						29.8		6.17		80.3		5.30			8.2				
			Middle	8.9	18.9	30.5	30.5	6.09	6.11	79.2	79.4	5.14	5.16		5.14	5.16		8.0	8.1
						30.5		6.12		79.5		5.17			8.2				
			Bottom	16.8	19.3	31.8	31.8	6.02	6.04	78.3	78.5	5.28	5.30		5.28	5.30		8.2	8.2
						31.7		6.05		78.6		5.31			8.2				
27/01/12	1502-1514	17/Cloudy	Surface	1.0	15.6	30.0	30.0	6.14	6.13	83.5	83.3	5.07	5.09	5.17	8.0	8.0	8.1		
						29.9		6.11		83.1		5.10			8.0				
			Middle	8.4	15.9	30.4	30.5	6.05	6.03	82.7	82.4	5.15	5.16		5.15	5.16		8.2	8.2
						30.5		6.01		82.0		5.17			8.2				
			Bottom	15.8	16.3	31.4	31.4	5.96	5.94	81.3	81.1	5.24	5.25		5.24	5.25		8.2	8.2
						31.4		5.92		80.8		5.26			8.2				
31/01/12	1710-1724	17/Fine	Surface	1.0	17.4	29.9	30.0	6.14	6.17	79.8	80.1	4.60	4.58	4.80	7.5	7.6	7.8		
						30.0		6.19		80.4		4.56			7.6				
			Middle	8.4	17.7	30.7	30.7	5.82	5.84	75.6	75.9	4.77	4.79		4.77	4.79		7.8	7.8
						30.7		5.86		76.1		4.81			7.8				
			Bottom	15.8	17.9	31.4	31.5	5.70	5.72	74.1	74.4	5.02	5.04		5.02	5.04		8.0	8.0
						31.5		5.74		74.6		5.05			8.0				

Mid-Ebb Tide

Monitoring Station : R6

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average			
03/01/12	2050-2102	18/Fine	Surface	1.0	19.2	31.4	31.4	6.28	6.26	89.1	88.9	4.67	4.70	4.95	7.6	7.6	7.9			
						31.4		6.24		88.6		4.72			7.6					
			Middle	8.1	18.9	32.0	32.0	6.10	6.08	86.6	86.3	5.01	5.04		5.01			5.04	8.0	8.0
						32.0		6.05		85.9		5.07			8.0					
			Bottom	15.2	19.0	32.2	32.2	5.94	5.92	83.7	83.4	5.09	5.12		5.09			5.12	8.0	8.1
						32.1		5.90		83.1		5.15			8.2					
05/01/12	1014-1028	10/Cloudy	Surface	1.0	17.8	29.6	29.6	6.12	6.09	80.8	80.4	4.81	4.84	4.96	7.8	7.8	7.9			
						29.6		6.05		79.9		4.87			7.8					
			Middle	8.1	17.9	30.5	30.5	5.90	5.94	77.9	78.4	4.98	4.96		4.98			4.96	7.8	7.8
						30.4		5.97		78.8		4.94			7.8					
			Bottom	15.2	17.9	31.6	31.7	5.77	5.80	76.2	76.6	5.11	5.09		5.11			5.09	8.0	8.0
						31.7		5.83		77.0		5.07			8.0					
07/01/12	1154-1206	12/Cloudy	Surface	1.0	18.8	30.4	30.4	6.25	6.24	87.5	87.3	4.50	4.53	4.76	7.4	7.5	7.7			
						30.4		6.22		87.1		4.55			7.6					
			Middle	7.9	18.5	30.7	30.8	6.15	6.15	86.1	86.0	4.82	4.84		4.82			4.84	7.8	7.8
						30.8		6.14		85.9		4.85			7.8					
			Bottom	14.8	18.1	31.6	31.6	5.98	5.94	83.7	83.2	4.93	4.92		4.93			4.92	7.8	7.8
						31.6		5.90		82.6		4.90			7.8					
10/01/12	1431-1443	19/Fine	Surface	1.0	18.5	30.1	30.1	6.19	6.21	86.7	86.9	5.03	5.05	5.13	7.8	7.9	8.0			
						30.0		6.22		87.1		5.06			8.0					
			Middle	7.7	17.9	30.7	30.7	6.11	6.10	85.5	85.4	5.14	5.13		5.14			5.13	8.0	8.0
						30.7		6.09		85.3		5.11			8.0					
			Bottom	14.4	17.5	31.6	31.6	5.96	5.98	83.4	83.7	5.24	5.23		5.24			5.23	8.2	8.2
						31.5		5.99		83.9		5.22			8.2					
12/01/12	1520-1532	17/Drizzle	Surface	1.0	19.5	30.8	30.8	6.15	6.13	87.3	87.0	5.15	5.18	5.21	8.2	8.2	8.2			
						30.7		6.11		86.7		5.20			8.2					
			Middle	8.2	20.3	31.6	31.7	5.98	5.96	84.3	84.0	5.27	5.24		5.27			5.24	8.2	8.2
						31.7		5.94		83.7		5.21			8.2					
			Bottom	15.4	20.5	32.2	32.2	5.92	5.94	83.4	83.6	5.26	5.23		5.26			5.23	8.2	8.2
						32.2		5.95		83.8		5.19			8.2					
14/01/12	1655-1710	18/Cloudy	Surface	1.0	17.3	29.4	29.4	6.40	6.38	83.2	82.9	4.05	4.07	4.31	7.0	7.0	7.3			
						29.4		6.35		82.5		4.09			7.0					
			Middle	7.7	17.5	29.9	30.0	6.24	6.26	81.1	81.4	4.30	4.33		4.30			4.33	7.2	7.3
						30.0		6.28		81.6		4.36			7.4					
			Bottom	14.4	17.8	30.5	30.5	6.01	5.99	78.1	77.9	4.50	4.53		4.50			4.53	7.4	7.5
						30.5		5.97		77.6		4.55			7.6					
17/01/12	1920-1932	17/Cloudy	Surface	1.0	18.4	30.6	30.6	6.18	6.17	87.7	87.5	5.06	5.04	5.05	8.0	7.9	7.9			
						30.6		6.15		87.3		5.01			7.8					
			Middle	8.1	19.4	31.8	31.8	6.09	6.07	86.4	86.2	4.98	5.02		4.98			5.02	7.8	7.9
						31.7		6.05		85.9		5.05			8.0					
			Bottom	15.2	19.8	32.1	32.1	5.93	5.92	83.6	83.4	5.02	5.09		5.02			5.09	7.8	8.0
						32.1		5.90		83.1		5.15			8.2					
19/01/12	1045-1100	18/Cloudy	Surface	1.0	17.8	29.8	29.9	6.58	6.60	87.5	87.8	4.43	4.46	4.65	7.4	7.4	7.6			
						29.9		6.62		88.0		4.48			7.4					
			Middle	7.8	18.1	30.6	30.7	6.33	6.30	84.1	83.7	4.60	4.63		4.60			4.63	7.6	7.6
						30.7		6.27		83.3		4.66			7.6					
			Bottom	14.6	18.2	31.2	31.2	6.03	6.05	80.1	80.4	4.85	4.88		4.85			4.88	7.8	7.8
						31.1		6.07		80.7		4.90			7.8					
21/01/12	1116-1130	18/Cloudy	Surface	1.0	18.6	29.9	29.9	6.23	6.21	80.9	80.7	4.72	4.74	4.96	7.6	7.7	7.8			
						29.8		6.19		80.5		4.75			7.8					
			Middle	7.9	18.8	30.3	30.4	6.05	6.04	78.7	78.5	5.04	5.03		5.04			5.03	7.8	7.8
						30.4		6.02		78.3		5.02			8.0					
			Bottom	14.8	19.3	31.6	31.6	5.79	5.78	75.3	75.2	5.11	5.13		5.11			5.13	8.0	8.0
						31.6		5.77		75.0		5.14			8.0					
27/01/12	1555-1609	17/Cloudy	Surface	1.0	15.5	29.9	29.9	6.25	6.27	85.0	85.3	4.98	4.97	5.03	7.8	7.8	7.9			
						29.8		6.29		85.5		4.95			7.8					
			Middle	8.1	16.0	30.5	30.6	6.16	6.18	84.2	84.4	5.04	5.03		5.04			5.03	8.0	7.9
						30.6		6.19		84.5		5.01			7.8					
			Bottom	15.2	16.4	31.5	31.5	6.06	6.08	82.7	82.9	5.13	5.11		5.13			5.11	8.0	8.0
						31.5		6.09		83.1		5.09			8.0					
31/01/12	1758-1812	17/Fine	Surface	1.0	17.5	30.0	30.0	6.44	6.46	83.7	84.0	4.40	4.42	4.69	7.4	7.4	7.6			
						29.9		6.48		84.2		4.44			7.4					
			Middle	8.2	17.7	30.6	30.6	6.12	6.14	79.5	79.7	4.68	4.72		4.68			4.72	7.6	7.7
						30.6		6.15		79.9		4.75			7.8					
			Bottom	15.4	17.9	31.4	31.4	5.91	5.89	76.8	76.6	4.90	4.93		4.90			4.93	7.8	7.8
						31.4		5.87		76.3		4.95			7.8					

Mid-Ebb Tide

Monitoring Station : R7

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
03/01/12	2105-2117	18/Fine	Surface	1.0	19.2	31.4	31.4	6.20	6.22	88.0	88.3	4.49	4.52	4.90	7.4	7.5	7.9	
						31.3		6.24		88.6		4.54			7.6			
			Middle	8.9	19.0	32.0	32.0	5.98	5.97	84.9	84.7	4.98	5.01		7.8			7.9
						31.9		5.95		84.4		5.04			8.0			
			Bottom	16.8	19.2	32.2	32.2	5.87	5.86	82.7	82.5	5.21	5.19		8.2			8.2
						32.2		5.84		82.3		5.16			8.2			
05/01/12	1031-1046	10/Cloudy	Surface	1.0	17.7	29.4	29.4	6.06	6.08	80.0	80.2	4.66	4.69	4.88	7.6	7.6	7.8	
						29.4		6.09		80.4		4.71			7.6			
			Middle	8.8	17.9	30.5	30.5	5.99	5.97	79.1	78.8	4.89	4.86		7.8			7.8
						30.5		5.94		78.4		4.83			7.8			
			Bottom	16.6	18.0	31.7	31.7	5.81	5.80	76.7	76.6	5.13	5.09		8.2			8.1
						31.7		5.79		76.4		5.04			8.0			
07/01/12	1209-1223	12/Cloudy	Surface	1.0	18.8	30.3	30.4	6.12	6.11	85.6	85.5	4.29	4.31	4.57	7.2	7.2	7.5	
						30.4		6.10		85.4		4.32			7.2			
			Middle	8.6	18.5	30.8	30.8	6.02	6.04	84.3	84.7	4.52	4.56		7.4			7.5
						30.8		6.05		85.0		4.60			7.6			
			Bottom	16.2	18.2	31.7	31.7	6.08	6.05	85.2	84.7	4.82	4.84		7.8			7.8
						31.7		6.01		84.1		4.85			7.8			
10/01/12	1452-1506	19/Fine	Surface	1.0	18.5	30.2	30.2	6.21	6.23	86.9	87.2	5.00	5.02	5.13	7.8	7.9	8.0	
						30.1		6.24		87.4		5.04			8.0			
			Middle	8.6	18.0	30.7	30.8	6.12	6.14	85.7	85.9	5.15	5.13		8.0			8.0
						30.8		6.15		86.1		5.10			8.0			
			Bottom	16.2	17.5	31.6	31.7	6.01	5.99	84.1	83.9	5.22	5.24		8.2			8.2
						31.7		5.97		83.6		5.26			8.2			
12/01/12	1535-1547	17/Drizzle	Surface	1.0	19.6	30.8	30.8	6.20	6.18	88.0	87.7	4.99	5.03	5.10	7.8	7.8	8.0	
						30.8		6.15		87.3		5.06			7.8			
			Middle	8.9	20.4	31.6	31.7	6.01	6.03	85.3	85.5	5.12	5.15		8.0			8.1
						31.7		6.04		85.7		5.18			8.2			
			Bottom	16.8	20.5	32.2	32.2	5.83	5.81	82.2	81.9	5.08	5.12		8.0			8.1
						32.2		5.79		81.6		5.15			8.2			
14/01/12	1714-1730	18/Cloudy	Surface	1.0	17.4	29.4	29.5	6.43	6.45	83.5	83.7	4.10	4.13	4.36	7.0	7.1	7.4	
						29.5		6.46		83.9		4.16			7.2			
			Middle	8.9	17.6	29.9	30.0	6.15	6.17	79.9	80.2	4.37	4.39		7.4			7.4
						30.0		6.19		80.4		4.40			7.4			
			Bottom	16.8	17.8	30.5	30.6	5.92	5.94	76.9	77.1	4.54	4.57		7.6			7.6
						30.6		5.95		77.3		4.60			7.6			
17/01/12	1935-1947	17/Cloudy	Surface	1.0	18.3	30.6	30.7	6.22	6.20	88.3	88.0	4.90	4.89	5.14	7.8	7.8	8.1	
						30.7		6.18		87.7		4.87			7.8			
			Middle	8.9	19.5	31.8	31.8	6.01	5.99	85.3	85.0	5.20	5.24		8.2			8.2
						31.8		5.96		84.6		5.28			8.2			
			Bottom	16.8	19.7	32.0	32.0	5.94	5.96	83.7	83.9	5.31	5.29		8.2			8.2
						32.0		5.97		84.1		5.27			8.2			
19/01/12	1104-1120	18/Cloudy	Surface	1.0	17.9	29.8	29.8	6.52	6.54	86.7	87.0	4.44	4.42	4.69	7.4	7.4	7.6	
						29.8		6.56		87.2		4.40			7.4			
			Middle	8.9	18.1	30.7	30.7	6.30	6.32	83.7	84.0	4.68	4.71		7.6			7.6
						30.7		6.34		84.3		4.73			7.6			
			Bottom	16.8	18.3	31.2	31.3	5.91	5.95	78.6	79.1	4.93	4.95		7.8			7.8
						31.3		5.98		79.5		4.97			7.8			
21/01/12	1135-1148	18/Cloudy	Surface	1.0	18.6	29.8	29.8	6.11	6.10	79.4	79.2	4.96	4.93	5.06	7.8	7.8	8.0	
						29.8		6.08		79.0		4.90			7.8			
			Middle	8.6	18.9	30.4	30.4	6.01	6.03	78.1	78.3	5.09	5.07		8.0			8.0
						30.4		6.04		78.5		5.04			8.0			
			Bottom	16.2	19.3	31.7	31.7	5.92	5.91	78.0	77.9	5.16	5.18		8.2			8.2
						31.7		5.90		77.8		5.19			8.2			
27/01/12	1615-1629	17/Cloudy	Surface	1.0	15.5	30.0	30.0	6.28	6.30	85.4	85.6	5.03	5.02	5.10	8.0	7.9	8.0	
						29.9		6.31		85.8		5.01			7.8			
			Middle	8.9	16.0	30.6	30.6	6.22	6.21	85.0	84.8	5.08	5.09		8.0			8.0
						30.6		6.19		84.5		5.10			8.0			
			Bottom	16.8	16.4	31.5	31.6	6.13	6.12	83.6	83.4	5.20	5.18		8.2			8.2
						31.6		6.10		83.2		5.16			8.2			
31/01/12	1817-1832	17/Fine	Surface	1.0	17.5	30.0	30.0	6.42	6.40	83.4	83.1	4.48	4.51	4.75	7.4	7.4	7.7	
						29.9		6.37		82.8		4.53			7.4			
			Middle	8.9	17.8	30.7	30.7	6.02	6.04	78.2	78.4	4.71	4.74		7.6			7.7
						30.7		6.05		78.6		4.76			7.8			
			Bottom	16.8	17.9	31.5	31.5	5.88	5.87	76.4	76.2	4.99	5.01		7.8			7.9
						31.5		5.85		76.0		5.02			8.0			

Monitoring Station : R8a

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
03/01/12	2123-2133	18/Fine	Surface	1.0	19.2	31.4	31.5	6.17	6.18	87.6	87.8	4.82	4.86	5.03	7.8	7.9	8.1		
						31.5		6.19		87.9		4.90			8.0				
			Middle	6.4	18.9	32.0	32.1	5.92	5.94	83.4	83.6	5.21	5.18		5.14	5.07		8.5	8.4
						32.1		5.95		83.8		5.11			8.2				
			Bottom	11.8	18.9	32.1	32.2	5.98	5.97	84.3	84.1	5.11	5.07		5.02	5.07		8.0	8.0
						32.2		5.95		83.8		5.02			8.0				
05/01/12	1053-1108	10/Cloudy	Surface	1.0	17.8	29.5	29.5	6.03	6.01	80.2	80.0	4.63	4.62	4.73	7.6	7.6	7.6		
						29.4		5.99		79.7		4.60			7.5				
			Middle	6.3	17.8	30.3	30.4	5.87	5.89	78.1	78.4	4.73	4.75		4.76	4.75		7.5	7.6
						30.4		5.91		78.6		4.76			7.6				
			Bottom	11.6	17.9	31.6	31.6	5.72	5.74	76.1	76.4	4.81	4.84		4.81	4.84		7.8	7.8
						31.6		5.76		76.6		4.86			7.8				
07/01/12	1234-1242	12/Cloudy	Surface	1.0	18.9	30.5	30.6	6.13	6.16	85.8	86.2	4.57	4.58	4.71	7.6	7.6	7.6		
						30.6		6.18		86.5		4.59			7.5				
			Middle	6.0	18.6	30.8	30.8	6.09	6.07	85.3	85.0	4.62	4.64		4.66	4.64		7.5	7.6
						30.8		6.05		84.7		4.66			7.6				
			Bottom	11.0	18.3	31.2	31.3	5.76	5.75	82.4	81.4	4.92	4.92		4.91	4.92		7.8	7.8
						31.3		5.74		80.4		4.91			7.8				
10/01/12	1516-1529	19/Fine	Surface	1.0	18.5	30.2	30.3	6.31	6.30	88.3	88.1	5.03	5.01	5.09	8.0	8.0	8.1		
						30.3		6.28		87.9		4.99			8.0				
			Middle	6.2	18.1	30.6	30.6	6.22	6.21	87.1	86.9	5.07	5.09		5.10	5.09		8.0	8.0
						30.6		6.19		86.7		5.10			8.0				
			Bottom	11.4	17.6	31.4	31.5	6.14	6.13	86.0	85.8	5.15	5.17		5.18	5.17		8.2	8.2
						31.5		6.11		85.5		5.18			8.2				
12/01/12	1554-1606	17/Drizzle	Surface	1.0	19.5	30.8	30.8	6.11	6.09	86.7	86.4	4.77	4.81	5.15	7.6	7.8	8.2		
						30.7		6.07		86.1		4.84			8.0				
			Middle	6.4	20.3	31.5	31.6	5.95	5.93	83.8	83.6	5.29	5.25		5.20	5.25		8.5	8.4
						31.6		5.91		83.3		5.20			8.2				
			Bottom	11.8	20.6	31.9	32.0	5.98	5.97	84.3	84.1	5.38	5.41		5.44	5.41		8.4	8.4
						32.0		5.95		83.8		5.44			8.4				
14/01/12	1738-1753	17/Cloudy	Surface	1.0	17.2	29.5	29.5	6.35	6.33	82.5	82.3	4.18	4.21	4.35	7.2	7.1	7.2		
						29.5		6.31		82.0		4.23			7.0				
			Middle	6.2	17.5	29.7	29.7	6.11	6.13	79.4	79.6	4.35	4.33		4.31	4.33		7.0	7.1
						29.7		6.14		79.8		4.31			7.2				
			Bottom	11.4	17.5	29.9	30.0	6.06	6.03	78.7	78.4	4.54	4.52		4.50	4.52		7.4	7.4
						30.0		6.00		78.0		4.50			7.4				
17/01/12	1954-2006	17/Cloudy	Surface	1.0	18.3	30.7	30.7	6.15	6.13	87.3	87.0	5.01	5.04	5.05	8.0	8.0	8.0		
						30.7		6.11		86.7		5.06			8.0				
			Middle	6.4	19.4	31.9	32.0	6.01	6.03	85.3	85.5	5.11	5.09		5.07	5.09		8.0	8.0
						32.0		6.04		85.7		5.07			8.0				
			Bottom	11.8	19.7	32.1	32.2	5.91	5.90	83.3	83.1	4.97	5.01		5.05	5.01		7.8	7.9
						32.2		5.88		82.9		5.05			8.0				
19/01/12	1126-1140	18/Cloudy	Surface	1.0	17.9	29.8	29.9	6.53	6.55	86.8	87.1	4.51	4.53	4.73	7.4	7.5	7.6		
						29.9		6.57		87.3		4.55			7.5				
			Middle	6.2	18.0	30.4	30.5	6.20	6.23	82.4	82.8	4.70	4.72		4.74	4.72		7.5	7.6
						30.5		6.25		83.1		4.74			7.6				
			Bottom	11.4	18.1	30.8	30.9	6.02	6.00	80.0	79.7	4.96	4.93		4.96	4.93		7.8	7.8
						30.9		5.97		79.4		4.90			7.8				
21/01/12	1159-1213	18/Cloudy	Surface	1.0	18.3	29.8	29.8	6.17	6.17	80.2	80.2	4.57	4.59	4.89	7.6	7.6	7.9		
						29.8		6.16		80.1		4.60			7.5				
			Middle	6.1	18.6	30.3	30.3	6.10	6.12	79.3	79.5	4.98	4.96		4.93	4.96		8.0	7.9
						30.3		6.13		79.7		4.93			7.8				
			Bottom	11.2	19.4	31.7	31.7	5.97	5.94	77.6	77.2	5.12	5.14		5.16	5.14		8.0	8.1
						31.7		5.90		76.7		5.16			8.2				
27/01/12	1638-1651	16/Cloudy	Surface	1.0	15.5	30.0	30.0	6.33	6.31	86.1	85.8	4.98	5.00	5.06	7.8	7.9	8.0		
						30.0		6.29		85.5		5.01			8.0				
			Middle	6.4	15.8	30.4	30.5	6.24	6.23	85.3	85.0	5.05	5.06		5.07	5.06		8.0	8.0
						30.5		6.21		84.7		5.07			8.0				
			Bottom	11.8	16.3	31.3	31.4	6.14	6.13	83.8	83.7	5.12	5.13		5.14	5.13		8.0	8.1
						31.4		6.12		83.5		5.14			8.2				
31/01/12	1839-1854	16/Fine	Surface	1.0	17.5	29.9	29.9	6.45	6.43	83.8	83.5	4.53	4.55	4.73	7.4	7.5	7.7		
						29.9		6.40		83.2		4.57			7.5				
			Middle	6.5	17.6	30.3	30.4	6.23	6.21	80.9	80.7	4.73	4.75		4.77	4.75		8.0	7.9
						30.4		6.19		80.4		4.77			7.8				
			Bottom	12.0	17.7	30.7	30.7	5.94	5.92	77.2	76.9	4.86	4.88		4.90	4.88		7.8	7.8
						30.7		5.89		76.5		4.90			7.8				

Mid-Ebb Tide

Monitoring Station : R15

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
03/01/12	1834-1845	18/Fine	Surface	1.0	19.3	31.0	31.0	6.18	6.16	87.7	87.4	4.03	4.06	4.52	7.0	7.0	7.5		
						31.0		6.14		87.1		4.09			7.0				
			Middle	5.6	19.2	31.8	31.9	6.02	6.04	85.4	85.7	4.60	4.64		4.68	4.64		7.6	7.6
						31.9		6.05		85.9		4.68			7.6				
			Bottom	10.2	19.0	32.0	32.0	5.83	5.81	82.2	81.9	4.90	4.86		4.81	4.86		7.8	7.8
						31.9		5.79		81.6		4.81			7.8				
05/01/12	0808-0821	10/Cloudy	Surface	1.0	17.7	29.4	29.4	6.07	6.04	80.7	80.3	4.54	4.52	4.67	7.6	7.5	7.6		
						29.4		6.00		79.8		4.50			7.4				
			Middle	5.6	17.7	30.4	30.4	5.93	5.92	78.9	78.8	4.63	4.67		4.71	4.67		7.6	7.6
						30.3		5.91		78.6		4.71			7.6				
			Bottom	10.2	17.9	31.6	31.6	5.83	5.81	77.5	77.3	4.85	4.82		4.79	4.82		7.8	7.8
						31.5		5.79		77.0		4.79			7.8				
07/01/12	0956-1008	12/Cloudy	Surface	1.0	18.8	30.4	30.4	6.09	6.05	85.3	84.7	4.43	4.47	4.76	7.4	7.4	7.7		
						30.4		6.01		84.1		4.50			7.4				
			Middle	5.4	18.6	30.5	30.6	6.04	6.00	84.6	84.0	4.72	4.76		4.80	4.76		7.6	7.7
						30.6		5.96		83.4		4.80			7.6				
			Bottom	5.4	18.2	31.6	31.6	5.95	5.94	83.3	83.1	5.07	5.06		5.04	5.06		8.0	8.0
						31.6		5.92		82.9		5.04			8.0				
10/01/12	1238-1250	18/Fine	Surface	1.0	18.5	30.1	30.1	6.14	6.13	86.0	85.8	5.07	5.09	5.18	7.8	7.9	8.1		
						30.0		6.11		85.5		5.11			8.0				
			Middle	5.4	18.0	30.6	30.6	6.05	6.04	84.7	84.5	5.20	5.19		5.17	5.19		8.2	8.2
						30.6		6.02		84.3		5.17			8.2				
			Bottom	9.8	17.6	31.4	31.5	5.92	5.93	82.9	83.1	5.29	5.28		5.26	5.28		8.2	8.2
						31.5		5.94		83.2		5.26			8.2				
12/01/12	1304-1315	17/Drizzle	Surface	1.0	19.4	30.6	30.6	6.27	6.26	89.0	88.8	4.59	4.62	4.93	7.6	7.6	7.9		
						30.6		6.24		88.6		4.64			7.6				
			Middle	5.7	20.4	31.3	31.4	6.03	6.05	85.6	85.9	5.17	5.14		5.11	5.14		8.2	8.1
						31.4		6.07		86.1		5.11			8.0				
			Bottom	10.4	20.5	31.9	31.9	5.97	5.96	84.1	83.9	5.03	5.05		5.06	5.05		8.0	8.0
						31.9		5.94		83.7		5.06			8.0				
14/01/12	1448-1503	18/Cloudy	Surface	1.0	17.2	29.3	29.4	6.25	6.23	81.2	80.9	4.28	4.27	4.45	7.2	7.2	7.4		
						29.4		6.20		80.6		4.25			7.2				
			Middle	5.4	17.5	29.6	29.6	6.12	6.10	79.5	79.3	4.41	4.43		4.44	4.43		7.4	7.4
						29.5		6.08		79.0		4.44			7.4				
			Bottom	9.8	17.7	29.8	29.8	5.87	5.85	76.3	76.0	4.62	4.65		4.68	4.65		7.6	7.6
						29.8		5.83		75.7		4.68			7.6				
17/01/12	1704-1715	17/Cloudy	Surface	1.0	18.8	30.5	30.5	6.17	6.16	87.6	87.4	4.56	4.54	4.85	7.6	7.5	7.8		
						30.4		6.14		87.1		4.51			7.4				
			Middle	5.6	19.6	31.6	31.6	6.01	6.03	85.3	85.5	4.94	4.99		5.04	4.99		7.8	7.9
						31.6		6.04		85.7		5.04			8.0				
			Bottom	10.2	19.8	32.0	32.1	5.97	5.96	84.1	83.9	4.98	5.03		5.08	5.03		7.8	7.9
						32.1		5.94		83.7		5.08			8.0				
19/01/12	0836-0850	17/Cloudy	Surface	1.0	17.6	29.8	29.9	6.34	6.32	84.3	84.0	4.54	4.57	4.76	7.4	7.5	7.7		
						29.9		6.30		83.7		4.60			7.6				
			Middle	5.4	17.8	30.1	30.1	6.16	6.13	81.9	81.5	4.72	4.75		4.77	4.75		7.6	7.7
						30.1		6.10		81.1		4.77			7.8				
			Bottom	9.8	18.0	30.4	30.5	5.94	5.91	79.0	78.6	4.94	4.97		4.99	4.97		7.8	7.8
						30.5		5.87		78.1		4.99			7.8				
21/01/12	0914-0926	18/Cloudy	Surface	1.0	18.3	29.9	29.9	6.02	6.06	78.3	78.8	4.99	4.97	5.06	7.8	7.8	8.0		
						29.8		6.10		79.3		4.95			7.8				
			Middle	5.6	18.7	30.1	30.2	6.06	6.08	78.8	79.0	5.12	5.15		5.17	5.15		8.0	8.1
						30.2		6.09		79.2		5.17			8.2				
			Bottom	10.2	19.2	31.4	31.5	5.92	5.91	76.9	76.8	5.05	5.07		5.09	5.07		8.0	8.0
						31.5		5.90		76.7		5.09			8.0				
27/01/12	1406-1418	17/Cloudy	Surface	1.0	15.6	29.9	29.9	6.13	6.12	83.4	83.2	5.09	5.11	5.19	7.8	7.9	8.1		
						29.9		6.10		83.0		5.12			8.0				
			Middle	5.4	15.9	30.4	30.5	6.04	6.03	82.5	82.3	5.16	5.18		5.19	5.18		8.2	8.2
						30.5		6.01		82.0		5.19			8.2				
			Bottom	9.8	16.3	31.4	31.4	5.96	5.95	81.3	81.1	5.26	5.28		5.29	5.28		8.2	8.2
						31.4		5.93		80.9		5.29			8.2				
31/01/12	1608-1623	18/Fine	Surface	1.0	17.4	29.9	30.0	6.15	6.13	79.9	79.6	4.59	4.61	4.79	7.6	7.6	7.8		
						30.0		6.10		79.3		4.62			7.6				
			Middle	5.6	17.5	30.5	30.6	6.03	6.01	78.3	78.1	4.78	4.77		4.75	4.77		7.8	7.8
						30.6		5.99		77.8		4.75			7.8				
			Bottom	10.2	17.7	31.0	31.1	5.84	5.82	75.9	75.6	4.97	5.00		5.02	5.00		7.8	7.9
						31.1		5.79		75.2		5.02			8.0				

Mid-Ebb Tide

Monitoring Station : R16

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average			
03/01/12	1815-1826	18/Fine	Surface	1.0	19.4	30.9	31.0	6.21	6.20	88.1	87.9	3.82	3.86	4.37	6.8	6.8	7.3			
						31.0		6.18		87.7		3.90			6.8					
			Middle	6.3	19.3	31.8	31.8	6.07	6.08	86.1	86.3	4.21	4.19		4.21	4.19		7.2	7.2	7.2
						31.7		6.09		86.4		4.17			7.2					
			Bottom	11.6	19.0	32.0	32.0	5.96	5.98	84.6	84.8	5.03	5.07		5.03	5.07		8.0	8.0	8.0
						32.0		5.99		85.0		5.10			8.0					
05/01/12	0747-0800	10/Cloudy	Surface	1.0	17.7	29.5	29.5	6.04	6.07	79.7	80.1	4.46	4.45	4.59	7.4	7.4	7.5			
						29.5		6.09		80.4		4.43			7.4					
			Middle	6.3	17.8	30.3	30.3	5.95	5.97	78.5	78.7	4.59	4.56		4.59	4.56		7.6	7.5	7.5
						30.3		5.98		78.9		4.53			7.6					
			Bottom	11.6	17.9	31.6	31.6	5.89	5.87	77.7	77.5	4.74	4.75		4.74	4.75		7.8	7.7	7.7
						31.6		5.85		77.2		4.76			7.8					
07/01/12	0935-0948	12/Cloudy	Surface	1.0	18.7	30.3	30.4	6.17	6.14	86.4	85.9	4.28	4.29	4.53	7.2	7.2	7.5			
						30.4		6.10		85.4		4.30			7.2					
			Middle	6.0	18.6	30.6	30.6	6.03	6.04	84.4	84.6	4.46	4.43		4.46	4.43		7.4	7.4	7.4
						30.6		6.05		84.7		4.40			7.4					
			Bottom	6.0	18.0	31.5	31.5	5.88	5.87	82.3	82.1	4.87	4.87		4.87	4.87		7.8	7.8	7.8
						31.5		5.85		81.9		4.86			7.8					
10/01/12	1217-1230	18/Fine	Surface	1.0	18.4	30.1	30.2	6.26	6.24	87.6	87.4	5.04	5.03	5.12	7.8	7.8	7.9			
						30.2		6.22		87.1		5.02			7.8					
			Middle	6.2	18.0	30.7	30.7	6.16	6.15	86.2	86.0	5.08	5.10		5.08	5.10		8.0	7.9	7.9
						30.6		6.13		85.8		5.12			8.0					
			Bottom	11.4	17.5	31.5	31.6	6.05	6.04	84.7	84.5	5.20	5.22		5.20	5.22		8.0	8.0	8.0
						31.6		6.02		84.3		5.23			8.0					
12/01/12	1245-1256	17/Drizzle	Surface	1.0	19.3	30.5	30.5	6.15	6.13	87.3	87.0	4.67	4.64	4.87	7.6	7.6	7.8			
						30.5		6.10		86.6		4.61			7.6					
			Middle	6.3	20.2	31.3	31.3	5.89	5.87	83.0	82.7	4.99	5.02		4.99	5.02		7.8	7.9	7.8
						31.3		5.85		82.4		5.05			7.8					
			Bottom	11.6	20.5	31.9	31.9	5.92	5.90	83.4	83.1	4.92	4.95		4.92	4.95		7.8	7.8	7.8
						31.9		5.87		82.7		4.98			7.8					
14/01/12	1429-1443	18/Cloudy	Surface	1.0	17.2	29.3	29.3	6.31	6.33	82.0	82.3	4.17	4.19	4.39	7.2	7.2	7.4			
						29.3		6.35		82.5		4.20			7.2					
			Middle	6.3	17.5	29.5	29.5	6.18	6.17	80.3	80.1	4.35	4.38		4.35	4.38		7.4	7.4	7.4
						29.5		6.15		79.9		4.40			7.4					
			Bottom	11.6	17.8	29.9	30.0	6.01	6.03	78.1	78.4	4.57	4.60		4.57	4.60		7.6	7.6	7.6
						30.1		6.05		78.6		4.63			7.6					
17/01/12	1645-1656	17/Cloudy	Surface	1.0	18.8	30.4	30.4	6.09	6.08	86.4	86.2	4.19	4.21	4.72	7.2	7.2	7.7			
						30.4		6.06		86.0		4.23			7.2					
			Middle	6.3	19.5	31.5	31.5	5.90	5.92	83.1	83.4	4.87	4.91		4.87	4.91		7.8	7.8	7.8
						31.4		5.94		83.7		4.94			7.8					
			Bottom	11.6	19.8	31.8	31.8	5.82	5.80	82.0	81.7	5.06	5.04		5.06	5.04		8.0	8.0	8.0
						31.8		5.78		81.4		5.01			8.0					
19/01/12	0814-0830	17/Cloudy	Surface	1.0	17.7	29.8	29.9	6.63	6.60	88.1	87.7	4.41	4.44	4.66	7.4	7.4	7.6			
						29.9		6.56		87.2		4.47			7.4					
			Middle	6.3	17.8	30.0	30.1	6.34	6.32	84.3	84.0	4.63	4.65		4.63	4.65		7.6	7.6	7.6
						30.1		6.30		83.7		4.66			7.6					
			Bottom	11.6	18.0	30.5	30.6	6.01	6.03	79.9	80.2	4.87	4.89		4.87	4.89		7.8	7.8	7.8
						30.6		6.05		80.4		4.91			7.8					
21/01/12	0853-0907	18/Cloudy	Surface	1.0	18.3	29.9	29.9	6.23	6.25	80.9	81.2	5.11	5.10	5.14	8.0	7.9	8.0			
						29.9		6.27		81.5		5.09			7.8					
			Middle	6.0	18.7	30.3	30.4	6.12	6.15	79.6	79.9	5.05	5.05		5.05	5.05		7.8	7.8	7.8
						30.4		6.17		80.2		5.04			7.8					
			Bottom	11.0	19.4	31.5	31.6	6.01	6.03	78.1	78.4	5.23	5.26		5.23	5.26		8.2	8.2	8.2
						31.6		6.05		78.7		5.29			8.2					
27/01/12	1347-1400	17/Cloudy	Surface	1.0	15.5	29.9	29.9	6.25	6.27	85.0	85.2	5.05	5.04	5.12	8.0	7.9	8.0			
						29.8		6.28		85.4		5.02			7.8					
			Middle	6.2	15.9	30.5	30.5	6.19	6.18	84.6	84.4	5.11	5.12		5.11	5.12		8.0	8.0	8.0
						30.5		6.17		84.2		5.13			8.0					
			Bottom	11.4	16.3	31.4	31.5	6.11	6.10	83.4	83.2	5.19	5.21		5.19	5.21		8.2	8.2	8.2
						31.5		6.08		83.0		5.22			8.2					
31/01/12	1548-1603	18/Fine	Surface	1.0	17.3	29.9	29.9	6.28	6.30	81.6	82.1	4.48	4.51	4.71	7.4	7.4	7.6			
						29.9		6.31		82.6		4.53			7.4					
			Middle	6.3	17.6	30.6	30.6	6.14	6.12	79.8	79.6	4.72	4.75		4.72	4.75		7.6	7.7	7.6
						30.6		6.10		79.3		4.77			7.6					
			Bottom	11.6	17.8	31.3	31.3	5.86	5.88	76.1	76.3	4.86	4.89		4.86	4.89		7.8	7.8	7.8
						31.3		5.89		76.5		4.91			7.8					

Mid-Ebb Tide

Monitoring Station : R17

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1800-1812	18/Fine	Surface	1.0	19.5	30.8	30.9	6.14	6.16	87.6	87.4	3.97	4.00	4.43	7.0	7.0	7.4
						30.9		6.14		87.1		4.03			7.0		
			Middle	5.9	19.2	31.7	31.7	6.03	6.05	85.6	85.9	4.37	4.34		7.4	7.2	
						31.7		6.07		86.1		4.30			7.0		
			Bottom	10.8	19.1	32.0	32.0	5.92	5.93	83.4	83.6	4.94	4.97		8.0	7.9	
						31.9		5.94		83.7		4.99			7.8		
05/01/12	0730-0744	10/Cloudy	Surface	1.0	17.6	29.5	29.5	6.03	6.04	79.6	79.8	4.48	4.52	4.63	7.4	7.5	7.7
						29.4		6.05		79.9		4.56			7.6		
			Middle	6.0	17.8	30.4	30.4	6.07	6.04	80.1	79.7	4.65	4.63		7.6	7.6	
						30.3		6.01		79.3		4.61			7.5		
			Bottom	11.0	17.8	31.5	31.5	5.86	5.89	77.4	77.7	4.78	4.75		8.0	7.9	
						31.5		5.91		78.0		4.72			7.8		
07/01/12	0915-0929	12/Cloudy	Surface	1.0	18.8	30.1	30.1	6.20	6.19	86.8	86.6	4.17	4.20	4.56	7.2	7.2	7.6
						30.1		6.17		86.4		4.23			7.2		
			Middle	5.8	18.5	30.4	30.4	6.09	6.07	85.3	85.0	4.57	4.55		7.6	7.6	
						30.4		6.05		84.7		4.52			7.5		
			Bottom	10.6	18.1	31.3	31.4	5.94	5.92	83.2	82.9	4.96	4.94		8.0	7.9	
						31.4		5.90		82.6		4.92			7.8		
10/01/12	1200-1213	18/Fine	Surface	1.0	18.4	30.0	30.1	6.21	6.20	86.9	86.7	5.06	5.04	5.12	7.8	7.8	8.0
						30.1		6.18		86.5		5.02			7.8		
			Middle	5.6	18.0	30.6	30.7	6.12	6.11	85.7	85.5	5.10	5.12		8.0	8.0	
						30.7		6.09		85.3		5.13			8.0		
			Bottom	10.2	17.6	31.5	31.5	6.01	6.00	84.1	83.9	5.18	5.20		8.0	8.1	
						31.5		5.98		83.7		5.21			8.2		
12/01/12	1230-1242	17/Drizzle	Surface	1.0	19.2	30.4	30.4	6.21	6.20	88.1	87.9	4.52	4.56	4.82	7.4	7.5	7.7
						30.4		6.18		87.7		4.60			7.6		
			Middle	5.9	20.2	31.2	31.2	5.90	5.92	83.1	83.4	4.83	4.81		7.8	7.7	
						31.2		5.94		83.7		4.79			7.5		
			Bottom	10.8	20.4	31.8	31.8	5.97	5.96	84.1	83.9	5.06	5.09		8.0	8.0	
						31.7		5.94		83.7		5.12			8.0		
14/01/12	1410-1425	18/Cloudy	Surface	1.0	17.3	29.2	29.3	6.29	6.31	81.7	82.0	4.21	4.23	4.38	7.2	7.2	7.4
						29.3		6.33		82.2		4.24			7.2		
			Middle	5.7	17.5	29.3	29.4	6.20	6.18	80.6	80.3	4.33	4.35		7.2	7.4	
						29.4		6.16		80.0		4.37			7.5		
			Bottom	10.4	17.7	29.7	29.8	6.04	6.02	78.5	78.2	4.55	4.58		7.5	7.6	
						29.8		5.99		77.8		4.60			7.6		
17/01/12	1630-1642	17/Cloudy	Surface	1.0	18.8	30.3	30.4	6.12	6.10	86.9	86.6	4.27	4.30	4.86	7.2	7.2	7.8
						30.4		6.08		86.3		4.33			7.2		
			Middle	5.9	19.4	31.3	31.3	5.94	5.92	83.7	83.4	5.12	5.15		8.0	8.0	
						31.3		5.89		83.0		5.18			8.0		
			Bottom	10.8	19.7	31.9	31.9	5.97	5.96	84.1	83.9	5.09	5.13		8.0	8.1	
						31.9		5.94		83.7		5.17			8.2		
19/01/12	0755-0810	17/Cloudy	Surface	1.0	17.6	29.8	29.8	6.53	6.55	86.8	87.1	4.42	4.40	4.65	7.4	7.4	7.6
						29.8		6.57		87.3		4.38			7.4		
			Middle	5.7	17.8	29.9	30.0	6.27	6.25	83.3	83.1	4.65	4.67		7.6	7.6	
						30.0		6.23		82.8		4.69			7.5		
			Bottom	10.4	18.0	30.7	30.7	5.93	5.95	78.8	79.0	4.85	4.87		8.0	7.9	
						30.7		5.96		79.2		4.89			7.8		
21/01/12	0830-0844	18/Cloudy	Surface	1.0	18.3	29.8	29.8	6.12	6.11	79.6	79.5	4.81	4.85	5.01	7.8	7.8	7.9
						29.7		6.10		79.3		4.89			7.8		
			Middle	5.7	18.7	30.4	30.4	6.02	6.04	78.3	78.6	5.07	5.05		8.0	8.0	
						30.4		6.06		78.8		5.02			8.0		
			Bottom	10.4	19.3	31.6	31.6	5.93	5.94	77.1	77.3	5.10	5.13		8.0	8.0	
						31.6		5.95		77.4		5.15			8.0		
27/01/12	1330-1342	17/Cloudy	Surface	1.0	15.5	29.8	29.9	6.27	6.26	85.3	85.1	5.03	5.05	5.14	7.8	7.9	8.0
						29.9		6.24		84.9		5.07			8.0		
			Middle	5.6	15.8	30.5	30.6	6.18	6.17	84.5	84.2	5.12	5.14		8.0	8.0	
						30.6		6.15		83.9		5.15			8.0		
			Bottom	10.2	16.3	31.4	31.4	6.07	6.05	82.8	82.6	5.21	5.23		8.0	8.1	
						31.4		6.03		82.3		5.24			8.2		
31/01/12	1530-1544	18/Fine	Surface	1.0	17.4	29.9	30.0	6.22	6.24	80.8	81.1	4.52	4.54	4.73	7.4	7.5	7.7
						30.0		6.26		81.3		4.56			7.6		
			Middle	6.2	17.6	30.5	30.6	6.09	6.07	79.1	78.9	4.70	4.72		7.6	7.6	
						30.6		6.05		78.6		4.74			7.5		
			Bottom	11.4	17.8	31.3	31.4	5.93	5.91	77.1	76.8	4.90	4.93		8.0	7.9	
						31.4		5.88		76.4		4.95			7.8		

Mid-Ebb Tide

Monitoring Station : R28

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	2011-2022	18/Fine	Surface	1.0	19.3	31.3	31.3	6.27	6.26	89.0	88.8	4.17	4.21	4.65	7.2	7.2	7.6
						31.3		6.24		88.6		4.24			7.2		
			Middle	5.6	18.9	31.8	31.9	6.01	6.03	85.3	85.6	4.80	4.83		7.8	7.8	
						31.9		6.05		85.9		4.85			7.8		
			Bottom	10.2	18.9	32.2	32.2	5.92	5.94	84.0	84.2	4.94	4.91		7.8	7.8	
						32.1		5.95		84.4		4.87			7.8		
05/01/12	0936-0949	10/Cloudy	Surface	1.0	17.7	29.6	29.6	6.04	6.06	79.7	79.9	4.69	4.67	4.76	7.6	7.6	7.7
						29.5		6.07		80.1		4.64			7.6		
			Middle	5.7	17.8	30.3	30.3	5.94	5.93	78.4	78.2	4.77	4.76		7.8	7.8	
						30.3		5.91		78.0		4.74			7.8		
			Bottom	10.4	17.8	31.5	31.5	5.80	5.77	76.6	76.2	4.83	4.85		7.8	7.8	
						31.5		5.74		75.8		4.87			7.8		
07/01/12	1119-1133	12/Cloudy	Surface	1.0	18.7	30.3	30.4	6.22	6.25	87.1	87.5	4.69	4.67	4.84	7.6	7.6	7.7
						30.4		6.27		87.8		4.65			7.6		
			Middle	5.5	18.4	30.7	30.7	6.11	6.09	85.5	85.2	4.99	4.97		7.8	7.8	
						30.7		6.07		84.9		4.94			7.8		
			Bottom	10.0	18.0	31.6	31.6	5.82	5.86	81.5	82.1	4.88	4.87		7.8	7.8	
						31.6		5.90		82.6		4.86			7.8		
10/01/12	1354-1406	19/Fine	Surface	1.0	18.5	30.1	30.1	6.20	6.22	86.8	87.0	5.07	5.09	5.15	7.8	7.9	8.1
						30.1		6.23		87.2		5.10			8.0		
			Middle	5.4	18.0	30.6	30.6	6.15	6.14	86.1	85.9	5.14	5.15		8.2	8.1	
						30.5		6.12		85.7		5.16			8.2		
			Bottom	9.8	17.6	31.4	31.4	6.05	6.04	84.7	84.5	5.21	5.22		8.2	8.2	
						31.4		6.02		84.3		5.23			8.2		
12/01/12	1441-1452	17/Drizzle	Surface	1.0	19.6	30.7	30.7	6.38	6.37	90.5	90.3	4.92	4.94	5.06	7.8	7.8	7.9
						30.7		6.35		90.1		4.95			7.8		
			Middle	5.6	20.3	31.5	31.5	6.07	6.06	86.1	85.9	5.15	5.13		8.2	8.1	
						31.5		6.04		85.7		5.11			8.0		
			Bottom	10.2	20.5	32.2	32.2	5.90	5.92	83.1	83.4	5.09	5.12		7.8	7.9	
						32.1		5.94		83.7		5.14			8.0		
14/01/12	1615-1630	18/Cloudy	Surface	1.0	17.3	29.4	29.5	6.38	6.40	82.9	83.2	4.08	4.10	4.28	7.0	7.0	7.2
						29.5		6.42		83.4		4.12			7.0		
			Middle	5.3	17.4	29.5	29.6	6.16	6.18	80.0	80.3	4.32	4.30		7.2	7.2	
						29.6		6.20		80.6		4.27			7.2		
			Bottom	9.6	17.6	29.9	29.9	6.03	6.05	78.3	78.6	4.42	4.44		7.4	7.4	
						29.9		6.07		78.9		4.46			7.4		
17/01/12	1841-1852	17/Cloudy	Surface	1.0	18.5	30.5	30.5	6.25	6.27	88.7	88.9	4.89	4.91	5.05	7.8	7.8	8.0
						30.4		6.28		89.1		4.93			7.8		
			Middle	5.6	19.5	31.7	31.7	6.09	6.07	86.4	86.2	5.04	5.08		8.0	8.0	
						31.7		6.05		85.9		5.11			8.0		
			Bottom	10.2	19.7	32.0	32.0	5.88	5.86	82.9	82.6	5.14	5.17		8.0	8.1	
						32.0		5.84		82.3		5.19			8.2		
19/01/12	1005-1020	18/Cloudy	Surface	1.0	17.7	29.8	29.8	6.51	6.53	86.5	86.8	4.54	4.52	4.72	7.4	7.4	7.6
						29.8		6.55		87.1		4.50			7.4		
			Middle	5.3	17.9	29.9	29.9	6.38	6.36	84.8	84.6	4.71	4.69		7.6	7.6	
						29.9		6.34		84.3		4.67			7.6		
			Bottom	9.6	18.1	30.7	30.8	6.09	6.11	80.9	81.2	4.91	4.94		7.8	7.8	
						30.8		6.13		81.5		4.96			7.8		
21/01/12	1040-1053	18/Cloudy	Surface	1.0	18.6	29.9	29.9	6.18	6.17	80.3	80.2	5.17	5.16	5.17	8.2	8.1	8.1
						29.9		6.16		80.1		5.14			8.0		
			Middle	5.5	18.9	30.4	30.5	5.94	5.95	77.2	77.3	5.29	5.27		8.2	8.2	
						30.5		5.96		77.4		5.24			8.2		
			Bottom	10.0	19.4	31.7	31.7	5.90	5.92	76.7	76.8	5.07	5.09		8.0	8.0	
						31.7		5.93		76.9		5.10			8.0		
27/01/12	1519-1532	17/Cloudy	Surface	1.0	15.6	29.9	29.9	6.24	6.23	84.9	84.8	4.99	5.01	5.09	7.8	7.8	8.0
						29.8		6.22		84.6		5.03			7.8		
			Middle	5.7	15.9	30.4	30.4	6.17	6.16	84.3	84.1	5.08	5.10		8.0	8.0	
						30.4		6.14		83.8		5.11			8.0		
			Bottom	10.4	16.2	31.4	31.4	6.03	6.05	82.3	82.6	5.15	5.17		8.2	8.2	
						31.3		6.07		82.8		5.19			8.2		
31/01/12	1729-1735	17/Fine	Surface	1.0	17.5	30.0	30.0	6.34	6.36	82.4	82.7	4.49	4.51	4.71	7.4	7.4	7.6
						30.0		6.38		82.9		4.53			7.4		
			Middle	5.9	17.5	30.2	30.3	6.06	6.09	78.7	79.1	4.66	4.68		7.6	7.6	
						30.3		6.11		79.4		4.70			7.6		
			Bottom	10.8	17.7	30.7	30.8	5.88	5.87	76.4	76.2	4.92	4.94		7.8	7.8	
						30.8		5.85		76.0		4.96			7.8		

Mid-Ebb Tide

Monitoring Station : R29

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average			
03/01/12	2036-2047	18/Fine	Surface	1.0	19.3	31.4	31.4	6.34	6.32	90.0	89.7	4.49	4.52	4.82	7.4	7.5	7.8			
						31.3		6.30		89.4		4.54			7.6					
			Middle	8.4	19.0	32.0	32.0	6.09	6.08	86.4	86.2	4.92	4.90		4.92			4.90	7.8	7.8
						31.9		6.06		86.0		4.87			7.8					
			Bottom	15.8	18.9	32.1	32.2	5.88	5.87	82.9	82.7	5.07	5.04		5.07			5.04	8.0	8.0
						32.2		5.85		82.4		5.01			8.0					
05/01/12	0958-1011	10/Cloudy	Surface	1.0	17.8	29.5	29.5	6.08	6.05	80.9	80.5	4.97	4.96	5.15	7.8	7.8	8.1			
						29.4		6.02		80.1		4.95			7.8					
			Middle	8.5	17.9	30.5	30.5	5.82	5.85	77.4	77.8	5.13	5.16		5.13			5.16	8.0	8.1
						30.5		5.87		78.1		5.18			8.2					
			Bottom	16.0	18.0	31.6	31.7	5.72	5.70	76.1	75.8	5.32	5.35		5.32			5.35	8.2	8.3
						31.7		5.68		75.5		5.37			8.4					
07/01/12	1138-1150	12/Cloudy	Surface	1.0	18.7	30.4	30.4	6.15	6.14	86.1	86.0	4.47	4.44	4.62	7.4	7.4	7.6			
						30.4		6.13		85.8		4.41			7.4					
			Middle	8.5	18.5	30.6	30.7	6.10	6.08	85.4	85.1	4.62	4.65		4.62			4.65	7.6	7.6
						30.7		6.06		84.8		4.67			7.6					
			Bottom	16.0	18.1	31.5	31.5	5.77	5.78	80.8	81.0	4.76	4.78		4.76			4.78	7.6	7.7
						31.5		5.79		81.1		4.79			7.8					
10/01/12	1411-1424	19/Fine	Surface	1.0	18.4	30.1	30.2	6.26	6.25	87.6	87.4	5.04	5.03	5.11	7.8	7.8	8.0			
						30.2		6.23		87.2		5.01			7.8					
			Middle	8.3	18.0	30.8	30.8	6.17	6.15	86.4	86.1	5.12	5.11		5.12			5.11	8.0	8.0
						30.7		6.12		85.7		5.09			8.0					
			Bottom	15.6	17.4	31.6	31.7	6.00	6.02	84.0	84.2	5.21	5.20		5.21			5.20	8.2	8.2
						31.7		6.03		84.4		5.18			8.2					
12/01/12	1506-1517	17/Drizzle	Surface	1.0	19.6	30.7	30.7	6.27	6.26	89.0	88.8	5.07	5.10	5.20	7.8	7.9	8.1			
						30.7		6.24		88.6		5.12			8.0					
			Middle	8.3	20.3	31.5	31.5	6.09	6.07	86.4	86.2	5.24	5.21		5.24			5.21	8.2	8.2
						31.4		6.05		85.9		5.18			8.2					
			Bottom	15.6	20.5	32.1	32.1	5.97	5.95	84.1	83.8	5.33	5.30		5.33			5.30	8.4	8.3
						32.1		5.92		83.4		5.27			8.2					
14/01/12	1637-1652	18/Cloudy	Surface	1.0	17.3	29.4	29.4	6.27	6.25	81.5	81.2	4.18	4.20	4.43	7.2	7.2	7.4			
						29.4		6.22		80.8		4.22			7.2					
			Middle	8.4	17.5	29.9	29.9	6.05	6.03	78.6	78.4	4.44	4.48		4.44			4.48	7.4	7.4
						29.9		6.01		78.1		4.51			7.4					
			Bottom	15.8	17.8	30.5	30.6	5.81	5.83	75.5	75.7	4.59	4.62		4.59			4.62	7.6	7.6
						30.6		5.84		75.9		4.64			7.6					
17/01/12	1906-1917	17/Cloudy	Surface	1.0	18.5	30.6	30.6	6.29	6.28	89.3	89.1	4.97	5.01	5.07	7.8	7.8	8.0			
						30.6		6.26		88.8		5.04			7.8					
			Middle	8.4	19.5	31.8	31.8	6.15	6.13	87.3	87.0	5.21	5.19		5.21			5.19	8.2	8.2
						31.7		6.11		86.7		5.17			8.2					
			Bottom	15.8	19.8	32.1	32.1	5.97	5.96	84.1	83.9	4.97	5.01		4.97			5.01	7.8	7.9
						32.1		5.94		83.7		5.04			8.0					
19/01/12	1026-1040	18/Cloudy	Surface	1.0	17.7	29.9	29.9	6.45	6.43	85.7	85.4	4.60	4.63	4.86	7.6	7.6	7.8			
						29.9		6.40		85.1		4.66			7.6					
			Middle	8.4	18.1	30.7	30.7	6.22	6.24	82.1	82.4	4.86	4.89		4.86			4.89	7.8	7.8
						30.7		6.26		82.6		4.92			7.8					
			Bottom	15.8	18.3	31.2	31.3	5.97	6.01	79.4	79.9	5.03	5.06		5.03			5.06	8.0	8.0
						31.3		6.04		80.3		5.08			8.0					
21/01/12	1059-1113	18/Cloudy	Surface	1.0	18.5	29.8	29.8	6.07	6.08	78.9	79.1	4.92	4.95	5.06	7.8	7.8	8.0			
						29.8		6.09		79.2		4.98			7.8					
			Middle	8.5	18.7	30.4	30.5	5.88	5.92	76.4	76.9	5.06	5.07		5.06			5.07	8.0	8.0
						30.5		5.95		77.4		5.08			8.0					
			Bottom	16.0	19.4	31.7	31.7	6.06	6.04	78.8	78.6	5.14	5.17		5.14			5.17	8.0	8.1
						31.6		6.02		78.3		5.19			8.2					
27/01/12	1538-1551	17/Cloudy	Surface	1.0	15.5	30.0	30.0	6.23	6.25	84.7	85.0	5.02	5.04	5.13	7.8	7.8	8.0			
						30.0		6.27		85.3		5.05			7.8					
			Middle	8.6	15.8	30.5	30.6	6.18	6.17	84.5	84.2	5.12	5.14		5.12			5.14	8.0	8.1
						30.6		6.15		83.9		5.15			8.2					
			Bottom	16.2	16.4	31.5	31.5	6.04	6.06	82.4	82.7	5.21	5.22		5.21			5.22	8.2	8.2
						31.4		6.08		83.0		5.23			8.2					
31/01/12	1741-1755	17/Fine	Surface	1.0	17.5	30.0	30.0	6.40	6.39	83.2	83.0	4.50	4.53	4.73	7.4	7.5	7.7			
						30.0		6.37		82.8		4.55			7.6					
			Middle	8.8	17.8	30.6	30.7	6.09	6.13	79.1	79.6	4.73	4.76		4.73			4.76	7.6	7.7
						30.7		6.16		80.0		4.78			7.8					
			Bottom	16.6	17.9	31.3	31.4	5.83	5.85	75.7	75.9	4.88	4.91		4.88			4.91	7.8	7.8
						31.4		5.86		76.1		4.93			7.8					

Mid-Ebb Tide

Monitoring Station : C1

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1900-1912	18/Fine	Surface	1.0	19.3	31.0	31.1	6.29	6.27	89.3	89.0	4.21	4.19	4.80	7.2	7.2	7.7
						31.1		6.25		88.7		4.16			7.2		
			Middle	6.8	19.1	31.9	31.9	6.08	6.06	86.3	86.0	5.12	5.09		8.0	8.0	
						31.9		6.04		85.7		5.06			8.0		
			Bottom	12.6	19.1	32.0	32.1	5.97	5.96	84.7	84.5	5.07	5.11		8.0	8.0	
						32.1		5.94		84.3		5.15			8.0		
05/01/12	0830-0844	10/Cloudy	Surface	1.0	17.7	29.4	29.5	5.99	6.01	79.1	79.4	4.41	4.45	4.59	7.4	7.4	7.6
						29.5		6.03		79.6		4.49			7.4		
			Middle	6.9	17.8	30.3	30.3	5.91	5.94	78.0	78.4	4.57	4.59		7.6	7.6	
						30.3		5.96		78.7		4.61			7.6		
			Bottom	12.8	17.8	31.6	31.6	5.75	5.78	75.9	76.3	4.68	4.72		7.6	7.8	
						31.6		5.81		76.7		4.76			8.0		
07/01/12	1015-1030	12/Cloudy	Surface	1.0	18.8	30.3	30.3	6.29	6.27	88.1	87.8	4.78	4.80	4.89	7.8	7.8	7.9
						30.3		6.25		87.5		4.82			7.8		
			Middle	7.0	18.5	30.8	30.8	6.13	6.16	85.8	86.2	4.77	4.76		7.8	7.8	
						30.8		6.18		86.5		4.74			7.8		
			Bottom	7.0	18.0	31.5	31.6	5.99	5.96	83.9	83.4	5.11	5.10		8.0	8.0	
						31.6		5.92		82.9		5.09			8.0		
10/01/12	1256-1309	18/Fine	Surface	1.0	18.5	30.1	30.1	6.19	6.21	86.7	87.0	5.01	5.02	5.11	7.8	7.8	8.0
						30.1		6.23		87.2		5.03			7.8		
			Middle	6.7	18.0	30.7	30.8	6.12	6.10	85.7	85.4	5.09	5.11		8.0	8.0	
						30.8		6.08		85.1		5.13			8.0		
			Bottom	12.4	17.4	31.6	31.6	5.96	5.98	83.4	83.7	5.22	5.21		8.2	8.1	
						31.6		5.99		83.9		5.19			8.0		
12/01/12	1330-1342	17/Drizzle	Surface	1.0	19.5	30.6	30.7	6.38	6.37	90.5	90.3	5.01	5.05	4.95	8.0	8.0	7.9
						30.7		6.35		90.1		5.09			8.0		
			Middle	6.8	20.2	31.4	31.4	6.01	6.03	85.3	85.6	4.81	4.86		7.8	7.8	
						31.4		6.05		85.9		4.90			7.8		
			Bottom	12.6	20.5	32.0	32.0	5.89	5.91	83.0	83.3	4.99	4.96		7.8	7.9	
						31.9		5.93		83.6		4.92			8.0		
14/01/12	1510-1525	18/Cloudy	Surface	1.0	17.3	29.3	29.4	6.30	6.34	81.9	82.4	4.15	4.17	4.34	7.2	7.2	7.3
						29.4		6.37		82.8		4.19			7.2		
			Middle	6.9	17.5	29.6	29.7	6.13	6.16	79.6	80.0	4.35	4.33		7.4	7.3	
						29.7		6.18		80.3		4.30			7.2		
			Bottom	12.8	17.8	30.1	30.2	5.90	5.92	76.7	77.0	4.51	4.53		7.4	7.5	
						30.2		5.94		77.2		4.54			7.5		
17/01/12	1730-1742	17/Cloudy	Surface	1.0	18.7	30.5	30.5	6.21	6.19	88.1	87.9	4.88	4.91	5.00	7.8	7.8	7.9
						30.5		6.17		87.6		4.94			7.8		
			Middle	6.8	19.6	31.6	31.6	6.04	6.06	85.7	85.9	5.01	5.04		8.0	8.0	
						31.6		6.07		86.1		5.06			8.0		
			Bottom	12.6	19.8	32.0	32.0	5.91	5.93	83.3	83.6	4.99	5.05		7.8	7.9	
						32.0		5.95		83.8		5.10			8.0		
19/01/12	0857-0913	17/Cloudy	Surface	1.0	17.7	29.9	29.9	6.47	6.50	86.0	86.4	4.34	4.37	4.61	7.2	7.3	7.6
						29.9		6.53		86.8		4.40			7.4		
			Middle	7.1	18.0	30.6	30.6	6.29	6.32	83.6	84.0	4.61	4.63		7.6	7.6	
						30.6		6.34		84.3		4.65			7.6		
			Bottom	13.7	18.3	31.3	31.3	5.98	6.01	84.5	82.3	4.82	4.83		7.8	7.9	
						31.2		6.03		80.1		4.84			8.0		
21/01/12	0933-0945	18/Cloudy	Surface	1.0	18.3	29.9	29.9	6.17	6.19	80.2	80.5	4.74	4.77	4.95	7.6	7.7	7.8
						29.8		6.20		80.8		4.80			7.8		
			Middle	7.5	18.5	30.3	30.3	6.03	6.06	78.4	78.6	5.07	5.10		8.0	7.9	
						30.3		6.08		78.8		5.12			8.0		
			Bottom	14.0	19.3	31.6	31.6	5.87	5.89	76.3	76.5	4.95	4.97		7.8	7.9	
						31.6		5.90		76.6		4.99			8.0		
27/01/12	1424-1437	17/Cloudy	Surface	1.0	15.5	29.9	30.0	6.27	6.29	85.3	85.6	5.00	5.02	5.10	8.0	8.0	8.0
						30.0		6.31		85.8		5.03			8.0		
			Middle	6.6	15.9	30.6	30.6	6.22	6.20	85.0	84.7	5.08	5.10		8.0	8.0	
						30.6		6.18		84.3		5.12			8.0		
			Bottom	12.2	16.4	31.5	31.5	6.12	6.11	83.5	83.4	5.21	5.20		8.2	8.1	
						31.5		6.10		83.2		5.18			8.0		
31/01/12	1630-1643	18/Fine	Surface	1.0	17.4	30.0	30.0	6.30	6.32	81.9	82.2	4.44	4.47	4.71	7.4	7.4	7.6
						30.0		6.34		82.4		4.50			7.4		
			Middle	6.9	17.6	30.6	30.6	6.13	6.10	79.6	79.3	4.68	4.71		7.6	7.6	
						30.5		6.07		78.9		4.74			7.6		
			Bottom	12.8	17.8	31.4	31.5	5.86	5.90	76.1	76.5	4.93	4.95		7.8	7.9	
						31.5		5.94		76.8		4.97			8.0		

Monitoring Station : C3


Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
03/01/12	1925-1937	18/Fine	Surface	1.0	19.3	31.1	31.1	6.20	6.22	88.0	88.3	4.40	4.44	4.86	7.4	7.4	7.8
						31.1		6.24		88.6		4.47			7.4		
			Middle	6.4	19.2	31.9	31.9	6.01	6.03	85.3	85.5	4.94	4.98		7.8	7.9	
						31.8		6.04		85.7		5.01			8.0		
			Bottom	11.8	19.0	32.1	32.1	5.95	5.93	84.4	84.2	5.20	5.18		8.2	8.2	
						32.1		5.98		83.9		5.15			8.2		
05/01/12	0852-0906	10/Cloudy	Surface	1.0	17.6	29.5	29.5	6.10	6.08	80.5	80.2	4.36	4.40	4.52	7.4	7.4	7.5
						29.5		6.05		79.9		4.43			7.4		
			Middle	6.4	17.8	30.4	30.4	6.02	6.00	79.5	79.2	4.52	4.50		7.6	7.5	
						30.4		5.98		78.9		4.48			7.4		
			Bottom	11.8	17.9	31.5	31.6	5.87	5.86	77.5	77.3	4.64	4.67		7.6	7.6	
						31.6		5.84		77.1		4.69			7.6		
07/01/12	1039-1052	12/Cloudy	Surface	1.0	18.8	30.3	30.4	6.11	6.09	85.5	85.2	4.56	4.53	4.72	7.6	7.5	7.6
						30.4		6.06		84.8		4.50			7.4		
			Middle	6.4	18.5	30.8	30.8	6.05	6.05	84.7	84.7	4.66	4.73		7.6	7.6	
						30.7		6.04		84.6		4.79			7.6		
			Bottom	6.4	18.1	31.7	31.7	5.71	5.73	79.9	80.2	4.92	4.91		7.8	7.8	
						31.7		5.75		80.5		4.89			7.8		
10/01/12	1315-1328	18/Fine	Surface	1.0	18.4	30.1	30.1	6.23	6.24	87.2	87.4	5.08	5.07	5.17	7.8	7.8	8.0
						30.1		6.25		87.5		5.05			7.8		
			Middle	6.5	17.9	30.7	30.7	6.15	6.15	86.1	86.1	5.18	5.17		8.2	8.1	
						30.7		6.14		86.0		5.15			8.0		
			Bottom	12.0	17.5	31.6	31.7	6.02	6.04	84.3	84.5	5.29	5.28		8.2	8.2	
						31.7		6.05		84.7		5.26			8.2		
12/01/12	1355-1407	17/Drizzle	Surface	1.0	19.5	30.7	30.7	6.33	6.35	89.8	90.1	4.97	4.94	5.06	7.8	7.8	8.0
						30.6		6.37		90.4		4.91			7.8		
			Middle	6.4	20.2	31.4	31.4	6.04	6.06	85.7	85.9	5.11	5.13		8.0	8.1	
						31.4		6.07		86.1		5.15			8.2		
			Bottom	11.8	20.5	32.1	32.1	5.94	5.92	83.7	83.4	5.07	5.10		8.0	8.0	
						32.1		5.90		83.1		5.13			8.0		
14/01/12	1532-1547	18/Cloudy	Surface	1.0	17.2	29.4	29.4	6.38	6.40	82.9	83.1	4.11	4.13	4.30	7.0	7.0	7.2
						29.4		6.41		83.3		4.14			7.0		
			Middle	6.4	17.5	29.7	29.7	6.21	6.23	80.7	80.9	4.33	4.30		7.2	7.2	
						29.7		6.24		81.1		4.27			7.2		
			Bottom	11.8	17.8	30.1	30.1	5.97	5.99	77.6	77.8	4.45	4.48		7.4	7.4	
						30.1		6.00		78.0		4.50			7.4		
17/01/12	1755-1807	17/Cloudy	Surface	1.0	18.6	30.6	30.6	6.18	6.16	87.7	87.4	4.79	4.81	5.02	7.8	7.8	8.0
						30.5		6.14		87.1		4.82			7.8		
			Middle	6.4	19.5	31.6	31.6	5.95	5.97	83.8	84.1	5.05	5.03		8.0	8.0	
						31.6		5.98		84.3		5.01			8.0		
			Bottom	11.8	19.8	32.1	32.1	5.88	5.86	82.9	82.6	5.27	5.24		8.2	8.2	
						32.1		5.84		82.3		5.20			8.2		
19/01/12	0919-0935	17/Cloudy	Surface	1.0	17.8	29.9	29.9	6.43	6.45	85.5	85.7	4.32	4.30	4.53	7.2	7.2	7.5
						29.8		6.46		85.9		4.27			7.2		
			Middle	6.5	18.0	30.5	30.5	6.27	6.25	83.3	83.1	4.50	4.53		7.4	7.5	
						30.5		6.23		82.8		4.56			7.6		
			Bottom	12.0	18.2	31.0	31.0	5.92	5.94	78.7	78.9	4.73	4.76		7.6	7.7	
						30.9		5.95		79.1		4.78			7.8		
21/01/12	0954-1008	18/Cloudy	Surface	1.0	18.4	29.8	29.8	6.09	6.11	79.2	79.4	4.95	4.94	5.10	7.8	7.8	8.0
						29.8		6.12		79.5		4.92			7.8		
			Middle	7.0	18.7	30.2	30.2	6.04	6.06	78.6	78.8	5.12	5.14		8.0	8.1	
						30.1		6.07		78.9		5.15			8.2		
			Bottom	13.0	19.5	31.5	31.5	5.92	5.94	77.4	77.5	5.21	5.24		8.2	8.2	
						31.5		5.95		77.6		5.26			8.2		
27/01/12	1443-1456	17/Cloudy	Surface	1.0	15.6	29.9	29.9	6.24	6.23	84.9	84.7	4.97	4.99	5.06	7.8	7.8	8.0
						29.8		6.21		84.5		5.00			7.8		
			Middle	6.4	15.9	30.5	30.6	6.15	6.14	84.0	83.8	5.07	5.07		8.0	8.0	
						30.6		6.12		83.5		5.06			8.0		
			Bottom	11.8	16.4	31.4	31.5	6.04	6.02	82.4	82.2	5.11	5.12		8.0	8.1	
						31.5		6.00		81.9		5.13			8.2		
31/01/12	1648-1703	18/Fine	Surface	1.0	17.4	30.0	30.0	6.25	6.23	81.2	80.9	4.52	4.54	4.70	7.4	7.5	7.6
						29.9		6.20		80.6		4.55			7.6		
			Middle	6.5	17.6	30.5	30.5	6.08	6.05	79.0	78.6	4.70	4.68		7.6	7.6	
						30.5		6.02		78.2		4.66			7.6		
			Bottom	12.0	17.8	31.2	31.3	5.94	5.92	77.2	76.9	4.84	4.87		7.8	7.8	
						31.3		5.89		76.5		4.90			7.8		

Appendix C3


Graphical Plots of Impact Water Quality Monitoring Data



Dissolved Oxygen (Surface) at Mid-Flood Tide




Dissolved Oxygen (Surface) at Mid-Ebb Tide






Dissolved Oxygen (Surface) at Mid-Flood Tide



▲ R15 — Action and Limit Level


Dissolved Oxygen (Surface) at Mid-Ebb Tide




▲ R15 — Action and Limit Level



Dissolved Oxygen (Middle) at Mid-Flood Tide




Dissolved Oxygen (Middle) at Mid-Ebb Tide






Dissolved Oxygen (Bottom) at Mid-Flood Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide






Dissolved Oxygen (Bottom) at Mid-Flood Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide






Turbidity (Depth-average) at Mid-Flood Tide




Turbidity (Depth-average) at Mid-Ebb Tide






Turbidity (Depth-average) of R15 at Mid-Flood Tide




Turbidity (Depth-average) of R15 at Mid-Ebb Tide






Suspended solids (Depth-average) of R15 at Mid-Flood Tide



Suspended Solids (Depth-average) of R15 at Mid-Ebb Tide



Appendix C4

QA/QC Results of Laboratory Analysis for Water Samples

QA/QC Results of Laboratory Analysis of Total Suspended Solids

Sampling Date	QC Sample	Sample Duplicate		Sample Spike	
	% Recovery *	Sample ID	% Error #	Sample ID	% Recovery @
03/01/12	105.4	R5FS	0.0	R8FS	104.2
	104.5	R8FM	6.5	R17FM	102.0
	99.4	R17FB	0.0	C1FB	100.0
	92.4	C2FS	0.0	C4FB	107.7
	96.5	R5ES	0.0	R8ES	94.3
	94.6	R8EM	6.1	R17EM	98.1
	102.7	R17EB	0.0	C1EB	106.4
	98.2	C2ES	0.0	C4EB	105.8
05/01/12	102.9	R5FS	0.0	R8FS	102.0
	107.8	R8FM	6.9	R17FM	94.0
	97.5	R17FB	0.0	C1FB	98.0
	101.6	C2FS	0.0	C4FB	100.0
	105.5	R5ES	0.0	R8ES	96.0
	96.5	R8EM	0.0	R17EM	96.6
	106.5	R17EB	6.5	C1EB	94.2
	92.9	C2ES	0.0	C4EB	94.1
07/01/12	97.9	R5FS	0.0	R8FS	102.0
	103.0	R8FM	0.0	R17FM	92.3
	101.5	R17FB	6.9	C1FB	102.1
	107.9	C2FS	0.0	C4FB	92.3
	101.4	R5ES	0.0	R8ES	107.7
	101.7	R8EM	6.5	R17EM	95.9
	99.6	R17EB	0.0	C1EB	93.8
	92.7	C2ES	0.0	C4EB	101.9
10/01/12	107.7	R5FS	0.0	R8FS	103.8
	97.8	R8FM	0.0	R17FM	106.1
	104.6	R17FB	6.9	C1FB	101.9
	105.6	C2FS	6.9	C4FB	98.0
	94.9	R5ES	6.1	R8ES	98.0
	99.4	R8EM	0.0	R17EM	107.8
	103.9	R17EB	6.1	C1EB	100.0
	101.1	C2ES	0.0	C4EB	93.8
12/01/12	104.1	R5FS	0.0	R8FS	96.2
	99.4	R8FM	0.0	R17FM	94.0
	99.6	R17FB	6.1	C1FB	106.1
	94.4	C2FS	0.0	C4FB	102.0
	94.9	R5ES	6.1	R8ES	102.0
	101.4	R8EM	0.0	R17EM	96.2
	96.2	R17EB	0.0	C1EB	100.0
	95.4	C2ES	0.0	C4EB	105.9
14/01/12	105.8	R5FS	0.0	R8FS	100.0
	100.6	R8FM	6.9	R17FM	105.9
	97.2	R17FB	0.0	C1FB	93.8
	94.1	C2FS	0.0	C4FB	98.0
	97.7	R5ES	7.4	R8ES	98.1
	101.5	R8EM	0.0	R17EM	106.1
	101.2	R17EB	0.0	C1EB	102.0
	106.6	C2ES	0.0	C4EB	96.2

Note: (*)% Recovery of QC sample should be between 80% to 120%.

(#) % Error of Sample Duplicate should be between -10% to 10%.

(@) % Recovery of Sample Spike should be between 80% to 120%.



QA/QC Results of Laboratory Analysis of Total Suspended Solids

Sampling Date	QC Sample	Sample Duplicate		Sample Spike	
	% Recovery *	Sample ID	% Error #	Sample ID	% Recovery @
17/01/12	93.2	R5FS	0.0	R8FS	93.2
	99.4	R8FM	0.0	R17FM	107.7
	103.5	R17FB	0.0	C1FB	103.9
	98.0	C2FS	6.9	C4FB	93.6
	97.8	R5ES	0.0	R8ES	103.8
	96.5	R8EM	0.0	R17EM	101.9
	104.2	R17EB	0.0	C1EB	100.0
	107.6	C2ES	6.5	C4EB	105.9
19/01/12	95.1	R5FS	0.0	R8FS	96.1
	102.2	R8FM	6.5	R17FM	95.7
	94.7	R17FB	0.0	C1FB	102.1
	107.4	C2FS	0.0	C4FB	105.9
	94.5	R5ES	0.0	R8ES	102.1
	98.4	R8EM	6.5	R17EM	92.2
	103.1	R17EB	0.0	C1EB	100.0
	97.4	C2ES	0.0	C4EB	108.3
21/01/12	92.4	R5FS	0.0	R8FS	97.9
	103.6	R8FM	0.0	R17FM	102.1
	102.7	R17FB	6.1	C1FB	107.7
	106.1	C2FS	0.0	C4FB	108.2
	97.3	R5ES	6.1	R8ES	102.0
	102.2	R8EM	0.0	R17EM	104.1
	96.7	R17EB	0.0	C1EB	98.0
	92.9	C2ES	0.0	C4EB	102.0
27/01/12	103.0	R5FS	0.0	R8FS	98.0
	94.3	R8FM	6.5	R17FM	103.8
	100.2	R17FB	0.0	C1FB	102.0
	97.3	C2FS	0.0	C4FB	94.6
	97.8	R5ES	0.0	R8ES	93.9
	100.8	R8EM	0.0	R17EM	95.8
	100.2	R17EB	6.1	C1EB	105.8
	107.1	C2ES	0.0	C4EB	94.1
31/01/12	98.7	R5FS	0.0	R8FS	107.8
	105.2	R8FM	6.9	R17FM	100.0
	105.0	R17FB	0.0	C1FB	106.2
	100.2	C2FS	6.9	C4FB	104.1
	100.4	R5ES	0.0	R8ES	100.0
	107.3	R8EM	0.0	R17EM	95.7
	105.1	R17EB	0.0	C1EB	108.2
	93.7	C2ES	0.0	C4EB	100.0

Note: (*) % Recovery of QC sample should be between 80% to 120%.
 (#) % Error of Sample Duplicate should be between -10% to 10%.
 (@) % Recovery of Sample Spike should be between 80% to 120%.

Appendix D

Event-Action Plans



Event and Action Plan for Construction Noise

Event	Action			
	ET Leader	IEC	ER	Contractor
Action Level	<ol style="list-style-type: none"> 1. Notify IEC and the Contractor. 2. Carry out investigation. 3. Report the results of investigation to IEC and the Contractor. 4. Discuss with the Contractor and formulate remedial measures. 5. Increase monitoring frequency to check mitigation measures. 	<ol style="list-style-type: none"> 1. Review with analysed results submitted by ET. 2. Review the proposed remedial measures by the Contractor and advise ER accordingly. 3. Supervise the implement of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of exceedance in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 	<ol style="list-style-type: none"> 1. Submit noise mitigation proposals to IEC. 2. Implement noise mitigation proposals.
Limit Level	<ol style="list-style-type: none"> 1. Identify the source. 2. Notify IEC, ER, EPD and the Contractor. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency. 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented. 6. Inform IEC, ER, and EPD the causes & actions taken for the exceedances. 7. Assess effectiveness of the Contractor's remedial actions and keep IEC, EPD and ER informed of the results. 8. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Discuss amongst ER, ET Leader and the Contractor on the potential remedial actions. 2. Review the Contractor's remedial actions whenever necessary to assure their effectiveness and advise ER accordingly. 3. Supervise the implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of exceedance in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 5. If exceedance continues, consider what activity of the work is responsible and instruct the Contractor to stop that activity of work until the exceedance is abated. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance. 2. Submit proposals for remedial actions to IEC within 3 working days of notification. 3. Implement the agreed proposals. 4. Resubmit proposals if problem still not under control. 5. Stop the relevant activity of works as determined by the ER until the exceedance is abated.



Event and Action Plan for Water Quality for Construction Phase

Event	Action			
	ET Leader	IEC	ER	Contractor
Action Level				
Exceedance for one sample	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC and Contractor; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC and Contractor; and 6. Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures; and 2. Make agreement on the mitigation measures to be implemented. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and propose mitigation measures to IEC and ER; and 6. Implement the agreed mitigation measures.
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC and Contractor; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC and Contractor; 6. Ensure mitigation measures are implemented; 7. Prepare to increase the monitoring frequency to daily; and 8. Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures; 2. Make agreement on the mitigation measures to be implemented; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the Engineer and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and propose mitigation measures to IEC and ER within 3 working days; and 6. Implement the agreed mitigation measures.



Event and Action Plan for Water Quality for Construction Phase

Event	Action			
	ET Leader	IEC	ER	Contractor
Limit Level				
Exceedance for one sample	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC, Contractor and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor; 6. Ensure mitigation measures are implemented; and 7. Increase the monitoring frequency to daily until no exceedance of Limit level. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; and 2. Request Contractor to critically review the working methods; 3. Make agreement on the mitigation measures to be implemented; and 4. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the Engineer and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and ER and propose mitigation measures to IEC and ER within 3 working days; and 6. Implement the agreed mitigation measures.
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC, Contractor and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor; 6. Ensure mitigation measures are implemented; and 7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; and 2. Request Contractor to critically review the working methods; 3. Make agreement on the mitigation measures to be implemented; 4. Assess the effectiveness of the implemented mitigation measures; and 5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the marine work until no exceedance of Limit Level. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and ER and propose mitigation measures to IEC and ER within 3 working days; 6. Implement the agreed mitigation measures; and 7. As directed by the Engineer, to slow down or to stop all or part of the marine work or construction activities.



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Appendix E

Work Programme

Contract No.9WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Act ID	Description	Orig Dur	Early Start	Early Finish	Late Start
	General Information	1156	07SEP09 A	05NOV12	07SEP09 A

2009
O D J F M A M J J A S O N D J F M

2010
O D J F M A M J J A S O N D J F M

2011
O D J F M A M J J A S O N D J F M

2012
O D J F M A M J J A S O N D J F M

Key Dates

Contract ID	Description	Orig Dur	Early Start	Early Finish	Late Start
KD-1010	Contract Commencement Date	0	07SEP09 A		07SEP09 A
KD-1020	Contract Completion	0		05NOV12 *	
KD-1030	Works Period of Section 1 Works (791Days)	830	07SEP09 A	06NOV11	07SEP09 A
KD-1040	Works Period of Section 2 Works (426Days)	449	07SEP09 A	06NOV10	07SEP09 A
KD-1050	Works Period of Section 4 Works (549Days)	576	07SEP09 A	09MAR11	07SEP09 A
KD-1060	Works Period of Section 5 Works (1156Days)	1156	07SEP09 A	05NOV12	07SEP09 A

Preliminaries

Item	Description	Orig Dur	Early Start	Early Finish	Late Start
B1-1000	Mobilization	90	07SEP09 A	06DEC09 A	07SEP09 A
B1-1110	Site Office	60	16NOV09 A	16JAN10	16NOV09 A
B1-1120	Maintenance/Service of Preliminary Items	936	17JAN10	09AUG12	17JAN10
B1-1130	Clearance & Demobilisation	88	10AUG12	05NOV12	10AUG12
B1-1140	Environmental Monitoring	1026	28DEC09 A	18OCT12	28DEC09 A
B1-1150	Material Approval For Water Mains & Accessories	100	07SEP09 A	18FEB10	07SEP09 A
B1-1160	Material Procurement & Delivery Start	60	28DEC09 A	01FEB10	28DEC09 A
B1-1160B	Delivery of Valve, Actuators, Flow Meter & E&M	400	14JUN10	18JUL11 *	14JUN10
B1-1170	CCTV & Monitoring Of Existing DSD Drainage	610	18JAN10	19SEP11	15APR10
B1-1180	Monitoring of HYD Structure	610	06MAR10	05NOV11	15APR10

Section 1

Item	Description	Orig Dur	Early Start	Early Finish	Late Start
		937	07SEP09 A	31MAR12	07SEP09 A

Land Works

Item	Description	Orig Dur	Early Start	Early Finish	Late Start
S1-1010	Approval & Consent - XP, TTA, MS & Temp Works.	180	07SEP09 A	05MAR10	07SEP09 A
S1-1020	Trial Pit & Utilities Detection (Except E2 & K)	120	01DEC09 A	16MAR10	01DEC09 A
S1-1030	Portion H2 Cycle Track & Footpath Proposal	40	07SEP09 A	08OCT09 A	07SEP09 A
S1-1040	Portion H2 Diversion Route For Cycle Track	60	07OCT09 A	28NOV09 A	07OCT09 A
S1-1050	Portion H2 Submission For Hoarding Mural Design	90	07SEP09 A	17FEB10	07SEP09 A
S1-1060	Portion H2 Set Up For Hoarding Approved Design	30	18FEB10	19MAR10	07OCT12
S1-1080	Initial & Utilities Survey (Except E2 & K)	120	05OCT09 A	04MAR10	05OCT09 A

Start date	07SEP09
Finish date	05NOV12
Data date	04JAN10
Run date	29JAN12
Page number	1A
© Primavera Systems, Inc.	

3 Months Rolling Program (Jan 2012)

Wo Hing - Penta-Ocean Joint Venture

Contract No.9WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Act ID	Description	Orig Dur	2009		2010		2011		2012	
			Early Start	Early Finish	Late Start	Early Finish	Early Finish	Early Finish		
S1-4040B20	Fwk & Reinforcement for Pipe Trough	15	23DEC10	06JAN11	25JUN11					
S1-4040B30	Pipe Laying & Support Casting	25	15OCT11	08NOV11	10JUL11					
S1-4040B40	Backfilling & Reinstatement	20	09NOV11	28NOV11	04AUG11					
S1-4410	Portion E2 DN600A SWM Works CH7.1-63.7 (UC)	50	05MAR10	23APR10	03SEP10					
S1-4410A10	Preparation & Submission Of Risk Assessment	28	19FEB10	18MAR10	02OCT10					
S1-4410A20	Preparation & Submission Of Method Statement	28	19FEB10	18MAR10	02OCT10					
S1-4410A30	Submission & Approval Of Temp. Work	28	19FEB10	18MAR10	02OCT10					
S1-4410B10	Installation & Connection Of DN600A SWM	8	14FEB11*	21FEB11	30OCT10					
S1-4410B20	Support & Fixing Of DN600A SWM	3	22FEB11	24FEB11	07NOV10					
S1-4420	Portion E1B DN600A SWM Works CH0.0-7.1 (O)	30	24APR10	23MAY10	23OCT10					
S1-4420B10	Excavation & Shoring	6	25FEB11	02MAR11	10NOV10					
S1-4420B20	Main Laying & Connection With Trough Portion	8	03MAR11	10MAR11	16NOV10					
S1-4430	Portion E2 DN600A SWM Works CH63.7-67.9 (O)	30	24MAY10	22JUN10	22NOV10					
S1-4430B10	Excavation & Shoring	120	11MAR11	08JUL11	24NOV10					
S1-4430B20	Main Laying & Connection With Trough Portion	4	09JUL11	12JUL11	24MAR11					
S1-4440	E1B Existing DN600 SWM Diversion & Demolition	30	23JUN10	22JUL10	22DEC10					
S1-4440A10	Issuance Of Temp. Water Supply Suspension Notice	14	29JUN11	12JUL11	14MAR11					
S1-4440B10	Shut Off Of Existing DN600 SWM	2	13JUL11	14JUL11	28MAR11					
S1-4440B20	DN600A Diversion Main Connect To Existing	2	13JUL11	14JUL11	28MAR11					
S1-4440B30	Removal Of Existing DN600 SWM	6	15JUL11	20JUL11	30MAR11					
S1-4445	Portion E1B Trough Construction Under Planter	60	24JUN10	22AUG10	10FEB11					
S1-4445B10	Excavation & Shoring For Pipe Trough (Stage 2)	40	23DEC10	31JAN11	11MAY11					
S1-4445B20	Fwk & Reinforcement for Pipe Trough	15	01FEB11	15FEB11	20JUN11					
S1-4450	Portion E1B Pipe Works CH660.5-677.4 (PT)	60	11OCT10	09DEC10	11APR11					
S1-4450B10	Pipe Laying & Support Casting	25	16FEB11	12MAR11	05JUL11					
S1-4450B20	Backfilling & Reinstatement	20	13MAR11	01APR11	30JUL11					
S1-4460	Portion E1B Pipe Works CH677.4-695.9 (O)	40	22FEB11	02APR11	08SEP11					
S1-4460B10	Portion E1B Pipe Works CH677.4-695.9(O)	30	02MAY11	31MAY11	18SEP11					
S1-4470	Portion E1B Pipe Works CH695.9-698.5 (UC)	20	10DEC10	29DEC10	10JUN11					
S1-4470B10	Portion E1B Pipe Works CH695.9-698.5 (UC)	30	02APR11	01MAY11	19AUG11					
S1-4480	Portion E1B DN600B SWM Works CH0.0-7.1 (O)	30	23JUL10	21AUG10	10FEB11					
S1-4480B10	Portion E1B DN600B SWM Works CH0.0-7.1 (O)	30	25SEP11	24OCT11	18SEP11					
S1-4490	Portion E2 DN600B SWM Works CH7.1-63.7 (UC)	50	23JUL10	10SEP10	21JAN11					

Start date	07SEP09
Finish date	05NOV12
Data date	04JAN10
Run date	29JAN12
Page number	4A
c Primavera Systems, Inc.	

3 Months Rolling Program (Jan 2012)

Wo Hing - Penta-Ocean Joint Venture

■ Early bar

 ■ Progress bar

 ■ Critical bar

 ■ Summary bar

 ▲ Start milestone point

 ▼ Finish milestone point



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Appendix F

ET Weekly Site Inspection Records

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Noise Impact				
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	✓			
▪ The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	✓			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.	✓			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	✓			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	✓			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	✓			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.	✓			
▪ Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	✓			
▪ Air compressors and hand held breakers should have noise labels.	✓			
▪ Compressors and generators should operate with door closed.	✓			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	✓			
Water Quality				
Mitigation Measures for Dredging				
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.			✓	No dredging work was observed.
▪ Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.			✓	No dredging work was observed.
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	✓			
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	✓			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	✓			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	✓			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	✓			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	✓			
▪ Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds			✓	No dredging work was observed.
▪ Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	✓			
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	✓			

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Water Quality				
Mitigation Measures for other Construction Activities				
<ul style="list-style-type: none"> Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour W CZs Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour W CZ under the TM-DSS. Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains 	✓			
Waste Management				
C&D Materials				
<ul style="list-style-type: none"> Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 	✓		✓	
Chemical Waste				
<ul style="list-style-type: none"> Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 	✓			


Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Waste Management					
General Refuse					
	General refuse should be stored in enclosed bins or compaction units separate from C&D material.	√			
	A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	√			
	An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	√			
Marine Dredged Sediment (During transportation and disposal)					
	Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved			√	No dredging work was observed.
	Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD			√	No dredging work was observed.
	Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.			√	No dredging work was observed.
Site Practices					
	Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	√			
	Training of site personnel in proper waste management and chemical handling procedures	√			
	Provision of sufficient waste disposal points and regular collection of waste	√			
	Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	√			
	Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	√			
Waste Reduction Measures					
	Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	√			
	Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	√			
	Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	√			
	Proper storage and site practices to minimise the potential for damage or contamination of construction materials	√			
	Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	√			

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs N/A	
Marine Ecology					
▪	Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.			√	No dredging work was observed.
▪	Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			√	No dredging work was observed.
▪	Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	√			
▪	Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√			
Good Site Practices					
•	The Environmental Permit should be displaced conspicuously on site.	√			
•	Construction noise permits should be posted at site entrance or available for site inspection.	√			
▪	Chemical storage area provided with lock and located on sealed areas.	√			
▪	All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	√			
▪	Any unused chemicals or those with remaining functional capacity should be recycled.	√			
▪	All generators, fuel and oil storage are within bundle areas.	√			
▪	Oil leakage from machinery, vehicle and plant should be prevented.	√			
▪	Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√			
▪	A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be banded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√			


Summary of the Weekly Site Inspection:

Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date

Remark
 No new item was found during the site inspection and audit on 05 January 2012.
 The Contract was reminded to collect the construction waste materials in Portion H and J regularly and recover the dusty materials properly.

Inspected by	Name C. L. Lau	Signature 	Date 05 January 2012
--------------	-------------------	---	-------------------------

Photos



Photo_120105_001 (Some construction waste materials were noted in Portion H)



Photo_120105_002 (Some construction waste materials were noted in Portion J)

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Noise Impact				
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	✓			
▪ The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	✓			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.	✓			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	✓			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	✓			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	✓			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME. Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	✓			
▪ Air compressors and hand held breakers should have noise labels.	✓			
▪ Compressors and generators should operate with door closed.	✓			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	✓			
Water Quality				
Mitigation Measures for Dredging				
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.			✓	No dredging work was observed.
▪ Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.			✓	No dredging work was observed.
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	✓			
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	✓			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	✓			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	✓			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	✓			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	✓			
▪ Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds				
▪ Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	✓		✓	No dredging work was observed.
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	✓			



Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Water Quality					
Mitigation Measures for other Construction Activities					
▪	Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped.	√			
▪	Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers.	√			
▪	Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds.	√			
▪	Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs.	√			
▪	Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices.	√			
▪	Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS.	√			
▪	Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding.	√			
▪	An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.				√
▪	The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains.				√
Waste Management					
C&D Materials					
▪	Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable.			√	
▪	C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses.			√	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed.			√	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods.			√	
Chemical Waste					
▪	Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately.	√			
▪	Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc.	√			
▪	The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility.	√			

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Waste Management					
General Refuse					
▪	General refuse should be stored in enclosed bins or compaction units separate from C&D material.	√			
▪	A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	√			
▪	An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	√			
Marine Dredged Sediment (During transportation and disposal)					
▪	Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved			√	No dredging work was observed.
▪	Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD			√	No dredging work was observed.
▪	Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.			√	No dredging work was observed.
Site Practices					
▪	Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	√			
▪	Training of site personnel in proper waste management and chemical handling procedures	√			
▪	Provision of sufficient waste disposal points and regular collection of waste	√			
▪	Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	√			
▪	Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	√			
Waste Reduction Measures					
▪	Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	√			
▪	Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	√			
▪	Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	√			
▪	Proper storage and site practices to minimise the potential for damage or contamination of construction materials	√			
▪	Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	√			


Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Marine Ecology				
Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.			√	No dredging work was observed.
Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			√	No dredging work was observed.
Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	√			
Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√			
Good Site Practices				
The Environmental Permit should be displaced conspicuously on site.	√			
Construction noise permits should be posted at site entrance or available for site inspection.	√			
Chemical storage area provided with lock and located on sealed areas.	√			
All chemicals should be placed at the banded area with adequate bund capacity (>110% of largest tank).	√			
Any unused chemicals or those with remaining functional capacity should be recycled.	√			
All generators, fuel and oil storage are within bund areas.	√			
Oil leakage from machinery, vehicle and plant should be prevented.	√			
Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√			
A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be banded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√			

Summary of the Weekly Site Inspection:


Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date

Remark

No new item was found during the site inspection and audit on 11 January 2012.
 The construction waste materials in Portion H and J were collected and the dusty materials were covered properly.

Inspected by	Name	Signature	Date
	C. L. Lau		11 January 2012

Photos



Photo_120111_001 (Some construction waste materials noted in Portion H were collected)



Photo_120111_002 (Some construction waste materials noted in Portion J were collected)

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Noise Impact				
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	✓			
▪ The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	✓			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.	✓			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	✓			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	✓			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	✓			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.	✓			
▪ Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	✓			
▪ Air compressors and hand held breakers should have noise labels.	✓			
▪ Compressors and generators should operate with door closed.	✓			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	✓			
Water Quality				
Mitigation Measures for Dredging				
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.			✓	No dredging work was observed.
▪ Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.			✓	No dredging work was observed.
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	✓			
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	✓			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	✓			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	✓			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	✓			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	✓			
▪ Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds			✓	No dredging work was observed.
▪ Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	✓			
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	✓			

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Waste Management				
General Refuse				
General refuse should be stored in enclosed bins or compaction units separate from C&D material.	✓			
A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	✓			
An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	✓			
Marine Dredged Sediment (During transportation and disposal)				
Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved			✓	No dredging work was observed.
Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD			✓	No dredging work was observed.
Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.			✓	No dredging work was observed.
Site Practices				
Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	✓			
Training of site personnel in proper waste management and chemical handling procedures	✓			
Provision of sufficient waste disposal points and regular collection of waste	✓			
Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	✓			
Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	✓			
Waste Reduction Measures				
Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	✓			
Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	✓			
Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	✓			
Proper storage and site practices to minimise the potential for damage or contamination of construction materials	✓			
Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	✓			


Implementation Stages*	Remark		
	Yes	No	Not Obs / N/A
Environmental Checklist			
Marine Ecology			
Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.			No dredging work was observed.
Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			No dredging work was observed.
Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	✓		
Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	✓		
Good Site Practices			
The Environmental Permit should be displaced conspicuously on site.	✓		
Construction noise permits should be posted at site entrance or available for site inspection.	✓		
Chemical storage area provided with lock and located on sealed areas.	✓		
All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	✓		
Any unused chemicals or those with remaining functional capacity should be recycled.	✓		
All generators, fuel and oil storage are within bundle areas.	✓		
Oil leakage from machinery, vehicle and plant should be prevented.	✓		
Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	✓		
A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	✓		

Summary of the Weekly Site Inspection:


Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date
1.	Standing water was noted in Portion J. It was cleaned immediately.	Closed	---	120117_001 & 120117_002	---

Remark

—

Inspected by	Name	Signature	Date
	C. L. Lau		17 January 2012

Photos



Photo_120117_001 (Standing water was noted in Portion J)



Photo_120117_002 (Standing water noted in Portion J were cleaned immediately)

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	27/01/2012	Inspected by	RE	IEC	Contractor	ET
Time	10:00	Name	Wai Yip Ming		JNG	W. S. Lam

Weather : Sunny / Fine / Cloudy / Drizzle / Rain / Storm / Hazy
 Condition : Calm / Light / Breeze / Strong
 Humidity : 14°C
 Temperature : High / Moderate / Low

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs	
Fugitive Dust Emission				
▪ Dust control / mitigation measures shall be provided to prevent dust nuisance.	✓			
▪ Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.	✓			
▪ The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.	✓			
▪ The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle	✓			
▪ Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.	✓			
▪ The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcore.			✓	
▪ Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.	✓			
▪ The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.	✓			
▪ All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.	✓			
▪ Vehicle speed should be limited to 10 kph except on completed access roads.	✓			
▪ Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.			✓	
▪ The public road around the site entrance should be kept clean and free from dust.	✓			
▪ Vehicle and equipment should be switched off while not in use.	✓			
▪ All plant and equipment should be well maintained e.g. without black smoke emission.	✓			
▪ Open burning should be prohibited.	✓			



Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Noise Impact				
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	✓			
▪ The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	✓			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.	✓			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	✓			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	✓			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	✓			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.	✓			
▪ Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	✓			
▪ Air compressors and hand held breakers should have noise labels.	✓			
▪ Compressors and generators should operate with door closed.	✓			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	✓			
Water Quality				
Mitigation Measures for Dredging				
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.			✓	No dredging work was observed.
▪ Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.			✓	No dredging work was observed.
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	✓			
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	✓			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	✓			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	✓			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	✓			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	✓			
▪ Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds			✓	No dredging work was observed.
▪ Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	✓			
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	✓			

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Water Quality					
Mitigation Measures for other Construction Activities					
▪	Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped	√			
▪	Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers	√			
▪	Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds	√			
▪	Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs	√			
▪	Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices.	√			
▪	Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS.	√			
▪	Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding.	√			
▪	An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.				√
▪	The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains				√
Waste Management					
C&D Materials					
▪	Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable.			√	
▪	C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses.			√	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed			√	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods.			√	
Chemical Waste					
▪	Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately.	√			
▪	Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc.	√			
▪	The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility.	√			

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Waste Management					
General Refuse					
▪	General refuse should be stored in enclosed bins or compaction units separate from C&D material.	✓			
▪	A reusable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	✓			
▪	An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	✓			
Marine Dredged Sediment (During transportation and disposal)					
▪	Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved			✓	No dredging work was observed.
▪	Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD			✓	No dredging work was observed.
▪	Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.			✓	No dredging work was observed.
Site Practices					
▪	Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	✓			
▪	Training of site personnel in proper waste management and chemical handling procedures	✓			
▪	Provision of sufficient waste disposal points and regular collection of waste	✓			
▪	Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	✓			
▪	Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	✓			
Waste Reduction Measures					
▪	Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	✓			
▪	Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	✓			
▪	Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	✓			
▪	Proper storage and site practices to minimise the potential for damage or contamination of construction materials	✓			
▪	Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	✓			


Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Marine Ecology					
▪	Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.			√	No dredging work was observed.
▪	Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			√	No dredging work was observed.
▪	Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	√			
▪	Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√			
Good Site Practices					
•	The Environmental Permit should be displaced conspicuously on site.	√			
•	Construction noise permits should be posted at site entrance or available for site inspection.	√			
▪	Chemical storage area provided with lock and located on sealed areas.	√			
▪	All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	√			
▪	Any unused chemicals or those with remaining functional capacity should be recycled.	√			
▪	All generators, fuel and oil storage are within bundle areas.	√			
▪	Oil leakage from machinery, vehicle and plant should be prevented.	√			
▪	Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√			
▪	A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√			

Summary of the Weekly Site Inspection:

Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date
---	---	---	---	---	---

Remark

No defective observation was noted during the weekly site inspection.

Inspected by	Name	Signature	Date
	Linda Law		27 January 2012



Appendix G

Implementation Schedule of Mitigation Measures



	Location	Implementation Status			
		Implemented	Partially implemented	Not implemented	Not Applicable
Environmental Protection Measures					
Noise Impact					
Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	All areas	✓			
Air compressors and hand held breakers should have noise labels.	All areas	✓			
Compressors and generators should operate with door closed.	All areas	✓			
Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	All areas	✓			
Water Quality					
Mitigation Measures for Dredging					
Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.	Marine				✓
Deployment of frame type silt curtain should be fully enclose the grab while dredging works are in progress.	Marine				✓
Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	Marine	✓			
Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	Marine				✓
All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	Marine				✓
The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	Marine				✓
Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	Marine				✓
All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	Marine				✓
Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds	Marine	✓			
Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	Marine	✓			
The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	Marine	✓			
Mitigation Measures for other Construction Activities					
Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped	All areas	✓			
Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers	All areas	✓			
All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads.	All areas	✓			
An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.	All areas	✓			
The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains	All areas	✓			
Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs	All areas	✓			



	Location	Implementation Status		
		Implemented	Partially implemented	Not implemented
Environmental Protection Measures				
Waste Management				
Good Site Practices				
<ul style="list-style-type: none"> ▪ Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment. ▪ Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers 	√			
Waste Reduction Measures				
<ul style="list-style-type: none"> ▪ Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals ▪ Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal ▪ Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force ▪ Proper storage and site practices to minimise the potential for damage or contamination of construction materials ▪ Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste 	√			
Marine Ecology				
<ul style="list-style-type: none"> ▪ Use of one grab dredger only with a maximum production rate of 4,000m³ per day for dredging. ▪ Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress. ▪ Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress. ▪ Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain. 	√			√
Good Site Practices				
<ul style="list-style-type: none"> ▪ The Environmental Permit should be displaced conspicuously on site. ▪ Construction noise permits should be posted at site entrance or available for site inspection. ▪ Chemical storage area provided with lock and located on sealed areas. ▪ All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank). ▪ Any unused chemicals or those with remaining functional capacity should be recycled. ▪ All generators, fuel and oil storage are within bundle areas. ▪ Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors. ▪ A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be banded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system. 	√			



Appendix H

Site General Layout plan

NOTES:
 1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NO. 241239/6/0301 TO 0303.

- LEGEND:
- PROPOSED FRESH WATERMAKING
 - PROPOSED SUI WATERMAKING
 - PROPOSED WORKS BANK
 - SEA / ST
 - PORTION 1 (SECTION 1)
 - PORTION 2 (SECTION 2)
 - PORTION 3 (SECTION 3)
 - PORTION 4 (SECTION 4)
 - PORTION 5 (SECTION 5)
 - PORTION 6 (SECTION 6)
 - PORTION 7 (SECTION 7)
 - PORTION 8 (SECTION 8)
 - PORTION 9 (SECTION 9)
 - PORTION 10 (SECTION 10)
 - PORTION 11 (SECTION 11)
 - PORTION 12 (SECTION 12)
 - PORTION 13 (SECTION 13)
 - PORTION 14 (SECTION 14)
 - PORTION 15 (SECTION 15)
 - PORTION 16 (SECTION 16)
 - PORTION 17 (SECTION 17)
 - PORTION 18 (SECTION 18)
 - PORTION 19 (SECTION 19)
 - PORTION 20 (SECTION 20)
 - PORTION 21 (SECTION 21)
 - PORTION 22 (SECTION 22)
 - PORTION 23 (SECTION 23)
 - PORTION 24 (SECTION 24)
 - PORTION 25 (SECTION 25)
 - PORTION 26 (SECTION 26)
 - PORTION 27 (SECTION 27)
 - PORTION 28 (SECTION 28)
 - PORTION 29 (SECTION 29)
 - PORTION 30 (SECTION 30)
 - PORTION 31 (SECTION 31)
 - PORTION 32 (SECTION 32)
 - PORTION 33 (SECTION 33)
 - PORTION 34 (SECTION 34)
 - PORTION 35 (SECTION 35)
 - PORTION 36 (SECTION 36)
 - PORTION 37 (SECTION 37)
 - PORTION 38 (SECTION 38)
 - PORTION 39 (SECTION 39)
 - PORTION 40 (SECTION 40)
 - PORTION 41 (SECTION 41)
 - PORTION 42 (SECTION 42)
 - PORTION 43 (SECTION 43)
 - PORTION 44 (SECTION 44)
 - PORTION 45 (SECTION 45)
 - PORTION 46 (SECTION 46)
 - PORTION 47 (SECTION 47)
 - PORTION 48 (SECTION 48)
 - PORTION 49 (SECTION 49)
 - PORTION 50 (SECTION 50)
 - PORTION 51 (SECTION 51)
 - PORTION 52 (SECTION 52)
 - PORTION 53 (SECTION 53)
 - PORTION 54 (SECTION 54)
 - PORTION 55 (SECTION 55)
 - PORTION 56 (SECTION 56)
 - PORTION 57 (SECTION 57)
 - PORTION 58 (SECTION 58)
 - PORTION 59 (SECTION 59)
 - PORTION 60 (SECTION 60)
 - PORTION 61 (SECTION 61)
 - PORTION 62 (SECTION 62)
 - PORTION 63 (SECTION 63)
 - PORTION 64 (SECTION 64)
 - PORTION 65 (SECTION 65)
 - PORTION 66 (SECTION 66)
 - PORTION 67 (SECTION 67)
 - PORTION 68 (SECTION 68)
 - PORTION 69 (SECTION 69)
 - PORTION 70 (SECTION 70)
 - PORTION 71 (SECTION 71)
 - PORTION 72 (SECTION 72)
 - PORTION 73 (SECTION 73)
 - PORTION 74 (SECTION 74)
 - PORTION 75 (SECTION 75)
 - PORTION 76 (SECTION 76)
 - PORTION 77 (SECTION 77)
 - PORTION 78 (SECTION 78)
 - PORTION 79 (SECTION 79)
 - PORTION 80 (SECTION 80)
 - PORTION 81 (SECTION 81)
 - PORTION 82 (SECTION 82)
 - PORTION 83 (SECTION 83)
 - PORTION 84 (SECTION 84)
 - PORTION 85 (SECTION 85)
 - PORTION 86 (SECTION 86)
 - PORTION 87 (SECTION 87)
 - PORTION 88 (SECTION 88)
 - PORTION 89 (SECTION 89)
 - PORTION 90 (SECTION 90)
 - PORTION 91 (SECTION 91)
 - PORTION 92 (SECTION 92)
 - PORTION 93 (SECTION 93)
 - PORTION 94 (SECTION 94)
 - PORTION 95 (SECTION 95)
 - PORTION 96 (SECTION 96)
 - PORTION 97 (SECTION 97)
 - PORTION 98 (SECTION 98)
 - PORTION 99 (SECTION 99)
 - PORTION 100 (SECTION 100)

Section 1
 Section 2
 Section 3
 Section 4

TR 01	TR 02	TR 03	TR 04	TR 05	TR 06	TR 07	TR 08	TR 09	TR 10	TR 11	TR 12	TR 13	TR 14	TR 15	TR 16	TR 17	TR 18	TR 19	TR 20	TR 21	TR 22	TR 23	TR 24	TR 25	TR 26	TR 27	TR 28	TR 29	TR 30	TR 31	TR 32	TR 33	TR 34	TR 35	TR 36	TR 37	TR 38	TR 39	TR 40	TR 41	TR 42	TR 43	TR 44	TR 45	TR 46	TR 47	TR 48	TR 49	TR 50	TR 51	TR 52	TR 53	TR 54	TR 55	TR 56	TR 57	TR 58	TR 59	TR 60	TR 61	TR 62	TR 63	TR 64	TR 65	TR 66	TR 67	TR 68	TR 69	TR 70	TR 71	TR 72	TR 73	TR 74	TR 75	TR 76	TR 77	TR 78	TR 79	TR 80	TR 81	TR 82	TR 83	TR 84	TR 85	TR 86	TR 87	TR 88	TR 89	TR 90	TR 91	TR 92	TR 93	TR 94	TR 95	TR 96	TR 97	TR 98	TR 99	TR 100
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	--------

Mott MacDonald


THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

97/NSD/08

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SAI YING PUN

POSSESSION OF SITE
 (SHEET 1 OF 5)

Scale	1:1000	DATE	14/03/08
Author	W. S. CHAN	Checked	W. S. CHAN
Drawn	W. S. CHAN	Approved	W. S. CHAN
Project No.	97/NSD/08	Sheet No.	10
Drawing No.	241239/6/0301	Rev.	05



MATCH LINE

14/03/08 08:17:22

THIS DOCUMENT IS THE PROPERTY OF MOTT MACDONALD. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF MOTT MACDONALD.

NOTES
 1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH MEMORANDUM NO. 241239/G/0302 AND DRAWING NO. 241239/G/0301
 2. THE LEGEND SHALL REFER TO DRAWING NO. 241239/G/0301

DATE	DESCRIPTION	BY	CHECKED
02 APR 09	REVISION NO. 4	MM	MM
01 MAR 09	PL. TENDER ADDENDUM NO. 3	MM	MM
0 DEC 08	PL. TENDER ADDENDUM NO. 2	MM	MM
01 OCT 08	PL. TENDER ADDENDUM NO. 1	MM	MM
01 SEP 08	PL. TENDER ADDENDUM NO. 0	MM	MM

Mott MacDonald
 Mott MacDonald Hong Kong Limited
 27th Floor, One World Trade Centre
 181 Wing Lok Street
 Causeway Bay, Hong Kong
 Tel: 852 2217 1122
 Fax: 852 2217 1123
 www.mottmac.com


THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

Contract No. 9/MSD/08
 Project

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SHI YING PUN

POSSESSION OF SITE
 (SHEET 2 OF 5)

PROJECT NO.	241239	SCALE	1:1000
DATE	24/12/08	DRAWN BY	MM
CHECKED BY	MM	APPROVED BY	MM
DATE	24/12/08	SCALE	TEN
PROJECT NO.	241239	SCALE	1:1000
DATE	24/12/08	DRAWN BY	MM
CHECKED BY	MM	APPROVED BY	MM
DATE	24/12/08	SCALE	TEN



Copyright reserved by Mott MacDonald. All rights reserved. This drawing is the property of Mott MacDonald and shall not be used for any other purpose without the written consent of Mott MacDonald.

NOTES :

- THIS DRAWING SHALL BE READ IN CONNECTION WITH DRAWING NOS. 241239/G/0041 TO 0202 AND 0204 TO 0205.
- THE USER SHOULD REFER TO DRAWING NO. 241239/G/0301.

01	DATE	09	2012	TRUCK ACCESS ROAD NO. 3	241239
02	DATE	08	2012	FINAL ISSUE FOR TENDER	241239
03	DATE	08	2012	PRELIMINARY ISSUE FOR TENDER	241239

m Mott MacDonald
 11th Floor, One Island Place
 11010 Island Place
 25th Floor, One Island Place
 11010 Island Place
 Tel: 852 2512 1122
 Fax: 852 2512 1123
 www.mottmacdonald.com.hk

THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT


9/WSD/08

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SAI YING PUN

POSSESSION OF SITE
 (SHEET 3 OF 5)

DESIGN	SCALE	DATE	BY	CHK
PLAN	1:1000	08/2012	Y. L. CHAN	P. C. CHAN
SECTION				
REVISION				
NO.	DESCRIPTION	DATE	BY	CHK
1	ISSUE FOR TENDER	08/2012	Y. L. CHAN	P. C. CHAN
2	FINAL ISSUE FOR TENDER	09/2012	Y. L. CHAN	P. C. CHAN

241239/G/0303 01



(TO COPYRIGHT RESERVED)

© Mott MacDonald Limited
 This document should not be re-used in circumstances other than those for which it was originally prepared and for which Mott MacDonald Ltd.

NOTES :

- THIS DRAWING SHALL BE MADE IN CONFORMANCE WITH DRAWING NOS. 241133/6/0301 TO 0303 AND 0305.
- THE LEGEND SHALL REFER TO DRAWING NO. 241133/6/0301.

CD	APR 09	4	TEKOR APPROVAL NO. 4	1:1000
DI	MAR 09	3	TEKOR APPROVAL NO. 3	1:1000
D	DEC 08	2	TEKOR APPROVAL NO. 2	1:1000
			TEKOR APPROVAL NO. 1	1:1000

Mott MacDonald
 275 West Gloucester Street, Singapore
 Tel: 65 4347 1122
 Fax: 65 4347 1123
 www.mottmac.com


THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

9/MSD/08

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SA YING FUN

POSSESSION OF SITE
 (SHEET 4 OF 5)

Scale	1:1000	Sheet No.	01	Total Sheets	TEN
Project No.	241133/6	Drawn By	...	Checked By	...
Author	...	Scale	...	Sheet No.	02



THIS DRAWING IS THE PROPERTY OF THE WATER SUPPLIES DEPARTMENT. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY MENTIONED THEREIN. IT IS NOT TO BE REPRODUCED, COPIED, EITHER WHOLLY OR IN PART, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF THE WATER SUPPLIES DEPARTMENT.

NOTES

1. THE DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NO. 241239/03001 TO 03004.
2. THE LEGEND SHALL REFER TO DRAWING NO. 241239/03001.

01	FEB 09	REVISED	AS PER NO. 2	241239
02	JAN 08	PL	PLUMBING ADDITION NO. 1	241239
03	DEC 08	PL	BRIDGE FOR TOWER	241239
04				
05				
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				


Mott MacDonald

THE GOVERNMENT OF THE HONG KONG
SPECIAL ADMINISTRATIVE REGION
WATER SUPPLIES DEPARTMENT

9/MS/08
LAYING OF WESTERN CROSS HARBOUR MAIN
AND ASSOCIATED LAND MAINS FROM WEST
KOWLOON TO SAN YING PAU

POSSESSION OF SITE
(SHEET 5 OF 5)

Project No.	241239	Sheet No.	02
Revision No.	01	Scale	1:100
Author	PL	Check	PL
Designer	PL	Approve	PL
Drawn	PL	Project	241239
Checked	PL	Drawn	PL
Approved	PL	Scale	1:100
Project	241239	Sheet	TEN
Revision	01	Scale	1:100
Project No.	241239	Sheet No.	02





Appendix I

Monitoring Schedule for this Month and Coming Month

Contract No. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
 Time Schedule for Impact Marine Water Quality Monitoring (WQM), Noise Monitoring (NM) and Weekly Site Inspection (SI)
 February 2012

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
			01-Feb NM (SYP-Daytime)	02-Feb WQM Mid-Flood 11:30 - 15:30 Mid-Ebb 17:00 - 21:00	03-Feb NM (WK-Daytime)	04-Feb WQM Mid-Flood 13:00 - 17:00 Mid-Ebb 18:45 - 22:45
05-Feb	06-Feb	07-Feb	08-Feb	09-Feb	10-Feb	11-Feb
		WQM Mid-Flood 10:15 - 14:15 Mid-Ebb 15:45 - 19:45 SI	NM (SYP-Daytime)	WQM Mid-Ebb 11:00 - 15:00 Mid-Flood 16:30 - 20:30	NM (WK-Daytime)	WQM Mid-Flood 08:00 - 12:00 Mid-Ebb 13:30 - 17:15
12-Feb	13-Feb	14-Feb	15-Feb	16-Feb	17-Feb	18-Feb
		WQM Mid-Flood 09:00 - 13:00 Mid-Ebb 14:30 - 17:30 SI	NM (SYP-Daytime)	WQM Mid-Flood 11:15 - 15:15 Mid-Ebb 16:45 - 20:30	NM (WK-Daytime)	WQM Mid-Ebb 08:30 - 12:30 Mid-Flood 14:00 - 18:00
19-Feb	20-Feb	21-Feb	22-Feb	23-Feb	24-Feb	25-Feb
		WQM Mid-Ebb 10:30 - 14:30 Mid-Flood 16:00 - 20:00 SI	NM (SYP-Daytime)	WQM Mid-Ebb 11:00 - 14:45 Mid-Flood 16:15 - 20:00	NM (WK-Daytime)	WQM Mid-Flood 07:15 - 11:15 Mid-Ebb 13:00 - 17:00
26-Feb	27-Feb	28-Feb	29-Feb			
		WQM Mid-Flood 09:00 - 13:00 Mid-Ebb 14:30 - 18:30 SI	NM (SYP-Daytime)			



Appendix J

Daily Dredging Summary

Wo Hing - Penta-Ocean Joint Venture							
Contract no. 9/WSD/08							
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun							
Summary of Dumping Qty. of Type 2 Marine Sediment							
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
5 May, 2010	440	1	440	1,260	2	1,260	EP/MD/10-086
6 May, 2010	1,280	3	1,720	1,260	2	2,520	EP/MD/10-086
7 May, 2010	0	0	1,720	1,260	2	3,780	EP/MD/10-086
8 May, 2010	0	0	1,720	1,260	2	5,040	EP/MD/10-086
9 May, 2010	1,400	2	3,120	1,260	2	6,300	EP/MD/10-086
10 May, 2010	1,400	2	4,520	1,260	2	7,560	EP/MD/10-086
11 May, 2010	1,300	2	5,820	1,260	2	8,820	EP/MD/10-086
12 May, 2010	1,800	3	7,620	1,260	2	10,080	EP/MD/10-086
13 May, 2010	1,200	2	8,820	1,260	2	11,340	EP/MD/10-086
14 May, 2010	0	0	8,820	1,260	2	12,600	EP/MD/10-086
15 May, 2010	0	0	8,820	1,260	2	13,860	EP/MD/10-086
16 May, 2010	600	1	9,420	1,260	2	15,120	EP/MD/10-086
17 May, 2010	1,200	2	10,620	1,260	2	16,380	EP/MD/10-086
18 May, 2010	700	1	11,320	1,260	2	17,640	EP/MD/10-086
19 May, 2010	2,000	3	13,320	1,260	2	18,900	EP/MD/10-086
20 May, 2010	1,400	2	14,720	1,260	2	20,160	EP/MD/10-086
21 May, 2010	1,400	2	16,120	1,260	2	21,420	EP/MD/10-086
22 May, 2010	2,100	3	18,220	1,260	2	22,680	EP/MD/10-086
23 May, 2010	1,400	2	19,620	1,260	2	23,940	EP/MD/10-086
24 May, 2010	1,400	2	21,020	1,260	2	25,200	EP/MD/10-086
25 May, 2010	1,300	2	22,320	1,260	2	26,460	EP/MD/10-086
26 May, 2010	1,400	2	23,720	1,260	2	27,720	EP/MD/10-086
27 May, 2010	1,300	2	25,020	1,260	2	28,980	EP/MD/10-086
28 May, 2010	1,400	2	26,420	1,260	2	30,240	EP/MD/10-086
29 May, 2010	600	1	27,020	1,260	2	31,500	EP/MD/10-086
30 May, 2010	2,100	3	29,120	1,260	2	32,760	EP/MD/11-012
31 May, 2010	700	1	29,820	1,260	2	34,020	EP/MD/11-012
1 June, 2010	1,900	3	31,720	1,260	2	35,280	EP/MD/11-012
2 June, 2010	1,220	2	32,940	1,260	2	36,540	EP/MD/11-012
3 June, 2010	1,300	2	34,240	1,260	2	37,800	EP/MD/11-012
4 June, 2010	1,200	2	35,440	1,260	2	39,060	EP/MD/11-012
5 June, 2010	1,400	2	36,840	1,260	2	40,320	EP/MD/11-012
6 June, 2010	600	1	37,440	1,260	2	41,580	EP/MD/11-012
7 June, 2010	0	0	37,440	1,260	2	42,840	EP/MD/11-012
8 June, 2010	500	1	37,940	1,260	2		EP/MD/11-012
9 June, 2010	0	0	37,940	1,260	2		EP/MD/11-012
10 June, 2010	600	1	38,540	1,260	2		EP/MD/11-012
11 June, 2010	1,200	2	39,740	1,260	2		EP/MD/11-012
12 June, 2010	1,400	2	41,140	1,260	2		EP/MD/11-012
13 June, 2010	1,400	2	42,540	1,260	2		EP/MD/11-012
14 June, 2010	0	0	42,540	0	0		EP/MD/11-012
15 June, 2010	0	0	42,540	0	0		EP/MD/11-012
16 June, 2010	0	0	42,540	0	0		EP/MD/11-012
17 June, 2010	0	0	42,540	0	0		EP/MD/11-012
18 June, 2010	0	0	42,540	0	0		EP/MD/11-012
19 June, 2010	0	0	42,540	0	0		EP/MD/11-012

Wo Hing - Penta-Ocean Joint Venture							
Contract no. 9/WSD/08							
Laying of Western Cross Harbour Main & Associated Land Mains from							
West Kowloon to Sai Ying Pun							
Summary of Dumping Qty. of Type 2 Marine Sediment							
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
20 June, 2010	0	0	42,540	0	0		EP/MD/11-012
21 June, 2010	0	0	42,540	0	0		EP/MD/11-012
22 June, 2010	0	0	42,540	0	0		EP/MD/11-012
23 June, 2010	0	0	42,540	0	0		EP/MD/11-012
24 June, 2010	0	0	42,540	0	0		EP/MD/11-012
25 June, 2010	0	0	42,540	0	0		EP/MD/11-012
26 June, 2010	0	0	42,540	0	0		EP/MD/11-012
27 June, 2010	0	0	42,540	0	0		EP/MD/11-012
28 June, 2010	0	0	42,540	0	0		EP/MD/11-012
29 June, 2010	0	0	42,540	0	0		EP/MD/11-012
30 June, 2010	1,200	2	43,740				EP/MD/11-024
1 July, 2010	2,600	4	46,340				EP/MD/11-024
2 July, 2010	2,800	4	49,140				EP/MD/11-024
3 July, 2010	1,400	2	50,540				EP/MD/11-024
4 July, 2010	2,100	3					EP/MD/11-024
5 July, 2010	2,850	4					EP/MD/11-024
6 July, 2010	1,400	2					EP/MD/11-024
7 July, 2010	1,400	2					EP/MD/11-024
8 July, 2010	2,700	4					EP/MD/11-024
9 July, 2010	2,100	3					EP/MD/11-024
10 July, 2010	2,100	3					EP/MD/11-024
11 July, 2010	1,400	2					EP/MD/11-024
12 July, 2010							EP/MD/11-024
13 July, 2010							EP/MD/11-024
14 July, 2010							EP/MD/11-024
15 July, 2010							EP/MD/11-024
16 July, 2010							EP/MD/11-024
17 July, 2010							EP/MD/11-024
18 July, 2010							EP/MD/11-024
19 July, 2010							EP/MD/11-024
20 July, 2010							EP/MD/11-024
21 July, 2010							EP/MD/11-024
22 July, 2010							EP/MD/11-024
23 July, 2010							EP/MD/11-024
24 July, 2010							EP/MD/11-024
25 July, 2010							EP/MD/11-024
26 July, 2010							EP/MD/11-024
27 July, 2010							EP/MD/11-024
28 July, 2010							EP/MD/11-024
29 July, 2010							EP/MD/11-024
30 July, 2010							EP/MD/11-024
31 July, 2010							
	66,590	101		50,400	70		

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
6 June, 2010	0	0	0	0	0	0	EP/MD/10-085
7 June, 2010	0	0	0	0	0	0	EP/MD/10-085
8 June, 2010	0	0	0	0	0	0	EP/MD/10-085
9 June, 2010	0	0	0	0	0	0	EP/MD/10-085
10 June, 2010	0	0	0	0	0	0	EP/MD/10-085
11 June, 2010	0	0	0	0	0	0	EP/MD/10-085
12 June, 2010	0	0	0	0	0	0	EP/MD/10-085
13 June, 2010	0	0	0	0	0	0	EP/MD/10-085
14 June, 2010	1,400	2	1,400	2,100	3	2,100	EP/MD/10-085
15 June, 2010	1,400	2	2,800	2,100	3	4,200	EP/MD/10-085
16 June, 2010	2,100	3	4,900	2,100	3	6,300	EP/MD/10-085
17 June, 2010	2,800	4	7,700	2,100	3	8,400	EP/MD/10-085
18 June, 2010	2,100	3	9,800	2,100	3	10,500	EP/MD/10-085
19 June, 2010	2,700	4	12,500	2,100	3	12,600	EP/MD/10-085
20 June, 2010	2,800	4	15,300	2,100	3	14,700	EP/MD/10-085
21 June, 2010	2,100	3	17,400	2,100	3	16,800	EP/MD/10-085
22 June, 2010	2,800	4	20,200	2,100	3	18,900	EP/MD/10-085
23 June, 2010	2,100	3	22,300	2,100	3	21,000	EP/MD/10-085
24 June, 2010	2,100	3	24,400	2,100	3	23,100	EP/MD/10-085
25 June, 2010	2,100	3	26,500	2,100	3	25,200	EP/MD/10-085
26 June, 2010	2,100	3	28,600	2,100	3	27,300	EP/MD/10-085
27 June, 2010	700	1	29,300	2,100	3	29,400	EP/MD/10-085
28 June, 2010	2,100	3	31,400	2,100	3	31,500	EP/MD/10-085
29 June, 2010	1,400	2	32,800	2,100	3	33,600	EP/MD/10-085
30 June, 2010			32,800	2,100	3	35,700	EP/MD/10-085
1 July, 2010			32,800	2,100	3	37,800	EP/MD/10-085
2 July, 2010			32,800	2,100	3	39,900	EP/MD/10-085
3 July, 2010			32,800	2,100	3	42,000	EP/MD/10-085
4 July, 2010			32,800	2,100	3	44,100	EP/MD/10-085
5 July, 2010			32,800	2,100	3	46,200	EP/MD/10-085
6 July, 2010			32,800	2,100	3	48,300	EP/MD/10-085
7 July, 2010			32,800	2,100	3	50,400	EP/MD/10-085
8 July, 2010			32,800	2,100	3	52,500	EP/MD/10-085
9 July, 2010			32,800	2,100	3	54,600	EP/MD/10-085
10 July, 2010			32,800	2,100	3	56,700	EP/MD/10-085
11 July, 2010			32,800	2,100	3	58,800	EP/MD/10-085
12 July, 2010			32,800	2,100	3	60,900	EP/MD/10-085
13 July, 2010			32,800	2,100	3	63,000	EP/MD/10-085
14 July, 2010			32,800	2,100	3	65,100	EP/MD/10-085
15 July, 2010			32,800	2,100	3	67,200	EP/MD/10-085
16 July, 2010			32,800	2,100	3	69,300	EP/MD/10-085
17 July, 2010			32,800	2,100	3	71,400	EP/MD/10-085

Wo Hing - Penta-Ocean Joint Venture							
Contract no. 9/WSD/08							
Laying of Western Cross Harbour Main & Associated Land Mains from							
West Kowloon to Sai Ying Pun							
Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)							
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
18 July, 2010			32,800	2,100	3	73,500	EP/MD/10-085
19 July, 2010			32,800	2,100	3	75,600	EP/MD/10-085
20 July, 2010			32,800	2,100	3	77,700	EP/MD/10-085
21 July, 2010			32,800	2,100	3	79,800	EP/MD/10-085
22 July, 2010			32,800	2,100	3	81,900	EP/MD/10-085
23 July, 2010			32,800	2,100	3	84,000	EP/MD/10-085
24 July, 2010			32,800	2,100	3	86,100	EP/MD/10-085
25 July, 2010			32,800	2,100	3	88,200	EP/MD/10-085
26 July, 2010			32,800	2,100	3	90,300	EP/MD/10-085
27 July, 2010			32,800	2,100	3	92,400	EP/MD/10-085
28 July, 2010			32,800	2,100	3	94,500	EP/MD/10-085
29 July, 2010			32,800	2,100	3	96,600	EP/MD/10-085
30 July, 2010			32,800	2,100	3	98,700	EP/MD/10-085
31 July, 2010			32,800	2,100	3	100,800	EP/MD/10-085
1 August, 2010			32,800	2,100	3	102,900	EP/MD/10-085
2 August, 2010			32,800	2,100	3	105,000	EP/MD/10-085
3 August, 2010			32,800	2,100	3	107,100	EP/MD/10-085
4 August, 2010			32,800	2,100	3	109,200	EP/MD/10-085
5 August, 2010			32,800	2,100	3	111,300	EP/MD/10-085
6 August, 2010			32,800	2,100	3	113,400	EP/MD/10-085
7 August, 2010			32,800	2,100	3	115,500	EP/MD/10-085
8 August, 2010			32,800	2,100	3	117,600	EP/MD/10-085
9 August, 2010			32,800	2,100	3	119,700	EP/MD/10-085
10 August, 2010			32,800	2,100	3	121,800	EP/MD/10-085
11 August, 2010			32,800	2,100	3	123,900	EP/MD/10-085
12 August, 2010			32,800	2,100	3	126,000	EP/MD/10-085
13 August, 2010			32,800	2,100	3	128,100	EP/MD/10-085
14 August, 2010			32,800	2,100	3	130,200	EP/MD/10-085
15 August, 2010			32,800	2,100	3	132,300	EP/MD/10-085
16 August, 2010			32,800	2,100	3	134,400	EP/MD/10-085
17 August, 2010			32,800	2,100	3	136,500	EP/MD/10-085
18 August, 2010			32,800	2,100	3	138,600	EP/MD/10-085
19 August, 2010			32,800	2,100	3	140,700	EP/MD/10-085
20 August, 2010			32,800	2,100	3	142,800	EP/MD/10-085
21 August, 2010			32,800	2,100	3	144,900	EP/MD/10-085

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)


Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty. (bulk volume)	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty. (bulk volume)	Permit No.
22 August, 2010			32,800	2,100	3	147,000	EP/MD/10-085
23 August, 2010			32,800	2,100	3	149,100	EP/MD/10-085
24 August, 2010			32,800	2,100	3	151,200	EP/MD/10-085
25 August, 2010			32,800	2,100	3	153,300	EP/MD/10-085
26 August, 2010			32,800	2,100	3	155,400	EP/MD/10-085
27 August, 2010			32,800	2,100	3	157,500	EP/MD/10-085
28 August, 2010			32,800	2,100	3	159,600	EP/MD/10-085
29 August, 2010			32,800	2,100	3	161,700	EP/MD/10-085
30 August, 2010			32,800	2,100	3	163,800	EP/MD/10-085
31 August, 2010			32,800	2,100	3	165,900	EP/MD/10-085
1 September, 2010			32,800	2,100	3	168,000	EP/MD/10-085
2 September, 2010			32,800	2,100	3	170,100	EP/MD/10-085
3 September, 2010			32,800	2,100	3	172,200	EP/MD/10-085
4 September, 2010			32,800	2,100	3	174,300	EP/MD/10-085
5 September, 2010			32,800	2,100	3	176,400	EP/MD/10-085
6 September, 2010			32,800	2,100	3	178,500	EP/MD/10-085
7 September, 2010			32,800	2,100	3	180,600	EP/MD/10-085
8 September, 2010			32,800	2,100	3	182,700	EP/MD/10-085
9 September, 2010			32,800	2,100	3	184,800	EP/MD/10-085
10 September, 2010			32,800	2,100	3	186,900	EP/MD/10-085
11 September, 2010			32,800	2,100	3	189,000	EP/MD/10-085
12 September, 2010			32,800	2,100	3	191,100	EP/MD/10-085
13 September, 2010			32,800	2,100	3	193,200	EP/MD/10-085
14 September, 2010			32,800	2,100	3	195,300	EP/MD/10-085
15 September, 2010			32,800	2,100	3	197,400	EP/MD/10-085
16 September, 2010			32,800	2,100	3	199,500	EP/MD/10-085
17 September, 2010			32,800	2,100	3	201,600	EP/MD/10-085
18 September, 2010			32,800	2,100	3	203,700	EP/MD/10-085
	32,800	47		203,700	291		

NOTE:

LOGISTIC OF DREDGING

- STAGE 1 - TYPE 2 MARINE SEDIMENT
① → ② → ③ → ④ → ⑤ → ⑥ → ⑦ → ⑧
- STAGE 2 - TYPE 1 MARINE SEDIMENT
⑨ → ⑩ → ⑪
- STAGE 3 - TYPE 1 MARINE SEDIMENT
⑫ → ⑬ → ⑭ → ⑮ → ⑯ → ⑰ → ⑱
- STAGE 4 - TYPE 1D MARINE SEDIMENT
⑲ → ⑳ → ㉑ → ㉒ → ㉓ → ㉔
- STAGE 5 - TYPE 1 MARINE SEDIMENT
㉕ → ㉖ → ㉗ → ㉘ → ㉙ → ㉚


IF SIMILAR DISPOSAL SITE IS DEDICATED FOR TYPE 1D AND TYPE 1, MARINE SEDIMENT DREDGING LOGISTIC AT ㉑ WILL BE DELETED AND INCLUDED IN ⑮ AND ㉒



West Kowloon

Sai Ying Pun

LONGITUDINAL SECTION OF DREDGING TRENCH



LEGEND:

- TYPE 1 - OPEN SEA DISPOSAL
- TYPE 1D - OPEN SEA DISPOSAL (DEDICATED SITES)
- TYPE 2 - CONFINED MARINE DISPOSAL
- TYPE 1 - CONFINED MARINE DISPOSAL

THE NUMBER INDICATE THE SEQUENCE OF DREDGING

<p>CONTRACTOR</p> <p>WO HING-PENTA OCEAN JOINT VENTURE 和興五洋聯益</p>	<p>CONTRACT NO. 9/WSD/08</p> <p>Laying of Western Cross Harbour Main and Associated Land Mains from West Kowloon to Sai Ying Pun</p>		<p>DRAWN BY</p> <p>TONY TANG</p>	<p>CHECKED BY</p> <p>STANLEY LEUNG</p>	<p>SCALE</p> <p>NTS</p>
	<p>DRAWING TITLE</p> <p>DREDGING LOGISTIC</p>		<p>DATE</p> <p>08 Apr 2010</p>	<p>REVISION</p> <p>D</p>	<p>DWG No.</p> <p>SK-D-002</p>



Appendix K

Complaint Log

Complaint Log

Log Ref.	Location	Received Date	Details of Complaint	Investigation / Mitigation Action	Status
001	Portion I – Launch Barge	08/07/2011	One complaint received on 23 June 2011 was forwarded by the Engineer's Representatives on 08 July 2011 through internet from a citizen against urinating into the sea from the Launching Barge which caused by site workers. The complainant complained that that caused an environmental nuisance.	<p><u>Details of ET Follow up Action(s):</u> During the weekly site inspection on 08 July 2010, the Contractor has provided portable chemical toilet and warning notice on the barge. No urinating was observed during the weekly site inspection.</p> <p><u>Details of Action(s) Taken by the Contractor:</u></p> <ol style="list-style-type: none"> 1. Meeting has been arranged on 29 June 2011 to discuss the safety and environmental issues on launching barge. 2. New disciplinary system has been in place to prevent the same inappropriate act of workers from happening. 3. Additional sanitary facilities have been added on the barge and the nearby area to facilitate the workers need. 	Closed



Appendix L

Details of Interim Notifications of Exceedance (NOEs) in this reporting month

Contract No. 9MWS08/08
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
Notification of Exceedance (NOE)

Date and Time of Noise Monitoring: 14 January 2012 (2300-2400) at KY3, RWM and CGa and 15 January 2012 (0000-0100) at KS6
Construction Works carried out during the monitoring: Placing Rock Armour (Type 2) at CH 748 - CH 806 (One Derrick Lighter)
Corresponding CNP: GW-RS0877-11 (26 September 2011 to 25 March 2012) and GW-RE0647-11 (05 September 2011 to 04 March 2012)

Monitoring Location	Measured Value, dB(A)	Action Level	Limit Level, dB(A)	Possible Reason(s) for the Exceedance	Action to be taken	Remark
KY3	61.9 62.0 61.4	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH 748 - CH 806 using one derrick lighter, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along Connaught Road West and Western Harbour Crossing. According to the summary of baseline noise monitoring, the range of background noise level from 2300-2400 * is between 55.1dB(A) and 62.9dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil
RWM	64.0 63.8 63.7	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH 748 - CH 806 using one derrick lighter, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along Connaught Road West and Western Harbour Crossing. According to the summary of baseline noise monitoring, the range of background noise level from 2300-2400 * is between 52.8dB(A) and 67.3dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil
CGa	64.8 64.8 64.5	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH 748 - CH 806 using one derrick lighter, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along Connaught Road West and Western Harbour Crossing. According to the summary of baseline noise monitoring, the range of background noise level from 2300-2400 * is between 60.2dB(A) and 66.1dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil
KS6	58.9 58.6 58.0	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH 748 - CH 806 using one derrick lighter, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along West Kowloon Highway. According to the summary of baseline noise monitoring, the range of background noise level from 0000-0100 * is between 54.2dB(A) and 64.7dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil

Remark (*): Refer to the baseline data, it shows that the range of noise level during 2300-0700 is very large (around from 52dB(A) to 67dB(A)) and noise from 2300-0700 is in High level (around 60dB(A)) at all monitoring stations. As a result, baseline noise data measured on 2300-2400 at CGa, RWM, KY3 and 0000-0100 at KS6 are more suitable for being as background indicator (instead of 2300-0700 of next day).

Attachment

Night-time Noise monitoring data sheets (14 January 2012 at KY3, RWM and KS6 and 15 January 2012 at KS6)
Summary of Baseline Noise Monitoring at KY3, RWM and CGa (2300-2400) and at KS6 (0000-0100)
Location plan shown the construction works carried out during the period from 14 January 2012 (2300) to 15 January 2012 (0100)

Prepared by:  (Linda Law) (Senior Environmental Officer) Date: 16 January 2012

Checked by:  (C. L. Lau) (Environmental Team Leader) Date: 16 January 2012



Agreement No. CE 42/2005 (WS)

Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun - Investigation

Impact Noise Monitoring at West Kowloon during 1900-2300 / 2300-0700 / 0700-1900 (Holiday) Data Record Sheet

Date of Monitoring		15 Jan 2012						
Monitoring Location		KS6 - Podium at the Cullinan			KS4b - Footpath of West Kowloon Waterfront Promenade			
Sound Level Meter (Model and Serial No.)		RION-NC-31 (SN: 00531142)			RION-NC-31 (SN: 00531142)			
Sound Pressure Calibrator (Model and Serial No.)		RION-NC-73 (SN: 00186943)			RION-NC-73 (SN: 00186943)			
Weather Condition		cloudy			cloudy			
Temperature (°C)		17			17			
Type of Measurement		Free Field (Façade)			Free Field / Façade			
Measurement Period (min)		5			5			
Calibration before Measurement, dB(A)	Before	94.0			94.0			
	After	94.0			94.0			
Measurement Time	From	00:25	00:30	00:35	00:45	00:50	00:55	
	To	00:30	00:35	00:40	00:50	00:55	01:00	
Wind Strength (m/s)		0.3	0.3	0.3	0.3	0.3	0.3	
L _{eq} , dB(A)		58.9	58.6	58.0	55.0	54.9	54.9	
L ₁₀ , dB(A)		61.1	60.8	60.2	58.8	58.4	58.6	
L ₅₀ , dB(A)		57.2	54.9	54.6	50.5	50.3	50.2	
Major Construction Noise Source(s) During Measurement								
Other Noise Source(s) During Measurement		Vehicles passing by			/			
Remarks		The result was / was not exceeded the Limit Level.			The result was / was not exceeded the Limit Level.			

Time Period	Action	Limit
0700-1900 hrs normal weekdays	When one documented complaint is received	75 dB(A)
1900-2300 hrs on normal weekdays		70 dB(A)
0700-1900 hrs on holiday		70 dB(A)
Restricted hours (2300-0700 hrs)		55 dB(A)

	Name	Signature	Date
Recorded by	K. M. Kwan	[Signature]	15 Jan 2012
Checked by	L. de Lou	[Signature]	16/1/12



Agreement No. CE 42/2005 (WS)
Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun - Investigation

**Impact Noise Monitoring at Sai Ying Pun during 1900-2300 / 2300-0700 / 0700-1900 (Holiday)
Data Record Sheet**

Date of Monitoring		14 JAN 2012								
Monitoring Location For 1900-2300		CGa - Pavement at Connaught Garden			RWM - Pavement at Richwealth Mansion			KY3 - Pavement at Kwan Yik Building Phase 3		
Monitoring Location For 2300-0700 and 0700-1900 (Holiday)		CGa - Pavement at Connaught Garden			RWM - Roof at Richwealth Mansion			KY3 - Roof at Kwan Yik Building Phase 3		
Sound Level Meter (Model and Serial No.)		R10N-NC-31 (S/N: 00531142)			R10N-NC-31 (S/N: 00531142)			R10N-NC-31 (S/N: 00531142)		
Sound Pressure Calibrator (Model and Serial No.)		R10N-NC-73 (S/N: 10196943)			R10N-NC-73 (S/N: 10196943)			R10N-NC-73 (S/N: 10196943)		
Weather Condition		cloudy			cloudy			cloudy		
Temperature (°C)		17			17			17		
Type of Measurement		Free Field (Façade)			Free Field (Façade)			Free Field (Façade)		
Measurement Period (min)		5			5			5		
Calibration before Measurement, dB(A)	Before	94.0			94.0			94.0		
	After	94.0			94.0			94.0		
Measurement Time	From	23:40	23:45	23:50	23:20	23:25	23:30	23:00	23:05	23:10
	To	23:45	23:50	23:55	23:25	23:30	23:35	23:05	23:10	23:15
Wind Strength (m/s)		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
L _{eq} , dB(A)		64.8	64.8	64.5	64.0	63.8	63.7	61.9	62.0	61.4
L ₁₀ , dB(A)		67.8	68.5	67.3	67.0	66.8	66.9	66.2	66.5	65.8
L ₉₀ , dB(A)		58.1	57.9	57.8	57.4	57.1	57.2	56.9	57.0	56.7
Major Construction Noise Source(s) During Measurement		-			-			-		
Other Noise Source(s) During Measurement		Vehicles passing by			Vehicles passing by			Vehicles passing by		
Remarks		The result was / was not exceeded the Limit Level.			The result was / was not exceeded the Limit Level.			The result was / was not exceeded the Limit Level.		

Time Period	Action	Limit
0700 - 1900 hrs normal weekdays	When one documented complaint is received	75 dB(A)
1900-2300 hrs on normal weekdays		70 dB(A)
0700-1900 hrs on holidays		70 dB(A)
Restricted hrs (2300-0700 hrs)		55 dB(A)

	Name	Signature	Date
Recorded by	K.M. KWAN		14 JAN 2012
Checked by	Lo De Lan		16/1/12

Summary of Baseline Noise Monitoring (Night-time:2300-2400) - KY3 (Kwan Yik Building Phase 3)

Date	11/01/10	12/01/10	13/01/10	14/01/10	15/01/10	16/01/10	17/01/10	18/01/10	19/01/10	20/01/10	21/01/10	22/01/10	23/01/10	24/01/10
Daily Average, Leq(5min)	57.5	60.4	57.0	61.4	58.0	57.7	57.6	57.5	57.7	60.0	57.4	58.5	67.9	57.4
Max Leq(5min)	59.6	61.5	59.4	62.9	59.4	59.4	60.2	58.4	59.7	61.6	59.1	61.5	59.4	59.2
Min Leq(5min)	56.5	59.0	55.1	59.6	56.6	56.2	56.1	56.7	56.6	59.2	55.9	56.6	56.3	55.4

Overall Average, Leq(5-min) 58.5 dB(A)
 Max 62.9 dB(A)
 Min 55.1 dB(A)

Summary of Baseline Noise Monitoring (Night-time:2300-2400) - RWM (Richwealth Mansion)

Date	11/01/10	12/01/10	13/01/10	14/01/10	15/01/10	16/01/10	17/01/10	18/01/10	19/01/10	20/01/10	21/01/10	22/01/10	23/01/10	24/01/10
Daily Average, Leq(5min)	60.7	61.4	60.1	65.0	61.5	56.9	55.2	58.5	56.3	56.5	58.2	57.5	62.9	61.9
Max Leq(5min)	62.0	64.1	61.9	67.3	62.3	57.7	57.0	59.3	57.3	59.4	62.1	58.5	64.7	63.6
Min Leq(5min)	59.3	58.3	58.4	61.4	60.0	56.0	52.8	57.5	55.7	56.9	55.7	56.3	60.9	60.2

Overall Average, Leq(5-min) **60.5** dB(A)
 Max **67.3** dB(A)
 Min **52.8** dB(A)


Summary of Baseline Noise Monitoring (Night-time:0000-0100) - KS6 (The Cullinan)

Date	28/12/09	29/12/09	30/12/09	31/12/09	01/01/10	02/01/10	03/01/10	04/01/10	05/01/10	06/01/10	07/01/10	08/01/10	09/01/10	10/01/10
Daily Average, Leq(5min)	57.0	57.1	62.3	56.8	56.8	59.2	56.6	56.3	60.6	56.7	57.4	60.1	59.0	56.8
Max Leq(5min)	58.5	58.5	63.6	59.5	59.5	60.5	58.3	57.8	61.1	58.2	58.9	61.4	64.7	58.3
Min Leq(5min)	54.7	55.7	60.4	55.2	55.2	57.6	54.2	54.7	59.6	55.1	55.7	59.2	56.0	55.0

Overall Average, Leq(5-min) 58.5 dB(A)

Max 64.7 dB(A)


Min 54.2 dB(A)



Placing Rock Armour carried
 out from 14 January 2012
 (2300) to 15 January 2012
 (0100)




Figures



Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun

Figure 1

Location of Noise Monitoring Station at West Kowloon



Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun

Figure 2

Locations of Noise Monitoring Stations at Sai Ying Pun





Map Grid	LOCATION	Type	Assignment
R1	Water Treatment Plant	Water Treatment Plant	R1
R2	Water Treatment Plant	Water Treatment Plant	R2
R3	Water Treatment Plant	Water Treatment Plant	R3
R4	Water Treatment Plant	Water Treatment Plant	R4
R5	Water Treatment Plant	Water Treatment Plant	R5
R6	Water Treatment Plant	Water Treatment Plant	R6
R7	Water Treatment Plant	Water Treatment Plant	R7
R8	Water Treatment Plant	Water Treatment Plant	R8
R9	Water Treatment Plant	Water Treatment Plant	R9
R10	Water Treatment Plant	Water Treatment Plant	R10
R11	Water Treatment Plant	Water Treatment Plant	R11
R12	Water Treatment Plant	Water Treatment Plant	R12
R13	Water Treatment Plant	Water Treatment Plant	R13
R14	Water Treatment Plant	Water Treatment Plant	R14
R15	Water Treatment Plant	Water Treatment Plant	R15
R16	Water Treatment Plant	Water Treatment Plant	R16
R17	Water Treatment Plant	Water Treatment Plant	R17
R18	Water Treatment Plant	Water Treatment Plant	R18
R19	Water Treatment Plant	Water Treatment Plant	R19
R20	Water Treatment Plant	Water Treatment Plant	R20
R21	Water Treatment Plant	Water Treatment Plant	R21
R22	Water Treatment Plant	Water Treatment Plant	R22
R23	Water Treatment Plant	Water Treatment Plant	R23
R24	Water Treatment Plant	Water Treatment Plant	R24
R25	Water Treatment Plant	Water Treatment Plant	R25
R26	Water Treatment Plant	Water Treatment Plant	R26
R27	Water Treatment Plant	Water Treatment Plant	R27
R28	Water Treatment Plant	Water Treatment Plant	R28
R29	Water Treatment Plant	Water Treatment Plant	R29
R30	Water Treatment Plant	Water Treatment Plant	R30

DATE	1/11/2005	STATUS	PRELIMINARY
BY	W. Mott	CHECKED	W. Mott
SCALE	1:25000	PROJECT	29113
Mott MacDonald 16th Floor, 100 West Street, New York, NY 10036, USA Tel: +1 212 904 4000 Fax: +1 212 904 4001 Tel: +852 2500 0001 Fax: +852 2500 0002 Web: www.mottmac.com			
THE GOVERNMENT OF THE HONG KONG SPECIAL ADMINISTRATIVE REGION WATER SUPPLIES DEPARTMENT			
CE 42 / 2005 (NS)			
LAYING OF WESTERN CROSS HARBOUR MAIN AND ASSOCIATED LAND MAINS FROM WEST KOWLOON TO SA YING PUN - INVESTIGATION			
LOCATIONS OF WATER SENSITIVE RECEIVERS AND STORMWATER OUTFALLS AT WESTERN HARBOUR			
PROJECT NO.	29113	DATE	1/11/2005
SCALE	1:25000	PROJECT	29113
DATE	1/11/2005	STATUS	PRELIMINARY
BY	W. Mott	CHECKED	W. Mott
SCALE	1:25000	PROJECT	29113
DATE	1/11/2005	STATUS	PRELIMINARY

© COPYRIGHT RESERVED

FIGURE 1.2a

A

This document should not be used in circumstances other than those for which it was prepared, or for which it was prepared, without the written consent of the copyright owner. The copyright owner is not responsible for any loss or damage arising from the use of this document in any other way.

LEGEND:

- PROPOSED ROUTE OF 1200# FRESH WATER MAIN
- NOISE SENSITIVE RECEIVERS
- 300m NOISE ASSESSMENT BOUNDARY
- - - NOISE AREA BOUNDARY

A	DATE	TYPE	DESCRIPTION	BY	CHKD

m Mott
 Mott MacDonald
 2007 Central Building
 88 Queen's Road East
 Hong Kong
 TEL: 852 2500 8888
 FAX: 852 2500 8807
 WWW: www.mottmac.com

THE GOVERNMENT OF THE HONG KONG SPECIAL ADMINISTRATIVE REGION
WATER SUPPLIES DEPARTMENT


PROJECT NO.: CE42/2005(V6)

SCOPE:
 LAYING OF WESTERN CROSS HARBOUR MAIN AND ASSOCIATED LAND MAINS FROM WEST KOHLOON TO SU TING PUN - INVESTIGATION

DATE:
 LOCATIONS OF NOISE SENSITIVE RECEIVERS IN SU TING PUN

NO.	REVISION	DATE
1	20060601	

Drawing No. **FIGURE 1.2b**



COPYRIGHT RESERVED

