

東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong

Tel : 2695 8318

E-mail : etl@ets-testconsult.com

Fax : 2695 3944

Web site : www.ets-testconsult.com

TEST REPORT

WO HING – PENTA-OCEAN JOINT VENTURE

**CONTRACT NO. 9/WSD/08
LAYING OF WESTERN CROSS
HARBOUR MAIN AND ASSOCIATED
LAND MAINS FROM WEST
KOWLOON TO SAI YING PUN**

**MONTHLY EM&A REPORT
NO.23**

(MARCH 2012)

Prepared by:

LAW, Sau Yee
Senior Environmental Officer

Checked by:

LAU, Chi Leung
Environmental Team Leader

Issued Date: 11 April 2012

Report No.: ENA20390

Ref.: WSDWHCMSEI00_0_0247L.12

13th Apr 2012

Water Supplies Department
Sha Tin Office
6/F Sha Tin Government Offices
1 Sheung Wo Che Road
Sha Tin, NT

By Post

Attention: Mr. Johnny Ho

Dear Sir,

Re: Contact No. 9/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains from West Kowloon to Sai Ying Pun
Monthly Environmental Monitoring and Audit Report No. 23

Reference is made to Environment Team's submission of the Environmental Monitoring and Audit Report No. 23 by Email on 11th Mar 2012 (entitled "9/WSD/08 - Draft Monthly Report (Mar 12)").

We are pleased to inform you that we have no comment on the captioned report.

Thank you very much for your kind attention and please do not hesitate to contact the undersigned should you have any queries.

Yours sincerely,



David Yeung
Independent Environmental Checker

c.c.	Mott MacDonald Hong Kong Limited	Mr. Kelvin Ho	Fax: 2377 2900
	Wo Hing – Penta-Ocean Joint Venture	Mr. Danny Ho	Fax: 2572 4080
	ETS-TESTCONSULT LIMITED	Mr. C.L. Lau	Fax: 2695 3944

Q:\Projects\WSDWHCMSEI00\Corr\Out\WSDWHCMSEI00_0_0247L.12.doc



TABLE OF CONTENTS		Page
EXECUTIVE SUMMARY		
1.0	INTRODUCTION	1
2.0	PROJECT INFORMATION	
	2.1 Scope of the Project	1
	2.2 Work Programme	1
	2.3 Project Organization and Management Structure	1
	2.4 Contact Details of Key Personnel	1
3.0	WORK PROGRESS IN THIS REPORTING MONTH	1 – 2
4.0	NOISE MONITORING	
	4.1 Monitoring Requirements	2
	4.2 Monitoring Equipment	2
	4.3 Monitoring Parameters, Duration and Frequency	2
	4.4 Monitoring Locations	3
	4.5 Monitoring Methodology	3 – 4
	4.6 Action and Limit levels	4
	4.7 Event-Action Plans	4
	4.8 Results	4 – 7
5.0	WATER QUALITY MONITORING	
	5.1 Monitoring Requirements	7
	5.2 Monitoring Locations	7 – 8
	5.3 Monitoring Parameters	8
	5.4 Monitoring Frequency	8
	5.5 Monitoring Methodology and Equipment Used	9
	5.6 Details of site Equipment used for In-situ Measurement	10
	5.7 Quality Assurance (QA) / Quality Control (QC) results and Determination Limits	10
	5.8 Action and Limit Level	10 – 11
	5.9 Event and Action Plan	11
	5.10 Monitoring Duration and Period In this reporting month	11
	5.11 Results	11 – 12
6.0	SITE INSPECTION	12
	6.1 Summary of the ET weekly site inspection findings	12
	6.2 Recommendations on site inspection findings in Site Inspections of this month	12
7.0	STATUS OF ENVIRONMENTAL PERMITS	12 – 13
8.0	WASTE MANAGEMENT	
	8.1 Monthly Waste Summary	13 – 14
	8.2 Advice on the Solid and Liquid Waste Management Status	14
9.0	ENVIRONMENTAL NON-CONFORMANCE	
	9.1 Summary of Noise and Water Quality	14
	9.2 Summary of Environmental Complaints	14
	9.3 Summary of Notification of Summons and Prosecution	14
10.0	IMPLEMENTATION STATUS	
	10.1 Implementation Status of Environmental Mitigation Measures	15
	10.2 Implementation Status of Event and Action Plan	15
	10.3 Implementation Status of Environmental Complaint, Notifications of Summons and Successful Prosecutions Handling	15
11.0	CONCLUSION AND RECOMMENDATIONS	15 – 16
12.0	FUTURE KEY ISSUE	
	12.1 Work Programme for the Coming Month	16
	12.2 Key Issues for the Coming Month	16 – 17
	12.3 Monitoring Schedule for the Coming Month	17



APPENDIX

A	Organization Chart and Lines of Communication
B1	Calibration Certificates for Impact Noise Monitoring Equipment
B2	Impact Noise Monitoring Results
B3	Graphical Plots of Impact Noise Monitoring Data
C1	Calibration Certificates for Impact Water Quality Monitoring Equipment
C2	Impact Water Quality Monitoring Results
C3	Graphical Plots of Impact Water Quality Monitoring Data
C4	QA/QC Results of Laboratory Analysis for Water Samples
D	Event-Action Plans
E	Work Programme
F	ET Weekly Site Inspection Records
G	Implementation Schedule of Mitigation Measures
H	Site General Layout Plan
I	Monitoring Schedule for this month and Coming Month
J	Daily dredging Summary
K	Complaint Log
L	Details of Interim Notifications of Exceedance (NOEs) in this reporting month
M	Contractor's Follow up Actions to ET Weekly Site Inspections

Figures

Figure 1	Location of Noise Monitoring Station at West Kowloon
Figure 2	Location of Noise Monitoring Stations at Sai Yung Pun
Figure 3	Locations of Water Quality Monitoring Stations
Figure 1.2a	Locations of Water Sensitive Receivers and stormwater outfalls at Western Harbour
Figure 1.2b	Locations of Noise Sensitive Receivers at Sai Ying Pun
Figure 1.2c	Locations of Noise Sensitive Receivers at West Kowloon

Tables

2.1	Contact Details of Key Personnel
4.1	Noise Monitoring Equipment
4.2	Duration, Frequency and Parameters of Noise Monitoring
4.3	Noise Monitoring Stations
4.4	Action and Limit levels for Noise Monitoring
4.5	Summary of Noise Daytime Monitoring Results
5.1	Water Quality Monitoring Stations
5.2	Water Quality Monitoring Parameters
5.3	Other relevant water quality parameters
5.4	Monitoring Frequency of Impact Water Quality Monitoring
5.5	Details of Monitoring Equipment (In-situ measurement)
5.6	Summary of test method
5.7	Water Quality Action and Limit Levels
5.8	Schedule for Impact Water Quality Monitoring
5.9	Summary of Impact Marine Water Quality Exceedances in this reporting month
7.1	Summary of Environmental Licensing and Permit valid in this reporting month
8.1	Summary of Quantities of Waste for Disposal in this reporting month
10.1	Summary of Environmental Complaints and Prosecutions



EXECUTIVE SUMMARY

Under the requirements of "Environmental Monitoring & Audit Manual – Agreement No. CE42/2005(WS) Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the EM&A Manual), impact noise monitoring and water quality monitoring is required to be implemented for the "Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the Project).

This monthly Environmental Monitoring and Audit (EM&A) report No.23 was prepared by ETS-Testconsult Ltd (ET) for the Project. This report documented the findings of EM&A Works conducted during the Project in March 2012.

Site Activities

As informed by the Contractor, the site activities in this reporting month were as below:

- Re-installation of the vertical seawall (Portion J); and
- Placing of Rock Armour (Type 2) to the submarine main (Portion I).

Environmental Monitoring Progress

The summary of the monitoring activities in this monitoring month is listed below:

- Day-time Noise Monitoring (0700-1900 on normal weekday): 4 Occasions at KS6, 4 Occasions at KY3, CGa and RWM
- Evening-time Noise Monitoring (1900-2300): 3 Occasions at KS6, CGa, RWM and KY3
- Night-time Noise Monitoring (2300-0700 of next day): 2 Occasion at KS6, CGa, RWM and KY3
- Holiday-time Noise Monitoring (0700-1900 on Holiday): 4 Occasions at KS6, CGa, RWM and KY3
- Marine Water Quality Monitoring: 14 Occasions at 9 monitoring stations and 4 control stations
- Weekly-site inspection: 4 Occasions

Noise Monitoring

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Eighteen exceedances in Limit Level were recorded according to the results from night-time noise monitoring on 03 and 27 March 2012 (2300-2400) at KY3, RWM and CGa. However, all of the exceedances were considered to be invalid (not project related) and no further actions were required.

Water Quality Monitoring

No exceedance of Action and Limit levels was recorded for water quality monitoring in the reporting month.

Site Inspection

Environmental site inspections conducted in this reporting month are presented as follows:

<u>Concerned Parties</u>	<u>Dates of Audit / Inspection</u>
ET Weekly site inspection	03, 12, 20, 27 March 2012
Monthly Joint site inspection	12 March 2012

In general, performance on environmental mitigation measures implemented was found to be satisfactory in this reporting month. The major findings observed during site inspections are presented in the Section 6.0.

Environmental Complaints, Notification of summons and successful prosecutions

No complaint, notification of summons and prosecution with respect to environmental issues was received in this reporting month.

Change in Environmental Aspect in this Reporting Month

No change on environmental aspect was reported in this reporting month.



Future Key Issues

Based on the forecast of engineering works in the coming month, key issues to be considered are as follows:

- *Noise and dust impact due to construction works;*
- *Use and maintain silt curtain and silt screen properly;*
- *Clean up the fill material along the barge frequently;*
- *Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste; and*
- *Maintain good site practice to minimize environmental impacts at the site.*



1.0 INTRODUCTION

Wo Hing – Penta-Ocean Joint Venture (WHPOJV) appointed Environmental Team of ETS-Testconsult Limited (ETL) to undertake the Environmental Impact Monitoring for “Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun” (the Project) under the requirements of “Environmental Monitoring & Audit Manual – Agreement No. CE42/2005(W) Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun” (the EM&A Manual).

This report documented the findings of EM&A Works conducted in March 2012.

2.0 PROJECT INFORMATION

2.1 Scope of the Project

The construction works of the Project are located in West Kowloon, across the Victoria Harbour and in Sai Ying Pun.

The construction works under this Project are briefly described, without limitation, as follow:

- Laying of about 1.5km of 1200mm diameter steel fresh water mains at West Kowloon;
- Laying of about 2.1km of 1200mm diameter steel submarine pipeline from West Kowloon to Sai Ying Pun including dredging, cathodic protection system and other associated works;
- Laying of about 0.4km of 1200mm diameter steel fresh water main at Sai Ying Pun;
- Laying of about 0.5km of 800mm diameter steel salt water main at West Kowloon;
- Construction of motorized butterfly valve (MBV) and the associated facilities in the vicinity of Sun Yat Sen Memorial Park at Sai Ying Pun;
- Construction of all chambers associated with pipeworks;
- Making service connections;
- Ancillary works including but not limited to reinstatement of roads, landscaping works.

Areas of the Project present in Appendix H. Locations of environmental monitoring stations and sensitive receivers are shown in Figures 1, 2, 3, 1.2a, 1.2b and 1.2c

2.2 Work Programme

Details of work programme are shown in Appendix E.

2.3 Project Organization and Management Structure

The organization chart and lines of communication with respect to the on-site environmental management and monitoring program are shown in Appendix A.

2.4 Contact Details of Key Personnel

The key personnel contact names and telephone numbers are shown in Table 2.1.

Table 2.1 Contact Details of Key Personnel

<i>Project Role</i>	<i>Organization</i>	<i>Name of Key Staff</i>	<i>Tel. No.</i>	<i>Fax No.</i>
<i>Engineer's Representative</i>	<i>Mott MacDonald</i>	<i>Mr. Kelvin Ho</i>	<i>2377 2823</i>	<i>2377 2900</i>
<i>IEC</i>	<i>Environ</i>	<i>Mr David Yeung</i>	<i>3743 0788</i>	<i>3548 6988</i>
<i>Contractor's Agent</i>	<i>WHPOJV</i>	<i>Mr. Danny Ho</i>	<i>2695 8318</i>	<i>2957 8213</i>
<i>ET Leader</i>	<i>ET (ETL)</i>	<i>Mr C. L. Lau</i>	<i>2946 7791</i>	<i>2695 3944</i>

3.0 WORK PROGRESS IN THIS REPORTING MONTH

As informed by the Contractor, the activities in the reporting month include:

- *Re-installation of the vertical seawall (Portion J); and*
- *Placing of Rock Armour (Type 2) to the submarine main (Portion I).*



4.0 IMPACT NOISE MONITORING

4.1 Monitoring Requirements

As the requirement in the EM&A Manual, impact noise monitoring was conducted for a weekly basis at designated monitoring locations.

4.2 Monitoring Equipment

Integrating Sound Level Meters used for impact noise monitoring were Type 1 sound level meters capable of giving a continuous readout of the noise level reading including equivalent continuous sound pressure level (L_{eq}) and percentile sound pressure level (L_x). They complied with International Electro technical Commission Publications 651:1979 (Type1) and speed in m/s was used to monitor the wind speed. Table 4.1 summarized the noise monitoring equipment model used during the impact monitoring. Copies of calibration certificates and Calibration Summary for noise meters and calibrators used are attached in Appendix B1.

Table 4.1 Noise Monitoring Equipment

Equipment	Model	Equipment No.	Serial No.	Calibration Date.	Expired Date
Sound Level Meter	Rion NL-31 Sound Level Meter	ET/EN/003/06	00110024	15/04/11	14/04/12
		ET/EN/003/10	00531142	24/05/11	23/05/12
		ET/EN/003/13	00593620	08/09/11	07/09/12
Sound Level Calibrator	Rion NC-73 Sound Level Calibrator	ET/EN/002/01	10196943	07/11/11	06/11/12
Anemometer	AZ Instrument AZ 8908	ET/EN/001/03	9101259	10/11/11	09/11/12

4.3 Monitoring Parameters, Duration and Frequency

Impact noise monitoring for the A-weighted levels L_{eq} , L_{10} and L_{90} were recorded once per week. Data obtained from impact noise monitoring was processed and presented as below:

- Daytime: three sets of 30-minute noise level monitored between 0700-1900 hrs on normal weekdays;
- Evening-time*: three sets of 5-minute noise level monitored between 1900-2300 hrs ;
- Night-time*: three sets of 5-minute noise level monitored between 2300-0700 hrs of next day; and
- Holiday*: three sets of 5-minute noise level monitored between 0700-1900 hrs on holiday.

(*): Noise monitoring to be conducted only when there is construction work.

Duration, frequencies and parameters of noise measurement are presented in Table 4.2.

Table 4.2 Duration, Frequencies and Parameters of Noise Monitoring

Time period	Duration/min	No. of Set(s)	Parameters
Day-time: 0700-1900 hrs on normal weekday	30	1	L_{eq} , L_{10} , L_{90}
Evening-time: 1900-2300 hrs	5	3	L_{eq} , L_{10} , L_{90}
Night-time: 2300-0700 hrs of next day	5	3	L_{eq} , L_{10} , L_{90}
Holiday-time: 0700-1900 hrs on holiday	5	3	L_{eq} , L_{10} , L_{90}



4.4 Monitoring Locations

In accordance with the EM&A Manual, the proposed noise monitoring station at the Harbourside (KS4) was cancelled since the owner of the Harbourside and nearby NSRs rejected to perform baseline and impact noise monitoring at their property. As a result, there was one noise monitoring location KS6 (The Cullinan) selected at West Kowloon to conduct impact environmental monitoring. At Sai Yung Pun, the location at the noise station CG (Connaught Garden) was unavailable for impact noise measurement because the building repairing and maintenance works was carrying out in the Connaught Garden and will be finished in June 2011. Hence, noise monitoring at noise station CG was moved to another noise station CGa (pavement in front of Connaught Garden) temporarily until the completion of repairing and maintenance works at Connaught Garden since CGa locates close to the major site activities which are likely to have noise impacts and low disturbance to the occupants was observed during the noise monitoring. As a result, there were three noise monitoring locations, CGa (Pavement in front of Connaught Garden), RWM (Roof at Richwealth Mansion) and KY3 (Roof at Kwan Yik Building Phase 3) selected to conduct impact environmental monitoring.

Beside, the locations at the noise stations, RWM (Roof at Richwealth Mansion) and KY3 (Roof at Kwan Yik Building Phase 3), were unavailable for impact evening-time and night-time noise measurement because the building owners reject ET to carry out noise monitoring during such two periods due to security. Hence, evening-time and night-time noise monitoring at noise stations, RWM and KY3 were moved to pavement in front of Richwealth Mansion and Kwan Yik Building Phase 3. The details of noise monitoring stations are summarized in Table 4.3.

Table 4.3 Noise Monitoring Stations

<i>Daytime and Holiday-time Noise monitoring station</i>	<i>Description of location</i>	<i>Type of Measurement</i>
<i>KS6</i>	<i>Podium at the Culliman</i>	<i>Façade</i>
<i>CGa</i>	<i>Pavement in front of Connaught Garden</i>	<i>Façade</i>
<i>RWM</i>	<i>Roof at Richwealth Mansion</i>	<i>Free Field</i>
<i>KY3</i>	<i>Roof at Kwan Yik Building Phase 3</i>	<i>Free Field</i>
<i>Evening-time and Night-time Noise monitoring station</i>	<i>Description of location</i>	<i>Type of Measurement</i>
<i>KS6</i>	<i>Podium at the Culliman</i>	<i>Façade</i>
<i>CGa</i>	<i>Pavement in front of Connaught Garden</i>	<i>Façade</i>
<i>RWM</i>	<i>Pavement at Richwealth Mansion</i>	<i>Façade</i>
<i>KY3</i>	<i>Pavement at Kwan Yik Building Phase 3</i>	<i>Façade</i>

4.5 Monitoring Methodology

Instrumentation

Integrating Sound Level Meters were employed for noise monitoring.

Operation/Analysis Procedures

- Sound Level Meter was set on a tripod at a height of 1.2m above the ground;
- For free field measurement, the meter was positioned away from any nearby reflective surfaces.
- The battery condition was checked to ensure the correct functioning of the meter:
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
 - Frequency weighting : A
 - Time weighting : Fast
 - Time measurement : 30 mins
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94 dB at 1000HZ. If the difference in the calibration level before and after measurement was more than 1.0 dB(A), the measurement would be considered invalid and repeat measurement would be required after re-calibration or repair of the equipment;
- During the monitoring period, the L_{eq} , L_{10} and L_{90} were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet;
- 3dB(A) correction had been added to the results if noise measurements were free-field;



- Noise measurement may be paused during periods of high intrusive noise (e.g. dog barking directly towards the receiver of noise level meter). If noise measurement was paused during high intrusive noise, the noise level meter would be resumed and continued the noise measurement and the observations would also be recorded. Any pause intervals were not included in the measurement time; and
- Noise monitoring would be cancelled in the presence of fog, rain, storm, wind with a steady speed exceeding 5m/s, or wind gusts exceeding 10m/s.

Maintenance and Calibration

- The microphone head of the sound level meter and calibrator are cleaned with soft cloth at quarterly intervals; and
- The meters are sent to supplier or HOKLAS laboratory to check and calibrated at yearly intervals.

4.6 Actions and Limit Levels

The Action and Limit Levels (AL Levels) were established in accordance to the Table 4.2 of the EM&A Manual. Table 4.4 presents the AL levels for noise monitoring.

Table 4.4 Action and Limit Levels for Noise Monitoring

Time Period	Action	Limit
0700 –1900 hrs on normal weekday (Day-time)	When one documented complaint is received	75 dB(A) *
1900-2300 hrs (Evening-time)		70 dB(A)
0700-1900 hrs on Holiday (Holiday-time)		70 dB(A)
Restricted hours (2300-0700 hrs of next day) (Night-time)		55 dB(A)

* reduce to 70dB(A) for school and 65dB(A) during school examination periods

4.7 Event-Action Plans

Should the results of the monitoring parameters at any designated monitoring stations indicate that the noise level criteria are exceeded, the actions in accordance with the Event and Action Plan that summarized in Appendix D should be carried out.

4.8 Results

Totally 4 occasions at KS6 and 4 occasions at CGa, RWM and KY3 of day-time noise monitoring, 3 occasion of evening-time noise monitoring at KS6, CGa, RWM and KY3, 2 occasion of night-time noise monitoring and 4 occasions of holiday-time noise monitoring at KS6, CGa, RWM and KY3 were carried out in this reporting month.

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Eighteen exceedances in Limit Level were recorded according to the results from night-time noise monitoring on 03 and 24 March 2012 (2300-2400) at KY3, RWM and CGa. However, all of the exceedances were considered to be invalid (not project related) and no further actions were required. Interim notifications of exceedance (NOEs) for all exceedances were issued to EPD, ER, IEC and the Contractor by ET. The details of NOEs present in Appendix L.

Table 4.5 summaries the noise daytime monitoring results in the reporting period.

Table 4.5 Summary of Noise Daytime Monitoring Results

Monitoring Parameter	Date	KS6			
		Start Time	End Time	Result	Exceed*
Day-time	09/03/12	16:40	17:10	63.5	X
	16/03/12	16:15	16:45	64.3	X
	21/03/12	10:20	10:50	61.9	X
	30/03/12	10:10	10:40	65.9	X
Evening-time	03/03/12	22:10	22:15	62.2	X
	03/03/12	22:15	22:20	62.6	X
	03/03/12	22:20	22:25	62.5	X
	10/03/12	20:20	20:25	60.5	X
	10/03/12	20:25	20:30	62.8	X
	10/03/12	20:30	20:35	59.7	X



Monitoring Parameter	Date	KS6			
		Start Time	End Time	Result	Exceed*
Evening-time	24/03/12	21:00	21:05	58.8	X
	24/03/12	21:05	21:10	59.4	X
	24/03/12	21:10	21:15	59.1	X
Night-time	04/03/12	00:45	00:50	54.8	X
	04/03/12	00:50	00:55	54.9	X
	04/03/12	00:55	01:00	54.6	X
	25/03/12	00:45	00:50	54.9	X
	25/03/12	00:50	00:55	54.5	X
	25/03/12	00:55	01:00	54.4	X
	Holiday-time	04/03/12	11:10	11:15	64.3
04/03/12		11:15	11:20	64.9	X
04/03/12		11:20	11:25	65.2	X
11/03/12		09:05	09:10	61.5	X
11/03/12		09:10	09:15	61.5	X
14/03/12		09:15	09:20	61.0	X
18/03/12		13:15	13:20	62.5	X
18/03/12		13:20	13:25	62.1	X
18/03/12		13:25	13:30	62.7	X
25/03/12		11:10	11:15	58.2	X
25/03/12		11:15	11:20	59.0	X
25/03/12		11:20	11:25	58.8	X
Monitoring Parameter		Date	CGa		
		Start Time	End Time	Result	Exceed*
Day-time	05/03/12	13:00	13:30	74.3	X
	12/03/12	16:00	16:30	74.7	X
	21/03/12	14:35	15:05	74.1	X
	30/03/12	13:50	14:20	69.7	X
Evening-time	03/03/12	21:50	21:55	69.7	X
	03/03/12	21:55	22:00	69.2	X
	03/03/12	22:00	22:05	69.4	X
	10/03/12	21:30	21:35	66.9	X
	10/03/12	21:35	21:40	67.2	X
	10/03/12	21:40	21:45	67.1	X
	24/03/12	21:45	21:50	69.4	X
	24/03/12	21:50	21:55	69.8	X
	24/03/12	21:55	22:00	69.3	X
	Night-time	03/03/12	23:00	23:05	61.3
03/03/12		23:05	23:10	62.0	L
03/03/12		23:10	23:15	61.6	L
24/03/12		23:00	23:05	61.0	L
24/03/12		23:05	23:10	61.6	L
24/03/12		23:10	23:15	61.8	L
Holiday-time	04/03/12	09:00	09:05	68.5	X
	04/03/12	09:05	09:10	67.9	X
	04/03/12	09:10	09:15	68.3	X
	11/03/12	10:10	10:15	67.9	X
	11/03/12	10:15	10:20	68.1	X
	14/03/12	10:20	10:25	68.4	X
	18/03/12	14:25	14:30	69.9	X
	18/03/12	14:30	14:35	70.0	X
	18/03/12	14:35	14:40	69.7	X
	25/03/12	09:00	09:05	69.2	X
25/03/12	09:05	09:10	68.8	X	
25/03/12	09:10	09:15	69.5	X	
Monitoring Parameter	Date	RWM			
		Start Time	End Time	Result	Exceed*
Day-time	05/03/12	13:30	14:00	61.4	X
	12/03/12	16:35	17:05	64.6	X
	21/03/12	15:10	15:40	61.8	X
	30/03/12	14:25	14:55	63.0	X



Monitoring Parameter	Date	RWM				
		Start Time	End Time	Result	Exceed*	
Evening-time	03/03/12	22:10	22:15	67.9	X	
	03/03/12	22:15	22:20	68.3	X	
	03/03/12	22:20	22:25	68.0	X	
	10/03/12	21:55	22:00	65.9	X	
	10/03/12	22:00	22:05	66.2	X	
	10/03/12	22:05	22:10	66.6	X	
	24/03/12	22:05	22:10	68.3	X	
	24/03/12	22:10	22:15	67.7	X	
Night-time	24/03/12	22:15	22:20	68.0	X	
	03/03/12	23:20	23:25	60.4	L	
	03/03/12	23:25	23:30	60.7	L	
	03/03/12	23:30	23:35	60.9	L	
	24/03/12	23:20	23:25	60.3	L	
	24/03/12	23:25	23:30	60.4	L	
Holiday-time	24/03/12	23:30	23:35	60.7	L	
	04/03/12	09:25	09:30	63.6	X	
	04/03/12	09:30	09:35	64.5	X	
	04/03/12	09:35	09:40	65.0	X	
	11/03/12	10:30	10:35	63.2	X	
	11/03/12	10:35	10:40	63.8	X	
	14/03/12	10:40	10:45	63.4	X	
	18/03/12	14:45	14:50	61.3	X	
	18/03/12	14:50	14:55	61.1	X	
	18/03/12	14:55	15:00	61.5	X	
Monitoring Parameter	Date	KY3				
		Start Time	End Time	Result	Exceed*	
Day-time	25/03/12	09:30	09:35	63.2	X	
	25/03/12	09:35	09:40	63.4	X	
	05/03/12	14:00	14:30	60.3	X	
	12/03/12	17:10	17:40	63.2	X	
Evening-time	21/03/12	14:00	14:30	60.7	X	
	30/03/12	15:00	15:30	62.6	X	
	03/03/12	22:30	22:35	66.1	X	
	03/03/12	22:35	22:40	66.6	X	
	03/03/12	22:40	22:45	66.3	X	
	10/03/12	22:15	22:20	67.4	X	
	10/03/12	22:20	22:25	67.7	X	
	10/03/12	22:25	22:30	67.0	X	
	24/03/12	22:30	22:35	66.6	X	
	24/03/12	22:35	22:40	66.1	X	
Night-time	24/03/12	22:40	22:45	65.9	X	
	03/03/12	23:40	23:45	59.6	L	
	03/03/12	23:45	23:50	59.4	L	
	03/03/12	23:50	23:55	59.7	L	
	24/03/12	23:40	23:45	59.9	L	
	24/03/12	23:45	23:50	59.5	L	
Holiday-time	24/03/12	23:50	23:55	59.6	L	
	04/03/12	09:50	09:55	60.9	X	
	04/03/12	09:55	10:00	61.3	X	
	04/03/12	10:00	10:05	60.8	X	
	11/03/12	10:50	10:55	64.1	X	
	11/03/12	10:55	11:00	63.7	X	
	14/03/12	11:00	11:05	64.0	X	
	18/03/12	15:05	15:10	59.0	X	
	18/03/12	15:10	15:15	58.8	X	
	18/03/12	15:15	15:20	59.1	X	
Monitoring Parameter	Date	25/03/12	09:50	09:55	61.4	X
		25/03/12	09:55	10:00	61.1	X
		25/03/12	10:00	10:05	60.9	X

Remark (*): L = Limit Level exceedance, A = Action Level exceedance and X = not an Exceedance
(†): Since daytime and holiday-time noise measurements at monitoring stations RWM and KY3 were free-field, 3dB(A) correction had been added to the results



The summary of noise exceedances is shown in Table 4.6.

Table 4.6 Summary of Impact Noise Exceedances in this reporting month

Exceedance Level	Daytime	Evening-time	Night-time	Holiday-time
Action	0	0	0	0
Cumulative	0	0	0	0
Limit	0	0	18	0
Cumulative	0	0	227	0

5.0 WATER QUALITY MONITORING

5.1 Monitoring Requirements

In accordance with the EM&A Manual, impact water quality monitoring was conducted three days per week during the course of the marine construction works.

5.2 Monitoring Locations

In accordance with the EM&A Manual, the proposed water quality monitoring station R8 – Macau Ferry Terminal was cancelled since it is located inside the restricted area. Another monitoring location R8a was proposed to replace R8 for impact water quality monitoring. As a result, totally four control stations and nine impaction stations were selected to conduct impact water quality monitoring for the Project. Table 5.1 shows the water quality monitoring stations of the Project.

Table 5.1 Water Quality Monitoring Stations

ID	Station	Easting	Northing
R5	Green Island	830 175.979	816 179.217
R6	Prince Philip Dental Hospital	833 437.625	816 747.640
R7	Tsan Yuk Hospital	833 461.092	816 744.773
R8a	Macau Ferry Terminal	833 573	816 885
R15 *	Kowloon South Pumping Station	833 982.630	818 282.101
R16	Kowloon Government Offices Building	834 335.800	817 769.145
R17	Canton Road Government Offices Building	834 364.658	817 802.847
R28	WSD Kennedy Town Salt Water Pumping Station	830 707	815 983
R29	WSD Sheung Wan Salt Water Pumping Station	833 414	816 745
C1	Control Station	830 797.729	819 163.377
C2	Control Station	836 350.628	817 135.218
C3	Control Station	829 495.126	817 228.312
C4	Control Station	836 638.773	816 686.030

Remark (*): Station R15 = WSD Seawater Intake

Control stations, C2 and C4, should be the upstream control station for all impact monitoring stations at mid-flood and Control Stations, C1 and C3, should be the upstream control station for all monitoring stations at mid-ebb.

5.3 Monitoring Parameters

Monitoring parameters listed in Table 5.2 shall be monitored by the ET to ensure that any deteriorating water quality could be readily detected and timely action be taken to rectify the situation. Table 5.3 shows the other relevant water quality data recorded during the impact water quality monitoring.

Table 5.2 Water Quality Monitoring Parameters

In-situ measurement	Laboratory analysis
Dissolved Oxygen (DO) (mg/L)	Suspended solids (SS) (mg/L)
Turbidity (NTU)	



Table 5.3 Other relevant water quality parameters

Water Quality Parameters	
Tidal stages	Water depth (m)
Dissolved Oxygen saturation (%)	Salinity (ppt)
Temperature (°C)	Weather Condition

5.4 Monitoring Frequency

The frequency of impact water quality monitoring of water quality is summarized in Table 5.4.

Table 5.4 Monitoring Frequency of Impact Water Quality Monitoring

Frequency	Monitoring Depth
3 days/week, 2 tides/day	For water depth greater than 6m: Three water depths (1m below Surface, mid-depth and 1m above bottom). For water depth less than 6m but greater than 3m: Two water depths: (1m below Surface and 1m above bottom). For water depth less than 3m: One water depth (Mid-depth)

5.5 Monitoring Methodology and Equipment Used

Refer to the requirement in Appendix D2 "General Technical Requirements of Environmental Monitoring" (TM) in the Environmental Monitoring and Audit Guidelines for Development Projects in Hong Kong published by EPD, water samples for all monitoring parameter were collected, stored, preserved and analysed according to the Standard Method APHA 19ed.. In-situ measurements at monitoring locations including DO, turbidity, salinity and water depth were collected by equipment with the characteristic and functions listed as below:

Location of the monitoring stations

A hand-held digital Global Positioning System (GPS) was used to identify the designated monitoring stations prior to water sampling.

Water Depth measurement

A portable, battery-operated echo sounder was used for the determination of water depth at each designated monitoring station.

In-situ Water Quality Monitoring Equipment

All in-situ monitoring instruments shall be checked, calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme before use, and subsequently re-calibrated at 3 monthly intervals or sometimes longer throughout all stages of the water quality monitoring. Responses of sensors and electrodes should be checked with certified standard solutions before each use. Wet bulb calibration for a DO meter shall be carried out before measurement at each monitoring location.

Dissolved Oxygen, salinity and temperature measuring equipment

A portable, weatherproof dissolved oxygen & salinity measuring instrument, which complete with cable, sensor and DC power source (e.g. YSI 85 or equivalent) was used for measuring:

- a dissolved oxygen level in the range of 0-20 mg/L and 0-200 % saturation;
- a salinity in range 0-40 ppt; and
- a temperature of 0-45 degree Celsius

A membrane electrode with automatic temperature compensation complete with a cable was installed.

Turbidity Measurement Instrument

A portable, weatherproof turbidity-measuring instrument with DC power source was used. It has a photoelectric sensor capable of measuring turbidity between 0-1000 NTU and be complete with a cable (e.g. HACH model 2100P or equivalent)

Water Sampling and Sample Analysis

In-situ monitoring was carried out at three depths: 1 meter below water surface, at mid-depth and 1 meter above the seabed. If the water depth is less than 6 m, the mid-depth station shall be omitted and if the water depth is below 3 m, only the mid depth station shall be monitored.

A water sampler comprising a transparent PVC cylinder, with a capacity of not less than 2 litres, was lowered into the water body at the predetermined depth. The opening ends of the sampler were then closed accordingly and water samples were collected.

The sample container, made by high-density polythene, was rinsed with a portion of the water sample. The water sample was then transferred to the container, labelled with a unique sample ID and sealed with a screw cap. The water samples were stored in a cool box maintained at 4°C. The water samples were then delivered to Environmental Laboratory of ETS-Testconsult Ltd (HOKLAS Registration No. 022) on the same day for analysis.

5.6 Details of site Equipment used for In-situ Measurement

All in-situ monitoring instruments were checked, calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme before use, and subsequently re-calibrated at 3 monthly intervals or sometimes longer throughout all stages of the water quality monitoring. Wet bulb calibration for a DO meter was carried out before measurement at each monitoring location.

Table 5.5 shows the equipment used for in-situ monitoring of water quality. The calibration certificates are attached in Appendix C1.

Table 5.5 Details of Monitoring Equipment (In-site measurement)

Parameter	Model	Date of Calibration	Due Date	Equipment No.	Serial No.
Coordinate of Monitoring stations	Garmin eTrex 10	-----	-----	ET/EW/005/04	2DR099626
Dissolved Oxygen (Saturation), Temperature and Salinity	YSI Dissolved Oxygen, Salinity & Temperature Meter, YSI 85D	28/01/12	27/04/12	ET/EW/008/001*	05L1285
Turbidity	HACH Model 2100P Turbid Meter	13/01/12	12/04/12	ET/0505/007*	08060C030281
Water Depth	Speedtech Instrument SM-5A	-----	-----	ET/EW/002/04	56657

Remark: (*) indicates the instrument should be calibrated on use.

5.7 Quality Assurance (QA) / Quality Control (QC) results and Determination Limits

At each measurement/sampling depth, two consecutive measurements of dissolved oxygen (DO), dissolved oxygen saturation (DOS), turbidity and salinity were taken. The probes were retrieved out of the water after the first measurement and then re-deployed for the second measurement. If the difference between the first and second measurement is greater than 25% the reading was discarded and the measurements were repeated.

At the laboratory analysis of water sample, test method of test parameter as required by the EM&A Manual, with the QA/QC results in accordance with the requirement of HOKLAS or international accredited scheme is shown in Table 5.6. For the QA/QC procedures, one QC sample, one duplicate sample and one sample spike of every batch of 20 samples were analysis. The QA/QC results are summarized in Appendix C4

Table 5.6 Summary of test method

Laboratory Analysis	Testing Procedure	Method Detection Limit
Total suspended solids	In house method based on APHA 19 th ed 2540D	1.0 mg/L



5.8 Action and Limit Level

The water quality criteria, namely Action and Limit (A/L) levels are presented in the table below.

Table 5.7 Water Quality Action and Limit Levels

Parameter	Action Level	Limit Level
DO (mg/L) (Surface, Middle & Bottom)	<u>Surface, Middle & Bottom</u> WSD Seawater Intakes 2 mg/L (For R15) Other Impact Monitoring Stations 5.65 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)	<u>Surface & Middle</u> WSD Seawater Intakes 2 mg/L (For R15) Other Impact Monitoring Stations 5.51 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29) <u>Bottom</u> 5.11 mg/L (For R15, R5, R6, R7, R8a, R16, R17, R28 and R29)
SS (mg/L) (Depth-averaged)	WSD Seawater Intakes 10 mg/L (For R15) Other Impact Monitoring Stations 12.7 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)	WSD Seawater Intakes 10 mg/L (For R15) Other Impact Monitoring Stations 12.7 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)
Turbidity (NTU) (Depth-averaged)	WSD Seawater Intakes 10 NTU Other Impact Monitoring Stations 6.48 NTU (For R5, R6, R7, R8a, R16, R17, R28 and R29)	WSD Seawater Intakes 10 NTU Other Impact Monitoring Stations 6.82 NTU (For R5, R6, R7, R8a, R16, R17, R28 and R29)

- Notes: 1. "depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
2. For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
3. For turbidity and SS, non-compliance of water quality limits occurs when monitoring result is higher than the limits.
4. All the figures given in the table are used for reference only and the EPD may amend the figures whenever it is considered as necessary.

5.9 Event and Action Plan

Please refer to the Appendix D for details.

5.10 Monitoring Duration and Period In this reporting month

Daily water quality monitoring duration are detailed in Appendix C2. Below is the time schedule for the water quality monitoring conducted in this reporting month.

Table 5.8 Schedule for Impact Water Quality Monitoring

March 2012						
Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				1	2	3
				▼		▼
4	5	6	7	8	9	10
		▼		▼		▼
11	12	13	14	15	16	17
		▼		▼		▼
18	19	20	21	22	23	24
		▼		▼		▼
25	26	27	28	29	30	31
		▼		▼		▼

Remarks: (▼) = Marine water quality monitoring carried out by ET.

5.11 Results

The impact water quality measurement results are detailed in Appendix C2. Appendix C3 presents the water quality monitoring data and graphical presentations of monitoring results respectively. The summary of marine water quality exceedances is shown in Table 5.9.



Table 5.9 Summary of Impact Marine Water Quality Exceedances in this reporting month

Exceedance Level	DO		Turbidity		SS		Cumulative	
	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb
Action	0	0	0	0	0	0	0	0
Limit	0	0	0	0	0	0	0	0

According to the summary of marine water monitoring results, no exceedances of Action and Limit levels were recorded for this reporting month.

6.0 ENVIRONMENTAL SITE INSPECTION

During this reporting month, weekly site inspections were undertaken on 06, 12, 20 and 27 March 2012 by ET. Monthly joint site inspection at 12 March 2012 was carried out by Engineer's Representative, IEC, WHPOJV and ET. A summary of implementation status of mitigation measures on site inspections is presented in Appendix G.

6.1 Summary of the ET weekly site inspection finding

According to the summary of the ET weekly site inspections carried out in March 2012, it indicated that site practices of the Contractor were generally undertaken in an environmentally acceptable manner and the overall site environmental performance was satisfactory. Summary of the site inspection findings in this reporting month is shown in Table 6.1.

Table 6.1 Summary of Site Inspection Findings

Item	Aspect	Finding	Action(s) taken by the Contractor	ET Verification	Status of finding
1	Water	Standing water was noted at a drip tray of an air-compressor in Portion J during the weekly site inspection on 06/03/2012.	Standing water was removed (Photo Ref. 1 of the Contractor Follow-up Action – 07/03/12)	During the subsequent weekly site inspection on 12/03/12, the standing water was cleaned up.	Closed

6.2 Recommendations on site inspection findings in Site Inspections of this month

Based on the site inspection findings, the recommendations are as below:

- Minimize noise and dust impact due to construction works;
- Use and maintain silt curtain and silt screen properly;
- Adequate environmental control measures shall be provided to prevent / avoid dropping of dredged materials into the sea during the transfer;
- Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste;
- Checking and maintaining all the site machines to prevent black smoke emission;
- Providing briefing to the concerned site staff on remedial actions, such as handling method of chemicals and chemical waste;
- Remove all stagnant water;
- Apply proper treatment facilities to wastewater before discharge; and
- Maintain good waste management at the site.

7.0 STATUS OF ENVIRONMENTAL PERMITS

Permits/licenses valid in this reporting month are summarized in Table 7.1.



Table 7.1 Summary of Environmental Licensing and Permit valid in this reporting month

Description	Permit No.	Valid Period		Remarks
		From	To	
Environmental Permit	EP-273/2007	31/07/07	End of Project	Whole Project
Water Discharge Licence (West Kowloon)	WT00005347-2009	07/01/10	31/01/15	Effluent and all other wastewater arising from the construction site through Screen & Sedimentation Tank
Chemical Waste Producer	5213-217-W3086-01	13/10/09	End of Project	Spent oil, surplus flammable liquid, surplus paint, soil, rags & containers contaminated with lubricating oil, diesel, flammable liquid & paint, & used batteries
Notification under APCO	Application had been submitted to EPD on 25/09/09 and approved from 29/09/09.			
Construction Noise Permit (Sai Ying Pun)	GW-RS0877-11	26/09/11	25/03/12	<p>Group A One Crane, mobile (diesel) (CNP 048) One Air compressor with Noise Emission Label showing a sound power level of $\leq 98\text{dB(A)}$ One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101)</p> <p>Group B One Air compressor with Noise Emission Label showing a sound power level of $\leq 98\text{dB(A)}$ One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101)</p> <p>Group C One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101) One Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221)</p> <p>Group D One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101) One Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221)</p>
Construction Noise Permit (Sai Ying Pun)	GW-RS0338-12	29/03/12	28/09/12	<p>Group A One Crane, mobile (diesel) (CNP 048) One Air compressor with Noise Emission Label showing a sound power level of $\leq 98\text{dB(A)}$ One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101)</p> <p>Group B One Air compressor with Noise Emission Label showing a sound power level of $\leq 98\text{dB(A)}$ One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101)</p> <p>Group C One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101) One Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221)</p> <p>Group D One Generator, silenced, $\leq 108\text{dB(A)}$ (CNP 101) One Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221)</p>
Construction Noise Permit (West Kowloon)	GW-RE0108-12	20/02/12	19/07/12	<p>Group A One Generator, standard (CNP 101) One Derrick barge (CNP 061) One Guard boat</p> <p>Group B Two Generator, standard (CNP 101) Two Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221)</p> <p>Group C One Generator, standard (CNP 101) One Water pump, submersible (electric) (CNP 283)</p>



Description	Permit No.	Valid Period		Remarks
		From	To	
Construction Noise Permit (West Kowloon)	GW-RE0196-12	16/03/12	15/08/12	Group A One Generator, standard (CNP 101) One Derrick barge (CNP 061) One Guard boat Group B Two Generator, standard (CNP 101) Two Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221) Group C One Water pump, submersible (electric) (CNP283) One Generator, standard (CNP 101) Group D One Generator, standard (CNP 101) One Dredger, grab (CNP 063) One Guard boat Group E One Generator, standard (CNP 101) One Dredger, grab (CNP 063) One Guard boat One Tug boat (CNP 221)

8.0 WASTE MANAGEMENT

8.1 Monthly Waste Summary

The quantities of waste generated from the Project in this month are summarized in Table 8.1.

Table 8.1 Summary of Quantities of Waste for Disposal in this reporting month

Type of Waste		Quantity	Disposal Location	Cumulative Quantity
Inert C&D Materials	Total Quantity Generated (in m ³)	157.57		17057.95
	Broken Concrete (in m ³)	0	---	0
	Reused in the Contract (in m ³)	0	---	0
	Reused in other Projects (in m ³)	0	---	0
	Disposal as Public Fill (in m ³)	157.57	SENT Landfill	17057.95
C&D Waste	Metals (in kg)	0	---	0
	Paper/Cardboard Packaging (in kg)	0	Collected by recycling company	156
	Plastics (in kg)	0	---	0
	Chemical Waste (in kg)	0	---	3578
	Other, e.g. General Refuse (in m ³)	31.29	SENT Landfill	147.67
Dredged Materials	Type 1 (in m ³)	0	East Ninepin Mud Disposal Ground	160500
	Type 2 (in m ³)	0	The East Sha Chau	104990

8.2 Advice on the Solid and Liquid Waste Management Status

The Contractor should provide sufficient preventive measures during equipment maintenance works so as to avoid oil leakage on the ground. In the event of any oil leakage, the Contractor should clean up the polluted soil and handle all the materials used for this cleaning works as chemical waste.

Besides, pre-cast drip trays were provided for oil drums at several areas, such as barge and chemical storage area. The Contractor should collect and dispose of any stagnant water accumulated in the drip trays and handle them as chemical waste.

The Contractor should use suitable containers with proper labels to store chemical wastes in accordance with Code of Practice on the Packaging, Labeling and Storage of Chemical Waste. The Contractor should also advise their workers of the proper procedures in handling the chemical waste.

All the trip tickets for chemical waste disposal were properly kept in the site office. No chemical waste disposal was undertaken in the reporting month.



The Contractor was reminded to increase the frequency of inspection and cleaning of the site drainage system, including desilting facilities. Moreover, the Contractor should apply approved pesticides in the stagnant water.

9.0 ENVIRONMENTAL NON-CONFORMANCE

9.1 Summary of Noise and Water Quality

No exceedance of Action and Limit Level of marine water quality monitoring results was recorded during the reporting month.

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Eighteen exceedances in Limit Level were recorded according to the results from night-time noise monitoring on 03 and 24 March 2012 (2300-2400) at KY3, RWM and CGa. However, all of the exceedances were considered to be invalid (not project related) and no further action was required.

9.2 Summary of Environmental Complaints

No complaint was received in this reporting month.

9.3 Summary of Notification of Summons and Prosecution

There was no notification of summons respect to environmental issues registered in this reporting month.

10.0 IMPLEMENTATION STATUS

10.1 Implementation Status of Environmental Mitigation Measures

An updated summary of the Environmental Mitigation Implementation Schedule (EMIS) is presented in Appendix G. Most of the necessary mitigation measures were implemented properly. Any deficiencies were noted in the remarks of the schedule.

10.2 Implementation Status of Event and Action Plan

Since no exceedance of Action and Limit Level of water quality monitoring results was recorded in this reporting month, no further action was required to be taken.

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Eighteen exceedances in Limit Level were recorded according to the results from night-time noise monitoring on 03 and 24 March 2012 (2300-2400) at KY3, RWM and CGa. However, all of the exceedances were considered to be invalid (not project related) and no further action was required.

10.3 Implementation Status of Environmental Complaint, Notifications of Summons and Successful Prosecutions Handling

No complaint, notification of summons and successful prosecution were received in this reporting month. A summary of environmental complaints, notifications of summons and successful prosecutions was given in Table 10.1.

Table 10.1 Summary of Environmental Complaints and Prosecutions

<i>Complaints logged</i>		<i>Summons served</i>		<i>Successful prosecution received</i>	
<i>March 2012</i>	<i>Cumulative</i>	<i>March 2012</i>	<i>Cumulative</i>	<i>March 2012</i>	<i>Cumulative</i>
0	1	0	0	0	0



11.0 CONCLUSIONS AND RECOMMENDATIONS

Conclusions

Impact monitoring of noise and water quality were carried out at designated locations in accordance with the EM&A Manual in this reporting month.

No exceedance of Action and Limit Level of water quality monitoring results was recorded during the reporting month.

No exceedance of Action Level of noise monitoring was recorded in this reporting month since no complaint on noise issue was received. Eighteen exceedances in Limit Level were recorded according to the results from night-time noise monitoring. However, all of the exceedances were considered to be invalid (not project related) and no further actions were required.

According to the ET weekly site inspections carried out in this reporting month, the Contractor generally implemented sufficient environmental mitigation measures.

No complaint, prosecution or notification of summon were received in this reporting month.

Recommendations

According to the environmental site inspections performed in the reporting month, the following recommendations were provided:

Air Quality

- Ensure the frequency of water spraying on unloading areas and stockpiles to be sufficient to suppress the dust sources;
- Provide proper maintenance for the powered mechanical equipment and barges to avoid emission of dark smoke; and
- Implement the dust mitigation measures for the site activities.

Noise

- Conduct noisy activities at a farther location from the NSRs.

Water Quality

- Maintain the drainage system regularly;
- Operate and maintain the silt curtains and silt screen regularly;
- Operate the cleaning vessel regularly;
- Provide proper treatment for the wastewater discharge;
- Clean up the fill material on the barge frequently; and
- Remove the stagnant water or provide approved pesticides for the stagnant water, if any.

Chemical and Waste Management

- Remove waste materials from the site to avoid accumulation regularly;
- Handle and store chemical wastes properly;
- Remove unwanted material in the existing stockpiles and avoid further dumping of such material;
- Provide and maintain sufficient drip trays for diesel drums, chemical containers, chemical waste storage drums and diesel operated generator set;
- Maintain good housekeeping at the works area; and
- Avoid soil being polluted during oil filling and equipment maintenance; hence, properly remove and store the contaminated soil, if any.

12.0 FUTURE KEY ISSUES

12.1 Work Programme for the Coming Month

As informed by the Contractor, the activities to be conducted by them in the next month included:

- *Re-instatement of the vertical seawall (Portion J); and*
- *Placing backfilling and armouring material (Portion I).*



12.2 Key Issues for the Coming Month

Key issues to be considered in the coming month include:

- Noise and dust impact due to construction works;
- Use and maintain silt curtain and silt screen properly;
- Adequate environmental control measures shall be provided to prevent / avoid dropping of dredged materials into the sea during the transfer;
- Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste; and
- Maintain good site practice to minimize environmental impacts at the site.

Mitigation measures to be required in the coming month:

Air Quality Impact

- To ensure implementation of the dust mitigation measures for the site activities;
- To provide proper maintenance for vehicles and machines on site; and
- To investigate any other dust sources around the air sensitive receivers

Noise

- To switch off equipment if not in use;
- To operate silent equipment; and
- To re-schedule the work activities in the event of valid noise exceedance.

Water Quality Impact

- To maintain the drainage system;
- To repair, inspect and maintain the silt curtains and site screen regularly;
- To provide covers for the drip trays to avoid stagnant water due to rainfall;
- To provide proper treatment for wastewater from the area;
- To deploy a cleaning vessel to remove floating rubbish;
- To avoid dredged materials on the barge from being washed into the sea; and
- To avoid any stagnant water or provide insecticide to avoid mosquito breeding.

Chemical and Waste Management

- To remove waste from the site regularly;
- To properly store and handle chemical wastes on site;
- To implement trip ticket system for all the imported public fill and general refuse disposal;
- To provide and manage sufficiently sized drip trays for diesel drums or chemical containers;
- To maintain proper housekeeping;
- To remove the oil stains in the event of leakage and handle all materials using for this cleaning works as chemical waste; and
- To identify C&D material by packaging, labeling, storage, transportation and disposal in accordance with statutory regulations.


12.3 Monitoring Schedule for the Coming Month

The proposed EM&A program of the coming month is attached in Appendix I.

- END OF REPORT -

Appendix A

Organization Chart and Lines of Communication



Project Laying of Western Cross Harbour Main and Associated Land Mains From West Kowloon to Sai Ying Pun - Investigation

Title Project Organization and Line of Communication

Date Dec 2009

Figure 1.3a



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Appendix B1

Calibration Certificates for Impact Noise Monitoring Equipment



Calibration Certificate

Certificate No. **16578**

Page 1 of 2 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q12677

Date of receipt : 2-Nov-11

Item Tested

Description : Sound Level Calibrator

Manufacturer : Rion

Model : NC-73

Serial No. : 10196943

Test Conditions

Date of Test : 7-Nov-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : F21, Z02.

Test Results

All results were within the manufacturer's specification.

The results are shown in the attached page(s).


Main Test equipment used:


<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S014	Spectrum Analyzer	13535	NIM-PRC & SCL-HKSAR
S024	Sound Level Calibrator	15136	NIM-PRC & SCL-HKSAR
S041	Universal Counter	15610	SCL-HKSAR
S206	Sound Level Meter	04462	SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by : 
P. F. Wong

Approved by : 
Dorothy Cheuk

Date: 7-Nov-11



Calibration Certificate

Certificate No. 16578

Page 2 of 2 Pages

Results :

1. Level Accuracy (at 1 kHz)

UUT Nominal Value	Measured Value	Mfr's Spec.
94 dB	94.21 dB	± 1 dB

Uncertainty : ± 0.2 dB

2. Frequency Accuracy

UUT Nominal Value	Measured Value	Mfr's Spec.
1 kHz	0.989 kHz	± 2 %

Uncertainty : ± 0.1 %

3. Level Stability : 0.0 dB

Uncertainty : ± 0.01 dB

4. Total Harmonic Distortion : < 0.4 %

Mfr's Spec. : < 3 %

Uncertainty : ± 2.3 % of reading

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. The above measured values were the mean of 3 measurements.

4. Atmospheric Pressure : 1 005 hPa

----- END -----



Calibration Certificate

Certificate No. **12016**

Page 1 of 3 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q10853

Date of receipt : 11-Apr-11

Item Tested

Description : Precision Integrating Sound Level Meter

Manufacturer : Rion

Model : NL-31

Serial No. : 00110024

Test Conditions

Date of Test : 15-Apr-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.

The results are shown in the attached page(s).


Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017	Multi-Function Generator	C101623	SCL-HKSAR
S024	Sound Level Calibrator	04062	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by : 
P. F. Wong

Approved by : 
Dorothy Cheuk

This Certificate is issued by:
Hong Kong Calibration Ltd.
Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.
Tel: 2425 8801 Fax: 2425 8646

Date: 18-Apr-11



Calibration Certificate

Certificate No. 12016

Page 2 of 3 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 – 100	L _A	Fast	94.0	94.2
		Slow		94.2
	L _C	Fast		94.2
		L _p		Fast
30 – 120	L _A	Fast	94.0	94.1
		Slow		94.1
	L _C	Fast		94.1
	L _p	Fast		94.2
30 – 120	L _A	Fast	114.0	114.0
		Slow		114.0
	L _C	Fast		114.0
	L _p	Fast		114.1

IEC 651 Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.2 dB

2. Level Stability : 0.0 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.1 dB

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	114.2	+0.1	± 0.7 dB
130	104.0	104.2	+0.1	
120	94.0	94.1(Ref.)	--	
110	84.0	84.0	-0.1	
100	74.0	74.2	+0.1	
90	64.0	64.1	0.0	
80	54.0	53.9	-0.1	

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. **12016**

Page 3 of 3 Pages

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	84.1	0.0	± 0.4 dB
	94.0	94.1 (Ref.)	--	
	95.0	95.1	0.0	± 0.2 dB

Uncertainty : ± 0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-40.0	- 39.4 dB, ± 1.5 dB
63 Hz	-26.6	- 26.2 dB, ± 1.5 dB
125 Hz	-16.5	- 16.1 dB, ± 1 dB
250 Hz	-8.9	- 8.6 dB, ± 1 dB
500 Hz	-3.4	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+1.6	+ 1.2 dB, ± 1 dB
4 kHz	+1.5	+ 1.0 dB, ± 1 dB
8 kHz	-0.7	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	-6.3	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : ± 0.1 dB

5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	40.0	± 0.5 dB
1/10 ²	40.0	39.9	
1/10 ³	40.0	40.0	± 1.0 dB
1/10 ⁴	40.0	39.9	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 010 hPa.

----- END -----



Calibration Certificate

Certificate No. **12737**

Page 1 of 4 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q11169

Date of receipt : 20-May-11

Item Tested

Description : Precision Integrating Sound Level Meter

Manufacturer : Rion

Model : NL-31

Serial No. : 00531142

Test Conditions

Date of Test : 24-May-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.


The results are shown in the attached page(s).


Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017	Multi-Function Generator	C101623	SCL-HKSAR
S024	Sound Level Calibrator	04062	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).
The test results apply to the above Unit-Under-Test only

Calibrated by : 
P.F. Wong

Approved by : 
Dorothy Cheuk

Date: 25-May-11

This Certificate is issued by:
Hong Kong Calibration Ltd.
Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.
Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



Calibration Certificate

Certificate No. 12737

Page 2 of 4 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 – 100	L _A	Fast	94.0	94.0
		Slow		93.9
	L _C	Fast		94.0
	L _p	Fast		94.0
30 – 120	L _A	Fast	94.0	94.0
		Slow		93.9
	L _C	Fast		94.0
	L _p	Fast		94.0
30 – 120	L _A	Fast	114.0	114.0
		Slow		113.9
	L _C	Fast		114.0
	L _p	Fast		114.0

IEC Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

2. Level Stability : 0.0 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 12737

Page 3 of 4 Pages

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	114.0	0.0	± 0.7 dB
130	104.0	104.0	0.0	
120	94.0	94.0 (Ref.)	--	
110	84.0	84.0	0.0	
100	74.0	74.0	0.0	
90	64.0	64.1	+0.1	
80	54.0	54.1	+0.1	

Uncertainty : ± 0.1 dB

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	84.0	0.0	± 0.4 dB
	94.0	94.0 (Ref.)	--	
	95.0	95.0	0.0	± 0.2 dB

Uncertainty : ± 0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-39.6	- 39.4 dB, ± 1.5 dB
63 Hz	-26.2	- 26.2 dB, ± 1.5 dB
125 Hz	-16.2	- 16.1 dB, ± 1 dB
250 Hz	-8.7	- 8.6 dB, ± 1 dB
500 Hz	-3.2	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+1.3	+ 1.2 dB, ± 1 dB
4 kHz	+1.1	+ 1.0 dB, ± 1 dB
8 kHz	-1.1	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	-6.7	- 6.6 dB, + 3 dB ~ - ∞

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 12737

Page 4 of 4 Pages

4. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	39.9	± 0.5 dB
1/10 ²	40.0	39.9	
1/10 ³	40.0	39.9	± 1.0 dB
1/10 ⁴	40.0	39.8	

Uncertainty : ± 0.1 dB

- Remark : 1. UUT : Unit-Under-Test
2. The uncertainty claimed is for a confidence probability of not less than 95%.
3. Atmospheric Pressure : 1 003 hPa.
4. The internal cal. Reference of UUT was drifted from 94.0 dB to 93.0 dB

----- END -----



Calibration Certificate

Certificate No. **15347**

Page 1 of 3 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q12215

Date of receipt : 7-Sep-11

Item Tested

Description : Precision Integrating Sound Level Meter (ET/EN/003/13)

Manufacturer : Rion

Model : NL-31

Serial No. : 00593620

Test Conditions

Date of Test : 8-Sep-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type1 and IEC 804 Type2 specification.

The results are shown in the attached page(s).


Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017A	Multi-Function Generator	07279	SCL-HKSAR
S024	Sound Level Calibrator	04062	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).
The test results apply to the above Unit-Under-Test only

Calibrated by : 
P. F. Wong

Approved by : 
Dorothy Cheuk

Date: 8-Sep-11

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



Calibration Certificate

Certificate No. 15347

Page 2 of 3 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 – 100	L _A	Fast	94.0	93.7
		Slow		93.7
	L _C	Fast		93.9
	L _p	Fast		93.9
30 – 120	L _A	Fast	94.0	93.7
		Slow		93.7
	L _C	Fast		93.8
	L _p	Fast		93.8
30 – 120	L _A	Fast	114.0	113.6
		Slow		113.6
	L _C	Fast		113.7
	L _p	Fast		113.7

IEC 651 Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

2. Level Stability : 0.1 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.1 dB

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	113.7	0.0	± 0.7 dB
130	104.0	103.7	0.0	
120	94.0	93.7(Ref.)	--	
110	84.0	83.7	0.0	
100	74.0	73.8	+0.1	
90	64.0	63.8	+0.1	
80	54.0	53.5	-0.2	

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. **15347**

Page 3 of 3 Pages

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	83.7	0.0	± 0.4 dB
	94.0	93.7 (Ref.)	--	
	95.0	94.7	0.0	± 0.2 dB

Uncertainty : ± 0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-39.5	- 39.4 dB, ± 1.5 dB
63 Hz	-26.3	- 26.2 dB, ± 1.5 dB
125 Hz	-16.2	- 16.1 dB, ± 1 dB
250 Hz	-8.6	- 8.6 dB, ± 1 dB
500 Hz	-3.2	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+1.4	+ 1.2 dB, ± 1 dB
4 kHz	+1.2	+ 1.0 dB, ± 1 dB
8 kHz	-1.1	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	-6.6	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : ± 0.1 dB

5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	39.9	± 0.5 dB
1/10 ²	40.0	39.9	
1/10 ³	40.0	39.9	± 1.0 dB
1/10 ⁴	40.0	40.0	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 000 hPa.

4. The internal calibration reference of UUT was drifted from 94.0 dB to 94.5 dB



Calibration Certificate

Certificate No. **16576**

Page 1 of 2 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q12677

Date of receipt : 2-Nov-11

Item Tested

Description : Anemometer

Manufacturer : AZ Instrument

Model : AZ 8908

Serial No. : 9101259

Test Conditions

Date of Test : 10-Nov-11

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure: T03, Z04.

Test Results

A correction factor of x 1.1 applied to velocity function is required to bring the meter reading to within the manufacturer's specification. The results are shown in the attached page(s).

Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S223A	Std. Thermometer	13173	NIM-PRC
S155	Std. Anemometer	NSC20113098	NIM-PRC

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).
The test results apply to the above Unit-Under-Test only

Calibrated by :

S. K. Tang

Approved by :

Steve Kwan

Date: 10-Nov-11



Calibration Certificate

Certificate No. 16576

Page 2 of 2 Pages

Results :

1. Velocity

Applied Value (m/s)	UUT Reading (m/s)	Corrected Reading (UUT Reading x 1.1) (m/s)	Mfr's Spec.
2.50	2.3	2.5	± (3 % of reading + 1 dgt)
5.00	4.6	5.1	
10.00	9.4	10.3	
15.00	14.0	15.4	
20.00	18.8	20.7	

2. Temperature

Applied Value (°C)	UUT Reading (°C)	Mfr's Spec.
5.68	5.7	± 1 °C
25.98	25.7	
47.80	47.1	

Remark : 1. UUT: Unit-Under-Test

2. Uncertainty : ± (0.9% + 0.16 m/s) for Velocity, ± 0.25 °C for Temperature, for a confidence probability of not less than 95%.

3. Atmospheric Pressure : 1 002 hPa

----- END -----

Appendix B2

Impact Noise Monitoring Results

Day-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Culliman)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
09/03/12	Cloudy	16:40	17:10	63.5	64.6	62.3	0.4
16/03/12	Fine	16:15	16:45	64.3	66.2	59.4	0.6
21/03/12	Cloudy	10:20	10:50	61.9	63.2	57.4	1.6
30/03/12	Cloudy	10:10	10:40	65.9	67.9	61.6	0.1

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
05/03/12	Cloudy	13:00	13:30	74.3	76.5	67.1	0.1
12/03/12	Cloudy	16:00	16:30	74.7	76.8	66.9	0.6
21/03/12	Cloudy	14:35	15:05	74.1	77.2	67.1	0.1
30/03/12	Cloudy	13:50	14:20	69.7	71.8	64.4	1.1

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
05/03/12	Cloudy	13:30	14:00	61.4	63.8	59.6	0.3
12/03/12	Cloudy	16:35	17:05	64.6	66.1	61.1	0.7
21/03/12	Cloudy	15:10	15:40	61.8	62.9	60.2	0.3
30/03/12	Cloudy	14:25	14:55	63.0	64.4	59.7	1.5

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
05/03/12	Cloudy	14:00	14:30	60.3	61.8	58.9	0.3
12/03/12	Cloudy	17:10	17:40	63.2	64.8	60.7	0.7
21/03/12	Cloudy	14:00	14:30	60.7	61.8	59.6	0.3
30/03/12	Cloudy	15:00	15:30	62.6	63.9	59.2	1.4

Evening-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Culliman)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/03/12	Cloudy	22:10	22:15	62.2	63.9	58.3	0.7
03/03/12	Cloudy	22:15	22:20	62.6	64.4	58.7	0.8
03/03/12	Cloudy	22:20	22:25	62.5	64.2	58.4	0.8
10/03/12	Cloudy	20:20	20:25	60.5	62.0	58.9	1.3
10/03/12	Cloudy	20:25	20:30	62.8	64.9	59.3	1.4
10/03/12	Cloudy	20:30	20:35	59.7	61.1	58.3	1.4
24/03/12	Fine	21:00	21:05	58.8	59.7	56.8	0.8
24/03/12	Fine	21:05	21:10	59.4	60.7	57.3	0.9
24/03/12	Fine	21:10	21:15	59.1	60.3	57.1	0.9

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/03/12	Cloudy	21:50	21:55	69.7	73.4	64.1	0.4
03/03/12	Cloudy	21:55	22:00	69.2	72.8	63.6	0.4
03/03/12	Cloudy	22:00	22:05	69.4	73.1	63.7	0.4
10/03/12	Cloudy	21:30	21:35	66.9	68.7	63.6	1.3
10/03/12	Cloudy	21:35	21:40	67.2	68.9	64.0	1.3
10/03/12	Cloudy	21:40	21:45	67.1	68.8	63.9	1.4
24/03/12	Fine	21:45	21:50	69.4	72.9	63.7	0.4
24/03/12	Fine	21:50	21:55	69.8	73.4	64.0	0.4
24/03/12	Fine	21:55	22:00	69.3	72.7	63.5	0.4

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/03/12	Cloudy	22:10	22:15	67.9	69.9	64.1	0.5
03/03/12	Cloudy	22:15	22:20	68.3	70.4	64.6	0.6
03/03/12	Cloudy	22:20	22:25	68.0	70.2	64.2	0.5
10/03/12	Cloudy	21:55	22:00	65.9	67.8	62.0	1.5
10/03/12	Cloudy	22:00	22:05	66.2	68.1	62.4	1.5
10/03/12	Cloudy	22:05	22:10	66.6	68.5	62.9	1.4
24/03/12	Fine	22:05	22:10	68.3	70.1	64.2	0.4
24/03/12	Fine	22:10	22:15	67.7	69.5	63.7	0.5
24/03/12	Fine	22:15	22:20	68.0	69.8	63.9	0.5

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/03/12	Cloudy	22:30	22:35	66.1	67.6	61.7	0.5
03/03/12	Cloudy	22:35	22:40	66.6	68.1	62.3	0.5
03/03/12	Cloudy	22:40	22:45	66.3	67.9	62.1	0.6
10/03/12	Cloudy	22:15	22:20	67.4	69.1	63.4	1.6
10/03/12	Cloudy	22:20	22:25	67.7	69.6	63.8	1.5
10/03/12	Cloudy	22:25	22:30	67.0	68.5	63.0	1.3
24/03/12	Fine	22:30	22:35	66.6	67.9	62.3	0.5
24/03/12	Fine	22:35	22:40	66.1	67.5	61.9	0.4
24/03/12	Fine	22:40	22:45	65.9	67.2	61.8	0.4

Night-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Culliman)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
04/03/12	Cloudy	00:45	00:50	54.8	56.5	52.0	0.7
04/03/12	Cloudy	00:50	00:55	54.9	56.8	52.2	0.7
04/03/12	Cloudy	00:55	01:00	54.6	56.4	51.7	0.6
25/03/12	Fine	00:45	00:50	54.9	56.7	52.1	0.5
25/03/12	Fine	00:50	00:55	54.5	56.4	51.8	0.5
25/03/12	Fine	00:55	01:00	54.4	56.2	51.6	0.5

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/03/12	Cloudy	23:00	23:05	61.3	63.4	54.3	0.3
03/03/12	Cloudy	23:05	23:10	62.0	64.2	54.8	0.4
03/03/12	Cloudy	23:10	23:15	61.6	63.7	54.5	0.4
24/03/12	Fine	23:00	23:05	61.0	63.3	54.3	0.3
24/03/12	Fine	23:05	23:10	61.6	63.7	54.5	0.3
24/03/12	Fine	23:10	23:15	61.8	64.0	54.9	0.4

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/03/12	Cloudy	23:20	23:25	60.4	62.3	53.5	0.6
03/03/12	Cloudy	23:25	23:30	60.7	62.8	53.8	0.5
03/03/12	Cloudy	23:30	23:35	60.9	62.9	54.1	0.5
24/03/12	Fine	23:20	23:25	60.3	62.1	53.5	0.3
24/03/12	Fine	23:25	23:30	60.4	62.3	53.8	0.3
24/03/12	Fine	23:30	23:35	60.7	62.8	54.0	0.3

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/03/12	Cloudy	23:40	23:45	59.6	61.7	53.2	0.6
03/03/12	Cloudy	23:45	23:50	59.4	61.5	53.1	0.6
03/03/12	Cloudy	23:50	23:55	59.7	62.0	53.4	0.6
24/03/12	Fine	23:40	23:45	59.9	61.8	53.3	0.4
24/03/12	Fine	23:45	23:50	59.5	61.4	52.8	0.3
24/03/12	Fine	23:50	23:55	59.6	61.6	53.0	0.3

Holiday-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Culliman)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
04/03/12	Cloudy	11:10	11:15	64.3	66.4	60.2	0.6
04/03/12	Cloudy	11:15	11:20	64.9	66.8	60.8	0.6
04/03/12	Cloudy	11:20	11:25	65.2	67.1	60.7	0.7
11/03/12	Drizzle	09:05	09:10	61.5	62.6	60.3	1.1
11/03/12	Drizzle	09:10	09:15	61.5	62.6	60.2	1.3
14/03/12	Drizzle	09:15	09:20	61.0	62.2	59.7	1.2
18/03/12	Fine	13:15	13:20	62.5	66.1	58.2	0.1
18/03/12	Fine	13:20	13:25	62.1	65.8	57.4	0.1
18/03/12	Fine	13:25	13:30	62.7	66.4	58.0	0.1
25/03/12	Fine	11:10	11:15	58.2	59.6	55.6	0.5
25/03/12	Fine	11:15	11:20	59.0	60.5	56.3	0.5
25/03/12	Fine	11:20	11:25	58.8	60.2	56.0	0.5

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
04/03/12	Cloudy	09:00	09:05	68.5	72.1	59.8	0.4
04/03/12	Cloudy	09:05	09:10	67.9	71.2	60.6	0.3
04/03/12	Cloudy	09:10	09:15	68.3	72.3	60.3	0.3
11/03/12	Drizzle	10:10	10:15	67.9	69.5	63.2	1.0
11/03/12	Drizzle	10:15	10:20	68.1	69.8	64.4	1.1
14/03/12	Drizzle	10:20	10:25	68.4	70.1	64.8	1.1
18/03/12	Fine	14:25	14:30	69.9	72.7	64.7	0.1
18/03/12	Fine	14:30	14:35	70.0	72.9	64.8	0.1
18/03/12	Fine	14:35	14:40	69.7	72.5	64.6	0.1
25/03/12	Fine	09:00	09:05	69.2	72.7	62.2	0.2
25/03/12	Fine	09:05	09:10	68.8	72.1	62.8	0.2
25/03/12	Fine	09:10	09:15	69.5	72.9	63.6	0.3

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
04/03/12	Cloudy	09:25	09:30	63.6	65.3	58.7	0.5
04/03/12	Cloudy	09:30	09:35	64.5	64.5	58.1	0.5
04/03/12	Cloudy	09:35	09:40	65.0	65.0	58.3	0.5
11/03/12	Drizzle	10:30	10:35	63.2	65.0	59.7	1.3
11/03/12	Drizzle	10:35	10:40	63.8	65.6	60.1	1.5
14/03/12	Drizzle	10:40	10:45	63.4	65.2	59.3	1.4
18/03/12	Fine	14:45	14:50	61.3	62.8	58.8	0.3
18/03/12	Fine	14:50	14:55	61.1	62.4	59.0	0.3
18/03/12	Fine	14:55	15:00	61.5	62.6	58.9	0.3
25/03/12	Fine	09:25	09:30	63.8	65.4	58.5	0.5
25/03/12	Fine	09:30	09:35	63.2	64.8	57.9	0.5
25/03/12	Fine	09:35	09:40	63.4	65.1	58.2	0.5



Holiday-time Noise Monitoring

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
04/03/12	Cloudy	09:50	09:55	60.9	63.0	57.4	0.5
04/03/12	Cloudy	09:55	10:00	61.3	63.3	57.7	0.6
04/03/12	Cloudy	10:00	10:05	60.8	62.8	57.2	0.5
11/03/12	Drizzle	10:50	10:55	64.1	66.2	60.4	1.4
11/03/12	Drizzle	10:55	11:00	63.7	65.5	59.9	1.3
14/03/12	Drizzle	11:00	11:05	64.0	66.0	60.2	1.4
18/03/12	Fine	15:05	15:10	59.0	60.1	57.1	0.4
18/03/12	Fine	15:10	15:15	58.8	59.7	56.8	0.4
18/03/12	Fine	15:15	15:20	59.1	60.0	57.0	0.4
25/03/12	Fine	09:50	09:55	61.4	63.4	57.9	0.4
25/03/12	Fine	09:55	10:00	61.1	63.0	57.5	0.5
25/03/12	Fine	10:00	10:05	60.9	62.8	57.4	0.5




Appendix B3

Graphical Plots of Impact Noise Monitoring Data




Noise Monitoring (Day-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Evening-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Night-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Holiday-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion



Noise level at KY3 - Roof of Kwan Yik Building Phase 3





Appendix C1

Calibration Certificates for Impact Water Quality Monitoring Equipments



Performance Check of Turbidimeter


Equipment Ref. No. : ET/0505/007 Manufacturer : HACH
Model No. : 2100P Serial No. : 08060 C 030281
Date of Calibration : 13/01/2012 Due Date : 12/04/2012

Gelex Vial Std	Theoretical Value (NTU)	Measured Value (NTU)	Difference %
0-10 NTU	5.34	5.26	1.50
10-100 NTU	52.5	53.1	1.14
100-1000 NTU	543	538	0.92

Acceptance Criteria

Difference : <5 %

The salinity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by : 

Approved by : 



Performance Check of Salinity Meter

Equipment Ref. No. : ET/EW/008/001 Manufacturer : YSI
Model No. : 85 Serial No. : 05L 1285
Date of Calibration : 28/01/2012 Due Date : 27/04/2012

Ref. No. of Salinity Standard used (30ppt)

S/001/3

Salinity Standard (ppt)	Measured Salinity (ppt)	Difference %
30	30.5	1.67

Acceptance Criteria

Difference : <10 %

The salinity meter complies * / ~~does not comply~~ * with the specified requirements and is deemed acceptable * / ~~unacceptable~~ * for use. Measurements are traceable to national standards.

Checked by : *Lida Lam*

Approved by : *[Signature]*



Internal Calibration Report of Dissolved Oxygen Meter

Equipment Ref. No. : <u>ET/EW/008/001</u>	Manufacturer : <u>YSI</u>
Model No. : <u>85</u>	Serial No. : <u>05L 1285</u>
Date of Calibration : <u>28/01/2012</u>	Calibration Due Date : <u>27/04/2012</u>

Temperature Verification

Ref. No. of Reference Thermometer : ET/0521/001
 Ref. No. of Water Bath : ---

Temperature (°C)				
Reference Thermometer reading	Measured	20.5	Corrected	20.2
DO Meter reading	Measured	20.0	Difference	0.2

Standardization of sodium thiosulphate (Na₂S₂O₃) solution

Reagent No. of Na ₂ S ₂ O ₃ titrant	CPE/012/4.5/001/4	Reagent No. of 0.025N K ₂ Cr ₂ O ₇	CPE/012/4.4/001/6
	Trial 1	Trial 2	
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0.00	0.00	
Final Vol. of Na ₂ S ₂ O ₃ (ml)	40.00	40.00	
Vol. of Na ₂ S ₂ O ₃ used (ml)	40.00	40.00	
Normality of Na ₂ S ₂ O ₃ solution (N)	0.02500	0.02500	
Average Normality (N) of Na ₂ S ₂ O ₃ solution (N)	0.02500		
Acceptance criteria, Deviation	Less than ± 0.001N		

Calculation: Normality of Na₂S₂O₃, N = 1 / ml Na₂S₂O₃ used

Linearity Checking

Determination of dissolved oxygen content by Winkler Titration *

Purging Time (min)	2		5		10	
	1	2	1	2	1	2
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0.00	10.90	21.70	0.00	7.60	12.20
Final Vol. of Na ₂ S ₂ O ₃ (ml)	10.90	21.70	29.40	7.60	12.20	16.80
Vol. (V) of Na ₂ S ₂ O ₃ used (ml)	10.90	10.80	7.70	7.60	4.60	4.60
Dissolved Oxygen (DO), mg/L	7.32	7.25	5.17	5.10	3.09	3.09
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L		Less than + 0.3mg/L	

Calculation: DO (mg/L) = V x N x 8000/298

Purging time, min	DO meter reading, mg/L			Winkler Titration result *, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
2	7.42	7.38	7.40	7.32	7.25	7.29	1.50
5	5.32	5.26	5.29	5.17	5.10	5.14	2.88
10	2.95	2.99	2.97	3.09	3.09	3.09	3.96
Linear regression coefficient				0.99831			



Internal Calibration Report of Dissolved Oxygen Meter

Zero Point Checking

DO meter reading, mg/L	0.00
------------------------	------

Salinity Checking

Reagent No. of NaCl (10ppt)	CPE/012/4.7/001/16	Reagent No. of NaCl (30ppt)	CPE/012/4.8/001/16
-----------------------------	--------------------	-----------------------------	--------------------

Determination of dissolved oxygen content by Winkler Titration **

Salinity (ppt)	10		30	
	1	2	1	2
Trial				
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0.00	11.90	23.60	34.10
Final Vol. of Na ₂ S ₂ O ₃ (ml)	11.90	23.60	34.10	44.70
Vol. (V) of Na ₂ S ₂ O ₃ used (ml)	11.90	11.70	10.50	10.60
Dissolved Oxygen (DO), mg/L	7.99	7.85	7.05	7.11
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L	

Calculation: $DO (mg/L) = V \times N \times 8000/298$

Salinity (ppt)	DO meter reading, mg/L			Winkler Titration result**, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
10	7.82	7.76	7.79	7.99	7.85	7.92	1.65
30	7.12	7.16	7.14	7.05	7.11	7.08	0.84

Acceptance Criteria

- (1) Difference between temperature readings from temperature sensor of DO probe and reference thermometer : < 0.5 °C
- (2) Linear regression coefficient : >0.99
- (3) Zero checking: 0.0mg/L
- (4) Difference (%) of DO content from the meter reading and by winkler titration : within ± 5%

The equipment complies # / does not comply # with the specified requirements and is deemed acceptable # / unacceptable # for use.

* Delete as appropriate

Calibrated by

: Wade Lam

Approved by :

[Signature]



Appendix C2

Impact Water Quality Monitoring Results

Mid-Flood Tide

Monitoring Station : C2

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/03/12	1335-1353	16/Cloudy	Surface	1.0	16.8	30.0	30.0	6.35	6.33	79.4	79.1	4.32	4.28	4.52	7.0	7.1	7.4	
						29.9		6.30		78.8		4.23			7.2			
			Middle	8.5	16.4	30.6	30.6	6.17	6.15	77.1	76.9	4.48	4.51		7.4			7.4
						30.6		6.13		76.6		4.54			7.4			
			Bottom	16.0	15.9	31.7	31.7	5.91	5.94	73.9	74.2	4.78	4.77		7.8			7.8
						31.7		5.96		74.5		4.75			7.8			
03/03/12	1318-1332	17/Cloudy	Surface	1.0	17.2	30.2	30.2	6.20	6.21	76.9	77.0	5.14	5.15	5.18	8.0	8.1	8.2	
						30.2		6.22		77.1		5.16			8.2			
			Middle	8.2	17.4	30.5	30.5	6.16	6.13	76.3	76.0	5.24	5.22		8.2			8.2
						30.4		6.10		75.6		5.20			8.2			
			Bottom	15.4	17.6	31.1	31.2	5.97	5.97	74.0	74.0	5.21	5.18		8.2			8.2
						31.2		5.96		73.9		5.15			8.2			
06/03/12	1812-1825	25/Cloudy	Surface	1.0	19.3	29.8	29.8	6.17	6.16	80.2	80.1	4.36	4.36	4.58	7.5	7.5	7.6	
						29.8		6.15		79.9		4.35			7.4			
			Middle	8.2	18.6	30.4	30.5	6.08	6.09	79.0	79.1	4.42	4.42		7.4			7.4
						30.5		6.09		79.2		4.42			7.4			
			Bottom	15.4	18.2	31.4	31.4	6.01	6.06	81.1	85.3	4.95	4.96		7.8			7.8
						31.4		6.10		89.4		4.96			7.8			
08/03/12	1925-1935	17/Drizzle	Surface	1.0	16.1	27.2	27.2	7.47	7.45	88.8	88.6	4.90	4.88	5.00	8.0	7.9	7.9	
						27.2		7.43		88.4		4.85			7.8			
			Middle	8.7	16.0	27.0	27.1	7.56	7.55	89.9	89.8	5.01	5.04		7.8			7.9
						27.1		7.53		89.6		5.07			8.0			
			Bottom	16.4	15.9	27.1	27.1	7.67	7.66	92.0	91.8	5.12	5.09		8.0			8.0
						27.1		7.64		91.6		5.06			8.0			
10/03/12	2048-2100	14/Cloudy	Surface	1.0	16.2	27.8	27.8	7.34	7.32	88.1	87.9	3.67	3.70	3.82	6.5	6.6	6.7	
						27.7		7.30		87.6		3.72			6.6			
			Middle	5.8	16.2	27.7	27.8	7.14	7.16	85.6	85.9	3.90	3.93		6.8			6.8
						27.8		7.18		86.1		3.95			6.8			
			Bottom	10.6	16.1	27.8	27.8	7.34	7.36	88.1	88.3	3.83	3.85		6.8			6.8
						27.8		7.37		88.4		3.87			6.8			
13/03/12	1204-1222	15/Cloudy	Surface	1.0	16.2	27.4	27.4	7.78	7.76	92.6	92.4	4.12	4.09	4.22	7.0	7.0	7.2	
						27.3		7.74		92.1		4.06			7.0			
			Middle	8.3	16.0	27.4	27.4	7.67	7.66	91.3	91.2	4.19	4.23		7.2			7.2
						27.4		7.65		91.0		4.27			7.2			
			Bottom	15.6	16.0	27.4	27.4	7.48	7.50	89.0	89.2	4.31	4.35		7.2			7.3
						27.4		7.51		89.4		4.38			7.4			
15/03/12	1340-1353	17/Cloudy	Surface	1.0	16.2	27.4	27.4	7.84	7.85	93.3	93.4	3.69	3.70	3.93	5.5	5.7	5.9	
						27.3		7.86		93.5		3.71			5.8			
			Middle	5.9	16.1	27.5	27.5	7.70	7.71	91.6	91.8	3.96	3.98		5.8			5.8
						27.5		7.72		91.9		3.99			5.8			
			Bottom	10.8	16.2	27.4	27.4	7.82	7.81	93.1	93.0	4.12	4.11		6.2			6.1
						27.3		7.80		92.8		4.09			6.0			
17/03/12	1610-1620	18/Cloudy	Surface	1.0	16.9	27.5	27.5	7.61	7.60	91.6	91.4	3.51	3.49	3.80	5.5	5.5	5.8	
						27.4		7.58		91.2		3.47			5.4			
			Middle	8.3	16.4	27.7	27.7	7.54	7.52	90.7	90.5	3.82	3.85		5.8			5.8
						27.7		7.50		90.2		3.87			5.8			
			Bottom	15.6	16.4	27.8	27.8	7.44	7.42	85.9	87.5	4.05	4.07		6.0			6.1
						27.8		7.40		89.0		4.09			6.2			
20/03/12	1858-1912	23/Cloudy	Surface	1.0	17.4	27.6	27.7	7.51	7.52	91.6	91.7	3.44	3.46	3.60	5.5	5.5	5.6	
						27.7		7.53		91.8		3.48			5.4			
			Middle	6.4	17.5	27.6	27.6	7.55	7.54	92.1	91.9	3.56	3.55		5.6			5.6
						27.6		7.52		91.7		3.54			5.6			
			Bottom	11.8	17.5	27.8	27.8	7.42	7.40	90.5	90.3	3.77	3.79		5.8			5.8
						27.7		7.38		90.0		3.81			5.8			
22/03/12	1921-1935	23/Cloudy	Surface	1.0	17.4	27.7	27.7	7.45	7.43	90.8	90.6	3.49	3.52	3.62	5.5	5.6	5.6	
						27.7		7.41		90.4		3.54			5.6			
			Middle	6.4	17.5	27.8	27.8	7.48	7.49	91.2	91.4	3.61	3.60		5.6			5.6
						27.7		7.50		91.5		3.59			5.6			
			Bottom	11.8	17.4	27.8	27.9	7.36	7.38	89.7	89.9	3.76	3.74		5.8			5.7
						27.9		7.39		90.1		3.72			5.6			
24/03/12	2049-2059	18/Fine	Surface	1.0	17.8	27.5	27.6	7.62	7.61	93.2	93.0	3.44	3.48	3.67	5.5	5.6	5.7	
						27.6		7.59		92.8		3.52			5.6			
			Middle	6.2	17.7	27.6	27.6	7.53	7.51	92.2	92.0	3.76	3.73		5.8			5.7
						27.6		7.49		91.7		3.70			5.6			
			Bottom	11.4	17.7	27.5	27.6	7.33	7.32	89.7	89.6	3.78	3.80		5.8			5.8
						27.6		7.31		89.4		3.81			5.8			
27/03/12	1137-1151	18/Fine	Surface	1.0	18.4	27.2	27.3	7.71	7.70	95.3	95.2	3.66	3.62	3.89	6.5	6.6	6.9	
						27.3		7.69		95.0		3.57			6.6			
			Middle	8.0	18.1	27.3	27.4	7.56	7.60	95.4	95.9	3.84	3.83		6.8			6.8
						27.4		7.63		96.3		3.81			6.8			
			Bottom	15.0	18.1	27.5	27.5	7.52	7.48	93.0	92.5	4.27	4.23		7.4			7.4
						27.4		7.44		92.0		4.19			7.4			
29/03/12	1215-1232	20/Fine	Surface	1.0	17.8	27.6	27.6	7.72	7.74	94.2	94.5	3.81	3.78	3.93	5.5	5.7	5.9	
						27.6		7.76		94.7		3.75			5.8			
			Middle	8.5	17.7	27.7	27.8	7.61	7.63	92.8	93.0	3.96	3.92		6.0			5.9
						27.8		7.64		93.2		3.88			5.8			
			Bottom	16.0	17.7	27.8	27.8	7.34	7.37	89.5	89.9	4.04	4.08		6.0			6.0
						27.7		7.39		90.2		4.11			6.0			
31/03/12	1310-1320	20/Cloudy	Surface	1.0	17.8	27.9	27.9	7.60	7.62	94.2	94.4	3.94	3.91	4.04	6.0	5.9	6.1	
						27.9		7.63		94.6		3.87			5.8			
			Middle	8.7	17.7	28.3	28.3	7.57	7.59	93.8	94.0	4.05	4.07		6.0			6.1
						28.3		7.60		94.2		4.09			6.2			
			Bottom	16.4	17.6	28.4	28.4	7.59	7.57	94.1	93.9	4.18	4.14		6.2			6.2
						28.4		7.55		93.6		4.09			6.2			

Mid-Flood Tide

Monitoring Station : C4

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
01/03/12	1313-1331	16/Cloudy	Surface	1.0	16.8	30.0	30.0	6.46	6.43	80.8	80.4	4.20	4.23	4.43	7.2	7.2	7.4		
						30.0		6.39		79.9		4.26			7.2				
			Middle	8.6	16.4	30.7	30.7	6.25	6.28	78.1	78.5	4.42	4.40		4.40	4.40		7.4	7.4
						30.6		6.31		78.9		4.37			7.4				
			Bottom	16.2	16.0	31.6	31.7	6.09	6.06	76.1	75.7	4.62	4.66		4.66	4.66		7.6	7.6
						31.7		6.02		75.3		4.70			7.5				
03/03/12	1256-1310	17/Cloudy	Surface	1.0	17.3	30.1	30.1	6.16	6.15	76.4	76.3	5.07	5.09	5.20	8.0	8.0	8.2		
						30.1		6.14		76.1		5.10			8.0				
			Middle	8.4	17.5	30.4	30.4	6.09	6.05	75.5	75.0	5.37	5.38		5.38	5.38		8.4	8.4
						30.4		6.01		74.5		5.39			8.4				
			Bottom	15.8	17.7	31.3	31.3	5.86	5.84	75.7	74.0	5.16	5.14		5.14	5.14		8.2	8.1
						31.2		5.82		72.2		5.12			8.0				
06/03/12	1755-1808	25/Cloudy	Surface	1.0	19.5	29.8	29.8	6.35	6.34	82.6	82.4	4.49	4.51	4.81	7.4	7.4	7.7		
						29.7		6.32		82.2		4.52			7.4				
			Middle	8.5	18.5	30.4	30.4	6.21	6.24	80.7	81.1	4.88	4.88		4.88	4.88		7.8	7.8
						30.4		6.27		81.5		4.87			7.8				
			Bottom	16.0	18.1	31.4	31.5	6.09	6.07	79.2	78.9	5.04	5.05		5.05	5.05		8.0	8.0
						31.5		6.04		78.5		5.06			8.0				
08/03/12	1906-1917	17/Drizzle	Surface	1.0	16.2	27.2	32.0	7.44	7.42	88.5	88.3	4.53	4.57	4.88	7.4	7.5	7.8		
						27.2		7.40		88.0		4.60			7.6				
			Middle	8.7	16.0	27.1	27.1	7.71	7.69	92.5	92.3	4.87	4.90		4.90	4.90		7.8	7.8
						27.1		7.67		92.0		4.92			7.8				
			Bottom	16.4	16.0	27.2	27.2	7.60	7.62	90.4	90.7	5.20	5.17		5.17	5.17		8.2	8.1
						27.2		7.64		90.9		5.14			8.0				
10/03/12	2030-2043	14/Cloudy	Surface	1.0	16.2	27.8	27.8	7.21	7.25	86.5	86.9	3.82	3.85	3.92	6.8	6.8	6.9		
						27.8		7.28		87.3		3.88			6.8				
			Middle	10.3	16.1	27.9	27.9	7.12	7.16	85.4	85.8	4.10	4.05		4.05	4.05		7.0	7.0
						27.8		7.19		86.2		3.99			7.0				
			Bottom	19.6	16.0	28.0	28.0	7.01	7.04	84.1	84.5	3.85	3.88		3.88	3.88		6.8	6.9
						27.9		7.07		84.8		3.90			7.0				
13/03/12	1143-1200	15/Cloudy	Surface	1.0	16.1	27.3	27.3	7.69	7.71	91.5	91.7	4.02	4.06	4.19	7.0	7.0	7.1		
						27.3		7.72		91.9		4.10			7.0				
			Middle	8.4	16.0	27.3	27.3	7.62	7.63	90.7	90.8	4.23	4.20		4.20	4.20		7.2	7.2
						27.3		7.64		90.9		4.16			7.2				
			Bottom	15.8	16.0	27.3	27.4	7.45	7.43	88.7	88.4	4.34	4.31		4.31	4.31		7.2	7.1
						27.4		7.40		88.1		4.28			7.0				
15/03/12	1319-1332	17/Cloudy	Surface	1.0	16.2	27.4	27.5	7.98	7.96	94.9	94.7	3.74	3.76	3.80	5.6	5.6	5.7		
						27.5		7.94		94.5		3.77			5.6				
			Middle	10.2	16.1	27.4	27.4	7.91	7.88	94.2	93.8	3.79	3.80		3.80	3.80		5.6	5.7
						27.3		7.84		93.3		3.81			5.8				
			Bottom	19.4	16.1	27.4	27.4	7.81	7.81	92.9	92.9	3.85	3.86		3.86	3.86		5.8	5.9
						27.3		7.80		92.8		3.86			6.0				
17/03/12	1551-1602	18/Cloudy	Surface	1.0	16.9	27.5	27.5	7.59	7.58	91.3	91.2	3.30	3.32	3.64	5.2	5.2	5.6		
						27.5		7.56		91.0		3.34			5.2				
			Middle	8.3	16.4	27.7	27.7	7.27	7.29	87.3	87.5	3.76	3.74		3.74	3.74		5.6	5.6
						27.7		7.30		87.7		3.71			5.6				
			Bottom	15.6	16.4	27.8	27.8	7.50	7.52	90.2	90.5	3.82	3.86		3.86	3.86		5.8	5.9
						27.8		7.54		90.7		3.90			6.0				
20/03/12	1838-1853	23/Cloudy	Surface	1.0	17.4	27.6	27.6	7.48	7.49	91.2	91.4	3.41	3.45	3.55	5.4	5.4	5.5		
						27.6		7.50		91.5		3.48			5.4				
			Middle	10.0	17.5	27.7	27.8	7.34	7.33	89.5	89.4	3.57	3.59		3.59	3.59		5.6	5.6
						27.8		7.32		89.3		3.61			5.6				
			Bottom	19.0	17.5	27.8	27.8	7.28	7.26	88.8	88.6	3.59	3.61		3.61	3.61		5.6	5.6
						27.8		7.24		88.3		3.63			5.5				
22/03/12	1902-1916	23/Cloudy	Surface	1.0	17.4	27.7	27.8	7.42	7.41	90.5	90.4	3.45	3.47	3.60	5.4	5.4	5.5		
						27.8		7.40		90.2		3.49			5.4				
			Middle	9.9	17.4	27.8	27.8	7.33	7.31	89.4	89.2	3.62	3.63		3.63	3.63		5.6	5.6
						27.8		7.29		88.9		3.64			5.6				
			Bottom	18.8	17.3	27.9	27.9	7.25	7.24	88.4	88.2	3.67	3.69		3.69	3.69		5.6	5.6
						27.8		7.22		88.0		3.70			5.5				
24/03/12	2024-2039	18/Fine	Surface	1.0	17.6	27.6	27.6	7.76	7.75	95.0	94.8	3.71	3.67	4.09	5.6	5.6	5.7		
						27.5		7.73		94.6		3.63			5.6				
			Middle	10.4	17.7	27.5	27.5	7.77	7.79	95.1	95.3	4.73	4.76		4.76	4.76		5.6	5.7
						27.5		7.81		95.5		4.79			5.8				
			Bottom	19.8	17.7	27.5	27.6	7.87	7.89	96.4	96.6	3.86	3.84		3.84	3.84		5.8	5.9
						27.6		7.91		96.7		3.81			6.0				
27/03/12	1114-1129	18/Fine	Surface	1.0	18.3	27.3	27.3	7.67	7.66	94.8	94.7	3.33	3.31	3.56	6.2	6.2	6.4		
						27.3		7.65		94.5		3.28			6.2				
			Middle	8.4	18.2	27.4	27.4	7.59	7.61	94.0	94.2	3.54	3.58		3.58	3.58		6.4	6.5
						27.4		7.62		94.3		3.61			6.6				
			Bottom	15.8	18.1	27.4	27.5	7.58	7.60	93.7	93.9	3.77	3.81		3.81	3.81		6.6	6.6
						27.5		7.61		94.1		3.84			6.5				
29/03/12	1158-1212	20/Fine	Surface	1.0	17.8	27.6	27.6	7.74	7.76	94.4	94.6	3.84	3.88	3.99	5.8	5.8	5.9		
						27.6		7.77		94.8		3.91			5.8				
			Middle	8.4	17.7	27.8	27.8	7.69	7.68	93.8	93.7	3.96	3.99		3.99	3.99		5.8	5.9
						27.8		7.66		93.5		4.02			6.0				
			Bottom	15.8	17.6	27.8	27.8	7.43	7.45	90.6	90.8	4.14	4.12		4.12	4.12		6.2	6.1
						27.8		7.46		91.0		4.09			6.0				
31/03/12	1251-1302	20/Cloudy	Surface	1.0	17.8	27.9	27.9	7.66	7.65	94.9	94.8	3.74	3.72	3.95	5.6	5.6	5.9		
						27.9		7.64		94.7		3.70			5.6				
			Middle	8.7	17.7	28.3	28.3	7.60	7.62	94.2	94.5	4.11	4.07		4.07	4.07		6.2	6.1
						28.3		7.64		94.7		4.02			6.0				
			Bottom	16.4	17.6	28.3	28.4	7.44	7.42	92.2	92.0	4.02	4.06		4.06	4.06		6.0	6.0
						28.4		7.40		91.7		4.09			6.0				

Mid-Flood Tide

Monitoring Station : R5

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/03/12	1115-1130	16/Cloudy	Surface	1.0	16.8	30.0	30.0	6.08	6.12	76.6	77.1	4.56	4.60	4.82	7.5	7.6	7.8
				8.9	16.4	30.6		5.92		74.6		4.83			7.8		
			Middle	8.9	16.4	30.7	30.7	5.97	5.95	75.2	74.9	4.76	4.80		7.8	7.8	
						31.7		5.78		72.8		5.04			8.0		
			Bottom	16.8	16.0	31.6	31.7	5.73	5.76	72.2	72.5	5.09	5.07		8.0	8.0	
						30.2		6.09		75.5		4.62			7.5		
03/03/12	1042-1056	17/Cloudy	Surface	1.0	17.2	30.3	30.3	6.16	6.13	76.4	76.0	4.68	4.65	4.86	7.6	aa	7.8
				8.9	17.4	30.6		6.03		74.8		4.79			7.8		
			Middle	8.9	17.4	30.6	30.6	6.01	6.02	74.5	74.7	4.82	4.81		7.8	7.8	
						31.4		5.74		71.2		5.10			8.0		
			Bottom	16.8	17.9	31.3	31.4	5.75	5.75	71.3	71.3	5.12	5.11		8.0	8.0	
						29.7		6.32		82.2		4.72			7.5		
06/03/12	1608-1621	24/Cloudy	Surface	1.0	19.3	29.8	29.8	6.29	6.31	81.8	82.0	4.68	4.70	4.91	7.6	aa	7.8
				8.9	18.4	30.5		6.17		80.2		4.86			7.8		
			Middle	8.9	18.4	30.5	30.5	6.13	6.15	79.8	80.0	4.93	4.90		7.8	7.8	
						31.3		5.95		77.4		5.14			8.0		
			Bottom	16.8	18.1	31.4	31.4	5.97	5.96	77.6	77.5	5.13	5.14		8.0	8.0	
						27.1		7.43		88.4		5.01			8.0		
08/03/12	1707-1719	17/Drizzle	Surface	1.0	16.3	27.1	27.1	7.37	7.40	87.7	88.1	5.08	5.05	5.11	8.0	8.0	8.1
				8.8	16.1	27.2		7.49		89.1		5.10			8.0		
			Middle	8.8	16.1	27.2	27.2	7.46	7.48	88.7	88.9	5.05	5.08		8.0	8.0	
						27.2		7.58		90.2		5.17			8.2		
			Bottom	16.6	16.1	27.1	27.2	7.55	7.57	89.8	90.0	5.24	5.21		8.2	8.2	
						29.1		6.88		82.5		4.18			7.0		
10/03/12	1828-1845	14/Cloudy	Surface	1.0	16.3	29.1	29.1	6.83	6.86	81.9	82.2	4.23	4.21	4.37	7.2	7.1	7.3
				8.7	16.2	29.4		6.79		81.4		4.38			7.4		
			Middle	8.7	16.2	29.3	29.4	6.74	6.77	80.8	81.1	4.34	4.36		7.4	7.4	
						30.1		6.55		78.6		4.52			7.4		
			Bottom	16.4	16.0	30.1	30.1	6.50	6.53	78.0	78.3	4.57	4.55		7.6	7.5	
						27.5		7.47		89.6		4.68			7.5		
13/03/12	0945-1002	15/Cloudy	Surface	1.0	16.2	27.5	27.5	7.50	7.49	90.0	89.8	4.72	4.70	4.85	7.6	7.6	7.8
				8.8	16.0	27.4		7.34		88.1		4.86			7.8		
			Middle	8.8	16.0	27.5	27.5	7.39	7.37	88.7	88.4	4.80	4.83		7.8	7.8	
						27.4		7.18		86.2		5.03			8.0		
			Bottom	16.6	16.0	27.4	27.4	7.15	7.17	85.8	86.0	4.98	5.01		8.0	8.0	
						29.1		6.82		81.2		4.17			6.5		
15/03/12	1123-1135	17/Cloudy	Surface	1.0	16.1	29.1	29.1	6.84	6.83	81.4	81.3	4.19	4.18	4.27	6.4	6.5	6.5
				8.6	16.1	29.2		6.64		79.0		4.24			6.4		
			Middle	8.6	16.1	29.2	29.2	6.60	6.62	78.5	78.8	4.28	4.26		6.4	6.4	
						30.1		6.14		73.0		4.34			6.6		
			Bottom	16.2	16.0	30.1	30.1	6.16	6.15	73.3	73.2	4.37	4.36		6.6	6.6	
						27.6		7.49		90.1		3.50			5.5		
17/03/12	1352-1404	18/Cloudy	Surface	1.0	16.8	27.6	27.6	7.45	7.47	89.6	89.9	3.57	3.54	3.69	5.6	5.6	5.7
				8.9	16.6	27.7		7.21		86.7		3.94			5.8		
			Middle	8.9	16.6	27.7	27.7	7.18	7.20	86.3	86.5	3.88	3.91		5.8	5.8	
						27.8		7.30		87.8		3.60			5.6		
			Bottom	16.8	16.4	27.8	27.8	7.33	7.32	88.1	88.0	3.65	3.63		5.6	5.6	
						27.7		7.20		88.1		3.61			5.5		
20/03/12	1628-1643	23/Cloudy	Surface	1.0	17.5	27.7	27.8	7.22	7.21	88.0	87.9	3.65	3.63	3.87	5.6	5.6	5.9
				8.7	17.4	27.8		7.18		87.5		4.01			6.0		
			Middle	8.7	17.4	27.6	27.7	7.14	7.16	87.1	87.3	3.98	4.00		6.0	6.0	
						27.7		7.12		86.8		4.00			6.0		
			Bottom	16.4	17.4	27.6	27.7	7.10	7.11	86.6	86.7	3.94	3.97		6.0	6.0	
						27.8		7.26		88.5		3.58			5.5		
22/03/12	1657-1711	23/Cloudy	Surface	1.0	17.5	27.7	27.8	7.21	7.24	87.9	88.2	3.60	3.59	3.84	5.6	5.6	5.8
				8.8	17.5	27.9		7.17		87.4		3.89			5.8		
			Middle	8.8	17.5	27.8	27.9	7.19	7.18	87.7	87.6	3.96	3.93		5.8	5.8	
						27.9		7.11		86.7		3.99			6.0		
			Bottom	16.6	17.4	27.8	27.9	7.08	7.10	86.3	86.5	4.03	4.01		6.0	6.0	
						27.4		7.39		90.5		4.01			6.0		
24/03/12	1818-1832	18/Fine	Surface	1.0	17.8	27.5	27.5	7.36	7.38	90.1	90.3	3.99	4.00	4.22	6.0	6.0	6.4
				8.7	17.7	27.5		7.19		88.0		4.18			6.4		
			Middle	8.7	17.7	27.5	27.5	7.16	7.18	87.6	87.8	4.24	4.21		6.4	6.4	
						27.5		6.82		83.4		4.41			6.8		
			Bottom	16.3	17.7	27.6	27.6	6.79	6.81	83.1	83.3	4.49	4.45		6.8	6.8	
						27.5		7.64		96.4		3.62			6.5		
27/03/12	0901-0915	18/Fine	Surface	1.0	17.9	27.4	27.5	7.66	7.65	96.7	96.6	3.57	3.60	3.67	6.6	6.6	6.7
				9.0	17.9	27.4		7.38		91.7		3.72			6.8		
			Middle	9.0	17.9	27.5	27.5	7.33	7.36	90.6	91.2	3.78	3.75		6.8	6.8	
						27.4		7.64		94.4		3.70			6.8		
			Bottom	16.9	17.8	27.5	27.5	7.59	7.62	93.8	94.1	3.64	3.67		6.6	6.7	
						27.6		7.62		93.0		4.56			6.5		
29/03/12	0959-1017	20/Fine	Surface	1.0	17.8	27.6	27.6	7.65	7.64	93.3	93.2	4.62	4.59	4.76	6.6	6.6	6.7
				8.9	17.7	27.8		7.47		91.1		4.78			6.8		
			Middle	8.9	17.7	27.7	27.8	7.53	7.50	91.9	91.5	4.70	4.74		6.6	6.7	
						27.8		7.26		88.6		4.98			7.0		
			Bottom	16.8	17.6	27.8	27.8	7.23	7.25	88.2	88.4	4.91	4.95		6.8	6.9	
						27.9		7.44		92.2		3.92			6.0		
31/03/12	1052-1104	20/Cloudy	Surface	1.0	17.8	27.9	27.9	7.40	7.42	91.7	92.0	4.01	3.97	4.06	6.0	aa	6.1
				8.7	17.6	28.1		7.37		91.3		4.21			6.2		
			Middle	8.7	17.6	28.2	28.2	7.39	7.38	91.6	91.5	4.17	4.19		6.2	6.2	
						28.4		7.54		93.4		3.99			6.0		
			Bottom	16.4	17.6	28.4	28.4	7.50	7.52	92.9	93.2	4.05	4.02		6.0	6.0	
						27.9		7.40		91.7		4.01			6.0		

Mid-Flood Tide

Monitoring Station : R6

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/03/12	1213-1228	16/Cloudy	Surface	1.0	16.8	30.0	30.0	6.23	6.26	77.9	78.3	4.38	4.36	4.49	7.4	7.3	7.4
						30.0		6.29		78.6		4.33			7.2		
			Middle	8.6	16.4	30.7	30.7	6.04	6.08	75.5	76.0	4.54	4.50		7.4		
						30.7		6.11		76.4		4.45			7.4		
			Bottom	16.2	16.0	31.6	31.6	5.82	5.86	72.8	73.2	4.63	4.61		7.6		
						31.6		5.89		73.6		4.59			7.6		
03/03/12	1142-1158	17/Cloudy	Surface	1.0	17.2	30.2	30.2	6.26	6.28	77.6	77.8	4.82	4.84	4.79	7.8	7.8	7.7
						30.1		6.29		77.9		4.85			7.8		
			Middle	8.4	17.3	30.5	30.5	6.12	6.13	75.9	76.0	4.56	4.60		7.6		
						30.5		6.13		76.0		4.64			7.6		
			Bottom	15.8	17.6	31.3	31.3	5.96	5.94	73.9	73.6	4.95	4.93		7.8		
						31.3		5.91		73.3		4.90			7.8		
06/03/12	1704-1716	24/Cloudy	Surface	1.0	19.4	29.7	29.7	6.55	6.53	85.2	84.9	4.36	4.37	4.60	7.4	7.4	7.6
						29.7		6.50		84.5		4.37			7.4		
			Middle	8.4	18.3	30.6	30.7	6.23	6.21	80.9	80.7	4.61	4.58		7.6		
						30.7		6.19		80.5		4.54			7.4		
			Bottom	15.8	18.3	31.3	31.4	6.12	6.10	79.6	79.3	4.83	4.85		7.8		
						31.4		6.08		79.0		4.87			7.8		
08/03/12	1805-1817	17/Drizzle	Surface	1.0	16.3	27.1	27.1	7.60	7.62	91.1	91.4	4.87	4.85	5.00	7.8	7.8	7.9
						27.1		7.64		91.6		4.82			7.8		
			Middle	8.6	16.1	27.2	27.3	7.72	7.71	92.6	92.4	4.94	4.96		7.8		
						27.3		7.69		92.2		4.98			7.8		
			Bottom	16.2	16.0	27.2	27.2	7.67	7.66	92.0	91.8	5.22	5.20		8.2		
						27.1		7.64		91.6		5.17			8.2		
10/03/12	1929-1945	14/Cloudy	Surface	1.0	16.3	29.1	29.2	6.79	6.82	81.4	81.7	3.84	3.87	4.07	6.8	6.8	7.0
						29.2		6.84		82.0		3.89			6.8		
			Middle	8.5	16.2	29.3	29.4	6.52	6.54	78.2	78.4	4.21	4.14		7.2		
						29.4		6.55		78.6		4.06			7.0		
			Bottom	16.0	16.0	29.9	29.9	6.38	6.40	75.9	76.1	4.18	4.22		7.2		
						29.9		6.42		76.3		4.26			7.2		
13/03/12	1042-1057	15/Cloudy	Surface	1.0	16.2	27.4	27.4	7.67	7.64	91.3	91.0	4.45	4.48	4.63	7.4	7.4	7.6
						27.3		7.61		90.6		4.50			7.4		
			Middle	8.3	16.0	27.4	27.4	7.51	7.53	89.4	89.6	4.68	4.65		7.6		
						27.4		7.54		89.7		4.61			7.6		
			Bottom	15.6	16.0	27.4	27.4	7.34	7.31	87.3	87.0	4.75	4.77		7.8		
						27.4		7.28		86.6		4.79			7.8		
15/03/12	1221-1233	17/Cloudy	Surface	1.0	16.2	29.1	29.2	6.46	6.46	76.9	76.9	3.87	3.89	4.15	5.8	5.9	6.3
						29.2		6.45		76.8		3.91			6.0		
			Middle	7.4	16.1	29.5	29.6	6.29	6.31	74.9	75.1	4.23	4.26		6.4		
						29.6		6.32		75.2		4.28			6.4		
			Bottom	13.8	16.1	30.0	30.0	6.20	6.19	73.8	73.7	4.32	4.32		6.6		
						30.0		6.18		73.5		4.31			6.6		
17/03/12	1450-1502	18/Cloudy	Surface	1.0	16.9	27.6	27.6	7.42	7.40	89.3	89.1	3.60	3.62	3.68	5.6	5.6	5.7
						27.6		7.38		88.8		3.63			5.6		
			Middle	8.4	16.5	27.8	27.8	7.28	7.26	87.5	87.3	3.56	3.54		5.4		
						27.8		7.24		87.0		3.51			5.4		
			Bottom	15.8	16.5	27.9	27.9	7.26	7.25	87.3	87.2	3.90	3.90		5.8		
						27.9		7.24		87.0		3.90			6.0		
20/03/12	1734-1748	23/Cloudy	Surface	1.0	17.5	27.6	27.7	7.49	7.51	91.3	91.5	3.82	3.80	3.87	5.8	5.8	5.9
						27.7		7.52		91.7		3.78			5.8		
			Middle	8.4	17.5	27.9	27.9	7.38	7.36	90.0	89.8	3.83	3.85		5.8		
						27.8		7.34		89.5		3.86			5.8		
			Bottom	15.8	17.6	27.9	28.0	7.27	7.26	88.6	88.5	3.99	3.97		6.0		
						28.0		7.25		88.4		3.94			6.0		
22/03/12	1759-1814	23/Cloudy	Surface	1.0	17.6	27.8	27.9	7.48	7.46	91.2	90.9	3.77	3.78	3.87	5.8	5.8	5.9
						27.9		7.43		90.6		3.79			5.8		
			Middle	8.4	17.5	27.9	28.0	7.41	7.40	90.4	90.2	3.87	3.86		5.8		
						28.0		7.38		90.0		3.84			5.8		
			Bottom	15.8	17.5	28.0	28.1	7.22	7.23	88.0	88.2	3.96	3.99		6.0		
						28.1		7.24		88.3		4.01			6.0		
24/03/12	1917-1933	18/Fine	Surface	1.0	17.7	27.4	27.5	7.01	6.99	85.8	85.5	4.39	4.42	4.43	6.8	6.8	6.8
						27.5		6.96		85.2		4.44			6.8		
			Middle	8.6	17.7	27.5	27.5	6.82	6.85	83.5	83.9	4.36	4.38		6.8		
						27.4		6.88		84.2		4.40			6.8		
			Bottom	16.1	17.7	27.5	27.5	6.74	6.72	82.5	82.2	4.46	4.48		6.8		
						27.5		6.69		81.8		4.50			7.0		
27/03/12	1001-1017	18/Fine	Surface	1.0	18.1	27.3	27.4	7.52	7.50	93.0	92.7	3.62	3.65	3.73	6.6	6.6	6.7
						27.4		7.47		92.4		3.67			6.6		
			Middle	8.3	17.9	27.3	27.4	7.59	7.61	93.8	94.0	3.72	3.68		6.6		
						27.4		7.62		94.2		3.64			6.6		
			Bottom	15.5	17.9	27.4	27.5	7.63	7.65	94.4	95.3	3.84	3.87		6.8		
						27.5		7.66		96.1		3.90			6.8		
29/03/12	1059-1114	20/Fine	Surface	1.0	17.7	27.7	27.7	7.82	7.85	95.4	95.7	4.45	4.43	4.56	6.4	6.4	6.5
						27.7		7.87		96.0		4.40			6.4		
			Middle	8.4	17.7	27.7	27.8	7.71	7.69	94.1	93.9	4.59	4.55		6.6		
						27.8		7.67		93.6		4.51			6.4		
			Bottom	15.8	17.7	27.7	27.7	7.45	7.47	90.9	91.2	4.73	4.69		6.6		
						27.7		7.49		91.4		4.65			6.6		
31/03/12	1150-1202	20/Cloudy	Surface	1.0	17.8	27.8	27.8	7.39	7.38	91.6	91.4	4.11	4.14	4.00	6.2	6.3	6.0
						27.8		7.36		91.2		4.17			6.4		
			Middle	8.6	17.7	28.3	28.3	7.27	7.26	90.1	90.0	3.87	3.91		5.8		
						28.2		7.25		89.8		3.94			6.0		
			Bottom	16.2	17.6	28.4	28.4	7.29	7.28	90.2	90.0	3.91	3.95		5.8		
						28.4		7.26		89.8		3.98			6.0		

Mid-Flood Tide

Monitoring Station : R7

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/03/12	1231-1247	16/Cloudy	Surface	1.0	16.7	30.0	30.0	6.17	6.19	77.1	77.3	4.42	4.46	4.68	7.4	7.4	7.6
						29.9		6.20		77.5		4.49			7.4		
			Middle	9.5	16.3	30.6	30.7	6.02	6.05	75.3	75.7	4.68	4.65		7.6		
30.7	6.08	76.0				4.61		7.6									
Bottom	18.0	15.9	31.7	31.7	5.79	5.78	72.4	72.2	4.92	4.95	7.8	7.8					
			31.7		5.76		72.0		4.97		7.8						
03/03/12	1201-1215	17/Cloudy	Surface	1.0	17.3	30.2	30.2	6.14	6.11	76.1	75.8	4.93	4.92	5.05	7.8	7.8	8.0
						30.2		6.08		75.4		4.91			7.8		
			Middle	9.0	17.5	30.6	30.6	6.05	6.04	75.0	74.8	5.11	5.08		8.0		
30.6	6.02	74.6				5.05		8.0									
Bottom	17.0	17.6	31.4	31.5	5.99	5.96	74.3	73.9	5.14	5.16	8.0	8.1					
			31.5		5.92		73.4		5.17		8.2						
06/03/12	1719-1732	24/Cloudy	Surface	1.0	19.4	29.6	29.7	6.26	6.27	81.4	81.5	4.52	4.48	4.75	7.4	7.4	7.7
						29.7		6.27		81.5		4.44			7.4		
			Middle	9.1	18.5	30.7	30.7	6.14	6.13	79.8	79.6	4.83	4.82		7.8		
30.7	6.11	79.4				4.80		7.8									
Bottom	17.2	18.2	31.3	31.3	5.84	5.88	75.9	76.4	4.92	4.94	7.8	7.8					
			31.3		5.91		76.8		4.96		7.8						
08/03/12	1820-1832	17/Drizzle	Surface	1.0	16.3	27.1	27.1	7.55	7.53	89.8	89.6	4.52	4.49	4.77	7.4	7.4	7.7
						27.1		7.51		89.3		4.45			7.4		
			Middle	8.7	16.1	27.2	27.3	7.59	7.61	90.3	90.5	4.80	4.85		7.8		
27.3	7.63	90.7				4.90		7.8									
Bottom	17.4	16.0	27.1	27.2	7.62	7.61	90.6	90.5	4.94	4.97	7.8	7.9					
			27.2		7.59		90.3		4.99		8.0						
10/03/12	1950-2005	14/Cloudy	Surface	1.0	16.3	29.3	29.4	6.53	6.57	78.3	78.8	3.94	3.97	4.22	6.8	6.9	7.2
						29.4		6.60		79.2		4.00			7.0		
			Middle	9.3	16.1	30.0	30.0	6.40	6.38	76.8	76.6	4.24	4.27		7.2		
29.9	6.36	76.3				4.30		7.2									
Bottom	17.6	16.0	30.2	30.3	6.11	6.14	73.3	73.7	4.38	4.41	7.4	7.4					
			30.3		6.17		74.0		4.44		7.4						
13/03/12	1059-1117	15/Cloudy	Surface	1.0	16.2	27.4	27.5	7.56	7.59	90.0	90.4	4.63	4.60	4.79	7.6	7.6	7.8
						27.5		7.62		90.7		4.57			7.6		
			Middle	9.4	15.9	27.5	27.5	7.44	7.41	88.5	88.1	4.76	4.79		7.8		
27.4	7.37	87.7				4.81		7.8									
Bottom	17.8	15.9	27.5	27.5	7.19	7.21	85.6	85.8	5.03	4.99	8.0	8.0					
			27.5		7.22		85.9		4.94		8.0						
15/03/12	1236-1250	17/Cloudy	Surface	1.0	16.2	29.2	29.2	6.59	6.61	78.4	78.6	4.07	4.05	4.36	6.0	6.0	6.5
						29.2		6.62		78.8		4.03			6.0		
			Middle	9.0	16.1	29.4	29.4	6.50	6.53	77.4	77.8	4.39	4.40		6.6		
29.3	6.56	78.1				4.41		6.6									
Bottom	17.0	16.1	29.9	30.0	6.14	6.17	73.7	73.7	4.60	4.63	6.8	6.9					
			30.0		6.19		73.7		4.65		7.0						
17/03/12	1505-1517	18/Cloudy	Surface	1.0	16.9	27.6	27.6	7.33	7.35	88.1	88.4	3.47	3.44	3.67	5.4	5.4	5.6
						27.6		7.37		88.6		3.41			5.4		
			Middle	9.3	16.5	27.8	27.8	7.21	7.19	86.7	86.5	3.62	3.66		5.6		
27.8	7.17	86.2				3.70		5.6									
Bottom	17.6	16.6	27.8	27.9	7.17	7.20	86.2	86.5	3.88	3.92	5.8	5.8					
			27.9		7.22		86.8		3.95		5.8						
20/03/12	1754-1808	23/Cloudy	Surface	1.0	17.4	27.8	27.8	7.33	7.35	89.4	89.6	3.56	3.55	3.63	5.6	5.5	5.6
						27.8		7.36		89.7		3.54			5.4		
			Middle	9.1	17.6	27.9	27.9	7.22	7.23	88.0	88.2	3.63	3.65		5.6		
27.8	7.24	88.3				3.66		5.6									
Bottom	17.2	17.6	28.1	28.2	7.18	7.17	87.5	87.4	3.65	3.68	5.6	5.6					
			28.2		7.16		87.3		3.71		5.6						
22/03/12	1819-1833	23/Cloudy	Surface	1.0	17.4	27.9	27.9	7.31	7.30	89.1	89.0	3.61	3.63	3.71	5.6	5.6	5.7
						27.9		7.29		88.9		3.64			5.6		
			Middle	9.0	17.4	28.0	28.0	7.25	7.24	88.4	88.2	3.70	3.72		5.6		
27.9	7.22	88.0				3.74		5.6									
Bottom	17.0	17.4	28.2	28.2	7.14	7.17	87.1	87.4	3.78	3.79	5.8	5.8					
			28.1		7.19		87.7		3.80		5.8						
24/03/12	1938-1955	18/Fine	Surface	1.0	17.8	27.5	27.5	7.16	7.14	87.6	87.4	4.24	4.27	4.37	6.4	6.4	6.7
						27.5		7.12		87.1		4.29			6.4		
			Middle	9.2	17.8	27.4	27.5	7.07	7.05	86.6	86.4	4.40	4.38		6.8		
27.5	7.03	86.1				4.36		6.8									
Bottom	17.3	17.7	27.6	27.6	6.77	6.74	82.8	82.4	4.49	4.45	6.8	6.8					
			27.5		6.70		82.0		4.41		6.8						
27/03/12	1026-1035	18/Fine	Surface	1.0	18.2	27.3	27.4	7.61	7.60	94.1	93.9	3.59	3.61	3.82	6.6	6.6	6.9
						27.4		7.58		93.7		3.63			6.6		
			Middle	9.0	18.1	27.4	27.4	7.47	7.50	92.4	92.8	3.68	3.71		6.6		
27.4	7.52	93.1				3.74		6.6									
Bottom	17.0	17.9	27.5	27.5	7.54	7.52	95.2	94.9	4.12	4.15	7.4	7.4					
			27.5		7.49		94.5		4.17		7.4						
29/03/12	1116-1134	20/Fine	Surface	1.0	17.8	27.6	27.6	7.78	7.81	94.9	95.3	4.43	4.47	4.64	6.4	6.4	6.6
						27.6		7.84		95.6		4.51			6.4		
			Middle	9.5	17.6	27.7	27.7	7.59	7.62	92.6	92.9	4.63	4.65		6.6		
27.7	7.64	93.2				4.67		6.6									
Bottom	17.9	17.6	27.7	27.8	7.37	7.34	89.9	89.6	4.77	4.80	6.8	6.8					
			27.8		7.31		89.2		4.83		6.8						
31/03/12	1205-1217	20/Cloudy	Surface	1.0	17.8	27.8	27.8	7.50	7.53	92.9	93.2	4.07	4.04	4.06	6.0	6.0	6.0
						27.8		7.55		93.5		4.01			6.0		
			Middle	9.2	17.7	28.3	28.3	7.44	7.42	92.2	92.0	4.12	4.09		6.2		
28.3	7.40	91.7				4.06		6.0									
Bottom	17.4	17.6	28.4	28.4	7.38	7.41	91.5	91.8	4.06	4.04	6.0	6.0					
			28.4		7.43		92.1		4.01		6.0						

Mid-Flood Tide

Monitoring Station : R8a

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/03/12	1250-1306	16/Cloudy	Surface	1.0	16.7	29.8	29.8	6.24	6.26	78.0	78.3	4.27	4.31	4.48	7.2	7.1	7.4	
						29.8		6.28		78.5		4.35			7.0			
			Middle	7.0	16.5	30.5	30.5	6.19	6.18	77.4	77.2	4.41	4.44		4.43			7.5
						30.5		6.16		77.0		4.44			7.4			
			Bottom	13.0	16.1	31.4	31.4	5.89	5.92	73.6	74.0	4.73	4.67		4.70			7.6
						31.4		5.94		74.3		4.67			7.6			
03/03/12	1228-1242	17/Cloudy	Surface	1.0	17.4	30.1	30.2	6.11	6.14	75.8	76.1	4.61	4.65	4.89	7.6	7.6	7.8	
						30.2		6.16		76.4		4.68			7.5			
			Middle	6.7	17.4	30.4	30.5	6.23	6.24	77.3	77.4	4.82	4.90		4.86			7.5
						30.5		6.24		77.4		4.90			7.8			
			Bottom	12.4	17.8	31.2	31.3	6.04	6.06	74.9	75.2	5.11	5.24		5.18			8.0
						31.3		6.08		75.4		5.11			8.1			
06/03/12	1737-1749	25/Cloudy	Surface	1.0	19.4	29.7	29.8	6.40	6.39	83.2	83.1	4.67	4.64	4.92	7.6	7.6	7.9	
						29.8		6.38		82.9		4.61			7.5			
			Middle	6.7	18.4	30.5	30.6	6.16	6.15	80.0	79.9	4.94	4.99		4.97			8.0
						30.6		6.14		79.8		4.99			7.8			
			Bottom	12.4	18.1	31.5	31.6	5.96	5.95	74.5	74.4	5.16	5.14		5.15			8.2
						31.6		5.94		74.3		5.14			8.2			
08/03/12	1839-1851	17/Drizzle	Surface	1.0	16.2	27.2	27.2	7.39	7.37	87.9	87.7	4.74	4.71	4.96	7.6	7.6	7.9	
						27.1		7.35		87.4		4.67			7.5			
			Middle	6.7	16.0	27.0	27.1	7.60	7.62	90.4	90.6	5.07	5.01		5.04			8.0
						27.1		7.63		90.7		5.01			8.0			
			Bottom	12.4	15.9	27.2	27.2	7.51	7.50	89.3	89.2	5.16	5.11		5.14			8.2
						27.1		7.48		89.0		5.11			8.0			
10/03/12	2012-2025	14/Cloudy	Surface	1.0	16.3	28.3	28.4	6.84	6.89	82.1	82.6	4.05	4.07	4.26	7.0	7.0	7.2	
						28.4		6.93		83.1		4.09			7.0			
			Middle	6.9	16.2	28.7	28.8	6.99	7.01	83.8	84.0	4.18	4.22		4.20			7.0
						28.8		7.02		84.2		4.22			7.1			
			Bottom	12.8	16.1	29.3	29.3	7.07	7.09	84.8	85.0	4.48	4.53		4.51			7.4
						29.2		7.10		85.2		4.53			7.4			
13/03/12	1120-1136	15/Cloudy	Surface	1.0	16.2	27.4	27.4	7.66	7.68	91.2	91.4	4.38	4.36	4.48	7.4	7.2	7.4	
						27.4		7.70		91.6		4.33			7.0			
			Middle	6.8	16.0	27.4	27.4	7.57	7.59	90.1	90.4	4.45	4.49		4.47			7.5
						27.3		7.61		90.6		4.49			7.4			
			Bottom	12.6	16.0	27.4	27.4	7.39	7.56	87.9	88.1	4.56	4.64		4.60			7.6
						27.4		7.72		88.3		4.64			7.6			
15/03/12	1301-1315	17/Cloudy	Surface	1.0	16.2	28.9	28.9	6.95	6.93	82.7	82.5	3.96	3.95	4.02	6.0	6.0	6.1	
						28.9		6.91		82.2		3.94			6.0			
			Middle	7.0	16.1	28.8	28.9	6.97	7.00	82.9	83.3	3.99	4.01		4.00			6.0
						28.9		7.03		83.7		4.01			6.0			
			Bottom	13.0	16.1	29.4	29.4	6.79	6.77	80.8	80.5	4.11	4.13		4.12			6.2
						29.3		6.74		80.2		4.13			6.2			
17/03/12	1524-1536	18/Cloudy	Surface	1.0	16.8	27.5	27.5	7.68	7.66	92.4	92.2	3.43	3.48	3.81	5.4	5.5	5.8	
						27.5		7.64		91.9		3.52			5.5			
			Middle	6.9	16.5	27.8	27.8	7.43	7.42	89.4	89.2	4.02	4.07		4.05			6.0
						27.8		7.40		89.0		4.07			6.0			
			Bottom	12.8	16.4	27.8	27.8	7.37	7.36	88.5	88.3	3.94	3.90		3.92			5.8
						27.8		7.35		88.1		3.90			5.8			
20/03/12	1816-1830	23/Cloudy	Surface	1.0	17.5	27.9	27.9	7.47	7.45	91.1	90.8	3.53	3.53	3.67	5.4	5.5	5.6	
						27.8		7.42		90.5		3.52			5.5			
			Middle	6.9	17.5	27.9	27.9	7.36	7.35	89.7	89.6	3.66	3.69		3.68			5.5
						27.9		7.33		89.4		3.69			5.6			
			Bottom	12.8	17.6	28.1	28.1	7.29	7.28	88.9	88.7	3.79	3.84		3.82			5.8
						28.0		7.26		88.5		3.84			5.8			
22/03/12	1840-1855	23/Cloudy	Surface	1.0	17.4	27.8	27.9	7.44	7.43	90.7	90.6	3.60	3.59	3.72	5.6	5.6	5.8	
						27.9		7.41		90.4		3.58			5.5			
			Middle	6.8	17.5	27.9	28.0	7.34	7.36	89.5	89.8	3.71	3.73		3.72			6.0
						28.0		7.38		90.0		3.73			5.8			
			Bottom	12.6	17.5	28.0	28.0	7.31	7.29	89.1	88.9	3.86	3.81		3.84			5.8
						28.0		7.27		88.6		3.81			5.8			
24/03/12	2001-2017	18/Fine	Surface	1.0	17.7	27.4	27.5	7.01	6.99	85.8	85.5	4.30	4.27	4.46	6.6	6.6	7.0	
						27.5		6.96		85.2		4.23			6.5			
			Middle	7.1	17.7	27.5	27.5	6.72	6.75	82.3	82.6	4.41	4.37		4.39			7.0
						27.4		6.77		82.9		4.37			6.8			
			Bottom	13.2	17.6	27.5	27.6	6.53	6.56	80.0	80.4	4.70	4.72		4.71			7.4
						27.6		6.59		80.7		4.72			7.4			
27/03/12	1047-1101	18/Fine	Surface	1.0	18.3	27.3	27.3	7.64	7.61	94.5	94.1	3.70	3.67	3.88	6.6	6.6	6.5	
						27.3		7.58		93.7		3.64			6.5			
			Middle	6.5	18.2	27.3	27.3	7.53	7.51	95.0	94.7	3.81	3.94		3.88			6.5
						27.3		7.49		94.4		3.94			6.8			
			Bottom	12.0	18.1	27.4	27.4	7.44	7.47	92.0	92.3	4.12	4.08		4.10			6.2
						27.4		7.49		92.6		4.08			6.2			
29/03/12	1137-1152	20/Fine	Surface	1.0	17.8	27.7	27.7	7.91	7.89	96.5	96.3	4.32	4.35	4.49	6.2	6.1	6.4	
						27.6		7.87		96.0		4.38			6.0			
			Middle	7.0	17.8	27.6	27.6	7.76	7.79	94.7	95.0	4.52	4.46		4.49			6.5
						27.6		7.81		95.3		4.46			6.4			
			Bottom	13.0	17.7	27.6	27.7	7.60	7.59	92.7	92.6	4.64	4.60		4.62			6.6
						27.7		7.58		92.5		4.60			6.6			
31/03/12	1224-1236	20/Cloudy	Surface	1.0	17.8	27.8	27.8	7.54	7.52	93.4	93.2	3.69	3.65	3.82	5.6	5.6	5.8	
						27.8		7.50		92.9		3.61			5.5			
			Middle	6.8	17.6	28.2	28.2	7.39	7.38	91.4	91.3	3.82	3.74		3.78			6.0
						28.2		7.36		91.1		3.74			5.8			
			Bottom	12.6	17.6	28.4	28.4	7.36	7.34	91.1	90.9	4.06	4.01		4.04			6.0
						28.4		7.32		90.6		4.01			6.0			

Mid-Flood Tide

Monitoring Station : R15

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average			
01/03/12	1008-1022	16/Cloudy	Surface	1.0	16.7	29.8	29.8	6.18	6.16	77.9	77.6	4.46	4.48	4.63	7.4	7.4	7.6			
						29.8		6.13		77.2		4.49			7.4					
			Middle	6.1	16.5	30.5	30.6	5.96	5.99	75.1	75.4	4.53	4.57		4.60			4.60	7.4	7.5
						30.6		6.01		75.7		4.60			7.6					
			Bottom	11.2	16.1	31.3	31.4	5.75	5.73	72.5	72.2	4.88	4.86		4.84			4.86	7.8	7.8
						31.4		5.71		71.9		4.84			7.8					
03/03/12	0942-0955	17/Cloudy	Surface	1.0	17.4	30.2	30.3	6.30	6.28	78.1	77.8	5.21	5.18	5.12	8.2	8.2	8.1			
						30.3		6.25		77.5		5.15			8.2					
			Middle	5.9	17.4	30.6	30.7	6.21	6.19	77.0	76.8	5.06	5.04		5.01			5.04	8.0	8.0
						30.7		6.17		76.5		5.01			8.0					
			Bottom	10.8	17.6	31.2	31.3	5.97	5.98	74.3	74.3	5.16	5.15		5.14			5.15	8.2	8.1
						31.3		5.98		74.2		5.14			8.0					
06/03/12	1459-1514	24/Cloudy	Surface	1.0	19.3	29.4	29.5	6.20	6.20	80.6	80.6	4.36	4.38	4.65	7.4	7.4	7.6			
						29.5		6.19		80.5		4.39			7.4					
			Middle	6.0	18.5	30.6	30.6	6.03	6.06	78.4	78.7	4.64	4.63		4.61			4.63	7.6	7.6
						30.5		6.08		79.0		4.61			7.6					
			Bottom	6.0	18.3	31.5	31.5	5.74	5.79	74.6	75.3	4.96	4.96		4.95			4.96	7.8	7.8
						31.4		5.84		75.9		4.95			7.8					
08/03/12	1559-1610	17/Drizzle	Surface	1.0	16.4	27.1	27.1	7.55	7.53	89.8	89.6	4.33	4.35	4.72	7.2	7.3	7.6			
						27.0		7.51		89.3		4.37			7.4					
			Middle	6.2	16.1	27.1	27.1	7.67	7.66	92.0	91.8	4.87	4.86		4.84			4.86	7.8	7.8
						27.0		7.64		91.6		4.84			7.8					
			Bottom	11.4	16.1	27.1	27.2	7.60	7.62	91.1	91.3	4.98	4.95		4.92			4.95	7.8	7.8
						27.2		7.63		91.4		4.92			7.8					
10/03/12	1722-1736	15/Cloudy	Surface	1.0	16.3	29.1	29.2	6.74	6.76	80.8	81.0	4.04	4.08	4.31	7.0	7.0	7.3			
						29.2		6.77		81.2		4.11			7.0					
			Middle	6.1	16.3	29.3	29.3	6.58	6.60	78.9	79.2	4.25	4.28		4.30			4.28	7.2	7.2
						29.3		6.62		79.4		4.30			7.2					
			Bottom	11.2	16.1	30.0	30.0	6.24	6.26	74.8	75.0	4.56	4.59		4.61			4.59	7.6	7.6
						29.9		6.27		75.2		4.61			7.6					
13/03/12	0837-0852	15/Cloudy	Surface	1.0	16.1	27.3	27.3	7.64	7.62	91.7	91.4	4.47	4.49	4.65	7.4	7.4	7.6			
						27.3		7.59		91.1		4.51			7.4					
			Middle	5.9	15.9	27.4	27.4	7.52	7.54	90.2	90.4	4.64	4.66		4.68			4.66	7.6	7.6
						27.3		7.55		90.6		4.68			7.6					
			Bottom	10.8	16.0	27.5	27.5	7.39	7.36	88.7	88.4	4.78	4.81		4.84			4.81	7.8	7.8
						27.4		7.33		88.0		4.84			7.8					
15/03/12	1018-1031	17/Cloudy	Surface	1.0	16.1	29.2	29.3	6.54	6.59	77.8	78.4	3.96	3.95	4.25	6.0	5.9	6.4			
						29.3		6.63		78.9		3.94			5.8					
			Middle	6.2	16.1	29.3	29.3	6.50	6.48	77.4	77.1	4.27	4.26		4.25			4.26	6.4	6.4
						29.3		6.45		76.8		4.25			6.4					
			Bottom	11.4	16.1	29.8	29.9	6.32	6.33	75.2	75.3	4.51	4.53		4.55			4.53	6.8	6.8
						29.9		6.33		75.3		4.55			6.8					
17/03/12	1234-1245	18/Cloudy	Surface	1.0	16.8	27.4	27.4	7.19	7.17	86.4	86.2	3.67	3.70	3.81	5.6	5.6	5.7			
						27.4		7.15		86.0		3.72			5.6					
			Middle	6.1	16.6	27.8	27.8	7.11	7.10	85.5	85.3	3.70	3.73		3.76			3.73	5.8	5.7
						27.8		7.08		85.1		3.76			5.8					
			Bottom	11.2	16.5	27.8	27.8	7.30	7.32	87.8	88.0	3.99	4.02		4.04			4.02	5.8	5.9
						27.8		7.33		88.1		4.04			6.0					
20/03/12	1525-1537	23/Cloudy	Surface	1.0	17.4	27.7	27.8	7.48	7.47	91.2	91.1	3.73	3.72	3.82	5.6	5.6	5.8			
						27.8		7.46		91.0		3.71			5.6					
			Middle	6.2	17.3	27.8	27.8	7.36	7.34	89.7	89.5	3.87	3.88		3.89			3.88	5.8	5.8
						27.8		7.32		89.3		3.89			5.8					
			Bottom	11.4	17.4	27.9	27.9	7.33	7.31	89.4	89.2	3.90	3.87		3.84			3.87	6.0	5.9
						27.9		7.29		88.9		3.84			5.8					
22/03/12	1553-1606	23/Cloudy	Surface	1.0	17.5	27.6	27.7	7.50	7.47	91.5	91.1	3.72	3.75	3.84	5.6	5.7	5.8			
						27.7		7.44		90.7		3.78			5.8					
			Middle	6.2	17.4	27.8	27.9	7.41	7.38	90.4	90.0	3.83	3.82		3.80			3.82	5.8	5.8
						27.9		7.35		89.6		3.80			5.8					
			Bottom	11.4	17.4	27.9	27.9	7.28	7.27	88.8	88.7	3.93	3.97		4.00			3.97	6.0	6.0
						27.9		7.26		88.5		4.00			6.0					
24/03/12	1712-1726	18/Fine	Surface	1.0	17.7	27.6	27.6	6.90	6.93	84.4	84.8	4.20	4.23	4.33	6.4	6.4	6.6			
						27.5		6.95		85.1		4.26			6.4					
			Middle	6.2	17.7	27.5	27.5	6.83	6.86	83.6	84.0	4.18	4.20		4.22			4.20	6.4	6.4
						27.5		6.89		84.3		4.22			6.4					
			Bottom	11.4	17.7	27.5	27.6	6.73	6.70	82.3	82.0	4.55	4.57		4.59			4.57	7.0	7.0
						27.6		6.67		81.6		4.59			7.0					
27/03/12	0758-0811	18/Fine	Surface	1.0	18.0	27.3	27.3	7.54	7.53	95.2	95.1	3.71	3.75	3.91	6.6	6.7	6.8			
						27.3		7.51		94.9		3.78			6.8					
			Middle	5.8	17.9	27.4	27.4	7.67	7.65	94.8	94.6	4.07	4.04		4.00			4.04	7.0	7.0
						27.4		7.63		94.3		4.00			7.0					
			Bottom	10.5	17.9	27.4	27.5	7.60	7.58	94.0	94.7	3.92	3.94		3.96			3.94	6.8	6.8
						27.5		7.56		95.4		3.96			6.8					
29/03/12	0851-0905	20/Fine	Surface	1.0	17.7	27.7	27.7	7.57	7.54	93.1	92.8	4.46	4.50	4.67	6.4	6.4	6.6			
						27.7		7.51		92.4		4.53			6.4					
			Middle	5.9	17.7	27.6	27.7	7.44	7.43	91.5	91.4	4.64	4.68		4.71			4.68	6.6	6.6
						27.7		7.42		91.3		4.71			6.6					
			Bottom	10.8	17.8	27.7	27.7	7.27	7.24	89.4	89.1	4.80	4.83		4.86			4.83	6.8	6.8
						27.7		7.21		88.7		4.86			6.8					
31/03/12	0934-0945	20/Cloudy	Surface	1.0	17.7	27.9	27.9	7.29	7.31	90.3	90.6	3.27	3.30	3.44	5.2	5.2	5.4			
						27.9		7.33		90.8		3.32			5.2					
			Middle	6.2	17.6	28.3	28.3	7.40	7.42	91.7	92.0	3.36	3.39		3.41			3.39	5.4	5.4
						28.3		7.44		92.2		3.41			5.4					
			Bottom	11.4	17.5	28.2	28.3	7.31	7.29	90.6	90.4	3.62	3.64		3.66			3.64	5.6	5.6
						28.3		7.27		90.1		3.66			5.6					

Mid-Flood Tide

Monitoring Station : R16

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average			
01/03/12	0948-1003	16/Cloudy	Surface	1.0	16.6	29.8	29.9	6.31	6.34	78.9	79.2	4.34	4.31	4.48	7.2	7.2	7.4			
						29.9		6.36		79.5		4.28			7.2					
			Middle	6.9	16.5	30.5	30.5	6.20	6.24	77.5	78.0	4.47	4.45		4.47			4.45	7.4	7.4
						30.5		6.27		78.4		4.42			7.4					
			Bottom	12.8	16.1	31.4	31.4	5.99	6.02	74.9	75.2	4.65	4.69		4.65			4.69	7.6	7.6
						31.4		6.04		75.5		4.72			7.6					
03/03/12	0922-0935	17/Cloudy	Surface	1.0	17.3	30.2	30.2	6.21	6.18	77.0	76.7	4.96	4.93	4.87	7.8	7.8	7.8			
						30.2		6.15		76.3		4.90			7.8					
			Middle	6.7	17.5	30.7	30.7	6.10	6.12	75.6	75.9	4.76	4.74		4.76			4.74	7.7	7.7
						30.7		6.14		76.1		4.72			7.7					
			Bottom	12.4	17.7	31.3	31.3	5.74	5.75	71.2	71.3	4.91	4.93		4.91			4.93	7.8	7.8
						31.3		5.76		71.4		4.95			7.8					
06/03/12	1438-1450	24/Cloudy	Surface	1.0	19.4	29.5	29.6	6.36	6.35	82.7	82.6	4.48	4.47	4.78	7.4	7.4	7.7			
						29.6		6.34		82.4		4.45			7.4					
			Middle	6.7	18.6	30.5	30.5	6.19	6.17	80.5	80.2	4.80	4.81		4.80			4.81	7.8	7.8
						30.5		6.15		79.9		4.82			7.8					
			Bottom	12.4	18.2	31.3	31.4	5.93	5.98	77.1	77.7	5.09	5.06		5.09			5.06	8.0	8.0
						31.4		6.02		78.3		5.02			8.0					
08/03/12	1540-1551	17/Drizzle	Surface	1.0	16.4	27.1	27.2	7.44	7.46	89.2	89.4	4.50	4.55	4.72	7.4	7.5	7.6			
						27.2		7.47		89.6		4.59			7.6					
			Middle	6.7	16.2	27.0	27.0	7.39	7.37	87.9	87.7	4.92	4.89		4.92			4.89	7.8	7.8
						27.0		7.35		87.4		4.86			7.8					
			Bottom	12.4	16.1	27.0	27.1	7.56	7.61	90.9	91.2	4.74	4.71		4.74			4.71	7.6	7.6
						27.1		7.63		91.5		4.68			7.6					
10/03/12	1700-1715	15/Cloudy	Surface	1.0	16.4	28.9	28.9	6.88	6.91	82.5	82.9	3.78	3.81	4.02	6.6	6.7	6.9			
						28.9		6.94		83.2		3.83			6.8					
			Middle	6.7	16.3	29.5	29.6	6.70	6.68	80.4	80.1	3.99	4.02		3.99			4.02	6.9	6.9
						29.6		6.65		79.8		4.04			7.0					
			Bottom	12.4	16.1	30.2	30.2	6.30	6.33	75.6	76.0	4.27	4.25		4.27			4.25	7.2	7.2
						30.2		6.36		76.3		4.22			7.2					
13/03/12	0818-0832	15/Cloudy	Surface	1.0	16.0	27.4	27.4	7.86	7.87	93.5	93.7	4.20	4.24	4.37	7.2	7.2	7.3			
						27.3		7.88		93.8		4.27			7.2					
			Middle	6.6	15.9	27.4	27.4	7.87	7.85	93.7	93.4	4.39	4.35		4.39			4.35	7.4	7.4
						27.4		7.82		93.1		4.31			7.4					
			Bottom	12.2	16.0	27.4	27.5	7.63	7.66	90.8	91.1	4.57	4.54		4.57			4.54	7.6	7.6
						27.5		7.68		91.4		4.50			7.4					
15/03/12	0954-1010	17/Cloudy	Surface	1.0	16.2	29.1	29.1	6.52	6.54	77.6	77.8	4.01	4.03	4.22	6.0	6.1	6.3			
						29.1		6.55		77.9		4.05			6.2					
			Middle	6.8	16.0	29.5	29.5	6.12	6.16	72.8	73.3	4.16	4.15		4.16			4.15	6.2	6.2
						29.4		6.19		73.8		4.13			6.2					
			Bottom	12.6	16.1	29.9	30.0	6.10	6.11	72.6	72.7	4.47	4.49		4.47			4.49	6.6	6.6
						30.0		6.12		72.8		4.50			6.6					
17/03/12	1215-1226	18/Cloudy	Surface	1.0	16.8	27.4	27.4	7.24	7.22	87.0	86.7	3.94	3.92	3.60	5.8	5.8	5.5			
						27.4		7.19		86.4		3.90			5.8					
			Middle	6.7	16.6	27.6	27.6	7.19	7.21	86.4	86.6	3.21	3.24		3.21			3.24	5.2	5.2
						27.6		7.22		86.8		3.27			5.2					
			Bottom	12.4	16.5	27.7	27.7	7.08	7.10	85.1	85.3	3.60	3.64		3.60			3.64	5.6	5.6
						27.7		7.12		85.5		3.68			5.6					
20/03/12	1502-1517	23/Cloudy	Surface	1.0	17.5	27.6	27.7	7.32	7.30	89.3	89.1	3.68	3.69	3.83	5.6	5.6	5.8			
						27.7		7.28		88.8		3.70			5.6					
			Middle	6.6	17.5	27.7	27.7	7.37	7.38	89.9	90.0	3.81	3.83		3.81			3.83	5.8	5.8
						27.7		7.39		90.1		3.85			5.8					
			Bottom	12.2	17.5	27.9	27.9	7.24	7.25	88.3	88.4	3.95	3.97		3.95			3.97	6.0	6.0
						27.8		7.26		88.5		3.99			6.0					
22/03/12	1533-1545	23/Cloudy	Surface	1.0	17.5	27.5	27.6	7.33	7.31	89.4	89.2	3.71	3.73	3.86	5.6	5.6	5.8			
						27.6		7.29		88.9		3.74			5.6					
			Middle	6.6	17.4	27.8	27.8	7.35	7.33	89.6	89.4	3.88	3.85		3.88			3.85	5.8	5.8
						27.8		7.31		89.1		3.82			5.8					
			Bottom	12.2	17.4	27.8	27.9	7.26	7.24	88.5	88.2	3.97	3.99		3.97			3.99	6.0	6.0
						27.9		7.21		87.9		4.01			6.0					
24/03/12	1652-1707	18/Fine	Surface	1.0	17.8	27.4	27.5	6.83	6.87	83.6	84.2	4.33	4.31	4.50	6.6	6.6	6.9			
						27.5		6.91		84.7		4.29			6.6					
			Middle	6.7	17.7	27.5	27.5	6.82	6.79	83.4	83.1	4.42	4.39		4.42			4.39	6.8	6.8
						27.5		6.76		82.7		4.35			6.8					
			Bottom	12.3	17.6	27.6	27.6	6.69	6.71	82.0	82.3	4.82	4.81		4.82			4.81	7.4	7.4
						27.6		6.73		82.6		4.80			7.4					
27/03/12	0738-0751	18/Fine	Surface	1.0	17.9	27.2	27.3	7.52	7.49	94.9	94.5	3.17	3.14	3.43	6.2	6.2	6.4			
						27.3		7.45		94.0		3.11			6.2					
			Middle	6.8	17.8	27.3	27.4	7.48	7.45	94.5	94.1	3.57	3.54		3.57			3.54	6.6	6.6
						27.4		7.42		93.7		3.50			6.4					
			Bottom	12.6	17.8	27.4	27.4	7.32	7.35	92.4	92.8	3.59	3.61		3.59			3.61	6.6	6.6
						27.4		7.38		93.1		3.63			6.6					
29/03/12	0832-0847	20/Fine	Surface	1.0	17.7	27.6	27.7	7.68	7.66	94.5	94.3	4.24	4.22	4.35	6.2	6.2	6.3			
						27.7		7.64		94.0		4.20			6.2					
			Middle	6.8	17.8	27.6	27.6	7.55	7.57	92.9	93.2	4.32	4.35		4.32			4.35	6.4	6.4
						27.6		7.59		93.4		4.37			6.4					
			Bottom	12.6	17.7	27.7	27.7	7.33	7.34	90.2	90.3	4.51	4.49		4.51			4.49	6.4	6.4
						27.6		7.35		90.4		4.47			6.4					
31/03/12	0915-0926	20/Cloudy	Surface	1.0	17.7	27.9	27.9	7.32	7.33	90.7	90.9	3.40	3.44	3.36	5.4	5.4	5.3			
						27.9		7.34		91.0		3.47			5.4					
			Middle	6.8	17.6	28.2	28.2	7.27	7.26	90.1	89.9	3.21	3.19		3.21			3.19	5.2	5.2
						28.2		7.24		89.7		3.16			5.2					
			Bottom	12.6	17.5	28.2	28.3	7.39	7.37	91.6	91.4	3.49	3.45		3.49			3.45	5.4	5.4
						28.3		7.35		91.1		3.41			5.4					

Mid-Flood Tide

Monitoring Station : R17

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/03/12	0930-0945	16/Cloudy	Surface	1.0	16.7	29.9	29.9	6.32	6.30	79.0	78.8	4.31	4.28	4.45	7.2	7.2	7.4
			Middle	6.6	16.5	30.6	30.6	6.17	6.20	77.1	77.5	4.37	4.41		7.2		
			Bottom	12.2	16.1	31.3	31.3	5.97	5.95	74.6	74.4	4.69	4.66		7.5		
03/03/12	0900-0914	17/Cloudy	Surface	1.0	17.3	30.1	30.2	6.17	6.20	76.5	76.9	4.82	4.86	5.03	7.8	7.8	7.9
			Middle	6.5	17.4	30.7	30.7	6.05	6.07	75.0	75.3	4.97	4.94		7.8		
			Bottom	12.0	17.7	31.3	31.3	5.99	5.97	74.3	74.1	5.26	5.28		8.0		
06/03/12	1415-1430	24/Cloudy	Surface	1.0	19.5	29.6	29.6	6.42	6.41	83.5	83.4	4.51	4.56	4.86	7.4	7.5	7.8
			Middle	6.5	18.6	30.6	30.6	6.21	6.20	80.7	80.6	4.93	4.94		7.6		
			Bottom	12.0	18.3	31.4	31.4	5.93	5.95	77.1	77.4	5.12	5.10		8.0		
08/03/12	1515-1537	17/Drizzle	Surface	1.0	16.4	27.0	27.1	7.57	7.61	90.8	91.2	4.29	4.32	4.57	7.2	7.2	7.4
			Middle	6.3	16.1	27.1	27.2	7.64	7.67	91.6	92.0	4.74	4.72		7.2		
			Bottom	11.6	16.0	27.2	27.2	7.74	7.72	92.8	92.5	4.65	4.67		7.5		
10/03/12	1640-1655	15/Cloudy	Surface	1.0	16.4	28.9	29.0	6.84	6.87	82.0	82.4	3.84	3.87	4.07	6.8	6.8	7.1
			Middle	6.5	16.3	29.4	29.5	6.64	6.66	79.6	79.9	4.01	4.03		7.0		
			Bottom	12.0	16.2	30.1	30.1	6.34	6.37	76.1	76.4	4.34	4.31		7.0		
13/03/12	0800-0815	15/Cloudy	Surface	1.0	16.1	27.3	27.4	7.81	7.78	92.9	92.6	4.29	4.27	4.41	7.2	7.2	7.4
			Middle	6.4	16.0	27.3	27.3	7.69	7.68	91.5	91.4	4.34	4.38		7.2		
			Bottom	11.8	15.9	27.4	27.4	7.43	7.46	88.4	88.7	4.61	4.58		7.5		
15/03/12	0930-0945	17/Cloudy	Surface	1.0	18.2	29.2	29.2	6.72	6.71	79.9	79.8	4.08	4.10	4.21	6.0	6.1	6.3
			Middle	6.6	16.1	29.2	29.3	6.54	6.56	77.8	78.0	4.17	4.18		6.2		
			Bottom	12.2	16.0	30.0	30.0	6.26	6.24	74.5	74.2	4.36	4.35		6.4		
17/03/12	1200-1212	18/Cloudy	Surface	1.0	16.8	27.4	27.4	7.17	7.16	86.2	86.1	3.72	3.76	3.76	5.6	5.7	5.8
			Middle	5.9	16.7	27.6	27.6	7.04	7.06	84.6	84.9	3.43	3.40		5.8		
			Bottom	11.8	16.6	27.7	27.8	7.15	7.13	86.0	85.8	4.07	4.11		6.0		
20/03/12	1445-1459	23/Cloudy	Surface	1.0	17.4	27.6	27.7	7.52	7.50	91.7	91.5	3.61	3.60	3.67	5.6	5.6	5.6
			Middle	6.4	17.4	27.7	27.7	7.33	7.31	89.4	89.2	3.62	3.65		5.6		
			Bottom	11.8	17.4	27.7	27.7	7.26	7.27	88.5	88.7	3.73	3.76		5.5		
22/03/12	1515-1529	23/Cloudy	Surface	1.0	17.4	27.5	27.6	7.54	7.55	91.9	92.1	3.59	3.58	3.64	5.6	5.6	5.6
			Middle	6.5	17.4	27.7	27.7	7.36	7.34	89.7	89.4	3.60	3.62		5.6		
			Bottom	12.0	17.3	27.8	27.8	7.28	7.26	88.8	88.6	3.69	3.72		5.5		
24/03/12	1630-1647	18/Fine	Surface	1.0	17.8	27.5	27.6	7.07	7.03	86.5	86.0	4.22	4.27	4.54	6.4	6.5	6.9
			Middle	6.5	17.7	27.6	27.6	6.95	6.92	85.2	84.8	4.62	4.65		6.6		
			Bottom	12.0	17.7	27.6	27.6	6.94	6.92	84.6	84.5	4.73	4.72		7.0		
27/03/12	0715-0730	18/Fine	Surface	1.0	17.9	27.3	27.3	7.33	7.36	92.5	92.0	3.52	3.48	3.76	6.4	6.4	6.7
			Middle	6.5	17.8	27.3	27.4	7.54	7.52	93.2	92.9	4.03	4.00		6.4		
			Bottom	11.9	17.8	27.4	27.4	7.61	7.64	96.0	96.4	3.77	3.81		7.0		
29/03/12	0815-0829	20/Fine	Surface	1.0	17.8	27.6	27.7	7.72	7.74	95.0	95.2	4.35	4.31	4.46	6.4	6.3	6.3
			Middle	6.5	17.8	27.6	27.6	7.61	7.64	93.6	93.9	4.48	4.45		6.4		
			Bottom	11.9	17.8	27.6	27.6	7.38	7.41	90.8	91.2	4.61	4.64		6.5		
31/03/12	0900-0912	20/Cloudy	Surface	1.0	17.7	27.8	27.8	7.24	7.27	89.7	90.1	3.58	3.55	3.63	5.6	5.5	5.7
			Middle	6.3	17.6	28.2	28.2	7.14	7.12	87.8	87.6	3.44	3.47		5.4		
			Bottom	11.6	17.5	28.2	28.2	7.19	7.17	88.4	88.2	3.83	3.87		5.5		

Mid-Flood Tide

Monitoring Station : R28

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/03/12	1134-1149	16/Cloudy	Surface	1.0	16.6	29.9	29.9	6.22	6.24	77.8	78.0	4.30	4.33	4.49	7.2	7.3	7.4
						29.9		6.25		78.1		4.36			7.4		
			Middle	6.2	16.5	30.5	30.6	6.14	6.12	76.8	76.5	4.46	4.48		7.4	7.4	
						30.6		6.09		76.1		4.49			7.4		
			Bottom	11.4	16.0	31.4	31.4	5.82	5.84	72.8	73.1	4.63	4.66		7.6	7.6	
						31.3		5.86		73.3		4.68			7.6		
03/03/12	1105-1118	17/Cloudy	Surface	1.0	17.2	30.3	30.3	6.15	6.13	76.3	76.0	4.50	4.52	4.79	7.4	7.4	7.7
						30.2		6.10		75.6		4.54			7.4		
			Middle	6.5	17.3	30.7	30.7	5.96	5.97	74.0	74.3	4.80	4.82		7.8	7.8	
						30.6		5.97		74.6		4.84			7.8		
			Bottom	12.0	17.8	31.3	31.3	5.86	5.88	72.7	72.9	5.04	5.03		8.0	8.0	
						31.2		5.89		73.0		5.02			8.0		
06/03/12	1630-1642	24/Cloudy	Surface	1.0	19.3	29.7	29.7	6.45	6.47	83.8	84.1	4.52	4.54	4.84	7.4	7.4	7.7
						29.7		6.49		84.4		4.56			7.4		
			Middle	6.3	18.5	30.7	30.7	6.24	6.18	81.1	80.4	4.94	4.93		7.8	7.8	
						30.7		6.12		79.6		4.91			7.8		
			Bottom	11.6	18.2	31.5	31.5	6.02	6.05	78.3	75.6	5.08	5.06		8.0	8.0	
						31.4		6.08		72.9		5.04			8.0		
08/03/12	1726-1737	17/Drizzle	Surface	1.0	16.4	27.2	27.2	7.59	7.58	90.3	90.1	4.89	4.91	4.96	7.8	7.8	7.9
						27.2		7.56		89.9		4.93			7.8		
			Middle	6.1	16.2	27.2	27.2	7.64	7.62	91.6	91.4	4.92	4.94		7.8	7.8	
						27.1		7.60		91.1		4.96			7.8		
			Bottom	11.2	16.0	27.1	27.2	7.50	7.48	89.2	89.0	5.05	5.03		8.0	8.0	
						27.2		7.46		88.7		5.01			8.0		
10/03/12	1851-1905	14/Cloudy	Surface	1.0	16.3	29.0	29.1	6.94	6.92	83.2	82.9	4.08	4.10	4.27	7.0	7.0	7.2
						29.1		6.89		82.6		4.12			7.0		
			Middle	5.9	16.4	29.3	29.3	6.85	6.83	82.2	81.6	4.26	4.28		7.2	7.2	
						29.2		6.80		80.9		4.30			7.2		
			Bottom	10.8	16.2	29.8	29.9	6.67	6.65	79.3	79.4	4.41	4.44		7.4	7.4	
						29.9		6.63		79.5		4.47			7.4		
13/03/12	1005-1019	15/Cloudy	Surface	1.0	16.1	27.3	27.4	7.58	7.57	90.2	90.0	4.57	4.53	4.64	7.6	7.5	7.6
						27.4		7.55		89.8		4.49			7.4		
			Middle	6.0	16.1	27.3	27.3	7.43	7.46	88.4	88.8	4.67	4.65		7.6	7.6	
						27.3		7.49		89.1		4.63			7.6		
			Bottom	11.0	15.9	27.4	27.4	7.22	7.26	85.9	86.4	4.73	4.75		7.6	7.7	
						27.3		7.29		86.8		4.77			7.8		
15/03/12	1144-1158	17/Cloudy	Surface	1.0	16.2	29.2	29.2	6.78	6.75	80.7	80.3	3.86	3.84	4.07	5.8	5.8	6.1
						29.1		6.72		79.9		3.82			5.8		
			Middle	5.8	16.0	29.3	29.4	6.44	6.46	76.6	76.8	4.02	4.06		6.0	6.0	
						29.4		6.47		76.9		4.09			6.0		
			Bottom	10.6	16.1	30.0	30.0	6.24	6.25	74.3	74.4	4.29	4.30		6.4	6.4	
						30.0		6.25		74.4		4.31			6.4		
17/03/12	1411-1422	18/Cloudy	Surface	1.0	16.8	27.6	27.6	7.54	7.52	90.7	90.5	3.43	3.47	3.55	5.4	5.5	5.5
						27.6		7.50		90.2		3.51			5.6		
			Middle	6.3	16.5	27.8	27.8	7.40	7.42	89.0	89.3	3.21	3.24		5.2	5.2	
						27.8		7.44		89.5		3.27			5.2		
			Bottom	11.6	16.6	27.9	27.9	7.38	7.37	88.7	88.6	3.92	3.94		5.8	5.8	
						27.9		7.35		88.4		3.95			5.8		
20/03/12	1651-1705	23/Cloudy	Surface	1.0	17.5	27.8	27.9	7.29	7.28	88.9	88.7	3.48	3.47	3.60	5.4	5.4	5.6
						27.9		7.26		88.5		3.46			5.4		
			Middle	5.9	17.5	27.9	27.9	7.13	7.16	86.9	87.2	3.57	3.58		5.6	5.6	
						27.9		7.18		87.5		3.59			5.6		
			Bottom	10.8	17.4	27.9	27.9	7.12	7.14	86.8	87.0	3.73	3.75		5.8	5.8	
						27.8		7.15		87.2		3.76			5.8		
22/03/12	1718-1732	23/Cloudy	Surface	1.0	17.5	27.8	27.8	7.24	7.22	88.3	88.0	3.43	3.46	3.58	5.4	5.4	5.5
						27.8		7.19		87.7		3.49			5.4		
			Middle	5.9	17.4	27.9	27.9	7.18	7.16	87.5	87.3	3.55	3.58		5.6	5.6	
						27.8		7.14		87.1		3.61			5.6		
			Bottom	10.8	17.4	27.9	27.9	7.09	7.12	86.4	86.8	3.69	3.71		5.6	5.6	
						27.9		7.14		87.1		3.72			5.6		
24/03/12	1833-1849	18/Fine	Surface	1.0	17.8	27.4	27.4	7.08	7.10	86.6	86.8	3.92	3.94	4.11	6.0	6.0	6.2
						27.4		7.11		87.0		3.96			6.0		
			Middle	6.0	17.6	27.5	27.5	7.11	7.10	87.1	86.9	4.11	4.13		6.2	6.2	
						27.4		7.08		86.7		4.14			6.2		
			Bottom	11.0	17.7	27.6	27.6	6.92	6.96	84.7	85.2	4.30	4.27		6.6	6.5	
						27.5		7.00		85.6		4.23			6.4		
27/03/12	0925-0937	18/Fine	Surface	1.0	18.0	27.4	27.5	7.48	7.50	92.5	92.8	3.77	3.75	3.84	6.8	6.7	6.8
						27.5		7.51		93.0		3.72			6.6		
			Middle	6.4	17.9	27.5	27.5	7.29	7.32	90.1	90.4	3.84	3.82		6.8	6.8	
						27.5		7.34		90.7		3.79			6.8		
			Bottom	11.8	17.9	27.6	27.6	7.64	7.66	96.4	96.6	3.99	3.96		7.0	6.9	
						27.6		7.67		96.8		3.92			6.8		
29/03/12	1021-1034	20/Fine	Surface	1.0	17.8	27.5	27.6	7.85	7.88	95.8	96.1	4.37	4.39	4.52	6.4	6.4	6.5
						27.6		7.90		96.4		4.41			6.4		
			Middle	6.0	17.8	27.6	27.7	7.77	7.75	94.8	94.6	4.48	4.51		6.4	6.4	
						27.7		7.73		94.3		4.54			6.4		
			Bottom	11.0	17.8	27.6	27.6	7.57	7.55	92.4	92.1	4.61	4.65		6.6	6.6	
						27.6		7.52		91.7		4.68			6.6		
31/03/12	1111-1122	20/Cloudy	Surface	1.0	17.8	27.9	27.9	7.52	7.50	93.2	93.0	4.02	4.07	4.09	6.0	6.1	6.1
						27.9		7.48		92.7		4.11			6.2		
			Middle	6.1	17.7	28.2	28.2	7.59	7.58	94.1	93.9	4.08	4.05		6.2	6.1	
						28.2		7.56		93.7		4.02			6.0		
			Bottom	11.2	17.6	28.3	28.3	7.48	7.46	92.7	92.5	4.17	4.14		6.2	6.2	
						28.3		7.44		92.2		4.11			6.2		

Mid-Flood Tide

Monitoring Station : R29

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
01/03/12	1156-1211	16/Cloudy	Surface	1.0	16.7	29.9	30.0	6.13	6.10	77.2	76.8	4.51	4.49	4.70	7.4	7.4	7.6		
						30.0		6.06		76.4		4.47			7.4				
			Middle	9.1	16.4	30.6	30.6	5.99	5.97	75.5	75.3	4.66	4.69		4.66	4.69		7.6	7.6
						30.6		5.95		75.0		4.72			7.6				
			Bottom	17.2	15.9	31.7	31.7	5.75	5.73	72.5	72.2	4.96	4.93		4.96	4.93		7.8	7.8
						31.7		5.70		71.8		4.90			7.8				
03/03/12	1124-1138	17/Cloudy	Surface	1.0	17.3	30.1	30.2	6.18	6.19	76.6	76.8	4.69	4.71	4.82	7.6	7.6	7.7		
						30.2		6.20		76.9		4.73			7.6				
			Middle	8.8	17.5	30.5	30.6	5.94	5.93	73.7	73.6	4.92	4.94		4.92	4.94		7.8	7.8
						30.6		5.92		73.4		4.96			7.8				
			Bottom	16.6	17.7	31.4	31.4	5.77	5.76	71.5	71.4	4.80	4.82		4.80	4.82		7.8	7.8
						31.4		5.74		71.2		4.84			7.8				
06/03/12	1647-1659	24/Cloudy	Surface	1.0	19.2	29.8	29.8	6.52	6.56	84.8	85.3	4.49	4.46	4.74	7.4	7.4	7.7		
						29.7		6.59		85.7		4.42			7.4				
			Middle	8.8	18.5	30.6	30.7	6.30	6.33	81.9	82.4	4.78	4.81		4.78	4.81		7.8	7.8
						30.7		6.36		82.9		4.83			7.8				
			Bottom	16.6	18.2	31.4	31.4	6.09	6.11	79.2	79.5	4.96	4.97		4.96	4.97		7.8	7.8
						31.4		6.13		79.7		4.98			7.8				
08/03/12	1751-1802	17/Drizzle	Surface	1.0	16.3	27.0	27.0	7.67	7.65	92.0	91.8	4.93	4.96	4.85	7.8	7.8	7.7		
						27.0		7.63		91.5		4.98			7.8				
			Middle	8.7	16.1	27.2	27.2	7.53	7.51	89.6	89.4	4.60	4.64		4.60	4.64		7.6	7.6
						27.1		7.49		89.1		4.68			7.6				
			Bottom	16.4	16.1	27.1	27.1	7.44	7.42	88.5	88.3	4.97	4.94		4.97	4.94		7.8	7.8
						27.0		7.40		88.0		4.91			7.8				
10/03/12	1911-1925	14/Cloudy	Surface	1.0	16.3	29.0	29.0	6.74	6.77	80.8	81.2	4.18	4.21	4.50	7.2	7.2	7.5		
						29.0		6.80		81.6		4.23			7.2				
			Middle	8.9	16.1	29.3	29.4	6.67	6.65	80.0	79.7	4.49	4.52		4.49	4.52		7.4	7.4
						29.4		6.62		79.4		4.54			7.4				
			Bottom	16.8	16.0	29.9	30.0	6.58	6.56	78.9	78.6	4.77	4.79		4.77	4.79		7.8	7.8
						30.0		6.53		78.3		4.81			7.8				
13/03/12	1025-1040	15/Cloudy	Surface	1.0	16.2	27.3	27.3	7.42	7.44	89.0	89.3	4.66	4.64	4.84	7.6	7.6	7.8		
						27.3		7.46		89.5		4.62			7.6				
			Middle	8.9	15.9	27.5	27.5	7.30	7.28	87.6	87.4	4.79	4.83		4.79	4.83		7.8	7.8
						27.5		7.26		87.1		4.86			7.8				
			Bottom	16.8	15.8	27.4	27.5	7.11	7.09	85.3	85.1	5.07	5.04		5.07	5.04		8.0	8.0
						27.5		7.07		84.8		5.01			8.0				
15/03/12	1205-1217	17/Cloudy	Surface	1.0	16.1	29.3	29.3	6.75	6.78	80.3	80.6	3.81	3.80	4.07	5.8	5.8	6.1		
						29.2		6.80		80.9		3.79			5.8				
			Middle	8.9	16.1	29.4	29.4	6.59	6.58	78.4	78.3	4.14	4.15		4.14	4.15		6.2	6.2
						29.4		6.56		78.1		4.16			6.2				
			Bottom	16.8	16.1	30.1	30.1	6.33	6.36	75.3	75.7	4.26	4.25		4.26	4.25		6.4	6.4
						30.0		6.39		76.0		4.23			6.4				
17/03/12	1436-1447	18/Cloudy	Surface	1.0	16.8	27.5	27.5	7.36	7.35	88.5	88.3	3.74	3.72	3.84	5.6	5.6	5.8		
						27.4		7.33		88.1		3.69			5.6				
			Middle	9.1	16.5	27.8	27.8	7.47	7.46	89.9	89.7	3.87	3.90		3.87	3.90		5.8	5.8
						27.8		7.44		89.5		3.92			5.8				
			Bottom	17.2	16.5	27.8	27.8	7.39	7.38	88.9	88.7	3.89	3.92		3.89	3.92		6.0	5.9
						27.8		7.36		88.5		3.95			6.0				
20/03/12	1713-1728	23/Cloudy	Surface	1.0	17.5	27.7	27.8	7.37	7.38	89.9	90.0	3.92	3.93	3.95	5.8	5.9	6.0		
						27.8		7.39		90.1		3.94			6.0				
			Middle	9.0	17.5	27.9	28.0	7.32	7.33	89.3	89.4	3.90	3.91		3.90	3.91		6.0	6.0
						28.0		7.34		89.5		3.92			6.0				
			Bottom	17.0	17.4	28.1	28.2	7.26	7.25	88.5	88.4	3.97	4.00		3.97	4.00		6.0	6.0
						28.2		7.23		88.2		4.02			6.0				
22/03/12	1740-1754	23/Cloudy	Surface	1.0	17.5	27.7	27.7	7.34	7.33	89.5	89.4	3.87	3.89	3.97	5.8	5.8	5.9		
						27.7		7.32		89.3		3.91			5.8				
			Middle	8.9	17.6	27.8	27.9	7.28	7.27	88.8	88.7	3.95	3.97		3.95	3.97		5.8	5.9
						27.9		7.26		88.5		3.99			6.0				
			Bottom	16.8	17.5	28.0	28.0	7.22	7.23	88.0	88.2	4.03	4.04		4.03	4.04		6.0	6.0
						27.9		7.24		88.3		4.05			6.0				
24/03/12	1856-1912	18/Fine	Surface	1.0	17.8	27.5	27.5	7.15	7.16	87.5	87.7	4.21	4.18	4.28	6.2	6.2	6.5		
						27.5		7.17		87.8		4.15			6.2				
			Middle	9.2	17.7	27.5	27.6	6.98	7.01	85.5	85.8	4.26	4.27		4.26	4.27		6.4	6.4
						27.6		7.03		86.1		4.28			6.4				
			Bottom	17.4	17.8	27.5	27.5	6.81	6.79	83.4	83.2	4.41	4.38		4.41	4.38		6.8	6.8
						27.5		6.77		82.9		4.35			6.8				
27/03/12	0943-0957	18/Fine	Surface	1.0	18.1	27.3	27.3	7.34	7.36	90.7	90.9	3.58	3.65	3.78	6.6	6.6	6.7		
						27.2		7.37		91.1		3.71			6.6				
			Middle	8.8	18.0	27.4	27.4	7.26	7.30	91.6	92.1	3.71	3.75		3.71	3.75		6.6	6.7
						27.3		7.33		92.5		3.78			6.8				
			Bottom	16.6	17.9	27.4	27.5	7.51	7.49	94.7	94.5	3.91	3.96		3.91	3.96		6.8	6.9
						27.5		7.47		94.2		4.00			7.0				
29/03/12	1041-1057	20/Fine	Surface	1.0	17.8	27.6	27.7	7.60	7.58	93.5	93.2	4.74	4.70	4.88	6.6	6.6	6.8		
						27.7		7.55		92.9		4.66			6.6				
			Middle	9.0	17.6	27.8	27.8	7.42	7.41	91.3	91.2	4.84	4.88		4.84	4.88		6.8	6.8
						27.8		7.40		91.0		4.91			6.8				
			Bottom	16.9	17.6	27.7	27.7	7.17	7.19	88.2	88.5	5.04	5.07		5.04	5.07		7.0	7.0
						27.7		7.21		88.7		5.09			7.0				
31/03/12	1136-1147	20/Cloudy	Surface	1.0	17.8	27.9	27.9	7.47	7.45	92.6	92.3	3.87	3.84	3.95	5.8	5.8	5.9		
						27.9		7.42		92.0		3.81			5.8				
			Middle	8.8	17.6	28.2	28.2	7.56	7.55	93.7	93.5	3.96	3.94		3.96	3.94		6.0	5.9
						28.2		7.53		93.3		3.91			5.8				
			Bottom	16.6	17.6	28.3	28.3	7.62	7.60	94.7	94.5	4.04	4.06		4.04	4.06		6.0	6.1
						28.3		7.58		94.2		4.08			6.2				

Mid-Flood Tide

Monitoring Station : C1

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/03/12	1030-1045	16/Cloudy	Surface	1.0	16.7	29.8	29.9	6.41	6.38	80.1	79.7	4.12	4.15	4.31	7.0	7.1	7.3
						29.9		6.34		79.3		4.17			7.2		
			Middle	7.5	16.4	30.6	30.6	6.21	6.23	77.6	77.9	4.25	4.28		7.2	7.2	
						30.6		6.25		78.1		4.31			7.2		
			Bottom	14.0	16.0	31.3	31.4	6.01	6.04	75.1	75.5	4.48	4.50		7.4	7.5	
						31.4		6.07		75.9		4.52			7.5		
03/03/12	0959-1014	17/Cloudy	Surface	1.0	17.3	30.2	30.2	6.12	6.11	75.9	75.7	4.45	4.49	4.67	7.4	7.4	7.6
						30.2		6.09		75.5		4.52			7.4		
			Middle	7.1	17.5	30.7	30.7	5.95	5.96	73.8	73.9	4.68	4.65		7.6	7.6	
						30.7		5.97		74.0		4.61			7.6		
			Bottom	13.2	17.6	31.2	31.2	5.70	5.73	70.7	71.0	4.84	4.88		7.8	7.9	
						31.2		5.75		71.3		4.92			8.0		
06/03/12	1525-1538	24/Cloudy	Surface	1.0	19.3	29.6	29.7	6.17	6.15	80.2	80.0	4.38	4.36	4.63	7.4	7.4	7.6
						29.7		6.13		79.7		4.34			7.4		
			Middle	7.7	18.5	30.5	30.5	6.14	6.13	79.8	79.7	4.62	4.66		7.6	7.6	
						30.5		6.12		79.6		4.70			7.6		
			Bottom	14.4	18.3	31.3	31.4	5.99	5.95	77.9	77.4	4.85	4.87		7.8	7.9	
						31.4		5.91		76.8		4.89			8.0		
08/03/12	1625-1637	17/Drizzle	Surface	1.0	16.4	27.0	27.1	7.62	7.60	91.4	91.2	4.29	4.32	4.77	7.2	7.2	7.7
						27.1		7.58		90.9		4.34			7.2		
			Middle	7.3	16.2	27.1	27.2	7.44	7.42	88.5	88.3	4.94	4.96		7.8	7.8	
						27.2		7.40		88.0		4.97			7.8		
			Bottom	13.6	16.1	27.1	27.1	7.40	7.39	88.0	87.9	5.05	5.03		8.0	8.0	
						27.0		7.37		87.7		5.01			8.0		
10/03/12	1742-1757	15/Cloudy	Surface	1.0	16.4	29.4	29.4	6.79	6.81	81.4	81.6	3.82	3.85	4.14	6.8	6.8	7.1
						29.4		6.82		81.8		3.87			6.8		
			Middle	7.3	16.2	29.8	29.9	6.53	6.50	78.3	78.0	4.09	4.12		7.0	7.1	
						29.9		6.47		77.6		4.15			7.2		
			Bottom	13.6	16.1	30.4	30.5	6.22	6.20	74.6	74.3	4.42	4.44		7.4	7.5	
						30.5		6.17		74.0		4.46			7.5		
13/03/12	0859-0915	15/Cloudy	Surface	1.0	16.1	27.4	27.4	7.70	7.72	91.6	91.8	4.61	4.58	4.70	7.6	7.5	7.7
						27.4		7.73		92.0		4.54			7.4		
			Middle	7.4	16.0	27.4	27.4	7.53	7.57	89.6	90.0	4.74	4.70		7.6	7.6	
						27.3		7.60		90.4		4.65			7.6		
			Bottom	13.8	16.0	27.5	27.5	7.31	7.33	87.0	87.3	4.86	4.83		7.8	7.9	
						27.5		7.35		87.5		4.80			8.0		
15/03/12	1039-1054	17/Cloudy	Surface	1.0	16.2	29.3	29.3	6.94	6.95	82.6	82.7	3.87	3.89	4.06	5.8	5.8	6.0
						29.3		6.96		82.8		3.90			5.8		
			Middle	7.4	16.1	29.5	29.5	6.77	6.76	80.6	80.4	4.09	4.10		6.0	6.1	
						29.4		6.74		80.2		4.11			6.2		
			Bottom	13.8	16.1	30.1	30.1	6.27	6.26	74.6	74.5	4.18	4.20		6.2	6.1	
						30.0		6.24		74.3		4.21			6.0		
17/03/12	1300-1312	18/Cloudy	Surface	1.0	16.8	27.5	27.5	7.30	7.32	87.8	88.0	3.59	3.62	3.75	5.6	5.6	5.8
						27.5		7.33		88.1		3.64			5.6		
			Middle	7.4	16.6	27.8	27.8	7.07	7.06	84.9	84.8	3.85	3.83		5.8	5.8	
						27.8		7.04		84.6		3.80			5.8		
			Bottom	13.8	16.6	27.8	27.8	7.05	7.07	84.7	84.9	3.79	3.81		5.8	5.9	
						27.7		7.08		85.1		3.83			6.0		
20/03/12	1545-1558	23/Cloudy	Surface	1.0	17.4	27.8	27.8	7.46	7.48	91.0	91.2	3.86	3.85	3.84	5.8	5.8	5.8
						27.7		7.49		91.3		3.84			5.8		
			Middle	7.4	17.5	27.8	27.9	7.39	7.37	90.1	89.8	3.79	3.78		5.8	5.8	
						27.9		7.34		89.5		3.76			5.8		
			Bottom	13.8	17.5	27.9	28.0	7.24	7.26	88.3	88.6	3.87	3.89		5.8	5.9	
						28.0		7.28		88.8		3.90			6.0		
22/03/12	1613-1627	23/Cloudy	Surface	1.0	17.4	27.7	27.8	7.42	7.45	90.5	90.8	3.81	3.83	3.84	5.8	5.8	5.8
						27.8		7.47		91.1		3.85			5.8		
			Middle	7.4	17.4	27.9	27.9	7.35	7.34	89.6	89.5	3.80	3.77		5.8	5.7	
						27.9		7.33		89.4		3.74			5.6		
			Bottom	13.8	17.4	28.0	28.1	7.30	7.27	89.0	88.6	3.89	3.92		5.8	5.9	
						28.1		7.23		88.2		3.95			6.0		
24/03/12	1732-1748	18/Fine	Surface	1.0	17.8	27.4	27.4	6.93	6.91	84.6	84.5	4.46	4.43	4.49	6.8	6.7	6.9
						27.4		6.89		84.4		4.39			6.6		
			Middle	7.6	17.8	27.5	27.5	6.81	6.84	83.4	83.8	4.47	4.49		6.8	6.9	
						27.4		6.86		84.1		4.50			7.0		
			Bottom	14.1	17.7	27.5	27.5	6.78	6.79	82.9	83.2	4.59	4.55		7.0	7.0	
						27.5		6.80		83.4		4.50			7.0		
27/03/12	0816-0832	18/Fine	Surface	1.0	18.0	27.2	27.3	7.50	7.53	92.7	93.1	3.74	3.72	3.84	6.0	6.0	6.6
						27.3		7.56		93.4		3.70			6.0		
			Middle	7.0	17.9	27.3	27.3	7.39	7.37	92.3	92.0	3.90	3.87		6.8	6.8	
						27.3		7.34		91.7		3.84			6.8		
			Bottom	12.9	17.8	27.4	27.4	7.43	7.46	92.8	93.6	3.96	3.93		6.8	6.9	
						27.4		7.48		94.4		3.90			7.0		
29/03/12	0914-0930	20/Fine	Surface	1.0	17.8	27.6	27.6	7.61	7.64	93.6	93.9	4.33	4.36	4.53	6.2	6.3	6.5
						27.6		7.66		94.2		4.39			6.4		
			Middle	7.6	17.7	27.7	27.7	7.45	7.47	91.6	91.8	4.47	4.51		6.4	6.5	
						27.7		7.48		92.0		4.55			6.6		
			Bottom	14.1	17.7	27.7	27.7	7.24	7.21	89.1	88.7	4.75	4.72		6.8	6.7	
						27.7		7.18		88.3		4.68			6.5		
31/03/12	1000-1012	20/Cloudy	Surface	1.0	17.7	27.9	27.9	7.20	7.22	89.2	89.5	3.69	3.71	3.69	5.6	5.6	5.7
						27.8		7.24		89.7		3.73			5.6		
			Middle	7.2	17.6	28.3	28.3	7.16	7.15	88.4	88.3	3.54	3.57		5.6	5.6	
						28.3		7.14		88.1		3.60			5.6		
			Bottom	13.4	17.5	28.3	28.3	7.29	7.27	90.3	90.1	3.77	3.80		5.8	5.9	
						28.3		7.25		89.8		3.83			6.0		

Mid-Flood Tide

Monitoring Station : C3

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
01/03/12	1052-1107	16/Cloudy	Surface	1.0	16.7	29.9	29.9	6.39	6.36	79.9	79.5	4.29	4.25	4.44	7.2	7.2	7.4		
						29.9		6.32		79.0		4.21			7.2				
			Middle	6.9	16.5	30.6	30.6	6.28	6.26	78.5	78.2	4.43	4.40		4.36	4.40		7.4	7.4
						30.5		6.23		77.9		4.36			7.4				
			Bottom	12.8	16.1	31.3	31.3	5.97	6.01	74.6	75.1	4.71	4.68		4.64	4.68		7.6	7.6
						31.3		6.05		75.6		4.64			7.6				
03/03/12	1021-1035	17/Cloudy	Surface	1.0	17.4	30.3	30.3	6.06	6.07	75.1	75.2	4.51	4.52	4.74	7.4	7.4	7.6		
						30.3		6.07		75.3		4.53			7.4				
			Middle	6.5	17.3	30.6	30.7	5.85	5.84	72.5	72.4	4.69	4.73		4.77	4.73		7.6	7.6
						30.7		5.82		72.2		4.77			7.6				
			Bottom	12.0	17.5	31.2	31.3	5.81	5.84	72.0	72.4	4.93	4.96		4.99	4.96		7.8	7.8
						31.3		5.86		72.7		4.99			7.8				
06/03/12	1542-1556	24/Cloudy	Surface	1.0	19.4	29.7	29.7	6.42	6.45	83.5	83.9	4.41	4.44	4.71	7.4	7.4	7.6		
						29.7		6.48		84.2		4.46			7.4				
			Middle	7.0	18.6	30.4	30.5	6.30	6.29	81.9	81.8	4.70	4.75		4.79	4.75		7.6	7.7
						30.5		6.28		81.6		4.79			7.6				
			Bottom	13.0	18.3	31.4	31.4	6.03	6.06	78.4	78.7	4.94	4.96		4.97	4.96		7.8	7.8
						31.4		6.08		79.0		4.97			7.8				
08/03/12	1640-1652	17/Drizzle	Surface	1.0	16.4	27.2	27.2	7.57	7.56	90.0	89.9	4.50	4.48	4.83	7.4	7.4	7.7		
						27.2		7.54		89.7		4.45			7.4				
			Middle	6.7	16.2	27.1	27.1	7.62	7.60	91.4	91.2	5.01	4.99		4.96	4.99		7.8	7.8
						27.0		7.58		90.9		4.96			7.8				
			Bottom	12.4	16.0	27.0	27.0	7.70	7.68	92.3	92.1	5.07	5.04		5.01	5.04		8.0	8.0
						27.0		7.66		91.9		5.01			8.0				
10/03/12	1805-1820	15/Cloudy	Surface	1.0	16.3	29.4	29.4	6.90	6.92	82.8	83.0	3.90	3.93	4.10	6.8	6.8	7.0		
						29.3		6.94		83.2		3.96			6.8				
			Middle	6.9	16.3	29.7	29.7	6.72	6.70	80.6	80.3	4.10	4.03		3.95	4.03		7.0	6.9
						29.7		6.67		80.0		3.95			6.8				
			Bottom	12.8	16.2	30.3	30.4	6.40	6.38	76.8	76.5	4.32	4.35		4.38	4.35		7.2	7.3
						30.4		6.35		76.2		4.38			7.4				
13/03/12	0922-0937	15/Cloudy	Surface	1.0	16.1	27.3	27.4	7.65	7.64	91.0	90.9	4.50	4.54	4.71	7.4	7.5	7.7		
						27.4		7.62		90.7		4.58			7.6				
			Middle	6.8	16.0	27.4	27.4	7.58	7.57	90.2	90.1	4.71	4.74		4.76	4.74		7.6	7.7
						27.4		7.56		90.0		4.76			7.8				
			Bottom	12.6	16.0	27.4	27.4	7.41	7.39	88.2	88.0	4.83	4.86		4.88	4.86		7.8	7.8
						27.4		7.37		87.7		4.88			7.8				
15/03/12	1100-1115	17/Cloudy	Surface	1.0	16.1	29.1	29.1	6.92	6.96	82.3	82.8	4.05	4.04	4.22	6.0	6.0	6.3		
						29.1		6.99		83.2		4.02			6.0				
			Middle	7.0	16.1	29.3	29.3	6.80	6.81	80.9	81.1	4.26	4.28		4.29	4.28		6.4	6.4
						29.2		6.82		81.2		4.29			6.4				
			Bottom	13.0	16.1	30.0	30.0	6.32	6.35	75.2	75.6	4.32	4.34		4.35	4.34		6.6	6.6
						30.0		6.38		75.9		4.35			6.6				
17/03/12	1325-1337	18/Cloudy	Surface	1.0	16.8	27.6	27.6	7.48	7.46	90.0	89.8	3.81	3.85	3.73	5.8	5.8	5.7		
						27.6		7.44		89.5		3.88			5.8				
			Middle	6.6	16.7	27.8	27.8	7.27	7.26	87.4	87.3	3.58	3.54		3.50	3.54		5.6	5.5
						27.8		7.25		87.1		3.50			5.4				
			Bottom	12.2	16.6	27.7	27.7	7.29	7.28	87.6	87.4	3.77	3.80		3.77	3.80		5.8	5.8
						27.7		7.26		87.2		3.82			5.8				
20/03/12	1606-1620	23/Cloudy	Surface	1.0	17.4	27.6	27.6	7.45	7.47	90.8	91.0	3.91	3.90	3.82	5.8	5.8	5.8		
						27.6		7.48		91.2		3.89			5.8				
			Middle	6.8	17.4	27.7	27.8	7.39	7.38	90.1	89.9	3.67	3.66		3.64	3.66		5.6	5.6
						27.8		7.36		89.7		3.64			5.6				
			Bottom	12.6	17.3	27.7	27.8	7.22	7.21	88.0	87.9	3.89	3.92		3.94	3.92		6.0	5.9
						27.8		7.19		87.7		3.94			5.8				
22/03/12	1635-1650	23/Cloudy	Surface	1.0	17.5	27.7	27.7	7.50	7.47	91.5	91.1	3.80	3.79	3.83	5.8	5.8	5.8		
						27.6		7.43		90.6		3.78			5.8				
			Middle	6.9	17.4	27.8	27.8	7.42	7.40	90.5	90.3	3.75	3.79		3.82	3.79		5.6	5.7
						27.7		7.38		90.0		3.82			5.8				
			Bottom	12.8	17.4	27.9	28.0	7.29	7.28	88.9	88.7	3.91	3.93		3.91	3.93		5.8	5.8
						28.0		7.26		88.5		3.94			5.8				
24/03/12	1755-1810	18/Fine	Surface	1.0	17.9	27.4	27.5	7.12	7.14	87.1	87.4	4.29	4.26	4.44	6.4	6.4	6.8		
						27.5		7.15		87.6		4.23			6.4				
			Middle	7.1	17.8	27.5	27.5	7.00	7.03	85.7	86.2	4.44	4.48		4.51	4.48		6.8	6.8
						27.5		7.06		86.6		4.51			6.8				
			Bottom	13.2	17.8	27.5	27.5	6.86	6.84	84.1	83.8	4.60	4.59		4.57	4.59		7.2	7.2
						27.4		6.82		83.5		4.57			7.2				
27/03/12	0839-0854	18/Fine	Surface	1.0	18.0	27.3	27.3	7.48	7.51	92.5	92.8	3.67	3.65	3.68	6.6	6.6	6.6		
						27.2		7.53		93.1		3.63			6.6				
			Middle	6.6	17.8	27.4	27.4	7.33	7.35	92.5	92.4	3.32	3.35		3.37	3.35		6.2	6.3
						27.3		7.37		92.2		3.37			6.4				
			Bottom	12.1	17.8	27.5	27.5	7.35	7.38	90.9	91.3	4.02	4.05		4.08	4.05		7.0	7.0
						27.5		7.41		91.6		4.08			7.0				
29/03/12	0937-0953	20/Fine	Surface	1.0	17.8	27.6	27.6	7.69	7.71	94.6	94.9	4.35	4.33	4.47	6.4	6.3	6.4		
						27.6		7.73		95.1		4.31			6.2				
			Middle	6.9	17.8	27.6	27.6	7.62	7.60	93.7	93.5	4.48	4.45		4.42	4.45		6.4	6.4
						27.6		7.58		93.2		4.42			6.4				
			Bottom	12.8	17.7	27.7	27.7	7.37	7.39	90.7	90.9	4.59	4.62		4.64	4.62		6.6	6.6
						27.6		7.41		91.1		4.64			6.6				
31/03/12	1028-1037	20/Cloudy	Surface	1.0	17.7	27.9	27.9	7.33	7.32	90.8	90.7	3.70	3.72	3.67	5.6	5.6	5.6		
						27.9		7.30		90.5		3.74			5.6				
			Middle	6.8	17.5	28.3	28.3	7.21	7.19	89.2	89.0	3.21	3.24		3.26	3.24		5.2	5.2
						28.3		7.17		88.7		3.26			5.2				
			Bottom	12.6	17.6	28.3	28.3	7.23	7.21	89.5	89.3	4.04	4.07		4.09	4.07		6.0	6.1
						28.3		7.19		89.0		4.09			6.2				

Mid-Ebb Tide

Monitoring Station : C2

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/03/12	1902-1915	17/Cloudy	Surface	1.0	16.7	30.0	30.1	6.35	6.36	80.3	80.5	4.95	4.97	5.08	8.0	7.9	8.0	
						30.1		6.37		80.6		4.98			7.8			
			Middle	7.8	16.4	30.6	30.6	6.28	6.27	79.4	79.3	5.06	5.10		5.08	8.0		8.0
						30.6		6.25		79.1		5.17			8.2			
			Bottom	14.6	16.0	31.5	31.6	6.16	6.15	77.9	77.7	5.17	5.20		5.19	8.2		8.2
						31.6		6.13		77.5		5.20			8.0			
03/03/12	2106-2120	18/Cloudy	Surface	1.0	17.3	30.4	30.4	6.22	6.20	81.4	81.1	4.18	4.21	4.44	7.0	7.1	7.4	
						30.3		6.17		80.8		4.23			7.2			
			Middle	7.9	17.5	30.7	30.7	5.97	6.01	78.2	78.7	4.38	4.43		4.41	7.4		7.4
						30.7		6.04		79.1		4.43			7.4			
			Bottom	14.8	17.7	31.4	31.4	5.80	5.78	75.9	75.6	4.68	4.74		4.71	7.6		7.6
						31.4		5.75		75.3		4.74			7.6			
06/03/12	1308-1325	23/Fine	Surface	1.0	19.3	29.8	29.9	6.19	6.22	80.5	80.8	4.53	4.49	4.70	7.5	7.5	7.6	
						29.9		6.24		81.1		4.44			7.4			
			Middle	8.1	18.6	30.6	30.6	6.02	6.01	78.3	78.1	4.64	4.69		4.67	7.6		7.6
						30.6		5.99		77.9		4.69			7.6			
			Bottom	15.2	18.1	31.6	31.6	5.85	5.82	76.1	75.7	4.96	4.91		4.94	7.8		7.8
						31.5		5.79		75.3		4.91			7.8			
08/03/12	1330-1342	18/Drizzle	Surface	1.0	16.3	26.9	27.0	7.80	7.82	92.8	93.1	4.86	4.82	4.87	8.0	7.9	7.8	
						27.0		7.84		93.3		4.77			7.8			
			Middle	8.4	16.2	27.0	27.1	7.80	7.83	92.8	93.1	4.80	4.85		4.83	7.8		7.8
						27.1		7.85		93.4		4.85			7.8			
			Bottom	15.8	16.1	27.1	27.2	7.78	7.77	92.6	92.5	4.97	4.95		4.96	7.8		7.8
						27.2		7.76		92.3		4.95			7.8			
10/03/12	1530-1545	13/Cloudy	Surface	1.0	16.2	27.6	27.7	7.14	7.16	85.7	86.0	3.86	3.88	3.94	6.5	6.7	6.8	
						27.7		7.18		86.2		3.89			6.8			
			Middle	5.8	16.0	27.9	27.9	6.94	6.95	83.3	83.4	3.97	3.92		3.95	6.8		6.8
						27.8		6.95		83.4		3.92			6.8			
			Bottom	10.6	16.2	27.7	27.7	7.26	7.24	87.1	86.8	3.99	4.01		4.00	7.0		7.0
						27.6		7.21		86.5		4.01			7.0			
13/03/12	1743-1800	15/Cloudy	Surface	1.0	16.2	27.3	27.3	7.80	7.83	92.8	93.1	4.03	4.06	4.39	7.0	7.0	7.4	
						27.3		7.85		93.3		4.09			7.0			
			Middle	8.1	16.1	27.3	27.4	7.78	7.76	92.6	92.3	4.34	4.42		4.38	7.4		7.4
						27.4		7.73		91.9		4.42			7.4			
			Bottom	15.1	16.0	27.4	27.4	7.68	7.64	91.4	90.9	4.73	4.75		4.74	7.8		7.8
						27.4		7.60		90.4		4.75			7.8			
15/03/12	1914-1930	18/Cloudy	Surface	1.0	16.2	27.4	27.4	7.84	7.88	93.3	93.7	3.95	3.93	3.96	6.0	5.9	5.9	
						27.3		7.91		94.1		3.90			5.8			
			Middle	5.7	16.2	27.3	27.3	7.63	7.66	90.8	91.2	3.84	3.77		3.81	5.8		5.7
						27.3		7.69		91.6		3.77			5.6			
			Bottom	10.3	16.0	27.4	27.5	7.54	7.51	89.7	89.4	4.17	4.11		4.14	6.2		6.2
						27.5		7.48		89.0		4.11			6.2			
17/03/12	2142-2153	18/Cloudy	Surface	1.0	16.7	27.5	27.5	7.43	7.42	89.3	89.2	3.76	3.77	3.97	5.5	5.7	5.9	
						27.4		7.40		89.0		3.77			5.8			
			Middle	8.1	16.7	27.5	27.6	7.38	7.37	88.7	88.6	3.96	3.99		3.98	5.8		5.9
						27.6		7.36		88.5		3.99			6.0			
			Bottom	15.2	16.5	27.5	27.6	7.32	7.30	88.0	87.8	4.17	4.15		4.16	6.2		6.2
						27.6		7.28		87.5		4.15			6.2			
20/03/12	1332-1345	22/Cloudy	Surface	1.0	17.4	27.7	27.7	7.34	7.36	89.5	89.8	3.55	3.58	3.75	5.5	5.6	5.7	
						27.6		7.38		90.0		3.60			5.6			
			Middle	5.9	17.4	27.7	27.7	7.43	7.40	90.6	90.3	3.74	3.77		3.76	5.6		5.7
						27.7		7.37		89.9		3.77			5.8			
			Bottom	10.8	17.5	27.8	27.8	7.20	7.22	87.8	88.0	3.94	3.90		3.92	5.8		5.8
						27.7		7.23		88.2		3.90			5.8			
22/03/12	1352-1407	21/Cloudy	Surface	1.0	17.5	27.8	27.9	7.36	7.34	89.5	89.3	3.63	3.60	3.73	5.5	5.6	5.7	
						27.9		7.32		89.0		3.57			5.6			
			Middle	5.9	17.5	27.9	27.9	7.40	7.42	90.0	90.3	3.68	3.73		3.71	5.6		5.6
						27.9		7.43		90.5		3.73			5.6			
			Bottom	10.8	17.6	28.0	28.0	7.31	7.29	88.8	88.6	3.88	3.91		3.90	5.8		5.8
						27.9		7.27		88.3		3.91			5.8			
24/03/12	1530-1545	18/Fine	Surface	1.0	17.8	27.6	27.6	7.49	7.47	91.4	91.2	3.20	3.22	3.40	5.0	5.1	5.4	
						27.5		7.45		90.9		3.24			5.2			
			Middle	5.8	17.7	27.5	27.5	7.40	7.39	90.3	90.2	3.44	3.48		3.46	5.4		5.4
						27.5		7.38		90.0		3.48			5.4			
			Bottom	10.6	17.6	27.6	27.6	7.10	7.11	86.6	86.8	3.50	3.52		3.51	5.6		5.6
						27.6		7.12		86.9		3.52			5.6			
27/03/12	1742-1752	18/Sunny	Surface	1.0	18.2	27.4	27.4	7.66	7.63	94.9	94.6	3.87	3.90	4.18	7.0	6.8	7.3	
						27.4		7.60		94.2		3.93			6.6			
			Middle	8.4	17.9	27.5	27.5	7.57	7.58	93.8	94.0	4.21	4.17		4.19	7.4		7.4
						27.5		7.59		94.1		4.17			7.4			
			Bottom	15.8	17.8	27.6	27.6	7.60	7.62	94.2	94.5	4.40	4.47		4.44	7.8		7.8
						27.6		7.64		94.7		4.47			7.8			
29/03/12	1712-1730	22/Fine	Surface	1.0	17.9	27.6	27.6	7.47	7.50	92.6	92.9	3.99	3.96	3.95	6.0	5.9	5.9	
						27.6		7.52		93.1		3.93			5.8			
			Middle	8.1	17.8	27.7	27.8	7.42	7.44	92.0	92.2	3.84	3.90		3.87	5.8		5.8
						27.8		7.45		92.3		3.90			5.8			
			Bottom	15.2	17.7	27.8	27.8	7.32	7.29	90.7	90.3	4.04	4.01		4.03	6.0		6.0
						27.8		7.25		89.9		4.01			6.0			
31/03/12	1905-1920	23/Cloudy	Surface	1.0	17.8	27.7	27.8	7.82	7.82	96.2	96.2	3.93	3.95	4.05	6.0	6.0	6.1	
						27.8		7.81		96.1		3.97			6.0			
			Middle	8.5	17.7	28.1	28.1	7.72	7.70	94.9	94.7	4.03	4.05		4.04	6.0		6.0
						28.1		7.68		94.5		4.05			6.0			
			Bottom	16.0	17.5	28.3	28.3	7.38	7.35	90.8	90.4	4.14	4.18		4.16	6.2		6.2
						28.3		7.32		90.0		4.18			6.2			

Monitoring Station : C4

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average			
01/03/12	1839-1852	17/Cloudy	Surface	1.0	16.7	30.0	30.1	6.34	6.32	80.2	80.0	5.05	5.03	5.11	8.0	8.0	8.0			
						30.1		6.30		79.7		5.01			8.0					
			Middle	8.1	16.3	30.7	30.7	6.24	6.23	78.9	78.8	5.09	5.12		5.09			5.11	8.0	8.0
						30.6		6.21		78.6		5.12			8.0					
			Bottom	15.2	15.9	31.6	31.6	6.13	6.11	77.5	77.3	5.19	5.22		5.19			5.21	8.2	8.1
						31.5		6.09		77.0		5.22			8.0					
03/03/12	2045-2100	18/Cloudy	Surface	1.0	17.3	30.4	30.4	6.11	6.13	80.0	80.3	4.27	4.29	4.50	7.2	7.2	7.4			
						30.4		6.15		80.5		4.30			7.2					
			Middle	7.9	17.4	30.7	30.7	5.94	5.97	77.8	78.1	4.46	4.48		4.46			4.48	7.4	7.4
						30.6		5.99		78.4		4.40			7.4					
			Bottom	14.8	17.7	31.3	31.4	5.83	5.81	76.3	76.0	4.72	4.74		4.72			4.74	7.6	7.6
						31.4		5.78		75.7		4.75			7.5					
06/03/12	1249-1304	23/Fine	Surface	1.0	19.3	29.9	29.9	6.16	6.15	80.1	79.9	4.51	4.54	4.76	7.4	7.5	7.7			
						29.9		6.13		79.7		4.57			7.6					
			Middle	8.0	18.6	30.6	30.7	5.95	5.96	77.4	77.5	4.76	4.72		4.76			4.74	7.8	7.7
						30.7		5.97		77.6		4.72			7.6					
			Bottom	15.0	18.1	31.6	31.6	5.87	5.84	76.3	75.9	4.98	5.00		4.98			5.00	7.8	7.9
						31.6		5.81		75.5		5.02			8.0					
08/03/12	1314-1324	18/Drizzle	Surface	1.0	16.3	27.0	27.0	7.88	7.87	93.8	93.6	4.76	4.72	4.81	7.8	7.7	7.8			
						26.9		7.85		93.4		4.68			7.6					
			Middle	8.4	16.2	27.2	27.2	7.76	7.78	92.3	92.6	4.77	4.80		4.77			4.79	7.8	7.8
						27.1		7.80		92.8		4.80			7.8					
			Bottom	15.8	16.1	27.2	27.2	7.85	7.88	93.4	93.7	4.98	4.93		4.98			4.93	8.0	8.0
						27.1		7.90		94.0		4.88			8.0					
10/03/12	1510-1525	13/Cloudy	Surface	1.0	16.1	27.7	27.8	7.10	7.09	85.2	85.1	3.95	3.95	4.06	6.8	7.1	7.0			
						27.8		7.08		84.9		3.94			6.8					
			Middle	10.0	16.0	27.8	27.8	7.01	6.99	84.1	83.9	4.12	4.16		4.12			4.16	7.0	7.1
						27.8		6.97		83.6		4.19			7.2					
			Bottom	19.0	16.1	28.1	28.1	7.17	7.15	86.0	85.7	4.08	4.07		4.08			4.07	7.0	7.0
						28.0		7.12		85.4		4.05			7.0					
13/03/12	1724-1739	15/Cloudy	Surface	1.0	16.2	27.3	27.3	7.82	7.85	93.1	93.4	4.07	4.09	4.37	7.0	7.4	7.3			
						27.3		7.88		93.7		4.10			7.0					
			Middle	8.1	16.0	27.4	27.4	7.63	7.66	90.6	91.1	4.35	4.37		4.35			4.37	7.4	7.4
						27.4		7.69		91.5		4.38			7.4					
			Bottom	15.2	16.0	27.5	27.5	7.51	7.55	89.4	89.8	4.66	4.67		4.66			4.67	7.6	7.6
						27.5		7.58		90.2		4.67			7.5					
15/03/12	1857-1911	18/Cloudy	Surface	1.0	16.3	27.4	27.5	7.69	7.67	91.5	91.3	4.04	4.02	4.10	6.0	6.1	6.1			
						27.6		7.65		91.0		3.99			6.0					
			Middle	9.9	16.2	27.4	27.5	7.54	7.57	89.8	90.1	4.13	4.11		4.13			4.11	6.2	6.1
						27.5		7.59		90.3		4.08			6.0					
			Bottom	18.8	16.0	27.5	27.5	7.51	7.54	89.4	89.7	4.15	4.18		4.15			4.18	6.2	6.1
						27.5		7.56		89.9		4.21			6.0					
17/03/12	2123-2134	18/Cloudy	Surface	1.0	16.7	27.4	27.5	7.20	7.21	86.6	86.7	3.61	3.62	3.81	5.6	5.8	5.8			
						27.5		7.22		86.8		3.63			5.6					
			Middle	8.1	16.6	27.5	27.5	7.11	7.13	85.6	85.8	3.88	3.89		3.88			3.89	5.8	5.8
						27.5		7.14		85.9		3.90			5.8					
			Bottom	15.2	16.5	27.5	27.6	7.12	7.10	85.7	85.5	3.92	3.93		3.92			3.93	5.8	5.9
						27.6		7.08		85.2		3.94			6.0					
20/03/12	1313-1327	22/Cloudy	Surface	1.0	17.5	27.7	27.7	7.20	7.24	87.8	88.2	3.53	3.56	3.65	5.4	5.5	5.6			
						27.6		7.27		88.6		3.58			5.6					
			Middle	9.9	17.6	27.7	27.7	7.06	7.04	86.1	85.9	3.72	3.75		3.72			3.75	5.6	5.7
						27.7		7.02		85.6		3.77			5.8					
			Bottom	18.8	17.6	27.8	27.9	7.13	7.15	86.9	87.1	3.62	3.64		3.62			3.64	5.6	5.6
						27.9		7.16		87.3		3.66			5.5					
22/03/12	1332-1347	21/Cloudy	Surface	1.0	17.5	27.9	27.9	7.25	7.23	88.2	88.0	3.54	3.56	3.68	5.4	5.5	5.6			
						27.8		7.21		87.7		3.58			5.6					
			Middle	9.5	17.6	27.9	28.0	7.15	7.13	87.0	86.8	3.66	3.69		3.66			3.69	5.5	5.5
						28.0		7.11		86.6		3.71			5.5					
			Bottom	17.9	17.7	28.1	28.2	7.02	7.04	85.3	85.5	3.78	3.81		3.78			3.81	5.6	5.8
						28.2		7.05		85.6		3.83			6.0					
24/03/12	1507-1522	18/Fine	Surface	1.0	17.7	27.5	27.5	7.61	7.63	92.8	93.0	3.41	3.44	3.56	6.8	7.0	7.0			
						27.5		7.64		93.2		3.47			6.8					
			Middle	10.1	17.7	27.4	27.5	7.50	7.53	91.5	91.9	3.56	3.58		3.56			3.58	7.0	7.0
						27.5		7.56		92.2		3.59			7.0					
			Bottom	19.2	17.6	27.5	27.6	7.71	7.70	94.1	93.9	3.64	3.65		3.64			3.65	7.2	7.1
						27.6		7.68		93.7		3.66			7.0					
27/03/12	1726-1736	18/Sunny	Surface	1.0	18.2	27.4	27.4	7.73	7.71	95.8	95.6	3.69	3.73	4.03	6.6	7.0	7.0			
						27.4		7.69		95.3		3.76			6.6					
			Middle	8.4	17.9	27.5	27.5	7.60	7.62	94.2	94.5	4.07	4.04		4.07			4.04	7.0	7.0
						27.4		7.64		94.7		4.01			7.0					
			Bottom	15.8	17.8	27.5	27.5	7.77	7.76	96.4	96.3	4.29	4.31		4.29			4.31	7.4	7.5
						27.5		7.75		96.1		4.33			7.5					
29/03/12	1654-1709	22/Fine	Surface	1.0	17.9	27.6	27.6	7.52	7.55	93.2	93.6	3.98	3.97	3.97	6.0	6.0	5.9			
						27.5		7.58		93.9		3.95			6.0					
			Middle	8.1	17.8	27.7	27.7	7.45	7.43	92.3	92.1	3.88	3.90		3.88			3.90	5.8	5.8
						27.7		7.41		91.8		3.91			5.8					
			Bottom	15.2	17.7	27.7	27.8	7.21	7.24	89.4	89.7	4.03	4.05		4.03			4.05	6.0	6.0
						27.8		7.26		90.0		4.07			6.0					
31/03/12	1844-1859	23/Cloudy	Surface	1.0	17.9	27.8	27.8	7.47	7.48	91.9	92.0	4.02	4.05	4.14	6.0	6.1	6.1			
						27.8		7.48		92.0		4.08			6.0					
			Middle	8.5	17.6	28.0	28.1	7.23	7.25	88.9	89.2	4.12	4.14		4.12			4.14	6.2	6.2
						28.1		7.27		89.4		4.15			6.2					
			Bottom	16.0	17.6	28.2	28.3	7.06	7.05	86.8	86.7	4.26	4.25		4.26			4.25	6.2	6.1
						28.3		7.03		86.5		4.23			6.0					

Mid-Ebb Tide

Monitoring Station : R5

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/03/12	1638-1650	17/Cloudy	Surface	1.0	16.6	29.9	29.9	6.07	6.09	76.8	77.0	5.08	5.10	5.20	8.0	8.0	8.1	
						29.9		6.10		77.2		5.12			8.0			
			Middle	8.3	16.4	30.7	30.7	6.00	5.98	75.9	75.7	5.18	5.21		5.20	8.2		8.2
						30.6		5.96		75.4		5.28				8.2		
			Bottom	15.6	15.9	31.5	31.6	5.89	5.88	74.5	74.3	5.28	5.30		5.29	8.2		8.2
						31.6		5.86		74.1		5.30				8.2		
03/03/12	1836-1850	19/Cloudy	Surface	1.0	17.3	30.3	30.4	5.97	5.95	78.2	77.9	4.55	4.58	4.80	7.5	7.6	7.8	
						30.4		5.93		77.6		4.60			7.6			
			Middle	8.4	17.5	30.7	30.8	5.80	5.82	75.9	76.9	4.76	4.81		4.79	7.8		7.8
						30.8		5.84		77.8		4.81				7.8		
			Bottom	15.8	17.7	31.4	31.5	5.69	5.71	74.5	74.8	5.02	5.07		5.05	8.0		8.0
						31.5		5.73		75.0		5.07				8.0		
06/03/12	1055-1110	23/Fine	Surface	1.0	19.2	29.8	29.9	6.07	6.11	78.9	79.5	4.75	4.73	4.91	7.5	7.6	7.8	
						29.9		6.15		80.0		4.71			7.6			
			Middle	8.3	18.6	30.7	30.7	5.89	5.87	76.6	76.4	4.87	4.94		4.91	7.8		7.8
						30.7		5.85		76.1		4.94				7.8		
			Bottom	15.6	18.1	31.6	31.6	5.67	5.70	73.7	74.1	5.12	5.04		5.08	8.0		8.0
						31.5		5.73		74.5		5.12				8.0		
08/03/12	1121-1131	18/Drizzle	Surface	1.0	16.3	26.9	27.0	7.67	7.65	91.3	91.1	4.65	4.62	4.56	7.5	7.6	7.5	
						27.0		7.63		90.8		4.59			7.6			
			Middle	8.3	16.1	27.1	27.1	7.84	7.83	93.3	93.1	4.51	4.56		4.54	7.4		7.5
						27.0		7.81		92.9		4.56				7.6		
			Bottom	15.6	16.1	27.1	27.2	7.79	7.80	92.7	92.8	4.50	4.57		4.54	7.4		7.5
						27.2		7.81		92.9		4.57				7.6		
10/03/12	1306-1321	14/Cloudy	Surface	1.0	16.2	29.2	29.2	6.76	6.74	81.1	80.9	4.23	4.26	4.47	7.0	7.1	7.4	
						29.2		6.72		80.6		4.29			7.2			
			Middle	8.5	16.1	29.5	29.5	6.60	6.63	79.2	79.5	4.43	4.45		4.44	7.4		7.4
						29.5		6.65		79.8		4.45				7.4		
			Bottom	16.0	16.1	30.2	30.2	6.47	6.48	77.6	77.8	4.71	4.68		4.70	7.6		7.6
						30.2		6.49		77.9		4.68				7.6		
13/03/12	1524-1540	15/Cloudy	Surface	1.0	16.2	27.4	27.4	7.83	7.81	93.2	92.9	4.18	4.21	4.45	7.0	7.1	7.4	
						27.4		7.79		92.6		4.23			7.2			
			Middle	8.5	16.0	27.3	27.4	7.70	7.69	91.6	91.5	4.45	4.50		4.48	7.4		7.4
						27.4		7.68		91.3		4.50				7.4		
			Bottom	16.1	15.9	27.4	27.4	7.60	7.63	90.4	90.7	4.63	4.68		4.66	7.6		7.6
						27.4		7.65		91.0		4.68				7.6		
15/03/12	1649-1714	18/Cloudy	Surface	1.0	16.2	29.2	29.2	7.24	7.22	86.2	86.0	3.99	3.96	4.18	6.0	6.0	6.3	
						29.2		7.20		85.7		3.92			6.0			
			Middle	8.4	16.2	29.4	29.4	7.08	7.11	84.3	84.6	4.17	4.22		4.20	6.2		6.3
						29.4		7.13		84.9		4.22				6.4		
			Bottom	15.7	16.0	30.4	30.5	6.95	6.92	82.7	82.4	4.40	4.37		4.39	6.8		6.7
						30.5		6.89		82.1		4.37				6.6		
17/03/12	1921-1933	18/Cloudy	Surface	1.0	16.7	27.5	27.5	7.26	7.27	87.3	87.4	3.68	3.67	3.88	5.5	5.6	5.8	
						27.4		7.28		87.5		3.66			5.6			
			Middle	8.3	16.7	27.5	27.5	7.13	7.15	85.8	86.0	4.06	4.05		4.06	6.0		6.0
						27.5		7.16		86.1		4.05				6.0		
			Bottom	15.6	16.6	27.5	27.6	7.11	7.13	85.5	85.7	3.88	3.92		3.90	5.8		5.8
						27.6		7.14		85.9		3.92				5.8		
20/03/12	1103-1120	22/Cloudy	Surface	1.0	17.4	27.8	27.9	7.04	7.06	85.8	86.1	3.84	3.87	4.02	6.0	6.0	6.1	
						27.9		7.08		86.3		3.90			6.0			
			Middle	8.6	17.5	27.9	28.0	7.15	7.17	87.2	87.5	4.12	4.17		4.15	6.2		6.2
						28.0		7.19		87.7		4.17				6.2		
			Bottom	16.2	17.5	28.4	28.5	7.00	7.03	85.4	85.8	4.02	4.08		4.05	6.0		6.0
						28.5		7.06		86.1		4.08				6.0		
22/03/12	1122-1135	21/Cloudy	Surface	1.0	17.4	27.8	27.8	7.03	7.05	85.5	85.8	3.88	3.90	3.99	6.0	6.0	6.0	
						27.7		7.07		86.0		3.92			6.0			
			Middle	8.6	17.5	27.9	28.0	7.13	7.15	86.7	87.0	4.01	3.99		4.00	6.0		6.0
						28.0		7.16		87.2		3.99				6.0		
			Bottom	16.2	17.7	28.4	28.4	7.01	7.04	85.1	85.5	4.07	4.09		4.08	6.0		6.0
						28.4		7.07		85.9		4.09				6.0		
24/03/12	1250-1306	18/Fine	Surface	1.0	17.8	27.4	27.4	7.03	7.04	85.8	85.9	3.84	3.82	4.00	6.0	6.0	6.1	
						27.4		7.05		86.0		3.80			6.0			
			Middle	8.4	17.7	27.5	27.5	7.01	7.00	85.5	85.4	3.94	3.96		3.95	6.0		6.0
						27.5		6.98		85.2		3.96				6.0		
			Bottom	15.8	17.6	27.6	27.6	6.55	6.57	79.9	80.1	4.21	4.24		4.23	6.4		6.4
						27.5		6.58		80.3		4.24				6.4		
27/03/12	1534-1544	18/Sunny	Surface	1.0	18.3	27.4	27.4	7.54	7.56	93.4	93.7	3.92	3.95	4.14	7.0	7.0	7.3	
						27.4		7.58		93.9		3.98			7.0			
			Middle	8.6	17.8	27.5	27.5	7.37	7.36	90.6	90.4	4.27	4.21		4.24	7.4		7.4
						27.5		7.34		90.2		4.21				7.4		
			Bottom	16.2	17.8	27.5	27.5	7.60	7.59	94.2	94.0	4.19	4.28		4.24	7.4		7.4
						27.4		7.57		93.8		4.28				7.4		
29/03/12	1455-1513	22/Fine	Surface	1.0	17.9	27.6	27.7	7.44	7.42	92.2	92.0	4.68	4.66	4.75	6.5	6.6	6.7	
						27.7		7.40		91.7		4.64			6.6			
			Middle	8.7	17.8	27.7	27.8	7.38	7.37	91.4	91.3	4.72	4.76		4.74	6.6		6.7
						27.8		7.35		91.1		4.76				6.8		
			Bottom	16.4	17.7	27.8	27.8	7.26	7.28	90.0	90.2	4.89	4.82		4.86	6.8		6.8
						27.8		7.29		90.3		4.82				6.8		
31/03/12	1640-1655	25/Cloudy	Surface	1.0	17.8	27.7	27.7	7.49	7.47	92.1	91.9	3.94	3.94	3.93	6.0	6.0	5.9	
						27.6		7.45		91.6		3.94			6.0			
			Middle	8.5	17.7	28.0	28.1	7.37	7.35	90.7	90.5	3.85	3.88		3.87	5.8		5.8
						28.1		7.33		90.2		3.88				5.8		
			Bottom	16.0	17.6	28.2	28.2	7.05	7.03	86.7	86.5	3.97	3.98		3.98	6.0		6.0
						28.1		7.01		86.2		3.98				6.0		

Mid-Ebb Tide

Monitoring Station : R6

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)					
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average			
01/03/12	1734-1747	17/Cloudy	Surface	1.0	16.8	29.9	30.0	6.25	6.27	79.1	79.4	5.05	5.04	5.11	8.0	8.0	8.1			
						30.0		6.29		79.6		5.02			8.0					
			Middle	7.8	16.3	30.6	30.6	6.18	6.16	78.2	78.0	5.07	5.10		5.12			5.10	8.0	8.0
						30.6		6.14		77.7		5.12			8.0					
			Bottom	14.6	15.9	31.6	31.6	6.05	6.03	76.2	76.1	5.19	5.21		5.22			5.21	8.2	8.2
						31.6		6.01		76.0		5.22			8.2					
03/03/12	1940-1955	19/Cloudy	Surface	1.0	17.3	30.4	30.5	6.18	6.20	80.9	81.2	4.31	4.34	4.60	7.2	7.3	7.6			
						30.5		6.22		81.4		4.36			7.4					
			Middle	7.9	17.4	30.8	30.8	5.97	6.02	78.2	78.8	4.54	4.57		4.60			4.57	7.6	7.6
						30.8		6.06		79.3		4.60			7.6					
			Bottom	14.8	17.6	31.3	31.4	5.85	5.84	76.6	76.4	4.87	4.90		4.87			4.90	7.8	7.8
						31.4		5.82		76.2		4.92			7.8					
06/03/12	1150-1205	23/Fine	Surface	1.0	19.3	29.9	29.9	6.18	6.21	80.3	80.7	4.51	4.50	4.68	7.4	7.4	7.6			
						29.9		6.23		81.0		4.48			7.4					
			Middle	8.0	18.6	30.6	30.6	6.03	6.01	78.4	78.2	4.62	4.64		4.66			4.64	7.6	7.6
						30.6		5.99		77.9		4.66			7.6					
			Bottom	15.0	18.1	31.5	31.6	5.85	5.82	76.1	75.7	4.93	4.91		4.88			4.91	7.8	7.8
						31.6		5.79		75.3		4.88			7.8					
08/03/12	1218-1229	18/Drizzle	Surface	1.0	16.3	26.9	26.9	7.42	7.46	88.3	88.7	4.17	4.19	4.45	7.2	7.2	7.4			
						26.9		7.49		89.1		4.20			7.2					
			Middle	8.3	16.1	27.1	27.1	7.38	7.38	87.8	87.8	4.38	4.40		4.42			4.40	7.4	7.4
						27.0		7.37		87.7		4.42			7.4					
			Bottom	15.6	16.1	27.1	27.1	7.28	7.32	86.6	87.1	4.73	4.77		4.80			4.77	7.6	7.7
						27.1		7.35		87.5		4.80			7.8					
10/03/12	1408-1424	14/Cloudy	Surface	1.0	16.2	29.3	29.3	6.59	6.55	79.1	78.6	3.96	3.94	4.10	6.8	6.8	7.0			
						29.2		6.51		78.1		3.92			6.8					
			Middle	8.4	16.3	29.1	29.2	6.69	6.66	80.3	80.0	4.11	4.13		4.14			4.13	7.0	7.0
						29.2		6.63		79.6		4.14			7.0					
			Bottom	15.8	16.1	29.8	29.9	6.41	6.43	76.9	77.1	4.20	4.24		4.27			4.24	7.2	7.2
						29.9		6.44		77.3		4.27			7.2					
13/03/12	1622-1638	15/Cloudy	Surface	1.0	16.2	27.3	27.3	7.79	7.81	92.7	92.9	4.18	4.16	4.37	7.2	7.1	7.3			
						27.3		7.83		93.1		4.13			7.0					
			Middle	8.1	16.0	27.4	27.4	7.74	7.77	92.1	92.5	4.26	4.28		4.26			4.28	7.2	7.2
						27.4		7.80		92.9		4.30			7.2					
			Bottom	15.1	15.9	27.5	27.5	7.63	7.65	90.8	91.1	4.67	4.69		4.70			4.69	7.6	7.6
						27.5		7.67		91.3		4.70			7.6					
15/03/12	1800-1817	18/Cloudy	Surface	1.0	16.3	29.3	29.3	6.96	6.93	82.8	82.4	3.65	3.63	3.76	5.6	5.6	5.7			
						29.2		6.89		82.0		3.61			5.6					
			Middle	7.1	16.2	29.2	29.2	7.06	7.04	84.0	83.8	3.79	3.78		3.76			3.78	5.8	5.8
						29.1		7.01		83.5		3.76			5.8					
			Bottom	13.2	16.1	30.0	29.9	6.79	6.75	80.8	80.3	3.86	3.88		3.90			3.88	5.8	5.8
						29.8		6.71		79.8		3.90			5.8					
17/03/12	2024-2036	18/Cloudy	Surface	1.0	16.7	27.4	27.5	7.22	7.23	86.8	86.9	3.82	3.81	3.85	5.8	5.8	5.8			
						27.5		7.24		87.0		3.80			5.8					
			Middle	8.1	16.6	27.5	27.6	7.18	7.17	86.4	86.3	3.72	3.73		3.74			3.73	5.6	5.6
						27.6		7.16		86.1		3.74			5.6					
			Bottom	15.2	16.5	27.6	27.6	7.05	7.06	84.8	85.0	4.02	4.02		4.02			4.02	6.0	6.0
						27.6		7.07		85.1		4.01			6.0					
20/03/12	1210-1224	22/Cloudy	Surface	1.0	17.4	27.7	27.7	7.24	7.26	88.3	88.5	3.90	3.93	3.89	6.0	6.0	5.9			
						27.7		7.27		88.6		3.95			6.0					
			Middle	8.4	17.6	27.9	27.9	7.18	7.16	87.5	87.2	3.82	3.80		3.78			3.80	5.8	5.8
						27.9		7.13		86.9		3.78			5.8					
			Bottom	15.8	17.6	28.2	28.3	7.00	7.03	85.4	85.8	3.96	3.94		3.91			3.94	6.0	5.9
						28.3		7.06		86.1		3.91			5.8					
22/03/12	1227-1240	21/Cloudy	Surface	1.0	17.5	27.7	27.8	7.22	7.24	87.8	88.0	3.87	3.89	3.86	5.8	5.8	5.8			
						27.8		7.25		88.2		3.91			5.8					
			Middle	8.4	17.6	27.9	28.0	7.15	7.14	87.0	86.9	3.81	3.79		3.77			3.79	5.7	5.7
						28.0		7.12		86.8		3.77			5.6					
			Bottom	15.8	17.7	28.4	28.4	7.06	7.05	85.7	85.6	3.88	3.90		3.92			3.90	5.8	5.8
						28.4		7.03		85.4		3.92			5.8					
24/03/12	1400-1415	18/Fine	Surface	1.0	17.8	27.5	27.5	6.77	6.75	82.6	82.3	4.11	4.12	4.20	6.2	6.2	6.4			
						27.4		6.72		81.9		4.12			6.2					
			Middle	8.3	17.7	27.4	27.5	6.64	6.62	81.0	80.8	4.18	4.19		4.19			4.19	6.4	6.4
						27.5		6.60		80.5		4.19			6.4					
			Bottom	15.6	17.6	27.5	27.5	6.42	6.41	78.3	78.2	4.30	4.29		4.27			4.29	6.6	6.6
						27.5		6.40		78.1		4.27			6.6					
27/03/12	1630-1641	18/Sunny	Surface	1.0	18.3	27.4	27.4	7.59	7.57	94.1	93.9	3.95	3.97	4.12	6.8	6.8	7.2			
						27.4		7.55		93.6		3.99			6.8					
			Middle	8.2	17.9	27.5	27.5	7.63	7.62	94.6	94.4	3.99	4.03		4.06			4.03	7.0	7.0
						27.5		7.60		94.2		4.06			7.0					
			Bottom	15.4	17.9	27.6	27.6	7.57	7.56	93.8	93.6	4.34	4.37		4.40			4.37	7.6	7.7
						27.6		7.54		93.4		4.40			7.8					
29/03/12	1555-1610	22/Fine	Surface	1.0	17.9	27.5	27.6	7.60	7.57	94.2	93.8	4.67	4.64	4.68	6.6	6.6	6.7			
						27.6		7.54		93.4		4.61			6.6					
			Middle	8.2	17.8	27.7	27.7	7.49	7.48	92.8	92.7	4.59	4.62		4.64			4.62	6.6	6.6
						27.6		7.46		92.5		4.64			6.6					
			Bottom	15.4	17.8	27.8	27.9	7.35	7.33	91.1	90.8	4.75	4.77		4.79			4.77	6.8	6.8
						27.9		7.30		90.5		4.79			6.8					
31/03/12	1748-1759	25/Cloudy	Surface	1.0	17.8	27.8	27.8	7.36	7.34	90.5	90.3	3.46	3.44	3.27	5.4	5.4	5.3			
						27.7		7.32		90.0		3.42			5.4					
			Middle	8.4	17.7	28.2	28.2	7.18	7.16	88.3	88.1	3.15	3.13		3.11			3.13	5.2	5.2
						28.1		7.14		87.8		3.11			5.2					
			Bottom	15.8	17.6	28.2	28.2	7.05	7.06	86.7	86.8	3.24	3.23		3.21			3.23	5.2	5.2
						28.2		7.07		86.9		3.21			5.2					

Mid-Ebb Tide

Monitoring Station : R7

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
01/03/12	1756-1809	17/Cloudy	Surface	1.0	16.7	30.0	30.1	6.34	6.33	80.1	80.0	5.00	5.01	5.12	8.0	8.0	8.1		
						30.1		6.31		79.8		5.02			8.0				
			Middle	8.5	16.3	30.7	30.7	6.26	6.25	79.2	79.0	5.09	5.11		5.13	5.12		8.0	8.0
						30.7		6.23		78.8		5.13			8.0				
			Bottom	16.0	15.8	31.7	31.7	6.17	6.15	78.0	77.8	5.22	5.24		5.26	5.24		8.2	8.2
						31.6		6.13		77.6		5.26			8.2				
03/03/12	2000-2016	19/Cloudy	Surface	1.0	17.3	30.4	30.4	6.24	6.22	81.7	81.5	4.27	4.30	4.53	7.2	7.3	7.5		
						30.3		6.20		81.2		4.33			7.4				
			Middle	8.7	17.5	30.7	30.8	5.92	5.94	77.5	77.8	4.50	4.53		4.55	4.53		7.4	7.5
						30.8		5.96		78.0		4.55			7.6				
			Bottom	16.4	17.6	31.4	31.5	5.81	5.83	76.1	76.3	4.73	4.76		4.78	4.76		7.6	7.7
						31.5		5.84		76.5		4.78			7.8				
06/03/12	1208-1223	23/Fine	Surface	1.0	19.2	29.9	29.9	6.27	6.31	81.5	82.0	4.45	4.43	4.63	7.4	7.4	7.6		
						29.8		6.34		82.4		4.40			7.4				
			Middle	8.8	18.6	30.7	30.7	6.06	6.04	78.8	78.6	4.63	4.61		4.58	4.61		7.6	7.6
						30.7		6.02		78.3		4.58			7.6				
			Bottom	16.6	18.0	31.5	31.6	5.83	5.86	75.8	76.1	4.81	4.85		4.89	4.85		7.8	7.8
						31.6		5.88		76.4		4.89			7.8				
08/03/12	1232-1242	18/Drizzle	Surface	1.0	16.3	27.0	27.0	7.74	7.72	92.1	91.9	4.17	4.19	4.57	7.2	7.2	7.6		
						27.0		7.70		91.6		4.20			7.2				
			Middle	8.7	16.2	27.1	27.1	7.86	7.85	93.5	93.4	4.56	4.57		4.57	4.57		7.6	7.6
						27.0		7.83		93.2		4.57			7.6				
			Bottom	16.4	16.1	27.1	27.1	7.91	7.93	94.1	94.4	5.00	4.97		4.93	4.97		8.0	8.0
						27.0		7.95		94.6		4.93			8.0				
10/03/12	1429-1443	14/Cloudy	Surface	1.0	16.2	29.1	29.2	6.34	6.33	76.1	75.9	3.87	3.89	4.22	6.8	6.8	7.1		
						29.2		6.31		75.7		3.90			6.8				
			Middle	9.0	16.2	29.2	29.2	6.22	6.23	74.6	74.8	4.47	4.45		4.42	4.45		7.4	7.4
						29.1		6.24		74.9		4.42			7.4				
			Bottom	17.0	16.2	30.1	30.2	6.02	6.02	72.2	72.2	4.31	4.33		4.35	4.33		7.2	7.2
						30.3		6.01		72.1		4.35			7.2				
13/03/12	1641-1656	15/Cloudy	Surface	1.0	16.2	27.3	27.4	7.89	7.87	93.9	93.7	4.13	4.11	4.35	7.0	7.0	7.3		
						27.4		7.85		93.4		4.09			7.0				
			Middle	9.1	16.1	27.5	27.5	7.69	7.70	91.5	91.6	4.32	4.34		4.36	4.34		7.2	7.3
						27.4		7.71		91.6		4.36			7.4				
			Bottom	17.1	15.9	27.5	27.5	7.59	7.61	90.3	90.6	4.58	4.60		4.61	4.60		7.6	7.6
						27.4		7.63		90.8		4.61			7.6				
15/03/12	1821-1838	18/Cloudy	Surface	1.0	16.2	29.1	29.1	6.86	6.84	81.6	81.3	3.62	3.64	3.98	5.6	5.6	6.0		
						29.1		6.81		81.0		3.65			5.6				
			Middle	8.8	16.2	29.2	29.2	6.74	6.71	80.2	79.9	4.24	4.22		4.19	4.22		6.4	6.4
						29.1		6.68		79.5		4.19			6.4				
			Bottom	16.5	16.1	30.4	30.4	6.56	6.53	78.1	77.8	4.06	4.09		4.06	4.09		6.0	6.1
						30.3		6.50		77.4		4.11			6.2				
17/03/12	2040-2052	18/Cloudy	Surface	1.0	16.6	27.5	27.5	7.12	7.13	85.7	85.8	3.58	3.57	3.84	5.4	5.4	5.7		
						27.5		7.14		85.9		3.56			5.4				
			Middle	8.8	16.6	27.5	27.6	7.08	7.07	85.2	85.1	3.87	3.88		3.89	3.88		5.8	5.8
						27.6		7.06		84.9		3.89			5.8				
			Bottom	16.6	16.5	27.6	27.6	7.05	7.06	84.8	85.0	4.06	4.07		4.08	4.07		6.0	6.0
						27.5		7.07		85.1		4.08			6.0				
20/03/12	1230-1245	22/Cloudy	Surface	1.0	17.5	27.7	27.8	7.20	7.18	87.8	87.5	3.64	3.66	3.74	5.6	5.6	5.7		
						27.8		7.15		87.2		3.68			5.6				
			Middle	8.9	17.6	27.9	28.0	7.04	7.07	85.8	86.1	3.84	3.82		3.80	3.82		5.8	5.8
						28.0		7.09		86.4		3.80			5.8				
			Bottom	16.8	17.7	28.5	28.5	7.17	7.15	87.4	87.2	3.72	3.74		3.76	3.74		5.6	5.7
						28.4		7.13		86.9		3.76			5.8				
22/03/12	1247-1301	21/Cloudy	Surface	1.0	17.5	27.8	27.8	7.19	7.21	87.5	87.7	3.77	3.75	3.80	5.6	5.6	5.7		
						27.7		7.23		87.9		3.73			5.6				
			Middle	8.8	17.6	27.9	28.0	7.12	7.10	86.6	86.5	3.83	3.85		3.86	3.85		5.8	5.8
						28.0		7.08		86.3		3.86			5.8				
			Bottom	16.6	17.7	28.4	28.5	7.17	7.19	87.1	87.3	3.80	3.79		3.78	3.79		5.8	5.7
						28.5		7.20		87.4		3.78			5.6				
24/03/12	1418-1433	18/Fine	Surface	1.0	17.8	27.4	27.4	6.94	6.95	84.7	84.8	4.03	4.05	4.16	6.0	6.0	6.2		
						27.4		6.96		84.9		4.07			6.0				
			Middle	8.9	17.7	27.4	27.4	6.76	6.74	82.5	82.2	4.14	4.16		4.18	4.16		6.2	6.3
						27.4		6.72		81.9		4.18			6.4				
			Bottom	16.8	17.5	27.5	27.6	6.57	6.55	80.2	80.0	4.24	4.26		4.27	4.26		6.4	6.4
						27.6		6.53		79.7		4.27			6.4				
27/03/12	1644-1655	18/Sunny	Surface	1.0	18.3	27.4	27.4	7.71	7.70	95.7	95.5	4.01	4.04	4.26	7.0	7.0	7.3		
						27.4		7.68		95.3		4.07			7.0				
			Middle	8.9	17.9	27.4	27.4	7.61	7.60	94.3	94.1	4.07	4.05		4.02	4.05		7.0	7.0
						27.4		7.58		93.9		4.02			7.0				
			Bottom	16.8	17.9	27.5	27.5	7.68	7.66	95.2	95.0	4.64	4.68		4.72	4.68		7.8	7.8
						27.5		7.64		94.7		4.72			7.8				
29/03/12	1612-1630	22/Fine	Surface	1.0	17.9	27.6	27.7	7.62	7.59	94.4	94.0	4.50	4.53	4.58	6.4	6.5	6.5		
						27.7		7.55		93.6		4.56			6.6				
			Middle	9.2	17.8	27.7	27.8	7.53	7.51	93.3	93.0	4.53	4.56		4.58	4.56		6.4	6.5
						27.8		7.48		92.7		4.58			6.6				
			Bottom	17.4	17.7	27.9	27.9	7.34	7.32	91.0	90.7	4.68	4.66		4.64	4.66		6.6	6.6
						27.8		7.30		90.4		4.64			6.6				
31/03/12	1803-1818	25/Cloudy	Surface	1.0	17.7	27.8	27.8	7.28	7.27	89.5	89.4	3.77	3.76	3.31	5.8	5.7	5.3		
						27.8		7.25		89.2		3.74			5.6				
			Middle	9.0	17.7	28.1	28.1	7.08	7.08	87.1	87.1	3.14	3.13		3.12	3.13		5.2	5.2
						28.1		7.08		87.1		3.12			5.2				
			Bottom	17.0	17.5	28.2	28.2	7.19	7.17	88.4	88.2	3.02	3.04		3.06	3.04		5.0	5.0
						28.1		7.15		87.9		3.06			5.0				

Mid-Ebb Tide

Monitoring Station : R8a

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
01/03/12	1818-1831	17/Cloudy	Surface	1.0	16.7	29.9	29.9	6.32	6.30	79.9	79.7	4.99	5.01	5.09	7.8	7.9	8.0		
						29.9		6.28		79.4		5.03			8.0				
			Middle	6.3	16.4	30.5	30.5	6.22	6.20	78.7	78.4	5.08	5.09		5.10	5.16		8.0	8.0
						30.5		6.18		78.1		5.14			8.0				
			Bottom	11.6	16.0	31.5	31.5	6.10	6.09	77.1	77.0	5.14	5.16		5.17	5.16		8.1	8.1
						31.5		6.07		76.8		5.17			8.2				
03/03/12	2022-2038	18/Cloudy	Surface	1.0	17.3	30.3	30.4	6.14	6.16	80.4	80.7	4.21	4.23	4.44	7.2	7.1	7.4		
						30.4		6.18		80.9		4.24			7.0				
			Middle	6.1	17.5	30.6	30.6	6.02	6.04	78.8	79.0	4.40	4.42		4.44	4.42		7.5	7.5
						30.5		6.05		79.2		4.44			7.4				
			Bottom	11.2	17.6	31.1	31.1	5.81	5.83	76.1	76.3	4.70	4.68		4.70	4.68		7.6	7.6
						31.1		5.84		76.5		4.66			7.6				
06/03/12	1226-1243	23/Fine	Surface	1.0	19.3	29.8	29.8	6.41	6.39	83.3	83.0	4.32	4.36	4.53	7.2	7.4	7.5		
						29.8		6.36		82.7		4.39			7.5				
			Middle	6.3	18.7	30.5	30.5	6.12	6.16	79.6	80.1	4.47	4.50		4.53	4.50		7.5	7.5
						30.5		6.19		80.5		4.53			7.4				
			Bottom	11.6	18.2	31.4	31.4	6.01	6.03	78.1	78.3	4.78	4.74		4.78	4.74		7.7	7.7
						31.4		6.04		78.5		4.70			7.6				
08/03/12	1249-1300	18/Drizzle	Surface	1.0	16.3	27.0	27.1	7.50	7.53	89.3	89.6	4.95	4.97	5.12	8.0	8.0	8.1		
						27.1		7.55		89.8		4.98			8.0				
			Middle	6.3	16.2	26.9	27.0	7.43	7.46	88.4	88.7	5.17	5.19		5.20	5.19		8.1	8.1
						27.0		7.48		89.0		5.20			8.2				
			Bottom	11.6	16.1	27.1	27.2	7.40	7.40	88.1	88.0	5.21	5.22		5.22	5.22		8.2	8.2
						27.2		7.39		87.9		5.22			8.2				
10/03/12	1450-1505	13/Cloudy	Surface	1.0	16.2	28.2	28.3	6.72	6.71	80.6	80.5	4.12	4.11	4.24	7.0	7.0	7.2		
						28.3		6.70		80.4		4.10			7.0				
			Middle	6.8	16.1	28.6	28.6	6.83	6.86	82.0	82.3	4.26	4.28		4.29	4.28		7.4	7.4
						28.6		6.88		82.6		4.29			7.2				
			Bottom	12.6	16.0	29.1	29.2	6.94	6.93	83.3	83.1	4.34	4.33		4.31	4.33		7.2	7.2
						29.2		6.91		82.9		4.31			7.2				
13/03/12	1659-1717	15/Cloudy	Surface	1.0	16.2	27.3	27.3	7.82	7.80	93.1	92.9	4.10	4.13	4.38	7.0	7.0	7.4		
						27.3		7.78		92.6		4.15			7.0				
			Middle	6.7	16.1	27.4	27.4	7.69	7.72	91.4	91.8	4.43	4.45		4.46	4.45		7.5	7.5
						27.3		7.74		92.1		4.46			7.4				
			Bottom	12.4	16.0	27.4	27.5	7.65	7.63	91.0	90.7	4.57	4.58		4.59	4.58		7.6	7.6
						27.5		7.60		90.4		4.59			7.6				
15/03/12	1842-1853	18/Cloudy	Surface	1.0	16.3	28.3	28.3	7.22	7.26	85.9	86.4	3.72	3.75	3.88	5.6	5.6	5.8		
						28.2		7.29		86.8		3.77			5.5				
			Middle	6.8	16.2	28.7	28.6	7.35	7.38	87.5	87.9	3.94	3.92		3.99	3.92		5.8	5.9
						28.5		7.41		88.2		3.89			5.8				
			Bottom	12.6	16.0	29.2	29.2	7.52	7.50	89.5	89.3	3.94	3.97		3.99	3.97		6.0	6.0
						29.1		7.48		89.0		3.99			6.0				
17/03/12	2057-2109	18/Cloudy	Surface	1.0	16.6	27.4	27.4	7.52	7.51	90.4	90.3	3.86	3.87	4.00	5.8	5.9	6.0		
						27.4		7.50		90.2		3.88			6.0				
			Middle	6.3	16.5	27.4	27.5	7.23	7.24	86.9	87.0	3.92	3.91		3.90	3.91		5.8	5.9
						27.5		7.24		87.0		3.90			5.8				
			Bottom	11.6	16.5	27.6	27.6	7.16	7.16	86.1	86.1	4.24	4.23		4.22	4.23		6.2	6.2
						27.5		7.15		86.0		4.22			6.2				
20/03/12	1252-1307	22/Cloudy	Surface	1.0	17.4	27.9	27.9	7.23	7.19	88.2	87.7	3.67	3.69	3.86	5.6	5.6	5.8		
						27.9		7.14		87.1		3.71			5.5				
			Middle	6.7	17.4	27.9	27.9	7.27	7.29	88.6	88.9	3.85	3.88		3.90	3.88		5.8	5.9
						27.8		7.30		89.1		3.90			5.8				
			Bottom	12.4	17.5	28.2	28.2	7.10	7.13	86.6	87.0	4.04	4.02		4.00	4.02		6.0	6.0
						28.1		7.16		87.3		4.00			6.0				
22/03/12	1310-1325	21/Cloudy	Surface	1.0	17.4	27.9	27.9	7.21	7.19	87.7	87.4	3.73	3.71	3.84	5.6	5.6	5.7		
						27.9		7.16		87.1		3.68			5.5				
			Middle	6.7	17.5	28.0	28.0	7.25	7.27	88.2	88.5	3.81	3.82		3.83	3.82		5.5	5.7
						27.9		7.29		88.8		3.83			5.8				
			Bottom	12.4	17.5	28.1	28.2	7.17	7.15	87.1	86.8	3.96	3.99		4.01	3.99		6.0	6.0
						28.2		7.12		86.5		4.01			6.0				
24/03/12	1442-1457	18/Fine	Surface	1.0	17.7	27.5	27.5	6.82	6.83	83.2	83.3	4.01	4.02	4.23	6.0	6.0	6.4		
						27.5		6.84		83.4		4.03			6.0				
			Middle	6.7	17.6	27.5	27.5	6.52	6.54	79.5	79.7	4.23	4.25		4.27	4.25		6.5	6.5
						27.4		6.55		79.9		4.27			6.4				
			Bottom	12.4	17.6	27.6	27.6	6.40	6.44	78.1	78.5	4.42	4.41		4.40	4.41		6.8	6.8
						27.6		6.47		78.9		4.40			6.8				
27/03/12	1702-1712	18/Sunny	Surface	1.0	18.3	27.4	27.4	7.52	7.50	93.2	93.0	4.01	4.05	4.30	7.0	7.0	7.5		
						27.4		7.48		92.7		4.08			7.0				
			Middle	6.4	17.9	27.5	27.5	7.62	7.60	94.4	94.2	4.34	4.32		4.30	4.32		7.5	7.6
						27.4		7.58		93.9		4.30			7.6				
			Bottom	11.8	17.9	27.6	27.6	7.67	7.66	95.1	94.9	4.57	4.54		4.51	4.54		7.8	7.8
						27.6		7.64		94.7		4.51			7.8				
29/03/12	1633-1649	22/Fine	Surface	1.0	17.9	27.6	27.6	7.64	7.62	94.7	94.4	4.53	4.50	4.59	6.4	6.5	6.5		
						27.6		7.59		94.1		4.47			6.5				
			Middle	6.8	17.8	27.6	27.7	7.60	7.57	94.2	93.8	4.56	4.58		4.59	4.58		6.5	6.6
						27.7		7.53		93.3		4.59			6.6				
			Bottom	12.6	17.8	27.7	27.7	7.38	7.36	91.5	91.2	4.68	4.70		4.72	4.70		6.6	6.6
						27.7		7.33		90.8		4.72			6.6				
31/03/12	1820-1835	23/Cloudy	Surface	1.0	17.9	27.9	27.9	7.64	7.65	93.9	94.1	3.82	3.85	4.01	5.8	5.9	6.0		
						27.8		7.66		94.2		3.87			6.0				
			Middle	6.5	17.7	28.1	28.2	7.52	7.56	92.5	93.0	4.07	4.06		4.05	4.06		6.0	6.0
						28.2		7.59		93.4		4.05			6.0				
			Bottom	12.0	17.6	28.3	28.4	7.45	7.43	91.6	91.4	4.11	4.12		4.13	4.12		6.2	6.2
						28.4		7.41		91.1		4.13			6.2				

Mid-Ebb Tide

Monitoring Station : R15

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)						
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average				
01/03/12	1540-1553	17/Cloudy	Surface	1.0	16.7	30.0	30.0	6.16	6.14	77.9	77.6	5.13	5.14	5.21	8.0	8.1	8.2				
						29.9		6.12		77.3		5.15			8.2						
			Middle	5.4	16.5	30.5	30.5	6.06	6.05	76.7	76.5	5.20	5.21		5.22			5.21	8.2	8.2	8.2
						30.5		6.03		76.3		5.28			8.2						
			Bottom	9.8	16.1	31.3	31.4	5.96	5.95	75.4	75.3	5.28	5.29		5.30			5.29	8.2	8.2	8.2
						31.4		5.94		75.1		5.30			8.2						
03/03/12	1730-1744	20/Cloudy	Surface	1.0	17.4	30.2	30.3	6.04	6.03	79.1	78.9	4.58	4.61	4.71	7.6	7.6	7.6				
						30.3		6.01		78.7		4.63			7.6						
			Middle	5.2	17.5	30.6	30.6	5.92	5.94	77.5	77.7	4.54	4.60		4.65			4.60	7.4	7.5	7.6
						30.6		5.95		77.9		4.65			7.6						
			Bottom	9.4	17.6	31.0	31.1	5.78	5.80	75.7	75.9	4.90	4.93		4.96			4.93	7.8	7.8	7.8
						31.1		5.81		76.1		4.96			7.8						
06/03/12	0951-1004	23/Fine	Surface	1.0	19.2	29.7	29.8	6.19	6.23	80.5	81.0	4.56	4.58	4.74	7.6	7.6	7.7				
						29.8		6.26		81.4		4.59			7.6						
			Middle	5.6	18.7	30.6	30.6	6.01	6.03	78.1	78.3	4.66	4.68		4.70			4.68	7.6	7.6	7.7
						30.6		6.04		78.5		4.70			7.6						
			Bottom	10.2	18.2	31.4	31.5	5.87	5.84	76.3	75.9	4.98	4.95		4.92			4.95	7.8	7.8	7.8
						31.5		5.80		75.4		4.92			7.8						
08/03/12	1020-1030	18/Drizzle	Surface	1.0	16.3	26.9	27.0	7.54	7.56	89.7	90.0	4.57	4.59	4.78	7.6	7.6	7.8				
						27.0		7.58		90.2		4.61			7.6						
			Middle	5.8	16.1	27.1	27.2	7.67	7.68	91.3	91.4	4.78	4.79		4.80			4.79	7.8	7.8	7.8
						27.2		7.69		91.5		4.80			7.8						
			Bottom	10.6	16.1	27.1	27.2	7.76	7.78	92.3	92.6	4.91	4.96		5.00			4.96	7.8	7.9	8.0
						27.2		7.80		92.8		5.00			8.0						
10/03/12	1158-1213	13/Cloudy	Surface	1.0	16.4	29.0	29.0	6.42	6.44	77.0	77.2	4.12	4.15	4.30	7.0	7.1	7.2				
						29.0		6.45		77.4		4.18			7.2						
			Middle	5.9	16.4	29.7	29.8	6.16	6.20	73.9	74.4	4.31	4.33		4.34			4.33	7.2	7.2	7.2
						29.8		6.24		74.9		4.34			7.2						
			Bottom	10.8	16.1	30.2	30.2	6.07	6.08	72.8	72.9	4.41	4.44		4.46			4.44	7.4	7.4	7.4
						30.1		6.09		73.0		4.46			7.4						
13/03/12	1405-1415	15/Cloudy	Surface	1.0	16.2	27.3	27.3	7.89	7.86	93.8	93.5	4.10	4.13	4.34	7.0	7.1	7.3				
						27.3		7.83		93.2		4.15			7.2						
			Middle	5.1	16.1	27.3	27.4	7.78	7.80	92.5	92.8	4.33	4.36		4.38			4.36	7.2	7.3	7.3
						27.4		7.82		93.1		4.38			7.4						
			Bottom	10.1	16.0	27.5	27.5	7.62	7.64	90.7	90.9	4.51	4.54		4.57			4.54	7.4	7.5	7.6
						27.5		7.65		91.0		4.57			7.6						
15/03/12	1544-1559	18/Cloudy	Surface	1.0	16.2	29.2	29.1	6.93	6.91	82.5	82.2	3.83	3.80	3.93	5.8	5.8	5.9				
						29.0		6.88		81.9		3.77			5.8						
			Middle	6.0	16.2	29.8	29.8	6.57	6.61	78.2	78.7	3.96	3.94		3.92			3.94	6.0	5.9	6.0
						29.7		6.65		79.1		3.92			6.0						
			Bottom	10.9	16.1	30.3	30.2	6.41	6.40	76.4	76.2	4.01	4.04		4.06			4.04	6.0	6.0	6.0
						30.1		6.38		76.0		4.06			6.0						
17/03/12	1804-1815	18/Cloudy	Surface	1.0	16.7	27.6	27.6	7.02	7.04	84.5	84.7	3.89	3.90	4.02	5.8	5.8	6.0				
						27.5		7.06		84.9		3.90			5.8						
			Middle	5.6	16.7	27.6	27.6	7.01	7.03	84.3	84.5	4.02	4.03		4.04			4.03	6.0	6.0	6.0
						27.5		7.04		84.7		4.04			6.0						
			Bottom	10.2	16.6	27.6	27.6	7.11	7.14	85.5	85.8	4.13	4.15		4.16			4.15	6.2	6.2	6.2
						27.6		7.16		86.1		4.16			6.2						
20/03/12	0957-1012	22/Cloudy	Surface	1.0	17.3	27.8	27.9	7.24	7.21	88.3	87.9	3.87	3.90	3.97	5.8	5.8	5.9				
						27.9		7.18		87.5		3.92			5.8						
			Middle	6.0	17.4	27.9	28.0	7.11	7.09	86.7	86.5	4.01	4.00		3.98			4.00	6.0	6.0	6.0
						28.0		7.07		86.2		3.98			6.0						
			Bottom	11.0	17.4	28.1	28.1	7.18	7.22	87.5	88.0	4.05	4.03		4.00			4.03	6.0	6.0	6.0
						28.0		7.26		88.5		4.00			6.0						
22/03/12	1022-1034	21/Cloudy	Surface	1.0	17.4	27.7	27.8	7.26	7.24	88.3	88.1	3.89	3.91	4.00	5.8	5.8	5.9				
						27.8		7.22		87.8		3.92			5.8						
			Middle	6.0	17.4	27.8	27.9	7.18	7.16	87.3	87.1	4.03	4.02		4.00			4.02	6.0	6.0	6.0
						27.9		7.13		86.9		4.00			6.0						
			Bottom	11.0	17.6	28.1	28.1	7.03	7.05	85.4	85.6	4.10	4.09		4.07			4.09	6.0	6.0	6.0
						28.1		7.06		85.7		4.07			6.0						
24/03/12	1150-1205	18/Fine	Surface	1.0	17.7	27.5	27.5	6.66	6.68	81.3	81.5	4.05	4.02	4.17	6.0	6.0	6.3				
						27.5		6.69		81.6		3.99			6.0						
			Middle	5.8	17.7	27.6	27.6	6.51	6.53	79.4	79.6	4.08	4.09		4.10			4.09	6.2	6.1	6.2
						27.6		6.54		79.8		4.10			6.2						
			Bottom	10.6	17.6	27.6	27.6	6.43	6.46	78.4	78.8	4.39	4.41		4.42			4.41	6.6	6.7	6.8
						27.6		6.48		79.1		4.42			6.8						
27/03/12	1419-1430	18/Sunny	Surface	1.0	18.2	27.4	27.4	7.60	7.59	94.2	94.0	3.92	3.95	4.13	6.8	6.8	7.1				
						27.4		7.57		93.8		3.98			6.8						
			Middle	5.7	18.0	27.5	27.5	7.67	7.66	95.1	95.0	4.34	4.32		4.30			4.32	7.6	7.6	7.6
						27.4		7.64		94.8		4.30			7.6						
			Bottom	10.4	17.9	27.5	27.5	7.72	7.70	95.8	95.6	4.09	4.12		4.14			4.12	7.0	7.0	7.0
						27.4		7.68		95.3		4.14			7.0						
29/03/12	1351-1405	22/Fine	Surface	1.0	17.9	27.6	27.6	7.36	7.38	91.2	91.5	4.67	4.64	4.73	6.6	6.6	6.7				
						27.6		7.40		91.7		4.61			6.6						
			Middle	5.7	17.8	27.6	27.7	7.38	7.35	91.5	91.1	4.69	4.72		4.74			4.72	6.6	6.6	6.6
						27.7		7.31		90.6		4.74			6.6						
			Bottom	10.4	17.8	27.7	27.8	7.25	7.27	89.9	90.1	4.86	4.84		4.81			4.84	6.8	6.8	6.8
						27.8		7.28		90.2		4.81			6.8						
31/03/12	1512-1527	24/Cloudy	Surface	1.0	17.9	27.8	27.8	7.12	7.14	87.6	87.8	3.49	3.51	3.67	5.4	5.4	5.6				
						27.7		7.15		87.9		3.52			5.4						
			Middle	6.0	17.7	28.1	28.1	7.10	7.07	87.3	87.0	3.63	3.62		3.61			3.62	5.6	5.6	5.6
						28.1		7.04		86.6		3.61			5.6						
			Bottom	11.0	17.6	28.2	28.2	6.98	6.95	85.9	86.5	3.87	3.88		3.89			3.88	5.8	5.8	5.8
						28.1		6.91		87.1		3.89			5.8						

Mid-Ebb Tide

Monitoring Station : R16

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/03/12	1518-1531	17/Cloudy	Surface	1.0	16.8	30.0	30.0	6.21	6.23	78.6	78.8	5.02	5.03	5.11	8.0	8.0	8.1
						30.0		6.24		78.9		5.04			8.0		
			Middle	6.2	16.5	30.6	30.6	6.13	6.12	77.5	77.3	5.10	5.11		8.0		
						30.5		6.10		77.1		5.12			8.0		
			Bottom	11.4	16.1	31.4	31.5	6.03	6.02	76.2	76.1	5.18	5.20		8.2		
						31.5		6.00		75.9		5.21			8.2		
03/03/12	1711-1726	20/Cloudy	Surface	1.0	17.4	30.2	30.2	6.11	6.14	80.0	80.3	4.51	4.54	4.62	7.4	7.5	7.6
						30.2		6.16		80.6		4.56			7.6		
			Middle	6.4	17.5	30.5	30.6	6.00	5.98	78.6	78.3	4.48	4.52		7.4		
						30.6		5.96		78.0		4.55			7.6		
			Bottom	11.8	17.6	31.1	31.2	5.82	5.85	76.2	76.5	4.78	4.80		7.8		
						31.2		5.87		76.8		4.81			7.8		
06/03/12	0933-0946	23/Fine	Surface	1.0	19.1	29.7	29.8	6.33	6.32	82.3	82.2	4.31	4.28	4.44	7.2	7.4	7.4
						29.8		6.31		82.0		4.25			7.2		
			Middle	6.3	18.6	30.5	30.6	6.12	6.13	79.6	79.7	4.43	4.39		7.4		
						30.6		6.14		79.8		4.35			7.4		
			Bottom	11.6	18.2	31.4	31.4	5.92	5.95	77.0	77.4	4.63	4.66		7.6		
						31.4		5.98		77.7		4.69			7.6		
08/03/12	0959-1012	18/Drizzle	Surface	1.0	16.3	27.0	27.0	7.44	7.47	88.5	88.8	5.01	4.98	5.19	8.0	7.9	8.1
						27.0		7.49		89.1		4.95			7.8		
			Middle	6.4	16.2	27.1	27.2	7.67	7.63	91.3	90.8	5.13	5.15		8.0		
						27.2		7.59		90.3		5.16			8.2		
			Bottom	11.8	16.0	27.1	27.2	7.86	7.85	93.5	93.4	5.42	5.43		8.4		
						27.2		7.83		93.2		5.44			8.4		
10/03/12	1135-1150	13/Cloudy	Surface	1.0	16.3	29.0	29.0	6.74	6.76	80.9	81.2	3.81	3.84	3.99	6.8	6.8	6.9
						28.9		6.78		81.4		3.87			6.8		
			Middle	6.4	16.3	29.2	29.2	6.62	6.60	79.4	79.1	3.94	3.96		6.8		
						29.2		6.57		78.8		3.98			6.8		
			Bottom	11.8	16.0	30.0	30.1	6.41	6.40	76.9	76.8	4.14	4.17		7.0		
						30.1		6.38		76.6		4.19			7.2		
13/03/12	1344-1355	15/Cloudy	Surface	1.0	16.2	27.4	27.4	7.80	7.83	92.7	93.1	4.08	4.09	4.33	7.0	7.0	7.3
						27.4		7.85		93.4		4.10			7.0		
			Middle	6.2	16.1	27.3	27.3	7.73	7.74	91.9	92.0	4.17	4.20		7.2		
						27.3		7.74		92.1		4.23			7.2		
			Bottom	11.4	16.0	27.3	27.4	7.62	7.65	90.7	91.0	4.67	4.70		7.6		
						27.4		7.67		91.2		4.73			7.6		
15/03/12	1521-1536	18/Cloudy	Surface	1.0	16.3	28.9	28.9	7.36	7.39	87.6	88.0	3.57	3.54	3.69	5.4	5.4	5.6
						28.9		7.42		88.3		3.50			5.4		
			Middle	6.7	16.1	29.3	29.3	7.25	7.21	86.3	85.8	3.69	3.66		5.6		
						29.2		7.16		85.2		3.63			5.6		
			Bottom	13.4	16.1	29.9	30.0	7.00	6.96	83.3	82.9	3.84	3.87		5.8		
						30.0		6.92		82.4		3.90			5.8		
17/03/12	1744-1756	18/Cloudy	Surface	1.0	16.7	27.5	27.5	7.12	7.10	85.6	85.4	4.08	4.10	3.95	6.0	6.1	5.9
						27.5		7.08		85.1		4.12			6.2		
			Middle	6.3	16.7	27.5	27.6	7.01	7.02	84.2	84.4	3.82	3.79		5.8		
						27.6		7.03		84.5		3.76			5.8		
			Bottom	11.6	16.6	27.6	27.6	6.98	6.97	84.0	83.9	3.94	3.96		5.8		
						27.6		6.96		83.7		3.98			5.8		
20/03/12	0934-0950	22/Cloudy	Surface	1.0	17.3	27.8	27.8	7.11	7.14	86.7	87.0	3.80	3.83	3.94	5.8	5.8	5.9
						27.8		7.16		87.3		3.85			5.8		
			Middle	6.4	17.4	27.8	27.9	7.24	7.26	86.3	86.6	3.93	3.95		5.8		
						27.9		7.28		86.8		3.96			6.0		
			Bottom	11.8	17.5	28.0	28.1	7.06	7.08	86.1	86.3	4.01	4.04		6.0		
						28.1		7.09		86.4		4.07			6.0		
22/03/12	1002-1015	21/Cloudy	Surface	1.0	17.4	27.7	27.7	7.15	7.14	87.0	86.9	3.81	3.80	3.89	5.8	5.8	5.9
						27.7		7.13		86.7		3.78			5.8		
			Middle	6.3	17.5	27.9	27.9	7.06	7.05	85.9	85.8	3.87	3.89		5.8		
						27.8		7.03		85.7		3.91			5.8		
			Bottom	11.6	17.5	28.1	28.1	7.09	7.11	86.1	86.3	3.96	3.99		6.0		
						28.1		7.12		86.5		4.01			6.0		
24/03/12	1125-1140	18/Fine	Surface	1.0	17.7	27.4	27.5	6.51	6.55	79.4	79.9	4.14	4.15	4.32	6.2	6.2	6.6
						27.5		6.58		80.3		4.16			6.2		
			Middle	6.3	17.6	27.5	27.5	6.44	6.47	78.6	78.9	4.19	4.20		6.4		
						27.5		6.49		79.2		4.21			6.4		
			Bottom	11.6	17.6	27.5	27.6	6.39	6.41	77.9	78.1	4.61	4.62		7.2		
						27.6		6.42		78.3		4.62			7.2		
27/03/12	1400-1411	18/Sunny	Surface	1.0	18.2	27.3	27.4	7.57	7.55	93.8	93.6	3.47	3.44	3.83	6.8	6.8	6.9
						27.4		7.53		93.3		3.41			6.8		
			Middle	6.3	17.9	27.5	27.5	7.44	7.46	92.2	92.5	3.92	3.95		6.8		
						27.5		7.48		92.7		3.97			6.8		
			Bottom	11.6	17.9	27.5	27.5	7.60	7.62	94.2	94.5	4.07	4.11		7.0		
						27.4		7.64		94.7		4.15			7.2		
29/03/12	1333-1348	22/Fine	Surface	1.0	17.9	27.5	27.6	7.42	7.44	92.0	92.2	4.50	4.48	4.51	6.4	6.4	6.5
						27.6		7.45		92.3		4.46			6.4		
			Middle	6.6	17.9	27.7	27.8	7.39	7.37	91.6	91.3	4.41	4.45		6.4		
						27.8		7.34		91.0		4.48			6.4		
			Bottom	12.2	17.9	27.8	27.8	7.32	7.31	90.7	90.5	4.58	4.61		6.6		
						27.8		7.29		90.3		4.63			6.6		
31/03/12	1450-1505	24/Cloudy	Surface	1.0	17.8	27.7	27.8	7.26	7.25	89.3	89.1	3.32	3.35	3.41	5.2	5.3	5.4
						27.8		7.23		88.9		3.37			5.4		
			Middle	6.6	17.7	28.0	28.1	7.02	7.03	86.3	86.5	3.42	3.41		5.4		
						28.1		7.04		86.6		3.40			5.4		
			Bottom	12.2	17.6	28.2	28.2	6.95	6.94	87.6	86.4	3.45	3.47		5.4		
						28.2		6.92		85.1		3.49			5.4		

Mid-Ebb Tide

Monitoring Station : R17

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)				
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average		
01/03/12	1500-1513	17/Cloudy	Surface	1.0	16.8	30.0	30.0	6.23	6.25	78.9	79.1	5.03	5.05	5.14	8.0	8.0	8.0		
						29.9		6.26		79.3		5.07			8.0				
			Middle	5.7	16.5	30.6	30.6	6.15	6.14	77.7	77.6	5.13	5.14		5.13	5.14		8.0	8.0
						30.5		6.12		77.4		5.15			8.0				
			Bottom	10.4	16.1	31.4	31.4	6.05	6.04	76.5	76.4	5.21	5.22		5.21	5.22		8.0	8.1
						31.4		6.02		76.2		5.23			8.2				
03/03/12	1650-1706	20/Cloudy	Surface	1.0	17.4	30.2	30.3	6.08	6.10	79.6	79.9	4.48	4.51	4.66	7.4	7.5	7.6		
						30.3		6.12		80.1		4.54			7.6				
			Middle	5.6	17.5	30.5	30.5	5.93	5.95	77.6	77.9	4.58	4.60		4.58	4.60		7.6	7.6
						30.4		5.97		78.2		4.62			7.5				
			Bottom	10.2	17.6	31.1	31.1	5.80	5.83	75.9	76.3	4.83	4.86		4.83	4.86		7.5	7.7
						31.0		5.85		76.6		4.89			7.8				
06/03/12	0915-0930	23/Fine	Surface	1.0	19.2	29.7	29.7	6.43	6.41	83.6	83.3	4.21	4.25	4.39	7.2	7.2	7.3		
						29.7		6.38		82.9		4.28			7.2				
			Middle	6.1	18.7	30.5	30.6	6.23	6.21	81.0	80.7	4.37	4.35		4.37	4.35		7.4	7.2
						30.6		6.18		80.3		4.33			7.0				
			Bottom	11.2	18.2	31.5	31.5	6.02	6.04	78.3	78.6	4.55	4.57		4.55	4.57		7.5	7.6
						31.4		6.06		78.8		4.58			7.6				
08/03/12	0945-0956	18/Drizzle	Surface	1.0	16.3	27.0	27.1	7.76	7.80	92.3	92.8	4.87	4.89	5.06	7.8	7.8	8.0		
						27.1		7.84		93.3		4.91			7.8				
			Middle	5.9	16.1	27.0	27.1	7.89	7.90	93.9	94.0	5.10	5.12		5.10	5.12		8.0	8.0
						27.1		7.90		94.0		5.13			8.0				
			Bottom	10.8	16.1	27.2	27.2	7.85	7.86	93.4	93.6	5.15	5.17		5.15	5.17		8.0	8.1
						27.2		7.87		93.7		5.18			8.2				
10/03/12	1115-1130	13/Cloudy	Surface	1.0	16.3	29.0	29.1	6.51	6.48	78.1	77.8	3.94	3.95	4.10	6.8	6.8	7.0		
						29.1		6.45		77.4		3.96			6.8				
			Middle	6.3	16.1	29.3	29.4	6.32	6.35	75.8	76.2	4.12	4.14		4.12	4.14		7.0	7.0
						29.4		6.38		76.6		4.16			7.0				
			Bottom	11.6	16.1	30.1	30.1	6.10	6.12	73.2	73.4	4.24	4.22		4.24	4.22		7.2	7.1
						30.1		6.13		73.6		4.20			7.2				
13/03/12	1330-1341	15/Cloudy	Surface	1.0	16.2	27.4	27.4	7.68	7.69	91.4	91.5	4.15	4.16	4.36	7.2	7.2	7.3		
						27.4		7.70		91.6		4.17			7.2				
			Middle	6.1	16.0	27.5	27.5	7.81	7.82	92.8	93.1	4.30	4.29		4.30	4.29		7.2	7.1
						27.4		7.83		93.3		4.27			7.0				
			Bottom	11.1	16.0	27.3	27.4	7.63	7.64	90.8	90.9	4.65	4.63		4.65	4.63		7.5	7.6
						27.4		7.65		91.0		4.61			7.6				
15/03/12	1500-1516	18/Cloudy	Surface	1.0	16.2	29.2	29.1	6.89	6.85	82.0	81.5	3.66	3.64	3.80	5.4	5.4	5.6		
						29.0		6.81		81.0		3.62			5.4				
			Middle	6.3	16.2	29.4	29.4	6.63	6.66	78.9	79.3	3.87	3.84		3.87	3.84		5.6	5.6
						29.3		6.69		79.6		3.81			5.5				
			Bottom	11.6	16.2	30.0	30.0	6.40	6.43	76.2	76.5	3.95	3.93		3.95	3.93		6.0	5.9
						30.0		6.45		76.8		3.90			5.8				
17/03/12	1730-1742	18/Cloudy	Surface	1.0	16.7	27.6	27.6	7.06	7.05	84.9	84.7	3.92	3.93	3.99	5.8	5.9	6.0		
						27.6		7.03		84.5		3.94			6.0				
			Middle	6.1	16.7	27.5	27.6	6.88	6.85	82.7	82.4	3.86	3.85		3.86	3.85		5.8	5.9
						27.6		6.82		82.0		3.84			6.0				
			Bottom	11.2	16.6	27.6	27.6	7.02	7.03	84.4	84.5	4.17	4.20		4.17	4.20		6.0	6.1
						27.5		7.03		84.5		4.22			6.2				
20/03/12	0915-0930	22/Cloudy	Surface	1.0	17.3	27.7	27.8	7.26	7.23	88.5	88.2	3.72	3.75	3.84	5.6	5.6	5.8		
						27.8		7.20		87.8		3.77			5.6				
			Middle	6.2	17.4	27.8	27.9	7.17	7.15	87.4	87.1	3.84	3.86		3.84	3.86		5.8	5.9
						27.9		7.12		86.8		3.88			6.0				
			Bottom	11.4	17.4	28.1	28.2	7.19	7.21	87.7	88.0	3.96	3.91		3.96	3.91		6.0	5.9
						28.2		7.23		88.2		3.85			5.8				
22/03/12	0945-0958	21/Cloudy	Surface	1.0	17.4	27.8	27.8	7.21	7.23	87.7	87.9	3.75	3.77	3.86	5.6	5.6	5.8		
						27.7		7.24		88.1		3.79			5.6				
			Middle	6.2	17.5	27.8	27.8	7.16	7.14	87.1	86.9	3.85	3.87		3.85	3.87		5.8	5.9
						27.8		7.11		86.6		3.88			6.0				
			Bottom	11.4	17.6	28.1	28.1	7.00	7.02	85.0	85.3	3.93	3.95		3.93	3.95		6.0	6.0
						28.0		7.04		85.5		3.97			6.0				
24/03/12	1100-1115	18/Fine	Surface	1.0	17.7	27.5	27.5	6.89	6.85	84.1	83.6	4.09	4.07	4.37	6.0	6.0	6.7		
						27.5		6.80		83.0		4.05			6.0				
			Middle	6.2	17.6	27.5	27.5	6.74	6.73	82.2	82.1	4.51	4.49		4.51	4.49		7.0	7.0
						27.5		6.71		81.9		4.47			7.0				
			Bottom	11.4	17.6	27.4	27.5	6.67	6.66	81.4	81.2	4.54	4.56		4.54	4.56		7.0	7.1
						27.5		6.64		81.0		4.57			7.2				
27/03/12	1345-1357	18/Sunny	Surface	1.0	18.2	27.2	27.3	7.43	7.42	92.1	91.9	3.60	3.64	4.04	6.6	6.6	7.1		
						27.3		7.40		91.7		3.68			6.6				
			Middle	5.9	17.9	27.5	27.5	7.39	7.38	90.8	90.7	4.37	4.34		4.37	4.34		7.6	7.6
						27.5		7.36		90.5		4.31			7.5				
			Bottom	10.8	17.8	27.5	27.5	7.50	7.52	92.9	93.2	4.18	4.14		4.18	4.14		7.0	7.0
						27.4		7.54		93.4		4.09			7.0				
29/03/12	1315-1330	22/Fine	Surface	1.0	17.9	27.6	27.6	7.51	7.49	93.1	92.8	4.58	4.56	4.58	6.6	6.5	6.5		
						27.6		7.46		92.5		4.54			6.4				
			Middle	6.1	17.9	27.7	27.8	7.45	7.47	92.3	92.5	4.52	4.55		4.52	4.55		6.5	6.5
						27.8		7.48		92.7		4.57			6.5				
			Bottom	11.6	17.8	27.7	27.8	7.39	7.36	91.6	91.2	4.66	4.64		4.66	4.64		6.5	6.6
						27.8		7.33		90.8		4.62			6.6				
31/03/12	1430-1445	24/Cloudy	Surface	1.0	17.8	27.8	27.8	7.13	7.15	87.7	87.9	3.41	3.41	3.61	5.4	5.4	5.5		
						27.8		7.16		88.1		3.40			5.4				
			Middle	6.1	17.7	28.1	28.2	7.04	7.07	86.6	86.9	3.54	3.57		3.54	3.57		5.6	5.6
						28.2		7.09		87.2		3.60			5.5				
			Bottom	11.2	17.5	28.1	28.2	7.06	7.06	86.8	86.8	3.87	3.86		3.87	3.86		5.5	5.7
						28.2		7.05		86.7		3.85			5.8				

Mid-Ebb Tide

Monitoring Station : R28

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/03/12	1656-1709	17/Cloudy	Surface	1.0	16.7	30.0	30.0	6.23	6.25	78.8	79.1	5.00	5.02	5.10	8.0	8.0	8.1
			Middle	5.4	16.3	30.5	30.6	6.17	6.15	78.1	77.8	5.09	5.10		8.0		
			Bottom	9.8	16.1	31.4	31.4	6.06	6.04	76.7	76.5	5.16	5.17		8.2		
03/03/12	1857-1913	19/Cloudy	Surface	1.0	17.4	30.3	30.3	6.16	6.18	80.6	80.8	4.33	4.36	4.56	7.2	7.3	7.5
			Middle	5.2	17.5	30.6	30.6	6.05	6.02	79.2	78.8	4.61	4.59		7.6		
			Bottom	9.4	17.6	31.2	31.2	5.76	5.78	75.4	75.7	4.72	4.75		7.6		
06/03/12	1114-1128	23/Fine	Surface	1.0	19.3	29.8	29.8	6.29	6.27	81.8	81.6	4.55	4.58	4.74	7.6	7.6	7.7
			Middle	5.7	18.7	30.5	30.5	6.01	6.05	78.1	78.6	4.67	4.70		7.6		
			Bottom	10.4	18.2	31.5	31.5	5.83	5.87	75.8	76.3	4.91	4.94		7.8		
08/03/12	1142-1151	18/Drizzle	Surface	1.0	16.3	27.1	27.1	7.61	7.63	90.6	90.8	4.55	4.52	5.03	7.6	7.5	8.0
			Middle	5.9	16.1	27.1	27.1	7.62	7.65	90.7	91.1	5.23	5.25		8.2		
			Bottom	10.8	16.0	27.2	27.2	7.71	7.73	91.7	91.9	5.31	5.34		8.4		
10/03/12	1327-1342	14/Cloudy	Surface	1.0	16.2	29.1	29.1	6.91	6.94	82.9	83.2	4.17	4.18	4.36	7.2	7.2	7.3
			Middle	5.7	16.1	29.4	29.4	6.72	6.74	80.6	80.8	4.37	4.38		7.4		
			Bottom	10.4	16.0	29.8	29.8	6.56	6.56	78.7	78.7	4.52	4.51		7.4		
13/03/12	1545-1558	15/Cloudy	Surface	1.0	16.2	27.3	27.3	7.84	7.83	93.2	93.1	4.13	4.15	4.46	7.0	7.0	7.3
			Middle	5.6	16.0	27.4	27.4	7.77	7.76	92.5	92.4	4.67	4.64		7.4		
			Bottom	10.3	15.9	27.5	27.5	7.63	7.66	90.7	91.1	4.58	4.61		7.4		
15/03/12	1721-1736	18/Cloudy	Surface	1.0	16.2	29.2	29.3	7.51	7.54	89.4	89.8	3.86	3.89	4.10	5.6	5.7	6.1
			Middle	5.5	16.1	29.5	29.5	7.33	7.36	87.2	87.6	4.16	4.14		6.2		
			Bottom	10.0	16.1	29.9	29.9	7.16	7.19	85.2	85.5	4.24	4.26		6.4		
17/03/12	1941-1953	18/Cloudy	Surface	1.0	16.7	27.4	27.4	7.42	7.42	89.2	89.2	3.56	3.59	3.70	5.6	5.6	5.6
			Middle	5.7	16.6	27.5	27.6	7.33	7.32	88.1	88.0	3.52	3.51		5.4		
			Bottom	10.4	16.6	27.6	27.6	7.22	7.21	86.9	86.8	3.98	4.01		5.8		
20/03/12	1129-1144	22/Cloudy	Surface	1.0	17.4	27.9	27.9	7.10	7.12	86.6	86.9	3.67	3.68	3.82	5.6	5.6	5.8
			Middle	5.8	17.4	28.0	28.0	7.06	7.04	86.1	85.9	3.81	3.79		5.8		
			Bottom	10.6	17.5	28.1	28.1	7.18	7.20	87.5	87.8	3.96	3.98		6.0		
22/03/12	1144-1157	21/Cloudy	Surface	1.0	17.5	27.8	27.8	7.13	7.15	86.7	86.9	3.71	3.73	3.82	5.6	5.6	5.7
			Middle	5.8	17.5	28.0	28.0	7.07	7.06	86.0	85.9	3.81	3.82		5.8		
			Bottom	10.6	17.6	28.1	28.1	7.14	7.15	86.7	86.9	3.90	3.92		5.8		
24/03/12	1315-1330	18/Fine	Surface	1.0	17.8	27.3	27.4	6.91	6.92	84.3	84.4	3.74	3.73	3.92	6.6	6.6	6.5
			Middle	5.7	17.7	27.5	27.5	6.84	6.86	83.4	83.6	3.89	3.92		6.8		
			Bottom	10.4	17.6	27.6	27.6	6.69	6.65	81.6	81.1	4.13	4.12		6.2		
27/03/12	1551-1602	18/Sunny	Surface	1.0	18.3	27.4	27.4	7.60	7.62	94.2	94.4	3.87	3.89	4.12	6.8	6.8	7.2
			Middle	5.8	17.9	27.5	27.5	7.59	7.58	94.1	93.9	4.11	4.10		7.0		
			Bottom	10.6	17.9	27.5	27.5	7.50	7.52	92.9	93.2	4.40	4.38		7.8		
29/03/12	1517-1531	22/Fine	Surface	1.0	17.9	27.6	27.6	7.56	7.54	93.7	93.5	4.42	4.45	4.52	6.4	6.4	6.5
			Middle	5.7	17.8	27.7	27.7	7.50	7.52	93.0	93.2	4.51	4.48		6.4		
			Bottom	10.4	17.8	27.8	27.8	7.40	7.38	91.7	91.4	4.62	4.64		6.6		
31/03/12	1659-1716	25/Cloudy	Surface	1.0	17.8	27.7	27.8	7.59	7.56	93.4	93.0	3.76	3.76	3.52	5.8	5.8	5.5
			Middle	5.9	17.6	28.1	28.2	7.29	7.27	89.7	89.5	3.56	3.55		5.6		
			Bottom	10.8	17.6	28.2	28.2	7.12	7.13	87.6	87.7	3.22	3.26		5.2		

Mid-Ebb Tide

Monitoring Station : R29

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/03/12	1715-1728	17/Cloudy	Surface	1.0	16.8	30.1	30.1	6.31	6.30	79.8	79.6	4.97	4.99	5.08	7.8	7.8	8.0	
						30.0		6.28		79.4		5.01			7.8			
			Middle	8.4	16.4	30.6	30.7	6.22	6.21	78.7	78.5	5.06	5.08		5.07			8.0
						30.7		6.19		78.3		5.08			8.0			
			Bottom	15.8	16.0	31.7	31.7	6.10	6.09	77.2	77.0	5.16	5.19		5.18			8.2
						31.6		6.07		76.8		5.19			8.2			
03/03/12	1920-1936	19/Cloudy	Surface	1.0	17.3	30.4	30.4	6.02	6.00	78.8	78.6	4.48	4.51	4.80	7.4	7.4	7.7	
						30.4		5.98		78.3		4.54			7.4			
			Middle	8.3	17.5	30.8	30.9	5.83	5.81	76.3	76.0	4.80	4.85		4.83			7.8
						30.9		5.78		75.7		4.85			7.8			
			Bottom	15.6	17.6	31.5	31.5	5.69	5.72	74.5	74.9	5.05	5.10		5.08			8.0
						31.5		5.75		75.3		5.10			8.0			
06/03/12	1135-1148	23/Fine	Surface	1.0	19.3	29.8	29.8	6.18	6.15	80.3	79.9	4.64	4.67	4.90	7.6	7.6	7.8	
						29.8		6.11		79.4		4.69			7.6			
			Middle	8.6	18.5	30.7	30.7	5.93	5.90	77.1	76.7	4.90	4.82		4.86			7.8
						30.6		5.87		76.3		4.82			7.8			
			Bottom	16.2	18.1	31.6	31.6	5.77	5.74	75.0	74.6	5.14	5.21		5.18			8.0
						31.6		5.71		74.2		5.21			8.0			
08/03/12	1204-1215	18/Drizzle	Surface	1.0	16.2	27.0	27.0	7.23	7.27	86.0	86.5	4.28	4.29	4.88	7.2	7.2	7.8	
						26.9		7.30		86.9		4.30			7.2			
			Middle	8.2	16.1	27.0	27.1	7.26	7.27	86.4	86.5	5.10	5.15		5.13			8.0
						27.1		7.28		86.6		5.15			8.0			
			Bottom	15.4	16.1	27.1	27.1	7.33	7.35	87.2	87.4	5.20	5.23		5.22			8.2
						27.1		7.36		87.6		5.23			8.2			
10/03/12	1349-1404	14/Cloudy	Surface	1.0	16.2	29.2	29.2	6.59	6.62	79.1	79.4	4.31	4.33	4.48	7.2	7.2	7.4	
						29.2		6.64		79.7		4.35			7.2			
			Middle	8.7	16.1	29.4	29.5	6.41	6.38	76.9	76.6	4.50	4.42		4.46			7.4
						29.5		6.35		76.2		4.42			7.4			
			Bottom	16.4	16.0	30.1	30.1	6.51	6.54	78.1	78.4	4.62	4.70		4.66			7.6
						30.0		6.56		78.7		4.70			7.6			
13/03/12	1605-1619	15/Cloudy	Surface	1.0	16.1	27.3	27.4	7.88	7.85	93.8	93.4	4.07	4.09	4.37	7.0	7.1	7.4	
						27.4		7.82		93.0		4.11			7.2			
			Middle	8.6	16.0	27.4	27.5	7.73	7.76	91.9	92.3	4.46	4.51		4.49			7.6
						27.5		7.78		92.6		4.51			7.6			
			Bottom	16.1	16.0	27.5	27.5	7.61	7.63	90.6	90.7	4.52	4.57		4.55			7.6
						27.5		7.64		90.8		4.57			7.6			
15/03/12	1741-1755	18/Cloudy	Surface	1.0	16.3	29.2	29.2	6.99	7.02	83.2	83.5	3.86	3.88	4.06	5.6	5.7	6.0	
						29.2		7.04		83.8		3.90			5.8			
			Middle	8.7	16.2	29.6	29.6	6.81	6.78	81.0	80.6	4.05	4.00		4.03			6.0
						29.5		6.74		80.2		4.00			6.0			
			Bottom	16.4	16.1	30.2	30.3	6.89	6.92	82.0	82.3	4.24	4.32		4.28			6.4
						30.3		6.94		82.6		4.32			6.4			
17/03/12	2008-2020	18/Cloudy	Surface	1.0	16.7	27.5	27.5	7.12	7.13	85.7	85.8	3.92	3.91	4.00	5.8	5.8	5.9	
						27.4		7.13		85.8		3.89			5.8			
			Middle	8.6	16.7	27.4	27.5	7.18	7.17	86.4	86.3	4.01	4.03		4.02			6.0
						27.5		7.16		86.1		4.03			6.0			
			Bottom	16.2	16.6	27.5	27.5	7.08	7.07	85.2	85.1	4.08	4.06		4.07			6.0
						27.5		7.06		85.0		4.06			6.0			
20/03/12	1151-1205	22/Cloudy	Surface	1.0	17.4	27.7	27.8	7.15	7.17	87.2	87.5	4.01	3.99	3.97	6.0	6.0	5.9	
						27.8		7.19		87.7		3.96			6.0			
			Middle	8.7	17.5	28.0	28.0	7.22	7.19	88.0	87.7	3.84	3.90		3.87			5.8
						28.0		7.16		87.3		3.90			5.8			
			Bottom	16.4	17.6	28.5	28.5	7.04	7.06	85.8	86.1	4.01	4.07		4.04			6.0
						28.5		7.08		86.3		4.07			6.0			
22/03/12	1209-1222	21/Cloudy	Surface	1.0	17.5	27.8	27.9	7.21	7.20	87.7	87.5	3.99	4.01	3.97	6.0	6.0	5.9	
						27.9		7.18		87.3		4.03			6.0			
			Middle	8.7	17.6	28.0	28.0	7.13	7.12	86.7	86.6	3.92	3.89		3.91			5.8
						28.0		7.10		86.5		3.89			5.8			
			Bottom	16.4	17.7	28.4	28.4	7.19	7.17	87.3	87.0	3.97	4.01		3.99			6.0
						28.3		7.14		86.7		4.01			6.0			
24/03/12	1338-1353	18/Fine	Surface	1.0	17.8	27.4	27.4	6.86	6.85	83.6	83.5	3.96	3.98	4.05	6.0	6.0	6.1	
						27.4		6.84		83.4		3.99			6.0			
			Middle	8.2	17.6	27.4	27.4	6.79	6.77	82.8	82.6	4.04	4.06		4.05			6.0
						27.4		6.75		82.4		4.06			6.0			
			Bottom	16.4	17.6	27.4	27.5	6.54	6.55	79.8	79.9	4.16	4.11		4.14			6.2
						27.5		6.56		80.0		4.11			6.2			
27/03/12	1616-1627	18/Sunny	Surface	1.0	18.3	27.3	27.3	7.67	7.65	95.1	94.9	3.74	3.76	4.02	6.6	6.7	7.1	
						27.3		7.63		94.6		3.78			6.8			
			Middle	8.4	17.9	27.4	27.4	7.69	7.68	95.3	95.1	4.08	4.01		4.05			7.0
						27.4		7.66		94.9		4.01			7.0			
			Bottom	15.8	17.9	27.6	27.6	7.74	7.72	96.0	95.8	4.21	4.30		4.26			7.4
						27.5		7.70		95.5		4.30			7.5			
29/03/12	1537-1553	22/Fine	Surface	1.0	17.9	27.7	27.7	7.38	7.40	91.5	91.7	4.79	4.82	4.85	6.8	6.8	6.8	
						27.7		7.41		91.8		4.85			6.8			
			Middle	8.7	17.8	27.8	27.8	7.32	7.34	90.7	91.0	4.82	4.88		4.85			6.8
						27.7		7.36		91.2		4.88			6.8			
			Bottom	16.4	17.7	27.8	27.9	7.28	7.26	90.2	89.9	4.86	4.92		4.89			6.8
						27.9		7.23		89.6		4.92			6.8			
31/03/12	1730-1745	25/Cloudy	Surface	1.0	17.8	27.7	27.7	7.51	7.50	92.4	92.3	3.56	3.55	3.29	5.6	5.5	5.2	
						27.7		7.49		92.1		3.53			5.4			
			Middle	8.6	17.7	28.1	28.1	7.23	7.22	88.9	88.8	3.26	3.29		3.28			5.2
						28.1		7.21		88.7		3.29			5.2			
			Bottom	16.2	17.5	28.2	28.2	7.10	7.09	87.3	87.2	3.03	3.05		3.04			5.0
						28.1		7.08		87.1		3.05			5.0			

Mid-Ebb Tide



東業德動測試顧問有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : C1

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)							
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average					
01/03/12	1600-1613	17/Cloudy	Surface	1.0	16.7	29.9	30.0	6.27	6.26	79.3	79.2	5.00	5.02	5.09	8.0	8.0	8.0					
						30.0		6.25		79.0		5.03			8.0							
			Middle	6.7	16.4	30.6	30.7	6.17	6.16	78.0	77.9	5.11	5.10		5.08			5.10	8.0	8.0	8.0	
						30.7		6.14		77.7		5.08			8.0							
			Bottom	12.4	16.0	31.6	31.6	6.06	6.05	76.7	76.5	5.16	5.17		5.16			5.17	8.2	8.1	8.1	8.1
						31.5		6.03		76.2		5.18			8.0							
03/03/12	1750-1805	20/Cloudy	Surface	1.0	17.3	30.3	30.3	6.17	6.20	80.8	81.2	4.40	4.42	4.60	7.4	7.4	7.6					
						30.3		6.23		81.6		4.43			7.4							
			Middle	6.9	17.5	30.6	30.6	6.04	6.05	79.1	79.2	4.50	4.53		4.56			4.53	7.4	7.5	7.6	
						30.6		6.06		79.3		4.56			7.6							
			Bottom	12.8	17.7	31.2	31.2	5.84	5.86	76.5	76.8	4.82	4.84		4.82			4.84	7.8	7.9	7.9	7.9
						31.2		5.88		77.0		4.86			8.0							
06/03/12	1012-1026	23/Fine	Surface	1.0	19.2	29.7	29.7	6.11	6.13	79.4	79.7	4.47	4.44	4.60	7.4	7.4	7.6					
						29.7		6.15		80.0		4.40			7.4							
			Middle	7.0	18.7	30.5	30.5	5.90	5.93	76.7	77.1	4.54	4.58		4.61			4.58	7.4	7.5	7.6	
						30.5		5.96		77.5		4.61			7.6							
			Bottom	13.0	18.1	31.5	31.5	5.78	5.81	75.1	75.5	4.81	4.80		4.78			4.80	7.8	7.9	7.9	7.9
						31.5		5.84		75.9		4.78			8.0							
08/03/12	1045-1055	18/Drizzle	Surface	1.0	16.3	26.8	26.8	7.60	7.62	90.4	90.6	5.00	4.98	5.10	8.0	8.0	8.1					
						26.7		7.63		90.8		4.95			8.0							
			Middle	6.7	16.2	27.0	27.1	7.77	7.75	92.5	92.2	5.12	5.15		5.12			5.15	8.0	8.1	8.1	
						27.1		7.73		91.9		5.18			8.2							
			Bottom	12.4	16.1	27.1	27.2	7.70	7.74	91.6	92.1	5.16	5.18		5.20			5.18	8.2	8.1	8.1	8.1
						27.2		7.78		92.6		5.20			8.0							
10/03/12	1219-1234	13/Cloudy	Surface	1.0	16.4	29.3	29.3	6.38	6.40	76.6	76.8	3.92	3.94	4.16	6.8	6.8	7.2					
						29.2		6.41		76.9		3.96			6.8							
			Middle	7.1	16.3	29.8	29.8	6.27	6.28	75.2	75.4	4.16	4.17		4.18			4.17	7.2	7.2	7.2	
						29.8		6.29		75.5		4.18			7.2							
			Bottom	13.2	16.2	30.1	30.2	6.14	6.13	73.7	73.5	4.39	4.37		4.35			4.37	7.4	7.5	7.5	7.5
						30.2		6.11		73.3		4.35			7.5							
13/03/12	1500-1511	15/Cloudy	Surface	1.0	16.2	27.3	27.3	7.75	7.72	92.2	91.8	4.08	4.11	4.33	7.0	7.0	7.3					
						27.3		7.70		91.4		4.13			7.0							
			Middle	7.2	16.1	27.3	27.4	7.68	7.66	91.4	91.1	4.28	4.30		4.32			4.30	7.2	7.2	7.2	
						27.4		7.64		90.8		4.32			7.2							
			Bottom	13.3	15.9	27.4	27.5	7.60	7.60	90.4	90.4	4.58	4.59		4.60			4.59	7.6	7.6	7.6	7.6
						27.5		7.59		90.3		4.60			7.5							
15/03/12	1604-1620	18/Cloudy	Surface	1.0	16.2	29.0	29.1	6.78	6.80	80.7	80.9	3.76	3.74	3.92	5.6	5.6	5.8					
						29.1		6.81		81.1		3.72			5.6							
			Middle	7.1	16.0	29.9	29.9	6.64	6.67	79.0	79.4	3.99	3.96		3.92			3.96	5.8	5.8	5.8	
						29.8		6.69		79.7		3.92			5.8							
			Bottom	13.2	16.1	30.2	30.2	6.51	6.53	77.5	77.7	4.07	4.05		4.03			4.05	6.0	6.0	6.0	6.0
						30.1		6.55		77.9		4.03			6.0							
17/03/12	1830-1842	18/Cloudy	Surface	1.0	16.7	27.5	27.5	7.18	7.20	86.4	86.6	3.71	3.73	3.92	5.6	5.6	5.8					
						27.5		7.22		86.8		3.75			5.6							
			Middle	7.1	16.7	27.6	27.6	7.01	7.02	84.3	84.4	3.98	4.00		4.02			4.00	5.8	5.9	5.8	
						27.5		7.02		84.5		4.02			6.0							
			Bottom	13.2	16.6	27.5	27.6	6.94	6.96	83.5	83.8	4.03	4.04		4.03			4.04	6.0	6.0	6.0	6.0
						27.6		6.98		84.0		4.05			6.0							
20/03/12	1020-1035	22/Cloudy	Surface	1.0	17.3	27.8	27.8	7.15	7.12	87.2	86.8	3.91	3.94	3.92	5.8	5.9	5.9					
						27.8		7.09		86.4		3.96			6.0							
			Middle	7.0	17.5	27.9	27.9	7.21	7.22	87.9	88.1	3.82	3.84		3.86			3.84	5.8	5.8	5.8	
						27.9		7.23		88.2		3.86			5.8							
			Bottom	13.0	17.5	28.0	28.0	7.10	7.12	86.6	86.8	3.97	3.99		4.01			3.99	6.0	6.0	6.0	6.0
						28.0		7.13		86.9		4.01			6.0							
22/03/12	1042-1055	21/Cloudy	Surface	1.0	17.4	27.7	27.8	7.14	7.13	86.9	86.7	3.92	3.94	3.92	6.0	6.0	5.9					
						27.8		7.11		86.5		3.96			6.0							
			Middle	6.9	17.4	27.9	27.9	7.17	7.19	87.2	87.5	3.87	3.86		3.84			3.86	5.8	5.8	5.8	
						27.8		7.20		87.7		3.84			5.8							
			Bottom	12.7	17.5	28.0	28.1	7.11	7.10	86.4	86.2	3.93	3.96		3.98			3.96	5.8	5.9	5.9	5.9
						28.1		7.08		86.0		3.98			6.0							
24/03/12	1214-1219	18/Fine	Surface	1.0	17.7	27.5	27.6	6.72	6.73	81.9	82.1	4.21	4.23	4.32	7.4	7.4	7.6					
						27.6		6.74		82.2		4.25			7.4							
			Middle	7.0	17.7	27.5	27.6	6.70	6.68	81.7	81.4	4.32	4.32		4.31			4.32	7.6	7.6	7.6	
						27.6		6.65		81.1		4.31			7.6							
			Bottom	13.0	17.6	27.5	27.6	6.54	6.53	79.8	79.7	4.40	4.43		4.45			4.43	7.8	7.7	7.7	7.7
						27.6		6.52		79.5		4.45			7.5							
27/03/12	1445-1456	18/Sunny	Surface	1.0	18.3	27.4	27.4	7.49	7.51	92.8	93.1	4.03	4.06	4.15	7.0	7.0	7.2					
						27.3		7.53		93.3		4.08			7.0							
			Middle	6.9	18.0	27.5	27.5	7.37	7.36	90.6	90.4	4.27	4.24		4.20			4.24	7.4	7.4	7.2	
						27.5		7.34		90.2		4.20			7.4							
			Bottom	12.8	17.9	27.4	27.5	7.55	7.57	93.6	93.8	4.11	4.15		4.18			4.15	7.2	7.1	7.1	7.1
						27.5		7.58		93.9		4.18			7.0							
29/03/12	1413-1428	22/Fine	Surface	1.0	17.8	27.5	27.6	7.34	7.33	91.0	90.8	4.48	4.45	4.55	6.4	6.4	6.5					
						27.6		7.31		90.6		4.42			6.4							
			Middle	7.3	17.8	27.7	27.7	7.29	7.28	90.3	90.2	4.46	4.50		4.53			4.50	6.4	6.4	6.4	
						27.7		7.26		90.0		4.53			6.4							
			Bottom	13.6	17.8	27.7	27.8	7.22	7.24	89.5	89.7	4.67	4.69		4.71			4.69	6.6	6.6	6.6	6.6
						27.8		7.25		89.8		4.71			6.5							
31/03/12	1540-1555	24/Cloudy	Surface	1.0	17.9	27.9	27.9	7.36	7.33	90.5	90.1	3.76	3.75	3.67	5.6	5.6	5.5					
						27.8		7.29		89.7		3.74			5.6							
			Middle	7.0	17.6	28.1	28.1	7.14	7.17	87.8	88.2	3.56	3.55		3.54			3.55	5.4	5.4	5.4	
						28.0		7.20		88.6		3.54			5.4							
			Bottom	13.0	17.6	28.1	28.1	7.07	7.08	86.9	87.0	3.70	3.72		3.74			3.72	5.6	5.6	5.6	
						28.1		7.08		87.1		3.74			5.5							

Mid-Ebb Tide

Monitoring Station : C3


Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/03/12	1619-1632	17/Cloudy	Surface	1.0	16.8	30.0	30.0	6.25	6.24	79.1	78.9	5.08	5.07	5.16	8.0	8.0	8.1	
						30.0		6.22		78.7		5.05			8.0			
			Middle	6.4	16.4	30.7	30.7	6.14	6.13	77.7	77.5	5.18	5.15		5.17			8.2
						30.6		6.11		77.3		5.15			8.2			
			Bottom	11.8	16.1	31.5	31.5	6.00	6.02	75.9	76.2	5.27	5.24		5.26			8.2
						31.5		6.04		76.4		5.24			8.2			
03/03/12	1813-1828	20/Cloudy	Surface	1.0	17.4	30.2	30.2	6.14	6.12	86.4	83.2	4.46	4.48	4.66	7.4	7.4	7.6	
						30.2		6.10		79.9		4.50			7.4			
			Middle	6.3	17.5	30.5	30.6	5.99	5.98	78.4	78.2	4.61	4.66		4.64			7.6
						30.6		5.96		78.0		4.66			7.6			
			Bottom	11.6	17.6	31.2	31.2	5.82	5.80	76.2	76.0	4.85	4.90		4.88			7.8
						31.2		5.78		75.7		4.90			7.8			
06/03/12	1033-1047	23/Fine	Surface	1.0	19.2	29.8	29.8	6.19	6.16	80.5	80.1	4.34	4.38	4.57	7.2	7.3	7.5	
						29.8		6.13		79.7		4.42			7.4			
			Middle	6.3	18.7	30.6	30.6	5.99	5.96	77.9	77.5	4.57	4.50		4.54			7.6
						30.6		5.92		77.0		4.50			7.4			
			Bottom	11.6	18.2	31.4	31.4	5.80	5.78	75.4	75.1	4.74	4.83		4.79			7.6
						31.4		5.75		74.8		4.83			7.8			
08/03/12	1059-1111	18/Drizzle	Surface	1.0	16.2	26.9	27.0	7.48	7.46	89.0	88.7	4.76	4.78	4.79	7.8	7.8	7.8	
						27.0		7.43		88.4		4.80			7.8			
			Middle	6.4	16.2	27.1	27.1	7.46	7.48	88.8	89.1	4.70	4.78		4.74			7.6
						27.1		7.50		89.3		4.78			7.8			
			Bottom	11.8	16.0	27.2	27.2	7.53	7.54	89.6	89.7	4.83	4.86		4.85			7.8
						27.2		7.55		89.8		4.86			7.8			
10/03/12	1242-1258	13/Cloudy	Surface	1.0	16.3	29.3	29.3	6.72	6.73	80.6	80.8	3.75	3.74	3.98	6.8	6.7	6.9	
						29.3		6.74		80.9		3.72			6.6			
			Middle	6.7	16.1	29.5	29.6	6.65	6.63	79.8	79.6	3.94	3.99		3.97			6.8
						29.6		6.61		79.3		3.99			6.8			
			Bottom	12.4	16.0	30.2	30.2	6.27	6.26	75.2	75.1	4.24	4.21		4.23			7.2
						30.2		6.25		75.0		4.21			7.2			
13/03/12	1523-1515	15/Cloudy	Surface	1.0	16.2	27.3	27.4	7.85	7.83	93.4	93.1	4.05	4.07	4.30	7.0	7.0	7.3	
						27.4		7.80		92.7		4.09			7.0			
			Middle	6.5	16.1	27.4	27.5	7.67	7.68	91.2	91.3	4.20	4.23		4.22			7.2
						27.5		7.68		91.3		4.23			7.2			
			Bottom	12.0	16.0	27.5	27.5	7.70	7.68	91.6	91.3	4.58	4.63		4.61			7.6
						27.4		7.65		91.0		4.63			7.6			
15/03/12	1627-1641	18/Cloudy	Surface	1.0	16.2	29.2	29.2	7.22	7.24	85.9	86.2	3.42	3.46	3.68	5.2	5.2	5.5	
						29.2		7.26		86.4		3.49			5.2			
			Middle	6.7	16.2	29.7	29.7	7.18	7.15	85.5	85.1	3.69	3.64		3.67			5.4
						29.6		7.11		84.6		3.64			5.4			
			Bottom	12.4	16.0	30.1	30.2	6.77	6.80	80.6	80.9	3.95	3.91		3.93			5.8
						30.2		6.82		81.2		3.91			5.8			
17/03/12	1854-1906	18/Cloudy	Surface	1.0	16.7	27.4	27.5	7.28	7.27	87.5	87.4	4.04	4.03	3.98	6.0	6.0	6.0	
						27.5		7.26		87.3		4.02			6.0			
			Middle	6.3	16.7	27.5	27.5	7.11	7.10	85.5	85.4	3.91	3.88		3.90			6.0
						27.5		7.08		85.2		3.88			5.8			
			Bottom	11.6	16.6	27.6	27.6	7.09	7.08	85.3	85.1	3.98	4.02		4.00			6.0
						27.6		7.06		84.9		4.02			6.0			
20/03/12	1041-1055	22/Cloudy	Surface	1.0	17.3	27.7	27.8	7.22	7.25	88.0	88.4	4.01	3.99	3.96	6.0	6.0	5.9	
						27.8		7.27		88.7		3.97			6.0			
			Middle	6.6	17.4	27.9	27.9	7.12	7.14	86.8	87.0	3.78	3.84		3.81			5.8
						27.9		7.15		87.2		3.84			5.8			
			Bottom	12.2	17.4	28.0	28.0	7.03	7.05	85.7	85.9	4.06	4.09		4.08			6.0
						28.0		7.06		86.1		4.09			6.0			
22/03/12	1101-1114	21/Cloudy	Surface	1.0	17.4	27.8	27.8	7.23	7.22	88.0	87.8	3.99	4.01	3.96	6.0	6.0	5.9	
						27.7		7.20		87.6		4.02			6.0			
			Middle	6.6	17.5	27.9	27.9	7.14	7.13	86.9	86.8	3.91	3.87		3.89			5.8
						27.9		7.12		86.7		3.87			5.8			
			Bottom	12.2	17.6	28.0	28.1	7.06	7.04	85.7	85.5	3.97	4.00		3.99			5.8
						28.1		7.02		85.3		4.00			6.0			
24/03/12	1228-1241	18/Fine	Surface	1.0	17.6	27.5	27.5	6.83	6.84	83.3	83.5	4.16	4.18	4.27	6.2	6.2	6.4	
						27.4		6.85		83.6		4.19			6.2			
			Middle	6.6	17.6	27.6	27.6	6.76	6.77	82.5	82.6	4.26	4.23		4.25			6.4
						27.6		6.78		82.7		4.23			6.4			
			Bottom	12.2	17.5	27.6	27.6	6.60	6.62	80.5	80.8	4.36	4.39		4.38			6.6
						27.6		6.64		81.0		4.39			6.6			
27/03/12	1509-1520	18/Sunny	Surface	1.0	18.3	27.4	27.4	7.52	7.50	93.2	93.0	3.87	3.90	3.97	6.8	6.8	6.9	
						27.4		7.48		92.7		3.93			6.8			
			Middle	6.4	18.0	27.5	27.5	7.47	7.44	92.6	92.2	3.67	3.74		3.71			6.6
						27.4		7.40		91.7		3.74			6.6			
			Bottom	11.8	17.9	27.5	27.5	7.39	7.42	91.1	91.5	4.34	4.27		4.31			7.4
						27.5		7.44		91.8		4.27			7.4			
29/03/12	1436-1450	22/Fine	Surface	1.0	17.9	27.6	27.6	7.38	7.37	91.5	91.3	4.43	4.46	4.49	6.4	6.4	6.5	
						27.6		7.35		91.1		4.49			6.4			
			Middle	6.7	17.8	27.7	27.8	7.36	7.34	91.2	90.9	4.41	4.48		4.45			6.4
						27.8		7.31		90.6		4.48			6.4			
			Bottom	12.4	17.8	27.8	27.9	7.24	7.23	89.7	89.6	4.58	4.54		4.56			6.6
						27.9		7.21		89.4		4.54			6.6			
31/03/12	1608-1625	24/Cloudy	Surface	1.0	17.8	27.7	27.7	7.26	7.25	89.3	89.1	3.45	3.44	3.54	5.4	5.4	5.5	
						27.7		7.23		88.9		3.42			5.4			
			Middle	6.6	17.7	28.2	28.2	7.21	7.23	88.7	88.9	3.66	3.69		3.68			5.6
						28.1		7.24		89.1		3.69			5.6			
			Bottom	12.2	17.6	28.2	28.2	7.11	7.13	87.5	87.7	3.51	3.53		3.52			5.4
						28.2		7.15		87.9		3.53			5.4			

Appendix C3


Graphical Plots of Impact Water Quality Monitoring Data



Dissolved Oxygen (Surface) at Mid-Flood Tide




Dissolved Oxygen (Surface) at Mid-Ebb Tide






Dissolved Oxygen (Middle) at Mid-Flood Tide




Dissolved Oxygen (Middle) at Mid-Ebb Tide






Dissolved Oxygen (Middle) at Mid-Flood Tide




Dissolved Oxygen (Middle) at Mid-Ebb Tide






Dissolved Oxygen (Bottom) at Mid-Flood Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide






Dissolved Oxygen (Bottom) at Mid-Flood Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide






Turbidity (Depth-average) at Mid-Flood Tide




Turbidity (Depth-average) at Mid-Ebb Tide






Turbidity (Depth-average) of R15 at Mid-Flood Tide




Turbidity (Depth-average) of R15 at Mid-Ebb Tide






Suspended solids (Depth-average) at Mid-Flood Tide




Suspended Solids (Depth-average) at Mid-Ebb Tide






Suspended solids (Depth-average) of R15 at Mid-Flood Tide



Suspended Solids (Depth-average) of R15 at Mid-Ebb Tide



Appendix C4

QA/QC Results of Laboratory Analysis for Water Samples



QA/QC Results of Laboratory Analysis of Total Suspended Solids

Sampling Date	QC Sample	Sample Duplicate		Sample Spike	
	% Recovery *	Sample ID	% Error #	Sample ID	% Recovery @
01/03/12	93.5	R5FS	0.0	R8FS	94.2
	99.2	R8FM	6.9	R17FM	104.1
	93.0	R17FB	0.0	C1FB	103.8
	95.9	C2FS	0.0	C4FB	102.0
	98.0	R5ES	6.06	R8ES	98.0
	104.0	R8EM	0.0	R17EM	100.0
	105.5	R17EB	0.0	C1EB	100.0
	97.1	C2ES	0.0	C4EB	101.9
03/03/12	100.8	R5FS	0.0	R8FS	93.9
	105.3	R8FM	6.45	R17FM	91.5
	104.6	R17FB	0.0	C1FB	107.5
	102.5	C2FS	0.0	C4FB	94.0
	96.9	R5ES	0.0	R8ES	106.2
	92.2	R8EM	0.0	R17EM	97.9
	96.7	R17EB	0.0	C1EB	108.3
	94.3	C2ES	6.9	C4EB	105.8
06/03/12	98.8	R5FS	0.0	R8FS	100.0
	103.0	R8FM	6.06	R17FM	103.8
	106.1	R17FB	0.0	C1FB	92.3
	103.8	C2FS	0.0	C4FB	105.8
	94.9	R5ES	0.0	R8ES	100.0
	99.8	R8EM	6.9	R17EM	103.8
	96.1	R17EB	0.0	C1EB	100.0
	92.2	C2ES	0.0	C4EB	102.1
08/03/12	101.5	R5FS	0.0	R8FS	100.0
	99.0	R8FM	0.0	R17FM	103.9
	105.1	R17FB	0.0	C1FB	98.0
	92.6	C2FS	6.45	C4FB	95.9
	95.2	R5ES	0.0	R8ES	93.7
	106.2	R8EM	0.0	R17EM	98.0
	97.3	R17EB	0.0	C1EB	100.0
	98.9	C2ES	0.0	C4EB	105.8
10/03/12	103.8	R5FS	0.0	R8FS	104.1
	102.0	R8FM	0.0	R17FM	104.1
	100.0	R17FB	6.9	C1FB	107.5
	106.9	C2FS	0.0	C4FB	96.2
	99.0	R5ES	0.0	R8ES	104.1
	92.8	R8EM	6.9	R17EM	106.0
	94.6	R17EB	0.0	C1EB	104.2
	104.8	C2ES	0.0	C4EB	100.0
13/03/12	107.4	R5FS	0.0	R8FS	103.9
	107.0	R8FM	0.0	R17FM	104.2
	94.5	R17FB	6.9	C1FB	102.1
	104.3	C2FS	0.0	C4FB	92.0
	102.2	R5ES	0.0	R8ES	98.0
	103.8	R8EM	0.0	R17EM	93.6
	103.6	R17EB	0.0	C1EB	105.8
	93.0	C2ES	0.0	C4EB	100.0

Note: (*) % Recovery of QC sample should be between 80% to 120%.
 (#) % Error of Sample Duplicate should be between -10% to 10%.
 (@) % Recovery of Sample Spike should be between 80% to 120%.



QA/QC Results of Laboratory Analysis of Total Suspended Solids

Sampling Date	QC Sample	Sample Duplicate		Sample Spike	
	% Recovery *	Sample ID	% Error #	Sample ID	% Recovery @
15/03/12	93.8	R5FS	0.0	R8FS	102.0
	97.4	R8FM	0.0	R17FM	100.0
	102.3	R17FB	7.41	C1FB	104.1
	101.7	C2FS	0.0	C4FB	105.7
	99.4	R5ES	8.0	R8ES	100.0
	94.6	R8EM	0.0	R17EM	98.0
	102.5	R17EB	0.0	C1EB	105.7
	100.4	C2ES	0.0	C4EB	95.8
17/03/12	98.6	R5FS	0.0	R8FS	100.0
	93.3	R8FM	0.0	R17FM	100.0
	97.6	R17FB	8.0	C1FB	100.0
	103.6	C2FS	0.0	C4FB	103.9
	101.0	R5ES	0.0	R8ES	100.0
	94.3	R8EM	8.0	R17EM	106.0
	105.7	R17EB	0.0	C1EB	98.0
	97.5	C2ES	0.0	C4EB	102.1
20/03/12	100.4	R5FS	0.0	R8FS	94.1
	104.5	R8FM	0.0	R17FM	96.2
	105.4	R17FB	0.0	C1FB	100.0
	92.4	C2FS	0.0	C4FB	105.9
	103.5	R5ES	8.0	R8ES	104.0
	93.8	R8EM	0.0	R17EM	106.0
	107.6	R17EB	8.0	C1EB	95.7
	95.5	C2ES	0.0	C4EB	100.0
22/03/12	103.9	R5FS	0.0	R8FS	92.2
	104.0	R8FM	8.7	R17FM	103.9
	93.2	R17FB	0.0	C1FB	98.1
	102.8	C2FS	0.0	C4FB	98.1
	101.2	R5ES	0.0	R8ES	97.9
	95.2	R8EM	0.0	R17EM	101.9
	93.2	R17EB	8.0	C1EB	94.2
	103.9	C2ES	0.0	C4EB	93.9
24/03/12	103.9	R5FS	8.0	R8FS	92.3
	100.4	R8FM	0.0	R17FM	97.9
	98.0	R17FB	0.0	C1FB	96.2
	102.8	C2FS	0.0	C4FB	97.9
	97.7	R5ES	0.0	R8ES	92.2
	102.2	R8EM	0.0	R17EM	106.3
	105.3	R17EB	0.0	C1EB	102.1
	94.6	C2ES	0.0	C4EB	94.1
27/03/12	97.8	R5FS	0.0	R8FS	93.8
	106.3	R8FM	0.0	R17FM	96.0
	105.9	R17FB	7.41	C1FB	96.0
	105.6	C2FS	0.0	C4FB	105.7
	102.7	R5ES	0.0	R8ES	92.3
	96.9	R8EM	0.0	R17EM	100.0
	96.5	R17EB	0.0	C1EB	104.0
	105.2	C2ES	0.0	C4EB	101.9

Note: (*) % Recovery of QC sample should be between 80% to 120%.
 (#) % Error of Sample Duplicate should be between -10% to 10%.
 (®) % Recovery of Sample Spike should be between 80% to 120%.



QA/QC Results of Laboratory Analysis of Total Suspended Solids

Sampling Date	QC Sample	Sample Duplicate		Sample Spike	
	% Recovery *	Sample ID	% Error #	Sample ID	% Recovery @
29/03/12	104.9	R5FS	0.0	R8FS	96.2
	101.0	R8FM	8.0	R17FM	106.4
	92.2	R17FB	0.0	C1FB	104.3
	101.2	C2FS	0.0	C4FB	93.8
	106.0	R5ES	0.0	R8ES	102.1
	97.4	R8EM	0.0	R17EM	102.0
	97.2	R17EB	0.0	C1EB	98.1
	92.6	C2ES	0.0	C4EB	101.9
31/03/12	107.4	R5FS	0.0	R8FS	98.0
	97.5	R8FM	8.7	R17FM	93.8
	107.1	R17FB	0.0	C1FB	98.0
	92.3	C2FS	0.0	C4FB	100.0
	98.6	R5ES	8.0	R8ES	93.9
	103.4	R8EM	0.0	R17EM	98.0
	93.3	R17EB	0.0	C1EB	100.0
	101.9	C2ES	0.0	C4EB	93.9

Note: (*) % Recovery of QC sample should be between 80% to 120%.

(#) % Error of Sample Duplicate should be between -10% to 10%.

(@) % Recovery of Sample Spike should be between 80% to 120%.



Appendix D

Event-Action Plans



Event and Action Plan for Construction Noise

Event	Action			
	ET Leader	IEC	ER	Contractor
Action Level	<ol style="list-style-type: none"> 1. Notify IEC and the Contractor. 2. Carry out investigation. 3. Report the results of investigation to IEC and the Contractor. 4. Discuss with the Contractor and formulate remedial measures. 5. Increase monitoring frequency to check mitigation measures. 	<ol style="list-style-type: none"> 1. Review with analysed results submitted by ET. 2. Review the proposed remedial measures by the Contractor and advise ER accordingly. 3. Supervise the implement of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of exceedance in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 	<ol style="list-style-type: none"> 1. Submit noise mitigation proposals to IEC. 2. Implement noise mitigation proposals.
Limit Level	<ol style="list-style-type: none"> 1. Identify the source. 2. Notify IEC, ER, EPD and the Contractor. 3. Repeat measurement to confirm findings. 4. Increase monitoring frequency. 5. Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented. 6. Inform IEC, ER, and EPD the causes & actions taken for the exceedances. 7. Assess effectiveness of the Contractor's remedial actions and keep IEC, EPD and ER informed of the results. 8. If exceedance stops, cease additional monitoring. 	<ol style="list-style-type: none"> 1. Discuss amongst ER, ET Leader and the Contractor on the potential remedial actions. 2. Review the Contractor's remedial actions whenever necessary to assure their effectiveness and advise ER accordingly. 3. Supervise the implementation of remedial measures. 	<ol style="list-style-type: none"> 1. Confirm receipt of notification of exceedance in writing. 2. Notify the Contractor. 3. Require the Contractor to propose remedial measures for the analysed noise problem. 4. Ensure remedial measures are properly implemented. 5. If exceedance continues, consider what activity of the work is responsible and instruct the Contractor to stop that activity of work until the exceedance is abated. 	<ol style="list-style-type: none"> 1. Take immediate action to avoid further exceedance. 2. Submit proposals for remedial actions to IEC within 3 working days of notification. 3. Implement the agreed proposals. 4. Resubmit proposals if problem still not under control. 5. Stop the relevant activity of works as determined by the ER until the exceedance is abated.



Event and Action Plan for Water Quality for Construction Phase

Event	Action			
	ET Leader	IEC	ER	Contractor
Action Level				
Exceedance for one sample	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC and Contractor; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC and Contractor; and 6. Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures; and 2. Make agreement on the mitigation measures to be implemented. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and propose mitigation measures to IEC and ER; and 6. Implement the agreed mitigation measures.
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC and Contractor; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC and Contractor; 6. Ensure mitigation measures are implemented; 7. Prepare to increase the monitoring frequency to daily; and 8. Repeat measurement on next day of exceedance. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC on the proposed mitigation measures; 2. Make agreement on the mitigation measures to be implemented; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the Engineer and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and propose mitigation measures to IEC and ER within 3 working days; and 6. Implement the agreed mitigation measures.



Event and Action Plan for Water Quality for Construction Phase

Event	Action			
	ET Leader	IEC	ER	Contractor
Limit Level				
Exceedance for one sample	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC, Contractor and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor; 6. Ensure mitigation measures are implemented; and 7. Increase the monitoring frequency to daily until no exceedance of Limit level. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; and 2. Request Contractor to critically review the working methods; 3. Make agreement on the mitigation measures to be implemented; and 4. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Inform the Engineer and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and ER and propose mitigation measures to IEC and ER within 3 working days; and 6. Implement the agreed mitigation measures.
Exceedance for two or more consecutive samples	<ol style="list-style-type: none"> 1. Repeat in-situ measurement to confirm finding; 2. Identify source(s) of impact; 3. Inform IEC, Contractor and EPD; 4. Check monitoring data, all plant, equipment and Contractor's working methods; 5. Discuss mitigation measures with IEC, ER and Contractor; 6. Ensure mitigation measures are implemented; and 7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days. 	<ol style="list-style-type: none"> 1. Discuss with ET and Contractor on the mitigation measures; 2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and 3. Assess the effectiveness of the implemented mitigation measures. 	<ol style="list-style-type: none"> 1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; and 2. Request Contractor to critically review the working methods; 3. Make agreement on the mitigation measures to be implemented; 4. Assess the effectiveness of the implemented mitigation measures; and 5. Consider and instruct, if necessary, the Contractor to slow down or to stop all or part of the marine work until no exceedance of Limit Level. 	<ol style="list-style-type: none"> 1. Inform the ER and confirm notification of the non-compliance in writing; 2. Rectify unacceptable practice; 3. Check all plant and equipment; 4. Consider changes of working methods; 5. Discuss with ET and IEC and ER and propose mitigation measures to IEC and ER within 3 working days; 6. Implement the agreed mitigation measures; and 7. As directed by the Engineer, to slow down or to stop all or part of the marine work or construction activities.



Appendix E

Work Programme

Contract No. 9WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Act ID	Description	Orig Dur	Early Start	Early Finish	Late Start
		1156	07SEP09 A	05NOV12	07SEP09 A



General Information

Key Dates	Contract Commencement Date	Contract Completion	Works Period of Section 1 Works (791Days)	Works Period of Section 2 Works (426Days)	Works Period of Section 4 Works (549Days)	Works Period of Section 5 Works (1156Days)
KD-1010	07SEP09 A	05NOV12*	07SEP09 A	06NOV11	07SEP09 A	07SEP09 A
KD-1020						
KD-1030	830	07SEP09 A	06NOV11	07SEP09 A	07SEP09 A	07SEP09 A
KD-1040	449	07SEP09 A	06NOV10	07SEP09 A	07SEP09 A	07SEP09 A
KD-1050	576	07SEP09 A	09MAR11	07SEP09 A	07SEP09 A	07SEP09 A
KD-1060	1156	07SEP09 A	05NOV12	07SEP09 A	07SEP09 A	07SEP09 A

Preliminaries

B1-1000	Mobilization	90	07SEP09 A	06DEC09 A	07SEP09 A
B1-1110	Site Office	60	16NOV09 A	16JAN10	16NOV09 A
B1-1120	Maintenance/Service of Preliminary Items	936	17JAN10	09AUG12	17JAN10
B1-1130	Clearance & Demobilisation	88	10AUG12	05NOV12	10AUG12
B1-1140	Environmental Monitoring	1026	28DEC09 A	18OCT12	28DEC09 A
B1-1150	Material Approval For Water Mains & Accessories	100	07SEP09 A	18FEB10	07SEP09 A
B1-1160	Material Procurement & Delivery Start	60	28DEC09 A	01FEB10	28DEC09 A
B1-1160B	Delivery of Valve, Actuators, Flow Meter & E&M	400	14JUN10	18JUL11*	14JUN10
B1-1170	CCTV & Monitoring Of Existing DSD Drainage	610	18JAN10	19SEP11	15APR10
B1-1180	Monitoring of Hyd Structure	610	06MAR10	05NOV11	15APR10

Section 1

		937	07SEP09 A	31MAR12	07SEP09 A
--	--	-----	-----------	---------	-----------

Land Works

General	Description	Duration	Start	Finish	End
S1-1010	Approval & Consent - XP, TTA, MS & Temp Works.	180	07SEP09 A	05MAR10	07SEP09 A
S1-1020	Trial Pit & Utilities Detection (Except E2 & K)	120	01DEC09 A	16MAR10	01DEC09 A
S1-1030	Portion H2 Cycle Track & Footpath Proposal	40	07SEP09 A	08OCT09 A	07SEP09 A
S1-1040	Portion H2 Diversion Route For Cycle Track	60	07OCT09 A	28NOV09 A	07OCT09 A
S1-1050	Portion H2 Submission For Hoarding Mural Design	90	07SEP09 A	17FEB10	07SEP09 A
S1-1060	Portion H2 Set Up For Hoarding Approved Design	30	18FEB10	19MAR10	07OCT12
S1-1080	Initial & Utilities Survey (Except E2 & K)	120	05OCT09 A	04MAR10	05OCT09 A

Start date 07SEP09


Finish date 05NOV12

Data date 04JAN10

Run date 04APR12

Page number 1A

© Primavera Systems, Inc.



3 Months Rolling Program (Mar 2012)

Wo Hing - Penta-Ocean Joint Venture

Contract No. 9WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Act ID	Description	Orig Dur	2009		2010		2011		2012	
			Early Start	Early Finish	Early Start	Early Finish	Early Start	Early Finish		
S1-4020A40	Preparation & Submission Of Temp. Works	40	03MAR10	11APR10	10AUG10					
S1-4020B10	Stage 1 U/D & Trial Pit (CH380-420)	52	03MAY10	23JUN10	10OCT10					
S1-4020B20	Fabrication of Access Shaft	30	12SEP10	11OCT10	19FEB11					
S1-4020B30	Excavation & Support for Trenchless Works	45	12OCT10	25NOV10	21MAR11					
S1-4020B40	Pipe Laying & Joint Connection	20	26NOV10	15DEC10	05MAY11					
S1-4020B50	Backfilling & Reinstatement	7	16DEC10	22DEC10	25MAY11					
S1-4020C05	Existing Trees Relocation	4	19AUG10*	22AUG10	03JUN11					
S1-4020C10	Stage 2 U/D & Trial Pit (CH420-CH480)	10	23AUG10	01SEP10	07JUN11					
S1-4020C20	Excavation & Shoring	50	02SEP10	21OCT10	17JUN11					
S1-4020C30	Pipe Laying & Connection (Welding)	25	22OCT10	15NOV10	06AUG11					
S1-4020C40	Backfilling & Reinstatement	7	16NOV10	22NOV10	31AUG11					
S1-4020D10	Stage 3 U/D & Trial Pit (CH480-576.9)	6	01JUN11*	06JUN11	01JUN11					
S1-4020D20	Excavation & Shoring	92	07JUN11	06SEP11	07JUN11					
S1-4020D30	Pipe Laying & Connection (Welding)	25	07SEP11	01OCT11	07SEP11					
S1-4020D40	Backfilling & Reinstatement	16	02OCT11	17OCT11	02OCT11					
S1-4030	Portion E1A Pipe Works CH576.9-585.9 (TL-B)	108	23FEB11*	10JUN11	02JUL11					
S1-4030B10	Fabrication of Access Shaft	55	27SEP10*	20NOV10	12MAR11					
S1-4030B20	Excavation & Support for Trenchless Works	50	21NOV10	09JAN11	09MAY11					
S1-4030B30	Pipe Laying & Joint Connection	15	10JAN11	24JAN11	25JUN11					
S1-4030B40	Backfilling & Reinstatement	8	25JAN11	01FEB11	10OCT11					
S1-4050	Area E1A Portional Pipe Testing	14	18OCT11	31OCT11	18OCT11					
Portion E1B + E2 SWM										
S1-4010	Portion E1B Diversion of Existing Storm Drain	50	13SEP10	01NOV10	06MAY11					
S1-4010A10	Trees Transplanting (LCSD Consent Required)	5	09SEP10*	13SEP10	26JAN11					
S1-4010A20	Temporary Relocation of Irrigation Pipe	60	14SEP10	12NOV10	31JAN11					
S1-4010A30	Temporary Relocation of Existing Storm Drain	60	14SEP10	12NOV10	31JAN11					
S1-4010A50	Excavation for Irrigation Pipe Perm. Diversion	20	29NOV11	18DEC11	24AUG11					
S1-4010A60	Irrigation Pipe Installation	10	19DEC11	28DEC11	28SEP11					
S1-4010A70	Excavation for Storm Drain Diversion	20	29NOV11	18DEC11	24AUG11					
S1-4010A80	Pipe Laying & MH Construction	25	19DEC11	12JAN12	13SEP11					
S1-4010A90	Backfilling & Reinstatement	10	13JAN12	22JAN12	08OCT11					
S1-4040	Portion E1B Pipe Works CH585.9-660.5 (O)	115	02NOV10	24FEB11	25JUN11					
S1-4040B10	Excavation & Shoring For Pipe Trough (Stage 1)	40	13NOV10	22DEC10	01APR11					

Start date	07SEP09
Finish date	05NOV12
Data date	04JAN10
Run date	04APR12
Page number	3A
c Primavera Systems, Inc.	


3 Months Rolling Program (Mar 2012)

Wo Hing - Penta-Ocean Joint Venture

-  Early bar
-  Progress bar
-  Critical bar
-  Summary bar
-  Start milestone point
-  Finish milestone point

Contract No.9WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun



Start date	07SEP09
Finish date	05NOV12
Data date	04JAN10
Run date	04APR12
Page number	9A

3 Months Rolling Program (Mar 2012)

Wo Hing - Penta-Ocean Joint Venture


c Primavera Systems, Inc.

Contract No.9WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Act ID	Description	Orig Dur	2009		2010		2011		2012											
			O	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A
			Early Start	Early Finish	Late Start	Gantt Chart														
M2080B10	Portion I Submarine Pipe Pulling	85	05MAY11	28JUL11	15MAY11	[Gantt bar: Portion I Submarine Pipe Pulling]														
M2090	Portion H1&J Tie-in With Submarine Pipe Line	30	27JAN11	25FEB11	16MAR11	[Gantt bar: Portion H1&J Tie-in With Submarine Pipe Line]														
M2090A10	Portion H1&J Tie-in With Submarine Pipe Line	20	29JUL11	17AUG11	08AUG11	[Gantt bar: Portion H1&J Tie-in With Submarine Pipe Line]														
M2100	Portion I Submarine Pipe Pressure Testing & CCTV	30	26FEB11	27MAR11	15APR11	[Gantt bar: Portion I Submarine Pipe Pressure Testing & CCTV]														
M2100A10	Portion I Submarine Pipe Pressure Testing & CCTV	20	18AUG11	06SEP11	28AUG11	[Gantt bar: Portion I Submarine Pipe Pressure Testing & CCTV]														
M2110	Portion H1&J Seawall Reinstatement	120	28MAR11	25JUL11	29MAY11	[Gantt bar: Portion H1&J Seawall Reinstatement]														
M2110A10	Portion H1&J Seawall Reinstatement	90	18AUG11	15NOV11	17SEP11	[Gantt bar: Portion H1&J Seawall Reinstatement]														
M2120	Portion I Submarine Pipeline Backfilling	185	28MAR11	28SEP11	15MAY11	[Gantt bar: Portion I Submarine Pipeline Backfilling]														
M2120A10	Portion I Submarine Pipeline Backfilling	150	30MAY11	26OCT11	19JUL11	[Gantt bar: Portion I Submarine Pipeline Backfilling]														
M2130	CP Test Box Installation (On Land)	60	28MAR11	26MAY11	02SEP11	[Gantt bar: CP Test Box Installation (On Land)]														
M2130A10	CP Test Box Installation (On Land)	60	07SEP11	05NOV11	17SEP11	[Gantt bar: CP Test Box Installation (On Land)]														
M2140	CIP Test (Close Internal Potential Survey)	30	29SEP11	28OCT11	16NOV11	[Gantt bar: CIP Test (Close Internal Potential Survey)]														
M2140A10	CIP Test (Close Internal Potential Survey)	30	06NOV11	05DEC11	16NOV11	[Gantt bar: CIP Test (Close Internal Potential Survey)]														
M2150	Completion of Section 1 Works	0		15DEC11*		[Gantt bar: Completion of Section 1 Works]														
+Section 2						[Gantt bar: Section 2 Summary]														
+Section 4			449	07SEP09 A	29NOV10	07SEP09 A	[Gantt bar: Section 4 Summary]													
+Section 5			576	07SEP09 A	05APR11	07SEP09 A	[Gantt bar: Section 5 Summary]													
+Section 6			1156	07SEP09 A	05NOV12	07SEP09 A	[Gantt bar: Section 6 Summary]													

Start date	07SEP09
Finish date	05NOV12
Data date	04JAN10
Run date	04APR12
Page number	10A
c Primavera Systems, Inc.	



3 Months Rolling Program (Mar 2012)

Wo Hing - Penta-Ocean Joint Venture

Appendix F

ET Weekly Site Inspection Records

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	06 March 2012	Inspected by	RE (Signature)	IEC	Contractor	ET
Time	09:30	Name	M. K. (Signature)		JNG	C.L. Law (Signature)

Weather : Sunny / Fine / Cloudy / Drizzle / Rain / Storm / Hazy
 Condition : Calm / Light / Breeze / Strong
 Wind : Temperature : 23 °C
 Humidity : High / Moderate / Low

Environmental Checklist

Fugitive Dust Emission

	Implementation Stages*			Remark
	Yes	No	Not Obs / N/A	
• Dust control / mitigation measures shall be provided to prevent dust nuisance.	✓			
• Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.	✓			
• The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.	✓			
• The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle	✓			
• Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.	✓			
• The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcore.			✓	
• Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.	✓			
• The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.	✓			
• All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.	✓			
• Vehicle speed should be limited to 10 kph except on completed access roads.	✓			
• Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.			✓	
• The public road around the site entrance should be kept clean and free from dust.	✓			
• Vehicle and equipment should be switched off while not in use.	✓			
• All plant and equipment should be well maintained e.g. without black smoke emission.	✓			
• Open burning should be prohibited.	✓			

	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Noise Impact				
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adopted.	✓			
▪ The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	✓			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.	✓			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	✓			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	✓			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	✓			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmentally friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.	✓			
▪ Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	✓			
▪ Air compressors and hand held breakers should have noise labels.	✓			
▪ Compressors and generators should operate with door closed.	✓			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	✓			
Water Quality				
Mitigation Measures for Dredging				
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.			✓	No dredging work was observed.
▪ Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.			✓	No dredging work was observed.
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	✓			
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	✓			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	✓			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	✓			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	✓			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	✓			
▪ Dredging activities should not cause foam, oil, grease, scurm, litter or other objectionable matter to be present in the water within the site or dumping grounds			✓	No dredging work was observed.
▪ Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	✓			
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	✓			

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Water Quality					
Mitigation Measures for other Construction Activities					
<ul style="list-style-type: none"> Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour W CZs Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour W CZ under the TM-DSS. Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains 	√				
Waste Management					
C&D Materials					
<ul style="list-style-type: none"> Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 	√		√		
Chemical Waste					
<ul style="list-style-type: none"> Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 	√				
					Item 1
					√
					√
					√

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Waste Management					
General Refuse					
	General refuse should be stored in enclosed bins or compaction units separate from C&D material.	√			
	A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	√			
	An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	√			
Marine Dredged Sediment (During transportation and disposal)					
	Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved			√	No dredging work was observed.
	Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD			√	No dredging work was observed.
	Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.			√	No dredging work was observed.
Site Practices					
	Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	√			
	Training of site personnel in proper waste management and chemical handling procedures	√			
	Provision of sufficient waste disposal points and regular collection of waste	√			
	Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	√			
	Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	√			
Waste Reduction Measures					
	Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	√			
	Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	√			
	Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	√			
	Proper storage and site practices to minimise the potential for damage or contamination of construction materials	√			
	Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	√			


Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Marine Ecology				
• Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.			√	No dredging work was observed.
• Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			√	No dredging work was observed.
• Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	√			
• Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√			
Good Site Practices				
• The Environmental Permit should be displaced conspicuously on site.	√			
• Construction noise permits should be posted at site entrance or available for site inspection.	√			
• Chemical storage area provided with lock and located on sealed areas.	√			
• All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	√			
• Any unused chemicals or those with remaining functional capacity should be recycled.	√			
• All generators, fuel and oil storage are within bundle areas.	√			
• Oil leakage from machinery, vehicle and plant should be prevented.	√			
• Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√			
• A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be banded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√			

Summary of the Weekly Site Inspection:

Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date
1.	Standing water was noted at drip trays in Portion H and Portion J.	Follow-up	To clean up standing water to prevent mosquito breeding.	120306_001 & 120306_002	12/03/12

Remark

--

Inspected by	Name C. L. Lau	Signature 	Date 06 March 2012

Photos



Photo_120306_001 (Standing water was noted at a drip tray in Portion H)



Photo_120306_002 (Standing water was noted at a drip tray in Portion J)

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	12 March 2012	Inspected by	RE [Signature]	IEC	JNG [Signature]	Contractor	ET
Time	14:00	Name	[Signature]				C.H. Lau [Signature]

Weather : Sunny / Fine / Cloudy / Drizzle / Rain / Storm / Hazy
 Condition : Calm / Light / Breezy / Strong
 Humidity : 13%
 Temperature : High / (Moderate) / Low

Environmental Checklist

Fugitive Dust Emission

Implementation Stages*	Remark		
	Yes	No	Not Obs
Dust control / mitigation measures shall be provided to prevent dust nuisance.	✓		
Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.	✓		
The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.	✓		
The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle	✓		
Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.	✓		
The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcore.	✓		
Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.	✓		
The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.	✓		
All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.	✓		
Vehicle speed should be limited to 10 kph except on completed access roads.	✓		
Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.	✓		
The public road around the site entrance should be kept clean and free from dust.	✓		
Vehicle and equipment should be switched off while not in use.	✓		
All plant and equipment should be well maintained e.g. without black smoke emission.	✓		
Open burning should be prohibited.	✓		

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Noise Impact				
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	✓			
▪ The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	✓			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.	✓			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	✓			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	✓			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	✓			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.	✓			
▪ Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	✓			
▪ Air compressors and hand held breakers should have noise labels.	✓			
▪ Compressors and generators should operate with door closed.	✓			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	✓			
Water Quality				
Mitigation Measures for Dredging				
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.			✓	No dredging work was observed.
▪ Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.			✓	No dredging work was observed.
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	✓			
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	✓			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	✓			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	✓			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	✓			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	✓			
▪ Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds			✓	No dredging work was observed.
▪ Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	✓			
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	✓			



Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs N/A	
Waste Management					
General Refuse					
▪	General refuse should be stored in enclosed bins or compaction units separate from C&D material.	✓			
▪	A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	✓			
▪	An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	✓			
Marine Dredged Sediment (During transportation and disposal)					
▪	Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved			✓	No dredging work was observed.
▪	Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD			✓	No dredging work was observed.
▪	Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.			✓	No dredging work was observed.
Site Practices					
▪	Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	✓			
▪	Training of site personnel in proper waste management and chemical handling procedures	✓			
▪	Provision of sufficient waste disposal points and regular collection of waste	✓			
▪	Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	✓			
▪	Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	✓			
Waste Reduction Measures					
▪	Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	✓			
▪	Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	✓			
▪	Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	✓			
▪	Proper storage and site practices to minimise the potential for damage or contamination of construction materials	✓			
▪	Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	✓			


Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Marine Ecology				
Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.			√	No dredging work was observed.
Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			√	No dredging work was observed.
Deployment of silt screen at the sea water intake at Kowloon South Silt Water Pumping Station while dredging works are in progress.	√			
Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√			
Good Site Practices				
The Environmental Permit should be displaced conspicuously on site.	√			
Construction noise permits should be posted at site entrance or available for site inspection.	√			
Chemical storage area provided with lock and located on sealed areas.	√			
All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	√			
Any unused chemicals or those with remaining functional capacity should be recycled.	√			
All generators, fuel and oil storage are within bundle areas.	√			
Oil leakage from machinery, vehicle and plant should be prevented.	√			
Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√			
A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√			

Summary of the Weekly Site Inspection:


Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date
1.	Standing water noted at drip trays in Portion H and Portion J was cleaned.	---	---	120312_001 & 120312_002	---

Remark


- The contractor was reminded to repair or replace the damaged drip tray in Portion J.
- The contractor was reminded to improve or repair the sea shore in Portion J to prevent the site runoff to discharge into the sea.

Inspected by	Name	Signature	Date
	C. L. Lau		12 March 2012

Photos



Photo_1203012_001 (Standing water noted at a drip tray in Portion H was cleaned.)



Photo_120312_002 (Standing water noted at a drip tray in Portion J was cleaned.)

Environmental Checklist		Implementation Stages*				Remark
		Yes	No	Not Obs	N/A	
Noise Impact						
▪	The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	✓				
▪	The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	✓				
▪	Noisy equipment and mobile plant shall always be site away from NSRs.	✓				
▪	Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	✓				
▪	Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	✓				
▪	Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	✓				
▪	Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.	✓				
▪	Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	✓				
▪	Air compressors and hand held breakers should have noise labels.	✓				
▪	Compressors and generators should operate with door closed.	✓				
▪	Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	✓				
Water Quality						
Mitigation Measures for Dredging						
▪	Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.			✓		No dredging work was observed.
▪	Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.			✓		No dredging work was observed.
▪	Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	✓				
▪	Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	✓				
▪	All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	✓				
▪	The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	✓				
▪	Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	✓				
▪	All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	✓				
▪	Dredging activities should not cause foam, oil, grease, scur, litter or other objectionable matter to be present in the water within the site or dumping grounds				✓	No dredging work was observed.
▪	Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	✓				
▪	The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	✓				

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Water Quality					
Mitigation Measures for other Construction Activities					
▪	Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped	√			
▪	Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers	√			
▪	Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds	√			
▪	Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs	√			
▪	Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices.	√			
▪	Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS.	√			
▪	Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding.	√			
▪	An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.				√
▪	The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains				√
Waste Management					
C&D Materials					
▪	Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable.			√	
▪	C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses.			√	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed			√	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods.			√	
Chemical Waste					
▪	Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately.	√			
▪	Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc.	√			
▪	The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility.	√			

Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Waste Management				
General Refuse				
General refuse should be stored in enclosed bins or compaction units separate from C&D material.	√			
A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	√			
An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	√			
Marine Dredged Sediment (During transportation and disposal)				
Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved			√	No dredging work was observed.
Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD			√	No dredging work was observed.
Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.			√	No dredging work was observed.
Site Practices				
Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	√			
Training of site personnel in proper waste management and chemical handling procedures	√			
Provision of sufficient waste disposal points and regular collection of waste	√			
Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	√			
Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	√			
Waste Reduction Measures				
Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	√			
Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	√			
Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	√			
Proper storage and site practices to minimise the potential for damage or contamination of construction materials	√			
Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	√			


Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs / N/A	
Marine Ecology				
Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.			√	No dredging work was observed.
Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			√	No dredging work was observed.
Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	√			
Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√			
Good Site Practices				
The Environmental Permit should be displaced conspicuously on site.	√			
Construction noise permits should be posted at site entrance or available for site inspection.	√			
Chemical storage area provided with lock and located on sealed areas.	√			
All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	√			
Any unused chemicals or those with remaining functional capacity should be recycled.	√			
All generators, fuel and oil storage are within bundle areas.	√			
Oil leakage from machinery, vehicle and plant should be prevented.	√			
Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√			
A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√			

Summary of the Weekly Site Inspection:

Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date

Remark

No new item was found during the site inspection and audit on 20/03/2012.

Inspected by	Name	Signature	Date
	C. L. Lau		20 March 2012



Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs N/A	
Noise Impact				
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.	✓			
▪ The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.	✓			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.	✓			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.	✓			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.	✓			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.	✓			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.	✓			
▪ Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	✓			
▪ Air compressors and hand held breakers should have noise labels.	✓			
▪ Compressors and generators should operate with door closed.	✓			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	✓			
Water Quality				
Mitigation Measures for Dredging				
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.			✓	No dredging work was observed.
▪ Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.			✓	No dredging work was observed.
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	✓			
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	✓			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	✓			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	✓			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	✓			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	✓			
▪ Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds				
▪ Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	✓			No dredging work was observed.
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	✓			

Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs N/A	
Water Quality					
Mitigation Measures for other Construction Activities					
▪	Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped	✓			
▪	Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers	✓			
▪	Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds	✓			
▪	Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs	✓			
▪	Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices.	✓			
▪	Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS.	✓			
▪	Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding.	✓			
▪	An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.				✓
▪	The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains				✓
Waste Management					
C&D Materials					
▪	Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable.			✓	
▪	C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses.			✓	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed			✓	
▪	A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods.			✓	
Chemical Waste					
▪	Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately.	✓			
▪	Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc.	✓			
▪	The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility.	✓			



Environmental Checklist	Implementation Stages*			Remark
	Yes	No	Not Obs	
Waste Management				
General Refuse				
General refuse should be stored in enclosed bins or compaction units separate from C&D material.	√			
A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material.	√			
An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material.	√			
Marine Dredged Sediment (During transportation and disposal)				
Bottom opening of barges shall be fitted with light fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved			√	No dredging work was observed.
Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD			√	No dredging work was observed.
Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation.			√	No dredging work was observed.
Site Practices				
Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site	√			
Training of site personnel in proper waste management and chemical handling procedures	√			
Provision of sufficient waste disposal points and regular collection of waste	√			
Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.	√			
Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers	√			
Waste Reduction Measures				
Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals	√			
Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal	√			
Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force	√			
Proper storage and site practices to minimise the potential for damage or contamination of construction materials	√			
Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste	√			


Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Marine Ecology					
▪	Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.			√	No dredging work was observed.
▪	Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.			√	No dredging work was observed.
▪	Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	√			
▪	Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	√			
Good Site Practices					
•	The Environmental Permit should be displaced conspicuously on site.	√			
•	Construction noise permits should be posted at site entrance or available for site inspection.	√			
▪	Chemical storage area provided with lock and located on sealed areas.	√			
▪	All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	√			
▪	Any unused chemicals or those with remaining functional capacity should be recycled.	√			
▪	All generators, fuel and oil storage are within bundle areas.	√			
▪	Oil leakage from machinery, vehicle and plant should be prevented.	√			
▪	Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	√			
▪	A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	√			

Summary of the Weekly Site Inspection:

Item	Details of defective works or observations	Status of the item (closed / continue follow-up)	Proposed Follow Up Action (if required)	Photo Ref.	Target Completion Date

Remark

No new item was found during the site inspection and audit on 27/03/2012.

Inspected by	Name	Signature	Date
	C. L. Lau		27 March 2012

Appendix G

Implementation Schedule of Mitigation Measures



Environmental Protection Measures	Location	Implementation Status			
		Implemented	Partially implemented	Not implemented	Not Applicable
Noise Impact					
Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.	All areas	✓			
Air compressors and hand held breakers should have noise labels.	All areas	✓			
Compressors and generators should operate with door closed.	All areas	✓			
Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.	All areas	✓			
Water Quality					
Mitigation Measures for Dredging					
Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.	Marine				✓
Deployment of frame type silt curtain should be fully enclose the grab while dredging works are in progress.	Marine				✓
Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress	Marine	✓			
Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.	Marine				✓
All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash	Marine				✓
The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard	Marine				✓
Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.	Marine				✓
All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport	Marine				✓
Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds	Marine	✓			
Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation	Marine	✓			
The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments	Marine	✓			
Mitigation Measures for other Construction Activities					
Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped	All areas	✓			
Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers	All areas	✓			
All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads.	All areas	✓			
An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.	All areas	✓			
The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains	All areas	✓			
Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs	All areas	✓			




Environmental Protection Measures		Location	Implementation Status			
			Implemented	Partially implemented	Not implemented	Not Applicable
Water Quality						
Mitigation Measures for other Construction Activities						
<ul style="list-style-type: none"> Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS. Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. 		All areas	√			
Waste Management						
C&D Materials						
<ul style="list-style-type: none"> Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 		All areas				√
<ul style="list-style-type: none"> All areas All areas All areas All areas 			√			√
Chemical Waste						
<ul style="list-style-type: none"> Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 		All areas	√			
<ul style="list-style-type: none"> All areas All areas All areas 			√			
General Refuse						
<ul style="list-style-type: none"> General refuse should be stored in enclosed bins or compaction units separate from C&D material. A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material. An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material. 		All areas	√			
<ul style="list-style-type: none"> All areas All areas All areas 			√			
Marine Dredged Sediment (During transportation and disposal)						
<ul style="list-style-type: none"> Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. 		Marine				√
<ul style="list-style-type: none"> Marine Marine 						√
Good Site Practices						
<ul style="list-style-type: none"> Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site Training of site personnel in proper waste management and chemical handling procedures Provision of sufficient waste disposal points and regular collection of waste 		All areas	√			
<ul style="list-style-type: none"> All areas All areas 			√			
<ul style="list-style-type: none"> All areas 			√			



Appendix H

Site General Layout plan



NOTES:
1. THIS DRAWING SHALL BE READ IN CONNECTION WITH DRAWING NOS. 241239/G/03/2 TO 04/2.

- LEGEND:**
- PROPOSED FRESH WATER MAIN
 - PROPOSED SUI WATER MAIN
 - PROPOSED WORKS LIFT
 - CL / ST
 - PORTION A (SECTION 1)
 - PORTION C1
 - PORTION C (SECTION 2)
 - PORTION E1A
 - PORTION E1B
 - PORTION E1C
 - PORTION E1D
 - PORTION E1E
 - PORTION E1F
 - PORTION E1G
 - PORTION E1H
 - PORTION E1I
 - PORTION E1J
 - PORTION E1K
 - PORTION E1L
 - PORTION E1M
 - PORTION E1N
 - PORTION E1O
 - PORTION E1P
 - PORTION E1Q
 - PORTION E1R
 - PORTION E1S
 - PORTION E1T
 - PORTION E1U
 - PORTION E1V
 - PORTION E1W
 - PORTION E1X
 - PORTION E1Y
 - PORTION E1Z
 - PORTION E1AA
 - PORTION E1AB
 - PORTION E1AC
 - PORTION E1AD
 - PORTION E1AE
 - PORTION E1AF
 - PORTION E1AG
 - PORTION E1AH
 - PORTION E1AI
 - PORTION E1AJ
 - PORTION E1AK
 - PORTION E1AL
 - PORTION E1AM
 - PORTION E1AN
 - PORTION E1AO
 - PORTION E1AP
 - PORTION E1AQ
 - PORTION E1AR
 - PORTION E1AS
 - PORTION E1AT
 - PORTION E1AU
 - PORTION E1AV
 - PORTION E1AW
 - PORTION E1AX
 - PORTION E1AY
 - PORTION E1AZ
 - PORTION E1BA
 - PORTION E1BB
 - PORTION E1BC
 - PORTION E1BD
 - PORTION E1BE
 - PORTION E1BF
 - PORTION E1BG
 - PORTION E1BH
 - PORTION E1BI
 - PORTION E1BJ
 - PORTION E1BK
 - PORTION E1BL
 - PORTION E1BM
 - PORTION E1BN
 - PORTION E1BO
 - PORTION E1BP
 - PORTION E1BQ
 - PORTION E1BR
 - PORTION E1BS
 - PORTION E1BT
 - PORTION E1BU
 - PORTION E1BV
 - PORTION E1BW
 - PORTION E1BX
 - PORTION E1BY
 - PORTION E1BZ
 - PORTION E1CA
 - PORTION E1CB
 - PORTION E1CC
 - PORTION E1CD
 - PORTION E1CE
 - PORTION E1CF
 - PORTION E1CG
 - PORTION E1CH
 - PORTION E1CI
 - PORTION E1CJ
 - PORTION E1CK
 - PORTION E1CL
 - PORTION E1CM
 - PORTION E1CN
 - PORTION E1CO
 - PORTION E1CP
 - PORTION E1CQ
 - PORTION E1CR
 - PORTION E1CS
 - PORTION E1CT
 - PORTION E1CU
 - PORTION E1CV
 - PORTION E1CW
 - PORTION E1CX
 - PORTION E1CY
 - PORTION E1CZ
 - PORTION E1DA
 - PORTION E1DB
 - PORTION E1DC
 - PORTION E1DD
 - PORTION E1DE
 - PORTION E1DF
 - PORTION E1DG
 - PORTION E1DH
 - PORTION E1DI
 - PORTION E1DJ
 - PORTION E1DK
 - PORTION E1DL
 - PORTION E1DM
 - PORTION E1DN
 - PORTION E1DO
 - PORTION E1DP
 - PORTION E1DQ
 - PORTION E1DR
 - PORTION E1DS
 - PORTION E1DT
 - PORTION E1DU
 - PORTION E1DV
 - PORTION E1DW
 - PORTION E1DX
 - PORTION E1DY
 - PORTION E1DZ
 - PORTION E1EA
 - PORTION E1EB
 - PORTION E1EC
 - PORTION E1ED
 - PORTION E1EE
 - PORTION E1EF
 - PORTION E1EG
 - PORTION E1EH
 - PORTION E1EI
 - PORTION E1EJ
 - PORTION E1EK
 - PORTION E1EL
 - PORTION E1EM
 - PORTION E1EN
 - PORTION E1EO
 - PORTION E1EP
 - PORTION E1EQ
 - PORTION E1ER
 - PORTION E1ES
 - PORTION E1ET
 - PORTION E1EU
 - PORTION E1EV
 - PORTION E1EW
 - PORTION E1EX
 - PORTION E1EY
 - PORTION E1EZ
 - PORTION E1FA
 - PORTION E1FB
 - PORTION E1FC
 - PORTION E1FD
 - PORTION E1FE
 - PORTION E1FF
 - PORTION E1FG
 - PORTION E1FH
 - PORTION E1FI
 - PORTION E1FJ
 - PORTION E1FK
 - PORTION E1FL
 - PORTION E1FM
 - PORTION E1FN
 - PORTION E1FO
 - PORTION E1FP
 - PORTION E1FQ
 - PORTION E1FR
 - PORTION E1FS
 - PORTION E1FT
 - PORTION E1FU
 - PORTION E1FV
 - PORTION E1FW
 - PORTION E1FX
 - PORTION E1FY
 - PORTION E1FZ
 - PORTION E1GA
 - PORTION E1GB
 - PORTION E1GC
 - PORTION E1GD
 - PORTION E1GE
 - PORTION E1GF
 - PORTION E1GG
 - PORTION E1GH
 - PORTION E1GI
 - PORTION E1GJ
 - PORTION E1GK
 - PORTION E1GL
 - PORTION E1GM
 - PORTION E1GN
 - PORTION E1GO
 - PORTION E1GP
 - PORTION E1GQ
 - PORTION E1GR
 - PORTION E1GS
 - PORTION E1GT
 - PORTION E1GU
 - PORTION E1GV
 - PORTION E1GW
 - PORTION E1GX
 - PORTION E1GY
 - PORTION E1GZ
 - PORTION E1HA
 - PORTION E1HB
 - PORTION E1HC
 - PORTION E1HD
 - PORTION E1HE
 - PORTION E1HF
 - PORTION E1HG
 - PORTION E1HH
 - PORTION E1HI
 - PORTION E1HJ
 - PORTION E1HK
 - PORTION E1HL
 - PORTION E1HM
 - PORTION E1HN
 - PORTION E1HO
 - PORTION E1HP
 - PORTION E1HQ
 - PORTION E1HR
 - PORTION E1HS
 - PORTION E1HT
 - PORTION E1HU
 - PORTION E1HV
 - PORTION E1HW
 - PORTION E1HX
 - PORTION E1HY
 - PORTION E1HZ
 - PORTION E1IA
 - PORTION E1IB
 - PORTION E1IC
 - PORTION E1ID
 - PORTION E1IE
 - PORTION E1IF
 - PORTION E1IG
 - PORTION E1IH
 - PORTION E1II
 - PORTION E1IJ
 - PORTION E1IK
 - PORTION E1IL
 - PORTION E1IM
 - PORTION E1IN
 - PORTION E1IO
 - PORTION E1IP
 - PORTION E1IQ
 - PORTION E1IR
 - PORTION E1IS
 - PORTION E1IT
 - PORTION E1IU
 - PORTION E1IV
 - PORTION E1IW
 - PORTION E1IX
 - PORTION E1IY
 - PORTION E1IZ
 - PORTION E1JA
 - PORTION E1JB
 - PORTION E1JC
 - PORTION E1JD
 - PORTION E1JE
 - PORTION E1JF
 - PORTION E1JG
 - PORTION E1JH
 - PORTION E1JI
 - PORTION E1JJ
 - PORTION E1JK
 - PORTION E1JL
 - PORTION E1JM
 - PORTION E1JN
 - PORTION E1JO
 - PORTION E1JP
 - PORTION E1JQ
 - PORTION E1JR
 - PORTION E1JS
 - PORTION E1JT
 - PORTION E1JU
 - PORTION E1JV
 - PORTION E1JW
 - PORTION E1JX
 - PORTION E1JY
 - PORTION E1JZ
 - PORTION E1KA
 - PORTION E1KB
 - PORTION E1KC
 - PORTION E1KD
 - PORTION E1KE
 - PORTION E1KF
 - PORTION E1KG
 - PORTION E1KH
 - PORTION E1KI
 - PORTION E1KJ
 - PORTION E1KK
 - PORTION E1KL
 - PORTION E1KM
 - PORTION E1KN
 - PORTION E1KO
 - PORTION E1KP
 - PORTION E1KQ
 - PORTION E1KR
 - PORTION E1KS
 - PORTION E1KT
 - PORTION E1KU
 - PORTION E1KV
 - PORTION E1KW
 - PORTION E1KX
 - PORTION E1KY
 - PORTION E1KZ
 - PORTION E1LA
 - PORTION E1LB
 - PORTION E1LC
 - PORTION E1LD
 - PORTION E1LE
 - PORTION E1LF
 - PORTION E1LG
 - PORTION E1LH
 - PORTION E1LI
 - PORTION E1LJ
 - PORTION E1LK
 - PORTION E1LL
 - PORTION E1LM
 - PORTION E1LN
 - PORTION E1LO
 - PORTION E1LP
 - PORTION E1LQ
 - PORTION E1LR
 - PORTION E1LS
 - PORTION E1LT
 - PORTION E1LU
 - PORTION E1LV
 - PORTION E1LW
 - PORTION E1LX
 - PORTION E1LY
 - PORTION E1LZ
 - PORTION E1MA
 - PORTION E1MB
 - PORTION E1MC
 - PORTION E1MD
 - PORTION E1ME
 - PORTION E1MF
 - PORTION E1MG
 - PORTION E1MH
 - PORTION E1MI
 - PORTION E1MJ
 - PORTION E1MK
 - PORTION E1ML
 - PORTION E1MN
 - PORTION E1MO
 - PORTION E1MP
 - PORTION E1MQ
 - PORTION E1MR
 - PORTION E1MS
 - PORTION E1MT
 - PORTION E1MU
 - PORTION E1MV
 - PORTION E1MW
 - PORTION E1MX
 - PORTION E1MY
 - PORTION E1MZ
 - PORTION E1NA
 - PORTION E1NB
 - PORTION E1NC
 - PORTION E1ND
 - PORTION E1NE
 - PORTION E1NF
 - PORTION E1NG
 - PORTION E1NH
 - PORTION E1NI
 - PORTION E1NJ
 - PORTION E1NK
 - PORTION E1NL
 - PORTION E1NM
 - PORTION E1NN
 - PORTION E1NO
 - PORTION E1NP
 - PORTION E1NQ
 - PORTION E1NR
 - PORTION E1NS
 - PORTION E1NT
 - PORTION E1NU
 - PORTION E1NV
 - PORTION E1NW
 - PORTION E1NX
 - PORTION E1NY
 - PORTION E1NZ
 - PORTION E1OA
 - PORTION E1OB
 - PORTION E1OC
 - PORTION E1OD
 - PORTION E1OE
 - PORTION E1OF
 - PORTION E1OG
 - PORTION E1OH
 - PORTION E1OI
 - PORTION E1OJ
 - PORTION E1OK
 - PORTION E1OL
 - PORTION E1OM
 - PORTION E1ON
 - PORTION E1OO
 - PORTION E1OP
 - PORTION E1OQ
 - PORTION E1OR
 - PORTION E1OS
 - PORTION E1OT
 - PORTION E1OU
 - PORTION E1OV
 - PORTION E1OW
 - PORTION E1OX
 - PORTION E1OY
 - PORTION E1OZ
 - PORTION E1PA
 - PORTION E1PB
 - PORTION E1PC
 - PORTION E1PD
 - PORTION E1PE
 - PORTION E1PF
 - PORTION E1PG
 - PORTION E1PH
 - PORTION E1PI
 - PORTION E1PJ
 - PORTION E1PK
 - PORTION E1PL
 - PORTION E1PM
 - PORTION E1PN
 - PORTION E1PO
 - PORTION E1PP
 - PORTION E1PQ
 - PORTION E1PR
 - PORTION E1PS
 - PORTION E1PT
 - PORTION E1PU
 - PORTION E1PV
 - PORTION E1PW
 - PORTION E1PX
 - PORTION E1PY
 - PORTION E1PZ
 - PORTION E1QA
 - PORTION E1QB
 - PORTION E1QC
 - PORTION E1QD
 - PORTION E1QE
 - PORTION E1QF
 - PORTION E1QG
 - PORTION E1QH
 - PORTION E1QI
 - PORTION E1QJ
 - PORTION E1QK
 - PORTION E1QL
 - PORTION E1QM
 - PORTION E1QN
 - PORTION E1QO
 - PORTION E1QP
 - PORTION E1QQ
 - PORTION E1QR
 - PORTION E1QS
 - PORTION E1QT
 - PORTION E1QU
 - PORTION E1QV
 - PORTION E1QW
 - PORTION E1QX
 - PORTION E1QY
 - PORTION E1QZ
 - PORTION E1RA
 - PORTION E1RB
 - PORTION E1RC
 - PORTION E1RD
 - PORTION E1RE
 - PORTION E1RF
 - PORTION E1RG
 - PORTION E1RH
 - PORTION E1RI
 - PORTION E1RJ
 - PORTION E1RK
 - PORTION E1RL
 - PORTION E1RM
 - PORTION E1RN
 - PORTION E1RO
 - PORTION E1RP
 - PORTION E1RQ
 - PORTION E1RR
 - PORTION E1RS
 - PORTION E1RT
 - PORTION E1RU
 - PORTION E1RV
 - PORTION E1RW
 - PORTION E1RX
 - PORTION E1RY
 - PORTION E1RZ
 - PORTION E1SA
 - PORTION E1SB
 - PORTION E1SC
 - PORTION E1SD
 - PORTION E1SE
 - PORTION E1SF
 - PORTION E1SG
 - PORTION E1SH
 - PORTION E1SI
 - PORTION E1SJ
 - PORTION E1SK
 - PORTION E1SL
 - PORTION E1SM
 - PORTION E1SN
 - PORTION E1SO
 - PORTION E1SP
 - PORTION E1SQ
 - PORTION E1SR
 - PORTION E1SS
 - PORTION E1ST
 - PORTION E1SU
 - PORTION E1SV
 - PORTION E1SW
 - PORTION E1SX
 - PORTION E1SY
 - PORTION E1SZ
 - PORTION E1TA
 - PORTION E1TB
 - PORTION E1TC
 - PORTION E1TD
 - PORTION E1TE
 - PORTION E1TF
 - PORTION E1TG
 - PORTION E1TH
 - PORTION E1TI
 - PORTION E1TJ
 - PORTION E1TK
 - PORTION E1TL
 - PORTION E1TM
 - PORTION E1TN
 - PORTION E1TO
 - PORTION E1TP
 - PORTION E1TQ
 - PORTION E1TR
 - PORTION E1TS
 - PORTION E1TT
 - PORTION E1TU
 - PORTION E1TV
 - PORTION E1TW
 - PORTION E1TX
 - PORTION E1TY
 - PORTION E1TZ
 - PORTION E1UA
 - PORTION E1UB
 - PORTION E1UC
 - PORTION E1UD
 - PORTION E1UE
 - PORTION E1UF
 - PORTION E1UG
 - PORTION E1UH
 - PORTION E1UI
 - PORTION E1UJ
 - PORTION E1UK
 - PORTION E1UL
 - PORTION E1UM
 - PORTION E1UN
 - PORTION E1UO
 - PORTION E1UP
 - PORTION E1UQ
 - PORTION E1UR
 - PORTION E1US
 - PORTION E1UT
 - PORTION E1UU
 - PORTION E1UV
 - PORTION E1UW
 - PORTION E1UX
 - PORTION E1UY
 - PORTION E1UZ
 - PORTION E1VA
 - PORTION E1VB
 - PORTION E1VC
 - PORTION E1VD
 - PORTION E1VE
 - PORTION E1VF
 - PORTION E1VG
 - PORTION E1VH
 - PORTION E1VI
 - PORTION E1VJ
 - PORTION E1VK
 - PORTION E1VL
 - PORTION E1VM
 - PORTION E1VN
 - PORTION E1VO
 - PORTION E1VP
 - PORTION E1VQ
 - PORTION E1VR
 - PORTION E1VS
 - PORTION E1VT
 - PORTION E1VU
 - PORTION E1VV
 - PORTION E1VW
 - PORTION E1VX
 - PORTION E1VY
 - PORTION E1VZ
 - PORTION E1WA
 - PORTION E1WB
 - PORTION E1WC
 - PORTION E1WD
 - PORTION E1WE
 - PORTION E1WF
 - PORTION E1WG
 - PORTION E1WH
 - PORTION E1WI
 - PORTION E1WJ
 - PORTION E1WK
 - PORTION E1WL
 - PORTION E1WM
 - PORTION E1WN
 - PORTION E1WO
 - PORTION E1WP
 - PORTION E1WQ
 - PORTION E1WR
 - PORTION E1WS
 - PORTION E1WT
 - PORTION E1WU
 - PORTION E1WV
 - PORTION E1WW
 - PORTION E1WX
 - PORTION E1WY
 - PORTION E1WZ
 - PORTION E1XA
 - PORTION E1XB
 - PORTION E1XC
 - PORTION E1XD
 - PORTION E1XE
 - PORTION E1XF
 - PORTION E1XG
 - PORTION E1XH
 - PORTION E1XI
 - PORTION E1XJ
 - PORTION E1XK
 - PORTION E1XL
 - PORTION E1XM
 - PORTION E1XN
 - PORTION E1XO
 - PORTION E1XP
 - PORTION E1XQ
 - PORTION E1XR
 - PORTION E1XS
 - PORTION E1XT
 - PORTION E1XU
 - PORTION E1XV
 - PORTION E1XW
 - PORTION E1XX
 - PORTION E1XY
 - PORTION E1XZ
 - PORTION E1YA
 - PORTION E1YB
 - PORTION E1YC
 - PORTION E1YD
 - PORTION E1YE
 - PORTION E1YF
 - PORTION E1YG
 - PORTION E1YH
 - PORTION E1YI
 - PORTION E1YJ
 - PORTION E1YK
 - PORTION E1YL
 - PORTION E1YM
 - PORTION E1YN
 - PORTION E1YO
 - PORTION E1YP
 - PORTION E1YQ
 - PORTION E1YR
 - PORTION E1YS
 - PORTION E1YT
 - PORTION E1YU
 - PORTION E1YV
 - PORTION E1YW
 - PORTION E1YX
 - PORTION E1YY
 - PORTION E1YZ
 - PORTION E1ZA
 - PORTION E1ZB
 - PORTION E1ZC
 - PORTION E1ZD
 - PORTION E1ZE
 - PORTION E1ZF
 - PORTION E1ZG
 - PORTION E1ZH
 - PORTION E1ZI
 - PORTION E1ZJ
 - PORTION E1ZK
 - PORTION E1ZL
 - PORTION E1ZM
 - PORTION E1ZN
 - PORTION E1ZO
 - PORTION E1ZP
 - PORTION E1ZQ
 - PORTION E1ZR
 - PORTION E1ZS
 - PORTION E1ZT
 - PORTION E1ZU
 - PORTION E1ZV
 - PORTION E1ZW
 - PORTION E1ZX
 - PORTION E1ZY
 - PORTION E1ZZ

WORKS AREA A1 TO A7
DISTING AIRPORT LUNDAIN ROAD (A1) TUNNEL
PROPOSED RESERVOIR OF P1
DISTING KOWLOON SOUTHERN LINK (DCL)
LI CHANG ROAD
PUBLIC CARGO WORKING AREA
MATCH LINE
SECTION 1
SECTION 2
SECTION 4

NO.	DESCRIPTION	SCALE	DATE	BY	CHECKED
01	WORKS AREA A1 TO A7	1:1000	09/11/08	M. MOTT	M. MOTT
02	DISTING AIRPORT LUNDAIN ROAD (A1) TUNNEL	1:1000	09/11/08	M. MOTT	M. MOTT
03	PROPOSED RESERVOIR OF P1	1:1000	09/11/08	M. MOTT	M. MOTT
04	DISTING KOWLOON SOUTHERN LINK (DCL)	1:1000	09/11/08	M. MOTT	M. MOTT
05	LI CHANG ROAD	1:1000	09/11/08	M. MOTT	M. MOTT
06	PUBLIC CARGO WORKING AREA	1:1000	09/11/08	M. MOTT	M. MOTT

m Mott MacDonald
 11th Floor, 100 South Bay Road
 Kowloon, Hong Kong
 Tel: +852 2412 1327
 Fax: +852 2412 1328
 www.mottmacdonald.com.hk

THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

9/11/08/08

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SHANGHAI PUN

POSSESSION OF SITE
 (SHEET 1 OF 5)

SCALE	1:1000
TITLE	POSSESSION OF SITE
NO.	241239/G/03/01
DATE	09/11/08
BY	M. MOTT
CHECKED	M. MOTT
DATE	09/11/08

NOTES

- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NOS. 241239/G/0300 AND 241239/G/0301.
- THE DESIGN SHALL REFER TO DRAWING NO. 241239/G/0300.

01	REV	01	ISSUE FOR TENDER APPROVAL NO. 4	24/1/02
02	REV	02	ISSUE FOR TENDER APPROVAL NO. 5	KL, BSC
03	REV	03	ISSUE FOR TENDER APPROVAL NO. 6	KL, BSC
04	REV	04	ISSUE FOR TENDER APPROVAL NO. 7	KL, BSC
05	REV	05	ISSUE FOR TENDER APPROVAL NO. 8	KL, BSC

Mott MacDonald
 27th Floor
 One World Finance Centre
 181 Wing Lok Street
 Causeway Bay, Hong Kong
 Tel: 2529 9117
 Fax: 2529 9101
 www.mottmac.com


THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

Project No. 9/NSD/08

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SAU YING PUN

POSSESSION OF SITE
 (SHEET 2 OF 5)

Project No.	9/NSD/08
Scale	1:1000
Sheet No.	02
Project Name	Laying of Western Cross Harbour Main and Associated Land Mains from West Kowloon to Sau Ying Pun
Project No.	241239
Project Name	POSSESSION OF SITE (SHEET 2 OF 5)
Project No.	241239/G/0302
Project Name	POSSESSION OF SITE (SHEET 2 OF 5)




This document is the property of Mott MacDonald and is not to be distributed, copied, or used in any way without the written consent of Mott MacDonald. The design is for information only and does not constitute an offer of any service. Mott MacDonald is not responsible for any errors or omissions in this drawing or for any consequences arising therefrom.

© COPYRIGHT RESERVED

NOTES :

1. THIS DRAWING SHALL BE MADE IN CONFORMANCE WITH DRAWING NO. 241239/0304 TO DSAD AND DSAD.
2. THE LEGEND SHALL REFER TO DRAWING NO. 241239/0304.



02	APR 09	PL	TRACER ADJUSTMENT NO. 4	5-11192
01	MAR 08	PL	TRACER ADJUSTMENT NO. 3	5-11192
00	DEC 08	PL	LEGGE FOR TURNER	5-11192

Mott MacDonald
 250 West Street, Suite 200
 75000 Dallas, Texas
 Tel: 214 242 1237
 Fax: 214 242 1238
 www.mottmac.com

THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT

9/NSD/08

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SAN YING PUN

POSSESSION OF SITE
 (SHEET 4 OF 5)

SCALE	1:1000	DATE	24/12/08
PROJECT NO.	001	DESIGNER	PL
DRAWN BY	PL	CHECKED BY	PL
APPROVED BY	PL	DATE	24/12/08
PROJECT NO.	241239/0304	SHEET NO.	02

Appendix I

Monitoring Schedule for this Month and Coming Month

Contract No. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
 Time Schedule for Impact Marine Water Quality Monitoring (WQM), Noise Monitoring (NM) and Weekly Site Inspection (SI)
 March 2012

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
				01-Mar	02-Mar	03-Mar
				WQM Mid-Flood 09:30 - 13:30 Mid-Ebb 15:00 - 19:00		WQM Mid-Flood 12:00 - 16:00 Mid-Ebb 17:30 - 21:30 NM Evening-time (West Kowloon) (Sai Ying Pun) NM Night-time (Sai Ying Pun)
04-Mar	05-Mar	06-Mar	07-Mar	08-Mar	09-Mar	10-Mar
NM Night-time (West Kowloon) NM Holiday (West Kowloon) (Sai Ying Pun)	NM (SYP-Daytime)	WQM Mid-Ebb 09:15 - 12:15 Mid-Flood 13:45 - 17:45 SI		WQM Mid-Ebb 09:45 - 13:45 Mid-Flood 15:15 - 19:15	NM (WK-Daytime)	WQM Mid-Ebb 11:15 - 15:15 Mid-Flood 16:45 - 20:45 NM Evening-time (West Kowloon) (Sai Ying Pun)
11-Mar	12-Mar	13-Mar	14-Mar	15-Mar	16-Mar	17-Mar
NM Holiday (West Kowloon) (Sai Ying Pun) SI	NM (SYP-Daytime)	WQM Mid-Flood 08:00 - 12:00 Mid-Ebb 13:30 - 17:30		WQM Mid-Flood 09:30 - 13:30 Mid-Ebb 15:00 - 19:00	NM (WK-Daytime)	WQM Mid-Flood 12:00 - 16:00 Mid-Ebb 17:30 - 21:30
18-Mar	19-Mar	20-Mar	21-Mar	22-Mar	23-Mar	24-Mar
NM Holiday (West Kowloon) (Sai Ying Pun)	WQM Mid-Ebb 09:15 - 13:15 Mid-Flood 14:45 - 18:45 SI	NM (SYP-Daytime) NM (WK-Daytime)		WQM Mid-Ebb 09:45 - 13:45 Mid-Flood 15:15 - 19:15		WQM Mid-Ebb 11:00 - 15:00 Mid-Flood 16:30 - 20:30 NM Evening-time (West Kowloon) (Sai Ying Pun) NM Night-time (Sai Ying Pun)
25-Mar	26-Mar	27-Mar	28-Mar	29-Mar	30-Mar	31-Mar
NM Night-time (West Kowloon) NM Holiday (West Kowloon) (Sai Ying Pun)	WQM Mid-Flood 07:15 - 11:15 Mid-Ebb 13:45 - 17:45 SI			WQM Mid-Flood 07:45 - 11:45 Mid-Ebb 13:15 - 17:15	NM (SYP-Daytime) NM (WK-Daytime)	WQM Mid-Flood 09:00 - 13:00 Mid-Ebb 14:30 - 18:30

Contract No. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
 Time Schedule for Impact Marine Water Quality Monitoring (WQM), Noise Monitoring (NM) and Weekly Site Inspection (SI)
 April 2012

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
01-Apr	02-Apr NM (SYP-Daytime) NM (WK-Daytime)	03-Apr WQM Mid-Ebb 08:30 - 12:30 Mid-Flood 14:00 - 18:00 SI	04-Apr	05-Apr WQM Mid-Ebb 09:00 - 13:00 Mid-Flood 14:30 - 18:30	06-Apr	07-Apr
08-Apr	09-Apr	10-Apr	11-Apr	12-Apr	13-Apr	14-Apr
		WQM Mid-Flood 07:00 - 11:00 Mid-Ebb 13:00 - 17:00 SI	NM (SYP-Daytime)	WQM Mid-Flood 08:30 - 12:30 Mid-Ebb 14:00 - 18:00	NM (WK-Daytime)	WQM Mid-Flood 10:30 - 14:30 Mid-Ebb 16:00 - 20:00
15-Apr	16-Apr	17-Apr	18-Apr	19-Apr	20-Apr	21-Apr
		WQM Mid-Ebb 08:30 - 12:30 Mid-Flood 14:00 - 18:00 SI	NM (SYP-Daytime)	WQM Mid-Ebb 09:00 - 13:00 Mid-Flood 14:30 - 18:30	NM (WK-Daytime)	WQM Mid-Ebb 10:15 - 14:15 Mid-Flood 15:45 - 19:45
22-Apr	23-Apr	24-Apr	25-Apr	26-Apr	27-Apr	28-Apr
		WQM Mid-Ebb 12:15 - 16:15 Mid-Flood 17:45 - 21:45 SI	NM (SYP-Daytime)	WQM Mid-Flood 06:00 - 10:00 Mid-Ebb 11:30 - 15:30	NM (WK-Daytime)	
29-Apr	30-Apr					

Appendix J

Daily Dredging Summary

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty. (bulk volume)	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty. (bulk volume)	Permit No.
6 June, 2010	0	0	0	0	0	0	EP/MD/10-085
7 June, 2010	0	0	0	0	0	0	EP/MD/10-085
8 June, 2010	0	0	0	0	0	0	EP/MD/10-085
9 June, 2010	0	0	0	0	0	0	EP/MD/10-085
10 June, 2010	0	0	0	0	0	0	EP/MD/10-085
11 June, 2010	0	0	0	0	0	0	EP/MD/10-085
12 June, 2010	0	0	0	0	0	0	EP/MD/10-085
13 June, 2010	0	0	0	0	0	0	EP/MD/10-085
14 June, 2010	1,400	2	1,400	2,100	3	2,100	EP/MD/10-085
15 June, 2010	1,400	2	2,800	2,100	3	4,200	EP/MD/10-085
16 June, 2010	2,100	3	4,900	2,100	3	6,300	EP/MD/10-085
17 June, 2010	2,800	4	7,700	2,100	3	8,400	EP/MD/10-085
18 June, 2010	2,100	3	9,800	2,100	3	10,500	EP/MD/10-085
19 June, 2010	2,700	4	12,500	2,100	3	12,600	EP/MD/10-085
20 June, 2010	2,800	4	15,300	2,100	3	14,700	EP/MD/10-085
21 June, 2010	2,100	3	17,400	2,100	3	16,800	EP/MD/10-085
22 June, 2010	2,800	4	20,200	2,100	3	18,900	EP/MD/10-085
23 June, 2010	2,100	3	22,300	2,100	3	21,000	EP/MD/10-085
24 June, 2010	2,100	3	24,400	2,100	3	23,100	EP/MD/10-085
25 June, 2010	2,100	3	26,500	2,100	3	25,200	EP/MD/10-085
26 June, 2010	2,100	3	28,600	2,100	3	27,300	EP/MD/10-085
27 June, 2010	700	1	29,300	2,100	3	29,400	EP/MD/10-085
28 June, 2010	2,100	3	31,400	2,100	3	31,500	EP/MD/10-085
29 June, 2010	1,400	2	32,800	2,100	3	33,600	EP/MD/10-085
30 June, 2010			32,800	2,100	3	35,700	EP/MD/10-085
1 July, 2010			32,800	2,100	3	37,800	EP/MD/10-085
2 July, 2010			32,800	2,100	3	39,900	EP/MD/10-085
3 July, 2010			32,800	2,100	3	42,000	EP/MD/10-085
4 July, 2010			32,800	2,100	3	44,100	EP/MD/10-085
5 July, 2010			32,800	2,100	3	46,200	EP/MD/10-085
6 July, 2010			32,800	2,100	3	48,300	EP/MD/10-085
7 July, 2010			32,800	2,100	3	50,400	EP/MD/10-085
8 July, 2010			32,800	2,100	3	52,500	EP/MD/10-085
9 July, 2010			32,800	2,100	3	54,600	EP/MD/10-085
10 July, 2010			32,800	2,100	3	56,700	EP/MD/10-085
11 July, 2010			32,800	2,100	3	58,800	EP/MD/10-085
12 July, 2010			32,800	2,100	3	60,900	EP/MD/10-085
13 July, 2010			32,800	2,100	3	63,000	EP/MD/10-085
14 July, 2010			32,800	2,100	3	65,100	EP/MD/10-085
15 July, 2010			32,800	2,100	3	67,200	EP/MD/10-085
16 July, 2010			32,800	2,100	3	69,300	EP/MD/10-085
17 July, 2010			32,800	2,100	3	71,400	EP/MD/10-085

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty. (bulk volume)	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty. (bulk volume)	Permit No.
18 July, 2010			32,800	2,100	3	73,500	EP/MD/10-085
19 July, 2010			32,800	2,100	3	75,600	EP/MD/10-085
20 July, 2010			32,800	2,100	3	77,700	EP/MD/10-085
21 July, 2010			32,800	2,100	3	79,800	EP/MD/10-085
22 July, 2010			32,800	2,100	3	81,900	EP/MD/10-085
23 July, 2010			32,800	2,100	3	84,000	EP/MD/10-085
24 July, 2010			32,800	2,100	3	86,100	EP/MD/10-085
25 July, 2010			32,800	2,100	3	88,200	EP/MD/10-085
26 July, 2010			32,800	2,100	3	90,300	EP/MD/10-085
27 July, 2010			32,800	2,100	3	92,400	EP/MD/10-085
28 July, 2010			32,800	2,100	3	94,500	EP/MD/10-085
29 July, 2010			32,800	2,100	3	96,600	EP/MD/10-085
30 July, 2010			32,800	2,100	3	98,700	EP/MD/10-085
31 July, 2010			32,800	2,100	3	100,800	EP/MD/10-085
1 August, 2010			32,800	2,100	3	102,900	EP/MD/10-085
2 August, 2010			32,800	2,100	3	105,000	EP/MD/10-085
3 August, 2010			32,800	2,100	3	107,100	EP/MD/10-085
4 August, 2010			32,800	2,100	3	109,200	EP/MD/10-085
5 August, 2010			32,800	2,100	3	111,300	EP/MD/10-085
6 August, 2010			32,800	2,100	3	113,400	EP/MD/10-085
7 August, 2010			32,800	2,100	3	115,500	EP/MD/10-085
8 August, 2010			32,800	2,100	3	117,600	EP/MD/10-085
9 August, 2010			32,800	2,100	3	119,700	EP/MD/10-085
10 August, 2010			32,800	2,100	3	121,800	EP/MD/10-085
11 August, 2010			32,800	2,100	3	123,900	EP/MD/10-085
12 August, 2010			32,800	2,100	3	126,000	EP/MD/10-085
13 August, 2010			32,800	2,100	3	128,100	EP/MD/10-085
14 August, 2010			32,800	2,100	3	130,200	EP/MD/10-085
15 August, 2010			32,800	2,100	3	132,300	EP/MD/10-085
16 August, 2010			32,800	2,100	3	134,400	EP/MD/10-085
17 August, 2010			32,800	2,100	3	136,500	EP/MD/10-085
18 August, 2010			32,800	2,100	3	138,600	EP/MD/10-085
19 August, 2010			32,800	2,100	3	140,700	EP/MD/10-085
20 August, 2010			32,800	2,100	3	142,800	EP/MD/10-085
21 August, 2010			32,800	2,100	3	144,900	EP/MD/10-085

Wo Hing - Penta-Ocean Joint Venture							
Contract no. 9/WSD/08							
Laying of Western Cross Harbour Main & Associated Land Mains from							
West Kowloon to Sai Ying Pun							
Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)							
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
22 August, 2010			32,800	2,100	3	147,600	EP/MD/10-085
23 August, 2010			32,800	2,100	3	149,100	EP/MD/10-085
24 August, 2010			32,800	2,100	3	151,200	EP/MD/10-085
25 August, 2010			32,800	2,100	3	153,300	EP/MD/10-085
26 August, 2010			32,800	2,100	3	155,400	EP/MD/10-085
27 August, 2010			32,800	2,100	3	157,500	EP/MD/10-085
28 August, 2010			32,800	2,100	3	159,600	EP/MD/10-085
29 August, 2010			32,800	2,100	3	161,700	EP/MD/10-085
30 August, 2010			32,800	2,100	3	163,800	EP/MD/10-085
31 August, 2010			32,800	2,100	3	165,900	EP/MD/10-085
1 September, 2010			32,800	2,100	3	168,000	EP/MD/10-085
2 September, 2010			32,800	2,100	3	170,100	EP/MD/10-085
3 September, 2010			32,800	2,100	3	172,200	EP/MD/10-085
4 September, 2010			32,800	2,100	3	174,300	EP/MD/10-085
5 September, 2010			32,800	2,100	3	176,400	EP/MD/10-085
6 September, 2010			32,800	2,100	3	178,500	EP/MD/10-085
7 September, 2010			32,800	2,100	3	180,600	EP/MD/10-085
8 September, 2010			32,800	2,100	3	182,700	EP/MD/10-085
9 September, 2010			32,800	2,100	3	184,800	EP/MD/10-085
10 September, 2010			32,800	2,100	3	186,900	EP/MD/10-085
11 September, 2010			32,800	2,100	3	189,000	EP/MD/10-085
12 September, 2010			32,800	2,100	3	191,100	EP/MD/10-085
13 September, 2010			32,800	2,100	3	193,200	EP/MD/10-085
14 September, 2010			32,800	2,100	3	195,300	EP/MD/10-085
15 September, 2010			32,800	2,100	3	197,400	EP/MD/10-085
16 September, 2010			32,800	2,100	3	199,500	EP/MD/10-085
17 September, 2010			32,800	2,100	3	201,600	EP/MD/10-085
18 September, 2010			32,800	2,100	3	203,700	EP/MD/10-085
	32,800	47		203,700	291		

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08
Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 2 Marine Sediment

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty. (bulk volume)	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty. (bulk volume)	Permit No.
5 May, 2010	440	1	440	1,260	2	1,260	EP/MD/10-086
6 May, 2010	1,280	3	1,720	1,260	2	2,520	EP/MD/10-086
7 May, 2010	0	0	1,720	1,260	2	3,780	EP/MD/10-086
8 May, 2010	0	0	1,720	1,260	2	5,040	EP/MD/10-086
9 May, 2010	1,400	2	3,120	1,260	2	6,300	EP/MD/10-086
10 May, 2010	1,400	2	4,520	1,260	2	7,560	EP/MD/10-086
11 May, 2010	1,300	2	5,820	1,260	2	8,820	EP/MD/10-086
12 May, 2010	1,300	3	7,620	1,260	2	10,080	EP/MD/10-086
13 May, 2010	1,200	2	8,820	1,260	2	11,340	EP/MD/10-086
14 May, 2010	0	0	8,820	1,260	2	12,600	EP/MD/10-086
15 May, 2010	0	0	8,820	1,260	2	13,860	EP/MD/10-086
16 May, 2010	600	1	9,420	1,260	2	15,120	EP/MD/10-086
17 May, 2010	1,200	2	10,620	1,260	2	16,380	EP/MD/10-086
18 May, 2010	700	1	11,320	1,260	2	17,640	EP/MD/10-086
19 May, 2010	2,000	3	13,320	1,260	2	18,900	EP/MD/10-086
20 May, 2010	1,400	2	14,720	1,260	2	20,160	EP/MD/10-086
21 May, 2010	1,400	2	16,120	1,260	2	21,420	EP/MD/10-086
22 May, 2010	2,100	3	18,220	1,260	2	22,680	EP/MD/10-086
23 May, 2010	1,400	2	19,620	1,260	2	23,940	EP/MD/10-086
24 May, 2010	1,400	2	21,020	1,260	2	25,200	EP/MD/10-086
25 May, 2010	1,300	2	22,320	1,260	2	26,460	EP/MD/10-086
26 May, 2010	1,400	2	23,720	1,260	2	27,720	EP/MD/10-086
27 May, 2010	1,300	2	25,020	1,260	2	28,980	EP/MD/10-086
28 May, 2010	1,400	2	26,420	1,260	2	30,240	EP/MD/10-086
29 May, 2010	600	1	27,020	1,260	2	31,500	EP/MD/10-086
30 May, 2010	2,100	3	29,120	1,260	2	32,760	EP/MD/11-012
31 May, 2010	700	1	29,820	1,260	2	34,020	EP/MD/11-012
1 June, 2010	1,900	3	31,720	1,260	2	35,280	EP/MD/11-012
2 June, 2010	1,220	2	32,940	1,260	2	36,540	EP/MD/11-012
3 June, 2010	1,300	2	34,240	1,260	2	37,800	EP/MD/11-012
4 June, 2010	1,200	2	35,440	1,260	2	39,060	EP/MD/11-012
5 June, 2010	1,400	2	36,840	1,260	2	40,320	EP/MD/11-012
6 June, 2010	600	1	37,440	1,260	2	41,580	EP/MD/11-012
7 June, 2010	0	0	37,440	1,260	2	42,840	EP/MD/11-012
8 June, 2010	500	1	37,940	1,260	2	EP/MD/11-012	
9 June, 2010	0	0	37,940	1,260	2	EP/MD/11-012	
10 June, 2010	600	1	38,540	1,260	2	EP/MD/11-012	
11 June, 2010	1,200	2	39,740	1,260	2	EP/MD/11-012	
12 June, 2010	1,400	2	41,140	1,260	2	EP/MD/11-012	
13 June, 2010	1,400	2	42,540	1,260	2	EP/MD/11-012	
14 June, 2010	0	0	42,540	0	0	EP/MD/11-012	
15 June, 2010	0	0	42,540	0	0	EP/MD/11-012	
16 June, 2010	0	0	42,540	0	0	EP/MD/11-012	
17 June, 2010	0	0	42,540	0	0	EP/MD/11-012	
18 June, 2010	0	0	42,540	0	0	EP/MD/11-012	
19 June, 2010	0	0	42,540	0	0	EP/MD/11-012	


Wo Hing - Penta-Ocean Joint Venture							
Contract no. 9/WSD/08							
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun							
Summary of Dumping Qty. of Type 2 Marine Sediment							
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
20 June, 2010	0	0	42,540	0	0		EP/MD/11-012
21 June, 2010	0	0	42,540	0	0		EP/MD/11-012
22 June, 2010	0	0	42,540	0	0		EP/MD/11-012
23 June, 2010	0	0	42,540	0	0		EP/MD/11-012
24 June, 2010	0	0	42,540	0	0		EP/MD/11-012
25 June, 2010	0	0	42,540	0	0		EP/MD/11-012
26 June, 2010	0	0	42,540	0	0		EP/MD/11-012
27 June, 2010	0	0	42,540	0	0		EP/MD/11-012
28 June, 2010	0	0	42,540	0	0		EP/MD/11-012
29 June, 2010	0	0	42,540	0	0		EP/MD/11-012
30 June, 2010	1,200	2	43,740				EP/MD/11-024
1 July, 2010	2,600	4	46,340				EP/MD/11-024
2 July, 2010	2,800	4	49,140				EP/MD/11-024
3 July, 2010	1,400	2	50,540				EP/MD/11-024
4 July, 2010	2,100	3					EP/MD/11-024
5 July, 2010	2,850	4					EP/MD/11-024
6 July, 2010	1,400	2					EP/MD/11-024
7 July, 2010	1,400	2					EP/MD/11-024
8 July, 2010	2,700	4					EP/MD/11-024
9 July, 2010	2,100	3					EP/MD/11-024
10 July, 2010	2,100	3					EP/MD/11-024
11 July, 2010	1,400	2					EP/MD/11-024
12 July, 2010							EP/MD/11-024
13 July, 2010							EP/MD/11-024
14 July, 2010							EP/MD/11-024
15 July, 2010							EP/MD/11-024
16 July, 2010							EP/MD/11-024
17 July, 2010							EP/MD/11-024
18 July, 2010							EP/MD/11-024
19 July, 2010							EP/MD/11-024
20 July, 2010							EP/MD/11-024
21 July, 2010							EP/MD/11-024
22 July, 2010							EP/MD/11-024
23 July, 2010							EP/MD/11-024
24 July, 2010							EP/MD/11-024
25 July, 2010							EP/MD/11-024
26 July, 2010							EP/MD/11-024
27 July, 2010							EP/MD/11-024
28 July, 2010							EP/MD/11-024
29 July, 2010							EP/MD/11-024
30 July, 2010							EP/MD/11-024
31 July, 2010							
	66,590	101		50,400	70		

NOTE:

LOGISTIC OF DREDGING

- STAGE 1 - TYPE 2 MARINE SEDIMENT
① → ② → ③ → ④ → ⑤ → ⑥ → ⑦ → ⑧
- STAGE 2 - TYPE 1 MARINE SEDIMENT
⑨ → ⑩ → ⑪
- STAGE 3 - TYPE 1 MARINE SEDIMENT
⑫ → ⑬ → ⑭ → ⑮ → ⑯ → ⑰ → ⑱ → ⑲ → ⑳
- STAGE 4 - TYPE 1D MARINE SEDIMENT
㉑
- STAGE 5 - TYPE 1 MARINE SEDIMENT
㉒ → ㉓ → ㉔ → ㉕ → ㉖


IF SIMILAR DISPOSAL SITE IS DEDICATED FOR TYPE 1D AND TYPE 1, MARINE SEDIMENT DREDGING LOGISTIC AT ㉑ WILL BE DELETED AND INCLUDED IN ⑮ AND ㉒.



Sai Ying Pun

West Kowloon

LONGITUDINAL SECTION OF DREDGING TRENCH



SECTION A-A OF DREDGING TRENCH

SECTION B-B OF DREDGING TRENCH

- TYPE 1 - OPEN SEA DISPOSAL
- TYPE 10 - OPEN SEA DISPOSAL (DEDICATED SITES)
- TYPE 2 - CONFINED MARINE DISPOSAL
- TYPE 1 - CONFINED MARINE DISPOSAL

THE NUMBER INDICATE THE SEQUENCE OF DREDGING

CONTRACTOR	WO HING-PENTAOCEAN JOINT VENTURE 和興五洋聯營	CONTRACT NO. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains from West Kowloon to Sai Ying Pun	DRAWING TITLE	DREDGING LOGISTIC
DRAWN BY	TONY TANG	CHECKED BY	STANLEY LEUNG	SCALE
DATE	08 Apr 2010	REVISION	D	DWG No.
				NTS
				SK-D-002



Appendix K

Complaint Log

Complaint Log

Log Ref.	Location	Received Date	Details of Complaint	Investigation / Mitigation Action	Status
001	Portion I – Launch Barge	08/07/2011	<p>One complaint received on 23 June 2011 was forwarded by the Engineer's Representatives on 08 July 2011 through internet from a citizen against urinating into the sea from the Launching Barge which caused by site workers. The complainant complained that that caused an environmental nuisance.</p>	<p><u>Details of ET Follow up Action(s):</u> During the weekly site inspection on 08 July 2010, the Contractor has provided portable chemical toilet and warning notice on the barge. No urinating was observed during the weekly site inspection.</p> <p><u>Details of Action(s) Taken by the Contractor:</u></p> <ol style="list-style-type: none"> 1. Meeting has been arranged on 29 June 2011 to discuss the safety and environmental issues on launching barge. 2. New disciplinary system has been in place to prevent the same inappropriate act of workers from happening. 3. Additional sanitary facilities have been added on the barge and the nearby area to facilitate the workers need. 	Closed



Appendix L

Details of Interim Notifications of Exceedance (NOEs) in this reporting month



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED



8/F, Block B, Veristrong Industrial Centre, 34 - 36 Au Pui Wan Street, Fotan, Shatin,
Hong Kong Tel : (852) 2695 8318 Fax : (852) 2695 3944 E- Mail : etl@ets-
testconsult.com

FAX TRANSMISSION

Your Ref : Our Ref : ENV/WHPOJV/120305/001

To : Wo Hing – Penta-Ocean Joint Venture	From : Mr. C L Lau
Attn : Mr. Danny HO / Ms. Joanne Ng	Date : 5 March, 2012
Fax No. : 2957 8213	Total No. of Page (s) : 7
Subject : Contract No. 9/WSD/08 Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun Notification of Exceedances of Night-time Noise Monitoring from 03 March 2012 (2300 to 2400)	

If you do not receive the whole document, please contact the sender on telephone no (852) 2695 8318 for immediate help.


Message :

Dear Sir or Madam:

We would like to submit the night-time noise monitoring (2300-0700) results conducted at KY3, RWM and CGa on 03 March 2012 (2300-2400). The monitoring data sheet is attached for your information. The exceedance is considered invalid to the Project and detailed information is provided in the attached Notification of Exceedances (NOE).

Should you have further queries, please do not hesitate to contact the undersigned.

Yours sincerely,


C. L. Lau

Environmental Team Leader

c.c.	EPD	Mr. C L WONG	Fax No.: 2402 8275
	EPD	Mr. S H LAW, Sean	Fax No.: 2960 1760
	Mott MacDonald	Mr. Kelvin HO	Fax No.: 2377 2900
	Environ (IEC)	Mr. David Yeung	Fax No.: 3548 6988

CONFIDENTIALITY

The content of this facsimile transmission is for the use of the addressee only and is confidential. If you are not the intended recipient of this fax, please destroy this fax and contact the sender. Any test results/reports transmitted with this fax are preliminary and for information only. Unauthorized use, disclosure or copying of this transmission is prohibited.

Contract No. 9/WSD/08
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
Notification of Exceedance (NOE)



Date and Time of Noise Monitoring: 03 March 2012 (2300-2400) at KY3, RWM and CGa
 Construction Works carried out during the monitoring: Placing Rock Armour (Type 2) at CH 430 – CH 472 (One generator, one derrick barge and one guard boat)
 Corresponding CNP: GW-RE0108-12 (20 February 2012 to 19 July 2012)

Monitoring Location	Measured Value, dB(A)	Action Level	Limit Level, dB(A)	Possible Reason(s) for the Exceedance	Action to be taken	Remark
KY3	59.6 59.4 59.7	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH430 – CH472 using one generator, one derrick barge and one guard boat, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along Connaught Road West and Western Harbour Crossing. According to the summary of baseline noise monitoring, the range of background noise level from 2300-2400 * is between 55.1dB(A) and 62.9dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil
RWM	60.4 60.7 60.9	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH430 – CH472 using one generator, one derrick barge and one guard boat, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along Connaught Road West and Western Harbour Crossing. According to the summary of baseline noise monitoring, the range of background noise level from 2300-2400 * is between 52.8dB(A) and 67.3dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil
CGa	61.3 62.0 61.6	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH430 – CH472 using one generator, one derrick barge and one guard boat, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along Connaught Road West and Western Harbour Crossing. According to the summary of baseline noise monitoring, the range of background noise level from 2300-2400 * is between 60.2dB(A) and 66.1dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil

Remark (*): Refer to the baseline data, it shows that the range of noise level during 2300-0700 is very large (around from 52dB(A) to 67dB(A)) and noise from 2300-0100 is in high level (around 60dB(A)) at all monitoring stations.
 As a result, baseline noise data measured on 2300-2400 at CGa, RWM and KY3 is more suitable for being as background indicator (instead of 2300-0700 of next day).

Attachment

Night-time Noise monitoring data sheets (03 March 2012 at KY3, RWM and CGa)
 Summary of Baseline Noise Monitoring at KY3, RWM and CGa (2300-2400)
 Location plan shown the construction works carried out during the period from 03 March 2012 (2000) to 04 March 2012 (0400)

Prepared by:  (Linda Law) (Senior Environmental Officer) Date: **05 March 2012**
 Checked by:  (C. L. Lau) (Environmental Team Leader) Date: **05 March 2012**



Agreement No. CE 42/2005 (WS)

Laying of Western Cross Harbour Main and Associated Land Mains

From West Kowloon to Sai Ying Pun - Investigation

Impact Noise Monitoring at Sai Ying Pun during 1900-2300 / 2300-0700 / 0700-1900 (Holiday) Data Record Sheet

Date of Monitoring		3-3-2012								
Monitoring Location For 1900-2300		CGa - Pavement at Connaught Garden			RWM - Pavement at Richwealth Mansion			KY3 - Pavement at Kwan Yik Building Phase 3		
Monitoring Location For 2300-0700 and 0700-1900 (Holiday)		CGa - Pavement at Connaught Garden			RWM - Roof at Richwealth Mansion			KY3 - Roof at Kwan Yik Building Phase 3		
Sound Level Meter (Model and Serial No.)		Rion NL-31 (S/N: 00593620)			Rion NL-31 (S/N: 00593620)			Rion NL-31 (S/N: 00593620)		
Sound Pressure Calibrator (Model and Serial No.)		Rion NC-73 (S/N: 10196943)			Rion NC-73 (S/N: 10196943)			Rion NC-73 (S/N: 10196943)		
Weather Condition		cloudy			cloudy			cloudy		
Temperature (°C)		17			17			17		
Type of Measurement		Free Field / Façade			Free Field / Façade			Free Field / Façade		
Measurement Period (min)		5			5			5		
Calibration before Measurement, dB(A)	Before	94.0			94.0			94.0		
	After	94.0			94.0			94.0		
Measurement Time	From	23:00	23:05	23:10	23:20	23:25	23:30	23:40	23:45	23:50
	To	23:05	23:10	23:15	23:25	23:30	23:35	23:45	23:50	23:55
Wind Strength (m/s)		0.3	0.4	0.4	0.6	0.5	0.5	0.6	0.6	0.6
L _{eq} , dB(A)		61.3	62.0	61.6	60.4	60.7	60.9	59.6	59.4	59.7
L ₁₀ , dB(A)		63.4	64.2	63.7	62.3	62.8	62.9	61.7	61.5	62.0
L ₉₀ , dB(A)		54.3	54.8	54.5	53.5	53.8	54.1	53.2	53.1	53.4
Major Construction Noise Source(s) During Measurement		/			/			/		
Other Noise Source(s) During Measurement		Vehicle passing by			→					
Remarks		The result was / was not exceeded the Limit Level.			The result was / was not exceeded the Limit Level.			The result was / was not exceeded the Limit Level.		

Time Period	Action	Limit
0700 - 1900 hrs normal weekdays	When one documented complaint is received	75 dB(A)
1900-2300 hrs on normal weekdays		70 dB(A)
0700-1900 hrs on holidays		70 dB(A)
Restricted hrs (2300-0700 hrs)		55 dB(A)

	Name	Signature	Date
Recorded by	Cheng Kai Chi		3-3-2012
Checked by	Lida Lam		3/3/12

Summary of Baseline Noise Monitoring (Night-time:2300-2400) - KY3 (Kwan Yik Building Phase 3)

Date	11/01/10	12/01/10	13/01/10	14/01/10	15/01/10	16/01/10	17/01/10	18/01/10	19/01/10	20/01/10	21/01/10	22/01/10	23/01/10	24/01/10
Daily Average, Leq(5min)	57.5	60.4	57.0	61.4	58.0	57.7	57.6	57.5	57.7	60.0	57.4	58.5	57.9	57.4
Max Leq(5min)	59.6	61.5	59.4	62.9	59.4	59.4	60.2	58.4	59.7	61.6	59.1	61.5	59.4	59.2
Min Leq(5min)	56.5	59.0	55.1	59.6	56.6	56.2	56.1	56.7	56.6	59.2	55.9	56.6	56.3	55.4

Overall Average, Leq(5-min) 58.5 dB(A)
 Max 62.9 dB(A)
 Min 55.1 dB(A)

Summary of Baseline Noise Monitoring (Night-time:2300-2400) - RWM (Richwealth Mansion)


Date	11/01/10	12/01/10	13/01/10	14/01/10	15/01/10	16/01/10	17/01/10	18/01/10	19/01/10	20/01/10	21/01/10	22/01/10	23/01/10	24/01/10
Daily Average, Leq(5min)	60.7	61.4	60.1	65.0	61.5	56.9	55.2	58.5	56.3	58.5	58.2	57.5	62.9	61.9
Max Leq(5min)	62.0	64.1	61.9	67.3	62.3	57.7	57.0	59.3	57.3	59.4	62.1	58.5	64.7	63.6
Min Leq(5min)	59.3	58.3	58.4	61.4	60.0	56.0	52.8	57.5	56.7	56.9	55.7	56.3	60.9	60.2

Overall Average, Leq(5-min) **60.5** dB(A)
 Max **67.3** dB(A)
 Min **52.8** dB(A)

Summary of Baseline Noise Monitoring (Night-time:2300-2400) - CG (Connaught Garden)

Date	11/01/10	12/01/10	13/01/10	14/01/10	15/01/10	16/01/10	17/01/10	18/01/10	19/01/10	20/01/10	21/01/10	22/01/10	23/01/10	24/01/10
Daily Average, Leq(5min)	63.7	63.3	63.3	63.5	64.0	64.1	63.5	63.1	62.5	62.2	61.7	64.2	63.9	63.0
Max Leq(5min)	64.6	64.7	64.4	64.2	65.0	66.1	64.6	63.7	63.6	63.0	63.6	64.7	65.3	64.0
Min Leq(5min)	62.7	61.3	61.9	62.2	63.0	63.3	62.4	62.0	61.4	60.6	60.2	63.1	62.9	61.9

Overall Average, Leq(5-min) **63.3** dB(A)
 Max **66.1** dB(A)
 Min **60.2** dB(A)



Placing Rock Armour carried
 out from 03 March 2012 (2000)
 to 04 March 2012 (0400) at
 CH430 to CH472

CH 1500
 CH 1400
 CH 1300
 CH 1200
 CH 1100
 CH 1000

CH-S 0100
 CH-S 0200
 CH-S 0300
 CH-S 0400
 CH-S 0500
 CH-S 0600
 CH-S 0700
 CH-S 0800
 CH-S 0900
 CH-S 1000
 CH-S 1100
 CH-S 1200
 CH-S 1300
 CH-S 1400
 CH-S 1500
 CH-S 1600
 CH-S 1700
 CH-S 1800
 CH-S 1900
 CH-S 2000

CH 200
 CH 100
 CH 300
 CH 400
 CH 500
 CH 600
 CH 700
 CH 800
 CH 900
 CH 1000
 CH 1100
 CH 1200
 CH 1300
 CH 1400
 CH 1500
 CH 1600
 CH 1700
 CH 1800
 CH 1900
 CH 2000



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED



8/F, Block B, Veristrong Industrial Centre, 34 - 36 Au Pui Wan Street, Fotan, Shatin,
Hong Kong Tel : (852) 2695 8318 Fax : (852) 2695 3944 E-Mail : etl@ets-
testconsult.com

FAX TRANSMISSION

Your Ref : Our Ref : ENV/WHPOJV/120327/001

To : Wo Hing – Penta-Ocean Joint Venture	From : Mr. C L Lau
Attn : Mr. Danny HO / Ms. Joanne Ng	Date : <u>27 March, 2012</u>
Fax No. : 2957 8213	Total No. of Page (s) : <u>7</u>
Subject : Contract No. 9/WSD/08 Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun Notification of Exceedances of Night-time Noise Monitoring from <u>24 March 2012</u> (2300 to <u>2400</u>)	

If you do not receive the whole document, please contact the sender on telephone no (852) 2695 8318 for immediate help.


Message :

Dear Sir or Madam:

We would like to submit the night-time noise monitoring (2300-0700) results conducted at KY3, RWM and CGa on 24 March 2012 (2300-2400). The monitoring data sheet is attached for your information. The exceedance is considered invalid to the Project and detailed information is provided in the attached Notification of Exceedances (NOE).

Should you have further queries, please do not hesitate to contact the undersigned.

Yours sincerely,


C. L. Lau

Environmental Team Leader

c.c.	EPD	Mr. C L WONG	Fax No.: 2402 8275
	EPD	Mr. S H LAW, Sean	Fax No.: 2960 1760
	Mott MacDonald	Mr. Kelvin HO	Fax No.: 2377 2900
	Environ (IEC)	Mr. David Yeung	Fax No.: 3548 6988

CONFIDENTIALITY

The content of this facsimile transmission is for the use of the addressee only and is confidential. If you are not the intended recipient of this fax, please destroy this fax and contact the sender. Any test results/reports transmitted with this fax are preliminary and for information only. Unauthorized use, disclosure or copying of this transmission is prohibited.



Contract No. 9/WSD/08
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
Notification of Exceedance (NOE)

Date and Time of Noise Monitoring: 24 March 2012 (2300-2400) at KY3, RWM and CGa
 Construction Works carried out during the monitoring: Placing Rock Armour (Type 2) at CH 1000 – CH 915 (One generator, one derrick barge and one guard boat)
 Corresponding CNP: GW-RE0108-12 (20 February 2012 to 19 July 2012)

Monitoring Location	Measured Value, dB(A)	Action Level	Limit Level, dB(A)	Possible Reason(s) for the Exceedance	Action to be taken	Remark
KY3	<u>59.9</u> <u>59.5</u> <u>59.6</u>	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH1000 – CH915 using one generator, one derrick barge and one guard boat, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along Connaught Road West and Western Harbour Crossing. According to the summary of baseline noise monitoring, the range of background noise level from 2300-2400 * is between 55.1dB(A) and 62.9dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil
RWM	<u>60.3</u> <u>60.4</u> <u>60.7</u>	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH1000 – CH915 using one generator, one derrick barge and one guard boat, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along Connaught Road West and Western Harbour Crossing. According to the summary of baseline noise monitoring, the range of background noise level from 2300-2400 * is between 52.8dB(A) and 67.3dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil
CGa	<u>61.0</u> <u>61.6</u> <u>61.8</u>	When one documented complaint is received	55	Placing Rock Armour (Type 2) at CH1000 – CH915 using one generator, one derrick barge and one guard boat, which fulfill the requirement described in corresponding CNP. Refer to the observation during the monitoring, main source of noise impact was due to local traffic along Connaught Road West and Western Harbour Crossing. According to the summary of baseline noise monitoring, the range of background noise level from 2300-2400 * is between 60.2dB(A) and 66.1dB(A). The impact monitoring results were found within the range of baseline noise level. Hence, the exceedance recorded is considered invalid and no related to the construction works.	Nil	Nil

Remark (*): Refer to the baseline data, it shows that the range of noise level during 2300-0700 is very large (around from 52dB(A) to 67dB(A)) and noise from 2300-0100 is in high level (around 60dB(A)) at all monitoring stations. As a result, baseline noise data measured on 2300-2400 at CGa, RWM and KY3 is more suitable for being as background indicator (instead of 2300-0700 of next day).

Attachment

Night-time Noise monitoring data sheets (24 March 2012 at KY3, RWM and CGa)
 Summary of Baseline Noise Monitoring at KY3, RWM and CGa (2300-2400)
 Location plan shown the construction works carried out during the period from 24 March 2012 (18:00) to 25 March 2012 (03:30)

Prepared by: _____

(C. L. Lau) (Environmental Team Leader)

Date: 27 March 2012

Checked by: _____

(C. L. Lau) (Environmental Team Leader)

Date: 27 March 2012



Agreement No. CE 42/2005 (WS)

Laying of Western Cross Harbour Main and Associated Land Mains

From West Kowloon to Sai Ying Pun - Investigation

Impact Noise Monitoring at Sai Ying Pun during 1900-2300 / 2300-0700 / 0700-1900 (Holiday) Data Record Sheet

Date of Monitoring		24-3-2012									
Monitoring Location For 1900-2300		CGa - Pavement at Connaught Garden			RWM - Pavement at Richwealth Mansion			KY3 - Pavement at Kwan Yik Building Phase 3			
Monitoring Location For 2300-0700 and 0700-1900 (Holiday)		CGa - Pavement at Connaught Garden			RWM - Roof at Richwealth Mansion			KY3 - Roof at Kwan Yik Building Phase 3			
Sound Level Meter (Model and Serial No.)		Rion NL-31 (S/N: 00773032)			Rion NL-31 (S/N: 00773032)			Rion NL-31 (S/N: 00773032)			
Sound Pressure Calibrator (Model and Serial No.)		Rion NC-73 (S/N: 10196943)			Rion NC-73 (S/N: 10196943)			Rion NC-73 (S/N: 10196943)			
Weather Condition		fine			fine			fine			
Temperature (°C)		17°C			17°C			17°C			
Type of Measurement		Free Field / <u>façade</u>			Free Field / <u>façade</u>			Free Field / <u>façade</u>			
Measurement Period (min)		5			5			5			
Calibration before Measurement, dB(A)	Before	94.0			94.0			94.0			
	After	94.0			94.0			94.0			
Measurement Time	From	23:00	23:05	23:10	23:20	23:25	23:30	23:40	23:45	23:50	
	To	23:05	23:10	23:15	23:25	23:30	23:35	23:45	23:50	23:55	
Wind Strength (m/s)		0.3	0.3	0.4	0.3	0.3	0.3	0.4	0.3	0.3	
Leq, dB(A)		61.0	61.6	61.8	60.3	60.4	60.7	59.9	59.5	59.6	
L10, dB(A)		63.3	63.7	64.0	62.1	62.3	62.8	61.8	61.4	61.6	
L90, dB(A)		54.3	54.5	54.9	53.5	53.8	54.0	53.3	52.8	53.0	
Major Construction Noise Source(s) During Measurement		/			/			/			
Other Noise Source(s) During Measurement		Vehicle passing by			→						
Remarks		The result was / was not exceeded the Limit Level.			The result was / was not exceeded the Limit Level.			The result was / was not exceeded the Limit Level.			

Time Period	Action	Limit
0700 - 1900 hrs normal weekdays	When one documented complaint is received	75 dB(A)
1900-2300 hrs on normal weekdays		70 dB(A)
0700-1900 hrs on holidays		70 dB(A)
Restricted hrs (2300-0700 hrs)		55 dB(A)

	Name	Signature	Date
Recorded by	Cheng Kei Chi		24-3-2012
Checked by	C. H. Lau		26-3-2012

Summary of Baseline Noise Monitoring (Night-time:2300-2400) - KY3 (Kwan Yik Building Phase 3)

Date	11/01/10	12/01/10	13/01/10	14/01/10	15/01/10	16/01/10	17/01/10	18/01/10	19/01/10	20/01/10	21/01/10	22/01/10	23/01/10	24/01/10
Daily Average, Leq(5min)	57.5	60.4	57.0	61.4	58.0	57.7	57.6	57.5	57.7	60.0	57.4	58.5	57.9	57.4
Max Leq(5min)	59.6	61.5	59.4	62.9	59.4	59.4	60.2	58.4	59.7	61.6	59.1	61.5	59.4	59.2
Min Leq(5min)	56.5	59.0	55.1	59.6	56.6	56.2	56.1	56.7	56.6	59.2	55.9	56.6	56.3	55.4

Overall Average, Leq(5-min) 58.5 dB(A)
 Max 62.9 dB(A)
 Min 55.1 dB(A)

Summary of Baseline Noise Monitoring (Night-time:2300-2400) - RWM (Richwealth Mansion)


Date	11/01/10	12/01/10	13/01/10	14/01/10	15/01/10	16/01/10	17/01/10	18/01/10	19/01/10	20/01/10	21/01/10	22/01/10	23/01/10	24/01/10
Daily Average, Leq(5min)	60.7	61.4	60.1	65.0	61.5	56.9	55.2	58.5	56.3	58.5	58.2	57.5	62.9	61.9
Max Leq(5min)	62.0	64.1	61.9	67.3	62.3	57.7	57.0	59.3	57.3	59.4	62.1	58.5	64.7	63.6
Min Leq(5min)	59.3	58.3	58.4	61.4	60.0	56.0	52.8	57.5	55.7	56.9	55.7	56.3	60.9	60.2

Overall Average, Leq(5-min) 60.5 dB(A)
 Max 67.3 dB(A)
 Min 52.8 dB(A)

Summary of Baseline Noise Monitoring (Night-time:2300-2400) - CG (Connaught Garden)

Date	11/01/10	12/01/10	13/01/10	14/01/10	15/01/10	16/01/10	17/01/10	18/01/10	19/01/10	20/01/10	21/01/10	22/01/10	23/01/10	24/01/10
Daily Average, Leq(5min)	63.7	63.3	63.3	63.5	64.0	64.1	63.5	63.1	62.5	62.2	61.7	64.2	63.9	63.0
Max Leq(5min)	64.6	64.7	64.4	64.2	65.0	66.1	64.6	63.7	63.6	63.0	63.6	64.7	65.3	64.0
Min Leq(5min)	62.7	61.3	61.9	62.2	63.0	63.3	62.4	62.0	61.4	60.6	60.2	63.1	62.9	61.9

Overall Average, Leq(5-min) 63.3 dB(A)
 Max 66.1 dB(A)
 Min 60.2 dB(A)



Placing Rock Armour carried out from 24 March 2012 (18:00) to 25 March 2012 (03:30) at CH1000 to CH915

ARMOUR ROCK

CH-S 1000

CH-S 1100

CH-S 1200

CH-S 1300

CH-S 1400

CH-S 1500

CH-S 1600

CH-S 1700

CH-S 1800

CH-S 1900

CH-S 0660

CH-S 0700

CH-S 0740

CH-S 0780

CH-S 0820

CH-S 0860

CH-S 0900

CH-S 0940

CH-S 0980

CH-S 1020

STATIONING

CH 100

CH 200

CH 300

STATIONING

CH 100

CH 200

CH 300

CH 400

CH 500

CH 600

CH 700

CH 800

CH 900

CH 1000

CH 1100

CH 1200

CH 1300

CH 1400

CH 1500

CH 1600

CH 1700

CH 1800

CH 1900

CH 2000

CH 2100

CH 2200

CH 2300

CH 2400

CH 2500

CH 2600

CH 2700

CH 2800

CH 2900

CH 3000

CH 3100

CH 3200

CH 3300

CH 3400

CH 3500

CH 3600

CH 3700

CH 3800

CH 3900

CH 4000

CH 4100

CH 4200

CH 4300

CH 4400

CH 4500

CH 4600

CH 4700

CH 4800

CH 4900

CH 5000

CH 5100

CH 5200

CH 5300

CH 5400

CH 5500

CH 5600

CH 5700

CH 5800

CH 5900

CH 6000

CH 6100

CH 6200

CH 6300

CH 6400

CH 6500

CH 6600

CH 6700

CH 6800

CH 6900

CH 7000

CH 7100

CH 7200

CH 7300

CH 7400

CH 7500

CH 7600

CH 7700

CH 7800

CH 7900

CH 8000

CH 8100

CH 8200

CH 8300

CH 8400

CH 8500

CH 8600

CH 8700

CH 8800

CH 8900

CH 9000

CH 9100

CH 9200

CH 9300

CH 9400

CH 9500

CH 9600

CH 9700

CH 9800

CH 9900

CH 10000

CH 10100

CH 10200

CH 10300

CH 10400

CH 10500

CH 10600

CH 10700

CH 10800

CH 10900

CH 11000

CH 11100

CH 11200

CH 11300

CH 11400

CH 11500

CH 11600

CH 11700

CH 11800

CH 11900

CH 12000

CH 12100

CH 12200

CH 12300

CH 12400

CH 12500

CH 12600

CH 12700

CH 12800

CH 12900

CH 13000

CH 13100

CH 13200

CH 13300

CH 13400

CH 13500

CH 13600

CH 13700

CH 13800

CH 13900

CH 14000

CH 14100

CH 14200

CH 14300

CH 14400

CH 14500

CH 14600

CH 14700

CH 14800

CH 14900

CH 15000

CH 15100

CH 15200

CH 15300

CH 15400

CH 15500

CH 15600

CH 15700

CH 15800

CH 15900

CH 16000

CH 16100

CH 16200

CH 16300

CH 16400

CH 16500

CH 16600

CH 16700

CH 16800

CH 16900

CH 17000

CH 17100

CH 17200

CH 17300

CH 17400

CH 17500

CH 17600

CH 17700

CH 17800

CH 17900

CH 18000

CH 18100

CH 18200

CH 18300

CH 18400

CH 18500



Appendix M

Contractor's Follow up Actions to ET Weekly Site Inspections

Contract No. 9WSD/08

Laying of Western Cross Harbour Main and Associated Land Mains

From West Kowloon to Sai Ying Pun

Photo of Follow-up Action




Photo ref. 1



Photo ref. 2



Figures




Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun

Figure 1

Location of Noise Monitoring Station at West Kowloon




業 務 類 別 試 驗 有 限 公 司
ETS-TESTCONSULT LIMITED



Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun

Figure 2

Locations of Noise Monitoring Stations at Sai Ying Pun



Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun

Figure 3
Locations of Water Quality Monitoring Stations



Receiver No.	Receiver Name	Type	Approximate Position
R1	San Tin Tai Typhoon Shelter	Shelter	
R2	San Tin Tai Typhoon Shelter	Shelter	
R3	San Tin Tai Typhoon Shelter	Shelter	
R4	San Tin Tai Typhoon Shelter	Shelter	
R5	San Tin Tai Typhoon Shelter	Shelter	
R6	San Tin Tai Typhoon Shelter	Shelter	
R7	San Tin Tai Typhoon Shelter	Shelter	
R8	San Tin Tai Typhoon Shelter	Shelter	
R9	San Tin Tai Typhoon Shelter	Shelter	
R10	San Tin Tai Typhoon Shelter	Shelter	
R11	San Tin Tai Typhoon Shelter	Shelter	
R12	San Tin Tai Typhoon Shelter	Shelter	
R13	San Tin Tai Typhoon Shelter	Shelter	
R14	San Tin Tai Typhoon Shelter	Shelter	
R15	San Tin Tai Typhoon Shelter	Shelter	
R16	San Tin Tai Typhoon Shelter	Shelter	
R17	San Tin Tai Typhoon Shelter	Shelter	
R18	San Tin Tai Typhoon Shelter	Shelter	
R19	San Tin Tai Typhoon Shelter	Shelter	
R20	San Tin Tai Typhoon Shelter	Shelter	
R21	San Tin Tai Typhoon Shelter	Shelter	
R22	San Tin Tai Typhoon Shelter	Shelter	
R23	San Tin Tai Typhoon Shelter	Shelter	
R24	San Tin Tai Typhoon Shelter	Shelter	
R25	San Tin Tai Typhoon Shelter	Shelter	
R26	San Tin Tai Typhoon Shelter	Shelter	
R27	San Tin Tai Typhoon Shelter	Shelter	
R28	San Tin Tai Typhoon Shelter	Shelter	
R29	San Tin Tai Typhoon Shelter	Shelter	
R30	San Tin Tai Typhoon Shelter	Shelter	
R31	San Tin Tai Typhoon Shelter	Shelter	
R32	San Tin Tai Typhoon Shelter	Shelter	
R33	San Tin Tai Typhoon Shelter	Shelter	
R34	San Tin Tai Typhoon Shelter	Shelter	
R35	San Tin Tai Typhoon Shelter	Shelter	
R36	San Tin Tai Typhoon Shelter	Shelter	
R37	San Tin Tai Typhoon Shelter	Shelter	
R38	San Tin Tai Typhoon Shelter	Shelter	
R39	San Tin Tai Typhoon Shelter	Shelter	
R40	San Tin Tai Typhoon Shelter	Shelter	
R41	San Tin Tai Typhoon Shelter	Shelter	
R42	San Tin Tai Typhoon Shelter	Shelter	
R43	San Tin Tai Typhoon Shelter	Shelter	
R44	San Tin Tai Typhoon Shelter	Shelter	
R45	San Tin Tai Typhoon Shelter	Shelter	
R46	San Tin Tai Typhoon Shelter	Shelter	
R47	San Tin Tai Typhoon Shelter	Shelter	
R48	San Tin Tai Typhoon Shelter	Shelter	
R49	San Tin Tai Typhoon Shelter	Shelter	
R50	San Tin Tai Typhoon Shelter	Shelter	
R51	San Tin Tai Typhoon Shelter	Shelter	
R52	San Tin Tai Typhoon Shelter	Shelter	
R53	San Tin Tai Typhoon Shelter	Shelter	
R54	San Tin Tai Typhoon Shelter	Shelter	
R55	San Tin Tai Typhoon Shelter	Shelter	
R56	San Tin Tai Typhoon Shelter	Shelter	
R57	San Tin Tai Typhoon Shelter	Shelter	
R58	San Tin Tai Typhoon Shelter	Shelter	
R59	San Tin Tai Typhoon Shelter	Shelter	
R60	San Tin Tai Typhoon Shelter	Shelter	
R61	San Tin Tai Typhoon Shelter	Shelter	
R62	San Tin Tai Typhoon Shelter	Shelter	
R63	San Tin Tai Typhoon Shelter	Shelter	
R64	San Tin Tai Typhoon Shelter	Shelter	
R65	San Tin Tai Typhoon Shelter	Shelter	
R66	San Tin Tai Typhoon Shelter	Shelter	
R67	San Tin Tai Typhoon Shelter	Shelter	
R68	San Tin Tai Typhoon Shelter	Shelter	
R69	San Tin Tai Typhoon Shelter	Shelter	
R70	San Tin Tai Typhoon Shelter	Shelter	
R71	San Tin Tai Typhoon Shelter	Shelter	
R72	San Tin Tai Typhoon Shelter	Shelter	
R73	San Tin Tai Typhoon Shelter	Shelter	
R74	San Tin Tai Typhoon Shelter	Shelter	
R75	San Tin Tai Typhoon Shelter	Shelter	
R76	San Tin Tai Typhoon Shelter	Shelter	
R77	San Tin Tai Typhoon Shelter	Shelter	
R78	San Tin Tai Typhoon Shelter	Shelter	
R79	San Tin Tai Typhoon Shelter	Shelter	
R80	San Tin Tai Typhoon Shelter	Shelter	
R81	San Tin Tai Typhoon Shelter	Shelter	
R82	San Tin Tai Typhoon Shelter	Shelter	
R83	San Tin Tai Typhoon Shelter	Shelter	
R84	San Tin Tai Typhoon Shelter	Shelter	
R85	San Tin Tai Typhoon Shelter	Shelter	
R86	San Tin Tai Typhoon Shelter	Shelter	
R87	San Tin Tai Typhoon Shelter	Shelter	
R88	San Tin Tai Typhoon Shelter	Shelter	
R89	San Tin Tai Typhoon Shelter	Shelter	
R90	San Tin Tai Typhoon Shelter	Shelter	
R91	San Tin Tai Typhoon Shelter	Shelter	
R92	San Tin Tai Typhoon Shelter	Shelter	
R93	San Tin Tai Typhoon Shelter	Shelter	
R94	San Tin Tai Typhoon Shelter	Shelter	
R95	San Tin Tai Typhoon Shelter	Shelter	
R96	San Tin Tai Typhoon Shelter	Shelter	
R97	San Tin Tai Typhoon Shelter	Shelter	
R98	San Tin Tai Typhoon Shelter	Shelter	
R99	San Tin Tai Typhoon Shelter	Shelter	
R100	San Tin Tai Typhoon Shelter	Shelter	

Mott MacDonald

 16th Floor, 100 Queen's Road Central

 Hong Kong

 Tel: 852 2500 0011

 Fax: 852 2500 0012

 www.mottmac.com

THE GOVERNMENT OF THE HONG KONG

 SPECIAL ADMINISTRATIVE REGION

 WATER SUPPLIES DEPARTMENT

CE 42 / 2005 (WS)

LAYING OF WESTERN CROSS HARBOUR MAIN

 AND ASSOCIATED LAND MAINS FROM WEST

 KOWLOON TO SAN TIN TAI PUN - INVESTIGATION

LOCATIONS OF WATER SENSITIVE RECEIVERS

 AND STORAGE WATER CUTFALLS


 AT WESTERN HARBOUR

Scale	1 : 250000/1
Map No.	WS 2013
Revision	
Date	
Author	
Checker	
Approver	
Project No.	
Sheet No.	

FIGURE 1.2a


© COPYRIGHT RESERVED


This document, which is the property of the Government of the Hong Kong Special Administrative Region, is prepared for the use of the Government of the Hong Kong Special Administrative Region. It is not to be distributed outside the Government of the Hong Kong Special Administrative Region.



LEGEND:

- PROPOSED ROUTE OF 1200MM FRESH WATER MAIN
- NOISE SENSITIVE RECEIVERS
- 300m NOISE ASSESSMENT BOUNDARY
- WORKS AREA BOUNDARY


**Mott
Macdonald**
 5011 Capital Centre
 20th Floor
 100 West Street
 Toronto, Ontario
 M5X 1C3
 Tel: 416 593 8337
 Fax: 416 593 8338
 www.mottmac.com


**THE GOVERNMENT OF THE HONG KONG
SPECIAL ADMINISTRATIVE REGION
WATER SUPPLIES DEPARTMENT**

CEA2/2025(NS)

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SAI YING PUN - INVESTIGATION

LOCATIONS OF NOISE SENSITIVE
 RECEIVERS IN SAI YING PUN


NO.	NAME	DATE	REVISION
1	2000061		

Drawing No. 1 : 2000061
 Date: 11/01/2006
 Scale: 1 : 2000061
 Project: Laying of Western Cross Harbour Main and Associated Land Mains from West Kowloon to Sai Ying Pun - Investigation
 Drawing No. 1 : 2000061
 Figure 1.2b A

COPYRIGHT RESERVED

LEGEND:

- PROPOSED ROUTE OF 1500V FRESH WATER MAIN
- HOSE SENSITIVE RECEIVERS
- TEMPORARY PLATFORM
- MAIN HOSE ASSESSMENT BOUNDARY
- WORKS AREA BOUNDARY


Mott MacDonald
 Mott MacDonald Limited
 40/F, Hopwell Centre
 100, Des Voeux Road East
 Hong Kong
 Tel: 852 2787 1000
 Fax: 852 2787 1002
 Web: www.mottmac.com


**THE GOVERNMENT OF THE HONG KONG
 SPECIAL ADMINISTRATIVE REGION
 WATER SUPPLIES DEPARTMENT**


CEA/2 (2005) (NS)

LAYING OF WESTERN CROSS HARBOUR MAIN
 AND ASSOCIATED LAND MAINS FROM WEST
 KOWLOON TO SHING FUN - INVESTIGATION

LOCATION OF HOSE SENSITIVE
 RECEIVERS IN WEST KOWLOON

Project No.	1 : 40000/1
Scale	
Sheet No.	
Date	
Author	
Checked	
Approved	

FIGURE 1.2c



© COPYRIGHT RESERVED

This document should not be distributed or used for any other purpose without the written consent of Mott MacDonald Limited. The information contained herein is confidential and its disclosure to any other person without the written consent of Mott MacDonald Limited is strictly prohibited.