

東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan Street, Fotan, Hong Kong
Tel : 2695 8318 E-mail : etl@ets-testconsult.com
Fax : 2695 3944 Web site : www.ets-testconsult.com

TEST REPORT

WO HING – PENTA-OCEAN JOINT VENTURE

**CONTRACT NO. 9/WSD/08
LAYING OF WESTERN CROSS
HARBOUR MAIN AND ASSOCIATED
LAND MAINS FROM WEST
KOWLOON TO SAI YING PUN**

**MONTHLY EM&A REPORT
NO.32**

(DECEMBER 2012)

Prepared by: LAW, Sau Yee
LAW, Sau Yee
Senior Environmental Officer

Checked by: LAU, Chi Leung
LAU, Chi Leung
Environmental Team Leader

Issued Date: 30 January 2013

Report No.: ENA30040A

ENVIRON

Ref.: WSDWHCMSEI00_0_0324L.12

31 January 2013

Water Supplies Department
Sha Tin Office
6/F Sha Tin Government Offices
1 Sheung Wo Che Road
Sha Tin, NT

By Post

Attention: Mr. Johnny Ho

Dear Sir,

Re: Contact No. 9/WSD/08
Laying of Western Cross Harbour Main and Associated Land Mains from West Kowloon to Sai Ying Pun
Monthly Environmental Monitoring and Audit Report No. 32

Reference is made to Environment Team's submission of the Environmental Monitoring and Audit Report No. 32 by Email on 30 January 2013 (entitled "9/WSD/08 - Draft Monthly Report (Dec 12)", Report No.: ENA30040A).

We are pleased to inform you that we have no comment on the captioned revised report.

Thank you very much for your kind attention and please do not hesitate to contact the undersigned should you have any queries.

Yours sincerely,



David Yeung
Independent Environmental Checker

c.c.	Mott MacDonald Hong Kong Limited Wo Hing – Penta-Ocean Joint Venture ETS-TESTCONSULT LIMITED	Mr. Kelvin Ho Mr. Danny Ho Mr. C.L. Lau	Fax: 2377 2900 Fax: 2572 4080 Fax: 2695 3944
------	--	---	--

Q:\Projects\WSDWHCMSEI00\Com\Out\WSDWHCMSEI00_0_0324L.12.doc

Page 1 of 1

Contract No. 9/WSD/08

Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

ENA30040A

Monthly EM&A Report No.32

Page

TABLE OF CONTENTS

EXECUTIVE SUMMARY

1.0	INTRODUCTION	1
2.0	PROJECT INFORMATION	
2.1	Scope of the Project	1
2.2	Work Programme	1
2.3	Project Organization and Management Structure	1
2.4	Contact Details of Key Personnel	1
3.0	WORK PROGRESS IN THIS REPORTING MONTH	1
4.0	NOISE MONITORING	
4.1	Monitoring Requirements	2
4.2	Monitoring Equipment	2
4.3	Monitoring Parameters, Duration and Frequency	2
4.4	Monitoring Locations	3
4.5	Monitoring Methodology	3 – 4
4.6	Action and Limit levels	4
4.7	Event-Action Plans	4
4.8	Results	4 – 5
5.0	WATER QUALITY MONITORING	
5.1	Monitoring Requirements	6
5.2	Monitoring Locations	6
5.3	Monitoring Parameters	6
5.4	Monitoring Frequency	6 – 7
5.5	Monitoring Methodology and Equipment Used	7 – 8
5.6	Details of site Equipment used for In-situ Measurement	8
5.7	Quality Assurance (QA) / Quality Control (QC) results and Determination Limits	8
5.8	Action and Limit Level	8 – 9
5.9	Event and Action Plan	9
5.10	Monitoring Duration and Period In this reporting month	9
5.11	Results	9
6.0	SITE INSPECTION	9 – 10
6.1	Summary of the ET weekly site inspection findings	10
6.2	Recommendations on site inspection findings in Site Inspections of this month	10
7.0	STATUS OF ENVIRONMENTAL PERMITS	10 – 11
8.0	WASTE MANAGEMENT	
8.1	Monthly Waste Summary	11
8.2	Advice on the Solid and Liquid Waste Management Status	12
9.0	ENVIRONMENATL NON-CONFORMANCE	
9.1	Summary of Noise and Water Quality	12
9.2	Summary of Environmental Complaints	12
9.3	Summary of Notification of Summons and Prosecution	12
10.0	IMPLEMENTATION STATUS	
10.1	Implementation Status of Environmental Mitigation Measures	12
10.2	Implementation Status of Event and Action Plan	12
10.3	Implementation Status of Environmental Complaint, Notifications of Summons and Successful Prosecutions Handling	12
11.0	CONCLUSION AND RECOMMENDATIONS	12 – 13
12.0	FUTURE KEY ISSUE	13

APPENDIX

- A Organization Chart and Lines of Communication
- B1 Calibration Certificates for Impact Noise Monitoring Equipment
- B2 Impact Noise Monitoring Results
- B3 Graphical Plots of Impact Noise Monitoring Data
- C1 Calibration Certificates for Impact Water Quality Monitoring Equipment
- C2 Impact Water Quality Monitoring Results
- C3 Graphical Plots of Impact Water Quality Monitoring Data
- C4 QA/QC Results of Laboratory Analysis for Water Samples
- D Event-Action Plans
- E Work Programme
- F ET Weekly Site Inspection Records
- G Implementation Schedule of Mitigation Measures
- H Site General Layout Plan
- I Monitoring Schedule for this month and Coming Month
- J Daily dredging Summary
- K Complaint Log

Figures

- Figure 1 Location of Noise Monitoring Station at West Kowloon
- Figure 2 Location of Noise Monitoring Stations at Sai Yung Pun
- Figure 3 Locations of Water Quality Monitoring Stations
- Figure 1.2a Locations of Water Sensitive Receivers and stormwater outfalls at Western Harbour
- Figure 1.2b Locations of Noise Sensitive Receivers at Sai Ying Pun
- Figure 1.2c Locations of Noise Sensitive Receivers at West Kowloon

Tables

- 2.1 Contact Details of Key Personnel
- 4.1 Noise Monitoring Equipment
- 4.2 Duration, Frequency and Parameters of Noise Monitoring
- 4.3 Noise Monitoring Stations
- 4.4 Action and Limit levels for Noise Monitoring
- 4.5 Summary of Noise Daytime Monitoring Results
- 5.1 Water Quality Monitoring Stations
- 5.2 Water Quality Monitoring Parameters
- 5.3 Other relevant water quality parameters
- 5.4 Monitoring Frequency of Impact Water Quality Monitoring
- 5.5 Details of Monitoring Equipment (In-situ measurement)
- 5.6 Summary of test method
- 5.7 Water Quality Action and Limit Levels
- 5.8 Schedule for Impact Water Quality Monitoring
- 5.9 Summary of Impact Marine Water Quality Exceedances in this reporting month
- 6.1 Summary of Site Inspection Findings
- 7.1 Summary of Environmental Licensing and Permit valid in this reporting month
- 8.1 Summary of Quantities of Waste for Disposal in this reporting month
- 10.1 Summary of Environmental Complaints and Prosecutions

Contract No. 9/WSD/08

Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

ENA30040A

Monthly EM&A Report No.32

EXECUTIVE SUMMARY

Under the requirements of "Environmental Monitoring & Audit Manual – Agreement No. CE42/2005(WS) Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the EM&A Manual), impact noise monitoring and water quality monitoring is required to be implemented for the "Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the Project).

This monthly Environmental Monitoring and Audit (EM&A) report No.32 was prepared by ETS-Testconsult Ltd (ET) for the Project. This report documented the findings of EM&A Works conducted during the Project in December 2012.

Site Activities

As informed by the Contractor, site activity was carried out in this reporting month:

- Trimming of high spot of rock Armour (Type 2) (Portion I).

Environmental Monitoring Progress

The summary of the monitoring activities in this monitoring month is listed below:

- Day-time Noise Monitoring (0700-1900 on normal weekday): 4 Occasions at KS6, 4 Occasions at KY3, CGa and RWM
- Evening-time Noise Monitoring (1900-2300): 0 Occasions at KS6, CGa, RWM and KY3
- Night-time Noise Monitoring (2300-0700 of next day): 0 Occasion at KS6, CGa, RWM and KY3
- Holiday-time Noise Monitoring (0700-1900 on Holiday): 0 Occasions at KS6, CGa, RWM and KY3
- Marine Water Quality Monitoring: 12 Occasions at 9 monitoring stations and 4 control stations
- Weekly-site inspection: 4 Occasions

Noise Monitoring

No exceedance of Action and Limit Level of noise monitoring was recorded in this reporting month.

Water Quality Monitoring

No exceedance of Action and Limit levels was recorded for water quality monitoring in the reporting month.

Site Inspection

Environmental site inspections conducted in this reporting month are presented as follows:

<u>Concerned Parties</u>	<u>Dates of Audit / Inspection</u>
ET Weekly site inspection	04, 13, 21 and 28 December 2012
Monthly Joint site inspection	21 December 2012

In general, performance on environmental mitigation measures implemented was found to be satisfactory in this reporting month. The major findings observed during site inspections are presented in the Section 6.0.

Environmental Complaints, Notification of summons and successful prosecutions

No complaint, notification of summons and prosecution with respect to environmental issues was received in this reporting month.

Change in Environmental Aspect in this Reporting Month

No change on environmental aspect was reported in this reporting month.

1.0 INTRODUCTION

Wo Hing – Penta-Ocean Joint Venture (WHPOJV) appointed Environmental Team of ETS-Testconsult Limited (ETL) to undertake the Environmental Impact Monitoring for "Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the Project) under the requirements of "Environmental Monitoring & Audit Manual – Agreement No. CE42/2005(WS) Laying of Western Cross Harbour Main and Associated Land Main from West Kowloon to Sai Ying Pun" (the EM&A Manual).

This report documented the findings of EM&A Works conducted in December 2012.

2.0 PROJECT INFORMATION

2.1 Scope of the Project

The construction works of the Project are located in West Kowloon, across the Victoria Harbour and in Sai Ying Pun.

The construction works under this Project are briefly described, without limitation, as follow:

- Laying of about 1.5km of 1200mm diameter steel fresh water mains at West Kowloon;
- Laying of about 2.1km of 1200mm diameter steel submarine pipeline from West Kowloon to Sai Ying Pun including dredging, cathodic protection system and other associated works;
- Laying of about 0.4km of 1200mm diameter steel fresh water main at Sai Ying Pun;
- Laying of about 0.5km of 800mm diameter steel salt water main at West Kowloon;
- Construction of motorized butterfly valve (MBV) and the associated facilities in the vicinity of Sun Yat Sen Memorial Park at Sai Ying Pun;
- Construction of all chambers associated with pipeworks;
- Making service connections;
- Ancillary works including but not limited to reinstatement of roads, landscaping works.

Areas of the Project present in Appendix H. Locations of environmental monitoring stations and sensitive receivers are shown in Figures 1, 2, 3, 1.2a, 1.2b and 1.2c

2.2 Work Programme

Details of work programme are shown in Appendix E.

2.3 Project Organization and Management Structure

The organization chart and lines of communication with respect to the on-site environmental management and monitoring program are shown in Appendix A.

2.4 Contact Details of Key Personnel

The key personnel contact names and telephone numbers are shown in Table 2.1.

Table 2.1 Contact Details of Key Personnel

Project Role	Organization	Name of Key Staff	Tel. No.	Fax No.
Engineer's Representative	Mott MacDonald	Mr. Kelvin Ho	2377 2823	2377 2900
IEC	ENVIRON	Mr David Yeung	3743 0788	3548 6988
Contractor's Agent	WHPOJV	Mr. Danny Ho	2695 8318	2957 8213
ET Leader	ET (ETL)	Mr C. L. Lau	2946 7791	2695 3944

3.0 WORK PROGRESS IN THIS REPORTING MONTH

As informed by the Contractor, site activity was carried out in the reporting month:

- Trimming of high spot of rock Armour (Type 2) (Portion I).

4.0 IMPACT NOISE MONITORING

4.1 Monitoring Requirements

As the requirement in the EM&A Manual, impact noise monitoring was conducted for a weekly basis at designated monitoring locations.

4.2 Monitoring Equipment

Integrating Sound Level Meters used for impact noise monitoring were Type 1 sound level meters capable of giving a continuous readout of the noise level reading including equivalent continuous sound pressure level (L_{eq}) and percentile sound pressure level (L_x). They complied with International Electro technical Commission Publications 651:1979 (Type1) and 804:1985 (Type1).

Table 4.1 summarized the noise monitoring equipment model used during the impact monitoring. Copies of calibration certificates and calibration summary for noise meters and calibrators used are attached in Appendix B1.

Table 4.1 Noise Monitoring Equipment

Equipment	Model	Equipment No.	Serial No.	Calibration Date.	Expired Date
Sound Level Meter	Rion NL-31	ET/EN/003/06	00110024	16/04/12	15/04/13
		ET/EN/003/10	00531142	29/05/12	28/05/13
		ET/EN/003/13	00593620	16/11/12	15/11/13
Sound Level Calibrator	Castle GA607	ET/EN/002/07	038641	16/04/12	15/04/13

4.3 Monitoring Parameters, Duration and Frequency

Impact noise monitoring for the A-weighted levels L_{eq} , L_{10} and L_{90} were recorded once per week. Data obtained from impact noise monitoring was processed and presented as below:

- Daytime: three sets of 30-minute noise level monitored between 0700-1900 hrs on normal weekdays;
 - Evening-time*: three sets of 5-minute noise level monitored between 1900-2300 hrs ;
 - Night-time*: three sets of 5-minute noise level monitored between 2300-0700 hrs of next day; and
 - Holiday*: three sets of 5-minute noise level monitored between 0700-1900 hrs on holiday.
- (*): Noise monitoring to be conducted only when there is construction work.

Duration, frequencies and parameters of noise measurement are presented in Table 4.2.

Table 4.2 Duration, Frequencies and Parameters of Noise Monitoring

Time period	Duration/min	No. of Set(s)	Parameters
Day-time: 0700-1900 hrs on normal weekday	30	1	L_{eq} , L_{10} , L_{90}
Evening-time: 1900-2300 hrs	5	3	L_{eq} , L_{10} , L_{90}
Night-time: 2300-0700 hrs of next day	5	3	L_{eq} , L_{10} , L_{90}
Holiday-time: 0700-1900 hrs on holiday	5	3	L_{eq} , L_{10} , L_{90}

4.4 Monitoring Locations

In accordance with the EM&A Manual, the proposed noise monitoring station at the Harbourside (KS4) was cancelled since the owner of the Harbourside and nearby NSRs rejected to perform baseline and impact noise monitoring at their property. As a result, there was one noise monitoring location KS6 (The Cullinan) selected at West Kowloon to conduct impact environmental monitoring. At Sai Yung Pun, the location at the noise station CG (Connaught Garden) was unavailable for impact noise measurement because the building repairing and maintenance works was carrying out in the Connaught Garden and will be finished in June 2011. Hence, noise monitoring at noise station CG was moved to another noise station CGa (pavement in front of Connaught Garden) temporally until the completion of repairing and maintenance works at Connaught Garden) since CGa locates close to the major site activities which are likely to have noise impacts and low disturbance to the occupants was observed during the noise monitoring. As a result, there were three noise monitoring locations, CGa (Pavement in front of Connaught Garden), RWM (Roof at Richwealth Mansion) and KY3 (Roof at Kwan Yik Building Phase 3) selected to conduct impact environmental monitoring.

Beside, the locations at the noise stations, RWM (Roof at Richwealth Mansion) and KY3 (Roof at Kwan Yik Building Phase 3), were unavailable for impact evening-time and night-time noise measurement because the building owners reject ET to carry out noise monitoring during such two periods due to security. Hence, evening-time and night-time noise monitoring at noise stations, RWM and KY3 were moved to pavement in front of Richwealth Mansion and Kwan Yik Building Phase 3. The details of noise monitoring stations are summarized in Table 4.3.

Table 4.3 Noise Monitoring Stations

<i>Daytime and Holiday-time Noise monitoring station</i>	<i>Description of location</i>	<i>Type of Measurement</i>
KS6	Podium at the Cullinan	Façade
CGa	Pavement in front of Connaught Garden	Façade
RWM	Roof at Richwealth Mansion	Free Field
KY3	Roof at Kwan Yik Building Phase 3	Free Field
<i>Evening-time and Night-time Noise monitoring station</i>	<i>Description of location</i>	<i>Type of Measurement</i>
KS6	Podium at the Cullinan	Façade
CGa	Pavement in front of Connaught Garden	Façade
RWM	Pavement at Richwealth Mansion	Façade
KY3	Pavement at Kwan Yik Building Phase 3	Façade

4.5 Monitoring Methodology

Instrumentation

Integrating Sound Level Meters were employed for noise monitoring.

Operation/Analysis Procedures

- Sound Level Meter was set on a tripod at a height of 1.2m above the ground;
- For free field measurement, the meter was positioned away from any nearby reflective surfaces;
- The battery condition was checked to ensure the correct functioning of the meter;
- Parameters such as frequency weighting, the time weighting and the measurement time were set as follows:
 - Frequency weighting : A
 - Time weighting : Fast
 - Time measurement : 30 mins
- Prior to and after each noise measurement, the meter was calibrated using a Calibrator for 94 dB at 1000HZ. If the difference in the calibration level before and after measurement was more than 1.0 dB(A), the measurement would be considered invalid and repeat measurement would be required after re-calibration or repair of the equipment;
- During the monitoring period, the L_{eq} , L_{10} and L_{90} were recorded. In addition, site conditions and noise sources were recorded on a standard record sheet;
- 3dB(A) correction had been added to the results if noise measurements were free-field;

- Noise measurement may be paused during periods of high intrusive noise (e.g. dog barking directly towards the receiver of noise level meter). If noise measurement was paused during high intrusive noise, the noise level meter would be resumed and continued the noise measurement and the observations would also be recorded. Any pause intervals were not included in the measurement time; and
- Noise monitoring would be cancelled in the presence of fog, rain, storm, wind with a steady speed exceeding 5m/s, or wind gusts exceeding 10m/s.

Maintenance and Calibration

- The microphone head of the sound level meter and calibrator are cleaned with soft cloth at quarterly intervals; and
- The meters are sent to supplier or HOKLAS laboratory to check and calibrated at yearly intervals.

4.6 Actions and Limit Levels

The Action and Limit Levels (AL Levels) were established in accordance to the Table 4.2 of the EM&A Manual. Table 4.4 presents the AL levels for noise monitoring.

Table 4.4 Action and Limit Levels for Noise Monitoring

Time Period	Action	Limit
0700 – 1900 hrs on normal weekday (Day-time)	When one documented complaint is received	75 dB(A) *
1900-2300 hrs (Evening-time)		70 dB(A)
0700-1900 hrs on Holiday (Holiday-time)		70 dB(A)
Restricted hours (2300-0700 hrs of next day) (Night-time)		55 dB(A)

* reduce to 70dB(A) for school and 65dB(A) during school examination periods

4.7 Event-Action Plans

Should the results of the monitoring parameters at any designated monitoring stations indicate that the noise level criteria are exceeded, the actions in accordance with the Event and Action Plan that summarized in Appendix D should be carried out.

4.8 Results

Totally 4 occasions at KS6 and 4 occasions at CGa, RWM and KY3 of day-time noise monitoring, 0 occasion of evening-time noise monitoring at KS6, CGa, RWM and KY3, 0 occasion of night-time noise monitoring and 0 occasions of holiday-time noise monitoring at KS6, CGa, RWM and KY3 were carried out in this reporting month.

No exceedance in Limit Level was recorded in this reporting month. Besides, no exceedance of Action Level of noise monitoring was recorded since no complaint on noise issue was received in this reporting month.

Table 4.5 summarizes the noise daytime monitoring results in the reporting period.

Table 4.5 Summary of Noise Daytime Monitoring Results

Monitoring Parameter	Date	KS6			
		Start Time	End Time	Result	Exceed*
Day-time	04/12/12	10:10	10:40	64.2	X
	14/12/12	17:10	17:40	65.7	X
	21/12/12	10:45	11:15	64.1	X
	29/12/12	15:00	15:30	65.0	X
Monitoring Parameter	Date	CGa			
		Start Time	End Time	Result	Exceed*
Day-time	03/12/12	09:05	09:35	69.4	X
	10/12/12	13:00	13:30	68.8	X
	17/12/12	10:15	10:45	74.2	X
	24/12/12	08:25	08:55	73.2	X

Contract No. 9/WSD/08

Laying of Western Cross Harbour Main and Associated Land Mains
From West Kowloon to Sai Ying Pun

ENA30040A

Monthly EM&A Report No.32

Monitoring Parameter	Date	RWM			
		Start Time	End Time	Result	Exceed*
Day-time	03/12/12	09:40	10:10	64.7	X
	10/12/12	13:35	14:05	63.7	X
	17/12/12	10:50	11:20	65.7	X
	24/12/12	09:00	09:30	63.1	X
Monitoring Parameter	Date	KY3			
		Start Time	End Time	Result	Exceed*
Day-time	03/12/12	10:15	10:45	64.9	X
	10/12/12	14:10	14:40	64.2	X
	17/12/12	11:25	11:55	65.5	X
	24/12/12	09:35	10:05	62.8	X

Remark (*): L = Limit Level exceedance, A = Action Level exceedance and X = not an Exceedance

(*): Since daytime and holiday-time noise measurements at monitoring stations RWM and KY3 were free-field, 3dB(A) correction had been added to the results

The summary of noise exceedances is shown in Table 4.6.

Table 4.6 Summary of Impact Noise Exceedances in this reporting month

Exceedance Level	Daytime	Evening-time	Night-time	Holiday-time
Action	0	0	0	0
Cumulative	0	0	0	0
Limit	0	0	0	0
Cumulative	0	0	227	0

5.0 WATER QUALITY MONITORING

5.1 Monitoring Requirements

In accordance with the EM&A Manual, impact water quality monitoring was conducted three days per week during the course of the marine construction works.

5.2 Monitoring Locations

In accordance with the EM&A Manual, the proposed water quality monitoring station R8 – Macau Ferry Terminal was cancelled since it is located inside the restricted area. Another monitoring location R8a was proposed to replace R8 for impact water quality monitoring. As a result, totally four control stations and nine impaction stations were selected to conduct impact water quality monitoring for the Project. Table 5.1 shows the water quality monitoring stations of the Project.

Table 5.1 Water Quality Monitoring Stations

ID	Station	Easting	Northing
R5	Green Island	830 175.979	816 179.217
R6	Prince Philip Dental Hospital	833 437.625	816 747.640
R7	Tsan Yuk Hospital	833 461.092	816 744.773
R8a	Macau Ferry Terminal	833 573	816 885
R15 *	Kowloon South Pumping Station	833 982.630	818 282.101
R16	Kowloon Government Offices Building	834 335.800	817 769.145
R17	Canton Road Government Offices Building	834 364.658	817 802.847
R28	WSD Kennedy Town Salt Water Pumping Station	830 707	815 983
R29	WSD Sheung Wan Salt Water Pumping Station	833 414	816 745
C1	Control Station	830 797.729	819 163.377
C2	Control Station	836 350.628	817 135.218
C3	Control Station	829 495.126	817 228.312
C4	Control Station	836 638.773	816 686.030

Remark (*): Station R15 = WSD Seawater Intake

Control stations, C2 and C4, should be the upstream control station for all impact monitoring stations at mid-flood and Control Stations, C1 and C3, should be the upstream control station for all monitoring stations at mid-ebb.

5.3 Monitoring Parameters

Monitoring parameters listed in Table 5.2 shall be monitored by the ET to ensure that any deteriorating water quality could be readily detected and timely action be taken to rectify the situation. Table 5.3 shows the other relevant water quality data recorded during the impact water quality monitoring.

Table 5.2 Water Quality Monitoring Parameters

In-situ measurement	Laboratory analysis
Dissolved Oxygen (DO) (mg/L)	Suspended solids (SS) (mg/L)
Turbidity (NTU)	

Table 5.3 Other relevant water quality parameters

Water Quality Parameters	
Tidal stages	Water depth (m)
Dissolved Oxygen saturation (%)	Salinity (ppt)
Temperature (°C)	Weather Condition

5.4 Monitoring Frequency

The frequency of impact water quality monitoring of water quality is summarized in Table 5.4.

Table 5.4 Monitoring Frequency of Impact Water Quality Monitoring

Frequency	Monitoring Depth
3 days/week, 2 tides/day	For water depth greater than 6m: Three water depths (1m below Surface, mid-depth and 1m above bottom). For water depth less than 6m but greater than 3m: Two water depths: (1m below Surface and 1m above bottom). For water depth less than 3m: One water depth (Mid-depth)

5.5 Monitoring Methodology and Equipment Used

Refer to the requirement in Appendix D2 "General Technical Requirements of Environmental Monitoring" (TM) in the Environmental Monitoring and Audit Guidelines for Development Projects in Hong Kong published by EPD, water samples for all monitoring parameter were collected, stored, preserved and analysed according to the Standard Method APHA 19ed.. In-situ measurements at monitoring locations including DO, turbidity, salinity and water depth were collected by equipment with the characteristic and functions listed as below:

Location of the monitoring stations

A hand-held digital Global Positioning System (GPS) was used to identify the designated monitoring stations prior to water sampling.

Water Depth measurement

A portable, battery-operated echo sounder was used for the determination of water depth at each designated monitoring station.

In-situ Water Quality Monitoring Equipment

All in-situ monitoring instruments shall be checked, calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme before use, and subsequently re-calibrated at 3 monthly intervals or sometimes longer throughout all stages of the water quality monitoring. Responses of sensors and electrodes should be checked with certified standard solutions before each use. Wet bulb calibration for a DO meter shall be carried out before measurement at each monitoring location.

Dissolved Oxygen, salinity and temperature measuring equipment

A portable, weatherproof dissolved oxygen & salinity measuring instrument, which complete with cable, sensor and DC power source (e.g. YSI 85 or equivalent) was used for measuring:

- a dissolved oxygen level in the range of 0-20 mg/L and 0-200 % saturation;
- a salinity in range 0-40 ppt; and
- a temperature of 0-45 degree Celsius

A membrane electrode with automatic temperature compensation complete with a cable was installed.

Turbidity Measurement Instrument

A portable, weatherproof turbidity-measuring instrument with DC power source was used. It has a photoelectric sensor capable of measuring turbidity between 0-1000 NTU and be complete with a cable (e.g. HACH model 2100P or equivalent)

Water Sampling and Sample Analysis

In-situ monitoring was carried out at three depths: 1 meter below water surface, at mid-depth and 1 meter above the seabed. If the water depth is less than 6 m, the mid-depth station shall be omitted and if the water depth is below 3 m, only the mid depth station shall be monitored.

A water sampler comprising a transparent PVC cylinder, with a capacity of not less than 2 litres, was lowered into the water body at the predetermined depth. The opening ends of the sampler were then closed accordingly and water samples were collected.

The sample container, made by high-density polythene, was rinsed with a portion of the water sample. The water sample was then transferred to the container, labelled with a unique sample ID and sealed with a screw cap. The water samples were stored in a cool box maintained at 4°C. The water samples were then delivered to Environmental Laboratory of ETS-Testconsult Ltd (HOKLAS Registration No. 022) on the same day for analysis.

5.6 Details of site Equipment used for In-situ Measurement

All in-situ monitoring instruments were checked, calibrated and certified by a laboratory accredited under HOKLAS or any other international accreditation scheme before use, and subsequently re-calibrated at 3 monthly intervals or sometimes longer throughout all stages of the water quality monitoring. Wet bulb calibration for a DO meter was carried out before measurement at each monitoring location.

Table 5.5 shows the equipment used for in-situ monitoring of water quality. The calibration certificates are attached in Appendix C1.

Table 5.5 Details of Monitoring Equipment (In-situ measurement)

Parameter	Model	Date of Calibration	Due Date	Equipment No.	Serial No.
Coordinate of Monitoring stations	Garmin eTrex 10	-----	-----	ET/EW/005/04	2DR099626
Dissolved Oxygen (Saturation), Temperature and Salinity	YSI Dissolved Oxygen, Salinity & Temperature Meter, YSI Pro 2030	10/11/12	09/02/13	ET/EW/008/005*	12A 100353
Turbidity	HACH Model 2100Q Turbid Meter	09/10/12	08/01/13	ET/0505/010*	11110C014260
Water Depth	Speedtech Instrument SM-5A	-----	-----	ET/EW/002/04	56657

Remark:(*) indicates the instrument should be calibrated on use.

5.7 Quality Assurance (QA) / Quality Control (QC) results and Determination Limits

At each measurement/sampling depth, two consecutive measurements of dissolved oxygen (DO), dissolved oxygen saturation (DOS), turbidity and salinity were taken. The probes were retrieved out of the water after the first measurement and then re-deployed for the second measurement. If the difference between the first and second measurement is greater than 25% the reading was discarded and the measurements were repeated.

At the laboratory analysis of water sample, test method of test parameter as required by the EM&A Manual, with the QA/QC results in accordance with the requirement of HOKLAS or international accredited scheme is shown in Table 5.6. For the QA/QC procedures, one QC sample, one duplicate sample and one sample spike of every batch of 20 samples were analysis. The QA/QC results are summarized in Appendix C4

Table 5.6 Summary of test method

Laboratory Analysis	Testing Procedure	Method Detection Limit
Total suspended solids	In house method based on APHA 19 th ed 2540D	1.0 mg/L

5.8 Action and Limit Level

The water quality criteria, namely Action and Limit (A/L) levels are presented in the table below.

Table 5.7 Water Quality Action and Limit Levels

Parameter	Action Level	Limit Level
DO (mg/L) (Surface, Middle & Bottom)	<u>Surface, Middle & Bottom</u> WSD Seawater Intakes 2 mg/L (For R15) <u>Other Impact Monitoring Stations</u> 5.65 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)	<u>Surface & Middle</u> WSD Seawater Intakes 2 mg/L (For R15) <u>Other Impact Monitoring Stations</u> 5.51 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29) <u>Bottom</u> 5.11 mg/L (For R15, R5, R6, R7, R8a, R16, R17, R28 and R29)
SS (mg/L) (Depth-averaged)	<u>WSD Seawater Intakes</u> 10 mg/L (For R15) <u>Other Impact Monitoring Stations</u> 12.7 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)	<u>WSD Seawater Intakes</u> 10 mg/L (For R15) <u>Other Impact Monitoring Stations</u> 12.7 mg/L (For R5, R6, R7, R8a, R16, R17, R28 and R29)
Turbidity (NTU) (Depth-averaged)	<u>WSD Seawater Intakes</u> 10 NTU <u>Other Impact Monitoring Stations</u> 6.48 NTU (For R5, R6, R7, R8a, R16, R17, R28 and R29)	<u>WSD Seawater Intakes</u> 10 NTU <u>Other Impact Monitoring Stations</u> 6.82 NTU (For R5, R6, R7, R8a, R16, R17, R28 and R29)

- Notes:
1. "depth-averaged" is calculated by taking the arithmetic means of reading of all three depths.
 2. For DO, non-compliance of the water quality limits occurs when monitoring result is lower than the limits.
 3. For turbidity and SS, non-compliance of water quality limits occurs when monitoring result is higher than the limits.
 4. All the figures given in the table are used for reference only and the EPD may amend the figures whenever it is considered as necessary.

5.9 Event and Action Plan

Please refer to the Appendix D for details.

5.10 Monitoring Duration and Period In this reporting month

Daily water quality monitoring duration are detailed in Appendix C2. Below is the time schedule for the water quality monitoring conducted in this reporting month.

Table 5.8 Schedule for Impact Water Quality Monitoring

December 2012						
Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						1 ▼
2	3	4 ▼	5	6	7 ▼	8 ▼
9	10	11 ▼	12	13	14 ▼	15 ▼
16	17	18 ▼	19	20	21 ▼	22 ▼
23	24	25	26	27	28 ▼	29 ▼
30	31					

Remarks: (▼) = Marine water quality monitoring carried out by ET.

5.11 Results

The impact water quality measurement results are detailed in Appendix C2. Appendix C3 presents the water quality monitoring data and graphical presentations of monitoring results respectively. The summary of marine water quality exceedances is shown in Table 5.9.

Table 5.9 Summary of Impact Marine Water Quality Exceedances in this reporting month

Exceedance Level	DO		Turbidity		SS		Cumulative	
	Flood	Ebb	Flood	Ebb	Flood	Ebb	Flood	Ebb
Action	0	0	0	0	0	0	0	0
Limit	0	0	0	0	0	0	48	48

According to the summary of marine water monitoring results, no exceedances of Action and Limit levels were recorded for this reporting month.

6.0 ENVIRONMENTAL SITE INSPECTION

During this reporting month, weekly site inspections were undertaken on 04, 13, 21 and 28 December 2012 by ET. Monthly joint site inspection at 21 December 2012 was carried out by Engineer's Representative, IEC, WHPOJV and ET. A summary of implementation status of mitigation measures on site inspections is presented in Appendix G.

6.1 Summary of the ET weekly site inspection finding

According to the summary of the ET weekly site inspections carried out in December 2012, it indicated that site practices of the Contractor were generally undertaken in an environmentally acceptable manner and the overall site environmental performance was satisfactory. No environmental deficiency was recorded during the weekly site inspection in this reporting month.

6.2 Recommendations on site inspection findings in Site Inspections of this month

Based on the site inspection findings, the recommendations are as below:

- Minimize noise and dust impact due to construction works;
- Use and maintain silt curtain and silt screen properly;
- Adequate environmental control measures shall be provided to prevent / avoid dropping of dredged materials into the sea during the transfer;
- Implement all necessary preventive measures to avoid oil leakage. In the event an oil leakage happens, the Contractor should properly remove the leaked oil and handle the contaminated soil and all materials using for this cleaning works as chemical waste;
- Checking and maintaining all the site machines to prevent black smoke emission;
- Providing briefing to the concerned site staff on remedial actions, such as handling method of chemicals and chemical waste;
- Remove all stagnant water;
- Apply proper treatment facilities to wastewater before discharge; and
- Maintain good waste management at the site.

7.0 STATUS OF ENVIRONMENTAL PERMITS

Permits/licenses valid in this reporting month are summarized in Table 7.1.

Table 7.1 Summary of Environmental Licensing and Permit valid in this reporting month

Description	Permit No.	Valid Period		Remarks
		From	To	
Environmental Permit	EP-273/2007	31/07/07	End of Project	Whole Project
Water Discharge Licence (West Kowloon)	WT00005347-2009	07/01/10	31/01/15	Effluent and all other wastewater arising from the construction site through Screen & Sedimentation Tank
Chemical Waste Producer	5213-217-W3086-01	13/10/09	End of Project	Spent oil, surplus flammable liquid, surplus paint, soil, rags & containers contaminated with lubricating oil, diesel, flammable liquid & paint, & used batteries
Construction Noise Permit (West Kowloon)	GW-RE0818-12	08/10/12	07/04/13	<p>Group A One Generator, standard (CNP 101) One Derrick barge (CNP 061) One Guard boat Group B Two Generator, standard (CNP 101) Two Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221) Group C One Generator, standard (CNP 101) One Dredger, grab (CNP 063) One Guard boat Group D One Generator, standard (CNP 101) One Dredger, grab (CNP 063) One Guard boat</p>
Construction Noise Permit (Sai Ying Pun)	GW-RS1026-12	08/10/12	07/04/13	<p>Group A Two Generator, silenced, <108dB(A) (CNP 101) Two Derrick barge (CNP 061) One Guard boat One Tug boat (CNP 221) Group B One Generator, silenced, <108dB(A) (CNP 101) One Derrick barge (CNP 061) Group C One Generator, silenced, <108dB(A) (CNP 101) One Dredger, grab (CNP 063) One Guard boat One Hopper Barge</p>
Notification under APCO	Application had been submitted to EPD on 25/09/09 and approved from 29/09/09.			

8.0 WASTE MANAGEMENT

8.1 Monthly Waste Summary

The quantities of waste generated from the Project in this month are summarized in Table 8.1.

Table 8.1 Summary of Quantities of Waste for Disposal in this reporting month

Type of Waste	Quantity	Disposal Location	Cumulative Quantity
Inert C&D Materials	Total Quantity Generated (in m ³)	205.67	18258.97
	Broken Concrete (in m ³)	0	0
	Reused in the Contract (in m ³)	0	0
	Reused in other Projects (in m ³)	0	0
	Disposal as Public Fill (in m ³)	205.67	SENT Landfill 18258.97
C&D Waste	Metals (in kg)	0	0
	Paper/Cardboard Packaging (in kg)	0	Collected by recycling company 169
	Plastics (in kg)	0	0
	Chemical Waste (in kg)	0	4478
	Other, e.g. General Refuse (in m ³)	6.92	SENT Landfill 211.21
Dredged Materials	Type 1 (in m ³)	0	East Ninepin Mud Disposal Ground 160500
	Type 2 (in m ³)	0	The East Sha Chau 104990

8.2 Advice on the Solid and Liquid Waste Management Status

The Contractor should provide sufficient preventive measures during equipment maintenance works so as to avoid oil leakage on the ground. In the event of any oil leakage, the Contractor should clean up the polluted soil and handle all the materials used for this cleaning works as chemical waste.

Besides, pre-cast drip trays were provided for oil drums at several areas, such as barge and chemical storage area. The Contractor should collect and dispose of any stagnant water accumulated in the drip trays and handle them as chemical waste.

The Contractor should use suitable containers with proper labels to store chemical wastes in accordance with Code of Practice on the Packaging, Labeling and Storage of Chemical Waste. The Contractor should also advise their workers of the proper procedures in handling the chemical waste.

All the trip tickets for chemical waste disposal were properly kept in the site office. No chemical waste disposal was undertaken in the reporting month.

The Contractor was reminded to increase the frequency of inspection and cleaning of the site drainage system, including desilting facilities. Moreover, the Contractor should apply approved pesticides in the stagnant water.

9.0 ENVIRONMENTAL NON-CONFORMANCE

9.1 Summary of Noise and Water Quality

No exceedance of Action and Limit Level of marine water quality monitoring results was recorded during the reporting month.

No exceedance of Action and Limit Level of noise monitoring was recorded in this reporting month.

9.2 Summary of Environmental Complaints

No complaint was received in this reporting month.

9.3 Summary of Notification of Summons and Prosecution

There was no notification of summons respect to environmental issues registered in this reporting month.

10.0 IMPLEMENTATION STATUS

10.1 Implementation Status of Environmental Mitigation Measures

An updated summary of the Environmental Mitigation Implementation Schedule (EMIS) is presented in Appendix G. Most of the necessary mitigation measures were implemented properly. Any deficiencies were noted in the remarks of the schedule.

10.2 Implementation Status of Event and Action Plan

Since no exceedance of Action and Limit Level of water quality monitoring results was recorded in this reporting month, no further action was required to be taken.

No exceedance of Action and Limit Level of noise monitoring was recorded in this reporting month. Hence, no further action was required.

10.3 Implementation Status of Environmental Complaint, Notifications of Summons and Successful Prosecutions Handling

No complaint, notification of summons and successful prosecution were received in this reporting month. A summary of environmental complaints, notifications of summons and successful prosecutions was given in Table 10.1.

Table 10.1 Summary of Environmental Complaints and Prosecutions

Complaints logged		Summons served		Successful prosecution received	
December 2012	Cumulative	December 2012	Cumulative	December 2012	Cumulative
0	1	0	0	0	0

11.0 CONCLUSIONS AND RECOMMENDATIONS

Conclusions

Impact monitoring of noise and water quality were carried out at designated locations in accordance with the EM&A Manual in this reporting month.

No exceedance of Action and Limit Level of water quality monitoring results was recorded during the reporting month.

No exceedance of Action and Limit Level of noise monitoring was recorded in this reporting month.

According to the ET weekly site inspections carried out in this reporting month, the Contractor generally implemented sufficient environmental mitigation measures.

No complaint, prosecution or notification of summon were received in this reporting month.

Recommendations

According to the environmental site inspections performed in the reporting month, the following recommendations were provided:

Air Quality

- Ensure the frequency of water spraying on unloading areas and stockpiles to be sufficient to suppress the dust sources;
- Provide proper maintenance for the powered mechanical equipment and barges to avoid emission of dark smoke; and
- Implement the dust mitigation measures for the site activities.

Noise

- Conduct noisy activities at a farther location from the NSRs.

Water Quality

- Maintain the drainage system regularly;
- Operate and maintain the silt curtains and silt screen regularly;
- Operate the cleaning vessel regularly;
- Provide proper treatment for the wastewater discharge;
- Clean up the fill material on the barge frequently; and
- Remove the stagnant water or provide approved pesticides for the stagnant water, if any.

Chemical and Waste Management

- Remove waste materials from the site to avoid accumulation regularly;
- Handle and store chemical wastes properly;
- Remove unwanted material in the existing stockpiles and avoid further dumping of such material;
- Provide and maintain sufficient drip trays for diesel drums, chemical containers, chemical waste storage drums and diesel operated generator set;
- Maintain good housekeeping at the works area; and
- Avoid soil being polluted during oil filling and equipment maintenance; hence, properly remove and store the contaminated soil, if any.

12.0 FUTURE KEY ISSUES

The marine work was certified being completed in December 2012 by the Engineer of the Contract (post report information). Since the marine work was completed in the reporting month, thus no further key issues should be considered.

- END OF REPORT -





Appendix A

Organization Chart and Lines of Communication

Contract No. 9/WSD/08
Laying Of Western Cross Harbour Main And Associated Land Mains
From West Kowloon To Sai Ying Pun

Site Organization Chart - Rev. 17





Project	Laying of Western Cross Harbour Main and Associated Land Mains From West Kowloon to Sai Ying Pun - Investigation	 Mott MacDonald
Title	Project Organization and Line of Communication	Figure 1.3a
Date Dec 2009		



Appendix B1

Calibration Certificates for Impact Noise Monitoring Equipment



Hong Kong Calibration Ltd.

香港校正有限公司

ET/EN/003/06

Calibration Certificate

Certificate No. 22085

Page 1 of 3 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q20865

Date of receipt : 11-Apr-12

Item Tested

Description : Precision Integrating Sound Level Meter

Manufacturer : Rion

Model : NL-31

Serial No. : 00110024

Test Conditions

Date of Test : 16-Apr-12

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.

The results are shown in the attached page(s).

Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017	Multi-Function Generator	C101623	SCL-HKSAR
S024	Sound Level Calibrator	15136	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by : Liam
P. F. Wong

Approved by : Dorothy
Dorothy Cheuk

Date: 16-Apr-12

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8646

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



Calibration Certificate

Certificate No. 22085

Page 2 of 3 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 - 100	L _A	Fast	94.0	94.0
		Slow		94.0
	L _C	Fast		94.0
	L _p	Fast		94.1
30 - 120	L _A	Fast	94.0	94.0
		Slow		94.0
	L _C	Fast		94.0
	L _p	Fast		94.0
30 - 120	L _A	Fast	114.0	114.1
		Slow		114.1
	L _C	Fast		114.1
	L _p	Fast		114.1

IEC 651 Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.2 dB

2. Level Stability : 0.1 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.1 dB

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	114.0	0.0	± 0.7 dB
130	104.0	104.0	0.0	
120	94.0	94.0 (Ref.)	--	
110	84.0	84.1	+0.1	
100	74.0	74.1	+0.1	
90	64.0	64.1	+0.1	
80	54.0	54.1	+0.1	

Uncertainty : ± 0.1 dB



Calibration Certificate

Certificate No. 22085

Page 3 of 3 Pages

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	84.1	+0.1	± 0.4 dB
	94.0	94.0 (Ref.)	--	
	95.0	95.0	0.0	± 0.2 dB

Uncertainty : ± 0.1 dB

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	-39.6	- 39.4 dB, ± 1.5 dB
63 Hz	-26.0	- 26.2 dB, ± 1.5 dB
125 Hz	-16.1	- 16.1 dB, ± 1 dB
250 Hz	-8.6	- 8.6 dB, ± 1 dB
500 Hz	-3.1	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+1.4	+ 1.2 dB, ± 1 dB
4 kHz	+1.2	+ 1.0 dB, ± 1 dB
8 kHz	-1.0	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	-6.6	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : ± 0.1 dB

5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	39.9	± 0.5 dB
1/10 ²	40.0	39.9	
1/10 ³	40.0	40.0	± 1.0 dB
1/10 ⁴	40.0	40.3	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.
3. Atmospheric Pressure : 1 005 hPa.

----- END -----



Hong Kong Calibration Ltd.

香港校正有限公司

ET/EN/03/10

Calibration Certificate

Certificate No. 23144

Page 1 of 4 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q21311

Date of receipt : 23-May-12

Item Tested

Description : Precision Integrating Sound Level Meter

Manufacturer : Rion

Model : NL-31

Serial No. : 00531142

Test Conditions

Date of Test : 29-May-12

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type 1 & IEC 804 Type 1 specification.

The results are shown in the attached page(s).

Main Test equipment used:

<u>Equipment No.</u>	<u>Description</u>	<u>Cert. No.</u>	<u>Traceable to</u>
S017	Multi-Function Generator	C101623	SCL-HKSAR
S024	Sound Level Calibrator	15136	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by : P.F. Wong

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwal Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8846

Approved by : Dorothy Cheuk

Date: 29-May-12



Hong Kong Calibration Ltd.

香港校正有限公司

Calibration Certificate

Certificate No. 23144

Page 2 of 4 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 - 100	L _A	Fast	94.0	94.1
		Slow		94.1
	L _C	Fast		94.1
	L _p	Fast		94.1
30 - 120	L _A	Fast	94.0	94.0
		Slow		94.0
	L _C	Fast		94.0
	L _p	Fast		94.0
30 - 120	L _A	Fast	114.0	114.2
		Slow		114.2
	L _C	Fast		114.2
	L _p	Fast		114.2

IEC Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

2. Level Stability : 0.0 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.1 dB



Hong Kong Calibration Ltd.

香港校正有限公司

Calibration Certificate

Certificate No. 23144

Page 3 of 4 Pages

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	114.0	0.0	$\pm 0.7 \text{ dB}$
130	104.0	104.0	0.0	
120	94.0	94.0 (Ref.)	--	
110	84.0	84.0	0.0	
100	74.0	74.0	0.0	
90	64.0	64.1	+0.1	
80	54.0	54.1	+0.1	

Uncertainty : $\pm 0.1 \text{ dB}$

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	84.0	0.0	$\pm 0.4 \text{ dB}$
	94.0	94.0 (Ref.)	--	
	95.0	95.0	0.0	

Uncertainty : $\pm 0.1 \text{ dB}$

4. Frequency Weighting

A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	- 39.6	- 39.4 dB, $\pm 1.5 \text{ dB}$
63 Hz	- 26.2	- 26.2 dB, $\pm 1.5 \text{ dB}$
125 Hz	- 16.2	- 16.1 dB, $\pm 1 \text{ dB}$
250 Hz	- 8.7	- 8.6 dB, $\pm 1 \text{ dB}$
500 Hz	- 3.2	- 3.2 dB, $\pm 1 \text{ dB}$
1 kHz	0.0 (Ref.)	0 dB, $\pm 1 \text{ dB}$
2 kHz	+ 1.3	+ 1.2 dB, $\pm 1 \text{ dB}$
4 kHz	+ 1.1	+ 1.0 dB, $\pm 1 \text{ dB}$
8 kHz	- 1.1	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	- 6.7	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : $\pm 0.1 \text{ dB}$



Hong Kong Calibration Ltd.

香港校正有限公司

Calibration Certificate

Certificate No. 23144

Page 4 of 4 Pages

4. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	40.0	± 0.5 dB
1/10 ²	40.0	40.0	
1/10 ³	40.0	39.9	± 1.0 dB
1/10 ⁴	40.0	39.8	

Uncertainty : ± 0.1 dB

Remark : 1. UUT : Unit-Under-Test

2. The uncertainty claimed is for a confidence probability of not less than 95%.
3. Atmospheric Pressure : 1 000 hPa.

----- END -----



Hong Kong Calibration Ltd.

香港校正有限公司

Calibration Certificate

Certificate No. 27389

Page 1 of 3 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q22892

Date of receipt : 31-Oct-12

Item Tested

Description : Precision Integrating Sound Level Meter (ET/EN/003/13)

Manufacturer : Rion

Model : NL-31

Serial No. : 00593620

Test Conditions

Date of Test : 16-Nov-12

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : Z01.

Test Results

All results were within the IEC 651 Type1 and IEC 804 Type1 specifications after adjustment.

The results are shown in the attached page(s).

Main Test equipment used:

Equipment No.	Description	Cert. No.	Traceable to
S017	Multi-Function Generator	C101623	SCL-HKSAR
S024	Sound Level Calibrator	15136	NIM-PRC & SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by : Stephen Chu

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8646

Approved by : Dorothy Cheuk

Dorothy Cheuk

Date: 16-Nov-12



Calibration Certificate

Certificate No. 27389

Page 2 of 3 Pages

Results :

1. SPL Accuracy

UUT Setting			Applied Value (dB)	UUT Reading (dB)
Level Range (dB)	Weight	Response		
20 - 100	LA	Fast	94.0	94.0
		Slow		94.0
	LC	Fast		94.0
		Lp		94.1
30 - 120	LA	Fast	94.0	93.9
		Slow		93.9
	LC	Fast		94.0
		Lp		94.0
30 - 120	LA	Fast	114.0	113.9
		Slow		113.9
	LC	Fast		114.0
		Lp		114.0

IEC 651 Type 1 Spec. : ± 0.7 dB

Uncertainty : ± 0.1 dB

2. Level Stability : 0.0 dB

IEC 651 Type 1 Spec. : ± 0.3 dB

Uncertainty : ± 0.01 dB

3. Linearity

3.1 Level Linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec. (Primary Indicator Range)
130	114.0	113.9	0.0	± 0.7 dB
130	104.0	103.9	0.0	
120	94.0	93.9 (Ref.)	--	
110	84.0	84.0	+ 0.1	
100	74.0	74.0	+ 0.1	
90	64.0	64.0	+ 0.1	
80	54.0	54.1	+ 0.2	

Uncertainty : ± 0.1 dB



Hong Kong Calibration Ltd.

香港校正有限公司

Calibration Certificate

Certificate No. 27389

Page 3 of 3 Pages

3.2 Differential level linearity

UUT Range (dB)	Applied Value (dB)	UUT Reading (dB)	Variation (dB)	IEC 651 Type 1 Spec.
120	84.0	84.0	+ 0.1	± 0.4 dB
	94.0	93.9 (Ref.)	--	
	95.0	94.9	- 0.0	

Uncertainty : ± 0.1 dB

4. Frequency Weighting - A weighting

Frequency	Attenuation (dB)	IEC 651 Type 1 Spec.
31.5 Hz	- 39.7	- 39.4 dB, ± 1.5 dB
63 Hz	- 26.3	- 26.2 dB, ± 1.5 dB
125 Hz	- 16.3	- 16.1 dB, ± 1 dB
250 Hz	- 8.8	- 8.6 dB, ± 1 dB
500 Hz	- 3.3	- 3.2 dB, ± 1 dB
1 kHz	0.0 (Ref.)	0 dB, ± 1 dB
2 kHz	+ 1.2	+ 1.2 dB, ± 1 dB
4 kHz	+ 1.1	+ 1.0 dB, ± 1 dB
8 kHz	- 1.2	- 1.1 dB, + 1.5 dB ~ - 3 dB
16 kHz	- 6.7	- 6.6 dB, + 3 dB ~ ∞

Uncertainty : ± 0.1 dB

5. Time Averaging

Applied Burst duty Factor	Applied Leq Value (dB)	UUT Reading (dB)	IEC 804 Type 1 Spec.
continuous	40.0	40.0	--
1/10	40.0	40.0	± 0.5 dB
1/10 ²	40.0	40.0	
1/10 ³	40.0	40.0	
1/10 ⁴	40.0	39.9	± 1.0 dB

Uncertainty : ± 0.1 dB

- Remarks:
1. UUT : Unit-Under-Test
 2. The uncertainty claimed is for a confidence probability of not less than 95%.
 3. Atmospheric Pressure : 1007 hPa
 4. The UUT's internal calibration was performed before the calibration.

----- END -----



Hong Kong Calibration Ltd.

香港校正有限公司

ET/EN/002/07

Calibration Certificate

Certificate No. 22086

Page 1 of 2 Pages

Customer : ETS-Testconsult Limited

Address : 8/F., Block B, Veristrong Industrial Centre, 34-36 Au Pui Wan St., Fotan, Hong Kong.

Order No. : Q20865

Date of receipt : 11-Apr-12

Item Tested

Description : Acoustic Calibrator

Manufacturer : Castle

Model : GA607

Serial No. : 038641

Test Conditions

Date of Test : 16-Apr-12

Supply Voltage : --

Ambient Temperature : (23 ± 3)°C

Relative Humidity : (50 ± 25) %

Test Specifications

Calibration check.

Ref. Document/Procedure : F06, F20, Z02.

Test Results

All results were within the IEC 942 Class 1 specification.

The results are shown in the attached page(s).

Main Test equipment used:

Equipment No.	Description	Cert. No.	Traceable to
S014	Spectrum Analyzer	13535	NIM-PRC & SCL-HKSAR
S024	Sound Level Calibrator	15136	NIM-PRC & SCL-HKSAR
S041	Universal Counter	15610	SCL-HKSAR
S206	Sound Level Meter	16338	SCL-HKSAR

The values given in this Calibration Certificate only relate to the values measured at the time of the test and any uncertainties quoted will not include allowance for the equipment long term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the measurement. Hong Kong Calibration Ltd. shall not be liable for any loss or damage resulting from the use of the equipment.

The test equipment used for calibration are traceable to International System of Units (SI).

The test results apply to the above Unit-Under-Test only

Calibrated by :

P. F. Wong

Approved by :

Dorothy Cheuk

This Certificate is issued by:

Hong Kong Calibration Ltd.

Unit 8B, 24/F., Well Fung Industrial Centre, No. 58-76, Ta Chuen Ping Street, Kwai Chung, NT, Hong Kong.

Tel: 2425 8801 Fax: 2425 8846

Date: 16-Apr-12

The copyright of this certificate is owned by Hong Kong Calibration Ltd.. It may not be reproduced except in full.



Hong Kong Calibration Ltd.

香港校正有限公司

Calibration Certificate

Certificate No. 22086

Page 2 of 2 Pages

Results :

1. Level Accuracy

UUT Setting (dB)	Measured Value (dB)	IEC 942 Class 1 Spec.
94.0	94.02	± 0.3 dB

Uncertainty : ± 0.1 dB

2. Frequency Accuracy

UUT Nominal Value (kHz)	Measured Value (kHz)	IEC 942 Class 1 Spec.
1.000	1.000	± 2 %

Uncertainty : ± 3.6×10^{-6}

3. Level Stability : 0.0 dB

IEC 942 Class 1 Spec.: ± 0.1 dB

Uncertainty : ± 0.01 dB

4. Total Harmonic Distortion : < 2.9 %

IEC 942 Class 1 Spec. : < 3 %

Uncertainty : ± 2.3 % of rdg.

Remark : 1. UUT : Unit-Under-Test

2. The above measured values were the mean of 3 measurements.

3. The uncertainty claimed is for a confidence probability of not less than 95%.

4. Atmospheric Pressure : 1005 hPa.

----- END -----



Appendix B2

Impact Noise Monitoring Results



Day-time Noise Monitoring

Monitoring Station: KS6 (Podium at the Cullinan)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
04/12/12	Cloudy	10:10	10:40	64.2	65.7	60.1	1.3
14/12/12	Cloudy	17:10	17:40	65.7	68.1	63.2	0.5
21/12/12	Cloudy	10:45	11:15	64.1	65.9	59.2	1.0
29/12/12	Cloudy	15:00	15:30	65.0	66.7	60.1	1.0

Monitoring Station: CGa (Pavement in front of Connaught Garden)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/12/12	Drizzle	09:05	09:35	69.4	71.7	65.3	0.8
10/12/12	Cloudy	13:00	13:30	68.8	69.4	62.6	1.1
17/12/12	Cloudy	10:15	10:45	74.2	76.4	67.9	0.7
24/12/12	Fine	08:25	08:55	73.2	75.4	67.8	1.2

Monitoring Station: RWM (Roof at Richwealth Mansion)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/12/12	Drizzle	09:40	10:10	64.7	66.0	59.8	1.3
10/12/12	Cloudy	13:35	14:05	63.7	64.8	59.8	1.5
17/12/12	Cloudy	10:50	11:20	65.7	67.0	62.9	1.0
24/12/12	Fine	09:00	09:30	63.1	65.0	62.2	1.5

Monitoring Station: KY3 (Roof at Kwan Yik Building Phase 3)

Date	Weather Condition	Start Time (hh:mm)	End Time (hh:mm)	Noise Level at the monitoring point, dB (A)			Wind Speed (m/s)
				Leq (30min)	L10	L90	
03/12/12	Drizzle	10:15	10:45	64.9	66.3	60.1	1.2
10/12/12	Cloudy	14:10	14:40	64.2	65.4	60.1	1.6
17/12/12	Cloudy	11:25	11:55	65.5	66.9	62.7	0.9
24/12/12	Fine	09:35	10:05	62.8	63.9	61.9	1.7



Appendix B3


Graphical Plots of Impact Noise Monitoring Data




東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Noise Monitoring (Day-time)


Noise level at KS6 - Podium at the Cullinan




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion



Noise level at KY3 - Roof of Kwan Yik Building Phase 3







東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Noise Monitoring (Evening-time)


Noise level at KS6 - Podium at the Cullinan




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Night-time)


Noise level at KS6 - Podium at the Culliman




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion




Noise level at KY3 - Roof of Kwan Yik Building Phase 3






Noise Monitoring (Holiday-time)


Noise level at KS6 - Podium at the Cullinan




Noise level at CGa - Pavement in front of Connaught Garden



Noise level at RWM - Roof of Richwealth Mansion



Noise level at KY3 - Roof of Kwan Yik Building Phase 3





東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Appendix C1

Calibration Certificates for Impact Water Quality Monitoring Equipments



Performance Check of Salinity Meter

Equipment Ref. No. : ET/EW/008/005 Manufacturer : YSI

Model No. : Pro 2030 Serial No. : 12A 100353

Date of Calibration : 10/11/2012 Due Date : 09/02/2013

Ref. No. of Salinity Standard used (30ppt)	S/001/4
--	---------

Salinity Standard (ppt)	Measured Salinity (ppt)	Difference %
30.4	31.1	2.28

Acceptance Criteria

Difference : <10 %

The salinity meter complies * / does not comply * with the specified requirements and is deemed acceptable * / unacceptable-* for use. Measurements are traceable to national standards.

Checked by : [Signature]

Approved by : [Signature]

Performance Check of Turbidimeter

Equipment Ref. No. : ET/0505/010 Manufacturer : HACH

Model No. : 2100Q Serial No. : 11110 C 014260


Date of Calibration : 09/10/2012 Due Date : 08/01/2013


Gelex Vial Std	Theoretical Value (NTU)	Measured Value (NTU)	Difference %
0-10 NTU	5.40	5.20	0.94
10-100 NTU	53.2	51.2	0.96
100-1000 NTU	550	532	0.83

Acceptance Criteria

Difference : <5 %


The salinity meter complies * / does-not-comply * with the specified requirements
and is deemed acceptable * / unacceptable * for use. Measurements are traceable to
national standards.

Checked by : 

Approved by : 



東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Form E/CE/R/12 Issue 7 (1/2) [09/09]

Internal Calibration Report of Dissolved Oxygen Meter

Equipment Ref. No.	: ET/EW/008/005	Manufacturer	: YSI
Model No.	: Pro 2030	Serial No.	: 12A 100353
Date of Calibration	: 10/11/2012	Calibration Due Date	: 09/02/2013

Temperature Verification

Ref. No. of Reference Thermometer : ET/0521/001

Ref. No. of Water Bath : ---

	Temperature (°C)			
Reference Thermometer reading	Measured	20.4	Corrected	20.0
DO Meter reading	Measured	19.8	Difference	0.2

Standardization of sodium thiosulphate ($\text{Na}_2\text{S}_2\text{O}_3$) solution

Reagent No. of Na ₂ S ₂ O ₃ titrant	CPE/012/4.5/001/5	Reagent No. of 0.025N K ₂ Cr ₂ O ₇	CPE/012/4.4/001/12
		Trial 1	Trial 2
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0.00	0.00	
Final Vol. of Na ₂ S ₂ O ₃ (ml)	40.55	40.50	
Vol. of Na ₂ S ₂ O ₃ used (ml)	40.55	40.50	
Normality of Na ₂ S ₂ O ₃ solution (N)	0.02466	0.02469	
Average Normality (N) of Na ₂ S ₂ O ₃ solution (N)	0.02468		
Acceptance criteria, Deviation	Less than \pm 0.001N		

Calculation: Normality of $\text{Na}_2\text{S}_2\text{O}_3$, N = 1 / ml $\text{Na}_2\text{S}_2\text{O}_3$ used

Lineality Checking

*Determination of dissolved oxygen content by Winkler Titration **

Purging Time (min)	2		5		10	
Trial	1	2	1	2	1	2
Initial Vol. of $\text{Na}_2\text{S}_2\text{O}_3$ (ml)	0.00	11.40	22.60	0.00	7.70	12.60
Final Vol. of $\text{Na}_2\text{S}_2\text{O}_3$ (ml)	11.40	22.60	30.40	7.70	12.60	17.50
Vol. (V) of $\text{Na}_2\text{S}_2\text{O}_3$ used (ml)	11.40	11.20	7.80	7.70	4.90	4.90
Dissolved Oxygen (DO), mg/L	7.55	7.42	5.17	5.10	3.25	3.25
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L		Less than + 0.3mg/L	

Calculation: DO (mg/L) = V x N x 8000/298

Purging time, min	DO meter reading, mg/L			Winkler Titration result *, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
2	7.41	7.52	7.47	7.55	7.42	7.49	0.27
5	5.23	5.18	5.21	5.17	5.10	5.14	1.35
10	3.20	3.27	3.24	3.25	3.25	3.25	0.31
Linear regression coefficient				0.99950			

Internal Calibration Report of Dissolved Oxygen Meter

Zero Point Checking

DO meter reading, mg/L	0.00
------------------------	------

Salinity Checking

Reagent No. of NaCl (10ppt)	CPE/012/4.7/001/28	Reagent No. of NaCl (30ppt)	CPE/012/4.8/001/28
-----------------------------	--------------------	-----------------------------	--------------------

*Determination of dissolved oxygen content by Winkler Titration ***

Salinity (ppt)	10		30	
	1	2	1	2
Initial Vol. of Na ₂ S ₂ O ₃ (ml)	0.00	11.60	23.40	34.20
Final Vol. of Na ₂ S ₂ O ₃ (ml)	11.60	23.40	34.20	44.90
Vol. (V) of Na ₂ S ₂ O ₃ used (ml)	11.60	11.80	10.80	10.70
Dissolved Oxygen (DO), mg/L	7.69	7.82	7.16	7.09
Acceptance criteria, Deviation	Less than + 0.3mg/L		Less than + 0.3mg/L	

Calculation: DO (mg/L) = V x N x 8000/298

Salinity (ppt)	DO meter reading, mg/L			Winkler Titration result**, mg/L			Difference (%) of DO Content
	1	2	Average	1	2	Average	
10	7.78	7.69	7.74	7.69	7.82	7.76	0.26
30	7.13	7.07	7.1	7.16	7.09	7.13	0.42

Acceptance Criteria

- (1) Difference between temperature readings from temperature sensor of DO probe and reference thermometer : < 0.5 °C
- (2) Linear regression coefficient : >0.99
- (3) Zero checking: 0.0mg/L
- (4) Difference (%) of DO content from the meter reading and by winkler titration : within ± 5%


The equipment complies # / does not comply # with the specified requirements and is deemed acceptable # / unacceptable # for use.

Delete as appropriate

Calibrated by

: 

Approved by :





Appendix C2

Impact Water Quality Monitoring Results

Mid-Flood Tide

東華諮詢有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : C2

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1046-1100	18/Cloudy	Surface	1.0	23.3	26.4 26.5	26.5	6.16 6.13	6.15	85.4 85.0	85.2	3.26 3.34	3.30	3.52	5.0 5.2	5.1	5.4
			Middle	8.7	23.3	26.8 26.8	26.8	5.99	5.97	83.0	82.8	3.52 3.57	3.55		5.4 5.4	5.4	
			Bottom	16.4	23.2	27.0 27.1	27.1	5.77 5.81	5.79	80.0 80.5	80.3	3.67 3.73	3.70		5.6 5.6	5.6	
			Surface	1.0	21.7	26.2 26.3	26.3	6.13 6.16	6.15	79.3 79.7	79.5	3.91 3.95	3.93		6.0 6.0	6.0	6.2
			Middle	9.8	21.5	26.4 26.5	26.5	6.05 6.03	6.04	78.3 78.0	78.2	4.14 4.18	4.16		6.2 6.2	6.2	
			Bottom	18.6	21.5	26.8 26.9	26.9	5.82 5.87	5.85	75.3 76.0	75.7	4.49 4.53	4.51		6.4 6.6	6.5	
06/12/12	1454-1507	16/Fine	Surface	1.0	21.5	26.4 26.3	26.4	6.23	6.21	80.7 80.1	80.4	3.62 3.66	3.64	3.81	5.5 5.6	5.6	5.8
			Middle	8.8	21.5	26.6 26.6	26.6	6.07 6.03	6.05	78.6 78.1	78.4	3.80 3.85	3.83		5.8 5.8	5.8	
			Bottom	16.6	21.5	26.9 26.9	26.9	5.84 5.89	5.87	75.6 76.2	75.9	3.94 4.00	3.97		6.0 6.0	6.0	
			Surface	1.0	21.7	26.4 26.5	26.5	6.13 6.16	6.15	79.3 79.5	79.4	3.82 3.80	3.81		5.5 5.8	5.7	6.0
			Middle	9.7	21.6	26.7 26.6	26.7	6.01 6.03	6.02	77.5 77.8	77.7	3.97 3.99	3.98		5.8 6.0	5.9	
			Bottom	18.4	21.5	26.9 27.0	27.0	5.88 5.86	5.87	75.9 75.6	75.8	4.36 4.30	4.33		6.4 6.2	6.3	
11/12/12	1717-1730	20/Fine	Surface	1.0	20.4	26.7 26.7	26.7	6.42 6.46	6.44	83.4 83.9	83.7	3.20 3.15	3.18	3.39	5.0 5.2	5.1	5.4
			Middle	9.2	20.5	26.9 26.8	26.9	6.28 6.24	6.26	81.6 81.1	81.4	3.32 3.37	3.35		5.4 5.4	5.4	
			Bottom	17.4	20.5	27.0 27.1	27.1	6.09 6.13	6.11	79.2 79.7	79.5	3.62 3.65	3.64		5.6 5.6	5.6	
			Surface	1.0	20.5	26.6 26.6	26.6	6.34 6.30	6.32	82.3 81.8	82.1	3.40 3.44	3.42		5.5 5.4	5.5	5.6
			Middle	9.2	20.5	26.8 26.8	26.8	6.25 6.21	6.23	81.1 80.6	80.9	3.51 3.55	3.53		5.4 5.6	5.5	
			Bottom	17.4	20.4	27.0 27.1	27.1	6.03 6.02	6.03	78.2 78.1	78.2	3.71 3.73	3.72		5.6 5.8	5.7	
15/12/12	1055-1110	19/Cloudy	Surface	1.0	20.4	26.7 26.8	26.8	6.37 6.32	6.35	82.8 82.2	82.5	3.38 3.45	3.42	3.61	5.0 5.4	5.2	5.5
			Middle	9.2	20.5	26.8 26.9	26.9	6.23 6.19	6.21	81.1 80.5	80.9	3.57 3.64	3.61		5.4 5.6	5.5	
			Bottom	17.4	20.5	26.9 27.0	27.0	5.98 6.02	6.00	77.9 78.4	78.2	3.79 3.85	3.82		5.6 5.8	5.7	
			Surface	1.0	20.4	26.7 26.8	26.8	6.40 6.35	6.38	83.3 82.6	83.0	3.36 3.43	3.40		5.0 5.4	5.2	5.5
			Middle	9.2	20.5	26.8 26.9	26.9	6.26 6.19	6.21	81.4 80.5	80.8	3.55 3.64	3.61		5.6 5.6	5.5	
			Bottom	17.4	20.5	26.9 27.0	27.0	6.02 6.02	6.00	77.9 78.4	78.2	3.79 3.85	3.82		5.6 5.8	5.7	
18/12/12	1310-1324	21/Cloudy	Surface	1.0	20.4	26.7 26.8	26.8	6.40 6.35	6.38	83.3 82.6	83.0	3.36 3.43	3.40	3.59	5.0 5.4	5.2	5.5
			Middle	9.2	20.5	26.8 26.9	26.9	6.26 6.19	6.24	81.4 80.9	81.2	3.35 3.62	3.59		5.6 5.6	5.6	
			Bottom	17.4	20.5	26.9 27.0	27.0	6.01 6.02	6.03	78.2 78.7	78.5	3.77 3.83	3.80		5.6 5.8	5.8	
			Surface	1.0	20.4	26.8 26.9	26.9	6.27 6.30	6.29	81.5 81.9	81.7	3.40 3.48	3.44		5.5 5.4	5.5	5.6
			Middle	9.3	20.4	27.0 27.1	27.1	6.12 6.14	6.13	79.6 79.8	79.7	3.59 3.62	3.61		5.6 5.6	5.6	
			Bottom	17.6	20.5	27.1 27.1	27.1	6.01 6.03	6.02	78.1 78.4	78.3	3.67 3.69	3.68		5.6 5.8	5.7	
22/12/12	1610-1624	17/Cloudy	Surface	1.0	20.4	26.8 26.9	26.9	6.42 6.37	6.40	83.5 82.9	83.2	3.34 3.41	3.38	3.57	5.5 5.4	5.5	5.6
			Middle	9.3	20.5	26.0 27.0	26.5	6.28 6.24	6.26	81.7 81.2	81.5	3.53 3.60	3.57		5.6 5.6	5.6	
			Bottom	17.6	20.5	27.1 27.2	27.2	5.99 6.03	6.01	77.9 78.5	78.2	3.75 3.81	3.78		5.8 5.8	5.8	
			Surface	1.0	18.7	26.6 26.4	26.5	6.44 6.42	6.43	83.1 82.8	83.0	3.46 3.44	3.45		5.5 5.4	5.5	5.6
			Middle	9.1	18.9	26.8 26.8	26.8	6.32 6.30	6.31	81.5 81.3	81.4	3.70 3.72	3.71		5.6 5.6	5.6	
			Bottom	17.2	19.0	27.0 27.0	27.0	6.14 6.10	6.12	79.2 78.7	79.0	3.89 3.92	3.91		5.8 5.8	5.8	
29/12/12	0902-0910	19/Cloudy	Surface	1.0	18.7	26.7 26.6	26.7	6.38 6.39	6.39	81.7 81.8	81.8	3.54 3.50	3.52	3.72	5.5 5.4	5.5	5.7
			Middle	8.5	18.8	26.8 26.9	26.9	6.22 6.24	6.23	79.6 79.9	79.8	3.80 3.76	3.78		5.8 5.6	5.7	
			Bottom	16.0	19.0	26.9 27.0	27.0	6.10 6.08	6.09	78.1 77.8	78.0	3.88 3.85	3.87		5.8 5.8	5.8	

Mid-Flood Tide

東深德勤測試有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : C4

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1025-1038	18/Cloudy	Surface	1.0	23.3	26.4 26.4	26.4	6.19 6.14	6.17	85.8 85.1	85.5	3.28 3.35	3.32	3.49	5.2 5.2	5.2	5.4
			Middle	9.1	23.3	26.8 26.9	26.9	6.08 5.93	6.01	84.3 82.2	83.3	3.45 3.51	3.48		5.4 5.4	5.4	
			Bottom	17.2	23.3	27.0 27.0	27.0	5.76 5.78	5.77	79.8 80.1	80.0	3.63 3.69	3.66		5.6 5.5	5.6	
			Surface	1.0	21.6	26.3 26.4	26.4	6.14 6.09	6.12	79.5 78.8	79.2	4.03 4.08	4.06	4.30	6.0 6.2	6.1	6.3
			Middle	9.2	21.6	26.4 26.4	26.4	6.02 5.99	6.01	77.9 77.5	77.7	4.30 4.25	4.28		6.4 6.2	6.3	
			Bottom	17.4	21.6	26.7 26.8	26.8	5.86 5.90	5.88	75.8 76.3	76.1	4.59 4.54	4.57		6.6 6.5	6.6	
06/12/12	1437-1450	16/Fine	Surface	1.0	21.5	26.4 26.4	26.4	6.26 6.21	6.24	81.1 80.4	80.8	3.64 3.69	3.67	3.87	5.6 5.6	5.6	5.8
			Middle	9.1	21.5	26.5 26.6	26.6	6.09 6.06	6.08	78.9 78.4	78.7	3.87 3.93	3.90		5.8 5.8	5.8	
			Bottom	17.2	21.6	26.9 27.0	27.0	5.87 5.91	5.89	76.0 76.5	76.3	4.01 4.07	4.04		6.0 6.0	6.0	
			Surface	1.0	21.6	26.4 26.5	26.5	6.19 6.22	6.21	79.8 80.2	80.0	3.98 3.96	3.97	4.22	5.8 5.8	5.8	6.1
			Middle	9.3	21.6	26.5 26.5	26.5	6.08 6.06	6.07	78.4 78.2	78.3	4.19 4.22	4.21		6.0 6.2	6.1	
			Bottom	17.6	21.6	26.7 26.8	26.8	5.99 5.97	5.98	77.3 77.0	77.2	4.47 4.50	4.49		6.4 6.5	6.5	
11/12/12	1700-1713	20/Fine	Surface	1.0	20.4	26.6 26.7	26.7	6.49 6.45	6.47	84.3 83.8	84.1	3.13 3.18	3.16	3.41	5.0 5.2	5.1	5.4
			Middle	9.7	20.4	26.8 26.8	26.8	6.30 6.26	6.28	81.9 81.3	81.6	3.43 3.39	3.41		5.4 5.4	5.4	
			Bottom	18.4	20.5	27.1 27.0	27.1	6.08 6.11	6.10	79.0 79.4	79.2	3.68 3.64	3.66		5.6 5.5	5.6	
			Surface	1.0	20.4	26.6 26.7	26.7	6.39 6.37	6.38	83.0 82.8	82.9	3.32 3.38	3.35	3.50	5.2 5.4	5.3	5.4
			Middle	9.1	20.5	26.8 26.9	26.9	6.20 6.24	6.22	80.6 81.1	80.9	3.49 3.41	3.45		5.4 5.4	5.4	
			Bottom	17.2	20.5	26.9 27.0	27.0	6.10 6.14	6.12	79.2 79.7	79.5	3.70 3.72	3.71		5.6 5.5	5.6	
15/12/12	1036-1051	19/Cloudy	Surface	1.0	20.4	26.6 26.7	26.7	6.42 6.38	6.40	83.5 82.9	83.2	3.36 3.42	3.39	3.59	5.2 5.4	5.3	5.6
			Middle	8.8	20.4	26.8 26.9	26.9	6.27 6.22	6.25	81.6 80.9	81.3	3.55 3.60	3.58		5.4 5.6	5.5	
			Bottom	16.6	20.5	27.0 27.1	27.1	6.09 6.03	6.06	79.3 78.5	78.9	3.77 3.83	3.80		5.8 6.0	5.9	
			Surface	1.0	20.4	26.6 26.7	26.7	6.45 6.41	6.43	83.9 83.4	83.7	3.34 3.40	3.37	3.57	5.2 5.4	5.3	5.5
			Middle	8.8	20.5	26.8 26.9	26.9	6.30 6.25	6.28	82.0 81.3	81.7	3.53 3.58	3.56		5.6 5.6	5.6	
			Bottom	16.6	20.6	27.0 27.1	27.1	6.12 6.06	6.09	79.6 78.8	79.2	3.75 3.81	3.78		5.8 5.5	5.7	
20/12/12	1428-1443	16/Cloudy	Surface	1.0	20.3	26.8 26.9	26.9	6.39 6.42	6.41	83.1 83.5	83.3	3.30 3.34	3.32	3.55	5.2 5.2	5.2	5.4
			Middle	9.0	20.4	26.9 26.9	26.9	6.23 6.27	6.25	81.0 81.5	81.3	3.56 3.60	3.58		5.4 5.6	5.5	
			Bottom	17.0	20.5	27.1 27.1	27.1	6.06 6.08	6.07	78.8 79.0	78.9	3.72 3.76	3.74		5.6 5.5	5.6	
			Surface	1.0	20.3	26.8 26.9	26.9	6.41 6.43	6.45	84.2 83.7	84.0	3.32 3.38	3.35	3.55	5.2 5.4	5.2	5.4
			Middle	8.9	20.4	27.0 27.1	27.1	6.32 6.27	6.30	82.2 82.2	82.2	3.51 3.56	3.54		5.4 5.6	5.5	
			Bottom	16.8	20.5	27.2 27.3	27.3	6.14 6.08	6.11	79.9 79.1	79.5	3.73 3.79	3.76		5.6 6.0	5.8	
22/12/12	1552-1606	17/Cloudy	Surface	1.0	20.3	26.8 26.9	26.9	6.47 6.43	6.45	84.2 83.7	84.0	3.32 3.38	3.35	3.55	5.2 5.4	5.3	5.5
			Middle	8.9	20.4	27.0 27.1	27.1	6.32 6.27	6.30	82.2 82.2	82.2	3.51 3.56	3.54		5.4 5.6	5.5	
			Bottom	16.8	20.5	27.2 27.3	27.3	6.14 6.08	6.11	79.9 79.1	79.5	3.73 3.79	3.76		5.6 6.0	5.8	
			Surface	1.0	18.6	26.6 26.6	26.6	6.45 6.44	6.45	83.3 83.1	83.2	3.44 3.42	3.43	3.70	5.4 5.4	5.4	5.6
			Middle	9.2	18.9	26.8 26.9	26.9	6.32 6.30	6.31	81.5 81.3	81.4	3.72 3.74	3.73		5.6 5.6	5.6	
			Bottom	17.4	18.9	27.1 27.0	27.1	6.12 6.12	6.12	78.9 78.9	78.9	3.94 3.94	3.94		5.8 6.0	5.9	
29/12/12	0848-0856	19/Cloudy	Surface	1.0	18.8	26.6 26.7	26.7	6.44 6.45	6.44	82.2 82.6	82.4	3.61 3.62	3.62	3.77	5.6 5.6	5.6	5.8
			Middle	9.2	19.0	26.9 26.8	26.9	6.30 6.28	6.29	80.6 80.4	80.5	3.78 3.84	3.81		5.8 5.8	5.8	
			Bottom	17.4	19.1	26.9 27.0	27.0	6.14 6.16	6.15	78.6 78.8	78.7	3.90 3.86	3.88		5.8 6.0	5.9	

Mid-Flood Tide

東華德測試有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R5

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/l.)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/l.)			
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/12/12	0837-0850	18/Cloudy	Surface	1.0	23.2	26.4 26.5	26.5	6.06 6.12	6.09	84.0 84.8	84.4	3.58 3.63	3.61	3.76	5.5 5.6	5.6	5.7
			Middle	8.6	23.3	26.7 26.8	26.8	5.97 5.93	5.95	82.7 82.2	82.5	3.74 3.77	3.76		5.6 5.8	5.7	
			Bottom	16.2	23.4	26.9 27.0	27.0	5.72 5.68	5.70	79.3 78.7	79.0	3.90 3.95	3.93		5.8 6.0	5.9	
			Surface	1.0	21.5	26.3 26.4	26.4	6.08 6.14	6.11	78.7 79.5	79.1	3.56 3.61	3.59		5.5 5.6	5.6	
04/12/12	1037-1050	16/Cloudy	Middle	8.8	21.4	26.5 26.6	26.6	5.99 5.95	5.97	77.5 77.0	77.3	3.72 3.75	3.74	3.74	5.6 5.8	5.7	5.7
			Bottom	16.6	21.4	26.8 26.9	26.9	5.74 5.70	5.72	74.3 73.8	74.1	3.88 3.93	3.91		5.8 6.0	5.9	
			Surface	1.0	21.5	26.5 26.5	26.5	6.13 6.06	6.10	79.3 78.4	78.9	3.84 3.89	3.87		6.0 5.8	5.9	
06/12/12	1234-1248	16/Fine	Middle	6.1	21.5	26.7 26.6	26.7	5.94 5.91	5.93	76.9 76.5	76.7	4.00 4.05	4.03	4.06	6.0 6.0	6.0	6.0
			Bottom	11.2	21.6	26.8 26.9	26.9	5.78 5.84	5.81	74.8 75.6	75.2	4.25 4.31	4.28		6.2 6.2	6.2	
			Surface	1.0	21.7	26.5 26.6	26.6	6.30 6.28	6.29	81.3 81.0	81.2	3.61 3.67	3.64		5.5 5.6	5.6	
08/12/12	1330-1345	20/Cloudy	Middle	8.8	21.6	26.7 26.8	26.8	6.17 6.20	6.19	79.8 79.9	79.9	4.06 4.01	4.04	3.95	6.0 6.0	6.0	5.9
			Bottom	16.6	21.5	26.9 26.9	26.9	5.93 5.91	5.92	76.5 76.2	76.4	4.16 4.20	4.18		6.2 6.2	6.2	
			Surface	1.0	21.7	26.6 26.7	26.6	6.30 6.28	6.40	82.9 83.5	83.2	3.21 3.25	3.23		5.0 5.2	5.1	
11/12/12	1510-1524	20/Fine	Middle	8.8	20.4	26.8 26.9	26.8	6.20 6.29	6.28	81.4 81.8	81.6	3.36 3.40	3.38	3.41	5.4 5.4	5.4	5.4
			Bottom	16.6	20.5	27.1 27.0	27.1	6.13 6.10	6.12	79.7 79.3	79.5	3.59 3.62	3.61		5.6 5.6	5.6	
			Surface	1.0	20.4	26.8 26.7	26.8	6.27 6.30	6.29	81.4 81.8	81.6	3.35 3.40	3.38		5.5 5.4	5.5	
13/12/12	1645-1659	19/Cloudy	Middle	8.8	20.4	26.9 27.0	27.0	6.08 6.10	6.09	79.0 79.2	79.1	3.50 3.54	3.52	3.61	5.4 5.6	5.5	5.6
			Bottom	16.6	20.5	27.1 27.0	27.1	6.02 6.06	6.04	78.1 78.6	78.4	3.93 3.95	3.94		5.8 5.8	5.8	
			Surface	1.0	20.3	26.7 26.8	26.8	6.31 6.26	6.29	82.0 81.4	81.7	3.62 3.67	3.65		5.5 5.6	5.6	
15/12/12	0837-0852	19/Cloudy	Middle	8.9	20.4	26.8 26.9	26.9	6.12 6.07	6.10	79.6 79.0	79.3	3.88 3.92	3.90	3.86	5.8 6.0	5.8	5.8
			Bottom	16.8	20.5	27.0 27.0	27.0	5.88 5.93	5.91	76.6 77.2	76.9	4.00 4.05	4.03		6.0 6.0	6.0	
			Surface	1.0	20.3	26.6 26.7	26.8	6.30 6.25	6.28	82.0 81.3	81.7	3.61 3.66	3.64		5.5 5.6	5.6	
18/12/12	1104-1118	21/Cloudy	Middle	8.8	20.4	26.7 26.8	26.8	6.13 6.08	6.11	79.8 79.1	79.5	3.86 3.90	3.88	3.84	5.8 6.0	5.8	5.8
			Bottom	16.6	20.5	26.8 26.9	26.9	5.89 5.95	5.92	76.6 77.4	77.0	3.99 4.03	4.01		6.0 6.0	6.0	
			Surface	1.0	20.3	26.6 26.7	26.7	6.30 6.25	6.28	82.0 81.3	81.7	3.61 3.66	3.64		5.5 5.6	5.6	
20/12/12	1230-1245	16/Cloudy	Middle	9.0	20.4	27.1 27.1	27.1	6.20 6.24	6.22	80.6 81.1	80.9	3.36 3.39	3.39	3.40	5.4 5.4	5.4	5.3
			Bottom	17.0	20.5	27.1 27.1	27.1	6.15 6.13	6.14	79.9 79.7	79.8	3.52 3.58	3.55		5.4 5.6	5.5	
			Surface	1.0	20.3	26.8 26.9	26.9	6.32 6.27	6.30	82.2 81.6	82.0	3.24 3.64	3.25		5.0 5.6	5.1	
22/12/12	1404-1418	17/Cloudy	Middle	8.9	20.4	27.0 27.1	27.1	6.15 6.10	6.13	80.0 79.4	79.7	3.84 3.88	3.86	3.82	5.8 6.0	5.8	5.8
			Bottom	16.8	20.5	27.2 27.3	27.3	6.01 5.97	5.99	78.2 77.7	78.0	3.97 4.01	3.99		6.0 6.0	6.0	
			Surface	1.0	20.3	26.8 26.8	26.9	6.32 6.27	6.30	82.2 81.6	81.9	3.59 3.64	3.62		5.5 5.6	5.6	
27/12/12	1618-1631	19/Cloudy	Middle	8.9	18.8	26.8 26.8	26.8	6.32 6.28	6.30	81.5 81.0	81.3	3.82 3.78	3.80	3.72	5.8 6.0	5.8	5.7
			Bottom	16.8	19.1	27.0 26.9	27.0	6.14 6.14	6.14	79.2 79.2	79.2	3.89 3.91	3.90		5.8 6.0	5.9	
			Surface	1.0	18.8	26.6 26.6	26.6	6.45 6.48	6.47	82.6 82.9	82.8	3.52 3.50	3.51		5.5 5.4	5.5	
29/12/12	0718-0726	19/Cloudy	Middle	9.2	18.8	26.9 26.9	26.9	6.20 6.23	6.22	79.4 79.7	79.6	3.79 3.81	3.80	3.77	5.6 5.8	5.7	5.7
			Bottom	17.4	19.0	27.0 27.0	27.0	6.07 6.05	6.06	77.7 77.4	77.6	3.97 4.00	3.99		5.8 6.0	5.9	

Mid-Flood Tide

英美检测有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R6

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/12/12	0934-0947	18/Cloudy	Surface	1.0	23.3	26.4 26.5	26.5	6.18 6.13	6.16	85.7 85.0	85.4	3.39	3.41	3.60	5.4 5.4	5.4	5.5
			Middle	8.2	23.4	26.7 26.8	26.8	6.04 6.00	6.02	83.7 83.2	83.5	3.55	3.58		5.4 5.6	5.5	5.5
			Bottom	15.4	23.4	26.8 26.9	26.9	5.79 5.83	5.81	80.2 80.8	80.5	3.77 3.83	3.80		5.6 5.8	5.7	
			Surface	1.0	21.5	26.4 26.5	26.5	6.20 6.15	6.18	80.2 79.6	79.9	3.37 3.41	3.39		5.4 5.4	5.4	
04/12/12	1134-1147	16/Cloudy	Middle	8.3	21.4	26.6 26.7	26.7	6.06 6.02	6.04	78.4 77.9	78.2	3.53	3.56	3.58	5.6 5.6	5.6	5.6
			Bottom	15.6	21.3	26.8 26.9	26.9	5.81 5.85	5.83	75.2 75.7	75.5	3.75 3.81	3.78		5.8 5.8	5.8	
			Surface	1.0	21.5	26.4 26.5	26.5	6.19 6.14	6.17	80.1 79.5	79.8	3.68 3.71	3.70		5.6 5.6	5.6	
			Middle	8.3	21.5	26.7 26.7	26.7	6.02 5.97	6.00	77.9 77.3	77.6	3.90 3.95	3.93		5.8 6.0	5.9	
06/12/12	1332-1348	16/Fine	Bottom	15.6	21.6	26.9 27.0	27.0	5.82 5.86	5.84	75.3 75.8	75.6	4.16 4.19	4.18	3.93	6.2 6.2	6.2	
			Surface	1.0	21.7	26.5 26.6	26.6	6.27 6.30	6.29	80.9 81.3	81.1	3.54 3.56	3.55		5.4 5.6	5.4	
			Middle	8.3	21.6	26.6 26.7	26.7	6.04 6.10	6.07	77.9 78.7	78.3	3.87 3.90	3.89		5.8 6.0	5.8	
			Bottom	16.0	21.5	26.8 26.9	26.9	5.80 5.82	5.81	74.8 75.1	75.0	4.12 4.16	4.14		6.2 6.2	6.1	
08/12/12	1424-1439	20/Cloudy	Surface	1.0	21.7	26.5 26.6	26.6	6.27 6.30	6.29	80.9 81.3	81.1	3.54 3.56	3.55	3.86	5.4 5.4	5.4	
			Middle	8.5	21.6	26.6 26.7	26.7	6.04 6.10	6.07	77.9 78.7	78.3	3.87 3.90	3.89		5.8 6.0	5.8	
			Bottom	16.0	21.5	26.8 26.9	26.9	5.80 5.82	5.81	74.8 75.1	75.0	4.12 4.16	4.14		6.2 6.2	6.1	
			Surface	1.0	20.4	26.6 26.5	26.6	6.35 6.38	6.37	82.5 83.0	82.8	3.16 3.19	3.18		5.0 5.2	5.1	
11/12/12	1606-1620	20/Fine	Middle	8.2	20.5	26.7 26.8	26.8	6.27 6.24	6.26	81.5 81.1	81.3	3.29 3.33	3.31	3.33	5.2 5.2	5.2	5.2
			Bottom	15.4	20.5	27.0 27.0	27.0	6.12 6.07	6.10	79.6 79.0	79.3	3.49 3.53	3.51		5.4 5.4	5.4	
			Surface	1.0	20.4	26.7 26.7	26.7	6.27 6.29	6.28	81.5 81.8	81.7	3.64 3.66	3.65		5.6 5.6	5.6	
			Middle	8.0	20.5	27.0 27.0	27.0	6.20 6.24	6.22	80.6 81.0	80.8	3.82 3.90	3.86		5.8 5.8	5.8	
13/12/12	1739-1754	19/Cloudy	Bottom	15.0	20.5	27.1 27.0	27.1	6.01 6.05	6.03	78.0 78.5	78.3	3.88 3.82	3.85	3.79	5.6 5.6	5.7	
			Surface	1.0	20.4	26.7 26.7	26.7	6.37 6.43	6.40	82.8 83.6	83.2	3.45 3.51	3.48		5.4 5.4	5.4	
			Middle	8.3	20.4	26.8 26.9	26.9	6.20 6.24	6.22	80.7 81.2	81.0	3.63 3.72	3.68		5.6 5.6	5.6	
			Bottom	15.6	20.5	26.9 27.0	27.0	6.09 6.13	6.11	79.3 79.8	79.6	3.93 3.87	3.90		5.8 5.8	5.8	
15/12/12	0934-0949	19/Cloudy	Surface	1.0	20.4	26.7 26.7	26.7	6.37 6.43	6.40	82.8 83.6	83.2	3.45 3.51	3.48	3.69	5.4 5.4	5.4	
			Middle	8.3	20.4	26.8 26.9	26.9	6.20 6.24	6.22	80.7 81.2	81.0	3.63 3.72	3.68		5.6 5.6	5.6	
			Bottom	15.6	20.5	26.9 27.0	27.0	6.09 6.13	6.11	79.3 79.8	79.6	3.93 3.87	3.90		5.8 5.8	5.8	
			Surface	1.0	20.4	26.7 26.8	26.8	6.36 6.42	6.39	82.7 83.5	83.1	3.43 3.49	3.46		5.4 5.4	5.4	
18/12/12	1158-1212	21/Cloudy	Middle	8.4	20.5	26.9 27.0	27.0	6.21 6.25	6.23	80.8 81.3	81.1	3.61 3.70	3.66	3.67	5.6 5.6	5.6	5.6
			Bottom	15.8	20.6	27.0 27.1	27.1	6.10 6.12	6.11	79.4 79.6	79.5	3.91 3.86	3.89		5.8 5.8	5.8	
			Surface	1.0	20.3	27.0 27.0	27.0	6.33 6.36	6.35	82.3 82.7	82.5	3.21 3.38	3.30	3.52	5.2 5.4	5.3	
			Middle	8.5	20.4	27.1 27.1	27.1	6.20 6.24	6.22	80.6 81.1	80.9	3.56 3.60	3.58		5.4 5.6	5.5	
20/12/12	1324-1348	16/Cloudy	Bottom	16.0	20.4	27.0 27.1	27.1	6.11 6.13	6.12	79.4 79.7	79.6	3.68 3.70	3.69	3.65	5.6 5.6	5.6	
			Surface	1.0	20.4	26.9 27.0	27.0	6.38 6.44	6.41	83.0 83.8	83.4	3.41 3.47	3.44		5.4 5.4	5.4	
			Middle	8.4	20.5	27.1 27.2	27.2	6.23 6.27	6.25	81.1 81.6	81.4	3.59 3.68	3.64		5.6 5.6	5.6	
			Bottom	15.8	20.6	27.3 27.4	27.4	6.12 6.14	6.13	79.6 79.9	79.8	3.89 3.84	3.87		5.8 5.8	5.8	
22/12/12	1458-1512	17/Cloudy	Surface	1.0	20.4	26.9 26.9	27.0	6.44 6.46	6.45	83.1 83.3	83.2	3.45 3.48	3.47	3.65	5.4 5.4	5.4	
			Middle	8.4	20.5	27.1 27.2	27.2	6.23 6.27	6.25	81.1 81.6	81.4	3.59 3.68	3.64		5.6 5.6	5.6	
			Bottom	15.8	20.6	27.3 27.4	27.4	6.12 6.14	6.13	79.6 79.9	79.8	3.89 3.84	3.87		5.8 5.8	5.8	
			Surface	1.0	18.8	26.4 26.4	26.4	6.44 6.46	6.45	83.1 83.3	83.2	3.45 3.48	3.47		5.4 5.4	5.4	
27/12/12	1718-1731	19/Cloudy	Middle	8.4	18.9	26.8 26.8	26.8	6.32 6.30	6.31	81.5 81.3	81.4	3.77 3.76	3.77	3.72	5.8 5.8	5.8	
			Bottom	15.8	19.0	27.0 27.1	27.1	6.14 6.12	6.13	79.2 78.9	79.1	3.93 3.95	3.94		6.0 6.0	6.0	
			Surface	1.0	18.8	26.6 26.5	26.6	6.40 6.38	6.39	81.9 81.7	81.8	3.49 3.51	3.50	3.77	5.4 5.4	5.4	
			Middle	8.4	18.9	26.8 26.9	26.9	6.26 6.27	6.27	80.1 80.3	80.2	3.73 3.69	3.71		5.6 5.6	5.6	
29/12/12	0803-0811	19/Cloudy	Bottom	15.8	19.0	26.9 26.9	26.9	6.11 6.09	6.10	78.2 77.9	78.1	4.11 4.09	4.10	3.77	6.0 6.0	6.0	

Mid-Flood Tide

Monitoring Station : R7

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	0953-1005	18/Cloudy	Surface	1.0	23.2	26.5 26.5	26.5	6.21 6.24	6.23	86.1 86.5	86.3	3.31 3.37	3.34	3.59	5.2 5.2	5.2	5.5
			Middle	8.8	23.3	26.8 26.9	26.9	6.08 6.07	6.08	84.3 84.1	84.2	3.52 3.61	3.57		5.4 5.6	5.5	
			Bottom	16.6	23.3	26.9 27.0	27.0	5.87 5.82	5.85	81.4 80.7	81.1	3.84 3.88	3.86		5.8 5.8	5.8	
			Surface	1.0	21.5	26.3 26.4	26.4	6.23 6.26	6.25	80.6 81.0	80.8	3.29 3.35	3.32		5.2 5.2	5.2	
			Middle	8.9	21.4	26.5 26.6	26.6	6.10 6.09	6.10	78.9 78.8	78.9	3.50 3.59	3.55		5.4 5.6	5.5	
			Bottom	16.8	21.3	26.7 26.8	26.8	5.89 5.90	5.90	76.2 76.3	76.3	3.82 3.86	3.84		5.8 5.8	5.8	
06/12/12	1355-1410	16/Fine	Surface	1.0	21.4	26.4 26.4	26.4	6.20 6.24	6.22	80.2 80.8	80.5	3.63 3.67	3.65	3.89	5.6 5.6	5.6	5.8
			Middle	9.1	21.5	26.6 26.7	26.7	6.01 6.05	6.03	77.8 78.3	78.1	3.88 3.92	3.90		5.8 5.8	5.8	
			Bottom	17.2	21.5	27.0 27.1	27.1	5.84 5.79	5.82	75.6 74.9	75.3	4.14 4.10	4.12		6.0 6.0	6.0	
			Surface	1.0	21.6	26.4 26.5	26.5	6.20 6.28	6.24	79.9 81.0	80.5	3.61 3.63	3.62		5.6 5.6	5.6	
			Middle	9.1	21.6	26.6 26.7	26.7	6.02 6.04	6.03	77.7 77.9	77.8	3.96 3.92	3.94		5.8 5.8	5.8	
			Bottom	17.2	21.4	26.9 27.0	27.0	5.87 5.90	5.89	75.7 76.1	75.9	4.08 4.10	4.09		6.0 6.0	6.0	
08/12/12	1442-1457	20/Cloudy	Surface	1.0	21.6	26.4 26.5	26.5	6.20 6.28	6.24	79.9 81.0	80.5	3.61 3.63	3.62	3.88	5.6 5.6	5.6	5.8
			Middle	9.1	21.6	26.6 26.7	26.7	6.02 6.04	6.03	77.7 77.9	77.8	3.96 3.92	3.94		5.8 5.8	5.8	
			Bottom	17.2	21.4	26.9 27.0	27.0	5.87 5.90	5.89	75.7 76.1	75.9	4.08 4.10	4.09		6.0 6.0	6.0	
			Surface	1.0	20.4	26.6 26.6	26.6	6.34 6.37	6.36	82.4 82.7	82.6	3.27 3.23	3.25		5.2 5.2	5.2	
			Middle	9.1	20.5	26.8 26.9	26.9	6.22 6.26	6.24	80.9 81.3	81.1	3.46 3.41	3.44		5.4 5.4	5.4	
			Bottom	17.2	20.5	27.0 27.1	27.1	6.06 6.02	6.04	78.8 78.3	78.6	3.54 3.58	3.56		5.6 5.6	5.6	
13/12/12	1758-1813	19/Cloudy	Surface	1.0	20.4	26.7 26.7	26.7	6.29 6.26	6.28	81.6 81.2	81.4	3.52 3.58	3.55	3.67	5.4 5.6	5.5	5.6
			Middle	8.9	20.5	26.8 26.9	26.9	6.21 6.27	6.24	80.6 81.4	81.0	3.69 3.66	3.68		5.6 5.6	5.6	
			Bottom	16.8	20.5	27.0 27.1	27.1	6.12 6.10	6.11	79.4 79.3	79.4	3.75 3.79	3.77		5.8 5.8	5.8	
			Surface	1.0	20.4	26.6 26.7	26.7	6.40 6.35	6.38	83.2 82.6	82.9	3.36 3.42	3.39		5.2 5.4	5.3	
			Middle	9.2	20.4	26.8 26.8	26.8	6.18 6.21	6.20	80.4 80.8	80.6	3.57 3.61	3.59		5.4 5.6	5.5	
			Bottom	17.4	20.4	27.0 27.1	27.1	6.14 6.11	6.13	79.9 79.6	79.8	3.77 3.82	3.80		5.6 5.8	5.7	
18/12/12	1216-1230	21/Cloudy	Surface	1.0	20.4	26.7 26.8	26.8	6.42 6.37	6.40	83.5 82.9	83.2	3.34 3.39	3.37	3.57	5.2 5.4	5.3	5.6
			Middle	9.2	20.4	26.8 26.9	26.9	6.20 6.23	6.22	80.7 81.1	80.9	3.56 3.59	3.58		5.6 5.6	5.6	
			Bottom	17.4	20.5	26.9 27.0	27.0	6.16 6.13	6.15	80.1 79.8	80.0	3.75 3.80	3.78		5.8 5.8	5.8	
			Surface	1.0	20.4	26.7 27.0	27.0	6.43 6.42	6.40	83.5 83.5	83.6	3.18 3.20	3.19		5.2 5.2	5.2	
			Middle	9.3	20.4	27.0 27.1	27.1	6.32 6.38	6.35	82.2 82.9	82.6	3.47 3.41	3.44		5.4 5.4	5.4	
			Bottom	17.6	20.5	27.1 27.1	27.1	6.20 6.24	6.22	80.6 81.1	80.9	3.59 3.62	3.61		5.6 5.6	5.6	
22/12/12	1516-1530	17/Cloudy	Surface	1.0	20.4	26.8 26.9	26.9	6.45 6.40	6.43	83.9 83.3	83.6	3.32 3.34	3.33	3.55	5.2 5.4	5.3	5.5
			Middle	9.2	20.4	26.9 27.0	27.0	6.22 6.25	6.24	80.9 81.3	81.1	3.54 3.57	3.56		5.4 5.6	5.5	
			Bottom	17.4	20.5	27.1 27.2	27.2	6.18 6.15	6.17	80.4 80.0	80.2	3.73 3.78	3.76		5.6 5.8	5.7	
			Surface	1.0	18.8	26.5 26.5	26.5	6.40 6.44	6.42	82.6 83.1	82.9	3.46 3.46	3.46		5.4 5.4	5.4	
			Middle	9.2	18.9	26.6 26.7	26.7	6.32 6.34	6.33	81.5 81.8	81.7	3.72 3.74	3.73		5.6 5.6	5.6	
			Bottom	17.4	19.1	27.0 27.1	27.1	6.12 6.12	6.12	78.9 78.9	78.9	3.90 3.92	3.91		5.8 5.8	5.8	
29/12/12	0818-0826	19/Cloudy	Surface	1.0	18.7	26.6 26.5	26.6	6.51 6.55	6.53	83.3 83.8	83.6	3.66 3.62	3.64	3.84	5.6 5.6	5.6	5.8
			Middle	9.2	18.9	26.8 26.8	26.8	6.25 6.20	6.23	80.0 79.4	79.7	3.82 3.83	3.83		5.8 5.8	5.8	
			Bottom	17.4	19.1	27.0 27.1	27.0	6.05 6.03	6.04	77.4 77.2	77.3	4.03 4.07	4.05		6.0 6.0	6.0	

Mid-Flood Tide

東英檢驗有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R8a

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/12/12	1015-1018	18/Cloudy	Surface	1.0	23.3	26.4 26.5	26.5	6.22 6.18	6.20	86.2 85.7	86.0	3.29 3.36	3.33	3.53	5.2 5.0 5.5 5.4 5.6 5.6	5.1 5.1 5.5 5.5 5.6 5.6	
			Middle	6.8	23.2	26.6 26.7	26.7	6.07 6.01	6.04	84.1 83.3	83.7	3.48 3.54	3.51				
			Bottom	12.6	23.3	26.8 26.9	26.9	5.90 5.86	5.88	81.8 81.2	81.5	3.75 3.78	3.77				
			Surface	1.0	21.7	26.2 26.3	26.3	6.24 6.20	6.22	80.7 80.2	80.5	3.27 3.34	3.31		5.2 5.5 5.5 5.4 5.6 5.6	5.4 5.4 5.5 5.5 5.6 5.6	
			Middle	7.0	21.6	26.4 26.5	26.5	6.09 6.03	6.06	78.8 78.0	78.4	3.46 3.52	3.49				
			Bottom	13.0	21.6	26.6 26.7	26.7	5.92 5.88	5.90	76.6 76.1	76.4	3.73 3.76	3.75				
06/12/12	1417-1431	16/Fine	Surface	1.0	21.5	26.4 26.3	26.4	6.24 6.29	6.27	80.8 81.4	81.1	3.66 3.70	3.68	3.82	5.6 5.5 5.5 5.8 5.8 6.0	5.6 5.6 5.7 5.7 5.9 5.9	
			Middle	6.7	21.5	26.4 26.5	26.5	6.18 6.13	6.16	80.0 79.3	79.7	3.82 3.86	3.84				
			Bottom	12.4	21.5	26.7 26.6	26.7	6.04 5.99	6.02	78.2 77.5	77.9	3.90 3.95	3.93				
			Surface	1.0	21.7	26.3 26.4	26.4	6.27 6.21	6.24	80.9 80.1	80.5	4.01 4.06	4.04		4.32	5.8 6.0 6.5 6.4 6.4 6.6	5.9 6.3
			Middle	7.0	21.6	26.6 26.6	26.6	6.20 6.18	6.19	79.9 79.7	79.8	4.32 4.38	4.35				
			Bottom	13.0	21.5	26.8 26.9	26.9	5.92 5.98	5.95	76.4 77.1	76.8	4.53 4.60	4.57				
08/12/12	1459-1515	20/Cloudy	Surface	1.0	21.7	26.3 26.4	26.4	6.27 6.21	6.24	80.9 80.1	80.5	4.01 4.06	4.04	4.32	5.8 6.0 6.5 6.4 6.4 6.6	5.9 6.3	
			Middle	7.0	21.6	26.6 26.6	26.6	6.20 6.18	6.19	79.9 79.7	79.8	4.32 4.38	4.35				
			Bottom	13.0	21.5	26.8 26.9	26.9	5.92 5.98	5.95	76.4 77.1	76.8	4.53 4.60	4.57				
			Surface	1.0	20.4	26.6 26.7	26.7	6.43 6.47	6.45	83.6 84.1	83.9	3.21 3.17	3.19		3.38	5.2 5.0 5.0 5.4 5.4 5.6	5.1 5.3
			Middle	7.2	20.5	26.7 26.8	26.8	6.31 6.35	6.33	82.0 82.5	82.3	3.34 3.40	3.37				
			Bottom	13.4	20.5	26.9 26.9	26.9	6.14 6.18	6.16	79.8 80.3	80.1	3.57 3.60	3.59				
13/12/12	1816-1831	19/Cloudy	Surface	1.0	20.4	26.7 26.7	26.7	6.31 6.33	6.32	82.0 82.2	82.1	3.43 3.45	3.44	3.60	5.4 5.5 5.5 5.6 5.6 5.6	5.5 5.5	
			Middle	6.6	20.3	26.8 26.9	26.9	6.26 6.30	6.28	81.2 81.8	81.5	3.62 3.66	3.64				
			Bottom	12.2	20.5	26.9 26.9	26.9	6.01 6.03	6.02	78.1 78.2	78.2	3.74 3.70	3.72				
			Surface	1.0	20.3	26.6 26.7	26.7	6.39 6.35	6.37	83.1 82.6	82.9	3.34 3.39	3.37		3.55	5.4 5.5 5.5 5.6 5.6 5.6	5.5 5.5
			Middle	6.4	20.4	26.7 26.8	26.8	6.29 6.25	6.27	81.8 81.3	81.6	3.52 3.59	3.56				
			Bottom	11.8	20.4	27.0 27.1	27.1	6.13 6.08	6.11	79.8 79.2	79.5	3.75 3.71	3.73				
18/12/12	1234-1248	21/Cloudy	Surface	1.0	20.3	26.6 26.6	26.6	6.42 6.38	6.40	83.5 83.0	83.3	3.32 3.37	3.35	3.53	5.2 5.0 5.5 5.6 5.6 5.6	5.1 5.4 5.6 5.6 5.6 5.6	
			Middle	6.4	20.4	26.7 26.8	26.8	6.32 6.28	6.30	82.2 81.7	82.0	3.50 3.57	3.54				
			Bottom	11.8	20.5	26.9 27.0	27.0	6.16 6.11	6.14	80.1 79.5	79.8	3.73 3.69	3.71				
			Surface	1.0	20.4	26.9 26.9	26.9	6.36 6.32	6.34	82.7 82.2	82.5	3.27 3.21	3.24		3.37	5.2 5.0 5.0 5.2 5.4 5.6	5.1 5.2 5.1 5.2 5.5 5.2
			Middle	6.9	20.4	27.0 27.0	27.0	6.25 6.28	6.27	81.3 81.6	81.5	3.30 3.34	3.32				
			Bottom	12.8	20.5	27.1 27.1	27.1	6.19 6.21	6.20	80.5 80.7	80.6	3.51 3.57	3.54				
22/12/12	1534-1548	17/Cloudy	Surface	1.0	20.4	26.8 26.8	26.8	6.44 6.40	6.42	83.8 82.6	83.6	3.30 3.35	3.33	3.51	5.2 5.0 5.5 5.4 5.6 5.6	5.1 5.1 5.5 5.5 5.6 5.6	
			Middle	6.3	20.4	26.9 27.0	27.0	6.34 6.30	6.32	82.5 81.3	82.3	3.48 3.55	3.52				
			Bottom	11.6	20.6	27.1 27.2	27.2	6.18 6.13	6.16	80.4 79.8	80.1	3.71 3.67	3.69				
			Surface	1.0	18.6	26.6 26.8	26.7	6.44 6.40	6.42	83.1 82.6	82.9	3.46 3.46	3.46		3.69	5.4 5.5 5.5 5.6 5.6 5.8	5.5 5.6
			Middle	6.9	18.8	26.7 26.7	26.7	6.34 6.30	6.32	81.8 81.3	81.6	3.72 3.70	3.71				
			Bottom	12.8	19.0	27.0 27.0	27.0	6.14 6.12	6.13	79.2 78.9	79.1	3.92 3.90	3.91				
29/12/12	0833-0842	19/Cloudy	Surface	1.0	18.8	26.6 26.8	26.7	6.54 6.50	6.52	83.7 83.2	83.5	3.45 3.44	3.45	3.68	5.4 5.5 5.5 5.6 5.6 5.8	5.5 5.6	
			Middle	6.9	18.8	26.9 26.8	26.9	6.35 6.38	6.37	81.3 81.7	81.5	3.68 3.72	3.70				
			Bottom	12.8	19.0	26.9 27.0	27.0	6.08 6.10	6.09	77.8 78.1	78.0	3.87 3.90	3.89				

Mid-Flood Tide

東華檢驗測試有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R15

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	0740-0753	18/Cloudy	Surface	1.0	23.3	26.4 26.5	26.5 26.6	6.08 6.06	6.07 84.3 84.0	84.2 3.55 3.61	3.58	3.79	5.4 5.6 5.6	5.5 5.7	5.7	
				Middle	6.3	23.3	26.5 26.6	5.98 5.94	5.96 82.9 82.3	82.6 3.74 3.77	3.76		5.8 6.0 6.0	5.7 6.0		
				Bottom	11.6	23.4	26.9 26.9	5.77 5.75	5.76 80.0 79.7	79.9 3.99 4.05	4.02		6.0 6.0	6.0		
04/12/12	0940-0953	16/Cloudy	Surface	1.0	21.5	26.4 26.5	26.5	6.10 6.08	6.09 78.9 78.7	78.8 3.53 3.59	3.56	3.77	5.4 5.4 5.6	5.4 5.6	5.6	
				Middle	6.4	21.5	26.5 26.6	6.00 5.96	5.98 77.6 77.1	77.4 3.72 3.75	3.74		5.6 5.6 5.8	5.6 5.6 6.0		
				Bottom	11.8	21.4	26.8 26.9	5.79 5.77	5.78 74.9 74.7	74.8 3.97 4.03	4.00		6.0 6.0	5.9		
06/12/12	1135-1150	15/Fine	Surface	1.0	21.6	26.4 26.4	26.4	6.11 6.14	6.13 79.1 79.5	79.3 4.01 4.07	4.04	4.22	6.0 6.0 6.2	6.0 6.2	6.2	
				Middle	5.7	21.5	26.5 26.4	6.02 5.99	6.01 77.9 77.5	77.7 4.23 4.18	4.21		6.2 6.2 6.4	6.2 6.2 6.4		
				Bottom	10.4	21.6	26.6 26.5	5.87 5.90	5.89 76.0 76.4	76.2 4.44 4.40	4.42		6.4 6.4	6.4		
08/12/12	1236-1251	20/Cloudy	Surface	1.0	21.7	26.4 26.5	26.5	6.11 6.17	6.14 78.8 79.6	79.2 3.86 3.90	3.88	4.20	5.8 5.8 6.2	5.8 6.2	6.2	
				Middle	6.4	21.6	26.6 26.6	6.02 6.04	6.03 77.7 77.9	77.8 4.20 4.24	4.22		6.2 6.2 6.6	6.2 6.2 6.5		
				Bottom	11.8	21.5	26.9 26.9	5.84 5.86	5.85 75.3 75.6	75.5 4.51 4.49	4.50		6.4 6.4	6.4		
11/12/12	1410-1423	20/Fine	Surface	1.0	20.4	26.6 26.6	26.6	6.33 6.37	6.35 82.3 82.8	82.6 3.48 3.45	3.47	3.67	5.4 5.4 5.6	5.4 5.4 5.6	5.6	
				Middle	5.8	20.4	26.7 26.6	6.28 6.25	6.27 81.6 81.3	81.5 3.70 3.65	3.68		5.6 5.6 5.8	5.6 5.6 5.8		
				Bottom	10.6	20.4	26.8 26.8	6.09 6.05	6.07 79.2 78.6	78.9 3.86 3.90	3.88		5.8 5.8	5.8		
13/12/12	1551-1606	19/Cloudy	Surface	1.0	20.4	26.7 26.8	26.8	6.15 6.18	6.17 79.8 80.2	80.0 3.57 3.60	3.59	3.74	5.4 5.6 5.6	5.5 5.6 5.7	5.7	
				Middle	5.5	20.5	26.9 26.9	6.02 6.08	6.05 78.1 79.0	78.6 3.72 3.77	3.75		5.6 5.8 6.0	5.6 5.8 5.9		
				Bottom	10.0	20.5	26.9 27.0	6.08 6.12	6.10 79.0 79.4	79.2 3.88 3.90	3.89		6.0 6.0	6.0		
15/12/12	0740-0755	19/Cloudy	Surface	1.0	20.3	26.7 26.6	26.7	6.24 6.27	6.26 81.1 81.5	81.3 3.55 3.60	3.58	3.74	5.4 5.6 5.6	5.5 5.6 5.6	5.7	
				Middle	6.2	20.3	26.7 26.7	6.19 6.17	6.18 80.5 80.3	80.4 3.67 3.72	3.70		5.6 5.6 5.8	5.6 5.6 5.9		
				Bottom	11.4	20.4	26.8 26.9	6.00 6.03	6.02 78.1 78.5	78.3 3.93 3.97	3.95		6.0 6.0	6.0		
18/12/12	1009-1024	21/Cloudy	Surface	1.0	20.4	26.6 26.7	26.7	6.26 6.29	6.28 81.4 81.8	81.6 3.53 3.58	3.56	3.72	5.4 5.6 5.6	5.5 5.6 5.6	5.6	
				Middle	6.3	20.4	26.8 26.9	6.21 6.19	6.20 80.8 80.5	80.7 3.65 3.71	3.68		5.6 5.6 5.8	5.6 5.6 5.8		
				Bottom	11.6	20.5	27.0 27.1	6.02 6.05	6.04 78.3 78.7	78.5 3.91 3.95	3.93		5.8 5.8	5.8		
20/12/12	1136-1151	16/Cloudy	Surface	1.0	20.4	26.8 26.9	26.9	6.23 6.27	6.25 80.9 81.5	81.2 3.27 3.30	3.29	3.44	5.2 5.2 5.4	5.2 5.2 5.4	5.4	
				Middle	6.6	20.4	27.0 27.0	6.10 6.14	6.12 79.6 79.8	79.7 3.36 3.42	3.39		5.4 5.4 5.6	5.4 5.4 5.6		
				Bottom	12.2	20.5	27.1 27.0	6.12 6.18	6.15 79.6 80.3	80.0 3.67 3.62	3.65		5.6 5.6	5.6		
22/12/12	1309-1324	17/Cloudy	Surface	1.0	20.3	26.8 26.9	26.9	6.28 6.31	6.30 81.7 82.1	81.9 3.51 3.56	3.54	3.70	5.4 5.4 5.6	5.4 5.4 5.6	5.6	
				Middle	6.4	20.4	27.0 27.1	6.23 6.21	6.22 81.1 81.8	81.0 3.64 3.68	3.66		5.6 5.6 5.8	5.6 5.6 5.8		
				Bottom	11.8	20.4	27.2 27.3	6.04 6.07	6.06 78.6 79.0	78.8 3.89 3.93	3.91		5.8 5.8	5.8		
27/12/12	1518-1531	19/Cloudy	Surface	1.0	18.8	26.5 26.6	26.6	6.44 6.46	6.45 83.1 83.3	83.2 3.48 3.44	3.46	3.70	5.4 5.4 5.6	5.4 5.4 5.6	5.6	
				Middle	6.1	18.8	26.8 26.7	6.38 6.34	6.36 82.3 81.8	82.1 3.68 3.72	3.70		5.6 5.6 5.8	5.6 5.6 5.8		
				Bottom	11.2	19.1	27.0 27.2	6.10 6.08	6.09 78.7 78.4	78.6 3.94 3.92	3.93		5.8 5.8	5.8		
29/12/12	0632-0640	19/Cloudy	Surface	1.0	18.7	26.6 26.6	26.6	6.47 6.43	6.45 82.8 82.3	82.6 3.61 3.59	3.60	3.83	5.6 5.6 5.8	5.6 5.6 5.8	5.8	
				Middle	6.1	18.8	26.9 26.9	6.31 6.37	6.34 80.7 81.5	81.1 3.68 3.90	3.88		5.8 5.8 6.0	5.8 5.8 6.1		
				Bottom	11.2	19.1	27.0 27.1	6.12 6.15	6.14 78.3 78.7	78.5 3.99 4.04	4.02		6.0 6.0	6.2		

Mid-Flood Tide


 東華檢驗測試有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R16

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	0719-0734	18/Cloudy	Surface	1.0	23.3	26.4 26.4	26.4	6.11 6.06	6.09	84.7 84.0	84.4	3.56 3.50	3.53	3.71	5.4 5.4	5.4	5.6
			Middle	6.5	23.4	26.6 26.7	26.7	6.05 6.00	6.03	83.9 83.2	83.6	3.71 3.65	3.68		5.6 5.6	5.6	
			Bottom	12.0	23.4	26.9 27.0	27.0	5.89 5.85	5.87	81.6 81.1	81.4	3.95 3.89	3.92		5.8 5.8	5.8	
			Surface	1.0	21.5	26.3 26.4	26.4	6.13 6.08	6.11	79.3 78.7	79.0	3.54 3.48	3.51		5.4 5.4	5.4	5.6
			Middle	6.7	21.4	26.5 26.5	26.5	6.07 6.02	6.05	78.5 77.9	78.2	3.69 3.67	3.68		5.6 5.6	5.6	
			Bottom	12.4	21.4	26.7 26.8	26.8	5.91 5.87	5.89	76.5 76.0	76.3	3.93 3.87	3.90		6.0 5.8	5.9	
06/12/12	1117-1130	15/Fine	Surface	1.0	21.5	26.3 26.4	26.4	6.16 6.20	6.18	79.7 80.3	80.0	3.94 3.99	3.97	4.16	5.8 6.0	5.9	6.1
			Middle	6.7	21.6	26.5 26.5	26.5	6.10 6.07	6.09	78.9 78.6	78.8	4.08 4.12	4.10		6.0 6.2	6.1	
			Bottom	12.4	21.6	26.7 26.7	26.7	5.93 5.96	5.95	76.7 77.2	77.0	4.38 4.42	4.40		6.4 6.4	6.4	
			Surface	1.0	21.7	26.5 26.6	26.6	6.28 6.26	6.27	81.0 80.9	81.0	3.95 3.94	3.95		5.8 5.8	5.8	6.1
			Middle	6.9	21.6	26.7 26.6	26.7	6.10 6.06	6.08	78.7 78.2	78.5	4.10 4.06	4.08		6.2 6.0	6.1	
			Bottom	12.8	21.5	26.7 26.8	26.8	5.91 5.93	5.92	76.2 76.5	76.4	4.36 4.40	4.38		6.2 6.4	6.3	
11/12/12	1218-1233	20/Cloudy	Surface	1.0	20.3	26.6 26.5	26.6	6.35 6.39	6.37	82.6 83.0	82.8	3.24 3.28	3.26	4.14	5.4 5.2	5.3	5.5
			Middle	6.4	20.4	26.7 26.7	26.7	6.20 6.23	6.22	80.6 81.0	80.8	3.39 3.42	3.41		5.4 5.4	5.4	
			Bottom	11.8	20.5	27.0 27.0	27.0	6.06 6.10	6.08	78.8 79.4	79.1	3.63 3.67	3.65		5.6 5.8	5.7	
			Surface	1.0	20.5	26.8 26.8	26.8	6.24 6.20	6.22	81.0 80.5	80.8	3.41 3.45	3.43		5.4 5.4	5.4	5.6
			Middle	6.5	20.6	26.8 26.9	26.9	6.10 6.14	6.12	79.2 79.1	79.2	3.59 3.55	3.57		5.6 5.4	5.5	
			Bottom	12.0	20.5	27.0 27.1	27.1	6.09 6.08	6.09	79.0 78.9	79.0	3.79 3.76	3.78		5.8 5.8	5.8	
15/12/12	0719-0734	19/Cloudy	Surface	1.0	20.2	26.6 26.7	26.7	6.26 6.24	6.25	81.4 81.1	81.3	3.47 3.50	3.49	3.61	5.4 5.4	5.4	5.5
			Middle	6.8	20.4	26.7 26.8	26.8	6.14 6.09	6.12	79.9 79.2	79.6	3.55 3.61	3.58		5.4 5.6	5.5	
			Bottom	12.6	20.5	26.9 27.0	27.0	6.06 6.10	6.08	78.9 79.4	79.2	3.73 3.78	3.76		5.6 5.8	5.7	
			Surface	1.0	20.3	26.7 26.7	26.7	6.27 6.25	6.26	81.6 81.3	81.5	3.45 3.48	3.47		5.4 5.0	5.2	5.5
			Middle	6.9	20.4	26.8 26.9	26.9	6.15 6.11	6.13	80.0 79.5	79.8	3.53 3.59	3.56		5.6 5.6	5.6	
			Bottom	12.8	20.4	26.9 27.0	27.0	6.07 6.12	6.10	79.0 79.6	79.3	3.71 3.76	3.74		5.6 5.8	5.7	
20/12/12	1118-1133	16/Cloudy	Surface	1.0	20.4	26.9 27.0	27.0	6.36 6.40	6.38	82.7 83.2	83.0	3.36 3.38	3.37	3.48	5.2 5.4	5.3	5.4
			Middle	7.0	20.4	27.1 27.1	27.1	6.19 6.11	6.15	80.5 79.4	80.0	3.45 3.50	3.48		5.4 5.4	5.4	
			Bottom	13.0	20.5	27.1 27.1	27.1	6.09 6.01	6.05	79.2 78.1	78.7	3.56 3.60	3.58		5.6 5.6	5.6	
			Surface	1.0	20.3	26.8 26.9	26.9	6.29 6.27	6.28	81.8 81.6	81.7	3.43 3.46	3.47		5.4 5.0	5.2	5.5
			Middle	6.9	20.4	26.9 27.0	27.0	6.17 6.13	6.15	80.3 79.8	80.1	3.51 3.57	3.56		5.6 5.6	5.6	
			Bottom	12.8	20.4	27.1 27.2	27.2	6.14 6.12	6.10	79.0 79.9	79.3	3.71 3.74	3.74		5.6 5.8	5.7	
22/12/12	1249-1304	17/Cloudy	Surface	1.0	20.4	26.8 26.9	26.9	6.28 6.27	6.28	82.8 81.6	81.7	3.45 3.46	3.45	3.57	5.4 5.4	5.4	5.5
			Middle	6.9	20.4	26.9 27.0	27.0	6.17 6.13	6.15	80.3 79.8	80.1	3.51 3.57	3.54		5.4 5.6	5.5	
			Bottom	12.8	20.4	27.1 27.2	27.2	6.19 6.14	6.12	79.2 79.9	79.6	3.69 3.74	3.72		5.6 5.8	5.7	
			Surface	1.0	18.7	26.6 26.8	26.7	6.43 6.44	6.42	83.1 83.1	83.0	3.46 3.48	3.47		5.4 5.4	5.4	5.5
			Middle	6.8	18.9	26.6 26.9	26.8	6.34 6.32	6.33	81.8 81.5	81.7	3.70 3.68	3.69		5.6 5.6	5.6	
			Bottom	12.6	19.1	26.9 27.0	27.0	6.15 6.13	6.14	79.3 79.1	79.2	3.88 3.90	3.89		5.8 5.8	5.8	
27/12/12	1458-1511	19/Cloudy	Surface	1.0	18.7	26.7 26.7	26.7	6.56 6.50	6.53	83.9 83.2	83.6	3.48 3.51	3.50	3.68	5.4 5.4	5.4	5.6
			Middle	6.8	18.9	26.8 26.8	26.8	6.42 6.39	6.41	82.2 81.8	82.0	3.78 3.82	3.80		5.6 5.6	5.6	
			Bottom	12.6	19.0	27.0 27.0	27.0	6.07 6.05	6.06	77.7 77.4	77.6	4.12 4.09	4.11		6.0 6.0	6.0	
			Surface	1.0	18.7	26.7 26.7	26.7	6.56 6.50	6.53	83.9 83.2	83.6	3.48 3.51	3.50		5.4 5.4	5.4	5.7
			Middle	6.7	18.8	26.8 26.8	26.8	6.42 6.39	6.41	82.2 81.8	82.0	3.78 3.82	3.80		5.6 5.6	5.7	
			Bottom	12.4	19.0	27.0 27.0	27.0	6.07 6.05	6.06	77.7 77.4	77.6	4.12 4.09	4.11		6.0 6.0	6.0	

Mid-Flood Tide

東華德測試有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R17

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/12/12	0700-0715	18/Cloudy	Surface	1.0	23.3	26.4 26.5	26.5	6.19 6.14	6.17	85.8 85.1	85.5	3.52 3.45	3.49	3.67	5.4 5.4	5.4	5.6
				Middle	6.1	23.3	26.7 26.8	26.8	6.07 6.03	6.05	84.1 83.6	83.9	3.60 3.67	3.64	5.6 5.5	5.6	
				Bottom	11.2	23.4	26.8 26.9	26.9	5.88 5.90	5.89	81.5 81.8	81.7	3.92 3.86	3.89	6.0 5.8	5.9	
			Surface	1.0	21.5	26.4 26.4	26.4	6.16 6.21	6.19	79.7 80.4	80.1	3.50 3.43	3.47	5.4 5.4	5.4	5.6	
				Middle	6.3	21.4	26.5 26.6	26.6	6.09 6.05	6.07	78.8 78.3	78.6	3.58 3.65	3.62	5.6 5.5	5.6	
				Bottom	11.6	21.3	26.8 26.9	26.9	5.90 5.92	5.91	76.3 76.6	76.5	3.90 3.84	3.87	6.0 5.8	5.9	
06/12/12	1100-1113	15/Fine	Surface	1.0	21.6	26.4 26.4	26.4	6.21 6.18	6.20	80.4 80.0	80.2	4.03 3.97	4.00	4.16	6.0 5.8	5.9	6.1
				Middle	6.3	21.6	26.4 26.5	26.5	6.14 6.11	6.13	79.5 79.1	79.3	4.14 4.19	4.17	6.0 6.0	6.0	
				Bottom	11.6	21.7	26.6 26.7	26.7	6.03 6.01	6.02	78.0 77.8	77.9	4.30 4.35	4.33	6.5 6.4	6.5	
			Surface	1.0	21.7	26.4 26.5	26.5	6.19 6.21	6.20	79.9 80.1	80.0	3.84 3.88	3.86	5.8 5.8	5.8		
				Middle	6.5	21.5	26.6 26.7	26.7	6.12 6.10	6.11	78.9 78.7	78.8	4.04 4.08	4.06	6.0 6.0	6.0	
				Bottom	12.0	21.4	26.8 26.9	26.9	5.82 5.90	5.86	75.1 76.1	75.6	4.11 4.17	4.14	6.0 6.2	6.1	
08/12/12	1200-1215	20/Cloudy	Surface	1.0	20.3	26.6 26.6	26.6	6.29 6.34	6.32	81.7 82.4	82.1	3.41 3.36	3.39	4.02	5.4 5.4	5.4	6.0
				Middle	6.0	20.4	26.8 26.9	26.9	6.15 6.19	6.17	79.9 80.5	80.2	3.50 3.55	3.53	5.4 5.5	5.5	
				Bottom	11.0	20.5	27.0 27.0	27.0	6.04 6.01	6.03	78.5 78.2	78.4	3.71 3.75	3.73	6.0 5.8	5.9	
			Surface	1.0	20.4	26.7 26.7	26.7	6.30 6.27	6.29	81.9 81.4	81.7	3.48 3.52	3.50	5.4 5.4	5.4	5.6	
				Middle	5.9	20.5	26.9 26.9	26.9	6.17 6.15	6.16	80.1 79.8	80.0	3.52 3.50	3.51	5.4 5.5	5.5	
				Bottom	10.8	20.6	26.9 27.0	27.0	6.03 6.01	6.02	78.2 78.0	78.1	3.70 3.66	3.68	5.5 5.6	5.6	
13/12/12	1515-1530	19/Cloudy	Surface	1.0	20.4	26.7 26.7	26.7	6.30 6.27	6.29	81.9 81.4	81.7	3.48 3.52	3.50	3.56	5.4 5.4	5.4	5.5
				Middle	5.9	20.5	26.9 26.9	26.9	6.17 6.15	6.16	80.1 79.8	80.0	3.52 3.50	3.51	5.4 5.5	5.5	
				Bottom	10.8	20.6	26.9 27.0	27.0	6.03 6.01	6.02	78.2 78.0	78.1	3.70 3.66	3.68	5.5 5.6	5.6	
			Surface	1.0	20.3	26.6 26.6	26.6	6.35 6.31	6.33	82.6 82.0	82.3	3.51 3.56	3.54	5.4 5.4	5.4	5.6	
				Middle	6.4	20.4	26.7 26.8	26.8	6.28 6.24	6.26	81.7 81.2	81.5	3.64 3.68	3.66	5.6 5.5	5.6	
				Bottom	11.8	20.4	26.8 26.9	26.9	6.11 6.06	6.09	79.6 78.9	79.3	3.91 3.85	3.88	6.0 5.8	5.9	
18/12/12	0930-0945	21/Cloudy	Surface	1.0	20.3	26.6 26.7	26.7	6.37 6.33	6.35	82.9 82.4	82.7	3.49 3.55	3.52	3.67	5.4 5.4	5.4	5.6
				Middle	6.5	20.3	26.7 26.8	26.8	6.30 6.26	6.28	82.0 81.4	81.7	3.62 3.66	3.64	5.6 5.5	5.6	
				Bottom	12.0	20.4	26.8 26.9	26.9	6.13 6.08	6.11	79.8 79.1	79.5	3.89 3.83	3.86	6.0 5.8	5.9	
			Surface	1.0	20.3	27.0 27.1	27.1	6.41 6.43	6.42	83.3 83.6	83.5	3.18 3.20	3.19	5.0 5.0	5.0	5.2	
				Middle	6.1	20.4	27.0 27.0	27.0	6.29 6.26	6.28	81.8 81.4	81.6	3.29 3.33	3.31	5.2 5.0	5.1	
				Bottom	11.2	20.5	27.1 27.1	27.1	6.05 6.07	6.06	78.7 78.9	78.8	3.49 3.52	3.51	5.5 5.4	5.5	
20/12/12	1100-1115	16/Cloudy	Surface	1.0	20.3	26.8 26.9	26.7	6.37 6.35	6.37	82.9 82.6	82.9	3.47 3.53	3.50	3.34	5.4 5.4	5.4	5.2
				Middle	6.1	20.4	27.0 27.0	27.0	6.28 6.26	6.28	81.8 81.4	81.6	3.64 3.68	3.66	5.6 5.5	5.1	
				Bottom	11.2	20.5	27.1 27.1	27.1	6.05 6.07	6.06	78.7 78.9	78.8	3.49 3.52	3.51	5.5 5.4	5.5	
			Surface	1.0	20.3	26.8 26.9	26.9	6.39 6.35	6.37	83.1 82.6	82.9	3.47 3.53	3.50	5.4 5.4	5.4	5.5	
				Middle	6.6	20.4	27.0 27.1	27.1	6.32 6.28	6.30	82.2 81.7	82.0	3.60 3.64	3.62	5.6 5.5	5.6	
				Bottom	12.2	20.4	27.2 27.3	27.3	6.15 6.10	6.13	80.0 79.4	79.7	3.87 3.81	3.84	5.5 5.8	5.7	
27/12/12	1445-1453	19/Cloudy	Surface	1.0	18.6	26.6 26.5	26.6	6.44 6.46	6.45	83.1 83.3	83.2	3.44 3.46	3.45	3.69	5.4 5.4	5.4	5.7
				Middle	6.2	18.9	26.7 26.8	26.8	6.32 6.34	6.33	81.5 81.8	81.7	3.74 3.70	3.72	5.6 5.6	5.6	
				Bottom	11.4	19.0	27.1 27.0	27.1	6.12 6.10	6.11	78.9 78.7	78.8	3.92 3.90	3.91	6.0 6.0	6.0	
			Surface	1.0	18.7	26.7 26.6	26.7	6.48 6.53	6.51	82.9 83.6	83.3	3.67 3.65	3.66	3.87	5.6 5.6	5.6	5.8
				Middle	6.6	18.8	26.9 26.8	26.9	6.27 6.31	6.29	80.3 80.8	80.6	3.94 3.90	3.92	5.8 6.0	5.9	
				Bottom	12.2	18.9	27.0 27.1	27.1	6.11 6.12	6.12	78.2 78.3	78.3	4.02 4.05	4.04	6.0 6.0	6.0	

Mid-Flood Tide

東華检测有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R28

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	0856-0909	18/Cloudy	Surface	1.0	23.3	26.4 26.4	26.4 6.15	6.17	85.8 85.2	85.5 3.47	3.45 3.46	3.61	5.4 5.4	5.4 5.6	5.6	
				Middle	5.9	23.4	26.6 26.7	26.7	6.10 6.07	6.09	84.5 84.1	84.3 3.59	3.55 3.57	5.6 5.6	5.6 5.8	
			Bottom	10.8	23.4	26.8 26.9	26.9	5.89 5.93	5.91	81.6 82.2	81.9 3.82	3.78 3.80	5.8 5.8	5.8 5.8		
													5.4 5.4	5.4 5.6		
			Surface	1.0	21.5	26.4 26.4	26.4	6.21 6.17	6.19	80.4 79.8	80.1 3.45	3.43 3.44	5.4 5.4	5.4 5.6	5.6	
				Middle	6.1	21.4	26.6 26.7	26.7	6.12 6.09	6.11	79.2 78.8	79.0 3.57	3.53 3.55	5.6 5.6	5.6 5.8	
				Bottom	11.2	21.3	26.9 26.9	26.9	5.91 5.95	5.93	76.5 77.0	76.8 3.80	3.76 3.78	5.8 5.8	5.8 5.8	
06/12/12	1252-1307	16/Fine	Surface	1.0	21.5	26.5 26.6	26.6	6.18 6.23	6.21	80.0 80.6	80.3 3.75	3.70 3.73	3.88	5.6 5.6	5.6 5.8	5.8
				Middle	5.9	21.5	26.6 26.6	26.6	6.09 6.05	6.07	78.8 78.3	78.6 3.86	3.92 3.89	5.8 5.8	5.8 6.0	
			Bottom	10.8	21.5	26.7 26.8	26.8	5.83 5.88	5.86	75.4 76.1	75.8 4.05	4.01 4.03	6.0 6.0	6.0 6.0		
													5.8 5.8	5.8 6.0		
			Surface	1.0	21.6	26.5 26.5	26.5	6.24 6.20	6.22	80.5 80.0	80.3 3.80	3.78 3.79	4.06	5.8 5.8	5.8 6.0	6.0
				Middle	6.4	21.5	26.7 26.6	26.7	6.10 6.14	6.12	78.7 79.2	79.0 4.18	4.14 4.16	6.2 6.2	6.2 6.2	
				Bottom	11.8	21.4	26.9 27.0	27.0	5.92 5.96	5.94	76.4 76.9	76.7 4.28	4.20 4.24	6.2 6.2	6.2 6.2	
11/12/12	1530-1542	20/Fine	Surface	1.0	20.4	26.6 26.6	26.6	6.32 6.37	6.35	82.1 82.8	82.5 3.22	3.27 3.25	3.40	5.2 5.2	5.2 5.4	5.3
				Middle	5.6	20.4	26.7 26.7	26.7	6.22 6.18	6.20	80.8 80.3	80.6 3.34	3.39 3.37	5.2 5.2	5.2 5.4	
			Bottom	10.2	20.4	26.9 26.8	26.9	6.05 6.01	6.03	78.7 78.1	78.4 3.60	3.55 3.58	5.4 5.6	5.4 5.6		
													5.2 5.2	5.2 5.4		
			Surface	1.0	20.5	26.7 26.7	26.7	6.19 6.21	6.20	80.5 80.7	80.6 3.26	3.28 3.27	3.55	5.2 5.2	5.2 5.4	5.5
				Middle	5.5	20.5	26.9 26.9	26.9	6.10 6.06	6.08	79.3 78.8	79.1 3.52	3.47 3.50	5.4 5.4	5.4 5.6	
				Bottom	10.0	20.5	27.0 27.1	27.1	5.92 5.93	5.93	76.9 77.0	77.0 3.90	3.87 3.89	5.8 5.8	5.8 5.8	
15/12/12	0856-0911	19/Cloudy	Surface	1.0	20.3	26.6 26.7	26.7	6.40 6.36	6.38	83.2 82.7	83.0 3.42	3.37 3.40	3.55	5.2 5.4	5.3 5.5	5.5
				Middle	6.3	20.4	26.7 26.8	26.8	6.29 6.26	6.28	81.8 81.4	81.6 3.55	3.47 3.51	5.4 5.6	5.4 5.6	
			Bottom	11.6	20.4	26.9 27.0	27.0	6.10 6.05	6.08	79.4 78.8	79.1 3.76	3.71 3.74	5.6 5.6	5.6 5.6		
													5.2 5.4	5.3 5.5		
			Surface	1.0	20.3	26.7 26.8	26.8	6.42 6.38	6.40	83.5 83.0	83.3 3.40	3.35 3.38	3.53	5.2 5.4	5.3 5.4	5.4
				Middle	6.4	20.3	26.8 26.9	26.9	6.31 6.28	6.30	82.1 81.7	81.9 3.52	3.45 3.49	5.4 5.6	5.4 5.6	
				Bottom	11.8	20.4	26.9 27.0	27.0	6.12 6.07	6.10	79.6 79.0	79.3 3.74	3.69 3.72	5.6 5.6	5.6 5.6	
20/12/12	1248-1303	16//Cloudy	Surface	1.0	20.3	26.9 26.9	26.9	6.38 6.36	6.37	82.9 82.7	82.8 3.38	3.30 3.34	3.46	5.2 5.4	5.3 5.4	5.4
				Middle	6.5	20.4	27.0 27.0	27.0	6.24 6.26	6.25	81.1 81.4	81.3 3.48	3.42 3.45	5.4 5.6	5.4 5.6	
			Bottom	12.0	20.5	27.1 27.1	27.1	6.14 6.16	6.14	79.6 80.2	79.9 3.60	3.58 3.60	5.6 5.6	5.6 5.6		
													5.2 5.4	5.3 5.4		
			Surface	1.0	20.4	26.9 27.0	27.0	6.44 6.40	6.42	83.8 83.3	83.6 3.38	3.33 3.36	3.50	5.2 5.4	5.3 5.5	5.5
				Middle	6.5	20.4	27.1 27.2	27.2	6.33 6.30	6.32	82.4 82.0	82.2 3.49	3.43 3.46	5.4 5.6	5.4 5.6	
				Bottom	122.0	20.6	27.3 27.4	27.4	6.14 6.09	6.12	79.9 79.2	79.6 3.72	3.67 3.70	5.6 5.8	5.6 5.8	
27/12/12	1422-1436	17//Cloudy	Surface	1.0	18.7	26.4 26.6	26.5	6.44 6.42	6.43	83.1 82.8	83.0 3.48	3.45 3.48	3.72	5.4 5.4	5.4 5.6	5.6
				Middle	6.2	18.8	26.8 26.8	26.8	6.36 6.34	6.35	82.1 81.8	82.0 3.78	3.43 3.78	5.6 5.6	5.6 5.8	
			Bottom	11.4	19.1	27.2 27.1	27.2	6.10 6.12	6.11	78.7 79.0	78.9 3.92	3.94 3.93	5.8 5.8	5.8 5.8		
													5.8 6.0	5.8 6.0		
			Surface	1.0	18.8	26.6 26.7	26.7	6.61 6.58	6.60	84.6 84.2	84.4 3.57	3.62 3.60	3.84	5.6 5.6	5.6 5.8	5.8
				Middle	6.2	18.9	26.8 26.9	26.9	6.31 6.28	6.30	80.8 80.4	80.6 3.86	3.84 3.85	5.8 5.8	5.8 6.0	
				Bottom	11.4	19.1	27.0 27.0	27.0	6.02 6.03	6.03	77.1 77.2	77.2 4.04	4.08 4.06	6.0 6.0	6.0 6.0	

Mid-Flood Tide

Monitoring Station : R29

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	0916-0928	18/Cloudy	Surface	1.0	23.3	26.5 26.4	26.5 6.09	6.12 84.4	85.1 3.53	84.8 3.47	3.50	3.63	5.4 5.4	5.4	5.6	
				Middle	8.5	23.3	26.7 26.8	26.8 5.94	5.98 82.3	83.3 3.64	3.57 3.61		5.6 5.6	5.6		
				Bottom	16.0	23.4	26.9 26.9	26.9 5.80	5.78 80.4	79.7 3.74	80.1 3.77		5.8 5.8	5.8		
04/12/12	1116-1128	16/Cloudy	Surface	1.0	21.5	26.3 26.4	26.4 6.11	6.14 79.1	79.7 3.51	79.4 3.48	3.61	5.4 5.4	5.4	5.6		
				Middle	8.6	21.4	26.6 26.7	26.7 5.96	6.00 77.1	78.0 3.62	3.55 3.59	5.6 5.6	5.6			
				Bottom	16.2	21.4	26.8 26.9	26.9 5.82	5.77 75.3	74.7 3.72	75.0 3.75	5.8 5.6	5.7			
06/12/12	1313-1328	16/Fine	Surface	1.0	21.5	26.6 26.6	26.6 6.25	6.27 80.9	81.4 3.80	81.2 3.73	3.77	3.99	5.6 5.8	5.7	6.0	
				Middle	8.9	21.6	26.7 26.8	26.8 6.00	6.03 77.7	78.4 3.97	78.1 3.99		6.0 6.0	6.0		
				Bottom	16.8	21.6	27.0 27.1	27.1 5.80	5.76 75.1	74.5 4.18	74.8 4.21		6.2 6.2	6.2		
08/12/12	1406-1421	20/Cloudy	Surface	1.0	21.6	26.6 26.6	26.6 6.21	6.19 80.1	6.20 3.98	79.9 3.96	80.0 3.97	4.21	5.8 5.8	5.8	6.1	
				Middle	9.2	21.6	26.6 26.7	26.7 6.12	6.09 78.9	78.6 4.23	78.8 4.25		6.2 6.2	6.2		
				Bottom	17.4	21.5	26.8 26.9	26.9 5.90	5.84 76.1	75.3 4.41	75.7 4.42		6.4 6.4	6.4		
11/12/12	1547-1601	20/Fine	Surface	1.0	20.4	26.6 26.5	26.6 6.43	6.39 83.6	6.41 83.6	83.1 3.38	83.4 3.36	3.48	5.2 5.4	5.3	5.4	
				Middle	8.6	20.5	26.7 26.8	26.8 6.21	6.25 80.7	81.2 3.48	80.7 3.46		5.4 5.4	5.4		
				Bottom	16.2	20.5	27.0 27.0	27.0 6.11	6.07 79.4	6.09 3.61	78.9 3.63		5.6 5.6	5.6		
13/12/12	1721-1736	19/Cloudy	Surface	1.0	20.4	26.8 26.9	26.9 6.40	6.36 83.2	6.38 83.2	82.7 3.60	83.0 3.59	3.76	5.4 5.6	5.5	5.7	
				Middle	8.5	20.5	27.0 27.0	27.0 6.30	6.27 81.9	6.29 3.78	81.5 3.75		5.6 5.8	5.7		
				Bottom	16.0	20.5	27.1 27.1	27.1 5.96	5.99 77.5	5.98 77.7	77.9 3.95		6.0 5.8	5.9		
15/12/12	0915-0930	19/Cloudy	Surface	1.0	20.3	26.6 26.7	26.7 6.39	6.34 83.1	6.37 83.1	82.4 3.49	82.8 3.46	3.67	5.4 5.4	5.4	5.6	
				Middle	8.9	20.4	26.8 26.9	26.9 6.21	6.18 80.4	6.20 80.8	80.4 3.71	80.6 3.68	5.6 5.6	5.6		
				Bottom	16.8	20.5	27.0 27.1	27.1 6.02	6.07 79.0	6.05 78.7	79.0 3.89	78.4 3.86	5.8 5.8	5.8		
18/12/12	1140-1154	21/Cloudy	Surface	1.0	20.4	26.6 26.7	26.7 6.39	6.34 83.1	6.37 83.1	82.6 3.49	82.9 3.46	3.65	5.4 5.4	5.4	5.6	
				Middle	8.8	20.5	26.8 26.9	26.9 6.23	6.19 81.1	6.21 81.1	80.5 3.69	80.8 3.67	5.6 5.6	5.6		
				Bottom	16.6	20.5	27.0 27.1	27.1 6.07	6.09 79.2	6.07 78.9	79.2 3.81	78.6 3.84	5.8 5.8	5.8		
20/12/12	1306-1321	16/Cloudy	Surface	1.0	20.3	26.8 26.9	26.9 6.42	6.40 83.5	6.41 83.5	83.2 3.21	83.4 3.25	3.43	5.2 5.2	5.2	5.4	
				Middle	9.2	20.4	26.9 27.0	27.0 6.21	6.19 80.7	6.20 80.7	80.5 3.44	80.6 3.42	5.4 5.4	5.4		
				Bottom	17.4	20.5	27.0 27.1	27.1 6.03	6.01 78.4	6.02 78.3	78.1 3.64	78.4 3.63	5.6 5.6	5.6		
22/12/12	1440-1454	17/Cloudy	Surface	1.0	20.4	26.8 26.9	26.9 6.41	6.37 83.4	6.39 83.4	82.9 3.44	83.2 3.42	3.63	5.4 5.4	5.4	5.6	
				Middle	8.8	20.5	27.0 27.1	27.1 6.25	6.21 81.3	6.23 81.3	80.8 3.67	81.1 3.65	5.6 5.6	5.6		
				Bottom	16.6	20.6	27.2 27.3	27.3 6.11	6.11 79.5	6.09 79.2	79.5 3.79	78.9 3.82	5.8 5.8	5.8		
27/12/12	1658-1711	19/Cloudy	Surface	1.0	18.6	26.4 26.2	26.3 6.46	6.48 83.3	6.47 83.3	83.6 3.46	83.5 3.45	3.69	5.4 5.4	5.4	5.6	
				Middle	8.8	18.9	26.8 26.8	26.8 6.35	6.33 81.9	6.34 81.9	81.7 3.74	81.8 3.73	5.6 5.6	5.6		
				Bottom	16.6	19.1	27.2 27.2	27.2 6.12	6.12 78.9	6.09 78.9	78.9 3.88	78.9 3.89	5.8 5.8	5.8		
29/12/12	0748-0756	19/Cloudy	Surface	1.0	18.8	26.6 26.6	26.6 6.47	6.50 82.8	6.49 82.8	83.2 3.46	83.0 3.45	3.80	5.4 5.4	5.4	5.7	
				Middle	9.6	18.8	26.9 26.8	26.9 6.36	6.34 81.4	6.35 81.4	81.2 3.90	81.3 3.89	5.8 5.8	5.8		
				Bottom	18.2	19.0	27.0 26.9	27.0 6.06	6.08 77.6	6.07 77.6	77.8 4.05	77.7 4.07	6.0 6.0	6.0		

Mid-Ebb Tide

東英德測試有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : C2

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/12/12	1500-1510	21/Cloudy	Surface	1.0	23.3	26.4	26.4	6.16	6.14	85.7	85.3	3.31	3.34	3.56	5.0	5.1	5.4
						26.4	26.4	6.11	6.11	84.8	84.8	3.36	3.34		5.2	5.1	
			Middle	8.5	23.2	26.7	26.7	5.97	5.95	82.8	82.5	3.57	3.61		5.4	5.5	
						26.7	26.7	5.93	5.93	82.2	82.2	3.64	3.64		5.6	5.7	
			Bottom	16.0	23.2	27.0	27.0	5.77	5.76	80.0	79.8	3.71	3.74		5.6	5.7	
						27.0	27.0	5.74	5.74	79.6	79.6	3.77	3.74		5.8	5.7	
04/12/12	1650-1705	18/Cloudy	Surface	1.0	21.8	26.3	26.4	6.09	6.08	78.9	78.8	3.75	3.76	4.10	5.5	5.6	6.0
						26.4	26.4	6.07	6.07	78.6	78.6	3.76	3.76		5.6	5.6	
			Middle	9.4	21.6	26.5	26.6	5.92	5.94	76.7	77.0	4.09	4.08		6.0	6.0	
						26.6	26.6	5.96	5.96	77.2	77.0	4.06	4.05		6.0	6.0	
			Bottom	17.8	21.6	26.9	26.9	5.74	5.74	74.3	74.3	4.45	4.47		6.4	6.4	
						26.9	26.9	5.73	5.73	74.2	74.2	4.48	4.47		6.4	6.4	
06/12/12	1936-1950	16/Cloudy	Surface	1.0	21.5	26.4	26.4	6.29	6.31	81.5	81.8	3.73	3.75	3.92	5.5	5.6	5.8
						26.4	26.4	6.33	6.33	82.0	82.0	3.76	3.76		5.6	5.6	
			Middle	8.5	21.6	26.6	26.7	6.12	6.14	79.3	79.6	3.97	3.96		5.8	5.8	
						26.7	26.7	6.16	6.16	79.8	79.6	3.94	3.93		6.0	6.0	
			Bottom	16.0	21.6	26.9	27.0	6.01	5.99	77.8	77.6	4.02	4.05		6.0	6.0	
						27.0	27.0	5.97	5.97	77.3	77.3	4.08	4.05		6.0	6.0	
08/12/12	2130-2144	17/Cloudy	Surface	1.0	21.5	26.4	26.4	6.19	6.20	79.9	80.0	3.79	3.81	3.83	5.5	5.6	5.8
						26.4	26.4	6.21	6.21	80.1	80.1	3.83	3.83		5.6	5.6	
			Middle	9.3	21.4	26.6	26.6	6.09	6.08	78.6	78.4	3.90	3.93		5.8	5.9	
						26.6	26.6	6.06	6.06	78.2	78.4	3.96	3.93		6.0	5.8	
			Bottom	17.6	21.3	26.8	26.9	5.90	5.88	76.1	75.9	3.73	3.74		5.6	5.6	
						26.9	26.9	5.86	5.86	75.6	75.6	3.75	3.74		5.6	5.6	
11/12/12	1230-1243	19/Cloudy	Surface	1.0	20.3	26.7	26.8	6.38	6.35	83.0	82.6	3.25	3.28	3.52	5.0	5.1	5.4
						26.8	26.8	6.32	6.32	82.2	82.2	3.31	3.31		5.2	5.2	
			Middle	8.9	20.4	26.9	27.0	6.20	6.17	80.6	80.2	3.50	3.54		5.4	5.5	
						27.0	27.0	6.14	6.14	79.8	80.2	3.58	3.54		5.6	5.5	
			Bottom	16.8	20.4	27.1	27.2	6.01	6.03	78.2	78.4	3.78	3.75		5.8	5.7	
						27.2	27.2	6.04	6.04	78.5	78.5	3.72	3.72		5.6	5.6	
13/12/12	1357-1410	20/Fine	Surface	1.0	20.4	26.7	26.7	6.32	6.30	82.1	81.8	3.43	3.47	3.66	5.5	5.5	5.6
						26.7	26.7	6.27	6.27	81.4	81.4	3.50	3.47		5.4	5.4	
			Middle	9.0	20.4	26.9	26.9	6.18	6.16	80.3	80.1	3.62	3.66		5.6	5.6	
						26.9	26.9	6.14	6.14	79.8	80.1	3.69	3.66		5.6	5.6	
			Bottom	17.0	20.5	27.2	27.2	5.93	5.95	77.0	77.3	3.84	3.87		5.8	5.8	
						27.2	27.2	5.97	5.97	77.6	77.3	3.90	3.87		5.8	5.8	
15/12/12	1523-1541	19/Cloudy	Surface	1.0	20.5	26.7	26.8	6.34	6.32	82.4	82.1	3.42	3.46	3.66	5.5	5.5	5.6
						26.8	26.8	6.29	6.29	81.8	81.8	3.49	3.46		5.4	5.4	
			Middle	9.1	20.5	26.9	27.0	6.20	6.18	80.7	80.4	3.60	3.64		5.6	5.6	
						27.0	27.0	6.16	6.16	80.1	80.4	3.68	3.64		5.6	5.6	
			Bottom	17.2	20.5	27.0	27.1	5.95	5.97	77.5	77.8	3.88	3.89		5.8	5.8	
						27.1	27.1	5.99	5.99	78.0	78.0	3.89	3.89		5.8	5.8	
18/12/12	1836-1850	18/Cloudy	Surface	1.0	20.2	26.7	26.8	6.28	6.28	81.7	81.7	3.41	3.43	3.67	5.5	5.5	5.6
						26.8	26.8	6.27	6.27	81.6	81.6	3.45	3.43		5.4	5.4	
			Middle	9.0	20.3	26.8	26.8	6.20	6.18	80.7	80.4	3.68	3.69		5.6	5.6	
						26.8	26.8	6.15	6.15	80.0	80.4	3.70	3.69		5.6	5.6	
			Bottom	17.0	20.4	26.9	27.0	6.01	5.99	78.2	78.0	3.84	3.88		5.8	5.8	
						27.0	27.0	5.97	5.97	77.7	78.0	3.91	3.88		5.8	5.8	
20/12/12	2017-2030	16/Cloudy	Surface	1.0	20.4	26.9	26.9	6.47	6.49	84.2	84.5	3.39	3.41	3.55	5.5	5.2	5.5
						26.9	26.9	6.51	6.51	84.7	84.7	3.42	3.41		5.4	5.4	
			Middle	9.2	20.5	27.1	27.1	6.35	6.33	82.6	82.3	3.51	3.54		5.4	5.5	
						27.1	27.1	6.30	6.30	82.0	82.3	3.56	3.54		5.6	5.5	
			Bottom	17.4	20.5	27.3	27.3	6.18	6.16	80.4	80.2	3.69	3.71		5.6	5.7	
						27.3	27.3	6.14	6.14	79.9	80.2	3.72	3.71		5.8	5.7	
22/12/12	2206-2218	19/Cloudy	Surface	1.0	20.2	26.9	26.9	6.22	6.22	80.7	81.0	3.47	3.45	3.78	5.5	5.5	5.8

Mid-Ebb Tide

Monitoring Station : C4

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
04/12/12	1637-1648	18/Cloudy	Surface	1.0	21.7	26.4 26.4	26.4	6.05 6.01	6.03	78.3 77.8	78.1	4.14 4.18	4.16	4.29	6.2 6.2	6.2	6.3
			Middle	8.9	21.6	26.5 26.6 26.6	26.6	5.96 5.98	5.97	77.2 77.4	77.3	4.27 4.29	4.28		6.2 6.4	6.3	
			Bottom	16.8	21.5	26.8 26.8	26.8	5.80 5.82	5.81	75.1 75.4	75.3	4.41 4.43	4.42		6.4 6.5	6.5	
			Surface	1.0	21.6	26.4 26.5	26.5	6.37 6.32	6.35	82.5 81.9	82.2	3.81 3.77	3.79	3.92	5.8 5.6	5.7	5.8
			Middle	8.7	21.6	26.6 26.6	26.6	6.17 6.14	6.16	79.9 79.5	79.7	3.89 3.92	3.91		5.8 5.8	5.8	
			Bottom	16.4	21.6	27.0 26.9	27.0	5.93 5.98	5.96	76.9 77.5	77.2	4.05 4.10	4.08		6.0 6.0	6.0	
08/12/12	2109-2122	17/Cloudy	Surface	1.0	21.6	26.4 26.4	26.4	6.23 6.20	6.22	80.4 80.0	80.2	3.61 3.64	3.63	3.83	5.4 5.4	5.9	5.8
			Middle	8.8	21.4	26.5 26.6	26.6	6.11 6.07	6.09	78.8 78.3	78.6	3.87 3.90	3.89		5.6 5.8	5.7	
			Bottom	16.6	21.4	26.8 26.8	26.8	5.92 5.88	5.90	76.4 75.9	76.2	4.00 3.96	3.98		5.8 6.0	5.9	
			Surface	1.0	20.3	26.7 26.7	26.7	6.40 6.36	6.38	83.2 82.7	83.0	3.24 3.29	3.27	3.55	5.2 5.2	5.2	5.5
			Middle	9.2	20.3	26.9 26.8	26.9	6.23 6.17	6.20	81.0 80.2	80.6	3.57 3.64	3.61		5.4 5.6	5.5	
			Bottom	17.4	20.4	27.1 27.2	27.2	6.02 5.96	5.99	78.3 77.5	77.9	3.80 3.76	3.78		5.8 6.0	5.9	
11/12/12	1212-1225	19/Cloudy	Surface	1.0	20.3	26.6 26.7	26.7	6.40 6.36	6.38	83.2 82.7	83.0	3.24 3.29	3.27	3.64	5.4 5.4	5.4	5.6
			Middle	9.2	20.3	26.9 26.8	26.9	6.23 6.17	6.20	81.0 80.2	80.6	3.57 3.64	3.61		5.6 5.6	5.5	
			Bottom	17.4	20.4	27.1 27.2	27.2	6.02 5.96	5.99	78.3 77.5	77.9	3.80 3.76	3.78		5.8 6.0	5.9	
			Surface	1.0	20.4	26.6 26.7	26.7	6.37 6.33	6.35	82.7 82.2	82.5	3.41 3.47	3.44	3.63	5.4 5.4	5.4	5.6
			Middle	8.6	20.4	26.8 26.9	26.9	6.22 6.17	6.20	80.8 80.1	80.5	3.60 3.65	3.63		5.6 5.6	5.6	
13/12/12	1337-1352	20/Fine	Bottom	16.2	20.4	27.1 27.1	27.1	6.04 5.98	6.01	78.4 77.7	78.1	3.82 3.88	3.85		5.8 6.0	5.9	
			Surface	1.0	20.4	26.6 26.7	26.7	6.39 6.35	6.37	83.1 82.6	82.9	3.40 3.46	3.43	3.63	5.4 5.4	5.4	5.6
			Middle	8.6	20.4	26.8 26.9	26.9	6.22 6.17	6.20	80.8 80.1	80.5	3.60 3.65	3.63		5.6 5.6	5.6	
			Bottom	16.4	20.5	26.9 27.0	27.0	6.06 6.00	6.03	78.9 78.1	78.5	3.81 3.87	3.84		5.8 6.0	5.9	
			Surface	1.0	20.4	26.6 26.7	26.7	6.31 6.32	6.32	82.1 82.2	82.2	3.46 3.50	3.48	3.68	5.4 5.4	5.4	5.6
			Middle	9.1	20.3	26.9 26.8	26.9	6.21 6.18	6.20	80.8 80.4	80.6	3.71 3.68	3.70		5.6 5.6	5.6	
18/12/12	1818-1832	18/Cloudy	Bottom	17.1	20.4	26.9 27.0	27.0	6.02 6.05	6.04	78.3 78.7	78.5	3.85 3.88	3.87		5.8 6.0	5.9	
			Surface	1.0	20.2	26.7 26.6	26.7	6.31 6.32	6.32	82.1 82.2	82.2	3.46 3.50	3.48	3.55	5.0 5.4	5.2	5.5
			Middle	9.1	20.3	26.9 26.8	26.9	6.21 6.18	6.20	80.8 80.4	80.6	3.71 3.68	3.70		5.4 5.6	5.6	
			Bottom	17.1	20.4	26.9 27.0	27.0	6.02 6.05	6.04	78.3 78.7	78.5	3.85 3.88	3.87		5.6 6.0	5.9	
			Surface	1.0	20.4	26.9 26.8	26.9	6.47 6.51	6.49	84.2 84.7	84.5	3.39 3.42	3.41	3.55	5.0 5.4	5.2	5.5
			Middle	8.9	20.5	27.0 27.1	27.1	6.35 6.30	6.33	82.6 82.0	82.3	3.51 3.56	3.54		5.4 5.6	5.5	
20/12/12	1957-2010	16/Cloudy	Bottom	16.8	20.5	27.2 27.3	27.3	6.18 6.14	6.16	80.4 79.9	80.2	3.69 3.72	3.71		5.6 5.8	5.7	
			Surface	1.0	20.2	27.0 27.0	27.0	6.24 6.28	6.26	81.2 81.7	81.5	3.51 3.56	3.53	3.87	5.4 5.6	5.5	5.8
			Middle	8.6	20.3	27.2 27.2	27.2	6.08 6.05	6.07	79.1 78.7	78.9	3.98 3.92	3.95		6.0 6.0	5.9	
			Bottom	16.2	20.4	27.2 27.1	27.2	5.86 5.83	5.85	76.2 75.8	76.0	4.10 4.14	4.12		6.0 6.0	6.0	
			Surface	1.0	18.7	26.6 26.6	26.6	6.43 6.51	6.45	82.9 83.3	83.1	3.42 3.45	3.44	3.71	5.4 5.6	5.4	5.7
			Middle	8.9	18.8	26.8 26.8	26.8	6.30 6.27	6.29	81.3 80.9	81.1	3.74 3.77	3.76		5.6 5.8	5.7	
			Bottom	16.8	19.0	27.0 27.1	27.1	6.06 6.08	6.07	78.2 78.4	78.3	3.92 3.95	3.94		6.0 6.0	6.0	
27/12/12	1258-1305	19/Cloudy	Surface	1.0	18.8	26.6 26.6	26.6	6.51 6.52	6.52	83.3 83.5	83.4	3.50 3.46	3.48	3.74	5.4 5.4	5.4	5.7
			Middle	8.9	18.8	26.8 26.7	26.8	6.30 6.27	6.29	81.3 80.6	81.1	3.74 3.76	3.76		5.6 5.8	5.7	
			Bottom	16.8	19.0	27.0 27.1	27.1	6.06 6.08	6.07	78.2 78.4	78.3	3.92 3.95	3.94		6.0 6.0	6.0	
			Surface	1.0	18.8	26.6 26.6	26.6	6.51 6.52	6.52	83.3 83.5	83.4	3.50 3.46	3.48	3.74	5.4 5.4	5.4	5.7
			Middle	8.0	18.8	26.8 26.7	26.8	6.28 6.30	6.29	80.4 80.6	80.5	3.80 3.76	3.78		5.6 5.6	5.7	
29/12/12	1355-1404	20/Cloudy	Bottom	17.0	19.1	27.0 27.1	27.1	6.12 6.11	6.12	78.3 78.2	78.3	3.98 3.95	3.97		6.0 6.0	6.0	

Mid-Ebb Tide

東華檢測有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R5

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1307-1317	21/Cloudy	Surface	1.0	23.2	26.4 26.4	26.4 5.96	83.3 82.6	83.0 3.74	3.68 3.71	3.86	5.5 5.6	5.6	5.8	5.8	5.8
				Middle	8.4	23.3	26.8 26.8	5.87 5.84	81.4 81.0	81.2 3.88		3.83 3.86	3.86			
				Bottom	15.8	23.3	27.0 27.1	5.76 5.70	79.8 79.1	79.5 4.05		3.97 4.01	4.01			
			Surface	1.0	21.6	26.4 26.3	6.07 6.03	78.6 78.1	78.4 3.64	3.62 3.63	3.82	5.5 5.6	5.6	5.8	5.8	5.8
				Middle	8.5	21.4	26.6 26.7	5.83 5.85	75.5 75.8	75.7 3.87		3.86 3.87	3.87			
				Bottom	16.0	21.3	26.8 26.9	5.73 5.75	74.2 74.5	74.4 3.96		3.94 3.95	3.95			
06/12/12	1724-1736	16/Cloudy	Surface	1.0	21.6	26.4 26.5	6.22 6.26	80.5 81.0	80.8 3.90	3.95 3.93	4.14	6.0 6.0	5.9	6.0	6.0	6.0
				Middle	5.9	21.6	26.5 26.6	6.03 6.00	78.1 77.7	77.9 4.11		4.08 4.10	4.10			
				Bottom	10.8	21.6	26.7 26.7	5.74 5.93	76.3 76.8	76.6 4.41		4.37 4.39	4.39			
			Surface	1.0	21.8	26.5 26.6	6.29 6.32	81.1 81.5	81.3 3.58	3.55 3.57	3.87	5.5 5.6	5.6	5.8	5.8	5.8
				Middle	8.4	21.6	26.7 26.7	6.18 6.14	79.7 79.2	79.5 3.93		3.90 3.92	3.92			
				Bottom	15.8	21.4	26.9 26.9	6.02 5.96	77.7 76.9	77.3 4.13		4.11 4.12	4.12			
11/12/12	1012-1026	18/Cloudy	Surface	1.0	20.3	26.7 26.7	6.21 6.19	80.7 80.1	80.4 3.55	3.49 3.52	3.77	5.5 5.6	5.6	5.8	5.8	5.8
				Middle	8.4	20.4	26.9 26.8	6.05 6.00	78.7 78.1	78.4 3.81		3.75 3.78	3.78			
				Bottom	15.8	20.4	27.1 27.1	5.83 5.88	75.8 76.4	76.1 4.04		3.99 4.02	4.02			
			Surface	1.0	20.4	26.6 26.6	6.26 6.21	81.3 80.7	81.0 3.67	3.67 3.75	3.92	5.5 5.6	5.7	5.8	5.8	5.9
				Middle	8.6	20.4	26.7 26.8	6.07 6.02	78.8 78.1	78.5 3.97		3.93 3.95	3.95			
				Bottom	16.2	20.5	27.1 27.2	5.83 5.88	75.7 76.4	76.1 4.10		4.05 4.08	4.08			
15/12/12	1328-1341	19/Cloudy	Surface	1.0	20.4	26.7 26.8	6.27 6.22	81.5 80.9	81.2 3.71	3.66 3.69	3.90	5.5 5.6	5.6	5.8	5.8	5.8
				Middle	8.7	20.5	26.9 27.0	6.08 6.03	79.1 78.5	78.8 3.96		3.92 3.94	3.94			
				Bottom	16.4	20.6	27.0 27.1	5.84 5.89	76.0 76.7	76.4 4.04		4.04 4.07	4.07			
			Surface	1.0	20.2	26.7 26.8	6.21 6.24	80.8 81.3	81.0 3.82	3.67 3.75	4.05	5.5 5.6	5.7	5.8	5.8	5.9
				Middle	9.3	20.3	26.6 26.0	6.08 6.13	79.1 79.8	79.5 4.15		4.11 4.13	4.13			
				Bottom	17.5	20.4	26.8 26.9	6.03 5.99	78.5 77.9	78.2 4.20		4.18 4.19	4.19			
20/12/12	1805-1817	16/Cloudy	Surface	1.0	20.5	26.7 26.7	6.21 6.35	82.2 82.6	82.4 3.45	3.41 3.43	3.56	5.5 5.6	5.5	5.6	5.6	5.6
				Middle	8.9	20.5	26.8 26.9	6.20 6.16	80.7 80.1	80.4 3.59		3.56 3.58	3.58			
				Bottom	16.8	20.6	27.1 27.0	6.06 6.01	78.9 78.2	78.6 3.70		3.66 3.68	3.68			
			Surface	1.0	20.3	26.9 27.0	6.27 6.24	81.6 81.2	81.4 3.49	3.54 3.52	3.76	5.5 5.6	5.5	5.6	5.6	5.6
				Middle	8.6	20.4	26.9 27.0	6.05 6.08	78.7 79.1	78.9 3.90		3.95 3.93	3.93			
				Bottom	16.2	20.4	27.1 27.2	5.95 5.98	77.4 77.7	77.6 3.82		3.88 3.85	3.85			
27/12/12	1130-1138	19/Cloudy	Surface	1.0	18.6	26.5 26.6	6.43 6.40	82.9 82.6	82.8 3.48	3.47 3.48	3.74	5.5 5.6	5.5	5.6	5.6	5.6
				Middle	9.0	18.7	26.9 26.8	6.28 6.30	81.0 81.3	81.2 3.78		3.81 3.80	3.80			
				Bottom	17.0	18.9	27.0 27.0	6.11 6.08	78.8 78.4	78.6 3.95		3.92 3.94	3.94			
			Surface	1.0	18.8	26.6 26.6	6.50 6.53	83.2 83.6	83.4 3.40	3.42 3.41	3.72	5.5 5.6	5.5	5.6	5.6	5.7
				Middle	8.6	18.9	26.8 26.7	6.31 6.28	80.8 80.4	80.6 3.75		3.77 3.76	3.76			
				Bottom	16.2	19.1	27.0 27.0	6.08 6.10	77.8 78.3	78.1 3.97		4.01 3.99	3.99			

Mid-Ebb Tide

Monitoring Station : R6

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1349-1400	21/Cloudy	Surface	1.0	23.3	26.5 26.5	26.5 6.14	6.09 85.1	6.12 84.4	84.8	3.36 3.40	3.38	3.60	5.2 5.4 5.6 5.6 5.8 5.8	5.3 5.4 5.6 5.6 5.8 5.8	5.6
				Middle	8.0	23.3	26.8 26.8	26.8 5.93	5.99 5.96	83.0 82.2	82.6	3.61 3.67	3.64			
				Bottom	15.0	23.2	27.0 27.1	27.1	5.74 5.76	5.75 79.8	79.6 79.7	3.75 3.81	3.78			
04/12/12	1558-1609	18/Cloudy	Surface	1.0	21.6	26.5 26.5	26.5 6.10	6.11 78.9	79.3 79.1	3.48 3.50	3.49	3.75	5.4 5.4 5.8 5.8 6.0 6.0	5.4 5.4 5.8 5.8 6.0 6.0	5.7	
				Middle	7.9	21.5	26.7 26.8	26.8 5.96	5.92 5.94	76.7 77.2	77.0	3.80 3.88	3.84			
				Bottom	14.8	21.3	26.8 26.9	26.9	5.82 5.85	5.84 75.8	75.4 75.8	3.90 3.94	3.92			
06/12/12	1812-1824	16/Cloudy	Surface	1.0	21.5	26.5 26.5	26.5 6.25	6.23 6.21	80.8 80.3	80.6	3.75 3.80	3.78	4.03	5.6 5.8 6.0 6.0 6.2 6.2	5.7 5.8 6.0 6.0 6.2 6.2	6.0
				Middle	8.1	21.6	26.7 26.6	26.7 6.06	6.06 6.10	78.4 78.9	78.7	4.04 4.09	4.07			
				Bottom	15.2	21.7	26.9 27.0	27.0	5.90 5.95	5.93 77.0	76.4 76.7	4.27 4.24	4.26			
08/12/12	2006-2019	18/Cloudy	Surface	1.0	21.6	26.5 26.6	26.6 6.25	6.27 6.28	80.6 81.0	80.8	3.46 3.49	3.48	3.70	5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	5.6
				Middle	8.2	21.5	26.7 26.7	26.7 6.09	6.13 6.11	79.1 78.6	78.9	3.60 3.65	3.63			
				Bottom	15.4	21.4	26.9 27.0	27.0	5.95 5.90	5.93 76.1	76.4 76.5	3.97 4.01	3.99			
11/12/12	1109-1123	18/Cloudy	Surface	1.0	20.3	26.7 26.6	26.7 6.31	6.33 6.35	82.1 82.6	82.4	3.21 3.27	3.24	3.51	5.2 5.2 5.4 5.6 5.6 5.8	5.2 5.2 5.5 5.6 5.7 5.7	5.5
				Middle	7.9	20.3	26.8 26.9	26.9 6.18	6.11 6.20	80.4 80.7	80.6	3.50 3.58	3.54			
				Bottom	14.8	20.4	27.1 27.1	27.1	5.96 5.98	5.97 77.5	77.5 77.6	3.73 3.79	3.76			
13/12/12	1238-1252	18/Cloudy	Surface	1.0	20.4	26.7 26.6	26.7 6.31	6.34 6.37	81.9 82.7	82.3	3.50 3.56	3.53	3.74	5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	5.6
				Middle	7.8	20.4	26.8 26.9	26.9 6.16	6.16 6.18	79.8 80.3	80.1	3.68 3.77	3.73			
				Bottom	14.6	20.4	27.1 27.1	27.1	6.03 6.07	6.05 78.3	78.6 78.8	3.98 3.92	3.95			
15/12/12	1416-1429	19/Cloudy	Surface	1.0	20.4	26.7 26.8	26.8 6.33	6.36 6.39	82.3 83.1	82.7	3.49 3.55	3.52	3.73	5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	5.6
				Middle	8.1	20.5	26.8 26.9	26.9 6.16	6.16 6.20	80.1 80.7	80.4	3.67 3.76	3.72			
				Bottom	15.2	20.5	26.9 27.0	27.0	6.05 6.09	6.07 79.3	78.8 79.1	3.97 3.91	3.94			
18/12/12	1721-1735	18/Cloudy	Surface	1.0	20.1	26.7 26.7	26.7 6.21	6.22 6.23	80.8 81.1	81.0	3.54 3.58	3.56	3.79	5.4 5.4 5.6 5.6 5.8 6.0	5.4 5.4 5.7 5.8 5.8 6.0	5.7
				Middle	8.1	20.3	26.7 26.8	26.8 6.13	6.15 6.17	79.8 80.3	80.1	3.77 3.82	3.80			
				Bottom	15.2	20.4	26.9 27.0	27.0	6.09 6.06	6.08 78.8	79.0	4.01 4.04	4.03			
20/12/12	1900-1912	16/Cloudy	Surface	1.0	20.5	26.7 26.8	26.8 6.28	6.30 6.32	80.8 82.2	82.0	3.37 3.41	3.39	3.48	5.2 5.4 5.4 5.4 5.6 5.6	5.3 5.4 5.4 5.4 5.6 5.6	5.4
				Middle	8.4	20.5	26.9 26.9	26.9 6.17	6.16 6.18	80.3 80.7	80.1	3.48 3.45	3.47			
				Bottom	15.8	20.6	27.1 27.1	27.1	6.05 6.01	6.03 78.7	78.5	3.55 3.59	3.57			
22/12/12	2046-2059	19/Cloudy	Surface	1.0	20.3	26.9 26.8	26.9 6.34	6.32 6.30	82.5 82.0	82.3	3.81 3.77	3.79	3.83	5.8 5.6 5.6 5.6 5.8 6.0	5.7 5.6 5.6 5.6 5.8 5.9	5.7
				Middle	8.1	20.4	27.2 27.1	27.2	6.12 6.08	6.10 79.1	79.4	3.77 3.72	3.75			
				Bottom	15.2	20.5	27.2 27.2	27.2	5.94 5.90	5.92 77.2	77.0	3.93 3.97	3.95			
27/12/12	1215-1223	19/Cloudy	Surface	1.0	18.7	26.5 26.6	26.6 6.44	6.44 6.43	83.1 82.9	83.0	3.58 3.56	3.57	3.83	5.4 5.6 5.6 5.8 5.8 6.0	5.5 5.6 5.6 5.8 5.8 6.0	5.8
				Middle	8.1	18.8	26.9 26.9	26.9 6.28	6.27 6.26	81.0 80.8	80.9	3.83 3.87	3.85			
				Bottom	15.2	19.0	27.0 26.9	27.0	6.14 6.12	6.13 78.9	79.1	4.08 4.04	4.06			
29/12/12	1308-1316	20/Cloudy	Surface	1.0	18.8	26.6 26.6	26.6 6.50	6.49 6.47	83.2 82.8	83.0	3.54 3.50	3.52	3.71	5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	5.6
				Middle	8.5	18.9	26.7 26.8	26.8 6.36	6.37 6.38	81.4 81.7	81.6	3.68 3.65	3.67			
				Bottom	16.0	19.0	27.1 27.1	27.1	6.08 6.11	6.10 78.2	78.0	3.94 3.96	3.95			

Mid-Ebb Tide

Monitoring Station : R7

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1404-1414	21/Cloudy	Surface	1.0	23.3	26.4 26.5	26.5	6.18 6.15	6.17	85.7 85.3	85.5	3.33 3.39	3.36	3.64	5.2 5.4 5.6 5.6 5.8 5.0	5.3 5.4 5.6 5.6 5.4 5.4	5.4
			Middle	8.6	23.2	26.7 26.8	26.8	6.03 5.97	6.00	83.6 82.8	83.2	3.68 3.74	3.71		5.2 5.2 5.4 5.4 6.0 6.0	5.2 5.2 5.4 5.4 6.0 6.0	
			Bottom	16.2	23.2	27.1 27.0	27.1	5.78 5.81	5.80	80.1 80.5	80.3	3.84 3.88	3.86		5.2 5.2 5.4 5.4 6.0 6.0	5.2 5.2 5.4 5.4 6.0 6.0	
			Surface	1.0	21.6	26.5 26.5	26.5	6.16 6.18	6.17	79.8 80.0	79.9	3.21 3.23	3.22		5.2 5.2 5.4 5.4 6.0 6.0	5.2 5.2 5.4 5.4 6.0 6.0	
			Middle	8.5	21.4	26.6 26.6	26.6	6.01 6.06	6.04	77.8 78.5	78.2	3.59 3.52	3.56		5.2 5.2 5.4 5.4 6.0 6.0	5.2 5.2 5.4 5.4 6.0 6.0	
			Bottom	16.0	21.3	26.9 27.0	27.0	5.88 5.90	5.89	76.1 76.4	76.3	4.03 4.07	4.05		5.2 5.2 5.4 5.4 6.0 6.0	5.2 5.2 5.4 5.4 6.0 6.0	
06/12/12	1829-1842	16/Cloudy	Surface	1.0	21.5	26.5 26.4	26.5	6.29 6.33	6.31	81.4 81.9	81.7	3.79 3.74	3.77	3.99	5.8 5.8 6.0 6.0 6.2 6.2	5.8 5.8 6.0 6.0 6.2 6.2	6.0
			Middle	8.8	21.6	26.7 26.7	26.7	6.12 6.08	6.10	79.2 78.7	79.0	3.98 4.01	4.00		5.8 5.8 6.0 6.0 6.2 6.2	5.8 5.8 6.0 6.0 6.2 6.2	
			Bottom	16.6	21.7	27.0 26.9	27.0	5.94 5.97	5.96	76.9 77.4	77.2	4.18 4.21	4.20		5.8 5.8 6.0 6.0 6.2 6.2	5.8 5.8 6.0 6.0 6.2 6.2	
			Surface	1.0	21.6	26.4 26.5	26.5	6.23 6.27	6.25	80.4 80.9	80.7	3.55 3.58	3.57		5.8 5.8 6.0 6.0 6.2 6.2	5.8 5.8 6.0 6.0 6.2 6.2	
			Middle	8.8	21.5	26.6 26.6	26.6	6.14 6.11	6.13	79.2 78.8	79.0	3.70 3.76	3.73		5.8 5.8 6.0 6.0 6.2 6.2	5.8 5.8 6.0 6.0 6.2 6.2	
			Bottom	16.6	21.4	26.8 26.9	26.9	5.98 5.94	5.96	77.1 76.6	76.9	3.93 3.96	3.95		5.8 5.8 6.0 6.0 6.2 6.2	5.8 5.8 6.0 6.0 6.2 6.2	
08/12/12	2026-2039	18/Cloudy	Surface	1.0	21.6	26.4 26.5	26.5	6.23 6.27	6.25	80.4 80.9	80.7	3.55 3.58	3.57	3.75	5.8 5.8 6.0 6.0 6.2 6.2	5.5 5.5 5.7 5.7 5.9 5.9	5.7
			Middle	8.8	21.5	26.6 26.6	26.6	6.14 6.11	6.13	79.2 78.8	79.0	3.70 3.76	3.73		5.8 5.8 6.0 6.0 6.2 6.2	5.5 5.5 5.7 5.7 5.9 5.9	
			Bottom	16.6	21.4	26.8 26.9	26.9	5.98 5.94	5.96	77.1 76.6	76.9	3.93 3.96	3.95		5.8 5.8 6.0 6.0 6.2 6.2	5.5 5.5 5.7 5.7 5.9 5.9	
			Surface	1.0	20.3	26.7 26.7	26.7	6.34 6.29	6.32	82.5 81.8	82.2	3.28 3.33	3.31		5.2 5.2 5.4 5.4 5.6 5.6	5.2 5.2 5.4 5.4 5.6 5.6	
			Middle	8.8	20.4	26.8 26.9	26.9	6.17 6.14	6.16	80.3 79.9	80.1	3.57 3.63	3.60		5.2 5.2 5.4 5.4 5.6 5.6	5.5 5.5 5.7 5.7 5.8 5.8	
			Bottom	16.6	20.4	27.1 27.2	27.2	5.94 5.88	5.91	77.2 76.5	76.9	3.80 3.84	3.82		5.2 5.2 5.4 5.4 5.6 5.6	5.8 5.8 5.8 5.8 5.8 5.8	
13/12/12	1258-1313	20/Fine	Surface	1.0	20.4	26.7 26.6	26.7	6.34 6.29	6.32	82.3 81.7	82.0	3.41 3.47	3.44	3.64	5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	5.6
			Middle	8.7	20.4	26.9 26.9	26.9	6.12 6.15	6.14	79.4 79.9	79.7	3.62 3.66	3.64		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
			Bottom	16.4	20.4	27.2 27.1	27.2	6.08 6.05	6.07	79.0 78.6	78.8	3.82 3.87	3.85		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
			Surface	1.0	20.4	26.7 26.7	26.7	6.36 6.31	6.34	82.7 82.0	82.4	3.40 3.46	3.43		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
			Middle	9.0	20.4	26.8 26.9	26.9	6.13 6.15	6.14	79.8 80.0	79.9	3.61 3.65	3.63		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
			Bottom	17.0	20.5	27.1 27.1	27.1	6.10 6.07	6.09	79.4 79.0	79.2	3.81 3.86	3.84		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
18/12/12	1739-1754	18/Cloudy	Surface	1.0	20.2	26.6 26.6	26.6	6.24 6.19	6.22	81.2 80.5	80.9	3.56 3.60	3.58	3.72	5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	5.6
			Middle	8.9	20.3	26.9 26.9	26.9	6.09 6.12	6.11	79.2 79.6	79.4	3.68 3.71	3.70		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
			Bottom	15.8	20.3	26.8 26.9	26.9	5.98 6.02	6.00	77.8 78.3	78.1	3.84 3.90	3.87		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
			Surface	1.0	20.5	26.7 26.7	26.7	6.34 6.37	6.36	82.5 82.9	82.7	3.52 3.56	3.54		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
			Middle	9.2	20.6	26.9 26.9	26.9	6.24 6.20	6.22	81.2 80.7	81.0	3.70 3.74	3.72		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
			Bottom	17.4	20.6	27.1 27.1	27.1	6.11 6.07	6.09	79.5 79.0	79.3	3.83 3.86	3.85		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
22/12/12	2106-2120	19/Cloudy	Surface	1.0	20.3	26.9 26.8	26.9	6.39 6.35	6.37	83.1 82.6	82.9	3.63 3.70	3.67	3.93	5.4 5.4 5.6 5.6 6.0 6.0	5.5 5.5 5.6 5.6 6.0 6.0	5.8
			Middle	8.8	20.4	27.1 27.1	27.1	6.17 6.13	6.15	80.3 79.8	80.1	4.04 4.09	4.07		5.4 5.4 5.6 5.6 6.0 6.0	5.5 5.5 5.6 5.6 6.0 6.0	
			Bottom	16.6	20.5	27.2 27.2	27.2	6.06 6.09	6.08	78.9 79.2	79.1	4.01 4.08	4.05		5.4 5.4 5.6 5.6 5.8 5.8	5.5 5.5 5.6 5.6 5.8 5.8	
			Surface	1.0	18.6	26.6 26.6	26.6	6.42 6.46	6.44	82.8 83.3	83.1	3.55 3.57	3.56		5.4 5.4 5.6 5.6 6.0 6.0	5.5 5.5 5.6 5.6 6.0 6.0	
			Middle	9.0	18.7	26.8 26.8	26.8	6.22 6.25	6.24	80.2 80.6	80.4	3.78 3.81	3.80		5.4 5.4 5.6 5.6 6.0 6.0	5.5 5.5 5.6 5.6 6.0 6.0	
			Bottom	17.0	19.0	26.9 27.0	27.0	6.06 6.09	6.08	78.2 78.6	78.4	3.98 4.02	4.00		5.4 5.4 5.6 5.6 6.0 6.0	5.5 5.5 5.6 5.6 6.0 6.0	
29/12/12	1324-1333	20/Cloudy	Surface	1.0	18.8	26.6 26.7	26.7	6.43 6.47	6.45	82.3 82.8	82.6	3.48 3.44	3.46	3.74	5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	5.6
			Middle	8.9	18.9	26.8 26.8	26.8	6.34 6.37	6.36	81.2 81.5	81.4	3.76 3.75	3.76		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	
			Bottom	16.8	19.0	27.0 27.0	27.0	6.07 6.09	6.08	77.7 78.0	77.9	3.98 4.00	3.99		5.4 5.4 5.6 5.6 5.8 5.8	5.4 5.4 5.6 5.6 5.8 5.8	

Mid-Ebb Tide

東華測驗有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R8a

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)		Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1418-1430	21/Cloudy	Surface	1.0	23.4	26.4 26.4	26.4	6.13 6.07	6.10	85.0 84.1	84.6	3.31 3.38	3.40	3.56	5.2 5.5	5.4	5.5
			Middle	6.6	23.3	26.7 26.6	26.7	6.00 5.95	5.98	83.2 82.5	82.9	3.50 3.56	3.66		5.5 5.4	5.5	
			Bottom	12.2	23.3	26.9 26.8	26.9	5.87 5.83	5.85	81.4 80.8	81.1	3.76 3.82	3.82		5.6 5.8	5.7	
			Surface	1.0	21.7	26.3 26.4	26.4	6.18 6.20	6.19	80.0 80.3	80.2	3.20 3.24	3.22	3.47	5.2 5.0	5.1	5.3
			Middle	6.6	21.6	26.5 26.6	26.6	6.01 6.07	6.04	77.8 78.6	78.2	3.39 3.31	3.35		5.0 5.2	5.1	
			Bottom	12.2	21.5	26.7 26.8	26.8	5.94 5.96	5.95	76.9 77.2	77.1	3.80 3.88	3.84		5.8 5.8	5.8	
06/12/12	1849-1904	16/Cloudy	Surface	1.0	21.5	26.4 26.5	26.5	6.30 6.35	6.33	81.6 82.2	81.9	3.72 3.78	3.75	3.96	5.6 5.5	5.6	5.9
			Middle	6.4	21.6	26.5 26.5	26.5	6.20 6.23	6.22	80.3 80.7	80.5	3.96 4.01	3.99		6.0 5.8	5.9	
			Bottom	11.8	21.6	26.7 26.8	26.8	6.09 6.13	6.11	78.9 79.4	79.2	4.13 4.17	4.15		6.2 6.2	6.2	
			Surface	1.0	21.6	26.3 26.3	26.3	6.24 6.28	6.26	80.5 81.0	80.8	4.00 4.04	4.02	4.26	6.0 6.0	6.0	6.2
			Middle	6.6	21.5	26.5 26.5	26.5	6.13 6.09	6.11	79.1 78.6	78.9	4.27 4.30	4.29		6.0 6.2	6.1	
			Bottom	12.2	21.3	26.7 26.7	26.7	5.95 5.91	5.93	76.8 76.2	76.5	4.44 4.48	4.46		6.4 6.4	6.4	
11/12/12	1154-1208	19/Cloudy	Surface	1.0	20.3	26.7 26.7	26.7	6.37 6.33	6.35	82.8 82.3	82.6	3.33 3.27	3.30	3.53	5.4 5.0	5.2	5.5
			Middle	6.8	20.3	26.7 26.8	26.8	6.28 6.25	6.27	81.7 81.3	81.5	3.50 3.54	3.52		5.5 5.4	5.5	
			Bottom	12.6	20.4	26.9 27.0	27.0	6.06 6.10	6.08	78.8 79.3	79.1	3.75 3.79	3.77		5.6 5.8	5.7	
			Surface	1.0	20.4	26.7 26.7	26.7	6.34 6.30	6.32	82.3 81.8	82.1	3.39 3.44	3.42	3.60	5.4 5.5	5.5	5.6
			Middle	6.3	20.4	26.7 26.8	26.8	6.24 6.20	6.22	81.1 80.5	80.8	3.57 3.64	3.61		5.5 5.6	5.6	
			Bottom	11.6	20.5	26.8 26.9	26.9	6.08 6.03	6.06	78.0 78.3	78.2	3.80 3.76	3.78		5.8 5.8	5.8	
15/12/12	1449-1502	19/Cloudy	Surface	1.0	20.4	26.7 26.8	26.8	6.36 6.32	6.34	82.7 82.2	82.5	3.38 3.43	3.41	3.59	5.4 5.5	5.5	5.6
			Middle	6.1	20.5	26.9 27.0	27.0	6.26 6.22	6.24	81.4 80.9	81.2	3.56 3.63	3.60		5.5 5.6	5.6	
			Bottom	11.2	20.5	27.1 27.1	27.1	6.10 6.05	6.08	79.4 78.8	79.1	3.79 3.75	3.77		5.8 5.8	5.8	
			Surface	1.0	20.2	26.6 26.6	26.6	6.30 6.28	6.29	82.0 81.7	81.9	3.41 3.45	3.43	3.64	5.4 5.5	5.5	5.6
			Middle	6.8	20.3	26.8 26.8	26.8	6.24 6.22	6.23	81.2 80.9	81.1	3.61 3.68	3.65		5.5 5.6	5.6	
			Bottom	12.5	20.4	26.8 26.9	26.9	6.08 6.05	6.07	79.1 78.7	78.9	3.82 3.87	3.85		5.8 5.8	5.8	
20/12/12	1938-1951	16/Cloudy	Surface	1.0	20.4	26.8 26.9	26.9	6.45 6.49	6.47	83.9 84.4	84.2	3.31 3.34	3.33	3.45	5.2 5.0	5.1	5.4
			Middle	6.8	20.5	27.0 27.0	27.0	6.34 6.31	6.33	82.5 82.1	82.3	3.41 3.44	3.43		5.5 5.4	5.5	
			Bottom	12.6	20.6	27.2 27.2	27.2	6.20 6.17	6.19	80.7 80.3	80.5	3.56 3.62	3.59		5.6 5.6	5.6	
			Surface	1.0	20.2	26.9 27.0	27.0	6.19 6.15	6.17	80.5 80.0	80.3	3.44 3.39	3.42	3.72	5.4 5.5	5.5	5.7
			Middle	6.1	20.3	27.2 27.2	27.2	6.02 6.05	6.04	78.3 78.7	78.5	3.82 3.78	3.80		6.0 5.8	5.9	
			Bottom	11.2	20.4	27.3 27.3	27.3	5.91 5.94	5.93	76.8 77.2	77.0	3.90 3.96	3.93		5.8 5.8	5.8	
27/12/12	1245-1253	19/Cloudy	Surface	1.0	18.6	26.5 26.6	26.6	6.45 6.48	6.47	83.2 83.6	83.4	3.48 3.51	3.50	3.72	5.4 5.5	5.5	5.7
			Middle	6.6	18.8	26.8 26.9	26.9	6.24 6.21	6.23	80.5 80.1	80.3	3.70 3.72	3.71		5.5 5.6	5.6	
			Bottom	12.2	18.9	27.0 27.0	27.0	6.07 6.06	6.06	78.3 78.0	78.2	3.95 3.93	3.94		6.0 6.0	6.0	
			Surface	1.0	18.8	26.7 26.6	26.7	6.52 6.50	6.51	83.5 83.2	83.4	3.52 3.50	3.51	3.77	5.4 5.5	5.5	5.8
			Middle	7.1	18.9	26.7 26.8	26.8	6.30 6.34	6.32	80.6 81.2	80.9	3.81 3.86	3.84		6.0 5.8	5.9	
			Bottom	13.2	19.0	27.0 27.0	27.0	6.13 6.16	6.15	78.5 78.8	78.7	3.94 4.00	3.97		5.8 6.0	5.9	

Mid-Ebb Tide

Monitoring Station : R15

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1223-1234	20/Cloudy	Surface	23.3	26.5	26.5	5.98	6.00	82.9	83.1	3.72	3.67	3.87	5.6	5.6	5.8
					26.5	6.01	83.3		3.67		3.70			5.6	5.6	
					26.7	26.7	5.90	5.89	81.8	81.6	3.81	3.87		5.8	5.8	
			Middle	23.3	26.6	5.87	81.4		3.87		3.84			5.8	5.8	
					26.8	5.77	80.0		4.05		4.07			6.0	6.0	
					26.9	5.81	80.5	80.3	4.09					6.0	6.0	
04/12/12	1440-1451	18/Cloudy	Surface	21.6	26.5	26.5	6.03	6.04	78.1	78.2	3.55	3.57	3.77	5.4	5.5	5.8
					26.4	6.05	78.3		3.59					5.6	5.6	
					26.6	26.6	5.83	5.82	75.5		3.80			5.8	5.8	
			Middle	21.5	26.6	5.81	75.2		3.85		3.83			5.8	5.8	
					26.8	5.72	74.1		3.92		3.91			6.0	6.0	
					26.9	5.74	74.3		3.90					6.0	6.0	
06/12/12	1636-1647	16/Cloudy	Surface	21.6	26.4	26.5	6.21	6.24	80.8		4.14	4.16	4.32	6.0	6.1	6.3
					26.5	6.26	81.1		4.18					6.2	6.2	
					26.5	6.05	78.4		4.29		4.31			6.4	6.4	
			Middle	21.7	26.5	6.09	6.07	78.8		4.33				6.4	6.4	
					26.5	5.94	77.0		4.46		4.48					
					26.6	5.98	77.4		4.49							
08/12/12	1807-1820	19/Cloudy	Surface	21.7	26.4	26.4	6.18	6.17	79.7	79.5	3.88	3.86	4.11	5.8	5.8	6.1
					26.4	6.15	79.3		3.84					5.8	5.8	
					26.6	6.05	78.0		4.13		4.15			6.0	6.1	
			Middle	21.5	26.5	6.02	6.04	77.7	77.9	4.17				6.2	6.1	
					26.7	5.92	76.4		4.32		4.33			6.2	6.3	
					26.8	5.88	75.9		4.34					6.4	6.4	
11/12/12	0910-0925	17/Cloudy	Surface	20.3	26.6	26.7	6.24	6.22	81.1	80.9	3.59	3.61	3.80	5.6	5.6	5.8
					26.7	6.20	80.6		3.63					5.6	5.6	
					26.7	6.21	80.7		3.74		3.77			5.8	5.8	
			Middle	20.3	26.7	6.17	6.19	80.2		3.80				6.0	6.0	
					26.8	6.01	78.1		3.98		4.01			6.0	6.0	
					26.9	6.04	78.5		4.03					6.0	6.0	
13/12/12	1053-1107	19/Fine	Surface	20.3	26.7	26.7	6.18	6.20	80.2	80.4	3.60	3.63	3.79	5.6	5.6	5.7
					26.7	6.21	80.6		3.65					5.6	5.7	
					26.8	6.12	79.6		3.72		3.75			5.8	5.7	
			Bottom	20.4	26.8	5.94	5.96	77.1	77.3	3.98	4.00			5.8	5.9	
					26.9	5.97	77.5		4.02					6.0	6.0	
					27.0	6.18	80.6		3.64					6.0	6.0	
15/12/12	1240-1253	19/Cloudy	Surface	20.4	26.7	26.7	6.22	6.22	81.0	80.8	3.59	3.62	3.78	5.4	5.5	5.7
					26.7	6.23	81.0		3.64					5.6	5.6	
					26.8	6.12	79.6		3.72		3.75			5.6	5.6	
			Middle	20.4	26.8	6.11	79.8		3.76		3.74			5.6	5.6	
					26.9	5.86	79.3		3.98		4.00			5.8	5.9	
					27.0	5.89	76.7		4.01					6.0	6.0	
18/12/12	1525-1541	18/Cloudy	Surface	20.2	26.7	26.7	6.22	6.20	80.9	80.7	3.68	3.70	3.89	5.6	5.6	5.8
					26.7	6.18	80.4		3.72					5.6	5.6	
					26.8	6.09	79.2		3.83		3.85			5.8	5.8	
			Middle	20.3	26.7	6.13	79.7		3.87					5.8	5.8	
					26.9	6.08	74.1		4.11		4.12			6.0	6.1	
					27.0	6.04	78.6		4.13					6.2	6.2	
20/12/12	1706-1719	17/Cloudy	Surface	20.4	26.8	26.8	6.35	6.37	82.6	82.9	3.34	3.36	3.48	5.2	5.3	5.4
					26.8	6.39	83.1		3.38					5.4	5.4	
					26.9	6.20	80.7		3.45		3.47			5.4	5.4	
			Middle	20.5	27.0	6.15	80.0		3.49					5.6	5.6	
					27.0	6.04	78.6		3.57		3.60			5.6	5.6	
					27.1	6.03	78.5		3.62					5.6	5.6	
22/12/12	1842-1855	19/Cloudy	Surface	20.5	26.9	26.9	6.40	6.40	83.3	83.3	3.62	3.64	3.74	5.6	5.6	5.7
					26.9	6.38	83.0		3.65					5.6	5.6	
					27.1	6.19	80.5		3.67		3.65			5.6	5.6	
			Middle	20.4	27.0	6.16	80.2		3.62					5.6	5.6	
					27.1	6.07	79.0		3.92		3.95			5.8	5.9	
					27.0	6.03	78.5		3.98					6.0	6.0	
27/12/12	1045-1053	19/Cloudy	Surface	18.7	26.5	26.6	6.42	6.43	82.8	83.0	3.54	3.56	3.81	5.4	5.4	5.7
					26.6	6.44	83.1		3.57					5.4	5.4	
					26.8	6.30	81.3		3.88		3.88			5.8	5.8	
			Middle	18.8	26.8	6.29	81.0		3.87		3.88			5.8	5.8	
					27.1	6.09	78.6		3.99		4.01			6.0	6.0	
					27.1	6.07	78.3		4.03					6.0	6.0	
29/12/12	1133-1141	20/Cloudy	Surface	18.8	26.5	26.6	6.42	6.42	82.2	82.1	3.42	3.44	3.76	5.4	5.4	5.7
					26											

Mid-Ebb Tide

東華檢測試驗有限公司
ETS-TESTCONSULT LIMITED

Monitoring Station : R16

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1206-1219	20/Cloudy	Surface	1.0	23.3	26.4	26.5	6.08	6.06	84.3	83.8	3.60	3.63	3.82	5.6	5.6	5.8
						26.5	26.5	6.03	6.03	83.3	83.3	3.66	3.66		5.6	5.6	
				Middle	6.3	23.3	26.7	26.7	5.99	5.97	83.0	82.8	3.77	3.80	5.8	5.8	
			Bottom	11.6	23.4	26.9	27.0	5.89	5.88	81.6	81.4	4.00	4.03	3.78	6.0	6.0	6.0
						27.0	27.0	5.86	5.86	81.2	81.2	4.06	4.06		6.0	6.0	
				Surface	1.0	21.5	26.4	26.4	6.01	6.04	77.8	78.2	3.67	3.69	5.6	5.6	
04/12/12	1429-1439	18/Cloudy	Surface	1.0	21.5	26.4	26.4	6.07	6.07	78.6	78.2	3.70	3.69	4.22	5.6	5.6	5.7
				Middle	6.4	21.5	26.6	26.7	5.94	5.95	76.9	77.1	3.71	3.72	5.6	5.6	
				Bottom	11.8	21.3	26.9	26.9	5.94	5.95	76.9	77.1	3.98	3.94	6.0	5.8	
			Middle	1.0	21.6	26.4	26.5	6.25	6.27	80.9	81.2	4.07	4.09	4.22	6.0	6.0	6.2
						26.5	26.5	6.29	6.29	81.4	81.4	4.11	4.11		6.2	6.2	
				Bottom	12.0	21.7	26.6	26.5	6.13	6.15	79.3	79.6	4.23	4.22	6.2	6.3	
06/12/12	1620-1632	16/Cloudy	Surface	1.0	21.6	26.4	26.5	6.17	6.15	79.8	79.6	4.20	4.22	4.08	5.8	5.8	6.0
				Middle	6.5	21.6	26.6	26.5	6.17	6.17	79.8	79.6	4.20	4.22	6.2	6.2	
				Bottom	12.0	21.7	26.6	26.7	6.02	6.04	78.0	78.3	4.33	4.35	6.4	6.4	
			Middle	1.0	21.7	26.5	26.5	6.26	6.28	80.8	81.1	3.91	3.93	3.56	5.8	5.8	6.0
						26.5	26.5	6.30	6.30	81.3	81.3	3.94	3.94		6.0	6.0	
				Bottom	12.2	21.4	26.8	26.8	6.13	6.12	79.1	78.9	4.06	4.07	6.2	6.2	
08/12/12	1748-1800	19/Cloudy	Surface	1.0	21.7	26.5	26.5	6.13	6.12	79.1	78.9	4.08	4.07	3.66	5.8	5.8	6.0
				Middle	6.6	21.6	26.7	26.6	6.10	6.10	78.7	78.9	4.08	4.07	6.0	6.0	
				Bottom	12.2	21.4	26.8	26.8	5.98	5.97	77.1	77.0	4.21	4.23	6.2	6.2	
			Middle	1.0	20.2	26.6	26.6	6.25	6.27	81.3	81.8	3.40	3.38	3.65	5.4	5.4	5.5
						26.6	26.6	6.28	6.28	82.2	81.8	3.36	3.36		5.4	5.4	
				Bottom	11.4	20.4	27.1	26.8	6.18	6.00	80.1	80.3	3.58	3.57	5.6	5.5	
11/12/12	0849-0904	17/Cloudy	Surface	1.0	20.3	26.7	26.7	6.19	6.18	80.5	80.3	3.58	3.57	3.66	5.4	5.4	5.6
				Middle	6.2	20.3	26.7	26.8	6.19	6.18	80.5	80.3	3.55	3.55	5.6	5.5	
				Bottom	11.4	20.4	27.1	27.1	6.02	6.00	78.3	78.0	3.71	3.74	5.6	5.7	
			Middle	1.0	20.3	26.7	26.7	6.31	6.30	81.9	81.8	3.52	3.54	3.65	5.4	5.4	5.6
						26.7	26.7	6.29	6.29	81.7	81.7	3.55	3.55		5.6	5.6	
				Bottom	11.6	20.4	26.8	26.8	6.14	6.05	79.7	78.7	3.66	3.63	5.6	5.6	
13/12/12	1037-1050	19/Fine	Surface	1.0	20.4	26.7	26.8	6.19	6.17	80.4	80.1	3.60	3.63	3.66	5.4	5.4	5.6
				Middle	6.3	20.4	26.8	26.8	6.14	6.05	79.7	79.1	3.66	3.62	5.6	5.6	
				Bottom	11.6	20.4	26.9	27.0	6.00	6.02	77.9	78.2	3.78	3.81	5.8	5.8	
			Middle	1.0	20.4	26.7	26.8	6.23	6.22	81.0	80.9	3.51	3.53	3.65	5.4	5.4	5.6
						26.8	26.8	6.21	6.21	80.7	80.9	3.54	3.54		5.4	5.4	
				Bottom	12.4	20.5	26.9	26.9	6.11	6.08	79.5	79.1	3.59	3.62	5.6	5.6	
15/12/12	1223-1236	19/Cloudy	Surface	1.0	20.4	26.7	26.8	6.11	6.08	79.5	79.1	3.65	3.62	3.66	5.4	5.4	5.6
				Middle	6.7	20.5	26.8	26.9	6.05	6.05	78.7	78.3	3.65	3.62	5.6	5.6	
				Bottom	12.4	20.5	27.0	27.1	6.01	6.04	78.3	78.6	3.77	3.80	5.8	5.8	
			Middle	1.0	20.3	26.6	26.7	6.30	6.29	81.9	81.8	3.73	3.71	3.86	5.6	5.6	5.8
						26.7	26.7	6.27	6.27	81.6	81.8	3.68	3.68		5.8	5.8	
				Bottom	13.2	20.4	26.8	26.8	6.14	6.05	79.9	78.5	3.91	3.90	6.0	6.0	
18/12/12	1505-1520	18/Cloudy	Surface	1.0	20.3	26.6	26.7	6.37	6.39	82.9	83.1	3.40	3.42	3.52	5.4	5.4	5.5
				Middle	7.1	20.4	26.7	26.8	6.11	6.13	79.5	79.7	3.88	3.90	5.6	5.6	
				Bottom	13.2	20.4	26.8	26.8	6.05	6.04	78.7	78.5	4.00	3.99	6.0	6.0	
			Middle	1.0	20.5	26.8	26.9	6.40	6.39	83.3	83.1	3.44	3.42	3.66	5.4	5.4	5.5
						26.9	26.9	6.40	6.39	83.3	83.1	3.44	3.42		5.4	5.4	
				Bottom	12.6	20.6	27.0	27.0	6.26	6.23	81.5	81.1	3.50	3.52		5.6	5.6
22/12/12	1821-1834	19/Cloudy	Surface	1.0	20.4	26.8	26.9	6.37	6.36	82.9	82.7	3.59	3.56	3.66	5.4	5.4	5.6
				Middle	6.4	20.4	27.0	27.1	6.24	6.22	81.2	81.0	3.64	3.62	5.6	5.6	
				Bottom	11.8	20.5	27.2	27.2	5.92	5.94	77.0	77.2	3.84	3.82	5.8	5.8	
			Middle	1.0	18.6	26.5	26.6	6.40	6.40	82.6	82.5	3.58	3.57	3.83	5.6	5.6	5.8
						26.5	26.6	6.39	6.39	82.4	82.7	3.55	3.56		5.8	5.8	
				Bottom	12.2	19.0	26.8	26.8	6.32	6.30	81.5	81.3	3.82	3.84	6.0	6.0	
27/12/12	1030-1038	19/Cloudy	Surface	1.0	18.6	26.5	26.6	6.40	6.40	82.9	82.8	3.57	3.57	3.77	5.4	5.4	5.8
				Middle	6.6	18.8	26.8	26.8	6.28	6.28	81.0	81.3	3.82	3.84	5.6	5.6	
				Bottom	12.2	19.0	27.0	27.1	6.03	6.06	77.8	78.1	4.09	4.10	6.0	6.0	
			Middle	1.0	18.8	26.6	2										

Mid-Ebb Tide

Monitoring Station : R17

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)		Suspended Solids (mg/L)			
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1150-1202	20/Cloudy	Surface	1.0	23.3	26.5	26.5	6.10	6.09	84.6	84.4	3.56	3.59	3.77	5.4	5.4	5.7
						26.5	26.5	6.07	6.07	84.2	83.9	3.61	3.61		5.4	5.4	
				Middle	5.9	23.3	26.7	26.7	6.01	6.03	83.4	83.6	3.69	3.71	5.6	5.6	
			Bottom	10.8	23.4	26.6	26.8	6.04	5.93	83.7	82.3	3.73	3.73		5.5	5.5	
						26.8	26.8	5.90	5.90	81.4	81.9	3.98	4.01		6.0	6.0	
						26.8	26.8	5.87	5.87			4.03			6.2	6.2	
04/12/12	1415-1426	18/Cloudy	Surface	1.0	21.6	26.5	26.6	6.10	6.09	78.9	78.8	3.64	3.66	3.76	5.6	5.6	5.7
						26.6	26.6	6.08	6.08	78.7	78.6	3.68	3.68		5.6	5.6	
				Middle	6.0	21.5	26.6	26.7	6.02	6.04	77.9	78.1	3.68	3.69	5.5	5.5	
			Bottom	11.0	21.3	26.7	27.0	5.97	5.98	77.3	77.5	3.96	3.94		6.0	6.0	
						26.9	27.0	5.99	5.99	77.6	77.6	3.92	3.92		5.8	5.8	
						27.0	27.0	6.07	6.09	78.6	78.8	4.38	4.41		6.0	6.0	
06/12/12	1605-1616	16/Cloudy	Surface	1.0	21.6	26.4	26.5	6.32	6.34	81.8	82.0	4.09	4.08	4.25	6.0	5.9	6.2
						26.5	26.5	6.35	6.35	82.1	82.1	4.06	4.06		5.8	5.8	
				Middle	6.2	21.7	26.5	26.5	6.18	6.20	80.0	80.3	4.26	4.28	6.2	6.1	
			Bottom	11.4	21.7	26.5	26.7	6.07	6.09	80.6	80.6	4.30	4.30		6.0	6.0	
						26.7	26.7	6.10	6.10	79.0	79.0	4.43	4.43		6.5	6.5	
						26.7	26.7	6.10	6.10	79.0	79.0	4.43	4.43		6.4	6.4	
08/12/12	1730-1742	19/Cloudy	Surface	1.0	21.7	26.5	26.6	6.20	6.22	80.0	80.2	3.80	3.83	3.99	5.8	5.8	5.9
						26.6	26.6	6.23	6.23	80.4	80.4	3.85	3.85		5.8	5.8	
				Middle	6.3	21.6	26.7	26.7	6.07	6.05	78.3	78.1	3.99	4.01	6.0	6.0	
			Bottom	11.6	21.4	26.9	26.9	5.94	5.93	76.6	76.4	4.10	4.12		6.0	6.0	
						26.9	26.9	5.91	5.91	76.2	76.2	4.14	4.14		6.0	6.0	
						26.9	26.9	5.91	5.91	77.4	77.4	3.85	3.85		5.8	5.8	
11/12/12	0830-0845	17/Cloudy	Surface	1.0	20.3	26.6	26.7	6.21	6.19	80.7	80.5	3.48	3.51	3.66	5.4	5.4	5.6
						26.7	26.7	6.17	6.19	80.2	80.2	3.54	3.54		5.4	5.4	
				Middle	5.8	20.3	27.0	27.0	6.11	6.09	79.4	79.2	3.63	3.65	5.6	5.6	
			Bottom	10.6	20.4	26.9	27.1	6.07	6.09	78.9	78.9	3.67	3.67		6.0	6.0	
						27.1	27.1	5.92	5.94	77.0	77.2	3.80	3.83		5.8	5.8	
						27.1	27.1	5.95	5.95	77.4	77.4	3.85	3.85		5.8	5.8	
13/12/12	1020-1033	19/Fine	Surface	1.0	20.4	26.6	26.7	6.27	6.25	81.4	81.2	3.56	3.59	3.74	5.4	5.5	5.7
						26.7	26.7	6.23	6.23	80.9	80.9	3.61	3.61		5.6	5.6	
				Middle	5.7	20.4	26.7	26.7	6.20	6.18	80.5	80.3	3.69	3.71	5.5	5.6	
			Bottom	10.4	20.5	26.8	26.9	6.03	6.01	78.3	78.0	3.96	3.93		6.0	5.9	
						26.9	26.9	5.98	5.98	77.7	77.7	3.90	3.90		5.8	5.8	
						26.9	26.9	6.02	6.02	78.4	78.4	3.90	3.90		5.8	5.8	
15/12/12	1205-1218	19/Cloudy	Surface	1.0	20.4	26.6	26.7	6.32	6.30	82.2	81.9	3.55	3.58	3.73	5.4	5.5	5.7
						26.7	26.7	6.28	6.28	81.6	81.6	3.60	3.60		5.6	5.6	
				Middle	6.1	20.4	26.7	26.8	6.25	6.23	81.3	81.1	3.68	3.70	5.5	5.6	
			Bottom	11.2	20.5	26.8	26.9	6.07	6.05	80.8	78.7	3.95	3.92		6.0	5.9	
						26.9	26.9	6.02	6.02	79.0	78.7	3.89	3.92		5.8	5.8	
						26.9	26.9	6.02	6.02	78.4	78.4	3.90	3.92		5.8	5.8	
18/12/12	1445-1500	18/Cloudy	Surface	1.0	20.3	26.7	26.8	6.21	6.23	80.8	81.1	3.61	3.65	3.84	5.6	5.6	5.8
						26.8	26.8	6.25	6.25	81.3	81.3	3.68	3.68		5.6	5.6	
				Middle	6.8	20.3	26.8	26.8	6.18	6.16	80.4	80.1	3.82	3.83	5.8	5.9	
			Bottom	12.5	20.3	26.7	26.7	6.09	6.11	79.7	79.4	3.84	4.05		6.0	6.0	
						26.7	26.7	6.11	6.11	79.5	79.4	4.05	4.05		6.0	6.0	
						26.7	26.7	6.11	6.11	79.5	79.4	4.05	4.05		5.2	5.2	
20/12/12	1630-1642	17/Cloudy	Surface	1.0	20.4	26.8	26.8	6.45	6.43	83.7	83.9	3.32	3.34	3.51	5.2	5.2	5.4
						26.8	26.8	6.46	6.46	84.0	84.0	3.36	3.36		5.2	5.2	
				Middle	6.4	20.5	26.9	27.0	6.30	6.28	82.0	81.7	3.48	3.50	5.4	5.5	
			Bottom	11.8	20.5	26.7	27.1	6.12	6.10	81.3	79.6	3.52	3.66		5.5	5.5	
						26.7	27.1	6.12	6.10	79.6	79.4	3.66	3.68		5.8	5.7	
						26.7	27.1	6.07	6.07	79.0	78.8	4.08	4.06		6.0	6.0	
22/12/12	1800-1815	19/Cloudy	Surface	1.0	20.5	26.7	26.8	6.21	6.20	80.8	80.6	3.84	3.81	3.86	5.8	5.7	5.8
						26.8	26.8	6.18	6.18	80.4	80.4	3.77	3.77		5.6	5.6	
				Middle	6.2	20.5	27.0	27.0	6.10	6.08	79.4	79.2	3.72	3.70	5.5	5.6	
			Bottom	11.4	20.5	27.1	27.2	6.04	6.06	78.6	78.8	4.04	4.06		6.0	6.0	
						27.0	27.2	6.07	6.07	79.0	78.8	4.08	4.06		6.0	6.0	
						27.0	27.2	6.41	6.42	82.7	82.8	3.48	3.49		5.4	5.4	
27/12/12	1015-1023	19/Cloudy	Surface	1.0	18.6	26.6	26.6	6.42	6.43	82.9	82.9	3.49		3.81	5.4	5.4	5.8
						26.6	26.6	6.43	6.43	81.9	81.7	3.86	3.88		5.8	5.9	
				Middle	6.2	18.8	26.8	26.9	6.								

Monitoring Station : R28

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1321-1331	21/Cloudy	Surface	1.0	23.3	26.4 26.3	26.4	6.12 6.08	6.10	84.8 84.3	84.6	3.49 3.54	3.52	3.67	5.4 5.4	5.4	5.6
			Middle	5.8	23.3	26.5 26.6	26.6	6.14 6.11	6.13	85.1 84.7	84.9	3.62 3.68	3.65		5.6 5.6	5.6	
			Bottom	10.6	23.3	26.7 26.7	26.7	5.86 5.92	5.89	81.2 82.1	81.7	3.80 3.86	3.83		5.8 5.8	5.8	
			Surface	1.0	21.5	26.5 26.5	26.5	6.20 6.18	6.19	80.3 80.0	80.2	3.54 3.60	3.57		5.4 5.6	5.5	5.7
			Middle	5.9	21.4	26.6 26.7	26.7	5.91 5.93	5.92	76.5 76.8	76.7	3.74 3.71	3.73		5.6 5.6	5.6	
			Bottom	10.8	21.3	26.9 26.9	26.9	5.70 5.74	5.72	73.8 74.3	74.1	4.01 4.03	4.02		6.0 6.0	6.0	
06/12/12	1740-1751	16/Cloudy	Surface	1.0	21.6	26.4 26.4	26.4	6.27 6.31	6.29	81.2 81.7	81.5	3.89 3.86	3.88	4.02	5.8 5.8	5.8	6.0
			Middle	5.7	21.6	26.5 26.4	26.5	6.11 6.15	6.13	79.1 79.7	79.4	3.99 4.02	4.01		6.0 6.0	6.0	
			Bottom	10.4	21.7	26.7 26.6	26.7	5.96 5.92	5.94	77.2 76.7	77.0	4.15 4.19	4.17		6.2 6.2	6.2	
			Surface	1.0	21.7	26.5 26.5	26.5	6.22 6.25	6.24	80.2 80.6	80.4	3.61 3.64	3.63		5.6 5.6	5.6	
			Middle	6.1	21.5	26.7 26.6	26.7	6.13 6.10	6.12	79.1 78.7	78.9	4.00 4.04	4.02		6.0 6.0	6.0	5.9
			Bottom	11.2	21.3	26.8 26.9	26.9	5.99 5.95	5.97	77.3 76.8	77.1	4.16 4.21	4.19		6.2 6.2	6.2	
11/12/12	1030-1045	18/Cloudy	Surface	1.0	20.3	26.7 26.8	26.8	6.25 6.30	6.28	81.3 81.9	81.6	3.37 3.42	3.40	3.62	5.4 5.4	5.4	5.6
			Middle	5.4	20.3	26.8 26.8	26.8	6.18 6.13	6.16	80.4 79.7	80.1	3.60 3.66	3.63		5.6 5.6	5.6	
			Bottom	9.8	20.3	26.9 26.9	26.9	5.97 6.02	6.00	77.6 78.3	78.0	3.85 3.80	3.83		5.8 5.8	5.8	
			Surface	1.0	20.4	26.6 26.7	26.7	6.35 6.30	6.33	82.4 81.8	82.1	3.42 3.47	3.45		5.4 5.4	5.4	5.5
			Middle	5.3	20.3	26.7 26.7	26.7	6.24 6.21	6.23	81.0 80.6	80.8	3.52 3.60	3.56		5.4 5.6	5.5	
			Bottom	9.6	20.4	26.7 26.8	26.8	6.05 6.00	6.03	78.5 77.9	78.2	3.76 3.81	3.79		5.6 5.8	5.7	
15/12/12	1344-1357	19/Cloudy	Surface	1.0	20.4	26.7 26.8	26.8	6.36 6.32	6.34	82.7 82.2	82.5	3.41 3.46	3.44	3.59	5.4 5.4	5.4	5.5
			Middle	6.1	20.4	26.8 26.9	26.9	6.25 6.22	6.24	81.3 80.9	81.1	3.51 3.59	3.55		5.6 5.4	5.5	
			Bottom	11.2	20.5	26.9 27.0	27.0	6.06 6.01	6.04	78.9 78.3	78.6	3.75 3.80	3.78		5.6 5.6	5.6	
			Surface	1.0	20.2	26.6 26.7	26.7	6.27 6.25	6.26	81.6 81.3	81.5	3.68 3.71	3.70		5.6 5.6	5.6	5.7
			Middle	6.7	20.3	26.7 26.8	26.8	6.12 6.16	6.14	79.6 80.1	79.9	3.70 3.73	3.72		5.6 5.8	5.7	
			Bottom	12.4	20.4	26.8 26.8	26.8	6.04 6.07	6.06	78.6 78.9	78.8	3.81 3.79	3.80		5.8 5.6	5.7	
20/12/12	1823-1836	16/Cloudy	Surface	1.0	20.4	26.6 26.7	26.7	6.27 6.30	6.29	81.6 82.0	81.8	3.35 3.40	3.38	3.50	5.2 5.4	5.3	5.5
			Middle	6.3	20.5	26.8 26.8	26.8	6.15 6.11	6.13	80.0 79.5	79.8	3.47 3.51	3.49		5.4 5.6	5.5	
			Bottom	11.6	20.6	27.0 27.0	27.0	6.04 6.00	6.02	78.6 78.1	78.4	3.60 3.66	3.63		5.6 5.8	5.7	
			Surface	1.0	20.3	26.9 26.6	26.8	6.19 6.22	6.21	80.5 80.9	80.7	3.62 3.57	3.60		5.6 5.6	5.6	5.7
			Middle	6.2	20.3	27.1 27.1	27.1	6.03 6.06	6.05	78.5 78.9	78.7	3.78 3.72	3.75		5.8 5.6	5.7	
			Bottom	11.4	20.5	27.2 27.2	27.2	5.87 5.90	5.89	76.3 76.7	76.5	3.92 3.88	3.90		6.0 5.8	5.9	
27/12/12	1145-1153	19/Cloudy	Surface	1.0	18.7	26.5 26.5	26.5	6.50 6.47	6.49	83.9 83.5	83.7	3.54 3.57	3.56	3.80	5.6 5.6	5.6	5.8
			Middle	5.7	18.8	26.8 26.8	26.8	6.29 6.26	6.28	81.1 80.8	81.0	3.82 3.83	3.83		5.8 5.8	5.8	
			Bottom	10.4	19.0	27.0 26.9	27.0	6.04 6.08	6.06	77.9 78.4	78.2	4.02 4.00	4.01		6.0 6.0	6.0	
			Surface	1.0	18.7	26.6 26.7	26.7	6.48 6.50	6.49	82.9 83.2	83.1	3.41 3.39	3.40		5.4 5.4	5.4	5.7
			Middle	6.8	18.9	26.8 26.8	26.8	6.28 6.31	6.30	80.4 80.8	80.6	3.70 3.68	3.69		5.6 5.6	5.6	
			Bottom	12.6	19.0	27.0 27.1	27.1	6.14 6.10	6.12	78.6 78.1	78.4	3.98 3.95	3.97		6.0 6.0	6.0	

Mid-Ebb Tide

Monitoring Station : R29

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)		Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average
01/12/12	1335-1345	21/Cloudy	Surface	1.0	23.3	26.4 26.5	26.5	6.05 6.01	6.03	83.9 83.4	83.7	3.50 3.57	3.54	3.73	5.4 5.6 5.6 5.8 5.8 6.0	5.5 5.5 5.7 5.7 5.9 6.0
			Middle	8.3	23.3	26.8 26.7	26.8	5.97 5.91	5.94	82.8 81.9	82.4	3.70 3.76	3.73		5.4 5.6 5.6 5.8 5.8 6.0	
			Bottom	15.6	23.2	27.0 26.9	27.0	5.84 5.79	5.82	81.0 80.3	80.7	3.89 3.94	3.92		5.4 5.6 5.6 5.8 5.8 6.0	
			Surface	1.0	21.6	26.4 26.3	26.4	6.13 6.11	6.12	79.4 79.1	79.3	3.59 3.54	3.57		5.4 5.4 5.6 5.6 5.8 6.0	
			Middle	8.3	21.5	26.5 26.6	26.6	5.99 5.91	5.95	77.6 76.5	77.1	3.79 3.77	3.78		5.4 5.6 5.6 5.8 5.8 6.0	
			Bottom	15.6	21.3	26.9 27.0	27.0	5.74 5.76	5.75	74.3 74.6	74.5	3.93 3.95	3.94		5.4 5.6 5.6 5.8 5.8 6.0	
06/12/12	1755-1808	16/Cloudy	Surface	1.0	21.6	26.5 26.6	26.6	6.36 6.32	6.34	82.4 81.8	82.1	3.94 3.91	3.93	4.11	6.0 5.8 6.0 6.0 6.2 6.2	5.9 6.0 6.0 6.0 6.2 6.2
			Middle	8.7	21.6	26.7 26.8	26.8	6.16 6.19	6.18	79.7 80.1	79.9	4.10 4.13	4.12		6.0 5.8 6.0 6.0 6.2 6.2	
			Bottom	16.4	21.7	27.0 27.0	27.0	5.88 5.91	5.90	76.2 76.6	76.4	4.26 4.32	4.29		6.0 5.8 6.0 6.0 6.2 6.2	
			Surface	1.0	21.6	26.6 26.6	26.6	6.21 6.24	6.23	80.1 80.5	80.3	3.66 3.70	3.68		5.6 5.6 5.8 5.8 6.0 6.0	
			Middle	8.9	21.5	26.7 26.7	26.7	6.09 6.07	6.08	78.6 78.3	78.5	3.79 3.83	3.81		5.6 5.6 5.8 5.8 6.0 6.0	
			Bottom	16.8	21.4	26.9 26.9	26.9	5.92 5.88	5.90	76.4 75.9	76.2	4.01 4.05	4.03		5.6 5.6 5.8 5.8 6.0 6.0	
11/12/12	1051-1105	18/Cloudy	Surface	1.0	20.3	26.7 26.7	26.7	6.28 6.23	6.26	81.7 81.1	81.4	3.34 3.31	3.33	3.60	5.4 5.2 5.4 5.6 5.8 6.0	5.3 5.5 5.5 5.9 5.9 6.0
			Middle	8.3	20.3	26.9 26.9	26.9	6.11 6.07	6.09	79.5 78.9	79.2	3.57 3.62	3.60		5.4 5.2 5.4 5.6 5.8 6.0	
			Bottom	15.6	20.4	27.1 27.1	27.1	5.87 5.92	5.90	76.4 77.0	76.7	3.85 3.90	3.88		5.4 5.2 5.4 5.6 5.8 6.0	
			Surface	1.0	20.4	26.7 26.7	26.7	6.28 6.33	6.31	81.5 82.2	81.9	3.48 3.54	3.51		5.4 5.4 5.6 5.6 5.8 5.8	
			Middle	8.4	20.4	26.9 26.9	26.9	6.12 6.15	6.14	79.4 79.8	79.6	3.70 3.76	3.73		5.4 5.2 5.4 5.6 5.8 5.8	
			Bottom	15.8	20.4	27.1 27.1	27.1	6.01 5.96	5.99	78.1 77.4	77.8	3.94 3.88	3.91		5.4 5.2 5.4 5.6 5.8 5.8	
15/12/12	1400-1413	19/Cloudy	Surface	1.0	20.5	26.7 26.8	26.8	6.30 6.35	6.33	81.9 82.6	82.3	3.47 3.53	3.50	3.71	5.4 5.4 5.6 5.6 6.0 5.8	5.4 5.6 5.6 5.9 6.0 5.6
			Middle	8.8	20.5	26.9 27.0	27.0	6.14 6.17	6.16	79.9 80.3	80.1	3.69 3.75	3.72		5.4 5.2 5.6 5.6 6.0 5.8	
			Bottom	16.6	20.6	27.1 27.1	27.1	6.03 5.98	6.01	78.5 77.9	78.2	3.93 3.87	3.90		5.4 5.2 5.6 5.6 6.0 5.8	
			Surface	1.0	20.3	26.6 26.6	26.6	6.30 6.18	6.19	80.7 80.4	80.6	3.66 3.67	3.67		5.6 5.6 5.8 5.8 6.0 6.0	
			Middle	9.1	20.3	26.8 26.9	26.9	6.11 6.09	6.10	79.5 79.2	79.4	3.82 3.78	3.80		5.6 5.6 5.8 5.8 6.0 6.0	
			Bottom	17.2	20.4	27.0 27.1	27.1	6.08 6.02	6.05	79.1 78.3	78.7	3.95 4.01	3.98		5.6 5.6 5.8 5.8 6.0 6.0	
20/12/12	1841-1853	16/Cloudy	Surface	1.0	20.5	26.6 26.7	26.6	6.20 6.36	6.19	80.7 82.7	80.6	3.66 3.38	3.67	3.50	5.4 5.4 5.4 5.6 5.6 5.6	5.6 5.6 5.8 5.8 6.0 5.6
			Middle	9.1	20.5	26.9 26.9	26.9	6.14 6.24	6.16	81.8 81.2	81.5	3.49 3.51	3.50		5.4 5.2 5.4 5.6 5.6 5.6	
			Bottom	17.2	20.6	27.0 27.1	27.1	6.10 6.06	6.08	79.4 78.8	79.1	3.59 3.63	3.61		5.4 5.2 5.4 5.6 5.6 5.6	
			Surface	1.0	20.2	26.8 26.7	26.8	6.40 6.36	6.38	83.3 82.7	83.0	3.40 3.38	3.39		5.4 5.4 5.4 5.6 5.6 5.6	
			Middle	8.4	20.4	26.9 27.1	27.1	6.29 6.10	6.27	81.8 79.4	81.5	3.49 3.51	3.50		5.4 5.2 5.4 5.6 5.6 5.6	
			Bottom	15.8	20.6	27.0 27.1	27.1	6.10 5.94	6.08	78.4 77.2	79.1	3.59 3.97	3.61		5.4 5.2 5.4 5.6 5.6 5.6	
22/12/12	2025-2039	19/Cloudy	Surface	1.0	20.2	26.8 26.7	26.8	6.25 6.29	6.27	81.3 81.8	81.6	3.74 3.69	3.72	3.90	5.6 5.6 5.6 6.0 6.0 5.8	5.6 5.6 5.8 6.0 6.0
			Middle	8.4	20.4	27.1 27.1	27.1	6.10 6.07	6.09	79.4 79.0	79.2	4.07 4.02	4.05		5.4 5.2 5.6 5.6 6.0 5.8	
			Bottom	15.8	20.4	27.2 27.1	27.2	6.10 5.94	6.08	76.7 77.2	77.0	3.97 3.92	3.95		5.4 5.2 5.6 5.6 6.0 5.8	
			Surface	1.0	18.6	26.5 26.6	26.6	6.46 6.45	6.46	83.3 83.2	83.5	3.52 3.49	3.51		5.4 5.4 5.4 5.6 5.6 5.6	
			Middle	9.1	18.8	26.9 26.8	26.9	6.25 6.27	6.26	80.6 80.9	81.5	3.75 3.79	3.77		5.6 5.6 5.6 5.8 5.8 5.8	
			Bottom	17.2	18.9	27.0 27.1	27.1	6.11 6.08	6.10	78.8 78.4	78.3	3.97 3.95	3.96		6.0 6.0 6.0 6.0 6.0 6.0	
27/12/12	1200-1208	19/Cloudy	Surface	1.0	18.8	26.6 26.6	26.6	6.60 6.58	6.59	84.5 84.2	84.4	3.50 3.54	3.52	3.75	5.4 5.4 5.4 5.6 5.6 5.6	5.4 5.4 5.4 5.7 5.7
			Middle	9.1	18.9	26.8 26.8	26.8	6.32 6.34	6.33	81.0 81.2	81.1	3.82 3.86	3.84		5.6 5.6 5.6 5.8 5.8 5.8	
			Bottom	17.2	19.0	27.1 27.0	27.1	6.12 6.15	6.14	78.3 78.7	78.5	3.89 3.90	3.90		6.0 6.0 6.0 6.0 6.0 6.0	
			Surface	1.0	18.8	26.6 26.6	26.6	6.58 6.58	6.59	84.2 84.2	84.4	3.54 3.54	3.52		5.4 5.4 5.4 5.6 5.6 5.6	
			Middle	9.1	18.9	26.8 26.8	26.8	6.32 6.34	6.33	81.0 81.2	81.1	3.82 3.86	3.84		5.6 5.6 5.6 5.8 5.8 5.8	
			Bottom	17.2	19.0	27.1 27.0	27.1	6.12 6.15	6.14	78.3 78.7	78.5	3.89 3.90	3.90		6.0 6.0 6.0 6.0 6.0 6.0	

Mid-Ebb Tide

Monitoring Station : C1

Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)	Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)			
					Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average	
01/12/12	1238-1248	20/Cloudy	Surface	1.0	23.3	26.5	26.5	6.07	6.09	84.1	84.4	3.44	3.48	3.72	5.4	5.4	5.7
					26.4		6.10		84.6		3.51		5.4	5.4			
				7.1	23.2	26.7	26.8	6.00	5.98	83.2	82.6	3.69	3.73	5.6	5.7		
			Middle	7.1	23.2	26.8	5.96		82.6		3.69		3.71	3.67	5.8	5.8	5.6
					27.0	27.0	5.85		81.1		3.94		3.97		6.0	6.0	
				13.2	23.2	26.9	5.82	5.84	80.7		3.99				6.0	6.0	
04/12/12	1453-1504	18/Cloudy	Surface	1.0	21.5	26.4	26.4	6.12	6.11	79.3	79.1	3.47	3.49	3.67	5.4	5.4	5.6
					26.3		6.10		78.9		3.50		5.4	5.4			
				7.0	21.4	26.5	26.5	6.02	6.05	77.9		3.69		5.6	5.6		
			Middle	7.0	21.4	26.5	6.08		78.7		3.63		3.66	4.12	5.6	5.6	6.1
					26.9	26.9	5.77		74.7		3.84		3.86		5.8	5.8	
				13.0	21.4	26.9	5.79	5.78	74.9		3.88				5.5	5.5	
06/12/12	1651-1703	16/Cloudy	Surface	1.0	21.6	26.5	26.5	6.30	6.32	81.5	81.8	3.91	3.93	4.12	5.8	5.8	6.1
					26.5		6.34		82.1		3.95		5.8	5.8			
				7.1	21.6	26.6	26.7	6.19	6.22	80.2	80.5	4.12	4.10	6.2	6.2		
			Middle	7.1	21.6	26.7	26.7	6.24		80.8		4.08		4.12	6.0	6.1	6.4
					26.9	26.9	6.04		78.2		4.30		4.33		6.2	6.2	
				13.2	21.7	26.9	26.9	6.08		78.8		4.36			6.5	6.5	
08/12/12	1827-1839	19/Cloudy	Surface	1.0	21.7	26.6	26.6	6.22	6.24	80.2	80.4	4.04	4.06	4.24	6.0	6.0	6.2
					26.5		6.25		80.6		4.08		6.0	6.0			
				7.7	21.6	26.7	26.8	6.10	6.08	78.7		4.21		6.2	6.2		
			Middle	7.7	21.5	26.9	26.9	6.06		78.2		4.24		4.24	6.4	6.5	6.5
					26.9	26.9	5.93		76.5		4.43		6.4	6.5			
				14.4	21.5	26.9	26.9	5.87		75.7		4.46		6.5	6.5		
11/12/12	0930-0946	17/Cloudy	Surface	1.0	20.3	26.6	26.6	6.33	6.31	82.3	82.0	3.36	3.40	3.63	5.4	5.4	5.6
					26.6		6.28		81.7		3.43		5.4	5.4			
				6.8	20.3	26.7	26.8	6.18	6.21	80.4		3.60		5.6	5.6		
			Middle	6.8	20.4	26.8	26.8	6.24		81.1		3.65		3.62	5.6	5.6	5.6
					27.0	27.1	6.00		78.1		3.87		3.86		5.8	5.9	
				12.6	20.4	27.0	27.1	6.03	6.02	78.4		3.84			6.0	6.0	
13/12/12	1112-1125	19/Fine	Surface	1.0	20.4	26.7	26.7	6.32	6.34	82.1	82.3	3.47	3.50	3.62	5.4	5.4	5.6
					26.6		6.35		82.4		3.52		5.4	5.4			
				7.0	20.4	26.8	26.8	6.20	6.19	80.5		3.65		5.6	5.6		
			Middle	7.0	20.4	26.9	26.9	6.18		80.3		3.59		3.61	5.6	5.6	5.5
					27.0	27.0	6.04		78.4		3.72		3.75		5.8	5.9	
				13.0	20.4	27.0	27.0	6.07		78.8		3.77			6.0	6.0	
15/12/12	1256-1309	19/Cloudy	Surface	1.0	20.4	26.8	26.8	6.34	6.36	82.4	82.6	3.46	3.49	3.61	5.4	5.4	5.5
					26.8		6.37		82.8		3.51		5.4	5.4			
				7.6	20.4	26.9	27.0	6.22	6.21	80.9		3.64		5.6	5.6		
			Middle	7.6	20.5	27.0	27.0	6.20		80.7		3.58		3.61	5.6	5.6	5.6
					27.1	27.1	6.08		79.2		3.71		5.6	5.6			
				14.2	20.5	27.1	27.1	6.10	6.09	79.4		3.76		5.5	5.5		
18/12/12	1545-1600	18/Cloudy	Surface	1.0	20.2	26.6	26.7	6.28	6.27	81.7	81.5	3.51	3.55	3.67	5.4	5.5	5.6
					26.8		6.25		81.3		3.58		5.6	5.6			
				8.1	20.3	26.9	26.8	6.17	6.19	80.3		3.64		5.6	5.6		
			Middle	8.1	20.3	27.0	27.0	6.20		80.7		3.68		3.67	5.8	5.8	5.7
					27.0	27.1	6.11		79.5		3.78		5.8	5.8			
				15.2	20.3	27.1	27.1	6.08	6.10	79.1		3.81		5.5	5.5		
20/12/12	1726-1738	17/Cloudy	Surface	1.0	20.4	26.8	26.8	6.40	6.38	83.3	83.0	3.41	3.43	3.55	5.4	5.4	5.5
					26.7		6.36		82.7		3.45		5.4	5.4			
				7.9	20.5	26.9	26.9	6.25	6.23	81.3		3.53		3.56	5.6	5.6	5.5
			Middle	7.9	20.5	27.0	27.1	6.21		80.8		3.58		3.55	5.6	5.6	5.6
					27.0	27.1	6.11		79.5		3.67		5.6	5.6			
				14.8	20.5	27.1	27.2	5.97		77.4		3.69		5.5	5.5		
22/12/12	1902-1915	19/Cloudy	Surface	1.0	20.4	26.9	26.9	6.38	6.40	83.0	83.3	3.74	3.72	3.84	5.6	5.6	5.8
					26.8		6.42		83.5		3.70		5.6	5.6			
				7.7	20.4	27.0	27.1	6.12	6.14	79.6		3.78		5.8	5.8		
			Middle	7.7	20.4	27.1	27.2	6.15		80.0		3.71		3.84	5.6	5.6	5.8
					27.2	27.2	6.00		77.7		4.01		5.6	5.6			
				14.4	20.5	27.2	27.2	5.95		77.4		4.08		6.0	6.0		
27/12/12	1100-1108	19/Cloudy	Surface	1.0	18.6	26.6	26.6	6.47	6.46	83.5	83.4	3.54	3.55	3.79	5.4	5.5	5.8

Mid-Ebb Tide

Monitoring Station : C3

東華检测有限公司
ETS-TESTCONSULT LIMITED


Date	Sampling Duration	Ambient Temp (°C) / Weather Condition	Monitoring Depth (m)		Temp (°C)	Salinity (ppt)		Dissolved Oxygen (mg/L)		Dissolved Oxygen Saturation (%)		Turbidity (NTU)			Suspended Solids (mg/L)		
						Value	Average	Value	Average	Value	Average	Value	Average	Depth-average	Value	Average	Depth-average
01/12/12	1252-1303	20/Cloudy	Surface	1.0	23.3	26.5	26.5	6.16	6.15	85.4	85.2	3.53	3.55	3.70	5.4	5.5	5.6
						26.5		6.13		85.0		3.57			5.6		
			Middle	6.5	23.2	26.6	26.7	6.11	6.09	84.7	84.4	3.70	3.67		5.6	5.6	
						26.7		6.07		84.1		3.64			5.6		
			Bottom	12.0	23.2	26.9	26.9	5.92	5.94	82.1	82.3	3.86	3.88		5.8	5.8	
						26.9		5.95		82.5		3.90			5.8		
04/12/12	1506-1517	18/Cloudy	Surface	1.0	21.6	26.5	26.6	6.18	6.15	80.0	79.7	3.53	3.57	3.74	5.4	5.5	5.7
						26.6		6.12		79.3		3.60			5.6		
			Middle	6.6	21.5	26.5	26.6	5.97	5.96	77.3	77.2	3.68	3.69		5.6	5.6	
						26.6		5.95		77.1		3.70			5.6		
			Bottom	12.2	21.4	26.8	26.9	5.81	5.84	75.2	75.6	3.96	3.97		5.8	5.9	
						26.9		5.87		76.0		3.98			6.0		
06/12/12	1707-1720	16/Cloudy	Surface	1.0	21.6	26.5	26.5	6.28	6.31	81.3	81.6	3.83	3.86	4.08	5.8	5.8	6.0
						26.5		6.33		81.9		3.88			5.8		
			Middle	8.5	21.7	26.7	26.7	6.14	6.12	79.4	79.2	4.05	4.08		6.0	6.0	
						26.8		6.10		78.9		4.10			6.0		
			Bottom	16.0	21.7	26.9	27.0	5.95	5.97	77.1	77.4	4.29	4.32		6.2	6.2	
						27.0		5.99		77.6		4.34			6.2		
08/12/12	1846-1859	19/Cloudy	Surface	1.0	21.7	26.4	26.5	6.17	6.15	79.6	79.4	3.94	3.96	4.15	5.8	5.8	6.0
						26.5		6.13		79.1		3.97			5.8		
			Middle	6.8	21.5	26.6	26.7	6.04	6.02	77.9	77.7	4.11	4.14		6.0	5.9	
						26.7		6.00		77.4		4.17			6.2	6.2	
			Bottom	12.6	21.4	26.9	26.9	5.90	5.89	76.1	75.9	4.32	4.34		6.2		
						26.9		5.87		75.7		4.36			6.2		
11/12/12	0951-1005	17/Cloudy	Surface	1.0	20.3	26.7	26.6	6.30	6.28	81.9	81.6	3.42	3.45	3.68	5.4	5.4	5.6
						26.6		6.25		81.3		3.48			5.4		
			Middle	6.4	20.3	26.7	26.7	6.16	6.14	80.1	79.9	3.64	3.67		5.6	5.6	
						26.7		6.12		79.6		3.70			5.6		
			Bottom	11.8	20.3	26.9	27.0	5.97	6.00	77.7	78.0	3.89	3.91		5.8	5.8	
						27.0		6.02		78.3		3.92			5.8		
13/12/12	1130-1144	19/Fine	Surface	1.0	20.4	26.6	26.5	6.37	6.36	82.7	82.5	3.44	3.47	3.66	5.4	5.4	5.6
						26.5		6.34		82.3		3.49			5.4		
			Middle	6.4	20.4	26.6	26.7	6.28	6.26	81.5	81.2	3.68	3.66		5.6	5.6	
						26.7		6.23		80.9		3.63			5.6		
			Bottom	11.8	20.4	26.7	26.8	6.15	6.13	84.4	81.8	3.82	3.85		5.8	5.8	
						26.8		6.10		79.2		3.87			5.8		
15/12/12	1312-1325	19/Cloudy	Surface	1.0	20.4	26.7	26.8	6.38	6.37	82.9	82.8	3.43	3.46	3.65	5.4	5.4	5.6
						26.8		6.35		82.6		3.48			5.4		
			Middle	6.8	20.5	26.8	26.9	6.29	6.27	81.8	81.5	3.67	3.65		5.6	5.6	
						26.9		6.24		81.2		3.62			5.6		
			Bottom	12.6	20.5	26.9	27.0	6.16	6.14	80.2	79.9	3.81	3.84		5.8	5.8	
						27.0		6.11		79.6		3.86			5.8		
18/12/12	1605-1620	18/Cloudy	Surface	1.0	20.3	26.8	26.7	6.21	6.21	80.4	80.8	3.46	3.49	3.70	5.4	5.4	5.6
						26.7		6.23		81.1		3.51			5.4		
			Middle	7.2	20.3	26.7	26.8	6.14	6.16	79.9	80.2	3.73	3.76		5.6	5.7	
						26.8		6.18		80.4		3.78			5.8	5.8	
			Bottom	13.4	20.4	26.9	26.9	6.11	6.09	79.5	79.2	3.88	3.87		5.8	5.8	
						26.9		6.07		78.9		3.85			5.8		
20/12/12	1745-1758	17/Cloudy	Surface	1.0	20.4	26.8	26.8	6.31	6.33	82.1	82.3	3.37	3.39	3.52	5.2	5.3	5.4
						26.8		6.34		82.5		3.41			5.4		
			Middle	7.1	20.5	26.9	27.0	6.19	6.18	80.5	80.3	3.49	3.51		5.4	5.4	
						26.9		6.16		80.1		3.53			5.4		
			Bottom	13.2	20.6	27.1	27.1	6.05	6.03	78.7	78.5	3.64	3.66		5.6	5.6	
						27.1		6.01		78.2		3.68			5.6		
22/12/12	1922-1936	19/Cloudy	Surface	1.0	20.3	26.9	26.9	6.36	6.36	82.4	82.7	3.44	3.47	3.73	5.4	5.4	5.7
						26.9		6.38		83.0		3.49			5.4		
			Middle	6.8	20.3	27.0	27.1	6.07	6.08	79.0	79.2	3.90	3.86		5.8	5.8	
						27.1		6.09		79.3		3.82			5.8		
			Bottom	12.6	20.5	27.1	27.1	5.89	5.88	76.6	76.4	3.87	3.86		5.8	5.8	
						27.1		5.86		76.2		3.84			5.8		
27/12/12	1115-1123	19/Cloudy	Surface	1.0	18.7	26.6	26.6	6.45	6.44	83.2	83.1	3.58	3.57	3.81	5.6	5.5	5.8
						26.6		6.43		82.9		3.55			5.4		
			Middle	6.3	18.8	26.9	26.9	6.26	6.27	80.8	80.9	3.87	3.86		5.8	5.8	
						26.9		6.28		81.0		3.85			6.0	6.0	
			Bottom	11.6	19.0	27.1	27.1	6.04	6.06	77.9	78.1	3.98	4.00		6.0	6.0	
						27.1		6.07		78.3		4.01			6.0		
29/12/12	1205-1213	20/Cloudy	Surface	1.0	18.8	26.6	26.6	6.42	6.43	82.2	82.3	3.56	3.53	3.76	5.4	5.4	5.7
						26.6		6.43		82.3		3.50			5.4		




Appendix C3

Graphical Plots of Impact Water Quality Monitoring Data

Dissolved Oxygen (Surface) at Mid-Flood Tide




Dissolved Oxygen (Surface) at Mid-Ebb Tide






東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Dissolved Oxygen (Surface) at Mid-Flood Tide




Dissolved Oxygen (Surface) at Mid-Ebb Tide






東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Dissolved Oxygen (Middle) at Mid-Flood Tide




Dissolved Oxygen (Middle) at Mid-Ebb Tide






東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Dissolved Oxygen (Middle) at Mid-Flood Tide




Dissolved Oxygen (Middle) at Mid-Ebb Tide






東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Dissolved Oxygen (Bottom) at Mid-Flood Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide






東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Dissolved Oxygen (Bottom) at Mid-Flood Tide




Dissolved Oxygen (Bottom) at Mid-Ebb Tide






東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED


Turbidity (Depth-average) at Mid-Flood Tide




Turbidity(Depth-average) at Mid-Ebb Tide



Turbidity (Depth-average) of R15 at Mid-Flood Tide




Turbidity(Depth-average) of R15 at Mid-Ebb Tide






東業德勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Suspended solids (Depth-average) at Mid-Flood Tide




Suspended Solids (Depth-average) at Mid-Ebb Tide






東業德勘測試驗有限公司
ETS-TESTCONSULT LIMITED

Suspended solids (Depth-average) of R15 at Mid-Flood Tide



Suspended Solids (Depth-average) of R15 at Mid-Ebb Tide





Appendix C4

QA/QC Results of Laboratory Analysis for Water Samples

**QA/QC Results of Laboratory Analysis of Total Suspended Solids**

Sampling Date	QC Sample	Sample Duplicate		Sample Spike	
	% Recovery *	Sample ID	% Error #	Sample ID	% Recovery @
01/12/12	106.3	R5FS	8.7	R8FS	98.1
	101.4	R8FM	0.0	R17FM	98.0
	92.4	R17FB	0.0	C1FB	95.7
	104.6	C2FS	0.0	C4FB	95.7
	94.7	R5ES	0.0	R8ES	106.1
	100.8	R8EM	0.0	R17EM	101.9
	96.8	R17EB	8.0	C1EB	100.0
	104.0	C2ES	0.0	C4EB	103.8
04/12/12	99.0	R5FS	0.0	R8FS	98.0
	93.3	R8FM	0.0	R17FM	92.5
	104.3	R17FB	8.7	C1FB	102.0
	107.8	C2FS	0.0	C4FB	102.0
	104.0	R5ES	0.0	R8ES	92.2
	103.9	R8EM	0.0	R17EM	101.9
	101.4	R17EB	0.0	C1EB	104.0
	108.0	C2ES	0.0	C4EB	94.0
06/12/12	103.1	R5FS	8.7	R8FS	106.4
	99.4	R8FM	0.0	R17FM	100.0
	94.4	R17FB	8.0	C1FB	92.3
	98.4	C2FS	0.0	C4FB	98.1
	96.2	R5ES	8.0	R8ES	100.0
	98.3	R8EM	0.0	R17EM	98.0
	102.5	R17EB	8.0	C1EB	106.3
	105.7	C2ES	0.0	C4EB	95.8
08/12/12	95.1	R5FS	0.0	R8FS	98.0
	102.5	R8FM	8.0	R17FM	102.0
	105.1	R17FB	0.0	C1FB	97.9
	98.4	C2FS	0.0	C4FB	102.0
	96.0	R5ES	0.0	R8ES	96.2
	101.0	R8EM	8.0	R17EM	101.9
	94.5	R17EB	0.0	C1EB	105.7
	95.5	C2ES	8.7	C4EB	100.0
11/12/12	106.0	R5FS	0.0	R8FS	98.0
	92.7	R8FM	0.0	R17FM	108.0
	106.3	R17FB	8.7	C1FB	97.9
	99.4	C2FS	0.0	C4FB	104.1
	93.1	R5ES	0.0	R8ES	93.6
	93.6	R8EM	0.0	R17EM	93.6
	97.8	R17EB	8.7	C1EB	97.9
	104.8	C2ES	0.0	C4EB	94.2
13/12/12	104.2	R5FS	0.0	R8FS	102.1
	100.4	R8FM	8.7	R17FM	95.8
	102.7	R17FB	0.0	C1FB	98.0
	105.5	C2FS	0.0	C4FB	104.1
	101.2	R5ES	8.7	R8ES	95.7
	104.0	R8EM	0.0	R17EM	93.7
	93.0	R17EB	0.0	C1EB	95.9
	107.2	C2ES	0.0	C4EB	93.8

Note: (*)% Recovery of QC sample should be between 80% to 120%.

(#) % Error of Sample Duplicate should be between -10% to 10%.

(@) % Recovery of Sample Spike should be between 80% to 120%.

QA/QC Results of Laboratory Analysis of Total Suspended Solids

Sampling Date	QC Sample	Sample Duplicate		Sample Spike	
	% Recovery *	Sample ID	% Error #	Sample ID	% Recovery @
15/12/12	107.7	R5FS	0.0	R8FS	104.1
	97.9	R8FM	0.0	R17FM	102.0
	96.2	R17FB	8.7	C1FB	106.4
	106.9	C2FS	0.0	C4FB	101.9
	99.1	R5ES	0.0	R8ES	93.6
	94.7	R8EM	8.7	R17EM	102.0
	95.0	R17EB	0.0	C1EB	102.0
	105.4	C2ES	0.0	C4EB	93.6
18/12/12	107.3	R5FS	0.0	R8FS	106.0
	98.2	R8FM	0.0	R17FM	106.0
	105.8	R17FB	8.7	C1FB	96.2
	101.8	C2FS	0.0	C4FB	105.9
	94.7	R5ES	8.7	R8ES	96.0
	102.0	R8EM	0.0	R17EM	91.7
	102.3	R17EB	0.0	C1EB	102.0
	101.6	C2ES	0.0	C4EB	100.0
20/12/12	100.2	R5FS	0.0	R8FS	100.0
	107.4	R8FM	0.0	R17FM	100.0
	99.4	R17FB	0.0	C1FB	96.1
	107.9	C2FS	9.5	C4FB	102.1
	94.7	R5ES	0.0	R8ES	98.0
	103.0	R8EM	0.0	R17EM	106.1
	97.8	R17EB	8.7	C1EB	104.0
	100.0	C2ES	0.0	C4EB	96.2
22/12/12	106.0	R5FS	0.0	R8FS	94.3
	107.2	R8FM	0.0	R17FM	98.0
	104.8	R17FB	8.7	C1FB	104.2
	96.1	C2FS	0.0	C4FB	102.1
	107.6	R5ES	0.0	R8ES	100.0
	96.8	R8EM	8.7	R17EM	106.2
	94.6	R17EB	0.0	C1EB	94.0
	107.7	C2ES	0.0	C4EB	102.0
27/12/12	104.3	R5FS	0.0	R8FS	104.3
	107.3	R8FM	0.0	R17FM	98.0
	100.6	R17FB	8.7	C1FB	91.7
	96.4	C2FS	0.0	C4FB	98.0
	100.2	R5ES	0.0	R8ES	94.1
	96.9	R8EM	0.0	R17EM	108.2
	106.5	R17EB	0.0	C1EB	103.8
	99.8	C2ES	0.0	C4EB	98.1
29/12/12	93.1	R5FS	0.0	R8FS	100.0
	105.8	R8FM	0.0	R17FM	103.9
	106.8	R17FB	0.0	C1FB	100.0
	97.9	C2FS	0.0	C4FB	98.0
	102.5	R5ES	0.0	R8ES	100.0
	99.8	R8EM	8.7	R17EM	94.0
	106.8	R17EB	0.0	C1EB	96.1
	98.8	C2ES	0.0	C4EB	101.9

Note: (*) % Recovery of QC sample should be between 80% to 120%.

(#) % Error of Sample Duplicate should be between -10% to 10%.

(@) % Recovery of Sample Spike should be between 80% to 120%.



Appendix D

Event-Action Plans



Event and Action Plan for Construction Noise

Event	Action			
	ET Leader	IEC	ER	Contractor
Action Level	<ol style="list-style-type: none">Notify IEC and the Contractor.Carry out investigation.Report the results of investigation to IEC and the Contractor.Discuss with the Contractor and formulate remedial measures.Increase monitoring frequency to check mitigation measures.	<ol style="list-style-type: none">Review with analysed results submitted by ET.Review the proposed remedial measures by the Contractor and advise ER accordingly.Supervise the implementation of remedial measures.	<ol style="list-style-type: none">Confirm receipt of notification of exceedance in writing.Notify the Contractor.Require the Contractor to propose remedial measures for the analysed noise problem.Ensure remedial measures are properly implemented.	<ol style="list-style-type: none">Submit noise mitigation proposals to IEC.Implement noise mitigation proposals.
Limit Level	<ol style="list-style-type: none">Identify the source.Notify IEC, ER, EPD and the Contractor.Repeat measurement to confirm findings.Increase monitoring frequency.Carry out analysis of Contractor's working procedures to determine possible mitigation to be implemented.Inform IEC, ER, and EPD the causes & actions taken for the exceedances.Assess effectiveness of the Contractor's remedial actions and keep IEC, EPD and ER informed of the results.If exceedance stops, cease additional monitoring.	<ol style="list-style-type: none">Discuss amongst ER, ET Leader and the Contractor on the potential remedial actions.Review the Contractor's remedial actions whenever necessary to assure their effectiveness and advise ER accordingly.Supervise the implementation of remedial measures.	<ol style="list-style-type: none">Confirm receipt of notification of exceedance in writing.Notify the Contractor.Require the Contractor to propose remedial measures for the analysed noise problem.Ensure remedial measures are properly implemented.If exceedance continues, consider what activity of the work is responsible and instruct the Contractor to stop that activity of work until the exceedance is abated.	<ol style="list-style-type: none">Take immediate action to avoid further exceedance.Submit proposals for remedial actions to IEC within 3 working days of notification.Implement the agreed proposals.Resubmit proposals if problem still not under control.Stop the relevant activity of works as determined by the ER until the exceedance is abated.



Event and Action Plan for Water Quality for Construction Phase

Event	Action			
	ET Leader	IEC	ER	Contractor
Action Level				
Exceedance for one sample	<ol style="list-style-type: none">Repeat in-situ measurement to confirm finding;Identify source(s) of impact;Inform IEC and Contractor;Check monitoring data, all plant, equipment and Contractor's working methods;Discuss mitigation measures with IEC and Contractor; andRepeat measurement on next day of exceedance.	<ol style="list-style-type: none">Discuss with ET and Contractor on the mitigation measures;Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; andAssess the effectiveness of the implemented mitigation measures.	<ol style="list-style-type: none">Discuss with IEC on the proposed mitigation measures; andMake agreement on the mitigation measures to be implemented.	<ol style="list-style-type: none">Inform the ER and confirm notification of the non-compliance in writing;Rectify unacceptable practice;Check all plant and equipment;Consider changes of working methods;Discuss with ET and IEC and propose mitigation measures to IEC and ER; andImplement the agreed mitigation measures.
Exceedance for two or more consecutive samples	<ol style="list-style-type: none">Repeat in-situ measurement to confirm finding;Identify source(s) of impact;Inform IEC and Contractor;Check monitoring data, all plant, equipment and Contractor's working methods;Discuss mitigation measures with IEC and Contractor;Ensure mitigation measures are implemented;Prepare to increase the monitoring frequency to daily; andRepeat measurement on next day of exceedance.	<ol style="list-style-type: none">Discuss with ET and Contractor on the mitigation measures;Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; andAssess the effectiveness of the implemented mitigation measures.	<ol style="list-style-type: none">Discuss with IEC on the proposed mitigation measures;Make agreement on the mitigation measures to be implemented; andAssess the effectiveness of the implemented mitigation measures.	<ol style="list-style-type: none">Inform the Engineer and confirm notification of the non-compliance in writing;Rectify unacceptable practice;Check all plant and equipment;Consider changes of working methods;Discuss with ET and IEC and propose mitigation measures to IEC and ER within 3 working days; andImplement the agreed mitigation measures.



Event and Action Plan for Water Quality for Construction Phase

Event	Action			
	ET Leader	IEC	ER	Contractor
Limit Level				
Exceedance for one sample	<ol style="list-style-type: none">1. Repeat in-situ measurement to confirm finding;2. Identify source(s) of impact;3. Inform IEC, Contractor and EPD;4. Check monitoring data, all plant, equipment and Contractor's working methods;5. Discuss mitigation measures with IEC, ER and Contractor;6. Ensure mitigation measures are implemented; and7. Increase the monitoring frequency to daily until no exceedance of Limit level.	<ol style="list-style-type: none">1. Discuss with ET and Contractor on the mitigation measures;2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and3. Assess the effectiveness of the implemented mitigation measures.	<ol style="list-style-type: none">1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; and2. Request Contractor to critically review the working methods;3. Make agreement on the mitigation measures to be implemented; and4. Assess the effectiveness of the implemented mitigation measures.	<ol style="list-style-type: none">1. Inform the Engineer and confirm notification of the non-compliance in writing;2. Rectify unacceptable practice;3. Check all plant and equipment;4. Consider changes of working methods;5. Discuss with ET and IEC and ER and propose mitigation measures to IEC and ER within 3 working days; and6. Implement the agreed mitigation measures.
Exceedance for two or more consecutive samples	<ol style="list-style-type: none">1. Repeat in-situ measurement to confirm finding;2. Identify source(s) of impact;3. Inform IEC, Contractor and EPD;4. Check monitoring data, all plant, equipment and Contractor's working methods;5. Discuss mitigation measures with IEC, ER and Contractor;6. Ensure mitigation measures are implemented; and7. Increase the monitoring frequency to daily until no exceedance of Limit level for two consecutive days.	<ol style="list-style-type: none">1. Discuss with ET and Contractor on the mitigation measures;2. Review proposals on mitigation measures submitted by Contractor and advise the ER accordingly; and3. Assess the effectiveness of the implemented mitigation measures.	<ol style="list-style-type: none">1. Discuss with IEC, ET and Contractor on the proposed mitigation measures; and2. Request Contractor to critically review the working methods;3. Make agreement on the mitigation measures to be implemented; and4. Assess the effectiveness of the implemented	<ol style="list-style-type: none">1. Inform the ER and confirm notification of the non-compliance in writing;2. Rectify unacceptable practice;3. Check all plant and equipment;4. Consider changes of working methods;5. Discuss with ET and IEC and ER and propose mitigation measures to IEC and ER within 3 working days; and6. Implement the agreed mitigation measures; and7. As directed by the Engineer, to slow down or to stop all or part of the marine work or construction activities.



Appendix E


Work Programme

General Information												2011	2012	2013	
Act ID	Description	Orig Dur	Early Start	Early Finish	Late Start	Late Finish	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar
KD-1010	Contract Commencement Date	0	07SEP09 A	07SEP09 A	07SEP09 A	07SEP09 A									
KD-1020	Contract Completion	0	31DEC12	31DEC12	31DEC12	31DEC12									Contract Completion
KD-1030	Works Period of Section 1 Works (791Days)	830	07SEP09 A	06NOV11	07SEP09 A	07SEP09 A	15DEC11								Works Period of Section 1 Works (791Days)
KD-1040	Works Period of Section 2 Works (426Days)	449	07SEP09 A	06NOV11	07SEP09 A	07SEP09 A	29NOV11								Works Period of Section 2 Works (426Days)
KD-1050	Works Period of Section 3 Works (549Days)	576	07SEP09 A	06MAR11	07SEP09 A	07SEP09 A	05APR11								Works Period of Section 3 Works (549Days)
KD-1060	Works Period of Section 5 Works (1156Days)	1212	07SEP09 A	31DEC12	07SEP09 A	07SEP09 A	05NOV12								Works Period of Section 5 Works (1156Days)
Preliminaries															
B1-1000	Mobilization	90	07SEP09 A	06DEC09 A	07SEP09 A	07SEP09 A	06DEC09 A	07SEP09 A	Mobilization						
B1-1110	Site Office	60	16NOV09 A	16JAN10	16NOV09 A	16JAN10	16NOV09 A	16JAN10	16NOV09 A	16JAN10	16NOV09 A	16JAN10	16NOV09 A	16JAN10	Site Office
B1-1120	Maintenance/Servicing of Preliminary Items	936	17JAN10	02OCT12	17JAN10	02OCT12	17JAN10	02OCT12	17JAN10	02OCT12	17JAN10	02OCT12	17JAN10	02OCT12	Maintenance/Servicing of Preliminary Items
B1-1130	Clearance & Demobilisation	90	03OCT12	31DEC12	03OCT12	31DEC12	03OCT12	31DEC12	03OCT12	31DEC12	03OCT12	31DEC12	03OCT12	31DEC12	Clearance & Demobilisation
B1-1140	Environmental Monitoring	1100	28DEC09 A	30DEC12	28DEC09 A	30DEC12	28DEC09 A	30DEC12	28DEC09 A	30DEC12	28DEC09 A	30DEC12	28DEC09 A	30DEC12	Environmental Monitoring
B1-1150	Material Approval For Water Mains & Accessories	100	07SEP09 A	18FEB10	07SEP09 A	18FEB10	07SEP09 A	18FEB10	07SEP09 A	18FEB10	07SEP09 A	18FEB10	07SEP09 A	18FEB10	Material Approval For Water Mains & Accessories
B1-1160	Material Procurement & Delivery, Start	60	28DEC09 A	01FEB10	28DEC09 A	01FEB10	28DEC09 A	01FEB10	28DEC09 A	01FEB10	28DEC09 A	01FEB10	28DEC09 A	01FEB10	Material Procurement & Delivery, Start
B1-1160B	Delivery of Valve, Actuators, Flow Meter & E&M	400	14JUN10	18JUL11*	14JUN10	18JUL11*	14JUN10	18JUL11*	14JUN10	18JUL11*	14JUN10	18JUL11*	14JUN10	18JUL11*	Delivery of Valve, Actuators, Flow Meter & E&M
B1-1170	CCTV & Monitoring Of Existing DSD Drainage	610	18JAN10	19SEP11	18JAN10	19SEP11	18JAN10	19SEP11	18JAN10	19SEP11	18JAN10	19SEP11	18JAN10	19SEP11	CCTV & Monitoring Of Existing DSD Drainage
B1-1180	Monitoring of HyD Structure	610	06MAR10	05NOV11	06MAR10	05NOV11	06MAR10	05NOV11	06MAR10	05NOV11	06MAR10	05NOV11	06MAR10	05NOV11	Monitoring of HyD Structure
Section 1															
Land Works															
General															
S1-1010	Approval & Consent - XP, TIA, MIS & Temp Works.	180	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A
S1-1020	Trial Pit & Utilities Detection (Except E2 & K)	120	01DEC09 A	16MAR10	01DEC09 A	16MAR10	01DEC09 A	16MAR10	01DEC09 A	16MAR10	01DEC09 A	16MAR10	01DEC09 A	16MAR10	01DEC09 A
S1-1030	Portion H2 Cycle Track & Footpath Proposal	40	07SEP09 A	08OCT09 A	07OCT09 A	08OCT09 A	07OCT09 A	08OCT09 A	07OCT09 A	08OCT09 A	07OCT09 A	08OCT09 A	07OCT09 A	08OCT09 A	07OCT09 A
S1-1040	Portion H2 Diversion Route For Cycle Track	60	07OCT09 A	28NOV09 A	07OCT09 A	28NOV09 A	07OCT09 A	28NOV09 A	07OCT09 A	28NOV09 A	07OCT09 A	28NOV09 A	07OCT09 A	28NOV09 A	07OCT09 A
S1-1050	Portion H2 Submission For Hoarding Mural Design	90	07SEP09 A	17FEB10	07SEP09 A	17FEB10	07SEP09 A	17FEB10	07SEP09 A	17FEB10	07SEP09 A	17FEB10	07SEP09 A	17FEB10	07SEP09 A
S1-1060	Portion H2 Set Up For Hoarding Approved Design	30	18FEB10	19MAR10	18FEB10	19MAR10	18FEB10	19MAR10	18FEB10	19MAR10	18FEB10	19MAR10	18FEB10	19MAR10	18FEB10
S1-1080	Initial & Utilities Survey (Except E2 & K)	120	05OCT09 A	04MAR10	05OCT09 A	04MAR10	05OCT09 A	04MAR10	05OCT09 A	04MAR10	05OCT09 A	04MAR10	05OCT09 A	04MAR10	05OCT09 A
S1-2010	Final Pipe Testing & Reinstatement	45	16FEB12	31MAR12	16FEB12	31MAR12	16FEB12	31MAR12	16FEB12	31MAR12	16FEB12	31MAR12	16FEB12	31MAR12	16FEB12
S1-2020	Completion of Section 1 Works	0	15DEC11*	15DEC11*	15DEC11*	15DEC11*	15DEC11*	15DEC11*	15DEC11*	15DEC11*	15DEC11*	15DEC11*	15DEC11*	15DEC11*	15DEC11*
Portion C1															
S1-3010	MTRCL Consent For Works Commencement	180	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A	05MAR10	07SEP09 A
S1-3020	MTRCL Structure Stability Monitoring	270	28MAY10	21FEB11	28MAY10	21FEB11	28MAY10	21FEB11	28MAY10	21FEB11	28MAY10	21FEB11	28MAY10	21FEB11	28MAY10
S1-3030	Portion C1 Pipe Works CH195.6-237.5 (O)	90	24JUN10	21SEP10	24JUN10	21SEP10	24JUN10	21SEP10	24JUN10	21SEP10	24JUN10	21SEP10	24JUN10	21SEP10	24JUN10
S1-3030A10	Preparation & Submission of Risk Assessment	40	22FEB10*	02APR10	22FEB10*	02APR10	22FEB10*	02APR10	22FEB10*	02APR10	22FEB10*	02APR10	22FEB10*	02APR10	22FEB10*
S1-3030A20	Preparation & Submission of Method Statement	40	22FEB10	02APR10	22FEB10	02APR10	22FEB10	02APR10	22FEB10	02APR10	22FEB10	02APR10	22FEB10	02APR10	22FEB10
S1-3030A30	Preparation & Submission of Temp. Design	40	22FEB10	02APR10	22FEB10	02APR10	22FEB10	02APR10	22FEB10	02APR10	22FEB10	02APR10	22FEB10	02APR10	22FEB10
S1-3030B10	Excavation & Shoring	80	28MAY10	15AUG10	28MAY10	15AUG10	28MAY10	15AUG10	28MAY10	15AUG10	28MAY10	15AUG10	28MAY10	15AUG10	28MAY10
S1-3030B20	Pipe Laying & Welding	50	17JUL10	14SEP10	17JUL10	14SEP10	17JUL10	14SEP10	17JUL10	14SEP10	17JUL10	14SEP10	17JUL10	14SEP10	17JUL10
S1-3030B30	Backfilling & Piping	10	26SEP10	14SEP10	26SEP10	14SEP10	26SEP10	14SEP10	26SEP10	14SEP10	26SEP10	14SEP10	26SEP10	14SEP10	26SEP10
S1-3040	Portion C1 Trough Construction CH237.5-290.0	60	01MAY10	13AUG10	01MAY10	13AUG10	01MAY10	13AUG10	01MAY10	13AUG10	01MAY10	13AUG10	01MAY10	13AUG10	01MAY10
S1-3040A20	Preparation & Submission Of Risk Assessment	28	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10
S1-3040A30	Preparation & Submission Of Method Statement	28	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10
S1-3040A40	Preparation & Submission Of Temp. Works	28	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10	13AUG10	17JUL10
S1-3040B10	Installation Of Settlement Marker	3	31JUL10	02AUG10	31JUL10	02AUG10	31JUL10	02AUG10	31JUL10	02AUG10	31JUL10	02AUG10	31JUL10	02AUG10	31JUL10
S1-3040B20	Excavation & Shoring For Pipe Trough (Stage 1)	15	15SEP10	29SEP10	15SEP10	29SEP10	15SEP10	29SEP10	15SEP10	29SEP10	15SEP10	29SEP10	15SEP10	29SEP10	15SEP10
Wo Hing - Penta-Ocean Joint Venture															
Start date	07SEP09														Early bar
Finish date	31DEC12														Progress bar
Run date	11NOV12														Critical bar
Page number	1A														Summary bar
Page number	1A														Start milestone point
Page number	1A														Finish milestone point
3 Months Rolling Program (Oct 2012)															

Contract No 9/W/SU/08
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Act ID	Description	Ong Dur	Early Start	Early Finish	Late Start	Late Finish	2012												2013									
							JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR
S1-4410	Portion E2 DN600 SWM Works C17.1-53.7 (UC)	50 05MARR10	23APR10	03SEPT10	22OCT10	22OCT10																						
S1-4410A10	Preparation & Submission Of Risk Assessment	28 19FEB10	18MAR10	02OCT10	29OCT10	29OCT10																						
S1-4410A20	Submission & Approval Of Temp. Work	28 19FEB10	18MAR10	02OCT10	29OCT10	29OCT10																						
S1-4410A30	Installation & Connection Of DN600 SWM	28 19FEB10	18MAR10	02OCT10	29OCT10	29OCT10																						
S1-4410B10	Support & Fixing Of DN600 SWM	8 14FEB11 ~ 21FEB11	24FEB11	30OCT10	07NOV10	08NOV10																						
S1-4410B20	Portion E1B DN600 SWM Works C10.0-7.1 (O)	30 24FEB10	23MAY10	23OCT10	15NOV10	16NOV10																						
S1-4420	Excavation & Shoring	9 25FEB10	02MAR10	10MAR11	16NOV10	17NOV10																						
S1-4420B20	Main Laying & Connection With Trough Portion	8 03MAR11	10MAR11	16NOV10	23NOV10	24NOV10																						
S1-4430	Portion E2 DN600 SWM Works C16.5-7.5 (O)	30 24MAY10	22JUN10	22NOV10	21DEC10	21DEC10																						
S1-4430B10	Excavation & Shoring	120 08JUL11	12JUL11	24NOV10	24NOV11	24NOV11																						
S1-4430B20	Main Laying & Connection With Trough Portion	4 09JUL11	12JUL11	24NOV10	24NOV11	24NOV11																						
S1-4440	E1B Existing DN600 SWM Diversion & Demolition	30 23JUN10	22JUL10	22DEC10	22DEC10	22DEC10																						
S1-4440A10	Issuance Of Temp. Water Supply Suspension Notice	14 29JUN11	12JUL11	12JUL11	14MAR11	14MAR11																						
S1-4440B10	Shut Off Of Existing DN600 SWM	2 13JUL11	14JUL11	28MAY11	28MAY11	28MAY11																						
S1-4440B20	DN600A Diverison Main Connect To Existing	120 11MAR11	14JUL11	28MAY11	28MAY11	28MAY11																						
S1-4440B30	Removal Of Existing DN600 SWM	6 15JUL11	20JUL11	30MAR11	04APR11	04APR11																						
S1-4445	Portion E1B Trough Construction Under Planter	60 24JUN10	22AUG10	10APR11	10APR11	10APR11																						
S1-4445B10	Excavation & Shoring For Pipe Trough (Stage 2)	40 23DEC10	31JAN11	11MAY11	19JUN11	19JUN11																						
S1-4445B20	FWK & Reinforcement for Pipe Trough	15 01FEB11	15FEB11	02JUN11	04JUL11	04JUL11																						
S1-4450	Portion E1B Pipe Works C16.5-5.67.4 (PT)	60 11OCT10	09DEC10	11APR11	09JUN11	09JUN11																						
S1-4450B10	Pipe Laying & Support Casting	25 16FEB11	12MAR11	05JUL11	28JUL11	28JUL11																						
S1-4450B20	Backfilling & Reinstatement	20 13MAR11	01APR11	30JUL11	18AUG11	18AUG11																						
S1-4460	Portion E1B Pipe Works C16.7-4.65.9 (O)	40 22FEB11	02APR11	08SEP11	08SEP11	08SEP11																						
S1-4460B10	Portion E1B Pipe Works C16.7-4.65.9 (O)	30 02MAY11	31MAY11	16SEP11	17OCT11	17OCT11																						
S1-4470	Portion E1B Pipe Works C16.5-9.68.5 (UC)	20 10DEC10	29JUN11	20JUN11	28JUN11	28JUN11																						
S1-4470B10	Portion E1B Pipe Works C16.5-9.68.5 (UC)	30 02APR11	01MAY11	19AUG11	17SEP11	17SEP11																						
S1-4480	Portion E1B DN600B SWM Works C10.0-7.1 (O)	30 23JUL10	21AUG10	10FEB11	10FEB11	10FEB11																						
S1-4480B10	Portion E1B DN600B SWM Works C10.0-7.1 (O)	50 23JUL10	10SEP10	10SEP11	21JAN11	21JAN11																						
S1-4490	Portion E2 DN600B SWM Works C17.1-53.7 (UC)	66 21JUL11	24SEP11	05JUL10	05JUL10	05JUL10																						
S1-4490B10	Portion E2 DN600B SWM Works C17.1-53.7 (UC)	30 11SEP10	10OCT10	11OCT10	12MARCH11	12MARCH11																						
S1-4500	Portion E2 DN600B SWM Works 63.7-67.9 (O)	20 25SEP11	14OCT11	14OCT11	18OCT11	18OCT11																						
S1-4500B10	Portion E1B+E2 SWM Portion Pipe Testing	14 03APR11	16APR11	16APR11	31OCT11	31OCT11																						
S1-4510B10	Area E1B+E2 SWM Portion Pipe Testing	14 23JAN12	05FEB12	18OCT11																								
Portion E1C + E1D																												
S1-4710	Portion E1C DN300 FWM Works C10.0-50.0 (UC)	50 05MARR10	23APR10	13APR10	13APR10	13APR10																						
S1-4710A10	Submission & Approval Of Risk Assessment	50 19FEB10	18MAR10	10MARCH10	10MARCH10	10MARCH10																						
S1-4710A20	Submission & Approval Of Method Statement	28 19FEB10	18MAR10	13SEP10	13SEP10	13SEP10																						
S1-4710A30	Submission & Approval Of Temp. Work	28 19FEB10	18MAR10	13SEP10	13SEP10	13SEP10																						
S1-4710B10	Installation & Connection Of DN300 FWM	50 17MAY10 ~ 05JUL10	11AUG10	10APR10	08JAN11	08JAN11																						
S1-4710B20	Support & Fixing Of DN300 FWM	40 06JUL10	01MAY10	15AUG10	01MAY10	01MAY10																						
S1-4720	E1C DN300 FWM Diversions Main Testing	8 24APR10	01MAY10	22AUG10	01MAY11	01MAY11																						
S1-4720B10	E1C Exist. DN300 FWM Diversions & Demolition	8 15AUG10	23JAN11	31MAY10	31MAY10	31MAY10																						
S1-4730	E1C Exist. DN300 FWM Diversions & Demolition	30 02MAY10	05JUL10	16FEB11	01MAY11	01MAY11																						
S1-4730A10	Issuance Of Temp. Water Supply Suspension Notice	14 22SEP10	05OCT10	05OCT10	27SEP10	27SEP10																						
S1-4730A20	Shut Off Existing DN300 FWM	2 06OCT10	07OCT10	07OCT10	07OCT10	07OCT10																						
S1-4730A30	DN300 Diversions Main Connect To Existing	2 08OCT10	09OCT10	08OCT10	09OCT10	09OCT10																						
S1-4730A40	Removal Of Existing DN300 FWM	28 04NOV10	04NOV10	04NOV10	04NOV10	04NOV10																						
S1-4740	Portion E1C DN300 SWM Works C10.0-52.0 (UC)	80 05NOV10	23JAN11	11MAY11	01APR11	01APR11																						
3 Months Rolling Program (Oct 2012)																												
Start date	07SEP09																											
Finish date	31DEC12																											
Run date	11NOV12																											
Page number	3A																											
c Primavera Systems, Inc.																												






Contract No 9/WSD/08
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Act ID	Description	Orig Dur	Early Start	Late Finish	Start	Finish	2011	2012	2013																
					JUL	AUG	SEP	OCT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	
S1-5135B30	Backfilling & Reinstatement		30 12DEC10	10JAN11	19AUG11	17SEP11																			
S1-5140	Area E2 Portion Pipe Testing		14 02FEB12	15FEB12	18OCT11	31OCT11																			
S1-5140B10	Area E2 Portion Pipe Testing		14 01APR11	14APR11	18OCT11	31OCT11	Pipe Testin																		
Portion F																									
S1-6010B10	Portion F Pipe Works CH95.5-1240.5 (O)		180 23NOV10	21MAY11	23NOV10	21MAY11																			
S1-6010B20	Stage 1 Excavation & Shoring CH1108.0-1240.5		100 24MAR10 *	01JUL10	02MAR11	09JUN11																			
S1-6010B30	Formation Trimming		10 02JUL10	10JUL10	10JUN11	19JUN11																			
S1-6010B40	Pipe Laying & Connection (Welding)		30 12JUL10	10AUG11	20JUN11	19JUN11																			
S1-6010C10	Backfilling & Reinstatement		50 11AUG10	28SEP10	20JUL11	07SEP11																			
S1-6020	Stage 2 Excavation & Shoring CH95.5-1080		40 02DEC10	10JAN11	08SEP11	17OCT11	-06-																		
S1-6020A10	Portion F DN1800 SWIM Works CH432.0-94.7 (O)		120 26JUL10	22NOV10	26JUL10	22NOV10																			
S1-6020A10	Portion F DN1800 SWIM Works CH432.0-94.7		120 12NOV10	11MAR11	120UN11	11OCT11	Works CH432.0-94.7																		
S1-6030	Area F Portion Pipe Testing		14 22MAY11	04JUN11	18OCT11	31OCT11	F Portional Pipe Testin																		
Portion H1																									
S1-7010	Portion H1 Temporary Assess Road		80 28JUL11	28AUG11	20JUL11	28AUG11																			
S1-7020	Portion H1 Pipe Works CH1466.5-1516.5 (O)		40 20JUL11	17OCT11	29AUG11	17OCT11																			
S1-7030	Portion H1 Pipe Works CH1516.5-1544.7 (O-S wall)		50 28AUG11	17OCT11	120UN11	11OCT11																			
S1-7040	Area H1 Portion Pipe Testing		14 18OCT11	31OCT11	18OCT11	31OCT11																			
Portion J																									
S1-8010	Portion J Pipe Works CH0.0-48.0 (O-S Wall)		40 29JUL11	06SEP11	31JAN10	26DEC09 A	05MAY10																		
S1-8020	Portion J Pipe Works CH48.0-339.0 (O)		300 02OCT10 *	15AUG10	02OCT10 *	15AUG10	07SEP11																		
S1-8020B10	Stage 1 Excavation & Shoring CH250-290 S1		55 22JUN10 *	20JUN10	29AUG10	22OCT10																			
S1-8020B20	Pipe Laying & Connection (Welding)		20 16AUG10	04SEP10	23OCT10	11NOV10																			
S1-8020B30	Associated Chamber Construction		30 05SEP10	04OCT10	12OCT10	12OCT10																			
S1-8020B40	Backfilling & Reinstatement		15 05OCT10	19OCT10	19OCT10	12OCT10																			
S1-8020B50	Stage 1 Excavation & Shoring CH250-290 S2		18MAY11	06MAY11	12JAN11	25MAY11																			
S1-8020B50	Associated Chamber Construction		30 19MAR11	17APR11	26MAY11	24JUN11																			
S1-8020B70	Backfilling & Reinstatement		15 18APR11	02MAY11	25UN11	09JUL11																			
S1-8020C10	Stage 2 Excavation & Shoring CH180-250		55 20OCT10	13DEC10	27DEC10	19FEB11																			
S1-8020C20	Pipe Laying & Connection (Welding)		30 14DEC10	12JAN11	11FEB11	20APR11																			
S1-8020C30	Associated Chamber Construction		30 13JAN11	11FEB11	26FEB11	21APR11																			
S1-8020C40	Backfilling & Reinstatement		15 12FEB11	20FEB11	12MAY11	13AUG11																			
S1-8020D10	Stage 3 Excavation & Shoring CH140-180		35 11OCT10 *	14NOV10	15NOV10	04DEC10																			
S1-8020D20	Pipe Laying & Connection (Welding)		20 15NOV10	04DEC10	14AUG11	02SEP11																			
S1-8020D30	Associated Chamber Construction		30 03JAN11	03JAN11	03OCT11	17OCT11																			
S1-8020D40	Backfilling & Reinstatement		15 04JAN11	18JAN11	21APR11	10JUL11																			
S1-8020E10	Stage 4 Excavation & Shoring CH48-CH140		50 03MAR11	21APR11	11MAY11	28AUG11																			
S1-8020E20	Pipe Laying & Connection (Welding)		20 22APR11	12MAY11	31MAY11	07SEP11																			
S1-8020E30	Associated Chamber Construction		30 29JUN11	27AUG11	18SEP11	17OCT11																			
S1-8020E40	Backfilling & Reinstatement		10 01JUN11	10JUN11	08OCT11	17OCT11																			
S1-8020F10	Stage 5 Excavation & Shoring CH290-340		50 28OCT11	11DEC11	10JUL11	28AUG11																			
S1-8020F20	Pipe Laying & Connection (Welding)		30 12DEC11	10JAN12	30JAN12	27SEP11																			
S1-8020F30	Backfilling & Reinstatement		20 11JAN12	12JAN12	30JAN12	28SEP11																			
S1-8030	Portion J Kiosk for RTU & Connect To SCADA		30 29JUL11	27AUG11	18SEP11	17OCT11																			
S1-8030B10	Portion J Kiosk for RTU & Connect To SCADA		30 20OCT10	18NOV10	18NOV10	27APR10																			
S1-8040	Portion J Pipe Works CH339.0-385.4 (T-L-D)		20 27MAY10	11OCT10	11OCT10	21NOV10																			
S1-8040A10	Preparation & Submission of Risk Assessment		26 03MAY10	30MAR10	28APR10	25MAY10																			
S1-8040A20	Preparation & Submission of Method Statement		28 03MAY10	30MAR10	28APR10	25MAY10																			
S1-8040A30	Preparation & Submission of Term. Works		28 03MAY10	30MAR10	28APR10	25MAY10																			
S1-8040A40	Granting of Excavation Permit		0 01SEP10 *	06DEC10	19MAY10	26MAY10																			
S1-8040B10	TTA, UD & Trial Pit Excavation		90 08SEP10	08SEP10	23AUG10	23AUG10																			
Wo Hing - Penta-Ocean Joint Venture																									
Start date	07SEP08																								
Finish date	31DEC12																								
Run date	11NOV12																								
Page number	5A																								
c Primavera Systems Inc.																									

3 Months Rolling Program (Oct 2012)



▲ Start milestone point

▼ Finish milestone point

■ Early bar

■ Progress bar

■ Critical bar

■ Summary bar

■ Start milestone point

▼ Finish milestone point

Contract No.9/WSD/03
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Act ID	Description	Orig Dur	Early Start	Early Finish	Late Start	Late Finish	2011												2012				2013						
							JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	
S1-8040B20	Access Shaft Fabrication	180	27DEC10	24JUN11	15SEP10	11MAR11	Access Shaft Fabrication																						
S1-8040B30	Heading Tunnel Excavation (Hand Shield)	70	25JUN11	09SEP11	12MAR11	29MAY11	Heading Tunnel Excavation (Hand Shield)																						
S1-8040B40	Pipe Installation Inside Heading Tunnel	40	03SEP11	20CCT11	21MAY11	09JUL11	Pipe Installation Inside Heading Tunnel																						
S1-8040B50	Backfilling & Reinstatement	10	13OCT11	22OCT11	01DEC11	10JUL11	Backfilling & Reinstatement																						
S1-8050	Portion J Pipe Works CH386.4-386.4 (O)	40	23OCT11	02DEC11	30JAN12	19AUG11	Portion J Pipe Works CH386.4-386.4 (O)																						
S1-8050	Portion J Pipe Works DN1000 CH0.0-22.7 (O)	60	02DEC11	31JAN12	13FEB12	18OCT11	Portion J Pipe Works DN1000 CH0.0-22.7 (O)																						
S1-8070	Area J Portion Pipe Testing	14	31JAN12				Area J Portion Pipe Testing																						
Portion K																													
S1-9010	Within 365 Days Commencement of Portion K	365	07SEP09 A	08SEP10	07SEP10	07SEP09 A	Within 365 Days Commencement of Portion K																						
S1-9020	Portion K Initial Survey	15	08SEP10	23SEP10	11DEC10	25DEC10	Portion K Initial Survey																						
S1-9030	Portion K Utilities Detection & Trial Pit	20	24SEP10	13OCT10	14JAN11	26DEC10	Portion K Utilities Detection & Trial Pit																						
S1-9030B10	Portion K Utilities Detection & Trial Pit	10	16MAY11 *	25MAY11	16MAY11 *	25MAY11	Portion K Utilities Detection & Trial Pit																						
S1-9040	Portion K Pipe Works (Construction of MBV)	200	14OCT10	01MAY11	15JAN11	02AUG11	Portion K Pipe Works (Construction of MBV)																						
S1-9040B10	MBV Installation & Associated Duct Works	90	28MAY11	23AUG11	15AUN11	16SEP11	MBV Installation & Associated Duct Works																						
S1-9050	Portion K Kiosk for RTU & Connect To SCADA	30	02JUN11	31MAY11	03AUG11	01SEP11	Portion K Kiosk for RTU & Connect To SCADA																						
S1-9050B10	Portion K Kiosk for RTU & Connect To SCADA	30	24AUG11	27SEP11	17OCT11	20SEP11	Portion K Kiosk for RTU & Connect To SCADA																						
S1-9060	Area K Constructed MBV Testing	60	01JUN11	30JUL11	02OCT11	31OCT11	Area K Constructed MBV Testing																						
S1-9060B10	Area K Constructed MBV Testing	60	23SEP11	21NOV11	17OCT11	15DEC11	Area K Constructed MBV Testing																						
Mains Works (Portion I)																													
M1000	Permit Application & Advance Notification	120	07SEP09 A	20FEB10	07SEP09 A	07SEP09 A	Permit Application & Advance Notification																						
M1010	Submission & Approval - MS & Works Design	120	07SEP09 A	20FEB10	07SEP09 A	07MAR09	Submission & Approval - MS & Works Design																						
M1010A10	Preparation & Submission of Risk Assessment	1150	07SEP09 A	04JAN10	07SEP09 A	07SEP09 A	Preparation & Submission of Risk Assessment																						
M1010A20	Preparation & Submission of Method Statement	1150	07SEP09 A	04JAN10	07SEP09 A	07SEP09 A	Preparation & Submission of Method Statement																						
M1010A30	Preparation & Submission of Temp. Works	1150	07SEP09 A	04JAN10	07SEP09 A	07SEP09 A	Preparation & Submission of Temp. Works																						
M1020	Bathymetric Survey	120	22FEB10 A	27FEB10 A	22FEB10 A	22FEB10 A	Bathymetric Survey																						
M1030	Material Procurement & Delivery	180	26NOV08 A	04MAY10	06NOV09 A	19MAY09	Material Procurement & Delivery																						
M1040	Submission & Approval of EM&A Manual	90	07SEP09 A	17JAN10 A	07SEP09 A	17JAN10 A	Submission & Approval of EM&A Manual																						
M1050	EM&A - Monitoring & Update	640	06DEC08 A	23AUG11	06DEC09 A	29NOV11	EM&A - Monitoring & Update																						
M1060	Portion H1 Coating Yard Set-up	60	08MAR10	04MAY10	04MAY10	19MAY09	Portion H1 Coating Yard Set-up																						
M1060A10	Portion H1 Coating Yard Set-up	34	01APR10 *	04MAY10	16APR09	19MAY09	Portion H1 Coating Yard Set-up																						
M1070	Portion H1 Pipe Material On-site Coating	90	05MAY10	02AUG10	20MAY09	17AUG09	Portion H1 Pipe Material On-site Coating																						
M1080	West Kowloon Cofferdam for Landfall (H1)	180	21FEB10	19AUG10	04FEB09	02AUG09	West Kowloon Cofferdam for Landfall (H1)																						
M1080A10	Setup for Cofferdam at Landfall (H1 & J)	10	04JAN10	13JAN10	03JAN09	12JAN09	Setup for Cofferdam at Landfall (H1 & J)																						
M1085	Sai Ying Pun Cofferdam	80	01OCT10	19AUG10	02OCT09	01SEP09	Sai Ying Pun Cofferdam																						
M1090	Excavation of Cofferdam	180	21FEB10	19AUG10	01JUL09	01JUL09	Excavation of Cofferdam																						
M2060	Set-up For Pipe Pulling	60	21JUL10	18SEP10	01SEP09	01SEP09	Set-up For Pipe Pulling																						
M2060A10	Mobilization of Plants & Machines	8	31OCT10	07NOV10	30OCT09	09NOV09	Mobilization of Plants & Machines																						
M2060B20	Set up For Pipe Pulling	90	08NOV10	05FEB11	07NOV09	04FEB10	Set up For Pipe Pulling																						
M2070	Dredging Works	150	22APR10	18SEP10	05APR09	01SEP09	Dredging Works																						
M2080	Portion I Submarine Pipe Pulling	130	19SEP10	26JAN11	02APR09	09JAN10	Portion I Submarine Pipe Pulling																						
M2080B10	Portion I Submarine Pipe Pulling	85	06FEB11	01MAY11	05FEB10	08FEB10	Portion I Submarine Pipe Pulling																						
M2090	Portion H1 & I Tie-in With Submarine Pipe Line	30	27JAN11	10FEB11	10JAN11	08AUG11	Portion H1 & I Tie-in With Submarine Pipe Line																						
M2090A10	Portion H1 & I Tie-in With Submarine Pipe Line	20	02MAY11	21MAY11	27MAY11	09FEB10	Portion H1 & I Tie-in With Submarine Pipe Line																						
M2100	Portion I Submarine Pipe Pressure Testing & CCTV	30	28FEB11	10JUN11	10JUN11	28AUG11	Portion I Submarine Pipe Pressure Testing & CCTV																						
M2100A10	Portion I Submarine Pipe Pressure Testing & CCTV	20	22MAY11	12OCT11	29JUL11	25SEP11	Portion I Submarine Pipe Pressure Testing & CCTV																						
M2110	Portion H1&J Seawall Reinstatement	120	28MAY11	25JUL11	19AUG11	17SEP11	Portion H1&J Seawall Reinstatement																						
M2110A10	Portion H1&J Seawall Reinstatement	90	22MAY11	19AUG11	17SEP11	15DEC11	Portion H1&J Seawall Reinstatement																						
M2120	Portion I Submarine Pipeline Backfilling	623	28MAY11	15DEC12	11JAN10	28NOV11	Portion I Submarine Pipeline Backfilling																						
M2120A10	Portion I Submarine Pipeline Backfilling	654	03MAY11	15DEC12	02MAY10	15DEC11	Portion I Submarine Pipeline Backfilling																						
Wu Hing - Penta-Ocean Joint Venture																													
Start date	07SEP09																												
Finish date	31DEC12																												
Page number	6A																												
C Primavera Systems, Inc.																													

3 Months Rolling Program (Oct 2012)

Wu Hing - Penta-Ocean Joint Venture

3 Months Rolling Program (Oct 2012)

Wu Hing - Penta-Ocean Joint Venture

3 Months Rolling Program (Oct 2012)

Wu Hing - Penta-Ocean Joint Venture

Contract No 9WSDI08
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Act Id	Description	Ctg Dur	Early Start	Late Finish	Late Start	Finish	2011												
							JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN
M2130	C/P Test Box Installation (On Land)		60 28MAY11	28MAY11	02SEP11	31OCT11													
M2130A10	C/P Test Box Installation (On Land)		60 11JUN11	08AUG11	17SEP11	30NOV11													
M2140	CIP Test (Close Internal Potential Survey)		16 16DEC12	31DEC12															
M2140A10	CIP Test (Close Internal Potential Survey)		16 10AUG11	03SEP11	18NOV11	15DEC11													
M2150	Completion of Section 1 Works		0	15DEC11 *	15DEC11 *	15DEC11 *													
Section 2																			
			449 07SEP09 A	28NOV10	07SEP09 A	28NOV10													
Land Works																			
S2-1010	Submission & Approval - XP, MS & Temp Works		180 07SEP09 A	26FEB10	07SEP09 A	05MAR10													
S2-1020	Initial & Utilities Survey		90 02JAN10 A	02JAN10 A	02JAN10 A	02JAN10 A													
S2-1030	Utilities Detection & Trial Pit		30 06DEC09 A	17JAN10	06DEC09 A	03FEB10													
S2-1040	Within 90 Days Commencement of Portion A		90 07SEP09 A	09DEC09 A	07SEP09 A	09DEC09 A													
S2-2010B10	Portion A Pipe Works CH20.0-88.5 (C)		150 27FEB10	26JUL10	08MAR10	02AUG10													
S2-2010B20	Excavation & Shoring		40 23FEB10 *	03APR10	30MAR10	08MAY10													
S2-2010B30	Formation Trimming		10 04APR10	13AUG10	05MAY10	18MAY10													
S2-2010B40	Pipe Laying & Connection (Welding)		15 14APR10	28AUG10	15MAY10	02JUN10													
S2-2010B50	Construction of Chamber		75 29APR10	12JUL10	03JUN10	16AUG10													
S2-2010B60	Backfilling		5 13JUL10	17JUL10	17AUG10	21AUG10													
S2-2020A10	Portion A Kiosk For RTU & Connect To SCADA		30 27JUL10	25AUG10	01SEP10	30SEP10													
S2-2020A10	Portion A Kiosk For RTU & Connect To SCADA		30 18JUL10	18AUG10	22AUG10	02SEP10													
S2-2030	Portion A Pipe Trough Construction CH88.5-102		30 18JAN10	04FEB10	05MAR10	05MAR10													
S2-2030B10	Excavation & Shoring For Pipe Trough		40 20JAN10 *	28FEB10	29MAY10	07JUL10													
S2-2030B20	Pipe Trough Concreting & Associated Works		10 01MAR10	10MAR10	08JUL10	17JUL10													
S2-2040	Portion A Pipe Works CH88.5-102 (PT)		30 17FEB10	18MAY10	03JUL10	03AUG10													
S2-2040B10	Pipe Laying & Connection (Welding)		5 14APR10	14JUL10	23AUG10	27JUL10													
S2-2040B20	Construction of Saddle		5 19APR10	23APR10	24JUL10	28JUL10													
S2-2040B30	Excavation & Shoring For Pipe Trough		25 24APR10	18MAY10	07JUL10	21AUG10													
S2-2050	Portion A Pipe Works CH102.0-105.0 (O)		30 18APR10	17MAY10	01SEP10	30SEP10													
S2-2060	Pipe Testing & Reinstatement		60 26AUG10	26OCT10	01OCT10	29NOV10													
S2-2060A10	Pipe Testing & Reinstatement		70 17AUG10	25OCT10	21SEP10	29NOV10	*												
S2-3010	Completion of Section 2 Works		0	29NOV10 *	29NOV10 *	29NOV10 *													
Section 4																			
			576 07SEP09 A	05APR11	07SEP09 A	05APR11													
Land Works																			
S4-1010	Submission & Approval - ITA, MS & Temp Work		120 07SEP09 A	20FEB10	07SEP09 A	25JUN10													
S4-1020	Initial Surveying		90 07SEP09 A	31DEC09 A	07SEP09 A	31DEC09 A													
S4-1030	Utilities Detection & Trial Pit		20 16NOV08 A	15JAN10	16NOV08 A	20MAY10													
S4-2010B10	Portion C Pipe Works CH20.5-38.5 (O)		100 21OCT10	28JAN11	17MAY10	24FEB11	X												
S4-2010B20	Excavation & Shoring		50 28MAY10 *	17MAY10	11APR10	30MAY10													
S4-2010B30	Formation Trimming		10 18MAY10	27MAY10	31MAY10	09JUN10													
S4-2010B40	Pipe Laying & Connection (Welding)		10 28MAY10	06JUN10	10JUN10	19JUL10													
S4-2010B50	Backfilling & Reinstatement		10 07JUN10	08JUL10	23DEC10	05JAN11													
S4-2010B60	Excavation For Wash-cut Chamber at CH 396		40 14DEC10	13JAN11	21FEB11	26JAN11													
S4-2010B70	Wash-cut chamber Construction		40 13JAN11	22FEB11	23MAR11	07MAR11													
S4-2010B80	C2 Portion Pipe Testing & Reinstatement		30 19JAN11	16AUG10	21MAY10	16DEC10													
S4-2020	Portion G Pipe Works CH1240.5-1438.7 (O)		210 19JAN11	10APR10	14MAY10	22AUG10													
S4-2020B10	Stage 1 Excavation & Shoring (CH1240.5-CH1370)		40 02MAY10	11APR10	15APR10	23APR10													
S4-2020B20	Formation Trimming g		5 11APR10	16APR10	30APR10	28APR10													
S4-2020B30	Pipe Laying & Connection (Welding)		15 16APR10	30APR10	28APR10	12MAY10													
Wu Hing - Penta-Ocean Joint Venture																			
Start date	07SEP09																		
Finish date	31DEC12																		
Run date	11NOV12																		
Page number	7A																		
c Primavera Systems, Inc.																			

3 Months Rolling Program (Oct 2012)

Act ID	Description	Orig Dur	Early Start	Early Finish	Late Start	Late Finish	JUL	AUG	Sep	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	2012	2013
S4-2020B40	Backfilling & Reinstatement	10	01MAY10	10MAY10	13MAY10	22MAY10															
S4-2020B50	Stage 2 Excavation & Shoring (CH1370-CH1438.7)	40	11MAY10	19JUN10	23MAY10	01JUL10															
S4-2020B60	Formation Trimming	8	20JUN10	27JUN10	02JUL10	09JUL10															
S4-2020B70	Pipe Laying & Connection	10	28JUN10	07JUL10	10JUL10	18JUL10															
S4-2020B80	Chamber Construction	60	08JUL10	05SEP10	20JUL10	17SEP10															
S4-2020B90	Portion G Kiosk for RTU & Connect To SCADA	110	06SEP10	24DEC10	17DEC10	05APR11															
S4-2030	Portion G Pipe Works CH1438.7-1464.7(O)	45	06SEP10	20OCT10	03OCT10	16NOV10															
S4-2040	Portion G Pipe Works CH1438.7 - 1464.7 (O)	60	06SEP10	24NOV10	18SEP10	06DEC10															
S4-2050	Portion G Pipe Works CH1464.7-1468.5 (O)	65	21OCT10	24DEC10	22DEC10	24FEB11															
S4-2050B10	Portion G Pipe Works CH1464.7 - 1468.5 (O)	60	25NOV10	23JAN11	07DEC10	04FEB11															
S4-3010	Pipe Testing & Reinstatement	40	28JAN11	09MAR11	25FEB11	05APR11															
S4-3010A10	G Portion Pipe Testing & Reinstatement	60	24JAN11	24MAR11	05FEB11	05APR11															
S4-3020	Completion of Section 4 Works	0	05APR11*																		
Section 5																					
B9-9010	Landscape Softworks and Establishment Works	1156	07SEP09 A	05NOV12	07SEP12	05NOV12															
B9-9020	Landscape works	846	07SEP09 A	28APR12	07SEP09 A	05NOV12															
B9-9030	Reinstatement of Portion H1 & H2	203	16DEC11	05JUL12	12JUN12	31DEC12															
B9-9300	Promenade of Portion H1 & H2 Handover to LCSD	0		05JUL12	31DEC12	05NOV12*															
Completion of Section 5 Works																					



Start date	07SEP09	Finish date	31DEC12	Run date	11NOV12	Page number	8A	W9 Hing - Penta-Ocean Joint Venture
								3 Months Rolling Program (Oct 2012)



Early bar
Progress bar
Critical bar
Summan bar
Start milestone point
Finish milestone point




Appendix F

ET Weekly Site Inspection Records

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	04 December 2012	Inspected by	RE	IEC	Contractor	ET
Time	09:30	Name		—		C.L. Lau 

Weather Condition : Sunny / Fine / Cloudy / Drizzle  Storm / Hazy
Wind Wind : Calm / Light  Strong

Temperature :  High  Low
Humidity

Fugitive Dust Emission	Environmental Checklist			Implementation Stages*			Remark
	Yes	No	Not Obs	Yes	No	N/A	
• Dust control / mitigation measures shall be provided to prevent dust nuisance.	✓						
• Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.	✓						
• The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.	✓						
• The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle	✓						
• Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.	✓						
• The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hard cores.	✓						
• Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.	✓						
• The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.	✓						
• All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.	✓						
• Vehicle speed should be limited to 10 kph except on completed access roads.	✓						
• Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.	✓						
• The public road around the site entrance should be kept clean and free from dust.	✓						
• Vehicle and equipment should be switched off while not in use.	✓						
• All plant and equipment should be well maintained e.g. without black smoke emission.	✓						
• Open burning should be prohibited.	✓						


		Implementation Stages*				Remark
		Yes	No	Not Obs	N/A	
Environmental Checklist						
Noise Impact						
<ul style="list-style-type: none"> The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adopted. The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process. Noisy equipment and mobile plant shall always be site away from NSRs. Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum. Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials. Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable. Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME. Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works. Air compressors and hand held breakers should have noise labels. Compressors and generators should operate with door closed. Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities. 	✓	✓	✓	✓		
Water Quality						
<i>Mitigation Measures for Dredging</i>						
<ul style="list-style-type: none"> Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m³ per day. Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress. Deployment of silt screen should be at the sea water intake at Kowloon South Water Pumping Station while dredging works are in progress. Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used. All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash. The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard. Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action. All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport. Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds. Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments 	✓	✓	✓	✓		



	Environmental Checklist	Implementation Stages*			Remark
		Yes	No	Not Obs	
Water Quality					
Mitigation Measures for Other Construction Activities					
<ul style="list-style-type: none"> ▪ Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells or approximately 6 to 8 m³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped. ▪ Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers. ▪ Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds. ▪ Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bounds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs. ▪ Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. ▪ Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS. ▪ Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. ▪ An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. ▪ The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains 					
Waste Management					
C&D Materials					
<ul style="list-style-type: none"> ▪ Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. ▪ C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. ▪ A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed. ▪ A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 					
Chemical Waste					
<ul style="list-style-type: none"> ▪ Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. ▪ Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. ▪ The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 					

		Environmental Checklist			Implementation Stages*			Remark
		Yes	No	Not Obs.				N/A
	Waste Management							
	General Refuse							
	<ul style="list-style-type: none"> ▪ General refuse should be stored in enclosed bins or compaction units separate from C&D material. ▪ A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material. ▪ An enclosed and covered area should be provided to reduce the occurrence of wind blown' light material. 	✓						
	Marine Dredged Sediment (During transportation and disposal)							
	<ul style="list-style-type: none"> ▪ Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved ▪ Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD ▪ Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. 				✓		No dredging work was observed.	
	Site Practices							
	<ul style="list-style-type: none"> ▪ Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site ▪ Training of site personnel in proper waste management and chemical handling procedures ▪ Provision of sufficient waste disposal points and regular collection of waste ▪ Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment. ▪ Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers 	✓						
	Waste Reduction Measures							
	<ul style="list-style-type: none"> ▪ Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals ▪ Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal ▪ Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force ▪ Proper storage and site practices to minimise the potential for damage or contamination of construction materials ▪ Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste 	✓						

	Environmental Checklist	Implementation Stages*				Remark
		Yes	No	Not Obs	N/A	
Marine Ecology						
▪ Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.				✓		No dredging work was observed.
▪ Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.				✓		No dredging work was observed.
▪ Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.	✓					
▪ Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.	✓					
Good Site Practices						
▪ The Environmental Permit should be displayed conspicuously on site.	✓					
▪ Construction noise permits should be posted at site entrance or available for site inspection.	✓					
▪ Chemical storage area provided with lock and located on sealed areas.	✓					
▪ All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).	✓					
▪ Any unused chemicals or those with remaining functional capacity should be recycled.	✓					
▪ All generators, fuel and oil storage are within bundle areas.	✓					
▪ Oil leakage from machinery, vehicle and plant should be prevented.	✓					
▪ Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.	✓					
▪ A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blown' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.	✓					





英美空氣動測試儀有限公司
ETS-TESTCONSULT LIMITED

Summary of the Weekly Site Inspection:

Remark

No new item was noticed during the site audit on 04 December 2012.

Concrete was added instead of sand bags near the sea wall in Portion J to prevent surface water to escape into the sea.

Inspected by	Name	Signature	Date
	C. L. Lau		04 December 2012

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	15 December 2012	Inspected by	RE	IEC	Contractor	ET	
Time	09:30	Name	13/12	-	JNG	C.L.Lee Z.	
Weather Condition	Sunny / Fine / Cloudy / Drizzle / Rain / Storm / Hazy	Temperature	18°C	Humidity	High / (Moderate) Low		
Wind	Calm / Light / Breeze / Strong	Environmental Checklist				Implementation Stages*	
				Yes	No	Not Obs	N/A
Fugitive Dust Emission							
<ul style="list-style-type: none"> • Dust control / mitigation measures shall be provided to prevent dust nuisance. • Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading. • The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet. • The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle • Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit. • The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores. • Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet. • The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials. • All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet. • Vehicle speed should be limited to 10 kph except on completed access roads. • Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites. • The public road around the site entrance should be kept clean and free from dust. • Vehicle and equipment should be switched off while not in use. • All plant and equipment should be well maintained e.g. without black smoke emission. • Open burning should be prohibited. 							

		Environmental Checklist			Implementation Stages* Remark
		Yes	No	Not Obs	
Noise Impact					
	<ul style="list-style-type: none"> The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted. The construction works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process. Noisy equipment and mobile plant shall always be site away from NSRs. Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum. Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials. Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable. Quality Powered mechanical equipment (Quality PME) which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPMEM. Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works. Air compressors and hand held breakers should have noise labels. Compressors and generators should operate with door closed. Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities. 	✓			
Water Quality					
<i>Mitigation Measures for Dredging</i>					
	<ul style="list-style-type: none"> Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m³ per day. Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress. Deployment of silt screen should be at the sea water intake at Kowloon South Silt Water Pumping Station while dredging works are in progress. Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used. All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by vessel movement or propeller wash. The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard. Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action. All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport. Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds. Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments 	✓	✓	✓	✓

		Environmental Checklist				Remark
		Implementation Stages*	Yes	No	Not Obs	
Water Quality	Mitigation Measures for other Construction Activities					
	<ul style="list-style-type: none"> - Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped - Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers - Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds - Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs - Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. - Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (ProPECC PN 194). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS. - Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. - An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. - The section of access road leading to, and exiting from the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains 	✓				
Waste Management	C&D Materials					
	<ul style="list-style-type: none"> - Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. - C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. - A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed - A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 	✓	✓	✓	✓	
Chemical Waste						
	<ul style="list-style-type: none"> - Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. - Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. - The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 	✓	✓	✓	✓	



Environmental Checklist		Implementation Stages*			Remark
		Yes	No	Not Obs	
Waste Management					
General Refuse					
<ul style="list-style-type: none"> General refuse should be stored in enclosed bins or compaction units separate from C&D material. A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material. An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material. 	✓	✓			
Marine Dredged Sediment (During transportation and disposal)					
<ul style="list-style-type: none"> Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleared from the decks and exposed fittings of barges and dredgers before the vessel is moved Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. 			✓	✓	No dredging work was observed.
Site Practices					
<ul style="list-style-type: none"> Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site Training of site personnel in proper waste management and chemical handling procedures Provision of sufficient waste disposal points and regular collection of waste Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment. Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers 	✓	✓	✓	✓	No dredging work was observed.
Waste Reduction Measures					
<ul style="list-style-type: none"> Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force Proper storage and site practices to minimise the potential for damage or contamination of construction materials Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste 	✓	✓	✓	✓	

	Environmental Checklist	Implementation Stages*				Remark
		Yes	No	Not Obs	N/A	
Marine Ecology	<ul style="list-style-type: none"> Use of one grab dredger only with a maximum production rate of 4,000m³ per day for dredging. Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress. Deployment of silt screen at the sea water intake at Kcwiloon South Sait Water Pumping Station while dredging works are in progress. Good site practices to avoid silt runoff from construction works associated with the construction of the submarine walemain. 			✓		No dredging work was observed.
Good Site Practices	<ul style="list-style-type: none"> The Environmental Permit should be displayed conspicuously on site. Construction noise permits should be posted at site entrance or available for site inspection. Chemical storage area provided with lock and located on sealed areas. All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank). Any unused chemicals or those with remaining functional capacity should be recycled. All generators, fuel and oil storage are within bundle areas. Oil leakage from machinery, vehicle and plant should be prevented. Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors. A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of 'wind blow' light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be buried and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system. 			✓		

Summary of the Weekly Site Inspection:

Remark

No new item was noticed during the site audit on 13 December 2012.

Inspected by	Name	Signature	Date
	C. L. Lau		13 December 2012

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	21 December 2012	Inspected by	RE	IEC	Contractor	ET
Time	14 : 00	Name	<i>R. S. S.</i> 21/12	<i>Steve Lo</i>	<i>Eng Jia Jia</i>	<i>C.L. Low</i>
Weather Condition	Sunny / Fine / Cloudy / Drizzle / Rain / Storm / Hazy	Temperature	23 °C	Humidity	High (Moderate) / Low	

Wind Condition : Calm (Light) Breeze / Strong

Environmental Checklist	Implementation Stages*				Remark
	Yes	No	Not Obs	N/A	
Fugitive Dust Emission					
• Dust control / mitigation measures shall be provided to prevent dust nuisance.	✓				
• Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.	✓				
• The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.	✓				
• The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle	✓				
• Where a site boundary adjoins a road, street or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.	✓				
• The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcore.	✓				
• Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.	✓				
• The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.	✓				
• All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.	✓				
• Vehicle speed should be limited to 10 kph except on completed access roads.	✓				
• Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.	✓				
• The public road around the site entrance should be kept clean and free from dust.	✓				
• Vehicle and equipment should be switched off while not in use.	✓				
• All plant and equipment should be well maintained e.g. without black smoke emission.	✓				
• Open burning should be prohibited.	✓				



	Environmental Checklist	Implementation Stages*			Remark
		Yes	No	Not Obs	
Noise Impact					
	<ul style="list-style-type: none"> The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted. The construction works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process. Noisy equipment and mobile plant shall always be site away from NSRs. Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum. Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials. Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable. Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficient, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPM. Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works. Air compressors and hand held breakers should have noise labels. Compressors and generators should operate with door closed. Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities. 	✓			
Water Quality					
<i>Mitigation Measures for Dredging</i>					
	<ul style="list-style-type: none"> Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m³ per day. Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress. Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress. Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used. All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash. The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard. Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action. All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport. Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds. Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments 	✓	✓	✓	No dredging work was observed. No dredging work was observed.

	Environmental Checklist	Implementation Stages*				Remark
		Yes	No	Not Obs	N/A	
Water Quality						
Mitigation Measures for other Construction Activities						
<ul style="list-style-type: none"> • Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped • Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers • Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds • Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs • Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. • Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons - Construction Site Drainage (PropECC PN 1984). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS. • Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. • An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. • The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains 						
Waste Management						
C&D Materials						
<ul style="list-style-type: none"> • Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. • C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. • A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed • A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 						
Chemical Waste						
<ul style="list-style-type: none"> • Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. • Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. • The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 						

		Environmental Checklist				Implementation Stages*				Remark	
		Yes	No	Not Obs	N/A						
Waste Management											
General Refuse											
	<ul style="list-style-type: none"> ▪ General refuse should be stored in enclosed bins or compaction units separate from C&D material. ▪ A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material. ▪ An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material. 	✓	✓								
Marine Dredged Sediment (During transportation and disposal)											
	<ul style="list-style-type: none"> ▪ Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved. ▪ Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD ▪ Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. 			✓		No dredging work was observed.					
Site Practices											
	<ul style="list-style-type: none"> ▪ Nomination of an approved person such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site ▪ Training of site personnel in proper waste management and chemical handling procedures ▪ Provision of sufficient waste disposal points and regular collection of waste ▪ Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment. ▪ Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers 	✓	✓								
Waste Reduction Measures											
	<ul style="list-style-type: none"> ▪ Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals ▪ Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal ▪ Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force ▪ Proper storage and site practices to minimise the potential for damage or contamination of construction materials ▪ Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste 	✓	✓								

	Environmental Checklist	Implementation Stages*				Remark
		Yes	No	Not Obs	N/A	
Marine Ecology						No dredging work was observed.
	<ul style="list-style-type: none"> • Use of one grab dredger only with a maximum production rate of 4,000m³ per day for dredging. • Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress. • Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress. • Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain. 					No dredging work was observed.
Good Site Practices						
	<ul style="list-style-type: none"> • The Environmental Permit should be displayed conspicuously on site. • Construction noise permits should be posted at site entrance or available for site inspection. • Chemical storage area provided with lock and located on sealed areas. • All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank). • Any unused chemicals or those with remaining functional capacity should be recycled. • All generators, fuel and oil storage are within bundle areas. • Oil leakage from machinery, vehicle and plant should be prevented. • Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors. • A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of "wind blown" light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system. 					

Summary of the Weekly Site Inspection:

Remark

No new item was noticed during the site audit on 21 December 2012.

Inspected by	Name	Signature	Date
	C. L. Lau		21 December 2012

WEEKLY SITE INSPECTION CHECKLIST

Inspection Date	28 December 2012	Inspected by	RE	IEC	Contractor	ET
Time	09:30	Name	W.H.K.	—	J.K. <i>[Signature]</i>	C.L. <i>[Signature]</i>

Weather
Condition
Wind

Sunny / Fine / Cloudy / Drizzle / Rain / Storm / Hazy
Calm / Light Breeze / Strong

Temperature : 19°C
Humidity : High / Moderate / Low

Fugitive Dust Emission	Environmental Checklist			Implementation Stages*			Remark
	Yes	No	Not Obs	N/A			
Dust control / mitigation measures shall be provided to prevent dust nuisance.							
Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.	✓						
The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.	✓						
The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle	✓						
Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.	✓						
The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores.	✓						
Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.	✓						
The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.	✓						
All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty material wet.	✓						
Vehicle speed should be limited to 10 kph except on completed access roads.	✓						
Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.	✓						
The public road around the site entrance should be kept clean and free from dust.	✓						
Vehicle and equipment should be switched off while not in use.	✓						
All plant and equipment should be well maintained e.g. without black smoke emission.	✓						
Open burning should be prohibited.	✓						

Environmental Checklist	Implementation Stages*	Remark			
		Yes	No	Not Obs	N/A
Noise Impact					
- The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.		✓			
- The constructions works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.		✓			
- Noisy equipment and mobile plant shall always be site away from NSRs.		✓			
- Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.		✓			
- Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.		✓			
- Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.		✓			
- Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPMIE.		✓			
- Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.		✓			
- Air compressors and hand held breakers should have noise labels.		✓			
- Compressors and generators should operate with door closed.		✓			
- Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.		✓			
Water Quality					
Mitigation Measures for Dredging					
- Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.		✓			No dredging work was observed.
- Deployment of frame type silt curtain should be fully enclosed the grab while dredging works are in progress.		✓			No dredging work was observed.
- Deployment of silt screen should be at the sea water intake at Kowloon South Silt Water Pumping Station while dredging works are in progress		✓			No dredging work was observed.
- Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.		✓			No dredging work was observed.
- All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash.		✓			No dredging work was observed.
- The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard		✓			No dredging work was observed.
- Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.		✓			No dredging work was observed.
- All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport		✓			No dredging work was observed.
- Dredging activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds					No dredging work was observed.
- Loading of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation		✓			No dredging work was observed.
- The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments		✓			No dredging work was observed.

	Environmental Checklist	Implementation Stages*			Remark
		Yes	No	Not Obs	
Water Quality					
Mitigation Measures for other Construction Activities					
<ul style="list-style-type: none"> ▪ Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells or approximately 6 to 8 m³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped. ▪ Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers. ▪ Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds. ▪ Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WCZs. ▪ Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. ▪ Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons - Construction Site Drainage (ProPECC PN 1994). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DS. ▪ Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. ▪ An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. ▪ The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains 					
Waste Management					
C&D Materials					
<ul style="list-style-type: none"> ▪ Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. ▪ C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. ▪ A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed. ▪ A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 					
Chemical Waste					
<ul style="list-style-type: none"> ▪ Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. ▪ Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. ▪ The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 					

		Environmental Checklist			Implementation Stages*			Remark
		Yes	No	Not Obs	N/A			
Waste Management								
General Refuse								
	<ul style="list-style-type: none"> • General refuse should be stored in enclosed bins or compaction units separate from C&D material. • A reputably waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material. • An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material. 	✓	✓	✓				
Marine Dredged Sediment (During transportation and disposal)								
	<ul style="list-style-type: none"> • Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved • Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD • Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. 			✓	No dredging work was observed.			
Site Practices								
	<ul style="list-style-type: none"> • Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site • Training of site personnel in proper waste management and chemical handling procedures • Provision of sufficient waste disposal points and regular collection of waste • Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment. • Appropriate measures to minimise 'wind blown' litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers 	✓	✓	✓	✓	No dredging work was observed.		
Waste Reduction Measures								
	<ul style="list-style-type: none"> • Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals • Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal • Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force • Proper storage and site practices to minimise the potential for damage or contamination of construction materials • Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste 	✓	✓	✓	✓			

Environmental Checklist

Marine Ecology

- Use of one grab dredger only with a maximum production rate of 4,000m³ per day for dredging.
 - Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.
 - Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station

Good Software Practices

- The Environmental Permit should be displayed conspicuously on site.
 - Construction noise permits should be posted at site entrance or available for site inspection.
 - Chemical storage area provided with lock and located on sealed areas.
 - All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).
 - Any unused chemicals or those with remaining functional capacity should be recycled.
 - All generators, fuel and oil storage are within bundle areas.
 - Oil leakage from machinery, vehicle and plant should be prevented.
 - Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.
 - A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered reduce the occurrence of wind blown light material. If an open area is unavoidable for the storage or loading/unloading of wastes, it be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.

	Environmental Checklist	Implementation Stages*				Remark
		Yes	No	Not Obs	N/A	
Marine Ecology	<ul style="list-style-type: none"> Use of one grab dredger only with a maximum production rate of 4,000m³ per day for dredging. Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress. Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress. Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain. 			✓		No dredging work was observed.
Good Site Practices	<ul style="list-style-type: none"> The Environmental Permit should be displayed conspicuously on site. Construction noise permits should be posted at site entrance or available for site inspection. Chemical storage area provided with lock and located on sealed areas. All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank). Any unused chemicals or those with remaining functional capacity should be recycled. All generators, fuel and oil storage area within bundle areas. Oil leakage from machinery, vehicle and plant should be prevented. Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors. 			✓		No dredging work was observed.
	<ul style="list-style-type: none"> A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of wind blowing light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bunded and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system. 			✓		



英業泰勤測試顧問有限公司
ETS-TESTCONSULT LIMITED

Summary of the Weekly Site Inspection:

Remark

No new item was noticed during the site audit on 28 December 2012.

Inspected by	Name C. L. Lau	Signature 	Date 28 December 2012
--------------	-------------------	---	--------------------------



Appendix G

Implementation Schedule of Mitigation Measures

Environmental Mitigation Implementation Schedule

Environmental Protection Measures		Location	Implemented	Partially implemented	Not implemented	Not Applicable
Air Quality						
▪ Dust control / mitigation measures shall be provided to prevent dust nuisance.		All areas	✓			
▪ Any excavated dusty materials or stockpile of dusty materials should be covered entirely by impervious sheeting or sprayed with water so as to maintain the entire surface wet, and recovered or backfilled or reinstated within 24 hours of the excavation or unloading.		All areas	✓			
▪ The working area of excavation should be sprayed with water immediately before, during and immediately after the operations so as to maintain the entire surface wet.		All areas	✓			
▪ The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure that the dusty materials do not leak from the vehicle		All areas	✓			
▪ Where a site boundary adjoins a road, streets or other area accessible to the public, hoarding of not less than 2.4m high from ground level should be provided along the entire length except for a site entrance or exit.		All areas	✓			
▪ The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores.		Site Egress			✓	
▪ Every main haul road should be sealed with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.		All haul roads	✓			
▪ The portion of road leading only to a construction site that is within 30m of a designated vehicle entrance or exit should be kept clear of dusty materials.		All areas	✓			
▪ All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain dusty material wet.		All areas	✓			
▪ Vehicle speed should be limited to 10 kph except on completed access roads.		All areas	✓			
▪ Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.		All areas	✓			
▪ The public road around the site entrance should be kept clean and free from dust:		All areas	✓			
▪ Vehicle and equipment should be switched off while not in use.		All areas	✓			
▪ All plant and equipment should be well maintained e.g. without black smoke emission.		All areas	✓			
▪ Open burning should be prohibited.		All areas	✓			
Noise Impact						
▪ The approved method of working, equipment and sound-reducing measures (e.g. use of silenced type of equipment, etc.) shall be adapted.		All areas	✓			
▪ The construction works should be scheduled to minimize noise nuisance. Concurrent noisy works should be carried out at different time slots or spread around the construction sites in order to help to reduce the cumulative noise effect produced in the construction process.		All areas	✓			
▪ Noisy equipment and mobile plant shall always be site away from NSRs.		All areas	✓			
▪ Machines and plant that may be in intermittent use should be shut down between work periods or should be throttled down to a minimum.		All areas	✓			
▪ Powered mechanical equipment (PME) should be covered or shielded by appropriate acoustic materials.		All areas	✓			
▪ Mobile or movable noise barriers should be erected near to the construction plants to reduce the noise levels from stationary items of PME whenever practicable.		All areas	✓			
▪ Quality Powered mechanical equipment (Quality PME), which are construction plants and equipments that are notably quieter, more environmental friendly and efficiently, recognized by the Noise Control Authority for the purpose of CNP application should be used to reduce the noise generated from the construction plants effectively. The Contractor shall note the required procedures involved in application of the QPME.		All areas	✓			

Environmental Protection Measures		Location	Implementation Status			
			Implemented	Partially implemented	Not implemented	Not Applicable
Noise Impact						
▪ Well maintained plant should be operated on-site and plant should be serviced regularly during the construction works.		All areas	✓			
▪ Air compressors and hand held breakers should have noise labels.		All areas	✓			
▪ Compressors and generators should operate with door closed.		All areas	✓			
▪ Material stockpiles and other structures should be effectively utilised, where practicable, to screen noise from on-site construction activities.		All areas	✓			
Water Quality						
<i>Mitigation Measures for Dredging</i>						
▪ Dredging should be undertaken using one grab dredger only with a maximum production rate of 4,000m ³ per day.		Marine	✓			
▪ Deployment of frame type silt curtain should be fully enclose the grab while dredging works are in progress.		Marine	✓			
▪ Deployment of silt screen should be at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.		Marine	✓			
▪ Tight-closing grabs should be used to minimize the loss of sediment to suspension during dredging works. For dredging of any contaminated mud, closed watertight grabs must be used.		Marine	✓			
▪ All vessels should be sized so that adequate clearance is maintained between vessels and the seabed in all tide conditions, to ensure that undue turbidity is not generated by turbulence from vessel movement or propeller wash		Marine	✓			
▪ The decks of all vessels should be kept tidy and free of oil or other substances that might be accidentally or otherwise washed overboard		Marine	✓			
▪ Adequate free board shall be maintained on barges to ensure that decks are not washed by wave action.		Marine	✓			
▪ All barges used for the transport of dredged materials should be fitted with tight bottom seals to prevent leakage of material during loading and transport		Marine	✓			
▪ Construction activities should not cause foam, oil, grease, scum, litter or other objectionable matter to be present in the water within the site or dumping grounds		Marine	✓			
▪ Lodging of barges should be controlled to prevent splashing of material into the surrounding waters. Barges should not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation		Marine	✓			
▪ The speed of vessels should be controlled within the works area to prevent propeller wash from stirring up the seabed sediments		Marine	✓			
<i>Mitigation Measures for Other Construction Activities</i>						
▪ Sedimentation tanks with sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m ³ capacities, are recommended as a general mitigation measure which can be used for settling surface runoff prior to disposal. The system capacity should be flexible and able to handle multiple inputs from a variety of sources and suited to applications where the influent is pumped		All areas	✓			
▪ Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the storm runoff being directed into foul sewers		All areas	✓			
▪ All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads.		All areas	✓			
▪ An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process.		All areas	✓			
▪ The section of access road leading to, and exiting from, the wheel-wash bay to the public road should be paved with sufficient backfill toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains		All areas	✓			
▪ Fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour and Western Harbour WICZs		All areas	✓			

Environmental Protection Measures		Location	Implementation Status			
			Implemented	Partially implemented	Not implemented	Not Applicable
Water Quality						
Mitigation Measures for other Construction Activities						
<ul style="list-style-type: none"> Portable chemical toilets should be used to handle construction workforce sewage prior to discharge to the existing trunk sewer. Sufficient numbers of portable toilets shall be provided by a licensed contractor to serve the construction workers. The Contractor shall also be responsible for waste disposal and maintenance practices. Construction site runoff should be prevented or minimised in accordance with the guidelines stipulated in the EPD's Practice Note for Professional Persons, Construction Site Drainage (PROPECC PN 1/94). All discharges from the construction site should be controlled to comply with the standards for effluents discharged into the Victoria Harbour WCZ under the TM-DSS. Unnecessary water retained in receptacles and standing water should be avoided to prevent mosquito breeding. 	All areas	✓				
Waste Management						
C&D Materials						
<ul style="list-style-type: none"> Excavated materials should be reused on-site as backfilling material and for landscaping works as far as practicable. C&D material generated from excavation works should be disposed of at public fill reception facilities for other beneficial uses. A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be proposed A recording system for the amount of wastes generated, recycled and disposed (including the disposal sites) should be used, e.g. trip ticket system for chemical waste disposal. Quantities could be determined by weighing each load or other suitable methods. 	All areas				✓	
Chemical Waste						
<ul style="list-style-type: none"> Good quality containers compatible with the chemical wastes should be used, and incompatible chemicals should be stored separately. Appropriate labels should be securely attached on each chemical waste container indicating the corresponding chemical characteristics of the chemical waste, such as explosive, flammable, oxidizing, irritant, toxic, harmful, corrosive, etc. The Contractor shall use a licensed collector to transport and dispose of the chemical wastes, to either the approved Chemical Waste Treatment Centre, or another licensed facility. 	All areas	✓				
General Refuse						
<ul style="list-style-type: none"> General refuse should be stored in enclosed bins or compaction units separate from C&D material. A reputable waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material. An enclosed and covered area should be provided to reduce the occurrence of 'wind blown' light material. 	All areas	✓	✓			
Marine Dredged Sediment (During transportation and disposal)						
<ul style="list-style-type: none"> Bottom opening of barges shall be fitted with tight fitting seals to prevent leakage of material. Excess material shall be cleaned from the decks and exposed fittings of barges and dredgers before the vessel is moved Monitoring of the barge loading shall be conducted to ensure that loss of material does not take place during transportation. Transport barges or vessels shall be equipped with automatic self-monitoring devices as specified by the EPD Barges or hopper barges shall not be filled to a level that would cause the overflow of materials or sediment laden water during loading or transportation. 	Marine				✓	
Good Site Practices						
<ul style="list-style-type: none"> Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site Training of site personnel in proper waste management and chemical handling procedures Provision of sufficient waste disposal points and regular collection of waste 	All areas	✓				

Environmental Protection Measures		Location	Implementation Status			
			Implemented	Partially implemented	Not implemented	
Waste Management						
Good Site Practices						
▪ Good site practices should be adopted to clean the rubbish and litter on a regular basis so as to prevent the rubbish and litter from dropping into the nearby environment.		All areas	✓			
▪ Appropriate measures to minimise windblown litter and dust during transportation of waste by either covering trucks or by transporting wastes in enclosed containers		All areas	✓			
Waste Reduction Measures						
▪ Sort C&D material from demolition and decommissioning of the existing facilities to recover recyclable portions such as metals		All areas	✓			
▪ Segregation and storage of different types of waste in different containers, skips or stockpiles to enhance reuse or recycling of materials and their proper disposal		All areas	✓			
▪ Encourage collection of aluminium cans by providing separate labelled bins to enable this waste to be segregated from other general refuse generated by the work force		All areas	✓			
▪ Proper storage and site practices to minimise the potential for damage or contamination of construction materials		All areas	✓			
▪ Plan and stock construction materials carefully to minimise amount of waste generated and avoid unnecessary generation of waste		All areas	✓			
Marine Ecology						
▪ Use of one grab dredger only with a maximum production rate of 4,000m ³ per day for dredging.		Marine		✓		
▪ Deployment of frame type silt curtain to fully enclose the grab while dredging works are in progress.		Marine		✓		
▪ Deployment of silt screen at the sea water intake at Kowloon South Salt Water Pumping Station while dredging works are in progress.		Marine	✓			
▪ Good site practices to avoid silt runoff from construction works associated with the construction of the submarine watermain.		Marine	✓			
Good Site Practices						
▪ The Environmental Permit should be displayed conspicuously on site.		All areas	✓			
▪ Construction noise permits should be posted at site entrance or available for site inspection.		All areas	✓			
▪ Chemical storage area provided with lock and located on sealed areas.		All areas	✓			
▪ All chemicals should be placed at the banded area with adequate band capacity (>110% of largest tank).		All areas	✓			
▪ Any unused chemicals or those with remaining functional capacity should be recycled.		All areas	✓			
▪ All generators, fuel and oil storage are within bundle areas.		All areas	✓			
▪ Regular cleaning and maintenance programme for waste storage area, drainage systems, silt traps, sumps and oil interceptors.		All areas	✓			
▪ A collection area should be provided where waste can be stored and loaded prior to removal from site. An enclosed and covered area is preferred to reduce the occurrence of wind blown light material. If an open area is unavoidable for the storage or loading/unloading of wastes, then the area should be bundled and all the polluted surface run-off collected within this area should be diverted into wastewater treatment system.		All areas	✓			



Appendix H

Site General Layout plan

NOTES :

1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAPFAC NOC. 241239/G-0301 TO 0303 AND 0305.
2. THE LEGEND SHALL REFER TO DRAPFC NO. 241239/F-0301.

02	APR 01	<u>2</u>	TENDER ADDRESS NO. 4	C-1747
01	MAR 08	<u>4</u>	TENDER ADDRESS NO. 3	C-1746
0	DEC 06	<u>21</u>	ISSUE FOR TENDER	C-1745

Mott
MacDonald

THE GOVERNMENT OF THE HONG KONG
SPECIAL ADMINISTRATIVE REGION
WATER SUPPLIES DEPARTMENT

e-NESD/08

POSSESSION OF SITE

11:000	011	241239	0/0304	241239/G/0304
11:000	011	241239	0/0304	241239/G/0304
11:000	011	241239	0/0304	241239/G/0304
11:000	011	241239	0/0304	241239/G/0304
11:000	011	241239	0/0304	241239/G/0304



Appendix I

Monitoring Schedule for this Month and Coming Month

Contract No. 9/WSSD/08

**Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
Time Schedule for Impact Marine Water Quality Monitoring (WQM), Noise Monitoring (NM) and Weekly Site Inspection (SI)**

December 2012

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
						01-Dec
						WQM Mid-Flood 07:00 - 11:00 Mid-Ebb 11:50 - 15:10
02-Dec	NM (SYP-Daytime)	03-Dec	04-Dec	05-Dec	06-Dec	08-Dec
	WQM Mid-Flood 09:00 - 13:00 Mid-Ebb 14:15 - 17:05 NM (WK-Daytime) SI					
09-Dec	NM (SYP-Daytime)	10-Dec	11-Dec	12-Dec	13-Dec	14-Dec
	WQM Mid-Ebb 08:30 - 12:30 Mid-Flood 13:30 - 17:30					15-Dec
16-Dec	NM (SYP-Daytime)	17-Dec	18-Dec	19-Dec	20-Dec	21-Dec
	WQM Mid-Flood 09:30 - 13:30 Mid-Ebb 14:45 - 18:45					22-Dec
23-Dec	NM (SYP-Daytime)	24-Dec	25-Dec	26-Dec	27-Dec	28-Dec
						29-Dec
30-Dec		31-Dec				

Contract No. 9/WSD/08

**Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun
Time Schedule for Impact Marine Water Quality Monitoring (WQM), Noise Monitoring (NM) and Weekly Site Inspection (SI)**

January 2013

Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
		01-Jan	02-Jan	03-Jan	04-Jan	05-Jan
			WQM Mid-Flood 09:00 - 13:00 Mid-Ebb 14:15 - 18:15			WQM Mid-Flood 10:30 - 14:30 Mid-Ebb 16:00 - 20:00
06-Jan	07-Jan	08-Jan	09-Jan	10-Jan	11-Jan	12-Jan
	WQM Mid-Ebb 07:20 - 10:50 Mid-Flood 13:00 - 17:00 SI		WQM Mid-Ebb 09:45 - 13:00 Mid-Flood 14:30 - 18:30		WQM Mid-Flood 07:00 - 11:00 Mid-Ebb 11:15 - 14:45	
13-Jan	14-Jan	15-Jan	16-Jan	17-Jan	18-Jan	19-Jan
	WQM Mid-Flood 08:00 - 12:00 Mid-Ebb 13:15 - 17:15 SI		WQM Mid-Flood 09:30 - 13:30 Mid-Ebb 14:45 - 18:45		WQM Mid-Flood 11:00 - 15:00 Mid-Ebb 16:15 - 20:15	
20-Jan	21-Jan	22-Jan	23-Jan	24-Jan	25-Jan	26-Jan
	WQM Mid-Flood 09:30 - 13:30 Mid-Ebb 18:45 - 22:15 SI		WQM Mid-Ebb 09:45 - 12:00 Mid-Flood 13:30 - 17:30		WQM Mid-Ebb 10:15 - 13:45 Mid-Flood 15:00 - 19:00	
27-Jan	28-Jan	29-Jan	30-Jan	31-Jan	01-Feb	02-Feb
	WQM Mid-Flood 07:00 - 11:00 Mid-Ebb 12:00 - 16:00 SI		WQM Mid-Flood 08:00 - 12:00 Mid-Ebb 13:30 - 17:30			



Appendix J

Daily Dredging Summary

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
6 June, 2010	0	0	0	0	0	0	EP/MD/10-085
7 June, 2010	0	0	0	0	0	0	EP/MD/10-085
8 June, 2010	0	0	0	0	0	0	EP/MD/10-085
9 June, 2010	0	0	0	0	0	0	EP/MD/10-085
10 June, 2010	0	0	0	0	0	0	EP/MD/10-085
11 June, 2010	0	0	0	0	0	0	EP/MD/10-085
12 June, 2010	0	0	0	0	0	0	EP/MD/10-085
13 June, 2010	0	0	0	0	0	0	EP/MD/10-085
14 June, 2010	1,400	2	1,400	2,100	3	2,100	EP/MD/10-085
15 June, 2010	1,400	2	2,800	2,100	3	4,200	EP/MD/10-085
16 June, 2010	2,100	3	4,900	2,100	3	6,300	EP/MD/10-085
17 June, 2010	2,800	4	7,700	2,100	3	8,400	EP/MD/10-085
18 June, 2010	2,100	3	9,800	2,100	3	10,500	EP/MD/10-085
19 June, 2010	2,700	4	12,500	2,100	3	12,600	EP/MD/10-085
20 June, 2010	2,800	4	15,300	2,100	3	14,700	EP/MD/10-085
21 June, 2010	2,100	3	17,400	2,100	3	16,800	EP/MD/10-085
22 June, 2010	2,800	4	20,200	2,100	3	18,900	EP/MD/10-085
23 June, 2010	2,100	3	22,300	2,100	3	21,000	EP/MD/10-085
24 June, 2010	2,100	3	24,400	2,100	3	23,100	EP/MD/10-085
25 June, 2010	2,100	3	26,500	2,100	3	25,200	EP/MD/10-085
26 June, 2010	2,100	3	28,600	2,100	3	27,300	EP/MD/10-085
27 June, 2010	700	1	29,300	2,100	3	29,400	EP/MD/10-085
28 June, 2010	2,100	3	31,400	2,100	3	31,500	EP/MD/10-085
29 June, 2010	1,400	2	32,800	2,100	3	33,600	EP/MD/10-085
30 June, 2010			32,800	2,100	3	33,700	EP/MD/10-085
1 July, 2010			32,800	2,100	3	33,800	EP/MD/10-085
2 July, 2010			32,800	2,100	3	33,900	EP/MD/10-085
3 July, 2010			32,800	2,100	3	34,000	EP/MD/10-085
4 July, 2010			32,800	2,100	3	44,100	EP/MD/10-085
5 July, 2010			32,800	2,100	3	46,200	EP/MD/10-085
6 July, 2010			32,800	2,100	3	48,300	EP/MD/10-085
7 July, 2010			32,800	2,100	3	50,400	EP/MD/10-085
8 July, 2010			32,800	2,100	3	52,500	EP/MD/10-085
9 July, 2010			32,800	2,100	3	54,600	EP/MD/10-085
10 July, 2010			32,800	2,100	3	56,700	EP/MD/10-085
11 July, 2010			32,800	2,100	3	58,800	EP/MD/10-085
12 July, 2010			32,800	2,100	3	60,900	EP/MD/10-085
13 July, 2010			32,800	2,100	3	63,000	EP/MD/10-085
14 July, 2010			32,800	2,100	3	65,100	EP/MD/10-085
15 July, 2010			32,800	2,100	3	67,200	EP/MD/10-085
16 July, 2010			32,800	2,100	3	69,300	EP/MD/10-085
17 July, 2010			32,800	2,100	3	71,400	EP/MD/10-085

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
18 July, 2010	32,800	2,100	3	73,500	EP/MD/10-085		
19 July, 2010	32,800	2,100	3	75,600	EP/MD/10-085		
20 July, 2010	32,800	2,100	3	77,700	EP/MD/10-085		
21 July, 2010	32,800	2,100	3	79,800	EP/MD/10-085		
22 July, 2010	32,800	2,100	3	81,900	EP/MD/10-085		
23 July, 2010	32,800	2,100	3	84,000	EP/MD/10-085		
24 July, 2010	32,800	2,100	3	86,100	EP/MD/10-085		
25 July, 2010	32,800	2,100	3	88,200	EP/MD/10-085		
26 July, 2010	32,800	2,100	3	90,300	EP/MD/10-085		
27 July, 2010	32,800	2,100	3	92,400	EP/MD/10-085		
28 July, 2010	32,800	2,100	3	94,500	EP/MD/10-085		
29 July, 2010	32,800	2,100	3	96,600	EP/MD/10-085		
30 July, 2010	32,800	2,100	3	98,700	EP/MD/10-085		
31 July, 2010	32,800	2,100	3	100,800	EP/MD/10-085		
1 August, 2010	32,800	2,100	3	102,900	EP/MD/10-085		
2 August, 2010	32,800	2,100	3	105,000	EP/MD/10-085		
3 August, 2010	32,800	2,100	3	107,100	EP/MD/10-085		
4 August, 2010	32,800	2,100	3	109,200	EP/MD/10-085		
5 August, 2010	32,800	2,100	3	111,300	EP/MD/10-085		
6 August, 2010	32,800	2,100	3	113,400	EP/MD/10-085		
7 August, 2010	32,800	2,100	3	115,500	EP/MD/10-085		
8 August, 2010	32,800	2,100	3	117,600	EP/MD/10-085		
9 August, 2010	32,800	2,100	3	119,700	EP/MD/10-085		
10 August, 2010	32,800	2,100	3	121,800	EP/MD/10-085		
11 August, 2010	32,800	2,100	3	123,900	EP/MD/10-085		
12 August, 2010	32,800	2,100	3	126,000	EP/MD/10-085		
13 August, 2010	32,800	2,100	3	128,100	EP/MD/10-085		
14 August, 2010	32,800	2,100	3	130,200	EP/MD/10-085		
15 August, 2010	32,800	2,100	3	132,300	EP/MD/10-085		
16 August, 2010	32,800	2,100	3	134,400	EP/MD/10-085		
17 August, 2010	32,800	2,100	3	136,500	EP/MD/10-085		
18 August, 2010	32,800	2,100	3	138,600	EP/MD/10-085		
19 August, 2010	32,800	2,100	3	140,700	EP/MD/10-085		
20 August, 2010	32,800	2,100	3	142,800	EP/MD/10-085		
21 August, 2010	32,800	2,100	3	144,900	EP/MD/10-085		

Wo Hing - Penta-Ocean Joint Venture							
Contract no. 9/WSD/08 Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun							
Summary of Dumping Qty. of Type 1 Marine Sediment (Dispose to East Ninepin Mud Disposal Ground)							
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
22 August, 2010	32,800	2,100	3	147,000	EP/MD/10-085		
23 August, 2010	32,800	2,100	3	149,100	EP/MD/10-085		
24 August, 2010	32,800	2,100	3	151,200	EP/MD/10-085		
25 August, 2010	32,800	2,100	3	153,300	EP/MD/10-085		
26 August, 2010	32,800	2,100	3	155,400	EP/MD/10-085		
27 August, 2010	32,800	2,100	3	157,500	EP/MD/10-085		
28 August, 2010	32,800	2,100	3	159,600	EP/MD/10-085		
29 August, 2010	32,800	2,100	3	161,700	EP/MD/10-085		
30 August, 2010	32,800	2,100	3	163,800	EP/MD/10-085		
31 August, 2010	32,800	2,100	3	165,900	EP/MD/10-085		
1 September, 2010	32,800	2,100	3	168,000	EP/MD/10-085		
2 September, 2010	32,800	2,100	3	170,100	EP/MD/10-085		
3 September, 2010	32,800	2,100	3	172,200	EP/MD/10-085		
4 September, 2010	32,800	2,100	3	174,300	EP/MD/10-085		
5 September, 2010	32,800	2,100	3	176,400	EP/MD/10-085		
6 September, 2010	32,800	2,100	3	178,500	EP/MD/10-085		
7 September, 2010	32,800	2,100	3	180,600	EP/MD/10-085		
8 September, 2010	32,800	2,100	3	182,700	EP/MD/10-085		
9 September, 2010	32,800	2,100	3	184,800	EP/MD/10-085		
10 September, 2010	32,800	2,100	3	186,900	EP/MD/10-085		
11 September, 2010	32,800	2,100	3	189,000	EP/MD/10-085		
12 September, 2010	32,800	2,100	3	191,100	EP/MD/10-085		
13 September, 2010	32,800	2,100	3	193,200	EP/MD/10-085		
14 September, 2010	32,800	2,100	3	195,300	EP/MD/10-085		
15 September, 2010	32,800	2,100	3	197,400	EP/MD/10-085		
16 September, 2010	32,800	2,100	3	199,500	EP/MD/10-085		
17 September, 2010	32,800	2,100	3	201,600	EP/MD/10-085		
18 September, 2010	32,800	2,100	3	203,700	EP/MD/10-085		
	32,800	47		203,700	291		

Wo Hing - Penta-Ocean Joint Venture

Contract no. 9/WSD/08

Laying of Western Cross Harbour Main & Associated Land Mains from
West Kowloon to Sai Ying Pun

Summary of Dumping Qty. of Type 2 Marine Sediment

Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
5 May, 2010	440	1	440	1,260	2	1,260	EP/MD/10-086
6 May, 2010	1,280	3	1,720	1,260	2	2,520	EP/MD/10-086
7 May, 2010	0	0	1,720	1,260	2	3,780	EP/MD/10-086
8 May, 2010	0	0	1,720	1,260	2	5,040	EP/MD/10-086
9 May, 2010	1,400	2	3,120	1,260	2	5,300	EP/MD/10-086
10 May, 2010	1,400	2	4,520	1,260	2	7,560	EP/MD/10-086
11 May, 2010	1,300	2	5,820	1,260	2	8,820	EP/MD/10-086
12 May, 2010	1,800	3	7,620	1,260	2	10,080	EP/MD/10-086
13 May, 2010	1,200	2	8,820	1,260	2	11,340	EP/MD/10-086
14 May, 2010	0	0	8,820	1,260	2	12,600	EP/MD/10-086
15 May, 2010	0	0	8,820	1,260	2	13,860	EP/MD/10-086
16 May, 2010	600	1	9,420	1,260	2	15,120	EP/MD/10-086
17 May, 2010	1,200	2	10,620	1,260	2	16,380	EP/MD/10-086
18 May, 2010	700	1	11,320	1,260	2	17,640	EP/MD/10-086
19 May, 2010	2,000	3	13,320	1,260	2	18,900	EP/MD/10-086
20 May, 2010	1,400	2	14,720	1,260	2	20,160	EP/MD/10-086
21 May, 2010	1,400	2	16,120	1,260	2	21,420	EP/MD/10-086
22 May, 2010	2,100	3	18,220	1,260	2	22,680	EP/MD/10-086
23 May, 2010	1,400	2	19,620	1,260	2	23,940	EP/MD/10-086
24 May, 2010	1,400	2	21,020	1,260	2	25,200	EP/MD/10-086
25 May, 2010	1,300	2	22,320	1,260	2	26,460	EP/MD/10-086
26 May, 2010	1,400	2	23,720	1,260	2	27,720	EP/MD/10-086
27 May, 2010	1,300	2	25,020	1,260	2	28,980	EP/MD/10-086
28 May, 2010	1,400	2	26,420	1,260	2	30,240	EP/MD/10-086
29 May, 2010	600	1	27,020	1,260	2	31,500	EP/MD/10-086
30 May, 2010	2,100	3	29,120	1,260	2	32,760	EP/MD/11-012
31 May, 2010	700	1	29,820	1,260	2	34,020	EP/MD/11-012
1 June, 2010	1,900	3	31,720	1,260	2	35,280	EP/MD/11-012
2 June, 2010	1,220	2	32,940	1,260	2	36,540	EP/MD/11-012
3 June, 2010	1,300	2	34,240	1,260	2	37,800	EP/MD/11-012
4 June, 2010	1,200	2	35,440	1,260	2	39,060	EP/MD/11-012
5 June, 2010	1,400	2	36,840	1,260	2	40,320	EP/MD/11-012
6 June, 2010	600	1	37,440	1,260	2	40,580	EP/MD/11-012
7 June, 2010	0	0	37,440	1,260	2	42,840	EP/MD/11-012
8 June, 2010	500	1	37,940	1,260	2	43,100	EP/MD/11-012
9 June, 2010	0	0	37,940	1,260	2	43,360	EP/MD/11-012
10 June, 2010	600	1	38,540	1,260	2	43,620	EP/MD/11-012
11 June, 2010	1,200	2	39,740	1,260	2	44,880	EP/MD/11-012
12 June, 2010	1,400	2	41,140	1,260	2	46,140	EP/MD/11-012
13 June, 2010	1,400	2	42,540	1,260	2	47,400	EP/MD/11-012
14 June, 2010	0	0	42,540	0	0	47,400	EP/MD/11-012
15 June, 2010	0	0	42,540	0	0	47,400	EP/MD/11-012
16 June, 2010	0	0	42,540	0	0	47,400	EP/MD/11-012
17 June, 2010	0	0	42,540	0	0	47,400	EP/MD/11-012
18 June, 2010	0	0	42,540	0	0	47,400	EP/MD/11-012
19 June, 2010	0	0	42,540	0	0	47,400	EP/MD/11-012

Wo Hing - Penta-Ocean Joint Venture							
Contract no. 9/WSD/08							
Laying of Western Cross Harbour Main & Associated Land Mains from West Kowloon to Sai Ying Pun							
Summary of Dumping Qty. of Type 2 Marine Sediment							
Date	Dumping qty (m ³)	Barge Load per day	Accumulated Dumping Qty.	Target Dumping qty (m ³)	Target Barge Load per day	Target Accumulated Dumping Qty.	Permit No.
			(bulk volume)			(bulk volume)	
20 June, 2010	0	0	42,540	0	0		EP/MD/11-012
21 June, 2010	0	0	42,540	0	0		EP/MD/11-012
22 June, 2010	0	0	42,540	0	0		EP/MD/11-012
23 June, 2010	0	0	42,540	0	0		EP/MD/11-012
24 June, 2010	0	0	42,540	0	0		EP/MD/11-012
25 June, 2010	0	0	42,540	0	0		EP/MD/11-012
26 June, 2010	0	0	42,540	0	0		EP/MD/11-012
27 June, 2010	0	0	42,540	0	0		EP/MD/11-012
28 June, 2010	0	0	42,540	0	0		EP/MD/11-012
29 June, 2010	0	0	42,540	0	0		EP/MD/11-012
30 June, 2010	1,200	2	43,740				EP/MD/11-024
1 July, 2010	2,600	4	46,340				EP/MD/11-024
2 July, 2010	2,800	4	49,140				EP/MD/11-024
3 July, 2010	1,400	2	50,540				EP/MD/11-024
4 July, 2010	2,100	3					EP/MD/11-024
5 July, 2010	2,850	4					EP/MD/11-024
6 July, 2010	1,400	2					EP/MD/11-024
7 July, 2010	1,400	2					EP/MD/11-024
8 July, 2010	2,700	4					EP/MD/11-024
9 July, 2010	2,100	3					EP/MD/11-024
10 July, 2010	2,100	3					EP/MD/11-024
11 July, 2010	1,400	2					EP/MD/11-024
12 July, 2010							EP/MD/11-024
13 July, 2010							EP/MD/11-024
14 July, 2010							EP/MD/11-024
15 July, 2010							EP/MD/11-024
16 July, 2010							EP/MD/11-024
17 July, 2010							EP/MD/11-024
18 July, 2010							EP/MD/11-024
19 July, 2010							EP/MD/11-024
20 JULY, 2010							EP/MD/11-024
21 July, 2010							EP/MD/11-024
22 July, 2010							EP/MD/11-024
23 July, 2010							EP/MD/11-024
24 July, 2010							EP/MD/11-024
25 JULY, 2010							EP/MD/11-024
26 JULY, 2010							EP/MD/11-024
27 July, 2010							EP/MD/11-024
28 July, 2010							EP/MD/11-024
29 July, 2010							EP/MD/11-024
30 July, 2010							
31 July, 2010							
	66,590	101		50,400	70		



Appendix K


Complaint Log


Complaint Log

Log Ref.	Location	Received Date	Details of Complaint	Investigation / Mitigation Action	Status
001	Portion 1 – Launch Barge	08/07/2011	<p>One complaint received on 23 June 2011 was forwarded by the Engineer's Representatives on 08 July 2011 through internet from a citizen against urinating into the sea from the Launching Barge which caused by site workers. The complainant complained that that caused an environmental nuisance.</p>	<p><u>Details of ET Follow up Action(s):</u> During the weekly site inspection on 08 July 2010, the Contractor has provided portable chemical toilet and warming notice on the barge. No urinating was observed during the weekly site inspection.</p> <p><u>Details of Action(s) Taken by the Contractor:</u></p> <ol style="list-style-type: none"> Meeting has been arranged on 29 June 2011 to discuss the safety and environmental issues on launching barge. New disciplinary system has been in place to prevent the same inappropriate act of workers from happening. Additional sanitary facilities have been added on the barge and the nearby area to facilitate the workers need. 	Closed




Figures





Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun

Figure 2
Locations of Noise Monitoring Stations at Sai Ying Pun



Contract No. 9/WSD/08 Laying of Western Cross Harbour Main and Associated Land Mains for West Kowloon to Sai Ying Pun



THE LITERATURE OF THE AMERICAN RENAISSANCE

